

Department Of Defense Index of Specifications and Standards

Numerical Listing Part II



DODISS

1 July 1998

DTIC QUALITY INSPECTED 4

DISTRIBUTION STATEMENT A
Approved for Public Release
Distribution Unlimited

19990617 117

THE UNIVERSITY OF MICHIGAN
LIBRARY
ANN ARBOR, MICHIGAN

NUMERICAL LISTINGS TABLE OF CONTENTS

| | ACTIVE SECTION | INACTIVE SECTION | CANCELED SECTION |
|---|-------------------|---------------------|---------------------|
| Performance Specifications | 1 | 659 | 790 |
| Detail Specifications | 33 | 660 | 791 |
| Performance MS Drawings | | | |
| Detail MS Drawings | 258 | 758 | 817 |
| Military Standards | 300 | 775 | 821 |
| Commercial Item Descriptions (CIDs) | 320 | | 829 |
| Federal Specifications | 410 | 780 | 832 |
| Federal Standards | 442 | | 838 |
| Federal Information Processing Standards (FIPS) | 452 | | |
| Qualified Products List (Military) | 454 | 781 | 839 |
| Qualified Products List (Federal) | 467 | | 839 |
| Qualified Products List (SAE) | 468 | | |
| Society of Automotive Engineers | 468 | | |
| Military Handbooks | 469 | 782 | 840 |
| Military/Air Force-Navy Aeronautical Bulletins | 477 | | |
| Air Force Guide Specifications | 478 | | 841 |
| Joint Service Guide Specifications | 478 | | |
| NAVFAC Guide Specifications | 478 | | |
| NAVFAC Guide Specifications - Metric | 483 | | |
| NAVFAC Guide Specifications - Short Form | 483 | | |
| Performance AN | | | |
| Air Force/Navy AN | 485 | 783 | 842 |
| Performance Air Force/Navy Aeronautical Design Docs (AND) | | | |
| Air Force/Navy Aeronautical Design Documents (AND) | 488 | 787 | 843 |
| Standardization Directories | 489 | | 844 |
| International Standardization Documents | 490 | | |
| Naval Tripartite Standards | 490 | | |
| ABCA Naval/Army/Air Force Quadripartite Standards | 490 | | |
| Allied Configuration Management Publication | 490 | | |
| Allied Environmental Conditions and Test Publication | 490 | | |
| Air Standards Coordinating Committee (ASCC) Air Standards | 490 | | 845 |
| Allied Ordnance Publications | 495 | | |

| | ACTIVE SECTION | INACTIVE SECTION | CANCELED SECTION |
|--|-------------------|---------------------|---------------------|
| NATO Allied Reliability and Maintainability Publications | 495 | | |
| NATO Allied Quality Standardization Publications | 495 | | |
| NATO Allied Standardization | 495 | | |
| ABCA Quadripartite Advisory Publications | 495 | | |
| ABCA Quadripartite Standardization Agreements | 495 | | |
| NATO Standardization Agreements | 502 | | 845 |
| Aluminum Association, Inc. | 518 | | |
| American Architectural Manufacturers Association (AAMA) | 518 | | |
| Association for the Advancement of Medical Instrumentation | 518 | | |
| American Association of Textile Chemists and Colorists | 518 | | |
| American Bearing Manufacturers Association, Inc. | 518 | | |
| ABS-LAS Soap and Detergent Association (ABS-LAS) | 519 | | |
| American Concrete Institute (ACI) | 519 | | |
| American Dental Association (ADA) | 519 | | |
| American Gear Manufacturers Association (AGMA) | 519 | | |
| American Hardboard Association (AHA) | 520 | | |
| American Institute of Aeronautics and Astronautics (AIAA) | 520 | | |
| Association for Information and Image Management (AIIM) | 520 | | |
| Advanced Information Management (AIM) | 520 | | |
| American Institute of Steel Construction (AISC) | 520 | | |
| American Institute of Timber Construction (AITC) | 520 | | |
| Air Movement and Control Association (AMCA) | 520 | | |
| American National Metric Council (ANMC) | 520 | | |
| American National Standards Institute (ANSI) | 520 | | 846 |
| American Plywood Association (APA) | 529 | | |
| American Petroleum Institute (API) | 529 | | |
| Air Conditioning and Refrigeration Institute (ARI) | 529 | | |
| American Society of Cinematographers (ASC) | 530 | | |
| American Society of Heating, Refrigeration and AC Engrs | 530 | | |
| American Society of Mechanical Engineers (ASME) | 530 | | 846 |
| American Society for Quality Control (ASQC) | 533 | | |
| American Society of Sanitary Engineering (ASSE) | 533 | | |
| American Society for Testing and Materials (ASTM) | 533 | | 846 |
| Architectural Woodwork Institute (AWI) | 583 | | |

| | ACTIVE SECTION | INACTIVE SECTION | CANCELED SECTION |
|---|-------------------|---------------------|---------------------|
| American Wood Preservers Association (AWPA) | 583 | | |
| American Wood Preservers Bureau (AWPB) | 585 | | |
| American Welding Society (AWS) | 585 | | |
| American Water Works Association (AWWA) | 586 | | |
| American Association for Laboratory Accreditation (A2LA) | | | |
| Builders Hardware Manufacturers Association (BHMA) | 587 | | |
| Building Officials and Code Administrators International | 588 | | |
| Compressed Gas Association (CGA) | 588 | | |
| Cordage Institute | 588 | | |
| Cast Iron Soil Pipe Institute (CISPI) | 588 | | |
| Chain Manufacturing Association | | | |
| Construction Specifications Institute (CSI) | 588 | | |
| Cooling Tower Institute | 588 | | |
| Deep Foundations Institute (DFI) | 588 | | |
| Electronic Industries Association (EIA) | 588 | | |
| Graphic Communications Association (GCA) | 591 | | |
| Human Factors and Ergonomics Society, Inc. | 591 | | |
| Health Industry Manufacturers Association (HIMA) | 591 | | |
| Hardwood Plywood Manufacturers Association (HPMA) | 591 | | |
| International Association of Plumbing and Mech. Officials | 591 | | |
| Institute of Clean Air Companies | 591 | | |
| Insulated Cable Engineers Association (ICEA) | 591 | | |
| International Electrotechnical Commission (IEC) | 591 | | |
| Institute of Electrical and Electronic Engineers (IEEE) | 591 | | 846 |
| Institute for Interconnecting and Packaging Elec Circuits | 593 | | |
| International Organization for Standardization (ISO) | 595 | | |
| Joint Industrial Council (JIC) | 597 | | |
| Manufacturing Chemists Association (MCA) | | | |
| Magnetic Materials Producers Association (MMPA) | 597 | | |
| Manufacturers Standardization Society of V&F Industry (MSS) | 597 | | |
| National Aerospace Standards Committee (NA/NAS) | 597 | 788 | |
| National Association of Architectural Metal Manufacturers | 611 | | |
| National Association of Chain Manufacturers (NACM) | 611 | | |
| National Ass'n of Plumbing-Heating-Cooling Contractors | 611 | | |

| | ACTIVE SECTION | INACTIVE SECTION | CANCELED SECTION |
|--|-------------------|---------------------|---------------------|
| National Electrical Manufacturers Association (NEMA) | 611 | | |
| National Fire Protection Association | 612 | | 846 |
| National Fluid Power Association | 613 | | |
| National Forest Products Association | 613 | | |
| National Hardwood Lumber Association | 613 | | |
| National Micrographics Association | 613 | | |
| National Sanitation Foundation (NSF) | 613 | | |
| National Wood Window and Door Association (NWWDA) | 613 | | |
| Plumbing and Drainage Institute (PDI) | 614 | | |
| Office of Standards Services, Voluntary Products Standards | 614 | | |
| Quarter-Inch Cartridge Drive Standards, Inc. | 614 | | |
| Rubber Manufacturers Association (RMA) | 614 | | |
| Rack Manufacturers Institute | | | |
| Resistance Welder Manufacturers Association (RWMA) | 614 | | |
| Suppliers of Advanced Composite Materials Ass'n (SACMA) | 614 | | |
| Society of Automotive Engineers (SAE) | 614 | 788 | 846 |
| Scientific Apparatus Makers Association (SAMA) | 653 | | |
| Society of Allied Weight Engineers, Inc. | 653 | | |
| Steel Door Institute (SDI) | 653 | | |
| Standards Engineering Society (SES) | 653 | | |
| Steel Founders Society of America (SFSA) | 653 | | |
| Sheet Metal & Air Conditioning Contractors Natl Assoc | 653 | | |
| Steel Structures Painting Council (SSPC) | 653 | | |
| Steel Window Institute (SWI) | 654 | | |
| Technical Association of the Pulp and Paper Industry (TAPPI) | | | |
| Timber Engineering Co. | | | |
| Tire and Rim Association (TRA) | 654 | | |
| Underwriters Laboratories (UL) | 654 | | 846 |
| Western Wood Products Association (WWPA) | 658 | | |

DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

FOREWORD

The Department of Defense Index of Specifications and Standards (DODISS) and related standardization documents is comprised of four separate parts as follows:

- PART 1 - An alphabetical listing of all current and inactive standardization documents in order by the title of the document, plus all standardization documents canceled since the last basic DODISS.
- PART 2 - A numerical listing of all current and inactive standardization documents in order by document identifier number, plus all standardization documents canceled since the last basic DODISS.
- PART 3 - A Federal Supply Class (FSC) listing of all current and inactive standardization documents in alphabetical order within each FSC, plus all standardization canceled since the last basic DODISS. FSC's are identified in the Cataloging Handbook H2-1.
- PART 4 - A numerical listing of all standardization documents canceled from 1964 to date of the current edition.

The Department of Defense Index of Specifications and Standards (DODISS) is published under authority of the Executive Agent for the Defense Standardization Program, and is issued with supplements effective 1 September, 1 November, 1 January, 1 March and 1 May.

Comments or suggestions pertaining to the maintenance of this index should be addressed to:

Defense Automated Printing Service
Bldg 4D DPM-DODSSP
700 Robbins Avenue
Philadelphia , PA 19111-5094

"The Department of Defense Index of Specifications and Standards is available as follows:

Military Activities:

DODSSP
Standardization Documents Order Desk
700 Robbins Avenue Bldg. 4D
Philadelphia, PA 19111-5094

Government Civil Agencies and Non-Governmental
Activities (subscription basis only):
Superintendent of Documents
U.S. Government Printing Office
Washington, DC 20402

GENERAL PROVISIONS

1. This publication lists the unclassified Federal and Military specifications, standards, and related standardization documents, and those non-government standards adopted for DOD use.
2. Revisions are indicated by a suffix letter to the basic number, except for Air Force-Navy Aeronautical Standards (Sheet Form) and Qualified Products Lists which indicate revisions by a suffix number.
3. Amendments and Change Notices are indicated by a suffix number in parenthesis to the basic number. Interim amendments or notices appear as separate documents after the coordinated document.
4. In the active section under the column headed "DATE" the date listed is that of the latest document issue. In the canceled section under the column headed "DATE" the date listed is normally the date of cancellation or date of DOD withdrawal of a NGS.
5. The following control symbols pertain to Commercial Item Descriptions, Federal Specifications, Standards, and Qualified Products Lists only and appear immediately preceding the "Preparing Activity" column in the parts of this index indicated:
 - # - The pound symbol (#) identifies Federal Documents for which no official DOD interest has been registered.
 - * - The asterisk (*) identifies Federal Documents for which DOD has a coordination interest.
 - % - The percent symbol (%) identifies Federal Documents for which DOD has waived coordination interest.
 - / - The slash symbol (/) identifies Federal Documents prepared by a DOD activity.

6. Distribution Statements: Documents listed in this index with other than distribution statement "A" require release approval. To request copies of these documents all request must be submitted via the preparing activity.

7. The codes listed are assigned to identify the activities of the military services and appear in the column 7 headed "Preparing Activity" indicating preparing activities. These codes will also identify custodians or review activities included after the title in the active and inactive sections of the DODISS. Military Coordinating Activity for a Federal document which was prepared outside the Department of Defense is denoted by an asterisk "*" preceding the Preparing Activity column.

8. Federal Standardization Documents are available for reference at General Service Administration Business Service Center and some Federal Government Depository Libraries. Federal Standardization Documents (single copies, priced or otherwise) are available from:

Federal Supply Service Bureau
Specs Section (3FPB-W)
Suite 8100
470 E L'Enfant Plaza, S.W
Washington, DC 20407

9. COLUMN 1 ACTION-Indicates the type of computer transaction.

- A - Indicates a change since the last published index.
- D - Indicates a DD1865 change/correction to the index.
- M - Indicates a modification to an existing document.
- N - Indicates a new document being entered.

COLUMN 2 DOCUMENT NUMBER-Contains the document number, revision, amendment number, notice number, supplement number and interim amendment or notice.

COLUMN 3 DOCUMENT TITLE-Contains the document title and identifies any interest for that document.

***CANCELLED DOCUMENTS** will either have a suggested replacement document after the title or the phrase (No S/S Document).

COLUMN 4 DIST STMT-Indicates the distribution statement for that document.

COLUMN 5 FSC/AREA-Contains the Federal Supply Class or Area Assignment for that document.

COLUMN 6 MCA SYMBOL-These symbols identify the degree of interest DOD has in Federal Standardization Documents.

COLUMN 7 PREPARING ACTY-Identifies the DOD activity which prepared the document.

COLUMN 8 DATE-Contains the document date (DDMMYY).

10. Federal Supply Classes (FSC) (numeric) reflected in this index are listed and described in DOD Handbook H2-1. In addition, the following alpha symbols reflected in this index as an FSC indicate standardization areas (not listed in DOD Handbook H2-1) and are defined as follows:

| <u>SYMBOL</u> | <u>DESCRIPTION</u> |
|---------------|---|
| ALSS | Acquisition Logistics Standards and Specifications |
| ATTS | Automatic Test Technology Standards |
| AVCS | Avionics |
| CDNC | Computer Aided Design Numerical Control |
| CMAN | Configuration Management |
| CMPS | Composites Technology |
| DCPS | Data Communications Protocol Standards |
| DRPR | Drawing Practices |
| EDRS | DOD Engineering Data Reproduction Systems |
| EGDS | Engineering Data Systems |
| EMCS | Electromagnetic Compatibility |
| ENVR | Environmental Requirements and Related Test Methods |
| FACR | Facilities Engineering and Design Requirements |
| FORG | Forgings |
| GDRQ | General Design Requirements |
| HFAC | Human Factors |
| INST | Information Standards and Technology |
| IPSC | Information Processing Standards for Computers |
| MCCR | Mission Critical Computer Resources |
| MCGT | Mapping, Charting and Geodesy Technology |
| MECA | Metal Castings |
| MFFP | Metal Finishes and Finishing Processes and Procedures |
| MISC | Miscellaneous |
| MNTY | Maintainability |
| NDTI | Nondestructive Testing and Inspection |
| NUOR | Nuclear Ordnance |
| PACK | Packing, Packaging, Preservation and Transportability |
| QCIC | Quality Control/Assurance and Inspection |
| RELI | Reliability |
| SAFT | System Safety |
| SDMP | Standardization and Data Management Programs |
| SOLD | Soldering |
| TCSS | Telecommunications System Standards |
| *TELE | Federal Telecommunications Standards |
| THDS | Screw Threads |
| THJM | Thermal Joining of Metals (except soldering) |
| TMSS | Technical Manual Specifications and Standards |

* AREA "TELE" is for indexing purposes only. It is not a DOD AREA Assignment.

11. International Standardization Documents have been included in the DOD Index of Specifications and Standards. They are identified under areas ISDA, ISDN and ISDF (International Standardization Documents sponsored by Army, Navy and Air Force respectively). However, ISDA, ISDN and ISDF are symbols identifying the documents as being other than those in the FSC Classes and Areas reflected in the Standardization Directory (SD-1).

12. SERVICE CODES

| | |
|------|---|
| CODE | OFFICE OF ASSISTANT SECRETARY OF DEFENSE FOR ECONOMIC SECURITY |
| SO | Defense Standardization Program Office Attn: DLSC-LM 8725 John J Kingman Road Suite 2533 Fort Belvoir, VA 22060-6221 |
| DO | Department of Defense CALs 5203 Leesburg Pike, Suite 1609 Falls Church, VA 22041-3401 |
| HP | Deputy Director for Equal Opportunity Policy (Handicapped Individuals Program) ODASD(CPP), OASD(FMP) Department of Defense Room 3A272, Pentagon Washington, DC 20301-4000 |
| HS | Director, Requirements Directorate Human Systems Integration Division OUSD Personnel and Readiness (P&R/R&R/R/HSI) Department of Defense Room 3D257, Pentagon Washington, DC 20301-4000 |
| IR | OASD (C3I) (C3) Information Technology Directorate ROOM 3D239 6000 Defense Pentagon Washington, DC 20301-6000 |
| NT | OASD (ISA) / EUR-NATO Assistant for Air Defense Pentagon, Room 1D469 Washington, DC 20301-2600 |

MA Department of Defense
Rm. 3B915, Pentagon
Washington, DC 20301-8000

OH Assistant Deputy Under Secretary of Defense
Safety and Occupational Health Policy
3400 Defense Pentagon
Room 3E792
Washington DC 20301-3400

SE Department of Defense
OUSD (A&T) /DTSE&E
Room 3D1075, Pentagon
Washington, Dc 20301-8000

SP OASD(ES)L/MRM
Department of Defense
Pentagon, Room 3B724
Washington, DC 20301-8000

| | |
|------|--|
| CODE | ARMY ACTIVITIES |
| AC | Headquarters, Department of the Army ATTN: SAIA-ADO Washington, DC 20301-0107 |
| AC1 | Director US Army Publication Agency Attn: JDHQSVP-PAP-DS Alexandria, VA 22331-0302 |
| AC2 | Commander US Army Publishing and Records Management Center Records Management Division Attn: SAIS-PRP-D 6000 6 TH Street, Stop C55 Fort Belvoir, VA 22060-5576 |
| AI | Commander U.S. Army Material Command Attn: AMCICP-AA 5001 Eisenhower Avenue Alexandria, VA 22333-0001 |
| AL | Commander U.S. Army Armament Research, Development and Engineering Center (ARDEC) Attn: AMSTA-AR-EST-P Rock Island, IL 61299-7300 |
| AM | Commander (DEPSO) U.S. Army Material Command Attn: AMCRDA-TE 5001 Eisenhower Avenue Alexandria, VA 22333-0001 |
| AR | Commander U.S. Army TACOM - Armament Research, Development and Engineering Center (ARDEC) Attn: AMSTA-AR-EDE-S, BLDG 12 Picatinny Arsenal, NJ 07806-5000 |
| AT | Commander US Army Tank-Automotive and Armaments Command Attn: AMSTA-TR-E/BLUE Warren, MI 48397-5000 |
| AV | Commander US Army Aviation and Missile Command Attn: AMSAM-RD-SE-TD-ST Redstone Arsenal, AL 35898-5000 |

CD Executive Director
 USAMC Logistics Support Activity,
 Logistics Data Management Center
 Attn: AMXLS-CMT
 Redstone Arsenal
 Huntsville, AL 35898-7466

CE Commander,
 HQ, US Army Corps of Engineers
 Attn: (CEMP-EA)
 20 Massachusetts Avenue NW
 Washington, DC 20314-1000

CE-1 Commander
 US Army Engineer Division, Huntsville
 Attn: CEHNC-ED-ES-G
 PO Box 1600
 Huntsville, AL 35807-4301

CR Commander
 U.S. Army Communications Electronics Command
 Attn: AMSEL-LC-LEO-E-EP
 Fort Monmouth, NJ 07703-5023

CR4 HQ US Army CECOM
 CECOM RDE Center
 Attn: AMSEL-LC-LEO-E-EB
 10115 Gridley Road, Suite 228
 Fort Belvoir, VA 22060-5849

CR5 Director, Operations and Plans
 US Army Information Systems Software Center
 Attn: ASQB-IDP, Stop C-60
 6000 6th Street, Suite S122A
 Fort Belvoir, VA 22060-5576

EA Technical Director
 U.S. Army Edgewood Research
 Development and Engineering Center
 ATTN: SCBRD-ENE-S
 Aberdeen Proving Ground, MD 21010-5423

GL Commander
 U.S. Army Soldier Systems Command
 U.S. Army Natick RD & E Center
 ATTN: SSCNC-AE
 Natick, MA 01760-5015

IE Director
 U.S. Army Materiel Systems Analysis Activity (AMSAA)
 Attn: AMXSY-T
 Rock Island, IL 61299-7260

IH Director
 US Army Institute of Heraldry
 Attn: TAPC-PDH-T
 9325 Gunston Rd, RM. S112
 Fort Belvoir, VA 22060-5579

LM Commandant
 U.S. Army Logistics Management College
 Attn: SAM PQMD
 2401 Quarters Rd
 Fort Lee, VA 23801-1705

MD U S Army Medical Materiel Agency
 Attn: MCMR-MMO
 Fredrick, MD 21702-5001

MI Commander
 U.S. Army Aviation and Missile Command
 Attn: AMSAM-RD-SE-TD-ST
 Redstone Arsenal, AL 35898-5000

MR Army Research Laboratory
 Weapons and Materials Research Directorate
 Attn: AMSRL-WM-M
 Aberdeen Proving Ground, MD 21005-5069

MT Director
 Military Traffic Management Command
 Transportation Engineering Agency
 Attn: MTTE-PDE
 720 Thimble Shoals Blvd - Suite 130
 Newport News, VA 23606-2574

PT Simulation, Training and Instrumentation Command
 ATTN: AMSTI-EO (Standardization)
 12350 Research Parkway
 Orlando, FL 32826-3276

QM Director
 Army Center of Excellence, Subsistence
 1201 22D St.
 Attn: ASTM-CES-OM
 Fort Lee, VA 23801-1601

SM Chief
 LOGSA Packaging, Storage and
 Containerization Center
 Attn: AMXLS-TP-P
 11 Hap Arnold Blvd
 Tobyhanna, PA 18466-5097

SY Director
 U.S. Army Materiel Systems Analysis Activity
 ATTN: AMXSY-T
 Aberdeen Proving Ground, MD 21005-5071

TE Commander
 U.S. Army Test and Evaluation Command
 Attn: AMSTE-TM-T
 Aberdeen Proving Ground, MD 21005-5055

TI Department of the Army
 Office of the Deputy Chief of Staff for Intelligence
 Attn: DAMI-POI
 Pentagon, Room 2B457
 Washington, DC 20310-1067

TM Chief
 Acquisition Logistics Center
 Attn: AMXLS-AP
 Redstone Arsenal, AL 35898-7466

TM-1 Chief
 Acquisition Logistics Center
 Attn: AMXLS-APP
 Redstone Arsenal, AL 35898-7466

TM-2 Chief
 Acquisition Logistics Center
 Attn: AMXLS-AI
 Redstone Arsenal, AL 35898-7466

| | |
|------|---|
| CODE | NAVY ACTIVITIES |
| AP | Deputy for Acquisition & Business Management 2211 Jefferson Davis Highway Arlington, VA 22244 |
| AS | Commander Naval Air Systems Command Code 414000B120-3 Highway 547 Lakehurst, NJ 08733-5100 |
| BC | Associate Director for Engineering (Code NB-5) Navy Broadcasting Service Director of Engineering Building 168, Naval Station, Anacostia Washington, DC 20374-1682 |
| CG | Commandant U.S. Coast Guard Headquarters Attn: G-SLP 2100 Second Street, S.W. Washington, DC 20593-0001 |
| CH | Commander Naval Weapons Center NAVIARWARCENWPNDIV Avionics department Mail Stop 167D Code 45000D 1 Administration Circle China Lake, CA 93555-6001 |
| EC | Commander Space & Naval Warfare System Command Crystal Park #5 2451 Crystal Drive Attn: SPAWAR 052-2G Arlington, VA 22245-5200 |
| MC | Commander Program Support Directorate (PSE-C/S) Marine Corps Systems Command 2033 Barnett Avenue, Suite 315 Quantico, VA 22134-5010 |
| MS | Commanding Officer Naval Medical Logistics Command Fort Detrick Attn: Code 032 Frederick, MD 21702-5015 |
| NC | Office of the Chief of Naval Operations Information Transfer Division (N-61C) Washington, DC 20350 |

ND Office of the Chief of Naval Operations
Information Resources Management and
Information Technology Section (N120H)
2 Navy Annex, Rm 2824
Washington, DC 20350-2000

NI Commander
Naval Doctrine Command
1540 Gilbert Street
Norfolk, VA 23511-2785

NM Department of the Navy
Office of Acquisition Reform
(ASN(RDA) (ARO) (DEPSO))
1000 Navy Pentagon
Washington, DC 20350-1000

NO Office of the Oceanographer of the Navy
U.S. Naval Observatory
Attn: N961
3450 Massachusetts Avenue, NW
Washington, DC 20392-5421

NP Naval Warfare Assessment Center (NWAC)
Measurement Science (MS-16)
P. O. Box 5000
Corona, CA 91718-5000

NU Office in Charge
Navy Clothing and Textile Research Facility (Code N4)
2800 South 20th St. Bldg 12-3-E
Philadelphia, PA 19145-5099

NW Commander
Standard Hardware Acquisition and Reliability Program
(SHARP) Code 6032, Building 2917
NAVSURWARCENDIV
300 Highway 361
Crane, IN 47522-5000

OM Naval Information Systems Management Center
(Code 03), Crystal Gateway 2
1225 Jefferson Davis Hwy. Suite 1500
Arlington, VA 22202

OS Commander, Indian Head Division
Naval Surface Warfare Center
Standardization Branch (Code 8420)
101 Strauss Avenue
Indian Head, MD 20640-5035

PE Chief of Chaplains/Director
of Religious Ministries
Attn: OP-0972F
Washington, DC 20350-2000

SA Commander
Naval Supply Systems Command
NAVSUPDETMEC 41223
P O Box 2050
Mechanicsburg, PA 17055-0791

SH Commander
Naval Sea Systems Command (SEA 03R42)
2531 Jefferson Davis Highway
Arlington, VA 22242-5160

TD Commanding Officer
Naval Training Systems Center
Attn: Code 413
12350 Research Parkway
Orlando, FL 32826-3224

YD Commander
Naval Facilities Engineering Command
(FAC I5I)
200 Stovall Street
Alexandria, VA 22332

YD-1 Commanding Officer
Naval Construction Battalion Center
Code 15E2
1000 23rd Avenue
Port Hueneme, CA 93043-4301

YD-2 Commander
Naval Facilities Engineering Command
Code 15C
1510 Gilbert Street
Norfolk, VA 23511-2699

YD-3 Commanding Officer
Naval Construction Battalion Center
Code 15E
1000 23rd Avenue
Port Hueneme, CA 93043-4301

| CODE | AIR FORCE ACTIVITIES |
|------|---|
| 01 | SAF/AQR (DEPSO) 1060 AF Pentagon Washington, DC 20330-1060 |
| 02 | HQ USAF/SCTA Attn: Standards 1250 AF Pentagon Washington, DC 20330-1250 |
| 03 | AF Medical Logistics Office AFMLO/FOC-T Bldg 1423 Suite 200, Sultan Dr. Ft. Detrick, MD 21702-5006 |
| 04 | Standardization Office HQ USAF/CEC 1260 AF Pentagon Washington, DC 20332-1260 |
| 05 | Manufacturing and Quality Division SAF/AQRE 1060 AF Pentagon Washington, DC 20330-1060 |
| 06 | Air Force International Standardization Office Directorate of Plans/DCS P&O HQ USAF/XOXX(ISO) 1815 North Fort Myer Dr., Suite 4 Arlington, VA 22209-1809 |
| 07 | Office of the Administrative Assistant to the Secretary of the Air Force Directorate of Information Management, Records Management Policy SAF/AAIQ Washington, DC 20330-1000 |
| 08 | HQ USAF/LGMM 1030 AF Pentagon Washington, DC 20330-1030 |
| 09 | 497 IG/INOT 5113 Leesburg Pike, Suite 600 Falls Church, VA 22041-3230 |
| 10 | HQ AFMC/ENS 4375 Chidlaw Road, Suite 6 Wright-Patterson AFB, OH 45433-5006 |

- 11 ASC/ENSI, Bldg. 560
2530 Loop Road West
Wright-Patterson AFB, OH 45433-7101
- 13 HQ ESC/BP
Standardization Office
9 Eglin Street, Building 1606 3rd Fl
Hancock AFB, MA 01731-2100
- 16 Det 2, HQ ESC/AV-2 (Code 16)
4027 Col. Glenn Hwy., Suite 300
Dayton, OH 45431-1672
- 17 Rome Laboratory/ERSR
525 Brooks Road
Rome, NY 13441-4505
- 19 SMC/AXM
160 Skynet Street, Suite 2315
Los Angeles AFB, CA 90245-4683
- 21 Common Avionics Products
Group Manager (CAPGM)
WR-ALC/LY-2
380 2nd St. Suite 104
Robins AFB, GA 31098-1638
- 22 ASC/SK
205 West D Ave., Suite 348
Eglin AFB, FL 32542-6865
- 27 SA-ALC/NWIO
1651 First Street SE
Kirtland AFB, NM 87117-5617
- 28 HQ AFMC/HCP, Bldg 266
4225 Logistics Avenue Suite 1
Wright-Patterson AFB, OH 45433-5740
- 29 HQ AFMC-CSO/SCMT
4225 Logistics Avenue, Suite 18
Wright-Patterson AFB, OH 45433-5757
- 30 AFMETCAL DETACHMENT 1 /MLSR
813 Irving-Wick Dr. W, STE 4M
Heath, OH 43056-6116
- 31 HSC/YAE
13 Street, Building 809
Brooks AFB, TX 78235-5218

32 HSC/YAG
2255 Monahan Way
Wright-Patterson AFB, OH 45433-7009

33 HQ AFSPC/DRRI
150 Vendenberg Street, Suite 1105
Peterson AFB, CO 80914-4660

35 HQ AFSVA/SVPHL
10100 Reunion Place, Suite 401
San Antonio, TX 78216-4138

45 HSC/YAGS/AFCTO
2800 South 20th Street, Bldg 12, Room 218
Philadelphia, PA 19145-5099

50 HQ AFCESA/CES
Suite 1
139 Barnes Drive
Tyndall AFB, FL 32403-5319

68 SA-ALC/SFSP
1014 Billy Mitchell Blvd., Suite 1
Kelly AFB, TX 78241-5603

69 AFMC L SO/LOP
5215 Thurlow Street, Bldg. 70
Wright-Patterson AFB, OH 45433-5540

70 OO-ALC/TIEDE
6032 Fir Avenue
Hill AFB, UT 84056-5820

71 OC-ALC/TICLA
3001 Staff Drive
Tinker AFB, OK 73145-5990

79 SA-ALC/NWLI
413 N. Luke Drive, Bldg. 1420
Kelly AFB, TX 78241-5314

80 SM-ALC/TILAE
3200 Peacekeeper Way, Suite 15
McClellan AFB, CA 95652-1095

82 SA-ALC/TILDD
485 Quentin Roosevelt Rd
Kelly AFB, TX 78241-6425

84 WR-ALC/TILCC
420 Second Street, Suite 100
Robins AFB, GA 31098-1640

- 85 88 LOG/LGME
 Wright Patterson AFB
 Bldg 280 Door 4
 4170 Hebble Creek Rd
 Wright Patterson OH 45433-5653
- 89 ESC/CPSG/EN
 240 Hall Blvd, Ste 100
 San Antonio, TX 78243-7060
- 90 HQ AFC4A/TNAB
 Scott AFB, IL 62225-5421
- 93 HQ ACC/SCP
 Langley AFB, VA 32663-6343
- 94 Directorate of Plans and Program Requirements Division
 HQ AETC/XPRR
 244 F Street East Suite 2
 Randolph AFB, TX 78150-4321
- 99 CASC/PCA
 74 Washington Avenue N. Ste 8
 Battle Creek, MI 49017-3094

| | |
|------|---|
| CODE | DEFENSE LOGISTICS AGENCY ACTIVITIES |
| CC | Commander Defense Supply Center, Columbus Attn: DSCC-VS 3990 East Broad Street Columbus, OH 43213-1199 |
| CT | Commander Defense Personnel Support Center Attn: DSPC-FNS 2800 South 20th Street Philadelphia, PA 19145-5099 |
| DH | Defense Logistics Agency (DEPSO) Attn: DLSC-LEE 8725 John J. Kingman Rd, Suite 4235 Ft Belvoir, VA 22060-6221 |
| DM | Commander Defense Personnel Support Center Attn: DPSC-MBP 2800 South 20th Street Philadelphia, PA 19145-5099 |
| DP | Commander Defense Personnel Support Center Attn: DPSC-OMPT 2800 South 20th Street Philadelphia, PA 19145-5099 |
| GS | Commander Defense Supply Center Richmond Attn: DSCR-VCA Richmond, VA 23297-5610 |
| IS | Commander Defense Industrial Supply Center Attn: DISC-EEB 700 Robbins Avenue Philadelphia, PA 19111-5096 |
| LS | Commander Defense Logistics Information Services Attn: DLIS-SBA Federal Center Battle Creek, MI 49017-3084 |
| PS | Defense Energy Supply Center Attn: DESC BPE Rm 2954 8725 John J. Kingman Rd Fort Belvoir, VA 22060-6222 |

SS

Commander
Defense Supply Center, Phila.
Attn: DSCP-HSL
2800 South 20th Street
Philadelphia, PA 19145-5099

| | |
|------|--|
| CODE | DOD/NASA PARTICIPATION (MISCELLANEOUS) |
| CB | Executive Director Armed Forces Chaplains Board Room 3D322, Pentagon Washington, DC 20301-4000 |
| DC | Deputy Commander, Center for Standards (DEPSO) Joint Interoperability and Engineering Organization (JIEO) Attn: JEB 10701 Parkridge Blvd. Reston, VA 20191-4357 |
| DC-1 | Deputy Commander, Center for Standards Joint Interoperability and Engineering Organization (JIEO) Attn: JEBC Fort Monmouth, NJ 07703-5613 |
| DC-2 | Deputy Commander, Center for Standards JIEO 10701 Parkridge Blvd. Reston, VA 20191-4357 |
| DC-3 | Deputy Commander, Center for Standards JIEO Attn: JEBC 10701 Parkridge Blvd. Reston, VA 20191-4357 |
| DC-4 | U.S. Transportation Command Attn: JTCC-I (DISA) 508 Scott Drive Scott AFB, IL 62225-5357 |
| DD | Defense Technical Information Center 8725 John J Kingman Road, Ste 0944 Attn: DTIC-OCC Ft. Belvoir, VA 22060-6218 |
| DI | Director Defense Intelligence Agency Attn: DAP-DMO PO Box 46563 Washington, DC 20050-6563 |

JS Commander
 Joint Spectrum Center
 120 Worthington Basin
 Annapolis, MD 21402-5064

DS Commander, Field Command
 Defense Special Weapons Agency
 Attn: FCPNF
 1680 Texas Street S.E.
 Kirtland AFB, NM 87117-5669

MB Staff Director
 Defense Medical Standardization Board
 Fort Detrick
 Frederick, MD 21702-5013

MP Director
 National Imagery and Mapping Agency (DEPSO)
 Mail Stop P24 Attn: SES
 12310 Sunrise Valley Drive
 Reston, VA 20191-3449

NA NASA Headquarters
 Office of the Chief Engineer
 Code AE
 Washington, DC 20546

NS Director
 National Security Agency
 NSA/CSS Center for Standards (L2)
 9600 Savage Rd, Ste 6447
 Fort George G. Meade, MD 20755-6447

PM Executive Director
 Armed Forces Pest Management Board (AFPMB)
 Forest Glen Section, WRAMC
 Washington, DC 20307-5001

US HQ NORAD/USSPACECOM/J6N
 Attn: Chief, Plans and Requirements Division
 250 S. Peterson Blvd, Suite 116
 Peterson AFB, CO 80914-3050

NOTE: RETIRED STANDARDIZATION CODES WITH REPLACEMENTS

Office of Secretary of Defense

SD replaced by SO
IQ replaced by SE
WS replaced by SE

Army

WV replaced by AR
WC replaced by AR or AL
PA replaced by AR
OR replaced by AR
ME replaced by AV or CR4
SC replaced by CR
SC1 replaced by AC2
SC2 replaced by CR5
SC3 replaced by AC1
MU replaced by AR
MO replaced by AV
ET1 replaced by ET
ER replaced by CR
AD replaced by SC
CU replaced by CR
EL replaced by CR or ER
HD replaced by ER

Navy

WP replaced by OS

Air Force

AF replaced by 11 or 17
95 replaced by 10
43 replaced by 69
26 replaced by 10
25 replaced by 16
23 replaced by 10
20 replaced by 11
14 replaced by 19

Defense Logistics Agency

CS replaced by CC
ES replaced by CC
IP replaced by GS

Misc. (Other)

CI replaced by MP
JT replaced by DC

HOW TO ORDER SPECIFICATIONS AND STANDARDS

Two Methods of Obtaining Documents

1. Private industry has two ways to obtain standardization documents from the DODSSP subscription to automatic distribution; or on an ad hoc basis. Automatic distribution provides new and /or revised documents on a "push" basis, whereas ad hoc needs are fulfilled on a "pull" basis in that specific document requests are made by private industry to the DODSSP. The method which is best for you is dependent on your needs. If your needs for Military Specifications and Standards documents are infrequent and limited in size, the ad hoc request method is recommended. For document needs on a recurring basis and broader in scope, the automatic distribution method would be best suited for you.

Ad Hoc Request

2. All ad hoc standardization document requests are handled through an automated system called the Acquisition Streamlining & Standardization Information System (ASSIST), Customer Accounting Management System (CAMS). ASSIST stores most Standardization documents as digital files in Portable Document Format (PDF). As document requests are received, the appropriate document files are retrieved from the repository and printed, copied to diskette or CD-ROM packaged and then shipped. For special documents (such as color or oversized) are warehouse maintained, ASSIST retains inventory data for efficient management. ASSIST generates status letters to customers if an order cannot be completed as requested. ASSIST retains records of completed orders for customer follow-up for one year. No confirmation of orders received/processed is provided at this time.

All requests shall include the following information:

- a. Your assigned customer number or if this is your first order and you do not have a customer number, one will be assigned to you for future orders.
- b. Indicate your complete mailing address, including any specific information required to identify and direct the order when received.
- c. List each desired specification or standard by document identifier as recorded in the Department of Defense Index of Specifications and Standards (DODISS), e.g., MIL STD, MS, QPL, etc. document titles are also helpful but not required.

TURNAROUND TIME

Document requests or status letters produced from mail and FAX requests are usually shipped within 1 to 5 days of request receipt. Orders are shipped from the DODSSP by several different carriers, depending on factors such as weight and destination. Be sure to allow 1 to 2 weeks for shipping.

IMPORTANT ORDERING INFORMATION FOR ALL AD HOC REQUESTS

Only the specification requested will be issued. Documents referenced within a specification must be requested individually.

The latest amendment and notice will be automatically issued with the basic specification unless otherwise stated.

When submitting multiple mail requests, place the mailing address on each request form.

If handwritten requests are to be submitted, please use black or dark blue ink only.

Specification sheets, such as MIL-E-1/307 must be individually requested by document number. Specification sheets are not issued as a set.

Do not submit a request for a specification citing a national stock number of an item covered by the specification. DODSSP has no method to cross reference a national stock number to the applicable specification number.

Non-Government/Industry standards stocked at the DODSSP are not available to private industry and must be ordered from the preparing technical societies.

The DODSSP does not maintain a file of Invitations for Bid. Requests for Proposals, contracts, etc., so each individual request must list the document identifier desired.

3. Customers can also order Standardization documents via the World Wide Web using ASSIST Shopping Wizard, managed by the DODSSP, Philadelphia. The ASSIST Shopping Wizard provides public access to standardization documents over the Internet. Users may place orders for documents in a variety of media formats including paper, CD-ROM and diskette by establishing a free customer account with the DODSSP.

4. The ASSIST Shopping Wizard is available to all users having registered for an account. User accounts are free to all applicants and are used to maintain customer profile data including name, organization, address, and other information necessary to process and ship document orders placed through the Shopping Wizard web site. When you receive an account, you will be given a password to access the system. Note that this account is the same Customer ID that you may currently be using to order documents through the Customer Service Department at the DODSSP.

ASSIST Shopping Wizard is accessible via our home page:
www.dodssp.daps.mil

Reproduction of Specifications and Standards

Firms desiring to reproduce and redistribute unclassified and unrestricted specifications and standards may do so without reference to the Department of Defense since these documents are in the public domain.

Automatic Distribution Subscription Service

A subscription service is available to private industry providing automatic distribution of new and/or revised unrestricted and unclassified standardization documents. Upon payment of a subscription fee, the subscriber will receive one copy each of any new or revised documents for a one year period after the effective subscription date. (Documents ordered prior to the subscription date must be ordered individually using the Ad Hoc request method).

Subscriptions will be accepted on a Federal Supply Class basis for a single class or for as many individual classes as the subscriber chooses.

The Catalog Handbook H2-1 lists all Federal Supply Classes according to subject (example: under group 47, the title of FSC 4710 is "Pipe and Tube"). Copies of this publication can be obtained at no charge from the Subscription Desk.

A subscription service is available to private industry providing automatic distribution of new and/or revised unrestricted and unclassified Data Item Description (DID's). Upon payment of a subscription fee, the subscriber will receive one copy each of any new or revised documents for a one year period after the effective subscription date. (AMSDL 5010.12L the index that list all active and canceled DID's is included with this subscription). The AMSDL 5010.12L is issued twice a year with notices as needed. The cost is \$25.00 per year.

The Procedure

The simple procedure for submitting a subscription request is simple:

1. Address your request in letter form, to the Subscription Services Desk address.
2. List the desired Federal Supply Class(es) or Area Assignment(s).
3. Enclose a check or money order (do not send cash) payable to DAPS, Philadelphia. In addition to check or money orders the DODSSP now accepts payment by VISA and Master Card, if payment is by credit card, you must include credit card account number and expiration date.

Mail Subscription Request to :

Defense Automated Printing Services
Attn: Subscription Services Desk
700 Robbins Avenue, Bldg. 4D
Philadelphia, PA 19111-5094

Phone: (215) 697-2569

For further information about or questions concerning subscription services, contact the Subscription Services Desk.

Contractors using the subscription service are not relieved of any responsibilities in complying with military contracts.

Special Assistance desk is available Monday thru Friday 7:30 A.M. to 4:00 P.M. (Eastern Time) to assist you in matters such as:

Inquiries about our services;
Status of orders previously placed;
Establishing a Customer Account;
Sources for documents not at the DODSSP;
Researching special requests, such as obtaining a complete set of documents; and
Assistance determining document identifiers.

We are also interested in your comments about the quality of our service, and any suggestions you may have to assist us in making future improvements to serve you better. Comments or suggestions may be forwarded to the following address:

Special Assistance Desk
(215) 697-2179 (Orders not accepted on these lines)
7:30 A.M. to 4:00 P.M. (Eastern Time)

or write to: DODSSP
Special Assistance Desk
700 Robbins Avenue, Bldg 4D
Philadelphia, PA 19111-5094

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | ICA Prop. Acty. | Date |
|------------|-------------------------|---|-----------------------|-----------------|-----------|
| A | MIL-PRF-1L(1) | ELECTRON TUBE, GENERAL SPECIFICATION FOR [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV CG MC MI OS SH SM] | A 5960 | CC | 01-JUL-97 |
| A | MIL-PRF-1/21C | ELECTRON TUBE, GAS SWITCHING TYPE 1B23 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CG MC OS] | A 5960 | CC | 01-JUL-97 |
| M | MIL-PRF-1/22J | ELECTRON TUBE, GAS SWITCHING TYPE 1B35A, 1B37A, 6162 AND 5864 [CUST: CR EC 85] [REVIEW: 11 99 AR AS CG MC OS SH] | A 5960 | CC | 29-MAY-98 |
| M | MIL-PRF-1/26D | ELECTRON TUBE, GAS SWITCHING TYPE 1B63A [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC] | A 5960 | CC | 29-MAY-98 |
| A | MIL-PRF-1/28H | ELECTRON TUBE, PHOTOMULTIPLIER TYPE 1P21 [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS CG MC OS] | A 5960 | CC | 22-JUL-97 |
| A | MIL-PRF-1/29D | ELECTRON TUBE, RECEIVING TYPE 122 [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS CG CR4 OS] | A 5960 | CC | 01-JUL-97 |
| A | MIL-PRF-1/36F | ELECTRON TUBES, CATHODE RAY TYPES 3JP1, 3JP2, 3JP7, 3JP11, AND 3JP12 [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AV CG CR4 OS] | A 5960 | CC | 22-JUL-97 |
| A | MIL-PRF-1/37D | ELECTRON TUBE, POWER TYPE 8166 [CUST: CR EC 85 CC] [REVIEW: 11 17 80 AR AS CG MC OS SH] | A 5960 | CC | 19-SEP-97 |
| A | MIL-PRF-1/111E | ELECTRON TUBE, THYRATRON TYPE 6130 [CUST: CR EC 85 CC] [REVIEW: 11 17 AR AS CG MC OS SH] | A 5960 | CC | 24-JUL-97 |
| M | MIL-PRF-1/115J | ELECTRON TUBE, THYRATRON TYPE 5C22 [CUST: CR EC 85 CC] [REVIEW: 11 17 80 99 AR AS CG CR4 MC OS SH] | A 5960 | CC | 22-MAY-98 |
| M | MIL-PRF-1/160M | ELECTRON TUBE, POWER TYPE 7034 [CUST: CR EC 80 CC] [REVIEW: 11 17 99 AR AS CG MC OS SH] | A 5960 | CC | 22-MAY-98 |
| M | MIL-PRF-1/193D | ELECTRON TUBE, RECEIVING TYPES OC3A AND OC3W [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS CG MC MI OS] | A 5960 | CC | 29-MAY-98 |
| A | MIL-PRF-1/849G | ELECTRON TUBE, MAGNETRON TYPE 6543 [CUST: CR EC 85 CC] [REVIEW: 11 99 AS CG MC OS] | A 5960 | CC | 11-MAR-98 |
| | MIL-PRF-1/889G | ELECTRON TUBE, POWER TYPES 7203 AND 7203A [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV CG CR4 MC OS SM] | A 5960 | CC | 01-OCT-96 |
| A | MIL-PRF-1/1006E | ELECTRON TUBE, CATHODE RAY TYPE 4DP7 [CUST: CR EC 85 CC] [REVIEW: 17 99 AS CG CR4 MC OS] | A 5960 | CC | 09-MAR-98 |
| A | MIL-PRF-1/1037E | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 6897 [CUST: CR EC 80 CC] [REVIEW: 19 99 AR AS CG CR4 MC OS SH] | A 5960 | CC | 11-MAR-98 |
| A | MIL-PRF-1/1099G | ELECTRON TUBE, THYRATRON TYPE 5948A AND 5948B [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AS CG MC OS] | A 5960 | CC | 18-JUL-97 |
| A | MIL-PRF-1/1100E | ELECTRON TUBE, THYRATRON TYPE 5949A AND 5949A-1 [CUST: CR EC 85 CC] [REVIEW: 17 80 AR AS CG MC OS SH] | A 5960 | CC | 21-JUL-97 |
| A | MIL-PRF-1/1296F | ELECTRON TUBE, CATHODE RAY TYPE 4MP1 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS CG MC OS SH] | A 5960 | CC | 09-MAR-98 |
| A | MIL-PRF-1/1339C | ELECTRON TUBE, CATHODE RAY TYPE 5AMPIA [CUST: CR EC CC] [REVIEW: AS CG MC MI OS SA] | A 5960 | CC | 17-APR-98 |
| A | MIL-PRF-1/1617C | ELECTRON TUBE, RECEIVING TYPE 5847A [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC MI OS SH] | A 5960 | CC | 30-JAN-98 |
| | MIL-PRF-1/1634D | ELECTRON TUBE, POWER TYPES 8321, 8321A, AND 8322 [CUST: CR EC 85] [REVIEW: 99 AS AV CE CG CR4 MC MI OS SM] | A 5960 | CC | 07-OCT-96 |
| | MIL-PRF-1/1647B | ELECTRON TUBE, RADIATION COUNTER TYPE 8767 [CUST: CR EC CC] [REVIEW: AS CG MC OS] | A 5960 | CC | 07-OCT-96 |
| A | MIL-PRF-1/1677A | ELECTRON TUBE, KLYSTRON TYPE 8759 [CUST: CR CC] | A 5960 | CC | 23-APR-98 |
| A | MIL-PRF-1/1698B | ELECTRON TUBE, RADIATION COUNTER, TYPE 7301 [CUST: EC CC] [REVIEW: AS CG MC OS] | A 5960 | CC | 17-APR-98 |
| A | MIL-PRF-1/1702B | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8745 [CUST: EC 85 CC] [REVIEW: 99 AS CG MC OS] | A 5960 | CC | 17-APR-98 |
| A | MIL-PRF-1/1712C | ELECTRON TUBE, TRAVELING WAVE TYPE DOD-039 [CUST: CR EC CC] [REVIEW: AS CG MC OS] | A 5960 | CC | 20-APR-98 |
| A | MIL-PRF-1/1725A | ELECTRON TUBE, POWER TYPE 8169 [CUST: CR 80 CC] [REVIEW: 11 17 99 AR] | A 5960 | CC | 26-JAN-98 |
| A | MIL-PRF-1/1726B | ELECTRON TUBE, MICROWAVE (NEGATIVE GRID) TYPE 8533W [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CG MC OS] | A 5960 | CC | 26-JAN-98 |
| A | MIL-PRF-1/1727A | ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE DOD-018 [CUST: EC 85 CC] [REVIEW: 99 AS CG MC OS] | A 5960 | CC | 27-FEB-98 |
| A | MIL-PRF-1/1728B | ELECTRON TUBE, POWER TYPE 8904 [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AV CE CG CR4 MC MI OS SM] | A 5960 | CC | 09-FEB-98 |
| A | MIL-PRF-1/1729C | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPES 8538B [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC OS SH] | A 5960 | CC | 27-FEB-98 |
| A | MIL-PRF-1/1733A | ELECTRON TUBE, POWER TYPE 8932 [CUST: EC CC] [REVIEW: AS CG MC OS SH] | A 5960 | CC | 11-MAR-98 |
| A | MIL-PRF-1/1734B | ELECTRON TUBE, MAGNETRON TYPE 8943 [CUST: CR EC 85 CC] [REVIEW: 11 99 AS CG MC OS SH] | A 5960 | CC | 11-MAR-98 |
| A | MIL-PRF-1/1735A | ELECTRONIC TUBE, THYRATRON TYPE 8951 [CUST: EC CC] [REVIEW: AS CG MC OS SH] | A 5960 | CC | 11-MAR-98 |
| | MIL-PRF-1/1753A | ELECTRON TUBE, MAGNETRON TYPE DOD-031 [CUST: CR EC 85 CC] [REVIEW: AS OS] | A 5960 | CC | 30-APR-97 |
| | MIL-PRF-1/1755A | ELECTRON TUBE, MAGNETRON TYPE DOD-033 [CUST: CR EC 85 CC] [REVIEW: AS OS] | A 5960 | CC | 30-APR-97 |
| A | MIL-PRF-1/1756A | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8964 [CUST: EC CC] [REVIEW: AS CG OS SH] | A 5960 | CC | 22-AUG-97 |
| A | MIL-PRF-1/1757A | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8965 [CUST: EC CC] [REVIEW: AS CG OS SH] | A 5960 | CC | 05-SEP-97 |
| A | MIL-PRF-1/1766A | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8980 1/ [CUST: EC CC] | A 5960 | CC | 05-SEP-97 |
| A | MIL-PRF-1/1767C | ELECTRON TUBE, POWER TYPE 8281 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC OS] | A 5960 | CC | 18-JUL-97 |
| A | MIL-PRF-1/1773A | ELECTRON TUBE, MAGNETROL TYPE DOD-042 [CUST: CR EC 85 CC] [REVIEW: 17 19 84 AS CG CR4 OS SH] | A 5960 | CC | 01-DEC-97 |
| | MIL-PRF-19/1B NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA10 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AT CR4 MC MI OS] | A 5905 | CC | 25-OCT-91 |
| | MIL-PRF-19/2B NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA20 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AT CR4 MC MI OS] | A 5905 | CC | 25-OCT-91 |
| | MIL-PRF-19/3B NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA30 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AT AV CR4 MC OS] | A 5905 | CC | 25-OCT-91 |
| | MIL-PRF-20H(2) SUP 1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 19 99 AS MC MI OS SH] | A 5910 | CC | 06-MAY-93 |
| | MIL-PRF-20/27E(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED & NON-ESTABLISHED RELIABILITY, STYLES CCR75 & CC75 [CUST: CR EC 85] [REVIEW: AS MC OS SH] | A 5910 | CC | 09-MAY-89 |
| | MIL-PRF-20/28B | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR76 AND CC76 [CUST: CR EC 85] [REVIEW: AS AV MC MI OS] | A 5910 | CC | 09-MAY-89 |
| | MIL-PRF-20/29C | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR77 AND CC77 [CUST: CR EC 85] [REVIEW: AS MC OS SH] | A 5910 | CC | 09-MAY-89 |
| | MIL-PRF-20/30B | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR78 AND CC78 [CUST: CR EC 85] [REVIEW: AS MC OS SH] | A 5910 | CC | 09-MAY-89 |
| | MIL-PRF-20/31A(1) NOT 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR79 AND CC79 [CUST: CR 85 CC] [REVIEW: 11 99 AS MC OS SH] | A 5910 | CC | 21-SEP-90 |
| | MIL-PRF-20/35H | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR05, CC05, CCR09, AND CC09 [CUST: CR EC 85] [REVIEW: 99 AS MC OS SH] | A 5910 | CC | 21-APR-93 |
| | MIL-PRF-20/36E(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR06 AND CC06 [CUST: CR EC 85] [REVIEW: 11 99 AS MC OS SH] | A 5910 | CC | 21-APR-93 |
| | MIL-PRF-20/37D | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR07 AND CC07 [CUST: CR EC 85] [REVIEW: AS AV MC OS SH] | A 5910 | CC | 30-JUN-88 |
| | MIL-PRF-20/38A NOT 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) ESTABLISHED AND NON-ESTABLISHED RELIABILITY STYLES CCR08 AND CC08 [CUST: CR 85 CC] [REVIEW: 11 99 AS MC OS SH] | A 5910 | CC | 21-SEP-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-PRF-22C(4) SUP 1 | RESISTOR, VARIABLE (WIRE-WOUND POWER TYPE), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 13-FEB-98 |
| | MIL-PRF-22/1B NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED), STYLE RP06 [CUST: CR EC CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/2C NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (ENCLOSED), STYLE RP07 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/3B NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED), STYLE RP10 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/4B NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (ENCLOSED), STYLE RP11 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/5B(1) NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (ENCLOSED), STYLE RP15 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/6C NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (ENCLOSED), STYLE RP16 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/7B NOT 1 | RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP20 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/8B NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED), STYLE RF25 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/9B NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED), STYLE RP30 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/10B NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED), STYLE RP35 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/11B NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED), STYLE RP40 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/12B NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED), STYLE RP45 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/13A NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED), STYLE RP50 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/14B NOT 1 | RESISTORS, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED), STYLE RP55 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| | MIL-PRF-22/15A(1) NOT 1 | RESISTOR, VARIABLE (WIRE-WOUND, POWER TYPE) (ENCLOSED), STYLE RP05 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| A | MIL-PRF-26F(5) SUP 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 13-FEB-98 |
| | MIL-PRF-26/3C(1) NOT 2 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW29, RW30, RW31, RW32, RW33, RW34, RE35, RW36, RW37, RW38, RW39 AND RW47 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 EA MC MI OS] | A 5905 | CC | | 04-AUG-93 |
| M | MIL-PRF-94E(4) SUP 1 | RESISTOR, VARIABLE, COMPOSITION GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 22-MAY-98 |
| | MIL-PRF-94/2C(1) NOT 1 | RESISTORS, VARIABLE, COMPOSITION, STYLE RV5 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI] | A 5905 | CC | | 12-OCT-89 |
| | MIL-PRF-94/3K(2) | RESISTORS, VARIABLE, COMPOSITION, STYLE RV6 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI OS] | A 5905 | CC | | 12-OCT-89 |
| | MIL-PRF-94/4J(1) | RESISTORS, VARIABLE, COMPOSITION, STYLE RV2 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 12-OCT-89 |
| | MIL-PRF-94/5G(1) NOT 1 | RESISTORS, VARIABLE, COMPOSITION, STYLE RV4 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 EA MC OS] | A 5905 | CC | | 12-OCT-89 |
| | MIL-PRF-94/6C(1) NOT 1 | RESISTORS, VARIABLE, COMPOSITION, STYLE 2RV7 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| M | MIL-PRF-94/7A(2) | RESISTORS, VARIABLE, COMPOSITION, STYLE RV8 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 22-MAY-98 |
| | MIL-PRF-123B(4) SUP 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, GENERAL SPECIFICATION FOR [CUST: EC 19 CC NA] [REVIEW: 85 CR] | A 5910 | CC | | 21-MAY-97 |
| | MIL-PRF-123/1B | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS05 [CUST: 19 CC NA] [REVIEW: 85 CR EC] | A 5910 | CC | | 28-SEP-94 |
| | MIL-PRF-123/2C(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS06 [CUST: 19 CC NA] [REVIEW: 85 CR] | A 5910 | CC | | 28-FEB-97 |
| | MIL-PRF-123/3C | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS07 [CUST: 19 CC NA] [REVIEW: 85 CR EC] | A 5910 | CC | | 20-JUL-88 |
| | MIL-PRF-123/4B | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS11 [CUST: 19 CC NA] [REVIEW: 85 CR EC] | A 5910 | CC | | 28-SEP-94 |
| | MIL-PRF-123/5A | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS12 [CUST: CC NA] [REVIEW: 19 85 CR EC] | A 5910 | CC | | 28-SEP-94 |
| | MIL-PRF-123/6B | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS14 [CUST: 19 CC NA] [REVIEW: 85 CR EC] | A 5910 | CC | | 28-SEP-94 |
| | MIL-PRF-123/7B | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS15 [CUST: 19 CC NA] [REVIEW: 85 CR EC] | A 5910 | CC | | 28-SEP-94 |
| | MIL-PRF-123/8A | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS16 [CUST: CC NA] [REVIEW: 19 85 CR EC] | A 5910 | CC | | 28-SEP-94 |
| | MIL-PRF-123/10A(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS51 [CUST: CC NA] [REVIEW: 19 CR EC] | A 5910 | CC | | 28-SEP-94 |
| | MIL-PRF-123/11B | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS52 [CUST: CC NA] [REVIEW: 19 CR EC] | A 5910 | CC | | 28-SEP-94 |
| | MIL-PRF-123/12B | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS53 [CUST: CC NA] [REVIEW: 19 CR EC] | A 5910 | CC | | 28-SEP-94 |
| | MIL-PRF-123/13B | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS54 [CUST: CC NA] [REVIEW: 19 CR EC] | A 5910 | CC | | 28-SEP-94 |
| | MIL-PRF-123/16 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS22 [CUST: 19 CC NA] [REVIEW: 85 CR EC] | A 5910 | CC | | 21-NOV-89 |
| | MIL-PRF-123/17 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS23 [CUST: 19 CC NA] [REVIEW: 85 CR EC] | A 5910 | CC | | 21-NOV-89 |
| | MIL-PRF-123/18 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS24 [CUST: 19 CC NA] [REVIEW: 85 CR EC] | A 5910 | CC | | 21-NOV-89 |
| | MIL-PRF-423F | RIPPING TOOLS, METAL DRUM, PAVING BREAKER [CUST: AT 99] [REVIEW: 84 CC] | A 3820 | AT | | 22-JAN-96 |
| | MIL-PRF-900F NOT 1 | RUBBER GASKET MATERIAL, 45 DUROMETER HARDNESS [CUST: CR4 SH 82] [REVIEW: IS MC] | A 5330 | SH | | 27-MAR-91 |
| | MIL-PRF-907E(2) | ANTISEIZE THREAD COMPOUND, HIGH TEMPERATURE [CUST: MR SH 99] [REVIEW: 84 AR AS AT CR4 EA GL MC MI OS YDI] | A 8030 | SH | | 10-MAY-96 |
| A | MIL-PRF-914A(1) SUP 1 | RESISTOR NETWORKS, FIXED, FILM, SURFACE MOUNT, NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI NA OS] | A 5905 | CR | | 19-DEC-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-PRF-914/3A | RESISTOR NETWORK, FIXED FILM, SURFACE MOUNT, 16-PIN, LEADLESS CHIP CARRIER, NON ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE RNS030 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-914/4A | RESISTOR NETWORK, FIXED, FILM, SURFACE MOUNT, 20-PIN, LEADLESS CHIP CARRIER, NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE RNS040 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-914/5A | RESISTOR NETWORK, FIXED FILM, SURFACE MOUNT, 16-PIN, LEADLESS CHIP CARRIER, NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE RNS050 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 03-JUL-97 |
| | MIL-PRF-2104G | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, COMBAT/TACTICAL SERVICE [CUST: AT SH 68] [REVIEW: 11 99 AR AS GS MC MI PS SA SM YDI] | A 9150 | AT | | 10-FEB-97 |
| | MIL-PRF-2105E | LUBRICATING OIL, GEAR, MULTIPURPOSE (METRIC) [CUST: AT SH 68] [REVIEW: AR AV GS MC MD MI OS SA SM YDI] | A 9150 | AT | | 22-AUG-95 |
| | MIL-PRF-2697A(2) | GLASS, PORTLIGHT, CIRCULAR, HEAT TREATED [CUST: SH] [REVIEW: 99 CC] | A 2040 | SH | | 22-SEP-65 |
| | MIL-PRF-2819F(2) | INSULATION BLOCK, THERMAL [CUST: CR4 SH 99] | A 5640 | SH | | 08-JUL-82 |
| | MIL-PRF-2912F | SYNTHETIC RUBBER COMPOUND, ACID AND OIL RESISTANT [CUST: SH] | A 9320 | SH | | 26-JUL-88 |
| A | MIL-PRF-3043C | RESIN COATING, PERMANENT, FOR ENGINE COMPONENTS AND METAL PARTS [CUST: MR SH 99] [REVIEW: 11 AS AT AV OS SA] | A 8030 | 84 | | 13-FEB-98 |
| A | MIL-PRF-3098H(1) SUP 1 | CRYSTALS UNITS, QUARTZ, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | 13-JAN-98 |
| A | MIL-PRF-3098/3E(1) | CRYSTAL UNIT, QUARTZ, CR18A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/4E | CRYSTAL UNIT, QUARTZ, CR-19A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 09-OCT-97 |
| A | MIL-PRF-3098/7G(1) | CRYSTAL UNIT, QUARTZ, CR25B/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/8E(1) | CRYSTAL UNIT, QUARTZ, CR26A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/9F(1) | CRYSTAL UNIT, QUARTZ, CR27A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS CG MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/10F(1) | CRYSTAL UNIT, QUARTZ, CR28A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/14E(1) | CRYSTAL UNIT, QUARTZ, CR33A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS CC MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/15F(1) | CRYSTAL UNIT, QUARTZ, CR35A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS CC MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/16G(1) | CRYSTAL UNIT, QUARTZ, CR36A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS CC CG MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/17E(1) | CRYSTAL UNIT, QUARTZ, CR37A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/21F(1) | CRYSTAL UNIT, QUARTZ, CR42A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/24D | CRYSTAL UNIT, QUARTZ, CR45/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/25E(1) | CRYSTAL UNIT, QUARTZ, CR46B/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/26F(1) | CRYSTAL UNIT, QUARTZ, CR47A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/30E(1) | CRYSTAL UNIT, QUARTZ, CR52A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/32E(1) | CRYSTAL UNIT, QUARTZ, CR54A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/33H(1) | CRYSTAL UNIT, QUARTZ, CR55A/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/34G | CRYSTAL UNIT, QUARTZ, CR56/U [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/36D(1) | CRYSTAL UNIT, QUARTZ, CR58A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/37H(1) | CRYSTAL UNIT, QUARTZ, CR59A/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/38F(1) | CRYSTAL UNIT, QUARTZ, CR60A/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/39F | CRYSTAL UNIT, QUARTZ, CR61/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/40E | CRYSTAL UNIT, QUARTZ, CR62/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/41G(1) | CRYSTAL UNIT, QUARTZ, CR63B/U [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI SH] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/42H | CRYSTAL UNIT, QUARTZ, CR64/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/43F | CRYSTAL UNIT, QUARTZ, CR65/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/45H(1) | CRYSTAL UNIT, QUARTZ, CR67A/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/47H(1) | CRYSTAL UNIT, QUARTZ, CR69A/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/51G | CRYSTAL UNIT, QUARTZ, CR74/U [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/52F | CRYSTAL UNIT, QUARTZ, CR75/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/53K | CRYSTAL UNIT, QUARTZ, CR76/U [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/54E | CRYSTAL UNIT, QUARTZ, CR73A/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/55E | CRYSTAL UNIT, QUARTZ, CR77/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/56F | CRYSTAL UNIT, QUARTZ, CR85/U [CUST: CR EC 85] [REVIEW: 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/57G | CRYSTAL UNIT, QUARTZ, CR80/U [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/58G | CRYSTAL UNIT, QUARTZ, CR81/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/59E | CRYSTAL UNIT, QUARTZ, CR82/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/60F | CRYSTAL UNIT, QUARTZ, CR83/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/61H | CRYSTAL UNIT, QUARTZ, CR84/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/62E | CRYSTAL UNIT, QUARTZ, CR78/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/63E | CRYSTAL UNIT, QUARTZ, CR79/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/67D | CRYSTAL UNIT, QUARTZ, CR89/U [CUST: CR EC] [REVIEW: MI] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/68E | CRYSTAL UNIT, QUARTZ, CR91/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/70C | CRYSTAL UNIT, QUARTZ, CR95/U [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99] | A 5955 | CC | | 01-OCT-97 |
| A | MIL-PRF-3098/71C | CRYSTAL UNIT, QUARTZ, CR96/U [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99] | A 5955 | CC | | 01-OCT-97 |
| A | MIL-PRF-3098/72D | CRYSTAL UNIT, QUARTZ, CR97/U [CUST: CR EC 85] [REVIEW: 17 19 84 CC] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/73C | CRYSTAL UNIT, QUARTZ, CR98/U [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99] | A 5955 | CC | | 01-OCT-97 |
| A | MIL-PRF-3098/76D | CRYSTAL UNIT, QUARTZ, CR1/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS CG MC MI] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/77D | CRYSTAL UNIT, QUARTZ, CR5/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/78D | CRYSTAL UNIT, QUARTZ, CR6/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI SH] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/79D | CRYSTAL UNIT, QUARTZ, CR104/U [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99] | A 5955 | CC | | 01-OCT-97 |
| A | MIL-PRF-3098/80E | CRYSTAL UNIT, QUARTZ, CR105/U [CUST: CR EC 85] [REVIEW: 17 99] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/82C | CRYSTAL UNIT, QUARTZ, CR106/U [CUST: CR EC 85] [REVIEW: 17 19] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/83E | CRYSTAL UNIT, QUARTZ, CR107/U [CUST: CR EC 85] [REVIEW: 17 99] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/84D | CRYSTAL UNIT, QUARTZ, CR108/U [CUST: CR 85] [REVIEW: 99] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/85B | CRYSTAL UNIT, QUARTZ, CR109/U [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99] | A 5955 | CC | | 01-OCT-97 |
| A | MIL-PRF-3098/86D | CRYSTAL UNIT, QUARTZ, CR110/U [CUST: CR EC 85] [REVIEW: 17 84] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/87E | CRYSTAL UNIT, QUARTZ, CR111/U [CUST: CR EC 85] [REVIEW: 17] | A 5955 | CR | | 27-AUG-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|-------------|---------------------|--|-----------------------|-----|-------------|-----------|
| A | MIL-PRF-3098/88F | CRYSTAL UNIT, QUARTZ, CR112/U [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/89C | CRYSTAL UNIT, QUARTZ, CR113/U [CUST: CR EC 85] [REVIEW: 17 99] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/90A | CRYSTAL UNIT, QUARTZ, CR114/U [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99] | A 5955 | CC | | 01-OCT-97 |
| A | MIL-PRF-3098/92D | CRYSTAL UNIT, QUARTZ, CR116/U [CUST: CR EC 85] [REVIEW: 11 17 99] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/93A | CRYSTAL UNIT, QUARTZ, CR117/U [CUST: CR EC 85] [REVIEW: 11 17 19] | A 5955 | CC | | 01-OCT-97 |
| A | MIL-PRF-3098/95D(1) | CRYSTAL UNIT, QUARTZ, CR130/U [CUST: CR EC 85] [REVIEW: 17 19 84 AR AS MC MI SH SM] | A 5955 | CR | | 04-FEB-98 |
| A | MIL-PRF-3098/99C | CRYSTAL UNIT, QUARTZ, CR122/U [CUST: CR EC 85] [REVIEW: 17 99] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/100C | CRYSTAL UNIT, QUARTZ, CR123/U [CUST: CR EC 85] [REVIEW: 17 99] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/101B | CRYSTAL UNIT, QUARTZ, CR-124/U [CUST: CR EC 85] [REVIEW: 11 17 19] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/102B | CRYSTAL UNIT, QUARTZ, CR125/U [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99] | A 5955 | CC | | 01-OCT-97 |
| A | MIL-PRF-3098/103D | CRYSTAL UNIT, QUARTZ, CR101/U [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/104D | CRYSTAL UNIT, QUARTZ, CR102/U [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/105F | CRYSTAL UNIT, QUARTZ, CR103/U [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/106B | CRYSTAL UNIT, QUARTZ, CR127/U [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99] | A 5955 | CC | | 01-OCT-97 |
| A | MIL-PRF-3098/108C | CRYSTAL UNIT, QUARTZ, CR128/U [CUST: CR EC 85] [REVIEW: 17 19 84] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/109D | CRYSTAL UNIT, QUARTZ CR130/U [CUST: CR EC 85] [REVIEW: 17 19 84 AR AS MC MI SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/110C | CRYSTAL UNIT, QUARTZ, CR129/U [CUST: CR EC 85] [REVIEW: 17 19 84] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/111C | CRYSTAL UNIT, QUARTZ, CR8/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MD MI SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/113C | CRYSTAL UNIT, QUARTZ, CR134/U [CUST: CR EC 85] [REVIEW: 17 84] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/114B | CRYSTAL UNIT, QUARTZ, CR135/U [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99] | A 5955 | CC | | 01-OCT-97 |
| A | MIL-PRF-3098/115C | CRYSTAL UNIT, QUARTZ, CR136/U [CUST: CR EC 85] [REVIEW: 17 99] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/116C | CRYSTAL UNIT, QUARTZ, CR137/U [CUST: CR EC 85] [REVIEW: 17 19 CC] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/118C | CRYSTAL UNIT, QUARTZ, CR139/U [CUST: CR EC 85] [REVIEW: 17 99] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/120C | CRYSTAL UNIT, QUARTZ, CR131/U [CUST: CR] [REVIEW: AR MI] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/122C | CRYSTAL UNIT, QUARTZ, CR141/U [CUST: CR EC 85] [REVIEW: 17] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/123B | CRYSTAL UNIT, QUARTZ, CR142/U [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99] | A 5955 | CC | | 01-OCT-97 |
| A | MIL-PRF-3098/129B | CRYSTAL UNIT, QUARTZ, CR148/U [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99] | A 5955 | CC | | 01-OCT-97 |
| A | MIL-PRF-3098/130C | CRYSTAL UNIT, QUARTZ, CR149/U [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/131D | CRYSTAL UNIT, QUARTZ, CR150/U [CUST: CR EC] [REVIEW: AR MI] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/132C | CRYSTAL UNIT, QUARTZ, CR151/U [CUST: CR EC 85] [REVIEW: 17 19 80] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/133D | CRYSTAL UNIT, QUARTZ, CR152/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/134D | CRYSTAL UNIT, QUARTZ, CR153/U [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/137B | CRYSTAL UNIT, QUARTZ, CR157/U [CUST: CR EC 85] [REVIEW: 17 19 84 AR AS MC MI SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/140F | CRYSTAL UNIT, QUARTZ, CR159/U [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI OS SH SM] | A 5955 | CR | | 27-AUG-97 |
| A | MIL-PRF-3098/146B | CRYSTAL UNIT, QUARTZ, CR165/U [CUST: CR] | A 5955 | CR | | 27-AUG-97 |
| | MIL-PRF-3100F | WHEEL ASSEMBLIES, SOLID ELASTOMER TIED; FOR TRACK LAYING VEHICLES [CUST: AT MC] | A 2630 | AT | | 10-MAR-97 |
| | MIL-PRF-3122H | LEATHER, CATTLEHIDE, FOR FOOTWEAR UPPERS AND GUSSET, CHROME TANNED, FATLIQUORED [CUST: GL NU 11 CT] [REVIEW: 82 99 MD] | A 8330 | CT | | 17-JAN-96 |
| | MIL-PRF-3135G(4) | DECK COVERING UNDERLAY MATERIALS [CUST: SH 99] [REVIEW: CC CG] | A 5610 | SH | | 14-NOV-86 |
| | MIL-PRF-3150D | LUBRICATING OIL, PRESERVATIVE, MEDIUM [CUST: AT AS 11] [REVIEW: 68 AL AR AV GS MC MD MI OS PS SA SH] | A 9150 | AT | | 06-FEB-97 |
| | MIL-PRF-3627E | PENETROMETERS, SOIL: DIAL INDICATING AND SPRING INDICATING [CUST: CE 99] [REVIEW: 82 AT GL GS MT TM] | A 6635 | CE | | 15-AUG-96 |
| | MIL-PRF-4541D | LUBRICATING AND SERVICING UNIT, AIR OPERATED HIGH AND LOW PRESSURE DELIVERY [CUST: 99] | A 4930 | 82 | | 02-JUN-97 |
| M | MIL-PRF-5041J SUP 1 | TIRES, RIBBED TREAD, PNEUMATIC, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: MC] | A 2620 | 70 | | 30-APR-98 |
| | MIL-PRF-5096F | MANUALS, TECHNICAL: INSPECTION AND MAINTENANCE REQUIREMENTS; ACCEPTANCE AND FUNCTIONAL CHECK FLIGHT PROCEDURES AND CHECKLISTS; INSPECTION WORK CARDS; AND CHECKLISTS; PREPARATION OF [CUST: 16] [REVIEW: 01 10 11 13 19 70 71 80 82 84 90] | A TMSS | 16 | | 01-MAR-96 |
| | MIL-PRF-5288H | MANUALS, TECHNICAL AND CHECKLISTS-PREPARATION OF CARGO AIRCRAFT LOADING AND OFFLOADING [CUST: TM AS 16] [REVIEW: 11 99 AV MT] | A TMSS | 16 | | 01-MAR-96 |
| A | MIL-PRF-5350F | TRANSMITTER, SYNCHRO OPERATED, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 99] | A 6620 | 71 | | 28-FEB-98 |
| A | MIL-PRF-5501/31A | CAP, CIRCULAR, ESD, PROTECTIVE, ELECTRICAL CONNECTOR [CUST: SH 11] [REVIEW: 70 71 80 82 84 99 IS] | A 5340 | 11 | | 15-JAN-97 |
| A | MIL-PRF-5501/32A | CAP, "D" TYPE, ESD PROTECTIVE, ELECTRICAL CONNECTOR [CUST: AR SH 11] [REVIEW: 70 71 80 82 84 99 IS] | A 5340 | 11 | | 15-JAN-97 |
| | MIL-PRF-5624S | TURBINE FUEL, AVIATION, GRADES JP-4, JP-5, AND JP-5/JP-8 ST [CUST: AT AS 11 PS] [REVIEW: 68 AR AV SH] | A 9130 | 11 | | 22-NOV-96 |
| A | MIL-PRF-5636D | VALVE, LUBRICATING OIL COOLER, TEMPERATURE REGULATING WITH SURGE PROTECTION, GENERAL SPECIFICATION FOR [CUST: 99] | A 2935 | 71 | | 29-DEC-97 |
| A | MIL-PRF-5806G | BOX, SHIPPING AND STORAGE, HELICOPTER BLADE [CUST: AV AS 69] [REVIEW: 11 71 82 84 99 MC OS SA SH] | A 8145 | AV | | 15-SEP-97 |
| | MIL-PRF-5920F | MANUALS, TECHNICAL: SAMPLE BASIC WEIGHT CHECKLISTS AND LOADING DATA [CUST: 16] [REVIEW: 01 10 99] | A TMSS | 16 | | 11-JUL-96 |
| A | MIL-PRF-6081D | LUBRICATING OIL, JET ENGINE [CUST: AS 11] | A 9150 | 11 | | 10-NOV-97 |
| A | MIL-PRF-6083F | HYDRAULIC FLUID, PETROLEUM BASE, FOR PRESERVATION AND OPERATION [CUST: AT AS 68] [REVIEW: AL AV GS MC MD MI OS PS SA SH] | A 9150 | AT | | 17-SEP-97 |
| A | MIL-PRF-6085D | LUBRICATING OIL: INSTRUMENT, AIRCRAFT, LOW VOLATILITY [CUST: CR4 AS 11] [REVIEW: 68 AR GS MI OS SA SH SM] | A 9150 | 11 | | 20-FEB-98 |
| A | MIL-PRF-6086E | LUBRICATING OIL, GEAR, PETROLEUM BASE [CUST: MR AS 11] [REVIEW: 68 AT MI SA SH] | A 9150 | 11 | | 13-FEB-98 |
| A | MIL-PRF-6106K SUP 1 | RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 99 CC EC] | A 5945 | 85 | | 01-DEC-97 |
| A | MIL-PRF-7024E | CALIBRATING FLUIDS, AIRCRAFT FUEL SYSTEM COMPONENTS [CUST: AV AS 68] [REVIEW: 11 EA GS MD] | A 6850 | 68 | | 01-OCT-97 |
| M | MIL-PRF-7061C | HOSE, ELASTOMERIC, AIRCRAFT, SELF-SEALING, AROMATIC FUEL [CUST: AR AS 99] | A 4720 | 82 | | 15-MAY-98 |
| A | MIL-PRF-7254G | PROPELLANT, NITRIC ACID [CUST: MI AS 68] [REVIEW: 19] | A 9135 | 68 | | 15-DEC-97 |
| A | MIL-PRF-7605F | REGULATOR, OXYGEN, DEMAND, PRESSURE BREATHING, TYPE A-21 [CUST: AV AS 99] [REVIEW: 11] | A 1660 | 71 | | 20-NOV-97 |
| | MIL-PRF-7700F | MANUALS AND ABBREVIATED CHECKLISTS, FLIGHT [CUST: 16] [REVIEW: 10 11] | A TMSS | 16 | | 01-MAR-96 |
| A | MIL-PRF-7808L | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE [CUST: CR4 AS 11] [REVIEW: 68 AV PS SH] | A 9150 | 11 | | 02-MAY-97 |
| A | MIL-PRF-7870C | LUBRICATING OIL: GENERAL PURPOSE, LOW TEMPERATURE [CUST: CR4 AS 11] [REVIEW: 68 AR GS MI OS SA SH SM] | A 9150 | 11 | | 17-FEB-98 |
| A | MIL-PRF-7891F | FILLER VALVE, AIRCRAFT OXYGEN [CUST: AV AS 99] [REVIEW: CC] | A 1660 | 71 | | 22-DEC-97 |
| A | MIL-PRF-7908D | VALVES, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS [CUST: AV AS 99] [REVIEW: 11] | A 4820 | 71 | | 26-NOV-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|-------------------|--|-----------------------|-----------------|-----------|
| A | MIL-PRF-7958C | PUSH-PULL CONTROLS, FLEXIBLE AND RIGID [CUST: AV AS 99] | A 2995 | 71 | 01-DEC-97 |
| | MIL-PRF-8031F | LIST OF APPLICABLE PUBLICATIONS (LOAP), PREPARATION OF [CUST: 16] [REVIEW: 01 10 70 71 80 82 84 99] | A TMSS | 16 | 29-AUG-96 |
| A | MIL-PRF-8116C | PUTTY, GENERAL PURPOSE, NON-HARDENING [CUST: MR SH 99] [REVIEW: MC MI] | A 8030 | 84 | 31-OCT-97 |
| A | MIL-PRF-8188D | CORROSION-PREVENTIVE OIL, GAS TURBINE ENGINE, SYNTHETIC BASE [CUST: CR4 AS 11] [REVIEW: 68 AV PS SH] | A 6850 | 11 | 10-DEC-97 |
| A | MIL-PRF-8516G | SEALING COMPOUND, SYNTHETIC RUBBER, ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS, CHEMICALLY CURED [CUST: MR AS 99] [REVIEW: 11 AR AV MC MI OS] | A 8030 | AS | 31-JUL-97 |
| | MIL-PRF-8622C | VALVE, HIGH-PRESSURE, OXYGEN-CYLINDER, AUTOMATIC OPENING [CUST: AV AS 99] [REVIEW: 11 CC MC SH] | A 4820 | AS | 27-JAN-97 |
| | MIL-PRF-9000H | LUBRICATING OIL, SHIPBOARD INTERNAL COMBUSTION ENGINE, HIGH OUTPUT DIESEL [CUST: SH] | A 9150 | SH | 16-SEP-87 |
| A | MIL-PRF-9050F | VALVES, OXYGEN, PRESSURE RELIEF, AIRCRAFT [CUST: AS 99] | A 4820 | 71 | 26-NOV-97 |
| | MIL-PRF-9117E | ADHESIVE: SEALING, FOR AROMATIC FUEL CELLS AND GENERAL REPAIR [CUST: MR AS 99] [REVIEW: 11 AR MC MD SH] | A 8040 | 84 | 31-DEC-96 |
| | MIL-PRF-9854C | TECHNICAL MANUALS: STRUCTURAL REPAIR (AIRCRAFT) [CUST: TM AS 16] [REVIEW: 01 10 11 70 71 80 82 84 90 99 AV CG MC] | A TMSS | 16 | 29-NOV-96 |
| A | MIL-PRF-9884F | PAD, ENERGY DISSIPATOR [CUST: GL AS 99] [REVIEW: 82 AV MC] | A 1670 | GL | 27-MAY-97 |
| | MIL-PRF-9977K | MANUALS, TECHNICAL AND CHECKLISTS: MUNITIONS/WEAPONS LOADING PROCEDURES, NONNUCLEAR AND NUCLEAR PACKAGES, STANDARD DATA: MUNITIONS LOADING PROCEDURES, NONNUCLEAR, PREPARATION OF [CUST: 16] [REVIEW: 01 10 11 70 71 79 80 82 84 99] | A TMSS | 16 | 01-MAY-96 |
| | MIL-PRF-9994C | TECHNICAL MANUALS-MOBILE TRAINING SETS AND PART TASK TRAINERS OPERATION AND MAINTENANCE INSTRUCTIONS [CUST: TM 16] [REVIEW: 01 10 99] | A TMSS | 16 | 01-SEP-96 |
| | MIL-PRF-10924F | GREASE, AUTOMOTIVE AND ARTILLERY [CUST: AT YD1 68] [REVIEW: 11 AR AS EA GS MI PS SA SM] | A 9150 | AT | 17-JUL-89 |
| | MIL-PRF-11021G | SWITCH, VEHICULAR LIGHTS: 24 VOLT DC [CUST: AT YD1 99] [REVIEW: CC MC] | A 2590 | AT | 17-MAY-96 |
| | MIL-PRF-11264E | CONTAINERS: SHIPPING, REUSABLE-FOR TANK AUTOMOTIVE ENGINES, TRANSMISSIONS, DIFFERENTIALS, TRANSFERS, FINAL DRIVES, DRIVE AXLES, AND SIMILAR ASSEMBLIES [CUST: AT MC 69] [REVIEW: 84 99 SA SM] | A 8145 | AT | 10-NOV-95 |
| | MIL-PRF-11393D(1) | TEST SET, CONTINUITY, IGNITER CIRCUIT [CUST: OS] [REVIEW: 70 AS MC MI SM] | A 4925 | OS | 03-JUN-74 |
| | MIL-PRF-11430F | CASE, MILITARY WATER CAN, INSULATED [CUST: GL YD1 99] [REVIEW: 84 GS MC MD1] | A 7240 | GL | 24-FEB-97 |
| | MIL-PRF-11588G | HOSE ASSEMBLIES, RUBBER, SYNTHETIC, LIQUID PETROLEUM FUELS, DISPENSING, COLLAPSIBLE, STANDARD AND LOW TEMPERATURE [CUST: AT MC] [REVIEW: CC] | A 4720 | AT | 15-FEB-96 |
| | MIL-PRF-11603F | TRANSMISSION, CROSS-DRIVE, CD850 SERIES [CUST: AT] | A 2520 | AT | 28-MAY-96 |
| A | MIL-PRF-11767G | RELAY ASSEMBLY: GUN-FIRING, WATERPROOF, 24 VOLT DC [CUST: AT] | A 5945 | AT | 12-DEC-97 |
| | MIL-PRF-12039D | LITHIUM HYDRIDE, TECHNICAL (METRIC) [CUST: OS] | A 6810 | OS | 14-NOV-90 |
| | MIL-PRF-12065E | WINCHES, DRUM, HAND-OPERATED, SPUR GEAR, 2 OR 3 PURCHASE [CUST: AT MC 99] [REVIEW: 84 CC CE] | A 3950 | AT | 26-FEB-96 |
| | MIL-PRF-12125G | VALVE, GATE: QUICK-OPENING, CLASS 125, CAST IRON, WITH POSITION LOCK [CUST: AT CG] | A 4820 | AT | 06-MAR-96 |
| | MIL-PRF-12126F | VALVES, GATE: BRONZE, LEVER OPERATED, QUICK OPENING, 125 PSI AND 150 PSI [CUST: AT SH] [REVIEW: CC CE YD1] | A 4820 | AT | 20-FEB-96 |
| A | MIL-PRF-12329E | REELING MACHINE, CABLE, HAND RL-31() [CUST: CR] | A 3895 | CR | 03-JUL-97 |
| A | MIL-PRF-12574M | REFRIGERATION UNITS, MECHANICAL, PANEL TYPE, 5000 BTU FOR REFRIGERATOR, FIELD, PORTABLE (150 CUBIC FOOT) [CUST: GL YD1 99] [REVIEW: 82 AV CE CR4 MC MD1 SM] | A 4110 | GL | 09-JUN-97 |
| | MIL-PRF-12647D | PUMP, INFLATING-DEFLATING, HAND-OPERATED, AIR, SINGLE-CYLINDER PLUNGER [CUST: AT MC] [REVIEW: CC] | A 4320 | AT | 26-FEB-96 |
| | MIL-PRF-12883E | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS AT AV CG CR4 MC MI OS] | A 5935 | CC | 25-MAY-95 |
| | MIL-PRF-12883/1E | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, BOTTOM MOUNTING, SADDLE TYPE 8 CONTACT, RADIAL) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS AT AV CG CR4 EA MC MI SH] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/10E | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, BOTTOM MOUNTING, SADDLE-TYPE WITHOUT SHIELD BASE, 7 CONTACT, RADIAL) [CUST: CR EC 85 CC] [REVIEW: 17 19 70 80 99 AR AS AT AV CG CR4 MC MI OS SH] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/11D | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, BOTTOM MOUNTING, SADDLE TYPE WITHOUT SHIELD BASE, 9 CONTACT, RADIAL) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS CG MC OS SH] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/40E | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS FOR RELAYS, 4-POLE, 10 AMPERES (MIL-R-6106, MIL-R-83536, MIL-R-83726, AND MS27709) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/41E | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, FOR RELAYS, 2-POLE, 10 AMPERES (MIL-R-6106 AND MIL-R-83536) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/44C | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, SOCKET FOR RELAYS, 4-POLE, 5 AMPERES (MIL-R-6106 AND MIL-R-83536) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/45C | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, FOR RELAYS, 2-POLE, 5 AMPERES, (MIL-R-6106 AND MIL-R-83536) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/46C | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, FOR RELAYS, 3-POLE, 10 AMPERES (MIL-R-6106 AND MIL-R-83536) [CUST: CR EC 85 CC] [REVIEW: 99 AS AT AV CG CR4 MC OS SH] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/47B | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, FOR RELAYS, 6-POLE, 10 AMPERES (MIL-R-6106 AND MIL-R-83536) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/48B | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, FOR RELAYS, 3-POLE, 25 AMPERES (MIL-R-6106 AND MS27743) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/49A | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, (MOUNTING TRACKS FOR RELAYS, 10 AMPERES (MIL-R-6106, MIL-R-83536, AND MIL-83726) [CUST: CR EC 85 CC] [REVIEW: 99 MI] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/50A | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, BRACKET AND SOCKET ASSEMBLY FOR RELAYS, 2-POLE, 10 AMPERES (MIL-R-6106, AND MIL-R-83536) [CUST: CR EC 85 CC] [REVIEW: 99 MI] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/51A | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, BRACKET AND SOCKET ASSEMBLY FOR RELAYS, 4-POLE, 10 AMPERES (MIL-R-6106, MIL-R-83536, MIL-R-83726) [CUST: CR EC 85 CC] [REVIEW: 99 MI] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/52A | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS SOCKET ASSEMBLY FOR RELAYS, 2,3, AND 4-POLE (MIL-R-6106, MIL-R-83536, AND MIL-R-83726) [CUST: CR EC 85 CC] [REVIEW: 99 MI] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/53A | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, (MOUNTING TRACK, FOR SOCKETS AND ELECTROMAGNETIC RELAYS) [CUST: CR EC 85 CC] [REVIEW: 99 MI] | A 5935 | CC | 28-JUN-96 |
| | MIL-PRF-12883/54 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS SOCKET FOR MIL-R-6106 RELAYS AND MS27742 RELAYS [CUST: CR EC 85] | A 5935 | CC | 24-JAN-96 |
| | MIL-PRF-12883/55 | SOCKETS, PLUG-IN ELECTRICAL COMPONENTS SOCKET FOR MIL-R-6106 RELAYS [CUST: CR EC 85] | A 5935 | CC | 24-JAN-96 |
| | MIL-PRF-13312R | REFRIGERATION UNITS, MECHANICAL, PANEL MOUNTED, 10,000 BTU FOR REFRIGERATOR, PREFABRICATED, PANEL TYPE [CUST: GL YD1 99] [REVIEW: 82 AV CE CR4 IS MC MD1 SM] | A 4110 | GL | 31-JUL-96 |
| | MIL-PRF-13455D | FILTER, LIGHT (FOR BLACKOUT SECURE) [CUST: AT GS] [REVIEW: CR4 EA MI] | A 6220 | AT | 22-JUL-96 |
| | MIL-PRF-13587F | BIN, STORAGE, AGGREGATE, PORTABLE, 60-TON [CUST: AT] [REVIEW: MT] | A 3895 | AT | 14-MAR-96 |
| | MIL-PRF-13714E | TRAILER, UTILITY, CABLE REEL, 3.5 TON, M310 [CUST: AT YD1 99] [REVIEW: CE CR] | A 2330 | AT | 31-OCT-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-PRF-13718E | RELAYS, ELECTROMAGNETIC 24 VOLT DC [CUST: AT MC 99] [REVIEW: CC CR MI] | A 2920 | AT | | 25-SEP-97 |
| | MIL-PRF-13719E | HOSE ASSEMBLY, RUBBER, HYDRAULIC BRAKE [CUST: AT MC] [REVIEW: CC MI SM] | A 2530 | AT | | 09-DEC-96 |
| | MIL-PRF-13803F | VALVE, GATE: DOUBLE-DISK, CAST-IRON OR STEEL [CUST: AT CC] | A 4820 | AT | | 02-JAN-96 |
| | MIL-PRF-14409D(6) SUP 1A | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | | 03-MAY-94 |
| | MIL-PRF-14409/4B NOT 2 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC38 AND PC48 [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | | 13-JUL-93 |
| A | MIL-PRF-14409/5C NOT 2 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC39 [CUST: CR EC 85 CC] [REVIEW: AS CG MC OS] | A 5910 | CC | | 13-JUL-93 |
| | MIL-PRF-14409/6A NOT 2 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC40 AND PC50 [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | | 13-JUL-93 |
| | MIL-PRF-14409/7B NOT 2 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC41 AND PC51 [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | | 13-JUL-93 |
| | MIL-PRF-14409/8A NOT 2 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC42 AND PC52 [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | | 13-JUL-93 |
| | MIL-PRF-14409/9E NOT 2 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC43 [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | | 13-JUL-93 |
| | MIL-PRF-14409/12F | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC25 AND PC31 [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | | 02-JUN-92 |
| | MIL-PRF-14409/13K NOT 2 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC26 [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | | 26-MAY-94 |
| | MIL-PRF-14409/14H | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC27, PC28, AND PC29 [CUST: CR EC 85] | A 5910 | CC | | 05-JUN-92 |
| | MIL-PRF-14409/15F NOT 2 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC30, PC32, AND PC34 [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | | 26-MAY-94 |
| | MIL-PRF-14409/16D | CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC21, PC22, PC23, AND PC24 [CUST: 85] | A 5910 | CC | | 27-JUL-90 |
| | MIL-PRF-14409/17 NOT 2 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC17 [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | | 26-MAY-94 |
| | MIL-PRF-14409/18B | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC18 AND PC46 [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | | 11-JAN-93 |
| | MIL-PRF-14409/19B | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC19 AND PC47 [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | | 11-JAN-93 |
| A | MIL-PRF-14442E | TANK, FUEL, ENGINE: NONMETALLIC, NON-SELF SEALING, FOR MILITARY VEHICLES [CUST: AT] | A 2910 | AT | | 21-NOV-97 |
| | MIL-PRF-14465D | LIGHTS, COMPOSITE, VEHICULAR (METRIC) [CUST: AT MC] [REVIEW: GS] | A 6220 | AT | | 22-FEB-96 |
| A | MIL-PRF-14977C | SQUIB, MARK 1 MOD 0 FOR 2.75 INCH ROCKET [CUST: OS] | A 1340 | OS | | 18-JUN-97 |
| | MIL-PRF-15160G(1) SUP 1 | FUSES, INSTRUMENT, POWER, AND TELEPHONE, GENERAL SPECIFICATION FOR [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS YDI] | A 5920 | CC | | 24-JAN-96 |
| | MIL-PRF-15160/1D | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F01 [CUST: CR SH 85] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS] | A 5920 | CC | | 29-OCT-90 |
| A | MIL-PRF-15160/2E(1) | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F02 [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS] | A 5920 | CC | | 27-MAR-98 |
| A | MIL-PRF-15160/3E(1) | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F03 [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS YDI] | A 5920 | CC | | 27-MAR-98 |
| A | MIL-PRF-15160/9D(1) | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F09 [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS] | A 5920 | CC | | 31-MAR-98 |
| | MIL-PRF-15160/10E | FUSES: INSTRUMENT, POWER, AND TELEPHONE (INDICATING), STYLE F10 [CUST: CR SH 85] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS YDI] | A 5920 | CC | | 29-OCT-90 |
| M | MIL-PRF-15160/15B(1) | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F15 [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS YDI] | A 5920 | CC | | 20-MAY-98 |
| | MIL-PRF-15160/16B | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F16 [CUST: CR SH 85] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS] | A 5920 | CC | | 29-OCT-90 |
| | MIL-PRF-15160/19B | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F19 [CUST: CR SH 85] [REVIEW: 17 19 AR AS AT CG CR4 MC MI OS] | A 5920 | CC | | 29-OCT-90 |
| | MIL-PRF-15160/20B | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F20 [CUST: CR SH 85] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS YDI] | A 5920 | CC | | 29-OCT-90 |
| | MIL-PRF-15160/50A | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F50 [CUST: CR SH 85] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS YDI] | A 5920 | CC | | 29-OCT-90 |
| A | MIL-PRF-15160/60G | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F60 [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS CG CR4 MC MI OS YDI] | A 5920 | CC | | 13-FEB-98 |
| A | MIL-PRF-15160/61D | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F61 [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS YDI] | A 5920 | CC | | 13-FEB-98 |
| A | MIL-PRF-15160/62E | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F62 [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS YDI] | A 5920 | CC | | 13-FEB-98 |
| | MIL-PRF-15160/63C | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F63 [CUST: CR SH 85] [REVIEW: 17 19 99 AR AS AT CG CR4 DS MC MI OS YDI] | A 5920 | SH | | 29-OCT-90 |
| A | MIL-PRF-15160/64D | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F64 [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS YDI] | A 5920 | CC | | 13-FEB-98 |
| A | MIL-PRF-15160/65D | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F65 [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS] | A 5920 | CC | | 13-FEB-98 |
| A | MIL-PRF-15160/66D | FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F66 [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS] | A 5920 | CC | | 13-FEB-98 |
| | MIL-PRF-15160/77(2) | FUSES, (INDICATING), STYLE F77A [CUST: SH] | A 5920 | CC | | 08-APR-88 |
| | MIL-PRF-15160/80 | FUSES, CARTRIDGE, INSTRUMENT, POWER AND TELEPHONE (NONINDICATING), STYLE F80 [CUST: CR SH 85] [REVIEW: 17 19 80 99 AR AS AT CG CR4 EC MC MI OS YDI] | A 5920 | SH | | 03-MAR-93 |
| | MIL-PRF-15160/81 | FUSES, CARTRIDGE, INSTRUMENT, POWER AND TELEPHONE (NONINDICATING), STYLE F81 [CUST: CR SH 85] [REVIEW: 17 19 80 99 AR AS AT CG CR4 EC MC MI OS YDI] | A 5920 | CC | | 03-MAR-93 |
| | MIL-PRF-15160/82 | FUSES, CARTRIDGE, INSTRUMENT, POWER AND TELEPHONE (NONINDICATING), STYLE F82 [CUST: CR SH 85] [REVIEW: 17 19 80 99 AR AS AT CG CR4 EC MC MI OS YDI] | A 5920 | SH | | 03-MAR-93 |
| | MIL-PRF-15305E(6) SUP 1A | COILS, FIXED AND VARIABLE, RADIO FREQUENCY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CG CR4 MI OS SH] | A 5950 | CC | | 10-MAY-97 |
| | MIL-PRF-15624F | GASKET MATERIAL, RUBBER, 50 DUROMETER HARDNESS (MAXIMUM) [CUST: MR SH] [REVIEW: 69 AS GL IS MC OS] | A 5330 | SH | | 25-MAY-94 |
| | MIL-PRF-15733G(5) SUP 1 | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH YDI] | A 59GP | CC | | 15-NOV-96 |
| | MIL-PRF-15733/23A(3) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLES FL10 AND FL11 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | | 30-NOV-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prog. Acty. | Date |
|------------|----------------------------|---|--------------------------|--------------------|-----------|
| | MIL-PRF-15733/25B NOT 1 | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL13 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | 31-JUL-93 |
| A | MIL-PRF-15733/26B(4) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL14 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | 13-FEB-98 |
| | MIL-PRF-15733/27C(1) NOT 1 | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL15 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV CR4 MC MI OS SH] | A 59GP | CC | 31-JUL-93 |
| | MIL-PRF-15733/31E(2) NOT 1 | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL83 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | 08-DEC-95 |
| | MIL-PRF-15733/33C | FILTERS, RADIO INTERFERENCE STYLE FL38 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 5915 | CC | 27-JUN-88 |
| M | MIL-PRF-15733/34N(4) | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL90 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 59GP | CC | 22-MAY-98 |
| | MIL-PRF-15733/38J | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL16 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | 04-NOV-94 |
| | MIL-PRF-15733/39H(1) | FILTER, RADIO INTERFERENCE, HERMETICALLY SEALED, STYLE FL91 [CUST: CR EC 85] [REVIEW: 11 99 AR AS AT AV CG MC MI OS SH] | A 5915 | CC | 05-MAY-87 |
| | MIL-PRF-15733/40B NOT 1 | FILTERS, RADIO INTERFERENCE, STYLE FL35 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | 31-JUL-93 |
| | MIL-PRF-15733/41G(2) | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL84 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV CR4 MC MI OS] | A 5915 | CC | 25-AUG-89 |
| | MIL-PRF-15733/44E(2) | FILTER, RADIO FREQUENCY INTERFERENCE, STYLE FL45 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | 05-MAY-93 |
| | MIL-PRF-15733/46B(1) | FILTER, RADIO FREQUENCY INTERFERENCE SUPPRESSION, STYLE FL41 [CUST: EC 85] [REVIEW: 19 99 AR AS MC OS SH] | A 5915 | CC | 05-MAY-93 |
| M | MIL-PRF-15733/49H(1) | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL93 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 59GP | CC | 22-MAY-98 |
| | MIL-PRF-15733/51E | FILTER, RADIO FREQUENCY INTERFERENCE FL48 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CG MC MI SH] | A 5915 | CC | 10-SEP-86 |
| A | MIL-PRF-15733/54F(1) NOT 1 | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL94 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | 13-FEB-98 |
| | MIL-PRF-15733/55D | FILTER, RADIO INTERFERENCE, HERMETICALLY SEALED, STYLE FL85 [CUST: CR EC 85] [REVIEW: 11 99 AR SH] | A 5915 | CC | 06-OCT-83 |
| | MIL-PRF-15733/56C(1) | FILTER, RADIO FREQUENCY INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FL61 [CUST: 85] | A 5915 | CC | 31-AUG-94 |
| | MIL-PRF-15733/57B NOT 1 | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL62 [CUST: 85] | A 5915 | CC | 19-DEC-91 |
| | MIL-PRF-15733/58B(3) | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL63 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 59GP | CC | 06-MAY-94 |
| | MIL-PRF-15733/59(2) | FILTERS, RADIO INTERFERENCE, STYLE FL64 [CUST: 85] | A 5915 | CC | 20-MAY-94 |
| | MIL-PRF-15733/61C | FILTER, RADIO FREQUENCY INTERFERENCE, STYLES FL30, FL32, FL34, AND FL43 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | 15-NOV-94 |
| | MIL-PRF-15733/62C(4) | FILTERS, RADIO FREQUENCY INTERFERENCE STYLES FL31 AND FL47 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 GL MC MI OS SH YDI] | A 5915 | CC | 08-DEC-95 |
| | MIL-PRF-15733/63(2) | FILTERS, RADIO INTERFERENCE STYLE FL37 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 5915 | CC | 23-APR-82 |
| | MIL-PRF-15733/66 | FILTER, RADIO FREQUENCY INTERFERENCE STYLE FL50 [CUST: EC] | A 5915 | CC | 07-AUG-80 |
| | MIL-PRF-15733/67A(2) | FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL88 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | 29-MAR-85 |
| A | MIL-PRF-15733/72A(2) | FILTER, RADIO FREQUENCY INTERFERENCE HERMETICALLY SEALED, STYLE FL54 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | 29-AUG-97 |
| A | MIL-PRF-15733/73(2) | FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL55 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | 29-AUG-97 |
| A | MIL-PRF-15733/74(2) | FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL56 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | 29-AUG-97 |
| | MIL-PRF-15733/75(2) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL98 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | 26-AUG-94 |
| | MIL-PRF-16173E | CORROSION PREVENTIVE COMPOUND, SOLVENT CUTBACK, COLD-APPLICATION [CUST: MR SH 69] [REVIEW: 11 AR AS DS MC OS YDI] | A 8030 | SH | 06-JAN-93 |
| | MIL-PRF-17331H(3) | LUBRICATING OIL, STEAM TURBINE AND GEAR, MODERATE SERVICE [CUST: SH] | A 9150 | SH | 20-MAR-95 |
| | MIL-PRF-17672D(3) | HYDRAULIC FLUID, PETROLEUM, INHIBITED [CUST: GL SH 68] [REVIEW: AS AT CR4 GS] | A 9150 | SH | 31-MAY-95 |
| | MIL-PRF-17695B(1) NOT 1 | INSULATION TAPE, ELECTRICAL, FILLER TYPE, FLAMEPROOF, SYNTHETIC [CUST: SH] | A 5970 | SH | 19-MAR-96 |
| | MIL-PRF-17951E(2) | DECK COVERING, LIGHTWEIGHT, NONSLIP, ABRASIVE PARTICLE COATED FABRIC, FILM, OR COMPOSITE, AND SEALING COMPOUND [CUST: SH] | A 7220 | SH | 17-SEP-92 |
| | MIL-PRF-18487A | COMPOUND, GUN SLUSHING [CUST: OS] | A 8030 | OS | 07-APR-72 |
| | MIL-PRF-18546/2B(1) NOT 1 | RESISTORS, FIXED, WIREWOUND (POWER TYPE, CHASSIS MOUNTED), STYLES RE77 AND RE80 [CUST: CR EC 85 CC] [REVIEW: 17 99 AR MC MI] | A 5905 | CC | 23-MAY-95 |
| | MIL-PRF-18949A NOT 1 | PROJECTILES, ILLUMINATING, LOCALIZED HEAT TREATMENT OF [CUST: OS] | A 1320 | OS | 23-FEB-89 |
| | MIL-PRF-18950 | PROJECTILE, HIGH CAPACITY, ANTI AIRCRAFT, AND ILLUMINATING [CUST: OS] | A 1320 | OS | 23-JAN-56 |
| | MIL-PRF-19207D(1) SUP 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING AND NONINDICATING, GENERAL SPECIFICATION FOR [CUST: CR SH 85 CC] [REVIEW: 17 19 70 71 80 82 84 99 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 24-JAN-96 |
| | MIL-PRF-19207/1G(1) | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL10U AND FHL10G [CUST: CR SH 85 CC] [REVIEW: 11 17 19 70 71 80 82 84 99 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 17-JUL-92 |
| | MIL-PRF-19207/2F | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL11U AND FHL11G [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 23-AUG-91 |
| | MIL-PRF-19207/3G | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL12U AND FHL12G [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 16-JUN-97 |
| | MIL-PRF-19207/4H | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL13G [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 16-JUN-97 |
| | MIL-PRF-19207/5H | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL14G [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 23-AUG-91 |
| | MIL-PRF-19207/6L | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING AND NONINDICATING, TYPE FHL15G [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 16-JUN-97 |
| | MIL-PRF-19207/7K | FUSEHOLDER, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL16G [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 23-AUG-91 |
| | MIL-PRF-19207/8E NOT 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL17G1 AND FHL17G2 [CUST: CR SH 11 CC] [REVIEW: 17 19 85 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 11-DEC-89 |
| A | MIL-PRF-19207/9J | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL18G1 AND FHL18G2 [CUST: CR SH 85 CC] [REVIEW: 19 70 71 80 82 84 99 AR AS AT CR4 MC MI OS] | A 5920 | CC | 16-FEB-98 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Lat Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|------------|-------------------------|--|-----------------------|-----|-------------|------|
| A | MIL-PRF-19207/11G | FUSEHOLDER, EXTRACTOR POST TYPE, BLOWN FUSE NONINDICATING, TYPE FHN20G [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 31-OCT-97 | |
| A | MIL-PRF-19207/12D | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL22W [CUST: CR SH 85 CC] [REVIEW: 11 17 19 99 AS CE MC MI] | A 5920 | CC | 17-APR-98 | |
| A | MIL-PRF-19207/13E | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPE FHN23W [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AS EA MC MI] | A 5920 | CC | 31-OCT-97 | |
| M | MIL-PRF-19207/16F | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN26G1, FHN26G2, AND FHN26W [CUST: CR SH 85 CC] [REVIEW: 11 19 70 71 80 82 84 99 AR AT CR4 MI OS] | A 5920 | CC | 15-MAY-98 | |
| | MIL-PRF-19207/17E | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHN28W AND FHN28WB [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 23-AUG-91 | |
| | MIL-PRF-19207/18G | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL29G [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 23-AUG-91 | |
| | MIL-PRF-19207/19J | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL30G [CUST: CR SH 85 CC] [REVIEW: 17 19 70 71 99 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 16-JUN-97 | |
| | MIL-PRF-19207/20C NOT 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN31G1 AND FHN31G2 [CUST: CR SH 80 CC] [REVIEW: 17 19 99 AS CE MC MI] | A 5920 | CC | 11-DEC-89 | |
| A | MIL-PRF-19207/21H | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL32W [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 25-MAR-98 | |
| | MIL-PRF-19207/22G | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL33W [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 23-AUG-91 | |
| | MIL-PRF-19207/23H | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL34W [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 23-AUG-91 | |
| A | MIL-PRF-19207/24H | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL35W [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 25-MAR-98 | |
| | MIL-PRF-19207/25D | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN41W AND FHN41WB [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 99 AR AT CR4 EC MI OS] | A 5920 | CC | 23-AUG-91 | |
| | MIL-PRF-19207/26F(1) | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPE FHN42W [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AV CE CG CR4 MC MI] | A 5920 | CC | 05-JUL-91 | |
| A | MIL-PRF-19207/28D | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHN44G [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AS AT CR4 EC MC MI OS] | A 5920 | CC | 31-OCT-97 | |
| A | MIL-PRF-19207/29D | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHN45G [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AS AT CR4 EC MC MI OS] | A 5920 | CC | 31-OCT-97 | |
| | MIL-PRF-19207/30C | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN46W AND FHN46WB [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 23-AUG-91 | |
| | MIL-PRF-19207/31C | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN47W AND FHN47WB [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 MC MI] | A 5920 | CC | 23-AUG-91 | |
| | MIL-PRF-19207/32C NOT 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL48U [CUST: CR SH 85 CC] [REVIEW: 17 19 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 11-DEC-89 | |
| | MIL-PRF-19207/33C NOT 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL49U [CUST: CR SH 85 CC] [REVIEW: 17 19 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 11-DEC-89 | |
| | MIL-PRF-19207/36B NOT 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, R. F. SHIELDED TYPE FHN55W [CUST: SH CC] | A 5920 | CC | 11-DEC-89 | |
| | MIL-PRF-19207/38B | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL57G [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 23-AUG-91 | |
| | MIL-PRF-19207/39B | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL58G [CUST: CR SH 85 CC] [REVIEW: 11 17 70 71 80 AR AS AT CR4 EC MC MI OS] | A 5920 | CC | 23-AUG-91 | |
| | MIL-PRF-19500K | SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | 11-MAR-96 | |
| M | MIL-PRF-19C(3) | RESISTOR, VARIABLE, WIRE-WOUND (LOW OPERATION TEMPERATURE), GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | 19-JUN-98 | |
| A | MIL-PRF-19500/108F | SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS), SILICON, TYPES 2N682, 2N683, 2N685 THROUGH 2N692, 2N5206, JAN, AND JANTX [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | 26-SEP-97 | |
| A | MIL-PRF-19500/115J | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR TYPES 1N3821A THROUGH 1N3828A, 1N3016B THROUGH 1N3051B, 1N3821A-1 THROUGH 1N3828A-1, 1N3016B-1 THROUGH 1N3051B-1, 1N3821AUR-1 THROUGH 1N3828AUR-1, 1N3016BUR-1 THROUGH 1N3051BUR-1, PLUS C- AND D- TOLERANCE SUFFIX, JAN, JANTX, JANTXV, AND JANHC [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | 10-OCT-97 | |
| M | MIL-PRF-19500/116K(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N914, 1N914UR, 1N4148-1, 1N4148UR-1, 1N4148B, 1N4531, AND 1N4531UR, JAN, JANTX, JANTXV, JANHC, AND JANCK [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | 08-MAY-98 | |
| A | MIL-PRF-19500/117L | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPES 1N962B-1 THROUGH 1N992B-1, 1N962BUR-1 THROUGH 1N992BUR-1, 1N962C-1 THROUGH 1N992C-1, 1N962CUR-1 THROUGH 1N992CUR-1, 1N962D-1 THROUGH 1N992D-1, 1N962DUR-1 THROUGH 1N992DUR-1, JAN, JANTX, JANTXV, AND JANHC [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | 08-SEP-97 | |
| | MIL-PRF-19500/118E | SEMICONDUCTOR DEVICE, DIODE, SILICON, TYPES 1N483B, 1N485B, 1N486B, 1N5194, 1N5194UR, 1N5194US, 1N5195, 1N5195UR, 1N5195US, 1N5196, 1N5196UR, AND 1N5196US JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 19 80 85 99 AR AS CG MC MI NA] | A 5961 | CC | 23-APR-97 | |
| A | MIL-PRF-19500/124H | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR B AND RB TYPES 1N2970 THROUGH 1N2977, 1N2979, 1N2980, 1N2982, 1N2984 THROUGH 1N2986, 1N2988 THROUGH 1N2993, 1N2995, 1N2997, 1N2999 THROUGH 1N3005, 1N3007, 1N3008, 1N3009, 1N3011, 1N3012, 1N3014, 1N3015, PLUS A AND RA TYPES 1N3993 THROUGH 1N3998, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | 20-JUN-97 | |
| A | MIL-PRF-19500/162C | SEMICONDUCTOR DEVICES, DIODE, SILICON, POWER RECTIFIER TYPES, 1N1614, 1N1615, 1N1616, 1N4458, 1N4459, 1N1614R, 1N1615R, 1N1616R, 1N4458R, 1N4459R, JAN AND JANTX [CUST: CR EC 17 CC] [REVIEW: 19 80 85 99 AR AS CG EA MC MI SH] | A 5961 | CC | 21-AUG-97 | |
| A | MIL-PRF-19500/168D | SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS) SILICON TYPES 2N1771A, 2N1772A, 2N1774A, 2N1776A, 2N1777A, JAN, AND JANTX [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS MI] | A 5961 | CC | 15-OCT-97 | |
| A | MIL-PRF-19500/169J(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N3070, 1N3070-1, 1N3070UR-1, 1N4938, 1N4938-1, 1N4938UR-1 JAN, JANTX, JANTXV, JANS, AND JANCK [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS MI SM] | A 5961 | CC | 01-APR-98 | |
| A | MIL-PRF-19500/181F(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N718A, 2N1613 AND 2N1613L, JAN, JANTX, AND JANTXV [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | 26-FEB-98 | |
| A | MIL-PRF-19500/228H | SEMICONDUCTOR DEVICE, DIODES, SILICON, RECTIFIER, TYPES 1N3611, 1N3612, 1N3613, 1N3614, 1N3957, JAN AND JANTX [CUST: CR EC 17 CC] [REVIEW: 13 19 70 80 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | 14-SEP-97 | |
| | MIL-PRF-19500/231G | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N3600, 1N4150-1, AND 1N4150UR-1 JAN, JANTX, AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS AV CG MC MI NA SM] | A 5961 | CC | 28-MAR-97 | |
| | MIL-PRF-19500/241G | SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW LEAKAGE, CONTROLLED FORWARD VOLTAGE TYPES 1N3595US, 1N3595UR, 1N3595-1, 1N3595UR-1, AND 1N3595US-1 JAN, JANTX, JANTXV, JANS, JANHC, AND JANCK [CUST: CR EC 17 CC] [REVIEW: 19 85 AR AS AV CG MC MI] | A 5961 | CC | 07-APR-97 | |
| A | MIL-PRF-19500/246G | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N3289, 1N3291, 1N3293, 1N3294, 1N3295, AND R TYPES, JAN, JANTX AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS MC MI] | A 5961 | CC | 02-SEP-97 | |
| A | MIL-PRF-19500/253E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPE 2N930 JAN, JANTX, AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 13 85 99 AR AS AV MI NA SM] | A 5961 | CC | 27-SEP-97 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep | Acty. Date |
|-------------------------|---|-----------------------|----------|------------|
| MIL-PRF-19500/255J | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N2221A, 2N2222A, 2N2221AUA, 2N2222AUA, 2N2221AUB, AND 2N2222AUB JAN, JANTX, JANTXV, JANTXVD, JANTXVH, JANTXVM, JANTXVR, JANS, JANSJ, JANSK, JANSR, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | 18-APR-97 |
| A MIL-PRF-19500/270F | SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, NPN, SILICON, TYPES 2N2060 AND 2N2060L JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS AV CG MC MI OS SH SM] | A 5961 | CC | 19-JAN-98 |
| A MIL-PRF-19500/290F | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N2904, 2N2904A, 2N2904AL, 2N2905, 2N2905A, AND 2N2905AL JAN, JANTX, JANTXV, JANS, JANTXVM, JANTXVD, JANTXVR, JANTXVH, JANSJ, JANSK, JANSR, AND JANSK [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | 12-MAR-98 |
| A MIL-PRF-19500/291F | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING, TYPES 2N2906A, 2N2906AL, 2N2907A, 2N2907AL, 2N2906AUA, 2N2907AUA, 2N2906AUB, AND 2N2907AUB JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | 04-NOV-97 |
| A MIL-PRF-19500/313C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPES 2N2432, 2N2432A, JAN, JANTX, JANTXV, JANS, AND JANHC [CUST: CR EC 17 CC NA] [REVIEW: 19 85 AS CG MC MI] | A 5961 | CC | 30-JUN-97 |
| A MIL-PRF-19500/336D | SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, PNP, SILICON TYPES 2N3810, 2N3810L, 2N3811, AND 2N3811L JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI] | A 5961 | CC | 21-MAY-97 |
| MIL-PRF-19500/341B(7) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY, POWER TYPES 2N3375, 2N3553, AND 2N4440 JAN, JANTX, AND JANTXV [CUST: CR EC 17] [REVIEW: 11 13 19 85 AR AS CG MC MI] | A 5961 | CC | 16-SEP-88 |
| A MIL-PRF-19500/343D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, LOW POWER, TYPES 2N2857 AND 2N2857UB, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | 08-APR-98 |
| A MIL-PRF-19500/349D | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPES 2N3506, 2N3506A, 2N3506L, 2N3506AL, 2N3507, 2N3507L, 2N3507A, 2N3507AL, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 AR AS AV CG MC MI NA] | A 5961 | CC | 12-DEC-97 |
| MIL-PRF-19500/356E(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR TYPES 1N4954 THROUGH 1N4996, 1N5968, 1N5969, AND 1N6632 THROUGH 1N6637, 1N4954US THROUGH 1N4996US, 1N5968US, 1N5969US, AND 1N6632US THROUGH 1N6637US AND C AND D TOLERANCE SUFFIX DEVICES JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV MI SM] | A 5961 | CC | 19-MAY-97 |
| A MIL-PRF-19500/366E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, AMPLIFIER TYPES 2N3498, 2N3498L, 2N3499, 2N3499L, 2N3500, 2N3500L, 2N3501 AND 2N3501L JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 19 85 AR AS CG MC MI SM] | A 5961 | CC | 12-MAR-98 |
| A MIL-PRF-19500/379E | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER TYPES 2N3791, 2N3792 JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | 25-SEP-97 |
| A MIL-PRF-19500/384D | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON HIGH-POWER TYPES 2N3584, 2N3585, JAN, JANTX, AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 13 19 80 85 99 AR AS AV CG MC MI OS SH SM] | A 5961 | CC | 10-DEC-97 |
| A MIL-PRF-19500/385B | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N4856 THROUGH 2N4861 JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 85 99] | A 5961 | CC | 12-AUG-97 |
| A MIL-PRF-19500/391D | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N3019, 2N3019S, 2N3057A, 2N3700, AND 2N3700UB JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | 09-DEC-97 |
| M MIL-PRF-19500/394C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER SWITCHING TYPES 2N4150, 2N5237, 2N5238, 2N4150S, 2N5237S, AND 2N5238S JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 MI] | A 5961 | CC | 10-MAY-98 |
| A MIL-PRF-19500/398C(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY TYPES 2N3866, 2N3866A JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | 21-NOV-97 |
| A MIL-PRF-19500/408E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N3715 AND 2N3716 JAN, JANTX, JANTXV AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS AV CG MC MI] | A 5961 | CC | 25-NOV-97 |
| A MIL-PRF-19500/421E | SEMICONDUCTOR DEVICE, DUAL TRANSISTOR, UNITIZED, NPN/PPN, COMPLEMENTARY, SILICON TYPES 2N3838, 2N4854, AND 2N4854U JAN, JANTX AND JANTXV [CUST: 17 CC] | A 5961 | CC | 02-APR-98 |
| A MIL-PRF-19500/423C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPES 2N5581 AND 2N5582, JAN, JANTX, AND JANTXV [CUST: EC 17 CC] [REVIEW: 13 19 85 99] | A 5961 | CC | 29-AUG-97 |
| A MIL-PRF-19500/426B | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER TYPE 2N4957 AND 2N4957UB JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR MI SH] | A 5961 | CC | 12-DEC-97 |
| A MIL-PRF-19500/427F | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES IN5614, IN5616, IN5618, IN5620, IN5622, IN5614UL, IN5616UL, IN5618UL, IN5620UL, IN5622UL, IN5614US, IN5616US, IN5618US, IN5620US, IN5622US, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | 15-JAN-98 |
| A MIL-PRF-19500/437D(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW-NOISE VOLTAGE REGULATOR TYPES, IN5518B-1, IN5518C-1, IN5518D-1 THROUGH IN5546B-1, IN5546C-1, IN5546D-1, IN5518BUR-1, IN5518CUR-1, IN5518DUR-1 THROUGH IN5546BUR-1, IN5546CUR-1, IN5546DUR-1 JAN, JANTX, JANTXV, JANHC AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99] | A 5961 | CC | 20-NOV-97 |
| A MIL-PRF-19500/441E | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N3740 AND 2N3741 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | 01-AUG-97 |
| M MIL-PRF-19500/452D(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW LEVEL, VOLTAGE-REFERENCE, TYPES IN4565A-1 THROUGH IN4584A-1, AND IN4565AUR-1 THROUGH IN4584AUR-1 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC; RADIATION HARDENED (TOTAL DOSE ONLY) TYPES JANTXVM, D, L, R, F, G, H; JANSJ, D, L, R, F, G, H; JANHC, D, L, R, F, G, H; AND JANKCM, D, L, R, F, G, H [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | 21-JUN-98 |
| A MIL-PRF-19500/453C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY TYPE 2N5109, JAN, JANTX, AND JANTXV [CUST: 17 CC] [REVIEW: 19 85 99] | A 5961 | CC | 15-DEC-97 |
| A MIL-PRF-19500/455C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER SWITCHING TYPES 2N5664, 2N5665, 2N5666, 2N5666S, 2N5667, AND 2N5667S JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS CG MC MI] | A 5961 | CC | 25-JAN-98 |
| M MIL-PRF-19500/461C | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER TYPE 2N6211, 2N6212, 2N6213, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 NA] [REVIEW: 19 85 99 AV] | A 5961 | CC | 29-MAY-98 |
| A MIL-PRF-19500/463E | SEMICONDUCTOR DEVICE, DIODE, SILICON, CURRENT REGULATOR, TYPES IN5283-1 THROUGH IN5314-1, AND IN5283UR-1 THROUGH IN5314UR-1 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | 12-OCT-97 |
| A MIL-PRF-19500/464C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON POWER TYPES 2N5685 AND 2N5686, JAN, JANTX AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 13 19 70 80 85 99 MI] | A 5961 | CC | 05-AUG-97 |
| A MIL-PRF-19500/469B | SEMICONDUCTOR DEVICE, SILICON, HIGH-POWER, SINGLE PHASE, FULL WAVE BRIDGE RECTIFIER TYPES M19500/469-01, -02, -03, -04, -05 JAN, JANTX AND JANTXV [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC] | A 5961 | CC | 12-APR-98 |
| A MIL-PRF-19500/474E | SEMICONDUCTOR DEVICE, SILICON, MULTIPLE DIODE ARRAYS, TYPES IN5768, IN5770, IN5772, IN5774, IN6100, IN6101, IN6496, IN6506, IN6507, IN6508, IN6509, IN6510, AND IN6511 JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | 03-NOV-97 |
| A MIL-PRF-19500/478G(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY TYPES IN5812, IN5814, IN5816, AND R VERSIONS JAN, JANTX, JANTXV, JANHC, JANKC, AND JANS [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA SM] | A 5961 | CC | 21-NOV-97 |
| MIL-PRF-19500/486E | SEMICONDUCTOR DEVICE, COUPLER, OPTOELECTRIC, SOLID STATE; TYPES 4N22, 4N22A, 4N23, 4N23A, 4N24, 4N24A, 4N22U, 4N22AU, 4N23U, 4N23AU, 4N24U, 4N24AU; JAN, JANTX, JANTXV, AND JANS [CUST: 17 CC NA] [REVIEW: 19 85 99] | A 5980 | CC | 10-JUN-97 |
| A MIL-PRF-19500/495B | SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, NPN, SILICON, TYPES 2N5793, 2N5794 AND 2N5794U, JAN, JANTX AND JANTXV [CUST: 17 CC] [REVIEW: 13 19 85] | A 5961 | CC | 06-MAR-98 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-PRF-19500/498C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6306, 2N6308, JAN, JANTX AND JANTXV [CUST: 17 CC] [REVIEW: 13 19 85 99] | A 5961 | CC | | 27-MAR-98 |
| A | MIL-PRF-19500/500C(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR UNIPOLAR TYPES 1N5555 THROUGH 1N5558, 1N5907, 1N5629A THROUGH 1N5665A, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 06-APR-98 |
| | MIL-PRF-19500/501C | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, POWER TYPE 2N6051, 2N6052, JAN, JANTX, AND JANTXV [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99] | A 5961 | CC | | 23-MAY-97 |
| | MIL-PRF-19500/502C | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPE 2N6058, 2N6059 JAN, JANTX AND JANTXV [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99] | A 5961 | CC | | 02-JUN-97 |
| A | MIL-PRF-19500/503B | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, ULTRA FAST RECOVERY, TYPES 1N6073 THROUGH 1N6081, JAN, JANTX, JANTXV, AND JANHC [CUST: CR 17 CC] [REVIEW: 10 80 85 99] | A 5961 | CC | | 12-SEP-97 |
| A | MIL-PRF-19500/510C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6249, 2N6250, AND 2N6251 JAN, JANTX, JANTXV, JANS, JANHC AND JANKC [CUST: 17 CC] [REVIEW: 19 85 99] | A 5961 | CC | | 05-SEP-97 |
| M | MIL-PRF-19500/512C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON SWITCHING TYPES 2N4029, 2N4033 JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 19 80 85 99 AV] | A 5961 | CC | | 08-MAY-98 |
| A | MIL-PRF-19500/534B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N5002, 2N5004, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: 17 CC] [REVIEW: 19 85 99] | A 5961 | CC | | 30-DEC-97 |
| A | MIL-PRF-19500/535B | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N5003, 2N5005, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: 17 CC NA] [REVIEW: 19 85 99] | A 5961 | CC | | 20-DEC-97 |
| A | MIL-PRF-19500/539B | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPES 2N6300, 2N6301 JAN, JANTX AND JANTXV [CUST: CR EC 17 NA] [REVIEW: 19 80 85 99] | A 5961 | CC | | 15-JUN-97 |
| A | MIL-PRF-19500/540B | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP SILICON, POWER TYPES 2N6298, 2N6299 JAN, JANTX, AND JANTXV [CUST: 17] [REVIEW: 19 85 99] | A 5961 | CC | | 15-JUN-97 |
| A | MIL-PRF-19500/542F | SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT, N-CHANNEL, SILICON TYPES 2N6756, 2N6758, 2N6760, 2N6762, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 19 70 80 TD] | A 5961 | CC | | 20-APR-98 |
| A | MIL-PRF-19500/543E(1) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2N6764, 2N6766, 2N6768, 2N6770, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC] [REVIEW: 19 70 80 85 99 TD] | A 5961 | CC | | 12-OCT-97 |
| A | MIL-PRF-19500/548C | COUPLER, OPTO ELECTRONIC, SEMICONDUCTOR DEVICE, SOLID STATE TYPES 4N47, 4N47A, 4N48, 4N48A, 4N49, 4N49A, 4N47U, 4N48U, AND 4N49U JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI OS SH SM] | A 5980 | CC | | 10-OCT-97 |
| A | MIL-PRF-19500/553A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY BARRIER, FAST RECOVERY, TYPE 1N6391, JAN, JANTX, JANS, AND JANHC [CUST: 17 CC] [REVIEW: 13 19 85 99] | A 5961 | CC | | 27-JUN-97 |
| A | MIL-PRF-19500/554A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY BARRIER, FAST RECOVERY, TYPE 1N6392 JAN, JANTX, JANTXV AND JANHC [CUST: 17 CC] [REVIEW: 11 19 85 99] | A 5961 | CC | | 13-APR-98 |
| A | MIL-PRF-19500/555G | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N6788, 2N6788U, 2N6790, 2N6790U, 2N6792, 2N6792U, 2N6794 AND 2N6794U JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 08-DEC-97 |
| A | MIL-PRF-19500/556F | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N6782, 2N6782U, 2N6784, 2N6784U, 2N6786 AND 2N6786U JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 24-DEC-97 |
| A | MIL-PRF-19500/557F | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N6796, 2N6796U, 2N6798, 2N6798U, 2N6800, 2N6800U, 2N6802, AND 2N6802U JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC] [REVIEW: 19 70 80 85 AR AS CG MC MI SM] | A 5961 | CC | | 09-DEC-97 |
| A | MIL-PRF-19500/559C | SEMICONDUCTOR DEVICE, UNITIZED, NPN, SILICON, SWITCHING, FOUR TRANSISTOR ARRAY TYPES 2N6989, 2N6989U, AND 2N6990, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 13-MAR-98 |
| A | MIL-PRF-19500/563E | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPES 2N6845, 2N6845U, 2N6847, AND 2N6847U JAN, JANTX, JANTXV, JANS, JANHC AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 13-DEC-97 |
| A | MIL-PRF-19500/564E | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPES 2N6849, 2N6849U, 2N6851 AND 2N6851U JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 19 70 80 85 AR AS CG MC MI SM TD] | A 5961 | CC | | 22-DEC-97 |
| M | MIL-PRF-19500/578C(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, 1N6638, 1N6642, 1N6643, 1N6638U, 1N6642U, 1N6643U, 1N6638US, 1N6642US, 1N6643US, JAN, JANTX, JANTXV AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS MC MI SM] | A 5961 | CC | | 25-MAY-98 |
| A | MIL-PRF-19500/586C | SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, SCHOTTKY BARRIER, TYPES 1N5819-1, 1N5819UR-1, 1N6650-1, AND 1N6650UR-1, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 NA] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 20-JUN-97 |
| A | MIL-PRF-19500/588A | SEMICONDUCTOR DEVICE, TRANSISTOR, INSULATED GATE, BIPOLAR, N-CHANNEL, SILICON TYPE 2N7364 JAN, JANTX, JANTXV AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 70 80 85 99 TD] | A 5961 | CC | | 15-APR-98 |
| A | MIL-PRF-19500/589A | SEMICONDUCTOR DEVICE, TRANSISTOR, INSULATED GATE, BIPOLAR, N-CHANNEL, SILICON TYPES 2N7367 AND 2N7368, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 70 80 85 99 TD] | A 5961 | CC | | 15-APR-98 |
| | MIL-PRF-19500/592C | SEMICONDUCTOR DEVICE, REPETITIVE AVALANCHE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N7224, 2N7225, 2N7227, 2N7228, 2N7224U, 2N7225U, 2N7227U, AND 2N7228U JAN, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 70 80 TD] | A 5961 | CC | | 21-JUN-96 |
| | MIL-PRF-19500/595C(1) | SEMICONDUCTOR DEVICE, REPETITIVE AVALANCHE, FIELD EFFECT, TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N7236, 2N7237, 2N7236U, 2N7237U, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | | 18-FEB-97 |
| A | MIL-PRF-19500/596D(1) | SEMICONDUCTOR DEVICE, REPETITIVE AVALANCHE, FIELD EFFECT, TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N7218, 2N7219, 2N7221, 2N7222 2N7218U, 2N7219U, 2N7221U, 2N7222U, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 19-NOV-97 |
| M | MIL-PRF-19500/598A(1) | SEMICONDUCTOR DEVICE, QUAD, FIELD EFFECT TRANSISTOR, P-CHANNEL, AND N-CHANNEL, SILICON TYPE 2N7336, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 08-MAY-98 |
| M | MIL-PRF-19500/599C(1) | SEMICONDUCTOR DEVICE, QUAD, FIELD EFFECT TRANSISTORS, P-CHANNEL, SILICON TYPE 2N7335 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 08-MAY-98 |
| | MIL-PRF-19500/600B | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7229 AND 2N7230 JAN, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 19 70 80 TD] | A 5961 | CC | | 01-JUN-97 |
| A | MIL-PRF-19500/601C | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7261 AND 2N7262 AND U SUFFIXES JANTXVR, F, G, AND H AND JANSR, F, G, AND H [CUST: CR EC 17 CC NA] [REVIEW: 19 70 80] | A 5961 | CC | | 12-OCT-97 |
| | MIL-PRF-19500/602B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7265, 2N7266, AND 2N7267 JANTXVM, D, R, F, G, AND H AND JANS, D, R, F, G, AND H [CUST: CR EC 17 CC NA] [REVIEW: 19 70 80 TD] | A 5961 | CC | | 03-JUN-97 |
| A | MIL-PRF-19500/603C | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7268, 2N7269, 2N7270, 2N7268U, 2N7269U, 2N7270U, AND 2N7394U JANTXVR, F, G, AND H; AND JANSR, F, G, AND H [CUST: CR EC 17 CC NA] [REVIEW: 19 70 80 TD] | A 5961 | CC | | 15-NOV-97 |
| A | MIL-PRF-19500/605A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7292, 2N7294, 2N7296, AND 2N7298 JANTXVM, D, R, H AND JANS, D AND R [CUST: CR EC 17 CC NA] [REVIEW: 70 80 TD] | A 5961 | CC | | 17-DEC-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-PRF-19500/606A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7291, 2N7293, 2N7295, AND 2N7297 JANTXVM, D, R, AND JANS, D AND R [CUST: CR EC 17 CC NA] [REVIEW: 19 70 80 TD] | A 5961 | CC | | 06-FEB-98 |
| A | MIL-PRF-19500/607A | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL AND P-CHANNEL, SILICON TYPE 2N7337 JANTX, JANTXV, JANS, AND JANC [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI OS SM] | A 5961 | CC | | 11-FEB-98 |
| A | MIL-PRF-19500/608A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY, POWER RECTIFIER, COMMON CATHODE OR COMMON ANODE CENTER TAP, TYPES 1N6660 AND 1N6660R JAN, JANTX, JANTXV AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI OS SM] | A 5961 | CC | | 10-DEC-97 |
| A | MIL-PRF-19500/609B(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N6639, 1N6640, 1N6641, 1N6639US, 1N6640US, AND 1N6641US JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS MC MI SM] | A 5961 | CC | | 25-NOV-97 |
| | MIL-PRF-19500/610C | SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, SCHOTTKY BARRIER, TYPES 1N6677-1 AND 1N6677UR-1 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5961 | CC | | 29-MAY-97 |
| | MIL-PRF-19500/611A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER SWITCHING TYPES 2N7374, 2N7375, 2N7376, AND 2N7377, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI OS SM] | A 5961 | CC | | 28-MAY-97 |
| A | MIL-PRF-19500/612A | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER, TYPE 2N7372, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 28-DEC-97 |
| A | MIL-PRF-19500/613A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPE 2N7373, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI OS SM] | A 5961 | CC | | 28-DEC-97 |
| | MIL-PRF-19500/615B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N7382 AND 2N7383 JANTXV M, D, R, AND F AND JANS M, D, R, AND F [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 02-MAY-97 |
| A | MIL-PRF-19500/616A | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, DUAL, COMMON CATHODE OR ANODE CENTER TAP, ULTRAFAST, TYPES 1N6657 THROUGH 1N6659 AND 1N6657R THROUGH 1N6659R, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 20-OCT-97 |
| A | MIL-PRF-19500/617A | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, DUAL, COMMON CATHODE OR ANODE CENTER TAP, ULTRAFAST, TYPES 1N6672 THROUGH 1N6674 AND 1N6672R THROUGH 1N6674R, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS MI SM] | A 5961 | CC | | 15-OCT-97 |
| A | MIL-PRF-19500/619A | SEMICONDUCTOR DEVICE, SCHOTTKY RECTIFIERS, JAN, JANTX AND JANTXV [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | | 11-NOV-97 |
| M | MIL-PRF-19500/620C | SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, RECTIFIER, SCHOTTKY BARRIER, TYPES 1N5822 AND 1N5822US JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 NA] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 21-JUN-98 |
| A | MIL-PRF-19500/621A | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER TYPE 2N7369 JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 12-NOV-97 |
| A | MIL-PRF-19500/622A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPE 2N7368 JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 22-OCT-97 |
| A | MIL-PRF-19500/623A | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, HIGH-POWER TYPE 2N7371 JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS MI SM] | A 5961 | CC | | 20-NOV-97 |
| A | MIL-PRF-19500/624A | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, HIGH-POWER TYPE 2N7370 JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS MI SM] | A 5961 | CC | | 25-OCT-97 |
| A | MIL-PRF-19500/625A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N6683, 1N6684, 1N6685, 1N6683US, 1N6684US, AND 1N6685US JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 06-NOV-97 |
| A | MIL-PRF-19500/627A | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, ULTRAFAST, TYPES 1N6688, 1N6689, 1N6688US, AND 1N6689US, JANTX, JANTXV, AND JANS [CUST: CR EC 17 NA] [REVIEW: 19 85 99 AR AS MI SM] | A 5961 | CC | | 25-JUN-97 |
| M | MIL-PRF-19500/628A | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, ULTRAFAST, TYPES 1N6690 THROUGH 1N6693, 1N6690US THROUGH 1N6693US, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 NA] [REVIEW: 19 85 99 AR AS MI SM] | A 5961 | CC | | 12-JUN-98 |
| | MIL-PRF-19500/629A | SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, RECTIFIER, SCHOTTKY BARRIER, TYPES 1N6702 AND 1N6702US JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 12-JUN-97 |
| A | MIL-PRF-19500/630B | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N7389, 2N7390, 2N7389U, AND 2N7390U JANTXV R, AND F AND JANS, R, AND F [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 22-DEC-97 |
| | MIL-PRF-19500/631 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, N-CHANNEL SILICON TYPES 2N7395, 2N7396, 2N7397 AND 2N7398 JANTXD, -R, JANTXVD, -R, AND JANS, -R [CUST: CR EC 17 CC NA] | A 5961 | CC | | 29-NOV-96 |
| A | MIL-PRF-19500/632A | SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS), N-CHANNEL SILICON TYPES 2N7399, 2N7400, 2N7401, AND 2N7402 JANS, D AND JANSR [CUST: CR EC 17 CC NA] | A 5961 | CC | | 31-MAR-98 |
| A | MIL-PRF-19500/633A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, P-CHANNEL SILICON TYPES 2N7403, AND 2N7404, JANS, D AND JANSR [CUST: CR EC 17 CC NA] | A 5961 | CC | | 13-MAR-98 |
| | MIL-PRF-19500/634 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, N-CHANNEL SILICON TYPES 2N7405, 2N7406, 2N7407, AND 2N7408 JANTXD, -R, JANTXVD, -R, AND JANS, -R [CUST: CR EC 17 CC NA] | A 5961 | CC | | 29-NOV-96 |
| | MIL-PRF-19500/635 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, ULTRAFAST, TYPES 1N6710 THROUGH 1N6716, JANTX, JANTXV, AND JANS [CUST: CR EC 17 NA] | A 5961 | CC | | 16-OCT-96 |
| | MIL-PRF-19500/636 | SEMICONDUCTOR DEVICE, DIODE, GALLIUM ARSENIDE, POWER RECTIFIER TYPE 1N6751 JANTX, JANTXV AND JANS [CUST: CR 17 CC] | A 5961 | CC | | 21-OCT-96 |
| | MIL-PRF-19500/637 | SEMICONDUCTOR DEVICE, DIODE, GALLIUM ARSENIDE, POWER RECTIFIER, COMMON CATHODE TYPE 1N6755 JANTX, JANTXV AND JANS [CUST: CR EC 17 CC NA] | A 5961 | CC | | 21-OCT-96 |
| A | MIL-PRF-19500/638A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL SILICON TYPE 2N7410 JANS, D AND JANSR [CUST: CR EC 17 CC NA] | A 5961 | CC | | 24-MAR-98 |
| A | MIL-PRF-19500/639A | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, P-CHANNEL SILICON TYPE 2N7411 JANS, D AND JANSR [CUST: CR EC 17 CC NA] | A 5961 | CC | | 24-MAR-98 |
| A | MIL-PRF-19500/655 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTOR, P-CHANNEL SILICON TYPES 2N7424U, 2N7425U AND 2N7426U JANTXVR AND F AND JANSR AND F [CUST: CR 17 CC] [REVIEW: 10 80 85 99] | A 5961 | CC | | 14-NOV-97 |
| A | MIL-PRF-19500/657 | SEMICONDUCTOR DEVICE, FIELD EFFECT, RADIATION HARDENED, TRANSISTOR DIE, N AND P-CHANNEL, SILICON VARIOUS TYPES JANHC, AND JANKC [CUST: CR EC 17 CC NA] | A 5961 | CC | | 23-DEC-97 |
| N | MIL-PRF-19500/658 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, P-CHANNEL SILICON TYPE 2N7438, AND 2N7439 JANS, D AND JANSR [CUST: CR EC 17 NA] | A 5961 | CC | | 28-MAY-98 |
| N | MIL-PRF-19500/660 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTOR, P-CHANNEL SILICON TYPES 2N7424, 2N7425 AND 2N7426 JANTXVR, JANTXVF, JANSR, AND JANSF [CUST: CR EC 17 NA] | A 5961 | CC | | 27-MAY-98 |
| | MIL-PRF-19565C(1) | COATING COMPOUNDS, THERMAL INSULATION, FIRE AND WATER RESISTANT, VAPOR BARRIER [CUST: SH 99] [REVIEW: AS CE CR4 YD] | A 8030 | SH | | 08-APR-88 |
| A | MIL-PRF-19759F | CLOTH, WATERPROOF [CUST: NU 99 CT] [REVIEW: 45 82] | A 8305 | CT | | 02-SEP-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|----------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-PRF-20092L(1) | RUBBER OR PLASTIC SHEETS & ASSEMBLED & MOLDED SHAPES, SYNTHETIC, FOAM OR SPONGE, OPEN CELL [CUST: MR SH] [REVIEW: 99 AR CR4 EA EC GS MC] | A 9320 | SH | | 25-FEB-88 |
| A | MIL-PRF-20696F | CLOTH, WATERPROOF, WEATHER RESISTANT [CUST: GL NU 99 CT] [REVIEW: 45 82 AT CR4 MC MI] | A 8305 | CT | | 02-SEP-97 |
| | MIL-PRF-21402A NOT 1 | CABLE ASSEMBLIES, NON-MAGNETIC (ORDNANCE) [CUST: OS] | A 1075 | OS | | 18-MAR-92 |
| | MIL-PRF-21479B NOT 1 | CABLE ASSEMBLIES, GENERAL SPECIFICATION FOR (ORDNANCE) [CUST: OS] | A 1135 | OS | | 08-JAN-92 |
| | MIL-PRF-21858E | TRUCK, HAND, SHELF, STOCK PICKER (METRIC) [CUST: AT SA 99] [REVIEW: 84 GS MC] | A 3920 | GS | | 20-JAN-96 |
| A | MIL-PRF-22097G(4) SUP 1A | RESISTOR, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 16-MAR-98 |
| | MIL-PRF-220972F(1) NOT 3 | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ12 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS AT CR4 MC MI OS] | A 5905 | CC | | 21-AUG-95 |
| | MIL-PRF-220974D(1) NOT 3 | RESISTOR, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ24 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 30-DEC-95 |
| | MIL-PRF-22684D(2) SUP 1 | RESISTORS, FIXED, FILM (INSULATED) GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 28-JUN-95 |
| | MIL-PRF-22684/8B(3) | RESISTORS, FIXED, FILM, INSULATED, STYLE RL42....TX [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 25-MAR-94 |
| | MIL-PRF-22750F | COATING, EPOXY, HIGH-SOLIDS [CUST: CR4 AS 99] [REVIEW: 11 84 AR AV CG CR DS EA MC MI MR OS SH] | A 8010 | AS | | 31-MAY-94 |
| A | MIL-PRF-22885F | SWITCHES, PUSH BUTTON, ILLUMINATED, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 23-JAN-98 |
| | MIL-PRF-22885/9K(1) NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, (MODULAR CONSTRUCTED) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS AV MC MI OS SH] | A 5930 | CC | | 22-MAR-91 |
| | MIL-PRF-22885/11G | SWITCH, PUSH BUTTON, ILLUMINATED, MODULAR SWITCH ASSEMBLIES FOR [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5930 | CC | | 14-MAY-93 |
| | MIL-PRF-22885/15D(1) NOT 1 | SWITCHES, PUSH, ILLUMINATED, 4 LAMP, CLIP MOUNTED (MODULAR CONSTRUCTED) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MC MI OS SH] | A 5930 | CC | | 22-AUG-91 |
| | MIL-PRF-22885/16D NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, CLIP MOUNTED, LIGHT MODULE FOR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5930 | CC | | 22-MAR-91 |
| A | MIL-PRF-22885/18G(1) | SWITCH, PUSH BUTTON, ILLUMINATED, DRIP PROOF SEAL, MOMENTARY AND ALTERNATE ACTION (DPDT/TWO CIRCUIT - 2 AMPERES) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 01-JUL-97 |
| | MIL-PRF-22885/52B | SWITCH, PUSHBUTTON, ILLUMINATED, PUSHBUTTON FOR (WITH PLANAR COLOR FILTERS)[CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A 5930 | CC | | 19-FEB-93 |
| | MIL-PRF-22885/53C | SWITCH, PUSHBUTTON, ILLUMINATED, PUSHBUTTON FOR (WITH LAMP-CAP COLOR FILTERS) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A 5930 | CC | | 19-FEB-93 |
| | MIL-PRF-22885/56F(1) NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, 2PDT, 4PDT AND INDICATOR ASSEMBLIES, 4-LAMP, SOLID MOUNTING [CUST: CR EC 85] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A 5930 | CC | | 22-AUG-91 |
| | MIL-PRF-22885/67F | SWITCH, PUSHBUTTON, ILLUMINATED, 4 LAMP, 0.75 SQUARE, 7 AMPERES, ELECTROMAGNETIC INTERFERENCE SHIELDED [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 25-OCT-79 |
| | MIL-PRF-22885/71B NOT 1 | SWITCH, PUSH, ILLUMINATED, 4 LAMP, RFI SHIELDED [CUST: CR EC 85 CC] [REVIEW: 11 70 84 99 MI SA SH] | A 5930 | CC | | 28-MAY-93 |
| | MIL-PRF-22885/75D | SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.87 SQUARE, 7 AMPERES, ELECTROMAGNETIC INTERFERENCE SHIELDED [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AV CR4 MC OS SH] | A 5930 | CC | | 25-JUL-90 |
| | MIL-PRF-22885/77C(1) | SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.75 SQUARE, 7.5 AMPERES, AND LOW LEVEL INTEGRATED WIRE TERMINATION, ELECTROMAGNETIC INTERFERENCE SHIELDED, SUNLIGHT READABLE [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 26-MAR-91 |
| | MIL-PRF-22885/79C NOT 1 | SWITCHES, PUSH BUTTON, ILLUMINATED, MOMENTARY, SPDT AND DPDT, ONE LAMP, 7 AMPERE SILVER CONTACTS, 1 AMPERE GOLD CONTACT [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV MC MI OS] | A 5930 | CC | | 22-MAR-91 |
| | MIL-PRF-22885/82B | SWITCH, PUSH BUTTON, ILLUMINATED, LENS ASSEMBLIES FOR, .665 SQ AND .916 LG X .665 WIDE [CUST: EC CC] | A 5930 | CC | | 05-FEB-90 |
| | MIL-PRF-22885/84B(1) | SWITCH, PUSHBUTTON, ILLUMINATED, MOMENTARY AND ALTERNATE ACTION, 4 LAMP, 7 AMPERES (2.43 LONG X .875 SQUARE) [CUST: 85 CC] [REVIEW: 99] | A 5930 | CC | | 09-JUN-93 |
| | MIL-PRF-22885/85C NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, LENS PLATE FOR, 1.030 LONG X .730 WIDE [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 22-MAR-91 |
| | MIL-PRF-22885/86B | SWITCH, PUSH BUTTON, ILLUMINATED, 4 LAMP, .870 SQUARE, 2 AMPERES, 2PDT AND 4PDT, PLUG-IN MODULE, EMI/RFI SHIELDING [CUST: EC CC] | A 5930 | CC | | 21-DEC-89 |
| | MIL-PRF-22885/87B | SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, MODULAR CONSTRUCTED, HIGH IMPACT SHOCK [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS AT AV CR4 MC OS SH] | A 5930 | CC | | 08-NOV-91 |
| | MIL-PRF-22885/88B | SWITCH, PUSH BUTTON, ILLUMINATED, HIGH IMPACT SHOCK, MODULAR SWITCH ASSEMBLIES FOR [CUST: CR EC 85 CC] [REVIEW: 99 AR AT MC SH] | A 5930 | CC | | 28-JUN-95 |
| | MIL-PRF-22885/89A(1) | SWITCH, PUSHBUTTON, ILLUMINATED, SINGLE LAMP, 7 AMPERES, MOMENTARY ACTION [CUST: 85 CC] [REVIEW: 99] | A 5930 | CC | | 09-JUN-93 |
| | MIL-PRF-22885/91B NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, ROCKER, PADDLE, SOLID STATE HALL EFFECT, UNSEALED [CUST: CR EC 85] [REVIEW: 11 13 99 MI OS] | A 5930 | CC | | 22-MAR-91 |
| | MIL-PRF-22885/92A(2) NOT 1 | SWITCH, PUSHBUTTON, ILLUMINATED, ROCKER, PADDLE, POWER DUTY, UNSEALED [CUST: EC 85] [REVIEW: 13 99 OS] | A 5930 | CC | | 27-SEP-91 |
| | MIL-PRF-22885/93B(1) NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, ROCKER, PADDLE, LOGIC LOAD TO 3 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 11 13 99 MI OS] | A 5930 | CC | | 22-MAR-91 |
| A | MIL-PRF-22885/96B(3) | SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, RFI SHIELDED [CUST: EC CC] | A 5930 | CC | | 01-JUL-97 |
| | MIL-PRF-22885/101C | SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SPDT AND DPDT, 5.0 AMPERES SILVER CONTACTS, 1 AMPERE MAX. GOLD CONTACTS, DRIPPROOF, SUNLIGHT READABLE, EMI/RFI SHIELDED, NVIS COMPATIBLE [CUST: 85 CC] [REVIEW: 19 99] | A 5930 | CC | | 31-AUG-93 |
| | MIL-PRF-22885/104A | SWITCH, PUSHBUTTON, ILLUMINATED, 4 LAMP, SUNLIGHT READABLE (FOR ILLUMINATED PUSHBUTTON SWITCH) [CUST: EC CC] | A 5930 | CC | | 10-OCT-89 |
| A | MIL-PRF-22885/108B(2) | SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.750 SQUARE, SPDT, DPDT, 4PDT SILVER CONTACTS - 2 CIRCUIT (5 AMPERES) OR SPDT (7.5 AMPERES); GOLD CONTACTS - LOW LEVEL TO 1 AMPERE, SUNLIGHT READABLE DISPLAY (DRIPPROOF, WATERTIGHT, SPLASHPROOF, EMI/RFI SHIELDING, HIGH IMPACT SHOCK RESISTANT, COMMON TERMINATION SYSTEM, NIGHT VISION (GOOGLE COMPATIBLE) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 21-JUL-97 |
| | MIL-PRF-22885/109A(1) | SWITCHES, PUSH BUTTON, ILLUMINATED, 4-LAMP, .75 SQUARE, 4PDT AND DPDT, 7 AMPERES, SUNLIGHT READABLE DISPLAY OPTION, NVIS COMPATIBLE OPTION, MOMENTARY AND ALTERNATE HOLDDOWN, LOW TOUCH TEMPERATURE, CONNECTOR MODULE TERMINATION OPTION [CUST: 85 CC] [REVIEW: 99] | A 5930 | CC | | 09-JUN-93 |
| | MIL-PRF-22885/110A | SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SUNLIGHT READABLE, NIGHT VISION IMAGING SYSTEM COMPATIBLE, EMI/RFI SHIELDED, DRIPPROOF, SNAP ACTION, 4PDT, MOMENTARY, ALTERNATE [CUST: 85 CC] [REVIEW: 99] | A 5930 | CC | | 20-SEP-93 |
| A | MIL-PRF-22885/111(2) | SWITCHES, PUSHBUTTON, LIGHT EMITTING DIODE (LED) ILLUMINATED, STANDARD, NIGHT VISION IMAGING SYSTEM (NVIS) AND SUNLIGHT READABLE DISPLAYS, SPDT AND DPDT, LOW LEVEL TO 7 AMPERES, SEALED AND UNSEALED, SOLDER AND COMMON TERMINATION SYSTEM (CTS) TERMINATIONS [CUST: EC CC] | A 5930 | CC | | 01-JUL-97 |
| | MIL-PRF-23236B(2) | PAINT COATING SYSTEMS, FUEL AND SALT WATER BALLAST TANKS (METRIC) [CUST: SH] | A 8030 | SH | | 30-APR-90 |
| A | MIL-PRF-23256C | VALVE ASSEMBLY, SEAL [CUST: AV AS 99] [REVIEW: CC MC] | A 4820 | AS | | 24-MAR-98 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----------------|-----------|
| | MIL-PRF-23285B(7) SUP 1B | RESISTOR, VARIABLE, NONWIRE-WOUND GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 80 AS AT AV CR4 MC MI OS] | A 5905 | CC | 06-FEB-97 |
| | MIL-PRF-23285/3C NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND, STYLE RVC6 [CUST: CR EC 85] [REVIEW: 17 19 9 AR AT AV CR4 MI] | A 5905 | CC | 26-JUL-93 |
| | MIL-PRF-23377G | PRIMER COATINGS: EPOXY, HIGH-SOLIDS [CUST: CR4 AS 99] [REVIEW: 11 84 AR AV CG DS EA FSS MC MI MR OS SH] | A 8010 | AS | 30-SEP-94 |
| | MIL-PRF-23419E(2) SUP 1 | FUSE, CARTRIDGE, INSTRUMENT TYPE, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC NA] [REVIEW: 19 AR CR4 MI NS OS SH] | A 5920 | CC | 24-JAN-96 |
| A | MIL-PRF-23419/1J | FUSES, INSTRUMENT TYPE, STYLE FM01 (INDICATING) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI NS OS] | A 5920 | CC | 15-APR-98 |
| A | MIL-PRF-23419/2N(1) | FUSES, INSTRUMENT TYPE, STYLE FM02 (INDICATING) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT CR4 MC MI OS SH] | A 5920 | CC | 16-FEB-98 |
| A | MIL-PRF-23419/4F(1) | FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM04 (NONINDICATING) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT CR4 MC MI OS SH] | A 5920 | CC | 16-FEB-98 |
| A | MIL-PRF-23419/7G | FUSES, CARTRIDGE, STYLE FM07, (SUBMINIATURE - HIGH PERFORMANCE) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV MI NS] | A 5920 | CC | 15-APR-98 |
| M | MIL-PRF-23419/8G | FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM08, (SUBMINIATURE - HIGH PERFORMANCE) [CUST: CR EC 85] [REVIEW: 19 99 AS MI NS] | A 5920 | CC | 25-MAY-98 |
| A | MIL-PRF-23419/9B | FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM09, (NONINDICATING) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI NA OS SH] | A 5920 | CC | 07-APR-98 |
| M | MIL-PRF-23419/10A | FUSES, CARTRIDGE, INSTRUMENT TYPE, STYLE FM10 (NONINDICATING) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AL AR AS CR4 MC MI OS SH] | A 5920 | CC | 15-MAY-98 |
| | MIL-PRF-23419/11A | FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM11 (SUBMINIATURE - HIGH PERFORMANCE) [CUST: CC NA] | A 5920 | CC | 23-NOV-92 |
| M | MIL-PRF-23419/12(1) | FUSES, CARTRIDGE, INSTRUMENT TYPE, STYLE FM12, (SUBMINIATURE - HIGH PERFORMANCE) [CUST: CC] | A 5920 | CC | 30-APR-98 |
| | MIL-PRF-23586F | SEALING COMPOUND (WITH ACCELERATOR), SILICONE RUBBER, ELECTRICAL [CUST: MR AS 99] [REVIEW: 84 AR AV CR EC MI OS YDI] | A 8030 | AS | 30-DEC-96 |
| M | MIL-PRF-23648D(1) SUP 1 | RESISTOR, THERMAL (THERMISTOR), INSULATED GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 15-JUN-98 |
| | MIL-PRF-23648/1D | RESISTOR, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH06 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 04-APR-95 |
| | MIL-PRF-23648/2D(1) | RESISTOR, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH08 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | 22-MAR-96 |
| | MIL-PRF-23648/3D(1) | RESISTOR, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH10 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | 22-MAR-96 |
| | MIL-PRF-23648/8B | RESISTOR, THERMAL (THERMISTOR), INSULATED POSITIVE TEMPERATURE COEFFICIENT STYLE RTH20 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 04-APR-95 |
| | MIL-PRF-23648/9B | RESISTOR, THERMAL (THERMISTOR), INSULATED POSITIVE TEMPERATURE COEFFICIENT STYLE RTH22 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 04-APR-95 |
| | MIL-PRF-23648/10C | RESISTOR, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH24 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 04-APR-95 |
| | MIL-PRF-23648/11C | RESISTOR, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH26 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 04-APR-95 |
| | MIL-PRF-23648/19B | RESISTOR, THERMAL (THERMISTOR), HERMETICALLY SEALED, POSITIVE TEMPERATURE COEFFICIENT STYLE RTH42 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 04-APR-95 |
| | MIL-PRF-23648/20B | RESISTOR, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH44 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 04-APR-95 |
| | MIL-PRF-23653C | PLASTIC TILES, VIBRATION DAMPING [CUST: SH] [REVIEW: GS] | A 9330 | SH | 21-SEP-72 |
| | MIL-PRF-23699F | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE, NATO CODE NUMBER O-156 [CUST: AT AS 11 GS] [REVIEW: 68 AR AV SH] | A 9150 | AS | 21-MAY-97 |
| A | MIL-PRF-23942A | POLYBUTADIENE, LINEAR, CARBOXYL TERMINATED [CUST: AS] | A 1336 | AS | 30-SEP-97 |
| A | MIL-PRF-23950B | ALUMINUM POWDER, SPHERICAL [CUST: AS] | A 1336 | AS | 30-SEP-97 |
| | MIL-PRF-24002 NOT 1 | PARACHUTE PACKS; GENERAL SPECIFICATION FOR [CUST: OS] | A 1350 | OS | 18-MAR-92 |
| | MIL-PRF-24003(2) NOT 1 | PARACHUTE RELEASE MECHANISMS; GENERAL SPECIFICATION FOR [CUST: OS] | A 1350 | OS | 18-MAR-92 |
| | MIL-PRF-24139A(3) | GREASE, MULTIPURPOSE, WATER RESISTANT [CUST: SH] [REVIEW: GS PS] | A 9150 | SH | 12-MAR-87 |
| | DOD-PRF-24176B(1) | CEMENT, EPOXY, METAL REPAIR AND HULL SMOOTHING (METRIC) [CUST: SH] [REVIEW: CR4] | A 8030 | SH | 22-AUG-83 |
| A | MIL-PRF-24308D(2) | CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG CR4 MC MI SH] | A 5935 | CC | 12-NOV-97 |
| | MIL-PRF-24308/1G | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACTS, GENERAL PURPOSE, CLASS D AND G, SOLDER TYPE [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | 02-DEC-96 |
| | MIL-PRF-24308/2P | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACTS, GENERAL PURPOSE, CLASS D AND G, CRIMP TYPE [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | 02-DEC-96 |
| | MIL-PRF-24308/3F | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, GENERAL PURPOSE, CLASS D AND G, SOLDER TYPE [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | 02-DEC-96 |
| | MIL-PRF-24308/4L | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, GENERAL PURPOSE, CLASS D AND G, CRIMP TYPE [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | 02-DEC-96 |
| | MIL-PRF-24308/5H | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACTS, NONMAGNETIC, CLASS M AND N, SOLDER TYPE [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | 02-DEC-96 |
| | MIL-PRF-24308/6L | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE PIN CONTACTS, NONMAGNETIC, CLASS M AND N, CRIMP TYPE [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | 02-DEC-96 |
| | MIL-PRF-24308/7F | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, NONMAGNETIC, CLASS M AND N, SOLDER TYPE [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | 02-DEC-96 |
| | MIL-PRF-24308/8L | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, NONMAGNETIC, CLASS M AND N, CRIMP TYPE [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | 02-DEC-96 |
| | MIL-PRF-24308/9F | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PLUG, PIN CONTACTS, HERMETIC, CLASS H AND K [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | 02-DEC-96 |
| M | MIL-PRF-24308/23D | CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SOCKET CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | 23-MAR-98 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------------|--|-----------------------|-----|-------------|-----------|
| M | MIL-PRF-24308/24E | CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SOCKET CONTACTS PRINTED WIRING BOARD TERMINATION TYPES [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | | 23-MAR-98 |
| | MIL-PRF-24308/25G | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SCREW-LOCK ASSEMBLY, MALE [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | | 02-DEC-96 |
| | MIL-PRF-24308/26H | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SCREW-LOCK ASSEMBLY, FEMALE [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AT AV CG CR4 MC MI] | A 5935 | CC | | 02-DEC-96 |
| | MIL-PRF-24308/27B | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, INSULATION DISPLACEMENT, SOCKET CONTACTS, NONENVIRONMENTAL [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | | 02-DEC-96 |
| | MIL-PRF-24308/28B | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, INSULATION DISPLACEMENT, PIN CONTACT, NONENVIRONMENTAL, CLASS G [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AT AV CG CR4 MC MI SH] | A 5935 | CC | | 02-DEC-96 |
| | MIL-PRF-24548A(1) | PENETRATING FLUID [CUST: SH] | A 6850 | SH | | 17-DEC-93 |
| | DOD-PRF-24574(2) | LUBRICATING FLUID FOR LOW AND HIGH PRESSURE OXIDIZING GAS MIXTURES [CUST: SH] | A 9150 | SH | | 12-MAR-87 |
| | DOD-PRF-24596(4) | COATING COMPOUNDS, NONFLAMING, FIRE PROTECTIVE (METRIC) [CUST: SH] | A 8010 | SH | | 23-AUG-85 |
| | MIL-PRF-24613(2) NOT 1 | DECK COVERING MATERIALS, INTERIOR, COSMETIC POLYMERIC [CUST: SH] | A 5610 | SH | | 26-DEC-90 |
| | MIL-PRF-24635B | ENAMEL, SILICONE ALKYD COPOLYMER (METRIC) [CUST: SH] | A 8010 | SH | | 30-JUN-94 |
| | MIL-PRF-24647B(1) | PAINT SYSTEM, ANTICORROSIVE AND ANTIFOULING, SHIP HULL [CUST: CR4 SH] [REVIEW: CG MR YD1] | A 8010 | SH | | 09-AUG-94 |
| | DOD-PRF-24648(1) | PRIMER COATING, ZINC DUST PIGMENTED FOR EXTERIOR STEEL SURFACES (METRIC) [CUST: CR4 SH 99] [REVIEW: AS CG MC MR YD1] | A 8010 | SH | | 05-MAR-91 |
| | MIL-PRF-24667A | COATING SYSTEM, NON-SKID, FOR ROLL OR SPRAY APPLICATION (METRIC) [CUST: SH] [REVIEW: AS] | A 8010 | SH | | 14-AUG-92 |
| | MIL-PRF-24698 | INFRARED THERMAL IMAGING SYSTEMS NMETRIC [CUST: SH] | A 5855 | SH | | 12-FEB-88 |
| | MIL-PRF-24712A(1) | COATINGS, POWDER (METRIC) [CUST: CR4 SH 99] [REVIEW: 84 AS CG MC MR] | A 8010 | SH | | 19-MAR-97 |
| | MIL-PRF-24792 | ADHESIVE, EPOXY, TWO PART, FIBER OPTICS [CUST: CR SH NA] [REVIEW: 17 19 80 85 99 AS CC EC MI YD1] | A 6070 | SH | | 31-MAY-95 |
| | MIL-PRF-24793 | ADHESIVE, UV CURABLE, ONE PART, FIBER OPTICS [CUST: CR SH NA] [REVIEW: 17 19 80 85 99 AS CC EC MI YD1] | A 6070 | SH | | 01-JUN-95 |
| | MIL-PRF-24794 | MATERIAL, INDEX MATCHING, FIBER OPTICS [CUST: CR SH NA] [REVIEW: 17 19 80 85 99 AS CC EC MI YD1] | A 6070 | SH | | 25-MAY-95 |
| A | MIL-PRF-25017F | INHIBITOR, CORROSION/LUBRICITY IMPROVER, FUEL SOLUBLE [CUST: AT AS 11] [REVIEW: 68 AV GS MD1 PS SH] | A 6850 | 11 | | 10-NOV-97 |
| | MIL-PRF-25134C | REMOVER, PAINT AND LACQUER, SOLVENT TYPE [CUST: 99] | A 8010 | 84 | | 15-JUN-96 |
| M | MIL-PRF-25369D | CARTRIDGE, INFLATOR, FLOTATION GEAR, (CARBON DIOXIDE), (FOR THE INFLATION OF PNEUMATIC LIFE PRESERVERS) [CUST: AV SH 99] [REVIEW: 84 AS CC] | A 4220 | 82 | | 01-MAY-98 |
| | MIL-PRF-25370F | VALVE, PNEUMATIC INFLATOR, (LIFE PRESERVER, MA-1) [CUST: 99] [REVIEW: CC] | A 4220 | 82 | | 09-MAY-97 |
| | MIL-PRF-25435C | TRANSMITTERS, PRESSURE, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 99] | A 6620 | 71 | | 01-APR-97 |
| A | MIL-PRF-25439B | TRANSMITTER, RATE OF FLOW, IN- FLIGHT REFUELING, 0-10,000 PPM, TYPE MB-3 [CUST: 99] | A 6680 | 82 | | 01-JUL-97 |
| A | MIL-PRF-25478C | COOLERS, LUBRICATING OIL, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: 99] | A 2935 | 71 | | 29-DEC-97 |
| | MIL-PRF-25508F | PROPELLANT, OXYGEN [CUST: MI AS 68] [REVIEW: 19] | A 9135 | 68 | | 19-OCT-95 |
| A | MIL-PRF-25604E | PROPELLANT, UNS-DIMETHYLHYDRAZINE [CUST: AS 68] [REVIEW: 19] | A 9135 | 68 | | 01-OCT-97 |
| | MIL-PRF-25620D | TESTER, OXYGEN MASK, HEADSET AND MICROPHONE, TYPE MQ-1A [CUST: 99] [REVIEW: GS] | A 6695 | 82 | | 21-APR-97 |
| A | MIL-PRF-25670B | EARPHONE ELEMENTS, GENERAL SPECIFICATION FOR [CUST: CR 85 CC] [REVIEW: 99] | A 5965 | CC | | 30-MAY-97 |
| A | MIL-PRF-25670/2C | EARPHONE ELEMENT, HIGH- AND LOW-ALTITUDE, H-143/AIC, AND LOW-ALTITUDE, WATER-IMMERSIBLE, H-143A/AIC [CUST: CR 85 CC] [REVIEW: 99] | A 5965 | CC | | 30-MAY-97 |
| | MIL-PRF-25670/4 | EARPHONE ELEMENT, HIGH- AND LOW-ALTITUDE, M25670/4-01 [CUST: 85 CC] [REVIEW: 99] | A 5965 | CC | | 30-MAY-97 |
| A | MIL-PRF-25675C | VALVES, CHECK, MINIATURE, HYDRAULIC, AIRCRAFT AND MISSILE [CUST: AV AS 99] [REVIEW: CC MI] | A 4820 | 71 | | 26-NOV-97 |
| A | MIL-PRF-25676E | ADAPTER, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT [CUST: AS 99 CC] [REVIEW: 80] | A 4730 | CC | | 05-MAY-97 |
| | MIL-PRF-25690B(1) | PLASTIC, SHEET AND FORMED PARTS, MODIFIED ACRYLIC BASE, MONOLITHIC, CRACK PROPAGATION RESISTANT [CUST: AV AS 11] [REVIEW: GS] | A 9330 | AS | | 27-JUN-95 |
| | MIL-PRF-25879D | SWITCH, RADIO FREQUENCY TRANSMISSION LINE, COAXIAL TYPE SA-521A/A AND MOUNTING MT-1995/A [CUST: 85] [REVIEW: 99] | A 5985 | CC | | 11-OCT-96 |
| | MIL-PRF-25959D | TIE DOWNS, CARGO, AIRCRAFT [CUST: GL AS 99] [REVIEW: AV] | A 1670 | 82 | | 31-MAR-97 |
| A | MIL-PRF-25961G | VALVE, FILL-BUILDUP-VENT, LIQUID OXYGEN CONVERTER, CRU-50/A [CUST: AS 99] [REVIEW: CC] | A 4820 | 71 | | 26-NOV-97 |
| | MIL-PRF-25962D | VALVE, LIQUID OXYGEN DRAIN [CUST: 99] [REVIEW: CC] | A 4820 | 71 | | 19-APR-96 |
| A | MIL-PRF-26139C | TESTER, PRESSURIZED CABIN LEAKAGE, AIRCRAFT, (AF/M24T-3 AND AF/M32T-1) [CUST: 99] | A 4920 | 82 | | 29-AUG-97 |
| A | MIL-PRF-26385F | HOSE, OXYGEN AND PRESSURIZATION, OZONE RESISTANT [CUST: AT 99] [REVIEW: CC] | A 4720 | 71 | | 16-MAR-98 |
| | MIL-PRF-26392D | DUMMY CONVERTERS, LIQUID OXYGEN INDICATOR SYSTEM, 10 LITER CRU-23/A AND 25 LITER CRU-24/A [CUST: 99] [REVIEW: 11] | A 1660 | 71 | | 26-DEC-96 |
| A | MIL-PRF-26514G | POLYURETHANE FOAM, RIGID OR FLEXIBLE, FOR PACKAGING [CUST: GL AS 69] [REVIEW: 71 80 84 99 AR AT AV EC MC OS SA SH YD1] | A 8135 | 11 | | 01-AUG-95 |
| A | MIL-PRF-26536E | PROPELLANT, HYDRAZINE [CUST: AS 68] [REVIEW: 19] | A 9135 | 68 | | 24-SEP-97 |
| A | MIL-PRF-26539E | PROPELLANTS, DINITROGEN TETROXIDE [CUST: AS 68] [REVIEW: 19] | A 9135 | 68 | | 07-OCT-97 |
| M | MIL-PRF-26542E(1) | MICROPHONE, AND MICROPHONE ASSEMBLIES, DYNAMIC GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A 5965 | CC | | 20-APR-98 |
| M | MIL-PRF-26542/1D(1) | MICROPHONE AND MICROPHONE ASSEMBLY, M26542/1-01, M26542/1-02 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A 5965 | CC | | 20-APR-98 |
| M | MIL-PRF-26542/2D(1) | MICROPHONE AND MICROPHONE ASSEMBLIES, M87/AIC, M26542/2-01, M26542/2-02, M26542/2-03, AND M26542/2-04 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A 5965 | CC | | 20-APR-98 |
| A | MIL-PRF-26542/3C | MICROPHONE ASSEMBLY, M-100/AIC [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A 5965 | CC | | 30-MAY-97 |
| A | MIL-PRF-26542/4C | MICROPHONE ELEMENT, M-101/AIC [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A 5965 | CC | | 30-MAY-97 |
| A | MIL-PRF-26542/8B | MICROPHONE AND MICROPHONE ASSEMBLY, DYNAMIC, M-116/(G AND M26542/8-01 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 EA OS] | A 5965 | CC | | 30-MAY-97 |
| M | MIL-PRF-26542/9B(1) | MICROPHONE ASSEMBLY AND MICROPHONE DYNAMIC, M-133/U AND M26542/9-01 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 EA OS] | A 5965 | CC | | 20-APR-98 |
| M | MIL-PRF-26542/10B(1) | MICROPHONE ASSEMBLY, M-138/G [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A 5965 | CC | | 20-APR-98 |
| M | MIL-PRF-26542/11A(1) | MICROPHONE AND MICROPHONE ASSEMBLY, M26542/11-01, AND M26542/11-02 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A 5965 | CC | | 20-APR-98 |
| A | MIL-PRF-26542/12A | MICROPHONE ASSEMBLY, M-169A/AIC [CUST: CR EC 85 CC] [REVIEW: 31 99 AR AS AT AV CR4 OS] | A 5965 | CC | | 30-MAY-97 |
| A | MIL-PRF-26611E | GENERATOR, TACHOMETER GEU-7/A, MINIATURE [CUST: AV AS 99] | X 6620 | 71 | | 15-MAY-97 |
| A | MIL-PRF-26873D | SUPPRESSOR, SURGE, FUEL TRANSFER TRAILER [CUST: AT AS 99] [REVIEW: 11 CC NP YD1] | A 4930 | 82 | | 13-FEB-98 |
| A | MIL-PRF-26915D | PRIMER COATING, FOR STEEL SURFACES [CUST: AS 99] | A 8010 | 84 | | 31-OCT-97 |
| A | MIL-PRF-27197D | INDICATOR, AIRSPEED, MACH NUMBER AND MAXIMUM ALLOWABLE SPEED [CUST: 99] | A 6610 | 71 | | 24-NOV-97 |
| | MIL-PRF-27201C | PROPELLANT, HYDROGEN [CUST: MI AS 68] [REVIEW: 19] | A 9135 | 68 | | 22-DEC-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|--|-----------------------|-----|-------------|-----------|
| A | MIL-PRF-27208D(4) SUP 1 | RESISTOR, VARIABLE, WIRE-WOUND, NONPERCISION, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 16-MAR-98 |
| | MIL-PRF-27208/2E(1) | RESISTORS, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT10 [CUST: CR EC 85] [REVIEW: 17 19 80 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 15-OCT-93 |
| | MIL-PRF-27208/8F NOT 3 | RESISTOR, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT12 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AT AV CR4 MC MI OS] | A 5905 | CC | | 21-AUG-95 |
| | MIL-PRF-27208/9E NOT 3 | RESISTOR, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT24 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AT AV CR4 MC MI OS] | A 5905 | CC | | 30-DEC-95 |
| | MIL-PRF-27208/10A NOT 2 | RESISTOR, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT26 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT AV CR4 MC MI OS] | A 5905 | CC | | 31-MAY-93 |
| | MIL-PRF-27210G | OXYGEN, AVIATOR'S BREATHING, LIQUID AND GAS [CUST: AS 68] [REVIEW: GS NA] | A 6830 | 68 | | 04-APR-97 |
| | MIL-PRF-27401D | PROPELLANT, PRESSURIZING AGENT, NITROGEN [CUST: MI AS 68] [REVIEW: 19] | A 9135 | 68 | | 03-OCT-95 |
| A | MIL-PRF-27402C | PROPELLANT, HYDRAZINE - UNS-DIMETHYLHYDRAZINE (50 PERCENT N2H4 - 50 PERCENT UDMH) [CUST: AS 68] [REVIEW: 19] | A 9135 | 68 | | 01-OCT-97 |
| A | MIL-PRF-27404C | PROPELLANT, MONOMETHYLHYDRAZINE [CUST: AS 68] [REVIEW: 19] | A 9135 | 68 | | 01-OCT-97 |
| A | MIL-PRF-27407B | PROPELLANT PRESSURIZING AGENT, HELIUM [CUST: AS 68] [REVIEW: 19] | A 9135 | 68 | | 25-AUG-97 |
| D | MIL-PRF-27415A | PROPELLANT PRESSURIZING AGENT, ARGON [CUST: AS 68] [REVIEW: 19] | A 9135 | 68 | | 11-DEC-97 |
| A | MIL-PRF-27601C | HYDRAULIC FLUID, FIRE RESISTANT, HYDROGENATED POLYALPHAOLEFIN BASE, HIGH TEMPERATURE, FLIGHT VEHICLE, METRIC [CUST: AT AS 11] [REVIEW: 68 AR EA GS MI OS SH] | A 9150 | 11 | | 17-FEB-98 |
| A | MIL-PRF-27617F | GREASE, AIRCRAFT AND INSTRUMENT, FUEL AND OXIDIZER RESISTANT [CUST: CR4 AS 11] [REVIEW: AR EA GS MI MR SH SM] | A 9150 | 11 | | 17-FEB-98 |
| A | MIL-PRF-27639D | VALVE, PNEUMATIC INFLATOR (LIFE PRESERVER, FLU-1A/P) [CUST: 99] [REVIEW: 84 CC] | A 4220 | 82 | | 20-JUN-97 |
| | MIL-PRF-28000A(1) | DIGITAL REPRESENTATION FOR COMMUNICATION OF PRODUCT DATA: IGES APPLICATION SUBSETS AND IGES APPLICATION PROTOCOLS [CUST: CR SH 16 DH] [REVIEW: 01 02 11 13 17 18 19 68 79 99 AL AM AS AT AV CR CR4 EA EC GL MI MR OS SA SM TE TM YDI] | A IPSC | DC | | 14-DEC-92 |
| | MIL-PRF-28001C | MARKUP REQUIREMENTS AND GENERIC STYLE SPECIFICATION FOR EXCHANGE OF TEXT AND ITS PRESENTATION [CUST: TM OM 16 DC3] [REVIEW: 13 17 19 33 79 90 93 99 AC AL AS AT CC CG CH CR CR4 DCI DC4 DO DOE EC GPO GS IR MI NCS ND NM NS OST PT SE TD TM1 US] | A IPSC | DC3 | | 02-MAY-97 |
| A | MIL-PRF-28002C | RASTER GRAPHICS REPRESENTATION IN BINARY FORMAT, REQUIREMENTS FOR [CUST: CR OM 16 DC3] [REVIEW: 13 17 19 33 90 93 AC AC1 AC2 AL AS AT CG CH DCI DC4 DI DO DOE EC GPO IR MC MI NCS ND NM NS OST PT SE TD TM1 TM3 US] | A IPSC | DC3 | | 30-SEP-97 |
| | MIL-PRF-28003A(1) | DIGITAL REPRESENTATION FOR COMMUNICATION OF ILLUSTRATION DATA: CGM APPLICATION PROFILE [CUST: CR SH 24 DH] [REVIEW: 01 02 11 13 17 18 19 68 79 99 AL AM AS AT AV CR CR4 EA EC GL MI MR OS SA SM TE TM YDI] | A IPSC | DC | | 14-AUG-92 |
| M | MIL-PRF-28520D | PUMPING ASSEMBLY, FLAMMABLE LIQUID, BULK TRANSFER, 600 GALLONS PER MINUTE, DIESEL-ENGINE-DRIVEN [CUST: YDI] | A 4320 | YD1 | | 03-MAR-98 |
| A | MIL-PRF-28523C | HOSE ASSEMBLY, RUBBER, HYDRAULIC AND PNEUMATIC, JETTING (400 PSI WORKING PRESSURE) [CUST: YDI] [REVIEW: CC SH] | A 4720 | YD1 | | 11-SEP-97 |
| | MIL-PRF-28776C(1) SUP 1 | RELAYS, HYBRID, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS CR4 MC MI OS] | A 5945 | CC | | 13-JUN-95 |
| | MIL-PRF-28776/1F(1) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW-LEVEL TO 1.0 AMPERE (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MI NS OS SH] | A 5945 | CC | | 30-APR-97 |
| | MIL-PRF-28776/3F(1) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, COIL OPERATE POWER AT 25 DEG. C) (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) WITH DIODE COIL SUPPRESSION [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MI NS OS SH] | A 5945 | CC | | 30-APR-97 |
| | MIL-PRF-28776/4F(1) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, COIL OPERATE POWER AT 25 DEG. C) (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) WITH DIODE COIL SUPPRESSION [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MI NS OS SH] | A 5945 | CC | | 30-APR-97 |
| | MIL-PRF-28776/5F(1) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) WITH DIODE COIL SUPPRESSION [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MI NS OS SH] | A 5945 | CC | | 30-APR-97 |
| | MIL-PRF-28776/6D(1) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE INTERNAL MOSFET DRIVE WITH ZENER DIODE GATE PROTECTION, (ELECTROMECHANICAL OUTPUT), DIODE COIL SUPPRESSION AND TERMINALS WITH 0.100 GRID LEAD SPACING [CUST: EC 85 CC] | A 5945 | CC | | 30-APR-97 |
| | MIL-PRF-28776/7E(1) | RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE COIL OPERATE POWER AT 25 DEG. C), TERMINAL MOSFET DRIVER WITH ZENER DIODE GATE PROTECTION (ELECTROMECHANICAL OUTPUT), DIODE COIL SUPPRESSION AND TERMINALS WITH 0.100 GRID LEAD SPACING [CUST: EC 85 CC] | A 5945 | CC | | 30-APR-97 |
| | MIL-PRF-28800F | TEST EQUIPMENT FOR USE WITH ELECTRICAL AND ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR [CUST: CR SH 11] [REVIEW: 10 13 17 18 19 99 AL AR AS AV CE CR EA MC MD MI OS TE YDI] | A 6625 | SH | | 24-JUN-96 |
| A | MIL-PRF-28861B(3) SUP 1 | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 59GP | CC | | 31-MAR-98 |
| | MIL-PRF-28861/1C(1) | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS10 AND FS11 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CR4 MC MI NA OS SH] | A 59GP | CC | | 21-JAN-94 |
| | MIL-PRF-28861/2B(1) | FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS20 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI NA OS SH] | A 5915 | CC | | 25-FEB-94 |
| | MIL-PRF-28861/3B(1) | FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS30 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI NA OS SH] | A 5915 | CC | | 25-FEB-94 |
| | MIL-PRF-28861/4B(1) | FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS40 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI NA OS SH] | A 5915 | CC | | 25-FEB-94 |
| | MIL-PRF-28861/5B(1) | FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS50 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI NA OS SH] | A 5915 | CC | | 25-FEB-94 |
| | MIL-PRF-28861/6D(2) | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, NONHERMETICALLY SEALED, STYLE FS60 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 59GP | CC | | 23-MAY-97 |
| | MIL-PRF-28861/7C(1) | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, NONHERMETICALLY SEALED, STYLE FS61 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 59GP | CC | | 06-MAR-92 |
| | MIL-PRF-28861/8E | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS62 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI NA OS SH] | A 59GP | CC | | 23-AUG-93 |
| | MIL-PRF-28861/9C(1) | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, NONHERMETICALLY SEALED, STYLE FS63 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 59GP | CC | | 06-MAR-92 |
| | MIL-PRF-28861/10E | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS64 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 59GP | CC | | 23-AUG-93 |
| | MIL-PRF-28861/12E | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED ON ONE END ONLY, STYLE FS70 [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 59GP | CC | | 30-APR-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Act Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-PRF-28861/13B | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED ON ONE END ONLY, STYLE FS72 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 59GP | CC | | 23-AUG-93 |
| | MIL-PRF-28861/14B | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED ON ONE END ONLY, STYLE FS73 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 59GP | CC | | 19-AUG-93 |
| | MIL-PRF-28861/15B | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED ON ONE END ONLY, STYLE FS74 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 59GP | CC | | 19-AUG-93 |
| | MIL-PRF-28861/18 | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS68 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 59GP | CC | | 26-JUN-92 |
| A | MIL-PRF-29163C | BUOYS, MARKER (METRIC) [CUST: YD1 99] [REVIEW: AS CG] | A 2050 | YD1 | | 15-SEP-97 |
| A | MIL-PRF-29250C | LOADING JACK SYSTEM, ISO CONTAINER [CUST: YD1 99] [REVIEW: 84 CC SH] | A 3950 | YD1 | | 24-JUN-97 |
| A | MIL-PRF-29598(1) | FILM, PROTECTIVE, LEADING EDGE (PRESSURE-SENSITIVE) [CUST: MR AS 99] [REVIEW: 11 84 AL AV GS SH] | A 9330 | AS | | 25-NOV-97 |
| A | MIL-PRF-29607(1) | CLEANING COMPOUND, AVIONICS COMPONENTS, NON-OZONE DEPLETING [CUST: AS] | A 6850 | AS | | 25-NOV-97 |
| A | MIL-PRF-29608(1) | CLEANING AND CLEANING-LUBRICATING COMPOUNDS, ELECTRICAL CONTACT, LOW OZONE DEPLETION POTENTIAL (ODP) [CUST: AS] | A 6850 | AS | | 25-NOV-97 |
| | MIL-PRF-29610 | VISOR ASSEMBLY, MULTIPLE WAVELENGTH LASER PROTECTIVE, AVIATORS [CUST: AV AS] | A 8475 | AS | | 25-JAN-96 |
| | MIL-PRF-29612 | TRAINING DATA PRODUCTS [CUST: AV AS 94] [REVIEW: 11 CC DP EC GS IS MC NS SH TD TM] | A ALSS | AS | | 26-SEP-96 |
| | MIL-PRF-31011 | CLOTH, WATERPROOF AND MOISTURE VAPOR PERMEABLE [CUST: GL MC CT] | A 8305 | CT | | 18-JAN-96 |
| | MIL-PRF-31013 | SPECTACLES, SPECIAL PROTECTIVE EYEWEAR CYLINDRICAL SYSTEM (SPECS) [CUST: GL NU 99 CT] [REVIEW: 11 31 45 82 AS MD] | A 8465 | CT | | 25-APR-96 |
| A | MIL-PRF-31031A | CONNECTORS, ELECTRICAL, PLUGS AND RECEPTACLES, COAXIAL, RADIO FREQUENCY, HIGH RELIABILITY, FOR FLEXIBLE AND SEMIRIGID CABLES, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 27-OCT-97 |
| | MIL-PRF-31032 | PRINTED CIRCUIT BOARD/PRINTED WIRING BOARD, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 99 MC MI] | A 5998 | CC | | 01-NOV-95 |
| | MIL-PRF-31032/1 | PRINTED WIRING BOARD, RIGID, MULTILAYERED, WOVEN E-GLASS REINFORCED THERMOSETTING RESIN BASE MATERIAL, WITH PLATED THROUGH HOLES, FOR SOLDERED PART MOUNTING [CUST: CR EC 85 CC] [REVIEW: 99 MC MI] | A 5998 | CC | | 01-NOV-95 |
| | MIL-PRF-31032/2 | PRINTED WIRING BOARD RIGID, SINGLE AND DOUBLE LAYER, WOVEN E-GLASS REINFORCED THERMOSETTING RESIN BASE MATERIAL, WITH OR WITHOUT PLATED HOLES, FOR SOLDERING PART MOUNTING [CUST: CR EC 85] [REVIEW: 99 MC MI] | A 5998 | CC | | 31-OCT-96 |
| A | MIL-PRF-31032/3 | PRINTED WIRING BOARD, FLEXIBLE, SINGLE AND DOUBLE LAYER, WITH OR WITHOUT PLATED HOLES, WITH OR WITHOUT STIFFENERS, FOR SOLDERED PART MOUNTING [CUST: CR EC 85] [REVIEW: 99 MC MI] | A 5998 | CC | | 22-JUN-97 |
| | MIL-PRF-31033 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, HIGH RELIABILITY, DISCOIDAL, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 5910 | CC | | 09-AUG-96 |
| A | MIL-PRF-32001 | FAN, CIRCULATING - HEAT DISTRIBUTION, SELF-POWERED [CUST: GL YD1 99] [REVIEW: 82 CC MC MD1 QM1] | A 4140 | GL | | 25-JUL-97 |
| A | MIL-PRF-32002A | COVER MATERIAL, VEHICLE, COATED TACTICAL AND COMBAT, HEAVY-DUTY, WATERPROOF [CUST: AT YD1 99] [REVIEW: 84 CC] | A 25GP | AT | | 05-SEP-97 |
| A | MIL-PRF-32004 | PACKAGING OF FOOD IN POLYMERIC TRAYS [CUST: QM MC] [REVIEW: FV MD SA SS] | A 89GP | GL | | 23-MAY-97 |
| A | MIL-PRF-32009 | CRANE, PORTABLE, FOLDING, 6000 LB CAPACITY, AIRCRAFT ENGINE AND PROPELLER; GENERAL SPECIFICATION FOR [CUST: AT SH 99] | A 3950 | 84 | | 10-JUL-97 |
| A | MIL-PRF-32014 | GREASE, WATER RESISTANT, HIGH SPEED, AIRCRAFT AND MISSILE [CUST: CR4 AS 11] [REVIEW: AR AV EA MI PS SH] | A 9150 | 11 | | 29-SEP-97 |
| A | MIL-PRF-32016 | CELL, GAS PHASE, ADSORBER [CUST: EA] | A 4240 | EA | | 26-NOV-97 |
| A | MIL-PRF-32017 | REFRIGERATION SYSTEM, ADVANCED DESIGN [CUST: GL 99] [REVIEW: 82] | A 4110 | 35 | | 01-DEC-97 |
| A | MIL-PRF-32020 | TESTER, LIQUID VOLUMETRIC POSITIVE DISPLACEMENT METER [CUST: 99] | A 6680 | 82 | | 01-MAR-98 |
| N | MIL-PRF-32023 | ADAPTER KIT - GRAVITY FEED, FOR 5-GALLON MILITARY PLASTIC FUEL CAN [CUST: GL YD1 99] [REVIEW: 84 FSS MC MD1] | A 7240 | GL | | 06-MAY-98 |
| M | MIL-PRF-38039C | SYSTEMS, ILLUMINATED, WARNING, CAUTION, AND ADVISORY, GENERAL SPECIFICATION FOR [CUST: 99] | A 6340 | 82 | | 11-MAY-98 |
| | MIL-PRF-38120B | INDICATOR, RATE OF FLOW AND TRANSFER EFU-20/A [CUST: 99] [REVIEW: GS] | A 6680 | 82 | | 15-JUN-97 |
| A | MIL-PRF-38135C | INDICATOR, INDICATED AIRSPEED AVU-19/A, STANDBY [CUST: 99] | A 6610 | 71 | | 25-NOV-97 |
| M | MIL-PRF-38169A | LENS, GOGGLE AND VISOR, HELMET, OPTICAL CHARACTERISTICS, GENERAL SPECIFICATION FOR [CUST: 99] [REVIEW: CT] | A 8475 | 82 | | 10-JUN-98 |
| A | MIL-PRF-38219C(1) | TURBINE FUEL, LOW VOLATILITY, JP-7 [CUST: 11] [REVIEW: 68 PS] | A 9130 | 11 | | 03-OCT-97 |
| A | MIL-PRF-38230C | TRANSMITTER, PRESSURE, OIL [CUST: 99] | A 6620 | 71 | | 01-OCT-97 |
| A | MIL-PRF-38266D | TANK AND PUMP UNIT, LIQUID DISPENSING, PORTABLE, PMU-29/E [CUST: AS 99] [REVIEW: YD1] | A 4930 | 82 | | 01-OCT-97 |
| A | MIL-PRF-38299C | FLUID, PURGING, FOR PRESERVING FUEL TANKS OF JET AIRCRAFT [CUST: 68] [REVIEW: 11] | A 6850 | 68 | | 03-OCT-97 |
| | MIL-PRF-38384D | TECHNICAL MANUALS - CHECKLISTS AND SOURCE DATA PACKAGES, AIRCRAFT WEAPON DELIVERY [CUST: 16] [REVIEW: 01 10 11 70 71 79 80 82 99] | A TMSS | 16 | | 15-JUL-96 |
| | MIL-PRF-38413D | TECHNICAL MANUAL AND FLIGHT CREW CHECKLISTS FOR AIR REFUELING PROCEDURES [CUST: 16] [REVIEW: 01 10 99] | A TMSS | 16 | | 01-MAR-96 |
| | MIL-PRF-38534C | HYBRID MICROCIRCUITS, GENERAL SPECIFICATION FOR [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR MC MI] | A 5962 | CC | | 23-AUG-95 |
| A | MIL-PRF-38535E | INTEGRATED CIRCUITS (MICROCIRCUITS) MANUFACTURING, GENERAL SPECIFICATION FOR [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 01-DEC-97 |
| | MIL-PRF-38715B | INDICATOR, COMBUSTIBLE GAS AND OXYGEN [CUST: 99] | A 6665 | 82 | | 15-OCT-96 |
| | MIL-PRF-38769D | MANUALS, TECHNICAL: WORK UNIT CODE-PREPARATION OF [CUST: 16] [REVIEW: 01 10 11 13 19 70 71 79 80 82 84 99] | A TMSS | 16 | | 01-JUL-96 |
| A | MIL-PRF-38793B | TECHNICAL MANUALS: CALIBRATION PROCEDURES - PREPARATION [CUST: TM OS 16] | A TMSS | 16 | | 06-FEB-97 |
| A | MIL-PRF-38804C(1) | TIME COMPLIANCE TECHNICAL ORDERS-PREPARATION [CUST: 16] [REVIEW: 01 10 99] | A TMSS | 16 | | 20-JUN-97 |
| A | MIL-PRF-38807C | TECHNICAL MANUALS - ILLUSTRATED PARTS BREAKDOWN [CUST: 16] [REVIEW: 10 11 13 19 68 79 99] | A TMSS | 16 | | 29-NOV-97 |
| A | MIL-PRF-39001C | CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 CC] | A 5910 | CR | | 28-AUG-97 |
| A | MIL-PRF-39001/5C | CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY, STYLES CMR03, CMR04, CMR05, CMR06, CMR07 AND CMR08 [CUST: CR EC 85] [REVIEW: 17 19 AV CC MC MI] | A 5910 | CR | | 28-AUG-97 |
| A | MIL-PRF-39001/6A | CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CMR16 [CUST: CR EC 85] [REVIEW: 19 99 CC MC] | A 5910 | CR | | 28-AUG-97 |
| M | MIL-PRF-39003H(4) SUP 1 | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AS MC OS SH] | A 5910 | CC | | 22-MAY-98 |
| | MIL-PRF-39003/1H | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR13 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH] | A 5910 | CC | | 17-MAY-96 |
| | MIL-PRF-39003/2F | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR09 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH] | A 5910 | CC | | 17-MAY-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-PRF-39003/3F | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR23 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH] | A 5910 | CC | | 17-MAY-96 |
| | MIL-PRF-39003/6C | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR33 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH] | A 5910 | CC | | 17-MAY-96 |
| | MIL-PRF-39003/9D | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), HIGH FREQUENCY, ESTABLISHED RELIABILITY, STYLE CSR21 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH] | A 5910 | CC | | 17-MAY-96 |
| A | MIL-PRF-39005E(1) SUP 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 19 80 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CR | | 16-MAR-98 |
| A | MIL-PRF-39005/1E | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR52 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CR4 MC MI OS] | A 5905 | CR | | 09-OCT-97 |
| A | MIL-PRF-39005/2E | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR53 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CR4 MC MI OS] | A 5905 | CR | | 09-OCT-97 |
| A | MIL-PRF-39005/3E | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR54 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CR4 MC MI OS] | A 5905 | CR | | 09-OCT-97 |
| A | MIL-PRF-39005/4F | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR55 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CR4 MC MI OS] | A 5905 | CR | | 09-OCT-97 |
| A | MIL-PRF-39005/5G | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR56 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CR4 MC MI OS] | A 5905 | CR | | 09-OCT-97 |
| A | MIL-PRF-39005/6E | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR71 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CR4 MC MI OS] | A 5905 | CR | | 09-OCT-97 |
| A | MIL-PRF-39005/7C | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR57 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CR4 MC MI OS] | A 5905 | CR | | 09-OCT-97 |
| A | MIL-PRF-39005/9B | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RBR75 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CR4 MC MI OS] | A 5905 | CR | | 09-OCT-97 |
| A | MIL-PRF-39006E SUP 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC OS SH] | A 5910 | CC | | 23-JAN-98 |
| | MIL-PRF-39006/22E | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR79 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC OS] | A 5910 | CC | | 05-FEB-93 |
| | MIL-PRF-39006/25A | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG) (EXTENDED RANGE), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR81 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC OS] | A 5910 | CC | | 23-DEC-92 |
| A | MIL-PRF-39006/28 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), HIGH RELIABILITY, STYLE CLS79 [CUST: 19] [REVIEW: 85 CR EC] | A 5910 | CC | | 25-SEP-92 |
| A | MIL-PRF-39006/29 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG) (EXTENDED RANGE), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), HIGH RELIABILITY, STYLE CLS81 [CUST: 19] [REVIEW: 85 CR EC] | A 5910 | CC | | 25-SEP-92 |
| | MIL-PRF-39006/30 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR90 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS MC NA OS] | A 5910 | CC | | 10-MAR-94 |
| | MIL-PRF-39006/31 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG) (EXTENDED RANGE), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR91 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS MC NA OS] | A 5910 | CC | | 10-MAR-94 |
| A | MIL-PRF-39006/32 | CAPACITORS, FIXED, ELECTROLYTIC (NON-SOLID ELECTROLYTE), TANTALUM, (NON-POLARIZED, SINTERED SLUG) 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR82 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS MC OS] | A 5910 | EC | | 15-JAN-98 |
| A | MIL-PRF-39007H SUP 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 17 19 80 AR AS CG MC MI OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-39007/7G(1) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR78 [CUST: CR EC 85 NA] [REVIEW: 17 19 80 AR AS CG MC MI OS] | A 5905 | CR | | 19-DEC-97 |
| A | MIL-PRF-39007/8K(1) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR80 [CUST: CR EC 85 NA] [REVIEW: 17 19 80 AR AS CG MC MI OS] | A 5905 | CR | | 19-DEC-97 |
| A | MIL-PRF-39007/9H(1) | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR81 [CUST: CR EC 85 NA] [REVIEW: 17 19 80 AR AS CG MC MI OS] | A 5905 | CR | | 19-DEC-97 |
| A | MIL-PRF-39007/10G | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR84 [CUST: CR EC 85 NA] [REVIEW: 17 19 80 AR AS CG MC MI OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-39007/11H | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR89 [CUST: CR EC 85 NA] [REVIEW: 17 19 80 AR AS CG MC MI OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-39007/12E | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR82 [CUST: CR EC 85 NA] [REVIEW: 17 19 80 AR AS CG MC MI OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-39009D | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 19 80 AR AS AV CG CR4 MC MI OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-39009/1C | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, STYLES RER60, RER65, RER70, AND RER75 [CUST: CR EC 11] [REVIEW: 17 19 85 AR AT CG CR4 MC MI OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-39009/2B | RESISTORS, FIXED, WIRE-WOUND, (POWER TYPE, CHASSIS MOUNTED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, STYLES RER40, RER45, RER50, AND RER55 [CUST: CR EC 11] [REVIEW: 17 19 85 AT AV CG CR4 MC MI OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-39010E SUP 1 | COILS, RADIO FREQUENCY, FIXED, MOLDED, ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG CR4 MC MI NA OS] | A 5950 | CR | | 27-AUG-97 |
| A | MIL-PRF-39010/1E | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE, MAGNETICALLY SHIELDED (PHENOLIC CORE-IRON SLEEVE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG CR4 MC MI OS SH] | A 5950 | CR | | 27-AUG-97 |
| A | MIL-PRF-39010/2E | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE, MAGNETICALLY SHIELDED (IRON CORE-IRON SLEEVE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG CR4 MC MI OS SH] | A 5950 | CR | | 27-AUG-97 |
| A | MIL-PRF-39010/3E | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE, MAGNETICALLY SHIELDED (FERRITE CORE-FERRITE SLEEVE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG CR4 MC MI OS SH] | A 5950 | CR | | 27-AUG-97 |
| A | MIL-PRF-39010/4E | COILS, FIXED, RADIO FREQUENCY, MOLDED, SUBMINIATURE (PHENOLIC CORE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG CR4 MC MI OS SH] | A 5950 | CR | | 27-AUG-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Act | Document Number | Document Title | Distribution | FSC/Ave | MCA | Prop. Acty. | Date |
|-----|----------------------------|---|--------------|---------|-----|-------------|-----------|
| A | MIL-PRF-39010/5E | COILS, FIXED, RADIO FREQUENCY, MOLDED, SUBMINIATURE (POWDERED IRON CORE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| A | MIL-PRF-39010/6E | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE (PHENOLIC CORE), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| A | MIL-PRF-39010/7E | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE (POWDERED IRON CORE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| A | MIL-PRF-39010/8C | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE (PHENOLIC CORE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| A | MIL-PRF-39010/9C | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE (IRON CORE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| A | MIL-PRF-39010/10C | COILS, FIXED, RADIO FREQUENCY, MOLDED, MICROMINIATURE, (FERRITE CORE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG CR4 MC MI OS SH] | A | 5950 | | CR | 27-AUG-97 |
| | MIL-PRF-39012D(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A | 5935 | | CC | 25-AUG-95 |
| | MIL-PRF-39012/1G(2) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES N (CABLED), PIN CONTACT, CLASS 2) [CUST: CR EC 85 CC NA] [REVIEW: 11 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 29-MAY-97 |
| | MIL-PRF-39012/2G(1) | CONNECTORS, PLUGS AND RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES N (CABLED), FLANGE MOUNTED, SOCKET CONTACT, CLASS 2) [CUST: CR EC 85 CC NA] [REVIEW: 11 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 29-MAY-97 |
| | MIL-PRF-39012/3G(1) | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES N (CABLED) JAM NUT MOUNTED, SOCKET CONTACT, CLASS 2) [CUST: CR EC 85 CC NA] [REVIEW: 11 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 29-MAY-97 |
| | MIL-PRF-39012/4D(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY (SERIES N (UNCABLED) - RECEPTACLES - JAM NUT AND FLANGE MOUNTED, SOCKET CONTACT, CLASS 2) [CUST: CR EC 85 CC NA] [REVIEW: 11 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 29-MAY-97 |
| | MIL-PRF-39012/5G(2) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES N (CABLED), RIGHT ANGLE, PIN CONTACT, CLASS 2) [CUST: CR EC 85 CC NA] [REVIEW: 11 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 29-MAY-97 |
| | MIL-PRF-39012/16G(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (CABLED), PIN CONTACT, CLASS 2) [CUST: CR EC 85 CC NA] [REVIEW: 11 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 29-MAY-97 |
| | MIL-PRF-39012/17G | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC, (CABLED), SOCKET CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV CR EA MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/18G(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (CABLED), SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) [CUST: CR EC 85 CC NA] [REVIEW: 11 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 29-MAY-97 |
| | MIL-PRF-39012/19G | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (CABLED), SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV CR EA MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/20G | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV CR EA MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/21A(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY (SERIES BNC (UNCABLED) - RECEPTACLES, FEMALE, JAM NUT MOUNTED, CLASS 1) [CUST: CR EC 85] [REVIEW: 11 19 AR AS AT AV CR CR4 EC MI NA OS] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/22A(2) | CONNECTORS, COAXIAL, RADIO FREQUENCY, (SERIES BNC (UNCABLED) - RECEPTACLES, FEMALE, FLANGE MOUNTED, CLASS 1) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/23A(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY, (SERIES BNC (UNCABLED) - RECEPTACLES, FEMALE, RIGHT ANGLE, CLASS 1) [CUST: CR EC 85] [REVIEW: 11 19 AR AS AT AV CR CR4 EC MI NA OS] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/24C(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BNC (UNCABLED) - FEMALE, HERMETIC SEALED, JAM NUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 AR AS AT AV CR4 MI NA OS] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/26G(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), PIN CONTACT, CLASS 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 24-APR-96 |
| | MIL-PRF-39012/27G | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), SOCKET CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/28G | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED), SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV CR EA MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/29G | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV CR EA MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/30G | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/31B(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES TNC (UNCABLED-RECEPTACLE, SOCKET, JAM NUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT CR4 MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/32A(3) NOT 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY SERIES TNC (UNCABLED - RECEPTACLE, SOCKET, FLANGE MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CR4 MI NA OS] | A | 5935 | | CC | 30-JAN-95 |
| | MIL-PRF-39012/33A(2) | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES TNC (UNCABLED - RECEPTACLE, SOCKET, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/34A(2) | CONNECTORS, COAXIAL, RADIO FREQUENCY SERIES TNC (UNCABLED - RECEPTACLE, SOCKET, HERMETIC SEALED, JAM NUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/35G(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES SC (CABLED), PIN CONTACT, CLASS 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 24-APR-96 |
| | MIL-PRF-39012/36G | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES SC, (CABLED), SOCKET CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/38G | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC (CABLED), SOCKET CONTACT, FLANGE MOUNTED, REAR MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/39G(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES SC (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 24-APR-96 |
| | MIL-PRF-39012/40G | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC (CABLED), SOCKET CONTACT, JAM NUT, REAR MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV EA MC MI NA OS SH] | A | 5935 | | CC | 26-SEP-94 |
| | MIL-PRF-39012/55F(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - PLUG, PIN CONTACT, CLASS 2) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 06-MAY-96 |
| | MIL-PRF-39012/56E(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - PLUG, PIN CONTACT, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 06-MAY-96 |
| | MIL-PRF-39012/57F(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - SOCKET CONTACT, CLASS 2) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT EA MC MI OS SH] | A | 5935 | | CC | 06-MAY-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|---------------------------|---|-----------------------|-----|-------------|-----------|
| MIL-PRF-39012/58F(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 06-MAY-96 |
| MIL-PRF-39012/59F(1) | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) [CUST: CR EC 85 CC NA] [REVIEW: 11 17 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 06-MAY-96 |
| MIL-PRF-39012/67B(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED, SOCKET CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 17-OCT-88 |
| MIL-PRF-39012/68B(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED PIN CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 17-OCT-88 |
| MIL-PRF-39012/69B(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED, SOCKET CONTACT, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 17-OCT-88 |
| MIL-PRF-39012/70B(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED, PIN CONTACT, JAM NUT MOUNTED, REAR MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 17-OCT-88 |
| MIL-PRF-39012/71A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES SMB (UNCABLED RECEPTACLE, MALE, JAMNUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV CR4 MC MI OS] | A 5935 | CC | | 22-JUN-71 |
| MIL-PRF-39012/73B(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, (CABLED, SOCKET CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 17-OCT-88 |
| MIL-PRF-39012/74B(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, (CABLED, PIN CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 17-OCT-88 |
| MIL-PRF-39012/75B(1) | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC (CABLED, SOCKET CONTACT, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 17-OCT-88 |
| MIL-PRF-39012/76B(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, (CABLED, PIN CONTACT, JAMNUT MOUNTED, REAR MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 17-OCT-88 |
| MIL-PRF-39012/77A | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC (UNCABLED, MALE, JAMNUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT CR4 MC MI OS] | A 5935 | CC | | 24-SEP-86 |
| MIL-PRF-39012/79F | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, PIN, CLASS 2, SEMIRIGID CABLE) [CUST: CR EC 85] [REVIEW: 11 17 99 AM AS AT MC MI OS SH] | A 5935 | CC | | 24-JAN-92 |
| MIL-PRF-39012/80E(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, PIN RIGHT ANGLE, CLASS 2, SEMIRIGID CABLE) [CUST: CR EC 85] [REVIEW: 11 17 99 AM AS AT MC MI OS SH] | A 5935 | CC | | 21-JUL-92 |
| MIL-PRF-39012/81F | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, SOCKET, CLASS 2, SEMIRIGID CABLE) [CUST: CR EC 85] [REVIEW: 11 17 99 AM AS AT CR4 MC MI OS SH] | A 5935 | CC | | 24-JAN-92 |
| MIL-PRF-39012/82F | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA, (CABLED, SOCKET, FLANGE MOUNTED, CLASS 2, SEMIRIGID CABLE) [CUST: CR EC 85] [REVIEW: 11 17 99 AM AS AT CR4 MC MI OS SH] | A 5935 | CC | | 24-JAN-92 |
| MIL-PRF-39012/83F | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA, (CABLED, SOCKET, JAM NUT MOUNTED, CLASS 2, SEMIRIGID CABLE) [CUST: CR EC 85] [REVIEW: 11 17 99 AM AS AT MC MI OS SH] | A 5935 | CC | | 24-JAN-92 |
| MIL-PRF-39012/84B | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC, (CABLED, PIN CONTACT, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 03-OCT-86 |
| MIL-PRF-39012/85B | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC, (CABLED, SOCKET CONTACT, JAM NUT MOUNTED, REAR MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 03-OCT-86 |
| MIL-PRF-39012/86B | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC, (CABLED, SOCKET CONTACT, JAM NUT, FRONT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 03-OCT-86 |
| MIL-PRF-39012/87 NOT 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES QSC (UNCABLED - RECEPTACLE, SOCKET CONTACT, HERMETIC SEALED, JAM NUT, FRONT AND REAR MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 99 AR AT AV MI] | A 5935 | CC | | 16-AUG-88 |
| MIL-PRF-39012/88B | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QNC, (CABLED, PIN CONTACT, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 03-OCT-86 |
| MIL-PRF-39012/89B | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QNC, (CABLED, SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 03-OCT-86 |
| MIL-PRF-39012/90(1) NOT 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES QNC (UNCABLED) - RECEPTACLE, SOCKET CONTACT, JAM NUT, FRONT AND REAR MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AM AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 16-AUG-88 |
| MIL-PRF-39012/92C(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, CLASS 2, WITHOUT CONTACT, .141 SEMIRIGID CABLE) [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 07-APR-93 |
| MIL-PRF-39012/93B | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, FEMALE, PRINTED CIRCUIT, CLASS 2) [CUST: CR EC 85] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A 5935 | CC | | 25-JAN-95 |
| MIL-PRF-39012/94B | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, FEMALE, PRINTED CIRCUIT, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A 5935 | CC | | 25-JAN-95 |
| MIL-PRF-39012/95A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES SMB (RECEPTACLE, MALE, PRINTED CIRCUIT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AR AT CR4 MC MI] | A 5935 | CC | | 24-SEP-86 |
| MIL-PRF-39012/96A | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (UNCABLED, MALE, PRINTED CIRCUIT, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 99 AR AT AV CR4 MC MI] | A 5935 | CC | | 24-SEP-86 |
| A MIL-PRF-39014F SUP 1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 19 99 AR AT AV CR4 MC MI] | A 5910 | CR | | 16-SEP-97 |
| A MIL-PRF-39014/1G | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, STYLE CKR05, NATO TYPE DESIGNATION NCC61 [CUST: CR EC 85] [REVIEW: 19 99 AR AT AV CC CR4 MC MI TD] | A 5910 | CR | | 16-SEP-97 |
| A MIL-PRF-39014/2K | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, STYLE CKR06, NATO TYPE DESIGNATION NCC62 [CUST: CR EC 85] [REVIEW: 19 99 AR AT AV CC CR4 MC MI TD] | A 5910 | CR | | 16-SEP-97 |
| A MIL-PRF-39014/5F | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CKR11, CKR12, CKR14, CKR15 AND CKR16 [CUST: CR EC 85 NA] [REVIEW: 17 99 AR AT AV CC CR4 MC MI] | A 5910 | CR | | 16-SEP-97 |
| MIL-PRF-39014/20C(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CKR08 [CUST: EC 85] | A 5910 | CC | | 08-SEP-89 |
| MIL-PRF-39014/21(2) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLES CKR31 AND CKR32 [CUST: 85] [REVIEW: 17 99] | A 5910 | CC | | 09-MAY-89 |
| A MIL-PRF-39014/22D | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CKR22, CKR23, AND CKR24 [CUST: CR EC 85 NA] [REVIEW: 17 99 AR AT AV CC CR4 MC MI] | A 5910 | CR | | 16-SEP-97 |
| A MIL-PRF-39014/23A | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR04 [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AT AV CC CR4 MC MI] | A 5910 | CR | | 16-SEP-97 |

DODISS NUMERICAL LISTING PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | | | | | | |
| A | MIL-PRF-39015D | RESISTORS, VARIABLE, WIRE WOUND (LEAD SCREW ACTUATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CR | | 19-MAY-97 |
| A | MIL-PRF-39015/1G | RESISTORS, VARIABLE, WIRE-WOUND (LEAD-SCREW ACTUATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RTR12 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CR4 MC MI OS] | A 5905 | CR | | 19-MAY-97 |
| A | MIL-PRF-39015/2H | RESISTORS, VARIABLE, WIRE-WOUND (LEAD-SCREW ACTUATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RTR22 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CR4 MC MI OS] | A 5905 | CR | | 19-MAY-97 |
| A | MIL-PRF-39015/3L | RESISTORS, VARIABLE, WIRE-WOUND (LEAD-SCREW ACTUATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RTR24 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CR4 MC MI OS] | A 5905 | CR | | 19-MAY-97 |
| | MIL-PRF-39016E(1) SUP 1 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC NA] [REVIEW: 17 19 99 AR AS MC MI OS] | A 5945 | CC | | 13-JUN-95 |
| | MIL-PRF-39016/6K(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH] | A 5945 | CC | | 10-JUL-92 |
| | MIL-PRF-39016/7F(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1 AMPERE [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC NS OS SH] | A 5945 | CC | | 23-JUN-93 |
| | MIL-PRF-39016/8F(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 0.5 AMPERE (LATCHING) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC NS OS SH] | A 5945 | CC | | 23-JUN-93 |
| | MIL-PRF-39016/9H(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC NS OS SH] | A 5945 | CC | | 23-JUN-93 |
| | MIL-PRF-39016/10F(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 40 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS NS OS SH] | A 5945 | CC | | 23-JUN-93 |
| | MIL-PRF-39016/11F(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH] | A 5945 | CC | | 21-SEP-92 |
| | MIL-PRF-39016/12F(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH] | A 5945 | CC | | 21-SEP-92 |
| | MIL-PRF-39016/13H(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS MC OS SH] | A 5945 | CC | | 28-JUN-96 |
| | MIL-PRF-39016/14D(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH] | A 5945 | CC | | 10-JUL-92 |
| | MIL-PRF-39016/15J(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS MC NS OS SH] | A 5945 | CC | | 23-JUN-93 |
| | MIL-PRF-39016/16F(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 60 MILLIWATTS) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH] | A 5945 | CC | | 21-SEP-92 |
| | MIL-PRF-39016/17G(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE, TERMINALS 0.100-INCH GRID PATTERN [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH] | A 5945 | CC | | 21-JAN-92 |
| | MIL-PRF-39016/18G(6) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, TERMINALS 0.100-INCH GRID PATTERN [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH] | A 5945 | CC | | 23-JUN-93 |
| | MIL-PRF-39016/19G(5) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION, TERMINALS 0.100-INCH GRID PATTERN [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH] | A 5945 | CC | | 11-AUG-92 |
| | MIL-PRF-39016/20H(5) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS MC OS SH] | A 5945 | CC | | 21-SEP-92 |
| | MIL-PRF-39016/21F(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE 60 MILLIWATTS) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH] | A 5945 | CC | | 21-SEP-92 |
| | MIL-PRF-39016/22D(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING) COIL TRANSIENT SUPPRESSED [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR MC OS SH] | A 5945 | CC | | 10-JUL-92 |
| | MIL-PRF-39016/23E(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH] | A 5945 | CC | | 23-JUN-93 |
| | MIL-PRF-39016/24E(5) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH] | A 5945 | CC | | 23-JUN-93 |
| | MIL-PRF-39016/25E(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 40 MILLIWATTS) WITH AN INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION [CUST: CR EC 85 CC] [REVIEW: 99 AR AS MC OS SH] | A 5945 | CC | | 23-JUN-93 |
| | MIL-PRF-39016/26E(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 40 MILLIWATTS) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CR4 MC OS SH] | A 5945 | CC | | 21-SEP-92 |
| | MIL-PRF-39016/27E(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 0.5 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH] | A 5945 | CC | | 23-JUN-93 |
| | MIL-PRF-39016/28E(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 0.5 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH] | A 5945 | CC | | 21-SEP-92 |
| | MIL-PRF-39016/29F(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH] | A 5945 | CC | | 21-SEP-92 |
| | MIL-PRF-39016/30E(4) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION [CUST: CR EC 85 CC] [REVIEW: 19 99 AL AR AS AT AV CR4 MC MI OS SH] | A 5945 | CC | | 21-SEP-92 |
| | MIL-PRF-39016/31B(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4 PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), LATCHING [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC OS SH] | A 5945 | CC | | 10-JUL-92 |
| | MIL-PRF-39016/33E | RELAYS, RADIO FREQUENCY, (COAXIAL), ESTABLISHED RELIABILITY, ELECTRICAL, HERMETICALLY SEALED, SPDT AND DPDT, DC TO 1 GHZ [CUST: EC 85 CC] | A 5945 | CC | | 20-JUL-88 |
| | MIL-PRF-39016/35B(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4 PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), LATCHING, WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR MC OS SH] | A 5945 | CC | | 10-JUL-92 |
| | MIL-PRF-39016/36B(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4 PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), LATCHING, WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR MC OS SH] | A 5945 | CC | | 10-JUL-92 |
| | MIL-PRF-39016/37B(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH] | A 5945 | CC | | 28-JUN-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|---------------------------|---|-----------------------|-----|-------------|-----------|
| MIL-PRF-39016/38B(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH] | A 5945 | CC | | 28-JUN-96 |
| MIL-PRF-39016/41D(6) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE, TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE, 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) [CUST: CR EC 85 CC] [REVIEW: 99 AS] | A 5945 | CC | | 21-JAN-92 |
| MIL-PRF-39016/42D(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR MC OS SH] | A 5945 | CC | | 09-SEP-91 |
| MIL-PRF-39016/43D(5) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE 60 MILLIWATTS COIL OPERATE POWER AT 25 DEG. C) [CUST: CR EC 85 CC] [REVIEW: 99 AR MC OS SH] | A 5945 | CC | | 11-AUG-92 |
| MIL-PRF-39016/44D(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES, TERMINALS 0.200-INCH GRID PATTERN (SENSITIVE, 100/125 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) [CUST: CR EC 85 CC] [REVIEW: AS OS SH] | A 5945 | CC | | 10-JUL-92 |
| MIL-PRF-39016/45B(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2.0 AMPERES (LATCHING) [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV CR4 MC MI OS SH SM] | A 5945 | CC | | 10-JUL-92 |
| MIL-PRF-39016/47B | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 0.5 AMPERE (100 D.I.P. TERMINAL SPACING) ONE-TENTH SIZE, SENSITIVE, BI-STABLE, LATCHING [CUST: CR EC 85 CC] [REVIEW: 11] | A 5945 | CC | | 20-JUL-88 |
| MIL-PRF-39016/48B | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 0.5 AMPERE (100 D.I.P. TERMINAL SPACING) ONE-TENTH SIZE, SENSITIVE, MONOSTABLE [CUST: CR EC 85 CC] | A 5945 | CC | | 20-JUL-88 |
| MIL-PRF-39016/53B(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH] | A 5945 | CC | | 22-JUN-92 |
| MIL-PRF-39016/54C(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH] | A 5945 | CC | | 22-JUN-92 |
| MIL-PRF-39016/55A | RELAY, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING), WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS MC OS SH] | A 5945 | CC | | 15-FEB-91 |
| A MIL-PRF-39017F SUP 1 | RESISTORS, FIXED, FILM (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CR | | 19-MAY-97 |
| A MIL-PRF-39017/1P | RESISTORS, FIXED, FILM (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, STYLE RLR07 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 19-MAY-97 |
| A MIL-PRF-39017/2K | RESISTORS, FIXED, FILM, (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, STYLE RLR20 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 19-MAY-97 |
| A MIL-PRF-39017/3H | RESISTORS, FIXED, FILM, (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, STYLE RLR32 [CUST: CR EC 85] [REVIEW: 17 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 19-MAY-97 |
| A MIL-PRF-39017/5M | RESISTORS, FIXED, FILM, (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, STYLE RLR05 [CUST: CR EC 85] [REVIEW: 17 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 19-MAY-97 |
| A MIL-PRF-39017/6 | RESISTORS, FIXED, FILM, (INSULATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, STYLE RLR62 [CUST: CR EC 85 NA] [REVIEW: 17 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 19-MAY-97 |
| MIL-PRF-39018C(2) SUP 1 | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AS CG MC MI OS SH] | A 5910 | CC | | 24-DEC-93 |
| MIL-PRF-39018/1E | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY STYLES CU12 (UNINSULATED), CU13 (INSULATED), AND CUR13 (INSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AS CG MC OS SH] | A 5910 | CC | | 16-JUL-92 |
| MIL-PRF-39018/3D(2) | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLES CU16 (UNINSULATED), CU17 (INSULATED), AND CUR17 (INSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CG MC OS SH] | A 5910 | CC | | 07-JAN-91 |
| MIL-PRF-39018/4B(2) | CAPACITOR, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE CU71 (INSULATED) AND CUR71 (INSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CG MC OS SH] | A 5910 | CC | | 24-FEB-82 |
| MIL-PRF-39018/12 | CAPACITOR, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE CU72 (INSULATED) AND CUR72 (INSULATED) [CUST: CR EC 85] [REVIEW: 19 99 AS MC OS SH] | A 5910 | CC | | 11-OCT-96 |
| MIL-PRF-39018/13 | CAPACITOR, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR22 (INSULATED) [CUST: CR EC 85] [REVIEW: 19 99 AS MC OS SH] | A 5910 | CC | | 11-OCT-96 |
| A MIL-PRF-39019D | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER SEALED, TRIP-FREE, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 19 99 AS AT AV CC MC MI NA] | A 5925 | CR | | 27-AUG-97 |
| A MIL-PRF-39019/1G | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE ONE-POLE [CUST: CR EC 85] [REVIEW: 19 99 AS AT AV CC MC MI] | A 5925 | CR | | 27-AUG-97 |
| A MIL-PRF-39019/2G | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE ONE-POLE, AUXILIARY CONTACTS [CUST: CR EC 85] [REVIEW: 19 99 AS AT AV CC MC MI] | A 5925 | CR | | 27-AUG-97 |
| A MIL-PRF-39019/3G | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE TWO-POLE [CUST: CR EC 85] [REVIEW: 19 99 AS AT AV CC MC MI] | A 5925 | CR | | 27-AUG-97 |
| A MIL-PRF-39019/4G | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE TWO-POLE, AUXILIARY CONTACTS [CUST: CR EC 85] [REVIEW: 19 99 AS AT AV CC MC MI] | A 5925 | CR | | 27-AUG-97 |
| A MIL-PRF-39019/5G | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE THREE-POLE [CUST: CR EC 85] [REVIEW: 19 99 AS AT AV CC MC MI] | A 5925 | CR | | 27-AUG-97 |
| A MIL-PRF-39019/6G | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE THREE-POLE, AUXILIARY CONTACTS [CUST: CR EC 85] [REVIEW: 19 99 AS AT AV CC MC MI] | A 5925 | CR | | 27-AUG-97 |
| A MIL-PRF-39022E(5) SUP 1 | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM, OR PLASTIC FILM DIELECTRIC, DIRECT AND ALTERNATING CURRENT, (HERMETICALLY SEALED IN METAL OR CERAMIC CASES), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 19 AR AS CG MC OS SH] | A 5910 | CC | | 07-NOV-97 |
| MIL-PRF-39022/1D | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM, OR PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CHR09 (INSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC OS SH] | A 5910 | CC | | 28-JUL-93 |
| MIL-PRF-39022/2D | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM, DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CHR19 (INSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC OS SH] | A 5910 | CC | | 28-JUL-93 |
| MIL-PRF-39022/7C(2) | CAPACITORS, FIXED, PLASTIC DIELECTRIC (METALLIZED PLASTIC FILM), ALTERNATING CURRENT (RMS) (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED RELIABILITY, STYLE CHR49 (UNINSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC OS SH] | A 5910 | CC | | 28-JUL-93 |
| MIL-PRF-39022/8C | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM, DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CHR12 (UNINSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC OS SH] | A 5910 | CC | | 28-JUL-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-PRF-39022/10(5) | CAPACITOR, FIXED, METALLIZED, PAPER PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY STYLE CHR10 (INSULATED) [CUST: EC 85] | A 5910 | CC | | 20-JUL-83 |
| A | MIL-PRF-39030C | DUMMY LOADS, ELECTRICAL, COAXIAL AND STRIPLINE, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS AV MC MI OS SH] | A 5985 | CC | | 01-AUG-97 |
| A | MIL-PRF-39035D | RESISTOR, VARIABLE, NON-WIRE WOUND (ADJUSTMENT TYPE) NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI NA OS] | A 5905 | CC | | 12-FEB-98 |
| A | MIL-PRF-39035/1D | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RJR12 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 12-FEB-98 |
| A | MIL-PRF-39035/2G | RESISTORS, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RJR24 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 12-FEB-98 |
| | MIL-PRF-39035/3C(1) | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RJR26 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 04-AUG-94 |
| A | MIL-PRF-39035/4F | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, SINGLE TURN), NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE RJR50 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 12-FEB-98 |
| A | MIL-PRF-40039E | CLOTH, WATERPROOF [CUST: GL NU CT] [REVIEW: MC] | A 8305 | CT | | 02-SEP-97 |
| A | MIL-PRF-43473G | CLOTH, WATERPROOF [CUST: GL NU 99 CT] [REVIEW: 45 82 MC] | A 8305 | CT | | 02-DEC-97 |
| A | MIL-PRF-43891C | REFRIGERATION UNITS, ELECTRIC, 9000 BTU FOR MILITARY VAN CONTAINER, REFRIGERATED, INSULATED [CUST: GL YD1 99] [REVIEW: 82 AV IS MC MD1 SM] | A 4110 | GL | | 05-AUG-97 |
| A | MIL-PRF-43906D | CLOTH, NYLON, WATERPROOF [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8305 | CT | | 30-SEP-96 |
| A | MIL-PRF-44015A | REFRIGERATOR-CONTAINER, FIELD, 8 FEET BY 8 FEET BY 10 FEET [CUST: GL IS] | A 4110 | GL | | 22-OCT-97 |
| A | MIL-PRF-44035B | REFRIGERATION UNITS, ELECTRIC, 4000 BTU FOR REFRIGERATOR-CONTAINER, FIELD, 8 FEET BY 8 FEET BY 10 FEET [CUST: GL MC 99] [REVIEW: 82 IS MD1 SM] | A 4110 | GL | | 28-JUL-97 |
| | MIL-PRF-44073E | PACKAGING AND FOOD IN FLEXIBLE POUCHES [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 89GP | GL | | 09-FEB-96 |
| | MIL-PRF-44103D | CLOTH, FIRE, WATER AND WEATHER RESISTANT [CUST: GL NU 99 CT] [REVIEW: 45 82 MC] | A 8305 | CT | | 19-NOV-96 |
| A | MIL-PRF-44156D(1) | KITCHEN, COMPANY LEVEL, FIELD FEEDING (KCLFF), COMPONENTS THEREOF [CUST: GL] [REVIEW: AV MD1] | A 7360 | GL | | 31-JUL-97 |
| | MIL-PRF-44329C | KITCHEN, FIELD, MODULAR, COMPONENTS THEREOF [CUST: GL] [REVIEW: AV MD1 QM1] | A 7360 | GL | | 27-MAR-97 |
| | MIL-PRF-44330B | FOOD SANITATION CENTER, COMPONENTS THEREOF, USED WITH FIELD KITCHENS [CUST: GL] [REVIEW: AV MD1 QM1] | A 7360 | GL | | 25-SEP-96 |
| | MIL-PRF-44366B | SPECTACLES, PROTECTIVE, LASER, BALLISTIC (BLPS) [CUST: GL 99 CT] [REVIEW: 11 32 45 82] | A 8465 | CT | | 29-APR-96 |
| | MIL-PRF-44394A | BEEF SNACKS, STRIPS, CURED, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8940 | GL | | 09-FEB-96 |
| A | MIL-PRF-44408C | SHELTER, ELECTRICAL EQUIPMENT, LIGHTWEIGHT [CUST: GL 99] [REVIEW: 80 AT AV CC CR MC MT] | A 5411 | GL | | 31-OCT-96 |
| A | MIL-PRF-44423A | CLOTH, FLAME RESISTANT, LIGHT WEIGHT, REVERSIBLE [CUST: GL CT] | A 8305 | CT | | 02-SEP-97 |
| | MIL-PRF-44466A | HEATER, WATER AND RATION (HWR) [CUST: GL 99] [REVIEW: 35 84 AV MD1 QM1] | A 7310 | GL | | 25-APR-97 |
| | MIL-PRF-44485 | BURNER UNIT, FIELD FEEDING [CUST: GL 99] [REVIEW: 35 84 AV IS MD1 QM1] | A 7310 | GL | | 04-NOV-96 |
| | MIL-PRF-44493 | HEATER, SPACE - CONVECTIVE, SELF-POWERED, LIQUID FUEL, SHC 35 [CUST: GL YD1 99] [REVIEW: 35 84 CC MC MD1 QM1] | A 4520 | GL | | 31-JUL-96 |
| A | MIL-PRF-44494(2) | HEATER, SPACE - RADIANT, NON-POWERED, LIQUID AND SOLID FUEL [CUST: GL YD1 99] [REVIEW: 84 IS MC MD1 QM1] | A 4520 | GL | | 27-FEB-98 |
| | MIL-PRF-45085D | OIL COOLER ASSEMBLY: ENGINE AND TRANSMISSION [CUST: AT CC] [REVIEW: SM] | A 2930 | AT | | 04-APR-97 |
| A | MIL-PRF-45150K | CHASSIS, TRAILER 2-WHEEL CART TYPE 1/4 TO 3 1/2 TON [CUST: AT MC] [REVIEW: CG CR4] | A 2330 | AT | | 06-APR-97 |
| | MIL-PRF-45307C | PUMP, HYDRAULIC, AXIAL PISTONS: MANUAL, WITH FIRE-CONTROL SWITCH [CUST: AT] | A 2520 | AT | | 13-NOV-96 |
| | MIL-PRF-45316H | TRAILER, TANK: POTABLE WATER, 400-GALLON, 2-WHEEL, M149A2 [CUST: AT MC 99] [REVIEW: 84 YD1] | A 2330 | AT | | 14-DEC-95 |
| A | MIL-PRF-45333F | TRAILER, FLAT-BED: 10 TON, 4 WHEEL M345 [CUST: AT] | A 2330 | AT | | 14-OCT-97 |
| A | MIL-PRF-45334D | COMPRESSOR ASSEMBLIES, AIRBRAKE SYSTEM, WHEELED VEHICLE [CUST: AT YD1 99] [REVIEW: CC MC MI] | A 2530 | AT | | 23-JUL-97 |
| A | MIL-PRF-45859C | POP-VALVE-TEST BENCH ASSEMBLY [CUST: AT 99] [REVIEW: 82 CC] | A 4940 | AT | | 18-JUN-97 |
| | MIL-PRF-46081A | COATING COMPOUND, THERMAL INSULATING (INTUMESCENT) [CUST: CR4 SH] [REVIEW: MR] | A 8010 | SH | | 05-AUG-70 |
| A | MIL-PRF-46103E | ARMOR: LIGHTWEIGHT, COMPOSITE [CUST: MR AS 11] [REVIEW: 13 AR AT AV DH IE SH TE] | A CMPS | MR | | 06-JAN-98 |
| A | MIL-PRF-46190A | PREPREGS, WOVEN FABRIC, CARBON FIBER, RESIN IMPREGNATED [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | A CMPS | MR | | 22-MAY-97 |
| A | MIL-PRF-46194A | FOAM, RIGID, STRUCTURAL, CLOSED CELL [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | A CMPS | MR | | 08-AUG-97 |
| | MIL-PRF-46197A | LAMINATE: HIGH-STRENGTH GLASS, FABRIC-REINFORCED, POLYESTER RESIN PREIMPREGNATED [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | A CMPS | MR | | 16-APR-97 |
| | MIL-PRF-46714D | SEMITRAILER VAN: ELECTRONIC, TACTICAL, 6-TON, 2-WHEEL, M373A2 [CUST: AT] | A 2330 | AT | | 26-JUL-96 |
| A | MIL-PRF-46720C(1) | VALVE, SOLENOID [CUST: AT] [REVIEW: CC] | A 2590 | AT | | 13-FEB-98 |
| | MIL-PRF-46725C | VALVE, FOUR-WAY, HYDRAULIC, MANUAL (METRIC) [CUST: AT] | A 2590 | AT | | 01-NOV-95 |
| | MIL-PRF-46735B | WINCH DRUM: VEHICLE MOUNTING [CUST: AT] | A 2590 | AT | | 26-MAR-97 |
| | MIL-PRF-46736D | FILTER ELEMENT, INTAKE AIR CLEANER: DRY TYPE (METRIC) [CUST: AT CC] | A 2940 | AT | | 12-APR-96 |
| A | MIL-PRF-46750E | TRANSMISSION, CROSS DRIVE, HYDRODYNAMIC, MODEL XTG411 [CUST: AT] | A 2520 | AT | | 29-JAN-98 |
| A | MIL-PRF-46750/1A | TRANSMISSION, HYDRAULIC MODEL XTG411-2A [CUST: AT] | A 2520 | AT | | 29-JAN-98 |
| A | MIL-PRF-46750/2A | TRANSMISSION, HYDRAULIC MODEL XTG411-4 [CUST: AT] | A 2520 | AT | | 29-JAN-98 |
| A | MIL-PRF-46795G | GENERATING SYSTEM: ALTERNATOR, RECTIFIER, 60 AMPERES, 28 VOLTS [CUST: AT CC] | A 2920 | AT | | 29-AUG-97 |
| | MIL-PRF-46796B | ENGINE, DIESEL: 8-CYLINDER, V-TYPE 390 H.P. [CUST: AT CC] | A 2815 | AT | | 15-MAR-96 |
| | MIL-PRF-46821C | LOADER-TRANSPORTER, GUIDED MISSILE: XM501E3 (IMPROVED HAWK) [CUST: AT] [REVIEW: MI] | A 1450 | AT | | 20-SEP-96 |
| | MIL-PRF-47033B | GLASS, BOROSILICATE [CUST: MI GS] [REVIEW: AR] | A 9340 | MI | | 30-AUG-96 |
| A | MIL-PRF-47257D | COMPOUND, EPOXY, FILAMENT WINDING [CUST: MI] [REVIEW: GS MR] | A CMPS | MI | | 18-FEB-98 |
| A | MIL-PRF-49078A | HANDSET H-250()/U [CUST: CR] | A 5965 | CR | | 09-OCT-97 |
| A | MIL-PRF-49118B | RADIO SET, AN/PRC-70() AND (UNITS OF) [CUST: CR] | A 5820 | CR | | 03-JUL-97 |
| | MIL-PRF-49136A | TEST SET, COUNTERMEASURES SET AN/ALM-1780 [CUST: CR] | F 6625 | CR | | 21-JUL-92 |
| A | MIL-PRF-49137B | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, MOLDED, CONFORMAL COATED AND METAL CASE WITH PLASTIC END-FILL, NONHERMETICALLY SEALED, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 19 99 AS CC CG MC MI OS SH] | A 5910 | CR | | 09-OCT-97 |
| A | MIL-PRF-49137/1B | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, MOLDED, NONHERMETICALLY SEALED, STYLE CX01 [CUST: CR EC 11] [REVIEW: 19 85 99 AS CC CG MC OS SH] | A 5910 | CR | | 09-OCT-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-PRF-49137/2B | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, CONFORMAL COATED, NONHERMETICALLY SEALED, STYLES CX02 AND CX12 [CUST: CR EC 11] [REVIEW: 19 85 99 AS CC CG MC OS SH] | A 5910 | CR | | 09-OCT-97 |
| A | MIL-PRF-49137/5A | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, MOLDED, NONHERMETICALLY SEALED, STYLE CX05 [CUST: CR EC 11] [REVIEW: 19 85 99 AS CC CG MC OS SH] | A 5910 | CR | | 09-OCT-97 |
| A | MIL-PRF-49137/6C | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, NONHERMETICALLY SEALED STYLES CX06 AND CX16 [CUST: CR EC] | A 5910 | CR | | 09-OCT-97 |
| | MIL-PRF-49142A | CONNECTOR, TRIAXIAL, RADIOFREQUENCY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 27-NOV-96 |
| A | MIL-PRF-49163B | VIDEO PREAMPLIFIER, AM-6923/UA [CUST: CR] | A 5855 | CR | | 27-AUG-97 |
| A | MIL-PRF-49164C | VIDEO POSTAMPLIFIER-CONTROL DRIVER, AM-6924/UA [CUST: CR] | A 5855 | CR | | 19-MAY-97 |
| A | MIL-PRF-49166B | MECHANICAL SCANNER, MX-9872(V)/UA; GENERAL SPECIFICATION FOR [CUST: CR] | A 5855 | CR | | 27-AUG-97 |
| A | MIL-PRF-49166/1A | MECHANICAL SCANNER, MX-9872(V)/1UA [CUST: CR] | A 5855 | CR | | 27-AUG-97 |
| A | MIL-PRF-49167B | AUXILIARY CONTROL, VIDEO PL-1402/UA [CUST: CR] | A 5855 | CR | | 09-JUN-97 |
| A | MIL-PRF-49168C | SCAN-INTERLACE, PL-1403/UA, PL-1403A/UA [CUST: CR] | A 5855 | CR | | 27-AUG-97 |
| A | MIL-PRF-49170B | OPTICAL IMAGER, SU-97/UA, SU-97A/UA, AND SU-97B/UA [CUST: CR] | A 5855 | CR | | 19-MAY-97 |
| A | MIL-PRF-49172B | DETECTOR DEWAR DT-594/UA [CUST: CR] | A 5855 | CR | | 09-JUN-97 |
| A | MIL-PRF-49173B | OPTICAL IMAGER, SU-103/UA AND SU-103A/UA [CUST: CR] | A 5855 | CR | | 19-MAY-97 |
| A | MIL-PRF-49175C | COOLER, CRYOGENIC, MECHANICAL HD-1033B/UA AND HD-1033C/UA [CUST: CR] | A 5855 | CR | | 09-OCT-97 |
| A | MIL-PRF-49176B | REGULATOR, BIAS VOLTAGE, CN-1503/UA [CUST: CR] | A 5855 | CR | | 19-MAY-97 |
| A | MIL-PRF-49177B | SCAN INTERLACE PL-1408/UA [CUST: CR] | A 5855 | CR | | 19-MAY-97 |
| A | MIL-PRF-49185B | RADIO SET AN/GRC-103(V)3 [CUST: CR] | A 5855 | CR | | 19-MAY-97 |
| A | MIL-PRF-49192A | GENERATOR, SIGNAL, VHF SG-1170/U [CUST: CR] | A 6625 | CR | | 19-MAY-97 |
| A | MIL-PRF-49204B | ANTENNA GROUP OE-254/GRC [CUST: CR] | A 5985 | CR | | 19-JUL-97 |
| A | MIL-PRF-49291C | FIBER, OPTICAL, (METRIC) GENERAL SPECIFICATION FOR [CUST: CR SH 85 CC NA] [REVIEW: 13 19 33 90 93 99 AR AS AV CR DI YDI] | A 6010 | CC | | 14-JUL-97 |
| A | MIL-PRF-49293A | RADIAC SET, AN/PDR-75 [CUST: CR] | A 5855 | CR | | 03-JUL-97 |
| A | MIL-PRF-49307A | COOLER-DEWAR GROUP, OR-332/A, OR-333/A [CUST: CR] | A 5855 | CR | | 03-JUL-97 |
| A | MIL-PRF-49308A | COOLER-DEWAR GROUP, OR-334/V, OR-335/V [CUST: CR] | A 5855 | CR | | 03-JUL-97 |
| A | MIL-PRF-49316A | TEST SET, ELECTRONIC SYSTEMS, TS-3895A/UV [CUST: CR] | A 5855 | CR | | 27-AUG-97 |
| A | MIL-PRF-49318A | TEST SET, ELECTRONIC SYSTEMS, TS-4348/UV [CUST: CR] | A 5855 | CR | | 19-MAY-97 |
| A | MIL-PRF-49319A | DETECTOR-DEWAR, DT-591B/UA [CUST: CR] | A 5855 | CR | | 03-JUL-97 |
| A | MIL-PRF-49320A | LASER INFRARED OBSERVATION SET, AN/PVS-6 [CUST: CR] | A 5860 | CR | | 03-JUL-97 |
| A | MIL-PRF-49384B | OPTICAL IMAGER, SU-121/UA [CUST: CR] | A 5855 | CR | | 19-MAY-97 |
| A | MIL-PRF-49404A | BIAS VOLTAGE REGULATOR, CN-1559/UA [CUST: CR] | A 5855 | CR | | 19-MAY-97 |
| A | MIL-PRF-49434A | AIMING LIGHT, INFRARED, AN/PAQ-4C [CUST: CR] | A 5855 | CR | | 27-AUG-97 |
| A | MIL-PRF-49446B | DETECTOR-DEWAR, DT-591A/UA [CUST: CR] | A 5855 | CR | | 03-JUL-97 |
| A | MIL-PRF-49450A | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A [CUST: CR] | A 6140 | CR | | 09-OCT-97 |
| A | MIL-PRF-49450/1B | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, INTERCELL CONNECTORS [CUST: CR] | A 6140 | CR | | 09-OCT-97 |
| A | MIL-PRF-49450/2B | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, DIODE ASSEMBLY [CUST: CR] | A 6140 | CR | | 09-OCT-97 |
| A | MIL-PRF-49450/3A | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, BELLEVILLE SPRING [CUST: CR] | A 6140 | CR | | 09-OCT-97 |
| A | MIL-PRF-49450/4A | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, CELL VENT ASSEMBLY [CUST: CR] | A 6140 | CR | | 09-OCT-97 |
| A | MIL-PRF-49450/5B | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT BB-716/A, HARNESS ASSEMBLY [CUST: CR] | A 6140 | CR | | 09-OCT-97 |
| A | MIL-PRF-49450/6B | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, LOW CAPACITY CELL [CUST: CR] | A 6140 | CR | | 09-OCT-97 |
| A | MIL-PRF-49450/7B | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, CELL [CUST: CR] | A 6140 | CR | | 09-OCT-97 |
| A | MIL-PRF-49450/8A | BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A [CUST: CR] | A 6140 | CR | | 09-OCT-97 |
| A | MIL-PRF-49462A(5) | RESISTORS, FIXED, FILM, HIGH VOLTAGE, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI NA OS] | A 5905 | CC | | 29-AUG-97 |
| | MIL-PRF-49462/3A NOT 1 | RESISTORS, FIXED, FILM, HIGH VOLTAGE, STYLES RHV30, RHV31, RHV32, RHV33, RHV34, RHV35 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 04-AUG-93 |
| | MIL-PRF-49465A(3) SUP 1 | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), (VERY LOW RESISTANCE VALUES), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI OS] | A 5905 | CC | | 10-JAN-96 |
| | MIL-PRF-49465/1A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV10 [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI OS] | A 5905 | CC | | 06-JAN-92 |
| | MIL-PRF-49465/6A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV30 [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI OS] | A 5905 | CC | | 06-JAN-92 |
| | MIL-PRF-49465/7A | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV31 [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI OS] | A 5905 | CC | | 06-JAN-92 |
| M | MIL-PRF-49467A(1) SUP 1 | CAPACITOR, FIXED, CERAMIC, MULTILAYER, HIGH VOLTAGE (GENERAL PURPOSE), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 19 99 AT AV CC CR4 MC MI] | A 5910 | CR | | 20-APR-98 |
| A | MIL-PRF-49467/1A | CAPACITOR, CERAMIC, MULTILAYER, HIGH VOLTAGE, 1000 V DC, ESTABLISHED RELIABILITY, STYLE HVRO1 [CUST: CR EC 85 NA] [REVIEW: 19 99 AT AV CC CR4 MC MI] | A 5910 | CR | | 19-MAY-97 |
| A | MIL-PRF-49467/2A | CAPACITOR, CERAMIC, MULTILAYER, HIGH VOLTAGE, 2,000 V DC, ESTABLISHED RELIABILITY, STYLE HVRO2 [CUST: CR EC 85 NA] [REVIEW: 19 99 AT AV CC CR4 MC MI] | A 5910 | CR | | 19-MAY-97 |
| A | MIL-PRF-49467/3A | CAPACITOR, CERAMIC, MULTILAYER, HIGH VOLTAGE, 3,000 V DC, ESTABLISHED RELIABILITY, STYLE HVRO3 [CUST: CR EC 85 NA] [REVIEW: 19 99 AT AV CC CR4 MC MI] | A 5910 | CR | | 19-MAY-97 |
| A | MIL-PRF-49467/4A | CAPACITOR, CERAMIC, MULTILAYER, HIGH VOLTAGE, 4,000 V DC, ESTABLISHED RELIABILITY, STYLE HVRO4 [CUST: CR EC 85 NA] [REVIEW: 19 99 AT AV CC CR4 MC MI] | A 5910 | CR | | 19-MAY-97 |
| A | MIL-PRF-49467/5A | CAPACITOR, CERAMIC, MULTILAYER, HIGH VOLTAGE, 5,000 V DC, ESTABLISHED RELIABILITY, STYLE HVRO5 [CUST: CR EC 85 NA] [REVIEW: 19 99 AT AV CC CR4 MC MI] | A 5910 | CR | | 19-MAY-97 |
| A | MIL-PRF-49467/7 | CAPACITOR, CERAMIC, MULTILAYER, HIGH VOLTAGE, 600 V DC, ESTABLISHED RELIABILITY, STYLE HVRO7 [CUST: CR EC 85 NA] [REVIEW: 19 99 AT AV CC CR4 MC MI] | A 5910 | CR | | 19-MAY-97 |
| A | MIL-PRF-49470 SUP 1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AT AV CC CR4 MC MI] | A 5910 | CR | | 19-NOV-97 |
| A | MIL-PRF-49470/1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), UNENCAPSULATED, HORIZONTALLY STACKED, STYLE PS01 [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AT AV CC CR4 MC MI] | A 5910 | CR | | 19-NOV-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-PRF-49470/2 | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), ENCAPSULATED, HORIZONTALLY STACKED, STYLE PS02 [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AT AV CC CR4 MC MI] | A 5910 | | CR | 19-NOV-97 |
| A | MIL-PRF-49470/3 | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), CONFORMALLY COATED, HORIZONTALLY STACKED, STYLE PS03 [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AT AV CC CR4 MC MI] | A 5910 | | CR | 19-NOV-97 |
| A | MIL-PRF-49470/4 | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), UNENCAPSULATED, VERTICALLY STACKED, STYLE PS04 [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AT AV CC CR4 MC MI] | A 5910 | | CR | 19-NOV-97 |
| A | MIL-PRF-49470/5 | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL AND TEMPERATURE STABLE), ENCAPSULATED, VERTICALLY STACKED, STYLE PS05 [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AT AV CC CR4 MC MI] | A 5910 | | CR | 19-NOV-97 |
| A | MIL-PRF-49470/6 | CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), CONFORMALLY COATED, VERTICALLY STACKED, STYLE PS06 [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AT AV CC CR4 MC MI] | A 5910 | | CR | 19-NOV-97 |
| | MIL-PRF-49471 SUP 1 | BATTERIES, NON-RECHARGEABLE, HIGH PERFORMANCE [CUST: CR] | A 6135 | | CR | 02-JUN-95 |
| | MIL-PRF-49471/1 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X599/U [CUST: CR] | A 6135 | | CR | 02-JUN-95 |
| | MIL-PRF-49471/2 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X598/U [CUST: CR] | A 6135 | | CR | 02-JUN-95 |
| | MIL-PRF-49471/3 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X590/U [CUST: CR] | A 6135 | | CR | 02-JUN-95 |
| | MIL-PRF-49471/4 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X567/U [CUST: CR] | A 6135 | | CR | 02-JUN-95 |
| | MIL-PRF-49471/5 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X847A/U [CUST: CR] | A 6135 | | CR | 02-JUN-95 |
| | MIL-PRF-49471/6 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X557/U [CUST: CR] | A 6135 | | CR | 02-JUN-95 |
| | MIL-PRF-49471/7 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X588/U [CUST: CR] | A 6135 | | CR | 02-JUN-95 |
| | MIL-PRF-49471/8 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X600/U [CUST: CR] | A 6135 | | CR | 02-JUN-95 |
| | MIL-PRF-49471/9 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X372/U [CUST: CR] | A 6135 | | CR | 02-JUN-95 |
| | MIL-PRF-49471/10 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X112/U [CUST: CR] | A 6135 | | CR | 02-JUN-95 |
| | MIL-PRF-49471/11 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X800/U [CUST: CR] | A 6135 | | CR | 02-JUN-95 |
| | MIL-PRF-49471/12 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-X093/U [CUST: CR] | A 6135 | | CR | 02-JUN-95 |
| N | MIL-PRF-49471/13 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-5368/U [CUST: CR] | A 6135 | | CR | 20-APR-98 |
| N | MIL-PRF-49471/14 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-5374/U [CUST: CR] | A 6135 | | CR | 20-APR-98 |
| N | MIL-PRF-49471/15 | BATTERY, NON-RECHARGEABLE, HIGH PERFORMANCE, BA-5347/U [CUST: CR] | A 6135 | | CR | 20-APR-98 |
| | MIL-PRF-49501A | MANUALS, TECHNICAL: DAILY PREVENTIVE MAINTENANCE CHECKLIST [CUST: TM] [REVIEW: AL AR AT AV CR CR4 MI] | A TMSS | | TM | 11-OCT-96 |
| A | MIL-PRF-49503B | GENERAL STYLE AND FORMAT, TEST PROGRAM SETS FOR AUTOMATIC TEST EQUIPMENT [CUST: TM] [REVIEW: AL AR AT AV CR CR4 EA MI] | A TMSS | | TM | 17-JUL-97 |
| | MIL-PRF-49506 | LOGISTICS MANAGEMENT INFORMATION [CUST: TM AS 10] [REVIEW: DC DS MC NS] | A ALSS | | TM | 11-NOV-96 |
| A | MIL-PRF-50204D | SUPPORTS, STRUCTURAL (FOR USE IN AMMUNITION CONTAINERS) [CUST: AR] | A 8140 | | AR | 23-SEP-97 |
| A | MIL-PRF-50449C | FILLER, SHEET FORM (LAMINATED PAPER, FOR USE IN AMMUNITION CONTAINERS) [CUST: AR] | A 1395 | | AR | 17-SEP-97 |
| A | MIL-PRF-51191E | HEATER, AIR, ELECTRICAL, FILTER UNIT, M3 [CUST: EA] | A 4240 | | EA | 12-JUN-97 |
| A | MIL-PRF-51560A | CANISTERS, CHEMICAL-BIOLOGICAL MASK: C2A1 [CUST: EA] | A 4240 | | EA | 01-JUL-97 |
| | MIL-PRF-52308G | FILTER ELEMENT, FLUID PRESSURE [CUST: AT YD1 11] [REVIEW: 99 AS CC MC] | A 4330 | | AT | 23-NOV-95 |
| | MIL-PRF-52342D | SLING ASSEMBLY: FLAKING BOX, LIFTING [CUST: AT] | A 3835 | | AT | 06-MAR-96 |
| | MIL-PRF-52347D | SUSPENSION KIT, HOSELINE [CUST: AT CC] | A 3835 | | AT | 25-MAR-96 |
| | MIL-PRF-52470A | AUGER, EARTH, TRUCK-MOUNTED, 91 CENTIMETER (36 INCH) DIAMETER HOLE, 18 METER (60 FOOT) MAX DEPTH (METRIC) [CUST: AT] | A 3820 | | AT | 08-MAR-96 |
| | MIL-PRF-52747F | NOZZLE ASSEMBLY, CLOSED-CIRCUIT REFUELING, STANDARD AND ARCTIC SERVICE [CUST: AT] [REVIEW: AV] | A 4930 | | AT | 26-FEB-96 |
| | MIL-PRF-52748F | NOZZLE, ADAPTER, CLOSED-CIRCUIT TO GRAVITY FILL, STANDARD AND ARCTIC SERVICE [CUST: AT] [REVIEW: AV] | A 4930 | | AT | 08-DEC-95 |
| | MIL-PRF-52955B | POSITION AND AZIMUTH DETERMINING SYSTEM (PADS): AN/USQ-70 [CUST: CE MC] [REVIEW: AS GS] | A 6675 | | CE | 23-DEC-96 |
| | MIL-PRF-53007B | ROLLER KIT, ROLLER, MINE CLEARING: TRACK-WIDTH, TANK-MOUNTED [CUST: AT] | A 1095 | | AT | 02-JAN-96 |
| | MIL-PRF-53027B | HOSE ASSEMBLY, RUBBER: LIGHTWEIGHT COLLAPSIBLE, 6-INCH: FOR DRINKING (POTABLE) WATER [CUST: AT] | A 4720 | | AT | 14-MAR-96 |
| | MIL-PRF-53063B | HOSE ASSEMBLY, ELASTOMER, LIGHTWEIGHT, NONCOLLAPSIBLE, FUEL (METRIC) [CUST: AT CC] | A 4720 | | AT | 17-JAN-96 |
| | MIL-PRF-53064B | HOSE ASSEMBLY, ELASTOMER: LIGHTWEIGHT, COLLAPSIBLE; LIQUID FUEL [CUST: AT CC] [REVIEW: CD] | A 4720 | | AT | 06-FEB-96 |
| | MIL-PRF-53068A | TANKS, LIGHTWEIGHT, COLLAPSIBLE, PILLOW 160 GALLON (NOMINAL), DRINKING WATER [CUST: AT] | A 5430 | | AT | 15-MAR-96 |
| | MIL-PRF-53091A | FILTER-SEPARATOR, LIQUID FUEL; FRAME MOUNTED, 200 GAL/MIN CAPACITY, ARCTIC SERVICE [CUST: AT] | A 4330 | | AT | 15-FEB-96 |
| | MIL-PRF-53095 | HOSE ASSEMBLIES, RUBBER, SYNTHETIC, LIQUID PETROLEUM FUELS, DISPENSING, COLLAPSIBLE, LOW TEMPERATURE [CUST: AT] | A 4720 | | AT | 19-JAN-96 |
| | MIL-PRF-53134 | ULTRALIGHTWEIGHT CAMOUFLAGE NET SYSTEM (ULCANS) [CUST: CR4 MC] [REVIEW: AV CR GL MI] | A 1080 | | CR4 | 26-JAN-96 |
| | MIL-PRF-53136 | GUN LAYING AND POSITIONING SYSTEM (GLPS) [CUST: CE MC] [REVIEW: AS GS] | A 6675 | | CE | 05-AUG-96 |
| A | MIL-PRF-53137A | HEATER, ARMY SPACE (ASH), ELECTRIC POWERED, MULTIFUEL [CUST: CR4 CC] [REVIEW: CR] | A 4520 | | CR4 | 10-JUL-97 |
| | MIL-PRF-55110F | PRINTED WIRING BOARD, RIGID, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 16 17 19 99 AR AS CG MC MI NS OS SH TD] | A 5998 | | CC | 31-MAY-97 |
| A | MIL-PRF-55182G(2) SUP 1 | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS CG MC OS] | A 5905 | | CR | 12-JAN-98 |
| A | MIL-PRF-55182/1N | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNR55 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS CG MC OS] | A 5905 | | CR | 09-JUN-97 |
| A | MIL-PRF-55182/3P | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNR60 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS CG MC OS] | A 5905 | | CR | 09-JUN-97 |
| A | MIL-PRF-55182/5L | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNR65 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS CG MC OS] | A 5905 | | CR | 09-JUN-97 |
| A | MIL-PRF-55182/6N | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNR70 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS CG MC OS] | A 5905 | | CR | 09-JUN-97 |
| A | MIL-PRF-55182/7L | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNR50 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS CG MC OS] | A 5905 | | CR | 09-JUN-97 |
| A | MIL-PRF-55182/9F | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNC90 [CUST: CR EC 85 NA] [REVIEW: 17 99 AR AS AT AV CG CR4 MC OS] | A 5905 | | CR | 09-JUN-97 |
| A | MIL-PRF-55182/10D(1) | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNC75 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | | CR | 04-FEB-98 |
| A | MIL-PRF-55182/13A | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, STYLE RNR77 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | | CR | 09-JUN-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Label | Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------|--------|----------------------------|--|-----------------------|-----|-------------|-----------|
| A | | MIL-PRF-55310D SUP 1 | OSCILLATOR, CRYSTAL CONTROLLED, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 19 99 AR AS CC CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/8F | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 50 HZ THROUGH 50 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/9F | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 400 KHZ THROUGH 60 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/10F | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 1 KHZ THROUGH 60 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/11D | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.05 MHZ THROUGH 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/12E | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.05 MHZ THROUGH 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/13E | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 300 HZ THROUGH 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/14E | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.1 HZ THROUGH 25 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/15D | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.01 HZ THROUGH 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/16F | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.1 HZ THROUGH 80 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/17C | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), GATED, 250 KHZ THROUGH 50 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| M | | MIL-PRF-55310/18C | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.01 HZ THROUGH 15.0 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/19B | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 1.0 MHZ THROUGH 60.0 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/25A | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 25 MHZ THROUGH 175 MHZ, HERMETIC SEAL, SQUARE WAVE, EMITTER COUPLED LOGIC [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/26A | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 10 KHZ THROUGH 65 MHZ, HERMETIC SEAL, SQUARE WAVE, HIGH SPEED CMOS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/27 | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 1.0 MHZ THROUGH 85 MHZ, HERMETIC SEAL, SQUARE WAVE, HIGH SPEED CMOS [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| A | | MIL-PRF-55310/28 | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 1.0 MHZ THROUGH 85 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| N | | MIL-PRF-55310/29 | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 0.2 MHZ THROUGH 85 MHZ, HERMETIC SEAL, SQUARE WAVE, HCMOS [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC MI NA SM] | A 5955 | CR | | 25-MAR-98 |
| | | MIL-PRF-55339B(1) | ADAPTERS, CONNECTORS, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES AND WITHIN SERIES), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 04-FEB-97 |
| | | MIL-PRF-55339/1A(3) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (SERIES BNC TO SERIES N), CLASS 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 15-MAY-96 |
| | | MIL-PRF-55339/2A(2) NOT 1 | ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (SERIES SMA), CLASS 2, RIGHT ANGLE, MALE TO FEMALE [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 15-MAY-96 |
| | | MIL-PRF-55339/3(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES N), CLASS 2, RIGHT ANGLE PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 15-MAY-96 |
| | | MIL-PRF-55339/4A(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES N (HERMETIC AND NON-HERMETIC)), CLASS 2, STRAIGHT RECEPTACLE [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 15-MAY-96 |
| | | MIL-PRF-55339/5(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES N), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 15-MAY-96 |
| | | MIL-PRF-55339/6A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES N), CLASS 2, T PLUG [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI SH] | A 5935 | CC | | 13-JUL-87 |
| | | MIL-PRF-55339/7(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES N), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 15-MAY-96 |
| | | MIL-PRF-55339/8(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 15-MAY-96 |
| | | MIL-PRF-55339/9(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 15-MAY-96 |
| | | MIL-PRF-55339/10(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C), CLASS 2, RIGHT ANGLE PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 15-MAY-96 |
| | | MIL-PRF-55339/11(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C), CLASS 2, "T" PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 15-MAY-96 |
| | | MIL-PRF-55339/12(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C (HERMETIC)), CLASS 2, STRAIGHT RECEPTACLE [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JUN-96 |
| | | MIL-PRF-55339/13A(2) NOT 1 | ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES BNC (HERMETIC AND NON-HERMETIC)), CLASS 2, STRAIGHT RECEPTACLE [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JUN-96 |
| | | MIL-PRF-55339/14(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, RIGHT ANGLE (WITHIN SERIES BNC JACK TO SERIES BNC PLUG), CLASS 2 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT MC MI] | A 5935 | CC | | 26-AUG-88 |
| | | MIL-PRF-55339/15(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES BNC PLUG TO SERIES BNC PLUG), CLASS 2 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT MC MI] | A 5935 | CC | | 26-AUG-88 |
| | | MIL-PRF-55339/16(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES BNC), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JUN-96 |
| | | MIL-PRF-55339/17A(2) | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY "T", (WITHIN SERIES BNC PLUG TO 2 SERIES BNC JACKS), CLASS 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JUN-96 |
| | | MIL-PRF-55339/18(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE (BETWEEN SERIES BNC PLUG TO SERIES N PLUG), CLASS 2 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT MC MI] | A 5935 | CC | | 26-AUG-88 |
| | | MIL-PRF-55339/19(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES N TO SERIES C), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JUN-96 |
| | | MIL-PRF-55339/20(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES BNC TO SERIES N), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JUN-96 |
| | | MIL-PRF-55339/21(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES C TO SERIES N), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JUN-96 |
| | | MIL-PRF-55339/22(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES BNC TO SERIES C), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JUN-96 |
| | | MIL-PRF-55339/23(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES C TO SERIES BNC), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JUN-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|----------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-PRF-55339/24A(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, FLANGE MOUNTED, (BETWEEN SERIES BNC PLUG TO SERIES N JACK), CLASS 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JUN-96 |
| | MIL-PRF-55339/25B(1) | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, JAMNUT MOUNTED (BETWEEN SERIES BNC JACK TO SERIES N JACK), CLASS 2 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 31-OCT-88 |
| | MIL-PRF-55339/28B | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN LINE, JAMNUT MOUNTED, (WITHIN SERIES SMA PLUG TO SERIES SMA PLUG (HERMETIC)), CLASS 2 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT MC MI OS] | A 5935 | CC | | 23-MAR-88 |
| | MIL-PRF-55339/29A(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES SMA PLUG TO SMA PLUG), CLASS 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/30B | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, "T", (WITHIN SERIES SMA PLUG TO TWO SERIES SMA JACKS), CLASS 2 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 08-FEB-89 |
| | MIL-PRF-55339/31A(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES SMA JACK TO SMA SERIES JACK), CLASS 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/32(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC) RIGHT ANGLE, MALE TO FEMALE [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/33(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/34(2) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC, (HERMETIC)), CLASS 2, RECEPTACLE [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/35(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC), CLASS 2, "T" PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/36A(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/37(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES BNC TO SERIES TNC), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/38(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES BNC TO SERIES TNC), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/39(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES BNC TO SERIES TNC), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/40A(2) NOT 1 | ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (MALE) TO SERIES TNC (FEMALE)), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/41A(3) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (FEMALE) TO SERIES TNC (FEMALE)), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/43A(3) NOT 1 | ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (MALE) TO SERIES TNC (MALE)), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/44B | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES SMA TO SERIES BNC), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT MC MI SH] | A 5935 | CC | | 28-FEB-79 |
| | MIL-PRF-55339/45A(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES SMA PLUG TO SERIES BNC PLUG), CLASS 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/46A(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES SMA JACK TO SERIES BNC JACK), CLASS 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/47A(2) | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN LINE, (BETWEEN SERIES SMA PLUG TO SERIES BNC JACK), CLASS 2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/48A | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA TO SERIES TNC), CLASS 2, STRAIGHT PLUG [CUST: 85 CC] [REVIEW: 11 19 99] | A 5935 | CC | | 29-DEC-88 |
| | MIL-PRF-55339/49(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES N JACK TO SERIES BNC PLUG) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/50A(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (WITHIN SERIES TNC JACK TO TWO SERIES TNC JACKS), CLASS 2, "T" JAMNUT MOUNT [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/51(1) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES TNC TO SERIES N), CLASS 2, STRAIGHT PLUG [CUST: 85 CC] [REVIEW: 11 19 99] | A 5935 | CC | | 17-JAN-97 |
| | MIL-PRF-55339/52 | ADAPTER, CONNECTOR, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA TO N) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 08-FEB-89 |
| | MIL-PRF-55339/53 | ADAPTER, CONNECTOR, ELECTRICAL, COAXIAL, RADIO FREQUENCY, PIN CONTACT (WITHIN SERIES SMA), RIGHT ANGLE [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 08-FEB-89 |
| | MIL-PRF-55339/54 | ADAPTER, CONNECTOR, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA TO N) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 08-FEB-89 |
| A | MIL-PRF-55342G SUP 1 | RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-55342/1H | RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0502 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-55342/2H | RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0505 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-55342/3H | RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM1005 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-55342/4H(1) | RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM1505 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 22-OCT-97 |
| A | MIL-PRF-55342/5H(1) | RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM2208 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 22-OCT-97 |
| A | MIL-PRF-55342/6F | RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM0705 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-55342/7D(1) | RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM1206 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 22-OCT-97 |
| A | MIL-PRF-55342/8C | RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM2010 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-55342/9C(1) | RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM2512 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 22-OCT-97 |
| A | MIL-PRF-55342/10B | RESISTORS, FIXED, FILM, CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, SPACE LEVEL, STYLE RM1010 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CR | | 03-JUL-97 |
| A | MIL-PRF-55359A | ANTENNA AS-1304 (J) ARN-30 [CUST: CR] | A 5826 | CR | | 09-JUN-97 |
| M | MIL-PRF-55365D(1) | CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG MC MI OS SH] | A 5910 | CR | | 13-APR-98 |
| A | MIL-PRF-55365/2E | CAPACITORS, CHIP, FIXED, TANTALUM, ESTABLISHED RELIABILITY, STYLES CWR03 AND CWR04 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI NA OS SH] | A 5910 | CR | | 03-JUL-97 |
| A | MIL-PRF-55365/4E | CAPACITORS, CHIP, FIXED, TANTALUM, ESTABLISHED RELIABILITY, STYLES CWR06 AND CWR09 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI NA OS SH] | A 5910 | CR | | 03-JUL-97 |
| A | MIL-PRF-55365/7B | CAPACITORS, CHIP, FIXED, TANTALUM, ESTABLISHED RELIABILITY, STYLE CWR10 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI NA OS SH] | A 5910 | CR | | 03-JUL-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|---------------------------|---|--------------------------|-----|-------------|------|
| A MIL-PRF-55365/8D | CAPACITORS, CHIP, FIXED, TANTALUM, ESTABLISHED RELIABILITY, STYLE CWR11 (METRIC) [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI NA OS SH] | A 5910 | CR | 03-JUL-97 | |
| A MIL-PRF-55371B | TAPE, RADIO FREQUENCY MEASURING (P/O ANTENNA GROUP, AN/GRA-50()) [CUST: CR] | A 5855 | CR | 03-JUL-97 | |
| MIL-PRF-55427B | CABLE ASSEMBLIES, RADIO FREQUENCY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5995 | CC | 01-FEB-96 | |
| MIL-PRF-55427/1A(1) | CABLE ASSEMBLIES, RADIO FREQUENCY [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5995 | CC | 09-DEC-96 | |
| M MIL-PRF-55514D(1) SUP 1 | CAPACITORS, FIXED, PLASTIC (OR METALLIZED PLASTIC) DIELECTRIC, DC OR DC-AC, IN NONMETAL CASES, NON-ESTABLISHED AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AS CC MC OS] | A 5910 | CR | 21-MAY-98 | |
| A MIL-PRF-55514/1B | CAPACITORS, FIXED, PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR02 [CUST: CR EC 85] [REVIEW: 17 19 AS CC MC OS] | A 5910 | CR | 09-OCT-97 | |
| A MIL-PRF-55514/4D | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLES CFR05 AND CFR06 [CUST: CR EC 85] [REVIEW: 17 19 99 AS MC OS] | A 5910 | CR | 09-OCT-97 | |
| A MIL-PRF-55514/7B | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC-AC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR09 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS MC OS] | A 5910 | CC | 09-OCT-97 | |
| A MIL-PRF-55514/8F | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLES CFR12 AND CFR16 [CUST: CR EC 85] [REVIEW: 17 19 99 AS CC MC OS] | A 5910 | CR | 09-OCT-97 | |
| A MIL-PRF-55514/9A | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLES CFR13 AND CFR14 [CUST: CR EC 85] [REVIEW: 17 19 99 AS MC OS] | A 5910 | CR | 09-OCT-97 | |
| A MIL-PRF-55514/10C | CAPACITORS, FIXED, PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR15 [CUST: CR EC 85] [REVIEW: 17 19 99 AS CC MC OS] | A 5910 | CR | 09-OCT-97 | |
| A MIL-PRF-55514/11B | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLES CFR26 AND CFR27 [CUST: CR EC 85] [REVIEW: 17 19 99 AS CC MC OS] | A 5910 | CR | 09-OCT-97 | |
| A MIL-PRF-55514/12B | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR29 [CUST: CR EC 85] [REVIEW: 17 19 99 AS CC MC OS] | A 5910 | CR | 09-OCT-97 | |
| A MIL-PRF-55585G | ELECTRONICS EQUIPMENT AND PARTS, PACKAGING OF [CUST: CR] [REVIEW: SM] | A PACK | CR | 09-OCT-97 | |
| A MIL-PRF-55629C | CIRCUIT BREAKERS, MAGNETIC, UNSEALED OR PANEL SEAL, TRIP-FREE, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV CC CR4 MC MI OS] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/1D | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, SINGLE POLE (0.2 TO 100 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/2D | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, SINGLE POLE, AUXILIARY CONTACTS (0.2 TO 50 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC OS] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/3D | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, DOUBLE POLE (0.2 TO 50 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/4D | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, DOUBLE POLE, AUXILIARY CONTACTS (0.2 TO 50 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/5D | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, THREE POLE (0.2 TO 50 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/6D | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, THREE POLE, AUXILIARY CONTACTS (0.2 TO 50 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/7C | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER UNSEALED, TRIP-FREE, SERIES TRIP, SINGLE POLE (0.2 TO 30 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS SH] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/8D | CIRCUIT BREAKERS, MAGNETIC, LOW POWER UNSEALED, TRIP-FREE, SERIES TRIP, SINGLE POLE, AUXILIARY CONTACTS (0.2 TO 30 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS SH] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/9C | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER UNSEALED, TRIP-FREE, SERIES TRIP, DOUBLE POLE (0.2 TO 30 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS SH] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/10C | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER UNSEALED, TRIP-FREE, SERIES TRIP, DOUBLE POLE, AUXILIARY CONTACTS (0.2 TO 30 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS SH] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/11C | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER UNSEALED, TRIP-FREE, SERIES TRIP, THREE POLE (0.2 TO 30 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS SH] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/12D | CIRCUIT BREAKERS, MAGNETIC, LOW-POWER UNSEALED, TRIP-FREE, SERIES TRIP, THREE POLE, AUXILIARY CONTACTS (0.2 TO 30 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS SH] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/20C | CIRCUIT BREAKERS, MAGNETIC, PANEL SEAL, TRIP-FREE, SERIES TRIP, SINGLE POLE (0.2 TO 30 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS SH] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/21C | CIRCUIT BREAKERS, MAGNETIC, PANEL SEAL, TRIP-FREE, SERIES TRIP, DOUBLE POLE (0.2 TO 30 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS SH] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55629/22C | CIRCUIT BREAKERS, MAGNETIC, PANEL SEAL, TRIP FREE, SERIES TRIP, THREE POLE (0.2 TO 30 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS SH] | A 5925 | CR | 09-OCT-97 | |
| A MIL-PRF-55681E SUP 1 | CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 19 99 AS CC MC MI OS SH] | A 5910 | CR | 03-JUL-97 | |
| A MIL-PRF-55681/1D | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLES CDR01, CDR02, CDR03, AND CDR04 [CUST: CR EC 85] [REVIEW: 19 99 AS CC MC MI OS SH] | A 5910 | CR | 03-JUL-97 | |
| A MIL-PRF-55681/2C | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY STYLE CDR05 [CUST: CR EC 85] [REVIEW: 19 99 AS CC MC OS SH] | A 5910 | CR | 03-JUL-97 | |
| A MIL-PRF-55681/3D | CAPACITORS CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY STYLE CDR06 [CUST: CR EC 85] [REVIEW: 19 99 AS CC MC OS SH] | A 5910 | CR | 03-JUL-97 | |
| A MIL-PRF-55681/4E | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLES CDR11, CDR12, CDR13, AND CDR14 (HIGH FREQUENCY) [CUST: CR EC 85] [REVIEW: 19 99 AS CC MC OS SH] | A 5910 | CR | 03-JUL-97 | |
| A MIL-PRF-55681/5D | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLES CDR21, CDR22, CDR23, CDR24, AND CDR25 (HIGH FREQUENCY) [CUST: CR EC 85] [REVIEW: 19 99 AS CC MC OS SH] | A 5910 | CR | 03-JUL-97 | |
| A MIL-PRF-55681/6A | CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLES CDR26, CDR27, CDR28, CDR29, AND CDR30 [CUST: CR EC 85] [REVIEW: 19 99 AS CC MC MI OS SH] | A 5910 | CR | 03-JUL-97 | |
| A MIL-PRF-55681/7B | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLE CDR31, METRIC [CUST: CR EC 85] [REVIEW: 19 99 AS CC MC OS SH] | A 5910 | CR | 03-JUL-97 | |
| M MIL-PRF-55681/8B(1) | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLE CDR32, METRIC [CUST: CR EC 85] [REVIEW: 19 99 AS CC MC OS SH] | A 5910 | CR | 13-APR-98 | |
| A MIL-PRF-55681/9B | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLE CDR33, METRIC [CUST: CR EC 85] [REVIEW: 19 99 AS CC MC OS SH] | A 5910 | CR | 03-JUL-97 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------|--|-----------------------|-----|-------------|-----------|
| A | MIL-PRF-55681/10B | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND ON-ESTABLISHED RELIABILITY, STYLE CDR34, METRIC [CUST: CR EC 85] [REVIEW: 19 99 AS CC MC OS SH] | A 5910 | CR | | 03-JUL-97 |
| A | MIL-PRF-55681/11B | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, STYLE CDR35, METRIC [CUST: CR EC 85] [REVIEW: 19 99 AS CC MC OS SH] | A 5910 | CR | | 03-JUL-97 |
| A | MIL-PRF-58111A | CONTROL UNIT, COMMUNICATION SYSTEM C-11746(V)(/ARC [CUST: CR] | A 5895 | CR | | 09-OCT-97 |
| A | MIL-PRF-60427B(1) | LOCKWIRE, FOR 2.75 INCH ROCKET MOTOR ALL MARKS AND MODS [CUST: OS] | D 1340 | OS | | 12-JUN-97 |
| A | MIL-PRF-60455C | IGNITER, MARK 125 MOD 5 PARTS FOR [CUST: OS] | A 1340 | OS | | 09-JUN-97 |
| | MIL-PRF-61002A | PRESSURE-SENSITIVE ADHESIVE LABELS FOR BAR CODING [CUST: SM SA 69 DH] [REVIEW: 01 11 70 71 80 82 84 99 AL AM AR AS AT AV CC CG CR CR4 CT DM EC GL GS IS MC MI MR MS MT OS SH SO SS TM YD1] | A 7690 | SM | | 25-SEP-95 |
| | MIL-PRF-62006B | COOLER, OIL, TRANSMISSION AND ENGINE (METRIC) [CUST: AT] | A 2930 | AT | | 23-OCT-95 |
| | MIL-PRF-62013D | CARRIERS, FULL-TRACKED: M548A1 AND M730A1 [CUST: AT] | A 2350 | AT | | 31-OCT-96 |
| | MIL-PRF-62028B | HOSE, AIR DUCT: HIGH-TEMPERATURE FLEXIBLE, REINFORCED [CUST: AT CC] | A 4720 | AT | | 30-OCT-95 |
| | MIL-PRF-62030D | TRANSMISSION, HYDRAULIC, MODEL XTG-250-1A [CUST: AT] | A 2520 | AT | | 07-MAY-96 |
| | MIL-PRF-62034E | SEMITRAILERS, STAKE; SEMITRAILERS, VAN, AND SEMITRAILERS, REFRIGERATOR: MILITARY DESIGN [CUST: AT] | A 2330 | AT | | 08-JUL-96 |
| | MIL-PRF-62048C | AIR CLEANERS, AUTOMOTIVE: HEAVY DUTY, DRY-TYPE (FOR INTERNAL COMBUSTION ENGINES) (METRIC) [CUST: AT CC] | A 2940 | AT | | 12-APR-96 |
| A | MIL-PRF-62061C | GENERATOR, ENGINE ACCESSORY: 28 VOLT DC, RATED OUTPUT 300 AMPERE [CUST: AT MC 99] [REVIEW: CC] | A 2920 | AT | | 20-DEC-97 |
| | MIL-PRF-62062C | BLOWER, GENERATOR COOLING: 28 VOLT DC [CUST: AT CC] | A 2920 | AT | | 12-FEB-96 |
| | MIL-PRF-62069E | CONTROL, DIRECTIONAL SIGNAL LIGHT, AUTOMOTIVE: 24 VOLT DC, SOLID STATE [CUST: AT] | A 2590 | AT | | 02-MAR-96 |
| | MIL-PRF-62071C | POWER SUPPLY: HIGH VOLTAGE, SOLID STATE, 24 VOLTS, DIRECT CURRENT [CUST: AT] | A 2590 | AT | | 06-DEC-95 |
| | MIL-PRF-62073F | TRAILER, FLATBED: 4-, 5-, AND 7.5-TON, 4-WHEEL (TANDEM) CART TYPE; TRAILER, BOLSTER: 4-TON, 4-WHEEL (TANDEM) [CUST: AT] | A 2330 | AT | | 18-OCT-96 |
| | MIL-PRF-62099C | TRANSMISSION, HYDRAULIC: MODIFIED AUTOMATIC TX-100-1 [CUST: AT] | A 2520 | AT | | 27-MAY-96 |
| A | MIL-PRF-62122D | CABLE ASSEMBLY, INTER-VEHICLE POWER: PLUG, RECEPTACLE, AND ADAPTER [CUST: AT CC] [REVIEW: CR4] | A 2920 | AT | | 17-JUL-97 |
| | MIL-PRF-62136B | WHEEL AND TIRE ASSEMBLIES, FOAM INFLATED LOW SPEED, HIGHWAY AND OFF-ROAD [CUST: AT 11] [REVIEW: CC] | A 2530 | AT | | 23-NOV-95 |
| | MIL-PRF-62140B(1) | ENGINE, DIESEL: LIQUID-COOLED, V-TYPE, 6-CYLINDER, 210 H.P. [CUST: AT CC] | A 2815 | AT | | 10-JUN-97 |
| | MIL-PRF-62164C | SEMITRAILER, LOWBED, HEAVY EQUIPMENT TRANSPORTER, 60-TON, M747 [CUST: AT] | A 2330 | AT | | 19-JUL-96 |
| | MIL-PRF-62177D | ENGINE, DIESEL: 12-CYLINDER, 90 DEG. V-TYPE, 750 H.P. AVDS1790-2, AVDS1790-2A, AVDS1790-2C, AVDS1790-2D, AVDS1790-2DR, AVDS1790-2CA, AND AVDS1790-2DA [CUST: AT CC] | A 2815 | AT | | 07-MAY-96 |
| | MIL-PRF-62178B | POWER PACKAGE: AVDS 1790-2C, 2CA, 2D OR 2DA ENGINE WITH CD850-6A OR 6A1 TRANSMISSION [CUST: AT] | A 2815 | AT | | 25-MAR-96 |
| A | MIL-PRF-62180D | SEMITRAILER, FUEL TANKERS: 5000 GALLON, BULKHAUL, AUTOMOTIVE AND AIRCRAFT FUEL SERVING [CUST: AT] | A 2330 | AT | | 28-AUG-97 |
| | MIL-PRF-62186A | GENERATOR, ALTERNATING CURRENT (650 AMPERE RECTIFIED), 28 VOLTS DIRECT CURRENT (OIL COOLED) [CUST: AT 99] | A 6115 | AT | | 10-APR-97 |
| | MIL-PRF-62187A | REGULATOR, 650 AMP, SOLID STATE [CUST: AT 99] [REVIEW: 82 CC] | A 2920 | AT | | 30-DEC-96 |
| A | MIL-PRF-62195D | RECOVERY VEHICLE, FULL TRACKED: MEDIUM, M88A1 NEW AND OVERHAUL [CUST: AT] | A 2350 | AT | | 29-JAN-98 |
| | MIL-PRF-62198A | VALVE, SELECTOR, HYDRAULIC DUMP [CUST: AT CC] | A 4820 | AT | | 07-NOV-95 |
| | MIL-PRF-62218B | CORROSION PREVENTIVE COMPOUNDS, COLD APPLICATION (FOR NEW AND FIELDIED MOTOR VEHICLES AND TRAILERS) [CUST: AT YD1 99] [REVIEW: 84 AR CR4 MR] | A 8030 | AT | | 03-JUN-96 |
| | MIL-PRF-62265B | FILTER ELEMENT AND RELIEF VALVE, FLUID PRESSURE, HYDRAULIC (M-60 TANK SERIES) [CUST: AT] | A 4820 | AT | | 28-JAN-97 |
| A | MIL-PRF-62284A | BLOWER ASSEMBLY, AIR CLEANER [CUST: AT] | A 2940 | AT | | 18-DEC-97 |
| | MIL-PRF-62309D | FILTER ELEMENT, AIR [CUST: AT CC] | A 2940 | AT | | 12-SEP-96 |
| A | MIL-PRF-62331A | PUMP ASSEMBLY, BILGE, ELECTRIC MOTOR DRIVEN, DIRECT CURRENT [CUST: AT] | A 4320 | AT | | 15-AUG-97 |
| | MIL-PRF-62337A | AIR CLEANER ASSEMBLY [CUST: AT] | A 2940 | AT | | 19-FEB-96 |
| | MIL-PRF-62361D | MOTOR, DRIVE, DIRECT CURRENT: 2, 8, AND 6 REVOLUTIONS PER MINUTE [CUST: AT] | A 6105 | AT | | 21-JUN-96 |
| | MIL-PRF-62364B | BRAKE, ELECTROMAGNETIC, NORMALLY ENGAGED [CUST: AT CC] | A 2530 | AT | | 10-MAR-97 |
| A | MIL-PRF-62365C | MOTOR, HYDRAULIC, CONSTANT DISPLACEMENT [CUST: AT] | A 2590 | AT | | 03-OCT-97 |
| | MIL-PRF-62366B | RING ASSEMBLIES, ELECTRICAL CONTACT [CUST: AT] | A 2590 | AT | | 02-DEC-96 |
| A | MIL-PRF-62368B | MOTOR, GEARHEAD, 18-30 VOLTS, DIRECT CURRENT [CUST: AT] | A 6105 | AT | | 08-JUL-97 |
| | MIL-PRF-62382B | VALVE, HYDRAULIC, PRESSURE RELIEF (METRIC) [CUST: AT CC] | A 4820 | AT | | 19-OCT-95 |
| | MIL-PRF-62410A | TUBE ASSEMBLY METAL: SWAGED HYDRAULIC, (M1 TANK) [CUST: AT] | A 4710 | AT | | 21-NOV-95 |
| A | MIL-PRF-62411A | HEAT EXCHANGER, NBC SYSTEM GENERAL SPECIFICATION FOR [CUST: AT] | A 4130 | AT | | 07-JUL-97 |
| A | MIL-PRF-62411/1A | HEAT EXCHANGER, NBC SYSTEM HEAT EXCHANGER P/N M62411/1 (ENGINEERING P/N 12336771) [CUST: AT] | A 4130 | AT | | 07-JUL-97 |
| A | MIL-PRF-62411/2A | HEAT EXCHANGER, NBC SYSTEM CONDENSER P/N M62411/2 (ENGINEERING P/N 12336772) [CUST: AT] | A 4130 | AT | | 05-JUL-97 |
| A | MIL-PRF-62411/3A | HEAT EXCHANGER, NBC SYSTEM PRECOOLER P/N M62411/3 (ENGINEERING 12336768) [CUST: AT] | A 4130 | AT | | 07-JUL-97 |
| | MIL-PRF-62412B | PUMP ASSEMBLY, OIL, STARTING ENGINE [CUST: AT MC] | A 2990 | AT | | 24-NOV-95 |
| | MIL-PRF-62413A | SPEED PICKUP, MAGNETIC (METRIC) [CUST: AT] | A 2990 | AT | | 04-DEC-95 |
| | MIL-PRF-62415A | PUMP, SUBMERSIBLE, BILGE, ELECTRIC-MOTOR-DRIVEN [CUST: AT] | A 4320 | AT | | 11-MAR-96 |
| | MIL-PRF-62419A | COMPOSITE MATERIALS FOR MILITARY VEHICLES [CUST: AT 99] [REVIEW: CC] | A 2510 | AT | | 22-JAN-96 |
| | MIL-PRF-62420A | PERISCOPE, TANK [CUST: AT] | A 1240 | AT | | 23-JAN-97 |
| | MIL-PRF-62422B | FILTER, LASER HAZARD PROTECTION [CUST: AT] | A 6650 | AT | | 27-FEB-97 |
| | MIL-PRF-62430A | HARNESS ASSEMBLY, THERMOCOUPLE [CUST: AT] | A 6685 | AT | | 26-JUL-96 |
| | MIL-PRF-62439A | FUEL CONTROL, MAIN, ELECTROHYDRAULIC [CUST: AT] | A 2910 | AT | | 23-JAN-97 |
| | MIL-PRF-62460D | STEER UNIT, TRACKED VEHICLE, CLUTCH BRAKE AND GEARED STEER [CUST: AT CC] | A 2530 | AT | | 28-MAR-97 |
| | MIL-PRF-62461D | TRANSMISSION ASSEMBLY [CUST: AT] | A 2520 | AT | | 11-APR-97 |
| | MIL-PRF-62462C | ENGINE, DIESEL, LIQUID-COOLED, 8 CYLINDER; 4 CYCLE, V-TYPE, 220 KW (295 HP) [CUST: AT] | A 2815 | AT | | 14-JUN-96 |
| | MIL-PRF-62474C | LAMINATE: ARAMID-FABRIC-REINFORCED, PLASTIC [CUST: AT] | A 9330 | AT | | 28-APR-97 |
| | MIL-PRF-62478A | COUPLER, OPTICAL [CUST: AT] | A 1240 | AT | | 15-APR-96 |
| A | MIL-PRF-62488A | AMPLIFIER, AUDIO FREQUENCY [CUST: AT] | A 5820 | AT | | 25-JUL-97 |
| | MIL-PRF-62494C | SHOCK ABSORBER, DIRECT ACTING [CUST: AT] | A 2540 | AT | | 26-OCT-95 |
| | MIL-PRF-62495B | POWER UNIT, HYDRAULIC [CUST: AT] | A 4320 | AT | | 21-FEB-97 |
| | MIL-PRF-62528A | REGULATOR, ENGINE GENERATOR: SOLID STATE 28 VOLT, DUAL CURRENT LIMIT, DIRECT CURRENT [CUST: AT] | A 2920 | AT | | 26-JUL-96 |
| A | MIL-PRF-62539A | MODULE, STARTER LOW VOLTAGE PROTECTIVE SYSTEM [CUST: AT] [REVIEW: CC] | A 2920 | AT | | 31-DEC-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-PRF-62540A | HARNESS AND CABLE ASSEMBLIES [CUST: AT] [REVIEW: IS] | A 5995 | AT | | 26-JUL-96 |
| | MIL-PRF-62541A | ENGINE, DIESEL, 6 CYLINDER, V-TYPE, 275 H.P., TURBOCHARGER [CUST: AT] [REVIEW: CC] | A 2815 | AT | | 28-APR-97 |
| | MIL-PRF-62542B | BALL SCREW LINEAR ACTUATOR (BSLA) [CUST: AT MC] | A 5945 | AT | | 25-JUN-96 |
| A | MIL-PRF-62546B | SENSOR, FIRE, OPTICAL [CUST: AT] | A 6665 | AT | | 05-JAN-98 |
| | MIL-PRF-62547B | VALVE AND CYLINDER ASSEMBLIES, HALON 1301 [CUST: AT] | A 4210 | AT | | 11-NOV-96 |
| | MIL-PRF-62548A | LEAD, IGNITION [CUST: AT] | A 2920 | AT | | 30-APR-96 |
| A | MIL-PRF-62550D | HEATER ASSEMBLY, COMBUSTION VEHICULAR COMPARTMENT, 8.8/17.6KW (30,000/60,000 BTU/HR), GENERAL SPECIFICATION FOR [CUST: AT] | A 2540 | AT | | 30-MAY-97 |
| A | MIL-PRF-62550/1A | HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 17.6 KW, SINGLE AIR TYPE (METRIC) [CUST: AT] | A 2540 | AT | | 30-MAY-97 |
| A | MIL-PRF-62550/2A | HEATER ASSEMBLY, COMBUSTION VEHICULAR COMPARTMENT, 17.6 KW, DUAL AIR TYPE (METRIC) [CUST: AT] | A 2540 | AT | | 30-MAY-97 |
| A | MIL-PRF-62550/3A | HEATER ASSEMBLY, COMBUSTION VEHICULAR COMPARTMENT, 8.8 KW, SINGLE AIR TYPE (METRIC) [CUST: AT] | A 2540 | AT | | 30-MAY-97 |
| A | MIL-PRF-62559A | DISTRIBUTION BOX, VEHICLE [CUST: AT] | A 6110 | AT | | 23-JUN-97 |
| A | MIL-PRF-62560B | DISTRIBUTION BOX, ELECTRICAL [CUST: AT] | A 6110 | AT | | 23-JUN-97 |
| | MIL-PRF-62563A | FAN, VENTILATING, VEHICULAR COMPARTMENT [CUST: AT] | A 4140 | AT | | 06-DEC-95 |
| A | MIL-PRF-62565B | AIR CLEANER, ENGINE [CUST: AT] | A 2940 | AT | | 29-DEC-97 |
| | MIL-PRF-62567B | TORSION BAR, SUSPENSION [CUST: AT] | A 2530 | AT | | 02-JAN-96 |
| | MIL-PRF-62576A | REGULATOR, ENGINE GENERATOR [CUST: AT YD1] [REVIEW: AV CC] | A 2920 | AT | | 13-MAR-97 |
| | MIL-PRF-62625A | VALVE, FUEL-DRAIN [CUST: AT] | A 2910 | AT | | 08-DEC-95 |
| | MIL-PRF-62671A | VALVE, BYPASS, FUEL, MECHANICAL [CUST: AT] | A 4820 | AT | | 13-DEC-96 |
| | MIL-PRF-62678A | PUMP, FUEL, ELECTRICAL: 12 AND 24 VOLT DIRECT CURRENT (METRIC) [CUST: AT 99] [REVIEW: 82 CC CR4] | A 2910 | AT | | 22-NOV-95 |
| M | MIL-PRF-63003B | TECHNICAL MANUALS: BATTLEFIELD DAMAGE ASSESSMENT AND REPAIR, PREPARATION OF [CUST: TM] [REVIEW: AL AR AT CR MI TE] | A TMSS | TM | | 20-APR-98 |
| A | MIL-PRF-63005D | MANUALS, TECHNICAL: PREPARATION FOR SHIPMENT OF ARMY AIRCRAFT [CUST: AV] | A TMSS | AV | | 31-JUL-96 |
| A | MIL-PRF-63010B | MANUALS, TECHNICAL: DOD STANDARD GENERATOR SETS [CUST: TM SH 16] [REVIEW: 01 06 80 AR AV CR CR4 DH EC GS MC MI OS YD1] | A TMSS | TM | | 17-JUL-97 |
| M | MIL-PRF-63012B | MANUALS, TECHNICAL: DEPOT MAINTENANCE WORK REQUIREMENTS (DMWRS) FOR MAINTENANCE/DEMILITARIZATION OF CONVENTIONAL AND CHEMICAL AMMUNITION [CUST: TM SH] [REVIEW: AL AR AS CR EA MI NM NW] | A TMSS | TM | | 20-APR-98 |
| A | MIL-PRF-63013E | CATALOGS, SUPPLY: SETS, KITS, AND OUTFITS [CUST: TM] [REVIEW: AT CR EA MI] | A TMSS | TM | | 17-JUL-97 |
| A | MIL-PRF-63015C | MANUALS, TECHNICAL: CONVENTIONAL AND CHEMICAL AMMUNITION [CUST: TM] [REVIEW: AL AR AT CR EA MI] | A TMSS | TM | | 17-JUL-97 |
| A | MIL-PRF-63016B | MANUALS, TECHNICAL: MUNITIONS EQUIPMENT [CUST: TM] [REVIEW: AL AR AT CR EA MI] | A TMSS | TM | | 17-JUL-97 |
| A | MIL-PRF-63017B | MANUALS, TECHNICAL: REQUIREMENTS FOR MUNITION EQUIPMENT AND AMMUNITION DATA SHEETS [CUST: TM] [REVIEW: AR AT AV CE CR CR4 MI] | A TMSS | TM | | 17-JUL-97 |
| | MIL-PRF-63029D | MANUALS, TECHNICAL: REQUIREMENTS FOR OPERATOR'S MANUALS AND CHECKLISTS FOR AIRCRAFT [CUST: TM] [REVIEW: CR] | A TMSS | AV | | 23-AUG-96 |
| N | MIL-PRF-63029D(11) | MANUALS, TECHNICAL: REQUIREMENTS FOR OPERATOR'S MANUALS AND CHECKLISTS FOR AIRCRAFT [CUST: AV] | A TMSS | AV | | 13-MAY-98 |
| A | MIL-PRF-63033B | MANUALS, TECHNICAL: DEMILITARIZATION OF SURPLUS MILITARY ITEMS, PREPARATION OF [CUST: TM] [REVIEW: AL AR AT AV CR MI] | A TMSS | TM | | 17-JUL-97 |
| M | MIL-PRF-63034B | BULLETINS, TECHNICAL: WARRANTY, PREPARATION OF [CUST: TM] [REVIEW: AR AT MI TE] | A TMSS | TM | | 20-APR-98 |
| M | MIL-PRF-63042D | MANUALS, TECHNICAL: PROCEDURES FOR DESTRUCTION OF EQUIPMENT TO PREVENT ENEMY USE [CUST: TM] [REVIEW: AL AR AT AV CR EA GL MI PT] | A TMSS | TM | | 20-APR-98 |
| A | MIL-PRF-63045B | MANUALS, TECHNICAL: PREPARATION OF DEPOT MANUALS FOR DEPOT TEST, MEASUREMENT AND DIAGNOSTIC EQUIPMENT [CUST: TM] [REVIEW: AL AT AV MI PT] | A TMSS | TM | | 17-JUL-97 |
| | MIL-PRF-63460D(6) | LUBRICANT, CLEANER AND PRESERVATIVE FOR WEAPONS AND WEAPONS SYSTEMS (METRIC) [CUST: AR AS 11] [REVIEW: 68 CR4 MD SM] | A 9150 | AR | | 24-JUL-95 |
| M | MIL-PRF-64154A | LAMINATE: FIBERGLASS-FABRIC-REINFORCED, PHENOLIC [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | A CMPS | MR | | 29-MAY-98 |
| | MIL-PRF-71223 | TELESCOPE ASSEMBLY, BORESIGHT, COMMON [CUST: AR] | A 1240 | AR | | 17-SEP-96 |
| A | MIL-PRF-71229A | MOUNT, GUN 120MM [CUST: AT] [REVIEW: AR] | A 1015 | AT | | 23-OCT-97 |
| A | MIL-PRF-81352B | COATING, AIRCRAFT TOUCH-UP [CUST: MR AS 11 FSS] [REVIEW: 70 CG MD1] | A 8010 | AS | | 31-JUL-97 |
| M | MIL-PRF-81733D | SEALING AND COATING COMPOUND, CORROSION INHIBITIVE [CUST: MR AS 11] [REVIEW: 99 AV CR4 MC MI YD1] | A 8030 | AS | | 15-MAY-98 |
| | MIL-PRF-82537A | CASE, CARTRIDGE, STEEL, SPIRAL WRAPPED 40 MILLIMETER (MM) AND LARGER CALIBERS, GENERAL SPECIFICATION FOR [CUST: OS] | A 1310 | OS | | 25-APR-88 |
| | MIL-PRF-82736A | IGNITION PELLETS, MAGNESIUM-FLUOROCARBON [CUST: OS] | A 1376 | OS | | 16-NOV-88 |
| | MIL-PRF-82791 | RUBBER, SILICONE, TRV [CUST: OS] | A 1340 | OS | | 05-FEB-90 |
| | MIL-PRF-82815 | LIQUID, ANTISTATIC [CUST: OS] | A 1340 | OS | | 29-DEC-89 |
| A | MIL-PRF-83174C | TRANSMITTER, ACCELEROMETER, AXIAL [CUST: 99] | A 6610 | 71 | | 15-JUN-97 |
| A | MIL-PRF-83261B | GREASE, AIRCRAFT, EXTREME PRESSURE, ANTI-WEAR [CUST: 11] [REVIEW: 68 GS] | A 9150 | 11 | | 13-FEB-98 |
| A | MIL-PRF-83282D(1) | HYDRAULIC FLUID, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE, METRIC, NATO CODE NUMBER H-537 [CUST: AT AS 11 GS] [REVIEW: 68 AR AV MI SH] | A 9150 | AS | | 10-DEC-97 |
| A | MIL-PRF-83323B | TESTER, UNIVERSAL RECEPTACLE, AERIAL REFUELING [CUST: AV AS 99] | A 4920 | 82 | | 01-NOV-97 |
| M | MIL-PRF-83352C | SIGNAL KIT, PERSONNEL, DISTRESS, A/P255-5A [CUST: GL 99] | A 1370 | 70 | | 30-APR-98 |
| A | MIL-PRF-83363C | GREASE, TRANSMISSION, HELICOPTER [CUST: CR4 AS 11 GS] [REVIEW: 68 MI] | A 9150 | 11 | | 20-FEB-98 |
| | MIL-PRF-83401G SUP 1 | RESISTOR NETWORKS, FIXED, FILM, AND CAPACITOR-RESISTOR NETWORKS, CERAMIC CAPACITOR AND FIXED FILM RESISTORS, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 59GP | CC | | 18-MAR-96 |
| | MIL-PRF-83401/G | RESISTOR NETWORK, FIXED, FILM, STYLE RZ010, 14 PIN DIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/2G | RESISTOR NETWORK, FIXED, FILM, STYLE RZ020, 16 PIN DIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/3F | RESISTOR NETWORK, FIXED, FILM, STYLE RZ030, 14 PIN FLAT PACK [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/4D | RESISTOR NETWORK, FIXED, FILM, STYLE RZ040, 6 PIN SIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/5D | RESISTOR NETWORK, FIXED, FILM, STYLE RZ050, 8 PIN SIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/6C | RESISTOR NETWORK, FIXED, FILM, STYLE RZ060, 10 PIN SIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |

DODISS NUMERICAL LISTING PERFORMANCE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-PRF-83401/7D | RESISTOR NETWORK, FIXED, FILM, STYLE RZ070, 6 PIN SIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| A | MIL-PRF-83401/8D(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ080, 8 PIN SIP [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 19-DEC-97 |
| | MIL-PRF-83401/9D | RESISTOR NETWORK, FIXED, FILM, STYLE RZ090, 10 PIN SIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/10B | RESISTOR NETWORK, FIXED, FILM, STYLE RZ100, 16 PIN FLAT PACK [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/13A | RESISTOR NETWORK, FIXED, FILM, STYLE RZ130, 14 PIN DIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/14A | RESISTOR NETWORK, FIXED, FILM, STYLE RZ140, 16 PIN DIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/15A | RESISTOR NETWORK, FIXED, FILM, STYLE RZ150, 14 PIN FLAT PACK [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/16A | RESISTOR NETWORK, FIXED, FILM, STYLE RZ160, 6 PIN SIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/17A | RESISTOR NETWORK, FIXED, FILM, STYLE RZ170, 8 PIN SIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/18B | RESISTOR NETWORK, FIXED, FILM, STYLE RZ180, 6 PIN SIP [CUST: 85] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/19C | RESISTOR NETWORK, FIXED, FILM, STYLE RZ190, 8 PIN SIP [CUST: 85] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/20A | RESISTOR NETWORK, FIXED, FILM, STYLE RZ200, 10 PIN SIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/21A | RESISTOR NETWORK, FIXED, FILM, STYLE RZ210, 6 PIN SIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| A | MIL-PRF-83401/22A(1) | RESISTOR NETWORK, FIXED, FILM, STYLE RZ220, 8 PIN SIP [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 19-DEC-97 |
| | MIL-PRF-83401/23A | RESISTOR NETWORK, FIXED, FILM, STYLE RZ230, 10 PIN SIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83401/24A | RESISTOR NETWORK, FIXED, FILM, STYLE RZ240, 10 PIN SIP [CUST: CR EC 85 CC NA] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 18-MAR-96 |
| | MIL-PRF-83421B(3) | CAPACITORS, FIXED, METALLIZED, PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL OR CERAMIC CASES, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC NA OS SH] | A 5910 | CC | | 30-DEC-93 |
| | MIL-PRF-83421/1A(4) | CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, DC AND AC, HERMETICALLY SEALED IN METAL CASES, ESTABLISHED RELIABILITY STYLES CRH01, CRH02, CRH03, CRH04, CRH05, CRH06, CRH07, CRH08, CRH09, AND CRH00 [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC OS SH] | A 5910 | CC | | 31-JAN-91 |
| | MIL-PRF-83421/2A | CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL CASES, ESTABLISHED RELIABILITY, STYLES CRH11, CRH12 AND CRH13 (INSULATED) [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC OS SH] | A 5910 | CC | | 31-JAN-91 |
| | MIL-PRF-83446B(4) SUP 6 | COIL, RADIO FREQUENCY, CHIP, FIXED OR VARIABLE, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG CR4 MC MI OS SH] | A 5950 | CC | | 03-OCT-94 |
| | MIL-PRF-83446/1B NOT 2 | COILS, CHIP, RADIO FREQUENCY, FIXED [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-PRF-83446/4C(1) | COIL, RADIO FREQUENCY, CHIP, FIXED [CUST: CR EC 85] [REVIEW: 19 AS MI OS] | A 5950 | CC | | 03-NOV-94 |
| | MIL-PRF-83446/5D | COILS, RADIO FREQUENCY, CHIP, FIXED [CUST: CR EC 85] [REVIEW: 19 AS MI OS] | A 5950 | CC | | 06-JUL-93 |
| | MIL-PRF-83446/6C NOT 1 | COILS, RADIO FREQUENCY, CHIP, FIXED [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-PRF-83446/7C | COILS, RADIO FREQUENCY, CHIP, VARIABLE [CUST: CR EC 85] [REVIEW: 19 AS MI OS] | A 5950 | CC | | 06-JUL-93 |
| | MIL-PRF-83446/8D | COILS, RADIO FREQUENCY, CHIP, FIXED [CUST: CR EC 85] [REVIEW: 19 AS MI OS] | A 5950 | CC | | 06-JUL-93 |
| | MIL-PRF-83446/9D | COILS, RADIO FREQUENCY, CHIP, VARIABLE [CUST: CR EC 85] [REVIEW: 19 AS MI OS] | A 5950 | CC | | 06-JUL-93 |
| | MIL-PRF-83446/10B NOT 1 | COILS, RADIO FREQUENCY, CHIP, FIXED [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 11-NOV-91 |
| | MIL-PRF-83446/11B NOT 1 | COILS, RADIO FREQUENCY, CHIP, SHIELDED, FIXED [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 11-NOV-91 |
| | MIL-PRF-83446/12 NOT 2 | COILS, CHIP, RADIO FREQUENCY, FIXED [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-PRF-83446/13A | COILS, RADIO FREQUENCY, CHIP, FIXED [CUST: CR EC 85] [REVIEW: 19 AS MI OS] | A 5950 | CC | | 11-JUL-94 |
| | MIL-PRF-83446/14 NOT 2 | COILS, CHIP, RADIO FREQUENCY, FIXED [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-PRF-83446/15 NOT 2 | COILS, CHIP, RADIO FREQUENCY, FIXED [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-PRF-83446/16 NOT 2 | COILS, CHIP, RADIO FREQUENCY, VARIABLE [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-PRF-83446/17 NOT 2 | COILS, CHIP, RADIO FREQUENCY, VARIABLE [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-PRF-83446/18 NOT 2 | COILS, CHIP, RADIO FREQUENCY, VARIABLE [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-PRF-83446/19A NOT 2 | COILS, RADIO FREQUENCY, CHIP, VARIABLE [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-PRF-83446/20 | COILS, RADIO FREQUENCY, CHIP, FIXED, PHENOLIC CORE [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 20-DEC-88 |
| | MIL-PRF-83446/21 | COILS, RADIO FREQUENCY, CHIP, FIXED, IRON CORE [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 20-DEC-88 |
| | MIL-PRF-83446/22 | COILS, RADIO FREQUENCY, CHIP, FIXED, FERRITE CORE [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 20-DEC-88 |
| | MIL-PRF-83446/23 | COILS, RADIO FREQUENCY, CHIP, FIXED, PHENOLIC CORE [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 20-DEC-88 |
| | MIL-PRF-83446/24 | COIL, RADIO FREQUENCY, CHIP, FIXED, IRON CORE [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 20-DEC-88 |
| | MIL-PRF-83446/25 | COILS, RADIO FREQUENCY, CHIP, FIXED, FERRITE CORE [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 20-DEC-88 |
| | MIL-PRF-83446/26A | COILS, RADIO FREQUENCY, CHIP, FIXED, MAGNETICALLY SHIELDED, IRON CORE-IRON SLEEVE AND IRON CORE-FERRITE SLEEVE [CUST: CR EC 85] [REVIEW: 19 AS MI OS] | A 5950 | CC | | 14-FEB-95 |
| | MIL-PRF-83446/27 | COILS, RADIO FREQUENCY, CHIP, FIXED, MAGNETICALLY SHIELDED, (FERRITE, CORE-FERRITE SLEEVE) [CUST: CR EC 85] [REVIEW: 11 19 AS MI OS] | A 5950 | CC | | 20-DEC-88 |
| A | MIL-PRF-83483C | THREAD COMPOUND, ANTISEIZE, MOLYBDENUM DISULFIDE-PETROLATUM [CUST: MR SH 11] [REVIEW: 99] | A 8030 | 11 | | 20-FEB-98 |
| | MIL-PRF-83495B | TECHNICAL MANUALS - ON-EQUIPMENT MAINTENANCE MANUAL SET [CUST: 16] [REVIEW: 01 11 13 19] | A TMSS | 16 | | 01-MAR-96 |
| A | MIL-PRF-83502C | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS AT AV MC MI SH] | A 5935 | CC | | 07-APR-97 |
| A | MIL-PRF-83502/1F | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (T07, LOW PROFILE) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | | 03-JUL-97 |
| A | MIL-PRF-83502/2F | SOCKETS PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (T05, PRESS TO FIT) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | | 03-JUL-97 |
| A | MIL-PRF-83502/3D | SOCKET PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (T08) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | | 03-JUL-97 |
| A | MIL-PRF-83502/5C | SOCKETS PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (R052) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | | 03-JUL-97 |
| A | MIL-PRF-83504B SUP 1 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV MI] | A 5930 | CC | | 10-JUN-97 |
| | MIL-PRF-83504/12A | SWITCHES, DUAL IN-LINE PACKAGE (DIP), RECESSED SLIDE ACTUATED, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE, MACHINE INSERTABLE [CUST: 85] [REVIEW: 99] | A 5930 | CC | | 03-NOV-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|------------|-------------------------|---|----------------------|-----|-------------|-----------|
| | MIL-PRF-83504/13 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), ROTARY ACTUATED, BINARY CODED, SEALED[CUST: 85] | A 5930 | CC | | 18-DEC-90 |
| | MIL-PRF-83513D | CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, POLARIZED SHELL, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG CR4 MC MI SH] | A 5935 | CC | | 22-APR-97 |
| A | MIL-PRF-83513/1F | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS M, SOLDER TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/2F | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS M, SOLDER TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/3F | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS M, CRIMP TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/4F | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS M, CRIMP TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/5F | CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, MOUNTING HARDWARE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/6D | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS P, SOLDER TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/7D | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS P, SOLDER TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/8D | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS P, CRIMP TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/9D | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS P, CRIMP TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/10B | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 2 ROW, SOLDER TYPE, NARROW PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/11B | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 3 ROW, SOLDER TYPE, NARROW PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/12B | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 4 ROW, SOLDER TYPE, NARROW PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/13B | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, NARROW PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/14B | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, NARROW PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/15B | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, NARROW PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| M | MIL-PRF-83513/16B(1) | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 2 ROW, SOLDER TYPE, STANDARD PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 09-JUN-98 |
| A | MIL-PRF-83513/17B | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 3 ROW, SOLDER TYPE, STANDARD PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/18B | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 4 ROW, SOLDER TYPE, STANDARD PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| M | MIL-PRF-83513/19B(1) | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, NARROW PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 09-JUN-98 |
| A | MIL-PRF-83513/20B | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, STANDARD PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/21B | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, STANDARD PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/22B | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 2 ROW, SOLDER TYPE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 NA] [REVIEW: 17 99 AS AT CG CR4 MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/23B | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 3 ROW, SOLDER TYPE, 51 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/24B | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 4 ROW, SOLDER TYPE, 100 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/25B | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/26B | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, 51 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| A | MIL-PRF-83513/27B | CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, 100 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 NA] [REVIEW: 17 99 AS AT CG MC MI SH] | A 5935 | CC | | 15-AUG-97 |
| | MIL-PRF-83530A(1) | RESISTORS, VOLTAGE SENSITIVE (VARISTOR, METAL-OXIDE), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 29-MAR-96 |
| | MIL-PRF-83530/1A | RESISTORS, VOLTAGE SENSITIVE (VARISTORS) STYLE RVS10 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 14-APR-95 |
| | MIL-PRF-83531A(3) | DELAY LINES, PASSIVE, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC SH] | A 5999 | CC | | 26-JUN-95 |
| | MIL-PRF-83531/1A | DELAY LINES, 10-TAP, DUAL-IN-LINE, 14-PIN [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 23-NOV-92 |
| | MIL-PRF-83532A(3) SUP 1 | DELAY LINES, ACTIVE, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC SH] | A 5999 | CC | | 26-JUN-95 |
| | MIL-PRF-83532/1A | DELAY LINES, 14-PIN DIP COMPATIBLE, 5 TAP [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 30-DEC-91 |
| | MIL-PRF-83532/2B | DELAY LINES, 14-PIN DIP COMPATIBLE, 5 TAP [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 30-DEC-91 |
| | MIL-PRF-83532/3A | DELAY LINES, 14-PIN DIP COMPATIBLE, 10 TAP [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 30-DEC-91 |
| | MIL-PRF-83532/4A | DELAY LINES, 14-PIN DIP COMPATIBLE, 3 DELAY CIRCUITS PER PACKAGE [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 30-DEC-91 |
| | MIL-PRF-83532/5A | DELAY LINES, ACTIVE, 16-PIN DIP COMPATIBLE, PROGRAMMABLE 3-BIT, TTL COMPATIBLE [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 30-DEC-91 |
| | MIL-PRF-83532/6A | DELAY LINES, ACTIVE, 16-PIN DIP COMPATIBLE, PROGRAMMABLE 3-BIT, EMITTER-COUPLED LOGIC [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 30-DEC-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------------|--|--------------------------|-----|-------------|-----------|
| | MIL-PRF-83532/7 | DELAY LINES, ACTIVE, 16-PIN DIP COMPATIBLE, PROGRAMMABLE 3-BIT, TTL COMPATIBLE, WITH INPUT BUFFER [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC SH] | A 5999 | CC | | 12-MAY-95 |
| A | MIL-PRF-83536A(1) SUP 1 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 99 AS NA] | A 5945 | 85 | | 19-DEC-97 |
| A | MIL-PRF-83536/17A | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, AC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 14-NOV-97 |
| A | MIL-PRF-83536/32 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, 25 AMPERES (RESISTIVE), PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 20-FEB-98 |
| A | MIL-PRF-83536/33 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, 25 AMPERES (RESISTIVE), PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 20-FEB-98 |
| A | MIL-PRF-83671B | FOAM-IN-PLACE PACKAGING MATERIALS, GENERAL SPECIFICATION FOR [CUST: SM SA 69 DH] [REVIEW: 71 82 84 99 AL AS AT AV CC CR CR4 EA EC GS MD MI MR MT SH YD1] | A 8135 | 11 | | 03-FEB-97 |
| A | MIL-PRF-83755B | HOLDER, FLIGHT CHECK LIST [CUST: GL 99] | A 1680 | 82 | | 27-MAR-98 |
| A | MIL-PRF-83766B | FILLER AND PRESSURIZATION UNIT, HYDRAULIC SYSTEM [CUST: AL 99] | A 4910 | 82 | | 01-AUG-97 |
| | MIL-PRF-83812A | TRUCK, FORKLIFT, 10,000 AND 13,000 POUND CAPACITY, ADVERSE TERRAIN [CUST: 99] | A 3930 | 84 | | 07-MAY-97 |
| A | MIL-PRF-83817A | TRUCK, LIFT, FORK, 4,000 POUND CAPACITY, VARIABLE REACH, ROUGH TERRAIN [CUST: 99] | A 3930 | 84 | | 15-JUN-97 |
| | MIL-PRF-83818A | TRUCK, LIFT, FORK, 4,000 AND 6,200 POUND CAPACITY FRONT/SIDE LOADING, INTERNAL COMBUSTION ENGINE [CUST: 99] | A 3930 | 84 | | 15-JUN-97 |
| A | MIL-PRF-83831A | BOOTH, CLEANING, WATER BASE SOLVENT SPRAY-ELECTRONIC MEASURING INSTRUMENTS [CUST: AL 99] | A 4940 | 82 | | 12-JUL-97 |
| A | MIL-PRF-83860C | FILTER ELEMENTS, DISPOSABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE [CUST: 99] | A 1650 | 71 | | 31-JAN-98 |
| A | MIL-PRF-83861C | FILTER ELEMENTS, DISPOSABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 AND 15 MICRON ABSOLUTE [CUST: 99] | A 1650 | 71 | | 31-JAN-98 |
| A | MIL-PRF-83870B | FILTER ELEMENT, DISPOSABLE, 20 MICRON ABSOLUTE, CONSTANT SPEED DRIVE, AIRCRAFT [CUST: 99] | A 1650 | 71 | | 31-DEC-97 |
| | MIL-PRF-83936C | REMOVER, PAINT, TANK TYPE, FOR AIRCRAFT WHEELS, LANDING GEAR COMPONENTS, AND OTHER AIRCRAFT AND SUPPORT EQUIPMENT [CUST: 99] | A 8010 | 84 | | 27-DEC-96 |
| | MIL-PRF-83990A | OVEN, THERMAL DRYING, ELECTRIC [CUST: 99] | A 4430 | 84 | | 24-FEB-97 |
| A | MIL-PRF-85285C | COATING: POLYURETHANE, HIGH-SOLIDS [CUST: MR AS 99] [REVIEW: 11 84 AR AV CG DS MC SH] | A 8010 | AS | | 30-APR-97 |
| A | MIL-PRF-85570C | CLEANING COMPOUND, AIRCRAFT, EXTERIOR [CUST: AS 68] | A 6850 | AS | | 11-JUN-97 |
| A | MIL-PRF-85582C | PRIMER COATINGS: EPOXY, WATERBORNE [CUST: MR AS 99] [REVIEW: 11 84 AV CG DS FSS MD1 OS SH] | A 8010 | AS | | 30-SEP-97 |
| M | MIL-PRF-85725A | RACK, INTEGRATED AVIONICS, FORCED AIR COOLED, GENERAL SPECIFICATION FOR [CUST: AS] | A 5975 | AS | | 20-MAY-98 |
| A | MIL-PRF-87100A | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, POLYPHENYL ETHER BASE [CUST: 11] [REVIEW: 68] | A 9150 | 11 | | 28-NOV-97 |
| M | MIL-PRF-87108B | INFLATION ASSEMBLY, FLU-2A/P [CUST: 99] | A 4220 | 82 | | 16-JUN-98 |
| | MIL-PRF-87158B | TECHNICAL MANUALS, AIRCRAFT BATTLE DAMAGE ASSESSMENT AND REPAIR [CUST: TM AS 16] [REVIEW: 10 11 99 AV] | A TMSS | 16 | | 05-NOV-96 |
| A | MIL-PRF-87252C | COOLANT FLUID, HYDROLYTICALLY STABLE, DIELECTRIC [CUST: CR4 AS 11] [REVIEW: 68 AR GS MI SH] | A 9160 | 11 | | 24-OCT-97 |
| A | MIL-PRF-87257A | HYDRAULIC FLUID, FIRE RESISTANT, LOW TEMPERATURE, SYNTHETIC HYDROCARBON BASE, AIRCRAFT AND MISSILE [CUST: CR4 AS 11] [REVIEW: 68 AL AR EA GS MI OS PS SH] | A 9150 | 11 | | 08-DEC-97 |
| A | MIL-PRF-87260A | FOAM MATERIAL, EXPLOSION SUPPRESSION, INHERENTLY ELECTROSTATICALLY CONDUCTIVE, FOR AIRCRAFT FUEL TANKS [CUST: 11] | A 9330 | 11 | | 13-FEB-98 |
| | MIL-PRF-87268A | MANUALS, INTERACTIVE ELECTRONIC TECHNICAL - GENERAL CONTENT, STYLE, FORMAT, AND USER-INTERACTION REQUIREMENTS [CUST: TM AS 16] [REVIEW: 11 13 19 30 70 71 80 82 84 99 AL AR AS AT AV CR EA EC MC MI PT SA SH TD TM YD] | A TMSS | 16 | | 01-OCT-95 |
| | MIL-PRF-87269A | DATA BASE, REVISABLE: INTERACTIVE ELECTRONIC TECHNICAL MANUALS, FOR THE SUPPORT OF [CUST: TM AS 16] [REVIEW: 11 13 19 30 70 71 80 82 84 99 AL AR AS AT AV CR EA EC MC MI PT SA TD YD1] | A TMSS | 16 | | 01-OCT-95 |
| A | MIL-PRF-87819A(1) | HEADSET-MICROPHONE, (HEARING PROTECTIVE TYPE, HIGH AND MODERATE AMBIENT NOISE LEVELS), GENERAL SPECIFICATION FOR [CUST: 85 CC] [REVIEW: 99] | A 5965 | CC | | 08-AUG-97 |
| A | MIL-PRF-87819/1A(1) | HEADSET-MICROPHONE, HEARING PROTECTIVE TYPE HIGH AMBIENT NOISE LEVELS, 105-125 DB, M87819/1-01 [CUST: 85 CC] | A 5965 | CC | | 08-AUG-97 |
| A | MIL-PRF-87819/4 | HEADSET-MICROPHONE, HEARING PROTECTIVE TYPE MODERATE AMBIENT NOISE LEVELS, UP TO 105DB, INFLIGHT AIRCREW HEADSET-MICROPHONE, M87819/4-01 [CUST: 85 CC] | A 5965 | CC | | 30-JAN-97 |
| A | MIL-PRF-87819/5(1) | HEADSET-MICROPHONE, HEARING PROTECTIVE TYPE MODERATE AMBIENT NOISE LEVELS, UP TO 105DB, ENLARGED EARCUP, INFLIGHT AIRCREW HEADSET-MICROPHONE, M87819/5-01 [CUST: 85 CC] | A 5965 | CC | | 08-AUG-97 |
| A | MIL-PRF-87819/6(1) | HEADSET-MICROPHONE, DICHOTIC, HEARING PROTECTIVE TYPE, MODERATE AMBIENT NOISE LEVELS, UP TO 105DB, ENLARGED EARCUP, INFLIGHT AIRCREW HEADSET-MICROPHONE, M87819/6-01 [CUST: 85 CC] | A 5965 | CC | | 08-AUG-97 |
| A | MIL-PRF-87893B | WORKSTATION, ELECTROSTATIC DISCHARGE (ESD) CONTROL [CUST: CR SH 11] [REVIEW: 10 17 70 71 82 84 99 CC MC MD1 SM] | A 4940 | 11 | | 15-JAN-97 |
| A | MIL-PRF-87895A | COMPOUND, POLYMERIC BASED, HOT-MELT (CAVITY LINING), (FOR INTERNAL USE IN AMMUNITION) [CUST: 11] [REVIEW: 70 99] | A 1325 | 11 | | 10-APR-98 |
| | MIL-PRF-87929B | MANUALS, TECHNICAL, OPERATION AND MAINTENANCE INSTRUCTIONS IN WORK PACKAGE FORMAT (FOR USAF EQUIPMENT) [CUST: 16] [REVIEW: 10 99] | A TMSS | 16 | | 01-MAR-96 |
| A | MIL-PRF-87930A | PROPELLANT, HYDRAZINE- WATER (70 PERCENT HYDRAZINE - 30 PERCENT WATER) [CUST: 68] [REVIEW: 19] | A 9135 | 68 | | 24-NOV-97 |
| A | MIL-PRF-87937C | CLEANING COMPOUND, AEROSPACE EQUIPMENT [CUST: AS 68] [REVIEW: 11 GS] | A 6850 | 68 | | 14-AUG-97 |
| | MIL-PRF-87978A | REMOVER, PAINT, EPOXY AND POLYURETHANE SYSTEMS, TANK TYPE, AMBIENT TEMPERATURE, FOR AIRCRAFT WHEELS AND LANDING GEAR COMPONENTS [CUST: 99] | A 8010 | 84 | | 31-DEC-96 |
| | MIL-PRF-89014A | INTERIM TERRAIN DATA (ITD)/PLANNING INTERIM TERRAIN DATA (PITD) [CUST: NO 09 MP] [REVIEW: MC] | A MCGT | MP | | 15-MAR-96 |
| | MIL-PRF-89020A | DIGITAL TERRAIN ELEVATION DATA (DTE) [CUST: TI NO 09 MP] [REVIEW: MC] | A MCGT | MP | | 19-APR-96 |
| A | MIL-PRF-89023 | DIGITAL NAUTICAL CHART [CUST: TI NO 09 MP] [REVIEW: MC] | A MCGT | MP | | 19-DEC-97 |
| | MIL-PRF-89033 | VECTOR SMART MAP (VMAP) LEVEL 1 [CUST: NO 09 MP] [REVIEW: MC] | A MCGT | MP | | 01-JUN-95 |
| | MIL-PRF-89038 | COMPRESSED ARC DIGITIZED RASTER GRAPHICS (CADRG) [CUST: NO 09 MP] [REVIEW: MC] | A MCGT | MP | | 06-OCT-94 |
| | MIL-PRF-89039 | VECTOR SMART MAP (VMAP) LEVEL 0 [CUST: NO 09 MP] [REVIEW: MC] | A MCGT | MP | | 09-FEB-95 |
| | MIL-PRF-89040A | VECTOR PRODUCT INTERIM TERRAIN DATA (VITD) [CUST: TI NO 09 MP] [REVIEW: MC] | A MCGT | MP | | 08-MAY-96 |
| | MIL-PRF-89041(1) | CONTROLLED IMAGE BASE (CIB) [CUST: NO 09 MP] [REVIEW: MC] | A MCGT | MP | | 31-JUL-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Wee | MCA | Prep. Acty. | Date |
|-----------------------|--|----------------------|-----|-------------|-----------|
| MIL-E-1/9G NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5750 [CUST: CR EC 85] [REVIEW: 11 17 CC] | A 5960 | CC | | 20-MAY-88 |
| MIL-E-1/66B | ELECTRON TUBE, CATHODE RAY [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CG CR4 MC OS SH] | A 5960 | CC | | 14-JAN-75 |
| MIL-E-1/108B NOT 1 | ELECTRON TUBE, RECEIVING TYPE 3A4 [CUST: CR EC 80] [REVIEW: 17 19 AR AS CG MC MI OS SH] | A 5960 | CC | | 31-MAY-89 |
| MIL-E-1/195B(1) | ELECTRON TUBE, RECEIVING TYPE OB3 & OB3A [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC OS] | A 5960 | CC | | 26-FEB-71 |
| MIL-E-1/208F(1) | ELECTRON TUBE, GAS SWITCHING TYPE 1B27 [CUST: CR EC 85] [REVIEW: 11 99 AS CG MC SH] | A 5960 | CC | | 05-JUN-75 |
| MIL-E-1/211E | ELECTRON TUBE, POWER TYPE 3C24 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC OS SH] | A 5960 | CC | | 18-DEC-74 |
| MIL-E-1/240C NOT 2 | ELECTRON TUBE, RECEIVING TYPE 6098 (NO S/S DOCUMENT) [CUST: CR] [REVIEW: AR MI] | A 5960 | CC | | 26-JAN-96 |
| MIL-E-1/272D | ELECTRON TUBE, CATHODE RAY TYPE 2BP1 & 2BP11 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC MI OS] | A 5960 | CC | | 11-MAY-76 |
| MIL-E-1/273H | ELECTRON TUBES, CATHODE RAY TYPES 5CP1A, 5CP1B & 5CP12 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS CG MC OS] | A 5960 | CC | | 23-APR-84 |
| MIL-E-1/275C | ELECTRON TUBE, CATHODE RAY TYPE 5LP1A, 5LP5A, 5LP7A, & 5LP11A [CUST: CR EC 85] [REVIEW: 11 99 AR AS CG MC OS] | A 5960 | CC | | 10-MAR-76 |
| MIL-E-1/296C(2) | ELECTRON TUBE REFERENCE CAVITY TYPES 1Q22, 1Q23, 1Q24, 5846, 6040, 6041 [CUST: CR EC 85] [REVIEW: 11 80 AR SH] | A 5960 | CC | | 28-FEB-92 |
| MIL-E-1/297C(1) | ELECTRON TUBE, MAGNETRON TYPE 2J55 [CUST: CR EC 85] [REVIEW: 11 99 AS CG OS SH] | A 5960 | CC | | 05-JUN-75 |
| MIL-E-1/299E | ELECTRON TUBE, GAS SWITCHING TYPE 5927 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC OS] | A 5960 | CC | | 31-DEC-70 |
| MIL-E-1/302M(1) NOT 2 | ELECTRON TUBE, POWER TYPE 8172 [CUST: CR EC 85] [REVIEW: 11 17 80 99 AR AS CC CG CR4 MC OS SH] | A 5960 | CC | | 07-JUN-93 |
| MIL-E-1/311J | ELECTRON TUBE, CATHODE RAY TYPE 3ACP1A, 3ACP2A & 3ACP7A [CUST: CR EC 85] [REVIEW: 11 17 80 99 AS AV CG CR4 MC OS] | A 5960 | CC | | 20-JUL-76 |
| MIL-E-1/334A | ELECTRON TUBE, RECEIVING TYPE 2C53 [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC MI OS] | A 5960 | CC | | 30-MAR-70 |
| MIL-E-1/338F | ELECTRON TUBE, TRANSMITTING TYPE 2E26 [CUST: CR EC 85] [REVIEW: 11 AR AS CG MC OS] | A 5960 | CC | | 16-MAR-77 |
| MIL-E-1/343B(1) | ELECTRON TUBE, RECEIVING TYPES 3Q4 AND 3V4 [CUST: CR EC 85] [REVIEW: 11 19 99 AS AV CG MC OS] | A 5960 | CC | | 17-AUG-77 |
| MIL-E-1/368E NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 5865 [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC OS SH] | A 5960 | CC | | 13-OCT-87 |
| MIL-E-1/372A NOT 2 | ELECTRON TUBE, FORCED-AIR COOLED TRIODE [CUST: EC] [REVIEW: 17 85 AS CG MC OS] | A 5960 | CC | | 01-OCT-70 |
| MIL-E-1/374D(1) | ELECTRON TUBE, KLYSTRON TYPE 2K48 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG MC OS] | A 5960 | CC | | 20-JUL-76 |
| MIL-E-1/383C NOT 1 | ELECTRON TUBE, MAGNETRON, TYPE 6344A (NAVY) [CUST: EC] [REVIEW: AS CG MC OS] | A 5960 | CC | | 13-OCT-87 |
| MIL-E-1/385B | ELECTRON TUBE, CATHODE RAY TYPE 3DP1A & 3DP1A PLUS S2 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG MC OS SH] | A 5960 | CC | | 12-DEC-74 |
| MIL-E-1/390D(1) NOT 1 | ELECTRON TUBE, CATHODE RAY TYPES 3RP1 AND 3RP1A [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC MI OS] | A 5960 | CC | | 01-JUN-89 |
| MIL-E-1/422G(3) | ELECTRON TUBE, CATHODE RAY TYPES 7YP1, 7YP2, AND 7YP7 [CUST: CR EC 85] [REVIEW: 11 17 99 AS AV CG CR4 MC OS] | A 5960 | CC | | 10-AUG-90 |
| MIL-E-1/480C | ELECTRON TUBE, CATHODE RAY TYPE 5SP1A, 5SP7A, & 5SP11A [CUST: CR EC 85] [REVIEW: 11 99 AS CG MC OS] | A 5960 | CC | | 17-SEP-71 |
| MIL-E-1/501B NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 3KP1 [CUST: CR EC 80] [REVIEW: 11 17 AR AS CG MC OS SH] | A 5960 | CC | | 01-JUN-89 |
| MIL-E-1/505F(1) | ELECTRON TUBE, GAS TYPE 5962 [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG CR4 MC OS] | A 5960 | CC | | 23-APR-84 |
| MIL-E-1/507F NOT 1 | ELECTRON TUBE, MAGNETRON, PULSE TYPE 7452A [CUST: CR] | A 5960 | CC | | 01-JUN-89 |
| MIL-E-1/588A | ELECTRON TUBE, CATHODE RAY TYPE 2A1A [CUST: CR EC] [REVIEW: 17 85 MC] | A 5960 | CC | | 18-DEC-74 |
| MIL-E-1/590A | ELECTRON TUBE, CATHODE RAY TYPE 3FP7A [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG CR4 MC OS SH] | A 5960 | CC | | 30-SEP-74 |
| MIL-E-1/592A | ELECTRON TUBE, CATHODE RAY TYPE 5BP1A & 5HP1A [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC OS SH] | A 5960 | CC | | 14-JAN-75 |
| MIL-E-1/594A | ELECTRON TUBE, CATHODE RAY TYPE 3BP1A [CUST: CR EC 85] [REVIEW: 17 99 MC MI] | A 5960 | CC | | 14-JAN-75 |
| MIL-E-1/597D | ELECTRON TUBE, PHOTOMULTIPLIER TYPE 931VA [CUST: CR EC 85] [REVIEW: 99 CG MC OS] | A 5960 | CC | | 15-NOV-71 |
| MIL-E-1/607B | ELECTRON TUBE, GAS SWITCHING ATR JAN5921 5922 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG MC OS SA] | A 5960 | CC | | 02-NOV-70 |
| MIL-E-1/609E | ELECTRON TUBE, GAS SWITCHING TR JAN 1B24A [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG MC MI OS] | A 5960 | CC | | 27-JAN-71 |
| MIL-E-1/633A | ELECTRON TUBE, RECEIVING TYPE 6N7 & 6N7GT [CUST: CR EC 11] [REVIEW: AR AS AT AV CR4 MI] | A 5960 | CC | | 17-JUL-84 |
| MIL-E-1/664D | ELECTRON TUBE, THYRATRON TYPE 5665 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC OS] | A 5960 | CC | | 14-JUL-78 |
| MIL-E-1/665D NOT 1 | ELECTRON TUBE, MAGNETRON TYPE 6410A [CUST: CR EC 80] [REVIEW: 11 17 99 AR AS CG MC OS SH] | A 5960 | CC | | 01-JUN-89 |
| MIL-E-1/689E NOT 1 | ELECTRON TUBES, CATHODE RAY TYPES 5ADP1, 5ADP2, 5ADP7, AND 5ADP14 [CUST: CR EC 80] [REVIEW: 11 99 AR AS CE CG MC OS] | A 5960 | CC | | 01-JUN-89 |
| MIL-E-1/744G | ELECTRON TUBE, KLYSTRON TYPE 6BM6 [CUST: CR EC 85] [REVIEW: 11 99 AS CG MC OS SH] | A 5960 | CC | | 01-MAY-73 |
| MIL-E-1/745G | ELECTRON TUBE, KLYSTRON TYPE 6BL6 [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG CR4 MC OS] | A 5960 | CC | | 28-OCT-69 |
| MIL-E-1/746G | ELECTRON TUBE, KLYSTRON 1 TYPE 6BM6A [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG MC OS] | A 5960 | CC | | 24-APR-73 |
| MIL-E-1/747D(2) | ELECTRON TUBE, CATHODE RAY JAN 3XP1 [CUST: CR EC 85 CC] [REVIEW: 17 99 CG MC MI OS] | A 5960 | CC | | 24-FEB-95 |
| MIL-E-1/770C NOT 1 | ELECTRON TUBE, MAGNETRON TYPES 5586 AND 5657 [CUST: CR EC 85] [REVIEW: 11 99 AS CC CG SH] | A 5960 | CC | | 17-APR-87 |
| MIL-E-1/776D NOT 1 | ELECTRON TUBE, POWER TYPE 4D21 [CUST: CR EC 85] [REVIEW: 11 99 AR AS CG CR4 MC OS] | A 5960 | CC | | 08-FEB-88 |
| MIL-E-1/796B NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6024 [CUST: CR EC 85] [REVIEW: 99 AR AS CG MC OS SH] | A 5960 | CC | | 17-APR-87 |
| MIL-E-1/806F | ELECTRON TUBE, THYRATRON TYPE 4C35A [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC OS SH] | A 5960 | CC | | 09-MAY-75 |
| MIL-E-1/810D | ELECTRON TUBE, CATHODE RAY TYPE 5AWP2 [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG CR4 MC OS] | A 5960 | CC | | 17-MAR-69 |
| MIL-E-1/812C | ELECTRON TUBE, POWER TYPE 5D22 [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC OS SH] | A 5960 | CC | | 22-MAY-75 |
| MIL-E-1/846J | ELECTRON TUBE, MAGNETRON TYPE 2J51A [CUST: CR EC] [REVIEW: 11 99 AR AS AV CG CR4 MC OS] | A 5960 | CC | | 18-MAR-76 |
| MIL-E-1/851G NOT 1 | ELECTRON TUBE, MAGNETRON JAN 5780 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC MI OS SH] | A 5960 | CC | | 05-MAY-75 |
| MIL-E-1/866D | ELECTRON TUBE, CATHODE RAY TYPES 7ABP7A & 7ABP19A [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC MI] | A 5960 | CC | | 13-AUG-71 |
| MIL-E-1/876E(2) | ELECTRON TUBE, POWER TYPE 8165 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG CR4 MC MI OS] | A 5960 | CC | | 15-APR-76 |
| MIL-E-1/877C | ELECTRON TUBE, POWER TYPE 100TH [CUST: CR EC 85] [REVIEW: 11 99 AR AS CG MC OS SH] | A 5960 | CC | | 09-MAY-75 |
| MIL-E-1/878D NOT 1 | ELECTRON TUBE, POWER TYPE 250TH [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC OS SH] | A 5960 | CC | | 01-JUN-89 |
| MIL-E-1/884E | ELECTRON TUBE, POWER TYPE 304TH [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC OS] | A 5960 | CC | | 05-APR-85 |
| MIL-E-1/887B NOT 1 | ELECTRON TUBE, POWER TYPE 8438 [CUST: CR EC 80] [REVIEW: 11 19 99 AR AS AV CG MC OS SH] | A 5960 | CC | | 01-JUN-89 |
| MIL-E-1/906C(1) | ELECTRON TUBE, RADIATION COUNTER TYPE 5979 [CUST: CR EC 85] [REVIEW: 11 99 AS CG MC OS] | A 5960 | CC | | 15-APR-76 |
| MIL-E-1/911C | ELECTRON TUBE, POWER TYPE 719A [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC OS] | A 5960 | CC | | 16-JUN-75 |
| MIL-E-1/943C(1) | ELECTRON TUBE, PHOTOMULTIPLIER TYPE 5819 [CUST: CR EC 85] [REVIEW: 17 99 AS CG MC OS] | A 5960 | CC | | 17-SEP-93 |
| MIL-E-1/945D | ELECTRON TUBE, MAGNETRON TYPES 2J49 AND 2J50 [CUST: CR EC 85] [REVIEW: 11 99 AS AV CG MC OS SH] | A 5960 | CC | | 08-MAY-75 |
| MIL-E-1/964C NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6378 [CUST: CR EC 85] [REVIEW: 11 99 AR CC] | A 5960 | CC | | 17-APR-87 |
| MIL-E-1/970D(3) NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 1B58A [CUST: CR EC 85] [REVIEW: 11 99 AS CC CG MC OS SH] | A 5960 | CC | | 07-JUN-93 |
| MIL-E-1/973B(2) | ELECTRON TUBE, RADIATION COUNTER TYPE 5980 [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG CR4 MC MI OS] | A 5960 | CC | | 15-APR-76 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|------------------------|---|--------------------------|--------------------|-----------|
| | MIL-E-1/974E | ELECTRON TUBE, CATHODE RAY TYPE 3ADP1, 3ADP2, 3ADP7, & 3ADP11 [CUST: CR EC 85] [REVIEW: 11 99 AS CG CR4 MC OS] | A 5960 | CC | 20-JUL-76 |
| | MIL-E-1/986F | ELECTRON TUBE, RADIATION COUNTER TYPE 7616 [CUST: CR EC 85] [REVIEW: 17 99 AR AS CR4 MC OS] | A 5960 | CC | 15-APR-76 |
| | MIL-E-1/988F(1) | ELECTRON TUBE, VOLTAGE REGULATOR TYPE 7615 [CUST: CR EC 85] [REVIEW: 11 99 AR AS CG MC OS] | A 5960 | CC | 23-APR-84 |
| | MIL-E-1/999A NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6163 [CUST: CR EC 80] [REVIEW: 11 17 99 AR AS CG MC MI OS SH] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1000A NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6164 [CUST: CR 17] [REVIEW: 11 99 AR AS CG MC MI OS SH] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1005C | ELECTRON TUBE, CATHODE RAY TYPE 10WP7A1 [CUST: CR EC 85] [REVIEW: 17 99 AS CG MC MI OS SH] | A 5960 | CC | 05-NOV-74 |
| | MIL-E-1/1011D NOT 1 | ELECTRON TUBE, THYRATRON TYPE 5957 [CUST: CR EC 80] [REVIEW: 11 99 AR AS AV CG MC MI SH] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1012A(1) NOT 1 | ELECTRON TUBE, KLYSTRON TYPES SRL-7F, SRL-7G, SRL-7H [CUST: CR] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1048B | ELECTRON TUBE, CATHODE RAY TYPE 5AFP7 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC OS] | A 5960 | CC | 05-OCT-70 |
| | MIL-E-1/1049F(1) | ELECTRON TUBE, IMAGE CONVERTER TYPE 6914 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC SH] | A 5960 | CC | 14-MAR-92 |
| | MIL-E-1/1055D(2) | ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 6442 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG MC OS] | A 5960 | CC | 30-MAY-88 |
| | MIL-E-1/1056D | ELECTRON TUBE, CATHODE RAY TYPE 12SP7D [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG MC] | A 5960 | CC | 23-MAR-71 |
| | MIL-E-1/1065E | ELECTRON TUBE, CATHODE RAY TYPE 5BCP7 [CUST: CR EC 85] [REVIEW: 11 99 AS CG CR4 OS SH] | A 5960 | CC | 24-NOV-75 |
| | MIL-E-1/1071B NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6962 [CUST: CR] [REVIEW: MI] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1072F | ELECTRON TUBE, CATHODE RAY TYPE 22CP7A & 22CP25A [CUST: EC] [REVIEW: AS CG MC OS] | A 5960 | CC | 05-SEP-75 |
| | MIL-E-1/1075C(1) NOT 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 5768 [CUST: CR EC 11] [REVIEW: 19 99 AR AS CG CR4 OS SH] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1105(2) NOT 1 | ELECTRON TUBE TYPE 6564 [CUST: CR CC] [REVIEW: MI] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1112F(1) NOT 1 | ELECTRON TUBE, KLYSTRON TYPE 8493 [CUST: CR EC 85] [REVIEW: 11 99 AR AS CG MC OS SH] | A 5960 | CC | 18-NOV-88 |
| | MIL-E-1/1120E NOT 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7289 [CUST: CR EC 80] [REVIEW: 11 17 19 99 AR AS CG CR4 MC OS SH] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1147A(1) NOT 1 | ELECTRON TUBE, MICROWAVE NOISE SOURCE TYPE 6782 [CUST: CR] [REVIEW: MI] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1162C | ELECTRON TUBE, CATHODE RAY TYPE 10KP7A [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG MC OS] | A 5960 | CC | 04-APR-72 |
| | MIL-E-1/1174D | ELECTRON TUBE, POWER TYPE 6303 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG MC MI OS] | A 5960 | CC | 17-JUN-75 |
| | MIL-E-1/1178D | ELECTRON TUBE, CATHODE RAY USN 7AGP19 (NAVY [CUST: EC] [REVIEW: AS CG MC MI OS] | A 5960 | CC | 23-DEC-76 |
| | MIL-E-1/1203J | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7077 [CUST: CR EC 85] [REVIEW: 11 99 AS CG MC MI OS] | A 5960 | CC | 25-MAY-76 |
| | MIL-E-1/1204F | ELECTRON TUBE, CATHODE RAY TYPE 1DP1 [CUST: CR EC 85] [REVIEW: 11 99 AS CG MC OS SH] | A 5960 | CC | 09-APR-75 |
| | MIL-E-1/1221B(1) | ELECTRON TUBE, RECEIVING TYPE 6939 [CUST: CR EC 85] [REVIEW: 17 99 AS CG MC MI] | A 5960 | CC | 26-JUL-93 |
| | MIL-E-1/1222B NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 12DP7C [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC OS SH] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1225C | ELECTRON TUBE, RECEIVING TYPE 6688 [CUST: CR EC 85] [REVIEW: 11 99 AR AS CG CR4 MC MI OS] | A 5960 | CC | 10-FEB-81 |
| | MIL-E-1/1232C(2) NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 7166 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS SH] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1239D NOT 1 | ELECTRON TUBES, POWER TYPES 6816 AND 6884 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC OS] | A 5960 | CC | 08-MAR-88 |
| | MIL-E-1/1254C NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 7381 [CUST: CR EC 85] [REVIEW: 80] | A 5960 | CC | 17-APR-87 |
| | MIL-E-1/1260G | ELECTRON TUBE, THYRATRON TYPES 7190 AND 7191 [CUST: CR EC 85] [REVIEW: 11 99 AR AS CG MC OS SH] | A 5960 | CC | 11-NOV-75 |
| | MIL-E-1/1261F NOT 1 | ELECTRON TUBES, CATHODE RAY TYPES 12ABP1A, 12ABP7A, AND 12ABP19A [CUST: CR EC 85] [REVIEW: 11] | A 5960 | CC | 21-MAR-72 |
| | MIL-E-1/1291F NOT 1 | ELECTRON TUBE, THYRATRON TYPE 7410 [CUST: CR SH 11] [REVIEW: 17 19 99 AR AS CG MC MI OS] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1295D NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6842 [CUST: CR EC 85] [REVIEW: 11 99 CC] | A 5960 | CC | 20-MAY-88 |
| | MIL-E-1/1297B | ELECTRON TUBE, CATHODE RAY TYPE 10AKP7 (NAVY) [CUST: EC] [REVIEW: AS CG MC OS] | A 5960 | CC | 07-FEB-72 |
| | MIL-E-1/1298C | ELECTRON TUBE, PHOTOTUBE TYPE CE75V [CUST: CR EC 85] [REVIEW: 11 99 AS CG CR4 MC OS] | A 5960 | CC | 20-JUL-76 |
| | MIL-E-1/1300A(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 7246 [CUST: CR] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1308C(1) | ELECTRON TUBE, RECEIVING TYPE 6360 [CUST: CR EC 85] [REVIEW: 19 99 AR AS CG MC OS] | A 5960 | CC | 20-JUL-93 |
| | MIL-E-1/1313D(1) | ELECTRON TUBE, POWER TYPE 8167 [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG CR4 MC OS] | A 5960 | CC | 01-NOV-76 |
| | MIL-E-1/1314B(1) NOT 1 | ELECTRON TUBE, POWER TYPES 6283 AND 8500 [CUST: CR EC 85] [REVIEW: 11 17] | A 5960 | CC | 17-APR-87 |
| | MIL-E-1/1325D(1) | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7554 [CUST: CR EC 85] [REVIEW: 11 17 99 AR CG MC] | A 5960 | CC | 17-NOV-76 |
| | MIL-E-1/1329(3) NOT 1 | ELECTRON TUBE, MAGNETRON, PULSE TYPE 7521 [CUST: CR CC] [REVIEW: MI] | A 5960 | CC | 01-JUN-89 |
| | MIL-E-1/1330E | ELECTRON TUBE, NEGATIVE GRID, MICROWAVE TYPE 7486 [CUST: CR EC 85] [REVIEW: 11 99 AS CG MC OS] | A 5960 | CC | 09-JUL-75 |
| | MIL-E-1/1331D NOT 1 | ELECTRON TUBE, POWER TYPE 7609 [CUST: CR EC 85] [REVIEW: 19] | A 5960 | CC | 17-APR-87 |
| | MIL-E-1/1335F | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7462 [CUST: CR EC 85] [REVIEW: 99 AR AS CG CR4 OS] | A 5960 | CC | 09-JUL-75 |
| | MIL-E-1/1336E | ELECTRON TUBE, PULSE MODULATOR TYPE 3D21WP [CUST: CR EC 85] [REVIEW: 99] | A 5960 | CC | 03-MAY-85 |
| | MIL-E-1/1342B(1) | ELECTRON TUBE, CATHODE RAY TYPE 1EP1 [CUST: CR EC 85] [REVIEW: 11 17 AR AS CG MC OS SH] | A 5960 | CC | 12-APR-79 |
| | MIL-E-1/1350D | ELECTRON TUBE, POWER TYPE 8295A [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG CR4 MC OS] | A 5960 | CC | 20-FEB-76 |
| | MIL-E-1/1361E(2) | ELECTRON TUBE, THYRATRON TYPES 7390 AND 7390A [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG] | A 5960 | CC | 06-MAR-93 |
| | MIL-E-1/1371F | ELECTRON TUBE, THYRATRON TYPE 7322 [CUST: CR EC 85] [REVIEW: 11 99 AS CG MC OS SH] | A 5960 | CC | 11-MAY-76 |
| | MIL-E-1/1383B(1) | ELECTRON TUBE, POWER TYPE 2041 [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC OS SH] | A 5960 | CC | 23-OCT-75 |
| | MIL-E-1/1385G | ELECTRON TUBE, POWER TYPES 7580W AND 8930 [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC OS] | A 5960 | CC | 11-FEB-76 |
| | MIL-E-1/1388C(1) | ELECTRON TUBE, RADIATION COUNTER, TYPE 7840 [CUST: EC] [REVIEW: AS MC OS] | A 5960 | CC | 02-DEC-80 |
| | MIL-E-1/1389E(1) | ELECTRON TUBE, CATHODE RAY TYPE 10ANP7 [CUST: EC] [REVIEW: AS CG MC OS SH] | A 5960 | CC | 25-JUL-91 |
| | MIL-E-1/1392C | ELECTRON TUBE, CATHODE RAY TYPE 5FP14A, & 5FP25 [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG OS] | A 5960 | CC | 02-NOV-70 |
| | MIL-E-1/1394B NOT 1 | ELECTRON TUBE, NOISE SOURCE TYPE 6357 [CUST: 85] [REVIEW: 99] | A 5960 | CC | 17-APR-87 |
| | MIL-E-1/1400B | ELECTRON TUBE, CATHODE RAY TYPE 12ATP28 (NAVY) [CUST: EC] [REVIEW: AS CG MC OS] | A 5960 | CC | 14-JUL-69 |
| | MIL-E-1/1404C NOT 1 | ELECTRON TUBE, RECEIVING TYPE 2DF4 [CUST: CR EC 80] [REVIEW: 11 17 99 AR AS CG MC OS SH] | A 5960 | CC | 13-JUN-89 |
| | MIL-E-1/1405C | ELECTRON TUBE, TRAVELING WAVE TYPE 7640 [CUST: CR EC 85] [REVIEW: 11 99 AR AS CG GS MC OS SH] | A 5960 | CC | 26-NOV-74 |
| | MIL-E-1/1424A(1) NOT 1 | ELECTRON TUBE, POWER, TYPE 6303A [CUST: EC] [REVIEW: AS CG MC OS] | A 5960 | CC | 13-OCT-87 |
| | MIL-E-1/1426C | ELECTRON TUBE, THYRATRON TYPE 8354 (NAVY) [CUST: EC] [REVIEW: AS CG MC MI OS SH] | A 5960 | CC | 02-SEP-75 |
| | MIL-E-1/1427E(1) | ELECTRON TUBE, POWER TYPE 8170W [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC OS] | A 5960 | CC | 15-NOV-83 |
| | MIL-E-1/1428E(1) NOT 1 | ELECTRON TUBE, THYRATRON TYPE 7621 [CUST: CR EC 85] [REVIEW: 11 17 80 99 AS CG MC OS] | A 5960 | CC | 03-SEP-80 |
| | MIL-E-1/1429G NOT 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPES 7815, 7815R [CUST: EC 85] [REVIEW: AS CC CG MC OS] | A 5960 | CC | 07-JUN-93 |
| | MIL-E-1/1457D NOT 1 | ELECTRON TUBE, POWER TYPE 7843 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC OS SH] | A 5960 | CC | 13-JUN-89 |
| | MIL-E-1/1458C | ELECTRON TUBE, RECEIVING TYPE 7788 [CUST: CR EC 85] [REVIEW: 17 AS CG MC MI OS SH] | A 5960 | CC | 24-JUN-83 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------------------|--|--------------------------|--------------------|-----------|
| MIL-E-1/1461D(1) | ELECTRON TUBE, MAGNETRON TYPE 7006 [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC OS SH] | A 5960 | CC | 16-MAR-87 |
| MIL-E-1/1470C(1) | ELECTRON TUBE, MICROWAVE (NEGATIVE GRID) TYPE 7698 [CUST: EC] [REVIEW: AS CG MC OS] | A 5960 | CC | 04-NOV-85 |
| MIL-E-1/1472C | ELECTRON TUBE, POWER TYPE 8188 [CUST: CR EC 85] [REVIEW: 11 99 AS CG MC OS] | A 5960 | CC | 20-FEB-76 |
| MIL-E-1/1473C | ELECTRON TUBE, POWER TYPE 8189 [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC OS SH] | A 5960 | CC | 28-APR-75 |
| MIL-E-1/1485D NOT 1 | ELECTRON TUBE, THYRATRON TYPE 7665 AND 7665A [CUST: CR EC 85] [REVIEW: 11 99 AR AS CG MI OS SH] | A 5960 | CC | 17-JAN-80 |
| MIL-E-1/1506C | ELECTRON TUBE, POWER TYPE 8245 [CUST: CR EC 85] [REVIEW: 11 99 AS CG CR4 MC OS SH] | A 5960 | CC | 15-NOV-83 |
| MIL-E-1/1508A(1) | ELECTRON TUBE, RECEIVING TYPE 6754 [CUST: CR EC 85] [REVIEW: 11 99 AS CG OS SH] | A 5960 | CC | 05-FEB-75 |
| MIL-E-1/1509D | ELECTRON TUBE, POWER TYPE 6696A 6697A & 6697AW [CUST: CR EC 85] [REVIEW: 11 17 99 AS AV CG CR4 OS] | A 5960 | CC | 20-FEB-76 |
| MIL-E-1/1539(1) NOT 2 | ELECTRON TUBE, TRAVELING WAVE, CW AMPLIFIER TYPE 8551 (NO S/S DOCUMENT) [CUST: CR] | A 5960 | CC | 26-JAN-96 |
| MIL-E-1/1541D NOT 1 | ELECTRON TUBE, POWER TYPE 8561 [CUST: 85] [REVIEW: 11 99] | A 5960 | CC | 17-APR-87 |
| MIL-E-1/1542A(1) NOT 1 | ELECTRON TUBE, POWER TYPE 7402 [CUST: 85] [REVIEW: 11 17 99] | A 5960 | CC | 17-APR-87 |
| MIL-E-1/1553B(1) | ELECTRON TUBE, POWER TYPE 7651 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CG MC OS] | A 5960 | CC | 12-AUG-76 |
| MIL-E-1/1569B NOT 1 | ELECTRON TUBE, POWER TYPE 8168 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CE CG MC MI OS SM] | A 5960 | CC | 13-JUN-89 |
| MIL-E-1/1570C | ELECTRON TUBE, MAGNETRON, TYPE 7156A [CUST: EC CC] [REVIEW: AS CG MC OS SH] | A 5960 | CC | 30-SEP-74 |
| MIL-E-1/1580B | ELECTRON TUBE, POWER TYPE 8621 [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS CG MC OS SH] | A 5960 | CC | 20-FEB-76 |
| MIL-E-1/1583A NOT 1 | ELECTRON TUBE, IMAGE CONVERTER TYPE 6929 [CUST: CR EC 85] [REVIEW: 11 99 AR AS CG MC MI OS] | A 5960 | CC | 06-JUL-90 |
| MIL-E-1/1587C(1) NOT 1 | ELECTRON TUBE, POWER TYPE 8596 [CUST: 85] [REVIEW: 99] | A 5960 | CC | 30-NOV-88 |
| MIL-E-1/1588 | ELECTRON TUBE, RECEIVING TYPE 6H6WGT (SEE MIL E 1/1599) [CUST: EC CC] [REVIEW: AS CG MC] | A 5960 | CC | 03-FEB-66 |
| MIL-E-1/1589C(1) | ELECTRON TUBE, KLYSTRON TYPE 8237 [CUST: EC CC] [REVIEW: AS CG MC OS] | A 5960 | CC | 04-JUN-76 |
| MIL-E-1/1590B(1) | ELECTRON TUBE, THYRATRON TYPE 8613 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CG CR4 MC OS] | A 5960 | CC | 23-AUG-79 |
| MIL-E-1/1593B(1) | ELECTRON TUBE, RECEIVING TYPE 8233 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG CR4 MC OS SH] | A 5960 | CC | 26-JUL-93 |
| MIL-E-1/1596A | ELECTRON TUBE, POWER TYPE 8116 [CUST: EC CC] [REVIEW: AS CG MC OS SH] | A 5960 | CC | 30-OCT-74 |
| MIL-E-1/1605A | ELECTRON TUBE, TRAVELING WAVE TYPE 8128 [CUST: EC CC] [REVIEW: AS CG MC OS SH] | A 5960 | CC | 02-DEC-74 |
| MIL-E-1/1609A(1) | ELECTRON TUBE, VOLTAGE REGULATOR TYPE 8515 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CG MC] | A 5960 | CC | 06-JUN-72 |
| MIL-E-1/1612 NOT 2 | ELECTRON TUBE, GAS TYPE 7620 [CUST: EC CC] [REVIEW: CG MC] | A 5960 | CC | 19-MAY-75 |
| MIL-E-1/1614A | ELECTRON TUBE, GAS TYPE 857B [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC OS SH] | A 5960 | CC | 12-DEC-74 |
| MIL-E-1/1618B NOT 2 | ELECTRON TUBE, MAGNETRON TYPE 7256 [CUST: CR EC 85] [REVIEW: 11 99 AS CC CG OS] | A 5960 | CC | 30-SEP-93 |
| MIL-E-1/1619B NOT 2 | ELECTRON TUBE, POWER TYPES 8161 AND 8251 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS CC CG MC SH] | A 5960 | CC | 30-SEP-93 |
| MIL-E-1/1622A(1) NOT 2 | ELECTRON TUBE, KLYSTRON TYPE 7829A [CUST: 85] [REVIEW: 99] | A 5960 | CC | 30-SEP-93 |
| MIL-E-1/1623B | ELECTRON TUBE, TRAVELING WAVE TYPE 8175 [CUST: CR EC 85 CC] [REVIEW: 11 99 AS CG MC MI SH] | A 5960 | CC | 11-MAY-76 |
| MIL-E-1/1624A | ELECTRON TUBE, MAGNETRON TYPE 8682 [CUST: EC CC] [REVIEW: AS CG MC OS SH] | A 5960 | CC | 03-MAR-75 |
| MIL-E-1/1627 NOT 2 | ELECTRON TUBE, KLYSTRON TYPE 8634 (NO S/S DOCUMENT) [CUST: CR] | A 5960 | CC | 26-JAN-96 |
| MIL-E-1/1631A NOT 2 | ELECTRON TUBE, KLYSTRON TYPE VA 220B [CUST: CR EC 85] [REVIEW: 11 99 AR AS CC CG MC OS] | A 5960 | CC | 30-SEP-93 |
| MIL-E-1/1633(1) NOT 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7211 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CC CG CR4 MC OS] | A 5960 | CC | 07-JUN-93 |
| MIL-E-1/1635A NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 10ALP19 [CUST: CR] [REVIEW: AV CR4] | A 5960 | CC | 14-JUN-89 |
| MIL-E-1/1636A(1) | ELECTRON TUBE, THYRATRON TYPE 7782 [CUST: EC CC] [REVIEW: CG MC] | A 5960 | CC | 22-FEB-77 |
| MIL-E-1/1640B | ELECTRON TUBE, MAGNETRON TYPE 8855 [CUST: CR EC 85 CC] [REVIEW: 11 AS CG MC OS] | A 5960 | CC | 29-JAN-76 |
| MIL-E-1/1648B | ELECTRON TUBE, POWER TYPE 8660 [CUST: EC] [REVIEW: AS CG MC OS] | A 5960 | CC | 20-FEB-76 |
| MIL-E-1/1654A | ELECTRON TUBE, TRAVELING WAVE TYPE 8364 [CUST: EC CC] [REVIEW: AS CG MC OS] | A 5960 | CC | 09-NOV-70 |
| MIL-E-1/1657B | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8727 [CUST: EC CC] [REVIEW: AS CG MC OS] | A 5960 | CC | 30-JUN-77 |
| MIL-E-1/1658A(1) NOT 2 | ELECTRON TUBE, THYRATRON TYPE 8789 [CUST: 85] [REVIEW: 11 99] | A 5960 | CC | 30-SEP-93 |
| MIL-E-1/1660A | ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 8403 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG CR4 SH] | A 5960 | CC | 11-NOV-75 |
| MIL-E-1/1661A | ELECTRON TUBE, THYRATRON TYPE 8765 [CUST: CR EC 85 CC] [REVIEW: 11 99 AS CG CR4 MI OS] | A 5960 | CC | 11-NOV-75 |
| MIL-E-1/1664A | ELECTRON TUBE, MAGNETRON TYPE 8827 [CUST: EC CC] [REVIEW: AS CG MC OS] | A 5960 | CC | 16-JUN-75 |
| MIL-E-1/1669 NOT 1 | ELECTRON TUBE, KLYSTRON TYPE 8766 [CUST: CR] | A 5960 | CC | 14-JUN-89 |
| MIL-E-1/1670B(1) NOT 1 | ELECTRON TUBE, POWER TYPE 8590 [CUST: 85] [REVIEW: 11 99] | A 5960 | CC | 28-MAR-91 |
| MIL-E-1/1679A NOT 1 | ELECTRON TUBE, POWER TYPE 8252W [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AV CG CR4 MC MI OS SH] | A 5960 | CC | 14-JUN-89 |
| MIL-E-1/1688A NOT 2 | ELECTRON TUBE, MAGNETRON TYPE 8798 [CUST: 85] [REVIEW: 11 99] | A 5960 | CC | 30-SEP-93 |
| MIL-E-1/1701B | ELECTRON TUBE, GAS SWITCHING TYPE DOD 004 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CG MC OS] | A 5960 | CC | 21-JUN-76 |
| MIL-E-1/1705A NOT 2 | ELECTRON TUBE, MAGNETRON TYPE 8896 [CUST: 85] [REVIEW: 11 99] | A 5960 | CC | 30-SEP-93 |
| MIL-E-1/1708(2) NOT 1 | ELECTRON TUBE, KLYSTRON TYPE DOD-007 1/ [CUST: EC CC] [REVIEW: AS CG MC OS SH] | A 5960 | CC | 11-JUN-74 |
| MIL-E-1/1709A | ELECTRON TUBE, GAS SWITCHING TYPE 8919 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC OS] | A 5960 | CC | 26-JUN-85 |
| MIL-E-1/1710 NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE DOD 008 [CUST: 85] [REVIEW: 17 99] | A 5960 | CC | 17-APR-87 |
| MIL-E-1/1716(1) NOT 1 | ELECTRON TUBE, POWER TYPE 8171 [CUST: CR 80] [REVIEW: 11 17 19 99 AR] | A 5960 | CC | 14-JUN-89 |
| MIL-E-1/1717A | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8906 [CUST: CR EC 85 CC] [REVIEW: 11 17 80 AS CG MC OS] | A 5960 | CC | 15-APR-76 |
| MIL-E-1/1718 | ELECTRON TUBE, GAS SWITCHING TYPE 8922 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC MI OS] | A 5960 | CC | 01-JUN-72 |
| MIL-E-1/1719(1) NOT 1 | ELECTRON TUBE, MAGNETRON TYPE DOD 011 [CUST: CR EC CC] [REVIEW: AR AS CG MC OS] | A 5960 | CC | 12-APR-74 |
| MIL-E-1/1738B | ELECTRON TUBE, MAGNETRON TYPE 8939 [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS MC OS] | A 5960 | CC | 12-JUN-78 |
| MIL-E-1/1754 | ELECTRON TUBE, MAGNETRON TYPE DOD 032 [CUST: EC CC] [REVIEW: AS OS] | A 5960 | CC | 31-OCT-74 |
| MIL-E-1/1764B NOT 3 | ELECTRONIC TUBE, NEGATIVE GRID (MICROWAVE) 1/ TYPE DOD-038 (NO S/S DOCUMENT) [CUST: CR] | A 5960 | CC | 26-JAN-96 |
| MIL-E-1/1772(1) NOT 2 | ELECTRON TUBE, MAGNETRON, KU BAND, PULSE TYPE (NO S/S DOCUMENT) [CUST: CR] | A 5960 | CC | 26-JAN-96 |
| MIL-DTL-2E | VALVES, CYLINDER, GAS (FOR COMPRESSED OR LIQUEFIED GASES), GENERAL SPECIFICATION FOR [CUST: CR4 SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 |
| MIL-DTL-2/1D | VALVE, CYLINDER, GAS: ACETYLENE, OUTLET 510, INLET .75 INCH [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 |
| MIL-DTL-2/2D | VALVE, CYLINDER, GAS: ACETYLENE, OUTLET 510, INLET 1.00 INCH [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 |
| MIL-DTL-2/3C | VALVE, CYLINDER, GAS: ACETYLENE, OUTLET 200 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 |
| MIL-DTL-2/4C | VALVE, CYLINDER, GAS: AEROSOL INSECTICIDE, OUTLET 660 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 |
| MIL-DTL-2/5C | VALVE, CYLINDER, GAS: AIR FOR HUMAN RESPIRATION, OUTLET 346 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|--|--------------------------|-----|-------------|------|
| MIL-DTL-2/6C | VALVE, CYLINDER, GAS: AIR INDUSTRIAL, OUTLET 590, OIL TOLERANT [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/7C | VALVE, CYLINDER, GAS: ANHYDROUS AMMONIA (DISHED-HEAD CYLINDER) OUTLET 240, INLET .75 INCH [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/8C | VALVE, CYLINDER, GAS: ANHYDROUS AMMONIA (CONVEX-HEAD CYLINDER) OUTLET 240, INLET .75 INCH [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/9C | VALVE, CYLINDER, GAS: ANHYDROUS AMMONIA (DISHED-HEAD CYLINDER) OUTLET 240, INLET 1 INCH [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/10C | VALVE, CYLINDER, GAS: ANHYDROUS AMMONIA (CONVEX-HEAD CYLINDER) OUTLET 240, INLET 1 INCH [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/11C | VALVE, CYLINDER, GAS: ARGON, HELIUM, NITROGEN, NEON AND XENON (INERT-OIL FREE), OUTLET 580 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/14D | VALVE, CYLINDER, GAS: BUTANE, PROPANE, BUTANE-PROPANE MIXTURES AND MAPP GAS (MAXIMUM 100 POUND NOMINAL CAPACITY CYLINDER) OUTLET OUTLET 510 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/15C | VALVE, CYLINDER, GAS: CARBON DIOXIDE, OUTLET 320 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/16C | VALVE, CYLINDER, GAS: CARBON DIOXIDE, OUTLET 320 (MEDICAL) [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/17D | VALVE, CYLINDER, GAS: CARBON DIOXIDE, OUTLET 940 (PIN INDEX) MEDICAL [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/18C | VALVE, CYLINDER, GAS: CARBON MONOXIDE, OUTLET 350 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/19C | VALVE CYLINDER, GAS: ETHYLENE OXIDE-CARBON DIOXIDE MIXTURE, OUTLET 350 [CUST: CR4 SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/20C | VALVE, CYLINDER, GAS: CHLORINE OUTLET 820 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/21C | VALVE, CYLINDER, GAS: CHLORINE (TON CONTAINER) OUTLET 820 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/22D | VALVE, CYLINDER, GAS: REFRIGERANTS, OUTLET 660 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/23C | VALVE, CYLINDER, GAS: ETHYL CHLORIDE, OUTLET 300 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/24C | VALVE, CYLINDER, GAS: ETHYLENE OXIDE, OUTLET 510 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/26C | VALVE, CYLINDER, GAS: HELIUM AND NITROGEN, (INERT-OIL TOLERANT) OUTLET 590 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/27C | VALVE, CYLINDER, GAS: OXYGEN-HELIUM MIXTURE (HELIUM NOT OVER 80 PERCENT) OUTLET 280 (MEDICAL) [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/28C | VALVE, CYLINDER, GAS: OXYGEN-HELIUM MIXTURE (HELIUM NOT OVER 80 PERCENT) OUTLET 890 (PIN-INDEX) MEDICAL [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/29C | VALVE, CYLINDER, GAS: HYDROGEN, OUTLET 350 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-V-2/33C | VALVE, CYLINDER, GAS, NITROGEN, RECOIL MECHANISMS, OUTLET 000 [CUST: SH 68] [REVIEW: AS AV GS MC MI YDI] | A 8120 | 68 | 28-AUG-73 | |
| MIL-DTL-2/37C | VALVE, CYLINDER, GAS: NITROUS OXIDE, OUTLET 326 (MEDICAL) [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/38D | VALVE, CYLINDER, GAS: NITROUS OXIDE, OUTLET 910 (PIN INDEX) MEDICAL [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/39C | VALVE, CYLINDER, GAS: OXYGEN, OUTLET 540 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/41C | VALVE, CYLINDER, GAS: OXYGEN, OUTLET 540 (MEDICAL) [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/42D | VALVE, CYLINDER, GAS: OXYGEN, OUTLET 870 (PIN-INDEX) MEDICAL [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/43C | VALVE, CYLINDER, GAS: PHOSGENE, (TON CONTAINER) OUTLET 660 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/44C | VALVE, CYLINDER, GAS: BUTANE, PROPANE, AND BUTANE-PROPANE MIXTURE (MAXIMUM 200 POUND NOMINAL CAPACITY CYLINDER) OUTLET 510 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/46C | VALVE, CYLINDER, GAS: SULFUR HEXAFLUORIDE OUTLET 590 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/47A | VALVE, CYLINDER, GAS: AIR FOR HUMAN RESPIRATION, OUTLET 950 (PIN-INDEX) MEDICAL [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/48A | VALVE, CYLINDER, GAS: AIR FOR HUMAN RESPIRATION, OUTLET 346 (MEDICAL) [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/49A | VALVE, CYLINDER, GAS: CYCLOPROPANE, OUTLET 920 (PIN INDEX), MEDICAL [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/50A | VALVE, CYLINDER, GAS: METHYL BROMIDE, OUTLET 330 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/51A | VALVE, CYLINDER, GAS: ARGON, HELIUM, NITROGEN, NEON, XENON, AND KRYPTON INERT-OIL FREE, OUTLET 677 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/52 | VALVE, CYLINDER, GAS: HALON FIRE FIGHTING MATERIALS, OUTLET 660 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/53 | VALVE, CYLINDER, GAS: HEXAFLUOROETHANE, OUTLET 660 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/54 | VALVE, CYLINDER, GAS: SULFUR DIOXIDE, OUTLET 660 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/55 | VALVE, CYLINDER, GAS: OXYGEN, OUTLET 540 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/56 | VALVE, CYLINDER, GAS: ARGON, HELIUM, NITROGEN, NEON, XENON AND KRYPTON (INERT-OIL FREE) OUTLET 680 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/57 | VALVE, CYLINDER, GAS: HELIUM AND NITROGEN, (INERT-OIL TOLERANT) OUTLET 621 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/58 | VALVE, CYLINDER, GAS: ARGON, HELIUM, NITROGEN, NEON, XENON AND KRYPTON (INERT-OIL FREE), OUTLET 677 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/59 | VALVE, CYLINDER, GAS: AIR, OUTLET 347 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/60 | VALVE, CYLINDER, GAS: OXYGEN-HELIUM MIXTURE (HELIUM OVER 80 PERCENT) OUTLET 500, (MEDICAL) [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/61 | VALVE, CYLINDER, GAS: OXYGEN-HELIUM MIXTURE (HELIUM NOT OVER 80 PERCENT), OUTLET 930, (PIN-INDEX) MEDICAL [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/62 | VALVE, CYLINDER, GAS: METHANE, OUTLET 350 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/63 | VALVE, CYLINDER, GAS: NATURAL GAS, OUTLET 350 [CUST: CR4 SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/64 | VALVE, CYLINDER, GAS: HYDROGEN CHLORIDE, OUTLET 330 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/65 | VALVE, CYLINDER, GAS: HYDROGEN SULFIDE, OUTLET 330 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |
| MIL-DTL-2/66 | VALVE, CYLINDER, GAS: MILDLY OXIDIZING MIXTURES (5 TO 23% OXYGEN), OUTLET 590 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | 09-JUN-95 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-DTL-2/67 | VALVE, CYLINDER, GAS: LOW PRESSURE, FLAMMABLE OR TOXIC MIXTURE, OUTLET 510 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | | 09-JUN-95 |
| | MIL-DTL-2/68 | VALVE, CYLINDER, GAS: INERT-OIL FREE MIXTURES, OUTLET 580 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | | 09-JUN-95 |
| | MIL-DTL-2/69 | VALVE, CYLINDER, GAS: CORROSIVE (ACIDIC) MIXTURES, OUTLET 330 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | | 09-JUN-95 |
| | MIL-DTL-2/70 | VALVE, CYLINDER, GAS: HIGH PRESSURE FLAMMABLE OR TOXIC MIXTURES, OUTLET 350 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | | 09-JUN-95 |
| | MIL-DTL-2/71 | VALVE, CYLINDER, GAS: HIGH PRESSURE, TOXIC AND OXIDIZING MIXTURES, OUTLET 660 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | | 09-JUN-95 |
| | MIL-DTL-2/72 | VALVE, CYLINDER, GAS: FLUORINATING COMPOUND MIXTURES, OUTLET 670 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | | 09-JUN-95 |
| | MIL-DTL-2/73 | VALVE, CYLINDER, GAS: CORROSIVE (BASIC) MIXTURES, OUTLET 705 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | | 09-JUN-95 |
| | MIL-DTL-2/74 | VALVE, CYLINDER, GAS: LOW PRESSURE, TOXIC AND OXIDIZING MIXTURES, OUTLET 660 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | | 09-JUN-95 |
| | MIL-DTL-2/75 | VALVE, CYLINDER, GAS: OXYGEN, OUTLET 577 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | | 09-JUN-95 |
| | MIL-DTL-2/76 | VALVE, CYLINDER, GAS: OXIDIZING MIXTURES, OUTLET 296 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | | 09-JUN-95 |
| | MIL-DTL-2/77 | VALVE, CYLINDER, GAS: METHYL CHLORIDE, OUTLET 660 [CUST: AT SH 68] [REVIEW: 68 AS AV MC YDI] | A 8120 | GS | | 09-JUN-95 |
| | MIL-V-3E | VALVES, FITTINGS, AND FLANGES (EXCEPT FOR SYSTEMS INDICATED HEREIN); PACKAGING OF [CUST: CR4 SH 69] [REVIEW: 99 CC MC MI SA SM YDI] | A PACK | SH | | 01-NOV-94 |
| | MIL-DTL-4M | TIRES AND INNER TUBES (NON-AIRCRAFT); PACKAGING OF [CUST: AT MC 99] [REVIEW: 84 AV] | A 2610 | AT | | 10-JAN-97 |
| | MIL-C-5E(2) SUP 1A NOT 1 | CAPACITORS, FIXED, MICA DIELECTRIC GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG CR4 MC OS] | A 5910 | CC | | 26-OCT-90 |
| | MIL-C-5/1F NOT 1 | CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM15 [CUST: CR EC 85] [REVIEW: 11 99 CR4 MI] | A 5910 | CC | | 05-SEP-89 |
| | MIL-C-5/2G(1) | CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 20 [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC OS SH] | A 5910 | CC | | 20-NOV-87 |
| | MIL-C-5/4E(1) | CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 30 [CUST: CR EC 85] [REVIEW: 11 17 19 AS CG MC OS SH] | A 5910 | CC | | 20-NOV-87 |
| | MIL-C-5/5G(1) | CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 35 [CUST: CR EC 85] [REVIEW: 11 17 19 AS CG MC OS SH] | A 5910 | CC | | 20-NOV-87 |
| | MIL-C-5/7F(1) NOT 1 | CAPACITORS, FIXED, MICA DIELECTRIC STYLE CM45 [CUST: CR EC 85] [REVIEW: 17 99 CR4] | A 5910 | CC | | 07-AUG-91 |
| | MIL-C-5/8G | CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM50 [CUST: CR EC 85] [REVIEW: 17 99 CR4 MI] | A 5910 | CC | | 07-AUG-91 |
| | MIL-C-5/9F(2) NOT 1 | CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM55 [CUST: CR EC 85] [REVIEW: 99] | A 5910 | CC | | 07-AUG-91 |
| | MIL-C-5/10G(1) NOT 1 | CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM60 [CUST: CR EC 85] [REVIEW: 17 99] | A 5910 | CC | | 06-MAY-91 |
| | MIL-C-5/11E(1) NOT 1 | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM65, CM66, AND CM68 [CUST: CR EC 85] [REVIEW: 11 17 19 99 CG CR4 MC] | A 5910 | CC | | 30-OCT-89 |
| | MIL-C-5/12F(2) | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM70, CM71, AND CM73 [CUST: CR EC 85] [REVIEW: 11 17 19 AS CG MC OS SH] | A 5910 | CC | | 11-SEP-89 |
| | MIL-C-5/13E(1) NOT 1 | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM75, CM76, AND CM78 [CUST: CR EC 85] [REVIEW: 17 19 99 CG CR4 MC] | A 5910 | CC | | 30-OCT-89 |
| A | MIL-C-5/14F(2) | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM80, CM81, AND CM83 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 CG MC OS] | A 5910 | CC | | 11-OCT-89 |
| | MIL-C-5/15F(2) | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM85, CM86, AND CM88 [CUST: CR EC 85] [REVIEW: 11 17 19 AS CG MC OS SH] | A 5910 | CC | | 11-SEP-89 |
| | MIL-C-5/16F(2) NOT 1 | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM90, CM91, AND CM93 [CUST: CR EC 85] [REVIEW: 11 17 19 AS CG MC OS SH] | A 5910 | CC | | 11-SEP-89 |
| | MIL-I-10B(3) | INSULATING COMPOUND, ELECTRICAL, CERAMIC CLASS L [CUST: CR SH 85] [REVIEW: 85 AT AV CC CR4 EA MC MI OS] | A 5970 | GS | | 06-DEC-84 |
| | MIL-C-17G(3) SUP 1 | CABLES, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI NA OS SH] | A 6145 | IS | | 08-JAN-96 |
| A | MIL-C-17/29C(1) NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/29-RG59 [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS AT CC CR4 MC MI OS SH] | A 6145 | CC | | 26-AUG-88 |
| | MIL-C-17/31B(1) NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 125 OHMS, M17/31-RG63, UNARMORED, 17/31-RG79, ARMORED [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | | 26-AUG-88 |
| | MIL-C-17/47C(1) | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 185 OHMS, M17/47-RG114 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | | 31-OCT-88 |
| | MIL-C-17/52B | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/52-00001, M17/52-RG119, UNARMORED, M17/52-RG120, ARMORED [CUST: CR EC 99] [REVIEW: 11 17 19 85 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | | 31-OCT-88 |
| | MIL-C-17/60C(3) NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/60-RG142 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | | 06-MAR-92 |
| | MIL-C-17/62C(1) | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 75 OHMS M17/62 RG144 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | | 24-AUG-95 |
| A | MIL-C-17/64B(3) | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/64-RG-164, UNARMORED, M17/64-RG35, ARMORED [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CC CR4 MC MI OS SH] | A 6145 | CC | | 24-MAY-82 |
| | MIL-C-17/65B(2) | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, UNARMORED M17/65-RG165, AND ARMORED, M17/65-RG166 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | | 15-JAN-91 |
| A | MIL-C-17/67C(1) | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/67 RG177 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CC CR4 MC MI OS SH] | A 6145 | CC | | 18-JUL-85 |
| | MIL-C-17/75F | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/75 RG214 & M17/75 RG365 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | | 24-SEP-86 |
| | MIL-C-17/78C | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/78-RG217 AND M17/78-00001 (TEMPERATURE STABILIZED) [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 IS MC MI OS SH YDI] | A 6145 | CC | | 13-APR-93 |
| | MIL-C-17/86B(1) NOT 2 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/86-00001 AND M17/86-00002 (ARMORED) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | | 24-AUG-95 |
| | MIL-C-17/87A NOT 2 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/87-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS IS MC OS SH] | A 6145 | CC | | 06-MAR-92 |
| | MIL-C-17/90A(1) NOT 1 | CABLES, RADIO FREQUENCY, COAXIAL, 93 OHMS, M17/90-RG71 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | | 16-AUG-88 |
| | MIL-C-17/93G NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/93-RG178 AND M17/93-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | | 06-MAR-92 |
| | MIL-C-17/94F | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 75 OHMS M17/94 RGG179 [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | | 18-JUL-85 |
| | MIL-C-17/95E | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 95 OHMS M17/95 RG180 [CUST: CR SH 85] [REVIEW: 11 17 19 AR AS AT CR4 MC MI OS] | A 6145 | CC | | 18-JUL-85 |
| | MIL-C-17/97C | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 93 OHMS M17/97 RG210 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | | 18-JUL-85 |
| | MIL-C-17/110D | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 75 OHMS M17/110 RG302 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | | 18-JUL-85 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Unit Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|------------------------|--|-----------------------|-----------------|-----------|
| | MIL-C-17/111C | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/111 RG303 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 18-JUL-85 |
| | MIL-C-17/112A(1) | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS H17/112 RG304 [CUST: CR SH 85] [REVIEW: 11 17 19 99 AR AT CR4 IS MI] | A 6145 | CC | 18-JUL-85 |
| | MIL-C-17/113C(2) NOT 2 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/113-RG316 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 06-MAR-92 |
| | MIL-C-17/116C(1) | CABLES, RADIO FREQUENCY, FLEXIBLE, TRIAXIAL, 75 OHMS, M17/116-RG307 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 13-JAN-93 |
| | MIL-C-17/126B NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, LOW NOISE, 72 OHMS, M17/126-RG391 (UNARMORED), M17/126-RG392 (ARMORED) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS] | A 6145 | CC | 26-AUG-88 |
| A | MIL-C-17/127C(2) | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/127 RG393 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CC CR4 MI MS OS SH] | A 6145 | CC | 18-JUL-85 |
| A | MIL-C-17/128B(1) | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/128 RG400 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CC CR4 MC MI OS SH] | A 6145 | CC | 18-JUL-85 |
| | MIL-C-17/129D | CABLES, RADIO FREQUENCY, COAXIAL, 0.250 (6.35 MM) DIAMETER, SEMIRIGID, 50 OHMS, M17/129-RG401 AND M17/129-00001 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 17-JAN-92 |
| A | MIL-C-17/130E(2) | CABLES, RADIO FREQUENCY, COAXIAL, 0.141 INCH (3.58 MM) DIAMETER, SEMIRIGID, 50 OHMS [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CC CR4 MC MI OS SH] | A 6145 | CC | 01-MAR-94 |
| | MIL-C-17/131B | CABLES, RADIO FREQUENCY, FLEXIBLE, TRIAXIAL, 50 OHMS, M17/131-RG403 [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 31-MAR-92 |
| | MIL-C-17/132B | CABLES, RADIO FREQUENCY, COAXIAL, LOW NOISE, 50 OHMS, M17/132-000 01 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 19-NOV-87 |
| | MIL-C-17/133D(2) | CABLES, RADIO FREQUENCY, COAXIAL, 0.0865 INCH (2.20 MM) DIAMETER, SEMIRIGID, 50 OHMS [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 01-MAR-94 |
| A | MIL-C-17/134C(1) | CABLE, RADIO FREQUENCY, TRIAXIAL, .245 INCH, 50 OHM, WATERBLOCKED, NON-WATER BLOCKED AND CROSSLINKED, LOW SMOKE [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI OS SH TD] | A 6145 | CC | 12-JUL-94 |
| A | MIL-C-17/135C(1) | CABLES, RADIO FREQUENCY, TRIAXIAL, .500 INCH, 50 OHM, WATERBLOCKED, NON-WATER BLOCKED AND CROSSLINKED, LOW SMOKE [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI OS SH TD] | A 6145 | CC | 12-JUL-94 |
| | MIL-C-17/136B NOT 2 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/136-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 26-SEP-91 |
| | MIL-C-17/137 NOT 3 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 95 OHMS, M17/137-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 26-SEP-91 |
| | MIL-C-17/138A(1) NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/138-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 30-AUG-91 |
| | MIL-C-17/139C | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 95 OHMS, M17/139-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 80 AS AT CR4 IS MC MI SH] | A 6145 | CC | 23-NOV-88 |
| | MIL-C-17/151(3) | CABLES, RADIO FREQUENCY, COAXIAL, 0.047 INCH DIAMETER, SEMIRIGID, 50 OHMS, M17/151-00001 AND M17/151-00002 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 21-SEP-92 |
| | MIL-C-17/152A | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/152 00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 18-JUL-85 |
| | MIL-C-17/154(3) | CABLES, RADIO FREQUENCY, COAXIAL, 0.034 INCH DIAMETER, SEMIRIGID, 50 OHMS, M17/154-00001 AND M17/154-00002 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 21-SEP-92 |
| | MIL-C-17/156 NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/156-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 26-SEP-91 |
| | MIL-C-17/158A | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/158-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 18-JUL-85 |
| | MIL-C-17/159 NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/159-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 06-MAR-92 |
| | MIL-C-17/160B | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/160-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 18-JUL-85 |
| | MIL-C-17/163A | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/163-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 18-JUL-85 |
| | MIL-C-17/164 NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/164-00001 AND M17/164-00002 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 06-MAR-92 |
| | MIL-C-17/165A | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/165-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 18-JUL-85 |
| | MIL-C-17/166B | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/166-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 18-JUL-85 |
| | MIL-C-17/168A NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/168-00001 AND M17/168-00002 [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 06-MAR-92 |
| | MIL-C-17/169A | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/169-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 18-JUL-85 |
| | MIL-C-17/170A | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/170-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 18-JUL-85 |
| | MIL-C-17/171A NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/171-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 26-SEP-91 |
| | MIL-C-17/172A | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/172-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 18-JUL-85 |
| A | MIL-C-17/173A NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/173-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CC CR4 MC MI OS SH TD] | A 6145 | CC | 26-SEP-91 |
| | MIL-C-17/174A NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/174-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 06-MAR-92 |
| | MIL-C-17/175B | CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/175-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 18-JUL-85 |
| | MIL-C-17/176D | CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, M17/176-00002 AND M17/176-00003 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 07-JUN-90 |
| | MIL-C-17/177A NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE TRIAXIAL, 95 OHMS, M17/177-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 26-SEP-91 |
| | MIL-C-17/178A NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE TRIAXIAL, 95 OHMS, M17/178-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 26-SEP-91 |
| | MIL-C-17/179A NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE TRIAXIAL, 75 OHMS, M17/179-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 26-SEP-91 |
| A | MIL-C-17/180B | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/180-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/181B | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/181-00001 UNARMORED, M17/181-00002 ARMORED [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/182B | CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, 95 OHMS, M17/182-00001 UNARMORED, M17/182-00002 ARMORED [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc No | Document Number | Document Title | Distribution FSC/Doc No | Prep. Acty. | Date |
|--------|-----------------|---|-------------------------|-------------|-----------|
| A | MIL-C-17/183B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/183-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/184B | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/184-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/185B | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 93 OHMS, M17/185-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/186B | CABLE, RADIO FREQUENCY, FLEXIBLE, TWIN, 78 OHMS, M17/186-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/187B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/187-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/188B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/188-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/189B | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/189-00001 UNARMORED, M17/189-00002 ARMORED [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/190B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/190-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/191B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 75 OHMS, M17/191-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/192C | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/192-00001 AND M17/192-00002 [CUST: CR EC 85] [REVIEW: 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 15-MAR-93 |
| A | MIL-C-17/193B | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/193-00001 UNARMORED, M17/193-00002 ARMORED [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/194B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/194-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/195B | CABLE, RADIO FREQUENCY, COAXIAL, 93 OHMS, M17/195-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/196B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/196-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/197B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/197-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/198B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/198-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/199B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/199-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/200B | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/200-00001 [CUST: CR EC 85] [REVIEW: 11 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 20-FEB-91 |
| A | MIL-C-17/201 | CABLES, RADIO FREQUENCY, FLEXIBLE, TWINAXIAL, SINGLE SHIELD, DATA BUS, 77 OHMS [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI OS SH TD] | A 6145 | CC | 09-DEC-93 |
| A | MIL-C-17/202 | CABLES, RADIO FREQUENCY, FLEXIBLE, TWINAXIAL, DOUBLE SHIELD, DATA BUS, 77 OHMS [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI OS SH TD] | A 6145 | CC | 09-DEC-93 |
| A | MIL-C-17/203 | CABLES, RADIO FREQUENCY, FLEXIBLE, TWINAXIAL, EMP HARDENED, DOUBLE SHIELD, DATA BUS, 77 OHMS [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI OS SH TD] | A 6145 | CC | 09-DEC-93 |
| A | MIL-C-17/205 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/205-00018 AND M17/205-00050 [CUST: CR EC 85] [REVIEW: 19 80 99 AR AS AT CC CR4 MC MI OS SH] | A 6145 | CC | 25-FEB-94 |
| A | MIL-C-17/206A | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/206-00018 AND M17/206-00030 [CUST: CR EC 85] [REVIEW: 11 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 22-MAY-95 |
| A | MIL-C-17/208 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 185 OHMS, M17/208-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-C-17/209 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/209-00001, UNARMORED, M17/209-00002, ARMORED [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-C-17/210 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/210-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-C-17/211 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, LOW NOISE, 72 OHMS, M17/211-00001 (UNARMORED), M17/211-00002 (ARMORED) [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-C-17/212 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/212-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-C-17/213 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/213-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-C-17/214 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/214-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-C-17/215 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/215-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-C-17/216 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/216-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-C-17/217 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/217-00001 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-C-17/218 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 125 OHMS, M17/218-00001, UNARMORED, M17/218-00002, ARMORED [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AS AT CR4 MC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| | MIL-B-18E(1) | BATTERY, DRY [CUST: CR SH 99] [REVIEW: 11 85 AR AS AV CR4 MC MI OS YD1] | A 6135 | GS | 12-MAY-83 |
| | MIL-B-18/1D | BATTERY DRY BA- 402/U [CUST: CR SH 99] [REVIEW: CR4 MC] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/3D | BATTERY, DRY, BA-8 [CUST: CR SH 99] [REVIEW: CR4 MC MI SA] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/4D | BATTERY, DRY, BA-15A [CUST: SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/6D | BATTERY, DRY, BA-26 [CUST: CR SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/7D | BATTERY, DRY, BA-27 [CUST: CR SH 99] [REVIEW: CR4 MC] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/8D | BATTERY, DRY, BA-28 [CUST: CR SH 99] [REVIEW: CR4 MC] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/10D | BATTERY, DRY, BA-31 [CUST: CR SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/11D | BATTERY, DRY, BA-33 [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/12D | BATTERY, DRY, BA-34 [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | 21-MAY-85 |
| A | MIL-B-18/16D | BATTERY, DRY, BA-38 [CUST: CR SH 99 GS] [REVIEW: CR4 MC] | A 6135 | GS | 21-MAY-85 |
| A | MIL-B-18/17D | BATTERY, DRY, BA-39 [CUST: CR SH 99 GS] [REVIEW: CC CR4 MC] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/21D | BATTERY, DRY, BA-44 [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/23D | BATTERY, DRY, BA-48 [CUST: CR SH 99] [REVIEW: CR4 MC] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/26D | BATTERY, DRY, BA-53 [CUST: CR SH 99] [REVIEW: CR4 MC] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/27D | BATTERY, DRY, BA-56 [CUST: SH 99] [REVIEW: CC CR4 MC MI] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/29D | BATTERY, DRY, BA-59 [CUST: CR SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | 21-MAY-85 |
| | MIL-B-18/31D | BATTERY, DRY, BA-65 [CUST: CR SH 99] [REVIEW: CR4 MC MI YD1] | A 6135 | GS | 21-MAY-85 |

| Doc Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|------------|-----------------------|---|--------------------------|-----|-------------|-----------|
| | MIL-B-18/32D | BATTERY, DRY, BA-67 [CUST: CR SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/36D | BATTERY, DRY, BA-203/U [CUST: CR SH 99] [REVIEW: AR MC MI] | A 6135 | GS | | 21-MAY-85 |
| A | MIL-B-18/38D | BATTERY, DRY, BA-205/U [CUST: CR SH 99 GS] [REVIEW: AR MC] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/46D | BATTERY, DRY, BA-216/U [CUST: SH 99] [REVIEW: AR MC MI] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/50D | BATTERY, DRY, BA-222/U [CUST: CR SH 99] [REVIEW: AR MC MI] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/51D | BATTERY, DRY, BA-223/U [CUST: CR SH 99] [REVIEW: AR MC MI YD1] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/53D | BATTERY, DRY, BA-226/U [CUST: CR SH 99] [REVIEW: AR MC MI] | A 6135 | GS | | 21-MAY-85 |
| A | MIL-B-18/55D | BATTERY, DRY, BA-228/U [CUST: CR SH 99 GS] [REVIEW: AR MC] | A 6135 | GS | | 21-MAY-85 |
| A | MIL-B-18/56D | BATTERY, DRY, BA-230/U [CUST: CR SH 99 GS] [REVIEW: AR MC] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/59D | BATTERY, DRY, BA-233/U [CUST: CR SH 99] [REVIEW: AR MC MI] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/75D | BATTERY, DRY, BA-270/U [CUST: SH 99] [REVIEW: AR MC MI] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/79C | BATTERY, DRY, BA-401/U [CUST: CR SH 99] [REVIEW: AR MC MI YD1] | A 6135 | GS | | 21-AUG-76 |
| | MIL-B-18/87D | BATTERY, DRY, BA-409/U [CUST: CR SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/88D | BATTERY, DRY, BA-410/U [CUST: CR SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | | 21-MAY-85 |
| A | MIL-B-18/90D | BATTERY, DRY, BA-412/U [CUST: CR SH 99 GS] [REVIEW: CR4 NC] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/91D | BATTERY, DRY, BA-413/U [CUST: CR SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/92D | BATTERY, DRY, BA-414/U [CUST: CR SH 99] [REVIEW: CR4 MC YD1] | A 6135 | GS | | 21-MAY-85 |
| A | MIL-B-18/93D | BATTERY, DRY, BA-415/U [CUST: CR SH 99 GS] [REVIEW: CR4 MC YD1] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/94D | BATTERY, DRY, BA-416/U [CUST: SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/98D | BATTERY, DRY, BA-420/U [CUST: CR SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/99D | BATTERY, DRY, BA-421/U [CUST: SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/130D | BATTERY, DRY, BA-1277/U [CUST: SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/131D | BATTERY, DRY, BA-1278/U [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/199C | BATTERY, DRY, BA-272/U [CUST: CR SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/200C | BATTERY, DRY, BA-291/U [CUST: CR SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/204C | BATTERY, DRY, BA-314/U [CUST: CR SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/206C | BATTERY, DRY, BA-331/U [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/207C | BATTERY, DRY, BA-332/U [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/219C | BATTERY, DRY, BA-1293/U [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/223C | BATTERY, DRY, BA-1318/U [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/224B | BATTERY, DRY, BA-1328/U [CUST: SH 99] [REVIEW: AS CR4 EA MC MI YD1] | A 6135 | GS | | 21-AUG-76 |
| | MIL-B-18/249A | BATTERY, DRY, BA-1087/U [REVIEW: CC CR4 SH] | A 6135 | GS | | 21-MAY-85 |
| | MIL-B-18/250A | BATTERY, DRY, BA-399/U [CUST: CR] [REVIEW: CR4] | A 6135 | GS | | 28-MAY-85 |
| | MIL-B-18/251A | BATTERY, DRY, BA-505/U [REVIEW: CR4] | A 6135 | GS | | 28-MAY-85 |
| | MIL-B-18/253A | BATTERY, DRY, BA-1100/U [REVIEW: CR4] | A 6135 | GS | | 28-MAY-85 |
| | MIL-B-18/256A | BATTERY, DRY BA-1083/U [REVIEW: AV CR4] | A 6135 | GS | | 28-MAY-85 |
| | MIL-B-18/259A | BATTERY, DRY BA-1389/U [REVIEW: AV CR4] | A 6135 | GS | | 28-MAY-85 |
| | MIL-B-18/265A | BATTERY, DRY, BA-1093/U [REVIEW: AV CR4] | A 6135 | GS | | 28-MAY-85 |
| | MIL-B-18/268A | BATTERY, DRY, BA-1094/U | A 6135 | GS | | 28-MAY-85 |
| | MIL-C-20/39C(3) NOT 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) ESTABLISHED AND NON-ESTABLISHED RELIABILITY STYLES CCR15 AND CC15, CCR19 AND CC19 [CUST: CR 85 CC] [REVIEW: 11 99 AS MC OS SH] | A 5910 | CC | | 21-SEP-90 |
| | MIL-C-20/40B(2) NOT 2 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR16 AND CC16 [CUST: CR EC 85] [REVIEW: AS MC OS SH] | A 5910 | CC | | 24-JUL-91 |
| | MIL-C-20/41B(2) NOT 2 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR17 AND CC17 [CUST: CR EC 85] [REVIEW: AS MC OS SH] | A 5910 | CC | | 24-JUL-91 |
| | MIL-C-20/471(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR13 AND CC13 [CUST: CR EC 85] [REVIEW: 99 AS MC OS SH] | A 5910 | CC | | 15-DEC-89 |
| | MIL-C-20/48F | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED RELIABILITY, STYLES CCR14 AND CC14 [CUST: CR EC 85] [REVIEW: AS MC OS SH] | A 5910 | CC | | 31-DEC-91 |
| | MIL-C-25/2E(2) NOT 1 | CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 26 CP 27 CP 28 & CP 29 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MI OS] | A 5910 | CC | | 07-JUN-79 |
| | MIL-C-25/3E(1) NOT 1 | CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 40 & CP 41 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS] | A 5910 | CC | | 20-MAR-69 |
| | MIL-C-25/4D(1) NOT 2 | CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 53, CP 54 & CP 55 [CUST: CR EC 85] [REVIEW: 17 99 AR AS MC MI OS] | A 5910 | CC | | 02-MAR-93 |
| | MIL-C-25/6C(1) NOT 2 | CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 67 & CP 69 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MI OS] | A 5910 | CC | | 02-MAR-93 |
| | MIL-C-25/15C(1) NOT 1 | CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLE CP 91 [CUST: CR EC 85] [REVIEW: 17 99 AR AS MI OS] | A 5910 | CC | | 27-FEB-87 |
| | MIL-T-27E(2) SUP 1C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 19 AR CR4 MC YD1] | A 5950 | CC | | 06-JUN-94 |
| | MIL-T-27/3A NOT 2 | TRANSFER, AUDIO FREQUENCY, TF4R21AJ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC] | A 5950 | CC | | 24-AUG-92 |
| | MIL-T-27/4 NOT 2 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ002 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC] | A 5950 | CC | | 01-OCT-92 |
| | MIL-T-27/5A NOT 1 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [CUST: CR EC 85] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/6A NOT 2 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC] | A 5950 | CC | | 01-OCT-92 |
| | MIL-T-27/7A NOT 2 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC] | A 5950 | CC | | 01-OCT-92 |
| | MIL-T-27/8A NOT 2 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC] | A 5950 | CC | | 01-OCT-92 |
| | MIL-T-27/9A NOT 2 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC] | A 5950 | CC | | 01-OCT-92 |
| | MIL-T-27/11A NOT 2 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/18D NOT 1 | TRANSFORMER, POWER, 5.76VA, 60 HZ, TF5S03ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/26 NOT 2 | TRANSFORMER, POWER, 3.0 VOLT-AMPERES, 400 HZ, TF5T03ZZ313 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/27 NOT 2 | TRANSFORMER, POWER, STEP-DOWN, TF5V03ZZ314 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/29A NOT 1 | TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ315 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/30B | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ316 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 05-APR-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-T-27/37B NOT 1 | TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, TF5S03ZZ400 TO TF5S03ZZ443, INCLUSIVE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/38B NOT 1 | TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ444 TO TF5S03ZZ487, INCLUSIVE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/39B NOT 1 | TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, TF5S03ZZ488 TO TF5S03ZZ531, INCLUSIVE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/40B NOT 1 | TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ532 TO TF5S03ZZ575, INCLUSIVE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS SH] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/41B NOT 1 | TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, TF5S03ZZ576 TO TF5S03ZZ619, INCLUSIVE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS SH] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/42B NOT 1 | TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ620 TO TF5S03ZZ663, INCLUSIVE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/43B NOT 1 | TRANSFORMERS, POWER, 9 VOLT AMPERES, 400 HZ, TF5S03ZZ664 TO TF5S03ZZ707, INCLUSIVE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/44B NOT 1 | TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, TF5S03ZZ708 TO TF5S03ZZ751, INCLUSIVE [CUST: CR EC 85] [REVIEW: 11 19 AS CR4 MC MI OS SH] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/45B NOT 1 | TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ752 TO TF5S03ZZ795, INCLUSIVE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/46B NOT 1 | TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, TF5S03ZZ796 TO TF5S03ZZ839, INCLUSIVE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/47B NOT 1 | TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ840 TO TF5S03ZZ883, INCLUSIVE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/48C NOT 1 | TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/49C NOT 1 | TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/50C NOT 1 | TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/51C NOT 1 | TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/52C NOT 1 | TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/53C NOT 1 | TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/54C NOT 1 | TRANSFORMERS, POWER, 9.0 VOLT AMPERES, 400 HZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/55C NOT 1 | TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/56C NOT 1 | TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/57C NOT 1 | TRANSFORMERS, POWER, 50 VOLT AMPERES, 400 HZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/58C NOT 1 | TRANSFORMERS, POWER, 75 VOLT AMPERES, 400 HZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/59C NOT 1 | TRANSFORMERS, POWER, 100 VOLT AMPERES, 400 HZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/60D NOT 1 | TRANSFORMERS, POWER, 250 VOLT AMPERES 400 HZ TF403YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/61C NOT 1 | TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/62C NOT 1 | TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/63C NOT 1 | TRANSFORMERS, POWER, 50 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/64C NOT 1 | TRANSFORMERS, POWER, 75 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/65C NOT 1 | TRANSFORMERS, POWER, 100 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/66D NOT 1 | TRANSFORMERS, POWER, 250 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/67A(1) NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 10-NOV-94 |
| | MIL-T-27/68A(1) NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 10-NOV-94 |
| | MIL-T-27/69A(1) NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 10-NOV-94 |
| | MIL-T-27/70B(1) NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 10-NOV-94 |
| | MIL-T-27/71C(1) | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 10-NOV-94 |
| | MIL-T-27/72A(1) NOT 1 | TRANSFORMERS, AUDIO FREQUENCY TF5S21ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 10-NOV-94 |
| | MIL-T-27/76C(1) NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/79 NOT 1 | TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ896 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/88 NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TYPE TF5S04ZZ905 [CUST: CR EC 85] [REVIEW: 11 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/96 NOT 2 | TRANSFORMER, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ915 [CUST: CR EC 85] [REVIEW: 11 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/97B NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/103D | TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ [CUST: CR EC 85] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 06-JUN-94 |
| | MIL-T-27/111(1) NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, AUDIO, TYPE TF4U20YY930 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 09-JUN-92 |
| | MIL-T-27/112 NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, AUDIO, TYPE TF5U20ZZ931 [CUST: CR EC 85] [REVIEW: 11 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/134A NOT 1 | TRANSFORMER, POWER, STEP-DOWN, TF5V03ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 25-OCT-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Lat Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|---------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-T-27/137 NOT 3 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5V04ZZ956 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MD MI OS SH] | A 5950 | CC | | 11-AUG-93 |
| A | MIL-T-27/140B(1) | TRANSFORMERS, POWER, STEP-DOWN, TF4S03YY [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 24-DEC-97 |
| A | MIL-T-27/141A(1) | TRANSFORMERS, POWER, STEP-DOWN, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 24-DEC-97 |
| | MIL-T-27/142C(2) | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, TF5R20ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS MC OS SH] | A 5950 | CC | | 12-NOV-96 |
| | MIL-T-27/145 NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, VARIABLE, HIGH Q, TF4R20YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/146B | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, HIGH Q, TF5R20ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 14-FEB-95 |
| | MIL-T-27/147D | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, AUDIO, HIGH Q, TF4R20YY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 20-JUL-93 |
| | MIL-T-27/148A NOT 1 | TRANSFORMER, POWER, STEP-DOWN, TF4S03HA [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH TD] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/149C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, POWER, TF5S04ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 16-AUG-93 |
| | MIL-T-27/153A NOT 1 | TRANSFORMER, POWER, STEP-DOWN, TF4S03FB [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/154 NOT 1 | TRANSFORMER, POWER, STEP-DOWN, TF4S03EB [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MI OS SH] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/155B | TRANSFORMER, POWER, STEPDOWN, TF4S03EA [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 14-FEB-95 |
| | MIL-T-27/156A NOT 2 | TRANSFORMER, POWER, STEP-DOWN, TF4S03AJ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/157D | TRANSFORMER, POWER, STEPDOWN, TF4S03FA [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS] | A 5950 | CC | | 07-MAR-95 |
| | MIL-T-27/160A NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTION, POWER, TF5S04ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/161A NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC OS] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/162A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF4S02YY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 31-MAR-92 |
| | MIL-T-27/164C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, HIGH Q, TF5R20ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | | 14-FEB-95 |
| | MIL-T-27/165D | TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 14-FEB-95 |
| | MIL-T-27/166A(2) | TRANSFORMER, AUDIO, TF4R21YY [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 03-JAN-96 |
| | MIL-T-27/167D(1) | TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS MC MD MI OS SH] | A 5950 | CC | | 18-DEC-95 |
| | MIL-T-27/168 NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, HIGH Q, TF5R20ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/171C NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF4S04AG [CUST: CR EC 85] [REVIEW: 11 19 AR CR4 MC YDI] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/172D(1) | TRANSFORMERS, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 30-JUN-92 |
| | MIL-T-27/173E | TRANSFORMERS, AUDIO FREQUENCY, MICRO-MINIATURE, TF5R21ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 07-APR-92 |
| | MIL-T-27/179C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 08-APR-92 |
| | MIL-T-27/180A | TRANSFORMER, POWER, STEP-DOWN, TF4S03FA [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 07-JAN-91 |
| | MIL-T-27/181B | TRANSFORMER, POWER, STEP-DOWN AND STEP-UP TF4S03FA [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 04-APR-89 |
| | MIL-T-27/183B NOT 1 | TRANSFORMER, POWER, STEP-DOWN AND STEP-UP, TF4S03JA [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/184B | TRANSFORMER, POWER, STEP-DOWN, TF4S03AH [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 07-JAN-91 |
| | MIL-T-27/185A | TRANSFORMER (CHOPPER INPUT), TF4R21YY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS] | A 5950 | CC | | 08-APR-92 |
| | MIL-T-27/189A NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/197B NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF4R21YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/205B(1) | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF4R20YY [CUST: CR EC 85 CC] [REVIEW: 17 19 MI OS SH] | A 5950 | CC | | 10-JUL-96 |
| | MIL-T-27/209B | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, POWER, TF4R04FA [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 03-AUG-94 |
| | MIL-T-27/215C(1) | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, TF5S20ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 20-FEB-90 |
| | MIL-T-27/227 NOT 1 | TRANSFORMER, POWER, STEP-DOWN, TF5T03ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/235C(1) | TRANSFORMERS, POWER, ISOLATION, SHIELDED, TF4R03YY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | | 14-FEB-95 |
| | MIL-T-27/240A NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/241A NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/261A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, POWER (100 VA), TF5T04ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 11-AUG-93 |
| | MIL-T-27/263 NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/268B NOT 1 | TRANSFORMER, POWER, TF4V03JA [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/269B NOT 1 | TRANSFORMER, POWER, TF5V03ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/277 NOT 1 | TRANSFORMER, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/286B | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5R04ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | | 05-APR-90 |
| | MIL-T-27/287A(1) | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5S04ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | | 08-JAN-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|------------|------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-T-27/288A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5504ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS] | A 5950 | CC | | 17-MAY-90 |
| | MIL-T-27/289A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5504ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | | 17-MAY-90 |
| | MIL-T-27/290A NOT 2 | TRANSFORMER, AUDIO FREQUENCY, TF5521ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/300C(1) | TRANSFORMERS, POWER, STEPDOWN, TF4R03 [CUST: CR EC 85] [REVIEW: 17 19 99 AL AR AS CG CR4 MC MI OS SH] | A 5950 | CC | | 14-FEB-95 |
| | MIL-T-27/307 NOT 2 | TRANSFORMER, AUDIO FREQUENCY, TF4S21AJ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS SH] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/312A NOT 2 | TRANSFORMERS, POWER, 5 VOLT-AMPERES, 60 HERTZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/313A NOT 2 | TRANSFORMERS, POWER, 10 VOLT-AMPERES, 60 HERTZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/314A NOT 2 | TRANSFORMERS, POWER, 15 VOLT-AMPERES, 60 HERTZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/315A NOT 2 | TRANSFORMERS, POWER, 20 VOLT-AMPERES, 60 HERTZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/316A NOT 2 | TRANSFORMERS, POWER, 30 VOLT-AMPERES, 60 HERTZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/317A NOT 2 | TRANSFORMERS, POWER, 40 VOLT-AMPERES, 60 HERTZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/318B | TRANSFORMERS, POWER, 80 VOLT-AMPERES, 60 HERTZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 19-JAN-89 |
| | MIL-T-27/319B | TRANSFORMERS, POWER, 120 VOLT-AMPERES, 60 HERTZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 19-JAN-89 |
| | MIL-T-27/320B | TRANSFORMERS, POWER, 160 VOLT-AMPERES, 60 HERTZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 19-JAN-89 |
| | MIL-T-27/321C | TRANSFORMERS, POWER, 200 VOLT-AMPERES, 60 HERTZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 19-JAN-89 |
| | MIL-T-27/322C | TRANSFORMERS, POWER, 300 VOLT-AMPERES, 60 HERTZ, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 19-JAN-89 |
| | MIL-T-27/323B | TRANSFORMER, AUDIO FREQUENCY, TELEPHONE INTERCONNECT, TF5R21ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5985 | CC | | 08-APR-92 |
| | MIL-T-27/325C | TRANSFORMER, POWER, TF5503ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | | 08-APR-92 |
| | MIL-T-27/326B NOT 1 | TRANSFORMERS, POWER, 5 VA, 60 HZ, TF4S03EB [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/327C | TRANSFORMERS, POWER, 15 VA, 60 HZ, TF4S03FA [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 19-JAN-89 |
| | MIL-T-27/328B NOT 1 | TRANSFORMERS, POWER, 30 VA, 60 HZ, TF4S03GA [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/329B NOT 1 | TRANSFORMERS, POWER, 60 VA, 60 HZ, TF4S03HA [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/330B NOT 1 | TRANSFORMERS, POWER, 100 VA TO 140 VA, 60 HZ, TF4S03JA [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/331B NOT 1 | TRANSFORMERS, POWER, 160 VA AND 170 VA, TF4S03KA [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 05-JUN-89 |
| | MIL-T-27/332C(1) NOT 1 | TRANSFORMERS, POWER, 7 VOLTAMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 03-DEC-95 |
| | MIL-T-27/333C(1) NOT 1 | TRANSFORMERS, POWER, 10 VOLTAMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 03-DEC-95 |
| | MIL-T-27/334C(1) NOT 1 | TRANSFORMERS, POWER, 25 VOLTAMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 03-DEC-95 |
| | MIL-T-27/335C(1) NOT 1 | TRANSFORMERS, POWER, 50 VOLTAMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 03-DEC-95 |
| | MIL-T-27/336C(1) NOT 1 | TRANSFORMERS, POWER, 120 VOLTAMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 03-DEC-95 |
| | MIL-T-27/337D(1) | TRANSFORMERS, POWER, 150 AND 200 VOLTAMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 03-DEC-95 |
| | MIL-T-27/338D | TRANSFORMERS, POWER, 2 VOLTAMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 22-JAN-92 |
| | MIL-T-27/339D | TRANSFORMERS, POWER, 6 VOLTAMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 22-JAN-92 |
| | MIL-T-27/340D | TRANSFORMERS, POWER, 15 VOLTAMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 22-JAN-92 |
| | MIL-T-27/341D | TRANSFORMERS, POWER, 24 VOLTAMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 22-JAN-92 |
| A | MIL-T-27/342E(1) | TRANSFORMERS, POWER, 80 VOLTAMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 14-APR-98 |
| | MIL-T-27/343E | TRANSFORMERS, POWER, 175 VOLTAMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 03-AUG-94 |
| | MIL-T-27/344B NOT 1 | TRANSFORMERS, POWER, 90 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/345B NOT 1 | TRANSFORMERS, POWER, 120 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/346B NOT 1 | TRANSFORMERS, POWER, 150 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/347B NOT 1 | TRANSFORMERS, POWER, 200 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/348B NOT 1 | TRANSFORMERS, POWER, 270 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/349B NOT 1 | TRANSFORMERS, POWER, 375 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CR4 MC MI OS] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/350D(1) | TRANSFORMERS, POWER, 15 VOLT-AMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 03-DEC-95 |
| | MIL-T-27/351D(1) | TRANSFORMERS, POWER, 25 VOLT-AMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 03-DEC-95 |
| M | MIL-T-27/352D(2) | TRANSFORMERS, POWER, 50 VOLT-AMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 15-MAY-98 |
| | MIL-T-27/353D(1) | TRANSFORMERS, POWER, 75 VOLT-AMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 03-DEC-95 |
| M | MIL-T-27/354D(2) | TRANSFORMERS, POWER, 100 VOLT-AMPERES, 400 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 15-MAY-98 |

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|-------------|--------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-T-27/355 NOT 2 | TRANSFORMER, POWER TF5S03ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/356C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, POWER, TF5S04ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS] | A 5950 | CC | | 08-APR-92 |
| | MIL-T-27/357B NOT 1 | TRANSFORMER, AUDIO FREQUENCY, ULTRA-MINIATURE, TF5R21ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/358B NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 18-AUG-93 |
| | MIL-T-27/359B | TRANSFORMERS, AUDIO FREQUENCY, ULTRA-MINIATURE, TF5S21ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 08-APR-92 |
| | MIL-T-27/360 NOT 1 | TRANSFORMERS, POWER, 15 VA, 60 HZ, ELECTROSTATIC SHIELDED, TF4S03FA [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/361 NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/362 NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/363 NOT 1 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | | 25-OCT-91 |
| | MIL-T-27/364 NOT 1 | TRANSFORMER, POWER, 107 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS] | A 5950 | CC | | 27-AUG-92 |
| | MIL-T-27/365 | TRANSFORMERS, AUDIO FREQUENCY, TF5S21ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS] | A 5950 | CC | | 28-FEB-94 |
| | MIL-R-29A(3) | RESISTORS, FIXED, METER MULTIPLIER, EXTERNAL (HIGH VOLTAGE, FERRULE TERMINAL TYPE) [CUST: CR EC 85] [REVIEW: 17 19 80 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-JUL-94 |
| | MIL-C-62D(3) SUP 1 | CAPACITORS, FIXED ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED), GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CR4 MC MI OS] | A 5910 | CC | | 14-AUG-92 |
| | MIL-L-65A | LEAD THIOCYANATE (SULPHOCYANATE, [CUST: AR] [REVIEW: EA GS MD MI]) | A 6810 | AR | | 12-FEB-68 |
| | MIL-F-68F(2) | FAN, CIRCULATING, BRACKET NONOSCILLATING, NAVAL SHIPBOARD [CUST: SH] | A 4140 | IS | | 10-JUN-86 |
| | MIL-E-75H | ELECTRON TUBES, PACKING OF [CUST: CR EC 99 CC] [REVIEW: 11 17 AR AS CG MC MI OS SH SM] | A 5960 | CC | | 22-SEP-86 |
| | MIL-W-80C | WINDOW, OBSERVATION, ACRYLIC BASE, ANTIELECTROSTATIC, TRANSPARENT (FOR INDICATING INSTRUMENT) [CUST: MR SH 11] [REVIEW: AS CR CR4 GS MI OS YDI] | A 9330 | SH | | 01-DEC-66 |
| | MIL-C-81C(2) SUP 1 | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AS MC OS SH] | A 5910 | CC | | 31-MAR-94 |
| | MIL-C-81/1B | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLE CV11 [CUST: CR EC 85] [REVIEW: 19 AR MC MI] | A 5910 | CC | | 16-JAN-92 |
| | MIL-C-81/4C | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLES CV31 AND CV32 [CUST: CR EC 85] [REVIEW: 17] | A 5910 | CC | | 31-MAR-92 |
| | MIL-C-81/5B(1) | CAPACITORS, VARIABLE, CERAMIC, DIELECTRIC, STYLE CV34 [CUST: CR EC 85] [REVIEW: 17] | A 5910 | CC | | 05-AUG-91 |
| | MIL-C-81/6C(2) | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLES CV35 AND CV36 [CUST: 85] [REVIEW: 99] | A 5910 | CC | | 13-FEB-91 |
| | MIL-C-81/8 NOT 1 | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLE CV42 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AV MC MI] | A 5910 | CC | | 15-JUN-90 |
| | MIL-C-81/9B(1) | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLE CV98 [CUST: CR EC 85] [REVIEW: 17 19 99] | A 5910 | CC | | 11-JAN-91 |
| | MIL-C-81/10B | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC STYLE CV99 [CUST: CR EC 85] [REVIEW: 11 17 19 99] | A 5910 | CC | | 27-DEC-89 |
| | DOD-C-81/12 NOT 1 | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, STYLES CV50 AND CV51 [CUST: CR EC 85] [REVIEW: 11 19 80 99 AR AT MI] | A 5910 | CC | | 29-AUG-91 |
| | MIL-W-85G | WAVEGUIDES, RIGID, RECTANGULAR GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CG CR4 MC MI OS] | A 5985 | CC | | 20-APR-76 |
| | MIL-W-85G(11) | WAVEGUIDES, RIGID, RECTANGULAR GENERAL SPECIFICATION FOR [CUST: CR] | A 5985 | CR | | 14-JUL-87 |
| | MIL-W-85/1E NOT 1 | WAVEGUIDE, RIGID, RECTANGULAR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG CR4 MC MI OS] | A 5985 | CC | | 27-OCT-87 |
| | MIL-W-85/2C | WAVEGUIDE, RIGID, RECTANGULAR (HEAVY WALL) [CUST: CR EC 85] [REVIEW: 99 AR AS MC OS] | A 5985 | CC | | 13-MAY-77 |
| | MIL-W-85/4C | WAVEGUIDE, RIGID, RECTANGULAR, REDUCED HEIGHT [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS SH] | A 5985 | CC | | 23-DEC-81 |
| | MIL-P-89F | PAN, MESS KIT, CORROSION RESISTING STEEL [CUST: GL SA 99 IS] [REVIEW: MC MD YDI] | A 7350 | IS | | 10-SEP-82 |
| | MIL-C-92B(2) SUP 1 NOT 1 | CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER) GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 CG MI OS] | A 5910 | CC | | 15-JUN-90 |
| | MIL-C-92/2B NOT 1 | CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLE CT06 [CUST: CR EC 85] [REVIEW: 17 19 AS CG OS] | A 5910 | CC | | 29-AUG-88 |
| | MIL-C-92/3B NOT 1 | CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLE CT12 [CUST: CR EC 85] [REVIEW: 17 19 AS CG OS] | A 5910 | CC | | 29-AUG-88 |
| | MIL-C-92/4B NOT 1 | CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLE CT13 [CUST: CR EC 85] [REVIEW: 17 19 AS CG OS] | A 5910 | CC | | 29-AUG-88 |
| | MIL-C-92/5B NOT 1 | CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER), STYLES CT14 AND CT15 [CUST: CR EC 85] [REVIEW: 17 19 AS CG OS] | A 5910 | CC | | 29-AUG-88 |
| | MIL-G-96A NOT 1 | GUM TRAGACANTH (FOR USE IN AMMUNITION) [CUST: AR OS] [REVIEW: GS MD MI] | A 6810 | AR | | 13-JUN-88 |
| A | JAN-C-99(1) NOT 2 | CEMENT, PETTMAN [CUST: AR OS] [REVIEW: EA] | A 1395 | AR | | 21-MAY-97 |
| | MIL-C-104C(1) | CRATES, WOOD: LUMBER AND PLYWOOD SHEATHED, NAILED, AND BOLTED [CUST: CR4 YDI 69] [REVIEW: 99 AR AS AT CR EA GL MC SA SM] | A 8115 | YDI | | 24-JUN-93 |
| | MIL-C-123/9A | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS26 [CUST: 19] | A 5910 | CC | | 15-MAR-90 |
| | MIL-C-123/14 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED (HIGH FREQUENCY), STYLE CKS28 [CUST: 19 CC NA] [REVIEW: 85] | A 5910 | CC | | 21-NOV-89 |
| | MIL-C-123/15 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED (HIGH FREQUENCY), STYLE CKS29 [CUST: 19 CC NA] [REVIEW: 85 CR EC] | A 5910 | CC | | 21-NOV-89 |
| | MIL-C-123/19 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED WITH STANDOFFS, STYLE CKS05S [CUST: 19 CC NA] [REVIEW: 85 CR EC] | A 5910 | CC | | 09-MAR-90 |
| | MIL-C-123/20 | CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED WITH STANDOFFS, STYLE CKS06S [CUST: 19 CC NA] [REVIEW: 85 CR EC] | A 5910 | CC | | 21-NOV-89 |
| | MIL-B-131H | BARRIER MATERIALS, WATERVAPORPROOF, GREASEPROOF, FLEXIBLE, HEAT SEALABLE [CUST: GL AS 69] [REVIEW: 84 99 AT CC CR DS EA MI OS SA SH SM SS YDI] | A 8135 | AS | | 17-FEB-87 |
| | MIL-T-152B(2) NOT 1 | TREATMENT, MOISTURE & FUNGUS RESISTANT, OF COMMUNICATIONS, ELECTRONIC & ASSOCIATED ELECTRICAL EQUIPMENT [CUST: CR AS 11] [REVIEW: AR AV EA EC MI MR YDI] | A MISC | GS | | 03-AUG-87 |
| | MIL-B-153A(1) NOT 3 | BARIUM PEROXIDE [CUST: AR AS] [REVIEW: GS OS] | A 6810 | AR | | 10-OCT-96 |
| | MIL-G-155A(2) NOT 1 | GRAPHITE, DRY (FOR USE IN AMMUNITION) [CUST: AR OS 99] [REVIEW: CR4 EA] | A 1376 | AR | | 25-APR-88 |
| | MIL-P-156B(13) | POTASSIUM NITRATE [CUST: OS] | A 6810 | OS | | 30-APR-90 |
| | MIL-P-157A(4) | PAPER, ONIONSIN [CUST: AR] | A 1395 | AR | | 20-DEC-93 |
| | MIL-A-159D | ANTIMONY SULFIDE (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: EA GS MD OS] | A 6810 | AR | | 16-MAY-72 |
| | MIL-A-159D(11) | ANTIMONY SULFIDE (FOR USE IN AMMUNITION) [CUST: AR] | A 6810 | AR | | 13-DEC-85 |
| | MIL-F-163G NOT 2 | FAUCET, SINGLE & DOUBLE, COMPRESSION & SELF CLOSING TYPE, NAVAL SHIPBOARD [CUST: SH] [REVIEW: CC YDI] | A 4510 | SH | | 13-DEC-85 |
| | MIL-A-166C NOT 1 | AMMONIUM PICRATE (EXPLOSIVE D) [CUST: AR OS 99] | A 1376 | AR | | 25-APR-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acly. | Date |
|-------------|----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-G-174B | GLASS, OPTICAL [CUST: AR OS 99] [REVIEW: AV EA MI] | A 6650 | GR | OS | 05-DEC-86 |
| | MIL-A-175C NOT 1 | AMMONIUM NITRATE, TECHNICAL (METRIC) [CUST: EA OS 68] [REVIEW: MI SH] | A 6810 | AS | 06-MAR-89 | |
| | JAN-C-178A(1) | CHARCOAL (FOR USE IN AMMUNITION) [CUST: AR OS] [REVIEW: EA GS] | A 6810 | OS | 28-OCT-49 | |
| | JAN-C-178A(12) | CHARCOAL (FOR USE IN AMMUNITION) [CUST: AR] | A 6810 | AR | 04-MAR-91 | |
| | JAN-A-183(3) | ACID, NITRIC (FOR ORDNANCE USE) [CUST: AR OS] [REVIEW: GS] | A 6810 | AR | 12-OCT-51 | |
| | JAN-A-187 | ACID, PICRIC (TRINITROPHENOL) [CUST: AR OS] [REVIEW: GS] | A 6810 | AR | 28-FEB-45 | |
| | MIL-A-192B | AMMONIUM PERCHLORATE [CUST: AR AS 19] [REVIEW: 19 68 EA GS OS] | A 6810 | AR | 10-APR-86 | |
| | MIL-A-192B(12) | AMMONIUM PERCHLORATE, TECHNICAL [CUST: AR] | A 6810 | AR | 23-NOV-90 | |
| | MIL-P-193A(1) | POTASSIUM SULFATE (FOR ORDNANCE USE) [CUST: AR MS 68] [REVIEW: AS EA GS OS] | A 6810 | AR | 02-AUG-65 | |
| | MIL-P-193A(13) | POTASSIUM SULFATE (FOR ORDNANCE USE) [CUST: AR OS 99] | A 6810 | AR | 13-APR-81 | |
| | MIL-S-196D | SUPPORT ITEMS, ACCESSORIES, AND KITS, MECHANICAL; PACKAGING OF [CUST: SM SH 69] [REVIEW: 11 70 71 84 AR AT CR4 EC MC YDI] | A PACK | SH | 15-JUL-88 | |
| D | MIL-P-197H(1) | PACKAGING OF BEARINGS, ANTI-FRICTION, ASSOCIATED PARTS AND SUBASSEMBLIES [CUST: AR SH 99 GS] [REVIEW: 11 AS AT MC OS SA SM] | A PACK | GS | 29-JUN-95 | |
| | MIL-E-199A(3) | ETHER, DIETHYL, TECHNICAL [CUST: AR AS] [REVIEW: CR4 GS OS] | A 6810 | AR | 13-JUL-89 | |
| | MIL-C-206A NOT 1 | CELLULOSE, COTTON (FOR USE IN EXPLOSIVES) [CUST: AR OS 99] [REVIEW: MR] | A 1376 | AR | 09-JUN-88 | |
| | MIL-C-206A(12) | CELLULOSE, COTTON (FOR USE IN EXPLOSIVES) [CUST: AR] | A 1376 | AR | 09-JUN-88 | |
| | MIL-S-210A | SODIUM OXALATE, TECHNICAL (METRIC) [CUST: AR OS] [REVIEW: AS] | A 6810 | OS | 23-OCT-85 | |
| | MIL-P-211E | CELLULOSUS, RED, TECHNICAL [CUST: EA OS] [REVIEW: AR AS GS MD] | A 6810 | EA | 28-MAY-91 | |
| | MIL-C-216B | CELLULOSE, WOODPULP (SULFITE) [CUST: AR OS] [REVIEW: GS] | A 6810 | AR | 30-DEC-76 | |
| | MIL-C-216B(11) | CELLULOSE, WOODPULP (SULFITE) [CUST: AR] | A 6810 | AR | 29-AUG-80 | |
| | MIL-P-223B(3) NOT 2 | POWDER, BLACK [CUST: AR OS 99] | A 1376 | AR | 04-NOV-91 | |
| A | MIL-P-00223C(1) | POWDER, BLACK [CUST: AR] | A 1376 | AR | 10-JUN-97 | |
| | MIL-B-233D | BOX REPAIR, PART, STORAGE [CUST: SH] [REVIEW: AS CC EC OS SA] | A 8115 | SH | 10-JUL-87 | |
| | MIL-P-236J | PIPE, CULVERT, NESTABLE [CUST: AT YDI 99] [REVIEW: 82 CC CE MC] | A 4710 | AT | 06-MAY-92 | |
| | JAN-D-242 | DIETHYLPHTHALATE (FOR USE IN EXPLOSIVES) [CUST: AR OS] [REVIEW: GS] | A 6810 | AR | 30-JUL-45 | |
| | MIL-F-243E(2) | FURNITURE, SHIPBOARD, STEEL, GENERAL SPECIFICATION FOR [CUST: SH] | A 2090 | SH | 15-JAN-74 | |
| | MIL-DTL-244B | NITROCELLULOSE [CUST: AR OS 99] | A 1376 | AR | 12-NOV-96 | |
| | MIL-N-246B | NITROGLYCERIN [CUST: AR OS 11] [REVIEW: 99 EA] | A 1376 | AR | 19-FEB-62 | |
| | MIL-N-246B(13) | NITROGLYCERIN [CUST: OS] | A 1376 | OS | 21-JUN-90 | |
| | MIL-T-248C | TRINITROTOLUENE (TNT) [CUST: AR OS 70] [REVIEW: EA MC] | A 1376 | AR | 08-NOV-74 | |
| | MIL-T-248C(13) | TRINITROTOLUENE (TNT) [CUST: AR] | A 1376 | AR | 18-MAY-90 | |
| | MIL-E-255A(1) | ETHYL CENTRALITE & CARBAMITE & [CUST: AR OS GS] | A 6810 | AR | 08-JUN-66 | |
| | JAN-H-257 | HEXACHLOROBENZENE [CUST: AR OS] [REVIEW: GS] | A 6810 | AR | 27-SEP-45 | |
| A | JAN-C-263 NOT 3 | CALCIUM STEARATE [CUST: AR OS] [REVIEW: EA GS] | A 6810 | AR | 08-APR-98 | |
| | MIL-P-270A NOT 1 | PROPELLANT, ARTILLERY [CUST: AR] | A 1375 | AR | 27-AUG-90 | |
| | MIL-S-271B | STEARIC ACID, TECHNICAL [CUST: AR OS] [REVIEW: GS] | A 6810 | AR | 25-MAY-62 | |
| | MIL-B-273F | BAG, DRINKING WATER STORAGE, DISPENSING, CLOTH, COTTON DUCK, POROUS [CUST: GL 99 CC] [REVIEW: 82 MC MD] | A 4610 | CC | 19-JAN-90 | |
| | MIL-W-283H | WATER PURIFICATION TABLET, IODINE [CUST: GL 68] [REVIEW: AR CR4 EA GS MB MC MD MS SH YDI] | A 6850 | GL | 25-JUN-87 | |
| | MIL-F-284E NOT 2 | FORK, KNIFE, AND SPOON, FIELD MESS [CUST: GL SA IS] [REVIEW: 99 CG MC MD YDI] | A 7340 | IS | 26-FEB-93 | |
| | MIL-B-286D | BUTTON, TACK, AND TACK, BUTTON [CUST: GL NU 99 CT] [REVIEW: 82] | A 8315 | CT | 05-MAY-69 | |
| | MIL-W-287E SUP 1 | WAVEGUIDE ASSEMBLIES, FLEXIBLE, TWISTABLE AND NONTWISTABLE, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AV CG MC MI OS] | A 5985 | CC | 27-OCT-87 | |
| | MIL-W-287E(11) SUP 1 | WAVEGUIDE ASSEMBLIES, FLEXIBLE, TWISTABLE, AND NON-TWISTABLE, GENERAL SPECIFICATION FOR [CUST: CR] | A 5985 | CR | 14-JUL-87 | |
| | MIL-W-287/3D NOT 1 | WAVEGUIDE ASSEMBLY, FLEXIBLE, TWISTABLE, CLASS 1 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV CG MC MI OS] | A 5985 | CC | 27-OCT-87 | |
| | MIL-W-287/4E NOT 1 | WAVEGUIDE ASSEMBLY, FLEXIBLE, NON-TWISTABLE, CLASS 2 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AV CG MC MI OS] | A 5985 | CC | 27-OCT-87 | |
| | MIL-W-287/5E NOT 1 | WAVEGUIDE ASSEMBLY, EXTRA FLEXIBLE, TWISTABLE, CLASS 3 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AV CG MC MI OS] | A 5985 | CC | 27-OCT-87 | |
| | MIL-W-287/8 NOT 1 | WAVEGUIDE ASSEMBLY, MILLIMETER FLEXIBLE, NON-TWISTABLE, CLASS 8 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AV CG MC MI OS] | A 5985 | CC | 27-OCT-87 | |
| | MIL-C-293B NOT 1 | CALCIUM CARBONATE [CUST: AR] [REVIEW: EA GS MI OS] | A 6810 | AR | 10-APR-86 | |
| | MIL-L-296B | LACQUER, PURPLE [CUST: AR] | A 8010 | AR | 18-JUN-73 | |
| | MIL-T-301A(2) NOT 3 | TRIACETIN (GLYCERYL TRIACETATE) [CUST: AR OS] [REVIEW: GS MR] | A 6810 | AR | 02-DEC-96 | |
| | MIL-C-303C | CASE, MEDICAL INSTRUMENT & SUPPLY SET, NYLON, NON RIGID, NR 2 [CUST: MD MS 03] | A 6545 | MB | 08-MAR-79 | |
| | MIL-C-306C(1) | CARBON BLACK, POWDERED, DRY [CUST: AR OS 68] [REVIEW: EA GS MI] | A 6810 | AR | 24-NOV-85 | |
| | MIL-C-306C(13) | CARBON BLACK, POWDERED, DRY [CUST: AR] | A 6810 | AR | 23-NOV-90 | |
| | MIL-S-322C | SODIUM NITRATE [CUST: AR OS 68] [REVIEW: AS EA GS MI] | A 6810 | AR | 10-APR-86 | |
| | MIL-S-322C(11) | SODIUM NITRATE [CUST: OS] | A 6810 | OS | 30-APR-90 | |
| | MIL-P-323A(11) | PROPELLANT, M2 AND M5 [CUST: AR] | A 1375 | AR | 28-OCT-88 | |
| A | MIL-C-324C NOT 3 | CALCIUM SILICIDE, TECHNICAL [CUST: AR] | A 6810 | AR | 13-JUN-97 | |
| | MIL-C-332H | CLOTH, BALLOON, COTTON [CUST: GL NU 11 CT] [REVIEW: MC MD] | A 8305 | CT | 17-OCT-86 | |
| | MIL-C-333D(1) | CLOTH, TOW TARGET, ACETATE AND RAYON [CUST: AS 99 CT] [REVIEW: 45] | A 8305 | CT | 01-OCT-81 | |
| | MIL-T-339C NOT 2 | TETRYL (TRINITROPHENYLMETHYLNITRAMINE) [CUST: AR OS] | A 1376 | AR | 04-NOV-91 | |
| | MIL-C-342J | CLOTH, WIND RESISTANT, POPLIN, COTTON [CUST: GL NU 99 CT] [REVIEW: 32 45 82 MC MD] | A 8305 | CT | 01-APR-88 | |
| | JAN-P-362(1) NOT 2 | POWDER, BLACK, SODIUM-NITRATE [CUST: AR OS] | A 1376 | AR | 10-OCT-96 | |
| | MIL-C-363A(1) NOT 1 | CLOTH, WOOL, KNITTED [CUST: 99 CT] | A 8305 | CT | 31-OCT-89 | |
| A | JAN-B-366 NOT 2 | BARTIUM STEARATE [CUST: AR OS] [REVIEW: EA GS] | A 6810 | AR | 15-JAN-98 | |
| | MIL-C-368J | CLOTH, SATIN, RAYON AND CLOTH, TWILL, RAYON [CUST: GL NU 45 CT] [REVIEW: 32 82 99 MC MD] | A 8305 | CT | 04-MAY-89 | |
| | MIL-B-371F | BRAID, TEXTILE, TUBULAR [CUST: GL NU CT] [REVIEW: EA MC MD] | A 8315 | CT | 25-AUG-77 | |
| | MIL-C-372C(2) | CLEANING COMPOUND, SOLVENT (FOR BORE OF SMALL ARMS AND AUTOMATIC AIRCRAFT WEAPONS) [CUST: AR AS 68] [REVIEW: CR4 GS MC OS PS SM] | A 6850 | AR | 03-OCT-89 | |
| A | MIL-DTL-382D | MAGNESIUM POWDER - FOR USE IN AMMUNITION [CUST: GL1 GS] | A 6810 | GS | 20-JAN-98 | |
| | MIL-P-387C | PENTAERYTHRITE TETRA-NITRATE (PETN) [CUST: AR OS 99] [REVIEW: EA MI] | A 1376 | AR | 08-DEC-76 | |
| | MIL-DTL-398D | RDX (CYCLOTTRIMETHYLENETRINITRAMINE) [CUST: AR OS 99] | A 1376 | AR | 12-DEC-96 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|---------------------|---|--------------------------|-----|-------------|------|
| MIL-Z-399D(1) NOT 3 | ZIRCONIUM (GRANULAR AND POWDERED) [CUST: AR OS 68] [REVIEW: AS EA GS MD MI] | A 6810 | AR | 02-DEC-96 | |
| MIL-C-401E NOT 1 | COMPOSITION B [CUST: AR OS 99] [REVIEW: EA] | A 1376 | AR | 10-APR-86 | |
| MIL-C-00401F | COMPOSITION B [CUST: AR] | A 1376 | AR | 18-JUL-86 | |
| MIL-S-405H | SOCKS, MEN'S, WINTER (WOOL AND COTTON) [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8440 | CT | 25-JUL-90 | |
| JAN-P-408 | PENTOLITE, 50/50 [CUST: AR AS] | A 1376 | AR | 17-OCT-46 | |
| MIL-F-411D | FASTENERS, BELT; CLIPS, END STRAP, WITH HOOK; AND KEEPERS, SLIDE [CUST: GL NU 99 CT] [REVIEW: 82 CR4 MC MD] | A 8465 | CT | 02-MAR-90 | |
| JAN-N-412A NOT 2 | NICKEL, POWDERED (FOR USE IN AMMUNITION) [CUST: AR OS] [REVIEW: GS] | A 6810 | AR | 10-OCT-96 | |
| MIL-G-413C | GLUE, MARINE, AND AVIATION MARINE (WATERPROOF) [CUST: SH 99] [REVIEW: AS EA MR SA] | A 8040 | SH | 29-AUG-86 | |
| MIL-A-417G NOT 1 | ADAPTER, PRIMING, M1A4 [CUST: AR] [REVIEW: 01 11 13 89 90 AS CE CG CR4 MC MI SH YD1] | A 1375 | AR | 24-OCT-88 | |
| MIL-T-425J | TUBE, STEEL: PIPELINE SECTION; WITH GROOVED NIPPLE WELDED ON EACH END [CUST: AT YD1 99] [REVIEW: 82 CC MC] | A 4710 | AT | 16-DEC-94 | |
| MIL-G-432G | GASKETS, NONMETALLIC, SYNTHETIC RUBBER [CUST: GL AS 99] [REVIEW: 82 AR AT CG MC MR] | A 5330 | IS | 21-NOV-89 | |
| MIL-C-440C NOT 1 | COMPOSITIONS A-3 AND A-4 [CUST: AR] [REVIEW: 99 EA OS] | A 1376 | AR | 25-APR-88 | |
| JAN-M-454(1) | MAGNESIUM ALUMINUM ALLOY, POWERED [CUST: AR OS] | A 1370 | AR | 15-FEB-52 | |
| JAN-A-459 | ACETIC ANHYDRIDE (FOR ORDNANCE USE) [CUST: AR OS] [REVIEW: GS] | A 6810 | AR | 12-MAR-47 | |
| MIL-E-463B | ETHYL ALCOHOL (FOR ORDNANCE USE) [CUST: AR OS 99] [REVIEW: EA GS MI] | A 6810 | AR | 13-JUL-89 | |
| MIL-E-463B(13) | ETHYL ALCOHOL (FOR ORDNANCE USE) [CUST: AR] | A 6810 | AR | 15-FEB-94 | |
| JAN-A-465 | ACID, ACETIC (FOR ORDNANCE USE) [CUST: AR OS] [REVIEW: GS] | A 6810 | AR | 18-APR-47 | |
| JAN-M-476A NOT 2 | MANGANESE, POWDERED (FOR USE IN AMMUNITION) [CUST: AR OS] [REVIEW: GS] | A 6810 | AR | 10-OCT-96 | |
| JAN-G-479 NOT 4 | GLASS, GROUND (FOR ORDNANCE USE) [CUST: AR] [REVIEW: EA] | A 5350 | AR | 10-OCT-96 | |
| MIL-C-483D(1) NOT 1 | CLOTH, PILE, ALPACA AND WOOL [CUST: GL NU 99 CT] [REVIEW: AS MD] | A 8305 | CT | 30-NOV-87 | |
| MIL-C-484H(1) | CLOTH, WIND RESISTANT OXFORD, COTTON, QUARPEL TREATED [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8305 | CT | 28-JUL-87 | |
| MIL-S-487B(2) NOT 1 | SULFUR, GROUND (FOR USE IN AMMUNITION) [CUST: AR AS 68] [REVIEW: EA OS] | A 6810 | AS | 24-OCT-91 | |
| MIL-N-494A(7) | NITROGUANIDINE (PICRITE) [CUST: AR OS] [REVIEW: MI] | A 1376 | AR | 11-APR-83 | |
| MIL-N-00494B(2) | NITROGUANIDINE [CUST: AR] | A 1376 | AR | 30-JUN-92 | |
| MIL-F-495E(1) | FINISH, CHEMICAL, BLACK, FOR COPPER ALLOYS [CUST: GL 11] [REVIEW: 99 AR CR4 EA MC SA] | A MFFP | GS | 05-FEB-90 | |
| MIL-C-498E | CLOTH, PARACHUTE, SYNTHETIC FIBER (FOR AMMUNITION PARACHUTES) [CUST: GL AS CT] [REVIEW: MD] | A 8305 | CT | 27-MAR-87 | |
| MIL-P-500H | PLATES, TENT, PEAK AND RIDGE [CUST: GL NU 99 CT] [REVIEW: 82 MC MD YD1] | A 8340 | CT | 18-OCT-88 | |
| MIL-P-501P | PIN, TENT, METAL [CUST: GL NU 99 CT] [REVIEW: 45 82 CR4 MC MD] | A 8340 | CT | 01-MAR-91 | |
| MIL-S-503B | SIREN, ELECTRIC, 2 TD5 HP [CUST: YD1 99] [REVIEW: 82 CC CR4 EA GS MC MI] | A 6350 | GS | 28-APR-88 | |
| MIL-C-507F NOT 1 | CLOTH, POPLIN, COTTON [CUST: GL NU 99 CT] [REVIEW: 11 CG MC MD MS] | A 8305 | CT | 30-NOV-87 | |
| MIL-C-508J | CLOTH, OXFORD, NYLON, 3 OUNCE [CUST: GL NU 99 CT] [REVIEW: 45 82 AS DS MC MD] | A 8305 | CT | 28-MAR-86 | |
| JAN-D-511 | DYES, GREEN AND SCARLET (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: GS] | A 6820 | AR | 04-DEC-47 | |
| MIL-A-512A(4) | ALUMINUM POWDER, FLAKED, GRAINED AND ATOMIZED [CUST: EA OS] | A 6810 | GS | 11-JUN-69 | |
| MIL-A-516I(12) | AUGER, EARTH, SKIDMOUNTED; AND AUGER, EARTH, TURNABLE BASE MOUNTED, POWER DRIVEN [CUST: AT] | A 3820 | AT | 08-JAN-88 | |
| MIL-W-530H | WEBBING, TEXTILE, COTTON, GENERAL PURPOSE, NATURAL OR IN COLORS [CUST: GL NU 99 CT] [REVIEW: 32 45 82 AR DS EA MC MD MI] | A 8305 | CT | 29-APR-88 | |
| MIL-I-536C | INDICATOR SOLUTIONS, PH DETERMINATION (FOR WATER SUPPLY TESTING) [CUST: AT 68] [REVIEW: GS] | A 6810 | AT | 25-APR-88 | |
| MIL-C-538F | COMPARATOR, COLOR [CUST: AT YD1 99] [REVIEW: MD] | A 6630 | AT | 05-MAY-75 | |
| MIL-M-542A(2) | MAGNESIUM STEARATE (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: EA GS] | A 6810 | AR | 03-JAN-73 | |
| MIL-I-545B | INSULATION SHEET, ELECTRICAL, PAPER, PRESSBOARD [CUST: CR SH 85] [REVIEW: 99 AR CC MI] | A 5970 | GS | 30-MAR-76 | |
| MIL-P-549K | POLE, TENT, UPRIGHT AND RIDGE [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8340 | CT | 20-MAR-88 | |
| MIL-B-550A(1) NOT 3 | BARIUM CHROMATE [CUST: AR] | A 6810 | AR | 10-OCT-96 | |
| MIL-P-551E(2) | PIPES AND ELBOWS, AIR CONDITIONING-HEATING [CUST: GL YD1 99 CC] [REVIEW: 84 CR4 MC] | A 4520 | CC | 21-NOV-88 | |
| JAN-D-552(1) NOT 2 | DIAZODINITROPHENOL (TABULAR) [CUST: AR AS] | A 1376 | AR | 10-OCT-96 | |
| MIL-C-572G(1) | CORD, YARNS AND MONOFILAMENTS ORGANIC SYNTHETIC FIBER [CUST: CR 99] [REVIEW: AV IS MI SH YD1] | A 4020 | IS | 22-NOV-72 | |
| MIL-C-577H NOT 1 | CLOTH, TWILL, NYLON, 1.6 AND 3.0 OUNCE [CUST: GL NU 99 CT] [REVIEW: 82 MD] | A 8305 | CT | 30-NOV-87 | |
| MIL-T-594B | TEST SET, ARMATURE AND STATOR [CUST: CR 99] [REVIEW: AT CC CG CR4 MC] | A 6625 | SH | 17-SEP-74 | |
| MIL-C-601G(1) | CYLINDER, CARBON DIOXIDE FILLED, TECHNICAL [CUST: CR4 AS 99] [REVIEW: 11 AV CC MC MD MS SH] | A 4220 | AS | 31-AUG-72 | |
| MIL-C-606F | CLOTH, BANNER, RAYON [CUST: GL NU 99 CT] [REVIEW: 32 45 82 IH MC] | A 8305 | CT | 05-MAY-70 | |
| MIL-P-608K | POLE SECTION, TENT: UPRIGHT AND ADAPTER, TENT POLE [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8340 | CT | 20-NOV-91 | |
| MIL-S-612B(12) | STRONTIUM PEROXIDE [CUST: AR] | A 6810 | AR | 30-JUN-90 | |
| MIL-G-613C(1) | GRAPNEL, MARINE, TRIP WIRE, AND CRASH TRUCK [CUST: SH] [REVIEW: 99 MI] | A 2040 | SH | 06-DEC-63 | |
| MIL-B-624A | BARIUM CARBONATE (FOR USE IN AMMUNITION) [CUST: AR OS] | A 1375 | AR | 28-APR-69 | |
| JAN-C-628 | CALCIUM OXALATE (FOR USE IN AMMUNITION) [CUST: AR AS] | A 1370 | AR | 30-JUN-48 | |
| MIL-I-631D(6) | INSULATION, ELECTRICAL, SYNTHETIC RESIN COMPOSITION, NON RIGID [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EA EC GS MI OS YD1] | A 5970 | SH | 02-JUN-87 | |
| MIL-N-634C | NAVIGATOR, PLOTTING INSTRUMENT SET AND PLOTTING INSTRUMENTS [CUST: CR4 SH 99] [REVIEW: AS] | A 6675 | GS | 18-NOV-77 | |
| MIL-J-641E(1) SUP 1 | JACK, TELEPHONE, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AV CR4 MC MI OS SH] | A 5935 | CC | 18-JUL-85 | |
| MIL-J-641ID NOT 1 | JACKS, TELEPHONE TYPES JJ-015 AND JJ-019 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS CR4 MC MI OS SH] | A 5935 | CC | 19-SEP-88 | |
| MIL-J-6412D NOT 1 | JACKS, TELEPHONE TYPES JJ-016, JJ-017, JJ-024, JJ-035, JJ-072, JJ-084, JJ-085, JJ-086, AND JJ-087 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AS AT AV CR4 MC OS] | A 5935 | CC | 19-SEP-88 | |
| MIL-J-6413D | JACKS, TELEPHONE TYPES JJ-022, JJ-042, JJ-073, JJ-074, JJ-075, JJ-077, AND JJ-078 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AS CG MC OS SH] | A 5935 | CC | 19-SEP-88 | |
| MIL-J-6414C NOT 1 | JACKS, TELEPHONE TYPE JJ-026 [CUST: CR EC 11 CC] [REVIEW: 17 19 MC OS] | A 5935 | CC | 19-SEP-88 | |
| MIL-J-6415D NOT 1 | JACKS, TELEPHONE TYPE JJ-033 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AS CG MC MI OS] | A 5935 | CC | 14-NOV-88 | |
| MIL-J-6416C NOT 1 | JACKS, TELEPHONE TYPE JJ-034 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 MC SH] | A 5935 | CC | 19-SEP-88 | |
| MIL-J-6417C NOT 1 | JACKS, TELEPHONE, TYPE JJ-048 [CUST: CR EC 85 CC] [REVIEW: 11 19 MC] | A 5935 | CC | 19-SEP-88 | |
| MIL-J-6419D NOT 1 | JACKS, TELEPHONE, TYPES JJ-079, JJ-081, JJ-082, AND JJ-106 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AS CG MC SH] | A 5935 | CC | 19-SEP-88 | |
| MIL-J-64110C NOT 1 | JACKS, TELEPHONE TYPE JJ-083 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 CR4 MC MI OS] | A 5935 | CC | 07-SEP-88 | |
| MIL-J-64111C NOT 1 | JACKS, TELEPHONE TYPE JJ-088 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR CR4 MC MI OS] | A 5935 | CC | 07-SEP-88 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|---------------------------|---|-----------------------|-----|-------------|------|
| MIL-J-641/12C NOT 1 | JACKS, TELEPHONE TYPE JJ-089 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS CG CR4 MC MI OS] | A 5935 | CC | 07-SEP-88 | |
| MIL-J-641/13C NOT 1 | JACKS, TELEPHONE TYPES JJ-092, JJ-093, JJ-096, AND JJ-097 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 CR4 MC MI OS] | A 5935 | CC | 07-SEP-88 | |
| MIL-J-641/14C NOT 1 | JACKS, TELEPHONE TYPES JJ-095, JJ-101, AND JJ-103 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR CG CR4 MC MI] | A 5935 | CC | 07-SEP-88 | |
| MIL-J-641/15C NOT 1 | JACKS, TELEPHONE TYPES JJ-098, JJ-099, AND JJ-102 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AS MC OS SH] | A 5935 | CC | 19-SEP-88 | |
| MIL-J-641/16C NOT 1 | JACKS, TELEPHONE TYPES JJ-104, JJ-105, AND JJ-107 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AS MC SH] | A 5935 | CC | 19-SEP-88 | |
| MIL-J-641/19E | JACKS, (BANTAM) TELEPHONE, 3 CONDUCTOR, SINGLE [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AV CR4 MC MI] | A 5935 | CC | 12-NOV-93 | |
| MIL-J-641/20A | JACKS, (BANTAM) TELEPHONE, 3 CONDUCTOR, TRIPLE [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AV CR4 MC MI SH] | A 5935 | CC | 12-NOV-93 | |
| MIL-J-641/21A | JACKS, (BANTAM) TELEPHONE, 3 CONDUCTOR, DOUBLE [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AV CR4 MC MI SH] | A 5935 | CC | 12-NOV-93 | |
| MIL-J-641/22 NOT 1 | JACKS, TELEPHONE U-385/U [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AS AV MC] | A 5935 | CC | 19-SEP-88 | |
| MIL-P-642D(1) SUP 1 NOT 1 | PLUGS, TELEPHONE, AND ACCESSORY SCREWS, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AV CR4 MC MI OS SH] | A 5935 | CC | 28-JUN-90 | |
| MIL-P-642/1A NOT 1 | PLUG, TELEPHONE AND ACCESSORY SCREWS TYPES PJ-047B AND PJ-047R [CUST: CR EC 85 CC] [REVIEW: 11 17 AR AS CR4 MC MI OS SH] | A 5935 | CC | 19-SEP-88 | |
| MIL-P-642/2B | PLUG, TELEPHONE (TYPES PJ-051B AND PJ-051R) AND ACCESSORY SCREWS [CUST: CR EC 85 CC] [REVIEW: 11 17 AR CG CR4 MC MI OS] | A 5935 | CC | 23-SEP-87 | |
| MIL-P-642/3A NOT 1 | PLUG, TELEPHONE (TYPES PJ-054B AND PJ-054R) AND ACCESSORY SCREWS [CUST: CR EC 85 CC] [REVIEW: 11 AR AS CR4 MC MI OS SH] | A 5935 | CC | 19-SEP-88 | |
| MIL-P-642/4A(1) NOT 1 | PLUG, TELEPHONE AND ACCESSORIES SCREWS TYPES PJ-055B AND PJ-055R AND PJ-055M [CUST: CR EC 85 CC] [REVIEW: 11 17 AR CG CR4 MC MI OS] | A 5935 | CC | 19-SEP-88 | |
| MIL-P-642/5A | PLUG, TELEPHONE (TYPE PJ-068) AND ACCESSORY SCREWS [CUST: CR EC 85 CC] [REVIEW: 11 AR AS CR4 MC MI OS SH] | A 5935 | CC | 03-JUL-73 | |
| MIL-P-642/6A | PLUG, TELEPHONE (TYPE PJ-291) AND ACCESSORY SCREWS [CUST: CR EC 85 CC] [REVIEW: 11 17 CG CR4 MC MI OS] | A 5935 | CC | 03-JUL-73 | |
| MIL-P-642/7A | PLUG, TELEPHONE (TYPE PJ-292) AND ACCESSORY SCREWS [CUST: CR EC 85 CC] [REVIEW: 11 17 AS CR4 MC MI OS SH] | A 5935 | CC | 03-JUL-73 | |
| MIL-P-642/8A | PLUG, TELEPHONE (TYPE PJ-309) AND ACCESSORY SCREWS [CUST: CR EC 85 CC] [REVIEW: 11 17 AR CG CR4 MC MI OS] | A 5935 | CC | 03-JUL-73 | |
| MIL-P-642/9A | PLUG, TELEPHONE (TYPE PJ-327) AND ACCESSORY SCREWS [CUST: CR EC 85 CC] [REVIEW: 11 17 AR AS CR4 MC MI OS SH] | A 5935 | CC | 03-JUL-73 | |
| MIL-P-642/10A NOT 1 | PLUGS, TELEPHONE (TYPES PJ-540B & PJ-540R) AND ACCESSORY SCREWS [CUST: CR EC 85 CC] [REVIEW: 11 17 CG CR4 MC MI OS] | A 5935 | CC | 19-SEP-88 | |
| MIL-P-642/11A NOT 1 | PLUG, TELEPHONE (TYPE PJ-636) AND ACCESSORY SCREWS [CUST: CR EC 85 CC] [REVIEW: 11 17 AR AS CR4 MC MI OS SH] | A 5935 | CC | 19-SEP-88 | |
| MIL-P-642/12B NOT 1 | PLUG, TELEPHONE & ACCESSORY SCREWS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR CG CR4 MC MI OS SH] | A 5935 | CC | 19-SEP-88 | |
| A MIL-P-642/13B(1) | PLUGS, TELEPHONE (TYPE PJ-777, PJ-778) 3 CONDUCTOR, SINGLE, DOUBLE [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CR4 MC MI SH YD1] | A 5935 | CC | 10-JUL-97 | |
| MIL-P-642/14 NOT 1 | PLUG, TELEPHONE (TYPE U-384/U) 5 CONDUCTOR, SINGLE [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AV CR4 MC MI] | A 5935 | CC | 19-SEP-88 | |
| MIL-S-645C | STRIP METAL, CARBON STEEL, COLD ROLLED, DRAWING QUALITY, SPECIAL KILLED (FOR AMMUNITION COMPONENTS) [CUST: MR] [REVIEW: IS] | A 9515 | AR | 23-JAN-87 | |
| JAN-B-660 | BARIUM OXALATE (FOR USE IN AMMUNITION) [CUST: AR OS] [REVIEW: GS IS MR SA] | A 6810 | AR | 05-AUG-48 | |
| MIL-P-663A(1) | POWDER, FUZE [CUST: AR] [REVIEW: EA] | A 1376 | AR | 11-MAR-80 | |
| JAN-D-664 | DINITROMETHYLANILINE IN SULFURIC ACID [CUST: AR] [REVIEW: GS] | A 6810 | AR | 27-AUG-48 | |
| JAN-D-666 | DINITROCHLOROBENZENE (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: GS] | A 6810 | AR | 20-AUG-48 | |
| MIL-P-670A NOT 1 | PHOSPHORUS, RED, STABILIZED [CUST: AR AS] [REVIEW: MI OS] | A 1370 | AR | 22-APR-88 | |
| MIL-C-675C(3) NOT 2 | COATING OF GLASS OPTICAL ELEMENTS (ANTI-REFLECTION) [CUST: AR 99] [REVIEW: AV CR4 MI] | A 6650 | AR | 10-OCT-96 | |
| JAN-C-677(2) | CELLULOSE, REGENERATED, STRIP (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: GS] | A 6810 | AR | 11-DEC-51 | |
| MIL-I-695B(1) | INSULATION, ELECTRICAL, PAPER (SLOT CELL) [CUST: CR SH 85] [REVIEW: 99 AR CR4 EA EC GS MC MI OS] | A 5970 | SH | 21-NOV-72 | |
| MIL-I-706A NOT 1 | IRON OXIDE; FERRIC, RED DRY (NATURAL AND SYNTHETIC) [CUST: AR OS GS] [REVIEW: EA] | A 6810 | GS | 17-JUN-88 | |
| MIL-I-706A(1) | IRON OXIDE; FERRIC, RED DRY (NATURAL AND SYNTHETIC) [CUST: AR] [REVIEW: EA GS] | A 6810 | AR | 17-JUN-88 | |
| MIL-T-713E NOT 1 | TWINE, FIBROUS: IMPREGNATED, LACING AND TYING [CUST: GL 99] [REVIEW: AR CR4 DS MC MD MI OS SH] | A 4020 | IS | 22-APR-89 | |
| MIL-L-714G | LEGGINGS, MEN'S [CUST: NU CT] [REVIEW: 45] | A 8440 | CT | 30-NOV-88 | |
| MIL-C-717F | CASTABLE MIX, REFRACTORY, HIGH-TEMPERATURE HYDRAULIC SETTING [CUST: CR4 SH 99] [REVIEW: MR] | A 9350 | SH | 12-NOV-87 | |
| MIL-C-717F(1) | CASTABLE MIX, REFRACTORY, HIGH-TEMPERATURE HYDRAULIC SETTING [CUST: SH] | A 9350 | SH | 20-AUG-92 | |
| JAN-S-732(1) | SHELLAC SOLUTION (FOR USE IN AMMUNITION) [CUST: AR OS] [REVIEW: EA] | A 1395 | AR | 27-FEB-50 | |
| MIL-B-734E(1) | BREAKER, PAVING, GASOLINE POWERED, SELF CONTAINED [CUST: AT YD1 99] [REVIEW: 84 CE MC] | A 3820 | CC | 01-JUN-88 | |
| MIL-I-742F(1) | INSULATION BOARD, THERMAL, FIBROUS GLASS [CUST: CR4 SH 99] | A 5640 | SH | 30-APR-81 | |
| MIL-L-757A(1) NOT 1 | LEAD STYPHNATE, NORMAL [CUST: AR OS] [REVIEW: MD MI] | A 1376 | AR | 21-MAR-88 | |
| MIL-L-00757B | LEAD STYPHNATE, NORMAL [CUST: AR] | A 1376 | AR | 16-MAY-94 | |
| MIL-L-757A(12) | LEAD STYPHNATE, NORMAL [CUST: AR] | A 1376 | AR | 18-MAY-90 | |
| MIL-H-775E | HOSE, HOSE ASSEMBLIES; RUBBER, PLASTIC, FABRIC, OR METAL (INCLUDING TUBING) AND ASSOCIATED HARDWARE: PACKAGING OF [CUST: CR4 SH 99] [REVIEW: 82 AR AS CC MC SM YD1] | A PACK | SH | 19-OCT-87 | |
| MIL-R-779E | REFLECTORS, LIGHT; WITH HOLDER [CUST: CR4 MC] | A 6210 | GS | 21-NOV-90 | |
| A MIL-DTL-781D | TERMINAL; WIRE ROPE SWAGING [CUST: CR AS 99 IS] [REVIEW: AR CC GL MC MI] | A 4030 | IS | 15-AUG-97 | |
| MIL-M-809F | MITTEN INSERTS, COLD WEATHER, TRIGGER FINGER [CUST: GL NU 99 CT] [REVIEW: 32 45 CG MC MD SM] | A 8415 | CT | 23-AUG-88 | |
| MIL-M-810H | MITTEN SHELLS COLD WEATHER (TRIGGER FINGER M-1965) [CUST: GL NU 99 CT] [REVIEW: 32 45 82 MC MD] | A 8415 | CT | 29-SEP-86 | |
| MIL-G-822N | GLOVES, MEN'S AND WOMEN'S, LIGHT DUTY [CUST: GL NU 99 CT] [REVIEW: 32 45 82 MC MD] | A 8415 | CT | 08-MAR-89 | |
| MIL-C-823K | CLOTH, SERGE, WOOL, WOOL AND NYLON, POLYESTER AND WOOL [CUST: GL NU 45 CT] [REVIEW: 32 82 99 CG MC MD] | A 8305 | CT | 21-SEP-90 | |
| MIL-B-833G | BELT, TROUSERS, COTTON WEBBING, WITH CLIP [CUST: GL NU 45 CT] [REVIEW: 32 99 MC MD] | A 8440 | CT | 27-MAY-88 | |
| MIL-M-834L | MITTEN SET, EXTREME COLD WEATHER [CUST: GL NU CT] [REVIEW: MC MD YD1] | A 8415 | CT | 23-OCT-89 | |
| MIL-G-835H | GLOVE INSERTS, COLD WEATHER [CUST: GL NU 99 CT] [REVIEW: 31 45 AS CG MC MD MS] | A 8415 | CT | 16-MAY-89 | |
| MIL-T-842F(1) | TAG, IDENTIFICATION, PERSONNEL [CUST: GL NU 99 CT] [REVIEW: 32 45 82 MC MD] | A 8465 | CT | 01-AUG-86 | |
| MIL-V-868 | VALVES, HYDRAULIC DIRECTIONAL CONTROL, GENERAL SPECIFICATION FOR [CUST: SH] | A 4810 | SH | 21-JUL-89 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Lat Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|----------------------|--|--------------------------|-----|-------------|-----------|
| | MIL-V-868/1 | VALVES, HYDRAULIC DIRECTIONAL CONTROL, FOUR-WAY, 0-12 GPM [CUST: SH] | A 4810 | SH | | 21-JUL-89 |
| | MIL-V-868/2 | VALVES, HYDRAULIC DIRECTIONAL CONTROL, FOUR-WAY, 3 - 25 GPM [CUST: SH] | A 4810 | SH | | 21-JUL-89 |
| | MIL-V-868/3 | VALVES, HYDRAULIC DIRECTIONAL CONTROL, FOUR-WAY, 10 - 50 GPM [CUST: SH] | A 4810 | SH | | 21-JUL-89 |
| | MIL-C-882E | CLOTH, DUCK, COTTON OR COTTON-POLYESTER BLEND, SYNTHETIC RUBBER, IMPREGNATED, AND LAMINATED, OIL RESISTANT [CUST: GL SH 99 CT] [REVIEW: AS CR4 MI MR] | A 8305 | CT | | 27-JAN-89 |
| | MIL-S-901D | SHOCK TESTS. H.I. (HIGH-IMPACT) SHIPBOARD MACHINERY, EQUIPMENT, AND SYSTEMS, REQUIREMENTS FOR [CUST: SH] [REVIEW: AS EC MC OS] | A ENVR | SH | | 17-MAR-89 |
| | MIL-F-902J(2) | FURNITURE, SHIPBOARD, ALUMINUM, GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: CR4] | A 2090 | SH | | 15-JAN-74 |
| | MIL-H-904J | HOISTS, CHAIN, HAND-OPERATED, HOOK AND TROLLEY SUSPENSION [CUST: CR4 SH 84] [REVIEW: CC CG MC YD1] | A 3950 | SH | | 13-JUN-91 |
| | MIL-M-910F | MATS, FLOOR, STANDING [CUST: SH 69] [REVIEW: CE] | A 7220 | SH | | 09-AUG-91 |
| | MIL-B-913(1) SUP 1 | BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS (METRIC), GENERAL SPECIFICATION FOR [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 21-MAR-94 |
| | MIL-B-913/1 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 05-MAR-93 |
| | MIL-B-913/2 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 05-MAR-93 |
| | MIL-B-913/3 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 05-MAR-93 |
| | MIL-B-913/4(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 7P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 31-OCT-94 |
| | MIL-B-913/5(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 31-OCT-94 |
| | MIL-B-913/6(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 31-OCT-94 |
| | MIL-B-913/7(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION-RESISTANT STEEL, ABEC 5P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 31-OCT-94 |
| | MIL-B-913/8(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION RESISTANT STEEL, ABEC 7P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 31-OCT-94 |
| | MIL-B-913/9 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 05-MAR-93 |
| | MIL-B-913/10 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 05-MAR-93 |
| | MIL-B-913/11 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 05-MAR-93 |
| | MIL-B-913/12 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 05-MAR-93 |
| | MIL-B-913/13 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 05-MAR-93 |
| | MIL-B-913/14 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 05-MAR-93 |
| | MIL-B-913/15 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 05-MAR-93 |
| | MIL-B-913/16 | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 05-MAR-93 |
| | MIL-C-915F(2) SUP 1B | CABLE AND CORD, ELECTRICAL, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR [CUST: SH 85] [REVIEW: 99 AL AR CG CR CR4 EC IS YD1] | A 6145 | SH | | 14-MAR-88 |
| | MIL-C-915/1E | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE CVSF [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | | 29-SEP-89 |
| | MIL-C-915/5D | CABLE, POWER ELECTRICAL, 300 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE DLT [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | | 29-SEP-89 |
| | MIL-C-915/6J | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE THOF [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS YD1] | A 6145 | SH | | 29-SEP-89 |
| | MIL-C-915/7F | CABLE, POWER ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE DSWs [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | | 29-SEP-89 |
| | MIL-C-915/8G | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPES DSS, TSS, FSS AND 7SS [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | | 29-SEP-89 |
| | MIL-C-915/9E | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE JAS [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | | 29-SEP-89 |
| | MIL-C-915/10E | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MCSF-4 [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | | 29-SEP-89 |
| | MIL-C-915/20F | WIRE, ELECTRICAL, 600 VOLTS, FOR WELDING ELECTRIC CIRCUIT USE ONLY, TYPE TRF [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | | 29-SEP-89 |
| | MIL-C-915/21F | WIRE, ELECTRICAL, 125 VOLTS FOR WELDING ELECTRODE CIRCUIT USE ONLY, TYPE TRXF [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS YD1] | A 6145 | SH | | 29-SEP-89 |
| | MIL-C-915/22H | CABLE, SPECIAL PURPOSE ELECTRICAL, 300 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE TSP (INCLUDING VARIATION TYPE TSPA) [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | | 29-SEP-89 |
| | MIL-C-915/47C | CABLE, SPECIAL PURPOSE, ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE ISWF [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | | 29-SEP-89 |
| | MIL-C-915/48C | CABLE, SPECIAL PURPOSE, ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 2SWF [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | | 29-SEP-89 |
| | MIL-C-915/58E | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MWF [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | | 29-SEP-89 |
| | MIL-C-915/61D | CABLE, POWER ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE S2S [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | | 29-SEP-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|---------------------|---|-----------------------|-----|-------------|------|
| MIL-C-915/66C | CABLE, SPECIAL PURPOSE, ELECTRICAL, 59-CONDUCTOR, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MSPW [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | 29-SEP-89 | |
| MIL-C-915/67C | CABLE, SPECIAL PURPOSE ELECTRICAL, 59-CONDUCTOR, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MSP [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | 29-SEP-89 | |
| MIL-C-915/74C | CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE) TYPE 5SS [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | 29-SEP-89 | |
| MIL-C-915/79B | CABLE, POWER ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE TPUM-6 [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | 29-SEP-89 | |
| MIL-C-915/81 | CABLE, ELECTRICAL, ONE TWISTED PAIR AWG-20, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1PR-A20E [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | 18-JUN-85 | |
| MIL-C-915/82A | CABLE, POWER ELECTRICAL, ONE TWISTED PAIR NO. 16 GAUGE FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1PR-16 [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | 29-SEP-89 | |
| MIL-C-915/83A | CABLE, POWER ELECTRICAL, SEVEN TWISTED PAIRS NO. 16 GAUGE FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 7PR-16 [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | 29-SEP-89 | |
| MIL-C-915/84A | CABLE, POWER ELECTRICAL, TWO SHIELDED TWISTED PAIRS NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 2SPR-16 [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | 29-SEP-89 | |
| MIL-C-915/85A | CABLE, POWER ELECTRICAL, THREE TWISTED PAIRS NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 3PR-16 [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | 29-SEP-89 | |
| MIL-C-915/86A | CABLE, POWER ELECTRICAL, TWISTED QUAD NO. 16 GAUGE, FLUOROPOLYMER INSULATION FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1Q-16 [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | 29-SEP-89 | |
| MIL-C-915/87A | CABLE, POWER ELECTRICAL, TWISTED TRIAD, NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1TR-16 [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | 29-SEP-89 | |
| MIL-C-915/88A | CABLE, POWER ELECTRICAL, SEVEN SHIELDED TWISTED PAIRS WITH OVERALL SHIELD, NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 7SPR-16S [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | 29-SEP-89 | |
| MIL-C-915/89A | CABLE, POWER ELECTRICAL, ONE SHIELDED TWISTED PAIR NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1SPR-16 [CUST: MI SH] [REVIEW: AL AR CG CR CR4 EC IS] | A 6145 | SH | 29-SEP-89 | |
| MIL-E-917E | ELECTRIC POWER EQUIPMENT BASIC REQUIREMENTS [CUST: SH] | A 6110 | SH | 06-AUG-93 | |
| MIL-G-952 | GUNS, SPRAY, OIL AND SOLVENT [CUST: AS] | A 4930 | AS | 15-FEB-85 | |
| MIL-S-955D | SHOWER HEADS AND OUTFITS (SHIPBOARD USE) [CUST: SH] [REVIEW: CC] | A 4510 | SH | 17-FEB-88 | |
| MIL-T-960E(3) | TRAPS, STEAM, INTERMITTENT DISCHARGE AND CONTINUOUS FLOW, NAVAL SHIPBOARD [CUST: SH] | A 4730 | SH | 30-OCT-91 | |
| MIL-H-965E | HEATERS, WATER, ELECTRIC, NAVAL SHIPBOARD [CUST: SH] | A 4520 | SH | 22-DEC-94 | |
| MIL-G-1007H | GLOVES, WOMEN'S [CUST: GL NU 45 CT] [REVIEW: 32 82 99 CG MC MD] | A 8445 | CT | 14-OCT-88 | |
| MIL-G-1007H(11) | GLOVES, WOMEN'S [CUST: CT] | A 8445 | CT | 11-DEC-95 | |
| MIL-S-1049H | SOUP, DEHYDRATED, CHICKEN-FLAVORED, WITH NOODLES [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8935 | SS | 20-JUN-84 | |
| MIL-B-1107G | BELT, INDIVIDUAL EQUIPMENT, M-1936 [CUST: MI MC 99 CT] [REVIEW: 45 CG MD SA] | A 8465 | CT | 27-NOV-86 | |
| MIL-T-1110F | TENT, ASSEMBLY, M-1942 [CUST: GL 99 CT] [REVIEW: 82 MD] | A 8340 | CT | 27-MAR-89 | |
| MIL-T-1111G(2) | TENT, COMMAND POST, M-1945, FIRE, WATER, WEATHER AND MILDEW RESISTANT, OLIVE DRAB, COMPLETE [CUST: GL NU 99 CT] [REVIEW: 45 82 MC YDI] | A 8340 | CT | 15-JUN-90 | |
| MIL-E-1115D | ENAMEL, INTERIOR AND EXTERIOR, ALKYD, WHITE (FORMULA NO. 30) [CUST: SH 99] [REVIEW: MC SA] | A 8010 | SH | 01-JUN-95 | |
| MIL-L-1130E | LANTERN, ELECTRIC, STORAGE BATTERY, FLOODLIGHTING, HAND CARRIED [CUST: CR4 SH] [REVIEW: AS GS MC OS] | A 6230 | SH | 26-JAN-90 | |
| MIL-Y-1140H(1) | YARN, CORD, SLEEVING, CLOTH, AND TAPE- GLASS [CUST: GL NU 11 CT] [REVIEW: 45 99 AR CR4 EA IS MD MI SH] | A 4020 | CT | 25-SEP-85 | |
| MIL-G-1149C | GASKET MATERIALS, SYNTHETIC RUBBER, 50 AND 65 DUROMETER HARDNESS [CUST: AV SH] [REVIEW: AS CC CR4 EA IS MI] | A 5330 | SH | 09-NOV-88 | |
| MIL-C-1164G | CLOTH, TERRY, COTTON, COTTON AND POLYESTER [CUST: NU 99 CT] [REVIEW: 45 82] | A 8305 | CT | 26-OCT-84 | |
| MIL-T-1180 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS [CUST: CE] [REVIEW: 99 CR] | A 6685 | GS | 05-AUG-81 | |
| MIL-F-1183J | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, GENERAL SPECIFICATION FOR [CUST: CR4 SH 99] [REVIEW: CC] | A 4730 | SH | 05-MAY-87 | |
| MIL-F-1183/1 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; BEND, PIPE, RETURN [CUST: CR4 SH 99] [REVIEW: CC] | A 4730 | SH | 25-JAN-89 | |
| MIL-F-1183/2 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; CAP, PIPE [CUST: CR4 SH 99] [REVIEW: CC] | A 4730 | SH | 25-JAN-89 | |
| MIL-F-1183/3A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, COUPLING, PIPE [CUST: CR4 SH 99] [REVIEW: CC] | A 4730 | SH | 05-MAY-87 | |
| MIL-F-1183/4 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; CROSS, PIPE [CUST: CR4 SH 99] [REVIEW: CC] | A 4730 | SH | 25-JAN-89 | |
| MIL-F-1183/5 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; ELBOW, PIPE [CUST: CR4 SH 99] [REVIEW: CC] | A 4730 | SH | 25-JAN-89 | |
| MIL-F-1183/6 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; LATERAL, PIPE [CUST: CR4 SH 99] [REVIEW: CC] | A 4730 | SH | 25-JAN-89 | |
| MIL-F-1183/7A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, PLUG, PIPE [CUST: CR4 SH 99] [REVIEW: CC] | A 4730 | SH | 05-MAY-87 | |
| MIL-F-1183/8A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, REDUCER, PIPE [CUST: CR4 SH 99] [REVIEW: CC] | A 4730 | SH | 05-MAY-87 | |
| MIL-F-1183/9 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; TEE, PIPE [CUST: CR4 SH 99] [REVIEW: CC] | A 4730 | SH | 25-JAN-89 | |
| MIL-F-1183/10A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, UNION, PIPE [CUST: CR4 SH 99] [REVIEW: CC] | A 4730 | SH | 05-MAY-87 | |
| MIL-F-1183/11A | FITTING, PIPE, CAST BRONZE, SILVER BRAZING, UNION ELBOW, PIPE & UNION TEE, PIPE [CUST: CR4 SH 99] [REVIEW: CC] | A 4730 | SH | 05-MAY-87 | |
| MIL-F-1183/12 NOT 1 | FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING; WITH FLANGED END(S) [CUST: CR4 SH 99] [REVIEW: CC] | A 4730 | SH | 25-JAN-89 | |
| MIL-S-1186B | SALINOMETER EQUIPMENT, EVAPORATOR, SHIPBOARD USE [CUST: EA SH] | A 6630 | SH | 30-OCT-61 | |
| MIL-V-1189D | VALVE, GATE, BRONZE [CUST: SH] [REVIEW: CC] | A 4820 | SH | 15-DEC-87 | |
| MIL-C-1193A | COMPASSES, SHIP, NAVY, NO. 1, MAGNETIC (REFLECTOR TYPE, 7-1/2 INCH CARD) AND BINNACLE, REFLECTOR TYPE [CUST: SH] | A 6605 | SH | 24-JAN-92 | |
| MIL-C-1203C NOT 1 | COCKS, DRAIN, COCKS, PLUG, AND COCKS, SHUTOFF, SCREW STEM [CUST: CR4 99] [REVIEW: 82 CE GL MC MI] | A 4820 | CC | 31-JUL-73 | |
| MIL-C-1213E | CUP, GREASE [CUST: AR 99] [REVIEW: AS AT CR GL MC SH] | A 4730 | CC | 22-JAN-86 | |
| MIL-S-1222H(1) | STUDS, BOLTS, HEX CAP SCREWS, SOCKET HEAD CAP SCREWS AND NUTS [CUST: SH 99] [REVIEW: 82 AR AV CR4 IS MC] | A 53GP | SH | 31-MAR-89 | |
| MIL-S-1222H(13) | STUDS, BOLTS, HEX CAP SCREWS, SOCKET HEAD CAP SCREWS AND NUTS [CUST: SH] | A 53GP | SH | 30-SEP-94 | |
| MIL-G-001298C(2) | GUN, MACHINE, CALIBER .50, BROWNING, M2, HEAVY BARREL [CUST: AR] | A 1005 | AR | 30-SEP-93 | |
| MIL-I-1361C NOT 1 | INSTRUMENT AUXILIARIES, ELECTRICAL MEASURING: SHUNTS, RESISTORS, AND TRANSFORMERS [CUST: MR SH 99] [REVIEW: AS CC CG CR4 MC MI OS] | A 6625 | SH | 04-MAR-91 | |
| MIL-T-1368C(2) | TUBE AND PIPE, NICKEL-COPPER ALLOY, SEAMLESS AND WELDED [CUST: MR YD1 69] [REVIEW: AR AS CC CR4 MI] | A 4710 | SH | 21-FEB-66 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|----------------------|---|--------------------------|-----|-------------|-----------|
| | MIL-T-1368C(13) | TUBE AND PIPE, NICKEL-COPPER ALLOY, SEAMLESS AND WELDED [CUST: SH] | A 4710 | SH | | 24-DEC-80 |
| | MIL-S-1398E NOT 1 | SIGNAL, ILLUMINATION, AIRCRAFT DOUBLE-STAR AN-M37A2 THROUGH AN-M42A2 PARTS, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 31-OCT-90 |
| | MIL-S-1399E NOT 1 | SIGNALS, ILLUMINATION, AIRCRAFT TRACER, DOUBLE STAR AN-M53A2 THROUGH AN-M58A2 PARTS, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 31-OCT-90 |
| | MIL-P-1407C | PIN SET, MARKING, LAUNDRY [CUST: GL YD1 99 GS] [REVIEW: 50 MC MD] | A 3510 | GS | | 20-MAR-68 |
| | MIL-C-1410F | CHAIN, HOOK & RING ASSEMBLY, TENT [CUST: GL NU CT] [REVIEW: YD1] | A 8340 | CT | | 30-SEP-85 |
| | MIL-H-1411E | HOOK, TENT, ASSEMBLY, WALL SECTION [CUST: GL 99 CT] [REVIEW: 82 MD] | A 8340 | CT | | 15-JAN-91 |
| | MIL-S-1419D NOT 1 | SIGNAL, ILLUMINATION, AIRCRAFT, SINGLE STAR AN/M43A2, AN/M44A2, AND M45A2, LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1370 | AR | | 15-MAY-87 |
| | MIL-F-1461H | FRAME SECTIONS, TENT, MAINTENANCE [CUST: GL NU 99 CT] [REVIEW: 45 82 MC] | A 8340 | CT | | 31-DEC-85 |
| | MIL-B-1462F | BELT, GENERAL OFFICER [CUST: GL CT] [REVIEW: 45 MD] | A 8440 | CT | | 06-JAN-88 |
| | MIL-S-1484E | SHIELD, STOVEPIPE, TENT [CUST: GL YD1 99 CT] [REVIEW: IS] | A 8340 | CT | | 31-MAR-86 |
| | MIL-T-1547E | THIMBLES, ROPE (SOLID) [CUST: GL SH 99 IS] [REVIEW: CR4 MD] | A 4030 | IS | | 28-AUG-89 |
| | MIL-B-1563C SUP 1 | BUTTONS, INSIGNIA AND FINDINGS (U.S.M.A.), GENERAL SPECIFICATION FOR [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 31-DEC-90 |
| | MIL-DTL-1563/1A | INSIGNIA, U.S.M.A., SERVICE HAT, CADET FULL DRESS WITH POM POM [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/2A | INSIGNIA, U.S.M.A., SERVICE CAP, UNIFORM [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/3A | INSIGNIA, U.S.M.A., COLLAR, BLACK, GRAY OR GOLD SHIELD [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/5A | INSIGNIA, U.S.M.A., BUTTON, BALL, 30 LIGNE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/6A | INSIGNIA, U.S.M.A., BUTTON, 25 LIGNE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/7A | INSIGNIA, U.S.M.A., BUTTON, 36 LIGNE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/8A | INSIGNIA, U.S.M.A., BUTTON, 43 LIGNE WITH TUBE SCREW AND HOOK [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/9A | INSIGNIA, U.S.M.A., BUTTON, 25 LIGNE WITH TUBE SCREW [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 18-APR-97 |
| | MIL-DTL-1563/10A | INSIGNIA, U.S.M.A., BUTTON, 30 LIGNE, FLAT WITH TOGGLE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/11A | INSIGNIA, U.S.M.A., BUTTON, 36 LIGNE WITH TUNNEL BACK [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/12A | INSIGNIA, U.S.M.A., BUCKLE, WAISTPLATE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/13A | INSIGNIA, U.S.M.A., BUCKLE, BREASTPLATE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/14A | INSIGNIA, U.S.M.A., CHAIN, HAT, CADET, FULL DRESS WITH POM POM [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/15A | INSIGNIA, U.S.M.A., BUTTON, CUFF [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/16A | INSIGNIA, U.S.M.A., CHAIN, HANGING, CADET OVERCOAT [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/18A | INSIGNIA, U.S.M.A., BURR, COAT, CADET FULL DRESS [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/19A | INSIGNIA, U.S.M.A., TOGGLE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/20A | INSIGNIA, U.S.M.A., BALL, 30 LIGNE WITH TACK BACK [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1563/21 | INSIGNIA, U.S.M.A., BUTTON, 25 LIGNE WITH TUNNEL BACK [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-APR-97 |
| | MIL-DTL-1589/496 | RIBBON, BICENTENNIAL, UNIT COMMENDATION, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 12-MAY-97 |
| | MIL-H-1608H | HOOKS, TENT [CUST: GL NU 99 CT] [REVIEW: 45 82] | A 8340 | CT | | 25-NOV-91 |
| | MIL-F-1611E(1) NOT 1 | FAIRLEAD, TENT LINE, MAGNESIUM [CUST: GL SA 99 CT] [REVIEW: CR4 YD1] | A 8340 | CT | | 27-FEB-87 |
| | MIL-H-1679F | HOOK, TENT, WITH THIMBLE, FOR GUY LINE, ASSEMBLY TENT [CUST: GL NU 99 CT] [REVIEW: 82 YD1] | A 8340 | CT | | 13-JAN-92 |
| | MIL-R-1688F | ROPE, FIBROUS, CLIMBING TYPE, NYLON [CUST: GL MC] [REVIEW: AR AS MD] | A 4020 | IS | | 26-APR-90 |
| | MIL-C-1690D NOT 1 | CASE, SHOTGUN, AMMUNITION, COTTEN DUCK [CUST: GL 99 CT] [REVIEW: 45] | A 8465 | CT | | 25-JAN-88 |
| | MIL-P-1691G | POCKET, AMMUNITION MAGAZINE, 2 CLIPS, .45 CAL. AUTOMATIC PISTOL, LEATHER [CUST: GL 99 CT] [REVIEW: 45 82 MD] | A 8465 | CT | | 30-JUN-88 |
| | MIL-S-1698G | SLING, CARRYING, BAG AND CASE [CUST: GL NU 99 CT] [REVIEW: 45 82 AR CR MC MD] | A 8465 | CT | | 28-AUG-84 |
| | MIL-L-1709E | LINES, TENT [CUST: GL NU 99 CT] [REVIEW: 45 82 MC YD1] | A 8340 | CT | | 10-AUG-89 |
| | MIL-T-1712T | TENT, GENERAL PURPOSE, MEDIUM [CUST: GL NU 99 CT] [REVIEW: 45 82 MD YD1] | A 8340 | CT | | 16-SEP-91 |
| A | MIL-DTL-1716J | POLE, TENT, TELESCOPIC, ADJUSTABLE 5 FEET TO 9 FEET, MAGNESIUM [CUST: GL NU 99 CT] [REVIEW: 45 82 CR4 MC MD] | A 8340 | CT | | 10-JUL-97 |
| | MIL-S-1734H | SLIP, TENT LINE [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8340 | CT | | 06-DEC-84 |
| | MIL-P-1735G NOT 1 | POTS, COOKING: WITH COVERS AND SPLASH PLATE [CUST: GL SA 99] [REVIEW: GS MC MD] | A 7330 | GL | | 19-JUN-90 |
| | MIL-T-1774E | TABLE, FOOD PREPARATION (BAKERY PLANTS, FIELD, PORTABLE AND MOBILE) [CUST: GL MC IS] [REVIEW: MD YD1] | A 7320 | IS | | 26-MAY-76 |
| | MIL-P-1814E NOT 1 | PAD, SHOULDER, PACKBOARD [CUST: GL SA 99 CT] [REVIEW: 45 MC MI] | A 8465 | CT | | 25-JAN-88 |
| | MIL-B-1851F NOT 1 | BAND, HELMET, CAMOUFLAGE [CUST: GL 99 CT] [REVIEW: 45 MD] | A 8415 | CT | | 27-FEB-87 |
| | MIL-B-1851F(1) | BAND, HELMET [CUST: GL] | A 8415 | CT | | 05-DEC-90 |
| | MIL-B-1860E NOT 1 | BUCKLE, SLIDE, PLASTIC [CUST: GL NU 99 CT] [REVIEW: 11 CG MC] | A 8315 | CT | | 21-JUN-77 |
| | MIL-C-1911J(1) | CAP, CAMOUFLAGE PATTERN [CUST: GL MC 99 CT] [REVIEW: 32 45 82 MD] | A 8415 | CT | | 08-MAR-90 |
| | MIL-C-1911J(2) | CAP, CAMOUFLAGE PATTERN [CUST: GL] | A 8415 | CT | | 25-OCT-90 |
| | MIL-T-1926G | TENT, MOUNTAIN, TWO-MAN, COMPLETE WITH PINS AND POLES [CUST: GL NU 99 CT] [REVIEW: 45 82 MD] | A 8340 | CT | | 30-JUN-86 |
| | MIL-B-1947A(5) | BLOWER, SOOT (SHIPBOARD USE) [CUST: SH] | A 4410 | SH | | 11-JUL-66 |
| | MIL-T-1956D(1) | TARPAULIN, WATERPROOF, SPECIAL PURPOSE, 10 FEET LONG BY 8 FEET WIDE [CUST: GL NU CT] [REVIEW: MD] | A 8340 | CT | | 08-JAN-79 |
| | MIL-B-1963J(1) | BUCKLES; AND CLIPS, END, STRAP (FOR BELT, TROUSERS) [CUST: GL NU 45 CT] [REVIEW: 32 82 99 CG MC MD] | A 8315 | CT | | 01-AUG-90 |
| | MIL-L-1978B(2) NOT 1 | LEATHER, CATTLEHIDE, RAWHIDE, HARD [CUST: GL NU 99 CT] [REVIEW: CR4 MD] | A 8330 | CT | | 30-JUL-90 |
| | MIL-R-1982F NOT 1 | ROLLS, CUTLERY, CANVAS [CUST: GL YD1 99 IS] [REVIEW: 84 MC MD MS] | A 7360 | IS | | 27-MAR-92 |
| | MIL-R-1983G | RACK, BREAD, BAKERS., ONE WIRE SHELF, FOLDING TYPE [CUST: GL 99 IS] [REVIEW: MC MD SA YD1] | A 7320 | IS | | 23-OCT-87 |
| | MIL-I-1986E | INSOLE, FOOTWEAR, FELT, INSULATING [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8335 | CT | | 05-DEC-86 |
| | MIL-C-1997C | COVER, WATERPROOF, MULTI PURPOSE [CUST: GL NU CT] [REVIEW: MC] | A 8465 | CT | | 11-APR-83 |
| | MIL-P-2018J | PAINT, FACE, CAMOUFLAGE [CUST: GL MC 68] [REVIEW: GS MD MS] | A 6850 | GS | | 14-JUN-93 |
| | MIL-B-2029F NOT 1 | BURNER ASSEMBLY, SPACE HEATER [CUST: GL YD1 99] [REVIEW: 84 CC MC] | A 4520 | YD1 | | 12-JAN-89 |
| | MIL-E-2036D | ENCLOSURE FOR ELECTRIC AND ELECTRONIC EQUIPMENT, NAVAL SHIPBOARD [CUST: SH] [REVIEW: CR4] | A 5935 | CC | | 10-MAR-88 |
| | MIL-L-2037E | LUMBER, OAK, WHITE AND RED, FOR SHIP AND BOAT CONSTRUCTION [CUST: SH 99] [REVIEW: 84 CC CG CR4] | A 5510 | SH | | 21-AUG-90 |
| | MIL-W-2038C(2) | WOOD LAMINATES, DOUGLAS FIR (FOR SHIP AND BOAT USE) [CUST: SH] [REVIEW: CC] | A 5510 | SH | | 01-DEC-65 |
| | MIL-S-2041A(1) | SINK (NAVAL SHIPBOARD USE) [CUST: SH] [REVIEW: CC] | A 4510 | SH | | 21-MAR-66 |
| | MIL-M-2082C NOT 1 | METERS, FLOW, MECHANICAL, VOLUMETRIC POSITIVE DISPLACEMENT, LIQUID, COLD WATER AND HOT WATER TYPE, NAVAL SHIPBOARD USE [CUST: SH] | A 6680 | SH | | 07-MAY-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/NSC | MCA | Prep. Acty. | Date |
|----------------------|---|-------------------------|-----|-------------|-----------|
| MIL-T-2118C | TRAP, STEAM, ANGLE, THERMOSTATIC [CUST: SH] [REVIEW: CC] | A 4730 | SH | | 22-AUG-90 |
| MIL-B-2128D | BURNERS, STEAM AND OIL PRESSURE, ATOMIZING [CUST: SH] | A 4530 | SH | | 07-MAY-91 |
| MIL-C-2156C NOT 1 | CHARGE, DEMOLITION, SHAPED, 15 LB. PRACTICE, M2A3 AND HE, M2A4 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 27-AUG-90 |
| MIL-C-2181M | COVERALLS, TOXICOLOGICAL AGENTS PROTECTIVE, M-3 [CUST: GL NU 99 CT] [REVIEW: 45 82 CG EA MC MD OS] | A 8415 | CT | | 27-SEP-90 |
| MIL-E-2185C(1) NOT 1 | EXTINGUISHER, FIRE, CARBON DIOXIDE (HOSE REEL) SYSTEM (NAVAL SHIPBOARD USE)[CUST: SH] [REVIEW: CC] | A 4210 | SH | | 08-AUG-86 |
| MIL-C-2202H | COVERALLS, MEN'S, COTTON, SATEEN [CUST: GL NU 99 CT] [REVIEW: 32 45 82 MC] | A 8405 | CT | | 20-MAR-90 |
| MIL-T-2211E | TABLE, LAUNDRY, FOLDING, 3 BY 8 FEET [CUST: GL 99 GS] [REVIEW: CR4 MC YD1] | A 3510 | GS | | 21-JUN-73 |
| A MIL-DTL-2212H | CONTACTORS AND CONTROLLERS, ELECTRIC MOTOR AC OR DC, AND ASSOCIATED SWITCHING DEVICES [CUST: SH] | A 6110 | SH | | 10-FEB-97 |
| MIL-H-2217D | HOSE ASSEMBLIES, WIRE-REINFORCED RUBBER, SUBMARINE RESCUE CHAMBER [CUST: SH] [REVIEW: CC] | A 4720 | SH | | 09-JUL-93 |
| MIL-I-2220C | INSTRUMENTS, ELECTRICAL-MEASURING, HYDROGEN-GAS-MONITORING, NONPORTABLE (SUBMARINE USE) [CUST: SH] [REVIEW: GL] | A 6625 | SH | | 16-JAN-91 |
| MIL-F-2310D NOT 1 | FRINGE, ORNAMENTAL, RAYON [CUST: GL NU 99 CT] [REVIEW: MC] | A 8315 | CT | | 25-JUN-87 |
| MIL-F-2312F | FELT, HAIR OR WOOL: MILDEW RESISTANT AND MOISTURE RESISTANT TREATMENT FOR [CUST: GL NU 99 CT] [REVIEW: 32 45 82 AS MD SH] | A 8305 | CT | | 24-APR-89 |
| MIL-S-2329C | SHEATH, MACHETE (FOR 18 INCH LONG, 2 1/4 INCH WIDE BLADE) [CUST: GL MC 99 CT] [REVIEW: 45 CR4] | A 8465 | CT | | 03-DEC-75 |
| MIL-S-2329C(11) | SHEATH, MACHETE (FOR 18 INCH LONG, 2-1/4 INCH WIDE BLADE) [CUST: GL] | A 8465 | CT | | 03-AUG-90 |
| MIL-A-2334J | APRON, TOXICOLOGICAL AGENTS PROTECTIVE, M-2 [CUST: GL NU 99 CT] [REVIEW: 31 45 82 AS MC MD YD1] | A 8415 | CT | | 15-MAR-91 |
| MIL-G-2366K | GLOVES, MEN'S AND WOMEN'S, HEAVY DUTY [CUST: GL NU 99 CT] [REVIEW: 11 45 82 CR MC MD SH] | A 8415 | CT | | 08-MAR-89 |
| MIL-P-2383H | PIN, TENT, WOOD [CUST: GL NU 99 CT] [REVIEW: 45 82 MC YD1] | A 8340 | CT | | 26-AUG-86 |
| MIL-O-2414H | OVERCOAT, MAN'S, ENLISTED [CUST: NU CT] | A 8405 | CT | | 15-AUG-88 |
| MIL-M-2418G | MITTEN SHELLS, SNOW CAMOUFLAGE, COTTON, WHITE, TWO FINGER [CUST: GL 99 CT] [REVIEW: 11 45 MC MD] | A 8415 | CT | | 31-AUG-90 |
| MIL-T-2423L | TROUSERS, MEN'S (WHITE) [CUST: NU CT] | A 8405 | CT | | 30-SEP-88 |
| MIL-B-2424D | BLOCK AND TACKLE: WITH LOAD LOCKING DEVICE [CUST: CR4] [REVIEW: IS] | A 3940 | CR4 | | 06-OCT-83 |
| MIL-B-2427G(7) | BOX, AMMUNITION PACKING: WOOD, NAILED [CUST: AR] | A 8140 | AR | | 10-JUN-93 |
| MIL-C-2439E(6) | CONTAINER, AMMUNITION, FIBER, SPIRALLY WOUND [CUST: AR OS] [REVIEW: SH] | A 8140 | AR | | 16-MAR-95 |
| MIL-D-2457J | DUSTER, INSECTICIDE, MASS DELOUSING [CUST: MD YD1 99 CC] [REVIEW: 84 CE CG MS] | A 4230 | CC | | 01-NOV-88 |
| MIL-D-2477C(1) | DOUGH MOLDING MACHINE, LOAF [CUST: SH 99] [REVIEW: GS MC SA] | A 7320 | SH | | 17-JUN-81 |
| MIL-A-002550C(12) | AMMUNITION, GENERAL SPECIFICATION FOR [CUST: AR] | A 1395 | AR | | 28-JUN-91 |
| MIL-L-2594D | LUMBER, SHIP & BOAT CONSTRUCTION, CEDAR, MAHOGANY, & DOUGLAS FIR [CUST: CR4 SH 99] [REVIEW: CC] | A 5510 | SH | | 14-MAR-88 |
| MIL-S-2609D | SIGN BOX, INTERIOR ILLUMINATED, ELECTRIC (4 INCH BY 15 INCH MESSAGE) [CUST: GL 99 GS] [REVIEW: AT MC] | A 9905 | GS | | 28-OCT-68 |
| MIL-B-002619B | BAG, PATIENT S, EFFECTS [CUST: MD MS 03] | A 6530 | MB | | 13-AUG-64 |
| MIL-S-2649B(1) | SEARCHLIGHT, INCANDESCENT, 7-INCH SEALED BEAM LAMP FOR SMALL BOATS [CUST: SH] [REVIEW: GS YD1] | A 6230 | SH | | 12-JUN-86 |
| DOD-C-2687B(1) NOT 1 | COMPOUND, BATTERY SEALING (METRIC) [CUST: SH] | A 8030 | SH | | 02-JUN-87 |
| MIL-F-2692H | FLAGS AND PENNANTS [CUST: IH NU 45] [REVIEW: 32 82 CT] | A 8345 | IH | | 26-MAR-92 |
| MIL-M-2714A(1) | MICROPHONE, CARBON, HAND HELD [CUST: CR EC 85 CC] [REVIEW: AS CG] | A 5965 | CC | | 06-FEB-69 |
| MIL-R-2726B | RECEPTACLE, RECEPTACLE PLUGS, SWITCH AND RECEPTACLES, AND OUTLETS, GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: AR CR] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/1B | RECEPTACLE, PLUG, ELECTRICAL, 2 PIN, 40 AMPERE, 125 VOLT DIRECT CURRENT (SYMBOL NO. 715.1) [CUST: SH] | A 5935 | CC | | 19-APR-68 |
| MIL-R-2726/2B | RECEPTACLE, PLUG, ELECTRICAL, 3 PIN GROUNDED, 50 AMPERE, 250 VOLT DIRECT CURRENT (SYMBOL NO. 716.1) [CUST: SH] | A 5935 | CC | | 19-APR-68 |
| MIL-R-2726/3C | RECEPTACLE, PLUG, ELECTRICAL, 4 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT, 60 HZ (SYMBOL NR 717.1) [CUST: SH] | A 5935 | CC | | 30-JUL-71 |
| MIL-R-2726/5B | RECEPTACLE, PLUG, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NO. 1140.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/6B | RECEPTACLE, PLUG, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 125 VOLT ALTERNATING CURRENT (SYMBOL NO. 1143.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/7A | RECEPTACLE, ELECTRICAL, 2 PIN, 40 AMPERE, 125 VOLT DIRECT CURRENT (SYMBOL NOS. 756.1 AND 756.2) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/8A | RECEPTACLE, ELECTRICAL, 3 PIN GROUNDED, 50 AMPERE, 250 VOLT DIRECT CURRENT (SYMBOL NOS. 757.1 AND 757.2) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/9A | RECEPTACLE, ELECTRICAL, 4 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NOS. 758.1 AND 758.2) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/11B | RECEPTACLE, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NO. 1141.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/12A | RECEPTACLE, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 125 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1144.1 & 1144.2) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/13D | RECEPTACLE, CAP ASSEMBLY, ELECTRICAL (SYMBOL NO. 1142.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/15B | RECEPTACLE, ELECTRICAL, ENCLOSED, 3 PIN GROUNDED, 50 AMPERE, 250 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1146.1, 1146.2, AND 1146.3) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/16A | RECEPTACLE, ELECTRICAL, ENCLOSED, 4 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1147.1, 1147.2 AND 1147.3) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/17B | RECEPTACLE, ELECTRICAL, ENCLOSED, 3 PIN GROUNDED, 40 AMPERE, 125 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1148.1, 1148.2, AND 1148.3) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/18A | RECEPTACLE, ELECTRICAL, TRIPLE, 50 AMPERE, 250 VOLT DIRECT CURRENT, 3 POLE GROUNDED (SYMBOL NO. 1105.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/19B | RECEPTACLE WITH SWITCH, ELECTRICAL, 30 AMPERE, 450 VOLT, ALTERNATING CURRENT, 60 HZ, 3 PHASE, INTERLOCKING, GROUNDED (SYMBOL NO 915.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/20A | RECEPTACLE WITH SWITCH, ELECTRICAL, 30 AMPERE, 450 VOLT, 1 PHASE, INTERLOCKING, GROUNDED (SYMBOL NO. 916.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/21A | RECEPTACLE WITH SWITCH, ELECTRICAL, 30 AMPERE, 250 VOLT DIRECT CURRENT, INTERLOCKING, GROUNDED (SYMBOL NO. 917.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/22A | RECEPTACLE, OUTLET, ELECTRICAL, WELDING, 200AMPERE, DIRECT CURRENT, CONSTANT POTENTIAL (SYMBOL NO. 770.2) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/23A | RECEPTACLE, ELECTRICAL, ENCLOSED, 100 AMPERE, 250 VOLT DIRECT CURRENT, BULKHEAD MOUNTED (SYMBOL NO. 726.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Ave | MCA | Prep. Acty. | Date |
|----------------------|---|-------------------------|-----|-------------|-----------|
| MIL-R-2726/24B | RECEPTACLE, PLUG, ELECTRICAL, CONNECTOR, 25-AMPERE, 500 VOLT, 3 PHASE GROUNDED (SYMBOL NO. 707.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/25A | RECEPTACLE, ELECTRICAL CONNECTOR, 25 AMPERE, 500 VOLT, 3 PHASE GROUNDED (SYMBOL NO. 722.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/26C | RECEPTACLE, PLUG, ELECTRICAL 4 PIN, 60 AMPERE, 208/117 VOLT, 3 PHASE (SYMBOL NO 728.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/27B | RECEPTACLE WITH SWITCH, ELECTRICAL, 60 AMPERE, 208/117 VOLT, 3 PHASE, INTERLOCKING, GROUNDED (SYMBOL NO. 776.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/28A | RECEPTACLE, ELECTRICAL 4 POLE GROUNDED, 100 AMPERE, 450 VOLT, 3 PHASE, (SYMBOL NO. 1221) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/29 | PLUG, ELECTRICAL, 4 POLE GROUNDED, 100 AMPERE, 450 VOLT, 3 PHASE (SYMBOL NO. 1222) [CUST: SH] | A 5935 | CC | | 30-JUN-67 |
| MIL-R-2726/30A | PLUG, ELECTRICAL, 10 AMPERE, 125 VOLT, SINGLE POLE, MALE (SYMBOL NO. 727.1)[CUST: SH] | A 5935 | CC | | 30-JUN-67 |
| MIL-R-2726/31A | PLUG, ELECTRICAL, 10 AMPERE, 125 VOLT, DOUBLE POLE, MALE (SYMBOL NO. 729.1) 300667 [CUST: SH] | A 5935 | CC | | 30-JUN-67 |
| MIL-R-2726/32A | RECEPTACLE, ELECTRICAL, 10 AMPERE, 125 VOLT, SINGLE POLE, PANEL MOUNTED (SYMBOL NO. 775.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/33B | RECEPTACLE, PLUG, ELECTRICAL, 40 AMPERE, 125 VOLT, SINGLE POLE, MALE (SYMBOL NO. 1214.2 - RED, SYMBOL NO. 1214.5 - BLACK) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/34C | RECEPTACLE, PLUG, ELECTRICAL, 40 AMPERES, 125 VOLT, SIGNAL POLE, FEMALE TYPE (SYMBOL NO 1214.3 RED, SYMBOL NO 1214.4 BLACK) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/35B | RECEPTACLE, ELECTRICAL, 40 AMPERE, 125 VOLT, SINGLE POLE, PANEL MOUNTED, FEMALE (SYMBOL NO. 1213.2) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/36B | RECEPTACLE, ELECTRICAL, 40 AMPERE, 125 VOLT, SINGLE POLE, PANEL MOUNTED, MALE TYPE (SYMBOL NO. 1213.3 - RED, SYMBOL NO. 1213.5 - BLACK) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/37E | RECEPTACLE, ELECTRICAL, 15-AMPERE, 125-VOLT, 60-HERTZ, BLADED TYPE, GROUNDED (SYMBOL NO. 1099.1) [CUST: SH] | A 5935 | CC | | 07-AUG-89 |
| MIL-R-2726/38C | RECEPTACLE, PLUG, ELECTRICAL, 15 AMP, 125 V, BLADED TYPE, GROUNDED (SYMBOL NO. 1218.3) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/39A | RECEPTACLE AND SWITCH, ELECTRICAL, 15 AMPERE, 125 VOLT, BLADED TYPE, GROUNDED (SYMBOL NO. 919) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/40A | RECEPTACLE CHANNEL, ELECTRICAL, 10 AMPERE, 125 VOLT, BLADED TYPE, GROUNDED (SYMBOL NO. 730.4) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/41A | RECEPTACLE, ELECTRICAL, ENCLOSED, 15 AMPERE, 125 VOLT, G POLE (SYMBOL NO. 1098.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/42A | RECEPTACLE, ELECTRICAL, ENCLOSED, 60 AMPERE, 500 VOLT, 3 PHASE, GROUNDED (SYMBOL NO. 746.2) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/43A | RECEPTACLE, ELECTRICAL, (BLADED) 15 AMPERE WITH 3 AMPERE SWITCH, TYPE DPST, 125 VOLT, GROUNDED, TOTALLY ENCLOSED (SYMBOL 918.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/44A | RECEPTACLE, PORTABLE TRIPLE OUTLET, ELECTRICAL, 60-AMPERE, 500-VOLT, 3-PHASE GROUNDED (SYMBOL NO. 765.3) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/45B | RECEPTACLE, OUTLET SWITCH, ELECTRICAL, 100 AMPERE, 125 VOLT, 60 AMPERE, 250 VOLT, INTERLOCKING, GROUNDED (SYMBOL NO. 772.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/46A | RECEPTACLE, PLUG, ELECTRICAL, 100-AMPERE, 250 VOLT, DIRECT CURRENT, 3 POLE (SYMBOL NO. 721.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/49D(1) | RECEPTACLE, OUTLET, TRIPLE, ELECTRICAL, 40-AMPERE, 450-VOLT, 60 HERTZ, ALTERNATING CURRENT, 4-POLE, PORTABLE, PLASTIC, GROUNDED (SYMBOL NOS. 765.6, 765.7 AND 765.8) [CUST: SH] | A 5935 | CC | | 01-MAR-91 |
| MIL-R-2726/51B | RECEPTACLE, ADAPTER, ELECTRICAL, 15-AMPERE, 125-VOLT, ALTERNATING CURRENT, GROUNDED (SYMBOL NO. 2440.2) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/52A | PLUG, ELECTRICAL, 3 PIN GROUNDED, 10 AMPERE, 450 VOLT, 60 CYCLE, SINGLE PHASE (SYMBOL NO. 1257) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/53A | PLUG, ELECTRICAL, 4 PIN GROUNDED, 10 AMPERE, 450 VOLT, 60 CYCLE, A.C., SYMBOL NO. 1258 [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/54A | RECEPTACLE, PLUG, ELECTRICAL, 3-PIN GROUNDED, 10 AMPERE, 450-VOLT, 400 HERTZ, SINGLE-PHASE (SYMBOL NO. 1259) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/55A | RECEPTACLE, PLUG, ELECTRICAL, 4-PIN GROUNDED, 10 AMPERE, 450-VOLT, 400-HERTZ, 3-PHASE (SYMBOL NO. 1260) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/56A | RECEPTACLE, PLUG, ELECTRICAL, 4-POLE GROUNDED, 60-AMPERE, 450-VOLT, 3-PHASE (SYMBOL NO. 1261) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/57A | RECEPTACLE, ELECTRICAL, 3-PIN GROUNDED, 10-AMPERE, 450-VOLT, 60-HERTZ, SINGLE PHASE (SYMBOL NO. 1262) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/58A | RECEPTACLE, ELECTRICAL, 4-PIN GROUNDED, 10-AMPERE, 450 VOLT, 60-HERTZ, ALTERNATING CURRENT (SYMBOL NO. 1263) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/59A | RECEPTACLE, ELECTRICAL, 3-PIN GROUNDED, 10 AMPERE, 450-VOLT, 400 HERTZ, SINGLE PHASE (SYMBOL NO. 1264) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/60A | RECEPTACLE, ELECTRICAL, 4-PIN GROUNDED, 10-AMPERE, 450-VOLT, 400 HERTZ, 3-PHASE (SYMBOL NO. 1265) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/61A | RECEPTACLE, ELECTRICAL, 4-POLE GROUNDED, 60 AMPERE, 450 VOLT, 3 PHASE (SYMBOL NO. 1266) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/62B | RECEPTACLE, ELECTRICAL, ENCLOSED, 3-PIN GROUNDED, 10-AMPERE, 450 VOLT, 60-HERTZ, SINGLE PHASE (SYMBOL NO. 1267) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/63B | RECEPTACLE, ELECTRICAL, ENCLOSED, 4-PIN GROUNDED, 10-AMPERE, 450-VOLT, 60-HERTZ, ALTERNATING CURRENT (SYMBOL NO. 1268) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/64B | RECEPTACLE, ELECTRICAL, ENCLOSED, 3-PIN GROUNDED, 10-AMPERE, 450 VOLT, 400 HERTZ, SINGLE PHASE (SYMBOL NO. 1269) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/65B | RECEPTACLE, ELECTRICAL, ENCLOSED, 4-PIN GROUNDED, 10-AMPERE, 450 VOLT, 400 HERTZ, 3-PHASE (SYMBOL NO. 1272) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/67A | RECEPTACLE, ELECTRICAL, ENCLOSED, 10 AMPERE, 125 VOLT, 3 PHASE GROUNDED (SYMBOL NO. 741.2) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/68C | RECEPTACLE, PLUG, CONNECTOR, ELECTRICAL, 10 AMPERE, 125 VOLT, 3 PHASE GROUND (SYMBOL NO. 706.1) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/69B | RECEPTACLE, OUTLET, TRIPLE, ELECTRICAL, PORTABLE, 15 - AMPERE, 125 - VOLT ALTERNATING CURRENT, DOUBLE POLE, GROUNDED, 25-FOOT CABLE EXTENSION (SYMBOL NO. 779) [CUST: SH] | A 5935 | CC | | 03-JUL-86 |
| MIL-R-2726/72B | RECEPTACLE, ADAPTER, ELECTRICAL, 15 AMPERE, 125 VOLT, AC, 60 TO 400 HZ, GROUNDED (SYMBOL NO 2439) [CUST: SH] | A 5935 | CC | | 01-NOV-72 |
| MIL-R-2726/73B NOT 1 | RECEPTACLE, ELECTRICAL, 15-AMPERE, 125-VOLT, BLADED TYPE, GROUNDED (PORTABLE) (SYMBOL NO. 1215) [CUST: SH] | A 5935 | CC | | 20-FEB-92 |
| MIL-R-2728C NOT 1 | REFLECTOR, LIGHT; PARABOLIC, SEARCHLIGHT [CUST: CR4 SH 99] [REVIEW: GS] | A 6210 | SH | | 18-DEC-90 |
| MIL-R-2729D | REGULATOR-EXCITER SYSTEMS, VOLTAGE, A.C. GENERAL, NAVAL SHIPBOARD USE [CUST: SH] | A 6110 | SH | | 28-JAN-92 |
| MIL-D-2759E | DEAD RECKONING TRACER (DRT) (NAVAL SHIPBOARD) [CUST: SH] | A 6605 | SH | | 18-DEC-87 |
| MIL-R-2765D NOT 1 | RUBBER SHEET, STRIP, EXTRUDED, AND MOLDED SHAPES, SYNTHETIC, OIL RESISTANT [CUST: AR SH] [REVIEW: CR4 EA IS MI] | A 5330 | SH | | 04-APR-91 |

| Document Number | Document Title | Distribution FSC/Area | MCA Prop. Acty. | Date |
|-----------------------|---|--------------------------|--------------------|-----------|
| MIL-G-2767C(1) | GUARDS, RAT, SHIP [CUST: CR4 SH] | A 2040 | SH | 05-APR-89 |
| MIL-R-2778B NOT 2 | RUBBER SHEET, SOLID, UNVULCANIZED, HIGH GRAPHITE, GASKET USE, SYMBOL 2352 [CUST: SH] [REVIEW: IS] | A 5330 | SH | 27-MAR-91 |
| MIL-I-2781F | INSULATION, PIPE, THERMAL [CUST: CR4 SH 84] | A 5640 | SH | 21-AUG-91 |
| MIL-R-2784A NOT 1 | RULES, SOUNDING, JOINTED [CUST: CR4 SH] [REVIEW: GS] | A 6680 | SH | 07-JUN-91 |
| MIL-H-2813B | HOISTS, CHAIN AND WIRE ROPE, PNEUMATIC [CUST: CR4 SH 84] [REVIEW: AS CC GL] | A 3950 | SH | 17-AUG-94 |
| MIL-I-2818C(1) | INSULATION BLANKET, THERMAL, FIBROUS MINERAL [CUST: CR4 SH] [REVIEW: YD1] | A 5640 | SH | 13-JUL-92 |
| MIL-P-2845D | PROPULSION SYSTEMS, BOAT AND SHIP; MAIN SHAFTING, PROPELLERS, BEARINGS, GAUGES, SPECIAL TOOLS, AND ASSOCIATED REPAIR PARTS; PACKAGING OF [CUST: SH] | A PACK | SH | 17-JUN-91 |
| MIL-G-2857B | GLASS, HEAT-TREATED, GLAZING, RECTANGULAR (FOR BRIDGE WINDOWS) [CUST: CR4 SH 84] | A 5620 | SH | 10-NOV-88 |
| MIL-G-2860E | GLASS, SIGHT, FLAT, CLEAR, BOROSILICATE [CUST: SH] [REVIEW: CR4 GS] | A 2040 | SH | 30-DEC-77 |
| MIL-C-2861E | CEMENT, INSULATION, HIGH TEMPERATURE [CUST: CR4 SH 99] [REVIEW: MI] | A 5640 | SH | 05-AUG-88 |
| MIL-P-2863B(2) NOT 1 | PACKING, PREFORMED, CONDENSER-TUBE (SYMBOL 1435) [CUST: SH] [REVIEW: IS] | A 5330 | SH | 15-JAN-88 |
| MIL-B-2873D | BOAT CLOTH [CUST: NU CT] | A 7210 | CT | 12-MAR-85 |
| MIL-G-2874E | GLOVES, ANTI-FLASH, FLAME RESISTANT [CUST: GL NU 99 CT] [REVIEW: 45 82 MC] | A 8415 | CT | 01-JUL-87 |
| MIL-A-2877C NOT 1 | ALUMINUM ALLOY TAPE [CUST: MR SH] [REVIEW: AS GL IS MC YD1] | A 9535 | SH | 20-FEB-91 |
| MIL-B-2883D | BOATSWAIN'S PIPE [CUST: NU CT] [REVIEW: CG] | A 8465 | CT | 17-OCT-88 |
| MIL-C-2939F | COOLING COILS, AIR, DUCT TYPE AND GRAVITY TYPE, NAVAL SHIPBOARD ENVIRONMENTAL CONTROL SYSTEMS [CUST: SH] [REVIEW: GS] | A 4130 | SH | 31-DEC-90 |
| MIL-S-2940C | SNUBBERS, FLUID PRESSURE, INSTRUMENT PROTECTION [CUST: CR4 SH 99] [REVIEW: 82 GS MI] | A 6685 | SH | 01-NOV-94 |
| MIL-S-2953C(1) | STRAINERS, STEAM (SIZES 3 INCHES AND BELOW) [CUST: CR4 SH] [REVIEW: AL AR CC YD1] | A 4730 | SH | 23-APR-91 |
| MIL-V-2961D | VALVES, GLOVE, PRESSURE REDUCING, GAS SERVICE [CUST: SH] [REVIEW: CC] | A 4820 | SH | 03-APR-90 |
| MIL-D-3018D(2) NOT 1 | DRESS, FOOD HANDLER'S, WOMAN'S [CUST: 99 CT] [REVIEW: 11 MC MD MS] | A 8415 | CT | 08-NOV-89 |
| MIL-C-3031J(1) | COCOA BEVERAGE POWDER [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8960 | SS | 01-DEC-87 |
| MIL-S-3039C | STEEL STRAP, HIGH CARBON, SPHEROIDIZED ANNEALED (FOR AMMUNITION CARTRIDGE CLIPS) [CUST: MR] [REVIEW: IS] | A 9515 | AR | 26-JAN-88 |
| MIL-L-3055C(1) | LEAD AZIDE [CUST: AR] [REVIEW: OS] | A 1376 | AR | 19-MAR-93 |
| MIL-G-3056F(2) | GASOLINE, AUTOMOTIVE, COMBAT [CUST: AT SH 68] [REVIEW: 11 EA MC SA YD1] | A 9130 | AT | 18-MAY-92 |
| MIL-G-3056F(13) | GASOLINE, AUTOMOTIVE, COMBAT [CUST: AT] [REVIEW: AT EA] | A 9130 | AT | 16-SEP-93 |
| MIL-L-3058G | LOADING STANDARDS, LIQUID TRANSFER, BULK: LIQUID FUELS, STATIONARY, 3-INCH [CUST: AT YD1 IS] [REVIEW: CE] | A 3990 | IS | 19-MAY-92 |
| MIL-S-3059E | SOUP, DEHYDRATED, GREEN PEA, SIMMER TYPE [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8935 | SS | 31-MAR-86 |
| MIL-B-3060E(4) | BOXES, SMALL ARMS AMMUNITION: M19A1 AND M2A1 [CUST: AR] | A 8140 | AR | 05-MAR-92 |
| MIL-L-3061B | LECITHIN (FOR USE IN EXPLOSIVES) [CUST: OS] [REVIEW: GS] | A 6810 | OS | 13-JUN-69 |
| MIL-I-3064B NOT 1 | INSULATION, ELECTRICAL, PLASTIC-SEALER [CUST: CR SH 85] [REVIEW: GS MI] | A 5970 | SH | 22-MAR-91 |
| MIL-R-3065E(1) NOT 1 | RUBBER, FABRICATED PRODUCTS [CUST: MR SH 99] [REVIEW: AL AR AS CC CR DS GL MC MI OS YD1] | A 9320 | GS | 29-JUN-90 |
| MIL-M-3070F | MIXERS, LIQUID, REVOLVING SHAFT AND AGITATOR TYPES [CUST: AL YD1 99 CC] [REVIEW: 82 CR MC] | A 4940 | CC | 03-MAY-89 |
| MIL-G-3087C | GENERATOR SETS, STEAM TURBINE (DIRECT AND ALTERNATING CURRENT) (NAVAL SHIPBOARD USE) [CUST: SH] [REVIEW: GS] | A 6115 | SH | 15-NOV-73 |
| MIL-C-3093A NOT 1 | CABLE, TELEPHONE INSIDE DISTRIBUTION WIRING (WD-15/U, WF-9/U AND WT-3/U) [CUST: CR EC 85 IS] [REVIEW: AT CR4 YD1] | A 6145 | CC | 16-AUG-88 |
| MIL-C-3095G | CAP, SERVICE, MAN'S, AIR FORCE [CUST: 45 CT] [REVIEW: 32 82 99] | A 8405 | CT | 25-NOV-88 |
| MIL-C-3131F | CORDAGE; PACKAGING OF [CUST: GL SH] [REVIEW: IS MC SA SM YD1] | A PACK | SH | 06-JAN-95 |
| MIL-C-3133C NOT 2 | CELLULAR ELASTOMERIC MATERIALS MOLDED OR FABRICATED PARTS [CUST: MR SH 99] [REVIEW: AR AT EA GL SM] | A 9320 | GS | 09-AUG-90 |
| MIL-D-3134J(1) | DECK COVERING MATERIALS [CUST: SH] [REVIEW: CG YD1] | A 5610 | SH | 12-SEP-89 |
| MIL-B-3137J(1) | BENZENE, NITRATION GRADE [CUST: AR OS] [REVIEW: GS PS] | A 6810 | AR | 27-APR-50 |
| MIL-V-3155C(1) NOT 1 | VALVE, TEMPERATURE REGULATING VENTILATION HEATER, STEAM CONTROL, NAVAL SHIPBOARD USE [CUST: SH] [REVIEW: CC] | A 4820 | SH | 20-FEB-87 |
| MIL-I-3158D NOT 1 | INSULATION TAPE, ELECTRICAL GLASS-FIBER (RESIN-FILLED); AND CORD, FIBROUS-GLASS [CUST: CR SH 85] [REVIEW: 99 CR4 EC GS MC MI] | A 5970 | SH | 28-OCT-88 |
| MIL-H-3177C | HEATER, COOLANT, ENGINE, MULTIFUEL BURNING, 24 VOLT DC [CUST: AT 99] [REVIEW: AV CC CR4 MC MI] | A 2990 | AT | 06-FEB-76 |
| MIL-M-3184C | MACHINERY: DECK AND VEHICLE MOUNTED WITH ASSOCIATED EQUIPMENT AND PROVISIONED (REPAIR PARTS) ITEMS: PACKAGING OF [CUST: SM SH 99] [REVIEW: CR4 MC MI SA] | A PACK | SH | 03-APR-86 |
| MIL-I-3190F(2) SUP 1A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, GENERAL SPECIFICATION FOR [CUST: CR SH 11] [REVIEW: 80 85 99 AR AV CR4 EA EC GS MC MI OS] | A 5970 | SH | 28-AUG-93 |
| MIL-I-3190/2A(1) | INSULATING SLEEVING, ELECTRICAL, FLEXIBLE, COATED, CLASS 130, TYPE B, CATEGORY B [CUST: SH 11] [REVIEW: 80 85 99 AR AV CR4 EA EC GS MC MI OS] | A 5970 | SH | 31-MAY-95 |
| MIL-I-3190/3A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, CLASS 155, TYPE A, CATEGORY A [CUST: CR SH 11] [REVIEW: 80 85 99 AR AV CR4 EA EC MC MI OS] | A 5970 | SH | 04-SEP-87 |
| MIL-I-3190/5B | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, CLASS 200, TYPE C, CATEGORY C [CUST: CR SH 11] [REVIEW: 80 85 99 AR AV CR4 EA EC GS MC MI OS] | A 5970 | SH | 04-SEP-87 |
| MIL-I-3190/6A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, CLASS 200, TYPED, CATEGORY C [CUST: CR SH 11] [REVIEW: 80 85 99 AR AV CR4 EA EC MC MI OS] | A 5970 | SH | 04-SEP-87 |
| MIL-I-3190/7A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED CLASS 220 DEG. C, TYPE E, CATEGORY C [CUST: CR SH 11] [REVIEW: 80 85 99 AR AV CR4 EA EC MC MI OS] | A 5970 | SH | 08-AUG-91 |
| MIL-I-3190/8A | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, SILICONE COATED, CLASS 220 DEG. C, TYPE D, CATEGORY C [CUST: CR SH 11] [REVIEW: 80 85 99 AR AV CR4 EA EC MC MI OS] | A 5970 | SH | 20-AUG-92 |
| MIL-I-3190/9(1) | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, SILICONE COATED CLASS 240 DEG. C, TYPE D, CATEGORY C [CUST: CR SH 11] [REVIEW: 80 85 99 AR AV CR4 MC MI OS] | A 5970 | SH | 28-MAY-92 |
| MIL-P-3230H | PUMPING ASSEMBLY, FLAMMABLE LIQUID, BULK TRANSFER, CENTRIFUGAL, 50 GPM AT 100 FEET TOTAL HEAD, DIESEL-ENGINE-DRIVEN [CUST: AT 99] [REVIEW: 84 MC MD] | A 4320 | AT | 08-MAR-94 |
| MIL-C-3261F | CAP, GARRISON, MAN'S, AIR FORCE, BLUE [CUST: 11 CT] [REVIEW: 99] | A 8405 | CT | 22-SEP-89 |
| MIL-D-3263B | DESICCANT CONTAINER, DEHUMIDIFIER [CUST: CR4 SH] [REVIEW: AS EA OS SA YD1] | A 4440 | SH | 20-JUL-87 |
| MIL-S-3289B | STEEL, PLATE AND DISK, CARBON, FORGING QUALITY [CUST: MR OS IS] [REVIEW: AR EA] | A 9515 | IS | 25-SEP-84 |
| MIL-A-3316C(2) | ADHESIVES, FIRE-RESISTANT, THERMAL INSULATION [CUST: MR SH] [REVIEW: AS CG OS YD1] | A 8040 | SH | 23-AUG-90 |
| MIL-N-3336A(2) NOT 1 | NUT, SHEET SPRING, INSTRUMENT MOUNTING [CUST: AV AS] [REVIEW: CR MI] | A 5310 | IS | 18-SEP-91 |
| MIL-H-3364D | HELMET, SUN [CUST: GL NU 99 CT] [REVIEW: 45 MC MD] | A 8415 | CT | 13-DEC-78 |
| MIL-C-3372F | CASE, TENTAGE REPAIR KIT [CUST: GL MC 99 CT] [REVIEW: 45 82 MD] | A 8340 | CT | 12-DEC-90 |
| MIL-I-3374A(2) | INSULATION CLOTH AND TAPE, ELECTRICAL, VARNISHED CAMBRIC [CUST: CR SH 11] [REVIEW: 85 AS CR4 GS OS] | A 5970 | SH | 21-OCT-68 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|--------------------|---|--------------------------|-----|-------------|------|
| MIL-R-3390F NOT 2 | RINGS, DEE [CUST: GL 99 IS] [REVIEW: 82 AR MC ME] | A 5365 | IS | 09-MAY-97 | |
| MIL-C-3395(1) | CLOTH, NETTING; NYLON OR POLYESTER [CUST: GL NU 11 CT] [REVIEW: 82 99 MC MD] | A 8305 | CT | 16-SEP-88 | |
| MIL-N-3399B | 2-NITRODIPHENYLAMINE [CUST: AR OS] [REVIEW: EA GS MC MI] | A 6810 | AR | 14-MAY-62 | |
| MIL-P-3409(2) | PLASTIC MATERIAL, MOLDING, RIGID THERMOPLASTIC, POLYDICHLOROSTYRENE, FOR USE IN ELECTRONIC, COMMUNICATIONS, & ALLIED ELECTRICAL EQUIPMENT [CUST: CR SH 11] [REVIEW: AS AT MR] | A 9330 | CR | 07-JUL-87 | |
| MIL-P-3420F | PACKAGING MATERIALS, VOLATILE CORROSION INHIBITOR, TREATED, OPAQUE [CUST: SM AS 69] [REVIEW: 99 AR AT AV DS EA GL OS SA SH YD1] | A 8135 | AS | 12-NOV-87 | |
| MIL-C-3432F(1) | CABLES, (POWER AND SPECIAL PURPOSE) AND WIRE, ELECTRICAL (300 AND 600 VOLTS) [CUST: CR YD1 85 IS] [REVIEW: 11 17 99 AR AS MC MI SH] | A 6145 | CC | 15-APR-96 | |
| MIL-L-3454G | LIFE PRESERVERS; PACKAGING OF [CUST: SM SH 99] [REVIEW: 84 CC CR4] | A PACK | SH | 19-MAR-91 | |
| MIL-W-3459D | WIPERS, WINDOW, ELECTRIC, PENDULUM TYPE (MARINE SERVICE, HEAVY DUTY) [CUST: SH 99] [REVIEW: 85 CG CR4] | A 2090 | SH | 18-APR-90 | |
| MIL-B-3461G(4) | BUTTON, INSIGNIA, METAL, UNIFORM AND CAP [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-JUL-93 | |
| MIL-D-3464E | DESICCANTS, ACTIVATED, BAGGED, PACKAGING USE AND STATIC DEHUMIDIFICATION [CUST: EA SH 68] [REVIEW: AR AS AT CG CR4 DS GS MI OS SA SM] | A 6850 | SH | 21-APR-87 | |
| MIL-B-3476H SUP 1 | BRASSARD, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 CG CT] | A 8455 | IH | 10-MAY-91 | |
| A MIL-DTL-3476/1C | BRASSARD, AIRDROME OFFICER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/3C | BRASSARD, BOARDING OFFICER, COAST GUARD [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/4C | BRASSARD, BOMB DISPOSAL PERSONNEL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/5C | BRASSARD, CAPTAIN OF THE PORT, COAST GUARD [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/6B | BRASSARD, CAREER APPRAISAL, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/7D | BRASSARD, DAMAGE CONTROL, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/8C | BRASSARD, FIRE TRUCK AND HOSE COMPANY, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/9C | BRASSARD, GAS PERSONNEL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 10-MAY-91 | |
| A MIL-DTL-3476/10C | BRASSARD, JUNIOR OFFICER OF THE DECK, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/11C | BRASSARD, MASTER AT ARMS, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/12C | BRASSARD, MEDICAL SERVICE, GENEVA CONVENTION [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/13C | BRASSARD, MEDICAL SERVICE, VETERINARY CORPS [CUST: IH NU 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/14C | BRASSARD, MILITARY POLICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/15D | BRASSARD, MILITARY POLICE, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/16D | BRASSARD, MOURNING [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/17C | BRASSARD, MOVEMENT CONTROL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/18C | BRASSARD, OFFICER OF THE DAY, AIR FORCE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/19C | BRASSARD, OFFICER OF THE DAY, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/20D | BRASSARD, OFFICER OF THE DECK, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 20-APR-98 | |
| A MIL-DTL-3476/21D | BRASSARD, OFFICER OF THE GUARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 20-APR-98 | |
| A MIL-DTL-3476/22C | BRASSARD, OFFICER OF THE GUARD, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/23C | BRASSARD, PHOTOGRAPHER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/24C | BRASSARD, PHOTOGRAPHER, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/25B | BRASSARD, PORT PERSONNEL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/26D | BRASSARD, SECURITY POLICE, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/27C | BRASSARD, SHORE PATROL, NAVY [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/28C | BRASSARD, TRAINEES IN LEADERSHIP COURSES, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/29C | BRASSARD, TRAINEES OR CANDIDATES ACTING AS NON-COMMISSIONED OFFICER AT TRAINING SCHOOL OR CENTER, CORPORAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/30C | BRASSARD, TRAINEES OR CANDIDATES ACTING AS NON-COMMISSIONED OFFICER AT TRAINING SCHOOL OR CENTER, SERGEANT, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/31C | BRASSARD, TRAINEES OR CANDIDATES ACTING AS OFFICERS AT TRAINING SCHOOL OR CENTER, CAPTAIN, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/32C | BRASSARD, TRAINEES OR CANDIDATES ACTING AS OFFICERS AT TRAINING SCHOOL OR CENTER, FIRST LIEUTENANT, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/33C | BRASSARD, TRAINEES OR CANDIDATES ACTING AS OFFICERS AT TRAINING SCHOOL OR CENTER, SECOND LIEUTENANT, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/34C | BRASSARD, UNIT POLICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/35C | BRASSARD, U.S. ARMY CLAIMS SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/36D | BRASSARD, ARMY COMMUNITY SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/37B | BRASSARD, AMVER BOARDING OFFICER, COAST GUARD [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/38B | BRASSARD, MILITARY POLICE, ARMY, SUBDUED [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/39B | BRASSARD, CRIMINAL INVESTIGATIONS DIVISION SPECIAL AGENT, ARMY SUBDUED AND DESERT [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/40B | BRASSARD, CRIMINAL INVESTIGATIONS DIVISION SPECIAL AGENT, ARMY, FULL COLOR [CUST: IH] [REVIEW: CT] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/41A | BRASSARD, MILITARY POLICE, MARINE CORPS, SUBDUED [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 20-AUG-97 | |
| A MIL-DTL-3476/42B | BRASSARD, MILITARY POLICE IN GARRISON, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 20-APR-98 | |
| A MIL-DTL-3476/43 | BRASSARD, PERSONNEL ASSISTANCE POINTS, TOTAL ARMY PERSONNEL COMMAND [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 20-AUG-97 | |
| MIL-S-3485D | SIREN, ELECTRIC MOTOR OPERATED, VEHICULAR [CUST: CR 4 99] | A 6350 | GS | 21-AUG-84 | |
| MIL-I-3505C | INSULATION SHEET AND TAPE, ELECTRICAL, COIL AND SLOT, HIGH TEMPERATURE [CUST: CR SH 85] [REVIEW: 99 AR CR4 GS MI] | A 5970 | SH | 13-OCT-60 | |
| MIL-T-3530H | THREAD AND TWINE, MILDEW RESISTANT OR WATER REPELLENT TREATED [CUST: GL NU 99 CT] [REVIEW: 32 45 82 AR CR4 EA MC MD] | A 8310 | CT | 20-FEB-91 | |
| MIL-R-3533B(2) | RUBBER, SYNTHETIC, SHEET, STRIP AND MOLDED [CUST: MR OS 99] [REVIEW: AR AS MI] | A 5330 | IS | 16-NOV-67 | |
| MIL-F-3541C SUP 1 | FITTINGS, LUBRICATION, GENERAL SPECIFICATION FOR [CUST: AR AS 99] [REVIEW: 69 82 AT CR4 EA SH YD1] | A 4730 | CC | 28-FEB-89 | |
| MIL-L-3572A | LUBRICANT, COLLOIDAL GRAPHITE IN OIL [CUST: CR4 OS 68] | A 9150 | GS | 06-OCT-83 | |
| MIL-I-3575F SUP 1A | INSIGNIA, BRANCH OF SERVICE; GARRISON HAT; CAP; AND SERVICE CAP; OFFICERS, OFFICER CANDIDATES AND AVIATION CADETS, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 MC] | A 8455 | IH | 05-JAN-89 | |
| MIL-C-3607A SUP 1 | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 99 AR MI] | A 5935 | CC | 30-AUG-61 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|-------------------|---|-----------------------|-----------------|-----------|
| | MIL-C-3607/1A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, PLUG, ELECTRICAL, TYPE UG-34/U [CUST: CR EC 85 CC] [REVIEW: 11 99] | A 5935 | CC | 02-AUG-63 |
| | MIL-C-3607/2A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, PLUG, ELECTRICAL, TYPE UG-36/U [CUST: CR EC 85 CC] [REVIEW: 11 99] | A 5935 | CC | 02-AUG-63 |
| | MIL-C-3607/3B | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-37A/U [CUST: CR EC 85 CC] [REVIEW: 11 99 MI] | A 5935 | CC | 12-DEC-63 |
| | MIL-C-3607/4B | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, PRESSURIZED, TYPE UG-38A/U [CUST: CR EC 85 CC] [REVIEW: 11 99 AS MC MI] | A 5935 | CC | 01-NOV-65 |
| | MIL-C-3607/6A | CONNECTOR, PLUG, ELECTRICAL, SERIES PULSE, TYPE UG 174/U [CUST: CR EC 85] [REVIEW: 11 99 MI] | A 5935 | CC | 02-AUG-63 |
| | MIL-C-3607/7A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, PLUG, ELECTRICAL, TYPE UG-180A/U [CUST: CR EC 85] [REVIEW: 11 99] | A 5935 | CC | 02-AUG-63 |
| | MIL-C-3607/8B | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-181A/U [CUST: CR EC 85] [REVIEW: 11 99] | A 5935 | CC | 12-DEC-63 |
| | MIL-C-3607/9A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-182A/U [CUST: CR EC 85] [REVIEW: 11 99] | A 5935 | CC | 02-AUG-63 |
| | MIL-C-3607/10A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, ADAPTER, TYPE UG-222B/U [CUST: CR EC 85] [REVIEW: 11 99] | A 5935 | CC | 02-AUG-63 |
| | MIL-C-3607/11 | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-264/U [CUST: CR EC 85] [REVIEW: 11 99 MI] | A 5935 | CC | 30-AUG-61 |
| | MIL-C-3607/13A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-350/U [CUST: CR EC 85] [REVIEW: 11 99] | A 5935 | CC | 02-AUG-63 |
| | MIL-T-3618C(2) | THERMOMETER, SELF INDICATING, BIMETALLIC [CUST: AR GS] [REVIEW: MC YD1] | A 6685 | GS | 30-MAY-75 |
| | MIL-B-3628F SUP 1 | BADGE, BADGE CLASP, BAR AND PENDANT, QUALIFICATION, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 30-JUL-93 |
| | MIL-DTL-3628/1F | BADGE, QUALIFICATION, DISTINGUISHED RIFLEMAN, ARMY; PENDANT AND SUSPENSION BAR [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/2F | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, ARMY; PENDANT AND SUSPENSION BAR [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/3F | BADGE, QUALIFICATION, DISTINGUISHED MARKSMAN, NAVY; PENDANT AND SUSPENSION BAR [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/4G | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/5F | BADGE, QUALIFICATION, DISTINGUISHED RIFLEMAN, CIVILIAN AWARD, ARMY; PENDANT AND SUSPENSION BAR [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/6F | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, CIVILIAN AWARD, ARMY; PENDANT AND SUSPENSION BAR [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| M | MIL-DTL-3628/7G | BADGE, QUALIFICATION, NATIONAL RIFLEMAN, NAVY; PENDANT AND SUSPENSION BAR [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 01-JUN-98 |
| | MIL-DTL-3628/8F | BADGE, QUALIFICATION, FLEET RIFLEMAN, NAVY; PENDANT AND SUSPENSION BAR [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| M | MIL-DTL-3628/9G | BADGE, QUALIFICATION, RIFLEMAN, NAVY; PENDANT AND SUSPENSION BAR [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 01-JUN-98 |
| | MIL-DTL-3628/10F | BADGE, QUALIFICATION, NATIONAL PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/11F | BADGE, QUALIFICATION, FLEET PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/12F | BADGE, QUALIFICATION, PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| M | MIL-DTL-3628/13F | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLE AND PISTOL, ARMY; PENDANT, SUSPENSION BAR AND SUSPENSION DEVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-JUN-98 |
| M | MIL-DTL-3628/14M | BADGE, QUALIFICATION, MARKSMANSHIP - EXPERT, SHARPSHOOTER AND MARKSMAN, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-JUN-98 |
| M | MIL-DTL-3628/15K | BADGE, QUALIFICATION, MARKSMANSHIP CLASPS - EXPERT, SHARPSHOOTER AND MARKSMAN, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-JUN-98 |
| | MIL-DTL-3628/16J | BADGE, QUALIFICATION, RIFLE, MARINE CORPS; PENDANT AND SUSPENSION BAR [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/17H | BADGE, QUALIFICATION, PISTOL, MARINE CORPS; PENDANT AND SUSPENSION BAR [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/18L | BADGE, QUALIFICATION, CLASPS, EXPERT RIFLE AND PISTOL, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/21G | BADGE, QUALIFICATION, BASIC, DRIVER AND MECHANIC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/22G | BADGE, QUALIFICATION, CLASPS, BASIC, DRIVER AND MECHANIC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/23G | BADGE, QUALIFICATION, EXPERT INFANTRYMAN, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-B-3628/24G | BADGE, QUALIFICATION, COMBAT INFANTRYMAN, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-93 |
| | MIL-DTL-3628/25M | BADGE, QUALIFICATION, EXPLOSIVE ORDNANCE DISPOSAL [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/26J | BADGE, QUALIFICATION, DIVER [CUST: IH NU 45] [REVIEW: CG CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/27H | BADGE, QUALIFICATION, COMBAT MEDICAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/28J | BADGE, OCCUPATIONAL, MISSILEMAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/30K | BADGE, QUALIFICATION, PARACHUTIST, ARMY, NAVY, MARINE CORPS AND AIR FORCE; SENIOR AND MASTER PARACHUTIST, ARMY AND AIR FORCE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/31E | BADGE, QUALIFICATION, SENIOR PARACHUTIST, NAVY AND MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/32J | BADGE, QUALIFICATION, COMBAT CREW MEMBER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/33H | BADGE, QUALIFICATION, EXPERT FIELD MEDICAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/34K | BADGE, QUALIFICATION, NUCLEAR REACTOR OPERATORS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/35E | BADGE, QUALIFICATION, DISTINGUISHED MARKSMAN, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/36E | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/37E | BADGE, QUALIFICATION, LAUCHHEIMER TROPHY, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/38E | BADGE, QUALIFICATION, MARINE CORPS RIFLE CHAMPIONSHIP (MCDUGAL TROPHY) [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/39F | BADGE, QUALIFICATION, MARINE CORPS PISTOL CHAMPIONSHIP (WALSH TROPHY) [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/40E | BADGE, QUALIFICATION, MARINE CORPS RIFLE COMPETITION [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/41E | BADGE, QUALIFICATION, MARINE CORPS, PISTOL COMPETITION [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/42E | BADGE, QUALIFICATION, MARINE CORPS, DIVISION RIFLE COMPETITION [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/43E | BADGE, QUALIFICATION, MARINE CORPS, DIVISION PISTOL COMPETITION [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|-------------------|--|--------------------------|--------------------|-----------|
| | MIL-DTL-3628/44E | BADGE, QUALIFICATION, ANNUAL RIFLE SQUAD COMBAT PRACTICE COMPETITION, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/45E | BADGE, QUALIFICATION, INTER-DIVISION RIFLE TEAM, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/46E | BADGE, QUALIFICATION, INTER-DIVISION PISTOL TEAM, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/47E | BADGE, QUALIFICATION, RIFLE TEAM MATCHES, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/48G | BADGE, QUALIFICATION, PISTOL TEAM MATCHES, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/49G | BADGE, QUALIFICATION, GLIDER, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/50E | BADGE, QUALIFICATION, PARARESCUE, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/51G | BADGE, QUALIFICATION, PATHFINDER, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/52G | BADGE, QUALIFICATION, WEAPONS CONTROLLER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/53F | BADGE, QUALIFICATION, SCUBA DIVER [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/54D | BADGE, QUALIFICATION, EXPERT PISTOL SHOT, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/55E | BADGE, QUALIFICATION, EXPERT RIFLEMAN, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 12-MAY-97 |
| | MIL-DTL-3628/56E | BADGE, QUALIFICATION, OFFICER IN CHARGE (AFLOAT), ENLISTED PERSONNEL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/57F | BADGE, QUALIFICATION, AIR TRAFFIC CONTROLLER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| A | MIL-DTL-3628/59D | BADGE, QUALIFICATION, DIVER, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-SEP-97 |
| | MIL-DTL-3628/60C | BADGE, QUALIFICATION, EXPERT RIFLEMAN, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/61D | BADGE, QUALIFICATION, EXPERT PISTOL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/62D | BADGE, QUALIFICATION, COMMAND ASHORE, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/63F | BADGE, QUALIFICATION, AIR ASSAULT, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/64E | BADGE, OCCUPATIONAL, SPACE OPERATIONS, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/65E | BADGE, QUALIFICATION, COMBAT PARACHUTIST, ARMY AND AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/66D | BADGE, QUALIFICATION, RANGER TAB, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/67D | BADGE, QUALIFICATION, SPECIAL FORCES TAB, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/68G | BADGE, OCCUPATIONAL, MAINTENANCE, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/69C | BADGE, QUALIFICATION, COMBAT AND SPECIAL SKILL, RIGGER, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/70D | BADGE, QUALIFICATION, TACTICAL AIR CONTROL PARTY, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/71D | BADGE, OCCUPATIONAL, MEDICAL TECHNICIAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/72E | BADGE, OCCUPATIONAL, MISSILE WITH OPERATIONS CREW DESIGNATOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/74D | BADGE, OCCUPATIONAL, METEOROLOGIST, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/76D | BADGE, OCCUPATIONAL, INFORMATION MANAGER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/77B | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLEMAN, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/78B | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, PISTOL SHOT, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/79B | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLEMAN NATIONAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/80B | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, PISTOL SHOT NATIONAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/81B | BADGE, QUALIFICATION, DISTINGUISHED MARKSMAN, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/82B | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/83B | BADGE, QUALIFICATION, DISTINGUISHED RIFLEMAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/84B | BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/85B | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLEMAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/86B | BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, PISTOL SHOT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/87B | BADGE, QUALIFICATION, BRONZE EXCELLENCE IN COMPETITION, RIFLEMAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/88B | BADGE, QUALIFICATION, BRONZE EXCELLENCE IN COMPETITION, PISTOL SHOT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/89A | BADGE, OCCUPATIONAL, ACQUISITIONS AND FINANCIAL MANAGEMENT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/90A | BADGE, OCCUPATIONAL, COMMAND AND CONTROL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/91A | BADGE, OCCUPATIONAL, HISTORIAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/92A | BADGE, OCCUPATIONAL, INTELLIGENCE, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/93A | BADGE, OCCUPATIONAL, FORCE PROTECTION, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/94A | BADGE, OCCUPATIONAL, LOGISTICS, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/95A | BADGE, OCCUPATIONAL, MANPOWER AND PERSONNEL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/96A | BADGE, OCCUPATIONAL, PARALEGAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/97A | BADGE, OCCUPATIONAL, PUBLIC AFFAIRS, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/98A | BADGE, OCCUPATIONAL, SERVICES, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/99A | BADGE, OCCUPATIONAL, TRANSPORTATION, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/100A | BADGE, OCCUPATIONAL, COMMUNICATIONS, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/101A | BADGE, OCCUPATIONAL, SUPPLY-FUELS, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/102A | BADGE, OCCUPATIONAL, OPERATIONS SUPPORT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/103A | BADGE, OCCUPATIONAL, BAND, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/104A | BADGE, OCCUPATIONAL, CHAPLAIN SERVICE SUPPORT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/105A | BADGE, OCCUPATIONAL, CIVIL ENGINEER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/106 | BADGE, OCCUPATIONAL, NURSE, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 25-SEP-96 |
| | MIL-DTL-3628/107 | BADGE, OCCUPATIONAL, PHYSICIAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 25-SEP-96 |
| | MIL-DTL-3628/108 | BADGE, OCCUPATIONAL, DENTIST, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 25-SEP-96 |
| | MIL-DTL-3628/109 | BADGE, OCCUPATIONAL, MEDICAL SERVICE OFFICER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 25-SEP-96 |
| | MIL-DTL-3628/110 | BADGE, OCCUPATIONAL, BIOMEDICAL SCIENCES OFFICER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 25-SEP-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Wea | MCA Prep. Acty. | Date |
|-------------|-------------------|---|----------------------|-----------------|-----------|
| | MIL-DTL-3628/111 | BADGE, OCCUPATIONAL, DEPARTMENT OF THE JUDGE ADVOCATE GENERAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 25-SEP-96 |
| | MIL-DTL-3628/112 | BADGE, IDENTIFICATION, SURGEON GENERAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 25-SEP-96 |
| | MIL-DTL-3628/113 | BADGE, IDENTIFICATION, DEPUTY SURGEON GENERAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 25-SEP-96 |
| | MIL-DTL-3628/114 | BADGE, IDENTIFICATION, RECRUITER, ARMY RESERVE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/115 | BADGE, IDENTIFICATION, CONTINUING EDUCATION SYSTEM PERSONNEL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/116 | BADGE, IDENTIFICATION, NURSE CADET PROGRAM, ARMY ROTC [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/117 | BADGE, IDENTIFICATION, RECRUITER, MASTER, ARMY NATIONAL GUARD [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/118 | BADGE, IDENTIFICATION, RECRUITER, MEDICAL DEPARTMENT, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/119 | BADGE, IDENTIFICATION, FOREIGN MILITARY STUDENT, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/120 | BADGE, IDENTIFICATION, RECRUITING SERVICE, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/121 | BADGE, IDENTIFICATION, SECURITY POLICE, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/122 | BADGE, IDENTIFICATION, PERMANENT PROFESSOR, U.S. AIR FORCE ACADEMY [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/123 | BADGE, IDENTIFICATION, INSTRUCTOR AND MASTER INSTRUCTOR, AIR EDUCATION AND TRAINING COMMAND, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/124 | BADGE, IDENTIFICATION, FIRE PROTECTION, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/125 | BADGE, IDENTIFICATION, JUNIOR ROTC INSTRUCTOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/126 | BADGE, IDENTIFICATION, RECRUITER, AIR NATIONAL GUARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/127 | BADGE, IDENTIFICATION, CAREER COUNSELOR, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/128 | BADGE, IDENTIFICATION, RECRUIT COMPANY COMMANDER, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/129 | BADGE, IDENTIFICATION, RECRUITING SERVICE, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/130 | BADGE, IDENTIFICATION, SENIOR ENLISTED ADVISOR, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/131 | BADGE, IDENTIFICATION, COXSWAIN, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/132 | BADGE, IDENTIFICATION, CUTTERMAN, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/133 | BADGE, IDENTIFICATION, HONOR GUARD, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/134 | BADGE, IDENTIFICATION, COMMANDANT'S STAFF, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/135 | BADGE, IDENTIFICATION, RECRUITING, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/136 | BADGE, IDENTIFICATION, UNITED STATES STRATEGIC COMMAND [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/137 | BADGE, IDENTIFICATION, POLICE, DEFENSE PROTECTIVE SERVICE, DEPARTMENT OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/138 | BADGE, IDENTIFICATION, POLICE, CAP, DEFENSE PROTECTIVE SERVICE, DEPARTMENT OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-NOV-96 |
| A | MIL-DTL-3628/139A | BADGE, IDENTIFICATION, OFFICE OF THE SECRETARY OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-DEC-97 |
| | MIL-DTL-3628/140 | BADGE, IDENTIFICATION AND INSIGNIA, SERVICE CAP, CIVILIAN POLICE AND CIVILIAN GUARD, DEPARTMENT OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/141A | BADGE, IDENTIFICATION, PRESIDENTIAL SERVICE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 12-MAY-97 |
| | MIL-DTL-3628/142A | BADGE, IDENTIFICATION, VICE PRESIDENTIAL SERVICE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 12-MAY-97 |
| | MIL-DTL-3628/143 | BADGE, IDENTIFICATION, JOINT CHIEFS OF STAFF [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/144 | BADGE, IDENTIFICATION, FOREST SERVICE VOLUNTEER [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/145 | BADGE, IDENTIFICATION, DELIVERY SERVICES EMPLOYEES, U.S. POSTAL SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/146 | BADGE, IDENTIFICATION, OFFICER IN CHARGE, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/147 | BADGE, IDENTIFICATION CHIEF OF PARTY, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/148 | BADGE, IDENTIFICATION, REFUGEE OFFICER, U.S. FISH AND WILDLIFE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-B-3628/149 | BADGE, IDENTIFICATION, OUTDOOR RECREATION SERVICES, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/150 | BADGE, IDENTIFICATION, MILITARY POLICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/151 | BADGE, IDENTIFICATION, CAREER COUNSELOR, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/152 | BADGE, IDENTIFICATION, RECRUITER, ARMY NATIONAL GUARD [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| A | MIL-DTL-3628/153A | BADGE, IDENTIFICATION, RECRUITER, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 11-DEC-97 |
| | MIL-DTL-3628/154 | BADGE, IDENTIFICATION, DRILL SERGEANT, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/155 | BADGE, IDENTIFICATION, HONOR GUARD, TOMB OF THE UNKNOWN SOLDIER, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| M | MIL-DTL-3628/156A | BADGE, IDENTIFICATION, ARMY STAFF, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-JUN-98 |
| M | MIL-DTL-3628/157A | BADGE, QUALIFICATION, AVIATION, AVIATOR, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-JUN-98 |
| M | MIL-DTL-3628/158A | BADGE, QUALIFICATION, AVIATION, AVIATOR, SENIOR, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-JUN-98 |
| M | MIL-DTL-3628/159A | BADGE, QUALIFICATION, AVIATION, AVIATOR, MASTER, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-JUN-98 |
| M | MIL-DTL-3628/160A | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-JUN-98 |
| | MIL-DTL-3628/161 | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, SENIOR, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/162 | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, MASTER, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/163 | BADGE, QUALIFICATION, AVIATION, AIRCRAFT CREWMAN, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/164 | BADGE, QUALIFICATION, AVIATION, AIRCRAFT CREWMAN, SENIOR, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/165 | BADGE, QUALIFICATION, AVIATION, AIRCRAFT CREWMAN, MASTER, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/166 | BADGE, QUALIFICATION, AVIATION, ASTRONAUT DEVICE FOR AVIATOR, FLIGHT SURGEON AND AIRCRAFT CREWMAN, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/167 | BADGE, QUALIFICATION, AVIATION, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/168 | BADGE, QUALIFICATION, AVIATION, ENLISTED AIRCREW MEMBER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/169 | BADGE, QUALIFICATION, AVIATION, ENLISTED AIRCREW MEMBER, SENIOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/170 | BADGE, QUALIFICATION, AVIATION, ENLISTED AIRCREW MEMBER, CHIEF, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/171 | BADGE, QUALIFICATION, AVIATION, NAVIGATOR OR AIRCRAFT OBSERVER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|------------------------|--|-----------------------|-----------------|-----------|
| | MIL-DTL-3628/172 | BADGE, QUALIFICATION, AVIATION, NAVIGATOR OR AIRCRAFT OBSERVER, SENIOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/173 | BADGE, QUALIFICATION, AVIATION, NAVIGATOR OR AIRCRAFT OBSERVER, MASTER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/174 | BADGE, QUALIFICATION, AVIATION, PILOT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/175 | BADGE, QUALIFICATION, AVIATION, PILOT, SENIOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/176 | BADGE, QUALIFICATION, AVIATION, PILOT, COMMAND, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/177 | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/178 | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, SENIOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/179 | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, CHIEF, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/180 | BADGE, QUALIFICATION, AVIATION, FLIGHT NURSE, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/181 | BADGE, QUALIFICATION, AVIATION, FLIGHT NURSE, SENIOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/182 | BADGE, QUALIFICATION, AVIATION, FLIGHT NURSE, CHIEF, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/183 | BADGE, QUALIFICATION, AVIATION, PILOT ASTRONAUT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/184 | BADGE, QUALIFICATION, AVIATION, PILOT ASTRONAUT, SENIOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/185 | BADGE, QUALIFICATION, AVIATION, PILOT ASTRONAUT, COMMAND, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/186 | BADGE QUALIFICATION, AVIATION, OFFICER AIRCREW MEMBER, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/187 | BADGE, QUALIFICATION, AVIATION, OFFICER AIRCREW MEMBER, SENIOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/188 | BADGE, QUALIFICATION, AVIATION, OFFICER AIRCREW MEMBER, CHIEF, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/189 | BADGE, QUALIFICATION, AVIATION, FLIGHT OFFICER, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/190 | BADGE, QUALIFICATION, AVIATION, EXPERIMENTAL PSYCHOLOGIST AND PHYSIOLOGIST, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/191 | BADGE, QUALIFICATION, AVIATION, AIR CREW, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/192 | BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/193 | BADGE, QUALIFICATION, AVIATION, COMBAT AIRCREW MEMBER, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/194 | BADGE, QUALIFICATION, AVIATION, NAVAL AVIATOR, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| | MIL-DTL-3628/195 | BADGE, QUALIFICATION, AVIATION, NAVAL AVIATION OBSERVER AND FLIGHT METEOROLOGIST, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-NOV-96 |
| A | MIL-DTL-3628/196 | BADGE, QUALIFICATION, SMALL-CRAFT-COMMAND, NATIONAL OCEANIC AND ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-SEP-97 |
| A | MIL-DTL-3628/197 | BADGE, QUALIFICATION, COMMAND-AT-SEA, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-SEP-97 |
| A | MIL-DTL-3628/198 | BADGE, IDENTIFICATION, DEFENSE INTELLIGENCE AGENCY [CUST: IH DI] [REVIEW: CT] | A 8455 | IH | 02-OCT-97 |
| A | MIL-DTL-3628/199 | BADGE, IDENTIFICATION, U.S. SPACE COMMAND [CUST: IH] [REVIEW: CT] | A 8455 | IH | 11-DEC-97 |
| A | MIL-DTL-3628/200 | BADGE, IDENTIFICATION, DEFENSE FINANCE AND ACCOUNTING SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 02-MAR-98 |
| N | MIL-DTL-3628/201 | BADGE, IDENTIFICATION, PROFESSIONAL MILITARY EDUCATION, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 16-MAR-98 |
| A | MIL-DTL-3628/202 | BADGE, IDENTIFICATION, MILITARY POSTAL SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 16-APR-98 |
| A | MIL-DTL-3628/203 | BADGE, QUALIFICATION, FMF COMBAT INFANTRY TROPHY, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 16-APR-98 |
| | MIL-C-3636C NOT 1 | CORDS AND TASSELS, FLAG [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8345 | IH | 02-OCT-92 |
| | MIL-S-3649F | SHIRTS, MEN'S: LONG SLEEVE [CUST: MC CT] | A 8405 | CT | 23-OCT-87 |
| | MIL-C-3650A(1) SUP 1A | CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES LC [CUST: CR EC 85] [REVIEW: 11 99 AR AS MC MI] | A 5935 | CC | 16-JAN-64 |
| | MIL-C-3653A | CASE, VETERINARY EGG INSPECTION SET [CUST: MD MS 03] [REVIEW: GS] | A 6545 | MB | 18-JUN-75 |
| | MIL-C-3655C(1) SUP 1 | CONNECTOR, PLUG AND RECEPTACLE, ELECTRICAL (COAXIAL, SERIES TWIN), AND ASSOCIATED FITTINGS, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | 28-SEP-84 |
| | MIL-C-3655/10A | CONNECTOR SHIELD, ELECTRICAL (COAXIAL, SERIES TWIN), TYPE MX-1556/U [CUST: CR EC 85] [REVIEW: 11 17 19 AS AT MC MI OS SH] | A 5935 | CC | 17-JUN-77 |
| | MIL-C-3655/13A(4) | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC, JAM NUT MOUNTED) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | 21-JUL-92 |
| | MIL-C-3655/14A(2) | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | 21-JUL-92 |
| | MIL-C-3655/15A(3) | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWBNC) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | 21-JUL-92 |
| | MIL-C-3655/16A(5) | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWBNC) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | 21-JUL-92 |
| | MIL-C-3655/17(2) | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC, RIGHT ANGLE) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | 21-JUL-92 |
| A | MIL-C-3655/18(1) | CONNECTOR, PLUG, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWSMC) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | 08-JUN-90 |
| | MIL-C-3655/19(1) | CONNECTOR, PLUG, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWSMC) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | 08-JUN-90 |
| | MIL-C-3655/20(1) | CONNECTOR, PLUG, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWSMB) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | 08-JUN-90 |
| | MIL-C-3655/21(1) | CONNECTOR, PLUG, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWSMB) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | 08-JUN-90 |
| | MIL-C-3655/22A(1) | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWTNC, BULKHEAD) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | 08-JUN-90 |
| | MIL-C-3655/23A(2) | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWBNC, BULKHEAD) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | 08-JUN-90 |
| D | MIL-L-3661B(4) SUP 1B | LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, GENERAL SPECIFICATION FOR [CUST: 99 IS] [REVIEW: 82 AR AS CR4 EA MC MI OS SH] | A 6210 | IS | 09-DEC-91 |
| D | MIL-L-3661/1A(1) NOT 1 | LAMP HOLDERS, STYLES LH20 AND LH22 [CUST: CR 11 IS] [REVIEW: AS CR4 MC MI] | A 6250 | IS | 18-MAR-91 |
| D | MIL-L-3661/2B NOT 1 | LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES HOUSINGS, DRIPPROOF, STYLE LH50 [CUST: CR 11 IS] [REVIEW: AS CR4 MC] | A 6210 | IS | 18-MAR-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | ICA Prop. Acty. | Date |
|------------------------|---|--------------------------|--------------------|-----------|
| D MIL-L-3661/5B NOT 1 | LAMPOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, DUSTTIGHT HOUSING STYLE LH73 [CUST: CR 82 IS] [REVIEW: AR AS CR4 EA MC MI] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/6C | LAMPHOLDER, HOUSING, INDICATOR LIGHT, STYLE LH74 [CUST: CR 99 IS] [REVIEW: AR AS CR4 MC MI] | A 6210 | IS | 09-JUN-69 |
| D MIL-L-3661/8B | HOUSINGS, INDICATOR-LIGHT, STYLE LH76 [CUST: CR4 99 IS] [REVIEW: 11 AR AS EA MC MI] | A 6210 | IS | 31-AUG-89 |
| D MIL-L-3661/9B | HOUSINGS, INDICATOR-LIGHT, STYLE LH77 [CUST: CR 99 IS] [REVIEW: 11 AR AS CR4 EA MC MI] | A 6210 | IS | 31-AUG-89 |
| D MIL-L-3661/10A NOT 1 | HOUSINGS, INDICATOR-LIGHT, STYLE LH79 [CUST: CR EC 11 IS] [REVIEW: AS CR4 MC] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/11B NOT 1 | LAMPOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES, (FLAT, ROTATABLE) DUSTTIGHT, LENS, STYLE LC11 [CUST: CR EC 82 IS] [REVIEW: AS CR4 MC] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/12A NOT 1 | LENSES, INDICATOR-LIGHT, STYLE LC12 [CUST: CR EC 11 IS] [REVIEW: AS CR4 EA MC MI] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/13B(1) | LAMPOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, DUSTTIGHT LENSES, STYLE LC13 [CUST: EC 99 IS] [REVIEW: 82 AR AS CR4 MC MI] | A 6210 | IS | 26-AUG-91 |
| D MIL-L-3661/14C NOT 1 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC14 [CUST: CR 82 IS] [REVIEW: AS AT AV CR4 MC MI OS] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/15C NOT 1 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC15 [CUST: CR 82 IS] [REVIEW: AS AT AV MC MI OS] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/16B NOT 1 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC16 [CUST: CR 82 IS] [REVIEW: AT AV CR4 EA MC MI OS] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/17C NOT 1 | LENSES, INDICATOR-LIGHT, STYLE LC17, CONVEX, COMPLETE-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER [CUST: CR EC 82 IS] [REVIEW: AS AT CR4 MC MI OS] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/18C NOT 1 | LENSES, INDICATOR-LIGHT, STYLE LC18, CONVEX, SEMI-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER [CUST: CR 82 IS] [REVIEW: AS AT AV CR4 MC MI OS] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/19B NOT 1 | LENSES INDICATOR-LIGHT, DRIPPROOF, STYLE LC19 [CUST: CR 82 IS] [REVIEW: AR AS AT AV CR4 MC MI OS] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/20B NOT 1 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC20 [CUST: CR 82 GS] [REVIEW: AS AT AV CR4 MC MI OS] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/21B NOT 1 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC21 [CUST: CR 82 IS] [REVIEW: AS AT AV CR4 MC MI OS] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/22B NOT 1 | LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC22 [CUST: CR 82 IS] [REVIEW: AS AT AV CR4 MC MI OS] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/23B NOT 1 | LENSES, INDICATOR-LIGHT, STYLE LC23, CONVEX, COMPLETE-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER [CUST: CR 82 IS] [REVIEW: AS CR4 MC MI OS] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/24B NOT 1 | LENSES, INDICATOR-LIGHT, STYLE LC24, CONVEX, SEMI-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER [CUST: CR 82 IS] [REVIEW: AS AT AV CR4 MC MI OS] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/25A NOT 1 | LAMPOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES (FLAT) (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENS, STYLE LC25 [CUST: CR 82 IS] [REVIEW: 11 AS CR4 MC] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/26A NOT 1 | LAMPOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENS, STYLE LC26 [CUST: CR 82 IS] [REVIEW: AS CR4 MC] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/27A NOT 1 | LAMPOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENS, STYLE LC27 [CUST: CR 82 IS] [REVIEW: AS CR4 MC] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/28B | LAMPOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENSES, STYLE LC28 [CUST: CR4 99 IS] [REVIEW: AS MC] | A 6210 | IS | 24-OCT-89 |
| D MIL-L-3661/29A NOT 1 | LAMPOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, DUSTTIGHT LENS, STYLE LC29 [CUST: CR 82 IS] [REVIEW: AS CR4 MC] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/30A NOT 1 | LENSES, INDICATOR-LIGHT, STYLE LC30 [CUST: CR 11 IS] [REVIEW: AS CR4 MC MI] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/31 NOT 1 | LENSES, INDICATOR-LIGHT, STYLE LC31 [CUST: CR 11 IS] [REVIEW: AS CR4 MC] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/32A NOT 1 | LENSES, INDICATOR-LIGHT, (ROTATABLE), STYLE LC32 [CUST: CR 11 IS] [REVIEW: AS AT AV CR4 MC] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/33 NOT 1 | LENSES, INDICATOR-LIGHT, WATERTIGHT, STYLE LC33 [CUST: CR 11 IS] [REVIEW: AS CR4 MC MI] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/34B NOT 1 | LAMPOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES (PLASTIC PLATE LIGHTING PANEL) DUSTTIGHT LENS, STYLE LC34 [CUST: CR 82 IS] [REVIEW: 11 AR AS CR4 MC MI] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/35 NOT 1 | LENSES, INDICATOR-LIGHT, WATERTIGHT, STYLE LC35 [CUST: CR 11 IS] [REVIEW: AR AS CR4 MC MI] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/36A NOT 1 | LENSES, INDICATOR-LIGHT, STYLE LC36, COMPLETE-BLACKOUT, WATERTIGHT, MECHANICAL DIMMER [CUST: CR 82 IS] [REVIEW: AS AT CR4 DH MC MI OS] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/37A NOT 1 | LENSES, INDICATOR-LIGHT, STYLE LC37, SEMI-BLACKOUT, WATERTIGHT, MECHANICAL DIMMER [CUST: CR 82 IS] [REVIEW: AS AT CR4 MI OS] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/38A NOT 1 | HOUSINGS, INDICATOR-LIGHT, STYLE LH80 [CUST: CR 11 IS] [REVIEW: AS CR4 MC] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/39C NOT 1 | LAMPOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES INDICATOR LIGHTS, 2 LAMP, DISPLAY TYPE, STYLE LHC81 [CUST: CR 82 IS] [REVIEW: 11 AS CR4 MC] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/40A NOT 1 | LAMPOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES INDICATOR-LIGHT (NON-REMOVABLE), STYLE LHC82 (ELECTROMAGNETIC INTERFERENCE AND NON-ELECTROMAGNETIC TYPES) [CUST: CR 82 IS] [REVIEW: 11 AS CR4 MC MI] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/41B NOT 1 | LAMPOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES INDICATOR-LIGHT (NON-REMOVABLE), STYLE LHC83 (ELECTROMAGNETIC INTERFERENCE AND NON-ELECTROMAGNETIC TYPES) [CUST: CR 82 IS] [REVIEW: AS CR4 MC] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/42A NOT 1 | LAMPOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES INDICATOR-LIGHT (NON-REMOVABLE), STYLE LHC84 (ELECTROMAGNETIC INTERFERENCE AND NON-ELECTROMAGNETIC TYPES) [CUST: CR 82 IS] [REVIEW: AS CR4 MC] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/45 NOT 1 | HOUSINGS, INDICATOR-LIGHT, 2-LAMP, STYLE LH87 [CUST: CR 11 IS] [REVIEW: AS CR4 MC] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/46A | LAMPOLDERS, HOUSING, INDICATOR-LIGHT, WATERTIGHT, STYLE LH88 [CUST: CR 99 IS] [REVIEW: 82 AS CR4 MC MI] | A 6210 | IS | 02-NOV-92 |
| D MIL-L-3661/47A | LAMPOLDERS, HOUSING, INDICATOR-LIGHT, WATERTIGHT, STYLE LH89 [CUST: CR 99 IS] [REVIEW: 82 AR AS CR4 MC MI] | A 6210 | IS | 02-NOV-92 |
| D MIL-L-3661/48B NOT 1 | HOUSINGS, INDICATOR-LIGHT, STYLE LH90 [CUST: CR 82 IS] [REVIEW: 11 AS CR4 MC MI] | A 6210 | IS | 18-MAR-91 |
| D MIL-L-3661/51B | LAMPHOLDER, DUSTTIGHT HOUSING, STYLE LH92 [CUST: CR 99 IS] [REVIEW: AS CR4 MC MI] | A 6210 | IS | 09-JUN-69 |
| D MIL-L-3661/52C NOT 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, TARGET, STYLE LC38 [CUST: SH IS] [REVIEW: CR4] | A 6210 | IS | 19-JUN-87 |
| D MIL-L-3661/53A | LAMPHOLDER, LENSES, INDICATOR LIGHT, DIMMER, STYLE LC39 [CUST: SH IS] [REVIEW: CR4] | A 6210 | IS | 28-MAY-71 |
| D MIL-L-3661/54A | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC40 [CUST: SH IS] [REVIEW: CR4] | A 6210 | IS | 28-MAY-71 |
| D MIL-L-3661/55B NOT 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC41 [CUST: SH IS] [REVIEW: CR4] | A 6210 | IS | 19-JUN-87 |
| D MIL-L-3661/56B NOT 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC42 [CUST: SH IS] | A 6210 | IS | 01-JUN-87 |
| D MIL-L-3661/57B NOT 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC43 [CUST: SH IS] | A 6210 | IS | 01-JUN-87 |
| D MIL-L-3661/58B NOT 1 | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC44 [CUST: SH IS] | A 6210 | IS | 19-JUN-87 |
| D MIL-L-3661/59A | LAMPHOLDER, LENSES, INDICATOR LIGHT, STYLE LC45 [CUST: SH IS] [REVIEW: CR4] | A 6210 | IS | 28-MAY-71 |
| MIL-L-3661/60C(1) | LAMPHOLDER, TRANSFORMER, LIGHT, INDICATOR, STYLE LH93 [CUST: SH] [REVIEW: GS] | A 6210 | SH | 17-JUN-87 |
| D MIL-L-3661/61C NOT 1 | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH94 [CUST: SH IS] | A 6210 | IS | 19-JUN-87 |
| D MIL-L-3661/62C(2) | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH95 (FOR D.C. APPLICATIONS)[CUST: SH IS] | A 6210 | IS | 25-APR-91 |
| D MIL-L-3661/63C NOT 1 | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH96 [CUST: SH IS] | A 6210 | IS | 19-JUN-87 |
| D MIL-L-3661/64C(2) | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING) STYLE LH97 [CUST: SH IS] | A 6210 | IS | 17-JUN-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Use Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|-----------------------|---|-----------------------|-----------------|-----------|
| D | MIL-L-3661/65C NOT 1 | LAMPHOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH98 [CUST: SH IS] | A 6210 | IS | 19-JUN-87 |
| | MIL-S-003678A | SHAKING MACHINE, LABORATORY (ROTATING TYPE) [CUST: MD MS 03] | A 6640 | MB | 26-APR-72 |
| | MIL-C-3680C NOT 1 | CASES, FLAGS AND GUIDONS, COTTON DUCK [CUST: IH 11] [REVIEW: 45 82 99 CT] | A 8345 | IH | 29-MAY-92 |
| | MIL-H-3697D | HARNESSEMAN SLED, SINGLE TRACE TYPE [CUST: GL SA 99 CT] [REVIEW: 11 45 82 MC MD] | A 8465 | CT | 29-APR-85 |
| A | MIL-C-3701B(1) | CYLINDERS, COMPRESSED GAS DOT 8 & DOT 8AL ACETYLENE, WITH VALVES [CUST: SH 99 GS] [REVIEW: MC YD1] | A 8120 | GS | 24-NOV-81 |
| A | MIL-C-3702B(1) | CABLE, POWER, ELECTRICAL, IGNITION, HIGH TENSION [CUST: AS 85 IS] [REVIEW: AV CC CR EA MC] | A 6145 | CC | 14-MAR-95 |
| | MIL-D-3716B | DESICCANTS, ACTIVATED FOR DYNAMIC DEHUMIDIFICATION [CUST: MR SH 85] [REVIEW: AS AT CR DS GS MI OS] | A 6850 | SH | 28-SEP-87 |
| | MIL-D-3716B(11) | DESICCANTS, ACTIVATED FOR DYNAMIC DEHUMIDIFICATION [CUST: 68] | A 6850 | 68 | 14-MAR-88 |
| | MIL-S-3725E NOT 1 | SHELTER HALF, TENT [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8305 | CT | 22-APR-89 |
| | MIL-C-3727F | CLOTH, BARATHEA, WOOL [CUST: GL NU 99 CT] [REVIEW: 82 MD] | A 8305 | CT | 18-DEC-87 |
| | MIL-C-3735E | CUFFS, KNIT, WRIST AND ANKLE, AND CLOTH, KNITTED [CUST: GL NU 99 CT] [REVIEW: 32 45 AS MC MD] | A 8315 | CT | 30-NOV-88 |
| | MIL-C-3738K | CLOTH, ELASTIQUE, WOOL [CUST: GL NU 99 CT] [REVIEW: 32 45 82 MC MD] | A 8305 | CT | 31-MAR-87 |
| | MIL-C-3774B | CRATES, WOOD; OPEN 12,000- AND 16,000-POUND CAPACITY [CUST: CR4 YD1] [REVIEW: AR AS AT GL MC SM] | A 8115 | YD1 | 14-JUN-91 |
| | MIL-C-3779E | CASE, ENGINEER BATTALION, DRAFTING EQUIPMENT, CANVAS [CUST: CE] | A 6675 | GS | 22-NOV-91 |
| | MIL-S-3785E | STARTERS, ENGINE, ELECTRICAL: 24-VOLT DIRECT-CURRENT [CUST: AT] [REVIEW: CC CR4] | A 2920 | AT | 24-MAR-89 |
| | MIL-S-3786F(1) SUP 1 | SWITCHES, ROTARY (CIRCUIT SELECTOR, LOW-CURRENT CAPACITY), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG MC MI OS] | A 5930 | CC | 30-MAY-95 |
| | MIL-S-3786/1E NOT 1 | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR01 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT AV CG CR4 MC MI OS SM] | A 5930 | CC | 17-MAY-93 |
| | MIL-S-3786/2E NOT 1 | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR02 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT AV CG CR4 MC MI OS SM] | A 5930 | CC | 17-MAY-93 |
| | MIL-S-3786/3F(1) | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR03 [CUST: CR EC 85] [REVIEW: 19 99 AS AT AV CG CR4 MC MI OS SM] | A 5930 | CC | 28-SEP-93 |
| | MIL-S-3786/4J | SWITCH, ROTARY, CLOSED CONSTRUCTION, 2 AMPERES, LOW LEVEL, POSITIVE SHAFT GROUNDING, FLUX SEAL, STYLE SR04 [CUST: CR EC 85] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS SM] | A 5930 | CC | 06-DEC-91 |
| | MIL-S-3786/5F | SWITCH, ROTARY, OPEN CONSTRUCTION, .200 AMPERE, STYLE SR05 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5930 | CC | 02-JUN-92 |
| | MIL-S-3786/9D(1) | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR09 [CUST: CR EC 85] [REVIEW: 11 19 99 AS AT AV CG CR4 MC MI OS SM] | A 5930 | CC | 21-FEB-90 |
| | MIL-S-3786/10D(1) | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR10 [CUST: CR EC 85] [REVIEW: 11 19 99 AS AT AV CG CR4 MC MI OS SM] | A 5930 | CC | 21-FEB-90 |
| | MIL-S-3786/13D(1) | SWITCH, ROTARY, CLOSED CONSTRUCTION, .500 AMPERE, STYLE SR13 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT CG CR4 MC MI OS] | A 5930 | CC | 21-FEB-90 |
| A | MIL-S-3786/20H(1) | SWITCH, ROTARY, CLOSED CONSTRUCTION, EXPLOSION PROOF, FLUX SEAL, .500 INCH DIAMETER, .200 AMPERE, STYLE SR20 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS SM] | A 5930 | CC | 08-AUG-97 |
| | MIL-S-3786/28D(3) | SWITCH, ROTARY, CLOSED CONSTRUCTION, 1 AMPERE AND LOW LEVEL STYLE SR28 [CUST: CR EC 85] [REVIEW: 11 19 AR AS AT CG CR4 MC MI OS SM] | A 5930 | CC | 21-FEB-90 |
| | MIL-S-3786/32B(1) | SWITCH, ROTARY, OPEN CONSTRUCTION, 1/5 AMPERE, STYLE SR32 [CUST: 85] [REVIEW: 99] | A 5930 | CC | 21-FEB-90 |
| | MIL-S-3786/35E(1) | SWITCH, ROTARY, CLOSED CONSTRUCTION, EXPLOSION PROOF, FLUX SEAL AND NON-FLUX SEAL, .200 AMPERE, STYLE SR35 [CUST: CR EC 85 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS SM] | A 5930 | CC | 25-APR-97 |
| | MIL-S-3786/36(4) | SWITCH, ROTARY, CLOSED CONSTRUCTION, 1/4 AMPERE STYLE SR36 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5930 | CC | 07-JAN-94 |
| | MIL-S-3786/39C | SWITCH, ROTARY, CLOSED CONSTRUCTION, EXPLOSION PROOF, 400 MILLIAMPERES, STYLE SR39 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG MC OS] | A 5930 | CC | 09-JUN-95 |
| | MIL-S-3786/40A(3) | SWITCH, ROTARY, OPEN CONSTRUCTION, .5 AMPERE AND LOW LEVEL, STYLE SR40 [CUST: CR EC 85] [REVIEW: 11 19 AR AS AT CG CR4 MC MI OS SM] | A 5930 | CC | 21-FEB-90 |
| | MIL-S-3786/41(1) | SWITCHES, ROTARY, CLOSED CONSTRUCTION, 0.5 AMPERE, STYLE SR41 [CUST: 85] [REVIEW: 99] | A 5930 | CC | 21-FEB-90 |
| | MIL-G-3787G | GLASS, LAMINATED, FLAT; (EXCEPT AIRCRAFT) [CUST: MR AS 99 GS] [REVIEW: AT AV CR4 MC MI YD1] | A 9340 | GS | 03-AUG-89 |
| A | MIL-S-3788G | SHAPER, WOODWORKING [CUST: AL SH 99 IS] [REVIEW: 84 MC SM YD1] | A 3220 | IS | 08-FEB-91 |
| | MIL-W-3795B(13) | WIRE, ELECTRICAL (TINSEL) [CUST: CR] | A 6145 | CR | 20-MAY-76 |
| | MIL-A-3850 NOT 1 | ACETYLENE BLACK [CUST: AR AS] [REVIEW: GS OS] | A 6830 | AR | 10-APR-86 |
| | MIL-G-3866G | GLOVE, MEN'S, CLOTH, COTTON, KNITTED, LIGHTWEIGHT [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | CT | 17-JUN-87 |
| | MIL-C-3885F | CABLE ASSEMBLIES AND CORD ASSEMBLIES, ELECTRICAL [CUST: CR EC 85 GS] [REVIEW: 11 17 19 99 AR AS AT CR4 EA MC MI OS] | A 5995 | CC | 04-DEC-85 |
| | MIL-D-3886F NOT 1 | DOUGH DIVIDER, ROLL, HAND OPERATED, 36-PART AND DOUGH DIVIDER AND ROUNDING MACHINE, ROLL, 36-PART [CUST: SA 99] [REVIEW: 84 GS MC MD] | A 7320 | SA | 18-DEC-92 |
| | MIL-L-3890A | LINE, RADIO FREQUENCY TRANSMISSION (COAXIAL, AIR DIELECTRIC) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5985 | CC | 23-JAN-76 |
| | MIL-L-3890/1B | LINE, RADIO FREQUENCY TRANSMISSION (COAXIAL, AIR DIELECTRIC) 50 OHMS [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT CR4 MC MI OS SH] | A 5985 | CC | 23-JAN-76 |
| | MIL-L-3891B NOT 1 | LUMINESCENT MATERIAL AND EQUIPMENT, (NONRADIOACTIVE) [CUST: AV OS 99 GS] [REVIEW: EA IS MI SA SH] | A 9390 | GS | 16-DEC-74 |
| | MIL-D-3898B SUP 1 | DRAFTING MACHINE & SCALES GENERAL SPECIFICATION FOR [CUST: CR4 SH 99] [REVIEW: 82 AT MC] | A 6675 | GS | 11-APR-85 |
| | MIL-D-3898/1 NOT 1 | DRAFTING MACHINE AND SCALES, CHUCK PLATE FOR [CUST: SH 99] [REVIEW: 82 AT CR4 GS MC] | A 6675 | SH | 07-JUN-91 |
| | MIL-D-3898/2 NOT 1 | DRAFTING MACHINE AND SCALES, INSERT FOR [CUST: SH 99] [REVIEW: 82 AT CR4 GS MC] | A 6675 | SH | 07-JUN-91 |
| | MIL-D-3898/3 NOT 1 | DRAFTING MACHINE AND SCALES, SCALE ASSEMBLY [CUST: SH 99] [REVIEW: 82 AT CR4 MC] | A 6675 | GS | 07-JUN-91 |
| | MIL-D-3898/4 NOT 1 | DRAFTING MACHINE AND SCALES RANGE-TIME-SPEED PLOTTING SCALE 200 AND 1,000 YARDS PER INCH [CUST: SH 99] [REVIEW: 82 AT CR4 MC] | A 6675 | GS | 07-JUN-91 |
| | MIL-D-3898/5 NOT 1 | DRAFTING MACHINE AND SCALES RANGE-TIME-SPEED PLOTTING SCALE 500 AND 2,000 YARDS PER INCH [CUST: SH 99] [REVIEW: 82 AT CR4 MC] | A 6675 | GS | 07-JUN-91 |
| | MIL-D-3898/6 NOT 1 | DRAFTING MACHINE AND SCALES, RANGE-TIME-SPEED PLOTTING SCALE 25,000:1 AND 50,000:1 YARDS RATIO [CUST: SH 99] [REVIEW: 82 AT CR4 MC] | A 6675 | GS | 07-JUN-91 |
| | MIL-S-3905D(1) | SLING, PALLET [CUST: AT SH 99] [REVIEW: 84 AV IS MC MT SA YD1] | A 3940 | GS | 04-FEB-85 |
| | MIL-L-3918A NOT 1 | LUBRICATING OIL, INSTRUMENT, JEWEL BEARING [CUST: AR AS 11 GS] [REVIEW: 68 AV CR4 MI OS PS SA SH] | A 9150 | GS | 10-MAR-86 |
| | MIL-F-3922B(3) SUP 1F | FLANGE, WAVEGUIDE, GENERAL PURPOSE, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AV MC MI OS] | A 5985 | CC | 04-MAY-76 |
| | MIL-F-3922/52B(1) | FLANGE, WAVEGUIDE (PRESSURIZABLE CONTACT [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AV MC MI OS] | A 5985 | CC | 09-AUG-85 |
| | MIL-F-3922/53C(2) | FLANGE, WAVEGUIDE (COVER) (SQUARE, 4 HOLE) (CIRCULAR BACK) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AV MC MI OS SH] | A 5985 | CC | 09-MAY-77 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------------|--|-----------------------|-----|-------------|-----------|
| MIL-F-3922/54C(2) | FLANGE, WAVEGUIDE (COVER) (SQUARE, 4 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AV MC MI OS SH] | A 5985 | CC | | 01-MAY-78 |
| MIL-F-3922/55B(1) | FLANGE, WAVEGUIDE (COVER) (ROUND, 6 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AV MC MI OS SH] | A 5985 | CC | | 09-MAY-77 |
| MIL-F-3922/56B(1) | FLANGE, WAVEGUIDE (COVER) (ROUND, 8 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AV MC MI OS] | A 5985 | CC | | 09-MAY-77 |
| MIL-F-3922/57B(1) | FLANGE, WAVEGUIDE (COVER) (ROUND, 8 HOLE (2 HOLES CENTERED HORIZONTALLY, 2 HOLES CENTERED VERTICALLY) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AV MC MI OS SH] | A 5985 | CC | | 09-MAY-77 |
| MIL-F-3922/58C | FLANGE, WAVEGUIDE (CONTACT) (RECTANGULAR, 10 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AS AV CG MC MI OS SH] | A 5985 | CC | | 04-MAY-76 |
| MIL-F-3922/59D(3) | FLANGE, WAVEGUIDE (CHOKE) (SQUARE, 4 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AV MC MI OS SH] | A 5985 | CC | | 09-AUG-85 |
| MIL-F-3922/60B(1) | FLANGE, WAVEGUIDE (CHOKE) (ROUND, 6 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AV MC MI OS SH] | A 5985 | CC | | 09-MAY-77 |
| MIL-F-3922/61C | FLANGE, WAVEGUIDE (CHOKE) (ROUND, 8 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS AV MC MI OS SH] | A 5985 | CC | | 07-OCT-82 |
| MIL-F-3922/62B(2) | FLANGE, WAVEGUIDE (CHOKE), ROUND, 8 HOLE (2 HOLES CENTERED HORIZONTALLY, 2 HOLES CENTERED VERTICALLY) [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AV MC MI OS SH] | A 5985 | CC | | 09-MAY-77 |
| MIL-F-3922/63B(1) | FLANGE, WAVEGUIDE (MINIATURE, UNPRESSURIZED CONTACT) (4 HOLE AND 8 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AV CG MC MI OS SH] | A 5985 | CC | | 18-NOV-77 |
| MIL-F-3922/64B | FLANGE, WAVEGUIDE, (MINIATURE, UNPRESSURIZED CONTACT) (6 THROUGH HOLE, 6 TAPPED HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS AV CG MC MI OS SH] | A 5985 | CC | | 04-MAY-76 |
| MIL-F-3922/67B | FLANGE, WAVEGUIDE (CONTACT), (ROUND, 4 HOLE), (MILLIMETER) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CG CR4 MC MI OS] | A 5985 | CC | | 17-DEC-75 |
| MIL-F-3922/68(1) | FLANGE, WAVEGUIDE COVER (BUTT MOUNT) (SQUARE, 4 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AV CR4 MC MI OS SH] | A 5985 | CC | | 09-AUG-85 |
| MIL-F-3922/69 | FLANGE, WAVEGUIDE (CHOKE) (SQUARE, 4 HOLE) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AV CR4 MC MI OS SH] | A 5985 | CC | | 03-FEB-75 |
| MIL-F-3922/70A | FLANGE, WAVEGUIDE (COVER) (SQUARE, 4 HOLE, BUTT MOUNT) [CUST: CR EC 85 CC] [REVIEW: 11 99 AS MC OS SH] | A 5985 | CC | | 07-MAR-78 |
| MIL-F-3922/75B | FLANGE, WAVEGUIDE, REDUCED HEIGHT [CUST: CR EC 85 CC] [REVIEW: 11 99 AS MC OS SH] | A 5985 | CC | | 23-DEC-81 |
| MIL-C-3924J | CLOTH, OXFORD, COTTON WARP AND NYLON FILLING, QUARPEL TREATED [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8305 | CT | | 11-DEC-91 |
| MIL-K-3926B(1) SUP 1B NOT 1 | KNOBS, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT) [CUST: CR EC 11] [REVIEW: 82 AT AV CG CR4 EA MC MI OS] | A 5355 | IS | | 25-FEB-91 |
| MIL-K-3926/1A | KNOBS, CONTROL, BALL [CUST: CR EC 99] [REVIEW: 82] | A 5355 | IS | | 28-MAY-87 |
| MIL-K-3926/2A | KNOBS, CONTROL, OVAL TAPERED [CUST: CR EC 99] | A 5355 | IS | | 28-MAY-87 |
| MIL-K-3926/3A | KNOBS, CONTROL, TAPERED [CUST: CR EC 99] | A 5355 | IS | | 28-MAY-87 |
| MIL-K-3926/4 | KNOBS, CONTROL, ROUND, EDGE LIGHTED AND NON-EDGE LIGHTED [CUST: CR EC 99] [REVIEW: 82 AR AS AT AV CG CR4 EA MC OS SH] | A 5355 | IS | | 06-AUG-84 |
| MIL-S-3928D(1) SUP 1 | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS AV MC MI OS] | A 5985 | CC | | 10-JAN-92 |
| MIL-S-3928/7C | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (MANUALLY AND SOLENOID OPERATED) CLASSES 1 (TYPE N CONNECTORS) AND 7 (TYPE BNC CONNECTORS) [CUST: CR EC 85 CC] [REVIEW: 11 99 AV MC MI] | A 5985 | CC | | 15-JUL-88 |
| MIL-S-3928/8C | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY AND MANUALLY OPERATED) CLASS 7 [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC MI OS SH] | A 5985 | CC | | 15-JUL-88 |
| MIL-S-3928/9C | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (MANUALLY AND MOTOR OPERATED) CLASS 1 (TYPE N CONNECTORS) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AT AV CR4 MC MI OS] | A 5985 | CC | | 15-JUL-88 |
| MIL-S-3928/10D | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 1 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS MC MI OS SH] | A 5985 | CC | | 15-JUL-88 |
| MIL-F-3928/15D | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P2T [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS MC MI OS] | A 5985 | CC | | 15-JUL-88 |
| MIL-S-3928/16A | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P3T [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC MI OS SH] | A 5985 | CC | | 15-JUL-88 |
| MIL-S-3928/17A | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P4T [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC MI OS SH] | A 5985 | CC | | 15-JUL-88 |
| MIL-S-3928/18B | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P6T [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC MI OS] | A 5985 | CC | | 15-JUL-88 |
| MIL-S-3928/19C | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, TR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AV MC MI OS SH] | A 5985 | CC | | 15-JUL-88 |
| MIL-S-3928/20C | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 4, 1P2T [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC MI OS SH] | A 5985 | CC | | 15-JUL-88 |
| MIL-S-3928/21B | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 4, TR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AV MC MI OS SH] | A 5985 | CC | | 15-JUL-88 |
| MIL-S-3928/25 | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P5T [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC MI OS] | A 5985 | CC | | 15-JUL-88 |
| MIL-I-3930E(1) SUP 1A | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), GENERAL SPECIFICATION FOR [CUST: CR SH 85 CC] [REVIEW: AR CR4 YDI] | A 5970 | CC | | 21-APR-88 |
| MIL-I-3930/22 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE INMODERATE-LOW TEMPERATURE, CHLORINATED POLYETHYLENE RUBBER (CM) [CUST: CR SH 85 CC] [REVIEW: AR CR4 MI] | A 5970 | CC | | 21-APR-88 |
| MIL-I-3930/23 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE IN-L-LOW TEMPERATURE, CHLORINATED POLYETHYLENE RUBBER (CM) [CUST: CR SH 85 CC] [REVIEW: AR CR4 MI] | A 5970 | CC | | 21-APR-88 |
| MIL-L-3931K | LAST, FOOTWEAR, SHOE, MEN S, US MIL-1 [CUST: GL NU 99 CT] [REVIEW: 32 45 82 MC MD] | A 8335 | CT | | 17-JUN-86 |
| MIL-A-3933E(2) SUP 1 | ATTENUATORS, FIXED, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 99 AS MC MI NA SH] | A 5985 | CC | | 05-MAY-94 |
| MIL-A-3933/1C | ATTENUATOR, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 3 GHZ, CLASS IIA, LOW POWER [CUST: CR EC 85] [REVIEW: 11 99 AS MC MI SH] | A 5985 | CC | | 24-APR-85 |
| MIL-A-3933/5B | ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: 1 TO 10 GHZ, CLASS IIB, LOW POWER [CUST: CR EC 85] [REVIEW: 11 99 AS MC MI SH] | A 5985 | CC | | 24-APR-85 |
| MIL-A-3933/6B | ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 1.5 GHZ, CLASS IIA, LOW POWER [CUST: CR EC 85] [REVIEW: 11 99 AS MC MI SH] | A 5985 | CC | | 24-APR-85 |
| MIL-A-3933/10C | ATTENUATORS, FIXED COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 18 GHZ, CLASS III, MEDIUM POWER [CUST: CR EC 85] [REVIEW: 11 99 AS MC MI SH] | A 5985 | CC | | 24-APR-85 |
| MIL-A-3933/14C(1) | ATTENUATOR, FIXED, COAXIAL LINE (SMA CONNECTORS), FREQUENCY RANGE: DC TO 12.4 GHZ, CLASS IV, LOW POWER [CUST: CR EC 85] [REVIEW: 11 99 AS MC MI] | A 5985 | CC | | 06-NOV-85 |
| MIL-A-3933/16C(1) | ATTENUATORS, FIXED, COAXIAL LINE (SMA CONNECTORS), FREQUENCY RANGE: DC TO 18 GHZ, CLASS IV, LOW POWER [CUST: CR EC 85] [REVIEW: 11 99 AS MC MI] | A 5985 | CC | | 06-NOV-85 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----------------|-----------|
| | MIL-A-3933/17A | ATTENUATOR, FIXED, COAXIAL LINE (TNC CONNECTORS), FREQUENCY RANGE: DC TO 18 GHZ, CLASS IV, LOW POWER [CUST: CR EC 85] [REVIEW: 11 99 AS MC MI SH] | A 5985 | CC | 24-APR-85 |
| | MIL-A-3933/18E(1) | ATTENUATOR, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 12.4 GHZ, & DC TO 18 GHZ, CLASS III, LOW POWER [CUST: CR EC 85] [REVIEW: 11 99 AS MC MI SH] | A 5985 | CC | 06-NOV-85 |
| | MIL-A-3933/19A | ATTENUATOR, FIXED, COAXIAL LINE (BNC CONNECTORS), FREQUENCY RANGE: DC TO 4.5 GHZ, CLASS III, LOW POWER [CUST: CR EC 85] [REVIEW: 11 99 AS MC MI SH] | A 5985 | CC | 24-APR-85 |
| | MIL-A-3933/21 | ATTENUATOR, FIXED, COAXIAL LINE (TYPE N CONNECTORS) FREQUENCY RANGE, DC TO 500 MHZ, CLASS III [CUST: EC] [REVIEW: AS MC OS SH] | A 5985 | CC | 24-MAR-76 |
| | MIL-A-3933/23B | ATTENUATOR, FIXED, TO-5 CONFIGURATION, CLASS IV, LOW POWER [CUST: CR EC 85] [REVIEW: 11 99 AS MC MI SH] | A 5985 | CC | 24-APR-85 |
| | MIL-A-3933/24A | ATTENUATOR, FIXED, COAXIAL LINE, (SMA CONNECTORS), BULKHEAD, CLASS IV, LOW POWER [CUST: CR EC 85] [REVIEW: 11 99 AS MC MI SH] | A 5985 | CC | 24-APR-85 |
| | MIL-A-3933/25A(2) | ATTENUATORS, FIXED, MINATURE, COAXIAL LINE (SMA CONNECTORS), FREQUENCY RANGE: DC TO 18 GHZ, CLASS IV, LOW POWER [CUST: CR EC 85] [REVIEW: 11 99 AS MC MI SH] | A 5985 | CC | 22-SEP-89 |
| | MIL-A-3933/26 | ATTENUATOR, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: 0.4 TO 18 GHZ, CLASS IV, LOW POWER [CUST: CR EC 85] [REVIEW: 11 99 AS MC MI SH SM] | A 5985 | CC | 24-APR-85 |
| | MIL-D-3943D(3) SUP 1C | DECORATIONS, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 18-JUL-94 |
| | MIL-DTL-3943/1E | DECORATION, MEDAL OF HONOR, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/2E | DECORATION, MEDAL OF HONOR, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/3E | DECORATION, MEDAL OF HONOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/4D | DECORATION, DISTINGUISHED SERVICE CROSS [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/5E | DECORATION, NAVY CROSS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/6D | DECORATION, AIR FORCE CROSS [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/7G | DECORATION, DISTINGUISHED SERVICE MEDAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/8F | DECORATION, DISTINGUISHED SERVICE MEDAL, NAVY AND MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/9E | DECORATION, DISTINGUISHED SERVICE MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/10D | DECORATION, DISTINGUISHED SERVICE MEDAL, COAST GUARD [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/11D | DECORATION, SILVER STAR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/12E | DECORATION, LEGION OF MERIT, CHIEF COMMANDER [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/13F | DECORATION, LEGION OF MERIT, OFFICER AND LEGIONNAIRE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/14E | DECORATION, LEGION OF MERIT, COMMANDER [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/15E | DECORATION, DISTINGUISHED FLYING CROSS [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/16D | DECORATION, SOLDIER'S MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/17E | DECORATION, NAVY AND MARINE CORPS MEDAL [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/18D | DECORATION, AIRMAN'S MEDAL [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/19D | DECORATION, COAST GUARD MEDAL [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/20D | DECORATION, GOLD LIFE-SAVING MEDAL AND BAR, COAST GUARD [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/21D | DECORATION, SILVER LIFE-SAVING MEDAL AND BAR, COAST GUARD [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/22D | DECORATION, BRONZE STAR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/23D | DECORATION, AIR MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/24F | DECORATION, PURPLE HEART [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/26E | DECORATION, JOINT SERVICE COMMENDATION MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/27E | DECORATION, COMMENDATION MEDAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/28F | DECORATION, COMMENDATION MEDAL, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/29D | DECORATION, COMMENDATION MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/30E | DECORATION, COMMENDATION MEDAL, COAST GUARD [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/31E | DECORATION, NATIONAL SECURITY MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/32H | DECORATION, UNIT AWARDS AND CITATIONS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/33F | DECORATION, UNIT AWARDS AND CITATIONS, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/34F | DECORATION, SUPERIOR CADET AWARD, ROTC [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/35D | DECORATION, CAPTAIN ROBERT DEXTER CONRAD AWARD FOR SCIENTIFIC ACHIEVEMENT, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/36D | DECORATION, CIVILIAN AWARD FOR VALOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/37E | DECORATION, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/38D | DECORATION, AWARD FOR DISTINGUISHED ACHIEVEMENT IN SCIENCE, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/39D | DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD, DEPARTMENT OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/40F | DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/41E | DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/42D | DECORATION, DISTINGUISHED PUBLIC SERVICE AWARD, DEPARTMENT OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/43E | DECORATION, DISTINGUISHED PUBLIC SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/44D | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/45D | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, NATIONAL SECURITY AGENCY [CUST: IH] [REVIEW: CT NS] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/46F | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/47E | DECORATION, MEDAL FOR MERIT [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/48E | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/49E | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/50D | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/51E | DECORATION, OUTSTANDING CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/52E | DECORATION, AWARD OF THE PRESIDENT OF THE UNITED STATES FOR DISTINGUISHED FEDERAL CIVILIAN SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/53F | DECORATION, ACHIEVEMENT MEDAL, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 01-MAY-97 |
| | MIL-DTL-3943/54D | DECORATION, MEDAL FOR HEROISM, ROTC AND NDCC [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------------|---|--------------------------|--------------------|-----------|
| MIL-DTL-3943/55D | DECORATION, DISTINGUISHED SERVICE AWARD, DEFENSE CONTRACT AUDIT AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/56D | DECORATION, MERITORIOUS SERVICE AWARD, DEFENSE CONTRACT AUDIT AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/57E | DECORATION, DISTINGUISHED SERVICE MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/58D | DECORATION, OUTSTANDING LEADERSHIP MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/59D | DECORATION, EXCEPTIONAL SCIENTIFIC ACHIEVEMENT MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/60E | DECORATION, EXCEPTIONAL SERVICE MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/61E | DECORATION, DISTINGUISHED PUBLIC SERVICE MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/62E | DECORATION, EXCEPTIONAL BRAVERY MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/65E | DECORATION, AWARD FOR VALOR, FEDERAL AVIATION ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/66D | DECORATION, MERITORIOUS SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/67D | DECORATION, ACHIEVEMENT MEDAL, COAST GUARD [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/68G | DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/69E | DECORATION, AWARD FOR VALOR, DEPARTMENT OF TRANSPORTATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/70F | DECORATION, MERITORIOUS ACHIEVEMENT AWARD (SILVER MEDAL), SECRETARY OF TRANSPORTATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/71F | DECORATION, OUTSTANDING ACHIEVEMENT AWARD (GOLD MEDAL), SECRETARY OF TRANSPORTATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/72D | DECORATION, DEFENSE DISTINGUISHED SERVICE MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/73E | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY [CUST: IH DI] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/74D | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY [CUST: IH DI] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/75E | DECORATION, PRESIDENTIAL CITIZENS MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/76C | DECORATION, CONGRESSIONAL SPACE MEDAL OF HONOR [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/77F | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/78F | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/79C | DECORATION, REGIONAL AND STATE SCIENCE AND ENGINEERING FAIR AWARDS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/80C | DECORATION, EXCEPTIONAL SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/81C | DECORATION, SUPERIOR SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/82C | DECORATION, COMMENDABLE SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/83C | DECORATION, DISTINGUISHED CAREER SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/84E | DECORATION, SUPERIOR ACHIEVEMENT AWARD (BRONZE MEDAL), DEPARTMENT OF TRANSPORTATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/85E | DECORATION, DISTINGUISHED SERVICE MEDAL, FEDERAL EMERGENCY MANAGEMENT AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/86C | DECORATION, OUTSTANDING PUBLIC SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/87C | DECORATION, DEFENSE SUPERIOR SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/88D | DECORATION, DISTINGUISHED PUBLIC SERVICE AWARD, COAST GUARD [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/89C | DECORATION, NATIONAL INTELLIGENCE DISTINGUISHED SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/90C | DECORATION, NATIONAL INTELLIGENCE MEDAL OF ACHIEVEMENT [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/91C | DECORATION, DISTINGUISHED CAREER SERVICE AWARD, AGENCY FOR INTERNATIONAL DEVELOPMENT, DEPARTMENT OF STATE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/92E | DECORATION, COMMANDER'S AWARD FOR CIVILIAN SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/93C | DECORATION, DEFENSE MERITORIOUS SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/94E | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/95C | DECORATION, DISTINGUISHED SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/96C | DECORATION, EXCEPTIONAL SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/97C | DECORATION, OUTSTANDING SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/98C | DECORATION, ACHIEVEMENT AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/99D | DECORATION, CIVILIAN SERVICE MEDAL, OFFICE OF THE SECRETARY OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/100C | DECORATION, ACHIEVEMENT MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/101D | DECORATION, FOREIGN SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/102C | DECORATION, ACHIEVEMENT MEDAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/103C | DECORATION, COMMENDABLE SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/104C | DECORATION, OUTSTANDING SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/105C | DECORATION, OUTSTANDING CAREER ACHIEVEMENT AWARD, AGENCY FOR INTERNATIONAL DEVELOPMENT, DEPARTMENT OF STATE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/106C | DECORATION, COMMANDER'S AWARD FOR PUBLIC SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/107D | DECORATION, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/108C | DECORATION, JOINT SERVICE ACHIEVEMENT MEDAL, DEPARTMENT OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/109D | DECORATION, NOAA ASSOCIATION OF COMMISSIONED OFFICERS AWARDS, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/110D | DECORATION, ADMINISTRATION'S AWARD, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |
| MIL-DTL-3943/111C | DECORATION, DISTINGUISHED SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/area | MCA | Prog. Acty. | Date |
|-------------|-------------------|---|-----------------------|-----|-------------|------|
| | MIL-DTL-3943/112C | DECORATION, MERITORIOUS SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/113C | DECORATION, COMMENDATION MEDAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/114C | DECORATION, MEDAL OF VALOR, CHAPLAIN, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/115C | DECORATION, ACHIEVEMENT MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/116B | DECORATION, DEFENSE INTELLIGENCE DIRECTOR'S AWARD, DEFENSE INTELLIGENCE AGENCY [CUST: IH DI] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/117B | DECORATION, SURGEON GENERAL'S MEDALLION, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/118B | DECORATION, GOLD AWARD, DEPARTMENT OF COMMERCE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/119B | DECORATION, RECRUITING COMMAND AWARD FOR JROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/120C | DECORATION, DISTINGUISHED SERVICE MEDAL, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/121C | DECORATION, MERITORIOUS SERVICE MEDAL, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/122B | DECORATION, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/123C | DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/124D | DECORATION, ACHIEVEMENT MEDAL FOR CIVILIAN SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/125C | DECORATION, AERIAL ACHIEVEMENT MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/126D | DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/127C | DECORATION, DISTINGUISHED CAREER SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/128B | DECORATION, EQUAL EMPLOYMENT OPPORTUNITY MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/129B | DECORATION, EXCEPTIONAL ENGINEERING ACHIEVEMENT MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/130C | DECORATION, SPACE FLIGHT MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/131B | DECORATION, PUBLIC SERVICE MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/132B | DECORATION, DISTINGUISHED SERVICE AWARD, COAST GUARD AUXILIARY [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/133B | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/134B | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/135C | DECORATION, NATIONAL EMERGENCY PREPAREDNESS AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/136C | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, ON-SITE INSPECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/137C | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, ON-SITE INSPECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/138B | DECORATION, EXCEPTIONAL ACHIEVEMENT MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/139B | DECORATION, NATIONAL COMMUNICATIONS SYSTEM MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/140B | DECORATION, EXEMPLARY CIVILIAN SERVICE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/141B | DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/142B | DECORATION, CIVILIAN CAREER SERVICE AWARD, DEFENSE COMMISSARY AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/143C | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/144B | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY [CUST: IH DC] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/145B | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY [CUST: IH DC] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/146B | DECORATION, DISTINGUISHED SERVICE MEDAL, DEPARTMENT OF TRANSPORTATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/147B | DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/148B | DECORATION, COMMENDATION MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/149B | DECORATION, MERITORIOUS SERVICE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/150B | DECORATION, DISTINGUISHED SERVICE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/151B | DECORATION, MERITORIOUS PUBLIC SERVICE AWARD, COAST GUARD [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/152A | DECORATION, HAZARDOUS DUTY AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/153A | DECORATION, SPECIAL ASSIGNMENT AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/154A | DECORATION, ISOLATED/HARDSHIP AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/155A | DECORATION, CRISIS RESPONSE SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/156A | DECORATION, CORPS COMMENDATION MEDAL, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/157A | DECORATION, SPECIAL ACHIEVEMENT AWARD, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/158A | DECORATION, SILVER AWARD, DEPARTMENT OF COMMERCE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/159A | DECORATION, BRONZE AWARD, DEPARTMENT OF COMMERCE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/160B | DECORATION, MILITARY OUTSTANDING VOLUNTEER SERVICE MEDAL, DEPARTMENT OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/161A | DECORATION, GOLD STAR MEDAL, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/162A | DECORATION, DISTINGUISHED SERVICE MEDAL, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/163A | DECORATION, COMMISSIONED OFFICERS ASSOCIATION, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/164A | DECORATION, MEDAL OF VALOR, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS [CUST: IH] [REVIEW: CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/165A | DECORATION, AIR MEDAL, CIVILIAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 | |
| | MIL-DTL-3943/166A | DECORATION, AERIAL ACHIEVEMENT MEDAL, CIVILIAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 01-MAY-97 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|-------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-DTL-3943/167A | DECORATION, SERVICE AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 01-MAY-97 |
| | MIL-DTL-3943/168A | DECORATION, ACHIEVEMENT AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 01-MAY-97 |
| | MIL-DTL-3943/169A | DECORATION, DIRECTOR'S AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 01-MAY-97 |
| | MIL-DTL-3943/170A | DECORATION, VALOR MEDAL, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 01-MAY-97 |
| | MIL-DTL-3943/171A | DECORATION, LIFESAVING MEDAL, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 01-MAY-97 |
| A | MIL-DTL-3943/172A | DECORATION, EXCEPTIONAL SERVICE AWARD, DEPARTMENT OF ENERGY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 01-MAY-97 |
| A | MIL-DTL-3943/173A | DECORATION, SECRETARY'S AWARD, DEPARTMENT OF ENERGY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 01-MAY-97 |
| A | MIL-DTL-3943/174A | DECORATION, MERITORIOUS SERVICE AWARD, DEPARTMENT OF ENERGY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 01-MAY-97 |
| | MIL-DTL-3943/177 | DECORATION, JOINT MERITORIOUS CIVILIAN SERVICE AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-NOV-96 |
| | MIL-DTL-3943/178 | DECORATION, JOINT DISTINGUISHED CIVILIAN SERVICE AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-NOV-96 |
| | MIL-D-3943/179 | DECORATION, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 13-DEC-96 |
| | MIL-DTL-3943/180 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 13-DEC-96 |
| | MIL-DTL-3943/181 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 13-DEC-96 |
| | MIL-DTL-3943/182 | DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE SPECIAL WEAPONS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 28-JAN-97 |
| | MIL-DTL-3943/183 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE SPECIAL WEAPONS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 28-JAN-97 |
| | MIL-DTL-3943/184 | DECORATION, DIRECTOR'S LIFETIME ACHIEVEMENT AWARD, DEFENSE SPECIAL WEAPONS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 28-JAN-97 |
| | MIL-DTL-3943/185 | DECORATION, BICENTENNIAL UNIT COMMENDATION, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 12-MAY-97 |
| A | MIL-DTL-3943/186 | MEDAL, ARMY OF CUBAN OCCUPATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/187 | MEDAL, ARMY OF CUBAN PACIFICATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/188 | MEDAL, ARMY OF PUERTO RICAN OCCUPATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/189 | MEDAL, CHINA CAMPAIGN [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/190 | MEDAL, CIVIL WAR CAMPAIGN [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/191 | MEDAL, GOOD CONDUCT, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/192 | MEDAL, INDIAN CAMPAIGN, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/193 | MEDAL, MEXICAN BORDER SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/194 | MEDAL, MEXICAN SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/195 | MEDAL, PHILIPPINE CAMPAIGN, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/196 | MEDAL, PHILIPPINE CONGRESSIONAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/197 | MEDAL, SPANISH CAMPAIGN [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/198 | MEDAL, SPANISH WAR SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/199 | MEDAL, WOMEN'S ARMY CORPS SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/200 | MEDAL, ARMY RESERVE COMPONENTS ACHIEVEMENT [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/201 | MEDAL, CIVILIAN AWARD FOR HUMANITARIAN SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/202 | MEDAL, GOOD CONDUCT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/203 | MEDAL, COMBAT READINESS, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/204 | MEDAL, AIR RESERVE FORCES MERITORIOUS SERVICE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/205 | MEDAL, GOOD CONDUCT, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/206 | MEDAL, NAVY EXPEDITIONARY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/207 | MEDAL, NAVAL RESERVE [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/208 | MEDAL, NAVAL RESERVE MERITORIOUS SERVICE [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/209 | MEDAL, GOOD CONDUCT, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/210 | MEDAL, MARINE CORPS EXPEDITIONARY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/211 | MEDAL, SELECTED MARINE CORPS RESERVE [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/212 | MEDAL, GOOD CONDUCT, COAST GUARD [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/213 | MEDAL, ARCTIC SERVICE, COAST GUARD [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/214 | MEDAL, GOOD CONDUCT, COAST GUARD RESERVE [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/215 | MEDAL, VIETNAM SERVICE, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/216 | MEDAL, EXPEDITIONARY, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/217 | MEDAL, DEFENSE, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/218 | MEDAL, ATLANTIC WAR ZONE, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/219 | MEDAL, PACIFIC WAR ZONE, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/220 | MEDAL, KOREAN SERVICE, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/221 | MEDAL, MEDITERRANEAN - MIDDLE EAST WAR ZONE MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/222 | MEDAL, WORLD WAR II VICTORY, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/223 | MEDAL, CHINA SERVICE [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/224 | MEDAL, NAVY OCCUPATION SERVICE [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/225 | MEDAL, SECOND NICARAGUAN CAMPAIGN [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/226 | MEDAL, YANGTZE SERVICE [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/227 | MEDAL, AMERICAN CAMPAIGN [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/228 | MEDAL, AMERICAN DEFENSE SERVICE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/229 | MEDAL, ANTARCTICA SERVICE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/230 | MEDAL, ARMED FORCES EXPEDITIONARY [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/231 | MEDAL, ARMED FORCES RESERVE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/232 | MEDAL, MEDAL FOR HUMANE ACTION [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-JUN-97 |
| A | MIL-DTL-3943/233 | MEDAL, KOREAN SERVICE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-JUN-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| List Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------------|--|-----------------------|-----|-------------|------|
| A | MIL-DTL-3943/234 | MEDAL, NATIONAL DEFENSE SERVICE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/235 | MEDAL, UNITED NATIONS SERVICE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/236 | MEDAL, WORLD WAR I VICTORY [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/237 | MEDAL, WORLD WAR II VICTORY [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/238 | MEDAL, VIETNAM SERVICE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/239 | MEDAL, CIVILIAN SERVICE IN VIETNAM [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/240 | MEDAL, HUMANITARIAN SERVICE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/241 | MEDAL, PRISONER OF WAR (POW) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/242 | MEDAL, MULTINATIONAL FORCE AND OBSERVERS [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/243 | MEDAL, SOUTHWEST ASIA SERVICE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/244 | MEDAL, KUWAIT LIBERATION, KINGDOM OF SAUDI ARABIA [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/245 | MEDAL, ARMY OF OCCUPATION OF GERMANY (1918 - 1923) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/246 | MEDAL, ARMY OF OCCUPATION [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/247 | MEDAL ASIATIC - PACIFIC CAMPAIGN [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/248 | MEDAL, EUROPEAN - AFRICAN - MIDDLE EASTERN CAMPAIGN [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/249 | MEDAL, CIVILIAN SERVICE IN SOUTHWEST ASIA, DOD [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/250 | MEDAL, KUWAIT LIBERATION MEDAL, GOVERNMENT OF KUWAIT [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/251 | MEDAL, ARMED FORCES SERVICE [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/252 | MEDAL, NORTH ATLANTIC TREATY ORGANIZATION (NATO) [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 30-JUN-97 | |
| A | MIL-DTL-3943/253 | DECORATION, LEADERSHIP AWARD, DEFENSE INTELLIGENCE AGENCY [CUST: IH DI] [REVIEW: CT] | A 8455 | IH | 02-OCT-97 | |
| A | MIL-DTL-3943/254 | DECORATION, CITATION, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-OCT-97 | |
| A | MIL-DTL-3943/255 | DECORATION, DISTINGUISHED CIVILIAN SERVICE AWARD, NATIONAL IMAGERY AND MAPPING AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 11-DEC-97 | |
| A | MIL-DTL-3943/256 | DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, NATIONAL IMAGERY AND MAPPING AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 11-DEC-97 | |
| A | MIL-DTL-3943/257 | DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, NATIONAL IMAGERY AND MAPPING AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 11-DEC-97 | |
| A | MIL-DTL-3943/258 | MEDAL, ARMED FORCES CIVILIAN SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 05-FEB-98 | |
| | MIL-M-3946D SUP 1B | MEDAL, CAMPAIGN AND SERVICE, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-APR-86 | |
| | MIL-I-3949D(2) SUP 1A NOT 1 | INSIGNIA, RANK, OFFICER'S, METAL; GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 04-NOV-92 | |
| | MIL-S-3950F(3) SUP 1 | SWITCHES, TOGGLE, ENVIRONMENTALLY SEALED, GENERAL SPECIFICATION FOR [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV MC MI] | A 5930 | CC | 24-MAY-96 | |
| | MIL-S-3950/14 NOT 1 | SWITCHES, TOGGLE, ROCKER ACTUATED, ONE POLE, TWO POLE, FOUR POLE, ENVIRONMENTALLY SEALED, FLUSH AND SUB-PANEL MOUNTING [CUST: CR AS 85] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | 08-JUN-93 | |
| | MIL-S-3951D | SERVICE RIBBONS AND BARS, SERVICE RIBBONS [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 23-APR-93 | |
| | MIL-C-3953E NOT 1 | CLOTH, DUCK, NYLON [CUST: GL NU 99 CT] [REVIEW: AS MC MD MI] | A 8305 | CT | 16-JUN-81 | |
| | MIL-D-3954C(2) SUP 1A | DUMMY LOADS, ELECTRICAL, WAVEGUIDE, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CG MC MI OS SH] | A 5985 | CC | 29-MAR-79 | |
| | MIL-D-3954/11A NOT 1 | DUMMY LOAD ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 7.05 TO 10.0 GIGAHERTZ) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS SH] | A 5985 | CC | 27-OCT-87 | |
| | MIL-D-3954/13A NOT 1 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 12.4 TO 18.0 GIGAHERTZ)[CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS SH] | A 5985 | CC | 27-OCT-87 | |
| | MIL-D-3954/15A NOT 1 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 1.12 TO 1.70 GIGAHERTZ)[CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS SH] | A 5985 | CC | 27-OCT-87 | |
| | MIL-D-3954/16A NOT 1 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 5.85 TO 8.20 GIGAHERTZ)[CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS SH] | A 5985 | CC | 27-OCT-87 | |
| | MIL-D-3954/17A NOT 1 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 3.95 TO 5.85 GIGAHERTZ)[CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS SH] | A 5985 | CC | 27-OCT-87 | |
| | MIL-D-3954/18A NOT 1 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 2.6 TO 3.95 GIGAHERTZ) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR CG MC MI OS SH] | A 5985 | CC | 27-OCT-87 | |
| | MIL-D-3954/19A NOT 1 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 8.2 TO 12.4 GIGAHERTZ) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS SH] | A 5985 | CC | 27-OCT-87 | |
| | MIL-A-3962E | ANCHOR, GROUND, ARROWHEAD WITH DRIVING EQUIPMENT [CUST: GL 99 CT] [REVIEW: EA IS MD] | A 4030 | GL | 16-OCT-81 | |
| | MIL-U-3963A | UNIVERSAL JOINT, ANTIFRICTION BEARINGS [CUST: AS 99] [REVIEW: MI] | A 3010 | AS | 12-DEC-58 | |
| | MIL-C-3965F(3) SUP 1 NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC OS SH] | A 5910 | CC | 29-MAR-91 | |
| | MIL-C-3965/1H(1) NOT 2 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C) STYLES CL14 AND CL16 [CUST: CR EC 85] [REVIEW: 17 99 AR MI SH] | A 5910 | CC | 15-JUN-93 | |
| | MIL-C-3965/19E(2) NOT 2 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL17 AND CL18 [CUST: CR EC 85] [REVIEW: 17 99 AR MI] | A 5910 | CC | 15-JUN-93 | |
| | MIL-C-3965/24A(1) NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL66 AND CL67 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR CR4 MC MI OS SH] | A 5910 | CC | 13-JAN-89 | |
| | MIL-F-3967E | FORMING MACHINES, SHEET METAL, ROTARY, COMBINATION FLOOR MOUNTING, MOTOR DRIVEN [CUST: AL SH 99 GS] [REVIEW: 84 YDI] | A 3441 | GS | 31-OCT-90 | |
| | MIL-W-3970C SUP 1 | WAVEGUIDE ASSEMBLIES, RIGID, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC MI OS SH] | A 5985 | CC | 01-APR-83 | |
| | MIL-W-3970/1A | WAVEGUIDE ASSEMBLIES, RIGID, STRAIGHT, 90-DEGREE TWIST [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC MI OS SH] | A 5985 | CC | 04-APR-77 | |
| | MIL-W-3970/5B | WAVEGUIDE ASSEMBLIES, RIGID, 45-DEGREE E-PLANE BEND [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS SH] | A 5985 | CC | 04-APR-77 | |
| | MIL-W-3970/6B | WAVEGUIDE ASSEMBLIES, RIGID, 60-DEGREE E-PLANE BEND [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC OS SH] | A 5985 | CC | 04-APR-77 | |
| | MIL-W-3970/7B | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE E-PLANE BEND [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS SH] | A 5985 | CC | 04-APR-77 | |
| | MIL-W-3970/10B | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE E-PLANE MITERED CORNER [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS SH] | A 5985 | CC | 04-APR-77 | |
| | MIL-W-3970/11B | WAVEGUIDE ASSEMBLIES, RIGID, 45-DEGREE H-PLANE BEND [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS SH] | A 5985 | CC | 04-APR-77 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|-------------|----------------------|---|--------------------------|-----|-------------|-----------|
| | MIL-W-3970/13B(1) | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEG. H-PLANE BEND [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC MI OS] | A 5985 | CC | | 17-JUL-89 |
| | MIL-W-3970/14A | WAVEGUIDE ASSEMBLIES, RIGID, 45-DEGREE H-PLANE MITERED CORNER [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC MI OS] | A 5985 | CC | | 04-APR-77 |
| | MIL-W-3970/15B | WAVEGUIDE ASSEMBLIES, RIGID, 60-DEGREE H-PLANE MITERED CORNER [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS] | A 5985 | CC | | 04-APR-77 |
| | MIL-W-3970/16B | WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE, H-PLANE, MITERED CORNER [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC MI OS] | A 5985 | CC | | 04-APR-77 |
| | MIL-W-3970/21 | WAVEGUIDE ASSEMBLIES, RIGID, CAST, 45-DEGREE E-PLANE BEND, FULL CORRAL AND SELF JIGGING [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC MI OS] | A 5985 | CC | | 30-AUG-78 |
| | MIL-W-3970/22 | WAVEGUIDE ASSEMBLIES, RIGID, CAST, 90-DEGREE E-PLANE BEND, FULL CORRAL [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC MI OS] | A 5985 | CC | | 30-AUG-78 |
| | MIL-W-3970/23 | WAVEGUIDE ASSEMBLY, RIGID, CAST, 90 DEGREE E-PLANE BEND, MITER AND RADIUS BACK MITER, FULL CORRAL [CUST: CR EC 85] [REVIEW: 17 19 99 AS CG MC MI OS] | A 5985 | CC | | 30-AUG-78 |
| | MIL-W-3970/24 | WAVEGUIDE ASSEMBLY, RIGID, CAST, 45 DEGREE E-PLANE BEND, REDUCED HEIGHT, FULL CORRAL [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC MI OS] | A 5985 | CC | | 30-AUG-78 |
| | MIL-W-3970/25 | WAVEGUIDE ASSEMBLY, RIGID, CAST, 90 DEGREE E-PLANE BEND, REDUCED HEIGHT, RADIUS BACK MITER, FULL CORRAL [CUST: CR EC 85] [REVIEW: 17 19 99 AS CG MC MI OS] | A 5985 | CC | | 30-AUG-78 |
| | MIL-W-3970/26 | WAVEGUIDE ASSEMBLIES, RIGID, CAST, 45-DEGREE H-PLANE BEND, FULL CORRAL AND SELF-JIGGING [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC MI OS] | A 5985 | CC | | 30-AUG-78 |
| | MIL-W-3970/27 | WAVEGUIDE ASSEMBLY, RIGID, CAST, 60 DEGREE H-PLANE BEND, FULL CORRAL [CUST: CR EC 85] [REVIEW: 17 19 99 AS CG MC MI OS] | A 5985 | CC | | 30-AUG-78 |
| | MIL-W-3970/28 | WAVEGUIDE ASSEMBLY, RIGID, CAST, 90-DEGREE H-PLANE BEND, FULL CORRAL [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG MC MI OS] | A 5985 | CC | | 30-AUG-78 |
| | MIL-W-3970/29(1) | WAVEGUIDE ASSEMBLY, RIGID, CAST, 90 DEGREE H-PLANE BEND, MITER AND RADIUS BACK MITER, FULL CORRAL [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS GS MC MI OS] | A 5985 | CC | | 14-JAN-85 |
| | MIL-M-3971D(3) | METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL: GENERAL SPECIFICATION FOR [CUST: AR 99 GS] [REVIEW: 11 CC CR CR4 MC YDI] | A 6645 | GS | | 14-SEP-92 |
| | MIL-M-3971/1D | METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL: TYPE I, 10-40V OR 40-130V OR 10-130V; GRADES A AND B, 2 HOLE AND 3 HOLE FLANGE [CUST: AR 99 GS] [REVIEW: 11 CR CR4 EC MC YDI] | A 6645 | GS | | 14-SEP-92 |
| | MIL-M-3971/2C NOT 1 | METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL: TYPE II, 1120V, 60CPS AND 120V, 400CPS GRADE A AND B, 2 HOLE AND 3 HOLE FLANGE [CUST: AR SA 99 GS] [REVIEW: 11 AS CR CR4 EC MC YDI] | A 6645 | GS | | 07-JAN-91 |
| | MIL-L-3976D(1) | LIGHTS, MARKER, CLEARANCE (SERVICE AND BLACKOUT) GENERAL SPECIFICATION FOR [CUST: AT 99 GS] [REVIEW: AS MC MI] | A 6220 | GS | | 16-JUN-92 |
| | MIL-L-3976/1A | LIGHT EMITTING DIODE (LED), MAKER CLEARANCE-BLACKOUT, 14 AND 28 VOLT [CUST: AT GS] | A 6220 | GS | | 16-JUN-92 |
| | MIL-L-3976/2 | LIGHT, MARKER CLEARANCE-BLACKOUT, 24 VOLTS [CUST: 99 GS] [REVIEW: AS MC MI] | A 6220 | GS | | 16-JUN-92 |
| | MIL-P-3984J(1) | PROPELLANTS FOR SMALL ARMS AMMUNITION [CUST: AR OS] | A 1376 | AR | | 05-APR-96 |
| | MIL-B-3990D(3) | BEARINGS, ROLLER, NEEDLE, AIRFRAME, ANTI-FRICTION, INCH [CUST: AT AS 99] [REVIEW: 84 IS] | A 3110 | AS | | 21-AUG-91 |
| | MIL-H-3992D(1) | HOSE AND HOSE ASSEMBLY, RUBBER, AIR AND VACUUM BRAKE, AUTOMOTIVE [CUST: AT 99] [REVIEW: 82 CR4 MC MI] | A 4720 | CC | | 29-APR-83 |
| | MIL-C-3993C | COPPER AND COPPER-BASE ALLOY MILL PRODUCTS; PACKAGING OF [CUST: AR SH 99] [REVIEW: AS CR GL IS MC OS SM] | A PACK | SH | | 14-SEP-62 |
| | MIL-C-3993C(11) | COPPER AND COPPER-BASE ALLOY MILL PRODUCTS; PACKAGING OF [CUST: SH] | A PACK | SH | | 29-SEP-72 |
| | MIL-C-4004B(2) NOT 1 | CASE, INTELLIGENCE OFFICER'S SET [CUST: 99 CT] [REVIEW: 45] | A 8460 | CT | | 08-NOV-89 |
| | MIL-W-4088K | WEBBING, TEXTILE, WOVEN NYLON [CUST: GL AS 99 CT] [REVIEW: 11 31 45 82 AT DS MC MD MI NU] | A 8305 | CT | | 21-NOV-88 |
| | MIL-C-4109F(1) | COUPLING HALVES, LOW PRESSURE, AIR HOSE, QUICK-DISCONNECT [CUST: CR4 AS 99] [REVIEW: 82 AR GL] | A 4730 | CC | | 29-JUN-92 |
| | MIL-C-4294A(1) | CLOTH, TWILL, NYLON [CUST: 99 CT] | A 8305 | CT | | 01-MAR-89 |
| | MIL-C-4318B(1) NOT 2 | COMPUTER, AERIAL PHOTOGRAPHIC DATA [CUST: AS] | A 6760 | GS | | 15-JUL-88 |
| | MIL-G-4343C | GREASE, PNEUMATIC SYSTEMS [CUST: CR4 AS 11] [REVIEW: AT AV DS EA GS MI OS] | A 9150 | AS | | 28-JUL-78 |
| | MIL-L-4352D(1) NOT 1 | LENSES, GUN CAMERA, MOTION-PICTURE, 16MM FORMAT [CUST: CR AS 99] [REVIEW: AV] | A 6760 | GS | | 26-MAY-89 |
| | MIL-S-4383C NOT 1 | SEALING COMPOUND, TOPCOAT, FUEL TANK, BUNA-N TYPE [CUST: MR AS 11] | A 8030 | AS | | 24-OCT-91 |
| | MIL-H-4495D | HOSE ASSEMBLY, RUBBER, AERIAL REFUELING [CUST: AS 99] [REVIEW: 11 CC] | A 4720 | AS | | 10-MAY-85 |
| D | MIL-S-4510E NOT 1 | SPOTLIGHT, INCANDESCENT, ROOF-MOUNTED, AUTOMOTIVE [CUST: YDI 99 IS] [REVIEW: 82] | A 6220 | IS | | 18-JAN-90 |
| | MIL-L-4533F | LATHE, TURRET, HORIZONTAL, UNIVERSAL, RAM TYPE [CUST: AL SH 99] [REVIEW: AS MC] | A 3416 | GS | | 11-SEP-87 |
| | MIL-S-4534C(1) | STAND, RADIATOR TEST AND REPAIR [CUST: AL 99] | A 4910 | AL | | 27-FEB-89 |
| | MIL-C-4556E | COATING KIT, EPOXY, FOR INTERIOR OF STEEL FUEL TANKS [CUST: MR YDI 11] [REVIEW: 84 SH] | A 8010 | MR | | 14-SEP-90 |
| | MIL-R-4582B(2) | REFRIGERATOR, ELECTRIC, PORTABLE, RIVET STORAGE [CUST: GL YDI 99 IS] | A 4110 | IS | | 27-NOV-78 |
| | MIL-A-4637(2) NOT 1 | ATTENUATOR CN-29(-)UP, CN-42(-)UP, CN-43(-)UP [CUST: 85] [REVIEW: 99] | A 5985 | CC | | 30-JAN-87 |
| | MIL-C-4710D | CASE SET, TRANSPORT AND STORAGE [CUST: GL SA 69] [REVIEW: 70 71 80 84 99 CR CR4 MC OS SM] | A 8115 | GS | | 29-JUN-88 |
| | MIL-D-4725C(1) NOT 1 | DIMPLING MACHINES, HOT AND COLD PROCESS, PORTABLE [CUST: GS] [REVIEW: 84 AS MC OS] | A 3448 | GS | | 25-MAR-88 |
| A | MIL-C-4751D(3) | CASTERS, RIGID AND SWIVEL, PRECISION HEAVY DUTY, AND SHOCK ABSORBING [CUST: AS 99 IS] [REVIEW: 11 AR] | A 5340 | IS | | 05-SEP-97 |
| | MIL-A-4946B(1) | ANTENNA ASSEMBLY AT-1970/GR [CUST: CR 85] [REVIEW: 17 99 CC] | A 5985 | CC | | 01-MAY-67 |
| | MIL-R-5001B | RUBBER CELLULAR SHEET, MOLDED AND HAND-BUILT SHAPES; LATEX FOAM [CUST: MR AS 11] [REVIEW: 82 AL AR CR4 GS MC MI OS] | A 9320 | AS | | 31-JUL-92 |
| | MIL-S-5002D(1) | SURFACE TREATMENTS AND INORGANIC COATINGS FOR METAL SURFACES OF WEAPONS SYSTEMS [CUST: MR AS 11] [REVIEW: 99 AR AV CC EA MI OS] | A MFFP | AS | | 24-MAR-94 |
| D | MIL-F-5003D(1) | FLOODLIGHT SET, ELECTRIC, TRIPOD-MOUNTED, FOUR 150-WATT PROJECTOR LAMPS [CUST: CR4 IS] [REVIEW: MD SM] | A 6230 | IS | | 29-NOV-94 |
| | MIL-C-5011A | CHART, STANDARD AIRCRAFT CHARACTERISTICS AND PERFORMANCE, PILOTED AIRCRAFT [CUST: AS 11] [REVIEW: 99 AV GL] | A 15GP | 11 | | 05-NOV-51 |
| | MIL-W-5013L | WHEEL AND BRAKE ASSEMBLIES, AIRCRAFT GENERAL SPECIFICATION FOR [CUST: AV AS 99] | A 1630 | AS | | 31-OCT-91 |
| | MIL-I-5014F(4) SUP 1 | INNER TUBE, PNEUMATIC TIRE, AIRCRAFT [CUST: AV AS 99] | A 2620 | 70 | | 16-NOV-92 |
| | MIL-C-5015G(5) SUP 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, AN TYPE, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 17 99 AR CC EC MI NA] | A 5935 | AS | | 15-MAR-94 |
| | MIL-L-5024A(1) | LUBRICANT, INNER TUBE, AIRCRAFT TIRE [CUST: AS 99] [REVIEW: CC CR4 IS] | A 2640 | AS | | 02-JUN-65 |
| | MIL-A-5034B NOT 1 | ADAPTER, BOMB RACK, 30 INCH, AERO 1A [CUST: AV AS 11] | A 1095 | AS | | 02-MAR-87 |
| | MIL-T-5038H | TAPE, TEXTILE AND WEBBING, TEXTILE, REINFORCING, NYLON [CUST: GL AS 99 CT] [REVIEW: 45 82 CC DS MD OS] | A 8305 | CT | | 17-JUL-90 |
| | MIL-W-5050A | WALKWAY, COATING AND MATTING, NONSLIP, AIRCRAFT, APPLICATION OF (ASG) [CUST: AV AS 99] [REVIEW: MI] | A 5610 | AS | | 31-JAN-58 |
| | MIL-L-5057F(2) | LIGHTS, INSTRUMENT, INDIVIDUAL, GENERAL SPECIFICATION FOR [CUST: AV AS 11] | A 6220 | AS | | 15-DEC-89 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc. Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prop. Acty. | Date |
|-------------|----------------------------|---|-------------------------|-----|-------------|------|
| | MIL-A-5070D(1) SUP 1 NOT 1 | ADAPTER, HOSE TO TUBE, PIPE AND FLANGE, REUSABLE: HYDRAULIC, FUEL AND OIL LINES [CUST: CR AS 59] [REVIEW: 82 AR EA MI] | A 4730 | CC | 09-NOV-89 | |
| | MIL-W-5086C(1) SUP 1 | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, COPPER OR COPPER ALLOY [CUST: CR AS 85] [REVIEW: 11 17 AR AT AV CR4 EC IS MC MI OS] | A 6145 | AS | 07-DEC-79 | |
| | MIL-W-5086/1B | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, NYLON JACKET, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 105 DEGREES C [CUST: CR AS 85] [REVIEW: 11 19 99 AR AT AV CR4 EC MC MI OS SH] | A 6145 | AS | 23-NOV-83 | |
| | MIL-W-5086/2C | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, PVC GLASS NYLON, TIN COATED COPPER CONDUCTOR, 600 VOLT, 105 DEG. C (SEE QPL-5086-27) [CUST: CR AS 85] [REVIEW: 11 19 99 AR AT AV CR4 EC IS MC MI OS SH] | A 6145 | AS | 23-NOV-83 | |
| | MIL-W-5086/3B | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, PVC-GLASS-PVC NYLON, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 105 DEGREES C [CUST: CR AS 85] [REVIEW: 11 19 99 AR AT AV CR4 EC MC MI OS SH] | A 6145 | AS | 23-NOV-83 | |
| A | MIL-W-5086/4B | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, NYLON JACKET, TIN COATED COPPER CONDUCTOR, 3000 VOLT, 105 DEG. C (SEE QPL 5086-27) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AT AV CR4 EC IS MC MI OS SH] | A 6145 | CC | 23-NOV-83 | |
| A | MIL-W-5086/5C | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, POLYVINYLIDENE FLUORIDE JACKET, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 110 DEGREES C [CUST: CR AS 85 CC] [REVIEW: 11 17 AR AT AV CR4 EC IS MC MI OS] | A 6145 | CC | 23-NOV-83 | |
| | MIL-W-5086/6C | WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, POLYVINYLIDENE FLUORIDE JACKET, SILVER COATED COPPER ALLOY CONDUCTOR, 600 VOLT, 110 DEG. C [CUST: CR AS 85 GS] [REVIEW: 11 99 AR AT AV CR4 EC IS MC MI OS SH] | A 6145 | GS | 23-NOV-83 | |
| | MIL-W-5086/7B | WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, NYLON JACKET, TIN COATED COPPER CONDUCTOR, MEDIUM WEIGHT, 600 VOLT, 105 DEG C [CUST: CR AS 85] [REVIEW: 11 17 99 AR AT AV CR4 EC IS MC MI OS SH] | A 6145 | AS | 23-NOV-83 | |
| | MIL-W-5088L(1) | WIRING, AEROSPACE VEHICLE [CUST: CR AS 85] [REVIEW: 11 17 19 99 AV CR4] | A GDRQ | AS | 09-DEC-92 | |
| | MIL-I-5099B(1) NOT 1 | INDICATOR CABIN AIR PRESSURE, 1-7/8 INCH DIAL, TYPE MA-1 [CUST: 99] [REVIEW: 82 CG] | A 6685 | GS | 27-MAR-86 | |
| A | MIL-C-5136C NOT 2 | CABLE, POWER, ELECTRICAL POLYCHLOROPRENE SHEATHED, BUNA COMPOUND INSULATED [CUST: CR AS 85] [REVIEW: 11 MI] | A 6145 | CC | 03-NOV-88 | |
| | MIL-T-5237E | TAPE, TEXTILE; WEBBING, TEXTILE; RAYON [CUST: GL AS 45 CT] [REVIEW: 32 82 99 EA NU] | A 8305 | CT | 04-SEP-90 | |
| | MIL-I-5251A NOT 2 | JACK U-82/U [CUST: 85] | A 5935 | CC | 03-FEB-93 | |
| | MIL-F-5372/1 NOT 2 | FUSE, LIMITER TYPE ENCLOSED LINK, 1-60 AMP [CUST: CR 85] | A 5920 | CC | 17-JUN-93 | |
| | MIL-F-5373D | FUSE HOLDER, BLOCK TYPE, AIRCRAFT [CUST: AS 85] | A 5920 | AS | 22-APR-92 | |
| | MIL-F-5373/1 NOT 2 | FUSEHOLDER RECEPTACLE, LIMITER TYPE, 1-60 AMP [CUST: AS 85 CC] [REVIEW: 11 99] | A 5920 | CC | 22-JUN-93 | |
| | MIL-V-5379A(1) | VALVE, SAFETY, CABIN AIR, GENERAL SPECIFICATION FOR [CUST: AS] | A 4820 | AS | 10-SEP-57 | |
| | MIL-T-5420B(2) | TUBES, PITOT STATIC, ELECTRICALLY HEATED, AIRCRAFT [CUST: AV AS] | A 6610 | AS | 20-MAR-86 | |
| | MIL-T-5421B(2) | TUBE, PITOT, ELECTRICALLY HEATED, AIRCRAFT [CUST: AV AS GS] [REVIEW: 11] | A 6610 | GS | 19-JUN-85 | |
| | MIL-B-5423C(1) SUP 1 NOT 1 | BOOTS, DUST AND WATER SEAL (FOR TOGGLE AND PUSH-BUTTON SWITCHES, CIRCUIT BREAKERS, AND ROTARY-ACTUATED PARTS), GENERAL SPECIFICATION FOR [CUST: CR AS 85 CC] [REVIEW: 99 AR AT AV CG MC MI SH] | A 5930 | CC | 17-MAY-96 | |
| | MIL-B-5423/1C NOT 2 | BOOTS, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES) STYLE 1 (ONE-HOLE MOUNTING, ENCLOSED) STYLE 1S (RFI-SHIELDED, ONE-HOLE MOUNTING, ENCLOSED) [CUST: CR AS 85] [REVIEW: 11 99 AT AV CG CR4 EC MC MI OS] | A 5930 | CC | 21-JUL-93 | |
| | MIL-B-5423/2C NOT 1 | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 3 (ONE-HOLE MOUNTING, THROUGH) [CUST: CR AS 85] [REVIEW: 11 99 AT AV CG CR4 EC MC MI OS] | A 5930 | CC | 02-JUL-87 | |
| | MIL-B-5423/4B NOT 1 | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 6 (ONE-HOLE MOUNTING, MINIATURE, ENCLOSED) [CUST: CR AS 85] [REVIEW: 11 99 AT AV CG CR4 EC MC MI OS] | A 5930 | CC | 02-JUL-87 | |
| | MIL-B-5423/5C NOT 1 | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 7 (ONE-HOLE MOUNTING, SUBMINIATURE, ENCLOSED) [CUST: CR AS 85] [REVIEW: 11 99 AR AT AV CG CR4 EC MC MI OS] | A 5930 | CC | 24-OCT-91 | |
| | MIL-B-5423/6A NOT 1 | BOOT, DUST AND WATER SEAL, TYPE B (FOR PUSH-BUTTON SWITCHES), STYLE 1 (ONE-HOLE MOUNTING, ADAPTER TYPE) [CUST: CR AS 85] [REVIEW: 99 AT CG CR4 EC MC MI OS] | A 5930 | CC | 02-JUL-87 | |
| | MIL-B-5423/7D NOT 1 | BOOT, DUST & WATER SEAL, TYPE B (FOR PUSHBUTTON SWITCHES) STYLE 2 (ONE HOLE MOUNTING, DRILLED PANEL) STYLE 2S RFI SHIELDED, ONE HOLE MOUNTING, DRILLED PANEL [CUST: CR AS 85] [REVIEW: 11 99 AR AT AV CG CR4 EC MC MI OS] | A 5930 | CC | 21-JUL-93 | |
| | MIL-B-5423/9C NOT 2 | BOOT, DUST & WATER SEAL, TYPE C (FOR USE AS ROTARY SHAFT SEALS), TYPE CS FOR USE AS RFI SHIELDED, ROTARY SHIELDED, ROTARY SHAFT SEALS [CUST: CR AS 85] [REVIEW: 11 99 AR AT AV CG CR4 EA EC MC MI OS] | A 5930 | CC | 21-JUL-93 | |
| | MIL-B-5423/10B NOT 1 | BOOTS, DUST AND WATER SEAL TYPE B (FOR PUSH-BUTTON SWITCHES), STYLE 4 (ONE-HOLE MOUNTING, MINIATURE, DRILLED PANEL) [CUST: CR AS 85] [REVIEW: 11 99 AR AT AV CG CR4 EC MC MI OS] | A 5930 | CC | 24-OCT-91 | |
| | MIL-B-5423/11C NOT 1 | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 8 (ONE-HOLE MOUNTING, SUBMINIATURE, THROUGH) [CUST: CR AS 85] [REVIEW: 11 99 AR AT AV CG CR4 EC MC MI OS] | A 5930 | CC | 24-OCT-91 | |
| | MIL-B-5423/12B NOT 1 | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 9 (FIVE-HOLE MOUNTING, THROUGH) [CUST: CR AS 85] [REVIEW: 11 99 AR MC SH] | A 5930 | CC | 02-JUL-87 | |
| | MIL-B-5423/13A NOT 2 | BOOT, DUST AND WATER SEAL, TYPE D (FOR LEVER OPERATED CIRCUIT BREAKERS), STYLE 1 (PANEL MOUNTED WITHOUT MOUNTING FRAME) [CUST: CR AS 85] [REVIEW: 11 99 AT AV CG CR4 EC MC MI] | A 5930 | CC | 21-JUL-93 | |
| | MIL-B-5423/14D | BOOT, DUST AND WATER SEAL, TYPE D (FOR LEVER OPERATED CIRCUIT BREAKERS), STYLE 2 (PANEL MOUNTED COMPLETE WITH MOUNTING FRAME) [CUST: CR AS 85] [REVIEW: 99 AT AV CG CR4 MC SH] | A 5930 | CC | 26-JUN-95 | |
| | MIL-B-5423/15E NOT 1 | BOOT, DUST AND WATER SEAL, TYPE B (FOR TOGGLE AND PUSHBUTTON SWITCHES, CIRCUIT BREAKERS, AND ROTARY-ACTUATED PARTS) (FOR HANDSET SWITCHES), STYLE 5 [CUST: CR AS 85] [REVIEW: AR AT AV CG CR4 EC MC MI OS] | A 5930 | CC | 24-OCT-91 | |
| | MIL-B-5423/16C NOT 1 | BOOT, DUST & WATER SEAL, BUSHING SEAL, TYPE A (FOR TOGGLE SWITCH 0.469 DIAMETER) STYLE 10 (PANEL BUSHINGS SEAL ONLY) [CUST: CR AS 85] [REVIEW: 11 99 AT AV CG CR4 EC MC MI OS] | A 5930 | CC | 21-JUL-93 | |
| | MIL-P-5425D | PLASTIC, SHEET, ACRYLIC, HEAT RESISTANT [CUST: MR AS 11] [REVIEW: AV CR4 DS EA GS OS SH] | A 9330 | AS | 28-SEP-79 | |
| | MIL-H-5440H SUP 1 | HYDRAULIC SYSTEMS, AIRCRAFT, DESIGN AND INSTALLATION REQUIREMENTS FOR [CUST: AV AS 99] [REVIEW: 11 71 82 AR AT CR4 MI OS SH] | A 1650 | AS | 25-MAY-93 | |
| | MIL-D-5480F | DATA, ENGINEERING AND TECHNICAL: REPRODUCTION, REQUIREMENTS FOR [CUST: AR AS 16] [REVIEW: 11 68 71 99 CC MC OS SA SH YDI] | A DRPR | 16 | 01-OCT-94 | |
| | MIL-I-5482C(2) | INDICATOR, PRESSURE, SYNCHRO, AIRCRAFT, 165 DEGREE SCALE [CUST: AS] | A 6620 | GS | 01-DEC-62 | |
| | MIL-T-5483D(1) | TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT, 165 DEGREE MOVEMENT [CUST: AS] | A 6620 | AS | 14-JUL-71 | |
| | MIL-G-5485D | GLASS, LAMINATED, FLAT, BULLET-RESISTANT [CUST: MR AS 99] [REVIEW: 84 AV GS OS] | A 9340 | AS | 22-FEB-93 | |
| | MIL-T-5494A | THERMOCOUPLE, CONTACT, AIRCRAFT ENGINE SPARK PLUG GASKET TYPE [CUST: AS 99] | A 6685 | GS | 28-NOV-56 | |
| | MIL-C-5500D | CAP: HIGH PRESSURE AIR VALVE [CUST: AV AS 99] | A 4820 | CC | 05-AUG-92 | |
| | MIL-C-5501G SUP 1 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL, GENERAL SPECIFICATION FOR [CUST: AR AS 99] [REVIEW: AT AV CR4 EA GL MC OS SH YDI] | A 5340 | IS | 30-JUN-89 | |
| | MIL-C-5501/1 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG FLARED TUBE END AND STRAIGHT THREADED BOSS) [CUST: AR AS 99] [REVIEW: AT AV CR GL MC OS SH YDI] | A 5340 | IS | 20-MAR-73 | |
| | MIL-C-5501/2 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG-FLARELESS TUBE END) [CUST: AR AS 99] [REVIEW: AT AV CR GL MC OS YDI] | A 5340 | IS | 20-MAR-73 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Aee | MCA Prep. Acty. | Date |
|------------|-----------------------|--|-------------------------|--------------------|-----------|
| | MIL-C-5501/3 NOT 1 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (CAP FLARED AND FLARELESS FITTING) [CUST: AR AS 99] [REVIEW: AV CR CR4 GL MC OS YDI] | A 5340 | IS | 27-MAR-86 |
| | MIL-C-5501/4 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-BEADED HOSE CONNECTION) [CUST: AR AS 99] [REVIEW: AT AV CR4 MC MI OS YDI] | A 5340 | IS | 20-MAR-73 |
| | MIL-C-5501/5 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG PIPE THREAD) [CUST: AR AS 99] [REVIEW: AT CR CR4 GL MC OS YDI] | A 5340 | IS | 20-MAR-73 |
| | MIL-C-5501/6A | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-PIPE THREAD) [CUST: AR AS 99] [REVIEW: AV CR CR4 GL MC MI OS SH YDI] | A 5340 | IS | 05-APR-90 |
| | MIL-C-5501/7 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (CAP PLUG, GENERAL PURPOSE) [CUST: AR 99] [REVIEW: AT AV CR4 EA OS] | A 5340 | IS | 20-MAR-73 |
| | MIL-C-5501/8 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG TUBING) [CUST: AR 99] [REVIEW: AT CR4 MI] | A 5340 | IS | 20-MAR-73 |
| | MIL-C-5501/9 | CAP AND PLUG, PROTECTIVE DUST AND MOISTURE SEAL (CAP TUBING) [CUST: AR AS 99] [REVIEW: AT AV CR4 GL MC OS YDI] | A 5340 | IS | 20-MAR-73 |
| | MIL-C-5501/10A NOT 1 | CAPS AND PLUGS, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG-MACHINE SCREW) [CUST: AR AS 99] [REVIEW: CR4 GL MC MI OS SH YDI] | A 5340 | IS | 05-MAY-88 |
| | MIL-C-5501/11 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (CAP MACHINE SCREW) [CUST: AR AS 99] [REVIEW: AT CR CR4 GL MC OS YDI] | A 5340 | IS | 20-MAR-73 |
| | MIL-C-5501/12 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (CAP-UNJ THREAD) [CUST: AR AS 99] [REVIEW: AT AV CR4 GL MC OS YDI] | A 5340 | IS | 20-MAR-73 |
| | MIL-C-5501/13 | CAP AND PLUG, PROTECTIVE, DUST AND MOISTURE SEAL (PLUG UNJ THREAD) [CUST: AR AS 99] [REVIEW: AT CR CR4 GL MC OS YDI] | A 5340 | IS | 20-MAR-73 |
| | MIL-C-5501/14 NOT 1 | CAPS, PROTECTIVE, DUST AND MOISTURE SEAL FOR RESISTOFLEX DYNATUBE FITTINGS [CUST: AR AS 99] | A 5340 | IS | 05-MAY-88 |
| | MIL-C-5501/15 NOT 1 | PLUG, PROTECTIVE, DUST AND MOISTURE SEAL FOR RESISTOFLEX DYNATUBE FITTINGS [CUST: AR AS 99] | A 5340 | IS | 05-MAY-88 |
| | MIL-C-5501/16 NOT 1 | CAPS, PROTECTIVE, DUST AND MOISTURE SEAL FOR AV-8 AIRCRAFT FITTINGS WITH BRITISH SIZE PIPE THREADS [CUST: AR AS 99] | A 5340 | IS | 05-MAY-88 |
| | MIL-C-5501/17 NOT 1 | PLUG, PROTECTIVE, DUST AND MOISTURE SEAL FOR AV-8 AIRCRAFT FITTINGS WITH BRITISH SIZE PIPE THREADS [CUST: AR SA 99] | A 5340 | IS | 05-MAY-88 |
| | MIL-A-5503E(1) | ACTUATORS: AERONAUTICAL LINEAR UTILITY, HYDRAULIC, GENERAL SPECIFICATION FOR [CUST: AV AS 99] | A 1650 | 71 | 27-OCT-92 |
| | MIL-J-5513C(1) NOT 1 | JOINTS, HYDRAULIC SWIVEL [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | 09-NOV-89 |
| | MIL-T-5522D(1) NOT 1 | TEST REQUIREMENTS AND METHODS FOR AIRCRAFT HYDRAULIC AND EMERGENCY PNEUMATIC SYSTEMS [CUST: AV AS 99] [REVIEW: 71 MI] | A 1650 | AS | 28-SEP-79 |
| | MIL-A-5540B(2) | ADHESIVE, POLYCHLOROPRENE [CUST: MR AS 99] [REVIEW: EA GL MC MD] | A 8040 | AS | 28-DEC-73 |
| | MIL-C-5541E | CHEMICAL CONVERSION COATINGS ON ALUMINUM AND ALUMINUM ALLOYS [CUST: MR AS 11] [REVIEW: 80 99 AR AV CR CR4 MI OS SH YDI] | A MFFP | AS | 30-NOV-90 |
| | MIL-H-5559A(2) | HYDRAULIC FLUID, ARRESTING GEAR [CUST: AS] [REVIEW: 11 AR GS MI] | A 9150 | AS | 08-JUN-76 |
| | MIL-L-5567F(2) | LIFE RAFTS, INFLATABLE - 4 AND 7 MAN - FOR AIRCRAFT USE [CUST: CR4 AS 99] [REVIEW: 84 CC] | A 4220 | AS | 07-NOV-86 |
| | MIL-T-5578C(5) | TANK, FUEL, AIRCRAFT, SELF-SEALING [CUST: AV AS] [REVIEW: 99] | A 1560 | AS | 26-JUL-83 |
| | MIL-E-5589D | EARPHONE, (EXTENDED RANGE), H-301/U [CUST: CR EC 85 CC] [REVIEW: 99 MI] | A 5965 | CC | 22-JUN-95 |
| | MIL-F-5591C(1) NOT 1 | FASTENERS; PANEL; NONSTRUCTURAL [CUST: AR AS 99 IS] [REVIEW: 82 AV MI] | A 5325 | IS | 10-JUN-94 |
| | MIL-H-5593C NOT 1 | HOSE, AIRCRAFT, LOW PRESSURE, FLEXIBLE [CUST: AV AS 99] [REVIEW: 82] | A 4720 | CC | 16-JAN-89 |
| | MIL-C-5604B(3) | COMPASS, MAGNETIC, PILOT S STANDBY [CUST: AV AS 99] [REVIEW: 11 CR4 DS MC MI] | A 6605 | AS | 06-JUL-79 |
| | MIL-T-5608G(2) NOT 1 | TAPE, TEXTILE: WEBBING TEXTILE [CUST: AS 99 CT] [REVIEW: 11 31 45 DS] | A 8315 | CT | 08-NOV-89 |
| A | MIL-P-5610D(4) NOT 1 | PARACHUTE ASSEMBLIES AND MAJOR SUB-ASSEMBLIES, PACKAGING AND PACKING OF [CUST: GL AS 99 GS] [REVIEW: 11 82 AV MC SM] | A 1670 | GS | 02-OCT-89 |
| | MIL-W-5625K | WEBBING, TEXTILE, NYLON, TUBULAR [CUST: GL NU 99 CT] [REVIEW: 11 31 45 82 AS CR4 DS MC MI] | A 8305 | CT | 23-AUG-91 |
| | MIL-M-5631C | MOUTON (FOR FLIGHT CLOTHING) [CUST: AS 99 CT] [REVIEW: 45] | A 8330 | CT | 15-JAN-91 |
| | MIL-C-5646F(2) NOT 1 | CLOTH, AIRPLANE [CUST: GL AS 99 CT] [REVIEW: 45 82 85 CR4 MD] | A 8305 | CT | 24-OCT-91 |
| | MIL-C-5651D NOT 1 | CORD, ELASTIC, EXERCISER AND SHOCK ABSORBER, FOR AERONAUTICAL USE [CUST: CR4 AS CT] [REVIEW: AL AR AV DS MC MI] | A 8305 | AS | 24-OCT-91 |
| | MIL-T-5661E NOT 1 | TAPE AND WEBBING, TEXTILE, WOVEN REINFORCING, COTTON [CUST: GL AS 99 CT] [REVIEW: 11 31 45 CR4 MC NU] | A 8315 | CT | 24-OCT-91 |
| | MIL-W-5664D NOT 1 | WEBBING, TEXTILE, ELASTIC [CUST: GL AS 99 CT] [REVIEW: 11 31 45 82 DS MC MD SM] | A 8305 | CT | 24-OCT-91 |
| | MIL-W-5665K(1) | WEBBING, TEXTILE, COTTON WARP [CUST: GL AS 99 CT] [REVIEW: 82 CR4 MC MD NU] | A 8305 | CT | 25-APR-90 |
| | MIL-P-5673D | PIN, STRAIGHT, HEADED [CUST: AR AS 99] [REVIEW: 82 AV CR4 MI] | A 5315 | IS | 01-FEB-94 |
| A | MIL-R-5674F(2) NOT 2 | RIVETS, STRUCTURAL, ALUMINUM ALLOY, TITANIUM COLUMBIUM ALLOY, GENERAL SPECIFICATION FOR [CUST: AV 99 IS] [REVIEW: 82 AR] | A 5320 | IS | 21-JUL-97 |
| | MIL-S-5675B NOT 2 | SHACKLE; CABLE, AIRCRAFT [CUST: AS 99] | A 4030 | IS | 08-APR-94 |
| | MIL-S-5676A(1) | SPlicing, CABLE TERMINAL, PROCESS FOR, AIRCRAFT [CUST: AV AS 99] [REVIEW: CR4 GL MI] | A 5130 | AS | 21-APR-53 |
| | MIL-T-5677B NOT 1 | THIMBLES, WIRE-CABLE, AIRCRAFT [CUST: AS 99] [REVIEW: CR] | A 4030 | IS | 13-NOV-89 |
| | MIL-T-5683A | TERMINAL, TIE ROD, THREADED CLEVIS TYPE, AIRCRAFT [CUST: AS 85 CC] [REVIEW: 99] | A 5985 | CC | 16-MAY-50 |
| A | MIL-DTL-5688B | WIRE ROPE ASSEMBLIES; AIRCRAFT, PROOF TESTING AND PRESTRETCHING OF [CUST: AV AS 11 IS] [REVIEW: MI] | A 4010 | AS | 15-AUG-97 |
| | MIL-I-5721C(1) | INDICATOR, INDICATED AIRSPEED, 20-250 KNOTS [CUST: AV AS 99 GS] | A 6610 | GS | 15-NOV-72 |
| | MIL-M-5755C | MIRROR, REARVIEW, NONMAGNETIC, GENERAL REQUIREMENTS FOR (FOR AERONAUTICAL USE) [CUST: AV AS 99] | A 1680 | GS | 16-APR-90 |
| | MIL-C-5756C | CABLE, POWER, ELECTRICAL, PORTABLE GENERAL SPECIFICATION FOR [CUST: AS 85] [REVIEW: CR GS IS] | A 6145 | AS | 05-APR-90 |
| | MIL-C-5756/1 | CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, NON-OZONE RESISTANT [CUST: AS 85] [REVIEW: CR IS] | A 6145 | AS | 10-APR-90 |
| | MIL-C-5756/2(1) | CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, OZONE RESISTANT [CUST: AS 85] [REVIEW: CR GS] | A 6145 | AS | 15-JUL-90 |
| | MIL-C-5756/3(1) | CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR [CUST: AS 85] [REVIEW: CR GS] | A 6145 | AS | 15-JUL-90 |
| | MIL-C-5756/4(1) | CABLE, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR OZONE RESISTANT [CUST: AS 85] [REVIEW: CR GS] | A 6145 | AS | 15-JUL-90 |
| | MIL-C-5756/5 | CABLE, 3-PHASE POWER, ELECTRIC, PORTABLE, MULTICONDUCTOR, 90 DEG. C, 600V, OZONE RESISTANT, SPLIT NEUTRAL [CUST: AS 85] [REVIEW: CR IS SH] | A 6145 | AS | 30-SEP-94 |
| | MIL-C-5756/6 | CABLE, 3-PHASE POWER, ELECTRIC, PORTABLE, MULTICONDUCTOR, 90 DEG. C, 600V, OZONE RESISTANT, SPLIT PHASE [CUST: AS 85] [REVIEW: CR IS] | A 6145 | AS | 30-SEP-94 |
| | MIL-R-5757G(3) SUP 1A | RELAYS, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 99 AS AT AV CR4 MC MI OS] | A 5945 | CC | 16-NOV-94 |
| | MIL-R-5757/1H(3) | RELAYS, ELECTRICAL, HERMETICALLY SEALED, 6PDT, LOW LEVEL TO 2 AMPERES [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AT AV MC MI SH] | A 5945 | CC | 17-MAR-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Ave | MCA | Prep. Acty. | Date |
|------------|-------------------------|--|-------------------------|-----|-------------|-----------|
| | MIL-R-5757/10K(2) | RELAYS, ELECTROMAGNETIC, HERMETICALLY SEALED, DPDT, LOW LEVEL AND 2 AMPERES[CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AS AT AV CR4 MC MI NS OS] | A 5945 | CC | | 27-MAR-90 |
| | MIL-R-5757/13G | RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, LOW LEVEL TO 2 AMPERES, (SENSITIVE, 40 MILLIWATT) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AS AT AV CR4 MC MI OS SH] | A 5945 | CC | | 11-APR-90 |
| | MIL-R-5757/103D | RELAY, ELECTRICAL, HERMETICALLY SEALED SPDT, LOW LEVEL TO 0.25 AMPERE [CUST: CR EC 85 CC] [REVIEW: 11 99 AS MC OS SH] | A 5945 | CC | | 14-DEC-84 |
| | MIL-T-5790F | TRANSMITTER, PRESSURE, OIL, SYNCHRO, 0-200 PSI 320-DEGREE MOVEMENT, 26V, SINGLE PHASE, 400 CYCLES [CUST: 99] | A 6620 | GS | | 30-JUN-94 |
| | MIL-M-5793A NOT 1 | MICROPHONE M-3A/A [CUST: 85 CC] | A 5965 | CC | | 09-OCT-91 |
| | MIL-M-5794B(2) | MICROPHONE UNIT M-6A/UR AND MICROPHONE, CARBON M-51/UR [CUST: CR CC] [REVIEW: 85 EA MI] | A 5965 | CC | | 13-FEB-64 |
| | MIL-M-5794B(13) | MICROPHONE UNIT M-6A/UR AND MICROPHONE, CARBON M-51/UR [CUST: CR] | A 5965 | CR | | 09-SEP-65 |
| | MIL-C-5809G(1) SUP 1 | CIRCUIT BREAKERS, TRIP-FREE, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: AR AT AV MI] | A 5925 | AS | | 23-SEP-92 |
| | MIL-C-5809/1 NOT 1 | CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE PUSH PULL, TYPE I, DUAL SAFETY, -55 THRU +121 DEG. C [CUST: CR AS 85] | A 5925 | AS | | 09-OCT-91 |
| | MIL-A-5815E(1) | ANTENNA, AIRBORNE, UHF - BAND, GENERAL SPECIFICATION FOR [CUST: CR 85] [REVIEW: 11 99 AV CC] | A 5985 | CC | | 26-SEP-91 |
| A | MIL-A-5815/1 NOT 1 | ANTENNA, BLADE, UHF, AT-256A/ARC (SERIES N CONNECTOR) [CUST: 85] [REVIEW: 11 99 AV] | A 5985 | CC | | 18-MAR-77 |
| | MIL-T-5842B | TRANSPARENT AREAS ON AIRCRAFT SURFACES (WINDSHIELDS AND CANOPIES), RAIN REMOVING AND WASHING SYSTEMS FOR, DE-FROSTING, DE-ICING, DEFOGGING, GENERAL SPECIFICATION FOR [CUST: AS] | A 1650 | AS | | 29-MAR-85 |
| | MIL-N-5877E | NOZZLE, PRESSURE FUEL SERVICING, LOCKING, TYPE D-1, D-1R, D-2 AND D-2R, NOMINAL 2 1/2 INCH DIAMETER [CUST: AS 11] [REVIEW: 82 AV CR4 SS] | A 4930 | AS | | 01-JUL-92 |
| | MIL-T-5882D | TRANSMITTER, PRESSURE, MULTIPURPOSE, 0-50 PSI, MS28005-1 (CONTROLLED DISTRIBUTION) [CUST: AS 99] | X 6620 | 71 | | 20-JUL-89 |
| A | MIL-C-5898D(2) | CORDS, ELECTRICAL (WF-5/U, WF-14/U, WD-34/U, WM-53/U, WM-85/U) [CUST: 85] | A 6145 | CC | | 26-SEP-89 |
| D | MIL-L-5904D(1) | LIGHT, RUNWAY MARKER, ELEVATED, TYPE C-1 [CUST: AV AS 99 IS] [REVIEW: 11 YDI] | A 6210 | IS | | 08-OCT-81 |
| | MIL-S-5944C | SLINGS, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: GL MC] | A 1730 | AS | | 20-NOV-90 |
| | MIL-H-6000B(1) NOT 1 | HOSE: RUBBER (FUEL, OIL, COOLANT, WATER AND ALCOHOL) [CUST: CR4 AS 99] [REVIEW: 82 AR EA MI] | A 4720 | CC | | 09-NOV-89 |
| | MIL-F-6001A(1) | FITTING, AIRCRAFT, SOLDER TYPE, TUBE (ASG) [CUST: 99 CC] | A 4730 | CC | | 21-MAR-60 |
| | MIL-M-6002A NOT 1 | MARKING; STANDARD HOSE, AIRCRAFT [CUST: AS 99] [REVIEW: 11 82] | A 4720 | CC | | 09-NOV-89 |
| A | MIL-W-6015A(2) NOT 3 | WIRE ROPE, 6 BY 19, HIGH-STRENGTH (FOR AIRCRAFT LAUNCHING AND ARRESTING) [CUST: AS 99] [REVIEW: IS] | A 4010 | AS | | 30-JAN-98 |
| | MIL-G-6019C(2) | GAGE, PRESSURE, DIAL INDICATING, LOW-PRESSURE OXYGEN [CUST: AV AS 99] [REVIEW: 82] | A 6685 | GS | | 29-JUN-78 |
| | MIL-C-6026B | CONTROL UNIT, PRESSURE GENERATING, MANUALLY OPERATED, AIRCRAFT HYDRAULIC BRAKE SYSTEM [CUST: AV AS] [REVIEW: 99 CR4] | A 1630 | AS | | 09-OCT-59 |
| | MIL-G-6032D(1) | GREASE, PLUG VALVE, GASOLINE & OIL RESISTANT, NATO CODE NUMBER G-363, METRIC [CUST: CR4 AS 68] [REVIEW: AR AT GS MI PS SH] | A 9150 | AS | | 08-APR-88 |
| | MIL-B-6038A | BEARING, BALL, BELLCRANK, ANTI FRICTION, AIRFRAME [CUST: AT AS 11] [REVIEW: AR AV IS MI] | A 3110 | AS | | 28-MAR-61 |
| | MIL-E-6060D SUP 1 NOT 1 | ENVELOPE, PACKAGING, WATER VAPOR PROOF, FLEXIBLE [CUST: GL AS 69] [REVIEW: 99 AR AV CR CR4 MC OS] | A 8105 | AS | | 24-OCT-91 |
| | MIL-DTL-6070C | PLYWOOD AND VENEER, AIRCRAFT FLAT PANEL [CUST: AS 99 IS] | A 5530 | IS | | 24-FEB-97 |
| | MIL-C-6092A | COMPUTER, AIRCRAFT LOAD BALANCING [CUST: AV AS] [REVIEW: 99] | A 1680 | GS | | 02-MAR-60 |
| | MIL-R-6106/9C(2) | RELAY, ELECTROMAGNETIC, CONTINUOUS DUTY, 60 AMP, 3PDT, ENVIRONMENTALLY SEALED [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 01-OCT-93 |
| | MIL-R-6106/10D(2) | RELAYS, ELECTROMAGNETIC, NORMALLY OPEN, CONTINUOUS DUTY, 60 AMPERES, 3PST, ENVIRONMENTALLY SEALED [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 01-OCT-93 |
| | MIL-R-6106/11C(2) | RELAYS, ELECTROMAGNETIC, NORMALLY CLOSED, CONTINUOUS DUTY, 60 AMP, 3PST, ENVIRONMENTALLY SEALED [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 01-OCT-93 |
| | MIL-R-6106/12C | RELAYS, ELECTROMAGNETIC (TYPE I), MAGNETIC LATCH, 2 AMPERES, 1PDT, AUXILIARY CONTACTS, 25 AMPERES, 3 PNO MAIN CONTACTS, HERMETICALLY SEALED [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 15-APR-94 |
| | MIL-R-6106/13D(2) | RELAYS, ELECTROMAGNETIC, 25 AMPERE, 3PST, NO, WITH 2 AMPERE, 1PDT AUXILIARY CONTACTS, HERMETICALLY SEALED, PERMANENT MAGNET DRIVE, TYPE I [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 26-MAY-89 |
| | MIL-R-6106/15C(2) | RELAYS, ELECTROMAGNETIC, 50 AMPERES, DC, SPDT, HERMETICALLY SEALED [CUST: 85] [REVIEW: 99] | A 5945 | 85 | | 28-MAY-96 |
| A | MIL-R-6106/19E(1) | RELAYS, ELECTROMAGNETIC, PERMANENT MAGNET DRIVE, 25 AMPERES, SPDT, HERMETICALLY SEALED [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 20-FEB-98 |
| | MIL-R-6106/20B | RELAYS, ELECTROMAGNETIC, MAGNETIC LATCH, 25 AMPERES, SPDT, HERMETICALLY SEALED [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 23-MAR-90 |
| | MIL-R-6106/26D(1) NOT 1 | RELAY, ELECTROMAGNETIC, 50 AMPERES, SPST, NC, WITH 5 AMPERE SPDT AUXILIARY, HERMETICALLY SEALED [CUST: CR AS 85] [REVIEW: 11 99 CC EC] | A 5945 | 85 | | 14-MAY-93 |
| | MIL-R-6106/31 NOT 1 | RELAY, ELECTROMAGNETIC, RELAY EXTRACTION TOOL [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 31-MAR-88 |
| | MIL-R-6106/32 NOT 1 | RELAY, ELECTROMAGNETIC, SOCKET MODULE EXTRACTION TOOL [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 31-MAR-88 |
| | MIL-R-6106/33C(2) | RELAYS, ELECTROMAGNETIC, TYPE I, 400 AMPERES, WITH 5 AMPERE AUXILIARY CONTACTS, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 15-JUL-94 |
| | MIL-R-6106/35A(1) | RELAYS, ELECTROMAGNETIC, BUTTON, PLUG MOUNTING TRACK [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 22-DEC-94 |
| | MIL-R-6106/38B | RELAYS, ELECTROMAGNETIC, TYPE I, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES, 2PDT, HERMETICALLY SEALED [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 15-SEP-93 |
| | MIL-R-6106/39C | RELAYS, ELECTROMAGNETIC, TYPE I, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES, 4 PDT, HERMETICALLY SEALED [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-JUL-93 |
| | MIL-R-6106/40B | RELAYS, ELECTROMAGNETIC, TYPE I, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 10 AMPERES, 3PDT, HERMETICALLY SEALED [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 22-JUN-93 |
| | MIL-R-6106/41A | RELAY, ELECTROMAGNETIC, 25 AMPERES, 3PNO, WITH 2 AMPERE, 1PDT AUXILIARY CONTACTS, HERMETICALLY SEALED, TYPE I [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 27-DEC-89 |
| | MIL-R-6106/43A NOT 1 | RELAYS, ELECTROMAGNETIC, 65 AMPERES, 1 PNO DOUBLE BREAK, HERMETICALLY SEALED, TYPE I [CUST: CR AS 85] [REVIEW: 11 99 CC EC] | A 5945 | 85 | | 14-MAY-93 |
| | MIL-R-6106/48A(2) | RELAYS, ELECTROMAGNETIC, TYPE I, HERMETICALLY SEALED, 100 AMPERES, SPST (N.O.) WITH SPDT (FORM Z) 5 AMPERES AUXILIARY CONTACTS [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 23-MAY-96 |
| | MIL-I-6115A(3) | INSTRUMENT SYSTEMS, PITOT TUBE AND FLUSH STATIC PORT OPERATED, INSTALLATION OF [CUST: AV AS] | A 6610 | AS | | 31-DEC-60 |
| A | MIL-DTL-6117E | TERMINAL, WIRE ROPE ASSEMBLIES, SWAGED TYPE [CUST: AS 99 IS] [REVIEW: 82 MI] | A 4030 | IS | | 15-AUG-97 |
| | MIL-V-6125D NOT 1 | VALVE, REGULATING, FLUID PRESSURE, TYPE C-1 [CUST: AS 99] [REVIEW: 82 GS] | A 4820 | CC | | 10-JAN-91 |
| | MIL-V-6129A | VALVE, CHECK, VACUUM AND PRESSURE SYSTEM [CUST: 99 CC] | A 4820 | CC | | 15-JUN-64 |
| | MIL-R-6130C | RUBBER, CELLULAR, CHEMICALLY BLOWN [CUST: GL AS 11] [REVIEW: 99 AR DS EA GS MC MI MR OS] | A 9320 | AS | | 18-JUL-80 |
| | MIL-P-6131C NOT 1 | PLUGS, DEHYDRATOR, INDICATING HUMIDITY [CUST: AV AS 99] [REVIEW: 82 AR GS OS] | A 6685 | AS | | 24-OCT-91 |
| | MIL-T-6134C(1) NOT 1 | TAPE, TEXTILE, NYLON, PARACHUTE CONSTRUCTION [CUST: GL AS 99 CT] | A 8315 | CT | | 31-OCT-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-C-6136A(2) NOT 1 | CONDUIT, ELECTRICAL, FLEXIBLE, SHIELDED, ALUMINUM ALLOY FOR AIRCRAFT INSTALLATIONS [CUST: CR AS 85] | A 5975 | AS | | 18-SEP-91 |
| | MIL-F-6139D | FLOODLIGHT, ELECTRIC, EXPLOSION PROOF, 300 WATTS MAXIMUM, ADJUSTABLE STAND MOUNTED [CUST: AS 99] [REVIEW: AR] | A 6230 | GS | | 25-MAY-83 |
| | MIL-V-6164E | VALVE, AIRCRAFT, AIR, HIGH-PRESSURE [CUST: AS 99] [REVIEW: 11 AV CC] | A 4820 | 71 | | 15-JUN-90 |
| | MIL-C-6183B | CORK AND RUBBER COMPOSITION SHEET, FOR AROMATIC FUEL AND OIL RESISTANT GASKETS [CUST: MR AS 11] [REVIEW: AR CR4 EA YD1] | A 5330 | AS | | 13-FEB-81 |
| | MIL-J-6193C | JOINT, UNIVERSAL, PLAIN, LIGHT AND HEAVY DUTY [CUST: AS 99] [REVIEW: 82 CG CR4 MC] | A 3010 | CC | | 13-JAN-84 |
| | MIL-M-6269G NOT 1 | MITTEN SET, FLYER'S [CUST: NU 99 CT] [REVIEW: 45] | A 8415 | CT | | 31-OCT-89 |
| | MIL-M-6270C NOT 1 | MITTEN INSERTS, AIRCREW, WOOL, HEAVY, TYPE N-3B [CUST: 99 CT] [REVIEW: 45] | A 8415 | CT | | 08-NOV-89 |
| D | MIL-L-6273D | LIGHT, NAVIGATIONAL, BEACON, OBSTACLE OR CODE, TYPE G-1 [CUST: AS 99 IS] [REVIEW: 01 11 YD1] | A 6210 | IS | | 09-NOV-83 |
| | MIL-P-6278G | PARKA, EXTREME COLD WEATHER, ATTACHED HOOD N-2B [CUST: GL 99 CT] [REVIEW: 45 MD] | A 8415 | CT | | 30-NOV-83 |
| | MIL-P-6279K | PARKA, EXTREME COLD WEATHER, TYPE N-3B [CUST: GL 99 CT] [REVIEW: 31 45 MD] | A 8415 | CT | | 15-MAR-87 |
| | MIL-T-6284K(1) NOT 1 | TROUSERS, EXTREME COLD WEATHER, TYPE F-1B [CUST: GL 99 CT] [REVIEW: 45] | A 8415 | CT | | 08-NOV-89 |
| | MIL-T-6302B(2) | TRANSMITTER, PRESSURE, FUEL, 0-600 PSI [CUST: AS] | A 6620 | AS | | 15-OCT-78 |
| | MIL-T-6361D NOT 1 | TIEDOWN ASSEMBLY, CARGO, AIRDROP, TYPE A-1 [CUST: GL AS 99] [REVIEW: 11 82 AV MC MT] | A 1670 | GL | | 08-AUG-90 |
| | MIL-C-6362F(1) | BOOTS, EXTREME COLD WEATHER, N-1B [CUST: 99 CT] [REVIEW: 45] | A 8430 | CT | | 07-JUN-78 |
| A | MIL-DTL-6363H SUP 1 | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 11 82 GS SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/1C | LAMPS, INCANDESCENT, AIRCRAFT USE, SINGLE CONTACT BAYONET CANDELABRA BASE, REFLECTOR TYPE [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/2C | LAMPS, INCANDESCENT, AIRCRAFT USE, SINGLE CONTACT BAYONET CANDELABRA BASE, REFLECTOR TYPE [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/3D | LAMPS, INCANDESCENT, AIRCRAFT USE, SINGLE CONTACT BAYONET CANDELABRA BASE, REFLECTOR TYPE [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/4A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SUBMINIATURE UNBASED WIRE TERMINALS, INTEGRAL LIGHTING T-3/4 BULB [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/5A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SUBMINIATURE UNBASED WIRE TERMINALS, INTEGRAL LIGHTING T-1 BULB [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/6A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT SUBMIDGET FLANGED BASE T-1 BULB [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/7A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SUBMINIATURE KNURLED SCREW BASE, T-1-1/4 BULB [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/8A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT MIDGET FLANGED BASE T-1-3/4 BULB [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/9A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT MINIATURE BAYONET BASE, T-3-1/4 BULB [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/10A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, G-5 BULB [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/11A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, G-6 BULB [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/12A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, S-8 BULB [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/13A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT, BAYONET CANDELABRA BASE, S-11 BULB [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| A | MIL-DTL-6363/14A | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT MINIATURE BAYONET BASE, T-4-1/2 BULB [CUST: AV AS 99] [REVIEW: 11 82 GS MC SH] | A 6240 | AS | | 30-SEP-97 |
| | MIL-W-6370C(2) | WIRE, ELECTRICAL, INSULATED, ANTENNA [CUST: CR AS 85] [REVIEW: 11 IS] | A 6145 | AS | | 14-NOV-83 |
| | MIL-C-6390B NOT 1 | CLAMPS AND INSTRUMENTS, AIRCRAFT, INSTALLATION OF [CUST: AV AS 99] [REVIEW: AR GL IS] | A 5340 | AS | | 18-SEP-91 |
| | MIL-H-6399B NOT 1 | HOSE, RUBBER, WIRE-WOUND, SYNTHETIC, ICE ELIMINATING SYSTEM [CUST: AV AS 99] [REVIEW: 82] | A 4720 | CC | | 16-JAN-89 |
| | MIL-M-6404A(1) NOT 1 | METER, VOLUMETRIC, POSITIVE DISPLACEMENT, LIQUID, TYPE F-1, AIRCRAFT FUEL, 300 GALLONS PER MINUTE [CUST: 99] [REVIEW: 82] | A 6680 | GS | | 13-NOV-89 |
| A | MIL-H-6439A(1) | HOSE, RUBBER, AIRCRAFT PAINT FINISH REMOVER [CUST: 99] [REVIEW: 82] | A 4720 | CC | | 22-APR-74 |
| | MIL-S-6451E | SHIELD, PROTECTIVE, AIRCRAFT AND MISSILES [CUST: AV AS] [REVIEW: 99 MI] | A 1730 | AS | | 09-AUG-77 |
| | MIL-DTL-6458D | CHAIN ASSEMBLIES, SINGLE LEG, AIRCRAFT CARGO TIE DOWN [CUST: GL AS 99] [REVIEW: 82 AV] | A 1670 | GS | | 15-DEC-95 |
| | MIL-L-6484C(3) NOT 1 | LIGHTS, COCKPIT UTILITY, AIRCRAFT GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 82 GS] | A 6220 | GS | | 10-APR-89 |
| | MIL-T-6508B(1) NOT 1 | THERMOMETER, SELF INDICATING, BIMETALLIC [CUST: AR AS 99] [REVIEW: 82] | A 6685 | GS | | 01-MAR-94 |
| | MIL-C-6590C | CLOTH, PILE (SYNTHETIC MOUTON, KNITTED) [CUST: AS 99 CT] | A 8305 | CT | | 22-JAN-85 |
| | MIL-H-6615E(3) | HOSE ASSEMBLIES, RUBBER, FUEL AND WATER, WITH RETATTACHABLE COUPLINGS, LOW TEMPERATURE [CUST: AS 99] [REVIEW: 82 CR4] | A 4720 | CC | | 08-JUN-87 |
| | MIL-C-6629(1) NOT 1 | CARBON MICROPHONE M-15 (Y)UR [CUST: 85] [REVIEW: 99] | A 5965 | CC | | 27-FEB-87 |
| | MIL-I-6669C(3) NOT 1 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTI-FUNCTION, -70 DEG. TO PLUS 150 DEG. C [CUST: AS 99] [REVIEW: 82] | A 6685 | GS | | 09-DEC-88 |
| | MIL-W-6712C(1) | WIRE, METALLIZING [CUST: MR SH 11 GS] [REVIEW: 84 99 AR AS CR4 MI OS] | A 3439 | GS | | 21-MAY-87 |
| | MIL-S-6715(2) NOT 3 | SPRING, HELICAL, AIRCRAFT [CUST: AS 11] [REVIEW: 99 AR AV IS MI] | A 5340 | AS | | 15-MAR-88 |
| | MIL-L-6723C | LIGHT, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: 99 AT CR4 GS MC MI] | A 6220 | AS | | 01-NOV-87 |
| | MIL-W-6729C | WATERTIGHTNESS OF AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 99] | A 15GP | AS | | 08-MAR-93 |
| | MIL-A-6752A(3) NOT 2 | AMMETERS, VOLTMETERS, AND LOADMETERS; DIRECT CURRENT [CUST: AS] [REVIEW: MI] | A 6625 | AS | | 01-MAR-78 |
| | MIL-S-6758B | STEEL, CHROME-MOLYBDENUM (4130) BARS AND REFORGING STOCK (AIRCRAFT QUALITY)[CUST: MR AS 11] [REVIEW: AT CR4 EA IS MI OS] | A 9510 | AS | | 18-MAY-93 |
| | MIL-C-6781B(1) NOT 1 | CONTROL PANEL: AIRCRAFT EQUIPMENT, RACK OR CONSOLE MOUNTED [CUST: AV AS 11] [REVIEW: 99] | A 1680 | AS | | 09-OCT-91 |
| | MIL-C-6799J | COATINGS, SPRAYABLE, STRIPPABLE, PROTECTIVE, WATER EMULSION [CUST: MR AS 11] [REVIEW: 99 AV] | A 8030 | AS | | 20-DEC-94 |
| | MIL-S-6807D SUP 1 NOT 1 | SWITCHES, ROTARY, SELECTOR POWER, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 17 99 CR4 EC MI OS] | A 5930 | CC | | 30-SEP-88 |
| | MIL-B-6812E | BOLTS, AIRCRAFT [CUST: AR AS 99 IS] [REVIEW: 82 AV MI OS] | A 5306 | IS | | 25-APR-94 |
| | MIL-C-6818D | CLAMP, INSTRUMENT MOUNTING, AIRCRAFT [CUST: AV AS 99] | A 5340 | IS | | 08-MAR-73 |
| | MIL-F-6836A | FLANGE, MOUNTING, ATTACHABLE, AIRCRAFT INSTRUMENT (ASG) [CUST: AS 99] | A 6620 | GS | | 08-FEB-60 |
| | MIL-I-6839C | INDICATOR, POSITION, LANDING GEAR [CUST: AV AS 99] [REVIEW: 11 MC MI] | A 6610 | GS | | 30-JAN-93 |
| | MIL-T-6841D | TAPE AND SHEET, ADHESIVE, RUBBER AND CORK COMPOSITION [CUST: MR AS 11] [REVIEW: 84 85 99 AV CC DS GS SH] | A 9320 | 11 | | 26-JUN-92 |
| | MIL-R-6855E SUP 1 | RUBBER, SYNTHETIC, SHEETS, STRIPS, MOLDED OR EXTRUDED SHAPES, GENERAL SPECIFICATION FOR [CUST: MR AS 11] [REVIEW: 82 99 AR AT AV CC CE CR DS GS IS MI OS SH YD1] | A 9320 | AS | | 31-JUL-92 |
| | MIL-I-6856C | INDICATOR, PRESSURE, SYNCHRO, 1-1/2 INCH [CUST: 99] [REVIEW: 82 MI] | A 6685 | GS | | 29-SEP-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-W-6858D(1) | WELDING, RESISTANCE: SPOT AND SEAM [CUST: MR AS 11] [REVIEW: 99 SH YD1] | A THUM | 11 | | 06-NOV-92 |
| | MIL-C-6864C(1) | CLEANING COMPOUND, SOLVENT, OIL-COOLER [CUST: EA AS 11] [REVIEW: MR] | A 6850 | GS | | 24-MAR-69 |
| | MIL-H-6875H(1) | HEAT TREATMENT OF STEEL, PROCESS FOR [CUST: MR AS 11] [REVIEW: 84 99 AR AT AV EA IS MI OS] | A 95GP | AS | | 16-JUL-93 |
| | MIL-W-6882F(1) | WATER REPELLENT KIT, WINDOW AND WINDSHIELD, GLASS AND PLASTIC [CUST: EA AS 11] [REVIEW: 82 CG GS MC] | A 6850 | AS | | 13-MAR-84 |
| | MIL-P-6888C NOT 1 | POLISH, METAL, ALUMINUM [CUST: GL AS 11] [REVIEW: 84 AV MD] | A 7930 | AS | | 24-OCT-91 |
| | MIL-I-6903C(1) NOT 1 | INK, MARKING (FOR PARACHUTES AND OTHER TEXTILE ITEMS) [CUST: GL AS 99] [REVIEW: CR4 MI SA] | A 7510 | AS | | 24-OCT-91 |
| A | MIL-T-6945A NOT 1 | TUBING, BRASS SEAMLESS [CUST: 99] [REVIEW: 11 82 AR CR MI MR] | A 4710 | CC | | 08-NOV-89 |
| | MIL-E-7016F(1) NOT 1 | ELECTRIC LOAD AND POWER SOURCE CAPACITY, AIRCRAFT, ANALYSIS OF [CUST: AV AS 11] | A 1680 | AS | | 15-APR-88 |
| | MIL-C-7020H | CLOTH, PARACHUTE, NYLON-RIP STOP AND TWILL WEAVE [CUST: GL AS 99 CT] [REVIEW: 11 31 45 AV] | A 8305 | CT | | 16-MAR-92 |
| M | MIL-DTL-7034E | PULLEYS, GROOVE, ANTI-FRICTION BEARING, GREASE LUBRICATED, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 99 CC] [REVIEW: 82] | A 3020 | CC | | 05-MAY-98 |
| M | MIL-DTL-7034/2 | PULLEY, GROOVE, FLIGHT CONTROL, AIRCRAFT [CUST: AV AS 99 CC] [REVIEW: 82] | A 3020 | CC | | 05-MAY-98 |
| M | MIL-DTL-7034/3 | PULLEY, GROOVE, HEAVY DUTY, CONTROL, AIRCRAFT [CUST: AV AS 99 CC] [REVIEW: 82] | A 3020 | CC | | 05-MAY-98 |
| N | MIL-DTL-7034/4 | PULLEY, CONTROL, ANTI-FRICTION BEARING [CUST: AV AS 99 CC] [REVIEW: 82] | A 3020 | CC | | 05-MAY-98 |
| | MIL-R-7052B(1) | RECEPTACLE, RELEASE, BOMB, TYPE A-2 [CUST: CR 85] [REVIEW: 99 AS] | A 5935 | CC | | 31-JAN-94 |
| | MIL-I-7068A | INGOT, ZINC ALLOY (FOR SHEET METAL FORMING DIES) [CUST: AS] | A 9650 | AS | | 15-DEC-88 |
| | MIL-I-7075A | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -50 DEG. TO PLUS 50 DEG. C, 2-INCH SIZE [CUST: AV AS] [REVIEW: GS] | A 6685 | AS | | 01-JUN-65 |
| | MIL-I-7077B | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -70 DEG. TO +150 DEG. C, 2 INCH SIZE [CUST: 99] [REVIEW: 11 82 CR4] | A 6685 | GS | | 02-JUL-91 |
| D | MIL-L-7082D(3) | LIGHT, RUNWAY MARKER, ELEVATED, TYPE M-1 [CUST: CR4 AS 99 IS] [REVIEW: AV CE YD1] | A 6210 | IS | | 04-AUG-78 |
| | MIL-F-7092(2) NOT 3 | FITTINGS, CARGO TIEDOWN, AIRCRAFT [CUST: AV AS] | A 1670 | AS | | 18-SEP-91 |
| | MIL-J-7093A(2) | JATO MARK 6 MOD 1 [CUST: AS] | A 1340 | AS | | 03-JUN-82 |
| | MIL-T-7099E SUP 1 | TERMINAL, LUG AND SPLICE, CRIMP STYLE ALUMINUM, FOR ALUMINUM AIRCRAFT WIRE [CUST: CR AS 85] [REVIEW: 11 99 AV GS] | A 5940 | AS | | 23-FEB-79 |
| | MIL-E-7104D(2) NOT 1 | EJECTOR, RETRO, PNEUMATIC, MARINE MARKER A/A47U-1(*) [CUST: AS] [REVIEW: GS] | A 1055 | AS | | 11-SEP-96 |
| | MIL-P-7105B(1) | PIPE THREADS, TAPER, AERONAUTICAL NATIONAL FORM, SYMBOL ANPT, GENERAL REQUIREMENTS FOR [CUST: AR 99] [REVIEW: 82 CR4 EA MI] | A 4730 | CC | | 08-AUG-66 |
| | MIL-C-7115F(1) SUP 1 | CONVERTERS, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: CR AS 99 GS] [REVIEW: 80] | A 6130 | AS | | 14-MAR-94 |
| | MIL-C-7115/2A | CONVERTER, 200 AMPERE, AIRCRAFT, CLASS B, FAN COOLED [CUST: AS] | A 6130 | AS | | 15-AUG-86 |
| | MIL-C-7115/3B | CONVERTER, AIRCRAFT, 150 AMPERE TYPE II, BLAST COOLED, CLASS C [CUST: AS] | A 6130 | AS | | 26-AUG-91 |
| | MIL-S-7124B NOT 1 | SEALING COMPOUND, POLYSULFIDE, ACCELERATOR REQUIRED, FOR AIRCRAFT STRUCTURES [CUST: MR AS 99] [REVIEW: 11 AT AV MI OS] | A 8030 | AS | | 24-OCT-91 |
| D | MIL-L-7158E NOT 1 | LIGHT, BEACON, ROTATING, 24 INCH [CUST: AS 99 IS] [REVIEW: YD1] | A 6210 | IS | | 15-JAN-91 |
| | MIL-I-7171D | INSULATION BLANKET, THERMAL-ACOUSTICAL [CUST: AV AS 99] [REVIEW: 11] | A 5640 | AS | | 23-APR-93 |
| | MIL-F-7190B(1) | FORGING, STEEL, FOR AIRCRAFT/AEROSPACE EQUIPMENT AND SPECIAL ORDNANCE APPLICATIONS [CUST: AL AS 11] [REVIEW: MR OS] | A FORG | AS | | 29-AUG-88 |
| | MIL-H-7195G | HARDWARE, PARACHUTE, GENERAL SPECIFICATION FOR [CUST: GL AS 99] | A 1670 | 82 | | 07-OCT-91 |
| | MIL-H-7199A(2) NOT 1 | HEAT TREATMENT OF WROUGHT COPPER-BERYLLIUM ALLOYS, PROCESS FOR (COPPER ALLOYS: NUMBERS C17000, C17200, C17300, C17500, AND C17510) [CUST: MR AS 11] [REVIEW: AR AV CR EA MI] | A 9535 | AS | | 15-NOV-90 |
| A | MIL-C-7219F(2) | CLOTH, DUCK, NYLON [CUST: GL AS 99 CT] [REVIEW: 11 31 45 82 AR MD MI] | A 8305 | CT | | 02-APR-90 |
| | MIL-C-7219F(13) | CLOTH, DUCK, NYLON [CUST: GL] | A 8305 | GL | | 04-MAR-91 |
| | MIL-T-7249B(1) NOT 1 | TARPAULIN, LIGHT WEIGHT [CUST: GL 99 CT] | A 8340 | CT | | 08-NOV-89 |
| A | MIL-A-7292A(1) NOT 1 | ANTENNA AT&190B-AP [CUST: 85] [REVIEW: 99] | A 5985 | CC | | 30-JAN-87 |
| D | MIL-F-7326G(1) | FLASHLIGHTS, PENLIGHT STYLE [CUST: AV AS 99 IS] | A 6230 | IS | | 15-MAY-90 |
| | MIL-C-7350G | CLOTH, PARACHUTE, NYLON [CUST: GL AS 99 CT] [REVIEW: 11 31 45 AV DP] | A 8305 | CT | | 17-APR-92 |
| A | MIL-H-7365D | HOSE, AIR DUCT, FOR GROUND HEATERS [CUST: MC 99 CC] [REVIEW: 82 AT CR4 GL MD] | A 4720 | CC | | 24-MAR-86 |
| | MIL-C-7413B(1) | COUPLING, QUICK DISCONNECT, AUTOMATIC SHUTOFF, GENERAL SPECIFICATION FOR [CUST: CR4 AS 99 CC] [REVIEW: 82 AV MI] | A 4730 | CC | | 16-MAY-73 |
| | MIL-F-7417 | FIXED GUN AND ROCKET INSTALLATIONS, ENGINEERING TEST OF [CUST: 11] | A 13GP | 11 | | 22-JUL-52 |
| | MIL-C-7438G(1) | CORE MATERIAL, ALUMINUM, FOR SANDWICH CONSTRUCTION [CUST: CR4 AS 11] [REVIEW: 99 AV MI MR OS] | A 5680 | AS | | 26-FEB-86 |
| | MIL-J-7448K | JACKET, FLYERS, MAN, LIGHT ZONE L-28 [CUST: GL 99 CT] [REVIEW: 11 45] | A 8405 | CT | | 15-FEB-79 |
| | MIL-B-7525B(2) | BRACKET AND RECEPTACLE, HOT CUP, AIRBORNE [CUST: GL AS 99] [REVIEW: GS YD1] | A 7310 | IS | | 24-FEB-86 |
| | MIL-C-7554F | CONTAINER KITS, AIRDROP [CUST: GL 99] [REVIEW: 11 82 AV MC] | A 1670 | GL | | 19-MAY-93 |
| | MIL-P-7567B NOT 1 | PARACHUTES, PERSONNEL, DETAIL MANUFACTURING INSTRUCTIONS FOR [CUST: AS 99] [REVIEW: 11 AV] | A 1670 | 82 | | 13-NOV-89 |
| | MIL-G-7601B | GAGE, EMERGENCY OXYGEN, TYPE L-2 [CUST: AS 99] [REVIEW: 82] | A 6685 | GS | | 15-NOV-82 |
| | MIL-P-7620C | PARACHUTES AND COMPONENTS, CARGO, EXTRACTION AND DECELERATION, GENERAL SPECIFICATION FOR [CUST: GL AS] [REVIEW: AV MC MD] | A 1670 | GL | | 22-APR-89 |
| | MIL-G-7703D SUP 1A NOT 1 | GUARD, SWITCH GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 99] | A 5930 | CC | | 30-SEP-88 |
| | MIL-R-7726H SUP 1 | REPAIR AND REBUILDING OF USED AIRCRAFT PNEUMATIC TIRES [CUST: AS 99] [REVIEW: 11] | A 2620 | 70 | | 02-FEB-90 |
| | MIL-G-7734C | GAGE, PRESSURE, ENGINE AND UTILITY AIRCRAFT [CUST: AV AS 99] [REVIEW: GS MC] | A 6685 | AS | | 16-NOV-81 |
| | MIL-T-7743F | TESTING, STORE SUSPENSION AND RELEASE EQUIPMENT, GENERAL SPECIFICATION FOR [CUST: AS 11] | A 6635 | AS | | 30-APR-93 |
| | MIL-G-7746C(1) NOT 1 | GLOVES, INSERTS, FLYER'S [CUST: AS 99 CT] [REVIEW: 45] | A 8415 | CT | | 08-NOV-89 |
| | MIL-T-7748E(2) | TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT 320 DEGREE MOVEMENT, HIGH TEMPERATURE (177 DEGREE C.), GENERAL PURPOSE [CUST: AV AS 99] [REVIEW: CG] | A 6620 | AS | | 29-NOV-78 |
| | MIL-I-7749A(1) | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -70 DEG. TO PLUS 150 DEG. C, SINGLE [CUST: AS] | A 6685 | GS | | 12-JAN-62 |
| A | MIL-H-7750B(1) NOT 1 | HOUSING, PARACHUTE RIPCORDER [CUST: GL AS 99 GS] [REVIEW: 11 82 AV MC MD] | A 1670 | GS | | 27-MAR-92 |
| | MIL-L-7768B(1) | LIGHT, DESK, AIRCRAFT [CUST: AS 99] [REVIEW: GS] | A 6230 | AS | | 27-SEP-82 |
| | MIL-L-7768/1 | LIGHT, DESK, AIRCRAFT [CUST: AS] [REVIEW: GS] | A 6230 | AS | | 23-MAR-73 |
| | MIL-P-7788F(1) | PANELS, INFORMATION, INTEGRALLY ILLUMINATED [CUST: AV AS 11] [REVIEW: 99 MC MI SH] | A 6220 | AS | | 29-AUG-94 |
| | MIL-M-7793F SUP 1B | METER, TIME TOTALIZING [CUST: AR AS 99] [REVIEW: CR CR4 MI] | A 6645 | AS | | 15-SEP-88 |
| | MIL-M-7793/1A NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 V DC, SQUARE [CUST: AR AS 99] | A 6645 | AS | | 09-OCT-91 |
| | MIL-M-7793/2A NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 V DC, ROUND [CUST: AR AS 99] | A 6645 | AS | | 09-OCT-91 |
| | MIL-M-7793/3A | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 HZ, SQUARE [CUST: AR AS 99] | A 6645 | AS | | 15-SEP-88 |
| | MIL-M-7793/4A NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V AC, ROUND [CUST: AR AS 99] | A 6645 | AS | | 09-OCT-91 |
| | MIL-M-7793/5A NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 V DC [CUST: AR AS 99] | A 6645 | AS | | 09-OCT-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | NA | Prep. Acty. | Date |
|------------|----------------------|---|-----------------------|----|-------------|-----------|
| | MIL-M-7793/6A NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 400 HZ [CUST: AR AS 99] | A 6645 | AS | | 09-OCT-91 |
| | MIL-M-7793/7A NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 HZ [CUST: AR AS 99] | A 6645 | AS | | 09-OCT-91 |
| | MIL-M-7793/8B | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 OR 400 HZ [CUST: AR AS 99] | A 6645 | AS | | 07-DEC-94 |
| | MIL-M-7793/9A NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 400 HZ [CUST: AR AS 99] | A 6645 | AS | | 09-OCT-91 |
| | MIL-S-7793/10B | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 HZ [CUST: AR AS 99] | A 6645 | AS | | 10-NOV-94 |
| | MIL-M-7793/11 NOT 1 | METER, TIME TOTALIZING, DIGITAL, 20 TO 130 VOLTS, DC OR AC TO 500 HZ [CUST: AR AS 99] | A 6645 | AS | | 09-OCT-91 |
| | MIL-M-7793/12 NOT 1 | METER, READER FOR SOLID STATE ELAPSED TIME INDICATORS BATTERY OPERATED, PORTABLE, HAND-HELD [CUST: AS 99] [REVIEW: OS SH] | A 6645 | AS | | 09-OCT-91 |
| | MIL-M-7793/13 NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 5 VDC, PRINTED CIRCUIT MOUNT [CUST: AS 99] [REVIEW: MI OS SH] | A 6645 | AS | | 09-OCT-91 |
| | MIL-M-7793/14 NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 VDC OR 26 VAC, 50 TO 2400 HZ, SQUARE [CUST: AS 99] [REVIEW: MI OS SH] | A 6645 | AS | | 15-OCT-91 |
| | MIL-M-7793/15 NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 VAC, 50 TO 2400 HZ, SQUARE [CUST: AS 99] [REVIEW: MI OS SH] | A 6645 | AS | | 15-OCT-91 |
| | MIL-M-7793/16 NOT 1 | METER, TIME TOTALIZING, MINIATURE, DIGITAL, 5 VDC, SQUARE [CUST: AS 99] [REVIEW: MI OS SH] | A 6645 | AS | | 15-OCT-91 |
| D | MIL-J-7823E(3) | JACKETS, FLYERS INTERMEDIATE, TYPE G-1 [CUST: NU CT] | A 8415 | CT | | 18-OCT-84 |
| A | MIL-L-7830D | LIGHT ASSEMBLY, MARKER, AIRCRAFT OBSTRUCTION [CUST: CR4 AS 99 IS] [REVIEW: 11 YD1] | A 6210 | IS | | 15-SEP-83 |
| | MIL-B-7838C(1) | BOLT, INTERNAL WRENCHING, 160 KSI FTU [CUST: AV AS 99 IS] [REVIEW: AR MI] | A 5306 | IS | | 05-FEB-98 |
| | MIL-S-7852B(2) | SEAT, AIRCREW, ADJUSTABLE, SWIVEL, TYPE E&1 [CUST: AV AS 99] [REVIEW: 11] | A 1680 | 82 | | 05-SEP-78 |
| | MIL-P-7858(2) | PUMP, HYDRAULIC, POWER DRIVEN, FIXED DISPLACEMENT [CUST: AV AS] [REVIEW: MI] | A 4320 | CC | | 17-APR-56 |
| | MIL-M-7866C(1) NOT 1 | MOLYBDENUM DISULFIDE, TECHNICAL, LUBRICATION GRADE [CUST: AR AS 68] [REVIEW: CR4 EA GS MI] | A 6810 | AS | | 24-OCT-91 |
| | MIL-F-7872C(1) NOT 1 | FIRE AND OVERHEAT WARNING SYSTEMS, CONTINUOUS, AIRCRAFT, TEST AND INSTALLATION OF [CUST: AV AS 11] [REVIEW: 99 MI] | A 6340 | AS | | 30-SEP-87 |
| | MIL-N-7873B | NUT, SELF-LOCKING, 1,200 DEG. F [CUST: AV AS 82 IS] | A 5310 | IS | | 26-MAY-94 |
| | MIL-B-7874B SUP 1 | BOLT, MACHINE, 1200 DEG. F [CUST: AV AS 99] [REVIEW: MI] | A 5306 | IS | | 03-DEC-82 |
| | MIL-A-7879A NOT 2 | ANTENNA AT-141A/ARC [CUST: AS CC] [REVIEW: 85] | A 5985 | CC | | 01-SEP-54 |
| | MIL-R-7885D(2) SUP 1 | RIVETS, BLIND, STRUCTURAL, MECHANICALLY LOCKED SPINDLE AND FRICTION LOCKED SPINDLE, GENERAL SPECIFICATION FOR [CUST: AR AS 99] [REVIEW: 82 AV MC] | A 5320 | IS | | 27-APR-96 |
| | MIL-R-7885/2C | RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED ALLOY STEEL SPINDLE (TYPE I, STYLE A, CLASS 1) [CUST: AR AS 99] [REVIEW: 82 AV MC] | A 5320 | IS | | 18-APR-88 |
| | MIL-R-7885/3C(1) | RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED ALLOY STEEL SPINDLE (TYPE I, STYLE A, CLASS 2) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 21-DEC-94 |
| | MIL-R-7885/4C | RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED 15-7PH CRES SPINDLE (TYPE I, STYLE A, CLASS 1) [CUST: AR AS 99] [REVIEW: 82 AV MC] | A 5320 | IS | | 18-APR-88 |
| | MIL-R-7885/5C | RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED 15-7PH CRES SPINDLE (TYPE I, STYLE A, CLASS 2) [CUST: AR AS 99] [REVIEW: 82 AV MC] | A 5320 | IS | | 18-APR-88 |
| | MIL-R-7885/6C | RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 1) [CUST: AR AS 99] [REVIEW: 82 AV MC] | A 5320 | IS | | 18-APR-88 |
| | MIL-R-7885/7C(1) | RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 2) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 21-DEC-94 |
| | MIL-R-7885/8B | RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED 15-7PH CRES SPINDLE OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 1) [CUST: AR AS 99] [REVIEW: 82 AV MC] | A 5320 | IS | | 14-APR-88 |
| | MIL-R-7885/9B(1) | RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED 15-7PH CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 2) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 21-DEC-94 |
| | MIL-DTL-7885/11 | RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE (TYPE I, STYLE A, CLASS 1) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/12 | RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, (TYPE I, STYLE A, CLASS 2) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/13 | RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH SHEAR HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, (TYPE I, STYLE A, CLASS 3) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/14 | RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 1) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/15 | RIVETS, BLIND, STRUCTURAL, 100 DE. FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 2) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/16 | RIVETS, BLIND, STRUCTURAL, FLANGED DOME HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 4) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/17 | RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, NICKEL-COPPER ALLOY SLEEVE (ALUM COAT), MECHANICALLY LOCKED CRES SPINDLE (TYPE I, STYLE A, CLASS 1) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/18 | RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, NICKEL-COPPER ALLOY SLEEVE (ALUM COAT), MECHANICALLY LOCKED CRES SPINDLE, (TYPE I, STYLE A, CLASS 2) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/19 | RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH SHEAR HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, (TYPE I, STYLE A, CLASS 3) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/20 | RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH SHEAR HEAD, NICKEL-COPPER ALLOY SLEEVE (ALUM COAT), MECHANICALLY LOCKED CRES SPINDLE, (TYPE I, STYLE A, CLASS 3) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/21 | RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, NICKEL-COPPER ALLOY SLEEVE (ALUM COAT), MECHANICALLY LOCKED CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 1) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/22 | RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, INCO 600 SLEEVE, MECHANICALLY LOCKED INCO X-750 SPINDLE OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 1) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/23 | RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, NICKEL-COPPER ALLOY SLEEVE (ALUM COAT), MECHANICALLY LOCKED CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 2) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/24 | RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, INCO 600 SLEEVE, MECHANICALLY LOCKED INCO X-750 SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 2) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|----------------------------|--|--------------------------|-----|-------------|-----------|
| | MIL-DTL-7885/25 | RIVETS, BLIND, STRUCTURAL, FLANGED DOME HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 4) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/26 | RIVETS, BLIND, STRUCTURAL, FLANGED DOME HEAD, NICKEL-COPPER ALLOY SLEEVE (ALUM COAT), MECHANICALLY LOCKED CRES SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 4) [CUST: AV AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/27 | RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH SHEAR HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE, (TYPE I, STYLE A, CLASS 3) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-DTL-7885/28 | RIVETS, BLIND, STRUCTURAL, FLANGED DOME HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE, OVERSIZE DIAMETER (TYPE I, STYLE B, CLASS 4) [CUST: AR AS 99 IS] [REVIEW: 82 AV MC] | A 5320 | IS | | 25-APR-96 |
| | MIL-C-7907A(2) | CLEANING COMPOUND, DECONTAMINATING (FOR SOILED AND RADIOACTIVE CONTAMINATED SURFACES) [CUST: AS] | A 6850 | GS | | 20-NOV-78 |
| | MIL-T-7928G(1) SUP 1 | TERMINAL, LUG SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 17 80 AT AV CC EA GS MI OS SH] | A 5940 | AS | | 19-DEC-80 |
| | MIL-T-7928/1D | TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, FOR THIN WALL WIRE, TYPE II CLASS I FOR 105 DEG C TOTAL CONDUCTOR TEMPERATURE [CUST: CR AS 85] [REVIEW: 11 99 AV EC GS MC MI NS OS SH] | A 5940 | AS | | 08-JUN-81 |
| | MIL-T-7928/2C | TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, FOR THIN WALL WIRE, TYPE II CLASS I FOR 105 DEG C TOTAL CONDUCTOR TEMPERATURE [CUST: CR AS 99] [REVIEW: 11 AV EC MC MI NS OS SH] | A 5940 | AS | | 08-JUN-81 |
| | MIL-T-7928/4A | TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, RING TONGUE, BELL MOUTHED, TYPE II, CLASS I FOR 150 DEG C TOTAL CONDUCTOR TEMPERATURE [CUST: CR AS 85] [REVIEW: 17 99 AR AT AV GS MI OS SH] | A 5940 | AS | | 08-JUN-81 |
| | MIL-T-7928/5B | TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE SPLICE, ELECTRIC, PERMANENT, TYPE II, CLASS FOR 105 DEGREES CTOTAL CONDUCTOR TEMPERATURE [CUST: CR AS 85] [REVIEW: 11 80 99 AV EC MC SH] | A 5940 | AS | | 08-JUN-81 |
| | MIL-T-7928/6A | TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC, PERMANENT, TYPE II, CLASS I FOR 150 DEG C TOTAL CONDUCTOR TEMPERATURE [CUST: CR AS 85] [REVIEW: 11 99 AV EC GS SH] | A 5940 | AS | | 08-JUN-81 |
| | MIL-T-7928/7 | TERMINAL LUG & SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE TYPE I, CLASS I FOR 175 DEG. C TOTAL CONDUCTOR TEMPERATURE [CUST: CR AS 85] [REVIEW: 99 AV EC MC OS SH] | A 5940 | AS | | 08-JUN-81 |
| A | MIL-C-7942B(1) NOT 1 | CONNECTORS, HOSE, QUICK-DISCONNECT, ANTI "G" SUIT [CUST: AS 99] [REVIEW: CC CT MC] | A 4730 | 82 | | 09-NOV-89 |
| D | MIL-B-7949E(1) SUP 1 | BEARING, BALL, AIRFRAME, ANTIFRICTION [CUST: AV AS 99] [REVIEW: 84 AT IS] | A 3110 | AS | | 02-JUL-87 |
| | MIL-L-7961C | LIGHTS, INDICATORS, PRESS TO TEST [CUST: CR AS 99 IS] [REVIEW: AR AV MI SH] | A 6210 | IS | | 24-DEC-93 |
| | MIL-A-7965C SUP 1 | ANTENNA COMPONENTS, ANTIPRECIPITATION STATIC [CUST: AV AS 85 CC] [REVIEW: 99] | A 5985 | CC | | 22-MAY-64 |
| | MIL-C-7966C NOT 1 | CLOTH, COATED, RUBBER, NYLON BASE [CUST: AS 99 CT] [REVIEW: 82 NU] | A 8305 | CT | | 24-OCT-91 |
| | MIL-P-7968A | POSITION INDICATING ASSEMBLIES, ELECTRICAL, WHEELS AND FLAPS [CUST: AV AS 99] [REVIEW: 11] | A 6610 | GS | | 23-MAR-65 |
| | MIL-C-7974D(1) SUP 1 | CABLE ASSEMBLIES AND ATTACHABLE PLUGS, EXTERNAL ELECTRICAL POWER, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 85] [REVIEW: 11 17 99 AR CC CR GS MI SH YDI] | A 6150 | AS | | 30-MAY-92 |
| | MIL-C-7974/1A | CONNECTOR, PLUG, AIRCRAFT EXTERNAL POWER [CUST: AV AS 85] [REVIEW: 11] | A 5935 | AS | | 08-SEP-78 |
| | MIL-C-7974/2 NOT 1 | CABLE ASSEMBLY, EXTERNAL POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ POWER DISTRIBUTION FLIGHT LINE (FOR A/E 24A-166A) [CUST: AV AS 85] | A 6150 | AS | | 15-OCT-91 |
| | MIL-C-7974/3 | CONNECTOR, PLUG, ATTACHABLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, SINGLE-JACKETED CABLE ASSEMBLIES, 115/200 VOLT, 400 HERTZ [CUST: AV AS 85] [REVIEW: 99 CC CR 4 SH] | A 5935 | AS | | 30-SEP-94 |
| | MIL-C-7974/4 | CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, SINGLE-JACKETED 115/200 VOLT, 400 HERTZ [CUST: AV AS 85] [REVIEW: 99 CR 4 GS SH YDI] | A 6150 | AS | | 30-SEP-94 |
| | MIL-C-7979B | CYLINDER, HYDRAULIC BRAKE, MASTER, POWER ASSISTED [CUST: AV AS 11] [REVIEW: 99 MI] | A 1630 | AS | | 21-OCT-59 |
| | MIL-C-7989B(2) SUP 1 NOT 1 | COVER, LIGHT-TRANSMITTING, FOR AERONAUTICAL LIGHTS GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 82 CR 4 GS MI] | A 6220 | GS | | 15-MAR-91 |
| | MIL-T-7990B(3) | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, -70 DEG. TO +300 DEG. C [CUST: AV AS 99] [REVIEW: 82] | A 6685 | GS | | 30-SEP-92 |
| | MIL-M-7997C | MOTOR, AIRCRAFT HYDRAULIC, CONSTANT DISPLACEMENT GENERAL SPECIFICATION FOR [CUST: AV AS 11] | A 1650 | AS | | 24-SEP-81 |
| | MIL-W-8005E(2) NOT 1 | WHEELS AND HUBS, FOR INDUSTRIAL PNEUMATIC TIRES [CUST: AR YD1 99 CC] [REVIEW: 84 AT MC SA] | A 2530 | CC | | 27-SEP-93 |
| | MIL-C-8021D(3) | CLOTH, PARACHUTE, NYLON, CARGO AND DECELERATION [CUST: GL AS 99 CT] [REVIEW: 45 82] | A 8305 | CT | | 18-APR-95 |
| | MIL-P-8045B(3) | PLASTIC, SELF-SEALING AND NON-SELF-SEALING TANK BACKING MATERIAL [CUST: MR AS 11] [REVIEW: 99 AV MC OS] | A 8030 | AS | | 22-FEB-74 |
| | MIL-C-8061 NOT 4 | CLOTH, NYLON, RASCHEL KNIT [CUST: GL CT] | A 8305 | CT | | 01-SEP-93 |
| | MIL-C-8068B(1) NOT 1 | CLOTH, COATED, NYLON, RUBBER-COATED, FUEL-RESISTANT [CUST: AS 11 CT] [REVIEW: 45 CR 4 EA MI] | A 8305 | CT | | 30-JUL-87 |
| | MIL-C-8073D(1) NOT 1 | CORE MATERIAL, PLASTIC HONEYCOMB, LAMINATED GLASS FABRIC BASE, FOR AIRCRAFT STRUCTURAL AND ELECTRONIC APPLICATIONS [CUST: CR 4 AS 11] [REVIEW: 84 AV MI] | A 5680 | AS | | 24-OCT-91 |
| | MIL-B-8075D(1) | BRAKE CONTROL SYSTEMS, ANTISKID, AIRCRAFT WHEELS, INSTRUCTIONS FOR PREPARATION OF SPECIFICATIONS FOR [CUST: AV AS 99] [REVIEW: 80] | A 1630 | AS | | 10-MAR-77 |
| | MIL-C-8087C | CORE MATERIAL, FOAMED-IN-PLACE, URETHANE TYPE [CUST: AS 11] [REVIEW: 99 MI] | A 9330 | GS | | 24-APR-68 |
| | MIL-C-8104C NOT 1 | CLOTH, SHEETING, COTTON, TREATED [CUST: AS CT] | A 8305 | CT | | 24-OCT-91 |
| D | MIL-F-8115D | FLOODLIGHT, INCANDESCENT, EXPLOSION PROOF, TYPE MA-1 [CUST: 99 IS] | A 6230 | IS | | 14-JUL-89 |
| | MIL-P-8184E(2) | PLASTIC SHEET, ACRYLIC, MODIFIED [CUST: CR AS 11] [REVIEW: AV CR 4 EC GS MC MI MR SH] | A 9330 | AS | | 16-JAN-92 |
| | MIL-R-8236F(1) | REEL, SHOULDER HARNESS, INERTIA LOCK [CUST: AV AS 99] [REVIEW: CG MC] | A 1680 | 82 | | 03-NOV-95 |
| | MIL-A-8243D(1) | ANTI-ICING AND DEICING-DEFROSTING FLUID [CUST: AV AS 11] [REVIEW: 68 CG GS MC] | A 6850 | AS | | 21-DEC-89 |
| | MIL-I-8276C | INDICATOR, RATE OF FLOW, FUEL, SYNCHRO STYLE, TYPE MA-2 [CUST: 99] [REVIEW: AS AV] | A 6620 | GS | | 15-AUG-94 |
| | MIL-J-8279C(1) | JACKET, COLD WEATHER [CUST: 99 CT] [REVIEW: 45] | A 8415 | CT | | 31-OCT-90 |
| | MIL-G-8348H(1) | GAGE ASSEMBLIES, AIR PRESSURE, DIAL INDICATING CHUCK TYPE, SELF-CONTAINED [CUST: AS 99] [REVIEW: 82] | A 6685 | GS | | 01-JAN-94 |
| | MIL-T-8363B(2) | TAPE AND WEBBING, TEXTILE, WOVEN, NYLON [CUST: NU 11 CT] [REVIEW: 31 45 82 99 GL] | A 8305 | CT | | 10-DEC-90 |
| | MIL-A-8416B | ADAPTER, HEADSET & MICROPHONE MX & 1646 [CUST: 85] [REVIEW: 99] | A 5965 | CC | | 18-OCT-79 |
| | MIL-I-8505 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, -50 TO PLUS 300 C. [CUST: AS] | A 6685 | GS | | 06-JAN-53 |
| | MIL-C-8514C | COATING COMPOUND, METAL PRETREATMENT, RESIN-ACID (ASG) [CUST: AS 99] [REVIEW: CR 4 DS EA MI OS] | A 8030 | AS | | 10-DEC-67 |
| | MIL-L-8552C(2) | LANDING GEAR, AIRCRAFT SHOCK ABSORBER (AIR-OIL TYPE) [CUST: AV AS 99] [REVIEW: 11] | A 1620 | AS | | 10-DEC-68 |
| | MIL-S-8559A(1) | STEEL BARS, CARBON, AISI (1095), AIRCRAFT QUALITY [CUST: AS 11] [REVIEW: IS MI] | A 9510 | A* | | 06-FEB-81 |
| | MIL-B-8565J | BATTERY STORAGE, AIRCRAFT [CUST: AS 99] [REVIEW: 82 GS MI] | A 6140 | AS | | 01-JUL-87 |
| | DOD-B-8565/1 | BATTERY, STORAGE, AIRCRAFT, HEAVY DUTY, 2 AMPERE HOURS, SEALED CELLS, 26 VOLTS WITH 115V 400 HZ INTEGRAL CHARGER [CUST: AS] | A 6140 | AS | | 23-MAY-77 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Doc | MCA | Prep. Acty. | Date |
|-------------|----------------------------|--|----------------------|-----|-------------|-----------|
| | DOD-B-8565/4C | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 7.5 AMPERE-HOUR [CUST: AS] | A 6140 | AS | | 26-JUN-87 |
| | DOD-B-8565/5A | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE FREE, 24-VOLT, 30 AMPERE-HOUR [CUST: AS] | A 6140 | AS | | 26-JUN-87 |
| | DOD-B-8565/6 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 1.5 AMPERE-HOUR [CUST: AS] | A 6140 | AS | | 26-JUN-87 |
| | DOD-B-8565/7 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 24-AMPERE-HOUR [CUST: AS] | A 6140 | AS | | 09-OCT-87 |
| | MIL-B-8565/8 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 15-AMPERE-HOUR [CUST: AS] | A 6140 | AS | | 19-NOV-93 |
| | MIL-B-8565/9 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 24-AMPERE-HOUR [CUST: AS] | A 6140 | AS | | 29-OCT-93 |
| | MIL-B-8565/10 | BATTERY, STORAGE, AIRCRAFT, HIGH-RATE, TYPE 2, NICKEL-CADMIUM, 35 AMPERE-HOUR, CHARGE CONTROLLED [CUST: AS] | A 6140 | AS | | 14-JUN-93 |
| | MIL-B-8565/12 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 35-AMPERE-HOUR [CUST: AS 99] | A 6140 | AS | | 17-MAY-93 |
| | MIL-B-8565/13 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 10-AMPERE-HOUR [CUST: AS] [REVIEW: 99] | A 6140 | AS | | 21-APR-94 |
| | MIL-B-8568B | BINOCULAR, PRISMATIC, HAND-HELD (FOR AERONAUTICAL USE) (7 X 50 AND 6 X 42)WIDE FIELD()ASG([CUST: AS 99] [REVIEW: 11 SH] | A 6650 | AS | | 07-JUL-67 |
| | MIL-B-8571D(1) NOT 1 | BAG, STORAGE, DRINKING WATER [CUST: GL AS 99 CT] [REVIEW: 45 MD] | A 8465 | CT | | 21-AUG-86 |
| | MIL-R-8573A(7) | RESERVOIR, AIR, NONSHATTERABLE STEEL [CUST: AV AS 99] | A 1650 | AS | | 18-NOV-83 |
| | MIL-I-8574E(1) NOT 1 | INHIBITORS, CORROSION, VOLATILE, UTILIZATION OF [CUST: SM AS 69] [REVIEW: 99 AT AV CR4 DH EA GL MC OS SA SH YD] | A PACK | AS | | 24-OCT-91 |
| | MIL-E-8581A | ENGINE, ROCKET, SOLID PROPELLANT, 5 SECOND DURATION, 4500 POUNDS THRUST | A 2845 | AS | | 05-MAY-83 |
| | MIL-B-8584C(1) | BRAKE SYSTEMS, WHEEL, AIRCRAFT, DESIGN OF [CUST: AV AS 99] [REVIEW: 70] | A 1630 | AS | | 28-OCT-85 |
| | MIL-A-8591H(1) | AIRBORNE STORES, SUSPENSION EQUIPMENT AND AIRCRAFT-STORE INTERFACE (CARRIAGE PHASE); GENERAL DESIGN CRITERIA FOR [CUST: AV AS 11] [REVIEW: 19] | A 15GP | AS | | 30-JUN-94 |
| | MIL-R-8592B NOT 1 | RESCUE EQUIPMENT, HELICOPTER [CUST: AS 99] [REVIEW: 11 84] | A 4240 | AS | | 24-OCT-91 |
| | MIL-R-8592/1(1) NOT 1 | CABLE GRIP, RESCUE EQUIPMENT HELICOPTER [CUST: AS 99] [REVIEW: 11] | A 4220 | AS | | 24-OCT-91 |
| | MIL-R-8592/3(1) NOT 1 | SURVIVORS, SLING, RESCUE EQUIPMENT HELICOPTER [CUST: AS 99] | A 4240 | AS | | 24-OCT-91 |
| | MIL-R-8592/4(1) NOT 1 | COVER, CABLE WEIGHT, RESCUE EQUIPMENT HELICOPTER [CUST: AS 99] | A 4240 | AS | | 24-OCT-91 |
| | MIL-C-8605B | CAP; PRESSURE FUEL SERVICING [CUST: AV AS 11] | A 1560 | AS | | 31-OCT-90 |
| | MIL-V-8610B | VALVE, FUEL SHUTOFF SOLENOID OPERATED, 28 VOLT, DC (ASG) [CUST: AS 99] [REVIEW: 82 SH] | A 4810 | CC | | 25-JUN-84 |
| | MIL-F-8615D(2) | FUEL SYSTEM COMPONENTS, GENERAL SPECIFICATION FOR (ASG) [CUST: AV AS] [REVIEW: 79 99] | A 2915 | AS | | 03-SEP-86 |
| | MIL-A-8625F | ANODIC COATINGS FOR ALUMINUM AND ALUMINUM ALLOYS [CUST: MR AS 11] [REVIEW: 70 71 80 82 85 99 AR AT AV CR CR4 MI OS SH] | A MFFP | AS | | 10-SEP-93 |
| | MIL-S-8642F | SURVIVAL KIT, INDIVIDUAL [CUST: GL AS CT] [REVIEW: AV MC] | A 8465 | CT | | 24-OCT-94 |
| | MIL-M-8650C(2) SUP 2 NOT 1 | MOCKUPS, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 11] | A 6910 | AS | | 24-SEP-91 |
| | MIL-S-8660C(1) | SILICONE COMPOUND, NATO CODE NUMBER S-736 [CUST: MR AS 11] [REVIEW: CR CR4 DS MI OS YD] | A 6850 | AS | | 01-APR-87 |
| | MIL-K-8662E(1) NOT 1 | KNIFE, HUNTING, SHEATHED, SURVIVAL, PILOT'S [CUST: GL AS 99] [REVIEW: 11 84 85 CG] | A 7340 | AS | | 24-OCT-91 |
| | MIL-J-8667A | JET ASSISTED TAKE OFF SYSTEMS - DESIGN AND INSTALLATION OF, IN NAVAL AIRCRAFT [CUST: AS] [REVIEW: 99] | A 2845 | AS | | 05-JAN-70 |
| | MIL-I-8670B | INSTALLATION OF FIXED GUNS AND ASSOCIATED EQUIPMENT IN NAVAL AIRCRAFT [CUST: AS] | A 1005 | AS | | 16-SEP-93 |
| | MIL-I-8671D | INSTALLATION OF DROPPABLE STORES AND ASSOCIATED RELEASE SYSTEMS [CUST: AS] | A 1095 | AS | | 28-JAN-94 |
| | MIL-N-8689A | NETWORK, PHASE DETECTING, CV-279/ARN [CUST: AS CC] | A 5915 | CC | | 05-MAR-62 |
| | MIL-I-8693 | INDICATOR COUPLER CU-395/ARN-21A [CUST: AS 99] | A 5826 | AS | | 15-APR-55 |
| | MIL-I-8700A(1) | INSTALLATION AND TEST OF ELECTRONIC EQUIPMENT IN AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: 82 84 85] | A MISC | AS | | 28-FEB-92 |
| | MIL-D-8708C | DEMONSTRATION: AIRCRAFT WEAPON SYSTEMS, GENERAL SPECIFICATION FOR [CUST: AS] | A 1510 | AS | | 28-FEB-91 |
| | MIL-H-8775D(1) | HYDRAULIC SYSTEM COMPONENTS, AIRCRAFT AND MISSILES GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 71 MI] | A 1650 | AS | | 28-JUL-76 |
| | MIL-C-8779E(1) | COLORS, INTERIOR, AIRCRAFT, REQUIREMENTS FOR [CUST: AV AS] | A 15GP | AS | | 15-MAR-89 |
| | MIL-C-8783A | CLAMP, HOSE, FLAT BAND 500 DEG. F [CUST: AR 99] [REVIEW: 82 EA MI] | A 4730 | CC | | 27-OCT-59 |
| | MIL-H-8788C(2) | HOSE, HYDRAULIC, HIGH PRESSURE [CUST: CR4 AS 99] [REVIEW: 82 AV MI] | A 4720 | CC | | 30-MAY-90 |
| | MIL-F-8789D | FITTING END, ATTACHABLE HYDRAULIC HIGH-PRESSURE HOSE [CUST: CR4 AS 99] [REVIEW: 82 AV MI] | A 4730 | CC | | 09-MAY-94 |
| | MIL-H-8790D | HOSE ASSEMBLY, RUBBER, HYDRAULIC, HIGH PRESSURE (3,000 PSI) [CUST: CR4 AS 99] [REVIEW: 82 AV MI] | A 4720 | CC | | 30-DEC-81 |
| | MIL-H-8794D(1) | HOSE, RUBBER, HYDRAULIC, FUEL AND OIL RESISTANT [CUST: CR4 AS 99] [REVIEW: 82 AT AV MI] | A 4720 | CC | | 15-FEB-83 |
| | MIL-H-8795D | HOSE ASSEMBLY, RUBBER, HYDRAULIC, FUEL AND OIL RESISTANT [CUST: CR4 AS 99] [REVIEW: 82 AV MI] | A 4720 | CC | | 14-OCT-85 |
| | MIL-H-8796C(1) | HOSE, AIRDUCT, FLEXIBLE, AIRCRAFT [CUST: AV AS 99] [REVIEW: CC] | A 4720 | AS | | 15-APR-83 |
| | MIL-S-8805D(3) SUP 1A | SWITCHES AND SWITCH ASSEMBLIES, SENSITIVE AND PUSH (SNAP ACTION), GENERAL SECIFICATION FOR [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 11-MAY-92 |
| | MIL-S-8805/1D(2) | SWITCHES, SENSITIVE, SPDT, UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS MC MI OS SH] | A 5930 | CC | | 23-APR-93 |
| | MIL-S-8805/2J(1) | SWITCHES, SENSITIVE, SPDT [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 08-OCT-93 |
| | MIL-S-8805/3H(2) | SWITCHES, PUSH, 10 AMPERES OR LOW LEVEL, DUSTTIGHT [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 30-APR-92 |
| | MIL-S-8805/4L(1) | SWITCHES, SENSITIVE, SPDT, UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 08-OCT-93 |
| | MIL-S-8805/5D(1) NOT 1 | SWITCH, SENSITIVE, 4 CIRCUIT, 15 AMPERES, UNSEALED, LATCHING UNIT - MANUAL RESET [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/7E | SWITCHES, SENSITIVE, MOMENTARY, 2 CIRCUIT OR SPST (10 AMPERES), UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC NA OS SH] | A 5930 | CC | | 18-SEP-90 |
| | MIL-S-8805/8E(1) NOT 1 | SWITCHES, SENSITIVE, SPDT, LEAF ACTUATOR, LOW LEVEL TO 4 AMPS, HERMETIC SEAL [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 12-APR-96 |
| | MIL-S-8805/11G NOT 1 | SWITCHES, SENSITIVE-MOMENTARY, 2 CIRCUIT, 10 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/14D(2) | SWITCH, SENSITIVE, MAINTAINED, 2 CIRCUIT, 10 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS MC MI] | A 5930 | CC | | 31-MAR-93 |
| | MIL-S-8805/15E(1) NOT 1 | SWITCHES, SENSITIVE, MOMENTARY, 4 CIRCUIT, 15 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/16F(1) NOT 1 | SWITCH, SENSITIVE, MAINTAINED, 4 CIRCUIT, 15 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/17E(1) NOT 1 | SWITCH, SENSITIVE, MAINTAINED, 6 CIRCUIT, 15 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS SH] | A 5930 | CC | | 20-JUN-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | | | | | | |
| | MIL-S-8805/18E(1) NOT 1 | SWITCH, SENSITIVE, MOMENTARY, 6 CIRCUIT, 15 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/19D NOT 1 | SWITCHES, SENSITIVE-MOMENTARY, 2 CIRCUIT, 40 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/20J(1) | SWITCHES, PUSH, MOMENTARY, 2 CIRCUIT, UNSEALED AND SEALED [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC OS] | A 5930 | CC | | 26-APR-97 |
| | MIL-S-8805/23E(1) NOT 1 | SWITCH ASSEMBLIES, SENSITIVE, PUSH, MOMENTARY, 5 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS] | A 5930 | CC | | 31-MAR-93 |
| | MIL-S-8805/25D(1) NOT 1 | SWITCH ASSEMBLY, SENSITIVE, PUSH, ALTERNATE, UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS] | A 5930 | CC | | 31-MAR-93 |
| | MIL-S-8805/26F(1) | SWITCH ASSEMBLIES, SENSITIVE, TOGGLE LEVER (WITH INTEGRAL LEAF), 5 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS] | A 5930 | CC | | 31-MAR-93 |
| | MIL-S-8805/27C(1) | SWITCHES, SENSITIVE, 10 AMPERES AND LOW LEVEL, UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 31-MAR-93 |
| | MIL-S-8805/28E NOT 1 | SWITCH, SENSITIVE, MOMENTARY, SPDT, 7.5 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 30-JUL-91 |
| | MIL-S-8805/31E | SWITCH, SENSITIVE, DPDT, PLUNGER, 10 AMPERES, UNSEALED [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI SH] | A 5930 | CC | | 28-JUN-95 |
| | MIL-S-8805/32F(A) NOT 1 | SWITCHES, SENSITIVE, SPDT, 7 AMPERES, WATERTIGHT [CUST: CR EC 85 CC] | A 5930 | CC | | 04-OCT-96 |
| | MIL-S-8805/34C NOT 1 | SWITCHES, SENSITIVE-MAINTAINED, 2 CIRCUIT, 40 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/38E NOT 1 | SWITCHES, PUSH, MOMENTARY, 4 CIRCUIT, 4 AMPERES OR LOW LEVEL, DUSTTIGHT [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS EA MC MI OS SH] | A 5930 | CC | | 30-JUL-91 |
| | MIL-S-8805/39E(1) | SWITCHES, SENSITIVE, LIMIT, PLUNGER, 7 AMPERES, RESILIENT SEAL, FLUID RESISTANT [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 31-MAR-93 |
| | MIL-S-8805/40F(2) | SWITCHES, SENSITIVE, PLUNGER, RESILIENT SEAL, FLUID RESISTANT [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS] | A 5930 | CC | | 31-MAR-90 |
| | MIL-S-8805/41A NOT 1 | SWITCH, SENSITIVE, DPDT, PLUNGER, 5 AMPERES, HERMETIC [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC OS SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/42B NOT 1 | SWITCHES, SENSITIVE, SPDT, 6 AMPERES, WATERTIGHT [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV MC MI OS] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/43G(1) | SWITCHES, SENSITIVE, LIMIT, PLUNGER, 7 AMPERES OR LOW LEVEL, RESILIENT SEAL, FLUID RESISTANT [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI] | A 5930 | CC | | 31-MAR-93 |
| | MIL-S-8805/44D NOT 1 | SWITCHES, SENSITIVE, SPDT, 5 AMPERES, RESILIENT SEAL [CUST: CR EC 85] [REVIEW: 17 99 AR AS AV CR4 MC MI OS SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/45E NOT 1 | SWITCHES, SENSITIVE, SPDT, 5 AMPERES, RESILIENT SEAL [CUST: CR EC 85] [REVIEW: 17 99 AR AS AV CR4 MC MI OS SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/46C(1) NOT 1 | SWITCHES, SENSITIVE, LEAF, SPDT, HERMETIC [CUST: CR EC 85] [REVIEW: 17 19 99 AM AS AT AV MC MI OS SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/47E NOT 1 | SWITCHES, SENSITIVE, SPDT, LEVER, 25 AMPERES, HERMETIC [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV MC MI SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/48F(1) | SWITCHES, SENSITIVE, LIMIT, ROLLER LEVER, SELF-RETURN, RESILIENT SEAL, FLUID RESISTANT [CUST: CR EC 85] [REVIEW: 99 AR AS AV MC MI OS] | A 5930 | CC | | 31-MAR-93 |
| | MIL-S-8805/49F(1) | SWITCHES, SENSITIVE, LIMIT, ROTARY LINKAGE LEVER (NONSELF-RETURN), RESILIENT SEAL, FLUID RESISTANT [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS] | A 5930 | CC | | 31-MAR-93 |
| | MIL-S-8805/55F | SWITCH, PUSH, MICROPHONE, DPST, NORMALLY OPEN, FOOT OPERATED, MOMENTARY, UNSEALED AND WATERTIGHT [CUST: CR EC 85] [REVIEW: 19 99 AR AS MC] | A 5930 | CC | | 26-FEB-93 |
| | MIL-S-8805/56E(1) NOT 1 | SWITCH ASSEMBLIES, SENSITIVE, INTERLOCK, UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS] | A 5930 | CC | | 31-MAR-93 |
| | MIL-S-8805/65B | SWITCH, SENSITIVE, DPDT, PLUNGER, 5 AMPERES, RESILIENT SEAL [CUST: CR EC 85] [REVIEW: 19 99 AR AS MC MI SH] | A 5930 | CC | | 20-MAR-92 |
| | MIL-S-8805/68H | SWITCHES, SENSITIVE, SPDT, 7 AMPERES AND 4 AMPERES, HERMETIC SEAL [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 12-MAY-95 |
| | MIL-S-8805/70H | SWITCHES, SENSITIVE, DPDT AND 4PDT, PLUNGER OR ROLLER, 7 AMPERES AND 4 AMPERES, HERMETICALLY SEALED CONTACTS, RESILIENT SEALED PLUNGER [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 12-MAY-95 |
| | MIL-S-8805/72H | SWITCHES, SENSITIVE, SPDT, PLUNGER, 7 AMPERES AND 4 AMPERES, HERMETICALLY SEALED CONTACTS, UNSEALED PLUNGER [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 12-MAY-95 |
| | MIL-S-8805/73H | SWITCHES, SENSITIVE, SPDT, PLUNGER, 7 AMPERES AND 4 AMPERES, HERMETICALLY SEALED CONTACTS, RESILIENT SEALED PLUNGER [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 12-MAY-95 |
| | MIL-S-8805/74J | SWITCHES, SENSITIVE, SPDT, PLUNGER OR ROLLER, 7 AMPERES AND 4 AMPERES, HERMETICALLY SEALED CONTACTS [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 12-MAY-95 |
| | MIL-S-8805/76F | SWITCHES, SENSITIVE, 2 CIRCUIT (5 AMPERES) OR SPST (8 AMPERES), UNSEALED [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 10-MAR-93 |
| | MIL-S-8805/77F | SWITCHES, SENSITIVE, MOMENTARY, 4 CIRCUIT OR DPDT (10 AMPERES), UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC NA OS SH] | A 5930 | CC | | 20-MAR-91 |
| | MIL-S-8805/78A(1) NOT 1 | SWITCH, SENSITIVE, MOMENTARY, 6 CIRCUIT OR 3PDT, UNSEALED [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/80D(1) | SWITCH, SENSITIVE, LIMIT, HERMETIC SEAL [CUST: 85 CC] [REVIEW: 99] | A 5930 | CC | | 21-APR-93 |
| | MIL-S-8805/82C(1) NOT 1 | SWITCHES, SENSITIVE, LEAF, SPDT, HERMETIC [CUST: CR EC 85] [REVIEW: 17 19 99 AM AS AT AV MC MI OS SH] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/84C(2) | SWITCHES, SENSITIVE, WATERTIGHT, 10 AMPERES, DOUBLE BREAK [CUST: CR EC 85] [REVIEW: 19 99 AM AS AT AV MC MI OS SH] | A 5930 | CC | | 05-AUG-93 |
| | MIL-S-8805/85D | SWITCH, SENSITIVE, ROTARY (NON SELF RETURN), 4 AMPERES, RESILIENT SEAL [CUST: 85 CC] [REVIEW: 99] | A 5930 | CC | | 21-JUN-93 |
| | MIL-S-8805/90D | SWITCH, SENSITIVE, LOW FORCE, SPDT, 10 AMPERES, UNSEALED [CUST: EC] | A 5930 | CC | | 04-JUN-93 |
| | MIL-S-8805/92B(1) | SWITCH, ASSEMBLIES, SENSITIVE, LEVER LOCK, 5 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS] | A 5930 | CC | | 31-MAR-93 |
| | MIL-S-8805/93C | SWITCHES, TOGGLE, UNSEALED, 7.0 AMPERES [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC] | A 5930 | CC | | 29-MAR-95 |
| | MIL-S-8805/94B | SWITCH, SENSITIVE, SUBMINIATURE (0.100 X 0.300), SPDT, UNSEALED, 2 AMPERES AND LOW LEVEL [CUST: AR EC] [REVIEW: MC MI SH] | A 5930 | CC | | 21-MAY-93 |
| | MIL-S-8805/95F | SWITCHES, PUSH, 2PDT, MOMENTARY, 1 AMPERE, UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC OS SH] | A 5930 | CC | | 04-JUN-93 |
| | MIL-S-8805/96C(1) | SWITCHES, PUSH, MOMENTARY, SPST, 5 AMPERES [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI SH] | A 5930 | CC | | 31-MAR-93 |
| | MIL-S-8805/98C(1) | SWITCHES, SENSITIVE SWITCH ASSEMBLY, TOGGLE, 7 AMPERES, PANEL SEAL, TOGGLE SEAL [CUST: 85 CC] [REVIEW: 99] | A 5930 | CC | | 21-APR-93 |
| | MIL-S-8805/99F | SWITCHES, PUSH, 2 CIRCUIT AND DPDT, ALTERNATE AND MOMENTARY ACTION, 2 AMPERES, WATERTIGHT [CUST: 85 CC] [REVIEW: 99] | A 5930 | CC | | 07-MAY-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-S-8805/100D(1) NOT 2 | SWITCH, SENSITIVE, PLUNGER, 10 AMPERES, 2PDT AND 7 AMPERES, 4PDT, RESILIENT SEAL [CUST: 85 CC] [REVIEW: 11 99] | A 5930 | CC | | 21-MAY-93 |
| | MIL-S-8805/101H | SWITCHES, SENSITIVE, 2 CIRCUIT (5 AMPERES) OR SPST (8 AMPERES), UNSEALED, LOW LEVEL SWITCHING, FORM C OR FORM Z [CUST: EC 85 CC] [REVIEW: 99] | A 5930 | CC | | 28-JUN-95 |
| | MIL-S-8805/104A(4) NOT 1 | SWITCHES, SENSITIVE, PLUNGER, 7 AMPERES, 4PDT, RESILIENT SEAL, GROUNDED PLUNGER [CUST: 85 CC] [REVIEW: 99] | A 5930 | CC | | 30-SEP-88 |
| | MIL-S-8805/106 NOT 2 | SWITCH, SENSITIVE, SPDT, LOW LEVEL TO 2 AMPS, 400 DEG. F, UNSEALED [CUST: 85 CC] [REVIEW: 11 99] | A 5930 | CC | | 21-MAY-93 |
| | MIL-S-8805/107A NOT 2 | SWITCHES, PUSH, MOMENTARY AND PUSH PULL, 10 AMPERES, DUSTTIGHT [CUST: 85 CC] [REVIEW: 11 99] | A 5930 | CC | | 21-MAY-93 |
| | MIL-S-8805/109A | SWITCHES, SENSITIVE, SPDT, UNSEALED, 7 AMPERES 0.156 WIDTH BASE [CUST: EC] | A 5930 | CC | | 12-FEB-92 |
| | MIL-S-8805/110B(1) | SWITCHES, PUSHBUTTON, MOMENTARY 5 AMPERES AND LOW LEVEL, MINIATURE, DUSTTIGHT OR WATERTIGHT [CUST: EC] | A 5930 | CC | | 05-JAN-93 |
| | MIL-S-8805/111 NOT 1 | SWITCH ASSEMBLIES, SENSITIVE, TRIGGER, 7 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 17 82 99 AS AV MI OS] | A 5930 | CC | | 20-JUN-90 |
| | MIL-S-8805/114A | SWITCH ASSEMBLY, SENSITIVE, ROLLER PLUNGER, SPDT, 7 AMPERES RESILIENT SEAL [CUST: AT CC] | A 5930 | CC | | 08-MAY-86 |
| | MIL-H-8810B NOT 1 | HANDLES, CONTROL, AIRCRAFT [CUST: AV 99] [REVIEW: 82] | A 1680 | GS | | 15-MAR-91 |
| | MIL-S-8812D(1) | STEERING SYSTEM, AIRCRAFT GENERAL REQUIREMENTS FOR [CUST: AV AS] [REVIEW: 99] | A 1620 | AS | | 11-FEB-77 |
| | MIL-R-8814A(1) | RIVETS, BLIND, NONSTRUCTURAL TYPE [CUST: AS 99] [REVIEW: AR MI SH] | A 5320 | IS | | 15-APR-92 |
| | MIL-F-8815D(1) SUP 1 | FILTER AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC LINE, 15 MICRON ABSOLUTE AND 5 MICRON ABSOLUTE, TYPE II SYSTEMS; GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: 71 MI] | A 1650 | AS | | 23-JUN-95 |
| | MIL-F-8815/4A NOT 1 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 5 MICRON, STYLE A, BYPASS, -65 DEG. TO +275 DEG. F [CUST: AV AS 11] [REVIEW: 71 SH] | A 1650 | AS | | 24-SEP-91 |
| | MIL-F-8815/5A NOT 1 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 5 MICRON, STYLE B, NON BYPASS, -65 DEG. TO +275 DEG. F [CUST: AV AS 11] [REVIEW: 99 MI SH] | A 1650 | AS | | 24-SEP-91 |
| | MIL-F-8815/6B NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F [CUST: AV AS 11] [REVIEW: 71 99 MI SH] | A 1650 | AS | | 24-SEP-91 |
| | MIL-F-8815/7B NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, 0.5 TO 12.0 GPM [CUST: AV AS 11] [REVIEW: 99 MI] | A 1650 | AS | | 24-SEP-91 |
| | MIL-F-8815/22A NOT 1 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, F14 AIRCRAFT, 12 GPM [CUST: AS] | A 1650 | AS | | 24-SEP-91 |
| | MIL-F-8815/23 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, MINUS 65 TO PLUS 275 DEG. F, F14 AIRCRAFT, 30 GPM [CUST: AS] | A 1650 | AS | | 30-JAN-80 |
| | MIL-F-8815/24C | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, F14 AND F-18 AIRCRAFT, 84 GPM [CUST: AS] | A 1650 | AS | | 01-DEC-93 |
| | MIL-F-8815/29 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 1500 PSI, ABSOLUTE 5 MICRON, STYLE A, BYPASS, -65 DEG. TO +275 DEG. F, F/A-18E/F AIRCRAFT, CASE DRAIN [CUST: AS] | A 1650 | AS | | 31-AUG-93 |
| | MIL-B-8831B(1) SUP 1 | BOLT, 180 KSI FTU & 180 KSI FSU, 450 DEG F PROTRUDING & FLUSH HEAD, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 09-MAR-83 |
| | MIL-B-8831/1 | BOLT, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, RELIABILITY & MAINTAINABILITY REQUIREMENTS FOR [CUST: AV AS 11] | A 5306 | IS | | 23-AUG-82 |
| | MIL-B-8831/2 | BOLT, 100 DEG REDUCED FLUSH HEAD, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 108 KSI FSU [CUST: AV AS 11] | A 5306 | IS | | 23-AUG-82 |
| | MIL-S-8834F(4) NOT 1 | SWITCHES, TOGGLE, POSITIVE BREAK, GENERAL SPECIFICATION FOR [CUST: CR AS 85 CC] [REVIEW: 99 AR AT EC MC MI] | A 5930 | CC | | 03-MAY-96 |
| | MIL-S-8834/1 | SWITCH, TOGGLE, POSITIVE BREAK, FOUR POLE, MINIATURE, SEALED, SOLDER LUG, WITH OR WITHOUT LEVER LOCK, .469 OR .250 INCH MOUNTING BUSHING [CUST: 85 CC] [REVIEW: 99] | A 5930 | CC | | 21-JUN-93 |
| | MIL-I-8835A NOT 1 | INDICATOR, HUMIDITY, CARD, CHEMICALLY IMPREGNATED [CUST: AS 99] [REVIEW: 82 AT GS MC MI OS YDI] | A 6685 | AS | | 24-OCT-91 |
| | MIL-C-8837B(1) | COATING, CADMIUM (VACUUM DEPOSITED) [CUST: MR AS 11] [REVIEW: 99 AR AT CR IS MI OS SH] | A MFFP | AS | | 16-APR-85 |
| | MIL-S-8840B(1) | STEEL SHEET AND STRIP, CORROSION-RESISTANT, PRECIPITATION HARDENING (AM350 AND AM355), PREMIUM QUALITY [CUST: MR AS 11] [REVIEW: IS] | A 9515 | AS | | 29-SEP-78 |
| A | MIL-I-8846D(1) SUP 1 | INSERTS, SCREW-THREAD, HELICAL COIL [CUST: AV AS 99 IS] [REVIEW: AR AT CR CR4 EA GL MI SH] | A 5325 | IS | | 30-SEP-94 |
| | MIL-M-8856B(1) | MISSILES, GUIDED, STRUCTURAL INTEGRITY GENERAL SPECIFICATION FOR [CUST: MI AS] | A 1410 | AS | | 22-JUL-91 |
| | MIL-A-8860B | AIRPLANE STRENGTH AND RIGIDITY GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: MT] | A 1510 | AS | | 20-MAY-87 |
| | MIL-A-8861B(1) | AIRPLANE STRENGTH AND RIGIDITY FLIGHT LOADS [CUST: AS] | A 1510 | AS | | 05-DEC-94 |
| | MIL-A-8863C | AIRPLANE STRENGTH AND RIGIDITY GROUND LOADS FOR NAVY ACQUIRED AIRPLANES [CUST: AS] | A 1510 | AS | | 19-JUL-93 |
| | MIL-A-8865B | AIRPLANE STRENGTH AND RIGIDITY MISCELLANEOUS LOADS [CUST: AS] | A 1510 | AS | | 20-MAY-87 |
| | MIL-A-8866C NOT 1 | AIRPLANE STRENGTH AND RIGIDITY RELIABILITY REQUIREMENTS, REPEATED LOADS, FATIGUE AND DAMAGE TOLERANCE [CUST: AS] | A 1510 | AS | | 03-OCT-94 |
| | MIL-A-8867C(1) NOT 1 | AIRPLANE STRENGTH AND RIGIDITY GROUND TESTS [CUST: AS] | A 1510 | AS | | 03-OCT-94 |
| | MIL-A-8869B NOT 1 | AIRPLANE STRENGTH AND RIGIDITY NUCLEAR WEAPONS EFFECTS [CUST: AS] | A 1510 | AS | | 20-JUN-94 |
| | MIL-A-8870C | AIRPLANE STRENGTH AND RIGIDITY VIBRATION, FLUTTER, AND DIVERGENCE [CUST: AS] | A 1510 | AS | | 25-MAR-93 |
| A | MIL-DTL-8878E | TURNBUCKLES, POSITIVE SAFETYING [CUST: CR4 AS 99 IS] | A 5340 | IS | | 15-AUG-97 |
| | MIL-F-8901E | FILTER SEPARATORS, LIQUID FUEL, AND FILTER COALESCER ELEMENTS, FLUID PRESSURE, INSPECTION REQUIREMENTS AND TEST PROCEDURES FOR [CUST: AT AS 11] [REVIEW: 99 AV CC SH YDI] | A 4330 | AT | | 06-JUN-80 |
| | MIL-F-8905B(1) | FITTINGS AND CARGO RINGS, TIEDOWN, AIRCRAFT FLOOR [CUST: GL AS] [REVIEW: 82 99 AV CR4 GS] | A 1670 | AS | | 24-MAY-82 |
| A | MIL-B-8906C(2) | BOLT, ALLOY STEEL, SHEAR AND TENSILE, (132 KSI FSU AND 220 KSI FTU), 450 DEG. F, SPLINE DRIVE, GENERAL SPECIFICATION FOR [CUST: AV AS 99 IS] [REVIEW: 82 AR MI] | A 5306 | IS | | 05-FEB-98 |
| | MIL-B-8906/2A NOT 1 | BOLTS, SHEAR, STEEL, 132 KSI FSU, 450 DEG. F [CUST: AV AS 11] [REVIEW: 99] | A 5306 | IS | | 24-SEP-91 |
| A | MIL-B-8907A(1) | BOLT, ALLOY STEEL, SHEAR AND+ TENSILE (156 KSI FSU AND 260 KSI FTU, 450 DEG. F) EXTERNAL WRENCHING, FLANGED HEAD [CUST: AV AS 11 IS] [REVIEW: 99 AT MI] | A 5306 | IS | | 05-FEB-98 |
| | MIL-B-8914B(3) | BEARING, ROLLER, SELF-ALIGNING, AIRFRAME, ANTIFRICTION [CUST: AT AS 99] [REVIEW: 84 AV CG CR4 IS MC] | A 3110 | AS | | 21-DEC-89 |
| | MIL-N-8922B | NUT, SELF-LOCKING, ALLOY STEEL, 220 KSI FTU, 450 DEG. F, GENERAL SPECIFICATION FOR [CUST: AV AS 99 IS] [REVIEW: 82] | A 5310 | IS | | 14-SEP-94 |
| | MIL-N-8922/1A | NUT, SELF-LOCKING, ASSEMBLED WASHER, ALLOY STEEL, 220 KSI FTU, 450 DEG. F, (12-SPLINE WRENCHING ELEMENT) [CUST: AV AS 99] [REVIEW: 11 82] | A 5310 | IS | | 25-JUL-88 |
| | MIL-R-8931A | RESERVOIRS, AIRCRAFT AND MISSILE, HYDRAULIC, SEPARATED TYPE [CUST: AV AS 99] [REVIEW: 71 AV CC] | A 1650 | AS | | 21-JAN-94 |
| | MIL-S-8932A NOT 2 | SWITCHES, PRESSURE, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 99] | A 1650 | AS | | 09-SEP-91 |
| | MIL-S-8932/1 NOT 2 | SWITCHES, PRESSURE, AIRCRAFT, ABSOLUTE, TYPES I AND II, CLASS 1 [CUST: AV AS] | A 1650 | AS | | 09-SEP-91 |
| | MIL-S-8932/2 NOT 2 | SWITCHES, PRESSURE, AIRCRAFT, DIFFERENTIAL, TYPES I AND II, CLASS 2 [CUST: AV AS] | A 1650 | AS | | 09-SEP-91 |
| | MIL-S-8932/3 NOT 2 | SWITCHES, PRESSURE, AIRCRAFT, GAGE, TYPE I AND II, CLASS 3 [CUST: AV AS] | A 1650 | AS | | 09-SEP-91 |
| | MIL-S-8932/4 NOT 2 | SWITCHES, PRESSURE, AIRCRAFT, APPROXIMATE GAGE, TYPES I AND II, CLASS 4 [CUST: AV AS] | A 1650 | AS | | 09-SEP-91 |
| D | MIL-P-8944A(1) | PANEL, AIRPORT LIGHTING CONTROL, GENERAL SPECIFICATION FOR [CUST: AS 99 IS] [REVIEW: 11 YDI] | A 6210 | IS | | 16-DEC-83 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|----------------------------|---|-----------------------|-----|-------------|-----------|
| D | MIL-B-8952B | BEARING, ROLLER, ROD END, ANTIFRICTION SELF-ALIGNING [CUST: AV AS 99] [REVIEW: 84 AR AT IS MI] | A 3110 | AS | | 15-JAN-95 |
| | MIL-B-8954B(1) | BASE AND ACCESSORIES, AIRPORT MARKER LIGHTS GENERAL SPECIFICATION FOR (ASG)[CUST: AS 99 IS] | A 6210 | IS | | 04-AUG-78 |
| | MIL-F-8961A | FASTENER ELEMENT, SELF-LOCKING, EXTERNALLY THREADED, 450 DEG. F AND 1,200 DEG. F [CUST: AV AS 99] [REVIEW: 82 AR EA IS MI OS] | A 53GP | AS | | 28-SEP-92 |
| | MIL-B-8964 | BERYLLIUM SHEET, AND PLATE, GENERAL REQUIREMENTS FOR [CUST: AS 11] [REVIEW: 99] | A 9535 | AS | | 17-JAN-69 |
| | MIL-E-8970 | ENGINE AND RELATED PROPULSION AND POWER EQUIPMENT, AIRCRAFT, ACCEPTANCE TESTS OF, SAMPLING PLAN FOR, STATISTICAL [CUST: AS 11] | A MISC | AS | | 09-OCT-67 |
| | MIL-E-8971B | ELECTRODES, GRAPHITE, SPECTROSCOPIC GRADE [CUST: AS 85] [REVIEW: 99 AR AT CR CR4 GS MI] | A 5977 | 85 | | 23-OCT-91 |
| | MIL-I-8974A(1) | INDICATOR, EVENT COUNTING, GENERAL SPECIFICATION FOR [CUST: AS 99] [REVIEW: 71 SH] | A 6620 | AS | | 02-MAY-88 |
| | MIL-I-8974/2B NOT 1 | INDICATOR, EVENTS, MINIATURE, DIGITAL, 28 VDC [CUST: AS 99] [REVIEW: 71 SH] | A 6620 | AS | | 15-OCT-91 |
| | MIL-F-8975B(3) SUP 1 | FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CORROSION RESISTANT STEEL, HEAT RESISTANT STEEL AND TITANIUM, GENERAL SPECIFICATION FOR [CUST: AV 99 IS] [REVIEW: 82 AR MI OS SH] | A 5320 | IS | | 31-MAY-94 |
| | MIL-F-8975/1A NOT 1 | FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CORROSION RESISTANT AND HEAT RESISTANT STEEL AND TITANIUM, DESIGN AND USAGE LIMITATIONS FOR [CUST: AV AS 11] [REVIEW: 99 AR] | A 5320 | IS | | 24-SEP-91 |
| | MIL-F-8975/2A | FASTENER (BOLTS), BLIND, HIGH STRENGTH, CORROSION RESISTANT AND HEAT RESISTANT STEEL, FLUSH HEAD [CUST: AV AS 11] [REVIEW: 99 AR] | A 5320 | IS | | 29-SEP-82 |
| | MIL-F-8975/3A | FASTENERS, BLIND, TITANIUM, FLUSH HEAD, TYPE 2, CLASS 2 [CUST: AV AS 11] [REVIEW: 99 AR] | A 5320 | IS | | 29-SEP-82 |
| | MIL-F-8975/4A(1) | FASTENERS, BLIND, HIGH STRENGTH, CORROSION RESISTANT & HEAT RESISTANT STEEL PROTRUDING HEAD, TYPE 2 CLASS 1 [CUST: AV AS 11] [REVIEW: 99 AR] | A 5320 | IS | | 15-OCT-85 |
| | MIL-F-8975/5A | FASTENER, BLIND, TITANIUM, PROTRUDING HEAD TYPE 2 CLASS 2 [CUST: AV AS 11] [REVIEW: 99] | A 5320 | IS | | 29-SEP-82 |
| | MIL-F-8975/6 | FASTENERS, BLIND, HIGH STRENGTH, TITANIUM/CRES, FLUSH HEAD, TYPE I, CLASS 2 [CUST: AV AS 99] | A 5320 | IS | | 06-JUN-88 |
| | MIL-F-8975/7 | FASTENERS, BLIND, HIGH STRENGTH, TITANIUM/CRES, FLUSH HEAD, TYPE 1, CLASS 2 [CUST: AV AS 99] [REVIEW: 82 AR MI OS SH] | A 5320 | IS | | 06-JUN-88 |
| | MIL-B-8976(4) | BEARINGS, PLAIN, SELF-ALIGNING, ALL-METAL [CUST: AV AS 99] [REVIEW: 84 IS] | A 3120 | AS | | 07-FEB-94 |
| | MIL-W-8982D(1) SUP 1 | WRENCHES, SPLINED, HIGH STRENGTH, THIN WALL, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: GL] | A 5120 | AS | | 23-SEP-91 |
| | MIL-W-8982/1A | WRENCH, SPLINED SOCKET, SQUARE DRIVE, HIGH STRENGTH, THIN WALL [CUST: AV AS 99] [REVIEW: AR GL] | A 5120 | AS | | 27-FEB-89 |
| | MIL-W-8982/2A | WRENCH, BOX, SPLINED, HIGH STRENGTH, THIN WALL [CUST: AV AS 99] [REVIEW: AR GL] | A 5120 | AS | | 27-FEB-89 |
| | MIL-W-8982/3A | WRENCH, TORQUE ADAPTER, SPLINED, SQUARE DRIVE, HIGH STRENGTH, THIN WALL [CUST: AV AS 99] [REVIEW: GL] | A 5120 | AS | | 27-FEB-89 |
| | MIL-W-8982/4 | WRENCH, BOX, RATCHETING, SPLINED, HIGH STRENGTH, THIN WALL [CUST: AV AS 11] [REVIEW: 99 AR GL] | A 5120 | AS | | 06-JUN-86 |
| | MIL-W-8982/5 | WRENCH, UNIVERSAL SOCKET, SPLINED, SQUARE DRIVE, HIGH STRENGTH, THIN WALL [CUST: AV AS 11] [REVIEW: 99 AR GL] | A 5120 | AS | | 06-JUN-86 |
| | MIL-W-8982/6 | WRENCH, COMBINATION BOX & OPEN END, HIGH STRENGTH, THIN WALL [CUST: AV AS 11] [REVIEW: 99 AR GL] | A 5120 | AS | | 06-JUN-86 |
| | DOD-E-8983C NOT 1 | ELECTRONIC EQUIPMENT, AEROSPACE, EXTENDED SPACE ENVIRONMENT, GENERAL SPECIFICATION FOR [CUST: 19] | A MISC | 19 | | 04-SEP-92 |
| | MIL-N-8984 | NUT, SELF-LOCKING, STEEL, 260 KSI FTU, 450 DEG. F [CUST: AV AS 99] [REVIEW: 82 AT MI] | A 5310 | IS | | 31-JUL-89 |
| | MIL-N-8985(1) | NUT, SELF LOCKING STEEL, 180 KSI FTU, 450 DEGREE F [CUST: AV AS 99] [REVIEW: 82 AT MI] | A 5310 | IS | | 30-NOV-76 |
| | MIL-S-9041B NOT 1 | SANDWICH CONSTRUCTION; PLASTIC RESIN, GLASS FABRIC BASE, LAMINATED FACINGS AND HONEYCOMB CORE FOR AIRCRAFT STRUCTURAL AND ELECTRONIC APPLICATIONS [CUST: AV AS 11] [REVIEW: 84 AR CR4] | A 5680 | AS | | 24-OCT-91 |
| | MIL-T-9046J(2) NOT 1 | TITANIUM AND TITANIUM ALLOY, SHEET, STRIP AND PLATE [CUST: MR AS 11] [REVIEW: 99 AR AV GL IS MI NS OS SH] | A 9535 | AS | | 25-MAY-91 |
| | MIL-W-9049D | WEBBING, TEXTILE, NYLON, LOCKING LOOP [CUST: AS 11 GS] [REVIEW: 99 CT] | A 1670 | GS | | 13-NOV-90 |
| | MIL-C-9074C NOT 1 | CLOTH, LAMINATED, SATEEN, RUBBERIZED [CUST: GL CT] [REVIEW: CR4] | A 8305 | CT | | 12-NOV-87 |
| | MIL-C-9084C(1) | CLOTH, GLASS, FINISHED, FOR RESIN LAMINATES [CUST: CR AS 11 CT] [REVIEW: 45 99 CR4 DS EA MC MI MR SH] | A 8305 | AS | | 09-JUN-70 |
| | MIL-M-9105D NOT 1 | MITTEN, INSERTS (GLOVES, AIR CREW, MITTEN STYLE, LEATHER, TYPE N-2) [CUST: 99 CT] [REVIEW: 45] | A 8415 | CT | | 31-OCT-89 |
| | MIL-D-9129D(1) SUP 1 | DISCHARGES, ELECTROSTATIC GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 17 19 99 CE MC MI] | A 5920 | CC | | 09-NOV-90 |
| | MIL-D-9129/1B | DISCHARGER, ELECTROSTATIC, TRAILING EDGE, INTEGRAL BASE, LESS THAN 300 KNOTS [CUST: CR AS 85] [REVIEW: 11 17 19 99 CE MC MI] | A 5920 | CC | | 10-MAR-89 |
| | MIL-D-9129/2A | DISCHARGER, ELECTROSTATIC, TRAILING EDGE, NON-INTEGRAL BASE, LESS THAN 300 KNOTS [CUST: CC] [REVIEW: 11 17 19 99 CE MC MI] | A 5920 | CC | | 30-SEP-86 |
| | MIL-D-9129/3A | DISCHARGER, ELECTROSTATIC, TRAILING EDGE, INTEGRAL BASE, LESS THAN 600 KNOTS [CUST: CR AS 85] [REVIEW: 11 17 19 99 CE MC MI] | A 5920 | CC | | 30-SEP-86 |
| | MIL-D-9129/4A | DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, BOND MOUNTED, TYPE 11 CLASS 1, STYLE A [CUST: CR AS 85] [REVIEW: 11 17 19 99 CE MC MI] | A 5920 | CC | | 30-SEP-86 |
| | MIL-D-9129/5A | DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, SCREW MOUNTED, TYPE 11, CLASS 1, STYLE B [CUST: CR AS 85] [REVIEW: 11 17 19 99 CE MC MI] | A 5920 | CC | | 30-SEP-86 |
| | MIL-D-9129/6A | DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, BOND MOUNTED, TYPE IT, CLASS 2, STYLE A [CUST: CR AS 85] [REVIEW: 11 17 19 99 CE MC MI] | A 5920 | CC | | 30-SEP-86 |
| | MIL-D-9129/7A | DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, SCREW MOUNTED, TYPE IT, CLASS 2, STYLE B [CUST: CR AS 85] [REVIEW: 11 17 19 99 CE MC MI] | A 5920 | CC | | 30-SEP-86 |
| | MIL-D-9129/8 | DISCHARGER, ELECTROSTATIC, WING TIP, NON-INTEGRAL BASE, GREATER THAN 600 KNOTS [CUST: CR AS 85] [REVIEW: 11 17 19 99 CE MC MI] | A 5920 | CC | | 30-SEP-86 |
| | MIL-D-9129/9(1) | HOLDERS, DISCHARGER, ELECTROSTATIC [CUST: CR AS 85] [REVIEW: 17 19 99 CE MC MI] | A 5920 | CC | | 20-OCT-92 |
| | MIL-L-9131H | LIFE RAFTS, INFLATABLE, TWENTY MAN [CUST: CR4 AS 99] | A 4220 | AS | | 07-JAN-83 |
| | MIL-C-9177B(2) SUP 1 | CONNECTOR, AUDIO, AIRBORNE, GENERAL SPECIFICATION FOR [CUST: 85] [REVIEW: 11 17 19 99] | A 5935 | CC | | 12-SEP-88 |
| | MIL-C-9177/1B | CONNECTOR, AUDIO, AIRBORNE, PLUG, 4 CONTACT [CUST: 85] [REVIEW: 11 17 19 99] | A 5935 | CC | | 12-SEP-88 |
| | MIL-C-9177/2B NOT 1 | CONNECTOR, AUDIO, AIRBORNE, PLUG, MINIATURE, 4 CONTACT [CUST: 85] [REVIEW: 11 17 19 99] | A 5935 | CC | | 12-SEP-88 |
| | MIL-C-9177/3B | CONNECTOR, AUDIO, AIRBORNE, JACK, CABLE, 4 CONTACT [CUST: 85] [REVIEW: 11 17 19 99] | A 5935 | CC | | 12-SEP-84 |
| | MIL-C-9177/4B | CONNECTOR, AUDIO, AIRBORNE, JACK, PANEL MOUNT, 4 CONTACT [CUST: 85] [REVIEW: 11 17 19 99] | A 5935 | CC | | 12-SEP-88 |
| | MIL-C-9177/5B | CONNECTOR, AUDIO, AIRBORNE, JACK, SWITCH, 4 CONTACT [CUST: 85] [REVIEW: 11 17 19 99] | A 5935 | CC | | 12-SEP-88 |
| | MIL-T-9219(2) NOT 2 | TRANSFORMERS, POWER, AUTOTRANSFORMERS AND STEP DOWN, 400 CYCLE [CUST: 85] [REVIEW: 11] | A 5950 | CC | | 25-AUG-93 |
| | MIL-R-9299C NOT 1 | RESIN, PHENOLIC, LAMINATING [CUST: MR AS 11] [REVIEW: 84 85 AR MI] | A 9330 | GS | | 24-OCT-91 |
| | MIL-S-9320C(2) NOT 1 | SIGNAL, WARNING, AUDIBLE, FOR HEADSET, TYPE MA-1 [CUST: AV AS 99] [REVIEW: 11 82] | A 6340 | GS | | 16-JAN-89 |
| | MIL-S-9395F(1) SUP 1 NOT 1 | SWITCHES, PRESSURE, (ABSOLUTE, GAGE, AND DIFFERENTIAL), GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 99 AV MC SH] | A 5930 | CC | | 24-MAY-93 |
| | MIL-S-9395/1B NOT 2 | SWITCH, PRESSURE (GAGE), TYPE 11, SPDT, 3 AMPERES [CUST: CR EC 85] [REVIEW: 11 99 AV MC SH] | A 5930 | CC | | 24-MAY-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc/Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|-------------------------|---|-----------------------|-----------------|-----------|
| | MIL-S-9395/2C NOT 1 | SWITCHES, PRESSURE, (GAGE) TYPE II, SPDT, 4 AMPERES [CUST: CR EC 85] [REVIEW: 11 17 99 AS AV MC] | A 5930 | CC | 31-MAY-89 |
| | MIL-S-9395/3B NOT 3 | SWITCH, PRESSURE [CUST: CR EC 85] [REVIEW: 11 99 AV MC SH] | A 5930 | CC | 24-MAY-93 |
| | MIL-S-9395/5C(1) NOT 1 | SWITCHES, PRESSURE, (GAGE), TYPE II, SPST, 5 AMPERES [CUST: CR EC 85] [REVIEW: 99 MC SH] | A 5930 | CC | 04-SEP-91 |
| | MIL-S-9395/6A NOT 1 | SWITCHES, PRESSURE (ABSOLUTE), TYPE I, SPDT, 3 AMPERES [CUST: CR EC 85] [REVIEW: 11 17 99 MC SH] | A 5930 | CC | 30-SEP-88 |
| | MIL-S-9395/8C NOT 2 | SWITCH, PRESSURE, (GAGE), TYPE II, SPDT, 10 AMPERES [CUST: CR EC 85] [REVIEW: 11 99 AV MC SH] | A 5930 | CC | 24-MAY-93 |
| | MIL-S-9395/10D NOT 2 | SWITCH, PRESSURE, (GAGE), TYPE II [CUST: CR EC 85] [REVIEW: 11 99 AV MC SH] | A 5930 | CC | 24-MAY-93 |
| | MIL-S-9395/24A NOT 2 | SWITCH PRESSURE GAGE (TYPE II CLASS 0 C1) SPDT, 3 AMPERES [CUST: CR EC 85] [REVIEW: 11 99 AV MC SH] | A 5930 | CC | 24-MAY-93 |
| | MIL-S-9395/26B(2) NOT 1 | SWITCHES, PRESSURE, ABSOLUTE (TYPE I) 3 AMPERES [CUST: CR EC 85] [REVIEW: 11 17 99 AS AV MC SH] | A 5930 | CC | 30-SEP-88 |
| | MIL-S-9395/27E(2) NOT 1 | SWITCHES, PRESSURE, (GAUGE), TYPE II 3 AMPERES [CUST: CR EC 85] [REVIEW: 11 17 99 AS AV MC SH] | A 5930 | CC | 30-SEP-88 |
| | MIL-S-9395/29A(1) NOT 1 | SWITCHES, PRESSURE, (DIFFERENTIAL) (TYPE III), 4 AMPERES [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT AV MC SH] | A 5930 | CC | 31-MAY-89 |
| | MIL-S-9395/30D NOT 2 | SWITCH, PRESSURE, (GAGE) TYPE II, 5 AMPERES [CUST: CR EC 85] [REVIEW: 11 99 AV MC SH] | A 5930 | CC | 24-MAY-93 |
| | MIL-S-9395/31C | SWITCHES, PRESSURE, (GAGE) TYPE II, 5 AMPERES [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT AV MC SH] | A 5930 | CC | 30-OCT-89 |
| | MIL-S-9395/32B NOT 1 | SWITCHES, PRESSURE, DIFFERENTIAL (TYPE III), 4 AMPERES [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT AV MC SH] | A 5930 | CC | 30-SEP-88 |
| | MIL-S-9395/33A NOT 2 | SWITCH, PRESSURE, DIFFERENTIAL (TYPE III), 5 AMPERES [CUST: 85] [REVIEW: 99] | A 5930 | CC | 24-MAY-93 |
| | MIL-S-9395/35C NOT 2 | SWITCHES, PRESSURE, ABSOLUTE (TYPE I), 3 AMPERES [CUST: 85] [REVIEW: 99] | A 5930 | CC | 24-MAY-93 |
| | MIL-S-9395/38A NOT 1 | SWITCH, PRESSURE, (GAGE) TYPE II, LOW LEVEL TO 5 AMPERES [CUST: CR EC 85] [REVIEW: 11 99 AV MC SH] | A 5930 | CC | 24-MAY-93 |
| | MIL-S-9395/39B(1) | SWITCHES, PRESSURE, (GAUGE) TYPE II, LOW LEVEL TO 5 AMPERES [CUST: CR EC 85] [REVIEW: 19 99 AS AV MC SH] | A 5930 | CC | 25-SEP-92 |
| | MIL-S-9395/40A NOT 1 | SWITCH, PRESSURE, (GAGE) TYPE II, LOW LEVEL TO 5 AMPERES [CUST: CR EC 85] [REVIEW: 11 99 AV MC SH] | A 5930 | CC | 24-MAY-93 |
| | MIL-S-9395/41B NOT 1 | SWITCH, PRESSURE, (GAGE) TYPE II, LOW LEVEL TO 1 AMPERE [CUST: CR EC 85] [REVIEW: 11 99 AV MC SH] | A 5930 | CC | 24-MAY-93 |
| | MIL-S-9395/43A NOT 1 | SWITCH, PRESSURE, (GAGE) TYPE II, LOW LEVEL TO 1 AMPERE [CUST: CR EC 85] [REVIEW: 11 99 AV MC SH] | A 5930 | CC | 24-MAY-93 |
| | MIL-S-9395/48A NOT 2 | SWITCH, PRESSURE, ABSOLUTE TYPE I, 5 AMPERES [CUST: 85] [REVIEW: 99] | A 5930 | CC | 24-MAY-93 |
| | MIL-G-9398C(2) | GENERATOR, TACHOMETER, TWO-POLE, HIGH TEMPERATURE, AIRCRAFT [CUST: CR 4 AS 99] [REVIEW: AV] | A 6620 | GS | 30-MAY-73 |
| | MIL-P-9400C | PLASTIC LAMINATE AND SANDWICH CONSTRUCTION PARTS AND ASSEMBLY, AIRCRAFT STRUCTURAL, PROCESS SPECIFICATION REQUIREMENTS [CUST: MI AS 11] [REVIEW: CR 4 GS] | A CMPS | AS | 14-NOV-91 |
| | MIL-C-9401B(1) | CANOPY, PARACHUTE, RING SLOT, GENERAL SPECIFICATION FOR CONSTRUCTION OF [CUST: GL AS] [REVIEW: MC] | A 1670 | GL | 01-JUN-93 |
| | MIL-D-9415A NOT 1 | DYNAMIC LOUDSPEAKER LS&184A-AIC&10 [CUST: 85] [REVIEW: 99] | A 5965 | CC | 27-FEB-87 |
| | MIL-S-9419E | SWITCH, TOGGLE, MOMENTARY, FOUR-POSITION ON, CENTER OFF, GENERAL SPECIFICATION FOR [CUST: AV AS 85] [REVIEW: 11] | A 5930 | CC | 10-MAR-89 |
| | MIL-S-9419/1B NOT 2 | SWITCHES, TOGGLE, FOUR POSITION ON, CENTER OFF (.623 DIA) [CUST: CR 85] [REVIEW: 99 MI] | A 5930 | CC | 28-MAY-93 |
| | MIL-S-9419/2D | SWITCHES, TOGGLE, FOUR POSITION ON, MOMENTARY, CENTER OFF (.600 DIA) [CUST: EC 85 CC] [REVIEW: 99] | A 5930 | CC | 26-JUN-95 |
| | MIL-S-9419/3 | SWITCHES, TOGGLE, FOUR POSITION ON, MOMENTARY, CENTER OFF DOUBLE POLE PER THROW [CUST: 85] | A 5930 | CC | 18-FEB-92 |
| | MIL-V-9439D(2) | VALVE, OXYGEN, CYLINDER, HIGH PRESSURE [CUST: AV AS 99] [REVIEW: 11 CC] | A 4820 | 71 | 09-OCT-87 |
| | MIL-F-9490D NOT 1 | FLIGHT CONTROL SYSTEMS - DESIGN, INSTALLATION AND TEST OF PILOTED AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 11] | A 6610 | AS | 05-OCT-92 |
| A | MIL-C-9660A(3) NOT 1 | CABLES; COMPOSITE TELEPHONE AND TELEVISION (16 AUG, VIDEO PAIR-POLYETHYLENE INSULATED AND 19 AWG, PAPER-OR-PULP INSULATED, LEAD COVERED, AND TAPE ARMORED) [CUST: 85] | A 6145 | CC | 27-DEC-91 |
| | MIL-H-9697(1) | HEADSET & MICROPHONE H-163/U [CUST: 85] | A 5965 | CC | 30-SEP-88 |
| | MIL-B-9925D | BORING MACHINS, JIB, VERTICAL, SINGLE COLUMN AND DOUBLE COLUMN BRIDGE TYPES, MANUAL ANDPOWER FEED [CUST: AL SH 99] [REVIEW: MC] | A 3411 | GS | 15-MAR-88 |
| D | MIL-L-9965A(1) NOT 1 | LIGHT, WARNING, VEHICULAR, RED, FLASHING [CUST: 99 IS] [REVIEW: 82] | A 6220 | IS | 15-MAR-91 |
| A | MIL-S-9968C(1) | SKID, COMPONENTS, DOD REUSABLE [CUST: IS] | A 3990 | IS | 16-SEP-91 |
| | MIL-T-10009H | TENT, KITCHEN, FLYPROOF, M-1948 [CUST: GL 99 CT] [REVIEW: 45 82 MD] | A 8340 | CT | 29-OCT-91 |
| | MIL-P-10018F | PAIL, COLLAPSIBLE, 10 QUART CAPACITY [CUST: GL NU 99 CT] [REVIEW: 45 MC MD] | A 8465 | CT | 08-MAY-84 |
| | MIL-T-10035K | TENT, HEXAGONAL, LIGHTWEIGHT, M-1950 [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8340 | CT | 25-MAR-88 |
| | MIL-B-10042D NOT 1 | BAG, AMMUNITION [CUST: GL 99 CT] [REVIEW: 45 MD] | A 8465 | CT | 25-JAN-88 |
| | MIL-C-10049A(1) NOT 3 | CANNON, 76MM GUN, M32 [CUST: AR] | A 1015 | AR | 10-OCT-96 |
| | MIL-S-10057H(5) | SIMULATOR, HAND GRENADE, M116A1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | 02-FEB-96 |
| | MIL-S-10058H(4) | SIMULATOR, PROJECTILE, GROUND BURST, M115A2, PARTS FOR AND LOADING, ASSEMBLING AND PACKAGING [CUST: AR] | A 1370 | AR | 04-MAR-96 |
| | MIL-T-10069G(2) | TENT, MAINTENANCE SHELTER, FIRE, WATER, WEATHER AND MILDEW RESISTANT, OLIVE DRAB [CUST: GL 99 CT] [REVIEW: 45 82] | A 8340 | CT | 11-JUN-90 |
| | MIL-B-10154C(15) | BATTERIES, PRIMARY, WATER-ACTIVATED (DUNK TYPE) [CUST: CR] | A 6135 | CR | 31-JAN-77 |
| | MIL-T-10168J | TENT, FRAME TYPE, INSULATED, SECTIONAL, WITH FLOOR, 16 FEET WIDE, M&1948, COMPLETE [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8340 | CT | 30-JUN-86 |
| | MIL-C-10176J | CLOTH, GABARDINE: WOOL, POLYESTER AND WOOL [CUST: GL NU 45 CT] [REVIEW: 32 82 99 MC MD] | A 8305 | CT | 06-JAN-89 |
| | MIL-R-10185E | RINGS, BREECH, STEEL FORGINGS FOR [CUST: AR] | A FORG | AR | 13-JAN-92 |
| | MIL-S-10215H | SPEEDOMETERS; TACHOMETERS; FLEXIBLE SHAFT ASSEMBLIES; FLEXIBLE SHAFT ASSEMBLY CORES, ADAPTERS, AND TRANSMITTERS [CUST: AT GS] [REVIEW: CR 4 MC MI] | A 6680 | GS | 04-NOV-92 |
| | MIL-T-0010224M | TRUCK, FIRE FIGHTING: [CUST: AV] | A 4210 | AV | 29-AUG-84 |
| | MIL-C-10244G(1) | CRYPTOGRAPHIC EQUIPMENT DESTROYER, INCENDIARY, TH4, M2A1 [CUST: EA OS 99] [REVIEW: MC] | A 1375 | AR | 12-MAY-71 |
| | MIL-C-0010244H(1) | CRYPTOGRAPHIC EQUIPMENT DESTROYER INCENDIARY, TH4, M2A1 [CUST: AR] | A 1375 | AR | 18-MAR-80 |
| | MIL-L-10287B | LACQUER, CELLULOSE NITRATE FOR IDENTIFICATION OF SMALL ARMS AMMUNITION [CUST: AR 11] [REVIEW: EA IS OS] | A 8010 | AR | 22-OCT-76 |
| | MIL-M-10289C | MOUNTING MT-791 ()/U [CUST: CR 17 CC] [REVIEW: 80 99 MC] | A 5805 | CC | 23-MAY-90 |
| | MIL-C-10296I | CLOTH, SATEEN, COTTON [CUST: GL NU 45 CT] [REVIEW: 32 82 99 MC MD] | A 8305 | CT | 12-SEP-86 |
| | MIL-M-10304E(1) SUP 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED GENERAL SPECIFICATION FOR [CUST: CR SH 99] [REVIEW: 11 AR AS AT AV CC CG CR 4 EA MC OS] | A 6625 | CC | 26-FEB-76 |
| | MIL-M-10304/4C NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 [CUST: CR SH 99] [REVIEW: 11 AR AT AV CC CG CR 4 MC MI] | A 6625 | CC | 25-JUL-86 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | NCA | Prep. Acty. | Date |
|------------|--------------------------|--|--------------------------|-----|-------------|-----------|
| | MIL-M-10304/SF NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, DC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 [CUST: CR SH 99] [REVIEW: 11 AR AT CC CG CR4 EA MC MI] | A 6625 | CC | | 25-JUL-86 |
| | MIL-M-10304/6E NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLT METER, AC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 [CUST: CR SH 99] [REVIEW: 11 AR AT AV CC CG CR4 MC MI] | A 6625 | CC | | 25-JUL-86 |
| | MIL-M-10304/7D NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, AMMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 [CUST: CR SH 99 CC] [REVIEW: 11 AR AT AV CG CR4 MC MI] | A 6625 | CC | | 25-JUL-86 |
| | MIL-M-10304/9B NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, SPECIAL (FLUSH MOUNTING, ROUND FLANGE, 2-1/2 INCH) STYLE 26 [CUST: CR SH 99 CC] [REVIEW: 11 AR AT AV CG CR4 MC MI] | A 6625 | CC | | 25-JUL-86 |
| | MIL-M-10304/11D NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36 [CUST: CR SH 99] [REVIEW: 11 AR AT AV CC CG CR4 MC MI] | A 6625 | CC | | 01-JUL-86 |
| | MIL-M-10304/12E NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, AMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36 [CUST: CR SH 99 CC] [REVIEW: 11 AT CG CR4 EA MC MI] | A 6625 | CC | | 25-JUL-86 |
| | MIL-M-10304/13D | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36 [CUST: CR SH 99] [REVIEW: 11 AR AT AV CC CG CR4 MC MI] | A 6625 | CC | | 25-JUL-86 |
| | MIL-M-10304/14C NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, AMMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36 [CUST: CR SH 99 CC] [REVIEW: 11 17 AR AT AV CG CR4 MC MI] | A 6625 | CC | | 25-JUL-86 |
| | MIL-M-10304/16B NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, SPECIAL (FLUSH MOUNTING, ROUND FLANGE, 3-1/2 INCH) STYLE 36 [CUST: CR SH 99 CC] [REVIEW: 11 AT AV CG CR4 MC MI] | A 6625 | CC | | 25-JUL-86 |
| | MIL-M-10304/17E | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, AMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 4 1/2 INCH) STYLE 46 [CUST: CR SH 99] [REVIEW: 11 AR AT AV CC CG CR4 MC MI] | A 6625 | CC | | 25-JUL-86 |
| | MIL-M-10304/20C NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER AND AMMETER, DC (SQUARE FLANGE, 1-INCH) STYLE 03 [CUST: CR SH 99 CC] [REVIEW: 17 AR AS AT AV CG CR4 MC MI] | A 6625 | CC | | 02-NOV-89 |
| | MIL-M-10304/21F NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER, DC (SQUARE FLANGE, 1 1/2 INCH) STYLE 13 [CUST: CR SH 99] [REVIEW: 11 AR AT AV CC CG CR4 MC MI] | A 6625 | CC | | 25-JUL-86 |
| | MIL-M-10304/22C NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER AND AMMETER, DC, LONG SCALE (FLUSH MOUNTING, ROUND FLANGE, 3-1/2 INCH) STYLE 34 [CUST: CR SH 99 CC] [REVIEW: 11 AR AT AV CG CR4 EC MC MI] | A 6625 | CC | | 02-NOV-89 |
| | MIL-M-10304/23C NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER & AMMETER, DC, LONG SCALE (FLUSH MOUNTING, ROUND FLANGE 4 1/2 INCH) STYLE 44 [CUST: CR SH 99] [REVIEW: 11 AR AT AV CC CG CR4 MC MI] | A 6625 | SH | | 25-JUL-86 |
| | MIL-M-10304/24F(1) NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: AMMETER, DC (SQUARE FLANGE, 1-1/2 INCH), STYLE 13 [CUST: CR SH 99 CC] [REVIEW: AR AV CG EA MC MI] | A 6625 | CC | | 02-NOV-89 |
| | MIL-M-10304/25C NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, RECTIFIER-TYPE VOLTMETER, AC (FLUSH MOUNTING, ROUND FLANGE 2-1/2 INCH) STYLE 26 [CUST: CR SH 99 CC] [REVIEW: 11 AR AT AV CG CR4 MC MI] | A 6625 | CC | | 17-DEC-75 |
| | MIL-M-10304/26D NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, RECTIFIER TYPE VOLTMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH), STYLES 34 & 36 [CUST: CR SH 99 CC] [REVIEW: 11 17 AR AS AT AV CG MC MI] | A 6625 | CC | | 25-JUL-86 |
| | MIL-M-10304/29 NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: MILLIVOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH), STYLES 05, 06, AND 07 [CUST: CR SH 99 CC] [REVIEW: 11 AT AV CG CR4 MC MI] | A 6625 | CC | | 26-MAR-88 |
| | MIL-M-10304/30 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, MILLIAMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH) STYLES 05, 06, & 07 [CUST: CR SH 99] [REVIEW: 11 AT AV CC CG CR4 MC MI] | A 6625 | CC | | 24-MAY-74 |
| | MIL-M-10304/31 NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: MICROAMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH) STYLES 05, 06, 07 [CUST: CR SH 99 CC] [REVIEW: 11 AT AV CG CR4 MC MI] | A 6625 | CC | | 26-MAR-88 |
| | MIL-M-10304/32 NOT 1 | METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH), STYLES 05, 06, 07 [CUST: CR SH 99 CC] | A 6625 | CC | | 26-MAR-88 |
| | MIL-M-10304/37 NOT 1 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED VOLTMETER & AMMETER, DC, LONG SCALE (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 24 [CUST: CR SH 99] [REVIEW: 11 AR AT AV CC CG CR4 MC MI] | A 6625 | CC | | 25-JUL-86 |
| | MIL-C-10320E | COVER, LEVEL ROD, PHILADELPHIA, CANVAS [CUST: CE] [REVIEW: MC] | A 6675 | GS | | 02-DEC-82 |
| | MIL-C-10351D NOT 1 | CLOTH, LAMINATED AND COATED FOR WATERPROOF CONTAINERS [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 30-JUL-90 |
| | MIL-P-10360F | PUMP, CENTRIFUGAL, 4 INCH AND 6 INCH, GASOLINE ENGINE AND DIESEL ENGINE DRIVEN, FOR WATER [CUST: AT 99] [REVIEW: CC MC] | A 4320 | AT | | 30-MAY-84 |
| | MIL-W-10430D | WELDING RODS AND ELECTRODES; PACKAGING OF [CUST: AR SH 99] [REVIEW: AS CC CR4 EC GS MC MI OS SA SM YDI] | A PACK | SH | | 22-MAR-94 |
| | MIL-C-10436L | COMPASS, MAGNETIC, UNMOUNTED: LENSATIC, LUMINOUS, 5 DEG. AND 20 MIL GRADUATIONS [CUST: CE 99] [REVIEW: MC SH] | A 6605 | CE | | 15-MAY-87 |
| A | MIL-C-10436L(12) | COMPASS, MAGNETIC, UNMOUNTED: LENSATIC, LUMINOUS, 5 DEGREE AND 20 MIL GRADUATIONS [CUST: CE3] | A 6605 | CE3 | | 08-NOV-90 |
| | MIL-S-10521K(3) | SIMULATOR, BOOBY TRAP, FLASH, M117 PARTS FOR AND LOADING ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 11-FEB-93 |
| | MIL-S-10522K(1) NOT 1 | SIMULATOR, BOOBY TRAP, WHISTLING, M119, PARTS FOR AND LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1370 | AR | | 13-OCT-88 |
| M | MIL-C-10544C(3) NOT 1 | CONNECTORS, PLUG AND RECEPTACLE (ELECTRICAL, AUDIO, WATERPROOF, TEN CONTACT, POLARIZED) [CUST: CR CC] [REVIEW: AV EA MC MI] | A 5935 | CC | | 20-MAR-98 |
| | MIL-S-10555H(1) NOT 1 | SIMULATOR, BOOBY TRAP, ILLUMINATING M118 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 31-OCT-90 |
| | MIL-C-10597E(1) | CLEANING COMPOUND WITH CONDITIONER AND INHIBITOR FOR ENGINE COOLING SYSTEMS [CUST: AT YDI 68] [REVIEW: GS SM] | A 6850 | AT | | 24-AUG-84 |
| | MIL-C-0010597F | CLEANING COMPOUND WITH CONDITIONER FOR ENGINE COOLING SYSTEMS [REVIEW: AT SM] | A 6850 | AT | | 27-JUN-94 |
| | MIL-S-10679E NOT 1 | SCARF, NECKWEAR, RAYON, WOMAN S [CUST: MC 11 CT] [REVIEW: 99 SA] | A 8445 | CT | | 26-FEB-88 |
| | MIL-C-10750I | COAT, FIREMEN S [CUST: GL NU 99 CT] [REVIEW: 45 AS MD OS] | A 8415 | CT | | 17-JUN-88 |
| | MIL-S-0010762D | YEMITRAILER, REFRIGERATOR: 7 1/2-TON, 2-WHEEL, M349A1, M349A2, AND M349A3 | A 2330 | AT | | 24-MAR-65 |
| | MIL-T-10798L | TRUNK LOCKER, BARRACKS [CUST: GL 99 CT] [REVIEW: 45 82 EA MC MD] | A 8460 | CT | | 02-MAR-90 |
| | MIL-C-10799H NOT 1 | CLOTH, COATED, COTTON, VINYL COATED, FIRE AND MILDEW RESISTANT [CUST: GL AS 99 CT] [REVIEW: 45 82 CR4 MC MD MI OS] | A 8305 | CT | | 22-APR-89 |
| D | MIL-F-10805D(1) | FUEL, COMPRESSED, TRIOXANE, RATION HEATING [CUST: GL 68 GS] [REVIEW: MC MD PS YDI] | A 9110 | IS | | 11-MAR-76 |
| A | MIL-P-10808F(1) | POUCH, HUMAN REMAINS [CUST: GL MS 34 CT] [REVIEW: MD YDI] | A 9930 | CT | | 03-DEC-87 |
| | MIL-P-10808F(12) | POUCH, HUMAN REMAINS [CUST: GL] | A 9930 | GS | | 10-AUG-92 |
| | MIL-P-10809G | PARKA, SNOW CAMOUFLAGE [CUST: GL NU 99 CT] [REVIEW: 31 45 82 MC MD SA] | A 8415 | CT | | 07-NOV-89 |
| | MIL-P-0010809H | PARKA, SNOW CAMOUFLAGE, WHITE [CUST: GL] | A 8415 | CT | | 10-FEB-92 |
| | MIL-P-10830 | POTASSIUM PICRATE [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 15-JAN-51 |
| | MIL-G-10849F | GLOVE SHELLS, ELECTRICAL WORKER S [CUST: GL NU 99 CT] [REVIEW: 11 45 CR MD OS SH YDI] | A 8415 | CT | | 09-NOV-79 |
| | MIL-C-10859J | CLOTH, OXFORD, COTTON, (PERMEABLE) [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8305 | CT | | 24-SEP-90 |
| | MIL-C-10872E | CAP, FLUE, 4-INCH, CYLINDRICAL [CUST: GL YDI] [REVIEW: CC CR4 MC MD] | A 4520 | YDI | | 30-SEP-85 |
| | MIL-F-10884G(1) | FASTENERS, SNAP [CUST: GL AS 99 IS] [REVIEW: 82 AR AV CR4 CT MI OS] | A 5325 | IS | | 16-JUN-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|---------------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Asa | MCA | Prep. Acty. | Date |
| | MIL-W-10885B(1) | WAX, IMPREGNATING, WATERPROOFING, FOR LAMINATED PAPER TUBES FOR SMALL ARMS AMMUNITION [CUST: AR OS] [REVIEW: EA GS PS] | A 9160 | AR | | 22-JAN-62 |
| | MIL-C-10888D NOT 4 | CANNON, 4.2 INCH MORTAR: M30 AND MOUNT, 4.2 INCH MORTAR: M24A1 [CUST: AR] | A 1015 | AR | | 10-OCT-96 |
| | MIL-G-10902J | GLOVES, MEN'S, AND WOMEN'S, ANTICONTACT [CUST: GL NU CT] [REVIEW: CG MC MD] | A 8415 | CT | | 28-NOV-89 |
| | MIL-I-10903 | ISOBUTYL METHACRYLATE POLYMER, AE [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 05-FEB-51 |
| | MIL-L-10911D SUP 1 | LOUDSPEAKER, PERMANENT MAGNET (UNENCASED, 6-, 8-, 10-, AND 12-INCH DIAMETER CONE) [CUST: CR EC 85 CC] [REVIEW: 13 17 99 AR AS AT CR CR4 MC MI] | A 5965 | CC | | 20-OCT-82 |
| | MIL-L-10911/1B NOT 1 | LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 5-INCH DIAMETER CONE) [CUST: CR EC 85 CC] [REVIEW: 13 17 99 AS AT AV CR4 MC MI] | A 5965 | CC | | 23-OCT-90 |
| | MIL-L-10911/2A NOT 1 | LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 6-INCH DIAMETER CONE) [CUST: CR EC 85 CC] [REVIEW: 11 13 17 AS AT AV CR4 MC MI OS SH] | A 5965 | CC | | 05-FEB-91 |
| | MIL-L-10911/3B NOT 1 | LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 8-INCH DIAMETER CONE) [CUST: CR EC 85 CC] [REVIEW: 13 17 99 AS AT CR4 MC MI OS SH] | A 5965 | CC | | 29-NOV-90 |
| | MIL-L-10911/4A NOT 1 | LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 10-INCH DIAMETER CONE) [CUST: CR EC 85 CC] [REVIEW: 11 13 17 AS AT AV CR4 MC MI OS SH] | A 5965 | CC | | 23-OCT-90 |
| | MIL-L-10911/5A NOT 1 | LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 12-INCH DIAMETER CONE) [CUST: CR EC 85 CC] [REVIEW: 11 13 17 AS AT AV CR4 MC MI OS SH] | A 5965 | CC | | 29-NOV-90 |
| | MIL-L-10911/6A NOT 1 | LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 3-INCH DIAMETER CONE) [CUST: CR EC 85] [REVIEW: 11 13 17 AS AT AV CR CR4 MC MI OS SH] | A 5965 | CC | | 13-JAN-89 |
| | MIL-L-10911/7A NOT 1 | LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 2.5-INCH DIAMETER CONE) [CUST: CR EC 85] [REVIEW: 11 13 17 AR AS AV CR CR4 MC MI OS SH] | A 5965 | CC | | 13-JAN-89 |
| | MIL-L-10911/8B | LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 4-INCH DIAMETER CONE) [CUST: CR EC 85 CC] [REVIEW: 13 17 AR AS AT AV CR CR4 MC MI OS SH] | A 5965 | CC | | 17-MAR-95 |
| | MIL-C-10922G | CASE, PARACHUTISTS, INDIVIDUAL WEAPONS M-1950, ADJUSTABLE. [CUST: GL NU 99 CT] [REVIEW: 11 45 AS AV MC] | A 8465 | CT | | 20-FEB-85 |
| | MIL-S-10926G | SUSPENDERS, TROUSERS, M-1950 [CUST: GL NU 99 CT] [REVIEW: 45 82 CG MC MD] | A 8440 | CT | | 10-JUN-86 |
| | MIL-G-10944B(3) | GAGE, DIMENSIONAL CONTROL [CUST: AR AS 99] [REVIEW: CR4 MC MI] | A 5220 | AR | | 19-FEB-82 |
| | MIL-C-10950C(3) SUP 1 | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG OS SH] | A 5910 | CC | | 05-OCT-87 |
| | MIL-C-10950/1E(2) | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEED THRU) STYLES CB11, CB13, CB14 [CUST: CR EC 85] [REVIEW: 17 AS CG OS] | A 5910 | CC | | 05-OCT-87 |
| | MIL-C-10950/2D(1) | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (STANDOFF) STYLE CB21 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG OS] | A 5910 | CC | | 05-OCT-87 |
| | MIL-C-10950/3E(1) | CAPACITORS, FIXED, MICA DIELECTRIC, BUTTON STYLE (STANDOFF) STYLE CB31 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG OS] | A 5910 | CC | | 05-OCT-87 |
| | MIL-C-10950/4D(1) | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEEDTHRU) STYLE CB50 [CUST: CR EC 85] [REVIEW: 17 99 AR AS CG OS SH] | A 5910 | CC | | 05-OCT-87 |
| | MIL-C-10950/7C(1) | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEEDTHRU, HERMETIC SEAL) STYLES CB60, CB61, AND CB62 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG OS SH] | A 5910 | CC | | 05-OCT-87 |
| | MIL-C-10950/8C(1) | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEEDTHRU, HERMETIC SEAL) STYLES CB55, CB56, AND CB57 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG OS SH] | A 5910 | CC | | 05-OCT-87 |
| | MIL-C-10950/9C(1) | CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (STANDOFF, HERMETIC SEAL) STYLES CB65, CB66, AND CB67 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG OS SH] | A 5910 | CC | | 05-OCT-87 |
| | MIL-B-10955F SUP 1A NOT 1 | BADGE, QUALIFICATION, AVIATION, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 12-NOV-92 |
| A | MIL-M-10958F | MARGARINE, CANNED [CUST: GL SA 50] [REVIEW: MC MD] | A 8945 | SS | | 29-JUL-76 |
| | MIL-P-10971E(3) | PIN, SPRING, TUBULAR (COILED AND SLOTTED) [CUST: AR OS 99 IS] [REVIEW: 82 AT AV CR4 MI SA SH] | A 5315 | IS | | 03-APR-92 |
| | MIL-S-10987E | SCALE, PLOTTING, COORDINATE (PLASTIC, SQUARE, 1:25,000 SCALE AND 1:50,000 SCALE, GRADUATED IN METERS) [CUST: CE] | A 6675 | GS | | 02-DEC-91 |
| | MIL-C-11015D(9) SUP 1A | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS MC MI OS SH] | A 5910 | CC | | 25-FEB-94 |
| | MIL-C-11015/1D | YAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK21 (FOR REPLACEMENT PURPOSES ONLY) [CUST: CR EC 85] [REVIEW: 11 17 19 99 EA MC MI] | A 5910 | CC | | 06-DEC-67 |
| | MIL-C-11015/2C NOT 1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK22 (FOR REPLACEMENT PURPOSES ONLY) [CUST: CR EC 85] [REVIEW: 11 17 19 99 MC MI] | A 5910 | CC | | 02-MAR-87 |
| | MIL-C-11015/9E(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK60 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS MI OS SH] | A 5910 | CC | | 14-JAN-86 |
| | MIL-C-11015/10E(1) | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK61 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS MI OS SH] | A 5910 | CC | | 14-JAN-86 |
| | MIL-C-11015/11E(1) | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) STYLE CK62 [CUST: CR EC 85] [REVIEW: 17 19 99 AS MI OS SH] | A 5910 | CC | | 14-JAN-86 |
| | MIL-C-11015/12E(2) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK63 [CUST: CR EC 85] [REVIEW: 19 99 AS MI OS SH] | A 5910 | CC | | 09-JUL-92 |
| | MIL-C-11015/13D | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (FEED-THRU), STYLE CK70 [CUST: CR EC 85] [REVIEW: 11 17 19 99 MC MI] | A 5910 | CC | | 03-MAY-84 |
| | MIL-C-11015/14C NOT 1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (STAND-OFF), STYLE CK80 [CUST: CR EC 85] [REVIEW: 11 17 19 99 MC MI] | A 5910 | CC | | 02-MAR-87 |
| | MIL-C-11015/15C NOT 1 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (STAND-OFF), STYLE CK81 [CUST: CR EC 85] [REVIEW: 11 99 MC MI] | A 5910 | CC | | 02-MAR-87 |
| | MIL-C-11015/18D | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK05 [CUST: CR EC 85] [REVIEW: 11 17 19 99 MC MI] | A 5910 | CC | | 28-SEP-70 |
| | MIL-C-11015/19D | YAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK06 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR EA MC MI] | A 5910 | CC | | 28-SEP-70 |
| | MIL-C-11015/21E(1) | CAPACITOR, FIXED CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK64, CK65, CK66, CK 67, CK68, AND CK69 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS MI OS SH] | A 5910 | CC | | 14-JAN-86 |
| | MIL-C-11015/23C NOT 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), (FEED-THRU), STYLE CK72 [CUST: CR EC 85] [REVIEW: 17 19 99 AS MC MI OS SH] | A 5910 | CC | | 28-JUL-88 |
| | MIL-C-11015/24E(2) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK41, CK42, CK43, CK50, CK51, CK52, CK53, CK54 AND CK55 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS MI OS] | A 5910 | CC | | 03-OCT-88 |
| | MIL-C-11015/26B | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK18 AND CK19 [CUST: CR EC 85] [REVIEW: 17 19 99 MI] | A 5910 | CC | | 28-SEP-70 |
| | MIL-C-11015/29C(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), (FEED-THRU OR STAND-OFF) STYLES CK74, CK75, CK78, CK79 AND CK85 [CUST: 85] | A 5910 | CC | | 17-JUN-88 |
| | MIL-S-11031B | SEALING COMPOUND, ADHESIVE. CURING (POLYSULFIDE BASE) [CUST: AR 11] [REVIEW: 99 AT CR4 MC MI] | A 8030 | AR | | 05-JUN-63 |
| | MIL-B-11040E(1) | BELT, V: ENGINE ACCESSORY DRIVE [CUST: AT YD1 99] [REVIEW: AR MC MI SM] | A 3030 | CC | | 07-JUL-92 |
| | MIL-C-11053F | COUPLING ASSEMBLY, HOSE (CHEMICAL, 3/4- AND 1-INCH) [CUST: AV YD1] [REVIEW: AR] | A 4210 | CC | | 28-DEC-83 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-C-11090F(1) | CLEANING COMPOUND, DEGREASING AND DEPRESERVING SOLVENT [CUST: MR YD1] [REVIEW: AR CR4 GL MC MD OS SH] | A 6850 | GS | | 14-APR-92 |
| | MIL-I-11132H SUP 1A NOT 1 | INSIGNIA, BRANCH OF SERVICE, GRADE, RANK, GARRISON CAP, AND SERVICE CAP, ROTC AND JROTC PERSONNEL, ARMY AND AIR FORCE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 12-NOV-92 |
| A | MIL-DTL-11132/1F | INSIGNIA, RANK, DIAMOND, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/2F | INSIGNIA, RANK, DISK, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/3F | INSIGNIA, BRANCH OF SERVICE, BASIC COURSE, SENIOR DIVISION AND CORPS, JUNIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/4F | INSIGNIA, BRANCH OF SERVICE, ADVANCE COURSE, SENIOR DIVISION AND CADET OFFICER, JUNIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/5F | INSIGNIA, GARRISON CAP, JUNIOR DIVISION AND BASIC COURSE, SENIOR DIVISION, ROTC AND INSIGNIA, SERVICE CAP, BASIC COURSE, SENIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/6J | INSIGNIA, SERVICE AND GARRISON CAP, ROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/7E | INSIGNIA, BRANCH OF SERVICE, ROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/8E | INSIGNIA, RANK, CADET, COLONEL, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/9E | INSIGNIA, RANK, CADET, LIEUTENANT COLONEL, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/10E | INSIGNIA, RANK, CADET, MAJOR, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/11F | INSIGNIA, RANK, CADET, CAPTAIN, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/12E | INSIGNIA, RANK, CADET, FIRST LIEUTENANT, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/13E | INSIGNIA, RANK, CADET, SECOND LIEUTENANT, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/20E | INSIGNIA, CAP, ADVANCE COURSE, SENIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/24F | INSIGNIA, GRADE, CADET, MASTER SERGEANT, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/25F | INSIGNIA, GRADE, CADET, TECHNICAL SERGEANT, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/26F | INSIGNIA, GRADE, CADET, STAFF SERGEANT, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/27F | INSIGNIA, GRADE, CADET, SERGEANT, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/28F | INSIGNIA, GRADE, CADET, AIRMAN FIRST CLASS, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/29F | INSIGNIA, GRADE, CADET, AIRMAN, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/30D | INSIGNIA, GRADE, COMMAND SERGEANT MAJOR, SENIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/31D | INSIGNIA, GRADE, SERGEANT MAJOR, SENIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/32D | INSIGNIA, GRADE, FIRST SERGEANT, SENIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/33D | INSIGNIA, GRADE, MASTER SERGEANT, SENIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/34D | INSIGNIA, GRADE, SERGEANT FIRST CLASS, SENIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/35D | INSIGNIA, GRADE, STAFF SERGEANT, SENIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/36D | INSIGNIA, GRADE, SERGEANT, SENIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/37D | INSIGNIA, GRADE, CORPORAL, SENIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/38D | INSIGNIA, GRADE, PRIVATE FIRST CLASS, SENIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/39D | INSIGNIA, GRADE, PRIVATE, SENIOR DIVISION, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/40D | INSIGNIA, GRADE, CADET, SENIOR MASTER SERGEANT, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/41D | INSIGNIA, GRADE, CADET, CHIEF MASTER SERGEANT, ROTC AND JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/42B | INSIGNIA, RANK, CADET, OFFICERS, SROTC, FATIGUE, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/43 | BADGE, QUALIFICATION, ACADEMIC ACHIEVEMENT WREATH, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/44 | BADGE, QUALIFICATION, STAR, HONOR UNITS, ROTC AND NDCC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/45 | BADGE, QUALIFICATION, RECONDO, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/46 | BADGE, QUALIFICATION, AVIATION, FLIGHT TRAINING GRADUATE, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/47 | BADGE, QUALIFICATION, AVIATION, FLIGHT TRAINING STUDENT, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/48 | BADGE, QUALIFICATION, ACADEMIC ACHIEVEMENT WREATH, ADDITIONAL AWARDS, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 06-JUN-97 |
| A | MIL-DTL-11132/49 | BADGE, QUALIFICATION, MISSILEMAN, ROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUL-97 |
| A | MIL-DTL-11132/50 | BADGE, QUALIFICATION, DISTINGUISHED MILITARY STUDENT, ROTC ARMY AND AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUL-97 |
| A | MIL-DTL-11132/51 | BADGE, QUALIFICATION, MODEL ROCKETRY, JROTC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUL-97 |
| A | MIL-DTL-11132/52 | BADGE, QUALIFICATION, PRE-HEALTH, AFROTC [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUL-97 |
| A | MIL-DTL-11132/53 | BADGE, QUALIFICATION, NURSE, AFROTC [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 06-JUN-97 |
| | MIL-H-11134F | HANDSET H-33()/PT [CUST: CR CC] | A 5965 | CC | | 18-SEP-90 |
| | MIL-C-11135E | CALCIUM HYDRIDE CHARGE ML-304/TM & ML-305/TM & CHARGE, HYDROGEN GENERATOR, ML-587/TM [CUST: CR 99 GS] [REVIEW: 13] | A 6660 | GS | | 21-NOV-84 |
| | MIL-S-11183F | SCALE, DIAL AND BEAM INDICATING, BAKERS, DOUGH PIECE CHECKING [CUST: GL GS] [REVIEW: MC MD YD1] | A 6670 | GS | | 31-DEC-85 |
| | MIL-H-11190D NOT 1 | HEADSET, ELECTRICAL AND HEADSET MICROPHONES [CUST: CR EC 85 CC] [REVIEW: 99] | A 5965 | CC | | 12-MAR-87 |
| | MIL-H-11190/1 NOT 1 | HEADSET, ELECTRICAL AND HEADSET MICROPHONES HEADSET MICROPHONE TYPE H-62(U) [CUST: CR EC 85 CC] [REVIEW: 99] | A 5965 | CC | | 09-JAN-87 |
| | MIL-H-11190/2 NOT 1 | HEADSET, ELECTRICAL AND HEADSET MICROPHONES HEADSET MICROPHONE TYPE H-63(U) [CUST: CR EC 85 CC] [REVIEW: 99] | A 5965 | CC | | 09-JAN-87 |
| | MIL-H-11190/3 NOT 1 | HEADSET, ELECTRICAL AND HEADSET MICROPHONES HEADSET ELECTRICAL TYPE H-113(U) [CUST: CR EC 85 CC] [REVIEW: 99] | A 5965 | CC | | 09-JAN-87 |
| | MIL-M-11193D NOT 1 | MICROPHONE, CARBON (MICROPHONES M-29) (U & M-52) (U) [CUST: CR 85 CC] [REVIEW: 99] | A 5965 | CC | | 10-APR-87 |
| | MIL-E-11195E | ENAMEL, LUSTERLESS, FAST DRY, VOC COMPLIANT (FOR USE ON AMMUNITION AND OTHER METALS) [CUST: MR SH 84] [REVIEW: 99 AL AR CR] | A 8010 | MR | | 27-JAN-93 |
| | MIL-M-11199H | MITTEN, HEAT PROTECTIVE [CUST: GL NU 99 CT] [REVIEW: 45 82 AS MC MD YD1] | A 8415 | CT | | 05-APR-88 |
| | MIL-C-11272/5B(1) | CAPACITOR, FIXED, GLASS DIELECTRIC, STYLE CY12 [CUST: CR EC 85] [REVIEW: 17 19 99 MI] | A 5910 | CC | | 30-OCT-89 |
| | MIL-C-11272/6A(1) | CAPACITOR, FIXED, GLASS DIELECTRIC, STYLE CY13 [CUST: CR EC 85] [REVIEW: 17 19 99 MI] | A 5910 | CC | | 30-OCT-89 |
| | MIL-C-11272/7B(1) | CAPACITOR, FIXED, GLASS DIELECTRIC, STYLE CY16 [CUST: CR EC 85] [REVIEW: 17 19 99 MI] | A 5910 | CC | | 30-OCT-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/NSA | MCA Prep. Acty. | Date |
|---------------------|---|-------------------------|--------------------|-----------|
| MIL-C-11272/8A(1) | CAPACITOR, FIXED, GLASS DIELECTRIC, STYLE CY17 [CUST: CR EC 85] [REVIEW: 17 19 99 MI] | A 5910 | GS | 30-OCT-89 |
| MIL-C-11347E | CASE, BATTERY AND LIGHTING ACCESSORY, FOR SURVEYING EQUIPMENT. [CUST: CE 99] | A 6675 | CC | 16-MAR-77 |
| MIL-B-11352G | BLOCK, VISION: BULLET-RESISTANT (METRIC) [CUST: AT] | A 25GP | AT | 22-MAR-95 |
| MIL-A-11356F | ARMOR, STEEL, CAST, HOMOGENEOUS, COMBAT-VEHICLE TYPE (1/4 TO 8 INCHES, INCLUSIVE) [CUST: MR] [REVIEW: AL AR AT CR4 IS] | A MECA | MR | 22-MAY-87 |
| MIL-T-11372F | TRIVETS, SURVEYING INSTRUMENT [CUST: CE 99] | A 6675 | GS | 02-JUL-91 |
| MIL-C-11390C NOT 1 | CLOTH, LAMINATED, COTTON BALLOON, 3 PLY AIR RETAINING, CHLOROPRENE [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | 12-NOV-87 |
| MIL-P-11414E | PRIMER, ALKYD, FAST DRY, CORROSION INHIBITING, LEAD AND CHROMATE FREE, VOC COMPLAINT [CUST: MR 99] [REVIEW: 84 AT OS] | A 8010 | MR | 22-JUL-92 |
| MIL-C-11418H | CLAMPS, LEAK REPAIR, PIPE COUPLING: FOR USE OVER GROOVED-TYPE COUPLINGS [CUST: AT] [REVIEW: CC CE MC] | A 4730 | AT | 30-JUN-92 |
| MIL-E-11450C | EVACUATION BAG, CASUALTY, INSULATED (WITH LINER AND CARRYING BAG) [CUST: MD MS 03] [REVIEW: 50 GL MC] | A 6530 | MB | 23-NOV-91 |
| MIL-L-11484F SUP 1B | LAPEL BUTTON, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 27-JUN-88 |
| MIL-L-11484F(11) | LAPEL BUTTON, GENERAL SPECIFICATION FOR [CUST: IH] | A 8455 | IH | 22-JUN-92 |
| MIL-DTL-11484/1D | LAPEL BUTTON, DISTINGUISHED SERVICE CROSS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/2D | LAPEL BUTTON, NAVY CROSS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/3D | LAPEL BUTTON, AIR FORCE CROSS [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/4E | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/5D | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, NAVY AND MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/6D | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/7D | LAPEL BUTTON, GOLD LIFE-SAVINGS MEDAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/8D | LAPEL BUTTON, SILVER LIFE-SAVING MEDAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/9D | LAPEL BUTTON, SILVER STAR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/10D | LAPEL BUTTON, LEGION OF MERIT [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/11D | LAPEL BUTTON, DISTINGUISHED FLYING CROSS [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/12D | LAPEL BUTTON, SOLDIER'S MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/13E | LAPEL BUTTON, NAVY AND MARINE CORPS MEDAL [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/14D | LAPEL BUTTON, AIRMAN'S MEDAL [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/15D | LAPEL BUTTON, COAST GUARD MEDAL [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/16D | LAPEL BUTTON, BRONZE STAR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/17D | LAPEL BUTTON, AIR MEDAL [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/18D | LAPEL BUTTON, PURPLE HEART [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/19D | LAPEL BUTTON, JOINT SERVICE COMMENDATION MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/20D | LAPEL BUTTON, COMMENDATION MEDAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/21D | LAPEL BUTTON, COMMENDATION MEDAL, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/22D | LAPEL BUTTON, COMMENDATION MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/23D | LAPEL BUTTON, COMMENDATION MEDAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/24D | LAPEL BUTTON, OUTSTANDING UNIT AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/25E | LAPEL BUTTON, PRESIDENTIAL UNIT CITATION, ARMY AND AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/26D | LAPEL BUTTON, CAPTAIN ROBERT DEXTER CONRAD AWARD FOR SCIENTIFIC ACHIEVEMENT, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/27D | LAPEL BUTTON, AWARD FOR DISTINGUISHED ACHIEVEMENT IN SCIENCE, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/28D | LAPEL BUTTON, CIVILIAN AWARD FOR VALOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/29G | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/30F | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 27-MAY-97 |
| MIL-DTL-11484/31E | LAPEL BUTTON, DISTINGUISHED PUBLIC SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/32D | LAPEL BUTTON, DISTINGUISHED CIVILIAN SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/33E | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/34E | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, NATIONAL SECURITY AGENCY [CUST: IH NS] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/35F | LAPEL BUTTON, PRESIDENTIAL SERVICE IDENTIFICATION BADGE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/36D | LAPEL BUTTON, PATRIOTIC CIVILIAN SERVICE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/37D | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/38E | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/39D | LAPEL BUTTON, MERITORIOUS PUBLIC SERVICE CITATION, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/40D | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/41E | LAPEL BUTTON, SAFE DRIVER AWARD, NAVY AND MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/42E | LAPEL BUTTON, SAFETY AWARD, NAVY AND MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/43E | LAPEL BUTTON, MATERIALS HANDLING AND CONSTRUCTION EQUIPMENT OPERATORS SAFETY AWARD, NAVY AND MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/44F | LAPEL BUTTON, GOLD STAR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 10-MAY-96 |
| MIL-DTL-11484/45D | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEPARTMENT OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/46D | LAPEL BUTTON, CIVILIAN LENGTH OF SERVICE, OFFICE OF THE SECRETARY OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/47D | LAPEL BUTTON, VICTORY MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/48D | LAPEL BUTTON, GOOD CONDUCT MEDAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/49D | LAPEL BUTTON, ARMED FORCES EXPEDITIONARY MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/50F | LAPEL BUTTON, ARMY STAFF IDENTIFICATION BADGE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/51F | LAPEL BUTTON, NAVAL RESERVE MEMBERSHIP [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 27-SEP-96 |
| MIL-DTL-11484/52F | LAPEL BUTTON, RETIRED PERSONNEL, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 27-SEP-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|-------------|--------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-DTL-11484/53E | LAPEL BUTTON, OFFICE OF THE SECRETARY OF DEFENSE IDENTIFICATION BADGE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/54E | LAPEL BUTTON, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/55D | LAPEL BUTTON, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/56D | LAPEL BUTTON, FLEET MARINE CORPS RESERVE [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/57F | LAPEL BUTTON, HONORABLE SERVICE (8 SEPTEMBER 1939 THROUGH 31 DECEMBER 1946) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/58D | LAPEL BUTTON, HONORABLE DISCHARGE, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/59F | LAPEL BUTTON, HONORABLE SERVICE (PRIOR TO 8 SEPTEMBER 1939) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/60E | LAPEL BUTTON, HONORABLE DISCHARGE, NAVAL RESERVE [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/61E | LAPEL BUTTON, HONORABLE DISCHARGE, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/62D | LAPEL BUTTON, HONORABLE DISCHARGE, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/63E | LAPEL BUTTON, ROTC PERSONNEL [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/64E | LAPEL BUTTON, SUPERIOR CADET AWARD, SENIOR ROTC [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/65E | LAPEL BUTTON, ANTARCTICA SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/66D | LAPEL BUTTON, COMBAT READINESS MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/67E | LAPEL BUTTON, LENGTH OF SERVICE (10, 20, 30, AND 40 YEARS), MARINE CORPS CIVILIAN [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/68D | LAPEL BUTTON, ACHIEVEMENT MEDAL, ARMY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/69D | LAPEL BUTTON, VIETNAM SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/70D | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/71E | LAPEL BUTTON, JOINT CHIEFS OF STAFF IDENTIFICATION BADGE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/72D | LAPEL BUTTON, DISTINGUISHED CIVILIAN SERVICE AWARD, DEPARTMENT OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/73D | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/74D | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/75D | LAPEL BUTTON, OUTSTANDING LEADERSHIP MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/76D | LAPEL BUTTON, EXCEPTIONAL SCIENTIFIC ACHIEVEMENT MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/77D | LAPEL BUTTON, EXCEPTIONAL BRAVERY MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/78D | LAPEL BUTTON, DISTINGUISHED PUBLIC SERVICE MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/79D | LAPEL BUTTON, EXCEPTIONAL SERVICE MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/80D | LAPEL BUTTON, DISTINGUISHED SERVICE AWARD, DEFENSE CONTRACT AUDIT AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/81E | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE SPECIAL WEAPONS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 28-JAN-97 |
| | MIL-DTL-11484/82D | LAPEL BUTTON, CIVILIAN SERVICE IN VIETNAM MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/83E | LAPEL BUTTON, RETIRED PERSONNEL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/84C | LAPEL BUTTON, ACHIEVEMENT MEDAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/85C | LAPEL BUTTON, MERITORIOUS SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/86C | LAPEL BUTTON, ACTIVE RESERVIST, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 10-MAY-96 |
| | MIL-DTL-11484/87C | LAPEL BUTTON, RETIRED CIVILIAN SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/88C | LAPEL BUTTON, APOLLO ACHIEVEMENT, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/89C | LAPEL BUTTON, ORGANIZATIONAL EXCELLENCE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/90C | LAPEL BUTTON, LENGTH OF SERVICE (15, 20, 25, AND 30 YEARS), NATIONAL TRANSPORTATION SAFETY BOARD, DEPARTMENT OF TRANSPORTATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/91C | LAPEL BUTTON, DEFENSE DISTINGUISHED SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/92C | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY [CUST: IH DI] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/93C | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY [CUST: IH DI] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/94C | LAPEL BUTTON, PRESIDENTIAL CITIZENS MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/95C | LAPEL BUTTON, CONGRESSIONAL SPACE MEDAL OF FREEDOM [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/96D | LAPEL BUTTON, PRESIDENTIAL UNIT CITATION, NAVY CIVILIAN [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/97E | LAPEL BUTTON, UNIT COMMENDATION, NAVY CIVILIAN [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/98E | LAPEL BUTTON, MERITORIOUS UNIT COMMENDATION, NAVY CIVILIAN [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/99C | LAPEL BUTTON, SUPERIOR CADET AWARD, JUNIOR ROTC [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/100C | LAPEL BUTTON, SUPERIOR CADET AWARD, ROTC (NDCC) [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/101C | LAPEL BUTTON, ARMY RESERVE COMPONENTS ACHIEVEMENT MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/102C | LAPEL BUTTON, REGIONAL AND STATE SCIENCE AND ENGINEERING FAIR AWARDS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/103D | LAPEL BUTTON, DISTINGUISHED CAREER SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/104E | LAPEL BUTTON, RETIRED PERSONNEL, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/105D | LAPEL BUTTON, AIR RESERVE FORCES MERITORIOUS SERVICE MEDAL [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/106C | LAPEL BUTTON, RETIRED PERSONNEL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/107C | LAPEL BUTTON, FEDERAL LABOR RELATIONS COUNCIL [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/108C | LAPEL BUTTON, CIVILIAN EXECUTIVE RECOGNITION, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/109C | LAPEL BUTTON, LENGTH OF SERVICE (3, 15, 25, 30, 35, 40 AND 50 YEARS), DEPARTMENT OF TRANSPORTATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/110D | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, FEDERAL ENERGY MANAGEMENT AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/111C | LAPEL BUTTON, CIVILIAN AIDE, SECRETARY OF THE ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/112C | LAPEL BUTTON, NATIONAL DEFENSE EXECUTIVE RESERVE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/113C | LAPEL BUTTON, SECRETARY OF THE ARMY'S AWARD FOR OUTSTANDING ACHIEVEMENT IN MATERIEL ACQUISITION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/114C | LAPEL BUTTON, LENGTH OF SERVICE (20, 30, AND 40 YEARS), NONAPPROPRIATED FUND EMPLOYEE, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/115D | LAPEL BUTTON, DEFENSE SUPERIOR SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-DTL-11484/116C | LAPEL BUTTON, DISTINGUISHED PUBLIC SERVICE AWARD, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/117C | LAPEL BUTTON, NATIONAL INTELLIGENCE MEDAL OF ACHIEVEMENT [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/118C | LAPEL BUTTON, NATIONAL INTELLIGENCE DISTINGUISHED SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/119C | LAPEL BUTTON, DISTINGUISHED CAREER SERVICE AWARD, AGENCY FOR INTERNATIONAL DEVELOPMENT, DEPARTMENT OF STATE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/120D | LAPEL BUTTON, VICE PRESIDENTIAL SERVICE IDENTIFICATION BADGE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/121D | LAPEL BUTTON, COMMANDER'S AWARD FOR CIVILIAN SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/122C | LAPEL BUTTON, HUMANITARIAN SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/123C | LAPEL BUTTON, NEXT OF KIN OF DECEASED PERSONNEL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/124C | LAPEL BUTTON, DEFENSE MERITORIOUS SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/125C | LAPEL BUTTON, EMPLOYER SUPPORT OF THE GUARD AND RESERVE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/127C | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/128C | LAPEL BUTTON, EXCEPTIONAL SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/129D | LAPEL BUTTON, OUTSTANDING SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/130C | LAPEL BUTTON, ACHIEVEMENT AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/131C | LAPEL BUTTON, CIVILIAN SERVICE MEDAL, OFFICE OF THE SECRETARY OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/132D | LAPEL BUTTON, ACHIEVEMENT MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/133D | LAPEL BUTTON, COMMISSIONED OFFICER, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/134D | LAPEL BUTTON, AIR FORCE RECOGNITION RIBBON, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/135D | LAPEL BUTTON, ACHIEVEMENT MEDAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/136C | LAPEL BUTTON, OUTSTANDING SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/137C | LAPEL BUTTON, COMMENDABLE SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/138C | LAPEL BUTTON, OUTSTANDING CAREER ACHIEVEMENT AWARD, AGENCY FOR INTERNATIONAL DEVELOPMENT, DEPARTMENT OF STATE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/139C | LAPEL BUTTON, COMMANDER'S AWARD FOR PUBLIC SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/140C | LAPEL BUTTON, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/141D | LAPEL BUTTON, JOINT SERVICE ACHIEVEMENT MEDAL, DEPARTMENT OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/142C | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/143D | LAPEL BUTTON, COMMUNITY AND FAMILY SUPPORT CENTER, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/144C | LAPEL BUTTON, COMMENDATION MEDAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/145C | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, NATIONAL SECURITY AGENCY [CUST: IH NS] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/146C | LAPEL BUTTON, OFFICE OF THE INSPECTOR GENERAL IDENTIFICATION BADGE, DEPARTMENT OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/147C | LAPEL BUTTON, ACHIEVEMENT MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/148C | LAPEL BUTTON, MERITORIOUS SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/149B | LAPEL BUTTON, DEFENSE INTELLIGENCE DIRECTOR'S AWARD, DEFENSE INTELLIGENCE AGENCY [CUST: IH DI] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/150C | LAPEL BUTTON, FEDERAL SERVICE AND RETIRED, OFFICE OF PERSONNEL MANAGEMENT [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/151E | LAPEL BUTTON, LENGTH OF SERVICE (10, 15, 20, 25, 30, 35, 40, 45 AND 50 YEARS), OFFICE OF PERSONNEL MANAGEMENT [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/152B | LAPEL BUTTON, PRISONER OF WAR (POW) MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/153B | LAPEL BUTTON, CIVILIAN AWARD FOR HUMANITARIAN SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/155B | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/157B | LAPEL BUTTON, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-L-11484/158A | LAPEL BUTTON, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL (CIVILIAN), U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 14-JAN-94 |
| | MIL-DTL-11484/159C | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/160C | LAPEL BUTTON, ACHIEVEMENT MEDAL FOR CIVILIAN SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/161B | LAPEL BUTTON, KOREAN AUGMENTATION TO THE U.S. ARMY (KATUSA) [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/162B | LAPEL BUTTON, AERIAL ACHIEVEMENT MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/163B | LAPEL BUTTON, SPACE FLIGHT MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/164B | LAPEL BUTTON, EQUAL EMPLOYMENT OPPORTUNITY MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/165B | LAPEL BUTTON, EXCEPTIONAL ENGINEERING ACHIEVEMENT MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/166B | LAPEL BUTTON, PUBLIC SERVICE MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/167B | LAPEL BUTTON, LENGTH OF SERVICE (5, 10, AND 15 YEARS), NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/168B | LAPEL BUTTON, LENGTH OF SERVICE (20, 25, 30, 35, 40, 45, 50 AND 55 YEARS), NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/169C | LAPEL BUTTON, DISTINGUISHED SERVICE AWARD, COAST GUARD AUXILIARY [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/170C | LAPEL BUTTON, GENERAL DEFENSE INTELLIGENCE PROGRAM, DEPARTMENT OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/171B | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/172B | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, ON-SITE INSPECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/173B | LAPEL BUTTON, EXCEPTIONAL ACHIEVEMENT MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/174B | LAPEL BUTTON, MERITORIOUS UNIT COMMENDATION, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/175C | LAPEL BUTTON, UNIT COMMENDATION, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/176B | LAPEL BUTTON, RETIREE, CIVILIAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-DTL-11484/177C | LAPEL BUTTON, SOUTHWEST ASIA SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/178B | LAPEL BUTTON, POINT OF LIGHT, FEDERAL EMPLOYEE SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/179B | LAPEL BUTTON, DISTINGUISHED CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/180B | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/181C | LAPEL BUTTON, EXEMPLARY CIVILIAN SERVICE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-MAY-97 |
| | MIL-DTL-11484/182B | LAPEL BUTTON, CIVILIAN SERVICE IN SOUTHWEST ASIA MEDAL, DEPARTMENT OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/183C | LAPEL BUTTON, JOINT MERITORIOUS UNIT AWARD, DEPARTMENT OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/184B | LAPEL BUTTON, CIVILIAN SUPPORT FOR DESERT SHIELD/STORM, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/185B | LAPEL BUTTON, NATIONAL DEFENSE SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/186B | LAPEL BUTTON, BUREAU OF INDIAN AFFAIRS, DEPARTMENT OF THE INTERIOR [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/187B | LAPEL BUTTON, SUPERIOR UNIT AWARD, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/188B | LAPEL BUTTON, LAW ENFORCEMENT SERVICES, BUREAU OF INDIAN AFFAIRS, DEPARTMENT OF THE INTERIOR [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/189C | LAPEL BUTTON, DISTINGUISHED CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/190B | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY [CUST: IH DC] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/191B | LAPEL BUTTON, CAREER ACHIEVEMENT AWARD, DEFENSE INFORMATION SYSTEMS AGENCY [CUST: IH DC] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/192B | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, DEPARTMENT OF TRANSPORTATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/193B | LAPEL BUTTON, COMMANDANT'S STAFF IDENTIFICATION BADGE, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/194A | LAPEL BUTTON, COMMENDATION MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 10-MAY-96 |
| | MIL-DTL-11484/195A | LAPEL BUTTON, MERITORIOUS SERVICE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 10-MAY-96 |
| | MIL-DTL-11484/196A | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 10-MAY-96 |
| | MIL-DTL-11484/197A | LAPEL BUTTON, COMMENDATION MEDAL (CIVILIAN), FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 10-MAY-96 |
| | MIL-DTL-11484/198A | LAPEL BUTTON, MERITORIOUS SERVICE MEDAL (CIVILIAN), FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 10-MAY-96 |
| | MIL-DTL-11484/199A | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL (CIVILIAN), FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 10-MAY-96 |
| | MIL-DTL-11484/200A | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/201A | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/202A | LAPEL BUTTON, DISTINGUISHED CAREER SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/203A | LAPEL BUTTON, MERITORIOUS SERVICE AWARD, DEFENSE CONTRACT AUDIT AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/204A | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE SPECIAL WEAPONS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 28-JAN-97 |
| | MIL-DTL-11484/205A | LAPEL BUTTON, EXCEPTIONAL SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/206A | LAPEL BUTTON, SUPERIOR SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/207A | LAPEL BUTTON, COMMENDABLE SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/208A | LAPEL BUTTON, MERITORIOUS PUBLIC SERVICE AWARD, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/209A | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/210A | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, ON-SITE INSPECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/211A | LAPEL BUTTON, OUTSTANDING CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/212A | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/213A | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/214A | LAPEL BUTTON, CIVILIAN CAREER SERVICE AWARD, DEFENSE COMMISSARY AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/215A | LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/216A | LAPEL BUTTON, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/217B | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-MAY-97 |
| | MIL-DTL-11484/218B | LAPEL BUTTON, LENGTH OF SERVICE (10, 20, 30, 40 AND 50 YEARS), CIVILIAN PERSONNEL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/219A | LAPEL BUTTON, MILITARY OUTSTANDING VOLUNTEER SERVICE MEDAL, DEPARTMENT OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/220A | LAPEL BUTTON, GOLD STAR MEDAL, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/221A | LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/222A | LAPEL BUTTON, MERITORIOUS TEAM COMMENDATION AWARD, COAST GUARD [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/223A | LAPEL BUTTON, MEDAL OF VALOR, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/224A | LAPEL BUTTON, AIR MEDAL, CIVILIAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/225A | LAPEL BUTTON, AERIAL ACHIEVEMENT MEDAL, CIVILIAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/226A | LAPEL BUTTON, OUTSTANDING UNIT AWARD, CIVILIAN, SECRETARY OF TRANSPORTATION [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | | 10-MAY-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-DTL-11484/227A | LAPEL BUTTON, SERVICE AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/228A | LAPEL BUTTON, ACHIEVEMENT AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/229A | LAPEL BUTTON, DIRECTOR'S AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/230A | LAPEL BUTTON, VALOR MEDAL, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/231A | LAPEL BUTTON, LIFESAVING MEDAL, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-SEP-96 |
| | MIL-DTL-11484/232 | LAPEL BUTTON, DEFENSE TECHNICAL INFORMATION CENTER [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 24-OCT-95 |
| | MIL-DTL-11484/233 | LAPEL BUTTON, OUTSTANDING PUBLIC SERVICE, CHAIRMAN OF THE JOINT CHIEFS OF STAFF [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 24-OCT-95 |
| | MIL-DTL-11484/234 | LAPEL BUTTON, DISTINGUISHED PUBLIC SERVICE, CHAIRMAN OF THE JOINT CHIEFS OF STAFF [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 24-OCT-95 |
| | MIL-DTL-11484/235 | LAPEL BUTTON, HOSTILE ACTION AWARD, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-DEC-95 |
| | MIL-DTL-11484/236 | LAPEL BUTTON, SUPERIOR SERVICE, NATIONAL RECONNAISSANCE OFFICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-FEB-96 |
| | MIL-DTL-11484/237 | LAPEL BUTTON, MERITORIOUS SERVICE, NATIONAL RECONNAISSANCE OFFICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-FEB-96 |
| | MIL-DTL-11484/238 | LAPEL BUTTON, DISTINGUISHED SERVICE, NATIONAL RECONNAISSANCE OFFICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-FEB-96 |
| | MIL-DTL-11484/239 | LAPEL BUTTON, SENIOR TECHNOLOGIST, DOD [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 22-MAR-96 |
| | MIL-DTL-11484/240A | LAPEL BUTTON, ARMED FORCES SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 28-JAN-97 |
| | MIL-DTL-11484/241 | LAPEL BUTTON, VOLUNTEER EXCELLENCE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 26-JUN-96 |
| | MIL-DTL-11484/242 | LAPEL BUTTON, EUGENE G. FUBINI AWARD [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-NOV-96 |
| | MIL-DTL-11484/243 | LAPEL BUTTON, JOINT MERITORIOUS CIVILIAN SERVICE AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-NOV-96 |
| | MIL-DTL-11484/244 | LAPEL BUTTON, JOINT DISTINGUISHED CIVILIAN SERVICE AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-NOV-96 |
| | MIL-DTL-11484/245 | LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 13-DEC-96 |
| | MIL-DTL-11484/246 | LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 13-DEC-96 |
| | MIL-DTL-11484/247 | LAPEL BUTTON, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 13-DEC-96 |
| | MIL-DTL-11484/248 | LAPEL BUTTON, DIRECTOR'S LIFETIME ACHIEVEMENT AWARD, DEFENSE SPECIAL WEAPONS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 28-JAN-97 |
| A | MIL-DTL-11484/249 | LAPEL BUTTON, LEADERSHIP AWARD, DEFENSE INTELLIGENCE AGENCY [CUST: IH DI] [REVIEW: CT] | A 8455 | IH | | 02-OCT-97 |
| A | MIL-DTL-11484/250A | LAPEL BUTTON, CITATION, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 05-MAR-98 |
| A | MIL-DTL-11484/251 | LAPEL BUTTON, CIVILIAN SERVICE, NATIONAL IMAGERY AND MAPPING AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 11-DEC-97 |
| A | MIL-DTL-11484/252 | LAPEL BUTTON, ARMED FORCES CIVILIAN SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | | 05-FEB-98 |
| | MIL-I-11489E(1) NOT 1 | INSECT NET, HEAD [CUST: GL NU 99 CT] [REVIEW: 11 45 CG MC MD MS] | A 8415 | CT | | 22-APR-89 |
| | MIL-R-11521G | RING, EXPANSION, HOSE, BRASS [CUST: AT SH 99] [REVIEW: 82] | A 4730 | CC | | 29-OCT-93 |
| | MIL-B-11582C(1) NOT 1 | BASE PLATE, THEODOLITE: ALUMINUM [CUST: CE] [REVIEW: MC] | A 6675 | GS | | 02-NOV-90 |
| | MIL-DTL-11589F SUP 1 | RIBBON, AWARDS, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT DC DI DS MC NA NS] | A 8455 | IH | | 15-DEC-95 |
| | MIL-DTL-11589/1E | RIBBON, COMMENDATION MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/2D | RIBBON, AIR FORCE CROSS [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/3D | RIBBON, AIR FORCE LONGEVITY SERVICE AWARD [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/4D | RIBBON, AIR FORCE OUTSTANDING UNIT AWARD [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/5D | RIBBON, AIR FORCE SMALL ARMS MARKSMANSHIP [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/6D | RIBBON, AIRMAN'S MEDAL [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/7D | RIBBON, AIR MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/8F | RIBBON, AIR RESERVE FORCES MERITORIOUS SERVICE MEDAL [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/9F | RIBBON, AMERICAN CAMPAIGN MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/10E | RIBBON, AMERICAN DEFENSE SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/11E | RIBBON, ANTARCTICA SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/12E | RIBBON, ARMED FORCES EXPEDITIONARY MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/13E | RIBBON, ARMED FORCES RESERVE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/14E | RIBBON, ARMY OF CUBAN OCCUPATION MEDAL [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/15F | RIBBON, ARMY OF OCCUPATION OF GERMANY MEDAL (1918 - 1923) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/16E | RIBBON, ARMY OF PUERTO RICAN OCCUPATION MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/17E | RIBBON, ASIATIC - PACIFIC CAMPAIGN MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/18E | RIBBON, BRONZE STAR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/19D | RIBBON, BYRD ANTARCTIC EXPEDITION [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/20E | RIBBON, CAPTAIN ROBERT DEXTER CONRAD AWARD FOR SCIENTIFIC ACHIEVEMENT, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/21E | RIBBON, CHINA CAMPAIGN MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/22D | RIBBON, CHINA RELIEF EXPEDITION [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/23E | RIBBON, CHINA SERVICE MEDAL [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/24D | RIBBON, CHRYSOON ARISTION ANDRIAS (BRAVERY GOLD MEDAL OF GREECE) [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/25E | RIBBON, CIVIL WAR CAMPAIGN MEDAL [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/26D | RIBBON, CIVILIAN AWARD FOR VALOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/27F | RIBBON, COMMENDATION MEDAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/28E | RIBBON, DISTINGUISHED SERVICE MEDAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/29D | RIBBON, COAST GUARD EXPERT PISTOL SHOT [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/30D | RIBBON, COAST GUARD EXPERT RIFLEMAN [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/31F | RIBBON, GOOD CONDUCT MEDAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/32E | RIBBON, COAST GUARD MEDAL [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/33D | RIBBON, COMBAT AND EXPERT INFANTRY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-DTL-11589/34D | RIBBON, COMBAT READINESS MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/35D | RIBBON, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/36D | RIBBON, COMMANDANT'S AWARD, COAST GUARD (RESERVE GUIDON) [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/37D | RIBBON, COMMENDATION MEDAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/38D | RIBBON, CROIX DE GUERRE, BELGIAN [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/39D | RIBBON, CROIX DE GUERRE, FRENCH, WORLD WAR I [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/40D | RIBBON, CROIX DE GUERRE, FRENCH, WORLD WAR II [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/41D | RIBBON, CROIX DE GUERRE, LUXEMBOURG [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/42E | RIBBON, ARMY OF CUBAN PACIFICATION MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/43D | RIBBON, DEWEY MEDAL [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/44E | RIBBON, DISTINGUISHED CIVILIAN SERVICE AWARD, DOD [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/45E | RIBBON, DISTINGUISHED CIVILIAN SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/46E | RIBBON, DISTINGUISHED CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/47D | RIBBON, DISTINGUISHED FLYING CROSS [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/48E | RIBBON, DISTINGUISHED PUBLIC SERVICE AWARD, DOD [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/49E | RIBBON, DISTINGUISHED PUBLIC SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/50D | RIBBON, DISTINGUISHED SERVICE CROSS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/51E | RIBBON, DISTINGUISHED SERVICE MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/52E | RIBBON, DISTINGUISHED SERVICE MEDAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/53F | RIBBON, DISTINGUISHED SERVICE MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/54E | RIBBON, PRESIDENTIAL UNIT CITATION, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/55E | RIBBON, DISTRICT AWARD, COAST GUARD (RESERVE GUIDON) [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/56D | RIBBON, DOMINICAN CAMPAIGN [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/57E | RIBBON, EUROPEAN - AFRICAN - MIDDLE EASTERN CAMPAIGN MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/58F | RIBBON, EXCEPTIONAL BRAVERY MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/59D | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/60E | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/61F | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/62G | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, NATIONAL SECURITY AGENCY [CUST: IH] [REVIEW: CT NS] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/63E | RIBBON, EXCEPTIONAL SCIENTIFIC ACHIEVEMENT MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/64D | RIBBON, FEDERAL, STATE, CITY OR OTHER GOVERNMENTAL AWARD FOR COAST GUARD (RESERVE GUIDON) [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/65D | RIBBON, FRENCH MEDAILLE MILITAIRE [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/66D | RIBBON, GOLD LIFE-SAVING MEDAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/67E | RIBBON, GOOD CONDUCT MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/68E | RIBBON, GOOD CONDUCT MEDAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/69E | RIBBON, GOOD CONDUCT MEDAL, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/70E | RIBBON, GOOD CONDUCT MEDAL, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/71D | RIBBON, HAITIAN CAMPAIGN [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/72E | RIBBON, HONOR UNIT WITH DISTINCTION, JROTC, CLASS HS [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/73E | RIBBON, HONOR UNIT WITH DISTINCTION, JROTC, CLASS MI [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/74E | RIBBON, HONOR UNIT WITH DISTINCTION, NDCC [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/75E | RIBBON, INDIAN CAMPAIGN MEDAL, ARMY; INDIAN WAR MEDAL, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/76D | RIBBON, ITALIAN CROCE AL MERITO DI GUERRA [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/77D | RIBBON, JOINT SERVICE COMMENDATION MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/78E | RIBBON, KOREAN SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/79D | RIBBON, LEADING PLATOON AWARD, COAST GUARD (RESERVE GUIDON) [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/80D | RIBBON, LEGION OF MERIT [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/81D | RIBBON, MARINE CORPS EXPEDITIONARY MEDAL [CUST: IH NU] [REVIEW: MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/82D | RIBBON, MARINE CORPS RESERVE [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/83E | RIBBON, MEDAL OF HONOR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/84D | RIBBON, AWARD FOR DISTINGUISHED ACHIEVEMENT IN SCIENCE, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/85E | RIBBON, MEDAL FOR HUMANE ACTION [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/86D | RIBBON, MEDAL FOR MERIT [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/87E | RIBBON, COMBAT AND EXPERT MEDICAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/88F | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/89E | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/90E | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/91G | RIBBON, GOOD CONDUCT MEDAL, COAST GUARD RESERVE [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/92D | RIBBON, MERITORIOUS UNIT COMMENDATION, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/93E | RIBBON, MEXICAN BORDER SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/94E | RIBBON, MEXICAN SERVICE MEDAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/95D | RIBBON, MEXICAN WAR [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/96D | RIBBON, MILITARY ORDER OF WILLIAM [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/97E | RIBBON, NATIONAL DEFENSE SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/98E | RIBBON, NAVAL RESERVE MEDAL [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/99E | RIBBON, NAVAL RESERVE MERITORIOUS SERVICE MEDAL [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/100E | RIBBON, COMMENDATION MEDAL, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/101D | RIBBON, NAVY CROSS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/102F | RIBBON, DISTINGUISHED SERVICE MEDAL, NAVY AND MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|--------------------|--|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | Date |
| | MIL-DTL-11589/103E | RIBBON, NAVY EXPEDITIONARY MEDAL [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/104D | RIBBON, NAVY EXPERT PISTOL SHOT [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/105D | RIBBON, NAVY EXPERT RIFLEMAN [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/106D | RIBBON, NAVY AND MARINE CORPS MEDAL [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/107E | RIBBON, NAVY UNIT COMMENDATION [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/109D | RIBBON, NCO PROFESSIONAL MILITARY EDUCATION GRADUATE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/110D | RIBBON, NETHERLANDS ORANGE LANYARD [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/111D | RIBBON, NICARAGUAN CAMPAIGN [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/112E | RIBBON, ARMY OF OCCUPATION MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/113G | RIBBON, SELECTED MARINE CORPS RESERVE MEDAL [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/114E | RIBBON, OUTSTANDING CIVILIAN SERVICE AWARD (NON-CIVIL SERVICE), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/115E | RIBBON, OUTSTANDING LEADERSHIP MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/117E | RIBBON, PHILIPPINE CAMPAIGN MEDAL [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/118E | RIBBON, PHILIPPINE CONGRESSIONAL MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/119F | RIBBON, PHILIPPINE DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/120D | RIBBON, PHILIPPINE INDEPENDENCE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/121D | RIBBON, PHILIPPINE LIBERATION [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/122D | RIBBON, PHILIPPINE PRESIDENTIAL UNIT CITATION [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/123D | RIBBON, PORTUGUESE ORDEM DA TORRE E ESPADA (ORDER OF TOWER AND SWORD) [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/124D | RIBBON, AWARD OF THE PRESIDENT OF THE UNITED STATES FOR DISTINGUISHED FEDERAL CIVILIAN SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/125D | RIBBON, PRESIDENTIAL UNIT CITATION, NAVY [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/126D | RIBBON, PURPLE HEART [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/127G | RIBBON, REPUBLIC OF KOREA PRESIDENTIAL UNIT CITATION [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/129D | RIBBON, REVOLUTIONARY WAR [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/132E | RIBBON, SECOND NICARAGUAN CAMPAIGN MEDAL [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/133E | RIBBON, ACHIEVEMENT MEDAL, NAVY [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/134F | RIBBON, ACHIEVEMENT MEDAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/135F | RIBBON, SILVER LIFE-SAVING MEDAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/136D | RIBBON, SILVER STAR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/137D | RIBBON, SOLDIER'S MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/138E | RIBBON, SPANISH CAMPAIGN MEDAL [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/139E | RIBBON, SPANISH WAR SERVICE MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/140D | RIBBON, SUPERIOR CADET AWARD, ROTC (JUNIOR DIVISION) [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/141D | RIBBON, SUPERIOR CADET AWARD, ROTC (SENIOR DIVISION) [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/142E | RIBBON, SUPERIOR CADET AWARD, ROTC (NDCC) [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/143D | RIBBON, SUPERIOR CADET AWARD, ROTC (MILITARY SCHOOL DIVISION) [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/144D | RIBBON, GORDON CANFIELD TROPHY, COAST GUARD (RESERVE GUIDON) [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/145D | RIBBON, COAST GUARD UNIT COMMENDATION [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/146E | RIBBON, UNITED NATIONS SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/148G | RIBBON, WORLD WAR I VICTORY MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/149E | RIBBON, WORLD WAR II VICTORY MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/150D | RIBBON, VIETNAM PRESIDENTIAL UNIT CITATION [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/151F | RIBBON, VIETNAM SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/152E | RIBBON, WAR OF 1812 [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/153E | RIBBON, WOMEN'S ARMY CORPS SERVICE MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/154E | RIBBON, YANGTZE SERVICE MEDAL [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/155F | RIBBON, VALOROUS UNIT AWARD [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/156E | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/157E | RIBBON, MEDAL FOR HEROISM, ROTC AND NDCC [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/158D | RIBBON, REPUBLIC OF VIETNAM CAMPAIGN MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/159E | RIBBON, DISTINGUISHED SERVICE AWARD, DEFENSE CONTRACT AUDIT AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/160E | RIBBON, MERITORIOUS SERVICE AWARD, DEFENSE CONTRACT AUDIT AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/161D | RIBBON, MEDAL OF FREEDOM [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/162E | RIBBON, CIVILIAN SERVICE IN VIETNAM MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/163E | RIBBON, DISTINGUISHED PUBLIC SERVICE MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/164E | RIBBON, EXCEPTIONAL SERVICE MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/165G | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE SPECIAL WEAPONS AGENCY [CUST: IH] [REVIEW: CT DS] | A 8455 | IH | | 13-DEC-96 |
| | MIL-DTL-11589/166G | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE SPECIAL WEAPONS AGENCY [CUST: IH] [REVIEW: CT DS] | A 8455 | IH | | 13-DEC-96 |
| | MIL-DTL-11589/167E | RIBBON, MERITORIOUS UNIT COMMENDATION, NAVY [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/168D | RIBBON, FRENCH NAVAL WAR [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/169E | RIBBON, AWARD FOR VALOR, FEDERAL AVIATION ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/170D | RIBBON, OUTSTANDING AIRMAN OF THE YEAR [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/171D | RIBBON, COMBAT ACTION [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/172D | RIBBON, MERITORIOUS SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/173D | RIBBON, VIETNAMESE GALLANTRY CROSS [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/174E | RIBBON, NAVY SUPERIOR CIVILIAN SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/175F | RIBBON, AWARD FOR VALOR, DEPARTMENT OF TRANSPORTATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/176G | RIBBON, MERITORIOUS ACHIEVEMENT AWARD (SILVER MEDAL), SECRETARY OF TRANSPORTATION [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/177G | RIBBON, OUTSTANDING ACHIEVEMENT AWARD (GOLD MEDAL), SECRETARY OF TRANSPORTATION [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/178D | RIBBON, ORGANIZATIONAL EXCELLENCE AWARD AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|----------------------|---|-----------------------|-----|-------------|------|
| MIL-DTL-11589/179D | RIBBON, PRESIDENTIAL CITIZENS MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/180E | RIBBON, CONGRESSIONAL SPACE MEDAL OF HONOR [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/181E | RIBBON, VIETNAMESE CIVIL ACTIONS [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/182D | RIBBON, DEFENSE DISTINGUISHED SERVICE MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/183E | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY [CUST: IH DI] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/184E | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INTELLIGENCE AGENCY [CUST: IH DI] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/185C | RIBBON, BARBARY WARS [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/186C | RIBBON, AFRICAN SLAVE PATROL [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/187C | RIBBON, OPERATIONS AGAINST WEST INDIAN PIRATES [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/188C | RIBBON, LATIN AMERICAN CAMPAIGNS [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/189C | RIBBON, PHYSICAL PROFICIENCY AWARD, ROTC [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/190C | RIBBON, MILITARY PROFICIENCY AWARD, ROTC [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/191D | RIBBON, SIMULTANEOUS MEMBERSHIP PROGRAM (SMP) ACTIVATION AWARD, ROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/192C | RIBBON, PLATOON LEADERSHIP AWARD, ROTC [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/193D | RIBBON, CAMP COMMANDERS LEADERSHIP AWARD, ROTC [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/194C | RIBBON, ARMY COMMANDERS LEADERSHIP AWARD, ROTC [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/195C | RIBBON, ARMY ROTC LEADERSHIP AWARD [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/196C | RIBBON, ARMY RESERVE COMPONENTS ACHIEVEMENT MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/197D | RIBBON, REGIONAL AND STATE SCIENCE AND ENGINEERING FAIR AWARDS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/198D | RIBBON, EXCEPTIONAL SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/199D | RIBBON, SUPERIOR SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/200D | RIBBON, COMMENDABLE SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/201D | RIBBON, DISTINGUISHED CAREER SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/202F | RIBBON, SUPERIOR ACHIEVEMENT AWARD (BRONZE MEDAL), DEPARTMENT OF TRANSPORTATION [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/203F | RIBBON, DISTINGUISHED SERVICE MEDAL, FEDERAL EMERGENCY MANAGEMENT AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/204D | RIBBON, OUTSTANDING PUBLIC SERVICE AWARD, OFFICE OF THE SECRETARY OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/205C | RIBBON, MERITORIOUS UNIT COMMENDATION, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/206C | RIBBON, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION UNIT CITATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/207E | RIBBON, ADMINISTRATOR'S AWARD, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/208E | RIBBON, NOAA ASSOCIATION OF COMMISSIONED OFFICERS AWARDS, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| A MIL-DTL-11589/209D | RIBBON, AFROTC LEADERSHIP AND AFJROTC OUTSTANDING CADET/GOOD CONDUCT [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 25-MAR-98 | |
| A MIL-DTL-11589/210D | RIBBON, AFROTC DISTINCTIVE GENERAL MILITARY CADET AND AFJROTC ORIENTEERING COMPETITION [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 25-MAR-98 | |
| A MIL-DTL-11589/211E | RIBBON, AFROTC ACADEMIC AWARD (SIX WEEK FIELD TRAINING) AND AFJROTC SUPERIOR PERFORMANCE/DRESS AND APPEARANCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 25-MAR-98 | |
| A MIL-DTL-11589/212E | RIBBON, AFROTC COLLEGE SCHOLARSHIP RECIPIENT AND AFJROTC COMMANDER'S UNIT AWARD [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-MAR-98 | |
| A MIL-DTL-11589/213D | RIBBON, AFROTC HONORS AND AFJROTC VICE COMMANDER'S UNIT AWARD [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 25-MAR-98 | |
| MIL-DTL-11589/214C | RIBBON, AFROTC ATHLETIC AWARD (FOUR AND SIX WEEK FT.) AND AFJROTC OUTSTANDING FLIGHT [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-SEP-95 | |
| A MIL-DTL-11589/215E | RIBBON, AFROTC COMMANDANT'S AWARD (FIELD TRAINING) AND AFJROTC ATTENDANCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 25-MAR-98 | |
| MIL-DTL-11589/216D | RIBBON, AFROTC WARRIOR SPIRIT AND AFJROTC COCURRICULAR ACTIVITIES [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/217C | RIBBON, AFROTC MARKSMANSHIP AWARD (FOUR AND SIX WEEK FT.) AND AFJROTC SERVICE RIBBON [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/218C | RIBBON, AFROTC SUPERIOR PERFORMANCE AND AFJROTC LONGEVITY [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-SEP-95 | |
| A MIL-DTL-11589/219E | RIBBON, AFROTC LEADERSHIP SCHOOL [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 25-MAR-98 | |
| MIL-DTL-11589/220C | RIBBON, DEFENSE SUPERIOR SERVICE MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/221C | RIBBON, BASIC MILITARY TRAINING, HONOR GRADUATE, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/222D | RIBBON, MERITORIOUS PUBLIC SERVICE AWARD, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/223D | RIBBON, DISTINGUISHED PUBLIC SERVICE AWARD, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/224C | RIBBON, NATIONAL INTELLIGENCE DISTINGUISHED SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/225C | RIBBON, DISTINGUISHED CAREER SERVICE AWARD, A.I.D., DEPARTMENT OF STATE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/226C | RIBBON, NATIONAL INTELLIGENCE MEDAL OF ACHIEVEMENT [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/227D | RIBBON, NAVY "E" [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/228C | RIBBON, HONOR UNIT, JROTC, CLASS HS [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/229C | RIBBON, HONOR UNIT, JROTC, CLASS MI [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/230C | RIBBON, HONOR UNIT, NDCC [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/231D | RIBBON, COMMANDER'S AWARD FOR CIVILIAN SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/232D | RIBBON, ARCTIC SERVICE MEDAL, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/233C | RIBBON, HUMANITARIAN SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/234C | RIBBON, DEFENSE MERITORIOUS SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-SEP-95 | |
| MIL-DTL-11589/235C | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|--------------------|--|-----------------------|-----|-------------|-----------|
| MIL-DTL-11589/236C | RIBBON, DISTINGUISHED SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/237C | RIBBON, EXCEPTIONAL SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/238C | RIBBON, COAST GUARD LETTER OF COMMENDATION [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/239D | RIBBON, SPECIAL ASSIGNMENT AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/240C | RIBBON, OUTSTANDING UNIT CITATION AWARD, USPHS [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/241D | RIBBON, OUTSTANDING SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/242C | RIBBON, COMMENDATION UNIT, USPHS [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/243D | RIBBON, ISOLATED/HARDSHIP AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/244D | RIBBON, HAZARDOUS DUTY AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/245D | RIBBON, FOREIGN SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/246D | RIBBON, ACHIEVEMENT AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/247C | RIBBON, MERITORIOUS ACHIEVEMENT, NJROTC [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/248C | RIBBON, DISTINGUISHED ACHIEVEMENT, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/249C | RIBBON, HONOR CADET, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/250C | RIBBON, APTITUDE AWARD, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/251C | RIBBON, EXEMPLARY CONDUCT, NJROTC [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/252C | RIBBON, EXEMPLARY PERSONAL APPEARANCE, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/253C | RIBBON, MINI BOOT CAMP, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/254D | RIBBON, NAVAL SCIENCE IV HONOR PLATOON, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/255C | RIBBON, NAVAL SCIENCE III HONOR PLATOON, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/256C | RIBBON, NAVAL SCIENCE II HONOR PLATOON, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/257C | RIBBON, NAVAL SCIENCE I HONOR PLATOON, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/258C | RIBBON, AT SEA CRUISE, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/259C | RIBBON, COLOR GUARD, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/260C | RIBBON, DRILL TEAM, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/261C | RIBBON, RIFLE TEAM, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/262C | RIBBON, UNIT AWARD (CNET), NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/263C | RIBBON, COMMUNITY SERVICE, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/264C | RIBBON, PHYSICAL FITNESS, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/265C | RIBBON, RECRUITING, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/266C | RIBBON, ORIENTEERING, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/267D | RIBBON, UNIT SERVICE, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/268D | RIBBON, PARTICIPATION AWARD, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/269D | RIBBON, ACADEMIC TEAM, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/270E | RIBBON, CNET HONOR UNIT, NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/271C | RIBBON, UNTITLED ITEM "E", NJROTC [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/272D | RIBBON, NAVY SERVICE MEDAL, OFFICE OF THE SECRETARY OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/273C | RIBBON, NAVY AND MARINE CORPS SEA SERVICE DEPARTMENT [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/274D | RIBBON, ACHIEVEMENT MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/275C | RIBBON, AIR FORCE TRAINING [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/276C | RIBBON, AIR FORCE RECOGNITION [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/277C | RIBBON, AIR FORCE OVERSEAS [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/278D | RIBBON, AIR FORCE OVERSEAS, WITH SHORT TOUR DESIGNATION [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/279D | RIBBON, CITATION, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 16-JUL-97 |
| MIL-DTL-11589/280D | RIBBON, ACHIEVEMENT MEDAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/281C | RIBBON, ARMY SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/282C | RIBBON, ARMY OVERSEAS SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/283C | RIBBON, ARMY NCO PROFESSIONAL DEVELOPMENT [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/284C | RIBBON, COMMENDABLE SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/285C | RIBBON, OUTSTANDING SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/286C | RIBBON, OUTSTANDING CAREER ACHIEVEMENT AWARD, A.I.D., DEPT OF STATE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/287C | RIBBON, AFROTC RECRUITING AWARD [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/288E | RIBBON, AFROTC OUTSTANDING FLIGHT AND AFJROTC DRILL COMPETITION [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 25-MAR-98 |
| MIL-DTL-11589/289C | RIBBON, JOINT MERITORIOUS UNIT AWARD, DOD [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/290C | RIBBON, COAST GUARD MARITIME PROTECTION FOR THE NEW REPUBLIC [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/291C | RIBBON, COMMANDER'S AWARD FOR PUBLIC SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/292D | RIBBON, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/293C | RIBBON, JOINT SERVICE ACHIEVEMENT MEDAL, DOD [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/294C | RIBBON, NAVY FLEET MARINE FORCE SERVICE [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/295C | RIBBON, MERITORIOUS COMPONENT, OVERSEAS TRAINING [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/296C | RIBBON, ARMY RESERVE SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/297C | RIBBON, COMMENDATION MEDAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/298C | RIBBON, DISTINGUISHED SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/299B | RIBBON, COAST GUARD SEA SERVICE [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/300B | RIBBON, RESTRICTED DUTY, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/301B | RIBBON, RECRUIT TRAINING, HONOR GRADUATE, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/302C | RIBBON, DEFENSE INTELLIGENCE DIRECTOR'S AWARD, DEFENSE INTELLIGENCE AGENCY [CUST: IH] [REVIEW: CT DI] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/303B | RIBBON, MEDAL OF VALOR, CHAPLAIN, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/304B | RIBBON, ARMY SUPERIOR UNIT AWARD [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| MIL-DTL-11589/305B | RIBBON, INFANTRY STREAMERS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|--------------------|--|--------------------------|--------------------|-----------|
| MIL-DTL-11589/306B | RIBBON, MEDICAL UNIT STREAMERS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/307C | RIBBON, GOLD MEDAL, DEPARTMENT OF COMMERCE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/308C | RIBBON, SILVER MEDAL, DEPARTMENT OF COMMERCE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/309C | RIBBON, BRONZE MEDAL, DEPARTMENT OF COMMERCE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/310C | RIBBON, CORPS COMMENDATION MEDAL, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/311C | RIBBON, SPECIAL ACHIEVEMENT AWARD, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/312C | RIBBON, NOAA CORPS DIRECTOR'S RIBBON NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 |
| MIL-DTL-11589/313C | RIBBON, RECRUITING COMMAND AWARD FOR JROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/314B | RIBBON, MEDAL OF ACHIEVEMENT, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/315E | RIBBON, SURGEON GENERAL'S MEDALLION, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/316C | RIBBON, REGULAR CORPS, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 |
| MIL-DTL-11589/317C | RIBBON, CIVILIAN AWARD FOR HUMANITARIAN SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/318B | RIBBON, NAVY ARCTIC SERVICE [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/319C | RIBBON, PRISONER OF WAR (POW) MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/320C | RIBBON, INTERNATIONAL DUTY SERVICE, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 |
| MIL-DTL-11589/321C | RIBBON, MOBILE DUTY SERVICE, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 |
| MIL-DTL-11589/322B | RIBBON, PACIFIC SERVICE, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/323C | RIBBON, ATLANTIC SERVICE, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 |
| MIL-DTL-11589/324B | RIBBON, NAVY AND MARINE CORPS OVERSEAS SERVICE [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/325B | RIBBON, MERITORIOUS SERVICE MEDAL, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/326B | RIBBON, DISTINGUISHED SERVICE MEDAL, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/327B | RIBBON, NAVAL RESERVE SEA SERVICE [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/328B | RIBBON, SMALLPOX ERADICATION CAMPAIGN [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/329B | RIBBON, PHYSICAL FITNESS, AIR FORCE ROTC [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/330C | RIBBON, SPECIAL OPERATIONS SERVICE, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/331B | RIBBON, ACHIEVEMENT MEDAL FOR CIVILIAN SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/332B | RIBBON, SUPERIOR CIVILIAN SERVICE AWARD, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/333C | RIBBON, AERIAL ACHIEVEMENT MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/334C | RIBBON, MULTINATIONAL FORCE AND OBSERVERS MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/335C | RIBBON, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/336C | RIBBON, DISTINGUISHED CAREER SERVICE AWARD, DEFENSE LOGISTICS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/337C | RIBBON, NATIONAL EMERGENCY PREPAREDNESS AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/338B | RIBBON, CADET TROOP LEADERSHIP, ARMY ROTC [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/339B | RIBBON, RANGER CHALLENGE BRIGADE COMPETITION, ARMY ROTC [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/340B | RIBBON, EXCEPTIONAL ENGINEERING ACHIEVEMENT MEDAL, NASA [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/341B | RIBBON, SPACE FLIGHT MEDAL, NASA [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/342B | RIBBON, EQUAL EMPLOYMENT OPPORTUNITY MEDAL, NASA [CUST: IH] [REVIEW: CT NA] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/343B | RIBBON, NAVY RECRUITING SERVICE, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/344B | RIBBON, PUBLIC SERVICE MEDAL, NASA [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/345C | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, ON-SITE INSPECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/346D | RIBBON, EXCEPTIONAL SERVICE AWARD, ON-SITE INSPECTION AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/347B | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/348B | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/349D | RIBBON, DISTINGUISHED SERVICE AWARD, COAST GUARD AUXILIARY [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/350B | RIBBON, COAST GUARD BICENTENNIAL UNIT COMMENDATION [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/351C | RIBBON, VIETNAM SERVICE MEDAL, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/352C | RIBBON, MEDITERRANEAN - MIDDLE EAST WAR ZONE MEDAL, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/353B | RIBBON, EXEMPLARY CIVILIAN SERVICE AWARD, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/354C | RIBBON, EXCEPTIONAL ACHIEVEMENT MEDAL, NASA [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/355B | RIBBON, COAST GUARD "E" [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/356B | RIBBON, SOUTHWEST ASIA SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/357C | RIBBON, COMMISSIONED OFFICERS ASSOCIATION, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/358C | RIBBON, NATIONAL COMMUNICATIONS SYSTEM MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/359C | RIBBON, CIVILIAN SERVICE IN SOUTHWEST ASIA MEDAL, DOD [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/360D | RIBBON, EXPEDITIONARY MEDAL, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/361C | RIBBON, DEFENSE MEDAL, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/362C | RIBBON, ATLANTIC WAR ZONE MEDAL, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/363C | RIBBON, PACIFIC WAR ZONE MEDAL, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/364C | RIBBON, KOREAN SERVICE MEDAL, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/365C | RIBBON, KUWAIT LIBERATION MEDAL, KINGDOM OF SAUDI ARABIA [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/366B | RIBBON, DISTINGUISHED CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/367B | RIBBON, CIVILIAN CAREER SERVICE AWARD, DEFENSE COMMISSARY AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |
| MIL-DTL-11589/368B | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------|--|--------------------------|-----|-------------|-----------|
| | MIL-DTL-11589/369B | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY [CUST: IH DC] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/370B | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY [CUST: IH DC] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/371B | RIBBON, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/372B | RIBBON, DISTINGUISHED SERVICE MEDAL, DEPARTMENT OF TRANSPORTATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/373A | RIBBON, CRISIS RESPONSE SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE (USPHS) [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/374A | RIBBON, MILITARY OUTSTANDING VOLUNTEER SERVICE MEDAL, DEPARTMENT OF DEFENSE [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/375C | RIBBON, COMMENDABLE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-APR-96 |
| | MIL-DTL-11589/376B | RIBBON, MERITORIOUS SERVICE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/377B | RIBBON, DISTINGUISHED SERVICE MEDAL, FEDERAL BUREAU OF PRISONS, DEPARTMENT OF JUSTICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/378A | RIBBON, WORLD WAR II VICTORY MEDAL, MERCHANT MARINE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/379A | RIBBON, NAVY OCCUPATION SERVICE MEDAL [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/380A | RIBBON, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/381A | RIBBON, MERITORIOUS TEAM COMMENDATION AWARD, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/382A | RIBBON, MEDAL OF VALOR, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/383A | RIBBON, GOLD STAR MEDAL, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/384A | RIBBON, DISTINGUISHED SERVICE MEDAL, BUREAU OF ALCOHOL, TOBACCO AND FIREARMS [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/385B | RIBBON, SERVICE AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/386B | RIBBON, ACHIEVEMENT AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/387B | RIBBON, DIRECTOR'S AWARD, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/388B | RIBBON, VALOR MEDAL, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/389B | RIBBON, LIFESAVING MEDAL, OFFICE OF PROTECTION SERVICES, SMITHSONIAN INSTITUTION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/390A | RIBBON, CIVILIAN AERIAL ACHIEVEMENT MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/391A | RIBBON, CIVILIAN AIR MEDAL, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/392A | RIBBON, OUTSTANDING UNIT AWARD, SECRETARY OF TRANSPORTATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/393A | RIBBON, OUTSTANDING PUBLIC SERVICE, CHAIRMAN OF THE JOINT CHIEFS OF STAFF [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/394A | RIBBON, DISTINGUISHED PUBLIC SERVICE, CHAIRMAN OF THE JOINT CHIEFS OF STAFF [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/395A | RIBBON, RECRUITING SERVICE, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/396 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-1 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/397 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-2 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/398 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-3 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/399 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-4 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/400 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-5 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/401 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-6 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/402 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-7 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/403 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-8 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/404A | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-5-1 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-APR-96 |
| | MIL-DTL-11589/405A | RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-10 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-APR-96 |
| | MIL-DTL-11589/406 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-1 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/407A | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-2 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-APR-96 |
| | MIL-DTL-11589/408 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-3 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/409 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-4 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/410 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-5 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/411 | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-6 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/412A | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-7 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-APR-96 |
| | MIL-DTL-11589/413A | RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-3-12 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-APR-96 |
| | MIL-DTL-11589/414A | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-13 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-APR-96 |
| | MIL-DTL-11589/415A | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-11 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-APR-96 |
| | MIL-DTL-11589/416 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-1 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/417 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-2 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/418 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-3 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/419 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-4 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/420 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-5 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/421 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-6 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/422 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-7 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/423 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-8 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/424 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-9 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/425 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-10 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/426 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-1 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/427 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-2 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/428 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-3 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/429 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-4 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/430 | RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-5 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/431 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-1 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |
| | MIL-DTL-11589/432 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-2 [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 15-SEP-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|--------------------|---|-----------------------|-----|-------------|------|
| | MIL-DTL-11589/433 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-3 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/434 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-4 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/435A | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-5 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 | |
| | MIL-DTL-11589/436 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-6 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/437 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-7 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/438 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-8 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/439 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-9 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/440 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-10 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/441 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-1 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/442 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-2 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/443 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-3 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/444 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-4 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/445 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-5 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/446 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-1 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/447 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-2 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/448 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-3 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/449 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-4 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/450 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-5 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/451 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-6 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/452 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-7 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/453 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-8 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/454 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-9 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/455 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-10 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/456 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-11 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/457 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-12 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/458 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-13 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/459 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-14 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/460 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-15 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/461 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-1 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/462 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-2 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/463 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-3 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/464 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-4 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/465 | RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-5 [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-SEP-95 | |
| | MIL-DTL-11589/466A | RIBBON, KUWAIT LIBERATION MEDAL, GOVERNMENT OF KUWAIT [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | 29-DEC-95 | |
| | MIL-DTL-11589/467 | RIBBON, ARMED FORCES SERVICE MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | 17-OCT-95 | |
| | MIL-DTL-11589/468 | RIBBON, SECRETARY'S AWARD, DEPARTMENT OF ENERGY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 17-OCT-95 | |
| | MIL-DTL-11589/469 | RIBBON, EXCEPTIONAL SERVICE AWARD, DEPARTMENT OF ENERGY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 17-OCT-95 | |
| | MIL-DTL-11589/470 | RIBBON, MERITORIOUS SERVICE AWARD, DEPARTMENT OF ENERGY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 17-OCT-95 | |
| | MIL-DTL-11589/471A | RIBBON, SUPERIOR SERVICE, NATIONAL RECONNAISSANCE OFFICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 13-DEC-96 | |
| | MIL-DTL-11589/472 | RIBBON, MERITORIOUS SERVICE, NATIONAL RECONNAISSANCE OFFICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 17-OCT-95 | |
| | MIL-DTL-11589/473 | RIBBON, DISTINGUISHED SERVICE, NATIONAL RECONNAISSANCE OFFICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 17-OCT-95 | |
| | MIL-DTL-11589/474 | RIBBON, RECRUITING SERVICE, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 21-NOV-95 | |
| | MIL-DTL-11589/475 | RIBBON, SUSTAINED SERVICE AWARD, COAST GUARD AUXILIARY [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | 21-NOV-95 | |
| | MIL-DTL-11589/476 | RIBBON, MERITORIOUS SERVICE AWARD, COAST GUARD AUXILIARY [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 15-APR-96 | |
| | MIL-DTL-11589/477 | RIBBON, HUMANITARIAN SERVICE AWARD, COAST GUARD AUXILIARY [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 15-APR-96 | |
| | MIL-DTL-11589/478 | RIBBON, NORTH ATLANTIC TREATY ORGANIZATION (NATO) MEDAL [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 | |
| | MIL-DTL-11589/479A | RIBBON, UNITED NATIONS SECURITY FORCES, HOLLANDIA (UNTEA) (UNITED NATIONS TEMPORARY EXECUTIVE AUTHORITY AND THE UNITED NATIONS SECURITY FORCE IN WEST NEW GUINEA) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 13-DEC-96 | |
| | MIL-DTL-11589/480 | RIBBON, UNITED NATIONS TRUCE SUPERVISORY ORGANIZATION IN PALESTINE (UNTSO) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 | |
| | MIL-DTL-11589/481A | RIBBON, UNITED NATIONS OBSERVATION GROUP IN LEBANON [CUST: IH] [REVIEW: CT] | A 8455 | IH | 13-DEC-96 | |
| | MIL-DTL-11589/482 | RIBBON, UNITED NATIONS PROTECTION FORCE IN YUGOSLAVIA (UNPROFOR) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 | |
| | MIL-DTL-11589/483 | RIBBON, UNITED NATIONS ADVANCE MISSION IN CAMBODIA (UNAMIC) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 | |
| | MIL-DTL-11589/484 | RIBBON, UNITED NATIONS TRANSITIONAL AUTHORITY IN CAMBODIA (UNTAC) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 | |
| | MIL-DTL-11589/485 | RIBBON, UNITED NATIONS OPERATION IN SOMALIA [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 | |
| | MIL-DTL-11589/486 | RIBBON, UNITED NATIONS MISSION FOR THE REFERENDUM IN WESTERN SAHARA (MINURSO) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 | |
| | MIL-DTL-11589/487A | RIBBON, UNITED NATIONS MISSION IN HAITI (UNMIH) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 12-MAY-97 | |
| | MIL-DTL-11589/488 | RIBBON, UNITED NATIONS IRAQ/KUWAIT OBSERVER MISSION (UNIKOM) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-APR-96 | |
| | MIL-DTL-11589/489 | RIBBON, JOINT DISTINGUISHED CIVILIAN SERVICE AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 | |
| | MIL-DTL-11589/490 | RIBBON, JOINT MERITORIOUS CIVILIAN SERVICE AWARD, CHAIRMAN OF THE JOINT CHIEFS OF STAFF [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 | |
| | MIL-DTL-11589/491 | RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE, DEPARTMENT OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 | |
| | MIL-DTL-11589/492A | RIBBON, OUTSTANDING CAREER CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE, DEPARTMENT OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 13-DEC-96 | |
| | MIL-DTL-11589/493 | RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, CIVILIAN PERSONNEL MANAGEMENT SERVICE, DEPARTMENT OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 | |
| | MIL-DTL-11589/494 | RIBBON, DIRECTOR'S LIFETIME ACHIEVEMENT AWARD, DEFENSE SPECIAL WEAPONS AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 | |
| | MIL-DTL-11589/495 | RIBBON, EUGENE G. FUBINI AWARD [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 | |
| | MIL-DTL-11589/497 | RIBBON, CIVILIAN COMBAT SUPPORT MEDAL, DEFENSE INTELLIGENCE AGENCY [CUST: IH DI] [REVIEW: CT] | A 8455 | IH | 12-MAY-97 | |
| A | MIL-DTL-11589/498 | RIBBON, DRILL INSTRUCTOR, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 16-JUL-97 | |
| A | MIL-DTL-11589/499 | RIBBON, MARINE SECURITY GUARD, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 17-JUL-97 | |
| A | MIL-DTL-11589/500 | RIBBON, LEADERSHIP AWARD, DEFENSE INTELLIGENCE AGENCY [CUST: IH DI] [REVIEW: CT] | A 8455 | IH | 16-JUL-97 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/area | UIC | Prep. Acty. | Date |
|------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-DTL-11589/501 | RIBBON, SUPERIOR CIVILIAN SERVICE MEDAL NATIONAL IMAGERY AND MAPPING AGENCY[CUST: IH] [REVIEW: CT] | A 8455 | IH | | 16-JUL-97 |
| A | MIL-DTL-11589/502 | RIBBON, MERITORIOUS CIVILIAN SERVICE MEDAL, NATIONAL IMAGERY AND MAPPING AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 16-JUL-97 |
| A | MIL-DTL-11589/503 | RIBBON, DISTINGUISHED CIVILIAN SERVICE MEDAL, NATIONAL IMAGERY AND MAPPING AGENCY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 16-JUL-97 |
| A | MIL-DTL-11589/504 | RIBBON, PISTOL, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 23-SEP-97 |
| A | MIL-DTL-11589/505 | RIBBON, RIFLE, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 23-SEP-97 |
| A | MIL-DTL-11589/506 | RIBBON, UNITED NATIONS MILITARY OBSERVER GROUP IN INDIA AND PAKISTAN (UNMOGIP) [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 23-SEP-97 |
| A | MIL-DTL-11589/507 | RIBBON, ARMED FORCES CIVILIAN SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | | 05-FEB-98 |
| | MIL-B-11595E | BAR, METAL AND BLANKS, STEEL (UNDER 2 INCHES IN DIAMETER) FOR BARRELS OF SMALL ARMS WEAPONS [CUST: MR] [REVIEW: IS] | A 9510 | AR | | 07-JUN-88 |
| | MIL-C-11693C(5) SUP 1B | CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, AC AND DC (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 99 CC] | A 5910 | CC | | 15-OCT-91 |
| | MIL-C-11693/7D(3) | CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED AND NON-ESTABLISHED RELIABILITY STYLES CZ23, CZ24, CZR23 AND CZR24 [CUST: CR EC 85] [REVIEW: 99 CC EA MI] | A 5910 | CC | | 21-SEP-92 |
| | MIL-C-11693/8C NOT 1 | CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASE), STYLE CZ25 [CUST: CR EC 85] [REVIEW: 11 99 CC] | A 5910 | CC | | 17-AUG-88 |
| | MIL-F-11712F(1) | FLOODLIGHTS, ELECTRIC: UTILITY TYPE, PORCELAIN-COVERED STEEL OR ALUMINUM, BRACKET-MOUNTED, WEATHERPROOF, WITH OR WITHOUT LENS [CUST: CR4 99] [REVIEW: 82 YD1] | A 6230 | GS | | 08-JAN-92 |
| | MIL-S-11713C NOT 1 | STEEL STRIP, CARBON, SPRING: FOR MECHANICAL TIME FUZE COMPONENTS [CUST: MR OS IS] [REVIEW: AR MI] | A 9515 | IS | | 26-MAY-88 |
| A | MIL-C-11732D | CYLINDER, COMPRESSED GAS, CHLORINE, ICC 3A ICC 3AA [CUST: SH 68] [REVIEW: MC YD1] | A 8120 | GS | | 20-MAR-73 |
| A | MIL-C-11732/I | CYLINDER, COMPRESSED GAS, CHLORINE, DOT 3A480 OR DOT 3AA480 [CUST: SH 68] [REVIEW: EA MC YD1] | A 8120 | GS | | 08-MAR-73 |
| A | MIL-C-11733D(1) | CYLINDER, COMPRESSED GAS, AMMONIA, WITH VALVE (DOT 4AA480) [CUST: SH 68] [REVIEW: MC YD1] | A 8120 | GS | | 24-NOV-81 |
| | MIL-L-11734C | LUBRICATING OIL, SYNTHETIC (FOR MECHANICAL TIME FUZES) [CUST: AR OS 68] [REVIEW: CR4 GS MD MI PS] | A 9150 | AR | | 31-DEC-69 |
| | MIL-P-11751E | POTASSIUM HYDROXIDE SOLUTION [CUST: EA 68] [REVIEW: MD] | A 6810 | GS | | 23-JUN-94 |
| | MIL-C-11796C | CORROSION PREVENTIVE COMPOUND, PETROLATUM, HOT APPLICATION [CUST: AR SH 99] [REVIEW: AS EA GL MI MS OS SA] | A 8030 | AR | | 04-NOV-86 |
| | MIL-B-11837C | BLOCK, TACKLE, WIRE ROPE, SNATCH, EXTRA HEAVY DUTY [CUST: AT 99] [REVIEW: 84 CR IS MC YD1] | A 3940 | GS | | 06-OCT-83 |
| | MIL-B-11839D NOT 1 | BRAOMETER, ANEROID ML-4340/PM [CUST: CR 99] [REVIEW: GS] | A 6660 | CR | | 27-APR-88 |
| | MIL-L-11848C(1) | LIGHTS, POWER TOOL [CUST: CR4 99] [REVIEW: SH] | A 6230 | GS | | 17-SEP-90 |
| | MIL-I-11867K | ICE MAKING MACHINE, CUBE [CUST: SA 99] [REVIEW: 82 GS MC MS] | A 4110 | SA | | 23-JUN-86 |
| | MIL-P-11879D | PYROMETER, OPTICAL [CUST: AT 99] | A 6685 | GS | | 11-OCT-74 |
| M | MIL-DTL-11891G | TRACK SHOE SETS, TRACK SHOE ASSEMBLIES, TRACK SHOE PADS AND TRACK SHOE BUSHINGS, VEHICULAR: ELASTOMERIZED [CUST: AT] | A 2530 | AT | | 25-FEB-98 |
| A | MIL-S-11922E NOT 2 | SCARF, BRANCH OF SERVICE, BIB TYPE [CUST: IH NU 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 02-FEB-98 |
| | MIL-P-11970C NOT 1 | POTASSIUM PARMANGANATE, TECHNICAL (METRIC) [CUST: CR4 68] [REVIEW: GS] | A 6810 | 68 | | 07-OCT-88 |
| | MIL-G-11994A(3) NOT 1 | GENERATOR, RINGING, HAND G-42()/PT [CUST: CR 17 CC] [REVIEW: 99 MC] | A 5805 | CC | | 31-MAR-88 |
| | MIL-H-11996B | HANDSET H-60/PT, HANDSET H-156/U, AND HANDSET H-165/U [CUST: CR 85 CC] [REVIEW: 99 AR MI SM] | A 5965 | CC | | 28-OCT-80 |
| | MIL-H-11996B(11) | HANDSETS GENERAL SPECIFICATION FOR [CUST: CR] | A 5965 | CR | | 12-DEC-91 |
| | MIL-H-11996/1 NOT 1 | HANDSET, H-600/PT [CUST: CR 85 CC] [REVIEW: 17 99 MI] | A 5965 | CC | | 29-MAR-88 |
| | MIL-H-11996/2 NOT 1 | HANDSET, H-1560/PT [CUST: CR 85 CC] [REVIEW: 17 99 MI] | A 5965 | CC | | 29-MAR-88 |
| | MIL-H-11996/3 NOT 1 | HANDSET, H-1650/PT [CUST: CR 85 CC] [REVIEW: 17 99 EA MI] | A 5965 | CC | | 25-MAR-88 |
| A | MIL-C-11997B(1) | CORD ASSEMBLY, ELECTRICAL, CX-215/U (RETRACTILE) [CUST: CR GS] | A 5995 | CC | | 22-APR-87 |
| | MIL-C-12000H | CABLE, CORD, AND WIRE, ELECTRIC; PACKAGING OF [CUST: CR YD1 85] [REVIEW: 99 AR AS AT CC IS MC MI OS SA SH SM] | A PACK | YD1 | | 27-SEP-90 |
| | MIL-P-12001D | PROBE LIGHT KIT, INSPECTION [CUST: CR4 OS 99] [REVIEW: AS MC] | A 6230 | GS | | 29-MAR-77 |
| | MIL-P-12048D(1) | PETROLEUM TESTING KIT, GROUND FUELS [CUST: AT] [REVIEW: GS] | A 6630 | AT | | 23-OCT-91 |
| A | MIL-P-12048D(12) | PETROLEUM TESTING FIT, GROUND FUELS [CUST: AT] | A 6630 | AT | | 13-SEP-94 |
| | MIL-P-12059 NOT 5 | POWDER, SULFURLESS METAL [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 27-NOV-96 |
| | MIL-F-12070D(1) | FOG OIL [CUST: AT SH] [REVIEW: 68 EA GS MC OS SA] | A 9150 | AT | | 29-APR-93 |
| | MIL-C-12095G NOT 1 | CLOTH, WIND & RESISTANT SATEEN, COTTON, FIRE & WATER RESISTANT [CUST: GL NU 99 CT] [REVIEW: 11 CR MC MD] | A 8305 | CT | | 12-NOV-87 |
| A | MIL-S-12109C SUP 1 NOT 1 | SOLENOID, ELECTRICAL; GUN-FIRING MECHANISMS [CUST: AT OS 85] [REVIEW: 99 AR CC EA MC] | A 5945 | AT | | 25-JUN-90 |
| | MIL-S-12109/1 NOT 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | | 25-JUN-90 |
| | MIL-S-12109/2 NOT 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | | 25-JUN-90 |
| | MIL-S-12109/3A NOT 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | | 25-JUN-90 |
| | MIL-S-12109/4 NOT 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | | 25-JUN-90 |
| | MIL-S-12109/5 NOT 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR AV CC MC] | A 5945 | AT | | 25-JUN-90 |
| A | MIL-S-12109/6 NOT 1 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON), 90 MM, 24 VOLT DC, 28 AMP MAX [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | | 25-JUN-90 |
| | MIL-S-12109/7 NOT 1 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON), 90 MM, 24 VOLT DC, 28 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | | 25-JUN-90 |
| | MIL-S-12109/8 NOT 1 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR AV CC MC] | A 5945 | AT | | 25-JUN-90 |
| | MIL-S-12109/9 NOT 1 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR MC] | A 5945 | AT | | 25-JUN-90 |
| | MIL-S-12109/10 NOT 1 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR AV CC MC] | A 5945 | AT | | 25-JUN-90 |
| | MIL-S-12109/11 NOT 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .50, 24 VOLT DC, 8 AMP MAX.[CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | | 25-JUN-90 |
| A | MIL-S-12109/12 NOT 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN), CAL .50, 24 VOLT DC, 7.7 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR AV CC MC] | A 5945 | AT | | 25-JUN-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prog. Actv. | Date |
|-------------|------------------------------|--|-----------------------|-----|-------------|------|
| A | MIL-S-12109/13 NOT 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN), CAL .50, 24 VOLT DC, 7.7 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | 25-JUN-90 | |
| A | MIL-S-12109/14 NOT 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN), CAL .50, 24 VOLT DC, 7.7 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | 25-JUN-90 | |
| | MIL-S-12109/15 NOT 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .50, 24 VOLT DC, 7.7 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR AV CC MC] | A 5945 | AT | 25-JUN-90 | |
| | MIL-S-12109/16 NOT 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 12 VOLT DC, 8 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR AV CC MC] | A 5945 | AT | 25-JUN-90 | |
| A | MIL-S-12109/17 NOT 1 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR AV CC MC] | A 5945 | AT | 25-JUN-90 | |
| | MIL-S-12109/18 NOT 1 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 76 MM, 24 VOLT DC, 28 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR AV CC MC] | A 5945 | AT | 25-JUN-90 | |
| | MIL-S-12109/19 NOT 1 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | 25-JUN-90 | |
| A | MIL-S-12109/20 NOT 1 | SOLENOID, ELECTRICAL; CLASS 1 (CANNON) 76 MM, 24 VOLT DC, 28 AMP MAX [CUST: AT OS 85] [REVIEW: 99 AR CC MC] | A 5945 | AT | 25-JUN-90 | |
| | MIL-S-12109/21 NOT 1 | SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) 7.62MM, 24 VOLT DC, 8 AMP MAX. (75F20924 AND 7791685) [CUST: AT OS 85] [REVIEW: AR CC MC] | A 5945 | AT | 25-JUN-90 | |
| | MIL-W-12133D | WASHER, SPRING TENSION, GENERAL SPECIFICATION FOR [CUST: AR OS 99 IS] [REVIEW: 82 AS AT AV CR4 MC MI YDI] | A 5310 | IS | 17-JUN-94 | |
| | MIL-W-12133/1C | WASHER, SPRING TENSION, BELLEVILLE SPRING, SPRING STEEL [CUST: AR OS 99 IS] [REVIEW: 82 AS CR MC MI YDI] | A 5310 | IS | 17-JUN-94 | |
| | MIL-W-12133/2B | WASHER, SPRING TENSION, BELLEVILLE SPRING, CORROSION RESISTANT STEEL [CUST: AR OS 99 IS] [REVIEW: 82 AS AT CR CR4 MC MI YDI] | A 5310 | IS | 17-JUN-94 | |
| | MIL-W-12133/3 | WASHER, SPRING TENSION, WAVE, COPPER-BERYLLIUM [CUST: AR OS 99] [REVIEW: 11 82 AS AT AV CR4 MC MI YDI] | A 5310 | IS | 30-JUL-84 | |
| | MIL-W-12133/4A | WASHER, SPRING TENSION, WAVE, CRES 302 [CUST: AR OS 99] [REVIEW: 11 82 AS AT AV CR4 GL MC SH YDI] | A 5310 | IS | 28-FEB-86 | |
| | MIL-W-12133/6 | WASHER, SPRING TENSION, WAVE, SPRING STEEL [CUST: AR OS 99] [REVIEW: 11 82 AS CR MC MI YDI] | A 5310 | IS | 24-APR-86 | |
| | MIL-W-12133/8 | WASHER, SPRING TENSION, CURVED, CRES, 302 [CUST: AR OS 99] [REVIEW: 11 82 AS AT AV GL MC MI YDI] | A 5310 | IS | 18-JUN-87 | |
| | MIL-W-12133/9 | WASHER, SPRING TENSION, CURVED, COPPER, BERYLLIUM [CUST: AR OS 99] [REVIEW: 11 82 AS AT CR MC MI YDI] | A 5310 | IS | 09-OCT-87 | |
| | MIL-P-12164E | PLAYPIPE, NOZZLE, FIRE HOSE [CUST: AV 99] [REVIEW: 84] | A 4210 | CC | 29-MAR-84 | |
| | MIL-S-12165F | STRAINER, SUCTION, FIRE HOSE, AND STRAINERS, SUCTION, HOSE [CUST: AT YD1 99] [REVIEW: EA] | A 4730 | CC | 01-AUG-79 | |
| | MIL-C-12189H | CLOTH, COATED; BUTYL COATED, TOXICOLOGICAL AGENTS PROTECTIVE [CUST: GL NU 99 CT] [REVIEW: 31 45 82 EA MC MD] | A 8305 | CT | 30-JUN-88 | |
| | MIL-S-12210A NOT 3 | STRONTIUM OXALATE [CUST: AR OS] [REVIEW: GS] | A 6810 | AR | 02-DEC-96 | |
| | MIL-G-12223J | GLOVES, TOXICOLOGICAL AGENTS PROTECTIVE [CUST: GL NU 99 CT] [REVIEW: 45 82 EA MC MD] | A 8415 | CT | 15-MAR-90 | |
| | MIL-F-12224J | FOOTWEAR COVERS, TOXICOLOGICAL AGENTS PROTECTIVE, M-1 [CUST: GL NU 99 CT] [REVIEW: 31 45 82 MC MD YDI] | A 8430 | CT | 03-MAY-89 | |
| | MIL-H-12225H | HOOD, GAS MASK, TOXICOLOGICAL AGENTS PROTECTIVE: M-3 [CUST: GL NU 99 CT] [REVIEW: 31 45 82 AS EA MC MD] | A 8415 | CT | 06-MAR-90 | |
| | MIL-C-12226H | COVER, TOXICOLOGICAL AGENTS PROTECTIVE GAS MASK HOOD, COOLING [CUST: NU 99 CT] [REVIEW: 45 82 MC OS] | A 8415 | CT | 25-AUG-93 | |
| | MIL-S-12227F | SUIT, TOXICOLOGICAL AGENTS PROTECTIVE COVER, COOLING [CUST: NU 99 CT] [REVIEW: 31 45 MC OS] | A 8415 | CT | 08-MAY-89 | |
| | MIL-B-12253E | BRAKES, MUZZLE, CANNON, STEEL CASTINGS FOR [CUST: AR] | A MECA | AR | 03-NOV-88 | |
| | MIL-T-12270C(1) | TIE-PLATE, RAILWAY [CUST: AT YDI] | A 2250 | AT | 27-DEC-84 | |
| | MIL-V-12276D(1) | VARNISH PHENOLIC, BAKING [CUST: MR] [REVIEW: AR EA MD MI] | A 8010 | MR | 01-AUG-73 | |
| | MIL-S-12285D(1) | SWITCHES, THERMOSTATIC [CUST: AT CC] | A 5930 | CC | 07-APR-92 | |
| | MIL-S-12285/1G | SWITCH, THERMOSTATIC (LONG SENSOR) [CUST: AT CC] | A 5930 | CC | 07-DEC-92 | |
| | MIL-S-12285/2E | SWITCH, THERMOSTATIC (SHORT SENSOR) [CUST: AT CC] | A 5930 | CC | 21-JUL-92 | |
| | MIL-G-12297H(1) | GRENADE, HAND, INCENDIARY, TH3, AN-M14 [CUST: AR] | A 1330 | AR | 17-JAN-86 | |
| | MIL-D-12313C(2) | DIMMER, LAMP, 60 WATT, 120 VOLT, MEDIUM SCREW BASE AND SOCKET [CUST: CR4] | A 6250 | GS | 06-SEP-88 | |
| | MIL-C-12316E | CASE, MAP AND PHOTOGRAPH, COTTON DUCK [CUST: GL NU 99 CT] [REVIEW: 45 82 MC SA] | A 8460 | CT | 10-AUG-84 | |
| | MIL-H-12322D | HEATER, WATER, STEAM-HOT WATER HEATED [CUST: YD1 99] [REVIEW: CC CE CG MD] | A 4520 | YD1 | 08-DEC-78 | |
| | MIL-W-12332A(3) | WELDING, RESISTANCE, SPOT, SEAM, AND PROJECTION; FOR FABRICATING ASSEMBLIES OF LOW-CARBON STEEL [CUST: MR] [REVIEW: AL AR MI] | A THJM | MR | 29-AUG-94 | |
| | MIL-T-12354F(1) | TENT, ARCTIC, 10 MAN [CUST: GL NU 99 CT] [REVIEW: 45 82 MC YDI] | A 8340 | CT | 23-AUG-91 | |
| | MIL-J-12368D(1) | JOINT BAR, RAIL [CUST: AT YDI] | A 2250 | AT | 27-DEC-84 | |
| | MIL-C-12369F(1) NOT 1 | CLOTH, BALLISTIC, NYLON [CUST: GL CT] [REVIEW: EA MD] | A 8305 | CT | 22-APR-89 | |
| | MIL-C-12386E | CLAMP, REPAIR, PIPE, WITH GASOLINE-RESISTANT GASKET, GENERAL SPECIFICATION FOR [CUST: AT 99] [REVIEW: CC MC] | A 4730 | AT | 31-MAR-87 | |
| | MIL-E-12397B | ERASER, RUBBER-PUMICE (FOR TESTING COATED OPTICAL ELEMENTS) [CUST: AR] [REVIEW: GL MI OS] | A 7510 | AR | 18-NOV-54 | |
| | MIL-D-12468C(3) NOT 1 | DECONTAMINATING AGENT, STB [CUST: EA 68] [REVIEW: MD] | A 6850 | GS | 23-JUN-94 | |
| | MIL-C-12469K NOT 1 | CRYPTOGRAPHIC EQUIPMENT DESTROYER INCENDIARY, TH4, M1A2 [CUST: AR OS 99] [REVIEW: 70 EA] | A 1375 | AR | 13-OCT-88 | |
| | MIL-B-12504E(1) | BAR, METAL & WIRE (NONELECTRICAL), CARBON AND ALLOY STEEL, COLD DRAWN FOR AP BULLET CORES AND SHOT [CUST: MR] | A 9510 | AR | 16-AUG-90 | |
| | MIL-S-12511G | SPRAYER, INSECTICIDE, FRAME MOUNTED, GASOLINE ENGINE DRIVEN, MIST AND SOLID STREAM, 180 GPH [CUST: CR4 YD1 99 CC] [REVIEW: 84 MC MD MS] | A 3740 | CC | 31-JAN-83 | |
| | MIL-S-12514C | STARTER, MOTOR, ACROSS-THE-LINE AND REDUCED VOLTAGE TYPES, AC INDUCTION, 3/4 TO 100 HP MANUAL AND ELECTRIC [CUST: CR4 YD1 11] [REVIEW: AR CR EA MC MI] | A 6110 | GS | 09-JAN-74 | |
| | MIL-C-12520C(1) SUP 1A NOT 1 | CONNECTOR, PLUG AND RECEPTACLE (ELECTRICAL, WATERPROOF), AND ACCESSORIES, GENERAL SPECIFICATION FOR [CUST: CR 85 CC] [REVIEW: 99 MI] | A 5935 | CC | 01-MAR-86 | |
| | MIL-C-12520/3A NOT 1 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 26, FEMALE INSERTS) [CUST: CR 85 CC] [REVIEW: 17 99 MC] | A 5935 | CC | 01-MAR-86 | |
| | MIL-C-12520/5A | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 20, FEMALE INSERTS) [CUST: CR 85 CC] [REVIEW: 17 99 MC MI] | A 5935 | CC | 01-MAR-86 | |
| | MIL-C-12520/6A NOT 1 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 20, MALE INSERTS) [CUST: CR 85 CC] [REVIEW: 17 99 MC] | A 5935 | CC | 01-MAR-86 | |
| | MIL-C-12520/7A NOT 1 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 26, MALE INSERTS) [CUST: CR 85 CC] [REVIEW: 17 99 MC] | A 5935 | CC | 01-MAR-86 | |
| | MIL-C-12520/8A NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, WATERPROOF (SHELL SIZE 20, MALE INSERTS) [CUST: CR 85 CC] [REVIEW: 17 99 MC] | A 5935 | CC | 01-MAR-86 | |
| | MIL-C-12520/9A NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, WATERPROOF (SHELL SIZE 20, FEMALE INSERTS) [CUST: CR 85 CC] [REVIEW: 17 99 MC] | A 5935 | CC | 01-MAR-86 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-C-12520/10A NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, WATERPROOF (SHELL SIZE 26, MALE INSERTS)[CUST: CR 85 CC] [REVIEW: 17 99 MC] | A 5935 | CC | | 01-MAR-86 |
| | MIL-C-12520/11A NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL WATERPROOF (SHELL SIZE 26, FEMALE INSERTS) [CUST: CR 85 CC] [REVIEW: 17 99 MC] | A 5935 | CC | | 01-MAR-86 |
| | MIL-C-12520/12A NOT 1 | COVER AND CHAIN ASSEMBLIES (EXTERNAL THREADS, FOR USE ON WATERPROOF CONNECTORS) [CUST: CR 85 CC] [REVIEW: 99 MC MI] | A 5935 | CC | | 01-MAR-86 |
| | MIL-C-12520/13A NOT 1 | COVER AND CHAIN ASSEMBLIES (INTERNAL THREADS, FOR USE ON WATERPROOF CONNECTORS) [CUST: CR 85 CC] [REVIEW: 99 MC MI] | A 5935 | CC | | 01-MAR-86 |
| | MIL-C-12520/14 NOT 1 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 26, MALE INSERTS BELLOWS CLAMP) [CUST: CR CC] | A 5935 | CC | | 01-MAR-86 |
| | MIL-C-12520/15 NOT 1 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 26, MALE INSERTS, BELLOWS CLAMP) [CUST: CR CC] | A 5935 | CC | | 01-MAR-86 |
| | MIL-C-12520/16 NOT 1 | CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 20, FEMALE INSERTS) [CUST: CR 85 CC] [REVIEW: 99 MI] | A 5935 | CC | | 01-MAR-86 |
| | MIL-C-12520/17 NOT 1 | CONNECTOR, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 20, MALE INSERTS) [CUST: CR 85 CC] [REVIEW: 99] | A 5935 | CC | | 05-NOV-65 |
| | MIL-C-12520/18 NOT 1 | CONNECTOR, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 26, MALE INSERTS) [CUST: CR 85 CC] [REVIEW: 99] | A 5935 | CC | | 01-MAR-86 |
| A | MIL-A-12545D NOT 2 | ALUMINUM ALLOY IMPACTS [CUST: AR] [REVIEW: AL CR4 EA MI] | A 95GP | AR | | 29-JAN-98 |
| | MIL-A-12560H(2) | ARMOR PLATE, STEEL, WROUGHT, HOMOGENEOUS (FOR USE IN COMBAT-VEHICLES AND FOR AMMUNITION TESTING) [CUST: MR] [REVIEW: AR AT AV IS TE] | A 9515 | MR | | 26-JUL-91 |
| | MIL-R-12571N | REFRIGERATORS, MECHANICAL, FIELD, PORTABLE WALK-IN, PLUG-IN (150 CUBIC FOOT) [CUST: GL YDI 99] [REVIEW: 82 CE GS MC MD] | A 4110 | GL | | 31-DEC-91 |
| | MIL-R-0012571P | REFRIGERATORS, MECHANICAL, FIELD, PORTABLE WALK-IN, PLUG-IN (150 CUBIC FOOT) [CUST: GL] [REVIEW: AV GS MD] | A 4110 | GL | | 18-AUG-94 |
| | MIL-B-12582C | BLOCK, TACKLE, HAUL BACK, FOR WIRE ROPE [CUST: AT YDI] [REVIEW: MC] | A 3940 | GS | | 20-JAN-84 |
| | MIL-W-12598(1) | WAX, MICROCRYSTALLINE, IMPREGNATING [CUST: AR] [REVIEW: GS] | A 9160 | AR | | 03-OCT-61 |
| | MIL-L-12606D(1) NOT 1 | LOUDSPEAKER, PERMANENT MAGNET (UNENCASED, 3 INCH AND 4 INCH DIAMETER CONE, 2 WATT, FUNGUS, GUNBLAST, AND IMMERSION RESISTANT), TYPE LL-445/U, M12606-01, AND M12606-02 [CUST: CR EC 85 CC] [REVIEW: 99 AR AV MC] | A 5965 | CC | | 18-SEP-86 |
| | MIL-L-12632D NOT 1 | LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS, GUNBLAST-, AND IMMERSION RESISTANT), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 13 99 CG CR4 MC OS] | A 5965 | CC | | 18-SEP-86 |
| | MIL-L-12632/1A NOT 1 | LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS, GUNBLAST, AND IMMERSION RESISTANT) TYPE LS-590/U [CUST: CR EC 85 CC] [REVIEW: 13 CG CR4 MC OS] | A 5965 | CC | | 18-SEP-86 |
| | MIL-L-12632/2A NOT 1 | LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS, GUNBLAST-, AND IMMERSION RESISTANT), TYPE LS-166/U [CUST: CR EC 85 CC] [REVIEW: 13 99 CG CR4 MC OS] | A 5965 | CC | | 18-SEP-86 |
| | MIL-L-12632/4A NOT 1 | LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS, GUNBLAST-, AND IMMERSION RESISTANT, TYPE LS-454/U [CUST: CR EC 85 CC] [REVIEW: 13 99 CG CR4 MC OS] | A 5965 | CC | | 18-SEP-86 |
| | MIL-S-12645C | SLINGS, ENDLESS, FIBER ROPE AND NYLON WEBBING [CUST: AT SH 99] [REVIEW: 84 AV IS MT] | A 3940 | GS | | 24-FEB-84 |
| | MIL-B-12673(1) | BRAZING, OXYACETYLENE, OF BUILT-UP METAL STRUCTURES. [CUST: AR] [REVIEW: 99 MI] | A THJM | AR | | 13-JAN-61 |
| | MIL-I-12718F | INSIGNIA, DISTINGUISHING, ARMY AND AIR FORCE, WOVEN [CUST: IH 45] [REVIEW: 32 82 99 CT SM] | A 8455 | IH | | 09-JAN-90 |
| | MIL-I-12718F(13) | INSIGNIA, DISTINGUISHING, ARMY AND AIR FORCE, WOVEN [CUST: IH] | A 8455 | IH | | 17-JUL-92 |
| | MIL-H-12732E | HYPOCHLORINATION UNIT, WATER PURIFICATION, FRAME MOUNTED, AUTOMATICALLY CONTROLLED 2 TO 100 GPM FLOW [CUST: AT YDI 99] [REVIEW: 84 CC CE MD] | A 4610 | AT | | 16-JAN-87 |
| A | MIL-H-12732E(11) | HYPOCHLORINATION UNIT, WATER PURIFICATION, FRAME MOUNTED, AUTOMATICALLY CONTROLLED 2 TO 350 GPM FLOW [CUST: AT] | A 4610 | AT | | 30-OCT-91 |
| | MIL-C-12800A(2) | CLOTH, ACRYLIC (FOR CARTRIDGE BAGS) [CUST: AR] | A 8305 | CT | | 22-APR-76 |
| | MIL-A-12868C | ANTENNA SUPPORT AB-105/FRC TOWER AB-127/FR [CUST: CR 99 CC] | A 5985 | CC | | 12-FEB-69 |
| | MIL-S-12883/4E NOT 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (CRYSTAL, TOP OR BOTTOM MOUNTING, 2 CONTACT, IN-LINE) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CG MC MI OS SH] | A 5935 | CC | | 19-SEP-88 |
| | MIL-S-12883/5C NOT 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (VIBRATOR, TOP OR BOTTOM MOUNTING, SADDLE TYPE, 7 CONTACT, RADIAL) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CG MC MI OS SH] | A 5935 | CC | | 19-SEP-88 |
| | MIL-S-12883/6E NOT 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (RELAY, TOP MOUNTING, 14 CONTACT, RADIAL) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 5935 | CC | | 19-SEP-88 |
| | MIL-S-12883/42E | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (POWER TRANSISTOR, 2 CONTACT, 10 AMPERES, TO-3) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT AV CG CR4 MC OS SH] | A 5935 | CC | | 19-SEP-89 |
| | MIL-T-12919F | TENT LINER, GENERAL PURPOSE, MEDIUM [CUST: GL NU 99 CT] [REVIEW: 82 MC YDI] | A 8340 | CT | | 31-MAR-86 |
| | MIL-S-12928H | SEPARATORS, OIL AND WATER, COMPRESSED AIR [CUST: AL YDI 99 CC] [REVIEW: 82 MC] | A 4940 | CC | | 30-APR-93 |
| | MIL-R-12934H(1) | RESISTOR, VARIABLE, WIREWOUND, PRECISION GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 13-APR-79 |
| | MIL-R-12934/1B(1) NOT 2 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR0900 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 26-JUL-93 |
| | MIL-R-12934/2B(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1100 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/4B(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR2000 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/5B(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3000 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/6B(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1000 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/9B(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR2100 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/10C(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3100 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/15C(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3200 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/16D(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3300 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/17C(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3400 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/18C(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3500 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/19B(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1300 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/20B(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1400 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-R-12934/27C(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3600 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/28D(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3700 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/29C(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3800 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/30D(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3900 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/31D(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION STYLE RR4000 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT AV CR4 MI] | A 5905 | CC | | 04-AUG-93 |
| | MIL-R-12934/32B(1) NOT 1 | RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR4100 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-12934/33A | RESISTOR, VARIABLE, WIRE-WOUND, PRECISION STYLE RR2002 [CUST: EC] | A 5905 | CC | | 26-NOV-90 |
| | MIL-R-12934/34A | RESISTOR, VARIABLE, WIRE-WOUND, PRECISION STYLE RR1004 [CUST: EC] | A 5905 | CC | | 26-NOV-90 |
| | MIL-R-12934/35A | RESISTOR, VARIABLE, WIRE-WOUND, PRECISION, STYLE 2RR2104 [CUST: EC] | A 5905 | CC | | 26-NOV-90 |
| | MIL-R-12934/36A | RESISTOR, VARIABLE, WIRE-WOUND, PRECISION STYLE RR3601 [CUST: EC] | A 5905 | CC | | 26-NOV-90 |
| D | MIL-C-12999B NOT 1 | CHEST, HYMN BOOK [CUST: GL PE 28 IS] | A 9925 | IS | | 14-DEC-67 |
| | MIL-T-13011H | TESTER, CYLINDER COMPRESSION (AUTOMOTIVE MAINTENANCE) [CUST: AL 99 CC] [REVIEW: 82 CR4] | A 4910 | CC | | 14-MAY-93 |
| | MIL-T-13013E(1) | TESTER, INTERNAL-COMBUSTION ENGINE (VACUUM AND PRESSURE) [CUST: AL CC] | A 4910 | CC | | 09-JAN-86 |
| | MIL-L-13078A(1) NOT 1 | LOUDSPEAKER, DYNAMIC LS-112/U, LS-116/U, LS-148/U, LS-160/U, LS-179/U, LS-181/U AND LOUDSPEAKER LS-154/U AND LS-206/U [CUST: CR 85 CC] [REVIEW: 99] | A 5965 | CC | | 09-OCT-86 |
| | MIL-E-13080D | ELECTRODES, WELDING, COVERED: AUSTENITIC STEEL (19-9 MODIFIED) FOR ARMOR APPLICATIONS [CUST: MR SH 11] [REVIEW: 84 99 AS AT CR4 GL GS MC OS YD1] | A 3439 | MR | | 29-JUN-90 |
| A | MIL-M-13081F(14) | MIXER, ROTARY TILLER, SOIL STABILIZATION, SELF-PROPELLED [CUST: AT] | A 3895 | AT | | 14-SEP-90 |
| | MIL-H-13109A NOT 1 | HEADSET, ELECTRICAL, GENERAL SPECIFICATION FOR [CUST: CR 85 CC] [REVIEW: 17 99 CG MC] | A 5965 | CC | | 09-JAN-87 |
| | MIL-S-13119E | SPREADER, SLING, PLATE TYPE, NONADJUSTABLE [CUST: AT 99] [REVIEW: IS] | A 3940 | GS | | 02-JUL-84 |
| | MIL-C-13139E(2) | CHARGE, DEMOLITION, SHAPED, 15 LB, M2A3 AND M2A4, PARTS FOR [CUST: AR] | A 1375 | AR | | 28-NOV-88 |
| | MIL-S-13175H(1) | STARTER, FIRE, NP3, M2 [CUST: AR] [REVIEW: MC] | A 1370 | AR | | 15-NOV-85 |
| | MIL-M-13189A(2) | MICROPHONE ELEMENT, CARBON AND EARPHONE, ELEMENT, MAGNETIC (FOR TELEPHONE AND RADIO USE). [CUST: CR CC] | A 5965 | CC | | 03-APR-64 |
| | MIL-S-13192P(1) | SHOES, MEN'S, DRESS, OXFORD [CUST: GL NU 11 CT] [REVIEW: 45 82 99 MC MD] | A 8430 | CT | | 14-OCT-94 |
| | MIL-F-13198C NOT 5 | FUSE, TIME, M65A1 METAL PARTS FOR [CUST: AR] | A 1390 | AR | | 30-OCT-96 |
| | MIL-M-13231C(1) | MARKING OF ELECTRONIC ITEMS [CUST: CR] [REVIEW: AR AV CR4 EA MI] | A MISC | CC | | 27-AUG-90 |
| | MIL-H-13253D SUP 1 | HANDSET [CUST: CR EC] [REVIEW: 80 CG MC SH SM] | A 5965 | CC | | 26-JUN-74 |
| | MIL-H-13253/1 | HANDSET, TYPE TS-9 () [CUST: CR SH] [REVIEW: 80 CG MC MI SM] | A 5965 | CC | | 18-JUN-65 |
| | MIL-H-13253/5 | HANDSET, TYPE H-90/U [CUST: CR SH 17] [REVIEW: 80 CG MC MI SM] | A 5965 | CC | | 18-JUN-65 |
| | MIL-H-13253/9A NOT 1 | HANDSET, TYPE H-142/U [CUST: CR EC 17 CC] [REVIEW: 85 AR MI] | A 5965 | CC | | 10-APR-87 |
| | MIL-S-13257H(6) | SIGNALS, ILLUMINATION, GROUND RED STAR, M126A1, WHITE STAR, M127A1 AND GREEN STAR, M195, PARACHUTE, PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 29-MAR-91 |
| | MIL-S-13261G(6) | SIGNALS, ILLUMINATION, GROUND, GREEN STAR CLUSTER M125A1, RED STAR CLUSTER M158, AND WHITE STAR CLUSTER M159, PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 29-MAR-91 |
| M | MIL-S-13281E NOT 2 | STEEL, CARBON, ALLOY, AND HIGH STRENGTH LOW ALLOY FOR WELDED STRUCTURES (STRESS RELIEVED) [CUST: AR] [REVIEW: AT AV IS MI] | A 9520 | AR | | 19-MAR-98 |
| | MIL-L-13283C | LEAD-ANTIMONY (FOR USE IN AMMUNITION) [CUST: MR] | A 9650 | AR | | 09-MAR-90 |
| | MIL-T-13291F | TANK, HOT-DIP, DIRECTLY AND INDIRECTLY HEATED [CUST: AL SH 99] [REVIEW: 84 AT CR4 SA] | A 3426 | GS | | 30-JUN-86 |
| | MIL-P-13298A(1) NOT 1 | POLYISOBUTYLENE (FOR AMMUNITION USE) [CUST: AR] [REVIEW: GS MI MR] | A 6810 | AR | | 28-JUL-91 |
| | MIL-S-13303G(4) | SIGNALS, SMOKE, GROUND, HAND HELD PARACHUTE, GREEN SMOKE, M128A1, RED SMOKE, M129A1, AND YELLOW SMOKE, M194 PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 10-APR-91 |
| | MIL-P-13326D | PLATE, METAL, STEEL ALLOY; HEAT TREATED, HIGH STRENGTH; FOR WELDED STRUCTURES [CUST: MR IS] [REVIEW: AR] | A 9515 | IS | | 25-AUG-87 |
| | MIL-A-13338E(1) NOT 1 | AIMING CIRCLE: M2 AND M2A2, WITH EQUIPMENT [CUST: AR] | A 1290 | AR | | 24-OCT-88 |
| | MIL-S-13365C | SLING, ENDLESS: WIRE-ROPE, GROMMET-TYPE [CUST: AT 84] | A 3940 | GS | | 22-DEC-89 |
| | MIL-D-13383(1) NOT 1 | DI-(2-ETHYLHEXYL)-APIDATE [CUST: AR] | A 1376 | AR | | 27-JAN-87 |
| | MIL-F-13424K(1) NOT 1 | FUZES, HAND GRENADE, M204A2, M206A2 AND PRACTICE M205A2 PARTS FOR, LOADING ASSEMBLING AND PACKING [CUST: AR] [REVIEW: EA] | A 1330 | AR | | 31-OCT-90 |
| | MIL-H-13444E(1) NOT 2 | HOSE AND HOSE ASSEMBLIES, RUBBER: FUEL AND OIL [CUST: AT YD1] [REVIEW: AR CD CR4 MC MI] | A 4720 | CC | | 30-AUG-96 |
| | MIL-T-13452A(1) | TAPE, TEXTILE, COTTON FOR BANDOLEERS [CUST: AR] | A 8305 | CT | | 14-DEC-92 |
| | MIL-T-13460(2) NOT 1 | TELEPHONE SET TA-263-PT [CUST: CR 99 CC] | A 5805 | CC | | 04-MAR-86 |
| | MIL-B-13466E | BRAID, TEXTILE AND LACE, VELLUM, WOVEN, TEXTILE (FOR BLUE DRESS UNIFORM) [CUST: GL CT] [REVIEW: MD] | A 8315 | CT | | 16-SEP-88 |
| | MIL-C-13477C | CYCLOTOL [CUST: AR] | A 1375 | AR | | 09-JUL-75 |
| | MIL-C-13481B | CLAMP, BEAM, RIGGER S [CUST: AT YD1] | A 3940 | GS | | 18-AUG-83 |
| | MIL-G-13483B(1) NOT 1 | GRENADE, HAND, OFFENSIVE, MK3A2 PARTS FOR [CUST: AR] | A 1330 | AR | | 22-JAN-68 |
| | MIL-S-13484E | SWITCH, SENSITIVE: 30 VOLTS DIRECT CURRENT MAXIMUM, WATERPROOF [CUST: AT CC] [REVIEW: AL AR MI] | A 5930 | CC | | 02-MAY-91 |
| A | MIL-C-13486C SUP 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE-CONDUCTOR AND MULTICONDUCTOR, SHIELDED AND UNSHIELDED, GENERAL SPECIFICATION FOR [CUST: AT SH 85 IS] [REVIEW: 71 79 80 84 99 CR4 EA] | A 6145 | CC | | 06-JUN-89 |
| A | MIL-C-13486/1B | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR, UNSHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 84 99 AR CR EA MC] | A 6145 | CC | | 06-JUN-89 |
| A | MIL-C-13486/2B | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE-CONDUCTOR, SHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 80 84 99] | A 6145 | CC | | 06-JUN-89 |
| A | MIL-C-13486/3A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 80 84 99] | A 6145 | CC | | 06-JUN-89 |
| A | MIL-C-13486/4A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 80 84 99] | A 6145 | CC | | 06-JUN-89 |
| A | MIL-C-13486/5A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 80 84 99] | A 6145 | CC | | 06-JUN-89 |
| A | MIL-C-13486/6A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 80 84 99] | A 6145 | CC | | 06-JUN-89 |
| A | MIL-C-13486/7A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 80 84 99] | A 6145 | CC | | 06-JUN-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | UCA Prep. Acty. | Date |
|------------|-----------------------|--|--------------------------|--------------------|-----------|
| A | MIL-C-13486/8A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 80 84 99] | A 6145 | CC | 06-JUN-89 |
| A | MIL-C-13486/9A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 80 84 99] | A 6145 | CC | 06-JUN-89 |
| A | MIL-C-13486/10A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 80 84 99] | A 6145 | CC | 06-JUN-89 |
| A | MIL-C-13486/11A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 80 84 99] | A 6145 | CC | 06-JUN-89 |
| A | MIL-C-13486/12A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 80 84 99] | A 6145 | CC | 06-JUN-89 |
| A | MIL-C-13486/13B | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, SHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 80 84 99] | A 6145 | CC | 06-JUN-89 |
| A | MIL-C-13486/14A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED [CUST: 85 IS] [REVIEW: 71 79 80 84 99] | A 6145 | CC | 06-JUN-89 |
| A | MIL-C-13486/15A | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR, UNSHIELDED [CUST: SH 85 IS] [REVIEW: 71 79 80 84 99 AR CR MC OS] | A 6145 | CC | 06-JUN-89 |
| | MIL-C-13489D | COVER AND END CURTAINS, CARGO BODY (FOR MILITARY VEHICLES). [CUST: AT] [REVIEW: MC] | A 2540 | CC | 14-FEB-85 |
| A | MIL-V-13497A | VARNISH, IMPREGNATING, ELECTRICAL-INSULATING (FOR FIRE CONTROL INSTRUMENTS). [CUST: AR GS] [REVIEW: AT IS MI] | A 5970 | AR | 02-MAR-62 |
| | MIL-T-13505 NOT 1 | THREAD, SILK, SEWING (FOR PROPELLANT BAGS) [CUST: AR] [REVIEW: EA] | A 1376 | AR | 29-AUG-91 |
| | MIL-M-13529D(1) | MOUNT, GUN, RING TYPE, REVOLVING [CUST: AR] [REVIEW: AT MC] | A 1005 | AR | 08-NOV-85 |
| | MIL-H-13531C(5) NOT 2 | HOSE, RUBBER AND HOSE ASSEMBLY, RUBBER (HYDRAULIC, FLEXIBLE) [CUST: AT MC 99] [REVIEW: 82 AR AV ME MI] | A 4720 | CC | 20-AUG-96 |
| N | MIL-DTL-13531/1 | HOSE ASSEMBLY, NONMETALLIC: HYDRAULIC AND PNEUMATIC, MEDIUM PRESSURE, FLARED TUBE [CUST: AT] [REVIEW: AR AV CR4 MI] | A 4720 | AT | 22-APR-98 |
| N | MIL-DTL-13531/2 | HOSE ASSEMBLY, NONMETALLIC: HYDRAULIC AND PNEUMATIC, HIGH PRESSURE, FLARED TUBE [CUST: AT] [REVIEW: AR AV CR4 MI] | A 4720 | AT | 22-APR-98 |
| | MIL-I-13548A | INSULATION SLEEVEING, ELECTRICAL (CABLE SPLICING) FT-96, FT-97, FT-98, AND FT-472 [CUST: CR 11] [REVIEW: 17 AR CG MC] | A 5970 | GS | 16-MAR-66 |
| | MIL-C-13609B NOT 3 | CASTING SOLVENTS FOR OIO, OGK AND AHH PROPELLANTS [CUST: AR] | A 1376 | AR | 10-OCT-96 |
| | MIL-C-13613 NOT 2 | CARBAZOLE [CUST: AR] | A 6810 | AR | 10-OCT-96 |
| | MIL-S-13623C | SWITCH, ROTARY, 28 VOLT DC [CUST: AT CC] [REVIEW: CR4 EA MI] | A 5930 | CC | 12-MAR-87 |
| | MIL-S-13623/1 | SWITCHES, ROTARY: 28 VOLT DC [CUST: AT CC] [REVIEW: CR4 EA MI] | A 5930 | CC | 05-NOV-90 |
| | MIL-S-13625D | SWITCH, PULL, SWITCH, PUSH, SWITCH, BEAM SELECTING, HEADLIGHT, ELECTRICAL (28 VOLTS DC MAXIMUM, FOR MILITARY VEHICLES) [CUST: AT CC] [REVIEW: CR4 MI] | A 5930 | CC | 15-JUL-87 |
| | MIL-S-13625/1 | SWITCHES, PULL; SWITCHES, PUSH; SWITCHES, BEAM SELECTING, HEADLIGHT: ELECTRICAL (28 VOLTS DC MAXIMUM, FOR MILITARY VEHICLES) [CUST: AT CC] [REVIEW: CR4 MI] | A 5930 | CC | 05-NOV-90 |
| | MIL-S-13625/2 | SWITCHES, PULL; SWITCHES, PUSH; SWITCHES, BEAM SELECTING, HEADLIGHT: ELECTRICAL (28 VOLTS DC MAXIMUM, FOR MILITARY VEHICLES) [CUST: AT CC] [REVIEW: CR4 MI] | A 5930 | CC | 05-NOV-90 |
| | MIL-M-13703D(1) | MARKER LOCATION, MARINE DYE AN-M59 [CUST: AR] | A 1370 | AR | 13-JAN-88 |
| | MIL-G-13706D NOT 1 | GRENADE, HAND, OFFENSIVE, MK3A2 WITH M206A2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1330 | AR | 30-MAR-88 |
| | MIL-G-13734B NOT 2 | GERMICIDE, QUARTERNARY AMMONIUM TYPE [CUST: EA] | A 6840 | GS | 25-MAR-68 |
| | MIL-S-13735D | SWITCHES, TOGGLE: 28 VOLT DC [CUST: AT CC] [REVIEW: AR EA MI] | A 5930 | CC | 07-MAR-89 |
| | MIL-C-13739A(1) NOT 1 | COMPOSITION, DELAY [CUST: AR] [REVIEW: EA OS] | A 1375 | AR | 08-APR-86 |
| | MIL-R-13742(1) NOT 1 | RDX, DESENSITIZED [CUST: AR] | A 1376 | AR | 29-AUG-91 |
| | MIL-V-13750B NOT 4 | VARNISH, PHENOL-FORMALDEHYDE, CLEAR AND ALUMINUM PIGMENTED [CUST: AR] [REVIEW: MR] | A 8010 | AR | 20-SEP-91 |
| A | MIL-C-13777/1B(1) | CABLE SPECIAL PURPOSE ELECTRICAL 2 3 AND 4 CONDUCTORS [CUST: AR SH 17] [REVIEW: 11 AT CR CR4 EC MC MI] | A 6145 | CC | 05-AUG-71 |
| A | MIL-C-13777/5C | CABLE SPECIAL PURPOSE ELECTRICAL 37 39 42 AND 46 CONDUCTORS [CUST: AR SH 17] [REVIEW: 11 19 CE CR MC MI OS] | A 6145 | CC | 15-SEP-69 |
| | MIL-L-13788 NOT 1 | LEAD SALICYLATE [CUST: AR] [REVIEW: GS] | A 6810 | AR | 08-APR-86 |
| | MIL-S-13789D | STRAINERS, SEDIMENT: PIPELINE, BASKET TYPE [CUST: AT YD1] [REVIEW: CC CE CG] | A 4730 | AT | 31-JAN-90 |
| | MIL-D-13791F | DISTRIBUTOR, IGNITION SYSTEM, INTEGRAL COIL, WATERPROOF, 24 VOLT [CUST: CC] [REVIEW: CR CR4 MC] | A 2920 | CC | 10-JUN-88 |
| | MIL-D-13796A NOT 1 | DI-2 ETHYLHEXYLPHTHALATE [CUST: AR GS] | A 6810 | GS | 13-JUL-89 |
| | MIL-L-13808B NOT 1 | LEAD PLATING (ELECTRODEPOSITED) [CUST: MR] [REVIEW: AR EA GS] | A MFFP | MR | 30-MAR-88 |
| | MIL-C-13814(4) NOT 1 | CLOTH, IGNITER [CUST: AR] [REVIEW: CT] | A 1395 | AR | 09-MAY-89 |
| | MIL-L-13816D NOT 1 | LEATHER, CALFSKIN AND KIP, AND LACING, HANDICRAFT [CUST: GL NU 45 CT] [REVIEW: 32 99 MD] | A 8330 | CT | 16-AUG-90 |
| | MIL-P-13822(1) NOT 1 | POLYISOBUTYLENE/OIL GEL [CUST: AR] [REVIEW: GS] | A 1376 | AR | 27-JAN-87 |
| | MIL-S-13823C | STEEL: SHAPES, ROLLED OR FORGED; BARS, FLATS AND SPECIAL SECTIONS (FOR ARMOR) [CUST: MR] [REVIEW: AT EA] | A FORG | MR | 04-MAR-91 |
| | MIL-W-13871B(2) | WOOD BLANKS FOR SMALL ARMS [CUST: AR SH] [REVIEW: CC MC] | A 5510 | AR | 30-APR-91 |
| | MIL-R-13877D | REGULATOR, OXYGEN, ACETYLENE, WELDING APPLICATION [CUST: AL YD1 99 CC] [REVIEW: 84 CR4] | A 4820 | CC | 27-MAR-81 |
| | MIL-L-13896E | LATHES, ENGINE, GAP, SLIDING BED AND REMOVABLE BLOCK [CUST: AL 99] [REVIEW: 84 CR4 SM] | A 3416 | GS | 26-FEB-87 |
| | MIL-T-13915E NOT 1 | TUBES, STEEL, SEAMLESS: FOR CANNONS AND RECOILLESS RIFLES [CUST: AR] | A FORG | AR | 17-FEB-94 |
| | MIL-C-13924C(1) | COATING, OXIDE, BLACK, FOR FERROUS METALS [CUST: MR OS 11] [REVIEW: 68 99 AR AS AV CR4 EA MI SH] | A MFFP | MR | 30-SEP-87 |
| | MIL-S-13943B | SODIUM SULFITE, ANHYDROUS, TECHNICAL [CUST: EA 68] [REVIEW: MD MI] | A 6810 | GS | 13-MAR-88 |
| | MIL-W-13945D NOT 2 | WAX, HYDROCARBON (FOR ORDNANCE USE) [CUST: AR] [REVIEW: GS MC MD OS SH] | A 9160 | AR | 02-DEC-96 |
| | MIL-S-13949/25B | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL CF (NONWOVEN POLYESTER, EPOXY RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT CR4 MC MI OS SH] | A 5998 | CC | 25-JAN-93 |
| | MIL-C-13998H | CAP, SERVICE, WOOL, ARMY GREEN 44 [CUST: GL CT] [REVIEW: 45 MD] | A 8405 | CT | 17-MAR-82 |
| | MIL-T-14038K | TENT, GENERAL PURPOSE, LARGE [CUST: GL NU 99 CT] [REVIEW: 82 MD YD1] | A 8340 | CT | 16-SEP-91 |
| | MIL-C-14055E(1) NOT 1 | CUP, HYDRAULIC BRAKE ACTUATING CYLINDER, SYNTHETIC RUBBER [CUST: AT] [REVIEW: 85 AR YD1] | A 2530 | CC | 27-JUN-86 |
| | MIL-T-14056G | TENT LINER, GENERAL PURPOSE, LARGE, FIRE, WATER AND MILDEW RESISTANT [CUST: GL NU 99 CT] [REVIEW: 45 82 CR MD YD1] | A 8340 | CT | 21-NOV-88 |
| | MIL-F-14072D | FINISHES FOR GROUND BASED ELECTRONIC EQUIPMENT [CUST: CR] [REVIEW: 99 CR4 EA EC MC MI MR TD] | A MFFP | CR | 04-OCT-90 |
| | MIL-P-14105D | PAINT, HEAT-RESISTING (FOR STEEL SURFACES) [CUST: MR YD1] [REVIEW: AT MC MD MI SM] | A 8010 | MR | 06-MAR-95 |
| | MIL-L-14107C NOT 1 | LUBRICATING OIL, WEAPONS, LOW TEMPERATURE [CUST: AR OS 11] [REVIEW: AT AV CR4 PS] | A 9150 | AR | 28-MAY-87 |
| | MIL-L-14107C(12) | LUBRICATING OIL, WEAPONS, LOW TEMPERATURE [CUST: AR] | A 9150 | AR | 31-JAN-79 |
| | MIL-L-14161 NOT 2 | LOADING WITH HBX COMPOSITIONS [CUST: AR] | A 1376 | AR | 12-JAN-62 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Use | MCA Prop. Acty. | Date |
|-----------------------|--|-------------------------|--------------------|-----------|
| MIL-S-14195A NOT 2 | STYRENE MONOMER [CUST: OS] [REVIEW: GS MR] | A 9330 | OS | 06-DEC-90 |
| MIL-C-14242B(3) NOT 1 | CABLE ASSEMBLY, FUZE CONTROL [CUST: AS] | A 1325 | AS | 19-MAR-87 |
| MIL-S-14249C | STRAIGHTEDGE, RADIAL LINE, SLOTTED TEMPLET. [CUST: CE] | A 6675 | GS | 04-AUG-81 |
| MIL-H-14253F | HONING MACHINE, HORIZONTAL, WET TYPE [CUST: AL] [REVIEW: CR4 GS] | A 3419 | AL | 10-JUN-94 |
| MIL-R-14346A(3) | RESOLVER, ELECTRICAL, AC [CUST: AR] [REVIEW: CR MI] | A 5990 | CC | 26-OCT-84 |
| MIL-L-14362G | LUMBER: UNITIZING AND LOADING OF [CUST: AV 99 IS] [REVIEW: 84 SM] | A 5510 | IS | 15-DEC-92 |
| MIL-C-14366E | CLOTH, COATED, NYLON TWILL (ONE SIDE COATED) [CUST: GL NU 99 CT] [REVIEW: 11 82 MC MD] | A 8305 | CT | 18-JUN-86 |
| MIL-C-14409/1A NOT 2 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC35 [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | 13-JUL-93 |
| MIL-C-14409/3B NOT 2 | CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC37 [CUST: CR EC 85] [REVIEW: AS CG MC OS] | A 5910 | CC | 13-JUL-93 |
| MIL-N-14411C NOT 1 | NICKEL-IRON ALLOY, HIGH MAGNETIC PERMEABILITY SHEET, STRIP, ROD, BAR, AND WIRE [CUST: MR] [REVIEW: AR MI] | A 9535 | CC | 24-JAN-89 |
| MIL-C-14460C(1) | CORROSION REMOVING COMPOUND, SODIUM HYDROXIDE BASE; FOR ELECTROLYTIC OR IMMERSION APPLICATION [CUST: MR AS 68] [REVIEW: 11 CR4 MI SA SH] | A 6850 | GS | 10-MAY-93 |
| MIL-C-14505D(1) | CLOTH, NYLON, POLYCHLOROPRENE-COATED (FOR PNEUMATIC FLOATING EQUIPMENT) [CUST: AV 11 CT] [REVIEW: 82 GL MD] | A 8305 | CT | 29-APR-92 |
| MIL-P-14514G | PUMPS, CENTRIFUGAL, SELF-PRIMING, FRAME-MOUNTED, 1-1/2-INCH, 65-GPM AT 50 FEET TOTAL HEAD (FOR WATER) [CUST: AT 99] [REVIEW: 84 CC] | A 4320 | AT | 18-AUG-87 |
| MIL-P-14514G(12) | PUMPS, CENTRIFUGAL, SELF-PRIMING, FRAME MOUNTED, 1-1/2-INCH, 65-GPM AT 50 FEET TOTAL HEAD (FOR WATER) [CUST: AT] | A 4320 | AT | 25-SEP-91 |
| MIL-L-14519C(11) | LIMESTONE, PULVERIZED [CUST: AT] | A 6810 | AT | 16-JUN-92 |
| MIL-T-14521E | TRESTLES, MOTOR VEHICLE MAINTENANCE AND STORAGE (VEHICLE SUPPORT STANDS) [CUST: AL AS 99] [REVIEW: AT CR4] | A 4910 | AL | 05-OCT-90 |
| MIL-C-14522D(1) | COMPONENTS, PREFABRICATED STRONG ROOM, PORTABLE: FOR SMALL ARMS AND EQUIPMENT [CUST: GL 99 CC] [REVIEW: 82 AV] | A 5450 | CC | 18-NOV-93 |
| MIL-P-14536 | POLYISOBUTYLENE BINDER [CUST: AR] [REVIEW: GS] | A 6810 | AR | 12-JUN-57 |
| MIL-T-14537G | TRUCK, LIFT, WHEEL [CUST: AL YD1 99] [REVIEW: MC SM] | A 4910 | AL | 16-JUN-89 |
| MIL-C-14538C NOT 1 | CHROMIUM PLATING, BLACK (ELECTRODEPOSITED) [CUST: MR SH 11] [REVIEW: AL AR MI] | A MFFP | MR | 31-JUL-89 |
| MIL-M-14545D NOT 1 | MAINTENANCE KIT, COLD WEATHER, INSULATED BOOT-PNEUMATIC MATTRESS [CUST: GL NU CT] [REVIEW: CG MC] | A 8465 | CT | 25-JAN-88 |
| MIL-L-14576F | LATHE, ARMATURE AND UNDERCUTTER [CUST: AL 99 CC] [REVIEW: 82] | A 4940 | CC | 24-MAR-89 |
| MIL-F-14580C | FERRIC CHLORIDE, ANHYDROUS, CRYSTALLINE, TECHNICAL [CUST: AT YD1 68] [REVIEW: EA GS MC MD MI] | A 6810 | AT | 25-FEB-75 |
| MIL-T-14605A NOT 1 | TRANSFORMER UNIT [CUST: EA CC] [REVIEW: MI] | A 5950 | CC | 18-AUG-88 |
| MIL-T-14608G | TANKS, TESTING, TIRE AND TUBE [CUST: AL YD1 99 CC] [REVIEW: 82 CR4 MC] | A 4910 | CC | 22-JUN-92 |
| MIL-C-14610G | COVERALLS, EXPLOSIVES HANDLERS' [CUST: GL NU 99 CT] [REVIEW: 45 82 AS CG MD OS] | A 8415 | CT | 17-OCT-88 |
| MIL-S-14630B NOT 1 | STREAMER SET ATTACHMENT, CAMPAIGN AND WAR SERVICE [CUST: IH NU 11] [REVIEW: 45 82 99 CG CT MC] | A 8345 | IH | 20-NOV-92 |
| MIL-DTL-14631C SUP 1 | PLATE, AUTOMOBILE, INDIVIDUAL; GENERAL SPECIFICATION FOR [CUST: IH] [REVIEW: CT] | A 8345 | IH | 16-DEC-97 |
| MIL-DTL-14631/1B | PLATE, AUTOMOBILE, INDIVIDUAL, PRESIDENT OF THE UNITED STATES [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/2C | PLATE, AUTOMOBILE, INDIVIDUAL, VICE PRESIDENT OF THE UNITED STATES [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/3B | PLATE, AUTOMOBILE, INDIVIDUAL, SECRETARY OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/4B | PLATE, AUTOMOBILE, INDIVIDUAL, DEPUTY SECRETARY OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/5B | PLATE, AUTOMOBILE, INDIVIDUAL, ASSISTANT SECRETARY OF DEFENSE AND GENERAL COUNSEL, DEPARTMENT OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/6B | PLATE, AUTOMOBILE, INDIVIDUAL, CHAIRMAN, JOINT CHIEFS OF STAFF [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/7B | PLATE, AUTOMOBILE, INDIVIDUAL, SECRETARY OF THE ARMY [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/8B | PLATE, AUTOMOBILE, INDIVIDUAL, UNDER SECRETARY OF THE ARMY [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/9B | PLATE, AUTOMOBILE, INDIVIDUAL, ASSISTANT SECRETARY OF THE ARMY [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/10B | PLATE, AUTOMOBILE, INDIVIDUAL, CHIEF OF STAFF, ARMY [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/11B | PLATE, AUTOMOBILE, INDIVIDUAL, VICE CHIEF OF STAFF, ARMY [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/12B | PLATE, AUTOMOBILE, INDIVIDUAL, GENERAL OF THE ARMY [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/13B | PLATE, AUTOMOBILE, INDIVIDUAL, GENERAL, U.S. ARMY [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/14B | PLATE, AUTOMOBILE, INDIVIDUAL, LIEUTENANT GENERAL, U.S. ARMY [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/15B | PLATE, AUTOMOBILE, INDIVIDUAL, MAJOR GENERAL, U.S. ARMY [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/16B | PLATE, AUTOMOBILE, INDIVIDUAL, BRIGADIER GENERAL, U.S. ARMY [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/17B | PLATE, AUTOMOBILE, INDIVIDUAL, VICE CHAIRMAN, JOINT CHIEFS OF STAFF [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-DTL-14631/18B | PLATE, AUTOMOBILE, INDIVIDUAL; UNDER SECRETARY OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8345 | IH | 21-MAR-97 |
| MIL-B-14632C SUP 1 | BADGE, QUALIFICATION, ROTC AND NDCC, GENERAL SPECIFICATION FOR [CUST: IH 45] [REVIEW: 32 99 CT] | A 8455 | IH | 25-JUN-91 |
| MIL-C-14633D | CASES, DECORATION, PRESENTATION [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 21-DEC-94 |
| MIL-DTL-14636D SUP 1 | PLAQUE, DISPLAY AND WALL, GENERAL SPECIFICATION FOR [CUST: IH 45] [REVIEW: 32 82 99 CT GL] | A 9905 | IH | 15-OCT-97 |
| MIL-DTL-14636/1C | PLAQUE, DEPARTMENT OF THE ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/2D | PLAQUE, DEPARTMENT OF AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/3D | PLAQUE, AIR FORCE RECRUITING SERVICE [CUST: IH 45] [REVIEW: 32 82 99 CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/4B | PLAQUE, JROTC, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/5B | PLAQUE, SROTC, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/6B | PLAQUE, BRANCH OF SERVICE, ADJUTANT GENERAL'S CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/8C | PLAQUE, NATIONAL GUARD BUREAU, ARMY AND AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/9B | PLAQUE, AIR FORCE CHAPLAINS, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/10B | PLAQUE, BRANCH OF SERVICE, INSPECTOR GENERAL, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/11B | PLAQUE, ARMY COMMUNITIES OF EXCELLENCE [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/12A | PLAQUE, BRANCH OF SERVICE, AIR DEFENSE ARTILLERY, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/13A | PLAQUE, BRANCH OF SERVICE, ARMOR, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/14A | PLAQUE, BRANCH OF SERVICE, ARMY MEDICAL SPECIALIST, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/15A | PLAQUE, BRANCH OF SERVICE, ARMY NURSE CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/16A | PLAQUE, BRANCH OF SERVICE, AVIATION, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | 15-MAY-97 |
| MIL-DTL-14636/17A | PLAQUE, BRANCH OF SERVICE, CAVALRY, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | 15-MAY-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|------------------------|---|-----------------------|-----|-------------|-----------|
| M | MIL-DTL-14636/18A | PLAQUE, BRANCH OF SERVICE, CHAPLAIN CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/19A | PLAQUE, BRANCH OF SERVICE, CHEMICAL CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/20B | PLAQUE, BRANCH OF SERVICE, CIVIL AFFAIRS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 25-MAR-98 |
| | MIL-DTL-14636/21A | PLAQUE, BRANCH OF SERVICE, CORPS OF ENGINEERS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/22A | PLAQUE, BRANCH OF SERVICE, DENTAL CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/23A | PLAQUE, BRANCH OF SERVICE, FIELD ARTILLERY, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/24A | PLAQUE, BRANCH OF SERVICE, FINANCE CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/25A | PLAQUE, BRANCH OF SERVICE, INFANTRY, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/26A | PLAQUE, BRANCH OF SERVICE, JUDGE ADVOCATE GENERAL'S CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/27A | PLAQUE, BRANCH OF SERVICE, MEDICAL CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/28A | PLAQUE, BRANCH OF SERVICE, MEDICAL SERVICE CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/29A | PLAQUE, BRANCH OF SERVICE, MILITARY INTELLIGENCE, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/30A | PLAQUE, BRANCH OF SERVICE, MILITARY POLICE CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/31A | PLAQUE, BRANCH OF SERVICE, ORDNANCE CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/32A | PLAQUE, BRANCH OF SERVICE, PUBLIC AFFAIRS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/33A | PLAQUE, BRANCH OF SERVICE, PSYCHOLOGICAL OPERATIONS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/34A | PLAQUE, BRANCH OF SERVICE, QUARTERMASTER CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/35A | PLAQUE, BRANCH OF SERVICE, SIGNAL CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/36A | PLAQUE, BRANCH OF SERVICE, SPECIAL FORCES, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/37A | PLAQUE, BRANCH OF SERVICE, TRANSPORTATION CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-DTL-14636/38A | PLAQUE, BRANCH OF SERVICE, VETERINARY CORPS, ARMY [CUST: IH] [REVIEW: CT GL] | A 9905 | IH | | 15-MAY-97 |
| | MIL-I-14639D(1) SUP 1B | INSIGNIA, GRADE, ENLISTED PERSONNEL, METAL, ARMY AND AIR FORCE, GENERAL SPECIFICATION FOR [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 31-AUG-93 |
| | MIL-DTL-14639/1F | INSIGNIA, GRADE, PRIVATE (E-2), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-JAN-96 |
| | MIL-DTL-14639/2F | INSIGNIA, GRADE, PRIVATE FIRST CLASS (E-3), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-JAN-96 |
| | MIL-DTL-14639/3F | INSIGNIA, GRADE, CORPORAL (E-4), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-JAN-96 |
| | MIL-DTL-14639/4F | INSIGNIA, GRADE, SERGEANT (E-5), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-JAN-96 |
| | MIL-DTL-14639/5F | INSIGNIA, GRADE, STAFF SERGEANT (E-6), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-JAN-96 |
| | MIL-DTL-14639/6F | INSIGNIA, GRADE, PLATOON SERGEANT (E-7) OR SERGEANT FIRST CLASS (E-7), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-JAN-96 |
| | MIL-DTL-14639/7F | INSIGNIA, GRADE, MASTER SERGEANT (E-8), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-JAN-96 |
| | MIL-DTL-14639/8F | INSIGNIA, GRADE, FIRST SERGEANT (E-8), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-JAN-96 |
| | MIL-DTL-14639/9F | INSIGNIA, GRADE, SERGEANT MAJOR (E-9), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-JAN-96 |
| | MIL-DTL-14639/10G | INSIGNIA, GRADE, COMMAND SERGEANT MAJOR (E-9), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-JAN-96 |
| | MIL-DTL-14639/11F | INSIGNIA, GRADE, SPECIALIST 4 (SP-4), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-JAN-96 |
| | MIL-DTL-14639/15F | INSIGNIA, GRADE, AIRMAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/16F | INSIGNIA, GRADE, AIRMAN FIRST CLASS, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/17E | INSIGNIA, GRADE, SENIOR AIRMAN, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/18E | INSIGNIA, GRADE, STAFF SERGEANT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/19E | INSIGNIA, GRADE, TECHNICAL SERGEANT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/20E | INSIGNIA, GRADE, MASTER SERGEANT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/21E | INSIGNIA, GRADE, SENIOR MASTER SERGEANT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/22E | INSIGNIA, GRADE, CHIEF MASTER SERGEANT WITH FIRST SERGEANT DESIGNATION, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/23E | INSIGNIA, GRADE, CHIEF MASTER SERGEANT, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/24E | INSIGNIA, GRADE, CHIEF MASTER SERGEANT WITH FIRST SERGEANT DESIGNATION, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/25E | INSIGNIA, GRADE, CHIEF MASTER SERGEANT OF THE AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/28D | INSIGNIA, GRADE, SERGEANT MAJOR OF THE ARMY (E-9), ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 29-JAN-96 |
| | MIL-DTL-14639/29B | INSIGNIA, GRADE, MASTER SERGEANT WITH FIRST SERGEANT DESIGNATION, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/30 | INSIGNIA, RANK, FIRST LIEUTENANT AND SECOND LIEUTENANT, ARMY AND AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/31A | INSIGNIA, RANK, CAPTAIN, ARMY AND AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/32 | INSIGNIA, RANK, LIEUTENANT COLONEL AND MAJOR, ARMY AND AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/33A | INSIGNIA, RANK, CAPTAIN, NAVY AND COLONEL, ARMY, AIR FORCE AND MARINE CORPS [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/34A | INSIGNIA, RANK, GENERAL OFFICERS, 1 INCH STAR, ARMY AND AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/35A | INSIGNIA, RANK, GENERAL OFFICERS, 5/8 INCH STAR, ARMY AND AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/36A | INSIGNIA, RANK, GENERAL OFFICERS, 3/4 INCH STAR, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/37 | INSIGNIA, RANK, GENERAL OF THE ARMY AND GENERAL OF THE AIR FORCE (PENTAGON STAR GROUP) [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/38 | INSIGNIA, RANK, GENERAL OF THE ARMY AND GENERAL OF THE AIR FORCE COAT OF ARMS [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/39 | INSIGNIA, RANK, CHIEF WARRANT OFFICERS, W-1 AND W-3, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/40 | INSIGNIA, RANK, CHIEF WARRANT OFFICERS W-2 AND W-4, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/41A | INSIGNIA, RANK, CHIEF WARRANT OFFICER CW5, ARMY AND AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/42A | INSIGNIA, RANK, WARRANT OFFICER WO1 AND CHIEF WARRANT OFFICERS, CW2, CW3 AND CW4, ARMY [CUST: IH 45] [REVIEW: CT] | A 8455 | IH | | 30-JAN-98 |
| | MIL-DTL-14639/43 | INSIGNIA, RANK, LIEUTENANT (JG) AND ENSIGN, NAVY; LIEUTENANT AND SECOND LIEUTENANT, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/44 | INSIGNIA, RANK, LIEUTENANT, NAVY AND CAPTAIN, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/45 | INSIGNIA, RANK, COMMANDER AND LIEUTENANT COMMANDER, NAVY AND LIEUTENANT COLONEL AND MAJOR, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 20-DEC-96 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | | | | | | |
| | MIL-DTL-14639/46 | INSIGNIA, RANK, COMMODORE, NAVY AND BRIGADIER GENERAL, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/47 | INSIGNIA, RANK, REAR ADMIRAL, NAVY AND MAJOR GENERAL, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/48 | INSIGNIA, RANK, VICE ADMIRAL, NAVY AND LIEUTENANT GENERAL, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/49 | INSIGNIA, RANK, ADMIRAL, NAVY AND GENERAL, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/50 | INSIGNIA, RANK, FLEET ADMIRAL (PENTAGON STAR GROUP) [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/51 | INSIGNIA, RANK, CHIEF WARRANT OFFICER W-2 AND W-4, NAVY AND MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/52 | INSIGNIA, RANK, CHIEF WARRANT OFFICER W-3 AND WARRANT OFFICER W-1, NAVY AND MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 20-DEC-96 |
| | MIL-DTL-14639/53 | INSIGNIA, RANK, CHIEF WARRANT OFFICER CW5, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 20-DEC-96 |
| | MIL-C-14640B NOT 1 | CASE, DECORATION, MEDALLION, PRESENTATION [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 29-MAY-92 |
| | MIL-S-14642A NOT 2 | SHOULDER BOARD AFROTC CADETS [CUST: IH 11] [REVIEW: 45 82 99 CT] | A 8455 | IH | | 20-NOV-92 |
| | MIL-I-14645B NOT 1 | INSIGNIA, RANK AND GRADE, SHOULDER MARK, AIR FORCE AND ARMY (EMBROIDERED) [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 20-NOV-92 |
| | MIL-I-14645B(11) | INSIGNIA, RANK AND GRADE, SHOULDER MARK, AIR FORCE AND ARMY (EMBROIDERED) [CUST: IH 11] [REVIEW: 45 82 99 CT] | A 8455 | IH | | 03-DEC-93 |
| | MIL-I-14647A(1) NOT 1 | INSIGNIA, RANK AND GRADE, SHOULDER MARKS, ROTC CADETS, ARMY AND AIR FORCE (EMBROIDERED) [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 20-NOV-92 |
| | MIL-F-14648A NOT 1 | FLAGS, ORGANIZATIONAL AND STATUTORY, GENERAL SPECIFICATION FOR [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8345 | IH | | 20-NOV-92 |
| | MIL-S-14650A NOT 1 | STREAMERS, FLAGS AND GUIDONS, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8345 | IH | | 20-NOV-92 |
| | MIL-DTL-14650/1H | STREAMERS, ARMY SET [CUST: IH] [REVIEW: CT] | A 8345 | IH | | 05-AUG-96 |
| A | MIL-DTL-14650/2D | STREAMERS, MARINE CORPS SET [CUST: IH NU] [REVIEW: CT MC] | A 8345 | IH | | 05-AUG-96 |
| | MIL-DTL-14650/3C | STREAMERS, NAVY SET [CUST: IH NU] [REVIEW: CT] | A 8345 | IH | | 05-AUG-96 |
| | MIL-DTL-14650/4F | STREAMERS, AIR FORCE SET [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8345 | IH | | 05-AUG-96 |
| A | MIL-DTL-14650/5C | STREAMERS, UNIT AWARDS [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8345 | IH | | 11-JUL-97 |
| A | MIL-DTL-14650/6B | STREAMERS, COAST GUARD SET [CUST: IH NU] [REVIEW: CG CT] | A 8345 | IH | | 11-JUL-97 |
| | MIL-I-14651 | INSIGNIA, EMBROIDERED, RANK, GRADE AND SERVICE STRIPES, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 MC] | A 8455 | IH | | 31-JUL-86 |
| | MIL-I-14651(12) | INSIGNIA, EMBROIDERED, RANK, GRADE AND SERVICE STRIPES, GENERAL SPECIFICATION FOR [CUST: IH] | A 8455 | IH | | 03-DEC-93 |
| | MIL-I-14652A | INSIGNIA, EMBROIDERED, ORGANIZATIONAL INSIGNIA AND BADGES, GENERAL SPECIFICATION FOR [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 13-MAR-92 |
| | MIL-I-14653 NOT 1 | INSIGNIA, EMBROIDERED FLAG COMPONENTS, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | | 04-NOV-92 |
| | MIL-I-14654 NOT 1 | INSIGNIA, DISTINCTIVE UNIT AND SHOULDER LOOP [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 04-NOV-92 |
| | MIL-F-14715A(1) NOT 2 | FUSE, TIME, M84A1 METAL PARTS FOR [CUST: AR] | A 1390 | AR | | 31-OCT-96 |
| | MIL-F-14716A(3) NOT 3 | FUZE, TIME, M84A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 31-OCT-96 |
| | MIL-E-14719A NOT 1 | EXTENSION, FUZE, BOMB, M1A1 (M1E1), PARTS FOR [CUST: AS] | A 1325 | AS | | 02-MAR-87 |
| | MIL-P-14737(2) NOT 1 | PROPELLANT, M7 [CUST: AR] [REVIEW: CR4] | A 1376 | AR | | 02-FEB-89 |
| | MIL-W-14742A(4) | WARHEAD SECTION, GUIDED MISSILE, PRACTICE, M220, ASSEMBLING AND PACKING [CUST: AR] | A 1336 | AR | | 25-MAR-94 |
| | MIL-M-14745(1) NOT 1 | MINOL 2 COMPOSITION [CUST: AR] | A 1376 | AR | | 08-APR-86 |
| | MIL-W-14746B(2) | WARHEAD, GUIDED MISSILE, HE, M155 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1336 | AR | | 19-NOV-87 |
| | MIL-L-14758(2) | LEAD AZIDE (SPECIAL PURPOSE) (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: EA] | A 1345 | AR | | 09-DEC-86 |
| | MIL-M-14779(3) NOT 2 | MAGNESIUM OXIDE, CALCINED (FOR USE IN AMMUNITION) [CUST: AR] | A 6810 | AR | | 15-NOV-96 |
| | MIL-P-14796(2) NOT 1 | PROCESS OIL (FOR USE WITH AMMUNITION) [CUST: AR] | A 1375 | AR | | 18-NOV-88 |
| | MIL-S-14799C(1) | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M114, M114E1, AND M114E2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | D 1336 | AR | | 23-SEP-96 |
| | MIL-R-14801(1) | REMOVER, AIRCRAFT CANOPY, P/N 2218-18 OVERHAUL OF [CUST: OS] | A 1377 | OS | | 15-JUL-86 |
| | MIL-I-14802A | INITIATOR, CARTRIDGE ACTUATED, M3A2, REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 31-JAN-90 |
| | MIL-I-14803A(1) | INITIATOR, CARTRIDGE ACTUATED, DELAY, M30, M32A1, M92, M43A1, AND M120 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 19-MAR-93 |
| | MIL-DTL-14804B | INITIATOR, CARTRIDGE ACTUATED, DELAY M4A1, M12A1, M45A1 AND M49A1 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 03-JUL-96 |
| | MIL-C-14814B(3) NOT 1 | CARTRIDGE, IMPULSE, M270 [CUST: OS] | A 1377 | OS | | 14-AUG-91 |
| | MIL-C-14841A(1) | CARTRIDGE, DELAY, XM231, ASSEMBLY [CUST: OS] | A 1377 | OS | | 14-OCT-86 |
| | MIL-D-14842(1) | DELAY ELEMENT, CARTRIDGE, M60 ASSEMBLY [CUST: OS] | A 1377 | OS | | 14-OCT-86 |
| | MIL-G-14851(1) | GENERATOR, GAS PRESSURE, PROPELLANT ACTUATED, M17 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 15-JUL-86 |
| | MIL-I-14857A | INITIATOR, CARTRIDGE ACTUATED, DELAY, M10, M31, M42, M72, AND M114 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] | A 1377 | OS | | 30-MAR-90 |
| | MIL-I-14859 NOT 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M14, ASSEMBLY [CUST: OS] | A 1377 | OS | | 20-JUN-86 |
| | MIL-C-14884(3) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT: M37 ASSEMBLY [CUST: OS] | A 1377 | OS | | 14-AUG-91 |
| | MIL-I-14885(1) NOT 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY M114 ASSEMBLY [CUST: OS] | A 1377 | OS | | 20-JUN-86 |
| | MIL-F-14888A | FIN ASSEMBLY, XM170 [CUST: AR] | A 1315 | AR | | 04-DEC-81 |
| | MIL-I-14889 NOT 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY XM92 ASSEMBLY [CUST: OS] | A 1377 | OS | | 20-JUN-86 |
| | MIL-A-14897 NOT 1 | ACTUATOR, ROTARY 1000-34 ASSEMBLY [CUST: OS] | A 1377 | OS | | 29-AUG-88 |
| | MIL-A-14898 NOT 1 | ACTUATOR, ROTARY 1000-34 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 20-JUN-86 |
| | MIL-M-14927B(1) NOT 3 | MOTOR, ROCKET, LAUNCH, M114 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1336 | AR | | 15-NOV-96 |
| | MIL-G-14933B(3) | GRENADE, HAND, FRAG, DELAY, M67 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1330 | AR | | 08-MAR-93 |
| | MIL-G-14934 | GRENADE, HAND, FRAG, IMPACT, XM68 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1330 | AR | | 06-AUG-68 |
| | MIL-G-14935(1) NOT 1 | GRENADE, XM67, SAFETY CLIP FOR [CUST: AR] | A 1330 | AR | | 30-MAR-88 |
| | MIL-G-14936(1) NOT 1 | GRENADE, XM68, SAFETY CLIP FOR [CUST: AR] | A 1330 | AR | | 22-APR-88 |
| | MIL-P-14940B(1) NOT 1 | PROPELLANT M6 FOR USE IN CHARGE PROPELLING, M119, 155MM [CUST: AR] | A 1376 | AR | | 07-DEC-80 |
| | MIL-F-14943D(3) | FUZE, GRENADE: HAND, PRACTICE, M228 PARTS FOR, AND LOADING ASSEMBLING AND PACKING [CUST: AR] | A 1330 | AR | | 16-FEB-95 |
| | MIL-G-14944A NOT 1 | GRENADE, HAND, PRACTICE, DELAY, M69, BODY ASSEMBLY FOR [CUST: AR] | A 1330 | AR | | 30-MAR-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-W-14960B(3) | WARHEAD, GUIDED MISSILE HE, XM155E1, AND WARHEAD, GUIDED MISSILE, TRAINING, XM237E1, PARTS FOR [CUST: AR] | A 1336 | AR | | 10-MAR-94 |
| | MIL-I-14961(4) NOT 3 | INCREMENTS, PROPELLANT M1A1, M2A1, M3A1, M181 AND M182 (MADE FROM PROPELLANT, M8) [CUST: AR] | A 1376 | AR | | 31-OCT-96 |
| | MIL-W-14969(1) NOT 1 | WARHEAD, 2.75 INCH ROCKET XM229, (TWO PIECE) PARTS FOR [CUST: AR] | A 1340 | AR | | 01-OCT-96 |
| | MIL-E-14970B(5) | EXPLOSIVE COMPOSITION A5 [CUST: AR OS 99] [REVIEW: EA] | A 1376 | AR | | 13-DEC-76 |
| | MIL-E-0014970C(2) | EXPLOSIVE COMPOSITION A-5 [CUST: AR] | A 1376 | AR | | 12-SEP-89 |
| | MIL-G-14971A(3) NOT 1 | GRENADE, HAND, M33, M59, M67 AND M68 METAL PARTS ASSEMBLY FOR [CUST: AR] | A 1330 | AR | | 09-JUL-75 |
| | MIL-W-14979 NOT 1 | WARHEAD, 2.75 INCH ROCKET, XM229, (INERT FILLING OUT), PARTS FOR [CUST: AR] | A 1340 | AR | | 10-APR-87 |
| | MIL-P-14999(2) NOT 1 | POWDER, MOLDING COMPOUND EXPLOSIVE (PBX) [CUST: AR] | A 1376 | AR | | 23-MAR-88 |
| | MIL-W-15000K | WATER-TESTING CHEMICALS, BOILER, SHIPBOARD USE [CUST: SH] [REVIEW: GS OS] | A 6810 | SH | | 24-JUL-87 |
| | MIL-T-15005F | TUBES, CONDENSER AND HEAT EXCHANGER, COPPER-NICKEL ALLOYS (UNS C70600 & C71500) [CUST: MR SH 99] [REVIEW: CC MC YDI] | A 4710 | SH | | 06-DEC-89 |
| | MIL-P-15011J | PALLET, MATERIAL HANDLING, WOOD, POST CONSTRUCTION, 4 WAY ENTRY [CUST: CR4 SA 99] | A 3990 | SA | | 16-SEP-85 |
| A | MIL-DTL-15014 | MANUALS, TECHNICAL: SEPARATE ILLUSTRATED PARTS BREAKDOWN; TECHNICAL CONTENT REQUIREMENTS (WORK PACKAGE CONCEPT) [CUST: AS] | A TMSS | AS | | 26-NOV-97 |
| | MIL-V-15020F | VALVE, FLUSH (SHIPBOARD) [CUST: SH] [REVIEW: CC] | A 4510 | SH | | 16-OCT-68 |
| | MIL-H-15021A(2) | HOOK, SNAP BOLT, SWIVEL-EYE, AND RINGS [CUST: AR SH] [REVIEW: GL IS MC SA] | A 5340 | SH | | 04-NOV-59 |
| A | MIL-DTL-15024F | PLATES, TAGS, AND BANDS FOR IDENTIFICATION OF EQUIPMENT, GENERAL SPECIFICATION FOR [CUST: MI AS 99] [REVIEW: 16 84 AV CR4 GS OS TD] | A 9905 | AS | | 28-NOV-97 |
| A | MIL-DTL-15024/1B | SET OR GROUP IDENTIFICATION PLATE [CUST: AS] | A 9905 | AS | | 27-MAR-98 |
| A | MIL-DTL-15024/2A | UNIT OR PLUG-IN ASSEMBLY IDENTIFICATION PLATE [CUST: AS 99] [REVIEW: 11 84] | A 9905 | AS | | 27-MAR-98 |
| A | MIL-DTL-15024/3A | IDENTIFICATION CABLE BAND [CUST: AS 99] | A 9905 | AS | | 27-MAR-98 |
| A | MIL-DTL-15024/4A | MODIFICATION IDENTIFICATION PLATE [CUST: AS] | A 9905 | AS | | 27-MAR-98 |
| | MIL-P-15024/5 | PLATE, IDENTIFICATION [CUST: SH] [REVIEW: EC GL] | A 9905 | SH | | 11-JUN-71 |
| | MIL-P-15024/10A | NAMEPLATE, ORDAIT PLATES & INFORMATION PLATES [CUST: OS] [REVIEW: EC GL SH] | A 9905 | OS | | 07-MAR-86 |
| | MIL-P-15024/15 NOT 1 | PLATE, TAGS, HOSE ASSEMBLY IDENTIFICATION PLATES [CUST: SH] | A 9905 | SH | | 25-JAN-89 |
| | MIL-L-15040F(1) NOT 1 | LABEL, GARMENT (WOVEN, RAYON) [CUST: GL NU 45 CT] [REVIEW: 32 82 MC MI] | A 8315 | CT | | 12-NOV-87 |
| | MIL-P-15064G(1) | PADS, SHOULDER AND SLEEVE-HEAD [CUST: GL NU 45 CT] [REVIEW: 32 82 99 CG MC] | A 8315 | CT | | 05-SEP-91 |
| | MIL-C-15065J | COAT FRONTS [CUST: GL NU CT] [REVIEW: CG MC MD] | A 8315 | CT | | 16-FEB-90 |
| | DOD-B-15072E SUP 1 | BATTERIES, STORAGE, LEAD-ACID, PORTABLE; GENERAL SPECIFICATION FOR (METRIC)[CUST: SH] [REVIEW: MI] | A 6140 | GS | | 20-APR-89 |
| | DOD-B-15072/3F | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPE 2V - 20 AH - L/D - A (METRIC) [CUST: SH] | A 6140 | GS | | 20-APR-89 |
| | DOD-B-15072/9 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 50 AH - L/D - A OR B AND 12V - 50 AH - L/D - A OR B (METRIC) [CUST: SH] | A 6140 | GS | | 20-APR-89 |
| | DOD-B-15072/10 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 205 AH - H/S - A OR B AND 8V - 205 AH - H/S - A OR B (METRIC) [CUST: SH] | A 6140 | GS | | 20-APR-89 |
| A | DOD-B-15072/11 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPE 12V - 15 AH - L/D - A OR B (METRIC) [CUST: SH GS] | A 6140 | GS | | 20-APR-89 |
| | DOD-B-15072/12 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 100 AH - L/D - A OR B, 8V - 100 AH - L/D - A OR B, AND 12V - 100 AH - L/D - A OR B (METRIC) [CUST: SH] | A 6140 | GS | | 20-APR-89 |
| | DOD-B-15072/13 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 130 AH - H/S - A OR B, 8V - 130 AH - H/S - A OR B, AND 12V - 130 AH - H/S - A OR B (METRIC) [CUST: SH] | A 6140 | GS | | 20-APR-89 |
| | DOD-B-15072/14 | BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 300 AH - L/D - A OR B AND 8V - 300 AH - L/D - A OR B (METRIC) [CUST: SH] | A 6140 | GS | | 20-APR-89 |
| | MIL-C-15074E | CORROSION PREVENTIVE, FINGERPRINT REMOVER [CUST: AR SH 99] [REVIEW: AS CR4 EA MC MD MI OS SA SM] | A 8030 | AR | | 30-JAN-91 |
| | MIL-T-15089C(1) | TUBING, ALUMINUM ALLOY, ROUND, SEAMLESS (FOR ROCKET MOTORS) [CUST: OS] [REVIEW: CC] | A 4710 | OS | | 03-FEB-76 |
| | MIL-DTL-15090D | ENAMEL, EQUIPMENT, LIGHT GRAY, (NAVY FORMULA NO. 111) [CUST: CR4 SH 99] | A 8010 | SH | | 06-NOV-96 |
| D | MIL-L-15098D(2) SUP 1 | LAMP, GLOW GENERAL SPECIFICATION FOR [CUST: CR SH 99 IS] [REVIEW: 82 AR AS CG CR4 MC MI] | A 6240 | IS | | 26-FEB-91 |
| D | MIL-L-15098/1B NOT 1 | LAMP, GLOW, INDICATOR, TYPES A9A-T, C2A-T AND A2A-T [CUST: CR SH 99 IS] [REVIEW: AS CR4 MC MI OS] | A 6240 | IS | | 11-OCT-90 |
| D | MIL-L-15098/2B NOT 1 | LAMP, GLOW, CIRCUIT CONTROL, TYPES 5AC, 5AG-A, 5AH, RT2-32-1A, AND 5AJ [CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MC MI] | A 6240 | IS | | 11-OCT-90 |
| D | MIL-L-15098/3A NOT 1 | LAMP, GLOW, INDICATOR, TYPES W1A AND R2A [CUST: CR SH 99 IS] [REVIEW: CR4 EC MI] | A 6240 | IS | | 11-OCT-90 |
| D | MIL-L-15098/4B NOT 1 | LAMP, GLOW, INDICATOR, TYPE J5A [CUST: CR SH 99] [REVIEW: 11 AR AS CG CR4 MC MI] | A 6240 | IS | | 11-OCT-90 |
| D | MIL-L-15098/5A NOT 1 | LAMP, GLOW, INDICATOR, TYPES J2A AND B7A [CUST: CR SH 99 IS] [REVIEW: AS CG CR4 EC MC MI OS] | A 6240 | IS | | 11-OCT-90 |
| D | MIL-L-15098/6B NOT 1 | LAMP, GLOW, INDICATOR, TYPES J3A AND B9A [CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MC MI] | A 6240 | IS | | 11-OCT-90 |
| D | MIL-L-15098/7B NOT 1 | LAMP, GLOW, INDICATOR, TYPE B5A [CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MC MI] | A 6240 | IS | | 11-OCT-90 |
| D | MIL-L-15098/8B NOT 1 | LAMP, GLOW, INDICATOR, TYPE L5A [CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MC MI] | A 6240 | IS | | 11-OCT-90 |
| D | MIL-L-15098/9B NOT 1 | LAMP, GLOW, INDICATOR, TYPE R9A [CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MC MI] | A 6240 | IS | | 11-OCT-90 |
| D | MIL-L-15098/10C NOT 1 | LAMP, GLOW, INDICATOR, TYPES B1A, B1AR, B2A AND B2AR [CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MC MI] | A 6240 | IS | | 11-OCT-90 |
| D | MIL-L-15098/11B NOT 1 | LAMP, GLOW, INDICATOR, TYPES C7A, C9A, A1G, AND A1H [CUST: CR SH 99 IS] [REVIEW: 11 AR AS CG CR4 MI] | A 6240 | IS | | 11-OCT-90 |
| D | MIL-L-15098/12B NOT 1 | LAMP, GLOW, INDICATOR, TYPE R1A [CUST: CR SH 11 IS] [REVIEW: AR AS CG CR4 MC MI] | A 6240 | IS | | 11-OCT-90 |
| | MIL-S-15103F(1) | SALINITY INDICATING EQUIPMENT [CUST: SH] | A 6630 | SH | | 17-DEC-92 |
| | MIL-C-15104F | CLOTH, COATED, FLAME RESISTANT, BERTH AND BEDDING COVER [CUST: NU CT] [REVIEW: SH] | A 8305 | CT | | 30-APR-91 |
| | MIL-T-15108C(1) | TRANSFORMERS, POWER, STEP DOWN, SINGLE PHASE, 60 HERTZ, 1 KILOVOLT/AMPERE APPROXIMATE MINIMUM RATING, DRY TYPE, NAVAL SHIPBOARD [CUST: SH] [REVIEW: GS OS] | A 6120 | SH | | 03-JUL-85 |
| | MIL-R-15109C | RESISTORS AND RHEOSTATS, NAVAL SHIPBOARD [CUST: SH] | A 5905 | CC | | 17-FEB-89 |
| A | MIL-W-15117F | WATER, DRINKING, CANNED, EMERGENCY [CUST: GL SA 50 SS] [REVIEW: MC MD MI YDI] | A 8960 | SS | | 18-DEC-87 |
| | MIL-I-15126F(4) | INSULATION TAPE, ELECTRICAL, PRESSURE SENSITIVE ADHESIVE AND PRESSURE SENSITIVE THERMOSETTING ADHESIVE [CUST: CR SH 85] [REVIEW: DS] | A 5970 | SH | | 23-OCT-90 |
| | MIL-D-15141B | DRESSING, FIRST AID AND INDIVIDUAL TROOP, CAMOUFLAGED [CUST: MD MS 03] | A 6510 | MB | | 10-NOV-58 |
| | DOD-P-15144B | PAINT, FORMULA NO. 34 (BINDER FOR ANTI SWEAT COATINGS) (METRIC) [CUST: MR SH] [REVIEW: CR4 MS] | A 8010 | SH | | 11-OCT-77 |
| | MIL-W-15154E NOT 1 | WOOD LAMINATES, OAK (FOR SHIP AND BOAT USE) [CUST: CR4 SH] | A 5510 | SH | | 03-NOV-89 |
| | MIL-S-15204D NOT 1 | SEALING COMPOUND, JOINT AND THREAD, HIGH TEMPERATURE [CUST: SH] | A 8030 | SH | | 07-FEB-91 |
| | MIL-I-15265C | INSULATION, ELECTRICAL, PLASTIC (SUBMARINE BUS BAR COVERING) [CUST: SH] | A 5970 | SH | | 11-JUN-92 |
| M | MIL-S-15291E(2) SUP 1 | SWITCHES, ROTARY, SNAP ACTION AND DETENT/SPRING RETURN ACTION, GENERAL SPECIFICATION FOR [CUST: SH CC] | A 5930 | CC | | 17-APR-98 |

| Doc# | Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------|--------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | | MIL-S-15291/1A | SWITCHES, ROTARY, SNAP ACTION CLASS 1SR FRONT MOUNTED, BACK CONNECTED [CUST: SH] | A 5930 | CC | | 22-JUL-91 |
| | | MIL-S-15291/2A | SWITCHES, ROTARY, SNAP ACTION CLASS 1SR FRONT MOUNTED, SIDE CONNECTED [CUST: SH] | A 5930 | CC | | 22-JUL-91 |
| | | MIL-S-15291/3A | SWITCHES, ROTARY, SNAP ACTION CLASS 1SR BASE MOUNTED, SIDE CONNECTED [CUST: SH] | A 5930 | CC | | 22-JUL-91 |
| | | MIL-S-15291/4A | SWITCHES, ROTARY, DETENT AND SPRING-RETURN ACTION CLASS 1 SRN FRONT MOUNTED, SIDE CONNECTED [CUST: SH] | A 5930 | CC | | 22-JUL-91 |
| | | MIL-S-15291/5A | SWITCHES, ROTARY, SNAP ACTION CLASS 3SR FRONT MOUNTED, BACK CONNECTED [CUST: SH] | A 5930 | CC | | 22-JUL-91 |
| | | MIL-S-15291/6B | SWITCHES, ROTARY, SNAP ACTION CLASS 3SR FRONT MOUNTED, SIDE CONNECTED [CUST: SH] | A 5930 | CC | | 22-JUL-91 |
| | | MIL-S-15291/7A | SWITCHES, ROTARY, SNAP ACTION CLASS 3SR BASE MOUNTED, SIDE CONNECTED [CUST: SH] | A 5930 | CC | | 22-JUL-91 |
| | | MIL-S-15291/9A | SWITCHES, ROTARY, SNAP ACTION CLASS 6SR FRONT MOUNTED, SIDE CONNECTED [CUST: SH] | A 5930 | CC | | 22-JUL-91 |
| | | MIL-S-15291/10A | SWITCHES, ROTARY, SNAP ACTION CLASS 6SR BASE MOUNTED, SIDE CONNECTED [CUST: SH] | A 5930 | CC | | 22-JUL-91 |
| | | MIL-S-15291/12B | SWITCHES, ROTARY, SNAP ACTION CLASS 20SR FRONT MOUNTED, SIDE CONNECTED [CUST: SH] | A 5930 | CC | | 22-JUL-91 |
| | | MIL-S-15291/13A | SWITCHES, ROTARY, SNAP ACTION CLASS 20SR BASE MOUNTED, SIDE CONNECTED [CUST: SH] | A 5930 | CC | | 22-JUL-91 |
| | | MIL-T-15301D(1) | TANK, PRESSURE, 600 PSI GAGE WORKING PRESSURE, NAVAL SHIPBOARD USE [CUST: SH] | A 4310 | SH | | 15-JUN-70 |
| | | MIL-A-15303P | AUDIBLE SIGNALS: ALARMS, BELL, BUZZERS, HORNS, SIRENS, AND ELECTRONIC SHIPBOARD [CUST: SH] [REVIEW: MI] | A 6350 | GS | | 19-NOV-86 |
| | | MIL-C-15306G | CALL SIGNAL STATIONS, GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: MC] | A 5805 | SH | | 28-JUN-93 |
| | | MIL-C-15306/I | CALL SIGNAL STATIONS IC/D, SELECTIVE CALL, COMMON TALK [CUST: SH] | A 5805 | SH | | 28-JUN-93 |
| | | MIL-C-15306/2 | CALL SIGNAL STATIONS TA-974/WTC2, SIDE CRANK [CUST: SH] | A 5805 | SH | | 28-JUN-93 |
| | | MIL-C-15306/3 | CALL SIGNAL STATIONS TA-975/WTC2, FRONT CRANK [CUST: SH] | A 5805 | SH | | 28-JUN-93 |
| | | MIL-H-15317C NOT 1 | HOISTS, CHAIN OR WIRE ROPE, ELECTRIC POWER OPERATED, LUG, HOOK, OR TROLLEY SUSPENSION AND BASE MOUNTED [CUST: CR4 SH] [REVIEW: CC MC MI OS] | A 3950 | SH | | 15-JUN-88 |
| | | DOD-P-15328D(1) NOT 1 | PRIMER (WASH), PRETREATMENT (FORMULA NO. 117 FOR METALS) (METRIC) [CUST: MR SH 99] [REVIEW: AR AS AV MC SA YDI] | A 8010 | MR | | 21-MAR-92 |
| | | DOD-P-15328D(12) | PRIMER (WASH), PRETREATMENT (FORMULA NO. 117 FOR METALS) (METRIC) [CUST: AR] | A 8010 | AR | | 04-MAR-91 |
| | | MIL-G-15342E | GASKETS, METALLIC, SPIRAL WOUND FOR BOILERS [CUST: SH] | A 5330 | SH | | 05-JUN-76 |
| | | MIL-A-15344(2) | AMPLIFIER, SYNCHRO SIGNAL [CUST: SH] [REVIEW: CC EC] | A 5990 | SH | | 02-NOV-90 |
| | | MIL-C-15370F | COUPLERS, DIRECTIONAL, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 99 AS CG MC MI OS SH] | A 5985 | CC | | 07-SEP-94 |
| | | MIL-C-15370/3C | COUPLERS, DIRECTIONAL (COAXIAL, SERIES N CONNECTORS) [CUST: CR EC 85] [REVIEW: 11 99 AS CG MC MI OS SH] | A 5985 | CC | | 22-SEP-89 |
| | | MIL-C-15370/4C | COUPLERS, DIRECTIONAL (WAVEGUIDE, MULTIHOLE) [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC OS SH] | A 5985 | CC | | 22-SEP-89 |
| | | MIL-C-15370/5C | COUPLERS, DIRECTIONAL (WAVEGUIDE-CROSSGUIDE) [CUST: CR EC 85] [REVIEW: 11 17 99 AS CG MC OS SH] | A 5985 | CC | | 22-SEP-89 |
| | | MIL-C-15370/6C | COUPLERS, DIRECTIONAL (WAVEGUIDE, COAXIAL OUTPUT) [CUST: CR EC 85] [REVIEW: 11 99 AS CG MC MI OS SH] | A 5985 | CC | | 22-SEP-89 |
| | | MIL-C-15370/9E(3) | COUPLERS, DIRECTIONAL (COAXIAL, SMA CONNECTORS) (1 TO 26.5 GHZ) [CUST: CR EC 85 CC] [REVIEW: 11 99 AS CG MC MI OS] | A 5985 | CC | | 14-DEC-94 |
| | | MIL-C-15370/10B | COUPLERS, DIRECTIONAL (COAXIAL, SMA CONNECTORS) (.50 TO 18 GHZ) [CUST: CR EC 85] [REVIEW: 99 AS CG MC OS SH] | A 5985 | CC | | 22-SEP-89 |
| | | MIL-C-15370/11B | COUPLERS, DIRECTIONAL, DUAL (COAXIAL, SERIES N CONNECTORS) [CUST: CR EC 85] [REVIEW: 11 99 AS CG MC MI OS SH] | A 5985 | CC | | 22-SEP-89 |
| | | MIL-C-15370/16A | COUPLERS, DIRECTIONAL, (COAXIAL, SMA CONNECTORS) (2 TO 1000 MHZ) [CUST: CR EC 85] [REVIEW: 11 99 AS CG MC MI OS SH] | A 5985 | CC | | 22-SEP-89 |
| | | MIL-C-15370/18A | COUPLERS, DIRECTIONAL (PIN PLUG-IN TERMINATION) [CUST: CR EC 85] [REVIEW: AS CG MC OS SH] | A 5985 | CC | | 22-SEP-89 |
| | | MIL-S-15371B | STARTER, ENGINE, ELECTRICAL MOTOR (SHIPBOARD USE) [CUST: SH] [REVIEW: CC] | A 2920 | SH | | 14-NOV-77 |
| | | MIL-T-15377F(1) | TEMPERATURE MONITOR EQUIPMENT NAVAL SHIPBOARD [CUST: SH] [REVIEW: CR4 GS] | A 6685 | SH | | 31-MAR-87 |
| A | | MIL-F-15381F | FOOD PACKET, SURVIVAL, AIRCRAFT LIFE RAFT [CUST: GL SA 50 SS] [REVIEW: MC MD MS] | A 8970 | SS | | 31-DEC-85 |
| A | | MIL-B-15382C(1) NOT 1 | BOLT, FIREBRICK ANCHOR [CUST: SH IS] [REVIEW: MI] | A 5306 | CC | | 10-JUN-94 |
| | | MIL-C-15430(4) | CONDENSERS, STEAM, NAVAL SHIPBOARD [CUST: SH] | A 4420 | SH | | 24-APR-89 |
| | | MIL-E-15465H | EJECTOR ASSEMBLIES, AIR [CUST: SH] | A 4320 | SH | | 24-MAY-93 |
| A | | MIL-H-15505K | HAT, SERVICE, WOMAN'S [CUST: NU CT] [REVIEW: CG] | A 8410 | CT | | 31-MAY-89 |
| | | MIL-H-15505K(11) | HAT, SERVICE, WOMAN'S [CUST: NU CT] [REVIEW: CG] | A 8410 | CT | | 13-NOV-96 |
| | | MIL-C-15507L | CAP, GARRISON, WOMAN'S (NAVY) [CUST: NU CT] | A 8410 | CT | | 25-APR-86 |
| | | MIL-V-15508B(1) | VALVE, REMOTE CONTROL, DIAPHRAM ACTUATED (FLUID SYSTEMS, 150 AND 250 P.S.I W.P. 140 DEG. F. MAXIMUM) [CUST: CR4 SH 99] [REVIEW: AT MC] | A 4810 | SH | | 10-DEC-84 |
| | | MIL-T-15514F | TELEPHONE EQUIPMENT, SOUND POWERED TELEPHONE HANDSET, HEADSET, AND HEADSET-NOISE ATTENUATING, GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: MC] | A 5965 | SH | | 08-SEP-93 |
| | | MIL-DTL-15562G | MATTING OR SHEET, FLOOR COVERING, INSULATING FOR HIGH VOLTAGE APPLICATION [CUST: SH] [REVIEW: AS CG MC OS YDI] | A 7220 | SH | | 31-MAY-96 |
| | | MIL-L-15581K | LIFE PRESERVERS, CO2 INFLATABLE, POUCH TYPE [CUST: SH] [REVIEW: AS CC CR4] | A 4220 | SH | | 24-OCT-86 |
| | | MIL-B-15606H | BRICK, REFRACTORY, & BURNER TILE, NAVAL BOILER FURNACE LINING QUALITY [CUST: SH 99] [REVIEW: GS MC] | A 9350 | SH | | 30-JUN-83 |
| | | MIL-F-15618F(4) | FILTER-SEPARATORS AND FILTER ELEMENTS, FLUID, PRESSURE, AVIATION AND DIESEL FUEL, NAVAL SHIPBOARD [CUST: SH] [REVIEW: CC] | A 4330 | SH | | 28-FEB-85 |
| | | MIL-T-15659H(1) SUP 1 | TERMINAL, LUG: SOLDER, COPPER AND PHOSPHOR BRONZE [CUST: AR AS 85 GS] [REVIEW: 11 AT AV CR CR4 MC MI SH] | A 5940 | GS | | 25-JUL-88 |
| M | | MIL-DTL-15665J SUP 1 | INSIGNIA; BRANCH OF SERVICE, HAT, GARRISON CAP AND SERVICE CAP, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 06-APR-98 |
| | | MIL-DTL-15665/1E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, ADJUTANT GENERAL'S CORP, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | | MIL-DTL-15665/3E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, ARMOR, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | | MIL-DTL-15665/4E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, ARMY MEDICAL DEPARTMENT, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | | MIL-DTL-15665/5F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, AIR DEFENSE ARTILLERY, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | | MIL-DTL-15665/6E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, CHEMICAL CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | | MIL-DTL-15665/7E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, CIVIL AFFAIRS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | | MIL-DTL-15665/8E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, CORPS OF ENGINEERS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | | MIL-DTL-15665/9E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, FINANCE CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | | MIL-DTL-15665/10E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, INFANTRY, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | | MIL-DTL-15665/11F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, MILITARY INTELLIGENCE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | | MIL-DTL-15665/12G | INSIGNIA, COLLAR, ENLISTED, AND CAP, GARRISON, ENLISTED, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 27-JUN-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | ICA | Prop. Acty. | Date |
|-------------|-------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-DTL-15665/13E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, MILITARY POLICE CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/14E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, ORDNANCE CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/15E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, QUARTERMASTER CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/16F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, SIGNAL CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/17E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, TRANSPORTATION CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/18F | INSIGNIA, COLLAR, ENLISTED, COMMAND SERGEANT MAJOR, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/20F | INSIGNIA, SERVICE CAP, ENLISTED, FEMALE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| M | MIL-DTL-15665/21J | INSIGNIA, SERVICE CAP, ENLISTED, AIR FORCE [CUST: IH 45] [REVIEW: 32 89 99 CT] | A 8455 | IH | | 02-JUN-98 |
| | MIL-DTL-15665/22E | INSIGNIA, SERVICE CAP, ENLISTED, MALE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/23F | INSIGNIA, SERVICE CAP, ENLISTED, MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/24E | INSIGNIA, COLLAR, "U.S.", ENLISTED, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/25F | INSIGNIA, BRANCH OF SERVICE, ENLISTED, JUDGE ADVOCATE GENERAL'S CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/26E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, FIELD ARTILLERY, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/27F | INSIGNIA, SERVICE CAP, ENLISTED, THE SERGEANT MAJOR OF THE U.S. ARMY AND THE CHIEF MASTER SERGEANT OF THE U.S. AIR FORCE [CUST: IH 45] [REVIEW: 32 89 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/28G | INSIGNIA, COLLAR, ENLISTED, THE CHIEF MASTER SERGEANT OF THE U.S. AIR FORCE [CUST: IH 45] [REVIEW: 32 89 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/29G | INSIGNIA, HAT, ENLISTED, COMMAND BANDS, AIR FORCE [CUST: IH 45] [REVIEW: 32 89 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/30E | INSIGNIA, HAT, ENLISTED, U.S. ARMY BAND [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/31E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, CALVARY, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/32D | INSIGNIA, COLLAR, ENLISTED, THE SERGEANT MAJOR OF THE U.S. ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/33D | INSIGNIA, BRANCH OF SERVICE, ENLISTED, INSPECTOR GENERAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/34D | INSIGNIA, BRANCH OF SERVICE, ENLISTED, AVIATION, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/35E | INSIGNIA, BRANCH OF SERVICE, ENLISTED, SPECIAL FORCES, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/36D | INSIGNIA, COLLAR, ENLISTED, CHAPLAIN ASSISTANT, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/37D | INSIGNIA, BRANCH OF SERVICE, ENLISTED, PUBLIC AFFAIRS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/38C | INSIGNIA, COLLAR, ENLISTED, PSYCHOLOGICAL OPERATIONS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/40 | INSIGNIA, AIDE, PRESIDENT OF THE UNITED STATES, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/41 | INSIGNIA, AIDE, PRESIDENT OF THE UNITED STATES, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/42 | INSIGNIA, AIDE, VICE PRESIDENT OF THE UNITED STATES, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/43 | INSIGNIA, AIDE, VICE PRESIDENT OF THE UNITED STATES, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/44 | INSIGNIA, AIDE, SECRETARY OF DEFENSE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/45 | INSIGNIA, AIDE, SECRETARY OF DEFENSE, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/46 | INSIGNIA, AIDE, SECRETARY AND UNDER SECRETARY OF THE ARMY, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/47 | INSIGNIA, AIDE, SECRETARY OF THE AIR FORCE, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/48 | INSIGNIA, AIDE CHAIRMAN AND VICE CHAIRMAN, JOINT CHIEFS OF STAFF, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/49 | INSIGNIA, AIDE, CHAIRMAN, JOINT CHIEFS OF STAFF, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/50 | INSIGNIA, AIDE, VICE CHAIRMAN, JOINT CHIEFS OF STAFF, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/51 | INSIGNIA, AIDE, CHIEF OF STAFF AND VICE CHIEF OF STAFF, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/52 | INSIGNIA, AIDE, CHIEF OF STAFF, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/53 | INSIGNIA, AIDE, GENERAL OF THE ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/54 | INSIGNIA, AIDE, GENERAL OFFICERS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/55 | INSIGNIA, AIDE, GENERAL OFFICERS, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/56 | INSIGNIA, WARRANT OFFICER CANDIDATE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/57 | INSIGNIA, OFFICER CANDIDATE SCHOOL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/58 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, CHRISTIAN FAITH, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/59 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, CHRISTIAN FAITH, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/60 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, JEWISH FAITH, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/61 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, JEWISH FAITH, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| A | MIL-DTL-15665/62A | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, MUSLIM FAITH, ARMY AND NAVY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 23-SEP-97 |
| A | MIL-DTL-15665/63A | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, MUSLIM FAITH, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 23-SEP-97 |
| | MIL-DTL-15665/64 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHAPLAIN, BUDDHIST FAITH, ARMY AND AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-JUN-96 |
| M | MIL-DTL-15665/65A | INSIGNIA, "U.S.", ARMY AND AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 02-JUN-98 |
| | MIL-DTL-15665/66 | INSIGNIA, SERVICE HAT, OFFICERS, ARMY, AIR FORCE AND AVIATION CADETS [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/67 | INSIGNIA, SERVICE HAT, OFFICERS, FEMALE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/68 | INSIGNIA, SERVICE HAT, WARRANT OFFICERS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| A | MIL-DTL-15665/69A | INSIGNIA, SERVICE CAP, OFFICERS, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 23-SEP-97 |
| | MIL-DTL-15665/70 | INSIGNIA, BRANCH OF SERVICE, WARRANT OFFICERS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/71 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, ADJUTANT GENERAL'S CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/72 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, AIR DEFENSE ARTILLERY, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/73 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, ARMOR, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/74 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, AVIATION, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/75 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CAVALRY, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/76 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHEMICAL CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| A | MIL-DTL-15665/77B | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CIVIL AFFAIRS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 02-FEB-98 |
| | MIL-DTL-15665/78 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, CORPS OF ENGINEERS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/79 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, FIELD ARTILLERY, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/80 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, FINANCE CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| | MIL-DTL-15665/81 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, GENERAL STAFF, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Ver | MCA | Prop. Acty. | Date |
|-----------------------|--|-------------------------|-----|-------------|-----------|
| MIL-DTL-15665/82A | INSIGNIA, BRANCH OF SERVICE, OFFICERS, INSPECTOR GENERAL, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 12-MAY-97 |
| MIL-DTL-15665/83 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, INFANTRY, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| MIL-DTL-15665/84 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, JUDGE ADVOCATE GENERAL'S CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| MIL-DTL-15665/85 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, MEDICAL SERVICE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| MIL-DTL-15665/86 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, MILITARY INTELLIGENCE, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| MIL-DTL-15665/87 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, MILITARY POLICE CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| MIL-DTL-15665/88 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, ORDNANCE CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| MIL-DTL-15665/89 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, QUARTERMASTER CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| MIL-DTL-15665/90 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, SPECIAL FORCES, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| MIL-DTL-15665/91 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, STAFF SPECIALIST, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| MIL-DTL-15665/92 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, TRANSPORTATION CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| MIL-DTL-15665/93 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, NATIONAL GUARD BUREAU [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| MIL-DTL-15665/94 | INSIGNIA, BRANCH OF SERVICE, OFFICERS, SIGNAL CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 27-JUN-96 |
| A MIL-DTL-15665/95 | INSIGNIA, GARRISON CAP, OFFICERS, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 23-SEP-97 |
| MIL-I-15676K(1) | INDICATORS, SHIP'S COURSE [CUST: SH] | A 6320 | SH | | 12-APR-91 |
| MIL-S-15701D | STITCHERS, BOOK & PAMPHLET, SINGLE STITCHING HEAD, SADDLE & FLAT TABLE [CUST: GL SA 99 GS] | A 3610 | GS | | 31-DEC-85 |
| DOD-A-15707D(2) | ANCHORS, NAVY, LIGHTWEIGHT TYPE (METRIC) [CUST: SH] [REVIEW: YD1] | A 2040 | SH | | 25-JAN-89 |
| MIL-L-15719A(3) | LUBRICATING GREASE (HIGH-TEMPERATURE, ELECTRIC MOTOR, BALL AND ROLLER BEARINGS) [CUST: CR4 SH 11] [REVIEW: AS AT EA GS MC MI PS SA] | A 9150 | SH | | 21-FEB-61 |
| MIL-C-15726F(1) | COPPER-NICKEL ALLOY, SHEET, PLATE, STRIP, BAR, ROD AND WIRE [CUST: MR SH] [REVIEW: CR4 IS MC MI] | A 9525 | SH | | 08-OCT-91 |
| MIL-C-15730M(1) | COOLERS, FLUID, NAVAL SHIPBOARD: LUBRICATING OIL, HYDRAULIC OIL, AND FRESH WATER [CUST: SH] | A 4420 | SH | | 28-MAR-97 |
| MIL-P-15731D(1) | PLASTIC MIX, REFRACTORY, FIRE CLAY, SUPER DUTY [CUST: SH 99] [REVIEW: AS GS] | A 9350 | SH | | 25-JUL-89 |
| MIL-F-15733/28E(1) | FILTERS, RADIO-FREQUENCY INTERFERENCE, STYLE FL42 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | | 05-MAY-93 |
| MIL-F-15733/53B NOT 2 | FILTERS, RADIO INTERFERENCE, STYLE FL86 [CUST: 85] | A 5915 | CC | | 26-DEC-91 |
| MIL-F-15733/65A NOT 2 | FILTERS, RADIO FREQUENCY INTERFERENCE STYLE FL87 [CUST: 11] | A 5915 | CC | | 17-APR-92 |
| MIL-C-15734B | COIL ASSEMBLY, COMPASS COMPENSATING (DEGAUSSING), TYPE "R-2" [CUST: SH] [REVIEW: CC] | A 5950 | SH | | 06-OCT-89 |
| MIL-P-15737C | PADDLES, BOAT, SOLID AND LAMINATED WOOD [CUST: SH] | A 2040 | SH | | 29-APR-91 |
| MIL-P-15742C | PLUG, PLASTIC (HEAT-EXCHANGER TUBE) [CUST: CR4 SH] [REVIEW: AR CC MC] | A 4730 | SH | | 02-SEP-88 |
| MIL-S-15743C SUP 1 | SWITCHES, ROTARY, ENCLOSED [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/1A | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 801.1 (DPST) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/2A | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 858 (DPT) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/3A | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOLS 801.2 (DPST), 804.1 (TPST), 829.1 (DPDT), AND 879.1 (DPTT) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/4A | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOLS 805.1 (4PST), AND 857 (TPDT) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/5A | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOLS 827.1 (SPECIAL), 850.1 (TPDT), AND 863 (4PDT) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/6A | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 862 (TPDT) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/7A | SWITCH, ROTARY, ENCLOSED, SPLASHPROOF, SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 814 (DPST) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/8A | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT, 30 AMPERE, SYMBOLS 838.1 (DPDT), 840.1 (DPDT), AND 851 (TPST) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/9A | SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT, 30 AMPERE, SYMBOLS 839.1 (4PDT), 848.1 (TPDT), AND 2752.1 (SPECIAL) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/10A | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT, 30 AMPERE, SYMBOL 852 (4PDT) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/11A | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT, 30 AMPERE, SYMBOL 2753 (DPST) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/12A | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, TRANSFER, WITH INDICATION, 125 VOLTS ALTERNATING CURRENT, 30 AMPERE, SYMBOL 2763 (4PDT) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/13A | SWITCH, ROTARY, ENCLOSED, WATERTIGHT SNAP ACTION, TRANSFER, WITH INDICATION, 125 VOLTS ALTERNATING CURRENT, 30 AMPERE, SYMBOL 849 (TPDT) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/14A | SWITCHES, ROTARY, ENCLOSED, WATERTIGHT SNAP ACTION, TRANSFER, WITH INDICATION, SYMBOL 853 (TPDT), 500 VOLTS ALTERNATING CURRENT, 60 AMPERE, SYMBOL 854 (TPDT), 125 VOLTS ALTERNATING CURRENT, 60 AMPERE [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/15A | SWITCH, ROTARY, ENCLOSED, WATERTIGHT, SNAP ACTION, PORTABLE, 500 VOLTS ALTERNATING CURRENT, 30 AMPERE, SYMBOL 817.1 (TPST) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/16(1) | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), CONTACT MAKER, SIX-POLE, TWO-POSITION, SPRING-RETURN, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2637.1 [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/17(1) | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), CONTACT MAKER, SIX-POLE, TWO-POSITION, SPRING-RETURN, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2638.1 [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/18(1) | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, SIX-POLE, TWO-POSITION, POSITIVE DETENT, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2639.1 [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/19(1) | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, SIX-POLE, TWO-POSITION, POSITIVE DETENT, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2640.1 [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/20(1) | SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), CONTACT MAKER, SIX-POLE, THREE-POSITION, SPRING RETURN, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2641.1 [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/21(1) | SWITCHES, ROTARY, ENCLOSED, WATERTIGHT, CONTACT MAKER, MULTIPLE, EIGHT POSITION, 125 VOLTS ALTERNATING CURRENT, 5 AMPERE, SYMBOLS 867.1 THROUGH 872.1 [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-S-15743/22(1) | SWITCHES, ROTARY, ENCLOSED, WATERTIGHT, 6-SECTION, 16-POSITION, 125 VOLTS ALTERNATING CURRENT, 5 AMPERE, SYMBOLS 2785 (DECK MOUNTED) AND 2786 (BULKHEAD MOUNTED) [CUST: SH] | A 5930 | CC | | 22-NOV-93 |
| MIL-H-15787F(1) | HEATERS (TANKS), FLUID, DEAERATING, BOILER FEED WATER, NAVAL SHIPBOARD USE [CUST: SH] | A 4420 | SH | | 19-DEC-88 |
| MIL-W-15805F(3) | WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE B [CUST: AS] [REVIEW: GS] | A 6660 | AS | | 18-OCT-77 |
| MIL-E-15809D | EXPANDER, TUBE, CONDENSER AND HEAT EXCHANGERS [CUST: SH] [REVIEW: YD1] | A 3441 | SH | | 19-MAY-92 |
| MIL-M-15842B | MORTAR, REFRACTORY (HIGH TEMPERATURE, AIR SETTING) [CUST: SH 99] [REVIEW: GS MR] | A 9350 | SH | | 24-AUG-64 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|------------------------|--|--------------|-----|-------------|--|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | | |
| | MIL-I-15864K | INSIGNIA, EMBROIDERED (MEN AND WOMEN) [CUST: NU CT] [REVIEW: MC] | A 8455 | CT | | | 07-SEP-90 |
| | MIL-P-15877D | PIPE SUPPORT DEVICES (HANGERS AND SWAYBRACES, SHIPBOARD USE) [CUST: SH 99] [REVIEW: IS] | A 5340 | SH | | | 29-JUN-73 |
| | MIL-F-15919D | FILTER, AIR, ACTIVATED CARBON, SUBMARINE SANITARY TANK VENT AND WATER CLOSET [CUST: SH] | A 4460 | SH | | | 08-NOV-71 |
| | MIL-P-15931F(1) | PAINT, ANTIFOULING, VINYL (FORMULAS NO. 121A, AND 129A) [CUST: CR4 SH] [REVIEW: CG MC MR OS] | A 8010 | SH | | | 16-SEP-94 |
| | MIL-C-15987F(1) | CABLE ASSEMBLIES, POWER, ELECTRICAL (WITH GROUNDING, FOR 440-VOLT PORTABLE EQUIPMENT) [CUST: CR SH] [REVIEW: CR CR4 GS OS] | A 6110 | SH | | | 12-APR-91 |
| | MIL-B-16008C(2) NOT 1 | BRICK, INSULATION, HIGH TEMPERATURE, FIRE CLAY [CUST: CR4 SH 84] [REVIEW: GS] | A 9350 | SH | | | 26-MAR-90 |
| | MIL-S-16032M | SWITCHES AND DETECTORS, SHIPBOARD ALARM SYSTEMS [CUST: SH] | A 5930 | CC | | | 29-JUN-87 |
| | MIL-M-16034A(6) SUP 1 | METERS, ELECTRICAL-INDICATING (SWITCHBOARD AND PORTABLE TYPES) [CUST: CR SH 82] [REVIEW: AR AS EC GL MC MI] | A 6625 | SH | | | 19-JUN-67 |
| | MIL-M-16034A(11) SUP 1 | METERS, ELECTRICAL-INDICATING (SWITCHBOARD AND PORTABLE TYPES) [CUST: SH] | A 6625 | SH | | | 23-APR-91 |
| | MIL-M-16034/1A | METER, ELECTRICAL INDICATING, VOLTMETER, DC, SWITCHBOARD, 4-1/2 INCH, 250 DEGREE SCALE [CUST: CR SH 99] [REVIEW: EC] | A 6625 | SH | | | 06-NOV-64 |
| | MIL-M-16034/2B | METER, ELECTRICAL INDICATING, VOLTMETER, AC, SWITCHBOARD, 4-1/2 INCH, 250 DEGREE SCALE [CUST: CR SH 99] [REVIEW: 11 AR AV GL MC] | A 6625 | SH | | | 20-OCT-64 |
| | MIL-M-16034/3A | METER, ELECTRICAL-INDICATING, VOLTMETER, A.C., SWITCHBOARD, 4-1/2-INCH, 250-DEGREE SCALE [CUST: CR SH 99] [REVIEW: CR4 EC] | A 6625 | SH | | | 06-NOV-64 |
| | MIL-M-16034/4A | METER, ELECTRICAL INDICATING, AMMETER, AC, SWITCHBOARD, 4-1/2 INCH, 250 DEGREE SCALE [CUST: CR SH 99] [REVIEW: CR4 EC] | A 6625 | SH | | | 06-NOV-64 |
| | MIL-M-16034/5 | METER, ELECTRICAL INDICATING, VOLTMETER, DC, SWITCHBOARD, 6 INCH, 90 DEGREE SCALE [CUST: CR SH 99] [REVIEW: EC] | A 6625 | SH | | | 02-JAN-53 |
| | MIL-M-16034/6 | METER, ELECTRICAL INDICATING, AMMETER, DC, SWITCHBOARD, 6 INCH, 90 DEGREE SCALE [CUST: CR SH 99] [REVIEW: EC] | A 6625 | SH | | | 02-JAN-53 |
| | MIL-M-16034/7 | METER, ELECTRICAL INDICATING, VOLTMETER, AC, SWITCHBOARD, 6 INCH, 90 DEGREE SCALE [CUST: CR SH 99] [REVIEW: EC] | A 6625 | SH | | | 02-JAN-53 |
| | MIL-M-16034/8 | METER, ELECTRICAL INDICATING, AMMETER, AC, SWITCHBOARD, 6 INCH, 90 DEGREE SCALE [CUST: CR SH 99] | A 6625 | SH | | | 02-JAN-53 |
| | MIL-M-16034/9 | METER, ELECTRICAL INDICATING VOLTMETER, AC AND DC, PORTABLE, 0.25 PERCENT ACCURACY CLASS [CUST: CR SH 99] [REVIEW: EC] | A 6625 | SH | | | 02-JAN-53 |
| | MIL-M-16034/10 | METER, ELECTRICAL INDICATING, AMMETER, AC AND DC, PORTABLE, 0.25 PERCENT ACCURACY CLASS [CUST: CR SH 99] [REVIEW: EC] | A 6625 | SH | | | 02-JAN-53 |
| | MIL-M-16034/11 | METER, ELECTRICAL INDICATING, VOLTMETER, DC, PORTABLE, 0.25 PERCENT ACCURACY CLASS [CUST: CR SH 99] [REVIEW: EC] | A 6625 | SH | | | 02-JAN-53 |
| | MIL-M-16034/12 | METER, ELECTRICAL INDICATING, AMMETER, DC, PORTABLE, 0.25 PERCENT ACCURACY CLASS [CUST: CR SH 99] [REVIEW: EC] | A 6625 | SH | | | 02-JAN-53 |
| | MIL-M-16034/13 | METER, ELECTRICAL INDICATING, VOLTMETER, AC, PORTABLE, 0.75 PERCENT ACCURACY CLASS [CUST: CR SH 99] [REVIEW: EC] | A 6625 | SH | | | 02-JAN-53 |
| | MIL-M-16034/14 | METER, ELECTRICAL INDICATING, AMMETER, AC, PORTABLE, 0.75 PERCENT ACCURACY CLASS [CUST: CR SH 99] [REVIEW: EC] | A 6625 | SH | | | 02-JAN-53 |
| | MIL-M-16034/15 | METER, ELECTRICAL INDICATING, VOLTMETER, DC, PORTABLE, 0.5 PERCENT ACCURACY CLASS [CUST: CR SH 99] [REVIEW: EC] | A 6625 | SH | | | 02-JAN-53 |
| | MIL-M-16034/16 | METER, ELECTRICAL INDICATING, AMMETER, DC, PORTABLE, 0.5 PERCENT ACCURACY CLASS [CUST: CR SH 99] [REVIEW: EC] | A 6625 | SH | | | 02-JAN-53 |
| | MIL-M-16034/17 | VOLTMETER, DC, SWITCHBOARD, 8-3/4 INCH, 250 DEGREE SCALE [CUST: SH] | A 6625 | SH | | | 10-OCT-66 |
| | MIL-M-16034/18 | AMMETER, DC, SWITCHBOARD, 8-3/4 INCH, 250 DEGREE SCALE [CUST: SH] | A 6625 | SH | | | 19-SEP-66 |
| | MIL-S-16036K(2) | SWITCHGEAR, POWER, NAVAL SHIPBOARD [CUST: SH] | A 6110 | SH | | | 04-MAY-93 |
| | MIL-T-16049C(3) NOT 1 | TACHOMETERS: ELECTRICAL; SELF-GENERATING; MECHANICAL, FIXED MOUNTING AND HAND HELD, AND VIBRATING REED [CUST: SH 99] | A 6680 | SH | | | 07-JUN-91 |
| | MIL-S-16059B | SHAFTING, FLEXIBLE (CORE AND CASING COMPLETE) (FOR THE REMOTE OPERATION OF VALVES) [CUST: SH] [REVIEW: CC] | A 3040 | SH | | | 12-APR-61 |
| | MIL-I-16103F | INDICATOR, PHASE SEQUENCE, SWITCHBOARD & PANEL [CUST: SH 99] [REVIEW: AS CC MC OS] | A 6625 | SH | | | 17-JUN-83 |
| | MIL-S-16104B(1) | SYNCHROSCOPE [CUST: CR SH] [REVIEW: AS CR4 MC] | A 6625 | SH | | | 18-MAY-90 |
| | MIL-B-16115G | BUOYS, MOORING, AND MARKER [CUST: YD1] [REVIEW: CR4 OS] | A 2050 | YD1 | | | 28-JUN-91 |
| | MIL-M-16125C(4) | METERS, ELECTRICAL, FREQUENCY [CUST: CR SH 99] [REVIEW: 11 CR4 MC MI] | A 6625 | SH | | | 06-JAN-87 |
| | MIL-M-16149G | MITTEN, WELDERS [CUST: NU CT] | A 8415 | CT | | | 12-MAR-90 |
| | MIL-D-16153G | DETECTOR, RADIAC, DT-60C/DP [CUST: EA SH 99] [REVIEW: MC] | A 6665 | SH | | | 22-FEB-91 |
| | MIL-S-16216K | STEEL PLATE, ALLOY, STRUCTURAL, HIGH YIELD STRENGTH (HY-80 AND HY-100) [CUST: SH] [REVIEW: IS] | A 9515 | SH | | | 19-JUN-87 |
| | MIL-L-16225B(1) | LOUDSPEAKER, PERMANENT MAGNET, BLASTPROOF AND SUBMERSIBLE, NAVY TYPE 495460 [CUST: EC] | A 5965 | CC | | | 06-SEP-79 |
| | DOD-P-16232F | PHOSPHATE COATING, HEAVY, MANGANESE OR ZINC BASE (FOR FERROUS METALS) [CUST: AR OS 11] [REVIEW: AS AV CR CR4 MI MR SH] | A MFFP | AR | | | 07-NOV-78 |
| | DOD-P-16232F(11) | PHOSPHATE COATINGS, HEAVY, MANGANESE OR ZINC BASE (FOR FERROUS METALS) [CUST: AR] | A MFFP | AR | | | 09-SEP-92 |
| | MIL-H-16235C(1) | HEATER, VENTILATION, DUCT TYPE, SHIPBOARD [CUST: SH] [REVIEW: CC] | A 4520 | SH | | | 01-OCT-65 |
| | MIL-T-16286E(1) | TUBE, STEEL, SEAMLESS, MARINE BOILER APPLICATION [CUST: SH] [REVIEW: CC CR4] | A 4710 | SH | | | 25-JUN-80 |
| | MIL-E-16298D | ELECTRIC MACHINES HAVING ROTATING PARTS, ACCESSORIES AND ASSOCIATED SUPPORT ITEMS: PACKAGING OF [CUST: AV SH 69] [REVIEW: AT CR4 EA EC SM YD1] | A PACK | SH | | | 07-MAR-89 |
| | MIL-B-16305B | BRICK, REFRACTORY, INSULATING [CUST: SH 99] [REVIEW: GS MR] | A 9350 | SH | | | 25-JUL-89 |
| | MIL-H-16313D | HEATERS, FLUID, FUEL OIL, NAVAL SHIPBOARD [CUST: SH] | A 4420 | SH | | | 20-MAR-89 |
| | MIL-T-16315D | TRANSFORMERS, POWER, STEP-DOWN (MISCELLANEOUS, NAVAL SHIPBOARD USE) [CUST: SH] | A 5950 | SH | | | 24-MAY-94 |
| | MIL-I-16341G | ICE MAKING MACHINE, FLAKE, ELECTRIC, SELF-CONTAINED, 1000-POUND/24 HOURS [CUST: GL YD1 99 IS] [REVIEW: CR4 MC MD MS] | A 4110 | IS | | | 17-DEC-84 |
| | MIL-T-16343C(1) | TUBING, STEEL, CARBON, STRUCTURAL [CUST: AV OS 11] [REVIEW: EA GS YD1] | A 4710 | CC | | | 28-MAY-86 |
| | MIL-L-16355E | LEAD STYPHATE, BASIC [CUST: AR] [REVIEW: OS] | A 1376 | AR | | | 12-JAN-93 |
| | MIL-G-16356D | GAGE, BOILER WATER, DIRECT READING [CUST: CR4 SH] [REVIEW: GS MC YD1] | A 6680 | SH | | | 18-DEC-87 |
| | MIL-T-16366F NOT 1 | TERMINAL, ELECTRICAL LUG AND CONDUCTOR SPLICES, CRIMP STYLE [CUST: SH] [REVIEW: CR4 MI] | A 5940 | GS | | | 07-JUL-86 |
| | MIL-C-16375G NOT 1 | CLOTH, WIGAN, COTTON [CUST: GL NU 99 CT] [REVIEW: MC MD] | A 8305 | CT | | | 12-NOV-87 |
| | MIL-DTL-16377H SUP 1 | FIXTURES, LIGHTING; AND ASSOCIATED PARTS; SHIPBOARD USE, GENERAL SPECIFICATION FOR [CUST: SH] | A 6210 | SH | | | 02-AUG-96 |
| | MIL-F-16377/1B(1) | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR MOTORS AND GENERATORS 50 WATTS, 120 VOLTS, SYMBOL 126.3 [CUST: SH] [REVIEW: GS] | A 6210 | SH | | | 02-AUG-96 |
| | MIL-F-16377/2A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR WATER GAGES 6 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 152 AND 154 [CUST: SH] | A 6210 | SH | | | 02-AUG-96 |
| | MIL-F-16377/3A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR WATER GAGES 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 151 AND 153 [CUST: SH] | A 6210 | SH | | | 02-AUG-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------------------|--|--------------------------|--------------------|-----------|
| MIL-F-16377/4A(1) NOT 1 | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR SECRETARY BUREAU 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOL 142.2 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/5A(1) | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 15 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 338.1, 338.2, 339.1 AND 339.2 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/6A(2) | FIXTURE, LIGHTING, FLUORESCENT, GENERAL LIGHTING, DIRECTIONAL 16 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 149.4 AND 149.5 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/7A(1) | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 16 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 70.3, 70.4, 78.2, 336 AND 336.1 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-DTL-16377/8B | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING 17 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 331.1, 331.2, 347.2 AND 347.3 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/9A(1) | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING 24 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 73.3, 73.4, 346.2 AND 346.3 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/10A(2) | FIXTURE, LIGHTING, FLUORESCENT, GENERAL LIGHTING, DIRECTIONAL 32 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 145.4 AND 145.5 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-DTL-16377/11B | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 34 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 77.4, 77.5, 344.2 AND 344.3 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-DTL-16377/12B | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 51 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT SYMBOLS 333.1, 333.2, 341.1, 341.2, 342.2 AND 342.3 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-DTL-16377/13B | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 180 WATTS, 120 VOLTS, 60 HERTZ, DRIPPROOF, SYMBOLS 74 AND 74.1 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/14A(1) | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 8 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 79.1, 79.2, 80.1 AND 80.2 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/15A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR DESKS 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOL 148.2 [CUST: SH] | A 6230 | SH | 02-AUG-96 |
| MIL-F-16377/16A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR DESKS 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 141.2 AND 150.2 [CUST: SH] | A 6230 | SH | 02-AUG-96 |
| MIL-F-16377/17A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR BERTHS 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 229.1, 231.1 AND 232.1 [CUST: SH] [REVIEW: GS] | A 6230 | SH | 02-AUG-96 |
| MIL-F-16377/18A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR MIRRORS 15 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 337 AND 340 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/19A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR RADIO OPERATOR'S DESK 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 270.3 AND 270.4 [CUST: SH] | A 6230 | SH | 02-AUG-96 |
| MIL-F-16377/20A(2) | FIXTURE, LIGHTING, INCANDESCENT, GENERAL LIGHTING 50 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOLS 64.1 AND 65 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/21A(1) | FIXTURES, LIGHTING; INCANDESCENT, GENERAL LIGHTING 100 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOLS 89 AND 90.2 [CUST: SH] [REVIEW: GS] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/22A(1) | FIXTURES, LIGHTING; INCANDESCENT, GENERAL LIGHTING 200 WATTS, 115 VOLTS, DRIPPROOF 15 DEGREES, SYMBOL 94.1 [CUST: SH] [REVIEW: GS] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/23A(1) | FIXTURES, LIGHTING; INCANDESCENT, GENERAL LIGHTING 200 WATTS, 115 VOLTS, WATERTIGHT, SYMBOLS 57, 57.1, 69, 69.1 AND 103 [CUST: SH] [REVIEW: GS] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/25A(2) | FIXTURE, LIGHTING, INCANDESCENT, GENERAL LIGHTING 110 WATTS, 120 VOLTS, EXPLOSIONPROOF, SYMBOLS 48.2 AND 68.2 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/26A(2) | FIXTURE, LIGHTING, INCANDESCENT, GENERAL LIGHTING, 110 WATTS, 120 VOLTS, WATERTIGHT SYMBOLS 112, 113 AND 113.1 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/27B(1) | FIXTURES, LIGHTING; INCANDESCENT, GENERAL LIGHTING 50 WATTS, 120 VOLTS, WATERTIGHT, SYMBOLS 92.2 AND 93.2 [CUST: SH] [REVIEW: GS] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/28A(1) | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR AMMUNITION HOIST, 50 WATTS, 120 VOLTS, WATERTIGHT, SYMBOL 23.1 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/29A | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR BOILER OUTER CASING 100 WATTS, 120 VOLTS, WATERTIGHT, SYMBOL 159.1 [CUST: SH] | A 6210 | SH | 22-JUN-89 |
| MIL-F-16377/32A(1) | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR WATER GAUGES, 15 OR 25 WATTS, 120 VOLTS, SYMBOL 134.1 [CUST: SH] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/33A(1) | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR SIGHTGLASSES 6 WATTS, 120 VOLTS, WATERTIGHT, SYMBOLS 136.1 AND 156 [CUST: SH] [REVIEW: GS] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/34(1) | FIXTURES, LIGHT, INCANDESCENT, DETAIL LIGHTING FOR GYRO COMPASS FOR SUBMARINES, PRESSUREPROOF, 15 WATTS, 120 VOLTS, SYMBOL 335 [CUST: SH] [REVIEW: GS] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/35(1) | FIXTURES, LIGHT, INCANDESCENT, DETAIL LIGHTING FOR SMALL BOATS, 3 CANDLEPOWER, 12 TO 16 OR 24 TO 28 VOLTS, SPLASHPROOF, SYMBOL 310 [CUST: SH] [REVIEW: GS] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/36(1) | FIXTURES, LIGHTS, INCANDESCENT, GENERAL LIGHTING, 21 CANDLEPOWER OR 25 WATTS, 115 VOLTS, WATERTIGHT, SYMBOLS 95.1, 96.1, 97.1 AND 98.1 [CUST: SH] [REVIEW: GS] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/37A(1) | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING MINESWEEPER BUNKS, 15 WATTS, 120 VOLTS, NONMAGNETIC, SYMBOLS 5.1 AND 8.1 [CUST: SH] [REVIEW: GS] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/38A(1) | FIXTURES, LIGHTING; INCANDESCENT, DETAIL LIGHTING FOR HULL NUMERALS 100 WATTS, 120 VOLTS, WATERTIGHT, SYMBOL 304 [CUST: SH] [REVIEW: GS] | A 6210 | SH | 02-AUG-96 |
| MIL-F-16377/39A | FIXTURE, LIGHT, INCANDESCENT, STREAMER TYPE, DETAIL LIGHTING FOR TOPSIDE SHIP DRESS LIGHTING, WATERTIGHT, 120 VOLTS, 425 WATTS SYMBOL 307 [CUST: SH] [REVIEW: GS] | A 6230 | SH | 22-JUN-89 |
| MIL-F-16377/40A | FIXTURES, LIGHTING; LOCKS FLUORESCENT LAMP [CUST: SH] | A 6250 | SH | 22-JUN-89 |
| MIL-F-16377/41A | FIXTURES, LIGHTING; SHOCKMOUNTS, FOR LIGHTING FIXTURES [CUST: SH] | A 6210 | SH | 22-JUN-89 |
| MIL-F-16377/42A(1) | FIXTURE, LIGHT, FILTER, PLASTIC, TUBULAR SHAPED FOR FLUORESCENT LAMPS [CUST: SH] | A 6210 | SH | 30-JAN-86 |
| MIL-F-16377/43A | FIXTURES, LIGHTING; FILTERS, PLASTIC, ROUNDEL SHAPED FOR LANTERN [CUST: SH] | A 6230 | SH | 22-JUN-89 |
| MIL-F-16377/44A | FIXTURES, LIGHTING; BALLAST, FOR ONE 20-WATT T-12 FLUORESCENT LAMP [CUST: SH] [REVIEW: GS] | A 6250 | SH | 22-JUN-89 |
| MIL-F-16377/45B | FIXTURES, LIGHT; BALLAST, FOR ONE 8-WATT T-5 FLUORESCENT LAMP [CUST: SH] | A 6250 | SH | 22-NOV-89 |
| MIL-F-16377/46A NOT 1 | FIXTURES, LIGHTING; BALLAST BOX, FOR ONE 8-WATT T-5 FLUORESCENT LAMP, SYMBOLS 514 AND 514.1 [CUST: SH] | A 6210 | SH | 22-JUN-89 |
| MIL-F-16377/47A(1) | FIXTURES, LIGHTING; BALLAST AND STARTER BOX FOR FOUR 6-WATT OR 8-WATT FLUORESCENT LAMPS, T-5, WATERTIGHT, SYMBOLS 455 AND 455.1 [CUST: SH] | A 6250 | SH | 02-AUG-96 |
| MIL-F-16377/48A NOT 1 | FIXTURES, LIGHTING, FILTER ASSEMBLIES FOR DESK LIGHTS, ADJUSTABLE RED AND WHITE SYMBOL 121.1 AND BLUE AND WHITE SYMBOL 121.2 [CUST: SH] | A 6210 | SH | 22-JUN-89 |
| MIL-F-16377/49A(1) | FIXTURE, LIGHT, EXTENSION, FLUORESCENT, 8-WATT, 115-VOLT, 60 HERTZ, EXPLOSIONPROOF AND WATERTIGHT, DETAIL LIGHTING, SHIPBOARD USE SYMBOL 306.2 [CUST: SH] [REVIEW: GS] | A 6230 | SH | 02-AUG-96 |
| MIL-F-16377/50A(1) | FIXTURES, LIGHTING; INCANDESCENT, LIGHT, EXTENSION, SMALL BOATS 25 WATTS, 12-28 VOLTS, WATERTIGHT, SYMBOL 302.2 [CUST: SH] [REVIEW: GS] | A 6230 | SH | 02-AUG-96 |
| MIL-F-16377/51A | FIXTURES, LIGHTING; INCANDESCENT, LIGHT EXTENSION 25 WATTS, 120 VOLTS, EXPLOSIONPROOF AND WATERTIGHT, SYMBOLS 290 AND 291 [CUST: SH] [REVIEW: GS] | A 6210 | SH | 22-JUN-89 |
| MIL-F-16377/52B(1) | FIXTURES, LIGHTING; INCANDESCENT, LIGHT, EXTENSION 100 WATTS, 120 VOLTS, EXPLOSIONPROOF AND WATERTIGHT, SYMBOL 286 [CUST: SH] [REVIEW: GS] | A 6230 | SH | 02-AUG-96 |
| MIL-DTL-16377/53B | FIXTURES, INCANDESCENT, DETAIL LIGHTING, LANTERN, HAND, PORTABLE AND RELAY WATERTIGHT SYMBOLS 100.2, 101.2, 101.3, 102.2 AND 108 [CUST: SH] | A 6230 | SH | 25-NOV-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-F-16377/54 | FIXTURE, BRACKET, LUG SUPPORTING FOR HAND LANTERNS SYMBOL 2438 [CUST: SH] [REVIEW: GS] | A 6230 | SH | | 22-JUN-89 |
| | MIL-F-16377/55 | FIXTURE, BRACKET ASSEMBLY, ADJUSTABLE FOR SUPPORTING HAND LANTERNS, SYMBOL 2432.1 [CUST: SH] [REVIEW: GS] | A 6230 | SH | | 22-JUN-89 |
| | MIL-F-16377/56 | FIXTURE, LIGHT, INCANDESCENT, 100-WATT, 120-VOLT, MACHINE TOOL, PORTABLE, FLOATING ADJUSTMENT SYMBOL 266.2 [CUST: SH] [REVIEW: GS] | A 6230 | SH | | 22-JUN-89 |
| | MIL-DTL-16377/57B | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 51, 68 AND 102 WATTS, 120 VOLTS, 60 HERTZ, DRIPPROOF, SYMBOLS 348, 349 AND 350 [CUST: SH] | A 6210 | SH | | 02-AUG-96 |
| | MIL-F-16377/58B(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR MIRRORS 30 WATTS, 120 VOLTS, 60 HERTZ, DRIPPROOF SYMBOLS 351, 351.1, 352 AND 352.1 [CUST: SH] | A 6210 | SH | | 02-AUG-96 |
| | MIL-F-16377/59A(1) | FIXTURES, LIGHTING; FLUORESCENT, DETAIL LIGHTING FOR STEP ILLUMINATION 8 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOL 353, 353.1 AND 353.2 [CUST: SH] [REVIEW: GS] | A 6210 | SH | | 02-AUG-96 |
| | MIL-F-16377/60A(1) | FIXTURES, LIGHTING; INCANDESCENT, FLOODLIGHTS, 150 WATTS, 120 VOLTS, DRIPPROOF 15 DEG., SYMBOLS 316 AND 317 [CUST: SH] | A 6230 | SH | | 24-JUN-93 |
| | MIL-F-16377/61(1) | FIXTURES, LIGHTING; INCANDESCENT, FLOODLIGHTS 300 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOL 303.1 [CUST: SH] | A 6230 | SH | | 24-JUN-93 |
| | MIL-F-16377/62 | FIXTURES, LIGHTING; INCANDESCENT FLOODLIGHTS 500 WATTS, 120 VOLTS, WATERTIGHT, SYMBOLS 300 AND 300.1 [CUST: SH] | A 6230 | SH | | 22-JUN-89 |
| | MIL-F-16377/64(1) | FIXTURES, LIGHTING; INCANDESCENT, GENERAL LIGHTING, DECORATIVE, 150 WATTS, 120 VOLTS, DRIPPROOF 15 DEG., SYMBOL 67 [CUST: SH] | A 6210 | SH | | 02-AUG-96 |
| | MIL-F-16377/65(1) | FIXTURES, LIGHTING, FLUORESCENT, GENERAL LIGHTING, 30 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 81, 81.1, 345.2 AND 345.3 [CUST: SH] | A 6210 | SH | | 02-AUG-96 |
| | MIL-F-16377/66(1) | FIXTURES, LIGHTING; FLUORESCENT, GENERAL LIGHTING, 45 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 82, 82.1, 343.1 AND 343.2 [CUST: SH] | A 6210 | SH | | 02-AUG-96 |
| | MIL-F-16377/71(1) | FIXTURES, LIGHTING, FLUORESCENT, DETAIL LIGHTING FOR MIRRORS FOR SMALL BOATS 8 WATTS, 120 VOLTS, 60 HERTZ, TOTALLY ENCLOSED, SYMBOL 354 [CUST: SH] | A 6210 | SH | | 02-AUG-96 |
| | MIL-DTL-16377/72 | FIXTURES, LIGHTING; BALLAST, FOR ONE 17-WATT T-12 FLUORESCENT LAMP [CUST: SH] | A 6210 | SH | | 02-AUG-96 |
| | MIL-L-16383H | LIFE PRESERVER, CO2 INFLATABLE, UNDERWATER DEMOLITION TEAM [CUST: SH] [REVIEW: AS CC CR4] | A 4220 | SH | | 04-DEC-64 |
| | MIL-H-16384E | HYDROMETER SETS AND PARTS, SYRINGE, LEAD-ACID STORAGE BATTERY TESTING [CUST: SH 99] [REVIEW: MC MI YDI] | A 6630 | SH | | 19-OCT-88 |
| | MIL-C-16385E(1) | CARTRIDGE, CARBON DIOXIDE, INFLATABLE LIFE PRESERVER USE [CUST: SH] [REVIEW: CC CR4] | A 4220 | SH | | 16-JUN-88 |
| | MIL-C-16388D | COOLERS, FLUID, NAVAL SHIPBOARD (HULL COOLERS) [CUST: SH] | A 4420 | SH | | 03-APR-90 |
| | MIL-V-16399A | VARNISH, MOISTUREPROOF [CUST: OS] [REVIEW: EA MI] | A 8010 | OS | | 16-SEP-71 |
| | MIL-L-16411F | INSULATION FELT, THERMAL, GLASS FIBER [CUST: CR4 SH] [REVIEW: AT MC OS] | A 5640 | SH | | 14-NOV-88 |
| | MIL-T-16420K(1) | TUBE, COPPER-NICKEL ALLOY, SEAMLESS AND WELDED (COPPER ALLOY NUMBERS 715 AND 706) [CUST: SH] [REVIEW: CC CR4 YDI] | A 4710 | SH | | 16-SEP-88 |
| A | MIL-D-16475D SUP 1 | DEVICE, METAL, BREAST AND COLLAR, GENERAL SPECIFICATION FOR [CUST: NU] [REVIEW: CG] | A 8455 | CT | | 13-SEP-82 |
| | MIL-D-16475/33A | DEVICE, METAL (BREAST AND COLLAR) MACHINIST [CUST: NU CT] [REVIEW: 45] | A 8455 | CT | | 05-FEB-88 |
| | MIL-D-16475/48A | DEVICES, METAL, (BREAST AND COLLAR) ENLISTED PERSONNEL (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: 45 CG] | A 8455 | CT | | 23-SEP-88 |
| | MIL-D-16475/50A | DEVICES, METAL, (BREAST AND COLLAR) COMMAND AT SEA (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 23-SEP-88 |
| | MIL-D-16475/51A | DEVICES, METAL, (BREAST AND COLLAR) CHIEF PETTY OFFICERS (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 23-SEP-88 |
| | MIL-D-16475/53A | DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE OPERATOR [CUST: NU CT] | A 8455 | CT | | 23-SEP-88 |
| | MIL-D-16475/54C | DEVICES, METAL, (BREAST AND COLLAR) GROUP RATE SEAMAN/APPRENTICE NIROTC [CUST: NU CT] | A 8455 | CT | | 05-JAN-95 |
| | MIL-D-16475/55A | DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY AUXOP, QUALIFICATION (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: 45 CG] | A 8455 | CT | | 23-SEP-88 |
| | MIL-D-16475/56A | DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY, PAST OFFICER (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 23-SEP-88 |
| A | MIL-DTL-16475/61C | DEVICES, METAL, (BREAST AND COLLAR) SECURITY PERSONNEL [CUST: NU CT] | A 8455 | CT | | 06-OCT-97 |
| | MIL-D-16475/63A | DEVICES, METAL, (BREAST AND COLLAR) RELIGIOUS PROGRAM SPECIALIST [CUST: NU CT] [REVIEW: MC] | A 8455 | CT | | 11-JAN-89 |
| | MIL-D-16475/64B | DEVICES, METAL, (BREAST AND COLLAR) OFFICER IN CHARGE ASHORE (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 16-OCT-90 |
| | MIL-D-16475/67A | DEVICES, METAL, (BREAST AND COLLAR) FLIGHT SURGEON (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 11-JAN-89 |
| | MIL-D-16475/68D | DEVICES, METAL, BREAST AND COLLAR COMMAND ENLISTED ADVISOR (U.S. COAST GUARD) [CUST: CT] | A 8455 | CT | | 06-JAN-92 |
| | MIL-D-16475/70A | DEVICES, METAL, (BREAST AND COLLAR) ENLISTED PERSONNEL (PETTY OFFICER 1, 2, & 3) [CUST: NU CT] | A 8455 | CT | | 11-JAN-89 |
| | MIL-D-16475/75A | DEVICES, METAL, (BREAST AND COLLAR) PHYSICIAN'S ASSISTANT (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 11-JAN-89 |
| | MIL-D-16475/76A | DEVICES, METAL, (BREAST AND COLLAR) PORT SECURITYMAN (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 11-JAN-89 |
| | MIL-D-16475/77A | DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY COXSWAIN (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 11-JAN-89 |
| | MIL-D-16475/78A | DEVICES, METAL, (BREAST AND COLLAR) SCIENCE TECHNOLOGIST, (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 11-JAN-89 |
| | MIL-D-16475/79 | DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY, AVIATOR (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 16-OCT-90 |
| | MIL-D-16475/87 | DEVICES, METAL, (BREAST AND COLLAR) NAVAL FLIGHT NURSE BREAST INSIGNIA [CUST: NU CT] | A 8455 | CT | | 21-NOV-94 |
| | MIL-C-16489C NOT 1 | CASE, HOSPITAL LINENS, SMALL [CUST: MD MS 03] | A 6545 | MB | | 15-MAR-91 |
| | MIL-G-16491/1 | GROMMET, METALLIC, PLAIN, WITH TOOTHED WASHER (TYPE II) [CUST: AR YD1 99 IS] [REVIEW: AS GL MC MI SA SH] | A 5325 | IS | | 01-MAY-89 |
| | MIL-G-16491/2 | GROMMET, METALLIC, OBLONG, WITH FLAT WASHER (TYPE IV) [CUST: AR YD1 99 IS] | A 5325 | IS | | 01-MAY-89 |
| | MIL-G-16491/3 | GROMMET, METALLIC, OBLONG, WITH RAISED WASHER (TYPE V) [CUST: AR YD1 99 IS] [REVIEW: AS GL MC MI SA SH] | A 5325 | IS | | 01-MAY-89 |
| | MIL-F-16552E | FILTER, AIR ENVIRONMENTAL CONTROL SYSTEM, CLEANABLE, IMPINGEMENT (HIGH VELOCITY TYPE) [CUST: SH] [REVIEW: GS] | A 4130 | SH | | 28-OCT-86 |
| | MIL-C-16555D | COATING COMPOUND, STRIPPABLE, SPRAYABLE [CUST: MR OS 11] [REVIEW: 99 AS CR4 SA SM] | A 8030 | OS | | 24-FEB-75 |
| | MIL-V-16556E | VALVE, SOLENOID, THREE-WAY BYPASS (NAVAL SHIPBOARD USE) [CUST: SH] | A 4810 | SH | | 29-MAR-88 |
| | MIL-S-16572F | SHOULDER BOARDS AND INSIGNIA, BRANCH OF SERVICE [CUST: NU CT] | A 8455 | CT | | 23-JAN-91 |
| | MIL-P-16610B | PIN, TAPERED, PLAIN [CUST: AR OS IS] [REVIEW: 82] | A 5315 | IS | | 25-APR-73 |
| | MIL-W-16642D(1) | WATER TESTING OUTFIT, BOILER [CUST: SH] | A 6640 | SH | | 23-JUL-82 |
| | MIL-P-16685D(2) | PACKING, MATERIAL AND PACKING PREFORMED (STUFFING TUBE FOR ELECTRIC CABLES) [CUST: SH IS] [REVIEW: AS EC OS] | A 5330 | IS | | 22-NOV-95 |
| | MIL-L-16727D | LINK, AMMUNITION, 20MM, MARK 2 (FOR 20MM MARK 12 A/C GUNS) [CUST: AS] | A 1305 | AS | | 23-FEB-68 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-R-16743F SUP 1 | REFRIGERATING PLANTS AND SYSTEMS, MECHANICAL; AND REFRIGERATING SYSTEM COMPONENTS-DICHLORODIFLUOROMETHANE (R-12) - NAVAL SHIPBOARD [CUST: SH] [REVIEW: GS] | A 4130 | SH | | 01-MAR-91 |
| | MIL-B-16747C | BOILER, STEAM, HIGH PRESSURE, WATER TUBE TYPE, AUXILIARY NAVY SHIPBOARD [CUST: SH] | A 4410 | SH | | 22-APR-63 |
| | MIL-A-16749E(2) | AMPLIFIER, AUDIO FREQUENCY, SOUND POWERED TELEPHONE SYSTEM [CUST: SH] | A 5805 | SH | | 17-JUN-68 |
| | MIL-C-16751A | COVER, CANVAS (FOR NAVAL ORDNANCE EQUIPMENT) [CUST: OS] | A 10GP | OS | | 26-JUN-63 |
| | MIL-C-16775D | CHESTS, FIELD, ALUMINUM, EMPTY [CUST: MD MS 03 MB] | A 6545 | MB | | 12-JUN-89 |
| | MIL-P-16789D | PUMPS (INCLUDING PRIMEMOVERS & SUPPORT ITEM S); PACKAGING OF [CUST: SH] [REVIEW: YD1] | A PACK | SH | | 30-OCT-86 |
| | MIL-D-16791G(1) | DETERGENTS, GENERAL PURPOSE (LIQUID, NONIONIC) [CUST: GL SH 99] [REVIEW: 10 84 CR4 EA MC SM YD1] | A 7930 | SH | | 15-JAN-93 |
| | MIL-C-0016809C | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NONRIGID, NO. 4 [CUST: MD MS 03 MB] | A 6545 | MB | | 07-AUG-69 |
| | MIL-L-16815A NOT 1 | LITTER, SEMIRIGID, POLELESS [CUST: MD MS 03] | A 6530 | MB | | 15-JUN-89 |
| | MIL-C-16839E | CABLE, SPECIAL PURPOSE, ELECTRICAL (UNDERWATER USE) [CUST: OS] [REVIEW: IS] | A 6145 | OS | | 25-OCT-90 |
| | MIL-W-16878F(1) SUP 1 | WIRE, ELECTRICAL, INSULATED, GENERAL SPECIFICATION FOR [CUST: SH CC] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| A | MIL-W-16878/1B(1) | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 600 VOLTS (NOT FOR NAVY SHIPBOARD USE) [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/2B(1) | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 1000 VOLTS (NOT FOR NAVY SHIPBOARD USE) [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/3B(1) | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 3000 VOLTS (NOT FOR NAVY SHIPBOARD USE) [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| | MIL-W-16878/4C(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 600 VOLTS, EXTRUDED INSULATION [CUST: SH CC] [REVIEW: AS DS] | A 6145 | IS | | 08-JUN-94 |
| | MIL-W-16878/5C(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 1000 VOLTS, EXTRUDED INSULATION [CUST: SH CC] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| | MIL-W-16878/6C(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 250 VOLTS, EXTRUDED INSULATION [CUST: SH CC] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| A | MIL-W-16878/7B(1) | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 200 DEG. C, 600 VOLTS [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| M | MIL-W-16878/8B(2) | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 200 DEG. C, 1000 VOLTS [CUST: SH] [REVIEW: AS] | A 6145 | CC | | 13-MAY-98 |
| A | MIL-W-16878/10D(1) | WIRE, ELECTRICAL, POLYETHYLENE INSULATED, 75 DEG. C, 600 VOLTS [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/11B(1) | WIRE, ELECTRICAL, FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATED, 200 DEG. C, 600 VOLTS [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/12D(1) | WIRE, ELECTRICAL, FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATED, 200 DEG. C, 1000 VOLTS [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/13B(1) | WIRE, ELECTRICAL, FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATED, 200 DEG. C, 250 VOLTS [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/14A(1) | WIRE, ELECTRICAL, CROSSLINKED, MODIFIED POLYETHYLENE (XLPE) INSULATED, 125 DEG. C, 600 VOLTS [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/15A(1) | WIRE, ELECTRICAL, CROSSLINKED, MODIFIED POLYETHYLENE (XLPE) INSULATED, 125 DEG. C, 1000 VOLTS [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/16B(1) | WIRE, ELECTRICAL, CROSSLINKED, MODIFIED POLYETHYLENE (XLPE) INSULATED, 125 DEG. C, 3000 VOLTS [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/17A(1) | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 600 VOLTS, POLYAMIDE JACKET (NOT FOR NAVY SHIPBOARD USE) [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/18A(1) | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 1000 VOLTS, POLYAMIDE JACKET (NOT FOR NAVY SHIPBOARD USE) [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/19A(1) | WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 3000 VOLTS, POLYAMIDE COVERING (NOT FOR NAVY SHIPBOARD USE) [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| | MIL-W-16878/20A(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 250 VOLTS, WRAPPED INSULATION [CUST: SH CC] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| | MIL-W-16878/21A(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 600 VOLTS, WRAPPED INSULATION [CUST: SH CC] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| | MIL-W-16878/22A(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 1000 VOLTS, WRAPPED INSULATION [CUST: SH CC] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| | MIL-W-16878/23A(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 250 VOLTS, EXTRUDED INSULATION [CUST: SH CC] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| | MIL-W-16878/24A(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 250 VOLTS, WRAPPED INSULATION [CUST: SH CC] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| | MIL-W-16878/25A(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 600 VOLTS, EXTRUDED INSULATION [CUST: SH IS] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| | MIL-W-16878/26A(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 600 VOLTS, WRAPPED INSULATION [CUST: SH] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| | MIL-W-16878/27A(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 1000 VOLTS, EXTRUDED INSULATION [CUST: SH CC] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| | MIL-W-16878/28A(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 1000 VOLTS, WRAPPED INSULATION [CUST: SH CC] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| A | MIL-W-16878/29A(1) | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 150 DEG. C, 600 VOLTS [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/30A(1) | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 150 DEG. C, 1000 VOLTS [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/31A(1) | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 150 DEG. C, 1000 VOLTS, GLASS BRAID COVERING, ABRASION RESISTANT [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/32A(1) | WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 200 DEG. C, 1000 VOLTS, GLASS BRAID COVERING, ABRASION RESISTANT [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/33A(1) | WIRE, ELECTRICAL, POLYETHYLENE INSULATED, 75 DEG. C, 600 VOLTS, POLYAMIDE COVERING, ABRASION RESISTANT [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| | MIL-W-16878/34A(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 1000 VOLTS, DOUBLE WRAPPED INSULATION [CUST: SH CC] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| | MIL-W-16878/35A(1) | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 1000 VOLTS, DOUBLE WRAPPED INSULATION [CUST: SH CC] [REVIEW: AS] | A 6145 | IS | | 08-JUN-94 |
| A | MIL-W-16878/36(1) | WIRE, ELECTRICAL, LOW SMOKE, CROSS LINKED POLYOLEFIN (XLPO) INSULATED, 105 DEG. C, 600 VOLTS [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/37(1) | WIRE, ELECTRICAL, ETHYLENE-PROPYLENE DIENE ELASTOMER (EPDM) INSULATED, 150 DEG. C, 600 VOLTS, EXTRUDED INSULATION [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| A | MIL-W-16878/38(1) | WIRE, ELECTRICAL, ETHYLENE-PROPYLENE DIENE ELASTOMER (EPDM) INSULATED, 150 DEG. C, 5000 VOLTS EXTRUDED INSULATION [CUST: SH CC] [REVIEW: AS] | A 6145 | CC | | 08-JUN-94 |
| | MIL-F-16884J | FUEL, NAVAL DISTILLATE [CUST: CR4 SH 68] [REVIEW: CG GS MC PS SA YD1] | A 9140 | SH | | 31-MAY-95 |
| | MIL-B-16909B NOT 1 | BUFFING AND POLISHING COMPOUNDS [CUST: AS 99] | A 5350 | AS | | 24-OCT-91 |
| | MIL-S-16917B | SODIUM BISULFATE (NITER CAKE) [CUST: SH 68] [REVIEW: AS GS] | A 6810 | SH | | 27-AUG-84 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-I-16923H | INSULATING COMPOUND, ELECTRICAL, EMBEDDING, EPOXY [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 13-AUG-91 |
| D | MIL-S-16938C | SEARCHLIGHT, INCANDESCENT, SIGNALING, 8-INCH [CUST: SH IS] [REVIEW: YD1] | A 6230 | IS | | 30-JUL-73 |
| | MIL-L-16942B | LITTER, NONRIGID, POLELESS NYLON [CUST: MD MS 03] | A 6530 | MB | | 25-JUN-89 |
| | MIL-G-16959B(1) | GASKETS; METALLIC, BOILER, ECONOMIZER AND SUPERHEATER HANDHOLE [CUST: SH 99] [REVIEW: 82 85 CR4] | A 5330 | SH | | 12-DEC-91 |
| | MIL-S-17000N SUP 1 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL, AND INTERIOR COMMUNICATION GENERAL SPECIFICATION FOR [CUST: SH] | A 1290 | SH | | 02-MAY-83 |
| | MIL-S-17000/1A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL AND INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK-MOUNTED (TERMINAL BOARD CONNECTED), TYPE II [CUST: SH] | A 1290 | SH | | 02-MAY-83 |
| | MIL-S-17000/2A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, BULKHEAD MOUNTED (TERMINAL BOARD CONNECTED) TYPE III [CUST: SH] | A 1290 | SH | | 02-MAY-83 |
| | MIL-S-17000/3A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK-MOUNTED (PLUG CONNECTED) TYPE IV [CUST: SH] | A 1290 | SH | | 02-MAY-83 |
| | MIL-S-17000/4A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, BULKHEAD MTD (PLUG CON TYPE V) [CUST: SH] | A 1290 | SH | | 02-MAY-83 |
| | MIL-S-17000/5A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED, TWO SEPARATE SECTIONS (TERMINAL BOARD & PLUG CONNECTED, TYPE VI [CUST: SH] | A 1290 | SH | | 02-MAY-83 |
| | MIL-S-17000/6A | SWITCHING EQUIPMENT, COMBAT SYSTEMS, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED, POWER DISTRIBUTION (TERMINAL BOARD CONNECTED), TYPE VII [CUST: SH] | A 1290 | SH | | 02-MAY-83 |
| | MIL-S-17000/7A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED, DIGITAL SWITCHING (PLUG CONNECTED), TYPE VIII [CUST: SH] | A 1290 | SH | | 02-MAY-83 |
| | MIL-S-17000/8A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SUBMARINE, TYPE IX [CUST: SH] | A 1290 | SH | | 02-MAY-83 |
| | MIL-S-17000/9A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION CONTROL INDICATOR [CUST: SH] | A 1290 | SH | | 02-MAY-83 |
| | MIL-S-17000/10 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED (TERMINAL BOARD CONNECTED) TYPE X [CUST: SH] | A 1290 | SH | | 02-MAY-83 |
| | MIL-S-17000/11 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, BULKHEAD MOUNTED (TERMINAL BOARD CONNECTED) TYPE XI [CUST: SH] | A 1290 | SH | | 02-MAY-83 |
| | MIL-S-17000/12 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SUBMARINE DECK MOUNTED (PLUG CONNECTED) TYPE XII [CUST: SH] | A 1290 | SH | | 02-MAY-83 |
| | MIL-D-17013C(1) | DOUGH MIXING MACHINE, BAKER S [CUST: SH] [REVIEW: GL GS YD1] | A 7320 | SH | | 29-JUL-71 |
| | MIL-D-17013C(12) | DOUGH MIXING MACHINE, BAKER'S [CUST: SH] | A 7320 | SH | | 08-APR-92 |
| | MIL-H-17024F | HOOD, EXTREME COLD WEATHER, IMPERMEABLE (SHORE) [CUST: NU CT] [REVIEW: 45 CG YD1] | A 8415 | CT | | 26-SEP-88 |
| | MIL-M-17059A | MOTOR, 60 CYCLE, ALTERNATING CURRENT, FRACTIONAL H.P. (SHIPBOARD USE) [CUST: SH] [REVIEW: AR GS] | A 6105 | SH | | 12-OCT-65 |
| | MIL-M-17060F | MOTORS, 60-HERTZ, ALTERNATING CURRENT, INTEGRAL-HORSEPOWER, SHIPBOARD USE [CUST: SH] | A 6105 | SH | | 25-MAY-95 |
| | MIL-D-17084E | DUMMY TRANSMITTER, SHIPS' DISTANCE AND SPEED [CUST: SH] | A 6320 | SH | | 22-OCT-87 |
| A | MIL-DTL-17111C | FLUID, POWER TRANSMISSION [CUST: AI OS GS] [REVIEW: AL NI] | A 9150 | GS | | 21-JAN-98 |
| | MIL-C-0017124D(5) | CORD, DETONATING [CUST: AR] | A 1375 | AR | | 14-MAY-93 |
| | MIL-C-17124C(13) | CORD, DETONATING [CUST: AR] | A 1375 | AR | | 16-JUN-80 |
| | MIL-T-17128C(2) | TRANSDUCER FLUID, SONAR [CUST: CR4 SH] [REVIEW: CR GS] | A 9150 | SH | | 30-OCT-92 |
| | MIL-R-17131C(1) | RODS AND POWDERS, WELDING, SURFACING [CUST: AR SH 11] [REVIEW: 99 AS GS MC OS] | A 3439 | SH | | 21-AUG-84 |
| | MIL-B-17143G | BUTTON, INSIGNIA (ANCHOR, PLASTIC, BLACK) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 19-OCT-88 |
| | MIL-A-17161D | ABSORBER, RADIO FREQUENCY RADIATION (MICROWAVE ABSORBING MATERIAL), GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: AS] | A EMCS | SH | | 24-JUN-85 |
| | MIL-N-17163A | NICKEL-COPPER ALLOY, WROUGHT, (55-60 PERCENT NICKEL) LOW PERMEABILITY [CUST: SH] [REVIEW: IS MI] | A 9540 | SH | | 03-APR-59 |
| | MIL-P-17171E | PLASTIC, LAMINATE, DECORATIVE, HIGH PRESSURE [CUST: SH] | A 9330 | SH | | 25-MAY-90 |
| | MIL-C-17183B | CORD, NYLON BRAIDED, TUBULAR, SPLICEABLE [CUST: AS] [REVIEW: AR EA MI] | A 4020 | AS | | 03-DEC-69 |
| | MIL-M-17185A(1) | MOUNT, RESILIENT, GENERAL SPECIFICATIONS AND TESTS FOR (SHIPBOARD APPLICATION) [CUST: SH] [REVIEW: IS MC MI] | A 5340 | SH | | 27-OCT-59 |
| | MIL-M-17191D | MOUNT, RESILIENT, PORTSMOUTH BONDED SPOOL TYPE [CUST: SH] [REVIEW: IS] | A 5340 | SH | | 22-SEP-70 |
| | MIL-A-17196E | ALARM SWITCHBOARDS, ALARM PANELS, REMOTE SENTRY ALARM SWITCH, SIGNAL UNITS, & SPECIAL ALARM CONNECTION BOX, NAVAL SWITCHBOARD [CUST: SH] [REVIEW: CC MI] | A 6320 | SH | | 07-OCT-77 |
| | MIL-I-17205C | INSULATION CLOTH AND TAPE, ELECTRICAL, GLASS FIBER, VARNISHED [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 GS MC MI] | A 5970 | SH | | 16-NOV-61 |
| | MIL-T-17221B(1) | TRANSFORMERS, POWER, DISTRIBUTION, SINGLE PHASE, 400 HERTZ, INSULATION SYSTEM CLASS 220 DEG. C, DRY (AIR COOLER), (NAVAL SHIPBOARD USE) [CUST: SH] [REVIEW: GS MI] | A 6120 | SH | | 03-JUL-85 |
| | MIL-C-17238D | CLOTH, KNITTED, WOOL AND COTTON FLEECE [CUST: GL NU 99 CT] [REVIEW: 11 45 82 MD] | A 8305 | CT | | 19-MAR-75 |
| | MIL-I-17244E(5) NOT 1 | INDICATORS, TEMPERATURE, DIRECT-READING, BIMETALLIC, (3 AND 5 INCH DIAL) [CUST: SH] [REVIEW: CR4 GS] | A 6685 | SH | | 07-JUN-91 |
| | DOD-A-17254A | ANCHOR, MARINE, FLUKED (LIGHTWEIGHT TYPE (LWT) HADFIELD MANGANESE CAST STEEL) (LOW MAGNETIC PERMEABILITY) VALIDATED MAY 1964 [CUST: SH] | A 2040 | SH | | 23-AUG-85 |
| | MIL-T-17286D | TURBINES AND GEARS, SHIPBOARD PROPULSION AND AUXILIARY STEAM; PACKAGING OF [CUST: SH] | A PACK | SH | | 07-MAR-89 |
| | MIL-S-17299(5) | SHIP CONTROL ORDER AND INDICATING EQUIPMENT - SELF-SYNCHRONOUS, (NAVAL SHIPBOARD USE) [CUST: SH] | A 2030 | SH | | 11-FEB-87 |
| | MIL-I-17301B(1) | INDICATOR, SHIP'S DISTANCE-SPEED [CUST: SH] | A 6320 | SH | | 11-MAR-91 |
| | MIL-M-17312D(1) NOT 1 | MEAT TENDERIZER, ELECTRIC [CUST: GL SH 99] [REVIEW: MC MD MS SA] | A 7320 | SH | | 18-DEC-92 |
| | MIL-W-17337F(1) | WEBBING, TEXTILE, WOVEN NYLON [CUST: GL NU CT] [REVIEW: AS SH] | A 8305 | CT | | 22-JAN-90 |
| | MIL-E-17341C | ENGINE, GAS TURBINE, PROPULSION & AUXILIARY NAVAL SHIPBOARD [CUST: SH] | A 2835 | SH | | 09-APR-70 |
| | MIL-R-17343D(1) NOT 1 | ROPE, NYLON [CUST: GL SH 99 IS] [REVIEW: AR CG CR4 DS EA MC MI] | A 4020 | IS | | 05-MAY-89 |
| | MIL-V-17360E | VALVE, CYLINDER, GAS, CARBON DIOXIDE FIRE EXTINGUISHER [CUST: CR4 SH 99] [REVIEW: 84 CC CE MC YD1] | A 4210 | SH | | 19-MAR-87 |
| | MIL-C-17361F(2) SUP 1 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE), GENERAL SPECIFICATION FOR [CUST: SH] | A 5925 | SH | | 21-APR-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-C-17361/1A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A50, AQB - A50D, AQB - A51, AND NQB A50 [CUST: SH] | A 5925 | SH | | 13-MAR-95 |
| | MIL-C-17361/4A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A101, AQB - A101D, AQB - A102, AQB - A103, AND NQB - A101 [CUST: SH] | A 5925 | SH | | 13-MAR-95 |
| | MIL-C-17361/5 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - L200 QF, QM, QS [CUST: SH] | A 5925 | SH | | 10-MAR-89 |
| | MIL-C-17361/6A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A250, AQB-A252, AND NQB - A250 [CUST: SH] | A 5925 | SH | | 13-MAR-95 |
| | MIL-C-17361/7A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LF250 AND AQB - LF252 [CUST: SH] | A 5925 | SH | | 13-MAR-95 |
| | MIL-C-17361/8A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A400, AQB - A402, AND NQB - A400 [CUST: SH] | A 5925 | SH | | 13-MAR-95 |
| | MIL-C-17361/9A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - L400 QF, QM [CUST: SH] | A 5925 | SH | | 17-AUG-94 |
| | MIL-C-17361/10A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LL400 QS [CUST: SH] | A 5925 | SH | | 17-AUG-94 |
| | MIL-C-17361/11A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LF400 AND AQB - LF402 [CUST: SH] | A 5925 | SH | | 13-MAR-95 |
| | MIL-C-17361/12A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A800, AQB - A800Y, AQB - A802, AND NQB - A800 [CUST: SH] | A 5925 | SH | | 13-MAR-95 |
| | MIL-C-17361/13A | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A1600, AQB - A1604, AND NQB - A1600 [CUST: SH] | A 5925 | SH | | 13-MAR-95 |
| | MIL-C-17361/14 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A1601 AND NQB - A1601 [CUST: SH] | A 5925 | SH | | 10-MAR-89 |
| | MIL-C-17361/15B | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A1602 AND NQB - A1602 [CUST: SH] | A 5925 | SH | | 01-MAR-94 |
| | MIL-C-17361/16 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LF226 (FOR REPLACEMENT ONLY OF A225 AND LF225) [CUST: SH] | A 5925 | SH | | 13-MAR-95 |
| | MIL-S-17377D | SEALING COMPOUND, BOILER-CASING [CUST: SH] | A 8030 | SH | | 06-SEP-88 |
| | DOD-T-17412C | TEST KIT, WATER, ENGINE COOLING SYSTEMS (METRIC) [CUST: SH] [REVIEW: GS] | A 6630 | SH | | 20-SEP-78 |
| A | MIL-C-17415F | CLOTH, COATED, AND WEBBING, INFLATABLE BOAT AND MISCELLANEOUS USE [CUST: CR4 SH] [REVIEW: CE CG MC] | A 8305 | SH | | 31-MAY-89 |
| | MIL-P-17416C(1) | PACKING MATERIAL, METALLIC, FLEXIBLE [CUST: AR SH] [REVIEW: IS] | A 5330 | SH | | 27-JUN-95 |
| | MIL-H-17428B | HEATERS, FLUID, INDUSTRIAL (LUBRICATING OIL) (FOR NAVAL SHIPBOARD USE) [CUST: SH] | A 4420 | SH | | 02-SEP-88 |
| | MIL-I-17433C | INHIBITOR, HYDROCHLORIC ACID DESCALING AND PICKLING SOLUTIONS [CUST: SH] [REVIEW: GS] | A 6850 | SH | | 04-JUN-86 |
| A | MIL-C-17435C NOT 5 | CUSHIONING MATERIAL, FIBROUS GLASS [CUST: AR SA] | A 8135 | AR | | 11-OCT-96 |
| | MIL-C-17435C(11) NOT 5 | CUSHIONING MATERIAL, FIBROUS GLASS [CUST: SA] | A 8135 | SA | | 11-OCT-96 |
| | MIL-B-17452E(1) | BOILERS, STEAM AND HOT WATER, FIRE TUBE, SCOTCH PACKAGED TYPE (320,001 TO 35,000,000 BTU/HR THERMAL OUTPUT CAPACITY) [CUST: CR4 YD1 99] [REVIEW: 84 CE MC MD] | A 4410 | YD1 | | 14-JUL-95 |
| | MIL-P-17454B(1) | PUMP, CENTRIFUGAL, PORTABLE, SUBMERSIBLE [CUST: CR4 SH] | A 4320 | SH | | 03-JUN-60 |
| | MIL-P-17454B(12) | PUMP, CENTRIFUGAL, PORTABLE, SUBMERSIBLE [CUST: SH] | A 4320 | SH | | 14-NOV-66 |
| | MIL-G-17489B(1) NOT 1 | GAGES, PRESSURE (AIR), BOILER [CUST: SH] [REVIEW: GS] | A 6685 | SH | | 27-MAR-91 |
| | MIL-T-17491H | TRUCK, HAND, LIFT, PALLET, MANUAL - HYDRAULIC FOR SHIPBOARD USE (6,000 POUND CAPACITY) [CUST: SA] [REVIEW: GS OS SH] | A 3920 | SA | | 31-OCT-86 |
| | MIL-V-17501F(2) | VALVES, CONTROL TYPE, MAGAZINE, AND HANGAR DECK SPRINKLER [CUST: SH] | A 4810 | SH | | 09-DEC-93 |
| | MIL-C-17504B(2) | COATING COMPOUND, ACRYLIC, CLEAR [CUST: AR] [REVIEW: CR4 MI OS] | A 8010 | AR | | 16-APR-64 |
| A | MIL-DTL-17505F | HOSE AND HOSE ASSEMBLY, RUBBER, OIL AND GASOLINE, SUCTION AND DISCHARGE [CUST: YD1] [REVIEW: CC SH] | A 4720 | YD1 | | 07-NOV-97 |
| | MIL-L-17507F(1) | LACE, ORNAMENTAL [CUST: GL NU 45 CT] [REVIEW: 32 99 CG] | A 8315 | CT | | 03-SEP-85 |
| | MIL-M-17508F | MOUNTS, RESILIENT: TYPES 6E100, 6E150, 7E450, 6E900, 6E2000, 5E3500, 6E100BB, 6E150BB, 7E450BB, AND 6E900BB [CUST: SH] [REVIEW: IS] | A 5340 | SH | | 12-DEC-90 |
| | MIL-T-17523D(1) | TURBINE, STEAM, AUXILIARY (AND REDUCTION GEAR) MECHANICAL DRIVE [CUST: SH] | A 2825 | SH | | 01-JUN-82 |
| | MIL-V-17547A(1) | VALVES, CHECK, BRONZE [CUST: SH] | A 4820 | SH | | 09-DEC-93 |
| | MIL-F-17548B(2) | FLAME ARRESTER, VENTILATION EXHAUST (NAVAL SHIPBOARD USE) [CUST: SH] | A 2040 | SH | | 23-OCT-78 |
| | MIL-P-17549D | PLASTIC LAMINATES, FIBROUS GLASS REINFORCED, MARINE STRUCTURAL [CUST: SH] [REVIEW: MR] | A 9330 | SH | | 25-JUL-89 |
| | MIL-P-17553A | PACKING, PREFORMED, O RING, SYNTHETIC RUBBER [CUST: OS] | A 5330 | OS | | 22-JUN-76 |
| | MIL-E-17555H(2) | ELECTRONIC AND ELECTRICAL EQUIPMENT, ACCESSORIES, AND PROVISIONED ITEMS (REPAIR PARTS): PACKAGING OF [CUST: CR SH 69] [REVIEW: 99 AS CC CR4 EC GS MC MI OS SA SM] | A PACK | SH | | 02-NOV-92 |
| | MIL-C-17557E | COOLERS, FLUID, INDUSTRIAL, NAVAL SHIPBOARD (SAMPLE WATER COOLERS) [CUST: SH] | A 4420 | SH | | 09-SEP-88 |
| | MIL-I-17563C | IMPREGNANTS FOR CAST OR POWER METAL COMPONENTS [CUST: EA SH] [REVIEW: AS GS MR OS] | A 6850 | SH | | 18-SEP-92 |
| | MIL-C-17564 | CLOTH, HOLLAND [CUST: NU 99 CT] | A 8305 | CT | | 20-MAY-53 |
| | MIL-C-17566E | CLOTH, BILLIARD [CUST: NU 99 CT] [REVIEW: 45 82] | A 8305 | CT | | 31-MAY-88 |
| | MIL-E-17568C | EMBROIDERY MATERIALS, METALLIC AND SYNTHETIC METALLIC [CUST: NU CT] [REVIEW: 45 CG] | A 8315 | CT | | 24-JAN-80 |
| | MIL-P-17578A NOT 1 | PACKING MATERIAL, PLASTIC (FOR DOGS FOR WATERTIGHT CLOSURES) (SYMBOL 1425) [CUST: SH] [REVIEW: IS] | A 5340 | SH | | 27-MAR-91 |
| | MIL-C-17587B(4) | CIRCUIT BREAKERS, LOW VOLTAGE, ELECTRIC POWER, AIR, OPEN FRAME, REMOVABLE CONSTRUCTION [CUST: SH] | A 5925 | SH | | 02-AUG-94 |
| | MIL-C-17588E(5) | CIRCUIT BREAKERS (AUTOMATIC - ALB-1) AND SWITCH, TOGGLE (CIRCUIT BREAKER, NON-AUTOMATIC - NLB-1) AIR, INSULATED HOUSING, 125 VOLTS AND BELOW, A.C. AND D.C., (NAVAL SHIPBOARD USE) [CUST: SH] | A 5925 | SH | | 24-JUN-93 |
| | MIL-T-17600D(4) | TURBINE, STEAM, PROPULSION NAVAL SHIPBOARD [CUST: SH] | A 2825 | SH | | 03-NOV-82 |
| | MIL-C-17605C(1) NOT 1 | CHARCOAL, ACTIVATED, UNIMPREGNATED [CUST: SH] [REVIEW: DS GS] | A 6810 | SH | | 22-MAR-89 |
| | MIL-C-17614F | CAP, GARRISON, MAN S [CUST: NU CT] [REVIEW: CG] | A 8405 | CT | | 14-AUG-87 |
| | MIL-S-17615E | STRAP, CHIN (NAVY AND COAST GUARD) [CUST: NU CT] [REVIEW: 45 CG] | A 8405 | CT | | 18-JAN-80 |
| | MIL-S-17618H | SHIRT, MAN'S (POLYESTER/COTTON, TROPICAL, SHORT SLEEVE) [CUST: NU CT] | A 8405 | CT | | 30-SEP-88 |
| | MIL-F-17619E(1) | FRAME, SERVICE CAP (MAN S) [CUST: NU CT] [REVIEW: CG] | A 8405 | CT | | 02-OCT-87 |
| | MIL-C-17620F | CROWN, SERVICE CAP (MAN'S) [CUST: NU CT] | A 8405 | CT | | 28-MAR-90 |
| | MIL-E-17624B | EXPANDER, TUBE, ROLLER, BOILER TUBE [CUST: SH] [REVIEW: GS] | A 3441 | SH | | 11-AUG-87 |
| | MIL-P-17639F(4) | PUMPS, CENTRIFUGAL, MISCELLANEOUS SERVICE NAVAL SHIPBOARD USE [CUST: SH] | A 4330 | SH | | 22-FEB-96 |
| | MIL-D-17650B | DISK, VALVE, RUBBER; INSERT TYPE [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 02-DEC-88 |
| | MIL-L-17653B(4) | LIFE PRESERVERS, VEST, WORK TYPE, UNICELLULAR PLASTIC [CUST: CR4 SH] [REVIEW: CC] | A 4220 | SH | | 01-MAY-87 |
| | MIL-P-17662C | POLE, FOLDING COT INSECT BAR [CUST: GL MC 82 CT] [REVIEW: 85 CT MD MS] | A 7210 | CT | | 14-MAR-90 |
| | MIL-H-17666A | HOSE, METAL, CORRUGATED BRONZE, HIGH PRESSURE AIR SERVICE [CUST: SH] [REVIEW: CC] | A 4720 | SH | | 14-NOV-66 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-C-17671F | CANISTER, OXYGEN BREATHING APPARATUS, FOR TYPE A-4 [CUST: EA SH 99] [REVIEW: 84 GS] | A 4240 | SH | | 11-MAY-89 |
| | MIL-C-17694H | CABLE AND CABLE ASSEMBLIES, SPECIAL PURPOSE, ELECTRICAL, MAGNETIC MINESWEEPING GENERAL SPECIFICATION FOR [CUST: SH] | A 1075 | SH | | 19-OCT-90 |
| | MIL-C-17694/I | CABLE AND CABLE ASSEMBLIES, SPECIAL PURPOSE, ELECTRICAL MAGNETIC MINESWEEPING, QUAD CABLE AND QUAD CABLE ASSEMBLIES [CUST: SH] | A 1075 | SH | | 19-OCT-90 |
| | MIL-C-17711B | COATINGS, CHROMATE, FOR ZINC ALLOY CASTINGS AND HOT DIP GALVANIZED SURFACES[CUST: OS] [REVIEW: EA MI] | A MFFP | OS | | 14-MAY-74 |
| | MIL-V-17737F(1) NOT 1 | VALVES, BOILER BLOW, SHIPBOARD USE [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 16-FEB-90 |
| | DOD-S-17773B(3) | SWITCHES, BUS TRANSFER, ELECTRIC POWER AUTOMATIC AND MANUAL (METRIC) [CUST: SH] | A 6110 | SH | | 07-SEP-93 |
| | MIL-C-17774A(1) NOT 1 | COVER, BAYONET SCABBARD, COTTON DUCK, WHITE (WITH LEATHER TIP) [CUST: MC CT] [REVIEW: 45] | A 8465 | CT | | 25-JUN-87 |
| | MIL-E-17777D(1) | ELECTRODES, CUTTING AND WELDING, CARBON-GRAPHITE, UNCOATED AND COPPER-COATED [CUST: SH 11] [REVIEW: 99 AT GS MC YD1] | A 3439 | SH | | 24-JUL-87 |
| | MIL-M-17779D | MOCK-UPS FOR SHIPBOARD COMMAND & CONTROL, COMBAT SYSTEMS, & COMMUNICATIONS STATIONS & SPACES [CUST: SH] | A 6910 | SH | | 14-NOV-83 |
| | MIL-E-17807C | ELEVATOR, WEAPON AND CARGO, ELECTROMECHANICAL (SHIPBOARD) [CUST: SH] | A 3960 | SH | | 12-FEB-91 |
| | MIL-E-17813F | EXPANSION JOINTS, PIPE, METALLIC BELLOW [CUST: CR4 YD1 99] [REVIEW: 82 CC CE SH] | A 4730 | YD1 | | 01-JUN-92 |
| | MIL-E-17814F | EXPANSION JOINTS, PIPE, SLIP-TYPE, PACKED [CUST: CR4 YD1 99] [REVIEW: 82 CC CE] | A 4730 | YD1 | | 01-JUN-92 |
| | MIL-P-17840C | PUMP, CENTRIFUGAL, CLOSE COUPLED, NAVY STANDARD FOR USE ON NAVAL SHIPS [CUST: SH] | A 4320 | SH | | 10-MAR-86 |
| | MIL-C-17841B(2) NOT 1 | CARRIER, CLUB, POLICEMAN S, COTTON WEBBING, WHITE [CUST: MC CT] [REVIEW: 45] | A 8465 | CT | | 23-OCT-87 |
| | MIL-D-17847E | DEHYDRATOR, DESICCANT, SEMI-AUTOMATIC, HIGH PRESSURE AIR [CUST: SH] | A 4460 | SH | | 29-SEP-87 |
| | MIL-V-17848C | VALVE, PRESSURE REDUCING, STEAM SERVICE [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 27-JUL-79 |
| | MIL-S-17849E(2) | STRAINERS, SEDIMENT, PIPELINE, DUPLEX (WITH AND WITHOUT MAGNET) [CUST: SH] | A 4730 | SH | | 22-JUN-95 |
| | MIL-C-17850A NOT 1 | COMPASS, MAGNETIC, CARD, POCKET, TYPE MC-1 [CUST: GL GS] [REVIEW: AV] | A 6605 | GS | | 22-APR-89 |
| | MIL-R-17852C(1) | REDUCER, OXYGEN PRESSURE [CUST: AS] [REVIEW: EA] | A 1660 | AS | | 29-SEP-95 |
| | MIL-G-17859D | GEAR ASSEMBLY, PROPULSION (NAVAL SHIPBOARD USE) [CUST: SH] | A 3010 | SH | | 30-SEP-93 |
| | MIL-C-17864C NOT 1 | CARRIER, PISTOL HOLSTER, COTTON, DUCK, WHITE (MP) [CUST: GL MC CT] | A 8465 | CT | | 23-OCT-87 |
| | MIL-P-17869A(5) | PUMPS AND MOTORS, POWER, OIL HYDRAULIC (NAVAL SHIPBOARD USE) [CUST: SH] | A 4320 | SH | | 08-JUL-85 |
| | MIL-F-17874B(1) | FUEL SYSTEMS, AIRCRAFT, INSTALLATION AND TEST OF [CUST: AS] [REVIEW: AV GS MI] | A 2915 | AS | | 12-AUG-85 |
| | MIL-P-17881D | PUMP, CENTRIFUGAL, BOILER FEED, (MULTI STAGE) [CUST: SH] | A 4320 | SH | | 31-OCT-72 |
| | MIL-R-17882E | REPAIR KITS, METALLIC PIPE AND GENERAL PURPOSE, DAMAGE CONTROL [CUST: CR4 SH] [REVIEW: CC MD] | A 4730 | SH | | 06-JAN-93 |
| | MIL-E-17884B | EARPHONE (LOW IMPEDANCE) [CUST: CR EC] [REVIEW: AS MC] | A 5965 | CC | | 27-SEP-66 |
| | MIL-E-17884/I | EARPHONE (LOW IMPEDANCE) TYPE NT-49016A [CUST: CR EC 11] [REVIEW: 17 19 85] | A 5965 | CC | | 27-SEP-66 |
| | MIL-B-17901B(3) | BEARING COMPONENTS, BONDED SYNTHETIC RUBBER, WATER LUBRICATED [CUST: SH] [REVIEW: CC] | A 3130 | SH | | 12-DEC-90 |
| | MIL-H-17902F(1) | HOSE, END FITTINGS AND HOSE ASSEMBLIES, SYNTHETIC RUBBER, AIRCRAFT FUELS [CUST: SH] [REVIEW: CC] | A 4720 | SH | | 12-DEC-90 |
| | MIL-G-17927C NOT 1 | GASKETS, GLASS-METALLIC COVER, SILICON CORE [CUST: MR SH] [REVIEW: IS] | A 5330 | SH | | 27-MAR-91 |
| | MIL-B-17931E(2) | BEARINGS, BALL, ANNULAR, FOR QUIET OPERATION [CUST: AV SH 99] [REVIEW: 84 AT IS] | A 3110 | SH | | 22-MAY-94 |
| | MIL-C-17944A | CAPSTANS, ELECTRIC (FOR SHIPBOARD USE) [CUST: SH] | A 3950 | SH | | 27-JAN-92 |
| | MIL-S-17980D NOT 1 | SEA MARKER PACKET, INFLATABLE SURVIVAL EQUIPMENT [CUST: AR AS 68] [REVIEW: 11 AV GS MC MD SH] | A 6850 | AS | | 23-JUN-87 |
| | MIL-I-17988C | INSIGNIA, CAP AND HAT, GENERAL SPECIFICATION FOR [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 20-NOV-79 |
| | MIL-I-17988/I | INSIGNIA; CAP AND HAT COMMISSIONED OFFICER/COMMISSIONED WARRANT OFFICER [CUST: NU CT] | A 8455 | CT | | 25-JUN-90 |
| | MIL-I-17988/2C | INSIGNIA, CAP AND HAT WARRANT OFFICERS [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 25-JUN-90 |
| | MIL-I-17988/3E | INSIGNIA, CAP AND HAT CHIEF PETTY OFFICER [CUST: NU CT] | A 8455 | CT | | 25-JUN-90 |
| | MIL-DTL-17988/4F | INSIGNIA, CAP AND HAT ENLISTED PERSONNEL WORK CAP [CUST: NU CT] | A 8455 | CT | | 17-FEB-98 |
| | MIL-I-17988/5C | INSIGNIA; CAP AND HAT ENLISTED PERSONNEL DRESS HAT [CUST: NU CT] | A 8455 | CT | | 25-JUN-90 |
| | MIL-I-17988/6C | INSIGNIA, CAP AND HAT OFFICER CANDIDATES [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 25-JUN-90 |
| | MIL-I-17988/7B | INSIGNIA; CAP AND HAT NAVAL ACADEMY MIDSHIPMEN-OFFICER CANDIDATES [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 25-JUN-90 |
| | MIL-I-17988/8C | INSIGNIA; CAP AND HAT U.S. NAVY BAND/NAVAL ACADEMY BAND [CUST: NU CT] | A 8455 | CT | | 25-JUN-90 |
| | MIL-I-17988/9C | INSIGNIA; CAP AND HAT COMMISSIONED OFFICER/COMMISSIONED WARRANT OFFICER (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 25-JUN-90 |
| | MIL-I-17988/11D | INSIGNIA, CAP AND HAT CHIEF PETTY OFFICERS (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 25-JUN-90 |
| | MIL-I-17988/12B | INSIGNIA; CAP AND HAT CADET (U.S. COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 25-JUN-90 |
| | MIL-I-17988/13F | INSIGNIA, CAP AND HAT ENLISTED PERSONNEL (COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 25-JUN-90 |
| | MIL-I-17988/14A | INSIGNIA, CAP AND HAT COMMISSIONED OFFICER/COMMISSIONED WARRANT OFFICER (OPTIONAL) [CUST: NU CT] | A 8455 | CT | | 25-JUN-90 |
| | MIL-M-17999C NOT 1 | METAL, EXPANDED, ALUMINUM [CUST: MR] [REVIEW: AT CR4 EA IS] | A 9535 | MR | | 11-AUG-89 |
| | MIL-A-18001K(1) | ANODES, SACRIFICIAL ZINC ALLOY [CUST: AT SH 99] [REVIEW: 82 CE CR4 IS OS YD1] | A 5340 | SH | | 17-SEP-93 |
| | MIL-M-18012B(3) | MARKINGS FOR AIRCREW STATION DISPLAYS DESIGN AND CONFIGURATION OF [CUST: AV AS 11] [REVIEW: EC MI] | A 15GP | AS | | 15-MAR-89 |
| | MIL-B-18013B | BATTERY, STORAGE, SUPPORT EQUIPMENT, GENERAL SPECIFICATION FOR [CUST: AS 80] [REVIEW: 11 AV] | A 6140 | AS | | 22-DEC-94 |
| | MIL-B-18013/I | BATTERY, STORAGE, SUPPORT EQUIPMENT [CUST: AS 80] [REVIEW: 11 AV] | A 6140 | AS | | 22-DEC-94 |
| | MIL-G-18014B(1) NOT 1 | GRATINGS, METAL, BARTYPE FLOORING, NAVAL SHIPBOARD [CUST: SH] [REVIEW: CR4] | A 5670 | SH | | 04-APR-91 |
| | MIL-G-18015B | GRATINGS, METAL, OTHER THAN BAR TYPE (SHIPBOARD USE) [CUST: SH] | A 5670 | SH | | 02-MAY-94 |
| | MIL-V-18030E | VALVES, CONTROL, AIR-DIAPHRAGM-OPERATED (COMPLETE WITH INSTRUMENTATION) [CUST: SH] [REVIEW: SS] | A 4820 | SH | | 24-AUG-90 |
| | MIL-U-18033F(3) | UNDERWATER LOG EQUIPMENT, ELECTROMAGNETIC TYPE [CUST: SH] | A 6320 | SH | | 28-JUL-67 |
| | MIL-DTL-18045G | LIFE PRESERVERS, VEST, INHERENTLY BUOYANT [CUST: AV SH 99] | A 4220 | SH | | 01-JUL-97 |
| | MIL-P-18066C NOT 1 | PLYWOOD, SHIP AND BOAT CONSTRUCTION [CUST: CR4 SH 99] [REVIEW: 69 CC DS MC MR YD1] | A 5530 | SH | | 27-DEC-90 |
| | MIL-P-18080A(2) | CLUTCH SHEETS, VINYL, FLEXIBLE, TRANSPARENT, OPTICAL QUALITY [CUST: SH] [REVIEW: CR4 GS MR] | A 9330 | SH | | 07-APR-89 |
| | MIL-C-18087A | CLUTCHES FOR PROPULSION UNITS AND AUXILIARY MACHINERY, NAVAL SHIPBOARD [CUST: SH] | A 3010 | SH | | 15-AUG-91 |
| | MIL-V-18110F | VALVES, GATE TYPE, STEEL (SIZES 2-1/2 INCHES TO 16 INCHES) [CUST: SH] | A 4820 | SH | | 19-FEB-91 |
| | MIL-P-18111A(1) NOT 1 | PUMP, ROTARY, HAND DRIVEN; AND MOTOR, HYDRAULIC-REMOTE VALVE OPERATION NAVAL SHIPBOARD USE [CUST: SH] | A 4320 | SH | | 19-FEB-91 |
| | MIL-T-18134C(1) | TORCHES, WELDING, HAND, OXYACETYLENE, LIGHT DUTY [CUST: AL 99 GS] [REVIEW: 84 CG MC OS YD1] | A 3433 | GS | | 02-OCT-91 |
| | MIL-P-18140(4) | PUMP, ROTARY, FUEL OIL TRANSFER, POWER DRIVEN [CUST: SH] | A 4320 | SH | | 19-OCT-78 |
| | MIL-S-18141J | SWEEPER, ROTARY, TOWED [CUST: YD1 99 CC] [REVIEW: 84 CR4] | A 3825 | CC | | 26-SEP-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|------------------------|---|-------------------------|-----|-------------|-----------|
| MIL-W-18142C(1) | WOOD PRESERVATIVE SOLUTIONS, OIL-SOLUBLE, SHIP AND BOAT USE [CUST: SH 99] [REVIEW: 11 84 AR] | A 8030 | SH | | 05-MAR-91 |
| MIL-P-18144A | PUMPS, CENTRIFUGAL, CARGO OIL SERVICE, NAVAL SHIPBOARD USE [CUST: SH] | A 4320 | SH | | 25-AUG-86 |
| MIL-P-18148C(2) NOT 1 | PLUG, ELECTRIC, AIRCRAFT STORAGE BATTERY [CUST: AV AS 85] [REVIEW: 11 99 CC MI] | A 5935 | AS | | 08-SEP-87 |
| MIL-H-18158E | HOSE DUCTING, LOW PRESSURE, NAVAL SHIPBOARD PORTABLE, VENTILATING SET USE [CUST: SH] [REVIEW: AR YD1] | A 4720 | SH | | 30-NOV-90 |
| MIL-H-18160C(1) NOT 1 | HOSE ASSEMBLIES, CORRUGATED STEEL, 200 LB/IN2 AND 425 DEG. F MAXIMUM STEAM SERVICE RATING [CUST: SH] [REVIEW: CC CR4] | A 4720 | SH | | 01-APR-91 |
| MIL-D-18163B | DRY CLEANING UNIT ASSEMBLY, FULLY AUTOMATIC, SYNTHETIC SOLVENT (PERCHLORETHYLENE) TYPE, (25-35 POUNDS CAPACITY) (SHIPBOARD) [CUST: SH] | A 3510 | SH | | 23-FEB-94 |
| MIL-C-18164A(1) NOT 1 | COMPOSITION D-2 [CUST: OS] [REVIEW: GS] | A 1376 | OS | | 23-JUL-86 |
| MIL-U-18182E | UNION, PIPE, FORGED STEEL, THREADED, WATER-OIL-GAS (2,000, 3,000 AND 6,000 LB/IN2) [CUST: CR4 YD1 99] [REVIEW: 82 CC CE] | A 4730 | YD1 | | 29-MAR-91 |
| MIL-B-18184B | BELT, COAT, MAN S, WEBBING, COTTON, WHITE [CUST: MC CT] [REVIEW: 45] | A 8440 | CT | | 23-OCT-87 |
| MIL-C-18186D | CROWNS, SERVICE CAP [CUST: MC CT] | A 8405 | CT | | 12-SEP-84 |
| MIL-A-18199 | ATTENUATOR, CN 45/UP [CUST: AS CC] | A 5910 | CC | | 15-SEP-54 |
| MIL-T-18232B | TARGET, AERIAL, POWERED, DESIGN AND CONSTRUCTION OF GENERAL SPECIFICATION FOR [CUST: AS] | A 1550 | AS | | 22-MAR-68 |
| MIL-E-18239D | EARPHONE H-87B/U [CUST: AS] [REVIEW: 85 CC] | A 5965 | AS | | 17-DEC-82 |
| MIL-DTL-18240F | FASTENER ELEMENT, SELF-LOCKING, THREADED FASTENER, 250 DEG. F MAXIMUM [CUST: AV AS 11] [REVIEW: 99 AR EA IS MI OS] | A 53GP | AS | | 02-JUN-97 |
| MIL-C-18244A(1) | CONTROL AND STABILIZATION SYSTEMS: AUTOMATIC, PILOTED AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: AV] | A 1680 | AS | | 18-AUG-93 |
| MIL-C-18255E(1) | CALKING COMPOUND, SYNTHETIC RUBBER BASE, WOODEN DECK SEAM APPLICATION [CUST: SH] | A 8030 | SH | | 20-DEC-89 |
| MIL-F-18264D(2) | FINISHES: ORGANIC, WEAPONS SYSTEM, APPLICATION AND CONTROL OF [CUST: CR4 AS 11] [REVIEW: 11 84 AR AT AV CG MI MR OS] | A 8010 | AS | | 31-MAY-94 |
| MIL-C-18266A NOT 1 | CORD: P/O H-87B/U [CUST: CC] | A 5965 | CC | | 15-OCT-91 |
| MIL-L-18276C(1) | LIGHTING, AIRCRAFT INTERIOR, INSTALLATION OF [CUST: AV AS] | A 6220 | AS | | 25-APR-69 |
| MIL-C-18277B(3) | COUPLER, ANTENNA CU-351/AR AND COUPLER, ANTENNA CU-509/AR [CUST: AS CC] [REVIEW: 85] | A 5985 | CC | | 15-MAY-64 |
| MIL-F-18280F SUP 1 | FITTINGS, FLARELESS TUBE, FLUID CONNECTION [CUST: AV AS 99] [REVIEW: 82 AR AT CC GL MC OS] | A 4730 | AS | | 31-JUL-95 |
| MIL-DTL-18295F | CHAINS AND FITTINGS FOR FLEET MOORING [CUST: CR4 YD1] [REVIEW: CG GS IS SH YD2] | A 4010 | YD1 | | 30-JAN-98 |
| MIL-D-18300H | DESIGN EXAMINATIONS, ENGINEERING AVIONIC SYSTEMS/EQUIPMENT GENERAL REQUIREMENTS FOR [CUST: AS] | A 58GP | AS | | 23-FEB-93 |
| MIL-T-18303B NOT 1 | TEST PROCEDURES: PREPRODUCTION, ACCEPTANCE, AND LIFE FOR AIRCRAFT ELECTRONIC EQUIPMENT, FORMAT FOR [CUST: AS] | A MISC | AS | | 15-OCT-91 |
| MIL-N-18307G(2) | NOMENCLATURE + IDENTIFICATION FOR AERONAUTICAL SYSTEMS INCLUDING JOINT ELECTRONICS TYPE DESIGNATED SYSTEMS + ASSOCIATED SUPPORT SYSTEMS [CUST: AS] [REVIEW: OS] | A CMAN | AS | | 15-SEP-86 |
| MIL-C-18312E(2) SUP 1 | CAPACITOR, FIXED, METALLIZED (PAPER, PAPER PLASTIC OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES) GENERAL SPECIFICATIONS [CUST: CR EC 85] [REVIEW: 17 19 99 AS CG MC MI OS] | A 5910 | CC | | 29-SEP-87 |
| MIL-S-18313G NOT 1 | SLINGS, CARGO, NET, NYLON WEBBING [CUST: CR4 SH 99] [REVIEW: IS MT OS SM YD1] | A 3940 | SH | | 05-FEB-91 |
| MIL-P-18317 | PLATING, BLACK NICKEL (ELECTRODEPOSITED) ON BRASS, BRONZE, OR STEEL [CUST: OS] [REVIEW: EA] | A MFFP | OS | | 22-DEC-54 |
| MIL-P-18324D(2) | PLASTIC MATERIAL, LAMINATED PHENOLIC, FOR BEARINGS (WATER OR GREASE LUBRICATION) [CUST: MR SH 11] [REVIEW: AS CR CR4 GS MD OS] | A 9330 | SH | | 14-JUN-68 |
| MIL-F-18327E(3) SUP 1A | FILTERS: HIGH PASS, LOW PASS, BAND PASS, BAND SUPPRESSION, AND DUAL FUNCTIONING, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | | 31-JAN-94 |
| MIL-F-18327/30B(2) | FILTERS, LOW PASS, TYPE FR6RX11YY1 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS] | A 5915 | CC | | 31-DEC-92 |
| MIL-F-18327/31B(1) | FILTERS, HIGH PASS, TYPE FR6RX33YY1 [CUST: CR EC 85] [REVIEW: 19 99 AR AS CR4 MC MI OS] | A 5915 | CC | | 31-DEC-92 |
| MIL-F-18327/46C(1) | FILTERS, BAND PASS, TELEMETRY, TYPE FR7RX22ZZ1 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS] | A 5915 | CC | | 31-DEC-92 |
| MIL-L-18331B | LEAD ALLOY PIG [CUST: AS] | A 9650 | AS | | 20-FEB-90 |
| MIL-C-18345A NOT 1 | CORE MATERIAL, CELLULAR CELLULOSE ACETATE [CUST: AR GS] [REVIEW: MR SH] | A 9330 | GS | | 13-SEP-88 |
| MIL-M-18351F | MATTRESS & MATTRESS TICKS, BERTH, SYNTHETIC CELLULAR RUBBER, NAVAL SHIPBOARD [CUST: SH CT] | A 7210 | CT | | 22-APR-81 |
| MIL-I-18369C NOT 1 | INFLATION EQUIPMENT, CARBON DIOXIDE FOR MULTIPLE LIFE RAFTS [CUST: AV AS 99] [REVIEW: 22 84 CG CR4 MC SH] | A 4220 | AS | | 24-OCT-91 |
| MIL-I-18373B | INSTRUMENTS AND NAVIGATION EQUIPMENT, AIRCRAFT: INSTALLATION OF [CUST: AS] | A 6605 | AS | | 30-JUL-93 |
| MIL-DTL-18375C | WIRE ROPE, FLEXIBLE, CORROSION-RESISTING, NONMAGNETIC, FOR AIRCRAFT CONTROL [CUST: MI AS 99 IS] [REVIEW: CR4] | A 4010 | IS | | 15-AUG-97 |
| MIL-B-18381D | BOILER, STEAM, HIGH PRESSURE, NAVAL SHIP PROPULSION [CUST: SH] | A 4410 | SH | | 23-SEP-75 |
| MIL-C-18387F(2) | CLOTH, TWILL, COTTON, FIRE RETARDANT TREATED [CUST: GL AS 11 CT] [REVIEW: 45 85 99] | A 8305 | CT | | 10-NOV-88 |
| MIL-S-18396D(1) NOT 1 | SWITCHES, METER AND CONTROL, NAVAL SHIPBOARD [CUST: SH] | A 5930 | CC | | 15-MAY-87 |
| MIL-T-18404(2) | TORPEDOES, ENVIRONMENTAL REQUIREMENTS, [CUST: OS] | A 1355 | OS | | 25-JUL-83 |
| MIL-F-18421E NOT 2 | FOOD CONTAINER: VACUUM OR INSULATED, WITH INSERTS [CUST: GL SA IS] [REVIEW: MD] | A 7330 | IS | | 26-FEB-93 |
| MIL-V-18436F | VALVES, CHECK, BRONZE, CAST IRON, AND STEEL BODY [CUST: CR4 SH] [REVIEW: CC MC YD1] | A 4820 | SH | | 06-NOV-87 |
| MIL-W-18445D | WINDOWS, NON-ICING, LAMINATED FLAT GLASS, ELECTRICALLY HEATED, WITH CONTROLS [CUST: SH] | A 2090 | SH | | 29-DEC-80 |
| MIL-A-18455C NOT 1 | ARGON, TECHNICAL [CUST: MI SH 68] [REVIEW: AS CR4 GS MC YD1] | A 6830 | SH | | 07-JUN-91 |
| MIL-G-18458B(5) | GREASE, WIRE ROPE-EXPOSED GEAR [CUST: SH] | A 9150 | SH | | 26-MAR-96 |
| MIL-P-18472G | PUMPS, CENTRIFUGAL, CONDENSATE, FEED BOOSTER, WASTE HEAT BOILER, AND DISTILLING PLANT [CUST: SH] [REVIEW: CC] | A 4320 | SH | | 24-APR-89 |
| MIL-C-18480B NOT 1 | COATING COMPOUND, BITUMINOUS, SOLVENT, COAL-TAR BASE [CUST: MR YD1 99] [REVIEW: CE SH] | A 8030 | YD1 | | 15-JUN-87 |
| MIL-T-18492A(1) | TANKS, CARTRIDGE, TANKS, POWDER, TANKS, ROCKET (ALUMINUM) [CUST: OS] | A 8140 | OS | | 30-JUL-86 |
| MIL-P-18493 | PACKING, PREFORMED, CARBON; AND, CARBON STOCK, PACKING [CUST: SH] [REVIEW: IS] | A 5330 | SH | | 03-OCT-89 |
| MIL-L-18494D | LIFE RAFT, INFLATABLE, LRU-14/A [CUST: AS] | A 4220 | AS | | 18-DEC-86 |
| MIL-I-18496F | INSIGNIA, EMBROIDERED (WOMEN) [CUST: NU CT] [REVIEW: MC] | A 8455 | CT | | 21-NOV-89 |
| MIL-P-18526A(1) | PUMP, POSITIVE DISPLACEMENT, MAIN/PORT USE, MAIN BOILER FUEL SERVICE, NAVAL SHIPBOARD USE [CUST: SH] | A 4320 | SH | | 29-JUN-87 |
| MIL-B-18544B | BOOSTER CANS (FOR BOOSTERS MARK 8 AND MARK 12) [CUST: OS] | A 1350 | OS | | 15-MAY-85 |
| MIL-R-18546/1F NOT 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), STYLES RE60, RE65, RE70, AND RE75 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 15-SEP-94 |
| MIL-P-18547A | PUMP, ROTARY, POWER DRIVEN, NAVAL SHIPBOARD MAIN LUBRICATING OIL SERVICE [CUST: SH] | A 4320 | SH | | 28-JUN-63 |
| MIL-B-18558B | BEARING, PROPULSION LINE SHAFT, OIL DISC LUBRICATED [CUST: SH] | A 2010 | SH | | 24-FEB-88 |
| MIL-D-18576A | DUMMY, LOAD, ELECTRICAL, NAVY TYPE 14ACN [CUST: EC] | A 5985 | CC | | 25-AUG-61 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/NA | MCA | Prep. Acty. | Date |
|-----------------------|--|---------------------|-----|-------------|-----------|
| MIL-F-18602B | FANS, VANEAXIAL, FORCED DRAFT, STEAM TURBINE DRIVEN, NAVAL SHIPBOARD SERVICE [CUST: SH] [REVIEW: GS] | A 4140 | SH | | 12-FEB-91 |
| MIL-T-18606(1) | TEST PROCEDURES FOR AIRCRAFT CABIN PRESSURIZING AND AIR CONDITIONING SYSTEMS [CUST: AV AS] | A 1660 | AS | | 31-OCT-69 |
| MIL-C-18636A | CAP, PROTECTING, WATERPROOF (PROJECTILE FUZE COVERS) [CUST: OS] | A 8140 | OS | | 13-FEB-84 |
| MIL-D-18641F | DISTILLATION, WATER: STEAM, OR FLASHED VAPOR OPERATED, OR HOT FRESH WATER HEATED, LOW PRESSURE, NAVAL SHIPBOARD [CUST: SH] | A 4620 | SH | | 05-APR-93 |
| MIL-T-18652A(1) | TANK, CARTRIDGE, POWDER, ROCKET (STEEL) [CUST: OS] | A 8140 | OS | | 01-JUN-86 |
| MIL-C-18653B(1) NOT 1 | CARTRIDGE, ONE INCH, MARK 1 AND MARK 2 ALL MODS (BOMB EJECTOR) [CUST: OS 99] | A 1377 | OS | | 15-APR-87 |
| MIL-B-18670A NOT 1 | BOX, SMALL ARMS AMMUNITION, MARK 1 MOD 0 [CUST: OS] [REVIEW: AR] | A 8140 | OS | | 13-FEB-85 |
| MIL-F-18680C | FLY, TENT, FIRE, WATER, WEATHER, AND MILDEW RESISTANT [CUST: MC CT] | A 8340 | CT | | 28-MAR-91 |
| MIL-P-18682D | PUMP, CENTRIFUGAL, MAIN CONDENSER CIRCULATING, NAVAL SHIPBOARD [CUST: SH] | A 4320 | SH | | 23-NOV-84 |
| MIL-V-18683A(1) | VACUUM PUMPS, POWER DRIVEN, CENTRIFUGAL PUMP PRIMING SERVICE NAVAL SHIPBOARD [CUST: SH] | A 4310 | SH | | 10-JUN-86 |
| MIL-G-18694A | GLYCERIN-WATER MIXTURES (FOR HYDRAULIC BUFFERS AND RECOILS) [CUST: OS] [REVIEW: GS] | A 6810 | OS | | 02-JUN-92 |
| MIL-P-18704A | PRIMER, LOCK, COMBINATION, MARK 15 MOD 2 [CUST: OS] | A 1390 | OS | | 13-MAY-75 |
| MIL-P-18714D(1) | PRIMER, ELECTRIC, MARK 45 MOD 1 [CUST: OS 99] | A 1390 | OS | | 15-JUN-94 |
| MIL-A-18717C | ARRESTING HOOK INSTALLATION, AIRCRAFT [CUST: AS] | A 1710 | AS | | 20-SEP-93 |
| MIL-I-18746B NOT 1 | INSULATION TAPE, NONADHERING, GLASS FABRIC, POLYTETRAFLUOROETHYLENE COATED [CUST: CR OS 99 GS] [REVIEW: 13 AS EC MI SH] | A 5970 | GS | | 25-MAR-88 |
| MIL-T-18755B NOT 3 | TRACER, MARK 11 MOD 0 [CUST: OS] | A 1370 | OS | | 05-SEP-95 |
| MIL-C-18757D | CARTRIDGE CASE, STEEL (OTHER THAN SMALL ARMS) GENERAL SPECIFICATION FOR [CUST: OS] | A 1395 | OS | | 19-JUN-91 |
| MIL-C-18757/1B | CARTRIDGE CASE, STEEL, 40-MILLIMETER, MK 3 MOD 0 [CUST: OS] | A 1310 | OS | | 24-JAN-94 |
| MIL-C-18757/2A | CARTRIDGE CASE, STEEL, 3 INCH MARK 9 ALL MODS (50 CALIBER) [CUST: OS] | A 1315 | OS | | 15-MAY-75 |
| MIL-C-18757/3(2) | CARTRIDGE CASE, STEEL, 5 INCH, MARK 10 ALL MODS (38 CALIBER) [CUST: OS] | A 1320 | OS | | 10-FEB-76 |
| MIL-C-18757/4C | CARTRIDGE CASE, STEEL, 5-INCH, MARK 9 MODS 0 AND 1 (54 CALIBER) [CUST: OS] | A 1395 | OS | | 24-JAN-94 |
| MIL-C-18757/5 | CARTRIDGE CASE, STEEL, 76-MILLIMETER (62-CALIBER) [CUST: OS] | A 1395 | OS | | 19-JUN-91 |
| MIL-C-18759B | CARTRIDGE CASE, STEEL, 20 MILLIMETER MK 5 AND MODS (FOR 20 MM A/C GUNS) [CUST: AS] | A 1305 | AS | | 19-JUN-68 |
| MIL-P-18761C | PRIMER, PERCUSSION, MK 22 MOD 2 [CUST: OS] | A 1390 | OS | | 23-NOV-93 |
| MIL-H-18766 | HYDRAULIC EQUIPMENT, ORDNANCE SHIPBOARD (GENERAL SPECIFICATION FOR) [CUST: OS] | A 4320 | OS | | 24-JUN-55 |
| MIL-A-18793 | ANTENNA AS-333/AP [CUST: AS CC] [REVIEW: 85] | A 5985 | CC | | 15-MAY-55 |
| MIL-I-18804B(1) | INDICATOR, VERTICAL SPEED, 0 - 6000 FPM, 2 INCH [CUST: AV AS] | A 6610 | AS | | 14-JUN-67 |
| MIL-C-18832(2) | CONNECTOR, BREAKAWAY, ELECTRO-MECHANICAL [CUST: OS CC] | A 5935 | CC | | 17-FEB-88 |
| MIL-C-18835C | CARTRIDGE, 20 MM, FOR AIRCRAFT GUNS MK 11 AND MK 12 [CUST: AS] | A 1305 | AS | | 19-OCT-86 |
| MIL-T-18847C | TANK, FUEL, AIRCRAFT, AUXILIARY EXTERNAL, DESIGN AND INSTALLATION OF [CUST: AS] | A 4930 | AS | | 14-AUG-68 |
| MIL-B-18855D(1) NOT 1 | BATTERY MK 53 MOD 0 SECONDARY TYPE, SILVER-ZINC-ALKALI [CUST: OS] [REVIEW: GS] | A 6140 | OS | | 19-AUG-87 |
| MIL-I-18856B(1) | INDICATOR, ANGLE OF ATTACK, 28V DC MS28062 AND MS28067 [CUST: AS 99] | A 6610 | AS | | 04-DEC-87 |
| MIL-F-18866H | FITTING, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL [CUST: AR OS 99] [REVIEW: 82 AT AV CR4 GL MC SH YDI] | A 4730 | CC | | 06-MAY-87 |
| MIL-F-18870E(1) | FIRE CONTROL EQUIPMENT, NAVAL SHIP AND SHORE, GENERAL SPECIFICATION [CUST: OS] [REVIEW: CC] | A 12GP | OS | | 25-APR-75 |
| MIL-D-18873B(3) | DECK COVERING MAGNESIA AGGREGATE MIXTURE [CUST: SH] | A 5610 | SH | | 15-JUL-82 |
| MIL-C-18875A(1) NOT 1 | CONTAINER, SIGNAL, MK 3 MOD 0 (FOR SIGNAL, SMOKE AND ILLUMINATION MK 13 MOD 0) [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-B-18876A NOT 1 | BOX, AMMUNITION, 40 MM MARK 1 MOD 0 [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-G-18879(1) NOT 1 | GROMMETS, FIBER (FOR PROJECTILE ROTATING BANDS) [CUST: OS] [REVIEW: IS] | A 8140 | OS | | 07-MAR-89 |
| MIL-B-18897F | BOILERS, STEAM AND HOT WATER, WATER TUBE (STRAIGHT BARE AND FINNED TUBE), CAST IRON AND FIREBOX, PACKAGED TYPE (40,000 TO 35,000,000 BTU/HR THERMAL OUTPUT CAPACITY) [CUST: CR4 YDI 99] [REVIEW: 84 CE MC SA] | A 4410 | YDI | | 06-SEP-90 |
| MIL-B-18907A | BAND, PROJECTILE ROTATING [CUST: OS] | A 1320 | OS | | 29-APR-88 |
| MIL-H-18911A NOT 2 | HEADS AND MOTORS, ROCKET, INERT PARTS, PAINTING AND MARKING [CUST: MI OS] [REVIEW: EA] | A 1340 | OS | | 28-FEB-90 |
| MIL-G-18916(3) | GOVERNORS, STEAM DRIVEN PUMP, PRESSURE REGULATING, NAVAL SHIPBOARD [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 08-JUL-85 |
| MIL-E-18927E(2) | ENVIRONMENTAL CONTROL SYSTEMS, AIRCRAFT, GENERAL REQUIREMENTS FOR [CUST: AS] | A 1660 | AS | | 19-DEC-86 |
| MIL-L-18937D | LANTERN, ELECTRIC, HAND, SAFETY [CUST: 99 GS] [REVIEW: CG] | A 6230 | GS | | 13-MAY-76 |
| MIL-P-18948B | PROJECTILES, PRIMING, MARKING, AND GREASING OF [CUST: OS] | A 1320 | OS | | 15-JUL-92 |
| MIL-F-18953B | FANS, VANEAXIAL AND TUBEAXIAL, VENTILATION AND AIR CONDITIONING, NAVAL SHIPBOARD [CUST: SH] [REVIEW: GS YDI] | A 4140 | SH | | 22-OCT-90 |
| MIL-G-18997E(1) | GAUGE, PRESSURE, DIAL INDICATING [CUST: SH] | A 6685 | SH | | 01-JUN-95 |
| MIL-C-19002D NOT 1 | CLOTH, COATED, AND STRIP, COATED CLOTH - POLYCHLOROPRENE ON NYLON [CUST: CR4 AS 99 CT] [REVIEW: 32 45 82 NU SH] | A 8305 | CT | | 24-OCT-91 |
| MIL-F-19004A NOT 1 | FANS, CENTRIFUGAL, FIXED AND PORTABLE, VENTILATION, NAVAL SHIPBOARD [CUST: SH] [REVIEW: GS] | A 4140 | SH | | 08-MAR-89 |
| MIL-G-19027D(1) | GYRO, STEERING (FOR TORPEDO MARK 37 MODS 0, 2, 3) [CUST: OS] | A 1355 | OS | | 10-DEC-72 |
| MIL-H-19034B | HOSE, METAL, FLEXIBLE, CORRUGATED CARBON STEEL AND CORROSION RESISTING STEEL TYPES, INTERNAL COMBUSTION ENGINE AIR INTAKE AND EXHAUST APPLICATIONS (FOR SURFACE VESSELS ONLY) [CUST: SH] [REVIEW: AT CC CR4 YDI] | A 4720 | SH | | 23-MAR-72 |
| MIL-W-19044E(1) | WASHER-EXTRACTOR, LAUNDRY, 35 TO 200 POUND CAPACITY, MODIFIED COMMERCIAL (SHIPBOARD) [CUST: SH] | A 3510 | SH | | 18-JUL-94 |
| MIL-V-19067A NOT 1 | VALVES, CHECK, CONTROLLABLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS [CUST: AS 99] [REVIEW: CC] | A 1650 | AS | | 25-AUG-87 |
| MIL-V-19068A NOT 1 | VALVE, SHUTTLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS [CUST: AS 99] [REVIEW: CC] | A 1650 | AS | | 25-AUG-87 |
| MIL-V-19069B(1) | VALVE, CHECK, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS [CUST: AS 99] | A 1650 | AS | | 28-AUG-87 |
| MIL-A-19083C | ACOUSTIC DEVICES, MINESWEEPING, A MARK 4(V) MOD 1 AND MARK 4(V) NM [CUST: SH] | A 1075 | SH | | 28-MAR-91 |
| MIL-W-19088(10) | WATTMETER, SEITCHBOARD TYPE, 4-1/2 INCH [CUST: SH] | A 6625 | SH | | 20-OCT-78 |
| MIL-E-19122A NOT 1 | ELECTRODES, CARBON, LIGHTING, HIGH-INTENSITY SEARCHLIGHT SERVICE [CUST: SH] | A 5977 | GS | | 01-MAY-73 |
| MIL-P-19131(6) | PUMPS, ROTARY, POWER DRIVEN, MISCELLANEOUS [CUST: SH] [REVIEW: CR4] | A 4320 | SH | | 28-JUN-85 |
| MIL-L-19140E(2) | LUMBER AND PLYWOOD, FIRE-RETARDANT TREATED [CUST: CR4 SH] [REVIEW: CC IS YD] | A 5510 | SH | | 29-JAN-97 |
| MIL-E-19141D | ELECTRODE, WELDING, SURFACING, IRON BASE ALLOY [CUST: AR SH 11] [REVIEW: 99 AS AT GS MC] | A 3439 | SH | | 21-MAY-84 |
| MIL-W-19150B NOT 1 | WIRE, INSULATED, HARD DRAWN COPPER [CUST: OS] [REVIEW: IS] | A 6145 | OS | | 08-NOV-90 |
| MIL-D-19151A(2) | DETONATOR MARK 57 MODS 1 AND 2 [CUST: OS] | A 1356 | OS | | 20-JUN-85 |
| MIL-I-19166C(1) NOT 1 | INSULATION TAPE, ELECTRICAL, HIGH-TEMPERATURE, GLASS FIBER, PRESSURE-SENSITIVE [CUST: CR SH 85] [REVIEW: AR CR4 EC GS MC MI] | A 5970 | SH | | 28-OCT-88 |
| MIL-R-19180B | REGULATORS PRESSURE, COMPRESSED GAS [CUST: 99] [REVIEW: 11 82 AR SH] | A 4820 | CC | | 18-JAN-89 |

| Doc Action | Document Number | Document Title | Distribution FSC/Aves | MCA Prep. Acty. | Date |
|------------|--------------------------|--|--------------------------|--------------------|-----------|
| | MIL-S-19206E | SWORD AND SCABBARD (NONCOMMISSIONED OFFICERS) [CUST: MC] | A 8465 | MC | 20-SEP-94 |
| | MIL-B-19231A | BAR, COPPER, SILVER BEARING (FOR COMMUTATORS) [CUST: OS] [REVIEW: IS] | A 9530 | OS | 07-SEP-72 |
| | MIL-P-19232A | PAPER, RECORDING, ELECTROSENSITIVE [CUST: SH] [REVIEW: GL] | A 7530 | SH | 08-SEP-60 |
| | MIL-C-19256F | CLOTH, TWILL, NYLON (LOW COUNT, 3-5 OUNCE) [CUST: NU CT] | A 8305 | CT | 26-OCT-84 |
| | MIL-M-19261(8) | METER, POWER FACTOR 4-1/2 INCH, SWITCHBOARD TYPE [CUST: SH] [REVIEW: CR4] | A 6625 | SH | 13-FEB-87 |
| | MIL-C-19262A | CLOTH, PARACHUTE [CUST: OS] [REVIEW: CT] | A 8305 | OS | 15-NOV-76 |
| | MIL-P-19264B | PROPELLANT, BS-NACO, FOR THE 5"/54 CALIBER PROPELLING CHARGE [CUST: OS] | A 1376 | OS | 10-NOV-93 |
| | MIL-C-19377C NOT 1 | CLOTH, TWILL, NYLON [CUST: GL AS 99 CT] [REVIEW: 82 SH] | A 8305 | CT | 03-JUN-87 |
| | MIL-M-19379B | MOUNT, RESILIENT, MARE ISLAND TYPES 11M15, 11M25, AND 10M50 [CUST: SH] [REVIEW: IS] | A 5340 | SH | 21-MAR-61 |
| | MIL-D-19403 NOT 1 | DRIVE, ANTENNA, VERTICAL STABILIZATION, FOR AS-473/ASB-1 (BUORD DRAWINGS 776405, 776463, VERTICAL STABILIZATION SERVO CLUTCH, FOR ASB-1; 864390, 1444082 FOR ASB-1A) [CUST: AS CC] | A 5985 | CC | 15-OCT-91 |
| | MIL-F-19426D(1) | FORMING MACHINES, SHEET AND PLATE [CUST: AL SH 99 GS] [REVIEW: 84 MC SM YDI] | A 3441 | GS | 12-SEP-91 |
| | MIL-S-19434B | STEEL GEAR AND PINION FORGINGS, CARBON AND ALLOY, HEAT TREATED, NAVAL SHIPBOARD PROPULSION UNIT AND AUXILIARY TURBINE [CUST: SH] | A 2030 | SH | 31-DEC-90 |
| | MIL-H-19457D | HYDRAULIC FLUID, FIRE-RESISTANT, NON-NEUROTOXIC [CUST: SH] [REVIEW: GS] | A 9150 | SH | 12-APR-89 |
| | MIL-W-19460C | WIRE ROPE ASSEMBLIES, SINGLE LEG, GRAPNEL AND BUOY TYPE [CUST: SH] | A 4010 | SH | 07-NOV-90 |
| | MIL-G-19465E(1) | GLOVE, CHIPPER S, GAUNTLET [CUST: NU CT] | A 8415 | CT | 04-SEP-86 |
| | MIL-W-19487A | WIRE, NICKEL BASE ALLOY, AGE HARDENABLE [CUST: OS] [REVIEW: IS] | A 9525 | OS | 24-JUN-75 |
| | MIL-S-19491G(1) | SEMICONDUCTOR DEVICES, PACKAGING OF [CUST: CR EC 69 CC] [REVIEW: 11 17 71 80 85 99 AR AS CG CR MC MI OS SA SH SM] | A PACK | CC | 21-JUL-92 |
| | MIL-L-19493C(1) | LAUNDRY PRESSING AND FINISHING EQUIPMENT MODIFIED COMMERCIAL (SHIPBOARD) [CUST: SH] | A 3510 | SH | 05-APR-93 |
| | MIL-S-19500/2B(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N117, 2N118 AND 2N119 [CUST: CR EC 17 CC] [REVIEW: 11 19 AR AS CG MC MI SM] | A 5961 | CC | 24-AUG-88 |
| | MIL-S-19500/4D | SEMICONDUCTOR, DEVICE TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N331 [CUST: CR EC 17 CC] [REVIEW: 11 19 AR AS CG MC MI] | A 5961 | CC | 18-NOV-66 |
| | MIL-S-19500/6B(2) | SEMICONDUCTOR, DEVICE TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPES 2N43A AND 2N44A [CUST: CR EC 17] | A 5961 | CC | 05-MAY-78 |
| | MIL-S-19500/9B | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH FREQUENCY, 25 MILLIWATT, TYPE JAN-2N128 [CUST: CR EC 17 CC] [REVIEW: 13 19 99 AR AS CG MC MI] | A 5961 | CC | 12-MAR-70 |
| | MIL-S-19500/13B(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH POWER TYPE 2N174A [CUST: CR EC 17 CC] [REVIEW: 11 19 AR AS CG MC MI SM] | A 5961 | CC | 23-JAN-67 |
| | MIL-S-19500/16E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON TYPES 2N342, 2N342A AND 2N343 [CUST: CR EC 17 CC] [REVIEW: 11 19 AS CG MC MI] | A 5961 | CC | 24-NOV-64 |
| | MIL-S-19500/20C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPES 2N404 AND 2N40A [CUST: CR EC 17] [REVIEW: 11 13 19 85 AR AS AV CG MC MI] | A 5961 | CC | 09-JUL-71 |
| | MIL-S-19500/24D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPE 2N158 [CUST: CR EC 85] [REVIEW: 11 13 17 19 AR AS CG MC MI SH] | A 5961 | CC | 27-MAY-76 |
| | MIL-S-19500/25B NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N240 [CUST: CR EC 17] [REVIEW: 19 AS CG MC MI] | A 5961 | CC | 24-AUG-88 |
| | MIL-S-19500/27E(3) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-FREQUENCY TYPE 2N384 [CUST: CR EC 17] [REVIEW: 11 13 19 85 AR AS CG MC MI SM] | A 5961 | CC | 29-SEP-88 |
| | MIL-S-19500/30A | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, ALLOY JUNCTION TYPE 2N123 [CUST: 17] [REVIEW: 11 19 99] | A 5961 | CC | 31-MAR-70 |
| | MIL-S-19500/31C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPE 2N341 [CUST: CR EC 17] [REVIEW: 11 13 19 85 AR AS CG MC MI] | A 5961 | CC | 04-OCT-72 |
| | MIL-S-19500/36C NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-POWER TYPE 2N297A [CUST: CR SH 11] [REVIEW: 19 85 AR AS CG MC MI OS SM] | A 5961 | CC | 30-SEP-88 |
| | MIL-S-19500/37D | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPES 2N333, 2N335, 2N336, 2N333A, 2N335A, AND 2N336A [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI] | A 5961 | CC | 22-NOV-71 |
| | MIL-S-19500/38C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N539 AND 2N539A [CUST: CR EC 17] [REVIEW: 11 19 85 AS CG MC MI] | A 5961 | CC | 28-OCT-88 |
| | MIL-S-19500/40B(1) | SEMICONDUCTOR, TRANSISTOR, NPN, GERMANIUM, POWER TYPE 2N326 [CUST: CR EC 17] [REVIEW: 11 19 85 AS CG MC MI OS] | A 5961 | CC | 26-FEB-68 |
| | MIL-S-19500/41B(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, SWITCHING TYPES 2N425, 2N426, 2N427 [CUST: CR] [REVIEW: 19] | A 5961 | CC | 30-SEP-88 |
| | MIL-S-19500/44D(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N428 [CUST: CR EC 17] [REVIEW: 11 13 19 AR AS CG MC MI OS] | A 5961 | CC | 30-SEP-88 |
| | MIL-S-19500/49C(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPES 2N464, 2N465, 2N467 [CUST: CR] [REVIEW: 19 AR MI] | A 5961 | CC | 30-SEP-88 |
| | MIL-S-19500/51E(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N466 [CUST: CR EC 17] [REVIEW: 13 19 AR AS AV CG MC MI SH SM] | A 5961 | CC | 01-MAY-85 |
| | MIL-S-19500/58D NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-POWER TYPE 2N665 [CUST: CR SH 11] [REVIEW: 70 85 AR CG MC MI SM] | A 5961 | CC | 07-OCT-88 |
| | MIL-S-19500/60E | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPE JAN-2N526 [CUST: CR EC 17] [REVIEW: 11 13 19 99 AR AS CG MC MI] | A 5961 | CC | 19-MAR-70 |
| | MIL-S-19500/62B(3) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N501A [CUST: CR EC 17] [REVIEW: 85 99 AS CG MC MI OS SH SM] | A 5961 | CC | 07-OCT-88 |
| | MIL-S-19500/63D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, GERMANIUM, LOW POWER TYPE 2N358A [CUST: CR EC 17] [REVIEW: 11 13 19 85 AS CG MC MI] | A 5961 | CC | 02-NOV-72 |
| | MIL-S-19500/64D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N396A [CUST: CR EC 17] [REVIEW: 11 19 AS CG MC MI] | A 5961 | CC | 29-JUN-67 |
| | MIL-S-19500/65B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, GERMANIUM, SWITCHING TYPE 2N388 [CUST: CR EC 17] [REVIEW: 11 13 19 99 AS CG MC MI] | A 5961 | CC | 19-MAR-70 |
| | MIL-S-19500/67A NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, 50-WATT TYPE 2N1011 [CUST: CR] [REVIEW: 19] | A 5961 | CC | 07-OCT-88 |
| | MIL-S-19500/68A(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, SWITCHING TYPE 2N1120 [CUST: CR SH 11] [REVIEW: 17 19 85 AR AS CG MC MI OS SM] | A 5961 | CC | 07-OCT-88 |
| | MIL-S-19500/69E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, TYPES JAN-2N337 AND JAN-2N338 [CUST: CR EC 17] [REVIEW: 11 13 19 AR AS CG MC MI] | A 5961 | CC | 22-NOV-71 |
| | MIL-S-19500/71D(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N1195 [CUST: CR EC 17] [REVIEW: 11 19 AS CG CR4 MC] | A 5961 | CC | 24-AUG-88 |
| | MIL-S-19500/72C(4) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N499 AND 2N499A [CUST: CR] | A 5961 | CC | 07-OCT-88 |
| | MIL-S-19500/73B NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N560 [CUST: CR EC 17] [REVIEW: 19 AR AS CG MC MI] | A 5961 | CC | 24-AUG-88 |
| | MIL-S-19500/74E(4) | SEMICONDUCTOR DEVICE, TRANSISTORS, NPN, SILICON, MEDIUM POWER, TYPES 2N497, 2N498, 2N656 AND 2N657 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | 11-AUG-86 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|---------------------------|--|--------------|-----|-------------|-----------|
| | | | FSC/area | MCA | Prep. Acty. | Date |
| | MIL-S-19500/75B(2) | SEMICONDUCTOR DEVICE, TRANSISTORS, PNP, SILICON UNIJUNCTION TYPES 2N2417A THROUGH 2N2422A, AND TX2N2417A THROUGH TX2N2422A [CUST: CR EC 17] [REVIEW: 11 19 AR CG MC MI] | A 5961 | CC | | 16-AUG-82 |
| | MIL-S-19500/76C(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N1412 AND 2N1412A [CUST: EC] [REVIEW: 19 AS CG MC] | A 5961 | CC | | 06-MAR-72 |
| | MIL-S-19500/77C(4) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N393 [CUST: CR EC 17] [REVIEW: 11 19 85 AR AS CG MC MI SH] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/78C NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR PNP, SILICON, LOW-POWER TYPES 2N1025, 2N1026 AND 2N1469 [CUST: CR EC 17] [REVIEW: 11 13 19 80 85 AR AS CG MC MI OS SH SM] | A 5961 | CC | | 07-OCT-88 |
| | MIL-S-19500/80E NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPE 3N35 [CUST: CR EC 17] [REVIEW: 11 80 AR AS CG MC MI SM] | A 5961 | CC | | 07-OCT-88 |
| | MIL-S-19500/86A(4) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N705 [CUST: CR EC 17] [REVIEW: 11 19 85 AR AS CG MC MI SH SM] | A 5961 | CC | | 28-MAR-83 |
| | MIL-S-19500/87A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM LOW POWER TYPE 2N1142 [CUST: CR] [REVIEW: 17 85 AS CG MC MI OS] | A 5961 | CC | | 01-JUN-73 |
| | MIL-S-19500/88(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPE 2N1046 (NAVY) [CUST: EC] [REVIEW: 19 99 AS CG MC] | A 5961 | CC | | 15-MAR-83 |
| | MIL-S-19500/89D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N1039, 2N1041, 2N2553, 2N2555, 2N2557 AND 2N2559 [CUST: CR EC 17] [REVIEW: 11 13 19 85 AR AS CG MC MI OS] | A 5961 | CC | | 22-MAR-71 |
| | MIL-S-19500/91(1) NOT 1 | SEMICONDUCTOR DEVICE DIODE, SILICON, POWER RECTIFIER TYPE 1N2153 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/99E(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, MEDIUM POWER TYPES 2N696 AND 2N697 [CUST: CR EC 11] [REVIEW: 17 19 AR AS CG EA MC MI OS] | A 5961 | CC | | 25-SEP-67 |
| | MIL-S-19500/102A | SEMICONDUCTOR DEVICE, TRANSISTORS, NPN, SILICON, HIGH POWER TYPES 2N1016B, 2N1016C, AND 2N1016D [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CG MC MI] | A 5961 | CC | | 29-DEC-66 |
| | MIL-S-19500/104C | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER TYPES 1N1124A, 1N1126A, 1N1128A, 1N3649, 1N3650, 1N1124RA, 1N1126RA, 1N1128RA, 1N3649R AND 1N3650R [CUST: CR EC 17] [REVIEW: 11 19 AR AS CG EA MC MI] | A 5961 | CC | | 29-NOV-65 |
| | MIL-S-19500/110C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES 2N328A, 2N329A, 2N328AS, AND 2N329AS [CUST: CR EC 17] [REVIEW: 11 13 19 85 AR AS AV CG MC MI] | A 5961 | CC | | 16-JUL-86 |
| | MIL-S-19500/112C(4) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPES 2N502A AND 2N52B [CUST: CR CC] | A 5961 | CC | | 25-AUG-88 |
| | MIL-S-19500/114E(4) | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOL REG B&RB TYPE 1N2804-1N2811, 1N2811, 1N2813, 1N2814, 1N2816, 1N2818-1N2820, 12822-1N2827, 1N2829, 1N2831-1N2838, 1N2840-1N2846, 1N4557-1N4562, JAN, JANTX, JANTXV [CUST: CR EC 17] [REVIEW: 11 13 19 85 AR AS CG MC MR SH SM] | A 5961 | CC | | 21-MAR-84 |
| | MIL-S-19500/120C(3) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, LOW-POWER TYPE 2N706 [CUST: CR EC 17] [REVIEW: 11 13 19 80 85 AR AS AV CG MC MI SH] | A 5961 | CC | | 25-AUG-88 |
| | MIL-S-19500/122C(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-POWER TYPE 2N1358 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS] | A 5961 | CC | | 25-AUG-88 |
| | MIL-S-19500/123A NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, VHF 2N700A [CUST: CR] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 12-DEC-66 |
| | MIL-S-19500/125C NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, SWITCHING TYPE 2N1500 [CUST: CR EC 17] [REVIEW: 11 19 AS CG MC MI] | A 5961 | CC | | 01-JUN-67 |
| | MIL-S-19500/126C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN TYPES 2N1302, 2N1304, 2N1306, 21308 AND PNP TYPES 2N1303, 2N1305, 2N1307 AND 2N1309 [CUST: CR EC 17] [REVIEW: 11 13 19 99 AR AS CG EA MC MI OS] | A 5961 | CC | | 24-MAR-71 |
| | MIL-S-19500/127M | SEMICONDUCTOR DEVICES, DIODE, SILICON, VOLTAGE REGULATOR, TYPES 1N4370A-1 THROUGH 1N4372A-1, AND 1N746A-1 THROUGH 1N759A-1 1N4370AUR-1 THROUGH 1N4372AUR-1 AND 1N746AUR-1 THROUGH 1N759AUR-1, 1N4370C-1 THROUGH 1N4372C-1, AND 1N746C-1 THROUGH 1N759C-1, 1N4370CUR-1 THROUGH 1N4372CUR-1 AND 1N746CUR-1 THROUGH 1N759CUR-1, JAN, JANTX, JANTXV, AND JANHC [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS AV CG MC MI NA SM] | A 5961 | CC | | 14-MAR-94 |
| | MIL-S-19500/128A NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES JAN-1N26B, JAN-1N26BR, JAN-1N26BM, AND JAN-1N26BMR [CUST: CR EC 17] [REVIEW: 19 99 AS CG MC MI] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/130C NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N78C, 1N78CR, 1N78CM, 1N78CMR, 1N78F, 1N78FR, 1N78FM, AND 1N78FMR [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 25-AUG-88 |
| | MIL-S-19500/136A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, GERMANIUM, LOW POWER TYPE 2N1310 [CUST: EC] [REVIEW: 19] | A 5961 | CC | | 15-MAR-83 |
| | MIL-S-19500/137C NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM POWER TYPES 2N1042 THROUGH 2N1045 [CUST: CR EC 17] [REVIEW: 11 13 19 85 99 AR MI] | A 5961 | CC | | 25-AUG-88 |
| | MIL-S-19500/138C NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPE 2N1118 [CUST: CR EC 85] [REVIEW: 11 13 19 AR AS CG MC MI] | A 5961 | CC | | 25-AUG-88 |
| | MIL-S-19500/139B(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, TYPE JAN-2N1119 [CUST: CR SH 17] [REVIEW: 11 19 MC] | A 5961 | CC | | 25-AUG-88 |
| | MIL-S-19500/141A(1) | SEMICONDUCTOR DEVICE, DIODE, TYPE 1N697 (NAVY) [CUST: EC] [REVIEW: 19 MI] | A 5961 | CC | | 29-AUG-66 |
| | MIL-S-19500/142A(3) NOT 1 | SEMICONDUCTOR DEVICES, SILICON, HIGH VOLTAGE RECTIFIER TYPES 1N1731A, 1N1733A, AND 1N1734A [CUST: CR EC 17] [REVIEW: 11 19 AR AS CG MC MI] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/143B(2) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N1183, 2N1183A, 2N1183B AND 2N1184, 2N1184A, 2N1184B [CUST: CR] [REVIEW: 19 MI] | A 5961 | CC | | 26-AUG-88 |
| | MIL-S-19500/144H(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N3064, 1N4454, 1N4454-1, 1N4532, AND 1N4454UR-1, JAN, JANTX, AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 02-JAN-97 |
| | MIL-S-19500/155E NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, GENERAL PURPOSE TYPES 1N3189, 1N3190, 1N3191, TX AND NON-TX TYPES [CUST: EC] [REVIEW: AS CG MC SH] | A 5961 | CC | | 25-SEP-86 |
| | MIL-S-19500/156J | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE TYPES 1N935B, 1N937B, 1N938B, 1N939B, 1N940B, AND 1N935B-1, 1N937B-1, 1N938B-1, 1N939B-1, AND 1N940B-1, 1N935BUR-1, 1N937BUR-1, 1N938BUR-1, 1N939BUR-1, AND 1N940BUR-1, JAN, JANTX, JANTXV AND JANS; RADIATION HARDENED (TOTAL DOSE ONLY) TYPES JANTXVM, D, L, R, F, G, H, AND JANS, D, L, R, F, G, H [CUST: CR EC 17 CC] [REVIEW: 19 80 85 99 AR AS CG MC NA SM] | A 5961 | CC | | 25-NOV-94 |
| | MIL-S-19500/157K | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE TYPES 1N941B, 1N943B, 1N944B, 1N945B, 1N946B, 1N941B-1, 1N943B-1, 1N944B-1, 1N945B-1, 1N946B-1, 1N941BUR-1, 1N943BUR-1, 1N944BUR-1, 1N945BUR-1, AND 1N946BUR-1 JAN, JANTX, JANTXV AND JANS; RADIATION HARDENED (TOTAL DOSE ONLY) JANTXVM, D, L, R, F, G, H, AND JANS, D, L, R, F, G, H [CUST: CR EC 17 CC] [REVIEW: 19 80 85 99 AR AS CG MC NA SM] | A 5961 | CC | | 25-NOV-94 |
| | MIL-S-19500/158K | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE TYPES 1N3154, 1N3155, 1N3156, 1N3157, AND 1N3154-1, 1N3155-1, 1N3156-1, AND 1N3157-1, 1N3155UR-1, 1N3156UR-1, 1N3157UR-1, JAN, JANTX, JANTXV, AND JANS; RADIATION HARDENED (TOTAL DOSE ONLY) JANTXVM, D, L, R, F, G, H, AND JANS, D, L, R, F, G, H [CUST: CR EC 17 CC] [REVIEW: 19 80 85 99 AR AS CG MC NA SM] | A 5961 | CC | | 25-NOV-94 |
| | MIL-S-19500/159H | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE, TYPES 1N821, 1N823, 1N825, 1N827, 1N829, AND 1N821-1, 1N823-1, 1N825-1, 1N827-1, AND 1N829-1, 1N821UR-1, 1N823UR-1, 1N825UR-1, 1N827UR-1, AND 1N829UR-1, JAN, JANTX, JANTXV, JANS, JANHC AND JANKC; RADIATION HARDENED (TOTAL DOSE ONLY) TYPES JANTXVM, D, L, R, F, G, H; JANS, D, L, R, F, G, H; JAMHCM, D, L, R, F, G, H; [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA SM] | A 5961 | CC | | 16-MAY-94 |
| | MIL-S-19500/166C(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPE 2N599 [CUST: EC] [REVIEW: 19 AS CG MC] | A 5961 | CC | | 24-AUG-88 |
| | MIL-S-19500/167B NOT 1 | SEMICONDUCTOR DEVICE, DIODE, TYPE 1N560 AND 1N561 (NAVY) [CUST: EC] [REVIEW: 19 AS CG MC] | A 5961 | CC | | 25-SEP-86 |
| | MIL-S-19500/170A NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N1499A [CUST: CR EC 17] [REVIEW: 19] | A 5961 | CC | | 06-JUL-90 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|------------|---------------------------|---|-------------------------|-----|-------------|-----------|
| | MIL-S-19500/172B(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPE 2N1854 [CUST: EC] [REVIEW: 19 AS CG MC] | A 5961 | CC | | 24-FEB-71 |
| | MIL-S-19500/173A | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPES 2N389 AND 2N424 (NAVY) [CUST: EC 17] [REVIEW: 19] | A 5961 | CC | | 24-NOV-64 |
| | MIL-S-19500/174B | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE JAN-2N398A [CUST: EC 17 CC NA] [REVIEW: 11 13 19 85 99 AS AV CG MC MI] | A 5961 | CC | | 29-NOV-71 |
| | MIL-S-19500/175C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPES 2N650A, 2N651A, AND 2N652A [CUST: CR EC 17] [REVIEW: 11 19 85 AR AS CG MC MI] | A 5961 | CC | | 09-MAR-73 |
| | MIL-S-19500/176B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N1047A, 2N1048A, 2N1049A AND 2N1050A [CUST: CR EC 17] [REVIEW: 11 13 19 85 AR AS CG MC MI] | A 5961 | CC | | 13-DEC-71 |
| | MIL-S-19500/177E | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES 2N1131, 2N1131L, 2N1132, 2N1132L, JAN AND JANTX [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | | 08-FEB-95 |
| | MIL-S-19500/178B(4) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N1165 [CUST: EC] [REVIEW: AS CG MC] | A 5961 | CC | | 25-FEB-72 |
| | MIL-S-19500/179A(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON TYPE 2N1234 [CUST: CR EC 17] [REVIEW: 19] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/180D(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, MEDIUM-POWER TYPES 2N1483, TX2N1483, 2N1484, TX2N1484, 2N1485, TX2N1485, 2N1486, TX2N1486 [CUST: CR EC 17] [REVIEW: 11 19 AR AS CG MC MI] | A 5961 | CC | | 26-AUG-88 |
| | MIL-S-19500/182D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N720A, 2N1893, 2N1893S, JAN, JANTX, AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 15-OCT-95 |
| | MIL-S-19500/186B NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, RF MIXER TYPES JAN-1N53B, JAN-1N53BR, JAN-1N53BM AND JAN-1N53BMR [CUST: CR SH 11] [REVIEW: 19 AS CG MC MI] | A 5961 | CC | | 26-AUG-88 |
| | MIL-S-19500/187A(2) NOT 1 | SEMICONDUCTOR DIODE, SILICON, HIGH-VOLTAGE TYPE 1N2361 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/188A(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPE JAN-1N251 [CUST: CR EC 17] [REVIEW: 19 MI] | A 5961 | CC | | 25-SEP-86 |
| | MIL-S-19500/189B(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPES 2N1224 AND 2N1225 [CUST: CR EC 17] [REVIEW: 11 13 19 99 AR AS CG MC MI SH] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/191A(1) | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, MIXER TYPE 1N263 [CUST: CR EC 17] [REVIEW: 11 19 AS CG MC OS] | A 5961 | CC | | 26-OCT-71 |
| | MIL-S-19500/192B(1) | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, SWITCHING TYPE 1N276, JAN, JANTX, AND JANTXV [CUST: CR EC 17] [REVIEW: 19 AS CG MC MI] | A 5961 | CC | | 14-NOV-90 |
| | MIL-S-19500/193C NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1N457, 1N458, AND 1N459 [CUST: CR] [REVIEW: 19 AR AS CG MC MI OS] | A 5961 | CC | | 26-AUG-88 |
| | MIL-S-19500/195D NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, MICRO-MINIATURE, SWITCHING TYPE 1N3206 [CUST: CR EC 11] [REVIEW: 13 19 85 AR AS CG MC MI] | A 5961 | CC | | 26-AUG-88 |
| | MIL-S-19500/198A(1) NOT 1 | SEMICONDUCTOR DEVICES, THYRISTORS TYPES 2N1870A, 2N1871A, 2N1872A AND 2N1874A [CUST: EC] [REVIEW: 19 AS CG MC MI] | A 5961 | CC | | 24-AUG-88 |
| | MIL-S-19500/199A(3) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, FORWARD-VOLTAGE REGULATOR TYPE 1N816 [CUST: CR EC 17] [REVIEW: 11 19 85 AR CG MC MI SH SM] | A 5961 | CC | | 24-AUG-88 |
| | MIL-S-19500/200B NOT 1 | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM TYPE 1N270 JAN, JANTX, AND JANTXV [CUST: CR EC 11] [REVIEW: 19 99 AR AS CG EA MC MI] | A 5961 | CC | | 09-JUN-89 |
| | MIL-S-19500/201B | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM TYPE 1N277 JAN, JANTX, AND JANTXV [CUST: CR EC 17] [REVIEW: 11 19 85 AR AS CG MC MI OS SH SM] | A 5961 | CC | | 25-SEP-89 |
| | MIL-S-19500/203C(2) | SEMICONDUCTOR DEVICE, DIODE, THYRISTORS, (CONTROLLED RECTIFIERS) SILICON TYPES 2N2024, 2N2025, 2N2027, 2N2029, 2N2030 [CUST: EC] [REVIEW: AS CG MC] | A 5961 | CC | | 20-MAY-75 |
| | MIL-S-19500/204F(2) | SEMICONDUCTOR DEVICES, THYRISTOR, REVERSE BLOCKING, SILICON, TYPES 2N1792, 2N1793, 2N1795, 2N1797, 2N1798, 2N1799, 2N1800, 2N1805, 2N1806, 2N1910, 2N1911, 2N1913, 2N1915, 2N1916, 2N2031, JAN, JANTX, AND JANTXV [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5961 | CC | | 10-JAN-92 |
| | MIL-S-19500/205B | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, LOW LEVEL, FORWARD-VOLTAGE-REFERENCE TYPE 1N3287 JAN, JANTX, AND JANTXV [CUST: CR EC 11] [REVIEW: CG MC] | A 5961 | CC | | 11-JUN-90 |
| | MIL-S-19500/207C NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, TYPES 2N1479, 2N1480, 2N1481, 2N1482 [CUST: CR] [REVIEW: 19 AR MI] | A 5961 | CC | | 26-AUG-88 |
| | MIL-S-19500/208B NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER, TYPES 2N1487, 2N1488, 2N1489 AND 2N1490 [CUST: CR SH 11] [REVIEW: 19 85 AR AS CG EA MC MI] | A 5961 | CC | | 29-AUG-88 |
| | MIL-S-19500/210B(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, PHOTO TYPE 2N986 [CUST: EC] [REVIEW: 19 AS CG MC] | A 5961 | CC | | 24-FEB-71 |
| | MIL-S-19500/211B(3) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N3164, 1N3168, 1N3170, 1N3172, 1N3174, 1N3175, 1N3176, 1N3177 AND R TYPES JAN, JANTX, JANTXV [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/215(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPES 2N1173 AND 2N1174 (NAVY) [CUST: EC] [REVIEW: 19 AS CG MC] | A 5961 | CC | | 14-NOV-66 |
| | MIL-S-19500/216A(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON TYPE 2N1051 [CUST: EC] [REVIEW: 19 AS CG MC] | A 5961 | CC | | 24-AUG-88 |
| | MIL-S-19500/217B NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTORS, PNP, GERMANIUM, HIGH-POWER TYPES 2N456B, 2N457B, 2N458B, 2N1021A, 2N1022A [CUST: CR EC 17] [REVIEW: 11 19 85 AS EA MC MI] | A 5961 | CC | | 29-AUG-88 |
| | MIL-S-19500/218A NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N757A, 2N759A AND 2N760A [CUST: CR SH 11] [REVIEW: 17 19 99 AS CG MC MI OS] | A 5961 | CC | | 29-AUG-88 |
| | MIL-S-19500/219A(6) NOT 1 | TRANSISTOR, PNP, GERMANIUM, POWER, SWITCHING, TYPES 2N1651, 2N1652, 2N1653 [CUST: CR] [REVIEW: 19] | A 5961 | CC | | 29-AUG-88 |
| | MIL-S-19500/225E(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, TYPES 2N1711, 2N1711S, 2N1890, 2N1890S, JAN AND JANTX [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | | 30-NOV-96 |
| | MIL-S-19500/226B | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, SWITCHING TYPE 1N3666(1) JAN, JANTX, AND JANTXV [CUST: CR EC 11] [REVIEW: 17 19 85 AR AS CG MC SM] | A 5961 | CC | | 11-JUN-90 |
| | MIL-S-19500/227(2) | SEMICONDUCTOR DEVICE, DIODE, TYPE 1N995M (NAVY) [CUST: EC 17] [REVIEW: 19 AS CG MC MI] | A 5961 | CC | | 15-MAR-83 |
| | MIL-S-19500/229(1) | SEMICONDUCTOR DEVICE, DIODE, TYPE 1N830AM (NAVY) [CUST: EC CC] [REVIEW: 19 CG MC MI] | A 5961 | CC | | 25-APR-66 |
| | MIL-S-19500/230C(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, HIGH-CONDUCTANCE TYPE JAN-1N3207 [CUST: CR EC 11] [REVIEW: 19 AS CG MC MI] | A 5961 | CC | | 29-AUG-88 |
| | MIL-S-19500/236A(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE 1N31 [CUST: CR EC 17 CC] [REVIEW: 11 13 19 85 AS CG MC MI SH] | A 5961 | CC | | 24-AUG-88 |
| | MIL-S-19500/240F(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1N645-1, 1N647-1, 1N649-1, 1N645UR-1, 1N647UR-1, 1N649UR-1, JAN, JANTX, AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS AV CG MC MI] | A 5961 | CC | | 10-DEC-95 |
| | MIL-S-19500/244B(6) | TRANSISTOR, PNP, GERMANIUM TYPE 2N2273 [CUST: CR] | A 5961 | CC | | 13-APR-92 |
| | MIL-S-19500/248A(2) NOT 1 | TRANSISTOR, NPN, SILICON TYPES 2N2015, 2N2016 [CUST: CR] | A 5961 | CC | | 29-AUG-88 |
| | MIL-S-19500/250B NOT 1 | SEMICONDUCTOR DIODE, SILICON, UHF MIXER TYPE 1N82AG [CUST: CR EC 17] [REVIEW: 11 13 19 85 AS CG MC MI] | A 5961 | CC | | 29-AUG-88 |
| | MIL-S-19500/251H(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPES 2N2218, 2N2218A, 2N2218AL, 2N2219, 2N2219A, AND 2N2219AL JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA SH SM] | A 5961 | CC | | 27-NOV-96 |
| | MIL-S-19500/254A NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPES 1N1147 AND 1N1149 [CUST: CR] [REVIEW: 19] | A 5961 | CC | | 29-AUG-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|---------------------------|--|--------------------------|--------------------|-----------|
| MIL-S-19500/256C(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N643, 1N662 AND 1N663 [CUST: CR EC 17] [REVIEW: 11 13 19 85 AR AS CG MC MI] | A 5961 | CC | 29-AUG-88 |
| MIL-S-19500/257A NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE 1N658 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | 06-JUL-90 |
| MIL-S-19500/258A(4) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR TYPES 2N962 AND 2N964 [CUST: EC CC] [REVIEW: MI] | A 5961 | CC | 24-AUG-88 |
| MIL-S-19500/259A(2) NOT 1 | SEMICONDUCTOR DEVICES, DIODES, SILICON, POWER RECTIFIERS TYPES JAN-1N1130 AND JAN-1N1131 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | 26-MAR-85 |
| MIL-S-19500/260D(4) | SEMICONDUCTOR DEVICE, SILICON, POWER RECTIFIER TYPES 1N1202A, 1N1204A, 1N1206A, 1N3671A AND 1N3673A AND AR JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA] | A 5961 | CC | 06-JUN-94 |
| MIL-S-19500/262F(4) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N1722, TX2N1722, 2N1724, AND TX2N1724 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | 06-JUL-90 |
| MIL-S-19500/263A(4) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N1714, 2N1714S, 2N1715, 2N1715S, 2N1716, 2N1716S, 2N1717, AND 2N1717S [CUST: CR] [REVIEW: 19 EA] | A 5961 | CC | 19-JUL-88 |
| MIL-S-19500/267(2) NOT 1 | TRANSISTOR, PNP, GERMANIUM TYPE 2N987 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | 06-JUL-90 |
| MIL-S-19500/268C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON SWITCHING TYPES 2N2481 AND TX2N2481 [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AV CG MC MI NA SH] | A 5961 | CC | 24-AUG-88 |
| MIL-S-19500/269(1) | SEMICONDUCTOR DEVICE, TUNNEL DIODE, TYPES 1N3713, 1N3715, 1N3717, 1N3719 AND 1N3721 [CUST: EC CC] [REVIEW: 19 CG MC] | A 5961 | CC | 25-APR-66 |
| MIL-S-19500/271A(5) | SEMICONDUCTOR DEVICE, TRANSISTOR TYPE 2N916 [CUST: EC CC] [REVIEW: 19 AS CG MC] | A 5961 | CC | 01-OCT-87 |
| MIL-S-19500/272C(5) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REGULATOR TYPES (TX AND NON-TX) 1N3993A THROUGH 1N4000A AND THE RA [CUST: CR EC 17] [REVIEW: 11 19 99 AR AS AV CG MC MI NA SH] | A 5961 | CC | 05-FEB-88 |
| MIL-S-19500/273A | SEMICONDUCTOR DEVICE, TRANSISTOR TYPE 2N744 [CUST: EC CC] [REVIEW: 19] | A 5961 | CC | 21-MAR-66 |
| MIL-S-19500/274C | SEMICONDUCTOR DEVICE, NPN, SILICON, TRANSISTORS TYPES 2N910, 2N910S, 2N911, 2N911S, 2N912, AND 2N912S, JAN AND JANTX [CUST: CR] | A 5961 | CC | 05-JAN-95 |
| MIL-S-19500/276B(3) | SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS), SILICON TYPES 2N2323, 2N2324, 2N2326, 2N2328, 2N2329 AND S VERSIONS 2N2323A, 2N2324A, 2N2326A, 2N2328A, AND S VERSIONS JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 19 85 AS CG MC MI OS SH SM] | A 5961 | CC | 10-MAR-92 |
| MIL-S-19500/277D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N2150 AND 2N2151 JANTX [CUST: CR EC 17] [REVIEW: 19 85 AR AS CG MC MI OS SH SM] | A 5961 | CC | 29-JUL-92 |
| MIL-S-19500/278E(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, MATCHED PAIR TYPES 1N4306, 1N4306M, JANTX AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | 15-SEP-92 |
| MIL-S-19500/279C(4) | SEMICONDUCTOR DEVICE, DIODE, TYPES 1N3644, 1N3645, 1N3646, AND 1N3647 JAN AND JANTX [CUST: EC CC] [REVIEW: 19 AS AV CG MC MI] | A 5961 | CC | 01-APR-90 |
| MIL-S-19500/280A(2) | SEMICONDUCTOR DEVICE, THYRISTOR (CONTROLLED RECTIFIER), SILICON TYPES 2N3091, 2N3093, 2N3095, 2N3097, 2N3098, 2N3099, 2N3101, 2N3103, 2N3105, AND 2N3106 [CUST: EC CC] [REVIEW: AS CG MC SH] | A 5961 | CC | 29-MAR-83 |
| MIL-S-19500/282C | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPE 1N4376 JAN AND JANTX [CUST: CR EC 17 CC] [REVIEW: 70 80 85 99 AR AS CG MC MI OS SH SM] | A 5961 | CC | 23-JUN-92 |
| MIL-S-19500/283D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N869A AND 2N4453 JANTX AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 13 19 80 85 99 AR AS AV CG MC MI OS SH SM] | A 5961 | CC | 25-JUN-93 |
| MIL-S-19500/284E(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, MATCHED QUAD, TYPES 1N4307, 1N4307M JANTX AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS CG MC MI OS SH] | A 5961 | CC | 30-DEC-91 |
| MIL-S-19500/286E | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, MEDIUM-RECOVERY TYPES, 1N4245 THROUGH 1N4249 JAN, JANTX, JANTXV, AND JANHC [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI] | A 5961 | CC | 27-JUL-94 |
| MIL-S-19500/287C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N3013, JAN AND JANTX [CUST: CR EC 17 CC] [REVIEW: 13 19 70 80 85 99 AS CG MC MI OS SH SM] | A 5961 | CC | 22-JAN-92 |
| MIL-S-19500/288(2) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON TYPE 2N2377 [CUST: CR] [REVIEW: 19] | A 5961 | CC | 29-SEP-88 |
| MIL-S-19500/289(3) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON TYPE 2N2378 [CUST: CR] [REVIEW: 19] | A 5961 | CC | 29-SEP-88 |
| MIL-S-19500/295B | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, P-CHANNEL SILICON, TYPES 2N2608 JAN [CUST: CR EC 17 CC] [REVIEW: 13 19 AR AS CG MC MI] | A 5961 | CC | 05-OCT-92 |
| MIL-S-19500/296A(1) | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPE 2N2609 [CUST: CR EC 17 CC] [REVIEW: 11 13 19 85 99 AR AS CG MC MI OS SH SM] | A 5961 | CC | 18-MAY-90 |
| MIL-S-19500/297B(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N1184, 1N1186, 1N1188, 1N1190, 1N3766, 1N3768, 1N1184R, 1N1186R, 1N1188R, 1N1190R, 1N3766R, 1N3768R, JAN, JANTX, AND JANTXV [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SM] | A 5961 | CC | 20-OCT-92 |
| MIL-S-19500/298(3) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE 1N1742A [CUST: 17] [REVIEW: 19 85] | A 5961 | CC | 17-AUG-87 |
| MIL-S-19500/301C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN SILICON, LOW-POWER TYPE 2N918 JANS, JANTX, AND JANTXV [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | 11-AUG-95 |
| MIL-S-19500/302B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER, TYPES 2N2708, JAN [CUST: CR EC 17] [REVIEW: 19 85 99] | A 5961 | CC | 20-JAN-95 |
| MIL-S-19500/303(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, TYPES 2N2631 AND 2N2876 [CUST: EC CC] [REVIEW: 19] | A 5961 | CC | 26-FEB-71 |
| MIL-S-19500/304C(3) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST-RECOVERY TYPES 1N3885, 1N3886, 1N3888, 1N3890, 1N3891, 1N3893, 1N3890R, 1N3891R, 1N3893R AND A-VERSIONS JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI NA SM] | A 5961 | CC | 31-MAR-94 |
| MIL-S-19500/308B(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST-RECOVERY TYPES 1N3909, 1N3910, 1N3911, 1N3912, 1N3913, R AND A VERSIONS JAN, JANTX, AND JANTXV [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SM] | A 5961 | CC | 17-NOV-92 |
| MIL-S-19500/312C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N708, JANTX [CUST: CR EC 17] [REVIEW: 13 19 80 85 AR AS AV CG MC MI OS SH SM] | A 5961 | CC | 01-AUG-92 |
| MIL-S-19500/315E | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N2880, 2N3749, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5961 | CC | 10-MAR-92 |
| MIL-S-19500/317F(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N2369A, 2N3227 AND 2N4449, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS CG MC MI NA SM] | A 5961 | CC | 16-DEC-94 |
| MIL-S-19500/323D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N3250A, 2N3251A, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS AV CG MC MI NA SM] | A 5961 | CC | 15-SEP-93 |
| MIL-S-19500/329C NOT 1 | SEMICONDUCTOR DEVICE, DIODE SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES 1N4801A THROUGH 1N4815A AND 1N4801B THROUGH 1N4815B JAN, JANTX AND JANTXV [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR CG MC MI SH] | A 5961 | CC | 06-JUL-90 |
| MIL-S-19500/330A(5) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR PNP, GERMANIUM TYPES 2N1557A THROUGH 2N1560A [CUST: CR] [REVIEW: 19] | A 5961 | CC | 29-SEP-88 |
| MIL-S-19500/331A(2) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N1553A THROUGH 2N1556A [CUST: CR] [REVIEW: 19] | A 5961 | CC | 29-SEP-88 |
| MIL-S-19500/337F(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N4153, 1N4153-1, 1N4153UR-1, AND 1N4534 JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA SM] | A 5961 | CC | 02-JAN-97 |
| MIL-S-19500/338(2) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP GERMANIUM, SWITCHING TYPE 2N3449 [CUST: 17] [REVIEW: 85] | A 5961 | CC | 17-AUG-87 |
| MIL-S-19500/339 | SEMICONDUCTOR DEVICE, DIODE, SILICON, VIDEO DETECTOR TYPES 1N358A, 1N358AR, 1N358AM, AND 1N358AMR [CUST: CR EC 17 CC] [REVIEW: 11 19 85 AR AS CG MC MI] | A 5961 | CC | 17-DEC-65 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/NSA | MCA | Prep. Acty. | Date |
|---------------------------|---|----------------------|-----|-------------|-----------|
| MIL-S-19500/340 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH POWER TYPE 2N2079A [CUST: CR EC 17 CC] [REVIEW: 11 19 85 AS CG MC MI] | A 5961 | CC | | 17-DEC-65 |
| MIL-S-19500/347A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES: 2N3253, 2N3253S, 2N3444, 2N3444S, JAN, AND JANTX [CUST: CR EC 17 CC] [REVIEW: 85 99 AS CG MC SH] | A 5961 | CC | | 30-JUL-93 |
| MIL-S-19500/348D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPE 2N3467, 2N3467L, 2N3468, 2N3468L, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 AR AS AV CG MC MI] | A 5961 | CC | | 06-OCT-93 |
| MIL-S-19500/350D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES: 2N3867, 2N3867S, 2N3868, AND 2N3868S JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | | 26-JUN-95 |
| MIL-S-19500/352(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE IN831A [CUST: CR] [REVIEW: 19 MI] | A 5961 | CC | | 30-SEP-88 |
| MIL-S-19500/354D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES 2N2604 AND 2N2605, JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 13 19 85 AR AS AV CG MC MI NA] | A 5961 | CC | | 01-MAR-95 |
| MIL-S-19500/355D(1) | SEMICONDUCTOR DEVICE, UNITIZED DUAL TRANSISTOR, NPN, SILICON TYPES 2N2919, 2N2920, 2N2919L AND 2N2920L JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 13 19 85 99 AR AS CG MC MI NA SM] | A 5961 | CC | | 15-JUN-94 |
| MIL-S-19500/357D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER TYPES 2N3634 THROUGH 2N3637, 2N3634L THROUGH 2N3637L JANTX, JANTXV, AND JANS [CUST: CR EC 17 NA] [REVIEW: 19 85 AR AS CG MC MI SM] | A 5961 | CC | | 15-MAY-95 |
| MIL-S-19500/358D | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR B AND RB, TYPES IN3305, THROUGH IN3350, IN4549 THROUGH IN4554 JAN, JANTX, JANTXV, AND JANS [CUST: CR 17] [REVIEW: 80 85 99 NA] | A 5961 | CC | | 26-MAY-94 |
| MIL-S-19500/359D(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER, IN4942, IN4944, IN4946, IN4947, AND IN4948 JAN, JANTX, AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 19 70 85 AR AS CG MC MI SM] | A 5961 | CC | | 25-FEB-94 |
| MIL-S-19500/362 NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES IN1132 AND IN1132R [CUST: 17] [REVIEW: 11 19 85] | A 5961 | CC | | 07-DEC-92 |
| MIL-S-19500/364(2) | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, MIXER TYPE IN1838 [CUST: CR EC 17 CC] [REVIEW: 19 AS CG MC MI] | A 5961 | CC | | 16-NOV-71 |
| MIL-S-19500/368C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N3439, 2N3439L, 2N3440, AND 2N3440L JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AS CG MC MI SM] | A 5961 | CC | | 03-JAN-94 |
| MIL-S-19500/369B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES: 2N3441, JANTX [CUST: CR EC 17 CC] [REVIEW: 13 19 80 AR AS AV CG MC MI OS SH SM] | A 5961 | CC | | 21-OCT-91 |
| MIL-S-19500/370C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPE 2N3442, JAN, JANTX AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI] | A 5961 | CC | | 25-SEP-94 |
| MIL-S-19500/371C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N3902 AND 2N5157 JAN AND JANTX [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AS CG MC NA] | A 5961 | CC | | 27-MAR-95 |
| MIL-S-19500/372A(6) | SEMICONDUCTOR DEVICE, THYRISTOR (CONTROLLED RECTIFIER), SILICON TYPES 2N4199 THROUGH 2N4206 [CUST: CR] | A 5961 | CC | | 02-SEP-91 |
| MIL-S-19500/373A(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON SWITCHING TYPES 2N914 AND TX2N914 [CUST: 17] [REVIEW: 11 13 19 85 AS CG MC MI OS] | A 5961 | CC | | 17-AUG-87 |
| MIL-S-19500/374C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPES 2N3996 THROUGH 2N3999, JAN, JANTX, JANTXV, JANS, JANHC AND JANKC [CUST: CR EC 17] [REVIEW: 85 99 AV] | A 5961 | CC | | 01-MAY-95 |
| MIL-S-19500/375C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD-EFFECT, N-CHANNEL, DEPLETION MODE, SILICON TYPES 2N3821, 2N3822, 2N3823 JANTX, JANTXV AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | | 11-AUG-95 |
| MIL-S-19500/376C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N2484 JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 AR AS CG MC MI SH SM] | A 5961 | CC | | 09-AUG-93 |
| MIL-S-19500/378B | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N2497 THROUGH 2N2500, 2N3329 THROUGH 2N3332, JANTX [CUST: CR EC 17] [REVIEW: 11 19 AS CG MC MI] | A 5961 | CC | | 21-JUN-90 |
| MIL-S-19500/380B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N4865, 2N5250, 2N5251, JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 04-JUN-91 |
| MIL-S-19500/381 NOT 2 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, JAN, JANTX AND JANTXV TYPES 2N2034, 2N2858, 2N2859 AND 2N2911 [CUST: 17] [REVIEW: 19] | A 5961 | CC | | 18-SEP-68 |
| MIL-S-19500/382B(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPE 2N2944A, 2N2945A, AND 2N2946A JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AV] | A 5961 | CC | | 01-MAY-95 |
| MIL-S-19500/383A | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES IN5139A THROUGH IN5148A NON-TX, TX, AND TXV [CUST: EC 17] [REVIEW: 85 99 AS CG MC SH] | A 5961 | CC | | 02-MAR-93 |
| MIL-S-19500/388A | SEMICONDUCTOR DEVICE, TRANSISTOR, PN, SILICON, UNIJUNCTION TYPES 2N4947, 2N4948 & 2N4949 JAN, JANTX, JANTXV, & JANS [CUST: CR EC 17 CC NA] [REVIEW: 11 13 19 80 85 AS AV MC MI SH SM] | A 5961 | CC | | 11-JUL-83 |
| MIL-S-19500/390 NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, DOUBLE-EMITTER TYPES 3N74, TX3N74, 3N75, TX3N75, 3N76, TX3N76, 3N127, TX3N127 [CUST: 17] [REVIEW: 11 19 85 EC] | A 5961 | CC | | 09-SEP-86 |
| MIL-S-19500/392C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPE 2N3485A, 2N3486A, JANTX AND JANTXV [CUST: CR EC 17] [REVIEW: 13 19 80 85 AR AS AV CG MC MI OS SH SM] | A 5961 | CC | | 07-NOV-94 |
| MIL-S-19500/393A(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON POWER TYPES 2N3418, 2N3418S, 2N3419, 2N3419S, 2N3420, 2N3420S, 2N3421, 2N3421S JAN, JANTX, JANTXV AND JANS [CUST: CR EC CC NA] [REVIEW: 85 AR] | A 5961 | CC | | 21-OCT-91 |
| MIL-S-19500/395C(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPES 2N3735, 2N3735L, AND 2N3737, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | | 26-JAN-96 |
| MIL-S-19500/396D | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N3762, 2N3762L, 2N3763, 2N3763L, 2N3764, AND 2N3765 JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AS CG MC MI] | A 5961 | CC | | 30-DEC-93 |
| MIL-S-19500/397D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON TYPES 2N3743, 2N4930, AND 2N4931 JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR 17 CC] [REVIEW: 85 99] | A 5961 | CC | | 03-AUG-95 |
| MIL-S-19500/399A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N3960, JANTX AND JANTXV [CUST: CR EC 17] [REVIEW: 19 85 AR AS CG MC MI] | A 5961 | CC | | 06-SEP-91 |
| MIL-S-19500/402B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPE 2N3739 JANTX AND JANTXV [CUST: CR EC 17] [REVIEW: 13 19 85 AR AS AV CG MC MI NA SH SM] | A 5961 | CC | | 08-APR-93 |
| MIL-S-19500/403(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPE IN4500, JAN AND JANTX [CUST: 17] [REVIEW: 11 19 85] | A 5961 | CC | | 20-JUN-90 |
| MIL-S-19500/404B(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER, MODULE HIGH VOLTAGE, IN5597, IN5600, IN5603, JANTX AND JANTXV [CUST: CR EC 17] [REVIEW: 70 80 85 AS CG MC OS] | A 5961 | CC | | 20-DEC-91 |
| MIL-S-19500/406C(1) | SEMICONDUCTOR DEVICES, DIODE, SILICON, VOLTAGE REGULATOR TYPES IN4460, IN4460C, IN4460D THROUGH IN4496, IN4496C, IN4496D AND IN6485, IN6485C, IN6485D THROUGH IN6491, IN6491C, IN6491D IN4460US, IN4460CUS, IN460DUS THROUGH IN4496US, IN4496CUS, IN4496DUS AND IN6485US, IN6485CUS, IN6485DUS THROUGH IN6491US, IN6491CUS, IN6491DUS PLUS C AND D TOLERANCE SUFFIX; JAN, JANTX, JANTXV [CUST: CR EC 17 CC] [REVIEW: 13 19 85 AR AS CG MC MI NA SM] | A 5961 | CC | | 07-SEP-94 |
| MIL-S-19500/407B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPE 2N3055 JAN AND JANTX [CUST: CR EC 17 CC] [REVIEW: 13 19 80 85 99 AR AS AV CG MC MI NA SM] | A 5961 | CC | | 01-SEP-94 |
| MIL-S-19500/411G | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY IN5415 THROUGH IN5420, IN5415US THROUGH IN5420US, JAN, JANTX, JANTXV, JANS, JANTXVM, JANTXVD, JANTXVR, JANTXVH, JANSJ, JANSJ, JANSR, AND JANSJ [CUST: CR EC 17] [REVIEW: 19 80 85 99 AR AS AV CG MC MI NA SM] | A 5961 | CC | | 01-FEB-94 |
| MIL-S-19500/412A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N3846, 2N3847, JANTX, JANTXV AND JANS [CUST: 17] [REVIEW: 11 85] | A 5961 | CC | | 19-JUN-90 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Avs | MCA | Prep. Acty. | Date |
|--------------------------|---|-------------------------|-----|-------------|-----------|
| MIL-S-19500/413B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N3771 AND 2N3772, JANTX, AND JANTXV [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99] | A 5961 | CC | | 24-MAR-93 |
| MIL-S-19500/414B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER TYPE 2N5241, JAN, JANTX & JANTXV [CUST: CR EC 17] [REVIEW: 11 19 85 AR AS AV CG MC MI OS] | A 5961 | CC | | 05-AUG-83 |
| MIL-S-19500/415(2) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER TYPE JAN2N2812, JANTX2N2812, JAN2N2814 AND JANTX2N2814 [CUST: 17] [REVIEW: 11 19 85 99] | A 5961 | CC | | 09-SEP-86 |
| MIL-S-19500/419(2) | SEMICONDUCTOR DEVICE, THYRISTOR (CONTROLLED RECTIFIER), SILICON TYPES 2N3027 THROUGH 2N3032, AND TX2N3027 THROUGH TX2N3032 [CUST: CR] | A 5961 | CC | | 29-JUN-90 |
| MIL-S-19500/420D | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER, RECTIFIER, GENERAL PURPOSE TYPES 1N5550 THROUGH 1N5554, 1N5550US THROUGH 1N5554US JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17] [REVIEW: 19 80 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 22-JUL-94 |
| MIL-S-19500/425(4) | SEMICONDUCTOR DEVICE, TRANSISTOR, PN, SILICON, UNIJUNCTION JAN2N5431, AND JANTX2N5431 [CUST: 17] [REVIEW: 85] | A 5961 | CC | | 10-SEP-90 |
| MIL-S-19500/428B | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, N-CHANNEL SILICON, TYPE 2N4416A JANTX, JANTXV AND JANS [CUST: EC 17] [REVIEW: 19 85 99 MC] | A 5961 | CC | | 05-MAR-93 |
| MIL-S-19500/429E(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY TYPES 1N5615, 1N5617, 1N5619, 1N5621, 1N5623, 1N5615UL, 1N5617UL, 1N5619UL, 1N5621UL, 1N5623UL, 1N5615US, 1N5617US, 1N5619US, 1N5621US, 1N5623US, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 NA] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 02-JUN-95 |
| MIL-S-19500/430A(1) | SEMICONDUCTOR DEVICE, DUAL FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2N5545, 2N5546, AND 2N5547, JAN, JANTX, AND JANTXV [CUST: CR 17 CC] [REVIEW: 19 85 99 MI] | A 5961 | CC | | 21-MAR-94 |
| MIL-S-19500/431A | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2N4091, 2N4092, AND 2N4093, JANTX AND JANTXV [CUST: 17] [REVIEW: 19 85 99] | A 5961 | CC | | 22-JUL-93 |
| MIL-S-19500/432 | SEMICONDUCTOR DEVICE, DIODE, SILICON, JAN1N5624 THROUGH JAN1N5627 AND JANTX1N5624 THROUGH JANTX1N5627 [CUST: 17] [REVIEW: 11 19 99] | A 5961 | CC | | 03-APR-70 |
| MIL-S-19500/433D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER TYPE 2N4399 AND 2N5745 JANTX, JANTXV AND JANS [CUST: CR EC 17] [REVIEW: 13 19 99 AR AS CG MC MI NA SM] | A 5961 | CC | | 26-MAY-94 |
| MIL-S-19500/434B(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N5610 THROUGH 1N5613 JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA SM] | A 5961 | CC | | 23-NOV-94 |
| MIL-S-19500/435D(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW-NOISE VOLTAGE REGULATOR TYPES 1N4099-1, 1N4099C-1, 1N4099D-1 THROUGH 1N4135-1, 1N4135C-1, 1N4135D-1, 1N4614-1, 1N4614C-1, 1N4614D-1 THROUGH 1N4627-1, 1N4627C-1, 1N4627D-1, 1N4099UR-1, 1N4099CUR-1, 1N4099DUR-1 THROUGH 1N4135UR-1, 1N4135CUR-1, 1N4135DUR-1, 1N4614UR-1, 1N4614CUR-1, 1N4614DUR-1 THROUGH 1N4627UR-1, 1N4627CUR-1, [CUST: CR EC 17 CC NA] [REVIEW: 19 70 80 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | | 18-AUG-95 |
| MIL-S-19500/436(5) | SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES 1N5461B THRU 1N5476B AND 1N5461C THRU 1N5476C JAN, JANTX AND JANTXV [CUST: 17] [REVIEW: 11 19 99] | A 5961 | CC | | 09-JAN-84 |
| MIL-S-19500/438(1) | SEMICONDUCTOR DEVICE, TRIODE THYRISTOR (BI-DIRECTIONAL), SILICON, TYPES 2N5806 THROUGH 2N5809 [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AV CG MC MI SH] | A 5961 | CC | | 24-AUG-88 |
| MIL-S-19500/439D(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN SILICON, HIGH-POWER TYPES 2N5038 AND 2N5039 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC CC NA] [REVIEW: 13 19 80 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 13-SEP-95 |
| MIL-S-19500/440A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPE 2N5927, JANTX AND JANTXV [CUST: CR] | A 5961 | CC | | 11-JAN-93 |
| MIL-S-19500/442(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HI FREQUENCY POWER TYPES 2N5071 AND TX2N5071 [CUST: CR] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 22-MAR-72 |
| MIL-S-19500/443A | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPE 1N5719 JANTX AND JANTXV [CUST: CR EC 17] [REVIEW: 13 19 70 80 85 99 AR AS CG MC MI OS SH SM] | A 5961 | CC | | 20-OCT-93 |
| MIL-S-19500/444C(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N5711-1 AND 1N5711UR-1 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA SM] | A 5961 | CC | | 15-APR-94 |
| MIL-S-19500/445C(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N5712-1, 1N5712UR-1, AND 1N5712UR-1 JAN, JANTX, JANTXV, JANS, JANHC AND JANKC [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA SM] | A 5961 | CC | | 15-APR-94 |
| MIL-S-19500/446A | SEMICONDUCTOR DEVICE, SILICON, HIGH-POWER, SINGLE PHASE, FULL WAVE BRIDGE RECTIFIER, JAN, JANTX, AND JANTXV TYPE SPA25, SPB25, SPC25, SPD25 [CUST: CR EC 17 CC] [REVIEW: 19 85 99 MI NA] | A 5961 | CC | | 19-AUG-94 |
| MIL-S-19500/447A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPE 2N5926, JANTX AND JANTXV [CUST: CR] | A 5961 | CC | | 11-JAN-93 |
| MIL-S-19500/448A | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPE 2N4405 JANTX [CUST: 17] [REVIEW: 13 19 85 99] | A 5961 | CC | | 29-MAR-93 |
| MIL-S-19500/454B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON POWER TYPES 2N5660, 2N5661, 2N5662, AND 2N5663, JANTX, AND JANTXV [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS CG MC MI OS SM] | A 5961 | CC | | 01-NOV-93 |
| MIL-S-19500/456C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPE 2N5302 AND 2N5303, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC MI SM] | A 5961 | CC | | 18-NOV-93 |
| MIL-S-19500/460(2) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, GALLIUM ARSENIDE, MIXER TYPE 1N5764, 1N5764M AND 1N5764MR [CUST: CR] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 11-FEB-85 |
| MIL-S-19500/466A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPE 2N5683, 2N5684, JANTX, AND JANTXV [CUST: 17] [REVIEW: 13 19 85] | A 5961 | CC | | 26-AUG-94 |
| MIL-S-19500/467(2) | SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING TYPES JAN1N5765 AND JANTX1N5765 [CUST: CR EC 17] [REVIEW: 11 19 99 AR AS CG MC MI SH] | A 5961 | CC | | 24-MAY-77 |
| MIL-S-19500/472A(1) | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPE 2N6350, TX2N6350, 2N6352, 2N6353 AND TX2N6353 [CUST: CR CC NA] [REVIEW: AV] | A 5961 | CC | | 20-JAN-83 |
| MIL-S-19500/476(2) NOT 1 | SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPES 2N5114 THROUGH 2N5116 AND TX2N5114 THROUGH TX2N5116 [CUST: 17 CC NA] [REVIEW: 11 13 19 85 AV] | A 5961 | CC | | 17-AUG-87 |
| MIL-S-19500/477B(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER, TYPES 1N5802, 1N5804, 1N5806, 1N5807, 1N5809, AND 1N5811, 1N5802US, 1N5804US, 1N5806US, 1N5807US, 1N5809US, AND 1N5811US JAN, JANTX, JANTXV, JANS, AND JANC [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS AV CG MC MI NA SM] | A 5961 | CC | | 20-JUL-94 |
| MIL-S-19500/483A | SEMICONDUCTOR DEVICE, SILICON, HIGH-POWER, THREE PHASE, FULL WAVE BRIDGE RECTIFIER PART NUMBERS M19500/483-01 THROUGH M19500/483-04 JANTX [CUST: CR EC 17 CC] [REVIEW: 19 80 85 AR AS CG MC NA SM] | A 5961 | CC | | 20-NOV-94 |
| MIL-S-19500/484(1) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, GENERAL PURPOSE TX AND NON-TX TYPES 1N5835 AND 1N5836 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 06-JUL-90 |
| MIL-S-19500/485E | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES: 2N5415, 2N5415S, 2N5416, AND 2N5416S JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99] | A 5961 | CC | | 18-APR-95 |
| MIL-S-19500/488B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER TYPES 2N5671, & 2N5672, JAN, JANTX, & JANTXV [CUST: CR EC 17 CC NA] [REVIEW: 11 13 19 80 AR MI SH SM] | A 5961 | CC | | 18-FEB-88 |
| MIL-S-19500/493A(3) | SEMICONDUCTOR DEVICE, PNP, THYRISTOR, SILICON, (PROGRAMMABLE UNIJUNCTION TRANSISTOR), TYPES: 2N6116, 2N6117, 2N6118, 2N6137, 2N6138, JAN, JANTX, AND JANTXV [CUST: CR] | A 5961 | CC | | 29-SEP-92 |
| MIL-S-19500/496A(2) | SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, PNP, SILICON, TYPES 2N5795 2N5796, AND 2N5796U, JANTX AND JANTXV [CUST: 17 CC] [REVIEW: 13 19 85 99] | A 5961 | CC | | 21-JUN-96 |
| MIL-S-19500/504B | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPES 2N6283 AND 2N6284, JANTX AND JANTXV [CUST: 17] [REVIEW: 13 19 85 99] | A 5961 | CC | | 10-AUG-93 |
| MIL-S-19500/505A(1) | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, POWER TYPE 2N6286, 2N6287, JANTX, AND JANTXV [CUST: 17 CC] [REVIEW: 19 85 99] | A 5961 | CC | | 04-APR-95 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution | FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------------|--|--------------|----------|-----|-------------|------|
| | MIL-S-19500/507B(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, BIPOLAR TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N6036A THROUGH 1N6072A JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 19 99 MI NA] | A | 5961 | CC | 05-JAN-95 | |
| | MIL-S-19500/508A | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N6437 AND 2N6438, JANTX AND JANTXV [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI SH] | A | 5961 | CC | 30-NOV-93 | |
| | MIL-S-19500/509B(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6338 AND 2N6341 JANS, JANTX, AND JANTXV [CUST: CR 17] [REVIEW: 80 85 99 NA] | A | 5961 | CC | 01-MAR-95 | |
| | MIL-S-19500/511B(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N4261 JAN, JANTX, JANTXV, AND JANS [CUST: 17 CC NA] [REVIEW: 13 19 85 99] | A | 5961 | CC | 23-JUN-95 | |
| | MIL-S-19500/514A(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6274 AND 2N6277, JANTX AND JANTXV [CUST: CR EC 17] [REVIEW: 85] | A | 5961 | CC | 26-AUG-94 | |
| | MIL-S-19500/515B | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON POWER TYPE 2N6378, 2N6379, JANTX, JANTXV, AND JANC [CUST: CR EC 17] [REVIEW: 13 19 85 99 AS AV CG MC MI SH SM] | A | 5961 | CC | 15-MAR-93 | |
| | MIL-S-19500/516C | SEMICONDUCTOR DEVICE, DIODE SILICON, BIPOLAR TRANSIENT VOLTAGE SUPPRESSOR, TYPES 1N6102 THROUGH 1N6137, 1N6102A THROUGH 1N6137A, 1N6138 THROUGH 1N6173, 1N6138A THROUGH 1N6173A, 1N6102US THROUGH 1N6137US, 1N6102AUS THROUGH 1N6137AUS, 1N6138US THROUGH 1N6173US, 1N6138AUS THROUGH 1N6173AUS, JAN, JANTX, JANTXV, JANHC, JANKC, AND JANS [CUST: CR EC 17] [REVIEW: 85 NA] | A | 5961 | CC | 20-JAN-95 | |
| | MIL-S-19500/518B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPE 2N3766, 2N3767 JAN, JANTX, AND JANTXV [CUST: 17 CC] [REVIEW: 19 85 99] | A | 5961 | CC | 21-NOV-94 | |
| | MIL-S-19500/519B(1) | SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING, RED TYPES JANIN6092, JANTXIN6092, JANIN6609 (CLEAR LENS), JANTXIN6609 (CLEAR LENS), AND PANEL MOUNT ASSEMBLY TYPES JANM19500/51901, JANTXM19500/51902, JANM19500/51903 (CLEAR LENS), AND JANTXM19500/51904 (CLEAR LENS) [CUST: CR] | A | 5980 | CC | 10-SEP-93 | |
| | MIL-S-19500/520B | SEMICONDUCTOR DEVICES, DIODE, LIGHT EMITTING, YELLOW TYPES JANIN6093, JANTXIN6093, JANIN6610 (CLEAR LENS), JANTXIN6610 (CLEAR LENS), AND PANEL MOUNT ASSEMBLY TYPES JANM19500/52001, JANTXM19500/52002, JANM19500/52003 (CLEAR LENS), AND JANTXM19500/52004 (CLEAR LENS) [CUST: CR] | A | 5980 | CC | 20-APR-92 | |
| | MIL-S-19500/521B(1) | SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING, GREEN TYPES JANIN6094, JANTXIN6094, JANIN6611 (CLEAR LENS), JANTXIN6611 (CLEAR LENS), AND PANEL MOUNTED ASSEMBLY TYPES JANM19500/52101, JANTXM19500/52102, JANM19500/52103 (CLEAR LENS), AND JANTXM19500/52104 (CLEAR LENS) [CUST: CR] [REVIEW: AR MI SM] | A | 5980 | CC | 08-AUG-94 | |
| | MIL-S-19500/522(5) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY DEVICE TYPES: JAN 2N6603 AND TXV 2N6603 JAN 2N6604 AND TXV 2N6604 [CUST: CR] | A | 5961 | CC | 14-FEB-89 | |
| | MIL-S-19500/523A | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPES 2N6383, 2N6384, 2N6385, JANTX, AND JANTXV [CUST: CR EC 17] [REVIEW: 13 19 85 99 NA] | A | 5961 | CC | 21-JUL-93 | |
| | MIL-S-19500/525A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6546, 2N6547, JAN, JANTX, AND JANTXV [CUST: 17 CC NA] [REVIEW: 13 19 85 99] | A | 5961 | CC | 30-MAR-94 | |
| | MIL-S-19500/526C | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N3879 JANTX AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99] | A | 5961 | CC | 20-MAR-95 | |
| | MIL-S-19500/527A(1) | SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, POWER TYPES 2N6648, 2N6649 AND 2N6650 JANTX AND JANTXV [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 MC NA] | A | 5961 | CC | 08-FEB-95 | |
| | MIL-S-19500/528 NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6032 AND 2N6033 NON-TX, TX, AND TXV [CUST: 17] [REVIEW: 11 19 85 99] | A | 5961 | CC | 07-DEC-92 | |
| | MIL-S-19500/529(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, SILICON TYPE 2N3904 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A | 5961 | CC | 06-JUL-90 | |
| | MIL-S-19500/530 NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, SILICON TYPE 2N3906 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A | 5961 | CC | 06-JUL-90 | |
| | MIL-S-19500/533D(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, ZENER, VOLTAGE REGULATOR, SOLID GLASS NONCAVITY CONSTRUCTION, TYPES 1N6309 THROUGH 1N6355; 1N6309US THROUGH 1N6360US; PLUS C AND D TOLERANCE SUFFIX: JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 19 85 NA TD] | A | 5961 | CC | 15-APR-94 | |
| | MIL-S-19500/536(3) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6671, AND 2N6673 JAN, JANTX, AND JANTXV [CUST: 17] [REVIEW: 11 19 85 99] | A | 5961 | CC | 07-DEC-92 | |
| | MIL-S-19500/537(2) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6674, 2N6675, 2N6689, AND 2N6690 JAN, JANTX, AND JANTXV [CUST: 17] [REVIEW: 11 19 85 99] | A | 5961 | CC | 07-DEC-92 | |
| | MIL-S-19500/538(3) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPES 2N6676, 2N6678, 2N6691, AND 2N6693 JAN, JANTX, AND JANTXV [CUST: 17] [REVIEW: 19 85 99] | A | 5961 | CC | 17-SEP-90 | |
| | MIL-S-19500/544A | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N5152, 2N5154, 2N5152L, 2N5154L, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: 17] [REVIEW: 19 85 99] | A | 5961 | CC | 21-JAN-94 | |
| | MIL-S-19500/545A | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N5151, 2N5153, 2N5151L, 2N5153L, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: 17] [REVIEW: NA] | A | 5961 | CC | 15-JAN-94 | |
| | MIL-S-19500/547A(1) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N6660 AND 2N6661 JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 13 19 85 99 TD] | A | 5961 | CC | 03-AUG-91 | |
| | MIL-S-19500/550A | SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST-RECOVERY, HIGH CURRENT TYPES 1N6304, 1N6305, 1N6306, AND R TYPES JAN, JANTX, JANTXV, JANHC, AND JANKC [CUST: CR EC 17 CC] [REVIEW: 13 19 80 85 99 AR AS CG MC MI NA SM] | A | 5961 | CC | 30-JUN-94 | |
| | MIL-S-19500/551B(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N6461 THROUGH 1N6468 AND 1N6461US THROUGH 1N6468US JAN, JANTX, JANTXV, JANHC AND JANKC [CUST: CR EC 17 CC] [REVIEW: 13 19 85 NA] | A | 5961 | CC | 29-APR-95 | |
| | MIL-S-19500/552A(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N6469 THROUGH 1N6476 JAN, JANTX, AND JANTXV [CUST: 17 CC] [REVIEW: 13 19 85 99] | A | 5961 | CC | 12-FEB-96 | |
| | MIL-S-19500/558B(1) | SEMICONDUCTOR DEVICE, UNITIZED, PNP, SILICON, SWITCHING FOUR TRANSISTOR ARRAY TYPES 2N6987, 2N6987U, AND 2N6988, JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A | 5961 | CC | 29-JAN-96 | |
| | MIL-S-19500/560B | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N5339 JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR] | A | 5961 | CC | 02-SEP-94 | |
| | MIL-S-19500/561B | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPE 2N6193, JANTX, JANTXV, JANS, AND JANHC, AND JANKC [CUST: CR EC 17] [REVIEW: 99 NA] | A | 5961 | CC | 08-SEP-94 | |
| | MIL-S-19500/562B | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPES 2N6804 AND 2N6806 JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC NA] [REVIEW: 19 70 80 TD] | A | 5961 | CC | 07-JAN-94 | |
| | MIL-S-19500/565A(2) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N6895, 2N6896, 2N6897 AND 2N6898 JANTX, JANTXV AND JANS [CUST: CR EC 17] [REVIEW: 11 13 19 85 99 AM AR AS CG MC MI OS] | A | 5961 | CC | 02-JUL-91 | |
| | MIL-S-19500/566A(3) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON LOGIC-LEVEL, TYPES 2N6902 AND 2N6904 JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 11 13 19 85 AR AS CG MC MI OS SM] | A | 5961 | CC | 27-MAR-91 | |
| | MIL-S-19500/567 NOT 1 | SEMICONDUCTOR DEVICE, DIODE SILICON SCHOTTKY BARRIER, FAST RECOVERY TYPE 1N6492 JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR MI SH] | A | 5961 | CC | 07-DEC-92 | |
| | MIL-S-19500/569(3) | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2N6966, 2N6967, 2N6968, AND 2N6969 JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 11 19 70 80 TD] | A | 5961 | CC | 12-JUN-92 | |
| | MIL-S-19500/570A | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON LOGIC-LEVEL, TYPES 2N6901, AND 2N6903 JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 13 19 85 AR AS CG MC MI OS SH SM] | A | 5961 | CC | 31-MAR-93 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Aves | MCA | Prep. Acty. | Date |
|---------------------|---|-----------------------|-----|-------------|------|
| MIL-S-19500/571A | SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, MOS, N-CHANNEL, SILICON TYPES 2N7104, 2N7105, 2N7108, 2N7109, JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 13 19 85 99 AR AS CG MC MI OS SM] | A 5961 | CC | 01-NOV-93 | |
| MIL-S-19500/572A | SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING TYPES 1N6493, 1N6494, 1N6495, 1N6500, 1N6501, AND 1N6502 JANTX [CUST: 17 CC] [REVIEW: 85 99] | A 5980 | CC | 23-NOV-94 | |
| MIL-S-19500/573 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP SILICON, SWITCHING TYPE 2N4209 JANTX, JANTXV, AND JANS [CUST: CR EC 17] | A 5961 | CC | 12-JAN-88 | |
| MIL-S-19500/574A | SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING TYPES 1N6497, 1N6498, 1N6499, 1N6503, 1N6504, AND 1N6505 JANTX [CUST: 17 CC] [REVIEW: 85 99] | A 5980 | CC | 01-DEC-94 | |
| MIL-S-19500/575A(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, HIGH VOLTAGE, TYPES 1N6512 THROUGH 1N6519, 1N6512US THROUGH 1N6519US JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS AV CG MC SM] | A 5961 | CC | 08-DEC-95 | |
| MIL-S-19500/576A(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, HIGH VOLTAGE, TYPES 1N6520 THROUGH 1N6527, 1N6520US THROUGH 1N6527US, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 13 19 85 99 AR AS AV CG MC SM] | A 5961 | CC | 08-DEC-95 | |
| MIL-S-19500/577 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, HIGH VOLTAGE TYPES 1N6528 THROUGH 1N6535 JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 11 13 19 85 AR AS AV CG MC MI NA OS SM] | A 5961 | CC | 05-APR-89 | |
| MIL-S-19500/579(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT DMOS, QUAD N-CHANNEL TYPES 2N7116, 2N7117, AND 2N7118, JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 13 19 85 99 AR AS CG MC MI NA OS SH SM] | A 5961 | CC | 01-AUG-91 | |
| MIL-S-19500/580 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER, TYPES JANTX AND JANTXV, 2N4234, 2N4235, AND 2N4236 [CUST: CR EC 17 CC] [REVIEW: 11 13 19 85 AR AS CG MC MI OS SM] | A 5961 | CC | 23-APR-90 | |
| MIL-S-19500/581 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, AMPLIFIER, TYPES JANTX AND JANTXV 2N4237, 2N4238 AND 2N4239 [CUST: CR EC 17 CC] [REVIEW: 11 13 19 85 AR AS CG MC MI OS SM] | A 5961 | CC | 23-APR-90 | |
| MIL-S-19500/582 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER, TYPES: JANTX AND JANTXV, 2N5679, AND 2N5680 [CUST: CR EC 17 CC] [REVIEW: 11 13 19 85 AR AS CG MC MI OS SM] | A 5961 | CC | 03-MAY-90 | |
| MIL-S-19500/583 | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, AMPLIFIER, TYPES JANTX AND JANTXV, 2N5681 AND 2N5682 [CUST: CR EC 17 CC] [REVIEW: 11 13 19 85 AR AS CG MC MI OS SM] | A 5961 | CC | 23-APR-90 | |
| MIL-S-19500/584 | SEMICONDUCTOR DEVICE, RF POWER TRANSISTOR, NPN, SILICON, PUSH-PULL TYPES JANTX, JANTXV, AND JANS 2N6985 AND 2N6986 [CUST: CR EC 17 CC] [REVIEW: 11 13 19 85 AR AS CG MC MI OS SM] | A 5961 | CC | 25-JUL-90 | |
| MIL-S-19500/585(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, ULTRA-FAST RECOVERY, HIGH VOLTAGE, POWER RECTIFIER, 1N6620 THROUGH 1N6625 AND U SUFFIX VERSIONS, JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 13 19 85 AR AS CG MC MI NA SM] | A 5961 | CC | 18-NOV-93 | |
| MIL-S-19500/587(3) | SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1N6661, 1N6662, 1N6663, 1N6661US, 1N6662US, AND 1N6663US JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS AV CG MC MI SH] | A 5961 | CC | 18-AUG-95 | |
| MIL-S-19500/590(1) | SEMICONDUCTOR DEVICE, DIODE, SILICON, ULTRA-FAST RECOVERY, HIGH VOLTAGE, POWER RECTIFIER, 1N6626 THROUGH 1N6631 AND U SUFFIX VERSIONS, JANTX, JANTXV, AND JANS [CUST: CR EC 17] [REVIEW: 13 19 85 AR AS CG MC MI NA SM] | A 5961 | CC | 18-NOV-93 | |
| MIL-S-19500/594(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, LOW LEAKAGE, TYPES 1N6664 THRU 1N6666, AND 1N6664R THRU 1N6666R JAN, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | 01-AUG-95 | |
| MIL-S-19500/597B | SEMICONDUCTOR DEVICE, QUAD, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPE 2N7334 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS CG MC MI NA SM] | A 5961 | CC | 05-APR-95 | |
| MIL-S-19500/604(1) | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE CHARACTERIZATION ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7272, 2N7275, 2N7278, AND 2N7281 JANTXVM, D, R, AND JANS, D AND R [CUST: CR EC 17 CC NA] [REVIEW: 19 70 80 TD] | A 5961 | CC | 24-MAR-97 | |
| MIL-S-19500/614 | SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N7380 AND 2N7381 JANTXV M, D, R, F, G, AND H JANS M, D, R, F, G, AND H [CUST: CR EC 17] [REVIEW: 13 19 85 99 AR AS CG MC MI NA OS SM] | A 5961 | CC | 10-JAN-94 | |
| MIL-S-19500/626 | SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, ULTRAFAST, TYPES 1N6686, 1N6687, 1N6688US, AND 1N6687US, JANTX, JANTXV, AND JANS [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA SM] | A 5961 | CC | 18-NOV-94 | |
| MIL-C-19516G(1) | COAT, MAN'S: POLYESTER/WOOL, GABARDINE; BLUE [CUST: MC CT] | A 8405 | CT | 04-MAY-92 | |
| MIL-A-19521B | ANODE RETAINING SUPPORT PLUGS AND ANODE SELECTION AND INSTALLATION DESIGN CRITERIA FOR SHIPBOARD CONDENSERS AND HEAT EXCHANGERS [CUST: SH] | A 5340 | SH | 04-MAY-92 | |
| MIL-R-19523B | RELAYS, CONTROL [CUST: SH] [REVIEW: CC] | A 5945 | SH | 30-MAR-90 | |
| MIL-P-19550B NOT 1 | PRESERVATIVE TREATMENT PLYWOOD (SHIP AND BOAT USE) [CUST: SH] [REVIEW: AR CC] | A 5530 | SH | 24-JUL-89 | |
| MIL-S-19551B | SEARCHLIGHT, INCANDESCENT LAMP AND MERCURY-XENON VAPOR LAMP, SIGNALING, 12-INCH [CUST: SH] | A 6230 | SH | 30-NOV-77 | |
| MIL-S-19557D | STARTER, AIRCRAFT ENGINE, AIR TURBINE [CUST: AS] | A 2995 | AS | 29-JAN-88 | |
| MIL-S-19557/6(1) | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-24 [CUST: AS] | A 2995 | AS | 11-AUG-83 | |
| MIL-S-19557/7 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-24-1 [CUST: AS] | A 2995 | AS | 11-SEP-72 | |
| MIL-S-19557/8(1) | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-28 [CUST: AS] | A 2995 | AS | 18-JUL-74 | |
| MIL-S-19557/9 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-29 [CUST: AS] | A 2995 | AS | 11-SEP-72 | |
| MIL-S-19557/10A | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-30 [CUST: AS] | A 2995 | AS | 09-FEB-87 | |
| MIL-S-19557/11 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-31 [CUST: AS] | A 2995 | AS | 17-MAY-85 | |
| MIL-C-19559C | CORD, SERVICE CAP, WOMEN S [CUST: MC CT] [REVIEW: 45] | A 8455 | CT | 16-JUL-84 | |
| MIL-I-19578D NOT 1 | INSIGNIA, GRADE, ENLISTED PERSONNEL, METAL [CUST: NU CT] [REVIEW: 45 MC] | A 8455 | CT | 28-OCT-94 | |
| MIL-M-19595C | MAGNETIC EFFECT LIMITS FOR NON-MAGNETIC EQUIPMENT USED IN THE PROXIMITY OF MAGNETIC INFLUENCE ORDNANCE [CUST: OS] [REVIEW: CC GS] | A NDTI | OS | 07-MAY-87 | |
| MIL-P-19611C | PLATES, AUTOMOBILE, INDIVIDUAL: METAL; EMBLEM, AND STAR (COMMANDANT'S AND GENERAL OFFICER'S, USMC) [CUST: MC CT] | A 8345 | CT | 08-MAY-85 | |
| MIL-S-19622F SUP 1 | STUFFING TUBES, NYLON; AND PACKING ASSEMBLIES; GENERAL SPECIFICATION FOR [CUST: SH] | A 5975 | SH | 11-DEC-92 | |
| MIL-S-19622/1B | STUFFING TUBES, STRAIGHT, NYLON [CUST: SH] | A 5975 | SH | 11-DEC-92 | |
| MIL-S-19622/2C | STUFFING TUBES, 90 DEGREES, NYLON [CUST: SH] | A 5975 | SH | 11-DEC-92 | |
| MIL-S-19622/3B | STUFFING TUBES, NPT, NYLON [CUST: SH] | A 5975 | SH | 11-DEC-92 | |
| MIL-S-19622/4B | STUFFING TUBES, "Y"-TYPE NYLON [CUST: SH] | A 5975 | SH | 11-DEC-92 | |
| MIL-S-19622/14B | STUFFING TUBE, NYLON: PLUG, NEOPRENE [CUST: SH] | A 5975 | SH | 11-DEC-92 | |
| MIL-S-19622/16B | STUFFING TUBE, NYLON, SIZE 1: PACKING ASSEMBLIES FOR [CUST: SH] | A 5330 | SH | 11-DEC-92 | |
| MIL-S-19622/17D | STUFFING TUBE, NYLON, SIZE 2: PACKING ASSEMBLIES FOR [CUST: SH] | A 5330 | SH | 11-DEC-92 | |
| MIL-S-19622/18C | STUFFING TUBE, NYLON, SIZE 3: PACKING ASSEMBLIES FOR [CUST: SH] | A 5330 | SH | 11-DEC-92 | |
| MIL-S-19622/19D | STUFFING TUBE, NYLON, SIZES 4 AND 4T: PACKING ASSEMBLIES FOR [CUST: SH] | A 5330 | SH | 11-DEC-92 | |
| MIL-S-19622/20H | STUFFING TUBE, NYLON, SIZE 5: PACKING ASSEMBLIES FOR [CUST: SH] | A 5330 | SH | 11-DEC-92 | |
| MIL-S-19622/21E | STUFFING TUBE, NYLON, SIZE 6: PACKING ASSEMBLIES FOR [CUST: SH] | A 5330 | SH | 11-DEC-92 | |

| Document Number | Document Title | Distribution FSC/Area | MCA Prog. Acty. | Date |
|-------------------------|---|--------------------------|--------------------|-----------|
| MIL-S-19622/22B | STUFFING TUBE, NYLON, SIZE 7: PACKING AND ASSEMBLIES FOR [CUST: SH] | A 5330 | SH | 11-DEC-92 |
| MIL-S-19622/23C | STUFFING TUBE, NYLON, SIZE 8: PACKING ASSEMBLIES FOR [CUST: SH] | A 5330 | SH | 11-DEC-92 |
| MIL-S-19622/24C | STUFFING TUBE, NYLON, SIZE 9: PACKING ASSEMBLIES FOR [CUST: SH] | A 5330 | SH | 11-DEC-92 |
| MIL-W-19623B | WINDLASS: ANCHOR, ELECTRIC-HYDRAULIC, VERTICAL AND NAVY TYPE, NAVAL SHIPBOARD [CUST: SH] | A 3950 | SH | 11-APR-94 |
| MIL-C-19635(1) | CLOTH, COATED, NON-SLIP TABLE COVERING [CUST: CG CT] | A 8305 | CT | 24-JAN-57 |
| MIL-A-19642B | ALIDADE, TELESCOPIC, MARINE, MARK 8 & ADAPTER RINGS [CUST: SH] | A 6605 | SH | 16-FEB-82 |
| MIL-P-19644C | PLASTIC MOLDING MATERIAL (POLYSTYRENE FOAM, EXPANDED BEAD) [CUST: MR OS 11] [REVIEW: 99 AR AS CR4 EA GS MI SM] | A 9330 | OS | 10-JUL-70 |
| MIL-T-19646A SUP 1 | THERMOMETER, GAS ACTUATED, REMOTE READING [CUST: SH] [REVIEW: GS YD1] | A 6685 | SH | 08-FEB-90 |
| MIL-R-19648C | RELAY, TIME DELAY, THERMAL GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 99 AR AS AT AV CR4 MC MI OS SH] | A 5945 | CC | 27-OCT-86 |
| MIL-R-19648/1E | RELAY, TIME DELAY, THERMAL, HERMETICALLY SEALED ADJUSTABLE, 3 TO 180 SECONDS, FLANGE MOUNT, SPST CONTACTS, 2 AMPERES [CUST: CR EC 85] [REVIEW: 17 19 99 AT AV CR4 MC MI OS] | A 5945 | CC | 18-OCT-74 |
| MIL-S-19653B(2) | SEALING COMPOUND (WOOD BEDDING) [CUST: SH] | A 8030 | SH | 26-AUG-92 |
| MIL-L-19661A(4) | LIGHT, MARKER, PORTABLE, EMERGENCY, AIRFIELD, BATTERY OPERATED, GENERAL SPECIFICATION FOR [CUST: CR4 AS 99] [REVIEW: GS MC] | A 6230 | AS | 19-NOV-70 |
| MIL-C-19663D | CLOTH, WOVEN ROVING, FOR PLASTIC LAMINATE [CUST: SH 99 CT] [REVIEW: AS CG] | A 8305 | CT | 04-AUG-88 |
| MIL-S-19672B(1) | SHOES, SWIM, CORAL [CUST: NU CT] [REVIEW: 45] | A 8430 | CT | 01-MAR-85 |
| MIL-C-19677C | CLASP, NECKTIE: METAL; GOLD COLOR [CUST: MC CT] | A 8455 | CT | 14-NOV-90 |
| MIL-S-19678A | SLIP RING ASSEMBLY MARK 7 MOD 0 (GUN FIRE CONTROL SYSTEM MARK 68) [CUST: OS] | A 1210 | OS | 20-MAY-88 |
| MIL-DTL-19688D | CUMMERBUND, MAN'S - BLACK [CUST: MC] | A 8405 | MC | 16-OCT-97 |
| MIL-P-19692E SUP 1 | PUMPS, HYDRAULIC, VARIABLE FLOW, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 71 CC MI] | A 1650 | AS | 19-SEP-94 |
| MIL-C-19699E | CLOTH, COATED (NYLON TAFFETA) [CUST: NU CT] | A 8305 | CT | 21-APR-92 |
| MIL-L-19701B NOT 1 | LUBRICANT, ALL-WEATHER, SEMI-FLUID, FOR AIRCRAFT ORDNANCE, METRIC [CUST: AS] | A 9150 | AS | 24-OCT-91 |
| MIL-C-19713B | COOLERS, FLUID, BLEED AIR, GAS TURBINE, NAVAL SHIPBOARD [CUST: SH] | A 4420 | SH | 14-FEB-92 |
| MIL-M-19719A | METHYL CENTRALITE (FOR AMMUNITION USE) [CUST: AR OS] [REVIEW: GS] | A 6810 | AR | 05-JUL-60 |
| MIL-C-19729A(2) NOT 1 | COMPUTER, AERIAL PHOTOGRAPHIC DATA | A 6760 | GS | 05-NOV-91 |
| MIL-C-19734C | CARRIER: SWORD SCABBARD [CUST: MC CT] [REVIEW: 45] | A 8465 | CT | 09-OCT-90 |
| MIL-A-19736A(2) | AIR REFUELING SYSTEMS, GENERAL SPECIFICATION FOR [CUST: AV AS] [REVIEW: 99] | A 1680 | AS | 16-MAR-66 |
| MIL-DTL-19772B | VALVES, TEMPERATURE REGULATING, AUTOMATIC, NAVAL SHIPBOARD [CUST: SH] | A 4820 | SH | 09-FEB-96 |
| MIL-C-19794B | CASTABLE MIX, REFRACTORY, THERMAL INSULATING [CUST: SH] [REVIEW: GS] | A 9350 | SH | 25-JUL-89 |
| MIL-P-19834B(2) | PLATE, IDENTIFICATION, METAL FOIL, ADHESIVE BACKED [CUST: AR 99 CC] [REVIEW: 11 AS CR EA GL MC MI OS SA SH] | A 9905 | CC | 13-JUL-83 |
| MIL-C-19836B(1) | COOLERS, FLUID, INDUSTRIAL, AIR, MOTOR AND GENERATOR, NAVAL SHIPBOARD [CUST: SH] [REVIEW: YD1] | A 4420 | SH | 19-DEC-88 |
| MIL-F-19849E | FILLER-BLEEDER, HYDRAULIC BRAKE SYSTEM, AUTOMOTIVE [CUST: AL 99 CC] [REVIEW: AV CR4 MC] | A 4910 | CC | 29-FEB-88 |
| MIL-C-19853D | CARBON REMOVING COMPOUND (FOR USE IN AGITATED TANK) [CUST: AS 11] [REVIEW: GS MS] | A 6850 | AS | 24-MAR-94 |
| MIL-M-19863D | MOUNT, RESILIENT: TYPE 5B5,000H [CUST: SH] [REVIEW: IS] | A 5340 | SH | 08-MAY-91 |
| MIL-A-19865C | AIR CONDITIONER, MECHANICALLY REFRIGERATED [CUST: SH] | A 4120 | SH | 20-MAR-91 |
| MIL-I-19878C | INSIGNIA, BRANCH OF SERVICE: METAL; HOSPITAL CORPSMAN AND DENTAL TECHNICIAN [CUST: MC CT] | A 8465 | CT | 21-DEC-90 |
| MIL-B-19906A(1) | BOMB RACK AND ROCKET LAUNCHER, COMBINATION, AERO 15 SERIES [CUST: AS] | A 1095 | AS | 15-OCT-68 |
| MIL-R-19907D(1) | REPAIR KIT, GLASS REINFORCED PLASTIC LAMINATE [CUST: CR4 SH 99] [REVIEW: AS CG] | A 2090 | SH | 13-AUG-92 |
| MIL-E-19933E(1) | ELECTRODES AND RODS - WELDING, BARE, CHROMIUM AND CHROMIUM-NICKEL STEELS [CUST: SH] [REVIEW: YD1] | A 3439 | SH | 29-SEP-82 |
| MIL-C-19978F SUP 1 | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN METAL, CERAMIC, OR GLASS CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5910 | CC | 31-MAR-94 |
| MIL-C-19978/1D(1) | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN METAL CASES), STYLES CQ08, CQ09, CQ12, AND CQ13 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS SH TD] | A 5910 | CC | 18-NOV-94 |
| MIL-C-19978/2C NOT 1 | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC (HERMETICALLY SEALED IN CERAMIC OR GLASS CASES) STYLE CQ20 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH TD] | A 5910 | CC | 30-AUG-91 |
| MIL-C-19978/3E(2) NOT 1 | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN METAL CASES), STYLE CQ72 [CUST: CR EC 85] [REVIEW: 17 99 AS AT AV CR4 MC MI OS SH] | A 5910 | CC | 22-JUL-91 |
| MIL-C-19978/5A(3) | CAPACITORS, FIXED, PLASTIC DIELECTRIC (HERMETICALLY SEALED IN METAL CASES), STYLES CQ06 AND CQ07 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH TD] | A 5910 | CC | 29-NOV-94 |
| MIL-C-19978/8(4) NOT 1 | CAPACITOR, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED RELIABILITY, STYLE CQR07 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS SH TD] | A 5910 | CC | 29-NOV-94 |
| MIL-C-19978/9A(3) NOT 1 | CAPACITOR, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR09 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH TD] | A 5910 | CC | 20-JUL-84 |
| MIL-C-19978/10(2) NOT 1 | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED RELIABILITY STYLE CQR12 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5910 | CC | 13-JAN-89 |
| MIL-C-19978/11(2) NOT 1 | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, THREADED-STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR13 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5910 | CC | 13-JAN-89 |
| MIL-C-19978/13(4) NOT 1 | CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR29 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5910 | CC | 22-OCT-90 |
| MIL-C-19978/14(3) NOT 1 | CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR32 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5910 | CC | 13-JAN-89 |
| MIL-C-19978/15(3) NOT 1 | CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, THREADED-STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR33 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5910 | CC | 22-OCT-90 |
| MIL-C-19978/20(3) NOT 2 | CAPACITOR, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METALLIC CASES) STYLE CQR10 [CUST: CR EC 85] [REVIEW: 17 99 AR AS MI] | A 5910 | CC | 26-FEB-93 |
| MIL-C-19978/21(2) NOT 1 | CAPACITOR, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL WIRE TERMINAL, THREADED STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METALLIC CASES) STYLE CQR11 [CUST: CR EC 85] [REVIEW: 17 99 AR AS MI] | A 5910 | CC | 27-FEB-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------------|---|--------------------------|-----|-------------|-----------|
| | MIL-M-19981A | METER, AIR FLOW INDICATING, DIFFERENTIAL PRESSURE, SUBMARINE BATTERY VENTILATION, VARIABLE TRANSFORMER [CUST: SH] [REVIEW: GS] | A 6680 | SH | | 26-FEB-62 |
| | MIL-S-19984D | SHIRT, MAN S, KHAKI, WITH QUARTER LENGTH SLEEVE [CUST: MC CT] [REVIEW: 45 SA] | A 8405 | CT | | 03-AUG-84 |
| | MIL-I-20037B | INDICATOR, SIGHT, LIQUID LEVEL, DIRECT READING, REFLEX TUBULAR GAGE GLASS [CUST: SH] [REVIEW: 82 GS] | A 6680 | SH | | 01-JUN-84 |
| | MIL-F-20042D(1) | FLANGE, PIPE & BULKHEAD, BRONZE (SILVER BRAZING) [CUST: CR4 SH] [REVIEW: CC OS YD1] | A 4730 | SH | | 22-NOV-85 |
| | MIL-V-20064E | VALVE, NONFERROUS FOR USE WITH HALOGENATED REFRIGERANTS [CUST: CR4 SH 99] [REVIEW: GL GS YD1] | A 4130 | SH | | 01-FEB-72 |
| | MIL-V-20065D(3) | VALVE, ANGLE, PRESSURE RELIEF, NAVAL SHIPBOARD, FOR STEAM SERVICE [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 14-MAR-72 |
| | MIL-G-20078C NOT 1 | GASKETS FOR BALLISTIC DOORS AND HATCHES [CUST: AR SH] [REVIEW: AV IS] | A 5330 | SH | | 10-JAN-90 |
| | MIL-C-20079H | CLOTH, GLASS; TAPE, TEXTILE GLASS; & THREAD, GLASS & WIRE-REINFORCED GLASS [CUST: CR4 SH 99 CT] [REVIEW: 45 AR AS MI YD1] | A 8305 | CT | | 10-JUL-87 |
| | MIL-G-20098C NOT 2 | GYPSPUM, CALCINED [CUST: AR 99] [REVIEW: MD MI] | A 5610 | AR | | 31-OCT-96 |
| | MIL-C-20109(1) NOT 2 | COPPER PRESSURE CYLINDERS AND COPPER PRESSURE SPHERES, CANNON (MAJOR AND MEDIUM), CANNON (MINOR), SMALL ARMS, AND PISTOL AND REVOLVER [CUST: AR] [REVIEW: AV] | A 1090 | AR | | 11-OCT-96 |
| | MIL-B-20148D(1) | BRAZING SHEET, ALUMINUM ALLOY [CUST: MR AS 11] [REVIEW: AR AV CR4 EA] | A 3439 | AS | | 14-JUL-91 |
| A | MIL-DTL-20176G | HOSE AND HOSE ASSEMBLY, RUBBER, SMOOTH BORE, LIGHT-WEIGHT SEWAGE DISCHARGE AND OILY WASTE DISCHARGE [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4720 | YD1 | | 07-NOV-97 |
| | MIL-S-20197C NOT 1 | SCALE, PLOTTING, PRECISION, CENTIMETERS AND INCHES WITH CASE [CUST: CE 99] | A 6675 | GS | | 02-NOV-90 |
| | MIL-L-20213E NOT 1 | LITHIUM HYDROXIDE (LIOH), TECHNICAL [CUST: SH] [REVIEW: GS] | A 6810 | SH | | 16-JUL-86 |
| | MIL-T-20215C NOT 1 | TILE REFRACTORY, SILICON CARBIDE [CUST: CR4 SH] [REVIEW: CG GS MR] | A 9350 | SH | | 05-FEB-91 |
| | MIL-C-20218F NOT 1 | CHROMIUM PLATING, ELECTRODEPOSITED, POROUS [CUST: CR4 SH] [REVIEW: AT MR YD1] | A MFPP | SH | | 05-FEB-91 |
| | MIL-T-20219D | TUBE, BRASS, VOICE AND PNEUMATIC (COPPER ALLOY NO. 260) [CUST: MR SH 99] [REVIEW: CC OS] | A 4710 | SH | | 21-AUG-86 |
| | MIL-C-20267C NOT 1 | CARRIER, CLUB, POLICEMAN S, COTTON WEBBING, OLIVE DRAB W/DOUBLE HOOKS [CUST: MC CT] [REVIEW: 45] | A 8465 | CT | | 25-JUN-87 |
| | MIL-F-20268F | FRAME, CAP, MAN S [CUST: CT] | A 8405 | CT | | 23-OCT-87 |
| | MIL-B-20269E | BUCKLES: INSIGNIA AND PLAIN [CUST: MC CT] | A 8315 | CT | | 26-NOV-90 |
| A | MIL-DTL-20271E | LACE, GOLD - ORNAMENTAL [CUST: MC] | A 8315 | MC | | 28-JUL-97 |
| | MIL-B-20289D | BUTTONS, INSIGNIA, PLASTIC [CUST: MC CT] | A 8455 | CT | | 10-SEP-90 |
| | MIL-C-20301 NOT 3 | CELLULOSE ACETATE FOR USE IN PROPELLANT POWDER [CUST: AR] [REVIEW: MR] | A 1376 | AR | | 11-OCT-96 |
| | MIL-P-20304 NOT 1 | PENTAERYTHRITOL [CUST: AR] | A 1376 | AR | | 13-JUN-88 |
| | MIL-C-20313 | CLOTH, COTTON, CARTRIDGE [CUST: AR] | A 1395 | AR | | 21-NOV-51 |
| | MIL-S-20322B NOT 2 | STRONTIUM NITRATE, ANHYDROUS [CUST: AR AS] [REVIEW: GS OS] | A 6810 | AR | | 02-DEC-96 |
| | MIL-C-20330A(1) NOT 1 | CELLULOSE, WOODPULP (SULFATE) [CUST: AR OS] [REVIEW: GS] | A 6810 | AR | | 12-FEB-87 |
| | MIL-C-20356 | CONE, GLASS [CUST: AR] | A 1375 | AR | | 27-NOV-51 |
| | MIL-F-20363B NOT 1 | FLARE, AIRCRAFT, PARACHUTE, M8A1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 31-OCT-90 |
| | MIL-C-20367G | CASE, CARTRIDGE, 20MM, M21A1 [CUST: AR] [REVIEW: 70] | A 1305 | AR | | 23-JAN-86 |
| | MIL-F-20420J(4) | FLARE, SURFACE, TRIP, M49A1 PARTS, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 12-MAR-93 |
| | MIL-F-20423D(1) NOT 2 | FUZE, BASE DETONATING, M91A2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 31-OCT-96 |
| | MIL-S-20441C(1) NOT 1 | SIMULATOR, FLASH ARTILLERY, M110 PARTS, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 10-AUG-90 |
| | MIL-P-20442B(3) | PLUGS, LIFTING (EYEBOLT TYPE) FOR PROJECTILES [CUST: AR] | A 1320 | AR | | 30-DEC-88 |
| | MIL-F-20454D NOT 5 | FUZE, TIME, M65A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 31-OCT-96 |
| | MIL-C-20470A(1) NOT 1 | CALCIUM RESINATE [CUST: AR AS GS] [REVIEW: EA] | A 6810 | AR | | 22-JAN-91 |
| | MIL-D-20505D(2) | DETONATION SIMULATOR, EXPLOSIVE, M80 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 16-AUG-95 |
| | MIL-S-20517H(4) | SIMULATOR, PROJECTILE, AIR BURST, M74A1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 01-FEB-96 |
| | MIL-C-20534B | COMMODORE [CUST: MD MS 03] | A 4510 | MB | | 25-JUN-89 |
| | MIL-D-20550B(1) | DIATOMACEOUS EARTH [CUST: EA 99] [REVIEW: 84 85 AS] | A 9390 | GS | | 20-OCT-92 |
| | MIL-W-20553D(1) | WAX, DESENSITIZING [CUST: AR] [REVIEW: GS] | A 9160 | AR | | 03-SEP-87 |
| | MIL-G-20587E NOT 1 | GLOVES, WIRE, MESH, ENTIRE HAND [CUST: GL 99 CT] [REVIEW: 45 MD] | A 8415 | CT | | 25-JAN-88 |
| | MIL-U-20625A(2) | UNIVERSAL JOINT, BLOCK TYPE, MECHANICAL REMOTE CONTROL SYSTEM [CUST: SH] [REVIEW: AT CC] | A 3010 | SH | | 12-MAY-59 |
| | MIL-F-20627B(3) | FILTER ASSEMBLY AND FILTER ELEMENTS, FLUID, PRESSURE (FOR ENGINES WITH LIQUID FUEL INJECTION SYSTEMS) [CUST: AR SH 99] [REVIEW: 82 CC CR4 MC] | A 2910 | SH | | 19-DEC-83 |
| | MIL-P-20632B | PURIFIERS, CENTRIFUGAL, FUEL AND LUBE OIL [CUST: SH] | A 4330 | SH | | 20-APR-92 |
| | MIL-S-20633C | SIGNS AND MARKER, ALUMINUM; MINED AREA MARKING [CUST: CR4 99] [REVIEW: 84 GL MI] | A 9905 | GS | | 16-FEB-89 |
| | MIL-E-20652F(1) | EYELETS, METALLIC, AND EYELET WASHERS, METALLIC, GENERAL SPECIFICATION FOR [CUST: GL NU 99 IS] [REVIEW: 82 AR AT CR4 MC] | A 5325 | IS | | 30-JUN-88 |
| | MIL-E-20652/1B | EYELET, METALLIC, ROLLED FLANGE TYPE, AND EYELET WASHER [CUST: GL NU 99 IS] [REVIEW: 82 AR AT CR4 MC] | A 5325 | IS | | 28-MAR-86 |
| | MIL-P-20700A | PIN, GROOVED, HEADLESS, LONGITUDINAL GROOVE [CUST: AR AS 99 IS] [REVIEW: 82 AT AV EA MC SH] | A 5315 | IS | | 17-MAR-65 |
| | MIL-S-20708E(2) SUP 1B | SYNCHROS, GENERAL SPECIFICATION FOR [CUST: AR AS 85] [REVIEW: 99 AV CC EC MC MI OS SH] | A 5990 | AS | | 25-NOV-92 |
| | MIL-S-20708/1F | SYNCHRO, CONTROL TRANSFORMER, TYPE 11CT4E [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/2E | SYNCHRO, CONTROL TRANSMITTER, TYPE 11CX4E [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/3E | SYNCHRO, TORQUE RECEIVER, TYPE 11TR4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/4E | SYNCHRO, TORQUE TRANSMITTER, TYPE 11TX4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/5E | SYNCHRO, TORQUE RECEIVER, TYPE 26V-11TR4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/6F | SYNCHRO, TORQUE TRANSMITTER, TYPE 26V-11TX4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/7E | SYNCHRO, CONTROL TRANSFORMER, TYPE 26V-11CT4D [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/8E | SYNCHRO, CONTROL TRANSMITTER, TYPE 26V-11CX4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/9E | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 26V-11CDX4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/14G | SYNCHRO, CONTROL TRANSMITTER, TYPE 15CX4D [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/15G | SYNCHRO, CONTROL TRANSFORMER, TYPE 15CT4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-S-20708/16F | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 15CDX4D [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/17F | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 15TDX4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/19G | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 15TRX4A [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/20E | SYNCHRO, CONTROL TRANSMITTER, TYPE 15CX6C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/21F | SYNCHRO, CONTROL TRANSFORMER, TYPE 15CT6D [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/22E | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 15CDX6C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/23E | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 15TRX6A [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| A | MIL-S-20708/25A NOT 1 | SYNCHRO, CONTROL TRANSFORMER, TYPE 16CTB4B [CUST: OS CC] [REVIEW: 99 CC] | A 5990 | CC | | 15-SEP-87 |
| | MIL-S-20708/28F | SYNCHRO, CONTROL TRANSMITTER, TYPE 18CX4D [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/29F | SYNCHRO, CONTROL TRANSFORMER, TYPE 18CT4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/30F | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 18CDX4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/31F | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 18TDX4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/32G | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 18TRX4A [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG EC MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/33E | SYNCHRO, CONTROL TRANSMITTER, TYPE 18CX6C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/34E | SYNCHRO, CONTROL TRANSFORMER, TYPE 18CT6D [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/35E | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 18TRX6B [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/36E | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 18CDX6D [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| A | MIL-S-20708/39A NOT 1 | SYNCHRO, CONTROL TRANSFORMER, TYPE 19CTB4B [CUST: OS CC] [REVIEW: 99 CC] | A 5990 | CC | | 15-SEP-87 |
| A | MIL-S-20708/42A(1) NOT 1 | SYNCHRO, CONTROL TRANSFORMER, TYPE 19CTB6B [CUST: OS CC] [REVIEW: 99 CC] | A 5990 | CC | | 15-SEP-87 |
| | MIL-S-20708/45F | SYNCHRO, CONTROL TRANSMITTER, TYPE 23CX4D [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/46E | SYNCHRO, CONTROL TRANSFORMER, TYPE 23CT4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/47E | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 23CDX4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/48E | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 23TDX4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/49C | SYNCHRO, DIFFERENTIAL RECEIVER, TYPE 23TDR4B [CUST: AS] [REVIEW: 99 CC] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/50F | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 23TRX4A [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG EC MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/52E | SYNCHRO, CONTROL TRANSMITTER, TYPE 23CX6D [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/53E | SYNCHRO, CONTROL TRANSFORMER, TYPE 23CT6D [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/54E | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 23CDX6C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/55E | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 23TDX6C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/56E | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 23TRX6B [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/62F | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 31TRX4A [CUST: AS] [REVIEW: CC CG EC MC] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/66E | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 31TRX6A [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/67C | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 31TDR6B [CUST: AS] [REVIEW: CC] | A 5990 | AS | | 13-MAR-89 |
| A | MIL-S-20708/68C(1) | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 31TDX6C [CUST: OS CC] [REVIEW: AS CG MC SH] | A 5990 | CC | | 09-SEP-92 |
| | MIL-S-20708/70D | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 37TRX4A [CUST: AS] [REVIEW: CC CG EC MC] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/74E | SYNCHRO, TORQUE RECEIVER TRANSMITTER, TYPE 37TRX6A [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/76C | SYNCHRO, TORQUE DIFFERENTIAL TRANSMITTER, TYPE 37TDX6A [CUST: AS] [REVIEW: CC] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/78F | SYNCHRO, CONTROL TRANSMITTER, TYPE 26V-08CX4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/79F | SYNCHRO, CONTROL TRANSFORMER, TYPE 26V-08CT4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/80F | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 26V-08CDX4C [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/81E | SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 11CDX4B [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| | MIL-S-20708/94B(2) | SYNCHRO, 60 AND 400 HZ, SIZE 23 [CUST: AR CC] [REVIEW: AT CR CR4 MI] | A 5990 | CC | | 01-APR-97 |
| A | MIL-S-20708/100 NOT 1 | SYNCHRO RECEIVER, TYPE 55N, MOD 1B [CUST: OS CC] [REVIEW: CC] | A 5990 | CC | | 15-SEP-87 |
| | MIL-S-20708/131D | SYNCHRO, CONTROL TRANSMITTER, TYPE 15CX4F [CUST: AR AS 85] [REVIEW: 11 17 99 AV CC CG MC MI OS] | A 5990 | AS | | 13-MAR-89 |
| A | MIL-S-20708/138B(1) | SYNCHRO, CONTROL TRANSMITTER, TYPE 31CX4A [CUST: OS CC] [REVIEW: AS CG MC SH] | A 5990 | CC | | 09-SEP-92 |
| A | MIL-S-20708/139(2) | SYNCHRO CONTROL TRANSMITTER, TYPE 31CX6A [CUST: OS CC] [REVIEW: AS CG MC SH] | A 5990 | CC | | 09-SEP-92 |
| | MIL-S-20708/500A NOT 2 | SYNCHRO, TORQUE RECEIVER, TYPE 26V-10TR4 [CUST: AR AS 85] [REVIEW: 11 99 AT CC CG CR4 MC MI] | A 5990 | AS | | 03-MAY-93 |
| A | MIL-S-20708/504(1) | SYNCHROS, CONTROL TRANSFORMER, TYPE 15CT6B [CUST: OS CC] | A 5990 | CC | | 15-NOV-93 |
| | MIL-C-21004B(2) | CANISTER, LITHIUM HYDROXIDE, SCREENED ENDS, FRICTION TYPE COVERS [CUST: SH] | A 8110 | SH | | 06-DEC-91 |
| | MIL-T-21014D(1) | TUNGSTEN BASE METAL, HIGH DENSITY [CUST: MI AS] [REVIEW: IS] | A 9540 | AS | | 14-NOV-91 |
| | MIL-A-21016F | ADHESIVE, RESILIENT DECK COVERING [CUST: MR SH 99] [REVIEW: YD1] | A 8040 | SH | | 21-MAY-90 |
| | MIL-T-21038D(3) SUP 1 | TRANSFORMERS, PULSE, LOW POWER, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 99 AM AS CR4 MC MI OS SH] | A 5950 | CC | | 29-APR-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-T-21038/2A | TRANSFORMER, PULSE, LOW POWER TYPE TP7RX1100CZ [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR CR4 MC MI] | A 5950 | CC | | 15-JUN-72 |
| | MIL-T-21038/8D | TRANSFORMERS, PULSE, LOW POWER, TYPE TP7SX1110AZ [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AS CR4 MC MI OS SH] | A 5950 | CC | | 22-JAN-90 |
| | MIL-T-21038/9D(1) | TRANSFORMERS, PULSE, LOW POWER, TYPE TP7SX1110AZ [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 03-NOV-94 |
| | MIL-T-21038/25A | TRANSFORMER, PULSE, LOW POWER, TYPE TP5SXNNNNBZ [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 28-JAN-85 |
| | MIL-T-21038/26 | TRANSFORMER, PULSE, LOW POWER, TYPE TP5SX2100HU [CUST: CR EC 85 CC] [REVIEW: 11] | A 5950 | CC | | 26-JUN-78 |
| | MIL-T-21038/27D(1) | TRANSFORMERS, PULSE, LOW POWER, TYPE TP7SXNNNNKZ [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | | 08-JAN-96 |
| | MIL-M-21039B | MAGNIFIER, MEASURING TUBE TYPE, SEVEN POWER AR-60() [CUST: AS] [REVIEW: CR4] | A 6650 | AS | | 11-JUN-79 |
| | MIL-S-21042C | SLING, FLAGSTAFF: LEATHER, WHITE; WITH BRASS SOCKET [CUST: MC CT] | A 8345 | CT | | 02-JAN-90 |
| | MIL-V-21064A | VARNISH, FINISHING, BAKING FOR ROLLER COAT APPLICATION [CUST: AR OS] | A 8010 | AR | | 31-JUL-74 |
| | MIL-I-21070B(1) | INSULATION SHEET AND TAPE, ELECTRICAL, REINFORCED MICA PAPER [CUST: SH] [REVIEW: GS] | A 5970 | SH | | 06-MAY-66 |
| | MIL-C-21082B | COVERS, AUTOMOBILE DISTINGUISHING PLATE, COMMANDANT AND GENERAL OFFICERS (USMC) [CUST: MC CT] | A 8345 | CT | | 14-MAR-90 |
| A | MIL-DTL-21083E | COAT, MAN'S - SERVICE, OFFICER'S, USMC [CUST: MC] | A 8405 | MC | | 28-JUL-97 |
| | MIL-C-21088D | COAT, MAN'S: WHITE, DRESS (OFFICER'S) [CUST: MC] | A 8405 | MC | | 22-FEB-95 |
| | MIL-C-21097E(1) | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD, GENERAL PURPOSE, GENERAL SPECIFICATION FOR [CUST: CR EC 17 CC] [REVIEW: AR AS AT AV CR4 MC MI] | A 5935 | CC | | 16-AUG-94 |
| | MIL-C-21097/4E(1) | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD COMPOSITE, RECEPTACLE, CONTACT SPACING (.200), ALTERNATE DUAL ROW, TYPE CR [CUST: CR EC 11 CC] [REVIEW: 85 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 26-SEP-83 |
| | MIL-C-21097/5E NOT 1 | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD MALE ADAPTER, CONTACT SPACING (.200) ALTERNATE DUAL ROW, TYPE CS [CUST: CR EC 17 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 23-JUL-93 |
| | MIL-C-21097/11H | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD KEYS, POLARIZING [CUST: CR EC 17 CC] [REVIEW: 11 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 29-APR-85 |
| | MIL-C-21097/13B NOT 1 | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD COMPOSITE, RECEPTACLE, CONTACT SPACING: 0.200, ALTERNATE DUAL ROW, TYPE CR, REMOVABLE CONTACT [CUST: CR EC 17 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 23-JUL-93 |
| | MIL-C-21097/14E | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD MALE ADAPTER, CONTACT SPACING, (.200), ALTERNATE DUAL ROW, TYPE CS BLADE CONTACT (MOUNTING PROVISION A) [CUST: CR EC 17 CC] [REVIEW: AR AS AT CR4 MC MI OS] | A 5935 | CC | | 21-JUL-86 |
| | MIL-C-21097/15F | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD MALE ADAPTER, CONTACT SPACING: 0.200, ALTERNATE DUAL ROW, TYPE CS, BLAND CONTACT (NO MOUNTING PROVISION) [CUST: CR EC 17 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 15-FEB-89 |
| | MIL-C-21097/16E | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD CONTACT, CRIMP, REMOVABLE, TYPE CR [CUST: CR EC 17 CC] [REVIEW: AR AS AT CR4 MC MI OS] | A 5935 | CC | | 14-JAN-86 |
| | MIL-C-21097/17D(1) | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD CONTACT, SOLDER, REMOVABLE, TYPE CR [CUST: CR EC 17 CC] [REVIEW: AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 12-JAN-81 |
| | MIL-C-21097/18C(1) | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD TOOL, CONTACT, REMOVAL, FOR TYPE CR CONNECTOR CONTACTS [CUST: CR EC 17 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 12-JAN-81 |
| | MIL-C-21097/19C(1) | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD BLADE SIMULATOR FOR MEASURING ENGAGEMENT AND SEPARATION FORCES FOR TYPE CR CONTACTS [CUST: CR EC 11 CC] [REVIEW: AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 12-JAN-81 |
| | MIL-C-21097/20B(1) NOT 1 | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (0.050), TYPE AD [CUST: CR EC 19] [REVIEW: AR AS AT CR4 MC MI SH] | A 5935 | CC | | 02-AUG-91 |
| | MIL-C-21097/21A(1) NOT 1 | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (.156), TYPES A AND AD [CUST: CR EC 17 CC] [REVIEW: 80 85 AR AT CR4 MC MI OS SH] | A 5935 | CC | | 23-JUL-93 |
| | MIL-C-21097/23B | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (.100) TYPE AD [CUST: CR EC 17 CC] [REVIEW: 11 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 28-JUN-82 |
| | MIL-C-21097/24A NOT 1 | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD RECEPTACLE, CARD INSERTION, CONTACT SPACING (.125) TYPE AD [CUST: CR EC 17 CC] [REVIEW: 11 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 23-JUL-93 |
| | MIL-C-21097/25A NOT 1 | CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD, RECEPTACLE, CARD INSERTION, CONTACT SPACING (.500), TYPE AD [CUST: EC 17 CC] [REVIEW: 85 99 AR AT AV CR4 MC MI OS] | A 5935 | CC | | 23-JUL-93 |
| | MIL-C-21100D | CLEANER, VACUUM INDUSTRIAL, EXTERNAL FILTER TYPE [CUST: SH 99] [REVIEW: 84 MC] | A 7910 | SH | | 04-OCT-90 |
| | MIL-C-21108C NOT 1 | CLOTH, NYLON, RAFT BOTTOM [CUST: AS] | A 8305 | AS | | 24-OCT-91 |
| A | MIL-C-21109C | CLOTH, COATED, NYLON, RAFT BOTTOM [CUST: AS] | A 8305 | AS | | 20-OCT-88 |
| | MIL-C-21115K | CLOTH, TROPICAL, WOOL, POLYESTER/WOOL [CUST: GL NU 45 CT] [REVIEW: 32 82 99 MC MD] | A 8305 | CT | | 18-DEC-87 |
| | MIL-B-21117E | BADGE, RATING AND QUALIFICATION, DUNGAREE UNIFORM [CUST: NU CT] | A 8455 | CT | | 18-SEP-90 |
| | MIL-P-21143B(2) | PIN, STRAIGHT, HEADLESS (DOWEL) GENERAL SPECIFICATION FOR [CUST: AR OS 99 IS] [REVIEW: 82 CE EA GL MC MI] | A 5315 | IS | | 30-MAR-90 |
| | MIL-T-21150B | TIE DOWN, CARGO AMMUNITION SHIP, 2000-POUND CAPACITY [CUST: SH] | A 2090 | SH | | 29-DEC-67 |
| | MIL-B-21154C | BELTS, MILITARY POLICE: COTTON WEBBING; WHITE [CUST: GL MC 11 CT] | A 8465 | CT | | 08-FEB-91 |
| | MIL-H-21155D | HARDWARE: FOR BELT, MILITARY POLICE [CUST: MC CT] | A 8465 | CT | | 16-APR-90 |
| | MIL-W-21157A | WELDMENT, STEEL, CARBON AND LOW ALLOY (YIELD STRENGTH 30,000 - 60,000 PSI [CUST: OS] [REVIEW: CR4 MC] | A THJM | OS | | 26-OCT-71 |
| | MIL-G-21164D NOT 1 | GREASE, MOLYBDENUM DISULFIDE, FOR LOW AND HIGH TEMPERATURES, NATO CODE NUMBER G-353 [CUST: CR4 AS 11] [REVIEW: 85 AR DS MI] | A 9150 | AS | | 24-OCT-91 |
| | MIL-F-21173C | FLAG, INDIVIDUAL: RAYON, COMMANDANT, USMC [CUST: MC CT] | A 8345 | CT | | 06-FEB-91 |
| | MIL-A-21180D(1) | ALUMINUM-ALLOY CASTINGS, HIGH STRENGTH [CUST: MR AS 11] [REVIEW: 70 71 80 82 AR AV CR4 EA MI SH] | A MECA | AS | | 14-DEC-91 |
| | MIL-C-21215A(1) NOT 1 | CRATES, PALLETS, AMMUNITION [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| A | MIL-R-21248B | RING, RETAINING (TAPERED AND REDUCED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: 11 AV EA MC MI SH] | A 5325 | IS | | 01-AUG-69 |
| | MIL-R-21252B NOT 1 | RUBBER SHEET, SOLID, SYNTHETIC, SHIPBOARD WATER EVAPORATOR GASKETING [CUST: SH] [REVIEW: IS] | A 5330 | SH | | 08-MAY-91 |
| | MIL-L-21260D(2) | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, PRESERVATIVE AND BREAK-IN [CUST: AT SH 68] [REVIEW: 11 AR AS GS MC MI OS SA SM YDI] | A 9150 | AT | | 11-OCT-90 |
| | MIL-G-21296B | GENERATOR SET, DIESEL ENGINE DIRECT AND ALTERNATING CURRENT (NAVAL SHIPBOARD USE) [CUST: SH] | A 6115 | SH | | 21-MAR-94 |
| | MIL-H-21303D(2) NOT 1 | HOT CUPS, LIQUID, ELECTRIC [CUST: AS 99] [REVIEW: 45 GL GS MD] | A 7310 | IS | | 05-MAY-89 |
| | MIL-C-21318C NOT 1 | CLOTH, BEDFORD, CORD [CUST: AS CT] [REVIEW: NU] | A 8305 | CT | | 24-OCT-91 |
| | MIL-B-21332E | BAG, LAUNDRY, NYLON [CUST: NU CT] [REVIEW: 45] | A 8465 | CT | | 15-SEP-78 |
| A | MIL-N-21337 | NUT, PLAIN, ROUND, RETAINING, BALL AND ROLLER BEARINGS [CUST: AT OS 99 GS] [REVIEW: AR MC MI SH] | A 5310 | GS | | 10-APR-58 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------|--|--------------------------|-----|-------------|------|
| MIL-W-21338A | WASHER, KEY, RETAINING BALL AND ROLLER BEARINGS [CUST: AT OS 11 IS] [REVIEW: 84 AR AS AV GL MC MI SH YD1] | A 5310 | IS | 15-JAN-70 | |
| MIL-P-21343(2) | PUMP, CENTRIFUGAL, SUBMARINE TRIM AND DRAIN (SERIES TYPE ONLY) [CUST: SH] | A 4320 | SH | 23-AUG-85 | |
| MIL-F-21346B(2) | FUSEHOLDERS, BLOCK, AND SHROUD TYPE, AND ASSOCIATED FUSE CLIPS; GENERAL SPECIFICATION FOR [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG EA EC MC MI] | A 5920 | CC | 29-APR-92 | |
| MIL-A-21366A | ADHESIVE, FOR BONDING PLASTIC TABLE TOP MATERIAL TO ALUMINUM [CUST: MR SH] [REVIEW: MI] | A 8040 | SH | 16-FEB-66 | |
| MIL-H-21367E SUP 1 | HULL FITTINGS: CONNECTORS, ADAPTER, END SEALS, AND STUFFING TUBES FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLES [CUST: SH] [REVIEW: CC] | A 5935 | SH | 17-DEC-90 | |
| MIL-H-21367/1 | HULL FITTING, STUFFING TUBE, TYPE MX8208/U FOR FLEXIBLE, SOLID DIELECTRIC, RADIO FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 18-OCT-85 | |
| MIL-H-21367/2 | HULL FITTING, STUFFING TUBE, TYPE MX8209/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 18-OCT-85 | |
| MIL-H-21367/3 | HULL FITTING, STUFFING TUBE, TYPE MX8210/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 18-OCT-85 | |
| MIL-H-21367/4 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX8211/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 17-DEC-90 | |
| MIL-H-21367/5 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX8212/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 17-DEC-90 | |
| MIL-H-21367/6 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX8213/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 17-DEC-90 | |
| MIL-H-21367/7 | HULL FITTING, STUFFING TUBE, TYPE MX7637/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 18-OCT-85 | |
| MIL-H-21367/8 NOT 1 | HULL FITTINGS, STUFFING TUBE, TYPE MX7637/U, LONG BODY, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 17-DEC-90 | |
| MIL-H-21367/9 NOT 1 | HULL FITTINGS, STUFFING TUBE, TYPE MX2327/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 17-DEC-90 | |
| MIL-H-21367/10 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX2327/U (LONG BODY), FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 17-DEC-90 | |
| MIL-H-21367/11 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX2326/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 17-DEC-90 | |
| MIL-H-21367/12 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX2326/U (LONG BODY) FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 17-DEC-90 | |
| MIL-H-21367/13 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX2646/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 17-DEC-90 | |
| MIL-H-21367/14 NOT 1 | HULL FITTING, STUFFING TUBE, TYPE MX2646/U (LONG BODY), FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 17-DEC-90 | |
| MIL-H-21367/15 | HULL FITTING, CONNECTOR, END SEAL TYPE MX1203/U, FOR FLEXIBLE, SOLID - DIELECTRIC RADIO - FREQUENCY CABLE [CUST: SH] | A 5935 | SH | 18-OCT-85 | |
| MIL-H-21367/16 | HULL FITTING, CONNECTOR, END SEAL TYPE MX2632/U FOR FLEXIBLE, SOLID - DIELECTRIC, RADIO - FREQUENCY CABLE [CUST: SH] | A 5935 | SH | 18-OCT-85 | |
| MIL-H-21367/17 NOT 1 | HULL FITTING, BLANKING PLUGS FOR STUFFING TUBES MX2326/U, MS2327/U, AND MX2646/U, FOR FLEXIBLE SOLID-DIELECTRIC RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 17-DEC-90 | |
| MIL-H-21367/18 NOT 1 | HULL FITTING, BLANKING PLUGS FOR STUFFING TUBE MX7637/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE [CUST: SH] | A 5975 | SH | 17-DEC-90 | |
| MIL-H-21367/19 NOT 1 | HULL FITTING, CONNECTOR, ADAPTER, TYPE UG1404/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5935 | SH | 17-DEC-90 | |
| MIL-H-21367/20 | HULL FITTINGS, CONNECTOR, PLUG, TYPE UG-14 5/U, FOR FLEXIBLE, SOLID - DIELECTRIC, RADIO - FREQUENCY CABLE [CUST: SH] | A 5935 | SH | 18-OCT-85 | |
| MIL-H-21367/21 NOT 1 | HULL FITTING, CONNECTOR, RECEPTACLE, TYPE UG-1406/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5935 | SH | 17-DEC-90 | |
| MIL-H-21367/22 NOT 1 | HULL FITTING, CONNECTOR, PLUG, TYPE UG-1407/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [CUST: SH] | A 5935 | SH | 17-DEC-90 | |
| MIL-H-21367/23 | HULL FITTING, CONNECTOR, RECEPTACLE TYPE UG-1408/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE [CUST: SH] | A 5935 | SH | 18-OCT-85 | |
| MIL-H-21367/24 NOT 1 | HULL FITTING, CONNECTOR, PLUG TYPE UG-1421/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE [CUST: SH] | A 5935 | SH | 17-DEC-90 | |
| MIL-H-21367/25 | HULL FITTING, CONNECTOR, PLUG (JACK), TYPE UG-1423/U, FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE [CUST: SH] | A 5935 | SH | 18-OCT-85 | |
| MIL-H-21367/26 | HULL FITTING, CONNECTOR, PLUG TYPE UG-1424/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE [CUST: SH] | A 5935 | SH | 18-OCT-85 | |
| MIL-H-21367/27 | HULL FITTINGS, CONNECTOR, RECEPTACLE, TYPE UG-1439/U, FOR FLEXIBLE, SOLID - DIELECTRIC RADIO - FREQUENCY CABLE [CUST: SH] | A 5935 | SH | 18-OCT-85 | |
| MIL-H-21367/28 | HULL FITTING, CONNECTOR, RECEPTACLE, TYPE UG-1495/U, FOR FLEXIBLE, SOLID - DIELECTRIC RADIO - FREQUENCY CABLE [CUST: SH] | A 5935 | SH | 18-OCT-85 | |
| MIL-T-21369C | TEST SET MARK 127 MOD 4 [CUST: OS] | A 4925 | OS | 18-SEP-90 | |
| MIL-A-21380B(1) NOT 1 | ABRASIVE MATERIALS, FOR BLASTING [CUST: MR AS 99] [REVIEW: AR CR MC YD1] | A 5350 | AS | 24-OCT-91 | |
| MIL-P-21381B(1) | PLOTTING BOARDS, SHIP S STATUS AND TACTICAL DISPLAY (NAVAL SHIPBOARD USE) [CUST: SH] | A 6605 | GS | 13-MAY-63 | |
| MIL-M-21383A(2) | MANGANESE DELAY COMPOSITION [CUST: EA OS] [REVIEW: AR] | A 1377 | OS | 28-SEP-95 | |
| MIL-M-21393A(6) | MICROPHONE, DYNAMIC M-92C/U [CUST: AS CC] | A 5965 | CC | 15-NOV-68 | |
| MIL-P-21397C | PROPORTIONING UNIT, CHEMICAL (FOR DISTILLING PLANTS NAVAL SHIPBOARD USE) [CUST: SH] | A 4620 | SH | 28-NOV-71 | |
| MIL-B-21408G NOT 1 | BOOTS, SAFETY [CUST: GL 99 CT] [REVIEW: 31 45 82 AS MC YD1] | A 8430 | CT | 28-AUG-89 | |
| MIL-G-21410A | GOVERNING SYSTEMS, SPEED & LOAD-SENSING NAVAL SHIPBOARD USE [CUST: SH] | A 6115 | SH | 23-DEC-91 | |
| DOD-R-21417A(1) | RESIN, CHLORINATED ALKYD, SOLUTION (METRIC) [CUST: SH] | A 8010 | SH | 20-NOV-86 | |
| MIL-F-21424A NOT 1 | FILTERS, POLARIZING (FOR OPTICAL INSTRUMENTS) [CUST: OS] | A 1240 | OS | 07-SEP-88 | |
| MIL-S-21427B(1) | STRAINER, ASSEMBLIES, MAIN STEAM, HIGH PRESSURE (SIZES 4 INCHES AND ABOVE) [CUST: SH] | A 4730 | SH | 23-APR-91 | |
| MIL-S-21433A(3) | SOCKETS, TURNBUCKLES, AND TURNBUCKLE ASSEMBLIES-WIRE ROPE, WEDGE, AND THREADED LOCK SLEEVE [CUST: SH] [REVIEW: IS] | A 5340 | SH | 07-JUN-66 | |
| MIL-B-21465A | BUTYL STEARATE, NORMAL [CUST: OS] | A 6810 | OS | 24-FEB-94 | |
| MIL-S-21472C | SCREW, SHOULDER, HEXAGON SOCKET-HEAD AND SLOTTED-HEAD GENERAL SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: CR4 OS] | A 5305 | IS | 31-OCT-88 | |
| MIL-G-21480A(1) NOT 1 | GENERATOR SYSTEM 400 HERTZ, ALTERNATING CURRENT, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AS 11] [REVIEW: AV] | A 6115 | AS | 15-DEC-87 | |
| MIL-C-21496D | CARTRIDGE, IMPULSE, MARK 104 MOD 0 [CUST: OS] | A 1377 | OS | 05-OCT-72 | |
| MIL-E-21562E | ELECTRODES AND RODS-WELDING, BARE, NICKEL ALLOY [CUST: SH] [REVIEW: GS] | A 3439 | SH | 24-MAR-89 | |
| MIL-P-21563B NOT 1 | POINT SYSTEM, FLUORESCENT, FOR AIRCRAT APPLICATION (ASA) [CUST: AR AS 99] [REVIEW: EA MI OS] | A 8010 | AR | 18-FEB-87 | |
| MIL-C-21567A | COMPOUND, SILICONE, SOFT FILM [CUST: OS] [REVIEW: CR4 EA GS MI] | A 6850 | OS | 26-OCT-73 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-G-21569B NOT 1 | GASKETS, CYLINDER LINER SEAL, SYNTHETIC RUBBER [CUST: SH] [REVIEW: IS] | A 5330 | SH | | 09-MAY-89 |
| | MIL-P-21593D | PANEL MARKERS: RANGE, FLANK, AND DEBARKATION POINT; NYLON, FLUORESCENT [CUST: MC CT] | A 8465 | CT | | 14-FEB-91 |
| | MIL-T-21595D(2) | TAPES, PRESSURE-SENSITIVE ADHESIVE, MASKING, NON-STAINING, FOR AIRCRAFT PAINTING APPLICATIONS [CUST: MR AS 99] [REVIEW: AR EA MC] | A 7510 | AS | | 25-SEP-86 |
| | MIL-P-21600A | PAINT SYSTEM, FLUORESCENT, REMOVABLE, FOR AIRCRAFT APPLICATION [CUST: AS] [REVIEW: AV DS MI] | A 8010 | AS | | 26-OCT-62 |
| | MIL-S-21604D SUP 1 | SWITCHES, ROTARY, MULTIPOLE AND SELECTORS; GENERAL SPECIFICATION FOR [CUST: SH] | A 5930 | CC | | 30-MAR-92 |
| | MIL-S-21604/1A | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 1 AMPERE, STYLES JF AND JFM [CUST: SH] | A 5930 | CC | | 30-MAR-92 |
| | MIL-S-21604/2A | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 5 AMPERE, STYLE JK [CUST: SH] | A 5930 | CC | | 30-MAR-92 |
| | MIL-S-21604/3B | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 5 AMPERE, STYLE JL [CUST: SH] | A 5930 | CC | | 30-MAR-92 |
| | MIL-S-21604/4A | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 7-1/2 AMPERE, STYLE JM [CUST: SH] | A 5930 | CC | | 30-MAR-92 |
| | MIL-S-21604/5A | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 10 AMPERE, STYLE JR [CUST: SH] | A 5930 | CC | | 30-MAR-92 |
| | MIL-S-21604/7A | SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 10 AMPERE, STYLES JR 304 AND JRM 300 [CUST: SH] | A 5930 | CC | | 30-MAR-92 |
| | MIL-R-21607E | RESINS, POLYESTER, LOW PRESSURE LAMINATING, FIRE-RETARDANT [CUST: SH] | A 9330 | SH | | 25-MAY-90 |
| | MIL-F-21608E(1) | FERRULE, SHIELD TERMINATING, CRIMP STYLE [CUST: CR AS 85] [REVIEW: 99 AV MI NS] | A 5940 | AS | | 21-MAY-80 |
| | MIL-G-21610C | GASKETS, HEAT EXCHANGER, VARIOUS CROSS SECTION RINGS, SYNTHETIC RUBBER [CUST: SH] [REVIEW: IS] | A 5330 | SH | | 21-NOV-89 |
| | MIL-C-21617(1) | CONNECTOR, PLUG AND RECEPTACLE-ELECTRICAL RECTANGULAR, POLARIZED SHELL, MINIATURE TYPE [CUST: EC CC] [REVIEW: AV MI] | A 5935 | CC | | 05-MAR-59 |
| | MIL-A-21618B(2) | ADAPTER, PALLET, STEEL FOR CYLINDRICAL CONTAINERS [CUST: OS] [REVIEW: GS] | A 3990 | OS | | 22-NOV-78 |
| | MIL-D-21625G | DESIGN AND EVALUATION OF CARTRIDGE FOR CARTRIDGE ACTUATED DEVICES [CUST: OS] | A 1377 | OS | | 30-NOV-93 |
| | MIL-D-21631A(1) NOT 1 | DECK COVERING, LATEX CONCRETE [CUST: SH] | A 5610 | SH | | 26-DEC-90 |
| | MIL-L-21635D | LAST, FOOTWEAR (SHOE, WOMAN S, OXFORDS) [CUST: GL NU 99 CT] [REVIEW: 32 45 MC] | A 8335 | CT | | 30-NOV-79 |
| | MIL-C-21640B | CONTROL, DEGAUSSING COMPASS COMPENSATING TYPE A-1 [CUST: SH] | A 1075 | SH | | 08-JUL-88 |
| D | MIL-T-21643D | TRUCKS, LIFT, FORK, REACHING AND TIERING, NARROW GAUGE, ELECTRIC, 3000 (1360 KG) AND 4000 POUNDS (1820 KG), CAPACITY [CUST: CR4 SA 99 IS] [REVIEW: AT CC MT SO] | A 3930 | IS | | 02-OCT-89 |
| | MIL-M-21649C NOT 1 | MOUNT, RESILIENT, TYPE 5M10,000-H [CUST: SH] [REVIEW: IS] | A 5340 | SH | | 27-MAR-91 |
| | MIL-T-21704F | TROUSERS, COLD WEATHER [CUST: NU CT] [REVIEW: CG] | A 8415 | CT | | 01-JUL-87 |
| | MIL-T-21705E | TROUSERS, EXTREME COLD WEATHER, IMPERMEABLE [CUST: NU CT] [REVIEW: 45 CG] | A 8415 | CT | | 24-MAY-84 |
| | MIL-J-21708G | JACKET, COLD WEATHER [CUST: NU CT] [REVIEW: CG SH] | A 8415 | CT | | 01-JUL-87 |
| | MIL-S-21711E(2) | SHOES, WOMEN'S [CUST: GL NU 99 CT] [REVIEW: 11 45 82 CG MC MD] | A 8435 | CT | | 14-OCT-94 |
| | MIL-H-21722B | HOOKS, THRUST AND STABILIZING, JATO 4500 POUNDS NOMINAL THRUST [CUST: AS] | A 1680 | AS | | 30-SEP-92 |
| | MIL-C-21723B | COMPOSITION CH-6 [CUST: AL OS] | A 1376 | OS | | 08-FEB-94 |
| | MIL-M-21734C | MICROPHONE, DYNAMIC, OXYGEN MASK M-94B/A [CUST: CC] | A 5965 | CC | | 25-SEP-74 |
| | MIL-F-21840G | FASTENER TAPES, HOOK AND PILE, SYNTHETIC [CUST: GL NU 45 CT] [REVIEW: 05 32 99 AR AS DS EA MC MD OS] | A 8315 | CT | | 18-FEB-83 |
| | MIL-C-21851E | CLOTH, TWILL, POLYESTER AND COTTON [CUST: GL NU 45 CT] [REVIEW: 32 82 99 CT MC MD] | A 8305 | CT | | 04-MAY-88 |
| A | MIL-C-21852F | CLOTH, TAFFETA, NYLON [CUST: GL NU 45 CT] [REVIEW: 31 32 82 99 CG MC MD] | A 8305 | CT | | 06-FEB-89 |
| | MIL-S-21859E | SUPPORT SETS, STACKING, MATERIAL HANDLING PALLET [CUST: AT 84 IS] [REVIEW: SM] | A 3990 | IS | | 04-FEB-85 |
| D | MIL-T-21867D | TRUCK, LIFT, FORK, TELESCOPING MAST, ELECTRIC, SELF PROPELLED (WALKIE) [CUST: CR4 SA 99 IS] [REVIEW: 84 AS AT DH MC MS OS SO] | A 3930 | IS | | 31-OCT-94 |
| | MIL-T-21868C | TRUCKS, LIFT, FORK, DIESEL, SHIPBOARD GENERAL SPECIFICATION FOR [CUST: SA] [REVIEW: SH] | A 3930 | SA | | 05-DEC-89 |
| | MIL-T-21868/3C | TRUCK, LIFT, FORK, DIESEL, SOLID TIRES, 6,000 POUND (2722 KG) CAPACITY, 130 INCH (3300 MM) LIFT, SHIPBOARD [CUST: SA] [REVIEW: SH] | A 3930 | SA | | 05-DEC-89 |
| | MIL-T-21868/4C | TRUCK, LIFT, FORK, DIESEL, PNEUMATIC TIRES, 6,000 POUND (2722 KG) CAPACITY, 130 INCH (3300 MM) LIFT, SHIPBOARD [CUST: SA] [REVIEW: SH] | A 3930 | SA | | 05-DEC-89 |
| | MIL-T-21868/7C | TRUCK, LIFT, FORK, DIESEL, PNEUMATIC TIRES, 15,000 POUND (6803 KG) CAPACITY, 220 INCH (5590 MM) LIFT, SHIPBOARD [CUST: SA] [REVIEW: SH] | A 3930 | SA | | 05-DEC-89 |
| | MIL-T-21868/8C | TRUCK, LIFT, FORK, DIESEL, PNEUMATIC TIRES, 20,000 POUND (9070 KG) CAPACITY, 220 INCH (5590 MM) LIFT, SHIPBOARD [CUST: SA] [REVIEW: SH] | A 3930 | SA | | 05-DEC-89 |
| | MIL-T-21868/9B | TRUCK, LIFT, FORK, DIESEL, SOLID TIRES, 6,000 POUND (2722 KG) CAPACITY, 92 INCH (2335 MM) LIFT, SHIPBOARD, LOW SILHOUETTE [CUST: SA] [REVIEW: SH] | A 3930 | SA | | 05-DEC-89 |
| | MIL-T-21869E SUP 1 | TRUCKS, LIFT, FORK, ELECTRIC, SIT-DOWN, FRONT WHEEL DRIVE, REAR WHEEL STEER; GENERAL SPECIFICATION FOR [CUST: CR4 SA 99] [REVIEW: CC MC SH] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/12F | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 2,000 POUND (910 KILOGRAM) CAPACITY, 127 INCH (3220 MILLIMETER) LIFT, GENERAL PURPOSE, TYPE "EE" [CUST: CR4 SA] [REVIEW: MC SH] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/21G | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 100 INCH (2540 MILLIMETERS) LIFT, SHIPBOARD, TYPE "EE" [CUST: SA] [REVIEW: MC OS SH] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/22G | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6,000 POUND (2730 KILOGRAMS) CAPACITY, 100 INCH (2540 MILLIMETERS) LIFT, SHIPBOARD, TYPE "EE" [CUST: SA] [REVIEW: MC OS SH] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/32F | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 100 INCH (2540 MILLIMETERS) LIFT, SHIPBOARD, TYPE, "EX" [CUST: SA] [REVIEW: OS SH] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/34G | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 2,000 POUND (910 KILOGRAM) CAPACITY, 144 INCH (3660 MILLIMETER) LIFT GENERAL PURPOSE, TYPE "EE" TRIPLE STAGE MAST [CUST: CR4 SA 99] [REVIEW: CC SM] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/37F | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 100 INCH (4570 MILLIMETERS) LIFT, GENERAL PURPOSE, TYPE "EE" TRIPLE STAGE MAST [CUST: SA] [REVIEW: CC CR4] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/38F | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT GENERAL PURPOSE, TYPE "EE" TRIPLE STAGE MAST [CUST: CR4 SA 99] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/39F | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6,000 POUND (2720 KILOGRAM) CAPACITY, 180 INCH (4570 MILLIMETER) LIFT, GENERAL PURPOSE, TYPE "EE" TRIPLE STAGE MAST [CUST: CR4 SA] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/51E | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 10,000 POUND (4540 KILOGRAM) CAPACITY, 110 INCH (2800 MILLIMETER) LIFT, TYPE "EE" [CUST: CR4 SA] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/60A | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EE [CUST: SA] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/61A | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EX [CUST: SA] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/62A | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6,000 POUND (2720 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EE [CUST: SA] [REVIEW: CC OS] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/63A | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6,000 POUND (2720 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EX [CUST: SA] [REVIEW: CC OS] | A 3930 | SA | | 01-DEC-89 |
| | MIL-T-21869/64A | TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6,000 POUND (2720 KILOGRAMS) CAPACITY, 180 INCH (4570 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EE [CUST: SA] [REVIEW: CC OS] | A 3930 | SA | | 01-DEC-89 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-T-21876C | TRUCK, LIFT, FORK, ELECTRIC, SIDELOADER FOUR-DIRECTIONAL, SHIPBOARD, MISSILE-CARRYING, 4000 POUND CAPACITY [CUST: SA] | A 3930 | SA | | 02-FEB-91 |
| | MIL-C-21881G | CLOTH, POPLIN, POLYESTER AND COTTON [CUST: GL NU 99 CT] [REVIEW: 82 CG MC MD] | A 8305 | CT | | 12-JUL-88 |
| | MIL-S-21894F | SHOE, SAFETY (CHUKKA) [CUST: NU 99 CT] [REVIEW: 32 45 AS CG MC MS OS] | A 8430 | CT | | 01-SEP-82 |
| | MIL-I-21899D | INSIGNIA, BRANCH OF SERVICE (COLLAR AND SLEEVE) [CUST: NU CT] | A 8455 | CT | | 16-OCT-90 |
| | MIL-P-21904A NOT 1 | PARACHUTES FOR UNDERWATER MINES; GENERAL SPECIFICATION FOR [CUST: OS] | A 1350 | OS | | 18-MAR-92 |
| | MIL-P-21922B(1) NOT 1 | PLASTIC RODS AND TUBES, POLYETHYLENE [CUST: MR AS 11 GS] [REVIEW: AR EA GL MI] | A 9330 | GS | | 30-MAR-88 |
| | MIL-P-21929C(1) | PLASTIC MATERIAL, CELLULAR POLYURETHANE, FOAM-IN-PLACE, RIGID (2 POUNDS PER CUBIC FOOT) [CUST: SM SH 99] [REVIEW: AS AT AV GL GS OS YDI] | A 9330 | SH | | 27-MAY-94 |
| | MIL-S-21952D | STEEL (HY-80 AND HY-100) BARS, ALLOY [CUST: SH] [REVIEW: IS] | A 9510 | SH | | 10-JAN-90 |
| | MIL-W-21965D(1) | WATER COOLING OF SHIPBOARD ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR [CUST: SH] | A 4420 | SH | | 27-JUN-94 |
| | MIL-W-21985(2) | WHEEL - CUSHION TREAD (SEMI-PNEUMATIC) FOR MOBILE GROUND SUPPORT EQUIPMENT [CUST: AS] [REVIEW: CC] | A 2530 | AS | | 10-FEB-87 |
| | MIL-D-22000B(1) | DRY CLEANING PRESSES AND FINISHING EQUIPMENT, COMMERCIAL (SHIPBOARD) [CUST: SH] | A 3510 | SH | | 22-MAR-93 |
| | MIL-M-22001(1) NOT 1 | MICROPHONE, CARBON, OXYGEN MASK, ANB-M-C1 [CUST: CC] | A 5965 | CC | | 15-OCT-91 |
| | MIL-T-22007A | TEST SET, BATTERY AN/AMM-1 [CUST: AS] [REVIEW: 99 GS] | A 6660 | AS | | 28-NOV-73 |
| | MIL-C-22016(3) NOT 1 | CARTRIDGE, (STANDARD), MARTIN-BAKER MK5, EJECTION SEAT [CUST: OS] | A 1377 | OS | | 15-APR-87 |
| | MIL-B-22019C(2) | BARRIER MATERIALS, TRANSPARENT, FLEXIBLE, SEALABLE, VOLATILE CORROSION INHIBITOR TREATED [CUST: GL AS 69] [REVIEW: AV CC CG CR4 EA MC MI SA SH SM YDI] | A 8135 | AS | | 28-NOV-86 |
| | MIL-B-22020D | BAGS, TRANSPARENT, FLEXIBLE, SEALABLE, VOLATILE CORROSION INHIBITOR TREATED [CUST: GL AS 69] [REVIEW: 71 84 AT CC CR4 MC MI OS SA SH SM YDI] | A 8105 | AS | | 02-MAY-90 |
| | MIL-I-22023D(1) | INSULATION FELT, THERMAL AND SOUND ABSORBING FELT, FIBROUS GLASS, FLEXIBLE [CUST: CR4 SH 99] [REVIEW: MI YDI] | A 5640 | SH | | 21-FEB-84 |
| | MIL-C-22043 | COVER, COATED, NYLON (FOR NAVAL ORDNANCE EQUIPMENT) [CUST: OS] | A 10GP | OS | | 22-APR-60 |
| | MIL-G-22050D(1) | GASKET AND PACKING MATERIAL, RUBBER, FOR USE WITH POLAR FLUIDS, STEAM, AND AIR AT MODERATELY HIGH TEMPERATURES [CUST: SH] | A 5330 | SH | | 24-MAY-95 |
| | MIL-V-22052D | VALVE, STOP AND STOP CHECK, GLOBE, ANGLE, AND Y PATTERN, CAST OR FORGED CARBON OR ALLOY STEEL, OUTSIDE SCREW AND YOKE (SIZES 2-1/2 INCHES AND LARGER) [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 20-MAR-78 |
| | MIL-T-22053A | TEST CHAMBER, RADIAC DETECTOR, TS-1189/PD [CUST: SH] | A 6625 | SH | | 11-FEB-69 |
| | MIL-I-22062A(2) | INTERCONNECTING BOX J-1013A/AIC [CUST: AS] | A 5831 | AS | | 15-MAY-90 |
| | MIL-H-22072C NOT 1 | HYDRAULIC FLUID, CATAPULT, NATO CODE NUMBER H-579 [CUST: AS] | A 9150 | AS | | 24-OCT-91 |
| | MIL-I-22076B(1) | INSULATION TUBING, ELECTRICAL NONRIGID, VINYL, VERY LOW TEMPERATURE GRADE [CUST: CR SH 85] [REVIEW: 99 EC GS MI] | A 5970 | SH | | 02-APR-84 |
| | MIL-G-22077C | GENERATOR SETS, GAS TURBINE, DIRECT AND ALTERNATING CURRENT NAVAL SHIPBOARD USE [CUST: SH] | A 6115 | SH | | 03-NOV-93 |
| | MIL-T-22085E | TAPES, PRESSURE-SENSITIVE, ADHESIVE, PRESERVATION AND SEALING [CUST: GL AS 69] [REVIEW: 99 CR4 EA GL MR SM] | A 7510 | AS | | 20-DEC-94 |
| | MIL-P-22088B | PURIFIERS, JET FUEL CENTRIFUGAL, NAVAL SHIPBOARD [CUST: SH] | A 4330 | SH | | 15-APR-93 |
| | MIL-I-22110C | INHIBITOR, CORROSION, VOLATILE, CRYSTALLINE POWDER [CUST: EA AS 69] [REVIEW: 99 AR AT GS MC OS SA SH SM YDI] | A 6850 | AS | | 26-SEP-85 |
| | MIL-G-22112B | GLASS, DARK ADAPTATION [CUST: AS CT] | A 8465 | CT | | 03-JUL-69 |
| | MIL-E-22118B | ENAMEL, ELECTRICAL-INSULATING [CUST: OS] [REVIEW: DS MI] | A 8010 | OS | | 09-JUL-74 |
| | MIL-I-22129C(2) | INSULATION TUBING, ELECTRICAL, POLYTETRAFLUOROETHYLENE RESIN, NONRIGID [CUST: CR SH 85] [REVIEW: 99 AR CR4 EA GS MI] | A 5970 | SH | | 30-AUG-89 |
| | MIL-T-22143A(3) NOT 1 | TELETYPEWRITER, TT-264/AG [CUST: AS] | A 5815 | AS | | 15-OCT-91 |
| | MIL-A-22145C | ACCELEROMETER GROUP, COUNTING (MS25447 AND MS25448) [CUST: AS] | A 6610 | AS | | 13-NOV-92 |
| | MIL-M-22179(6) | MICROPHONE, DYNAMIC M-96B/A [CUST: AS CC] | A 5965 | CC | | 15-AUG-69 |
| | MIL-B-22191D(1) | BARRIER MATERIAL, TRANSPARENT, FLEXIBLE, HEAT SEALABLE [CUST: GL AS 69] [REVIEW: 84 99 AT CC CR4 EA MC MI OS SA SH SM SS YDI] | A 8135 | AS | | 24-MAY-85 |
| | MIL-E-22200G SUP 1A | ELECTRODES, WELDING, COVERED: GENERAL SPECIFICATION FOR [CUST: AR SH 84] [REVIEW: AT EA GS MC MR OS YDI] | A 3439 | SH | | 03-MAY-89 |
| | MIL-E-22200/1E | ELECTRODE, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN MEDIUM AND HIGH TENSILE STEEL, AS WELDED OR STRESS-RELIEVED WELD APPLICATION [CUST: AR SH 11] [REVIEW: AT EA GS MI OS] | A 3439 | SH | | 03-OCT-73 |
| | MIL-E-0022200/1F | ELECTRODE, WELDING, MINERAL COVERED, IRON POWDER, LOW HYDROGEN MEDIUM & HIGH TENSILE STEEL, AS WELDED OR STRESS RELIEVED WELD APPLICATION [CUST: SH] | A 3439 | SH | | 14-AUG-85 |
| | MIL-E-22200/1E(12) | ELECTRODES, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN MEDIUM AND HIGH TENSILE STEEL, AS WELDED OR STRESS-RELIEVED WELD APPLICATION [CUST: SH] [REVIEW: AT EA GS MI OS] | A 3439 | SH | | 15-JAN-79 |
| | MIL-E-22200/2D | ELECTRODE, WELDING COVERED (AUSTENITIC CHROMIUM-NICKEL STEEL, FOR CORROSIVE AND HIGH TEMPERATURE SERVICES) [CUST: AL SH 11] [REVIEW: AR GS MC OS YDI] | A 3439 | SH | | 19-SEP-86 |
| | MIL-E-22200/3F | ELECTRODES, WELDING, COVERED, NICKEL BASE ALLOY, AND COBALT BASE ALLOY [CUST: MR SH 11] [REVIEW: GS MC OS YDI] | A 3439 | SH | | 19-SEP-86 |
| | MIL-E-22200/4D | ELECTRODES, WELDING, COVERED, COPPER-NICKEL ALLOY [CUST: AL SH 99] [REVIEW: AT MC MR OS] | A 3439 | SH | | 29-AUG-91 |
| | MIL-E-22200/5C | ELECTRODE, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN, HIGHTENSILE LOW ALLOY STEEL-HEAT-TREATABLE ONLY [CUST: AR SH 11] [REVIEW: AT GS] | A 3439 | SH | | 01-MAR-84 |
| | MIL-E-22200/8B(1) | ELECTRODES, WELDING, COVERED, LOW - HYDROGEN, & IRON - POWDER LOW - HYDROGEN, CHROMIUM - MOLYBDENUM ALLOY STEEL & CORROSION RESISTING STEEL [CUST: AR SH 11] [REVIEW: AL AT EA GS MC MR OS YDI] | A 3439 | SH | | 20-JUN-84 |
| | MIL-E-22200/9B(1) | ELECTRODE, WELDING, MINERAL COVERED, LOW HYDROGEN, NICKEL MAGANESE CHROMIUM MOLYBDENUM ALLOY STEEL FOR PRODUCING HY-130 WELDMENTS FOR AS WELDED APPLICATION [CUST: SH] | A 3439 | SH | | 26-MAR-87 |
| | MIL-E-22200/10C | ELECTRODES, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN MEDIUM, HIGH TENSILE AND HIGHER-STRENGTH LOW ALLOY STEELS [CUST: SH] | A 3439 | SH | | 27-JUN-94 |
| | MIL-E-22200/11A | ELECTRODES, WELDING, MINERAL-COVERED, IRON-POWER, LOW-HYDROGEN, FOR PRODUCING HY-130 WELDMENTS TO BE HEAT-TREATED [CUST: SH] [REVIEW: GS] | A 3439 | SH | | 25-APR-89 |
| | MIL-M-22202C | MANUAL, TECHNICAL, AIRCRAFT CROSS SERVICING GUIDE, PREPARATION OF [CUST: TM AS 16] | A TMSS | AS | | 08-JUL-77 |
| | MIL-A-22212(1) | ANTENNAS, AT-500 (*)/AP AND AT-929(*)/AP, AND ANTENNA BASE AB 117(*)/AP [CUST: AS CC] | A 5985 | CC | | 30-JAN-70 |
| | MIL-T-22214C | TUBE, CONDENSER AND HEAT EXCHANGER WITH INTEGRAL FINS (UNS ALLOY NOS. C17500, C70600, C12200) [CUST: SH] | A 4710 | SH | | 30-JUL-93 |
| | MIL-C-22226A | COPPER NICKEL MANGANESE ALLOY BARS, PLATES, AND SHEETS, LOW MAGNETIC EFFECT (FOR SPECIAL PURPOSE TOOLS AND EQUIPMENT) [CUST: OS] | A 9530 | OS | | 22-FEB-73 |
| | MIL-C-22230B(2) | CLEANING COMPOUND, FUEL TANK AND BILGE [CUST: SH] | A 6850 | SH | | 24-MAR-95 |
| | MIL-I-22231(1) NOT 1 | INDICATOR, AZIMUTH-ELEVATION-RANGE IP-446/AG-53A [CUST: AS] | A 5841 | AS | | 20-FEB-61 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | ICA | Prop. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-T-0022238J(1) | TANK, FUEL DISPENSING, METAL, FOR PETROLEUM PRODUCTS, HORIZONTAL, WITH SKIDS, 525-GALLON AND 600-GALLON CAPACITY [CUST: AT] [REVIEW: CC] | A 5430 | AT | | 16-OCT-91 |
| | MIL-H-22240F(1) | HOSE, RUBBER, PETROLEUM BASED FUELS & WATER SERVICES, DISCHARGE ONLY, SMOOTH BORE, LIGHTWEIGHT BUOYANT TYPE [CUST: SH] [REVIEW: CC] | A 4720 | SH | | 15-FEB-89 |
| | MIL-DTL-22244E | CARTRIDGE, IMPULSE, MARK 23 MOD O [CUST: OS] | A 1377 | OS | | 27-MAY-97 |
| | MIL-W-22248A(2) | WELDMENTS, ALUMINUM AND ALUMINUM ALLOY [CUST: EA OS 11] [REVIEW: CR4] | A THJM | OS | | 06-JUN-85 |
| | MIL-C-22249B SUP 1 | CONNECTOR SETS, ELECTRICAL, HERMETICALLY SEALED, SUBMARINE GENERAL SPECIFICATION FOR [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/1A | CONNECTOR SETS, PLUG ASSEMBLY, 15-PIN, COMPARTMENT SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/2A | CONNECTOR SETS, PLUG ASSEMBLY, 15-PIN, MISSILE SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/3A | CONNECTOR SETS, HEADER ASSEMBLY, 15-PIN [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/4A | CONNECTOR SETS, PLUG ASSEMBLY, 44-PIN, COMPARTMENT SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/5A | CONNECTOR SETS, PLUG ASSEMBLY, 44-PIN, MISSILE SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/6A | CONNECTOR SETS, HEADER ASSEMBLY, 44-PIN [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/7B | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, COMPARTMENT SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/8A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, COMPARTMENT SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/9A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, COMPARTMENT SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/10A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, MISSILE SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/11A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, MISSILE SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/12A | CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, MISSILE SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/13A | CONNECTOR SETS, HEADER ASSEMBLY, 72-PIN [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/14A | CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, COMPARTMENT SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/15A | CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, COMPARTMENT SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/16A | CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, MISSILE SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/17A | CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, MISSILE SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/18A | CONNECTOR SETS, HEADER ASSEMBLY, 138-PIN [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/19A | CONNECTOR SETS, PLUG ASSEMBLY, 175-PIN, COMPARTMENT SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/20A | CONNECTOR SETS, PLUG ASSEMBLY, 175-PIN, MISSILE SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/21A | CONNECTOR SETS, HEADER ASSEMBLY, 175-PIN [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/23A | CONNECTOR SETS, SPANNER WRENCH ASSEMBLY FOR 44- AND 72-PIN UMBILICAL PLUG COUPLING NUTS [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/24A | CONNECTOR SETS, SPANNER WRENCH ASSEMBLY FOR 138- AND 175-PIN UMBILICAL PLUG COUPLING NUTS [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/25A | CONNECTOR SETS, WATERTIGHT HEADER COVER ASSEMBLY FOR 15-PIN UMBILICAL PLUG [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/26B | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, COMPARTMENT SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/27B | CONNECTOR SETS, HEADER ASSEMBLY, 208-PIN (45 DEG. ORIENTATION) [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/28C | CONNECTOR SETS, HEADER ASSEMBLY, 208-PIN (310 DEG. ORIENTATION) [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/29B | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, MISSILE SIDE (45 DEG. ORIENTATION) [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/30B | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, MISSILE SIDE, (310 DEG. ORIENTATION) [CUST: SH] [REVIEW: CC] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/31B | CONNECTOR SETS, PLUG ASSEMBLY, 3-PIN, COMPARTMENT SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/32B | CONNECTOR SETS, HEADER ASSEMBLY, 3-PIN [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/33B | CONNECTOR SETS, PLUG ASSEMBLY, 3-PIN, MISSILE SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/34C | CONNECTOR SETS, PLUG ASSEMBLY, 19-PIN, COMPARTMENT SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/35A | CONNECTOR SETS, HEADER ASSEMBLY, 19-PIN [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/36C | CONNECTOR SETS, PLUG ASSEMBLY, 19-PIN, MISSILE SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/37B | CONNECTOR SETS, HEADER ASSEMBLY, 12-PIN, COMPARTMENT SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/38A | CONNECTOR SETS, HEADER ASSEMBLY, 12-PIN [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/39B | CONNECTOR SETS, PLUG ASSEMBLY, 12-PIN, MISSILE SIDE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/40B | CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, COMPARTMENT SIDE [CUST: SH] [REVIEW: CC] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/41A | CONNECTOR SETS, HEADER ASSEMBLY, 6-PIN [CUST: SH] [REVIEW: CC] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/42B | CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, MISSILE SIDE [CUST: SH] [REVIEW: CC] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/43A | CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, MISSILE SIDE, RIGHT ANGLE [CUST: SH] [REVIEW: CC] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/44A | CONNECTOR SETS, SPANNER WRENCH FOR 208-PIN PLUG [CUST: SH] [REVIEW: CC] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/45C | CONNECTOR SETS, SPANNER WRENCH, FOR 3-, 6-, 12-, AND 19-PIN PLUG, MISSILE SIDE [CUST: SH] [REVIEW: CC] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/46B | CONNECTOR SETS, WATERTIGHT COVER ASSEMBLY, 208-PIN, HEADER ASSEMBLY [CUST: SH] [REVIEW: CC] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/47 | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, COMPARTMENT SIDE, THREE-CABLE TYPE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/48 | CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, MISSILE SIDE, RIGHT ANGLE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/49 | CONNECTOR SETS, PLUG ASSEMBLY, 12-PIN, MISSILE SIDE, RIGHT ANGLE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-C-22249/50 | CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, COMPARTMENT SIDE, FIVE CABLE TYPE [CUST: SH] | A 5935 | SH | | 29-SEP-89 |
| | MIL-H-22251 NOT 1 | HYDRAZINE SOLUTION (22-PERCENT) [CUST: SH] [REVIEW: GS] | F 6810 | SH | | 05-NOV-59 |
| | MIL-A-22262B(2) | ABRASIVE BLASTING MEDIA SHIP HULL BLAST CLEANING [CUST: SH] | A 5350 | SH | | 21-MAR-96 |
| | MIL-I-22266C(1) | INSULATING COMPOUND, ELECTRICAL (FOR FIELD SPLICING APPLICATIONS) [CUST: CR AS 11] [REVIEW: 85 99 CR4 GS MI SH] | A 5970 | AS | | 15-NOV-73 |
| | MIL-E-22267A NOT 1 | EXPLOSIVE COMPOSITION, HBX TYPE [CUST: AR OS] [REVIEW: 99 MC MI] | A 1376 | AR | | 22-APR-88 |
| | MIL-P-22296B NOT 1 | PLASTIC TUBES AND TUBING, POLYTETRAFLUOROETHYLENE, (TFEFLUOROCARBON RESIN), HEAVY WALLED [CUST: MR 11 GS] [REVIEW: 17 CR4 EA GL MI] | A 9330 | GS | | 10-FEB-87 |
| | MIL-P-22302A | PUMPS, CENTRIFUGAL, BOILER FEED, SINGLE STAGE, NAVAL SHIPBOARD USE [CUST: SH] | A 4320 | SH | | 19-APR-91 |
| | MIL-P-22314(3) NOT 2 | PROPELLANTS, U.S. NAVY GUNS; BALLISTIC APPENDIX [CUST: OS] | A 1376 | OS | | 05-SEP-95 |
| A | MIL-P-22332B(1) NOT 2 | PAINT, PRIMING, EXTERIOR AND INTERIOR (FOR AMMUNITION) [CUST: AR OS 99] [REVIEW: MR] | A 8010 | AR | | 15-JAN-98 |
| | MIL-DTL-22342E | BROWS, ALUMINUM, BEAM AND TRUSS [CUST: YD1] [REVIEW: CR4] | A 2090 | YD1 | | 07-JUL-95 |
| | MIL-I-22344D | INSULATION, PIPE, THERMAL, FIBROUS GLASS [CUST: SH 99] | A 5640 | SH | | 15-AUG-91 |
| | MIL-D-22346B | DI NORMAL PROPYL ADIPATE (DNPA) [CUST: OS] | A 6810 | OS | | 19-MAR-73 |
| | MIL-I-22352D(1) SUP 1 | INTERCOMMUNICATION SETS AN/AIC-14A + AN/AIC-14, GENERAL SPECIFICATION FOR [CUST: AS] | A 5831 | AS | | 15-AUG-86 |
| | MIL-A-22354A(1) NOT 1 | ANTENNA AT-948/U [CUST: AS CC] | A 5985 | CC | | 15-OCT-91 |
| | MIL-T-22361(1) | THREAD COMPOUND, ANTISEIZE, ZINC DUST-PETROLATUM [CUST: AS 99] [REVIEW: CR4 DS MI YD1] | A 8030 | AS | | 06-JUL-64 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|----------------------|---|-----------------------|-----------------|-----------|
| | MIL-C-22362D | CARTRIDGE, IMPULSE, MK 18 MOD 0 [CUST: OS] | A 1377 | OS | 15-APR-87 |
| | MIL-DTL-0022362E | CARTRIDGE, IMPULSE, MARK 18 MOD 0 [CUST: OS] | A 1377 | OS | 07-DEC-95 |
| | MIL-C-22395B | COMPOUND, END SEALING, THERMAL INSULATION PIPE COVERING-FIRE-, WATER-, AND WEATHER-RESISTANT [CUST: CR4 SH] [REVIEW: MR] | A 8030 | SH | 25-JUL-89 |
| | MIL-A-22397 NOT 1 | ADHESIVE, PHENOL AND RESORCINOL RESIN BASE (FOR MARINE SERVICE USE) [CUST: MR SH 99] [REVIEW: 11 AT CR4 MI] | A 8040 | SH | 03-OCT-89 |
| | MIL-S-22432A | SERVOMOTOR, GENERAL SPECIFICATION FOR [CUST: AR AS 11] [REVIEW: 99 AV CR GS MI SH] | A 6105 | AS | 28-NOV-90 |
| | MIL-S-22432/6B NOT 1 | SERVOMOTOR, TYPE MARK 7 MOD 7 [CUST: AR AS 11] [REVIEW: 82 AV CG CR CR4 EC MC MI OS SH] | A 6105 | AS | 05-NOV-91 |
| | MIL-S-22432/9E | SERVOMOTOR, TYPE 18SM4C [CUST: AR AS 11] [REVIEW: 99 AV CG CR CR4 EC GS MC MI OS SH] | A 6105 | AS | 28-NOV-90 |
| | MIL-S-22432/31D | SERVOMOTOR, TYPE 11SM4C [CUST: AR AS 11] [REVIEW: 99 AV CG CR CR4 EC GS MC MI OS SH] | A 6105 | AS | 28-NOV-90 |
| | MIL-E-22437E NOT 2 | EQUIPMENT, DEGAUSSING, FOR MCM SHIPS [CUST: SH] [REVIEW: MI] | A 1075 | SH | 21-MAR-91 |
| A | MIL-DTL-22442E SUP 1 | CABLE ASSEMBLIES, AIRCRAFT AUDIO, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 99 CC] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/1C | CABLE ASSEMBLIES, AIRCRAFT AUDIO, SWITCH ASSEMBLY [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/3B | CABLE ASSEMBLY, AIRCRAFT AUDIO, CABLE (RETRACTILE) [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/4C | CABLE ASSEMBLY, AIRCRAFT AUDIO, CONNECTOR (U-61/U) [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/5B | CABLE ASSEMBLY, AIRCRAFT AUDIO, CONNECTOR [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/6A | CABLE ASSEMBLY, AIRCRAFT AUDIO, QUALIFICATION BY SIMILARITY [CUST: CR AS 85] [REVIEW: 11 99 CC] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/8B | CABLE ASSEMBLY, AIRCRAFT AUDIO, CLOTHING CLIP [CUST: CR AS 85] [REVIEW: 11 99 CC] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/12C | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-4622/AR [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/19D | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-12972/AR [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/20C | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-12973/AR [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/21C | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-12974/AR [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/22C | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-12987/AR [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/23C | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-12988/AR [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/24C | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-13017/AR [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/25B | ASSEMBLY, AIRCRAFT AUDIO, MOLDED RUBBER CONNECTOR MECHANICAL GAUGES [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/26E | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-13126A/A [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/27C | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-13127/A [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/29B | CABLE ASSEMBLY, RADIO FREQUENCY AIRCRAFT AUDIO, CX-13154/A [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/30B | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-13155/A AND CX-13164/A [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/31B | CABLE ASSEMBLY, AIRCRAFT AUDIO [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/32B | CABLE ASSEMBLY, AIRCRAFT AUDIO, ASSOCIATED PARTS [CUST: CR AS 85] | A 5995 | AS | 01-JAN-98 |
| A | MIL-DTL-22442/33B | CABLE ASSEMBLY, RADIO FREQUENCY AIRCRAFT AUDIO CX-4707C/AIC [CUST: CR AS 85] [REVIEW: 11 99 CC] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/35B | CABLE ASSEMBLY, AIRCRAFT AUDIO, CABLE [CUST: CR AS 85] [REVIEW: 11 99 CC] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/36B | CABLE ASSEMBLY, AIRCRAFT AUDIO [CUST: CR AS 85] [REVIEW: 11 99 CC] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/37B | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-4708A/AIC [CUST: CR AS 85] [REVIEW: 11 99 CC] | A 5995 | AS | 05-JAN-98 |
| | MIL-C-22442/38A | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) [CUST: CR AS 85] [REVIEW: 11 99] | A 5995 | AS | 02-SEP-88 |
| A | MIL-DTL-22442/39A | CABLE ASSEMBLY, AIRCRAFT AUDIO EA-3B ADAPTER CABLE [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/40A | CABLE ASSEMBLY, AIRCRAFT AUDIO [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/41A | CABLE ASSEMBLY, AIRCRAFT AUDIO, ADAPTER, SURVIVAL RADIO [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/42A | CABLE ASSEMBLY, AIRCRAFT AUDIO, S-3A CABLE ADAPTER [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/53 | CABLE ASSEMBLY, AIRCRAFT AUDIO, AH-1J AND AH-1T AIRCRAFT CABLE [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/57A | CABLE ASSEMBLY, AIRCRAFT AUDIO, CX-13165/A AH-1T AND AH-1W [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| A | MIL-DTL-22442/61A | CABLE ASSEMBLY, AIRCRAFT AUDIO [CUST: AS] | A 5995 | AS | 05-JAN-98 |
| | MIL-I-22444C NOT 1 | INSULATION TAPE, ELECTRICAL, SELF BONDING, SILICONE RUBBER TREATED BIAS WEAVE OR SINUSOIDAL WEAVE GLASS, CABLE SPLICING, NAVAL SHIPBOARD [CUST: SH] [REVIEW: GS MI] | A 5970 | SH | 28-OCT-88 |
| D | MIL-S-22473E(8) | SEALING, LOCKING, AND RETAINING COMPOUNDS: (SINGLE-COMPONENT) [CUST: MR AS 11] [REVIEW: 84 99 CR CR4 DS MD MI OS SH] | A 8030 | 11 | 18-NOV-93 |
| A | MIL-DTL-22499D | SHIM STOCK, LAMINATED [CUST: MR AS IS] [REVIEW: AR CC CR4 EA MC MI] | A 9535 | IS | 27-FEB-98 |
| A | MIL-DTL-22499/1B | SHIM STOCK, LAMINATED, ALUMINUM ALLOY [CUST: MR AS IS] [REVIEW: AR AT CC CR4 EA MC MI] | A 9535 | IS | 27-FEB-98 |
| A | MIL-DTL-22499/2A | SHIM STOCK, LAMINATED, BRASS [CUST: MR AS IS] [REVIEW: AR AT CC CR4 EA MC MI] | A 9535 | IS | 27-FEB-98 |
| A | MIL-DTL-22499/3B | SHIM STOCK, LAMINATED, CRES [CUST: MR AS IS] [REVIEW: AR AT CC CR4 EA MC MI] | A 9515 | IS | 27-FEB-98 |
| A | MIL-DTL-22499/4A | SHIM STOCK, LAMINATED, CARBON STEEL [CUST: MR AS IS] [REVIEW: AR AT CC CR4 EA MC MI] | A 9515 | IS | 27-FEB-98 |
| | MIL-S-22518A(1) | STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR [CUST: AS] | A 2995 | AS | 22-NOV-82 |
| | MIL-S-22518/1 NOT 1 | STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, MODEL ATS/AD-1 [CUST: AS] | A 2995 | AS | 01-OCT-89 |
| | MIL-S-22518/2 NOT 1 | STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, MODEL ATS/AD-2 [CUST: AS] | A 2995 | AS | 01-OCT-89 |
| | MIL-S-22518/3 NOT 1 | STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, MODEL ATS/AD-3 [CUST: AS] | A 2995 | AS | 01-OCT-89 |
| A | MIL-DTL-22520G SUP 1 | CRIMPING TOOLS, TERMINAL, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 17 19 AV CC EC MI SH] | A 5120 | AS | 12-SEP-97 |
| | MIL-C-22520/1C(2) | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 12 THROUGH 20 [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CR4 EC MC MI OS SH] | A 5120 | AS | 06-JUL-81 |
| | MIL-C-22520/2C(1) | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 20 THROUGH 28 [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CR4 EC MC MI OS SH] | A 5120 | AS | 28-NOV-80 |
| | MIL-C-22520/3D | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, IN-SERVICE INSPECTION GAGES [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AV CC CR4 EC GL MC MI OS SH] | A 5220 | AS | 06-FEB-81 |
| | MIL-C-22520/4A | CRIMPING TOOL, CONTACT, ELECTRIC, HAND FOR SHIELDED OUTER CONTACTS [CUST: AR AS 85] | A 5120 | AS | 19-MAR-76 |
| | MIL-C-22520/5D | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, LARGE FOR COAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS [CUST: CR AS 85] [REVIEW: 17 19 99 AR AT AV CR4 EC MI OS SH] | A 5120 | AS | 31-MAY-83 |
| A | MIL-C-0022520/5E | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, LARGE FOR COAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS [CUST: 85] | A 5120 | CC | 15-MAY-87 |
| | MIL-C-22520/6B | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, IN-SERVICE INSPECTION GAGES FOR [CUST: AS] [REVIEW: 11 99 EC] | A 5220 | AS | 06-FEB-81 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-C-22520/7B | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 16, 20 AND 22 [CUST: CR AS 85] [REVIEW: EC] | A 5120 | AS | | 19-MAR-76 |
| | MIL-C-22520/10D | CRIMPING TOOL, TERMINAL, HAND, WIRE TERMINATION, LARGE FOR COAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS [CUST: CR AS 85] [REVIEW: 19 99 AR AT AV CR4 EC MI OS SH] | A 5120 | AS | | 18-JUN-86 |
| | MIL-C-22520/17B | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR CRIMP TYPE REMOVABLE CONTACTS, ELECTRIC CONNECTORS [CUST: CR AS 85] [REVIEW: EC] | A 5120 | AS | | 25-APR-90 |
| | MIL-C-22520/18A | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION IN-SERVICE INSPECTION GAGE FOR MIL-C-22520/17 CRIMPING TOOL [CUST: AS] [REVIEW: EC] | A 5220 | AS | | 19-MAR-76 |
| | MIL-C-22520/19 | CRIMPING TOOL, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 16 SHIELDED CONTACTS (OUTER CONTACT) [CUST: CR AS 85] [REVIEW: 17 70 80 82 AR AV CC CR4 EC MC MI OS SH] | A 5120 | AS | | 19-MAR-76 |
| | MIL-C-22520/20 | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 16 SHIELDED CONTACTS (SHIELD CRIMP SLEEVE) [CUST: CR AS 85] | A 5120 | AS | | 19-MAR-76 |
| | MIL-C-22520/21 | CRIMP TOOL, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 12 SHIELDED CONTACTS (OUTER CONTACT) [CUST: CR AS 85] [REVIEW: 17 19 80 99 AR AV CC CR4 EC MC MI OS SH] | A 5120 | AS | | 19-MAR-76 |
| | MIL-C-22520/22 | CRIMP TOOL, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 12 SHIELDED CONTACTS (SHIELDED CRIMP SLEEVE) [CUST: CR AS 85] [REVIEW: 17 70 80 82 AR AT AV CC CR4 EC MI OS SH] | A 5120 | AS | | 19-MAR-76 |
| | MIL-C-22520/23 | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 0000 THROUGH 8 [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV EC GL MC MI OS SH] | A 5130 | AS | | 02-JAN-79 |
| | MIL-C-22520/24A | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, TOOL, FOR LUG TERMINAL AND EXTERNAL POWER PLUG SOCKET CONTACTS, SIZE 22-10 [CUST: AS] [REVIEW: CC EC MC OS SH] | A 5120 | AS | | 09-AUG-85 |
| | MIL-C-22520/28 | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 20 THROUGH 28 [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AV EC GL MC MI OS SH] | A 5130 | AS | | 10-NOV-77 |
| | MIL-C-22520/29 | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 12 THROUGH 20 [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AV EC GL MC MI OS SH] | A 5130 | AS | | 10-NOV-77 |
| | MIL-C-22520/30 | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, ACCESSORY HARDWARE FOR MIL-C-22520/28 AND MIL-C-22520/29 TOOLS [CUST: CR AS 85] | A 5130 | AS | | 10-NOV-77 |
| | MIL-C-22520/31 | CRIMPING TOOL, TERMINAL, HAND, FOR SHIELDED SIZE 12 OUTER CONTACTS [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CC CR4 EC MC MI OS SH] | A 5120 | AS | | 28-NOV-80 |
| A | MIL-C-22520/32 NOT 1 | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR CONNECTORS, ELECTRICAL, FLAT CABLE (TYPE 2) [CUST: 85] [REVIEW: 17 19 84 99 CC] | A 5120 | CC | | 18-JUL-91 |
| | MIL-C-22520/34B | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, FOR CRIMP TYPE REMOVABLE CONTACTS FOR MIL-C-28840 CONNECTORS [CUST: CC] [REVIEW: MC OS SH] | A 5120 | CC | | 06-MAR-87 |
| A | MIL-C-22520/35C | CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGES FOR MIL-C-22520/34 CRIMP TOOLS [CUST: EC CC] [REVIEW: CG SH] | A 5220 | CC | | 06-MAR-87 |
| | MIL-C-22520/36C | COMPRESSION TOOL, HAND, TYPE 2 FOR SEMIRIGID COAXIAL CABLE (CATEGORY F CONNECTORS) [CUST: CR AS 85] [REVIEW: 19 99 AR AV CC EC MI TD] | A 5120 | CC | | 31-JUL-90 |
| A | MIL-DTL-22520/37 | CRIMPING TOOL, ELECTRICAL, WIRE SPLICING, HAND ACTUATED, TYPE II, FOR ENVIRONMENTAL SPLICES, WIRE RANGE 26-12 AWG [CUST: CR AS 85] [REVIEW: 11 17 99 AR AV CC EC MI OS SH] | A 5120 | AS | | 12-SEP-97 |
| A | MIL-DTL-22520/38 | CRIMPING TOOL, TERMINAL, HAND ACTUATED, WIRE TERMINATION, TYPE II, FOR EXTERNAL POWER PLUG SOCKET CONTACTS AND LUG TERMINAL SIZES 12-10 [CUST: CR AS 85] [REVIEW: CC EC OS SH] | A 5120 | AS | | 12-SEP-97 |
| A | MIL-DTL-22520/39 | CRIMPING TOOL, TERMINAL, HAND, ACTUATED, WIRE TERMINATION, IN-SERVICE INSPECTION GAGE FOR [CUST: CR AS 85] [REVIEW: 11 17 99 AR AV CC EC MI OS SH] | A 5220 | AS | | 12-SEP-97 |
| | MIL-A-22523E NOT 1 | ANALYZER-INDICATOR, DEAD RECKONING (DRAI) (NAVAL SHIPBOARD) [CUST: SH] | A 6605 | SH | | 22-JUN-89 |
| A | MIL-DTL-22529D(2) | GROMMET, EDGING [CUST: AS 99 IS] [REVIEW: 82] | A 5325 | IS | | 09-MAR-98 |
| A | MIL-DTL-22529/1C | GROMMET, COMPOSITE, EDGING [CUST: AS 99 IS] [REVIEW: 82] | A 5325 | IS | | 06-FEB-98 |
| A | MIL-DTL-22529/2B | GROMMET, CUSHION, COMPOSITE, EDGING [CUST: AS 99 IS] [REVIEW: 82] | A 5325 | IS | | 06-FEB-98 |
| | MIL-D-22531A(2) | DISPLAY-PLOTTING BOARD GROUP OA-1768/ASA-13 [CUST: AS] | A 6605 | AS | | 01-JUN-64 |
| | MIL-C-22542B | CLEANING COMPOUND, HIGH PRESSURE CLEANER, LIQUID [CUST: AS] [REVIEW: GS] | A 6850 | AS | | 26-AUG-87 |
| | MIL-V-22549D(1) | VALVE, ANGLE, RELIEF, FOR GAS AND OXYGEN SERVICE (SIZES 2 INCHES LPS AND BELOW), NAVAL SHIPBOARD [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 13-APR-77 |
| | MIL-I-22560C | INTERCOMMUNICATION STATIONS (HANDS-FREE OPERATED REPLY REPRODUCER) NAVAL SHIPBOARD [CUST: SH] | A 5830 | SH | | 26-APR-94 |
| | MIL-T-22576(1) | TERMINAL, AIR, DIFFUSING, CIRCULAR [CUST: SH] [REVIEW: GS] | A 4130 | SH | | 10-JAN-64 |
| | MIL-H-22577C NOT 1 | HEATING ELEMENTS ELECTRICAL: CARTRIDGE, STRIP AND TUBULAR TYPE [CUST: CR4 SH 99] [REVIEW: CC MC MD MI MS YD1] | A 4540 | SH | | 08-JUL-88 |
| | MIL-R-22578B(1) | RESORCINOL [CUST: OS] | A 6810 | OS | | 08-FEB-94 |
| | MIL-P-22581C | PLASTIC TILES, VIBRATION DAMPING, TYPE III [CUST: SH] | A 9330 | SH | | 23-OCT-91 |
| | MIL-C-22585A | COMPUTER, PRESSURE REDUCTION, METEOROLOGICAL CP-402/UM [CUST: AS] | A 6660 | GS | | 24-MAY-84 |
| | MIL-C-22587B | CARTRIDGE, GREASE, 14 OUNCE (FOR CARTRIDGE-TYPE GREASE GUN) [CUST: CR4 AS 99] [REVIEW: AR CC MC PS] | A 4930 | AS | | 17-AUG-83 |
| | MIL-L-22589D | LAUNCHING SYSTEM, NOSE GEAR TYPE, AIRCRAFT [CUST: AS] | A 1720 | AS | | 10-SEP-91 |
| | MIL-I-22590C NOT 1 | IMPREGNATED WADDING, METAL POLISH [CUST: GL AS] [REVIEW: MD] | A 7920 | AS | | 24-OCT-91 |
| | MIL-H-22594A(1) | HEATERS, DUCT TYPE, ELECTRIC [CUST: SH] [REVIEW: CC] | A 4520 | SH | | 21-APR-89 |
| | MIL-I-22598B | INTERPRETATION KIT, PHOTOGRAPHIC, POCKET-SIZE BS-5() [CUST: AS] [REVIEW: GS MC] | A 6675 | AS | | 29-DEC-89 |
| | MIL-F-22606C(1) | FLASK COMPRESSED GAS AND END PLUGS FOR AIR, OXYGEN AND NITROGEN [CUST: SH] [REVIEW: GS] | A 8120 | SH | | 17-SEP-93 |
| | MIL-D-22612C(1) | DETECTOR, CONTAMINATED FUEL [CUST: AS] | A 6630 | AS | | 26-SEP-83 |
| | MIL-W-22613 NOT 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL; SHIELDED (SHIPBOARD USE) [CUST: OS CC] | A 6145 | CC | | 23-FEB-89 |
| | MIL-C-22617 NOT 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL, NON-SHIELDED (SHIPBOARD USE) [CUST: OS CC] | A 6145 | CC | | 23-FEB-89 |
| | MIL-R-22618(1) | RELEASE, BOMB SHACKLE, AERO 7A, SERIES AND RELEASE, BOMB RACK AERO 7B SERIES [CUST: AS] | A 1095 | AS | | 15-AUG-63 |
| | MIL-R-22623A(1) | RACK, BOMB EJECTOR, AIRCRAFT, AERO 20A AND AERO 20B SERIES [CUST: AS] | A 1095 | AS | | 15-SEP-80 |
| | MIL-L-22624A(2) | LINK, AMMUNITION, 20MM, MARK 6 MODS 4, 5 AND 6 [CUST: AS] | A 1305 | AS | | 04-APR-66 |
| | MIL-C-22625 | CARTRIDGE, DUMPER VALVE, MARK 22 MOD 0 [CUST: AS] | A 1375 | AS | | 31-AUG-60 |
| | MIL-A-22641C(3) SUP 1A | ADAPTER, COAXIAL TO WAVEGUIDE, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS GL MC MI OS] | A 5985 | CC | | 21-SEP-78 |
| | MIL-A-22641/16F | ADAPTER, COAXIAL TO WAVEGUIDE (SERIES N TO WAVEGUIDE CLASS I) [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS GL MC MI OS] | A 5985 | CC | | 21-SEP-78 |
| | MIL-A-22641/17A NOT 1 | ADAPTER, COAXIAL TO WAVEGUIDE (CLASS 3 - 7/8 INCH) TYPES UG-405/U, UG-522/U, UG-1622/U AND UG-1663/U [CUST: CR EC 85] [REVIEW: 17 99 AS AV MC MI] | A 5985 | CC | | 27-OCT-87 |
| | MIL-A-22641/18 NOT 1 | ADAPTER, COAXIAL TO WAVEGUIDE (CLASS 2 - 5/8 INCH), TYPES UG-403/U, UG-404/U, UG-445/U, UG-520/U, UG-521/U, UG-523/U, UG-1647/U THRU UG-1652/U [CUST: CR EC 85] [REVIEW: 17 99 AS AV MC MI] | A 5985 | CC | | 27-OCT-87 |
| | MIL-A-22641/19 | ADAPTER, COAXIAL TO WAVEGUIDE (TNC TO WAVEGUIDE - CLASS 4) [CUST: CR EC 85] [REVIEW: 11 17 99 AS MC MI OS] | A 5985 | CC | | 02-MAY-72 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MA Prog. Acty. | Date |
|------------|--------------------------|---|--------------------------|-------------------|-----------|
| | MIL-A-22641/20B | ADAPTER, COAXIAL TO WAVEGUIDE (SMA TO WAVEGUIDE - CLASS 5) [CUST: CR EC 85] [REVIEW: 11 17 99 AS MC MI OS] | A 5985 | CC | 21-SEP-78 |
| | MIL-A-22641/21 | ADAPTER, COAXIAL TO WAVEGUIDE (SERIES N TO WAVEGUIDE - CLASS I), PRESSUREIZABLE [CUST: EC] | A 5985 | CC | 24-JUN-76 |
| | MIL-A-22641/22 | ADAPTER, COAXIAL TO WAVEGUIDE (DOUBLE RIDGE) (BANDWIDTH RATIO 2.4 1) (SERIES SMA TO WAVEGUIDE - CLASS 5) [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS GL MC MI OS] | A 5985 | CC | 21-SEP-78 |
| | MIL-A-22641/23 | ADAPTER, COAXIAL TO WAVEGUIDE (DOUBLE RIDGE) (BANDWIDTH RATIO 2.4 1) (SERIES N TO WAVEGUIDE - CLASS I) [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS GL MC MI OS] | A 5985 | CC | 21-SEP-78 |
| | MIL-C-22653C | CARTRIDGE, IMPULSE, MARK 19 MOD 0 [CUST: OS] | A 1377 | OS | 10-DEC-85 |
| | MIL-P-22655C | PANEL MARKERS: AERIAL LIAISON; NYLON; FLUORESCENT [CUST: MC CT] | A 8345 | CT | 28-MAR-91 |
| | MIL-C-22656B | CARTRIDGE, IMPULSE, MARK 14 MOD 0 [CUST: OS] | A 1377 | OS | 22-FEB-71 |
| | MIL-R-22659D NOT 1 | RADIO SETS AN/ARC-51A, AN/ARC-51B, AN/ARC-51AX, AND AN/ARC-51BX [CUST: AS] [REVIEW: CR MC] | A 5821 | AS | 19-JUN-87 |
| | MIL-S-22664B(1) | STEEL, STRUCTURAL SHAPES ALLOY, HIGH YIELD STRENGTH (HY-80 AND HY-100) (METRIC) [CUST: SH] | A 9520 | SH | 23-APR-91 |
| | MIL-C-22667B NOT 1 | CABLE, SPECIAL PURPOSE, BUOYANT, ELECTRICAL, TYPE RG-298/U (SUBMARINE USE) [CUST: SH] [REVIEW: IS] | A 6145 | SH | 19-APR-91 |
| | MIL-R-22678(4) NOT 1 | RECEIVER-TRANSMITTER RADIO RT-542/ASQ AND RT-542A/ASQ [CUST: AS] | A 5821 | AS | 15-OCT-91 |
| | MIL-R-22679(4) NOT 1 | RECEIVER-TRANSMITTER RADIO RT-559/ASQ-58 AND RT-559A/ASQ-58 [CUST: AS] | A 5821 | AS | 15-OCT-91 |
| | MIL-A-22681C(1) SUP 1A | ARRESTER, FLASH, MAIN STORAGE BATTERY, (SUBMARINE USE), GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: GS] | A 6140 | SH | 01-DEC-89 |
| | MIL-A-22681/1C | ARRESTER, FLASH, SUBMARINE MAIN STORAGE BATTERY, TYPE I [CUST: SH] [REVIEW: GS] | A 6140 | SH | 02-OCT-89 |
| | MIL-A-22681/2C NOT 1 | ARRESTER, FLASH, SUBMARINE MAIN STORAGE BATTERY, TYPE II [CUST: SH] [REVIEW: GS] | A 6140 | SH | 02-OCT-89 |
| | MIL-V-22682A(2) | VALVE, ASTERN (FOR SHIPBOARD USE) [CUST: SH] [REVIEW: CC] | A 4820 | SH | 15-AUG-63 |
| | MIL-V-22687C(1) | VALVE, BALL, NAVAL SHIPBOARD, FOR AIR, NITROGEN, HELIUM OR HYDRAULIC SERVICE (SIZE 2 1/2 INCHES IPS AND BELOW) [CUST: SH] | A 4820 | SH | 31-OCT-89 |
| | MIL-S-22698C(2) | STEEL PLATE, SHAPES AND BARS, WELDABLE ORDINARY STRENGTH AND HIGHER STRENGTH: STRUCTURAL [CUST: SH] | A 9515 | SH | 20-OCT-94 |
| A | MIL-DTL-22706G | DUCT AND SCUFF COVER, PNEUMATIC, FLEXIBLE [CUST: AV AS 99] [REVIEW: 82 CC MC] | A 4720 | AS | 20-AUG-97 |
| | MIL-S-22710E(8) SUP 1 | SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), THUMBWHEEL AND PUSHBUTTON, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 99 AS AV CR4 MC MI OS] | A 5930 | CC | 30-MAY-95 |
| | MIL-S-22710/11E(1) | SWITCHES, CODE, INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEL SWITCH ASSEMBLY, INTEGRAL BEZEL, NONSEALED, ILLUMINATED OR NONILLUMINATED), STYLE SRPC11 [CUST: CR EC 85] [REVIEW: 11 17 AS CR4 MC MI OS SM] | A 5930 | CC | 04-OCT-82 |
| | MIL-S-22710/12E(1) NOT 1 | SWITCH, ROTARY (PRINTED CIRCUIT) (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULE, ILLUMINATED OR NONILLUMINATED), (TOP RELAMPABLE), STYLE SRPC12 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CR4 MC MI OS SM] | A 5930 | CC | 21-MAY-93 |
| | MIL-S-22710/14E(1) NOT 1 | SWITCH, ROTARY (PRINTED CIRCUIT) (THUMBWHEEL SWITCH ASSEMBLY, INTEGRAL BEZEL, NONSEALED, NONILLUMINATED), STYLE SRPC14 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CR4 MC MI OS SM] | A 5930 | CC | 21-MAY-93 |
| | MIL-S-22710/15G NOT 1 | SWITCH, CODE INDICATING WHEEL (PRINTED CIRCUIT) (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULE, ILLUMINATED OR NONILLUMINATED), (TOP, BOTTOM, OR REAR RELAMPABLE), STYLE SRPC15 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CR4 MC MI OS SM] | A 5930 | CC | 21-MAY-93 |
| | MIL-S-22710/17H(1) | SWITCHES, CODE, INDICATING WHEEL (PRINTED CIRCUIT) PUSHBUTTON, SEALED, EMI/RFI SHIELDED, ILLUMINATED OR NONILLUMINATED, STYLE SRPC17 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CR4 MC MI] | A 5930 | CC | 29-NOV-93 |
| | MIL-S-22710/18F | SWITCH, CODING INDICATING WHEEL (PRINTED CIRCUIT) (PUSHBUTTON, BIDIRECTIONAL, SEALED OR UNSEALED, ILLUMINATED & NONILLUMINATED) STYLE SRPC18-1 & -2 [CUST: CR EC 85] [REVIEW: 11 17 99 AL AS CR4 MC SM] | A 5930 | CC | 30-SEP-86 |
| | MIL-S-22710/20C | SWITCH, ROTARY (PRINTED CIRCUIT), (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULES, DUAL ILLUMINATED), (RFI SHIELDED) (TOP + BOTTOM RELAMPABLE), STYLESRPC20 [CUST: CR EC 85] [REVIEW: 11 17 AS CR4 MC MI OS SM] | A 5930 | CC | 04-OCT-82 |
| | MIL-S-22710/23C | SWITCH, ROTARY (PRINTED CIRCUIT), (PUSHBUTTON, UNIDIRECTIONAL, SEALED OR UNSEALED, ILLUMINATED) (SIDE RELAMPABLE) OR NONILLUMINATED), STYLE SRPC23 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CR4 MC SM] | A 5930 | CC | 30-SEP-86 |
| | MIL-S-22710/24A(2) | SWITCH, ROTARY (PRINTED CIRCUIT) (TOGGLE, BIDIRECTIONAL, SEALED, ILLUMINATED OR NONILLUMINATED) STYLE SRPC24 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR CR4 MC MI SM] | A 5930 | CC | 18-FEB-83 |
| | MIL-S-22710/30 | SWITCHES, ROTARY (PRINTED CIRCUIT), PUSHBUTTON BIDIRECTIONAL, SEALED, HIGH SHOCK, RFI SHIELDED, ILLUMINATED OR NONILLUMINATED, LOW LEVEL, STYLE SRPC30 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AL AS CR4 MC SM] | A 5930 | CC | 25-NOV-83 |
| | MIL-F-22735C | FILM, ELASTOMERIC, FLUORESCENT, FOR WEAPONS SYSTEM (ASG) [CUST: AS 11] [REVIEW: 69 MR] | A 9330 | GS | 03-NOV-80 |
| | MIL-W-22759E(1) SUP 1 | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, COPPER OR COPPER ALLOY [CUST: CR AS 85] [REVIEW: 11 80 AR AT AV CR4 IS MC MI OS] | A 6145 | AS | 07-MAY-91 |
| | MIL-W-22759/1F(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, SILVER-COATED COPPER CONDUCTOR, 600-VOLT [CUST: CR AS 85] [REVIEW: 99 AR AT AV CR4 EC IS MC MI NA OS] | A 6145 | AS | 15-MAR-94 |
| | MIL-W-22759/2G | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, NICKLE-COATED COPPER CONDUCTOR, 600-VOLT [CUST: CR AS 85] [REVIEW: 99 AR AT AV CR4 EC IS MC MI NA OS] | A 6145 | AS | 15-MAR-94 |
| | MIL-W-22759/3D | WIRE, ELECTRIC, FLUOROCARBON INSULATED, TFE GLASS TFE, MEDIUM WEIGHT, NICKLE COATED COPPER, 600 VOLT [CUST: CR AS 85] [REVIEW: 11 AR AT AV CR4 EC IS MC MI OS] | A 6145 | AS | 10-SEP-76 |
| | MIL-W-22759/4C | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, TFE-GLASS-FEP, MEDIUM WEIGHT, SILVER-COATED COPPER CONDUCTOR, 600-VOLT [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 EC IS MC MI OS] | A 6145 | AS | 10-APR-92 |
| | MIL-W-22759/5B(1) | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 600 VOLT [CUST: CR AS 85] [REVIEW: 11 80 99 AR AT AV CR4 EC IS MC MI OS] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/6B(1) | WIRE, ELECTRICAL, FLUOROCARBON-INSULATED, ABRASION RESISTANT, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 600 VOLT [CUST: CR AS 85] [REVIEW: 11 80 99 AR AT AV CR4 EC IS MC MI OS] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/7B(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT, EXTRUDED TFE, MEDIUM WEIGHT, SILVER-COATED CONDUCTOR, 600-VOLT [CUST: CR AS 85] [REVIEW: 11 80 99 AR AT AV CR4 EC IS MC MI OS] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/8B(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED TFE, MEDIUM WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT [CUST: CR AS 85] [REVIEW: 11 80 99 AR AT AV CR4 EC IS MC MI OS] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/9B(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 1000-VOLT [CUST: CR AS 85] [REVIEW: 11 80 99 AR AT AV CR4 EC IS MC MI OS] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/10B(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 1000-VOLT [CUST: CR AS 85] [REVIEW: 11 80 99 AR AT AV CR4 EC IS MC MI OS] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/11F(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 600-VOLT [CUST: CR AS 85] [REVIEW: 11 80 99 AR AT AV CR4 EC IS MC MI OS] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/12F(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT [CUST: CR AS 85] [REVIEW: 11 80 99 AR CR4 EC IS MC OS] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/13D | WIRE, ELECTRIC, FLUOROCARBON INSULATED, FEP-PVF2 MEDIUM WEIGHT, TIN COATED COPPER, 600 VOLT [CUST: CR AS 85] [REVIEW: 11 AR AT AV CR4 EC IS MC MI OS] | A 6145 | AS | 29-JUN-73 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|--------------------|--|--------------------------|--------------------|-----------|
| | MIL-W-22759/14B | WIRE, ELECTRIC, FLUOROCARBON-INSULATED, FEP-PVF2, LIGHTWEIGHT, TIN-COATED COPPER, 600 VOLT [CUST: CR AS 85] [REVIEW: 11 AR AT AV CR4 EC IS MC MI OS] | A 6145 | AS | 29-JUN-73 |
| | MIL-W-22759/15B | WIRE, ELECTRIC, FLUOROCARBON-INSULATED, FEP-PVF2 LIGHTWEIGHT, SILVER PLATED HIGH STRENGTH COPPER ALLOY, 600 VOLT [CUST: CR AS 85] [REVIEW: 11 AR AT AV CR4 EC IS MC MI OS] | A 6145 | AS | 29-JUN-73 |
| | MIL-W-22759/16A | WIRE, ELECTRIC, FLUOROPOLYMER INSULATED, EXTRUDED ESTFE, MEDIUM WEIGHT, TIN COATED COPPER CONDUCTOR, 600 VOLT, 150 DEG C [CUST: CR AS 85] [REVIEW: 11 99 AR AT AV CR4 EC IS MC NA OS] | A 6145 | AS | 10-MAR-81 |
| | MIL-W-22759/17A | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, MEDIUM WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT, 150 DEG. C [CUST: CR AS 85] [REVIEW: 11 99 AR AT AV CR4 EC IS MC OS] | A 6145 | AS | 10-MAR-81 |
| | MIL-W-22759/18A | WIRE, ELECTRIC, FLUOROPOLYMER INSULATED, EXTRUDED ESTFE, LIGHT WEIGHT, TIN COATED COPPER CONDUCTOR, 600 VOLT, 150 DEG. C [CUST: CR AS 85] | A 6145 | AS | 10-MAR-81 |
| | MIL-W-22759/19A | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT, 150 DEG C [CUST: CR AS 85] [REVIEW: 11 99 AR AT AV CR4 EC IS MC OS] | A 6145 | AS | 10-MAR-81 |
| | MIL-W-22759/20(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1000-VOLT [CUST: AS 85] [REVIEW: 11 80 99] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/21(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1000-VOLT [CUST: AS 85] [REVIEW: 11 80 99] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/22 | WIRE, ELECTRIC, FLUOROPOLYMER INSULATED, EXTRUDED TFE NICKLE COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT [CUST: AS] [REVIEW: 11 80 99] | A 6145 | AS | 28-JAN-74 |
| | MIL-W-22759/23(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT [CUST: AS 85] [REVIEW: 11 80 99] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/28(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, SILVER-COATED CONDUCTOR, 600-VOLT [CUST: AS 85] [REVIEW: 11 80 99] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/29(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT [CUST: AS 85] [REVIEW: 11 80 99] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/30(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE-COATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT [CUST: AS 85] [REVIEW: 11 80 99] | A 6145 | AS | 31-DEC-90 |
| | MIL-W-22759/31(1) | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT [CUST: AS 85] [REVIEW: 11 80 99] | A 6145 | AS | 31-DEC-90 |
| A | MIL-W-22759/32C(1) | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, TIN-COATED COPPER, 150 DEG. C, 600 VOLT [CUST: AV AS 85] [REVIEW: 19 70 99 CC CR EC MI NA OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-W-22759/33C(1) | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200 DEG. C, 600 VOLT [CUST: AV AS 85] [REVIEW: 19 70 99 CC CR EC MI NA OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-W-22759/34D(1) | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, TIN-COATED COPPER, 150 DEG. C, 600 VOLT [CUST: AV AS 85] [REVIEW: 19 70 99 CC CR EC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-W-22759/35D(1) | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200 DEG. C, 600 VOLT [CUST: AV AS 85] [REVIEW: 19 70 99 CC CR EC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-W-22759/41C(1) | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED COPPER, 200 DEG. C, 600 VOLT [CUST: AV AS 85] [REVIEW: 19 70 99 CC CR EC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-W-22759/42B(1) | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED HIGH-STRENGTH COPPER ALLOY, 200 DEG. C, 600 VOLT [CUST: AV AS 85] [REVIEW: 19 70 99 CC CR EC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-W-22759/43C(1) | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED COPPER, 200 DEG. C, 600 VOLT [CUST: CR AS 85] [REVIEW: 19 70 99 AV CC MI SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-W-22759/44A(1) | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED COPPER, 200 DEG. C, 600 VOLT [CUST: AV AS 85] [REVIEW: 19 70 99 CC CR EC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-W-22759/45A(1) | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED COPPER, 200 DEG. C, 600 VOLT [CUST: AV AS 85] [REVIEW: 19 70 99 CC CR EC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-W-22759/46A(1) | WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED HIGH-STRENGTH COPPER ALLOY, 200 DEG. C, 600 VOLT [CUST: AV AS 85] [REVIEW: 19 70 99 CC CR EC MI OS SH] | A 6145 | CC | 29-SEP-93 |
| A | MIL-DTL-22759/80A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, LIGHT WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 DEG. C, 600 VOLTS [CUST: CR AS 85 NA] [REVIEW: 11 19 70 99 AV CC IS MI] | A 6145 | AS | 23-FEB-98 |
| A | MIL-DTL-22759/81A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, HIGH STRENGTH OR ULTRA-HIGH STRENGTH COPPER ALLOY, 200 DEG. C, 600 VOLTS [CUST: CR AS 85 NA] [REVIEW: 11 19 70 99 AV CC IS MI] | A 6145 | AS | 23-FEB-98 |
| A | MIL-DTL-22759/82A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 DEG C, 600 VOLTS [CUST: CR AS 85 NA] [REVIEW: 11 19 70 99 AV CC IS MI] | A 6145 | AS | 23-FEB-98 |
| A | MIL-DTL-22759/83A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 DEG. C, 600-VOLT [CUST: CR AS 85 NA] [REVIEW: 11 19 70 99 AV CC MI] | A 6145 | AS | 23-FEB-98 |
| A | MIL-DTL-22759/84A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 DEG. C, 600-VOLT [CUST: CR AS 85 NA] [REVIEW: 11 19 70 99 AV CC MI] | A 6145 | AS | 23-FEB-98 |
| A | MIL-DTL-22759/85A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, TIN COATED COPPER CONDUCTOR, 150 DEG. C, 600-VOLT [CUST: CR AS 85 NA] [REVIEW: 11 19 70 99 AV CC MI] | A 6145 | AS | 23-FEB-98 |
| A | MIL-DTL-22759/86A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 DEG. C, 600 VOLTS [CUST: CR AS 85 NA] [REVIEW: 11 19 70 99 AV CC MI] | A 6145 | AS | 23-FEB-98 |
| A | MIL-DTL-22759/87A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 DEG. C, 600 VOLTS [CUST: CR AS 85 NA] [REVIEW: 11 19 70 99 AV CC MI] | A 6145 | AS | 23-FEB-98 |
| A | MIL-DTL-22759/88A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 DEG. C, 600 VOLTS [CUST: CR AS 85 NA] [REVIEW: 11 19 70 99 AV CC MI] | A 6145 | AS | 23-FEB-98 |
| A | MIL-DTL-22759/89A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 DEG. C, 600 VOLTS [CUST: CR AS 85 NA] [REVIEW: 11 19 70 99 AV CC MI] | A 6145 | AS | 23-FEB-98 |
| A | MIL-DTL-22759/90A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 DEG. C, 600 VOLTS [CUST: CR AS 85 NA] [REVIEW: 11 19 70 99 AV CC MI] | A 6145 | AS | 23-FEB-98 |
| A | MIL-DTL-22759/91A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 DEG. C, 600 VOLTS [CUST: CR AS 85 NA] [REVIEW: 11 19 70 99 AV CC MI] | A 6145 | AS | 23-FEB-98 |
| A | MIL-DTL-22759/92A | WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 DEG. C, 600 VOLTS [CUST: CR AS 85 NA] [REVIEW: 11 19 70 99 AV CC MI] | A 6145 | AS | 23-FEB-98 |
| | MIL-S-22760C | SUPPORT, CROWN, SERVICE CAP, AND SUPPORT HOLDER [CUST: MC CT] | A 8405 | CT | 28-MAR-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|--------------------------|--|-----------------------|-----|-------------|-----------|
| MIL-I-22767A NOT 1 | INTERCOMMUNICATION STATIONS LS-459(*)/AIC AND LS-460(*)/AIC [CUST: AS] | A 5831 | AS | | 15-OCT-91 |
| MIL-A-22771D | ALUMINUM ALLOY FORGINGS, HEAT TREATED [CUST: MR AS 11] [REVIEW: MI OS] | A FORG | AS | | 30-JAN-84 |
| MIL-C-22775D | CLOTH, BUNTING, ACRYLIC [CUST: GL NU CT] [REVIEW: CG IH OS SH] | A 8305 | CT | | 06-JAN-84 |
| MIL-S-22777F | SOLES AND HEELS, RUBBER, TRACTION TREAD, SHOE [CUST: GL NU 45 CT] [REVIEW: 32 82 99 AS CG MC MD] | A 8335 | CT | | 18-OCT-82 |
| MIL-I-22782E | INSIGNIA, SHOULDER SLEEVE, AND BREAST [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 13-NOV-85 |
| MIL-C-22787D | CLOTH, COATED, FUEL AND FLAME RESISTANT [CUST: NU 99 CT] [REVIEW: 45 82] | A 8305 | CT | | 08-DEC-87 |
| MIL-S-22805B(1) | SPRAY KIT, SELF PRESSURIZED [CUST: AL AS 99] [REVIEW: 82 AV CR OS SH YD1] | A 4940 | AS | | 16-DEC-93 |
| MIL-S-22820B | SERVOMOTOR-TACHOMETER GENERATOR, AC; GENERAL SPECIFICATION FOR [CUST: AR AS] [REVIEW: 79 CR MC MI] | A 6105 | AS | | 28-NOV-90 |
| MIL-S-22820/7C | SERVOMOTOR-TACHOMETER GENERATOR, TYPE 18SM-RG4D [CUST: AR AS 11] [REVIEW: 17 CR MC MI] | A 6105 | AS | | 28-NOV-90 |
| MIL-S-22820/34C | SERVOMOTOR-TACHOMETER GENERATOR, TYPE 15SM-IH4A (HEAT COMPENSATED) [CUST: AS] [REVIEW: GS] | A 6105 | AS | | 28-NOV-90 |
| MIL-T-22821C | TACHOMETER GENERATOR, AC; GENERAL SPECIFICATION FOR [CUST: AR AS] [REVIEW: 99 CC CG GS MC] | A 6680 | AS | | 28-NOV-90 |
| MIL-T-22821/1B | TACHOMETER GENERATOR, TYPE 15IH4A (HEAT COMPENSATED) [CUST: AR AS] [REVIEW: 99 CC CG GS MC] | A 6680 | AS | | 28-NOV-90 |
| MIL-T-22821/2C | TACHOMETER GENERATOR, TYPE 15RG4A [CUST: AR AS] [REVIEW: 99 CC CG GS MC] | A 6680 | AS | | 28-NOV-90 |
| MIL-C-22845A NOT 1 | CARTRIDGE, DELAY, MARK 35 MOD 0 [CUST: OS] | A 1377 | OS | | 10-APR-87 |
| MIL-H-22881E | HEATER SYSTEMS, WATER, STEAM HEATED NON-STORAGE TYPE [CUST: SH] | A 4520 | SH | | 05-MAY-95 |
| MIL-S-22885/10G(1) NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED INDICATOR LIGHT FOR, MODULAR, 4-LAMP [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 22-MAR-91 |
| MIL-S-22885/12E | SWITCH SUBASSEMBLY, COLOR FILTERS (FOR SWITCH, PUSH BUTTON, ILLUMINATED) [CUST: CR EC 17 CC] [REVIEW: 99 AS AT AV CR4 MC MI OS] | A 5930 | CC | | 04-DEC-87 |
| MIL-S-22885/13H | SWITCH SUBASSEMBLY, BOOT, DRIPPROOF PANEL SEAL (FOR ILLUMINATED PUSH BUTTON SWITCH) [CUST: CR EC 85 CC] [REVIEW: 99 AS CR4 MC OS SH] | A 5930 | CC | | 28-JAN-94 |
| MIL-S-22885/54C | SWITCH, PUSHBUTTON, ILLUMINATED, COLOR FILTER FOR, PLANAR DESIGN [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A 5930 | CC | | 19-FEB-93 |
| MIL-S-22885/55E | SWITCH, PUSHBUTTON, ILLUMINATED CAP, COLOR FILTER FOR, LAMP-CAP DESIGN [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH] | A 5930 | CC | | 19-FEB-93 |
| MIL-S-22885/58F(1) | SWITCH, PUSH BUTTON, ILLUMINATED, 2-LAMP, SOLID MOUNT, 3 AMPERES, UNSEALED [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AV MC MI OS] | A 5930 | CC | | 19-JUL-91 |
| MIL-S-22885/59C | SWITCH, PUSH BUTTON, ILLUMINATED, 2-LAMP, LENS ARRANGEMENTS FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS AV MC MI OS SH] | A 5930 | CC | | 20-DEC-89 |
| MIL-S-22885/74F NOT 1 | SWITCHES, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, PLUG-IN MODULE (INSERTABLE TYPE TERMINATION) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 22-MAR-91 |
| MIL-S-22885/80E(3) | SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK RESISTANT [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV DS MC MI OS SH] | A 5930 | CC | | 24-FEB-93 |
| MIL-S-22885/81A NOT 1 | SWITCHES, PUSH BUTTON, ILLUMINATED, 5 AMPERES, 1 LAMP, DRIPPROOF [CUST: CR EC 85 CC] [REVIEW: 11 70 84 99 MI SA SH] | A 5930 | CC | | 28-MAY-93 |
| A MIL-S-22885/90B(2) | SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.750 SQUARE, LOW LEVEL TO 7 AMPERES, (DRIPPROOF, EMI/RFI SHIELDING, NIGHT VISION GOGGLE COMPATIBLE) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | | 01-JUL-97 |
| MIL-S-22885/99(1) NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, PUSH BUTTONS FOR (SNAP-IN AND SCREW-IN) [CUST: CR EC 85] [REVIEW: 19 99 AS AV MC MI OS SH] | A 5930 | CC | | 25-JUN-92 |
| MIL-S-22885/102A NOT 1 | SWITCH, PUSHBUTTON, 4-LAMP, PUSHBUTTON & LENS ASSEMBLIES FOR, .610 SQUARE (DRIPPROOF, SUNLIGHT READABLE, EMI/RFI SHIELDED) [CUST: 85 CC] | A 5930 | CC | | 31-MAY-89 |
| MIL-S-22885/103(2) NOT 1 | SWITCHES, PUSHBUTTON, ILLUMINATED, 2 AMPERES, 2PDT, 4PDT AND INDICATOR, 4 LAMP, SUNLIGHT READABLE (EMI/RFI SHIELDING, MODULAR CONSTRUCTION) [CUST: EC] | A 5930 | CC | | 17-MAY-94 |
| MIL-S-22885/105(2) NOT 1 | SWITCH, PUSHBUTTON, ILLUMINATED, PLUG-IN, SWITCH MODULE FOR, 2PDT, 4PDT [CUST: EC] | A 5930 | CC | | 17-MAY-94 |
| MIL-W-22900A(2) | WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE F [CUST: AS] [REVIEW: 99 GS] | A 6660 | AS | | 26-JUL-68 |
| A MIL-C-22931B(1) SUP 1 | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS AT AV CR4 MC MI OS] | A 6145 | CC | | 16-DEC-76 |
| A MIL-C-22931/9 | CABLE, RADIO FREQUENCY SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .500 AND .530 INCH OUTSIDE DIAMETER, 50 OHMS [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS AT AV CR4 MC OS] | A 6145 | CC | | 10-FEB-68 |
| A MIL-C-22931/10 | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .500 INCH OUTSIDE DIAMETER, 75 OHMS [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS AT CR4 MC OS] | A 6145 | CC | | 10-FEB-68 |
| A MIL-C-22931/11A | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .875 TO 1.005 INCHES OUTSIDE DIAMETER, 50 OHMS [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS AT CR4 MC MI OS] | A 6145 | CC | | 20-JAN-72 |
| A MIL-C-22931/12 | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .875 TO 1.005 INCHES OUTSIDE DIAMETER, 75 OHMS [CUST: CR EC 85] [REVIEW: 11 17 19 AT AV CR4 MC OS] | A 6145 | CC | | 10-FEB-68 |
| A MIL-C-22931/13A | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, 1.625 TO 1.830 INCHES OUTSIDE DIAMETER, 50 OHMS [CUST: CR EC 85] [REVIEW: 11 17 19 AS AT CR4 MC MI OS] | A 6145 | CC | | 20-JAN-72 |
| A MIL-C-22931/14 | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, 1.625 INCHES OUTSIDE DIAMETER, 75 OHMS [CUST: CR EC 85] [REVIEW: 11 17 19 AS AT AV CR4 MC OS] | A 6145 | CC | | 10-FEB-68 |
| A MIL-C-22931/15A(2) | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, 2.850 AND 3.125 INCHES OUTSIDE DIAMETER, 50 OHMS [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS AT CR4 MC MI OS] | A 6145 | CC | | 11-FEB-77 |
| MIL-C-22931/16 | CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC 3.125 INCHES OUTSIDE DIAMETER, 75 OHMS [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS AT AV CR4 MC OS] | A 6145 | CC | | 10-FEB-68 |
| MIL-C-22931/17 NOT 2 | CABLES, RADIO FREQUENCY SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .495 INCH OUTSIDE DIAMETER, 50 OHMS [CUST: 11 CC] [REVIEW: 17] | A 6145 | CC | | 20-JAN-93 |
| MIL-C-22931/18 NOT 2 | CABLES, RADIO FREQUENCY SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC 0.620 INCH OUTSIDE DIAMETER, 50 OHMS [CUST: 11 CC] | A 6145 | CC | | 20-JAN-93 |
| MIL-F-22963B(1) | FILTER, AIR, ELECTROSTATIC (PRECIPITATOR) WITH POWER SUPPLY FOR ENVIRONMENTAL CONTROL SYSTEMS [CUST: SH] [REVIEW: CR4] | A 4460 | SH | | 08-JUL-85 |
| MIL-P-22968B | PAPER, RECORDING, HEAT SENSITIVE [CUST: AS] | A 7530 | AS | | 05-NOV-84 |
| A MIL-F-22978A | FASTENER, ROTARY, QUICK-OPERATING, HIGH-STRENGTH (ASG) [CUST: AS 99 CC] [REVIEW: 82 MI] | A 5325 | IS | | 10-JUN-63 |
| MIL-C-22992E(5) SUP 1 | CONNECTOR, PLUGS AND RECEPTACLES, ELECTRICAL, WATERPROOF, QUICK DISCONNECT, HEAVY DUTY TYPE GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 19 AR AS MC MI OS SH YD1] | A 5935 | CC | | 30-SEP-86 |
| MIL-S-22999B | STARTER, AIRCRAFT ENGINE, HYDRAULIC GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: 99] | A 2995 | AS | | 15-JUN-81 |
| MIL-S-22999/1 NOT 1 | STARTER, AIRCRAFT ENGINE, HYDRAULIC FOR T58 ENGINE [CUST: AS] | A 2995 | AS | | 07-JUL-87 |
| MIL-S-22999/2A | STARTER, AIRCRAFT ENGINE, HYDRAULIC FOR T64 ENGINE [CUST: AS] | A 2995 | AS | | 06-JUN-86 |
| MIL-S-23008D(1) | STEEL CASTINGS, ALLOY, HIGH YIELD STRENGTH (HY-80 AND HY-100) [CUST: SH] | A MECA | SH | | 13-AUG-93 |
| MIL-S-23009C | STEEL FORGINGS, ALLOY, HIGH YIELD STRENGTH (HY-80 AND HY-100) [CUST: SH] [REVIEW: IS] | A FORG | SH | | 10-DEC-87 |
| MIL-I-23011C | IRON NICKEL ALLOYS FOR SEALING TO GLASSES AND CERAMICS [CUST: MR AS 11] [REVIEW: 17 99 AT AV CR4 MI OS] | A 9505 | AS | | 29-MAR-74 |
| MIL-S-23012A(1) | SUBMARINE INTERCOMMUNICATION SYSTEM AN/WIC-(V) [CUST: SH] | A 5830 | SH | | 25-FEB-66 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-R-23016(3) NOT 1 | RADIO SET AN/ARC-94 [CUST: AS] | A 5821 | AS | | 16-OCT-91 |
| | MIL-C-23024A(4) | CARTRIDGE, DELAY, MARK 36 MOD 0 [CUST: OS] | A 1377 | OS | | 20-MAR-78 |
| | MIL-DTL-23053E SUP 1A | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 80 AR CR4 EA EC GS MC MI SH] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/1C | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, CROSSLINKED CHLORINATED POLYOLEFIN, FLEXIBLE [CUST: CR AS 85] [REVIEW: 99 EA EC GS MI] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/4D | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, DUAL-WALL, OUTER WALL CROSSLINKED [CUST: CR AS 85] [REVIEW: 99 AR CR4 EC GS MC MI] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/5C | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, FLEXIBLE, CROSSLINKED [CUST: CR AS 85] [REVIEW: 99 AR CR4 DS EC GS MC MI] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/6D | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, SEMI-RIGID, CROSSLINKED [CUST: CR AS 85] [REVIEW: 99 CR4 EA EC GS MC MI] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/7C | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYETHYLENE TEREPHTHALATE, NON-CROSSLINKED [CUST: CR AS 85] [REVIEW: 99 EA EC GS] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/8C | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYLIDENE FLUORIDE, SEMI-RIGID, CROSSLINKED [CUST: CR AS 85] [REVIEW: 99 EC GS] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/10D | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, SILICONE RUBBER, FLEXIBLE [CUST: CR AS 85] [REVIEW: 99 AR EC GS MC MI SH] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/11C | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLUORINATED ETHYLENE PROPYLENE, NON-CROSSLINKED [CUST: CR AS 85] [REVIEW: 99 EC GS MI SH] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/12C | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYTETRAFLUOROETHYLENE [CUST: CR AS 85] [REVIEW: 99 EC GS MI] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/13B | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLUOROELASTOMER, FLEXIBLE [CUST: CR AS 85] [REVIEW: 99 EC GS MI] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/14B | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, ETHYLENE-TETRAFLUOROETHYLENE FLUOROPOLYMER, SEMI-RIGID [CUST: CR AS 85] [REVIEW: 99 EA EC GS MI] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/15B | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE POLYOLEFIN, HEAVY-WALL, COATED, FLEXIBLE, OUTER WALL CROSSLINKED [CUST: CR AS 85] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/16B | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, CROSSLINKED, ELASTOMERIC POLYOLEFIN, FLEXIBLE [CUST: CR AS 85] [REVIEW: 80 AR CR4 EC GS MC MI] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/17B | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLAME RETARDED, MODIFIED POLYOLEFIN, FLEXIBLE, CROSSLINKED [CUST: CR AS 85] | A 5970 | AS | | 17-JUN-96 |
| | MIL-DTL-23053/18B | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, MODIFIED FLUOROPOLYMER, CROSSLINKED [CUST: CR AS 85] [REVIEW: 80 99 AR CR4 EC MC MI] | A 5970 | AS | | 17-JUN-96 |
| | MIL-A-23054A(1) NOT 1 | ACOUSTICAL ABSORPTIVE BOARD, FIBROUS GLASS PERFORATED FIBROUS GLASS CLOTH FACED [CUST: SH] | A 5640 | SH | | 24-DEC-90 |
| | MIL-I-23062(2) | IGNITER, MARK 247 MOD 0 [CUST: OS] | A 1336 | OS | | 22-JUL-76 |
| | MIL-C-23070B(1) | CLOTH, LAMINATED, AND TAPE, COATED CLOTH, POLYISOPRENE, NATURAL OR SYNTHETIC, RUBBER ON NYLON [CUST: GL AS 99 CT] [REVIEW: 31 32 45 82] | A 8305 | CT | | 13-NOV-95 |
| | MIL-B-23071C(3) | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT GENERAL SPECIFICATION FOR [CUST: CR4 EC 99] [REVIEW: 11 17 AS CC MC MI OS SH] | A 4140 | IS | | 23-MAR-93 |
| | MIL-B-23071/1D(1) NOT 1 | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT, TUBE AXIAL (26 AND 35 WATTS INPUT POWER) [CUST: CR4 EC 99] [REVIEW: 11 17 AS MI] | A 4140 | IS | | 11-FEB-91 |
| | MIL-B-23071/2B NOT 1 | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (105 WATTS INPUT POWER) [CUST: CR4 EC 82] [REVIEW: 11 17 AS MI] | A 4140 | IS | | 11-FEB-91 |
| | MIL-B-23071/3B NOT 1 | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (50 WATTS INPUT POWER) [CUST: CR4 EC 82] [REVIEW: 11 17 AS MI] | A 4140 | IS | | 11-FEB-91 |
| | MIL-B-23071/7C NOT 1 | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (14, 40, 17 AND 39 WATTS INPUT POWER) [CUST: CR4 EC 99] [REVIEW: 11 17 82 AS MI OS SH] | A 4140 | IS | | 11-FEB-91 |
| | MIL-B-23071/8C(1) | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBE AXIAL (69 AND 60 WATTS INPUT POWER) [CUST: CR4 EC 99] [REVIEW: 11 17 70 82 AS SH] | A 4140 | IS | | 28-MAY-92 |
| | MIL-B-23071/9E NOT 1 | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (138 WATTS INPUT POWER) [CUST: CR4 EC 99] [REVIEW: 11 17 82 AS SH] | A 4140 | IS | | 11-FEB-91 |
| | MIL-B-23071/25 NOT 1 | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (6.3, 19, 12, 12/23, 6.5/19, 16, AND 13 WATTS INPUT POWER) [CUST: CR4 EC 99] [REVIEW: 11 AS CR] | A 4140 | IS | | 11-FEB-91 |
| | MIL-B-23071/27 NOT 1 | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (9.5, 18, 12, 25, 13/22, 14, AND 24 WATTS INPUT POWER) [CUST: CR4 EC 99] [REVIEW: 11 17 AS CR OS] | A 4140 | IS | | 11-FEB-91 |
| | MIL-R-23098A(6) | REGULATOR, LINE VOLTAGE, SINGLE PHASE, 400 HERTZ A.C. NAVAL SHIPBOARD [CUST: SH] [REVIEW: GS] | A 6110 | SH | | 14-JUL-76 |
| | MIL-D-23119G | DRUMS, FABRIC, COLLAPSIBLE, LIQUID FUEL, CYLINDRICAL, 500-GALLON CAPACITY [CUST: AT SA 11] [REVIEW: 99 GS MC] | A 8110 | AT | | 15-JUL-92 |
| | MIL-D-23134A | DECK UNDERLAY AND COVERING, INSULATING, MAGNESIA AGGREGATE MIXTURE [CUST: SH] | A 5610 | SH | | 14-SEP-88 |
| | MIL-R-23139B | ROCKET MOTORS, SURFACE LAUNCHED, DEVELOPMENT AND QUALIFICATION REQUIREMENTS FOR [CUST: OS] [REVIEW: CR4] | A 1336 | OS | | 18-AUG-65 |
| | MIL-D-23140D | DRAWINGS, INSTALLATION CONTROL, FOR ELECTRONIC EQUIPMENT [CUST: SH] | A DRPR | SH | | 30-APR-92 |
| | MIL-P-23141D(1) | PLOTTING TABLE, ANTI-SUBMARINE AND DEAD RECKONING (NAVAL SHIPBOARD) [CUST: SH] | A 6605 | SH | | 15-AUG-68 |
| | MIL-T-23142B NOT 1 | TAPE, PRESSURE-SENSITIVE ADHESIVE, FOR DISSIMILAR METAL SEPARATION [CUST: GL AS 99] [REVIEW: 69 CR4 MI] | A 7510 | AS | | 28-OCT-91 |
| | MIL-I-23145B(3) | INFLATION ASSEMBLIES, LIFE PRESERVER [CUST: CR4 AS 99] [REVIEW: 11 84 AV MC SH YD1] | A 4220 | CC | | 16-OCT-85 |
| | MIL-V-23151B(4) | VOLTMETER, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SHIPBOARD USE) [CUST: SH] [REVIEW: MI] | A 6625 | SH | | 03-DEC-90 |
| | MIL-E-23155C | ESCAPE APPLIANCE, HOODED, AIR INFLATABLE, WITH POUCH, SUBMARINE PERSONNEL [CUST: SH] [REVIEW: CC] | A 4220 | SH | | 14-SEP-81 |
| | MIL-C-23157D | CLIPBOARD, PILOT'S, MXU-163/P, AND MARK 2A [CUST: AS 99 CT] [REVIEW: 45 AV] | A 8465 | CT | | 23-JUL-79 |
| | MIL-C-23157D(13) | CLIPBOARD, PILOT'S, MXU-163/P AND MARK 2A [CUST: AS] | A 8465 | AS | | 30-JAN-85 |
| | MIL-M-23167B(1) | METER FREQUENCY, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SWITCHBOARD USE) [CUST: SH] [REVIEW: CC MI] | A 6625 | SH | | 20-OCT-78 |
| | MIL-N-23182A(1) | NETWORKS, PULSE FORMING, RADAR, GENERAL SPECIFICATION FOR [CUST: CR EC 85] | A 5915 | CC | | 30-APR-79 |
| | MIL-C-23183B(1) SUP 1 | CAPACITOR, FIXED OR VARIABLE, VACUUM OR GAS DIELECTRIC, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 80 AR AS MC OS] | A 5910 | CC | | 02-SEP-82 |
| | MIL-C-23183/5A | CAPACITOR, VARIABLE, VACUUM DIELECTRIC STYLE CG60 [CUST: CR EC 85] [REVIEW: 17 19 AS MC OS] | A 5910 | CC | | 07-APR-72 |
| | MIL-C-23183/7B(1) | CAPACITOR, VARIABLE, VACUUM OR GAS DIELECTRIC STYLES CG65 AND CG66 [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS MC OS] | A 5910 | CC | | 14-AUG-78 |
| | MIL-S-23190E(1) | STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC AND METAL FOR CABLE HARNESS TYING AND SUPPORT [CUST: CR AS 85] [REVIEW: 11 99 AR AV CR4 EA EC GS MC MI OS SH] | A 5975 | AS | | 30-DEC-87 |
| | MIL-S-23190/1A | STRAP, CLAMPS, AND MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT [CUST: CR AS 85] [REVIEW: 99 AV CR4 EA EC MC MI OS SH] | A 5340 | AS | | 27-SEP-74 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------|---|--------------------------|-----|-------------|-----------|
| MIL-S-23190/2 | STRAPS, CLAMPS, PLASTIC AND METAL, MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT CLAMP, LOOP, METAL, CUSHIONED, ADJUSTABLE, WIRE SUPPORT, TYPE V, CLASS 1 [CUST: CR AS 85] [REVIEW: 80 99 GS NS] | A 5975 | AS | | 28-MAR-86 |
| MIL-S-23190/3 | STRAP, CLAMPS, & MOUNTING HARDWARE, PLASTIC & METAL FOR CABLE HARNESS TYING & SUPPORT STRAP, TIE DOWN, ADJUSTABLE, CORROSION RESISTANT STEEL TYPE VI, CLASS 1 [CUST: CR AS 85] [REVIEW: 80 99 AR AV CR4 EC GS MC MI NS OS SH] | A 5975 | AS | | 28-MAR-86 |
| MIL-S-23192D | SPRINGS, HELICAL, AGE-HARDENABLE NICKEL-CHROMIUM-IRON ALLOY [CUST: SH] | A 5360 | SH | | 11-MAR-86 |
| MIL-S-23193D | STEEL, CORROSION RESISTANT: CASTINGS [CUST: SH] | F MECA | SH | | 10-APR-87 |
| MIL-S-23194G | STEEL FORGINGS, CARBON AND ALLOY [CUST: SH] | F FORG | SH | | 14-AUG-87 |
| MIL-S-23195E | STEEL BARS AND FORGINGS CORROSION RESISTANT AUSTENITIC (AISI 300 SERIES) [CUST: SH] | F 9510 | SH | | 26-AUG-92 |
| MIL-S-23196C(1) NOT 1 | STEEL PLATE, SHEET AND STRIP, CORROSION RESISTANT (ISSUE CONTROLLED-REQSTS BY OTHER THAN DOD ACTYS MUST BE SUBMTD VIA THE PREPARING ACTY OF THE SPEC) [CUST: SH] [REVIEW: IS] | F 9515 | SH | | 13-APR-84 |
| MIL-P-23199D | PACKAGING AND PACKING REQUIREMENTS FOR SPECIAL PURPOSE COMPONENTS AND REPAIRS PARTS [CUST: SH] | A PACK | SH | | 18-NOV-92 |
| MIL-I-23208A(1) NOT 1 | INDICATOR, SIGHT, LIQUID, REFRIGERANT [CUST: GL YD1 GS] [REVIEW: 11 MC SH] | A 6680 | GS | | 15-APR-87 |
| MIL-P-23210E | PLATFORMS, ALUMINUM AND STEEL; AND ACCESSORIES (FOR SHIPS BROWS) [CUST: CR4 YD1] | A 2090 | YD1 | | 05-FEB-91 |
| MIL-C-23218C | CONVEYOR, VERTICAL, TRAY TYPE, 100 POUND PACKAGE TRAY CAPACITY (SHIPBOARD USE) [CUST: SH] | A 3910 | SH | | 13-NOV-85 |
| MIL-D-23222A(1) | DEMONSTRATION REQUIREMENTS FOR HELICOPTERS [CUST: AS] | A 1520 | AS | | 30-JUN-83 |
| MIL-W-23223B | WEBBING, NYLON, SLOTTED [CUST: SH CT] [REVIEW: 45] | A 8305 | CT | | 08-JAN-88 |
| MIL-D-23224A NOT 1 | DOLLY, HANDLING, MK 24 MOD 1 [CUST: OS] [REVIEW: GS] | A 1398 | OS | | 30-SEP-88 |
| MIL-L-23225C | LATHE, PRECISION, INSTRUMENT [CUST: AL SH 99] [REVIEW: 84] | A 3416 | GS | | 22-APR-85 |
| MIL-T-23226E(1) | TUBE AND PIPE, CORROSION-RESISTANT STEEL, SEAMLESS [CUST: SH] [REVIEW: CC] | B 4710 | SH | | 28-AUG-85 |
| MIL-T-23227E | TUBE & PIPE, NICKEL-CHROMIUM-IRON ALLOY (ISSUE CONTROLLED REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY) [CUST: SH] | A 4710 | SH | | 27-FEB-84 |
| MIL-N-23228D | NICKEL CHROMIUM IRON ALLOY PLATE, SHEET & STRIP (CONTROLLED DISTRIBUTION) [CUST: SH] [REVIEW: IS] | F 9535 | SH | | 20-APR-87 |
| MIL-N-23229D | NICKEL-CHROMIUM-IRON ALLOY BARS AND FORGINGS [CUST: SH] | F 9535 | SH | | 05-AUG-92 |
| MIL-C-23233A | COUPLINGS FOR PROPULSION UNITS, AUXILIARY TURBINES AND LINE SHAFTS, NAVAL SHIPBOARD [CUST: SH] | A 2010 | SH | | 25-NOV-92 |
| MIL-T-23234C | THERMOCOUPLES, CORROSION-RESISTANT, METAL SHEATHED (CONTROLLED DISTRIBUTION) [CUST: SH] | B 6685 | SH | | 11-JUL-85 |
| MIL-P-23242B | PLASTIC COATING COMPOUND, STRIPPABLE - ELECTROPLATING [CUST: AS] | A 8030 | AS | | 22-MAR-82 |
| MIL-S-23244D | SHEARING MACHINES, METAL SQUARING, MANUALLY OPERATED [CUST: 99 GS] [REVIEW: 84 AL MC SH SM] | A 3445 | GS | | 29-MAR-91 |
| MIL-L-23249D(3) | LATHE, ENGINE & TOOL ROOM 13 THROUGH 17 INCH [CUST: AL SH 99] [REVIEW: MC SM] | A 3416 | GS | | 13-JUN-86 |
| MIL-L-23251E | LATHES, ENGINE AND TOOLROOM 2516 AND 3220 [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3416 | GS | | 29-SEP-89 |
| MIL-I-23252B NOT 2 | INDICATOR, PRESSURE [CUST: AS] | A 6685 | AS | | 07-DEC-87 |
| MIL-L-23257E | LATHES, ENGINE AND TOOLROOM, SIZES 1609 AND 2013 [CUST: AL SH 99 GS] [REVIEW: 84 AR MC] | A 3416 | GS | | 30-JUN-89 |
| MIL-C-23269E(1) SUP 1 | CAPACITORS, FIXED, GLASS DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC OS SH] | A 5910 | CC | | 06-AUG-93 |
| MIL-C-23269/1F | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR10 [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC OS SH] | A 5910 | CC | | 04-FEB-93 |
| MIL-C-23269/2F | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR15 [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC OS SH] | A 5910 | CC | | 04-FEB-93 |
| MIL-C-23269/3F | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR20 [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC OS SH] | A 5910 | CC | | 04-FEB-93 |
| MIL-C-23269/4F | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR30 [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC OS SH] | A 5910 | CC | | 04-FEB-93 |
| MIL-C-23269/10B | CAPACITORS, FIXED, GLASS DIELECTRIC, (RADIAL OR AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLES CYR51, CYR52, AND CYR53 [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC OS SH] | A 5910 | CC | | 04-FEB-93 |
| MIL-S-23284A | STEEL FORGINGS, CARBON AND ALLOY, FOR SHAFTS, SLEEVES, PROPELLER NUTS, COUPLINGS, AND STOCKS (RUDDERS AND DIVING PLANES) [CUST: SH] | A FORG | SH | | 15-JUN-90 |
| MIL-R-23285/2D NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND, STYLE RVC5 [CUST: CR EC 85] [REVIEW: 17 19 AT CR4 MC MI OS] | A 5905 | CC | | 26-JUL-93 |
| MIL-C-23288C | CUTTER, POWDER ACTUATED FACE CURTAIN CABLE, MARK 4 MOD 0 [CUST: OS] | A 1377 | OS | | 24-DEC-85 |
| MIL-I-23298A(2) | IGNITER, ROCKET MOTOR, LOADED MK 181 MOD 0 AND MK 200 MOD 0 [CUST: OS] | A 1337 | OS | | 10-DEC-82 |
| MIL-B-23306B | BINOCULAR, SHIP, 20-POWER, AND ACCESSORIES [CUST: SH] | A 6650 | SH | | 15-JUL-85 |
| MIL-I-23310B | INHIBITOR, CORROSION, VOLATILE, OIL TYPE [CUST: AS] [REVIEW: GS OS YD1] | A 6850 | AS | | 09-OCT-84 |
| MIL-S-23311A NOT 1 | SIGNAL, UNDERWATER SOUND, MARK 61 MOD 0 AND MARK 64 MOD 0 [CUST: AS] | A 1361 | AS | | 25-SEP-91 |
| MIL-P-23312C NOT 1 | PALLETS, MATERIAL HANDLING, METAL (FOR ORDNANCE ITEMS), MARK 3 MOD 0, MARK 12 MOD 0 AND MARK 12 MOD 1 [CUST: OS 99] [REVIEW: AR AS CR4 MC MI SH SM] | A 3990 | OS | | 18-MAR-92 |
| MIL-C-23334B(2) | CARTRIDGE, IMPULSE, MARK 33 MOD 1 [CUST: OS] | A 1377 | OS | | 12-SEP-66 |
| MIL-G-23337(3) NOT 1 | GAGES, PRESSURE, DIAL INDICATING [CUST: AS 99] | A 6685 | AS | | 16-OCT-91 |
| MIL-M-23346(2) NOT 1 | MOTOR FIRE CONNECTOR ASSEMBLY [CUST: AS] | A 1338 | AS | | 25-SEP-91 |
| MIL-W-23351A | WAVEGUIDE, SINGLE RIDGE AND DOUBLE RIDGE, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC OS SH] | A 5985 | CC | | 20-OCT-77 |
| MIL-W-23351/4B | WAVEGUIDE, DOUBLE RIDGED (BANDWIDTH RATIO 2.4:1) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC OS SH] | A 5985 | CC | | 20-OCT-77 |
| MIL-B-23360B NOT 1 | BOMB, INCENDIARY, TH3, 4-POUND, M126 [CUST: AR AS 99] | A 1325 | AS | | 25-SEP-91 |
| MIL-G-23368D | GRINDING MACHINES, CYLINDRICAL, EXTERNAL, PLAIN, POWER [CUST: AL SH 99 GS] [REVIEW: 84 AS OS] | A 3415 | GS | | 25-MAY-89 |
| MIL-T-23369B(1) NOT 1 | TRANSMITTER GROUP, TELEMETRIC DATA OA-1208C)/DPN [CUST: AS] | A 5821 | AS | | 16-OCT-91 |
| MIL-S-23378D | SCREW MACHINE, AUTOMATIC, SINGLE SPINDLE 1/2 INCH TROUGH 2-3/8 INCH SPINDLE CAPACITY [CUST: AL SH 99] [REVIEW: 84 AS MC] | A 3416 | GS | | 22-JAN-88 |
| MIL-S-23389B(1) | SHIPPING AND STORAGE CONTAINER, CARTRIDGE, 20MM, M548 [CUST: AR 99] | A 8140 | AR | | 26-OCT-93 |
| MIL-B-23394B(5) NOT 1 | BATTERY MARK 46 MOD 1 PRIMARY TYPE, SILVER-ZINC-ALKALI [CUST: OS] | A 6135 | OS | | 22-FEB-88 |
| MIL-T-23397B(2) | TAPE, PRESSURE-SENSITIVE ADHESIVE, FOR MASKING DURING PAINT STRIPPING OPERATIONS [CUST: MR AS 99] [REVIEW: GL] | A 8010 | AS | | 16-JUL-80 |
| MIL-L-23398D(2) | LUBRICANT, SOLID FILM, AIR - CURED, CORROSION INHIBITING, NATO CODE NUMBER S-749 [CUST: CR4 AS 11] [REVIEW: AR AT AV DS MI SM] | A 9150 | AS | | 18-JAN-94 |
| MIL-L-23400E(1) | LATH, ENGINE & TOOL ROOM, 19, 20 + 25 INCH 7-1/2 TO 15 HP [CUST: AL SH 99] [REVIEW: 84 AS CR4 MC SM] | A 3416 | GS | | 20-FEB-87 |
| MIL-B-23401E | BURNER, CARBON MONOXIDE AND HYDROGEN, CATALYTIC TYPE (MARK IV E) NAVAL SUBMARINE USE [CUST: SH] | A 4460 | SH | | 24-APR-89 |
| MIL-A-23404A NOT 1 | ADAPTER KIT, MARINE MARKER MK 34 MOD 0 [CUST: AS] | A 1370 | AS | | 25-SEP-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-N-23407B(1) NOT 1 | NAVIGATION SET, RADAR AN/APN-153(V) [CUST: AS] | A 5841 | AS | | 15-APR-88 |
| | MIL-I-23413C | INSERTS, WELDING, FILLER MATERIAL, COILED AND SOLID RINGS [CUST: SH] | A 3439 | SH | | 04-AUG-81 |
| | MIL-R-23417B SUP 1 | RESOLVERS, ELECTRICAL, AC GENERAL SPECIFICATION FOR [CUST: AR AS 85] [REVIEW: 11 17 19 99 AV CG CR CR4 EC MC MI OS TD] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/1A | RESOLVER, ELECTRICAL, AC TYPE 11R7N4A [CUST: AR AS 85] [REVIEW: 11 17 19 99 CG EC EC MC MI] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/2A | RESOLVER, ELECTRICAL, AC TYPE 11R17N4A [CUST: AR AS 85] [REVIEW: 11 17 19 99 CG EC MC MI] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/3A | RESOLVER, ELECTRICAL, AC TYPE 11R23W4A [CUST: AR AS 85] [REVIEW: 11 17 19 99 CG CR4 EC MC MI] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/4A | RESOLVER, ELECTRICAL, AC TYPE 15R2N4A [CUST: AR AS 85] [REVIEW: 17 19 99 AT AV CG CR4 EC MC MI OS] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/5A | RESOLVER, ELECTRICAL, AC TYPE 15R8N4A [CUST: AR AS 85] [REVIEW: 17 19 99 AT AV CG CR4 EC MC MI OS] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/6 | RESOLVER, ELECTRICAL, MK4 MOD O [CUST: AS 85] [REVIEW: 99 CC EC] | A 5990 | AS | | 23-DEC-65 |
| | MIL-R-23417/9A | RESOLVER, ELECTRICAL, AC TYPE 15R28N4A [CUST: AR AS 85] [REVIEW: 17 19 99 AT AV CG CR4 EC MC MI OS] | A 5990 | CC | | 25-APR-91 |
| A | MIL-R-23417/12A | RESOLVER, ELECTRICAL, AC TYPE 15R28W4A [CUST: AR AS 85 CC] [REVIEW: 11 17 19 99 CG CR4 EC MC MI] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/17A | RESOLVER, ELECTRICAL, AC TYPE 23R32W4A [CUST: AR AS 85] [REVIEW: 11 17 19 99 AT CG CR4 EC MC MI OS] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/19A | RESOLVER, ELECTRICAL, AC TYPE 23R58N4A [CUST: AR AS 85] [REVIEW: 19 99 AT AV CG CR4 EC MC MI OS] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/20A | RESOLVER, ELECTRICAL, AC TYPE 23R58W4A [CUST: AR AS 85] [REVIEW: 99 EC] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/23A | RESOLVER TRANSMITTER, TYPE 26V-11R15N4B [CUST: AS] [REVIEW: CC EC] | A 5990 | AS | | 05-NOV-68 |
| | MIL-R-23417/24A | RESOLVER TRANSMITTER, TYPE 26V-11R5N4A [CUST: AS 85] [REVIEW: 99 CC EC] | A 5990 | AS | | 05-NOV-68 |
| | MIL-R-23417/25A | RESOLVER TRANSMITTER, TYPE 9V-11R41N40A [CUST: AS 85] [REVIEW: 99 CC EC] | A 5990 | AS | | 05-NOV-68 |
| | MIL-R-23417/26A | RESOLVER, ELECTRICAL, AC TYPE 15R11W4A [CUST: AR AS 85] [REVIEW: 11 17 19 99 AT AV CG CR4 EC MC MI OS] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/27A | RESOLVER, ELECTRICAL, AC TYPE 15R26W4A [CUST: AR AS 85] [REVIEW: 17 19 99 AT CG CR4 EC MC MI OS] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/29A | RESOLVER, ELECTRICAL, AC TYPE 11R20W4A [CUST: AR AS 85] [REVIEW: 11 17 19 99 CG EC MC MI] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/30A | RESOLVER, ELECTRICAL, AC TYPE 11R20N4A [CUST: AR AS 85] [REVIEW: 11 17 19 99 CG EC MC MI] | A 5990 | CC | | 25-APR-91 |
| | MIL-R-23417/31A NOT 1 | RESOLVER, ELECTRICAL TYPE 11R2N4B [CUST: CR AS 85] [REVIEW: 11 17 99 EC] | A 5990 | CC | | 03-MAY-93 |
| | MIL-R-23417/32A NOT 1 | RESOLVER, ELECTRICAL TYPE 11R1N4B [CUST: CR AS 85] [REVIEW: 11 17 99 EC] | A 5990 | CC | | 03-MAY-93 |
| | MIL-R-23417/33A NOT 1 | RESOLVER, ELECTRICAL TYPE 11R21N4B [CUST: CR AS 85] [REVIEW: 11 17 99 EC] | A 5990 | CC | | 03-MAY-93 |
| | MIL-R-23417/34A NOT 1 | RESOLVER, ELECTRICAL TYPE 08R6N4B [CUST: CR AS 85] [REVIEW: 11 17 99 EC] | A 5990 | CC | | 03-MAY-93 |
| | MIL-R-23417/35A NOT 1 | RESOLVER, ELECTRICAL TYPE 08R3N4B [CUST: CR AS 85] [REVIEW: 11 17 99 EC] | A 5990 | CC | | 03-MAY-93 |
| | MIL-R-23417/36A NOT 1 | RESOLVER, ELECTRICAL TYPE 08R10N4A [CUST: CR AS 85] [REVIEW: 11 17 99 EC] | A 5990 | CC | | 03-MAY-93 |
| | MIL-R-23417/37A NOT 1 | RESOLVER, ELECTRICAL TYPE 08R21W4B [CUST: CR AS 85] [REVIEW: 11 17 99 EC] | A 5990 | CC | | 03-MAY-93 |
| | MIL-R-23417/38A NOT 1 | RESOLVER, ELECTRICAL TYPE 08R7N4A [CUST: CR AS 85] [REVIEW: 11 17 99 EC] | A 5990 | CC | | 03-MAY-93 |
| | MIL-C-23422E | CHROMIUM PLATING, ELECTRODEPOSITED (CONTROLLED DISTRIBUTION) [CUST: SH] | F MFFP | SH | | 20-AUG-92 |
| | MIL-T-23426D | TENSION BAR/RELEASE ELEMENT, AIRCRAFT LAUNCHING [CUST: AS] | A 1720 | AS | | 27-OCT-86 |
| | MIL-B-23431B | BEACON, RADAR AN/APN-154(V) [CUST: AS] | A 5841 | AS | | 30-APR-93 |
| | MIL-A-23442A(1) | AMMONIUM PERCHLORATE [CUST: OS] [REVIEW: GS MI] | A 6810 | OS | | 18-APR-85 |
| | DOD-D-23443B(2) | DI-(2 - ETHYLHEXYL) ADIPATE, TECHNICAL (METRIC) [CUST: AR OS 68] [REVIEW: GS MI] | A 6810 | OS | | 27-OCT-95 |
| | MIL-F-23447 | FIRE WARNING SYSTEMS, AIRCRAFT, RADIATION SENSING TYPE, TEST AND INSTALLATION OF [CUST: AS] [REVIEW: AV] | A 6340 | AS | | 14-SEP-62 |
| | MIL-R-23452A(1) | ROCKET MOTOR MARK 25 MODS 0, 1, & 2 [CUST: AS] | A 1340 | AS | | 13-NOV-86 |
| | MIL-I-23453(3) | IGNITER, MARK 188 MOD 0 [CUST: AS] | A 1340 | AS | | 27-MAR-84 |
| | MIL-E-23457B(1) | ENGINES, DIESEL MARINE, PROPULSION AND AUXILIARY, MEDIUM SPEED [CUST: SH] [REVIEW: CC] | A 2815 | SH | | 16-OCT-90 |
| | MIL-P-23460E(1) SUP 1 | PIN, QUICK-RELEASE, SELF-RETAINING, POSITIVE-LOCKING [CUST: AV AS 99 IS] | A 5315 | IS | | 30-SEP-94 |
| | MIL-R-23461A | RESIN COMPOUND, THERMOSETTING, ROOM TEMPERATURE CURING, FOR METAL COATING [CUST: SH] [REVIEW: GS MR] | A 9330 | SH | | 26-JUN-87 |
| | MIL-F-23467F | FITTING AND FLANGES, WROUGHT, SEAMLESS, BUTT AND SOCKET WELDING, AUSTENITIC CORROSION-RESISTANT STEEL [CUST: SH] [REVIEW: CC] | B 4730 | SH | | 23-JAN-89 |
| | MIL-P-23469D | PIN-RIVET, GROOVED AND COLLAR, GROOVED PIN-RIVET, SWAGE-LOCKED (LOCKPIN) GENERAL SPECIFICATION FOR [CUST: IS] | A 5320 | IS | | 22-DEC-92 |
| | MIL-P-23469/1B NOT 1 | PINS AND COLLARS, SWAGE-LOCKING, REGULAR HEIGHT, FLANGED AND LOW PROFILE, ALUMINUM ALLOY, CORROSION RESISTANT STEEL, CARBON STEEL AND ALLOY STEEL [CUST: SH IS] | A 5320 | IS | | 01-JUL-94 |
| | MIL-P-23469/2B NOT 1 | PIN-RIVET, GROOVED, BRAZIER HEAD; STRAIGHT SHANK, SIX LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS [CUST: SH IS] | A 5320 | IS | | 10-JUN-94 |
| | MIL-P-23469/4B(1) | PIN-RIVET, GROOVED, ROUND HEAD; STRAIGHT SHANK, MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS [CUST: IS] | A 5320 | IS | | 22-DEC-92 |
| | MIL-P-23469/5B(1) | PIN-RIVET, GROOVED, TRUSS HEAD; STRAIGHT SHANK, SIX LOCKING GROOVES AND MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS [CUST: IS] | A 5320 | IS | | 22-DEC-92 |
| | MIL-P-23469/6B(1) | PIN-RIVET, GROOVED, FLAT 90 DEG. COUNTERSUNK HEAD; STRAIGHT SHANK, SIX LOCKING GROOVES AND MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS [CUST: IS] | A 5320 | IS | | 22-DEC-92 |
| | MIL-P-23469/7B(1) | PIN-RIVET, GROOVED, OVAL 60 DEG. COUNTERSUNK HEAD; TAPERED-SECTION SHANK, MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT STEEL AND CARBON STEELS [CUST: IS] | A 5320 | IS | | 22-DEC-92 |
| | MIL-I-23479B(1) NOT 2 | INDICATOR, PRESSURE, 1 1/2-INCH, INTEGRALLY LIGHTED [CUST: AV AS 99] [REVIEW: 82] | A 6620 | AS | | 16-OCT-91 |
| | MIL-T-23480A(1) | TUMBLER-DRYER, LAUNDRY, STEAM, AND ELECTRIC, MODIFIED COMMERCIAL (SHIPBOARD) [CUST: SH] | A 3510 | SH | | 26-JUN-92 |
| | MIL-C-23486B | COLLAR, COAT, MAN'S: POLYESTER/WOOL, GABARDINE, BLUE [CUST: MC CT] | A 8315 | CT | | 02-JUN-89 |
| | MIL-F-23508D(1) | FITTING & FLANGES, WROUGHT, SEAMLESS, BUTT & SOCKET WELDING, NICKEL CHROMIUM IRON ALLOY (ISSUE CONTROLLED REQUEST BY OTHER THAN DOD ACTYS MUST BE SUBMITTED VIA THE PREPARING ACTY OF THE SPEC) | A 4730 | SH | | 08-SEP-81 |
| | MIL-F-23509F | FITTINGS & FLANGES, WROUGHT, SEAMLESS BUTT & SOCKET WELDING, NICKEL-COPPER ALLOY [CUST: SH] | B 4730 | SH | | 23-JAN-89 |
| | MIL-T-23520C(2) | TUBE AND PIPE, NICKEL-COPPER ALLOY, SEAMLESS, AIR MELTED [CUST: SH] | F 4710 | SH | | 06-MAR-87 |
| | MIL-D-23523D(2) | DEHYDRATOR, LOW PRESSURE AIR, FOR SPECIAL APPLICATIONS [CUST: SH] | A 4460 | SH | | 23-FEB-96 |
| | MIL-M-23530A NOT 1 | MOCK-UP OF MAIN AND AUXILIARY SHIPBOARD MACHINERY SPACES [CUST: SH] | A MISC | SH | | 09-FEB-88 |
| | MIL-P-23536A NOT 1 | POLYETHYLENE PLASTIC SHEETS, VIRGIN AND BORATED (CONTROLLED DISTRIBUTION) [CUST: SH] [REVIEW: CR4 GS MI] | B 9330 | SH | | 15-OCT-68 |
| | MIL-G-23549C | GREASE, GENERAL PURPOSE [CUST: AS 11] [REVIEW: GS OS PS SH] | A 9150 | AS | | 31-MAR-81 |
| | MIL-G-23549C(11) | GREASE, GENERAL PURPOSE [CUST: AS] | A 9150 | AS | | 30-APR-97 |
| | MIL-C-23553B(1) | CABLES, ELECTRICAL, ALUMINUM FOIL SHIELDED PAIRS [CUST: CR EC 85] [REVIEW: 19 80 99 AR MI] | A 6145 | IS | | 21-FEB-85 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------------|---|-----------------------|-----|-------------|-----------|
| | | | | | | |
| | MIL-W-23554D | WASHER-EXTRACTOR, LAUNDRY, 16 TO 20 POUND CAPACITY, COMMERCIAL (SHIPBOARD) [CUST: SH] | A 3510 | SH | | 31-MAR-94 |
| | MIL-M-23573B NOT 1 | MONOETHANOLAMINE CHELATING AGENT SOLUTION [CUST: SH] [REVIEW: GS] | A 6810 | SH | | 07-JUN-91 |
| | MIL-T-23581A | TUMBLER, DRYING, LAUNDRY, COMMERCIAL (SUBMARINE SERVICE) [CUST: SH] | A 3510 | SH | | 03-AUG-92 |
| | MIL-I-23594C | INSULATION TAPE, ELECTRICAL, HIGH TEMPERATURE, POLYTETRAFLUOROETHYLENE, PRESSURE-SENSITIVE [CUST: CR AS 85] [REVIEW: 99 CR4 DS EC GS MI OS SM] | A 5970 | AS | | 31-MAR-88 |
| | MIL-A-23595D | AMPLIFIER, AUDIO FREQUENCY [CUST: AS] | A 5831 | AS | | 14-APR-95 |
| | MIL-A-23595/1A(1) | AMPLIFIER, AUDIO FREQUENCY, AM-3597C/A [CUST: AS] | A 5831 | AS | | 17-MAR-89 |
| | MIL-A-23595/2A(1) | AMPLIFIER, AUDIO FREQUENCY, AM 4326B/A [CUST: AS] | A 5831 | AS | | 17-MAR-89 |
| | MIL-A-23595/3B(2) | AMPLIFIER, AUDIO FREQUENCY, AM-7067A/A [CUST: AS] | A 5831 | AS | | 23-MAY-90 |
| | MIL-H-23599A | HOOK, HELICOPTER RESCUE [CUST: AS] | A 4030 | AS | | 05-JUN-69 |
| | MIL-D-23615C(1) | DESIGN AND EVALUATION OF CARTRIDGE ACTUATED DEVICES [CUST: OS] | A 1377 | OS | | 17-MAY-95 |
| | MIL-DTL-23618H | MANUALS, TECHNICAL: PERIODIC MAINTENANCE REQUIREMENTS, PREPARATION OF [CUST: AS] | A TMSS | AS | | 12-DEC-97 |
| | MIL-P-23625(2) | PBXN-4 EXPLOSIVE [CUST: OS] | A 1376 | OS | | 14-MAR-73 |
| | MIL-S-23639C | STORAGE AND CHARGING UNIT FOR LIQUID OXYGEN AND LIQUID NITROGEN (SHIPBOARD TYPE) [CUST: SH] [REVIEW: GS] | A 3655 | SH | | 28-AUG-90 |
| | MIL-T-23643(2) | TEST SET, TARGET CONTROL SYSTEM AN/SRM SERIES (AN/SRM-2, AN/SRM-3, AN/SRM-4, AN/SRM-5, AND AN/SRM-6) [CUST: AS] | A 6625 | AS | | 08-DEC-64 |
| | MIL-I-23659C NOT 1 | INITIATOR, ELECTRIC, GENERAL DESIGN SPECIFICATION [CUST: AR OS] [REVIEW: AV MI] | A 1377 | OS | | 31-AUG-72 |
| | MIL-DTL-23661B | CARTRIDGE, IMPULSE, MARK 45 MOD 0 [CUST: OS] | A 1377 | OS | | 27-MAY-97 |
| | MIL-I-23671B | INDICATOR, MS-17264, AIRSPEED AND MACH NUMBER, INTEGRALLY LIGHTED, PITOT-STATIC, 80 TO 850 KNOTS [CUST: AS] | A 6610 | AS | | 13-OCT-83 |
| | DOD-R-23679F | REAGENT, STANDARD, WATER TEST CHEMICALS (METRIC) [CUST: SH] | A 6810 | SH | | 08-AUG-86 |
| | MIL-W-23680E | STUD WELDING SYSTEMS, DC, INTEGRAL POWER SOURCE AND CONTROL UNIT, ELECTRIC ARC AND CAPACITOR DISCHARGE [CUST: AL SH 99 GS] [REVIEW: AS AV CE CG] | A 3431 | GS | | 18-OCT-89 |
| | MIL-G-23681C NOT 1 | GRINDING MACHINES, JIG, VERTICAL [CUST: AL SH 99 GS] [REVIEW: 84 AV MC OS] | A 3415 | GS | | 26-JAN-90 |
| | MIL-A-23685B | ADAPTER, PALLET, STEEL FOR PROJECTILES, ROCKET HEADS, CARTRIDGE CONTAINERS AND BOMB FINS [CUST: OS] | A 3990 | OS | | 27-MAY-77 |
| | MIL-K-23714C | KITS, SAMPLING, FOR AVIATION FUELS, REUSABLE [CUST: GL AS 69] [REVIEW: 82 AV MC SM] | A 8115 | AS | | 04-SEP-89 |
| | MIL-T-23733A | TRANSMITTER, RATE GYROSCOPE T-751(A)/AJB-3 [CUST: AS] | A 6615 | AS | | 15-JAN-68 |
| | MIL-C-23742(3) | CONTROL CENTERS, ALTERNATING CURRENT NAVAL SHIPBOARD [CUST: SH] [REVIEW: GS] | A 6110 | SH | | 08-JUL-66 |
| | MIL-B-23755D | BRAKE MACHINES, SHEET METAL, MANUALLY OPERATED, STANDARD AND BOX-PAN TYPE [CUST: AL 99 GS] [REVIEW: AR SH] | A 3441 | GS | | 29-MAR-91 |
| | MIL-C-23760D | COATING, SPRAYABLE, STRIPPABLE, PROTECTIVE, FOR PACKAGING OF WEAPONS SYSTEMS & COMPONENTS, APPLICATION OF [CUST: MR AS 69] [REVIEW: 99 AL AT AV MI SM] | A 8030 | AS | | 04-OCT-83 |
| | MIL-E-23765B(1) SUP 1A | ELECTRODES AND RODS - WELDING, BARE, SOLID AND ALLOY CORED, GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: EA GS MI] | A 3439 | SH | | 15-SEP-89 |
| | MIL-E-23765/1E(1) | ELECTRODES AND RODS - WELDING, BARE, SOLID AND ALLOYED CORED, ORDINARY STRENGTH AND LOW ALLOY STEEL [CUST: SH] | A 3439 | SH | | 15-SEP-89 |
| | MIL-E-23765/2E | ELECTRODES AND RODS - WELDING, BARE, SOLID, OR ALLOY CORED; AND FLUXES, LOW ALLOY STEEL [CUST: SH] | A 3439 | SH | | 22-APR-94 |
| | MIL-E-23765/3A | ELECTRODE, AND RODS - WELDING, BARE, SOLID COPPER ALLOY [CUST: SH] | A 3439 | SH | | 11-MAR-86 |
| | MIL-E-23765/4 | ELECTRODES - WELDING, BARE, SOLID; AND FLUXES, SUBMERGED ARC WELDING, CARBON AND LOW ALLOY STEELS [CUST: SH] [REVIEW: 11 99 AR IS] | A 3439 | SH | | 15-SEP-89 |
| | MIL-R-23767B(1) | RECEIVING SET, RADIO AN/ARR-69 AND AN/ARR-69A [CUST: AS] | A 5821 | AS | | 03-JAN-72 |
| | MIL-C-23771A | CONTROL UNIT (FOR MK-7 RETRACTABLE DECK SHEAVE) [CUST: AS] | A 1710 | AS | | 10-AUG-73 |
| | MIL-S-23772(3) NOT 1 | SWITCH, HYDROSTATIC, MARK 63 MOD 0 AND MOD 1 [CUST: OS] | A 1350 | OS | | 18-MAR-92 |
| | MIL-I-23775 NOT 1 | INERT LOAD BINDER FOR DRILL MINES [CUST: OS] | A 5610 | OS | | 18-MAR-92 |
| | MIL-M-23782C | MANUALS, TECHNICAL, WORK UNIT CODE, PREPARATION OF [CUST: AS] | A TMSS | AS | | 02-NOV-83 |
| | MIL-F-23788A | FENDERS, MARINE, VINYL, AIR FILLED [CUST: SH] | A 2040 | SH | | 02-JAN-91 |
| | MIL-A-23798C | AIR CONDITIONER, FAN-COIL ASSEMBLY [CUST: SH] | A 4120 | SH | | 06-MAR-95 |
| | MIL-C-23806A(2) | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, GENERAL SPECIFICATION [CUST: EC] | A 6145 | IS | | 04-APR-84 |
| | MIL-C-23806/1C | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, 1/2 INCH, 50 AND 75 OHM, (RG-231A/U, RG-331/U, RG-334/U AND RG-335/U) [CUST: EC 85 CC] | A 6145 | CC | | 20-FEB-90 |
| | MIL-C-23806/2C | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, 7/8 INCH, 50 AND 75 OHM, (RG-332/U, RG-333/U, RG-336/U, AND RG-306A/U) [CUST: EC 85 CC] | A 6145 | CC | | 20-FEB-90 |
| | MIL-C-23806/3C | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, 3/4 INCH, 50 OHM, JACKETED (RG-360/U) [CUST: EC 85 CC] | A 6145 | CC | | 20-FEB-90 |
| | MIL-M-23813A | MICROPHONE, INTERCOMMUNICATION AND ANNOUNCING SYSTEM, NAVAL SHIPBOARD [CUST: CR SH] [REVIEW: MC] | A 5830 | SH | | 21-DEC-64 |
| | MIL-R-23818 | RACK, BOMB, MULTIPLE PRACTISE A/A 37B-3 [CUST: AS] | A 1095 | AS | | 15-AUG-64 |
| | MIL-S-23821A | SIMULATOR OWN SHIP S MOTION (OSMOS) (NAVAL SHIPBOARD) [CUST: SH] | A 6930 | SH | | 20-SEP-65 |
| | MIL-L-23822C NOT 1 | LIQUID PROPELLANT ROCKET ENGINE LR64 FOR AQM-37A MISSILE TARGET SYSTEM [CUST: AS] | A 1430 | AS | | 10-APR-87 |
| | MIL-G-23823E | GRINDING MACHINES, CYLINDRICAL, EXTERNAL, CENTER TYPE UNIVERSAL, TRAVELING TABLE [CUST: AL SH 99 GS] [REVIEW: AR AS MC] | A 3415 | GS | | 16-APR-91 |
| | MIL-G-23827B(1) | GREASE, AIRCRAFT AND INSTRUMENT, GEAR AND ACTUATOR SCREW [CUST: CR4 AS 11] [REVIEW: AV DS EA GS OS PS] | A 9150 | AS | | 07-APR-88 |
| | MIL-C-23842B | CONVEYOR, VERTICAL, TRAY TYPE, FOR 3000 POUND PALLETIZED LOADS (SHIPBOARD USE) [CUST: SH] [REVIEW: CC] | A 3910 | SH | | 14-JUL-93 |
| | MIL-C-23866A(1) NOT 1 | CONTROL SET, APPROACH POWER AN/ASN-54 (V) [CUST: AS] | A 5825 | AS | | 26-JUL-91 |
| | MIL-C-23880D | CABINET, FOOD WARMING, ELECTRIC, PASS-THROUGH AND REACH-IN [CUST: GL SA 99] [REVIEW: CE GS MC MD MS] | A 7310 | SA | | 23-DEC-83 |
| | MIL-L-23886C | LIQUID LEVEL INDICATING EQUIPMENT (ELECTRICAL) [CUST: SH] | A 6680 | SH | | 09-AUG-94 |
| | MIL-S-23895(1) | SHACKLE, BOMB, MARK 8 MOD 5 [CUST: AS] | A 1095 | AS | | 15-DEC-65 |
| | MIL-A-23899B | AURAL PROTECTOR, SOUND [CUST: AS] [REVIEW: CR4 GS MD YDI] | A 4240 | AS | | 17-AUG-84 |
| | MIL-P-23917(2) | PRECIPITATOR (ELECTROSTATIC), VENT FOG, SHIPBOARD USE [CUST: SH] | A 4460 | SH | | 21-JUN-67 |
| | MIL-E-23919A NOT 1 | ELECTRODES, REFERENCE, CIRCULAR, CORROSION PREVENTIVE, (FLUSH TYPE): SILVER-SILVER CHLORIDE [CUST: SH] | A 2090 | SH | | 22-MAR-90 |
| | MIL-S-23923D | SPRAYER & DUSTER UNITS, INSECTICIDE, MIST DUST BLOWER TYPE, GED, 30 TO 100 GAL/H LIQUID, 30 TO 300 LB/H DUST (COMMERCIAL) [CUST: YDI 99 CC] [REVIEW: 84 CG CR4 MC MS] | A 3740 | CC | | 21-JUN-84 |
| | MIL-P-23928D SUP 1A | PANELS, ELECTRICAL, POWER DISTRIBUTION AND MANUAL TRANSFER, CIRCUIT BREAKER TYPE [CUST: SH] | A 5925 | CC | | 05-DEC-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|---------------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | Date |
| | MIL-P-23928/1B | PANEL, ELECTRICAL, 125 VOLTS, POWER DISTRIBUTION FOR ALB-1 AND NLB-1 CIRCUIT BREAKERS, 4-20 CIRCUITS, DRIPPROOF TOTALLY ENCLOSED AND WATERTIGHT [CUST: SH] | A 5925 | CC | | 05-DEC-88 |
| | MIL-P-23928/2B | PANEL, ELECTRICAL, POWER DISTRIBUTION FOR AQB-A50 AND NQB-A50 CIRCUIT BREAKERS BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT [CUST: SH] | A 5925 | CC | | 05-DEC-88 |
| | MIL-P-23928/3A NOT 1 | PANEL, ELECTRICAL, POWER DISTRIBUTION FOR SINGLE AQB-A101 AND NQB-A101 CIRCUIT BREAKER, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT [CUST: SH] | A 5925 | CC | | 11-DEC-89 |
| | MIL-P-23928/4B | PANEL, ELECTRICAL, POWER DISTRIBUTION FOR DOUBLE AQB-A101 AND NQB-A101 CIRCUIT BREAKERS, 2-12 CIRCUITS, WITH AND WITHOUT MANUAL TRANSFER, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT [CUST: SH] | A 5925 | CC | | 05-DEC-88 |
| | MIL-P-23928/5A NOT 1 | PANEL, ELECTRICAL, MANUAL TRANSFER FOR DOUBLE NQB-A101 CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT [CUST: SH] | A 5925 | CC | | 11-DEC-89 |
| | MIL-P-23928/6A NOT 1 | PANEL, ELECTRICAL, POWER DISTRIBUTION FOR SINGLE AQB-A250 AND NQB-A250 CIRCUIT BREAKER, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT [CUST: SH] | A 5925 | CC | | 11-DEC-89 |
| | MIL-P-23928/7A NOT 1 | PANEL, ELECTRICAL, POWER DISTRIBUTION FOR DOUBLE AQB-A250 AND NQB-A250 CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT [CUST: SH] | A 5925 | CC | | 11-DEC-89 |
| | MIL-P-23928/8A NOT 1 | PANEL, ELECTRICAL, MANUAL TRANSFER FOR DOUBLE NQB-A250 CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT [CUST: SH] | A 5925 | CC | | 11-DEC-89 |
| | MIL-P-23928/9C | PANEL, ELECTRICAL, SYMBOL 579, SUBMERSIBLE ENCLOSURE (15 FEET) [CUST: SH] | A 5925 | CC | | 05-DEC-88 |
| | MIL-P-23929A NOT 1 | PROPELLANT, H8 [CUST: AR OS 99] [REVIEW: 19] | A 1375 | AR | | 27-AUG-90 |
| | MIL-C-23931D(2) | CARTRIDGE, IMPULSE, MARK 9 MOD 0 [CUST: OS] | A 1377 | OS | | 31-JUL-91 |
| | MIL-C-23933B | CARTRIDGE, IMPULSE, MARK 44 MOD 0 [CUST: OS] | A 1377 | OS | | 23-AUG-93 |
| | MIL-DTL-0023933C | CARTRIDGE, IMPULSE, MARK 44 MOD 0 [CUST: OS] | A 1377 | OS | | 28-NOV-95 |
| | MIL-C-23934A | CARTRIDGE, IMPULSE, MARK 49 MOD 0 [CUST: OS] | A 1377 | OS | | 13-JAN-71 |
| | MIL-C-23935A | CARTRIDGE, IMPULSE, MARK 47 MOD 0 [CUST: OS] | A 1377 | OS | | 02-AUG-71 |
| A | MIL-DTL-23938B | FERRIC OXIDE [CUST: AS] | A 1336 | AS | | 28-NOV-97 |
| | MIL-I-23951(1) NOT 1 | IGNITION MATERIAL, PELLETTED, PYROTECHNIC [CUST: AS] | A 1336 | AS | | 25-SEP-91 |
| | MIL-C-23952C | CONTROL EQUIPMENT AUTOMATIC DEGAUSSING (AUTO DEG), TYPE SSM [CUST: SH] | A 1075 | SH | | 18-NOV-92 |
| | MIL-V-23953C | VALVES, COMBINED VENT-CHECK, FOR SUBMARINE MBT BLOW LINES (SIZES 1-1/2 TO 2-1/2 INCHES) [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 11-MAY-90 |
| | MIL-B-23958A(1) | BRUSH, CLEANING, AIRCRAFT, METAL BRIGHTENING [CUST: GL AS 99] | A 7920 | AS | | 12-NOV-75 |
| | MIL-C-23961A(1) | COMPRESSOR, HIGH PRESSURE AIR, 100 CFM, NAVAL SHIPBOARD SERVICE [CUST: SH] | A 4310 | SH | | 22-AUG-66 |
| | MIL-B-23964D(4) | BOLT, SELF-RETAINING, POSITIVE LOCKING [CUST: AS 99] [REVIEW: 82] | A 5306 | IS | | 14-JUN-95 |
| | MIL-S-23965(1) | SHORES, DAMAGE CONTROL, AUTOMATIC, ADJUSTABLE TELESCOPING STEEL [CUST: SH] | A 2090 | SH | | 01-JUL-88 |
| | MIL-I-23970A | INDICATOR, OWN SHIP S POSITION (NAVAL SHIPBOARD) [CUST: SH] | A 6320 | SH | | 15-MAY-64 |
| | MIL-P-23971B SUP 1A NOT 1 | POWDER DIVIDERS, POWER COMBINERS, AND POWER DIVIDER/COMBINERS GENERAL SPECIFICATION FOR [CUST: CR EC 85] | A 5985 | CC | | 27-OCT-87 |
| | MIL-P-23971/1 | POWER DIVIDER, 4 PORT QUADRATURE, SOLDER TERMINALS [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 02-DEC-77 |
| | MIL-P-23971/2A(1) | POWER DIVIDER, 4 PORT QUADRATURE, SMA CONNECTORS [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 21-SEP-81 |
| | MIL-P-23971/3 | POWER DIVIDER, 4 PORT QUADRATURE, PLUG IN TERMINALS [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 02-DEC-77 |
| | MIL-P-23971/4 | POWER DIVIDER, 3 PORT QUADRATURE, SOLDER TERMINALS [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 02-DEC-77 |
| | MIL-P-23971/5A | POWER DIVIDER, N-WAY, 0 DEGREES, FLAT PACK [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 22-FEB-80 |
| | MIL-P-23971/6A | POWER DIVIDER/COMBINERS, N-WAY, 0 DEGRESS, TO 5 [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 22-FEB-80 |
| | MIL-P-23971/7 NOT 1 | POWER DIVIDER, 4 PORT QUADRATURES, N CONNECTORS [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 27-OCT-87 |
| | MIL-P-23971/8 | POWER DIVIDERS, QUADRATURE, FLAT PACK [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 27-OCT-87 |
| | MIL-P-23971/9 NOT 1 | POWER DIVIDER, N WAY, 0 DEGREES, SMA CONNECTORS [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 27-OCT-87 |
| | MIL-P-23971/10 NOT 1 | POWER DIVIDER/COMBINERS, QUADRATURE, RECTANGULAR, PC PINS [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 27-OCT-87 |
| | MIL-P-23971/11 NOT 1 | POWER DIVIDER/COMBINERS, QUADRATURE, TO 5 [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 27-OCT-87 |
| | MIL-P-23971/12 NOT 1 | POWER DIVIDER/COMBINERS, QUADRATURE, STRIPLINE [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 27-OCT-87 |
| | MIL-P-23971/13 NOT 1 | POWER DIVIDER/COMBINERS, 2 WAY, 180 DEGREES, SMA CONNECTORS [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 27-OCT-87 |
| | MIL-P-23971/14(1) | POWER DIVIDER/COMBINERS, N WAY, 0 DEGREES, FLAT PACK [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 24-NOV-81 |
| | MIL-P-23971/15 NOT 1 | POWER DIVIDER/COMBINERS, N WAY, 0 DEGREES, RECTANGULAR, PC PINS [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 27-OCT-87 |
| | MIL-P-23971/16(1) | POWER DIVIDER/COMBINERS, N WAY, 0 DEGREES, SMA CONNECTORS [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 12-JAN-84 |
| | MIL-P-23971/17 | POWER DIVIDER/COMBINERS, N-WAY, 0 DEGREES, TNC CONNECTORS [CUST: CR EC 85] [REVIEW: AS MC OS] | A 5985 | CC | | 22-FEB-80 |
| | MIL-D-23973(3) | DUMMY LOAD, ELECTRICAL, 600 WATTS D.C. TO 3000 MC. [CUST: EC] [REVIEW: MC] | A 5985 | CC | | 30-JUN-66 |
| | MIL-G-23983A | GASKET AND PACKING MATERIAL, OIL RESISTANT RUBBER, ACCESS HULL APPLICATIONS[CUST: SH] | A 5330 | SH | | 17-SEP-92 |
| | MIL-T-23991E | TRAINING DEVICES, MILITARY; GENERAL SPECIFICATION FOR [CUST: AV TD 99] [REVIEW: AS MC MI OS SH] | A 69GP | 70 | | 20-FEB-74 |
| | MIL-R-24008 | RECEIVER, RADIO R-1047A/A [CUST: AS] | A 5826 | AS | | 23-JAN-64 |
| | MIL-C-24016C(1) | CARTRIDGE, IMPULSE, MARK 51 MOD 1 [CUST: OS 99] | A 1377 | OS | | 29-NOV-77 |
| | MIL-C-24017B(1) | CARTRIDGE, IMPULSE, MARK 8 MOD 0 [CUST: OS] | A 1377 | OS | | 28-SEP-88 |
| | MIL-F-24032A | FLASK, SEPARATOR, 3000 PSI, K-MONEL [CUST: SH] | A 8120 | SH | | 19-OCT-89 |
| | MIL-S-24034E | SAWS, BAND, METAL CUTTING, CONTOUR, POWER FEEDING TABLE, 19, 26, 35, AND 60 INCH THROAT WIDTHS [CUST: AL SH 99 GS] [REVIEW: 84 CR4 MC] | A 3405 | GS | | 29-APR-88 |
| | MIL-S-24035E | SAWS, BAND, CUTOFF, TRAVELING, TILTING, VERTICAL COLUMN [CUST: SH 99] [REVIEW: 84] | A 3405 | GS | | 19-MAY-88 |
| | MIL-S-24036E | SAWS, BAND, CUTOFF, HORIZONTAL, NON-ADJUSTABLE AND ADJUSTABLE CUTTING ANGLE[CUST: AL SH 99 GS] [REVIEW: 84 MC SM] | A 3405 | GS | | 25-OCT-89 |
| | MIL-R-24037A(4) SUP 1 | RADIACMETER, QUARTZ FIBER SELF INDICATING, GENERAL SPECIFICATION FOR [CUST: CR SH] | A 6665 | SH | | 21-DEC-84 |
| | MIL-R-24037/1A(1) | RADIACMETER IM-9()/PD [CUST: CR SH 82] [REVIEW: CG MC] | A 6665 | SH | | 07-AUG-70 |
| | MIL-R-24037/3 | RADIACMETER - IM-107()/PD [CUST: SH] | A 6665 | SH | | 29-MAY-64 |
| | MIL-R-24037/4A | RADIACMETER - IM-135()/PD [CUST: SH] [REVIEW: 99] | A 6665 | SH | | 09-JUN-67 |
| | MIL-R-24037/5A | RADIACMETER - IM-143()/PD [CUST: SH] | A 6665 | SH | | 21-DEC-84 |
| | MIL-R-24037/6C | RADIACMETER, QUARTZ FIBER SELF INDICATING RADIACMETER - IM-181()/PD [CUST: SH] | A 6665 | SH | | 30-MAR-72 |
| | MIL-M-24041C | MOLDING AND POTTING COMPOUND, CHEMICALLY CURED, POLYURETHANE [CUST: MR SH 11] [REVIEW: AR AS AT AV CG EC GS MI] | A 9320 | SH | | 20-DEC-88 |
| | MIL-F-24044 | FLANGE, COAXIAL LINE, RIGID AIR DIELECTRIC, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 MC] | A 5985 | CC | | 18-MAR-64 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|----------------------|---|--------------------------|-----|-------------|------|
| MIL-F-24044/1A NOT 1 | FLANGE, FIXED, COAXIAL LINE, RIGID [CUST: CR EC 85] [REVIEW: 11 17 AR AS MC OS] | A 5985 | CC | 27-OCT-87 | |
| MIL-F-24044/2 | FLANGE, ROTATABLE, COAXIAL LINE, RIGID [CUST: CR EC 85] [REVIEW: 11 17 AS MC] | A 5985 | CC | 18-MAR-64 | |
| MIL-R-24049B | ROPE, POLYPROPYLENE [CUST: GL SH 69 IS] | A 4020 | IS | 14-JUN-91 | |
| MIL-R-24050D(1) | ROPE, FIBROUS, DOUBLE-BRAIDED (NYLON) [CUST: GL SH 99 IS] [REVIEW: 82 AS CG MC YDI] | A 4020 | IS | 31-MAR-93 | |
| MIL-A-24058A(1) | ASBESTOS PACKING & GASKETING MATERIAL, IMPREGNATED (CONTROLLED DISTRIBUTION) [CUST: SH] [REVIEW: CC IS] | F 5330 | SH | 19-APR-85 | |
| MIL-C-24066/2E NOT 1 | CLIP, SOLID, SPRING TENSION [CUST: EC IS] [REVIEW: AS AV GS] | A 5340 | IS | 01-JUL-94 | |
| MIL-C-24066/3C NOT 1 | CLIP, SINGLE SLOT, SPRING TENSION [CUST: EC IS] [REVIEW: AS EA GS MI] | A 5340 | IS | 01-JUL-94 | |
| MIL-C-24066/4D | CLIP, DOUBLE SLOT, SPRING TENSION [CUST: EC IS] [REVIEW: AS AV] | A 5340 | IS | 09-OCT-86 | |
| MIL-S-24067(2) | SWITCH, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE (FOR USE WITH ELECTRONIC COUNTERMEASURES EQUIPMENT), GENERAL SPECIFICATION [CUST: EC] [REVIEW: MI] | A 5985 | CC | 19-NOV-65 | |
| MIL-S-24067/1B | SWITCH, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE (FOR USE WITH ELECTRONIC COUNTERMEASURES EQUIPMENT) SINGLE POLE DOUBLE THROW, TYPE 1 [CUST: EC] | A 5985 | CC | 21-JUL-65 | |
| MIL-S-24067/2B | SWITCH, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE (FOR USE WITH ELECTRONIC COUNTERMEASURES EQUIPMENT) DOUBLE POLE, DOUBLE THROW, TYPE 2 [CUST: EC] | A 5985 | CC | 21-JUL-65 | |
| MIL-P-24074B NOT 1 | POLYTETRAFLUOROETHYLENE PARTS AND COATINGS AND POLYAMIDE PARTS [CUST: SH] | F 5330 | SH | 02-MAY-90 | |
| MIL-P-24082D | PLANT, CARBON DIOXIDE REMOVAL, LIQUID ABSORBENT TYPE (MARK IIIB) (FOR SUBMARINES) [CUST: SH] | A 4460 | SH | 09-JUN-89 | |
| MIL-R-24085A(1) | REFRIGERATING UNIT, CENTRIFUGAL FOR AIR CONDITIONING [CUST: SH] [REVIEW: GS] | A 4130 | SH | 17-OCT-75 | |
| MIL-I-24092D SUP 1 | INSULATING VARNISHES AND SOLVENTLESS RESINS FOR APPLICATION BY THE DIP PROCESS [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YDI] | A 5970 | SH | 21-SEP-93 | |
| MIL-I-24092/1A | INSULATING VARNISH, SOLVENT CONTAINING, AIR-DRY FOR SPOT PATCHING AND EMERGENCY REPAIRS, GRADES CA, CLASS 130 AND 155 THERMAL CLASS [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YDI] | A 5970 | SH | 21-SEP-93 | |
| MIL-I-24092/2A | INSULATING VARNISH, SOLVENT CONTAINING, BAKING, FLEXIBLE, FOR DIP PROCESSING, GRADE CB, CLASS 130 TO 180 THERMAL CLASS [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YDI] | A 5970 | SH | 21-SEP-93 | |
| MIL-I-24092/3A | INSULATING VARNISH, SOLVENT CONTAINING, BAKING, SEMI-RIGID, FOR DIP PROCESSING, GRADE CBH, CLASS 130 TO 200 THERMAL CLASS [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YDI] | A 5970 | SH | 21-SEP-93 | |
| MIL-I-24092/4A | INSULATING VARNISH, SOLVENT CONTAINING, BAKING, SILICONE FOR DIP PROCESSING, GRADE CBS, CLASS 180 TO 220 THERMAL CLASS [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YDI] | A 5970 | SH | 21-SEP-93 | |
| MIL-I-24092/5A | INSULATING RESIN, SOLVENTLESS, BAKING, FLEXIBLE, FOR DIP PROCESSING, GRADE SF, CLASS 130 TO 180 THERMAL CLASS [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YDI] | A 5970 | SH | 21-SEP-93 | |
| MIL-I-24092/6A | INSULATING RESIN, SOLVENTLESS, THIXOTROPIC, BAKING, FLEXIBLE, FOR DIP PROCESSING, GRADE SET, CLASS 130 TO 180 THERMAL CLASS [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YDI] | A 5970 | SH | 21-SEP-93 | |
| MIL-I-24092/7A | INSULATING RESIN, SOLVENTLESS, BAKING, SEMI-RIGID, FOR DIP PROCESSING, GRADE SH, CLASS 155 TO 200 THERMAL CLASS [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YDI] | A 5970 | SH | 21-SEP-93 | |
| MIL-I-24092/8A | INSULATING RESIN, SOLVENTLESS, THIXOTROPIC, BAKING, SEMI-RIGID, FOR DIP PROCESSING, GRADE SHT, CLASS 155 TO 200 THERMAL CLASS [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YDI] | A 5970 | SH | 21-SEP-93 | |
| MIL-I-24092/9A | INSULATING RESIN, SOLVENTLESS, SILICONE, BAKING, FOR DIP PROCESSING, GRADE SS, CLASS 180 TO 220 THERMAL CLASS [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YDI] | A 5970 | SH | 21-SEP-93 | |
| MIL-I-24092/10A | INSULATING VARNISH, BAKING, FLEXIBLE, FOR DIP PROCESSING, GRADE WB, CLASS 130 TO 180 THERMAL CLASS [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YDI] | A 5970 | SH | 21-SEP-93 | |
| MIL-I-24092/11A | INSULATING VARNISH, WATER BASE, BAKING, SEMI-RIGID, FOR DIP PROCESSING, GRADE WBH, CLASS 130 TO 200 THERMAL CLASS [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YDI] | A 5970 | SH | 21-SEP-93 | |
| MIL-S-24093A | STEEL FORGINGS, CARBON AND ALLOY HEAT TREATED [CUST: SH] | A FORG | SH | 05-NOV-91 | |
| MIL-S-24093/1 | STEEL FORGINGS, CARBON AND ALLOY HEAT TREATED (CLASS B, ALLOY STEEL, ROUND BAR) [CUST: SH] | A FORG | SH | 05-NOV-91 | |
| MIL-S-24093/2 | STEEL FORGINGS, CARBON AND ALLOY HEAT TREATED (CLASS H, CARBON STEEL, HEXAGONAL BAR) [CUST: SH] | A FORG | SH | 05-NOV-91 | |
| MIL-S-24093/3 | STEEL FORGINGS, CARBON AND ALLOY HEAT TREATED (CLASS B, ALLOY STEEL, HEXAGONAL BAR) [CUST: SH] | A FORG | SH | 05-NOV-91 | |
| MIL-C-24095B(2) | CHARGER, BATTERY, AUTOMATIC, PORTABLE, RECTIFIER TYPE [CUST: SH] [REVIEW: GS] | A 6130 | SH | 18-MAR-86 | |
| MIL-R-24098 | RADAR DATA DISTRIBUTION GROUPS AN/GPA-1060 (RADAR SITE) AN/GPA-107(V) (OPERATIONS SITE) [CUST: AS] | A 5840 | AS | 15-SEP-64 | |
| MIL-C-24105/93 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPE MIE [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | 25-MAY-95 | |
| MIL-N-24106C | NICKEL-COPPER ALLOY BARS, RODS, AND FORGINGS [CUST: SH] | F 9530 | SH | 16-SEP-92 | |
| MIL-T-24107B | TUBE, COPPER (SEAMLESS) (COPPER ALLOY NUMBERS C10100, C10200, C10300, C10800, C12000, C12200, AND C14200) [CUST: SH] [REVIEW: 84 CC MC YDI] | A 4710 | SH | 16-OCT-87 | |
| MIL-V-24109A | VALVE, GLOBE, ANGLE, QUICK CHANGE CARTRIDGE TRIM, HIGH PRESSURE (H-P.) HYDRAULIC AND PNEUMATIC (SIZES 1/8- 1 1/4 INCHES) [CUST: SH] [REVIEW: YDI] | A 4820 | SH | 31-AUG-71 | |
| MIL-N-24114D | NICKEL-CHROMIUM-IRON AGE-HARDENABLE ALLOY BARS, RODS AND FORGINGS (CONTROLLED DISTRIBUTION) [CUST: SH] | F 9530 | SH | 28-AUG-87 | |
| MIL-M-24116B(1) | MONITOR, VOLTAGE AND FREQUENCY, 400 CYCLES A.C., ELECTRIC POWER (NAVAL SHIPBOARD USE) [CUST: SH] [REVIEW: CC] | A 6625 | SH | 29-OCT-85 | |
| MIL-W-24126(1) | WOOD LAMINATES, SOUTHERN PINE (FOR SHIP AND BOAT USE) [CUST: SH] [REVIEW: CC] | A 5510 | SH | 01-DEC-65 | |
| MIL-E-24127(1) NOT 1 | EDUCTORS; GASOLINE, OIL, OR WATER [CUST: SH] | A 4420 | SH | 21-DEC-89 | |
| MIL-L-24128C | LOW CARBON CHROMIUM STEEL BARS, RODS & FORGINGS (CONTROLLED DISTRIBUTION) [CUST: SH] | B 9510 | SH | 26-DEC-84 | |
| MIL-M-24130B(1) | METALLIC SEAL RINGS, NON-INTEGRAL GENERAL SPECIFICATION FOR (CONTROLLED DISTRIBUTION) [CUST: SH] | B 5330 | SH | 14-SEP-83 | |
| MIL-M-24130/1D | METALLIC SEAL RINGS, NON-INTEGRAL NICKEL-CHROMIUM-IRON ALLOY [CUST: SH] | F 5330 | SH | 12-FEB-88 | |
| MIL-M-24130/2C NOT 1 | METALLIC SEAL RINGS, NON-INTEGRAL STEEL, CORROSION-RESISTANT (CONTROLLED DISTRIBUTION) [CUST: SH] | B 5330 | SH | 02-MAY-90 | |
| MIL-M-24130/3B | METALLIC SEAL RINGS, NON-INTEGRAL NICKEL COPPER ALLOY (CONTROLLED DISTRIBUTION) [CUST: SH] | B 5330 | SH | 09-JAN-86 | |
| MIL-L-24131B NOT 1 | LUBRICANT, COLLOIDAL GRAPHITE IN ISOPROPANOL [CUST: SH] [REVIEW: GS PS] | A 9150 | SH | 02-MAY-90 | |
| MIL-H-24134A NOT 1 | HEATER, BOLT, ELECTRIC, FOR BOLTS AND STUDS (CONTROLLED DISTRIBUTION) [CUST: SH] [REVIEW: CC] | F 4940 | SH | 07-APR-77 | |
| MIL-H-24135B SUP 1 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR [CUST: SH] | A 4720 | SH | 03-SEP-93 | |
| MIL-H-24135/1A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (DOUBLE WIRE BRAID OR TWO-SPIRAL AND ONE-WIRE BRAID, HIGH PRESSURE SIZES -4 THROUGH -32) [CUST: SH] | A 4720 | SH | 03-SEP-93 | |
| MIL-H-24135/2A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (FOUR PLIES SPIRAL WRAPPED, OR TWO SPIRAL AND ONE-WIRE BRAID, HIGH PRESSURE, SIZES -6 THROUGH -16) [CUST: SH] | A 4720 | SH | 03-SEP-93 | |
| MIL-H-24135/3A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (FOUR PLIES SPIRAL WRAPPED, HIGH PRESSURE, SIZES -16 THROUGH -32) [CUST: SH] | A 4720 | SH | 03-SEP-93 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------------|---|-----------------------|-----|-------------|------|
| MIL-H-24135/4A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (DOUBLE WIRE BRAID) MEDIUM PRESSURE, SIZES -40, -48 AND -64 [CUST: SH] | A 4720 | SH | 03-SEP-93 | |
| MIL-H-24135/5A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (DOUBLE WIRE BRAID, PERFORATED COVER, FOR HIGH PRESSURE GAS, SIZES -4 THROUGH -32) [CUST: SH] | A 4720 | SH | 03-SEP-93 | |
| MIL-H-24135/6A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (DOUBLE WIRE BRAID OR TWO-SPIRAL AND ONE-WIRE BRAID, HIGH PRESSURE, SIZES -4 THROUGH -32 FOR PHOSPHATE ESTER BASE HYDRAULIC FLUIDS) [CUST: SH] | A 4720 | SH | 03-SEP-93 | |
| MIL-H-24135/7A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (FOUR HEAVY SPIRAL WRAP, HIGH PRESSURE, SIZES -20, -24 AND -32, FOR PHOSPHATE ESTER BASE FLUIDS) [CUST: SH] | A 4720 | SH | 03-SEP-93 | |
| MIL-H-24135/8A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (FOUR PLIES, SPIRAL WRAPPED WIRE, HIGH PRESSURE, SIZES -6 THROUGH -16, FOR PHOSPHATE ESTER BASE FLUIDS) [CUST: SH] | A 4720 | SH | 03-SEP-93 | |
| MIL-H-24135/9A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (FOUR PLIES, HEAVY SPIRAL WRAPPED WIRE, HIGH PRESSURE, SIZES -8 THROUGH -32) [CUST: SH] | A 4720 | SH | 03-SEP-93 | |
| MIL-H-24135/10A | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (SINGLE OR DOUBLE WIRE BRAID MEDIUM PRESSURE, SIZES -4 THROUGH -48) [CUST: SH] | A 4720 | SH | 03-SEP-93 | |
| MIL-H-24135/11 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES, (FOUR PLY, SPIRAL WIRE WRAP, LOW PRESSURE, SIZES -80 AND -96) [CUST: SH] | A 4720 | SH | 03-SEP-93 | |
| MIL-H-24135/12 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, HIGH PERFORMANCE, FOR FLEXIBLE HOSE ASSEMBLIES (SINGLE WIRE BRAID OVER SINGLE SYNTHETIC FIBER BRAID MEDIUM PRESSURE, HIGH TEMPERATURE, MULTI-FLUID, SIZES -4 THROUGH -40) [CUST: SH] | A 4720 | SH | 03-SEP-93 | |
| MIL-H-24135/13 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, HIGH PERFORMANCE FOR FLEXIBLE HOSE ASSEMBLIES (DOUBLE WIRE BRAID, HIGH PRESSURE, HIGH TEMPERATURE, MULTI-BASED OIL, SIZES -4 THROUGH -32) [CUST: SH] | A 4720 | SH | 03-SEP-93 | |
| MIL-H-24136B | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR [CUST: SH] | A 4730 | SH | 03-SEP-93 | |
| MIL-H-24136/1A | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED FOR FLEXIBLE HOSE ASSEMBLIES (LOW PRESSURE SIZES -80 THROUGH -192) [CUST: SH] | A 4730 | SH | 03-SEP-93 | |
| MIL-H-24136/2A | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (HIGH PRESSURE SIZES -4 THROUGH -32) [CUST: SH] | A 4730 | SH | 03-SEP-93 | |
| MIL-H-24136/3A | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED FOR FLEXIBLE HOSE ASSEMBLIES (LOW PRESSURE SIZES -4 THROUGH -32) [CUST: SH] | A 4730 | SH | 03-SEP-93 | |
| MIL-H-24136/4A | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED, FOR FLEXIBLE HOSE ASSEMBLIES (LOW PRESSURE SIZES -40, -48 AND -64) [CUST: SH] | A 4730 | SH | 03-SEP-93 | |
| MIL-P-24138A | PASSIVATOR COMPOUND, NAVY BOILER [CUST: SH] [REVIEW: GS] | A 6850 | SH | 30-JUN-86 | |
| MIL-B-24141A | BLOCKS, TACKLE, WIRE ROPE [CUST: SH] | A 3940 | SH | 09-NOV-90 | |
| MIL-E-24142B(1) SUP 1 NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: 99 GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/1C NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE, SIZE 4 BY 4 (15-FOOT) [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/2C NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE (15-FOOT), SIZE 3 BY 5 [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/3C NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE, SIZE 6 BY 9 (15-FOOT) [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/4C NOT 1 | ENCLOSURE, SUBMERSIBLE (15-FOOT) SIZE 4 BY 7 [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/5C(1) NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE, (15-FOOT), SIZES 3R, 4R AND 5R [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/6G NOT 1 | ENCLOSURE, SUBMERSIBLE (15-FOOT), SIZES 8 BY 10 AND THROUGH 14 BY 26 [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/7E NOT 1 | ENCLOSURES, SUBMERSIBLE (15-FOOT), SIZE 20 BY 24 [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/8C NOT 1 | ENCLOSURE, TOTALLY ENCLOSED, SIZE 2-1/4 BY 2-7/8 (OCTAGON), NONWATERTIGHT [CUST: SH] [REVIEW: GS MI] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/9B NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE (15-FOOT), SIZE 2-1/8 BY 3 [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/10B NOT 1 | ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES SUBMERSIBLE (15-FOOT), SIZE 2-1/8 BY 4-1/2 [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/11 NOT 1 | ENCLOSURES-PLASTIC, SUBMERSIBLE, (15-FOOT) 3 AND 4 - INCHES ROUND, GROUNDE D [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/14A NOT 1 | ENCLOSURE, SINGLE COVER, SIZES 10 BY 10 THROUGH 12 BY 12, TOTALLY ENCLOSED, NONWATERTIGHT [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/15A NOT 1 | ENCLOSURE, WITH FUSE COVER, SIZES 10 BY 10 THROUGH 12 BY 12, TOTALLY ENCLOSED, NONWATERTIGHT [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/16A NOT 1 | ENCLOSURE, SINGLE COVER, SIZES 10 BY 14 THROUGH 12 BY 20, TOTALLY ENCLOSED, NONWATERTIGHT [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/17A NOT 1 | ENCLOSURE WITH FUSE COVER, SIZES 10 BY 14 THROUGH 12 BY 20, TOTALLY ENCLOSED, NONWATERTIGHT [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/18A NOT 1 | ENCLOSURES, SINGLE COVER, SIZES 10 BY 20 THROUGH 18 BY 22, TOTALLY ENCLOSED, NONWATERTIGHT [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/19A NOT 1 | ENCLOSURE, WITH FUSE COVER, SIZE 10 BY 20 THROUGH 12 BY 22, TOTALLY ENCLOSED, NONWATERTIGHT [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-E-24142/20A NOT 1 | ENCLOSURES, WITH FUSE COVER, SIZE 10 BY 20, THROUGH 12 BY 22, TOTALLY ENCLOSED, NONWATERTIGHT [CUST: SH] [REVIEW: GS] | A 5975 | SH | 17-DEC-90 | |
| MIL-M-24144D | MONITORS, FROST-POINT/DEW-POINT, COMPRESSED AIR, SEMI-PORTABLE [CUST: SH] [REVIEW: GS] | A 6685 | SH | 25-APR-88 | |
| MIL-H-24146 | HEAD, SPRINKLER, FIRE PROJECTION, FOAM WATER [CUST: CR4 SH 11] [REVIEW: CC MC] | A 4210 | SH | 02-JUN-65 | |
| MIL-S-24149C SUP 1 | STUDS, WELDING, AND ARC SHIELDS (FERRULES), GENERAL SPECIFICATION FOR [CUST: SH IS] [REVIEW: AR CR MI] | A 5307 | IS | 27-MAR-89 | |
| MIL-S-24149/1D | STUD, WELDING, AND ARC SHIELDS (FERRULES); TYPE I, CLASS 1, 2, 3, AND TYPE II, CLASS 1, 4, 5, 5A, 6, CARBON STEEL, FOR DIRECT ENERGY, ARC WELDING [CUST: SH] [REVIEW: AR CR IS] | A 5307 | SH | 10-JUN-88 | |
| MIL-S-24149/2D | STUDS, WELDING, AND ARC SHIELDS (FERRULES); TYPE III, CLASS 1, 2, 3, AND TYPE IV, CLASS 1, 2, 3, 4, 5, 6, ALUMINUM ALLOY, FOR DIRECT ENERGY ARC WELDING [CUST: SH] [REVIEW: EA MI] | A 5307 | SH | 27-MAR-89 | |
| MIL-S-24149/3D | STUDS, WELDING, & ARC SHIELDS (FERRULES); TYPE V, CLASS 1, 4, 5, 5A, CORROSION-RESISTANT STEEL, FOR DIRECT ENERGY ARC WELDING [CUST: SH] [REVIEW: IS] | A 5307 | SH | 27-MAR-89 | |
| MIL-S-24149/4C | STUDS, WELDING, TYPE VI, CLASS 1, 2, 3, CARBON STEEL, FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING [CUST: SH] [REVIEW: CR IS MI] | A 5307 | SH | 27-MAR-89 | |
| MIL-S-24149/5C | STUDS, WELDING, TYPE VII, CLASS 1, 2, 3, ALUMINUM ALLOY, FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING [CUST: SH] [REVIEW: AR CR IS MI] | A 5307 | SH | 27-MAR-89 | |
| MIL-S-24149/6C | STUDS, WELDING, TYPE VIII, CLASS 1, 2, 3, CORROSION-RESISTANT STEEL FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING [CUST: SH] [REVIEW: IS MI] | A 5307 | SH | 27-MAR-89 | |
| MIL-D-24151A | DOORS, ROLLING, CURTAIN, AND THEIR OPERATING EQUIPMENT [CUST: SH] | A 2040 | SH | 10-MAY-90 | |
| MIL-S-24154A(2) | SYNTACTIC BUOYANCY MATERIAL FOR HIGH HYDROSTATIC PRESSURES [CUST: SH] [REVIEW: GS] | A 9330 | SH | 06-FEB-91 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-B-24155B | BOILER SCALE REMOVING COMPOUND [CUST: SH] [REVIEW: GS] | A 6850 | SH | | 27-OCT-86 |
| | MIL-R-24159A | RECEPTACLE, CANISTER, CO2 ABSORBENT [CUST: SH] | A 4240 | SH | | 06-FEB-89 |
| | MIL-C-24166B(1) | COOLER, DRINKING WATER, MECHANICALLY REFRIGERATED, SELF-CONTAINED, NAVAL SHIPBOARD [CUST: SH] [REVIEW: GS] | A 4110 | SH | | 08-JUL-97 |
| | MIL-S-24167A | SYNTHETIC MATERIAL, RIGID, POUR-IN-PLACE, STRUCTURAL VOID FILLING [CUST: SH] [REVIEW: CR4 GS MR] | A 9330 | SH | | 06-DEC-72 |
| | MIL-I-24172A | INSULATION, PLASTIC, CELLULAR POLYURETHANE, RIGID, PREFORMED & FOAM IN PLACE [CUST: SH] [REVIEW: YD1] | A 5640 | SH | | 19-NOV-86 |
| | MIL-C-24174A | CONTROL, NAVIGATION LIGHTS, GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: GS] | A 6110 | SH | | 02-OCT-87 |
| | MIL-C-24174/3A | CONTROL (BLINKER) KEY, NAVIGATOR LIGHTS SYMBOL NO. 978.2 [CUST: SH] [REVIEW: GS] | A 6110 | SH | | 02-OCT-87 |
| | MIL-C-24174/4A | CONTROLS, PULSATOR, SUBMARINE IDENTIFICATION LIGHT, A.C. 125 VOLTS, SYMBOL NO. 932 [CUST: SH] | A 6110 | SH | | 02-OCT-87 |
| | MIL-P-24175(3) SUP 1 | PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: GS] | A 6110 | SH | | 27-AUG-71 |
| | MIL-P-24175/1B | PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, D.P., NON MAGNETIC, 10 AMPERES, 120 VOLTS, A.C., 60 HERTZ, 3 PHASE BUS, 6 CIRCUITS, SYMBOL NO. 944.2 [CUST: SH] [REVIEW: GS] | A 6110 | SH | | 27-AUG-71 |
| | MIL-P-24175/2A | PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, N.W.T., 10 AMPERES, 120 VOLTS A.C., 60 HERTZ 3 PHASE BUS, 8 CIRCUITS, SYMBOL NO. 940.1 [CUST: SH] [REVIEW: GS] | A 6110 | SH | | 27-AUG-71 |
| | MIL-P-24175/3A | PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, N.W.T., 10 AMPERES, 120 VOLTS D.C. D.P. BUS, 8 CIRCUITS, SYMBOL NO. 945.1 [CUST: SH] [REVIEW: GS] | A 6110 | SH | | 27-AUG-71 |
| | MIL-P-24175/4A | PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, N.W.T., 10 AMPERES, 120 VOLTS, D.C. D.P. BUS, 10 CIRCUIT, SYMBOL NO. 942.1 [CUST: SH] [REVIEW: GS] | A 6110 | SH | | 27-AUG-71 |
| | MIL-P-24175/5B | PANEL, POWER SUPPLY AND CONTROL FOR SUBMARINE NAVIGATION LIGHTS, 10 AMPERES, 120 VOLTS A.C., 60 HZ T.E. SYMBOL NO. 2550.1 [CUST: SH] [REVIEW: GS] | A 6110 | SH | | 27-AUG-71 |
| | MIL-I-24178 NOT 1 | INSULATION TAPE, ELECTRICAL, SEMI-CURED THERMOSETTING RESIN TREATED GLASS, ARMATURE BANDING, NAVAL SHIPBOARD [CUST: SH] [REVIEW: CR4 GS] | A 5970 | SH | | 28-OCT-88 |
| | MIL-A-24179A(2) NOT 1 | ADHESIVE, FLEXIBLE UNICELLULAR-PLASTIC THERMAL INSULATION [CUST: SH] | A 8040 | SH | | 22-JUN-87 |
| | MIL-T-24180A | TILE, RUBBER, UNDERWATER ACOUSTIC DECOUPLER [CUST: SH] | A 9320 | SH | | 15-SEP-88 |
| | MIL-R-24183A | ROPE AND YARN, PLYED, SYNTHETIC FIBER [CUST: SH] [REVIEW: IS] | A 4020 | SH | | 05-AUG-88 |
| | MIL-S-24187E SUP 1 | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, GENERAL SPECIFICATION FOR [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24187/1A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE LS [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24187/2B | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE 3 BLS [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24187/3B | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL OPERATION, STYLE CLS [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24187/4B | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE 3DLS [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24187/5A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL OPERATION, STYLE JLS [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24187/6A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, SNAP-ACTION, STYLE SLS [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24187/7B | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL OPERATIONS, STYLE KLS [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24187/8A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, REMOTE OPERATION, TYPE R3DLSO-S3A3 MANUAL AND REMOTE OPERATION, STYLE DLS, TYPE R3DLSO-S3A4 [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24187/9A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE 5DLS [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24187/10A | SWITCH ASSEMBLIES, LINEAR MOVEMENT, REMOTE OPERATION, STYLE 5DLS, TYPE R5DLSO-S1A1 [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24187/11 | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATIONS, STYLE 5BLS [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24187/12 | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE LLS TYPE 5LLSO-1C AND 5 LLSO-S1C1 [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24187/13 | SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE VLLS TYPE 5VLLSO-1C [CUST: SH] | A 5930 | SH | | 22-MAR-91 |
| | MIL-S-24188 | SYNCHRONIZING CONTROL EQUIPMENT, 60 CYCLES, 450 VOLTS, NAVAL SHIPBOARD [CUST: SH] [REVIEW: GS] | A 6110 | SH | | 01-DEC-65 |
| | MIL-DTL-24191D | PLASTIC SHEET, CELL OR CONTINUOUS CAST, ACRYLIC, SHIPBOARD APPLICATION (ILLUMINATION AND SIGNAL LIGHTING) [CUST: SH] | A 9330 | SH | | 22-NOV-96 |
| | MIL-D-24194(1) | DISHWASHING MACHINE, COMMERCIAL (SUBMARINE USE) [CUST: SH] | A 7320 | SH | | 22-MAY-92 |
| | MIL-C-24196A(1) | CLEANING SYSTEM, ULTRASONIC [CUST: SH] [REVIEW: CC] | A 4940 | SH | | 22-JAN-91 |
| | MIL-F-24202(1) | FITTING, BUTT WELDING, SEAMLESS OR WELDED, 70-30 COPPER-NICKEL ALLOY 700 PSI, 200 DEG. F. [CUST: SH] [REVIEW: MI] | A 4730 | SH | | 26-JUL-85 |
| | MIL-I-24204A | INSULATION, ELECTRICAL, HIGH TEMPERATURE, BONDED, SYNTHETIC FIBER PAPER [CUST: SH] [REVIEW: GS] | A 5970 | SH | | 15-AUG-75 |
| | MIL-G-24211 | GASKET, WAVEGUIDE FLANGE GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC MI] | A 5985 | CC | | 28-MAR-66 |
| | MIL-G-24211/1A | GASKET, WAVEGUIDE FLANGE (COVER) [CUST: CR EC 85] [REVIEW: 11 17 19 MI OS] | A 5985 | CC | | 28-FEB-69 |
| | MIL-G-24211/2B(1) | GASKET, WAVEGUIDE FLANGE (FLAT FACE) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CG MC OS SH] | A 5985 | CC | | 09-DEC-77 |
| | MIL-A-24215A SUP 1A | ATTENUATOR, VARIABLE (COAXIAL AND WAVEGUIDE) GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CG MC MI OS] | A 5985 | CC | | 17-SEP-73 |
| | MIL-A-24215/4B | ATTENUATOR, VARIABLE (WAVEGUIDE) CLASS 14 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AV CG MC OS SH] | A 5985 | CC | | 27-JUN-75 |
| | MIL-A-24215/5B | ATTENUATOR, VARIABLE (WAVEGUIDE, ROTATING VANE) CLASS 14 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AV CG MC OS SH] | A 5985 | CC | | 27-JUN-75 |
| | MIL-A-24215/6A(2) | ATTENUATOR, VARIABLE (COAXIAL, STEP) CLASS 7 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AV CG MC OS SH] | A 5985 | CC | | 16-MAY-79 |
| | MIL-A-24215/8 NOT 1 | ATTENUATOR, VARIABLE (COAXIAL), FREQUENCY RANGE DC TO 2 GHZ [CUST: CR EC 85] [REVIEW: 99 AR MI] | A 5985 | CC | | 27-OCT-87 |
| | MIL-A-24215/9B(2) | ATTENUATOR, VARIABLE (COAXIAL), CLASS 5 (SMA) [CUST: CR EC 85] [REVIEW: 99 AR AS MC MI OS SM] | A 5985 | CC | | 02-JUL-86 |
| | MIL-A-24215/10 | ATTENUATOR, VARIABLE (STEP) COAXIAL, CLASS 7 (BNC) [CUST: CR EC 85] [REVIEW: 11 99 AR AS MC MI OS SH] | A 5985 | CC | | 27-JUN-75 |
| | MIL-A-24215/11 | ATTENUATOR, VARIABLE (COAXIAL), FREQUENCY RANGE DC TO 1 MHZ (LOW FREQUENCY) [CUST: CR EC 85] [REVIEW: 11 AR MI SH] | A 5985 | CC | | 27-JUN-75 |
| | MIL-A-24215/12A | ATTENUATOR, VARIABLE (COAXIAL), CLASS 1 (N) [CUST: CR EC 85] [REVIEW: 11 99 AR AS MC MI OS SH] | A 5985 | CC | | 22-SEP-75 |
| | MIL-A-24215/13 NOT 1 | ATTENUATOR, VARIABLE (COAXIAL, STEP) CLASS 5 (SMA) [CUST: CR EC 85] [REVIEW: 11 AR AS MC MI OS] | A 5985 | CC | | 27-OCT-87 |
| | MIL-A-24215/14 NOT 1 | ATTENUATOR, VARIABLE (COAXIAL, STEP) CLASS 4 (TNC) [CUST: CR EC 85] [REVIEW: 11 AR AS MC MI OS] | A 5985 | CC | | 27-OCT-87 |
| | MIL-P-24216B | POLYPROPYLENE CORES, STRAND CENTERS, AND SUBSTRANDS FOR WIRE ROPE [CUST: SH] [REVIEW: IS] | A 4020 | SH | | 27-APR-90 |
| | MIL-C-24217A(1) SUP 1 | CONNECTORS, ELECTRICAL, DEEP SUBMERGENCE, SUBMARINE [CUST: SH] [REVIEW: CC] | A 5935 | SH | | 17-JAN-89 |
| | MIL-R-24217/1 NOT 1 | RECEPTACLE ASSEMBLY (WELDED TYPE) [CUST: SH] | A 5935 | SH | | 03-OCT-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-----------------------|--|--------------------------|-----|-------------|-----------|
| MIL-R-24217/2 NOT 1 | RECEPTACLE ASSEMBLY (FLANGED - WELDED TYPE) [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-R-24217/3 NOT 1 | RECEPTACLE ASSEMBLY (IN LINE TYPE) [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-R-24217/4 NOT 1 | RECEPTACLE ASSEMBLY (MID-FLANGE BOLTED TYPE) [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-R-24217/5 NOT 1 | RECEPTACLE ASSEMBLY (END-FLANGED BOLTED TYPE) [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-R-24217/6 NOT 1 | RECEPTACLE ASSEMBLY (LOCKNUT FLANGE TYPE) [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-P-24217/7 NOT 1 | PLUG ASSEMBLIES, STRAIGHT [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-P-24217/8 NOT 1 | PLUG ASSEMBLIES, RIGHT ANGLE [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-P-24217/9 NOT 1 | PRESSURE PROOF PLUG CAP ASSEMBLY [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-P-24217/10 NOT 1 | PRESSURE PROOF RECEPTACLE CAP ASSEMBLY [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-R-24217/11 NOT 1 | RECEPTACLE ASSEMBLY (UNION TYPE) [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-R-24217/12 NOT 1 | RECEPTACLE ASSEMBLY (MID-FLANGE, BOLTED, UNION TYPE) [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-R-24217/13 NOT 1 | RECEPTACLE ASSEMBLY (MID-FLANGE, LOCKNUT, UNION TYPE) [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-U-24217/14 NOT 1 | UNION PLUG ASSEMBLIES, STRAIGHT [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-U-24217/15 NOT 1 | UNION PLUG ASSEMBLIES, RIGHT ANGLE [CUST: SH] | A 5935 | SH | | 03-OCT-89 |
| MIL-C-24219A(1) | COUPLER, ANTENNA, AN/SRA-33, FOUR CHANNEL, AUTOMATICALLY TUNED [CUST: EC] | A 5985 | CC | | 27-OCT-87 |
| MIL-B-24220A | BLOCKS, TACKLE, SYNTHETIC ROPE [CUST: SH] | A 3940 | SH | | 09-NOV-90 |
| MIL-C-24224B NOT 1 | CARTRIDGE, GAS PRESSURE, FOR PRESSURIZING DRY CHEMICAL FIRE EXTINGUISHERS [CUST: SH] [REVIEW: CC] | A 4210 | SH | | 10-DEC-90 |
| MIL-M-24225A | MONITOR, FREQUENCY, 60 CYCLES, A.C., 1 PHASE ELECTRIC POWER (NAVAL SHIPBOARD USE) [CUST: SH] | A 5925 | CC | | 30-MAR-87 |
| MIL-F-24227(2) | FITTINGS AND FLANGES, CAST BRONZE, SILVER-BRAZING SUITABLE FOR ULTRASONIC INSPECTION [CUST: SH] | A 4730 | SH | | 20-MAY-88 |
| MIL-C-24231D(2) SUP 1 | CONNECTORS, PLUGS, RECEPTACLES, ADAPTERS, HULL INSERTS, AND HULL INSERT PLUGS, PRESSURE-PROOF, GENERAL SPECIFICATION FOR [CUST: SH] | A 5935 | SH | | 07-AUG-89 |
| MIL-C-24231/1D | CONNECTOR, PLUG, TYPE I, MOLDED, THREE-, FOUR-, & FIVE-CONDUCTOR [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/2D | CONNECTOR, PLUG, TYPE [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/3D | CONNECTOR, PLUG, TYPE I, MOLDED, SEVEN- & NINE-CONDUCTOR (STRAIGHT & 90 DEGREES) [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/4D | CONNECTOR, PLUG, TYPE I, MOLDED, 14-, 24-, 30-, OR 40-CONDUCTOR (STRAIGHT & 90 DEGREES) [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/5D | CONNECTOR, SINGLE CABLE, TYPE III, THREE-, FOUR- OR FIVE-CONDUCTOR [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/6E | CONNECTOR, SINGLE CABLE, TYPE III, FOR DSS-3 CABLE [CUST: EC] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/7E | CONNECTOR, SINGLE CABLE, TYPE III, SEVEN-SONDUCTOR [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/8D | CONNECTOR, SINGLE CABLE, TYPE III, SEVEN-CONDUCTOR [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/9D | CONNECTOR, SINGLE CABLE, TYPE III, SEVEN- & NINE-CONDUCTOR [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/10D(1) | CONNECTORS, SINGLE CABLE, TYPE III, 14-, 24-, 30-, OR 40-CONDUCTOR [CUST: SH] | A 5935 | SH | | 02-MAR-92 |
| MIL-C-24231/11D | CONNECTOR, MULTIPLE CABLE [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/12D(1) | CONNECTOR, RECEPTACLE, MULTI-PIN, TYPE V, THREE-, FOUR-, AND FIVE-CONDUCTOR [CUST: SH] | A 5935 | SH | | 02-MAR-92 |
| MIL-C-24231/13D | CONNECTORS, RECEPTACLE, MULTI-PIN, TYPE V, SEVEN- AND NINE-CONDUCTOR [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/14D | CONNECTORS, RECEPTACLE, MULTI-PIN, TYPE V, 14-, 24-, 30-, AND 40-CONDUCTOR [CUST: SH] [REVIEW: CC] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/15D | CONNECTOR, ADAPTER, FOR MOLDED PLUG, TYPE II, THREE- AND FOUR-CONDUCTOR [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/16D | CONNECTOR, ADAPTER, FOR MOLDED PLUG, TYPE II, SEVEN-CONDUCTOR [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/17D | CONNECTOR, ADAPTER, FOR MOLDED PLUG, TYPE II, NINE-CONDUCTOR [CUST: EC] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/18D | CONNECTOR, PLUG, TYPE I, MOLDED, 65-CONDUCTOR [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/19D | CONNECTOR, SINGLE CABLE, TYPE III, 65-CONDUCTOR [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/20D | CONNECTOR, RECEPTACLE, MULTI-PIN, TYPE V, 65-CONDUCTOR [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/21D | CONNECTOR, PLUG, TYPE I, MOLDED, 80-CONDUCTOR [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/22D | CONNECTOR, RECEPTACLE, TYPE IV, 80-CONDUCTOR [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/23F | CONNECTOR, PLUG, TYPE I, MOLDED, THREE-CONDUCTOR, FOR THOF-9 CABLE [CUST: SH] | A 5935 | SH | | 20-FEB-92 |
| MIL-C-24231/24D | CONNECTOR, SINGLE CABLE, TYPE III, THREE-CONDUCTOR, FOR THOF-9 CABLE [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/25D(1) | CONNECTOR, HULL INSERTS, TYPE VII [CUST: SH] | A 5935 | SH | | 02-APR-93 |
| MIL-C-24231/26D | CONNECTOR, SINGLE CABLE, TYPE III, FOR TYPE 2SWF CABLES [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/27E | CONNECTOR, RECEPTACLE, MULTI-PIN, TYPE V, FOR TYPE 2SWF CABLES [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/28B | CONNECTOR, PLUG, FOR HULL INSERTS, TYPE VI [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/29 | CONNECTOR, PREFORM MOLDED INSERTS, FOR MOLDED PLUGS, TYPE I [CUST: SH] | A 5935 | SH | | 15-MAY-87 |
| MIL-C-24231/30 | CONNECTOR, PLUG, GLASS REINFORCED POLYMER, TYPE I MOLDED, THREE- AND FOUR-CONDUCTOR [CUST: SH] | A 5935 | SH | | 18-FEB-92 |
| MIL-V-24232A(2) | VALVE, PNEUMATIC 4-WAY, 2-POSITION, MANUALLY OPERATED [CUST: SH] | A 4820 | SH | | 02-MAR-95 |
| MIL-S-24235C SUP 1 | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, GENERAL SPECIFICATION FOR [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/1F | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BULKHEAD, PRESSUREPROOF [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/2C | STUFFING TUBE, PACKING ASSEMBLIES FOR PRESSUREPROOF BULKHEAD [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/3A | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BULKHEAD, FOR BALLAST TANKS [CUST: SH] [REVIEW: GS] | A 5975 | SH | | 21-AUG-89 |
| MIL-S-24235/4C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, PACKING ASSEMBLIES FOR BULKHEAD (BALLAST TANKS) [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/5A | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BALLAST TANK [CUST: SH] [REVIEW: GS] | A 5975 | SH | | 21-AUG-89 |
| MIL-S-24235/6C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, PACKING ASSEMBLIES FOR BALLAST TANK [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/7B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR CAST ENCLOSURES, PRESSUREPROOF [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/8B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR SHEET METAL ENCLOSURES, PRESSUREPROOF [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/9E | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BRASS AND STEEL, FOR DECKS AND BULKHEADS WITH PIPE PROTECTION [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/10B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, STEEL, FOR DECKS AND BULKHEADS WITHOUT PIPE PROTECTION [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/11C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, OUTLET, WEATHER DECK, NONMAGNETIC [CUST: SH] | A 5975 | SH | | 28-DEC-92 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------------------|--|--------------------------|-----|-------------|-----------|
| MIL-S-24235/12B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SPLIT [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/13C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR CAST ENCLOSURES [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/14C | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR SHEET METAL ENCLOSURES [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/15B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FITTERS FOR [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/16B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, CABLE, SHEARING VALVE, HULL, PRESSUREPROOF, SYMBOLS 512, 512.1, 513, AND 513.1 [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/17B | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SWAGE TYPE, STEEL AND ALUMINUM, FOR DECK AND BULKHEADS WITH PIPE PROTECTION [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/18A | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SWAGE TYPE, REDUCED DIAMETER, STEEL AND ALUMINUM, FOR DECK AND BULKHEADS WITH PIPE PROTECTION [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24235/19A | STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SEALING PLUG FOR UNUSED STUFFING TUBES [CUST: SH] | A 5975 | SH | | 28-DEC-92 |
| MIL-S-24236B(4) SUP 1B | SWITCHES, THERMOSTATIC, (METALLIC AND BIMETALLIC), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG CR4 MC MI OS SH] | A 5930 | CC | | 03-JUN-91 |
| MIL-S-24236/1J | SWITCHES, THERMOSTATIC, (BIMETALLIC), SUBMINIATURE, TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 5 AMPERES, AND LOW LEVEL [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV MC MI OS] | A 5930 | CC | | 25-JUL-90 |
| MIL-S-24236/2G | SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE I, SINGLE POLE, SINGLE THROW (SPST), 5 AMPERES [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV MC SH] | A 5930 | CC | | 27-MAR-92 |
| MIL-S-24236/11F | SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 1 AMPERE [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV MC MI OS] | A 5930 | CC | | 20-MAY-92 |
| MIL-S-24236/13F(1) | SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 1 AMPERE AND LOW LEVEL [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV MC MI OS] | A 5930 | CC | | 16-APR-93 |
| MIL-S-24236/15F | SWITCH, THERMOSTATIC (METALLIC), TYPE II, OVERHEAT DETECTOR, ADJUSTABLE, SINGLE TERMINAL, 3 AMPERES [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG MC MI MR OS SH SM] | A 5930 | CC | | 28-JUN-95 |
| MIL-S-24236/16F | SWITCH, THERMOSTATIC (METALLIC), TYPE II, OVERHEAT DETECTOR, ADJUSTABLE, DUAL TERMINAL, 3 AMPERES [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG MC MI MR OS SH SM] | A 5930 | CC | | 28-JUN-95 |
| MIL-S-24236/19H | SWITCHES, THERMOSTATIC, (BIMETALLIC), (SUBMINIATURE), TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 1 AMPERE AND LOW LEVEL [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV MC MI OS SH] | A 5930 | CC | | 25-JUL-90 |
| MIL-S-24236/20H | SWITCHES, THERMOSTATIC, (BIMETALLIC), SUBMINIATURE, TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 2 AMPERES AND LOW LEVEL [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 5930 | CC | | 27-APR-90 |
| MIL-S-24236/24C(1) | SWITCHES, THERMOSTATIC, (BIMETALLIC), SUBMINIATURE, TYPE I, HERMETICALLY SEALED, SINGLE POLE, DOUBLE THROW (SPDT), 2 AMPERES AND LOW LEVEL [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV CR4 MC MI OS] | A 5930 | CC | | 31-DEC-92 |
| MIL-S-24236/25B | SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 2 AMPERES [CUST: CR EC 85 CC] [REVIEW: 99 AR AT AV MC MI SH] | A 5930 | CC | | 04-AUG-92 |
| MIL-S-24236/26B | SWITCHES, THERMOSTATIC, (BIMETALLIC) TYPE I, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST) AND SINGLE POLE, DOUBLE THROW (SPDT), 2 AMPERES [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AV MC SH] | A 5930 | CC | | 27-AUG-91 |
| MIL-S-24238D | STEEL PLATE CARBON AND LOW ALLOY (CONTROLLED DISTRIBUTION) [CUST: SH] [REVIEW: IS] | B 9515 | SH | | 03-SEP-87 |
| MIL-R-24243C(1) SUP 1 | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, GENERAL SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS] | A 5320 | IS | | 30-SEP-94 |
| MIL-R-24243/1E | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, DOMED HEAD, ALUMINUM ALLOY, CARBON STEEL, CORROSION RESISTANT STEEL [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS] | A 5320 | IS | | 22-JUN-94 |
| MIL-R-24243/2C | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, DOMED HEAD, NICKEL-COPPER ALLOY [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS] | A 5320 | IS | | 22-JUN-94 |
| MIL-R-24243/3D | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, LARGE DOMED HEAD, ALUMINUM ALLOY, CARBON STEEL [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS] | A 5320 | IS | | 22-JUN-94 |
| MIL-R-24243/4D | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 100 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS] | A 5320 | IS | | 22-JUN-94 |
| MIL-R-24243/5D | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY, CARBON STEEL, NICKEL-COPPER ALLOY [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS] | A 5320 | IS | | 22-JUN-94 |
| MIL-R-24243/6E | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, CLOSED-END, DOMED HEAD, ALUMINUM ALLOY [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS] | A 5320 | IS | | 22-JUN-94 |
| MIL-R-24243/7D | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, CLOSED-END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS] | A 5320 | IS | | 22-JUN-94 |
| MIL-R-24243/8D(1) | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, SNAP HEAD, ALUMINUM ALLOY [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS] | A 5320 | IS | | 31-OCT-95 |
| MIL-R-24243/9D(1) | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS] | A 5320 | IS | | 31-OCT-95 |
| MIL-R-24243/10D(1) | RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, DOMED HEAD, ALUMINUM ALLOY [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS] | A 5320 | IS | | 31-OCT-95 |
| MIL-I-24244C | INSULATION MAT'L, WITH SPECIAL CORROSION, CHLORIDE, & FLUORIDE REQUIREMENTS (ISSE CONTROLLED FURTHER DISSEMINATION ONLY AS DIRECTED BY NAVSEASYSOOM (SEA 9 B2) [CUST: SH] | F 5640 | SH | | 21-SEP-87 |
| MIL-C-24246A | COIL ASSEMBLY, COMPASS COMPENSATING (DEGAUSSING), TYPE "K-2" [CUST: SH] [REVIEW: CC] | A 5950 | SH | | 06-OCT-89 |
| MIL-L-24247C | LIFE PRESERVER, VEST TYPE, U.S. NAVY, MARK I [CUST: SH] [REVIEW: CC] | A 4220 | SH | | 26-JAN-90 |
| MIL-C-24248B(1) NOT 1 | COBALT ALLOY CASTINGS, WEAR AND CORROSION RESISTANT [CUST: SH] | F MECA | SH | | 06-APR-84 |
| MIL-P-24249A(1) | PLASTIC MATERIAL, CELLULAR POLYURETHANE, RIGID, VOID FILLER, FOAM-IN-PLACE, LARGE SCALE AND INSTALLATION OF [CUST: SH] | A 9330 | SH | | 30-OCT-92 |
| MIL-S-24251B(2) SUP 1 | SHIELDS, RETAINERS (BASES), AND ADAPTERS, ELECTRON TUBE, HEAT DISSIPATING GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 99 AR AS CG MC] | A 5960 | CC | | 15-JUL-88 |
| MIL-S-24251/1A(2) NOT 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (CLAM SHELL) [CUST: CR EC 85 CC] [REVIEW: 17 19 AS CG MC MI OS] | A 5960 | CC | | 13-OCT-87 |
| MIL-S-24251/2A(2) | SHIELD, ELECTRONIC TUBE, RETAINER (BASE) HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC MI] | A 5960 | CC | | 03-OCT-79 |
| MIL-S-24251/3A | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (SPLIT SHELL) [CUST: CR EC 85 CC] [REVIEW: 17 19 CG MC MI] | A 5960 | CC | | 01-JUL-68 |
| MIL-S-24251/4A(1) | SHIELD, RETAINER (BASE), AND ADAPTER, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE [CUST: CR EC 85 CC] [REVIEW: 17 19 AS CG MC MI OS] | A 5960 | CC | | 11-JUN-70 |
| MIL-S-24251/5A(1) | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (OPEN SIDES) [CUST: CR EC 85 CC] [REVIEW: 17 19 AS CG MC MI OS] | A 5960 | CC | | 11-JUN-70 |
| MIL-S-24251/6B(1) NOT 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (RETROFIT TYPE ONLY) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AV CG MC MI OS SH] | A 5960 | CC | | 15-JUL-88 |
| MIL-S-24251/7A(2) NOT 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T9 (SPLIT SHELL) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC MI] | A 5960 | CC | | 13-OCT-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | NCA Prep. Acty. | Date |
|------------|--------------------------|---|-----------------------|-----------------|-----------|
| | MIL-S-24251/8A(2) | RETAINER (BASE), ELECTRON TUBE, HEAT DISSIPATING, OCTAL, T9 [CUST: CR EC 85 CC] | A 5960 | CC | 03-OCT-79 |
| | MIL-S-24251/9A(2) NOT 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T11 (SPLIT SHELL [CUST: CR EC 85 CC] [REVIEW: 11 17 AR AS CG MC MI]) | A 5960 | CC | 13-OCT-87 |
| | MIL-S-24251/10A(2) | SHIELD, RETAINER (BASE) ELECTRON TUBE, HEAT DISSIPATING, OCTAL, T11 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC MI] | A 5960 | CC | 03-OCT-79 |
| | MIL-S-24251/11A(2) NOT 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T12 (WITH TUBE BASE DIAMETER 1.50 INCHES) (SPLIT SHELL) [CUST: CR EC 85 CC] [REVIEW: 17 99 AR AS CG MC MI] | A 5960 | CC | 13-OCT-87 |
| | MIL-S-24251/12A(2) NOT 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T12 (WITH TUBE BASE DIAMETER 1.70 INCHES) (SPLIT SHELL) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC MI] | A 5960 | CC | 13-OCT-87 |
| | MIL-S-24251/13A(2) NOT 1 | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T12 (WITH TUBE BASE DIAMETER 1.65 INCHES) (SPLIT SHELL) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC MI] | A 5960 | CC | 13-OCT-87 |
| | MIL-S-24251/14A(2) NOT 1 | SHIELD, RETAINER (BASE), ELECTRON TUBE, HEAT DISSIPATING, OCTAL, T12 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC MI OS] | A 5960 | CC | 13-OCT-87 |
| | MIL-S-24251/16A(2) | SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T16 (SPLIT SHELL) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC MI] | A 5960 | CC | 13-OCT-87 |
| | MIL-S-24251/17A(2) NOT 1 | SHIELD, RETAINER (BASE), ELECTRON TUBE, HEAT DISSIPATING OCTAL, T14 AND T16[CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC MI] | A 5960 | CC | 03-OCT-79 |
| | MIL-C-24252B | COBALT-CHROMIUM-TUNGSTEN-NICKEL & COBALT-CHROMIUM-TUNGSTEN ALLOY BARS & FORGINGS (CONTROLLED DISTRIBUTION) [CUST: SH] | F 9530 | SH | 14-OCT-85 |
| | MIL-F-24259A | FLUID FLOWMETER, VOLUME VELOCITY TYPE [CUST: SH] [REVIEW: GS] | A 6680 | SH | 14-DEC-87 |
| | MIL-E-24269B(1) | EXTINGUISHER, FIRE, CARBON DIOXIDE, 15 POUND, PORTABLE, PERMANENT SHUTOFF, NAVY SHIPBOARD USE [CUST: SH] [REVIEW: CC] | A 4210 | SH | 08-OCT-90 |
| | MIL-T-24270B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: GS] | A 6685 | SH | 02-SEP-83 |
| | MIL-T-24270/1B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS [CUST: SH] [REVIEW: GS] | A 6685 | SH | 02-SEP-83 |
| | MIL-T-24270/2B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 3/32 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS [CUST: SH] [REVIEW: GS] | A 6685 | SH | 02-SEP-83 |
| | MIL-T-24270/3B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 4 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS [CUST: SH] [REVIEW: GS] | A 6685 | SH | 02-SEP-83 |
| | MIL-T-24270/4B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 4 3/32 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS [CUST: SH] [REVIEW: GS] | A 6685 | SH | 02-SEP-83 |
| | MIL-T-24270/7D | THERMOWELL FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 5-1/2 INCHES OR 3-1/2 INCHES, CONNECTION - BUTT WEL D [CUST: SH] [REVIEW: GS] | A 6685 | SH | 02-SEP-83 |
| | MIL-T-24270/12B | THERMOWELL FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED 1-1/8 INCH O.D. [CUST: SH] [REVIEW: GS] | A 6685 | SH | 02-SEP-83 |
| | MIL-T-24270/13B | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 4 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 1-1/8 INCH O.D. [CUST: SH] [REVIEW: GS] | A 6685 | SH | 02-SEP-83 |
| | MIL-T-24270/18B | THERMOWELL FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH, AS REQ, CONNECTION - BUTT WELD [CUST: SH] [REVIEW: GS] | A 6685 | SH | 02-SEP-83 |
| | MIL-T-24270/21D | THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS; INSERTION LENGTH - 2 INCHES, BORE - 1/4 INCH, CONNECTION - O-RING 1-5/16 - 12 UNS-2A S/S MIL-W-24270/21C 28 FEB 73 & MIL-W-24270/23 13MAY 71 | A 6685 | SH | 02-SEP-83 |
| | MIL-T-24270/22B | THERMOWELLS FOR THERMOMETERS AND ELECTRICAL TEMPERATURE SENSORS; INSERTION LENGTH - 2 INCHES, BORE - 3/8-INCH, CONNECTION - O-RING SEAL 1-5/16 - 12 UNS-2A S/S MIL-W-24270/22A 13 MAY 71 | A 6685 | SH | 02-SEP-83 |
| | MIL-T-24270/25B | THERMOWELL, ADAPTOR, THERMOWELL EXTENSION, FOR USE WITH BIMETALLIC TEMPERATURE INDICATORS | A 6685 | SH | 02-SEP-83 |
| | MIL-N-24271A NOT 1 | NICKEL-CHROMIUM-IRON ALLOY CASTINGS (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTYS MUST BE SUBMITTED VIA PREPARING ACTY OF THE SPEC) [CUST: SH] | F MECA | SH | 10-OCT-74 |
| | MIL-V-24272B(1) | VALVE MANIFOLD, HIGH PRESSURE GAS REDUCING [CUST: SH] | A 4820 | SH | 24-APR-95 |
| | MIL-A-24280A | ANCHOR, MARINE FLUKED, LIGHT WEIGHT TYPE (LWT), (30 DEGREES AND 50 DEGREES FLUKE ANGLES WITH WEDGE BLOCK ADAPTERS), HIGH STRENGTH CAST STEEL [CUST: SH] | A 2040 | SH | 11-DEC-72 |
| | MIL-L-24282 | LIGHT, SIGNAL, MULTIPURPOSE, KIT, NONMAGNETIC, SYMBOL 106.1 [CUST: SH] | A 5850 | SH | 03-JUL-68 |
| | MIL-S-24287C | STUD, BOLT-STUD, BOLTS, NUTS, ALLOY STEEL (FOR SERVICE TO 700 DEGREES F AND FATIGUE APPLICATION (CONTROLLED DISTRIBUTION) [CUST: SH] | F 5307 | SH | 11-APR-85 |
| | MIL-S-24298A NOT 1 | SAFTY BELT AND HARNESS, SUBMARINE PERSONNEL [CUST: SH] [REVIEW: GS] | A 4240 | SH | 07-JUN-91 |
| | MIL-H-24299A | HEATERS, LUBRICATING OIL AND FUEL, ELECTRIC NAVAL SHIPBOARD [CUST: SH] | A 4540 | SH | 05-AUG-94 |
| | MIL-S-24317 SUP 1A | SWITCH, MULTISTATION, PUSHBUTTON, (ILLUMINATED AND NON-ILLUMINATED), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS AV CE CR4 MC MI OS] | A 5930 | CC | 15-MAR-68 |
| | MIL-S-24317/8B(2) | SWITCHES, MULTISTATION, PUSH BUTTON, (ILLUMINATED MATRIX ARRANGEMENT), RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK, STYLE SM08 [CUST: EC CC] | A 5930 | CC | 24-FEB-93 |
| | MIL-S-24317/9A | SWITCHES, MULTISTATION, PUSH BUTTON, ILLUMINATED MATRIX ARRANGEMENT PLUG-IN MODULE, 2 AMPERES, UNSEALED, TYPE SM09L1 [CUST: EC 85 CC] [REVIEW: 99 AS SH] | A 5930 | CC | 21-DEC-89 |
| | MIL-S-24317/11B | SWITCH, MULTISTATION, PUSHBUTTON, (ILLUMINATED MATRIX ARRANGEMENT) PLUG-IN MODULE, EMI/RFI SHIELDED, DRIPPROOF, STYLE SM11 [CUST: 85 CC] [REVIEW: 11 19 99] | A 5930 | CC | 25-JUL-88 |
| | MIL-S-24317/12A | SWITCH, MULTISTATION, PUSHBUTTON, ILLUMINATED MATRIX ARRANGEMENT, SUNLIGHT READABLE, 4 LAMP, PLUG-IN MODULE, STYLE SM12L1 [CUST: EC CC] | A 5930 | CC | 19-MAR-93 |
| | MIL-C-24320A | CLOTH, ACETATE, FLUORESCENT [CUST: SH CT] | A 8305 | CT | 11-APR-90 |
| | MIL-D-24322 | DEHUMIDIFIERS, ROTARY, DESICCANT, ELECTRIC (FOR SHIPBOARD USE) [CUST: SH] | A 4440 | SH | 02-FEB-68 |
| | MIL-V-24332(2) | VALVE, ANGLE RELIEF, FOR LIQUID SERVICE (NAVAL SHIPBOARD [CUST: SH] [REVIEW: CC] | A 4820 | SH | 06-FEB-74 |
| | MIL-V-24336A | VALVES, PRESSURE REDUCING, FOR OXYGEN SERVICE [CUST: SH] | A 4820 | SH | 08-JUL-88 |
| | MIL-R-24337A | ROPE, NYLON, EIGHT STRAND PLAITED [CUST: SH] | A 4020 | SH | 29-MAR-90 |
| | MIL-P-24338A | PIPE, CARBON STEEL, SEAMLESS (CONTROLLED DISTRIBUTION) [CUST: SH] | B 4710 | SH | 10-OCT-85 |
| | MIL-F-24339C | FITTINGS AND FLANGES, WROUGHT, SEAMLESS, BUTT AND SOCKET WELDING CARBON STEEL [CUST: SH] | B 4730 | SH | 22-OCT-85 |
| | MIL-S-24340A | SEALING COMPOUND, DECK, POLYURETHANE (POLYETHER BASE) [CUST: SH] | A 8030 | SH | 14-SEP-88 |
| | MIL-F-24342C | FITTING AND FLANGE, WROUGHT SEAMLESS, BUTT AND SOCKET WELDING, 70-30 COPPER NICKEL ALLOY [CUST: SH] | B 4730 | SH | 23-JAN-89 |
| | MIL-P-24344C | PRODUCER, LIQUID OXYGEN AND LIQUID NITROGEN (SHIPBOARD TYPE-LOW PRESSURE) [CUST: SH] | A 3655 | SH | 02-JAN-91 |
| | MIL-M-24347A | MONITOR, AVAILABLE LOAD, 60 AND 400 HERTZ, A.C., 1 PHASE, ELECTRICAL POWER (NAVAL SHIPBOARD USE) [CUST: SH] | A 5925 | CC | 10-FEB-89 |
| | MIL-M-24350B(2) | MONITORS, REVERSE POWER AND POWER-SENSING, ELECTRICAL POWER (NAVAL SHIPBOARD USE) (METRIC) [CUST: SH] | A 5925 | CC | 16-APR-92 |
| | MIL-S-24354E | STUD, BOLT STUD NUT CORROSION-RESISTANT AND NON-FERROUS MATERIALS FOR FATIGUE APPLICATION (CONTROLLED DISTRIBUTION) [CUST: SH] | F 5307 | SH | 03-APR-85 |
| | MIL-E-24355B(1) | ELECTRODES, WELDING, BARE, SOLID NICKEL MANGANESE CHROMIUM MOLYBDENUM ALLOY STEEL FOR PRODUCING HY 130 WELDMENTS FOR ASWELDED APPLICATIONS [CUST: SH] | A 3439 | SH | 26-MAR-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-C-24356A(2) | COUPLING, SEGMENTED, & SPLIT CLAMPS REATTACHABLE, 2-1/2-, 4-, 6- & 7- INCH, FOR REFUELING-AT-SEA HOSE [CUST: SH] [REVIEW: YDI] | A 4730 | SH | | 01-MAR-88 |
| | MIL-M-24359 | METER, MILLIAMMETERS, DIRECT CURRENT PANEL MOUNTING (EDGEWISE TYPES) [CUST: SH] [REVIEW: EC MI] | A 6625 | SH | | 05-FEB-69 |
| | MIL-C-24368B SUP 1 | CONNECTOR ASSEMBLIES; PLUGS AND RECEPTACLES, ELECTRIC POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: EC] | A 5935 | SH | | 25-MAR-87 |
| | MIL-C-24368/1B | CONNECTOR ASSEMBLIES; PLUG, POWER TRANSFER, SHORE TO SHIP AND SHIPTO SHIP, 500 VOLTS, 500 AMPERES, 60 HERTZ, SYMBOL NUMBER 1160 [CUST: SH] [REVIEW: EC] | A 5935 | SH | | 25-MAR-87 |
| | MIL-C-24368/2B | CONNECTOR ASSEMBLIES; RECEPTACLE, AND RECEPTACLE - CABLED, POWER TRANSFER, SHORE TO SHIPAND SHIP TO SHIP, 500 VOLTS, 500 AMPERES, 60HERTZ, SYMBOL NUMBER 1161 [CUST: SH] [REVIEW: EC] | A 5935 | SH | | 25-MAR-87 |
| | MIL-C-24368/4A | CONNECTOR ASSEMBLIES; PLUGS & RECEPTACLES, ELECTRIC, POWER TRANSFER, SHORE TO SHIP & SHIP TO SHIP, 500 VOLTS, 500 AMPERES, 60 HERTZ, SYMBOL NUMBERS 1162.1, 1162.2 & 1162.3 [CUST: YDI] [REVIEW: EC] | A 5935 | SH | | 25-MAR-87 |
| | MIL-C-24368/5 | CONNECTOR ASSEMBLIES; PLUG, SUBMARINE SHORE POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, 500 VOLTS, 400 AMPERES, 60 HERTZ, THREE-PHASE, SYMBOL NUMBER 1149 [CUST: SH] [REVIEW: EC YDI] | A 5935 | SH | | 25-MAR-87 |
| | MIL-C-24368/6 | CONNECTOR ASSEMBLIES; DUAL PURPOSE, SUBMARINE SHORE POWER TRANSFER (AC) AND DSRV BATTERY CHARGING (DC), 500 VOLTS, 400 AMPERES, 60 HERTZ, THREE-PHASE, SYMBOLS 1150 AND 1150.1 [CUST: SH] [REVIEW: EC] | A 5935 | SH | | 25-MAR-87 |
| | MIL-S-24371B | STEEL PLATE, STRUCTURAL, HIGH YIELD STRENGTH (HY-130) [CUST: SH] | A 9515 | SH | | 02-AUG-89 |
| | MIL-P-24380B | PAINT, ANCHOR CHAIN, SOLVENT TYPE, GLOSS BLACK (METRIC) [CUST: SH] | A 8010 | SH | | 25-JAN-89 |
| | MIL-C-24382A(1) | CANISTER, OXYGEN BREATHING APPARATUS, TYPE A-4 TRAINING KIT [CUST: SH] | A 4240 | SH | | 17-MAY-90 |
| | MIL-V-24384B | VALVE, PRESSURE REGULATING, FOR LOW PRESSURE AIR OR NITROGEN SYSTEMS [CUST: SH] [REVIEW: YDI] | A 4820 | SH | | 17-FEB-88 |
| | MIL-F-24385F(1) | FIRE EXTINGUISHING AGENT, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE, FOR FRESH AND SEA WATER [CUST: SH] | A 4210 | SH | | 05-AUG-94 |
| | MIL-T-24387A(3) | TEMPERATURE MEASUREMENT EQUIPMENT SIGNAL CONDITIONER AND POWER SUPPLY (ELECTRICAL) NAVAL SHIPBOARD USE [CUST: SH] [REVIEW: GS] | A 6685 | SH | | 10-APR-79 |
| | MIL-T-24388C SUP 1 | THERMOCOUPLE AND RESISTANCE TEMPERATURE DETECTOR ASSEMBLIES, GENERAL SPECIFICATION FOR (NAVAL SHIPBOARD) [CUST: SH] | A 6685 | SH | | 30-MAR-90 |
| | MIL-N-24390B(1) NOT 1 | NICKEL MOLYBDENUM CHROMIUM IRON SHEET AND LOW CARBON, LOW SILICON NICKEL-MOLYBDENUM-CHROMIUM-IRON PLATE [CUST: SH] | F 9535 | SH | | 24-APR-91 |
| | MIL-I-24391C(1) | INSULATION TAPE, ELECTRICAL, PLASTIC, PRESSURE-SENSITIVE [CUST: CR SH 11] [REVIEW: CG CR4 DS EA EC GS MC OS YDI] | A 5970 | SH | | 05-AUG-91 |
| | MIL-V-24394(1) | VALVE, AUTOMATIC SHUT OFF, FOR GAS SERVICE (SIZES 1/4 TO 2 INCHES IPS) [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 28-MAR-78 |
| | MIL-P-24396A | PACKING MATERIAL, BRAIDED PTFE (POLYTETRAFLUOROETHYLENE) [CUST: SH] | A 5330 | SH | | 28-FEB-94 |
| | MIL-T-24398(2) | TURBINE, STEAM AND REDUCTION GEAR, AUXILIARY, GENERATOR-DRIVE (NAVAL SHIPBOARD USE) [CUST: SH] | A 2825 | SH | | 14-FEB-83 |
| | MIL-F-24402E(2) | FILTERS (HYDRAULIC), FILTER ELEMENTS (HIGH EFFICIENCY), AND FILTER DIFFERENTIAL PRESSURE INDICATORS, GENERAL SPECIFICATION FOR [CUST: SH] | A 4330 | SH | | 26-MAY-95 |
| | MIL-F-24402/1(1) | FILTER HOUSINGS, HYDRAULIC, SINGLE ELEMENT [CUST: SH 99] [REVIEW: 84 CC] | A 4330 | SH | | 07-JUL-92 |
| | MIL-F-24402/2(1) | FILTER HOUSINGS, HYDRAULIC, DUPLEX [CUST: SH 99] [REVIEW: 84 CC] | A 4330 | SH | | 07-JUL-92 |
| | MIL-F-24402/3 | FILTER HOUSINGS, HYDRAULIC, THREE ELEMENTS [CUST: SH] | A 4330 | SH | | 03-APR-90 |
| | MIL-F-24402/4 | FILTER ELEMENTS, HYDRAULIC, DISPOSABLE [CUST: SH] | A 4330 | SH | | 03-APR-90 |
| | MIL-F-24402/5A(1) | FILTER INDICATORS, DIFFERENTIAL PRESSURE, HYDRAULIC [CUST: SH] | A 4330 | SH | | 10-APR-95 |
| | MIL-E-24403A(1) | ELECTRODE - WELDING, FLUX CORED GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: GS] | A 3439 | SH | | 30-AUG-83 |
| | MIL-E-24403/1D | ELECTRODES - WELDING, FLUX CORED, ORDINARY STRENGTH & LOW ALLOY STEEL [CUST: SH] [REVIEW: GS] | A 3439 | SH | | 14-NOV-85 |
| | MIL-E-24403/2C | ELECTRODES - WELDING, FLUX CORED, LOW-ALLOY STEEL [CUST: SH] | A 3439 | SH | | 07-JUL-89 |
| | MIL-C-24404 SUP 1 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (NAVAL SHIPBOARD USE) GENERAL SPECIFICATION FOR [CUST: SH] | A 1075 | SH | | 01-SEP-71 |
| | MIL-C-24404/1 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 477.1 AND 477.2) [CUST: SH] | A 1075 | SH | | 01-SEP-71 |
| | MIL-C-24404/2 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 478.2, 478.3, 478.4) [CUST: SH] | A 1075 | SH | | 01-SEP-71 |
| | MIL-C-24404/3 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 479.1 AND 479.2) [CUST: SH] | A 1075 | SH | | 01-SEP-71 |
| | MIL-C-24404/4 | CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 480.3, 480.4, 480.5, 480.6, 480.7) [CUST: SH] | A 1075 | SH | | 01-SEP-71 |
| | MIL-N-24408E | NOZZLES, FIRE HOSE, COMBINATION AQUEOUS FILM FORMING FOAM, WATER SPRAY, ADJUSTABLE PATTERN (SHIPBOARD USE) [CUST: SH] | A 4210 | SH | | 30-NOV-94 |
| | MIL-R-24414D(1) | REELS AND GUIDES, HOSE, FIREFIGHTING MANUALLY OPERATED [CUST: SH] | A 4210 | SH | | 20-SEP-93 |
| | MIL-E-24416B | EXTINGUISHING SYSTEM, FIRE, FIXED, AQUEOUS POTASSIUM CARBONATE [CUST: SH] | A 4210 | SH | | 08-FEB-91 |
| | MIL-N-24422(3) NOT 1 | NICKEL CHROMIUM BORON AND NICKEL CHROMIUM CARBON ALLOY CASTINGS, WEAR AND CORROSION RESISTANT (CONTROLLED DISTRIBUTION) [CUST: SH] | F MECA | SH | | 25-MAR-83 |
| | MIL-P-24423(1) | PROPULSION AND AUXILIARY CONTROL CONSOLES AND ASSOCIATED CONTROL AND INSTRUMENTATION EQUIPMENT, NAVAL SHIPBOARD USE, BASIC DESIGN REQUIREMENTS [CUST: SH] | A 2030 | SH | | 30-JAN-78 |
| | MIL-V-24439A(1) | VALVE, OXYGEN, HELIUM AND HELIUM OXYGEN MIXTURE, HIGH PRESSURE FOR GAS SERVICES [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 07-JAN-88 |
| | MIL-P-24441B(1) SUP 1 | PAINT, EPOXY-POLYAMIDE GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: DS] | A 8010 | SH | | 28-FEB-92 |
| | MIL-P-24441/19A | PAINT, EPOXY-POLYAMIDE, ZINC PRIMER, FORMULA 159, TYPE II [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| | MIL-P-24441/20 | PAINT, EPOXY-POLYAMIDE, GREEN PRIMER, FORMULA 150, TYPE III [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| | MIL-P-24441/21 | PAINT, EPOXY-POLYAMIDE, HAZE GRAY, FORMULA 151, TYPE III [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| | MIL-P-24441/22 | PAINT, EPOXY-POLYAMIDE, WHITE, FORMULA 152, TYPE III [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| | MIL-P-24441/23 | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO1.8, FORMULA 153, TYPE III [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| | MIL-P-24441/24 | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO3.6, FORMULA 154, TYPE III [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| | MIL-P-24441/25 | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO6, FORMULA 155, TYPE III [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| | MIL-P-24441/26 | PAINT, EPOXY-POLYAMIDE, RED, FORMULA 156, TYPE III [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| | MIL-P-24441/27 | PAINT, EPOXY-POLYAMIDE, NO. 50 GRAY, FORMULA 157, TYPE III [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| | MIL-P-24441/28 | PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 158, TYPE III [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| | MIL-P-24441/29 | PAINT, EPOXY-POLYAMIDE, GREEN PRIMER, FORMULA 150, TYPE IV [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| | MIL-P-24441/30 | PAINT, EPOXY-POLYAMIDE, HAZE GRAY, FORMULA 151, TYPE IV [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| | MIL-P-24441/31 | PAINT, EPOXY-POLYAMIDE, WHITE, FORMULA 152, TYPE IV [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| | MIL-P-24441/32 | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO1.8, FORMULA 153, TYPE IV [CUST: SH] | A 8010 | SH | | 23-JUL-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Asa | MCA | Prog. Acty. | Date |
|--------------------|---|-------------------------|-----|-------------|-----------|
| MIL-P-24441/33 | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO3.6, FORMULA 154, TYPE IV [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| MIL-P-24441/34 | PAINT, EPOXY-POLYAMIDE, DARK GRAY RO6, FORMULA 155, TYPE IV [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| MIL-P-24441/35 | PAINT, EPOXY-POLYAMIDE, RED, FORMULA 156, TYPE IV [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| MIL-P-24441/36 | PAINT, EPOXY-POLYAMIDE, NO. 50 GRAY, FORMULA 157, TYPE IV [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| MIL-P-24441/37 | PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 158, TYPE IV [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| MIL-P-24441/38 | PAINT, EPOXY-POLYAMIDE, BLACK, FORMULA 160, TYPE IV [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| MIL-P-24441/39 | PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 161, TYPE IV [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| MIL-P-24441/40 | PAINT, EPOXY-POLYAMIDE, RED, FORMULA 162, TYPE IV [CUST: SH] | A 8010 | SH | | 23-JUL-91 |
| MIL-J-24445A | JOINT, BIMETALLIC BONDED, ALUMINUM TO STEEL [CUST: SH] | A 9535 | SH | | 25-JUL-77 |
| MIL-D-24446C | DETECTORS, DIFFERENTIAL PRESSURE FOR STEAM GENERATOR WATER LEVEL CONTROL GENERAL SPECIFICATION FOR (U) [CUST: SH] | F 4470 | SH | | 28-JAN-94 |
| MIL-D-24446/1C | DETECTORS: TYPES DPS30WH001, DPS36WA001, DPS56WT001, DPS82WB001, DPS85WS001, DPS85WC001, DPS100WD001, DPS100WE001, DPS100WJ001, DPS100WR001, DPS200WD001, DPS200WF001, DPS200WG001, DPS300WN001, DPS60WN001, DPS85WN001, DPS100WN001, DPS200WN001, DPS1600WN001, DPS850WP001, DPS1600WP001 (U) [CUST: SH] | F 4470 | SH | | 28-JAN-94 |
| MIL-D-24446/2B | DETECTORS: TYPES DPS59WK001, DPS66WM001, DPS200WK001, AND DPS200WM001, DPS200WM002, DPS66WM002, DPS90WM002, DPS280WM002, DPS15PM002 (U) [CUST: SH] | F 4470 | SH | | 28-JAN-94 |
| MIL-D-24446/4B | DETECTORS: TYPES DPS90WM003, DPS15PM003, DPS480WM001, DPS52WM001, DPS200WM002, DPS400WM001 (U) [CUST: SH] | F 4470 | SH | | 28-JAN-94 |
| MIL-T-24448A | TORSIONMETER (FOR MEASUREMENT OF TORQUE DEFLECTION OF PROPELLER PROPULSION SHAFTS OF NAVAL SHIPS) [CUST: SH] [REVIEW: GS] | A 6695 | SH | | 20-APR-71 |
| MIL-C-24449A NOT 1 | CAST POLYMETHYL METHACRYLATE FOR SHEET STOCK, CUSTOM CASTINGS, AND FINISHED WINDOWS [CUST: SH] [REVIEW: GS MR] | A 9330 | SH | | 20-DEC-88 |
| MIL-S-24451A | STEEL HEAT TREATED HEADS, ALLOY STRUCTURAL, HIGH YIELD STRENGTH (HY-80 AND HY-100) [CUST: SH] | A 9515 | SH | | 31-JUL-90 |
| MIL-I-24453A | INHIBITOR, CORROSION, SOLUBLE-OIL [CUST: SH] [REVIEW: GS] | A 6850 | SH | | 11-DEC-86 |
| MIL-E-24455 | ENGINE, DIESEL, PROPULSION AND AUXILIARY, HIGH SPEED, NAVAL SHIPBOARD [CUST: SH] [REVIEW: 10 CC] | A 2815 | SH | | 24-SEP-71 |
| MIL-A-24456(3) | ADHESIVE FOR PLASTIC VIBRATION-DAMPING TILE [CUST: SH] | A 8040 | SH | | 15-JUN-79 |
| MIL-C-24457A | CONTAINER, SHIPPING & STORAGE, METAL REUSABLE (CONTROLLED DISTRIBUTION) [CUST: SH] | B 8115 | SH | | 30-SEP-82 |
| MIL-C-24458 | CONTAINER, METAL REUSABLE, SHIPPING, INSPECTION AND REFURBISHMENT OF (CONTROLLED DISTRIBUTION) [CUST: SH] [REVIEW: GL] | B 8115 | SH | | 01-FEB-72 |
| MIL-C-24465A NOT 1 | CONTAINER, SHIPPING AND STORAGE, METAL REUSEABLE (CONTROLLED DISTRIBUTION) [CUST: SH] | B 8115 | SH | | 01-JUL-82 |
| MIL-P-24466A | POLYETHYLENE BAGS, SHEET, AND TUBING, GREEN [CUST: SH] | F 9330 | SH | | 12-JAN-90 |
| MIL-P-24468A | POLYBUTADINE-POLYETHYLENE COPOLYMER SHEETS, VIRGIN AND BORATED (CONTROLLED DISTRIBUTION) [CUST: SH] [REVIEW: MR] | A 9330 | SH | | 18-APR-86 |
| MIL-P-24475(1) | PUMP, CENTRIFUGAL, SEWAGE SERVICE FOR USE ON NAVAL SHIPS [CUST: SH] | A 4320 | SH | | 23-AUG-84 |
| MIL-M-24476B | MOUNTS, RESILIENT: PIPE SUPPORT, TYPES 7M50, 6M150, 6M450, 6M900, AND 5M3500 [CUST: SH] | A 5340 | SH | | 09-SEP-93 |
| MIL-L-24478C | LUBRICANT, MOLYBDENUM DISULFIDE IN ISOPROPANOL [CUST: SH] | A 9150 | SH | | 12-DEC-90 |
| MIL-L-24479C | LUBRICANT, RED LEAD AND GRAPHITE IN MINERAL OIL [CUST: SH] | A 9150 | SH | | 12-DEC-90 |
| MIL-B-24480A NOT 1 | BRONZE, NICKEL-ALUMINUM (UNS NO. C95800) CASTINGS FOR SEAWATER SERVICE [CUST: SH] | A MECA | SH | | 26-MAR-91 |
| MIL-T-24487A | TILE, RUBBER VIBRATION DAMPING, TYPE V [CUST: SH] | A 9320 | SH | | 25-MAY-90 |
| MIL-N-24492B | NICKEL-CHROMIUM-IRON-COLUMBIUM AGE-HARDENABLE ALLOY BARS, REFORGING STOCK, AND FORGINGS (ALLOY 718 (UNS N07718)) (CONTROLLED DISTRIBUTION) [CUST: SH] | F 9530 | SH | | 22-NOV-91 |
| MIL-W-24493B | WIRE, COLD DRAWN, AGE HARDENABLE NICKEL CHROMIUM IRON ALLOY (CONTROLLED DISTRIBUTION) [CUST: SH] | F 9505 | SH | | 11-MAR-86 |
| MIL-T-24494B | TETRA-, TRI-, AND DISODIUM SALTS OF ETHYLENEDIAMINETETRAACETIC ACID (EDTA) WATER TREATMENT CHEMICALS, BOILER, SHIPBOARD USE [CUST: SH] [REVIEW: GS] | A 6810 | SH | | 19-OCT-88 |
| MIL-C-24495 | CHAIR, STACKING, STEEL, NAVAL SHIPBOARD USE [CUST: SH] | A 2090 | SH | | 26-DEC-73 |
| MIL-A-24496A | ACTIVATED, HIGH PURITY (U) (NORFORN - FURTHER DISSEMINATION ONLY AS DIRECTED BY NAVAL SEA SYSTEMS COMMAND (SEA 09T) [CUST: SH] | A 6810 | SH | | 31-AUG-90 |
| A MIL-C-24500A | CLOTH, DRAPERY, BUNK CURTAIN, SLIPCOVERS, AND LABELS, FIRE RETARDANT [CUST: SH CT] | A 8305 | SH | | 26-MAR-90 |
| MIL-S-24502C | STEEL, CHROMIUM-MOLYBDENUM-VANADIUM BARS [CUST: SH] | F 9510 | SH | | 23-MAR-92 |
| MIL-P-24503B | PACKING MATERIAL, GRAPHITIC, CORRUGATED RIBBON OR TEXTURED TAPE AND PREFORMED RING [CUST: SH] | A 5330 | SH | | 22-AUG-91 |
| DOD-G-24508A(3) | GREASE, HIGH PERFORMANCE, MULTI-PURPOSE (MERTIC) [CUST: SH] [REVIEW: AS DS] | A 9150 | SH | | 12-MAR-87 |
| MIL-V-24509A | VALVES, FLANGED, BALL AND PLUG FOR SEWAGE AND SEA WATER SERVICE [CUST: SH] | A 4820 | SH | | 24-DEC-92 |
| MIL-S-24512 | STEEL FORGINGS, ALLOY, STRUCTURAL, HIGH YIELD STRENGTH (HY-130) [CUST: SH] | A FORG | SH | | 04-SEP-75 |
| MIL-V-24517(2) | VALVE, STEAM PRESSURE REDUCING, QUIET DESIGN [CUST: SH] | A 4820 | SH | | 10-FEB-77 |
| MIL-L-24518 | LAMINATE, VINYL FILM-ALUMINUM, DECORATIVE [CUST: SH] [REVIEW: GS] | A 9330 | SH | | 12-MAR-75 |
| MIL-M-24519E | MOLDING PLASTICS, ELECTRICAL, THERMOPLASTIC [CUST: SH GS] [REVIEW: AS MC] | A 5970 | SH | | 03-MAR-92 |
| MIL-S-24521A | SODIUM NITRITE, TECHNICAL [CUST: SH] [REVIEW: GS] | A 6810 | SH | | 20-JUN-86 |
| MIL-C-24524(1) | CABLE ASSEMBLIES, MAGNETIC MINESWEEPING, TYPE CL2B [CUST: SH] | A 1075 | SH | | 10-APR-95 |
| MIL-C-24526A | CONDITIONER SOLID STATE (NAVAL SHIPBOARD) (U) (CONTROLLED DISTRIBUTION) [CUST: SH] | B 6110 | SH | | 17-JUL-91 |
| MIL-C-24527B | CHROMIUM NICKEL ALLOY STEEL BARS, AND FORGINGS, CORROSION RESISTANT (PRECIPITATION HARDENING) (CONTROLLED DISTRIBUTION) [CUST: SH] | F 9530 | SH | | 28-MAY-92 |
| MIL-S-24528C | STEEL BARS AND FORGINGS, NICKEL-CHROMIUM-MOLYBDENUM [CUST: SH] | F 9510 | SH | | 20-FEB-92 |
| DOD-C-24529(6) | CHARGES, BATTERY, LIFT TRUCK AND PALLET TRANSPORTER BATTERY SERVICE (METRIC) [CUST: SH] | A 6130 | SH | | 06-SEP-83 |
| MIL-A-24533B | ACTUATORS, ROTARY, HYDRAULIC, RACK AND PINION [CUST: SH] | A 3010 | SH | | 01-APR-93 |
| MIL-A-24533/1 | ACTUATOR, ROTARY, HYDRAULIC, 2-POSITION, RACK-AND-PINION TYPE 3,000 TO 35,000 INCH-POUNDS TORQUE 2-BOLT MOUNTING [CUST: SH] | A 3010 | SH | | 01-APR-93 |
| MIL-A-24533/2 | ACTUATOR, ROTARY, HYDRAULIC 2-POSITION, RACK-AND-PINION TYPE 5,000 TO 92,000 INCH-POUNDS TORQUE 4-BOLT MOUNTING [CUST: SH] | A 3010 | SH | | 01-APR-93 |
| MIL-P-24534A NOT 1 | PLANNED MAINTENANCE SYSTEM: DEVELOPMENT OF MAINTENANCE REQUIREMENT CARDS, MAINTENANCE INDEX PAGES, AND ASSOCIATED DOCUMENTATION [CUST: SH] [REVIEW: EC OS] | A MNTY | SH | | 21-MAR-91 |
| MIL-B-24535A | BURNER, CARBON MONOXIDE AND HYDROGEN, CATALYTIC TYPE (MARK V) [CUST: SH] | A 4460 | SH | | 22-MAR-89 |
| MIL-R-24536 | ROPE, FIBROUS, DOUBLE BRAIDED, CONTINUOUS POLYESTER FILAMENT WITH A STAPLE WRA [CUST: SH] | A 4020 | SH | | 18-APR-78 |
| MIL-R-24537 | ROPE, FIBROUS, PLAITED, CONTINUOUS POLYESTER FILAMENT WITH A STAPLE WRAP [CUST: SH] | A 4020 | SH | | 18-APR-78 |
| MIL-S-24538B | STEEL BARS AND FORGINGS: HIGH CARBON, MARTENSITIC, CORROSION RESISTING (UNS S44002 AND UNS S44004) [CUST: SH] | F 9510 | SH | | 22-JAN-92 |
| MIL-P-24540A | PLANT, CARBON DIOXIDE REMOVAL, LIQUID ABSORBENT TYPE (MARK IV) [CUST: SH] | A 4460 | SH | | 31-AUG-89 |

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------------|---|--------------------------|-----|-------------|-----------|
| A | DOD-B-24541A(2) | BATTERY CELLS AND ELEMENTS, LEAD-ACID, MAIN STORAGE, SUBMARINE; GENERAL SPECIFICATION FOR (METRIC) [CUST: SH] | A 6140 | SH | | 05-NOV-97 |
| | MIL-V-24545 NOT 1 | VALVE, DISTILLING PLANT, STEAM PRESSURE REDUCING, QUIET DESIGN, FOR SUBMARINE SYSTEMS [CUST: SH] | A 4820 | SH | | 19-APR-91 |
| | MIL-N-24549A | NICKEL-COPPER-ALUMINUM ALLOY, AGE HARDENABLE, BARS AND RODS (CONTROLLED DISTRIBUTION) [CUST: SH] | F 9530 | SH | | 16-DEC-83 |
| | MIL-S-24550C | STEEL BARS AND FORGINGS, AUSTENITIC CORROSION RESISTANT, PRECIPITATION HARDENING (UNS S66286) (CONTROLLED DISTRIBUTION) [CUST: SH] | F 9520 | SH | | 25-OCT-91 |
| | MIL-T-24552A(1) | TERMINALS AND SEALS, PLUGS AND SWITCH, CASUALTY POWER SYSTEMS, RECEPTACLE TYPE, GENERAL SPECIFICATION [CUST: SH] | A 5940 | SH | | 17-JUN-87 |
| | MIL-T-24552/1A | TERMINAL, CASUALTY POWER, RECEPTACLE TYPE, BACK CONNECTED 200 AMPERE, 450&VOLT, ALTERNATING CURRENT, THREE-PHASE, SYMBOL NO. 1046 [CUST: SH] | A 5940 | SH | | 03-NOV-86 |
| | MIL-T-24552/2A | TERMINAL, CASUALTY POWER, RECEPTACLE TYPE, UPPER AND LOWER RISER 200 AMPERE, 450 VOLT, ALTERNATING CURRENT, THREE PHASE, SYMBOL NO. 1047 [CUST: SH] | A 5940 | SH | | 03-NOV-86 |
| | MIL-T-24552/3A | TERMINAL, CASUALTY POWER, SEAL, SYMBOL NO. 1048 [CUST: SH] | A 5940 | SH | | 03-NOV-86 |
| | MIL-T-24552/4A | TERMINAL, CASUALTY POWER, PLUG, 100 AMPERES, 450 VOLT, ALTERNATING CURRENT, THREE PHASE, SYMBOL NO. 1049 [CUST: SH] | A 5940 | SH | | 03-NOV-86 |
| | MIL-T-24552/5 | TERMINALS & SEALS, PLUGS & SWITCH, CASUALTY POWER, SWITCH, PORTABLE 100-AMPERE, 450-VOLT, ALTERNATING CURRENT, THREE-PHASE, SYMBOL NO. 1041.1 [CUST: SH] | A 5940 | SH | | 03-NOV-86 |
| | DOD-P-24555(1) NOT 2 | PAINT, ALUMINUM, HEAT-RESISTING (650 DEG. C), LOW-EMISSIVITY (0.40 OR LESS) (METRIC) [CUST: SH] | A 8010 | SH | | 12-FEB-91 |
| | DOD-C-24556(2) NOT 1 | CURTAIN, TRACK AND SUSPENSION SYSTEM, BERTH (SHIPBOARD USE) (METRIC) [CUST: SH] | A 7230 | SH | | 08-MAR-91 |
| | MIL-D-24557/2A | DETECTORS: TYPES PS600A001, PS1000D001, PS1200D001, PS75E001, PS600F001, PS1100F001 [CUST: SH] | F 4470 | SH | | 28-JAN-94 |
| | MIL-T-24558 SUP 1 NOT 1 | TERMINAL BOXES, CONNECTION, FOR ELECTRICAL AND ELECTRONIC SYSTEMS, GENERAL SPECIFICATION FOR [CUST: SH] | A 5940 | GS | | 13-JAN-89 |
| | MIL-T-24558/1 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), SIX-TERMINAL, 18-WIRE, 600 VOLTS, SYMBOL NO. 520.1 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/2 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), EIGHT-TERMINAL, 32-WIRE, 600 VOLTS, SYMBOL NO. 435.1 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/3 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 10-TERMINAL, 30-WIRE, 600 VOLTS, SYMBOL NO. 528 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/4 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 20-TERMINAL, 80-WIRE, 600 VOLTS, SYMBOL 432.1 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/5 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 30-TERMINAL, 90-WIRE, 600 VOLTS, SYMBOL NO. 434 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/6 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 40-TERMINAL, 160-WIRE, 600 VOLTS, SYMBOL NO. 433.1 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/7 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 48-TERMINAL, 144-WIRE, 600 VOLTS, SYMBOL NO. 522.1 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/8 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 60-TERMINAL, 240-WIRE, 600 VOLTS, SYMBOL NO. 446 [CUST: SH] | A 5940 | SH | | 12-JAN-89 |
| | MIL-T-24558/9 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 72 TERMINAL, 216-WIRE, 600 VOLTS, SYMBOL NO. 525 [CUST: SH] | A 5940 | GS | | 04-OCT-89 |
| | MIL-T-24558/10 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 80-TERMINAL, 320-WIRE, 600 VOLTS, SYMBOL NO. 438 [CUST: SH] | A 5940 | SH | | 12-JAN-89 |
| | MIL-T-24558/11 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 96-TERMINAL, 288-WIRE, 600 VOLTS, SYMBOL NO. 523.1 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/12 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 120-TERMINAL, 480-WIRE, 600 VOLTS, SYMBOL NO. 450 [CUST: SH] | A 5940 | SH | | 12-JAN-89 |
| | MIL-T-24558/13 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 144-TERMINAL, 432-WIRE, 600 VOLTS, SYMBOL NO. 524.1 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/14 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 192-TERMINAL, 576-WIRE, 600 VOLTS, SYMBOL NO. 451 [CUST: SH] | A 5940 | SH | | 12-JAN-89 |
| | MIL-T-24558/15 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 200-TERMINAL, 800-WIRE, 600 VOLTS, SYMBOL NO. 452 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/16 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 288-TERMINAL, 864-WIRE, 600 VOLTS, SYMBOL NO. 453 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/17 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 384-TERMINAL, 1152-WIRE, 600 VOLTS, SYMBOL NO. 454 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/18 NOT 1 | TERMINAL BOXES, CONNECTION, SUBMERSIBLE (15-FOOT), 600 VOLTS, 4-TERMINAL, 8-WIRE, SYMBOLS 400.1 AND 400.4, 4-TERMINAL, 12-WIRE, SYMBOLS 400.2 AND 400.3 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/19 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 4-TERMINAL, 8-WIRE 1000 VOLTS, SYMBOL NO. 444 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/20 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15 FOOT), 10-TERMINAL, 20-WIRE, 1000 VOLTS, SYMBOL NO. 529 [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/21 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, SYMBOL 476.1, 24 LUGS FOR TWELVE 2-CONDUCTOR 23 MCM CABLES OR EIGHT 3-CONDUCTOR 23 MCM CABLES [CUST: SH] | A 5940 | SH | | 12-JAN-89 |
| | MIL-T-24558/22 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, SINGLE PHASE SYMBOL 415 - TWO 75 MCM CABLES, SYMBOL 415.1 - TWO 100 MCM CABLES, SYMBOL 415.2 - TWO 125 MCM CABLES, SYMBOL 415.3 - TWO 150 MCM CABLES AND SYMBOL 415.4 - TWO 200 MCM CABLES [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/23 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 403.1, TWO-CIRCUIT - THREE-PHASE BUS LUGS FOR TWO 75 MCM CABLES [CUST: SH] | A 5940 | SH | | 12-JAN-89 |
| | MIL-T-24558/24 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 416, TWO-CIRCUIT, THREE-PHASE BUS LUGS FOR TWO 75 MCM CABLES [CUST: SH] | A 5940 | SH | | 12-JAN-89 |
| | MIL-T-24558/25 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE SYMBOL 418.1, SIX BUS LUGS FOR TWO 3-CONDUCTOR 250 MCM CABLE; SYMBOL 418.2, SIX BUS LUGS FOR TWO 3-CONDUCTOR 300 MCM CABLE; SYMBOL 418.3, SIX BUS LUGS FOR TWO 3-CONDUCTOR 400 MCM CABLE [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/26 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 572.1, SIX BRANCH LUGS FOR TWO 3-CONDUCTOR 40 MCM CABLES, SIX BUS LUGS FOR TWO 3-CONDUCTOR 75 MCM CABLES [CUST: SH] | A 5940 | GS | | 12-JAN-89 |
| | MIL-T-24558/27A NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 573.1, TWELVE BRANCH TERMINALS FOR FOUR 3-CONDUCTOR 40 MCM CABLES; SIX MAIN BUS TERMINALS FOR TWO 3-CONDUCTOR 75 MCM CABLES [CUST: SH] | A 5940 | GS | | 04-OCT-89 |
| | MIL-T-24558/28 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE SYMBOL 574.1, EIGHTEEN BRANCH TERMINALS FOR SIX 3-CONDUCTOR 40 MCM CABLES, SIX MAIN BUS TERMINALS FOR TWO 3 CONDUCTOR 75 MCM CABLES [CUST: SH] | A 5940 | SH | | 12-JAN-89 |
| | MIL-T-24558/29 NOT 1 | TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 575.1, SIX BRANCH TERMINALS FOR TWO 3-CONDUCTOR 75 MCM CABLES SIX MAIN BUS TERMINALS FOR TWO 3-CONDUCTOR 200 MCM CABLES [CUST: SH] | A 5940 | GS | | 12-JAN-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-----------------------|--|-----------------------|-----------------|-----------|
| MIL-T-24558/30 NOT 1 | TERMINAL BOXES, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE SYMBOL 576.1-TWO CKTS FOR 150 MCM CABLE, ONE CKT FOR 200 MCM CABLE AND ONE CKT FOR 400 MCM CABLE SYMBOL 577.1-ONE CKT FOR 150 MCM CABLE, ONE CKT FOR 200 MCM CABLE AND TWO CKTS FOR 250 MCM CABLE [CUST: SH] | A 5940 | GS | 12-JAN-89 |
| MIL-L-24560(1) SUP 1B | LIGHTS AND GLASSWARE FOR NAVIGATION, SIGNAL, AND WARNING, NAVAL SHIPBOARD USE, GENERAL SPECIFICATION FOR [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/1A | LIGHT, AIRCRAFT WARNING, RED, 120 VOLTS, 90 WATTS, SIX LAMPS, SYMBOL 160.1 [CUST: SH] | A 6220 | SH | 06-FEB-89 |
| MIL-L-24560/2B NOT 1 | LIGHTS, NAVIGATION, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 114.1, 115.1, 116.1, 117.1 AND 118.1 [CUST: SH] | A 6220 | SH | 25-MAY-93 |
| MIL-L-24560/3A | LIGHT, APPROACH (HULL CONTOUR), BLUE, 120 VOLTS, 25 WATTS, ONE LAMP, SYMBOL 164.3 [CUST: SH] | A 6220 | SH | 06-FEB-89 |
| MIL-L-24560/4A | LIGHT, SIGNAL, RED, 120 VOLTS, 90 WATTS, SIX LAMPS, SYMBOL 190.1 [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/5A | LIGHT, YARDARM BLINKER, CLEAR, 120 VOLTS, 180 WATTS, TWELVE LAMPS, SYMBOL 191.2 [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/6B | LIGHT, SIGNAL, CLEAR, 120 VOLTS, 45 WATTS, THREE LAMPS, SYMBOL 192.1 [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/7A(1) | LIGHT, NAVIGATION, RED AND CLEAR SYMBOL 193.1, RED AND GREEN-SYMBOL 194, 120 VOLTS, 135 WATTS, NINE LAMPS [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/8A(1) | LIGHTS, NAVIGATION, STERN, CLEAR, BLUE AND YELLOW, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 196.3, 196.4, AND 197.2 [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/9B | LIGHTS, NAVIGATION, SIDE, RED AND GREEN, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 182.2 AND 183.2 [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/10B | LIGHT, NAVIGATION, MASTHEAD, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 172.2 [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/11A(1) | LIGHT, WAKE, WHITE, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 200.2 [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/12B(1) | LIGHT, NAVIGATION, IDENTIFICATION (SUBMARINE), YELLOW, 120 VOLTS, 500 WATTS, ONE LAMP, SYMBOL 233.1 [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/13C | LIGHTS, NAVIGATION, SUBMARINE, CLEAR, CLEAR (MASKED), RED AND GREEN, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 174.4, 174.5, 188.3, AND 189.3 [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/15B | LIGHT, LENS, FRESNEL, GLOBE, CLASS 3, TRANSPARENT (CLEAR, CLEAR MASKED, RED, GREEN, BLUE AND YELLOW) [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/16A | LIGHT, LENS, FRESNEL, CLASS 1, CLEAR, RED, AND GREEN [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/17A | LIGHT, LENS, CYLINDRICAL, CLASS 2, CLEAR [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/18A | LIGHT, LENS, DISK SHAPED, CLASS 2, CLEAR [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/19A | LIGHT, LENS, GLOBE, CLASS 2, MASKED, BLUE [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/20A | LIGHT, LENS, ROUNDEL, CLASS 2, TRANSPARENT (RED, GREEN, AND YELLOW) [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/21 | LIGHT, NAVIGATION, TRAFFIC CONTROL (AIRCRAFT CARRIERS), 120 VOLTS, 90 WATTS, SIX LAMPS, RED AND GREEN, SYMBOL 221 [CUST: SH] | A 6220 | SH | 06-FEB-89 |
| MIL-L-24560/22 | LIGHT, NAVIGATION, TRAFFIC LIGHT (LST'S), 120 VOLTS, 90 WATTS, SIX LAMPS, RED, YELLOW, GREEN, SYMBOL 222 [CUST: SH] | A 6220 | SH | 06-FEB-89 |
| MIL-L-24560/23 | LIGHT, NAVIGATION, ANCHOR AND BOOM, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 161.4 [CUST: SH] | A 6220 | SH | 06-FEB-89 |
| MIL-L-24560/24A | LIGHT, NAVIGATION, PORTABLE TOWING, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 206.2 [CUST: SH] | A 6220 | SH | 06-FEB-89 |
| MIL-L-24560/25 | LIGHT, TASK, AND SHIELD ASSEMBLY, FOR USE WITH SYMBOL 114.1 AND 115.1 PLASTIC LIGHT FIXTURES [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-L-24560/26 | LIGHT, TASK, AND SHIELD ASSEMBLY, FOR USE WITH SYMBOL 190.1 AND 192.1 BRASS LIGHT FIXTURES [CUST: SH] | A 6220 | SH | 17-AUG-90 |
| MIL-S-24561 | SENSING AND SIGNALING DEVICE, CURRENT-TIME (CTS) (NAVAL SHIPBOARD USE) [CUST: SH] | A 6110 | SH | 15-AUG-77 |
| DOD-P-24562A | PROPELLER, SHIP, CONTROLLABLE PITCH (METRIC) [CUST: SH] | A 2010 | SH | 01-NOV-82 |
| MIL-H-24565(1) | HOSE AND FITTINGS, OIL AND TURBINE FUEL, SMOOTH BORE, CORRUGATED COVER, 7-INCH [CUST: SH] | A 4720 | SH | 19-AUG-87 |
| MIL-P-24568A | POWER SUPPLY, D.C., FOR OXYGEN GENERATOR [CUST: SH] | A 6130 | SH | 28-FEB-86 |
| MIL-V-24569(3) | VALVE, QUICK-CLOSING, FOR FUEL OIL AND AUXILIARY STEAM EMERGENCY SHUTDOWN [CUST: SH] | A 4820 | SH | 02-NOV-92 |
| MIL-E-24572B | EXTINGUISHER, FIRE, BROMOTRIFLUOROMETHANE (HALON 1301) SYSTEM COMPONENTS (FIXED PIPE, PNEUMATICALLY ACTUATED, NAVAL SHIPBOARD USE) [CUST: SH] | A 4210 | SH | 17-MAR-92 |
| MIL-C-24576A(1) | CLOTH, SILICA GLASS, CLOTH, COATED, GLASS, SILICONE RUBBER COATED [CUST: SH CT] | A 8305 | CT | 13-JAN-88 |
| MIL-V-24578B | VALVE, GLOBE, PRESSURE INSTRUMENT, STEM TEST CONNECTION, UNION END [CUST: SH] [REVIEW: CC] | A 4820 | SH | 27-MAY-88 |
| MIL-M-24579A | MEASURING SYSTEM, SUBMARINE STORAGE BATTERY CURRENT (METRIC) [CUST: SH] | A 6625 | SH | 17-AUG-88 |
| MIL-H-24580(2) NOT 1 | HOSE ASSEMBLIES, SYNTHETIC RUBBER, NONCOLLAPSIBLE, FIRE FIGHTING [CUST: SH] | A 4210 | SH | 10-DEC-90 |
| DOD-A-24581 NOT 1 | ANCHOR, NAVY STOCKLESS TYPE (METRIC) [CUST: SH] [REVIEW: YD1] | A 2040 | SH | 21-MAR-91 |
| DOD-A-24582 NOT 1 | ANCHOR, TWO-FLUKE, BALANCED FLUKE (METRIC) [CUST: SH] | A 2040 | SH | 21-MAR-91 |
| MIL-P-24583B | PACKING MATERIAL, GRAPHITIC OR CARBON BRAIDED YARN [CUST: SH] | A 5330 | SH | 22-AUG-91 |
| MIL-S-24584 | STOPPERS, CARPENTER AND ASSOCIATED BRIDLES (WIRE ROPE AND CHAIN LINK) [CUST: SH] | A 4010 | SH | 01-DEC-78 |
| MIL-T-24585A | TITANIUM ALLOY ROD, DISCS AND UPSET FORGINGS COMPOSITION TI-6Al-6V-2SN (CONTROLLED DISTRIBUTION) [CUST: SH] | F FORG | SH | 19-SEP-86 |
| MIL-V-24586A NOT 1 | VALVE, NEEDLE, SIZE 1/4-INCH AND 1/2-INCH, UNION BONNET CONSTRUCTION [CUST: SH] [REVIEW: CC MJ] | A 4820 | SH | 29-AUG-91 |
| MIL-P-24589A(1) | PROPORTIONER SYSTEMS, BALANCED PRESSURE, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE [CUST: SH] | A 4210 | SH | 07-APR-94 |
| MIL-N-24590A | NICKEL CHROMIUM IRON ALLOY HEAT TRANSFER TUBING (CONTROLLED DISTRIBUTION) [CUST: SH] | B 4710 | SH | 01-SEP-83 |
| MIL-H-24591B | HOISTS, CHAIN, PNEUMATIC, LOW HEADROOM, TROLLEY TYPE [CUST: SH] | A 3950 | SH | 28-FEB-94 |
| MIL-H-24592(1) NOT 1 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE TUBE, NONCOLLAPSIBLE, HIGH TEMPERATURE [CUST: SH] | A 4720 | SH | 26-MAR-91 |
| MIL-V-24598 NOT 1 | VALVE, LITHIUM BROMIDE STEAM CONTROL, QUIET OPERATION [CUST: SH] | A 4820 | SH | 19-APR-91 |
| MIL-M-24605A | MONITOR, HEAT STRESS [CUST: SH] | A 6665 | SH | 21-JUN-88 |
| MIL-H-24606B | HOSE, FIRE, SYNTHETIC FIBER, DOUBLE JACKETED, TREATED FOR ABRASION RESISTANCE, WITH COUPLINGS, FIRE FIGHTING AND OTHER WATER SERVICE [CUST: SH] | A 4210 | SH | 12-AUG-94 |
| DOD-E-24607A | ENAMEL, INTERIOR, NONFLAMING (DRY), CHLORINATED ALKYD RESIN, SEMIGLOSS (METRIC) [CUST: CR4 SH 99] [REVIEW: CG MC MR OS YD1] | A 8010 | SH | 31-JUL-87 |
| MIL-P-24608A | PIPE, FITTINGS, & ADHESIVE KITS, GLASS REINFORCED THERMOSETTING EPOXY RESIN FOR SHIPBOARD PIPING SYSTEMS [CUST: SH] | A 4710 | SH | 05-JUN-87 |
| DOD-F-24610 | FIXANT, HOLD DOWN [CUST: AS 99] [REVIEW: SH] | A 4210 | AS | 19-MAR-82 |
| MIL-L-24611A | LIFE PRESERVER SUPPORT PACKAGE FOR LIFE PRESERVER, MK 4 [CUST: SH] | A 4220 | SH | 30-NOV-90 |
| MIL-F-24612A | FLOWMETER, DIFFERENTIAL PRESSURE [CUST: SH] | F 6685 | SH | 27-JUL-94 |
| MIL-M-24614A | METERING SYSTEM, STORAGE BATTERY CURRENT AND AMPERE-HOUR, DIGITAL (METRIC, NONMERCURY TYPE) [CUST: SH] | A 6625 | SH | 12-FEB-93 |
| MIL-C-24615A | CASTINGS, NICKEL-CHROMIUM-MOLYBDENUM-COLUMBIUM ALLOY [CUST: SH] | A MECA | SH | 14-OCT-88 |
| MIL-E-24617A | EDTA HARDNESS TESTING REAGENTS, BOILER FEEDWATER, SHIPBOARD USE [CUST: SH] | A 6810 | SH | 01-JUN-95 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|------------|---------------------|---|--------------------------|-----|-------------|-----------|
| | DOD-E-24618 NOT 1 | ELECTRODES, SILVER-SILVER CHLORIDE, REFERENCE TYPE PORTABLE CELLS AND REPLACEMENT ELEMENTS (METRIC) [CUST: SH] | A 2040 | SH | | 22-MAR-90 |
| | MIL-V-24619(1) | VALVE, QUICK CLOSING, FOR SATURATED STEAM SERVICE [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 17-AUG-90 |
| | MIL-D-24620A | DETECTORS, PIN AND APD, FIBER OPTIC, GENERAL SPECIFICATION FOR [CUST: CR SH 85] [REVIEW: 11 13 17 19 80 90 99 AS AV CC CG EC MC] | A 6030 | SH | | 02-JUN-89 |
| | MIL-D-24620/2 | DETECTOR, PIN, FIBER OPTIC, TYPES A AND B, CLASS 1, STYLE 3 [CUST: CR SH 85] [REVIEW: 11 13 17 19 AS CG EC MC NA] | A 6030 | CC | | 26-DEC-88 |
| | MIL-D-24620/3 | DETECTOR, APD, FIBER OPTIC, TYPE A AND B, CLASS 1, STYLE 3 [CUST: CR SH 85] [REVIEW: 11 13 17 19 80 90 99 AS CG EC MC] | A 6030 | CC | | 26-DEC-88 |
| | MIL-D-24620/4A | DETECTOR, PINFET, FIBER OPTIC, 1100-1600 NANOMETERS, GLASS PIGTAILED, HERMETICALLY SEALED, DUAL IN-LINE PACKAGE (DIP) [CUST: CR SH 85 CC] | A 6030 | CC | | 30-JUN-89 |
| | MIL-C-24621B | COUPLERS, PASSIVE, FIBER OPTIC, GENERAL SPECIFICATION FOR (METRIC) [CUST: CR SH 85] [REVIEW: 11 17 19 80 99 AS CC CG EC MC] | A 6005 | SH | | 06-JUN-91 |
| | MIL-C-24621/1 NOT 1 | COUPLER, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE GLASS CONNECTORIZED OUTPUT, TYPE I 820 TO 910 NANOMETERS WAVELENGTH RANGE, 2X2 SYMMETRICAL TRANSMISSION STAR, 50/125 MICROMETER FIBER, GRADED INDEX MULTI MODE BIDIRECTIONAL (METRIC) [CUST: SH] | A 6060 | SH | | 01-APR-91 |
| | DOD-C-24621/2 NOT 1 | COUPLER, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE GLASS-PIGTAILED OUTPUT: TYPE II 820 TO 910 NANOMETERS WAVELENGTH RANGE, 4 X 4 SYMMETRICAL TRANSMISSION STAR, 50/125 MICROMETER FIBER, GRADED INDEX MULTI-MODE BIDIRECTIONAL (METRIC) [CUST: CR SH 85] [REVIEW: 11 17 19 80 99 AS CC CG EC MC] | A 6060 | SH | | 12-JUN-91 |
| | DOD-C-24621/3 | COUPLERS, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE, GLASS-PIGTAILED OUTPUT: TYPE II, 820 TO 910 NANOMETERS WAVELENGTH RANGE, 20 X 20 PORT TRANSMISSION STAR, 100/140 AND 50/125 MICROMETER FIBER [CUST: CR SH 85] [REVIEW: 11 17 19 80 99 AS CC CG EC MC] | A 6060 | SH | | 23-JUL-86 |
| | DOD-C-24621/4 | COUPLERS, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE, GLASS-PIGTAILED OUTPUT: TYPE II, 820 TO 910 NANOMETERS WAVELENGTH RANGE, 5 X 5 PORT TRANSMISSION STAR, 50/125 AND 100/140 MICROMETER FIBER [CUST: CR SH 85] [REVIEW: 11 17 19 80 99 AS CC CG EC MC] | A 6060 | SH | | 23-JUL-86 |
| | MIL-C-24621/5A | COUPLERS, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE GLASS-PIGTAILED OUTPUT, TYPE II, 1280 TO 1360 NANOMETER WAVELENGTH RANGE, 2 X 2 SYMMETRICAL TRANSMISSION STAR, 62.5/125 MICROMETER FIBER, BIDIRECTIONAL [CUST: CR SH 85] [REVIEW: 11 17 19 80 99 AS CC CG EC MC] | A 6005 | SH | | 06-JUN-91 |
| | MIL-S-24622A | SOURCES, LIGHT EMITTING DIODE (LED), FIBER OPTIC, GENERAL SPECIFICATION FOR [CUST: CR SH 85] [REVIEW: 11 13 17 19 80 90 99 AS AV CC CG EC MC] | A 6030 | SH | | 02-JUN-89 |
| | MIL-S-24622/2 | SOURCES, LED, FIBER OPTIC, TYPE A, CLASS 1, STYLE 3 [CUST: CR SH 85] [REVIEW: 11 13 17 19 80 90 99 AS CG EC MC] | A 6030 | CC | | 26-DEC-88 |
| | MIL-S-24622/3A | SOURCE, LED, FIBER OPTIC, 1290 NANOMETERS, GLASS PIGTAILED, HERMETICALLY SEALED, DUAL IN-LINE PACKAGE (DIP) [CUST: CR SH 85 CC] | A 6030 | CC | | 30-JUN-89 |
| | MIL-S-24623B(1) | SPLICE, FIBER OPTIC CABLE, GENERAL SPECIFICATION FOR (METRIC) [CUST: CR SH 85 NA] [REVIEW: 17 19 80 90 99 AS CC EC MI] | A 6060 | SH | | 21-JUN-95 |
| | DOD-S-24623/1 NOT 1 | SPLICE, FIBER OPTIC CABLE, FIBER SPLICE (METRIC) [CUST: CR SH 85] [REVIEW: 11 17 19 80 99 AR AS CC CG EC MC MI] | A 6060 | SH | | 12-JUN-91 |
| | DOD-S-24623/2 | SPLICE, FIBER OPTIC CABLE, FIBER SPLICE ENCLOSURE (METRIC) [CUST: CR SH] [REVIEW: 11 17 19 80 99 AR AS CC CG EC MC MI] | A 6060 | SH | | 25-MAR-85 |
| | DOD-S-24623/3 | SPLICE, FIBER OPTIC, CABLE/FIBER [CUST: SH] [REVIEW: AS CG EC MC] | A 6060 | SH | | 28-AUG-86 |
| | MIL-S-24623/4B | SPLICE, FIBER OPTIC, HOUSING, ROTARY MECHANICAL, FIBER [CUST: CR SH 85 NA] [REVIEW: 17 19 80 99 CC EC MI YD1] | A 6060 | SH | | 21-JUN-95 |
| | MIL-S-24623/5B | SPLICE, FIBER OPTIC, CABLE, HOUSING [CUST: CR SH 85 NA] [REVIEW: 17 19 80 99 CC EC MI YD1] | A 6060 | SH | | 21-JUN-95 |
| | MIL-V-24624(1) | VALVE, BUTTERFLY, WAFER & LUG STYLE, SHIPBOARD SERVICE [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 13-FEB-84 |
| | MIL-A-24625 NOT 1 | ANODES, CORROSION PREVENTIVE, PLATINUM PLATED NIOBIUM WIRE TYPE, CATHODIC PROTECTION [CUST: SH] | A 5340 | SH | | 10-JAN-90 |
| | MIL-H-24626 | HARNESS ASSEMBLIES, CABLE, PRESSURE-PROOF, FIBER OPTIC [CUST: SH] [REVIEW: AS CC CG EC MC] | A 6020 | SH | | 27-NOV-87 |
| | MIL-H-24626/1 | HARNESS ASSEMBLIES, CABLE, PRESSURE-PROOF, FIBER OPTIC [CUST: SH] [REVIEW: AS CC CG EC MC] | A 6020 | SH | | 27-NOV-87 |
| | MIL-P-24628 | PENETRATORS, HULL, CONNECTORIZED, CONNECTORS, PRESSURE-PROOF, FIBER OPTIC, SUBMARINE [CUST: SH] [REVIEW: AS CC CG EC MC] | A 6060 | SH | | 31-AUG-84 |
| | MIL-P-24628/1 NOT 1 | PENETRATORS, HULL, CONNECTORIZED, CONNECTORS, PRESSURE-PROOF, FIBER OPTIC, SUBMARINE PLUG CONNECTOR, 32 CHANNEL, TYPE I [CUST: SH] [REVIEW: AS CC CG EC MC] | A 6060 | SH | | 01-APR-91 |
| | MIL-V-24630(3) | VALVES, CHECK, IN-LINE, FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 29-JUN-90 |
| | MIL-V-24630/1A(1) | VALVES, CHECK, IN-LINE, NON-REVERSIBLE INSTALLATION FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 15-SEP-88 |
| | MIL-V-24630/2A(1) | VALVES, CHECK, IN-LINE, FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 15-SEP-88 |
| A | MIL-DTL-24631A | PAINT, CAMOUFLAGE FOR SUBMARINES, GENERAL SPECIFICATION FOR (METRIC) [CUST: SH] | A 8010 | SH | | 06-JUN-97 |
| A | MIL-DTL-24631/1C | PAINT, EPOXY, BLACK RO 1.8, NAVY FORMULA 184, TYPE I (METRIC) [CUST: SH] | A 8010 | SH | | 06-JUN-97 |
| A | MIL-DTL-24631/2B | PAINT, EPOXY, DARK GREY RO 3.6, NAVY FORMULA 185, TYPE I (METRIC) [CUST: SH] | A 8010 | SH | | 06-JUN-97 |
| A | MIL-DTL-24631/3B | PAINT, EPOXY, WHITE, NAVY FORMULA 186, TYPE I (METRIC) [CUST: SH] | A 8010 | SH | | 06-JUN-97 |
| A | MIL-DTL-24631/7 | PAINT, POLYESTER URETHANE, BLACK, NAVY FORMULA 187, TYPE II (METRIC) [CUST: SH] | A 8010 | SH | | 06-JUN-97 |
| | MIL-T-24634 | TREAD, COMPOUND FILLED, FOR INCLINED LADDERS [CUST: SH] | A 2040 | SH | | 25-JUL-84 |
| | MIL-C-24637(1) | CASTINGS, STEEL, MARTENSITIC, CORROSION-RESISTANT [CUST: SH] | F MECA | SH | | 24-FEB-88 |
| | MIL-F-24638 NOT 1 | FREQUENCY CHANGER, SOLID STATE, AIR COOLED (NAVAL SHIPBOARD) [CUST: SH] | A 6130 | SH | | 21-DEC-89 |
| | MIL-C-24640A SUP 1 | CABLES, LIGHT WEIGHT, ELECTRIC, LOW SMOKE, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | | 26-JUN-95 |
| | MIL-C-24640/1C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, TWO CONDUCTOR, POWER, TYPE DX (INCLUDING VARIATION TYPE DXA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | | 26-JUN-95 |
| | MIL-C-24640/2C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, THREE CONDUCTOR, POWER, TYPE TX (INCLUDING VARIATION TYPE TXA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | | 26-JUN-95 |
| | MIL-C-24640/3C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, FOUR CONDUCTOR, POWER, TYPE FX (INCLUDING VARIATION TYPE FXA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | | 26-JUN-95 |
| | MIL-C-24640/4C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI PAIR AWG 20, TYPE TTX (INCLUDING VARIATION TYPE TTXA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | | 26-JUN-95 |
| | MIL-C-24640/5C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI-PAIR AWG 20, TYPE TTXS (INCLUDING VARIATION TYPES TTXSA AND TTXSO) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | | 26-JUN-95 |
| | MIL-C-24640/6C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI PAIR AWG 22, TYPE 2XAO [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | | 26-JUN-95 |
| | MIL-C-24640/7C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI-CONDUCTOR, AWG 22, TYPE 1XMSO [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | | 26-JUN-95 |
| | MIL-C-24640/8C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI-CONDUCTOR, AWG 20, TYPE MXO [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | | 26-JUN-95 |
| | MIL-C-24640/9C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI PAIR, AWG 22, TYPE 2XS (INCLUDING VARIATION TYPES 2XSA AND 2XSO) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | | 26-JUN-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Asa | MCA Prog. Acty. | Date |
|-------------------|---|-------------------------|--------------------|-----------|
| MIL-C-24640/10C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI-CONDUCTOR, AWG 22, TYPE MXSO [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/11C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI TRIAD AWG 18, TYPE 3XS (INCLUDING VARIATION TYPE 3XSA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/12C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI PAIR AWG 26, TYPE 2X0 [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/13C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI PAIR AWG 26, TYPE 2XSXO [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/14C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI-CONDUCTOR, AWG 22, TYPE 1XSOW [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/15C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI-PAIR, AWG 22, TYPE 2XSAW (INCLUDING VARIATION TYPES 2XSAOW AND 2XSAWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/16C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI-PAIR, AWG 18, TYPE 2XSW (INCLUDING VARIATION TYPES 2XSOW AND 2XSWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/17C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI-PAIR, AWG 26, TYPE 2XOW [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/18C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI-TRIAD, AWG 18, TYPE 3XSW (INCLUDING VARIATION TYPES 3XSOW AND 3XSWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/19C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, TWO CONDUCTOR, POWER, TYPE DXW (INCLUDING VARIATION TYPES DXOW AND DXWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/20C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, THREE CONDUCTOR, POWER, TYPE TWX (INCLUDING VARIATION TYPES TXOW AND TXWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/21C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, FOUR CONDUCTOR, POWER, TYPE FXW (INCLUDING VARIATION TYPES FXOW AND FXWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/22C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, SEVEN CONDUCTOR, POWER, TYPE 7XW (INCLUDING VARIATION TYPE 7XWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/23C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI-CONDUCTOR, AWG 18, TYPE MXCW (INCLUDING VARIATION TYPES MXCOW AND MXCWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-C-24640/24C | CABLE, ELECTRIC, 600 VOLTS, LIGHT WEIGHT, MULTI-PAIR, AWG 22, TYPE TTXW (INCLUDING VARIATION TYPES TTXOW AND TTXWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 26-JUN-95 |
| MIL-A-24641A | ACID, HYDROFLUORIC: TECHNICAL [CUST: SH] | A 6810 | SH | 27-OCT-86 |
| MIL-V-24642 NOT 1 | VALVE, 2-INCH NPS, AUXILIARY TURBINE OVERSPEED TRIP, SOLENOID ACTIVATED [CUST: SH] | A 4810 | SH | 19-APR-91 |
| MIL-C-24643A(2) | CABLE AND CORDS, ELECTRIC, LOW SMOKE, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR [CUST: MI SH IS] | A 6145 | SH | 13-MAR-96 |
| MIL-C-24643/2D | CORD, ELECTRICAL, 300 VOLTS, TYPES LSDCOP AND LSTCOP [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/3C | CABLE, ELECTRICAL, 600 VOLTS, TYPES LSSHOF, LSDHOF, LSTHOF, AND LSFHOF [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 14-MAR-94 |
| MIL-C-24643/4C | CORD, ELECTRICAL, 600 VOLTS, TYPE LSMCOS [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 14-MAR-94 |
| MIL-C-24643/5E | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSMDU [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/7D | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSMHOF [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/8C | CORD, ELECTRICAL, 300 VOLTS, TYPE LSMHOP [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 14-MAR-94 |
| MIL-C-24643/9D | CORD, ELECTRICAL, TYPE LSMRI [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/10B | CABLE, ELECTRICAL, TYPE LSPBTMU (INCLUDING VARIATION LSPBTM) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/11C | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSSSF [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 14-MAR-94 |
| MIL-C-24643/12D | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTTOP [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/13C | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTTRS (INCLUDING VARIATION LSTTRSA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 14-MAR-94 |
| MIL-C-24643/14D | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSSSGU (INCLUDING VARIATION LSSSGA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/15D | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSDSGU (INCLUDING VARIATION LSDSGA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/16D | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSTSGU (INCLUDING VARIATION LSTSGA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/17D | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSFSGU (INCLUDING VARIATION LSFSGA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/18D | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSMSCU (INCLUDING VARIATIONS LSMSCA AND LSMSCS) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/19D | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LS6SGU (INCLUDING VARIATION LS6SGA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/20D | CABLE, ELECTRICAL, 1000 VOLTS, TYPE LS7SGU (INCLUDING VARIATION LS7SGA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/21D | CABLE, ELECTRICAL, TYPES LSTCJU AND LSTCTU (INCLUDING VARIATION LSTCJA AND LSTCTA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/22C | CABLE, ELECTRICAL, 5000 VOLTS, TYPE LSSKVTSGU (INCLUDING VARIATION LSSKVTSGA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 14-MAR-94 |
| MIL-C-24643/23E | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTTSU (INCLUDING VARIATION LSTTSA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/24A | CABLE, ELECTRICAL, TYPES LSTCJX, LSTCKX AND LSTCTX [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 14-MAR-94 |
| MIL-C-24643/25D | CABLE, ELECTRICAL, TYPE LSPI [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/26D | CABLE, ELECTRICAL, 600 VOLTS, TYPES LSDPS, LSFPs, LSTPS AND LS7PS [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/27D | CABLE, ELECTRICAL, 600 VOLTS, TYPE LS2AU (INCLUDING VARIATION LS2A AND LS2AUS) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/28D | CABLE, ELECTRICAL, TYPE LS1SSOMU (INCLUDING VARIATION LS1SSOMA AND LS1SSOMUS) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/29C | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSMU (INCLUDING VARIATION LSMA AND LSMUS) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 14-MAR-94 |
| MIL-C-24643/30D | CABLE, ELECTRICAL, TYPE LS1SWU (INCLUDING VARIATION LS1SWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/31D | CABLE, ELECTRICAL, TYPE LS2SU (INCLUDING VARIATION LS2SA AND LS2SUS) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/32D | CABLE, ELECTRICAL, TYPE LS2SAU (INCLUDING VARIATION LS2SWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prop. Acty. | Date |
|------------------------|--|--------------------------|--------------------|-----------|
| MIL-C-24643/33D | CABLE, ELECTRICAL, TYPE LS2SWU (INCLUDING VARIATION LS2SWUA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/34D | CABLE, ELECTRICAL, 300 VOLTS TYPE LSMS (INCLUDING VARIATION LSMSA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/35B | CABLE, ELECTRICAL, TYPE LS3SU (INCLUDING VARIATION LS3SA AND LS3SUS) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/36D | CABLE, ELECTRICAL, TYPE LS3SWU (INCLUDING VARIATION LS3SWA AND LS3SWUS) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/37D | CABLE, ELECTRICAL, TYPE LS3U (INCLUDING VARIATION LS3UA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/38D | CABLE, ELECTRICAL, 600 VOLTS, TYPE LSECM (INCLUDING VARIATION LSECMa) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/39D | CABLE, ELECTRICAL, TYPE LS1S7SMU (INCLUDING VARIATION LS1S7SMA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/40D | CABLE, ELECTRICAL, TYPE LS1SMU (INCLUDING VARIATION LS1SMA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/41B | CABLE, ELECTRICAL, TYPE LS1SAU (INCLUDING VARIATION LS1SA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/42B | CABLE, ELECTRICAL, TYPE LS1SU (INCLUDING VARIATION LS1SUA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/43D | CABLE, ELECTRICAL, 600 VOLTS TYPES, LS2SJ, LS3SJ, AND LS4SJ (INCLUDING VARIATIONS LS2SJA, LS3SJA AND LS4SJA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/44D | CABLE, ELECTRICAL, 600 VOLT, TYPE LS3SF [CUST: MI SH] [REVIEW: AV CR EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/45D | CABLE, ELECTRICAL, TYPE LS2U (INCLUDING VARIATION LS2UA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/46D | CABLE, ELECTRICAL, TYPE LS2WU (INCLUDING VARIATION LS2WA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/47B | CABLE, ELECTRICAL, TYPE LS1SMWU (INCLUDING VARIATION LS1SMWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/48D | CABLE, ELECTRICAL, 1000 VOLTS, TWO CONDUCTOR TYPE LSDNW (INCLUDING VARIATION LSDNWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/49D | CABLE, ELECTRICAL, 1000 VOLTS, THREE CONDUCTOR, TYPE LSTNW (INCLUDING VARIATION LSTNWA) [CUST: MI SH] [REVIEW: AV CR EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/50C | CABLE, ELECTRICAL, 1000 VOLTS, FOUR CONDUCTOR, TYPE LSFNW (INCLUDING VARIATION LSFNWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/51D | CABLE, ELECTRICAL, 1000 VOLTS, MULTICONDUCTOR, TYPE LSMNW (INCLUDING VARIATION LSMNWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/52D | CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTPNW (INCLUDING VARIATION LSTPNWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/53D | CABLE, ELECTRICAL, 3000 VOLTS, TYPES LSSRW, LSDRW, AND LSTRW (INCLUDING VARIATIONS LSSRWA, LSDRWA AND LSTRWA) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/54D | CABLE, ELECTRICAL, TYPE LS8NW6 (INCLUDING VARIATION LS8NWA6) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/55D | CABLE, ELECTRICAL, TYPE LS4NW8 (INCLUDING VARIATION LS4NWA8) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/56D | CABLE, ELECTRICAL, TYPE LS2SWL-7 (INCLUDING VARIATION LS2SWLA-7) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/57D | CABLE, ELECTRICAL, TYPE LS2UW-42 (INCLUDING VARIATION LS2UWA-42 AND LS2UWS-42) [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| MIL-C-24643/58D | CABLE, ELECTRICAL, TYPE LS2CS [CUST: MI SH] [REVIEW: AL AR AV CG CR CR4 EC IS] | A 6145 | SH | 22-NOV-94 |
| DOD-W-24644 | WELDING MACHINE, ARC, DIRECT CURRENT, 300 AMPERE, VARIABLE VOLTAGE, TRANSFORMER RECTIFIER TYPE, DAMAGE CONTROL, LIGHT WEIGHT, PORTABLE (METRIC) [CUST: SH] | A 3431 | SH | 11-SEP-84 |
| MIL-S-24645A(1) | STEEL PLATE, SHEET, OR COIL, AGE-HARDENING ALLOY, STRUCTURAL, HIGH YIELD STRENGTH (HSLA-80 AND HSLA-100) [CUST: SH] | A 9515 | SH | 24-SEP-90 |
| MIL-F-24646 SUP 1 | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125/250 VOLTS, DIRECT CURRENT, THREE WIRE BUSES, TWO WIRE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 609, 610 & 611 [CUST: SH] | A 5920 | CC | 30-NOV-84 |
| A MIL-F-24646/1 NOT 3 | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 600, 601, 612.1, 613, 613.1 AND 614 [CUST: SH CC] | A 5920 | CC | 16-SEP-97 |
| A MIL-F-24646/2 NOT 3 | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125/250 VOLTS, DIRECT CURRENT, THREE WIRE BUSES, TWO WIRE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 609, 610 AND 611 [CUST: SH CC] | A 5920 | CC | 16-SEP-97 |
| A MIL-F-24646/3 NOT 3 | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125/250 VOLTS, DIRECT CURRENT, THREE WIRE BUSES, TWO WIRE BRANCHES, 0-30 AMPERE FUSES, SYMBOLS 540, 541 AND 542 [CUST: SH CC] | A 5920 | CC | 16-SEP-97 |
| A MIL-F-24646/4 NOT 3 | FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 450 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 543, 544, 545, 546 AND 547 [CUST: SH CC] | A 5920 | CC | 16-SEP-97 |
| A MIL-F-24646/6 NOT 3 | FUSE BOXES, FEEDER DISTRIBUTION, WITH SWITCHES, TOTALLY ENCLOSED, 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE AND DOUBLE FEEDER, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES AND SNAP SWITCHES, SYMBOLS 602, 603, 604, 605, 606, 615, AND 617 [CUST: SH CC] | A 6110 | CC | 03-JUL-97 |
| A MIL-F-24646/8 NOT 3 | FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 125 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 646.1 AND 647.1 [CUST: SH CC] | A 5920 | CC | 16-SEP-97 |
| A MIL-F-24646/14 NOT 3 | FUSE BOXES, FEEDER JUNCTION, TOTALLY ENCLOSED, 250 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 680 AND 681.1 [CUST: SH CC] | A 5920 | CC | 16-SEP-97 |
| A MIL-F-24646/15 NOT 3 | FUSE BOXES, FEEDER JUNCTION, SUBMERSIBLE, (15 FEET), 250 VOLTS, ALTERNATING CURRENT, FEED THROUGH TWIN CONDUCTORS, SINGLE AND THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 685.1, 686.1, 691.1 AND 692.1 [CUST: SH CC] | A 5920 | CC | 03-JUL-97 |
| MIL-T-24649A SUP 1 | TELEPHONE, HARDWARE, SOUND POWERED, GENERAL SPECIFICATION FOR [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/1 | TELEPHONE, HARDWARE, SOUND POWERED A-17A, SWITCHBOX [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/2 | TELEPHONE, HARDWARE, SOUND POWERED A-19A, SWITCHBOX [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/3 | TELEPHONE, HARDWARE, SOUND POWERED A-26A, SWITCH-ROTARY SELECTOR [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/4 | TELEPHONE, HARDWARE, SOUND POWERED G-15A, SINGLE JACKBOX [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/5 | TELEPHONE, HARDWARE, SOUND POWERED G-15B, DOUBLE JACKBOX [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/6 | TELEPHONE, HARDWARE, SOUND POWERED G-15C, FOUR-GANG JACKBOX [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/7 | TELEPHONE, HARDWARE, SOUND POWERED H-25A, SOUND POWERED JACK [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/8 | TELEPHONE, HARDWARE, SOUND POWERED H-27A, SOUND POWERED JACK, PANEL MOUNT [CUST: SH] | A 5935 | SH | 10-JUN-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Asa | MCA Prog. Acty. | Date |
|-------------------|---|-------------------------|--------------------|-----------|
| MIL-T-24649/9 | TELEPHONE, HARDWARE, SOUND POWERED H-39A, SOUND POWERED PLUG [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/10 | TELEPHONE, HARDWARE, SOUND POWERED IC/A1, SWITCHBOARD [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/11 | TELEPHONE, HARDWARE, SOUND POWERED IC/TRC REEL, CASUALTY COMMUNICATION [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/12 | TELEPHONE, HARDWARE, SOUND POWERED Z-33, HANDSET HOLDER [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/13 | TELEPHONE, HARDWARE, SOUND POWERED CABINET, HANDSET [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/14 | TELEPHONE, HARDWARE, SOUND POWERED TELEPHONE/DISTANCE LINE [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/15 | TELEPHONE, HARDWARE, SOUND POWERED HOOK, HANDSET [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/16 | TELEPHONE, HARDWARE, SOUND POWERED SOUND POWERED JACK, PORTABLE [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| MIL-T-24649/17 | TELEPHONE, HARDWARE, SOUND POWERED STOWAGE BOX, HEADSET [CUST: SH] | A 5935 | SH | 10-JUN-94 |
| DOD-G-24650 NOT 1 | GREASE, FOOD GRADE, FOOD PROCESSING EQUIPMENT (METRIC) [CUST: CR4 SH 68] [REVIEW: GS] | A 9150 | SH | 07-FEB-91 |
| DOD-L-24651 NOT 1 | LUBRICATING OIL, FOOD GRADE, FOOD PROCESSING EQUIPMENT (METRIC) [CUST: CR4 SH 68] [REVIEW: GS] | A 9150 | SH | 20-MAY-91 |
| MIL-E-24652(1) | EXTINGUISHER, FIRE, AQUEOUS FILM FORMING FOAM, (AFFF), 2-1/2 GALLON [CUST: SH] | A 4210 | SH | 25-SEP-86 |
| MIL-H-24653 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK. [CUST: SH] | A 5340 | SH | 30-MAY-85 |
| MIL-H-24653/1 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 1 [CUST: SH] | A 5340 | SH | 30-MAY-85 |
| MIL-H-24653/2 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 2 [CUST: SH] | A 5340 | SH | 30-MAY-85 |
| MIL-H-24653/3 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 3 [CUST: SH] | A 5340 | SH | 30-MAY-85 |
| MIL-H-24653/4 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 4 [CUST: SH] | A 5340 | SH | 30-MAY-85 |
| MIL-H-24653/5 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 5 [CUST: SH] | A 5340 | SH | 30-MAY-85 |
| MIL-H-24653/6 | HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 6 [CUST: SH] | A 5340 | SH | 30-MAY-85 |
| DOD-V-24657 NOT 1 | VALVE ACTUATOR, DIRECT COUPLED, GEAR DRIVEN ELECTRICALLY POWERED FOR NAVAL SHIPBOARD PROPULSION AND AUXILIARY SYSTEMS (METRIC) [CUST: SH] | A 4810 | SH | 19-APR-91 |
| MIL-V-24658 NOT 1 | VALVE MANIFOLDS, QUIET DESIGN, HIGH PRESSURE GAS REDUCING [CUST: SH] [REVIEW: CC] | A 4820 | SH | 19-APR-91 |
| MIL-G-24659A(1) | GAUGE, DIFFERENTIAL, DIAL INDICATING [CUST: SH] | A 6685 | SH | 17-APR-96 |
| MIL-S-24660 NOT 1 | SPRINKLER HEAD, 180 DEGREES FULL CONE [CUST: SH] | A 4210 | SH | 10-DEC-90 |
| MIL-R-24661 NOT 1 | RING BUOY, LIFESAVING, AUTO-INFLATABLE [CUST: SH] | A 4220 | SH | 10-DEC-90 |
| MIL-T-24664 | TEST SET, RADAR, AN/UPM-Q [CUST: AS] | A 6625 | AS | 28-MAY-86 |
| MIL-W-24665 | WIPERS, WINDOW, ELECTRIC, SPINNING (MARINE SERVICE, HEAVY DUTY) [CUST: SH] | A 2090 | SH | 17-MAR-86 |
| MIL-F-24666(2) | FILTER ELEMENT, SHIP FUEL SYSTEM PRE-FILTER, NON-CLEANABLE, HIGH EFFICIENCY [CUST: SH] | A 4330 | SH | 18-NOV-94 |
| DOD-B-24668(1) | BEARING UNIT, MAIN THRUST, SUBMARINE PROPULSION SYSTEM [CUST: SH] | A 3130 | SH | 29-JAN-97 |
| DOD-F-24669 SUP 1 | FORGINGS AND FORGING STOCK, STEEL BARS, BILLETS AND BLOOMS, GENERAL SPECIFICATION FOR (METRIC) [CUST: MR SH 99] [REVIEW: 84 AR AS GL MC MI OS] | A FORG | SH | 07-JUL-86 |
| DOD-F-24669/1 | FORGINGS AND FORGING STOCK, STEEL (CARBON AND ALLOY) BLOOMS, BARS, BILLETS AND SLABS (METRIC) [CUST: MR SH 99] [REVIEW: 84 AR AS GL MC MI OS] | A FORG | SH | 07-JUL-86 |
| DOD-F-24669/2(1) | FORGINGS AND FORGING STOCK, STEEL BARS AND BILLETS - CHROMIUM-MOLYBDENUM ALLOY (METRIC) [CUST: MR SH 99] [REVIEW: 84 AR AS GL MC MI OS] | A FORG | SH | 02-OCT-87 |
| DOD-F-24669/3 | FORGINGS AND FORGING STOCK, STEEL BARS AND BILLETS FOR NITRIDING (METRIC) [CUST: MR SH 99] [REVIEW: 84 AR AS GL MC MI OS] | A FORG | SH | 07-JUL-86 |
| DOD-F-24669/5 | FORGINGS AND FORGING STOCK, STEEL BARS, BILLETS AND WIRE (CHROMIUM-NICKEL-PHOSPHOROUS AND CHROMIUM-NICKEL-MANGANESE-PHOSPHOROUS) LOW MAGNETIC PERMEABILITY (METRIC) [CUST: MR SH 99] [REVIEW: 84 AR AS GL MC MI OS] | A FORG | SH | 07-JUL-86 |
| DOD-F-24669/6 | FORGINGS AND FORGING STOCK, STEEL BARS AND BILLETS, CORROSION RESISTING; FOR REFORGING (METRIC) [CUST: MR SH 99] [REVIEW: 84 AR AS GL MC MI OS] | A FORG | SH | 07-JUL-86 |
| DOD-F-24669/7 | FORGINGS AND FORGING STOCK, STEEL BARS AND BILLETS, CORROSION RESISTING; NAVAL STEAM TURBINE PARTS USE (METRIC) [CUST: MR SH 99] [REVIEW: 84 AR AS GL MC MI OS] | A FORG | SH | 07-JUL-86 |
| MIL-F-24669/8 | FORGINGS AND FORGING STOCK, STEEL FOR INTEGRAL STEAM TURBINE ROTORS [CUST: MR SH 99] | A FORG | SH | 02-MAY-91 |
| MIL-C-24671A | CLOTH, LINT-FREE, FLUSHING AND CLEANING [CUST: SH CT] | A 8305 | CT | 25-APR-91 |
| DOD-M-24672 SUP 1 | MOLDS, AND MOLD HEATING PLATEN FOR MOLDING ELECTRICAL CONNECTORS AND CABLES (METRIC) [CUST: SH] | A 5935 | CC | 27-OCT-86 |
| DOD-M-24672/1 | MOLDS, SPLIT-CAVITY FOR MOLDING PLUGS (SYMBOLS 713, 713.1, 713.2, 713.3, 713.4, 713.6, 713.7, 713.9, AND 713.10) (METRIC) [CUST: SH] | A 5935 | CC | 27-OCT-86 |
| DOD-M-24672/2 | MOLD, SPLIT-CAVITY FORMOLDING 90 DEGREE PLUGS SYMBOLS 713.5, AND 713.8 (METRIC) [CUST: SH] | A 5935 | CC | 27-OCT-86 |
| DOD-M-24672/3 | MOLD HEATING PLATEN, FOR SPLIT-CAVITY MOLDS FOR PLUGS SYMBOLS 713 THROUGH 713.10 (METRIC) [CUST: SH] | A 5935 | CC | 27-OCT-86 |
| DOD-M-24672/4 | MOLDS-SPLIT-CAVITY-FORMOLDING LIMIT SWITCH PLUG, SYMBOL 1223 FOR 5-PIN CONNECTORS USING ISWF-2 (SYMBOL 1245.1) AND FSS-2 CABLE (SYMBOL 1245.2) (METRIC) [CUST: SH] | A 5935 | CC | 27-OCT-86 |
| DOD-M-24672/5 | MOLDS-SPLIT CAVITY-FORMOLDING PLUGS OF THREE, FIVE, NINE, FOURTEEN AND TWENTY-FOUR NUMBERS SIXTEEN CONTACTS - ELECTRICAL, WATERTIGHT, SUBMARINE (METRIC) [CUST: SH] | A 5935 | CC | 27-OCT-86 |
| DOD-M-24672/6 | MOLDS - SPLIT CAVITY FOR MOLDING PLUGS SYMBOLS 1170.1, 1171.1, 1173.1, 1174.1, 1175.1, 1176.1, 1177, 1177.1, 1177.2, 1178, 1229, 1230, TYPE FHO-9 AND RG-130/U CABLE (METRIC) [CUST: SH] | A 5935 | CC | 27-OCT-86 |
| DOD-M-24672/7 | MOLD - SPLIT CAVITY - FOR UNGROUNDED RG-17A/U HULL FITTING PLUG - SYMBOL 1225 (METRIC) [CUST: SH] | A 5935 | CC | 27-OCT-86 |
| DOD-M-24672/8 | MOLD-SPLIT CAVITY FOR MOLDING 90-DEGREE PLUGS - SYMBOL 1224.1 HAVING EIGHT NUMBER 16 CONTACTS (METRIC) [CUST: SH] | A 5935 | CC | 27-OCT-86 |
| DOD-M-24672/9 | MOLDS - SPLIT CAVITY FOR MOLDING 90 DEGREE PLUGS (METRIC) [CUST: SH] | A 5935 | CC | 27-OCT-86 |
| DOD-M-24672/10 | MOLD - SPLIT CAVITY FOR MOLDING 90-DEGREE PLUGS SYMBOL 1224 USED WITH RESISTANCE TEMPERATURE DETECTORS (METRIC) [CUST: SH] | A 5935 | CC | 27-OCT-86 |
| DOD-B-24673 | BELLS, SHIPS AND SMALL CRAFT [CUST: CR4 SH] | A 6350 | SH | 31-JUL-86 |
| DOD-K-24674 | KIT, DISSOLVED OXYGEN (METHOD C), NAVAL SHIPBOARD (METRIC) [CUST: SH] | A 6630 | SH | 21-AUG-86 |
| MIL-V-24675 | VALVES, BOILER BLOW SERVICE, MONEL, SHIPBOARD USE [CUST: SH] | A 4820 | SH | 18-AUG-86 |
| MIL-R-24677A(1) | ROPE, FIBROUS, DOUBLE-BRAIDED (POLYESTER) [CUST: GL SH 99 IS] [REVIEW: 82 CG MC] | A 4020 | IS | 31-MAR-93 |
| MIL-M-24678 | MONITORS, MOTOR INSULATION RESISTANCE, SHIPBOARD USE (METRIC) [CUST: SH] | A 6625 | SH | 24-FEB-88 |
| MIL-C-24679 | COPPER-NICKEL ALLOY FORGINGS AND FORGING STDCL < [CUST: SH] | A FORG | SH | 06-MAY-88 |
| DOD-A-24682 | ADDITIVE, FUEL OIL STABILIZER | A 6850 | SH | 18-AUG-87 |
| MIL-I-24683A | INSULATION ELECTRICAL, HIGH TEMPERATURE INORGANIC PAPER [CUST: SH] | A 5970 | SH | 26-NOV-90 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|-------------------|---|--------------------------|-----|-------------|-----------|
| MIL-F-24685 | FINISH, DECK, WATER EMULSION (FOR USE IN CONTROLLED ATMOSPHERE ENVIRONMENTS) (METRIC) [CUST: SH] | A 7930 | SH | | 14-OCT-87 |
| MIL-S-24686A | SPRINKLER, AUTOMATIC, QUICK RESPONSE [CUST: SH] | A 4210 | SH | | 19-MAY-92 |
| MIL-N-24687A | NICKEL-CHROMIUM-MOLYBDENUM-IRON-COLUMBIUM ALLOY BARS, AND FORGINGS [CUST: SH] | F FORG | SH | | 14-MAY-93 |
| DOD-I-24688 | INSULATION PANEL, THERMAL AND ACOUSTIC ABSORPTIVE, OPEN-CELL POLYIMIDE FOAM [CUST: CR4 SH 99] [REVIEW: 84 CE CG MI MR YD1] | A 5640 | SH | | 18-AUG-87 |
| MIL-C-24689B | COBALT ALLOY CASTINGS, WEAR AND CORROSION RESISTANT [CUST: MR SH 11] [REVIEW: AR AS CR4 IS MI] | A MECA | SH | | 23-APR-92 |
| MIL-P-24691(2) | PIPE AND TUBE, CARBON, ALLOY AND STAINLESS STEEL, SEAMLESS AND WELDED, GENERAL SPECIFICATION FOR [CUST: CR4 SH] | A 4710 | SH | | 04-FEB-91 |
| MIL-P-24691/1(1) | PIPE AND TUBE, CARBON STEEL, SEAMLESS [CUST: CR4 SH] [REVIEW: AR AS CC EA GL MC MI MR] | A 4710 | SH | | 04-FEB-91 |
| MIL-P-24691/2(1) | PIPE AND TUBE, CHROMIUM-MOLYBDENUM STEEL, SEAMLESS [CUST: CR4 SH] [REVIEW: AR AS CC EA GL MC MI MR] | A 4710 | SH | | 04-FEB-91 |
| MIL-P-24691/3(1) | PIPE AND TUBE, CORROSION-RESISTANT, STAINLESS STEEL, SEAMLESS OR WELDED [CUST: CR4 SH] [REVIEW: AR AS CC EA GL MC MI MR] | A 4710 | SH | | 04-FEB-91 |
| MIL-B-24692A | BREATHING APPARATUS, OXYGEN GENERATING, TYPE A-4 (METRIC) [CUST: EA SH 99] [REVIEW: 84 GS] | A 4240 | SH | | 06-AUG-93 |
| MIL-D-24693(1) | DEHYDRATOR, CONDENSER-FILTER LOW PRESSURE AIR, FOR SPECIAL APPLICATIONS [CUST: SH] | A 4440 | SH | | 02-APR-93 |
| MIL-V-24694 | VALVE, HYDRAULIC RELIEF, 1.5 - 35 BARS (22 - 500 POUNDS PER SQUARE INCH) CARTRIDGE TYPE, GENERAL SPECIFICATION (METRIC) [CUST: SH] | A 4810 | SH | | 28-OCT-87 |
| MIL-V-24694/1 | VALVE, HYDRAULIC RELIEF, 1.5 - 35 BAR, 150 LPM CARTRIDGE TYPE (METRIC) [CUST: SH] | A 4810 | SH | | 28-OCT-87 |
| MIL-V-24694/2 | VALVE, HYDRAULIC RELIEF, 1.5 - 35 BAR, 10 LPM CARTRIDGE TYPE (METRIC) [CUST: SH] | A 4810 | SH | | 28-OCT-87 |
| MIL-V-24695A | VALVE, HOSE ASSEMBLY, AND ADAPTER, VENT AND TEST HYDRAULIC SERVICE, GENERAL SPECIFICATION FOR (METRIC) [CUST: SH] | A 4810 | SH | | 23-DEC-91 |
| MIL-V-24695/1A(1) | VALVE, VENT AND TEST HYDRAULIC SERVICE [CUST: SH] | A 4810 | SH | | 23-JUL-92 |
| MIL-V-24695/2A(1) | VENT AND TEST VALVE HOSE ASSEMBLY HYDRAULIC SERVICE [CUST: SH] | A 4810 | SH | | 23-JUL-92 |
| MIL-V-24695/3A | VENT AND TEST, HOSE ASSEMBLY ADAPTER [CUST: SH] | A 4810 | SH | | 29-DEC-94 |
| MIL-G-24696B(1) | GASKET, SHEET, NON-ASBESTOS [CUST: SH] | A 5330 | SH | | 18-FEB-98 |
| MIL-G-24696/1A | GASKET, SHEET NON-ASBESTOS SIZES AND TOLERANCES [CUST: SH] | A 5330 | SH | | 25-MAY-95 |
| MIL-C-24697 | CABINETS, MODULAR DRAWER STORAGE (MDS) [CUST: SH] | A 7125 | SH | | 28-FEB-88 |
| MIL-A-24699 | ACOUSTICAL TRANSMISSION LOSS BARRIER MATERIAL [CUST: SH] | A 5640 | SH | | 24-FEB-88 |
| MIL-S-24700 | STUFFING TUBES FOR REFERENCE ELECTRODES, IMPRESSED CURRENT CATHODIC PROTECTION (METRIC) [CUST: SH] | A 5975 | SH | | 12-FEB-88 |
| MIL-F-24701 | FLOWMETER, LIQUID, VLTRASONIC, NON INTRUSIVE [CUST: SH] | A 6680 | SH | | 23-MAR-88 |
| MIL-F-24702(2) | FILTER ELEMENTS, HYDRAULIC DISPOSABLE, GENERAL SPECIFICATION FOR (METRIC) [CUST: SH] | A 4330 | SH | | 28-NOV-94 |
| MIL-F-24702/1A | FILTER ELEMENTS, HYDRAULIC, DISPOSABLE [CUST: SH] | A 4330 | SH | | 05-APR-93 |
| MIL-F-24702/2 | FILTER ELEMENTS, HYDRAULIC, DISPOSABLE [CUST: SH] | A 4330 | SH | | 11-JAN-94 |
| MIL-I-24703 | INSULATION, PIPE, POLYPHOSPHAZENE, SHEET & TUBULAR [CUST: CR SH 11] [REVIEW: CR4 EA GS MC MI OS] | A 5640 | SH | | 05-APR-88 |
| MIL-F-24704A | FLANGES, FOUR BOLT SQUARE, HYDRAULIC GENERAL SPECIFICATION FOR [CUST: SH] | A 4810 | SH | | 23-MAR-92 |
| MIL-F-24704/1A | FLANGES, FOUR BOLT SQUARE, SOCKET WELD FOR HYDRAULIC SYSTEMS [CUST: SH] | A 4810 | SH | | 23-MAR-92 |
| MIL-F-24704/2A(1) | FLANGES, FOUR BOLTS SQUARE, BUTT WELD FOR HYDRAULIC SYSTEMS [CUST: SH] | A 4810 | SH | | 07-SEP-94 |
| MIL-F-24704/4A | FLANGES, FOUR BOLT SQUARE, BLIND FOR HYDRAULIC SYSTEMS [CUST: SH] | A 4810 | SH | | 23-MAR-92 |
| MIL-F-24704/5A | FLANGES, FOUR BOLT, INSERT SLEEVES FOR HYDRAULIC SYSTEMS [CUST: SH] | A 4810 | SH | | 23-MAR-92 |
| MIL-P-24705A | PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, GENERAL SPECIFICATION FOR [CUST: SH] | A 5975 | SH | | 19-JUL-92 |
| MIL-P-24705/1A | PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, RECTANGULAR METAL FRAME, FOR SQUARE-FACED BLOCKS [CUST: SH] | A 5975 | SH | | 19-JUL-92 |
| MIL-P-24705/2 | PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, NOTCHED RECTANGULAR METAL FRAME, FOR RECTANGULAR-FACED BLOCKS [CUST: SH] | A 5975 | SH | | 07-JUN-90 |
| MIL-P-24705/3 | PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, ROUND FRAME, FOR SQUARE-FACED BLOCKS [CUST: SH] | A 5975 | SH | | 07-JUN-90 |
| MIL-C-24706 | COUPLING, PIPE, HEAT-RECOVERABLE [CUST: SH] | A 4730 | SH | | 13-JUL-88 |
| MIL-C-24707 SUP 1 | CASTINGS, FERROUS, GENERAL SPECIFICATION FOR [CUST: MR SH 11] [REVIEW: CR4] | A MECA | SH | | 27-JAN-89 |
| MIL-C-24707/1 | CASTINGS, FERROUS, FOR MACHINERY AND STRUCTURAL APPLICATIONS [CUST: MR SH 11] [REVIEW: CR4] | A MECA | SH | | 27-JAN-89 |
| MIL-C-24707/2 | CASTINGS, FOR PRESSURE CONTAINING PARTS SUITABLE FOR HIGH TEMPERATURE SERVICE [CUST: MR SH 11] [REVIEW: 84 AR AS CR4 MC MI OS] | A MECA | SH | | 27-JAN-89 |
| MIL-C-24707/3 | CASTINGS, FERROUS, CORROSION-RESISTANT, AUSTENITIC, CHROMIUM-NICKEL [CUST: MR SH 11] [REVIEW: 84 AR AS CR4 MC MI OS] | A MECA | SH | | 27-JAN-89 |
| MIL-C-24707/4 | CASTINGS, FERROUS, AUSTENITIC MANGANESE (HADFIELD MANGANESE), (LOW MAGNETIC PERMEABILITY AND/OR WEAR RESISTANT) [CUST: MR SH 11] [REVIEW: 84 AR AS CR4 MC MI OS] | A MECA | SH | | 27-JAN-89 |
| MIL-C-24707/5 | CASTINGS, DUCTILE IRON AND AUSTENITIC DUCTILE IRON [CUST: MR SH 11] [REVIEW: 84 AR AS MC MI OS] | A MECA | SH | | 27-JAN-89 |
| MIL-C-24707/6 | CASTINGS, FERROUS, CHROMIUM STEEL, FOR PRESSURE-CONTAINING PARTS SUITABLE FOR HIGH-TEMPERATURE SERVICE [CUST: MR SH 11] [REVIEW: 84 AR AS CR4 MC MI OS] | A MECA | SH | | 27-JAN-89 |
| MIL-T-24708 | THERMAL/ACOUSTIC INSULATION BARRIER MATERIAL: POLYIMIDE FOAM [CUST: SH] | A 5640 | SH | | 29-JUL-88 |
| MIL-D-24709 | DISTRIBUTED ISOLATION MATERIAL TYPE R-50-21/64 [CUST: SH] | A 5330 | SH | | 04-NOV-88 |
| MIL-P-24710A | PURIFIERS, SOLIDS EJECTING (SELF CLEANING), CENTRIFUGAL, FUEL AND LUBE OIL [CUST: SH] | A 4330 | SH | | 17-JUN-93 |
| MIL-S-24711(2) | SWITCH, PROXIMITY, SOLID-STATE [CUST: SH] | A 5930 | SH | | 17-SEP-92 |
| MIL-C-24714 | CONNECTOR TUBES, HYDRAULIC COMPONENT, GENERAL SPECIFICATION FOR [CUST: SH] | A 4810 | SH | | 27-JAN-89 |
| MIL-C-24714/1 | CONNECTOR TUBES, PREFERRED SIZES, VALVES AND SUBPLATES [CUST: SH] | A 4810 | SH | | 27-JAN-89 |
| MIL-G-24716A | GASKETS, METALLIC-FLEXIBLE GRAPHITE, SPIRAL WOUND [CUST: SH] | A 5330 | SH | | 05-APR-93 |
| MIL-I-24718(1) | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING; GENERAL SPECIFICATION FOR [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS YD1] | A 5970 | SH | | 07-JUN-93 |
| MIL-I-24718/1 | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING EPOXY-LEWIS ACID, SLIGHTLY THIXOTROPIC [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS] | A 5970 | SH | | 06-APR-90 |
| MIL-I-24718/2 | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING REPLENISHMENT RESIN, EPOXY-LEWIS ACID, SLIGHTLY THIXOTROPIC [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS] | A 5970 | SH | | 06-APR-90 |
| MIL-I-24718/3 | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING POLYESTER DIALLYL PHTHALATE, SLIGHTLY THIXOTROPIC [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS] | A 5970 | SH | | 06-APR-90 |
| MIL-I-24718/4 | INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING REPLENISHMENT RESIN, POLYESTER DIALLYL PHTHALATE, SLIGHTLY THIXOTROPIC [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 DS EC GS MC MI OS] | A 5970 | SH | | 06-APR-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------|---|--------------------------|-----|-------------|-----------|
| MIL-R-24719 | RESINS, VINYL ESTER, LOW PRESSURE LAMINATING [CUST: SH] | A 9330 | SH | | 04-MAY-89 |
| MIL-R-24720 | RECEIVERS, DIGITAL, FIBER OPTIC, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: EC] | A 6026 | SH | | 07-JUL-89 |
| MIL-R-24720/1 | RECEIVER, DIGITAL, FIBER OPTIC, SHIPBOARD, 0.5 TO 16 MBPS (MANCHESTER ENCODED) (METRIC) [CUST: SH] [REVIEW: EC YD1] | A 6026 | SH | | 07-JUL-89 |
| MIL-T-24721 | TRANSMITTERS, LIGHT SIGNAL, DIGITAL, FIBER OPTIC, SHIPBOARD (METRIC) GENERAL SPECIFICATION FOR [CUST: SH] | A 6025 | SH | | 27-JUN-89 |
| MIL-T-24721/1 | TRANSMITTER, DIGITAL, FIBER OPTIC, SHIPBOARD, DC TO 16 MBPS (MANCHESTER ENCODED) (METRIC) [CUST: SH] [REVIEW: EC] | A 6025 | SH | | 27-JUN-89 |
| MIL-V-24722 | VALVE AND SUBPLATE, SERVO FLOW-CONTROL, ELECTROHYDRAULIC, GENERAL SPECIFICATION FOR [CUST: SH] | A 4810 | SH | | 15-JUN-90 |
| MIL-V-24722/1 | VALVE AND SUBPLATE, SERVO FLOW-CONTROL, ELECTROHYDRAULIC FOR 0 TO 50 GALLONS PER MINUTE (GPM) AND 0 TO 80 GPM FLOW RANGES [CUST: SH] | A 4810 | SH | | 15-JUN-90 |
| MIL-V-24722/2 | VALVE, SERVO FLOW-CONTROL, ELECTROHYDRAULIC FOR 0 TO 10 GPM FLOW RANGE [CUST: SH] | A 4810 | SH | | 15-JUN-90 |
| MIL-V-24722/3 | VALVE AND SUBPLATE, SERVO FLOW-CONTROL, ELECTROHYDRAULIC FOR 0 TO 80 GPM [CUST: SH] | A 4810 | SH | | 15-JUN-90 |
| MIL-C-24723 | CASTINGS, NICKEL-COPPER ALLOY [CUST: MR SH 11] [REVIEW: 99 AR CR CR4 GL IS MC] | A MECA | SH | | 07-JUN-89 |
| MIL-F-24724(2) | FILTER HOUSING (HYDRAULIC) AND DIFFERENTIAL PRESSURE INDICATORS, GENERAL SPECIFICATION FOR [CUST: SH] | A 4330 | SH | | 16-OCT-92 |
| MIL-F-24724/1(1) | FILTER HOUSINGS (HYDRAULIC) AND DIFFERENTIAL PRESSURE INDICATORS (1, 2, 3 ELEMENTS) [CUST: SH] [REVIEW: CC] | A 4330 | SH | | 02-JUN-92 |
| MIL-F-24724/2(1) | FILTER HOUSINGS (HYDRAULIC) AND DIFFERENTIAL PRESSURE INDICATORS (4 AND 6 ELEMENTS) [CUST: SH] [REVIEW: CC] | A 4330 | SH | | 02-JUN-92 |
| MIL-S-24725A | SWITCHES, FIBER OPTIC, SHIPBOARD, (METRIC), GENERAL SPECIFICATION FOR [CUST: CR SH 85] [REVIEW: 17 AR AS CC MI NA] | A 6021 | SH | | 29-NOV-94 |
| MIL-S-24725/1A | SWITCH, FIBER OPTIC, HARD MOUNTED, ELECTRICAL NONLATCHING; BYPASS, MULTIMODE CABLE, STAND-ALONE (METRIC) [CUST: CR SH 85] [REVIEW: 17 AS CC CR MI NA] | A 6021 | SH | | 29-NOV-94 |
| MIL-S-24725/2 | SWITCH, FIBER OPTIC, NONHARD MOUNTED, ELECTRICAL NONLATCHING; BYPASS, MULTIMODE CABLE, STAND-ALONE (METRIC) [CUST: CR SH 85] [REVIEW: 17 AS CC CR MI NA] | A 6021 | SH | | 29-NOV-94 |
| MIL-A-24726 | ATTENUATORS, FIBER OPTIC, SHIPBOARD GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: EC] | A 6006 | SH | | 15-AUG-89 |
| MIL-A-24726/1 | ATTENUATOR, FIBER OPTIC, SHIPBOARD, FIXED, CONNECTORIZED, SINGLE-MODE, STAND-ALONE [CUST: SH] [REVIEW: EC] | A 6006 | SH | | 15-AUG-89 |
| MIL-R-24727 | ROTARY JOINTS, FIBER OPTIC, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: AS EC] | A 6004 | SH | | 31-AUG-89 |
| MIL-R-24727/1 | ROTARY JOINTS, FIBER OPTIC, SHIPBOARD, SINGLE FIBER, ON-AXIS, MULTIMODE CABLE PIGTAIL (METRIC) [CUST: SH] [REVIEW: AS EC] | A 6004 | SH | | 31-AUG-89 |
| MIL-R-24727/2 | ROTARY JOINTS, FIBER OPTIC, SHIPBOARD, MULTIPLE FIBERS, ON-AXIS, MULTIMODE CABLE PIGTAIL (METRIC) [CUST: SH] [REVIEW: AS EC] | A 6004 | SH | | 31-AUG-89 |
| MIL-I-24728A(1) | INTERCONNECTION BOX, FIBER OPTIC, METRIC, GENERAL SPECIFICATION FOR [CUST: CR SH 85 NA] [REVIEW: 17 19 80 99 AR AS CC CG MC MI YD1] | A 5975 | SH | | 01-JUN-95 |
| MIL-I-24728/1B | INTERCONNECTION BOX, FIBER OPTIC, SUBMERSIBLE, 254 X 330 MM [CUST: CR SH 85 NA] [REVIEW: 17 19 80 99 AR AS CC CG EC MC MI YD1] | A 5975 | SH | | 01-JUN-95 |
| MIL-I-24728/2B | INTERCONNECTION BOX, FIBER OPTIC, SUBMERSIBLE, 308.4 X 609.6 MM [CUST: CR SH 85 NA] [REVIEW: 17 19 80 99 AR AS CC CG EC MC MI YD1] | A 5975 | SH | | 01-JUN-95 |
| MIL-I-24728/3 | INTERCONNECTION BOX, FIBER OPTIC, SUBMERSIBLE, 406.4 X 863.6 MM [CUST: CR SH 85 NA] [REVIEW: 17 19 80 99 AR AS CC CG EC MC MI YD1] | A 5975 | SH | | 01-JUN-95 |
| MIL-I-24728/4 | INTERCONNECTION BOX, FIBER OPTIC, SUBMERSIBLE, 101.6 X 177.8 MM [CUST: CR SH 85 NA] [REVIEW: 17 19 80 99 AR AS CC CG EC MC MI YD1] | A 5975 | SH | | 01-JUN-95 |
| MIL-I-24728/5 | INTERCONNECTION BOX, FIBER OPTIC, SUBMERSIBLE, 152.4 X 228.6 MM [CUST: CR SH 85 NA] [REVIEW: 17 19 80 99 AR AS CC CG EC MC MI YD1] | A 5975 | SH | | 01-JUN-95 |
| MIL-I-24728/6 | INTERCONNECTION BOX, FIBER OPTIC, CONNECTOR PATCH PANEL MODULE [CUST: CR SH 85 NA] [REVIEW: 17 19 80 99 AR AS CC CG EC MC MI YD1] | A 5975 | SH | | 01-JUN-95 |
| MIL-I-24728/7 | INTERCONNECTION BOX, FIBER OPTIC, SPLICE TRAY HOLDER MODULE [CUST: CR SH 85 NA] [REVIEW: 17 19 80 99 AR AS CC CG EC MC MI YD1] | A 5975 | SH | | 01-JUN-95 |
| MIL-M-24731 | MULTIPLEXERS, DEMULTIPLEXERS, MULTIPLEXERS/DEMUTIPLEXERS (MULDEMS), FREQUENCY-DIVISION, FIBER OPTIC INTERFACEABLE, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: AS EC] | A 6008 | SH | | 31-AUG-89 |
| MIL-M-24731/1 | MULTIPLEXERS, DEMULTIPLEXERS, MULTIPLEXERS/DEMUTIPLEXERS (MULDEMS), MULTIPLEXER, FREQUENCY-DIVISION, FIBER OPTIC, SHIPBOARD, 4:1 CHANNELS, 30 MHZ (DOUBLE SIDEBAND) (METRIC) [CUST: SH] [REVIEW: AS EC YD1] | A 6008 | SH | | 31-AUG-89 |
| MIL-M-24731/2 | MULTIPLEXERS, DEMULTIPLEXERS, MULTIPLEXERS/DEMUTIPLEXERS (MULDEMS), DEMULTIPLEXER, FREQUENCY-DIVISION, FIBER OPTIC, SHIPBOARD, 1:4 CHANNELS, 30 MHZ (DOUBLE SIDEBAND) (METRIC) [CUST: SH] [REVIEW: AS EC] | A 6008 | SH | | 31-AUG-89 |
| MIL-L-24732 | LIGHT SOURCE, RIGID AND FLEXIBLE FIBERSCOPE, FIBER OPTIC (METRIC), GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: AS EC] | A 6032 | SH | | 31-AUG-89 |
| MIL-L-24732/1 | LIGHT SOURCE, FIBERSCOPE, FIBER OPTIC, 150 WATT (METRIC) [CUST: SH] [REVIEW: AS EC] | A 6032 | SH | | 31-AUG-89 |
| MIL-C-24733 | CONTROLLER INTERFACE UNIT, FIBER OPTIC (METRIC), GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: AS EC] | A 6030 | SH | | 31-AUG-89 |
| MIL-C-24733/1 | CONTROLLER INTERFACE UNIT, FIBER OPTIC, 2 FIBER CHANNELS, MULTIMODE FIBER (METRIC) [CUST: SH] [REVIEW: AS EC] | A 6030 | SH | | 31-AUG-89 |
| MIL-F-24734 | FIBERSCOPE, FIBER OPTIC (METRIC), GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: AS EC] | A 6035 | SH | | 31-AUG-89 |
| MIL-F-24734/1 | FIBERSCOPE, FIBER OPTIC TYPE F, STYLE 1, CLASS 1, OPTIONS F (METRIC) [CUST: SH] [REVIEW: AS EC] | A 6035 | SH | | 31-AUG-89 |
| MIL-F-24734/2 | FIBERSCOPE, FIBER OPTIC TYPE R, STYLE 4, CLASS 1, OPTIONS S (METRIC) [CUST: SH] [REVIEW: AS EC] | A 6035 | SH | | 31-AUG-89 |
| MIL-T-24735 | TRANSMITTERS, LIGHT SIGNAL, ANALOG, FIBER OPTIC, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: AS EC] | A 6025 | SH | | 31-AUG-89 |
| MIL-T-24735/1 | TRANSMITTER, ANALOG, FIBER OPTIC, SHIPBOARD, 0.5 TO 60 MHZ (0.5 DB PASSBAND) (METRIC) [CUST: SH] [REVIEW: AS EC] | A 6025 | SH | | 31-AUG-89 |
| MIL-M-24736 | MULTIPLEXERS, DEMULTIPLEXERS, MULTIPLEXERS/DEMUTIPLEXERS (MULDEMS), TIME-DIVISION, FIBER OPTIC INTERFACEABLE, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: AS EC] | A 6008 | SH | | 31-AUG-89 |
| MIL-M-24736/1 | MULTIPLEXERS, DEMULTIPLEXERS, MULTIPLEXERS/DEMUTIPLEXERS (MULDEMS), MULTIPLEXER, TIME-DIVISION, FIBER OPTIC INTERFACEABLE, SHIPBOARD, 8:1 CHANNELS, 311 MBPS PER INPUT CHANNEL (METRIC) [CUST: SH] [REVIEW: EC] | A 6008 | SH | | 31-AUG-89 |
| MIL-M-24736/2 | MULTIPLEXERS, DEMULTIPLEXERS, MULTIPLEXERS/DEMUTIPLEXERS (MULDEMS), DEMULTIPLEXER, TIME-DIVISION, FIBER OPTIC INTERFACEABLE, SHIPBOARD, 1:8 CHANNELS, 311 MBPS PER OUTPUT CHANNEL (METRIC) [CUST: SH] [REVIEW: AS EC] | A 6008 | SH | | 31-AUG-89 |
| MIL-R-24737 | RECEIVERS, LIGHT SIGNAL, ANALOG, FIBER OPTIC, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: AS EC] | A 6026 | SH | | 31-AUG-89 |
| MIL-R-24737/1 | RECEIVER, LIGHT SIGNAL, ANALOG, FIBER OPTIC, SHIPBOARD, 0.5 TO 60 MHZ (0.5 DB PASSBAND) (METRIC) [CUST: SH] [REVIEW: AS EC] | A 6026 | SH | | 31-AUG-89 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|----------------------|---|--------------------------|--------------------|-----------|
| MIL-M-24738 | MONITORS, HIGH TEMPERATURE MOTOR PROTECTION [CUST: SH] | A 6625 | SH | 11-JAN-90 |
| MIL-I-24739A(1) | INFLATION ASSEMBLY, AUTOMATIC/MANUAL, LIFE PRESERVER [CUST: SH] | A 4220 | SH | 24-MAY-91 |
| MIL-V-24740(1) | VALVE, SAFETY: BOILER, REMOTE PILOT OPERATED, FOR SHIPBOARD USE [CUST: SH] | A 4820 | SH | 11-JUN-93 |
| MIL-A-24741 | ASSEMBLIES, METAL ELECTRICAL BACKPLANE, ONE AND TWO LAYER, GENERAL SPECIFICATION FOR [CUST: CR SH 85] | A 5998 | SH | 19-JAN-90 |
| MIL-T-24742 | TRANSDUCER, PRESSURE AND DIFFERENTIAL PRESSURE, MINIATURE (ELECTRICAL) (NAVAL SHIPBOARD USE) [CUST: SH] | A 6685 | SH | 26-APR-90 |
| MIL-S-24744 | SCRUBBING MACHINE, DECK, SELF PROPELLED, SHIPBOARD [CUST: SH] | A 3825 | SH | 14-NOV-90 |
| MIL-G-24745 | GOVERNORS, STEAM DRIVEN PUMP, PRESSURE REGULATING, NAVAL SHIPBOARD, 600 POUNDS PER SQUARE INCH STEAM SERVICE [CUST: SH] | A 4820 | SH | 04-SEP-90 |
| MIL-C-24746(1) | COOLERS, UNIT FORCED AIR FOR SHIP'S REFRIGERATED STORES [CUST: SH] | A 4110 | SH | 08-NOV-96 |
| MIL-G-24748A | GASKETS, METALLIC AND RUBBER, FOR USE IN UNION PIPE FITTINGS 1/4 TO 2-INCH NPS WITH VARIOUS FLUIDS FROM -30 DEG. F (-34 DEG. C) TO 400 DEG. F (204 DEG. C) [CUST: SH] | A 5330 | SH | 12-JAN-94 |
| MIL-S-24749 | STRAPS, ELECTRICAL GROUNDING (METRIC) GENERAL SPECIFICATION FOR [CUST: SH] | A 5975 | SH | 13-AUG-90 |
| MIL-F-24751 | FANS, VANEAXIAL GAS TURBINE ENCLOSURE COOLING NAVAL SHIPBOARD [CUST: SH] | A 4140 | SH | 01-NOV-90 |
| MIL-P-24752 | PACKING MATERIAL, FLAX OR HEMP [CUST: SH] | A 5330 | SH | 01-OCT-90 |
| MIL-W-24753 | WASHER, HIGH PRESSURE, DIESEL POWERED [CUST: SH] | A 4940 | SH | 22-JAN-91 |
| MIL-F-24755 | FANS, VANEAXIAL, HIGH PRESSURE, NAVAL SHIPBOARD [CUST: SH] | A 4140 | SH | 27-DEC-90 |
| MIL-C-24756 | CURTAINS AND BLANKETS, SMOKE, PORTABLE [CUST: SH] | A 4210 | SH | 09-NOV-90 |
| MIL-C-24757 | CLOTH, FIBERGLASS, COATED [CUST: SH] | A 4210 | SH | 09-NOV-90 |
| MIL-C-24758(1) SUP 1 | CONDUIT, FLEXIBLE, WEATHERPROOF, AND ASSOCIATED FITTINGS, GENERAL SPECIFICATION FOR [CUST: SH] | A 5975 | SH | 23-SEP-94 |
| MIL-C-24758/1 | CONDUIT, FLEXIBLE, WEATHERPROOF [CUST: SH] | A 5975 | SH | 05-AUG-91 |
| MIL-C-24758/2 | CONDUIT, FLEXIBLE, WEATHERPROOF, STRAIGHT CONDUIT FITTING [CUST: SH] | A 5975 | SH | 05-AUG-91 |
| MIL-C-24758/3(1) | CONDUIT, FLEXIBLE, WEATHERPROOF, 45 DEGREE CONDUIT FITTING [CUST: SH] | A 5975 | SH | 23-SEP-94 |
| MIL-C-24758/4(1) | CONDUIT, FLEXIBLE, WEATHERPROOF, 90 DEGREE CONDUIT FITTING [CUST: SH] | A 5975 | SH | 23-SEP-94 |
| MIL-C-24758/5(1) | CONDUIT, FLEXIBLE, WEATHERPROOF, CONDUIT-TO-PANEL FITTING [CUST: SH] | A 5975 | SH | 23-SEP-94 |
| MIL-C-24758/6(1) | CONDUIT, FLEXIBLE, WEATHERPROOF, CONDUIT-TO-PIPE EXTERNALLY THREADED (TAPERED) FITTING [CUST: SH] | A 5975 | SH | 23-SEP-94 |
| MIL-C-24758/7(1) | CONDUIT, FLEXIBLE, WEATHERPROOF, CONDUIT-TO-STUFFING TUBE (MIL-S-24235) FITTING [CUST: SH] | A 5975 | SH | 23-SEP-94 |
| MIL-C-24758/8(1) | CONDUIT, FLEXIBLE, WEATHERPROOF, CONDUIT-TO-CONDUIT FITTING [CUST: SH] | A 5975 | SH | 23-SEP-94 |
| MIL-C-24758/9(1) | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR MIL-C-5015 CONNECTORS [CUST: SH] | A 5975 | SH | 23-SEP-94 |
| MIL-C-24758/10 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR TRIAXIAL CONNECTORS [CUST: SH] | A 5975 | SH | 05-AUG-91 |
| MIL-C-24758/11 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR COAXIAL CONNECTORS [CUST: SH] | A 5975 | SH | 05-AUG-91 |
| MIL-C-24758/12 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR MIL-C-26482 CONNECTORS [CUST: SH] | A 5975 | SH | 05-AUG-91 |
| MIL-C-24758/13 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR MS3155-TYPE CONNECTORS [CUST: SH] | A 5975 | SH | 05-AUG-91 |
| MIL-C-24758/14 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR MIL-C-28840 (EC) BACKSHELLS [CUST: SH] | A 5975 | SH | 05-AUG-91 |
| MIL-C-24758/15(1) | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR MIL-S-24235 STUFFING TUBES [CUST: SH] | A 5975 | SH | 23-SEP-94 |
| MIL-C-24758/16 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR MISCELLANEOUS THREADED FITTINGS [CUST: SH] | A 5975 | SH | 05-AUG-91 |
| MIL-C-24758/17 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR PIPE THREAD (TAPERED) [CUST: SH] | A 5975 | SH | 05-AUG-91 |
| MIL-C-24758/18 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR PIPE THREAD (STRAIGHT) [CUST: SH] | A 5975 | SH | 05-AUG-91 |
| MIL-C-24758/19 | CONDUIT, FLEXIBLE, WEATHERPROOF, ADAPTER FOR PANEL TERMINATION [CUST: SH] | A 5975 | SH | 05-AUG-91 |
| MIL-E-24759(1) | EDUCTOR ASSEMBLY, IN-LINE, 90 GALLONS PER MINUTE, PORTABLE AQUEOUS FILM-FORMING FOAM (AFF) LIQUID CONCENTRATE [CUST: SH] | A 4210 | SH | 21-MAR-94 |
| MIL-S-24760 | STEAM TURBINE ELECTRONIC OVERSPEED PROTECTION SYSTEM [CUST: SH] | A 2820 | SH | 27-JAN-92 |
| MIL-V-24761(1) | VENTILATING SETS, PORTABLE DAMAGE CONTROL [CUST: SH] | A 4140 | SH | 29-MAY-95 |
| MIL-E-24762 | ENCLOSURES FOR ELECTRONIC EQUIPMENT, SURVIVABLE, NAVAL SHIPBOARD USE [CUST: SH] | A 59GP | SH | 28-MAY-91 |
| MIL-E-24763A | ENAMEL, EMULSION TYPE, FOR SHIPBOARD USE [CUST: SH] | A 8010 | SH | 25-AUG-93 |
| MIL-P-24765 | POWER SUPPLY, UNINTERRUPTIBLE, STATIC (NAVAL SHIPBOARD) [CUST: SH] [REVIEW: EC YDI] | A 6130 | SH | 19-NOV-91 |
| MIL-T-24766 | TITANIUM FORGINGS AND FORGINGS STOCK, HIGH QUALITY FOR SHIPS SERVICE [CUST: MR SH 99] [REVIEW: 11 CR4 YDI] | A FORG | SH | 02-MAR-92 |
| MIL-I-24768(2) SUP 1 | INSULATION, PLASTICS, LAMINATED, THERMOSETTING; GENERAL SPECIFICATION FOR [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 08-DEC-92 |
| MIL-I-24768/1(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, MELAMINE-RESIN (GME) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 08-DEC-92 |
| MIL-I-24768/2(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEE) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 08-DEC-92 |
| MIL-I-24768/3(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEB) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 08-DEC-92 |
| MIL-I-24768/4 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO N-1) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 25-FEB-92 |
| MIL-I-24768/5 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO N-2) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 25-FEB-92 |
| MIL-I-24768/6 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO N-3) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 25-FEB-92 |
| MIL-I-24768/7(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, POLYTETRAFLUOROETHYLENE-RESIN (GTE) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 08-DEC-92 |
| MIL-I-24768/8 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, MELAMINE-RESIN (GMG) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 25-FEB-92 |
| MIL-I-24768/9 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, NYLON-FABRIC-BASE, PHENOLIC-RESIN (NPG) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 25-FEB-92 |
| MIL-I-24768/10 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBE) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 25-FEB-92 |
| MIL-I-24768/11 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBG) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 25-FEB-92 |
| MIL-I-24768/12 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 25-FEB-92 |
| MIL-I-24768/13 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (FBE) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 25-FEB-92 |
| MIL-I-24768/14 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (FBG) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | 25-FEB-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|-------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-I-24768/15 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (FBI) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/16 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (FBM) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/17 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, SILICONE-RESIN (GSG) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/18 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, PHENOLIC-RESIN (GPG) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/19 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM-P) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/20 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM-PC) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/21 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBG-P) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/22 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBG-P) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/23 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBE-PC) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/24 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM-PF) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/25 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBE-PCF) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/26 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, EPOXY-RESIN (PEE) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/27(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEE-F) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 08-DEC-92 |
| | MIL-I-24768/28(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEB-F) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 08-DEC-92 |
| | MIL-I-24768/29(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, CONTINUOUS FILAMENT, GLASS-CLOTH, EPOXY-RESIN (CEM-1) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 08-DEC-92 |
| | MIL-I-24768/30(1) | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, CONTINUOUS FILAMENT, GLASS-CLOTH, EPOXY-RESIN (CEM-3) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 08-DEC-92 |
| | MIL-I-24768/31 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO N-1P) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/32 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO N-2P) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-I-24768/33 | INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO N-3P) [CUST: CR SH 11] [REVIEW: 85 AR AS CR4 EA EC MC MI OS] | A 5970 | SH | | 25-FEB-92 |
| | MIL-C-24770 | CARTRIDGES, BROMINE, FOR POTABLE WATER DISINFECTION [CUST: SH] | A 4610 | SH | | 20-MAR-92 |
| | MIL-S-24771 | SENSOR, LEVEL, FLOAT TYPE, SHIPBOARD SEWAGE SYSTEMS [CUST: SH] | A 5930 | SH | | 08-APR-92 |
| | MIL-L-24773A | LITHIUM BROMIDE ANHYDROUS AND LITHIUM BROMIDE BRINE [CUST: SH] | A 6810 | SH | | 25-MAY-93 |
| | MIL-C-24774 | CHAIN, STUD LINK, ANCHOR, FLASH BUTT WELDED, NONMAGNETIC [CUST: SH] | A 4010 | SH | | 07-JUL-92 |
| | MIL-A-24775 | AIR CONDITIONING FAN COIL UNITS, HORIZONTAL AND VERTICAL TYPES, NAVAL SHIPBOARD [CUST: SH] | A 4120 | SH | | 13-JUL-92 |
| | MIL-H-24776 | HYDRAZINE TEST KIT, NAVAL SHIPBOARD (METRIC) [CUST: SH] | A 6810 | SH | | 08-JUN-92 |
| | MIL-M-24777 | NON-METALLIC MATERIALS WITH SPECIAL REQUIREMENTS [CUST: SH] | F 9330 | SH | | 30-OCT-92 |
| | MIL-L-24778 | LIFE PRESERVER, UTILITY, AUTO-INFLATABLE, MK 5, MOD 0 [CUST: SH] | A 4220 | SH | | 17-DEC-92 |
| | MIL-A-24779 | ANODES, SACRIFICIAL ALUMINUM ALLOY [CUST: SH] | A 5340 | SH | | 15-DEC-92 |
| | MIL-A-24780 | ACTUATING ASSEMBLY, SINGLE LINEAR MOTION, FOR THE REMOTE ACTUATION OF QUICK ACTING VALVES, GENERAL SPECIFICATION FOR [CUST: SH] | A 4820 | SH | | 30-OCT-92 |
| | MIL-C-24782 | COATING, POWERED FLUOROPOLYMER FOR USE ON HIGH PRESSURE GAS FLASK INTERIORS [CUST: SH 99] [REVIEW: 68 84 AS] | A 8010 | SH | | 23-JUL-93 |
| | MIL-I-24783 | ISOLATOR, RING TYPE, PRESSURE, FOR SHIPBOARD SEWAGE SERVICE [CUST: SH] | A 4730 | SH | | 15-APR-93 |
| | MIL-M-24784 SUP 1 | MANUALS, TECHNICAL: GENERAL ACQUISITION AND DEVELOPMENT REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/1 | MANUAL, TECHNICAL CHANGE PACKAGE REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/2 | MANUAL, TECHNICAL REVISION REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/3 | MANUAL, COMBAT SYSTEM TECHNICAL OPERATIONS (CSTOM) REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/4 | MANUAL, COMMERCIAL OFF-THE-SHELF (COTS) EQUIPMENT REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/5 | MANUAL, OPERATIONAL STATIONS BOOK (OSB) REQUIREMENTS FOR DESIGN [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/6 | MANUAL, OPERATION STATION BOOK (OSB) REQUIREMENTS FOR CONSTRUCTION AND MAJOR MODIFICATION [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/7 | MANUAL, TECHNICAL REPAIR STANDARDS (TRS) REQUIREMENTS FOR HM&E EQUIPMENT [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/8 | MANUAL, TECHNICAL REPAIR STANDARDS (TRS) REQUIREMENTS FOR ELECTRONIC EQUIPMENT [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/9 | MANUAL, TECHNICAL REPAIR STANDARDS (TRS) REQUIREMENTS FOR ORDNANCE EQUIPMENT [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/10 | MANUAL, TRAINING AID BOOKLET (TAB) REQUIREMENTS FOR NAVAL SHIPS SYSTEMS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/11 | MANUAL, SHIP INFORMATION BOOK (SIB) REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/12 | MANUAL, HULL, MECHANICAL AND ELECTRICAL (HM&E) EQUIPMENT REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/13 | MANUAL, HULL, MECHANICAL AND ELECTRICAL (HM&E) SINGLE COMPONENT REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/14 | MANUAL, ELECTRONIC AND INTERIOR COMMUNICATION (IC) EQUIPMENT REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/15 | MANUAL, SERVICE TEST ELECTRONIC AND INTERIOR COMMUNICATIONS (IC) EQUIPMENT REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/16 | MANUAL, EXPERIMENTAL ELECTRONIC AND INTERIOR COMMUNICATION (IC) EQUIPMENT REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/17 | MANUAL, HULL MECHANICAL AND ELECTRICAL (HM&E) SYSTEMS AND ELECTRONIC AND INTERIOR COMMUNICATION (IC) SYSTEMS REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/18 | MANUAL, SURFACE MISSILE SUBSYSTEM OR EQUIPMENT REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/19 | MANUAL, SURFACE MISSILE SYSTEM REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/20 | MANUAL, DIGITAL SYSTEMS REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |
| | MIL-M-24784/21 | MANUAL, DIGITAL EQUIPMENT REQUIREMENTS [CUST: SH] [REVIEW: EC] | A TMSS | SH | | 06-SEP-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|------------|--------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-E-24786 | ELECTROCHEMICAL HYPOCHLORITE GENERATION (EHG) SYSTEMS FOR DOCKSIDE SERVICE [CUST: SH] | A 4610 | SH | | 21-MAR-94 |
| | MIL-F-24787 | FITTINGS, END, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR [CUST: SH] | A 4730 | SH | | 03-SEP-93 |
| | MIL-F-24787/1 | FITTINGS, END, TYPE F, FL, AND FFL, FLANGE, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES [CUST: SH] | A 4730 | SH | | 03-SEP-93 |
| | MIL-F-24787/2 | FITTINGS, END, TYPE A, 37 DEG. FLARE, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES [CUST: SH] | A 4730 | SH | | 03-SEP-93 |
| | MIL-F-24787/3 | FITTINGS, END, TYPES C AND CL, O-RING SEAL UNION, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES [CUST: SH] | A 4730 | SH | | 03-SEP-93 |
| | MIL-F-24787/4 | FITTINGS, END, TYPES E AND EL, SPLIT CLAMP, REUSABLE, WITH TYPES SC (SPLIT CLAMP), TF TAILPIECE FEMALE AND TM TAILPIECE MALE FOR FLEXIBLE HOSE ASSEMBLIES [CUST: SH] | A 4730 | SH | | 03-SEP-93 |
| | MIL-F-24787/5 | FITTINGS, END, TYPE D, HOSE TO HOSE 90 DEG. ELBOW, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES [CUST: SH] | A 4730 | SH | | 03-SEP-93 |
| | MIL-F-24787/6 | FITTINGS, END, TYPE U, 180 DEG. RETURN, HOSE TO HOSE, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES [CUST: SH] | A 4730 | SH | | 03-SEP-93 |
| | MIL-F-24787/7 | FITTINGS, END, TYPES B AND BL, GASKET SEAL UNION, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES [CUST: SH] | A 4730 | SH | | 03-SEP-93 |
| | MIL-C-24788 | COUPLING ASSEMBLY, SEMI-DRY-BREAK QUICK-DISCONNECT, FUEL WITH OR WITHOUT CONTINUITY SWITCH [CUST: CR4 SH 99] [REVIEW: 82] | A 4730 | SH | | 09-SEP-93 |
| | MIL-P-24790 | PACKING MATERIAL, BRAIDED, NON-ASBESTOS [CUST: SH] | A 5330 | SH | | 01-JUL-94 |
| | MIL-M-24791 | MODULE, FIBER OPTIC, TRANSMITTER OR RECEIVER, DIGITAL, GENERAL SPECIFICATION FOR [CUST: CR SH 85 NA] [REVIEW: CC EC OS YDI] | A 6030 | SH | | 25-MAY-95 |
| | MIL-M-24791/1 | MODULE, FIBER OPTIC, TRANSMITTER, DIGITAL, 160 MBD, ASSOCIATED DETAIL SPECIFICATION FOR [CUST: CR SH 85 NA] [REVIEW: CC EC OS YDI] | A 6025 | SH | | 25-MAY-95 |
| | MIL-M-24791/2 | MODULE, FIBER OPTIC, RECEIVER, DIGITAL, 16 MBD, ASSOCIATED DETAIL SPECIFICATION FOR [CUST: CR SH 85 NA] [REVIEW: CC EC OS YDI] | A 6026 | SH | | 25-MAY-95 |
| | MIL-S-24795 | SENSORS, TEMPERATURE, FIBER OPTIC (NAVAL SHIPBOARD USE) [CUST: SH] | A 6040 | SH | | 22-JUN-95 |
| | MIL-S-24796 | SENSORS, ABSOLUTE PRESSURE, FIBER OPTIC (NAVAL SHIPBOARD USE) [CUST: SH] | A 6040 | SH | | 22-JUN-95 |
| | MIL-T-24797 | TACHOMETERS, FIBER OPTIC, (NAVAL SHIPBOARD USE), (METRIC) GENERAL SPECIFICATION FOR [CUST: SH] | A 6040 | SH | | 22-JUN-95 |
| | MIL-S-24798 | SWITCH, POSITION, PROXIMITY (NON-CONTACT) OR LIMIT (MECHANICAL CONTACT), FIBER OPTIC, (METRIC), (NAVAL SHIPBOARD USE) [CUST: SH] | A 6021 | SH | | 22-JUN-95 |
| | MIL-DTL-24800 | CLEANING COMPOUND - AQUEOUS - OXYGEN SYSTEMS COMPONENTS [CUST: EA SH 68] [REVIEW: AS GS MI] | A 6850 | SH | | 30-SEP-96 |
| | MIL-H-24900A | HAT, COMBINATION, WOMAN'S (COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8410 | CT | | 06-NOV-89 |
| | MIL-C-24903B | CLOTH, ELASTIQUE, POLYESTER/WOOL [CUST: NU CT] [REVIEW: CG] | A 8305 | CT | | 07-SEP-90 |
| | MIL-G-24909A | GLOVE, LEATHER [CUST: GL NU 45 CT] [REVIEW: 32 82 99 CG MC] | A 8440 | CT | | 13-NOV-86 |
| | MIL-C-24910B | CLOTH, TROPICAL: POLYESTER AND WOOL [CUST: GL NU CT] [REVIEW: MD] | A 8305 | CT | | 27-JAN-92 |
| | MIL-M-24913 | MASK, EXTREME COLD WEATHER, DRY AND WET COLD [CUST: NU CT] [REVIEW: MC SH] | A 8415 | CT | | 06-JAN-84 |
| | MIL-C-24915A | CLOTH, DENIM, COTTON (FLAME RETARDANT TREATED) [CUST: NU CT] [REVIEW: MD] | A 8305 | CT | | 06-FEB-91 |
| | MIL-C-24916A | CLOTH, CHAMBRAY, COTTON (FLAME RETARDANT TREATED) [CUST: GL NU 99 CT] [REVIEW: 32 45] | A 8305 | CT | | 09-JAN-91 |
| | MIL-S-24923 | SHIRT, UTILITY, WOMAN'S, POLYESTER/COTTON (CG) [CUST: NU CT] [REVIEW: CG] | A 8410 | CT | | 29-JUL-85 |
| | MIL-H-24925 | HOOD, FIREMAN'S ALUMINIZED, PROXIMITY, WITH LIFT-UP VISOR [CUST: GL NU 99 CT] | A 8415 | CT | | 14-SEP-87 |
| | MIL-O-24926A | OVERCOAT, WOMAN'S, ENLISTED [CUST: NU CT] | A 8410 | CT | | 03-APR-90 |
| | MIL-C-24927A | CLOTH, TWILL, POLYESTER/COTTON (DURABLE PRESS) [CUST: NU CT] [REVIEW: MC] | A 8305 | CT | | 01-OCT-91 |
| | MIL-C-24929A(1) | CLOTH, LAMINATED, ALUMINIZED (PARA-ARAMID BASE) [CUST: GL NU 99 CT] [REVIEW: 32 45 50 82 CG MC MD] | A 8305 | CT | | 04-JAN-93 |
| | MIL-C-24930 | CAP, COLD WEATHER [CUST: NU CT] | A 8415 | CT | | 01-JUL-87 |
| | MIL-C-24931 | CLOTH, PLAIN WEAVE, ARAMID, WATER REPELLENT [CUST: GL NU 99 CT] [REVIEW: 82 MC] | A 8305 | CT | | 15-JUL-87 |
| | MIL-C-24932 | CLOTH, KNITTED, FLAME RESISTANT RAYON/WOOL PILE [CUST: NU 99 CT] [REVIEW: 82 MC] | A 8305 | CT | | 16-JUL-87 |
| | MIL-C-24933 | CLOTH, FLANNEL, COTTON (FLAME RETARDANT TREATED) [CUST: 99 CT] [REVIEW: 82 MD] | A 8305 | CT | | 23-JUN-87 |
| | MIL-G-24934 | GLOVES, FIREMEN'S [CUST: NU CT] | A 8415 | CT | | 20-SEP-88 |
| | MIL-C-24935 | COVERALLS, FIREMEN'S [CUST: NU CT] [REVIEW: CG] | A 8415 | CT | | 22-DEC-88 |
| | MIL-H-24936 | HOOD, ANTI-FLASH, FLAME RESISTANT [CUST: GL NU 99 CT] [REVIEW: 82] | A 8415 | CT | | 01-JUL-87 |
| | MIL-C-24937A | CAP, COMBINATION, MAN'S, (CG) [CUST: CT] | A 8405 | CT | | 02-JUN-93 |
| | MIL-C-24938A | COAT, FIREMEN'S, STRUCTURAL/ALUMINIZED PROXIMITY [CUST: NU 99 CT] [REVIEW: 45 50 82 CG MC SH] | A 8415 | CT | | 10-AUG-93 |
| | MIL-C-24939 | CLOTH, RIPSTOP, PARA-ARAMID/PBI, WATER REPELLENT [CUST: NU 99 CT] [REVIEW: 45 50 82 AS MC SH] | A 8305 | CT | | 30-SEP-88 |
| | MIL-T-24940A | TROUSER, FIREMEN'S, STRUCTURAL/ALUMINIZED PROXIMITY [CUST: NU 99 CT] [REVIEW: 45 50 82 CG MC SH] | A 8415 | CT | | 11-AUG-93 |
| | MIL-C-24941 | CLOTH, LAMINATED, ALUMINIZED (PARA-ARAMID/PBI BASE) [CUST: GL NU 99 CT] [REVIEW: 45 50 82 CG MC MD] | A 8305 | CT | | 30-SEP-88 |
| | MIL-L-24943A | LINER, FIREMAN'S, COAT [CUST: NU 99 CT] [REVIEW: 45 50 82 CG MC SH] | A 8415 | CT | | 09-AUG-93 |
| | MIL-C-24945 | COVERALLS, FLAME RESISTANT (COTTON FRT) [CUST: NU CT] | A 8415 | CT | | 15-JUN-88 |
| | MIL-C-24946 | CLOTH, TWILL, COTTON (FLAME RETARDANT TREATED) [CUST: GL NU CT] [REVIEW: CG MC MD] | A 8305 | CT | | 13-JUN-88 |
| | MIL-B-24947 | BADGE, BREAST, IDENTIFICATION (U.S. COAST GUARD [CUST: CT] [REVIEW: CG] | A 8455 | CT | | 14-JUN-88 |
| | MIL-S-24948A | SLACKS, WOMEN'S (WITH SIDE POCKETS) [CUST: NU CT] | A 8410 | CT | | 10-FEB-93 |
| | MIL-J-24949 | JUMPER, WOMAN'S, WHITE [CUST: NU CT] | A 8410 | CT | | 17-JUL-89 |
| | MIL-S-24950 | SHIRT, MAN'S DRESS WHITE, LONG SLEEVE (CG) [CUST: NU CT] | A 8405 | CT | | 11-OCT-89 |
| | MIL-F-24951B | FUEL OIL RECLAIMED [CUST: SA] [REVIEW: CG MC PS YDI] | A 9140 | SA | | 10-FEB-95 |
| D | MIL-T-24960A | TRUCK, LIFT, DIESEL ENGINE DRIVEN, PNEUMATIC RUBBER TIRES WITH TOPHANDLER FOR HANDLING CARGO CONTAINERS [CUST: CR4 SA 84 IS] [REVIEW: CC MC MT OS SH SM YDI] | A 3930 | IS | | 08-MAR-94 |
| | MIL-G-25013E NOT 1 | GREASE, AIRCRAFT, BALL AND ROLLER BEARING, NATO CODE NUMBER G-372, METRIC [CUST: CR4 AS 11] [REVIEW: 68 OS PS SH] | A 9150 | AS | | 28-OCT-91 |
| | MIL-I-25026B | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-4 [CUST: 99] [REVIEW: 82] | A 6685 | GS | | 15-FEB-85 |
| A | MIL-DTL-25027H | NUT, SELF-LOCKING, 250 DEG. F, 450 DEG. F, AND 800 DEG. F [CUST: AR AS 99 IS] [REVIEW: 82 AV MI OS SH] | A 5310 | IS | | 15-AUG-97 |
| | MIL-N-25027/1A | NUT, SELF-LOCKING, HEAVY HEX, (NON-METALLIC INSERT) 250 DEG. AND 450 DEG. F, UNJC-3B, 1/4 THROUGH 2-1/2 INCH NOMINAL DIAMETERS, NICKEL-COPPER ALLOY [CUST: SH IS] | A 5310 | IS | | 28-APR-95 |
| A | MIL-W-25038F(1) | WIRE, ELECTRICAL, HIGH TEMPERATURE, FIRE RESISTANT, AND FLIGHT CRITICAL, GENERAL SPECIFICATION FOR [CUST: CR AS 85 CC] [REVIEW: 17 99 AR AV CR4 MI OS] | A 6145 | CC | | 24-FEB-97 |
| | MIL-W-25038/1D | WIRE, ELECTRICAL, HIGH TEMPERATURE, FIRE RESISTANT, FLIGHT CRITICAL, NORMAL WEIGHT [CUST: CR AS 85 CC] [REVIEW: 99 AR AV MI OS] | A 6145 | CC | | 16-SEP-93 |
| | MIL-W-25038/3C | WIRE, ELECTRICAL, HIGH TEMPERATURE, FIRE RESISTANT, AND FLIGHT CRITICAL, LIGHT WEIGHT, SMALL DIAMETER 1/ [CUST: CR AS 85 CC] [REVIEW: 99 AR AV MI NA OS] | A 6145 | CC | | 16-SEP-93 |
| | MIL-C-25050A(2) | COLORS, AERONAUTICAL LIGHTS AND LIGHTING EQUIPMENT, GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: 99 CR4 GS MI] | A 6220 | AS | | 30-MAR-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | UCA | Prep. Acty. | Date |
|-------------|-----------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-S-25073A | SEAT, AIRCRAFT [CUST: AV 99] | A 1680 | 82 | | 25-AUG-89 |
| | MIL-E-25109 NOT 1 | ENGINE, AIRCRAFT, RECIPROCATING, GENERAL SPECIFICATION FOR [CUST: AS] | A 2810 | AS | | 25-AUG-87 |
| | MIL-I-25130B NOT 1 | INDICATOR, PRESSURE, OIL, 0-300 PSI, TYPE MO-1 [CUST: AS] | A 6620 | GS | | 16-OCT-91 |
| | MIL-W-25136(1) NOT 2 | WIRE W-106 AND W-106-A [CUST: 85 CC] [REVIEW: 11] | A 6145 | CC | | 10-JAN-63 |
| | MIL-N-25161C(3) | NOZZLE, AERIAL PRESSURE REFUELING, TYPE MA-2 [CUST: AS 99] [REVIEW: 82] | A 1680 | 11 | | 12-FEB-81 |
| | MIL-G-25308B(2) | GAGE, PRESSURE, DIAL INDICATING, HYDRAULIC, TYPE ME&1 [CUST: 99] [REVIEW: 82] | A 6685 | GS | | 21-OCT-74 |
| A | MIL-P-25421B NOT 1 | PLASTIC MATERIALS, GLASS FIBER BASE - EPOXY RESIN, LOW PRESSURE LAMINATED [CUST: AV AS 11 GS] [REVIEW: 17 84 CR EC MI MR OS SH] | A 9330 | GS | | 28-OCT-91 |
| | MIL-C-25427A(1) | COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK DISCONNECT [CUST: AS 99] [REVIEW: AT CC MI] | A 4730 | AS | | 08-JAN-63 |
| | MIL-A-25463B NOT 1 | ADHESIVE, FILM FORM, METALLIC STRUCTURAL SANDWICH CONSTRUCTION [CUST: MR AS 99] [REVIEW: 11 AR AT AV CR CR4 OS SH] | A 8040 | AS | | 28-OCT-91 |
| | MIL-L-25467D | LIGHTING, INTEGRAL, RED, AIRCRAFT INSTRUMENT, GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: 99] | A 6220 | AS | | 12-JUL-77 |
| | MIL-C-25516D(6) SUP 1 NOT 1 | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, GENERAL SPECIFICATION FOR [CUST: EC 85] [REVIEW: 99 AS] | A 5935 | CC | | 03-FEB-93 |
| | MIL-C-25516/16C NOT 1 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL PRESSURIZED RECEPTACLE, SERIES IV, CLASS G, TYPE 4 [CUST: EC 85] [REVIEW: SH] | A 5935 | CC | | 27-FEB-87 |
| | MIL-C-25516/17D NOT 1 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL HERMETICALLY SEALED RECEPTACLE, SERIES IV, CLASS H, TYPE 4 [CUST: EC 85] [REVIEW: 99 AS] | A 5935 | CC | | 27-FEB-87 |
| | MIL-C-25516/18D NOT 1 | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL STRAIGHT, HERMETICALLY SEALED PANEL ADAPTER, TWO JACK ENDS, SERIES III, CLASS Y, TYPE 5 [CUST: EC 85] [REVIEW: 99 AS] | A 5935 | CC | | 03-NOV-88 |
| | MIL-C-25516/19C(1) NOT 1 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL PRESSURIZED RECEPTACLE, SERIES I, CLASS G, TYPE 1 [CUST: EC 85] [REVIEW: 99 AS] | A 5935 | CC | | 27-FEB-87 |
| | MIL-C-25516/20C(2) NOT 1 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL, PLUG, SERIES I, CLASS G, TYPE 1 [CUST: EC 85] [REVIEW: 99 AS] | A 5935 | CC | | 27-FEB-87 |
| | MIL-C-25516/21C | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, ISOLATED HERMETICALLY SEALED RECEPTACLE, SERIES IV, CLASS H, TYPE 2 [CUST: EC 85] [REVIEW: 99 AS] | A 5935 | CC | | 19-MAY-80 |
| | MIL-C-25516/22D NOT 1 | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, TRIAXIAL HERMETIC ADAPTER, ISOLATED GROUND, SERIES III, CLASS Y, TYPE 6 [CUST: EC 85] [REVIEW: 99 AS] | A 5935 | CC | | 03-NOV-88 |
| | MIL-C-25516/23 NOT 1 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE COAXIAL PLUG, TYPE 25516/23 [CUST: EC 85] [REVIEW: 99] | A 5935 | CC | | 27-FEB-87 |
| | MIL-C-25516/25B NOT 1 | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL HERMETICALLY SEALED RECEPTACLE, SERIES I, CLASS H, TYPE 1 [CUST: EC 85] [REVIEW: 99 AS] | A 5935 | CC | | 03-NOV-88 |
| | MIL-C-25516/26A | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL PLUG, SERIES I, CLASS G, TYPE 3 [CUST: EC 85] [REVIEW: 99 AS] | A 5935 | CC | | 27-FEB-87 |
| | MIL-C-25516/27A | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL HERMETICALLY SEALED RECEPTACLE, SERIES IV, CLASS H, TYPE 4 [CUST: EC 85] [REVIEW: 99 AS] | A 5935 | CC | | 27-FEB-87 |
| | MIL-C-25516/28B NOT 1 | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, PLUG (LANYARD RELEASE), SERIES I, CLASS G, TYPE 1 [CUST: EC 85] [REVIEW: 99 AS CR4 OS SH] | A 5935 | CC | | 03-NOV-88 |
| | MIL-C-25516/29A | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, HERMETICALLY SEALED RECEPTACLE, SERIES IV, CLASS G, TYPE 4 [CUST: EC 85] [REVIEW: 99 AS] | A 5935 | CC | | 03-NOV-88 |
| A | MIL-DTL-25524E | TURBINE FUEL, AVIATION, THERMALLY STABLE [CUST: 11] [REVIEW: 68] | A 9130 | 11 | | 20-NOV-97 |
| | MIL-G-25537C(1) | GREASE, AIRCRAFT, HELICOPTER OSCILLATING BEARING, NATO CODE NUMBER G-366, METRIC [CUST: CR4 AS 11] [REVIEW: 68 AV GS PS] | A 9150 | AS | | 08-APR-88 |
| D | MIL-C-25539B | CANDLE, ILLUMINATING, SURVIVAL, HIGH MELTING POINT [CUST: 99 IS] [REVIEW: GL] | A 6260 | IS | | 21-JUL-76 |
| A | MIL-L-25547B(3) NOT 1 | LOUDSPEAKER, PERMANENT MAGNET LS-211/AIC-13 [CUST: CR EC 85 CC] [REVIEW: 99 AR AT AV CR4 OS] | A 5965 | CC | | 26-AUG-97 |
| A | MIL-DTL-25561B | GRIP ASSEMBLY, CONTROLLER, AIRCRAFT, TYPE MC-2 [CUST: 99] [REVIEW: 82] | A 1680 | GS | | 17-MAR-95 |
| | MIL-L-25567D(1) NOT 1 | LEAK DETECTION COMPOUND, OXYGEN SYSTEMS (METRIC) [CUST: AV AS 68] [REVIEW: 11 EA MI] | A 6850 | GS | | 27-APR-93 |
| | MIL-P-25576C(2) | PROPELLANT, KEROSENE [CUST: CR4 AS 11] [REVIEW: 19 68 EA MI PS] | A 9130 | 11 | | 15-JUN-82 |
| | MIL-H-25579E | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE MEDIUM PRESSURE, GENERAL REQUIREMENTS FOR [CUST: AV AS 99] [REVIEW: 69 82 AR CR4 EA GL SH] | A 4720 | CC | | 24-JAN-85 |
| A | MIL-N-25677C NOT 2 | NOZZLE, PRESSURE LUBRICATING OIL SERVICING, LOCKING [CUST: 99 CC] [REVIEW: 11 82] | A 4730 | CC | | 20-JUN-97 |
| | DOD-L-25681D NOT 2 | LUBRICANT MOLYBDENUM DISULFIDE, SILICONE [CUST: CR AS 68] [REVIEW: AR DS GS MI PS] | A 9150 | 68 | | 01-MAY-91 |
| | MIL-C-25694B NOT 1 | CLOTH, NYLON, METALIZED [CUST: SA 11 CT] [REVIEW: 45 99 NU] | A 8305 | CT | | 30-JUL-87 |
| A | MIL-A-25707D NOT 1 | ANTENNA, FLUSH MOUNT, L-BAND, GENERAL SPECIFICATION FOR [CUST: 85] [REVIEW: 11 99] | A 5985 | CC | | 30-JAN-87 |
| A | MIL-A-25707/1A NOT 1 | ANTENNA, FLUSH MOUNT, TYPE AT-740/A [CUST: 85] [REVIEW: 11 99] | A 5985 | CC | | 30-JAN-87 |
| | MIL-M-25707/2A NOT 1 | ANTENNA, FLUSH MOUNT (RADIUS OF CURVATURE - 14.90 INCHES) [CUST: 85] [REVIEW: 11 99] | A 5985 | CC | | 30-JAN-87 |
| A | MIL-L-25707/3A NOT 1 | ANTENNA, FLUSH MOUNT (RADIUS OF CURVATURE - 66.50 INCHES) [CUST: 85] [REVIEW: 11 99] | A 5985 | CC | | 30-JAN-87 |
| | MIL-A-25708C NOT 1 | ANTENNA, BLADE, L-BAND, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 99 AV CC] | A 5985 | CC | | 02-MAR-87 |
| A | MIL-A-25708/1D | ANTENNA, BLADE, AT-741B/B (HN CONNECTOR) [CUST: CR AS 85] [REVIEW: 11 70 71 80 84 AV CC] | A 5985 | CC | | 27-DEC-85 |
| A | MIL-A-25708/2A NOT 1 | ANTENNA, BLADE, AS-2685/A [CUST: 85] [REVIEW: 11 99 CC] | A 5985 | CC | | 30-JAN-87 |
| | MIL-A-25708/3B NOT 1 | ANTENNA, BLADE, AS-2686/A (HN CONNECTOR) [CUST: CR AS 85] [REVIEW: 11 99 AV CC] | A 5985 | CC | | 02-MAR-87 |
| | MIL-A-25708/5A NOT 1 | ANTENNA, BLADE, L-BAND (4 HOLE MOUNT, N-CONNECTOR) [CUST: CR AS 85] [REVIEW: 99 AV CC] | A 5985 | CC | | 02-MAR-87 |
| | MIL-P-25726B(3) | PROBE, TOTAL TEMPERATURE, TYPE MA-1 [CUST: AS 99] [REVIEW: 11 GS] | A 6685 | 82 | | 05-APR-67 |
| | MIL-H-25754B(1) | HOOD, WINTER, KNIT, WOOL [CUST: 99 CT] [REVIEW: 45] | A 8415 | CT | | 20-OCT-86 |
| D | MIL-L-25866B(1) NOT 1 | LIGHT, EMERGENCY EXIT, AIRCRAFT LEU-1/A [CUST: 99 IS] [REVIEW: 82 AV GS] | A 6220 | IS | | 15-MAR-91 |
| | MIL-G-25867C | GAGE, PRESSURE, DIAL INDICATING, PNEUMATIC [CUST: 99] [REVIEW: 82 MI] | A 6685 | GS | | 03-MAY-79 |
| A | MIL-A-25895 NOT 1 | ANTENNA AT&505-AP [CUST: AS 99] [REVIEW: 84] | A 5985 | AS | | 30-JAN-87 |
| | MIL-S-25948J(1) | SUNGLASSES, HGU-4/P (WITH CASE) [CUST: GL AS 99 CT] [REVIEW: 45 82 MD MS] | A 8465 | CT | | 28-AUG-86 |
| | MIL-C-25955(4) | CONNECTORS ELECTRICAL, ENVIRONMENT RESISTING, MINIATURE, WITH SNAP-IN CONTACTS [CUST: 85] [REVIEW: 99] | A 5935 | CC | | 31-JAN-94 |
| D | MIL-L-25971B(1) | LIGHT, AIRPORT TRAFFIC [CUST: 99 IS] [REVIEW: 11 AS] | A 6210 | IS | | 27-JAN-84 |
| A | MIL-P-25995B | PIPE, ALUMINUM ALLOY, DRAWN OR EXTRUDED [CUST: 99] [REVIEW: 82 CR4 EA YDI] | A 4710 | CC | | 02-MAR-82 |
| A | MIL-C-26074E NOT 3 | COATINGS, ELECTROLESS NICKEL REQUIREMENTS FOR [CUST: MR SH 11] [REVIEW: 68 84 99 AR AS ME MI OS] | A MFFP | SH | | 25-FEB-98 |
| | MIL-L-26087B(1) NOT 2 | LUBRICATING OIL, RECIPROCATING COMPRESSOR, GROUND SUPPORT [CUST: MR AS 68] [REVIEW: AR AT EA PS] | A 9150 | GS | | 25-MAY-91 |
| | MIL-R-26126B | RELAYS, ELECTRICAL, OVERVOLTAGE, DC, GENERAL SPECIFICATION FOR [CUST: 85] [REVIEW: 99] | A 5945 | CC | | 10-MAY-94 |
| | MIL-R-26126/2A | RELAY, ELECTRICAL, OVERVOLTAGE, TYPE II, HYBRID, SEALED [CUST: 85] [REVIEW: 99] | A 5945 | CC | | 09-APR-78 |
| | MIL-J-26149E NOT 1 | JACK, HYDRAULIC, AIRCRAFT MAINTENANCE, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 11 82 MC] | A 1730 | CC | | 25-SEP-91 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------------|--|-----------------------|-----|-------------|------|
| D | MIL-L-26202D(2) NOT 1 | LIGHT, MARKER, AIRPORT, SEMIFLUSH, GENERAL SPECIFICATION FOR [CUST: AS 99 IS] [REVIEW: 11 YD1] | A 6210 | IS | 24-JAN-94 | |
| | MIL-P-26366A(1) | PROPELLER SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS CC] [REVIEW: 99] | A 1610 | CC | 22-MAY-84 | |
| | MIL-P-26367A NOT 1 | PROPELLER SYSTEMS, AIRCRAFT, MODEL SPECIFICATION FOR (OUTLINE AND INSTRUCTIONS FOR PREPARATION) [CUST: AV YDI 11 CC] | A 1610 | CC | 30-AUG-88 | |
| | MIL-C-26482G(5) SUP 1 | CONNECTORS, ELECTRICAL, (CIRCULAR, MINIATURE, QUICK DISCONNECT, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 17 99 AR AV EC SH TD] | A 5935 | CC | 03-JAN-91 | |
| | MIL-H-26499C | HOSE ASSEMBLY, METAL, FLEXIBLE, BREATHING OXYGEN [CUST: AV AS 99] | A 4720 | CC | 10-APR-89 | |
| A | MIL-H-26521J | HOSE ASSEMBLY, NONMETALLIC, FUEL, COLLAPSIBLE, LOW TEMPERATURE WITH NON-REUSABLE COUPLINGS [CUST: 99] [REVIEW: AR AV YDI] | A 4720 | CC | 21-JUN-95 | |
| A | MIL-M-265427A NOT 1 | MICROPHONE, M-94B/A [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A 5965 | CC | 20-JAN-92 | |
| | MIL-H-26626D | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, OXYGEN [CUST: AV AS 99] [REVIEW: 11] | A 4720 | 71 | 01-NOV-94 | |
| A | MIL-H-26633C | HOSE ASSEMBLY, POLYETRAFLUOROETHYLENE, OXYGEN [CUST: 99] [REVIEW: 11] | A 4720 | CC | 10-JUN-85 | |
| | MIL-T-26639C(4) | TESTER, TORQUE WRENCH [CUST: GL AS 99 GS] [REVIEW: AV CE MC OS] | A 6635 | GS | 17-NOV-89 | |
| | MIL-H-26666D(1) | HOSE ASSEMBLY, PNEUMATIC, HIGH PRESSURE [CUST: AR SH 99] [REVIEW: 82 CR4 MI YDI] | A 4720 | CC | 03-JUL-78 | |
| | MIL-S-26688(1) | SEAT, PASSENGER, AFT FACING, TRANSPORT AIRCRAFT [CUST: 99] | A 1680 | 82 | 05-SEP-78 | |
| A | MIL-B-26701F | BOTTLE, POLYMER, IN A COMBINATION CONTAINER, SHIPPING AND STORAGE, AIR ELIGIBLE [CUST: GL SA 69 CC] [REVIEW: 99 AR AS MC MD SM] | A 8125 | CC | 15-SEP-94 | |
| | MIL-C-26712B | CLOTH, COATED, NYLON, CHLOROPRENE COATED [CUST: AS 11 CT] [REVIEW: 31 45 82 99] | A 8305 | CT | 26-FEB-82 | |
| A | MIL-S-26753D | SANDER, DISK AND SPINDLE, WOODWORKING [CUST: AL SH 99 IS] [REVIEW: 84 AV CE MC] | A 3220 | IS | 06-AUG-90 | |
| D | MIL-L-26764B | LIGHT, MARKER, AIRPORT APPROACH, HIGH INTENSITY, TYPE MB-2 [CUST: AS 99 IS] [REVIEW: YD1] | A 6210 | IS | 04-MAR-70 | |
| | MIL-F-26862B(2) | FIBERBOARD, SOLID, NON-CORROSIVE, FUNGI-RESISTANT FOR INTERIOR BLOCKING APPLICATIONS [CUST: AR] [REVIEW: OS] | A 8135 | AR | 10-APR-89 | |
| | MIL-G-26869D | GROOVING MACHINE, SHEET METAL, FLOOR MOUNTING TYPE, POWER OPERATED, ELECTRIC MOTOR DRIVEN [CUST: AL 99 GS] [REVIEW: AR YDI] | A 3441 | GS | 21-APR-89 | |
| A | MIL-H-26894C | HOSE ASSEMBLY, RUBBER, GASOLINE, REFUELING, LOW TEMPERATURE [CUST: 99] [REVIEW: 82] | A 4720 | CC | 13-JUL-76 | |
| | MIL-T-26963D | TESTER, PRESSURE GAGE, HYDRAULIC, PORTABLE, TYPE MP-1 [CUST: 99] [REVIEW: 82] | A 6685 | GS | 30-APR-92 | |
| D | MIL-L-26990B(2) | LIGHT, MARKER, AIRPORT APPROACH, HIGH INTENSITY, TYPE MB-1 [CUST: AS 99 IS] [REVIEW: YD1] | A 6210 | IS | 04-AUG-78 | |
| | MIL-C-27072B(1) SUP 1 | CABLE, POWER, ELECTRICAL AND CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR AND SINGLE SHIELDED, GENERAL SPECIFICATION FOR [CUST: CR SH 85 CC] | A 6145 | CC | 10-MAY-94 | |
| | MIL-C-27072/1B NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NON-SHIELDED, TYPE 1, STYLE 1, 3 CONDUCTORS (NO. 16 AWG) [CUST: 85 CC] | A 6145 | CC | 27-FEB-87 | |
| A | MIL-C-27072/4C(1) | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (2 CONDUCTORS) AND SINGLE SHIELDED M27072/4JDDD* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 15-NOV-96 | |
| A | MIL-C-27072/5B(1) | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/5NDDD* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 15-NOV-96 | |
| | MIL-C-27072/7B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/7MDDD [CUST: 85 CC] | A 6145 | CC | 24-SEP-87 | |
| | MIL-C-27072/8B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) M27072/8KBCK* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| | MIL-C-27072/9B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) & SINGLE SHIELDED M27072/9HBKB* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| | MIL-C-27072/12B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/12MDDD* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| | MIL-C-27072/15B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) & SINGLE SHIELDED M27072/15JAKA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| | MIL-C-27072/16B NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) M27072/16DMAA* [CUST: CR SH 85 CC] [REVIEW: 99 IS] | A 6145 | CC | 24-SEP-87 | |
| | MIL-C-27072/17B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/17LACA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| A | MIL-C-27072/19B(1) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/19NDDD* [CUST: CR SH 85 CC] | A 6145 | CC | 15-NOV-96 | |
| A | MIL-C-27072/21A(1) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/21LDDA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 15-NOV-96 | |
| | MIL-C-27072/24A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/24FBCA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| | MIL-C-27072/25B(1) | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (2 CONDUCTORS) AND SINGLE SHIELDED M27072/25JDDA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 10-FEB-96 | |
| | MIL-C-27072/26A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/26JACA [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| A | MIL-C-27072/27A(1) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (20 CONDUCTORS) M27072/27JDAB* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 15-NOV-96 | |
| | MIL-C-27072/28B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (2 CONDUCTORS) AND SINGLE SHIELDED M27072/28KACA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 10-MAY-94 | |
| | MIL-C-27072/29A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (12 CONDUCTORS) AND SINGLE SHIELDED M27072/29MACA [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| | MIL-C-27072/32A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (33 CONDUCTORS) M27072/32FBMA [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| | MIL-C-27072/33A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/33KBKA [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| | MIL-C-27072/34A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SINGLE SHIELDED M27072/34LACA [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| | MIL-C-27072/35A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) AND SINGLE SHIELDED M27072/36FBCA [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| | MIL-C-27072/36A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SHIELDED M27072/36GBCA [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| A | MIL-C-27072/41 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/41FACA [CUST: CR SH 85 CC] | A 6145 | CC | 24-SEP-87 | |
| | MIL-C-27072/42A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) AND SINGLE SHIELDED M27072/42JBKA [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 24-SEP-87 | |
| A | MIL-C-27072/43A(1) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) AND SINGLE SHIELDED M27072/43LDDH* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | 15-NOV-96 | |
| A | MIL-C-27072/44A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/44MAAA [CUST: CR SH 85 CC] | A 6145 | CC | 24-SEP-87 | |
| A | MIL-C-27072/45A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/45HACA [CUST: CR SH 85 CC] | A 6145 | CC | 24-SEP-87 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-C-27072/47A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (12 SHIELDED PAIRS) AND SINGLE SHIELDED M27072/47MAMA [CUST: CR SH 85 CC] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/48A(1) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SINGLE SHIELDED M27072/48JDDD* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 15-NOV-96 |
| A | MIL-C-27072/49 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/49HBCK [CUST: CR SH 85 CC] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/51A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/51JACA [CUST: CR SH 85 CC] | A 6145 | CC | | 24-SEP-87 |
| | MIL-C-27072/53A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (26 CONDUCTORS) M27072/53MDMC [CUST: 85] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/54A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/53MAQA [CUST: 85 CC] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/55A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/55HBQA [CUST: 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/56B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/56MAQA [CUST: 85 CC] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/57A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR & SINGLE SHIELDED M27072/57NACA [CUST: 85 CC] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/58A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR & SINGLE SHIELDED M27072/58MAAA [CUST: 85 CC] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/59A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/59MAQA [CUST: 85 CC] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/61A(1) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SINGLE SHIELDED M27072/61GEDD* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 15-NOV-96 |
| A | MIL-C-27072/62B(1) | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (2 CONDUCTORS) AND SINGLE SHIELDED M27072/62JEDD* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 15-NOV-96 |
| A | MIL-C-27072/63B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (2 CONDUCTORS) AND SINGLE SHIELDED M27072/63SDDD* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 10-MAY-94 |
| A | MIL-C-27072/64A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (8 CONDUCTORS) M27072/64DBAA [CUST: 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/65A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (10 CONDUCTORS) & SINGLE SHIELDED M27072/65MACA [CUST: 85 CC] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/66B(1) | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (7 CONDUCTORS) AND SINGLE SHIELDED M27072/66LEDD* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 15-NOV-96 |
| A | MIL-C-27072/67 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/67FEDD* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/68A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (21 CONDUCTORS) & SINGLE SHIELDED M27072/68KACA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/70 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) & SINGLE SHIELDED M27072/70MACA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/75B NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (6 CONDUCTORS) M27072/75JACA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/76A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (1 SHIELDED PAIR & 8 WIRES UNDER A DOUBLE SHIELD) M27072/76SACA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/77B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 SHIELDED CABLES AND 19 WIRES UNDER A DOUBLE SHIELD) M27072/77MACA* [CUST: CR SH 85 CC] | A 6145 | CC | | 10-MAY-94 |
| A | MIL-C-27072/78A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/78KBACA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/79A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (7 CONDUCTORS) M27072/79KAAA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/80A | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (6 CONDUCTORS) & SINGLE SHIELDED M27072/80KACA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/81B NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/81EBCK [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/82A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (5 CONDUCTORS) & SINGLE SHIELDED M27072/82GACA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/83A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (7 CONDUCTORS) & SINGLE SHIELDED M27072/83MACA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/84A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (6 CONDUCTORS) M27072/84FAAC* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| A | MIL-C-27072/85A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (11 CONDUCTORS) M27072/85KAAA* [CUST: CR SH 85 CC] [REVIEW: 99] | A 6145 | CC | | 24-SEP-87 |
| | MIL-I-27188B | INDICATOR, PRESSURE EGU-2/A, OIL, 0-100 PSI [CUST: 99] | A 6620 | GS | | 30-APR-94 |
| | MIL-I-27190B | INDICATOR, PRESSURE AGU&3-A, HYDRAULIC, 0&4,000 PSI [CUST: 99] [REVIEW: 82] | A 6685 | GS | | 31-OCT-67 |
| | MIL-R-27208/4G NOT 2 | RESISTOR, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT 22 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT AV CR4 MC MI OS] | A 5905 | CC | | 31-MAY-93 |
| A | MIL-C-27212B(1) NOT 2 | CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING CONTROL [CUST: 85 CC] [REVIEW: 11 19] | A 6145 | CC | | 22-JAN-93 |
| | MIL-P-27235A | PIN, STRAIGHT, HEADED (CLEVIS PINS) [CUST: AR 99 IS] [REVIEW: 82 AV CE CR4 MC MI OS] | A 5315 | IS | | 27-NOV-68 |
| | MIL-T-27260B(2) | TIE DOWN, CARGO, AIRCRAFT, CGU-1/B [CUST: GL AS 99] [REVIEW: AV CR4 MT] | A 1670 | 82 | | 23-JUN-92 |
| | MIL-W-27265E | WEBBING, TEXTILE, WOVEN NYLON IMPREGNATED [CUST: GL AS 99 CT] [REVIEW: 45 82 AR DS EA MC MD NU OS SH] | A 8305 | CT | | 27-JUN-88 |
| | MIL-H-27267B | HOSE TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE [CUST: AV AS 99] [REVIEW: 82 CR4 GL MI] | A 4720 | CC | | 30-MAY-84 |
| | MIL-F-27272B SUP 1A | FITTINGS, TETRAFLUOROETHYLENE HOSE HIGH TEMPERATURE, MEDIUM PRESSURE GENERAL SPECIFICATION FOR [CUST: CR4 SH 99 CC] [REVIEW: 11 69 82 AS AV MI] | A 4730 | CC | | 20-AUG-91 |
| | MIL-C-27287/1(1) NOT 1 | CAPACITOR, FIXED, PLASTIC (NON-METALLIC CASE) STYLE CTM- CHARACTERISTIC V [CUST: 85] [REVIEW: 99 AR] | A 5910 | CC | | 27-FEB-87 |
| | MIL-V-27296C | VALVE, OXYGEN MASK, COMBINATION INHALATION AND EXHALATION [CUST: AV AS 99] [REVIEW: 11] | A 1660 | 82 | | 28-OCT-93 |
| | MIL-C-27298B NOT 1 | CLOCK, AIRCRAFT, MECHANICAL ABU&9-A [CUST: AS] [REVIEW: GS] | A 6645 | AS | | 19-JUN-87 |
| | MIL-H-27301D(1) | HOSE ASSEMBLY, METAL, CRYOGENIC LIQUID, TRANSFER [CUST: 82] [REVIEW: 99] | A 4720 | 82 | | 30-NOV-78 |
| | MIL-R-27384B | RIVET, BLIND, DRIVE TYPE [CUST: AR YDI 99 IS] [REVIEW: AT AV CR4 GL MC] | A 5320 | IS | | 28-OCT-70 |
| A | MIL-DTL-27426B | RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) [CUST: AR OS 99 IS] [REVIEW: 11 82 AV MI] | A 5325 | IS | | 25-SEP-97 |
| A | MIL-DTL-27426/1 | RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) MEDIUM DUTY EXTERNAL [CUST: AR OS 99 IS] [REVIEW: 11 82 AV MI] | A 5365 | IS | | 25-SEP-97 |
| A | MIL-DTL-27426/2 | RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) HEAVY DUTY EXTERNAL [CUST: AR OS 99 IS] [REVIEW: 11 82 AV MI] | A 5365 | IS | | 25-SEP-97 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-DTL-27426/3 | RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) MEDIUM DUTY INTERNAL [CUST: AR OS 99 IS] [REVIEW: 11 82 AV MI] | A 5365 | IS | | 22-SEP-97 |
| | MIL-B-27486C | BOOTS, FLYING, FWU-3/P [CUST: GL 99 CT] [REVIEW: 31 45] | A 8430 | CT | | 04-OCT-85 |
| | MIL-B-27486C(11) | BOOTS, FLYER'S, FWU-3/P [CUST: CT] | A 8430 | CT | | 03-AUG-95 |
| | MIL-T-27493A NOT 2 | TRANSFORMER, VARIABLE, SINGLE PHASE, 400 CYCLES, GENERAL SPECIFICATIONS FOR [CUST: AS 85] [REVIEW: 11 MI] | A 5950 | CC | | 26-AUG-93 |
| A | MIL-B-27497C | BEARING, JEWEL, SAPPHIRE OR RUBY, SYNTHETIC [CUST: AR SH 99] [REVIEW: AS CR MC MI] | A 6695 | 82 | | 27-APR-78 |
| A | MIL-DTL-27500H | CABLE, POWER, ELECTRICAL AND CABLE SPECIAL PURPOSE, ELECTRICAL SHIELDED AND UNSHIELDED, GENERAL SPECIFICATION FOR [CUST: CR AS 85 CC] [REVIEW: 11 99 AR MI] | A 6145 | CC | | 10-DEC-97 |
| | MIL-C-27505B(2) NOT 2 | CARTRIDGE, ENGINE STARTER MXU-41A [CUST: 99] | A 1377 | 70 | | 26-JUL-93 |
| | MIL-H-27516D | HOSE AND HOSE ASSEMBLY, NONMETALLIC, SUCTION AND DISCHARGE [CUST: CR4 YD1 99] [REVIEW: 82 AV GS] | A 4720 | CC | | 03-AUG-77 |
| | MIL-M-27529B NOT 1 | MITTENS, EXTREME COLD WEATHER SURVIVAL, SRU-10/P [CUST: 99 CT] | A 8415 | CT | | 31-OCT-89 |
| | MIL-T-27535A(2) SUP 1A NOT 2 | TRANSFORMER, POWER, ISOLATION: SERIES CIRCUIT, AIRPORT LIGHTING, GENERAL SPECIFICATION FOR [CUST: AS 85] [REVIEW: 11 MI YD1] | A 5950 | CC | | 26-AUG-93 |
| | MIL-DTL-27536C | COUPLING, CLAMP, GROOVED, V-BAND [CUST: AS 99 IS] [REVIEW: 11] | A 5340 | IS | | 15-DEC-95 |
| | MIL-DTL-27536/1 | COUPLING, CLAMP, GROOVED, V-BAND, 1.750 TO 14.250 FLANGE OD (-65 DEG. TO +800 DEG. F) [CUST: AS 99 IS] [REVIEW: 82] | A 5340 | IS | | 15-DEC-95 |
| | MIL-DTL-27536/2 | COUPLING, CLAMP, GROOVED, V-BAND, 1.750 TO 6.250 FLANGE OD (-450 DEG. F TO +250 DEG. F) [CUST: AS 99 IS] [REVIEW: 82] | A 5340 | IS | | 15-DEC-95 |
| | MIL-DTL-27536/3 | COUPLING, CLAMP, GROOVED, V-BAND, 1.750 TO 14.250 FLANGE OD (-320 DEG. TO +1200 DEG. F) [CUST: AS 99 IS] [REVIEW: 82] | A 5340 | IS | | 15-DEC-95 |
| | MIL-K-27545B | KEY, WOODRUFF, ALLOY STEEL [CUST: AR OS 99 IS] [REVIEW: 82 AV] | A 5315 | IS | | 23-JUN-89 |
| | MIL-L-27546D | LINER: FLYER'S JACKET, AND FLYER'S, TROUSERS, CWU-9/P [CUST: 99 CT] [REVIEW: 45 DP] | A 8415 | CT | | 23-APR-91 |
| | MIL-C-27599B(1) | CONNECTOR, ELECTRICAL, MINIATURE, QUICK DISCONNECT (FOR WEAPONS SYSTEMS) ESTABLISHED RELIABILITY [CUST: 85] [REVIEW: 17 99] | A 5935 | CC | | 31-JAN-94 |
| | MIL-C-27613A(1) NOT 1 | COVERALLS, ROCKET FUEL HANDLERS, CMU-2/P [CUST: 99 CT] | A 8415 | CT | | 31-OCT-89 |
| | MIL-H-27614A NOT 1 | HOOD, ROCKET FUEL HANDLERS, HGU-11/P [CUST: 99 CT] | A 8415 | CT | | 31-OCT-89 |
| A | MIL-S-27626D(1) | SAMPLER, CRYOGENIC LIQUID [CUST: 68] [REVIEW: 19 99] | A 6695 | 82 | | 24-APR-81 |
| | MIL-S-27661C | STRAINER, SEDIMENT, JET FUEL UNIT, 600 GPM [CUST: YD1 99 CC] [REVIEW: 82] | A 4730 | CC | | 03-OCT-84 |
| A | MIL-DTL-27686G | INHIBITOR, ICING, FUEL SYSTEM [CUST: AT AS 11] [REVIEW: 68 AV GS PS] | A 6850 | 11 | | 22-DEC-97 |
| | MIL-C-27715(1) | CIRCUIT BREAKER, TRIP-FREE, HIGH TEMPERATURE, AIRCRAFT GENERAL SPECIFICATION FOR [CUST: 85] [REVIEW: 99 MI] | A 5925 | CC | | 06-OCT-86 |
| | MIL-T-27720D(2) | TANK, STORAGE, LIQUID OXYGEN/LIQUID NITROGEN, TMU-24/E [CUST: 82] [REVIEW: 11 99] | A 3655 | 82 | | 03-AUG-82 |
| | MIL-P-27723E | PROBE, TOTAL TEMPERATURE, DEICEABLE [CUST: AS 99] [REVIEW: 82] | A 6685 | GS | | 15-MAR-85 |
| | MIL-C-27725B NOT 1 | COATING, CORROSION PREVENTIVE, FOR AIRCRAFT INTEGRAL FUEL TANKS [CUST: AS 11] [REVIEW: 99] | A 8030 | 11 | | 30-JUL-87 |
| | MIL-M-27733B(1) | MODIFICATION & MARKING PROCEDURES FOR TEST EQUIPMENT IN AEROSPACE VEHICLES (CLASS II MODIFICATION) [CUST: 11] | A 15GP | 11 | | 03-MAY-85 |
| | MIL-L-27885C | LAST, FOOTWEAR FWU-5/P [CUST: 99 CT] [REVIEW: 45] | A 8335 | CT | | 25-NOV-85 |
| | MIL-DTL-27893F | HARNESSES, PARACHUTIST'S, INDIVIDUAL EQUIPMENT PACK ("H" - TYPE) [CUST: GL] [REVIEW: AV] | A 1670 | GL | | 07-APR-97 |
| | MIL-W-28517B | WATER SUPPLY SYSTEM, AUTOMATIC [CUST: YD1] | A 4320 | YD1 | | 20-NOV-91 |
| | MIL-S-28566C | SWEEPER, ROTARY, TOWED, COMMERCIAL, BLOWER TYPE [CUST: YD1 CC] | A 3825 | CC | | 19-JUN-91 |
| | MIL-P-28584B | PIPE AND PIPE FITTINGS, GLASS FIBER REINFORCED PLASTIC, ADHESIVE BONDED JOINT TYPE, FOR CONDENSATE RETURN LINES [CUST: CE YD1 11] | A 4710 | YD1 | | 03-MAR-89 |
| A | MIL-DTL-28619D | ANCHORS, STATO MOORING, 200 TO 15,000 POUNDS [CUST: YD1] [REVIEW: SH] | A 2040 | YD1 | | 20-OCT-97 |
| A | MIL-DTL-28628D | CAMEL, WOOD, MARINE; SINGLE LOG CONFIGURATION, UNTREATED AND TREATED [CUST: MT YD1 99] | A 1945 | YD1 | | 25-NOV-97 |
| | MIL-F-28675B NOT 2 | FITTINGS, CONDUIT, EXPLOSION PROOF (COUPLINGS, SEALS, UNIONS, ELBOWS) [CUST: AT] | A 5975 | AT | | 05-FEB-92 |
| | MIL-DTL-28689C | CONTAINERS, SHIPPING AND STORAGE, STEEL WALL (WITH AND WITHOUT CABINTRY) [CUST: GL YD1] [REVIEW: OS] | A 8145 | YD1 | | 17-JAN-97 |
| | MIL-H-28692 | HOSE, NONMETALLIC, PORTABLE WATER DISCHARGE, SMOOTH-BORE, LIGHTWEIGHT, 4 INCH, WITH REATTACHABLE COUPLINGS [CUST: YD1] | A 4720 | YD1 | | 06-APR-93 |
| | MIL-H-28693 | HOSE, RUBBER, OIL AND GASOLINE DISCHARGE, SMOOTH BORE, LIGHTWEIGHT BUOYANT TYPE, LONGITUDINALLY REINFORCED, 6 INCH [CUST: YD1] | A 4720 | YD1 | | 29-MAR-93 |
| | MIL-S-28714B | SWITCHES, ROTARY, SOLENOID OPERATED, (SWITCHBOARD-SELECTOR), GENERAL SPECIFICATION FOR [CUST: CC] | A 5930 | CC | | 21-JAN-94 |
| | MIL-S-28714/1B NOT 1 | SWITCH, ROTARY, SOLENOID OPERATED, (SWITCHBOARD-SELECTOR), SWITCH ASSEMBLY [CUST: EC CC] | A 5930 | CC | | 30-JUL-91 |
| | MIL-S-28714/2C NOT 2 | SWITCH, ROTARY, SOLENOID OPERATED, (SWITCHBOARD-SELECTOR), DRIVER UNIT [CUST: EC CC] | A 5930 | CC | | 06-AUG-92 |
| | MIL-S-28714/3B NOT 1 | SWITCH, ROTARY, SOLENOID OPERATED, (SWITCHBOARD-SELECTOR), SWITCH SECTION ASSEMBLY [CUST: EC CC] | A 5930 | CC | | 30-JUL-91 |
| | MIL-H-28719 NOT 2 | HEADER, HERMETICALLY SEALED [CUST: CR EC 85 GS] [REVIEW: 11 99 AR AT CR4 MC OS] | A 5940 | GS | | 13-AUG-79 |
| | MIL-C-28726(2) | CABLE, SPECIAL PURPOSE, RADIO FREQUENCY, BUOYANT, COAXIAL TYPE RG-384/U [CUST: EC] | A 6145 | IS | | 18-FEB-71 |
| | MIL-D-28728B | DIAL, CONTROL, MULTI-TURN COUNTERS GENERAL SPECIFICATION FOR [CUST: CR EC 11] [REVIEW: 17 82 99 AR AS AV CR4 MI OS SH] | A 5355 | IS | | 03-SEP-86 |
| | MIL-D-28728/1B | DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.81 DIAMETER [CUST: CR EC 11] [REVIEW: 17 80 82 99 AS CC CR4 MI OS SH] | A 5355 | IS | | 03-SEP-86 |
| | MIL-D-28728/2B NOT 1 | DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.75 DIAMETER [CUST: CR EC 11] [REVIEW: 17 80 82 99 AR AS AV CR4 IS MI OS SH] | A 5355 | IS | | 25-FEB-91 |
| | MIL-D-28728/3A NOT 1 | DIAL, CONTROL, MULTITURN COUNTERS 10-TURN COUNTER, CONCENTRIC (1.810-INCH DIAMETER) [CUST: CR EC 11] [REVIEW: 17 82 99 CC CR4 MI OS] | A 5355 | IS | | 25-FEB-91 |
| | MIL-D-28728/4B | DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.16 DIAMETER [CUST: CR EC 11] [REVIEW: 17 80 82 99 AR AS AV CR4 IS MI OS SH] | A 5355 | IS | | 03-SEP-86 |
| | MIL-D-28728/5B | DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS [CUST: CR EC 11] [REVIEW: 17 80 82 99 AR AS AV CR4 IS MI OS SH] | A 5355 | CR | | 03-SEP-86 |
| | MIL-D-28728/6B | DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS, ILLUMINATED AND NONILLUMINATED [CUST: CR EC 11] [REVIEW: 17 80 82 99 AR AS AV CR4 IS MC MI OS SH] | A 5355 | IS | | 03-SEP-86 |
| | MIL-D-28728/7 NOT 1 | DIAL, CONTROL, MULTITURN COUNTERS 100-TURN COUNTERS, 4-DIGIT [CUST: CR 11] [REVIEW: 17 82 99 AS CR4 MC MI OS] | A 5355 | IS | | 25-FEB-91 |
| | MIL-D-28728/8B | DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, .88 DIAMETER [CUST: CR EC 11] [REVIEW: 17 80 82 99 AR AS AV CR4 IS MC MI OS SH] | A 5355 | IS | | 03-SEP-86 |
| | MIL-C-28731D(3) | CONNECTORS, ELECTRICAL, RECTANGULAR, REMOVABLE CONTACT, FORMED BLADE, FORK TYPE (FOR RACK AND PANEL AND OTHER APPLICATIONS) GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT MI OS SH] | A 5935 | CC | | 29-JUL-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | WCA | Prep. Acty. | Date |
|--------------------|--|-----------------------|-----|-------------|-----------|
| MIL-C-28731/1F | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 21-JUL-88 |
| MIL-C-28731/2D | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 25-MAY-84 |
| MIL-C-28731/3F | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 100 REMOVABLE CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 21-JUL-88 |
| MIL-C-28731/4E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 100 REMOVABLE CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/5F | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 130 REMOVABLE CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CG CR4 MI OS] | A 5935 | CC | | 21-JUL-88 |
| MIL-C-28731/6E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 130 REMOVABLE CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/7C | CONNECTOR, ELECTRICAL, SHIELD, RECTANGULAR FOR 75, 100 OR 130 REMOVABLE CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 19-SEP-79 |
| MIL-C-28731/9F | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 20 REMOVABLE CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 08-FEB-88 |
| MIL-C-28731/10F | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 20 REMOVABLE CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 08-FEB-88 |
| MIL-C-28731/11E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 38 REMOVABLE CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/12E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 38 REMOVABLE CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/13F | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 56 REMOVABLE CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 27-NOV-90 |
| MIL-C-28731/14E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 56 REMOVABLE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/15E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 90 REMOVABLE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/16E(1) | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 90 REMOVABLE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 27-NOV-90 |
| MIL-C-28731/17E | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 120 REMOVABLE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/18E(1) | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 120 REMOVABLE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 20-FEB-87 |
| MIL-C-28731/19D(1) | CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR 20, 38, 56, 90, OR 120 REMOVABLE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 27-NOV-90 |
| MIL-C-28731/20D | CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, CRIMP REMOVABLE (8.5 AMPERES) [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 25-MAY-84 |
| MIL-C-28731/23F | CONNECTOR ELECTRICAL, CONTACT, FORK TYPE, REMOVEABLE, DOUBLE WIRE CRIMP [CUST: CR EC 85] [REVIEW: 11 17 19 99 AL AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 29-OCT-92 |
| MIL-C-28731/24C | CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR 120 REMOVABLE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 25-MAY-84 |
| MIL-C-28731/25B | CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, WIRE HOLE REMOVABLE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AL AS AT AV CR4 MC OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/26B | CONNECTORS, ELECTRICAL, CONTACT, FORK TYPE, WRAPPOST, REMOVABLE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT AV CR4 MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/27B | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 33 REMOVABLE TYPE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/28B | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 33 REMOVABLE TYPE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/29B | CONNECTORS, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE TYPE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AL AS AT AV CR4 MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/30B | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE TYPE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AL AS AT AV CR4 MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/31B | CONNECTORS, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 117 REMOVABLE TYPE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AL AM AS AT AV MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/32B | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 117 REMOVABLE TYPE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/33C | CONNECTORS, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 165 REMOVABLE TYPE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AL AR AS AT AV MC MI OS] | A 5935 | CC | | 21-JUL-88 |
| MIL-C-28731/34B | CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 165 REMOVABLE TYPE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/35B | CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, CRIMP REMOVABLE (5.0 AMPERES) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AM AS AT AV CR4 MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/36B | CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, WRAPPOST REMOVABLE (3.0 AMPERES) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AL AR AS AT AV MC MI OS] | A 5935 | CC | | 04-JUN-85 |
| MIL-C-28731/37 | CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR FEMALE RECTANGULAR 165 REMOVABLE TYPE CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 99 AL AR AT AV CR4 MC OS] | A 5935 | CC | | 21-FEB-85 |
| MIL-C-28731/38 | CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR USE WITH MIL-C-28731/32 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AL AR AS AT AV CR4 MC OS] | A 5935 | CC | | 15-JAN-86 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|--------------------------|---|--------------------------|-----|-------------|-----------|
| MIL-T-28732C | TRANSFORMER, IMPEDANCE MATCHING, BALANCE TO UNBALANCE (BALUN) [CUST: EC CC] | A 5950 | CC | | 06-APR-84 |
| MIL-A-28737A(1) | ANTENNA, IFF, AS-1288() (3 METERS) (10 FEET), AS.2189 (1.8 METERS) 6 FEET() [CUST: AS] [REVIEW: CC] | A 5985 | AS | | 16-DEC-78 |
| MIL-A-28745A(2) | ANTENNA ASSEMBLY, OMNIDIRECTIONAL AS-177B/UPX [CUST: EC] | A 5985 | CC | | 18-OCT-72 |
| MIL-C-28748B | CONNECTOR, PLUG AND RECEPTACLE, RECTANGULAR, RACK AND PANEL SOLDER TYPE AND CRIMP TYPE CONTACTS GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 20-SEP-91 |
| MIL-C-28748/1C | CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 16 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 30-NOV-81 |
| MIL-C-28748/2C | CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE SOCKET CONTACTS, SIZE 16 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 30-NOV-81 |
| MIL-C-28748/3D | CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE PIN CONTACTS, SIZES 16 AND 20 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 04-FEB-85 |
| MIL-C-28748/4D | CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE SOCKET CONTACTS, SIZES 16 AND 20 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 18-MAR-85 |
| MIL-C-28748/5D(1) | CONNECTORS, ELECTRICAL RECTANGULAR, RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 20 [CUST: CR EC 85] [REVIEW: 17 99 AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 16-NOV-93 |
| MIL-C-28748/6D | CONNECTORS, ELECTRICAL RECTANGULAR, RACK AND PANEL, SOLDER TYPE SOCKET TYPE CONTACTS, SIZE 20 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 25-MAR-93 |
| MIL-C-28748/7E(2) | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 22 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 15-OCT-93 |
| MIL-C-28748/8E(2) | CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE SOCKET CONTACTS, SIZE 22 [CUST: CR EC 85] [REVIEW: 17 99 AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 15-OCT-93 |
| MIL-C-28748/9E | CONNECTORS, RECEPTACLE, ELECTRICAL, RECTANGULAR, RACK AND PANEL, POLARIZED CENTER JACKSCREW OR GUIDEPIN STYLE, CRIMP TYPE REMOVABLE PIN CONTACTS, SIZE 16 [CUST: CR EC 85] [REVIEW: 11 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 26-JAN-87 |
| MIL-C-28748/10E | CONNECTORS, RECEPTACLE, ELECTRICAL, RECTANGULAR, RACK AND PANEL, POLARIZED CENTER JACKSCREW OR GUIDEPIN STYLE, CRIMP TYPE REMOVABLE SOCKET CONTACTS, SIZE 16 [CUST: CR EC 85] [REVIEW: 11 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 26-JAN-87 |
| MIL-C-28748/13B | CONNECTORS, PLUG, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE PIN CONTACTS, SIZE 22 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 09-FEB-87 |
| MIL-C-28748/14(1) | CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE SOCKET CONTACTS, SIZE 22 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 20-AUG-81 |
| MIL-R-28750C SUP 1 | RELAY, SOLID STATE, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT CR4 MC MI OS SH] | A 5945 | CC | | 16-FEB-93 |
| MIL-R-28750/5D(2) | RELAY, SOLID STATE, HERMETICALLY SEALED, ISOLATED, PLUS OR MINUS 50 MA, PLUS OR MINUS 40 V, AC OR DC, ANALOG SIGNAL SWITCHING, SPST (N.O.) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT CR4 MC MI NA OS SH] | A 5945 | CC | | 16-FEB-93 |
| MIL-R-28750/6D(2) | RELAY, SOLID STATE, HERMETICALLY SEALED, ISOLATED, 250 MA, 40 V DC, SIGNAL SWITCHING, SPST (N.O.) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT CR4 MC MI NA OS SH] | A 5945 | CC | | 16-FEB-93 |
| MIL-R-28750/7C(2) | RELAY, SOLID STATE, HERMETICALLY SEALED, ISOLATED, 100 MA, 250 V DC, SIGNAL SWITCHING, SPST (N.O.) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT CR4 MC MI OS SH] | A 5945 | CC | | 16-FEB-93 |
| MIL-R-28750/8B(1) | RELAY, SOLID STATE, HERMETICALLY SEALED, OPTICALLY ISOLATED, 600 MA, 50 V DC, SIGNAL SWITCHING, SPST (N.O.) [CUST: EC 85 CC] [REVIEW: 19 OS] | A 5945 | CC | | 16-FEB-93 |
| MIL-R-28750/9B(1) | RELAY, SOLID STATE, HERMETICALLY SEALED, OPTICALLY ISOLATED, ZERO VOLTAGE TURN ON, 1 AMPERE (2 AMPERES WITH HEAT SINK), 40 - 440 HZ, POWER SWITCHING, SPST (N.O.) [CUST: EC 85 CC] | A 5945 | CC | | 16-FEB-93 |
| MIL-R-28750/10B(2) | RELAYS, SOLID STATE, SEALED, OPTICALLY ISOLATED, ZERO VOLTAGE TURN ON 25 AMPERES, 250 VOLTS MAXIMUM, 45-440 HZ, POWER SWITCHING, SPST (N.O.) [CUST: EC 85 CC] [REVIEW: NA] | A 5945 | CC | | 16-FEB-94 |
| MIL-C-28754D SUP 1 | CONNECTORS, ELECTRICAL, MODULAR, AND COMPONENT PARTS GENERAL SPECIFICATION FOR [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI] | A 5935 | NW | | 21-APR-89 |
| MIL-C-28754/6C(1) | CONNECTOR, ELECTRICAL, MODULAR, TYPE IV 40 PIN, STRAIGHT THROUGH [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI] | A 5935 | NW | | 11-MAY-84 |
| MIL-C-28754/7C(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, SINGLE SPAN, CONNECTOR ASSEMBLY [CUST: CR SH 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | SH | | 12-JAN-90 |
| MIL-C-28754/8C | CONNECTORS ELECTRICAL, MODULAR, TYPE IV, 40 CONTACT, RIGHT ANGLE (FOR DIE CAST FRAME) [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | | 01-OCT-90 |
| MIL-C-28754/9D | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, DOUBLE SPAN, CONNECTOR ASSEMBLY, (DIP FRAME) [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | | 26-JUL-91 |
| MIL-C-28754/10C(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE IV, 40 PIN, CONTACT TAILS ON 0.050 CENTERS [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | | 28-APR-93 |
| MIL-C-28754/11E | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, 40 CONTACT, RIGHT ANGLE (FOR SOLID OR DIP FRAME) [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | | 01-OCT-90 |
| MIL-C-28754/12F | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, SINGLE SPAN (FOR SOLID OR DIP FRAME) [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | | 26-JUL-91 |
| MIL-C-28754/14C | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE IV, 20 CONTACT, RIGHT ANGLE (FOR DIE CAST FRAME) [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | | 01-OCT-90 |
| MIL-C-28754/15A(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CRIMP, CONTACT, TYPE V [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | | 28-APR-93 |
| MIL-C-28754/16C NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, BLOCK, 40 PIN, TYPE V, STRAIGHT THROUGH [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | | 17-AUG-90 |
| MIL-C-28754/17C(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, STYLE 1, CONTACT TAILS ON .100 CENTERS [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | | 28-APR-93 |
| MIL-C-28754/18A(2) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, SPACER, PIN, TYPE IV, SINGLE SPAN [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | | 19-NOV-91 |
| MIL-C-28754/19A(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, SPACER, PIN, TYPE IV, SINGLE SPAN [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | | 03-DEC-91 |
| MIL-C-28754/20A(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, SPACER, PIN, TYPE IV, DOUBLE SPAN [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI] | A 5935 | NW | | 17-AUG-90 |
| MIL-C-28754/21E | CONNECTORS, ELECTRICAL, MODULAR, FRAME, CASTING, TYPE IV, DOUBLE SPAN [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | | 29-OCT-91 |
| MIL-C-28754/22G | CONNECTORS, ELECTRICAL, MODULAR, FRAME, CASTING, TYPE IV, SINGLE SPAN [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | | 29-NOV-91 |
| MIL-C-28754/23F | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, SINGLE SPAN [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | | 29-NOV-91 |
| MIL-C-28754/24B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, PIN, KEYING [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | | 28-APR-93 |
| MIL-C-28754/31C(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, 40-PIN, TWO PIECE INSERT, AND 20-PIN, ONE HALF, ONE PIECE INSERT [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | | 30-SEP-92 |
| MIL-C-28754/32D(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, STYLE 1, SLIP LOCK COVER PLATE [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | | 30-SEP-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|--|-----------------------|-----|-------------|------|
| | MIL-C-28754/33D(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, STYLE III SLIP LOCK COVER PLATE [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI OS YDI] | A 5935 | NW | 30-SEP-92 | |
| | MIL-C-28754/34D | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, FEMALE CONTACT AND INSULATOR BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL [CUST: CR NW 85] [REVIEW: 99 AR AS CC MC MI YDI] | A 5935 | NW | 23-MAR-94 | |
| | MIL-C-28754/35E | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, MALE CONTACT AND INSULATOR BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL [CUST: CR NW 85] [REVIEW: 99 AR AS CC MC MI YDI] | A 5935 | NW | 23-MAR-94 | |
| | MIL-C-28754/36D | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, FEMALE CONTACT AND GROUNDING BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL [CUST: CR NW 85] [REVIEW: 99 AR AS CC MC MI YDI] | A 5935 | NW | 23-MAR-94 | |
| | MIL-C-28754/37D | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, FEMALE CONTACT AND POLARIZING BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL [CUST: CR NW 85] [REVIEW: 99 AR AS CC MC MI YDI] | A 5935 | NW | 23-MAR-94 | |
| | MIL-C-28754/38D | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, CONTACT, GROUNDING, WRAPPOST [CUST: CR NW 85] [REVIEW: 99 AR AS CC MC MI YDI] | A 5935 | NW | 23-MAR-94 | |
| | MIL-C-28754/39C | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE III, KEYING PEGS [CUST: CR NW 85] [REVIEW: 99 AR AS CC MC MI YDI] | A 5935 | NW | 23-MAR-94 | |
| | MIL-C-28754/40B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, SCREW [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/41B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, SCREW, INSERT [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/42C NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS [CUST: NW] [REVIEW: AS MC] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/43B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 PIN, DOUBLE SPAN CONTACT TAILS ON .050 CENTERS [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/47B NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, RIGHT ANGLE CONTACT TAILS ON .100 CENTERS [CUST: NW] [REVIEW: AS] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/48B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, SINGLE SPAN [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/49(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, HOUSING [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/50A(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, INSERT, TOP [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/51A(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, INSERT, BOTTOM [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/52A(1) NOT 1 | CONNECTOR, ELECTRICAL, MODULAR, HOUSING, CONNECTOR ASSEMBLY, STYLE I [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI] | A 5935 | NW | 17-AUG-90 | |
| | MIL-C-28754/53A(1) NOT 1 | CONNECTOR, ELECTRICAL, MODULAR, HOUSING, CONNECTOR ASSEMBLY, STYLE II [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | 17-AUG-90 | |
| | MIL-C-28754/54B | CONNECTORS, ELECTRICAL, MODULAR, EXTRACTOR, MODULE, SINGLE AND DOUBLE SPAN, STYLES I AND II [CUST: CR NW 85] [REVIEW: 99 AR AS CC MC MI YDI] | A 5935 | NW | 23-MAR-94 | |
| | MIL-C-28754/55 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, CABLE CONNECTOR, 100 PIN, CONTACTS ON .100 CENTERS [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI YDI] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/56 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE) [CUST: NW] [REVIEW: AS] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/59 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER CONTACT TAILS ON .100 CENTERS (CERAMIC COMPATIBLE) [CUST: NW] [REVIEW: AS] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/61 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER, CROSSOVER, CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE) [CUST: NW] [REVIEW: AS] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/65 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, CENTER CONTACT TAILS ON .100 CENTERS (CERAMIC COMPATIBLE) [CUST: NW] [REVIEW: AS] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/66 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, CROSSOVER, CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE) [CUST: NW] [REVIEW: AS] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/67 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN, CENTER [CUST: NW] [REVIEW: AS] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/68 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN, T-DIP [CUST: NW] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/69 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN, OFFSET [CUST: NW] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/70 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, SINGLE SPAN, CENTER [CUST: NW] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/71 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, SINGLE SPAN, OFFSET [CUST: NW] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/72 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, SINGLE SPAN, T-DIP [CUST: NW] | A 5935 | NW | 28-APR-93 | |
| | MIL-C-28754/73A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 CONTACT, DOUBLE SPAN, DIP [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | 26-JUL-91 | |
| | MIL-C-28754/74A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 CONTACT, DOUBLE SPAN, CENTER [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | 26-JUL-91 | |
| | MIL-C-28754/75A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 CONTACT, DOUBLE SPAN, OFFSET [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | 26-JUL-91 | |
| | MIL-C-28754/76A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 40 CONTACT, SINGLE SPAN, CENTER [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | 26-JUL-91 | |
| | MIL-C-28754/77A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 40 CONTACT, SINGLE SPAN, OFFSET [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | 26-JUL-91 | |
| | MIL-C-28754/78A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 40 CONTACT, SINGLE SPAN, DUAL INLINE PACKAGE (DIP) [CUST: CR NW 85] [REVIEW: 11 99 AR AS CC MC MI] | A 5935 | NW | 26-JUL-91 | |
| | MIL-C-28754/79A | CONNECTORS, ELECTRICAL, MODULAR, TYPE III, FEMALE CONTACT AND INSULATOR BUSHING SET, LOW INSERTION FORCE (LIF), REMOVABLE WIRE WRAPPOST TERMINAL [CUST: CR NW 85] [REVIEW: 99 AR AS CC MC MI YDI] | A 5935 | NW | 23-MAR-94 | |
| | MIL-C-28754/80A | CONNECTORS, ELECTRICAL, MODULAR, TYPE III, FEMALE CONTACT AND GROUNDING BUSHING SET, LOW INSERTION FORCE (LIF), REMOVABLE WIRE WRAPPOST TERMINAL [CUST: CR NW 85] [REVIEW: 99 AR AS CC MC MI YDI] | A 5935 | NW | 23-MAR-94 | |
| | MIL-C-28754/81A | CONNECTORS, ELECTRICAL, MODULAR, TYPE III, FEMALE CONTACT AND POLARIZING BUSHING SET, LOW INSERTION FORCE (LIF), REMOVABLE WIRE WRAPPOST TERMINAL [CUST: CR NW 85] [REVIEW: 99 AR AS CC MC MI YDI] | A 5935 | NW | 23-MAR-94 | |
| | MIL-C-28754/82 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, FASTENER [CUST: NW] [REVIEW: AS] | A 5935 | NW | 21-APR-89 | |
| | MIL-C-28754/83(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.6 PITCH, 250 CONTACT, CENTER [CUST: NW] [REVIEW: AS] | A 5935 | NW | 23-MAR-94 | |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Avia | MCA Prop. Acty. | Date |
|--------------------------|---|--------------------------|--------------------|-----------|
| MIL-C-28754/84(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.3 PITCH, 100 CONTACT, OFFSET [CUST: NW] [REVIEW: AS] | A 5935 | NW | 23-MAR-94 |
| MIL-C-28754/85(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.3 PITCH, 100 CONTACT, DUAL INLINE PACKAGE (DIP) [CUST: NW] [REVIEW: AS] | A 5935 | NW | 23-MAR-94 |
| MIL-C-28754/86A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DUAL INLINE PACKAGE (DIP) [CUST: NW] [REVIEW: AS] | A 5935 | NW | 23-MAR-94 |
| MIL-C-28754/87 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER [CUST: NW] [REVIEW: AS] | A 5935 | NW | 21-APR-89 |
| MIL-C-28754/88A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, OFFSET, (0.050 THICKNESS) [CUST: NW] [REVIEW: AS] | A 5935 | NW | 23-MAR-94 |
| MIL-C-28754/89A | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, OFFSET, (0.071 THICKNESS) [CUST: NW] [REVIEW: AS] | A 5935 | NW | 23-MAR-94 |
| MIL-C-28754/90 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.4 PITCH, FORMAT C [CUST: NW] [REVIEW: AS] | A 5935 | NW | 31-OCT-89 |
| MIL-C-28754/91 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.5 PITCH, FORMAT C AND E [CUST: NW] [REVIEW: AS] | A 5935 | NW | 31-OCT-89 |
| MIL-C-28754/92 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.6 PITCH, FORMAT C AND E [CUST: NW] [REVIEW: AS] | A 5935 | NW | 31-OCT-89 |
| MIL-C-28754/93 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DIP, 0.3 PITCH, FORMAT C [CUST: NW] [REVIEW: AS] | A 5935 | NW | 31-OCT-89 |
| MIL-C-28754/94 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DIP, 0.4 PITCH, FORMAT C, D AND E [CUST: NW] [REVIEW: AS] | A 5935 | NW | 31-OCT-89 |
| MIL-C-28754/95 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, OFFSET FIN, 0.3 PITCH, FORMAT C [CUST: NW] [REVIEW: AS] | A 5935 | NW | 31-OCT-89 |
| MIL-C-28754/96 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.4 PITCH, FORMAT C AND E [CUST: NW] [REVIEW: AS] | A 5935 | NW | 31-OCT-89 |
| MIL-C-28754/97 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 150 CONTACT, RIGHT ANGLE, CONTACT TAILS ON 0.100 CENTERS [CUST: NW] [REVIEW: AS] | A 5935 | NW | 31-OCT-89 |
| MIL-C-28754/98(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 150 CONTACT, CENTER, CONTACT TAILS ON 0.100 CENTERS [CUST: NW] [REVIEW: AS] | A 5935 | NW | 23-MAR-94 |
| MIL-C-28754/99(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 150 CONTACT, OFFSET [CUST: NW] [REVIEW: AS] | A 5935 | NW | 23-MAR-94 |
| MIL-C-28754/100(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 200 CONTACT, CENTER [CUST: NW] [REVIEW: AS] | A 5935 | NW | 23-MAR-94 |
| MIL-C-28754/101(1) | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.6 PITCH, 250 CONTACT, CENTER [CUST: NW] [REVIEW: AS] | A 5935 | NW | 23-MAR-94 |
| MIL-C-28777A SUP 1A | CABLE ASSEMBLY, ELECTRONIC TEST EQUIPMENT, (3 WIRES, 125 AND 250 VOLTS AC AND 28 VOLTS DC) GROUNDING PLUG CONNECTOR GENERAL SPECIFICATION FOR [CUST: CR EC 99] [REVIEW: 85 AS MC] | A 6150 | GS | 03-APR-78 |
| MIL-C-28777/1C(1) | CABLE ASSEMBLY, (TYPE I) ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR AND MIL-C-5015 CONNECTOR WITH CABLE CLAMP [CUST: CR EC 99] [REVIEW: 85 AS CC MC] | A 6150 | GS | 15-SEP-93 |
| MIL-C-28777/2B | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR AND TERMINAL LUGS [CUST: CR EC 99] [REVIEW: 85 AS CC MC] | A 6150 | GS | 17-JUL-85 |
| MIL-C-28777/3C | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR AND 90 DEGREE MOLDED MIL-C-5015 CONNECTOR [CUST: CR EC 99] [REVIEW: 85 AS CC MC] | A 6150 | GS | 17-JUL-85 |
| MIL-C-28777/4C | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 15 AMPERES, 50/60 HERTZ), GROUNDING PLUG CONNECTOR AND STRAIGHT MOLDED MIL-C-5015 CONNECTOR [CUST: CR EC 99] [REVIEW: 85 AS CC MC] | A 6150 | GS | 17-JUL-85 |
| MIL-C-28777/10A | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND RIGHT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR [CUST: CR EC 99] [REVIEW: 85 AS CC MC] | A 6150 | GS | 17-JUL-85 |
| MIL-C-28777/13A | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 13 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND TYPE I EQUIPMENT CONNECTOR [CUST: CR EC 99] [REVIEW: 85 AS MC] | A 6150 | GS | 17-JUL-85 |
| MIL-C-28777/14 | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (3 WIRES, 7 PRONGS, 28 VOLTS DC), TYPE I PLUG CONNECTOR AND EQUIPMENT CONNECTOR [CUST: CR EC 99] [REVIEW: 85 AS MC] | A 6150 | GS | 03-APR-78 |
| MIL-C-28777/15 | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (3 WIRES, 125 VOLTS, 400 HERTZ, 1 PHASE), GROUNDING CONNECTOR ADAPTER [CUST: CR EC 99] [REVIEW: 85 AS MC] | A 6150 | GS | 03-APR-78 |
| MIL-T-28778 | TRANSFORMER, POWER, STEPUP, 3 PHASE [CUST: EC CC] | A 5950 | CC | 01-FEB-72 |
| MIL-C-28781B | CABLE, ELECTRICAL, SPECIAL PURPOSE, SAORE USE [CUST: EC] | A 6145 | IS | 18-JAN-77 |
| MIL-S-28786B | SWITCHES, ELECTRICAL AND FIBER OPTIC, PACKAGING OF [CUST: CR EC 99 CC] [REVIEW: AS MC MI SH SM] | A PACK | CC | 08-MAR-90 |
| MIL-M-28787/23B(2) | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE SBT [CUST: CR NW 85] | A 5963 | NW | 31-DEC-92 |
| MIL-M-28787/24A(2) NOT 1 | MODULES, STANDARD ELECTRONIC RECTIFIER, LOW CURRENT, POWER, KEY CODE GPR [CUST: NW] | A 5963 | NW | 31-MAR-93 |
| MIL-M-28787/69A(2) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, D TYPE, DIGITAL, KEY CODE KHR [CUST: NW] | A 5963 | NW | 19-JUL-91 |
| MIL-S-28788A | SWITCH, AIR AND LIQUID FLOW, SENSING GENERAL SPECIFICATION FOR [CUST: CR EC CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MI OS] | A 5930 | CC | 12-SEP-79 |
| MIL-S-28788/1B | SWITCH, LIQUID FLOW, SINGLE POLE, DOUBLE THROW (SPDT), 3 AMPERES, OPERATING TEMPERATURE (32 DEG. F TO 185 DEG. F) [CUST: CR EC 85 CC] [REVIEW: 17 19 80 AS AT AV CR4 MI OS] | A 5930 | CC | 04-JUN-84 |
| MIL-C-28790 SUP 1 | CIRCULATOR, RADIO FREQUENCY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 99 MC OS] | A 59GP | CC | 10-JAN-73 |
| MIL-C-28790/1A NOT 1 | CIRCULATOR, RADIO FREQUENCY, COAXIAL (SERIES SMA), THREE PORTS [CUST: CR EC 85] [REVIEW: 11 MC OS SH] | A 5985 | CC | 27-OCT-87 |
| MIL-C-28790/2 | CIRCULATOR, RADIO FREQUENCY, COAXIAL, (3 PORTS, FREQUENCY RANGE - .15 TO .18 GHZ) [CUST: EC] | A 5985 | CC | 24-SEP-76 |
| MIL-C-28790/3 | CIRCULATOR, RADIO FREQUENCY, COAXIAL, (4 PORTS, FREQUENCY RANGE - .60 TO .80 GHZ) [CUST: EC] | A 5985 | CC | 24-SEP-76 |
| MIL-C-28790/6 NOT 1 | CIRCULATION, RADIO FREQUENCY, WAVEGUIDE, THREE PORTS [CUST: CR EC 85] [REVIEW: 11 MC OS] | A 5985 | CC | 27-OCT-87 |
| MIL-I-28791 SUP 1 | ISOLATOR, RADIO FREQUENCY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 99 MC OS] | A 5985 | CC | 10-JAN-73 |
| MIL-I-28791/1A(1) | ISOLATOR, RADIO FREQUENCY, COAXIAL [CUST: CR EC 85] [REVIEW: 11 99 AS MC OS SH] | A 5985 | CC | 18-DEC-81 |
| MIL-L-28796 SUP 1A | LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION GENERAL SPECIFICATION FOR [CUST: EC] [REVIEW: AS MC OS SH] | A 5985 | CC | 10-AUG-73 |
| MIL-L-28796/1A | LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 1 5/8 INCH ELBOWS [CUST: EC] | A 5985 | CC | 07-JUN-82 |
| MIL-L-28796/2 | LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 3/8 INCH ELBOWS [CUST: EC] [REVIEW: AS MC OS SH] | A 5985 | CC | 10-AUG-73 |
| MIL-L-28796/3A | LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 1 5/8 INCH GAS BARRIER [CUST: EC] [REVIEW: AS MC OS SH] | A 5985 | CC | 07-JUN-82 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-L-28796/4A | LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 3 1/8 INCH GAS BARRIER [CUST: EC] [REVIEW: AS MC OS SH] | A 5985 | CC | | 22-APR-77 |
| | MIL-L-28796/5A | LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 1-5/8 INCH STRAIGHT SECTIONS FLANGED [CUST: EC] [REVIEW: AS MC OS SH] | A 5985 | CC | | 07-JUN-82 |
| | MIL-L-28796/6 | LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 3-1/8 INCH STRAIGHT SECTIONS, FLANGED [CUST: EC] [REVIEW: AS MC OS SH] | A 5985 | CC | | 31-MAR-75 |
| | MIL-L-28796/7A | LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 1 5/8 INCH STRAIGHT FLEXIBLE SECTIONS, FLANGED [CUST: EC] [REVIEW: AS MC OS SH] | A 5985 | CC | | 07-JUN-82 |
| | MIL-L-28796/8 | LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 3 1/8 INCH STRAIGHT FLEXIBLE SECTIONS, FLANGED [CUST: EC] [REVIEW: AS MC OS SH] | A 5985 | CC | | 22-SEP-75 |
| | MIL-L-28796/9A | LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION REDUCER, FLANGE TYPE, 3-1/8 TO 1-5/8 INCH 50 OHM [CUST: EC] [REVIEW: AS MC OS SH] | A 5985 | CC | | 07-JUN-82 |
| | MIL-D-28803A | DISPLAY, OPTOELECTRIC, READOUTS, BACKLIGHTED SEGMENTED, GENERAL SPECIFICATION FOR [CUST: CR 85 GS] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5980 | CC | | 03-AUG-90 |
| | MIL-D-28803/1D | DISPLAY, OPTOELECTRONIC, SEGMENTED READOUT, BACKLIGHTED, STYLE II (LIGHT EMITTING DIODES), RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK, TYPE R01 [CUST: CR EC 85] [REVIEW: 11 17 82 99 AR AS AT AV CR4 MC MI OS] | A 5980 | CC | | 11-JUL-88 |
| | MIL-D-28803/2A | DISPLAY, OPTOELECTRONIC, SEGMENTED READOUT, SEGMENTED, STYLE I (RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK) TYPE R02 [CUST: CR 11 GS] [REVIEW: 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5980 | CC | | 03-AUG-90 |
| | MIL-D-28803/3C | DISPLAY, OPTOELECTRONIC, INDICATOR, DIGITAL, INCANDESCENT (STYLE I), SEGMENTED, DOT PATTERN AND BAR PATTERN, RFI SHIELDED, MOISTURE SEALED, TYPE R03 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5980 | CC | | 03-FEB-93 |
| | MIL-D-28803/4B | DISPLAY, OPTOELECTRONIC, INDICATOR, DIGITAL, INCANDESCENT (STYLE I), SEGMENTED, DOT PATTERN AND BAR PATTERN, TYPE R04 (REPLACEMENT PARTS FOR TYPE R03 DISPLAY ASSEMBLY) [CUST: EC 11] [REVIEW: 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5980 | CC | | 14-AUG-85 |
| | MIL-C-28804C(1) | CONNECTORS, PLUG AND RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A 5935 | CC | | 11-AUG-93 |
| | MIL-C-28804/1D | CONNECTORS, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE SOCKET CONTACTS, CLASS G [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A 5935 | CC | | 12-APR-91 |
| | MIL-C-28804/2D | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE PIN CONTACTS, CLASS G [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A 5935 | CC | | 12-APR-91 |
| | MIL-C-28804/3D | CONNECTORS, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE SOCKET CONTACTS, CLASS E [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A 5935 | CC | | 12-APR-91 |
| | MIL-C-28804/4D | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE PIN CONTACTS, CLASS E [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A 5935 | CC | | 12-APR-91 |
| | MIL-C-28804/5D | CONNECTORS, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE SOCKET CONTACTS, CLASS P [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A 5935 | CC | | 12-APR-91 |
| | MIL-C-28804/6D | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE PIN CONTACTS, CLASS P [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A 5935 | CC | | 12-APR-91 |
| | MIL-C-28804/7D | CONNECTOR, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SOLDER SOCKET CONTACTS, CLASS S [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A 5935 | CC | | 12-APR-91 |
| | MIL-C-28804/8D | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SOLDER PIN CONTACTS, CLASS S [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A 5935 | CC | | 12-APR-91 |
| | MIL-C-28804/9D | CONNECTORS, PIN CONTACT, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SIZE 22, CRIMP REMOVABLE [CUST: CR EC 11] [REVIEW: 85 99 AM AR AS AT CR4 MC MI] | A 5935 | CC | | 12-APR-91 |
| | MIL-C-28804/10D | CONNECTORS, SOCKET CONTACT, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SIZE 22, CRIMP REMOVABLE [CUST: CR EC 11] [REVIEW: 85 99 AM AR AS AT CR4 MC MI] | A 5935 | CC | | 12-APR-91 |
| | MIL-C-28804/11D | CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, INTERFACIAL SEAL, SOLDER PIN CONTACTS, CLASS SE [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI] | A 5935 | CC | | 12-APR-91 |
| | MIL-C-28806 | COUPLER GROUP, ANTENNA, AN/URA-38() [CUST: EC] | A 5985 | CC | | 24-MAR-75 |
| | MIL-S-28827A | SWITCH, THERMOSTATIC, (VOLATILE LIQUID), HERMETICALLY SEALED GENERAL SPECIFICATION FOR [CUST: CR 85 CC] [REVIEW: 11 17 99 AS AV MC OS SH] | A 5930 | CC | | 12-SEP-79 |
| | MIL-S-28827/1A | SWITCH, THERMOSTATIC (VOLATILE LIQUID), HERMETIC SEALED, SINGLE POLE DOUBLE THROW (SPDT), MEDIUM RESPONSE TIME [CUST: EC CC] | A 5930 | CC | | 20-NOV-90 |
| | MIL-C-28830C SUP 1 | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, GENERAL SPECIFICATION FOR [CUST: CR EC 85 IS] [REVIEW: 17 19 99 AS MC SH] | A 6145 | IS | | 22-AUG-94 |
| A | MIL-C-28830/1 | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, FOAM DIELECTRIC, 1/2 INCH, NOMINAL 50 OHMS [CUST: CR EC 85 CC] [REVIEW: AS MC] | A 6145 | CC | | 04-MAY-78 |
| A | MIL-C-28830/2 | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, FOAM DIELECTRIC, 7/8 INCH, NOMINAL 50 OHMS [CUST: CR EC 85 CC] [REVIEW: AS MC] | A 6145 | CC | | 04-MAY-78 |
| A | MIL-C-28830/3C | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1/2 INCH NOMINAL, 50 OHMS [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS MC SH] | A 6145 | CC | | 22-AUG-94 |
| A | MIL-C-28830/4C | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 7/8 INCH NOMINAL, 50 OHMS [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS MC SH] | A 6145 | CC | | 22-AUG-94 |
| A | MIL-C-28830/5C | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1-5/8 INCH NOMINAL, 50 OHMS [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS MC SH] | A 6145 | CC | | 22-AUG-94 |
| A | MIL-C-28830/6 | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1/4 INCH NOMINAL, 50 OHMS [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS MC SH] | A 6145 | CC | | 22-AUG-94 |
| A | MIL-C-28830/7 | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1/2 INCH NOMINAL, 50 OHMS [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS MC SH] | A 6145 | CC | | 22-AUG-94 |
| A | MIL-C-28830/8 | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1/4 INCH NOMINAL, 75 OHMS [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS MC SH] | A 6145 | CC | | 22-AUG-94 |
| A | MIL-C-28830/9 | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 3/8 INCH NOMINAL, 50 OHMS [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS MC SH] | A 6145 | CC | | 22-AUG-94 |
| A | MIL-C-28830/10 | CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1/2 INCH NOMINAL, 75 OHMS [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS MC SH] | A 6145 | CC | | 22-AUG-94 |
| | MIL-M-28837(1) SUP 1A | MIXER STAGES, RADIO FREQUENCY GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CG MC MI OS] | A 5985 | CC | | 07-FEB-85 |
| | MIL-M-28837/1B | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, PIN PLUG IN TERMINATION [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS] | A 5985 | CC | | 07-FEB-85 |
| | MIL-M-28837/2B | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, SOLDER LEADS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS] | A 5985 | CC | | 07-FEB-85 |
| | MIL-M-28837/5A | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, SMA FEMALE CONNECTORS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS] | A 5985 | CC | | 07-FEB-85 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|--------------------------|--|-----------------------|-----|-------------|-----------|
| MIL-M-28837/6 | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, BNC FEMALE CONNECTORS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS] | A 5985 | CC | | 01-JUN-79 |
| MIL-M-28837/7(1) | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, TO-5 CONFIGURATION [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS] | A 5985 | CC | | 26-MAY-81 |
| MIL-M-28837/9 | MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, TO CONFIGURATION [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS] | A 5985 | CC | | 07-FEB-85 |
| MIL-W-28839 | WAVEGUIDES, ELLIPTICAL GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 99 MI OS SH] | A 5985 | CC | | 13-MAR-78 |
| MIL-W-28839/1 | WAVEGUIDES, ELLIPTICAL, SEMIRIGID [CUST: CR EC 85] [REVIEW: 11 17 99 MI OS SH] | A 5985 | CC | | 13-MAR-78 |
| MIL-C-28840A(5) SUP 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH DENSITY, HIGH SHOCK SHIPBOARD, CLASS D, GENERAL SPECIFICATION FOR [CUST: EC] [REVIEW: OS SH YDI] | A 5935 | CC | | 05-AUG-93 |
| MIL-C-28840/1C | CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, STRAIGHT, OPEN FOR ELECTRICAL CONNECTORS [CUST: EC CC] [REVIEW: OS SH YDI] | A 5935 | CC | | 18-APR-94 |
| MIL-C-28840/2C | CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, 90 DEG., OPEN FOR ELECTRICAL CONNECTORS [CUST: EC CC] [REVIEW: OS SH YDI] | A 5935 | CC | | 18-APR-94 |
| MIL-C-28840/3C | CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, 45 DEG., OPEN FOR ELECTRICAL CONNECTORS [CUST: EC CC] [REVIEW: OS SH YDI] | A 5935 | CC | | 18-APR-94 |
| MIL-C-28840/4 NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT FOR EMI SHIELDING [CUST: EC CC] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/5A | CONNECTOR, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, STRAIGHT, METAL CONDUIT FOR EMI SHIELDING [CUST: EC] | A 5935 | CC | | 26-MAY-81 |
| MIL-C-28840/6B | CONNECTOR, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, STRAIGHT, CABLE SEALING AND SHIELD TERMINATION, CONNECTOR, ELECTRIC [CUST: EC] [REVIEW: OS SH] | A 5935 | CC | | 04-JAN-83 |
| MIL-C-28840/7B NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CRIMP CONTACTS DUMMY RECEPTACLE, WALL MOUNTING [CUST: EC] [REVIEW: OS SH] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/8B NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 90 DEG., CABLE SEALING AND SHIELD TERMINATION, CONNECTOR, ELECTRIC [CUST: EC] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/9D NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 45 DEG., CABLE SEALING AND SHIELD TERMINATION, CONNECTOR, ELECTRIC [CUST: EC] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/10B(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, WALL MOUNTING, CLASSES D AND DS [CUST: EC] [REVIEW: OS SH] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/11A NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS, RECEPTACLE, CABLE CONNECTING, CLASSES D AND DS [CUST: EC] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/12C(1) | CONNECTORS, ELECTRICAL, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, BOX MOUNTING, CLASSES D AND DS [CUST: EC] | A 5935 | CC | | 20-APR-93 |
| MIL-C-28840/13C NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, COVER, RECEPTACLE [CUST: EC] [REVIEW: OS SH] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/14D NOT 2 | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, JAM NUT MOUNTING, CLASSES D AND DS [CUST: EC] [REVIEW: OS SH] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/15B NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, DUST COVER, PLUG [CUST: EC] [REVIEW: OS SH] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/16A | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, CLASSES D AND DS [CUST: EC] | A 5935 | CC | | 26-MAY-81 |
| MIL-C-28840/17B | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS, PLUG, ASSEMBLY OPEN WIRE CLASSES D AND DS [CUST: EC] | A 5935 | CC | | 16-JUL-86 |
| MIL-C-28840/18B | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, ASSEMBLY, OPEN WIRE, 90 DEG., CLASS D AND DS [CUST: EC] | A 5935 | CC | | 16-JUL-86 |
| MIL-C-28840/19B | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, ASSEMBLY, OPEN WIRE 45 DEG., CLASSES D AND DS [CUST: EC CC] | A 5935 | CC | | 16-JUL-86 |
| MIL-C-28840/20E | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, WALL MOUNTING, ASSEMBLY, STRAIGHT CLASSES DJ & DJS [CUST: EC CC] | A 5935 | CC | | 16-JUL-86 |
| MIL-C-28840/21D | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, CABLE CONNECTING ASSEMBLY, STRAIGHT CLASSES DJ & DJS [CUST: EC CC] | A 5935 | CC | | 16-JUL-86 |
| MIL-C-28840/22A NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT BUSHING [CUST: EC CC] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/23A NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, GLAND NUT, WIRING, ELECTRIC CONNECTOR [CUST: EC CC] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/24B NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS GASKET, FLANGE MOUNTING [CUST: EC CC] [REVIEW: NA SH] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/25A(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 90 DEG., METAL CONDUIT FOR EMI SHIELDING [CUST: EC CC] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/26B | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS, PLUG ASSEMBLY, STRAIGHT CLASSES DJ AND DJS [CUST: EC CC] | A 5935 | CC | | 16-JUL-86 |
| MIL-C-28840/27A(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 45 DEG., METAL CONDUIT FOR EMI SHIELDING [CUST: EC CC] | A 5935 | CC | | 03-JUN-92 |
| MIL-C-28840/28D | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, ASSEMBLY, 90 DEG., CLASSES DJ AND DJS [CUST: EC CC] | A 5935 | CC | | 16-JUL-86 |
| MIL-C-28840/29D | CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS, PLUG, ASSEMBLY, 45 DEG., CLASSES DJ AND DJS [CUST: EC CC] | A 5935 | CC | | 16-JUL-86 |
| MIL-C-28840/30A | CONNECTOR, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT COUPLING [CUST: EC CC] | A 5935 | CC | | 26-MAY-81 |
| MIL-B-28850(7) | BLANKERS, INTERFERENCE, MX-8757/UPX, MX-8758/UPX, AND MX-8758A/UPX [CUST: AS] | A 5840 | AS | | 15-SEP-86 |
| MIL-C-28859B | CONNECTOR COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, GENERAL SPECIFICATION FOR [CUST: CR NW 85] [REVIEW: CC MC] | A 5935 | NW | | 19-JAN-90 |
| MIL-C-28859/1C | CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, STANDARD INSERTION FORCE, COMPLIANT CONTACT [CUST: NW] [REVIEW: AS] | A 5935 | NW | | 23-MAR-94 |
| MIL-C-28859/2D | CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, HOUSING [CUST: NW] [REVIEW: AS] | A 5935 | NW | | 23-MAR-94 |
| MIL-C-28859/3D | CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, COMPLIANT, CONTACT, FEED-THROUGH [CUST: NW] [REVIEW: AS] | A 5935 | NW | | 23-MAR-94 |
| MIL-C-28859/4E | CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, COMPLIANT CONTACT, FEED-TO [CUST: NW] [REVIEW: AS] | A 5935 | NW | | 23-MAR-94 |
| MIL-C-28859/5A | CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, LOW INSERTION FORCE (LIF), COMPLIANT CONTACT [CUST: CR NW 85] [REVIEW: AS CC MC] | A 5935 | NW | | 23-MAR-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|------------|----------------------|--|-------------------------|-----|-------------|-----------|
| | MIL-A-28870A | ASSEMBLIES, ELECTRICAL BACKPLANE, PRINTED-WIRING, GENERAL SPECIFICATION FOR[CUST: CR NW 85] [REVIEW: AS CC CG MC OS] | A 5998 | NW | | 19-JAN-90 |
| | MIL-A-28875 SUP 1 | AMPLIFIER, RADIO FREQUENCY AND MICROWAVE, SOLID STATE, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 99 AS AV MC MI OS SH] | A 5985 | CC | | 27-JUL-83 |
| | MIL-A-28875/1 | AMPLIFIER, RADIO FREQUENCY & MICROWAVE, SOLID STATE, NARROWBAND, OIP CONFIGURATION [CUST: CR EC 85] [REVIEW: 11 19 99 AS AV MC MI OS SH] | A 5985 | CC | | 27-JUL-83 |
| | MIL-A-28875/2 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, NARROWBAND, COAXIAL CONFIGURATION [CUST: CR EC 85] [REVIEW: 11 17 99 AS AV MC MI OS SH] | A 5985 | CC | | 27-JUL-83 |
| | MIL-A-28875/5 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, LOW NOISE, WIDEBAND, TO CONFIGURATION [CUST: CR EC 85] [REVIEW: 11 17 99 AS AV MC MI OS SH] | A 5985 | CC | | 27-JUL-83 |
| | MIL-A-28875/6 | AMPLIFIER RADIO FREQUENCY & MICROWAVE, SOLID STATE, LOW NOISE, WIDEBAND, COAXIAL CONFIGURATION [CUST: CR EC 85] [REVIEW: 17 19 99 AV MC MI OS SH] | A 5985 | CC | | 27-JUL-83 |
| | MIL-A-28875/8 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, POWER, WIDEBAND, TO CONFIGURATION [CUST: CR EC 85] [REVIEW: 11 17 99 AS AV MC MI OS SH] | A 5985 | CC | | 27-JUL-83 |
| | MIL-A-28875/10 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, WIDEBAND, TO CONFIGURATION [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV MC MI OS SH] | A 5985 | CC | | 27-JUL-83 |
| | MIL-A-28875/12 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, WIDEBAND, LOW PROFILE, TO CONFIGURATION [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV MC MI OS SH] | A 5985 | CC | | 27-JUL-83 |
| | MIL-C-28876D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, GENERAL SPECIFICATION FOR [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/1D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITHOUT STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/2D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH STRAIGHT STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/3D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH 45 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/4D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH 90 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/5D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH STRAIGHT STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/6D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITHOUT STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/7D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH STRAIGHT STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/8D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH 45 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/9D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH 90 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/10E | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, DUST COVER, SCREW THREADS, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/11D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMNUT MOUNTING, WITHOUT STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/12D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMNUT MOUNTING WITH STRAIGHT STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/13D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMNUT MOUNTING, WITH 45 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/14D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMNUT MOUNTING WITH 90 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/15D | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, DUST COVER, ENVIRONMENT RESISTING [CUST: CR SH 85] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 09-JUL-92 |
| | MIL-C-28876/26C | CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH SHORT BACKSHELL, NON-ENVIRONMENT [CUST: CR SH 85] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 09-JUL-92 |
| | MIL-C-28876/27C(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, STRAIGHT BACKSHELL, STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/28C(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, 45 DEG. BACKSHELL, SCREW THREADS, WITH STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-C-28876/29D(1) | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, 90 DEG. BACKSHELL, SCREW THREADS, WITH STRAIN RELIEF, ENVIRONMENT RESISTING [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AS CC MC MI OS YDI] | A 6060 | SH | | 04-MAY-95 |
| | MIL-D-28882 | DOSIMETER, THERMOLUMINESCENT, DT-526/PD [CUST: SH] | A 6665 | SH | | 20-APR-84 |
| A | MIL-DTL-28902C | TROUSERS, MEN'S - MUSICIANS [CUST: MC] | A 8405 | MC | | 28-JUL-97 |
| | MIL-C-28914(1) NOT 1 | CONTROL UNIT - RECTIFIER, C-7673/PCC-1 [CUST: MC] | A 5805 | MC | | 14-OCT-93 |
| | MIL-T-28916(1) NOT 1 | TERMINAL, TELEGRAPH-TELEPHONE: TH-81/GCC [CUST: MC] | A 5805 | MC | | 14-OCT-93 |
| | MIL-C-28917(2) NOT 1 | CONTROL, POWER SUPPLY: C-7674/VCC, AND CONTROL, TERMINAL SET: C-7827/VCC [CUST: MC] | A 5805 | MC | | 14-OCT-93 |
| A | MIL-DTL-28919B | TROUSERS, MEN'S - SERVICE, SUMMER AND WINTER (OFFICER'S) [CUST: MC] | A 8405 | MC | | 22-JUL-97 |
| A | MIL-DTL-28920C | TROUSERS, MEN'S - DRESS (OFFICER'S) [CUST: MC] | A 8405 | MC | | 23-JUL-97 |
| A | MIL-DTL-28921B | SWORD AND SCABBARD - (OFFICER'S) WITH CASE [CUST: MC] | A 8465 | MC | | 16-OCT-97 |
| A | MIL-DTL-28933C | SLING, SWORD, SHOULDER - NYLON WEBBING, WHITE [CUST: MC] | A 8465 | MC | | 16-OCT-97 |
| | MIL-I-28934A | INSIGNIA, GRADE, MARINE CORPS JUNIOR RESERVE OFFICERS TRAINING CORPS, (EMBROIDERED) [CUST: MC CT] | A 8455 | CT | | 15-OCT-80 |
| A | MIL-DTL-28936B | VEST, MAN'S - DRESS, BACKLESS (OFFICER'S) [CUST: MC] | A 8405 | MC | | 23-JUL-97 |
| | MIL-U-28946B | UNIFORM, WOMAN'S: WHITE; DRESS (OFFICER'S) [CUST: MC] | A 8410 | MC | | 23-MAY-94 |
| | MIL-I-28947C | ILLUSTRATIONS FOR STOCK LIST PUBLICATIONS: PREPARATION OF [CUST: MC] | A TMSS | MC | | 19-MAY-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|----------------------|--|--------------------------|-----|-------------|------|
| A | MIL-DTL-28950C | COAT, MAN'S - DRESS; BLUE (OFFICER'S) [CUST: MC] | A 8405 | MC | 08-OCT-97 | |
| | MIL-DTL-28964C | INSIGNIA, GRADE: ZINC [CUST: MC CT] | A 8455 | CT | 04-MAR-97 | |
| A | MIL-DTL-28978C | JACKET, MAN'S - EVENING DRESS (STAFF, NONCOMMISSIONED OFFICER'S) [CUST: MC] | A 8405 | MC | 16-OCT-97 | |
| | MIL-S-28982A | STAND, FLAGSTAFF: WOOD [CUST: MC CT] | A 8345 | CT | 06-MAR-91 | |
| | MIL-P-28983A(1) | POLE, BEACH, PANEL MARKER: METAL [CUST: MC CT] | A 8345 | CT | 30-MAR-88 | |
| | MIL-P-28999B | PUBLICATIONS, TECHNICAL, INSTRUCTION-TYPE: PREPARATION OF [CUST: MC] | A TMSS | MC | 14-DEC-89 | |
| | MIL-P-29005B | PUBLICATIONS, PLANNED MAINTENANCE SYSTEM, FOR TRAINING DEVICES [CUST: TD] | A TMSS | TD | 19-JAN-89 | |
| | MIL-H-29101C | HOODS, EXTREME COLD WEATHER, IMPERMEABLE [CUST: NU CT] [REVIEW: 45 CG] | A 8415 | CT | 03-OCT-88 | |
| | MIL-C-29106B | COAT, MAN S, WOOL, WINTER [CUST: NU CT] | A 8405 | CT | 01-MAR-82 | |
| | MIL-C-29107C | COAT, MAN'S, POLYESTER/WOOL [CUST: NU CT] | A 8405 | CT | 07-JUN-89 | |
| | MIL-S-29108A | SHAPE, DAY SIGNAL, MARITIME [CUST: NU CT] [REVIEW: 45 SH] | A 8345 | CT | 15-MAR-78 | |
| | MIL-C-29109B | COVERALLS, ANTI EXPOSURE [CUST: NU CT] [REVIEW: 45 SH] | A 8415 | CT | 28-JUN-88 | |
| | MIL-B-29110B | BAG, LAUNDRY, SUBMARINE [CUST: NU CT] [REVIEW: 45] | A 8465 | CT | 25-FEB-81 | |
| | MIL-T-29112C | TRUNKS, SWIMMERS [CUST: NU CT] [REVIEW: 45 OS SH] | A 8415 | CT | 08-JAN-87 | |
| | MIL-N-29113B | NECKTIE, WOMAN S (BOW, BLACK) [CUST: NU CT] [REVIEW: 45] | A 8445 | CT | 08-NOV-78 | |
| | MIL-G-29114A | GLOVES, CLOTH, VINYL COATED, MEN S AND WOMEN S [CUST: NU 99 CT] [REVIEW: 45 82 OS] | A 8415 | CT | 13-APR-77 | |
| | MIL-C-29118A | CLOTH, TWILL, COTTON [CUST: GL NU 11 CT] [REVIEW: 45 99 CG MS OS SH YD1] | A 8305 | CT | 28-MAY-76 | |
| | MIL-C-29124D | COAT, WOMAN S, BLUE, DRESS [CUST: NU CT] | A 8410 | CT | 08-JAN-88 | |
| A | MIL-C-29126A | COVER, BEDDING, FLAMEPROOF [CUST: NU] [REVIEW: CT SH] | A 7210 | CT | 15-AUG-79 | |
| | MIL-C-29127A NOT 1 | CLOTH, TWILL, POLYESTER/COTTON (CREASE RESISTANT FINISH) [CUST: NU CT] [REVIEW: 45] | A 8305 | CT | 03-JUL-86 | |
| | MIL-S-29130A | SHORTS, MEN S, POLYESTER/COTTON [CUST: NU CT] [REVIEW: 45] | A 8405 | CT | 26-JUL-78 | |
| | MIL-C-29136 | CAP, FOOD HANDLER S [CUST: NU CT] [REVIEW: 45] | A 8415 | CT | 08-DEC-74 | |
| | MIL-C-29137A | CLOTH, FELT FABRIC COMPOSITE, UNDERCOLLAR [CUST: GL NU 45 CT] [REVIEW: 32 99 CG MC MD] | A 8305 | CT | 06-MAR-79 | |
| | MIL-I-29139C | INSIGNIA, EMBROIDERED [CUST: NU CT] | A 8455 | CT | 30-JUN-89 | |
| A | MIL-C-29147A | CLOTH, PLAIN WEAVE, POLYESTER AND RAYON, CREASE-RESISTANT FINISH [CUST: NU CT] [REVIEW: 45 CG] | A 8305 | CG | 03-JUL-86 | |
| | MIL-S-29180A | SCAFFOLDING COMPONENTS, STEE (PIPE, TUBE, & COUPLER) [CUST: SH] | A 5440 | SH | 10-DEC-81 | |
| A | MIL-DTL-29181C | HASP, HIGH SECURITY, SHROUDED, FOR HIGH AND MEDIUM SECURITY PADLOCK [CUST: GL4 YD1 99] [REVIEW: 82 AS IS MC NO] | A 5340 | YD1 | 10-MAR-98 | |
| | MIL-P-29183B SUP 1 | PANELBOARDS, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, GENERAL SPECIFICATION [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6110 | YD1 | 18-JUN-90 | |
| | MIL-P-29183/1A | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 1: 208Y/120 VOLT, 10 KILOWATT, WITHOUT MAIN BREAKERS, WITH FEEDTHROUGH CONNECTOR [CUST: YD1] [REVIEW: MC] | A 6110 | YD1 | 24-MAY-85 | |
| | MIL-P-29183/2A NOT 1 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 2: 208Y/120 VOLT, 15 KILOWATT [CUST: YD1] [REVIEW: MC] | A 6110 | YD1 | 23-MAY-90 | |
| | MIL-P-29183/3A NOT 1 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 3: 208Y/120 VOLT, 30 KILOWATT [CUST: YD1] [REVIEW: MC] | A 6110 | YD1 | 23-MAY-90 | |
| | MIL-P-29183/4B | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 2, CLASS 1, CONFIGURATION 1: 150 KILOWATT, 15 KVA TRANSFORMER [CUST: CR4 YD1 80] [REVIEW: GS MC MS] | A 6110 | YD1 | 18-JUN-90 | |
| | MIL-P-29183/5B | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 2, CLASS 1, CONFIGURATION 2: 150 KILOWATT, 30 KVA TRANSFORMER [CUST: CR4 YD1 99] [REVIEW: MC MS] | A 6110 | YD1 | 18-JUN-90 | |
| | MIL-P-29183/6A NOT 1 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 100 KILOWATT [CUST: YD1] [REVIEW: MC] | A 6110 | YD1 | 23-MAY-90 | |
| | MIL-P-29183/7A NOT 1 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 5: 480 OR 208 VOLT, 120 KILOWATT, TERMINAL TYPE CONNECTORS [CUST: YD1] [REVIEW: MC] | A 6110 | YD1 | 23-MAY-90 | |
| | MIL-P-29183/8A NOT 1 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 6: 480 OR 208 VOLT, 240 KILOWATT TERMINAL TYPE CONNECTORS [CUST: YD1] [REVIEW: MC] | A 6110 | YD1 | 23-MAY-90 | |
| | MIL-P-29183/9A NOT 1 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 7: 480 OR 208 VOLT, 400 KILOWATT, TERMINAL TYPE CONNECTORS [CUST: YD1] [REVIEW: MC] | A 6110 | YD1 | 23-MAY-90 | |
| | MIL-P-29183/15 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 2: 208Y/120 VOLT, 15 KILOWATT [CUST: CR4 YD1 99] [REVIEW: MC MS] | A 6110 | YD1 | 18-JUN-90 | |
| | MIL-P-29183/16 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 1: 208Y/120 VOLT, 60 KILOWATT [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6110 | YD1 | 18-JUN-90 | |
| | MIL-P-29183/18 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 200 KILOWATTS [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6110 | YD1 | 18-JUN-90 | |
| | MIL-P-29183/19 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 5: 208Y/120 VOLT, 100 KILOWATT [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6110 | YD1 | 18-JUN-90 | |
| | MIL-P-29183/20 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 1: 208Y/120 VOLT, 25 KILOWATT [CUST: YD1] [REVIEW: 80 GS MC MS] | A 6110 | YD1 | 18-JUN-90 | |
| | MIL-P-29191B | PLATFORM, PONTOON, WORKBOAT (OIL CONTAINMENT BOOM HANDLING) [CUST: YD1] | A 1945 | YD1 | 03-JUN-94 | |
| | MIL-P-29196B | PAVING MACHINES, BITUMINOUS MATERIAL, CRAWLER-OR RUBBER TIRE-MOUNTED, SELF-PROPELLED [CUST: CC] | A 3895 | CC | 20-JUN-91 | |
| | MIL-P-29206A(2) | PIPE AND PIPE FITTINGS, GLASS FIBER REINFORCED PLASTIC, FOR LIQUID PETROLEUM LINES [CUST: CR4 YD1] [REVIEW: 04 CC CE SH] | A 4710 | YD1 | 07-AUG-92 | |
| A | MIL-DTL-29210C | HOSE ASSEMBLY, RUBBER, METAL LINED, WIRE REINFORCED, 250 PSIG, SATURATED STEAM SERVICE [CUST: YD1] [REVIEW: CC CG SH] | A 4720 | YD1 | 07-NOV-97 | |
| | MIL-DTL-29229B | SWITCHES AND FROGS, TRACK, FABRICATED, FOR PORTAL CRANES [CUST: YD1] | A 2250 | YD1 | 14-MAR-97 | |
| | MIL-C-29240 NOT 1 | CASEWORK, MOVEABLE AND MODULAR, FOR HOSPITAL LABORATORIES AND PHARMACIES, PERFORMANCE SPECIFICATIONS FOR [CUST: MD YD1 03] | A 6530 | YD1 | 01-APR-91 | |
| | MIL-M-29241 NOT 1 | MATERIAL HANDLING UNITS FOR MEDICAL FACILITIES, PERFORMANCE SPECIFICATIONS FOR [CUST: MD YD1 03] | A 6530 | YD1 | 01-APR-91 | |
| | MIL-S-29354B NOT 1 | SWITCHBOARD, TELEPHONE: SB-3614/TT, AUTOMATIC [CUST: MC] | A 5805 | MC | 14-OCT-93 | |
| | MIL-M-29358 NOT 1 | MODIFICATION KIT: RADIO RELAY EQUIPMENT AN/GRC-201 [CUST: MC] | A 5820 | MC | 14-OCT-93 | |
| | MIL-D-29362B | DECALS (HEAT TRANSFER): USMC [CUST: MC GS] | A 7690 | GS | 04-DEC-91 | |
| | MIL-C-29366B | CAP, UTILITY: CAMOUFLAGE [CUST: MC CT] [REVIEW: SA YD1] | A 8405 | CT | 29-DEC-88 | |
| | MIL-N-29367D(1) | NECK TAB, WOMEN'S SHIRT [CUST: MC CT] [REVIEW: NU] | A 8445 | CT | 20-JUN-90 | |
| | MIL-S-29368D | SHIRTS, WOMEN'S: LONG AND SHORT SLEEVES [CUST: MC CT] | A 8410 | CT | 06-JUN-94 | |
| | MIL-C-29374(1) NOT 1 | CLOTH, SERGE, POLYESTER/WOOL [CUST: MC CT] [REVIEW: 45 CG GL SA] | A 8305 | CT | 23-OCT-87 | |
| | MIL-S-29377A | SLACKS: WOMAN'S MATERNITY [CUST: MC CT] | A 8410 | CT | 20-DEC-88 | |
| | MIL-B-29378A | BELT, MAN'S: CEREMONIAL, OFFICERS [CUST: MC] | A 8440 | MC | 28-FEB-94 | |
| | MIL-C-29381C | COAT, ALL WEATHER, WOMEN'S [CUST: GL MC CT] | A 8410 | CT | 10-SEP-90 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|-----------------------|--|--------------|-----|-------------|------|
| | | | FSC/rea | MCA | Prep. Acty. | Date |
| A | MIL-DTL-29384B | VEST, WOMEN'S - SCARLET, DRESS (GENERAL OFFICER'S) [CUST: MC] | A 8410 | MC | 23-JUL-97 | |
| | MIL-C-29386 | CAP, DRESS, WOMEN S [CUST: MC CT] | A 8410 | CT | 23-OCT-87 | |
| A | MIL-DTL-29387C | NECKTIE, WOMEN'S - GENERAL OFFICER [CUST: MC] | A 8445 | MC | 16-OCT-97 | |
| | MIL-S-29388B(1) | SHIRTS, WOMEN'S: MATERNITY, LONG AND SHORT SLEEVES [CUST: MC CT] | A 8410 | CT | 28-MAR-91 | |
| A | MIL-DTL-29389B | VEST, MAN'S - SCARLET, DRESS (GENERAL OFFICER'S) [CUST: MC] | A 8405 | MC | 28-JUL-97 | |
| | MIL-C-29391A | COAT, WOMAN'S: WOOL GABARDINE; DRESS BLUE CEREMONIAL [CUST: MC] | A 8410 | MC | 06-DEC-90 | |
| A | MIL-DTL-29393B | COAT, WOMEN'S - FULL DRESS, SCARLET, U. S. MARINE BAND, MUSICIAN [CUST: MC] | A 8410 | MC | 16-OCT-97 | |
| A | MIL-DTL-29394C | SKIRTS, WOMEN'S - EVENING DRESS, U. S. MARINE BAND (MUSICIAN'S) [CUST: MC] | A 8410 | MC | 08-OCT-97 | |
| A | MIL-DTL-29395B | SLACKS, WOMEN'S - MUSICIAN'S [CUST: MC] | A 8410 | MC | 21-OCT-97 | |
| A | MIL-DTL-29396B | JACKET, WOMAN'S - SPECIAL FULL DRESS SCARLET, U. S. MARINE BAND, MUSICIAN [CUST: MC] | A 8410 | MC | 08-OCT-97 | |
| A | MIL-DTL-29397B | JACKET, WOMAN'S - FULL DRESS SCARLET, U. S. MARINE BAND, MUSICIAN [CUST: MC] | A 8410 | MC | 08-OCT-97 | |
| | MIL-C-29404B | CLOTH, TROPICAL: POLYESTER AND WOOL [CUST: MC CT] | A 8305 | CT | 10-JUN-92 | |
| | MIL-C-29405 | CLOTH, BROADCLOTH: WOOL AND WOOL/NYLON [CUST: MC CT] | A 8305 | CT | 01-MAR-85 | |
| | MIL-M-29414(1) | MODULE, WATER TANK (SIXCON) [CUST: CC] [REVIEW: MC] | A 5430 | CC | 14-MAR-90 | |
| | MIL-M-29417(1) | MODULE, FUEL PUMP (SIXCON) [CUST: CC] [REVIEW: MC] | A 5430 | CC | 14-MAR-90 | |
| | MIL-A-29423(1) | ANTENNA, AS-0/GRC, MICROWAVE [CUST: EC] [REVIEW: MC] | A 5985 | CC | 02-JUN-86 | |
| | MIL-C-29424A(1) | COAT, MAN'S: POLYESTER/WOOL, GABARDINE, GREEN (WITH BELT) [CUST: MC CT] | A 8405 | CT | 06-JAN-92 | |
| | MIL-A-29426 NOT 1 | ANTENNA: AS-3569/VRC [CUST: EC] [REVIEW: MC] | A 5985 | CC | 21-OCT-93 | |
| | MIL-C-29427B | COATS, WOMEN'S [CUST: MC CT] | A 8410 | CT | 11-NOV-94 | |
| | MIL-S-29428A | SCARF: HEADOVER, WOOL [CUST: MC CT] | A 8440 | CT | 06-MAY-91 | |
| | MIL-C-29430 | CAP, EXTREME COLD WEATHER: WITH EXTENSION FLAP [CUST: MC] | A 8415 | MC | 01-MAY-87 | |
| | MIL-C-29431 | CAPS, GARRISON: WOMEN'S [CUST: MC] | A 8410 | MC | 01-JUN-87 | |
| | MIL-S-29432B | SLACKS, WOMEN'S [CUST: MC CT] | A 8410 | CT | 01-JUN-94 | |
| | MIL-C-29433 | CAPS, GARRISON: MEN'S [CUST: MC] | A 8405 | MC | 08-JUN-87 | |
| A | MIL-DTL-29451B | JACKET, MEN'S - INTERMEDIATE WEIGHT, POLYESTER/WOOL [CUST: MC] | A 8405 | MC | 16-OCT-97 | |
| | MIL-T-29452A | TROUSERS, MEN'S: POLYESTER/WOOL [CUST: MC CT] | A 8405 | CT | 18-MAR-94 | |
| | MIL-C-29453B | COAT, WOMAN'S: POLYESTER/WOOL; GABARDINE, BLUE [CUST: MC CT] | A 8410 | CT | 03-OCT-94 | |
| | MIL-C-29454 | CAPS, SERVICE: WOMEN S, POLYESTER/WOOL, WOOL [CUST: MC CT] | A 8410 | CT | 19-FEB-88 | |
| | MIL-M-29460 | MODULE, WATER PUMP (SIXCON) [CUST: CC] [REVIEW: MC] | A 5430 | CC | 04-APR-90 | |
| | MIL-S-29461(1) | SUIT, CHEMICAL AND BIOLOGICAL PROTECTIVE (CARBON SPHERE) [CUST: MC CT] | A 8415 | CT | 07-APR-92 | |
| | MIL-C-29462 | CLOTH, LAMINATED, POLYESTER, TRICOT KNIT, ACTIVATED CARBON SPHERE, CHEMICAL PROTECTIVE [CUST: MC CT] | A 8305 | CT | 15-APR-92 | |
| M | MIL-DTL-29469A | CHAPLAIN'S KIT - COMBAT [CUST: MC] | A 9925 | MC | 02-APR-98 | |
| A | MIL-C-29475 NOT 2 | COATING, WATER BORNE POLYURETHANE CAMOUFLAGE [CUST: MC] [REVIEW: AS] | A 8010 | MC | 01-AUG-96 | |
| A | MIL-DTL-29477A | SKIRT, WOMAN'S - EVENING DRESS, MUSICIAN, MATERNITY [CUST: MC] | A 8410 | MC | 08-OCT-97 | |
| A | MIL-DTL-29478A | COAT, WOMAN'S - FULL DRESS, SCARLET, U. S. MARINE BAND, MUSICIAN, MATERNITY [CUST: MC] | A 8410 | MC | 16-OCT-97 | |
| A | MIL-DTL-29479A | SLACKS, WOMEN'S [CUST: MC] | A 8410 | MC | 21-OCT-97 | |
| | MIL-C-29480 | COATS, WOMEN'S, OFFICER'S [CUST: MC] | A 8410 | MC | 28-JUL-95 | |
| A | MIL-T-29504A(2) SUP 1 | TERMINI, FIBER OPTIC CONNECTOR, REMOVABLE, GENERAL SPECIFICATION FOR [CUST: CR SH 85 CC NA] [REVIEW: 17 19 80 99 AR AS CG EC MC MI YDI] | A 6060 | CC | 30-JAN-98 | |
| | MIL-T-29504/1A | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 2, TYPE II, STYLE A, PIN TERMINUS, (FOR MIL-C-28876 AND MIL-C-83526 CONNECTORS) [CUST: CR SH 85] [REVIEW: 11 13 17 84 AV CC CG MC OS YDI] | A 6060 | SH | 19-DEC-89 | |
| | MIL-T-29504/2A | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 2, TYPE II, STYLE A, SOCKET TERMINUS, (FOR MIL-C-28876 AND MIL-C-83526 CONNECTORS) [CUST: CR SH 85] [REVIEW: 11 13 17 84 AV CC CG MC OS YDI] | A 6060 | SH | 19-DEC-89 | |
| | MIL-T-29504/3A | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 2, TYPE II, STYLE A, DUMMY TERMINUS, (FOR MIL-C-28876 AND MIL-C-83526 CONNECTORS) [CUST: CR SH 85] [REVIEW: 11 13 17 84 AV CC CG MC OS YDI] | A 6060 | SH | 19-DEC-89 | |
| A | MIL-T-29504/4B(1) | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, SIZE 16, REAR RELEASE MIL-C-38999, SERIES I, III, AND IV [CUST: CR SH 85 CC NA] [REVIEW: 17 19 80 99 AR AS CG EC MC MI YDI] | A 6060 | CC | 30-JAN-98 | |
| A | MIL-T-29504/5B(1) | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, SIZE 16, REAR RELEASE MIL-C-38999, SERIES I, III, AND IV [CUST: CR SH 85 CC NA] [REVIEW: 17 19 80 99 AR AS CG EC MC MI YDI] | A 6060 | CC | 30-JAN-98 | |
| | MIL-T-29504/6 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, SIZE 16, REAR RELEASE DOD-C-83527 [CUST: CR SH 85] [REVIEW: 11 17 19 80 99 MC OS YDI] | A 6060 | CC | 31-JAN-89 | |
| | MIL-T-29504/7 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, SIZE 16, REAR RELEASE DOD-C-83527 [CUST: CR SH 85] [REVIEW: 11 17 19 80 99 MC OS YDI] | A 6060 | CC | 31-JAN-89 | |
| | MIL-T-29504/8 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, SIZE 16, FRONT RELEASE MIL-C-28840 [CUST: CR SH 85] [REVIEW: MC OS YDI] | A 6060 | SH | 21-OCT-88 | |
| | MIL-T-29504/9 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, SIZE 16, FRONT RELEASE MIL-C-28840 [CUST: CR SH 85] [REVIEW: MC OS YDI] | A 6060 | SH | 21-OCT-88 | |
| | MIL-T-29504/10 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, SIZE 16, REAR RELEASE MIL-C-83723, SERIES III, MIL-C-83733, MIL-C-26482, SERIES II [CUST: CR SH 85] [REVIEW: 11 17 19 80 99 MC OS YDI] | A 6060 | CC | 31-JAN-89 | |
| | MIL-T-29504/11 | TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, SIZE 16, REAR RELEASE MIL-C-83723, SERIES III, MIL-C-83733, MIL-C-26482, SERIES II [CUST: CR SH 85] [REVIEW: 11 17 19 80 99 MC OS YDI] | A 6060 | CC | 31-JAN-89 | |
| | MIL-T-29504/12 | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, FRONT RELEASE, STAINLESS STEEL (FOR MIL-C-28876 CONNECTORS) [CUST: CR SH 85] [REVIEW: 13 17 19 80 99 AS MC OS YDI] | A 6060 | SH | 21-MAY-92 | |
| | MIL-T-29504/13 | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, FRONT RELEASE STAINLESS STEEL (FOR MIL-C-28876 CONNECTORS) [CUST: CR SH 85] [REVIEW: 13 17 19 80 99 AS MC OS YDI] | A 6060 | SH | 21-MAY-92 | |
| | MIL-T-29504/14(1) | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, FRONT RELEASE CERAMIC GUIDE BUSHING (FOR MIL-C-28876 CONNECTORS) [CUST: CR SH 85 NA] [REVIEW: 17 19 80 99 AS CC CG EC MC MI YDI] | A 6060 | SH | 04-MAY-95 | |
| | MIL-T-29504/15(1) | TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, FRONT RELEASE, CERAMIC GUIDE BUSHING (FOR MIL-C-28876 CONNECTORS) [CUST: CR SH 85 NA] [REVIEW: 17 19 80 99 AR AS CC CG EC MC YDI] | A 6060 | SH | 04-MAY-95 | |
| | MIL-N-29510 | NAVIGATIONAL SET, AN/URN-25, TACAN [CUST: AS] | A 5825 | AS | 12-SEP-86 | |
| | MIL-M-29532 | MASTER LIBRARY DATA ELEMENTS (FOR TECHNICAL PUBLICATIONS) [CUST: EC] [REVIEW: AS SH] | A TMSS | EC | 28-OCT-88 | |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|----------------------|---|-----------------------|-----|-------------|-----------|
| M | MIL-A-29563(1) | ANTENNA SYSTEM, AIMS SHIPBOARD, ELECTRONICALLY STEERED OE-120/UPX [CUST: AS CC] [REVIEW: EC] | A 5985 | CC | | 31-JAN-97 |
| | MIL-R-29565A | ROCKET MOTOR, MK 125 MOD 1 [CUST: AS] | A 1340 | AS | | 30-NOV-90 |
| | MIL-C-29567 | CLOTH, LAMINATED, STRETCHABLE, WATERPROOF AND MOISTURE VAPOR PERMEABLE [CUST: AS 99 CT] [REVIEW: 45 82] | A 8305 | AS | | 30-MAR-89 |
| | MIL-S-29574 | SEALING COMPOUND, POLYTHIOETHER, FOR AIRCRAFT STRUCTURES, FUEL AND HIGH TEMPERATURE RESISTANT, FAST CURING AT AMBIENT AND LOW TEMPERATURE [CUST: AS] | A 8030 | AS | | 04-DEC-89 |
| | MIL-L-29575 | LIGHT, WAVE-OFF, FLASHING, CAPACITANCE-DISCHARGE [CUST: AS] | A 6210 | AS | | 31-MAY-89 |
| | MIL-S-29580B | SPECTACLES, AVIATOR'S, MULTIPLE WAVE LENGTH LASER PROTECTIVE, EDU-5/P (WITH CASE) [CUST: GL AS 99] | A 8465 | AS | | 16-DEC-93 |
| | MIL-R-29583 | RADIO SET, AN/ARC-210(V) [CUST: AS] | A 5821 | AS | | 01-JUN-92 |
| | MIL-C-29584(1) | COMPOUND, CLEANING, WATER MISCIBLE FOR AIRCRAFT AUTOMATIC WEAPONS AND AIRCRAFT AUTOMATIC GUN SYSTEMS [CUST: AS] | A 6850 | AS | | 04-JAN-91 |
| | MIL-T-29586 | THERMOSETTING POLYMER MATRIX, UNIDIRECTIONAL CARBON FIBER REINFORCED PREPREG TAPE (WIDTHS UP TO 60 INCHES), GENERAL SPECIFICATION FOR [CUST: AS] | A CMPS | AS | | 30-APR-91 |
| | MIL-I-29589 | INTERROGATOR SET, AN/UPX-24(V) [CUST: AS] | A 5895 | AS | | 26-JUL-91 |
| | MIL-P-29590 | POWER SUPPLIES, AIRBORNE, ELECTRONIC GENERAL SPECIFICATION FOR [CUST: CR AS 99] [REVIEW: GS] | A 6130 | AS | | 29-NOV-91 |
| | MIL-P-29590/1 | POWER SUPPLIES, AIRBORNE, ELECTRONIC 5.0 VOLT, 40 AMPERE, KEY CODE A88UG [CUST: CR AS 99] [REVIEW: GS] | A 6130 | AS | | 29-NOV-91 |
| | MIL-V-29592 | VALVE, AIR VENT, AUTOMATIC, HYDRAULIC, LOW PRESSURE TYPE II SYSTEMS, GENERAL SPECIFICATION FOR [CUST: AS] | A 1650 | AS | | 04-JAN-93 |
| | MIL-V-29592/1 | VALVE, AIR VENT, AUTOMATIC, LOW PRESSURE, MANIFOLD MOUNT [CUST: AS] | A 1650 | AS | | 04-JAN-92 |
| | MIL-B-29595 | BATTERIES AND CELLS, LITHIUM, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AS] | A 6135 | AS | | 01-JUN-94 |
| | MIL-P-29596 | PACKAGING MATERIAL, KRAFT PAPER, 3-PLY, FLEXIBLE, GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: SA] | A 8135 | AS | | 15-JAN-93 |
| | MIL-B-29597(1) | BAG, ODOR BARRIER, FLEXIBLE (FOR FOOD CONTAMINATED PLASTIC WASTE) [CUST: AS] [REVIEW: SA] | A 8105 | AS | | 12-AUG-94 |
| | MIL-C-29600(2) SUP 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, ASSOCIATED HARDWARE GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 04-MAY-90 |
| | MIL-C-29600/1 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, SEALING PLUG, SIZE 8, (SERIES A) [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 22-FEB-90 |
| | MIL-C-29600/2 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL, SHIELD TERMINATING, (SERIES A AND B) [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 22-FEB-90 |
| | MIL-C-29600/3 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL 90 DEG., SELF LOCKING (SERIES A AND B) [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 22-FEB-90 |
| | MIL-C-29600/4 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL 45 DEG., SELF LOCKING (SERIES A AND B) [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 22-FEB-90 |
| | MIL-C-29600/5 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, SELF LOCKING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, DUST COVER (SERIES A) [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 22-FEB-90 |
| | MIL-C-29600/6 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, STOWAGE RECEPTACLE (SERIES B) [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 22-FEB-90 |
| | MIL-C-29600/7 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, THREADED, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, NUT, HEXAGON, CONNECTOR MOUNTING [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 22-FEB-90 |
| | MIL-C-29600/10 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES A) [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 20-DEC-89 |
| | MIL-C-29600/11 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES A) [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 20-DEC-89 |
| | MIL-C-29600/12 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES A) [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 20-DEC-89 |
| | MIL-C-29600/20 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES B) [CUST: AS] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 20-DEC-89 |
| | MIL-C-29600/21 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES B) [CUST: AS] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 20-DEC-89 |
| | MIL-C-29600/22 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES B) [CUST: AS] [REVIEW: 19 AV CC EC MC MI NA SH] | A 5935 | AS | | 20-DEC-89 |
| | MIL-C-29600/23 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, CONTACTS, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-29600 SERIES B) [CUST: AS] | A 5935 | AS | | 22-FEB-90 |
| | MIL-C-29600/24 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, CONTACTS, PIN, CRIMP REMOVABLE, (SERIES B) [CUST: AS] | A 5935 | AS | | 22-FEB-90 |
| | MIL-C-29602 | CLEANING COMPOUNDS, FOR PARTS WASHERS AND SPRAY CABINETS [CUST: EA AS 68] | A 6850 | AS | | 28-FEB-95 |
| | MIL-W-29606 | WIRE, ELECTRICAL, STRANDED, UNINSULATED COPPER, COPPER ALLOY, OR ALUMINUM, OR THERMOUPLE EXTENSION, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: AR CR SH] | A 6145 | AS | | 30-AUG-94 |
| | MIL-P-29609 | POLYIMIDE RETAINER MATERIAL, POROUS NON-METALLIC [CUST: MI AS 84] [REVIEW: CH] | A 9330 | AS | | 26-JUN-95 |
| | MIL-DTL-29611 | VEST, SURVIVAL, AIRCREWMEN'S, (AIRSAVE) [CUST: GL AS] [REVIEW: CT NU] | A 8415 | AS | | 26-SEP-96 |
| | MIL-C-29627 | COVERALLS, CATAPULT CREWMEN'S (FLAME RESISTANT) [CUST: NU CT] [REVIEW: AS] | A 8415 | CT | | 31-JAN-90 |
| | MIL-C-29628 | COAT, WOMAN'S, BLUE, DRESS [CUST: NU CT] | A 8410 | CT | | 02-JUL-91 |
| N | MIL-C-29628(11) | COAT, WOMAN'S, BLUE, DRESS [CUST: NU CT] | A 8410 | CT | | 09-FEB-98 |
| | MIL-S-29629 | SKIRT, WOMAN'S (WITH WELT POCKETS) [CUST: NU CT] | A 8410 | CT | | 01-FEB-90 |
| | MIL-S-29630 | SLACKS, WOMEN'S [CUST: NU CT] | A 8410 | CT | | 05-MAR-91 |
| | MIL-S-29631 | SKIRT, WOMAN'S, BLUE, DRESS [CUST: NU CT] | A 8410 | CT | | 03-JUN-91 |
| | MIL-C-29632 | COAT, MAN'S, POLYESTER/WOOL, SERGE, FUSIBLE (COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8405 | CT | | 20-MAR-90 |
| | MIL-S-29633A | SHIRT, WOMAN'S, DRESS, SHORT AND LONG SLEEVE (COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8410 | CT | | 10-SEP-91 |
| | MIL-G-29635 | GLOVES, FIREMEN'S, STRUCTURAL/ALUMINIZED PROXIMITY [CUST: GL NU 99 CT] [REVIEW: 11 45 50 82 AS CG MC MD SH] | A 8415 | CT | | 20-NOV-90 |
| | MIL-T-30502B | TONG, MATERIAL LIFTING [CUST: AT 99] [REVIEW: IS] | A 3940 | GS | | 19-JUL-83 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------|--|--------------------------|------|-------------|-----------|
| A | MIL-DTL-31000A | TECHNICAL DATA PACKAGES [CUST: AR OS 16 DH] [REVIEW: 10 11 19 AS AT AV CE CR CR4 EC GL MC MI NS SA SH SM YDI] | A | CMAN | AR | 09-JUN-97 |
| | MIL-C-31002 | CAP, GARRISON, MAN'S (COAST GUARD) [CUST: CG CT] | A | 8405 | CT | 30-MAR-92 |
| | MIL-C-31003 | COVERALLS, UTILITY [CUST: GL NU 99 CT] [REVIEW: 45 82 CG MC MD] | A | 8415 | CT | 01-JAN-93 |
| | MIL-S-31004 | SKIRT, WOMEN'S, SERVICE, POLY/WOOL SERGE, BLUE 1620 [CUST: 99 CT] [REVIEW: 32 45 82] | A | 8410 | CT | 27-JAN-95 |
| | MIL-C-31005 | COAT, WOMEN'S, SERVICE, POLYESTER/WOOL SERGE, BLUE 1620 [CUST: 99 CT] [REVIEW: 32 45 82] | A | 8410 | CT | 05-OCT-94 |
| | MIL-C-31006 | COAT, MAN'S [CUST: 45 CT] [REVIEW: 32 82 99] | A | 8405 | CT | 18-FEB-94 |
| | MIL-C-31006(11) | COAT, MAN'S [CUST: 45 CT] [REVIEW: 32 82] | A | 8405 | CT | 25-APR-94 |
| | MIL-L-31007 | LINER, AIRCREW, BATTLEDRESS, UNIFORM (COAT AND TROUSERS) [CUST: GL CT] [REVIEW: MD] | A | 8415 | CT | 03-OCT-94 |
| | MIL-DTL-31008 | JACKET, SECURITY POLICE, COLD WEATHER [CUST: 45 CT] [REVIEW: 32 99] | A | 8415 | CT | 17-MAY-95 |
| | MIL-DTL-31009 | HOOD, COLD WEATHER, SECURITY POLICE [CUST: 45 CT] [REVIEW: 32 99] | A | 8415 | CT | 01-JUN-95 |
| | MIL-DTL-31010 | JACKET, AIRCREW, COLD WEATHER, WITH REMOVABLE LINER, AND HOOD [CUST: GL CT] [REVIEW: MD] | A | 8415 | CT | 22-MAY-95 |
| | MIL-C-31031/1 | CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, FLANGE MOUNT, FOR FLEXIBLE CABLE, SOCKET CONTACT, HIGH RELIABILITY [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | CC | 19-JAN-95 |
| | MIL-C-31031/2 | CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, JAMNUT MOUNT, FOR FLEXIBLE CABLE, PIN CONTACT, HIGH RELIABILITY [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | CC | 19-JAN-95 |
| | MIL-C-31031/11 | CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, FLANGE MOUNT, FOR SEMIRIGID CABLE, SOCKET CONTACT, HIGH RELIABILITY [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | CC | 19-JAN-95 |
| | MIL-C-31031/12 | CONNECTOR, RECEPTACLE, ELECTRICAL, RADIO FREQUENCY, SERIES BMA, FLANGE MOUNT, FOR SEMIRIGID CABLE, PIN CONTACT, HIGH RELIABILITY [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS AT AV EA MC MI OS SH] | A | 5935 | CC | 19-JAN-95 |
| A | MIL-DTL-32003 | INFRARED DETECTING SET AN/AAS-42 [CUST: AS] | D | 6350 | AS | 30-MAY-97 |
| A | MIL-DTL-32005 | CARTIDGE, IMPULSE, CCU-143/A [CUST: OS] | A | 1377 | OS | 23-OCT-97 |
| A | MIL-DTL-32011 | IGNITION DEVICE, PVU-8/A [CUST: OS] | A | 1377 | OS | 14-NOV-97 |
| A | MIL-DTL-32019 | BOAT CLOAK - MENS' DRESS (OFFICER'S) [CUST: MC] | A | 8405 | MC | 13-JAN-98 |
| A | MIL-DTL-32021 | SKIRTS, WOMEN'S - WHITE [CUST: MC] | A | 8410 | MC | 13-FEB-98 |
| N | MIL-DTL-32025 | CARTRIDGE, IMPULSE, CCU-96/B [CUST: OS] | A | 1377 | OS | 11-JUN-98 |
| A | MIL-D-35033E | DESSERT POWDER, PUDDING, INSTANT, [CUST: GL SA 50] [REVIEW: MC MD SS] | A | 8940 | SS | 21-NOV-89 |
| A | MIL-A-35045D | APPLESAUCE, INSTANT [CUST: GL SA 50 SS] [REVIEW: MC MD MS SS] | A | 8915 | SS | 27-APR-88 |
| | MIL-S-35046C NOT 1 | SOUP, DEHYDRATED, ONION [CUST: GL SA 45] [REVIEW: MC MD] | A | 8935 | SS | 01-OCT-87 |
| | MIL-S-35051D | SOUP, DEHYDRATED, TOMATO-VEGETABLE, WITH NOODLES [CUST: GL SA 50] [REVIEW: MC MD QM] | A | 8935 | SS | 24-SEP-91 |
| | MIL-I-36013B | ILLUMINATOR, X-RAY FILM, COLLAPSIBLE [CUST: MD MS 03 MB] | A | 6525 | MB | 13-JUL-72 |
| | MIL-S-36017 NOT 1 | STRAP, WEBBING, LITTER CARRYING, OLIVE DRAB [CUST: MD MS 03] | A | 6530 | MB | 15-JUN-89 |
| | MIL-S-36019A | STRAP, WEBBING, PATIENT SECURING [CUST: MD MS 03 MB] | A | 6530 | MB | 07-SEP-78 |
| | MIL-C-36020 NOT 1 | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NONRIGID, NO. 5, EMPTY [CUST: MD MS 03] | A | 6545 | MB | 15-OCT-90 |
| | MIL-T-36022B NOT 1 | TABLE, OPHTHALMIC LABORATORY [CUST: MD MS 03] | A | 6540 | MB | 30-AUG-90 |
| | MIL-R-36025B | ROD, IRRIGATOR SUPPORTING [CUST: MD MS 03 MB] | A | 6530 | MB | 17-SEP-76 |
| | MIL-C-36031 NOT 1 | CASE, DENTAL INSTRUMENT AND SUPPLY SET, EMPTY [CUST: MD MS 03] | A | 6545 | MB | 15-OCT-90 |
| | MIL-C-36033A NOT 1 | CHEST, MEDICAL INSTRUMENT AND SUPPLY SET, RIGID, EMPTY [CUST: MD MS 03] | A | 6545 | MB | 15-OCT-90 |
| | MIL-A-0036035A | ADAPTOMETER, RADIOACTIVE PLAQUE, NIGHT VISION [CUST: MD MS 03] | A | 6540 | MB | 10-AUG-83 |
| | MIL-C-36036B NOT 1 | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NONRIGID, NO. 7 [CUST: MD MS 03] | A | 6545 | MB | 15-OCT-90 |
| | MIL-B-36039B | BAG, GUN CREW FIRST AID KIT [CUST: MD MS 03] | A | 6545 | MB | 30-JUN-89 |
| | MIL-F-36043D | FIRST AID KIT, EYE DRESSING [CUST: MD MS 03 MB] | A | 6545 | MB | 22-JUN-92 |
| | MIL-T-36045 NOT 1 | TOURNIQUET, NONPNEUMATIC, CAMOUFLAGED 1-1/2 BY 42 INCHES [CUST: MD MS 03] | A | 6515 | MB | 04-AUG-89 |
| | MIL-I-36050A NOT 1 | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST PLASTIC DRAWERS [CUST: MD MS 03] | A | 6545 | MB | 15-OCT-90 |
| | MIL-T-36072C | TABLE, FOLDING LEGS, LABORATORY [CUST: MD MS 03] [REVIEW: GL] | A | 7105 | MB | 15-JUN-89 |
| | MIL-E-0036083A | ELECTRON TUBE, RECTIFIER, X-RAY GENERATOR [CUST: MD MS 03] [REVIEW: CC] | A | 5960 | MB | 13-NOV-70 |
| | MIL-L-36115 | LATRINE BOX, PREFABRICATED, PORTABLE, M-2 [CUST: MD MS 03] | A | 5450 | MB | 13-FEB-62 |
| | MIL-B-36120 | BACK REST, LITTER, NONADJUSTABLE [CUST: MD MS 03] | A | 6530 | MB | 08-MAY-62 |
| | MIL-L-36142 | LITTER EXTENSION, PATIENT S PILLOW SUPPORT-BACKREST [CUST: MD MS 03] | A | 6530 | MB | 15-JUL-63 |
| | MIL-B-36162C | BLADES, LARYNGOSCOPE, MILLER [CUST: MD MS 03] | A | 6515 | MB | 03-NOV-87 |
| | MIL-C-36165B NOT 1 | COVER, MATTRESS, PLASTIC [CUST: MD MS 03 MB] [REVIEW: CT] | A | 7210 | MB | 13-DEC-88 |
| | MIL-P-36174A NOT 1 | PILLOW, PNEUMATIC [CUST: MD MS 03] [REVIEW: CT] | A | 7210 | MB | 19-JUN-89 |
| | MIL-D-0036180A | DIAPER, INFANT S, COTTON, BIRDSEYE [CUST: MB] | A | 6532 | MB | 29-MAR-78 |
| | MIL-T-36202B | TABLE, SURGICAL INSTRUMENT AND SURGICAL DRESSING [CUST: MD MS 03] | A | 6530 | MB | 18-AUG-77 |
| | MIL-I-36207C | INSERT, OPTIONAL, CHEMICAL-BIOLOGICAL MASK, M-17 [CUST: MD MS 03] | A | 6540 | MB | 15-MAY-87 |
| | MIL-M-36226 NOT 1 | MATTRESS, PNEUMATIC, FIELD HOSPITAL FOLDING COT [CUST: MD MS 03] [REVIEW: CT] | A | 7210 | MB | 19-JUN-89 |
| | MIL-M-36233 NOT 1 | MARKER, CASUALTY, ARCTIC, CLOTH [CUST: MD MS 03] | A | 6530 | MB | 15-JUN-89 |
| | MIL-F-36240A NOT 1 | FRAME, CLOTH BASKET [CUST: MD MS 03] [REVIEW: GL] | A | 7240 | MB | 15-JUN-89 |
| | MIL-I-36254A | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST, COMPARTMENTED, 7 DRAWER, WITH FOUR LEGS, TWO SPACERS AND TWO TIE DOWN RODS [CUST: MD MS 03] | A | 6545 | MB | 07-JAN-64 |
| | MIL-D-36259A NOT 1 | DIVIDERS, TRAY CHEST [CUST: MD MS 03] | A | 6545 | MB | 15-OCT-90 |
| | MIL-S-36262 | SHELF ASSEMBLY, MEDICINE CART, CORROSION-RESISTING STEEL [CUST: MD MS 03 MB] | A | 6530 | MB | 15-AUG-64 |
| | MIL-T-36263A NOT 1 | TRAYS, MEDICAL INSTRUMENT AND SUPPLY SET CHEST [CUST: MD MS 03] | A | 6545 | MB | 15-OCT-90 |
| | MIL-S-36280B | STAND, SURGICAL INSTRUMENT [CUST: MD MS 03] [REVIEW: 82 CR4 MB OS] | A | 6530 | MB | 04-AUG-89 |
| | MIL-C-36332B NOT 1 | CASE, SPECTACLE, ENVELOPE TYPE [CUST: MD MS 03] | A | 6540 | MB | 30-AUG-90 |
| | MIL-B-36341A NOT 1 | BURET, GAS, 100 ML [CUST: MD MS 03] | A | 6630 | MB | 02-NOV-92 |
| | MIL-T-0036347A | TEST BRIDGE [CUST: MD MS 03] | A | 6630 | MB | 24-AUG-73 |
| | MIL-H-36364B | HOLDER, RADIAC DETECTING ELEMENT, FILM BADGE TYPE [CUST: MD MS 03] | A | 6665 | MB | 15-JUN-90 |
| | MIL-D-36379 | DIATRIZOATE SODIUM FOR ORAL SOLUTION, 250 GM [CUST: MD MS 03] | A | 6505 | DM | 09-FEB-65 |
| | MIL-C-36398A | COVER, SURGICAL INSTRUMENT STAND (BAG TYPE) [CUST: MD MS 03] | A | 6530 | MB | 15-JUN-89 |
| | MIL-I-36409A NOT 1 | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST [CUST: MD MS 03] | A | 6545 | MB | 15-OCT-90 |
| | MIL-S-36423A | STAND, BASIN, FOLDING, SINGLE, ALUMINUM [CUST: MD MS 03] | A | 6530 | MB | 15-JUN-90 |
| | MIL-I-36436 NOT 1 | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST, SPECTACLE FRAME, 4 DRAWER [CUST: MD MS 03] | A | 6545 | MB | 15-OCT-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-D-36449A NOT 1 | DRIER, X-RAY FILM, PORTABLE [CUST: MD MS 03 MB] | A 6525 | MB | | 31-OCT-88 |
| | MIL-C-36465A | COT, FOLDING, HOSPITAL ALUMINUM [CUST: MD MS 03] | A 6530 | MB | | 25-JUN-89 |
| | MIL-C-36493 NOT 1 | CASE, VETERINARY FOOD INSPECTION SET [CUST: MD MS 03] | A 6545 | MB | | 15-OCT-90 |
| | MIL-T-36503A | TRACTION APPLIANCE, CERVICAL INJURY [CUST: MD MS 03] | A 6530 | MB | | 04-AUG-89 |
| | MIL-T-36522B | TABLE, ANESTHETIST S [CUST: MD MS 03] | A 6530 | MB | | 26-AUG-76 |
| | MIL-R-36540B | RAZOR, SURGICAL PREPARATION (FOR FIELD USE) [CUST: MD MS 03] | A 6515 | MB | | 05-NOV-85 |
| | MIL-S-36545A | SUPPORT, LITTER [CUST: MD MS 03] | A 6530 | MB | | 29-MAR-77 |
| | MIL-B-36558B | BEDS, ADJUSTABLE [CUST: MD MS 03] [REVIEW: 50 TM YD1] | A 6530 | MB | | 24-JAN-92 |
| | MIL-A-36561A NOT 1 | ALBUMIN, NORMAL HUMAN SERUM, WITH INJECTION APPARATUS [CUST: MD MS 03] | A 6505 | MB | | 26-FEB-88 |
| | MIL-G-36565A NOT 1 | GOWNS, OPERATING, SURGICAL, COTTON, VEST-TYPE, GREEN [CUST: MD MS 03] | A 6532 | MB | | 04-AUG-89 |
| | MIL-C-36570 NOT 1 | CHAIR [CUST: MD MS 03] | A 6530 | MB | | 15-JUN-89 |
| | MIL-D-36572A | DESK, FLAT TOP [CUST: MD MS 03] | A 6530 | MB | | 04-AUG-89 |
| | MIL-S-36573B(2) | SMOCK, DENTAL OPERATING [CUST: MD MS 03] | A 6532 | MB | | 24-MAR-75 |
| | MIL-S-36609B NOT 1 | SURVIVAL KIT, INDIVIDUAL, TROPICAL, TACTICAL AIR CREW [CUST: MD MS 03] | A 6545 | MB | | 15-OCT-90 |
| | MIL-L-36696B | LARYNGOSCOPE, CHILD-ADULT, WISCONSIN [CUST: MD MS 03] | A 6515 | MB | | 21-AUG-89 |
| | MIL-T-36736 | TRACTION DEVICE [CUST: MD MS 03] | A 6530 | MB | | 11-MAR-71 |
| | MIL-W-36775A | WET BULB-GLOBE TEMPERATURE KIT [CUST: MB] | A 6665 | MB | | 28-FEB-79 |
| | MIL-I-36783A | INSERT, OPTICAL, CHEMICAL BIOLOGICAL MASK, UNIVERSAL SIZE [CUST: MD MS 03] | A 6540 | MB | | 23-JUN-95 |
| | MIL-O-36788(3) | OXYGEN, USP, WITH TUBE AND FACE MASK 24 GAL. (90 LITER) [CUST: MD MS 03] | A 6515 | MB | | 07-DEC-73 |
| | MIL-P-36816A | PAD, LITTER [CUST: MD MS 03] | A 6530 | MB | | 06-JUL-76 |
| | MIL-C-36828A NOT 1 | CASE, SPECTACLE, ENVELOPE TYPE, SOFT FABRIC LINING [CUST: MD MS 03] | A 6540 | MB | | 30-AUG-90 |
| | MIL-I-36854A | INSERT, FIRST AID KIT CASE, PLASTIC, OLIVE DRAB, 4-3/4 INCHES LONG BY 2-3/8 INCHES WIDE BY 4-1/2 INCHES HIGH [CUST: MD MS 03] | A 6545 | MB | | 16-DEC-85 |
| | MIL-C-36856(1) | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NONRIGID, NO. 3 [CUST: MD MS 03] | A 6545 | MB | | 12-DEC-86 |
| | MIL-L-36896 NOT 1 | LARYNGOSCOPE, FIBER OPTICS (HOLINGER AND JACKSON DESIGNS) [CUST: MD MS 03] | A 6515 | MB | | 04-MAY-89 |
| | MIL-F-36901A(2) | FABRICS, NONWOVEN, SURGICAL PACKS, DISPOSABLE [CUST: MD MS 03] | A 6530 | MB | | 04-AUG-89 |
| | MIL-D-36917(1) | DRAPES, SURGICAL, DISPOSABLE, NONWOVEN FABRIC [CUST: MD MS 03] | A 6530 | MB | | 23-OCT-75 |
| | MIL-C-36961A | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, PLASTIC, RIGID [CUST: MD MS 03] | A 6545 | MB | | 28-JUL-89 |
| | MIL-B-36964B | BLANKET, COMBAT, CASUALTY LIGHTWEIGHT, WATERPROOF, ALUMINIZED PLASTIC [CUST: MD MS 03] [REVIEW: CT] | A 7210 | MB | | 27-AUG-73 |
| | MIL-R-36967 NOT 1 | RUBBER STAMP, FIXED AND REMOVABLE TYPE, DEPARTMENT OF DEFENSE, SURVEILLANCE INSPECTION, MEDICAL SERVICE [CUST: MD MS 03] [REVIEW: GL] | A 7520 | MB | | 31-OCT-90 |
| | MIL-B-36970A | BOX, BLOOD PRODUCTS SHIPPING [CUST: MD MS 03] [REVIEW: GL] | A 8115 | MB | | 29-OCT-91 |
| | MIL-G-36972(1) | GOWN, OPERATING, SURGICAL [CUST: MD MS 03] | A 6532 | MB | | 04-AUG-89 |
| | MIL-C-37021 | CHAIR AND STOOL UNIT, DENTAL OPERATING, PORTABLE, IN CARRYING CASE [CUST: MD MS 03] | A 6520 | MB | | 07-JAN-74 |
| | MIL-T-37030(1) | TROUSERS, OPERATING, SURGICAL, MEN'S COTTON-POLYESTER, STATIC RESISTANT [CUST: MD MS 03] | A 6532 | MB | | 04-AUG-89 |
| | MIL-S-37039(1) NOT 1 | SHIRTS, OPERATING, SURGICAL, MAN'S COTTON-POLYESTER STATIC RESISTANT [CUST: MD MS 03] | A 6532 | MB | | 04-AUG-89 |
| | MIL-T-37046(1) | TROUSERS, OPERATING, SURGICAL, WOMEN'S, COTTON-POLYESTER, STATIC RESISTANT [CUST: MD MS 03] | A 6532 | MB | | 04-AUG-89 |
| | MIL-T-37064 | TUNICS, OPERATING, SURGICAL, WOMAN'S, COTTON-POLYESTER, STATIC RESISTANT, LONG SLEEVES [CUST: MD MS 03] | A 6532 | MB | | 04-AUG-89 |
| | MIL-C-37066 NOT 1 | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NONRIGID, NO. 6 [CUST: MD MS 03] | A 6545 | MB | | 15-OCT-90 |
| | MIL-T-37069 | TUNICS, OPERATING, SURGICAL, WOMAN'S, COTTON-POLYESTER, STATIC RESISTANT, SHORT SLEEVES [CUST: MD MS 03] | A 6532 | MB | | 04-AUG-89 |
| | MIL-H-37084 | HYPODERMIC INJECTION APPARATUS, JET, FOOT OPERATED [CUST: MD MS 03] | A 6515 | MB | | 11-JUN-75 |
| | MIL-C-37106 | CASE, MEDICAL LABORATORY EQUIPMENT SET [CUST: MD MS 03] | A 6545 | MB | | 28-JUL-89 |
| | MIL-C-37117A | CASE, EAR PLUG [CUST: MD MS 03] | A 6515 | MB | | 07-NOV-85 |
| | MIL-S-37129 NOT 1 | SHIRTS, OPERATING, SURGICAL, MAN'S, COTTON, SLEEVELESS, STYLE A [CUST: MD MS 03] | A 6532 | MB | | 04-AUG-89 |
| | MIL-S-37130 NOT 1 | SHIRTS, OPERATING, SURGICAL, MAN'S, COTTON, QUARTER LENGTH SLEEVES, STYLE B [CUST: MD MS 03] | A 6532 | MB | | 04-AUG-89 |
| | MIL-T-37131 | TROUSERS, OPERATING, SURGICAL, MAN'S, COTTON, GREEN [CUST: MD MS 03] | A 6532 | MB | | 04-AUG-89 |
| | MIL-D-37165(2) | DRESSING, FIRST AID, FIELD, INDIVIDUAL TROOP [CUST: MD MS 03] | A 6510 | MB | | 19-MAR-76 |
| | MIL-S-37180A | SATCHEL, PHYSICIAN'S, BOSTON STYLE, THREE COMPARTMENT [CUST: MD MS 03] | A 6532 | MB | | 04-AUG-89 |
| | MIL-C-37183(1) | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NON-RIGID, NO. 8 [CUST: MD MS 03] | A 6545 | MB | | 22-OCT-86 |
| | MIL-C-37186B | COATS, MEDICAL ATTENDANT S, MAN S, WHITE, COTTON-POLYESTER, DURABLE PRESS [CUST: MD MS 03] | A 6532 | MB | | 30-NOV-76 |
| | MIL-I-37195 | INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST, 5 DRAWER [CUST: MD MS 03] | A 6545 | MB | | 28-JUL-89 |
| | MIL-I-37196 | INSERT, CABINET MEDICAL INSTRUMENT AND SUPPLY SET CHEST, OPHTHALMIC LENS, 10 DRAWER [CUST: MD MS 03] | A 6545 | MB | | 28-JUL-89 |
| | MIL-S-37205 NOT 1 | SURVIVAL KIT, INDIVIDUAL [CUST: MD MS 03] | A 6545 | MB | | 15-OCT-90 |
| | MIL-S-37223 | STAND, SURGICAL INSTRUMENT [CUST: MD MS 03] | A 6530 | MB | | 11-JUN-76 |
| | MIL-I-37238 | INSERT SHELF UNIT, MEDICAL INSTRUMENT AND SUPPLY SET CHEST [CUST: MD MS 03] | A 6545 | MB | | 28-JUL-89 |
| | MIL-I-37239(1) | INSERT MOUNTING UNIT, MEDICAL INSTRUMENT AND SUPPLY SET CHEST [CUST: MD MS 03] | A 6545 | MB | | 28-JUL-89 |
| | MIL-T-37240 | TABLE, SURGICAL INSTRUMENT, AND SURGICAL DRESSING [CUST: MD MS 03] | A 6530 | MB | | 04-AUG-89 |
| | MIL-T-37402 | TESTER, ANTIFREEZE SOLUTIONS [CUST: MD MS 03] | A 6530 | MB | | 06-APR-77 |
| | MIL-S-37442 | SMOCK, PHYSICIAN S, MAN S, WHITE, COTTON-POLYESTER, DURABLE PRESS [CUST: MD MS 03] | A 6532 | MB | | 12-NOV-76 |
| | MIL-C-37458 | CUPRIC SULFATE, NF [CUST: MD MS 03] | A 6505 | MB | | 01-SEP-76 |
| | MIL-S-37505 NOT 1 | SINK SERVICE UNIT, CLINICAL LABORATORY [CUST: MD MS 03] | A 6545 | MB | | 09-JAN-89 |
| | MIL-F-37568 | FILE, VISIBLE INDEX, BOOK UNIT [CUST: MD MS 03] | A 7460 | MB | | 24-MAR-77 |
| | MIL-E-37579 | ENVELOPE, DRUG DISPENSING, 100S [CUST: MD MS 03] | A 8105 | MB | | 17-JAN-77 |
| | MIL-S-37581 | SPLINT, LEG, PNEUMATIC, ADULT, WRAP-AROUND, HOOK AND CORD CLOSURE [CUST: MD MS 03] | A 6515 | MB | | 09-SEP-77 |
| | MIL-F-37618B | FRAME, SPECTACLE, GOLD PLATED, BAYONET TEMPLES [CUST: MD MS 03] | A 6540 | MB | | 15-JUN-90 |
| | MIL-T-37637A | TABLE, OPERATING, FIELD [CUST: MD MS 03] | A 6530 | MB | | 01-OCT-90 |
| | MIL-R-37640 | RACK, TEST TUBE, LABORATORY, EPOXY COATED WIRE, 40 TUBE [CUST: MD MS 03] | A 6640 | MB | | 09-FEB-77 |
| | MIL-P-37646 | PROTECTORS, ORTHOPEDIC CAST [CUST: MD MS 03] | A 6515 | MB | | 31-MAR-77 |
| | MIL-Y-37687A | YOKE-ADAPTER, COMPRESSED GAS CYLINDER [CUST: MD MS 03] | A 8120 | MB | | 21-FEB-92 |
| | MIL-S-37721 NOT 1 | SINK, CLINICAL LABORATORY, LIGHTWEIGHT [CUST: MD MS 03] | A 6545 | MB | | 09-JAN-89 |
| | MIL-C-37734 NOT 1 | COVER, MATTRESS PAD [CUST: MD MS 03] | A 7210 | MB | | 19-JUN-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|---------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-P-37735 NOT 1 | PAD, MATTRESS, HOSPITAL BED [CUST: MD MS 03] | A 7210 | MB | | 19-JUN-89 |
| | MIL-S-37826 | STAND, BED SERVICE [CUST: MD MS 03] | A 6530 | MB | | 25-AUG-78 |
| | MIL-C-37827 NOT 1 | COVER, BED FRAME [CUST: MD MS 03] | A 7210 | MB | | 19-JUN-89 |
| | MIL-R-37828 NOT 1 | ROD, INSECT BAR [CUST: MD MS 03] [REVIEW: 45] | A 7210 | MB | | 19-JUN-89 |
| | MIL-B-37829 | BAG, PERSONAL EFFECTS [CUST: MD MS 03] | A 8465 | MB | | 19-JUN-89 |
| | MIL-T-37923 | HYPODERMIC AUTO INJECTOR, DEMONSTRATION [CUST: MB] | A 6910 | MB | | 31-OCT-78 |
| | MIL-P-37948A | PRALIDOXIME CHLORIDE INJECTION | A 6505 | MB | | 17-MAR-84 |
| | MIL-F-37950B | FRAME, SPECTACLE, AVIATOR, METAL WIRE [CUST: MD MS 03] | A 6540 | MB | | 15-JAN-93 |
| | MIL-S-37952 | SPINEBOARD [CUST: MD MS 03] | A 6530 | MB | | 03-JUN-83 |
| | MIL-A-37953 | ANESTHESIA APPARATUS, GAS, NITROUS OXIDE [CUST: MD MS 03] | A 6515 | MB | | 15-APR-83 |
| | MIL-S-37954B | SPECTACLE FRAME, FRONTS AND TEMPLES, CELLULOSE ACETATE [CUST: MD MS 03] | A 6540 | MB | | 15-AUG-90 |
| | MIL-F-37956 | FILTER ELEMENT, AGENT SAMPLING EXTRACTOR [CUST: EA SH 99 MB] | A 6640 | MB | | 13-JUL-89 |
| | MIL-L-37957A | LITTERS, RIGID, STOKES [CUST: MD MS 03] [REVIEW: AS AV CG MC SH] | A 6530 | MB | | 24-JAN-92 |
| | MIL-B-0037958 | BAG, PROTECTIVE, CASE, MEDICAL INSTRUMENT AND SUPPLY SET NO. 17 [CUST: MD MS 03] | A 6545 | MB | | 15-FEB-84 |
| | MIL-S-37963 | SPLING, LEG THOMAS, HALF-RING, TELESCOPING [CUST: MB] | A 6515 | MB | | 16-NOV-84 |
| | MIL-C-37964 | CONTAINER, ENVIRONMENTAL PROTECTION MEDICAL SUPPLIES [CUST: MB] | A 6530 | MB | | 25-OCT-85 |
| | MIL-T-37968 | TOWEL, PAPER (DISPOSABLE, DENTAL [CUST: MD MS 03] | A 8540 | MB | | 12-MAY-86 |
| | MIL-S-37988 | SURVIVAL KIT, INDIVIDUAL, TROPICAL, TACTICAL AIR CREW, IN PLASTIC BAG [CUST: MD MS 03 MB] | A 6545 | MB | | 02-OCT-85 |
| | MIL-N-37996 | NITROUS OXIDE GAS, USPHIGH PRESSURE, CYLINDER [CUST: MD MS 03] [REVIEW: 68 CR4 SH] | A 6505 | MB | | 24-DEC-85 |
| | MIL-O-37997 | OXYGEN GAS, USP, HIGH PRESSURE, CYLINDER [CUST: MD MS 03] [REVIEW: 68 CR4 SH] | A 6505 | MB | | 18-DEC-85 |
| | MIL-C-37999 | CABINTRY SYSTEM, MEDICAL & PHARMACUTICAL, DEPLOYABLE [CUST: MD MS 03] | A 6530 | MB | | 15-JUN-87 |
| | MIL-S-38004C | SOCKS, EXTREME COLD WEATHER [CUST: 99 CT] [REVIEW: 31 82 SA] | A 8440 | CT | | 26-FEB-85 |
| | MIL-D-38024B(1) NOT 1 | DROGUE, PARACHUTE STATIC LINE [CUST: GL 99] [REVIEW: CC CE GS] | A 1670 | GL | | 31-AUG-92 |
| | MIL-D-38134A(2) | DETECTOR, MAGNETIC AZIMUTH DSU-4/A, HIGH TEMPERATURE [CUST: AS] | A 6605 | AS | | 18-SEP-72 |
| | MIL-C-38159B | CONNECTORS, ELECTRIC, RAMP POWER, 480/277 VOLTS, GENERAL SPECIFICATION FOR [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 24-JAN-92 |
| | MIL-C-38159/1 | CONNECTORS, PLUG, ELECTRICAL, SERIES 1, NON-HAZARDOUS [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 24-JAN-92 |
| | MIL-C-38159/2 | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 1, NON-HAZARDOUS [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 24-JAN-92 |
| | MIL-C-38159/3 | CONNECTORS, PLUG, ELECTRICAL, SERIES 2, HAZARDOUS [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 24-JAN-92 |
| | MIL-C-38159/4 | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 2, HAZARDOUS [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 24-JAN-92 |
| | MIL-T-38170F(1) | TANK, MOBILE STORAGE, LIQUID OXYGEN TMU-27/M [CUST: 82] [REVIEW: 99] | A 3655 | 82 | | 05-MAR-82 |
| | MIL-C-38182C | COVER, SERVICE CAP, MAN'S, WATER REPELLENT [CUST: 11 CT] [REVIEW: 45 82 99] | A 8405 | CT | | 02-FEB-90 |
| | MIL-P-38184C NOT 1 | PARKA, EXTREME COLD WEATHER CWU-8/P [CUST: 99 CT] [REVIEW: 32 45] | A 8415 | CT | | 31-OCT-89 |
| | MIL-P-38199B NOT 1 | PAD, PARACHUTE HARNESS, QUICK RELEASE [CUST: GL AS 99] [REVIEW: 11 82 AV] | A 1670 | GL | | 19-JUN-90 |
| A | MIL-V-38201C(3) | VALVE, FILLER, LIQUID OXYGEN FEMALE CRU-59/E [CUST: 68] [REVIEW: 11 99 CR4] | A 3655 | 82 | | 18-JUN-81 |
| | MIL-R-38213B(1) NOT 1 | RAINCOAT, MAN'S, LIGHTWEIGHT, BLUE [CUST: 11 CT] [REVIEW: 45 99] | A 8405 | CT | | 14-FEB-89 |
| | MIL-L-38217D(2) | LIGHT, MARKER DISTRESS [CUST: AS 99 GS] [REVIEW: CR4 SH YDI] | A 6230 | GS | | 21-SEP-83 |
| | MIL-C-38271B | CONNECTOR, OXYGEN MASK TO REGULATOR CRU-60/F [CUST: 99] [REVIEW: 11] | A 1660 | 82 | | 04-NOV-94 |
| | MIL-M-38311B NOT 1 | MANUALS, TECHNICAL: OPERATION AND ASSOCIATED CHECKLIST (INTERCONTINENTAL BALLISTIC MISSILE) PREPARATION OF [CUST: 19] [REVIEW: 16 99] | A TMSS | 19 | | 17-FEB-93 |
| | MIL-T-38328B(1) | TAPE, TEXTILE, NYLON, AROMATIC, NONMELTING, REINFORCING [CUST: SA 11 CT] [REVIEW: 31 45 82 99] | A 8305 | CT | | 09-AUG-82 |
| | MIL-C-38334A(2) NOT 1 | CORROSION REMOVING COMPOUND, PREPAINT, FOR AIRCRAFT ALUMINUM SURFACES [CUST: AS 11 GS] [REVIEW: 68 99] | A 6850 | GS | | 30-JUL-87 |
| | MIL-T-38350D | TROUSERS PARARESCUE CWU-15/P [CUST: 99 CT] [REVIEW: 45 82] | A 8415 | CT | | 24-APR-92 |
| | MIL-C-38351A(1) NOT 2 | CLOTH, PARACHUTE, NYLON, AROMATIC, NONMELTING [CUST: 99 CT] [REVIEW: 11 31 45] | A 8305 | CT | | 31-OCT-91 |
| A | MIL-C-38359A NOT 1 | CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING, CROSS-LINKED, POLYETHYLENE XLP [CUST: 85 CC] [REVIEW: 99] | A 6145 | CC | | 27-DEC-91 |
| | MIL-D-38386E | DUCT ASSEMBLY, GROUND, CONDITIONED AIR, INSULATED, FLEXIBLE [CUST: 99] [REVIEW: 82] | A 4720 | CC | | 28-AUG-89 |
| A | MIL-H-38390C | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, PNEUMATIC, HIGH PRESSURE [CUST: 99 CC] [REVIEW: 82 CR4] | A 4720 | CC | | 27-JAN-84 |
| | MIL-T-38394C | TRANSMITTER, PRESSURE, TRU-81/A OIL, 0-500 PSI [CUST: 99 GS] | A 6620 | GS | | 30-MAY-93 |
| | MIL-C-38404E | COUPLINGS, HOSE, REATTACHABLE SCREW-ON [CUST: 99 CC] [REVIEW: 82 AV CR4] | A 4730 | CC | | 16-OCT-92 |
| | MIL-S-38430(1) NOT 1 | SLEEPING BAG-CONTAINER, PARACHUTE BAILOUT SRU-15/P [CUST: SA 99 CT] [REVIEW: 11 45 AS MC MD] | A 8465 | CT | | 31-OCT-89 |
| | MIL-H-38471B NOT 1 | HAT AND INSECT NET HGU-18/P [CUST: 99 CT] [REVIEW: 45] | A 8415 | CT | | 31-OCT-89 |
| | MIL-P-38477A NOT 1 | PLASTIC MATERIAL, PRESSURE SENSITIVE ADHESIVE, FOR AEROSPACE IDENTIFICATION AND MARKING [CUST: 11 GS] [REVIEW: EA OS] | A 9330 | GS | | 30-JUL-87 |
| | MIL-C-38488A(1) | COVERALL, FLYING, ANTI-EXPOSURE, QUICK DONNING CWU-16/P [CUST: GL AS 99] [REVIEW: 11 CT] | A 8475 | 82 | | 19-JUL-78 |
| | MIL-M-38510/31A NOT 1 | MICROCIRCUITS, DIGITAL, DTL, NAND BUFFER/EXTENDER, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 30-NOV-88 |
| | MIL-M-38510/42C NOT 1 | MICROCIRCUITS, DIGITAL, TTL, LOW POWER MONOSTABLE MULTIVIBRATORS, MONOLITHIC SILICON [CUST: CR EC 17 NA] [REVIEW: AS CG MC SH] | A 5962 | CC | | 12-MAY-88 |
| | MIL-M-38510/201C | MICROCIRCUIT, DIGITAL, 512 BIT, BIPOLAR, PROGRAMMABLE READ ONLY MEMORY (PROM), MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS MC MI OS SH SM] | A 5962 | CC | | 24-MAR-86 |
| A | MIL-M-38510/380A(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, BINARY COUNTERS, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 08-JUL-97 |
| | MIL-M-38510/422A NOT 1 | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, CLOCK GENERATOR AND DRIVER, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99] | A 5962 | CC | | 30-NOV-88 |
| | MIL-M-38510/441A NOT 1 | MICROCIRCUITS, DIGITAL, LOW POWER SCHOTTKY TTL, BUS TRANSCEIVER, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 30-NOV-88 |
| | MIL-M-38510/460A | MICROCIRCUIT, DIGITAL, INTEGRATED INJECTION LOGIC (I2L), PARALLEL 16 BIT MICROPROCESSOR, MONOLITHIC SILICON [CUST: 17] [REVIEW: 11 19 85 99 MI] | A 5962 | CC | | 29-JUN-84 |
| | MIL-M-38510/476A | MICROCIRCUIT, DIGITAL, CMOS 4-BIT BUS BUFFER/SEPARATOR, MONOLITHIC SILICON [CUST: CC NA] | A 5962 | CC | | 09-AUG-83 |
| | MIL-M-38510/482A | MICROCUT DIGITAL N CHANNEL, SILICON GATE MONOLITHIC DIRECT MEMORY ACCESS CONTROLLER [CUST: 17] [REVIEW: 11 19 85 99] | A 5962 | CC | | 18-JUN-84 |
| | MIL-M-38510/605B(1) | MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 16-AUG-93 |
| | MIL-M-38510/665 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, SHIFT REGISTER, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 31-AUG-88 |
| | MIL-S-38533A | SOCKET, CHIP CARRIER, GENERAL SPECIFICATION FOR [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT CR4 MC MI SH] | A 5935 | CC | | 14-JAN-85 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-S-38533/1A | SOCKETS, CHIP CARRIER, CERAMIC, FOR USE WITH CHIP CARRIER, JEDEC, .050 CENTER, LEADLESS TYPES A, B, AND D [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | | 14-JAN-85 |
| | MIL-A-38726(3) | ADAPTER ASSEMBLY, REUSABLE, FLEXIBLE HOSE, LOW PRESSURE [CUST: CR4 AS 99] [REVIEW: 82] | A 4730 | CC | | 21-SEP-83 |
| | MIL-C-38736B NOT 1 | CLEANING COMPOUND, SOLVENT MIXTURES (METRIC) [CUST: 68] | A 6850 | GS | | 27-APR-93 |
| | MIL-B-38741(2) | BROMOCHLORODIFLUOROMETHANE, TECHNICAL [CUST: 68] | A 6830 | GS | | 09-APR-84 |
| | MIL-T-38760 | TENSIOMETER DIAL INDICATING [CUST: AS 99 GS] [REVIEW: CR GL MI] | A 6635 | GS | | 01-APR-66 |
| | MIL-M-38793/1A | MANUAL, TECHNICAL, CALIBRATION PROCEDURES, SUBMISSION OF [CUST: SH] | A TMSS | SH | | 17-DEC-71 |
| | MIL-S-38794B NOT 2 | SOURCE DATA: PREPARATION OF (FOR NON-NUCLEAR MUNITIONS DISPOSAL PROCEDURES MANUALS, LOADING PROCEDURES, MANUALS, AND POSITIONING AND TIEDOWN MANUALS)[CUST: 99] [REVIEW: 01 10 18] | A 13GP | 70 | | 12-AUG-94 |
| | MIL-C-38979A NOT 2 | CARTRIDGE, BOMB EJECTION CCU-1/B [CUST: 99] | A 1377 | 70 | | 26-JUL-93 |
| | MIL-C-38983A | CARTRIDGE, IMPULSE, CCU-11/B [CUST: OS 99] | A 1377 | OS | | 23-JUN-92 |
| | MIL-C-38999J NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 25-MAY-93 |
| | MIL-C-38999/9 NOT 2 | CONNECTOR ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED & BREECH COUPLING), ENVIRONMENT RESISTANT REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS RECEPTACLE, DUMMY STOWAGE, BAYONET COUPLING, (MIL-C-27599, SERIES I AND MIL-C-38999, SERIES I) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 25-MAY-93 |
| | MIL-C-38999/10 NOT 2 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS RECEPTACLE, DUMMY STOWAGE, BAYONET COUPLING, (MIL-C-27599, SERIES II AND MIL-C-38999, SERIES II) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 25-MAY-93 |
| | MIL-C-38999/20D | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, WALL MOUNTING FLANGE REMOVABLE CRIMP CONTACTS, SERIES III, METRIC [CUST: CR AS 85] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | | 07-MAY-90 |
| | DOD-C-38999/21A NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, BOX MOUNTING FLANGE, HERMETIC, TRIPLE START THREADED COUPLING, HERMETIC SOLDER CONTACTS, SERIES III, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 25-MAY-93 |
| | MIL-C-38999/22C | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, DUMMY STOWAGE, (MIL-C-38999, SERIES III), METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 07-MAY-90 |
| | DOD-C-38999/23A NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, JAM-NUT MOUNTING, HERMETIC, TRIPLE START THREADED COUPLING, HERMETIC SOLDER CONTACTS, SERIES III, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 13-JAN-89 |
| | MIL-C-38999/24E | CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, JAM-NUT MOUNTING, REMOVABLE CRIMP CONTACTS, SERIES III, METRIC [CUST: CR AS 85 CC NA] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | | 07-JUN-95 |
| | DOD-C-38999/25 NOT 2 | CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, SOLDER MOUNTING, HERMETIC, TRIPLE START THREADED COUPLING, HERMETIC SOLDER CONTACTS, SERIES III, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 25-MAY-93 |
| | MIL-C-38999/26D | CONNECTORS, ELECTRICAL, PLUG, CIRCULAR, STRAIGHT, REMOVABLE CRIMP CONTACTS, SERIES III, METRIC [CUST: CR AS 85] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | | 07-MAY-90 |
| | DOD-C-38999/27A NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, WELD MOUNTING, HERMETIC, TRIPLE START THREADED COUPLING, HERMETIC SOLDER CONTACTS, SERIES III, METRIC [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 25-MAY-93 |
| | MIL-C-38999/28E | CONNECTORS, ELECTRICAL, CIRCULAR, NUT, HEXAGON, CONNECTOR MOUNTING, SERIES III AND IV, METRIC [CUST: CR AS 85] [REVIEW: 11 19 99 AR EC MC MI SH] | A 5935 | CC | | 28-JUN-90 |
| | DOD-C-38999/29A NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, PLUG, LANYARD RELEASE, FAIL-SAFE, TRIPLE START THREADED COUPLING, REMOVABLE CRIMP CONTACTS, PINS, SERIES III, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 25-MAY-93 |
| | DOD-C-38999/30A NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, PLUG, LANYARD RELEASE, FAIL-SAFE, TRIPLE START THREADED COUPLING, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES III, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR CC EC MC MI OS] | A 5935 | AS | | 16-OCT-91 |
| A | MIL-C-38999/31B(1) | CONNECTORS, ELECTRICAL, CIRCULAR, PLUG, LANYARD RELEASE, FAIL-SAFE REMOVABLE CRIMP CONTACTS, PINS, SERIES III, SHELL SIZE 25, METRIC [CUST: CR AS 85 CC] [REVIEW: 11 19 80 99 EC MC MI OS] | A 5935 | CC | | 27-MAR-98 |
| | MIL-C-38999/32B | CONNECTORS, ELECTRICAL, CIRCULAR, COVER, PROTECTIVE, PLUG (MIL-C-38999 SERIES III), METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 EC MC MI OS] | A 5935 | CC | | 07-MAY-90 |
| | MIL-C-38999/33B | CONNECTORS, ELECTRICAL, CIRCULAR, COVER, PROTECTIVE, RECEPTACLE, (MIL-C-38999 SERIES III), METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 EC MC MI OS] | A 5935 | CC | | 07-MAY-90 |
| | MIL-C-38999/34A | CONNECTORS, RECEPTACLE, ELECTRICAL, CIRCULAR, BREAKAWAY JAMNUT MOUNTING, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES III, SHELL SIZE 25, METRIC [CUST: 85 CC] [REVIEW: 19 99] | A 5935 | CC | | 15-NOV-94 |
| | MIL-C-38999/35A | CONNECTORS, RECEPTACLE, ELECTRICAL, CIRCULAR, BREAKAWAY WALL MOUNTING FLANGE, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES III, SHELL SIZE 25, METRIC [CUST: 85 CC] [REVIEW: 19 99] | A 5935 | CC | | 15-NOV-94 |
| | DOD-C-38999/40(3) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, WALL MOUNTING FLANGE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR CC EC MC MI] | A 5935 | AS | | 16-OCT-91 |
| | DOD-C-38999/41 NOT 2 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, BOX MOUNTING FLANGE, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR CC EC MI MS OS] | A 5935 | AS | | 16-OCT-91 |
| | DOD-C-38999/42(1) NOT 2 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, BOX MOUNTING FLANGE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR CC EC MC MI OS] | A 5935 | AS | | 16-OCT-91 |
| | DOD-C-38999/43 NOT 2 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, JAM NUT MOUNTING, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR CC EC MC MI OS] | A 5935 | AS | | 16-OCT-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|--------------------------|---|-----------------------|-----------------|-----------|
| DOD-C-38999/44A | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVY REST, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, JAM-NUT MOUNTING, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERI [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR CC EC MC OS] | A 5935 | AS | 15-AUG-86 |
| DOD-C-38999/45 NOT 2 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, SOLDER MOUNTING, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR CC EC MI MS OS] | A 5935 | AS | 16-OCT-91 |
| DOD-C-38999/46(2) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, PLUG, BREECH COUPLING, EMI GROUNDING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR CC EC MC MI] | A 5935 | AS | 16-OCT-91 |
| DOD-C-38999/47 NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, PLUG, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR CC EC MC MI OS] | A 5935 | AS | 16-OCT-91 |
| DOD-C-38999/48(2) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE WELD MOUNTING HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS SERIES IV, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR CC EC MC MI OS] | A 5935 | AS | 16-OCT-91 |
| DOD-C-38999/49(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, IN LINE CABLE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR CC EC MI MS OS] | A 5935 | AS | 16-OCT-91 |
| DOD-C-38999/50A NOT 1 | CONNECTORS, ELECTRICAL, RECEPTACLE, DUMMY STOWAGE, BREECH COUPLING (MIL-C-38999, SERIES IV) METRIC [CUST: CR AS 85] [REVIEW: 11 17 19 99 CC EC MC MI OS] | A 5935 | AS | 16-OCT-91 |
| MIL-F-39000A | FLANGES, WAVEGUIDE, RIDGE GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 19 AR AS AV MC OS SH] | A 5985 | CC | 21-OCT-77 |
| MIL-F-39000/1B | FLANGES, WAVEGUIDE, SINGLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 2.4 TO 1) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AV CG MC OS] | A 5985 | CC | 21-OCT-77 |
| MIL-F-39000/2B | FLANGES, WAVEGUIDE, SINGLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 3.6 TO 1) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AV CG MC OS] | A 5985 | CC | 21-OCT-77 |
| MIL-F-39000/3B(1) | FLANGES, WAVEGUIDE, DOUBLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 2.4 TO 1) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AV CG MC OS] | A 5985 | CC | 18-JUL-80 |
| MIL-F-39000/4B | FLANGES, WAVEGUIDE, DOUBLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 3.6 TO 1) [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5985 | CC | 21-OCT-77 |
| MIL-R-39002(5) SUP 1A | RESISTORS, VARIABLE, WIREWOUND, SEMI-PRECISION, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI] | A 5905 | CC | 03-AUG-94 |
| MIL-R-39002/1D(1) NOT 1 | RESISTOR, VARIABLE, WIRE-WOUND, SEMI-PRECISION, STYLE RK09 [CUST: CR EC 85] [REVIEW: 17 19 99 AT AV CG CR4 MC MI] | A 5905 | CC | 11-NOV-91 |
| MIL-R-39002/3 NOT 2 | RESISTOR, VARIABLE, WIRE-WOUND SEMI-PRECISION, STYLE RK11 [CUST: CR] [REVIEW: AR] | A 5905 | CC | 27-AUG-92 |
| MIL-C-39003/10(4) | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLES CSS13 AND CSS33 (HIGH RELIABILITY APPLICATIONS) [CUST: CR EC 19] [REVIEW: 11 17 85 99 AS CC MC OS SH] | A 5910 | CC | 08-AUG-89 |
| MIL-C-39004 NOT 1 | COUPLING ASSEMBLIES, QUICK-DISCONNECT, GENERAL PURPOSE, FOR SUBMINIATURE WAVEGUIDE FLANGES, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 99 AS MC MI] | A 5985 | CC | 27-OCT-87 |
| MIL-C-39004/1 | COUPLING ASSEMBLIES, QUICK-DISCONNECT, GENERAL PURPOSE, FOR SUBMINIATURE WAVEGUIDE FLANGES [CUST: CR EC 85] [REVIEW: 99 AV] | A 5985 | CC | 01-MAY-64 |
| MIL-C-39004/2 | COUPLING ASSEMBLY, QUICK DISCONNECT, FOR SUBMILLIMETER WAVEGUIDE FLANGES [CUST: CR EC 85] [REVIEW: 11 99 AR AS CR4 MC MI OS] | A 5985 | CC | 17-DEC-75 |
| MIL-R-39005/8A | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBR74 [CUST: 85] [REVIEW: 17 19] | A 5905 | CC | 27-DEC-89 |
| MIL-R-39005/10A | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBR76 [CUST: 85] [REVIEW: 17 19] | A 5905 | CC | 27-DEC-89 |
| MIL-C-39006/9D(2) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE) TANTALUM (POLARIZED SINTERED SLUG 85 DEG C) (VOLT DERATED TO 125 DEG C) EST REL STYLE CLR 65 (INACT NEW DESIGN 6/23/81 USE MIL C 39006/22) [CUST: CR EC 85] | A 5910 | CC | 07-MAR-85 |
| MIL-C-39006/19(2) NOT 2 | CAPACITOR, FIXED ELECTROLYTIC (NONSOLID ELECTROLYTE) TANTALUM (POLARIZED SINTERED SLUG 85 DEG C) (VOLTAGE DERATED TO 125 DEG C) ESTB RELIABILITY STYLE CLR 14 (INAC FOR NEW DESIGN 23 JUN 81 USE MIL C 39006/22) [CUST: CR EC 85] [REVIEW: 17 19 AS MC OS] | A 5910 | CC | 11-JUN-82 |
| MIL-C-39006/20(3) NOT 2 | CAPACITOR, FIXED ELECTROLYTIC (NONSOLID ELECTROLYTE) TANTALUM (POLARIZED SINTERED SLUG 83 DEG C) (VOLTAGE DERATED TO 125 DEG C) ESTB RELIABILITY STYLE CLR 17 (INAC FOR NEW DESIGN 23 JUN 81 USE MIL C 39006/22) [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS SH] | A 5910 | CC | 27-MAY-76 |
| MIL-C-39006/21(5) NOT 2 | CAPACITOR, FIXED ELECTROLYTIC (NONSOLID ELECTROLYTE) TANTALUM (POLARIZED SINTERED SLUG 85 DEG C) (EXT RANGE) (VOLTAGE DERATED TO 125 DEG C) ESTB RELIABILITY STYLE CLR 69 (INA FOR NEW DESIGN USE MIL C 39006/22) [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC OS SH] | A 5910 | CC | 07-MAR-85 |
| MIL-C-39012/6D | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED), MALE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | 14-DEC-87 |
| MIL-C-39012/7D(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C (CABLED), FEMALE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | 17-OCT-88 |
| MIL-C-39012/8D(1) | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED), FEMALE, FLANGE MOUNTED, REAR MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | 17-OCT-88 |
| MIL-C-39012/9C | CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES C (CABLED RECEPTACLE, FEMALE, JAM NUT, FRONT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | 03-OCT-86 |
| MIL-C-39012/10D(1) | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED), MALE, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | 05-JUN-89 |
| MIL-C-39012/11D | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLE) FEMALE, JAM NUT, REAR MOUNTED, PRESSURIZED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | 14-DEC-87 |
| MIL-C-39012/12B(1) NOT 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES C (UNCABLED-RECEPTACLE, FEMALE, FLANGE MOUNTED, REAR MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AM AS AT CR4 MC MI OS] | A 5935 | CC | 31-AUG-88 |
| MIL-C-39012/13B NOT 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES C (UNCABLED-RECEPTACLE, FEMALE, JAM NUT MOUNTED, FRONT MOUNTED, PRESSURIZED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | 31-AUG-88 |
| MIL-C-39012/14B(1) NOT 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES C (UNCABLED-RECEPTACLE, FEMALE, JAM NUT MOUNTED, HERMETIC SEAL, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AM AS AT CR4 MC MI OS] | A 5935 | CC | 31-AUG-88 |
| MIL-C-39012/15D | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED) MALE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | 03-OCT-86 |
| MIL-C-39012/25E | CONNECTORS, COAXIAL, RADIOFREQUENCY (HARDWARE FOR RADIOFREQUENCY COAXIAL CONNECTORS) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV EA MC MI OS SH] | A 5935 | CC | 23-JUL-91 |
| MIL-C-39012/41A(1) NOT 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES SC (UNCABLED-RECEPTACLE, FEMALE, FLANGE, REAR MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 17 19 99 AM AS AT AV CR4 MC MI OS] | A 5935 | CC | 31-AUG-88 |

DODISS NUMERICAL LISTING DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-C-39012/42A(1) NOT 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES SC (UNCABLED - RECEPTACLE, FEMALE, JAM NUT MOUNTED, FRONT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 25-JUL-91 |
| | MIL-C-39012/60B | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A 5935 | CC | | 25-JAN-95 |
| | MIL-C-39012/61B | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A 5935 | CC | | 25-JAN-95 |
| | MIL-C-39012/62B | CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, SOCKET CONTACT, JAM NUT MOUNTED, HERMETIC SEAL, CLASS 2) [CUST: CR EC 85] [REVIEW: 19 99 AM AS AT CR4 MC MI OS SH] | A 5935 | CC | | 25-JAN-95 |
| | MIL-C-39012/63B | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC (CABLED, PIN CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 03-OCT-86 |
| | MIL-C-39012/64C | CONNECTOR, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC (CABLED, SOCKET CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 03-OCT-86 |
| | MIL-C-39012/100A | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES MHV (CABLED) PLUG, PIN CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AM AS AT CR4 MC MI OS] | A 5935 | CC | | 14-DEC-87 |
| | MIL-C-39012/103(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, (SERIES MHV (UNCABLED) RECEPTACLES, FEMALE, FLANGE MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AM AS AT CR4 MC MI OS] | A 5935 | CC | | 17-SEP-82 |
| | MIL-C-39012/105(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (CABLED) - PLUG, SOCKET CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 MC MI] | A 5935 | CC | | 22-MAY-87 |
| | MIL-C-39012/106(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (CABLED) PLUG, SOCKET CONTACT, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 MC MI OS] | A 5935 | CC | | 22-MAY-87 |
| | MIL-C-39012/107(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (CABLED) - RECEPTACLES, PIN CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 MC MI OS] | A 5935 | CC | | 22-MAY-87 |
| | MIL-C-39012/108(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (CABLED) RECEPTACLES, PIN CONTACT, FLANGE MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 MC MI OS] | A 5935 | CC | | 22-MAY-87 |
| | MIL-C-39012/109(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (UNCABLED) - RECEPTACLES, PIN CONTACT, FLANGE MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 MC MI OS] | A 5935 | CC | | 22-MAY-87 |
| | MIL-C-39012/110(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (UNCABLED) RECEPTACLES, PIN CONTACT, JAM NUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 MC MI OS] | A 5935 | CC | | 22-MAY-87 |
| | MIL-C-39012/111(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHV (CABLED) - RECEPTACLES, PIN CONTACT, JAM NUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AM AS AT CR4 MC MI OS] | A 5935 | CC | | 22-MAY-87 |
| | MIL-C-39012/112A | CONNECTOR, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED) - PLUG, PIN CONTACT, CLASS 2) FOR SEMI-RIGID CABLE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT CR4 MC OS] | A 5935 | CC | | 03-OCT-86 |
| | MIL-C-39012/113A | CONNECTOR, COAXIAL, RADIO FREQUENCY (SERIES INC (CABLED)-PLUG, SOCKET CONTACT, CLASS 2) FOR SEMI-RIGID CABLE [CUST: CR EC 85] [REVIEW: 11 17 99 AS CR4 MC OS] | A 5935 | CC | | 03-OCT-86 |
| | MIL-C-39012/114A | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED) - PIN CONTACT, RIGHT ANGLE, CLASS 2) FOR SEMI-RIGID CABLE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT CR4 MC OS] | A 5935 | CC | | 03-OCT-86 |
| | MIL-C-39012/115A | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED) - SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) FOR SEMI-RIGID CABLE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT CR4 MC OS] | A 5935 | CC | | 03-OCT-86 |
| | MIL-C-39012/116A | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED) - SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) FOR SEMI-RIGID CABLE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT CR4 MC OS] | A 5935 | CC | | 03-OCT-86 |
| | MIL-C-39012/117(1) | CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES N (PLUGS & JACKS, SEMIRIGID CABLE, MALE, CLASS 2) (FOR USE WITH MIL-C-28830/3) [CUST: EC CC] | A 5935 | CC | | 13-JAN-83 |
| | MIL-C-39012/118A | CONNECTOR PLUG, ELEC, COAXIAL, RADIO FREQUENCY, SER.N (SOCKET CONTACT, SEMIRIGID, CABLE, CLASS 2) USE WITH MIL-C-28830/3) [CUST: CR EC 85 CC] [REVIEW: 11 19 90 99 AM AS AT MC SH] | A 5935 | CC | | 09-DEC-86 |
| | MIL-C-39012/119A | CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES N (PLUGS AND JACKS, SEMIRIGID CABLE, MALE, CLASS 2) (FOR USE WITH MIL-C-28830/4) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AM AS AT MC MI OS SH] | A 5935 | CC | | 09-DEC-86 |
| | MIL-C-39012/120A | CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES N (PLUG & JACKS, SEMIRIGID CABLE, FEMALE, CLASS 2) (FOR USE WITH MIL-C-28830/4) [CUST: CR EC 85 CC] [REVIEW: 11 19 90 99 AM AS AT MC MI OS SH] | A 5935 | CC | | 09-DEC-86 |
| | MIL-C-39012/121A | CONNECTOR, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES N (SOCKET CONTACT, SEMIRIGID CABLE, CLASS 2) (FOR USE WITH MIL-C-28830/5) [CUST: CR EC 85 CC] [REVIEW: 11 19 90 99 AM AS AT MC MI OS SH] | A 5935 | CC | | 09-DEC-86 |
| | MIL-C-39012/128B | CONNECTORS, RECEPTACLE, ELECTRICAL COAXIAL, RADIO FREQUENCY (SERIES BNC, SOLDER POCKET, SOCKET CONTACT JAM NUT MOUNTED, ISOLATED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT CR4 MI MS OS SH] | A 5935 | CC | | 19-SEP-89 |
| | MIL-C-39012/129 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES N (CABLED) - PIN CONTACT, CLASS 2) FOR SEMIRIGID CABLE [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 10-JUL-85 |
| | MIL-C-39012/130 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES N (CABLED) - RIGHT ANGLE, PIN CONTACT, CLASS 2) FOR SEMIRIGID CABLE [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 10-JUL-85 |
| | MIL-C-39012/131 | CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES N (CABLES) - SOCKET CONTACT, CLASS 2) FOR SEMIRIGID CABLE [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 10-JUL-85 |
| | MIL-C-39012/132 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES N (CABLED) - JAM NUT MOUNTED, SOCKET CONTACT, CLASS 2) FOR SEMIRIGID CABLE [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 10-JUL-85 |
| | MIL-C-39012/133A | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, PRINTED CIRCUIT BOARD MOUNT [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT MC MI NA OS SH] | A 5935 | CC | | 15-NOV-93 |
| | MIL-C-39012/134A | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, PRINTED CIRCUIT BOARD MOUNT, RIGHT ANGLE [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT MC MI NA OS SH] | A 5935 | CC | | 15-NOV-93 |
| | MIL-C-39012/135B | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SSMB, PRINTED CIRCUIT BOARD MOUNT, RIGHT ANGLE [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI NA OS SH] | A 5935 | CC | | 29-JUN-94 |
| | MIL-C-39012/136 | CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, FOR SEMIRIGID CABLE, CLASS 2 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 27-JUN-89 |
| | MIL-C-39012/137 | CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, RIGHT ANGLE, PIN CONTACT, FOR SEMIRIGID CABLE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 27-JUN-89 |
| | MIL-C-39012/138 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES SSMA, SOCKET CONTACT, FOR SEMIRIGID CABLE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 27-JUN-89 |
| | MIL-C-39012/139 | CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, FOR FLEXIBLE CABLE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 27-JUN-89 |
| | MIL-C-39012/140 | CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, RIGHT ANGLE, FOR FLEXIBLE CABLE [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 27-JUN-89 |
| | MIL-C-39012/141B | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SSMB, PRINTED CIRCUIT BOARD MOUNT, STRAIGHT [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT MC MI NA OS SH] | A 5935 | CC | | 29-JUN-94 |
| | MIL-C-39014/16A | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR75 (FEEDTHROUGH) [CUST: CR EC 85 NA] [REVIEW: AS MC OS SH TD] | A 5910 | CC | | 14-SEP-84 |

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|---------------------------|--|-----------------------|-----|-------------|-----------|
| MIL-C-39014/17A | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR82 (STANDOFF) [CUST: CR EC 85 NA] [REVIEW: AS MC OS SH] | A 5910 | CC | | 14-SEP-84 |
| MIL-C-39014/18A | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR76 (FEEDTHROUGH) [CUST: CR EC 85 NA] [REVIEW: AS MC MI OS SH] | A 5910 | CC | | 14-SEP-84 |
| MIL-C-39014/19A | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR83 (STANDOFF) [CUST: CR EC 85 NA] [REVIEW: AR AS MC OS SH TD] | A 5910 | CC | | 14-SEP-84 |
| MIL-C-39018/2C(1) | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (NONPOLARIZED), STYLES CUI4 (UNINSULATED) AND CUI5 (INSULATED) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS CG MC MI OS SH] | A 5910 | CC | | 29-MAY-98 |
| MIL-C-39018/5A(2) | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), (STACKED FOIL), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLES CU81 (INSULATED) AND CUR81 (INSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CG MC OS SH] | A 5910 | CC | | 07-JAN-91 |
| MIL-C-39018/6A(1) | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR91 (INSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AS CG MC OS SH] | A 5910 | CC | | 07-JAN-91 |
| MIL-C-39018/7(3) | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), (FOUR-TERMINAL), ESTABLISHED RELIABILITY, STYLE CUR19 (INSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AS CG MC OS SH] | A 5910 | CC | | 07-JAN-91 |
| MIL-C-39018/8B | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLES CU01 (INSULATED) AND CUR01 (INSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AS CG MC OS SH] | A 5910 | CC | | 07-JAN-91 |
| MIL-C-39018/9B | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR02 (INSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AS CG MC OS SH] | A 5910 | CC | | 07-JAN-91 |
| MIL-C-39018/10(1) | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR92 (INSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AS CG MC OS SH] | A 5910 | CC | | 07-JAN-91 |
| MIL-C-39018/11 | CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLES CUR03 (INSULATED) AND CUR04 (INSULATED) [CUST: CR EC 85] [REVIEW: 17 19 99 AS CG MC OS SH] | A 5910 | CC | | 07-JAN-91 |
| MIL-C-39022/11B | CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DIRECT-CURRENT, HERMETICALLY SEALED, STYLES CHR20, CHR21, CHR22, CHR23, CHR24, CHR25 [CUST: CR] | A 5910 | CC | | 22-JUL-93 |
| MIL-R-39023A(3) SUP 1 | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 80 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 06-FEB-97 |
| MIL-R-39023/1A(2) | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ090 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS] | A 5905 | CC | | 27-MAR-91 |
| MIL-R-39023/2B(1) | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ110 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG MC MI OS] | A 5905 | CC | | 27-MAR-91 |
| MIL-R-39023/3A(1) NOT 1 | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION, STYLE RQ150 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 11-NOV-91 |
| MIL-R-39023/4A(1) NOT 1 | RESISTORS, VARIABLE, NON-WIRE-WOUND PRECISION STYLE RQ200 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 11-NOV-91 |
| MIL-R-39023/5A(1) NOT 1 | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ300 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 11-NOV-91 |
| MIL-R-39023/6A(2) NOT 1 | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ100 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG MC MI OS] | A 5905 | CC | | 27-MAR-91 |
| MIL-R-39023/7A(1) NOT 2 | RESISTORS, VARIABLE, NON-WIRE WOUND, PRECISION, STYLE RQ160 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 04-AUG-93 |
| MIL-R-39023/8A(1) NOT 2 | RESISTORS, VARIABLE, NON-WIRE WOUND, PRECISION, STYLE RQ210 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 04-AUG-93 |
| MIL-R-39023/9(1) | RESISTOR, VARIABLE, NON WIRE WOUND, PRECISION, STYLE RQ091 [CUST: 85] [REVIEW: 17 19] | A 5905 | CC | | 09-APR-79 |
| MIL-R-39023/10A NOT 1 | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ051 [CUST: CR] [REVIEW: AR MI] | A 5905 | CC | | 11-NOV-91 |
| MIL-C-39024A(5) SUP 1 | JACK, TIP (TEST POINT, PANEL OR PRINTED WIRING TYPE), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS CR4 MC MI OS] | A 5935 | CC | | 19-JUL-88 |
| MIL-C-39024/1C | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (THREADED), LOW VOLTAGE [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS] | A 5935 | CC | | 14-AUG-91 |
| MIL-C-39024/2C | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (THREADED), HIGH VOLTAGE [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CG CR4 MC MI OS] | A 5935 | CC | | 14-AUG-91 |
| MIL-C-39024/3B | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING; SINGLE TEST POINT (RIGHT ANGLE, 2-LEG MOUNTING), LOW VOLTAGE [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CG CR4 MC MI OS] | A 5935 | CC | | 14-AUG-91 |
| MIL-C-39024/4C | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE; SINGLE TEST POINT (RIGHT ANGLE, 3-LEG MOUNTING), LOW VOLTAGE [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS CG CR4 MC MI OS] | A 5935 | CC | | 14-AUG-91 |
| MIL-C-39024/5C | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (HOLE MOUNTING, PUSH-FIT), LOW VOLTAGE [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CG CR4 MC MI OS] | A 5935 | CC | | 14-AUG-91 |
| MIL-J-39024/10D | JACK, TIP (TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (THREADED), LOW VOLTAGE, .080) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CG CR4 EA MC MI OS] | A 5935 | CC | | 25-MAY-84 |
| MIL-J-39024/11F(1) | JACK, TIP, TEST POINT TYPE, PRINTED WIRING TYPE, SINGLE TEST POINT, RIGHT ANGLE, 2-LEG MOUNTING, LOW VOLTAGE, .080 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG CR4 MC MI YDI] | A 5935 | CC | | 15-SEP-97 |
| MIL-C-39024/12D | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (HOLE MOUNTING, PUSH-FIT), LOW VOLTAGE [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CG CR4 MC MI OS] | A 5935 | CC | | 14-AUG-91 |
| MIL-C-39024/13A | CONNECTOR, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE, SINGLE TEST POINT (RIGHT ANGLE, 2 LEG MOUNTING), LOW VOLTAGE, .080 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CG CR4 MC MI OS] | A 5935 | CC | | 09-JUN-78 |
| MIL-C-39024/14A | CONNECTOR, ELECTRICAL, TEST POINT TYPE, PANEL TYPE, SINGLE TEST POINT, SUBMINIATURE (PUSH-IN), LOW VOLTAGE, .080 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CG CR4 MC MI OS] | A 5935 | CC | | 09-JUN-78 |
| MIL-C-39024/15A | CONNECTOR, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE, SINGLE TEST POINT, LOW VOLTAGE, .080 [CUST: CR EC 85 CC] [REVIEW: 99 MI] | A 5935 | CC | | 09-JUN-78 |
| MIL-C-39024/18D | CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE; MICRO-MINIATURE, SINGLE TEST POINT (2-LEG MOUNTING), LOW VOLTAGE, .080 INCH [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CG CR4 MC MI] | A 5935 | CC | | 19-JUL-88 |
| MIL-C-39028C | CAPACITORS, PACKAGING OF [CUST: CR EC 99 CC] [REVIEW: 11 AR AS SH SM] | A PACK | CC | | 01-FEB-90 |
| MIL-C-39029D SUP 1A NOT 1 | CONTACTS, ELECTRICAL CONNECTOR, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 16-OCT-91 |
| MIL-C-39029/1F | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-T-81714 TERMINAL JUNCTION SYSTEMS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR AV CC EC MC MI OS SH] | A 5935 | AS | | 12-MAR-82 |
| MIL-C-39029/2B | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 1 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-39029/3B | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 1 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-39029/4F NOT 1 | CONTACTS, ELECTRICAL CONNECTOR PIN, CRIMP REMOVABLE (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES I AND III, AND MIL-C-83733 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 80 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 16-OCT-91 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|--------------------------|-----|-------------|-----------|
| | MIL-C-39029/5G NOT 1 | CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES I AND III, AND MIL-C-83733 CONNECTORS AND MIL-S-12883/40 AND /41 RELAY SOCKETS) [CUST: CR AS 85] [REVIEW: 11 80 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 16-OCT-91 |
| | MIL-C-39029/6A | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 1 AND 2 CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR EC MC MI OS SH] | A 5935 | CC | | 02-AUG-76 |
| | MIL-C-39029/7B | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 2 AND MIL-C-81703 SERIES CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 02-AUG-76 |
| | MIL-C-39029/8B | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 2 AND MIL-C-81703 SERIES 3 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 02-AUG-76 |
| | MIL-C-39029/9E | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES 3, AND MIL-C-83733 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 19-OCT-82 |
| | MIL-C-39029/10E(1) | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES 3, AND MIL-C-83733 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 19-OCT-82 |
| | MIL-C-39029/11J | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 2 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 25-APR-80 |
| | MIL-C-39029/12J | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 2 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS] | A 5935 | AS | | 25-APR-80 |
| | MIL-C-39029/13A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 1 CONNECTORS) [CUST: AS CC] [REVIEW: EC MC OS SH] | A 5935 | CC | | 02-AUG-75 |
| | MIL-C-39029/14A | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 2 CONNECTORS) [CUST: AS CC] [REVIEW: EC MC OS SH] | A 5935 | CC | | 02-AUG-76 |
| | MIL-C-39029/17C NOT 1 | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 3 CONNECTORS) [CUST: AS CC] [REVIEW: EC MC OS SH] | A 5935 | CC | | 25-APR-80 |
| | MIL-C-39029/19A | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 3 AND 4 CONNECTORS) [CUST: AS CC] [REVIEW: 99 EC MC OS SH] | A 5935 | CC | | 02-AUG-76 |
| | MIL-C-39029/20A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 3 CONNECTORS) [CUST: AS CC] | A 5935 | CC | | 02-AUG-76 |
| | MIL-C-39029/21A | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 4 CONNECTORS) [CUST: AS CC] [REVIEW: 99 EC MC OS SH] | A 5935 | CC | | 02-AUG-76 |
| | MIL-C-39029/22B | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-T-81714 TERMINAL JUNCTION SYSTEM SERIES II AND MIL-C-81511 SERIES 3 AND 4 CLASS L CONNECTORS) [CUST: CR AS 85] [REVIEW: CC EC MC OS] | A 5935 | AS | | 03-NOV-89 |
| | MIL-C-39029/23B NOT 1 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-26482 SERIES 1 CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR EC MC MI OS SH] | A 5935 | CC | | 25-APR-80 |
| | MIL-C-39029/24B NOT 1 | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR EC MC MI OS SH] | A 5935 | CC | | 25-APR-80 |
| | MIL-C-39029/27D(1) | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-38999 SERIES II CONNECTORS) [CUST: CR AS 85] [REVIEW: 17 19 99 AR CC EC MC OS] | A 5935 | CC | | 31-MAR-94 |
| A | MIL-C-39029/28C(4) | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-38999 SERIES I, II, III, AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MC OS] | A 5935 | CC | | 16-JUL-97 |
| | MIL-C-39029/29B NOT 1 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-5015 SERIES MS3450 AND MIL-C-83723 SERIES 2 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC OS SH] | A 5935 | AS | | 17-OCT-91 |
| | MIL-C-39029/30A NOT 2 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES II CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 17-OCT-91 |
| | MIL-C-39029/31B NOT 2 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-26482 SERIES 1, MIL-C-26500 AND MIL-C-26518 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 17-OCT-91 |
| | MIL-C-39029/32B(1) NOT 1 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-26482 SERIES 1, MIL-C-26500 AND MIL-C-26518 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 17-OCT-91 |
| | MIL-C-39029/33C(1) | CONTACTS, ELECTRICAL, PIN, CRIMP, REMOVABLE (FOR MIL-C-81511 SERIES 1 & 2 CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 99 EC MC OS SH TD] | A 5935 | CC | | 21-AUG-87 |
| | MIL-C-39029/34B(1) NOT 1 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-28748/3 AND MIL-C-28478/13 CONNECTORS) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 29-SEP-89 |
| | MIL-C-39029/35C | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-28748/4 AND MIL-C-28748/14 CONNECTORS) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT AV CG CR4 MI OS] | A 5935 | CC | | 02-MAR-92 |
| | MIL-C-39029/36A(1) NOT 1 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-28748/9 CONNECTORS) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CG CR4 MI OS SH] | A 5935 | CC | | 29-SEP-89 |
| | MIL-C-39029/37A(1) NOT 1 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-28748/10 CONNECTORS) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 29-SEP-89 |
| | MIL-C-39029/44D(2) | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-5015 SERIES MS3400 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 31-DEC-90 |
| | MIL-C-39029/45D(1) | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-5015 SERIES MS3400 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS] | A 5935 | AS | | 15-SEP-89 |
| | MIL-C-39029/48D | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-22992 CLASS L CONNECTORS) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS AT MC MI OS SH] | A 5935 | CC | | 16-SEP-85 |
| | MIL-C-39029/49D | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-22992 CLASS L CONNECTORS) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS AT MC MI OS] | A 5935 | CC | | 16-SEP-85 |
| | MIL-C-39029/50A NOT 2 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-83733 CONNECTORS) [CUST: CR AS 85] [REVIEW: 99 AR CC EC MC MI SH] | A 5935 | CC | | 25-MAY-93 |
| | MIL-C-39029/51A NOT 2 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-83733 CONNECTORS) [CUST: CR AS 85] [REVIEW: 99 AR CC EC MC MI SH] | A 5935 | CC | | 25-MAY-93 |
| | MIL-C-39029/56E | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES I, III AND IV CONNECTORS) [CUST: CR AS 85] [REVIEW: 17 19 99 AT CC EC MC MI NA OS SH] | A 5935 | CC | | 14-FEB-95 |
| | MIL-C-39029/57C | CONTACTS, ELECTRICAL CONNECTORS, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-24308, MIL-C-38999 SERIES II, MIL-C-55302/68, 71, 72, 75 AND MIL-C-83733 CONNECTORS) [CUST: CR AS 85] [REVIEW: 17 19 99 AT CC EC MC MI NA OS SH] | A 5935 | CC | | 14-FEB-95 |
| | MIL-C-39029/58E | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-24308, MIL-C-38999 SERIES I, II, III, IV, AND MIL-C-55302/69 AND MIL-C-83733 CONNECTORS) [CUST: CR AS 85] [REVIEW: 17 19 99 AT CC EC MC MI OS SH] | A 5935 | CC | | 14-FEB-95 |
| | MIL-C-39029/59D | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 19 99 AT CC EC MC OS SH] | A 5935 | CC | | 26-DEC-88 |
| | MIL-C-39029/60D | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 19 99 AT CC EC MC OS SH] | A 5935 | CC | | 26-DEC-88 |
| | MIL-C-39029/63C | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-24308 CONNECTORS) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT MI NA] | A 5935 | CC | | 28-OCT-93 |
| | MIL-C-39029/64C | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-24308 CONNECTORS) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 10-FEB-92 |
| | MIL-C-39029/69B NOT 1 | CONNECTOR CONTACT, ELECTRICAL SOCKET, CRIMP REMOVABLE, FOR MIL-C-85028(AS) CONNECTORS [CUST: AS] [REVIEW: CC EC] | A 5935 | AS | | 31-MAR-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|--------------------------|---|-----------------------|-----------------|-----------|
| MIL-C-39029/70B NOT 1 | CONNECTOR CONTACT, ELECTRICAL PIN, CRIMP REMOVABLE, FOR MIL-C-85028(AS) CONNECTORS [CUST: AS] [REVIEW: CC EC] | A 5935 | AS | 31-MAR-89 |
| MIL-C-39029/71C | CONTACTS, ELECTRICAL CONNECTOR, PIN, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-C-38999 SERIES I, II, III AND IV, MIL-C-24308, MIL-C-83733, AND MIL-C-55302/69 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 19 99 AR CC EC MC MI OS SH] | A 5935 | CC | 19-AUG-88 |
| MIL-C-39029/72D | CONTACTS, ELECTRICAL CONNECTOR SOCKET, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-C-38999 SERIES I, II, III, AND IV, MIL-C-24308, AND MIL-C-55302/68, /71, AND /75 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 19 80 99 AR CC EC MC MI OS SH] | A 5935 | CC | 19-AUG-88 |
| MIL-C-39029/73C NOT 1 | CONTACTS, ELECTRICAL CONNECTORS, SOCKET, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-83723 SERIES 3, MIL-C-26482 SERIES 2, MIL-C-83733, AND DOD-C-83527 CONNECTORS) [CUST: CR AS 85] [REVIEW: 99 AR CC EC MC MI SH] | A 5935 | CC | 25-MAY-93 |
| MIL-C-39029/74C NOT 1 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 16 FOR MIL-C-38999 SERIES 1, 2, 3, 4 AND MIL-C-24308 CONNECTORS) [CUST: CR AS 85] [REVIEW: 99 AR CC EC MC MI SH] | A 5935 | CC | 25-MAY-93 |
| MIL-C-39029/75B(2) | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MC OS] | A 5935 | CC | 16-JUL-97 |
| MIL-C-39029/76A(1) NOT 2 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 16, (FOR MIL-C-38999 SERIES 1, 2, 3, 4 AND MIL-C-24308 CONNECTORS) [CUST: CR AS 85] [REVIEW: 99 AR CC EC MC MI SH] | A 5935 | CC | 25-MAY-93 |
| MIL-C-39029/77B NOT 1 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-C-38999 SERIES 1, 2, 3, AND 4 CONNECTORS) [CUST: CR AS 85] [REVIEW: 99 AR CC EC MC MI OS] | A 5935 | CC | 25-MAY-93 |
| MIL-C-39029/78B NOT 1 | CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-C-38999 SERIES II & MIL-C-24308 CONNECTORS) [CUST: CR AS 85] [REVIEW: 99 AR CC EC MC MI SH] | A 5935 | CC | 25-MAY-93 |
| MIL-C-39029/79A | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-28748/9 CONNECTORS) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS AV MC MI OS] | A 5935 | CC | 28-JUL-86 |
| MIL-C-39029/80A | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-28748/10 CONNECTORS) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS AV MC MI OS] | A 5935 | CC | 28-JUL-86 |
| MIL-C-39029/83C | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-28840 CONNECTORS) [CUST: EC CC] [REVIEW: OS] | A 5935 | CC | 16-SEP-85 |
| MIL-C-39029/84D | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-28840 CONNECTORS) [CUST: EC CC] [REVIEW: OS] | A 5935 | CC | 16-SEP-85 |
| MIL-C-39029/85C | CONTRACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES 2 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 19 99 AR CC EC OS SH] | A 5935 | CC | 19-APR-88 |
| MIL-C-39029/86C | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES II CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | CC | 19-APR-88 |
| MIL-C-39029/87C | CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-38999 SERIES I, II, III, & IV, MIL-C-24308, & MIL-C-83733) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC OS SH] | A 5935 | CC | 19-APR-88 |
| MIL-C-39029/88A NOT 1 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-38999 SERIES I, III AND IV CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC OS SH] | A 5935 | CC | 13-JAN-89 |
| MIL-C-39029/89C | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (THERMOCOUPLE FOR MIL-C-38999 SERIES II, MIL-C-83733, & MIL-C-24308 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC OS SH] | A 5935 | CC | 19-APR-88 |
| MIL-C-39029/90A | CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SIZE 8 [CUST: CR AS 85] [REVIEW: 11 17 19 99 AT CC EC MC OS SH] | A 5935 | AS | 18-JAN-85 |
| MIL-C-39029/91A | CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SIZE 8 [CUST: CR AS 85] [REVIEW: 11 17 19 99 AT CC EC MC OS SH] | A 5935 | AS | 18-JAN-85 |
| MIL-C-39029/92B | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-R-6106 AND MIL-S-12883/40 AND /41 RELAY SOCKETS) [CUST: CR EC 85] [REVIEW: 99 AR AT AV CR4 MI] | A 5935 | CC | 02-MAR-89 |
| MIL-C-39029/93A | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR DOD-C-83527 CONNECTOR) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MC MI OS SH] | A 5935 | CC | 09-DEC-88 |
| MIL-C-39029/94A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR DOD-C-83527, CONNECTOR) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MC MI OS SH] | A 5935 | CC | 09-DEC-88 |
| MIL-C-39029/95 NOT 1 | CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8 (FOR DOD-C-83527, CONNECTOR) [CUST: CR AS 85] [REVIEW: 99 AR CC EC MC MI SH] | A 5935 | CC | 25-MAY-93 |
| MIL-C-0039029/95 | CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8 (FOR DOD-C-83527, CONNECTOR) [CUST: 85] | A 5935 | CC | 15-MAY-87 |
| MIL-C-39029/96 NOT 1 | CONTACT, ELECTRICAL CONNECTOR CONCENTRIC TWINAX, PIN, SIZE 8 (FOR DOD-C-83527 CONNECTOR) [CUST: CR AS 85] [REVIEW: 99 AR CC EC MC MI SH] | A 5935 | CC | 25-MAY-93 |
| MIL-C-0039029/96 | CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SHIELDED, SIZE 8 (FOR DOD-C-83527 CONNECTOR) [CUST: 85] | A 5935 | CC | 15-MAY-87 |
| MIL-C-39029/97A | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 1 (FOR DOD-C-83527 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR AT CC EC MC MI OS SH] | A 5935 | CC | 09-DEC-88 |
| MIL-C-39029/98A | CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 1 (FOR DOD-C-83527 CONNECTORS) [CUST: CR AS 85] [REVIEW: AR AT EC MC MI OS SH] | A 5935 | CC | 09-DEC-88 |
| MIL-C-39029/99A | CONTACTS, ELECTRICAL CONNECTOR PIN, CRIMP REMOVABLE, COAXIAL, SIZE 5 (FOR DOD-C-83527 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR AT CC EC MC MI OS SH] | A 5935 | CC | 09-DEC-88 |
| MIL-C-39029/100A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 5 (FOR DOD-C-83527 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR AT CC EC MC MI OS SH] | A 5935 | CC | 09-DEC-88 |
| MIL-C-39029/101A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-S-12883/44, MIL-S-12883/45, MIL-S-12883/46 AND MIL-R-6106/23 RELAY) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CC CR4 EC MC OS SH] | A 5935 | CC | 10-MAR-89 |
| MIL-C-39029/102A | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-C-38999 SERIES I, II, III & IV CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AV EC MC OS] | A 5935 | CC | 31-MAR-88 |
| MIL-C-39029/103A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-C-38999 SERIES I, II, III & IV CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AV CC EC MC OS] | A 5935 | CC | 31-MAR-88 |
| MIL-C-39029/104 | CONTACTS, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SHIELDED, SIZE 8 (FOR MIL-C-28840) [CUST: CR EC 85 CC] [REVIEW: 11 AS MC OS] | A 5935 | CC | 09-NOV-87 |
| MIL-C-39029/105 | CONTACTS, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8 (FOR MIL-C-28840) [CUST: CR EC 85 CC] [REVIEW: 11 AS MC OS] | A 5935 | CC | 09-NOV-87 |
| MIL-C-39029/106A | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES I, III AND IV AND MIL-C-29600 SERIES A CONNECTORS) [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI SH] | A 5935 | AS | 21-SEP-90 |
| MIL-C-39029/107A | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES I, III AND IV AND MIL-C-29600 SERIES A CONNECTORS) [CUST: CR AS 85] [REVIEW: 19 AV CC EC MC MI SH] | A 5935 | AS | 21-SEP-90 |
| MIL-C-39029/108 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SOCKET, SINGLE WIRE [CUST: AT CC] | A 5935 | CC | 30-APR-90 |
| MIL-C-39029/109 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SOCKET, MULTIPLE WIRES [CUST: AT CC] | A 5935 | CC | 30-APR-90 |
| MIL-D-39030/3B(1) | DUMMY LOADS, ELECTRICAL, COAXIAL, TYPE I (SMA), LOW POWER [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH] | A 5985 | CC | 06-AUG-97 |
| MIL-D-39030/4(1) | DUMMY LOADS, ELECTRICAL COAXIAL TYPE I (SMA), MEDIUM POWER [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH] | A 5985 | CC | 06-AUG-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Lead Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------------|---|-----------------------|-----|-------------|------|
| A | MIL-D-39030/5B(1) | DUMMY LOADS, ELECTRICAL, COAXIAL, TYPE IV (TNC), LOW POWER [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH] | A 5985 | CC | 06-AUG-97 | |
| A | MIL-D-39030/6A(3) | DUMMY LOADS, ELECTRICAL, COAXIAL, TYPE V (N), LOW POWER [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH] | A 5985 | CC | 06-AUG-97 | |
| A | MIL-D-39030/7(1) | DUMMY LOADS, ELECTRICAL, COAXIAL, TYPE III (BNC), LOW POWER [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH] | A 5985 | CC | 06-AUG-97 | |
| A | MIL-D-39030/8(1) | DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE IV (TNC), MEDIUM POWER [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH] | A 5985 | CC | 06-AUG-97 | |
| A | MIL-D-39030/11(1) | DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE V (N), HIGH POWER [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH] | A 5985 | CC | 06-AUG-97 | |
| A | MIL-D-39030/13A(1) | DUMMY LOAD, ELECTRICAL, TYPE XIV (SOCKET CONTACT), STRIPLINE, LOW POWER [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH] | A 5985 | CC | 06-AUG-97 | |
| A | MIL-D-39030/14A(1) | DUMMY LOAD, ELECTRICAL, TYPE XIV (BIFURCATED CONTACT), STRIPLINE, LOW POWER [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH] | A 5985 | CC | 06-AUG-97 | |
| A | MIL-D-39030/16A(1) | DUMMY LOAD, ELECTRICAL, TYPE XIV (BIFURCATED CONTACT), STRIPLINE, LOW POWER [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH] | A 5985 | CC | 06-AUG-97 | |
| A | MIL-D-39030/20A(1) | DUMMY LOADS, ELECTRICAL, TYPE XIV (TAB CONTACT), STRIPLINE, LOW POWER [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH] | A 5985 | CC | 06-AUG-97 | |
| A | MIL-D-39030/21(2) | DUMMY LOADS, ELECTRICAL, TYPE XIV (TAB CONTACT), STRIPLINE, MEDIUM POWER [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH] | A 5985 | CC | 06-AUG-97 | |
| A | MIL-D-39030/22(1) | DUMMY LOAD, ELECTRICAL, TYPE XIV (TAB CONTACT), STRIPLINE, HIGH POWER [CUST: CR EC 85 CC] [REVIEW: 19 AS AV MI OS SH] | A 5985 | CC | 06-AUG-97 | |
| | MIL-R-39032D | RESISTORS, PACKAGING OF [CUST: CR EC 85 CC] [REVIEW: 17 99 AR AT CR MI SH SM] | A PACK | CC | 11-FEB-91 | |
| | MIL-T-40001E | TENT, OBSERVING, TRIANGULATION, GROUND TYPE, COMPLETE WITH FRAME [CUST: GL 99 CT] [REVIEW: 45 82 CR4 MD] | A 8340 | CT | 29-JUL-88 | |
| | MIL-C-40004C | CLOTH, KNITTED, COTTON, SIMPLEX [CUST: GL NU 45 CT] [REVIEW: 32 82 MC MD SA] | A 8305 | CT | 26-APR-90 | |
| | MIL-C-40009E | CABINETS, STORAGE, REPAIR PARTS AND TOOLS [CUST: GL MC 99 GS] [REVIEW: 84 AV CE] | A 7125 | GS | 29-MAR-91 | |
| | MIL-T-40031E | TENT, OBSERVING, ASTRONOMIC, COMPLETE WITH FLY AND FRAME. [CUST: GL 99 CT] [REVIEW: 82 CR4 MD] | A 8340 | CT | 31-MAR-87 | |
| | MIL-S-40034B(1) | SCREEN, HALFTONE, CONTACT, FOR PHOTOLITHOGRAPHY [CUST: CE] | A 3610 | GS | 25-AUG-80 | |
| | MIL-B-40042E | BOX, MATCH, WATERPROOF [CUST: GL MC 99 CT] [REVIEW: 45 82 MS] | A 8465 | CT | 22-JAN-88 | |
| | MIL-S-40043D | SOLES, RUBBER, SHOE [CUST: GL SA 99 CT] [REVIEW: 82 CG MC MD MS] | A 8335 | CT | 15-MAR-91 | |
| | MIL-S-40046D | SLING, FLAGSTAFF [CUST: IH NU 11 CT] [REVIEW: 45 82 99 CG MC] | A 8345 | IH | 20-NOV-92 | |
| | MIL-F-40048C NOT 1 | FLAGSTAFFS AND INSIGNIA, FLAGSTAFF HEADS, GENERAL SPECIFICATION FOR [CUST: IH NU 11] [REVIEW: 45 82 99 CG CT MC] | A 8345 | IH | 20-NOV-92 | |
| | MIL-L-40051E | LEATHER, CATTLEHIDE, FOR GLOVES [CUST: GL NU 99 CT] [REVIEW: MC MD] | A 8330 | CT | 29-MAR-91 | |
| A | MIL-L-40064E | LOADING PLATES, STEEL, AND ALUMINUM [CUST: AT OS IS] [REVIEW: SH] | A 3990 | IS | 20-FEB-86 | |
| | MIL-L-40069D NOT 1 | LEATHER, CATTLEHIDE, CHROME-TANNED, COLD-CLIMATE [CUST: GL NU 99 CT] [REVIEW: AR EA MC MD] | A 8330 | CT | 05-AUG-87 | |
| | MIL-C-40070(2) | CLOTH, ACRYLIC, RAYON (FOR CARTRIDGE BAGS). [CUST: AR] [REVIEW: 99 MR OS] | A 8305 | CT | 28-MAY-76 | |
| | MIL-L-40074E | LEATHER, CALFSKIN AND KIP, FOR HEADBANDS [CUST: GL NU 45 CT] [REVIEW: 32 82 99 MC MD] | A 8330 | CT | 29-MAR-91 | |
| | MIL-C-40088A(1) | CORD, ACRYLIC, LACING [CUST: AR] | A 4020 | IS | 08-MAR-84 | |
| | MIL-B-40092D | BRAID, TEXTILE, CORD EDGE, POLYESTER [CUST: GL NU 45 CT] [REVIEW: 32 82 99 MC MD] | A 8315 | CT | 27-MAR-87 | |
| | MIL-D-40099H | DRAWERS, MEN'S, BOXER STYLE [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8420 | CT | 26-JAN-89 | |
| | MIL-D-40123C | DOUGH TROUGH, FERMENTATION, FIELD [CUST: GL YD 19 IS] [REVIEW: 84 MC MD SA] | A 7320 | IS | 14-JUN-83 | |
| | MIL-C-40124E(2) | CANTEEN, WATER, INSULATED, CORROSION-RESISTING STEEL, WITHOUT CUP AND COVER [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8465 | CT | 20-APR-90 | |
| A | MIL-P-40130D NOT 1 | PADDLE, PARACHUTE PACKING, ALUMINUM [CUST: GL AS 99 GS] [REVIEW: 82 AV MC] | A 1670 | GS | 27-MAR-92 | |
| | MIL-C-40131C | COVER, WATER CANTEEN, INSULATED, COTTON DUCK [CUST: GL SA 99 CT] [REVIEW: 45 MC MD] | A 8465 | CT | 15-SEP-86 | |
| | MIL-F-40132G | FRAME SECTIONS, TENT, MAINTENANCE, MEDIUM, LIGHT METAL [CUST: GL 99 CT] [REVIEW: 82 MD] | A 8340 | CT | 30-SEP-85 | |
| A | MIL-H-40134D | HOOK, PARACHUTE PACKING [CUST: GL AS GS] [REVIEW: AV MC] | A 1670 | GS | 30-SEP-86 | |
| | MIL-T-40136H(4) | TANK AND PUMP UNIT, LIQUID DISPENSING, FOR TRUCK MOUNTING AND TANK UNIT, LIQUID DISPENSING, FOR TRAILER MOUNTING [CUST: AT] [REVIEW: 82] | A 4930 | AT | 22-NOV-88 | |
| A | MIL-C-40137E NOT 1 | CLEVISSES, RIGGING, AIR DELIVERY TYPE: GENERAL SPECIFICATION FOR [CUST: GL 11 GS] [REVIEW: 82 99 AS AV MC] | A 1670 | GS | 08-AUG-90 | |
| | MIL-P-40148F | POLE, TENT, TELESCOPIC, ADJUSTABLE, ALUMINUM [CUST: GL NU 99 CT] [REVIEW: 45 82 MD YD1] | A 8340 | CT | 09-JAN-87 | |
| | MIL-D-40167D | DOUGH PROOFING BOXES, STEAM HEATED (STEAM, OR STEAM AND WATER, HUMIDIFIED) [CUST: GL SA 99 IS] [REVIEW: 84 MC MD MS] | A 7320 | IS | 31-DEC-91 | |
| | MIL-C-40602B NOT 2 | COOKIE CUTTING MACHINE, ELECTRIC [CUST: SA] [REVIEW: GS YD1] | A 7320 | SA | 29-DEC-67 | |
| | MIL-R-40607D | RACK, CUTLERY [CUST: GL YD 19 IS] [REVIEW: 84 MC MD MS SA] | A 7320 | IS | 17-JUN-86 | |
| | MIL-P-40619B(1) | PLASTIC MATERIAL, CELLULAR, POLYSTYRENE (FOR BUOYANCY APPLICATIONS) [CUST: MI GS] | A 9330 | GS | 05-MAR-92 | |
| | MIL-S-40626D | SIGN KIT, VEHICLE CLASS [CUST: GL GS] [REVIEW: AT CR4 MC MD YD1] | A 9905 | GS | 31-MAR-94 | |
| | MIL-T-40627B | TIEDOWN ASSEMBLY, CHAIN TYPE, FOR DRUM(S), FABRIC, COLLAPSIBLE, LIQUID FUEL, CYLINDRICAL, 500-GALLON CAPACITY [CUST: AT 69] [REVIEW: GS MC MT] | A 8110 | AT | 08-JUN-92 | |
| | MIL-Y-40628D | YOKE, TOWING AND LIFTING, FOR DRUMS, FABRIC, COLLAPSIBLE [CUST: AT 69] [REVIEW: 99 GL GS MC] | A 8110 | AT | 17-OCT-80 | |
| | MIL-T-40629B | TRUCK, FORK, REACHING & TIERING, CONTINUOUS DUTY, NARROW AISLE, ELECTRIC, NON PALLET STRADDLING SHIPBOARD GENERAL SPECIFICATION FOR [CUST: SA] [REVIEW: CC MC] | A 3930 | SA | 03-OCT-85 | |
| | MIL-T-40629/1 | TRUCK, LIFT, FORK, REACHING & TIERING, CONTINUOUS DUTY, NARROW AISLE 4,000 POUND CAPACITY, 50 INCH LIFT, ELECTRIC SHIPBOARD, TYPE (EE) [CUST: SA] [REVIEW: CC MC SH] | A 3930 | SA | 03-OCT-85 | |
| | MIL-T-40629/2 | TRUCK, LIFT, FORK, REACHING & TIERING, CONTINUOUS DUTY, NARROW AISLE 4,000 POUND CAPACITY, 68 INCH LIFT, ELECTRIC SHIPBOARD, TYPE (EE) [CUST: SA] [REVIEW: MC SH] | A 3930 | SA | 03-OCT-85 | |
| | MIL-T-40632B | TRUCK, FORKLIFT, DIESEL ENGINE DRIVEN, 120 INCH (3050 MM) LIFT HEIGHT, DS SAFETY RATED, PNEUMATIC RUBBER TIRES, ROUGH TERRAIN, FOR SHIPBOARD USE [CUST: CR4 SA 99] [REVIEW: 84 AT CC MT OS] | A 3930 | SA | 07-AUG-94 | |
| D | MIL-C-40638D NOT 1 | CANDLE, ECCLESIASTICAL (AND TAPER, CANDLELIGHTER) [CUST: GL PE 28 IS] | A 9925 | IS | 30-APR-73 | |
| | MIL-N-41804E | NECKTIES, MEN S, FOUR IN HAND [CUST: GL NU 45 CT] [REVIEW: 32 82 99 MC MD] | A 8440 | CT | 20-AUG-87 | |
| | MIL-P-41806D NOT 2 | POLE, SKI, STEEL SHAFT, NONADJUSTABLE [CUST: GL CT] [REVIEW: MC] | A 8465 | CT | 24-MAR-94 | |
| | MIL-B-41809C SUP 1A NOT 1 | BADGES AND INSIGNIA, IDENTIFICATION, GENERAL SPECIFICATION FOR [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 29-MAY-92 | |
| | MIL-T-41810K | TENT, GENERAL PURPOSE, SMALL [CUST: GL 99 CT] [REVIEW: 45 82] | A 8340 | CT | 14-MAY-90 | |
| | MIL-T-41812H | TENT LINER SECTIONS, FRAME-TYPE MAINTENANCE, MEDIUM [CUST: GL NU 99 CT] [REVIEW: 45 82 MD] | A 8340 | CT | 30-JUN-88 | |
| | MIL-T-41813F | TENT SECTIONS, FRAME TYPE, MAINTENANCE, MEDIUM [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8340 | CT | 20-AUG-87 | |
| | MIL-C-41814F | COUNTER, FOOTWEAR [CUST: GL NU 99 CT] [REVIEW: 32 45 82 MC MD] | A 8335 | CT | 02-DEC-86 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/See | MCA | Prog. Acty. | Date |
|------------|---------------------------|---|-------------------------|-----|-------------|-----------|
| | MIL-L-41815H | LASTS, FOOTWEAR, COMBAT, U.S., MIL-5 [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8335 | CT | | 07-APR-86 |
| | MIL-B-41816H | BOOTS, COLD WEATHER, INSULATED, RUBBER (WET-COLD: DRY-EXTREME COLD) [CUST: GL NU 99 CT] [REVIEW: 31 45 MC MD] | A 8430 | CT | | 03-APR-90 |
| | MIL-G-41817E | GLOVES, MEN'S, CLOTH, DRESS, WHITE [CUST: GL NU 45 CT] [REVIEW: 32 82 99 MC MD] | A 8440 | CT | | 06-SEP-90 |
| | MIL-R-41819C SUP 1A NOT 1 | RIBBON ATTACHMENTS, DECORATION AND MEDAL GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: CG CT MC] | A 8455 | IH | | 02-JUN-92 |
| | MIL-DTL-41819/1D | RIBBON ATTACHMENT, LEGION OF MERIT, CHIEF COMMANDER AND COMMANDER [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/2D | RIBBON ATTACHMENT, LEGION OF MERIT, OFFICER [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/3E | RIBBON ATTACHMENT, LETTER "V" [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/4E | RIBBON ATTACHMENT, OAK LEAF CLUSTER [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/5D | RIBBON ATTACHMENT, SUPERIOR CADET AWARD, ARMY ROTC [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/6E | RIBBON ATTACHMENT, ADDITIONAL CIVILIAN AWARDS, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/7J | RIBBON ATTACHMENT, STAR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 12-MAY-97 |
| | MIL-DTL-41819/8F | RIBBON ATTACHMENT, CLASP, GOOD CONDUCT MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/9E | RIBBON ATTACHMENT, CLASPS, CAMPAIGN AND SERVICE MEDALS FOR ARMY, MARINE AND MARINE CORPS [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/10E | RIBBON ATTACHMENT, CLASPS, CAMPAIGN AND SERVICE MEDALS FOR NAVY, MARINE CORPS AND COAST GUARD [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/11E | RIBBON ATTACHMENT, ARMED FORCES RESERVE NUMERAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/12E | RIBBON ATTACHMENT, ARROWHEAD [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/13F | RIBBON ATTACHMENT, BERLIN AIRLIFT [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/14D | RIBBON ATTACHMENT, LETTER "W" [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/15D | RIBBON ATTACHMENT, LETTER "A" [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/16D | RIBBON ATTACHMENT, FLEET MARINE FORCE COMBAT INSIGNIA [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/17D | RIBBON ATTACHMENT, CLASP, ANTARCTICA SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/18D | RIBBON ATTACHMENT, DISC, ANTARCTICA SERVICE MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/19E | RIBBON ATTACHMENT, ADDITIONAL CIVILIAN AWARDS [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/20D | RIBBON ATTACHMENT, ADDITIONAL AWARDS, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/21G | RIBBON ATTACHMENT, NUMERALS, STRIKE FLIGHT, NAVY AND AIR MEDAL, ARMY [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/22E | RIBBON ATTACHMENT, PALM, VIETNAMESE GALLANTRY CROSS [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/23E | RIBBON ATTACHMENT, DATE BAR, REPUBLIC OF VIETNAM CAMPAIGN MEDAL [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/24D | RIBBON ATTACHMENT, BRAVERY, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/25F | RIBBON ATTACHMENT, TORCH, SROT, ARMY AND AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/26E | RIBBON ATTACHMENT, ADDITIONAL AWARDS (LAMP), JROTC, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/27C | RIBBON ATTACHMENT, HEROISM WREATH [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/28C | RIBBON ATTACHMENT, OPERATIONAL DISTINGUISHING DEVICE, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/29C | RIBBON ATTACHMENT, AFROTC DRILL TEAM AND COLOR GUARD BARS [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/30C | RIBBON ATTACHMENT, AFROTC BRONZE CROSS [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/31C | RIBBON ATTACHMENT, NAVY "E" [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/32D | RIBBON ATTACHMENT, LETTER "S" [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/33C | RIBBON ATTACHMENT, LETTER "E" [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/34C | RIBBON ATTACHMENT, TRIANGLE, NATIONAL OCEANOGRAPHIC AND ATMOSPHERIC ASSOCIATION [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 12-MAY-97 |
| | MIL-DTL-41819/35B | RIBBON ATTACHMENT, EXCELLENCE IN COMPETITION, RIFLEMAN, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/36B | RIBBON ATTACHMENT, EXCELLENCE IN COMPETITION, PISTOL SHOT, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/37B | RIBBON ATTACHMENT, DISTINGUISHED MARKSMAN, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/38B | RIBBON ATTACHMENT, DISTINGUISHED PISTOL SHOT, COAST GUARD [CUST: IH CG] [REVIEW: CT] | A 8455 | IH | | 30-SEP-96 |
| | MIL-DTL-41819/39B | RIBBON ATTACHMENT, KUWAIT LIBERATION, KINGDOM OF SAUDI ARABIA [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 30-SEP-96 |
| A | MIL-DTL-41819/40C | RIBBON ATTACHMENT, LETTER "M" [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | | 22-SEP-97 |
| | MIL-C-41820D NOT 1 | CLOTH, GABARDINE, POLYESTER AND RAYON [CUST: GL NU 45 CT] [REVIEW: 32 82 99 MC MD] | A 8305 | CT | | 12-NOV-87 |
| | MIL-S-41821H | SHOE, NONSPARKING, SAFETY, HIGH [CUST: GL NU 99 CT] [REVIEW: CG MD SH] | A 8430 | CT | | 12-MAY-88 |
| | MIL-C-41824C | CLIMBERS, SKI, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) [CUST: GL NU CT] [REVIEW: 45] | A 8465 | CT | | 28-NOV-89 |
| | MIL-S-41825F | SLACKS, WOMEN'S [CUST: NU CT] | A 8410 | CT | | 30-AUG-88 |
| | MIL-B-41826G | BATTING, SYNTHETIC FIBERS, POLYESTER, (UNQUILTED AND QUILTED) [CUST: GL 99 CT] [REVIEW: 32 45 82 MD] | A 8320 | CT | | 30-JUN-89 |
| | MIL-T-41828H | TROUSERS, MEN'S, POLYESTER/WOOL [CUST: NU 45 CT] [REVIEW: 32 82 99] | A 8405 | CT | | 22-OCT-87 |
| | MIL-A-41829D | APRON, UTILITY, IMPERMEABLE, RUBBER COATED FABRIC (GENERAL PURPOSE) [CUST: GL NU 99 CT] [REVIEW: 31 45 MC MD YDI] | A 8415 | CT | | 10-AUG-89 |
| | MIL-T-41830E | TENT, VEHICLE MAINTENANCE, COMPLETE WITH A-FRAME [CUST: GL CT] [REVIEW: 82 MD] | A 8340 | CT | | 30-SEP-86 |
| | MIL-C-41831B | CLOTH, NYLON, KNITTED, RASCHEL [CUST: GL NU CT] [REVIEW: MD] | A 8305 | CT | | 15-MAR-85 |
| | MIL-C-41833E | COVERALL, MECHANIC'S, COLD WEATHER [CUST: GL CT] [REVIEW: MD] | A 8415 | CT | | 30-MAR-90 |
| | MIL-K-41835D | KIT BAG, FLYER S [CUST: GL AS 99 CT] [REVIEW: 11 45 82 MC] | A 8460 | CT | | 25-MAR-88 |
| | MIL-C-41836C(1) NOT 1 | CLOTH, DUCK, COTTON AND NYLON [CUST: GL NU 99 CT] [REVIEW: MC MD] | A 8305 | CT | | 12-NOV-87 |
| | MIL-M-41837D | MAINTENANCE KIT, TOXICOLOGICAL AGENTS PROTECTIVE CLOTHING [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD MS] | A 8415 | CT | | 27-JUN-88 |
| | MIL-L-42006A | LIGHT, DENTAL, OPERATING [CUST: MD MS 03] | A 6520 | MB | | 04-AUG-86 |
| | MIL-C-42028 | COMPRESSOR-DEHYDRATOR, DENTAL EQUIPMENT, PORTABLE, 115 VOLTS, 60 HZ, AC [CUST: MD MS 03] | A 6520 | MB | | 06-OCT-86 |
| | MIL-R-42043 | REGULATOR, OXYGEN [CUST: MD MS 03] | A 6680 | MB | | 06-APR-87 |
| | MIL-I-42044A | SEXUAL ASSAULT DETERMINATION KIT [CUST: MD MS 03] | A 6640 | MB | | 20-MAY-91 |

| Document Number | Document Title | Distribution FSC/Area | MCA Prog. Acty. | Date |
|-----------------------|--|--------------------------|--------------------|-----------|
| MIL-D-42048 | DEPLOYABLE MEDICAL SYSTEMS, GENERAL REQUIREMENTS FOR [CUST: MD MS 03] | A 65GP | MB | 26-JUN-87 |
| MIL-D-42048/1 | LIGHT SET, DENTAL OPERATING, FIELD [CUST: MD MS 03] | A 6520 | MB | 09-NOV-87 |
| MIL-S-42056 | SAW SYSTEM, BONE, ELECTRIC [CUST: MD MS 03 MB] | A 6515 | MB | 02-MAR-88 |
| MIL-W-42059 | WORK BOX, DENTAL LABORATORY [CUST: MD MS 03] | A 6520 | MB | 11-JUL-88 |
| MIL-W-42062 | WATER BATH, ELECTRIC, 120/230 VOLT, 50/60 HZ AC [CUST: MD MS 03] | A 6640 | MB | 15-AUG-88 |
| MIL-C-42066 | CARRIER, LITTER, WHEELED [CUST: MD MS 03] [REVIEW: MB MC] | A 6530 | MB | 15-JUN-89 |
| MIL-H-42067 | HUMIDIFIER, OPERATING ROOM [CUST: MD MS 03] | A 4520 | MB | 15-JUN-89 |
| MIL-C-42068 | CHEST, MEDICAL INSTRUMENT AND SUPPLY SET [CUST: MD MS 03] | A 6545 | MB | 25-JUN-89 |
| MIL-I-42073 | INSERT, OPTICAL, CHEMICAL-BIOLOGICAL MASK, XM-40 [CUST: MD MS 03] | A 6540 | MB | 25-MAY-90 |
| MIL-C-42074 | CASE, SPECTACLE FITTING AND ADJUSTMENT SET [CUST: MD MS 03] | A 6540 | MB | 15-FEB-91 |
| MIL-P-42075 | PAD, HEATING, CHEMICAL [CUST: MD MS 03] | A 6530 | MB | 14-FEB-91 |
| MIL-H-42076 | HOLDERS, HOSPITAL BED PATIENT IDENTIFICATION CARD [CUST: MD MS 03] [REVIEW: 50 TM YD1] | A 6530 | MB | 06-MAR-92 |
| MIL-H-42077 | HOLDER, PATIENT'S BED TRAY CARD [CUST: MD MS 03] [REVIEW: 50 TM YD1] | A 6530 | MB | 06-MAR-92 |
| MIL-C-42078 | CRADLES, HOSPITAL BED CLOTHING [CUST: MD MS 03] [REVIEW: 50 TM YD1] | A 6530 | MB | 30-APR-92 |
| MIL-B-42079 | BRACE ASSEMBLY ADJUSTABLE BED [CUST: MD MS 03] | A 6530 | MB | 31-MAY-94 |
| MIL-W-43001F | WASHER - EXTRACTORS, LAUNDRY, COMMERCIAL [CUST: GL YD1 84 GS] [REVIEW: CE MC MD] | A 3510 | GS | 30-SEP-87 |
| MIL-S-43002D | SHIELD, STOVEPIPE, TENT, NONMETALLIC [CUST: GL NU 11 CT] [REVIEW: 45 82 MC MD YD1] | A 8340 | CT | 11-AUG-89 |
| MIL-R-43003F | RELEASE, CARGO PARACHUTE, 5000-POUND CAPACITY [CUST: GL AS 82] [REVIEW: 99 AV MC] | A 1670 | GL | 12-JAN-94 |
| MIL-C-43006G | CLOTH & STRIP, LAMINATED OR COATED, VINYL-NYLON OR POLYESTER HIGH STRENGTH, FLEXIBLE [CUST: GL NU 99 CT] [REVIEW: 45 82 AT MD SH] | A 8305 | CT | 10-APR-89 |
| MIL-R-43010B | REMODELING SET, SOIL-COMPACTION [CUST: CE] | A 6635 | GS | 16-JUN-88 |
| MIL-C-43011A NOT 1 | CARRYING CASE, TEST SET, SOIL TRAFFICABILITY [CUST: CE] [REVIEW: GL] | A 6635 | GS | 02-NOV-90 |
| MIL-S-43012C | SAMPLER, SOIL [CUST: CE] [REVIEW: GL] | A 6635 | GS | 24-AUG-81 |
| MIL-S-43013C NOT 1 | SLING, UNIVERSAL, INDIVIDUAL LOAD CARRYING [CUST: GL MC 99 CT] [REVIEW: MD] | A 8465 | CT | 25-JAN-88 |
| MIL-B-43021E | BINDER, LOAD, CARGO TIE-DOWN, 10,000 POUND CAPACITY [CUST: GL 99] [REVIEW: 11 MC] | A 1670 | GL | 11-JUN-92 |
| MIL-S-43026D NOT 1 | SEWING MACHINES, INDUSTRIAL, COMPLETE WITH CARRYING, SHIPPING AND STORAGE CASES [CUST: GL 99 GS] [REVIEW: 84 MC MD] | A 3530 | GS | 31-AUG-89 |
| MIL-T-43036B(3) | TAPE, PRESSURE-SENSITIVE ADHESIVE, PLASTIC FILM, (FOR SEALING FIBER CONTAINERS AND CANS) [CUST: AR OS 99] [REVIEW: AR GL MI SA SH] | A 7510 | AR | 04-JAN-93 |
| MIL-R-43040B(2) NOT 1 | REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT [CUST: GL 84 CC] [REVIEW: AR AS AT CR4 EC MI OS SH] | A 5120 | CC | 13-OCT-87 |
| MIL-C-43044C | CONTROL, PRESSURE, FILLING, NONVENTED DRUM [CUST: AT 69] [REVIEW: 71 99 GL MC MD] | A 4930 | AT | 08-APR-88 |
| MIL-C-43062D | CLOTH, COATED, COTTON, RESIN MODIFIED BUTYL COATED, ACID AND FUEL RESISTANT [CUST: GL NU 99 CT] [REVIEW: 45 82 CR4 MD SH] | A 8305 | CT | 14-MAR-88 |
| MIL-C-43063F | COVERALLS, ROCKET FUEL HANDLER'S, IMPERMEABLE, FULL PROTECTION [CUST: GL NU 99 CT] [REVIEW: 45 82 MD] | A 8415 | CT | 14-JAN-91 |
| MIL-H-43079F | HOOD, ROCKET FUEL HANDLER'S: IMPERMEABLE, LIMITED PROTECTION [CUST: GL NU 99 CT] [REVIEW: 11 45 82 MD OS SH] | A 8415 | CT | 14-OCT-88 |
| MIL-C-43086C NOT 1 | CLOTH, COATED, NYLON, VINYL COATED (FOR AIR SUPPORTED SHELTERS) [CUST: GL NU CT] [REVIEW: MD] | A 8305 | CT | 30-JUL-90 |
| MIL-F-43097H NOT 1 | FEATHERS AND DOWN, WATERFOWL, TAN-O-QUIL TREATED [CUST: GL NU 99 CT] [REVIEW: 82 MC MD MS] | A 8320 | CT | 30-JUL-90 |
| MIL-DTL-43098D SUP 1A | MEDALLION, GENERAL SPECIFICATION FOR [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 26-JUN-96 |
| MIL-DTL-43098/1C | MEDALLION, WALTER REED ARMY INSTITUTE OF NURSING AWARD [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-FEB-96 |
| MIL-DTL-43098/2C | MEDALLION, THE GENERAL GEORGE C. MARSHALL AWARD [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-FEB-96 |
| MIL-DTL-43098/3C | MEDALLION, THE GENERAL JOHN J. PERSHING AWARD [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-FEB-96 |
| MIL-DTL-43098/4C | MEDALLION, PAUL A. SIPLE AWARD [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-FEB-96 |
| MIL-DTL-43098/5C | MEDALLION, SCIENTIFIC ACHIEVEMENT AWARD, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-FEB-96 |
| MIL-DTL-43098/6C | MEDALLION, QUARTERMASTER CORPS, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-FEB-96 |
| MIL-DTL-43098/7B | MEDALLION, SECRETARY OF THE ARMY'S AWARD FOR OUTSTANDING ACHIEVEMENT IN MATERIEL ACQUISITION [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-FEB-96 |
| MIL-DTL-43098/8B | MEDALLION, NATIONAL WAR COLLEGE, DEPARTMENT OF DEFENSE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-FEB-96 |
| MIL-DTL-43098/9B | MEDALLION, SURGEON GENERAL'S EXEMPLARY SERVICE, U. S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-FEB-96 |
| MIL-DTL-43098/10B | MEDALLION, HONORABLE SERVICE, CIA [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-FEB-96 |
| MIL-DTL-43098/11 | MEDALLION, SUPERIOR SERVICE, NATIONAL RECONNAISSANCE OFFICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-FEB-96 |
| MIL-DTL-43098/12 | MEDALLION, MERITORIOUS SERVICE, NATIONAL RECONNAISSANCE OFFICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-FEB-96 |
| MIL-DTL-43098/13 | MEDALLION, DISTINGUISHED SERVICE, NATIONAL RECONNAISSANCE OFFICE [CUST: IH] [REVIEW: CT] | A 8455 | IH | 23-FEB-96 |
| MIL-DTL-43098/14 | MEDALLION, EUGENE G. FUBINI AWARD [CUST: IH] [REVIEW: CT] | A 8455 | IH | 15-NOV-96 |
| MIL-F-43101A(1) | FILING CABINET, LETTER SIZE DESIGN, STEEL, OD, ONE DRAWER HIGH, ONE DRAWER WIDE [CUST: GL GS] | A 7110 | GS | 05-DEC-67 |
| MIL-C-43103D | CANTEEN, WATER, PLASTIC, WITH SCREW CAP [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8465 | CT | 15-AUG-88 |
| MIL-M-43120D | MAINTENANCE KIT, ROCKET FUEL HANDLERS' CLOTHING (RESIN MODIFIED BUTYL RUBBER COATED) [CUST: GL 99 CT] [REVIEW: 45 82 MD] | A 8415 | CT | 28-JUN-88 |
| MIL-C-43122G | CLOTH, SATEEN, COTTON, FLAME RETARDANT TREATED [CUST: GL NU 99 CT] [REVIEW: 11 45 CR4 MD OS] | A 8305 | CT | 16-SEP-88 |
| MIL-T-43124C | TRUCK, HAND, PLATFORM, LAUNDRY & DRYCLEANING, SPECIAL DESIGN [CUST: GL 99 GS] [REVIEW: 84 CE MD] | A 3510 | GS | 28-SEP-84 |
| MIL-C-43128C | CLOTH, PLAIN WEAVE, NYLON: WATER REPELLENT, OG-106 [CUST: GL NU CT] [REVIEW: MC MD] | A 8305 | CT | 10-SEP-86 |
| MIL-C-43128C(11) | CLOTH, PLAIN WEAVE, NYLON: WATER REPELLENT, OG-106 [CUST: GL NU] [REVIEW: MC MD] | A 8305 | CT | 03-JUN-88 |
| MIL-H-43132E | HAMMOCK, JUNGLE, M-1965 [CUST: NU CT] | A 8465 | CT | 22-APR-80 |
| MIL-A-43146B NOT 1 | ACCESSORY SET, PARACHUTE, SCUBA ADAPTING [CUST: GL SH 99] [REVIEW: 82 AV] | A 1670 | GL | 08-AUG-90 |
| MIL-T-43150C(1) | TABLE, PARACHUTE PACKING [CUST: GL AS 99 GS] [REVIEW: 84 CR4 MC] | A 7195 | GS | 24-APR-92 |
| MIL-C-43153(3) | CLOTH, CARTRIDGE, POLYESTER&VISCOSE RAYON (FOR CARTRIDGE BAGS) [CUST: AR] | A 8305 | CT | 31-JAN-75 |
| MIL-B-43154M | BOOTS, HOT WEATHER [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8430 | CT | 26-JUN-92 |
| MIL-B-43154M(11) | BOOTS, HOT WEATHER [CUST: CT] | A 8430 | CT | 11-JUL-95 |
| MIL-C-43157(4) | CLOTH, SPUN VISCOSE RAYON, RESIN IMPREGNATED [CUST: AR] | A 8305 | CT | 02-MAR-90 |
| MIL-H-43162F | HAT, SERVICE, WOMAN'S, WOOL OR POLYESTER AND WOOL [CUST: GL CT] [REVIEW: MD] | A 8410 | CT | 26-JUL-88 |
| MIL-B-43172E | BERET, MAN'S WOOL [CUST: GL 45 CT] [REVIEW: 32 82 99 MD] | A 8405 | CT | 21-SEP-87 |
| MIL-H-43174C NOT 1 | HELMET, PARACHUTISTS: FREE FALL [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | CT | 07-JUL-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-S-43176C | SCREEN, LATRINE, FIRE, WATER, WEATHER AND MILDEW-RESISTANT TREATED, O.D. [CUST: GL 99 CT] | A 8340 | CT | | 07-OCT-87 |
| | MIL-C-43179C | CASE, TRANSFER, HUMAN REMAINS [CUST: GL NU 99] [REVIEW: MS] | A 9930 | IS | | 30-JUN-89 |
| | MIL-N-43181B | NET, MULTIPURPOSE [CUST: GL SA 99 CT] [REVIEW: 82 MC MD] | A 8465 | CT | | 21-MAY-86 |
| | MIL-T-43182D | TENTS, MISSILE SYSTEM EQUIPMENT CONSOLE (HAWK) [CUST: GL 99 CT] [REVIEW: 82 MI] | A 8340 | CT | | 09-JAN-89 |
| | MIL-C-43191H | CLOTH, WIND RESISTANT SATEEN, COTTON AND NYLON [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8305 | CT | | 29-NOV-91 |
| | MIL-C-43204C | CLOTH, SPACER (OLEFIN) [CUST: GL CT] [REVIEW: EA MD] | A 8305 | CT | | 31-DEC-85 |
| | MIL-P-43219A NOT 1 | PADDINGS AND COVERS FOR FLATWORK IRONER ROLL [CUST: GL YD1 99 GS] [REVIEW: MC MD] | A 3510 | GS | | 12-FEB-88 |
| | MIL-C-43234C NOT 1 | CLOTH, PLAIN WEAVE, ACRYLIC [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 22-APR-89 |
| | MIL-S-43243C NOT 2 | SEPARATOR, PARACHUTE REMOVABLE CONNECTOR LINK [CUST: GL AS] [REVIEW: AV MC] | A 1670 | GS | | 26-FEB-93 |
| | MIL-C-43247B(1) NOT 1 | CLOTH, KNITTED, NYLON, TUBULAR, STRETCH TYPE [CUST: GL NU 45 CT] [REVIEW: 32 82 99 MD SH] | A 8305 | CT | | 22-APR-89 |
| | MIL-M-43248C NOT 1 | MAT, REINFORCING GLASS FIBER [CUST: MR 11 GS] [REVIEW: 99 AR AS MI YD1] | A 9340 | GS | | 30-MAR-88 |
| | MIL-D-43261E | DRAWERS, COLD WEATHER, MEN'S [CUST: GL NU CT] [REVIEW: MC MD] | A 8415 | CT | | 22-JAN-90 |
| A | MIL-D-43266B | DESICCANTS AND DESICCATION, METHOD OF, FOR PACKAGING SUBSISTENCE [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 89GP | SS | | 26-MAY-87 |
| A | MIL-S-43279D NOT 1 | SLING, BAG AND CASE CARRYING, COMMUNICATIONS EQUIPMENT (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 82 MD] | A 8465 | CT | | 22-JUL-97 |
| | MIL-L-43283B NOT 1 | LEATHER, CALFSKIN, KIP, AND CATTLEHIDE FOR FOOTWEAR UPPERS, CHROME TANNED [CUST: GL NU 99 CT] [REVIEW: MC MD] | A 8330 | CT | | 01-SEP-87 |
| | MIL-C-43285C | CLOTH, COATED (CHLOROPRENE BASE COATED, CHLOROSULPHONATED POLYETHYLENE TOP COATED) [CUST: GL 99 CT] [REVIEW: 82 CR4 MD] | A 8305 | CT | | 15-SEP-86 |
| | MIL-C-43286B NOT 1 | CLOTH, PLAIN WEAVE, NYLON-CLOTH, PLAIN WEAVE, POLYESTER [CUST: GL NU 99 CT] [REVIEW: AT CR4 MD MI] | A 8305 | CT | | 01-SEP-87 |
| | MIL-S-43292D | STATIC LINES, CARGO PARACHUTES, GENERAL SPECIFICATION FOR [CUST: GL AS 99] [REVIEW: 11 AV MC] | A 1670 | GL | | 23-AUG-89 |
| | MIL-C-43303C | CORD, ELASTIC, COTTON [CUST: GL NU CT] [REVIEW: MC MD OS] | A 8305 | CT | | 22-MAY-90 |
| | MIL-P-43304C | PACK AND HARNESS ASSEMBLY, PARACHUTISTS WEAPONS AND INDIVIDUAL EQUIPMENT [CUST: GL AS CT] [REVIEW: MC MD] | A 8465 | CT | | 30-MAR-81 |
| | MIL-T-43309C NOT 1 | TARPAULIN: COTTON DUCK, FOR WIND MEASURING SET [CUST: GL NU CT] [REVIEW: CR] | A 8340 | CT | | 30-JUL-90 |
| | MIL-F-43310A NOT 1 | FELT SHEET, NYLON, NON-WOVEN (NEEDLE PUNCHED) [CUST: GL NU 99 CT] [REVIEW: CR4 MD] | A 8305 | CT | | 30-NOV-87 |
| | MIL-R-43323E | RIFLE BUTT POCKET AND STRAP ASSEMBLY [CUST: GL MC 99 CT] [REVIEW: 45 YD1] | A 8465 | CT | | 26-SEP-86 |
| D | MIL-A-43326A NOT 1 | ALTAR, PORTABLE [CUST: GL PE 28 IS] [REVIEW: YD1] | A 9925 | IS | | 31-AUG-89 |
| | MIL-T-43333C | TENT LINER, GENERAL PURPOSE, SMALL AND ARCTIC, 10 MAN [CUST: GL NU 99 CT] [REVIEW: 45 82 MD YD1] | A 8340 | CT | | 31-OCT-88 |
| | MIL-P-43334C | PACKAGING OF TEXTILE WEBBING AND TAPE [CUST: GL NU 99 CT] [REVIEW: 82 AR MC MD SH SM YD1] | A PACK | CT | | 30-SEP-86 |
| | MIL-L-43335E(1) | LINER, WET WEATHER, PONCHO [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8405 | CT | | 16-JUL-90 |
| | MIL-L-0043335F | LINER, WET WEATHER PONCHO [CUST: GL] | A 8405 | CT | | 05-DEC-90 |
| | MIL-L-0043335F(11) | LINER, WET WEATHER PONCHO [CUST: GL] | A 8405 | GL | | 28-JUN-91 |
| | MIL-C-43338E | CREAM SUBSTITUTE, DRY, NON DAIRY [CUST: GL SA 50] [REVIEW: 03 MC MD MS] | A 8940 | SS | | 19-DEC-79 |
| | MIL-L-43342E(2) | WEBBING ASSEMBLY, GENERAL SPECIFICATION FOR [CUST: GL AS 99] [REVIEW: 82 AV MC] | A 1670 | GL | | 28-JUN-84 |
| | MIL-C-43352D | CLOTH, NETTING, NYLON, TULLE, TRICOT [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8305 | CT | | 30-JUN-88 |
| | MIL-S-43355B | STRAP, CHIN, AND SUSPENSION ASSEMBLY, CHIN STRAP [CUST: GL NU 99 CT] [REVIEW: 45 CG MC MD] | A 8470 | CT | | 27-OCT-87 |
| | MIL-S-43357E | SHIRT, SLEEPING, HEAT RETENTIVE AND MOISTURE RESISTANT, NYLON/ACETATE, TRICOT KNIT [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | CT | | 28-SEP-90 |
| | MIL-C-43358B | CLOTH, KNITTED, NYLON/ACETATE, TRICOT, CAMOUFLAGE GREEN 483 [CUST: GL NU 99 CT] [REVIEW: 82 MC MD MS] | A 8305 | CT | | 26-AUG-88 |
| | MIL-B-43366C | BODY ARMOR, FRAGMENTATION PROTECTIVE, GROIN [CUST: GL NU 99 CT] [REVIEW: 32 45 82 MD] | A 8470 | CT | | 06-MAR-90 |
| | MIL-H-43371B | HAT, UN, RREVERSIBLE [CUST: GL 99 CT] [REVIEW: 45 MD] | A 8415 | CT | | 07-APR-88 |
| | MIL-C-43375E | CLOTH, DUCK, NYLON, 12.5 OUNCE [CUST: GL CT] [REVIEW: CR4 MD] | A 8305 | CT | | 18-SEP-80 |
| A | MIL-E-43377D | EGG MIX, DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD SS] | A 8910 | SS | | 12-JAN-98 |
| D | MIL-F-43381 | FLAGON, CRUET AND CRUET TRAY [CUST: GL PE 28 IS] | A 9925 | IS | | 12-NOV-65 |
| D | MIL-K-43387(1) NOT 1 | KIDDUSH CUP [CUST: GL PE 28 IS] | A 9925 | IS | | 27-FEB-87 |
| | MIL-F-43402D(2) | FOOD CUTTERS, ELECTRIC [CUST: SH] [REVIEW: GS SA] | A 7320 | SH | | 30-DEC-82 |
| D | MIL-P-43406(1) NOT 1 | POINTER, TORAH [CUST: GL PE 28 IS] | A 9925 | IS | | 23-OCT-87 |
| | MIL-C-43410C | CLOTH, COATED; POLYESTER/COTTON, POLYESTER/RAYON; POLYVINYL CHLORIDE OR POLYCHLOROPRENE COATED [CUST: GL NU 99 CT] [REVIEW: 45 MD MR YD1] | A 8305 | CT | | 28-JUN-89 |
| | MIL-P-43413D | POLE, TENT, LIGHT METAL, SPECIAL [CUST: GL NU 99 CT] [REVIEW: 82 MD YD1] | A 8340 | CT | | 07-MAY-84 |
| D | MIL-H-43414(1) | HYMNODY SET, TAPE [CUST: GL PE 28 IS] | A 9925 | IS | | 04-NOV-69 |
| | MIL-C-43415C | CAP, SERVICE, MILITARY POLICE, WHITE [CUST: GL 45 CT] [REVIEW: 32 82 99 MD] | A 8405 | CT | | 03-OCT-80 |
| | MIL-T-43416C | TENT, SUNSHIELD, THEODOLITE [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8340 | CT | | 29-DEC-88 |
| | MIL-C-43419E | CAP, GARRISON, MEN'S POLYESTER/WOOL, ARMY GREEN 344 [CUST: GL CT] [REVIEW: 45 MD] | A 8405 | CT | | 12-APR-89 |
| | MIL-P-43432B | PACKAGING OF LEATHER [CUST: GL NU 99 CT] [REVIEW: 11 82 OS SH SM] | A 8330 | CT | | 29-JUN-87 |
| D | MIL-C-43434(1) NOT 1 | COMMUNION SET, CHAPEL, CHALICE TYPE [CUST: GL PE 28 IS] | A 9925 | IS | | 23-OCT-87 |
| | MIL-B-43436C NOT 1 | BAND, MARKER, BLANK [CUST: GL YD1 99] [REVIEW: AR AT AV CR4 MC MI OS] | A 9905 | GS | | 12-FEB-88 |
| | MIL-B-43436(1) NOT 1 | BAND MARKER, BLANK, SINGLE CRIMP STYLE BAND [CUST: GL YD1 84 GS] [REVIEW: AR AT AV CR4 MC OS] | A 9905 | GS | | 12-FEB-88 |
| | MIL-B-43436/3 NOT 1 | BAND MARKER, BLANK, THREE PRONG CRIMP STYLE BAND [CUST: GL YD1 84 GS] [REVIEW: AR AT AV CR4 MC OS] | A 9905 | GS | | 12-FEB-88 |
| | MIL-B-43436/4 NOT 1 | BAND MARKER, BLANK, SINGLE BELT STYLE BAND [CUST: GL YD1 84 GS] [REVIEW: AR AT AV CR4 MC OS] | A 9905 | GS | | 12-FEB-88 |
| | MIL-B-43436/5 NOT 1 | BAND MARKER, BLANK, DOUBLE BELT STYLE BAND [CUST: GL YD1 84 GS] [REVIEW: AR AT AV CR4 MC OS] | A 9905 | GS | | 12-FEB-88 |
| | MIL-C-43438D NOT 1 | CRIMPER, BLASTING CAP, M2, PLIER TYPE, W/FUSE CUTTER [CUST: GL OS 99] [REVIEW: AR YD1] | A 5120 | OS | | 13-OCT-87 |
| | MIL-C-43455J | COAT, COLD WEATHER, FIELD [CUST: GL NU 99 CT] [REVIEW: 32 45 82 MC MD] | A 8415 | CT | | 21-AUG-91 |
| | MIL-L-43466C(1) | LINER, EXTREME COLD WEATHER, PARKA [CUST: GL NU CT] [REVIEW: MC MD] | A 8415 | CT | | 16-SEP-87 |
| | MIL-C-43468H | CLOTH, CAMOUFLAGE PATTERN, WIND RESISTANT POPLIN, COTTON [CUST: GL NU 99 CT] [REVIEW: 45 82 GS MC MD] | A 8305 | CT | | 31-MAR-92 |
| D | MIL-C-43469B(2) | CHAPLAINS KITS, CATHOLIC AND PROTESTANT [CUST: GL PE 28 IS] [REVIEW: YD1] | A 9925 | IS | | 29-APR-77 |
| | MIL-J-43470B | JACKET, AIR-TO-GROUND IDENTIFICATION [CUST: GL CT] [REVIEW: MD] | A 8415 | CT | | 26-JUL-82 |
| D | MIL-P-43475A | PRIE-DIEU [CUST: GL PE 28 IS] | A 9925 | IS | | 25-AUG-69 |
| D | MIL-C-43476A(1) NOT 1 | CHAPLAIN S KIT, JEWISH FAITH [CUST: GL PE 28 IS] | A 9925 | IS | | 27-OCT-87 |
| | MIL-C-43479D | CLOTH, BROADCLOTH, POLYESTER AND COTTON [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8305 | CT | | 23-MAR-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|--------------------------|-----|-------------|-----------|
| | | | | | | |
| | MIL-C-43482D | CLOTH, POPLIN, COTTON & POLYESTER (WATER REPELLENT) [CUST: GL NU 99 CT] [REVIEW: 11 82 CG MC MD] | A 8305 | CT | | 20-AUG-87 |
| D | MIL-S-43486A NOT 1 | SANCTUARY LAMP, VOTIVE GLASS HOLDER, AND VOTIVE GLASS [CUST: GL PE 28 IS] | A 9925 | IS | | 23-OCT-87 |
| | MIL-S-43489D | SLING, BAG AND CASE CARRYING: ST-35 [CUST: GL NU CT] [REVIEW: MC MD] | A 8465 | CT | | 13-OCT-87 |
| | MIL-T-43492C | TENT SECTIONS, FRAME TYPE, EXPANDABLE [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8340 | CT | | 01-MAY-86 |
| | MIL-P-43496F | PARKA, EXTREME COLD WEATHER [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | CT | | 16-APR-90 |
| | MIL-T-43497D(1) | TROUSERS, COLD WEATHER, FIELD, NYLON AND COTTON [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | CT | | 23-AUG-91 |
| | MIL-L-43498D | LINER, COLD WEATHER TROUSERS, FIELD [CUST: GL NU CT] [REVIEW: MC MD] | A 8415 | CT | | 12-SEP-90 |
| D | MIL-C-43499(1) NOT 1 | CANDLESTICK, ALTAR, CANDELABRA, CHAPEL, AND MENORAH [CUST: GL PE 28 IS] | A 9925 | IS | | 12-FEB-88 |
| | MIL-V-43511C | VISORS, FLYER'S HELMET, POLYCARBONATE [CUST: GL 99 CT] [REVIEW: 11 82 AV MD] | A 8415 | CT | | 16-JUL-90 |
| | MIL-T-43512B(1) | TENTS, MISSILE SYSTEM EQUIPMENT CONSOLE, (HIGH-POWER ILLUMINATOR HAWK) [CUST: GL NU CT] [REVIEW: 82 MC MI] | A 8340 | CT | | 30-AUG-90 |
| D | MIL-C-43516A NOT 1 | CROSS-CRUCIFIX, METAL [CUST: GL PE 28 IS] | A 9925 | IS | | 12-FEB-88 |
| D | MIL-C-43528A NOT 1 | CONVEYOR, ROLLER, GRAVITY, 1000 LB/FT [CUST: GL CC] [REVIEW: CR4 MD] | A 3910 | IS | | 27-MAR-92 |
| | MIL-L-43536F | LINER, COLD WEATHER COAT [CUST: GL NU 11 CT] [REVIEW: 45 99 MC MD] | A 8415 | CT | | 16-JUN-89 |
| | MIL-O-43537C | OVERCOAT, MAN S, ARMY GREEN 44, WITH REMOVABLE LINER [CUST: GL CT] [REVIEW: 45 MD] | A 8405 | CT | | 17-JUN-88 |
| A | MIL-F-43539A | FELT, BALLISTIC, NYLON [CUST: GL 99] [REVIEW: 11 82 MD] | A 8305 | CT | | 20-NOV-86 |
| | MIL-L-43541(3) NOT 1 | LEATHER, CATTLEHIDE, FOR VISORS AND CHINSTRAPS [CUST: GL 11 CT] [REVIEW: 82 MD] | A 8330 | CT | | 30-OCT-87 |
| | MIL-V-43544A | CARRIER, BODY ARMOR, AIRCREWMAN, SMALL ARMS PROTECTIVE [CUST: GL CT] [REVIEW: 45 MD MR] | A 8470 | CT | | 15-AUG-85 |
| | MIL-C-43549C | CAP, COLD WEATHER, INSULATING, HELMET LINER [CUST: GL NU 99 CT] [REVIEW: 45 CG MC MD] | A 8415 | CT | | 23-JUN-89 |
| | MIL-B-43550A | BAG, WATER REPELLENT, SIGNAL EQUIPMENT, BG 102 VALIDATED JUN 1972 [CUST: GL CT] [REVIEW: 45] | A 8465 | CT | | 13-SEP-79 |
| | MIL-P-43552(4) | PAPER, RECORDING, FACSIMILE (ELECTROSENSITIVE) [CUST: GL EC] | A 7530 | GS | | 12-JUL-85 |
| | MIL-H-43555D | HOOD, EXTREME COLD WEATHER, W/SYNTHETIC FUR RUFF, OG-107 [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | CT | | 30-MAR-88 |
| | MIL-H-43555D(11) | HOOD, EXTREME COLD WEATHER, W/SYNTHETIC FUR RUFF, OG-107 [CUST: GL] | A 8415 | CT | | 28-JUN-91 |
| D | MIL-C-43558A(3) | CHAPLAIN S KIT, CATHOLIC AND PROTESTANT, LIGHTWEIGHT, FOR ACTIVE COMBAT APPLICATION [CUST: GL PE IS] | A 9925 | IS | | 17-JAN-86 |
| | MIL-T-43560A(2) NOT 1 | TESTER, SPRING RESILIENCY [CUST: GL AS 99 GS] [REVIEW: CR4] | A 6635 | GS | | 08-AUG-90 |
| | MIL-T-43566C | TAPE, TEXTILE, COTTON OR POLYESTER, GENERAL PURPOSE, NATURAL OR IN COLORS [CUST: GL NU 11 CT] [REVIEW: 45 82 99 AR AS AT EA MC MD] | A 8315 | CT | | 01-AUG-90 |
| | MIL-F-43569B(1) NOT 1 | FOOD CUTTER AND MIXER MACHINES, VERTICAL, HIGH SPEED, ELECTRIC [CUST: GL YD1 99 IS] [REVIEW: 84 MC MD MS SA] | A 7320 | IS | | 26-FEB-93 |
| | MIL-L-43575A | LAUNDRY PRESS, COMMERCIAL, CABINET TYPE, SINGLE LAY, AND CABINET, DRYING, FOR WASHABLE TROUSERS [CUST: GL YD1 99 GS] [REVIEW: CE MC] | A 3510 | GS | | 01-JUN-70 |
| | MIL-T-43578B | TROUSERS, TOP FORMER [CUST: GL YD1 GS] [REVIEW: CR4 MC MD] | A 3510 | GS | | 21-NOV-78 |
| | MIL-L-43579C(2) | LINER, TROUSERS, CHEMICAL PROTECTIVE [CUST: GL NU CT] [REVIEW: CG MC MD OS] | A 8415 | CT | | 26-SEP-89 |
| | MIL-L-43582B(1) | LINER, SHIRT, CHEMICAL PROTECTIVE [CUST: GL NU CT] [REVIEW: CG MC MD OS] | A 8415 | CT | | 26-SEP-89 |
| | MIL-L-43585D | LAST, FOOTWEAR, SHOE, SAFETY TOE, MAN S, U.S. MIL-7 [CUST: GL NU 99 CT] [REVIEW: 82 AS MD] | A 8335 | CT | | 18-JUN-86 |
| | MIL-B-43587C | BAG, CHEMICAL PROTECTIVE CLOTHING OUTFIT [CUST: GL NU 99 CT] [REVIEW: 82 AS MC MD MS YD1] | A 8465 | CT | | 16-JAN-87 |
| | MIL-R-43592A(1) | REFRIGERATOR, MECHANICAL, EXPLOSION-PROOF [CUST: GL YD1 99 IS] [REVIEW: MC MD MS] | A 4110 | IS | | 24-MAR-81 |
| | MIL-H-43595B | HAMMOCK, JUNGLE, NYLON, M-1966 [CUST: GL 99 CT] [REVIEW: 45 MD] | A 8465 | CT | | 07-AUG-84 |
| A | MIL-D-43599C(11) | DRUMS, FABRIC-REINFORCED, COLLAPSIBLE: (DRINKING WATER; 55-, 250-, AND 500-GALLON CAPACITIES) [CUST: AT] | A 8110 | AT | | 02-MAR-93 |
| | MIL-C-43603B(1) | CANTEEN, WATER, COLLAPSIBLE, 2 QUART CAPACITY [CUST: GL NU 99 CT] [REVIEW: MC MD] | A 8465 | CT | | 16-AUG-82 |
| A | MIL-DTL-43607H | PADLOCK, KEY OPERATED, HIGH SECURITY, SHROUDED SHACKLE [CUST: GL YD1 99] [REVIEW: 82 AS CG GL4 IS NO] | A 5340 | YD1 | | 10-MAR-98 |
| A | MIL-R-43608A NOT 1 | RIP CORD, PARACHUTE, PERSONNEL: GENERAL SPECIFICATION FOR [CUST: GL AS 11 GS] [REVIEW: 82 99 AV MC] | A 1670 | GS | | 10-SEP-90 |
| | MIL-C-43613D | CAN, WATER, MILITARY: PLASTIC, 5-GALLON CAPACITY [CUST: GL SA 99] [REVIEW: 84 CG MC MD YD1] | A 7240 | GS | | 08-DEC-93 |
| | MIL-L-43615A | LAUNDRY PRESS UNITS, COAT, TWO-OPERATOR [CUST: GL YD1 99 GS] [REVIEW: 50 CE MC] | A 3510 | GS | | 24-JUN-75 |
| A | MIL-C-43616C(2) NOT 1 | CLEANING COMPOUNDS, AIRCRAFT SURFACE [CUST: GL AS 68 FSS] [REVIEW: AV EA MD MR] | A 6850 | FSS | | 28-OCT-91 |
| | MIL-N-43617 NOT 1 | NET, CARGO TIEDOWN, AIRCRAFT PLATFORM, ASSEMBLY [CUST: GL GS] [REVIEW: MT] | A 1670 | GS | | 27-MAR-92 |
| | MIL-T-43618B NOT 1 | TAPE, PRESSURE SENSITIVE ADHESIVE, FOR MENDING NYLON PARACHUTE CANOPIES [CUST: GL AS 11] [REVIEW: 82 99 AV MC MD] | A 1670 | GS | | 08-AUG-90 |
| | MIL-S-43620B | SUSPENSION ASSEMBLY, GROUND TROOPS HELMET LINER [CUST: GL MC 99 CT] [REVIEW: 45 82 MD] | A 8470 | CT | | 06-AUG-85 |
| | MIL-T-43624B | THREAD, POLYESTER, SPUN [CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A 8310 | CT | | 20-FEB-91 |
| | MIL-C-43627D | CLOTH, DUCK, COTTON, PLIED YARNS, FIRE, WATER, WEATHER AND MILDEW RESISTANT TREATED, LIGHTDRY FINISH [CUST: GL NU 99] [REVIEW: 45 82 MC MD] | A 8305 | CT | | 07-NOV-90 |
| | MIL-C-43627D(11) | CLOTH, DUCK, COTTON, PLIED YARNS, FIRE, WATER, WEATHER AND MILDEW RESISTANT TREATED, LIGHTDRY FINISH [CUST: GL] | A 8305 | CT | | 06-APR-92 |
| | MIL-C-43637D | CLOTH, PLAIN WEAVE, RIPSTOP, NYLON [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8305 | CT | | 28-JAN-92 |
| | MIL-W-43638B | WEBBING, TEXTILE, WOVEN, FOR TENT FRAMING [CUST: GL SA CT] [REVIEW: MD YD1] | A 8305 | CT | | 17-MAY-91 |
| | MIL-T-43641 NOT 1 | TABLE, EMBALMING, MORTUARY [CUST: GL MS 34] | A 9930 | IS | | 12-FEB-88 |
| | MIL-C-43647(1) | CASE, INDIVIDUAL, SURVIVAL KIT, ARMY [CUST: GL] [REVIEW: AV MD] | A 1680 | GS | | 26-JUN-73 |
| A | MIL-DTL-43649C | PARACHUTES, CARGO, 12-, 26-, AND 34 FOOT DIAMETER [CUST: GL] [REVIEW: AV] | A 1670 | GL | | 25-JUN-97 |
| | MIL-T-43654D | TROUSERS, SNOW CAMOUFLAGE, WHITE, ARCTIC [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | CT | | 15-APR-91 |
| | MIL-T-0043654E | TROUSERS, SNOW CAMOUFLAGE, WHITE [CUST: GL] | A 8415 | CT | | 10-FEB-92 |
| | MIL-C-43656A NOT 1 | CLOTH, COATED, POLYESTER, SILICONE RUBBER [CUST: GL NU 99 CT] [REVIEW: 82 AS MC MD] | A 8305 | CT | | 30-JUL-90 |
| | MIL-S-43659 NOT 1 | STOPPER, INFLATING TUBE, PNEUMATIC MATTRESS [CUST: GL SA 99 CT] [REVIEW: 11 45 MC YD1] | A 8465 | CT | | 06-NOV-89 |
| | MIL-C-43665C | CLOTH WOOL, MOTHPROOFING TREATMENT OF [CUST: GL NU 99 CT] [REVIEW: MC MD] | A 8305 | CT | | 14-NOV-86 |
| | MIL-W-43668C | WEBBING, TEXTILE, TEXTURED OR MULTIFILAMENT NYLON [CUST: GL AS 99 CT] [REVIEW: 11 MC MD NU] | A 8305 | CT | | 21-NOV-88 |
| | MIL-L-43672C(1) | LINER, SNOW CAMOUFLAGE TROUSERS: WHITE, ARCTIC, M-65 [CUST: GL NU CT] [REVIEW: 45 MC MD YD1] | A 8415 | CT | | 21-OCT-87 |
| | MIL-F-43673 NOT 1 | FRAME, RUCKSACK, STEEL [CUST: GL MC 99 CT] [REVIEW: 11 45] | A 8465 | CT | | 25-JAN-88 |
| | MIL-C-43677B(1) | CLOTH, COATED FOR HEAT SEAL PATCHING [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 13-AUG-85 |
| | MIL-C-43681A NOT 1 | CASE, MAINTENANCE EQUIPMENT, SMALL ARMS, M14A1 [CUST: GL CT] [REVIEW: AR MD] | A 8465 | CT | | 25-JAN-88 |
| | MIL-L-43684B | INTRENCHING TOOL, HAND, FOLDING, LIGHTWEIGHT [CUST: GL SH 99] [REVIEW: MC YD1] | A 5120 | GL | | 30-JUN-89 |
| | MIL-W-43685B | WEBBING AND TAPE, TEXTILE, ARAMID FIBER [CUST: GL CT] [REVIEW: AV MD] | A 8305 | CT | | 20-SEP-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-C-43689C | COVER, WATER CANTEEN, 2 QUART, COLLAPSIBLE (WITH PILE LINING) [CUST: GL NU CT] [REVIEW: 82 MC MD] | A 8465 | CT | | 31-MAR-87 |
| | MIL-L-43693A | LOWERING DEVICE, PERSONNEL AND CARGO [CUST: GL] [REVIEW: AV] | A 1670 | GL | | 28-JUN-91 |
| | MIL-T-43694 NOT 2 | TIEDOWN ASSEMBLIES, FLOOR ANCHORING [CUST: GL] [REVIEW: AV MT] | A 1670 | GL | | 26-FEB-93 |
| | MIL-F-43695B | FRAME SECTION, TENT, FRAME TYPE, EXPANDABLE [CUST: GL NU 99 CT] [REVIEW: 45 82 MC] | A 8340 | CT | | 21-SEP-83 |
| | MIL-D-43699C | DRUMS, FABRIC, COLLAPSIBLE, (DRINKING WATER, 55-, 250- & 500 GALLON CAPACITIES) [CUST: AT SA 69] [REVIEW: 99 GL GS MC MD] | A 8110 | AT | | 28-MAY-87 |
| A | MIL-D-43699C(11) | DRUMS, FABRIC-REINFORCED, COLLAPSIBLE: (DRINKING WATER; 55-, 250-, AND 500-GALLON CAPACITIES) [CUST: AT] | A 8110 | AT | | 02-MAR-93 |
| | MIL-P-43700C(1) | PONCHO, WET WEATHER [CUST: GL NU 99 CT] [REVIEW: 45 MC MD YD1] | A 8405 | CT | | 16-JUL-90 |
| | MIL-P-0043700D | PONCHO, WET WEATHER [CUST: GL] | A 8405 | CT | | 04-DEC-90 |
| | MIL-P-0043700D(11) | PONCHO, WET WEATHER [CUST: GL] | A 8405 | CT | | 28-JUN-91 |
| | MIL-C-43701B | CORD, ELASTIC, NYLON OR POLYESTER [CUST: GL NU 99 CT] [REVIEW: 82 MD] | A 8305 | CT | | 30-JUL-90 |
| D | MIL-D-43703C | DRUM, SHIPPING AND STORAGE, MOLDED POLYETHYLENE [CUST: GL SA 69 IS] [REVIEW: 99 AR AS CR4 MD SM] | A 8110 | IS | | 03-JAN-94 |
| | MIL-L-43704(1) NOT 1 | LEATHER, CATTLEHIDE, CHROME TANNED, FATLIQUORED [CUST: GL NU 11 CT] [REVIEW: 82 MD] | A 8330 | CT | | 30-OCT-87 |
| | MIL-C-43708B | CLOTH, COATED OR CLOTH, LAMINATED, REFLECTIVE [CUST: GL 99 CT] [REVIEW: 82 MD] | A 8305 | CT | | 30-SEP-86 |
| | MIL-T-43709B | TAPE, TEXTILE, ARAMID [CUST: GL CT] [REVIEW: MD] | A 8315 | CT | | 13-NOV-90 |
| | MIL-M-43719C | MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED; GENERAL SPECIFICATION FOR [CUST: GL AS 99 GS] [REVIEW: 84 AR AT AV CR CR4 MC MD OS] | A 7690 | GS | | 30-SEP-92 |
| | MIL-M-43719/1A NOT 1 | MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED; LETTERS AND NUMERALS [CUST: GL AS GS] | A 7690 | GS | | 30-JUL-90 |
| | MIL-M-43719/2A NOT 1 | MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED, LEGENDS [CUST: GL AS 99 GS] [REVIEW: AR AT CR4 MC SM] | A 7690 | GS | | 23-OCT-87 |
| | MIL-M-43719/3A NOT 1 | MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED; SYMBOLS [CUST: GL AS GS] | A 7690 | GS | | 30-JUL-90 |
| | MIL-M-43719/4 NOT 1 | MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED, HAZARDOUS MATERIAL SYMBOLS [CUST: GL AS GS] | A 7690 | GS | | 23-OCT-87 |
| | MIL-L-43720C(1) | LINER, FIELD PACK [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8465 | CT | | 19-JUL-90 |
| | MIL-C-43724C(1) NOT 1 | CAP, HOT WEATHER, OLIVE GREEN 507 [CUST: SA 99 CT] [REVIEW: 45 MD] | A 8415 | CT | | 14-APR-89 |
| | MIL-L-43728 NOT 1 | INJECTOR, RINSE, AUTOMATIC, FOR COMMERCIAL DISHWASHING MACHINES [CUST: SA 99] [REVIEW: GS MC MS] | A 7320 | SA | | 04-JAN-88 |
| | MIL-D-43732F | DRESS, WOMAN'S, HOSPITAL DUTY UNIFORM (HDU) [CUST: GL 11 CT] [REVIEW: 82 99 MD] | A 8410 | CT | | 30-MAR-90 |
| | MIL-C-43734D | CLOTH, DUCK, TEXTURED NYLON [CUST: GL NU 99 CT] [REVIEW: 82 MC MD YD1] | A 8305 | CT | | 20-AUG-87 |
| | MIL-S-43736A(1) | SLIDE FASTENER UNITS, LACED BOOTS [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8430 | CT | | 03-APR-79 |
| | MIL-C-43737B NOT 1 | CASE, MAINTENANCE EQUIPMENT, SMALL ARMS, M16A1 [CUST: GL MC 99 CT] [REVIEW: 45 MD] | A 8465 | CT | | 25-JAN-88 |
| | MIL-D-43738B(1) | DISPENSER, CARBONATED BEVERAGE, MECHANICALLY REFRIGERATED [CUST: SA] [REVIEW: GS MC MS SH] | A 7310 | SA | | 01-FEB-88 |
| | MIL-B-43739A | BOOT, SKI-MOUNTAIN [CUST: GL NU 99 CT] [REVIEW: 11 82 AS MD] | A 8430 | CT | | 03-MAR-87 |
| | MIL-P-43740C | PERSONNEL IDENTIFICATION BAND KIT WITH COMPONENTS AND CASE [CUST: GL CT] [REVIEW: MD] | A 8465 | CT | | 04-NOV-91 |
| | MIL-N-43741B | NECKERCHIEF, MAN'S, COTTON, KNITTED [CUST: GL NU 99 CT] [REVIEW: 11 45 82 MD] | A 8440 | CT | | 30-AUG-89 |
| | MIL-C-43742B | COVER, WATER CANTEEN, LC-2 [CUST: GL NU CT] [REVIEW: AS MC MD] | A 8465 | CT | | 03-MAR-81 |
| | MIL-P-43743B | PANEL MARKER, SURVIVAL, AVIATION PERSONNEL [CUST: GL CT] [REVIEW: AV MD] | A 8345 | CT | | 29-SEP-88 |
| | MIL-C-43745B | CASE, FIELD, FIRST AID DRESSING-UNMOUNTED MAGNETIC COMPASS, LC-1 [CUST: GL NU 99 CT] [REVIEW: 82 CR4 MC MD] | A 8465 | CT | | 09-MAR-81 |
| | MIL-S-43753C | SAFETY CLOTHING, HIGH VISIBILITY [CUST: GL NU 99 CT] [REVIEW: 45 82 MD] | A 8415 | CT | | 25-AUG-87 |
| | MIL-P-43756 | PACKBOARD, METAL [CUST: GL SA 11 CT] [REVIEW: 45 99 MC] | A 8465 | CT | | 07-OCT-71 |
| | MIL-M-43758B | MIDSOLES, LEATHERBOARD [CUST: GL NU 11 CT] [REVIEW: 82 99 MC MD] | A 8335 | CT | | 02-JUL-91 |
| | MIL-C-43761C | CUP, WATER CANTEEN, W/WIRE HANDLE, CORROSION RESISTING STEEL [CUST: GL NU 99 CT] [REVIEW: 45 82 CG MC MD] | A 8465 | CT | | 25-MAR-88 |
| | MIL-T-43764A | TENTS, CABLE SPLICER [CUST: GL NU 99 CT] [REVIEW: MC YD1] | A 8340 | CT | | 25-JUL-90 |
| | MIL-S-43770(3) SUP 1 | SNAP HOOKS GENERAL SPECIFICATION FOR [CUST: GL YD1 99] [REVIEW: AR AT AV CG CR4 MC SH] | A 5340 | IS | | 27-JAN-77 |
| | MIL-S-43770/1A NOT 1 | SNAP HOOK, WIRE BODY, FIXED LOOP EYE, FLAT SPRING CLOSURE, WITH RETAINER [CUST: GL YD1 99] [REVIEW: AR AT AV CG CR4 EA MC SA] | A 5340 | IS | | 12-FEB-88 |
| | MIL-S-43770/2A | SNAP HOOK, WIRE BODY, FIXED LOOP EYE, SIDE RETAINING CLOSURE [CUST: GL YD1 99] [REVIEW: AR AS AT AV CG CR4 EA MC SH] | A 5340 | IS | | 28-JAN-77 |
| | MIL-S-43770/3 NOT 1 | SNAP HOOK, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH [CUST: GL YD1 99] [REVIEW: AR AT AV CG CR4 MC MI SA] | A 5340 | IS | | 12-FEB-88 |
| | MIL-S-43770/4 NOT 1 | SNAP HOOK, CAST BODY, FIXED LOOP EYE WITH ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH [CUST: GL YD1 99] [REVIEW: AR AT AV CG CR4 MC MI SA] | A 5340 | IS | | 12-FEB-88 |
| | MIL-S-43770/5 NOT 1 | SNAP HOOK, CAST BODY, FIXED EYE, SLIDING BOLT CLOSURE [CUST: GL YD1 99] [REVIEW: AT AV CG CR4 MC MI SA] | A 5340 | IS | | 12-FEB-88 |
| | MIL-S-43770/6 NOT 1 | SNAP HOOK, CAST BODY, SWIVEL EYE, SLIDING BOLT CLOSURE [CUST: GL YD1 99] [REVIEW: AT AV CG CR4 MC MI SA] | A 5340 | IS | | 12-FEB-88 |
| | MIL-S-43770/7 NOT 1 | SNAP HOOK, CAST BODY, LOOP EYE SWIVEL [CUST: GL YD1 99] [REVIEW: AT AV CG CR4 MC MI SA] | A 5340 | IS | | 12-FEB-88 |
| | MIL-S-43770/8 NOT 1 | SNAP HOOK, CAST BODY, ROUND EYE SWIVEL [CUST: GL YD1 99] [REVIEW: AT AV CG CR4 MC MI SA] | A 5340 | IS | | 12-FEB-88 |
| | MIL-S-43770/9 NOT 1 | SNAP HOOK, CAST BODY, FIXED LOOP EYE, TRIGGER CLOSURE [CUST: GL YD1 99] [REVIEW: AT AV CG CR4 MC MI SA] | A 5340 | IS | | 12-FEB-88 |
| | MIL-S-43770/10 NOT 1 | SNAP HOOK, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH [CUST: GL YD1 99] [REVIEW: AT AV CG CR4 MC MI SA] | A 5340 | IS | | 12-FEB-88 |
| | MIL-S-43770/11 NOT 1 | SNAP HOOK, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, LIGHT DUTY [CUST: GL YD1 99] [REVIEW: AT AV CG CR4 MC MI] | A 5340 | IS | | 12-FEB-88 |
| | MIL-S-43770/12A NOT 1 | SNAP HOOK, CAST BODY, FIXED ROUND EYE W/O ROLLER, FLAT SPRING CLOSURE [CUST: GL YD1 99] [REVIEW: AT AV CG CR4 MC MI] | A 5340 | IS | | 12-FEB-88 |
| | MIL-S-43770/13 NOT 1 | SNAP HOOK, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, NARROW MOUTH [CUST: GL YD1 99] [REVIEW: AT AV CG CR4 MI] | A 5340 | IS | | 12-FEB-88 |
| | MIL-S-43770/14 NOT 1 | SNAP HOOK, CAST BODY, OPEN EYE, SLIDING BOLT CLOSURE [CUST: GL YD1] [REVIEW: CG MC] | A 5340 | IS | | 12-FEB-88 |
| | MIL-C-43774C | CLOTH, PLAIN OR PAJAMA CHECK WEAVE, ARAMID [CUST: GL NU 11 CT] [REVIEW: MD] | A 8305 | CT | | 20-APR-89 |
| | MIL-C-43791B(1) NOT 1 | CLOTH, TWILL, POLYESTER/COTTON (DURABLE PRESS) [CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A 8305 | CT | | 30-NOV-87 |
| | MIL-C-43800A NOT 1 | COVERS, PROTECTIVE, AIRDROP HARDWARE AND EQUIPMENT, GENERAL SPECIFICATION FOR [CUST: GL AS 11] [REVIEW: 82 99 AV] | A 1670 | GL | | 27-MAR-92 |
| | MIL-C-43806 NOT 1 | CLOTH, FELT, WOOL, PRESSED (JUNIOR R.O.T.C.) [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 27-FEB-87 |
| | MIL-C-43808A NOT 1 | CLOTH, COATED, NYLON [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 30-JUL-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-C-43824A(1) NOT 1 | CLOTH, SYNTHETIC FUR, KNITTED [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 30-JUL-90 |
| | MIL-R-43825B(2) NOT 1 | RACK, TRAY BUSSING, MOBILE [CUST: GL SA 99 IS] [REVIEW: MC MD YD1] | A 7320 | IS | | 23-OCT-87 |
| | MIL-B-43826C | BELT, INDIVIDUAL, EQUIPMENT [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8465 | CT | | 06-SEP-89 |
| | MIL-C-43827D | CASE, SMALL ARMS AMMUNITION, 30-ROUND MAGAZINE (M-16 RIFLE), LC-1 [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8465 | CT | | 30-MAR-90 |
| | MIL-S-43828A(1) | STRAP, WEBBING, CARGO TIE DOWN, LIGHTWEIGHT PACK FRAME, M-1972 [CUST: GL NU CT] [REVIEW: 45 MC MD YD1] | A 8465 | CT | | 11-FEB-85 |
| | MIL-S-43828A(12) | STRAP, WEBBING, CARGO TIE DOWN, LIGHTWEIGHT PACK FRAME, M-1972 [CUST: GL] | A 8465 | CT | | 28-JUN-91 |
| | MIL-C-43830B | COVER, FIELD PACK, CAMOUFLAGE, L&C-1 [CUST: GL NU CT] [REVIEW: 45 MC MD YD1] | A 8465 | CT | | 12-FEB-85 |
| | MIL-C-43830B(11) | COVER, FIELD PACK, CAMOUFLAGE, LC-1 [CUST: GL] | A 8465 | CT | | 16-OCT-90 |
| | MIL-C-43831B | CARRIER, INTRENCHING TOOL, HAND, FOLDING, LIGHTWEIGHT, PLASTIC, LC-1 [CUST: GL NU 99] [REVIEW: 45 82 MC MD YD1] | A 8465 | CT | | 26-FEB-88 |
| | MIL-C-43831B(11) | CARRIER, INTRENCHING TOOL, HAND, FOLDING, LIGHTWEIGHT, PLASTIC, LC-1 [CUST: GL] | A 8465 | CT | | 28-JUN-91 |
| | MIL-C-43832C(1) | FIELD PACK, COMBAT, NYLON, LARGE, LC-1 [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8465 | CT | | 23-JUN-86 |
| | MIL-F-43833D | FIELD PACK, COMBAT, NYLON, MEDIUM, LC-2 [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8465 | CT | | 14-FEB-90 |
| | MIL-F-43834E | FRAME, FIELD PACK, (RIVETED), AND SHELF, CARGO SUPPORT (LIGHTWEIGHT), LC-1 [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8465 | CT | | 14-DEC-90 |
| | MIL-S-43835E | STRAPS, PACK FRAME AND FIELD PACK, GROUND TROOPS [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8465 | CT | | 15-JUN-90 |
| | MIL-R-43837B | RELEASE, CARGO PARACHUTE, AIRDROP, M-1 [CUST: GL] [REVIEW: AV] | A 1670 | GL | | 12-JAN-94 |
| | MIL-R-43838B | RELEASE, CARGO PARACHUTE, AIRDROP, M-2 [CUST: GL] [REVIEW: AV] | A 1670 | GL | | 25-MAY-93 |
| | MIL-S-43841A(1) NOT 1 | STRAP, CHIN; GROUND TROOPS' HELMET, STEEL, M-1 [CUST: GL NU 99 CT] [REVIEW: 45] | A 8470 | CT | | 22-APR-89 |
| | MIL-C-43842C | CLOTH, OXFORD, ARAMID [CUST: GL NU 99 CT] [REVIEW: 82 AS MC MD] | A 8305 | CT | | 11-JUN-92 |
| | MIL-C-43843A(1) | CLOTH, PLAIN WEAVE, POLYESTER/COTTON, PRECURED, DURABLE PRESS [CUST: GL NU 11 CT] [REVIEW: 45 82 99 MC MD] | A 8305 | CT | | 24-JUN-87 |
| A | MIL-F-43846C | FOOD PACKET, LONG RANGE PATROL, ASSEMBLY OF [CUST: GL SA 50 SS] [REVIEW: MC MD QM] | A 8970 | SS | | 22-SEP-93 |
| | MIL-C-43858B | CLOTH, LAMINATED, NYLON TRICOT KNIT, POLYURETHANE FOAM LAMINATE, CHEMICAL PROTECTIVE & FLAME RESISTANT [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 31-DEC-85 |
| | MIL-C-43859A NOT 1 | COUPLING, EXTRACTION FORCE TRANSFER, AIRDROP [CUST: GL] [REVIEW: AV] | A 1670 | GL | | 08-AUG-90 |
| | MIL-S-43860D | SHOES, ELECTRICAL HAZARDS PROTECTIVE, HIGH, MEN'S [CUST: GL NU 99 CT] [REVIEW: 31 45 82 MD] | A 8430 | CT | | 31-MAY-90 |
| | MIL-C-43865 NOT 1 | CLOTH, POPLIN, POLYESTER/COTTON, PRECURED, SOIL RELEASE DURABLE PRESS TREATMENT [CUST: GL NU CT] [REVIEW: MD] | A 8305 | CT | | 30-NOV-87 |
| | MIL-B-43866C(1) | BREAD-SLICING MACHINE, ELECTRIC-OPERATED, MULTIPLE KNIFE [CUST: SA 99] [REVIEW: GS MC SH] | A 7320 | SA | | 30-DEC-87 |
| | MIL-C-43876A(1) NOT 1 | CLOTH, WIND RESISTANT, OXFORD, NYLON AND COTTON, QUARPEL TREATED [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8305 | CT | | 11-AUG-89 |
| | MIL-B-43878 NOT 4 | BROILER, SELF-CLEANING, ELECTRIC; COUNTER MODEL [CUST: SA] [REVIEW: GS MC] | A 7310 | SA | | 26-FEB-93 |
| | MIL-H-43879A | HOOD, SLEEPING BAG [CUST: GL NU 99 CT] [REVIEW: 45] | A 8465 | CT | | 21-APR-89 |
| | MIL-S-43880C(1) | SLEEPING BAG, EXTREME COLD WEATHER (DOWN AND POLYESTER BATTING [CUST: GL NU 99 CT] [REVIEW: 31 45 82 MC MD] | A 8465 | CT | | 05-SEP-85 |
| | MIL-C-43892A NOT 1 | CLOTH, TWILL, COTTON AND NYLON, WATER REPELLENT TREATED [CUST: GL NU 11 CT] [REVIEW: 45 82 99 MC MD] | A 8305 | CT | | 30-JUL-90 |
| | MIL-H-43895B(1) NOT 1 | HEATERS, HOT WATER BOOSTER, ELECTRIC; SINK, SANITIZING [CUST: GL SH 99] [REVIEW: 84 GS MD SA] | A 7320 | SH | | 18-DEC-92 |
| | MIL-S-43897B NOT 1 | SHOES, ELECTRICAL HAZARDS PROTECTIVE, OXFORD, MEN'S [CUST: GL NU 99 CT] [REVIEW: 11 45 82 MD MS] | A 8430 | CT | | 28-AUG-89 |
| | MIL-R-43900B NOT 1 | REFRIGERATORS, FREEZERS, PREFABRICATED, MECHANICAL, COMMERCIAL, WALK-IN [CUST: GL SA 99 IS] [REVIEW: 82 CR4 MD] | A 4110 | IS | | 27-MAR-92 |
| | MIL-H-43905C | HASPS, HIGH SECURITY PADLOCKS [CUST: CR4 YD1 99] [REVIEW: 82 AR AS CE CG CR GL IS NP OS SH] | A 5340 | YD1 | | 11-JUL-90 |
| | MIL-P-43907D | PARKA AND TROUSERS, WET WEATHER [CUST: GL 99 CT] [REVIEW: 45 82 GL MD] | A 8405 | CT | | 12-MAR-93 |
| | MIL-S-43912 | STRAP, CHIN, PARACHUTIST S, HELMET, STEEL, M-1 [CUST: GL NU 99 CT] [REVIEW: 45 MC MD] | A 8470 | CT | | 27-OCT-87 |
| | MIL-G-43914D | GOGGLES, SUN, WIND AND DUST, 1974 [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8465 | CT | | 09-JAN-85 |
| | MIL-G-0043914E | GOGGLES, SUN, WIND AND DUST: 1974 [CUST: GL] | A 8465 | CT | | 26-NOV-90 |
| | MIL-P-43918A NOT 1 | PAD, LINER, PARACHUTIST S HELMET [CUST: GL CT] [REVIEW: 45 MC MD] | A 8470 | CT | | 27-OCT-87 |
| | MIL-S-43919C | SAUCE & GRAVY MIXES, DRY, CANNED [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8940 | SS | | 29-JUN-87 |
| | MIL-J-43923C | JACKET, FLYER'S, LIGHTWEIGHT, (EXPANDABLE WRISTS AND WAIST) [CUST: GL CT] [REVIEW: MD] | A 8415 | CT | | 13-APR-90 |
| | MIL-J-43924E | JACKETS, COLD WEATHER, (HIGH TEMPERATURE RESISTANT) [CUST: GL NU 99 CT] [REVIEW: 11 82 MC MD] | A 8415 | CT | | 30-SEP-91 |
| | MIL-H-43925D | HELMET, FLYER S, PROTECTIVE, SPH-4 [CUST: GL 99 CT] [REVIEW: 45 82 MD] | A 8415 | CT | | 27-APR-88 |
| | MIL-S-43926J | SUIT, CHEMICAL PROTECTIVE [CUST: GL NU 99 CT] [REVIEW: 31 45 82 EA MD] | A 8415 | CT | | 30-AUG-91 |
| | MIL-S-43931A | SOUP, DEHYDRATED, BEEF FLAVORED, WITH NOODLES AND VEGETABLES [CUST: GL SA 50] [REVIEW: MC MD QM] | A 8935 | SS | | 25-NOV-91 |
| | MIL-T-43932C(1) NOT 1 | TROUSERS, UTILITY, (DURABLE PRESS) [CUST: NU CT] [REVIEW: YD1] | A 8405 | CT | | 30-SEP-88 |
| | MIL-C-43944(1) NOT 1 | CLOTH, LAMINATED, AND CLOTH, COATED (CHLOROPRENE COATED) [CUST: GL NU 11 CT] [REVIEW: 99 EA MD] | A 8305 | CT | | 30-NOV-87 |
| | MIL-M-43945B | MASK, EXTREME COLD WEATHER [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | CT | | 18-JUL-88 |
| | MIL-M-43946A NOT 1 | MAINTENANCE KIT: WET WEATHER CLOTHING [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8405 | CT | | 28-AUG-89 |
| | MIL-P-43948A | PILLOW, BED, POLYESTER FILLED [CUST: GL NU CT] [REVIEW: MD] | A 7210 | CT | | 31-DEC-86 |
| | MIL-R-43954A(1) | RANGES, CONVECTION OVEN, ELECTRIC [CUST: SH] [REVIEW: MD SA] | A 7310 | SH | | 07-JUN-93 |
| | MIL-T-43955B | TRUNK, GENERAL PURPOSE, EXERCISER [CUST: GL CT] [REVIEW: MD] | A 8415 | CT | | 31-DEC-85 |
| | MIL-C-43956(1) NOT 1 | CLOTH, TWILL, COTTON, 10.0 OUNCES (339 G) [CUST: GL NU 99 CT] [REVIEW: 45] | A 8305 | CT | | 30-NOV-87 |
| | MIL-T-43957D | TROUSERS, MEN'S, DRESS, WOOL AND POLYESTER/WOOL [CUST: GL CT] [REVIEW: MD] | A 8405 | CT | | 16-SEP-91 |
| | MIL-G-43958(11) | GLOVES, CLOTH, BLACK, LINED, GIRL'S, JR. R.O.T.C. [CUST: CT] | A 8445 | CT | | 19-JUL-96 |
| | MIL-B-43965A NOT 1 | BAG, WET WEATHER CLOTHING: (PARKA AND TROUSERS) [CUST: 99 CT] [REVIEW: 45] | A 8465 | CT | | 31-OCT-89 |
| | MIL-J-43967C | JERSEY, REVERSIBLE [CUST: GL NU 99 CT] [REVIEW: 82 MD] | A 8415 | CT | | 17-APR-89 |
| | MIL-M-43968A | MATTRESS, PNEUMATIC, (INSULATED) [CUST: SA CT] [REVIEW: CG MC YD1] | A 8465 | CT | | 12-JUL-85 |
| | MIL-D-43970 | DRY CLEANING, RECOVERY TUMBLER, FOR SYNTHETIC SOLVENT [CUST: GL 99 GS] [REVIEW: MD] | A 3510 | GS | | 27-SEP-77 |
| | MIL-F-43976C | GLOVES AND GLOVE SET, CHEMICAL PROTECTIVE [CUST: GL NU 99 CT] [REVIEW: 31 45 82 EA MD SH] | A 8415 | CT | | 05-SEP-90 |
| | MIL-F-43987A(2) | FOOTWEAR COVER, CHEMICAL PROTECTIVE (OVERBOOTS) [CUST: GL NU 99 CT] [REVIEW: 45 82 EA OS SH] | A 8430 | CT | | 16-NOV-84 |
| | MIL-C-43989A | CLOTH, KNITTED, RASCHEL, ARAMID [CUST: GL CT] [REVIEW: 11 82 MD] | A 8305 | CT | | 19-SEP-86 |
| | MIL-C-43992B | CLOTH, BROADCLOTH, POLYESTER/COTTON, DURABLE PRESS [CUST: GL NU 11 CT] [REVIEW: 82 99 CG MC MD] | A 8305 | CT | | 28-JUN-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Actv. | Date |
|-------------|----------------------|--|-------------------------|-----|-------------|-----------|
| | MIL-S-43993C | SWEATBAND, HEADWEAR, ARTIFICIAL LEATHER [CUST: GL 11 CT] [REVIEW: 82 99 MD] | A 8405 | CT | | 01-APR-88 |
| | MIL-M-43994C | MARKER, IDENTIFICATION, FIRE, CHEMICAL HAZARD, AND RESTRICTED AREA, REFLECTIVE [CUST: GL 99] [REVIEW: 84 MD] | A 7690 | GS | | 02-JAN-91 |
| | MIL-O-43995C | OVERSHOES, MEN'S AND WOMEN'S, BOOT, COMBAT [CUST: GL NU 99 CT] [REVIEW: 11 45 82 MC MD] | A 84GP | CT | | 15-SEP-89 |
| | MIL-F-43997A | FIELD PACK, TRAINING [CUST: GL CT] [REVIEW: MD] | A 8465 | CT | | 30-SEP-86 |
| | MIL-C-44001B | COVER, HELMET, CHEMICAL PROTECTIVE [CUST: GL NU 99 CT] [REVIEW: 31 45 82 MC MD] | A 8415 | CT | | 30-MAR-90 |
| | MIL-P-44012A | PACK, PARACHUTIST'S, DRAGON MISSILE [CUST: GL] [REVIEW: AV] | A 1670 | GL | | 12-JAN-84 |
| | MIL-G-44013C | GLOVE, HEAT PROTECTIVE [CUST: GL NU CT] [REVIEW: MC MD SH YDI] | A 8415 | CT | | 27-APR-88 |
| | MIL-C-44014 | CLOTH, CAMOUFLAGE PATTERN, DUCK, COTTON [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 17-SEP-79 |
| | MIL-S-44016B | SLEEPING BAG, INTERMEDIATE COLD, SYNTHETIC FILLED [CUST: GL NU CT] [REVIEW: MC MD] | A 8465 | CT | | 21-JUN-89 |
| | MIL-C-44017 | CLOTH, SPACER, POLYETHYLENE AND NYLON [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 22-DEC-79 |
| | MIL-S-44021A | SURVIVAL VEST, INDIVIDUAL, OV-1 AIRCRAFT [CUST: GL CT] [REVIEW: AV MD] | A 8415 | CT | | 20-AUG-89 |
| | MIL-S-44022B | STRAP, RETENTION, PARACHUTISTS HELMET [CUST: GL 99 CT] [REVIEW: 45 82 MC MD] | A 8470 | CT | | 19-JAN-90 |
| | MIL-C-44026 | CASE, LASER PROTECTIVE SPECTACLES [CUST: GL NU CT] [REVIEW: MC MD] | A 8465 | CT | | 08-MAY-80 |
| | MIL-C-44031D | CLOTH, CAMOUFLAGE PATTERN: WOODLAND, COTTON AND NYLON [CUST: GL NU 45 CT] [REVIEW: 32 82 99 MC MD] | A 8305 | CT | | 22-AUG-89 |
| | MIL-DTL-44033B | LINE, MULTI-LOOP, CONCENTRIC [CUST: GL AS 99] [REVIEW: 82 AV MC] | A 1670 | GL | | 21-APR-95 |
| | MIL-C-44034D | CLOTH, TWILL, CAMOUFLAGE PATTERN, COTTON AND NYLON FOR DESERT UNIFORM [CUST: GL NU 11 CT] [REVIEW: 82 99 MC MD] | A 8305 | CT | | 31-MAR-92 |
| | MIL-T-44036(1) | TIEDOWN ASSEMBLY, CARGO, AERIAL DELIVERY, LOAD BINDER TYPE [CUST: GL 99] [REVIEW: 11 MC] | A 1670 | GL | | 25-FEB-92 |
| | MIL-S-44039C | SHIRT, MAN'S, LONG SLEEVE, POLYESTER/COTTON, ARMY GREEN 415, DURABLE PRESS [CUST: GL CT] [REVIEW: MD] | A 8405 | CT | | 10-OCT-90 |
| | MIL-C-44043B | CLOTH, BALLISTIC, NYLON, LIGHTWEIGHT, WATER-REPELLENT TREATED [CUST: GL NU 99 CT] [REVIEW: 82 MD] | A 8305 | CT | | 19-DEC-90 |
| | MIL-T-44047E | TROUSERS, CAMOUFLAGE PATTERN, COMBAT [CUST: GL NU 11 CT] [REVIEW: 82 99 MC MD] | A 8415 | CT | | 26-JUN-91 |
| | MIL-C-44048G | COATS, CAMOUFLAGE PATTERN, COMBAT [CUST: GL NU 45 CT] [REVIEW: 32 82 99 MC MD] | A 8415 | CT | | 02-FEB-95 |
| | MIL-W-44049A | WEBBING, TEXTILE AND TAPE, TEXTILE, POLYPROPYLENE, GENERAL PURPOSE, NATURAL OR IN COLORS [CUST: GL NU 11 CT] [REVIEW: 82 89 CR4 MC MD] | A 8305 | CT | | 20-APR-89 |
| | MIL-C-44050A | CLOTH, BALLISTIC, ARAMID [CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A 8305 | CT | | 18-AUG-87 |
| | MIL-B-44053A(1) | BODY ARMOR, FRAGMENTATION PROTECTIVE VEST, GROUND TROOPS [CUST: GL NU 99 CT] [REVIEW: 31 45 82 MC MD] | A 8470 | CT | | 22-JUN-90 |
| | MIL-B-44054B | BOTTLE, OIL SAMPLE, WITH CONTAINER [CUST: GL] [REVIEW: MD] | A 8125 | IS | | 18-JUN-85 |
| | MIL-L-44076A | LOWERING LINE ASSEMBLY [CUST: GL AS] [REVIEW: AV MC] | A 1670 | GL | | 30-JUL-90 |
| | MIL-C-44077B | COVERALLS, COMBAT VEHICLE CREWMEN'S [CUST: GL NU CT] [REVIEW: MC MD] | A 8415 | CT | | 03-NOV-88 |
| | MIL-C-0044077C | COVERALLS, COMBAT VEHICLE CREWMEN'S [CUST: GL] | A 8415 | CT | | 27-NOV-90 |
| | MIL-C-44082A | CASE, SMALL ARMS, AMMUNITION, 200-ROUND MAGAZINE [CUST: GL MC CT] [REVIEW: MD] | A 8465 | CT | | 16-FEB-90 |
| | MIL-C-44083A | CARRIER, AN/PRC-68 OR AN/PRC-68A, RADIO SET [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8465 | CT | | 25-APR-85 |
| A | MIL-M-44084(1) NOT 1 | MAT, SILHOUETTE LAYOUT [CUST: GL] | A 7690 | GS | | 11-AUG-89 |
| | MIL-R-44085A | REPAIR KIT, SKI MILITARY, ALL TERRAIN [CUST: GL MC 99 CT] [REVIEW: 45] | A 8465 | CT | | 22-JUN-87 |
| | MIL-P-44087B | PARKA, NIGHT CAMOUFLAGE, DESERT [CUST: GL NU CT] [REVIEW: 45 MC MD] | A 8415 | CT | | 17-APR-89 |
| | MIL-P-44087B(11) | PARKA, NIGHT CAMOUFLAGE, DESERT [CUST: GL] | A 8415 | CT | | 10-MAY-91 |
| | MIL-L-44089A | LINER, NIGHT CAMOUFLAGE PARKA DESERT [CUST: GL NU 99 CT] [REVIEW: 45 MD] | A 8415 | CT | | 14-FEB-84 |
| | MIL-S-44090C | SHIRT, WOMAN'S, SHORT SLEEVE, POLYESTER/COTTON, ARMY GREEN 415, DURABLE PRESS [CUST: GL CT] [REVIEW: MD] | A 8410 | CT | | 07-NOV-90 |
| | MIL-S-44091(1) | STRAP, CHIN, GROUND TROOPS' - PARACHUTISTS' HELMET [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8470 | CT | | 22-JUN-84 |
| | MIL-S-44092B(1) | SLACKS, WOMEN'S: CLASSIC DESIGN, POLYESTER/WOOL [CUST: GL CT] | A 8410 | CT | | 12-SEP-90 |
| | MIL-S-44092B(12) | SLACKS, WOMEN'S: CLASSIC DESIGN, POLYESTER/WOOL [CUST: CT] | A 8410 | CT | | 26-MAY-94 |
| | MIL-S-44093B | SHIRT, WOMAN'S, LONG SLEEVE, POLYESTER/COTTON, ARMY GREEN 415, DURABLE PRESS [CUST: GL CT] [REVIEW: MD] | A 8410 | CT | | 08-NOV-90 |
| | MIL-T-44094B | TROUSERS, NIGHT CAMOUFLAGE, DESERT [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | CT | | 08-JAN-91 |
| | MIL-T-44094B(11) | TROUSERS, NIGHT CAMOUFLAGE, DESERT [CUST: GL] | A 8415 | CT | | 10-MAY-91 |
| | MIL-S-44095A | SURVIVAL KIT, INDIVIDUAL, VEST TYPE [CUST: GL CT] [REVIEW: AV MD] | A 8465 | CT | | 19-APR-89 |
| | MIL-U-44096A(1) | UNDERSHIRT, MANS (QUARTER - SLEEVE) [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8420 | CT | | 09-DEC-87 |
| | MIL-S-44097A | SUSPENSION ASSEMBLY, GROUND TROOPS' - PARACHUTISTS' HELMET [CUST: GL MC 99 CT] [REVIEW: 45 82 MD] | A 8470 | CT | | 18-JAN-90 |
| | MIL-H-44098A | HEADBAND, GROUND TROOPS' - PARACHUTISTS' HELMET [CUST: GL MC 99 CT] [REVIEW: 45 82 MD] | A 8470 | CT | | 17-JAN-90 |
| | MIL-H-44099A(1) | HELMET, GROUND TROOPS AND PARACHUTISTS [CUST: GL NU 99 CT] [REVIEW: 11 82 MC MD YDI] | A 8470 | CT | | 24-FEB-89 |
| | MIL-S-44102B | SKIRT, WOMAN'S, CLASSIC DESIGN, POLYESTER/WOOL [CUST: GL CT] [REVIEW: MD] | A 8410 | CT | | 13-JUN-89 |
| | MIL-M-44104A | MAT, SLEEPING [CUST: GL NU 99 CT] [REVIEW: 45 MC MD YDI] | A 8465 | CT | | 30-OCT-87 |
| | MIL-H-44105B | HATS, SUN, HOT WEATHER [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YDI] | A 8415 | CT | | 04-MAR-92 |
| | MIL-N-44106B | NECKTAB, WOMAN'S SHIRT [CUST: GL CT] [REVIEW: MD] | A 8445 | CT | | 03-MAY-89 |
| | MIL-C-44107C | COVER, GROUND TROOPS-PARACHUTISTS HELMET [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | CT | | 25-NOV-91 |
| | MIL-G-44108A | GLOVE, COMBAT VEHICLE CREWMAN'S SUMMER [CUST: GL NU CT] [REVIEW: MD] | A 8415 | CT | | 10-JUN-87 |
| | MIL-O-44109B | OVERALLS, COMBAT VEHICLE CREWMEN'S [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8415 | CT | | 31-DEC-90 |
| | MIL-S-44110B | SLACKS, MATERNITY, UTILITY WORK UNIFORM [CUST: GL 11 CT] [REVIEW: 45 82 99 MD] | A 8410 | CT | | 10-JAN-91 |
| | MIL-C-44111B | COAT, MATERNITY, UTILITY WORK UNIFORM [CUST: GL 11 CT] [REVIEW: 45 82 99 MD] | A 8410 | CT | | 28-DEC-90 |
| | MIL-H-44117A(1) | HELMET, COMBAT VEHICLE CREWMAN, BALLISTIC SHELL, DH-132A [CUST: GL CT] [REVIEW: MC MD] | A 8470 | CT | | 06-MAR-90 |
| | MIL-R-44123B | ROPE, FIBROUS, DOUBLE-BRAIDED, NYLON/POLYESTER COMPOSITE [CUST: GL 99] [REVIEW: 82 AS SH] | A 4020 | IS | | 10-MAY-90 |
| | MIL-G-44124B | COVER, BODY ARMOR, FRAGMENTATION PROTECTIVE [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8470 | CT | | 30-SEP-91 |
| A | MIL-W-44126A | WATER, DRINKING, EMERGENCY, FLEXIBLY PACKAGED [CUST: GL SA 50 SS] [REVIEW: AS MC MD] | A 8960 | SS | | 30-DEC-88 |
| | MIL-M-44128 | MASK, FACE, COMBAT VEHICLE CREWMEN'S FLAME, DUST, WIND & FRAGMENTATION PROTECTIVE [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8470 | CT | | 05-JUN-84 |
| | MIL-M-0044128A | MASK, FACE, COMBAT VEHICLE CREWMEN'S FLAME, DUST, WIND AND FRAGMENTATION PROTECTIVE [CUST: GL] | A 8470 | CT | | 26-OCT-90 |
| | MIL-C-44130C | CAP, GARRISON, WOMEN'S, POLYESTER/WOOL, AG-344 [CUST: GL CT] [REVIEW: MD] | A 8410 | CT | | 11-JAN-91 |
| | MIL-V-44132B | VEST, CONDITIONING MICROCLIMATE: AIR [CUST: GL NU CT] [REVIEW: MC MD] | A 8415 | CT | | 20-FEB-90 |
| | MIL-B-44134 | BODY ARMOR, SMALL ARMS (HAND GUN) PROTECTIVE, UNDERGARMENT, MP-1 [CUST: GL 99 CT] [REVIEW: 45 82 MD] | A 8470 | CT | | 13-AUG-84 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------|---|-----------------------|-----|-------------|-----------|
| A MIL-B-44135B | BEVERAGE BASE, POWDER, ORANGE, FORTIFIED (OPERATIONAL RATION COMPONENT) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8960 | SS | | 02-SEP-93 |
| MIL-B-44152C(1) | BOOTS, COMBAT; MILDEW AND WATER RESISTANT, DMS [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8430 | CT | | 14-OCT-94 |
| MIL-P-44153A | POCKET, AMMUNITION MAGAZINE, 9 MM [CUST: GL CT] | A 8465 | CT | | 26-AUG-85 |
| MIL-C-44154B | CLOTH, INSULATION, MULTIPLE LAYER COMPOSITE, QUILTED, FLAME RESISTANT [CUST: GL NU 99 CT] [REVIEW: 82 MD] | A 8305 | CT | | 06-SEP-89 |
| MIL-B-44155B | BODY ARMOR, COAT, FOR EXPLOSIVE ORDNANCE DISPOSAL (EOD) SYSTEM [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8470 | CT | | 15-JAN-91 |
| MIL-H-44159A | HAM CHUNKS, WITH JUICE, CANNED [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8905 | SS | | 31-MAR-87 |
| MIL-C-44161A | CLOTH, KNITTED, TERRY, SYNTHETIC FIBERS [CUST: GL NU CT] [REVIEW: MC MD] | A 8305 | CT | | 09-DEC-87 |
| MIL-C-44162A | CLOTH, PLAIN WEAVE, POLYESTER/COTTON [CUST: GL NU 99 CT] [REVIEW: 11 82 CG MC MD] | A 8305 | CT | | 20-SEP-89 |
| MIL-S-44163B(1) | SHIRT, COLD WEATHER, SYNTHETIC FIBER PILE [CUST: GL NU CT] [REVIEW: MC MD] | A 8415 | CT | | 01-MAY-91 |
| MIL-U-44164A | UNDERSHIRT, COLD WEATHER, POLYPROPYLENE [CUST: GL NU CT] [REVIEW: 45 MC MD] | A 8415 | CT | | 25-JAN-89 |
| MIL-B-44168A | BAG, CARRYING, PROTECTIVE ENSEMBLE, NUCLEAR, BIOLOGICAL, CHEMICAL (NBC) [CUST: GL NU CT] [REVIEW: 82 MD] | A 8465 | CT | | 04-MAY-88 |
| MIL-C-44187C | CLOTH, LAMINATED, WATERPROOF AND MOISTURE VAPOR PERMEABLE [CUST: GL NU 99 CT] [REVIEW: 11 31 45 82 MC MD] | A 8305 | CT | | 22-NOV-93 |
| MIL-P-44188D | PARKA, COLD WEATHER, CAMOUFLAGE [CUST: GL NU CT] [REVIEW: MC MD] | A 8415 | CT | | 22-NOV-93 |
| MIL-T-44189C | TROUSERS, COLD WEATHER, CAMOUFLAGE [CUST: GL NU CT] [REVIEW: MC MD] | A 8415 | CT | | 08-MAY-91 |
| MIL-O-44191A(1) | OVERALLS, COLD WEATHER, SYNTHETIC FIBER PILE [CUST: GL NU CT] | A 8415 | CT | | 01-MAY-91 |
| MIL-B-44194A | BODY ARMOR, FRAGMENTATION PROTECTIVE, UNDERGARMENT, COMBAT VEHICLE CREWMEN'S [CUST: GL MC 99 CT] [REVIEW: 45 82 MD] | A 8470 | CT | | 04-APR-90 |
| MIL-C-44211B | COATS, MEN'S: SERGE, POLYESTER/WOOL, ARMY GREEN 489, FUSIBLE, AND POLYESTER AND WOOL, BLUE 450 (MDW) AND BLUE 150 (MDW), FUSIBLE [CUST: GL CT] [REVIEW: MD] | A 8405 | CT | | 04-JAN-95 |
| MIL-S-44212A | SWEATSHIRT, HOODED, PHYSICAL FITNESS UNIFORM (PFU) [CUST: GL CT] [REVIEW: MD] | A 8415 | CT | | 23-FEB-89 |
| MIL-S-44212A(11) | SWEATSHIRT, HOODED, PHYSICAL FITNESS UNIFORM (PFU) [CUST: GL CT] [REVIEW: MD] | A 8415 | CT | | 01-MAY-95 |
| MIL-S-44215A | SWEATPANTS, PHYSICAL FITNESS UNIFORM (PFU) [CUST: GL CT] [REVIEW: MD] | A 8415 | CT | | 23-FEB-89 |
| MIL-S-44215A(11) | SWEATPANTS, PHYSICAL FITNESS UNIFORM (PFU) [CUST: GL CT] [REVIEW: MD] | A 8415 | CT | | 01-MAY-95 |
| MIL-C-44216A | CANTEEN, WATER, COLLAPSIBLE, 5-QUART CAPACITY [CUST: GL NU CT] | A 8465 | CT | | 30-JUN-89 |
| MIL-C-44217A | CAP, WATER CANTEEN, 5-QUART, COLLAPSIBLE [CUST: GL NU CT] [REVIEW: MC MD YD1] | A 8465 | CT | | 15-NOV-89 |
| MIL-C-44218 | CARRIER AND CANTEEN/COLLAPSIBLE, 5-QUART CAPACITY [CUST: GL CT] | A 8465 | CT | | 28-JAN-86 |
| MIL-C-44219 | CARRIER CANTEEN, COLLAPSIBLE, 5-QUART CAPACITY [CUST: GL CT] | A 8465 | CT | | 28-JAN-86 |
| MIL-S-44220A | SLEEPING BAG, COLD WEATHER AIRCRAFT SURVIVAL KIT (VACUUM PACKED) [CUST: GL CT] [REVIEW: MD] | A 8465 | CT | | 16-JUN-89 |
| MIL-S-44221A | STAND, CANTEEN CUP [CUST: GL SA 99 CT] [REVIEW: MD] | A 8465 | CT | | 03-MAR-89 |
| MIL-T-44222A | TENT LINER SECTIONS; INSULATED (TEMPER) [CUST: GL NU CT] [REVIEW: MD] | A 8340 | CT | | 01-MAR-91 |
| MIL-C-44236 | CLOTH, KNITTED, ARAMID, BI-PLY [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8305 | CT | | 27-AUG-86 |
| MIL-T-44243A(1) | TENT SECTIONS, TENT, EXTENDABLE, MODULAR, PERSONNEL (TEMPER) [CUST: GL NU CT] [REVIEW: MC MD] | A 8340 | CT | | 24-FEB-92 |
| MIL-P-44247(1) | PACK, PARACHUTIST'S, AT4 ROCKET [CUST: GL] | A 1670 | GL | | 05-JUN-89 |
| MIL-F-44251A | FRAME SECTIONS, TENT, EXTENDABLE, MODULAR, PERSONNEL (TEMPER) [CUST: GL NU 99 CT] [REVIEW: 45 82 YD1] | A 8340 | CT | | 20-FEB-90 |
| MIL-E-44258A | ELECTRICAL DISTRIBUTION ASSEMBLIES FOR TENT, EXTENDABLE, MODULAR, PERSONNEL (TEMPER) [CUST: GL 99] [REVIEW: 82] | A 6150 | GS | | 30-MAR-90 |
| D MIL-L-44259C | LIGHT SET, PORTABLE, FLUORESCENT [CUST: GL 99 IS] [REVIEW: 82] | A 6230 | IS | | 19-NOV-90 |
| MIL-C-44263 | CLOTH, LAMINATED, WATERPROOF, MOISTURE VAPOR PERMEABLE AND FLAME RESISTANT (WT. 3.4 OZ) [CUST: GL NU 11 CT] [REVIEW: 45 82 99 MC MD] | A 8305 | CT | | 30-SEP-86 |
| MIL-A-44264 | ADAPTER KIT, M-1 CAP; FOR CANTEEN, WATER, INSULATED [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8465 | CT | | 17-DEC-86 |
| MIL-H-44265A | HOOD, COMBAT VEHICLE CREWMEN'S, (BALACLAVA) [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | CT | | 05-FEB-90 |
| MIL-B-44266B | BODY ARMOR, TROUSERS, EXPLOSIVE ORDNANCE DISPOSAL (EOD) SYSTEM [CUST: GL 99 CT] [REVIEW: 82 MD] | A 8470 | CT | | 10-JAN-91 |
| MIL-C-44270 | CLOTH, POLYESTER/ COTTON, FOR HOSPITAL DUTY UNIFORM (HDU) [CUST: GL NU 99 CT] [REVIEW: 82 MD] | A 8305 | CT | | 16-MAR-87 |
| MIL-T-44271A | TENTS, EXTENDABLE, MODULAR, PERSONNEL (TEMPER), ASSEMBLY COMPONENTS [CUST: GL NU CT] [REVIEW: MC] | A 8340 | CT | | 24-FEB-92 |
| MIL-C-44273 | CLOTH, LAMINATED, WATERPROOF, MOISTURE VAPOR PERMEABLE, AND FLAME RESISTANT (4.6 OZ) [CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A 8305 | CT | | 01-JUN-87 |
| MIL-C-44273(12) | CLOTH, LAMINATED, WATERPROOF, MOISTURE VAPOR PERMEABLE, AND FLAME RESISTANT [CUST: GL CT] | A 8305 | CT | | 17-MAR-92 |
| A MIL-B-44281A | BEVERAGE BASE, POWDER, APPLE CIDER (OPERATIONAL RATION COMPONENT) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8960 | SS | | 02-SEP-93 |
| MIL-D-44285 | DOORS, DOUBLE BUMP THROUGH [CUST: GL NU 99 CT] [REVIEW: MC MD MS] | A 8340 | CT | | 24-JUN-87 |
| MIL-S-44290 | SMOCK, MAN'S: HOSPITAL DUTY UNIFORM (HDU) [CUST: GL 11 CT] [REVIEW: 82 99 MD] | A 8405 | CT | | 30-JUN-87 |
| MIL-T-44291 | TROUSERS, MAN'S: HOSPITAL DUTY UNIFORM (HDU) [CUST: GL 11 CT] [REVIEW: 82 99 MD] | A 8405 | CT | | 30-JUN-87 |
| MIL-T-44293A | TUNIC, WOMAN'S, HOSPITAL DUTY UNIFORM (HDU) [CUST: GL 11 CT] [REVIEW: 45 82 99 MD] | A 8410 | CT | | 30-MAR-90 |
| MIL-C-44296A | CLOTH, FUSIBLES [CUST: GL NU 11 CT] [REVIEW: 82 99 CG MC MD] | A 8305 | CT | | 06-SEP-90 |
| MIL-L-44299A | LINER, COMBAT VEHICLE CREWMEN'S COVERALL [CUST: GL NU CT] [REVIEW: MC MD] | A 8415 | CT | | 13-JUN-90 |
| MIL-C-44303 | CLOTH, POROUS, LAMINATED FABRIC SYSTEM [CUST: MD] [REVIEW: CT EA MS] | A 8305 | MB | | 30-JUN-88 |
| MIL-C-44304A | CLOTH, COATED: CLOTH, LAMINATED, CHEMICAL PROTECTIVE [CUST: MD NU 99 CT] [REVIEW: 31 45 82 EA GL] | A 8305 | CT | | 28-MAY-93 |
| MIL-P-44305 | PLASTIC FILM, FLEXIBLE, POLYAMIDE AND POLYETHYLENE [CUST: MD SH 99] [REVIEW: MR] | A 9330 | MB | | 13-JUN-88 |
| MIL-B-44306B | BAG, STUFF, SLEEPING SYSTEM [CUST: GL 99 CT] [REVIEW: 45 82 MC MD] | A 8465 | CT | | 30-SEP-91 |
| MIL-C-44307B | COVER, BIVY, EXTREME AND INTERMEDIATE COLD WEATHER SLEEPING SYSTEMS [CUST: GL 99 CT] | A 8465 | CT | | 15-JAN-91 |
| MIL-H-44308A | HOOD AND SOCKS, EXTREME COLD WEATHER SLEEPING SYSTEM (ECWSS) [CUST: GL CT] | A 8465 | CT | | 27-APR-88 |
| MIL-S-44309B | SLEEPING BAGS, FOR SLEEPING SYSTEMS [CUST: GL 99 CT] [REVIEW: 45 82 MC MD] | A 8465 | CT | | 05-SEP-91 |
| MIL-B-44314 | BODY ARMOR, SMALL ARMS PROTECTIVE, AIRCREWMAN [CUST: GL 99 CT] [REVIEW: 31 45] | A 8470 | CT | | 30-DEC-87 |
| MIL-B-44315(1) | BODY ARMOR, CHEST PLATE AND FACE SHIELD, EXPLOSIVE ORDNANCE DISPOSAL [CUST: GL CT] | A 8470 | CT | | 28-OCT-88 |
| MIL-C-44317A | CLOTH, LAMINATED, NYLON, WATER REPELLENT TREATED: FOR INDIVIDUAL MULTIPURPOSE SHELTER (IMPS) [CUST: GL 99 CT] [REVIEW: 82] | A 8305 | CT | | 24-AUG-88 |
| MIL-V-44323A(1) | VEST, TACTICAL LOAD BEARING [CUST: GL NU 99 CT] [REVIEW: 45 82 MD] | A 8415 | CT | | 31-JAN-89 |
| MIL-F-44324A | FIELD PACK, LARGE, WITH INTERNAL FRAME: &, PACK, PATROL, COMBAT [CUST: CT] | A 8465 | CT | | 15-APR-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------|--|-----------------------|-----|-------------|-----------|
| MIL-F-44324A(11) | FIELD PACK, LARGE, WITH INTERNAL FRAME: AND, PACK, PATROL, COMBAT [CUST: CT] | A 8465 | CT | | 06-SEP-95 |
| MIL-B-44346 | BATTERY, SYNTHETIC FIBER, MEDIUM DENSITY [CUST: GL CT] | A 8320 | CT | | 24-MAY-89 |
| MIL-C-44347 | CARRIER, WATER CANTEEN, COLD WEATHER, CRS [CUST: GL CT] [REVIEW: MD] | A 8465 | CT | | 17-NOV-88 |
| MIL-C-44348 | CANTEEN, WATER, COLD WEATHER, CRS [CUST: GL CT] | A 8465 | CT | | 13-DEC-88 |
| MIL-C-44349 | CUP, WATER CANTEEN, COLD WEATHER, CRS [CUST: GL CT] | A 8465 | CT | | 09-DEC-88 |
| MIL-R-44354 | RUFF, PARKA, EXTENDED COLD WEATHER [CUST: GL NU 99 CT] [REVIEW: 82 MD] | A 8415 | CT | | 27-SEP-88 |
| MIL-C-44356A | COAT AND TROUSERS, CHEMICAL PROTECTIVE, AIRCREW, FLAME RESISTANT [CUST: GL NU CT] [REVIEW: MC MD] | A 8415 | CT | | 11-MAR-92 |
| MIL-C-44358A | COVER, INDIVIDUAL, CAMOUFLAGE [CUST: GL NU 99 CT] [REVIEW: 45 82 MD] | A 8415 | CT | | 07-MAY-91 |
| MIL-S-44361 | SLEEPING BAG SYSTEM, FOR EXTREME COLD WEATHER (ECWSS) [CUST: GL CT] | A 8465 | CT | | 21-FEB-89 |
| MIL-V-44362(1) | VEST, GRENADE, CARRIER (FOR 40-MM GRENADES) [CUST: GL CT] [REVIEW: MD] | A 8415 | CT | | 10-JAN-91 |
| MIL-P-44369 | PROTECTOR, BLANKET (TOW) [CUST: GL NU CT] [REVIEW: MC] | A 8470 | CT | | 13-JUN-89 |
| MIL-G-44370 | GAITERS, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) [CUST: GL NU CT] [REVIEW: MC MD] | A 8415 | CT | | 12-MAY-89 |
| MIL-C-44371A | COAT, AIRCREW, COMBAT [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | CT | | 30-SEP-91 |
| MIL-T-44372A | TROUSERS, AIRCREW, COMBAT [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | CT | | 30-SEP-91 |
| MIL-B-44374 | BINDING ASSEMBLY, SNOWSHOE, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) [CUST: GL NU 99 CT] [REVIEW: 45 82 CC MC MD] | A 8465 | CT | | 06-SEP-89 |
| MIL-R-44375 | REPAIR KIT, SKI, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) [CUST: GL MC CT] [REVIEW: MD] | A 8465 | CT | | 30-JUN-89 |
| MIL-P-44376 | POLE, SKI, ALUMINUM SHAFT, ADJUSTABLE, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) [CUST: GL MC 99 CT] [REVIEW: 82 MD] | A 8465 | CT | | 01-AUG-89 |
| MIL-C-44378 | CLOTH, PARACHUTE, NYLON, LOW PERMEABILITY [CUST: GL CT] | A 8305 | CT | | 30-JUN-89 |
| MIL-C-44379(1) | COATS, WOMAN'S, CLASSIC DESIGN, POLYESTER/WOOL, ARMY GREEN 489, FUSIBLE [CUST: GL CT] [REVIEW: MD] | A 8410 | CT | | 05-OCT-90 |
| MIL-C-44380(1) | CLIMBERS' EQUIPMENT SET, SPECIAL OPERATIONS FORCES MOUNTAINEERING EQUIPMENT (SOFME) [CUST: GL CT] | A 8465 | CT | | 23-FEB-90 |
| MIL-B-44381(2) | BOARD, MAP, COMPLEXING (SICPS) [CUST: GL] | A 7195 | GL | | 30-DEC-93 |
| MIL-T-44382(1) | TABLE, FIELD, FOLDING LEGS, METAL [CUST: GL] | A 7195 | GL | | 05-APR-90 |
| MIL-S-44384(1) | SUIT, CONTAMINATION AVOIDANCE, LIQUID PROTECTION (SCALP) [CUST: GL 99 CT] [REVIEW: 31 45 82 EA MD] | A 8415 | CT | | 08-MAY-90 |
| MIL-S-0044384A | SUIT, CONTAMINATION AVOIDANCE, LIQUID PROTECTION (SCALP) [CUST: GL] | A 8415 | CT | | 08-JAN-91 |
| MIL-C-44396 | CLOTH, TWILL, PARA-ARAMID [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 06-FEB-90 |
| MIL-F-44397(1) | FRAME, TENT, (SICPS) [CUST: GL CT] | A 8340 | CT | | 05-APR-90 |
| MIL-T-44400(1) | TENT, FABRIC ASSEMBLIES, STANDARDIZED INTEGRATED COMMAND POST SYSTEM [CUST: GL CT] | A 8340 | CT | | 11-FEB-91 |
| MIL-P-44403 | PASSAGEWAY, COMPLEXING KIT [CUST: GL NU 99 CT] [REVIEW: 31 45 82 MC MD MS] | A 8340 | CT | | 16-MAR-90 |
| MIL-C-44405 | FELT SHEET, POLYESTER, NEEDLE PUNCHED [CUST: GL NU 99 CT] [REVIEW: 82 MC MD OS] | A 8305 | CT | | 24-APR-90 |
| MIL-P-44407 | PACKETS FOR VEST, AIRCREW, SURVIVAL [CUST: GL CT] [REVIEW: MD] | A 8465 | CT | | 26-FEB-91 |
| A MIL-DTL-44410A | INSECT REPELLENT, CLOTHING APPLICATION, INDIVIDUAL DYNAMIC ABSORPTION APPLICATION (IDAA) INET [CUST: GL 1 68 GS] [REVIEW: MD PM] | A 6840 | GS | | 21-JAN-98 |
| A MIL-DTL-44411B | INSECT REPELLANT, PERMETHRIN [CUST: GL 1 68 GS] [REVIEW: EA MD 1 PM] | A 6840 | GS | | 21-JAN-98 |
| MIL-C-44413 | COVER, NUCLEAR, BIOLOGICAL, AND CHEMICAL PROTECTIVE (NBC-CP) [CUST: GL NU 99 CT] [REVIEW: 45 82 MD SH] | A 8340 | CT | | 09-AUG-90 |
| MIL-I-44415(1) | INSECT REPELLENT, PERSONAL APPLICATION (CREAM LOTION, TUBE) [CUST: GL 68] [REVIEW: MC MD MS] | A 6840 | GS | | 27-FEB-92 |
| MIL-DTL-44416(11) | VEST, AIRCREW SURVIVAL [CUST: CT] | A 8470 | CT | | 04-APR-95 |
| MIL-V-44416 | VEST, AIRCREW, SURVIVAL [CUST: GL CT] [REVIEW: MD] | A 8470 | CT | | 28-FEB-91 |
| MIL-C-44417 | CARRIER, BODY ARMOR, SMALL ARMS PROTECTIVE, AIRCREW, SURVIVAL [CUST: GL CT] [REVIEW: MD] | A 8470 | CT | | 21-FEB-91 |
| MIL-B-44418 | BOOT WALL, FABRIC ASSEMBLIES, STANDARDIZED INTEGRATED COMMAND POST SYSTEM (SICPS) [CUST: GL CT] [REVIEW: MD] | A 8340 | CT | | 28-JUN-91 |
| MIL-G-44419 | GLOVES, MEN'S AND WOMEN'S, INTERMEDIATE COLD/WET [CUST: GL NU 99 CT] [REVIEW: 11 45 82 MC MD] | A 8415 | CT | | 09-OCT-90 |
| MIL-B-44421 | BODY ARMOR, SMALL ARMS PROTECTIVE, AIRCREW, SURVIVAL [CUST: GL CT] [REVIEW: MD] | A 8470 | CT | | 21-FEB-91 |
| MIL-F-44425 | FRAME SECTION, TENT, FIVE SOLDIER CREW [CUST: GL CT] | A 8340 | CT | | 31-JUL-91 |
| MIL-B-44426B | BOOTS, INTERMEDIATE COLD/WET [CUST: GL NU CT] [REVIEW: MC MD] | A 8430 | CT | | 22-FEB-95 |
| MIL-T-44427 | TENT, FIVE SOLDIER CREW [CUST: GL CT] | A 8340 | CT | | 29-JUL-91 |
| MIL-H-44428A | HOOD, GAS MASK, SPECIAL PURPOSE, TOXICOLOGICAL AGENTS PROTECTIVE, M3 [CUST: GL NU 99 CT] [REVIEW: 11 45 82 MC MD] | A 8415 | CT | | 18-DEC-91 |
| MIL-S-44429 | SLEEPING BAG SYSTEM, FOR INTERMEDIATE COLD WEATHER [CUST: GL NU 99 CT] [REVIEW: MD] | A 8465 | CT | | 05-SEP-91 |
| MIL-C-44431 | CLOTH, PLAIN WEAVE, NYLON FILAMENT, LIGHTWEIGHT [CUST: GL CT] | A 8305 | CT | | 30-SEP-91 |
| D MIL-F-44434(2) | FLASHLIGHT, LIGHTWEIGHT [CUST: GL IS] | A 6230 | IS | | 09-AUG-94 |
| MIL-U-44435 | UNDERWEAR, CHEMICAL PROTECTIVE, TWO PIECE (UNDERSHIRT AND DRAWERS) [CUST: CT] | A 8415 | CT | | 16-APR-92 |
| MIL-C-44436 | CLOTH, CAMOUFLAGE PATTERN, WIND RESISTANT POPLIN, NYLON/COTTON BLEND [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 13-JUL-92 |
| MIL-C-44436(11) | CLOTH, CAMOUFLAGE PATTERN, WIND RESISTANT POPLIN, NYLON/COTTON BLEND [CUST: CT] | A 8305 | CT | | 14-SEP-95 |
| MIL-DTL-44475A | RELEASE, PARACHUTIST'S INDIVIDUAL EQUIPMENT [CUST: GL] [REVIEW: AV] | A 1670 | GL | | 09-SEP-96 |
| MIL-DTL-44476A | CONTAINER, AERIAL DELIVERY, WEAPONS AND EQUIPMENT, ADJUSTABLE [CUST: GL] [REVIEW: AV] | A 1670 | GL | | 09-SEP-96 |
| MIL-DTL-44477A | CONTAINER, AERIAL DELIVERY, GENERAL PURPOSE, INDIVIDUAL EQUIPMENT [CUST: GL] [REVIEW: AV] | A 1670 | GL | | 09-SEP-96 |
| MIL-DTL-44481A | RELEASE, CARGO PARACHUTE, AIRDROP, M-3 [CUST: GL AS] [REVIEW: AV] | A 1670 | GL | | 15-MAY-96 |
| MIL-DTL-44484 | TRUSS ASSEMBLY, PLATFORM, TYPE V [CUST: GL AS 99] [REVIEW: AV] | A 1670 | GL | | 28-MAY-96 |
| MIL-C-45010A(5) | COMPOSITION C-4 [CUST: AR OS] | A 1376 | AR | | 26-JUL-96 |
| MIL-P-45042F | PUNCHING, SHEARING, NOTCHING, AND COPING MACHINE, METAL, MECHANICAL DRIVE [CUST: AL SH 99 GS] [REVIEW: 84 AV MC] | A 3445 | GS | | 27-NOV-91 |
| MIL-P-45051D(1) | PRESS, CONNECTING ROD STRAIGHTENING, HYDRAULIC [CUST: AL CC] | A 4940 | CC | | 09-JAN-86 |
| MIL-A-45062E(2) NOT 1 | ACTIVATOR, M2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 23-APR-87 |
| MIL-L-45068D | LIGHT, DOME, VEHICULAR, 24 VOLT DC [CUST: AT GS] | A 6220 | GS | | 12-JUN-89 |
| MIL-G-45072G | GRINDING MACHINES, DRILL, MANUAL [CUST: AL SH 99 GS] [REVIEW: AV MC SM] | A 3415 | GS | | 20-NOV-88 |
| MIL-C-45113B(1) | COMPOSITION B-3 [CUST: AR] | A 1376 | AR | | 22-JAN-92 |
| MIL-G-45140B(1) | GUN, SPOTTING, CALIBER .50, M8C [CUST: AR MC] [REVIEW: 84 OS] | A 1005 | AR | | 15-MAR-88 |
| MIL-T-45169E(1) | TANK, PRESSURE, AIR, PORTABLE [CUST: AL CC] [REVIEW: AT CR 4 SM] | A 4940 | CC | | 04-JAN-93 |
| MIL-H-45193D(1) | HEATER, GUN TYPE, ELECTRIC [CUST: AL 99 CC] [REVIEW: 82] | A 4940 | CC | | 09-JAN-86 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MA | Prog. Acty. | Date |
|-------------------------------|--|--------------------------|----|-------------|------|
| MIL-M-45202C NOT 1 | MAGNESIUM ALLOY, ANODIC TREATMENT OF [CUST: MR AS 11 GS] [REVIEW: 99 AR AV MD MI] | A MFFP | GS | 10-FEB-87 | |
| MIL-W-45210A(1) | WELDING, RESISTANCE, SPOT: WELDABLE ALUMINUM ALLOYS [CUST: MR] [REVIEW: AL AR MI] | A THJM | MR | 08-AUG-94 | |
| MIL-C-45224D | CABLE AND HARNESS ASSEMBLIES, ELECTRICAL, MISSILE SYSTEM: GENERAL SPECIFICATION FOR [CUST: MI 70] [REVIEW: 19 71 84 AR AT CR MC] | A 1410 | MI | 27-JUN-91 | |
| A MIL-DTL-45225F | ALUMINUM ALLOY ARMOR, FORGED [CUST: MR] [REVIEW: AR AT TE] | A FORG | MR | 22-APR-98 | |
| MIL-C-45300B(1) | CAP, FUEL TANK: FOR MILITARY COMBAT AND TACTICAL TRANSPORT VEHICLES [CUST: AT MC 99] [REVIEW: GL MI YDI] | A 2910 | CC | 12-AUG-92 | |
| MIL-T-45301D | TREAD ELASTOMER! SOLID TIRE, FOR TRACK LAYING VEHICLES [CUST: AT 99] [REVIEW: CC MC] | A 2640 | AT | 22-JUN-87 | |
| MIL-T-45309E(1) | TANK, COMBAT, FULL TRACKED, 105 MM GUN: M60, M60A1, M60A1 (RISE), AND M60A3; PROCESSING FOR SHIPMENT AND STORAGE OF [CUST: AT] | A PACK | AT | 05-SEP-90 | |
| MIL-DTL-45360H | CARRIERS, PERSONNEL, FULL-TRACKED, ARMORED: M113A2, AND M113A3; MORTARS, SELF-PROPELLED: M106A2 (107MM), M125A2 (81MM) AND M1064, M1064A3 (120MM); SMOKE GENERATORS: M1059, M1059A3 AND M58; PROCESSING FOR STORAGE AND SHIPMENT OF [CUST: AT] | A 2350 | AT | 31-MAR-97 | |
| MIL-H-45374E | HOWITZER, MEDIUM, SELF-PROPELLED, 155-MM: M109, M109A1, M109A1B, M109A2, M109A3, AND M109A5 [CUST: AR] | A 2350 | AR | 01-DEC-92 | |
| MIL-F-45400A(2) | FIN ASSEMBLY, BOMB, 4&POUND, M15 [CUST: AR] | A 1325 | AS | 19-MAY-71 | |
| MIL-C-45408C | CARTRIDGE, IMPULSE, M44A1 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 17-MAR-92 | |
| MIL-F-45437D(4) | FUZES, HAND GRENADE, M213 AND M215 PARTS FOR, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1330 | AR | 08-MAR-93 | |
| MIL-DTL-45444C | HMX (CYCLOTETRAMETHYLENETETRAMINE) [CUST: AR OS 99] | A 1376 | AR | 26-NOV-96 | |
| MIL-O-45445B(1) | OCTOL [CUST: AR] [REVIEW: MI] | A 1376 | AR | 14-MAR-77 | |
| MIL-P-45446A NOT 1 | POWDER, MOLDING, PBX-9404 [CUST: AR] | A 1376 | AR | 13-JUN-88 | |
| MIL-P-45447 | POWDER, MOLDING, PBX 9010 [CUST: AR] | A 1376 | AR | 15-JUL-60 | |
| MIL-P-45449B(5) | PALLET, UNITS, WOOD, FOR SHIPMENT OF PROJECTILE METAL PARTS, AND PROJECTILE AMMUNITION [CUST: AR] | A 8140 | AR | 05-DEC-94 | |
| MIL-B-45451B(4) | BENITE STRANDS [CUST: AR] | A 1375 | AR | 28-OCT-88 | |
| A MIL-C-45468E(1) NOT 2 | CAP, BLASTING, ELECTRIC, M6 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] [REVIEW: OS] | A 1375 | AR | 10-SEP-97 | |
| A MIL-C-45469E(1) NOT 2 | CAP, BLASTING, NON-ELECTRIC: M7 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 10-SEP-97 | |
| MIL-P-45486B NOT 1 | PELLET, RDX [CUST: AR] | A 1375 | AR | 27-APR-87 | |
| MIL-T-45498C | THRUSTER, CARTRIDGE ACTUATED, M1A2 METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 19-MAR-93 | |
| MIL-T-45499C | THRUSTER, CARTRIDGE ACTUATED, M1A2 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 19-MAR-93 | |
| MIL-DTL-45500E | GUN, AUTOMATIC, 20MM, GENERAL SPECIFICATION FOR [CUST: AR NW 84] | A 1005 | AR | 18-DEC-96 | |
| MIL-DTL-45500/1A | GUN, AUTOMATIC, 20MM: M61 AND M61A1 [CUST: AR NW 84] | A 1005 | AR | 18-DEC-96 | |
| MIL-G-45500/2(2) | GUN, AUTOMATIC, 20MM: XM130 [CUST: AR OS 99] [REVIEW: MC] | A 1005 | AR | 03-OCT-88 | |
| MIL-DTL-45500/5A | GUN, AUTOMATIC, 20MM: THREE-BARREL, HIGH RATE, M197 AND M197E1 [CUST: AR NW 84] | A 1005 | AR | 18-DEC-96 | |
| MIL-DTL-45500/6 | GUN, AUTOMATIC, 20MM: M61A2 [CUST: AR NW 84] | A 1005 | AR | 18-DEC-96 | |
| MIL-B-45544D | BORING, DRILLING AND MILLING MACHINES, HORIZONTAL TABLE TYPE, 4, 5 AND 6 INCH SPINDLE [CUST: AL SH 99 GS] [REVIEW: AR AS CR MC SA] | A 3411 | GS | 18-NOV-88 | |
| MIL-F-45557B NOT 1 | FEEDER, AUTOMATIC GUN, M3A1 [CUST: AR 99] [REVIEW: 84 AS MC] | A 1005 | AR | 28-MAY-87 | |
| MIL-F-45569C | FIXTURE, LATHE, METAL CUTTING [CUST: AL] [REVIEW: GS SM] | A 3465 | AL | 03-JUN-88 | |
| MIL-D-45582B | DESOLDERING AND RESOLDERING KITS, ELECTRIC [CUST: AL GS] [REVIEW: AT] | A 3439 | GS | 20-MAR-86 | |
| MIL-W-45595D | WASHER, RECESSED, SADDLE AND SHOULDERED-METAL [CUST: AR YDI IS] [REVIEW: AV CR GL IS MI OS] | A 5310 | IS | 16-AUG-85 | |
| MIL-W-45595/1 | WASHER, SHOULDERED, POLYAMIDE (NYLON) [CUST: AR 99] [REVIEW: 11 82 AV CR EC NS] | A 5310 | IS | 16-AUG-85 | |
| MIL-W-45595/2 | WASHER, SHOULDERED, POLYTETRAFLUOROETHYLENE [CUST: AR 99] [REVIEW: 11 82 AV CR EC NS] | A 5310 | IS | 16-AUG-85 | |
| MIL-W-45595/3 | WASHER, RECESSED, ALUMINUM ALLOY [CUST: AR 99] [REVIEW: 11 82 AV CR EC NS] | A 5310 | IS | 16-AUG-85 | |
| MIL-W-45595/4 | WASHER, SADDLE, STEEL, CARBON [CUST: AR 99] [REVIEW: 11 82 AV CR EC NS] | A 5310 | IS | 16-AUG-85 | |
| MIL-W-45595/5 | WASHER, SADDLE, ALUMINUM ALLOY [CUST: AR 99] [REVIEW: 11 82 AV CR EC NS] | A 5310 | IS | 16-AUG-85 | |
| MIL-W-45595/6 | WASHER, CONVEX, STEEL, ALLOY [CUST: AR 99] [REVIEW: 11 82 AV CR EC NS] | A 5310 | IS | 16-AUG-85 | |
| MIL-W-45595/7 | WASHER, CONCAVE, STEEL, ALLOY [CUST: AR 99] [REVIEW: 11 82 AV CR EC NS] | A 5310 | IS | 16-AUG-85 | |
| MIL-W-45595/8 | WASHER, SHOULDERED, PHENOLIC [CUST: AR 99] | A 5310 | IS | 12-NOV-85 | |
| MIL-F-45598A | FEEDER, DELINKING, AIRCRAFT MACHINE GUN: MAU-56/A [CUST: AR 84] | A 1005 | AR | 20-JAN-94 | |
| MIL-G-45653(2) | GAGE, CYLINDRICAL PLUG AND RING, PLAIN [CUST: AR] | A 5220 | AR | 08-JUN-83 | |
| MIL-E-45782C | ELECTRICAL WIRING, PROCEDURES FOR [CUST: MI AS 70] [REVIEW: 19 80 AR CR MC OS SH] | A 1430 | MI | 27-AUG-93 | |
| MIL-T-45809F | TABLE, WELDING [CUST: AL GS] | A 3436 | GS | 10-JUN-94 | |
| MIL-S-45814D | SAW, BAND, CUTOFF, HORIZONTAL, AND COMBINATION HORIZONTAL AND VERTICAL [CUST: AL SH 99] [REVIEW: 84 MC YDI] | A 3405 | GS | 29-JUN-87 | |
| MIL-D-45815E NOT 1 | DRILLING MACHINE, RADIAL, BENCH TYPE, SLIDING ARM SWIVELHEAD, HANDFEED [CUST: AL SH 99 GS] [REVIEW: 84 AV OS SM] | A 3413 | GS | 07-AUG-89 | |
| MIL-C-45820D | CABLE ASSEMBLIES, ELECTRICAL [CUST: AL] [REVIEW: AT CC CR SM] | A 4910 | AL | 20-JAN-89 | |
| MIL-S-45860D | SHRINKING AND STRETCHING MACHINE, SHEET METAL, MANUAL AND POWER OPERATED [CUST: AR SH 99] [REVIEW: 84 MC SM] | A 3441 | GS | 23-MAR-88 | |
| MIL-R-45906D(1) | RELEASE, TWO POINTS - SINGLE PULL, PARACHUTIST S EQUIPMENT PACK [CUST: GL] [REVIEW: IS] | A 5340 | GL | 08-APR-87 | |
| MIL-B-45908B | BOLT, EYE, GENERAL SPECIFICATION FOR [CUST: AR 99] [REVIEW: AV CR4] | A 5306 | IS | 26-SEP-85 | |
| MIL-S-45909C SUP 1 | STUD, LOCKED IN, RING LOCKED, SERRATED, GENERAL SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 11 82 AT AV CR CR4 GL MC NS OS YDI] | A 5307 | IS | 27-MAR-89 | |
| A MIL-I-45910C | INSERT, SCREW THREAD LOCKED IN & RING LOCKED! SERRATED GENERAL SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 11 82 AT AV CR GL MC MI NS OS] | A 5325 | IS | 11-MAR-85 | |
| MIL-B-45912A(1) | BOLT, SELF-LOCKING, HEXAGON HEAD, STEEL [CUST: AR 99] [REVIEW: MI] | A 5306 | IS | 24-MAY-91 | |
| MIL-N-45913B(1) | NUTS, SELF-LOCKING, HEXAGON, PREVAILING TORQUE [CUST: AR 11 IS] [REVIEW: AT AV MC MI OS] | A 5310 | IS | 01-FEB-94 | |
| A MIL-I-45914A | INSERT, SCREW THREAD - LOCKED IN, KEY LOCKED, GENERAL SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: AT AV CR MC MI SH] | A 5325 | IS | 25-APR-91 | |
| MIL-S-45915A | STUD, LOCKED IN - KEY LOCKED, GENERAL SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 82 AT AV GL MC MI SH] | A 5307 | IS | 21-AUG-91 | |
| A MIL-I-45916B | INSERT, SCREW THREAD - THREAD CUTTING AND THREAD FORMING [CUST: AR 99 IS] [REVIEW: AT AV CR4 EA MC MI OS] | A 5325 | IS | 24-JUL-75 | |
| MIL-C-45918 | CLEVISES AND CONNECTORS (ROD END) [CUST: AR AS 99] [REVIEW: AT AV CR4 GL MC MI SH] | A 5340 | IS | 04-DEC-68 | |
| MIL-M-45920(1) | MACHINE GUN, AIRCRAFT 7.62MM. M134 (GAU-2B/A) [CUST: AR OS 99] | A 1005 | AR | 14-DEC-76 | |
| MIL-M-45920(2) | MACHINE GUN, AIRCRAFT 7.62MM: M134 (GAU-2B/A) [CUST: AR] | A 1005 | AR | 08-MAY-90 | |
| A MIL-I-45932(2) SUP 1A NOT 1 | INSERT, SCREW THREAD, THIN WALL, LOCKED IN: GENERAL SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 82 AT AV CR4 MC MI NS OS YDI] | A 5325 | IS | 17-OCT-97 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Lat Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|------------|-------------------------|--|-----------------------|-----|-------------|-----------|
| A | MIL-I-45932/1C(2) | INSERT, SCREW THREAD - THIN WALL, LOCKED IN [CUST: AR AS 99 IS] [REVIEW: 82 AT AV CR4 MC MI NS OS YDI] | A 5325 | IS | | 17-OCT-97 |
| A | MIL-I-45932/2B | INSERT, SCREW THREAD - THIN WALL, LOCKED-IN, NON METALLIC LOCKING ELEMENT (-60 DEG. TO PLUS 250 DEG. F) [CUST: AR 99 IS] [REVIEW: AV] | A 5325 | IS | | 20-SEP-77 |
| A | MIL-I-45932/3B(1) | INSERT, SCREW THREAD - THIN WALL, LOCKED IN, OVERSIZE REPLACER [CUST: AR AS 99 IS] [REVIEW: 82 AT AV CR4 MC MI NS OS YDI] | A 5325 | IS | | 06-AUG-97 |
| A | MIL-I-45934 SUP 1 | INSERT, SCREW THREAD, KEYRING LOCKED, SELF LOCKING AND NON SELF LOCKING, 125, 180, AND 220 KSI FTU, GENERAL SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 11 AT AV CR MC] | A 5325 | IS | | 30-JUN-71 |
| A | MIL-I-45934/1 | INSERT, SCREW THREAD KEYRING LOCKED, SELF LOCKING AND NON SELF LOCKING, 125 KSI FTU [CUST: AR AS 99 IS] [REVIEW: 11 AT AV CR MC] | A 5325 | IS | | 30-JUN-71 |
| A | MIL-I-45934/2 | INSERT, SCREW THREAD-KEYRING LOCKED, SELF-LOCKING AND NON SELF-LOCKING, 180 KSI FTU [CUST: AR AS 99 IS] [REVIEW: 11 AT AV CR MC] | A 5325 | IS | | 30-JUN-71 |
| A | MIL-I-45934/3 | INSERT, SCREW THREAD KEYRING LOCKED, SELF LOCKING, AND NON SELF LOCKING, 220 KSI FTU [CUST: AR AS 99 IS] [REVIEW: 11 AT AV CR MC] | A 5325 | IS | | 30-JUN-71 |
| A | MIL-I-45934/4 | INSERT, SCREW THREAD, KEYRING LOCKED HOLE DIMENSIONS FOR AND ASSEMBLY OF [CUST: AR AS 99 IS] [REVIEW: 11 AT AV CR MC] | A 5325 | IS | | 30-JUN-71 |
| | MIL-N-45938A | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH, GENERAL SPECIFICATION FOR [CUST: AR OS IS] [REVIEW: AS AT AV CR4 GL MC SH] | A 5310 | IS | | 28-MAR-95 |
| | MIL-N-45938/1B(1) | NUT, PLAIN, CLINCH (SELF-CLINCHING, ROUND) [CUST: AR OS IS] [REVIEW: AV EA MC] | A 5310 | IS | | 16-MAY-97 |
| | MIL-N-45938/2A | NUT, PLAIN, CLINCH & NUT, SELF LOCKING, CLINCH (HEXAGON HEAD & SHANK, SWAGE CLINCH) [CUST: AR OS] [REVIEW: AT AV CR GL MC] | A 5310 | IS | | 18-AUG-87 |
| A | MIL-N-45938/3B(1) | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING, KNURLED COLLAR, 450 DEG. F. AND 600 DEG. F.) [CUST: AR AS IS] [REVIEW: AV MI] | A 5310 | IS | | 05-SEP-97 |
| | MIL-N-45938/4A | NUT, PLAIN, CLINCH (SELF-CLINCHING, FLUSH) [CUST: AR OS] [REVIEW: AS AT AV CR GL MC SH] | A 5310 | IS | | 18-AUG-87 |
| | MIL-N-45938/5A(2) | NUT, SELF-LOCKING, CLINCH (SWAGE-CLINCHING, KNURLED SHANK, MINIATURE, 250 DEG. F) [CUST: AR OS] [REVIEW: AS AT AV CR GL MC NS SH] | A 5310 | IS | | 01-FEB-90 |
| | MIL-N-45938/6C | NUT, SELF-LOCKING, CLINCH, (SWAGE-CLINCHING, KNURLED SHANK, MINIATURE, 450 DEG. F. OR 800 DEG. F) [CUST: AR OS IS] [REVIEW: AS AT AV CR4 GL MC SH] | A 5310 | IS | | 06-MAR-95 |
| | MIL-N-45938/7C | NUT, PLAIN CLINCH AND NUT, SELF-LOCKING CLINCH (KNURLED COLLAR, MINIATURE, 450 DEG. F) [CUST: AR OS 99 IS] [REVIEW: 11 82 AT AV MC MI NS] | A 5310 | IS | | 01-DEC-93 |
| | MIL-N-45938/8A | NUT, SELF LOCKING, CLINCH (SWAGE CLINCHING, KNURLED SHANK, 250 DEG. F) [CUST: AR OS] [REVIEW: MI] | A 5310 | IS | | 20-AUG-85 |
| | MIL-N-45938/9A | NUT, SELF LOCKING, CLINCH (SWAGE CLINCHING, KNURLED SHANK, 250 DEG. F, UNJF-3B) [CUST: OS 99] [REVIEW: 11 82 AS CR4 MC NS YDI] | A 5310 | IS | | 27-JUN-85 |
| | MIL-N-45938/10 NOT 1 | NUT, PLAIN, CLINCH AND NUT, SELF LOCKING, CLINCH (SELF CLINCHING) ROUND [CUST: AR OS 99] [REVIEW: 11 AS AT AV CR MC MI NS] | A 5310 | IS | | 18-DEC-80 |
| | MIL-DTL-45938/11A | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (FLOATING, 400 DEG. F) [CUST: AR OS 99 IS] [REVIEW: 11 82 AT AV MC MI NS] | A 5310 | IS | | 14-NOV-95 |
| | MIL-N-45938/12B | NUT, PLAIN, SPLINE, ROUND [CUST: AR OS 99] [REVIEW: 11 82 AV CR MC MI] | A 5310 | IS | | 21-APR-88 |
| | MIL-N-45938/13(1) NOT 1 | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING, KNURLED COLLAR, MINIATURE, FLOATING, 450 DEGREE F AND 600 DEGREE F) [CUST: AR OS 99 IS] [REVIEW: 11 AV] | A 5310 | IS | | 19-APR-96 |
| | MIL-N-45938/14 NOT 1 | NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING, KNURLED COLLAR, FLOATING, 450 DEG. F 600 DEG. F) [CUST: AR OS 99] [REVIEW: 11 82 AS AT AV CR4 MC MI NS SH] | A 5310 | IS | | 12-JUN-89 |
| | MIL-D-45950B | DEGREASER, VAPOR SPRAY, STATIONARY, SOLVENT-TYPE, STEAM OR ELECTRICALLY-HEATED [CUST: AL] [REVIEW: CC CR4 MD SM] | A 4940 | AL | | 28-FEB-92 |
| A | MIL-P-45952 | PIN, QUICK RELEASE, DETENT GENERAL SPECIFICATION FOR [CUST: AR OS 11 IS] [REVIEW: 99 AT AV CR4 GL MC] | A 5325 | IS | | 05-MAR-73 |
| | MIL-P-45952/1 NOT 1 | PIN, QUICK-RELEASE, DETENT [CUST: AR OS 11] [REVIEW: 99 AT AV CR4 GL MC] | A 5340 | IS | | 02-APR-86 |
| | MIL-P-45969B | POWER SUPPLY, HYDRAULIC AND ELECTRIC, PORTABLE [CUST: AR] | A 4933 | AR | | 24-AUG-90 |
| | MIL-L-45973A | LINER MATERIAL, GREASEPROOF [CUST: AR OS 69] [REVIEW: 99 DS EA EC GS MC MI SA SM YDI] | A 8135 | AR | | 08-JAN-76 |
| | MIL-R-45979(1) | RIFLE, 7.62MM, M14, NATIONAL MATCH [CUST: AR OS] | A 1005 | AR | | 18-AUG-86 |
| | MIL-L-45983 | LUBRICANT, SOLID FILM, HEAT CURED (TEMPERATURE RANGE 125 DEG. TO 250)51.8 DEG. TO 121 DEG. C) CORROSION INHIBITING [CUST: AR] [REVIEW: AT AV CR4 GS MI PS] | A 9150 | AR | | 31-AUG-76 |
| | MIL-W-45992A NOT 1 | WELDING MACHINE, ARC, DIRECT CURRENT (DC), CONSTANT CURRENT (CC), CONSTANT VOLTAGE (CV), 350 AMPERE, DIESEL ENGINE DRIVEN (DED), BASE MOUNTED [CUST: AL] | A 3431 | AL | | 29-SEP-92 |
| | MIL-U-45995 | UNDERCUTTER, ARMATURE MICA, ELECTRICALLY OPERATED [CUST: AL 99] [REVIEW: 82 CC SM YDI] | A 4940 | AL | | 25-NOV-86 |
| | MIL-C-45996 | CLEANER, STEAM AND HIGH PRESSURE HOT AND COLD WATER JET, TRAILER MOUNTED [CUST: AL] [REVIEW: CR4 YDI] | A 4940 | AL | | 20-MAR-87 |
| | MIL-H-46001D | HYDRAULIC FLUIDS, PETROLEUM BASE, FOR MACHINE TOOLS [CUST: AT SA 68] [REVIEW: AV GS MC MD NS OS SH SM] | A 9150 | AT | | 07-DEC-89 |
| | MIL-P-46002B(3) | PRESERVATIVE OIL, CONTACT AND VOLATILE CORROSION-INHIBITED [CUST: AT OS] [REVIEW: AR GS MD] | A 9150 | AT | | 20-FEB-86 |
| | MIL-G-46003A | GREASE, RIFLE [CUST: AR] [REVIEW: CR4 MC PS] | A 9150 | AR | | 31-DEC-76 |
| | MIL-L-46010D | LUBRICANT, SOLID FILM, HEAT CURED, CORROSION INHIBITING [CUST: AT AS 11] [REVIEW: 68 AL AR AV GS MD MI SH SM] | A 9150 | AT | | 02-DEC-94 |
| | MIL-L-0046010E | LUBRICANT, SOLID FILM, HEAT CURED, CORROSION INHIBITING [CUST: AT AS 68] [REVIEW: AL AR AV GS MD MI SH SM] | A 9150 | AT | | 11-APR-97 |
| | MIL-A-46027H | ARMOR PLATE, ALUMINUM ALLOY, WELDABLE 5083 AND 5456 [CUST: MR] [REVIEW: AL AR AT AV IS TE] | A 9535 | MR | | 10-AUG-92 |
| | MIL-T-46035B | TITANIUM ALLOY: HIGH STRENGTH, WROUGHT (FOR CRITICAL COMPONENTS) [CUST: MR] [REVIEW: AR MI] | A FORG | MR | | 31-JAN-89 |
| | MIL-S-46047E | STEEL, BARS AND BLANKS (1-3/4 INCHES AND OVER IN DIAMETER) FOR BARRELS OF SMALL ARMS WEAPONS [CUST: MR] [REVIEW: IS] | A 9510 | AR | | 21-SEP-88 |
| M | MIL-S-46049C NOT 2 | STRIP, METAL, CARBON STEEL, COLD ROLLED, HARDENED AND TEMPERED SPRING QUALITY [CUST: AR] [REVIEW: AT AV EA IS MI OS SH] | A 9515 | AR | | 19-MAR-98 |
| | MIL-I-46058C(7) | INSULATING COMPOUND, ELECTRICAL (FOR COATING PRINTED CIRCUIT ASSEMBLIES) [CUST: CR EC 85] [REVIEW: 99 AR AS AV CC MC MI NS OS SH] | A 5970 | GS | | 14-SEP-93 |
| | MIL-A-46063G | ARMOR PLATE, ALUMINUM ALLOY, 7039 [CUST: MR 11] [REVIEW: 84 99 AR AS AT IS SH TE] | A 9535 | MR | | 30-DEC-92 |
| A | MIL-P-46067B | PLASTIC EMBEDDING COMPOUND, EPOXY RESIN SYSTEM [CUST: MR GS] [REVIEW: AT CR4 MD MI] | A 9330 | GS | | 09-FEB-77 |
| | MIL-L-46075A | LACQUER, RED (FOR AMMUNITION PRIMERS) [CUST: AR] | A 8010 | AR | | 29-SEP-71 |
| | MIL-A-46077E | ARMOR PLATE, TITANIUM ALLOY, WELDABLE [CUST: MR OS 11] [REVIEW: AS AT AV IS TE] | A 9535 | MR | | 16-MAY-94 |
| | MIL-A-46083C | ALUMINUM ALLOY ARMOR, EXTRUDED, WELDABLE [CUST: MR] [REVIEW: AR AT CR4 TE] | A FORG | MR | | 29-JUL-88 |
| | MIL-R-46089C | RUBBER, SPONGE, SILICONE, CLOSED CELL [CUST: MI GS] [REVIEW: AR CR MR] | A 9320 | GS | | 28-FEB-91 |
| A | MIL-P-46094(1) | PLASTIC FILLER COMPOUND, EPOXY, FOR HONEYCOMB PANELS [CUST: AR] | A 9330 | GS | | 22-JUN-77 |
| | MIL-A-46099C | ARMOR PLATE, STEEL, ROLL-BONDED, DNAL HARDNESS (0.187 INCHES TO 0.700 INCHES INCLUSIVE) [CUST: MR 99] [REVIEW: 11 84 AS AT AV IS] | A 9515 | MR | | 14-SEP-87 |
| | MIL-A-46100D(1) | ARMOR, PLATE, STEEL, WROUGHT, HIGH-HARDNESS [CUST: MR] [REVIEW: AR AT IS TE] | A 9515 | MR | | 29-JUN-90 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Ave | MCA Prop. Acty. | Date |
|------------|-----------------------|--|-------------------------|--------------------|-----------|
| | MIL-A-46106B(3) | ADHESIVE-SEALANTS, SILICONE, RTV, ONE-COMPONENT [CUST: MR AS 11] [REVIEW: AR AT CR4 EA MD MI SH SM YD1] | A 8040 | FSS | 26-JUN-92 |
| | MIL-A-46108B(1) | ARMOR, TRANSPARENT, GLASS, GLASS/PLASTIC, PLASTIC LAMINATES (GENERAL SPECIFICATION) [CUST: MR AS 11] [REVIEW: 69 99 AR AT AV GL MC SH SM TE] | A 9340 | MR | 17-OCT-94 |
| | MIL-P-46111C | PLASTIC FOAM, POLYURETHANE (FOR USE IN AIRCRAFT) [CUST: MR GS] [REVIEW: AV CR] | A 9330 | GS | 03-AUG-89 |
| | MIL-P-46112B NOT 1 | PLASTIC SHEET AND STRIP, POLYIMIDE [CUST: MR GS] [REVIEW: AV CR MI] | A 9330 | GS | 08-APR-91 |
| | MIL-T-46114B(1) NOT 1 | TAPE, GLASS-SETTING: RUBBER, UNCURED (FOR SEALING GLASS WINDOWS) [CUST: MR YD1 99] [REVIEW: AT MD] | A 9320 | GS | 06-JUL-88 |
| | MIL-A-46118D | ALUMINUM ALLOY ARMOR, 2219, ROLLED PLATE AND DIE FORGED SHAPES [CUST: MR] [REVIEW: CR4 IS TE] | A 9535 | MR | 03-MAY-89 |
| | MIL-P-46129A NOT 1 | PLASTIC MOLDING AND EXTRUSION MATERIAL, POLYPHENYLENE OXIDE, MODIFIED [CUST: MR 99 GS] [REVIEW: AT CR CR4] | A 9330 | GS | 30-MAR-88 |
| | MIL-M-46130 NOT 1 | MAGNESIUM-LITHIUM ALLOY PLATE, SHEET AND FORGINGS (LA141A, LS141A AND LZ145A) [CUST: MR AS 11 IS] | A 9535 | IS | 11-AUG-89 |
| | MIL-P-46140B NOT 2 | PLASTIC SHEET (SHEETING), PRESSURE SENSITIVE ADHESIVE COATED, CELLULOSE ACETATE, TRANSPARENT [CUST: MR GS] [REVIEW: CR4 GL MC MI MS SM] | A 9330 | GS | 08-APR-91 |
| | MIL-P-46144C(1) | PLASTIC SHEET, POLYCARBONATE [CUST: MR 99 GS] [REVIEW: 10 19 29 84 AR AS AT CR CR4 GL MC OS SH] | A 9330 | GS | 06-FEB-90 |
| | MIL-A-46146B(3) | ADHESIVES-SEALANTS, SILICONE, RTV, NONCORROSIVE (FOR USE WITH SENSITIVE METALS AND EQUIPMENT) [CUST: MR AS 11] [REVIEW: 99 AL AR AT CE CR4 EA MI OS SH SM YD1] | A 8040 | FSS | 28-OCT-92 |
| | MIL-L-46147B | LUBRICANT, SOLID FILM, AIR CURED (CORROSION INHIBITING) [CUST: AT AS 68] [REVIEW: AV GS MD MI OS PS] | A 9150 | AT | 02-DEC-94 |
| | MIL-L-46150(1) | LUBRICANT, WEAPONS, SEMI-FLUID (HIGH LOAD-CARRYING CAPACITY) [CUST: AR YD1 68] [REVIEW: 11 AS AV MC MD] | A 9150 | AR | 22-SEP-86 |
| | MIL-C-46156A(1) NOT 1 | CORROSION REMOVING COMPOUND, SODIUM HYDROXIDE BASE, FOR IMMERSION APPLICATION [CUST: MR 68] [REVIEW: AR SH] | A 6850 | GS | 04-APR-91 |
| | MIL-F-46162D(2) | FUEL, DIESEL, REFEREE GRADE [CUST: AT] [REVIEW: CE GL TE] | A 9140 | AT | 16-SEP-93 |
| | MIL-L-46167B(1) | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, ARCTIC [CUST: AT SH 68] [REVIEW: AR AS AV GS MC PS SA] | A 9150 | AT | 12-JUN-89 |
| | MIL-C-46168D(3) | COATING, ALIPHATIC POLYURETHANE, CHEMICAL AGENT RESISTANT [CUST: MR] [REVIEW: AR AT CR EA MD MI] | A 8010 | MR | 21-MAY-93 |
| | MIL-H-46170B(2) | HYDRAULIC FLUID, RUST INHIBITED, FIRE-RESISTANT, SYNTHETIC HYDROCARBON BASE [CUST: AT AS 68] [REVIEW: AL AR GS MC MD OS PS SA SH] | A 9150 | AT | 24-MAR-86 |
| A | MIL-H-46170B(13) | HYDRAULIC FLUID, RUST INHIBITED, FIRE RESISTANT SYNTHETIC HYDROCARBON BASE [CUST: AT] | A 9150 | AT | 17-NOV-93 |
| | MIL-B-46176A(3) | BRAKE FLUID, SILICONE, AUTOMOTIVE, ALL WEATHER, OPERATIONAL AND PRESERVATIVE, METRIC [CUST: AT YD1 68] [REVIEW: AR AS GS OS] | A 9150 | AT | 14-SEP-90 |
| | MIL-A-46177B(1) | ARMOR, STEEL PLATE AND SHEET, WROUGHT, HOMOGENEOUS (1/8 TO LESS THAN 1/4 INCH THICK) [CUST: MR] [REVIEW: AT TE] | A 9515 | MR | 17-JUN-91 |
| | MIL-P-46183(1) | PLASTIC MOLDING AND EXTRUSION MATERIAL, POLYETHERETHERKETONE (PEEK) [CUST: MR 11] [REVIEW: 19 AT AV CR4 GL MD MI SH] | X 9330 | MR | 21-JAN-92 |
| | MIL-A-46186 | ARMOR PLATE, STEEL, WROUGHT, HIGH STRENGTH, HIGH QUALITY [CUST: MR] | A 9515 | MR | 11-JUN-84 |
| | MIL-P-46187(1) | PREPREG, UNIDIRECTIONAL TAPE, CARBON (GRAPHITE) FIBER POLYIMIDE (PMR-15) RESIN IMPREGNATED, 316 DEG. C (600 DEG. F) [CUST: MR AS 11] | A CMPS | MR | 04-FEB-91 |
| A | MIL-A-46192B NOT 2 | ALUMINUM ALLOY ARMOR ROLLED PLATE (1/2 TO 4 INCHES THICK), WELDABLE (ALLOY 2519) [CUST: MR] [REVIEW: AR AT CR4 IS TE] | A 9535 | MR | 15-JAN-98 |
| A | MIL-A-46193 NOT 2 | ARMOR PLATE, CONTROL ROLLED, STEEL, WROUGHT, HIGH STRENGTH, HIGH QUALITY [CUST: MR] | A 9515 | MR | 23-DEC-97 |
| | MIL-R-46198(2) | RESIN, POLYIMIDE, HOT PRESSED OR PRESSED AND SINTERED [CUST: MR AS 11 GS] | A 9330 | MR | 20-SEP-96 |
| | MIL-C-46200B | CARTRIDGE, IMPULSE, M42A1 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 15-JAN-92 |
| | MIL-C-46221B | CARTRIDGE, IMPULSE, M37 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 23-JUN-92 |
| | MIL-L-46225C(3) | LEAD AZIDE RD-1333 (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: EA] | A 1376 | AR | 11-MAY-90 |
| | MIL-C-46228B | CARTRIDGE, DELAY, M93 ASSEMBLY [CUST: OS 99] | A 1377 | OS | 23-APR-91 |
| | MIL-C-46237(1) | CARTRIDGE, AIRCRAFT EJECTION SEAT, CATAPULT, M30A1 [CUST: OS] [REVIEW: 11] | A 1377 | OS | 14-OCT-86 |
| | MIL-T-46238E(3) NOT 1 | TEST SET, ELECTRICAL, M40 PARTS FOR, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | 08-APR-86 |
| | MIL-C-46239C | CARTRIDGE, IMPULSE, M31A2 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 11-JAN-91 |
| | MIL-C-46240A(2) | CARTRIDGE, THRUSTER, M67A1 [CUST: OS] | A 1377 | OS | 14-OCT-86 |
| | MIL-C-46241B(1) | CARTRIDGE, IMPULSE, M36A1 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 21-DEC-93 |
| | MIL-P-46269 NOT 3 | PRIMER, PERCUSSION, ELECTRIC, M75 METAL PARTS FOR [CUST: AR] | A 1390 | AR | 27-NOV-96 |
| | MIL-C-46271A(1) | CARTRIDGE, AIRCRAFT EJECTION SEAT, CATAPULT, M28A1 ASSEMBLY [CUST: OS] | A 1377 | OS | 14-OCT-86 |
| | MIL-C-46273A(1) | CARTRIDGE, DELAY, M70, ASSEMBLY [CUST: OS] | A 1377 | OS | 14-OCT-86 |
| | MIL-C-46274C | CARTRIDGE, IMPULSE, M94 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 23-JUN-92 |
| | MIL-P-46297C NOT 1 | PRIMER, PERCUSSION, M82 METAL PARTS FOR [CUST: AR] | A 1390 | AR | 31-OCT-90 |
| | MIL-P-46337B(1) NOT 2 | PERISCOPE, TANK, M35 [CUST: AR] | A 1240 | AR | 27-NOV-96 |
| | MIL-W-46374F(2) | WATCH, WRIST: GENERAL PURPOSE [CUST: AR SH 99 GS] [REVIEW: 82 FSS MC] | A 6645 | GS | 10-JUN-94 |
| | MIL-M-46379A | MOUNT SIGHT, INFINITY REFLEX. 10511780 AND 10553489 [CUST: AR] | A 1270 | AR | 03-JUN-68 |
| | MIL-G-46382 | GAGE, SNAP, THREAD ROLL [CUST: AR OS 99] | A 5220 | AR | 28-JUN-63 |
| | MIL-S-46383B | STRAP, WRIST, INSTRUMENT [CUST: AR SH 99 GS] [REVIEW: CR4] | A 6645 | GS | 16-SEP-70 |
| | MIL-C-46395(4) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT, M9 ASSEMBLY [CUST: OS 99] | A 1377 | OS | 14-AUG-91 |
| | MIL-P-46403D(1) NOT 2 | PRIMER, PERCUSSION, M1B1A2, METAL PARTS FOR [CUST: AR] | A 1390 | AR | 27-NOV-96 |
| | MIL-P-46421B NOT 3 | PRIMER, PERCUSSION, M57, METAL PARTS FOR [CUST: AR] | A 1390 | AR | 27-NOV-96 |
| | MIL-P-46431C(1) NOT 3 | PRIMER, ELECTRIC, M86 PARTS FOR [CUST: AR] | A 1390 | AR | 27-NOV-96 |
| | MIL-P-46463C(1) NOT 3 | PRIMER, PERCUSSION, M71A1 PARTS FOR [CUST: AR] | A 1390 | AR | 27-NOV-96 |
| | MIL-P-46464A(1) NOT 1 | PELLET, TETRYL [CUST: AR] [REVIEW: EA] | A 1376 | AR | 30-JAN-87 |
| | MIL-E-46495A(4) | EXPLOSIVE COMPOSITION HTA-3 [CUST: AR] | A 1375 | AR | 08-FEB-90 |
| | MIL-L-46496(1) NOT 1 | LEAD MONONITRORESORCINATE (LMNR) [CUST: AR] | A 1376 | AR | 25-APR-88 |
| | MIL-I-46497B | INITIATOR, CARTRIDGE ACTUATED, DELAY M4A1, M12A1, M45A1, AND M49A1 METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 11-JAN-94 |
| | MIL-P-46500 NOT 2 | PRIMER, PERCUSSION, M78 PARTS FOR [CUST: AR] | A 1390 | AR | 27-NOV-96 |
| | MIL-C-46501C NOT 1 | CHARGE, DEMOLITION, LINEAR, M96 AND M58 LOADING AND ASSEMBLING [CUST: AR] | A 1375 | AR | 20-APR-90 |
| | MIL-B-46506D(6) | BOXES, AMMUNITION PACKING WOOD, WIREBOUND [CUST: AR] [REVIEW: OS] | A 8140 | AR | 04-JAN-94 |
| | MIL-P-46518D NOT 2 | PRIMER, ELECTRIC, M73, PARTS FOR [CUST: AR] | A 1390 | AR | 27-NOV-96 |
| | MIL-F-46524A(1) NOT 1 | FIRING KIT, DEMOLITION, ELECTRICAL XM 147E1 [CUST: AR] | A 1375 | AR | 20-MAY-88 |
| | MIL-C-46550C(1) | CHARGE, DEMOLITION, SHAPED, 40LB., M3A1 AND M3 PRACTICE METAL PARTS ASSEMBLY [CUST: AR] | A 1375 | AR | 14-JUL-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------|--|--------------------------|-----|-------------|------|
| MIL-I-46559B NOT 1 | INITIATOR, CARTRIDGE ACTUATED, M3A2, METAL PARTS ASSEMBLY [CUST: OS 99] | A 1377 | OS | 31-JAN-90 | |
| MIL-R-46560A(1) | REMOVER, AIRCRAFT CANOPY, M3A1, METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 15-JUL-86 | |
| MIL-P-46562A(1) NOT 3 | PRIMERS, PERCUSSION, M28A2 AND M28B2 PARTS FOR [CUST: AR] | A 1390 | AR | 27-NOV-96 | |
| MIL-C-46563A(1) | CATAPULT, AIRCRAFT EJECTION SEAT, M3A1, METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 15-JUL-86 | |
| MIL-T-46573B(1) | THRUSTER, CARTRIDGE ACTUATED, M5A2 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 15-JUL-86 | |
| MIL-I-46576A | INITIATOR, CARTRIDGE ACTUATED, M5A2 ASSEMBLY [CUST: OS] | A 1377 | OS | 10-AUG-94 | |
| MIL-C-46578D(1) NOT 1 | CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, M56A3 LOADING, ASSEMBLING AND PACKING [CUST: AR] [REVIEW: 99] | A 1305 | AR | 31-OCT-96 | |
| MIL-T-46583C | THRUSTER, CARTRIDGE ACTUATED, M3A3 METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 21-SEP-92 | |
| MIL-C-46587A(1) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT, M3A1, ASSEMBLY [CUST: OS] | A 1377 | OS | 20-JUN-86 | |
| MIL-T-46590C | THRUSTER, CARTRIDGE ACTUATED, M15 METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 30-APR-93 | |
| MIL-T-46591B | THRUSTER, CARTRIDGE ACTUATED, M15 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 30-APR-93 | |
| MIL-C-46594B(2) NOT 1 | CHARGE, DEMOLITION, SHAPED, 40 LB., M3A1 AND M3 PRACTICE, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 14-JUN-91 | |
| MIL-T-46604B | THRUSTER, CARTRIDGE ACTUATED, M13 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 29-APR-93 | |
| MIL-T-46605B | THRUSTER, CARTRIDGE ACTUATED, M13 METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 29-APR-93 | |
| MIL-C-46615D | CARTRIDGE, IMPULSE, M29A2 ASSEMBLY [CUST: OS 99] | A 1377 | OS | 23-APR-91 | |
| MIL-T-46616C | THRUSTER, CARTRIDGE ACTUATED, M3A3 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 21-SEP-92 | |
| MIL-R-46617A(1) NOT 1 | REMOVER, AIRCRAFT CANOPY, M3A1, ASSEMBLY [CUST: OS] | A 1377 | OS | 20-JUN-86 | |
| MIL-C-46618B | CARTRIDGE, IMPULSE, M73 ASSEMBLY [CUST: OS 99] | A 1377 | OS | 20-MAY-90 | |
| MIL-I-46619A NOT 1 | INITIATOR, DELAY, M12A1 ASSEMBLY [CUST: OS 99] | A 1377 | OS | 15-MAR-87 | |
| MIL-I-46625C NOT 1 | INITIATOR, CARTRIDGE ACTUATED, M3A2, ASSEMBLY [CUST: OS 99] | A 1377 | OS | 31-JAN-90 | |
| MIL-T-46626C | THRUSTER, CARTRIDGE ACTUATED, M2A2 ASSEMBLY [CUST: OS] | A 1377 | OS | 11-AUG-94 | |
| MIL-C-46627A(1) NOT 2 | CATAPULT, AIRCRAFT EJECTION SEAT, M4A1, ASSEMBLY [CUST: OS] | A 1377 | OS | 14-AUG-91 | |
| MIL-C-46628A(1) | CATAPULT, AIRCRAFT EJECTION SEAT, M4A1 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 15-JUL-86 | |
| MIL-T-46632B | THRUSTER, CARTRIDGE ACTUATED, M2A2 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 11-AUG-94 | |
| MIL-D-46634A(1) | DELAY ELEMENT, CARTRIDGE: M5 ASSEMBLY [CUST: OS] | A 1377 | OS | 08-MAR-89 | |
| MIL-G-46644A | GRENADE, HAND, PRACTICE, M30 W/FUZE M205A2, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1330 | AR | 01-JUN-64 | |
| MIL-C-46652(2) NOT 1 | COMPOSITION B4 [CUST: AR] [REVIEW: EA] | A 1376 | AR | 29-AUG-91 | |
| MIL-R-46656A(1) NOT 2 | REMOVER, AIRCRAFT CANOPY, M4 ASSEMBLY [CUST: OS] | A 1377 | OS | 14-AUG-91 | |
| MIL-T-46659A(2) NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M5A3 ASSEMBLY [CUST: OS] | A 1377 | OS | 10-MAR-87 | |
| MIL-E-46676A(2) NOT 1 | EXPLOSIVE, FLEXIBLE [CUST: AR] | A 1376 | AR | 14-MAR-97 | |
| MIL-C-46679A(1) NOT 1 | CHARGE, PROPELLING, DUMMY, M4 [CUST: AR] | A 1320 | AR | 18-APR-88 | |
| MIL-P-46686C NOT 3 | PRIMER, PERCUSSION, M92E1 PARTS FOR [CUST: AR] | A 1390 | AR | 27-NOV-96 | |
| MIL-T-46691B(1) | THRUSTER, CARTRIDGE ACTUATED, M16 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 19-DEC-95 | |
| MIL-T-46692B | THRUSTER, CARTRIDGE ACTUATED, M16 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 12-APR-93 | |
| MIL-C-46694A(6) | CHARGE, PROPELLING, 8 INCH, M1 (GREEN BAG) LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 07-JUL-92 | |
| MIL-C-46695B(4) | CHARGE, PROPELLING, 8 INCH, M2, (WHITE BAG) LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 12-MAR-93 | |
| MIL-P-46698(1) | PROPELLANT, M1, FOR USE IN CHARGE PROPELLING M1 (GREEN BAG) FOR 8 INCH HOWITZER [CUST: AR] | A 1375 | AR | 22-MAR-93 | |
| MIL-P-46699B(1) | PROPELLANT, M1 FOR USE IN CHARGE PROPELLING M2 (WHITE BAG) FOR 8 INCH HOWITZER [CUST: AR] | A 1376 | AR | 11-MAY-84 | |
| MIL-T-46786B | TANKS, FUEL, ENGINE: GENERAL REQUIREMENTS FOR [CUST: YD1] [REVIEW: AT MC] | A 2910 | CC | 26-OCT-90 | |
| MIL-B-46789B | BLASTING MACHINE, AUXILIARY FIRING, EMERGENCY [CUST: AT] | A 2590 | AT | 23-JAN-91 | |
| MIL-R-46846B(1) | RUBBER, SYNTHETIC, HEAT-SHRINKABLE [CUST: MI GS] [REVIEW: CR4 EA MR] | A 5970 | GS | 18-NOV-94 | |
| MIL-F-46851C | FANS, GUIDED MISSILE, GROUND SUPPORT EQUIPMENT, GENERAL SPECIFICATION FOR [CUST: MI AS 99 CC] [REVIEW: 19 CR MC] | A 1450 | CC | 21-SEP-93 | |
| MIL-G-46884(1) NOT 2 | GLASS, METAL SEALING [CUST: AR] | A 8030 | AR | 31-MAY-91 | |
| MIL-P-46900A NOT 3 | PRIMER, PERCUSSION, M49% PARTS FOR [CUST: AR] | A 1390 | AR | 27-NOV-96 | |
| MIL-P-46918A(1) NOT 3 | PRIMER, PERCUSSION, M34 PARTS FOR [CUST: AR] | A 1390 | AR | 27-NOV-96 | |
| MIL-C-46932A(3) NOT 3 | CARTRIDGE, 7.62MM, NATO, BALL, FRANGIBLE, M160 [CUST: AR] | A 1305 | AR | 11-OCT-96 | |
| MIL-T-46938C(1) | TETRACENE [CUST: AR] | A 1376 | AR | 20-DEC-96 | |
| MIL-C-46941A | CARTRIDGE, IMPULSE, M146 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 11-FEB-93 | |
| MIL-C-46942(2) NOT 2 | CATAPULT, AIRCRAFT EJECTION SEAT, M5A1 ASSEMBLY [CUST: OS] [REVIEW: 11] | A 1377 | OS | 14-AUG-91 | |
| MIL-C-46943(1) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT, M5A1 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 28-MAR-89 | |
| MIL-C-46946B(1) | CARTRIDGE, IMPULSE, M43 ASSEMBLY [CUST: OS] | A 1377 | OS | 20-SEP-95 | |
| MIL-T-46947A(1) | THRUSTER, CARTRIDGE ACTUATED M11 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 15-JUL-86 | |
| MIL-T-46948A(1) NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M11, ASSEMBLY [CUST: OS] | A 1377 | OS | 15-MAR-87 | |
| MIL-I-46958A(1) NOT 3 | IGNITER, ROCKET MOTOR, T21E2 PARTS FOR [CUST: AR] | A 1340 | AR | 31-OCT-96 | |
| MIL-C-46992C | CUTTER, DELAY, PROPELLANT ACTUATED, M21 (2 SEC) AND M22 (10 SEC) [CUST: OS] | A 1377 | OS | 20-SEP-93 | |
| MIL-P-46994B(4) | PELLETS/GRAULES BORON/POTASSIUM NITRATE [CUST: AR] [REVIEW: EA] | A 1375 | AR | 11-NOV-93 | |
| MIL-C-47002A | COATING, POLYURETHANE, SINGLE COMPONENT SYSTEM [CUST: MI] [REVIEW: GS] | A 5970 | MI | 24-MAY-91 | |
| MIL-R-47004 NOT 1 | RESIN, EPOXY BASE, THIXOTROPIC [CUST: MI] [REVIEW: GS] | A 5970 | MI | 05-SEP-90 | |
| MIL-C-47009B | COMPOUND, SILICONE, HEAT SINK [CUST: MI GS] [REVIEW: AR] | A 6850 | GS | 30-JUN-89 | |
| MIL-G-47032A | GLASS, POTASH SODA BARIUM, LEAD-FREE COMPRESSION SEALING [CUST: MI] | A 9340 | MI | 31-JUL-90 | |
| MIL-G-47035A | GLASS, BARIUM, SODA, POTASH [CUST: MI] [REVIEW: GS] | A 9340 | MI | 27-SEP-91 | |
| MIL-T-47051A | TUBING, HEAT SHRINKABLE [CUST: MI] | A 5970 | MI | 22-FEB-91 | |
| MIL-S-47053A(1) | SLEEVEING, TEXTILE, BRAIDED, POLYAMIDE [CUST: MI] | A 5970 | GS | 07-OCT-91 | |
| MIL-L-47058A | LITHIUM CHLORIDE, PURIFIED GRADE [CUST: MI] [REVIEW: GS] | A 6810 | MI | 28-FEB-91 | |
| MIL-A-47059 | ACETYL TRIETHYL CITRATE [CUST: AR] [REVIEW: GS] | A 6810 | AR | 14-APR-85 | |
| MIL-T-47064A | TETRAETHYLENEDIPENTAMINE [CUST: MI] [REVIEW: GS] | A 6810 | MI | 30-SEP-91 | |
| MIL-C-47069B | COATING, ELECTRICALLY CONDUCTIVE, AIR-DRYING [CUST: MI] | A 8030 | MI | 05-JUN-91 | |
| MIL-F-47076A | FILM, POLYETHYLENE TEREPHTHALATE, METALLIZED [CUST: MI] | A 8135 | MI | 24-SEP-90 | |
| MIL-M-47084A | MORTAR, SODIUM SILICATE, HEAT RESISTANT [CUST: MI] [REVIEW: GS] | A 9350 | MI | 30-OCT-90 | |
| MIL-W-47087 NOT 1 | WIRE, MOLYBDENUM, PLATINUM CLAD [CUST: MI] | A 9525 | MI | 06-SEP-90 | |
| MIL-L-47088 NOT 1 | LAMINATE, ALUMINUM FOIL - POLYETHYLENE TEREPHTHALATE [CUST: MI] | A 9535 | MI | 06-SEP-90 | |
| MIL-C-47113B(2) NOT 4 | COMPOUND, HEAT SINK, SILICONE AND/OR NON-SILICONE [CUST: EA SH 68] | A 6850 | GS | 18-OCT-96 | |
| MIL-R-47195A NOT 1 | RIVETS, BLIND, SELF-PLUGGING PREPARATION FOR AND INSTALLATION OF [CUST: MI IS] | A 5320 | IS | 05-OCT-90 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-R-47196A(1) NOT 1 | RIVETS, BUCK TYPE, PREPARATION FOR AND INSTALLATION OF [CUST: MI IS] | A 5320 | IS | | 13-SEP-77 |
| | MIL-D-47225 | DISC, PLASTIC, POLYETHYLENE TEREPHTHALATE, PRESSURE SENSITIVE, ADHESIVE COATED [CUST: AR] [REVIEW: MR] | A 9330 | GS | | 12-JUL-74 |
| | MIL-A-47240B | AMMONIUM NITRATE (UNCOATED) [CUST: MI] | A 6810 | MI | | 27-JUL-90 |
| | MIL-A-47280 | ADHESIVES, EPOXY [CUST: AR] [REVIEW: MR] | A 8040 | AR | | 09-AUG-74 |
| | MIL-T-47287A | TUBE, SPIRAL WRAP, POLYTETRAFLUOROETHYLENE AND POLYAMIDE [CUST: AR GS] [REVIEW: MR] | A 9330 | GS | | 25-SEP-80 |
| | MIL-T-47303A | TEST SET, ELECTRICAL, MK IV [CUST: MI] | A 4927 | MI | | 30-SEP-92 |
| | MIL-S-47314 | SWITCH, MOMENTARY, ACCELERATION-SENSITIVE [CUST: MI CC] | A 5930 | CC | | 31-JAN-90 |
| | MIL-T-47325 | TAPE, PRESSURE-SENSITIVE ADHESIVE, ELECTRICAL INSULATION [CUST: MI] [REVIEW: 82 CR CT MD] | A 5970 | GS | | 13-OCT-89 |
| | MIL-A-48027A(1) | ADAPTER BOOSTER, BOMB, NOSE, THERMALLY PROTECTED, M148E1, LOADING, ASSEMBLING AND PACKING [CUST: AS] | A 1325 | AS | | 23-OCT-87 |
| | MIL-A-48028A NOT 1 | ADAPTER BOOSTER, BOMB, NOSE, M148E1 PARTS FOR [CUST: AS] | A 1325 | AS | | 30-JUN-75 |
| | MIL-C-48038 NOT 3 | CALCIUM CHROMATE, TECHNICAL [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 11-OCT-96 |
| | MIL-C-48061 NOT 1 | CELLULOSE NITRATE, PLASTIC SHEETS [CUST: AR] | A 1376 | AR | | 29-AUG-91 |
| | MIL-L-48063A | LAUNCHER, ROCKET, LAU 68B/A SHIPPING ASSEMBLY [CUST: AS] | A 1340 | AS | | 17-AUG-73 |
| | MIL-F-48067 NOT 1 | FUZE, ROCKET, POINT DETONATING SQ AND DELAY, M440 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1340 | AR | | 10-APR-87 |
| | MIL-F-48076A(1) NOT 1 | FIN ASSEMBLY, M158 [CUST: AR] | A 1315 | AR | | 13-DEC-94 |
| | MIL-P-48089(1) NOT 1 | PROPELLANT, M5 (FOR USE IN SPECIAL APPLICATIONS) [CUST: AR] | A 1376 | AR | | 30-JAN-87 |
| | MIL-G-48090A(1) | GROMMETS, POLYCARBONATE (FOR SEPARATE LOADED PROJECTILE) [CUST: AR] | A 8140 | AR | | 11-APR-91 |
| | MIL-C-48097B NOT 3 | CHARGE, SPOTTING, PROJECTILE, CUP FOR [CUST: AR] | A 1320 | AR | | 11-OCT-96 |
| | MIL-P-48099A NOT 1 | PROPELLANT, M10 (FOR USE IN SPECIAL APPLICATIONS) [CUST: AR] | A 1376 | AR | | 29-AUG-91 |
| | MIL-P-48130A(1) NOT 1 | PROPELLANT M10 FOR 81MM MORTAR M205 PROPELLING CHARGE [CUST: AR] | A 1376 | AR | | 22-JUN-89 |
| | MIL-T-48134A NOT 1 | TEST SET, BLASTING CAP, M51 PARTS, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 05-SEP-91 |
| | MIL-C-48141(2) NOT 1 | COMPOSITION, TUNGSTEN, DELAY [CUST: AR] | A 1376 | AR | | 16-APR-90 |
| | MIL-I-48145 NOT 2 | IGNITER TUBE [CUST: AR] | A 1320 | AR | | 15-OCT-90 |
| | MIL-M-48146 NOT 2 | MOLYBDENUM TRIOXIDE (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 15-NOV-96 |
| | MIL-C-48147 NOT 1 | CASTINGS, FERRITIC MALLEABLE IRON FOR M151 WARHEAD [CUST: AR] | A 1340 | AR | | 01-APR-87 |
| | MIL-T-48149A(4) | TITANIUM DIOXIDE, DRY [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 05-OCT-89 |
| | MIL-C-48155(5) | CARTRIDGE, IGNITION, XM299 PARTS FOR [CUST: AR] | A 1395 | AR | | 14-SEP-95 |
| | MIL-C-48156(6) | CARTRIDGE, IGNITION, XM299 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 19-SEP-96 |
| | MIL-R-48163(2) | REDUCER, FLASH, M3 FOR 8 INCH HOWITZER M1 AND M2 [CUST: AR] | A 1320 | AR | | 28-JUN-91 |
| | MIL-L-48176B(4) | LINER (TITANIUM DIOXIDE AND WAX) FOR USE IN CARTRIDGES [CUST: AR] | A 1375 | AR | | 06-FEB-92 |
| | MIL-P-48181C | PROPELLANT M30A2 FOR USE IN CHARGE PROPELLING, M188 AND M188E1 FOR 8 INCH PROJECTILES [CUST: AR] | A 1375 | AR | | 28-JAN-77 |
| | MIL-P-48224 | PAPER, PRINGING, PLASTIC COATED [CUST: AR] | A 8140 | AR | | 29-MAY-73 |
| | MIL-E-48225 NOT 1 | ETHYLENE GLYCOL DINITRATE (EGDN) [CUST: AR] | A 1376 | AR | | 08-APR-86 |
| | MIL-W-48230(1) | WARHEAD, 2.75 INCH ROCKET, M229 PARTS FOR [CUST: AR] | A 1340 | AR | | 01-OCT-96 |
| | MIL-R-48233A(4) | ROD, STABILIZING, COATED FOR 2.75 INCH ROCKET MOTOR MK4/MK40 AND MODS [CUST: OS] | A 1340 | OS | | 01-FEB-91 |
| | MIL-T-48236(1) NOT 1 | TEST SET, ELECTRICAL CIRCUIT, M40E1 PARTS FOR, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 09-APR-86 |
| | MIL-P-48239(1) NOT 1 | POWDER, PHOTOFLASH [CUST: AR] | A 1370 | AR | | 31-OCT-90 |
| | MIL-P-48241(1) NOT 1 | PLUG, CLOSING 105MM [CUST: AR] | A 1315 | AR | | 27-MAY-87 |
| | MIL-C-48254A(1) | CHARGES, EXPELLING, FOR PROJECTILE, 155MM, ILLUMINATING, M485A2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 22-MAY-91 |
| | MIL-T-48260(3) NOT 1 | TAPE, POLYESTER (FOR USE IN AMMUNITION) [CUST: AR] | A 8305 | CT | | 06-JUL-92 |
| | MIL-N-48263(1) NOT 2 | 1-NITRO -2- PROPANOL (NPL) [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 27-NOV-96 |
| | MIL-H-48269(1) | HMX/KEL-F RESIN MOLDING POWER (FOR USE IN AMMUNITION) [CUST: AR] | A 1376 | AR | | 23-MAR-88 |
| | MIL-R-48270(1) NOT 1 | RDX/KEL-F RESIN MOLDING POWDER (FOR USE IN AMMUNITION) [CUST: AR] | A 1376 | AR | | 05-MAY-88 |
| | MIL-W-48271A NOT 3 | WARHEAD METAL PARTS ASSEMBLY M251 PARTS AND ASSEMBLING [CUST: AR] | A 1340 | AR | | 02-DEC-96 |
| | MIL-W-48272(10) NOT 2 | WARHEAD SECTION, GM, HE: M251, M251A1 & M251 (MOD) WITH LIVE FLSC & INERT BOMBS, DUMMY LOADING, ASSEMBLING & PACKING [CUST: AR] | A 1340 | AR | | 02-DEC-96 |
| | MIL-F-48275(1) NOT 2 | FUZE, PIBD, M550; TEST VEHICLE FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 29-OCT-96 |
| | MIL-P-48296 NOT 1 | POLYTETRAFLUOROETHYLENE (PTFE) [CUST: AR] [REVIEW: GS MR] | A 9330 | AR | | 08-APR-86 |
| | MIL-P-48335 NOT 1 | PROPELLANT, SPHEROIDAL BALL POWDER [CUST: AR] | A 1376 | AR | | 27-APR-87 |
| | MIL-W-48347(1) NOT 1 | WARHEAD, 2.75 INCH ROCKET, PRACTICE WTU-1/B [CUST: AR] | A 1340 | AR | | 22-APR-88 |
| | MIL-P-48348 | PROPELLANT MI FOR USE IN CHARGE, PROPELLING, XM164 [CUST: AR] | A 1375 | AR | | 24-OCT-74 |
| | MIL-P-48349 NOT 1 | PROPELLANT M30A1 FOR USE IN 155M PROPELLING CHARGES [CUST: AR] | A 1376 | AR | | 21-MAR-88 |
| | MIL-P-48357A(1) NOT 1 | PROPELLANT, DOUBLE-BASE SHEET, M36 [CUST: AR] | A 1376 | AR | | 13-JUN-88 |
| | MIL-H-48358(6) | HMX/RESIN EXPLOSIVE COMPOSITION LX-14-0 (FOR USE IN AMMUNITION) [CUST: AR] | A 1376 | AR | | 22-APR-97 |
| | MIL-C-48360(4) | CHARGE, PROPELLING, M200, FOR 105MM HOWITZER, M119 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 12-MAR-93 |
| A | MIL-C-48368A(5) | CARTRIDGE, HE, 60MM, M720 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 19-SEP-97 |
| | MIL-W-48369(5) NOT 2 | WARHEAD SECTION, GM, PRACTICE, LIGHTWEIGHT, M252 PARTS AND ASSEMBLING [CUST: AR] | A 1340 | AR | | 02-DEC-96 |
| | MIL-F-48370A(2) NOT 2 | FUZE M934E6, HYBRID MICROCIRCUITS FOR [CUST: AR] | A 1336 | AR | | 02-DEC-96 |
| | MIL-W-48381(3) NOT 2 | WARHEAD SECTION, GM, PRACTICE, LIGHTWEIGHT, M252E1 PARTS AND ASSEMBLING [CUST: AR] | A 1340 | AR | | 02-DEC-96 |
| | MIL-F-48382A(1) NOT 2 | FUZE, M934E6, IMPACT SWITCH FOR [CUST: AR] | A 1336 | AR | | 02-DEC-96 |
| | MIL-B-48387(1) NOT 1 | BALL POWDER, IGNITER (BPI) (SPHEROIDAL PROPELLANT IGNITER (SPI)) [CUST: AR] | A 1376 | AR | | 02-FEB-89 |
| | MIL-F-48388A(1) NOT 2 | FUZE, M934E6, LAUNCH SENSING SWITCH FOR [CUST: AR] | A 1336 | AR | | 02-DEC-96 |
| | MIL-P-48395(2) | PELLETS, EXPLOSIVE COMPOSITIONS (FOR USE IN AMMUNITION) [CUST: AR] | A 1376 | AR | | 03-JUL-92 |
| | MIL-C-48396A(3) | CARTRIDGE, IGNITION, M752A1 PARTS FOR [CUST: AR] | A 1315 | AR | | 17-FEB-95 |
| | MIL-C-48397A(4) | CARTRIDGE, IGNITION, M752A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 03-JUL-96 |
| | MIL-P-48400A(5) | PROJECTILE, 60MM, HE, M720 METAL PARTS ASSEMBLY [CUST: AR] | A 1310 | AR | | 23-AUG-93 |
| | MIL-R-48401A NOT 1 | RING, OBUTRATING FOR 60MM MORTAR [CUST: AR] | A 1310 | AR | | 12-SEP-91 |
| | MIL-S-48405 NOT 2 | SHIELDED AND CONFINED MILD DETONATING CORD ASSEMBLIES [CUST: OS] | A 1377 | OS | | 14-AUG-91 |
| | MIL-I-48410 NOT 1 | INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-4/A25 ASSEMBLY [CUST: OS] | A 1377 | OS | | 20-JUN-86 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-I-48412A | INITIATOR, CARTRIDGE ACTUATED, M53 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 21-SEP-92 |
| | MIL-R-48416 NOT 1 | REMOVER, AIRCRAFT CANOPY, RAU-1/A METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 20-JUN-86 |
| | MIL-R-48452 NOT 1 | REMOVER, AIRCRAFT CANOPY, RAU-1/A ASSEMBLY [CUST: OS] | A 1377 | OS | | 26-JUN-86 |
| | MIL-T-48554A(1) | TELESCOPE, PANORAMIC: M137 AND M137A1 [CUST: AR] | A 1240 | AR | | 01-DEC-94 |
| | MIL-M-48557A | MOUNT, TELESCOPE AND QUADRANT: M171 [CUST: AR] | A 1240 | AR | | 15-MAY-90 |
| | MIL-T-48558B | TELESCOPE, ELBOW: M138 [CUST: AR] | A 1240 | AR | | 29-MAY-90 |
| | MIL-M-48559A | MOUNT, TELESCOPE AND QUADRANT: M172 [CUST: AR] | A 1240 | AR | | 30-MAR-90 |
| | MIL-DTL-48568D | CATAPULT, AIRCRAFT EJECTION SEAT, CKU-7/A ASSEMBLY [CUST: OS] | A 1377 | OS | | 24-MAY-96 |
| | MIL-C-48569(2) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT: CKU-7/A METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 14-AUG-91 |
| | MIL-S-48573(1) | SIGHTUNIT, M64 [CUST: AR] | A 1240 | AR | | 05-NOV-84 |
| | MIL-B-48600A(3) | BASE PLUG ASSEMBLY [CUST: AR] | A 1315 | AR | | 15-JUN-91 |
| | MIL-F-48625A(2) NOT 2 | FUZE, 25MM, POINT DETONATING, SELF DESTRUCT M758 [CUST: AR] | A 1390 | AR | | 31-OCT-96 |
| | MIL-F-48637A(3) | FUZE, POINT DETONATING, PRACTICE, M751 WITH PYROTECHNIC SIGNATURE CARTRIDGE [CUST: AR] | A 1390 | AR | | 30-APR-97 |
| | MIL-M-48640(1) | MUZZLE BORESIGHT DEVICE 9364909 (M27 FOR 120MM GUN TUBE) [CUST: AR] | A 1240 | AR | | 29-APR-91 |
| | MIL-M-48658(2) | MOUNTING KIT, MINE DISPENSER: GROUND SYSTEM FOR M139 DISPENSER [CUST: AR] | F 1095 | AR | | 13-DEC-94 |
| | MIL-P-48663(2) | PALLET, METAL, FOR METAL CONTAINER FOR 105MM AND 120MM TANK AMMUNITION [CUST: AR] | A 8140 | AR | | 26-AUG-94 |
| | MIL-R-48664B | RESTRAINT SYSTEMS, AMMUNITION (USING BLOW MOLDED PLASTIC DIVIDERS) [CUST: AR] | A 2590 | AR | | 18-MAR-93 |
| | MIL-C-48669(4) NOT 2 | CARTRIDGE, 40MM, M918TP, ESCAPEMENT ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 11-OCT-96 |
| | MIL-C-48670(4) | CHARGE ASSEMBLY FOR M207E5 OR M207E6 WARHEADS INERT PARTS, FOR [CUST: AR] | A 1336 | AR | | 29-MAY-92 |
| | MIL-W-48689A(7) | WARHEAD SECTION, GUIDED MISSILE, H.E. M207E5 LOADING, ASSEMBLING AND PACKING [CUST: AR] | F 1336 | AR | | 05-AUG-96 |
| | MIL-A-48690 NOT 2 | ACTUATOR, PISTON, PA532 LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1345 | AR | | 10-OCT-96 |
| | MIL-P-48698(5) | PROBE AND S&A ASSEMBLY, TOW-2/E6 [CUST: AR] | A 1336 | AR | | 13-SEP-96 |
| | MIL-F-48708B(3) | FUZE, MULTI-OPTION: M734 (LOADING, ASSEMBLING, AND PACKING) [CUST: AR] | D 1390 | AR | | 02-AUG-96 |
| | MIL-F-48717 | FUZE, PROXIMITY, ARTILLERY: (LOADING, ASSEMBLING, AND PACKING) (CONTROLLED DISTRIBUTION) [CUST: AR] | F 1390 | AR | | 28-FEB-91 |
| | MIL-G-48737 NOT 1 | GRENADE, HAND, OFFENSIVE, MR3A2 W/FUZE M206A2 WITH SAFETY CLIP LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1330 | AR | | 30-MAR-88 |
| | MIL-S-48755A(6) | SENSOR, TRIPLINE; EXTENDED RANGE [CUST: AR] | A 1345 | AR | | 09-APR-90 |
| | MIL-W-48757(5) NOT 2 | WARHEAD SECTION, GM, HE: M251 AND M251A1 SPARE PARTS FOR [CUST: AR] | A 1340 | AR | | 02-DEC-96 |
| | MIL-B-48761(4) NOT 2 | BATTERY, SINGLE CELL, PRIMARY RESERVE [CUST: AR] | A 1345 | AR | | 10-OCT-96 |
| | MIL-L-48765(2) NOT 3 | LITHIUM HEXAFLUOROARSENATE (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 31-OCT-96 |
| | MIL-L-48766(2) NOT 3 | LITHIUM TETRAFLUOROBORATE (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 31-OCT-96 |
| | MIL-M-48767(3) NOT 3 | METHYL FORMATE (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 15-NOV-96 |
| | MIL-L-48768(3) NOT 3 | LITHIUM RESERVE BATTERY ELECTROLYTE [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 31-OCT-96 |
| | MIL-G-48771(1) NOT 1 | GRAPHITE - SPECIAL PURPOSE (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 13-JUL-89 |
| | MIL-L-48772A NOT 3 | LITHIUM (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 31-OCT-96 |
| | MIL-V-48773(2) NOT 3 | VANADIUM PENTOXIDE (FOR USE IN AMMUNITION) [CUST: AR] | A 6810 | AR | | 02-DEC-96 |
| | MIL-C-48853B(1) | CIRCUIT, DEMOLITION, FOR DEMOLITION KIT, CRATERING, M180 ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 05-JAN-84 |
| | MIL-W-48855C(5) NOT 2 | WARHEAD BODY ASSEMBLY FOR WARHEAD SECTION, GM, HE, M258 [CUST: AR] | A 1336 | AR | | 02-DEC-96 |
| | MIL-W-48856B(3) NOT 2 | WARHEAD SECTIONS, GUIDED MISSILE, H.E. M258E6 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1336 | AR | | 02-DEC-96 |
| | MIL-F-48863C(2) NOT 2 | FUZE, GUIDED MISSILE, M934E6 PARTS ASSEMBLY, LOADING AND PACKING FOR [CUST: AR] | A 1336 | AR | | 02-DEC-96 |
| A | MIL-D-48865(1) NOT 3 | DETONATOR, ELECTRIC, PA500 PARTS FOR, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 12-AUG-96 |
| | MIL-C-48867B(4) | CHARGE, PROPELLING, M204 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 18-APR-94 |
| | MIL-C-48868E(2) | CHARGE, PROPELLING, M204 PARTS AND CONTAINER ASSEMBLY [CUST: AR] | A 1310 | AR | | 23-AUG-94 |
| | MIL-R-48878(5) | RDX/ESTANE (PBX 0280) MOLDING POWDER (FOR USE IN AMMUNITION) [CUST: AR] | A 1376 | AR | | 16-MAR-95 |
| | MIL-C-48881B(3) | CHARGE, PROPELLING, M205 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 25-SEP-92 |
| | MIL-C-48882D(2) | CHARGE, PROPELLING, 81MM PARTS AND CONTAINER ASSEMBLY [CUST: AR] | A 1315 | AR | | 23-AUG-94 |
| | MIL-B-49030(3) SUP 1 | BATTERY, DRY (ALKALINE) [CUST: CR] | A 6135 | GS | | 07-FEB-84 |
| A | MIL-B-49030/2 NOT 2 | BATTERY, DRY, BA-3036/U [CUST: CR GS] | A 6135 | GS | | 01-FEB-93 |
| | MIL-B-49030/5 NOT 2 | BATTERY, DRY, BA-3051/U [CUST: CR] | A 6135 | GS | | 01-FEB-93 |
| A | MIL-B-49030/9 NOT 1 | BATTERY, DRY, BA-3955/TA [CUST: CR GS] | A 6135 | GS | | 06-SEP-88 |
| A | MIL-B-49030/10 | BATTERY, NON-RECHARGEABLE, BA-3590/U [CUST: CR GS] | A 6135 | GS | | 09-MAY-88 |
| | MIL-A-49067A | AIR TRAFFIC CONTROL CENTRAL AN/TSW-7A [CUST: CR] [REVIEW: AV] | A 5895 | CR | | 30-MAR-84 |
| | MIL-H-49092 NOT 1 | HEADSET MICROPHONE H-325()/TTC [CUST: CR CC] | A 5965 | CC | | 12-MAR-87 |
| | MIL-P-49115A(2) | PLATOON EARLY WARNING SYSTEM AN/TRS-2() [CUST: CR] | A 5895 | CR | | 26-FEB-88 |
| | MIL-M-49123 | MICROPHONE M-161()/TNS-10 [CUST: CR CC] | A 5965 | CC | | 01-AUG-77 |
| | MIL-T-0049129A | TRANSCEIVER, INTEGRATED TACTICAL VOICE SECURITY EQUIPMENT, TSEC/KY-67, BANCROFT, AND ANCILLARY EQUIPMENT [CUST: CR] | A 5810 | CR | | 29-JAN-91 |
| | MIL-C-49142/3D(1) | CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB, PIN CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 20-APR-93 |
| | MIL-C-49142/4E | CONNECTORS, RECEPTACLE, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, (SERIES TRB, SOCKET CONTACT, JAMNUT MOUNTED, CLASS 2) HERMETIC AND NONHERMETIC [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 12-JAN-90 |
| | MIL-C-49142/5D(1) | CONNECTOR, RECEPTACLE, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB (CABLED), SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 20-APR-93 |
| | MIL-C-49142/6C(1) | CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB (CABLED), SOCKET CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 20-APR-93 |
| | MIL-C-49142/7B(2) | CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, (SERIES TRB (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI NA OS SH] | A 5935 | CC | | 03-APR-95 |
| | MIL-C-49142/8B(1) | CONNECTORS, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED) PLUG, PIN CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 20-APR-93 |
| | MIL-C-49142/9B(1) | CONNECTORS, TRIAXIAL, RADIO FREQUENCY (SERIES TRT (CABLED) RECEPTACLE, SOCKET CONTACT, JAMNUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 20-APR-93 |
| | MIL-C-49142/10B | CONNECTORS, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (UNCABLED) RECEPTACLE, SOCKET CONTACT, JAMNUT MOUNTED, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 12-JAN-90 |
| | MIL-C-49142/11B(1) | CONNECTORS, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED) RECEPTACLE, SOCKET CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 20-APR-93 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------------|--|-----------------------|-----|-------------|-----------|
| MIL-C-49142/12B(1) | CONNECTORS, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT MC MI OS SH] | A 5935 | CC | | 20-APR-93 |
| MIL-H-49195 | HEADSET MICROPHONE KIT MK-1974()/VRC [CUST: CR CC] | A 5965 | CC | | 04-MAY-79 |
| MIL-M-49199/3 | MICROPHONES, LINEAR M49199/3 [CUST: AS] | A 5965 | AS | | 31-MAY-94 |
| MIL-M-49199/4 | MICROPHONES, LINEAR M49199/4 [CUST: AS] | A 5965 | AS | | 31-MAY-94 |
| MIL-H-49225 NOT 1 | HEADSET MICROPHONE KIT MK-896A/AIC (COMPONENTS OF) [CUST: CR CC] | A 5965 | CC | | 09-JAN-87 |
| MIL-M-49239A(1) | MULTIPLEXER-COMBINER, TD-1234(P)/TTC [CUST: CR] | A 5805 | CR | | 30-JUN-92 |
| MIL-M-49242A(1) | MULTIPLEXER, TD-1237(P)/G [CUST: CR] | A 5805 | CR | | 06-OCT-88 |
| A MIL-F-49291/1A | FIBER, OPTICAL, 50/125 MICROMETERS, RADIATION HARDENED (METRIC) [CUST: CR SH 85 CC] [REVIEW: AS MI] | A 6010 | CC | | 08-JUL-92 |
| MIL-F-49291/6B | FIBER, OPTICAL, TYPE I, CLASS I, SIZE IV, COMPOSITION A, WAVELENGTH B, RADIATION HARDENED (METRIC) [CUST: CR SH 85] [REVIEW: 17 AS CC CR MI NA] | A 6010 | SH | | 29-NOV-94 |
| MIL-F-49291/7B | FIBER, OPTICAL, TYPE II, CLASS 5, SIZE II, COMPOSITION A, WAVELENGTH D, RADIATION HARDENED (METRIC) [CUST: CR SH 85] [REVIEW: 17 AS CC CR MI NA] | A 6010 | SH | | 29-NOV-94 |
| MIL-F-49291/8 | FIBER, OPTIC, 400/430 MICROMETER, AVIONIC RATED (METRIC) [CUST: CR EC 85] [REVIEW: 11 17 71 AS CC CR MI] | A 6010 | CC | | 21-MAY-90 |
| MIL-F-49291/9 | FIBER, OPTIC, 400/430, MICROMETERS, RADIATION HARDENED, AVIONIC RATED (METRIC) [CUST: CR EC 85] [REVIEW: 11 17 71 AS CC CR MI] | A 6010 | CC | | 21-MAY-90 |
| MIL-C-49292A SUP 1 | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, GENERAL SPECIFICATION FOR [CUST: CR SH 85 CC] [REVIEW: 99 AR AS AV CG CR EC MC MI] | A 6020 | CC | | 23-JUN-89 |
| MIL-C-49292/1 | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, BRANCHED, MIL-C-83522, MIL-C-83526 CONNECTORS, AND DOD-C-85045 CABLES [CUST: CR SH 85] [REVIEW: 11 99 AR AS CG CR MI] | A 6020 | CC | | 30-AUG-89 |
| MIL-C-49292/2 | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, SINGLE BUNDLE, 6-POSITION MIL-C-83526 CONNECTORS AND DOD-C-85045 CABLES [CUST: CR SH 85] [REVIEW: 11 99 AR AS CG CR MI] | A 6020 | CC | | 30-AUG-89 |
| MIL-C-49292/3 | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, CONNECTOR, 2-POSITION HERMAPHRODITIC, JAM NUT, MIL-C-83526 CONNECTORS AND DOD-C-85045 CABLES [CUST: CR SH 85] [REVIEW: 11 99 AR AS CG CR MI] | A 6020 | CC | | 30-AUG-89 |
| MIL-C-49292/4A | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC [CUST: CR SH 85 CC] | A 6020 | CC | | 23-JUN-89 |
| MIL-C-49292/6 | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, SINGLE FIBER, GLASS, MIL-C-83522 CONNECTORS AND DOD-C-85045 CABLES [CUST: CR SH 85] [REVIEW: 11 99 AR AS CG CR MI] | A 6020 | CC | | 30-AUG-89 |
| MIL-C-49292/7A | CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, TEST, METRIC [CUST: CR SH 85 CC] [REVIEW: 99 AR AS AV CG CR EC MC MI] | A 6020 | CC | | 23-JUN-89 |
| MIL-A-49295 | ANTENNA GROUP OE-303()/GRC [CUST: CR] | A 5985 | CC | | 01-MAR-88 |
| MIL-S-49301(1) | SCANNER, MECHANICAL MX-10717(V)2/U [CUST: CR] | A 5855 | CR | | 28-FEB-90 |
| MIL-S-49301/1 | SCANNER, MECHANICAL, MX-10717(V)1/U [CUST: CR] | A 5855 | CR | | 18-JUL-88 |
| MIL-S-49301/2(1) | SCANNER, MECHANICAL, MX-10717(V)2/U [CUST: CR] | A 5855 | CR | | 28-FEB-90 |
| MIL-S-49301/3 | SCANNER, MECHANICAL, MX-10717(V)3/U [CUST: CR] | A 5855 | CR | | 18-JUL-88 |
| MIL-S-49301/4 | SCANNER, MECHANICAL, MX-10717(V)4/U [CUST: CR] | A 5855 | CR | | 18-JUL-88 |
| MIL-S-49301/5 | SCANNER, MECHANICAL, MX-10717(V)5/U [CUST: CR] | A 5855 | CR | | 18-JUL-88 |
| MIL-S-49301/6 | SCANNER, MECHANICAL, MX-10717(V)6/U [CUST: CR] | A 5855 | CR | | 18-JUL-88 |
| MIL-S-49301/7 | SCANNER, MECHANICAL, MX-10717(V)7/U [CUST: CR] | A 5855 | CR | | 18-JUL-88 |
| MIL-A-49314 | ANTENNAS, UHF SATCOM, PORTABLE, FOLDABLE (LIGHT WEIGHT, MEDIUM WEIGHT AND HEAVY DUTY), GENERAL SPECIFICATION FOR [CUST: CR CC] | A 5985 | CC | | 22-FEB-90 |
| MIL-A-49314/1 | ANTENNA, UHF SATCOM, LIGHT WEIGHT, PORTABLE, FOLDABLE AS-42150/G [CUST: CR CC] | A 5985 | CC | | 22-FEB-90 |
| MIL-A-49314/2 | ANTENNA, UHF SATCOM, MEDIUM WEIGHT, PORTABLE, FOLDABLE AS-42160/G [CUST: CR CC] | A 5985 | CC | | 22-FEB-90 |
| MIL-A-49314/3 | ANTENNA, UHF SATCOM, HEAVY DUTY, PORTABLE, FOLDABLE AS-42170/G [CUST: CR CC] | A 5985 | CC | | 22-FEB-90 |
| MIL-A-49314/4 | ANTENNA, UHF SATCOM, 11 DBIC PORTABLE, FOLDABLE AS-4218()/G [CUST: CR CC] | A 5985 | CC | | 13-FEB-91 |
| MIL-A-49314/5 | ANTENNA, UHF SATCOM, 14 DBIC PORTABLE, FOLDABLE AS-4219()/G [CUST: CR CC] | A 5985 | CC | | 13-FEB-91 |
| MIL-A-49314/6 | ANTENNA, UHF SATCOM 9 DBIC PORTABLE AS-4220()/G [CUST: CR CC] | A 5985 | CC | | 25-JUN-91 |
| MIL-G-49369A(3) | GENERATOR, DIRECT CURRENT, G-76 ()/G WITH ACCESSORIES [CUST: HD] | A 6115 | HD | | 25-OCT-84 |
| MIL-P-49378 NOT 1 | POWER CONVERTER FOR AN/VSG-2 [CUST: CR] | A 5855 | AR | | 28-APR-86 |
| MIL-C-49380 NOT 1 | COMMANDER S DISPLAY FOR AN/VSG-2 [CUST: CR] | A 5855 | AR | | 28-APR-86 |
| MIL-T-49381 NOT 1 | TEST SET, THERMAL SIGHT, TS-3681/VSG-2 [CUST: CR] | A 5855 | AR | | 28-APR-86 |
| MIL-E-49383 NOT 1 | EYEPIECE, BINOCULAR, AN/VSG-2 [CUST: CR] | A 5855 | AR | | 28-APR-86 |
| MIL-S-49433 | SURFACE ACOUSTIC WAVE DEVICES, GENERAL SPECIFICATION FOR [CUST: CR] [REVIEW: AV MI] | A 5999 | CC | | 16-FEB-84 |
| MIL-T-49447 | TEMPERATURE SENSOR, RESISTANCE [CUST: CR CC] | A 6660 | CC | | 02-NOV-88 |
| MIL-G-49460(1) | GENERATOR, DIRECT CURRENT: G-76B/G [CUST: HD] | A 6115 | HD | | 04-MAR-87 |
| MIL-G-49469 | GENERATOR, HAND CRANKED G-67B/G [CUST: HD] | A 6115 | HD | | 17-APR-91 |
| MIL-C-49514 | COPPER CRUSHER SPHERES FOR CANNON AND MORTAR PRESSURE GAUGES, GENERAL SPECIFICATION FOR [CUST: TE MC 99] [REVIEW: AL AR OS] | A 1090 | TE | | 16-FEB-93 |
| MIL-P-50002B NOT 1 | PHOSPHATE COATING COMPOUNDS, FOR PHOSPHATING FERROUS METALS [CUST: MR OS 11] [REVIEW: 68 AS CR EA] | A 6850 | GS | | 04-APR-91 |
| MIL-S-50004A NOT 1 | SODIUM SULFATE, ANHYDROUS, TECHNICAL (FOR AMMUNITION USE). [CUST: AR] [REVIEW: GS MI] | A 6810 | AR | | 08-APR-86 |
| MIL-S-50005A NOT 3 | STANNIC OXIDE, TECHNICAL [CUST: AR] [REVIEW: GS MD MI] | A 6810 | AR | | 02-DEC-96 |
| MIL-E-50011C | ETHANOLAMINES (MONOETHANOLAMINE, DIETHANOLAMINE, AND TRIETHANOLAMINE), TECHNICAL [CUST: EA 68] [REVIEW: AS CR 4 CT OS SM] | A 6810 | GS | | 23-JUN-94 |
| MIL-D-50030H(1) NOT 1 | DECONTAMINATING AGENT, DS2 [CUST: EA] | A 6850 | EA | | 27-JUN-96 |
| MIL-T-50036A(1) | TALC, TECHNICAL, T1 AND T3 [CUST: EA SH] [REVIEW: MD] | A 6810 | GS | | 22-JUL-80 |
| MIL-T-50059B NOT 1 | TITANOUS SULFATE SOLUTION, 20-PERCENT (METRIC) [CUST: EA 68] [REVIEW: MD] | A 6810 | GS | | 04-APR-89 |
| A MIL-S-50200B | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M100 PARTS, ASSEMBLING, LOADING AND PACKING FOR (U) [CUST: AR] | A 1336 | AR | | 24-FEB-76 |
| MIL-P-50202A(6) | PROPELLANT CHARGE, ROCKET, FOR DEMOLITION KIT, CRATERING, M180 [CUST: AR] | A 1340 | AR | | 10-JUN-88 |
| MIL-P-50203(1) NOT 1 | PROJECTILE METAL PARTS. LESS BALL ASSEMBLY, WITH FUZE, PD, M536 [CUST: AR] | A 1310 | AR | | 23-MAR-88 |
| MIL-L-50205 | LINER, CUP-FOR WARHEAD, 2.75 INCH ROCKET, M151 AND XM229 [CUST: AR] | A 1340 | AR | | 01-DEC-68 |
| A MIL-P-50206(4) NOT 1 | PROPELLANT M9, FLAKE (FOR USE IN 40MM CARTRIDGES) [CUST: AR] | A 1376 | AR | | 22-JAN-98 |
| MIL-A-50210(1) NOT 1 | ACID, MIXED (FOR USE IN NITRATION OF EXPLOSIVES) [CUST: AR] | A 1376 | AR | | 30-JAN-87 |
| MIL-C-50245A NOT 1 | CLIP, SAFETY, FOR HAND GRENADES [CUST: AR] | A 1330 | AR | | 30-MAR-88 |
| MIL-R-50263A(2) NOT 1 | ROCKET, 2.75 INCH, COMPLETE ROUND, ASSEMBLING, PACKING AND TESTING [CUST: AR] | A 1340 | AR | | 22-APR-88 |
| MIL-T-50302A(1) NOT 1 | THRUSTER, CARTRIDGE ACTUATED, XM26, ASSEMBLY [CUST: OS] | A 1377 | OS | | 26-JUN-86 |
| MIL-T-50303A(1) | THRUSTER, CARTRIDGE ACTUATED, M26 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 15-JUL-86 |
| MIL-S-50312(1) | SHIPPING AND STORAGE CONTAINER, CARTRIDGE, 30MM, XM592 [CUST: AR] | A 8140 | AR | | 15-FEB-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-P-50345F | PROJECTILES, 155MM, M483A1 - M718A1/M741A1 - M692/M731 METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | | 04-OCT-94 |
| | MIL-T-50356A | THRUSTER, CARTRIDGE ACTUATED, M1A2 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 19-MAR-93 |
| | MIL-I-50360(1) | INITIATOR, CARTRIDGE ACTUATED DELAY, M51 AND M88 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 15-JUL-86 |
| | MIL-I-50362 NOT 1 | INITIATOR, CARTRIDGE ACTUATED, M8, METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 26-JUN-86 |
| | MIL-A-50364 NOT 1 | INIATOR, CARTRIDGE ACTUATED, M8 ASSEMBLY [CUST: OS] | A 1377 | OS | | 19-NOV-73 |
| | MIL-A-50372 NOT 1 | ACTUATOR, ROTARY 1000-41 ASSEMBLY [CUST: OS] | A 1377 | OS | | 29-AUG-88 |
| | MIL-A-50373 NOT 1 | ACTUATOR, ROTARY 1000-41 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 29-AUG-88 |
| | MIL-I-50374A | INITIATOR, PROPELLANT ACTUATED, M104 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 11-FEB-93 |
| | MIL-I-50375A | INITIATOR, PROPELLANT ACTUATED, M104 METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 11-FEB-93 |
| A | MIL-C-50409(2) NOT 2 | COMPONENT, METAL, FOR FIBER CONTAINER M105 [CUST: AR] | A 8140 | AR | | 15-JUL-97 |
| | MIL-A-50424(1) NOT 3 | ACETAL, SHEETING (FOR USE WITH AMMUNITION) [CUST: AR] | A 1395 | AR | | 10-OCT-96 |
| | MIL-L-50429A(4) NOT 2 | LAMINATE, ACETAL AND CLOTH, (FOR USE WITH 81MM AMMUNITION) [CUST: AR] | A 1395 | AR | | 31-OCT-96 |
| | MIL-A-50460A | AMMONIUM NITRATE, PRILLED (FOR USE IN AMMUNITION) [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 13-JUL-89 |
| | MIL-G-50463 NOT 1 | GRENADE, HAND, PRACTICE, DELAY, XM69: STOPPER FOR [CUST: AR] | A 1330 | AR | | 31-OCT-90 |
| | MIL-B-50474(1) NOT 1 | BLASTING AGENT - TNT [CUST: AR] | A 1375 | AR | | 08-APR-86 |
| | MIL-C-50494(1) | CAP BLASTING, PRACTICE M10 PARTS FOR, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 22-MAR-93 |
| | MIL-F-50495A | FIRING DEVICE, PRESSURE RELEASE TYPE, M5 AND M5 INERT ASSEMBLY PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 05-NOV-75 |
| | MIL-W-50504A(1) NOT 1 | WARHEAD, 2.75 INCH ROCKET, M151 PARTS FOR [CUST: AR] | A 1340 | AR | | 01-OCT-96 |
| | MIL-C-50523(3) | CHARGE, DEMOLITION, M112 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 13-AUG-96 |
| | MIL-C-50525 | CHARGE ASSEMBLY, DEMOLITION, M183 WITH CHARGE, DEMOLITION M112, PARTS FOR, LOADING, ASSEMBLY, AND PACKING [CUST: AR] | A 1375 | AR | | 08-MAY-70 |
| | MIL-Q-50531 NOT 1 | QUARTZITE (GROUND) (FOR USE IN AMMUNITION) [CUST: AR] | A 1345 | AR | | 20-MAY-88 |
| | MIL-F-50533(1) | FIBER, ACRYLIC, FIBRILLATED [CUST: AR] | A 1320 | AR | | 20-MAR-90 |
| | MIL-F-50548A(5) | FUZES, ROCKET, M423 AND M427 LESS BOOSTER AND BOOSTER LEAD [CUST: AR] | A 1340 | AR | | 05-MAY-94 |
| | MIL-H-50589 NOT 1 | H M X FOR 30MM AMMUNITION [CUST: AR] | A 1376 | AR | | 29-AUG-91 |
| | MIL-T-50595C(2) | TRIPOD ASSEMBLY, DEMOLITION KIT, M180, METAL PARTS FOR AND ASSEMBLY [CUST: AR] | A 1375 | AR | | 24-SEP-92 |
| | MIL-T-50606A NOT 2 | TESTER RECEIVER TRANSMITTER, LASER, 10559600 [CUST: AR] | A 4931 | AR | | 31-JAN-97 |
| | MIL-T-50611(1) | TRINITRORESORCINOL (STYPHNIC ACID) [CUST: AR] | A 1376 | AR | | 26-OCT-93 |
| | MIL-C-50647A | CARTRIDGE, DELAY, M293 ASSEMBLY [CUST: OS 99] | A 1377 | OS | | 23-APR-91 |
| | MIL-D-50648A | DELAY ELEMENT, CARTRIDGE, M75 ASSEMBLY [CUST: OS 99] | A 1377 | OS | | 23-APR-91 |
| | MIL-C-50652/4A(1) NOT 2 | CIRCUIT CARD ASSEMBLY: 10548046 (COUNTER, RANGE) [CUST: AR] | A 1285 | AR | | 29-OCT-96 |
| | MIL-C-50652/10 NOT 2 | CIRCUIT CARD ASSEMBLY, 10548012 (COUNTER B, RANGE RATE) [CUST: AR] | A 1285 | AR | | 29-OCT-96 |
| | MIL-F-50693(1) | FIRING MECHANISM, CARTRIDGE ACTUATED, 29378-1 ASSEMBLY [CUST: OS] | A 1377 | OS | | 16-JAN-87 |
| | MIL-F-50694(1) | FIRING MECHANISM, CARTRIDGE ACTUATED, 29378-1 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 15-JUL-86 |
| | MIL-F-50695(1) | FIRING MECHANISM, CARTRIDGE ACTUATED, 50057-1 ASSEMBLY [CUST: OS] | A 1377 | OS | | 15-JUL-86 |
| | MIL-F-50696(1) | FIRING MECHANISM, CARTRIDGE ACTUATED, 50057-1 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 15-JUL-86 |
| | MIL-I-50699A | INITIATOR, PROPELLANT ACTUATED, JAU-2/A25 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 27-OCT-93 |
| | MIL-I-50700(1) | INITIATOR, PROPELLANT ACTUATED, JAU-2/A25 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 15-JUL-86 |
| | MIL-P-50702B(1) | PROJECTILE, 155MM: M687 METAL PARTS ASSEMBLY (CONTROLLED DISTRIBUTION) [CUST: AR] | X 1320 | AR | | 27-NOV-92 |
| | MIL-T-50713A | THRUSTER, CARTRIDGE ACTUATED, M25A1 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 21-SEP-92 |
| | MIL-I-50714(1) NOT 1 | INITIATOR, PROPELLANT ACTUATED, DELAY, M113 ASSEMBLY [CUST: OS] | A 1377 | OS | | 26-JUN-86 |
| | MIL-I-50715A NOT 1 | INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-3/A25 & M113 METAL PARTS ASSEMBLY 1 [CUST: OS] | A 1377 | OS | | 26-JUN-86 |
| | MIL-D-50727B(1) | DELAY ELEMENT ASSEMBLIES [CUST: OS] | A 1377 | OS | | 16-OCT-86 |
| | MIL-R-50729A NOT 1 | REMOVE, AIRCRAFT CANOPY, M8A1 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 26-JUN-86 |
| | MIL-I-50731A NOT 1 | INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-3/A25 ASSEMBLY [CUST: OS] | A 1377 | OS | | 26-JUN-86 |
| | MIL-I-50755A | IGNITER ASSEMBLY [CUST: OS 99] | A 1377 | OS | | 05-JAN-88 |
| | MIL-C-50765(1) | CARTRIDGE DELAY, CCU-17/B, CCU-18/B, CCU-19/B, ASSEMBLY [CUST: OS] | A 1377 | OS | | 16-OCT-86 |
| | MIL-T-50777A | TUBE, ALUMINUM ALLOY, 2024, SEAMLESS (FOR PROPELLANT ACTUATED DEVICES) [CUST: OS] | A 1377 | OS | | 15-MAY-90 |
| | MIL-S-50783(1) | STEEL ALLOY, SPECIAL PURPOSE FOR AMMUNITION COMPONENTS (HF-1) [CUST: AR] | A 1395 | AR | | 20-SEP-73 |
| | MIL-C-50785/11A NOT 2 | CIRCUIT CARD ASSEMBLY: 12000011 (MODE SCALING) [CUST: AR] | A 1285 | AR | | 29-OCT-96 |
| | MIL-S-50786G | SKID BASE, WOOD, FOR UNITIZATION OF BOXED AMMUNITION [CUST: AL] | A PACK | AL | | 17-MAY-93 |
| | MIL-L-50794 NOT 2 | LINEAR SHAPED CHARGE ASSEMBLY [CUST: AR OS 11] | A 1377 | OS | | 14-AUG-91 |
| | MIL-E-50796(1) NOT 1 | EXPANDING SHIELDED MILD DETONATING CORD ASSEMBLY [CUST: AR OS 11] | A 1377 | OS | | 14-AUG-91 |
| | MIL-F-50809(3) | FIBER, ACRYLIC, FIBRILLATABLE [CUST: AR] | A 1320 | AR | | 23-AUG-94 |
| | MIL-F-50828F(4) | FUZE, MULTI-OPTION: M734 (LESS BOOSTER AND LEAD) [CUST: AR] | D 1390 | AR | | 01-FEB-96 |
| | MIL-W-50848D | WARHEAD, GUIDED MISSILE, HE, M250 LOADING, ASSEMBLY AND PACKING [CUST: AR] | A 1336 | AR | | 22-JUN-89 |
| | MIL-W-50849D(5) | WARHEAD, GUIDED MISSILE, HE, M250 INERT PARTS FOR [CUST: AR] | A 1336 | AR | | 28-OCT-92 |
| | MIL-C-50850B | CHARGE, DEMOLITION, M118 PARTS FOR, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 05-JAN-84 |
| | MIL-P-50854 NOT 1 | PLASTIC BONDED HMX (95/5) POWDER (FOR USE IN AMMUNITION) [CUST: AR] | A 1376 | AR | | 08-APR-86 |
| | MIL-P-50855 NOT 3 | POLYVINYL ACETATE AQUEOUS EMULSION (PAAE) (FOR USE IN AMMUNITION) [CUST: AR] | A 1376 | AR | | 27-NOV-96 |
| | MIL-B-50856A(3) | BOXES, SET-UP, PACKING, AMMUNITION, INNER AND OUTER FOR SMALL EXPLOSIVE COMPONENTS [CUST: AR] | A 8140 | AR | | 19-APR-90 |
| | MIL-F-50864B(3) | FUZE, PIBD, M549; LESS SPITBACK METAL PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 31-JUL-93 |
| | MIL-F-50869E(5) | FUZE PIBD, M550, LESS SPITBACK ASSEMBLY, METAL PARTS FOR AND LOADING, ASSEMBLING AND PACKAGING [CUST: AR] | A 1390 | AR | | 31-AUG-93 |
| | MIL-P-50884C(4) | PRINTED-WIRING, FLEXIBLE AND RIGID-FLEX [CUST: CR EC 85] [REVIEW: 11 16 19 99 AR AS CG MC MI OS SH] | A 5998 | CC | | 09-APR-93 |
| | MIL-P-50900 NOT 1 | PELLET, PLASTIC BONDED HMX (95/5) FOR USE IN AMMUNITION [CUST: AR] | A 1376 | AR | | 08-APR-86 |
| | MIL-A-50926A NOT 1 | ADHESIVE MR-23 (FOR USE IN AMMUNITION) [CUST: AR] | A 1376 | AR | | 27-APR-87 |
| | MIL-W-50928C(1) | WARHEAD, FOR DEMOLITION KIT, M180 PARTS AND LOADING ASSEMBLY [CUST: AR] | A 1375 | AR | | 10-JUN-88 |
| | MIL-G-50937 | GRENADE, HAND, FRAGMENTATION, DELAY, M67 AND M33 CONTAINER ASSEMBLY FOR [CUST: AR] | A 1330 | AR | | 16-JUN-71 |
| | MIL-P-50944B(3) | PROJECTILE, 155MM, HE: M483A1 NON-METALLIC HARDWARE FOR [CUST: AR] | A 1320 | AR | | 09-DEC-92 |
| | MIL-F-50945D(7) | FUZE, PD, M567/XM935 (M935)/M936 LESS BOOSTER [CUST: AR] | A 1390 | AR | | 31-AUG-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------------|--|--------------------------|-----|-------------|-----------|
| | MIL-P-50977(1) | PELLETS (PBX) FOR USE IN AMMUNITION [CUST: AR] | A 1376 | AR | | 19-JAN-93 |
| | MIL-P-50979B NOT 1 | PROJECTILE, 155MM, HE, M483A1 ADAPTER FOR [CUST: AR] | A 1320 | AR | | 18-APR-88 |
| | MIL-F-50988B(2) | FUZE, PD, M567, LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1390 | AR | | 29-AUG-95 |
| | MIL-W-50991(1) | WARHEAD, 2.75 INCH ROCKET, HE, M229 WITH OR WITHOUT FUZE, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1340 | AR | | 04-MAY-94 |
| | MIL-F-50994(1) | FUZE, ROCKET, M423, MODIFIED (BUNKER) LESS BOOSTER AND LEAD [CUST: AR] | A 1340 | AR | | 07-FEB-73 |
| | MIL-F-50997A | FILLER ASSEMBLY ALTERNATIVE (FOR USE IN AMMUNITION CONTAINERS) [CUST: AR] [REVIEW: EA] | A 8140 | AR | | 08-JUN-73 |
| | MIL-S-51028B | SAMPLING AND GAGING KIT, PETROLEUM, PORTABLE [CUST: MC] | A 6630 | MC | | 01-OCT-80 |
| | MIL-C-51047B | COMPOUND, ANTISEEPAGE, FOR COOLING SYSTEM, INTERNAL COMBUSTION ENGINE (METRIC) [CUST: AT 68] [REVIEW: AL EA GS SM] | A 6850 | AT | | 15-JUL-87 |
| A | MIL-L-0051050C | LABORATORY, PETROLEUM, SEMITRAILER MOUNTED [CUST: AT] | A 6640 | AT | | 20-JAN-87 |
| A | MIL-L-0051050C(11) | LABORATORY, PETROLEUM, SEMITRAILER MOUNTED [CUST: AT] | A 6640 | AT | | 23-MAY-90 |
| | MIL-C-51077(3) | CALCIUM SILICATE, TECHNICAL [CUST: AR] [REVIEW: EA GS] | A 6810 | AR | | 21-JUN-90 |
| | MIL-M-51103B NOT 1 | MAGNESIUM OXIDE, TECHNICAL [CUST: EA OS] [REVIEW: AS MD MI] | A 6810 | GS | | 04-APR-89 |
| | MIL-S-51132A(1) NOT 3 | SODIUM CARBOXYMETHYL CELLULOSE (NACMC) (FOR AMMUNITION USE) [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 02-DEC-96 |
| | MIL-B-51176F | BOOTS, TOXICOLOGICAL AGENTS PROTECTIVE, M2A1 [CUST: GL NU CT] [REVIEW: AL EA MD] | A 8430 | CT | | 05-OCT-88 |
| | MIL-C-51251A(1) | CLOTH, COATED; CBR PROTECTIVE [CUST: EA] [REVIEW: CT] | A 8305 | EA | | 08-FEB-89 |
| | MIL-C-51278D(1) | CAP, WATER CANTEEN, FIELD, 1 QUART AND 2 QUART CANTEENS [CUST: GL NU 99 CT] [REVIEW: 45 82 EA MC MD] | A 8465 | CT | | 21-MAY-91 |
| A | MIL-N-51301 | NICKEL CHLORIDE, HEXAHYDRATE, ANALYZED REAGENT [CUST: EA 68 GS] [REVIEW: MD] | A 6810 | GS | | 12-MAR-69 |
| | MIL-F-51364(1) | FIN, ASSEMBLY, BOMB, 750 LB CLUSTER, M14E3 [CUST: AR] | A 1325 | AS | | 13-JUL-73 |
| | MIL-I-51484(1) | INSECTICIDE, D-PHENOTHRIN (AEROSOL) [CUST: EA] [REVIEW: MD] | A 6840 | GS | | 11-FEB-85 |
| | DOD-N-51512 | NICKEL SALTS, ELECTROPLATING (METRIC) [CUST: EA] | A 6810 | GS | | 24-OCT-85 |
| | MIL-R-52000C NOT 3 | REELS, CABLE, FOR AIRFIELD AND HELIPORT LIGHTING SETS [CUST: CR4] [REVIEW: GS] | A 6210 | CR4 | | 13-JAN-97 |
| | MIL-R-52002A NOT 3 | RACK ASSEMBLY, CONE, AIRPORT MARKER LIGHT [CUST: CR4] [REVIEW: AV] | A 6210 | CR4 | | 13-JAN-97 |
| | MIL-M-52005C NOT 3 | MAST SET, AIRPORT MARKER LIGHT [CUST: CR4] [REVIEW: GS] | A 6210 | CR4 | | 13-JAN-97 |
| | MIL-C-52009C NOT 1 | CONTROL PANEL ASSEMBLY FOR PORTABLE HELIPORT ELECTRIC LIGHTING. [CUST: CR4] | A 6110 | GS | | 28-APR-75 |
| | MIL-T-52035C | THEODOLITES, SURVEYING, DIRECTION, FIRST-ORDER, WITH ACCESSORIES, TRIPOD, AND CASES [CUST: CE] [REVIEW: GS] | A 6675 | CE | | 25-APR-91 |
| | MIL-L-52056D(1) | LIGHT, SIGNAL, SURVEYING, SELF ILLUMINATED, WITH CARRYING CASE, FOR USE WITH RANGE POLE [CUST: CE] [REVIEW: MC] | A 6675 | GS | | 29-APR-86 |
| | MIL-T-52062D | TRAP, MOSQUITO LIGHT [CUST: MD YD1 99 CC] [REVIEW: 84 MC MD MS] | A 3740 | CC | | 14-AUG-87 |
| | MIL-R-0052105E | RAMP, RAFT | A 5420 | AT | | 20-OCT-94 |
| | MIL-P-52109F | PUMP ASSEMBLY, CENTRIFUGAL, 2-INCH, DIESEL-ENGINE-DRIVEN (FOR WATER) [CUST: AT] [REVIEW: CC YD1] | A 4320 | AT | | 09-DEC-92 |
| | MIL-H-52112B(1) | HEATING TORCHES, EQUIPMENT WINTERIZATION, INSTANT LIGHTING. [CUST: CR4] [REVIEW: CC] | A 4940 | CR4 | | 28-OCT-86 |
| | MIL-P-52144E(3) | PUMPING ASSEMBLY, LIQUID BULK TRANSFER, DIESEL-ENGINE-DRIVEN, 350 GPM CAPACITY, 275 TOTAL HEAD, WHEEL MOUNTED [CUST: AT] [REVIEW: CC] | A 4320 | AT | | 31-OCT-94 |
| | MIL-C-52155C | CHARGES, FIRE EXTINGUISHER, ANTIFREEZE, CALCIUM LITHIUM CHLORIDE BASE & LITHIUM CHLORIDE BASE [CUST: AV YD1 99] [REVIEW: MC] | A 4210 | CC | | 20-AUG-80 |
| | MIL-W-52161D | WELDING SET, ARC, INERT GAS, SHIELDED: CONSUMABLE WIRE ELECTRODE [CUST: AL] | A 3431 | AL | | 23-JUN-89 |
| D | MIL-L-52190C | LIGHT, MARKER, GROUND OBSTRUCTION, EMERGENCY, ROADWAY AND AIRFIELD [CUST: CR4 IS] [REVIEW: AV] | A 6230 | IS | | 17-MAR-83 |
| | MIL-A-52194A NOT 3 | ADHESIVE, EPOXY (FOR BONDING GLASS REINFORCED POLYESTER) [CUST: AR] | A 8040 | AR | | 07-MAR-97 |
| | MIL-I-52211B | INDUSTRIAL GAS PRODUCTION EQUIPMENT, ACCESSORIES, AND SUPPORT ITEMS; PACKAGING OF [CUST: CR4 SH DH] [REVIEW: CC GS SM] | A PACK | SH | | 09-MAY-94 |
| | MIL-E-52215C | EXTINGUISHER, FIRE, CARBON DIOXIDE, 5 POUND AND 10 POUND CAPACITY, FIXED TYPE (NONSHATTERABLE CYLINDERS) [CUST: AT 99] [REVIEW: 84 CR4 MD] | A 4210 | CC | | 11-MAY-84 |
| D | MIL-L-52240C | LANTERNS, ELECTRIC: LIGHT SOURCE, HEAD-MOUNTED, LOW-LEVEL, VISIBLE [CUST: GL 99 IS] [REVIEW: 82 GS] | A 6230 | IS | | 17-MAR-94 |
| | MIL-R-52255D | REPAIR KIT AND REPAIR KIT COMPONENTS, FOR COLLAPSIBLE FABRIC TANKS, DRUMS, AND BOATS [CUST: AT YD1 99] [REVIEW: 82 CC GS MC] | A 5430 | AT | | 20-DEC-88 |
| | MIL-H-52262E | HOSE ASSEMBLY, ELASTOMERIC: LIGHTWEIGHT, COLLAPSIBLE, 4-INCH [CUST: AT] [REVIEW: CC] | A 4720 | AT | | 30-SEP-91 |
| | MIL-C-52286C(1) NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL (WITH MOLDED ON TERMINATIONS) [CUST: CR4] | A 6150 | GS | | 17-NOV-92 |
| | MIL-C-52286/1B NOT 1 | CABLE ASSEMBLY, POWER ELECTRICAL, 2 CONDUCTOR, 100 FEET LONG, OVAL TERMINATIONS WITH 2 POLE CONNECTOR PLUG [CUST: CR4] [REVIEW: AT] | A 6150 | GS | | 04-NOV-92 |
| | MIL-C-52286/2B NOT 1 | CABLE ASSEMBLY, POWER ELECTRICAL, 2 CONDUCTOR, 20 FEET LONG OVAL TERMINATIONS, WITH THREE - TWO POLE CONNECTORS [CUST: CR4] [REVIEW: AT] | A 6150 | GS | | 04-NOV-92 |
| | MIL-C-52286/3B NOT 1 | CABLE ASSEMBLY, POWER ELECTRICAL, LIGHT EXTENSION [CUST: CR4] [REVIEW: AT] | A 6150 | GS | | 04-NOV-92 |
| | MIL-C-52286/7A NOT 1 | CABLE ASSEMBLY, POWER ELECTRICAL [CUST: CR4] | A 6150 | GS | | 17-NOV-92 |
| | MIL-C-52286/21 NOT 1 | CABLE ASSEMBLY, POWER, ELECTRICAL, ADAPTER [CUST: CR4] | A 6150 | GS | | 17-NOV-92 |
| | MIL-C-52286/22 NOT 1 | CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [CUST: CR4] | A 6150 | GS | | 17-NOV-92 |
| D | MIL-M-52288A NOT 1 | MAST MOUNTING, FLOODLIGHT [CUST: CR4 IS] | A 6230 | IS | | 03-NOV-92 |
| | MIL-P-52327C | PUMPS, CENTRIFUGAL, ELECTRIC-MOTOR-DRIVEN, POSITIVE PRIME, PETROLEUM PRODUCTS, AIRFIELD DEFUELING AND RECEIVING [CUST: AT YD1] [REVIEW: AV CC CE CR] | A 4320 | AT | | 14-SEP-90 |
| | MIL-S-52330E | SHOP EQUIPMENT, ELECTRICAL REPAIR, SEMITRAILER MOUNTED [CUST: AL] | A 4940 | AL | | 17-NOV-93 |
| | MIL-S-52333B | SLEEVE, FILTER ELEMENT, WATER PURIFICATION UNITS [CUST: AT YD1 99] [REVIEW: 84 CC CG MC MD MS] | A 4610 | AT | | 04-JAN-84 |
| | MIL-M-52372B(1) | MEASURES, DRY CHEMICAL, WATER PURIFICATION [CUST: AT 99] [REVIEW: CC MC YD1] | A 4610 | AT | | 09-JUN-87 |
| | MIL-S-52377D | SHOP EQUIPMENT, ELECTRONIC REPAIR, SEMITRAILER MOUNTED [CUST: AL] [REVIEW: CC] | A 4940 | AL | | 22-JUN-90 |
| | MIL-P-52405C | PUMPS, CENTRIFUGAL, ELECTRIC-MOTOR-DRIVEN (FOR WATER) [CUST: AT] [REVIEW: CC GL MD YD1] | A 4320 | AT | | 22-OCT-90 |
| | MIL-F-52429F | FILTER SEPARATOR, LIQUID FUEL: SKID MOUNTED, 15 GPM (57 LITERS/MIN) CAPACITY [CUST: AT AS 99] [REVIEW: 84 AV CC YD1] | A 4330 | AT | | 31-OCT-94 |
| | MIL-L-52430C | LIGHTS, SIGNAL, SURVEYING: 2-INCH AND 5-INCH REFLECTORS, BATTERY-POWERED, WITH CASES [CUST: CE 99] [REVIEW: 82 MC] | A 6675 | GS | | 02-DEC-91 |
| | MIL-S-52432A | SLING, MULTIPLE LEG (CHAIN) [CUST: AT YD1 99] [REVIEW: IS MT] | A 3940 | GS | | 26-JUL-85 |
| A | MIL-C-52437C(11) SUP 1 | CHASSIS, TRAILER, SINGLE- AND MULTI-AXLE GENERAL SPECIFICATION FOR [CUST: AT 99] [REVIEW: 84] | A 2330 | AT | | 24-NOV-87 |
| M | MIL-DTL-52471E SUP 1 | HOSE AND HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE TYPE, GENERAL SPECIFICATION FOR [CUST: AT SH 99 CC] [REVIEW: 82 AR GL] | A 4720 | CC | | 27-APR-98 |
| M | MIL-DTL-52471/1B | HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R1 [CUST: AT SH 99 CC] [REVIEW: AR GL] | A 4720 | CC | | 27-APR-98 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|---------------------|--|-----------------------|-----|-------------|------|
| M MIL-DTL-52471/2B | HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R2 [CUST: CR4 SH 99 CC] [REVIEW: AR GL] | A 4720 | CC | 27-APR-98 | |
| M MIL-DTL-52471/3B | HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R10 [CUST: AT SH 99 CC] [REVIEW: AR GL] | A 4720 | CC | 27-APR-98 | |
| M MIL-DTL-52471/4B | HOSE, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R1 SINGLE-WIRE-BRAID REINFORCEMENT HOSE [CUST: AT SH 99 CC] [REVIEW: AR GL] | A 4720 | CC | 27-APR-98 | |
| M MIL-DTL-52471/5B | HOSE, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R2 DOUBLE-WIRE-BRAID REINFORCEMENT HOSE [CUST: AT SH 99 CC] [REVIEW: AR GL] | A 4720 | CC | 27-APR-98 | |
| M MIL-DTL-52471/7A | HOSE, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100RE FOUR-SPIRAL-WRAP REINFORCEMENT HOSE [CUST: AT 99 CC] [REVIEW: 82 AR GL] | A 4720 | CC | 27-APR-98 | |
| MIL-H-52471/8 | HOSE ASSEMBLIES, RUBBER: HYDRAULIC PRESSURE TYPE: TYPE 100RE [CUST: AT 99] [REVIEW: 82 AR GL] | A 4720 | CC | 30-SEP-87 | |
| M MIL-DTL-52471/9A | HOSE, RUBBER: HYDRAULIC PRESSURE-TYPE; TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE [CUST: CR4 SH 99 CC] [REVIEW: 82 AR GL] | A 4720 | CC | 27-APR-98 | |
| M MIL-DTL-52471/10A | HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE-TYPE, TYPE 100R12 [CUST: AT 99 CC] [REVIEW: 82 AR GL] | A 4720 | CC | 27-APR-98 | |
| MIL-W-52492D | WATER PURIFICATION UNIT, ELECTRIC MOTOR DRIVEN, ERDLATOR TYPE CLARIFIER, DIATOMITE TYPE FILTER, BASE MOUNTED, 3,000 GPH [CUST: AT YD1 99] [REVIEW: CR MD] | A 4610 | AT | 01-MAY-80 | |
| MIL-R-0052499D | ROLLERS, TOWED, SMOOTH DRUM, VIBRATORY, AIRBORNE/AIRMOBILE, SINGLE-DRUM [REVIEW: MT] | A 3895 | AT | 31-MAR-86 | |
| MIL-S-52506D | SEALS, SHAFT, MECHANICAL, LOW-PRESSURE TYPE, SELF-LUBRICATING: FOR GENERAL-PURPOSE CENTRIFUGAL PUMPS [CUST: AT] [REVIEW: CC] | A 4320 | AT | 30-JUL-92 | |
| MIL-F-52525D SUP 1B | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, GENERAL SPECIFICATION FOR [CUST: AT] [REVIEW: 99 GL] | A 4730 | CC | 14-APR-82 | |
| MIL-F-52525/1A | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP-HALVES FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEGREE FLARE FEMALE SWIVEL, STRAIGHT, TYPE 100R2 FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE [CUST: AT] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/2A | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 45 DEG. BENT TUBE, TYPE B, USE WITH TYPE 100R2 FOR DOUBLE WIRE BRAID HOSE [CUST: AT] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/3A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, SHORT DROP, TYPE B, FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE [CUST: AT] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/4A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, LONG DROP, TYPE B, FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE [CUST: AT] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/5A | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, TYPE A, FOR USE WITH TYPE 100R1 SINGLE WIRE BRAID HOSE [CUST: AT] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/6A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 45 DEG. BENT TUBE, TYPE A, FOR USE WITH TYPE 100R1 SINGLE WIRE BRAID HOSE [CUST: AT] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/7A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, SHORT DROP, TYPE A, FOR USE WITH TYPE 100R1 SINGLE WIRE BRAID HOSE [CUST: AT] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/8A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, LONG DROP, TYPE A, FOR USE WITH TYPE 100R1 SINGLE WIRE BRAID HOSE [CUST: AT] [REVIEW: 99 AR GL GS] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/9A | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, TYPE 100R10, FOR USE WITH TYPE 100R10 4-SPIRAL WRAP HOSE [CUST: CC] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/10A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, STRAIGHT, TYPE B, FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE [CUST: AT] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/11A | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, 45 DEG. BENT TUBE, TYPE B, FOR USE WITH TYPE 100R2 WIRE BRAID HOSE [CUST: AT] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/12A | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, 90 DEG. BENT TUBE, TYPE B, FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE [CUST: AT] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/13A | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, STRAIGHT, TYPE C, FOR USE WITH TYPE 100R10 4 SPIRAL WRAP HOSE [CUST: AT] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/14A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, 45 DEG. BENT TUBE, TYPE C, FOR USE WITH TYPE 100R10 4 SPIRAL WRAP HOSE [CUST: AT] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/15A | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSEABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, 90 DEG. BENT TUBE, TYPE C, FOR USE WITH TYPE 100R10 4 SPIRAL WRAP HOSE [CUST: AT] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/16B | FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, CLAMP HALVES FOR 4 BOLT SPLIT FLANGE FITTING [CUST: AT CC] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/17A | FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FLANGE TO PORT CONNECTIONS FOR 4 BOLT SPLIT FLANGE TYPE FITTINGS [CUST: AT] [REVIEW: 99 AR GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/23A | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES FIELD ATTACHABLE (REUSEABLE), CLAMP-ON TO 4-BOLT SPLIT-FLANGE, STRAIGHT, TYPE C, ADAPTER, FOR USE WITH TYPE 100R10 4-SPIRAL WRAP HOSE [CUST: AT] [REVIEW: 99] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/24A | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES FIELD ATTACHABLE (REUSEABLE), CLAMP-ON TO 4-BOLT SPLIT-FLANGE, 45 DEG. BENT TUBE, TYPE C, ELBOW, FOR USE WITH TYPE 100R10 4-SPIRAL WRAP HOSE [CUST: AT] [REVIEW: 99] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/25A | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES FIELD ATTACHABLE (REUSEABLE), CLAMP-ON TO 4-BOLT SPLIT-FLANGE, 90 DEG. BENT TUBE, SHORT DROP, TYPE C, ELBOW, FOR USE WITH TYPE 100R10 4-SPIRAL WRAP HOSE [CUST: AT] [REVIEW: 99] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/31 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, FOR USE WITH TYPE 100RE FOUR-SPIRAL-WRAP REINFORCEMENT HOSE [CUST: AT] [REVIEW: 99 GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/34 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLFLANGE, STRAIGHT, FOR WITH TYPE 100RE FOUR-RAL-WRAP REINFORCEMENTSE [CUST: AT] [REVIEW: 99 GL SH] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/35 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLFLANGE, 45 DEG. BENT T, FOR USE WITH TYPE 10E FOUR-SPIRAL-WRAP REIRCEMENT HOSE [CUST: AT] [REVIEW: 99 GL] | A 4730 | CC | 30-JUN-87 | |
| MIL-F-52525/36 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLFLANGE, 90 DEG. BENT T, FOR USE WITH 100RE R-SPIRAL-WRAP REINFORCNT HOSE [CUST: AT] [REVIEW: 99 GL] | A 4730 | CC | 30-JUN-87 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|----------------------|--|--------------------------|-----|-------------|-----------|
| MIL-F-52525/37 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRIGHT, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE [CUST: AT] [REVIEW: 99 GL SH] | A 4730 | CC | | 30-JUN-87 |
| MIL-F-52525/38 | FITTINGS, WIRE REINFORCED HUDRALIC HOSE & C LAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 45 DEG. BENT TUBE, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE [CUST: AT] [REVIEW: 99 GL SH] | A 4730 | CC | | 30-JUN-87 |
| MIL-F-52525/39 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE [CUST: AT] | A 4730 | CC | | 30-JUN-87 |
| MIL-F-52525/40 | FITTINGS, WITE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLIT-FLANGE, STRAIGHT, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE [CUST: AT] [REVIEW: 99 GL SH] | A 4730 | CC | | 30-JUN-87 |
| MIL-F-52525/42 | FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLIT-FLANGE, 90 DEG. BENT TUBE, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE [CUST: AT] [REVIEW: 99 GL SH] | A 4730 | CC | | 30-JUN-87 |
| D MIL-L-52543D(1) | LIGHT, MARKER, GROUND-OBSTRUCTION [CUST: CR4 AS IS] [REVIEW: AV YD1] | A 6230 | IS | | 30-OCT-90 |
| MIL-F-52556H | FILTER-SEPARATOR, LIQUID FUEL: FRAME MOUNTED, 100 GPM (379 LITERS/MIN) CAPACITY [CUST: AT AS 99] [REVIEW: 84 AV CC YD1] | A 4330 | AT | | 07-OCT-94 |
| MIL-C-52570 | CUTTING EDGE, SCRAPER [CUST: AT 99] [REVIEW: CE MC YD1] | A 3805 | CC | | 14-APR-67 |
| MIL-F-52618D SUP 1 | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND: GENERAL SPECIFICATION FOR [CUST: AT] [REVIEW: CE] | A 4730 | CC | | 29-JUN-90 |
| MIL-F-52618/1C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND 90-DEGREE ELBOWS, TEES, CROSSES, 45-DEGREE ELBOWS AND COUPLINGS (STRAIGHT SIZES) [CUST: AT] [REVIEW: CE] | A 4730 | CC | | 29-JUN-90 |
| MIL-F-52618/2C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND REDUCERS AND CLOSE AND OPEN PATTERN RETURN BENDS [CUST: AT] [REVIEW: CE] | A 4730 | CC | | 29-JUN-90 |
| MIL-F-52618/3C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND 90-DEGREE ELBOW (REDUCING SIZES) [CUST: AT] [REVIEW: CE] | A 4730 | CC | | 29-JUN-90 |
| MIL-F-52618/4C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND TEES (REDUCING SIZES) [CUST: AT] [REVIEW: CE] | A 4730 | CC | | 29-JUN-90 |
| MIL-F-52618/5C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND 90-DEGREE AND 45-DEGREE STREET ELBOWS [CUST: AT] [REVIEW: CE] | A 4730 | CC | | 29-JUN-90 |
| MIL-F-52618/6C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND CAPS [CUST: AT] [REVIEW: CE] | A 4730 | CC | | 29-JUN-90 |
| MIL-F-52618/7C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND SQUARE HEAD AND SQUARE SOCKET PLUGS [CUST: AT] [REVIEW: CE] | A 4730 | CC | | 29-JUN-90 |
| MIL-F-52618/8C | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND OUTSIDE HEAD, INSIDE HEAD, AND FACE BUSHINGS [CUST: AT] [REVIEW: CE] | A 4730 | CC | | 29-JUN-90 |
| MIL-F-52618/9A | FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND CROSSES (REDUCING SIZES) [CUST: AT] [REVIEW: CE] | A 4730 | CC | | 29-JUN-90 |
| MIL-F-52637A(1) | FILTER AIDS, WATER PURIFICATION [CUST: AT] [REVIEW: GS MD] | A 9390 | AT | | 28-MAR-94 |
| MIL-H-52641A | HEATER, ELECTRIC, 1,500 WATTS, 115 VOLTS, AC, WITH FAN [REVIEW: CE] | A 4520 | CC | | 18-APR-79 |
| MIL-F-52666E | FILTER SEPARATOR, LIQUID FUEL, FRAME MOUNTED, 350 GPM CAPACITY [CUST: AT AS 84] [REVIEW: 11 AV MC SH] | A 4330 | AT | | 28-JUL-86 |
| MIL-F-52667F | FILTER-SEPARATORS, LIQUID FUEL: 50 GPM (189 LITERS/MIN) CAPACITY [CUST: AT YD1] [REVIEW: AV CC MC MD] | A 4330 | AT | | 18-OCT-94 |
| MIL-C-52705B | COUPLINGS: HOSE, STEAM [CUST: AT YD1 99] [REVIEW: 82 CC GL] | A 4730 | AT | | 28-NOV-94 |
| MIL-P-52746C | PUMP ASSEMBLY, FLAMMABLE LIQUID, CENTRIFUGAL, SELF-PRIMING, 2-INCH, 100-GPM AT 100 FEET TOTAL DYNAMIC HEAD [CUST: AT] | A 4320 | AT | | 20-JUN-94 |
| MIL-T-52803A | TABLE, BINDERY, PAPER [CUST: CE] | A 3610 | GS | | 21-JUL-80 |
| MIL-T-52809A | TRUCK, HAND, LIFT, PALLET, MANUAL HYDRAULIC [CUST: AT] | A 3920 | GS | | 19-DEC-86 |
| MIL-V-52830B | VIEWING STAND, ILLUMINATED, NEGATIVE FILM [CUST: CE] | A 6760 | GS | | 22-SEP-92 |
| A MIL-T-52831E(11) | TAMPER, RAM TYPE, GENERAL BACKFILL, GASOLINE ENGINE POWERED, HAND OPERATED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [CUST: AT] | A 3895 | AT | | 15-AUG-88 |
| MIL-F-52847 | FILTER ELEMENT, FLUID PRESSURE, COALESCER, OILY WASTEWATER, EXPENDABLE, AND PREFILTER ELEMENTS, OILY WASTEWATER, EXPENDABLE [CUST: AT SH 99] | A 4330 | AT | | 24-FEB-75 |
| MIL-T-52849C | TEST KIT, PETROLEUM: AVIATION FUEL CONTAMINATION (PORTABLE) [CUST: AT] | A 6630 | AT | | 27-OCT-93 |
| MIL-S-52851 | SEPARATOR SYSTEM, OIL WATER, COALESCER TYPE, 5 GPM CAPACITY [CUST: AT] | A 4330 | AT | | 31-MAR-75 |
| MIL-S-52867B(11) | SWITCH, BALANCED MAGNETIC, SA-1955/FSS-9(V) [CUST: CR4] | A 6350 | CR4 | | 20-MAR-84 |
| MIL-W-52875B(1) | WATER QUALITY ANALYSIS SET: PREVENTIVE MEDICINE [CUST: AT] | A 6630 | AT | | 13-FEB-86 |
| MIL-S-52881B | SERVICING UNIT, COMPRESSED GAS, MOBILE [CUST: AT] [REVIEW: GS SH] | A 3655 | AT | | 11-MAY-89 |
| A MIL-S-52881B(11) | SERVICING UNIT, COMPRESSED GAS, MOBILE [CUST: AT] | A 3655 | AT | | 30-SEP-94 |
| MIL-G-52884/12 NOT 2 | GENERATOR SET, DIESEL ENGINE DRIVEN, 100 KILOWATT, 400 HERTZ, PRECISE, (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: 80 GS] | A 6115 | CR4 | | 24-DEC-96 |
| MIL-E-52891B | ENAMEL, LUSTERLESS, ZINC PHOSPHATE, STYRENATED ALKYD TYPE [CUST: MR] | A 8010 | MR | | 28-JAN-88 |
| MIL-P-52905A | PAINT CAMOUFLAGE, REMOVABLE [CUST: MR AS] | A 8010 | MR | | 31-JAN-94 |
| MIL-L-52918(1) | LEVELS, SURVEYING, SELF LEVELING & TILTING [CUST: CE YD1 99] | A 6675 | GS | | 05-JAN-81 |
| D MIL-T-52932D SUP 1 | TRUCKS, LIFT, FORK, INTERNAL COMBUSTION ENGINE, 2000-4000-6000 POUND CAPACITY, GENERAL SPECIFICATION FOR [CUST: AT SA 99 IS] [REVIEW: 84 MC MT OS SH SM] | A 3930 | IS | | 26-APR-91 |
| D MIL-T-52932/1B | TRUCK, LIFT, FORK, SOLID TIRES 4000 POUND CAPACITY, 144 INCH LIFT [CUST: AT SA 99 IS] [REVIEW: MC MT SH SM] | A 3930 | IS | | 01-NOV-83 |
| D MIL-T-52932/2B | TRUCK, LIFT, FORK, SOLID TIRES, 4000 POUND CAPACITY, 180 INCH LIFT [CUST: AT SA 99 IS] [REVIEW: MC MT SH SM] | A 3930 | IS | | 01-NOV-83 |
| D MIL-T-52932/3B | TRUCK, LIFT, FORK, PNEUMATIC TIRES, 4000 POUND CAPACITY, 144 INCH LIFT [CUST: AT SH 99 IS] | A 3930 | IS | | 01-NOV-83 |
| D MIL-T-52932/4B | TRUCK, LIFT, FORK, SOLID TIRES, 6000 POUND CAPACITY, 180 INCH LIFT [CUST: AT SA 99 IS] [REVIEW: MC MT SH SM] | A 3930 | IS | | 01-NOV-83 |
| D MIL-T-52932/5B | TRUCK, LIFT, FORK, PNEUMATIC TIRES, 6000 POUND CAPACITY, 180 INCH LIFT [CUST: AT SA 99 IS] [REVIEW: MC MT SH SM] | A 3930 | IS | | 01-NOV-83 |
| D MIL-T-52932/6 | TRUCK, LIFT, FORK, SOLID TIRES, 2,000 POUND CAPACITY, 127 INCH LIFT [CUST: AT SA 99 IS] [REVIEW: 84 MC MT SH SM] | A 3930 | IS | | 08-MAY-85 |
| MIL-R-52934B | ROLLER, VIBRATORY, SELF-PROPELLED [CUST: AT] [REVIEW: MT] | A 3895 | AT | | 11-FEB-91 |
| MIL-A-52940C | AEROSOL GENERATOR, NON THERMAL, INSECTICIDE, ULTRA LOW VOLUME [CUST: MD YD1 99 CC] [REVIEW: 84 CE CG MC MS] | A 3740 | CC | | 01-NOV-87 |
| MIL-C-52947B | COAGULANT, WATER TREATMENT: POLYELECTROLYTE, CATIONIC, LIQUID [CUST: AT] [REVIEW: GS] | A 6810 | AT | | 11-AUG-86 |
| MIL-C-52950A(2) | CRATES, WOOD, OPEN AND COVERED [CUST: CR4 YD1 69] [REVIEW: AR AT CR EA GL MC SA SM] | A 8115 | YD1 | | 27-NOV-91 |
| MIL-W-52960A | WATER PURIFICATION UNIT, REVERSE OSMOSIS, 600 GPH [CUST: AT 99] [REVIEW: MD YD1] | A 4610 | AT | | 12-DEC-84 |
| MIL-W-0052960B | WATER PURIFICATION UNIT, REVERSE OSMOSIS, 600 GPH [REVIEW: MD TE] | A 4610 | AT | | 24-JUN-94 |
| A MIL-W-52960A(12) | WATER PURIFICATION UNIT, REVERSE OSMOSIS, 60 GPH [CUST: AT] | A 4610 | AT | | 18-SEP-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-C-0052980C | COMPRESSORS, RECIPROCATING AND ROTARY, AIR DIESEL-ENGINE-DRIVEN, OR GASOLINE-ENGINE-DRIVEN | A 4310 | AT | | 11-AUG-94 |
| | MIL-T-52983G | TANKS, FABRIC, COLLAPSIBLE: 3,000, 10,000, 20,000, AND 50,000 GALLON, FUEL[CUST: AT YD1 99] [REVIEW: 82 CC MC] | A 5430 | AT | | 11-MAY-94 |
| | MIL-I-52997(2) | INSTALLATION FIXTURE KIT, ROLLER, MINE CLEARING: TRACK-WIDTH, TANK-MOUNTED [CUST: AT] [REVIEW: 99] | A 1095 | AT | | 03-JUN-85 |
| | MIL-R-53002(2) | RETROFIT KIT, ROLLER, MINE CLEARING, TRACK WIDTH, TANK MOUNTED [CUST: AT] | A 1095 | AT | | 04-JUN-85 |
| | MIL-M-53008(2) | MOUNTING KIT ROLLER, MINE CLEARING, TRACK WIDTH, TANK MOUNTED [CUST: AT] | A 1095 | AT | | 17-OCT-85 |
| A | MIL-A-53009A(1) | ADDITIVE, ANTIFREEZE EXTENDER, LIQUID COOLING SYSTEMS [CUST: AT SH 68] [REVIEW: GS SM] | A 6850 | SH | | 25-FEB-93 |
| | MIL-R-53013A | REPAIR KIT, 6-INCH HOSE-LINE [CUST: AT] [REVIEW: CC] | A 4610 | AT | | 28-MAY-92 |
| | MIL-S-53021A | STABILIZER ADDITIVE, DIESEL FUEL [CUST: AT YD1 68] [REVIEW: AS AV GL GS MC PS SH SM] | A 6850 | AT | | 15-AUG-88 |
| | MIL-P-53022B | PRIMER, EPOXY COATING, CORROSION INHIBITING, LEAD & CHROMATE FREE [CUST: MR AS] [REVIEW: AR CR DS EC OS] | A 8010 | MR | | 01-JUN-88 |
| | MIL-T-53029C | TANKS, FABRIC, COLLAPSIBLE: 3,000, 10,000, 20,000, AND 50,000 GALLON, DRINKING WATER [CUST: AT YD1 99] [REVIEW: 82 CC MC] | A 5430 | AT | | 11-MAY-94 |
| | MIL-P-53030A(2) | PRIMER COATING, EPOXY, WATER REDUCIBLE, LEAD AND CHROMATE FREE [CUST: MR AS] [REVIEW: AT DS] | A 8010 | MR | | 20-AUG-92 |
| A | MIL-C-53039A(2) | COATING, ALIPHATIC POLYURETHANE, SINGLE COMPONENT, CHEMICAL AGENT RESISTANT[CUST: AV] [REVIEW: AR AT CR EA MD] | A 8010 | MR | | 19-MAY-93 |
| | MIL-F-53043(2) | FORWARD AREA WATER POINT SUPPLY SYSTEM [CUST: AT] | A 4320 | AT | | 25-AUG-94 |
| | MIL-S-0053046A | SURVEYING EQUIPMENT, ELECTRONIC DISTANCE MEASURING, MEDIUM-RANGE, (SEDME-MR) [CUST: AV] [REVIEW: GS] | A 6675 | AV | | 22-APR-94 |
| | MIL-W-53047A | WATER CHILLER, SMALL, MOBILE DIESEL ENGINE DRIVEN (DED) [CUST: AT] | A 4130 | AT | | 10-MAR-95 |
| | MIL-T-53048C | TANK, FABRIC, COLLAPSIBLE; AIR COLUMN SUPPORTED, OPEN TOP, WATER STORAGE 3000 GALLONS [CUST: AT YD1] | A 5430 | AT | | 29-OCT-91 |
| | MIL-P-53051A | PUMPING ASSEMBLY, WHEEL-MOUNTED, DIESEL-ENGINE-DRIVEN, SELF-PRIMING, CENTRIFUGAL, 600 GPM AT 350 FEET TOTAL HEAD AND 1250 GPM AT 180 FEET TOTAL HEAD [CUST: AT] | A 4320 | AT | | 23-SEP-94 |
| | MIL-T-53055C | TANK, 3000 GALLON AND 4600 GALLON FABRIC, COLLAPSIBLE, DRINKING WATER, SEMI-TRAILER MOUNTED [CUST: AT] [REVIEW: CC] | A 5430 | AT | | 16-SEP-91 |
| | MIL-P-53065(4) | PUMPING UNIT, FRAME MOUNTED, 1-1/2 INCH, ELECTRIC MOTOR DRIVEN, 35 GPM AT 22 FEET TOTAL HEAD [CUST: AT] | A 4320 | AT | | 20-NOV-90 |
| | MIL-T-53066B | TANK, FABRIC, COLLAPSIBLE, 5,000 BARREL, FUEL [CUST: AT YD1 99] [REVIEW: 82 CC MC] | A 5430 | AT | | 28-SEP-94 |
| | MIL-C-53072B | CHEMICAL AGENT RESISTANT COATING (CARC) SYSTEM APPLICATION PROCEDURES AND QUALITY CONTROL INSPECTION [CUST: MR] [REVIEW: AL AR EA] | A 8010 | MR | | 02-SEP-92 |
| | MIL-H-53073B | HOSE ASSEMBLY, ELASTOMERIC: FUEL DISCHARGE, COLLAPSIBLE, LIGHTWEIGHT [CUST: AT YD1 99] [REVIEW: 82 CC MC SH] | A 4720 | AT | | 20-MAY-93 |
| | MIL-L-53074 | LUBRICATING OIL, STEAM-CYLINDER, MINERAL [CUST: AT SH] [REVIEW: AS MC OS SA YD1] | A 9150 | AT | | 04-AUG-87 |
| | MIL-M-53077 | MOUNTING KIT: M1, ROLLER, MINE CLEARING: TRACK-WIDTH, TANK MOUNTED [CUST: AT] | A 2590 | AT | | 18-DEC-87 |
| | MIL-M-53078 | MOUNTING KIT: M1 TANK, CLEARED LANE MARKING SYSTEM (CLAMS) [CUST: AT] | A 2590 | AT | | 23-SEP-87 |
| | MIL-F-53080 | FUEL, ENGINE DESIGN, REFEREE GRADE, TYPE I AND TYPE II (METRIC) [CUST: AT AS 68] [REVIEW: CE PS TE] | A 9140 | AT | | 28-JAN-88 |
| A | MIL-F-53080(11) | FUEL, ENGINE DESIGN, REFEREE GRADE TYPE I AND TYPE II [CUST: AT] [REVIEW: EA] | A 9140 | AT | | 16-SEP-93 |
| | MIL-B-53081 | BERM LINER ASSEMBLIES [CUST: AT] | A 5430 | AT | | 29-JUL-88 |
| | MIL-P-53084(1) | PRIMER, CATHODIC ELECTRODEPOSITION, CHEMICAL AGENT RESISTANT [CUST: MR] [REVIEW: AT] | A 8010 | MR | | 24-JUN-94 |
| | MIL-B-53090 | BLADE, MINE CLEARING [CUST: AT] [REVIEW: CC MC] | A 2590 | AT | | 28-MAR-89 |
| | MIL-P-53108 | PUMP UNIT, CENTRIFUGAL, DIESEL-ENGINE-DRIVEN, 800 GPM AT 1800 FEET TOTAL HEAD [CUST: AT] | A 4320 | AT | | 26-OCT-90 |
| | MIL-H-53119(1) | HYDRAULIC FLUID, NONFLAMMABLE, CHLOROTRIFLUOROETHYLENE BASE [CUST: AT] [REVIEW: AR CD MD MI SM TM] | A 9150 | AT | | 17-NOV-93 |
| | MIL-W-53122 | WATER PURIFICATION UNIT REVERSE OSMOSIS, 3,000 GPH [CUST: AT] | A 4610 | AT | | 31-JAN-92 |
| | MIL-P-53125/1 | POWER PLANT, ELECTRIC, 5 KW, 60 HERTZ, AN/MJQ-16 [CUST: CR4] | A 6115 | CR4 | | 14-APR-92 |
| | MIL-L-53131 | LUBRICATING OIL, PRECISION ROLLING ELEMENT BEARING, POLYALPHAOLEFIN BASED [CUST: AT AS 11] [REVIEW: 68] | A 9150 | AT | | 10-FEB-93 |
| A | MIL-L-53131(11) | LUBRICATING OIL, PRECISION ROLLING ELEMENT BEARING, POLYALPHAOLEFIN BASED [CUST: AT] | A 9150 | AT | | 17-NOV-93 |
| | MIL-DTL-0053133B SUP 1 | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 5 THROUGH 60 KILOWATTS, GENERAL SPECIFICATION FOR [CUST: CR4] | A 6115 | CR4 | | 13-SEP-96 |
| | MIL-DTL-0053133/1A | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 5 KILOWATTS, 60 HERTZ [CUST: CR4] | A 6115 | CR4 | | 13-SEP-96 |
| | MIL-DTL-0053133/2A | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 5 KILOWATTS, 400 HERTZ [CUST: CR4] | A 6115 | CR4 | | 13-SEP-96 |
| | MIL-DTL-0053133/3A | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 10 KILOWATTS, 60 HERTZ [CUST: CR4] | A 6115 | CR4 | | 13-SEP-96 |
| | MIL-DTL-0053133/4A | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 10 KILOWATTS, 400 HERTZ [CUST: CR4] | A 6115 | CR4 | | 13-SEP-96 |
| | MIL-DTL-0053133/5A | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 15 KILOWATTS, 50/60 HERTZ [CUST: CR4] | A 6115 | CR4 | | 13-SEP-96 |
| | MIL-DTL-0053133/6A | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 15 KILOWATTS, 400 HERTZ [CUST: CR4] | A 6115 | CR4 | | 13-SEP-96 |
| | MIL-DTL-0053133/7B | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 30 KILOWATTS, 50/60 HERTZ [CUST: CR4] | A 6115 | CR4 | | 13-SEP-96 |
| | MIL-DTL-0053133/8B | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 30 KILOWATTS, 400 HERTZ [CUST: CR4] | A 6115 | CR4 | | 13-SEP-96 |
| | MIL-DTL-0053133/9B | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 60 KILOWATTS, 50/60 HERTZ [CUST: CR4] | A 6115 | CR4 | | 13-SEP-96 |
| | MIL-DTL-0053133/10B | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 60 KILOWATTS, 400 HERTZ [CUST: CR4] | A 6115 | CR4 | | 13-SEP-96 |
| | MIL-DTL-53135 | AUXILIARY POWER UNIT, 10 KW, 120/240 VAC, 60 HZ [CUST: CR4] [REVIEW: CR GL MI] | A 6115 | CR4 | | 09-SEP-96 |
| | MIL-P-54001A | PLUG, PIPE, MAGNETIC, HEADLESS, IRON, STEEL OR ALUMINUM ALLOY [CUST: AR YD1 99] [REVIEW: AT AV CR4 GL MC] | A 4730 | CC | | 09-MAR-73 |
| A | MIL-C-55021B | CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP GENERAL SPECIFICATION FOR [CUST: MI AS 85 CC] [REVIEW: 11 AL AR CR] | A 6145 | CC | | 16-APR-91 |
| A | MIL-C-55021/1B | CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP, -40 TO +105 DEG. C [CUST: MI AS 85 CC] [REVIEW: AR AT CR CR4] | A 6145 | CC | | 16-APR-91 |
| A | MIL-C-55021/2B | CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP, -65 TO 200 DEG. C [CUST: MI AS 85 CC] [REVIEW: CR] | A 6145 | CC | | 16-APR-91 |
| | MIL-M-55023C | MANOMETER, U TUBE & CURVED TUBE [CUST: 99] [REVIEW: 82 AT GL MS] | A 6685 | GS | | 30-SEP-75 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|----------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-P-55025 | POLYSTYRENE, UNMODIFIED (FOR USE AS A BINDER IN EXPLOSIVES). [CUST: AR] [REVIEW: MI] | A 1375 | AR | | 23-JUN-58 |
| A | MIL-C-55036A(2) | CABLE, TELEPHONE WM-130C (/)G [CUST: CR IS] | A 6145 | CC | | 14-JAN-87 |
| A | MIL-C-55040B(1) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL (RETRACTILE) [CUST: AR CC] [REVIEW: AT MI] | A 6145 | CC | | 01-NOV-93 |
| | MIL-S-55041C SUP 1 | SWITCH, WAVEGUIDE GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AV MC MI NS OS SH SM] | A 5985 | CC | | 10-JAN-84 |
| | MIL-S-55041/5(1) NOT 1 | SWITCH, WAVEGUIDE, ELECTROMECHANICAL, FAILSAFE FREQUENCY RANGE 8.5 - 10.3 GHZ [CUST: 85] [REVIEW: 99] | A 5985 | CC | | 30-JAN-87 |
| | MIL-S-55041/10(1) NOT 1 | SWITCH, WAVEGUIDE, ELECTROMECHANICAL, LATCHING, FREQUENCY RANGE 8.6 - 10.3 GHZ [CUST: 85] [REVIEW: 99] | A 5985 | CC | | 30-JAN-87 |
| | MIL-S-55041/11 | SWITCH, WAVEGUIDE, 1P2T, LATCHING [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS MC MI OS SH SM] | A 5985 | CC | | 10-JAN-84 |
| | MIL-H-55053B SUP 1A | HARDWARE, POLE LINE [CUST: CR YD1 85] [REVIEW: 99 MC] | A 5975 | GS | | 05-OCT-71 |
| | MIL-C-55074F(2) SUP 1 | CONNECTORS, PLUG AND RECEPTACLE, TELEPHONE, ELECTRICAL, SUBASSEMBLY AND ACCESSORIES AND CONTACT ASSEMBLY, ELECTRICAL, GENERAL SPECIFICATION FOR [CUST: CR CC] | A 5935 | CC | | 28-DEC-93 |
| | MIL-C-55074/1A(1) | CONNECTORS, RECEPTACLE, TELEPHONE, ELECTRICAL [CUST: CR CC] | A 5935 | CC | | 03-DEC-85 |
| | MIL-C-55074/2A(1) | CONNECTOR, RECEPTACLE, TELEPHONE, ELECTRICAL [CUST: CR CC] | A 5935 | CC | | 03-DEC-85 |
| | MIL-C-55074/3A(1) | CONNECTOR, RECEPTACLE, TELEPHONE, ELECTRICAL [CUST: CR CC] | A 5935 | CC | | 03-DEC-85 |
| | MIL-C-55074/4B(1) | CONTACT ASSEMBLY, ELECTRICAL [CUST: CR CC] | A 5935 | CC | | 28-DEC-93 |
| | MIL-C-55081C | CONNECTOR, PLUG, ELECTRICAL U-176 (/)G CONNECTOR, PLUG, ELECTRICAL U-319 (/)G CONNECTOR RECEPTACLE, ELECTRICAL U-121 (/)G CONNECTOR, RECEPTACLE, ELECTRICAL U-122 (/)G [CUST: CR CC] | A 5935 | CC | | 03-JUL-90 |
| | MIL-C-55116B(1) SUP 1 | CONNECTORS; MINIATURE AUDIO, FIVE PIN AND SIX PIN GENERAL SPECIFICATION FOR [CUST: CR CC] | A 5935 | CC | | 02-MAY-90 |
| | MIL-C-55116/1A | CONNECTOR, PLUG, FIVE PIN AUDIO, CRIMP SLEEVE TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 06-NOV-90 |
| | MIL-C-55116/2A | CONNECTOR, PLUG, SIX PIN AUDIO, CRIMP SLEEVE TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 06-NOV-90 |
| | MIL-C-55116/3A | CONNECTOR, PLUG, FIVE PIN AUDIO, SOLDER CUP TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 06-NOV-90 |
| | MIL-C-55116/4A | CONNECTOR, PLUG, SIX PIN AUDIO, SOLDER CUP TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 06-NOV-90 |
| | MIL-C-55116/5A | CONNECTOR, PLUG, FIVE PIN AUDIO, CRIMP SLEEVE TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 06-NOV-90 |
| | MIL-C-55116/6A | CONNECTOR, PLUG, SIX PIN AUDIO, CRIMP SLEEVE TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 06-NOV-90 |
| | MIL-C-55116/7A | CONNECTOR, PLUG, FIVE PIN AUDIO, SOLDER CUP TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 06-NOV-90 |
| | MIL-C-55116/8A | CONNECTOR, PLUG, SIX PIN AUDIO, SOLDER CUP TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 06-NOV-90 |
| | MIL-C-55116/9A | CONNECTOR, RECEPTACLE, FIVE PIN AUDIO, SOLDER CUP SPRING TERMINALS, PANEL MOUNT, U-183 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 02-MAY-90 |
| | MIL-C-55116/10A | CONNECTOR, RECEPTACLE, SIX PIN AUDIO, SOLDER CUP SPRING TERMINALS, PANEL MOUNT, U-183 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 02-MAY-90 |
| | MIL-C-55116/11A | CONNECTOR, RECEPTACLE, FIVE PIN AUDIO, CRIMP SLEEVE SPRING TERMINALS, WIRE STRAIN RELIEF, U-328 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 02-MAY-90 |
| | MIL-C-55116/12A | CONNECTOR, RECEPTACLE, SIX PIN AUDIO, CRIMP SLEEVE SPRING TERMINALS, WIRE STRAIN RELIEF, U-226 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 02-MAY-90 |
| | MIL-C-55116/13A | CONNECTOR, RECEPTACLE, FIVE PIN AUDIO, SOLDER CUP SPRING TERMINALS, WIRE STRAIN RELIEF, U-228 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 02-MAY-90 |
| | MIL-C-55116/14A | CONNECTOR, RECEPTACLE, SIX PIN AUDIO, SOLDER CUP SPRING TERMINALS, WIRE STRAIN RELIEF, U-228 TYPE [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 02-MAY-90 |
| | MIL-E-55119A(4) NOT 1 | ELECTRO ACOUSTICAL TRANSDUCER EQUIPMENTS [CUST: CR CC] [REVIEW: MC] | A 5965 | CC | | 10-APR-87 |
| | MIL-B-55130A | BATTERIES, RECHARGEABLE, NICKEL CADMIUM SEALED [CUST: CR] | A 6140 | GS | | 22-AUG-84 |
| A | MIL-B-55130/1 NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-411/U [CUST: CR] | A 6140 | GS | | 09-JUN-94 |
| | MIL-B-55130/2 NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-412/U [CUST: CR] | A 6140 | GS | | 09-JUN-94 |
| A | MIL-B-55130/3 NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-416/U [CUST: CR] | A 6140 | GS | | 09-JUN-94 |
| A | MIL-B-55130/4A NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-417/U [CUST: CR] | A 6140 | GS | | 09-JUN-94 |
| A | MIL-B-55130/5 NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-625/U [CUST: CR] | A 6140 | GS | | 09-JUN-94 |
| | MIL-A-55138B(1) NOT 1 | ANTENNA AT-784 (/)PRC [CUST: CR CC] | A 5985 | CC | | 18-MAR-87 |
| | MIL-P-55149B | POSTS, BINDING, ELECTRICAL (INSULATED AND UNINSULATED), GENERAL SPECIFICATION FOR [CUST: CR SH 85] [REVIEW: 17 99 AS AT CR4 EA MC MI OS] | A 5940 | GS | | 14-JAN-88 |
| | MIL-P-55149/1D | POSTS, BINDING, ELECTRICAL (INSULATED), TYPES PB01FA01 TO PB01FA04, INCLUSIVE [CUST: CR EC 85] [REVIEW: 99 MI] | A 5940 | GS | | 16-JUL-91 |
| | MIL-P-55149/3A NOT 1 | POSTS, BINDING, ELECTRICAL (UNINSULATED), TYPES PB03KC01 AND PB03KC02 [CUST: CR EC 85] [REVIEW: 99 AR AS AT MC MI OS] | A 5940 | GS | | 06-SEP-89 |
| | MIL-P-55149/7C NOT 1 | POST, BINDING, ELECTRICAL, WATERPROOF (INSULATED), TYPE PB07FA01 [CUST: CR EC 85] [REVIEW: 99] | A 5940 | GS | | 06-SEP-89 |
| | MIL-P-55149/8B(1) | POST, BINDING, ELECTRICAL, WATERPROOF (INSULATED), TYPES PB08NA01 & PB08NA02 [CUST: CR SH 85] [REVIEW: 17 99 AR AS AT MC MI OS] | A 5940 | GS | | 16-FEB-87 |
| | MIL-P-55149/9(1) NOT 1 | POSTS, BINDING, ELECTRICAL, WATERPROOF AND NONWATERPROOF (UNINSULATED), TYPES PB09NC01 TO PB09NC07, INCLUSIVE [CUST: CR EC 85] [REVIEW: 99 AS AT MI] | A 5940 | GS | | 06-SEP-89 |
| A | MIL-P-55149/10 | POST, BINDING, ELECTRICAL, WATERPROOF (INSULATED), TYPES PB10NA01 & PB10NA02 [CUST: CR EC 85] [REVIEW: 99 AS AT CR4 MC MI OS] | A 5940 | GS | | 05-FEB-88 |
| | MIL-T-55156(1) SUP 1 NOT 1 | TERMINAL, LUG, SPLICES, CONDUCTOR, SCREW TYPE, GENERAL SPECIFICATION FOR [CUST: CR SH 11] [REVIEW: 85 99 CR4 MC MI SA] | A 5940 | GS | | 21-JUL-87 |
| | MIL-T-55156/1 NOT 1 | TERMINAL, LUG, STYLE LP01 [CUST: CR SH 11] [REVIEW: 85 99 SA] | A 5940 | GS | | 21-JUL-87 |
| | MIL-T-55156/2 NOT 1 | TERMINAL, LUG, STYLE LP02 [CUST: CR SH 11] [REVIEW: 85 99 MC SA] | A 5940 | GS | | 21-JUL-87 |
| | MIL-T-55156/3 NOT 1 | TERMINAL, SPLICES, CONDUCTOR, STYLE LP03 [CUST: CR SH 11] [REVIEW: 85 MC SA] | A 5940 | GS | | 21-JUL-87 |
| | MIL-T-55156/4 NOT 1 | TERMINAL, SPLICES, CONDUCTOR, STYLE LP04 [CUST: CR SH 11] [REVIEW: 85 MC MD SA] | A 5940 | GS | | 27-JUL-87 |
| | MIL-T-55164C | TERMINAL BOARDS, MOLDED, BARRIER, SCREW & STUD TYPES, & ASSOCIATED ACCESSORIES, GENERAL SPECIFICATION FOR [CUST: CR SH 85] [REVIEW: 11 17 99 AS AT AV CC EC MC MI OS] | A 5940 | CR | | 28-JAN-87 |
| | MIL-T-55164/1E NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 37TB [CUST: CR SH 85] [REVIEW: 17 99 AR AS AT AV CR4 EC MC MI OS] | A 5940 | CR | | 19-MAY-94 |
| | MIL-T-55164/2E NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 38TB [CUST: CR SH 85] [REVIEW: 17 99 AR AS AT AV CR4 EC MC MI OS] | A 5940 | CR | | 19-MAY-94 |
| | MIL-T-55164/3F NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 39TB [CUST: CR SH 85] [REVIEW: 17 99 AR AS AT AV CR4 EC MC MI OS] | A 5940 | CR | | 19-MAY-94 |
| | MIL-T-55164/4E NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 40TB [CUST: CR SH 85] [REVIEW: 17 99 AR AS AT AV CR4 EC MC MI OS] | A 5940 | CR | | 19-MAY-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|----------------------------|--|-----------------------|-----|-------------|-----------|
| MIL-T-55164/5C(1) | TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 41TB [CUST: CR SH 17] [REVIEW: 11 99 AR AS AT AV CG CR4 EC MC MI OS] | A 5940 | CR | | 05-OCT-79 |
| MIL-T-55164/6D NOT 2 | TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 42TB [CUST: CR SH 85] [REVIEW: 99 AR AS AT AV CG CR4 EC GS MC MI OS] | A 5940 | CR | | 10-AUG-83 |
| MIL-T-55164/7G | BUS CONNECTOR, STYLES TBLD AND TBLs [CUST: CR 85] [REVIEW: 17 99 AR AS AT AV CR4 EC MC MI] | A 5940 | CR | | 09-MAR-96 |
| MIL-T-55164/9A NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 3TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/10A NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 4TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/11A NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 5TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/12A NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 6TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/13A NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 7TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/14B NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 8TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/15A NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 9TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/16A NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 10TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/17A NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 11TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/18 NOT 2 | TERMINAL BOARD, MOLDED, BARRIER, STUD TYPE, CLASS 13TB [CUST: CR SH 17] [REVIEW: 11 85 AR AS AT AV CG CR4 MC OS] | A 5940 | SH | | 16-DEC-92 |
| MIL-T-55164/19A NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 15TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/20A NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 16TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/21A NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 17TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/22A NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 18TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/23C NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 25TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/24C NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 26TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/25C NOT 1 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 27TB [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 GS MC MI SH] | A 5940 | CR | | 19-MAY-94 |
| MIL-T-55164/26C(1) | TERMINAL BOARD, MOLDED, BARRIER, SCREW TYPE, CLASS 43TB ESTABLISHED RELIABILITY [CUST: CR SH 99] [REVIEW: 17 AR AS AT AV EC GS MC OS] | A 5940 | CR | | 25-JAN-80 |
| MIL-T-55164/27C(1) | TERMINAL BOARD, MOLDED, BARRIER, SCREW TYPE, CLASS 44TB ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR [CUST: CR SH 85] [REVIEW: 17 99 AR AS AT AV EC GS MC OS] | A 5940 | CR | | 25-JAN-80 |
| MIL-B-55164/28B | BUS (JUMPER) CONNECTORS STYLES TBIA, TBIB, TBIC, TBID, TBIE, TBIF, TBIG, TBH, AND TBII [CUST: CR SH 85] [REVIEW: 11 17 99 AR AS AT AV CG CR4 GS MC MI OS] | A 5940 | CR | | 08-APR-91 |
| MIL-M-55164/29B | MARKER STRIPS, FOR CLASS 37TB TERMINAL BOARDS [CUST: CR SH 85] [REVIEW: 17 99 AR AS AT AV CR4 EC MC MI OS] | A 5940 | CR | | 07-MAR-90 |
| MIL-M-55164/30B | MARKER STRIPS, FOR CLASS 38TB TERMINAL BOARDS [CUST: CR SH 85] [REVIEW: 17 99 AR AS AT AV CR4 EC MC MI OS] | A 5940 | CR | | 07-MAR-90 |
| MIL-M-55164/31B | MARKER STRIPS, FOR CLASS 39TB TERMINAL BOARDS [CUST: CR SH 85] [REVIEW: 17 99 AR AS AT AV CR4 EC MC MI OS] | A 5940 | CR | | 07-MAR-90 |
| MIL-M-55164/32B | MARKER STRIPS, FOR CLASS 40TB TERMINAL BOARDS [CUST: CR SH 85] [REVIEW: 17 99 AS AT CR4 EC MC OS] | A 5940 | CR | | 07-MAR-90 |
| MIL-R-55168B | RETRANSMISSION CABLE KIT MK-456 ()/GRC (UNITS OF) [CUST: CR GS] | A 5995 | CC | | 26-JUL-90 |
| MIL-C-55169(1) SUP 1 NOT 1 | CONNECTORS, ELECTRIC, TYPE "Q", MULTI-CONTACT [CUST: CR] | A 5935 | CC | | 02-AUG-91 |
| MIL-C-55172B | CABINET, ELECTRICAL EQUIPMENT, CY-3397()/G [CUST: CR] [REVIEW: 99] | A 5975 | GS | | 17-JAN-72 |
| MIL-C-55181C(1) SUP 1B | CONNECTOR, PLUG & RECEPTACLE, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 99] | A 5935 | CC | | 07-NOV-85 |
| MIL-C-55181/1C | CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF), TYPE MW, SOCKET CONTACT, 4 TERMINAL [CUST: CR EC 85 CC] [REVIEW: 11 99] | A 5935 | CC | | 23-JUN-86 |
| MIL-C-55181/2C | CONNECTOR, RECEPTACLE, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF), TYPE MW, PIN CONTACT, 4 TERMINAL [CUST: CR EC 85 CC] [REVIEW: 11 99] | A 5935 | CC | | 23-JUN-86 |
| MIL-C-55181/3C | CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, PIN CONTACT, 4 TERMINAL [CUST: CR EC 85 CC] [REVIEW: 11 99] | A 5935 | CC | | 23-JUN-86 |
| MIL-C-55181/4C | CONNECTOR, RECEPTACLE, ELECTRICAL [CUST: CR EC 85 CC] [REVIEW: 11 99] | A 5935 | CC | | 23-JUN-86 |
| MIL-C-55181/5C | CONNECTOR, PLUG, ELECTRICAL [CUST: CR EC 85 CC] [REVIEW: 11 99] | A 5935 | CC | | 23-JUN-86 |
| MIL-C-55181/6C | CONNECTOR, RECEPTACLE, ELECTRICAL [CUST: CR EC 85 CC] [REVIEW: 11 99] | A 5935 | CC | | 23-JUN-86 |
| MIL-C-55181/7C | CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, PIN CONTACT, 18 TERMINAL [CUST: CR EC 85 CC] [REVIEW: 11 99] | A 5935 | CC | | 23-JUN-86 |
| MIL-C-55181/8C | CONNECTOR, RECEPTACLE, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, SOCKET CONTACT, 18 TERMINAL [CUST: CR EC 85] [REVIEW: 11 99 CC] | A 5930 | CR | | 23-JUN-86 |
| MIL-M-55198A NOT 1 | MICROPHONE, DYNAMIC M-116()/G [CUST: CR CC] [REVIEW: EA] | A 5965 | CC | | 27-APR-87 |
| MIL-M-55233(3) NOT 1 | MICROPHONE M-33A/A1C [CUST: CR CC] | A 5965 | CC | | 09-JAN-87 |
| MIL-C-55235(1) | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES TPS [CUST: CR] | A 5935 | CC | | 23-JUL-93 |
| MIL-C-55243 NOT 1 | CONNECTORS, PLUGS AND RECEPTACLES, ELECTRICAL, QUICK CONNECT AND DISCONNECT, 12 CONTACTS, MEDIUM POWER [CUST: CR] [REVIEW: MI] | A 5935 | CC | | 02-AUG-91 |
| MIL-S-55286E(12) | SHELTER, ELECTRICAL EQUIPMENT, S-280()/G [CUST: GL] | A 5411 | GL | | 16-DEC-91 |
| MIL-A-55288C(2) | ANTENNA AS-1729/VRC [CUST: CR CC] [REVIEW: MC MI] | A 5985 | CC | | 29-JUL-91 |
| MIL-C-55302E(1) SUP 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 16-AUG-94 |
| MIL-C-55302/1C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, RIGHT-ANGLE, FOR PRINTED WIRING BOARDS (.150 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV MC MI OS] | A 5935 | CC | | 06-SEP-88 |
| MIL-C-55302/2D NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.150 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV MC MI OS] | A 5935 | CC | | 06-SEP-88 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|---|--------------------------|-----|-------------|-----------|
| | MIL-C-55302/4D NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AS AT MC OS SH] | A 5935 | CC | | 19-SEP-88 |
| | MIL-C-55302/5D NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AS AT AV MC OS] | A 5935 | CC | | 19-SEP-88 |
| | MIL-C-55302/6G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AS AT AV MC MI OS SH] | A 5935 | CC | | 13-APR-88 |
| | MIL-C-55302/7C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AS AT AV MC OS SH] | A 5935 | CC | | 19-SEP-88 |
| | MIL-C-55302/8D NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AS AT AV MC OS SH] | A 5935 | CC | | 19-SEP-88 |
| | MIL-C-55302/16B NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PIN, RIGHT-ANGLE, FOR PRINTED WIRING BOARDS (.200 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 AR AS AT AV MC MI] | A 5935 | CC | | 01-AUG-91 |
| | MIL-C-55302/17A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: SOCKET, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.200 SPACING) [CUST: CR EC 11 CC] [REVIEW: 19 85 AR AS AT CR4 MC MI] | A 5935 | CC | | 01-AUG-91 |
| | MIL-C-55302/18A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PIN, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.200 SPACING) [CUST: CR EC 11 CC] [REVIEW: 19 85 AS AT CR4 MC MI] | A 5935 | CC | | 01-AUG-91 |
| | MIL-C-55302/19D NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, 41 COMPOSITE CONTACT, FOR PRINTED WIRING BOARDS (.150 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AS AT AV MC MI OS] | A 5935 | CC | | 06-SEP-88 |
| | MIL-C-55302/20D NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACT, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.150 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 06-SEP-88 |
| | MIL-C-55302/21E NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, 92 COMPOSITE CONTACT, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AS AT AV MC MI OS SH] | A 5935 | CC | | 06-SEP-88 |
| | MIL-C-55302/22E NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING-BOARDS (.100 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI NS OS SH] | A 5935 | CC | | 06-SEP-88 |
| A | MIL-C-55302/23G(1) | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, DECADE INCREMENT 10 THRU 120, 150, 160, AND 180 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING) [CUST: 17 CC] [REVIEW: 19 85 99] | A 5935 | CC | | 14-JAN-98 |
| | MIL-C-55302/24F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DECADE INCREMENT 10 THRU 110 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 07-JUN-93 |
| | MIL-C-55302/25E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, 120, 150, 160, AND 180 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 07-JUN-93 |
| | MIL-C-55302/26E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, 30 THRU 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID) [CUST: CR EC 17 CC] [REVIEW: 11 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 07-JUN-93 |
| | MIL-C-55302/27H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, 30 THRU 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID) [CUST: CR EC 17 CC] [REVIEW: 11 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 07-JUN-93 |
| | MIL-C-55302/29A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: GAGE FOR CONTACT SEPERATION FORCE TEST METHOD [CUST: CR EC 11 CC] [REVIEW: 19 85 AR AS AT CR4 MC MI SH] | A 5935 | CC | | 01-AUG-91 |
| | MIL-C-55302/30A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: TEST PROBE FIXTURE FOR RESISTANCE TO TEST PROBE DAMAGE [CUST: CR EC 17 CC] [REVIEW: 19 85 AS AT AV CR4 MC MI] | A 5935 | CC | | 06-SEP-88 |
| A | MIL-C-55302/31J(1) | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEYING ACCESSORIES [CUST: 17 CC] [REVIEW: 19 85 99] | A 5935 | CC | | 14-JAN-98 |
| A | MIL-C-55302/32F(1) | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACTS, SOLDER EYELET AND WRAPPOST REMOVABLE TYPES [CUST: 17 CC] [REVIEW: 19 85 99] | A 5935 | CC | | 14-JAN-98 |
| | MIL-C-55302/38B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, ELECTRICAL, POLARIZED SHELL, MALE, 0.100 INCH CONTACT SPACING, PIN TERMINAL [CUST: AT CC] | A 5935 | CC | | 08-JUN-90 |
| | MIL-C-55302/42B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, ELECTRICAL, POLARIZED SHELL, FEMALE, 0.100 INCH CONTACT SPACING, REMOVABLE CRIMP CONTACTS [CUST: AT CC] | A 5935 | CC | | 20-MAR-90 |
| | MIL-C-55302/52C NOT 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 99 AR AS AT AV MC MI OS SH] | A 5935 | CC | | 29-MAY-92 |
| | MIL-C-55302/53B NOT 3 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT-ANGLE, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 99 AR AS AT AV MC MI OS SH] | A 5935 | CC | | 29-MAY-92 |
| | MIL-C-55302/54B NOT 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 99 AR AS AT AV MC MI OS SH] | A 5935 | CC | | 29-MAY-92 |
| | MIL-C-55302/55F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS TD] | A 5935 | CC | | 23-SEP-92 |
| | MIL-C-55302/56G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS TD] | A 5935 | CC | | 23-SEP-92 |
| | MIL-C-55302/57G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS TD] | A 5935 | CC | | 23-SEP-92 |
| | MIL-C-55302/58H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS TD] | A 5935 | CC | | 23-SEP-92 |
| | MIL-C-55302/59G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, DECADE INCREMENTS 90, 100 AND 120 CONTACT POSITIONS FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS TD] | A 5935 | CC | | 31-DEC-92 |
| | MIL-C-55302/60H | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 90, 100 AND 120 CONTACT POSITIONS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS TD] | A 5935 | CC | | 31-DEC-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Lat Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-C-55302/61F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 08-APR-93 |
| | MIL-C-55302/62G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS TD] | A 5935 | CC | | 08-APR-93 |
| | MIL-C-55302/63F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS TD] | A 5935 | CC | | 08-APR-93 |
| | MIL-C-55302/64G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS TD] | A 5935 | CC | | 08-APR-93 |
| M | MIL-C-55302/65G(1) | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 NA] [REVIEW: 19 80 85 99 AR AS AT AV CR4 MC MI OS TD] | A 5935 | CC | | 09-JUN-98 |
| | MIL-C-55302/66F | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS TD] | A 5935 | CC | | 08-APR-93 |
| | MIL-C-55302/78C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEY, POLARIZING, CONNECTORS, ELECTRICAL PRINTED WIRING BOARDS [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | | 02-MAR-89 |
| | MIL-C-55302/89D NOT 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT-ANGLE, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 29-MAY-92 |
| | MIL-C-55302/90D NOT 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, RIGHT-ANGLE, HERMAPHRODITIC CONTACT (.100 INCH SPACING) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 29-MAY-92 |
| | MIL-C-55302/91D NOT 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 29-MAY-92 |
| | MIL-C-55302/92D NOT 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU HERMAPHRODITIC CONTACTS (.100 INCH SPACING) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 29-MAY-92 |
| | MIL-C-55302/93D NOT 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, INSERT (INSULATOR), RECTANGULAR, POLARIZED, REMOVABLE CRIMP TYPE, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 29-MAY-92 |
| | MIL-C-55302/94D NOT 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, INSERT (INSULATOR), RECTANGULAR, POLARIZED, REMOVABLE, CRIMP TYPE HERMAPHRODITIC CONTACTS (.100 INCH SPACING) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 29-MAY-92 |
| | MIL-C-55302/95D NOT 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, COMPOSITE WRAPPOST, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 29-MAY-92 |
| | MIL-C-55302/96D NOT 2 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, WRAPPOST (REMOVABLE) HERMAPHRODITIC CONTACTS (.100 INCH SPACING) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 29-MAY-92 |
| | MIL-C-55302/97C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACTS HERMAPHRODITIC, CRIMP REMOVABLE FOR WIRE (STRANDED) [CUST: CR CC] [REVIEW: AR CR4] | A 5935 | CC | | 19-SEP-88 |
| | MIL-C-55302/98C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACT, WRAPPOST REMOVABLE TYPE [CUST: CR CC] [REVIEW: AR CR4] | A 5935 | CC | | 19-SEP-88 |
| | MIL-C-55302/100B NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, HERMAPHRODITIC CONTACT, WRAPPOST, REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-55302/101B NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACT, WRAPPOST REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 07-SEP-88 |
| | MIL-C-55302/110G | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, 30 THROUGH 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID) [CUST: CR EC 17] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 07-JUN-93 |
| | MIL-C-55302/111A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS, (.100 SPACING) [CUST: CR EC 17] [REVIEW: 11 19 80 85 99 AS AT AV MC MI OS] | A 5935 | CC | | 07-SEP-88 |
| | MIL-C-55302/113E | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, 30 THROUGH 110 CONTACT POSITIONS, CRIMP REMOVABLE CONTACTS (.100 SQUARE GRID) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | | 06-MAY-93 |
| | MIL-C-55302/117D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | | 06-MAY-93 |
| | MIL-C-55302/118D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING) [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 07-JUN-93 |
| M | MIL-C-55302/119G(1) | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING) [CUST: 17] [REVIEW: 19 85 99] | A 5935 | CC | | 20-JUN-95 |
| | MIL-C-55302/120A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | | 02-OCT-92 |
| | MIL-C-55302/121A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACT, 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | | 02-OCT-92 |
| | MIL-C-55302/122A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 184 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | | 02-OCT-92 |
| | MIL-C-55302/123A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACT, 184 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | | 02-OCT-92 |
| | MIL-C-55302/124 NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEYING ACCESSORIES [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | | 02-OCT-92 |
| | MIL-C-55302/125C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, 80 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | | 06-MAY-93 |
| | MIL-C-55302/126C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, 80 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | | 06-MAY-93 |
| | MIL-C-55302/127B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SINGLE ROW, 2 THROUGH 65 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (1/16", 3/32" AND 1/8") (.100 SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | | 06-MAY-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------|--|--------------------------|-----|-------------|-----------|
| | | | | | | |
| | MIL-C-55302/128C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DOUBLE ROW, 4 THROUGH 130 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (1/16", 3/32", AND 1/8") (.100 SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 06-MAY-93 |
| | MIL-C-55302/129D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, 90 THROUGH 240 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: EC CC] | A 5935 | CC | | 29-APR-93 |
| | MIL-C-55302/130C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLES, 90 THROUGH 240 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: EC CC] | A 5935 | CC | | 29-APR-93 |
| | MIL-C-55302/131B | CONNECTORS, PLUG, ELECTRICAL, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RIGHT ANGLE, PIN CONTACTS, 64 OR 96 CONTACT POSITION FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 01-MAY-92 |
| | MIL-C-55302/132B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE SOCKET CONTACTS, STRAIGHT THRU, 64 OR 96 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 01-JUN-93 |
| | MIL-C-55302/133B | CONNECTORS, PLUG, ELECTRICAL, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RIGHT ANGLE, PIN CONTACTS, 32 OR 64 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 01-MAY-92 |
| | MIL-C-55302/134A | CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, STRAIGHT THRU, 32 OR 64 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 09-APR-86 |
| | MIL-C-55302/138B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 160 CONTACT POSITIONS FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | | 11-FEB-93 |
| M | MIL-C-55302/139B(1) | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, 160 CONTACT POSITIONS FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: 17] [REVIEW: 19 85 99] | A 5935 | CC | | 09-JUN-98 |
| | MIL-C-55302/140B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH PIN CONTACTS, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17] [REVIEW: 11 19 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/141B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH PIN CONTACTS, 3 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/142B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH SOCKET CONTACTS, 3 KEYING GUIDES, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/143B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH SOCKET CONTACTS, 3 KEYING GUIDES, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/144B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 1.516 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/145B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 2.114 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/146B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 2.717 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17] [REVIEW: 11 19 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/147B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 3.315 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/148B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 3.917 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/149B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 1.516 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/150B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 2.114 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/151B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 2.717 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/152B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 3.315 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/153B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 3.917 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/154B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: MOUNTING HARDWARE FOR PRINTED WIRING BOARDS [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/155A | CONNECTORS, PRINTED CIRCUIT ASSEMBLY AND ACCESSORIES: HOOD FOR PRINTED WIRING BOARDS [CUST: CR EC 17 CC] [REVIEW: 11 19 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 17-NOV-88 |
| | MIL-C-55302/156D | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, DECADE INCREMENTS 10 THROUGH 120, 150, 160, AND 180 CONTACT POSITIONS FOR PRINTED WIRING BOARDS (.075 SPACING) [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS AT AV CR4 MC MI OS] | A 5935 | CC | | 07-JUN-93 |
| | MIL-C-55302/157A | CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES, PLUG, STRAIGHT THRU CONTACTS, 64 OR 96 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 09-APR-86 |
| | MIL-C-55302/158B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE SOCKET CONTACTS, 64 OR 96 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 01-JUN-93 |
| | MIL-C-55302/159C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, 17, 29, 33, 41, 53, AND 65 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 17-MAR-95 |
| | MIL-C-55302/160C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE 72, 84, 96, AND 120 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 17-MAR-95 |
| | MIL-C-55302/161C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, 160 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 17-MAR-95 |
| | MIL-C-55302/162C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, 17, 29, 33, 41, 53, AND 65 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 17-MAR-95 |
| | MIL-C-55302/163C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, 72, 84, 96, AND 120 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | | 17-MAR-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------------------|--|-----------------------|-----------------|-----------|
| MIL-C-55302/164C | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG AND/OR RECEPTACLE, 160 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | 17-MAR-95 |
| MIL-C-55302/166A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, STRAIGHT-THROUGH, POLARIZED, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | 02-OCT-92 |
| MIL-C-55302/167A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, STRAIGHT-THROUGH, POLARIZED, WITH WRAPPOST TERMINATION (.100 SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | 02-OCT-92 |
| MIL-C-55302/168A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, RIGHT ANGLE, POLARIZED, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | 02-OCT-92 |
| MIL-C-55302/169A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, FEMALE BRUSH, STRAIGHT-THROUGH, POLARIZED, (.100 SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | 02-OCT-92 |
| MIL-C-55302/170A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, FEMALE BRUSH, RIGHT ANGLE, POLARIZED, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | 02-OCT-92 |
| MIL-C-55302/171A NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, CONTACT BRUSH [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | 02-OCT-92 |
| MIL-C-55302/172 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: HARDWARE, COUPLING AND LOCKING [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | 16-JAN-85 |
| MIL-C-55302/173A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2-ROW PIN ASSEMBLIES, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI] | A 5935 | CC | 26-DEC-89 |
| MIL-C-55302/174A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2-ROW RECEPTACLE ASSEMBLIES, RIGHT ANGLE, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI] | A 5935 | CC | 26-DEC-89 |
| MIL-C-55302/175A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2-ROW PIN ASSEMBLIES, RIGHT ANGLE, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI] | A 5935 | CC | 26-DEC-89 |
| MIL-C-55302/176A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3-ROW PIN ASSEMBLIES, 75 THROUGH 405 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | 26-DEC-89 |
| MIL-C-55302/177A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3-ROW RECEPTACLE ASSEMBLIES, RIGHT ANGLE, 75 THROUGH 405 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | 26-DEC-89 |
| MIL-C-55302/178A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3-ROW PIN ASSEMBLIES, RIGHT ANGLE, 75 THROUGH 405 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | 26-DEC-89 |
| MIL-C-55302/179A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4-ROW PIN ASSEMBLIES, 100 THROUGH 684 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | 26-DEC-89 |
| MIL-C-55302/180A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4-ROW RECEPTACLE ASSEMBLIES, RIGHT ANGLE, 100 THROUGH 684 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | 26-DEC-89 |
| MIL-C-55302/181A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4-ROW PIN ASSEMBLIES, RIGHT ANGLE, 100 THROUGH 684 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | 26-DEC-89 |
| MIL-C-55302/182A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: GUIDE PINS, JACKSCREWS AND MOUNTING EARS [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | 26-DEC-89 |
| MIL-C-55302/183 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2-ROW RECEPTACLE ASSEMBLIES, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | 26-AUG-88 |
| MIL-C-55302/184 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3-ROW RECEPTACLE ASSEMBLIES, 75 THROUGH 225 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | 26-AUG-88 |
| MIL-C-55302/185 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4-ROW RECEPTACLE ASSEMBLIES, 100 THROUGH 300 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | 26-AUG-88 |
| MIL-C-55302/190 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, 100 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | 22-NOV-88 |
| MIL-C-55302/191 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, 100 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | 22-NOV-88 |
| MIL-C-55302/192 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, 122 AND 152 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | 22-NOV-88 |
| MIL-C-55302/193 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, 122 AND 152 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | 22-NOV-88 |
| A MIL-O-55310/20B | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 40KHZ THROUGH 60.0 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL [CUST: 85] [REVIEW: 19 99] | A 5955 | CC | 15-MAR-94 |
| A MIL-O-55310/21B | OSCILLATORS, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 1.0 MHZ THROUGH 60.0 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL [CUST: 85] [REVIEW: 19 99] | A 5955 | CC | 15-MAR-94 |
| MIL-C-55330B | CONNECTORS, ELECTRICAL AND FIBER OPTIC, PACKAGING OF [CUST: CR EC 99 CC] [REVIEW: 80 85 SM] | A PACK | CC | 13-JUL-88 |
| MIL-H-55351 NOT 1 | HEADSET-MICROPHONE KIT MK-1564()/AIC (COMPONENTS OF) [CUST: CR CC] | A 5965 | CC | 25-MAR-88 |
| MIL-H-55353 | HEADSET, ELECTRICAL, H-216 A/U [CUST: CR EC 85] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | 27-JUL-73 |
| MIL-N-55372 NOT 1 | NETWORK, IMPEDANCE MATCHING CU-1794()/ARC-114 [CUST: CR CC] | A 5915 | CC | 01-FEB-88 |
| MIL-N-55374 NOT 1 | NETWORK, IMPEDANCE MATCHING QUADRATURE HYBRID CU-1796()/ARC-114 [CUST: CR CC] | A 5915 | CC | 01-FEB-88 |
| MIL-C-55422 | CLIP, ELECTRICAL, GRID AND ANODE, GENERAL SPECIFICATION FOR [CUST: CR SH 85] [REVIEW: 17 99 GS MI] | A 5999 | CC | 23-FEB-65 |
| MIL-C-55422/1 | CLIP, ELECTRICAL, GRID [CUST: CR SH 85] [REVIEW: 99 GS] | A 5999 | CC | 23-FEB-65 |
| MIL-C-55422/2 | CLIP, ELECTRICAL, ANODE [CUST: CR SH 85] [REVIEW: 99 GS] | A 5999 | CC | 23-FEB-65 |
| MIL-C-55422/3 | CLIP, ELECTRICAL, ANODE [CUST: CR SH 85] [REVIEW: 99 GS MI] | A 5999 | CC | 23-FEB-65 |
| MIL-C-55422/4 | CLIP, ELECTRICAL, ANODE [CUST: CR SH 85] [REVIEW: 99 GS] | A 5999 | CC | 23-FEB-65 |
| A MIL-C-55425C(2) NOT 1 | CABLE, TELEPHONE WF-160/U [CUST: CR IS] | A 6145 | CC | 23-OCT-90 |
| MIL-T-55431A | TEST SET, BATTERY AN/PSM-13() [CUST: CR] | A 6625 | CC | 06-JUN-86 |
| MIL-S-55433C NOT 1 | SWITCHES, REED, GENERAL SPECIFICATION FOR [CUST: CR EC] [REVIEW: 17 19 85 AR MC] | A 5930 | CC | 24-JUL-92 |
| MIL-C-55449C | CONNECTOR, PLUG, ELECTRICAL U-237()/G CONNECTOR, RECEPTACLE, ELECTRICAL U-238()/G [CUST: CR CC] | A 5935 | CC | 31-JUL-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|----------------------|-----|-------------|-----------|
| | MIL-C-55483B | CABLES, POWER, ELECTRICAL, FLAT THREE-CONDUCTOR [CUST: CR 85 IS] | A 6145 | CC | | 11-OCT-90 |
| A | MIL-C-55486B(1) | CABLE ASSEMBLY TELEPHONE CX-4566()/G & CX-4760()/U [CUST: CR GS] [REVIEW: MC] | A 5995 | CC | | 25-FEB-88 |
| A | MIL-DTL-55507F | SHELTER, ELECTRICAL EQUIPMENT (WITH OR WITHOUT EQUIPMENT), PACKAGING OF [CUST: CR] [REVIEW: SM] | A PACK | CR | | 09-JUL-97 |
| | MIL-A-55512A NOT 1 | ADAPTER, CONNECTOR UG-1312()/U [CUST: CR] | A 5935 | CC | | 02-AUG-91 |
| | MIL-M-55516A NOT 1 | MICROPHONE, DYNAMIC M-133/U [CUST: CR CC] [REVIEW: EA] | A 5965 | CC | | 09-JAN-87 |
| | MIL-H-55535(1) | HEADSET MICROPHONE KIT MK-1039/G [CUST: CR] | A 5965 | CC | | 02-MAY-68 |
| | MIL-M-55565C | MICROCIRCUITS, PACKAGING OF [CUST: CR EC 99 CC] [REVIEW: 11 17 85 AR AS MC MI SH] | A PACK | CC | | 09-NOV-88 |
| A | MIL-C-55583B(1) NOT 1 | CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL CX-11230()/G CABLE ASSEMBLY ADAPTER CX-10734()/G [CUST: CR GS] | A 5995 | CC | | 25-JUL-86 |
| | MIL-P-55624(1) SUP 1 | PROTECTOR, ELECTRICAL COMMUNICATION CIRCUITS GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 99 AR AT MC MI SH] | A 5920 | CC | | 12-DEC-73 |
| | MIL-P-55624/3A NOT 1 | PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS FUSELESS, WITH COVER, STYLE P3 [CUST: CR 85] [REVIEW: 11 99 AR AT CR4 EC MC MI] | A 5920 | CC | | 02-AUG-93 |
| | MIL-P-55624/4B NOT 1 | PROTECTORS, ELECTRICAL, COMMUNICATION CIRCUITS FUSED, WITH COVER, STYLE P4 [CUST: CR 85] [REVIEW: 11 99 AR AT EC MC MI SH] | A 5920 | CC | | 02-AUG-93 |
| | MIL-T-55631(2) | TRANSFORMER, INTERMEDIATE FREQUENCY, RADIO FREQUENCY, AND DISCRIMINATOR, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS] | A 5950 | CC | | 12-JUL-82 |
| | MIL-C-55661B NOT 1 | CONNECTOR, PLUG, ELECTRICAL UG-1870()/U CONNECTOR, RECEPTACLE, ELECTRICAL UG-1837()/U [CUST: CR CC] | A 5935 | CC | | 05-AUG-91 |
| A | MIL-C-55668A(1) NOT 2 | CORD, ELECTRICAL; AUDIO, SUBMINIATURE (RETRACTILE AND STRAIGHT) [CUST: CR CC] | A 6145 | CC | | 10-SEP-93 |
| | MIL-S-55689 NOT 1 | SUPPRESSOR, ELECTRICAL TRANSIENT MX-778()/GRC [CUST: CR CC] | A 5915 | CC | | 26-MAR-87 |
| | MIL-C-58052C(1) | COMPASS, MAGNETIC, UNMOUNTED, M2 (NONMAINTAINABLE) [CUST: AR] [REVIEW: 99] | A 1290 | AR | | 25-APR-86 |
| | MIL-L-58085A(2) | LIGHT, BEACON, ANTI-COLLISION, AIRCRAFT [CUST: AV GS] | A 6220 | GS | | 09-APR-83 |
| | MIL-P-58102 NOT 2 | PLASTIC SHEET AND LAMINATES, FLEXIBLE, FOR ENVIRONMENTAL PROTECTIVE STORAGE AND SHIPPING SYSTEMS [CUST: AS] | A PACK | AS | | 16-FEB-93 |
| | MIL-H-58108 | HEADSET-MICROPHONE KIT MK-2193/A1C [CUST: AV CC] | A 5965 | CC | | 30-MAY-86 |
| | MIL-M-58109 | MICROPHONE, LINEAR, GENERAL SPECIFICATION FOR [CUST: AV CC] | A 5965 | CC | | 30-MAY-86 |
| | MIL-M-58109/1 | MICROPHONE, LINEAR, M-170/A1C [CUST: AV CC] | A 5965 | CC | | 30-MAY-86 |
| | MIL-M-58109/2 | MICROPHONE, LINEAR, M-171/A1C [CUST: AV] | A 5965 | CC | | 30-MAY-86 |
| | MIL-I-60008B | IGNITER, INTEGRAL, M56 [CUST: MI] [REVIEW: AR] | A 1340 | MI | | 25-FEB-91 |
| | MIL-P-60017A NOT 3 | PRIMER, PERCUSSION, M60A1 PARTS FOR [CUST: AR] | A 1390 | AR | | 27-NOV-96 |
| | MIL-C-60021A | CASE, CARRYING, M85, ASSEMBLY FOR KIT, DEMOLITION, M37 [CUST: AR] | A 1375 | AR | | 14-MAY-71 |
| | MIL-B-60023A NOT 1 | BAG ASSEMBLY, FOR CHARGE DEMOLITION, BLOCK, M5A1 AND CHARGE ASSEMBLY, DEMOLITION, M183 [CUST: AR] | A 1375 | AR | | 08-MAY-90 |
| | MIL-F-60036D | FLARE CARTRIDGE ASSEMBLY MX3529/ALA-17 & ALA-17A METAL PARTS FOR [CUST: AR] | A 1370 | AR | | 21-MAR-86 |
| | MIL-F-60037C NOT 1 | FLARE SET, AN/ALA-17 ASSEMBLING & PACKING [CUST: AR] | A 1370 | AR | | 15-MAY-87 |
| | MIL-R-60040C NOT 1 | RACK, FLARE CY2617/ALA-17 [CUST: AR] | A 1370 | AR | | 15-MAY-87 |
| | MIL-P-60045A NOT 1 | PROPELLANT M2 FOR USE IN 165MM CARTRIDGES [CUST: AR] | A 1376 | AR | | 29-AUG-91 |
| | MIL-C-60051(1) NOT 1 | COMPOSITION 86/14 RDX/WAX [CUST: AR] | A 1375 | AR | | 30-JAN-87 |
| | MIL-P-60052(1) NOT 2 | PRIMER, PERCUSSION, M1A2 METAL PARTS FOR [CUST: AR] | A 1390 | AR | | 27-NOV-96 |
| | MIL-A-60091B(1) | ADHESIVE FOR BONDING DEMOLITION CHARGES TO STRUCTURAL SURFACES [CUST: AR] | A 1375 | AR | | 12-MAR-93 |
| | MIL-P-60096(1) NOT 2 | PRIMER, PERCUSSION, M62 METAL PARTS FOR [CUST: AR] | A 1390 | AR | | 27-NOV-96 |
| | MIL-T-60101A NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M9, ASSEMBLY [CUST: OS] | A 1377 | OS | | 26-JUN-86 |
| | MIL-T-60102A NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M9 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 26-JUN-86 |
| | MIL-C-60103(1) NOT 1 | CUTTER, POWDER ACTUATED, M8 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 28-MAR-89 |
| | MIL-C-60105(1) NOT 1 | CUTTER, POWDER ACTUATED, M8 ASSEMBLY [CUST: OS] | A 1377 | OS | | 26-JUN-86 |
| | MIL-R-60112(1) NOT 1 | REMOVER, AIRCRAFT CANOPY, M5 ASSEMBLY [CUST: OS] | A 1377 | OS | | 26-JUN-86 |
| | MIL-R-60117(1) | REMOVER, AIRCRAFT CANOPY, M4 AND M5 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 16-MAY-89 |
| | MIL-T-60129(2) NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M20A1 ASSEMBLY [CUST: OS] | A 1377 | OS | | 26-JUN-86 |
| | MIL-T-60201C | THRUSTER, CARTRIDGE ACTUATED, M25A1 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 21-SEP-92 |
| | MIL-C-60223(2) | CARTRIDGE, INITIATOR, M69 [CUST: OS] | A 1377 | OS | | 09-JUN-87 |
| | MIL-B-60225(1) NOT 2 | BRAIDED FUZE MATERIAL [CUST: AR] | A 1390 | AR | | 10-OCT-96 |
| | MIL-S-60233C(3) | SIGHT, REFLEX, HELICOPTER: M60A1 [CUST: AR] | A 1270 | AR | | 30-MAR-90 |
| | MIL-C-60235B | CARTRIDGE, IMPULSE, M91 ASSEMBLY [CUST: OS 99] | A 1377 | OS | | 10-MAY-89 |
| | MIL-T-60236(1) | THRUSTER, CARTRIDGE ACTUATED, M18, METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 15-JUL-86 |
| | MIL-T-60246(1) NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M18, ASSEMBLY [CUST: OS] | A 1377 | OS | | 26-JUN-86 |
| | MIL-DTL-60247B | CARTRIDGE, DELAY, M155 ASSEMBLY [CUST: OS] | A 1377 | OS | | 19-DEC-95 |
| | MIL-I-60277A NOT 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M26 ASSEMBLY [CUST: OS 99] | A 1377 | OS | | 03-JAN-89 |
| | MIL-I-60281A | INITIATOR, CARTRIDGE ACTUATED, M28 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 15-JAN-92 |
| | MIL-I-60283A | INITIATOR, CARTRIDGE ACTUATED, M27 ASSEMBLY [CUST: OS 99] | A 1377 | OS | | 30-MAR-90 |
| | MIL-I-60284B(1) | INITIATOR, CARTRIDGE ACTUATED, DELAY, M32A1 ASSEMBLY [CUST: OS] | A 1377 | OS | | 19-MAR-93 |
| | MIL-I-60286B | INITIATOR, CARTRIDGE ACTUATED, M53 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 21-SEP-92 |
| | MIL-I-60292A | INITIATOR, CARTRIDGE ACTUATED, M99 ASSEMBLY [CUST: OS 99] | A 1377 | OS | | 30-MAR-90 |
| | MIL-P-60295C(1) NOT 1 | PROJECTILE, 20MM, HEI, M56A4; METAL PARTS [CUST: AR] [REVIEW: 99] | A 1305 | AR | | 31-JUL-91 |
| | MIL-C-60315B(4) | CHARGE, PROPELLING, M67 FOR 105MM HOWITZER LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 31-OCT-96 |
| | MIL-C-60317D(1) | CARTRIDGE, 60MM, SMOKE, WP, M302A1 ASSEMBLING, MARKING AND PACKING [CUST: AR] | A 1310 | AR | | 26-JAN-90 |
| | MIL-P-60318B | PROPELLANT, M1 FOR USE IN CHARGE, PROPELLING, M67 FOR 105MM HOWITZER [CUST: AR] | A 1375 | AR | | 02-APR-74 |
| | MIL-C-60327A(2) | CHARGE, EXPPELLING, FOR 105MM, BASE EJECTION, CARTRIDGES [CUST: AR] | A 1315 | AR | | 20-APR-90 |
| | MIL-P-60338 NOT 2 | PRIMER, PERCUSSION, M47 & M47B2 METAL PARTS FOR [CUST: AR] | A 1390 | AR | | 27-NOV-96 |
| | MIL-I-60350(2) NOT 1 | INERT FILLERS FOR USE IN AMMUNITION [CUST: AR] [REVIEW: MI] | A 1395 | AR | | 20-MAR-88 |
| | MIL-P-60351 NOT 3 | PRIMER, PERCUSSION, M68 METAL PARTS FOR [CUST: AR] | A 1390 | AR | | 27-NOV-96 |
| | MIL-P-60356A(3) | POWDER, IGNITER, CLEAN BURNING (FOR USE IN CHARGES, PROPELLING, M3A1 M4A2 AND XM119E4 FOR 155MM HOWITZER) [CUST: AR] | A 1376 | AR | | 28-OCT-88 |
| | MIL-O-60371A NOT 1 | OXAMIDE EXPLOSIVE COMPOSITION [CUST: AR] | A 1376 | AR | | 29-AUG-91 |
| | MIL-T-60394A(3) | TAPE, PRESSURE-SENSITIVE ADHESIVE FILM FOAM, DOUBLE-COATED (FOR USE WITH AMMUNITION) [CUST: AR] [REVIEW: GL] | A 1375 | AR | | 24-JUL-88 |
| | MIL-C-60395C(3) | CHARGE, PROPELLING, 155MM, M4A2, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 01-SEP-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|------|
| | MIL-P-60397B(1) | PROPELLANT M1 FOR USE IN CHARGE, PROPELLING, 155MM, M4A2 [CUST: AR] | A 1376 | AR | 18-MAY-93 | |
| | MIL-P-60398B | PROPELLANT M9, FLAKE (FOR USE IN IGNITION CARTRIDGES) [CUST: AR] | A 1376 | AR | 29-JAN-88 | |
| | MIL-P-60416A(2) NOT 1 | PROPELLANT M1 FOR USE IN CHARGE, PROPELLING, 155MM, M3A1 [CUST: AR] | A 1376 | AR | 24-JUN-91 | |
| | MIL-C-60418B(6) | CHARGE, PROPELLING, 155MM, M3A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 28-APR-93 | |
| | MIL-P-60432C NOT 3 | PROPELLANT POWDER FOR USE IN BASE GRAIN, AHH [CUST: AR] | A 1376 | AR | 27-NOV-96 | |
| | MIL-P-60454(1) NOT 3 | PRIMER, PERCUSSION, MARK 2A4 METAL PARTS FOR [CUST: AR] | A 1390 | AR | 27-NOV-96 | |
| | MIL-P-60463B NOT 3 | PROPELLANT POWDER (FOR USE IN BASE GRAIN OGG) [CUST: AR] | A 1376 | AR | 27-NOV-96 | |
| | MIL-I-60476A NOT 1 | IGNITER, MARK 125 MOD 5, LOADING ASSEMBLING AND PACKING [CUST: OS] | A 1340 | OS | 06-SEP-90 | |
| | MIL-I-60508A | INITIATOR, CARTRIDGE ACTUATED, DELAY, M6A1, M26, M33, M44, METAL PARTS ASSEMBLY [CUST: OS 99] | A 1377 | OS | 03-JAN-89 | |
| | MIL-I-60515B | INITIATOR, CARTRIDGE ACTUATED, DELAY, M30A1, M32A1, M43A1, M92, AND M120 METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 17-MAR-92 | |
| | MIL-I-60517A | INITIATOR, CARTRIDGE ACTUATED, M27 METAL PARTS ASSEMBLY [CUST: OS 99] | A 1377 | OS | 30-MAR-90 | |
| | MIL-I-60518A | INITIATOR, CARTRIDGE ACTUATED, M28 METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 15-JAN-92 | |
| | MIL-I-60519A | INITIATOR, CARTRIDGE ACTUATED, M53 METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 21-SEP-92 | |
| | MIL-I-60522A | INITIATOR, CARTRIDGE ACTUATED, M5A2 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 10-AUG-94 | |
| | MIL-I-60525A | INITIATOR, CARTRIDGE ACTUATED, M99 METAL PARTS ASSEMBLY [CUST: OS 99] | A 1377 | OS | 30-MAR-90 | |
| | MIL-I-60528B(2) NOT 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M30A1 ASSEMBLY [CUST: OS] | A 1377 | OS | 15-MAR-87 | |
| D | MIL-D-6054F(1) | DRUM, METAL SHIPPING AND STORAGE [CUST: GL AS 69 IS] [REVIEW: 99 AR AV CG MI MS SA SM] | A 8110 | IS | 30-JUN-89 | |
| | MIL-C-60553C | CARTRIDGE, DELAY, M90 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 16-APR-90 | |
| D | MIL-D-6055D(1) | DRUM, METAL REUSABLE, SHIPPING AND STORAGE (CAP. FROM 88 TO 510 CUBIC INCHES) [CUST: GL SA 69 IS] [REVIEW: 80 84 AR EA OS SH SM] | A 8110 | IS | 30-JUN-89 | |
| | MIL-C-60555(1) | CARTRIDGE, INITIATOR, DELAY, M113 [CUST: OS] | A 1377 | OS | 08-DEC-86 | |
| | MIL-C-60559D(2) | CARTRIDGE, IMPULSE, M225 [CUST: OS] | A 1377 | OS | 23-MAR-87 | |
| | MIL-T-60561B | THRUSTER, CARTRIDGE ACTUATED, M25A1 METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 21-SEP-92 | |
| | MIL-D-60567B | DELAY ELEMENT, CARTRIDGE, M14 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 16-APR-90 | |
| | MIL-D-60568B | DELAY ELEMENT, CARTRIDGE, M13 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 15-JAN-92 | |
| | MIL-C-60570B | CARTRIDGE, DELAY, M114 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 15-JAN-92 | |
| | MIL-D-60571B(1) | DELAY ELEMENT, CARTRIDGE, XM44 ASSEMBLY [CUST: OS] | A 1377 | OS | 08-DEC-86 | |
| | MIL-D-60572B | DELAY ELEMENT, CARTRIDGE, M28 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 16-DEC-94 | |
| | MIL-C-60575A | CARTRIDGE, IMPULSE, M141 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 15-JAN-92 | |
| | MIL-C-60593(1) | CUTTER, POWDER ACTUATED, M8 RE-MANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 20-SEP-66 | |
| | MIL-C-60604A | CARTRIDGE, IMPULSE, M119 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 15-JAN-92 | |
| | MIL-F-60613A(2) | FIN ASSEMBLY, M4A1 [CUST: AR] | A 1315 | AR | 04-MAY-70 | |
| | MIL-P-60620D(1) | PROJECTILE ASSEMBLY FOR CARTRIDGE, SMOKE/WP, 81MM, M375A1 [CUST: AR] | A 1315 | AR | 23-AUG-94 | |
| | MIL-G-60624 NOT 1 | GENERATOR, GAS PRESSURE, PROPELLANT ACTUATED, XM17, ASSEMBLY [CUST: OS] | A 1377 | OS | 23-JUN-86 | |
| | MIL-T-60637(2) | THRUSTER, CARTRIDGE ACTUATED, M6, ASSEMBLY [CUST: OS] | A 1377 | OS | 23-MAR-87 | |
| | MIL-T-60645(1) | THRUSTER, CARTRIDGE ACTUATED, M6, METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 21-MAY-87 | |
| | MIL-T-60647 | THRUSTER, CARTRIDGE ACTUATED, M5A2 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 23-MAR-87 | |
| | MIL-H-60648(1) | HOLDER, STRIP, LOADED, ASSEMBLY MB, M9, M10, XM12, M19 OR XM25 AIRCRAFT EJECTION SEAT CATAPULT [CUST: OS] | A 1377 | OS | 15-JUL-86 | |
| | MIL-T-60652 | THRUSTER, CARTRIDGE ACTUATED, M11, REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 23-MAR-87 | |
| | MIL-A-60657 NOT 1 | ACTUATOR, ROTARY 1000-39 ASSEMBLY [CUST: OS] | A 1377 | OS | 23-JUN-86 | |
| | MIL-A-60658(1) | ACTUATOR, ROTARY 1000-39 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 15-JUL-86 | |
| | MIL-I-60667A(2) NOT 1 | IGNITER, AUXILIARY [CUST: OS] | A 1377 | OS | 14-AUG-91 | |
| | MIL-T-60669 | THRUSTER, CARTRIDGE ACTUATED, M19 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 23-MAR-87 | |
| | MIL-I-60676A(1) NOT 1 | IGNITER, PRIMARY [CUST: OS] | A 1377 | OS | 23-JUN-86 | |
| | MIL-T-60677 | THRUSTER, CARTRIDGE ACTUATED, M9 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 23-MAR-87 | |
| | MIL-T-60680A(1) | THRUSTER, CARTRIDGE ACTUATED, M16 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 19-DEC-95 | |
| | MIL-A-60681 NOT 1 | ACTUATOR, ROTARY 1000-37 ASSEMBLY [CUST: OS] | A 1377 | OS | 23-JUN-86 | |
| | MIL-A-60682(1) | ACTUATOR, ROTARY 1000-37 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 15-JUL-86 | |
| | MIL-C-60683(2) | CATAPULT, AIRCRAFT EJECTION SEAT, M4A1 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 15-JUL-86 | |
| | MIL-C-60685(1) NOT 2 | CATAPULT, AIRCRAFT EJECTION SEAT: M3A1, REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 14-AUG-91 | |
| | MIL-C-60691(1) NOT 1 | CARTRIDGE, IMPULSE: M151 ASSEMBLY [CUST: OS] | A 1377 | OS | 28-MAR-89 | |
| | MIL-A-60692 NOT 1 | ACTUATOR, EXPLOSIVE, ROTARY 1000-27 ASSEMBLY [CUST: OS] | A 1377 | OS | 23-JUN-86 | |
| | MIL-A-60693(1) | ACTUATOR, EXPLOSIVE, ROTARY 1000-27 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 15-JUL-86 | |
| | MIL-T-60694B | THRUSTER, CARTRIDGE ACTUATED, M15 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 30-APR-93 | |
| | MIL-T-60695 NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M20A1, REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] | A 1377 | OS | 26-MAR-87 | |
| | MIL-T-60696A | THRUSTER, CARTRIDGE ACTUATED, M2A2, REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 11-AUG-94 | |
| | MIL-T-60697A | THRUSTER, CARTRIDGE ACTUATED, M3A3 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 21-SEP-92 | |
| | MIL-T-60801A | THRUSTER, CARTRIDGE ACTUATED, M13 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 29-APR-93 | |
| | MIL-C-60805(3) | CARTRIDGE, IMPULSE, M150 ASSEMBLY [CUST: OS] | A 1377 | OS | 30-JUL-87 | |
| | MIL-C-60809(2) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT: M9, REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] | A 1377 | OS | 14-AUG-91 | |
| | MIL-C-60810 NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT: M10 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 05-OCT-88 | |
| | MIL-F-60823 NOT 1 | FIRING MECHANISM, 50057-1, OVERHAUL OF [CUST: OS] | A 1377 | OS | 26-MAR-87 | |
| | MIL-S-60828A(2) | SIGHT, REFLEX: M70E1 [CUST: AR] | A 1270 | AR | 13-AUG-90 | |
| | MIL-A-60837 NOT 1 | ACTUATOR, EXPLOSIVE, ROTARY 1000-48 ASSEMBLY [CUST: OS] | A 1377 | OS | 26-MAR-87 | |
| | MIL-A-60838(1) | ACTUATOR, EXPLOSIVE, ROTARY 1000-48 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 21-MAY-87 | |
| | MIL-H-60840 NOT 1 | HOLDER, STRIP, ASSEMBLY, METAL PARTS [CUST: OS] | A 1377 | OS | 29-MAR-87 | |
| | MIL-D-60842(1) | DELAY ELEMENT, CARTRIDGE, XM17 ASSEMBLY [CUST: OS] | A 1377 | OS | 16-JAN-87 | |
| | MIL-A-60848 NOT 1 | ACTUATOR, EXPLOSIVE, ROTARY 1000-44 ASSEMBLY [CUST: OS] | A 1377 | OS | 26-MAR-87 | |
| | MIL-A-60849(1) | ACTUATOR, EXPLOSIVE, ROTARY 1000-44 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 21-MAY-87 | |
| | MIL-P-60852A NOT 1 | PROPELLANT, GRAIN, INHIBITED [CUST: OS] | A 1377 | OS | 14-AUG-91 | |
| | MIL-O-60863A(4) | OXAMIDE [CUST: AR] | A 6810 | AR | 10-APR-92 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Ave | MCA | Prep. Acty. | Date |
|-------------------------|--|----------------------|-----|-------------|------|
| MIL-R-60864 NOT 3 | RESORCINOL [CUST: AR] | A 6810 | AR | 02-DEC-96 | |
| MIL-C-60872A | CARTRIDGE, DELAY, M271 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 15-JAN-92 | |
| MIL-D-60873A | DELAY ELEMENT, CARTRIDGE, M69 ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | 15-JAN-92 | |
| MIL-A-60888 NOT 1 | ACTUATOR, EXPLOSIVE, ROTARY 1000-45 ASSEMBLY [CUST: OS] | A 1377 | OS | 29-MAR-87 | |
| MIL-A-60889(1) | ACTUATOR, EXPLOSIVE, ROTARY 1000-45 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | 21-MAY-87 | |
| MIL-S-60891B(1) | SIGHT, REFLEX: M73 [CUST: AR] | A 1270 | AR | 27-SEP-89 | |
| MIL-R-60897(4) | REMOVER, AIRCRAFT CANOPY: M8A1 METAL PARTS ASSEMBLY (CONVERSION) [CUST: OS] | A 1377 | OS | 16-MAY-89 | |
| MIL-P-60942A(1) NOT 1 | PRIMER, PERCUSSION FOR 40MM LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | 30-SEP-88 | |
| MIL-P-60989A(1) NOT 1 | PROPELLANT, M2 FOR M5 SUBSYSTEM AMMUNITION [CUST: AR] | A 1376 | AR | 21-MAR-88 | |
| MIL-C-60996A NOT 1 | CHARGE, DEMOLITION ROLL, M186 PARTS, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 09-MAY-86 | |
| MIL-S-60997A NOT 1 | SUPPORT, MOLDED, PLASTIC (FOR USE IN AMMUNITION PACKAGING) [CUST: AR] | A 8140 | AR | 18-MAR-86 | |
| D MIL-A-615E NOT 1 | ALTAR, LECTERN AND PULPIT HANGINGS (ECCLESIASTICAL) [CUST: GL PE 28 IS] | A 9925 | IS | 13-JUN-74 | |
| MIL-P-62011C | PUMP, FUEL, ELECTRICALLY OPERATED, 24 VOLT DC, IN TANK TYPE [CUST: AT] | A 2910 | CC | 20-NOV-86 | |
| MIL-R-62197A(11) | RELAY, ARMATURE [CUST: AR] | A 1250 | AR | 10-OCT-90 | |
| MIL-F-62201A | FILTER ASSEMBLY [CUST: AT CC] | A 5915 | CC | 14-MAR-91 | |
| MIL-R-62259A NOT 2 | RADIATOR: ENGINE COOLANT [CUST: AT] | A 2930 | AT | 26-AUG-94 | |
| MIL-C-62279A | CHASSIS, TANK, ARMORED VEHICLE, BRIDGE LAUNCHER, M60A1 AND M48A5, PROCESSING FOR STORAGE AND SHIPMENT OF [CUST: AT] [REVIEW: CR4] | A 2350 | AT | 04-OCT-85 | |
| MIL-S-62300 | SWITCH, PRESSURE [CUST: AT CC] | A 5930 | CC | 09-SEP-83 | |
| MIL-T-62340A(2) | TANK, COMBAT, FULL-TRACKED, M1, SERIES; PROCESSING FOR SHIPMENT AND STORAGE OF [CUST: AT] | A PACK | AT | 20-AUG-91 | |
| MIL-T-62414 | TEST EQUIPMENT (SIMPLIFIED) SET COMMUNICATOR (SET COM) [CUST: AT] | A 4910 | AT | 23-JUN-89 | |
| MIL-I-62481(1) | INTERCOMMUNICATION CONTROL UNIT [CUST: AT] | A 5820 | AT | 14-SEP-87 | |
| MIL-E-62483 NOT 1 | ENGINE, DIESEL, 6 CYLINDER, IN-LINE, LIQUID COOLED, 210 HP [CUST: AT] [REVIEW: CC] | A 2815 | AT | 05-FEB-91 | |
| MIL-M-62545B | MODULE, STANDARD ELECTRONIC CONTROL [CUST: AT CC] | A 5963 | CC | 11-AUG-89 | |
| A MIL-DTL-62736A | PRINTED WIRING ASSEMBLY, I/O [CUST: AT] | A 5998 | AT | 23-JAN-98 | |
| A MIL-DTL-62737A | PRINTED WIRING ASSEMBLY, COMPUTER [CUST: AT] | A 5998 | AT | 23-JAN-98 | |
| A MIL-DTL-62738A | PRINTED WIRING ASSEMBLY, IGNITION INTERRUPT DRIVER [CUST: AT] | A 5998 | AT | 23-JAN-98 | |
| A MIL-DTL-62739A | PRINTED WIRING ASSEMBLY, CLOCK/DISPLAY DRIVER [CUST: AT] | A 5998 | AT | 23-JAN-98 | |
| A MIL-DTL-62740A | PRINTED WIRING ASSEMBLY, SPECIAL CIRCUITS [CUST: AT] | A 5998 | AT | 23-JAN-98 | |
| A MIL-DTL-62741A | PRINTED WIRING ASSEMBLY, MUX/ADCON [CUST: AT] | A 5998 | AT | 23-JAN-98 | |
| MIL-DTL-62749 | BRIDGE, FIXED: ALUMINUM, HIGHWAY, UNITED KINGDOM, MEDIUM GIRDER AND ERECTION, AND TRANSPORTATION EQUIPMENT, FULLY COMPETITIVE COMPONENTS FOR [CUST: AT MC 99] [REVIEW: 11 CC CR] | A 5420 | AT | 28-AUG-95 | |
| MIL-DTL-63002G | MANUALS, TECHNICAL: REQUIREMENTS FOR PREPARATION OF MODIFICATION WORK ORDERS [CUST: TM] [REVIEW: AL AR AT AV CR EA MI] | A TMSS | TM | 10-OCT-96 | |
| MIL-M-63023A | MANUAL, TECHNICAL: TRANSPORT GUIDANCE FOR MILITARY MATERIEL, PREPARATION OF [CUST: MT] [REVIEW: AT AV CR4 MI TM] | A TMSS | MT | 23-SEP-91 | |
| MIL-P-63061A NOT 3 | PROJECTILE, 155MM, M692/M731, PLUG, HOUSING FOR [CUST: AR] | A 1320 | AR | 27-NOV-96 | |
| MIL-W-63071A(2) | WARHEAD, FOR DEMOLITION KIT, M180 METAL PARTS FOR [CUST: AR] | A 1375 | AR | 08-SEP-92 | |
| MIL-T-63072(4) | THREAD, POLYESTER [CUST: AR] | A 8310 | CT | 28-NOV-89 | |
| MIL-P-63073A(3) NOT 1 | PRIMER, ELECTRIC, M120 PARTS FOR [CUST: AR] | A 1390 | AR | 15-MAY-91 | |
| MIL-F-63090A(4) | FIRING DEVICE, MULTI-PURPOSE, M142 PARTS, ASSEMBLY, AND PACKING [CUST: AR] | A 1375 | AR | 12-FEB-93 | |
| MIL-F-63107C(3) | FLARE, AIRCRAFT COUNTERMEASURE: M206 [CUST: AR] | A 1370 | AR | 11-MAR-96 | |
| MIL-C-63108B | CARTRIDGE, IMPULSE: M796 [CUST: AR] | A 1377 | AR | 27-FEB-95 | |
| MIL-P-63195A | PROPELLANT M9 FOR USE IN CARTRIDGE, IGNITION M702 [CUST: AR] | A 1376 | AR | 22-JUN-90 | |
| MIL-P-63196A(3) | POLYURETHANE ELASTOMER BINDER (FOR USE IN AMMUNITION) [CUST: AR] | A 6810 | AR | 16-MAR-95 | |
| MIL-P-63201(1) NOT 3 | PROPELLANT, SOLVENTLESS, TYPE M37 FOR PROJECTILE, 155MM, HE, ROCKET ASSISTED, M549 AND M549A1 [CUST: AR] | A 1320 | AR | 27-NOV-96 | |
| MIL-C-63217(2) | COMPOSITION A-3, TYPE II (WITH POLYETHYLENE) [CUST: AR] | A 1376 | AR | 22-JAN-92 | |
| MIL-E-63218(2) NOT 1 | EMULSION, POLYETHYLENE (FOR USE IN AMMUNITION) [CUST: AR] | A 6810 | AR | 16-FEB-95 | |
| MIL-P-63245B(2) | PROJECTILE, HE, 155MM, M795 METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | 06-NOV-96 | |
| DOD-P-63252(3) NOT 1 | PROJECTILE, 155MM, HE, M795 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 02-NOV-88 | |
| MIL-P-63252A(1) | PROJECTILE, 155MM, HE, M795 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 10-OCT-96 | |
| MIL-T-63263(3) NOT 2 | TEST SET, ELECTRONIC SYSTEMS: M91 [CUST: AR] | A 4925 | AR | 02-DEC-96 | |
| MIL-T-63264(2) NOT 2 | TEST SET, ELECTRONIC SYSTEMS: M92 [CUST: AR] | A 4925 | AR | 02-DEC-96 | |
| MIL-C-63267 NOT 1 | CASE, CARTRIDGE, BLANK 105MM, M15B2 [CUST: AR] | A 1315 | AR | 15-OCT-90 | |
| MIL-P-63268A(2) | PLUG, SHOCK, ATTENUATING [CUST: AR] | A 1320 | AR | 22-APR-88 | |
| A DOD-I-63274A(1) NOT 1 | INSERT, SCREW THREAD - THIN WALL, LOCKED IN, METRIC, GENERAL SPECIFICATION FOR [CUST: AR OS 99 IS] [REVIEW: 11 AT AV CR CR4 MC MI] | A 5325 | IS | 12-JUN-89 | |
| A DOD-I-63274/1A(1) | INSERT, SCREW THREAD THIN WALL, LOCKED IN, METRIC [CUST: AR OS 99 IS] [REVIEW: 11 AV MC MI] | A 5325 | IS | 06-AUG-97 | |
| DOD-S-63275A(1) | STUD, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC & RING, LOCK, SERRATED, METRIC, GENERAL SPECIFICATION FOR [CUST: AR AS IS] [REVIEW: AT AV CR MC MI OS SH] | A 5307 | IS | 22-APR-83 | |
| DOD-S-63275/1A | STUD, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC [CUST: AR AS] [REVIEW: AT AV CR CR4 MC MI OS SH] | A 5307 | IS | 10-MAY-88 | |
| A DOD-I-63276A NOT 1 | INSERT, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC, GENERAL SPECIFICATION FOR [CUST: AR OS 99 IS] [REVIEW: AT AV CR GL MI YDI] | A 5325 | IS | 06-FEB-89 | |
| A DOD-I-63276/1A(1) | INSERT, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC [CUST: AR OS 99 IS] [REVIEW: 11 AV MC] | A 5325 | IS | 06-AUG-97 | |
| A DOD-I-63276/2(1) | RING, LOCK, SERRATED, METRIC [CUST: AR OS 99 IS] [REVIEW: AT AV MI YDI] | A 5325 | IS | 06-AUG-97 | |
| MIL-T-63278(1) NOT 2 | TEST SET, ELECTRONIC SYSTEMS: M91; REPAIR PARTS FOR [CUST: AR] | A 4925 | AR | 02-DEC-96 | |
| MIL-T-63279(1) NOT 2 | TEST SET, ELECTRONIC SYSTEMS: M92; REPAIR PARTS FOR [CUST: AR] | A 4925 | AR | 02-DEC-96 | |
| MIL-S-63280(1) | SOLENOID FOR MACHINE GUN, CALIBER .50, FIXED M85 [CUST: AR] | A 5945 | AR | 15-APR-88 | |
| MIL-P-63301 NOT 1 | PROPELLANT M30 FOR USE IN 105MM CARTRIDGE, HEAT-T, M622 [CUST: AR] | A 1376 | AR | 20-JUN-82 | |
| MIL-P-63316(2) | PRIMER, BATTERY, ELECTRIC PARTS, FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | 09-APR-93 | |
| DOD-L-63317A(2) | LINER, SUPPLEMENTARY CHARGE, THREADED [CUST: AR] | A 1315 | AR | 11-MAR-93 | |
| MIL-W-63328(4) | WARHEAD GM, HE, M248 INERT PARTS FOR [CUST: AR] | A 1336 | AR | 08-FEB-88 | |
| MIL-W-63329A(1) | WARHEAD, GM, HE, M248 LOADING, ASSEMBLY AND PACKING [CUST: AR] | A 1336 | AR | 16-JUN-90 | |
| MIL-P-63341A(1) | PROPELLANT M31A1 FOR USE IN CHARGE PROPELLING M188A1 FOR 8-INCH PROJECTILES [CUST: AR] | A 1376 | AR | 03-SEP-91 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|--------------------------|-----|-------------|-----------|
| A | MIL-C-63342B(2) | CHARGE, PROPELLING, 8 INCH, M188A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 09-MAR-90 |
| | MIL-W-63374 NOT 1 | WARHEAD, INERT, FOR DEMOLITION KIT, TRAINING, XM270 LOADING ASSEMBLY [CUST: AR] | A 1375 | AR | | 05-FEB-87 |
| | MIL-W-63377(6) | WARHEAD, ILLUMINATING, M257, W/M442 FUZE (2.75 INCH ROCKET ILLUMINATING FLARE) [CUST: AR] | A 1340 | AR | | 06-JAN-98 |
| | MIL-P-63381 NOT 2 | PAPER, SHOT SHELL (FOR USE IN AMMUNITION) [CUST: AR] | A 1395 | AR | | 27-NOV-96 |
| | MIL-G-63386(3) NOT 1 | GAS GENERATOR ASSEMBLY [CUST: AR] | A 1345 | AR | | 04-APR-90 |
| | MIL-W-63388(7) | WARHEAD, GUIDED MISSILE, HE, M207E1 BODY AND BOATTAIL BUSHING FOR [CUST: AR] | A 1336 | AR | | 22-MAR-85 |
| | MIL-W-63389(5) NOT 1 | WARHEAD, GUIDED MISSILE, HE, M207E1 LINER FOR [CUST: AR] | A 1336 | AR | | 02-FEB-89 |
| | MIL-C-63392A | CONTAINER, SHIPPING AND STORAGE, MINE [CUST: AR] | A 1345 | AR | | 03-FEB-87 |
| | MIL-M-63394(2) NOT 3 | MINE, ANTI-TANK: HE, M75 METAL PARTS FOR [CUST: AR] | A 1345 | AR | | 15-NOV-96 |
| | MIL-P-63404 NOT 1 | PROPELLANT M6 FOR USE IN CHARGE, PROPELLING, 155MM, M119A2 [CUST: AR] | A 1376 | AR | | 12-SEP-91 |
| | MIL-C-63405(4) | CHARGE, PROPELLING, 155MM, M119A2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 01-SEP-92 |
| | MIL-F-63412 NOT 1 | FUZE PROBE ASSEMBLY, PNEUMATIC ASSEMBLING AND PACKING (TOW) [CUST: AR] | A 1336 | AR | | 05-FEB-87 |
| | MIL-R-63419(2) | RDX/VINYL CHLORIDE COPOLYMER EXPLOSIVE COMPOSITION (PBX 9407) (FOR USE IN AMMUNITION) [CUST: AR] | A 1376 | AR | | 22-JAN-92 |
| | MIL-T-63420 NOT 3 | THIONYL CHLORIDE ELECTROLYTE (FOR USE IN AMMUNITION) [CUST: AR] | A 6810 | AR | | 02-DEC-96 |
| | MIL-P-63421(2) NOT 2 | POWER SUPPLY ASSEMBLIES FOR FASCAM ELECTRONIC ASSEMBLIES [CUST: AR] | A 1345 | AR | | 27-NOV-96 |
| | MIL-G-63431 NOT 1 | GUANIDINE NITRATE (GN) [CUST: AR] | A 6810 | AR | | 25-APR-88 |
| | MIL-S-63433D(3) | SIMULATOR, ARTILLERY FLASH, M21, PERFORMANCE SPECIFICATION FOR [CUST: AR] | A 1370 | AR | | 14-MAR-96 |
| | MIL-F-63434A(3) NOT 1 | FUZE PROBE ASSEMBLY, SPRING, ASSEMBLING AND PACKING (TOW) [CUST: AR] | A 1336 | AR | | 23-MAR-90 |
| | MIL-T-63439(5) NOT 1 | TOW 2 FUZE PROBE [CUST: AR] | A 1336 | AR | | 14-MAR-90 |
| | MIL-W-63441A(8) | WARHEAD, 2.75 INCH ROCKET, PRACTICE: M267 [CUST: AR] | A 1340 | AR | | 13-NOV-96 |
| | MIL-T-63443(1) | TELESCOPE, ELBOW ASSEMBLY: 8211640 [CUST: AR] | A 1290 | AR | | 11-NOV-88 |
| | MIL-G-63444A(2) | GRENADE, GENERAL PURPOSE, M73 [CUST: AR] | A 1330 | AR | | 13-NOV-96 |
| | MIL-G-63445(6) | GRENADE, GENERAL PURPOSE, PRACTICE, M75 [CUST: AR] | A 1330 | AR | | 21-JUN-94 |
| | MIL-F-63446B | FUZES, GENERAL PURPOSE GRENADE: M230 AND M231 (PRACTICE) [CUST: AR] | A 1340 | AR | | 12-SEP-94 |
| | MIL-W-63451(5) | WARHEAD, GUIDED MISSILE, HE, M207E2 LINER FOR [CUST: AR] | A 1336 | AR | | 18-OCT-96 |
| | MIL-W-63452(8) | WARHEAD, GUIDED MISSILE, HE, M207E2 BODY AND BOATTAIL BUSHING FOR [CUST: AR] | A 1336 | AR | | 18-NOV-88 |
| | MIL-C-63461(9) | CONTAINER, AMMUNITION, METAL, FOR PROPELLING CHARGES AND CARTRIDGES [CUST: AR] | A 8140 | AR | | 05-FEB-93 |
| | MIL-P-63462(2) | PLASTIC MOLDING AND EXTRUSION MATERIAL, ETHYL CELLULOSE, FOR ROCKET GRAIN INHIBITING MATERIALS [CUST: AR] [REVIEW: MI MR] | A 9330 | AR | | 05-OCT-94 |
| | MIL-F-63463(1) NOT 1 | FILM, INHIBITING, ETHYL CELLULOSE [CUST: AR] [REVIEW: MI MR] | A 9330 | AR | | 15-MAR-88 |
| | DOD-P-63464A SUP 1A | PIN, GROOVED, HEADLESS LONGITUDINAL GROOVE, GENERAL SPECIFICATION FOR, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AT CR4 EA MC MI NS] | A 5315 | IS | | 21-APR-82 |
| | DOD-P-63464/1A NOT 1 | PIN, GROOVED, HEADLESS LONGITUDINAL TAPER GROOVE, CARBON STEEL, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AT CR4 EA MC MI YDI] | A 5315 | IS | | 05-MAY-88 |
| | DOD-P-63464/2A NOT 1 | PIN, GROOVED, HEADLESS LONGITUDINAL TAPER GROOVE, CORROSION-RESISTING STEEL, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AT CR4 EA MC MI NS] | A 5315 | IS | | 05-MAY-88 |
| | DOD-P-63464/3A NOT 1 | PIN, GROOVED, HEADLESS LONGITUDINAL STRAIGHT GROOVE, CARBON STEEL, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AT CR4 EA MC MI] | A 5315 | IS | | 05-MAY-88 |
| | DOD-P-63464/4A NOT 1 | PIN, GROOVED, HEADLESS LONGITUDINAL STRAIGHT GROOVE, CORROSION-RESISTANT STEEL, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AT CR4 EA MC MI NS] | A 5315 | IS | | 05-MAY-88 |
| | DOD-P-63464/5A NOT 1 | PIN, GROOVED, HEADLESS LONGITUDINAL CENTER GROOVE, CARBON STEEL, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AT CR4 EA MC MI] | A 5315 | IS | | 05-MAY-88 |
| | MIL-P-63464/6B | PIN, GROOVED, HEADLESS LONGITUDINAL CENTER GROOVE, CORROSION-RESISTANT STEEL, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AT CR4 EA MC MI] | A 5315 | IS | | 17-JAN-92 |
| | DOD-P-63464/7 NOT 1 | PIN, GROOVED, HEADLESS LONGITUDINAL, HALF LENGTH TAPER GROOVE, CORROSION-RESISTANT, STEEL, METRIC [CUST: AR OS 99 IS] [REVIEW: 82] | A 5315 | IS | | 05-MAY-88 |
| | DOD-P-63464/8 NOT 1 | PIN, GROOVED, HEADLESS LONGITUDINAL, HALF LENGTH REVERSE TAPER GROOVE, CORROSION-RESISTANT STEEL, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AT CR4 EA MC MI NS YDI] | A 5315 | IS | | 05-MAY-88 |
| | MIL-W-63465(1) NOT 1 | WARHEAD, GUIDED MISSILE, HE, M250 FRAGMENTS FOR [CUST: AR] | A 1336 | AR | | 02-NOV-88 |
| | MIL-T-63466 NOT 3 | THIONYL CHLORIDE (FOR USE IN AMMUNITION) [CUST: AR] | A 6810 | AR | | 02-DEC-96 |
| | MIL-W-63468A(6) | WARHEAD, 2.75 INCH ROCKET, H.E.: M261 [CUST: AR] | A 1340 | AR | | 13-NOV-96 |
| | MIL-L-63470 NOT 3 | LITHIUM CHLORIDE (FOR USE IN AMMUNITION) [CUST: AR] | A 6810 | AR | | 31-OCT-96 |
| | DOD-W-63474B | WASHERS, SPRING TENSION, METRIC, GENERAL SPECIFICATION FOR [CUST: AR OS IS] [REVIEW: AT AV MC SH] | A 5310 | IS | | 17-JUN-94 |
| | DOD-W-63474/1A NOT 1 | WASHERS, SPRING TENSION, CYLINDRICALLY CURVED AND WAVED, METRIC [CUST: AR SH] [REVIEW: AS AV CR4 MC] | A 5310 | IS | | 14-FEB-89 |
| | DOD-W-63474/2B | WASHER, SPRING TENSION, (BELLEVILLE SPRING), METRIC [CUST: AR OS IS] [REVIEW: 99 AS AT CR CR4 EC SH] | A 5310 | IS | | 17-JUN-94 |
| | DOD-W-63474/3 | WASHER, SPRING TENSION, SERRATED (RIBBED) (BELLEVILLE SPRING), METRIC [CUST: AR OS 99] [REVIEW: 11 82 AS AV CR MC SH YDI] | A 5310 | IS | | 28-MAY-86 |
| | DOD-B-63475 NOT 1 | BOLT, SHOULDER, HEXAGON HEAD, GENERAL SPECIFICATION FOR, METRIC [CUST: AR SH 99 IS] [REVIEW: 11 AS AT AV CR CR4 MC MI NS OS] | A 5306 | IS | | 14-APR-87 |
| | DOD-B-63475/1 NOT 1 | BOLT, SHOULDER, HEXAGON HEAD, LONG THREAD, METRIC [CUST: AR SH 99] [REVIEW: 11 AS AT AV CR CR4 MC MI NS OS] | A 5306 | IS | | 14-APR-87 |
| | DOD-B-63475/2 NOT 1 | BOLT, SHOULDER, HEXAGON HEAD, SHORT THREAD, METRIC [CUST: AR SH 99] [REVIEW: AS AT AV CR CR4 MC MI OS] | A 5306 | IS | | 14-APR-87 |
| | DOD-N-63476 NOT 1 | NUT, PLAIN, WELDING, GENERAL SPECIFICATION FOR, METRIC [CUST: AR 99 IS] [REVIEW: AS AV CR CR4 IS MC NS] | A 5310 | IS | | 27-APR-87 |
| | DOD-N-63476/1 NOT 1 | NUT, PLAIN, WELDING, METRIC [CUST: AR 99] [REVIEW: AS AT AV CR CR4 MC NS] | A 5310 | IS | | 17-MAR-81 |
| | DOD-P-63477 SUP 1 | PIN, SPRING, TUBULAR, (COILED AND SLOTTED), GENERAL SPECIFICATION FOR, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AV CE CR CR4 MC MI NS] | A 5315 | IS | | 29-MAY-81 |
| | DOD-P-63477/1 | PIN, SPRING, TUBULAR, SLOTTED, CARBON STEEL, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AV CE CR CR4 MC MI NS] | A 5315 | IS | | 29-MAY-81 |
| | DOD-P-63477/2 NOT 1 | PIN, SPRING, TUBULAR, SLOTTED, CRES 420, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AV CE CR CR4 MC MI NS] | A 5315 | IS | | 14-APR-87 |
| | DOD-P-63477/3 NOT 1 | PIN, SPRING, TUBULAR, COILED, LIGHT DUTY, CARBON STEEL, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AV CE CR CR4 MC MI NS] | A 5315 | IS | | 14-APR-87 |
| | DOD-P-63477/4 | PIN, SPRING, TUBULAR, COILED, LIGHT DUTY, CRES 302, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AV CE CR CR4 MC MI NS] | A 5315 | IS | | 29-MAY-81 |
| | DOD-P-63477/5A | PIN, SPRING, TUBULAR, COILED, STANDARD DUTY, CARBON STEEL, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AV CE CR CR4 MC MI NS] | A 5315 | IS | | 12-JUN-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | DOD-P-63477/6 NOT 1 | PIN, SPRING, TUBULAR, COILED, STANDARD DUTY, CRES 302, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AV CE CR CR4 MC MI NS] | A 5315 | IS | | 14-APR-87 |
| | DOD-P-63477/7 NOT 1 | PIN, SPRING, TUBULAR, SLOTTED, STANDARD DUTY, CRES 420, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AV CE CR CR4 MC MI NS] | A 5315 | IS | | 14-APR-87 |
| | DOD-P-63477/8 NOT 1 | PIN, SPRING, TUBULAR, COILED, HEAVY DUTY, CARBON STEEL, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AV CE CR CR4 MC MI NS] | A 5315 | IS | | 14-APR-87 |
| | DOD-P-63477/9 NOT 1 | PIN, SPRING, TUBULAR, COILED, HEAVY DUTY CRES 420, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AV CE CR CR4 MC MI NS] | A 5315 | IS | | 14-APR-87 |
| | DOD-P-63478(1) NOT 1 | PIN, STRAIGHT, HEADLESS (DOWEL), GENERAL SPECIFICATION FOR, METRIC [CUST: AR 99 IS] [REVIEW: 11 AT CR4 NS] | A 5315 | IS | | 16-FEB-90 |
| | DOD-P-63478/1 NOT 1 | PIN, STRAIGHT, HEADLESS, (DOWEL) STANDARD SIZE, METRIC [CUST: AR 99 IS] [REVIEW: 11 82 AT CR4 NS] | A 5315 | IS | | 14-APR-87 |
| | DOD-P-63478/2 NOT 1 | PIN, STRAIGHT, HEADLESS (DOWEL) OVERSIZE, METRIC [CUST: AR 99 IS] [REVIEW: 11 82 AT CR4 NS] | A 5315 | IS | | 14-APR-87 |
| | DOD-P-63479 | PIN, STRAIGHT, HEADED (CLEVIS PIN) GENERAL SPECIFICATION FOR, METRIC [CUST: AR 99 IS] [REVIEW: 11 82 AT AV CR4] | A 5315 | IS | | 29-MAY-81 |
| | DOD-P-63479/1 NOT 1 | PIN, STRAIGHT, HEADED (CLEVIS PIN), METRIC [CUST: AR 99 IS] [REVIEW: 82 CR4] | A 5315 | IS | | 14-APR-87 |
| A | MIL-P-63515A(2) | PROPELLANT M30 FOR USE IN CARTRIDGE 105MM, APFSDS-T, M833 [CUST: AR] | A 1376 | AR | | 10-OCT-96 |
| | MIL-P-63517(2) | PROPELLANT M14 FOR USE IN CARTRIDGE, 105MM TP-T, M490A1 [CUST: AR] | A 1376 | AR | | 05-JUN-87 |
| | MIL-S-63523A(1) | SIMULATOR, LAUNCHING, ANTI - TANK, GUIDED MISSILE AND ROCKET, M22, PERFORMANCE SPECIFICATION [CUST: AR] | A 1370 | AR | | 03-JAN-96 |
| | MIL-B-63524A(1) NOT 2 | BATTERY, HED, SINGLE CELL, PRIMARY RESERVE [CUST: AR] | A 1345 | AR | | 10-OCT-96 |
| | MIL-T-63536 NOT 3 | TURRET SUBSYSTEM, UNIVERSAL (UTS), FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 & M97E2, LOGIC CONTROL UNIT ASSEMBLY FOR [CUST: AR] | A 1005 | AR | | 02-DEC-96 |
| A | MIL-S-63540C NOT 2 | STUD, SELF-CLINCHING, GENERAL SPECIFICATION FOR [CUST: AR MC 99 IS] [REVIEW: 82 NS] | A 5307 | IS | | 19-FEB-98 |
| A | MIL-S-63540/1A(3) | STUD, SELF-LOCKING, FLUSH HEAD, RIBBED CLINCH TYPE [CUST: AR MC 99 IS] [REVIEW: 11 82 AT CR CR4 NS] | A 5307 | IS | | 17-DEC-97 |
| | MIL-S-63540/2 NOT 1 | STUD, SELF-LOCKING, FLUSH AND PROTRUDING HEAD [CUST: AR 99] [REVIEW: 11 82 AT AV CR4 MI NS SH] | A 5307 | IS | | 14-FEB-89 |
| | MIL-S-63540/3A | STUD, SELF-CLINCHING, FLUSH HEAD, HEX CLINCH TYPE [CUST: AR MC 99 IS] [REVIEW: 11 82 AT CR CR4 NS OS SH] | A 5307 | IS | | 21-JUN-95 |
| | MIL-S-63540/4(1) | STUD, SELF-LOCKING, CONCEALED HEAD, KNURLED CLINCH TYPE [CUST: AR MC 99] [REVIEW: 11 82 AT CR CR4 OS SH] | A 5307 | IS | | 09-APR-92 |
| | MIL-S-63540/5 | STUD, SELF-LOCKING, CONCEALED HEAD, HEX CLINCH TYPE [CUST: AR MC 99] [REVIEW: 11 82 AT CR CR4 NS OS SH] | A 5307 | IS | | 31-MAR-86 |
| | MIL-S-63540/7 | STUD, SELF-LOCKING, BROACHING TYPE [CUST: AR MC 99] [REVIEW: 82 NS] | A 5307 | IS | | 29-JUN-90 |
| | DOD-P-63542 NOT 1 | PIN, GROOVED, HEADED-LONGITUDINAL GROOVE, METRIC, GENERAL SPECIFICATION FOR [CUST: AR OS 99 IS] [REVIEW: 82] | A 5315 | IS | | 10-MAY-88 |
| | DOD-P-63542/1 NOT 1 | PIN, GROOVED, HEADED-LONGITUDINAL GROOVED, ROUND HEAD, CARBON STEEL, METRIC [CUST: AR OS 99 IS] | A 5315 | IS | | 10-MAY-88 |
| | DOD-S-63544 NOT 1 | SHIM, METRIC, GENERAL SPECIFICATION FOR [CUST: AR IS] | A 5365 | IS | | 10-MAY-88 |
| | DOD-S-63544/1 NOT 1 | SHIM, CRES, METRIC [CUST: AR] | A 5365 | IS | | 10-MAY-88 |
| | DOD-B-63545 NOT 1 | BOLT, RIBBED SHOULDER, WHEEL MOUNTING, METRIC GENERAL SPECIFICATION FOR [CUST: AR AS 11 IS] [REVIEW: AT CR4 MC NS OS SH] | A 5306 | IS | | 19-FEB-82 |
| | DOD-B-63545/1 NOT 1 | BOLT, RIBBED SHOULDER, WHEEL MOUNTING, METRIC [CUST: AR AS 99] [REVIEW: AT CR4 MC NS OS SH] | A 5306 | IS | | 05-MAY-88 |
| | DOD-B-63545/2 NOT 1 | BOLT, RIBBED SHOULDER, EXTENDED SHOULDER, WHEEL MOUNTING, METRIC [CUST: AR AS 99] [REVIEW: AT CR4 MC NS OS SH] | A 5306 | IS | | 05-MAY-88 |
| | DOD-W-63546A SUP 1A | WASHER, KEY, METRIC GENERAL SPECIFICATION FOR [CUST: AR 99 IS] [REVIEW: 82 AT AV CR4 EA IS MI SH] | A 5310 | IS | | 05-NOV-82 |
| | DOD-W-63546/1 NOT 1 | WASHER, KEY, FLAT, LONG, STEEL, METRIC [CUST: AR 11] [REVIEW: AT AV CR4 EA MI SH] | A 5310 | IS | | 05-MAY-88 |
| | DOD-W-63546/2 NOT 1 | WASHER, KEY, FLAT, LONG, BRASS, METRIC [CUST: AR 11] [REVIEW: AT AV CR4 EA MI SH] | A 5310 | IS | | 05-MAY-88 |
| | DOD-W-63546/3 NOT 1 | WASHER, KEY, FLAT, LONG AND SHORT, STEEL, METRIC [CUST: AR 11] [REVIEW: AT AV CR4 EA MI SH] | A 5310 | IS | | 05-MAY-88 |
| | DOD-W-63546/4 NOT 1 | WASHER, KEY, FLAT, LONG AND SHORT, BRASS, METRIC [CUST: AR 11] [REVIEW: AT AV CR4 EA MI SH] | A 5310 | IS | | 05-MAY-88 |
| | DOD-W-63546/5 NOT 1 | WASHER, KEY, EXTERNAL, STEEL, METRIC [CUST: AR 11] | A 5310 | IS | | 05-MAY-88 |
| | DOD-W-63546/6 NOT 1 | WASHER, KEY, EXTERNAL, BRASS, METRIC [CUST: AR 11] | A 5310 | IS | | 05-MAY-88 |
| | DOD-W-63546/7 | WASHER, KEY, INTERNAL, STEEL, METRIC [CUST: AR 11] [REVIEW: AT AV CR4 EA MC SH] | A 5310 | IS | | 02-APR-84 |
| | DOD-W-63546/8 | WASHER, CONCAVE AND WASHER CONVEX (SPHERICAL SET), STEEL, METRIC [CUST: AR OS] [REVIEW: AT AV MC NS SH] | A 5310 | IS | | 16-MAR-87 |
| | MIL-A-63547(1) | ALUMINUM ALLOY 7475, ROD [CUST: AR] | A 9530 | IS | | 14-SEP-84 |
| | DOD-N-63548 | NUT, PLAIN, HEXAGON, WHEEL MOUNTING, METRIC, GENERAL SPECIFICATION FOR [CUST: AR 11 IS] [REVIEW: AT CR4 EA IS MC NS] | A 5310 | IS | | 17-MAR-82 |
| | DOD-N-63548/1 NOT 1 | NUT, PLAIN, HEXAGON, CONE SEAT, WHEEL MOUNTING, METRIC [CUST: AR 99] [REVIEW: AT CR4 EA MC NS] | A 5310 | IS | | 05-MAY-88 |
| | DOD-T-63549 | THUMBSCREW, WING HEAD, METRIC, GENERAL SPECIFICATION FOR (METRIC) [CUST: AR 99 IS] [REVIEW: 11 82 AT AV CR4 EA MC NS SH] | A 5305 | IS | | 07-SEP-82 |
| | DOD-T-63549/1 NOT 2 | THUMBSCREW, WING HEAD, METRIC [CUST: AR 99 IS] [REVIEW: 82 AT AV CR4 EA MC NS SH] | A 5305 | IS | | 24-JUN-94 |
| | MIL-A-63576A | ALUMINUM OXIDE COATINGS, LUBRICATIVE, FOR ALUMINUM AND ALUMINUM ALLOYS [CUST: AR] | A MFFP | AR | | 06-DEC-85 |
| | MIL-L-63953 | LOCK, COMBINATION, ASSEMBLY [CUST: AR] | A 5340 | AR | | 01-MAR-88 |
| A | MIL-A-63991(1) NOT 2 | ALTERNATOR, TURBINE (AIR DRIVEN) [CUST: AR] | A 1390 | AR | | 10-SEP-97 |
| | MIL-T-63996 NOT 3 | TEST VEHICLE WITH CARTRIDGE CASE M169 FOR M549 FUZE LOADING, ASSEMBLING & PACKAGING [CUST: AR] | A 1390 | AR | | 02-DEC-96 |
| | MIL-M-64016(2) | MOTOR, ROCKET, METAL PARTS FOR & LOADING ASSEMBLY FOR DEMOLITION KIT, CRATERING, M180 [CUST: AR] | A 1375 | AR | | 23-SEP-86 |
| | MIL-P-64036(1) | PROJECTILE, 60MM, SMOKE, WP, M302 METAL PARTS ASSEMBLY [CUST: AR] | A 1310 | AR | | 20-AUG-93 |
| A | MIL-C-64037(4) | CARTRIDGE, HE, 60MM, M888 W/FUZE M935 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 19-SEP-97 |
| | MIL-W-64044(8) | WARHEAD, 2.75 INCH ROCKET, M261 AND M267, PARTS FOR [CUST: AR] | A 1340 | AR | | 30-SEP-96 |
| | MIL-S-64052 | SPRAY GUN, PAINT, HEAVY DUTY, PRESSURE FEED [CUST: AL MC 99] [REVIEW: 82 CC CR4 SM] | A 4940 | AL | | 25-APR-88 |
| | MIL-S-64055 | SHOP EQUIPMENT, MECHANICAL MAINTENANCE, SHELTER MOUNTED, EXPANDABLE [CUST: AL] | A 4940 | AL | | 31-AUG-94 |
| | MIL-H-65054 | HOSE ASSEMBLY OUTFIT (REUSABLE ADAPTERS) [CUST: AL] | A 4940 | AL | | 15-FEB-89 |
| | DOD-S-70328 NOT 1 | SPACER, RING, METRIC, GENERAL SPECIFICATION FOR [CUST: AR 99] [REVIEW: 11 AT AV CR4 EA MC MI SH] | A 5365 | IS | | 05-MAY-88 |
| | DOD-S-70328/1 NOT 1 | SPACER, RING, METRIC [CUST: AR 99] [REVIEW: 11 AT AV CR4 EA MC MI SH] | A 5365 | IS | | 05-MAY-88 |
| | DOD-N-70329 NOT 1 | NUT, PLAIN, ROUND, BALL & ROLLER BEARING, METRIC, [CUST: AR OS 99 IS] [REVIEW: 11 AT CR4 EA IS MC NS SH] | A 5310 | IS | | 16-AUG-82 |
| | DOD-N-70329/1 NOT 1 | NUT, PLAIN, ROUND, BALL AND ROLLER BEARINGS, NARROW SERIES, METRIC [CUST: AR OS 99] [REVIEW: 11 AT CR4 EA MC NS SH] | A 5310 | IS | | 05-MAY-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prop. Acty. | Date |
|------------|----------------------|--|-----------------------|-----------------|-----------|
| | DOD-B-70331 | BOLT, SELF LOCKING, HEXAGON HEAD, STEEL, METRIC, GENERAL SPECIFICATION FOR [CUST: AR IS] [REVIEW: AT CR4 GL MC MI NS OS SH] | A 5306 | IS | 21-APR-83 |
| | DOD-B-70331/1 | BOLT, SELF LOCKING, HEXAGON HEAD, STEEL, SAE J1199 (10.9) TYPE B, METRIC [CUST: AR IS] [REVIEW: AT CR4 GL MC MI NS OS SH] | A 5306 | IS | 21-APR-83 |
| | DOD-B-70331/2 | BOLT, SELF LOCKING, HEXAGON HEAD, STEEL, SAE J1199 (10.9) TYPE BH, M [CUST: AR IS] [REVIEW: AT CR4 GL MC MI NS OS SH] | A 5306 | IS | 21-APR-83 |
| | DOD-N-70333 | NUT, PLAIN AND SELF-LOCKING, CLINCH, METRIC (SELF-CLINCHING, KNURLED COLLAR) FIXED AND FLOATING [CUST: AR AS 99 IS] [REVIEW: 82 AT AV CR4 IS MC MI NS] | A 5310 | IS | 18-JUN-85 |
| | DOD-N-70333/1 | NUT, PLAIN AND SELF-LOCKING, CLINCH, FIXED, METRIC (SELF CLINCHING, KNURLED COLLAR) [CUST: AR AS 99] [REVIEW: 82 AT AV CR4 MC MI NS] | A 5310 | IS | 18-JUN-85 |
| | DOD-N-70333/2 | NUT, PLAIN & SELF-LOCKING, CLINCH, FLOATING, METRIC (SELF CLINCHING, KNURLED COLLAR) [CUST: AR AS 99] [REVIEW: 82 AT AV CR4 MC MI NS] | A 5310 | IS | 18-JUN-85 |
| | MIL-S-70334 | SHIM, SOLID [CUST: AR 99 IS] [REVIEW: AV MI NS] | A 5365 | IS | 27-FEB-87 |
| | MIL-S-70334/1 NOT 1 | SHIM, SOLID, ROUND [CUST: AR 99 IS] [REVIEW: AV MI] | A 5365 | IS | 18-JUN-96 |
| | DOD-W-70336 | WASHERS, LOCK, (METRIC) GENERAL SPECIFICATION FOR [CUST: AR OS 99 IS] [REVIEW: 82 AT AV IS MC SH] | A 5310 | IS | 31-DEC-87 |
| | DOD-W-70336/1 | WASHER, LOCK SPRING, HELICAL, REGULAR SERIES, (METRIC) [CUST: AR OS 99] [REVIEW: 82 AT AV CR CR4 EA MC MI SH] | A 5310 | IS | 31-DEC-87 |
| | DOD-W-70336/3 | WASHER, LOCK FLAT, INTERNAL TOOTH (METRIC) [CUST: AR OS 99] [REVIEW: 82 AT AV CR CR4 MC NS SH] | A 5310 | IS | 08-JAN-88 |
| | DOD-W-70336/4 | WASHER, LOCK, FLAT, EXTERNAL TOOTH (METRIC) [CUST: AR OS 99] [REVIEW: 82 AT AV CR CR4 MC NS SH] | A 5310 | IS | 08-JAN-88 |
| A | MIL-R-70337 | RING, RETAINING, ROUND SECTION [CUST: AR 99 IS] [REVIEW: 82 AT CR CR4 GL MI NS OS SH] | A 5325 | IS | 15-JAN-83 |
| A | MIL-R-70337/1 NOT 1 | RING, RETAINING, ROUND SECTION, EXTERNAL, CLOSED TYPE [CUST: AR 99 IS] [REVIEW: 82 AT CR CR4 GL MI NS OS SH] | A 5325 | IS | 09-MAY-96 |
| | MIL-W-70342 | WASHER, FLAT, METRIC GENERAL SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: CE CR GL IS MC MI SH YDI] | A 5310 | IS | 04-NOV-88 |
| | MIL-W-70342/1 | WASHER, FLAT, REGULAR SERIES (TYPE I), CARBON STEEL, METRIC [CUST: AR AS 99] [REVIEW: CE CR GL MC MI SH YDI] | A 5310 | IS | 04-NOV-88 |
| | MIL-W-70342/2 | WASHER, FLAT, REGULAR SERIES (TYPE I), CRES, METRIC [CUST: AR AS 99] [REVIEW: CE CR GL MC MI SH YDI] | A 5310 | IS | 04-NOV-88 |
| | MIL-W-70342/3 | WASHER, FLAT, NARROW SERIES (TYPE II), CARBON STEEL, METRIC [CUST: AR AS 99] [REVIEW: CE CR GL MC MI SH YDI] | A 5310 | IS | 04-NOV-88 |
| | MIL-W-70342/4 | WASHER, FLAT, WIDE SERIES (TYPE III), HIGH STRENGTH, ALLOY STEEL, METRIC [CUST: AR AS 99] [REVIEW: CE CR GL MC MI SH YDI] | A 5310 | IS | 04-NOV-88 |
| | MIL-W-70342/5 | WASHER, FLAT, WIDE SERIES (TYPE III), CARBON STEEL METRIC [CUST: AR AS 99] [REVIEW: CE CR GL MC MI SH YDI] | A 5310 | IS | 04-NOV-88 |
| | MIL-P-70343(1) | PACKING, FIBERGLASS, ROPE AND WICK [CUST: AR SH] | A 5330 | IS | 26-APR-91 |
| | MIL-S-70344 | SHIM, LAMINATED, GENERAL SPECIFICATION FOR [CUST: AR 99] [REVIEW: 82 AT AV MI NS] | A 5365 | IS | 29-JUN-90 |
| | MIL-S-70344/1 | SHIM, LAMINATED, ROUND, CLASS 1 (.002) LAMINATES [CUST: AR 99] [REVIEW: 82 AT AV MI NS] | A 5365 | IS | 29-JUN-90 |
| | MIL-S-70344/2 | SHIM, LAMINATED, ROUND, CLASS 2 (.003) LAMINATES [CUST: AR 99] [REVIEW: 82 AT AV MI NS] | A 5365 | IS | 29-JUN-90 |
| N | MIL-DTL-70341 | PULLEY, GROOVE, SECONDARY CONTROL, AIRCRAFT [CUST: AT AS 99 CC] [REVIEW: 82] | A 3020 | CC | 05-MAY-98 |
| | MIL-D-70430(5) | DECELERATOR, RAM AIR PARTS AND CONTAINER ASSEMBLY [CUST: AR] | A 1330 | AR | 24-SEP-96 |
| | MIL-W-70434(5) | WARHEAD, 2.75 INCH ROCKET, TEST, EMPTY, MODIFIED: PXR6358 WITH FLASH, PARTS AND ASSEMBLY [CUST: AR] | A 1340 | AR | 08-JUN-94 |
| A | MIL-F-70435(7) | FUZE, POINT DETONATING, (PD), M759 [CUST: AR] | A 1305 | AR | 29-NOV-94 |
| | MIL-D-70436(3) | DETONATOR ASSEMBLY FOR FUZE, POINT DETONATING, M759 [CUST: AR] | A 1305 | AR | 29-SEP-94 |
| | MIL-S-70437(3) | SPITBACK LEAD ASSEMBLY FOR FUZE, POINT DETONATING, M759 [CUST: AR] | A 1305 | AR | 29-SEP-94 |
| | MIL-P-70438(2) | PLUG ASSEMBLY, LIFTING, UNIVERSAL [CUST: AR] | A 1320 | AR | 28-JUL-95 |
| | MIL-S-70442 NOT 1 | SIGHT, HELICOPTER, HEAD-UP SUBSYSTEM: M76 [CUST: AR] | A 1270 | AR | 10-APR-89 |
| | MIL-D-70443(1) | DISPLAY UNIT, SIGHT, HELICOPTER HEAD UP SUBSYSTEM: M76 [CUST: AR] | A 1270 | AR | 26-AUG-92 |
| | MIL-P-70451(1) | PRIMER, ELECTRIC, XM125 (M125) LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 10-JUL-85 |
| | MIL-P-70452C | PRIMER, ELECTRIC, M125 METAL PARTS FOR [CUST: AR] | A 1315 | AR | 20-JUL-91 |
| | MIL-P-70456C(6) | PROPELLANT, STICK, M31A1E1 FOR USE IN CHARGE PROPELLING M203A1 [CUST: AR] | A 1376 | AR | 08-DEC-93 |
| | MIL-U-70457 NOT 3 | URANIUM TETRAFLUORIDE (UF4), DEPLETED [CUST: AR] | A 6810 | AR | 02-DEC-96 |
| | MIL-C-70461D(3) | COMBUSTIBLE CARTRIDGE CASE ASSEMBLY PARTS FOR CHARGE, PROPELLING, 155MM, M203A1 [CUST: AR] | A 1320 | AR | 15-FEB-94 |
| | MIL-C-70462C(8) | CHARGE PROPELLING, 155MM, M203A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 08-DEC-93 |
| | MIL-W-70467(7) | WARHEAD, 2.75 INCH ROCKET, PRACTICE: XM274 [CUST: AR] | A 1340 | AR | 15-OCT-96 |
| | MIL-C-70469(1) | CONTAINER, STEEL, FOR BULK PROPELLANT [CUST: AR] | A 8140 | AR | 13-JAN-87 |
| | MIL-C-70470(1) | CONTAINER, FIBER, FOR BULK PROPELLANT [CUST: AR] | A 8140 | AR | 13-JAN-87 |
| | MIL-C-70472(2) | CONTAINER AND CUSHION ASSEMBLY, AMMUNITION, METAL, FOR CARTRIDGE, 120MM, TANK AMMUNITION [CUST: AR] | A 8140 | AR | 03-AUG-89 |
| | MIL-C-70473(2) | CUSHION COMPONENTS FOR METAL CONTAINER FOR CARTRIDGE 120MM TANK AMMUNITION [CUST: AR] | A 8140 | AR | 23-MAY-88 |
| | MIL-P-70475 NOT 1 | PAPER, NITROCELLULOSE BASE [CUST: AR] | A 1375 | AR | 20-APR-90 |
| | MIL-P-70476(1) NOT 1 | PROJECTILE, 155MM: INERT, M483A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 01-NOV-90 |
| | MIL-C-70478(3) | CONTAINER, AMMUNITION, METAL, FOR CARTRIDGE, 120MM, TANK AMMUNITION [CUST: AR] | A 8140 | AR | 24-OCT-91 |
| | MIL-P-70486(1) | PROCESSOR, SIGNAL, FIRE AND FLIGHT AIR DATA SUBSYSTEM, HELICOPTER ARMAMENT: M143 [CUST: AR] | A 1270 | AR | 13-AUG-90 |
| | MIL-D-70487(1) | DETECTOR, WIND DIRECTION, SPEED, AND TEMPERATURE, FIRE AND FLIGHT AIR DATA SUBSYSTEM, HELICOPTER ARMAMENT: M143 [CUST: AR] | A 1270 | AR | 13-AUG-90 |
| | MIL-P-70504B | PROJECTILE, 155MM: M864 BODY AND OGIVE ASSEMBLY FOR [CUST: AR] | A 1320 | AR | 02-AUG-93 |
| | MIL-P-70506A(2) | PROJECTILE, 155MM: XM864 BASE BURNER ASSEMBLY LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 02-AUG-93 |
| | MIL-F-70518(3) | FLARE, INFRARED TRACKING, MARK 33 MOD 0 (ARMY) PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | 05-DEC-95 |
| A | MIL-P-70524(7) | PROJECTILE, 105MM, HE, RA, XM913/XM927 WARHEAD INSULATION ASSEMBLY FOR [CUST: AR] | A 1315 | AR | 30-MAY-97 |
| | MIL-P-70525(5) | PROJECTILE, 105MM, HE, RA, M913/XM927 MOTOR BODY BONDING ASSEMBLY FOR [CUST: AR] | A 1315 | AR | 22-JUL-96 |
| A | MIL-P-70526A(3) | PROJECTILE, 105MM, HE, RA, M913/XM927 DELAY ASSEMBLY FOR [CUST: AR] | A 1315 | AR | 30-MAY-97 |
| | MIL-P-70528(2) | CARTRIDGE, 105MM, HE, RA, M913/XM927 DELAY ASSEMBLY PARTS FOR [CUST: AR] | A 1315 | AR | 13-APR-93 |
| A | MIL-C-70532(7) | CARTRIDGES, 105MM, HE, RA, XM913 AND XM927 (WITH WARHEAD AND MOTOR BODY) LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 30-JUL-97 |
| | MIL-P-70533(5) | CARTRIDGE, 105MM, HE, RA M913/XM927 ROCKET PROPELLANT FOR [CUST: AR] | A 1315 | AR | 09-APR-93 |
| | MIL-S-70535(1) | SIMULATOR, TARGET HIT, M25 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | 01-MAR-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|--------------------------|-----|-------------|-----------|
| | | | | | | |
| | MIL-S-70536(2) | SIMULATOR, TARGET KILL, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 12-FEB-93 |
| | MIL-M-70542(1) | MUZZLE BORESIGHT DEVICE 11785384 (M26 FOR M105MM GUN TUBE) [CUST: AR] | A 1240 | AR | | 29-APR-91 |
| | MIL-C-70545(1) | CHARGE, PROPELLING, M218/219/220 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 25-SEP-92 |
| | MIL-S-70547(6) | SPHEROIDAL PROPELLANT, M38 FOR USE IN PROPELLING CHARGES M218, M219, AND XM220 FOR CARTRIDGES, 81MM, SMOKE, M819, ILLUMINATING M853 AND PRACTICE, XM879 [CUST: AR] | A 1376 | AR | | 04-OCT-94 |
| | MIL-O-70548(6) NOT 2 | OBTURATING BAND, PLASTIC SPLIT (MOLDED) [CUST: AR] | A 1395 | AR | | 14-MAY-97 |
| | MIL-P-70550(1) | PELLET, RED PHOSPHORUS, FOR MORTAR CARTRIDGE 81MM SMOKE, RP, M819 [CUST: AR] | A 1370 | AR | | 09-JUN-93 |
| | MIL-A-70604(2) | AMINE BONDING AGENT [CUST: AR] | A 6810 | AR | | 01-MAR-96 |
| | MIL-F-70613(5) | FUZE, PD, M936 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 29-AUG-95 |
| A | MIL-S-70615A(2) NOT 2 | SLINGS, TOP-LIFT, FAMILY OF SLINGS [CUST: AR] | A 3940 | AR | | 15-DEC-97 |
| | MIL-G-70617B | GUNFIRE SIMULATOR: 12725085-1 [CUST: AR] | A 1290 | AR | | 27-SEP-93 |
| | MIL-C-70618B | CIRCUIT CARD ASSEMBLY, GUNFIRE SIMULATOR: 12725086 [CUST: AR] | A 6920 | AR | | 30-SEP-93 |
| | MIL-F-70620A(1) | FUZE, MTSQ, M772 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 01-JUN-90 |
| | MIL-W-70622 | WARHEAD, 2.75 INCH ROCKET, TEST, PXR6369, WITH SMOKE FOR TEST: FUZE, ROCKET, M433 [CUST: AR] | A 1340 | AR | | 06-MAR-87 |
| | MIL-C-70628(1) | CONTAINER, AMMUNITION, PA108 ASSEMBLY [CUST: AR] | A 1305 | AR | | 23-FEB-90 |
| | MIL-C-70629A(2) | CONTROL, MINE DISPENSER FOR THE UNIVERSAL MINE DISPENSER SYSTEM, M139 [CUST: AR] | D 1095 | AR | | 13-OCT-95 |
| | MIL-C-70630(5) | CONTAINER, AMMUNITION, METAL, PA117, FOR CARTRIDGE 105MM TANK AMMUNITION [CUST: AR] | A 8140 | AR | | 31-OCT-95 |
| | MIL-P-70661(3) | POTTED CIRCUIT CARD ASSEMBLY FOR TOW-2/E6 PROBE AND S&A ASSEMBLY [CUST: AR] | A 1336 | AR | | 10-APR-92 |
| | MIL-C-70663B | CARTRIDGE, CALIBER .50 SLAP BALL AND TRACER (SABOTED LIGHT ARMOR PENETRATOR) - M903 AND M962 [CUST: AR] | A 1305 | AR | | 04-JAN-94 |
| | MIL-P-70671(1) | PRIMER, ELECTRIC, LOADING, ASSEMBLING AND PACKING (CONTROLLED DISTRIBUTION)[CUST: AR] | F 1345 | AR | | 06-MAY-91 |
| | MIL-F-70673(4) | FUZE, ROCKET, BASE DETONATING, M442 [CUST: AR] | A 1340 | AR | | 01-OCT-96 |
| | MIL-F-70676 NOT 2 | FERRIC ACETYLACETONATE [CUST: AR] | A 6810 | AR | | 31-OCT-96 |
| | MIL-P-70679(3) | PROJECTILE, 60MM, WP, XM722 (M722) BODY ASSEMBLY [CUST: AR] | A 1310 | AR | | 14-SEP-95 |
| | MIL-T-70681(1) NOT 2 | TRIPHENYL BISMUTH [CUST: AR] | A 6810 | AR | | 02-DEC-96 |
| | MIL-S-70682(1) | SIMULATOR, FLASH, ARTILLERY, M21 PARTS FOR AND LOADING, ASSEMBLING AND PACKING | A 1370 | AR | | 26-MAR-93 |
| | MIL-C-70683A(1) | CHARGE, DEMOLITION: 40LB, CRATERING PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 13-AUG-96 |
| | MIL-S-70692(1) NOT 2 | SYM-BETA-NAPHTHYLPARAPHENYLENEDIAMINE [CUST: AR] | A 6810 | AR | | 02-DEC-96 |
| | MIL-P-70695(3) | PROJECTILE, PRACTICE, 155MM, M804E1 CAST METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | | 29-SEP-94 |
| | MIL-T-70700A(1) | TARGET HOLDING MECHANISM ASSEMBLY: 9375764 [CUST: AR] | A 6920 | AR | | 26-AUG-94 |
| | MIL-S-70703(2) | STRAND CAST STEEL, CARBON & ALLOY, FOR PROJECTILE APPLICATIONS [CUST: AR 99] [REVIEW: 70 MR] | A MECA | AR | | 18-MAR-88 |
| | MIL-F-70713(2) | FUZE, MTSQ, M776 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 15-APR-94 |
| | MIL-C-70723 | CARTRIDGE, CALIBER .50, M-858 BALL AND M-860 TRACER SHORT RANGE TRAINING AMMUNITION [CUST: AR] | A 1305 | AR | | 19-APR-93 |
| | MIL-C-70724 | CARTRIDGE, 5.56MM, BLANK, M200A1 PERFORMANCE SPECIFICATION FOR [CUST: AR] | A 1305 | AR | | 22-OCT-92 |
| | MIL-C-70725A | CARTRIDGE, 5.56MM, M862 SHORT RANGE TRAINING AMMUNITION PERFORMANCE SPECIFICATION FOR [CUST: AR] | A 1305 | AR | | 08-DEC-93 |
| | MIL-C-70726A | CARTRIDGE, CALIBER .50, BLANK, XM928, PERFORMANCE SPECIFICATION FOR [CUST: AR] | A 1305 | AR | | 06-DEC-93 |
| | MIL-C-70729 | CHARGE PROOF, 155MM, PXR-6297A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 31-MAR-89 |
| | MIL-P-70732 | PROPELLANT, STICK, M31A1E1 FOR USE IN CHARGE, PROOF, 155MM, PXR-6297A1 [CUST: AR] | A 1376 | AR | | 31-MAR-89 |
| | MIL-C-70733(3) | CUSHION AND SUPPORT COMPONENTS FOR METAL CONTAINER FOR VOLCANO MINE CANISTER [CUST: AR] | A 8140 | AR | | 17-NOV-93 |
| | MIL-C-70734(3) | CONTAINER, AMMUNITION, METAL PA113, FOR CANISTER, VOLCANO MINE M87/M88 [CUST: AR] | A 8140 | AR | | 06-SEP-96 |
| | MIL-P-70735 | PAPER, NITROCELLULOSE BASE FOR ARTILLERY PROPELLING CHARGES [CUST: AR] | A 1375 | AR | | 28-MAY-91 |
| | MIL-F-70737(1) | FUZE, DEMOLITION KIT, M1134A3 LOADING ASSEMBLING, AND PACKING [CUST: AR] | A 1375 | AR | | 08-FEB-93 |
| | MIL-C-70740 | CONTAINER, AMMUNITION, LIGHTWEIGHT METAL FOR 155MM PROPELLING CHARGE [CUST: AR] | A 8140 | AR | | 15-JUL-91 |
| | MIL-C-70741(1) | CONTAINER, METAL, PA117 [CUST: AR] | A 8140 | AR | | 15-FEB-93 |
| | MIL-M-70742(1) | MOUNT, TELESCOPE AND QUADRANT: M187 [CUST: AR] | A 1240 | AR | | 14-JUN-91 |
| | MIL-A-70753(2) | ADAPTERS, PALLET, WOODEN, FOR METAL CONTAINER FOR 105MM AND 120MM TANK AMMUNITION [CUST: AR] | A 8140 | AR | | 26-AUG-94 |
| | MIL-I-70756(1) | INERT PROJECTILE ASSEMBLY LESS ESCAPEMENT ASSEMBLY METAL PARTS AND ASSEMBLING AND PACKAGING [CUST: AR] | A 1310 | AR | | 25-MAY-90 |
| | MIL-P-70762(2) | PROPELLANT, COMPOSITE, CAST, FOR USE IN SIMULATOR, MISSILE: SAGGER XM27 [CUST: AR] | A 1376 | AR | | 01-FEB-96 |
| | MIL-C-70767(2) | CONTAINERS, SHIPPING AND STORAGE: PA 139, FOR THE M139 MINE DISPENSER SYSTEM [CUST: AR] | F 8140 | AR | | 17-JAN-95 |
| | MIL-C-70768(2) | CONTAINERS, SHIPPING AND STORAGE: PA140 FOR THE M139 MINE DISPENSER SYSTEM [CUST: AR] | F 8140 | AR | | 17-JAN-95 |
| | MIL-C-70769(2) | CONTAINERS, SHIPPING AND STORAGE: PA 134, PA 135, AND PA 136, FOR THE M139 MINE DISPENSER SYSTEM [CUST: AR] | F 8140 | AR | | 17-JAN-95 |
| | MIL-C-70770(3) | CONTAINERS, SHIPPING AND STORAGE: PA 137, PA 138 AND PA 141, FOR THE M139 MINE DISPENSER SYSTEM [CUST: AR] | A 1095 | AR | | 06-SEP-96 |
| | MIL-C-70781(5) | CARTRIDGE, 60MM: SMOKE, MARKING, M722 ASSEMBLING, MARKING AND PACKING [CUST: AR] | A 1310 | AR | | 30-MAR-94 |
| | MIL-A-70788A(2) | ADAPTER, METAL AND WOOD PALLET [CUST: AR] | A 8140 | AR | | 14-FEB-95 |
| | MIL-S-70791(2) | SIMULATOR, MISSILE: SAGGER XM27, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 01-FEB-96 |
| | MIL-B-70792A(1) | BASE, MINE DISPENSER: LAUNCHER RACK, FOR THE M139 SYSTEM [CUST: AR] | D 1095 | AR | | 13-OCT-95 |
| | MIL-H-70795 | HOWITZER, LIGHT, TOWED, 105MM: M119A1 (REQUEST FROM OTHER THAN DOD MUST BE SUBMITTED VIA THE PREPARING ACTIVITY: COMMANDER ARDEC (SMCAR-FSS-DA) PICATINNY ARSENAL, NJ 07806-5000) [CUST: AR] | A 1015 | AR | | 22-OCT-90 |
| | MIL-F-70807A(2) | FUZE, PD, M745 (LESS BOOSTER AND LEAD) [CUST: AR] | A 1390 | AR | | 04-JUN-96 |
| | MIL-F-70808A(3) | FUZE, PD: M745, LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1390 | AR | | 02-AUG-96 |
| | MIL-C-70810 | COMBUSTIBLE CARTRIDGE CASE ASSEMBLY PARTS NITROCELLULOSE PAPER PROCESS, FOR CHARGE, PROPELLING, 155MM, M203A1 [CUST: AR] | A 1320 | AR | | 28-MAY-91 |
| | MIL-P-70818A | PROPELLANT M43 FOR USE IN CARTRIDGE 105MM, APFSDS-T, M900 [CUST: AR] | E 1376 | AR | | 23-AUG-94 |
| | MIL-F-70823A(1) | FUZE, ELECTRONIC TIME, M762 LOADING, ASSEMBLING PACKING AND FUZE, ELECTRONIC TIME, M767 LESS BOOSTER [CUST: AR] | A 1390 | AR | | 18-SEP-96 |
| A | MIL-B-70824A NOT 2 | BATTERY, LITHIUM THIONYL CHLORIDE, SINGLE CELL RESERVE [CUST: AR] | A 6135 | AR | | 15-JAN-98 |
| | MIL-A-70833A(1) | AUTOMATIC TANK TARGET: 11784501 [CUST: AR] | A 6920 | AR | | 05-JAN-94 |
| | MIL-B-70838(1) | BILLET, DEPLETED URANIUM [CUST: AR] | A 9650 | AR | | 15-AUG-91 |
| | MIL-K-70840 | KIT, INSTALLATION, FOR ARMOR TILES M3, M4, M5, M6, M7 FOR THE M2A2/M3A2 BRADLEY FIGHTING VEHICLE SYSTEM (BFVS) [CUST: AR] | A 2350 | AR | | 26-MAY-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|----------------------|---|--------------------------|-----|-------------|-----------|
| | MIL-C-70842 | CONTAINER, SHIPPING AND STORAGE, CARTRIDGE, 40MM, PA120, GENERAL SPECIFICATION FOR [CUST: AR] | A 8140 | AR | | 15-AUG-94 |
| | MIL-W-70948 NOT 2 | WARHEAD SECTION, GM, PRACTICE XM276 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1336 | AR | | 02-DEC-96 |
| | MIL-P-70951(1) | PALLET, FIELD ARTILLERY PROJECTILE [CUST: AR] | A 8140 | AR | | 04-JAN-93 |
| A | MIL-A-70952(1) NOT 2 | ALTERNATOR, TURBINE (AIR DRIVEN) [CUST: AR] | A 1390 | AR | | 10-SEP-97 |
| | MIL-P-70956B | PROPELLANT, M14, FOR USE IN CARTRIDGE 120 MM, TPCSDS-T, M865 [CUST: AR] | B 1376 | AR | | 11-OCT-94 |
| | MIL-C-70957 | CUSHION COMPONENTS FOR METAL CONTAINER FOR 105MM HOWITZER AMMUNITION [CUST: AR] | A 8140 | AR | | 27-FEB-92 |
| | MIL-T-70988(1) NOT 2 | TRACER ASSEMBLY, 12525043 [CUST: AR] | A 1370 | AR | | 15-NOV-96 |
| | MIL-C-70991A(1) | CLOTH, COATED, KEVLAR-29, POLYURETHANE COATED [CUST: AR] | A 1330 | AR | | 17-JUN-94 |
| | MIL-K-70994A | KIT, REPAIR FOR TILE, ARMOR M3, M5, M6 AND M7 FOR THE M2A2/M3A2 BRADLEY FIGHTING VEHICLE SYSTEMS (BFVS) [CUST: AR] | A 2350 | AR | | 11-MAR-94 |
| A | MIL-C-70998(3) | CONTAINER, SHIPPING AND STORAGE, CARTRIDGE, 25MM, PA125, GENERAL SPECIFICATION FOR [CUST: AR] | A 8140 | AR | | 08-OCT-97 |
| | MIL-B-71003 | BATTERY ELIMINATOR ASSY: 12934455 [CUST: AR] | A 6130 | AR | | 10-JUN-91 |
| | MIL-C-71010 | COVERS, CAMOUFLAGE FOR TILES, ARMOR, FOR THE M2A2/M3A2 BRADLEY FIGHTING VEHICLE SYSTEMS (BFVS) [CUST: AR] | A 2350 | AR | | 11-MAR-94 |
| | MIL-C-71016(2) | CONTAINERS, SHIPPING AND STORAGE: PA 146, PA 147, PA 148, AND PA 152, FOR THE M139 MINE DISPENSER SYSTEM [CUST: AR] | F 8140 | AR | | 17-JAN-95 |
| A | MIL-F-71021(2) | FUZE, PROXIMITY, ARTILLERY: M732A2 (UNBOOSTED) [CUST: AR] | D 1390 | AR | | 08-SEP-97 |
| | MIL-M-71028A | MOUNT, TELESCOPE: 9356166 [CUST: AR] | A 1240 | AR | | 30-OCT-92 |
| | MIL-P-71031(3) | PROPELLANT M45 FOR 120MM MORTAR M230 PROPELLING CHARGE [CUST: AR] | D 1315 | AR | | 30-AUG-96 |
| | MIL-P-71033(2) | PROPELLANT M44 FOR IGNITION CARTRIDGE, M981 FOR 120MM MORTAR [CUST: AR] | D 1315 | AR | | 30-AUG-96 |
| | MIL-C-71034(2) | CHARGE, PROPELLING, M230 PARTS AND CONTAINER ASSEMBLY [CUST: AR] | D 1315 | AR | | 30-AUG-96 |
| | MIL-C-71035(2) | CHARGE, PROPELLING, M230 LOADING, ASSEMBLING AND PACKING [CUST: AR] | D 1315 | AR | | 30-AUG-96 |
| | MIL-C-71036(3) | CARTRIDGE, IGNITION, M981 PARTS FOR [CUST: AR] | D 1315 | AR | | 17-JAN-97 |
| | MIL-F-71037(3) NOT 2 | FIN ASSEMBLY, MORTAR CARTRIDGE, 120MM, M31 [CUST: AR] | D 1315 | AR | | 06-AUG-96 |
| | MIL-P-71038(1) NOT 2 | PROJECTILE, 120MM, HE, M933/M934 BODY [CUST: AR] | D 1315 | AR | | 27-NOV-96 |
| | MIL-O-71039(2) NOT 2 | OBTURATING BAND, PLASTIC SPLIT (MOLDED) [CUST: AR] | D 1315 | AR | | 27-NOV-96 |
| | MIL-C-71040(3) NOT 2 | CARTRIDGE, HE, 120MM, M934 W/FUZE M734 LOADING, ASSEMBLING AND PACKING [CUST: AR] | D 1315 | AR | | 29-OCT-96 |
| | MIL-C-71042(1) | CIRCUIT CARD ASSEMBLY, LOGIC: 11784523 [CUST: AR] | A 5998 | AR | | 26-AUG-94 |
| | MIL-C-71043(1) | CIRCUIT CARD ASSEMBLY, AMPLIFIER: 11784526 [CUST: AR] | A 5998 | AR | | 14-FEB-95 |
| | MIL-C-71045(1) | CONTAINER, METAL SHIPPING AND STORAGE, CARTRIDGE, 120MM MORTAR, PA154, GENERAL SPECIFICATION FOR [CUST: AR] | D 1315 | AR | | 30-MAR-93 |
| | MIL-G-71047 | MACHINE, GUN, CALIBER .50, AIRCRAFT, XM296 [CUST: AR] | A 1005 | AR | | 13-APR-93 |
| | MIL-P-71053 | PAX-2A EXPLOSIVE COMPOSITION [CUST: AR] | A 1376 | AR | | 22-JUN-94 |
| | MIL-P-71055(2) NOT 2 | PROJECTILE, 120 MM, SMOKE, WP, XM929, BODY ASSEMBLY AND METAL PARTS [CUST: AR] | D 1315 | AR | | 15-DEC-96 |
| | MIL-B-71056(1) | BURSTER, PROJECTILE, XM86 LOADING, ASSEMBLING AND PACKING [CUST: AR] | D 1315 | AR | | 30-AUG-96 |
| | MIL-C-71057(2) NOT 2 | CARTRIDGE, SMOKE, XM929 WITH FUZE M745 LOADING, ASSEMBLING AND PACKING [CUST: AR] | D 1315 | AR | | 30-AUG-96 |
| | MIL-W-71069(2) | WARHEAD, 2.75 INCH ROCKET, FLECHETTE: XM255E1 [CUST: AR] | A 1340 | AR | | 30-SEP-96 |
| | MIL-C-71083(2) | CONTAINER, SHIPPING AND STORAGE, CARTRIDGE, 81MM, PA156 AND PA157, GENERAL SPECIFICATION FOR [CUST: AR] | A 8140 | AR | | 14-SEP-95 |
| | MIL-C-71090(3) | CANISTER SMOKE, ASSEMBLY FOR PROJECTILE, PRACTICE, 155MM, M804E1 [CUST: AR] | A 1320 | AR | | 09-MAY-95 |
| | MIL-P-71092 | PROJECTILE, 155MM, INERT, MH64 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 09-JUL-92 |
| | MIL-P-71093 | POWDER, IGNITION, GASLESS, F-33B [CUST: AR] | A 1375 | AR | | 26-AUG-92 |
| | MIL-W-71094 | WAXES, COAL-BASED, FOR USE IN R8150 EXPLOSIVE [CUST: AR] | A 9160 | AR | | 24-JUN-92 |
| | MIL-P-71095(1) | PROJECTILE, 155MM, HE: M864 WEATHERSEAL ASSEMBLY FOR [CUST: AR] | A 1320 | AR | | 04-OCT-94 |
| | MIL-W-71125 | WOOD PRESERVATIVES: WATERBORNE OR WATER REDUCIBLE [CUST: AR] | A 8030 | AR | | 16-MAR-92 |
| | MIL-F-71127(5) | FUZE, POINT DETONATING, PRACTICE, M775 WITH PYROTECHNIC SIGNATURE CARTRIDGE [CUST: AR] | A 1390 | AR | | 30-APR-97 |
| | MIL-C-71128(4) | CARTRIDGE, 81MM, PRACTICE, SHORT RANGE M880 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 17-DEC-96 |
| | MIL-K-71129(4) | KIT, REFURBISHMENT, FOR CARTRIDGE, 81MM, PRACTICE, SHORT RANGE, M880 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 17-DEC-96 |
| | MIL-O-71130(1) NOT 2 | OBTURATING BAND, PLASTIC SPLIT (MOLDED) [CUST: AR] | A 1395 | AR | | 27-NOV-96 |
| | MIL-F-71131 | FIN, MORTAR CARTRIDGE: M32 [CUST: AR] | A 1310 | AR | | 26-MAY-92 |
| | MIL-B-71132(2) | BODY ASSEMBLY, 81MM, FOR CARTRIDGE, PRACTICE, M880 [CUST: AR] | A 1315 | AR | | 05-DEC-95 |
| | MIL-C-71133(1) | CARTRIDGE, IGNITION, M985 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 05-DEC-95 |
| A | MIL-C-71134(1) NOT 2 | CARTRIDGE, HE, 120MM, M933W/FUZE M745 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 30-OCT-96 |
| | MIL-P-71136 | PROCESS SPECIFICATION, AMMUNITION, 25MM, PACKAGING, PACKING AND MARKING [CUST: AR] | A 1305 | AR | | 12-OCT-92 |
| | MIL-C-71144 | CHARGE, PROPELLING, M229, FOR 105MM HOWITZER LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 27-SEP-94 |
| | MIL-C-71145 | CASE, CARTRIDGE, 105MM W/CHARGE M67/M200 AND PRIMER M28B2 [CUST: AR] | A 1315 | AR | | 12-MAY-93 |
| | MIL-S-71146 | SIMULATOR, LAUNCHING, ANTI-TANK, GUIDED MISSILE AND ROCKET M22 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 21-JUN-93 |
| | MIL-T-71148A | TRACER AND PLUG AND DISC ASSEMBLY [CUST: AR] | F 1315 | AR | | 18-JAN-95 |
| A | MIL-F-71149(5) | FUZE, POINT DETONATING, PRACTICE, M779 WITH PYROTECHNIC SIGNATURE CARTRIDGE [CUST: AR] | A 1390 | AR | | 12-NOV-97 |
| A | MIL-C-71150(3) | CARTRIDGE, 60MM PRACTICE, SHORT RANGE, M766 LOADING, ASSEMBLING AND PACKAGING [CUST: AR] | A 1315 | AR | | 12-NOV-98 |
| A | MIL-K-71151(3) | KIT, REFURBISHMENT, FOR CARTRIDGE, 60MM, PRACTICE, SHORT RANGE, M766 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 12-NOV-97 |
| | MIL-O-71152(1) NOT 2 | OBTURATING BAND, PLASTIC SPLIT (MOLDED) [CUST: AR] | A 1395 | AR | | 27-NOV-96 |
| | MIL-F-71153(1) | FIN, MORTAR CARTRIDGE: M33 [CUST: AR] | A 1390 | AR | | 31-JUL-96 |
| | MIL-B-71154(2) | BODY, 60MM, FOR CARTRIDGE, PRACTICE, M766 [CUST: AR] | A 1315 | AR | | 07-AUG-96 |
| | MIL-C-71155(3) | CARTRIDGE, IGNITION, M987 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 31-JUL-96 |
| | MIL-P-71158 NOT 2 | PROPELLANT, LIQUID, XM46 [CUST: AR] | A 1376 | AR | | 27-NOV-96 |
| | MIL-C-71165(1) | CONTAINER, AMMUNITION, LIGHTWEIGHT METAL FOR TOW 2A GUIDED MISSILE, SURFACE ATTACH: BGM - 71E - 5B WEAPON SYSTEM [CUST: AR] | A 8140 | AR | | 23-OCT-96 |
| | MIL-C-71167 | CARTRIDGE, 7.62MM, M973 BALL SHORT RANGE TRAINING AMMUNITION PERFORMANCE SPECIFICATION FOR [CUST: AR] | A 1305 | AR | | 23-SEP-93 |
| | MIL-C-71168 | CARTRIDGE, 7.62MM, M974 TRACER SHORT RANGE TRAINING AMMUNITION PERFORMANCE SPECIFICATION FOR [CUST: AR] | A 1305 | AR | | 23-SEP-93 |
| | MIL-A-71180 | ADAPTER, METAL PALLET [CUST: AR] | A 8140 | AR | | 15-JUN-93 |
| | MIL-B-71190 NOT 2 | BAG, MULTIWALL PASTED VALVE [CUST: AR] | A 8140 | AR | | 10-OCT-96 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------|---|--------------------------|-----|-------------|-----------|
| | | | | | | |
| | MIL-D-80002E(1) | DRILLING MACHINE, UPRIGHT FLOOR TYPE, ROUND AND BOX COLUMN, SLIDING HEAD, PLAIN TABLE, POWER FEED [CUST: AL SH 99 GS] [REVIEW: 84 OS SM YDI] | A 3413 | GS | | 16-FEB-90 |
| | MIL-H-80003B | HONING MACHINE, VERTICAL, SINGLE SPINDLE, 1 1/2 TO 12 INCH BORE, 12 TO 80 INCH STROKE [CUST: AL SH 99] [REVIEW: MC] | A 3419 | GS | | 28-MAR-74 |
| | MIL-B-80004C | BORING AND MILLING MACHINE, PRECISION, HORIZONTAL SPINDLE, TABLE TYPE, MANUALLY OR NUMERICALLY CONTROLLED [CUST: AL SH 99] [REVIEW: 84 AR AS MC OS YDI] | A 3411 | GS | | 11-JUL-86 |
| | MIL-L-80005A | LAPPING MACHINE, METALWORKING, HIGH PRECISION, FLAT SURFACES, SINGLE FACE, FREE ABRASIVE TYPE [CUST: AL SH 99] [REVIEW: MC MI] | A 3419 | GS | | 18-MAY-70 |
| | MIL-L-80007E | LATHES, TOOLROOM, 11-INCH THROUGH 13-INCH [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3416 | GS | | 29-SEP-89 |
| | MIL-P-80008D | PUNCHING MACHINE, METAL, TURRET TYPE, HAND OPERATED [CUST: AL 99 GS] | A 3445 | GS | | 16-MAR-90 |
| | MIL-H-80009B NOT 1 | HONING MACHINE, HORIZONTAL, SINGLE SPINDLE, MANDREL TYPE, WET APPLICATION [CUST: AL SH 99] [REVIEW: AS MC] | A 3419 | GS | | 08-MAY-87 |
| | MIL-B-80012C | BORING AND TURNING MACHINES, VERTICAL, AND LATHES, VERTICAL, TURRET, MANUAL [CUST: AL SH 99 GS] [REVIEW: 84 SM] | A 3411 | GS | | 30-JUN-88 |
| | MIL-M-80016C(2) | MILLING MACHINE, VERTICAL, KNEE TYPE, SIZES 2 THROUGH 7 [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3417 | GS | | 20-NOV-91 |
| A | MIL-S-80020D | SANDER, SINGLE AND DOUBLE DISK, WOODWORKING [CUST: CR4 SH 99 IS] [REVIEW: 84 AV CE MC YDI] | A 3220 | IS | | 31-JAN-91 |
| | MIL-C-80021B(1) | CUTOFF MACHINE, ABRASIVE DISK OR CIRCULAR SAW BLADE, METALCUTTING, CHOP STROKE, DRY CUT, FLOOR MOUNTED [CUST: AL SH 99] [REVIEW: 84 CR4 MC] | A 3413 | GS | | 01-MAR-88 |
| | MIL-E-80023D(1) | ELECTRICAL DISCHARGE MACHINE, VERTICAL, RAM AND QUILL TYPE [CUST: SH 99] [REVIEW: 84 AR AS CR MC OS] | A 3410 | GS | | 16-JUL-87 |
| | MIL-P-80026C | PUNCHING MACHINE, METAL, POWER DRIVEN, TURRET TYPE [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3445 | GS | | 22-AUG-88 |
| A | MIL-S-80029D NOT 1 | SANDER, DISK AND BELT [CUST: CR4 SH 99 IS] [REVIEW: 84 CE MC] | A 3220 | IS | | 31-MAR-88 |
| | MIL-M-80033D | MILLING MACHINES, COMBINATION HORIZONTAL AND VERTICAL, KNEE TYPE [CUST: AL SH 99 GS] [REVIEW: 84 MC YDI] | A 3417 | GS | | 21-APR-92 |
| A | MIL-S-80034C NOT 1 | SAW, JIG, WOODWORKING [CUST: AL SH 99 IS] [REVIEW: 84 CE CR4 MC] | A 3220 | IS | | 16-APR-90 |
| | MIL-S-80035C | SWAGING MACHINES, ROTARY, ELECTRIC, FLOOR MOUNTED [CUST: AL SH 99 GS] [REVIEW: 84 MC OS YDI] | A 3446 | GS | | 12-FEB-92 |
| | MIL-C-80036C(1) | CUTTING MACHINES, OXYGEN FLAME AND PLASMA ARC, AUTOMATIC, STATIONARY, PHOTOELECTRIC TRACER CONTROLLED [CUST: 99 GS] [REVIEW: 84 MC SH] | A 3433 | GS | | 14-NOV-90 |
| | MIL-W-80037C(1) | WELDING MACHINES, ARC, DC, GENERATOR, CONSTANT CURRENT, INTERNAL COMBUSTION ENGINE DRIVEN [CUST: CR4 YDI 99 GS] [REVIEW: MC SH] | A 3431 | GS | | 10-NOV-88 |
| | MIL-D-80038E | DRILLING MACHINE, UPRIGHT, ROUND COLUMN, ELECTRIC MOTOR DRIVEN [CUST: AL SH 99 GS] [REVIEW: 84 AR SM YDI] | A 3413 | GS | | 03-AUG-90 |
| | MIL-D-80039B NOT 1 | DRILLING MACHINE, UPRIGHT, BENCH TYPE, BOX COLUMN, SLIDING HEAD, ELECTRIC MOTOR DRIVEN, HAND FEED [CUST: AL SH 99] [REVIEW: AR AS MC] | A 3413 | GS | | 10-MAR-88 |
| | MIL-W-80040E | WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT VOLTAGE, FOR MULTI-OPERATOR SYSTEMS [CUST: AL SH 99 GS] [REVIEW: AS CG CR4 MC OS] | A 3431 | GS | | 29-MAR-89 |
| | MIL-P-80041D | PRESSES, MECHANICAL, OPEN-BACK-INCLINABLE (OBI), SINGLE AND DOUBLE CRANK TYPE [CUST: SH 99 GS] [REVIEW: AL AR MC] | A 3443 | GS | | 08-MAR-90 |
| | MIL-W-80042C | WELDER CONTROL STATIONS FOR MULTI-OPERATOR SYSTEMS [CUST: AL SH 99] [REVIEW: CG] | A 3438 | GS | | 23-FEB-88 |
| | MIL-W-80043C | WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT CURRENT [CUST: CR4 SH 99] [REVIEW: AS CG MC] | A 3431 | GS | | 28-JAN-81 |
| | MIL-M-80044D | MILLING MACHINES, HORIZONTAL SPINDLE, KNEE TYPE, SIZE NUMBERS 2, 3, 4 & 5 [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3417 | GS | | 11-SEP-87 |
| | MIL-H-80045B NOT 1 | HEATER, INDUCTION, HIGH FREQUENCY, VACUUM TUBE TYPE [CUST: SH 99] [REVIEW: AR MC OS] | A 3424 | GS | | 04-JUN-86 |
| A | MIL-L-80047D | LATHES, WOODWORKING, PATTERNMAKERS [CUST: SH 99 IS] [REVIEW: 84 CE MC] | A 3220 | IS | | 30-JUN-88 |
| | MIL-G-80048C NOT 1 | GRINDING MACHINE, CENTERLESS, EXTERNAL, CYLINDRICAL [CUST: AL SH 99] [REVIEW: 84 AS MC OS] | A 3415 | GS | | 13-APR-87 |
| | MIL-P-80052C NOT 1 | PRESS BRAKES, POWER OPERATED, HYDRAULIC, SHEET AND PLATE [CUST: AL SH 99 GS] [REVIEW: 84 AR YDI] | A 3441 | GS | | 25-APR-91 |
| | MIL-L-80053D | LATHES, TURRET, HORIZONTAL, COMPUTER NUMERICALLY CONTROLLED (CNC) [CUST: AL SH 99 GS] [REVIEW: AR MC] | A 3416 | GS | | 01-AUG-89 |
| | MIL-P-80054D NOT 1 | PUNCHING MACHINE, METAL, TURRET TYPE, COMPUTER NUMERICALLY CONTROLLED (CNC) [CUST: AL SH 99 GS] [REVIEW: MC] | A 3445 | GS | | 27-SEP-88 |
| | MIL-H-80055B | HEATER, INDUCTION, HIGH FREQUENCY, MOTOR GENERATOR TYPE [CUST: AL SH 99] [REVIEW: MC] | A 3424 | GS | | 20-MAR-81 |
| | MIL-F-80056C | FURNACES, HEAT TREATING, ELECTRIC, BATH TYPE [CUST: AL SH 99 GS] [REVIEW: 84 AR AS CR MC OS SM] | A 3424 | GS | | 01-OCT-91 |
| | MIL-F-80057C NOT 1 | FORMING MACHINES, SHEET METAL, CLEAT AND LOCK FORMING [CUST: AL SH 99 GS] [REVIEW: AR MC YDI] | A 3441 | GS | | 26-NOV-90 |
| | MIL-S-80060D NOT 1 | SHEARING, NIBBLING, AND FORMING MACHINES; UNIVERSAL [CUST: AL SH 99 GS] [REVIEW: 84 SM YDI] | A 3445 | GS | | 22-JUL-88 |
| | MIL-L-80061B NOT 1 | LATH, BENCH, VARIABLE SPEED, PLAIN AND TURRET, 9 INCH [CUST: AL SH 99] [REVIEW: MC] | A 3416 | GS | | 18-FEB-87 |
| | MIL-W-80062C | WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, ADJUSTABLE CONSTANT VOLTAGE [CUST: AL SH 99] [REVIEW: 84 AS CE MC] | A 3431 | GS | | 01-APR-85 |
| | MIL-P-80068D | POSITIONERS, WELDING, TABLE TYPE, GEAR DRIVEN [CUST: SH 99 GS] [REVIEW: 84 AR AS MC] | A 3436 | GS | | 06-MAR-92 |
| | MIL-F-80069D | FLARING, FLANGING, AND BEADING MACHINES, TUBE [CUST: AL SH 99 GS] [REVIEW: 84 MC YDI] | A 3441 | GS | | 19-APR-89 |
| | MIL-C-80071B NOT 1 | CUTOFF MACHINES, ABRASIVE DISK, METAL CUTTING, CHOP-STROKE, WET CUT, FLOOR MOUNTED [CUST: AL SH 99 GS] [REVIEW: 84 SM] | A 3405 | GS | | 05-SEP-89 |
| | MIL-P-80072C | PUNCHING MACHINE, METAL, POWER DRIVEN, SINGLE END TYPE [CUST: AL SH 99 GS] [REVIEW: 84 MC YDI] | A 3445 | GS | | 13-JAN-92 |
| | MIL-G-80073C NOT 2 | GRINDING MACHINES, INTERNAL, CHUCKING, UNIVERSAL [CUST: AL SH 99 GS] [REVIEW: MC] | A 3415 | GS | | 30-SEP-88 |
| | MIL-D-80076D | DRILLING MACHINE, UPRIGHT, BOX COLUMN, FLOOR TYPE PLAIN TABLE, HAND FEED [CUST: AL SH 99 GS] [REVIEW: 84 MC SM YDI] | A 3413 | GS | | 01-OCT-90 |
| | MIL-F-80079C | FURNACES, HEAT TREATING, ELECTRIC CONTROLLED ATMOSPHERE, HORIZONTAL BOX DESIGN [CUST: AL SH 99 GS] [REVIEW: 84 AV MC OS] | A 3424 | GS | | 06-AUG-90 |
| | MIL-W-80080C NOT 1 | WELDING MACHINES, ARC, AC/DC, GENERATOR, CONSTANT CURRENT, INTERNAL COMBUSTION ENGINE DRIVEN [CUST: AL SH 99 GS] [REVIEW: CE CR4 MC OS YDI] | A 3431 | GS | | 03-MAR-89 |
| A | MIL-L-80081D | LATHES, WOODWORKING [CUST: CR4 SH 99 IS] [REVIEW: CE YDI] | A 3220 | IS | | 09-AUG-90 |
| | MIL-F-80082B | FURNACE, HEAT-TREATING AND BRAZING, ELECTRIC, CONTROLLED ATMOSPHERE, PUSHER AND CONVEYOR BELT TYPES [CUST: AL SH 99] [REVIEW: 84 AR MC] | A 3424 | GS | | 19-MAR-86 |
| | MIL-B-80083C(1) | BENDING MACHINES, ROTARY HEAD, HORIZONTAL, HYDRAULICALLY OPERATED [CUST: AL SH 99] [REVIEW: 84 OS] | A 3441 | GS | | 06-AUG-91 |
| | MIL-P-80085C | POSITIONERS, WELDING, HEADSTOCK, TAILSTOCK, AND COMBINATION TYPES [CUST: AR SH 99 GS] [REVIEW: 84 MC] | A 3436 | GS | | 25-JAN-91 |
| | MIL-S-80086D | SHEARING MACHINE, METAL SQUARING, HYDRAULIC DRIVE [CUST: AL SH 99] [REVIEW: 84 MC SM] | A 3445 | GS | | 30-JUN-86 |
| | MIL-G-80088D(1) | GRINDING MACHINES, SURFACE, RECIPROCATING TABLE, HORIZONTAL SPINDLE, POWER FEED [CUST: AL SH 99 GS] [REVIEW: AR MC SM] | A 3415 | GS | | 22-FEB-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Ver | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|----------------------|-----|-------------|-----------|
| | MIL-F-80089B | FURNACE, HEAT TREATING, GAS FIRED, BOX TYPE, DIRECT FIRED AND FULL MUFFLE DESIGN [CUST: AL] [REVIEW: MC OS] | A 3424 | GS | | 30-SEP-86 |
| | MIL-C-80090D | CUTTING SYSTEMS, METAL, PLASMA ARC [CUST: AL SH 99 GS] [REVIEW: 84 AR AV MC] | A 3433 | GS | | 06-FEB-92 |
| | MIL-S-80093B | SHEARING MACHINE, ROTARY, RING AND CIRCLE, METAL, POWER OPERATED [CUST: AR SH 99] [REVIEW: AV MC] | A 3445 | GS | | 15-JUL-70 |
| A | MIL-S-80095D | SAW, BAND WOODWORKING [CUST: AL SH 99 IS] [REVIEW: AR CR4 MC YDI] | A 3220 | IS | | 12-FEB-86 |
| | MIL-W-80102C | WELDING SET, ARC, GAS SHIELDED, CONSUMABLE ELECTRODE [CUST: AL SH 99 GS] [REVIEW: AR AS CE MC OS] | A 3431 | GS | | 06-JUN-90 |
| | MIL-W-80103C | WELDING EQUIPMENT, ARC, DC, PIPE, AUTOMATIC [CUST: CR4 SH 99] [REVIEW: 84 AS CE OS] | A 3431 | GS | | 24-JUL-86 |
| | MIL-P-80104D | PRESS, SWAGING, WIRE ROPE FITTINGS, HYDRAULICALLY POWERED [CUST: SH 99 GS] [REVIEW: AS YDI] | A 3442 | GS | | 27-MAR-90 |
| | MIL-P-80107B | PRESS, MECHANICAL, SINGLE POINT, STRAIGHT SIDE [CUST: AL SH 99] [REVIEW: 84 AR] | A 3443 | GS | | 28-FEB-88 |
| | MIL-P-80109D | PLASMA SPRAY SYSTEM, (POWER) GUNS, AND ACCESSORIES [CUST: 99] [REVIEW: 71 84 AS SH] | A 3433 | GS | | 31-AUG-87 |
| | MIL-W-80110C | STUD WELDING UNITS, INDEPENDENT DC POWER SOURCE WITH SEPARATE CONTROL UNIT, ELECTRIC ARC [CUST: AL SH 99 GS] [REVIEW: 84 AS MC] | A 3431 | GS | | 27-NOV-89 |
| | MIL-C-80111C | CUTTING MACHINE, SHAPE, OXYGEN & FUEL GAS, ELECTRIC-MOTOR DRIVEN, TRACER GUIDED, PORTABLE [CUST: SH 99] [REVIEW: 84 AR YDI] | A 3433 | GS | | 14-JAN-87 |
| | MIL-T-80112D | THREAD AND FORM ROLLING MACHINES, ROTARY DIE, POWER DRIVEN, HORIZONTAL [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3449 | GS | | 17-OCT-89 |
| | MIL-F-80113D | FURNACE, VACUUM, HEAT TREATING AND BRAZING [CUST: SH 99] [REVIEW: 84 AL AS OS] | A 3424 | GS | | 29-JAN-88 |
| | MIL-P-80114D | PRESS, HYDRAULIC, VERTICAL, C- (GAP) FRAME [CUST: AL SH 99 GS] [REVIEW: 84] | A 3442 | GS | | 02-AUG-90 |
| | MIL-B-80115B NOT 1 | BENDING MACHINE, ANGLES, BARS, AND SHAPES, VERTICLE BENDING PLANE OR HORIZONTAL BENDING PLANE, POWER OPERATED [CUST: AL 99 GS] [REVIEW: 84 MC SH YDI] | A 3441 | GS | | 22-JUN-90 |
| | MIL-W-80117B NOT 1 | WELDING SETS, SUBMERGED ARC [CUST: AL SH 99 GS] [REVIEW: 84 AR AS CG MC] | A 3431 | GS | | 17-OCT-89 |
| | MIL-W-80119B | WELDING SYSTEMS, ELECTRON BEAM, VACUUM TYPE, COMPUTER NUMERICALLY CONTROLLED (CNC) [CUST: AR SH 99 GS] [REVIEW: MC MI OS] | A 3438 | GS | | 12-MAR-90 |
| | MIL-F-80120B(1) NOT 1 | FURNACE, HEAT-TREATING AND QUENCHING, IN AND OUT, AND STRAIGHT THROUGH DESIGN [CUST: AL SH 99] [REVIEW: AS MC OS] | A 3424 | GS | | 14-APR-86 |
| | MIL-G-80125B | GRINDING MACHINE, SURFACE, ROTARY, VERTICAL SPINDLE, SINGLE TABLE [CUST: AL SH 99] [REVIEW: 84 AS MC OS] | A 3415 | GS | | 22-AUG-86 |
| | MIL-G-80126B | GRINDING MACHINE, DISC, HORIZONTAL, DOUBLE END, SINGLE SPINDLE [CUST: 99] | A 3415 | GS | | 27-FEB-87 |
| | MIL-P-80128C | PRESS, "H" FRAME, VERTICAL, HYDRAULIC, ELECTRIC MOTOR DRIVEN [CUST: AL SH 99] [REVIEW: 84 AR AS MC OS] | A 3442 | GS | | 29-JAN-87 |
| | MIL-E-80130C(1) | ELECTRO-EROSION MACHINE, METAL DISINTEGRATING, ELECTRIC ARC, VIBRATING HEAD, DRILL TYPE [CUST: AL SH 99] [REVIEW: 84 CR4 MC] | A 3410 | GS | | 11-SEP-84 |
| | MIL-T-80131C | TURNING ROLLS, WELDING, POWERED, IDLER, AND TILTING TYPE [CUST: AL SH 99 GS] [REVIEW: 84 AR MC OS] | A 3436 | GS | | 25-OCT-91 |
| | MIL-F-80133B | FURNACE, HEAT TREATING, PIT TYPE, ELECTRIC, FORCED CONVECTION [CUST: SH 99] [REVIEW: AS AV OS] | A 3424 | GS | | 30-OCT-87 |
| | MIL-P-80135B | PRESSES, MECHANICAL STRAIGHT SIDED, TIE RODS, MULTIPLE POINT, NON-GEARED TYPE [CUST: AR SH 99] [REVIEW: MC] | A 3443 | GS | | 17-NOV-87 |
| | MIL-M-80141C | METALLIZING OUTFIT, POWER GAS, GUNS AND ACCESSORIES [CUST: 99] [REVIEW: AR MC OS SH] | A 3433 | GS | | 30-APR-87 |
| | MIL-T-80144C | TANK, METAL FINISHING [CUST: AL 99] [REVIEW: AS MC OS SH] | A 3426 | GS | | 24-NOV-81 |
| | MIL-G-80145B | GRINDING MACHINES, SURFACE, RECIPROCATING TABLE, HORIZONTAL SPINDLE, HAND FEED [CUST: AL SH 99 GS] [REVIEW: 84 AR MC SM] | A 3415 | GS | | 22-FEB-89 |
| | MIL-F-80146A NOT 1 | FURNACE, HEAT TREATED, GAS FIRED, PIT TYPE, FORCED CONVECTION [CUST: AL SH 99] [REVIEW: MC OS] | A 3424 | GS | | 06-JUN-86 |
| | MIL-P-80149B NOT 1 | PRESS, "H" FRAME, VERTICAL, HYDRAULIC, AIR DRIVEN [CUST: AL SH 99 GS] [REVIEW: AR AV] | A 3442 | GS | | 23-APR-90 |
| | MIL-G-80152B | GOUGING AND CUTTING MACHINE, MECHANIZED, DIRECT CURRENT, ELECTRIC ARC, PORTABLE [CUST: AR 99 GS] [REVIEW: 84 AS MC OS SH] | A 3433 | GS | | 30-JUN-88 |
| | MIL-B-80153B | BRAKE MACHINE, SHEET METAL, POWER OPERATED (STANDARD TYPE AND BOX-PAN TYPE)[CUST: AR SH 99] [REVIEW: AR AV MC] | A 3441 | GS | | 21-MAR-80 |
| | MIL-E-80158B | ELECTRO-EROSION MACHINES, ELECTRIC DISCHARGE "C" FRAME, RAM/QUILL TYPE, STATIONARY/ROTARY SPINDLE, MANUAL AND COMPUTER NUMERICAL CONTROL (CNC) [CUST: AL SH 99 GS] [REVIEW: MC] | A 3410 | GS | | 20-MAR-90 |
| | MIL-G-80159A | GENERATOR, ENDOTHERMIC ATMOSPHERE [CUST: AL SH 99] [REVIEW: AR AS MC] | A 3424 | GS | | 18-DEC-74 |
| | MIL-B-80160C | BENDING PRESSES, RAM TYPE, HYDRAULICALLY DRIVEN, PIPE, TUBING AND STRUCTURAL SHAPES [CUST: AR SH 99 GS] [REVIEW: 84 YDI] | A 3441 | GS | | 16-MAR-92 |
| | MIL-B-80161C | BENDING MACHINES, ROTARY HEAD, TUBING, HYDRAULICALLY OPERATED, NUMERICALLY CONTROLLED [CUST: AL SH 99] [REVIEW: 84 AV MC] | A 3441 | GS | | 11-SEP-87 |
| | MIL-G-80162A | GRINDING MACHINE, THREAD, EXTERNAL, AUTOMATIC [CUST: AL SH 99] [REVIEW: AS] | A 3415 | GS | | 07-MAR-88 |
| | MIL-G-80163B | GRINDING MACHINES, SURFACE, ROTARY TABLE, HORIZONTAL SPINDLE [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3415 | GS | | 01-OCT-90 |
| | MIL-W-80164A NOT 1 | WELDING HEAD, ARC, AUTOMATIC, CONSUMABLE WIRE ELECTRODE [CUST: SH 99] [REVIEW: 84 AS MC OS YDI] | A 3431 | GS | | 26-JUL-83 |
| | MIL-W-80165B(1) | WELDING MACHINE, ARC,DC, GENERATOR, CONSTANT CURRENT, CONSTANT VOLTAGE, INTERNAL COMBUSTION ENGINE DRIVEN [CUST: AL SH 99] [REVIEW: AR MC] | A 3431 | GS | | 16-MAR-88 |
| | MIL-G-80167A NOT 1 | GENERATOR, EXOTHERMIC ATMOSPHERE [CUST: AL SH 99] [REVIEW: AR AS MC OS] | A 3424 | GS | | 23-APR-86 |
| | MIL-P-80172C | PUNCHING MACHINES, METAL, SINGLE END TYPE, COMPUTER NUMERICALLY CONTROLLED (CNC) [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3445 | GS | | 04-NOV-88 |
| | MIL-M-80173C | MANIPULATORS, AUTOMATIC WELDING HEAD, STATIONARY BASE, AND TRAVELING RAM OR BOOM, ELECTRIC MOTOR DRIVEN [CUST: AL SH 99 GS] [REVIEW: 84 AS MC OS] | A 3436 | GS | | 10-FEB-92 |
| | MIL-L-80175B | LATHE, SPEED, HORIZONTAL SPINDLE, SINGLE END, BENCH AND FLOOR MOUNTED [CUST: AL SH 99] [REVIEW: 84 AV MC] | A 3419 | GS | | 11-FEB-87 |
| | MIL-G-80176B(1) NOT 1 | GRINDING MACHINE, ABRASIVE BELT, PLATEN, WET & DRY TYPE [CUST: AL SH 99] [REVIEW: 84 AS MC OS] | A 3419 | GS | | 06-MAY-87 |
| | MIL-P-80178B | PRESSES, STRAIGHTENING, GAP TYPE, HYDRAULIC POWERED [CUST: AR SH 99 GS] [REVIEW: AR MC MS] | A 3442 | GS | | 28-FEB-89 |
| | MIL-G-80179A | GRINDING MACHINE, CENTER HOLE, VERTICAL, FLOOR MOUNTED, ELECTRIC MOTOR DRIVEN [CUST: AL SH 99] [REVIEW: 84 AR AS MC SM] | A 3415 | GS | | 11-JUL-86 |
| | MIL-G-80180B NOT 1 | GRINDING MACHINES, INTERNAL, CHUCKING, HORIZONTAL, ELECTRIC MOTOR DRIVEN [CUST: AL SH 99 GS] [REVIEW: 84 AR AS CR MC OS YDI] | A 3415 | GS | | 08-MAY-90 |
| | MIL-M-80184B | MILLING MACHINES, BED TYPE, VERTICAL, DOUBLE HOUSING, NUMERICALLY CONTROLLED, PROFILING, 5 TO 25 HORSEPOWER PER SPINDLE, SINGLE AND MULTI-SPINDLE MACHINES [CUST: AL SH 99 GS] [REVIEW: MC] | A 3417 | GS | | 18-DEC-90 |
| | MIL-P-80186B | POSITIONERS, WELDING, ROTATING TABLE, CANTILEVER ARM DESIGN [CUST: AR SH 99 GS] [REVIEW: 84 AL MC OS SM] | A 3436 | GS | | 20-MAR-91 |
| | MIL-W-80187A NOT 1 | WELDING MACHINES, ULTRASONIC BONDING, MINIATURE WIRE [CUST: 99 GS] [REVIEW: 84 MC] | A 3438 | GS | | 29-NOV-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | UIC | Prep. Acty. | Date |
|-----------------------|---|--------------------------|-----|-------------|-----------|
| MIL-F-80188B | FURNACE, HEAT TREATING, ELECTRIC, METAL LINED, BOX DESIGN [CUST: AL SH 99] [REVIEW: MC SM] | A 3424 | GS | | 02-JAN-85 |
| MIL-W-80191B | WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT VOLTAGE, CONSTANT CURRENT [CUST: CR4 SH 99] [REVIEW: 84 AL AS CG MC] | A 3431 | GS | | 08-MAY-87 |
| MIL-M-80197B | MANIPULATORS, AUTOMATIC WELDING HEAD, TRAVELING BASE AND TRAVELING BOOM, ELECTRIC MOTOR DRIVEN [CUST: AL SH 99 GS] [REVIEW: MC] | A 3436 | GS | | 28-JUN-91 |
| MIL-W-80198 | WELDING SYSTEM, METAL, PLASMA ARC [CUST: AR SH 99] | A 3438 | GS | | 27-FEB-70 |
| MIL-S-80201C | SAWS, BAND, METAL CUTTING, VERTICAL, CONTOUR [CUST: AL SH 99] [REVIEW: 84 MC] | A 3405 | GS | | 01-JUN-81 |
| MIL-B-80202A | BORING AND TURNING MACHINES, VERTICAL, COMPUTER NUMERICAL CONTROL, PERFORATED TAPE (FUTURE PROCUREMENT USE MIL-B-80248A) [CUST: AL SH 99] [REVIEW: AS MC] | A 3411 | GS | | 06-JUL-77 |
| MIL-F-80207C | FURNACES, HEAT TREATING, HORIZONTAL, CAR-BOTTOM DESIGN [CUST: AL SH 99 GS] [REVIEW: 84 AS CR4 MC OS SM] | A 3424 | GS | | 01-OCT-90 |
| MIL-B-80210B | BORING MACHINES, VERTICAL, SINGLE COLUMN, COMPUTER NUMERICALLY CONTROLLED (CNC) [CUST: AL 99] [REVIEW: 84 AR] | A 3411 | GS | | 05-FEB-88 |
| MIL-M-80212B | MILLING MACHINES, VERTICAL, SINGLE AND MULTIPLE SPINDLE, COMPUTER NUMERICALLY CONTROLLED (CNC), AND TRACER CONTROLLED PROFILER [CUST: AL SH 99 GS] [REVIEW: 84 AR AS OS SM] | A 3417 | GS | | 13-NOV-89 |
| MIL-W-80214B | WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, PULSATING CURRENT [CUST: CR4 SH 99] [REVIEW: 84 AL CG MC] | A 3431 | GS | | 22-MAR-85 |
| MIL-M-80215 | MILLING MACHINE, BED TYPE, HORIZONTAL SPINDLE, AUTOMATIC CYCLE, 24, 26 AND 30 INCH MINIMUM TABLE WIDTH, PLAIN AND DUPLEX MACHINES [CUST: AL SH 99] [REVIEW: MC] | A 3417 | GS | | 27-NOV-70 |
| MIL-L-80219B | LATHES, SHAFT TURNING, TURRET, VERTICAL BED AND SLANT BED, COMPUTER NUMERICALLY CONTROLLED (CNC) [CUST: AL SH 99 GS] [REVIEW: 84 AR MC YDI] | A 3416 | GS | | 31-OCT-90 |
| MIL-S-80220B | SHEARING MACHINES, SHEET METAL, POWER DRIVEN [CUST: AL SH 99 GS] [REVIEW: MC] | A 3445 | GS | | 09-APR-91 |
| MIL-K-80221A NOT 2 | KEYSEATING MACHINE, MECHANICAL AND HYDRAULIC, RECIPROCATING CUTTER TYPE [CUST: AL 99] [REVIEW: MC] | A 3419 | GS | | 25-JUN-80 |
| MIL-B-80223A NOT 1 | BENDING MACHINES, PIPE AND CONDUIT, HYDRAULIC OR MECHANICAL, BENCH MOUNTING PEDESTAL MOUNTED, OR PORTABLE [CUST: AR SH 99 GS] [REVIEW: 84 MC] | A 3441 | GS | | 14-SEP-90 |
| MIL-S-80224A | SHEARING MACHINE, METAL NOTCHING, POWER DRIVEN [CUST: 99 GS] | A 3445 | GS | | 19-APR-89 |
| MIL-M-80226B | METALLIZING SYSTEM, ELECTRIC ARC [CUST: CR4 SH 99 GS] [REVIEW: 84 MC] | A 3433 | GS | | 01-AUG-90 |
| MIL-W-80227A | WELDING MACHINE, ULTRASONIC, SPOT [CUST: 99 GS] [REVIEW: 71 84] | A 3438 | GS | | 27-FEB-90 |
| MIL-G-80228B | GRINDING MACHINE, INTERNAL, PLANETARY HEAD, HORIZONTAL SPINDLE, ELECTRIC MOTOR DRIVEN [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3415 | GS | | 05-FEB-90 |
| MIL-D-80229A NOT 1 | DEPOSITION MACHINE, CARBIDE [CUST: AL SH 99 GS] [REVIEW: 84 AV MC] | A 3433 | GS | | 13-SEP-91 |
| MIL-W-80232B(1) | WELDING MACHINE, ARC, AC/DC, TRANSFORMER RECTIFIER, CONSTANT CURRENT, PROGRAMMED [CUST: AL SH 99 GS] [REVIEW: AS CR4] | A 3431 | GS | | 11-JAN-89 |
| MIL-F-80233B | FURNACE, VACUUM, HEAT TREATING, INTEGRAL QUENCH [CUST: AL SH 99] [REVIEW: AS OS] | A 3424 | GS | | 10-MAY-85 |
| MIL-G-80236 NOT 1 | GENERATOR, AMMONIA DISSOCIATED ATMOSPHERE [CUST: SH 99] [REVIEW: AS OS YDI] | A 3424 | GS | | 24-MAR-87 |
| MIL-G-80239B | GRINDING MACHINES, NON-TRAVERSING ROTARY TABLE, VERTICAL SPINDLE, UNIVERSAL, MANUAL, AUTOMATIC, & COMPUTER NUMERICALLY CONTROLLED (CNC) [CUST: AL SH 99] [REVIEW: 84 AR AS] | A 3415 | GS | | 24-AUG-87 |
| MIL-V-80240C | VIEWS, MICROFICHE [CUST: CR SA 07 GS] [REVIEW: 70 99 AR AS AT AV CR4 DO EA MC OS SH YDI] | A 6730 | GS | | 15-JUN-90 |
| MIL-W-80243B | WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT CURRENT, PROGRAMMED [CUST: AL YDI 99] [REVIEW: 84 AS CG MC] | A 3431 | GS | | 31-DEC-87 |
| MIL-W-80244B | WELDING MACHINE, FRICTION [CUST: AL 99 GS] [REVIEW: 84 AS AV MC] | A 3438 | GS | | 02-MAR-90 |
| MIL-L-80245A | LATHE, MULTIPLE PURPOSE, CHUCKING, HORIZONTAL SPINDLE, COMPUTER NUMERICALLY CONTROLLED (CNC) [CUST: AL SH 99 GS] [REVIEW: AR MC] | A 3416 | GS | | 22-DEC-88 |
| MIL-B-80248A | BORING AND TURNING MACHINES, VERTICAL, NUMERICAL CONTROL BY MANUAL DATA INPUT, 36 THROUGH 96 INCH TABLES [CUST: AL SH 99] [REVIEW: 84 AR AS YDI] | A 3411 | GS | | 30-SEP-86 |
| MIL-P-80249A NOT 1 | PLATING UNIT, SELECTIVE (BRUSH), PORTABLE [CUST: AL SH 99] [REVIEW: AS MS OS] | A 3426 | GS | | 17-MAR-87 |
| MIL-D-80251A NOT 1 | DIMPLING MACHINES, HOT AND COLD PROCESS, SQUEEZE TYPE, FLOOR MOUNTED [CUST: AS 99 GS] | A 3448 | GS | | 25-MAR-88 |
| MIL-E-80254A | ELECTRO-CHEMICAL MACHINE, GRINDING, SURFACE [CUST: AL SH 99 GS] | A 3410 | GS | | 12-APR-89 |
| MIL-M-80255B | MACHINING CENTERS, VERTICAL, SINGLE SPINDLE, COMPUTER NUMERICAL CONTROL (CNC) [CUST: AL SH 99 GS] [REVIEW: AS OS] | A 3408 | GS | | 14-SEP-90 |
| MIL-L-80257A | LATHES, TURRET, HORIZONTAL SPINDLE, BAR AND CHUCKING, COMPUTER NUMERICALLY CONTROLLED (CNC) [CUST: SH 99 GS] [REVIEW: 84 MC] | A 3416 | GS | | 11-DEC-90 |
| MIL-F-80258A | FURNACE, HEAT TREATING, ELECTRIC, NATURAL ATMOSPHERE, BOX TYPE [CUST: AL 99] [REVIEW: 84 AR AS AV CR SH SM] | A 3424 | GS | | 28-OCT-86 |
| MIL-D-80262B(1) | DRILLING MACHINE, RADIAL, FLOOR MOUNTED [CUST: AL SH 99 GS] [REVIEW: 84 MC SM YDI] | A 3413 | GS | | 06-DEC-91 |
| MIL-C-80265(1) | CUTTING MACHINES, OXYGEN FLAME AND PLASMA ARC, AUTOMATIC, STATIONARY, NUMERICALLY CONTROLLED [CUST: 99 GS] [REVIEW: 84 MC SH] | A 3433 | GS | | 14-NOV-90 |
| MIL-G-80266A | GRINDING MACHINES, TOOL AND CUTTER, FLUTE AND RADIUS, COMPUTER NUMERICALLY CONTROLLED (CNC) [CUST: AL SH 99] [REVIEW: 84 AR CR4 MC SM] | A 3415 | GS | | 27-MAR-87 |
| MIL-G-80267 NOT 1 | GRINDING MACHINES, JIG, VERTICAL, CNC [CUST: AL SH 99 GS] [REVIEW: 84 AV MC] | A 3415 | GS | | 08-MAY-90 |
| MIL-G-80268A | GRINDING MACHINES, TOOL AND CUTTER; AND GRINDING AND GASHING MACHINES, TOOL, CUTTER, FLUTE, AND RADIUS [CUST: AL SH 99 GS] [REVIEW: 84 AR CR4 MC SM] | A 3415 | GS | | 25-AUG-89 |
| MIL-M-80269 | MACHINING CENTERS, VERTICAL, SINGLE SPINDLE, DOUBLE COLUMN, COMPUTER NUMERICALLY CONTROLLED (CNC) [CUST: AL SH 99] [REVIEW: 84] | A 3408 | GS | | 27-AUG-86 |
| MIL-E-80270A | ELECTRICAL DISCHARGE MACHINE, CNC, WIRE [CUST: AL SH 99 GS] [REVIEW: 84 AR AV CR4 MC SA] | A 3410 | GS | | 25-APR-90 |
| MIL-S-80271A | SHEARING MACHINES, METAL SQUARING, MECHANICAL DRIVE [CUST: AL 99 GS] [REVIEW: 84 AV MC OS SM YDI] | A 3445 | GS | | 06-MAR-92 |
| MIL-B-80272 | BORING MACHINES, JIG VERTICAL, DOUBLE COLUMN, BRIDGE TYPE, FIXED OR TRAVELING CROSS-RAIL, NUMERICALLY CONTROLLED (NC) [CUST: AR YDI 84] [REVIEW: AL] | A 3411 | GS | | 30-SEP-86 |
| MIL-S-80274 | SAWS, POWER, HACK, 6-INCH THROUGH 24-INCH WORKPIECE CAPACITY [CUST: AL SH 99] [REVIEW: 84 MC OS YDI] | A 3405 | GS | | 07-JUL-87 |
| MIL-P-80276 | PRESS BRAKES, HYDRAULICALLY OPERATED, SHEET AND PLATE, COMPUTER NUMERICALLY CONTROLLED (CNC) [CUST: AL SH 99 GS] | A 3441 | GS | | 29-JUN-88 |
| MIL-L-80277 | LATHES, PRECISION, TOOLROOM, VARIABLE SPEED, 11-INCH THROUGH 13-INCH [CUST: AL SH 99 GS] [REVIEW: AV CE MC] | A 3416 | GS | | 29-SEP-89 |
| MIL-G-80278 | GRINDING MACHINE, CYLINDRICAL, EXTERNAL, CENTER TYPE, COMPUTER NUMERICAL CONTROL [CUST: AL SH 99 GS] [REVIEW: 84 AS OS] | A 3415 | GS | | 13-APR-90 |
| MIL-P-80279 | PUNCHING, SHEARING, NOTCHING, AND COPING MACHINE, METAL, HYDRAULICALLY DRIVEN, FOUR STATION TYPE [CUST: AL SH 99 GS] [REVIEW: 84 AV MC] | A 3445 | GS | | 27-NOV-91 |
| MIL-P-80280 | PUNCHING, ANGLE AND BAR SHEARING MACHINE, METAL, HYDRAULICALLY DRIVEN, THREE STATION TYPE [CUST: AL SH 99 GS] [REVIEW: 84 AV MC] | A 3445 | GS | | 27-NOV-91 |
| MIL-W-81002B(1) NOT 1 | WIRE ROPE, STEEL, 1-3/8 INCH DIAMETER, 6 BY 30, TYPE G, LANG LAY FLATTENED STRAND, FIBER CORE, HIGH-STRENGTH (FOR AIRCRAFT ARRESTING) [CUST: AS IS] | A 4010 | IS | | 17-MAY-95 |
| MIL-B-81006B NOT 1 | BOMB, FREE FALL, DEMONSTRATION OF DISPERSION REQUIREMENTS FOR [CUST: AS 19] | A 1325 | AS | | 23-FEB-68 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-------------|------------------------|--|-----------------------|-----|-------------|-----------|
| | | | | | | |
| | MIL-H-81019D NOT 1 | HYDRAULIC FLUID, PETROLEUM BASE, ULTRA-LOW TEMPERATURE, METRIC [CUST: MI AS 11] [REVIEW: 99 GS PS] | A 9150 | AS | | 28-OCT-91 |
| | MIL-C-81021A NOT 1 | COPPER-BERYLLIUM ALLOY (COPPER ALLOY NUMBERS C17500 AND C17510), STRIP [CUST: MR AS 11] [REVIEW: CR4 IS SH] | A 9535 | AS | | 14-DEC-90 |
| | MIL-W-81044B(3) SUP 1A | WIRE, ELECTRIC, CROSSLINKED POLYALKENE, CROSSLINKED ALKANE-IMIDE POLYMER, OR POLYARYLENE INSULATED, COPPER OR COPPER ALLOY [CUST: CR AS 85] [REVIEW: AR AT AV EA EC IS MC MI OS] | A 6145 | AS | | 30-JUN-90 |
| | MIL-W-81044/6C(2) | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 DEG. C [CUST: CR AS 85] [REVIEW: 99 AT AV EC IS MC MI OS] | A 6145 | AS | | 30-JUN-92 |
| | MIL-W-81044/7B | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED HIGH STRENGTH COPPER ALLOY, NORMAL WEIGHT, 600 VOLT, 150 DEG. C [CUST: CR AS 85] [REVIEW: 11 AR AT AV EC IS MC MI OS] | A 6145 | AS | | 07-SEP-76 |
| | MIL-W-81044/9B(1) | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 DEG. C [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC IS MC MI OS] | A 6145 | AS | | 30-APR-92 |
| | MIL-W-81044/10B | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED HIGH STRENGTH COPPER ALLOY, MEDIUM WEIGHT, 600 VOLT, 150 DEG. C [CUST: CR AS 85] [REVIEW: 11 AR AT AV EA EC IS MC MI OS] | A 6145 | AS | | 07-SEP-76 |
| | MIL-W-81044/11C NOT 3 | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, LIGHT WEIGHT, 600-VOLT, 150 DEG. C [CUST: 85] | A 6145 | IS | | 18-APR-90 |
| | MIL-W-81044/12B | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN COATED COPPER, LIGHT WEIGHT, 600 VOLT, 150 DEG. C [CUST: CR AS 11] [REVIEW: 85 AR AT AV EA EC IS MC MI OS] | A 6145 | AS | | 07-SEP-76 |
| | MIL-W-81044/13B | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED HIGH STRENGTH COPPER ALLOY, LIGHT WEIGHT, 600 VOLT, 150 DEG. C [CUST: CR AS 85] [REVIEW: 11 AR AT AV EC IS MC MI OS] | A 6145 | AS | | 07-SEP-76 |
| | MIL-A-81083C(3) | ALTERNATOR RECTIFIER (FOR TORPEDO MK 46 MODS O, 1, 2, AND 4) [CUST: OS] | A 1355 | OS | | 14-MAR-79 |
| | MIL-S-81087C(1) | SILICONE FLUID, CHLORINATED PHENYL METHYL POLYSILOXANE, NATO CODE NUMBER H-536 [CUST: CR4 AS 11] [REVIEW: 68 AR AT AV CR MC MI PS] | A 9150 | AS | | 29-JUN-84 |
| | MIL-C-81093B(1) | CARTRIDGES, EXPLOSIVE BOLT (FOR TORPEDOES MARK 46 ALL MODS) [CUST: OS] | A 1356 | OS | | 23-MAR-87 |
| | MIL-E-81099A NOT 1 | ELECTRIC DEVICES, SIMPLE, GENERAL SPECIFICATION FOR [CUST: AS GS] | A 6150 | GS | | 28-NOV-87 |
| | MIL-C-81104A(1) NOT 1 | CORD, POLYAMIDE, HIGH TEMPERATURE RESISTANT [CUST: AS] | A 4020 | AS | | 20-OCT-91 |
| | MIL-E-81111B | EXPLOSIVE, PLASTIC-BONDED MOLDING POWDER (PBXN-5) [CUST: AR OS] [REVIEW: MI] | A 1376 | OS | | 23-OCT-85 |
| | MIL-W-81116B(1) NOT 1 | WEBBING, TEXTILE, POLYAMIDE, HIGH TEMPERATURE RESISTANT, LOOP [CUST: AS 99] | A 8305 | AS | | 28-OCT-91 |
| | MIL-R-81128(1) | ROCKET MOTORS, IDENTIFICATION OF PARTS AND ASSEMBLIES, REQUIREMENTS FOR [CUST: OS] | A 1340 | OS | | 19-APR-89 |
| | MIL-L-81174A | LIGHTS, LANDING, AIRCRAFT, RETRACTABLE [CUST: AV AS 99] [REVIEW: 82 GS MC] | A 6220 | AS | | 20-AUG-93 |
| | MIL-L-81174/1B(1) | LIGHT, LANDING, AIRCRAFT, RETRACTABLE (PAR 64, 28 OR 120 VOLT LAMP) [CUST: AV AS 82] [REVIEW: 99 GS] | A 6220 | AS | | 06-NOV-92 |
| | MIL-L-81174/2B | LIGHT, LANDING, AIRCRAFT, CONTROLLABLE [CUST: AV AS 99] [REVIEW: CG GS MC] | A 6220 | AS | | 21-SEP-72 |
| | MIL-L-81174/3 | LIGHT, LANDING, AIRCRAFT, RETRACTABLE (PAR 46 LAMP) [CUST: AV AS 99] [REVIEW: CG GS MC] | A 6220 | AS | | 07-DEC-64 |
| | MIL-L-81174/4A(1) | LIGHT, LANDING, AIRCRAFT, RETRACTABLE [CUST: AV AS 99] [REVIEW: GS] | A 6220 | AS | | 09-MAR-84 |
| | MIL-F-81177E(1) | FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL [CUST: AV 11 IS] [REVIEW: 99 AR AS MI] | A 5320 | IS | | 16-AUG-94 |
| | MIL-F-81177/1 NOT 1 | FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL, DESIGN & USAGE LIMITATIONS FOR [CUST: AV AS] [REVIEW: 99 AR MI] | A 5320 | IS | | 09-MAR-88 |
| | MIL-F-81177/2 NOT 1 | FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, THREADED, SELF LOCKING, 100 DEG. FLUSH HEAD, 450 DEG. F, ALLOY STEEL 112 KSI FSU [CUST: AV AS] | A 5320 | IS | | 09-MAR-88 |
| | MIL-F-81177/3 NOT 1 | FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, THREADED, SELF LOCKING, PROTRUDING HEAD, 450 DEG. F, ALLOY STEEL, 112 KSI, FSU [CUST: AV AS 11] [REVIEW: 99 AR MI] | A 5320 | IS | | 09-MAR-88 |
| | MIL-G-81188B(3) NOT 2 | GLOVES, FLYER'S, SUMMER, TYPE GS/FRP-2 [CUST: GL AS 99 CT] [REVIEW: 31 45 AV CG MC MD] | A 8415 | CT | | 28-OCT-91 |
| | MIL-H-81200B | HEAT TREATMENT OF TITANIUM AND TITANIUM ALLOYS [CUST: MR AS 11] [REVIEW: 84 99 AV GL MI SH] | A 95GP | AS | | 13-JAN-91 |
| A | MIL-C-81204A NOT 1 | CONTAINER, SHIPPING AND STORAGE MK 311 MOD 1 [CUST: 99] | A 8140 | 99 | | 25-SEP-91 |
| | MIL-B-81205 NOT 1 | BAND, HANDLING, MK 84 MOD 0 | A 1450 | CC | | 15-APR-87 |
| | MIL-N-81207A(1) | NAVIGATIONAL SET, TACAN AN/ARN-84 (V) [CUST: AS] | A 5826 | AS | | 19-JUL-76 |
| A | MIL-DTL-81218C | MANUALS, TECHNICAL: AIRCRAFT ENGINE INTERMEDIATE AND DEPOT MAINTENANCE, PREPARATION OF (WORK PACKAGE CONCEPT) [CUST: AS] | A TMSS | AS | | 26-NOV-97 |
| | MIL-I-81219B | INDICATOR, ELAPSED TIME, ELECTROCHEMICAL [CUST: AS] | A 6645 | GS | | 07-OCT-87 |
| | MIL-S-81220A | SHELTER, EXPEDITIONARY AIR FUEL WEAPONS READY, SERVICE [CUST: AS CT] [REVIEW: 45] | A 8340 | CT | | 15-FEB-91 |
| | MIL-C-81222C(1) | CHECKLIST, FLIGHT CREW, PREPARATION OF [CUST: AS] | A TMSS | AS | | 22-FEB-78 |
| | MIL-D-81227B | DETECTOR KIT, WATER, AUTOMOTIVE - AVIATION FUEL [CUST: AV AS 99] [REVIEW: 68 71 CR4 MR] | A 6640 | AS | | 15-DEC-76 |
| | MIL-D-81248B | DETECTOR PAD, FREE WATER [CUST: AS 99] [REVIEW: 68 82 MB] | A 6640 | AS | | 30-JUN-80 |
| | MIL-A-81258 | AMPLIFIER, RESOLVER, GENERAL SPECIFICATION FOR | A 5990 | CC | | 11-MAY-65 |
| | MIL-A-81258/1 | AMPLIFIER, RESOLVER | A 5990 | CC | | 19-AUG-65 |
| | MIL-T-81259B | TIE-DOWNS, AIRFRAME DESIGN, REQUIREMENTS FOR [CUST: AS] | A 15GP | AS | | 11-OCT-91 |
| | MIL-T-81272 | THERMOCOUPLE, ENGINE, CYLINDER, BAYONET TYPE, MS90324 [CUST: AS] | A 6620 | GS | | 01-FEB-66 |
| | MIL-S-81282B | STANDARD, FREE WATER DETECTOR [CUST: AV AS 11] [REVIEW: 68 CR4 MR] | A 6640 | AS | | 22-JAN-93 |
| A | MIL-C-81289 NOT 1 | CONTAINER, SHIPPING AND STORAGE MK 309 MOD 0 [CUST: 99] | A 8140 | 99 | | 25-SEP-91 |
| | MIL-R-81294D | REMOVER, PAINT, EPOXY, POLYSULFIDE, AND POLYURETHANE SYSTEMS [CUST: CR4 AS 99] [REVIEW: 84 AV MC MR] | A 8010 | AS | | 31-DEC-90 |
| | MIL-A-81296D | ALTIMETER SET, ELECTRONIC AN/APN-171(V) [CUST: AS] [REVIEW: CR] | A 5826 | AS | | 22-JUL-85 |
| | MIL-C-81302D(1) NOT 1 | CLEANING COMPOUND, SOLVENT, TRICHLOROTRIFLUOROETHANE [CUST: MI AS 68] [REVIEW: CR GS OS SH SM] | A 6850 | AS | | 28-OCT-91 |
| | MIL-D-81303A(1) | DESIGN AND EVALUATION OF CARTRIDGES FOR STORES SUSPENSION EQUIPMENT [CUST: AV OS] [REVIEW: AR] | A 1377 | OS | | 10-MAY-67 |
| | MIL-T-81306A NOT 1 | TOOL, FORMING, FOR ADJUSTABLE PLASTIC AND METAL CABLE STRAPS [CUST: CR AS 85] [REVIEW: 11 17 99 EC OS SH] | A 5120 | AS | | 17-OCT-91 |
| | MIL-A-81307 | AMPLIFIER, SERVOMOTOR, GENERAL SPECIFICATION [CUST: AS] [REVIEW: CC] | A 5990 | AS | | 20-AUG-65 |
| A | MIL-C-81309E(3) | CORROSION PREVENTIVE COMPOUNDS, WATER DISPLACING, ULTRA-THIN FILM [CUST: EA AS 99] [REVIEW: 84 AT CG MR OS] | A 8030 | AS | | 26-NOV-97 |
| | MIL-M-81310E | MANUALS, TECHNICAL: AIRBORNE WEAPONS/STORES LOADING (CONVENTIONAL AND NUCLEAR) WEAPON ASSEMBLY/DISASSEMBLY/SUPPORT EQUIPMENT CONFIGURATION [CUST: AS] | A TMSS | AS | | 01-OCT-94 |
| | MIL-T-81311A NOT 1 | TRAILER, AIR LAUNCHED WEAPONS, ROUGH TERRAIN, A/M32K-4A [CUST: AS] | A 1730 | AS | | 25-SEP-91 |
| | MIL-C-81313(1) | CRADLES, AIR LAUNCHED WEAPONS [CUST: AS] | A 1740 | AS | | 01-JUN-87 |
| | MIL-I-81316A(3) | INITIATOR, CARTRIDGE ACTUATED, DELAY MARK 11 MOD 0 [CUST: OS] | A 1377 | OS | | 18-JUL-73 |
| | MIL-W-81319A(1) NOT 2 | WHEELS, ABRASIVE: NON-WOVEN NYLON, RESIN REINFORCED [CUST: AS] | A 5345 | AS | | 10-MAY-92 |
| | MIL-G-81322E | GREASE, AIRCRAFT, GENERAL PURPOSE, WIDE TEMPERATURE RANGE [CUST: CR4 AS 11] [REVIEW: 68 AR AV EA GS MI OS SH] | A 9150 | AS | | 22-JAN-92 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-----------------------------|---|-----------------------|-----------------|-----------|
| MIL-L-81329C(1) | LUBRICANT, SOLID FILM, EXTREME ENVIRONMENT, NATO CODE NUMBER S-1737, METRIC[CUST: AS 11] [REVIEW: 68 AV CR4 GS OS] | A 9150 | AS | 12-JAN-94 |
| MIL-C-81331A | CARTRIDGE, IMPULSE, MARK 73 MOD 0 [CUST: OS] | A 1377 | OS | 27-AUG-70 |
| MIL-C-81332D | COMPUTER SET, DIGITAL AN/ASQ-114(V) [CUST: AS] | A 5821 | AS | 26-NOV-81 |
| MIL-T-81333A | TELESCOPE, MARK 100 MOD 0 AND 1 [CUST: OS] | A 1240 | OS | 29-JUN-88 |
| MIL-D-81336A | DRIVER, EXPLOSIVE, MARK 3 MOD 0 [CUST: OS] | A 1351 | OS | 23-JAN-73 |
| MIL-S-81340B | SIGNAL, UNDERWATER SOUND (SUS) MARK 84 AND MODS [CUST: AS] | A 5845 | AS | 29-JUN-79 |
| MIL-C-81343C | CONVERTER GROUP, RADAR SCAN AN/ASA-69(*) [CUST: AS] | A 5895 | AS | 01-MAR-70 |
| MIL-C-81346B | COMPOUND, DECK COVERING, NONSLIP, LIGHTWEIGHT FOR ALUMINUM ALLOY LANDING MATS [CUST: AS] [REVIEW: CR4] | A 8010 | AS | 15-JAN-73 |
| MIL-D-81347C NOT 1 | DATA ANALYSIS PROGRAMMING GROUP AN/AYA-8(*) [CUST: AS] | A 5895 | AS | 15-APR-88 |
| MIL-V-81356B | VALVE, FUEL SYSTEM PRESSURIZATION AND VENT [CUST: AS] | A 4820 | AS | 02-NOV-92 |
| MIL-B-81366 | BOUNDARY LAYER CONTROL SYSTEM, PRESSURE [CUST: AS] | A 16GP | AS | 04-APR-66 |
| MIL-R-81367(1) | RAIN REMOVAL SYSTEM, AIRCRAFT WINDSHIELD, JET AIR BLAST [CUST: AS] | A 16GP | AS | 10-JUN-74 |
| MIL-M-81380C | MONITOR, CONTAMINATION, FUEL DISPENSING SYSTEM [CUST: AS] [REVIEW: MC YD1] | A 4930 | AS | 13-JAN-86 |
| A MIL-W-81381A SUP 1B NOT 1 | WIRE, ELECTRIC, POLYIMIDE-INSULATED, COPPER OR COPPER ALLOY [CUST: CR AS 11 CC] [REVIEW: 85 AR AT AV EC MC MI OS SH] | A 6145 | CC | 08-SEP-87 |
| A MIL-W-81381A(11) SUP 1B | WIRE, ELECTRIC, POLYIMIDE-INSULATED, COPPER OR COPPER ALLOY [CUST: AS CC] | A 6145 | CC | 04-OCT-76 |
| MIL-M-81392 | MARKER, LOCATION, MARINE MK 25 AND MODS 2 AND 3 [CUST: AS] | A 1370 | AS | 12-AUG-66 |
| MIL-C-81393B | CLOTH, KNITTED, POLYAMIDE, HIGH TEMPERATURE RESISTANT, SIMPLEX, JERSEY [CUST: GL AS CT] [REVIEW: MC MD] | A 8305 | CT | 17-MAR-88 |
| MIL-R-81435A NOT 1 | RECEIVER-TRANSMITTER, RADIO RT-859()/APX-72 AND ASSOCIATED MOUNTINGS MT-3809()/APX-72 AND MT-3948()/APX-72 [CUST: AS] [REVIEW: CR] | A 5821 | AS | 23-MAY-88 |
| MIL-C-81441 NOT 1 | CONTROL, RADIO SET C-6684(*)/ASQ [CUST: AS] | A 5821 | AS | 17-OCT-91 |
| MIL-R-81443(2) NOT 1 | RECEIVER-TRANSMITTER, RADIO RT-793/ASQ AND RT-793A/ASQ [CUST: AS] | A 5821 | AS | 17-OCT-91 |
| MIL-I-81453A(1) | INTERROGATOR SET AN/APX-76B(V) [CUST: AS CC] | A 5985 | CC | 31-OCT-78 |
| MIL-C-81461E | COMPENSATOR GROUP, MAGNETIC AN/ASA-65(V) [CUST: AS] | A 5845 | AS | 23-FEB-84 |
| MIL-C-81470(2) NOT 1 | CONTROL, RADIO SET C-8057 (*)/ARC [CUST: AS] | A 5821 | AS | 19-JUN-87 |
| MIL-T-81490A | TRANSMISSION LINES, TRANSVERSE ELECTROMAGNETIC MODE [CUST: AS] [REVIEW: CC] | A 5985 | AS | 22-APR-91 |
| MIL-N-81497A(2) NOT 1 | NAVIGATION SET, INERTIAL AN/ASN-84 [CUST: AS] | A 5826 | AS | 15-APR-88 |
| MIL-R-81498C(3) | RECEIVING-DECODING GROUP AN/ARA-63 [CUST: AS] | A 5826 | AS | 12-MAR-93 |
| MIL-B-81502B NOT 1 | BATTERY, SILVER ZINC ALKALI, GEN [CUST: AS] | A 6140 | GS | 31-DEC-87 |
| MIL-L-81509(2) | LIGHT, MARKER, DISTRESS, BUOYANT, DROPPABLE [CUST: AS] [REVIEW: GS] | A 6230 | AS | 27-JUL-73 |
| MIL-T-81521A(3) NOT 1 | TAPE, TEXTILE, NYLON, LANDBASED ARRESTING GEAR, 7 INCH [CUST: AS] | A 8315 | AS | 29-OCT-91 |
| MIL-V-81523A(2) NOT 2 | VEST, SURVIVAL EQUIPMENT, TYPE SV-2A [CUST: AS CT] | A 8415 | CT | 29-OCT-91 |
| MIL-C-81524 | CARTRIDGE, IMPULSE, MARK 82 MOD 0 [CUST: OS] | A 1377 | OS | 31-MAR-67 |
| MIL-I-81530A | IGNITION ELEMENT, ELECTRIC, MARK 11 MOD 0 [CUST: OS] | A 1377 | OS | 06-MAY-87 |
| MIL-M-81531 | MARKING OF ELECTRICAL INSULATING MATERIALS [CUST: AS] [REVIEW: EA IS MI] | A 6145 | AS | 02-MAY-67 |
| MIL-T-81533A NOT 1 | 1,1,1, TRICHLOROETHANE (METHYL CHLOROFORM) INHIBITED, VAPOR DEGREASING [CUST: EA AS 68] | A 6810 | AS | 29-OCT-91 |
| MIL-C-81535A | CUTTER, CARTRIDGE ACTUATED, MARK 18 MOD 0 [CUST: OS 99] | A 1377 | OS | 03-FEB-69 |
| MIL-C-81536(1) NOT 1 | CARTRIDGE, IMPULSE, MARK 105 MOD 0 [CUST: OS] | A 1377 | OS | 10-APR-87 |
| MIL-T-81541(1) | TEST SET, ELECTRONIC CIRCUIT PLUG-IN UNIT AN/ASM-152 [CUST: AS] | A 6625 | AS | 11-FEB-69 |
| A MIL-C-81543B(1) NOT 1 | CONTAINER ASSEMBLIES, INFLATABLE LIFE RAFT [CUST: AS] | A 4220 | GS | 23-JUN-87 |
| MIL-D-81549A | DETONATOR, ELECTRIC, MARK 83 MOD 0 [CUST: OS] | A 1377 | OS | 22-FEB-71 |
| MIL-I-81550C NOT 1 | INSULATING COMPOUND, ELECTRICAL, EMBEDDING, REVERSION RESISTANT SILICONE [CUST: CR AS 11] [REVIEW: 85 99 AV EC GS MC MI] | A 5970 | AS | 29-OCT-91 |
| MIL-S-81551 SUP 1A | SWITCH, TOGGLE, HERMETICALLY SEALED, GENERAL SPECIFICATION FOR [CUST: AS CC] [REVIEW: EC] | A 5930 | CC | 14-JUN-68 |
| MIL-S-81551/1A | SWITCH, TOGGLE, DOUBLE POLE, HERMETICALLY SEALED [CUST: AS CC] [REVIEW: EC] | A 5930 | CC | 05-MAR-70 |
| MIL-S-81551/2A | SWITCH, TOGGLE, DOUBLE POLE, LEVER LOCK, HERMETICALLY SEALED [CUST: AS CC] [REVIEW: EC] | A 5930 | CC | 05-MAR-70 |
| MIL-T-81556A(1) NOT 1 | TITANIUM AND TITANIUM ALLOYS, EXTRUDED BARS AND SHAPES, AIRCRAFT QUALITY [CUST: MR AS 11] [REVIEW: 84 99 AR IS MI OS SH] | A 9540 | AS | 26-SEP-96 |
| MIL-L-81558 NOT 1 | LUG, SUSPENSION, (1,000 POUND) AIRBORNE EQUIPMENT [CUST: AR AS] [REVIEW: 11 18 AV EA MI] | A 1325 | AS | 14-MAY-87 |
| MIL-C-81562B NOT 1 | COATINGS, CADMIUM, TIN-CADMIUM AND ZINC (MECHANICALLY DEPOSITED) [CUST: MR AS 11] [REVIEW: 70 71 80 82 84 99 AR AT AV CR4 MD MI OS SH] | A MFFP | AS | 15-OCT-92 |
| MIL-C-81563B(1) | CARTRIDGE, IMPULSE, MARK 67 MOD 0 [CUST: OS] | A 1377 | OS | 15-OCT-90 |
| MIL-I-81564(1) NOT 1 | INITIATOR, CARTRIDGE ACTUATED, MARK 12 MOD 0 [CUST: OS] | A 1377 | OS | 10-APR-87 |
| MIL-I-81577A | IGNITION ELEMENT, ELECTRIC, MARK 17 MOD 0 [CUST: OS] | A 1377 | OS | 24-SEP-74 |
| MIL-C-81582B(1) SUP 1 | CONNECTOR, ELECTRICAL, BAYONET COUPLING, ENVIRONMENTAL RESISTING, UMBILICAL, GENERAL SPECIFICATION FOR [CUST: CR AS 99] [REVIEW: 11 19 AR CC EC SH] | A 5935 | AS | 29-MAY-81 |
| MIL-C-81582/1C | CONNECTOR, ELECTRIC, BAYONET COUPLING, UMBILICAL RECEPTACLE, JAM NUT MOUNTING, RFI SHIELDED, CRIMP CONTACT, CLASS E [CUST: CR AS 99] [REVIEW: 11 19 AR CC EC MI SH] | A 5935 | AS | 05-NOV-75 |
| MIL-C-81582/2C | CONNECTOR, PLUG, ELECTRIC, BAYONET COUPLING, LANYARD RELEASE, RFI SHIELDED, CRIMP TYPE CONTACTS, CLASS E [CUST: CR AS 99] [REVIEW: 11 19 AR CC EC SH] | A 5935 | AS | 15-MAR-83 |
| MIL-C-81582/4B NOT 1 | CONNECTOR ADAPTER, RFI SHIELDED, CABLE TO ELECTRIC CONNECTOR [CUST: CR AS 99] [REVIEW: 11 19 80 AR CC EC SH] | A 5935 | AS | 17-OCT-91 |
| MIL-C-81582/5A | CONNECTOR ADAPTER, RIGHT ANGLE, RFI SHIELDED, ELECTRIC CONNECTOR TO ELECTRIC CONNECTOR [CUST: CR AS 99] [REVIEW: 11 19 AR CC EC SH] | A 5935 | AS | 05-NOV-75 |
| MIL-C-81582/6A | CONNECTOR, ADAPTER ASSEMBLY, UMBILICAL CABLE TO STORES INTERFACE, LANYARD RELEASE [CUST: CR AS 99] [REVIEW: 11 19 AR CC EC SH] | A 5935 | AS | 05-NOV-76 |
| MIL-C-81582/7A | CONNECTOR, ADAPTER ASSEMBLY, UMBILICAL CABLE TO STORES INTERFACE, LANYARD RELEASE [CUST: CR AS 99] [REVIEW: 11 19 AR CC EC SH] | A 5935 | AS | 05-NOV-75 |
| MIL-C-81582/8B | CONNECTOR, ADAPTER ASSEMBLY, UMBILICAL CABLE TO STORES INTERFACE, LANYARD RELEASE [CUST: AS] [REVIEW: CC EC SH] | A 5935 | AS | 05-NOV-75 |
| MIL-C-81582/9 | CONNECTOR, ELECTRICAL, BAYONET COUPLING, ENVIRONMENT RESISTING, UMBILICAL, CAPS, PROTECTIVE [CUST: CR AS] [REVIEW: AR CC EC SH] | A 5935 | AS | 11-JUN-76 |
| MIL-C-81582/10 | CONNECTOR, ELECTRICAL, BAYONET COUPLING, ENVIRONMENT RESISTING, UMBILICAL, DUMMY STOWAGE RECEPTACLE [CUST: CR AS] [REVIEW: AR CC EC SH] | A 5935 | AS | 11-JUN-76 |
| MIL-C-81585 NOT 1 | CRADLES, WEAPON, SHIPPING AND STORAGE, MK 12, MK 13, MK 14, MK 15, MK 16 AND MK 18 [CUST: AS] | A 8140 | AS | 29-OCT-91 |
| MIL-T-81587A NOT 1 | TIMER ASSEMBLY-RAIN REPELLENT [CUST: AS] | A 6630 | AS | 25-SEP-91 |
| MIL-C-81590(3) | COCKPIT CANOPY SYSTEM, FIXED WING SINGLE AND MULTI-PLACE, FIGHTER, ATTACK, AND TRAINER AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AS] | A 1560 | AS | 22-NOV-74 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------|---|--------------------------|-----|-------------|-----------|
| MIL-M-81594A(2) | MARKING FOILS, FOR HOT STAMP PRINTING OF ELECTRICAL INSULATING MATERIALS | A 3611 | GS | | 31-JUL-91 |
| MIL-C-81595(1) | CARTRIDGE, IMPULSE, MARK 127 MOD 0 [CUST: OS] | A 1377 | OS | | 05-JUL-73 |
| MIL-A-81596A | ALUMINUM FOIL FOR SANDWICH CONSTRUCTION [CUST: MR AS 11] [REVIEW: AV MI OS SH] | A 9535 | AS | | 30-JUN-85 |
| MIL-A-81605D(1) | ALTIMETER SET, ELECTRONIC AN/APN-194(V) [CUST: AS] | A 5826 | AS | | 29-JUL-85 |
| MIL-D-81607(1) NOT 1 | DISPLAY UNIT, TELETYPEWRITER TT-581/AG AND MOUNTING MT-4088/AG [CUST: AS] | A 5815 | AS | | 17-OCT-91 |
| MIL-D-81609C(1) | DETECTING SET, MAGNETIC AN/ASQ-81 (V) [CUST: AS] | A 5895 | AS | | 10-SEP-86 |
| MIL-S-81619B NOT 1 | SWITCH, SOLID STATE TRANSDUCER, GENERAL SPECIFICATION FOR [CUST: AS CC] [REVIEW: EC] | A 5930 | CC | | 20-NOV-87 |
| MIL-S-81619/1A | SWITCH, ELECTRONIC TRANSDUCER, TOGGLE TYPE [CUST: AS CC] [REVIEW: EC] | A 5930 | CC | | 30-AUG-74 |
| MIL-D-81622A NOT 1 | DETECTING RANGING SET, SONAR AN/AQS-13A [CUST: AS] | A 5845 | AS | | 15-APR-88 |
| MIL-T-81624(1) | TELEVISION DISPLAY REQUIREMENTS FOR THE WEAPON SYSTEM FOR GUIDED WEAPON MARK 1 ALL M ODS (WALLEYE) AND GUIDED WEAPON, PRACTICE MK 4 MOD 0/1 [CUST: AS] | A 5821 | AS | | 30-DEC-69 |
| MIL-R-81627 | RADIO SET AN/ARC-142 [CUST: AS] | A 5821 | AS | | 01-JUL-71 |
| MIL-R-81628B(2) | RADIO SET AN/ARC-143B [CUST: AS] | A 5821 | AS | | 08-MAR-79 |
| MIL-R-81648B | RADAR SET AN/APS 116 [CUST: AS] | A 5841 | AS | | 26-OCT-78 |
| MIL-P-81653B | POWER CONTROLLER, SOLID STATE, GENERAL SPECIFICATION FOR [CUST: CR4 AS 99] [REVIEW: GS] | A 6110 | AS | | 14-FEB-80 |
| MIL-C-81659B(2) SUP 1 | CONNECTORS, ELECTRICAL RECTANGULAR, CRIMP CONTACT [CUST: CR AS 85] [REVIEW: 11 99 CC EC OS] | A 5935 | AS | | 01-OCT-90 |
| MIL-C-81659/9B NOT 1 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, DOUBLE INSERT, TYPE 2 CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 1, SHELL DESIGNATOR A [CUST: AS] [REVIEW: CC EC] | A 5935 | AS | | 16-DEC-71 |
| MIL-C-81659/29B | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, SINGLE INSERT, TYPE 2, CLASS 1 (MINUS 65 DEG. C TO PLUS 125 DEG. C), SERIES 2, SHELL DESIGNATOR A [CUST: CR AS 85] [REVIEW: 11 99 CC EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/31B | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, SINGLE INSERT, TYPE 2, CLASS 1 (MINUS 65 DEG. C TO PLUS 125 DEG. C), SERIES 2, SHELL DESIGNATOR A [CUST: CR AS] [REVIEW: 11 99 CC EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/33B | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (DUAL INSERT, TYPE II, CLASS 1) -65 DEGREES C TO PLUS 125 DEGREES C, (SERIES 2, SHELL DESIGNATOR A) [CUST: CR AS 85] [REVIEW: 11 99 CC EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/35B | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, DUAL INSERT, TYPE II, CLASS 1 (MINUS 65 DEG. C TO PLUS 125 DEG. C), SERIES 2, SHELL SIZE A [CUST: CR AS 85] [REVIEW: 11 99 CC EC] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/37B | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (TRIPLE INSERT, TYPE II, CLASS 1) -65 DEGREES C TO PLUS 125 DEGREES C, (SERIES 2, SHELL DESIGNATOR A) [CUST: CR AS 85] [REVIEW: 11 99 CC EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/39B | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE II, CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL SIZE A [CUST: CR AS 85] [REVIEW: 11 99 CC EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/41B | CONNECTOR, ELECTRICAL, RECTANGULAR PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL SIZE A [CUST: CR AS 85] [REVIEW: 11 99 CC EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/43B | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (QUADRUPLE INSERT, TYPE II, CLASS 1) -65 DEG C TO PLUS 125 DEG. C, (SERIES 2, SHELL DESIGNATOR A) [CUST: CR AS 85] [REVIEW: 11 80 CC EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/53A NOT 2 | CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE II, CLASS 1 (-65 DEG. C TO +125 DEG. C), SERIES 2, SHELL DESIGNATOR B [CUST: AS] [REVIEW: EC OS] | A 5935 | AS | | 17-OCT-91 |
| MIL-C-81659/56A NOT 1 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE II, CLASS 2 (MINUS 65 DEG. C TO PLUS 200 DEG. C), SERIES 2, SHELL DESIGNATOR B [CUST: AS] [REVIEW: EC] | A 5935 | AS | | 16-DEC-71 |
| MIL-C-81659/57A NOT 1 | CONNECTOR, ELECTRICAL RECTANGULAR, PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL DESIGNATOR B [CUST: AS] [REVIEW: CC EC] | A 5935 | AS | | 16-DEC-71 |
| MIL-C-81659/58A NOT 1 | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 2 (MINUS 65 DEG. C TO PLUS 200 DEG. C), SERIES 2, SHELL DESIGNATOR B [CUST: AS] [REVIEW: CC EC] | A 5935 | AS | | 16-DEC-71 |
| MIL-C-81659/61 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE III, CLASS 1) -65 DEGREES C TO PLUS 125 DEGREES C, (SERIES 2, SHELL DESIGNATOR A) [CUST: CR AS 85] [REVIEW: 11 80 EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/62 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE III, CLASS 1 SHELL DESIGNATOR A) [CUST: CR AS 85] [REVIEW: 11 99 EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/63 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (TRIPLE INSERT, TYPE III, CLASS 1) -65 DEG. C TO PLUS 125 DEG. C, (SERIES 2, SHELL DESIGNATOR A) [CUST: CR AS 85] [REVIEW: 11 99 EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/64 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (QUADRUPLE INSERT, TYPE III, CLASS 1) -65 DEGREES C TO PLUS 125 DEGREES C, (SERIES 2, SHELL DESIGNATOR A) [CUST: CR AS 85] [REVIEW: MI] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/65 | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1) -65 DEGREES C TO PLUS 125 DEGREES C, (SERIES 2, SHELL DESIGNATOR A) [CUST: CR AS 85] [REVIEW: 11 99 EC MI OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/66 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1) -65 DEG. C TO PLUS 125 DEG. C, (SERIES 2, SHELL DESIGNATOR A) [CUST: CR AS 85] [REVIEW: 11 99 EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/67 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1) -65 DEG. C TO PLUS 125 DEG. C, (SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNTING) [CUST: CR AS 85] [REVIEW: 11 99 EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/68 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1) -65 DEGREES C TO PLUS 125 DEGREES C, (SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING) [CUST: CR AS 85] [REVIEW: 11 99 EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/69 | CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1) -65 DEGREES C TO PLUS 125 DEGREES C, (SERIES 2, SHELL DESIGNATOR A) [CUST: CR AS 85] [REVIEW: 11 99 EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/70 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1) -65 DEGREES C TO PLUS 125 DEGREES C, (SERIES 2, SHELL DESIGNATOR A) [CUST: CR AS 85] [REVIEW: 11 99 EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/71 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1) -65 DEG. C TO PLUS 125 DEG. C, (SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNT) [CUST: CR AS 85] [REVIEW: 11 99 EC OS] | A 5935 | AS | | 02-AUG-76 |
| MIL-C-81659/72 | CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1) -65 DEG. C TO PLUS 125 DEG. C, (SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING) [CUST: CR AS 85] [REVIEW: 11 99 EC OS] | A 5935 | AS | | 02-AUG-76 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|---------------------|---|--------------------------|-----|-------------|-----------|
| MIL-I-81663/1 NOT 1 | INDICATOR, BUILT IN TEST (BIT), ELECTRICALLY PULSE OPERATED, THREADED MOUNTING, SINGLE AND DUAL COIL, SOLID BLACK/WHITE DATA DISPLAY [CUST: AS CC] | A 5945 | CC | | 21-MAR-88 |
| MIL-N-81675A | NAVIGATIONAL SET, OMEGA AN/ARN-99(V) 1 [CUST: AS] | A 5826 | AS | | 09-NOV-76 |
| MIL-N-81678B | NAVIGATIONAL SET, OMEGA AN/ARN-99(V) [CUST: AS] | A 5826 | AS | | 14-FEB-77 |
| MIL-R-81680 NOT 1 | RECEIVER, RADIO R-1651/ARA [CUST: AS] | A 5845 | AS | | 15-APR-88 |
| MIL-R-81686(1) | RADIO SET AN/ARC-161 [CUST: AS] | A 5821 | AS | | 07-APR-75 |
| MIL-D-81694(S) | DISPENSING SET, COUNTERMEASURES & CHAFF AN/ALE-39 [CUST: AS] | A 5895 | AS | | 25-JAN-84 |
| MIL-T-81695A NOT 1 | TRANSMITTING SET, TELEMETRIC DATA, AN/AKT-22(V) (U) [CUST: AS] | A 5821 | AS | | 17-OCT-91 |
| MIL-C-81703 SUP 1A | CONNECTOR, ELECTRIC, CIRCULAR, MINIATURE, RACK AND PANEL OR PUSH-PULL COUPLING, ENVIRONMENT RESISTING [CUST: AS] [REVIEW: CC EC MI] | A 5935 | AS | | 21-JUL-71 |
| MIL-G-81704 | GLASS, AIRCRAFT INSTRUMENT, LIGHTING WEDGE AND COVER [CUST: GL AS 11] [REVIEW: AV GS MD] | A 9340 | AS | | 24-MAR-69 |
| MIL-B-81705C | BARRIER MATERIALS, FLEXIBLE, ELECTROSTATIC PROTECTIVE, HEAT SEALABLE [CUST: GL AS 69 CC] [REVIEW: 99 CR MC MI OS SA SH SM YDI] | A 8135 | AS | | 25-JAN-89 |
| MIL-C-81706(4) | CHEMICAL CONVERSION MATERIALS FOR COATING ALUMINUM AND ALUMINUM ALLOYS [CUST: MR AS 99] [REVIEW: 11 AR AT CR4 DS MI OS SH] | A MFFP | AS | | 10-MAR-77 |
| MIL-C-81706(15) | CHEMICAL CONVERSION MATERIALS FOR COATING ALUMINUM AND ALUMINUM ALLOYS [CUST: AS] | A MFFP | AS | | 13-NOV-79 |
| MIL-T-81714E SUP 1 | TERMINAL JUNCTION SYSTEM (TJS), ENVIRONMENT RESISTANT GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 17 99 AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/1F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDBACK TYPE, SIZE 22 [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/2F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCK, FEEDBACK TYPE, SIZE 20 [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/3F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDBACK TYPE, SIZE 16 [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/4F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDBACK TYPE, SIZE 12 [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/5F | TERMINAL JUNCTION SYSTEMS TRACK ASSEMBLY, FEEDBACK TYPE [CUST: CR AS 85] [REVIEW: AR AT AV EC GS MI OS] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/6F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDTHRU TYPE, SIZE 22 [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/7F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCK, FEEDTHRU TYPE, SIZE 20 [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC MI OS] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/8F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDTHRU TYPE, SIZE 16 [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/9F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCK, FEEDTHRU TYPE, SIZE 12 [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC MI OS] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/10F | TERMINAL JUNCTION SYSTEM RACK, ELECTRONIC JUNCTION, FEEDTHRU TYPE [CUST: CR AS 85] [REVIEW: AR AT AV EC GS MI OS] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/11F | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCKS SECTIONAL WIRE IN LINE JUNCTIONS, SINGLE, SERIES I [CUST: CR AS 85] [REVIEW: 99 AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/12C | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCKS, SECTIONAL, WIREIN LINE JUNCTIONS, DOUBLE, SERIES I [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/14C | TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDTHRU TYPE, LIGHT WEIGHT, SERIES I [CUST: CR AS 85] [REVIEW: 99 AT AV EC MI OS] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/15C | TERMINAL JUNCTION SYSTEM, GROUNDING STUD, SERIES I [CUST: CR AS] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/16E | TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDBACK TYPE, LIGHT WEIGHT, SERIES I [CUST: CR AS 85] [REVIEW: 99 AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/17C | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 22D, SERIES I [CUST: AS 85] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/18B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20, SERIES I [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/19B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 16, SEARIES I [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/20B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 12, SERIES I [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/21B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN LINE JUNCTIONS, INTEGRAL DIODE, SERIES I [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/22B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN LINE JUNCTION, INTEGRAL RESISTOR, SERIES I [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/23B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN LINE JUNCTIONS, INTEGRAL FUSE, SERIES I [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/24B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, ELECTRONIC, IN LINE JUNCTIONS, DOUBLE, INTEGRAL DIODE(S), SERIES I [CUST: CR AS 85] [REVIEW: 11 17 99 AR AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/25B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20-1, SERIES I [CUST: CR AS 85] [REVIEW: 99 AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/26B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODVLES, ELECTRONIC, FEEDBACK TYPE, SIZE 20-2, SERIES I [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/27B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD TYPE MOUNTING, SERIES I [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/28B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, GROUNDING MODULES, INTEGRAL BRACKET MOUNTING, SERIES I [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/29C | TERMINAL JUNCTION SYSTEM, BRACKET, BLOCK MOUNING, SERIES I [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/30B | TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BLOCKS, ELECTRONIC, FEEDBACK TYPE, SIZES 20-3, 20-4, 20-5 VERTICAL MOUNTING WITH INTEGRAL BRACKET [CUST: CR AS 85] [REVIEW: 11 17 99 AR AT AV EC MI OS SH] | A 5940 | AS | | 31-DEC-85 |
| MIL-T-81714/31B | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, MODULES, FEEDBACK TYPE, SIZES 20-6 20-7, 20-8 HORIZONTAL MOUNTING WITH INTEGRAL BRACKET, SERIES I [CUST: CR AS 85] [REVIEW: 99 AR AT AV EC GS MI OS SH] | A 5940 | AS | | 02-MAR-88 |
| MIL-T-81714/60A | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SERIES II [CUST: CR AS 85 GS] [REVIEW: 99 AR AT AV EC OS SH] | A 5940 | GS | | 27-JUN-90 |
| MIL-T-81714/61A | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SERIES II [CUST: CR AS 85 GS] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | GS | | 27-JUN-90 |
| MIL-T-81714/62A | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEED BACK TYPE, SERIES II [CUST: CR AS 85 GS] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | GS | | 27-JUN-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|-------------|--------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-T-81714/63(1) | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD FLANGE TYPE MOUNTING, SERIES II [CUST: CR AS 85 GS] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | GS | | 27-JUN-90 |
| | MIL-T-81714/64 | TERMINAL JUNCTION SYSTEM, GROUNDING STUD, SERIES II [CUST: CR AS 85 GS] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | GS | | 02-MAR-88 |
| | MIL-T-81714/65(1) | TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, SERIES II [CUST: CR AS 85 GS] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | GS | | 27-JUN-90 |
| | MIL-T-81714/66 | TERMINAL JUNCTION SYSTEM, IN-LINE ELECTRONIC JUNCTIONS, SERIES II [CUST: CR AS 85 GS] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | GS | | 02-MAR-88 |
| | MIL-T-81714/67(1) | TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDBACK TYPE, SERIES II [CUST: CR AS 85 GS] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | GS | | 27-JUN-90 |
| | MIL-T-81714/68A | TERMINAL JUNCTION SYSTEM, BLOCK MOUNTING BRACKET, SERIES II [CUST: CR AS 85 GS] [REVIEW: 99] | A 5940 | GS | | 27-JUN-90 |
| | MIL-T-81714/69 | TERMINAL JUNCTION SYSTEM, BLOCK REMOVAL TOOLS, SERIES II [CUST: CR AS 85 GS] [REVIEW: 99 AR AT AV EC MI OS SH] | A 5940 | GS | | 02-MAR-88 |
| | MIL-M-81715 | MANUAL, TECHNICAL, SHIP WEAPON INSTALLATIONS [CUST: AS] | A TMSS | AS | | 03-FEB-69 |
| | MIL-P-81728A(1) | PLATING, TIN LEAD (ELECTRODEPOSITED) [CUST: MR AS 11] [REVIEW: 99 AR AT AV GL OS] | A MFFP | AS | | 28-MAR-80 |
| | MIL-R-81729A NOT 1 | RESTRAINT SYSTEMS, AIRCREWMANS [CUST: AS 99] | A 1680 | 82 | | 29-OCT-91 |
| | MIL-C-81730A | CARTRIDGE, DELAY, MARK 136 MOD 0 [CUST: OS] | A 1377 | OS | | 19-APR-73 |
| | MIL-H-81735B | HELMETS, FLIGHT DECK CREWMAN'S, IMPACT RESISTANT [CUST: AS CT] | A 8415 | CT | | 30-JUL-92 |
| | MIL-T-81736(3) NOT 1 | TAPE, TEXTILE, NYLON, LANDBASED ARRESTING GEAR, 8-INCH [CUST: AS] | A 8315 | AS | | 29-OCT-91 |
| | MIL-B-81744A(1) | BARRIER COATING SOLUTION, LUBRICANT MIGRATION DETERRING [CUST: AR AS 11] [REVIEW: 99 AV GS MI OS SH] | A 6850 | AS | | 23-DEC-76 |
| | MIL-L-81745B(2) | LAUNCHER CONTAINER, "A" SIZE SONOBUOY LAU-126/A [CUST: AS] | A PACK | AS | | 30-APR-90 |
| | MIL-S-81746A | SERVITORQ, GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: EC SH] | A 5990 | AS | | 05-APR-91 |
| | MIL-S-81746/1 | SERVITORQ, TYPE 15ST4A [CUST: AS] [REVIEW: EC SH] | A 5990 | AS | | 05-APR-91 |
| | MIL-S-81746/2 | SERVITORQ, TYPE 23ST64A [CUST: AS] [REVIEW: EC SH] | A 5990 | AS | | 05-APR-91 |
| | MIL-S-81746/3 | SERVITORQ, TYPE 23ST4A [CUST: AS] [REVIEW: EC SH] | A 5990 | AS | | 05-APR-91 |
| | MIL-S-81746/4 | SERVITORQ, TYPE 37ST64C [CUST: AS] [REVIEW: EC SH] | A 5990 | AS | | 05-APR-91 |
| | MIL-DTL-81748D | MANUALS, TECHNICAL: RAPID ACTION CHANGES; GENERAL SPECIFICATION FOR PREPARATION OF [CUST: AS] | A TMSS | AS | | 15-DEC-95 |
| | MIL-W-81752A(1) | WINDSHIELDED SYSTEMS, FIXED WING AIRCRAFT - GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: AV] | A 1560 | AS | | 22-AUG-88 |
| | MIL-B-81757C SUP 1 | BATTERIES AND CELLS, STORAGE, NICKEL-CADMIUM, AIRCRAFT GENERAL SPECIFICATION FOR [CUST: CR AS 11] [REVIEW: 99 AV CG] | A 6140 | AS | | 01-JUL-84 |
| | MIL-B-81757/1C | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM, CELL [CUST: CR AS 11] [REVIEW: 99 AV CG] | A 6140 | AS | | 05-OCT-84 |
| | MIL-B-81757/2B | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, VENTED FILLER CAP [CUST: CR AS 11] [REVIEW: 99 AV CG] | A 6140 | AS | | 31-JUL-81 |
| | MIL-B-81757/3B | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM CONNECTOR, STRAP [CUST: CR AS 11] [REVIEW: 99 AV CG] | A 6140 | AS | | 31-JUL-81 |
| | MIL-B-81757/4C | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, CONNECTOR, TAB [CUST: CR AS 11] [REVIEW: 99 AV CG] | A 6140 | AS | | 05-OCT-84 |
| | MIL-B-81757/5B | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM, CONNECTOR, CURVED [CUST: CR EC 11] [REVIEW: 99 AV CG] | A 6140 | AS | | 31-JUL-81 |
| | MIL-B-81757/11D | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM 24 VOLTS, 20 AMPERE HOUR (LOW FREQUENCY VIBRATION) [CUST: AS] | A 6140 | AS | | 03-MAY-85 |
| | MIL-I-81765A SUP 1 NOT 1 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: GS] | A 5970 | AS | | 29-OCT-91 |
| | MIL-I-81765/1A | INSULATING COMPONENT, MOLDED, ELECTRICAL, HEAT SHRINKABLE POLYOLEFIN, CROSSLINKED, SEMI-RIGID AND FLEXIBLE [CUST: AS] [REVIEW: GS MI] | A 5970 | AS | | 20-JUL-70 |
| | MIL-I-81765/2A NOT 1 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE POLYCHLOROPRENE, FLEXIBLE, CROSSLINKED [CUST: AS] [REVIEW: GS] | A 5970 | AS | | 29-OCT-91 |
| | MIL-I-81765/3A NOT 1 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE SILICONE RUBBER, FLEXIBLE, CROSSLINKED [CUST: AS] [REVIEW: GS] | A 5970 | AS | | 29-OCT-91 |
| | MIL-I-81765/4A | INSULATING COMPONENT, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROELASTOMER, FLEXIBLE, CROSSLINKED [CUST: AS] [REVIEW: GS] | A 5970 | AS | | 20-JUL-70 |
| | MIL-I-81765/6 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER, SEMI-RIGID, CROSSLINKED [CUST: MR AS 11] [REVIEW: GS] | A 5970 | AS | | 15-JUN-87 |
| | MIL-I-81765/7 | INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER COMPOSITE, SEMI-RIGID, CROSSLINKED [CUST: MR AS 11] [REVIEW: GS] | A 5970 | AS | | 15-JUN-87 |
| | MIL-C-81769 | CHEMICAL MILLING OF METALS, SPECIFICATION FOR [CUST: MR AS 11] [REVIEW: 99 AR AT MI YD1] | A MFFP | AS | | 11-DEC-72 |
| | MIL-T-81772B(1) | THINNER, AIRCRAFT COATING [CUST: AS] | A 8010 | AS | | 25-OCT-91 |
| | MIL-C-81774A(1) | CONTROL PANEL, AIRCRAFT, GENERAL REQUIREMENTS FOR [CUST: AV AS 11] | A 1680 | AS | | 11-DEC-76 |
| | MIL-K-81786/6 NOT 1 | COMPONENTS, MOLDED, POLYOLEFIN, ELECTRICALLY INSULATING, STRAIN RELIEVING, NON BURNING, SEMI-RIGID, HEAT SHRINKABLE [CUST: AS] | A 4940 | AS | | 25-SEP-91 |
| | MIL-C-81788(1) | CARTRIDGE, DELAY, MARK 4 MOD 2, MARK 5 MOD 2 AND MARK 6 MOD 2 [CUST: OS] | A 1377 | OS | | 06-JAN-72 |
| | MIL-C-81790A(1) SUP 1 | CONNECTORS, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 99 AV] | A 5935 | AS | | 30-DEC-92 |
| | MIL-T-81791(3) | TAPE, TEXTILE, NYLON, LANDBASED ARRESTING GEAR, 11-INCH [CUST: AS] [REVIEW: 45 CT] | A 8315 | AS | | 28-NOV-77 |
| | MIL-M-81792A | MANUAL, TECHNICAL, LOADING AND TRANSPORT OF NUCLEAR WEAPONS IN CARGO AIRCRAFT, PREPARATION OF [CUST: AS] | A TMSS | AS | | 15-MAR-87 |
| | MIL-B-81793D(1) SUP 1 | BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 21-MAR-94 |
| | MIL-B-81793/1(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 31-OCT-94 |
| | MIL-B-81793/2(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 31-OCT-94 |
| | MIL-B-81793/3(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 31-OCT-94 |
| | MIL-B-81793/4(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 31-OCT-94 |
| | MIL-B-81793/5(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 31-OCT-94 |
| | MIL-B-81793/6(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 31-OCT-94 |
| | MIL-B-81793/7(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | | 31-OCT-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-----------------------|--|--------------------------|--------------------|-----------|
| MIL-B-81793/8(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/9(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/10(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/11(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/12(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/13(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/14(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/15(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/16(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/17(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING CHROMIUM-ALLOY STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/18(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING CHROMIUM-ALLOY STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/19(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/20(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/21(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CHROMIUM-ALLOY STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/22(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CHROMIUM-ALLOY STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/23(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/24(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/25(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/26(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/27(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/28(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/29(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/30(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/31(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/32(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/33(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/34(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/35(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-B-81793/36(1) | BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99] [REVIEW: 84 IS MC SH] | A 3110 | AS | 31-OCT-94 |
| MIL-C-81804A | CARTRIDGE, IMPULSE, MARK 124 MOD 0 [CUST: OS] | A 1377 | OS | 28-AUG-87 |
| MIL-C-81805(1) | CARTRIDGE, IMPULSE, MARK 125 MOD 0 [CUST: OS] | A 1377 | OS | 29-NOV-77 |
| MIL-M-81807A(2) NOT 1 | MARKING OF AIRCRAFT GROUND SUPPORT EQUIPMENT AND OTHER FLIGHT LINE VEHICLES WITH RETRO-REFLECTIVE MATERIALS; PROCESS FOR [CUST: AS] | A 1730 | AS | 25-SEP-91 |
| MIL-C-81808 | CHEST, COLLAPSIBLE [CUST: AS CT] [REVIEW: 45] | A 8460 | CT | 21-DEC-70 |
| MIL-C-81810 NOT 1 | CHECKLIST, AIRBORNE MISSILE AND GUIDED WEAPON ASSEMBLY [CUST: AS] | A TMSS | AS | 09-OCT-91 |
| MIL-C-81812A | CLOTH, KNITTED, AROMATIC POLYAMIDE, HIGH TEMPERATURE RESISTANT [CUST: GL AS 99 CT] | A 8305 | CT | 01-OCT-71 |
| MIL-B-81813B(2) NOT 1 | BATTING, ARAMID OR NOVOLOID FIBER, QUILTED [CUST: GL AS 11 CT] [REVIEW: 45 82 MD SA] | A 8320 | CT | 22-APR-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-C-81814C | CLOTH, TWILL, ARAMID, HIGH TEMPERATURE RESISTANT [CUST: AS 99 CT] [REVIEW: 11 82 NU] | A 8305 | AS | | 17-AUG-90 |
| | MIL-B-81819B | BEARING, PLAIN, (SELF-ALIGNING, SLEEVE & THRUST) SELF-LUBRICATING, HIGH SPEED OSCILLATION [CUST: AV AS 99] [REVIEW: 84 IS] | A 3120 | AS | | 01-JUN-87 |
| | MIL-B-81819/1 | BEARING, PLAIN, SLIDING SPHERICAL, SELF LUBRICATING, SELF ALIGNING, HIGH SPEED OSCILLATION [CUST: AV AS 99] [REVIEW: 84 IS] | A 3120 | AS | | 14-JAN-83 |
| | MIL-B-81820F(2) SUP 1 | BEARINGS, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LOW SPEED OSCILLATION, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 84 AR IS SH] | A 3120 | AS | | 30-JUN-95 |
| | MIL-B-81820/1A | BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, NARROW, GROOVED OUTER RING, -65 DEG. TO 325 DEG. F [CUST: AV AS 99] [REVIEW: IS MI] | A 3120 | AS | | 05-DEC-94 |
| | MIL-B-81820/2A | BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, WIDE, CHAMFERED OUTER RING, -65 DEG. TO 325 DEG. F [CUST: AV AS 99] [REVIEW: IS MI] | A 3120 | AS | | 05-DEC-94 |
| | MIL-B-81820/3A | BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, WIDE, GROOVED OUTER RING, -65 DEG. TO 325 DEG. F [CUST: AV AS 99] [REVIEW: IS MI] | A 3120 | AS | | 05-DEC-94 |
| | MIL-B-81820/4A | BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, NARROW, CHAMFERED OUTER RING, -65 DEG. TO 325 DEG. F [CUST: AV AS 99] [REVIEW: IS MI] | A 3120 | AS | | 05-DEC-94 |
| | MIL-T-81821(3) | TRAINERS, MAINTENANCE, EQUIPMENT AND SERVICES GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: 99] | A 69GP | AS | | 25-MAR-83 |
| | MIL-W-81822A(2) SUP 1 | WIRE, ELECTRICAL, SOLDERLESS WRAP, INSULATED AND UNINSULATED, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 17 99 EC IS MC OS SH] | A 6145 | AS | | 15-MAR-94 |
| | MIL-W-81822/1A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYETHYLENE TEREPHTHALATE - POLYESTER LAMINATED TAPE INSULATION, SILVER COATED SOLID CONDUCTOR [CUST: CR AS 85] [REVIEW: 17 99 CC EC IS MC SH] | A 6145 | AS | | 15-MAR-94 |
| | MIL-W-81822/3A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED POLYVINYLIDENE FLUORIDE (PVDF) INSULATION, SILVER COATED SOLID CONDUCTOR [CUST: CR AS 85] [REVIEW: 17 99 CC EC IS MC SH] | A 6145 | AS | | 15-MAR-94 |
| | MIL-W-81822/4A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYIMIDE COATING OVER EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR [CUST: CR AS 85] [REVIEW: 17 99 CC EC IS MC SH] | A 6145 | AS | | 15-MAR-94 |
| | MIL-W-81822/5A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, FLUOROCARBON POLYIMIDE TAPE AND POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR [CUST: CR AS 85] [REVIEW: 17 99 CC EC IS MC SH] | A 6145 | AS | | 15-MAR-94 |
| | MIL-W-81822/6A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR [CUST: CR AS 85] [REVIEW: 17 99 CC EC IS MC SH] | A 6145 | AS | | 15-MAR-94 |
| | MIL-W-81822/8A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYAMIDE JACKET OVER EXTRUDED FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATION, SILVER COATED SOLID CONDUCTOR [CUST: CR AS 85] [REVIEW: 17 99 CC EC IS MC SH] | A 6145 | AS | | 15-MAR-94 |
| | MIL-W-81822/10A | WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, SILVER COATED SOLID CONDUCTOR [CUST: CR AS 85] [REVIEW: 11 17 99 CC EC IS MC OS SH] | A 6145 | AS | | 03-MAR-82 |
| | MIL-W-81822/11A | WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, GOLD COATED SOLID CONDUCTOR [CUST: CR AS 85] [REVIEW: 11 99 CC EC SH] | A 6145 | AS | | 03-MAR-82 |
| | MIL-W-81822/12A | WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, TIN COATED SOLID CONDUCTOR [CUST: CR AS 85] [REVIEW: 11 17 99 CC EC IS MC OS SH] | A 6145 | AS | | 03-MAR-82 |
| | MIL-W-81822/13A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED ETHYLENE-TETRAFLUOROETHYLENE (ETFE) INSULATION, SILVER COATED SOLID CONDUCTOR [CUST: CR AS 85] [REVIEW: 17 99 CC EC IS MC SH] | A 6145 | AS | | 15-MAR-94 |
| | MIL-W-81822/15A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED ETHYLENE-CHLOROTRIFLUOROETHYLENE (ECTFE) INSULATION, SILVER COATED SOLID CONDUCTOR [CUST: CR AS 85] [REVIEW: 17 99 CC EC IS MC SH] | A 6145 | AS | | 15-MAR-94 |
| | MIL-S-81824(3) | SPICE, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT [CUST: CR AS 85] [REVIEW: 11 99 AV EC GS MC MI OS SH] | A 5940 | AS | | 15-JUN-84 |
| | MIL-S-81824/1 | SPICE, ELECTRIC, PERMANENT, CRIMP STYLE COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS I [CUST: CR AS 85] [REVIEW: 11 99 AV EC MC MI] | A 5940 | AS | | 20-AUG-76 |
| | MIL-S-81824/3 | SPICE, COAXIAL CABLE, ELECTRIC, PERMANENT, CRIMP STYLE COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS I [CUST: CR AS 85] [REVIEW: 11 99 AV EC GS MC MI OS SH] | A 5940 | AS | | 15-JUN-84 |
| | MIL-S-81824/4 | SPICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, SPICE, SHIELD, SOLDER TYPE, INSULATED, CLASS I [CUST: CR AS 85] [REVIEW: 11 99 AV EC GS MC MI OS SH] | A 5940 | AS | | 31-JAN-90 |
| | MIL-S-81824/5 | SPICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, KIT, SHIELDED CABLE, CLASS I [CUST: CR AS 85] [REVIEW: 11 99 AV EC GS MC MI OS SH] | A 5940 | AS | | 31-JAN-90 |
| | MIL-G-81827A NOT 1 | GREASE, AIRCRAFT, HIGH LOAD CAPACITY, WIDE TEMPERATURE RANGE [CUST: AS] [REVIEW: PS] | A 9150 | AS | | 29-OCT-91 |
| | MIL-R-81828(1) NOT 1 | RUBBER, CHLOROSULFONATED POLYETHYLENE ELASTOMER, SHEET AND MOLDED SHAPES, OZONE RESISTANT [CUST: AS] | A 9320 | AS | | 29-OCT-91 |
| | MIL-H-81829(1) NOT 1 | HEAT TRANSFER FLUID, FLUORO-CHEMICAL [CUST: AR AS 68] [REVIEW: GS] | A 6850 | AS | | 29-OCT-91 |
| | MIL-G-81830A(2) NOT 1 | GROUT MATERIAL, RAPID SETTING [CUST: AS] | A 5610 | AS | | 29-OCT-91 |
| | MIL-T-81831 | TEST SET, ALTIMETER SET AN/APM-347 [CUST: AS] | A 6625 | AS | | 13-JUL-71 |
| | MIL-M-81834A | MANUAL, AIRCRAFT TACTICAL. REQUIREMENTS FOR PREPARATION OF [CUST: AS] | A TMSS | AS | | 28-NOV-80 |
| | MIL-R-81835(1) | REMOVER, ORGANIC COATING, HOT TANK TYPE [CUST: AS] | A 8010 | AS | | 26-DEC-73 |
| | MIL-F-81836A SUP 1 | FILTER AND DISPOSABLE ELEMENT, FLUID PRESSURE, HYDRAULIC, 3 MICRON ABSOLUTE [CUST: AS] | A 4920 | AS | | 27-MAR-92 |
| | MIL-F-81836/1A | FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, STYLE A, MECHANICAL INDICATOR [CUST: AS] | A 4920 | AS | | 27-MAR-92 |
| | MIL-F-81836/2A | FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, STYLE B, ELECTRICAL INDICATOR [CUST: AS] | A 4920 | AS | | 27-MAR-92 |
| | MIL-F-81836/3A | FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, STYLE C, GAUGE INDICATOR [CUST: AS] | A 4920 | AS | | 27-MAR-92 |
| | MIL-F-81836/4A | FILTER ELEMENT, DISPOSABLE, FLUID, PRESSURE HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE [CUST: AS] | A 4920 | AS | | 27-MAR-92 |
| | MIL-F-81836/5A | FILTER ELEMENT, ADAPTER [CUST: AS] | A 4920 | AS | | 27-MAR-92 |
| | MIL-F-81836/6 | FILTER, FLUID, PRESSURE, HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE, STYLE A, MECHANICAL INDICATOR [CUST: AS] | A 4920 | AS | | 27-MAR-92 |
| | MIL-F-81836/7 | FILTER, FLUID, PRESSURE, HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE, STYLE B, ELECTRICAL INDICATOR [CUST: AS] | A 4920 | AS | | 27-MAR-92 |
| | MIL-F-81836/8 | FILTER, FLUID, PRESSURE, HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE, STYLE C, GAUGE INDICATOR [CUST: AS] | A 4920 | AS | | 27-MAR-92 |
| | MIL-F-81836/9 | FILTER, ELEMENT, DISPOSABLE, FLUID, PRESSURE HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE [CUST: AS] | A 4920 | AS | | 27-MAR-92 |
| | MIL-R-81839(1) NOT 1 | RACK, BOMB, AIRCRAFT, BRU-12/A [CUST: AS] | A 1095 | AS | | 21-DEC-83 |
| | MIL-R-81841 | ROTARY FLAP PEENING OF METAL PARTS [CUST: AS] [REVIEW: OS] | A MFFP | AS | | 09-FEB-72 |
| | MIL-C-81842A | CONNECTOR ASSEMBLIES FOR BOMB RACK ELECTRIC FUZING PROVISIONS [CUST: AS] | A 1095 | AS | | 01-SEP-76 |
| | DOD-L-81846B(1) | LUBRICATING OIL, INSTRUMENT, BALL BEARING, HIGH FLASH POINT [CUST: CR4 AS 11] [REVIEW: 22 99 AR CR GS OS SH] | A 9150 | AS | | 24-AUG-94 |
| | MIL-L-81848 | LIGHT, FLUORESCENT, MAGNIFYING, ADJUSTABLE ARM [CUST: AS] [REVIEW: GS] | A 6230 | AS | | 28-FEB-72 |
| | MIL-A-81851B(1) NOT 1 | ALTIMETER AAU-31/A [CUST: AV AS] | A 6610 | AS | | 17-OCT-91 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-A-81852A(1) | ALTIMETER-ENCODER AAU-32/A [CUST: AV AS] | A 6610 | AS | | 25-JAN-88 |
| | MIL-B-81856(1) | BEACON SET, RADAR AN/APN-202 [CUST: AS] | A 5841 | AS | | 21-DEC-92 |
| | MIL-N-81857 | NAVIGATIONAL SET, TACAN AN/ARN-105 [CUST: AS] | A 5826 | AS | | 24-OCT-72 |
| | MIL-D-81873 | DETECTING-RANGING SET, SONAR AN/AQS-13B [CUST: AS] | A 5845 | AS | | 17-DEC-75 |
| | MIL-R-81876B | RECEIVER-TRANSMITTER RADIO SET AN/APX-100(V) [CUST: AS] | A 5821 | AS | | 04-OCT-88 |
| | MIL-R-81877B NOT 1 | RADIO SETS AN/ARC-159 AND AN/ARC-159(V) [CUST: AS] | A 5821 | AS | | 15-APR-88 |
| | MIL-C-81883 | CONTROL GROUP, ELECTRIC POWER OK-XXX (V) A GENERAL SPECIFICATION FOR [CUST: AS] | A 6110 | AS | | 04-MAY-76 |
| | MIL-C-81883/1 | CONTROL GROUP, ELECTRIC POWER OK-XXX (V) A [CUST: AS] | A 6110 | AS | | 04-MAY-76 |
| | MIL-P-81887A(2) NOT 1 | PALLET LOAD ASSEMBLY FOR SONOBUOYS [CUST: AS] | A PACK | AS | | 17-OCT-91 |
| | MIL-D-81893A | DISPENSING SET, COUNTERMEASURES CHAFF AN/ALE-41 [CUST: AS] | A 5865 | AS | | 18-DEC-78 |
| | MIL-M-81901 | MANUAL, TECHNICAL, AIRCRAFT FIRE FIGHTING AND RESCUE, REQUIREMENTS FOR PREPARATION OF INFORMATION FOR INCLUSION IN [CUST: AS] | A TMSS | AS | | 03-APR-72 |
| | MIL-R-81903A(2) NOT 1 | REMOVER, ACID ACTIVATED, FOR AMINE-CURED EPOXY COATING SYSTEMS [CUST: AS] | A 8010 | AS | | 29-OCT-91 |
| | MIL-C-81904B(1) | COATING COMPOUND, THERMAL-INSULATION, ABLATIVE [CUST: AS] | A 8030 | AS | | 24-AUG-92 |
| | MIL-E-81910A(1) | ELECTRICAL POWER GENERATING AND CONTROL EQUIPMENT, AIRCRAFT, GENERAL SPECIFICATIONS FOR [CUST: AS] [REVIEW: GS] | A 6110 | AS | | 26-MAY-78 |
| | MIL-L-81913A NOT 1 | LEATHER, CATTLEHIDE, VEGETABLE TANNED, FOR PACKING AND SEALS [CUST: AS CT] | A 8330 | CT | | 29-OCT-91 |
| | MIL-T-81914 SUP 1 | TUBING, PLASTIC, FLEXIBLE, CONVULUTED, CONDUIT GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: GS MI] | A 5975 | AS | | 28-FEB-73 |
| | MIL-T-81914/1 | TUBING, PLASTIC, FLEXIBLE, CONVULUTED, POLYTETRAFLUOROETHYLENE, STANDARD CONVOLUTIONS [CUST: AS] [REVIEW: GS MI] | A 5975 | AS | | 28-FEB-73 |
| | MIL-T-81914/2 | TUBING, PLASTIC, EXTRA FLEXIBLE, CONVULUTED, POLYTETRAFLUOROETHYLENE CLOSE CONVOLUTION [CUST: AS] [REVIEW: GS] | A 5975 | AS | | 28-FEB-73 |
| | MIL-T-81914/3 | TUBING, PLASTIC, FLEXIBLE, CONVULUTED, FLUORINATED ETHYLENE PROPYLENE, STANDARD CONVOLUTION [CUST: AS] [REVIEW: GS] | A 5975 | AS | | 28-FEB-73 |
| | MIL-T-81914/4 | TUBING, PLASTIC, EXTRA FLEXIBLE, CONVULUTED, FLUORINATED ETHYLENE PROPYLENE, CLOSE CONVOLUTION [CUST: AS] [REVIEW: GS] | A 5975 | AS | | 28-FEB-73 |
| | MIL-T-81914/5 NOT 2 | TUBING, PLASTIC, EXTRA FLEXIBLE, CONVULUTED, ETHYLENE-TETRAFLUOROETHYLENE, CLOSE CONVOLUTION [CUST: AS] | A 5975 | AS | | 29-DEC-89 |
| | MIL-T-81914/6 | TUBING, PLASTIC, FLEXIBLE, CONVULUTED, ETHYLENE-TETRAFLUOROETHYLENE, STANDARD CONVOLUTION [CUST: AS] | A 5975 | AS | | 14-JUL-76 |
| | MIL-T-81914/7 | TUBING, PLASTIC, FLEXIBLE, CONVULUTED, FLUORINATED ETHYLENE PROPYLENE, INTEGRAL BRAID [CUST: AS] | A 5975 | AS | | 29-DEC-89 |
| | MIL-T-81915(1) | TITANIUM AND TITANIUM-ALLOY CASTINGS, INVESTMENT [CUST: MR AS 11] [REVIEW: 99 AR AV CR4] | A MECA | AS | | 14-NOV-91 |
| | MIL-A-81918(2) | ADAPTER, LAUNCHER, AIRCRAFT, ADU-299A/A [CUST: AS] [REVIEW: GS] | A 1055 | AS | | 22-SEP-83 |
| A | MIL-DTL-81919C | MANUALS, TECHNICAL, EQUIPMENT OPERATION AND/OR MAINTENANCE INSTRUCTIONS, TECHNICAL CONTENT REQUIREMENTS (WORK PACKAGE CONCEPT) [CUST: AS] | A TMSS | AS | | 26-NOV-97 |
| | MIL-C-81925 NOT 1 | CONTROL, TEST HARNESS C-9154/APM [CUST: AS] | A 6625 | AS | | 21-MAR-88 |
| A | MIL-DTL-81927C | MANUALS, TECHNICAL: WORK PACKAGE STYLE, FORMAT, AND COMMON TECHNICAL CONTENT REQUIREMENTS; GENERAL SPECIFICATION FOR (WORK PACKAGE CONCEPT) [CUST: AS] | A TMSS | AS | | 26-NOV-97 |
| A | MIL-DTL-81928C | MANUALS, TECHNICAL: AIRCRAFT MAINTENANCE INSTRUCTIONS, TECHNICAL CONTENT REQUIREMENTS (WORK PACKAGE CONCEPT) [CUST: AS] | A TMSS | AS | | 26-NOV-97 |
| A | MIL-DTL-81929C | MANUALS, TECHNICAL: ILLUSTRATED PARTS BREAKDOWN FIGURES; TECHNICAL CONTENT REQUIREMENTS (WORK PACKAGE CONCEPT) [CUST: AS] | A TMSS | AS | | 26-NOV-97 |
| | MIL-B-81934B | BEARINGS, SLEEVE, PLAIN AND FLANGED, SELF-LUBRICATING, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 84 AR AT IS MI SH] | A 3120 | AS | | 03-MAY-91 |
| | MIL-B-81934/1D | BEARING, SLEEVE, PLAIN, SELF-LUBRICATING, 325 DEG. F [CUST: AV AS 99] [REVIEW: 84 AR AT IS MI SH] | A 3120 | AS | | 05-DEC-94 |
| | MIL-B-81934/2D | BEARING, SLEEVE, FLANGED, SELF-LUBRICATING, 325 DEG. F [CUST: AV AS 99] [REVIEW: 84 AR AT IS MI SH] | A 3120 | AS | | 05-DEC-94 |
| | MIL-B-81936(4) | BEARINGS, PLAIN, SELF-ALIGNING (BECU BALL, CRES RACE) GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 84 AR IS] | A 3120 | AS | | 17-NOV-89 |
| | MIL-B-81936/1B | BEARING, PLAIN, SELF-ALIGNING, BE CU BALL, CRES RACE, (WITH STACKING GROOVE) -65 DEG. F TO +350 DEG. F [CUST: AV AS 11] [REVIEW: 99 AR IS MI] | A 3120 | AS | | 05-DEC-94 |
| | MIL-B-81936/2B | BEARING, PLAIN, SELF-ALIGNING, BE CU BALL, CRES RACE, -65 DEG. F TO +350 DEG. F [CUST: AV AS 11] [REVIEW: 99 AR MI] | A 3120 | AS | | 05-DEC-94 |
| | MIL-G-81937A NOT 1 | GREASE, INSTRUMENT, ULTRA-CLEAN, METRIC [CUST: CR4 AS 11] [REVIEW: 99 AR AV GS OS PS SH SM] | A 9150 | AS | | 29-OCT-91 |
| | MIL-C-81938 NOT 1 | CLOTH, KNITTED, VINYLON, AND VINYLON-COTTON [CUST: AS CT] | A 8305 | CT | | 29-OCT-91 |
| | MIL-R-81939B(1) | RACK, BOMB EJECTOR, AIRCRAFT, BRU-10, BRU-11, AND BRU-19 SERIES [CUST: AS] | A 1095 | AS | | 06-FEB-84 |
| | MIL-V-81940B | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS [CUST: AV AS 99] [REVIEW: 71 CC SH] | A 1650 | AS | | 30-AUG-93 |
| | MIL-V-81940/1B | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS [CUST: AV AS 99] [REVIEW: 71 CC SH] | A 1650 | AS | | 30-AUG-93 |
| | MIL-V-81940/2 | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS NPTF FITTING [CUST: CR4 AS] [REVIEW: AT] | A 1650 | AS | | 15-DEC-83 |
| | MIL-V-81940/3 | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS 37 DEG. FLARE FITTING [CUST: CR4 AS] [REVIEW: AT] | A 1650 | AS | | 15-DEC-83 |
| | MIL-V-81940/4 | VALVE, SAMPLING AND BLEED, HYDRAULIC, 3,000 PSI NON-AIRCRAFT APPLICATIONS [CUST: AV SH 11] [REVIEW: 71] | A 4810 | SH | | 14-DEC-90 |
| A | MIL-V-0081940/4A | VALVE, SAMPLING AND BLEED, HYDRAULIC, 3,000 PSI NON-AIRCRAFT APPLICATIONS [CUST: SH] | A 4810 | SH | | 25-FEB-92 |
| | MIL-T-81943(1) | TEST SET, RADIO, AN/ARM-156 [CUST: AS] | A 6625 | AS | | 23-MAR-77 |
| A | MIL-DTL-81944C | TRAILER, MUNITIONS, SMALL (MHU-126 A/M) [CUST: AS] | A 1740 | AS | | 15-SEP-97 |
| | MIL-C-81945B | COATING COMPOUNDS, WEAPON INSULATION, INTUMESCENT [CUST: AS] | A 8010 | AS | | 10-MAR-89 |
| | MIL-C-81950 NOT 1 | CHARTS: STANDARD AIRCRAFT CHARACTERISTICS AND PERFORMANCE, HELICOPTER [CUST: AS] | A 7530 | AS | | 29-OCT-91 |
| | MIL-C-81953 | CABLE ASSEMBLY, MAGNETIC SWEEP MARK 17 MOD 1 [CUST: AS] | A 1075 | AS | | 24-OCT-73 |
| | MIL-T-81955 NOT 2 | TIN PLATING, IMMERSION FOR COPPER AND COPPER ALLOYS [CUST: OS] | A MFFP | OS | | 15-NOV-73 |
| | MIL-D-81956A(1) | DETERGENT, EXTERNAL REMOVABLE FUEL TANKS [CUST: AV AS] | A 7930 | AS | | 08-MAR-84 |
| | MIL-M-81957B SUP 1 | MOBILE TEST FACILITY, GAS TURBINE ENGINE TEST SYSTEMS GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: MC] | A 2330 | AS | | 01-OCT-90 |
| | MIL-M-81957/3A NOT 1 | MOBILE FACILITY, SHELTER, INSTRUMENTATION AND CONTROL, TURBO JET/FAN ENGINE TEST SYSTEM [CUST: AS] | A 2330 | AS | | 14-DEC-88 |
| | MIL-M-81957/4 NOT 1 | MOBILE FACILITY, SHELTER, INSTRUMENTATION AND CONTROL, TURBO PROP/SHAFT ENGINE TEST SYSTEM [CUST: AS] | A 2330 | AS | | 14-DEC-88 |
| | MIL-M-81957/5(1) NOT 1 | MOBILE FACILITY: SHELTER, INSTRUMENTATION AND CONTROL, TURBO SHAFT ENGINE TEST SYSTEM [CUST: AS] | A 2330 | AS | | 26-SEP-91 |
| | MIL-F-81959 NOT 1 | FIXTURE, CABLE MAINTENANCE MX-9516/ASQ-81(V) [CUST: AS] | A 4931 | AS | | 15-APR-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Ver | UIC | Prep. Acty. | Date |
|------------|--------------------------|---|----------------------|-----|-------------|-----------|
| | MIL-S-81963B | SERVOCOMPONENTS, PRECISION INSTRUMENT, ROTATING, COMMON REQUIREMENTS AND TESTS, GENERAL SPECIFICATION FOR [CUST: AR AS 85] [REVIEW: 11 17 19 79 AT AV CC CG MC MI OS SH] | A 5990 | AS | | 28-NOV-90 |
| | MIL-R-81965A(1) | RACK, BOMB, AIRCRAFT, BRU-14 AND BRU-15 SERIES [CUST: AS] | A 1095 | AS | | 01-NOV-76 |
| | MIL-I-81969B | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 20-AUG-82 |
| | MIL-I-81969/1A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION C [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT CC CR4 EC MC MI OS SH] | A 5120 | AS | | 11-JAN-79 |
| | MIL-I-81969/2A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT TYPE I, CLASS 1, COMPOSITION C [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT CC CR4 EC MC MI OS SH] | A 5120 | AS | | 11-JAN-79 |
| | MIL-I-81969/3A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION C [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 11-JAN-79 |
| | MIL-I-81969/4B(1) NOT 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (FORK TYPE, WRAPPOST/CRIMP REMOVABLE), TYPE II, CLASS 1, COMPOSITION C [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CR4 EC GL MC MI OS SH] | A 5120 | AS | | 27-FEB-97 |
| | MIL-I-81969/5A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (FORK TYPE, CRIMP REMOVABLE), TYPE I, CLASS 1, COMPOSITION A [CUST: CR AS 85] [REVIEW: 11 17 19 99 CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 11-JAN-79 |
| | MIL-I-81969/6B NOT 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (TYPE CR CONNECTOR), TYPE II, CLASS 1, COMPOSITION A [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CC CR4 EC GL MC MI OS SH YD1] | A 5120 | AS | | 17-OCT-91 |
| | MIL-I-81969/7A NOT 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (TYPE D CONNECTOR) TYPE III, CLASS 1 AND 2, COMPOSITION A [CUST: CR 85 CC] [REVIEW: 11 17 19 99 AR AT AV CR4 EC GL MC MI OS SH YD1] | A 5120 | CC | | 17-OCT-91 |
| | MIL-I-81969/8B | INSTALLING & REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPES I & II, CLASS 2, COMPOSITION A [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 31-OCT-86 |
| | MIL-I-81969/9B | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 02-OCT-80 |
| | MIL-I-81969/10A(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPES I AND II, CLASS 2, COMPOSITION B [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CC CR4 EC GL OS SH] | A 5120 | AS | | 26-JUN-91 |
| | MIL-I-81969/11B(1) NOT 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (FORK TYPE, WRAPPOST/CRIMP REMOVABLE), TYPE II, CLASS 1, COMPOSITION C [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CR4 EC GL MC MI OS SH] | A 5120 | AS | | 27-FEB-97 |
| | MIL-I-81969/12A(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION A [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CR4 EC GL MC MI OS SH] | A 5120 | AS | | 27-FEB-97 |
| | MIL-I-81969/13A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT (TYPE CR), TYPE I, CLASS 1, COMPOSITION A [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 11-JAN-79 |
| | MIL-I-81969/14C(1) NOT 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION B [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CC CR4 EC GL MI OS SH] | A 5120 | AS | | 17-OCT-91 |
| | MIL-I-81969/15A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT TYPE II, CLASS 2, COMPOSITION A [CUST: CR AS 85] [REVIEW: 11 17 19 99 CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 11-JAN-79 |
| | MIL-I-81969/16A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION B [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT CC EC MC MI OS SH] | A 5120 | AS | | 11-JAN-79 |
| | MIL-I-81969/17B(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION C [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 27-FEB-97 |
| | MIL-I-81969/18A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION C [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 11-JAN-79 |
| | MIL-I-81969/19B(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT TYPE II, CLASS 1, COMPOSITION C [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 27-FEB-97 |
| | MIL-I-81969/20A | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A OR B [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 11-JAN-79 |
| | MIL-I-81969/21 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACTS, INTERFACIAL SEAL, TYPE III, CLASS 1, COMPOSITION A [CUST: CR AS 85] [REVIEW: 17 99 CC EC GL] | A 5120 | AS | | 06-DEC-76 |
| | MIL-I-81969/22(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (CRIMP REMOVABLE), TYPE II, CLASS 1, COMPOSITION A [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CC CR4 EC GL OS] | A 5120 | AS | | 26-JUN-91 |
| | MIL-I-81969/23(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (CRIMP REMOVABLE), TYPE I, CLASS 1, COMPOSITION A [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CC EC OS SH] | A 5120 | AS | | 26-JUN-91 |
| | MIL-I-81969/25 NOT 1 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION C [CUST: CR AS 85] [REVIEW: 17 99 99 AR AT CC EC YD1] | A 5120 | AS | | 17-OCT-91 |
| | MIL-I-81969/26A(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1 OR 2, COMPOSITION A, (FOR REMOVAL OF INTEGRATED CIRCUIT PACKAGES AND SIMILAR DEVICES FROM SOCKETS, RECEPTACLES, OR PRINTED WIRING BOARDS) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CC EC GL MC MI OS SH] | A 5120 | AS | | 26-JUN-91 |
| | MIL-I-81969/27 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A [CUST: CR AS 85] [REVIEW: 11 17 99 AR AT CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 11-JAN-79 |
| | MIL-I-81969/28 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACTS, TYPE II, CLASS 2, COMPOSITION C [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 27-MAY-88 |
| A | MIL-I-0081969/28B | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACTS, TYPE II, CLASS 2, COMPOSITION C [CUST: 85] [REVIEW: 19 99] | A 5120 | CC | | 02-MAR-90 |
| | MIL-I-81969/29 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION B [CUST: CR AS 85] [REVIEW: 11 17 99 AR AT CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 11-JAN-79 |
| | MIL-I-81969/30 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 11-JAN-79 |
| A | MIL-I-0081969/30B | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C, FOR UNWIRED CONTACTS [CUST: 85] [REVIEW: 11 17 19 99] | A 5120 | CC | | 10-SEP-90 |
| | MIL-I-81969/31(1) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION A [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CC EC GL MC MI OS SH] | A 5120 | AS | | 26-JUN-91 |
| | MIL-I-81969/33A(3) | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION A (FOR USE WITH MIL-C-28840) (EC CONNECTORS) [CUST: EC] | A 5120 | CC | | 20-JUN-83 |
| | MIL-I-81969/34F | INSTALLING & REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II CLASS 1 COMPOSITION A (FOR USE ON MIL-C 28840 (EC) CONNECTORS) [CUST: EC] | A 5120 | CC | | 07-SEP-82 |
| | MIL-I-81969/39A | INSTALLING AND REMOVAL TOOL, CONNECTOR ELECTRICAL CONTACTS, TYPE III, CLASS 2, COMPOSITION B [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT CC CR4 EC GL MC MI OS SH] | A 5120 | AS | | 28-AUG-85 |
| | MIL-I-81969/43B | INSTALLING AND REMOVAL TOOLS, SOCKET HEAD, ELECTRONIC COMPONENTS TYPE II, CLASS 1, COMPOSITION C [CUST: CR EC 85] [REVIEW: 19 85 99 AS AT AV CC CR4 MC MI OS SH] | A 5120 | CC | | 28-JUN-93 |
| A | MIL-I-81969/45A | INSTALLING TOOL, SOLDERLESS SPRING CONTACT, TYPE I, COMPOSITION A [CUST: 85] [REVIEW: 99] | A 5120 | CC | | 28-JUN-93 |
| | MIL-I-81969/46A | INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, TYPE I, CLASS 2, COMPOSITION C, SIZE 16 TERMINI [CUST: CR EC 85] [REVIEW: 13 19 80 84 90 99 AR AS AT AV CR4 GL MC MI OS SH YD1] | A 6060 | CC | | 25-NOV-91 |
| | MIL-I-81969/47A | INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, TYPE II, CLASS 2, COMPOSITION C, SIZE 16 TERMINI [CUST: CR EC 85] [REVIEW: 13 19 80 84 90 99 AR AS AT AV CR4 GL MC MI OS SH YD1] | A 6060 | CC | | 25-NOV-91 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|----------------------|--|--------------------------|-----|-------------|-----------|
| | MIL-I-81969/48A | INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, TYPE III, ALIGNMENT SLEEVE, CLASS 2, COMPOSITION C, SIZE 16 TERMINI [CUST: CR EC 85] [REVIEW: 13 19 80 84 90 99 AR AS AT AV CR4 GL MC MI OS SH YD1] | A 6060 | CC | | 25-NOV-91 |
| | MIL-I-81969/49B | INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, HAND, RIGHT ANGLE, TYPE 1, CLASS 2, COMPOSITION A, SIZE 16 TERMINI [CUST: CR EC 85] [REVIEW: 13 17 19 80 90 99 AR AS AT AV CR4 GL MC MI OS SH YD1] | A 6060 | CC | | 25-NOV-91 |
| | MIL-I-81970 | IGNITION COMPOUND [CUST: AS] | A 1325 | AS | | 05-APR-74 |
| | MIL-D-81976 NOT 1 | DUMMY LOAD, ELECTRICAL DA-662/UPQ-5 [CUST: AS CC] | A 5985 | CC | | 17-JUN-74 |
| | MIL-L-81979 | LAUNCHERS, ROCKET LAU-10C/A AND LAU-10D/A [CUST: AS] | A 1055 | AS | | 15-AUG-74 |
| | MIL-D-81980(1) | DESIGN AND EVALUATION OF SIGNAL TRANSMISSION SUBSYSTEMS, GENERAL SPECIFICATION FOR [CUST: OS] | A 1377 | OS | | 14-AUG-75 |
| | MIL-C-81982 | CARTRIDGE, DELAY, MARK 141 MOD 0 [CUST: OS] | A 1377 | OS | | 24-SEP-74 |
| | MIL-C-81983 | CARTRIDGE, DELAY, MARK 142 MOD 0 [CUST: OS] | A 1377 | OS | | 24-SEP-74 |
| | MIL-C-81984B | CARTRIDGE, IMPULSE, MARK 107 MOD 1 [CUST: OS] | A 1377 | OS | | 15-MAY-89 |
| | MIL-P-81985(1) | PEENING OF METALS [CUST: AS] | A MFFP | AS | | 05-NOV-84 |
| | MIL-C-81986(1) NOT 1 | CORE MATERIAL, PLASTIC HONEYCOMB, NYLON PAPER BASE; FOR AIRCRAFT STRUCTURAL APPLICATIONS [CUST: AS 99] | A 5680 | AS | | 29-OCT-91 |
| | MIL-T-81988 NOT 1 | TEST SET, INDICATOR, AN/ARM-155 [CUST: AS] | A 5826 | AS | | 21-MAR-88 |
| | MIL-T-81990 NOT 1 | TEST SET, COUNTERMEASURES AND CHAFF DISPENSER AN/ALM-164 [CUST: AS] | A 5865 | AS | | 31-MAY-88 |
| | MIL-D-81992B | DIRECTIVES, TECHNICAL; PREPARATION OF [CUST: AS] | A TMSS | AS | | 27-JUL-94 |
| | MIL-P-81994 NOT 1 | PROPELLANT FOR 20MM AMMUNITION [CUST: AS] | A 1376 | AS | | 26-SEP-91 |
| | MIL-V-81995 NOT 1 | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR [CUST: AS] | A 2995 | AS | | 25-JUN-80 |
| A | MIL-V-81995/1 NOT 1 | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR T56 ENGINE [CUST: AS] | A 2995 | AS | | 25-AUG-87 |
| A | MIL-V-81995/2 NOT 1 | VALVE, STARTER CONTROL AIRCRAFT ENGINE, FOR TF30 ENGINE [CUST: AS] | A 2995 | AS | | 25-AUG-87 |
| | MIL-V-81995/3 NOT 1 | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR J52 ENGINE [CUST: AS] | A 2995 | AS | | 25-AUG-87 |
| | MIL-V-81995/4A NOT 1 | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR TF34 ENGINE [CUST: AS] | A 2995 | AS | | 01-OCT-89 |
| | MIL-V-81995/5A | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR T56 ENGINE/C-2 AIRCRAFT [CUST: AS] | A 2995 | AS | | 12-FEB-85 |
| | MIL-V-81995/6(1) | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR F404 ENGINE/A6, F-18 AIRCRAFT | A 2995 | AS | | 03-JUL-85 |
| | MIL-V-81995/7A | VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR T700 ENGINE [CUST: AV AS 99] [REVIEW: 71 82] | A 2995 | AS | | 17-SEP-89 |
| | MIL-P-81997B | POUCHES, CUSHIONED, FLEXIBLE, ELECTROSTATIC FREE, RECLOSABLE, TRANSPARENT [CUST: GL AS 69] [REVIEW: 69 99 AV CR OS SA SH SM] | A 8105 | AS | | 30-SEP-83 |
| | MIL-T-81998 | TEST SET, RADIO SET AN/ARM-165 [CUST: AS] | A 6625 | AS | | 16-JUN-75 |
| | MIL-C-82001E | CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL, INTERVEHICULAR (24 VOLT TO 12 VOLT REDUCTION) [CUST: YD1] | A 2590 | YD1 | | 07-FEB-92 |
| A | MIL-M-82002D | MANIFOLD AND ACCESSORY ASSEMBLIES, PORTABLE FUEL DISTRIBUTION SYSTEMS, QUICK-DISCONNECT HOSE COUPLING TYPE [CUST: MC] [REVIEW: CC CE CR4] | A 3835 | MC | | 03-OCT-90 |
| | MIL-C-82017C | CRANES, JIB, WITH ACCESSORIES [CUST: YD1] [REVIEW: CC] | A 3950 | YD1 | | 15-JUN-92 |
| | MIL-DTL-82020C | SWITCHES AND FROGS, TRACK, CAST MANGANESE STEEL, FOR PORTAL CRANES [CUST: YD1] | A 2250 | YD1 | | 14-MAR-97 |
| | MIL-T-82049C(2) | TABLES, HOT FOOD, ELECTRIC, MOBILE [CUST: GL SA 99] [REVIEW: 03 CE GS MD MS] | A 7310 | SA | | 30-NOV-88 |
| | MIL-D-82062C | DERRICK, BARGE MOUNTING, 100-LONG-TON CAPACITY [CUST: YD1] | A 3950 | YD1 | | 15-MAY-92 |
| | MIL-S-82068C | SPRAYERS, PESTICIDE; TRAILER-MOUNTED, GASOLINE-ENGINE-DRIVEN [CUST: CR4 YD1 99 CC] [REVIEW: 84] | A 3740 | CC | | 26-OCT-84 |
| | MIL-C-82111A | COVER, PURSE; WOMEN'S (OFFICER'S) [CUST: MC] | A 8445 | MC | | 31-OCT-90 |
| A | MIL-DTL-82112C | ORNAMENTATION - FOR UNIFORM, WOMAN'S, EVENING DRESS, OFFICER'S [CUST: MC] | A 8455 | MC | | 29-JUL-97 |
| A | MIL-DTL-82114C | COAT FRONT - FOR COATS, MUSICIANS [CUST: MC] | A 8315 | MC | | 09-OCT-97 |
| A | MIL-DTL-82121C | CUMMERBUND, WOMAN'S - EVENING AND MESS DRESS (OFFICER'S) [CUST: MC] | A 8410 | MC | | 16-OCT-97 |
| A | MIL-DTL-82122D | JACKET, WOMAN'S - EVENING DRESS (OFFICER'S) [CUST: MC] | A 8410 | MC | | 08-OCT-97 |
| A | MIL-DTL-82125B | CAPE, WOMAN'S - EVENING DRESS (OFFICER'S) [CUST: MC] | A 8410 | MC | | 16-OCT-97 |
| A | MIL-DTL-82126D | SKIRTS, WOMEN'S - EVENING DRESS [CUST: MC] | A 8410 | MC | | 08-OCT-97 |
| | MIL-H-82127A(4) | HOSE ASSEMBLY, RUBBER (SYNTHETIC), FUEL, DISCHARGE, COLLAPSIBLE [CUST: MC] | A 4720 | MC | | 18-OCT-82 |
| | MIL-F-82129B(1) | FUEL SYSTEM, AMPHIBIOUS ASSULT AND TACTICAL AIRFIELD DISPENSING, GENERAL SPECIFICATION FOR [CUST: MC] | A 4930 | MC | | 23-FEB-79 |
| | MIL-T-82139A | TABARD, USMC BAND, EMBROIDERED [CUST: MC CT] [REVIEW: 45] | A 8345 | CT | | 06-DEC-72 |
| | MIL-C-82141B | COVER, MUSIC CARRYING POUCH: EMBROIDERED [CUST: MC] | A 7720 | MC | | 22-FEB-95 |
| | MIL-C-82145B | COAT, MAN'S: SPECIAL FULL DRESS, SCARLET, U.S. MARINE BAND, MUSICIAN'S [CUST: MC] | A 8405 | MC | | 09-JUN-95 |
| A | MIL-DTL-82149C | COAT, MAN'S - FULL DRESS, SCARLET, U. S. MARINE BAND, MUSICIAN'S [CUST: MC] | A 8405 | MC | | 16-OCT-97 |
| | MIL-A-82151B | ANTENNA, AS-2236, 30 TO 76 MEGAHERTZ [CUST: EC] [REVIEW: MC] | A 5985 | CC | | 12-OCT-89 |
| | MIL-T-82152B | TARPAULIN: DUCK, COTTON, VINYL RESIN COATED BOTH SIDES, 14 FEET LONG BY 6 FEET WIDE [CUST: MC CT] | A 8340 | CT | | 28-AUG-90 |
| | MIL-S-82155B | STRIPE, TROUSERS, DRESS [CUST: MC CT] | A 8455 | CT | | 28-MAR-91 |
| A | MIL-DTL-82156D | COAT, MAN'S - SCARLET, DRUM AND BUGLE CORPS, MUSICIANS [CUST: MC] | A 8405 | MC | | 21-OCT-97 |
| A | MIL-DTL-82161C | TROUSERS, MEN'S - EVENING DRESS (OFFICER'S) [CUST: MC] | A 8405 | MC | | 28-JUL-97 |
| A | MIL-DTL-82162D | CUMMERBUND, MAN'S - SCARLET (OFFICER'S) [CUST: MC] | A 8405 | MC | | 16-OCT-97 |
| A | MIL-DTL-82163D | TROUSERS, MEN'S - DRESS, WHITE [CUST: MC] | A 8405 | MC | | 28-JUL-97 |
| | MIL-F-82165B(1) | FUEL MONITORS, FRAME MOUNTED 100- & 350- GALLON PER MINUTE CAPACITIES [CUST: MC] | A 4930 | MC | | 16-MAR-83 |
| A | MIL-DTL-82168C | COAT, MAN'S - FULL DRESS, SUMMER AND WINTER, SCARLET, U.S. MARINE BAND, DRUM MAJOR [CUST: MC] | A 8405 | MC | | 09-OCT-97 |
| A | MIL-DTL-82172D | COAT, MAN'S - SUMMER AND WINTER, SCARLET, DRUM AND BUGLE CORPS, DRUM MAJOR AND DIRECTOR [CUST: MC] | A 8405 | MC | | 08-OCT-97 |
| | MIL-M-82180A | METER ASSEMBLY, SKID MOUNTED, PETROLEUM FUELS [CUST: MC] [REVIEW: CC CR4] | A 4930 | MC | | 01-DEC-78 |
| | MIL-S-82183A NOT 1 | STRAINER ASSEMBLY, PETROLEUM FUELS, 6 INCH, FRAME MOUNTED, 600 GALLONS PER MINUTE [CUST: MC] | A 4930 | MC | | 30-MAY-86 |
| | MIL-R-82184A NOT 1 | REGULATOR ASSEMBLY, SKID MOUNTED, 6-INCH [CUST: MC] | A 4930 | MC | | 30-MAY-86 |
| | MIL-C-82189B | COAT, MAN'S: FULL DRESS, U.S. MARINE BAND, OFFICER'S [CUST: MC] | A 8405 | MC | | 22-JUN-95 |
| | MIL-F-82191A NOT 1 | FUEL HOSE EVACUATION KITS [CUST: MC] [REVIEW: CC] | A 4930 | MC | | 30-MAY-86 |
| A | MIL-DTL-82193C | JACKET, MAN'S - EVENING DRESS (OFFICER'S) [CUST: MC] | A 8405 | MC | | 16-OCT-97 |
| A | MIL-DTL-82194C | ORNAMENTATION - FOR JACKET, MAN'S, EVENING DRESS, OFFICERS' [CUST: MC] | A 8455 | MC | | 29-JUL-97 |
| | MIL-R-82200B | RAMP, LOADING VEHICLE, GENERAL SPECIFICATION FOR [CUST: SA] [REVIEW: 99 GS MC OS SH] | A 3990 | SA | | 10-MAY-89 |
| A | MIL-F-82240D NOT 2 | FOOTWEAR, COVER, RADIOACTIVE CONTAMINANTS PROTECTIVE [CUST: NU 99 CT] [REVIEW: 82 MS SH] | A 8430 | CT | | 11-SEP-97 |
| | MIL-G-82241C(2) | GLOVE INSERT, RADIOACTIVE CONTAMINANTS PROTECTIVE [CUST: NU 99 CT] [REVIEW: 45 82 AS MC OS SH YD1] | A 8415 | CT | | 10-JUL-85 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-G-82242D | GLOVE SHELLS, RADIOACTIVE CONTAMINANTS, PROTECTIVE [CUST: NU CT] [REVIEW: 45 AS MS OS SH YD1] | A 8415 | CT | | 04-FEB-87 |
| | MIL-C-82243F | COVERALLS, RADIOACTIVE CONTAMINANTS, PROTECTIVE [CUST: NU 99 CT] [REVIEW: 45 82 AS OS SH] | A 8415 | CT | | 08-APR-93 |
| | MIL-H-82244F | HOOD, RADIOACTIVE CONTAMINANTS, PROTECTIVE [CUST: NU 99] [REVIEW: 45 82 AS OS SH] | A 8415 | CT | | 23-MAR-93 |
| | MIL-S-82245C | SHOE, MOLDERS [CUST: GL NU CT] [REVIEW: 45 AS CG MC MD] | A 8430 | CT | | 27-OCT-82 |
| | MIL-G-82248D(1) | GLOVES, HEAT PROTECTIVE (TERRY KNIT) [CUST: NU CT] [REVIEW: OS] | A 8415 | CT | | 06-FEB-86 |
| | MIL-C-82252D | CLOTH, BROADCLOTH, WOOL, AND WOOL-SYNTHETIC (MOTH-PROOFED) [CUST: GL NU 11 CT] [REVIEW: 82 99 CG IH MC MD] | A 8305 | CT | | 04-APR-83 |
| | MIL-G-82253C(1) | GLOVES, CLOTH, VINYL DIPPED, GENERAL PURPOSE (WATER, AVIATION FUEL, HYDROGEN PEROXIDE, OILS) [CUST: NU 99 CT] [REVIEW: 11 45 AS MC OS YD1] | A 8415 | CT | | 30-DEC-86 |
| | MIL-C-82255A | CLOTH, COATED, SYNTHETIC RUBBER (NITRILE AND POLYCHLOROPRENE) [CUST: NU CT] [REVIEW: 45 SH] | A 8305 | CT | | 16-MAR-78 |
| | MIL-I-82265B(1) | INSECT BAR, COT TYPE, NYLON NETTING [CUST: NU CT] [REVIEW: 45 CG MC MS] | A 7210 | CT | | 29-SEP-80 |
| | MIL-T-82288B | TARPAULIN, LAMINATED, VINYL NYLON, FLEXIBLE [CUST: NU 99 CT] [REVIEW: YD1] | A 8340 | CT | | 23-JAN-81 |
| | MIL-C-82289B | CLOTH, NAINSOOK, COTTON [CUST: NU CT] [REVIEW: 45] | A 8305 | CT | | 24-MAR-82 |
| | MIL-O-82295B | OVERSHOES, MEN S, DRESS, STRETCH TYPE [CUST: NU 11 CT] [REVIEW: 45 82 99] | A 8430 | CT | | 17-FEB-84 |
| | MIL-J-82299C | JACKET, EXTREME COLD WEATHER, IMPERMEABLE [CUST: NU CT] [REVIEW: CG] | A 8415 | CT | | 06-DEC-88 |
| | MIL-M-82376B | MANUALS, TECHNICAL: OPERATION AND MAINTENANCE INSTRUCTIONS FOR TRAINING DEVICES [CUST: TM TD] [REVIEW: AR AS AT CG MC MI OS SH] | A TMSS | TD | | 30-MAR-90 |
| | MIL-A-82430A(1) | ACTUATOR ASSEMBLY (FOR TORPEDO MK 46 MOD 1) [CUST: OS] | A 1355 | OS | | 31-OCT-69 |
| | MIL-B-82439A(4) | BATTERY, SEA WATER [CUST: OS] | A 1355 | OS | | 15-MAR-79 |
| | MIL-A-82450B | AUTOMATIC PILOT TEST SET (FOR TORPEDO MK 46 MOD 0 AND MOD 1) [CUST: OS] | A 4921 | OS | | 25-APR-72 |
| | MIL-S-82496A NOT 1 | SCREWS, MACHINE, SELF SEALING, INTEGRAL O-RING [CUST: OS IS] [REVIEW: MI] | A 5305 | IS | | 24-JUN-94 |
| | MIL-N-82512 | NUT, CLINCH [CUST: IS] [REVIEW: MI] | A 5310 | IS | | 04-SEP-68 |
| | MIL-P-82522C | PROPELLANT, JET ENGINE, T-H DIMER, GRADE RJ-4 [CUST: AS 68] [REVIEW: 11] | A 9135 | AS | | 26-OCT-90 |
| | MIL-P-82530(1) NOT 1 | PRIMER, ELECTRIC, MK 137 MOD 0 [CUST: OS] | A 1340 | OS | | 23-FEB-89 |
| | MIL-L-82531(1) NOT 1 | LEAD, EXPLOSIVE, MK 5 MOD 0 [CUST: OS] | A 1340 | OS | | 23-FEB-89 |
| | MIL-P-82540(1) NOT 2 | PLASTICS MATERIALS, POLYESTER RESIN, GLASS FIBER BASE, FILAMENT WOUND TUBE [CUST: OS] | A 9330 | OS | | 31-MAR-95 |
| | MIL-B-82548A | BOMB, GENERAL PURPOSE, MARK 82, 500 POUND, EXPLOSIVE LOADING, ASSEMBLING, AND PACKING [CUST: AS 99] [REVIEW: 18] | A 1325 | AS | | 31-MAY-89 |
| | MIL-B-82549A | BOMB, GENERAL PURPOSE, MARK 83, 1000 POUND, EXPLOSIVE LOADING, ASSEMBLING, AND PACKING [CUST: AS 99] [REVIEW: 18] | A 1325 | AS | | 31-MAY-89 |
| | MIL-T-82570A | TORPEDO TUBE, SURFACE VESSEL, MARK 32 MODS 5 AND 7 (FOR TORPEDOES MARK 44 MOD 1 AND MARK 46 MOD 1) [CUST: OS] | A 1045 | OS | | 06-JAN-75 |
| | MIL-T-82571A | TORPEDO TUBE, SURFACE VESSEL, MARK 32 MOD 9 (FOR TORPEDOES MK 44 MOD 1 AND MK 46 MOD 1) [CUST: OS] | A 1045 | OS | | 31-JAN-75 |
| | MIL-B-82572A | BOMB, GENERAL PURPOSE, MARK 84, 2000 POUND, EXPLOSIVE LOADING, ASSEMBLING, AND PACKING [CUST: AR AS 99] | A 1325 | AS | | 31-MAY-89 |
| | MIL-E-82590 | ENVIRONMENTAL REQUIREMENTS AND TESTS (FOR TORPEDO MK 37 COMPONENTS AND ASSEMBLIES) [CUST: OS] | A 1355 | OS | | 09-SEP-70 |
| | MIL-C-82597A NOT 1 | COMPOUND, ELECTRICALLY CONDUCTIVE [CUST: OS] [REVIEW: GS] | A 5975 | OS | | 07-SEP-88 |
| | MIL-W-82598 NOT 1 | WIRE, COPPER-CADMIUM ALLOY [CUST: OS] | A 6145 | OS | | 07-SEP-88 |
| | MIL-W-82599 NOT 1 | WIRE, INSULATED, HARD DRAWN ALLOY OF COPPER-CADMIUM, NO. 23 AWG [CUST: OS] | A 6145 | OS | | 07-SEP-88 |
| | MIL-C-82614C | CABLE ASSEMBLY, TORPEDO CONTROL, MARK 6 MOD 0 [CUST: OS] | A 1355 | OS | | 09-MAY-78 |
| | MIL-C-82633 | COMPOUND, POLYMERIC ELASTOMER, THERMOSETTING (FOR USE AS BOMB TAIL PAD [CUST: OS] [REVIEW: 99] | A 8030 | OS | | 27-AUG-73 |
| | MIL-R-82642(1) | ROTARY SWITCH AND HARNESS [CUST: OS] | A 1338 | OS | | 18-JAN-78 |
| | MIL-C-82651(3) NOT 1 | CARTRIDGE, IMPULSE, CCU-22/A ASSEMBLY [CUST: OS 99] | A 1377 | OS | | 29-MAR-87 |
| | MIL-L-82653A | LINER MATERIAL, POLYBUTADIENE BASE [CUST: OS] | A 1377 | OS | | 15-NOV-93 |
| | MIL-A-82654(1) | ALUMINUM POWDER, ATOMIZED, TECHNICAL [CUST: OS] [REVIEW: AS] | A 6810 | OS | | 01-MAR-78 |
| | MIL-F-82655(1) | FERRIC OXIDE, TECHNICAL [CUST: OS] [REVIEW: AS] | A 6810 | OS | | 01-MAR-78 |
| | DOD-C-82656(2) | CARBON BLACK [CUST: OS] [REVIEW: AS] | A 6810 | OS | | 15-NOV-78 |
| | MIL-R-82657 | RESIN, EPOXY, TRIFUNCTIONAL [CUST: OS] | A 6810 | OS | | 31-JAN-77 |
| | MIL-P-82658(1) | POLYMER, LIQUID, POLYBUTADIENE, CARBOXY TERMINATED [CUST: OS] [REVIEW: AS] | A 6810 | OS | | 01-MAR-78 |
| | DOD-D-82659(1) | DIETHYLENE GLYCOL DIBUTYL ETHER, TECHNICAL [CUST: OS] [REVIEW: AS] | A 6810 | OS | | 01-MAR-78 |
| | DOD-C-82660(1) | CHROMIUM 2 ETHYL HEXOATE, TECHNICAL [CUST: OS] [REVIEW: AS] | A 6810 | OS | | 01-MAR-78 |
| | MIL-L-82661(1) | LECITHIN, TECHNICAL [CUST: OS] [REVIEW: AS] | A 6810 | OS | | 01-MAR-78 |
| | MIL-C-82662(4) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT, CKU-5/A ASSEMBLY [CUST: OS 99] | A 1377 | OS | | 29-MAR-87 |
| | MIL-C-0082662A(1) NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT, CKU-2/A AND CKU-5/A ASSEMBLY [CUST: OS] | A 1377 | OS | | 31-MAR-87 |
| | MIL-R-82664 | RESIN, EPOXY, LOW VISCOSITY [CUST: OS] | A 6810 | OS | | 31-JAN-77 |
| | MIL-C-82665(1) | CARBON BLACK [CUST: OS] | A 6810 | OS | | 15-NOV-78 |
| | DOD-T-82666A(1) NOT 1 | TRIS-1-2-(2 METHYL AZIRINDYL) PHOSPHINE OXIDE [CUST: OS 68] [REVIEW: AS GS] | A 6810 | OS | | 13-MAY-87 |
| | MIL-A-82667A(1) | AMMONIUM PERCHLORATE, GENERAL SPECIFICATION FOR [CUST: OS] | A 6810 | OS | | 23-SEP-85 |
| | MIL-A-82667/1(1) | AMMONIUM PERCHLORATE, HIGH PURITY [CUST: OS] | A 6810 | OS | | 06-OCT-78 |
| | MIL-A-82667/2(3) | AMMONIUM PERCHLORATE, CONDITIONED [CUST: OS] | A 6810 | OS | | 15-NOV-93 |
| | DOD-B-82669 | BUTYL SEBACATE, DI NORMAL [CUST: OS] | A 6810 | OS | | 19-JAN-79 |
| | DOD-P-82670 | PROPANEDIOL, 1, 2 (METRIC) [CUST: OS] | A 6810 | OS | | 02-DEC-80 |
| | DOD-P-82671 | PROPYLENE GLYCOL DINITRATE [CUST: OS] | A 9135 | OS | | 19-JAN-79 |
| | MIL-O-82672A | OTTO FUEL II [CUST: OS] | A 9135 | OS | | 06-AUG-86 |
| | DOD-G-82673(1) | GRAPHITE, NATURAL, POWERED, TECHNICAL [CUST: OS] | A 6810 | OS | | 15-JUN-78 |
| | DOD-Z-82674(1) | ZIRCONIUM CARBIDE, POWERED, TECHNICAL [CUST: OS] | A 6810 | OS | | 15-JUN-78 |
| | MIL-D-82675(1) NOT 1 | DIISOCYANATE, DIMERYL, C36 ALIPHATIC, TECHNICAL (DDI) [CUST: OS] | A 6810 | OS | | 13-MAY-87 |
| | MIL-L-82677 NOT 1 | LINER MATERIAL, POLYBUTADIENE BASE [CUST: OS] | A 1377 | OS | | 14-AUG-91 |
| | MIL-S-82684(1) | SPRING, HELICAL TORSION [CUST: OS] | A 5360 | OS | | 29-MAY-86 |
| | MIL-C-82686 NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT: CKU-7/A REWORK ASSEMBLY [CUST: OS 99] | A 1377 | OS | | 14-AUG-91 |
| | MIL-D-82687 NOT 1 | DEVICE, ARMING FIRING, ROCKET MOTOR MARK 298 MOD 0 [CUST: OS] | A 1336 | OS | | 10-JUN-86 |
| | MIL-C-82693A(1) | CLOSURE ASSEMBLY, AFT, FOR MK 56 MOD 2 ROCKET MOTOR [CUST: OS] | A 1338 | OS | | 05-MAR-85 |
| | MIL-D-82710 | DELAY COMPOSITION, TUNGSTEN FLUOROCARBON COPOLYMER | A 1376 | OS | | 06-DEC-84 |
| | MIL-A-82720(1) NOT 1 | ADHESIVE, MODIFIED EPOXY, FLEXIBLE, TWO PART (METRIC) [CUST: OS] | A 8040 | OS | | 10-APR-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|-------------------|--|--------------|-----|-------------|-----------|
| | | | FSC/area | MCA | Prep. Acty. | Date |
| | MIL-C-82724(1) | CARTRIDGE, IMPULSE, CCU-44/B [CUST: OS 99] [REVIEW: 70 AS] | A 1377 | OS | | 14-JAN-88 |
| | DOD-D-82727 | DIBUTYL TIN DILAUATE | A 6810 | OS | | 10-AUG-83 |
| | MIL-A-82728 | ALUMINUM POWDER, ATOMIZED (FOR USE IN EXPLOSIVES) [CUST: OS] | A 6810 | OS | | 17-AUG-84 |
| | DOD-P-82729 | POLYOXYETHYLENE GLYCOL (CONTROLLED DISTRIBUTION) [CUST: OS] | D 6810 | OS | | 24-OCT-85 |
| | DOD-M-82730 | METHLENEBIS 4,4 (2,6-DI TERT BUTYLPHENOL) [CUST: OS] | A 6810 | OS | | 17-AUG-84 |
| | MIL-C-82733A | CARTRIDGE, IMPULSE, CCU-22/A/A ASSEMBLY [CUST: OS] | A 1377 | OS | | 22-JUN-88 |
| | MIL-C-82734A(1) | CATAPULT, AIRCRAFT EJECTION SEAT CKU-5/A/A ASSEMBLY [CUST: OS] | A 1377 | OS | | 14-MAY-90 |
| | MIL-C-82735 NOT 1 | CATAPULT, AIRCRAFT EJECTION SEAT: CKU-5/A/A REWORK ASSEMBLY [CUST: OS] | A 1377 | OS | | 14-AUG-91 |
| | MIL-E-82738 | EXPLOSIVE, PLASTIC BONDED MOLDING POWDER (PBXN-3) (CONTROLLED DISTRIBUTION) [CUST: OS] | D 1376 | OS | | 14-AUG-85 |
| | MIL-P-82739(1) | PROPELLANT GRAINS, NOSOL-318 [CUST: OS] | A 1377 | OS | | 01-MAR-88 |
| | MIL-E-82740 | EXPLOSIVE, PLASTIC-BONDED, INJECTION MOLDABLE (PBXN-301) [CUST: OS] | A 1376 | OS | | 15-OCT-86 |
| | MIL-DTL-82743A | AZIRIDINE, SUBSTITUTED (METRIC) [CUST: OS] | D 6810 | OS | | 27-OCT-95 |
| | MIL-P-82744 | PACKING, PREFORMED, OTTO FUEL COMPATIBLE, (CODE IDENT 53711) [CUST: OS] [REVIEW: IS] | A 5330 | OS | | 22-NOV-85 |
| | MIL-P-82745 | PACKING, PREFORMED, HYDRAULIC OIL COMPATIBLE (CODE IDENT 53711) [CUST: OS] | A 5330 | OS | | 22-NOV-85 |
| | MIL-E-82746 | EXPLOSIVE, PLASTIC-BONDED EXTRUDABLE POWDER, PBXN-202 (CONTROLLED DISTRIBUTION) [CUST: OS] | B 1376 | OS | | 01-JUL-87 |
| | MIL-E-82756(1) | EXPLOSIVE, PLASTIC-BONDED, CAST PBXN-103 [CUST: OS] | A 1376 | OS | | 14-MAR-95 |
| | MIL-I-82760 | INITIATOR, CARTRIDGE ACTUATED, DELAY, M6A1, M26, M33, REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 03-JAN-89 |
| | MIL-DTL-82761A | PROPELLANT GRAIN, ASROC ROCKET MOTOR, REWORKED [CUST: OS] | D 1340 | OS | | 24-JAN-97 |
| | MIL-C-82762A | CUTTER, DELAY, PROPELLANT ACTUATED, MLU-58/B [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 10-SEP-92 |
| | MIL-I-82763 | INITIATOR, CARTRIDGE ACTUATED, M27 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 30-MAR-90 |
| | MIL-I-82767 | INITIATOR, CARTRIDGE ACTUATOR, M99 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 30-MAR-90 |
| | MIL-C-82768 | CUTTER, CARTRIDGE ACTUATED, TCU-4/E [CUST: CR 4 OS] [REVIEW: MC] | A 1377 | OS | | 05-JUN-89 |
| | MIL-C-82865(1) | CARTRIDGE, IMPULSE, MARK 152 MOD 0, MARK 153 MOD 0, MARK 154 MOD 0, AND MARK 155 MOD 0 [CUST: OS] | A 1377 | OS | | 07-NOV-89 |
| | MIL-P-82866A(1) | PRIMER, ELECTRIC, MARK 153 MOD 1 [CUST: OS] | A 1390 | OS | | 15-JUN-94 |
| | MIL-P-82868 | PRIMER, PERCUSSION, MK 161 MOD 0 [CUST: OS] | A 1390 | OS | | 13-MAY-92 |
| | MIL-DTL-82870A | MOTOR, ROCKET, 11.65 INCH, LOADED, MARK 37 MOD 0 (ASSEMBLY) AND PROPELLANT GRAIN, MARK 55 MOD 0 [CUST: OS] | D 1340 | OS | | 24-JAN-97 |
| | MIL-I-82871 | INITIATOR, CARTRIDGE ACTUATED, M28 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 15-JAN-92 |
| | MIL-E-82874(1) | EXPLOSIVE, PLASTIC-BONDED, PRESSED, PBXN-7 [CUST: AR OS] | D 1376 | OS | | 22-DEC-95 |
| | MIL-E-82875 | EXPLOSIVE, PLASTIC-BONDED, PRESSED, PBXN-9 [CUST: AR OS] | D 1376 | OS | | 04-APR-94 |
| | MIL-DTL-82876A | CATAPULT, AIRCRAFT EJECTION SEAT, CKU-5B/A ASSEMBLY [CUST: OS] | A 1377 | OS | | 04-AUG-95 |
| | MIL-I-82877 | IGNITION ELEMENT, PVU-15/B [CUST: OS 70] | A 1377 | OS | | 24-MAR-92 |
| | MIL-R-82879 | REMOVER, CARTRIDGE ACTUATED, RAU-3/A ASSEMBLY [CUST: OS 99] [REVIEW: 70] | A 1377 | OS | | 20-DEC-93 |
| | MIL-I-82880 | INITIATOR, CARTRIDGE ACTUATED, M5A2 REMANUFACTURED METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 10-AUG-94 |
| | MIL-N-82881 | NITROSTARCH [CUST: AR OS] | A 1376 | OS | | 27-OCT-93 |
| | MIL-DTL-82884A | CARTRIDGE, IMPULSE, CCU-69A/A [CUST: OS] | A 1377 | OS | | 22-AUG-96 |
| | MIL-D-82885 | DIAZODINITROPHENOL [CUST: AR OS] | A 1376 | OS | | 27-OCT-93 |
| | MIL-E-82886(1) | EXPLOSIVE, PLASTIC-BONDED, CAST PBXN-109 [CUST: OS] | A 1376 | OS | | 05-JAN-95 |
| | MIL-DTL-82889 | DETONATING CORD ASSEMBLY (DCA) [CUST: OS] | A 1377 | OS | | 22-AUG-96 |
| | MIL-C-82890(1) | CARTRIDGE, FIRE EXTINGUISHER CCU-120/A [CUST: OS] | A 1377 | OS | | 08-JUN-95 |
| | MIL-C-82891 | CARTRIDGE, IMPULSE, MARK 14 MOD 1 [CUST: OS] | A 1377 | OS | | 02-SEP-93 |
| | MIL-C-82894(1) | CARTRIDGE, FIRE EXTINGUISHER, CCU-126/A [CUST: OS] | A 1377 | OS | | 15-JUN-94 |
| | MIL-E-82895 | EXPLOSIVE MATERIAL, COATED; CXM-9 [CUST: OS] | D 1376 | OS | | 05-JAN-95 |
| | MIL-E-82896 | EXPLOSIVE, PLASTIC-BONDED, CAST, PBXN-107 [CUST: OS] [REVIEW: AS] | D 1376 | OS | | 30-DEC-94 |
| | MIL-E-82897 | EXPLOSIVE MATERIAL, COATED; CXM-3 [CUST: OS] [REVIEW: AS] | D 1376 | OS | | 30-DEC-94 |
| | MIL-C-82899 | CARTRIDGE, FIRE EXTINGUISHER, CCU-122/A [CUST: OS] | A 1377 | OS | | 04-JAN-94 |
| | MIL-C-82900A | CARTRIDGE, FIRE EXTINGUISHER, CCU-127/A [CUST: OS] | A 1377 | OS | | 09-JAN-95 |
| | MIL-E-82901(1) | EXPLOSIVE, PLASTIC-BONDED, CAST PBXN-110 [CUST: OS] | A 1376 | OS | | 08-APR-97 |
| | MIL-E-82902 | EXPLOSIVE, PLASTIC-BONDED, CAST PBXN-111 [CUST: OS] | A 1376 | OS | | 04-JAN-95 |
| | MIL-E-82903 | EXPLOSIVE, HNS-IV [CUST: OS] | A 1376 | OS | | 30-DEC-94 |
| | MIL-E-82907 | EXPLOSIVE MATERIAL, COATED, CXM-7 [CUST: OS] | D 1376 | OS | | 30-DEC-94 |
| | MIL-E-82908 | EXPLOSIVE MATERIAL, COATED, CXM-8 [CUST: OS] | D 1376 | OS | | 30-DEC-94 |
| | MIL-DTL-82909 | BATTERY, THERMAL, MXU-792A/A [CUST: OS] | A 6135 | OS | | 15-SEP-95 |
| | MIL-E-82915(1) | EXPLOSIVE MATERIAL, COATED; CXM-6 [CUST: OS] | D 1376 | OS | | 27-MAR-97 |
| | MIL-E-82917(2) | EXPLOSIVE, PLASTIC-BONDED, CAST, PBXN-105 [CUST: OS] | D 1376 | OS | | 27-MAR-97 |
| | MIL-E-82918 | EXPLOSIVE, PLASTIC-BONDED, CAST, PBXN-106 [CUST: OS] | D 1376 | OS | | 05-JAN-95 |
| | MIL-DTL-82919 | EXPLOSIVE, PLASTIC-BONDED, CAST PBXC-129 [CUST: OS] | D 1376 | OS | | 28-FEB-96 |
| | MIL-C-82920 | CARTRIDGE, IMPULSE, ASSEMBLY/CABLE, MK 236 MOD 0, PERFORMANCE SPECIFICATION FOR [CUST: OS] | D 1377 | OS | | 29-DEC-94 |
| | MIL-B-82921 | BOLT, EXPLOSIVE, MK 7 MOD 0, PERFORMANCE SPECIFICATION FOR [CUST: OS] | D 1377 | OS | | 29-DEC-94 |
| | MIL-DTL-82922A | CARTRIDGE, IMPULSE, CCU-123/E (EARTH ANCHOR CARTRIDGE) [CUST: OS] | A 1377 | OS | | 19-DEC-95 |
| | MIL-I-82928 | INITIATOR, EXPLOSIVE ACTUATED, JAU-23/A [CUST: OS] | A 1377 | OS | | 18-AUG-94 |
| | MIL-I-82929 | INITIATOR, EXPLOSIVE ACTUATED, JAN-24/A [CUST: OS] | A 1377 | OS | | 18-AUG-94 |
| | MIL-I-82931A | INFLATION DEVICE, FLU-8B/P (FW98) REMANUFACTURE SPECIFICATION [CUST: OS] | A 1377 | OS | | 30-NOV-94 |
| | MIL-G-82932 | GAS GENERATOR, M17, REMANUFACTURED ASSEMBLY [CUST: OS] | A 1377 | OS | | 23-JUN-94 |
| | MIL-DTL-82935 | CARTRIDGE, IMPULSE, CCU-132/A [CUST: OS] | A 1377 | OS | | 29-JAN-96 |
| | MIL-C-82942A | CARTRIDGE, IMPULSE, CCU-114/M, PERFORMANCE SPECIFICATION FOR [CUST: OS] | D 1377 | OS | | 09-DEC-94 |
| | MIL-N-82943A | NUT, SEPARATION, PERFORMANCE SPECIFICATION FOR [CUST: OS] | D 1377 | OS | | 09-DEC-94 |
| | MIL-P-82944(1) | PROPELLANT, SOLID, COMPOSITE [CUST: OS] | A 1377 | OS | | 21-JAN-97 |
| | MIL-DTL-82945A | CATAPULT, AIRCRAFT EJECTION SEAT, CKU-10/A AND CKU-11/A ASSEMBLIES [CUST: OS] | A 1377 | OS | | 21-JAN-97 |
| | MIL-A-82950 | ACTUATOR, BELLOWS ATU-117/P [CUST: OS] | A 1377 | OS | | 09-JUN-95 |
| | MIL-DTL-82951 | IGNITER, MK 311 MOD 0, LOADING, ASSEMBLING, AND PACKAGING [CUST: OS] | D 1340 | OS | | 28-OCT-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Doc | MCA | Prep. Acty. | Date |
|-------------|--------------------------|--|----------------------|-----|-------------|------|
| A | MIL-DTL-82952(1) | INITIATOR, MK 26 MOD 0 [CUST: OS] | D 1340 | OS | 07-JAN-98 | |
| A | MIL-DTL-82953A | INITIATOR, JAU-22/B [CUST: OS] | A 1377 | OS | 08-AUG-97 | |
| | MIL-DTL-82962 | CARTRIDGE, IMPULSE, CCU-136/A AND CCU-138/A [CUST: OS] | A 1377 | OS | 21-JAN-97 | |
| | MIL-H-83012C | HAT, SERVICE, WOMAN S (FRAME AND REMOVABLE COVERS) [CUST: 11 CT] [REVIEW: 45 99] | A 8410 | CT | 15-JUN-87 | |
| | MIL-B-83050D(1) | BOLT, SELF-RETAINING, IMPEDANCE TYPE [CUST: AV 99 IS] [REVIEW: IS] | A 5306 | IS | 27-APR-87 | |
| | MIL-C-83124 NOT 1 | CARTRIDGE ACTUATED DEVICES/PROPELLANT ACTUATED DEVICES GENERAL DESIGN SPECIFICATION FOR [CUST: AR OS 11] [REVIEW: AV] | A 1377 | OS | 14-AUG-91 | |
| | MIL-C-83125 NOT 1 | CARTRIDGES FOR CARTRIDGE ACTUATED/PROPELLANT ACTUATED DEVICES, GENERAL DESIGN SPECIFICATION FOR [CUST: AR OS 11] [REVIEW: 99 AV CR4] | A 1377 | OS | 14-AUG-91 | |
| | MIL-P-83126A | PROPULSION SYSTEMS, AIRCREW ESCAPE, DESIGN SPECIFICATION FOR [CUST: AR OS 11] [REVIEW: 99 AS TE] | A 1377 | OS | 08-FEB-80 | |
| | MIL-T-83133D(1) | TURBINE FUEL, AVIATION, KEROSENE TYPES, NATO F-34(JP-8) AND NATO F-35 [CUST: MR AS 11 PS] [REVIEW: 68 AR AV] | A 9130 | 11 | 19-SEP-95 | |
| | MIL-W-83140(1) | WIRE ROPE, STEEL, (STAINLESS STEEL) PREFORMED, NONROTATING, FOR AIRCRAFT RESCUE HOIST AND CARGO HANDLING (WINCHING) [CUST: AV AS 11] [REVIEW: 99] | A 4010 | IS | 03-JAN-72 | |
| | MIL-C-83141A(3) | COVERALLS, FLYER S SUMMER, FIRE RESISTANT [CUST: GL AS 99 CT] [REVIEW: 11 45] | A 8415 | CT | 31-JUL-79 | |
| | MIL-W-83144A(3) NOT 1 | WEBBING, TEXTILE, WOVEN NYLON, ROLLED SELVAGE [CUST: 11 CT] [REVIEW: 45] | A 8305 | CT | 08-JUN-88 | |
| | MIL-R-83178A | REGULATOR, OXYGEN, DILUTER DEMAND, AUTOMATIC PRESSURE BREATHING, GENERAL SPECIFICATION FOR [CUST: 99] | A 1660 | 71 | 03-MAR-86 | |
| | MIL-T-83193B | THREAD, ARAMID, SPUN STAPLE [CUST: GL NU 99 CT] [REVIEW: 11 31 32 45 82 AS MD] | A 8310 | CT | 21-NOV-89 | |
| | MIL-U-83196B | UNDERWEAR, DOUBLE-KNITTED, ANTI-EXPOSURE CWU-22/P [CUST: 99] | A 8475 | 82 | 26-NOV-86 | |
| | MIL-A-0083216C | AIR CONDITIONER, HORIZONTAL, 54,000 BTUH, 208/230V [CUST: CR4] | A 4120 | CR4 | 05-AUG-94 | |
| | MIL-C-83231A NOT 3 | COATINGS, POLYURETHANE, RAIN EROSION RESISTANT FOR EXTERIOR AIRCRAFT AND MISSILE PLASTIC PARTS [CUST: CR4 AS 11] [REVIEW: 99] | A 8010 | 11 | 20-JUL-95 | |
| | MIL-S-83234C | SKIRTS, WOMAN S, BLUE [CUST: 11 CT] [REVIEW: 45 82 99] | A 8410 | CT | 01-JUN-88 | |
| | MIL-I-83245A | INDICATOR SET, OIL PRESSURE A/A24J-17 [CUST: 99] | A 6620 | GS | 30-SEP-94 | |
| | MIL-B-83268B NOT 1 | BERET, WOMAN'S [CUST: GL NU 11 CT] [REVIEW: 45 82 99 MD] | A 8410 | CT | 30-SEP-88 | |
| | MIL-V-83271B | VEST, SURVIVAL MESH SET, SRU-21/P [CUST: 99 CT] [REVIEW: 45] | A 8415 | CT | 03-JAN-92 | |
| | MIL-B-83277A(1) | BOOTS, FLYERS FWU-8/P [CUST: 99 CT] [REVIEW: 45] | A 8430 | CT | 30-NOV-78 | |
| | MIL-I-83287E SUP 1 | INDICATORS, FAULT LOCATING, GENERAL SPECIFICATION FOR [CUST: AS 85] [REVIEW: 99] | A 6625 | CC | 22-JUL-88 | |
| | MIL-I-83287/1B(1) | INDICATORS, FAULT LOCATING, FLAG INDICATING, MECHANICAL RESET [CUST: AS 85 CC] [REVIEW: 17 80 82] | A 6625 | CC | 29-MAR-91 | |
| | MIL-I-83287/2C | INDICATORS, FAULT LOCATING, FLAG INDICATING, ELECTRICAL RESET [CUST: AS 85 CC] [REVIEW: 17 80 82] | A 6625 | CC | 29-MAR-91 | |
| | MIL-I-83287/3A(2) | INDICATORS, FAULT LOCATING, BALL INDICATING, ELECTRICAL RESET [CUST: AS 85 CC] [REVIEW: 17 80 82] | A 6625 | CC | 30-AUG-93 | |
| | MIL-I-83287/4A | INDICATORS, FAULT LOCATING, DUAL DRUM INDICATING, MECHANICAL RESET [CUST: AS 85 CC] | A 6625 | CC | 22-JUL-88 | |
| | MIL-I-83287/5A | INDICATORS, FAULT LOCATING, INTERNAL DRUM INDICATING, ELECTRICAL RESET, PRINTED CIRCUIT MOUNTING [CUST: AS 85 CC] | A 6625 | CC | 22-JUL-88 | |
| | MIL-F-83296 | FITTING, TETRAFLUOROETHYLENE HOSE, HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI, HYDRAULIC AND PNEUMATIC [CUST: 99] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MIL-H-83298A | HOSE, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC [CUST: AV AS 99] [REVIEW: 82] | A 4720 | CC | 10-MAR-83 | |
| | MIL-F-83300 NOT 1 | FLYING QUALITIES OF PILOTED V/STOL AIRCRAFT [CUST: AV AS] | A 15GP | AS | 26-SEP-91 | |
| | MIL-I-83362A | INDICATOR, POSITION, TAKEOFF TRIM ALU-12/A [CUST: 99] | A 6610 | GS | 15-DEC-94 | |
| | MIL-Y-83371 NOT 1 | YARNS, GRAPHITE, HIGH MODULUS, CONTINUOUS FILAMENT [CUST: 11] [REVIEW: 45] | A CMPS | 11 | 04-MAR-88 | |
| | MIL-J-83382C(1) | JACKET, FLYER S, MEN S, SUMMER, FIRE RESISTANT, CWU-36/P [CUST: AS 99 CT] [REVIEW: 31 45] | A 8415 | CT | 01-NOV-85 | |
| | MIL-C-83383C(2) | CIRCUIT BREAKERS, REMOTE CONTROL, THERMAL, TRIP-FREE, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 99 AT AV CR4 MI] | A 5925 | CC | 05-MAR-92 | |
| | MIL-C-83383/1C(1) | CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE, SERIES TRIP, SINGLE POLE, (5 TO 100 AMPERES) [CUST: CR AS 85] [REVIEW: 99 AT AV CR4] | A 5925 | CC | 14-NOV-90 | |
| | MIL-C-83383/2C(1) | CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE SERIES TRIP, SINGLE POLE, AUXILIARY CONTACTS (5 TO 100 AMPERES) [CUST: CR AS 85] [REVIEW: 99 AT AV CR4] | A 5925 | CC | 14-NOV-90 | |
| | MIL-C-83383/4C(1) | CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE, SERIES TRIP, TRIPLE POLE, AUXILIARY CONTACTS (5 TO 100 AMPERES) [CUST: CR AS 85] | A 5925 | CC | 14-NOV-90 | |
| | MIL-T-83385A(1) | TROUSERS, FLYERS, EXTREME COLD WEATHER, CWU-18/P [CUST: AS 99 CT] | A 8415 | CT | 22-JAN-85 | |
| | MIL-J-83388E | JACKET, FLYER'S, COLD WEATHER [CUST: AS 82 CT] [REVIEW: 31 32 45 99] | A 8415 | CT | 18-JUN-92 | |
| | MIL-C-83409(1) NOT 1 | COATINGS, VISOR, POLYCARBONATE, FLYING HELMET [CUST: 11] [REVIEW: 31 45 82 99] | A 8415 | CT | 14-MAR-86 | |
| | MIL-C-83413A SUP 1 NOT 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING, GENERAL SPECIFICATION FOR [CUST: AV AS 85] [REVIEW: 13 18 82 90 99 AR CR CR4 GS MC MI] | A 5935 | CC | 06-FEB-92 | |
| | MIL-C-83413/1A | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE I GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC [CUST: AV AS 85] [REVIEW: 13 18 82 90 99 AR CR CR4 MC MI] | A 5920 | CC | 19-NOV-93 | |
| | MIL-C-83413/2A | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE II GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC [CUST: AV AS 85] [REVIEW: 13 18 82 90 99 AR CR CR4 MC MI] | A 5920 | CC | 19-NOV-93 | |
| | MIL-C-83413/3A | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE III GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC [CUST: AV AS 85] [REVIEW: 13 18 82 90 99 AR CR CR4 MC MI] | A 5920 | CC | 19-NOV-93 | |
| | MIL-C-83413/4A | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: PLUGS, FOR TYPES I AND II GROUNDING ASSEMBLIES [CUST: AV AS 85] [REVIEW: 18 82 85 90 99 AR CC CR CR4 MC MI] | A 5935 | AS | 26-JUN-95 | |
| | MIL-C-83413/6A | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: RECEPTACLES, TWO PIECE, WITH INSERTS AND HOUSINGS [CUST: AV AS 85] [REVIEW: 13 18 82 90 99 AR CR CR4 MC MI] | A 5935 | CC | 27-DEC-93 | |
| | MIL-C-83413/7B | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: GROUNDING CLAMP CONNECTOR FOR TYPES I AND III GROUNDING ASSEMBLIES, CLIP, ELECTRICAL [CUST: AV AS 85 CC] [REVIEW: 13 18 82 90 99 AR CR CR4 MC MI] | A 5999 | CC | 27-DEC-93 | |
| | MIL-C-83413/8A | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE IV JUMPER CABLE ASSEMBLY, LEAD, ELECTRICAL [CUST: AV AS 85] [REVIEW: 11 18 82 90 99 AR CC CR CR4 GS MC MI] | A 6150 | AS | 26-JUN-95 | |
| | MIL-C-83413/9 NOT 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: DECOMANIA FOR GROUNDING RECEPTACLE IDENTIFICATION, DECAL [CUST: AV AS 85] [REVIEW: 13 18 82 90 99 AR CR CR4 GS MC MI] | A 7690 | CC | 06-FEB-92 | |
| | MIL-C-83413/10A | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: JUMPER CABLE ASSEMBLY, AIRCRAFT TO FUEL NOZZLE, DISCHARGER, ELECTROSTATIC [CUST: AV AS 85] [REVIEW: 13 18 82 90 99 AR CR CR4 MC MI] | A 5920 | CC | 19-NOV-93 | |
| | MIL-C-83413/11B | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: RECEPTACLES, ONE PIECE [CUST: AV AS 85] [REVIEW: 13 18 82 90 99 AR CR CR4 MC MI] | A 5935 | CC | 27-DEC-93 | |
| A | MIL-DTL-83420F | WIRE ROPE, FLEXIBLE, FOR AIRCRAFT CONTROL [CUST: AV AS 99 IS] | A 4010 | IS | 15-AUG-97 | |
| | MIL-W-83420/1 | WIRE ROPE, FLEXIBLE, TYPE 1, COMPOSITION A [CUST: AV AS 99] [REVIEW: 11] | A 4010 | IS | 30-OCT-87 | |

DODISS NUMERICAL LISTING DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------------|---|-----------------------|-----|-------------|-----------|
| | | | | | | |
| | MIL-W-83420/2 | WIRE ROPE, FLEXIBLE, TYPE I, COMPOSITION B [CUST: AV AS 99] [REVIEW: 11] | A 4010 | IS | | 30-OCT-87 |
| | MIL-W-83420/3 | WIRE ROPE, FLEXIBLE, TYPE II (JACKETED), COMPOSITION A [CUST: AV AS 99] [REVIEW: 11] | A 4010 | IS | | 03-OCT-87 |
| | MIL-W-83420/4 | WIRE ROPE, FLEXIBLE, TYPE II (JACKETED), COMPOSITION B [CUST: AV AS 99] [REVIEW: 11] | A 4010 | IS | | 03-OCT-87 |
| | MIL-C-83421/3(1) | CAPACITORS, FIXED, METALLIZED PLASTIC FILM, DIELECTRIC, DC AND AC, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY (INSULATED), STYLES CRS01, CRS02, CRS03, CRS04, AND CRS05 [CUST: EC 19 CC NA] [REVIEW: AR AS CG MC OS SH] | A 5910 | CC | | 12-JUN-91 |
| | MIL-C-83421/4A | CAPACITORS, FIXED, METALLIZED PLASTIC FILM, DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY (INSULATED), STYLES CRS11, CRS12, AND CRS13 [CUST: EC 19 CC NA] [REVIEW: AR AS CG MC OS SH] | A 5910 | CC | | 07-JUN-91 |
| | MIL-C-83421/5(1) | CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN CERAMIC CASES, ESTABLISHED RELIABILITY, STYLES CRH21, CRH22, CRH23, CRH24, AND CRH25 [CUST: CR EC 85] [REVIEW: 19 AR AS CG MC OS SH] | A 5910 | CC | | 31-JAN-91 |
| A | MIL-E-83425(1) NOT 1 | EARCUP, SOUND PROTECTIVE MX-8376/AR GENERAL SPECIFICATION FOR [CUST: 85 CC] [REVIEW: 99] | A 5965 | CC | | 27-FEB-87 |
| | MIL-C-83429B | CLOTH, PLAIN AND BASKET WEAVE, ARAMID [CUST: GL NU 99 CT] [REVIEW: 31 45 82 AS MD] | A 8305 | CT | | 26-SEP-90 |
| | MIL-C-83429B(12) | CLOTH, PLAIN AND BASKET WEAVE, ARAMID [CUST: GL] [REVIEW: 45 82 99 AS MD] | A 8305 | CT | | 26-MAY-93 |
| A | MIL-C-83445A NOT 3 | COATING SYSTEM, POLYURETHANE, NON-YELLOWING, WHITE, RAIN EROSION RESISTANT, THERMALLY REFLECTIVE [CUST: 11] [REVIEW: 99] | A 8010 | 11 | | 20-JUL-95 |
| | MIL-C-83450A(1) | CLOTH, META-ARAMID WARP, META-ARAMID/PARA-ARAMID FILLING, META-ARAMID/NOVOLOID FILLING, NAPPED [CUST: 99 CT] [REVIEW: 31 45] | A 8305 | CT | | 15-APR-91 |
| | MIL-T-83454(2) SUP 1A NOT 1 | TERMINAL, STUD, BLIND PLATE, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED) [CUST: 85] | A 5940 | GS | | 17-APR-87 |
| | MIL-T-83454/2D(1) NOT 1 | TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .138-32 UNJC-3A CURRENT RATING: 25 AMPS [CUST: 85] | A 5940 | GS | | 15-MAY-89 |
| | MIL-T-83454/3D(1) NOT 1 | TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .164-32 UNJC-3A CURRENT RATING: 30 AMPS [CUST: 85] | A 5940 | GS | | 15-MAY-89 |
| | MIL-T-83454/4D(1) NOT 1 | TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .190-32 UNJF-3A CURRENT RATING: 35 AMPS [CUST: 85] | A 5940 | GS | | 15-MAY-89 |
| | MIL-T-83454/5D(2) NOT 1 | TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .250-28 UNJF-3A CURRENT RATING: 43 AMPS [CUST: 85] | A 5940 | GS | | 15-MAY-89 |
| A | MIL-T-83454/11 NOT 2 | TERMINAL, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NO S/S DOCUMENT) [CUST: 85 GS] | A 5940 | GS | | 12-DEC-97 |
| | MIL-R-83459A NOT 1 | RIVET, TITANIUM, BIMETAL 95 KSI FSU, GENERAL SPECIFICATION FOR [CUST: AV AS 99 IS] [REVIEW: 89] | A 5320 | IS | | 10-JUN-94 |
| | MIL-R-83459/1B | RIVET, TITANIUM, BIMETAL, 95 KSI SU, PROTRUDING HEAD, TYPE I [CUST: AS 11] | A 5320 | IS | | 16-JAN-86 |
| | MIL-R-83459/2B | RIVET, TITANIUM, BIMETAL, 95 KSI FSU, 100 DEG. TENSION CROWN HEAD, TYPE II [CUST: AS 11] [REVIEW: 99] | A 5320 | IS | | 16-JAN-86 |
| | MIL-R-83459/3B NOT 1 | RIVET, TITANIUM, BIMETAL, 95 KSI FSU, 100 DEG. REDUCED FLUSH CROWN HEAD, TYPE III [CUST: AS 11 IS] | A 5320 | IS | | 10-JUN-94 |
| | MIL-J-83472A NOT 1 | JACKET, COLD WEATHER, SECURITY POLICE CWU-46/P [CUST: 11 CT] [REVIEW: 45 99] | A 8415 | CT | | 26-FEB-88 |
| | MIL-B-83475(1) NOT 1 | BELT, SECURITY POLICE, 2 1/4 INCH WIDE [CUST: 11 CT] [REVIEW: 45 99] | A 8465 | CT | | 26-FEB-88 |
| | MIL-S-83482B | SLACKS, WOMENS [CUST: 11 CT] [REVIEW: 45 99] | A 8410 | CT | | 01-JUN-88 |
| | MIL-C-83488C NOT 1 | COATING, ALUMINUM, ION VAPOR DEPOSITED [CUST: MR AS 11] | A MFFP | 11 | | 30-JUL-87 |
| A | MIL-C-83489 NOT 2 | CLOTH, COATED, NYLON, POLYURETHANE COATED [CUST: AS 11] | A 8305 | 11 | | 11-MAY-90 |
| | MIL-C-83500(3) | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM CATHODE, GENERAL SPECIFICATION FOR [CUST: 85] [REVIEW: 99] | A 5910 | CC | | 23-FEB-94 |
| | MIL-C-83500/1B | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM ANODE AND CATHODE, ESTABLISHED RELIABILITY AND NONESTABLISHED RELIABILITY, STYLES CRL01, CRL02 AND CRL03 [CUST: 85] [REVIEW: 17 99] | A 5910 | CC | | 28-JUN-93 |
| | MIL-C-83501A(2) NOT 1 | CORD ASSEMBLIES, ELECTRICAL, BRAIDED AND MOLDED JACKET GENERAL SPECIFICATION FOR [CUST: 85 GS] [REVIEW: 11 99] | A 5995 | GS | | 14-JAN-92 |
| | MIL-C-83503A(2) SUP 1 | CONNECTOR, ELECTRICAL, FLAT CABLE, AND/OR PRINTED WIRING BOARD, NONENVIRONMENTAL, GENERAL SPECIFICATION FOR [CUST: 85 CC] [REVIEW: 11 17 99] | A 5935 | CC | | 03-MAR-95 |
| | MIL-C-83503/6C | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL DUAL-IN-LINE PLUG FOR TERMINATING ROUND CONDUCTORS ON .050 CENTERS FOR MATING WITH STANDARD DIP SOCKETS, .100 X .300 CONTACT SPACING .100 X .400 CONTACT SPACING AND .100 X .600 CONTACT SPACING [CUST: 85 CC] [REVIEW: 17 99] | A 5935 | CC | | 20-DEC-94 |
| | MIL-C-83503/7C NOT 1 | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, PLUG WITH DUAL POLARIZATION, ROUND CONDUCTOR, INSULATION DISPLACING, NON-REMOVABLE SOCKET CONTACTS (.100 X .100 SPACING) [CUST: 85] [REVIEW: 11 17 99] | A 5935 | CC | | 03-NOV-88 |
| | MIL-C-83503/20B(2) | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, HEADER, RIGHT ANGLE (.100 SPACING) WITH POLARIZING FEATURE SOLDERLESS WRAPPOST OR PWB TERMINATION [CUST: 85] [REVIEW: 11 17 99] | A 5935 | CC | | 22-JUN-90 |
| | MIL-C-83503/21B(3) | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, HEADER, STRAIGHT THRU (.100 INCH SPACING) WITH POLARIZING FEATURE SOLDERLESS WRAPPOST OR PWB TERMINATION [CUST: 85] [REVIEW: 11 17 99] | A 5935 | CC | | 22-JUN-90 |
| | MIL-C-83503/22B | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, SOCKET INSULATION DISPLACEMENT [CUST: 85] [REVIEW: 11 17 99] | A 5935 | CC | | 14-JUL-89 |
| | MIL-C-83503/23A(1) | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, PRINTED WIRING BOARD SOLDER TRANSITION FOR TERMINATING ROUND CONDUCTORS ON .050 INCH CENTERS [CUST: 85] [REVIEW: 11 17 99] | A 5935 | CC | | 14-JUL-89 |
| | MIL-C-83503/24A(2) | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, FOUR WALL HEADER, RIGHT ANGLE (.100 SPACING) WITH POLARIZING FEATURE, SOLDERLESS WRAPPOST OR PWB TERMINATION [CUST: 85] [REVIEW: 11 17 99] | A 5935 | CC | | 22-JUN-90 |
| | MIL-C-83503/25A(3) | CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, FOUR WALL HEADER, STRAIGHT THRU (.100 SPACING) WITH POLARIZING FEATURE, SOLDERLESS WRAPPOST OR PWB TERMINATION [CUST: 85] [REVIEW: 11 17 99] | A 5935 | CC | | 22-JUN-90 |
| | MIL-S-83504/1C(1) | SWITCHES, DUAL IN-LINE PACKAGE (DIP), ROCKER ACTUATOR, STANDARD PROFILE, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE [CUST: CR EC 85] [REVIEW: 99 AR AS AV MI] | A 5930 | CC | | 16-DEC-96 |
| | MIL-S-83504/2C(1) | SWITCHES, DUAL IN-LINE PACKAGE (DIP), ROCKER ACTUATOR, LOW PROFILE, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE [CUST: CR EC 85] [REVIEW: 99 AS AV MI] | A 5930 | CC | | 16-DEC-96 |
| | MIL-S-83504/3A(1) NOT 1 | SWITCH, DUAL IN-LINE PACKAGE (DIP) SLIDE ACTUATOR, LOW PROFILE, SINGLE THROW STATIONS, SEALED BASE [CUST: CR EC 85] [REVIEW: 99 AS AV MI SH] | A 5930 | CC | | 16-DEC-96 |
| | MIL-S-83504/4D(1) | SWITCH, SLIDE, DUAL IN-LINE PACKAGE (DIP), SINGLE AND DOUBLE POLE, SINGLE THROW STATIONS, SEALED BASE [CUST: CR EC 85] [REVIEW: 99 AR AS AV MI SH] | A 5930 | CC | | 16-DEC-96 |
| | MIL-S-83504/5A(1) | SWITCHES, DUAL IN-LINE PACKAGE (DIP), ROCKER ACTUATOR, STANDARD PROFILE, SINGLE POLE, DOUBLE THROW STATIONS, SEALED BASE, STYLE DIPS [CUST: CR EC 85] [REVIEW: 99 AS AV MI] | A 5930 | CC | | 16-DEC-96 |
| | MIL-S-83504/6A(1) | SWITCHES, DUAL IN-LINE PACKAGE (DIP), RECESSED ROCKER ACTUATOR, STANDARD PROFILE, SINGLE POLE, DOUBLE THROW STATIONS, SEALED BASE [CUST: CR EC 85] [REVIEW: 99 AR AS AV MI] | A 5930 | CC | | 16-DEC-96 |
| | MIL-S-83504/7B(1) | SWITCHES, DUAL IN-LINE PACKAGE (DIP), ROCKER ACTUATOR, STANDARD PROFILE, DOUBLE POLE, DOUBLE THROW STATIONS, SEALED BASE [CUST: CR EC 85] [REVIEW: 99 AR AS AV MI] | A 5930 | CC | | 16-DEC-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Ver | MCA Prep. Acty. | Date |
|-----------------------------|--|----------------------|-----------------|-----------|
| MIL-S-83504/8B(1) | SWITCHES, DUAL IN-LINE PACKAGE (DIP), RECESSED ROCKER ACTUATOR, STANDARD PROFILE, DOUBLE POLE, DOUBLE THROW STATIONS, SEALED BASE [CUST: CR EC 85] [REVIEW: 99 AR AS AV MI] | A 5930 | CC | 16-DEC-96 |
| MIL-S-83504/9B(1) | SWITCHES, DUAL IN-LINE PACKAGE (DIP), TOGGLE ACTUATOR, STANDARD PROFILE, SINGLE POLE, DOUBLE THROW STATIONS, SEALED BASE [CUST: CR EC 85] [REVIEW: 99 AR AS AV MI] | A 5930 | CC | 16-DEC-96 |
| MIL-S-83504/10C(1) | SWITCHES, DUAL IN-LINE PACKAGE (DIP), TOGGLE ACTUATOR, STANDARD PROFILE, DOUBLE POLE, DOUBLE THROW STATIONS, SEALED BASE [CUST: CR EC 85] [REVIEW: 99 AR AS AV MI] | A 5930 | CC | 16-DEC-96 |
| MIL-S-83504/11C(1) | SWITCHES, DUAL IN-LINE PACKAGE (DIP), SIDE TOGGLE ACTUATOR, LOW PROFILE, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE [CUST: CR EC 85] [REVIEW: 99 AR AS AV MI] | A 5930 | CC | 16-DEC-96 |
| MIL-S-83505A | SOCKET, (LEAD, ELECTRONIC COMPONENTS) GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 99] | A 5935 | CC | 30-NOV-87 |
| MIL-S-83505/1E | SOCKETS (LEAD, ELECTRONIC COMPONENTS) (TYPE I, SOLDERLESS WRAP) [CUST: CR EC 85] [REVIEW: 11 17 99] | A 5935 | CC | 25-SEP-91 |
| MIL-S-83505/2B | SOCKET, (LEAD, ELECTRONIC COMPONENTS) (TYPE II, PRINTED CIRCUIT) [CUST: CR EC 85] [REVIEW: 11 17 80 99] | A 5935 | CC | 30-NOV-87 |
| MIL-S-83505/3C | SOCKET (LEAD, ELECTRONIC COMPONENTS) (TYPE III, SOLDER WIRE TURRET) [CUST: CR EC 85] [REVIEW: 11 17 80 99] | A 5935 | CC | 30-NOV-87 |
| MIL-S-83505/4B | SOCKET (LEAD, ELECTRONIC COMPONENTS) (TYPE IV, SOLDER CUP) [CUST: CR EC 85] [REVIEW: 11 17 80] | A 5935 | CC | 30-NOV-87 |
| MIL-S-83505/5D | SOCKETS (LEAD, ELECTRONIC COMPONENTS) (TYPE V, OTHER) [CUST: CR EC 85] [REVIEW: 11 17 99] | A 5935 | CC | 25-SEP-91 |
| MIL-S-83505/6D | SOCKETS, (LEAD, ELECTRONIC COMPONENTS) (TYPE VI, SOLDERLESS SPRING CONTACT)[CUST: CR EC 85] [REVIEW: 11 17 99] | A 5935 | CC | 25-SEP-91 |
| MIL-S-83505/7 | SOCKETS (LEAD ELECTRONIC COMPONENTS) (TYPE II, PRINTED CIRCUIT) LOW INSERTION FORCE (LIF) [CUST: CR EC 85] [REVIEW: 17 99] | A 5935 | CC | 12-SEP-94 |
| MIL-S-83505/8 | SOCKETS (LEAD, ELECTRONIC COMPONENTS) (TYPE I, SOLDERLESS WRAP) LOW INSERTION FORCE (LIF) [CUST: CR EC 85] [REVIEW: 17 99] | A 5935 | CC | 12-SEP-94 |
| MIL-C-83506 NOT 1 | CABLE ASSEMBLY MOLDED CONNECTOR: GENERAL PURPOSE, ELECTRONIC EQUIPMENT (GROUNDING CONNECTOR MOLDED) [CUST: 85 GS] [REVIEW: 99] | A 5995 | GS | 27-DEC-91 |
| MIL-C-83506/1 NOT 1 | CABLE ASSEMBLY MOLDED CONNECTOR: GENERAL PURPOSE, ELECTRONIC EQUIPMENT (GROUNDING CONNECTOR MOLDED) 2 POLE, 3 WIRE 10 AMP; 125 VOLTS [CUST: 85 GS] [REVIEW: 99] | A 5995 | GS | 27-DEC-91 |
| MIL-T-83507(1) SUP 1A NOT 1 | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV EC GL MC MI SH] | A 5180 | CC | 15-MAY-88 |
| MIL-T-83507/10 NOT 2 | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: TOOL KIT FOR ON089559, ON089560, AND ON089561 CONNECTORS [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CR 4 EC GL MC MI OS SH] | A 5180 | CC | 25-AUG-92 |
| MIL-T-83507/11 | TOOL KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES, TOOL KIT FOR MIL-C-22520/1 CRIMPING TOOL AND TURRETS [CUST: AS CC] [REVIEW: EC MC] | A 5180 | CC | 16-MAR-78 |
| MIL-T-83507/15 NOT 2 | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: TOOL KIT, GENERAL PURPOSE, BACKSHELL HARDWARE TOOLS [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV EC GL MC MI OS SH YDI] | A 5180 | CC | 25-AUG-92 |
| MIL-T-83507/16 | TOOL KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES, TOOL KIT FOR H46/53 HELICOPTER CONNECTOR SYSTEMS [CUST: AS CC] | A 5180 | CC | 02-APR-79 |
| MIL-T-83507/17 | TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ASSORIES, TOOL KIT FOR MIL-C-22520/2 CRIMPING TOOL AND POSITIONERS [CUST: AS CC] [REVIEW: EC MC] | A 5180 | CC | 07-JUL-78 |
| A MIL-H-83511(2) SUP 1 | HEADSET MICROPHONE AND HEADSET ELECTRICAL (MEDIUM NOISE ATTENUATION, HEARING PROTECTIVE), GENERAL SPECIFICATIONS FOR [CUST: CR EC 85 CC] [REVIEW: 99 MC] | A 5965 | CC | 24-JUN-85 |
| A MIL-H-83511/1 NOT 1 | HEADSET, ELECTRICAL, H-251A/U [CUST: CR EC 85 CC] [REVIEW: 99 MC] | A 5965 | CC | 13-JAN-89 |
| A MIL-H-83511/2 NOT 1 | HEADSET-MICROPHONE, H-157A/AIC [CUST: CR EC 85 CC] [REVIEW: 99] | A 5965 | CC | 13-JAN-89 |
| A MIL-H-83511/3 NOT 1 | HEADSET, ELECTRICAL, H-158A/AIC [CUST: CR EC 85 CC] [REVIEW: 99 MC] | A 5965 | CC | 13-JAN-89 |
| A MIL-H-83511/4B | HEADSET - MICROPHONE, H-161F/GR [CUST: CR EC 85 CC] [REVIEW: 99 MC] | A 5965 | CC | 10-FEB-92 |
| A MIL-H-83511/5 | HEADSET MICROPHONE, H-172/AIC [CUST: CR EC 85 CC] [REVIEW: 99 MC] | A 5965 | CC | 04-APR-78 |
| A MIL-H-83511/6A NOT 1 | HEADSET, ELECTRICAL H-173C/AIC [CUST: CR EC 85 CC] [REVIEW: 99 MC] | A 5965 | CC | 13-JAN-89 |
| MIL-H-83511/8 | MICROPHONE HEADSET H182A/PT [CUST: CR] | A 5965 | CR | 11-OCT-85 |
| MIL-R-83516A(3) | RELAYS, REED, DRY, GENERAL SPECIFICATION FOR [CUST: 85] [REVIEW: 99] | A 5945 | CC | 14-JUL-89 |
| MIL-R-83516/1C | RELAYS, REED, DRY, DUAL IN-LINE PACKAGE (DIP), GENERAL PURPOSE [CUST: 85] [REVIEW: 99] | A 5945 | CC | 22-DEC-89 |
| MIL-R-83516/3C | RELAYS, REED, DRY, SINGLE IN-LINE PACKAGE (SIP), GENERAL PURPOSE [CUST: 85] [REVIEW: 99] | A 5945 | CC | 30-SEP-90 |
| MIL-R-83516/4B | RELAYS, REED, DRY, DUAL IN-LINE PACKAGE (DIP), GENERAL PURPOSE, LOW-POWER COIL [CUST: 85] [REVIEW: 99] | A 5945 | CC | 30-SEP-90 |
| MIL-R-83516/5B | RELAYS, REED, SINGLE IN-LINE PACKAGE (SIP), GENERAL PURPOSE, LOW-POWER COIL [CUST: 85] [REVIEW: 99] | A 5945 | CC | 30-SEP-90 |
| MIL-C-83517(3) SUP 1 | CONNECTOR, COAXIAL, RADIO FREQUENCY FOR COAXIAL, STRIP OR MICROSTRIP TRANSMISSION LINE, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT MC MI SH] | A 5935 | CC | 15-APR-94 |
| MIL-C-83517/1(1) NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED TAB TERMINAL) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT MC MI SH] | A 5935 | CC | 27-DEC-91 |
| MIL-C-83517/2(1) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE MOUNTED TAB TERMINAL) [CUST: CR EC 85] [REVIEW: 99 AS AT MI SH] | A 5935 | CC | 12-FEB-93 |
| MIL-C-83517/3(1) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED SLOTTED TAB TERMINAL) [CUST: CR EC 85] [REVIEW: 99 AS AT MI SH] | A 5935 | CC | 12-FEB-93 |
| MIL-C-83517/4(1) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED EXTENDED DIELECTRIC) [CUST: CR EC 85] [REVIEW: 99 AS AT MI SH] | A 5935 | CC | 12-FEB-93 |
| MIL-C-83517/5(1) NOT 2 | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE MOUNTED EXTENDED DIELECTRIC) [CUST: CR EC 85] [REVIEW: 99 AS AT MI SH] | A 5935 | CC | 12-FEB-93 |
| MIL-C-83517/6(1) NOT 2 | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, 8 HOLE SURFACE LAUNCH) [CUST: CR EC 85] [REVIEW: 99 AS AT MI SH] | A 5935 | CC | 12-FEB-93 |
| MIL-C-83517/7(1) NOT 2 | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, 8 HOLE SURFACE LAUNCH) [CUST: CR EC 85] [REVIEW: 99 AS AT MC MI] | A 5935 | CC | 12-FEB-93 |
| MIL-C-83517/8(1) NOT 2 | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, 8 HOLE SURFACE LAUNCH RIGHT ANGLE) [CUST: CR EC 85] [REVIEW: 99 AS AT MI SH] | A 5935 | CC | 12-FEB-93 |
| MIL-C-83517/9(2) NOT 1 | CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, END LAUNCH) [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT MC MI SH] | A 5935 | CC | 18-MAR-88 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-C-83517/10(1) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED) [CUST: CR EC 85] [REVIEW: 99 AS AT MI SH] | A 5935 | CC | | 12-FEB-93 |
| | MIL-C-83517/11(1) NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE AND MOUNTED) [CUST: CR EC 85] [REVIEW: 99 AS AT MI SH] | A 5935 | CC | | 12-FEB-93 |
| | MIL-S-83519A(4) | SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 99 GS MC MI SA] | A 5940 | AS | | 17-FEB-93 |
| | MIL-S-83519/1C NOT 1 | SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS I) [CUST: CR AS 85] [REVIEW: 99 GS MC MI SA] | A 5940 | AS | | 06-FEB-92 |
| | MIL-S-83519/2B | SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT WITH PRE INSTALLED LEADS FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS I) [CUST: CR AS 85] [REVIEW: 99 GS MC MI SA] | A 5940 | AS | | 04-AUG-95 |
| | MIL-M-83521A(1) | MAINTENANCE KIT, ELECTRICAL CONNECTORS, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AT AV CR4 GL MC OS SH] | A 5935 | CC | | 23-MAR-90 |
| | MIL-M-83521/1 | MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR F-15 AIRCRAFT CONNECTOR SYSTEMS [CUST: 85] [REVIEW: 11 19 80 99] | A 5935 | CC | | 12-APR-93 |
| | MIL-M-83521/3 NOT 1 | MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR A10 AIRCRAFT, CONNECTOR SYSTEMS [CUST: 85] [REVIEW: 11 19 99] | A 5935 | CC | | 21-MAY-93 |
| | MIL-M-83521/4A | MAINTENANCE KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR PAVE SPIKE SYSTEM [CUST: 85] [REVIEW: 11 19 99] | A 5935 | CC | | 29-MAR-91 |
| | MIL-M-83521/5A | MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, & CONNECTORS & CABLE ACCESSORIES: MAINTENANCE KIT, GENERAL PURPOSE, (AIR/NITROGEN HEAT GUN) [CUST: CR AS 85] [REVIEW: 11 19 99 AR AT AV EC GL MC MI OS SH] | A 5935 | CC | | 05-AUG-85 |
| | MIL-M-83521/6 NOT 1 | MAINTENANCE KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT, GENERAL PURPOSE USE [CUST: CR 85] [REVIEW: 11 17 19 99 AR AT AV CR4 EC GL MC MI OS SH YDI] | A 5935 | CC | | 21-MAY-93 |
| | MIL-M-83521/7 | MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT GENERAL PURPOSE, FOR MIL-C-22520/5 CRIMPING TOOL AND DIES [CUST: CR AS 85] [REVIEW: 11 19 80 99 AR AT AV EC GL MC MI OS SH] | A 5935 | CC | | 17-NOV-89 |
| | MIL-M-83521/8 | MAINTENANCE KIT, ELECTRICAL CONTACT, CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR MIL-C-22520/7 CRIMPING TOOL AND POSITIONERS [CUST: CR AS 85] [REVIEW: 11 19 99 AR AT AV CL EC MC MI SH] | A 5935 | CC | | 25-APR-90 |
| | MIL-C-83522D(1) | CONNECTORS, FIBER OPTIC, SINGLE TERMINUS, GENERAL SPECIFICATION FOR [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 82 84 90 99 AS CC EC MI] | A 6060 | CC | | 11-MAY-95 |
| | MIL-C-83522/1E | CONNECTOR, PLUG, FIBER OPTIC, SINGLE TERMINUS, THREADED, (STEP-DOWN NOSE INTERFACE), LENSLESS, EPOXY, FOR 50/125 MICRO METERS, 62.5/125 MICRO METERS, AND 100/140 MICRO METERS [CUST: CR EC 85] [REVIEW: 11 13 17 19 AS CC MC OS SH] | A 6060 | CC | | 29-MAR-91 |
| | MIL-C-83522/2F | CONNECTOR, PLUG, FIBER OPTIC, SINGLE TERMINUS, THREADED, (STRAIGHT NOSE INTERFACE), LENSLESS, EPOXY, FOR 50/125 MICRO METERS, 62.5/125 MICRO METERS, AND 100/140 MICRO METERS [CUST: CR EC 85] [REVIEW: 11 13 17 19 AS CC MC OS SH] | A 6060 | CC | | 29-MAR-91 |
| | MIL-C-83522/3F | CONNECTOR, ADAPTER, FIBER OPTIC, BULKHEAD MOUNT, FOR SINGLE FIBER [CUST: CR EC 85] [REVIEW: 11 13 17 19 AS CC MC OS SH] | A 6060 | CC | | 28-JUN-90 |
| | MIL-C-83522/4E | CONNECTOR, RECEPTACLE, FIBER OPTIC, SINGLE TERMINUS, THREADED, RECEPTACLE, LOW PROFILE PARALLEL PC MOUNT [CUST: CR EC 85] [REVIEW: 11 13 17 19 AS CC MC OS SH] | A 6060 | CC | | 30-DEC-88 |
| | MIL-C-83522/5D | CONNECTOR, RECEPTACLE, FIBER OPTIC, BULKHEAD MOUNT, FOR SINGLE FIBER [CUST: CR EC 85] [REVIEW: 11 17 19 AS CC MC OS SH] | A 6060 | CC | | 30-DEC-88 |
| | MIL-C-83522/6D | CONNECTOR, PLUG, FIBER OPTIC, SINGLE TERMINUS, THREADED, EXPANDED BEAM LENS, EPOXY, FOR 50/125 MICRO METERS, 62.5 MICRO METERS, AND 100/140 MICRO METERS [CUST: CR EC 85] [REVIEW: 11 13 17 19 AS CC MC OS SH] | A 6060 | CC | | 29-MAR-91 |
| | MIL-C-83522/7B | CONNECTOR, RECEPTACLE, FIBER OPTIC, SINGLE TERMINUS, THREADED, PARALLEL PC MOUNT [CUST: CR EC 85] [REVIEW: 11 17 19 70 71 AS CC MC MI OS SH YDI] | A 6060 | CC | | 30-DEC-88 |
| | MIL-C-83522/8B | CONNECTOR, RECEPTACLE, FIBER OPTIC, SINGLE TERMINUS, THREADED, BULKHEAD, HEX NUT MOUNT [CUST: CR EC 85] [REVIEW: 11 13 17 19 AS CC MC MI OS SH YDI] | A 6060 | CC | | 30-DEC-88 |
| | MIL-C-83522/9 | CONNECTOR, FIBER OPTIC, RECEPTACLE, PC MOUNT ACTIVE (USED WITH MIL-T-29504/4 PIN TERMINUS, SIZE 16) [CUST: CR EC 85] [REVIEW: 11 13 17 19 80 90 99 AS CC MC OS SH] | A 6060 | CC | | 08-DEC-89 |
| | MIL-C-83522/10 | CONNECTOR, FIBER OPTIC, RECEPTACLE, FLANGE MOUNT ACTIVE (USED WITH MIL-T-29504/4 PIN TERMINUS, SIZE 16) [CUST: CR EC 85] [REVIEW: 11 13 17 19 80 90 99 AS CC MC OS SH] | A 6060 | CC | | 08-DEC-89 |
| | MIL-C-83522/11 | CONNECTOR, FIBER OPTIC, ADAPTER, IN-LINE-CABLE, PANEL MOUNT (USED WITH MIL-T-29504/4 PIN TERMINUS, SIZE 16) [CUST: CR EC 85] [REVIEW: 11 17 19 80 90 AS CC MC OS SH] | A 6060 | CC | | 08-DEC-89 |
| | MIL-C-83522/15 | CONNECTORS, FIBER OPTIC, PLUG-RECEPTACLE-ADAPTER STYLE, FIXED SINGLE TERMINUS ENVIRONMENTAL FSMA STYLE, CRIMP AND CLEAVE [CUST: CR EC 85] [REVIEW: 11 17 80 90 99 AS CC MC OS SH] | A 6060 | CC | | 19-DEC-89 |
| | MIL-C-83522/16B | CONNECTOR, FIBER OPTIC, SINGLE TERMINUS, PLUG, BAYONET COUPLING (ST STYLE), 2.5 MILLIMETER DIAMETER FERRULE, EPOXY [CUST: CR SH 85 NA] [REVIEW: 17 19 80 90 99 AS CC EC MC OS] | A 6060 | CC | | 11-MAY-95 |
| | MIL-C-83522/17B | CONNECTOR, FIBER OPTIC, SINGLE TERMINUS, ADAPTER, BAYONET COUPLING (ST STYLE), 2.5 MILLIMETER DIAMETER FERRULE, BULKHEAD PANEL MOUNT [CUST: CR SH 85 NA] [REVIEW: 17 19 80 90 99 CC EC] | A 6060 | CC | | 11-MAY-95 |
| | MIL-C-83522/18B | CONNECTOR FIBER OPTIC, SINGLE TERMINUS, RECEPTACLE, BAYONET COUPLING (ST STYLE), 2.5 MILLIMETER DIAMETER FERRULE, PC MOUNTING [CUST: CR SH 85 NA] [REVIEW: 17 19 80 90 99 CC EC] | A 6060 | CC | | 11-MAY-95 |
| | MIL-T-83523 | TOOLS, FIBER OPTIC [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS SH] | A 6060 | CC | | 27-AUG-87 |
| | MIL-T-83523/1 NOT 1 | TOOLS, FIBER OPTIC, HAND TERMINATING, TYPE II [CUST: CR EC 85] [REVIEW: 11 13 19 70 71 80 AR AS AT AV CR4 GL MC MI OS SH] | A 6060 | CC | | 21-MAY-93 |
| | MIL-T-83523/2A NOT 1 | TOOLS, FIBER OPTIC, POLISHING BUSHING ASSEMBLY, TYPE IV [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR GL MC MI OS SH] | A 6060 | CC | | 28-MAY-93 |
| | MIL-T-83523/3A | TOOL, FIBER OPTIC, CLEAVING, CARBIDE, TYPE I [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 GL MC MI OS SH] | A 6010 | CC | | 10-MAY-85 |
| | MIL-T-83523/4A | TOOL, FIBER OPTIC, SCRIBE, DIAMOND/SAPPHIRE, TYPE I [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 GL MC MI OS SH] | A 6010 | CC | | 10-MAY-85 |
| | MIL-T-83523/5 NOT 1 | TOOLS, FIBER OPTIC, RETAINING BAND STRAIN RELIEF, TYPE VII [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS SH] | A 6060 | CC | | 14-MAY-90 |
| | MIL-T-83523/6 NOT 1 | TOOLS, FIBER OPTIC, POLISHING FIXTURE ASSEMBLY, TYPE IV [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS SH] | A 6010 | CC | | 14-MAY-90 |
| | MIL-T-83523/7 NOT 1 | TOOLS, FIBER OPTIC, WRENCH AND ADAPTER, TORQUE STRAIN RELIEF, TYPE V [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI OS SH] | A 6060 | CC | | 14-MAY-90 |
| | MIL-T-83523/8 NOT 1 | TOOLS, FIBER OPTIC, WRENCH, SPANNER, TYPE V [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 GL MC MI OS SH] | A 6060 | CC | | 14-MAY-90 |
| | MIL-T-83523/9 NOT 1 | TOOLS, FIBER OPTIC, SCRIBE, CONICAL AND WEDGE, TYPE I [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 GL MC MI OS SH] | A 6010 | CC | | 14-MAY-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-----------------------|---|--------------------------|--------------------|-----------|
| MIL-T-83523/10 NOT 1 | TOOLS, FIBER OPTIC, HAND, TYPE VII, CARBIDE/DIAMOND COMPOSITION C [CUST: CR EC 85] [REVIEW: 11 17 19 70 71 AR AT AV CR4 GL MC MI OS SH YD1] | A 6060 | CC | 21-MAY-93 |
| MIL-T-83523/16A | TOOL, FIBER OPTIC, STRIPPING, (50/125), (100/140), (400/430), (600/630), (1000/1040), TYPE X, COMPOSITION C [CUST: CR EC 85] [REVIEW: 11 17 80 90 99 AR AS AT GL MC MI OS SH] | A 6060 | CC | 09-MAR-88 |
| MIL-M-83524 NOT 1 | MICROSCOPE, OPTICAL, MONOCULAR, HAND HELD, PORTABLE, MILITARIZED, 200X MAGNIFICATION, FOR FIELD INSPECTION OF OPTICAL FIBERS [CUST: CR EC 85] [REVIEW: 11 17 99 AR AT CC CR4 GL MC MI OS SH YD1] | A 6080 | CC | 18-OCT-90 |
| MIL-K-83525 NOT 1 | KIT, PORTABLE OPTICAL MICROSCOPE, MILITARIZED, 200X MAGNIFICATION FOR FIELD INSPECTION OF OPTICAL FIBERS [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AT AV CR4 GL MC OS SH YD1] | A 6080 | CC | 18-OCT-90 |
| MIL-C-83526A SUP 1 | CONNECTORS, FIBER OPTIC, CIRCULAR, ENVIRONMENTAL RESISTANT, HERMAPHRODITIC, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 MI] | A 6060 | CC | 30-JUN-89 |
| MIL-C-83526/1B | CONNECTORS, PLUG, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, IN-LINE MOUNTING, 2 AND 4 POSITIONS [CUST: CR EC 85 CC] [REVIEW: 13 17 19 80 99 AS CC MC MI NA OS SH YD1] | A 6060 | CC | 14-OCT-93 |
| MIL-C-83526/2B | CONNECTORS, PLUG, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, IN-LINE MOUNTING, 6 POSITIONS [CUST: CR EC 85] [REVIEW: 13 17 19 AS MI NA SH] | A 6060 | CC | 14-OCT-93 |
| MIL-C-83526/3B | CONNECTORS, RECEPTACLE, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, JAM-NUT MOUNTING, 2 AND 4 POSITIONS [CUST: CR EC 85] [REVIEW: 13 17 19 AS MC MI NA OS SH YD1] | A 6060 | CC | 14-OCT-93 |
| MIL-C-83526/4B | CONNECTORS, RECEPTACLE, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, JAM-NUT MOUNTING, 6 POSITIONS [CUST: CR EC 85] [REVIEW: 13 17 80 AS MC MI NA OS SH YD1] | A 6060 | CC | 14-OCT-93 |
| MIL-C-83526/5B | CONNECTORS, RECEPTACLE, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, WALL MOUNTING, 6 POSITIONS [CUST: CR EC 85] [REVIEW: 13 17 19 AS MI NA SH] | A 6060 | CC | 14-OCT-93 |
| MIL-C-83526/6A | COVER, FIBER OPTIC, CONNECTOR, CIRCULAR, HERMAPHRODITIC, ENVIRONMENTAL, 2 AND 4 POSITIONS [CUST: CR EC 85] [REVIEW: 11 13 17 19] | A 6060 | CC | 30-JUN-89 |
| MIL-C-83526/7A | COVER, FIBER OPTIC, CONNECTOR, CIRCULAR, PLAIN, ENVIRONMENTAL, 2, 4, AND 6 POSITIONS [CUST: CR EC 85] [REVIEW: 11 13 17 19 80 90 99 AS MC MI OS SH YD1] | A 6060 | CC | 30-JUN-89 |
| MIL-C-83526/8A | COVER, FIBER OPTIC, CONNECTOR, CIRCULAR, HERMAPHRODITIC, ENVIRONMENTAL, 6 POSITIONS [CUST: CR EC 85] [REVIEW: 11 13 17 19] | A 6060 | CC | 30-JUN-89 |
| MIL-C-83526/9A | DUMMY CONNECTOR, PLUG, FIBER OPTIC, TEST, CIRCULAR, HERMAPHRODITIC, 2 AND 4 POSITIONS [CUST: CR EC 85] [REVIEW: 11 13 17 19] | A 6060 | CC | 30-JUN-89 |
| MIL-C-83526/10A | DUMMY CONNECTOR, PLUG, FIBER OPTIC, TEST, CIRCULAR, HERMAPHRODITIC, 6 POSITIONS [CUST: CR EC 85] [REVIEW: 11 13 17 19] | A 6060 | CC | 30-JUN-89 |
| MIL-C-83526/11B | CONNECTORS, RECEPTACLE, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, JAM-NUT MOUNTING, WITHOUT STRAIN RELIEF, 2 AND 4 POSITIONS [CUST: CR EC 85] [REVIEW: 13 17 82 AS MC MI OS SH YD1] | A 6060 | CC | 14-OCT-93 |
| MIL-C-83526/12 | CONNECTOR, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, IN-LINE MOUNTING, 2 POSITIONS [CUST: CR CC] | A 6060 | CC | 09-JUN-89 |
| MIL-C-83526/13 | CONNECTOR, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, BULKHEAD MOUNTING, 2 POSITIONS [CUST: CR CC] | A 6060 | CC | 09-JUN-89 |
| MIL-C-83526/14 | CONNECTOR, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, TEST PLUG, 2 POSITIONS [CUST: CR CC] | A 6060 | CC | 09-JUN-89 |
| MIL-C-83526/15 | CONNECTOR, FIBER OPTIC, HERMAPHRODITIC, DUST COVER, 2 POSITIONS [CUST: CR CC] | A 6060 | CC | 09-JUN-89 |
| MIL-C-83527A(1) SUP 1 | CONNECTORS, PLUG AND RECEPTACLE, ELECTRICAL, RECTANGULAR MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 17 99] | A 5935 | CC | 08-JUN-92 |
| MIL-C-83527/1B | CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 2 [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | 08-JUN-92 |
| MIL-C-83527/2B | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 2 [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | 08-JUN-92 |
| MIL-C-83527/3B | CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 3 [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | 08-JUN-92 |
| MIL-C-83527/4B | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 3 [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | 08-JUN-92 |
| MIL-C-83527/5B | CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 4 [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | 08-JUN-92 |
| MIL-C-83527/6B | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 4 [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | 08-JUN-92 |
| MIL-C-83527/7 | CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, MULTIPLE INSERTS [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | 28-DEC-88 |
| MIL-C-83527/8 | CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, MULTIPLE INSERTS [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | 28-DEC-88 |
| MIL-G-83528B(1) | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 19 99 NS] | A 5999 | CC | 04-JUN-93 |
| MIL-G-83528/1C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, CIRCULAR STRIP, .040 THROUGH .250 DIAMETER [CUST: CR EC 85] [REVIEW: 19 99] | A 5999 | CC | 10-JUL-92 |
| MIL-G-83528/2B | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRICAL, EMI/RFI O-RING, STANDARD [CUST: CR EC 85] [REVIEW: 19 99] | A 5999 | CC | 10-JUL-92 |
| MIL-G-83528/3C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, SOLID "D" SHAPED STRIP [CUST: CR EC 85] [REVIEW: 19 99] | A 5999 | CC | 10-JUL-92 |
| MIL-G-83528/4D | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, CONNECTOR FLANGE MOUNT [CUST: CR EC 85] [REVIEW: 19 99] | A 5999 | CC | 02-NOV-93 |
| MIL-G-83528/5C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, O-RING, NON-STANDARD [CUST: CR EC 85] [REVIEW: 19 99] | A 5999 | CC | 10-JUL-92 |
| MIL-G-83528/6C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, RECTANGULAR, D-CROSS SECTION [CUST: CR EC 85] [REVIEW: 19 99] | A 5999 | CC | 10-JUL-92 |
| MIL-G-83528/7D | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, HOLLOW D-STRIP [CUST: CR EC 85] [REVIEW: 19 99] | A 5999 | CC | 10-JUL-92 |
| MIL-G-83528/8C | GASKETING MATERIAL, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, HOLLOW P-STRIP [CUST: CR EC 85] [REVIEW: 19 99] | A 5999 | CC | 10-JUL-92 |
| MIL-G-83528/9C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, SOLID RECTANGULAR STRIPS [CUST: CR EC 85] [REVIEW: 19 99] | A 5999 | CC | 10-JUL-89 |
| MIL-G-83528/10B | GASKETING MATERIAL, CONDUCTIVE, ELASTOMER, ELECTRICAL, EMI/RFI, CHANNEL STRIPS [CUST: CR EC 85] [REVIEW: 19 99] | A 5999 | CC | 10-JUL-92 |
| MIL-G-83528/11C | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, HOLLOW O-STRIPS [CUST: CR EC 85] [REVIEW: 19 99] | A 5999 | CC | 10-JUL-89 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-G-83528/12B | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, ELECTRICAL, EMI/RFI, FLAT CIRCULAR WASHERS [CUST: CR EC 85 CC] [REVIEW: 19 99] | A 5999 | CC | | 10-JUL-92 |
| | MIL-G-83528/13D | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, ELECTRICAL, EMI/RFI, WAVEGUIDE [CUST: CR EC 85 CC] [REVIEW: 19 99 NA] | A 5999 | CC | | 28-MAR-94 |
| | MIL-G-83528/14 | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, FOR USE IN TIME TOTALIZING METERS COVERED BY MIL-M-7793, MS21341, AND MS27651 [CUST: CR EC 85 CC] [REVIEW: 11 19 99] | A 5999 | CC | | 07-JAN-92 |
| | MIL-A-83529 | ADAPTER, HEADSET-MICROPHONE M83529-01 [CUST: 99] | A 5965 | CC | | 10-MAR-89 |
| | MIL-K-83533 | MAINTENANCE KIT, FIBER OPTIC COMPONENTS, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 13 17 19 AR AS AT AV GL MC MI OS SH] | A 6080 | CC | | 29-DEC-89 |
| | MIL-K-83533/1 | MAINTENANCE KITS, FIBER OPTIC CONNECTORS, TERMINI, AND CONNECTOR AND CABLE ACCESSORIES, FIBER TERMINATING [CUST: CR EC 85] [REVIEW: 11 13 17 19 AR AS AT AV GL MC MI OS SH] | A 6080 | CC | | 29-DEC-89 |
| | MIL-R-83536/1(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 15-DEC-95 |
| | MIL-R-83536/2(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/3(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 15-DEC-95 |
| | MIL-R-83536/4(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 15-DEC-95 |
| | MIL-R-83536/5(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4DPT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 15-DEC-95 |
| | MIL-R-83536/6(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ALL WELDED, TRANSIENT SUPPRESSED DC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 15-DEC-95 |
| | MIL-R-83536/7(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 15-DEC-95 |
| | MIL-R-83536/8(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 15-DEC-95 |
| | MIL-R-83536/9(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 29-MAR-96 |
| | MIL-R-83536/10A(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/11(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, AC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/12(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COIL [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/13(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/14(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, AC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/15(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/16A(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/18(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/19(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/20(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, AC COILS [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/21(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/22(3) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/23(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH HERMETICALLY SEALED, ALL WELDED, DC COIL [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/24(2) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 3PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 30-SEP-96 |
| | MIL-R-83536/25(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 6PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 15-DEC-95 |
| | MIL-R-83536/26(1) | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 6PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL [CUST: CR EC 85] [REVIEW: 99 CC] | A 5945 | 85 | | 15-DEC-95 |
| | MIL-C-83538 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, FOR MIL-STD-1760 APPLICATIONS (METRIC), GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 12-MAY-94 |
| | MIL-C-83538/1 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, RECEPTACLE, STORE ASSEMBLY, REMOVABLE CRIMP CONTACTS, SOCKETS, FOR MIL-STD-1760 APPLICATIONS (METRIC) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 14-NOV-94 |
| | MIL-C-83538/3 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, ADAPTER, BUFFER PLUG, NONREMOVABLE PIN CONTACTS, FOR MIL-STD-1760 APPLICATIONS (METRIC) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 14-NOV-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|----------------------|--|-----------------------|-----|-------------|-----------|
| MIL-C-83538/4 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, RECEPTACLE, LAUNCHER ASSEMBLY, REMOVABLE CRIMP CONTACTS, SOCKETS FOR MIL-STD-1760 APPLICATIONS (METRIC) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 14-NOV-94 |
| MIL-C-83538/5 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, BRACKET, STORE RECEPTACLE ADAPTER, FOR MIL-STD-1760 APPLICATIONS (METRIC) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 14-NOV-94 |
| MIL-C-83538/6 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, NUT, HEXAGON, STORE RECEPTACLE CONNECTOR MOUNTING, FOR MIL-STD-1760 APPLICATIONS (METRIC) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 14-NOV-94 |
| A MIL-C-83538/7 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, COVER, PROTECTIVE, STORE RECEPTACLE, FOR MIL-STD-1760 APPLICATIONS (METRIC) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 14-NOV-94 |
| MIL-C-83538/8 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, COVER, PROTECTIVE, LAUNCHER RECEPTACLE FOR MIL-STD-1760 APPLICATIONS (METRIC) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 14-NOV-94 |
| MIL-C-83538/9 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, ADAPTER, ACCESSORY, LAUNCHER RECEPTACLE FOR MIL-STD-1760 APPLICATIONS (METRIC) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 14-NOV-94 |
| A MIL-C-83538/10 | CONNECTORS AND ACCESSORIES, ELECTRICAL, CIRCULAR, UMBILICAL, BUSHING, CABLE, LAUNCHER RECEPTACLE FOR MIL-STD-1760 APPLICATIONS (METRIC) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 14-NOV-94 |
| MIL-T-83720(1) NOT 2 | TRANSFORMERS AND INDUCTORS, NON-EXPLOSIVE, GENERAL SPECIFICATION FOR [CUST: 85] [REVIEW: 11] | A 5950 | CC | | 22-APR-93 |
| MIL-T-83720/8B NOT 1 | TRANSFORMER, POWER STEP-UP [CUST: 85] [REVIEW: 11 80 84] | A 5950 | CC | | 15-APR-88 |
| MIL-T-83720/13 NOT 1 | TRANSFORMER, POWER, STEP-UP, STEP-DOWN [CUST: 85] [REVIEW: 11 84 99] | A 5950 | CC | | 20-DEC-68 |
| MIL-T-83720/14 NOT 1 | TRANSFORMER, PULSE [CUST: 85] [REVIEW: 11 80 84 99] | A 5950 | CC | | 26-OCT-73 |
| MIL-T-83721 | TRANSFORMERS, VARIABLE, POWER GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 17 19 99 AT MC MI] | A 5950 | CC | | 28-NOV-90 |
| MIL-T-83721/1 NOT 1 | TRANSFORMER, VARIABLE, POWER, 400 HZ [CUST: CR EC 85] [REVIEW: 11 17 19 80 AR MC MI] | A 5950 | CC | | 27-APR-93 |
| MIL-C-83723E | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AV EC MI OS] | A 5935 | CC | | 15-MAY-92 |
| MIL-C-83723/16B(1) | CONNECTOR, ELECTRIC, BACKSHELL, WITH HEAT-SHRINKABLE STRAIN-RELIEF, BOOT (STRAIGHT OR RIGHT ANGLE), BAYONET-COUPLING SERIES [CUST: 85] [REVIEW: 99] | A 5935 | CC | | 14-SEP-93 |
| MIL-C-83723/59C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PROTECTIVE COVERS, PLUG (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 17-DEC-91 |
| MIL-C-83723/60D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PROTECTIVE COVERS, RECEPTACLES, (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 17-DEC-91 |
| MIL-C-83723/61D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), DUMMY CONNECTOR, RECEPTACLES (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W) [CUST: CR AS 85 CC] [REVIEW: 11 19 80 99 AR EC MI] | A 5935 | CC | | 17-DEC-91 |
| MIL-C-83723/65C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, PIN CONTACT), (SERIES III, CLASS H) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99] | A 5935 | CC | | 17-DEC-91 |
| MIL-C-83723/66A | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITHOUT LANYARD), CRIMP PIN CONTACT, SERIES III, CLASS A, G, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 70 80 84] | A 5935 | CC | | 17-DEC-91 |
| MIL-C-83723/67A | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITHOUT LANYARD), CRIMP SOCKET CONTACT, SERIES III, CLASS A, G, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 70 80 84] | A 5935 | CC | | 17-DEC-91 |
| MIL-C-83723/68A | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITH LANYARD), CRIMP PIN CONTACT, SERIES III, CLASS A, G, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 70 80 84] | A 5935 | CC | | 17-DEC-91 |
| MIL-C-83723/69A | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITH LANYARD), CRIMP SOCKET CONTACT, SERIES III, CLASSES A, G, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 70 80 84] | A 5935 | CC | | 17-DEC-91 |
| MIL-C-83723/70A | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE ADAPTER (PUSH-PULL), QUICK-DISCONNECT SERIES III, CLASSES A, G, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 70 80 84] | A 5935 | CC | | 17-DEC-91 |
| MIL-C-83723/71B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, BAYONET COUPLING, CRIMP SOCKET CONTACT) SERIES III, CLASSES A, G, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 80 AR EC MI] | A 5935 | CC | | 30-JUN-92 |
| MIL-C-83723/72B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, BAYONET COUPLING, CRIMP PIN CONTACT) (SERIES III, CLASS A, G, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 80 AR EC MI] | A 5935 | CC | | 30-JUN-92 |
| MIL-C-83723/73D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR AV EC MI] | A 5935 | CC | | 30-JUN-92 |
| MIL-C-83723/74D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR AV EC MI] | A 5935 | CC | | 30-JUN-92 |
| MIL-C-83723/75B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (SINGLE HOLE MOUNT, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 80 AR EC MI] | A 5935 | CC | | 30-JUN-92 |
| MIL-C-83723/76B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (SINGLE HOSE MOUNT, BAYONET COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 80 AR EC MI] | A 5935 | CC | | 30-JUN-92 |
| MIL-C-83723/77B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES G, R, AND W) [CUST: CR AS 85] [REVIEW: 11 17 19 80 AR EC MI] | A 5935 | CC | | 27-DEC-91 |
| MIL-C-83723/78B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES G, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 80 AR EC MI] | A 5935 | CC | | 27-DEC-91 |
| MIL-C-83723/79C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H AND Y) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 27-DEC-91 |
| MIL-C-83723/80B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SOLDER FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H AND Y) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 80 AR EC MI] | A 5935 | CC | | 27-DEC-91 |
| MIL-C-83723/81D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H AND Y) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR AV EC MI] | A 5935 | CC | | 27-DEC-91 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|------------|------------------------|--|--------------------------|-----|-------------|-----------|
| | MIL-C-83723/82D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUN-92 |
| | MIL-C-83723/83D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUN-92 |
| | MIL-C-83723/84E | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUN-92 |
| | MIL-C-83723/85E | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUN-92 |
| | MIL-C-83723/86D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUN-92 |
| | MIL-C-83723/87D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUN-92 |
| | MIL-C-83723/88C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, THREADED COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H, N, AND Y) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUN-92 |
| | MIL-C-83723/89D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, THREADED COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H, N, AND Y) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR AV EC MI] | A 5935 | CC | | 30-JUN-92 |
| | MIL-C-83723/90C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SOLDER FLANGE MOUNT, THREADED COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H, N, AND Y) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUN-92 |
| | MIL-C-83723/91C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES G, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUN-92 |
| | MIL-C-83723/92C | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES G, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 24-APR-92 |
| | MIL-C-83723/93B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE (SOLDER FLANGE MOUNT, BAYONET COUPLING, STRAIGHT PIN CONTACT), (SERIES III, CLASSES H AND Y) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 80 AR EC MI] | A 5935 | CC | | 24-APR-92 |
| | MIL-C-83723/94D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, STRAIGHT PIN CONTACT), (SERIES III, CLASSES H AND Y) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR AV EC MI] | A 5935 | CC | | 24-APR-92 |
| | MIL-C-83723/95D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 24-APR-92 |
| | MIL-C-83723/96D | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 24-APR-92 |
| | MIL-C-83723/97B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, R.F.I. GROUNDING, CRIMP SOCKET CONTACTS), (SERIES III, CLASSES N AND S FIREWALL) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 24-APR-92 |
| | MIL-C-83723/98B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, R.F.I. GROUNDING, CRIMP PIN CONTACTS), (SERIES III, CLASSES N AND S FIREWALL) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 24-APR-92 |
| | MIL-R-83725B(2) SUP 1B | RELAYS, VACUUM, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 99 AS OS] | A 5945 | CC | | 15-JUN-94 |
| | MIL-R-83725/1E | RELAYS, VACUUM, SPDT, 15 AMPERES RMS, 12 KILOVOLTS (PEAK) [CUST: CR EC 85] [REVIEW: 17 99 AT AV CR4 MC SH] | A 5945 | CC | | 17-MAR-89 |
| | MIL-R-83725/2D(1) | RELAYS, VACUUM, SPDT, 25 AMPERES RMS, 25 KILOVOLTS (PEAK) [CUST: CR EC 85 CC] [REVIEW: 99 AT AV CR4 SH] | A 5945 | CC | | 30-DEC-92 |
| | MIL-R-83725/3E NOT 1 | RELAYS, VACUUM, SPDT, DC, 8 AMPERES [CUST: CR AS 85] [REVIEW: 99 OS] | A 5945 | CC | | 14-MAY-93 |
| A | MIL-R-83725/4F | RELAYS, VACUUM, SPDT, 0.25 AMPERES, DC LOAD SWITCHING 2.5 KILOVOLTS DC [CUST: 85] [REVIEW: 99] | A 5945 | CC | | 14-APR-94 |
| A | MIL-R-83725/5D | RELAYS, VACUUM, SPDT, 18 AMPERES, RMS, 3.5 KILOVOLTS PEAK (CARRY ONLY) [CUST: 85] [REVIEW: 99] | A 5945 | CC | | 15-APR-94 |
| | MIL-R-83725/6D NOT 1 | RELAY, VACUUM, SPST, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS DC OR 60 HZ PEAK [CUST: CR AS 85] [REVIEW: 99 OS] | A 5945 | CC | | 14-MAY-93 |
| | MIL-R-83725/7B NOT 1 | RELAY, VACUUM, SPST, N/C, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS PEAK [CUST: CR AS 85] [REVIEW: 99 OS] | A 5945 | CC | | 14-MAY-93 |
| | MIL-R-83725/8B NOT 1 | RELAY, VACUUM, SPST, N/O, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS PEAK [CUST: CR AS 85] [REVIEW: 99 OS] | A 5945 | CC | | 14-MAY-93 |
| | MIL-R-83725/9B NOT 1 | RELAY, VACUUM, SPST, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 7 KILOVOLTS PEAK [CUST: CR AS 85] [REVIEW: 99 OS] | A 5945 | CC | | 14-MAY-93 |
| | MIL-R-83725/10A NOT 1 | RELAY, VACUUM, SPST, N/C, 12 AMPERES DC OR 60 HZ RMS, 10 KILOVOLTS DC OR 60 HZ PEAK [CUST: CR AS 85] [REVIEW: 99 OS] | A 5945 | CC | | 14-MAY-93 |
| | MIL-R-83725/11C NOT 1 | RELAY, VACUUM, SPDT, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS DC OR 60 HZ PEAK [CUST: CR AS 85] [REVIEW: 99 OS] | A 5945 | CC | | 14-MAY-93 |
| | MIL-R-83725/12A NOT 1 | RELAY, VACUUM, SPDT, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS PEAK [CUST: CR AS 85] [REVIEW: 99 OS] | A 5945 | CC | | 14-MAY-93 |
| | MIL-R-83725/13B NOT 1 | RELAY, VACUUM, SPDT, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 9 KILOVOLTS DC OR 60 HZ PEAK [CUST: CR AS 85] [REVIEW: 99 OS] | A 5945 | CC | | 14-MAY-93 |
| A | MIL-R-83725/15B NOT 1 | RELAYS, VACUUM, SPDT, 75 AMPERES RMS, 15 KILOVOLTS (PEAK) OR DC [CUST: 85] [REVIEW: 99] | A 5945 | CC | | 18-NOV-88 |
| | MIL-R-83725/16B NOT 1 | RELAYS, VACUUM, SPDT, 12 AMPERES DC OR 60 HZ RMS, 9 KILOVOLTS DC OR 60 HZ PEAK [CUST: CR AS 85] [REVIEW: 99 OS] | A 5945 | CC | | 14-MAY-93 |
| | MIL-R-83725/17B NOT 1 | RELAY, VACUUM, SPST, N.O., 12 AMPERES DC, OR 60 HZ RMS, 10 KILOVOLTS PEAK DC [CUST: CR AS 85] [REVIEW: 99 OS] | A 5945 | CC | | 14-MAY-93 |
| A | MIL-R-83725/18B | RELAYS, VACUUM, SPST, NC, DC, 8 AMPERES [CUST: 85] | A 5945 | CC | | 27-OCT-90 |
| A | MIL-R-83725/21 | RELAYS, VACUUM, SPST (NO), 15 AMPERES DC OR 60 HZ RMS, 5 KILOVOLTS PEAK [CUST: 85] | A 5945 | CC | | 23-NOV-87 |
| A | MIL-R-83725/22 | RELAYS, VACUUM, SPST (NC), 15 AMPERES DC OR 60 HZ RMS, 5 KILOVOLTS PEAK [CUST: 85] | A 5945 | CC | | 23-NOV-87 |
| A | MIL-R-83725/23 | RELAYS, VACUUM, SPDT, 15 AMPERES DC OR 60 HZ RMS, 5 KILOVOLTS PEAK [CUST: 85 CC] | A 5945 | CC | | 23-NOV-87 |
| A | MIL-R-83725/24 | RELAYS, VACUUM, SPST, LATCHING, 15 AMPERES DG OR 60 HZ RMS, 5 KILOVOLTS PEAK [CUST: 85] | A 5945 | CC | | 23-NOV-87 |
| A | MIL-R-83726B SUP 1B | RELAYS, HYBRID AND SOLID STATE, TIME DELAY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 99 TD] | A 5945 | CC | | 09-DEC-88 |
| A | MIL-R-83726/13F | RELAYS, SOLID STATE, TIME DELAY (ON OPERATE), TYPE I CLASS C, SPSTNO, 300 MILLIAMPERES, FIXED TIME, 0.05 TO 600 SECONDS, HERMETICALLY SEALED [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 09-AUG-91 |
| A | MIL-R-83726/20C(2) | RELAYS, SOLID STATE, TIME DELAY (ON OPERATE), TYPE I, CLASS C, SPST, 250 MILLIAMPERES, FIXED TIME, .05 TO 500 SECONDS [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 10-FEB-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | UIC | Prep. Acty. | Date |
|------------------------------|---|-----------------------|-----|-------------|-----------|
| A MIL-R-83726/21D(2) | RELAYS, SOLID STATE, TIME DELAY (ON OPERATE), TYPE I, CLASS C, SPST, 250 MILLIAMPERES, VARIABLE TIME, .05 TO 500 SECONDS [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 10-FEB-93 |
| A MIL-R-83726/28C(2) | RELAYS, HYBRID, TIME DELAY (ON OPERATE), CLASS B, TYPE I, HERMETICALLY SEALED, DPDT, 10 AMPERES, FIXED TIME, 0.1 TO 500 SECONDS [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 14-APR-95 |
| A MIL-R-83726/29C(2) | RELAYS, HYBRID, TIME DELAY (ON RELEASE), CLASS B, TYPE IIA, HERMETICALLY SEALED, DPDT, 10 AMPERES, FIXED TIME, 0.1 TO 500 SECONDS [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 14-APR-95 |
| A MIL-R-83726/30D(1) | RELAYS, HYBRID, TIME DELAY (ON OPERATE), CLASS B, TYPE I, HERMETICALLY SEALED, DPDT, 10 AMPERES, ADJUSTABLE TIME DELAY (EXTERNAL RESISTOR), 0.1 TO 500 SECONDS [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 14-APR-95 |
| A MIL-R-83726/31D(1) | RELAYS, HYBRID, TIME DELAY (ON RELEASE), CLASS B, TYPE IIA, HERMETICALLY SEALED, DPDT, 10 AMPERES, ADJUSTABLE TIME DELAY (EXTERNAL RESISTOR), 0.1 TO 500 SECONDS [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 14-APR-95 |
| MIL-C-83729A(2) | CHOPPERS, ELECTROMECHANICAL, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5945 | CC | | 30-JUN-94 |
| MIL-C-83729/1C NOT 1 | CHOPPERS, ELECTROMECHANICAL, SINGLE POLE, DOUBLE THROW, BREAK BEFORE MAKE [CUST: CR EC 85] [REVIEW: 11 17 19 AS AT AV CR4 MC MI OS] | A 5945 | CC | | 18-NOV-88 |
| MIL-C-83729/2B NOT 1 | CHOPPERS, ELECTROMECHANICAL, DUST TIGHT, SINGLE POLE, DOUBLE THROW, MAKE BEFORE BREAK [CUST: CR EC 85] [REVIEW: 11 17 19 AS AT AV CR4 MC MI OS] | A 5945 | CC | | 18-NOV-88 |
| MIL-C-83729/3A | CHOPPER, ELECTROMECHANICAL HERMETICALLY SEALED, SPDT BREAK BEFORE MAKE, BRACKET MOUNT [CUST: EC CC] | A 5945 | CC | | 07-FEB-72 |
| MIL-C-83729/4A NOT 1 | CHOPPERS, ELECTROMECHANICAL, HERMETICALLY SEALED, SINGLE POLE, DOUBLE THROW, BREAK BEFORE MAKE [CUST: CR EC 85] [REVIEW: 11 17 19 AS AT AV CR4 MC MI OS] | A 5945 | CC | | 18-NOV-88 |
| MIL-C-83729/6A NOT 1 | CHOPPERS, ELECTROMECHANICAL, HERMETICALLY SEALED, SINGLE POLE, DOUBLE THROW, BREAK BEFORE MAKE [CUST: CR EC 85] [REVIEW: 11 17 19 AS AT AV MC MI OS] | A 5945 | CC | | 18-NOV-88 |
| MIL-S-83731A(3) SUP 1B NOT 2 | SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE, GENERAL SPECIFICATION FOR [CUST: CR AS 85 CC] [REVIEW: 99 AR AV EC MC MI] | A 5930 | CC | | 26-MAY-95 |
| MIL-S-83731/9C(2) | SWITCHES, TOGGLE, MINIATURE, LEVER SEAL, PANEL SEAL, SINGLE POLE [CUST: CR 85] [REVIEW: 99 AR] | A 5930 | CC | | 15-JAN-93 |
| MIL-S-83731/10C(2) | SWITCHES, TOGGLE, MINIATURE, LEVER SEAL, PANEL SEAL, DOUBLE POLE [CUST: CR 85] [REVIEW: 99 AR] | A 5930 | CC | | 15-JAN-93 |
| MIL-S-83731/11C(1) | SWITCHES, TOGGLE, MINIATURE, LEVER-LOCK, SINGLE POLE, UNSEALED [CUST: CR 85] [REVIEW: 99 AR] | A 5930 | CC | | 04-SEP-91 |
| MIL-S-83731/12C(1) | SWITCHES, TOGGLE, MINIATURE, LEVER-LOCK, DOUBLE POLE, UNSEALED [CUST: CR 85] [REVIEW: 99 AR] | A 5930 | CC | | 04-SEP-91 |
| MIL-S-83731/13B(1) | SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (VERTICAL) PCB MOUNT, SINGLE POLE, LEVER SEAL, FLUX SEAL [CUST: CR 85] [REVIEW: 99 AR] | A 5930 | CC | | 15-JAN-93 |
| MIL-S-83731/14B(1) | SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (VERTICAL) PCB MOUNT, DOUBLE POLE, LEVER SEAL, FLUX SEAL [CUST: CR 85] [REVIEW: 99 AR] | A 5930 | CC | | 15-JAN-93 |
| MIL-S-83731/15B(1) | SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (HORIZONTAL) PCB MOUNT, SINGLE POLE, LEVER SEAL, FLUX SEAL [CUST: CR 85] [REVIEW: 99 AR] | A 5930 | CC | | 15-JAN-93 |
| MIL-S-83731/16B(1) | SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (HORIZONTAL) PCB MOUNT, DOUBLE POLE, LEVER SEAL, FLUX SEAL [CUST: CR 85] [REVIEW: 99 AR] | A 5930 | CC | | 15-JAN-93 |
| MIL-S-83731/17A NOT 1 | SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 03-SEP-93 |
| MIL-S-83731/18A | SWITCHES, TOGGLE, SUBMINIATURE, SEALED LEVER, FLUX SEALED, ONE, TWO, AND FOUR POLE, RIGHT ANGLE (HORIZONTAL AND VERTICAL) PCB MOUNT, LOW-LEVEL CONTACTS [CUST: 85] [REVIEW: 11 99] | A 5930 | CC | | 26-JAN-87 |
| MIL-S-83731/19B NOT 1 | SWITCHES, TOGGLE, UNSEALED TOGGLE GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 03-SEP-93 |
| MIL-S-83731/20A | SWITCHES, TOGGLE, SUBMINIATURE, LEVER LOCK, SEALED LEVER, FLUX SEALED RIGHT ANGLE PC BOARD MOUNT - ONE, TWO, AND FOUR POLE, LOW LEVEL CONTACTS [CUST: 85] [REVIEW: 11 99] | A 5930 | CC | | 27-SEP-88 |
| MIL-S-83731/21A(2) | SWITCHES, TOGGLE, MINIATURE, LEVER SEAL, PANEL SEAL, FOUR POLE LOGIC LOAD TO 5 AMPERES [CUST: EC 85 CC] [REVIEW: 99] | A 5930 | CC | | 16-DEC-96 |
| A MIL-S-83731/22B(1) | SWITCH, TOGGLE, MINIATURE, LEVER-LOCK, FOUR POLE, UNSEALED, LOGIC LOAD TO 5 AMPERES [CUST: EC 85 CC] [REVIEW: 99] | A 5930 | CC | | 16-JUL-97 |
| MIL-C-83733C(1) SUP 1 | CONNECTORS, ELECTRICAL MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 200 DEG. C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 30-OCT-89 |
| MIL-C-83733/1C NOT 1 | CONNECTOR, ELECTRICAL, RECEPTACLE, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STANDARD HOLE MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 13-NOV-87 |
| MIL-C-83733/2D(1) | CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE PINS AND SPRING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 30-DEC-93 |
| MIL-C-83733/3B(1) | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE SOCKETS, ENVIRONMENT RESISTING, 200 DEG. C [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 30-DEC-93 |
| MIL-C-83733/4C(1) | CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH CAPTIVE SPRINGS, ENVIRONMENT RESISTING, 200 DEG. C [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 30-DEC-93 |
| MIL-C-83733/5B(1) | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, BUSHING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 30-DEC-93 |
| MIL-C-83733/6C(1) | CONNECTOR, ELECTRICAL, PLUG, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, CLINCH NUT MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 30-DEC-93 |
| MIL-C-83733/7D(1) | CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE SOCKETS AND SPRING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 30-DEC-93 |
| MIL-C-83733/8B(1) | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE PINS, ENVIRONMENT RESISTING, 200 DEG. C [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 30-DEC-93 |
| MIL-C-83733/9B(1) NOT 1 | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED STANDARD HOLE MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [CUST: 85] [REVIEW: 11 84] | A 5935 | CC | | 30-DEC-93 |
| MIL-C-83733/10B(1) | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED BUSHING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 30-DEC-93 |
| MIL-C-83733/11B(1) | CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED CLINCH NUT MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 30-DEC-93 |
| MIL-C-83733/12C(1) | CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED SPRING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 30-DEC-93 |
| MIL-C-83733/17(1) | CONNECTOR, RACK AND PANEL, SPRING LOADED MOUNTING ASSEMBLY [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | | 30-DEC-93 |
| A MIL-S-83734F NOT 2 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, DUAL-IN-LINE (DIPS) AND SINGLE-IN-LINE PACKAGES (SIPs), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS MC OS SH TD] | A 5935 | CC | | 28-JUL-97 |
| MIL-S-83734/1D NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 6 PIN DUAL-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC OS SH TD] | A 5935 | CC | | 27-DEC-91 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------------------|---|--------------------------|-----|-------------|-----------|
| MIL-S-83734/2D NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 8 PIN DUAL-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC OS SH TD] | A 5935 | CC | | 27-DEC-91 |
| MIL-S-83734/3E NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 14 PIN DUAL-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC MI OS SH TD] | A 5935 | CC | | 27-DEC-91 |
| MIL-S-83734/4D NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 16 PIN DUAL-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC OS SH TD] | A 5935 | CC | | 27-DEC-91 |
| MIL-S-83734/5D NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 18 PIN DUAL-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC OS SH] | A 5935 | CC | | 27-DEC-91 |
| MIL-S-83734/6D NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 22 PIN DUAL-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC OS SH TD] | A 5935 | CC | | 27-DEC-91 |
| MIL-S-83734/7D NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 28 PIN DUAL-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC OS SH TD] | A 5935 | CC | | 27-DEC-91 |
| MIL-S-83734/8D NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 24 PIN DUAL-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC OS SH TD] | A 5935 | CC | | 27-DEC-91 |
| MIL-S-83734/9D NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 36 PIN DUAL-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC OS SH TD] | A 5935 | CC | | 27-DEC-91 |
| MIL-S-83734/10E | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, (40 PIN, DUAL IN-LINE) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS MC OS SH] | A 5935 | CC | | 28-JUN-88 |
| MIL-S-83734/11D | SOCKET, PLUG IN ELECTRONIC COMPONENTS, (8 PIN, DUAL IN LINE, RIGHT ANGLE LEADS) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS MC OS SH] | A 5935 | CC | | 28-JUN-88 |
| MIL-S-83734/12D | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (RIGHT ANGLE LEADS, FOR 14 AND 16 PIN DUAL-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC OS SH TD] | A 5935 | CC | | 28-JUN-88 |
| MIL-S-83734/13C | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 20 PIN DUAL-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC OS SH TD] | A 5935 | CC | | 28-JUN-88 |
| MIL-S-83734/14C NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 48 PIN DUAL-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC OS SH TD] | A 5935 | CC | | 27-DEC-91 |
| MIL-S-83734/15C NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 64 PIN DUAL-IN-LINE PACKAGE) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC OS SH TD] | A 5935 | CC | | 27-DEC-91 |
| MIL-S-83734/16 NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, SINGLE-IN-LINE, LOW PROFILE (FOR SINGLE-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS MC OS SH TD] | A 5935 | CC | | 27-DEC-91 |
| MIL-S-83734/17 NOT 1 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS (FOR 32 PIN, DUAL-IN-LINE PACKAGES) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC OS SH] | A 5935 | CC | | 27-DEC-91 |
| MIL-S-83739A NOT 1 | SWITCH, ANTENNA, RADIO FREQUENCY, SOLID-STATE, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 99] | A 5985 | CC | | 02-MAR-87 |
| MIL-S-83739/1A(1) NOT 1 | SWITCH, ANTENNA, RADIO FREQUENCY, SOLID-STATE, SA-1474A/A [CUST: CR EC 85] [REVIEW: 11 99 MI OS SH] | A 5985 | CC | | 17-FEB-77 |
| MIL-S-83739/2 NOT 1 | SWITCH, ANTENNA, RADIO FREQUENCY, SOLID&STATE [CUST: 85] [REVIEW: 11 99] | A 5985 | CC | | 30-JAN-87 |
| MIL-B-83756C NOT 2 | BLAST CLEANING MACHINES [CUST: 99] | A 4940 | 82 | | 06-NOV-97 |
| MIL-L-83767B(1) NOT 2 | LUBRICATING OIL, VACUUM PUMP, MECHANICAL [CUST: MR 68] [REVIEW: 11 AT AV DS PS SH] | A 9150 | GS | | 30-MAY-91 |
| MIL-B-83769D(1) SUP 1 | BATTERY, STORAGE, LEAD ACID, GENERAL SPECIFICATION FOR [CUST: CR AS 99] [REVIEW: 11 80 AV] | A 6140 | GS | | 13-FEB-87 |
| MIL-B-83769/1D | BATTERY, STORAGE, LEAD ACID, BB-638/U [CUST: CR 99] [REVIEW: 11 AV] | A 6140 | GS | | 04-APR-83 |
| MIL-B-83769/2D | BATTERY, STORAGE, LEAD ACID, BB-639/U [CUST: CR AS 99] [REVIEW: 11 AV] | A 6140 | GS | | 04-APR-83 |
| MIL-B-83769/3D | BATTERY, STORAGE, LEAD ACID, BB-640/U [CUST: CR 99] [REVIEW: 11 AV] | A 6140 | GS | | 04-APR-83 |
| MIL-B-83769/4C | BATTERY, STORAGE, LEAD ACID [CUST: CR AS 99] [REVIEW: 11 80 AV] | A 6140 | GS | | 04-APR-83 |
| MIL-B-83769/5C | BATTERY, STORAGE, LEAD ACID [CUST: CR 99] [REVIEW: 11 80 AV] | A 6140 | GS | | 04-APR-83 |
| MIL-B-83769/6C | BATTERY, STORAGE, LEAD ACID [CUST: CR 99] [REVIEW: 11 80 AV] | A 6140 | GS | | 04-APR-83 |
| MIL-B-83769/7A | BATTERY, STORAGE, THREADED-POST-CONNECTED, LEAD-ACID | A 6140 | GS | | 05-NOV-82 |
| MIL-H-83772A(1) | HOSE ASSEMBLY, METAL, CRYOGENIC LIQUID, AIRCRAFT SERVICING [CUST: 82] | A 4720 | 82 | | 12-JUN-85 |
| MIL-H-83776A | HELMET, FLYER S, WINTER [CUST: 99 CT] [REVIEW: 45 NU] | A 8415 | CT | | 28-JUN-85 |
| MIL-K-83782A NOT 1 | KIT BAG, FLYER'S [CUST: AS 99 CT] | A 8460 | CT | | 31-OCT-91 |
| MIL-B-83787(1) | BELT, AIRCRAFT SAFETY, LAP, TROOP, TYPES MD-1 AND MD-2 [CUST: 99] | A 1680 | 82 | | 25-AUG-78 |
| MIL-T-83788 NOT 1 | TENT, PYRAMIDAL, SURVIVAL, 3-4 MAN, SRU-1/P [CUST: 82 CT] [REVIEW: 99] | A 8340 | CT | | 25-MAR-94 |
| MIL-S-83792A | SULFUR DIOXIDE, TECHNICAL [CUST: 68] | A 6830 | GS | | 02-AUG-73 |
| MIL-L-83795B | LAYOUT DYE, BLUE [CUST: 68] [REVIEW: AS MC SH] | A 6850 | GS | | 03-OCT-94 |
| MIL-H-83796 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR [CUST: AV 99] [REVIEW: 11 82 AT CR4] | A 4720 | CC | | 01-AUG-74 |
| MIL-H-83796/1 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLARE [CUST: AV 99] [REVIEW: 11 82 AT CR4] | A 4720 | CC | | 01-AUG-74 |
| MIL-H-83796/2 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLARE, WITH LOCKWIRE HOLE [CUST: AV 99] [REVIEW: 11 82 AT CR4] | A 4720 | CC | | 01-AUG-74 |
| MIL-H-83796/3 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLARELESS [CUST: AV 99] [REVIEW: 11 82 AT CR4] | A 4720 | CC | | 01-AUG-74 |
| MIL-H-83796/4 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLARELESS, WITH LOCKWIRE HOLE [CUST: AV 99] [REVIEW: 11 82 AT CR4] | A 4720 | CC | | 01-AUG-74 |
| MIL-H-83796/5 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLANGE [CUST: AV 99] [REVIEW: 11 82 AT CR4] | A 4720 | CC | | 01-AUG-74 |
| MIL-H-83796/6 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLANGE, WITH LOCKWIRE HOLE [CUST: AV 99] [REVIEW: 11 82 AT CR4] | A 4720 | CC | | 01-AUG-74 |
| MIL-H-83796/7 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLANGE [CUST: AV 99] [REVIEW: 11 82 AT CR4] | A 4720 | CC | | 01-AUG-74 |
| MIL-H-83796/8 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLANGE, WITH LOCKWIRE HOLE [CUST: AV 99] [REVIEW: 11 82 AT CR4] | A 4720 | CC | | 01-AUG-74 |
| MIL-H-83796/9 | HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLANGE TO FLANGE [CUST: AV 99] [REVIEW: 11 82 AT CR4] | A 4720 | CC | | 01-AUG-74 |
| MIL-H-83797A | HOSE, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 11 82 AT MI] | A 4720 | CC | | 02-JUN-93 |
| MIL-F-83798B | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR [CUST: AV 99] [REVIEW: 11 82 AS AT CR4] | A 4730 | CC | | 15-NOV-91 |
| MIL-F-83798/1A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARED, SWIVEL NUT, STRAIGHT [CUST: AV 99] [REVIEW: 11 AT CC CR4] | A 4730 | 82 | | 12-JAN-77 |
| MIL-F-83798/2A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARED, SWIVEL NUT, 45 DEGREES [CUST: AV 99] [REVIEW: 11 AT CC CR4] | A 4730 | 82 | | 12-JAN-77 |
| MIL-F-83798/3A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARED, SWIVEL NUT, 90 DEGREES [CUST: AV 99] [REVIEW: 11 AT CC CR4] | A 4730 | 82 | | 12-JAN-77 |
| MIL-F-83798/4A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARELESS, SWIVEL NUT, STRAIGHT [CUST: AV 99] [REVIEW: 11 AT CC CR4] | A 4730 | 82 | | 12-JAN-77 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-----------------------|--|--------------------------|--------------------|-----------|
| MIL-F-83798/5A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARELESS, SWIVEL NUT, 45 DEGREES [CUST: AV 99] [REVIEW: 11 AT CC CR4] | A 4730 | 82 | 12-JAN-77 |
| MIL-F-83798/6A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, FLARELESS, SWIVEL NUT, 90 DEGREES [CUST: AV 99] [REVIEW: 11 AT CC CR4] | A 4730 | 82 | 12-JAN-77 |
| MIL-F-83798/7A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, SWIVEL FLANGE, STRAIGHT [CUST: AV 99] [REVIEW: 11 AT CC CR4] | A 4730 | 82 | 12-JAN-77 |
| MIL-F-83798/8A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, SWIVEL FLANGE, 45 DEGREES [CUST: AV 99] [REVIEW: 11 AT CC CR4] | A 4730 | 82 | 12-JAN-77 |
| MIL-F-83798/9A | FITTING, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, SWIVEL FLANGE, 90 DEGREES [CUST: AV 99] [REVIEW: 11 AT CC CR4] | A 4730 | 82 | 12-JAN-77 |
| MIL-DTL-83833 | 3000 GALLON AERIAL BULK FUEL DELIVERY SYSTEM BLADDER, GENERAL SPECIFICATION FOR [CUST: 99] | A 5430 | 82 | 01-JUL-96 |
| MIL-C-83867B | CONNECTOR, OXYGEN MASK HOSE NON-EJECTION TYPE [CUST: 99] | A 1660 | 82 | 22-NOV-94 |
| MIL-C-85001B NOT 1 | CHAFF ROLL (TYPE RR-()/AL), GENERAL SPECIFICATION FOR [CUST: AS 99] | A 5865 | AS | 17-OCT-91 |
| MIL-C-85001/171 NOT 1 | CHAFF ROLL (TYPE RR-171/AL) [CUST: AS] | A 5865 | AS | 17-OCT-91 |
| MIL-C-85001/172 NOT 1 | CHAFF ROLL (TYPE RR-172/AL) [CUST: AS] | A 5865 | AS | 17-OCT-91 |
| MIL-C-85003B(1) | CHAFF CARTRIDGE (TYPE RR-()/AL), GENERAL SPECIFICATION FOR [CUST: AS] | A 5865 | AS | 21-OCT-86 |
| MIL-C-85003/129 NOT 1 | CHAFF CARTRIDGE (TYPE RR-129/AL) [CUST: AS] | A 5865 | AS | 17-OCT-91 |
| MIL-N-85005A(1) | NAVIGATION DISPLAY SET, AN/ASN-124 [CUST: AS] | A 5826 | AS | 31-MAR-82 |
| MIL-C-85016 | COMPUTER SET, TACTICAL AN/ASN-91B(V) [CUST: AS] | A 5826 | AS | 04-MAY-77 |
| MIL-M-85025A | MANUALS, NATOPS FLIGHT REQUIREMENTS FOR PREPARATION OF [CUST: AS] | A TMSS | AS | 08-DEC-80 |
| MIL-C-85028 SUP 1 | CONNECTOR, ELECTRICAL, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: EC MI] | A 5935 | AS | 25-OCT-77 |
| MIL-C-85028/1 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, PLUG, CRIMP REMOVABLE PIN CONTACTS, CLASS E [CUST: AS] [REVIEW: EC] | A 5935 | AS | 25-OCT-77 |
| MIL-C-85028/2 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER HARDWARE, RECEPTACLE, CRIMP REMOVABLE SOCKET CONTACTS, CLASS E [CUST: AS] [REVIEW: EC] | A 5935 | AS | 25-OCT-77 |
| MIL-C-85028/3 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, INTERFACIAL SEAL, SIZE 16, CRIMP CONTACTS [CUST: AS] [REVIEW: EC] | A 5935 | AS | 25-OCT-77 |
| MIL-C-85028/4 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, SEALING PLUG, SIZE 16, CRIMP REMOVABLE CONTACTS [CUST: AS] [REVIEW: EC] | A 5935 | AS | 25-OCT-77 |
| MIL-C-85028/5 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS [CUST: AS] [REVIEW: EC] | A 5935 | AS | 25-OCT-77 |
| MIL-C-85028/6 | CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, REPLACEMENT TOOL, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS [CUST: AS] [REVIEW: EC] | A 5935 | AS | 25-OCT-77 |
| MIL-T-85031B | TEST SET, GUIDED WEAPON AN/DSM-96B [CUST: AS] | A 4935 | AS | 15-SEP-87 |
| MIL-B-85036A NOT 1 | BARRIER MATERIALS, HEAVY DUTY, FOR FLEXIBLE ENGINE CONTAINERS [CUST: AS] | A 8135 | AS | 29-OCT-91 |
| MIL-H-85037(4) | HOOD, WINTER, FLYER'S [CUST: AS CT] [REVIEW: 31] | A 8415 | CT | 18-SEP-91 |
| MIL-C-85038(1) | CLOTH, KNITTED, ARAMID, HIGH TEMPERATURE RESISTANT [CUST: AS 99 CT] [REVIEW: 82 SA] | A 8305 | CT | 26-SEP-85 |
| MIL-D-85040B(1) | DRAWERS AND UNDERSHIRTS, FLYER'S, ANTI-EXPOSURE, ARAMID, HIGH TEMPERATURE RESISTANT, CWU-43/P AND CWU-44/P [CUST: AS 99 CT] [REVIEW: 31 45 82] | A 8415 | CT | 18-SEP-91 |
| MIL-H-85042A | HOOKS, BOMB RACK, GENERAL SPECIFICATION FOR [CUST: AS] | A 1095 | AS | 11-FEB-83 |
| MIL-C-85043B NOT 1 | CLOTHS, CLEANING, LOW-LINT [CUST: GL AS] [REVIEW: MC] | A 7920 | AS | 29-OCT-91 |
| MIL-C-85045E(1) SUP 1 | CABLES, FIBER OPTICS, (METRIC), GENERAL SPECIFICATION FOR [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AR AV CC EC MI OS] | A 6015 | SH | 26-MAY-95 |
| DOD-C-85045/2B(1) | CABLES, FIBER OPTICS, ONE, TWO, FOUR, AND ALL SIX FIBER, HEAVY DUTY (METRIC) [CUST: CR EC 85] [REVIEW: 11 17 80 99 AR AS CC CR MI] | A 6015 | CC | 13-SEP-90 |
| DOD-C-85045/3A(1) | CABLES, FIBER OPTICS, HEAVY DUTY, WITH GEL FILLING AND FLOODING COMPOUND (METRIC) [CUST: CR EC 85] [REVIEW: 11 17 AR AS CC CR MI] | A 6015 | CC | 13-SEP-90 |
| DOD-C-85045/4A | CABLES, FIBER OPTICS, HEAVY DUTY, RUGGEDIZED WITH STEEL SHEATHING RODENT PROTECTION, GEL FILLING AND FLOODING COMPOUND (METRIC) [CUST: CR EC 85] [REVIEW: 11 17 AS CC CR MI] | A 6015 | CC | 20-MAR-87 |
| DOD-C-85045/5A(1) | CABLES, FIBER OPTICS, HEAVY DUTY, RUGGEDIZED WITH NON-METALIC SHEATHING RODENT PROTECTION, GEL FILLING AND FLOODING COMPOUND (METRIC) [CUST: CR EC 85] [REVIEW: 11 17 AR AS CC CR MI] | A 6015 | CC | 13-SEP-90 |
| DOD-C-85045/6C | CABLES, FIBER OPTICS, ENVIRONMENT RESISTING [CUST: CR SH 85] [REVIEW: 11 17 AS CC MI] | A 6015 | SH | 10-SEP-86 |
| DOD-C-85045/8 | CABLE, FIBER OPTIC, RUGGEDIZED, RADIATION HARDENED (METRIC) [CUST: CR CC] | A 6015 | CC | 31-MAR-87 |
| DOD-C-85045/9(1) | CABLES, FIBER OPTICS, BREAK OUT, INDIVIDUALLY JACKETED JACKETED FIBERS (METRIC) [CUST: CR EC 85] [REVIEW: 11 17 AR AS CC CR MI] | A 6015 | CC | 13-SEP-90 |
| DOD-C-85045/10(1) | CABLES, FIBER OPTICS, WITH GEL FILLING AND FLOODING COMPOUND (METRIC) [CUST: CR EC 85] [REVIEW: 11 17 AR AS CC CR MI] | A 6015 | CC | 13-SEP-90 |
| DOD-C-85045/11(1) | CABLES, FIBER OPTICS, WITH STEEL SHEATHING RODENT PROTECTION, GEL FILLING AND FLOODING COMPOUND (METRIC) [CUST: CR EC 85] [REVIEW: 11 17 AS CC CR MI] | A 6015 | CC | 13-SEP-90 |
| MIL-C-85045/12 | CABLES, FIBER OPTIC, HIGH RELIABILITY, SINGLE FIBER, MULTI-MODE, GRADED INDEX, OUTGASSING RESISTANT [CUST: CC NA] | A 6015 | CC | 01-JAN-89 |
| MIL-C-85045/13B | CABLE, FIBER OPTIC, EIGHT FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) [CUST: CR SH NA] [REVIEW: 13 17 19 80 90 99 AR AV CC EC MI YDI] | A 6015 | SH | 26-MAY-95 |
| MIL-C-85045/14B | CABLE, FIBER OPTIC, ONE FIBER, CABLE CONFIGURATION TYPE 1 (BUFFERED FIBER), LOOSE TUBE, CABLE CLASS SM AND MM, (METRIC) [CUST: CR SH NA] [REVIEW: 13 17 19 80 90 99 AR AV CC EC MI YDI] | A 6015 | SH | 26-MAY-95 |
| MIL-C-85045/15A | CABLE, FIBER OPTIC, FOUR FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) [CUST: CR SH NA] [REVIEW: 13 17 19 80 90 99 AR AV CC EC MI YDI] | A 6015 | SH | 26-MAY-95 |
| MIL-C-85045/16A | CABLE, FIBER OPTIC, ONE FIBER, CABLE CONFIGURATION TYPE 1 (BUFFERED FIBER), TIGHT BUFFER, CABLE CLASS SM AND MM, (METRIC) [CUST: CR SH NA] [REVIEW: 13 17 19 80 90 99 AR AV CC EC MI YDI] | A 6015 | SH | 26-MAY-95 |
| MIL-C-85045/17A | CABLE, FIBER OPTIC, EIGHT FIBERS, ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) [CUST: CR SH NA] [REVIEW: 13 17 19 80 90 99 AR AV CC EC MI YDI] | A 6015 | SH | 26-MAY-95 |
| MIL-C-85045/18A | CABLE, FIBER OPTIC, FOUR FIBERS, ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) [CUST: CR SH NA] [REVIEW: 13 17 19 80 90 99 AR AV CC EC MI YDI] | A 6015 | SH | 26-MAY-95 |
| MIL-C-85045/19 | CABLE, FIBER OPTIC, TWENTY-FOUR, THIRTY-THREE, AND THIRTY-SIX FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AR AV CC EC MI YDI] | A 6015 | SH | 26-MAY-95 |
| MIL-C-85045/20 | CABLE, FIBER OPTIC, TWENTY-FOUR, THIRTY-THREE, AND THIRTY-SIX FIBERS, ENHANCED PERFORMANCE, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) [CUST: CR SH 85 NA] [REVIEW: 13 17 19 80 90 99 AR AV CC EC MI YDI] | A 6015 | SH | 26-MAY-95 |
| MIL-A-85046 | ACTUATOR, LINEAR, ELECTROMECHANICAL [CUST: AS] | A 1095 | AS | 07-SEP-76 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-C-85049A SUP 1A | CONNECTOR ACCESSORIES, ELECTRICAL GENERAL SPECIFICATION FOR [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI SH] | A 5935 | AS | | 30-AUG-90 |
| | MIL-C-85049/1A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, GROUNDING (WITHOUT STRAIN RELIEF), CATEGORY 1C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/2A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/3A(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) [CUST: CR EC 85 CC NA] [REVIEW: 11 99 AR MI] | A 5935 | CC | | 26-MAR-97 |
| | MIL-C-85049/4A(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, STEP-UP, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) [CUST: CR EC 85 CC NA] [REVIEW: 11 99 AR MI] | A 5935 | CC | | 26-MAR-97 |
| | MIL-C-85049/5B(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, STEP-DOWN, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) [CUST: CR EC 85 CC NA] [REVIEW: 11 99 AR MI] | A 5935 | CC | | 26-MAR-97 |
| | MIL-C-85049/6A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45 DEGREE, SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/7A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45 DEGREE, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/8A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90 DEGREE, SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/9A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90 DEGREE, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/10A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/11A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| A | MIL-C-85049/14(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MI] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/15(1) | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45 DEG., SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MI] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/16(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREES, SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| | MIL-C-85049/17 NOT 2 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 2B (FOR MIL-C-27599 SERIES I AND II CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI SH] | A 5935 | CC | | 25-MAY-93 |
| A | MIL-C-85049/18B(1) NOT 2 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 2B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/19A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/20A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, RFI, EMI, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR AV EC MI] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/21A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUL-97 |
| | MIL-C-85049/23A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/24A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/25A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/26A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| A | MIL-C-85049/27A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| | MIL-C-85049/28B(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON-ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-83733 CONNECTORS) [CUST: CR AS 85] [REVIEW: 17 19 99 AR CC EC MI] | A 5935 | CC | | 31-MAR-94 |
| | MIL-C-85049/29 NOT 2 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, STRAIN RELIEF, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI SH] | A 5935 | CC | | 25-MAY-93 |
| A | MIL-C-85049/30A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, INDIVIDUAL SHIELDED WIRE TERMINATION, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| | MIL-C-85049/31B | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| A | MIL-C-85049/32A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90 DEGREES, SHIELD TERMINATION, CATEGORY 3C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/33A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACK SHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| | MIL-C-85049/36 NOT 2 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND II CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI SH] | A 5935 | CC | | 25-MAY-93 |
| A | MIL-C-85049/37A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON ENVIRONMENTAL, SPLIT 90 DEGREES, EMI/RFI SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|--|-----------------------|-----|-------------|-----------|
| A | MIL-C-85049/38C(1) | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/39C(1) | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEG., SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR AV EC MI] | A 5935 | CC | | 30-JUL-97 |
| | MIL-C-85049/42A | CONNECTOR ACCESSORIES, ELECTRICAL, NONENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4A (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/43A | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 45 DEG., CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| A | MIL-C-85049/44A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-83733 CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/45A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, NONMETALLIC, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/46B(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREE, NONMETALLIC, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/47B(1) | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREE, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MI] | A 5935 | CC | | 30-JUL-97 |
| | MIL-C-85049/48B | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-24308 CONNECTORS) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR MI] | A 5935 | CC | | 11-SEP-91 |
| A | MIL-C-85049/49C(1) | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MI] | A 5935 | CC | | 30-JUL-97 |
| | MIL-C-85049/50B | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREE, CATEGORY 4C (FOR MIL-C-24308 CONNECTORS) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR MI] | A 5935 | CC | | 11-SEP-91 |
| | MIL-C-85049/51C | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90 DEG., SELF-LOCKING AND NON-SELF-LOCKING CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/52C | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, SELF-LOCKING AND NON-SELF-LOCKING, STRAIGHT, CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| A | MIL-C-85049/56A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/57A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45 DEGREES, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (MIL-C-3899 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/58A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (FOR MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| | MIL-C-85049/59A | CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) [CUST: CR EC 85 CC] [REVIEW: 11 AR] | A 5935 | CC | | 28-JUN-88 |
| | MIL-C-85049/60A | CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3 AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| A | MIL-C-85049/61A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (FOR MIL-C-27599 CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| | MIL-C-85049/62A NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI SH] | A 5935 | CC | | 25-MAY-93 |
| A | MIL-C-85049/63A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREES, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/64B(1) | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT, STRAIGHT, CATEGORY 4C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MI] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/65B(1) | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT 90 DEG., CATEGORY 4C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MI] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/69B(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/74A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7 (FOR USE WITH MIL-C-85049/61 POTTING BOOT RING) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/75A(1) NOT 1 | CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7 (FOR USE WITH MIL-C-85049/58 POTTING BOOT RING) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/76(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90 DEG., SHIELDED TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: CR4] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/77(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MI] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/78(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MI] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/79(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/80 | CONNECTOR ACCESSORIES, ELECTRICAL, DUMMY CONTACT, SIZES 12 AND 8, CATEGORY 7 (FOR MIL-C-38999 CONNECTORS) [CUST: 85] [REVIEW: 11 19 99] | A 5935 | CC | | 22-SEP-89 |
| A | MIL-C-85049/81 | CONNECTOR ACCESSORIES, ELECTRICAL, SEAL PLUG, SIZE 10, CATEGORY 7 (FOR MIL-C-38999 CONNECTORS) [CUST: 85 CC] [REVIEW: 11 19 99 CC] | A 5935 | CC | | 22-SEP-89 |
| A | MIL-C-85049/82(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI-EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3 AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | | 30-JUL-97 |
| A | MIL-C-85049/83(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | | 30-JUL-97 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Act | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-----|----------------------|---|--------------------------|--------------------|-----------|
| A | MIL-C-85049/84(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | 30-JUL-97 |
| A | MIL-C-85049/85(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | 30-JUL-97 |
| A | MIL-C-85049/86(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | 30-JUL-97 |
| A | MIL-C-85049/87(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND III CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | 30-JUL-97 |
| A | MIL-C-85049/88(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | 30-JUL-97 |
| A | MIL-C-85049/89(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | 30-JUL-97 |
| A | MIL-C-85049/90(1) | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | 30-JUL-97 |
| A | MIL-C-85049/91(1) | CONNECTORS, ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | 30-JUL-97 |
| A | MIL-C-85049/92(1) | CONNECTOR, ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, 90 DEG. SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | 30-JUL-97 |
| A | MIL-C-85049/93(1) | CONNECTOR ACCESSORIES, ELECTRICAL, TERMINATION, SHIELD, SPLIT SUPPORT RING, COMPOSITE, NONENVIRONMENTAL, STRAIGHT, CATEGORY 7 [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | 30-JUL-97 |
| | MIL-C-85049/94 | CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE FLANGE TYPE, FULL MOUNTING PERIMETER DEVICE, TYPE I (HEAVY DUTY) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI SH] | A 5935 | AS | 08-OCT-93 |
| | MIL-C-85049/95 | CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE FLANGE TYPE, 3/4 MOUNTING PERIMETER DEVICE, TYPE II (MEDIUM DUTY) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI SH] | A 5935 | AS | 08-OCT-93 |
| | MIL-C-85049/96 | CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE FLANGE TYPE, 1/4 MOUNTING PERIMETER DEVICE, TYPE III (LIGHT DUTY) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI SH] | A 5935 | AS | 08-OCT-93 |
| | MIL-C-85052A NOT 1 | CLAMP, LOOP, CUSHION, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 11 IS] | A 5340 | AS | 26-SEP-91 |
| | MIL-C-85052/1B NOT 1 | CLAMP, LOOP, TUBE 17-7 PH CRES, 275 DEG. F, FUEL AND PETROLEUM BASED HYDRAULIC FLUID RESISTANT [CUST: AV AS 99] [REVIEW: 11 IS] | A 5340 | AS | 26-SEP-91 |
| | MIL-C-85052/2B NOT 1 | CLAMP, LOOP, TUBE 17-7 PH CRES, 275 DEG. F, PHOSPHATE ESTER FLUID RESISTANT [CUST: AV AS 99] [REVIEW: 11 IS] | A 5340 | AS | 26-SEP-91 |
| | MIL-C-85052/3B NOT 1 | CLAMP, LOOP, TUBE 17-7 PH CRES, 500 DEG. F [CUST: AV AS 99] [REVIEW: 11 IS] | A 5340 | AS | 26-SEP-91 |
| | MIL-C-85052/4 NOT 1 | CLAMP SUPPORT - LOOP CLAMP [CUST: AV AS 99] [REVIEW: 11] | A 5340 | AS | 26-SEP-91 |
| | MIL-C-85054B(1) | CORROSION PREVENTIVE COMPOUND, WATER DISPLACING, CLEAR (AMLGUARD) [CUST: AS] | A 8030 | AS | 24-AUG-94 |
| | MIL-C-85061B(2) | COUPLING, FUEL LINE, FLEXIBLE, 125 PSI [CUST: AV AS] [REVIEW: CC] | A 4730 | AS | 22-SEP-86 |
| | MIL-I-85062 | INHIBITOR, CORROSION, VOLATILE, TRANSMISSION AND GEARBOX [CUST: AS] | A 6850 | AS | 20-DEC-77 |
| | MIL-S-85064 NOT 1 | SIGNAL, UNDERWATER SOUND, MARK 82 MOD 0 AND MARK 128 MOD 1 [CUST: AS] | A 1361 | AS | 17-OCT-91 |
| | MIL-T-85066 | TEST SET, COUNTERMEASURES CHAFF DISPENSING SET, AN/ALM-181 [CUST: AS] | A 5865 | AS | 17-JUN-77 |
| | MIL-T-85070A | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AWW-9A [CUST: CC] | A 1450 | CC | 05-JAN-88 |
| | MIL-I-85071A(1) | INVERTERS, AIRCRAFT, DC TO AC, GENERAL SPECIFICATION FOR [CUST: AS] | A 6130 | AS | 14-MAR-94 |
| | MIL-I-85071/1 NOT 1 | INVERTER, AIRCRAFT, DC TO AC, STATIC, 100VA 3 PHASE AND 100VA 1 PHASE MULTI PURPOSE, CLASS B [CUST: AS] | A 6130 | AS | 20-NOV-87 |
| | MIL-I-85071/2 NOT 1 | INVERTER, AIRCRAFT, DC TO AC, STATIC, 250VA, 3 PHASE AND 250 VA 1 PHASE, MULTIPURPOSE, CLASS B [CUST: AS] | A 6130 | AS | 11-DEC-87 |
| | MIL-I-85071/3B(1) | INVERTER, AIRCRAFT, DC TO AC, STATIC, 750 VA 3-PHASE, 1000 VA 1-PHASE, AND 1000 VA 3-PHASE, MULTIPURPOSE, CLASS B [CUST: AS] | A 6130 | AS | 21-NOV-94 |
| | MIL-A-85072A | ACTUATOR, ELECTROMECHANICAL, LINEAR [CUST: AS] | A 1095 | AS | 01-MAY-87 |
| | MIL-T-85075A | TIE DOWN ASSEMBLY, HELICOPTER BLADE, GENERAL SPECIFICATION FOR [CUST: AS] | A 1730 | AS | 31-DEC-85 |
| | MIL-E-85082A | ENCODERS, SHAFT ANGLE TO DIGITAL, GENERAL SPECIFICATION FOR [CUST: AR AS 85] [REVIEW: CC] | A 5990 | AS | 16-NOV-92 |
| | MIL-E-85082/1 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ALTITUDE REPORTING TYPE 11KUL1267R80A [CUST: AR AS 85] [REVIEW: CC] | A 5990 | AS | 16-NOV-92 |
| | MIL-E-85082/2 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ALTITUDE REPORTING TYPE 11KUK1267R80A [CUST: AR AS 85] [REVIEW: CC] | A 5990 | AS | 16-NOV-92 |
| | MIL-E-85082/3 | ENCODER, SHAFT POSITION TO DIGITAL OPTICAL INCREMENTAL TYPE 11SKL0505A [CUST: AR AS 85] [REVIEW: CC] | A 5990 | AS | 16-NOV-92 |
| | MIL-E-85082/4 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ABSOLUTE TYPE 11KCL13R08A [CUST: AR AS 85] [REVIEW: CC] | A 5990 | AS | 16-NOV-92 |
| | MIL-E-85082/5 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ABSOLUTE TYPE 11KPL13R08A [CUST: AR AS 85] [REVIEW: CC] | A 5990 | AS | 16-NOV-92 |
| | MIL-E-85082/6 | ENCODER, SHAFT POSITION TO DIGITAL CONTACT, ABSOLUTE TYPE 11KCJ10S05A [CUST: AR AS 85] [REVIEW: CC] | A 5990 | AS | 16-NOV-92 |
| | MIL-E-85082/7 | ENCODER, SHAFT POSITION TO DIGITAL OPTICAL INCREMENTAL, HOLLOW SHAFT TYPE 40SWM2880R1/8A [CUST: AR AS 85] [REVIEW: CC] | A 5990 | AS | 16-NOV-92 |
| | MIL-G-85088(1) | GLYCERYL TRIRICINOLEATE [CUST: AS] [REVIEW: OS] | A 6810 | AS | 09-NOV-79 |
| | MIL-P-85089A | PAINTING OF AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS) [CUST: OS] | A 1377 | OS | 22-OCT-90 |
| A | MIL-DTL-85097C SUP 1 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), GENERAL SPECIFICATION FOR [CUST: OS] | A 1377 | OS | 30-OCT-97 |
| | MIL-A-85097/1A | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET CATAPULT MARK 16 MOD 1 (LOADED ASSEMBLY) [CUST: OS] | A 1377 | OS | 31-OCT-85 |
| | MIL-A-85097/2D | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS) CATAPULT CARTRIDGES, MK 205 MODS 0 AND 1 [CUST: OS] | A 1377 | OS | 07-SEP-93 |
| | MIL-A-85097/3B NOT 1 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR (LOADED ASSEMBLY) MARK 79 MODS [CUST: OS] | A 1377 | OS | 26-SEP-91 |
| | MIL-A-85097/4A | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTOR ASSEMBLY, MARK 80 MOD 0 [CUST: OS] | A 1377 | OS | 17-OCT-85 |
| | MIL-DTL-85097/5B | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTORS, MK 82 MODS 0 AND 1 (MAN/SEAT SEPARATOR, LEFT) AND MK 90 MODS 0 AND 1 (MAN/SEAT SEPARATOR, RIGHT) (LOADED ASSEMBLIES) [CUST: OS] | A 1377 | OS | 31-JAN-96 |
| | MIL-A-85097/6A | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTORS MARK 83 MODS AND MARK 85 MODS (LOADED ASSEMBLIES) [CUST: OS] | A 1377 | OS | 17-OCT-85 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc/Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|-----------------------|---|--------------------------|--------------------|-----------|
| | MIL-DTL-85097/7D | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR MARK 84 MODS 1 AND 2[CUST: OS] | A 1377 | OS | 01-MAY-96 |
| | MIL-A-85097/8B(2) | AIRCREW ESCAPE PROPULSION SYS (AEPS); ROCKET MOTORS, UNDER SEAT, GAS INITIATED (MARK 74 MOD 0, MARK 75 MOD 0, MARK 76 MOD 0, MARK 77 MOD 0, MARK 86 MOD 0, MARK 87 MOD 0, MARK 88 MOD 0, MARK 92 MOD 0, MARK 100 MOD 0, & MARK 101 MOD 0) (LOADED ASSEMBLY [CUST: OS] | A 1377 | OS | 09-MAY-88 |
| | MIL-A-85097/9A | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET CATAPULT MARK 12 MOD 1 (LOADED ASSEMBLY [CUST: OS] | A 1377 | OS | 24-AUG-84 |
| | MIL-A-85097/10A NOT 1 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTOR, UNDER SEAT, MECHANICALLY INITIATED, MARK 54 MOD 0 (LOADED ASSEMBLY) [CUST: OS] | A 1377 | OS | 10-APR-87 |
| | MIL-A-85097/11B | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR ASSEMBLY, MARK 113 MOD 0 [CUST: OS] | A 1377 | OS | 07-SEP-93 |
| | MIL-A-85097/12 NOT 1 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET CATAPULT MARK 18 MOD 0 (LOADED ASSEMBLY) [CUST: OS] | A 1377 | OS | 26-SEP-91 |
| | MIL-A-85097/13 NOT 1 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR, CANOPY JETTISON, MARK 109 MOD 0 (LOADED ASSEMBLY) [CUST: OS] | A 1377 | OS | 26-SEP-91 |
| | MIL-DTL-0085097/13A | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS) ROCKET MOTOR, CANOPY JETTISON, MARK 109 MOD 0 (LOADED ASSEMBLY) [CUST: OS] | A 1377 | OS | 28-AUG-96 |
| | MIL-DTL-85097/14D | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS) ROCKET CATAPULT MARK 1 MOD 1 (LOADED ASSEMBLY) [CUST: OS] | A 1377 | OS | 12-JUN-97 |
| | MIL-A-85097/15 NOT 1 | AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR, MARK 121 MOD 0 [CUST: OS] | A 1377 | OS | 26-SEP-91 |
| | MIL-N-85100A | NAVIGATION SET, TACTICAL AN/ASN-123 [CUST: AS] | A 5826 | AS | 30-MAR-87 |
| | MIL-C-85101 | CLOTH, WARP KNIT, ARAMID, HIGH TEMPERATURE RESISTANT [CUST: AS CT] | A 8305 | CT | 16-NOV-79 |
| | MIL-G-85103B | GUN SYSTEM, 25MM (AV-8B) [CUST: AS] | A 1005 | AS | 05-MAY-82 |
| A | MIL-DTL-85110B | BAR, REPEATABLE RELEASE HOLDBACK (RRHB), AIRCRAFT LAUNCHING, GENERAL REQUIREMENTS FOR [CUST: AS] | A 1720 | AS | 22-SEP-97 |
| | MIL-R-85111A(7) | RECOVERY ASSIST, SECURING AND TRAVERSING SYSTEM FOR LAMPS MK III HELICOPTER[CUST: AS] | A 1710 | AS | 26-OCT-92 |
| | MIL-P-85121 NOT 1 | PROJECTILES, 20MM MARK 100 SERIES [CUST: AS] | A 1305 | AS | 10-APR-87 |
| | MIL-C-85122 NOT 1 | CARTRIDGE, 20MM MARK 100 SERIES [CUST: AS] | A 1305 | AS | 10-APR-87 |
| | MIL-C-85123 NOT 1 | CONTAINER, SHIPPING AND STORAGE GUIDED MISSILE CNU-159/E [CUST: AS] | A 8140 | AS | 29-OCT-91 |
| | MIL-C-85124 NOT 1 | CONTAINER, SHIPPING AND STORAGE GUIDED MISSILE CNU-163/E [CUST: AS] | A 8140 | AS | 29-OCT-91 |
| | MIL-B-85130(1) | BEACON, UNDERWATER ACOUSTIC AIRCRAFT GENERAL SPECIFICATION FOR [CUST: AS] | A 5845 | AS | 19-MAR-82 |
| | MIL-T-85138 NOT 1 | TRANSMITTER, PULSE CODE MODULATION (FOR SECURE TELEMETRY APPLICATIONS) [CUST: AS] | A 5821 | AS | 19-JUN-87 |
| | MIL-M-85139 NOT 1 | MULTIPLEXER, PULSE CODE MODULATION [CUST: AS] | A 5821 | AS | 19-JUN-87 |
| | MIL-C-85144C | CONTROL SECTION, GUIDED MISSILE FOR AIM/RIM-7M, GUIDED MISSILE [CUST: AS] | A 1420 | AS | 22-OCT-86 |
| | MIL-R-85188A(1) | RIVETER, POWER, PNEUMATIC-HYDRAULIC BLIND RIVET INSTALLATION [CUST: AS 11] [REVIEW: 84 99 GL IS] | A 5130 | AS | 10-JAN-92 |
| | MIL-T-85230A | TARGET, TOW, AERIAL, TDU-34A/A [CUST: AS] | A 1550 | AS | 13-APR-92 |
| | MIL-T-85235 | TEST SET, RADIO SET AN/ARM 165A [CUST: AS] | A 4920 | AS | 19-JAN-79 |
| | MIL-T-85239A | TRAILER, MUNITIONS, MHU-151/M [CUST: AS] | A 2330 | AS | 20-NOV-90 |
| | MIL-S-85242A | SWITCH, STEPPING, DIRECT CURRENT, ELECTROMECHANICAL, AIRCRAFT [CUST: AS CC] | A 5930 | CC | 28-MAY-83 |
| | MIL-S-85242/1 NOT 1 | SWITCH, STEPPING, 7 LEVEL [CUST: AS CC] | A 5930 | CC | 17-OCT-91 |
| | MIL-T-85244 NOT 1 | TRANSMITTING SET, TELEMETRIC DATA AN/DKT-49(XN-1), AN/DKT-49(XN-2), AND AN/DKT-49A [CUST: AS] | A 1420 | AS | 26-SEP-91 |
| | MIL-V-85245 NOT 2 | VALVE, RELIEF, HYDRAULIC, HIGH RESPONSE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: 99] | A 1650 | AS | 18-MAY-92 |
| | MIL-V-85245/1 NOT 2 | VALVE, RELIEF, HYDRAULIC, HIGH RESPONSE, INLINE [CUST: AV AS 99] | A 1650 | AS | 19-MAY-92 |
| | MIL-V-85245/2 NOT 2 | VALVE, RELIEF, HYDRAULIC HIGH RESPONSE, CARTRIDGE TYPE [CUST: AV AS 11] [REVIEW: 99] | A 1650 | AS | 18-MAY-92 |
| | MIL-C-85248A | CAMERA, STILL PICTURE, PANORAMIC, KA-99A [CUST: AS] | A 6720 | AS | 28-NOV-84 |
| | MIL-B-85251 | BOMB, BINARY CHEMICAL, EMPTY (BLU-80/B) [CUST: AS] | A 1325 | AS | 13-JUN-81 |
| | MIL-B-85252 | BALLONET, CARTRIDGE ACTIVATED (MXU-695/B) [CUST: OS] | A 1377 | OS | 13-JUN-81 |
| | MIL-C-85253 | CODE, DETONATING [CUST: OS] | A 1377 | OS | 13-JUN-81 |
| | MIL-C-85254 | CHARGE, LINEAR SHAPED [CUST: OS] | A 1377 | OS | 13-JUN-81 |
| | MIL-M-85255 | MOTOR, HOT GAS (MAU-132A/B) [CUST: OS] | A 1377 | OS | 13-JUN-81 |
| | MIL-C-85256 | CARTRIDGE, IMPULSE, CCU-13/B [CUST: OS] | A 1377 | OS | 13-JUN-81 |
| | MIL-C-85257 | CORD ASSEMBLY, DETONATING [CUST: OS] | A 1377 | OS | 13-JUN-81 |
| | MIL-G-85258 | GENERATOR, GAS PRESSURE, PROPELLANT ACTUATED BBU-18/B [CUST: OS] | A 1377 | OS | 13-JUN-81 |
| | MIL-H-85281B | HORIZON REFERENCE SET, SHIP MOUNTED FOR LAMPS MK III HELICOPTER [CUST: AS] | A 1710 | AS | 30-AUG-91 |
| | MIL-C-85283B | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AWW-9B, P/N 1064AS4100 [CUST: AS] | A 1430 | AS | 01-SEP-94 |
| | MIL-L-85297 NOT 1 | LEAD, EXPLOSIVE MARK 24 MOD 0 MARK 25 MOD 0 [CUST: AS] | A 1336 | AS | 05-MAR-80 |
| | MIL-T-85298 | TEST SET, WEAPON CONTROL, AIRCRAFT AN/ASM-184B(V)1 AND AN/ASM-184B(V)2 [CUST: AS] | A 6625 | AS | 15-JAN-79 |
| | MIL-C-85301 NOT 1 | COMPUTER, SONAR DATA, CP-1323/AQS-13E AND MOUNTING BASE, MT-4948/AQS-13E [CUST: AS] | A 5845 | AS | 15-APR-88 |
| | MIL-D-85306A | DELAY COMPOSITION, T-10 [CUST: OS] | A 1377 | OS | 07-NOV-91 |
| | MIL-R-85308 | RECORDER REPRODUCER, ACOUSTIC AN/AQH-4-(V)2 [CUST: AS] | A 5835 | AS | 28-JUL-83 |
| | MIL-S-85309(3) | SQUIB, ELECTRIC, SINGLE BRIDGEWIRE [CUST: AS] | A 1336 | AS | 20-JAN-87 |
| | MIL-L-85314A(2) | LIGHT SYSTEMS, AIRCRAFT, ANTI-COLLISION, STROBE, GENERAL SPECIFICATION FOR [CUST: AV AS 11] | A 6220 | AS | 20-MAR-92 |
| | MIL-L-85314/1B | LIGHT SYSTEMS, AIRCRAFT, ANTI-COLLISION, STROBE, DUAL (RED AND WHITE) MODE, FUSELAGE MOUNTED [CUST: AV AS 11] | A 6220 | AS | 13-MAR-92 |
| | MIL-L-85314/2A | LIGHT SYSTEM, SUPERSONIC & SMALL SUBSONIC AIRCRAFT, ANTI COLLSTON, STROBE, RED & WHITE MODE, WING, FUSELAGE, VERTICAL STABILIZER MOUNTED [CUST: AV AS 11] | A 6220 | AS | 30-JUN-83 |
| | MIL-L-85314/4A | LIGHT SYSTEMS, SUBSONIC AIRCRAFT, ANTI COLLISION, STROBE, FUSELAGE MOUNTED RED SOURCE & WING TIP MOUNTED WHITE SOURCE [CUST: AV AS 11] | A 6220 | AS | 30-JUN-83 |
| | MIL-R-85320(1) | RACK, BOMB EJECTOR, AIRCRAFT, BRU-20, BRU-21, BRU-22, BRU-23, BRU-24 AND BRU-25 SERIES [CUST: AS] | A 1095 | AS | 19-AUG-80 |
| | MIL-C-85322B(1) | COATING, ELASTOMETRIC, POLYURETHANE, RAIN-EROSION [CUST: CR4 AS 11] [REVIEW: AV MC] | A 8010 | AS | 25-MAR-94 |
| | MIL-R-85323(1) | RACK, BOMB, MULTIPLE EJECTOR, A/A37B-6 SERIES AND TRIPLE EJECTOR, A/A37B-5 SERIES [CUST: AS] | A 1095 | AS | 20-AUG-80 |
| | MIL-R-85325(1) | RACK, BOMB EJECTOR, AIRCRAFT, AERO 27A [CUST: AS] | A 1095 | AS | 19-AUG-80 |
| | MIL-I-85326 NOT 1 | IGNITER, ROCKET MOTOR, MARK 297 MOD 0 [CUST: AS] | A 1337 | AS | 10-APR-87 |
| | MIL-S-85333 | SAFETY ARMING DEVICE MARK 33 MOD 1 [CUST: AS] | A 1336 | AS | 24-SEP-79 |
| | MIL-S-85334 | SEALING COMPOUND, NONCURING, LOW CONSISTENCY, SILICONE, GROOVE INJECTION, FOR INTEGRAL FUEL TANKS [CUST: AS] | A 8030 | AS | 21-MAY-80 |
| | DOD-L-85336A | LUBRICANT, ALL WEATHER (AUTOMATIC WEAPONS) [CUST: CR4 AS 68] [REVIEW: AR] | A 9150 | AS | 05-MAR-85 |
| | MIL-M-85337A | MANUAL, TECHNICAL, QUALITY ASSURANCE PROGRAM, REQUIREMENTS FOR [CUST: AS] | A QCIC | AS | 15-NOV-84 |
| | MIL-T-85342A | TRAILER, MUNITIONS, MHU 171A/E [CUST: AS] | A 1740 | AS | 15-OCT-85 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|------------------------|--|--------------|-----|-------------|--|-----------|
| | | | FSC/Avia | MCA | Prog. Acty. | | |
| | MIL-B-85349(1) | BOOSTER, FUZE, MARK 60 MOD 1 [CUST: AS] | A 1336 | AS | | | 19-JAN-81 |
| | MIL-I-85352(3) | INFLATOR ASSEMBLY AND GAGE ELEMENTS, PNEUMATIC PRESSURE, REMOTE CONTROL, DIRECT READING [CUST: AV AS 99] [REVIEW: GS] | A 4920 | AS | | | 14-FEB-89 |
| | MIL-I-85352/1A | INFLATOR ASSEMBLY KIT [CUST: AV AS 99] [REVIEW: GS] | A 4920 | AS | | | 17-FEB-89 |
| | MIL-I-85352/2 NOT 1 | INFLATOR ASSEMBLY REMOTE CONTROLLER ASSEMBLY [CUST: AV AS 99] [REVIEW: GS] | A 6685 | AS | | | 26-SEP-91 |
| | MIL-I-85352/3 NOT 1 | INFLATOR ASSEMBLY GAGE ELEMENTS [CUST: AV AS 99] [REVIEW: GS] | A 6685 | AS | | | 26-SEP-91 |
| | MIL-I-85352/4 NOT 1 | INFLATOR ASSEMBLY DUAL CHUCK STEM GAGE KIT [CUST: AV AS 99] [REVIEW: GS] | A 6685 | AS | | | 26-SEP-91 |
| | MIL-N-85353 | NUTS (FASTENERS), INTERNALLY THREADED, PRELOAD LOCKING, 450 DEG. F, 800 DEG. F AND 1200 DEG. F, GENERAL SPECIFICATION FOR [CUST: MI AS 11] [REVIEW: 99 AV] | A 5310 | IS | | | 15-JUL-81 |
| | MIL-N-85353/1(1) NOT 1 | NUT (FASTENER), INTERNALLY THREADED, HEXAGON, REDUCED HEIGHT 125 KSI AND 200 KSI FTU, 450 DEG. F [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5310 | IS | | | 10-JUN-94 |
| | MIL-N-85353/2A(1) | NUT, PRELOAD LOCKING, EXTENDED WASHER, HEXAGON, REDUCED HEIGHT, CRES 125 KSI 450 DEG. F AND 1200 DEG. F [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5310 | IS | | | 14-DEC-94 |
| | MIL-S-85354 | SWITCH, INERTIA, FUZE [CUST: AS] | A 1336 | AS | | | 14-NOV-80 |
| A | MIL-C-85361 NOT 1 | CARRYING CASE ASSEMBLIES, INFLATABLE LIFE RAFT [CUST: AS] | A 4220 | CC | | | 06-NOV-87 |
| | MIL-R-85363(2) | ROCKET MOTOR MARK 23 MODS 2 & 3 [CUST: AS] | A 1340 | AS | | | 16-JUL-86 |
| | MIL-P-85364A | PROPELLANT, CTBN 23-17 [CUST: AS] | A 1340 | AS | | | 23-SEP-93 |
| | MIL-I-85365A(1) | IGNITER MARK 296 MODS (LOADED ASSEMBLY) [CUST: AS] | A 1340 | AS | | | 12-DEC-85 |
| | MIL-I-85370 | IRON OXIDE, (MONOHYDRATE) YELLOW [CUST: AS] | A 6810 | AS | | | 03-FEB-87 |
| | MIL-T-85375 NOT 1 | TRANSMITTER, DIGITAL TELEMETRY [CUST: AS] | A 5821 | AS | | | 17-OCT-91 |
| | MIL-S-85376A | STAND, SHIPBOARD, HELICOPTER MAINTENANCE [CUST: AS] | A 4920 | AS | | | 01-FEB-85 |
| | MIL-S-85377A | SWITCH, STEPPING, DIRECT CURRENT, AIRCRAFT DISPENSER [CUST: AS CC] | A 5930 | CC | | | 09-FEB-83 |
| | MIL-S-85377/1A NOT 1 | SWITCH, STEPPING, ONE LEVEL, EIGHT POSITION [CUST: AS CC] | A 5930 | CC | | | 17-OCT-91 |
| A | MIL-DTL-85383A | MANUALS, TECHNICAL: AIRCRAFT STRUCTURE REPAIR; PREPARATION OF (WORK PACKAGE CONCEPT) [CUST: AS] | A TMSS | AS | | | 26-NOV-97 |
| | DOD-I-85390 NOT 1 | INDICATOR, TIME TEMPERATURE, CARD, CHEMICALLY ACTIVATED, METRIC [CUST: AS 99] | A 6695 | AS | | | 01-JUN-87 |
| | MIL-F-85399(1) | FUZE, GUIDED MISSILE, FMU-138/B [CUST: AS] | A 1336 | AS | | | 09-JUN-95 |
| | MIL-F-85400(1) | FUZE, GUIDED MISSILE, DUMMY FMU-138(D-1)/B [CUST: AS] | A 1336 | AS | | | 09-JUN-95 |
| | MIL-V-85402 | VALVE, AIR, DUAL, PYROTECHNIC ACTUATED FZU-43/B [CUST: AS] | A 1336 | AS | | | 14-NOV-80 |
| A | MIL-DTL-85405A | TRAILER, MUNITIONS, MHU-185/M [CUST: AS] | A 1740 | AS | | | 22-SEP-97 |
| | MIL-T-85413A | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 1 | A 4920 | AS | | | 23-JAN-86 |
| | MIL-T-85413/5A | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 5 [CUST: AS] | A 4920 | AS | | | 28-FEB-86 |
| | MIL-T-85413/7A | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 7 | A 4920 | AS | | | 28-FEB-86 |
| | MIL-N-85414A | NAVIGATION SET, INERTIAL AN/ASN-139 [CUST: AS] | A 5826 | AS | | | 15-NOV-90 |
| | MIL-S-85419 | STARTER AUXILIARY POWER UNIT, AIRCRAFT ENGINE, GAS TURBINE TYPE, DETAILED SPECIFICATION FOR [CUST: AS] | A 2995 | AS | | | 01-OCT-81 |
| | MIL-S-85420 | SEALING COMPOUNDS, QUICK REPAIR, LOW TEMPERATURE CURING POLYSULFIDE, FOR AIRCRAFT STRUCTURES [CUST: AS] | A 8030 | AS | | | 14-OCT-80 |
| | MIL-F-85421B SUP 1 | FITTINGS, TUBE, FLUID SYSTEMS, SEPARABLE, BEAM SEAL, 3000/4000 PSI, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR4 MI] | A 4730 | AS | | | 29-AUG-94 |
| | MIL-F-85421/1 | FITTING END, STANDARD DIMENSIONS FOR DYNAMIC BEAM SEAL, MALE [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR4 GL MI] | A 4730 | AS | | | 30-NOV-88 |
| | MIL-F-85421/2 | FITTING END, STANDARD DIMENSIONS FOR BULKHEAD, DYNAMIC BEAM SEAL, MALE [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR4 GL MI] | A 4730 | AS | | | 30-NOV-88 |
| | MIL-F-85421/3 | FITTING, TEE, REDUCER, BEAM SEAL, 3000/4000 PSI, 3 MALE ENDS [CUST: AV AS 99] [REVIEW: 82 AT CC CR4 MC MI] | A 4730 | AS | | | 15-MAY-92 |
| | MIL-F-85421/4 | FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN, SWIVEL NUT ON BRANCH [CUST: AV AS 99] [REVIEW: 82 AT CC CR4 MC MI] | A 4730 | AS | | | 15-MAY-92 |
| | MIL-F-85421/5 | FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN AND BRANCH, SWIVEL NUT ON RUN [CUST: AV AS 99] [REVIEW: 82 AT CC CR4 MC MI] | A 4730 | AS | | | 15-MAY-92 |
| | MIL-F-85421/10 | FITTING, ADAPTER, BEAM SEAL, 3000/4000 PSI, MALE TO FLARELESS [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR4 GL MI] | A 4730 | AS | | | 15-MAY-92 |
| | MIL-F-85421/11 | FITTING, UNION, BEAM SEAL, 3000/4000 PSI, MALE ENDS [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR4 MC MI] | A 4730 | AS | | | 15-MAY-92 |
| | MIL-F-85421/12 | FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, MALE TO MALE [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR4 MI] | A 4730 | AS | | | 15-MAY-91 |
| | MIL-F-85421/13 | FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, BULKHEAD, MALE ENDS [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR4 MC MI] | A 4730 | AS | | | 15-MAY-92 |
| | MIL-F-85421/14 | FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, MALE TO FEMALE [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR4 MC MI] | A 4730 | AS | | | 15-MAY-92 |
| | MIL-F-85421/15 | FITTING, ELBOW, 45 DEG., BEAM SEAL, 3000/4000 PSI, BULKHEAD, MALE ENDS [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR4 MC MI] | A 4730 | AS | | | 15-MAY-92 |
| | MIL-F-85421/16 | FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON RUN, MALE ENDS [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR4 MC MI] | A 4730 | AS | | | 15-MAY-92 |
| | MIL-F-85421/17 | FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON BRANCH, MALE ENDS [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR4 MC MI] | A 4730 | AS | | | 15-MAY-92 |
| | MIL-C-85437B | CAMERA SET, TELEVISION, AN/AXX-1 [CUST: AS] | A 5821 | AS | | | 09-FEB-89 |
| | MIL-D-85445 | DETECTING, RANGING SET AN/AAS-33A [CUST: AS] | A 5855 | AS | | | 01-JUN-82 |
| | MIL-C-85449(1) | CLAMP ASSEMBLY, SADDLE-TYPE, CUSHION, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 11 IS] | A 5340 | AS | | | 22-FEB-85 |
| | MIL-C-85449/1B | CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, NBR RUBBER, 321 CRES, 275 DEG. F, FUEL RESISTANT, GENERAL PURPOSE [CUST: AV AS 99] [REVIEW: 11 IS] | A 5340 | AS | | | 28-AUG-87 |
| | MIL-C-85449/2B | CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, EPR RUBBER, 321 CRES, 275 DEG. F, GENERAL PURPOSE [CUST: AV AS 99] [REVIEW: 11 IS] | A 5340 | AS | | | 20-OCT-87 |
| | MIL-C-85449/3B | CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, SILICONE FABRIC, REINFORCED 321 CRES, 500 DEG. F, GENERAL PURPOSE [CUST: AV AS 99] [REVIEW: 11 IS] | A 5340 | AS | | | 20-OCT-87 |
| | MIL-C-85449/4A | CLAMP ASSEMBLY, SADDLE-TYPE CUSHIONED, TEFLON, 321 CRES, -320 DEG. F TO 450 DEG. F, GENERAL PURPOSE [CUST: AV AS 99] [REVIEW: 11 82 IS] | A 5340 | AS | | | 28-AUG-87 |
| | MIL-P-85459(2) | PROBE, CRUSH SENSOR, RH, FZU-45/B AND LH, FZU-46/B AND PROBE, AIR-PRESSURE, FZU/B [CUST: AS] | A 1336 | AS | | | 01-JUN-87 |
| | MIL-B-85464 | BOOSTER, FUZE, MARK 38 MOD 2 [CUST: AS] | A 1336 | AS | | | 17-NOV-81 |
| | MIL-D-85465B | DEVICE, SAFETY & ARMING, FUZE FSU-10/A [CUST: AS] | A 1336 | AS | | | 28-FEB-88 |
| | MIL-I-85470A | INHIBITOR, ICING, FUEL SYSTEM, HIGH FLASH NATO COLD NUMBER S-1745 [CUST: CR4 AS 11] [REVIEW: 68 AV PS] | A 9150 | AS | | | 08-AUG-90 |
| | MIL-T-85472A | TEST SET, GROUP OQ-169B/DSM-96A, SPECIFICATION FOR [CUST: AS] | A 4935 | AS | | | 04-AUG-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|------------------------|--|--------------------------|--------------------|-----------|
| | MIL-F-85475(3) | FUZE, GUIDED MISSILE, FMU-141/B [CUST: AS] | A 1336 | AS | 23-JUN-95 |
| | MIL-A-85481 | ARMING WIRE ASSEMBLIES [CUST: AS] | A 1325 | AS | 21-AUG-81 |
| | MIL-P-85484 NOT 1 | POD-TRAY SUBASSEMBLY, SIMULATING SET [CUST: AS] | A 5841 | AS | 17-OCT-91 |
| | MIL-C-85485A(1) SUP 1 | CABLE, ELECTRIC, FILTER LINE, RADIO FREQUENCY ABSORPTIVE [CUST: AS 85] [REVIEW: 19] | A 6145 | AS | 15-MAR-94 |
| | MIL-C-85485/5 | CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, TIN-COATED COPPER CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C 600-VOLT [CUST: AS 85] [REVIEW: 19] | A 6145 | AS | 10-MAY-83 |
| | MIL-C-85485/6(1) | CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT [CUST: AS 85] [REVIEW: 99 CC] | A 6145 | AS | 31-JAN-84 |
| | MIL-C-85485/7 | CABLE, ELECTRIC, FILTER LINE, UNSHIELDED, UNJACKETED, MULTIPLE-COMPONENT, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT [CUST: AS 85] [REVIEW: 19] | A 6145 | AS | 10-MAY-83 |
| | MIL-C-85485/8 | CABLE, ELECTRIC, FILTER LINE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT [CUST: AS 85] [REVIEW: 19] | A 6145 | AS | 10-MAY-83 |
| | MIL-C-85485/9A | CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, TIN-COATED COPPER CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT [CUST: AS 85] [REVIEW: 19] | A 6145 | AS | 20-JUN-86 |
| | MIL-C-85485/10A | CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, SILVER-COATED HIGH-STRENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG C, 600 VOLT [CUST: AS 85] [REVIEW: 19] | A 6145 | AS | 20-JUN-86 |
| | MIL-C-85485/11 | CABLE, ELECTRIC, FILTER LINE, UNSHIELDED, UNJACKETED, MULTIPLE-COMPONENT, RADIO FREQUENCY ABSORPTIVE, 150 DEG C, 600 VOLT [CUST: AS 85] [REVIEW: 19] | A 6145 | AS | 25-APR-86 |
| | MIL-C-85485/12 | CABLE, ELECTRIC, FILTER LINE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600 VOLT [CUST: AS 85] [REVIEW: 19] | A 6145 | AS | 25-APR-86 |
| | MIL-P-85486 NOT 1 | POWER UNIT AUXILIARY, S-3A AIRCRAFT EQUIPMENT SPECIFICATION FOR [CUST: AS] | A 2840 | AS | 01-OCT-89 |
| | MIL-L-85490 | LINER, CASE, ROCKET MOTOR [CUST: AS] | A 6810 | AS | 06-OCT-81 |
| | MIL-I-85491 | INSULATION MATERIAL, POLYISOPRENE [CUST: AS] [REVIEW: MR] | A 6810 | AS | 06-OCT-81 |
| | MIL-I-85492 | IMINE CURING/BONDING AGENT [CUST: AS] | A 6810 | AS | 06-OCT-81 |
| | MIL-C-85493 | CATALYST, BURN RATE 2, 2 BIS (ETHYLFERROCENYL) PROPANE [CUST: AS] | A 6810 | AS | 06-OCT-81 |
| | MIL-D-85494 | DIOCTYL ADIPATE [CUST: AS] | A 6810 | AS | 06-OCT-81 |
| | MIL-A-85495(1) | ANTIOXIDANT, T-BUTYLPHENOL TYPE, 2, 2-METHYLENEBIS (4-METHYL-6-T-BUTYLPHENOL) [CUST: AS] | A 6810 | AS | 30-JUN-95 |
| | MIL-C-85496 | CARBON BLACK [CUST: AS] [REVIEW: MR] | A 6810 | AS | 06-OCT-81 |
| | MIL-H-85497 | HYDROXYL TERMINATED POLYBUTADIENE [CUST: AS] [REVIEW: MR] | A 6810 | AS | 06-OCT-81 |
| | MIL-C-85498 | CURING AGENTS, DIMERYL-DI-ISOCYANATE & ISOPHORONE DI-ISOCYANATE [CUST: AS] | A 6810 | AS | 06-OCT-81 |
| | MIL-P-85499 | PRIMER MATERIAL [CUST: AS] | A 6810 | AS | 06-OCT-81 |
| | MIL-Z-85500 | ZIRCONIUM CARBIDE [CUST: AS] | A 6810 | AS | 06-OCT-81 |
| | MIL-A-85501 | ANTIOXIDANT N-PHENYL-N'-CYCLOHEXYL-P-PHENYLENE DIAMINE [CUST: AS] [REVIEW: MR] | A 6810 | AS | 06-OCT-81 |
| | MIL-A-85505 | ALTIMETER, STANDBY, TYPES T & II [CUST: AS] | A 6610 | AS | 14-NOV-83 |
| | MIL-I-85506 | INDICATOR, INDICATED AIRSPEED, STANDBY TYPES I, II, & III [CUST: AS] | A 6610 | AS | 14-NOV-83 |
| | MIL-P-85511A | PANEL ASSEMBLY, TARGET, BANNER, AERIAL TDU-32 SERIES [CUST: AS] | A 6920 | AS | 05-JUN-87 |
| | MIL-T-85512(1) NOT 1 | TOW BAR AND BRIDLE ASSEMBLY, TARGET, BANNER, AERIAL, TDU-32 SERIES [CUST: AS] | A 1550 | AS | 26-SEP-91 |
| | MIL-N-85516A | NAVIGATION SET, INERTIAL AN/ASN-130A, AIRCRAFT [CUST: AS] | A 5826 | AS | 13-JUL-87 |
| | MIL-C-85518 SUP 1 | COMPUTER SET, STANDARD AIRBORNE AN/AYK-14(V) GENERAL SPECIFICATION FOR [CUST: AS] | A 7021 | AS | 14-AUG-84 |
| | MIL-C-85518/1 NOT 1 | COMPUTER SET, STANDARD AIRBORNE, CP-1501A/AYK-14(V) [CUST: AS] | A 7021 | AS | 17-OCT-91 |
| | MIL-C-85518/2 NOT 1 | COMPUTER SET, STANDARD AIRBORNE CP-1502A/AYK-14(V) [CUST: AS] | A 7021 | AS | 17-OCT-91 |
| | MIL-C-85518/3 NOT 1 | COMPUTER SET, STANDARD AIRBORNE CP-1503/AYK-14(V) [CUST: AS] | A 7021 | AS | 17-OCT-91 |
| | MIL-C-85518/4 NOT 1 | COMPUTER SET, STANDARD AIRBORNE CP-1430/AYK-14(V) [CUST: AS] | A 7021 | AS | 17-OCT-91 |
| | MIL-C-85518/5 NOT 1 | COMPUTER SET, STANDARD AIRBORNE CP-1429/AYK-14(V) [CUST: AS] | A 7021 | AS | 17-OCT-91 |
| | MIL-C-85518/6 NOT 1 | COMPUTER SET, STANDARD AIRBORNE CP-1430A/AYK-14(V) [CUST: AS] | A 7021 | AS | 17-OCT-91 |
| | MIL-C-85518/7 NOT 1 | COMPUTER SET, STANDARD AIRBORNE CP-1500B/AYK-14(V) [CUST: AS] | A 7021 | AS | 17-OCT-91 |
| | MIL-C-85518/8 NOT 1 | COMPUTER SET, STANDARD AIRBORNE CP-1539/AYK-14(V) [CUST: AS] | A 7021 | AS | 17-OCT-91 |
| | MIL-D-85520(1) | DESIGN AND INSTALLATION OF ON BOARD OXYGEN GENERATING SYSTEMS IN AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AS] | A 1660 | AS | 16-JAN-91 |
| | MIL-C-85528 SUP 1 | CONNECTOR, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, 1/4 MOUNTING PERIMETER DEVICE, TYPE III (LIGHT DUTY) [CUST: CR AS 85 CC] [REVIEW: 11 99 AR EC MI SH] | A 5935 | CC | 19-MAY-83 |
| | MIL-C-85528/1 | CONNECTOR, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, FULL MOUNTING PERIMETER DEVICE, TYPE I (HEAVY DUTY) [CUST: CR AS 85 CC] [REVIEW: 99 AR EC MI SH] | A 5935 | CC | 19-MAY-83 |
| | MIL-C-85528/2 | CONNECTOR, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, 3/4 MOUNTING PERIMETER DEVICE, TYPE II (MEDIUM DUTY) [CUST: CR AS 85 CC] [REVIEW: 99 AR EC MI SH] | A 5935 | CC | 19-MAY-83 |
| | MIL-C-85528/3 | CONNECTOR, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, 1/4 MOUNTING PERIMETER DEVICE TYPE I & II (LIGHT DUTY) [CUST: CR AS 85 CC] | A 5935 | CC | 19-MAY-83 |
| | MIL-T-85530 NOT 1 | TEST SET, TOW TARGET, A/E24T-143 [CUST: AS] | A 6625 | AS | 17-OCT-91 |
| | MIL-F-85531 | FIRING DEVICE, EXPLOSIVE ACTUATOR (CCU-74/B) [CUST: OS] | A 1377 | OS | 07-JAN-86 |
| | MIL-L-85532(1) | LOADER, WEAPONS, AIR LAUNCHED, A/32K-1D [CUST: AS] | A 1740 | AS | 10-DEC-87 |
| | MIL-R-85535(2) | RECORDER - REPRODUCER SET, DIGITAL DATA, AN/ASH-33 | A 5835 | AS | 26-AUG-86 |
| | MIL-G-85536(1) NOT 1 | GUN SYSTEM, 25-MM, AIRCRAFT A/A49E-10 [CUST: AS] | A 1005 | AS | 02-OCT-91 |
| A | MIL-DTL-85537A | TRAILER, MUNITIONS, AERO 51C [CUST: AS] | A 1740 | AS | 22-SEP-97 |
| | MIL-R-85545B | ROCKET, GTR-18A [CUST: AS] | A 1370 | AS | 30-NOV-90 |
| | MIL-L-85546B | LAUNCHER, ROCKET LMU-23A/E AND LMU-23B/E [CUST: AS] | A 1055 | AS | 30-NOV-90 |
| | MIL-I-85547B | IGNITER, PVU-3A/E AND PVU-3B/E [CUST: AS] | A 1370 | AS | 30-NOV-90 |
| | MIL-P-85548B | PROPELLANT, COMPOSITE, CAST, N-60 [CUST: AS] | A 1370 | AS | 30-NOV-90 |
| | MIL-B-85560(1) NOT 1 | BEARINGS, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN AND FLANGED, SELF-LUBRICATING; GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: 99 AR IS SH] | A 3120 | AS | 05-SEP-91 |
| | MIL-B-85560/1(1) NOT 1 | BEARING, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN, SELF-LUBRICATING, +250 DEG. F [CUST: AV AS 11] [REVIEW: 99 AR IS SH] | A 3120 | AS | 05-SEP-91 |
| | MIL-B-85560/2(1) NOT 1 | BEARING, FIBER REINFORCED PLASTIC, SLEEVE, FLANGED, SELF-LUBRICATING, +250 DEG. F [CUST: AV AS 11] [REVIEW: 99 AR IS SH] | A 3120 | AS | 05-SEP-91 |
| | MIL-P-85573(1) | POWER UNIT AIRCRAFT, AUXILIARY, GAS TURBINE GENERAL SPECIFICATIONS FOR [CUST: AS] | A 2835 | AS | 27-DEC-95 |
| | MIL-P-85576B | POWER SUPPLY PP-2581C/A [CUST: AS] | A 1440 | AS | 04-AUG-87 |
| | MIL-C-85578 | COUNTERMEASURES SET AN/DLQ-5(V) | A 5865 | AS | 16-NOV-82 |
| | MIL-C-85579 | COUNTERMEASURES SET, B BAND [CUST: AS] | A 5865 | AS | 26-MAY-83 |
| | MIL-D-85580B | DEVICE, SAFETY AND ARMING, FUZE, DUMMY, FSU-10(D-1)/A AND DEVICE, SAFETY AND ARMING, FUZE, TRAINING, FSU-10(T-1)/A [CUST: AS] | A 1336 | AS | 28-MAR-88 |
| | MIL-I-85581 | INTERVALOMETER, ROCKET LAUNCHER, REUSABLE [CUST: AS CC] | A 5930 | CC | 31-MAY-83 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-------------|----------------------|---|-----------------------|-----|-------------|-----------|
| | | | | | | |
| | MIL-I-85581/1 NOT 1 | INTERVALOMETER, ROCKET LAUNCHER, REUSABLE, NINETEEN (19) OUTPUT, DIRECT LINE OPERATED [CUST: AS CC] | A 5930 | CC | | 17-OCT-91 |
| | MIL-E-85583 | ELECTRIC POWER GENERATING CHANNEL, VARIABLE INPUT SPEED, ALTERNATING CURRENT, 400 HZ, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AS] | A 6115 | AS | | 20-FEB-87 |
| | MIL-E-85583/1 | ELECTRIC POWER GENERATING CHANNEL, VARIABLE INPUT SPEED, 2390 TO 8560 RPM, ALTERNATING CURRENT, 400 HZ, 12.5 KVA, AIRCRAFT [CUST: AS] | A 6115 | AS | | 13-MAR-87 |
| | MIL-E-85583/2 | ELECTRIC POWER GENERATING CHANNEL, VARIABLE INPUT SPEED, 12,450 TO 26,250 RPM, ALTERNATING CURRENT, 400 HZ, 40 KVA, AIRCRAFT [CUST: AS] | A 6115 | AS | | 07-NOV-86 |
| | MIL-B-85584B | BATTERY RELAY CONTROL UNIT, AIRCRAFT [CUST: AS] | A 5945 | AS | | 27-MAR-95 |
| | MIL-L-85590 | LAUNCHER, ROCKET, LAU-61C/A THERMAL PROTECTED AND LAU-68D/A THERMAL PROTECTED [CUST: AS] | A 1055 | AS | | 08-APR-85 |
| | MIL-F-85596 | FIN, RETARDER, AIR INFLATABLE BSU-85/B | A 1325 | AS | | 09-MAY-83 |
| | MIL-B-85599(1) | BOOSTER, FUZE, MARK 60MOD 2 [CUST: AS] | A 1336 | AS | | 09-OCT-86 |
| | MIL-T-85601 NOT 1 | TEST SET, INDICATOR AN/APM-433 [CUST: AS] | A 6625 | AS | | 17-OCT-91 |
| | MIL-L-85602(1) | LEAD, EXPLOSIVE MARK 28 MOD O MARK 29 MOD O [CUST: AS] | A 1336 | AS | | 25-APR-84 |
| | MIL-V-85603 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY GENERAL SPECIFICATION FOR [CUST: AS] | A 6625 | AS | | 10-AUG-89 |
| | MIL-V-85603/1 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY INTEGRAL LIGHTED, 38.10 MILLIMETERS [CUST: AS] | A 6625 | AS | | 10-AUG-89 |
| | MIL-V-85603/2 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY UNLIGHTED, 38.10 MILLIMETERS [CUST: AS] | A 6625 | AS | | 10-AUG-89 |
| | MIL-V-85603/3 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY INTEGRAL LIGHTED, 25.4 MILLIMETERS [CUST: AS] | A 6625 | AS | | 10-AUG-89 |
| | MIL-V-85603/4 | VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY, INTEGRAL LIGHTED, 38.10 MILLIMETERS, DUAL DISPLAY [CUST: AS] | A 6625 | AS | | 10-AUG-89 |
| | MIL-B-85604A | BOLT, NICKEL ALLOY 718, TENSION, HIGH STRENGTH, (125 KSI FSU & 220 KSI FTU) HIGH TEMPERATURE, SPLINE DRIVE [CUST: AV AS 11] [REVIEW: 99 AR MI] | A 5306 | IS | | 25-JAN-88 |
| | MIL-G-85613 NOT 1 | GROMMET, HARD SEAT, SWAGED, COUNTERSINK; GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: 99 AR MI] | A 5325 | IS | | 02-OCT-91 |
| | MIL-G-85613/1 NOT 1 | GROMMET, HARD SEAT, RELIABILITY AND MAINTAINABILITY (NEW CONSTRUCTION AND REPAIR) REQUIREMENTS FOR [CUST: AV AS 11] | A 5325 | IS | | 02-OCT-91 |
| | MIL-G-85613/2 NOT 1 | GROMMET, HARD SEAT, SWAGED, COUNTERSINK, QUICK-RELEASE, PANEL FASTENER [CUST: AV AS 11] | A 5325 | IS | | 02-OCT-91 |
| | MIL-G-85613/3 NOT 1 | GROMMET, HARD SEAT, SWAGED, COUNTERSINK, TENSION HEAD, PANEL FASTENER [CUST: AV AS 11 IS] | A 5325 | IS | | 02-OCT-91 |
| | MIL-N-85615(1) | NUT, SEALING, SELF-LOCKING, 250 DEG. F, 450 DEG. F GENERAL SPECIFICATION FOR [CUST: AR AS 11 IS] [REVIEW: 99 AV MI OS SH] | A 5310 | IS | | 14-DEC-94 |
| | MIL-N-85615/1 | NUT, SEALING, SELF-LOCKING, 250 DEG. F AND 450 DEG. F [CUST: AR AS 99] [REVIEW: AV MI OS SH] | A 5310 | IS | | 15-DEC-89 |
| | MIL-N-85615/2 | NUT ASSEMBLY, SELF-SEALING, FLOATING, SELF-LOCKING, 125 KSI FTU, 225 DEG. F, VARIABLE NUT HEIGHT [CUST: AR AS 99] [REVIEW: AV MI OS SH] | A 5310 | IS | | 15-DEC-89 |
| | MIL-N-85615/3 | NUT ASSEMBLY, SELF-SEALING, FLOATING, SELF-LOCKING, 125 KSI FTU, 225 DEG. F, VARIABLE NUT HEIGHT 1/64 IN. OVERSIZE (FOR REPAIR) [CUST: AR AS 99] [REVIEW: AV MI OS SH] | A 5310 | IS | | 15-DEC-89 |
| | MIL-N-85615/4 | NUT ASSEMBLY, SELF-SEALING, LOW PROFILE, FLOATING, SELF-LOCKING, 125 KSI FTU, 225 DEG. F [CUST: AR AS 99] [REVIEW: AV MI OS SH] | A 5310 | IS | | 15-DEC-89 |
| | MIL-N-85615/5 | NUT ASSEMBLY, SELF-SEALING, FLOATING, LOW PROFILE, SELF-LOCKING, 125 KSI FTU, 225 DEG. F 1/64 IN. OVERSIZE (FOR REPAIR) [CUST: AR AS 99] [REVIEW: AV MI OS SH] | A 5310 | IS | | 15-DEC-89 |
| | MIL-N-85615/6 NOT 1 | NUT ASSEMBLY, SELF-SEALING, SHEAR SLEEVE, CLOSE TOLERANCE, SELF-LOCKING, REDUCED DIAMETER SLEEVE, 125 KSI FTU, 225 DEG. F, VARIABLE NUT HEIGHT [CUST: AR AS 99 IS] [REVIEW: AV MI OS SH] | A 5310 | IS | | 10-JUN-94 |
| | MIL-N-85615/7 | NUT ASSEMBLY, SELF-SEALING, SHEAR SLEEVE, CLOSE TOLERANCE, SELF-LOCKING, REDUCED DIAMETER SLEEVE, 125 KSI FTU, 225 DEG. F, VARIABLE NUT HEIGHT, 1/64 IN. OVERSIZE (FOR REPAIR) [CUST: AR AS 99] [REVIEW: AV MI OS SH] | A 5310 | IS | | 15-DEC-89 |
| | MIL-N-85615/8 | NUT, SELF-SEALING, SELF-LOCKING, ALLOY STEEL, 125 KSI FTU, 250 DEG. F AND 450 DEG. F [CUST: AR AS 99] [REVIEW: AV MI OS SH] | A 5310 | IS | | 15-DEC-89 |
| | MIL-N-85615/9 | NUT, SELF-SEALING, SELF-LOCKING, ALUMINUM ALLOY, 60 KSI FTU, 250 DEG. F [CUST: AR AS 99] [REVIEW: AV MI OS SH] | A 5310 | IS | | 15-DEC-89 |
| | MIL-N-85615/10 | NUT, SELF-SEALING, SELF-LOCKING, CRES, 160 KSI FTU, 250 DEG. F AND 450 DEG. F [CUST: AR AS 99] [REVIEW: AV MI OS SH] | A 5310 | IS | | 15-DEC-89 |
| | MIL-C-85623(1) | CARTRIDGE, 25 MM, TARGET PRACTICE PGU-23/U [CUST: AS] | A 1305 | AS | | 12-AUG-94 |
| | MIL-C-85624 NOT 1 | CARTRIDGE, 25 MILLIMETER, PGU-20/U (API) [CUST: AS] | A 1305 | AS | | 02-OCT-91 |
| | MIL-C-85625 NOT 1 | CARTRIDGE, 25 MM, HIGH EXPLOSIVE INCENDIARY SELF-DESTRUCT, PGU-22/U [CUST: AS] | A 1305 | AS | | 02-OCT-91 |
| | MIL-I-85627(1) NOT 1 | INITIATOR, RF FILTERED, DUAL-BRIDGECORE [CUST: OS] | A 1377 | OS | | 02-OCT-91 |
| | MIL-C-85629A(1) | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AWW-13 [CUST: AS] | D 1430 | AS | | 03-NOV-95 |
| A | MIL-T-85630 NOT 1 | TUBE, MOTOR, FOR 2.75 INCH ROCKET, MARK 66 [CUST: MI OS] | A 1340 | OS | | 02-OCT-91 |
| | MIL-C-85633A | COVERALLS, FLYERS, ANTI-EXPOSURE, CWU-62/P AND CWU-74/P [CUST: AS] | A 8475 | AS | | 31-DEC-86 |
| | MIL-S-85634 NOT 1 | SEALER, HEAT, SEAM TAPE AND PATCH, ANTI-EXPOSURE COVERALL [CUST: AS] | A 3540 | AS | | 30-SEP-92 |
| | MIL-W-85635 NOT 1 | WATER TEST DEVICE, ANTI-EXPOSURE COVERALL [CUST: AS] | A 6635 | AS | | 30-SEP-92 |
| | MIL-C-85636(1) | CLOTH, KNIT, JERSEY, ARAMID [CUST: AS CT] | A 8305 | CT | | 29-AUG-86 |
| A | MIL-C-85637A NOT 2 | CLOTH, LAMINATED, FIRE RESISTANT, WATERPROOF AND MOISTURE VAPOR PERMEABLE [CUST: AS CT] | A 8305 | CT | | 18-MAR-98 |
| | MIL-C-85642 NOT 1 | COMMUNICATIONS CENTRAL AN/ASC-26 [CUST: AS] | A 5810 | AS | | 17-OCT-91 |
| | MIL-B-85643 SUP 1 | BITS, SCREWDRIVER, RIBBED GENERAL SPECIFICATION FOR [CUST: AS] | A 5120 | AS | | 18-MAR-87 |
| | MIL-B-85643/1 | BIT, SCREWDRIVER, PHILLIPS, RIBBED, CRUCIFORM, INSERT TYPE, EXTERNAL HEXAGON SHANK, MANUALLY DRIVEN | A 5120 | AS | | 18-MAR-87 |
| | MIL-B-85643/2 | BIT, SCREWDRIVER, PHILLIPS, RIBBED, CRUCIFORM, LONG SHANK, EXTERNAL HEXAGON SHANK, POWER DRIVEN | A 5120 | AS | | 18-MAR-87 |
| | MIL-B-85643/3 | BIT, SCREWDRIVER, TORQ-SET, RIBBED, OFFSET CRUCIFORM, EXTERNAL HEXAGON SHANK, POWER DRIVEN | A 5120 | AS | | 18-MAR-87 |
| | MIL-B-85643/4 | BIT, SCREWDRIVER, TORQ-SET, RIBBED, OFFSET CRUCIFORM, LONG SHANK, EXTERNAL HEXAGON SHANK | A 5120 | AS | | 18-MAR-87 |
| | MIL-B-85643/5 | BIT, SCREWDRIVER, INSERT TYPE, TORQ-SET, RIBBED, OFFSET CRUCIFORM, EXTERNAL HEXAGON SHANK, MANUALLY DRIVEN | A 5120 | AS | | 18-MAR-87 |
| | DOD-L-85645A(1) | LUBRICANT, DRY THIN FILM, MOLECULAR BONDED [CUST: CR 4 AS 11] [REVIEW: AR GS SM] | A 9150 | AS | | 18-JAN-94 |
| | MIL-C-85655 NOT 1 | CARTRIDGE, 25 MM, HIGH EXPLOSIVE INCENDIARY-TRACER MARK 210 MOD 0 [CUST: AS] | A 1305 | AS | | 02-OCT-91 |
| | MIL-C-85656 NOT 1 | CARTRIDGE, 25 MM, HIGH EXPLOSIVE INCENDIARY (M5) PGU-25/U [CUST: AS] | A 1305 | AS | | 02-OCT-91 |
| | MIL-C-85659 | CONTAINER, SHIPPING AND STORAGE, ALL UP ROUND CNU-398/E [CUST: AS] | A 8140 | AS | | 21-NOV-84 |
| | MIL-P-85661 NOT 1 | PROPELLANT EXTRUDED, 25 MM, ARMOR PIERCING INCENDIARY (API), PGU-20/U [CUST: AS] | A 1305 | AS | | 02-OCT-91 |
| | MIL-P-85662 NOT 1 | PROPELLANT, BALL, 25 MM, ARMOR PIERCING INCENDIARY (API), PGU-20/U [CUST: AS] | A 1305 | AS | | 02-OCT-91 |
| | MIL-T-85663(1) | TRANSMITTING SET, TELEMETRIC DATA, AN/AKT-22(V)6 [CUST: AS] | A 5821 | AS | | 12-OCT-90 |
| | MIL-R-85664(1) | RADIO TRANSMITTER RADIO RT-1250A/ARC [CUST: AS] | A 5821 | AS | | 07-JUL-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-R-85665 | RECEIVER-TRANSMITTER, RADIO RT-1324A/ARC, RT-1327A/ARC & RT-1407/ARC [CUST: AS] | A 5821 | AS | | 07-JUL-87 |
| | MIL-C-85666 | CONTROL, RADIO SET C-10319A/ARC, C-10776A/ARC, AND C-11131/ARC [CUST: AS] | A 5821 | AS | | 07-JUL-87 |
| M | MIL-B-85667A(1) SUP 1 | BOLT, SLEEVE, STRAIGHT SHANK, PROTRUDING AND FLUSH HEAD, GENERAL SPECIFICATION FOR [CUST: AV AS 99 IS] | A 5306 | IS | | 30-APR-98 |
| | MIL-A-85670A | ANTENNA, BROADBAND AS-3191/A, AS-3792/A, ANDAS-3793/A [CUST: AS CC] | A 5821 | CC | | 15-MAR-88 |
| | MIL-I-85671 | INDICATOR, FREQUENCY CHANNEL ID-2121A/ARC, ID-2229A/ARC, AND ID-2303/ARC | A 5821 | AS | | 07-JUL-87 |
| | MIL-A-85672 | AMPLIFIER, RADIO FREQUENCY AM-7177A/ARC [CUST: AS CC] | A 5821 | CC | | 07-JUL-87 |
| | MIL-S-85673 | SWITCHING UNIT SA-2498/ARC | A 5821 | AS | | 07-JUL-87 |
| | MIL-C-85674 | CONTROL UNITS C-11628/ARC, C-10777A/ARC AND C-11132/ARC C-10320/ARC AND C-10777/ARC | A 5821 | AS | | 07-JUL-87 |
| | MIL-F-85675 | FILTER, UHF BANDPASS F-1556/ARC [CUST: AS] | A 5821 | AS | | 07-JUL-87 |
| | MIL-L-85676(1) | LIGHTING, EMERGENCY EGRESS, SUB-ASSEMBLY [CUST: AS] | A 6220 | AS | | 05-DEC-84 |
| | MIL-M-85677 | MOUNTING, ELECTRICAL EQUIPMENT MT-6330/ARC | A 5821 | AS | | 07-JUL-87 |
| | MIL-B-85685 | BOOSTER, FULE, MARK 60 MOD 3 [CUST: AS] | A 1336 | AS | | 26-FEB-88 |
| | MIL-R-85690B | RADIO RECEIVING SET AN/ARN-146 [CUST: AS] | A 5826 | AS | | 18-JAN-91 |
| | MIL-C-85691 | CHAFF ROVING BUNDLE (TYPE RR-)/AL), GENERAL SPECIFICATION FOR [CUST: AS] | A 5865 | AS | | 12-NOV-86 |
| | MIL-C-85691/1 | CHAFF ROVING BUNDLE (TYPE RR-179/AL) [CUST: AS] | A 5865 | AS | | 12-NOV-86 |
| | MIL-R-85693/2 | RECEIVER, ADVANCED SONOBUOY COMMUNICATION LINK, AN/ARR-78(V) (2) S-3B CONFIGURATION [CUST: AS] | A 5845 | AS | | 31-OCT-86 |
| | DOD-S-85694 | SPECTROMETRIC OIL STANDARDS (METRIC) [CUST: CR4 AS 68] [REVIEW: 11 AM AV] | A 9150 | AS | | 20-OCT-86 |
| | MIL-R-85698 | RADIO SET, AN/PRC-125 (NAVY SWIMMER RADIO) [CUST: AS] | A 5821 | AS | | 19-MAR-93 |
| | MIL-C-85699 | CHAFF, COUNTERMEASURES, AIR LAUNCH, TYPE RR-)/AL GENERAL SPECIFICATION FOR [CUST: AS] | A 5865 | AS | | 13-OCT-87 |
| | MIL-C-85700 | COVERALL'S, FLYERS, SUMMER, FIRE-RESISTANT, BLUE CWU-73/P [CUST: AS CT] | A 8475 | CT | | 27-MAR-87 |
| | MIL-L-85701(1) | LINER, FLYERS ANTI-EXPOSURE COVERALL, CWU-72/P [CUST: AS] | A 8475 | AS | | 13-MAY-86 |
| | MIL-C-85704B | CLEANING COMPOUND, TURBINE ENGINE GAS PATH [CUST: AV AS 68] [REVIEW: GS MD MR] | A 6850 | AS | | 10-NOV-92 |
| | MIL-A-85705A(2) | ADHESIVE, AIRCRAFT, FOR STRUCTURAL REPAIR [CUST: AS] | A 8040 | AS | | 31-JUL-91 |
| | MIL-M-85707 NOT 1 | MANUAL, TECHNICAL, DEPOT MAINTENANCE REQUIREMENTS FOR MAINTENANCE/DEMILITARIZATION OF AIRBORNE WEAPONS (CONVENTIONAL); REQUIREMENTS FOR [CUST: AS] | A TMSS | AS | | 09-OCT-91 |
| | MIL-P-85710 | PARACHUTES, PERSONNEL, EMERGENCY ESCAPE GENERAL DESIGN SPECIFICATION FOR [CUST: AS] | A 1670 | AS | | 05-MAR-86 |
| | MIL-G-85719 | GRAIN, IGNITER [CUST: AS] | A 1337 | AS | | 19-NOV-85 |
| | MIL-F-85720 | FITTING, TUBE, FLUID SYSTEMS, SEPARABLE, HIGH PRESSURE, DYNAMIC BEAM SEAL, GENERAL SPECIFICATION FOR [CUST: AS] | A 4730 | AS | | 17-JUN-85 |
| | MIL-F-85720/1 | FITTINGS, TUBE, FLUID SYSTEMS, SEPARABLE, HIGH PRESSURE, DYNAMIC BEAM SEAL, DESIGN STANDARD FOR MALE END [CUST: AS] | A 4730 | AS | | 17-JUN-85 |
| | MIL-E-85726A | ENCLOSURE, STANDARD AVIONICS, FORCED AIR-COOLED, GENERAL SPECIFICATION FOR [CUST: AS] | A 5975 | AS | | 29-OCT-91 |
| | MIL-C-85727 | CARTRIDGE, IGNITER, MARK 164 MOD 0 [CUST: OS] | A 1377 | OS | | 08-APR-85 |
| | MIL-C-85728 | CHAFF, COUNTERMEASURES (TYPE RR-0/AL) [CUST: AS] | A 5865 | AS | | 18-MAR-87 |
| | MIL-N-85730 | NUT, SELF-LOCKING, SPLINE DRIVE, ASSEMBLED WASHER, NICKEL ALLOY 718, 220 KSI FTU, 900 DEG. F, GENERAL SPECIFICATION FOR [CUST: AV AS 11] | A 5310 | IS | | 01-FEB-88 |
| | MIL-N-85730/1 | NUT, CAPTIVE WASHER, SELF-LOCKING, NICKEL ALLOY 718, 220 KSI FTU, 900 DEGREE (12-SPLINE)WRENCHING ELEMENT [CUST: AV AS 11] | A 5310 | IS | | 01-FEB-88 |
| A | MIL-F-85731 | FASTENER, POSITIVE LOCKING, ELECTRONIC EQUIPMENT GENERAL SPEC FOR [CUST: AV AS 11] [REVIEW: IS] | A 5340 | AS | | 14-APR-86 |
| | MIL-F-85731/1B(2) | FASTENER, ELECTRONIC EQUIPMENT, POSITIVE SELF-LOCKING [CUST: CR AS 99] [REVIEW: AR AV] | A 5340 | AS | | 26-JUN-95 |
| | MIL-F-85731/2 | FASTENER, ELECTRONIC EQUIPMENT, POSITIVE SELF-LOCKING, FORCE LIMITING [CUST: CR AS 11] | A 5340 | AS | | 14-APR-86 |
| | DOD-G-85733 | GREASE, HIGH TEMPERATURE, CATAPULT SYSTEM [CUST: AS] | A 9150 | AS | | 25-APR-86 |
| | DOD-L-85734(2) | LUBRICATING OIL, HELICOPTER TRANSMISSION SYSTEM, SYNTHETIC BASE [CUST: AS] | A 9150 | AS | | 25-AUG-93 |
| | MIL-B-85735 | BALLISTIC MODIFIER LC-12-15 [CUST: AL AS] [REVIEW: 18 19 MI OS] | A 6810 | AS | | 31-MAR-85 |
| | MIL-F-85744(1) | FUZE, PROXIMITY, DISPENSER FMU-140/B [CUST: AS] | A 1325 | AS | | 07-MAY-93 |
| | MIL-P-85759 | PROPELLANT GRAIN, MARK 93 MOD 0 [CUST: AS] | A 1376 | AS | | 01-AUG-86 |
| | MIL-I-85760(1) | IGNITER, MK 304 MOD 0 [CUST: OS] | A 1340 | OS | | 18-JUL-96 |
| | MIL-L-85762A | LIGHTING, AIRCRAFT, INTERIOR, NIGHT VISION IMAGING SYSTEM (NVIS) COMPATIBLE [CUST: AV AS 11] | A 6220 | AS | | 26-AUG-88 |
| | MIL-C-85763 | COVERALL/STOWAGE BAG ASSEMBLY, FLYER'S, ANTI-EXPOSURE QUICK DONN G, CWU-G0/P [CUST: AS] | A 8475 | AS | | 20-OCT-87 |
| | MIL-DTL-85769A | ROCKET MOTOR, MK 117 MOD 0 [CUST: AS] | A 1340 | AS | | 21-JUN-96 |
| | MIL-L-85776A | LAUNCHER, ROCKET LMU-24A/E AND LMU-24B/E [CUST: AS] | A 1055 | AS | | 30-NOV-90 |
| | MIL-H-85800(1) | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, GENERAL SPECIFICATION FOR [CUST: AS] | A 4720 | AS | | 06-NOV-95 |
| | MIL-H-85800/1 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE STRAIGHT TO STRAIGHT [CUST: AS] | A 4720 | AS | | 16-MAY-88 |
| | MIL-H-85800/2 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE STRAIGHT TO 45 DEGREES [CUST: AS] | A 4720 | AS | | 16-MAY-88 |
| | MIL-H-85800/3 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE STRAIGHT TO 90 DEGREE STRAIGHT TO 45 DEGREES [CUST: AS] | A 4720 | AS | | 16-MAY-88 |
| | MIL-H-85800/4 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE 45 DEGREE TO 45 DEGREES [CUST: AS] | A 4720 | AS | | 16-MAY-88 |
| | MIL-H-85800/5 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE 45 DEGREES TO 90 DEGREES [CUST: AS] | A 4720 | AS | | 16-MAY-88 |
| | MIL-H-85800/6 | HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE 90 DEGREES TO 90 DEGREES [CUST: AS] | A 4720 | AS | | 16-MAY-88 |
| | MIL-A-85802 | ACTUATOR, ELECTROMECHANICAL, LINEAR [CUST: AS] | A 1095 | AS | | 10-OCT-86 |
| | MIL-F-85815A | FUZE, BOMB, ELECTRONIC, FMU-139A/B [CUST: AS] | D 1325 | AS | | 09-SEP-93 |
| | MIL-L-85824A(1) | LIFE RAFT, INFLATABLE, ONE-MAN, VEE BOTTOM, LRU-18/U [CUST: AS] | A 4220 | AS | | 11-MAY-90 |
| | MIL-C-85829 | COUPLING ASSEMBLY, HOSE, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE [CUST: AS] | A 4240 | AS | | 06-NOV-89 |
| | MIL-V-85830 | VENTILATOR, TACTICAL, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE [CUST: AS] | A 4240 | AS | | 06-NOV-89 |
| | MIL-M-85831 | MASK, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE, NON-OXYGEN [CUST: AS] | A 4240 | AS | | 06-NOV-89 |
| | MIL-I-85832 | INTERCOM, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE SET [CUST: AS] | A 5965 | AS | | 06-NOV-89 |
| | MIL-P-85833 | PROTECTIVE ASSEMBLY, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL [CUST: AS] | A 4240 | AS | | 06-NOV-89 |
| | MIL-I-85843A | INTERCOMMUNICATIONS SET, AN/AIC-14A R/T INTERPHONE CONTROL PANEL C-4949/AIC-14A [CUST: AS] | A 5831 | AS | | 14-NOV-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|----------------------|--|-----------------------|-----------------|-----------|
| MIL-I-85844A | INTERCOMMUNICATION SET, AN/AIC-14 ACTIVE INTERPHONE CONTROL PANEL C-2646/AIC-14 GENERAL SPECIFICATION FOR [CUST: AS] | A 5831 | AS | 14-NOV-90 |
| MIL-I-85844/1A | INTERCOMMUNICATION SETS, AN/AIC-14 AMPLIFIER MODULE [CUST: AS] | A 5831 | AS | 14-NOV-90 |
| MIL-I-85845A | INTERCOMMUNICATION SETS, AN/AIC-14A MASTER INTERPHONE CONTROL PANEL C-2645D/AIC-14 GENERAL SPECIFICATION FOR [CUST: AS] | A 5831 | AS | 14-NOV-90 |
| MIL-I-85845/1A | INTERCOMMUNICATION SETS, AN/AIC-14A AMPLIFIER MODULE [CUST: AS] | A 5831 | AS | 14-NOV-90 |
| MIL-I-85845/2A | INTERCOMMUNICATION SETS, AN/AIC-14A VOX MODULE [CUST: AS] | A 5831 | AS | 14-NOV-90 |
| MIL-I-85845/3A | INTERCOMMUNICATION SETS, AN/AIC-14A FILTER MODULE [CUST: AS] | A 5831 | AS | 14-NOV-90 |
| MIL-I-85846A | INTERCOMMUNICATIONS SET, AN/AIC-14A AUDIO FREQUENCY AMPLIFIER AM-3889/AIC-14A GENERAL SPECIFICATION FOR [CUST: AS] | A 5831 | AS | 14-NOV-90 |
| MIL-I-85846/1A | INTERCOMMUNICATION SETS, AN/AIC-14A MICROPHONE MIXING MODULE [CUST: AS] | A 5831 | AS | 14-NOV-90 |
| MIL-I-85846/2A | INTERCOMMUNICATION SETS, AN/AIC-14A DUAL OUTPUT AMPLIFIER MODULE [CUST: AS] | A 5831 | AS | 14-NOV-90 |
| MIL-S-85848 | SLEEVEING, FOR IDENTIFICATION MARKING, HEAT SHRINKABLE, GENERAL SPECIFICATION FOR [CUST: AS] | A 5970 | AS | 01-MAY-87 |
| MIL-S-85848/1(1) | SLEEVEING, FOR IDENTIFICATION MARKING HEAT SHRINKABLE, POLYOLEFIN, FLEXIBLE [CUST: AS] | A 5970 | AS | 05-OCT-87 |
| MIL-S-85848/2(1) | SLEEVEING, FOR IDENTIFICATION MARKING, HEAT SHRINKABLE, POLYVINYLIDE FLUORIDE, FLEXIBLE [CUST: AS] | A 5970 | AS | 05-OCT-87 |
| MIL-V-85855 | VALVE, QUICK DISCONNECT, FOR THE PROTECTIVE ASSEMBLY, CHEMICAL, BIOLOGICAL, RADIOLOGICAL, (CBR) A/P22P-9(V) [CUST: AS] | A 4240 | AS | 06-NOV-89 |
| MIL-P-85856(2) SUP 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, GENERAL SPECIFICATION FOR [CUST: MR AS 11] [REVIEW: 71 99 GS SH] | A 3439 | AS | 18-JAN-91 |
| MIL-P-85856/1 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-ALUMINUM, TYPE I, CLASS 2, COMPOSITION G [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/2 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM-BRONZE, TYPE I, CLASS 2, COMPOSITION F [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/3 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM-BRONZE, TYPE I, CLASS 1, COMPOSITION F [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/4 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM SILICON ALLOY, TYPE I, CLASS 2, COMPOSITION E [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/5 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM (CP), TYPE I, CLASS 2, COMPOSITION D [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/6 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT BASE, TYPE I, CLASS 2, COMPOSITION C [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/7 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL CHROMIUM ALLOY, TYPE I, CLASS 1, COMPOSITION B [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/8 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL CHROMIUM ALLOY, TYPE I, CLASS 2, COMPOSITION B [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/9 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS PURE MOLYBDENUM, TYPE I, CLASS 2, COMPOSITION A [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/10 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-ALUMINUM, TYPE I, CLASS 2, COMPOSITION H [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/11 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS PURE NICKEL, TYPE I, CLASS 1, COMPOSITION J [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/12 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL BASE ALLOY, TYPE I, CLASS 1, COMPOSITION K [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/13 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL BASE ALLOY, TYPE I, CLASS 2, COMPOSITION K [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/14 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TYPE 316 STAINLESS STEEL, TYPE I, CLASS 2, COMPOSITION M [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/15 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM-BORON, TYPE I, CLASS 1, COMPOSITION N [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/16 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM, TYPE I, CLASS 1, COMPOSITION P [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/17 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT-CHROMIUM-TUNGSTEN, TYPE I, CLASS 2, COMPOSITION R [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/18 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT-CHROMIUM-NICKEL-TUNGSTEN, TYPE I, CLASS 1, COMPOSITION S [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/19 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COPPER-NICKEL, TYPE I, CLASS 2, COMPOSITION T [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/20 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM ALLOY, TYPE I, CLASS 1, COMPOSITION U [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/21 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM-ALUMINUM, TYPE I, CLASS 2, COMPOSITION V [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/22 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS SILICON-ALUMINUM PLUS POLYMER, TYPE I, CLASS 1, COMPOSITION W [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/23 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROME-ALUMINUM-IRON-MOLYBDENUM, TYPE I, CLASS 2, COMPOSITION DD [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/24 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE I, CLASS 1, COMPOSITION AA [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/25 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM-ALUMINUM-NICKEL ALLOY, TYPE I, CLASS 2, COMPOSITION BB [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/26 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COPPER-ALUMINUM COMPOSITE, TYPE I, CLASS 2, COMPOSITION EE [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/27 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM-NICKEL-ALUMINUM, TYPE I, CLASS 2, COMPOSITION FF [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/28 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CARBON STEEL-MOLYBDENUM-ALUMINUM, TYPE I, CLASS 2, COMPOSITION GG [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/29 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS IRON-MOLYBDENUM-ALUMINUM, TYPE I, CLASS 2, COMPOSITION HH [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/30 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE II, CLASS 1, COMPOSITION A [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |
| MIL-P-85856/31 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE II, CLASS 2, COMPOSITION A [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | 29-OCT-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-P-85856/32 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE, TYPE II, CLASS 1, COMPOSITION B [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-P-85856/33 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE, TYPE II, CLASS 2, COMPOSITION B [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-P-85856/34 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM OXIDE, TYPE II, CLASS 1, COMPOSITION D [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-P-85856/35 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINA-TITANIA, TYPE II, CLASS 1, COMPOSITION E [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-P-85856/36 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM OXIDE, TYPE II, CLASS 1, COMPOSITION F [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-P-85856/37 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MAGNESIUM ZIRCONATE, TYPE II, CLASS 1, COMPOSITION G [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-P-85856/38 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ZIRCONIUM OXIDE, TYPE II, CLASS 2, COMPOSITION H [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-P-85856/39 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE PLUS NICKEL CHROMIUM ALLOY (FINE), TYPE III, COMPOSITION C [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-P-85856/40 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE II, CLASS 2, COMPOSITION J [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-P-85856/41 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, TUNGSTEN CARBIDE PLUS NICKEL ALUMINUM COMPOSITE, SELF-FLUXING ALLOY, TYPE III, COMPOSITION L [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-P-85856/42 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, CHROMIUM CARBIDE PLUS NICKEL CHROMIUM ALLOY (COARSE), TYPE III, COMPOSITION N [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-P-85856/43 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, MAGNESIUM ZIRCONATE PLUS NICKEL ALUMINUM COMPOSITE, TYPE III, COMPOSITION P [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-P-85856/44 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, MAGNESIUM ZIRCONATE PLUS NICKEL CHROMIUM ALLOY, TYPE III, COMPOSITION R [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-P-85856/45 NOT 1 | POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, COMPOSITE BLEND, TYPE III, COMPOSITION S [CUST: MR AS 11] [REVIEW: 71 99 SH] | A 3439 | AS | | 29-OCT-91 |
| | MIL-D-85866 | DELAY COMPOSITION, Z-1 [CUST: OS] | A 1377 | OS | | 15-OCT-90 |
| | MIL-C-85868/1 | GUIDANCE SECTION, GUIDED WEAPON MK 71 MOD 0 [CUST: AS] | A 1325 | AS | | 13-JUL-88 |
| | MIL-C-85868/2 | GUIDANCE SECTION, GUIDED WEAPON MK 71 MOD 1 [CUST: AS] | A 1325 | AS | | 13-JUL-88 |
| | MIL-C-85868/3 | GUIDANCE SECTION, GUIDED WEAPON MK 71 MOD 2 [CUST: AS] | A 1325 | AS | | 13-JUL-88 |
| | MIL-C-85872 | CONVERTER-DISPLAY CV-3252/A [CUST: AS] | A 5836 | AS | | 22-FEB-88 |
| | MIL-R-85880 | ROCKET, JET ASSISTED TAKE OFF (JATO) PROPULSION SYSTEM, GENERAL DEVELOPMENT SPECIFICATION FOR [CUST: AS] | A 1340 | AS | | 12-APR-88 |
| | MIL-A-85881 | AMPLIFIER, A7 NOSE GEAR STEERING [CUST: AS] | A 1620 | CC | | 05-JAN-88 |
| | MIL-I-85889 | IGNITER, JET ASSISTED TAKE OFF (JATO) PROPULSION SYSTEM GENERAL DEVELOPMENT SPECIFICATION FOR [CUST: AS] | A 1340 | AS | | 12-APR-88 |
| | MIL-P-85891A(1) | PLASTIC MEDIA, FOR REMOVAL OF ORGANIC COATINGS [CUST: AV AS 99] [REVIEW: 84] | A 5350 | AS | | 19-DEC-94 |
| | MIL-S-85892 | SIMULATOR, SURFACE-TO-AIR MISSILE (SMOKEY SAM SIMULATOR) SMU-124/E [CUST: AS] | A 1370 | AS | | 30-NOV-90 |
| | MIL-R-85895(1) | RACK, BOMB EJECTOR, AIRCRAFT BRU-32/A [CUST: AS] | A 1095 | AS | | 18-MAR-91 |
| | MIL-L-85896(1) | LADDER, AIRCRAFT MAINTENANCE, ALUMINUM, THREE-WAY COMBINATION (STEP, STRAIGHT AND EXTENSION), GENERAL SPECIFICATION FOR [CUST: AS] | A 5440 | AS | | 14-APR-93 |
| | MIL-F-85899 | FUEL GELLING MIXTURE [CUST: AS] | A 1325 | AS | | 24-JUN-88 |
| | MIL-B-87002C | BATTING, SYNTHETIC FIBERS, QUILTED, ARAMID [CUST: NU 99 CT] [REVIEW: 45 82 MC SH] | A 8320 | CT | | 10-DEC-92 |
| | MIL-S-87005D | SKIRT, WOMAN'S, DRESS (CG) [CUST: NU CT] | A 8410 | CT | | 13-MAY-93 |
| | MIL-N-87007B | NECKTIE, WOMAN S (CG) [CUST: NU CT] [REVIEW: CG] | A 8445 | CT | | 13-APR-88 |
| | MIL-C-87010D | COAT, WOMAN'S, DRESS, (COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8410 | CT | | 10-SEP-91 |
| | MIL-S-87012D | SLACKS, WOMAN'S, DRESS (CG) [CUST: NU CT] | A 8410 | CT | | 13-AUG-88 |
| | MIL-S-87013D | SLACKS, WOMAN'S, UNDRRESS [CUST: NU CT] [REVIEW: CG] | A 8410 | CT | | 03-MAR-92 |
| | MIL-C-87014B | CAP, GARRISON, WOMAN'S (COAST GUARD) [CUST: NU CT] [REVIEW: CG] | A 8410 | CT | | 21-MAY-90 |
| | MIL-C-87019A | CLOTH, NONWOVEN, DISPOSABLE, SPUNBONDED OLEFIN (COATED AND UNCOATED) [CUST: NU CT] [REVIEW: 45 SH] | A 8305 | CT | | 06-MAY-82 |
| | MIL-J-87024(1) | JACKET, INSECT REPELLENT [CUST: NU CT] [REVIEW: 45 AS CG MC MS YD1] | A 8415 | CT | | 09-MAY-84 |
| | MIL-C-87025 | CLOTH, NETTING, COTTON AND POLYESTER [CUST: NU CT] | A 8305 | CT | | 20-SEP-76 |
| | MIL-C-87026A | COAT, MAN'S, POLYESTER/WOOL, SERGE (COAST GUARD) [CUST: NU CT] | A 8405 | CT | | 25-JUL-88 |
| | MIL-M-87033A | MITTEN SET, EXTREME COLD WEATHER [CUST: GL NU CT] | A 8415 | CT | | 16-APR-87 |
| | MIL-J-87035D | JUMPER, MAN'S (BLUE, DRESS) [CUST: NU CT] | A 8405 | CT | | 04-AUG-94 |
| | MIL-J-87037D | JUMPER, MAN S, WHITE [CUST: NU CT] | A 8405 | CT | | 27-SEP-83 |
| | MIL-T-87038D | TROUSERS, MEN'S (BLUE, ENLISTED) [CUST: NU CT] | A 8405 | CT | | 21-MAY-90 |
| | MIL-N-87042C | NECKERCHIEF (ACETATE BLACK) [CUST: NU CT] | A 8440 | CT | | 08-FEB-88 |
| | MIL-S-87046A | SHIRT, UTILITY, MAN S, POLYESTER/COTTON (CG) [CUST: SA CT] [REVIEW: 45 CG] | A 8405 | CT | | 11-DEC-86 |
| | MIL-T-87047A | TROUSERS, MEN S POLYESTER/WOOL GABARDINE (CG) [CUST: NU CT] [REVIEW: CG] | A 8405 | CT | | 20-JAN-87 |
| | MIL-C-87052B | CLOTH, TWILL, POLYESTER, WHITE [CUST: NU CT] | A 8305 | CT | | 14-MAY-90 |
| | MIL-S-87053C | SKIRT, WOMAN'S, BELTED [CUST: NU CT] | A 8410 | CT | | 08-AUG-88 |
| | MIL-S-87054C | SLACKS, WOMEN'S, BELTED [CUST: NU CT] | A 8410 | CT | | 29-SEP-88 |
| | MIL-S-87055B(1) | SHIRT, WOMAN S, DRESS, WHITE (SHORT SLEEVE) [CUST: NU CT] | A 8410 | CT | | 26-MAY-88 |
| | MIL-S-87056A | SHIRT, WOMAN S, DRESS, BLUE (LONG SLEEVE) [CUST: SA CT] [REVIEW: 45] | A 8410 | CT | | 27-NOV-85 |
| A | MIL-S-87056A(11) | SHIRT, WOMAN'S DRESS BLUE (LONG SLEEVE) [CUST: NU CT] | A 8410 | CT | | 08-DEC-97 |
| | MIL-C-87059A | CLOTH, KNITTED, NYLON, TRICOT [CUST: NU CT] | A 8305 | CT | | 06-FEB-89 |
| | MIL-S-87060B | SHIRTS, UTILITY, MENS, CHAMBRAY [CUST: NU CT] [REVIEW: 45] | A 8405 | CT | | 19-FEB-88 |
| | MIL-S-87061C | SHIRTS, UTILITY, WOMENS CHAMBRAY [CUST: NU CT] | A 8410 | CT | | 19-FEB-88 |
| | MIL-T-87062B | TROUSERS, UTILITY, MENS, DENIM [CUST: NU CT] [REVIEW: 45] | A 8405 | CT | | 22-SEP-87 |
| | MIL-S-87063B | SLACK, UTILITY, WOMENS, DENIM [CUST: SA CT] | A 8410 | CT | | 11-JUN-84 |
| | MIL-C-87064B | CLOTH, DENIM, COTTON/POLYESTER [CUST: NU CT] | A 8305 | CT | | 19-MAY-92 |
| | MIL-C-87065A | CLOTH, CHAMBRAY, POLYESTER AND COTTON [CUST: NU CT] | A 8305 | CT | | 13-FEB-86 |
| | MIL-G-87066A | GLOVES, CHEMICAL AND OIL PROTECTIVE [CUST: GL NU CT] [REVIEW: 45 EA MD] | A 8415 | CT | | 22-SEP-88 |
| | MIL-B-87068(1) | BOOT, SAFETY (NONSPARKING) [CUST: NU 99 CT] [REVIEW: 45 82 AS CG MS OS YD1] | A 8430 | CT | | 18-FEB-82 |
| | MIL-I-87070 | INSIGNIA, RANK, OFFICERS, SHOULDER MARK, NAVY (EMBROIDERED) [CUST: NU CT] | A 8455 | CT | | 10-DEC-80 |
| | MIL-C-87074B | CLOTH, TWILL, ACETATE [CUST: NU CT] | A 8305 | CT | | 20-MAR-91 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|--------------------------|--|-----------------------|-----------------|-----------|
| MIL-F-87075B | FOAM-IN-PLACE PACKAGING SYSTEM FOR SHIPBOARD USE [CUST: SA] | A 3540 | SA | 26-OCT-84 |
| MIL-G-87077A | GLOVE, FIREMENS, ALUMINIZED, PROXIMITY [CUST: GL NU 99 CT] [REVIEW: 11 45 82 CG MD SH] | A 8415 | CT | 03-APR-87 |
| MIL-P-87089 | PALLETS, MATERIAL HANDLING, MOLDED WOOD PARTICLES 40 X 48 INCH, 4-WAY [CUST: SA] | A 3990 | SA | 30-NOV-81 |
| MIL-S-87091C | SHIRT, WOMAN'S, OPEN NOTCH COLLAR [CUST: NU CT] | A 8410 | CT | 14-SEP-88 |
| MIL-C-87093B | COVERALLS, FLAME RESISTANT (ARAMID) [CUST: NU CT] [REVIEW: MC] | A 8415 | CT | 29-JUN-88 |
| MIL-I-87097A | INSIGNIA, EMBROIDERED (COAST GUARD) [CUST: NU CT] | A 8455 | CT | 18-MAY-92 |
| MIL-P-87098 | PARKA, WET WEATHER [CUST: NU CT] | A 8405 | CT | 14-OCT-87 |
| MIL-T-87099 | TROUSERS, WET WEATHER [CUST: NU CT] [REVIEW: CG YD1] | A 8405 | CT | 14-OCT-87 |
| MIL-C-87104 NOT 1 | COAXIAL ASSEMBLIES, GENERAL SPECIFICATION FOR [CUST: 85 CC] | A 5985 | CC | 21-JAN-92 |
| MIL-C-87104/1 NOT 1 | COAXIAL ASSEMBLIES, TNC TYPE (0.03 TO 12 GHZ) [CUST: 85 CC] | A 5985 | CC | 21-JAN-92 |
| MIL-C-87104/2 NOT 1 | COAXIAL ASSEMBLIES, TNC TYPE (0.03 TO 18 GHZ) [CUST: 85 CC] | A 5985 | CC | 21-JAN-92 |
| MIL-P-87107C | PROPELLANT, HIGH DENSITY SYNTHETIC HYDROCARBON TYPE, GRADE JP-10 [CUST: AS 11] [REVIEW: 68] | A 9135 | 11 | 21-FEB-89 |
| MIL-R-87120A(1) NOT 2 | RODS, PULTRUDED, GRAPHITE FIBER REINFORCED, PROCESSING OF [CUST: 11] [REVIEW: MR] | A CMPS | 11 | 30-MAY-91 |
| MIL-W-87127(1) NOT 2 | WEBBING, TEXTILE, TUBULAR, PARA-ARAMID, INTERMEDIATE MODULUS [CUST: 11 CT] [REVIEW: 31 45 82 99] | A 8305 | CT | 24-AUG-90 |
| MIL-T-87128(3) | THREAD, PARA-ARAMID, INTERMEDIATE MODULUS [CUST: 11 CT] [REVIEW: 31 45 82 99] | A 8305 | CT | 25-AUG-88 |
| MIL-T-87130(2) NOT 2 | TAPE AND WEBBING, TEXTILE, PARA-ARAMID, INTERMEDIATE MODULUS [CUST: 11 CT] [REVIEW: 31 45 82 99] | A 8315 | CT | 24-AUG-90 |
| MIL-B-87146 NOT 1 | BEARINGS, PULLEYS, AND CABLES (REQUESTS FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT PATTERSON AFB OH 45433-6503) [CUST: 11] | D 31GP | 11 | 07-FEB-86 |
| MIL-C-87156 NOT 1 | CLOTH, PARACHUTE, ARAMID, INTERMEDIATE MODULUS [CUST: GL AS 11] [REVIEW: 99] | A 8305 | CT | 27-MAR-87 |
| MIL-D-87157(1) NOT 1 | DISPLAYS, DIODE, LIGHT EMITTING, SOLID STATE, GENERAL SPECIFICATION FOR [CUST: CR 85 CC] [REVIEW: 13 17 19 SM] | A 5961 | CC | 15-DEC-88 |
| MIL-D-87157/1(2) | DISPLAYS, DIODE, LIGHT EMITTING, SOLID STATE, RED, NUMERIC AND HEXADECIMAL, WITH ON BOARD DECODER/DRIVER [CUST: CR 17 CC] | A 5980 | CC | 26-MAR-97 |
| MIL-D-87157/2 | DISPLAYS, DIODE, LIGHT EMITTING, SOLID STATE, RED, ALPHANUMERIC, WITH ON BOARD DECODER/DRIVER [CUST: CR 85] | A 5980 | CC | 26-OCT-87 |
| MIL-D-87157/3A | DISPLAYS, DIODE, LIGHT EMITTING, SOLID STATE, RED, ALPHANUMERIC, WITH ON BOARD DECODER/DRIVER [CUST: CR 85] | A 5980 | CC | 02-FEB-89 |
| MIL-C-87160A NOT 1 | COAT, WOMAN'S (PANTS SUIT) [CUST: 11 CT] [REVIEW: 99] | A 8410 | 45 | 18-MAR-88 |
| A MIL-DTL-87161A | WIRE STRAND, NONFLEXIBLE, FOR AIRCRAFT APPLICATION [CUST: AV AS 99 IS] [REVIEW: 11] | A 4010 | IS | 15-AUG-97 |
| MIL-B-87162A | BAFFLE MATERIAL, EXPLOSION SUPPRESSION, EXPANDED ALUMINUM MESH, FOR AIRCRAFT FUEL TANKS [CUST: 11] [REVIEW: 99] | A 1560 | 11 | 04-MAR-94 |
| A MIL-C-87164(3) SUP 1 | CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY, GENERAL SPECIFICATION FOR [CUST: 19 CC] [REVIEW: 11 CC] | A 5910 | CC | 07-AUG-89 |
| A MIL-C-87164/1(1) NOT 1 | CAPACITORS, FIXED MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS04 [CUST: 19 CC] [REVIEW: 11 CC] | A 5910 | CC | 07-AUG-89 |
| A MIL-C-87164/2 NOT 1 | CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS05 [CUST: 19 CC] [REVIEW: 11 CC] | A 5910 | CC | 07-AUG-89 |
| A MIL-C-87164/3 NOT 1 | CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS06 [CUST: 19 CC] [REVIEW: 11 CC] | A 5910 | CC | 07-AUG-89 |
| A MIL-C-87164/4 | CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS07 [CUST: 19 CC] [REVIEW: 11 CC] | A 5910 | CC | 23-JUN-86 |
| A MIL-C-87164/5(1) | CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS03 [CUST: 19 CC] [REVIEW: 11 CC] | A 5910 | CC | 07-AUG-89 |
| MIL-C-87165 NOT 1 | COLLAR, JACKET, DETACHABLE CWU-63/P [CUST: 11 CT] [REVIEW: 45 82 99] | A 8315 | CT | 30-SEP-88 |
| A MIL-B-87167 NOT 2 | BELT, AIRCRAFT SAFETY, HBU-12/A [CUST: 99] [REVIEW: 11] | A 1680 | 82 | 16-JUN-97 |
| MIL-F-87168(2) | FIRE AND EXPLOSION HAZARD PROTECTION SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR (CONTROLLED DISTRIBUTION) [CUST: 11] | D SAFT | 11 | 15-OCT-92 |
| MIL-H-87174 | HELMET, FLYERS HGU-55/P [CUST: 99] [REVIEW: 11 31 45] | A 8475 | 82 | 25-OCT-83 |
| MIL-L-87177A(1) | LUBRICANTS, CORROSION PREVENTIVE COMPOUND, WATER DISPLACING, SYNTHETIC [CUST: CR4 AS 11 GS] [REVIEW: 68 AR EC] | A 9150 | 70 | 28-FEB-91 |
| MIL-C-87178(1) NOT 1 | CLOTH, COATED, NYLON, POLYURETHANE COATED [CUST: 11 CT] [REVIEW: 18] | A 8305 | CT | 28-APR-88 |
| MIL-C-87180 NOT 1 | CLOTH, PARACHUTE STRETCH AND RIPSTOP [CUST: GL AS 11] [REVIEW: 31 45 82 99 MD OS SH] | A 8305 | CT | 30-JUL-87 |
| MIL-P-87210(1) | PNEUMATIC POWER SYSTEMS, HIGH PRESSURE (CONTROLLED DISTRIBUTION) [CUST: 11] | B 1650 | 11 | 15-APR-86 |
| MIL-S-87214B | SHIRT, MAN'S: SHORT AND LONG SLEEVES POLYESTER/COTTON (DURABLE PRESS) AND LONG SLEEVES, POLYESTER/WOOL [CUST: 11 CT] [REVIEW: 45 82 99 CG] | A 8405 | CT | 20-NOV-92 |
| MIL-C-87217(4) | CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC FILM DIELECTRIC, DIRECT CURRENT FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 AR AS CG MC MI NA OS SH] | A 5910 | CC | 23-FEB-94 |
| MIL-C-87217/1(1) NOT 1 | CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC DIELECTRIC, DIRECT CURRENT, FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY, STYLES CHS01, CHS02, AND CHS03 [CUST: CR EC 85] [REVIEW: 17 19 AR AS CG MC MI OS SH] | A 5910 | CC | 28-OCT-94 |
| A MIL-DTL-87218A | CABLE, LOCKCLAD, FOR AIRCRAFT CONTROL [CUST: AV AS 99 IS] [REVIEW: SH] | A 4010 | IS | 15-AUG-97 |
| MIL-M-87222(2) | MECHANICAL SYSTEMS FOR AIRCRAFT DOORS AND CANOPIES (CONTROLLED DISTRIBUTION) [CUST: 11] | D 1560 | 11 | 31-JUL-87 |
| MIL-N-87224 NOT 1 | NECK TAB, WOMEN'S SHIRTS [CUST: 11 CT] [REVIEW: 45 82 99] | A 8445 | CT | 14-FEB-89 |
| MIL-S-87225A | SHIRTS, WOMEN'S: SHORT AND LONG SLEEVES, POLYESTER/COTTON (DURABLE PRESS) AND LONG SLEEVES, POLYESTER/WOOL [CUST: 11 CT] [REVIEW: 45 82 99] | A 8410 | CT | 07-MAY-90 |
| MIL-H-87227(3) | HYDRAULIC POWER SYSTEMS (CONTROLLED DISTRIBUTION) [CUST: 11] | D 1650 | 11 | 31-JUL-87 |
| MIL-A-87229(1) | AUXILIARY POWER SYSTEMS, AIRBORNE (CONTROLLED DISTRIBUTION) [CUST: 11] | D 2835 | 11 | 15-APR-86 |
| MIL-C-87230A | COVERALLS, FLYER'S, CWU-64/P [CUST: NU 11 CT] [REVIEW: 45 82 99] | A 8415 | CT | 31-OCT-89 |
| MIL-I-87239 | INSTALLATION, ENGINE [CUST: 11] | A 2840 | 11 | 20-DEC-85 |
| MIL-F-87246(1) | FUEL SERVICING SYSTEMS, AIRCRAFT GROUND, MOBILE (CONTROLLED DISTRIBUTION) [CUST: 11] | D 4930 | 11 | 30-NOV-92 |
| MIL-J-87250 | JACKET, MAN'S: LIGHTWEIGHT WITH REMOVABLE LINER [CUST: 11 CT] | A 8405 | CT | 04-NOV-88 |
| MIL-J-87251 | JACKET, WOMAN'S: LIGHTWEIGHT WITH REMOVABLE LINER [CUST: 11 CT] | A 8410 | CT | 04-NOV-88 |
| A MIL-B-87258 | BAG, SLEEPING, ARCTIC SURVIVAL, PRESSURE/VACUUM PACKED [CUST: 99 CT] [REVIEW: 31 45] | A 8465 | CT | 02-AUG-91 |
| MIL-R-87259 | REPAIR SET, AIRCRAFT A/E24M-41 [CUST: 11] [REVIEW: 80 99] | A 4920 | 11 | 02-AUG-91 |
| MIL-C-87261 | CLOTH, LAMINATED, POLYBENZIMIDAZOLE/ARAMID SUBSTRATE, ACTIVATED CARBON SPHERE, FIRE RESISTANT AND CHEMICAL PROTECTIVE [CUST: 99 CT] [REVIEW: 31 45 82] | A 8305 | CT | 11-FEB-92 |
| MIL-C-87262 | CLOTH, PLAIN WEAVE, POLYBENZIMIDAZOLE/ARAMID BLEND [CUST: 99 CT] [REVIEW: 31 45 82 NU] | A 8305 | CT | 11-FEB-92 |
| MIL-C-87263 | CLOTH, KNIT, JERSEY, POLYBENZIMIDAZOLE/ARAMID BLEND [CUST: 99 CT] [REVIEW: 31 45 82] | A 8305 | CT | 11-FEB-92 |
| A MIL-H-87819/2 | HEADSET-ELECTRICAL, HEARING PROTECTIVE TYPE HIGH AMBIENT NOISE LEVELS, 105-125 DB M87819/2-01 [CUST: 85 CC] | A 5965 | CC | 11-MAR-85 |
| A MIL-H-87819/3 | HEADSET-NONELECTRICAL, HEARING PROTECTIVE TYPE HIGH AMBIENT NOISE LEVELS, 105-125 DB M87819/3-01 [CUST: 85 CC] | A 5965 | CC | 11-MAR-85 |
| DOD-D-87934 NOT 1 | DESICCANT, MOLECULAR SIEVE (IMPREGNATED) (METRIC) [CUST: 68 GS] [REVIEW: 11 AS MC OS SH YD1] | A 6850 | GS | 27-APR-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|----------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/area | MCA | Prep. Acty. | Date |
| | DOD-F-87935(3) NOT 1 | FLUID, MAGNETIC PARTICLE INSPECTION, SUSPENSION MEDIUM (METRIC) [CUST: AV AS 68] [REVIEW: 11 AS MC OS SH YD1] | A 6850 | GS | | 27-APR-93 |
| | DOD-F-87935(14) | FLUID, MAGNETIC PARTICLE INSPECTION, SUSPENSION MEDIUM (METRIC) [CUST: 68] [REVIEW: 11 GS SH] | A 6850 | 68 | | 01-JUN-88 |
| | MIL-P-87938 | PEROXIDE, METHYL ETHYL KETONE, TECHNICAL [CUST: AR OS 68] [REVIEW: AS GL] | A 6810 | GS | | 16-NOV-84 |
| | MIL-M-87958(1) | MARKERS BLANKS, PRESSURE SENSITIVE ADHESIVE WIRE OR CABLE MARKER AND IDENTIFICATION LABEL [CUST: 99 GS] [REVIEW: 84] | A 7690 | GS | | 12-OCT-90 |
| | MIL-H-87961(3) | HOSE AND HOSE ASSEMBLIES, AIR DUCT, AIR BREATHING, OXYGEN SYSTEMS, GENERAL SPECIFICATION FOR [CUST: 99] [REVIEW: CC] | A 4720 | 71 | | 21-FEB-90 |
| | MIL-T-87976 | TEST STAND, HYDRAULIC SYSTEM COMPONENTS [CUST: AV AS 99] | A 4920 | 82 | | 16-JUN-85 |
| | MIL-T-87999 | TRUCK SERVICING, 3 TON, 27 FOOT ELEVATION FOR LOADING C-5 AIRCRAFT UPPER DECK [CUST: 99] | A 2320 | 84 | | 05-MAR-90 |
| | MIL-A-89007 | ARC DIGITIZED RASTER GRAPHICS (ADRG) | A MCGT | MP | | 22-FEB-90 |
| | MIL-D-89010 | DIGITAL BATHYMETRIC DATA BASE 5-MINUTE (DBDB5) [REVIEW: 09 DC MC NO] | A MCGT | MP | | 04-MAR-94 |
| | MIL-W-89012(2) | WORLD VECTOR SHORELINE [REVIEW: 09 CE NO] | A MCGT | MP | | 30-NOV-92 |
| | MIL-D-89029 | DIGITAL BATHYMETRIC DATA BASE 0.1 MINUTE (DBDB-0.1) AND DIGITAL BATHYMETRIC DATA BASE 0.5 MINUTE (DBDB-0.5) [CUST: NO] [REVIEW: MC] | A MCGT | MP | | 27-JAN-95 |
| | MIL-J-89100 | JOINT OPERATIONS GRAPHICS SERIES 1501A AND 1501 (JOG AIR/GROUND) [CUST: MP] | A MCGT | MP | | 28-FEB-95 |
| | MIL-T-89101 | TACTICAL PILOTAGE CHARTS (TPC) [CUST: MP] | A MCGT | MP | | 31-JAN-95 |
| | MIL-O-89102 | OPERATIONAL NAVIGATION CHARTS (ONC) [CUST: MP] | A MCGT | MP | | 31-JAN-95 |
| | MIL-G-89103 | GRIDDED INSTALLATION PHOTOGRAPHS (GIP) [CUST: MP] [REVIEW: 09 MC NO] | A MCGT | MP | | 06-MAY-94 |
| | MIL-G-89106 | GRIDDED AIRFIELD PHOTOGRAPHS (GAP) [REVIEW: 09 MC NO] | A MCGT | MP | | 06-MAY-94 |
| | MIL-H-89201A | HARBOR, APPROACH, AND COASTAL CHARTS (HAC-ALL SCALES) [CUST: MP] | A MCGT | MP | | 29-APR-95 |
| | MIL-H-89201/1 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:25,000 AND LARGER (HAC 1) [CUST: MP] | A MCGT | MP | | 29-APR-95 |
| | MIL-H-89201/2 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:25,001 TO 1:50,000 (HAC 2) [CUST: MP] | A MCGT | MP | | 29-APR-95 |
| | MIL-H-89201/3 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:50,001 TO 1:100,000 (HAC 3) [CUST: MP] | A MCGT | MP | | 29-APR-95 |
| | MIL-H-89201/4 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:100,001 TO 1:250,000 (HAC 4) [CUST: MP] | A MCGT | MP | | 29-APR-95 |
| | MIL-H-89201/5 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:250,001 TO 1:350,000 (HAC 5) [CUST: MP] | A MCGT | MP | | 29-APR-95 |
| | MIL-H-89201/6 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:350,001 TO 1:600,000 (HAC 6) [CUST: MP] | A MCGT | MP | | 29-APR-95 |
| | MIL-H-89201/7 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:600,001 TO 1:750,000 (HAC 7) [CUST: MP] | A MCGT | MP | | 29-APR-95 |
| | MIL-H-89201/8 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:750,001 TO 1:1,000,000 (HAC 8) [CUST: MP] | A MCGT | MP | | 29-APR-95 |
| | MIL-H-89201/9 | HARBOR, APPROACH, AND COASTAL CHARTS AT SCALES 1:1,000,000 AND SMALLER (HAC 9) [CUST: MP] | A MCGT | MP | | 29-APR-95 |
| | MIL-C-89202A | COMBAT CHARTS [CUST: MP] | A MCGT | MP | | 29-APR-95 |
| | MIL-V-89300(1) | VIDEO DISC FOR MAPPING, CHARTING AND GEODESY (MC&G) [REVIEW: 09 NO] | A MCGT | MP | | 30-NOV-92 |
| | MIL-T-89301A(1) | TOPOGRAPHIC MAPS 1:50,000 SCALE [CUST: TI NO 09 MP] [REVIEW: MC] | A MCGT | MP | | 01-AUG-96 |
| | MIL-C-89303 | CITY GRAPHICS [REVIEW: 09 MC NO] | A MCGT | MP | | 30-NOV-90 |
| | MIL-T-89304(1) | TACTICAL TERRAIN ANALYSIS DATA BASE (TTADB) SCALE 1:50,000 [REVIEW: 09 NO] | A MCGT | MP | | 30-NOV-92 |
| A | MIL-P-89305A | PLANNING TERRAIN ANALYSIS DATA BASE (PTADB) SCALE 1:250,000 [CUST: MP] [REVIEW: 09 NO] | A MCGT | MP | | 01-JUL-94 |
| | MIL-T-89306 | TOPOGRAPHIC MAPS 1:100,000 SCALE [CUST: MP] | A MCGT | MP | | 28-FEB-95 |
| | MIL-A-89400 | AIR TARGET CHART - SERIES 200 (ATC-200) [CUST: MP] | A MCGT | MP | | 31-JAN-95 |
| | MIL-J-89401 | JOINT OPERATIONS GRAPHIC - SERIES 1501 RADAR (JOG-R) [CUST: MP] | A MCGT | MP | | 30-JAN-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | MS603B | FORMULA FOR FUZE THREAD LUTING (FOR SPECIAL AMMUNITION USE) [CUST: AR OS 99] [REVIEW: 70] | A 1390 | OS | | 13-NOV-91 |
| | MS3100F | CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING, SOLDER CONTACTS, AN TYPE [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH] | A 5935 | CC | | 20-AUG-92 |
| | MS3101D | CONNECTOR, PLUG, ELECTRIC, CABLE CONNECTING, SOLDER CONTACTS, AN TYPE [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH] | A 5935 | CC | | 20-AUG-92 |
| | MS3102E | CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, SOLDER CONTACTS, AN TYPE [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH] | A 5935 | CC | | 20-AUG-92 |
| | MS3103D | CONNECTOR, RECEPTACLE, ELECTRIC, POTTING SEAL, SOLDER CONTACTS, AN TYPE [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG EC MC MI OS] | A 5935 | CC | | 31-AUG-90 |
| | MS3105A | CONNECTOR, RECEPTACLE, ELECTRIC DUMMY STOWAGE [CUST: AS CC] [REVIEW: CG CR4 EC MC MI OS] | A 5935 | CC | | 18-JUN-69 |
| | MS3106D | CONNECTOR, PLUG, ELECTRIC, STRAIGHT, SOLDER CONTACTS, AN TYPE [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH] | A 5935 | CC | | 20-AUG-92 |
| | MS3107C | CONNECTOR PLUG, ELECTRIC, QUICK DISCONNECT [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH] | A 5935 | CC | | 20-AUG-92 |
| | MS3108D | CONNECTORS, PLUG, ELECTRIC, SOLDER CONTACT, 90 DEGREE, AN TYPE [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS SH] | A 5935 | CC | | 20-AUG-92 |
| | MS3110D NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, SOLDER TYPE, WALL MOUNTING, FLANGE, BAYONET COUPLING [CUST: CR AS 85 CC] [REVIEW: 17 AV EC SH] | A 5935 | CC | | 19-SEP-88 |
| | MS3111C NOT 1 | CONNECTORS, PLUG, ELECTRIC, SERIES 1, SOLDER TYPE, CABLE CONNECTING, BAYONET COUPLING [CUST: CR AS 85 CC] [REVIEW: 17 AV EC SH] | A 5935 | CC | | 19-SEP-88 |
| | MS3112G NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, BOX MOUNTING, FLANGE, BAYONET COUPLING, SOLDER CONTACT [CUST: CR AS 85 CC] [REVIEW: 17 AV EC] | A 5935 | CC | | 19-SEP-88 |
| | MS3115E | CONNECTORS, RECEPTACLE, ELECTRICAL, DUMMY STOWAGE, BAYONET COUPLING, FOR MIL-C-26482 CONNECTORS, SERIES 1 AND 2 [CUST: CR AS 85 CC] [REVIEW: 17 99 AR AV EC MI SH] | A 5935 | CC | | 10-JUN-93 |
| | MS3116D NOT 1 | CONNECTORS, PLUG, ELECTRIC, SERIES 1, SOLDER TYPE, STRAIGHT, BAYONET COUPLING [CUST: CR AS 85 CC] [REVIEW: 17 AV EC SH] | A 5935 | CC | | 19-SEP-88 |
| | MS3119D NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, THRU-BULKHEAD MTG., FLANGE, BAYONET COUPLING [CUST: CR AS 85 CC] [REVIEW: 17 99 AV EC] | A 5935 | CC | | 19-SEP-88 |
| | MS3122E NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, CRIMP-TYPE, BOX MOUNTING, FLANGE, NO. 4 HOLES, BAYONET COUPLING [CUST: CR AS 85 CC] [REVIEW: 17 AV SH] | A 5935 | CC | | 19-SEP-88 |
| | MS3130D | CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, WALL MTG. FLANGE, PUSH PULL COUPLING, SERIES 1 (CLASS E, PANEL J) [CUST: CR AS 85 CC] [REVIEW: 17 99 AR AV MI] | A 5935 | CC | | 21-JUL-71 |
| | MS3132D | CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, BOX MTG. FLANGE, PUSH-PULL COUPLING [CUST: CR AS 85 CC] [REVIEW: 17 AR CR4 MI] | A 5935 | CC | | 21-JUL-71 |
| | MS3134F NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, JAM NUT MOUNTING, PUSH-PULL COUPLING, SERIES 1 (CLASS E, P, J AND H) [CUST: CR AS 85 CC] | A 5935 | CC | | 23-OCT-91 |
| | MS3135D | CONNECTOR, RECEPTACLE, ELECTRIC, DUMMY STOWAGE, WALL MTG. FLANGE PUSH PULL COUPLING SERIES 1 AND 2 CONNECTORS [CUST: CR AS 85 CC] [REVIEW: MI] | A 5935 | CC | | 21-JUL-71 |
| | MS3136 NOT 1 | CONNECTOR, ADAPTER ELECTRIC [CUST: AS CC] | A 5935 | CC | | 06-AUG-74 |
| | MS3137E NOT 1 | CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE, PUSH-PULL COUPLING SERIES 1 (CLASS E, P AND J) [CUST: CR AS 85] | A 5935 | AS | | 23-OCT-91 |
| | MS3138D NOT 1 | CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE LANYARD, PUSH-PULL COUPLING, SERIES 1 (CLASS E, P AND J) [CUST: CR AS 85 CC] | A 5935 | CC | | 23-OCT-91 |
| | MS3139D NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC THRU BULKHEAD, WALL MTG. FLANGE, SERIES 1 (CLASS E) [CUST: CR AS 85 CC] | A 5935 | CC | | 23-OCT-91 |
| | MS3140C NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING FLANGE, PUSH-PULL COUPLING, SERIES 2 (CLASS E AND J) [CUST: CR AS 85 CC] | A 5935 | CC | | 23-OCT-91 |
| | MS3144C NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC CRIMP TYPE, JAM NUT MOUNTING, PUSH-PULL COUPLING SERIES 2 (CLASS E AND J) [CUST: CR AS 85 CC] | A 5935 | CC | | 23-OCT-91 |
| | MS3146 | CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, CRIMP TYPE, SOLDER MOUNTING, PUSH PULL COUPLING, SERIES 3 (CLASS N) [CUST: AS CC] [REVIEW: EC] | A 5935 | CC | | 04-FEB-72 |
| | MS3147D NOT 1 | CONNECTOR, PLUG, ELECTRIC CRIMP TYPE, PUSH - PULL COUPLING SERIES 2 (CLASS E AND J) [CUST: CR AS 85 CC] | A 5935 | CC | | 23-OCT-91 |
| | MS3148D NOT 1 | CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE LANYARD, PUSH-PULL COUPLING SERIES 2 (CLASS E AND J) [CUST: CR AS 85 CC] | A 5935 | CC | | 23-OCT-91 |
| | MS3149 | CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, CRIMP TYPE, SINGLE HOLE MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS N) [CUST: AS CC] [REVIEW: EC] | A 5935 | CC | | 04-FEB-72 |
| | MS3155C | CONNECTOR, ELECTRIC, REAR ACCESSORY DESIGN STANDARD [CUST: AS CC] [REVIEW: EC] | A 5935 | CC | | 11-DEC-78 |
| | MS3157D | INSERT ARRANGEMENT, MIL-C-81659 ELECTRIC CONNECTOR, SERIES 1 AND 2 [CUST: CR AS 85 CC] [REVIEW: 80 EC OS] | A 5935 | CC | | 23-JUN-83 |
| | MS3180F NOT 1 | COVER, PROTECTIVE, ELECTRICAL CONNECTOR PLUG, BAYONET COUPLING FOR MIL-C-26482 CONNECTORS [CUST: CR AS 85 CC] [REVIEW: 99 AV CR4 EC MC SH] | A 5935 | CC | | 19-SEP-88 |
| | MS3181F NOT 1 | COVER, PROTECTIVE, ELECTRICAL CONNECTOR RECEPTACLE, BAYONET COUPLING FOR MIL-C-26482 CONNECTORS [CUST: CR AS 85 CC] [REVIEW: 99 AV CR4 EC SH] | A 5935 | CC | | 19-SEP-88 |
| | MS3182D NOT 1 | COVER, PROTECTIVE, ELECTRIC CONNECTOR, PLUG, PUSH-PULL COUPLING [CUST: CR AS 85 CC] | A 5935 | CC | | 23-OCT-91 |
| | MS3183E NOT 1 | COVER, PROTECTIVE, ELECTRIC CONNECTOR, RECEPTACLE, PUSH-PULL COUPLING [CUST: CR AS 85 CC] | A 5935 | CC | | 23-OCT-91 |
| | MS3185A NOT 1 | MOLD, POTTING, AND ADAPTER, ELECTRIC CONNECTOR [CUST: CR AS 85 CC] [REVIEW: 11] | A 5935 | CC | | 23-OCT-91 |
| | MS3186D | CONNECTOR MOUNTING TO CONNECTORS, MOUNTING NUTS, PLAIN, HEXAGON [CUST: CR AS 85 CC] [REVIEW: CR4 EC MI OS] | A 5935 | CC | | 06-APR-84 |
| | MS3187E | PLUG, END SEAL, FOR MIL-C-26482, MIL-C-5015, MIL-C-81703 AND MIL-C-83723 ELECTRICAL CONNECTORS [CUST: CR AS 85 CC] [REVIEW: 17 AR AV EC MI SH] | A 5935 | CC | | 14-APR-77 |
| | MS3190F | CONTACT WIRE BARREL, CRIMP TYPE [CUST: AS CC] [REVIEW: 17 19 85 AR CR CR4 MC MI] | A 5935 | CC | | 02-APR-68 |
| A | MS3211A | RING, RETAINER, EXTERNAL [CUST: OS IS] [REVIEW: MI] | A 5325 | IS | | 24-MAR-76 |
| | MS3212B NOT 1 | SCREWS, MACHINE, PAN HEAD, CROSS-RECESSED, SELF-SEALING, INTEGRAL SILICONE O-RING, PLAIN AND SELF-LOCKING [CUST: AR OS 99 IS] [REVIEW: AT AV CR4 EC MC MI] | A 5305 | IS | | 25-MAR-96 |
| | MS3213A NOT 1 | SCREWS, MACHINE, PAN HEAD, CROSS RECESSED, SELF SEALING, INTEGRAL FLUOROSILICONE O-RING, PLAIN AND SELF LOCKING [CUST: AR OS 99 IS] [REVIEW: AT AV EC MC MI] | A 5305 | IS | | 25-MAR-96 |
| | MS3214(I) | NUT, PLAIN, CLINCH-FLUSH [CUST: OS IS] | A 5310 | IS | | 20-FEB-96 |
| | MS3215B NOT 1 | RING, RETAINING, EXTERNAL, "E", REINFORCED (REDUCED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: 82 AT CR4 MC MI] | A 5365 | IS | | 14-MAR-96 |
| A | MS3216B | RING, RETAINING, EXTERNAL, PRONG-LOCK (REDUCED SECTION TYPE) [CUST: AR 99 IS] [REVIEW: 82 AT CR4 MC MI] | A 5325 | IS | | 28-JUN-95 |
| A | MS3217B | RING, RETAINING, EXTERNAL, HEAVY-DUTY (TAPERED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: 82 AT CR4 MC MI] | A 5325 | IS | | 14-JUL-89 |
| | MS3314 | LUG, SUSPENSION, (1000 LB CLASS) AIRBORNE EQUIPMENT [CUST: AR AS 99] [REVIEW: 11 18 AV MI] | A 1325 | AS | | 26-SEP-67 |
| | MS3320N NOT 1 | CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE, PUSH PULL, 1/2 THRU 20 AMPS, TYPE I-55 THRU +121 DEG. C [CUST: CR AS 85] [REVIEW: CC] | A 5925 | AS | | 23-OCT-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-----------------|---|-----------------------|-----|-------------|-----------|
| MS3321A | TEST FIXTURE, PROBE DAMAGE, SOCKET CONTACT, CONNECTOR, ELECTRIC [CUST: CR AS 85 CC] [REVIEW: 11 AR AV CR4 EC MC MI OS] | A 5935 | CC | | 05-JUN-70 |
| MS3322B NOT 1 | GASKET, CONDUCTIVE, ELECTRIC CONNECTOR, JAM NUT MOUNT [CUST: CR AS 85 CC] [REVIEW: 11 80 AR AV CR4 EC MC MI OS SH] | A 5935 | CC | | 02-OCT-91 |
| MS3325 NOT 1 | DRIVE PAD-ACCESSORY, 2.653 BC SQUARE, DESIGN STANDARD FOR [CUST: AV AS] | A 2995 | AS | | 01-SEP-87 |
| MS3326 NOT 1 | DRIVE PAD - ACCESSORY, 5,000 BC SQUARE, DESIGN STANDARD FOR [CUST: AV AS] | A 2995 | AS | | 12-JUN-68 |
| MS3327A | DRIVE PAD - ACCESSORY, 5,000 BC ROUND, DESIGN STANDARD FOR [CUST: AV AS] | A 2995 | AS | | 20-NOV-69 |
| MS3328A | DRIVE PAD - ACCESSORY, 8,000 BC ROUND, DESIGN STANDARD FOR [CUST: AV AS] | A 2995 | AS | | 20-NOV-69 |
| MS3329A NOT 1 | DRIVE PAD - ACCESSORY, 10,000 BC ROUND, DESIGN STANDARD FOR [CUST: AV AS] | A 2995 | AS | | 25-AUG-87 |
| MS3336 | ACCESSORY DRIVES AIRCRAFT ENGINE, REFERENCE CHART FOR [CUST: AS] | A 2995 | AS | | 04-JUN-70 |
| MS3339B | PLATE, MOUNTING, PLASTIC FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS [CUST: AS GS] [REVIEW: EC MI] | A 5975 | GS | | 15-SEP-87 |
| MS3345B | FLANGE, SPLIT MOUNTING METER TIME TOTALIZING [CUST: AR AS 11] [REVIEW: 99 AV CR4 GS MI OS] | A 6645 | AS | | 29-DEC-78 |
| MS3348E | CONTACT BUSHING, ELECTRIC, WIRE BARREL [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR CC CG EC MI OS YD1] | A 5935 | AS | | 30-JUN-78 |
| MS3349C | PLUG, ELECTRIC, TWO-WIRE, AIRCRAFT STORAGE BATTERY [CUST: CR AS 85 CC] | A 5935 | CC | | 01-JUN-84 |
| MS3367F | STRAP, TIEDOWN, ELECTRICAL COMPONENTS, ADJUSTABLE, SELF CLINCHING, PLASTIC, TYPE I, CLASS 1 [CUST: CR AS 85] [REVIEW: 17 99 AV CR4 EC GS MC MI OS SH] | A 5975 | AS | | 16-AUG-78 |
| D MS3369D | BOLT, SELF RETAINING, POSITIVE LOCKING, CRES 90 KSI FSU, 63 KSI FTU, HEXAGON SLOTTED HEAD, 450 DEG. F AND 650 DEG F. [CUST: AV AS 11 IS] [REVIEW: 99] | A 5306 | IS | | 20-JUN-85 |
| MS3377A | REBUILT TIRE - AIRCRAFT, LABORATORY QUALITY ASSURANCE REQUIREMENTS [CUST: AS] [REVIEW: CC] | A 2620 | AS | | 09-JUN-75 |
| MS3400G NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE [CUST: AS] | A 5935 | AS | | 23-OCT-91 |
| MS3402G | CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE WITH [CUST: CR AS 85] | A 5935 | AS | | 15-FEB-93 |
| MS3408D | CONNECTOR, PLUG, ELECTRIC, 90 DEGREE ASSEMBLY, CRIMP CONTACT, AN TYPE [CUST: AS CC] [REVIEW: OS] | A 5935 | CC | | 09-APR-79 |
| MS3409B NOT 1 | CONNECTORS, PLUG, ELECTRIC, 45 DEGREES ASSEMBLY, CRIMP CONTACT, AN TYPE [CUST: AS CC] | A 5935 | CC | | 23-OCT-91 |
| MS3412D NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE-WITH ACCESSORY THREADS [CUST: AS] | A 5935 | AS | | 23-OCT-91 |
| MS3420C NOT 1 | ADAPTER, CABLE CLAMP TO CABLE, BUSHING, TELESCOPING [CUST: AR AS 85 CC] [REVIEW: CG CR MC MI] | A 5935 | CC | | 23-OCT-91 |
| MS3424 NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING FLANGE, PUSH PULL COUPLING, SERIES 3 (CLASS L AND E) [CUST: AS CC] | A 5935 | CC | | 23-OCT-91 |
| MS3425B NOT 1 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 8 [CUST: CR AS 85] [REVIEW: 11 99 AR AV CR4 EC MC MI OS] | A 5935 | CC | | 15-DEC-90 |
| MS3426B NOT 1 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 10 [CUST: CR AS 85] [REVIEW: 80 AR AT AV CR4 EC MC MI OS SH] | A 5935 | CC | | 23-OCT-91 |
| MS3428A NOT 1 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 14 [CUST: CR AS 85] [REVIEW: 11 99 AR AV CR4 EC MC MI OS] | A 5935 | CC | | 15-DEC-90 |
| MS3429B NOT 1 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 16 [CUST: CR AS 85] [REVIEW: 11 99 AR AV CR4 EC MC MI OS] | A 5935 | CC | | 15-DEC-90 |
| MS3430A NOT 1 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 18 [CUST: CR AS 85] [REVIEW: 11 99 AR AV CR4 EC MC MI OS] | A 5935 | CC | | 15-DEC-90 |
| MS3431A NOT 1 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 20 [CUST: CR AS 85] [REVIEW: 11 99 AR AV CR4 EC MC MI OS] | A 5935 | CC | | 15-NOV-90 |
| MS3432A NOT 1 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 22 [CUST: CR AS 85] [REVIEW: 11 99 AR AV CR4 EC MC MI OS] | A 5935 | CC | | 15-DEC-90 |
| MS3433A NOT 1 | INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 24 [CUST: CR AS 85] [REVIEW: 11 80 AR AT AV CR4 EC MC MI OS SH] | A 5935 | CC | | 23-OCT-91 |
| MS3440B NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, NARROW FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT CLASS H [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AV EC SH] | A 5935 | CC | | 19-SEP-88 |
| MS3442B NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, WIDE FLANGE MOUNTING, BAYONET COUPLING, SOLDER PIN CONTACT, CLASS H [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AV EC SH] | A 5935 | CC | | 19-SEP-88 |
| MS3443A NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, SOLDER FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT CLASS H [CUST: CR AS 85 CC] [REVIEW: 11 17 AV EC SH] | A 5935 | CC | | 19-SEP-88 |
| MS3449C | CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, SINGLE HOLE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT, CLASS H [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR AV EC MI SH] | A 5935 | CC | | 29-OCT-86 |
| MS3452D | CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, REAR RELEASE, CRIMP CONTACT, AN TYPE WITH [CUST: CR AS 85] [REVIEW: 80 99 AR AT CR4 EC MI] | A 5935 | AS | | 15-FEB-93 |
| MS3454C NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, REAR RELEASE CRIMP CONTACT, AN TYPE [CUST: CR AS 85] [REVIEW: 11 17 80 AR AT AV CR4 EC MI] | A 5935 | AS | | 23-OCT-91 |
| MS3456D | CONNECTORS, PLUG, ELECTRICAL, REAR RELEASE, CRIMP CONTACT, AN TYPE [CUST: AS 85] [REVIEW: 17 99 AR AT AV CC CR4 EC MI] | A 5935 | AS | | 23-MAR-76 |
| MS3459D | CONNECTOR, PLUG, ELECTRICAL, SELF-LOCKING, COUPLING NUT, REAR RELEASE, CRIMP CONTACT, AN TYPE [CUST: CR AS 85] [REVIEW: 17 80 AR AV CR4 EC MI] | A 5935 | AS | | 04-NOV-94 |
| MS3464 NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, JAM NUT MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E) [CUST: AS CC] | A 5935 | CC | | 23-OCT-91 |
| MS3466 NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, SOLDER TYPE, BOX MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS H) [CUST: AS CC] | A 5935 | CC | | 23-OCT-91 |
| MS3467 NOT 1 | CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E) [CUST: AS CC] | A 5935 | CC | | 23-OCT-91 |
| MS3470D | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, CRIMP TYPE, NARROW FLANGE MOUNT, BAYONET COUPLING, CLASSES A, L, S & W [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR AV EC MC SH] | A 5935 | CC | | 12-JUL-85 |
| MS3471D | CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, CRIMP TYPE, CABLE CONNECTING, BAYONET B COUPLING, CLASSES A, L, S, AND W [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR AV EC SH] | A 5935 | CC | | 12-JUL-85 |
| MS3472D | CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, CRIMP TYPE, WIDE FLANGE MOUNTING, BAYONET COUPLING, CLASSES A, L, S, AND W [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR AV EC SH] | A 5935 | CC | | 12-JUL-85 |
| MS3473A NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, HERMETIC, SOLDERLESS, SOLDER MOUNTING, BAYONET COUPLING, CLASS N [CUST: CR AS 85 CC] [REVIEW: 11 17 AV EC SH] | A 5935 | CC | | 19-SEP-88 |
| MS3474H | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 2, CRIMP TYPE, REAR MOUNTING JAM NUT, BAYONET COUPLING, CLASSES A, L, S, AND W [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC NA SH] | A 5935 | CC | | 19-DEC-94 |
| MS3475D | CONNECTOR, PLUG, RSFI SHIELDED, ELECTRIC, SERIES 2, CRIMP TYPE, BAYONET COUPLINGS, CLASSES L, S, AND W [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR AV EC SH] | A 5935 | CC | | 12-JUL-85 |
| MS3476E | CONNECTORS, PLUG, ELECTRIC, SERIES 2, CRIMP TYPE, BAYONET COUPLING, CLASSES A, L, S, AND W [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR AV EC MI SH] | A 5935 | CC | | 31-OCT-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Act Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------|---|--------------------------|-----|-------------|-----------|
| | MS3477A NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, HERMETIC, SOLDERLESS, BOX MOUNTING, BAYONET COUPLING, CLASS N [CUST: CR AS 85 CC] [REVIEW: 11 17 AV EC SH] | A 5935 | CC | | 19-SEP-88 |
| | MS3479B | CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, HERMETIC, SOLDERLESS, REAR MOUNTING, JAM NUT, BAYONET COUPLING, CLASS N [CUST: CR AS 85 CC] [REVIEW: 11 17 AR AV EC MI SH] | A 5935 | CC | | 29-OCT-86 |
| | MS3480 | TOOL, CONNECTOR ASSEMBLY, FOR MIL-C-5015 CONNECTORS [CUST: AS CC] [REVIEW: EC GL] | A 5120 | CC | | 21-JAN-70 |
| | MS3481 NOT 1 | TOOL, CONNECTOR ASSEMBLY, FOR MIL-C-26482 CONNECTORS [CUST: CR AS CC] [REVIEW: EC GL] | A 5120 | CC | | 05-JUL-89 |
| | MS3482 | TOOL, CONNECTOR ASSEMBLY, FOR MIL-C-81511 CONNECTORS [CUST: AS CC] [REVIEW: EC GL] | A 5120 | CC | | 21-JAN-70 |
| | MS3493B NOT 1 | CONNECTOR, PLUG AND CAP ELECTRIC, GROUNDING [CUST: CR CC] [REVIEW: 79 85 99 AV MC] | A 5935 | CC | | 23-OCT-91 |
| A | MS3498C(1) NOT 1 | SCREW ASSEMBLY, PANEL [CUST: AV AS 99 IS] | A 5305 | IS | | 27-FEB-98 |
| | MS3505A | COVER FOR USE WITH MS90362 EXTERNAL POWER RECEPTACLE [CUST: CR AS 85] [REVIEW: 99 AV] | A 5935 | AS | | 30-DEC-92 |
| | MS3506C | CONNECTOR, RECEPTACLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC OPERATING POWER [CUST: CR AS 85] | A 5935 | AS | | 30-DEC-92 |
| | MS3507A | CONNECTOR, PLUG, ELECTRIC, SOLDER CONTACT, QUICK DISCONNECT, UTILITY [CUST: AS CC] [REVIEW: EC] | A 5935 | CC | | 07-OCT-74 |
| | MS3509F | RECEPTACLE, ELECTRIC, AIRCRAFT STORAGE BATTERY [CUST: AV AS 99] [REVIEW: CC] | A 5935 | AS | | 27-NOV-85 |
| A | MS8000C NOT 1 | HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARE TO FLARE [CUST: 99 CC] [REVIEW: 82 AR GL MI SH] | A 4720 | CC | | 15-NOV-90 |
| A | MS8001C NOT 1 | HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE HIGH TEMPERATURE, MEDIUM PRESSURE, FLARELESS TO FLARELESS [CUST: 99 CC] [REVIEW: 82 AR GL MI SH] | A 4720 | CC | | 15-NOV-90 |
| A | MS8002C NOT 1 | HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARE TO FLARE [CUST: 99 CC] [REVIEW: 82 AR GL MI SH] | A 4720 | CC | | 15-NOV-90 |
| A | MS8003C NOT 1 | HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARELESS TO FLARE [CUST: 99 CC] [REVIEW: 82 AR GL MI SH] | A 4720 | CC | | 15-NOV-90 |
| A | MS8004C NOT 1 | HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLANGE TO FLANGE [CUST: 99 CC] [REVIEW: 82 AR GL MI SH] | A 4720 | CC | | 15-NOV-90 |
| | MS8005C | HOSE ASSEMBLY PERMANENTLY ATTACHED FITTINGS, TETRAFLUOROETHYLENE HIGH TEMPERATURE MEDIUM PRESSURE, FLARE TO FLARE [CUST: AV AS 99] [REVIEW: 82] | A 4720 | CC | | 15-APR-91 |
| | MS8006B NOT 1 | HOSE ASSEMBLY, PERMANENTLY ATTACHED FITTINGS, TETRAFLUOROETHYLENE HIGH TEMPERATURE, MEDIUM PRESSURE, FLARELESS TO FLARELESS [CUST: AV AS 99] [REVIEW: 82] | A 4720 | CC | | 15-NOV-90 |
| | MS8007B | HOSE ASSEMBLY PERMANENTLY ATTACHED FITTINGS TETRAFLUOROETHYLENE HIGH TEMPERATURE MEDIUM PRESSURE, FLARE TO FLANGE [CUST: AV AS 99] [REVIEW: 82] | A 4720 | CC | | 30-JUN-85 |
| | MS8008B | HOSE ASSEMBLY PERMANENTLY ATTACHED FITTINGS TETRAFLUOROETHYLENE HIGH TEMPERATURE MEDIUM PRESSURE, FLARELESS TO FLANGE [CUST: AV AS 99] [REVIEW: 82] | A 4720 | CC | | 30-JUN-85 |
| | MS8009B | HOSE ASSEMBLY, PERMANENTLY ATTACHED FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLANGE TO FLANGE [CUST: AV AS 99] [REVIEW: 82] | A 4720 | CC | | 30-JUN-85 |
| | MS9006C NOT 1 | RECESSES-CROSS, LOW TORQUE DRIVE, DIMENSIONS AND GAGE DIMENSIONS FOR [CUST: AR AS 99] | A 5305 | AS | | 03-OCT-91 |
| | MS9025A NOT 1 | CLAMP - LOOP TYPE SUPPORT (HEAT RESISTANT) .265 HOLE [CUST: AV AS 11] [REVIEW: 82 85] | A 5340 | AS | | 03-OCT-91 |
| | MS9047A NOT 1 | PIN - SPRING, STEEL, PHOSPHATE FINISH [CUST: AS 11 IS] [REVIEW: CR 4 MI] | A 5315 | IS | | 01-JUL-94 |
| | MS9058D | RING BACK UP, BOSS CONNECTION, AMS 3652, AMS 3656, AMS 3660, AMS 3667 [CUST: AS 11 IS] | A 5330 | IS | | 18-MAR-97 |
| | MS9060B(1) | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, DRILLED, .190-32 NS [CUST: AS IS] [REVIEW: 99] | A 5306 | IS | | 29-APR-96 |
| | MS9063B(1) | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, DRILLED, .375-24 NS [CUST: AV AS IS] [REVIEW: 99] | A 5306 | IS | | 29-APR-96 |
| | MS9089C | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .250-28 UNF-3A [CUST: AS 11] | A 5306 | IS | | 12-JUN-87 |
| | MS9090C | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .3125-18 UNF-3A [CUST: AS 11] | A 5306 | IS | | 12-JUN-87 |
| | MS9091C | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .375-24 UNF-3A [CUST: AS 11] [REVIEW: MI] | A 5306 | IS | | 12-JUN-87 |
| | MS9092C | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .4375-20 UNF-3A [CUST: AS 11] | A 5306 | IS | | 12-JUN-87 |
| | MS9093C | BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .500-20 UNF-3A [CUST: AS 11] | A 5306 | IS | | 12-JUN-87 |
| | MS9095A | NIPPLE, TUBE - AMS 4121, BOSS [CUST: AV AS 11] | A 4730 | CC | | 11-MAR-70 |
| | MS9099C | NUT - HEX, BOSS CONNECTION, ALUMINUM [CUST: AV AS 82 IS] [REVIEW: 11 AT CR MI] | A 5310 | IS | | 20-SEP-93 |
| | MS9100B(1) | NUT - HEX, BOSS CONNECTION, CRES [CUST: AV AS 82 IS] | A 5310 | IS | | 20-FEB-96 |
| | MS9105B NOT 1 | PIN, STRAIGHT, HEADLESS, AMS 5688, LOCK [CUST: AV AS 11] [REVIEW: MI] | A 5315 | IS | | 03-OCT-91 |
| | MS9110 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS 5731 .190-32 UNF-3A [CUST: AS IS] | A 5306 | IS | | 03-OCT-91 |
| | MS9111 NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS 5731, .250-28 UNF-3A [CUST: AS IS] | A 5306 | IS | | 03-OCT-91 |
| | MS9112 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS 5731, .3125-24 UNF-3A [CUST: AS IS] | A 5306 | IS | | 03-OCT-91 |
| | MS9141(1) | GASKET - METAL O-RING, .035 TUBE X .006 WALL, CRES [CUST: AS 11 IS] | A 5330 | IS | | 21-JUN-96 |
| | MS9142A(1) | GASKET - METAL O-RING, .062 TUBE X .006 WALL, CRES [CUST: AS 11 IS] | A 5330 | IS | | 21-JUN-96 |
| D | MS9144A NOT 1 | GASKET - TYPE XX ENGINE ACCESSORY DRIVE [CUST: AS 11 IS] | A 5330 | IS | | 03-OCT-91 |
| | MS9146B | BOLT, MACHINE, 12 POINT HEAD, STEEL, .190-32 UNF-3A [CUST: AS 11] | A 5306 | IS | | 04-NOV-86 |
| | MS9148B | BOLT, MACHINE, 12 POINT HEAD, STEEL, .3125-24 UNF-3A [CUST: AS 11] | A 5306 | IS | | 04-NOV-86 |
| | MS9149B | BOLT, MACHINE, 12 POINT HERD, STEEL, .375-24UNF-3A [CUST: AS 11] | A 5306 | IS | | 04-NOV-86 |
| | MS9158A | BOLT-MACHINE, STEEL, 12 POINT HEAD, .250-28, BLACK OXIDE [CUST: AS IS] | A 5306 | IS | | 22-JUN-87 |
| | MS9160A | BOLT-MACHINE, STEEL, 12 POINT HEAD, .375-24, BLACK OXIDE [CUST: AS IS] | A 5306 | IS | | 22-JUN-87 |
| | MS9164B NOT 1 | PIN, STRAIGHT, HEADLESS, STEEL, OVERSIZE [CUST: AV AS 11] [REVIEW: CR MI] | A 5315 | IS | | 03-OCT-91 |
| | MS9169A | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .190 (NO. 10)-32, BLACK OXIDE (ASG) [CUST: AS IS] | A 5306 | IS | | 06-MAY-87 |
| | MS9170A | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .250-28, BLACK OXIDE (ASG) [CUST: AS IS] | A 5306 | IS | | 06-MAY-87 |
| | MS9171A NOT 1 | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .3125-24, BLACK OXIDE [CUST: AS 11] | A 5306 | IS | | 03-OCT-91 |
| | MS9172A NOT 1 | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .375-24, BLACK OXIDE [CUST: AS 11] | A 5306 | IS | | 03-OCT-91 |
| | MS9176 NOT 1 | PLUG, EXPANSION - TAPERED, AMS 5040 [CUST: AS] | A 5340 | AS | | 03-OCT-91 |
| | MS9177B | SCREW, MACHINE-CRES DOUBLE HEXAGON, EXTENDED WASHER HEAD, .138-40 [CUST: AS IS] [REVIEW: IS] | A 5305 | IS | | 13-JUN-88 |
| | MS9178B | SCREW, MACHINE-CRES, DOUBLE HEXAGON EXTENDED WASHER HEAD, 164-36 (INACTIVE FOR NEW DESIGN) [CUST: AS 99] | A 5305 | IS | | 13-JUL-87 |
| | MS9192B | BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .164(NO. 8-36 CADMIUM PLATE [CUST: AS 11] | A 5305 | IS | | 13-JUL-87 |
| | MS9193 | NIPPLE, TUBE - AMS 5639, BOSS [CUST: AS CC] [REVIEW: MI] | A 4730 | CC | | 11-APR-60 |
| | MS9194B | ELBOW, TUBE & AMS 5646, BOSS 90 [CUST: AS 11] [REVIEW: MI] | A 4730 | CC | | 27-JUL-67 |
| | MS9195A | ELBOW, TUBE & AMS 5646, BOSS, 45 [CUST: AS 11] | A 4730 | CC | | 11-MAY-62 |
| | MS9196A | TEE, TUBE & AMS 5646, BOSS [CUST: AS 11] | A 4730 | CC | | 11-MAY-62 |
| | MS9197C | NUT, TUBE COUPLING - CRES AMS 5646, SILVER PLATE (ASG) [CUST: AS CC] [REVIEW: MC MI] | A 4730 | CC | | 13-DEC-72 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------------|--|--------------------------|--------------------|-----------|
| MS9198C | NUT, TUBE COUPLING - CRES AMS 5646 (ASG) [CUST: AS CC] [REVIEW: MC MI] | A 4730 | CC | 13-DEC-72 |
| MS9200C NOT 1 | NUT, PLAIN, HEX, BOSS CONNECTION, ALUMINUM [CUST: AV AS IS] [REVIEW: 82 AT CR CR4] | A 5310 | IS | 30-JUN-94 |
| MS9201B NOT 1 | NUT, PLAIN, HEX, BOSS CONNECTION, CORROSION RESISTANT STEEL [CUST: AV AS IS] [REVIEW: 11 AT CR MI] | A 5310 | IS | 30-JUN-94 |
| MS9202A(1) NOT 1 | GASKET - METAL O-RING, .062 TUBE X .010 WALL [CUST: AS 69 IS] | A 5330 | IS | 21-JUN-96 |
| MS9203A(2) NOT 1 | GASKET - METAL O-RING, .094 TUBE X .006 WALL, CRES [CUST: AS 69 IS] | A 5330 | IS | 21-JUN-96 |
| MS9204A(1) | GASKET - METAL O-RING, .094 TUBE X .010 WALL, CRES [CUST: AS 11 IS] | A 5330 | IS | 21-JUN-96 |
| MS9205A(1) | GASKET - METAL O-RING, .125 TUBE X .010 WALL, CRES (ASG) [CUST: AS 11 IS] | A 5330 | IS | 21-JUN-96 |
| MS9208 NOT 1 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .190-32 UNF-3A [CUST: AS IS] | A 5306 | IS | 03-OCT-91 |
| MS9209 NOT 1 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .250-28 UNF-3A [CUST: AS IS] | A 5306 | IS | 03-OCT-91 |
| MS9210 NOT 1 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .3125-24 UNF-3A [CUST: AS IS] | A 5306 | IS | 03-OCT-91 |
| MS9212(1) | BOLT, MACHINE-STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .4375-20 UNF-3A [CUST: AS 99 IS] | A 5306 | IS | 08-FEB-96 |
| MS9216 | SCREW, MACHINE&STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .164-36 UNF-3A [CUST: AS IS] | A 5305 | IS | 10-DEC-63 |
| MS9217 NOT 1 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .190-32 UNF-3A [CUST: AS IS] | A 5306 | IS | 03-OCT-91 |
| MS9218 NOT 1 | BOLT, MACHINE - STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .250-28 UNF-3A [CUST: AS IS] | A 5306 | IS | 03-OCT-91 |
| MS9219 NOT 1 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, .3125-24 UNF-3A [CUST: AS IS] | A 5306 | IS | 03-OCT-91 |
| MS9224A | BOLT, MACHINE, 12 POINT HEAD, HEAT RESISTANT, .5625-18 AMS 5735 (ASG) [CUST: AS 99 IS] [REVIEW: 11] | A 5305 | IS | 20-NOV-63 |
| MS9245A NOT 1 | PIN, COTTER - CRES, AMS 7211 [CUST: AS] [REVIEW: 11] | A 5315 | IS | 03-OCT-91 |
| MS9276B NOT 1 | WASHER, KEY-CRES, AMS 5510, 180 DEG. LOCKING [CUST: AV AS 11 IS] [REVIEW: CG SH] | A 5310 | IS | 30-JUN-94 |
| MS9283 NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .190-32 UNF-3A [CUST: AS IS] [REVIEW: 11 OS] | A 5306 | IS | 03-OCT-91 |
| MS9284 NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .250-28 UNF-3A [CUST: AS IS] [REVIEW: 11 OS] | A 5306 | IS | 03-OCT-91 |
| MS9285(1) | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .3125-24 UNF-3A [CUST: AS 99 IS] | A 5306 | IS | 08-FEB-96 |
| MS9286 NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .375-24 UNF-3A [CUST: AS IS] [REVIEW: 11 OS] | A 5306 | IS | 03-OCT-91 |
| MS9292 | SCREW, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .138-40 UNF-3A [CUST: AS 11] | A 5305 | IS | 24-SEP-65 |
| MS9294(1) | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .190-32 UNF-3A [CUST: AS 99 IS] | A 5306 | IS | 08-FEB-96 |
| MS9296 NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .3125-24 UNF-3A [CUST: AS IS] [REVIEW: 11 OS] | A 5306 | IS | 03-OCT-91 |
| MS9297 NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .375-24 UNF-3A [CUST: AS IS] [REVIEW: 11 OS] | A 5306 | IS | 03-OCT-91 |
| MS9303B | STUD, SHOULDERED, HEXAGON WRENCHING, STEEL, .190-32 NF-3A X .190-32 NF-3A [CUST: AR AS 99 IS] [REVIEW: 82] | A 5307 | IS | 22-MAY-86 |
| MS9304B NOT 1 | STUD, SHOULDERED AND STEPPED, HEXAGON WRENCHING, STEEL, .190-32 NF-3A X .250-28 UNF-3A [CUST: AR AS 99 IS] [REVIEW: 82] | A 5307 | IS | 30-JUN-94 |
| MS9305B NOT 1 | STUD, SHOULDERED, HEXAGON WRENCHING, STEEL, .250-28 UNF-3A X .250-28 UNF-3A [CUST: AR AS 99 IS] [REVIEW: 82 CR4] | A 5307 | IS | 30-JUN-94 |
| MS9306B NOT 1 | STUD, SHOULDERED AND STEPPED, HEXAGON WRENCHING, STEEL, .250-28 UNF-3A X .3125-24 UNF-3A [CUST: AR AS 99 IS] [REVIEW: 82] | A 5307 | IS | 30-JUN-94 |
| MS9307B | STUD, SHOULDERED & STEPPED, HEXAGON WRENCHING, STEEL, .250-28 UNF-3A X .375-24 UNF-3A [CUST: AR AS 99 IS] [REVIEW: 82] | A 5307 | IS | 22-MAY-86 |
| MS9308B | STUD, SHOULDERED, HEXAGON WRENCHING, DRILLED, STEEL, .190-32 NF-3A X .190-32 NF-3A [CUST: AR AS 99 IS] [REVIEW: 82] | A 5307 | IS | 22-MAY-86 |
| MS9309B | STUD, SHOULDERING & STEPPED, HEXAGON WRENCHING, DRILLED, STEEL, .190-32 UNF-3A X .250-28 UNF-3A [CUST: AR AS 99 IS] [REVIEW: 82] | A 5307 | IS | 22-MAY-86 |
| MS9310B | STUD, SHOULDERED, HEXAGON WRENCHING, DRILLED, STEEL, .250-28 UNF-3A X .250-28 UNF-3A [CUST: AR AS 99 IS] [REVIEW: 82] | A 5307 | IS | 22-MAY-86 |
| MS9311B | STUD, SHOULDERED & STEPPED, HEXAGON WRENCHING, DRILLED, STEEL, .250-28 UNF-3A X .3125-24 UNF-3A [CUST: AR AS 99 IS] [REVIEW: 82] | A 5307 | IS | 22-MAY-86 |
| MS9312B | STUD, SHOULDERED & STEPPED, HEXAGON WRENCHING, DRILLED, STEEL, .250-28 UNF-3A X .375-24 UNF-3A [CUST: AR AS 99 IS] [REVIEW: 82] | A 5307 | IS | 22-MAY-86 |
| MS9313A | CAP, TUBE - AMS 5646 [CUST: AS 11] | A 4730 | CC | 12-AUG-64 |
| MS9314B | CAP ASSEMBLY, TUBE, & AMS 5646 (ASG) [CUST: AS 11] [REVIEW: MI] | A 4730 | CC | 20-DEC-66 |
| MS9315B | CAP ASSEMBLY, TUBE & AMS 5646, SILVER PLATED NUT (ASG) [CUST: AS 11] [REVIEW: MC] | A 4730 | CC | 20-DEC-66 |
| MS9316 | SCREW, MACHINE&STEEL, SLOTTED HEXAGON HEAD, .190&32, NI&CAD PLATE [CUST: AS IS] | A 5305 | IS | 16-MAY-60 |
| MS9317A | SCREW, MACHINE-STEEL, SLOTTED HEXAGON HEAD, .250-28 NI-CAD PLATE [CUST: AS IS] | A 5305 | IS | 27-OCT-95 |
| MS9318B | RIVET, SOLID-100 DEG. FLUSH HEAD, AMS 7233 [CUST: AV AS 99 IS] [REVIEW: 82 CR4] | A 5320 | IS | 19-JUN-91 |
| MS9319A NOT 1 | RIVET, SOLID - UNIVERSAL HEAD, AMS 7233 [CUST: AV AS] [REVIEW: 11 CR4] | A 5320 | IS | 03-OCT-91 |
| MS9320A NOT 1 | WASHER, FLAT - AMS 6350 [CUST: AV AS IS] [REVIEW: AR CR4 MI] | A 5310 | IS | 10-JUN-94 |
| MS9321 NOT 1 | WASHER, FLAT - AMS 5510 [CUST: AS IS] [REVIEW: CR4 MI] | A 5310 | IS | 10-JUN-94 |
| MS9349B | CLAMP, LOOP, CUSHIONED, JOGGLED, CRES, .204 HOLE [CUST: AS 11] [REVIEW: MI] | A 5340 | AS | 11-JUN-86 |
| MS9354A NOT 1 | CLAMP, LOOP-ALUMINUM, .265 HOLE [CUST: AS IS] [REVIEW: 11 85] | A 5340 | IS | 03-OCT-91 |
| MS9356F | NUT, PLAIN, HEXAGON-A-286 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5310 | IS | 30-SEP-94 |
| MS9357B NOT 1 | NUT, PLAIN, HEXAGON - A-286, SILVER PLATED [CUST: AV AS] [REVIEW: 82 85 MI] | A 5310 | IS | 30-JUN-94 |
| MS9358C | NUT, CASTELLATED, HEXAGON-A-286 [CUST: AV AS 11 IS] [REVIEW: 82 85 AR CR MI] | A 5310 | IS | 30-SEP-94 |
| MS9359B NOT 1 | NUT, CASTELLATED, HEXAGON - A-286, SILVER PLATED [CUST: AV AS IS] [REVIEW: 82 85 CR MI] | A 5310 | IS | 10-JUN-94 |
| MS9360B NOT 1 | NUT, PLAIN, HEX-DRILLED - A-286, SILVER PLATED [CUST: AV AS IS] [REVIEW: 82 85 CR MI] | A 5310 | IS | 30-JUN-94 |
| MS9361C | NUT, PLAIN, HEXAGON, CHECK-A-286 [CUST: AV AS 11 IS] [REVIEW: 82 85 CR MI] | A 5310 | IS | 30-SEP-94 |
| MS9362A NOT 1 | NUT, PLAIN, HEXAGON, CHECK A-286, SILVER PLATED, MIL-S-8879 [CUST: AV AS] [REVIEW: 82 85 AT CR] | A 5310 | IS | 03-OCT-91 |
| MS9363C | NUT, SLOTTED, HEXAGON-SHEAR, A-286 [CUST: AV AS 11 IS] [REVIEW: 82 85 AT CR] | A 5310 | IS | 26-OCT-94 |
| MS9364A NOT 1 | NUT, SLOTTED, HEXAGON - SHEAR, A-286, SILVER PLATED, MIL-S-8879 [CUST: AV AS 11] [REVIEW: 82 85 AT CR] | A 5310 | IS | 03-OCT-91 |
| MS9371A(1) | GASKET - METAL O-RING, .035 TUBE X .006 WALL, SILVER PLATED [CUST: AS 11 IS] | A 5330 | IS | 21-JUN-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------|--|-----------------------|-----|-------------|-----------|
| | MS9372A(1) | GASKET - METAL O-RING, .062 TUBE X .006 WALL, SILVER PLATED [CUST: AS 11 IS] | A 5330 | IS | | 21-JUN-96 |
| | MS9373A(1) | GASKET - METAL O-RING, .062 TUBE X .010 WALL SILVER PLATED [CUST: AS 11 IS] | A 5330 | IS | | 21-JUN-96 |
| | MS9375A(1) | GASKET - METAL O-RING, .094 TUBE X .010 WALL, SILVER PLATED [CUST: AS 11 IS] | A 5330 | IS | | 21-JUN-96 |
| | MS9376A(1) | GASKET - METAL O-RING, .125 TUBE X .010 WALL, SILVER PLATED [CUST: AS 11 IS] | A 5330 | IS | | 21-JUN-96 |
| A | MS9379 NOT 1 | PLUG, EXPANSION - AMS 5510 [CUST: AS IS] [REVIEW: 11] | A 5340 | IS | | 03-OCT-91 |
| A | MS9380A NOT 1 | PLUG, EXPANSION-AMS 4003 [CUST: AS IS] [REVIEW: 11] | A 5340 | IS | | 03-OCT-91 |
| | MS9385A NOT 1 | PACKING, PREFORMED, AMS 7267, O-RING [CUST: AS 99 IS] [REVIEW: 11 82] | A 5330 | IS | | 08-JUL-96 |
| | MS9386B | PACKING, PREFORMED - AMS 7267, (O) RING [CUST: AS 99] [REVIEW: 11 82 MC MI OS SH] | A 5330 | IS | | 17-JAN-75 |
| | MS9389 | PIN, STRAIGHT, HEADLESS - AMS 5735, LOCK (ASG) [CUST: AS] [REVIEW: CR4 MI] | A 5315 | IS | | 01-AUG-61 |
| | MS9390C | PIN, STRAIGHT, HEADLESS--CRES, AMS 5735, DOWEL STANDARD AND OVERSIZE [CUST: AV AS 11 IS] [REVIEW: 82 85 MI] | A 5315 | IS | | 26-OCT-94 |
| A | MS9392 NOT 1 | CUSHION, LOOP CLAMP - MULTIPLE, 3-TUBE, AMS 3303 [CUST: AS IS] [REVIEW: 99 OS] | A 5340 | IS | | 03-OCT-91 |
| A | MS9393 NOT 1 | CUSHION, LOOP CLAMP - MULTIPLE, 2-TUBE, AMS 3303 [CUST: AS IS] [REVIEW: 99 OS] | A 5340 | IS | | 03-OCT-91 |
| | MS9394A | STRAP, RETAINING-MULTIPLE TUBE, DETACHABLE CUSHION, AMS 5510 [CUST: AV AS 99] [REVIEW: SH] | A 5340 | IS | | 21-NOV-94 |
| | MS9395A | BACKPLATE, RETAINING STRAP AMS 5510 [CUST: AV AS 99] [REVIEW: SH] | A 5340 | IS | | 21-NOV-94 |
| | MS9397(1) | BOLT, TEE HEAD - AMS 6322, CHAMFERED, .190-32 UNJF-3A, CADMIUM PLATE(ASG) [CUST: AS 99 IS] | A 5306 | IS | | 08-FEB-96 |
| | MS9398 | BOLT, TEE HEAD - AMS 6322, CHAMFERED, .250-28 UNJF-3A, CADMIUM PLATE(ASG) [CUST: AS] | A 5306 | IS | | 09-MAY-62 |
| | MS9403A NOT 1 | RIVET, SOLID - UNIVERSAL HEAD, AMS 5737 [CUST: AS 11] [REVIEW: CR4 MC] | A 5320 | IS | | 04-OCT-91 |
| | MS9432 NOT 1 | BOLT, TEE HEAD - AMS 5735, CHAMFERED, .190-32 UNJF-3A [CUST: AS IS] | A 5306 | IS | | 04-OCT-91 |
| | MS9433(1) | BOLT, TEE HEAD - AMS 5735, CHAMFERED, .250-28 UNJF-3A (ASG) [CUST: AS 99 IS] | A 5306 | IS | | 08-FEB-96 |
| | MS9434(1) | BOLT, TEE HEAD - AMS 5735, CHAMFERED, .3125-24 UNJF-3A (ASG) [CUST: AS 99 IS] | A 5306 | IS | | 08-FEB-96 |
| | MS9440 NOT 1 | BOLT, MACHINE STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .190-32 UNJF-3A [CUST: AS IS] | A 5306 | IS | | 04-OCT-91 |
| | MS9441 NOT 1 | BOLT, MACHINE STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .250-28 UNJF-3A [CUST: AS IS] | A 5306 | IS | | 04-OCT-91 |
| | MS9442(1) | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .3125-24 UNJF-3A (ASG) [CUST: AS 99 IS] | A 5306 | IS | | 08-FEB-96 |
| | MS9444 NOT 1 | BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .4375-20 UNJF-3A [CUST: AS IS] | A 5306 | IS | | 04-OCT-91 |
| | MS9449A | SCREW MACHINE HEXAGON HEAD STEEL 138-40 UNJF-3A [CUST: AS 11] [REVIEW: 82] | A 5305 | IS | | 31-MAR-86 |
| | MS9450A | SCREW MACHINE HEXAGON HEAD STEEL 164-36 UNJF-3A [CUST: AS 11] [REVIEW: 82] | A 5305 | IS | | 31-MAR-86 |
| | MS9451A(1) | BOLT, MACHINE, HEXAGON HEAD, STEEL, .190-32 UNJF-3A [CUST: AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 29-APR-96 |
| | MS9452A(1) | BOLT, MACHINE, HEXAGON HEAD, STEEL, .250-28 UNJF-3A [CUST: AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 29-APR-96 |
| | MS9453A(1) | BOLT, MACHINE, HEXAGON HEAD, STEEL, .3125-24 UNJF-3A [CUST: AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 29-APR-96 |
| | MS9454A(1) | BOLT, MACHINE, HEXAGON HEAD, STEEL, .375-24 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9455A(1) | BOLT, MACHINE, HEXAGON HEAD, STEEL, .4375-20 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9456A(1) | BOLT, MACHINE, HEXAGON HEAD, STEEL, .500-20 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9457A(1) | BOLT, MACHINE, HEXAGON HEAD, STEEL, .5625-18 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9458B(1) | BOLT, MACHINE, HEXAGON HEAD, STEEL, .625-18 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9459C(1) | BOLT, MACHINE, HEXAGON HEAD, STEEL, .750-16 UNJF-3A [CUST: AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 29-APR-96 |
| | MS9460A NOT 1 | RIVET, SOLID - 100 DEG. FLUSH HEAD, AMS 7235 [CUST: AV AS] [REVIEW: 82 CR4 MC] | A 5320 | IS | | 04-OCT-91 |
| | MS9462 | PIN, STRAIGHT, HEADED-.124 DIAMETER, AMS 5735 (ASG) [CUST: AS] | A 5315 | IS | | 06-NOV-64 |
| | MS9463 | PIN, STRAIGHT, HEADED-.186 DIAMETER, AMS 5735 (ASG) [CUST: AS] [REVIEW: MI] | A 5315 | IS | | 06-NOV-64 |
| | MS9464 | PIN, STRAIGHT, HEADED-.248 DIAMETER, MS 5735 (ASG) [CUST: AS] [REVIEW: CR4 MI] | A 5315 | IS | | 06-NOV-64 |
| | MS9465 | PIN, STRAIGHT, HEADED-.311 DIAMETER, AMS 5735 (ASG) [CUST: AS] | A 5315 | IS | | 06-NOV-64 |
| | MS9466 | PIN, STRAIGHT, HEADED-.373 DIAMETER, AMS 5735 [CUST: AS] | A 5315 | IS | | 06-NOV-64 |
| | MS9467 | PIN, STRAIGHT, HEADED .436 DIAMETER, AMS 5735 [CUST: AS] | A 5315 | IS | | 06-NOV-64 |
| | MS9468A | PIN, STRAIGHT, HEADED .497 DIAMETER, AMS 5735 [CUST: AS 11 IS] | A 5315 | IS | | 26-OCT-94 |
| | MS9482 NOT 1 | WASHER, FLAT - STEEL AMS 6437 OR AMS 6485, DIFFUSED NICKEL-CADMIUM PLATED, COUNTERSUNK [CUST: AS 99 IS] | A 5310 | IS | | 10-JUN-94 |
| | MS9483B | FERRULE, BRAZING, TUBE FITTING-AMS 5646, STRAIGHT [CUST: AV AS 11] [REVIEW: CR4 MI] | A 4730 | CC | | 01-MAY-69 |
| | MS9486A NOT 1 | PIN, STRAIGHT, HEADLESS - AMS 5132, LOCK [CUST: AS] [REVIEW: 11 85 CR CR4 MI OS] | A 5315 | IS | | 04-OCT-91 |
| | MS9489A(1) NOT 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK AMS 5731, .190-32 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9490A(1) NOT 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .250-28 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9491A(1) NOT 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .3125-24 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9492A(1) NOT 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .375-24 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9493A(1) NOT 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .4375-20 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9494A(1) NOT 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .500-20 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9496A(1) NOT 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .625-18 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9500A(1) NOT 1 | BOLT, MACHINED - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .190-32 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9501A(1) NOT 1 | BOLT, MACHINED - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .250-28 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9502A(1) NOT 1 | BOLT, MACHINED-HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .3125-24 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9503A(1) NOT 1 | BOLT, MACHINED-HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .375-24 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9505A(1) NOT 1 | BOLT, MACHINED-HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .500-20 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9514 | CUSHION, LOOP CLAMP-MULTIPLE, 3-TUBE, AMS 3839 [CUST: AS 11] | A 5340 | IS | | 17-AUG-67 |
| | MS9515 | CUSHION, LOOP CLAMP-MULTIPLE, 2-TUBE, AMS 3839 [CUST: AS 11] | A 5340 | IS | | 17-AUG-67 |
| | MS9516C | SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, HEXAGON HEAD, .138-40 UNJF-3A[CUST: AV AS 99] | A 5305 | IS | | 22-MAY-86 |
| | MS9517C NOT 1 | SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, HEXAGON HEAD, .164-36 UNJF-3A[CUST: AV AS 99 IS] | A 5305 | IS | | 10-JUN-96 |
| | MS9518A NOT 1 | BOLT, MACHINE, HEXAGON HEAD STEEL, CADMIUM PLATED .190-32 UNJF-3A [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-OCT-91 |
| | MS9519A | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .250-28UNJF-3A [CUST: AV AS 99] [REVIEW: 11] | A 5306 | IS | | 22-MAY-86 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------|--|-----------------------|-----|-------------|-----------|
| | MS9520A | BOLT, MACHINE STEEL AMS 6322, CADMIUM PLATE, HEXAGON HEAD, .3125-24 UNJF-3A [CUST: AV AS 99] [REVIEW: 11] | A 5306 | IS | | 22-MAY-86 |
| | MS9521A | BOLT, MACHINE, HEXAGONHEAD, STEEL CADMIUM P LATED, .375-24UNJF -3A [CUST: AV AS 99 IS] [REVIEW: 11] | A 5306 | IS | | 22-MAY-86 |
| | MS9522C NOT 1 | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .4375-20UNJF-3A [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| | MS9523A NOT 1 | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .500-20 UNJF-3A [CUST: AV AS 99] | A 5306 | IS | | 17-JUN-94 |
| | MS9524C | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .5625-18UNJF-3A [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 22-MAY-86 |
| | MS9525A NOT 1 | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .625-18UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 30-JUN-94 |
| | MS9526A NOT 1 | BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .750-16UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 10-JUN-94 |
| | MS9527B | SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .138-40 UNJF-3A [CUST: AV AS 99] [REVIEW: 82] | A 5305 | IS | | 21-DEC-83 |
| | MS9528 | SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .164-36 UNJF-3A [CUST: AV AS 99] [REVIEW: 11] | A 5305 | IS | | 02-FEB-68 |
| | MS9529(1) NOT 1 | BOLT, MACHINE, STEEL, AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .190-32 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9530(1) NOT 1 | BOLT, MACHINE-STEEL, AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .250-28 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9531(1) NOT 1 | BOLT, MACHINE-STEEL, AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .3125-24 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9532(1) NOT 1 | BOLT, MACHINE-STEEL, AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .375-24 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9533(1) NOT 1 | BOLT, MACHINE-STEEL, AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .4375-20 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9534(1) NOT 1 | BOLT, MACHINE-STEEL, AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .500-20 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9549 NOT 1 | WASHER, FLAT - AMS 5510 [CUST: AS IS] [REVIEW: AR MI] | A 5310 | IS | | 10-JUN-94 |
| | MS9551B | BRACKET, FLAT, STEEL, AMS 6350, CAD. PLATE [CUST: AV AS 99] [REVIEW: 82 SH] | A 5340 | IS | | 21-NOV-94 |
| | MS9552A | PLATE, MENDING [CUST: AR AS 11] [REVIEW: CR4] | A 5340 | IS | | 18-JUN-87 |
| | MS9553 NOT 1 | NUT HEX, BOSS CONNECTION, CRES [CUST: AS 99] | A 5310 | IS | | 10-JUN-94 |
| | MS9554D(1) | SCREW, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .138-40 UNJF-3A [CUST: AR AS 99 IS] [REVIEW: 82] | A 5305 | IS | | 01-DEC-95 |
| | MS9555C | SCREW, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION & HEAT RESISTANT STEEL, .164-36 UNJF-3A [CUST: AV AS 99] [REVIEW: 11 82 AR] | A 5305 | IS | | 06-NOV-86 |
| | MS9556C(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .190-32 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9557E(2) | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .250-28 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 29-APR-96 |
| | MS9558E(2) | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .3125-24 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 29-APR-96 |
| | MS9559E(2) | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .375-24 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 29-APR-96 |
| | MS9564A | SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, AMS 5731, .164-36 UNJF-3A [CUST: AV AS 99] [REVIEW: 11 AR] | A 5305 | IS | | 17-NOV-69 |
| | MS9565A(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, PD SHANK, AMS 5731, .190-32 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9566A(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, PD SHANK, AMS 5731, .250-28 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9567A(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, PD SHANK, AMS 5731, .3125-24 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9568A(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, PD SHANK, DRILLED, AMS 5731, .375-24 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9572D | SCREW, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .138-40 UNJF-3A [CUST: AV AS] [REVIEW: 82 AR] | A 5305 | IS | | 30-SEP-89 |
| | MS9573B | SCREW, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .164-36 UNJF-3A [CUST: AV AS] [REVIEW: 11 82 85 AR] | A 5305 | IS | | 30-SEP-89 |
| | MS9574B(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .190-32 UNJF-3A [CUST: AV AS IS] [REVIEW: 99 AR] | A 5306 | IS | | 29-APR-96 |
| | MS9575B(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .250-28 UNJF-3A [CUST: AV AS IS] [REVIEW: 99 AR] | A 5306 | IS | | 29-APR-96 |
| | MS9576D(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .3125-24 UNJF-3A [CUST: AV AS IS] [REVIEW: 99] | A 5306 | IS | | 29-APR-96 |
| | MS9577B(1) | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .375-24 UNJF-3A [CUST: AV AS IS] [REVIEW: 99] | A 5306 | IS | | 29-APR-96 |
| | MS9579C NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, AMS 5731, SILVER PLATED, .500-20 UNJF-3A [CUST: AV AS 99] [REVIEW: 82 85 AR] | A 5306 | IS | | 26-MAY-92 |
| | MS9581B NOT 1 | WASHER, KEY-CRES, AMS 5510, 90 DEG. LOCKING [CUST: AV AS 99 IS] [REVIEW: 11 CG SH] | A 5310 | IS | | 30-JUN-94 |
| | MS9582B NOT 1 | WASHER, KEY-CRES, AMS 5510, 270 DEG. LOCKING [CUST: AV AS 99 IS] [REVIEW: CG SH] | A 5310 | IS | | 10-JUN-94 |
| | MS9583B(1) NOT 1 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .190-32 UNJF-3A [CUST: AS 99 IS] [REVIEW: MI] | A 5306 | IS | | 29-APR-96 |
| | MS9584B(1) NOT 1 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .250-28 UNJF-3A [CUST: AS 99 IS] [REVIEW: MI] | A 5306 | IS | | 29-APR-96 |
| | MS9585B(1) | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .3125-24 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: MI] | A 5306 | IS | | 29-APR-96 |
| | MS9586B(1) NOT 1 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .375-24 UNJF-3A [CUST: AS 99 IS] [REVIEW: MI] | A 5306 | IS | | 29-APR-96 |
| | MS9587B(1) | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .4375-20 UNJF-3A [CUST: AS 99 IS] [REVIEW: MI] | A 5306 | IS | | 29-APR-96 |
| | MS9588D(1) | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .500-20 UNJF-3A [CUST: AS 99 IS] [REVIEW: MI] | A 5306 | IS | | 29-APR-96 |
| | MS9589D(1) | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, .5625-18 UNJF-3A [CUST: AS 99 IS] [REVIEW: MI] | A 5306 | IS | | 29-APR-96 |
| | MS9592A | BRACKET, ANGLE, 90 DEG., CRES, .190 BOLT [CUST: AS 99] | A 5340 | IS | | 18-JUN-87 |
| | MS9593B | BRACKET, ANGLE, 90 DEG. CRES AMS 5510, .190 X .250 BOLT [CUST: AV AS 99] [REVIEW: SH] | A 5340 | IS | | 21-NOV-94 |
| | MS9594A | BRACKET, ANGLE, 90 DEG., CRES, .190 X .312 BOLT [CUST: AS 99] | A 5340 | IS | | 18-JUN-87 |
| | MS9595A | BRACKET, ANGLE, 90 DEG., CRES, .190 X .375 BOLT [CUST: AS 99] [REVIEW: 11 99] | A 5340 | IS | | 18-JUN-87 |

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|------------------|---|--------------------------|--------------------|-----------|
| | MS9596B | BRACKET, ANGLE, 90 DEG. STEEL .190 BOLT [CUST: AV AS 99] [REVIEW: 82 SH] | A 5340 | IS | 21-NOV-94 |
| | MS9597C | BRACKET, ANGLE, 90 DEG., CADMIUM PLATED .190 X .250 BOLT [CUST: AV AS 99] [REVIEW: 82 SH] | A 5340 | IS | 21-NOV-94 |
| | MS9598C | BRACKET, ANGLE, 90 DEG., CADMIUM PLATED .190 X .312 BOLT [CUST: AV AS 99] [REVIEW: 82 SH] | A 5340 | IS | 21-NOV-94 |
| | MS9599C | BRACKET, ANGLE, 90 DEG., CADMIUM PLATED .190 X .375 BOLT [CUST: AV AS 99] [REVIEW: 82 SH] | A 5340 | IS | 21-NOV-94 |
| | MS9601B | BRACKET, ANGLE, 90 DEG, CRES. .190 X .250 BOLT [CUST: AS 11] | A 5340 | IS | 18-JUN-87 |
| | MS9602B | BRACKET, ANGLE, 90 DEG., CRES .190 X .312 BOLT [CUST: AS 11] | A 5340 | IS | 05-JUN-87 |
| | MS9631B | SCREW, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS 4967, .138-40 UNJF-3A [CUST: AS 99 IS] | A 5305 | IS | 03-MAR-70 |
| | MS9633 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A [CUST: AS 99] [REVIEW: 82] | A 5306 | IS | 04-OCT-91 |
| | MS9638 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS 4967, .500-20 UNJF-3A [CUST: AS 99] [REVIEW: 82] | A 5306 | IS | 04-OCT-91 |
| | MS9676(1) NOT 1 | BOLT, MACHINE-CRES AMS 5731, DOUBLE HEXAGON EXTENDED WASHER HEAD, CUP WASHER LOCKED, .190-32 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | 29-APR-96 |
| | MS9677B(1) NOT 1 | BOLT, MACHINE-CRES, AMS5731, DOUBLE HEXAGON, EXTENDED WASHER HEAD, CUP WASHER LOCKED, .250-28 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | 29-APR-96 |
| | MS9678B(1) NOT 1 | BOLT, MACHINE-CRES, AMS 5731, DOUBLE HEXAGON, EXTENDED WASHER HEAD, CUP WASHER LOCKED, .3125-24 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | 29-APR-96 |
| | MS9679B(1) | BOLT, MACHINE-CRES, AMS5731, DOUBLE HEXAGON, EXTENDED WASHER HEAD, CUP WASHER LOCKED, .375-24 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | 29-APR-96 |
| | MS9680B(1) | BOLT, MACHINE-STEEL, AMS 6322, CADMIUM PLATED, DOUBLE HEXAGON, EXTENDED WASHER HEAD, CUP WASHER LOCKED, .190-32 UNJF-EA [CUST: AS 99 IS] | A 5306 | IS | 29-APR-96 |
| | MS9681B NOT 1 | BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, CUP WASHER LOCKED, .250-28 UNJF-3A [CUST: AS 99] [REVIEW: 82] | A 5306 | IS | 04-OCT-91 |
| | MS9684A | WASHER, CUP, LOCK - CRES AMS 5510 (INACTIVE USE MS-9880) [CUST: AS 11 IS] [REVIEW: 99] | A 5310 | IS | 15-MAY-68 |
| | MS9685 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL AMS 6304, DIFFUSED NICKEL CADMIUM PLATE, .190-32 UNJF-3A [CUST: AS 99] | A 5306 | IS | 04-OCT-91 |
| | MS9686 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL AMS 6304, DIFFUSED NICKEL CADMIUM PLATE, .250-28 UNJF-3A [CUST: AS 99] | A 5306 | IS | 04-OCT-91 |
| | MS9687 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL AMS 6304, DIFFUSED NICKEL CADMIUM PLATE, .3125-24 UNJF-3A [CUST: AS 99] | A 5306 | IS | 04-OCT-91 |
| | MS9696A NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .190-32 UNJF-3A [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | 04-OCT-91 |
| | MS9697A NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .250-28 UNJF-3A [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | 17-JUN-94 |
| | MS9698A NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER, HEAD, CORROSION AND HEAT RESISTANT STEEL, .3125-24 UNJF-3A [CUST: AS 99] [REVIEW: 82] | A 5306 | IS | 04-OCT-91 |
| | MS9699A NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .375-24 UNJF-3A [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | 17-JUN-94 |
| | MS9705A(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .190-32 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | 29-APR-96 |
| | MS9712A | SCREW, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION & HEAT RESISTANT STEEL, .138-40 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: 11] | A 5305 | IS | 24-FEB-86 |
| | MS9714A(1) | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, .190-32 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | 29-APR-96 |
| | MS9715A(1) | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, .250-28 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | 29-APR-96 |
| | MS9716A(1) | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, .3125-24 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | 29-APR-96 |
| | MS9724A(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANT STEEL, .250-28 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | 29-APR-96 |
| | MS9732(1) | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5643, .190-32 UNJF-3A [CUST: AS 99 IS] [REVIEW: 11] | A 5306 | IS | 08-FEB-96 |
| | MS9733(1) | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5643, .250-28 UNJF-3A [CUST: AS 99 IS] [REVIEW: 11] | A 5306 | IS | 08-FEB-96 |
| | MS9734 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5643, .3125-24 UNJF-3A [CUST: AS] [REVIEW: 82] | A 5306 | IS | 04-OCT-91 |
| | MS9741 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES AMS 5643, .190-32 UNJF-3A [CUST: AS] [REVIEW: 82 85] | A 5306 | IS | 04-OCT-91 |
| | MS9742 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES AMS 5643, .250-28 UNJF-3A [CUST: AS IS] [REVIEW: 82 85] | A 5306 | IS | 04-OCT-91 |
| | MS9750 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A [CUST: AS] [REVIEW: 82 85] | A 5306 | IS | 04-OCT-91 |
| | MS9751 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, TITANIUM AMS 4967, .250-28 UNJF-3A [CUST: AS] [REVIEW: 82 85] | A 5306 | IS | 04-OCT-91 |
| | MS9759 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A [CUST: AS] [REVIEW: 82 85] | A 5306 | IS | 04-OCT-91 |
| | MS9760 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .250-28 UNJF-3A [CUST: AS] [REVIEW: 82 85] | A 5306 | IS | 04-OCT-91 |
| | MS9761 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .3125-24 UNJF-3A [CUST: AS] [REVIEW: 82 85] | A 5306 | IS | 04-OCT-91 |
| | MS9769 | REDUCER, TUBE - STRAIGHT, TUBE TO BOSS, AMS 5646 [CUST: AS 99] [REVIEW: 82 CG MC] | A 4730 | CC | 22-DEC-71 |
| | MS9770 NOT 1 | PACKING, PREFORMED - AMS 3650 [CUST: AS 11 IS] [REVIEW: 82 99] | A 5330 | IS | 08-JUL-96 |
| | MS9771 NOT 1 | PACKING, PREFORMED - AMS 3650, SEAL [CUST: AS 11 IS] [REVIEW: 82 99] | A 5330 | IS | 08-JUL-96 |
| | MS9772 | PACKING, PREFORMED - AMS 3617, O, RING [CUST: AS 11] [REVIEW: 82 99] | A 5330 | IS | 22-DEC-71 |
| | MS9783 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .190-32 UNJF-3A [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | 04-OCT-91 |
| | MS9784 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .250-28 UNJF-3A [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | 04-OCT-91 |
| | MS9785 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .3125-24 UNJF-3A [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | 04-OCT-91 |
| | MS9786 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .375-24 UNJF-3A [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | 04-OCT-91 |
| | MS9788 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .500-20 UNJF-3A [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | 04-OCT-91 |
| | MS9790 NOT 1 | BOLT, MACHINE, HEXAGON HEAD, FULL SHANK, AMS 5643, .625-18 UNJF-3A [CUST: AV AS 99] | A 5306 | IS | 30-JUN-94 |
| | MS9796B NOT 1 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5643, .3125-24 UNJF-3A [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | 04-OCT-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|--------------------------|-----|-------------|-----------|
| | MS9805 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5643, .190-32 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 17-JUN-94 |
| | MS9806 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5643, .250-28 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| | MS9808 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5643, .375-24 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| | MS9816 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, AMS 5643, .190-32 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| | MS9821 NOT 1 | BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, AMS 5643, .500-20 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 10-JUN-94 |
| | MS9841 NOT 1 | KEY, WOODRUFF - CHAMFERED CRES AMS5640 [CUST: AS] [REVIEW: 82 85] | A 5315 | IS | | 04-OCT-91 |
| | MS9842 NOT 1 | PIN, STRAIGHT, HEADED .0937 DIAMETER, AMS5616 [CUST: AS] | A 5315 | IS | | 01-JUL-94 |
| | MS9843 NOT 1 | PIN, STRAIGHT, HEADED .1249 DIAMETER, AMS5616 [CUST: AS IS] [REVIEW: 82 85] | A 5315 | IS | | 01-JUL-94 |
| | MS9844 NOT 1 | PIN, STRAIGHT, HEADED .1874 DIAMETER, AMS5616 [CUST: AS] [REVIEW: 82 85] | A 5315 | IS | | 04-OCT-91 |
| | MS9845 NOT 1 | PIN, STRAIGHT, HEADED .2499 DIAMETER, AMS5616 [CUST: AS IS] [REVIEW: 82 85] | A 5315 | IS | | 01-JUL-94 |
| | MS9846 NOT 1 | PIN, STRAIGHT, HEADED .3124 DIAMETER, AMS5616 [CUST: AS IS] [REVIEW: 82 85] | A 5315 | IS | | 01-JUL-94 |
| | MS9847 NOT 1 | PIN, STRAIGHT, HEADED .3749 DIAMETER, AMS5616 [CUST: AS IS] [REVIEW: 82 85] | A 5315 | IS | | 01-JUL-94 |
| | MS9848 | PIN, STRAIGHT, HEADED .4999 DIAMETER, AMS5616 [CUST: AS] | A 5315 | IS | | 28-FEB-68 |
| | MS9880 NOT 1 | WASHER, CUP, LOCK - CRES AMS 5510 [CUST: AS 99] [REVIEW: MI] | A 5310 | IS | | 10-JUN-94 |
| | MS9881B NOT 1 | NUT, PLAIN, HEXAGON - AMS 6322, CADMIUM PLATE MIL-S-8879 [CUST: AV AS] | A 5310 | IS | | 10-JUN-94 |
| | MS9882 NOT 1 | NUT, PLAIN, HEX - DRILLED, AMS 6322, CADMIUM PLATE MIL-S-8879 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5310 | IS | | 10-JUN-94 |
| | MS9885 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5616, .190-32 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | | 17-JUN-94 |
| | MS9886 NOT 2 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5616, .250-28 UNJF-3A [CUST: AS 11 IS] | A 5306 | IS | | 22-AUG-95 |
| | MS9887(1) | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5616, .3125-24 UNJF-3A [CUST: AS 99 IS] [REVIEW: 11] | A 5306 | IS | | 08-FEB-96 |
| | MS9890 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5616, .500-20 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | | 10-JUN-94 |
| | MS9894 NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED AMS 5616, .190-32 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | | 17-JUN-94 |
| | MS9895 NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, AMS 5616, 250-28 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | | 10-JUN-94 |
| A | MS9902A(1) | PLUG, MACHINE THREAD - DRILLED, AMS 5646, PREFORMED PACKING, MIL-S-8879 THREAD [CUST: AS 11 IS] | A 5365 | IS | | 07-NOV-97 |
| | MS9914 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .190-32 UNJF-3A [CUST: AS 99] | A 5306 | IS | | 17-JUN-94 |
| | MS9916 NOT 2 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .3125-24 UNJF-3A [CUST: AS 11 IS] | A 5306 | IS | | 22-AUG-95 |
| | MS9917 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .375-24 UNJF-3A [CUST: AS 99] | A 5306 | IS | | 30-JUN-94 |
| | MS9918 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .4375-20 UNJF-3A [CUST: AS 99] | A 5306 | IS | | 30-JUN-94 |
| | MS9923 NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .190-32 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | | 17-JUN-94 |
| | MS9924 NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, STEEL AMS, CADMIUM PLATED, .250-28 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | | 10-JUN-94 |
| | MS9928A | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .500-20 UNJF-3A [CUST: AS 11] [REVIEW: 82 85] | A 5306 | IS | | 09-SEP-96 |
| | MS9933 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, FULL SHANK, STEEL AMS 6322, CADMIUM PLATED, .250-28 UNJF-3A [CUST: AS 99] [REVIEW: 82 CG MC] | A 5306 | IS | | 04-OCT-91 |
| | MS9944 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, FULL SHANK, STEEL AMS 6322, CADMIUM PLATED, .375-24 UNJF-3A [CUST: AS 99] [REVIEW: 82 CG MC] | A 5306 | IS | | 04-OCT-91 |
| | MS9947 NOT 1 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, FULL SHANK, STEEL AMS 6322, CADMIUM PLATED, .5625-18 UNJF-3A [CUST: AS 99] [REVIEW: 82 CG MC] | A 5306 | IS | | 04-OCT-91 |
| | MS9948 | COVER - ACCESSORY DRIVE, 10,000 BC ROUND, QAD [CUST: AV AS 11] | A 2995 | AS | | 04-MAY-70 |
| | MS9949 | COVER - ACCESSORY DRIVE, 8,000 BC ROUND, QAD [CUST: AV AS 11] | A 2995 | AS | | 04-MAY-70 |
| | MS9950 | COVER - ACCESSORY DRIVE, 5,000 BC ROUND, QAD [CUST: AV AS 11] | A 2995 | AS | | 04-MAY-70 |
| | MS9955 | PACKING, PREFORMED - AMS 3668, O, RING [CUST: AS 11] [REVIEW: 82 99 OS] | A 5330 | IS | | 22-DEC-71 |
| | MS9956 | PACKING, PREFORMED - AMS 3668, SEAL [CUST: AS 11] | A 5330 | IS | | 22-DEC-71 |
| | MS9958 NOT 1 | BOLT, MACHINE, HEXAGON HEAD, DRILLED, 6 HOLE, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .250-28UNJF-3A [CUST: AV AS 11] | A 5306 | IS | | 04-OCT-91 |
| | MS9964 NOT 1 | BOLT, MACHINE, HEXAGON HEAD, DRILLED, 6 HOLE, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .625-18UNJF-3A [CUST: AV AS 11] | A 5306 | IS | | 04-OCT-91 |
| | MS9966 NOT 1 | PACKING, PREFORMED - AMS 7273 SEAL [CUST: AS 11 IS] [REVIEW: 82 99] | A 5330 | IS | | 08-JUL-96 |
| | MS9967 | PACKING, PREFORMED - AMS 1273, O, RING [CUST: AS 11] [REVIEW: 82 99] | A 5330 | IS | | 22-DEC-71 |
| | MS13804D | GENERATOR, ENGINE ACCESSORY D.C. 28-VOLT 40-AMP [CUST: YD1] [REVIEW: AT] | A 2920 | CC | | 11-JAN-91 |
| | MS14001H | SWITCH, TOGGLE, POSITIVE BREAK ENVIRONMENTALLY SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING, 25 AMPERES [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR EC MI] | A 5930 | CC | | 30-SEP-86 |
| | MS14002H | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR EC MI] | A 5930 | CC | | 30-SEP-86 |
| | MS14003H | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SOLDER LUG, FOUR POLE, .469 MOUNTING BUSHING, 25 AMPERES [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR EC MI] | A 5930 | CC | | 30-SEP-86 |
| | MS14004E | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 6 [CUST: CR EC 85] [REVIEW: AS AT CG CR4 MC MI SH] | A 5935 | CC | | 26-JAN-89 |
| | MS14005D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 26 (SIZE 16, 20 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH YD1] | A 5935 | CC | | 18-MAR-85 |
| | MS14006D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 9 (SIZE 16, 20 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 18-MAR-85 |
| | MS14007C NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 9 (SIZE 16, 20 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| | MS14008C NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 26 (SIZE 16, 20 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| | MS14010B | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL 7 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 18-MAR-85 |
| | MS14011B | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL 7 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 18-MAR-85 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------------|---|-----------------------|-----|-------------|-----------|
| MS14033B | GRID PATTERNS FOR SOLDERLESS WRAPPED ELECTRICAL CONNECTORS [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS MC MI] | A 5935 | CC | | 30-APR-79 |
| MS14034 | GENERAL CONTACT LAYOUT FOR TYPE III BASE PLATE CONNECTOR (200 GRID) [CUST: CR EC 85] [REVIEW: 11 AR AS MC MI OS] | A 5935 | CC | | 13-AUG-71 |
| MS14047 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K138 TO LT10K142 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR MI OS] | A 5950 | CC | | 15-FEB-72 |
| MS14048 | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE @IRON CORE@ TYPES LTU/KUJO TO LT10K147 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 15-FEB-72 |
| MS14049 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K148 TO LT10K152 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 15-FEB-72 |
| MS14050 | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE @IRON CORE@ TYPES LT10K153 TO LTUOK157 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS] | A 5950 | CC | | 15-FEB-72 |
| MS14052 | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE @IRON CORE@ TYPES LT10K158 TO LT10K168 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS] | A 5950 | CC | | 15-FEB-72 |
| MS14054D NOT 1 | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 28, CLASS L, 40 AMPS [CUST: CR EC CC] [REVIEW: 17 19 85 AS AT AV CG CR4 MC MI OS YD1] | A 5935 | CC | | 29-SEP-89 |
| MS14055G NOT 1 | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 44, CLASS L, 100 AMPS [CUST: CR EC 85] [REVIEW: 17 19 80 AS AT AV CG CR4 MC MI OS YD1] | A 5935 | CC | | 29-SEP-89 |
| MS14056 NOT 1 | CONTACTS, ELECTRIC CONNECTOR, SHIELDED CABLE APPLICATIONS, SIZE 8 [CUST: CR EC 11] [REVIEW: 17 19 85 AS CG MI OS SH] | A 5935 | CC | | 03-JUN-92 |
| MS14057F | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 52, CLASS L, 200 AMPS [CUST: CR EC 85] [REVIEW: 17 19 AS AT AV CG CR4 MC MI SH YD1] | A 5935 | CC | | 09-JUN-89 |
| MS14058C(1) | CONNECTORS, ELECTRIC, RECTANGULAR MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, RECEPTACLE, SOCKET CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG CR4 MC MI SH] | A 5935 | CC | | 28-MAY-96 |
| MS14059D(1) | CONNECTORS, ELECTRIC, RECTANGULAR MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, PLUG, PIN CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG CR4 MC MI SH] | A 5935 | CC | | 28-MAY-96 |
| MS14060B NOT 1 | CLAMP, CABLE [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS MC MI YD1] | A 5935 | CC | | 31-AUG-93 |
| MS14061B | PLATE, COVER, CONNECTOR [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS MC MI] | A 5935 | CC | | 30-APR-79 |
| MS14062B | HOUSING, CONNECTOR, CASTING AND MACHINERY [CUST: EC CC] | A 5935 | CC | | 16-NOV-79 |
| MS14065B | SCREW, FLAT HEAD [CUST: EC CC] | A 5935 | CC | | 30-APR-79 |
| MS14066B | SCREW, FLAT HEAD [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS MC MI] | A 5935 | CC | | 30-APR-79 |
| MS14069C | HOUSING, CONNECTOR ASSEMBLY, STYLE I [CUST: EC CC] | A 5935 | CC | | 16-NOV-79 |
| MS14101J | BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, NARROW, GROOVED OUTER RING, -65 DEG. TO 325 DEG. F [CUST: AV AS 99] [REVIEW: 84 AR AT CR4 IS] | A 3120 | AS | | 05-DEC-94 |
| MS14113E | TAPE, IDENTIFICATION, COLOR CODED, FOR AIRCRAFT TIRES [CUST: AV AS 99] [REVIEW: 11 70 CC] | A 2620 | AS | | 18-JUL-90 |
| MS14114 NOT 1 | GYROSCOPE, DISPLACEMENT, ROLL AND PITCH (HARD MOUNTED) [CUST: AS] | A 6610 | AS | | 07-DEC-87 |
| MS14118 | ADAPTER, HYDRAULIC STARTER TO ENGINE, MOUNTING [CUST: AS] | A 2995 | AS | | 06-JAN-72 |
| MS14144C(1) | NUT, SELF-LOCKING, LIGHTWEIGHT, CASTELLATED, 450 DEG. F [CUST: AV AS 99 IS] | A 5310 | IS | | 10-NOV-95 |
| MS14145C | NUT, SELF-LOCKING, LIGHTWEIGHT, THIN, CASTELLATED, 450 DEG. F [CUST: AV AS 99 IS] | A 5310 | IS | | 31-OCT-94 |
| MS14146A(1) NOT 1 | NUT, SELF-LOCKING, CASTELLATED, HEXAGON, C'BORED, CAPTIVE WASHER, 450 DEG. F [CUST: AV AS 99 IS] | A 5310 | IS | | 10-NOV-95 |
| MS14147A NOT 1 | SERVICE SUITABILITY (FLIGHT) TESTING OF REBUILT NAVY AIRCRAFT TIRES [CUST: AS] | A 2620 | AS | | 29-OCT-91 |
| MS14151(1) NOT 1 | WASHER, FLAT, ROUND, CORROSION RESISTING STEEL (FOR ELECTRICAL APPLICATIONS) [CUST: AR AS 82 IS] | A 5310 | IS | | 20-FEB-96 |
| MS14155 | WASHER, RECESSED COUNTERSUNK TWO SURFACES, FOR USE WITH WHEEL BOLTS AND NUTS UP TO AND INCLUDING 180 KSI FTU [CUST: AV AS 99] [REVIEW: 82 AT CR CR4] | A 5310 | IS | | 30-JUN-89 |
| MS14156 NOT 1 | NUT, WHEEL, SELF-LOCKING, FLANGED, STEEL, 180 KSI FTU, 450 DEG. F, SPLINE DRIVE [CUST: AV AS 99] [REVIEW: 82 AR CR CR4] | A 5310 | IS | | 30-JUN-89 |
| MS14157B NOT 1 | BOLT, WHEEL, TENSION, FLANGED STEEL, 180KSI FTU, 450 DEG. F EXTERNAL SPLINE DRIVE [CUST: AV AS 11] [REVIEW: AR AT CR CR4] | A 5306 | IS | | 04-OCT-91 |
| MS14164A | NUT, WHEEL, SELF-LOCKING, FLANGED, STEEL, 220 KSI FTU, 450 DEG. F SPLINE, DRIVE [CUST: AV AS 11] [REVIEW: 82] | A 5310 | IS | | 06-MAY-91 |
| MS14168A | TIRE, PNEUMATIC, AIRCRAFT, 22 X 6.6-10 [CUST: AS] | A 2620 | AS | | 12-JUL-96 |
| MS14169C NOT 1 | CIRCULAR SPLINE AND ADAPTER DETAILS ENGINE DRIVEN ACCESSORIES [CUST: AS] [REVIEW: 11] | A 6115 | AS | | 31-DEC-87 |
| MS14171C | TIRE, PNEUMATIC, AIRCRAFT 30 X 11.50-14.50, TYPE VIII (NAVY) FABRIC REINFORCED TREAD [CUST: AS] | A 2620 | AS | | 05-MAR-97 |
| MS14172C NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 30 X 11.50-14.50, TYPE VIII (NAVY) FABRIC REINFORCED TREAD [CUST: AS] [REVIEW: CC] | A 2620 | AS | | 14-MAY-87 |
| MS14177B | WASHER, RECESSED, COUNTERSUNK TWO SURFACES, FOR USE WITH WHEEL BOLTS AND NUTS UP TO AND INCLUDING 220 KSI FTU [CUST: AV AS 99] [REVIEW: 82] | A 5310 | IS | | 20-SEP-91 |
| MS14179A NOT 1 | NUT, PLATE, SELF-LOCKING, FLOATING, TWO LUG, REDUCED RIVET SPACING, STEEL, (VESPEL INSERT) 500 CYCLES REUSE, REPLACEABLE NUT, 160 KSI FTU, 450 DEG. F [CUST: AV AS 99] [REVIEW: 11 AR] | A 5310 | IS | | 04-OCT-91 |
| MS14181C | BOLT, TENSION, NICKEL ALLOY 718, 220 KSI FTU, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JAN-89 |
| MS14182B | NUT, SELF-LOCKING, EXTENDED WASHER, ROUND, NICKEL ALLOY 718, 220 KSI FTU, 450 DEGREE F AND 800 DEGREE F, SPLINE DRIVE [CUST: AV AS 99 IS] [REVIEW: 82 AT MI] | A 5310 | IS | | 30-JAN-97 |
| MS14183B | WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 220 KSI FTU [CUST: AV AS 99] [REVIEW: 11 AT NI] | A 5310 | IS | | 30-JAN-89 |
| MS14184A NOT 1 | NONMETALLIC SHAFT-COUPPLING DETAILS, ENGINE DRIVEN ACCESSORIES [CUST: AS] | A 6115 | AS | | 31-DEC-87 |
| MS14187 NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 22X6.6-10, NEW DESIGN [CUST: AS] | A 2620 | AS | | 29-OCT-91 |
| MS14189 NOT 1 | NONDESTRUCTIVE INSPECTION OF REBUILT AIRCRAFT TIRES, REQUIREMENT FOR [CUST: AS] | A 2620 | AS | | 29-OCT-91 |
| MS14191E | RECESS, OFFSET CRUCIFORM, RIBBED DIMENSIONS OF RECESS, GAGE AND DRIVER FOR [CUST: AV AS 99] [REVIEW: 82 IS] | A 53GP | AS | | 20-SEP-94 |
| MS14198A | LOCK, ROD END, EXTRA STRENGTH, HIGH PROFILE LUG [CUST: AV AS IS] [REVIEW: 99 MI] | A 5340 | IS | | 17-JAN-83 |
| MS14200B | NUT, FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.) 450 DEG. F, STEEL, 125 KSI FTU, REPLACEABLE NUT ELEMENT [CUST: AR AS 11 IS] [REVIEW: 82 99 AV MI SH] | A 5310 | IS | | 17-APR-95 |
| MS14201A | NUT, FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F, STEEL, 125 KSI FTU, REPLACEABLE NUT ELEMENT, 1/64 OVERSIZE REPAIR [CUST: AR AS 11 IS] [REVIEW: 82 99 AV MI SH] | A 5310 | IS | | 30-SEP-94 |
| MS14210A | NUT, FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A. R. E.), 450 DEG. F, CRES (A-286), 125 KSI FTU, REPLACEABLE NUT ELEMENT [CUST: AS IS] | A 5310 | IS | | 01-DEC-93 |
| MS14213(1) | NUT ELEMENT, REPLACEABLE, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F, CRES (A-286), 125 KSI FTU [CUST: AS IS] | A 5310 | IS | | 14-DEC-94 |
| MS14214A | NUT ELEMENT, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F, STEEL (AISI 1050 OR 4130), 125 KSI FTU [CUST: AR AS 11 IS] [REVIEW: 82 99 AV MI SH] | A 5310 | IS | | 30-SEP-94 |
| MS14218C | RIVET, SOLID, 120 DEG. FLUSH INTERFERENCE SHEAR HEAD [CUST: AV AS 99] [REVIEW: 82 AR] | A 5320 | IS | | 25-JAN-85 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Document Number | Document Title | Distribution FSC/Doc | UIC | Prep. Acty. | Date |
|------------------|---|----------------------|-----|-------------|-----------|
| MS14219A | RIVET, SOLID, 120 DEG. FLUSH INTERFERENCE, TENSION TYPE HEAD [CUST: AS] | A 5320 | IS | | 25-JAN-85 |
| MS14222 NOT 1 | NUT, SELF-LOCKING, 450 DEG. F. HEXAGON, REDUCED HEAD HEIGHT, RING BASE, CORROSION RESISTANT STEEL [CUST: AV AS 99] [REVIEW: AR CR MI] | A 5310 | IS | | 23-SEP-91 |
| DS14241A | CLAMP, LOOP TYPE, CUSHIONED SUPPORT, METRIC [CUST: AV 99] [REVIEW: 11 82 AR EA] | A 5340 | IS | | 08-JAN-88 |
| DS14242A NOT 1 | CLAMP, LOOP, CUSHIONED, CENTER MOUNTING, METRIC [REVIEW: 11 AR MI YD1] | A 5340 | IS | | 04-OCT-91 |
| DS14243 NOT 1 | CLAMP, LOOP, NYLON, METRIC [CUST: AV AS] [REVIEW: 11 82 99 AL AR EA EC GL IS MC] | A 5340 | AS | | 04-OCT-91 |
| DS14244 NOT 1 | CLAMP, LOOP TYPE, BONDING, METRIC [CUST: AR AS] [REVIEW: AT AV CC CR CR4 IS MI YD1] | A 5340 | AS | | 04-OCT-91 |
| DS14272 | CLAMP, LOOP, CUSHIONED ELONGATED, METRIC [CUST: AV 99] [REVIEW: 11 AR EC MI YD1] | A 5340 | IS | | 23-DEC-83 |
| MS14274A NOT 1 | PIN, QUICK RELEASE, POSITIVE LOCKING "L" HANDLE SINGLE ACTION, DETENT WRENCH/SAFETY PIN (SLOTTED) [CUST: AV AS 99] | A 5340 | AS | | 23-SEP-91 |
| DS14289 | STRAP, RETAINING, CUSHIONED, RECTANGULAR, TWO PIECE, METRIC [CUST: AR AS 99] [REVIEW: 11 AT AV EA EC MC SM] | A 5340 | IS | | 23-APR-84 |
| DS14290 NOT 1 | CLAMP, LOOP, CUSHIONED, RECTANGULAR, METRIC [CUST: AR 99] [REVIEW: 82 AL AV CR CR4 EA EC MC MI YD1] | A 5340 | IS | | 04-OCT-91 |
| DS14298 | CLAMP ASSEMBLY, CUSHIONED SADDLE, METRIC [CUST: AR 99] [REVIEW: 11 AT AV EC GL MC MI YD1] | A 5340 | IS | | 15-OCT-84 |
| MS14298 | CLAMP ASSEMBLY, CUSHIONED SADDLE, METRIC [CUST: AR 99] [REVIEW: 11 AT AV EC GL MC MI YD1] | A 5340 | IS | | 15-OCT-84 |
| MS14302 | PIPE, COPPER, SEAMLESS, STANDARD SIZES [CUST: CR4 99] [REVIEW: 82 AR MC MI] | A 4710 | CC | | 15-JUN-73 |
| MS14483 | TIRE PNEUMATIC, AIRCRAFT, RADIAL PLY CONSTRUCTION, 26 X 7.75R13 (NAVY) (AV-8B MLG) [CUST: AS] [REVIEW: CC] | A 2620 | AS | | 08-OCT-85 |
| DS14487 NOT 1 | CLAMP, LOOP, PLASTIC, WIRE SUPPORT, METRIC [CUST: AR AS 99] [REVIEW: 85 AL AT AV CR CR4 EC GL IS MC MI OS SH] | A 5340 | AS | | 04-OCT-91 |
| DS14488 | CLAMP, LOOP, PLASTIC, WIRE SUPPORT, RIBBED INNER DIAMETER, METRIC [CUST: AR AS 99] [REVIEW: 82 AV CR EC IS MC MI OS SH] | A 5340 | AS | | 02-APR-86 |
| DS14489 | CLAMP, LOOP, METAL, PLAIN, SUPPORT, AIRCRAFT, METRIC [CUST: AR 99] [REVIEW: 82 AV CR EC MC MI OS SH] | A 5340 | IS | | 02-APR-86 |
| MS14490C | BOLT, WHEEL, NICKEL ALLOY 718, 220 KSI FTU, 132 KSI FSU, 450 DEG. F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD [CUST: AV AS 99] | A 5306 | IS | | 28-AUG-89 |
| MS14491C(1) | NUT, WHEEL, SELF-LOCKING, FLANGED, NICKEL ALLOY 718, 220 KSI FTU, 450 DEG. F, SPLINE DRIVE [CUST: AV AS 99 IS] | A 5310 | IS | | 26-OCT-94 |
| MS14493 | NUT, SELF-LOCKING, CHA NNEL, FLOATING, CARBON STEEL, 125 KSI, FTU [CUST: AV AS 11 IS] | A 5310 | IS | | 03-APR-87 |
| A MS14531 | PIN, QUICK RELEASE WITH WARNING STREAMER ASSEMBLY [CUST: AV AS 99 IS] [REVIEW: 82 AR DP GL] | A 5315 | IS | | 18-JAN-88 |
| MS14540 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT 24 X 7.7-10 (NAVY) [CUST: AS] | A 2620 | AS | | 31-JUL-95 |
| MS14541 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT 19 X 5.25-10 (NAVY) [CUST: AS] | A 2620 | AS | | 31-JUL-95 |
| MS15011B | FITTINGS, HOSE, WELDING & CUTTING, OXYGEN & ACETYLENE [CUST: 99 CC] [REVIEW: 82 AT CR4 SH] | A 4730 | CC | | 01-MAY-79 |
| MS15012D | TRANSFORMER SYNCHRO OVERLOAD, 60 CYCLE AND 400 CYCLE [CUST: CR4 EC CC] [REVIEW: 99 AR AS CR MC OS] | A 5950 | CC | | 03-OCT-63 |
| D MS15534A | LAMP, INCANDESCENT, T-7, CANDELABRA SCREW [CUST: SH IS] | A 6240 | IS | | 19-JUL-56 |
| D MS15535K | LAMPS, INCANDESCENT, SEALED BEAM, PAR-56, SCREW TERMINAL BASE [CUST: CR4 SH 99 IS] [REVIEW: 11 AT MC SA] | A 6240 | IS | | 05-APR-88 |
| MS15795G | WASHER, FLAT METAL, ROUND, GENERAL PURPOSE (IN./MM) [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 IS MC MI NS SH YD1] | A 5310 | IS | | 10-JUL-86 |
| MS15981D NOT 1 | FASTENERS, EXTERNALLY THREADED, SELF-LOCKING, DESIGN AND USAGE LIMITATIONS FOR [CUST: AS 99] [REVIEW: 82 IS MI] | A 5305 | AS | | 25-MAR-91 |
| MS15983A(1) | NUT, PLAIN, PLATE, NON-COUNTERSUNK [CUST: AS IS] | A 5310 | IS | | 20-FEB-96 |
| MS16051F | COUPLING, GROUND COOLING, COMBAT TYPE AIRCRAFT [CUST: AS] [REVIEW: CC] | A 4730 | AS | | 16-JAN-87 |
| A MS16068A NOT 1 | HARNESS, AIRCRAFT SAFETY, PILOT'S SHOULDER V TYPE [CUST: AS GS] | A 1680 | GS | | 30-OCT-91 |
| A MS16069A NOT 1 | HARNESS, AIRCRAFT SAFETY, PILOT'S SHOULDER Y TYPE [CUST: AS GS] | A 1680 | GS | | 30-OCT-91 |
| MS16070E NOT 1 | BELT, AIRCRAFT SAFETY, CREWMAN'S [CUST: AS 99] | A 1680 | GS | | 30-OCT-91 |
| MS16142C | BOSS, GASKET SEAL STRAIGHT THREAD TUBE FITTING, STANDARD DIMENSIONS FOR [CUST: SH] [REVIEW: CR4 MI] | A 4730 | SH | | 21-JUN-79 |
| MS16187B | STUD, CONTINUOUS THREAD (BOLT-STUD), B16 ALLOY STEEL HIGH TEMPERATURE SERVICE (875 DEG-1000 DEG F) [CUST: AR SH 99 IS] [REVIEW: 82] | A 5307 | IS | | 01-OCT-63 |
| MS16198A NOT 1 | SCREWS, WOOD, SLOTTED ROUND HEAD, AUSTENITIC CORROSION RESISTING STEEL, NON-MAGNETIC [CUST: IS] [REVIEW: MI] | A 5305 | IS | | 27-MAR-91 |
| MS16199B NOT 1 | SCREWS, WOOD, SLOTTED, FLAT COUNTERSUNK (82 DEG.) HEAD, COPPER-SILICON ALLOY, NONMAGNETIC [CUST: IS] | A 5305 | IS | | 27-MAR-91 |
| MS16203C(1) | NUT, PLAIN, HEXAGON, AND HEXAGON JAM, UNC-2B, NONMAGNETIC [CUST: AR 82 IS] | A 5310 | IS | | 20-FEB-96 |
| MS16204B NOT 1 | BOLT, FINNED NECK, COUNTERSUNK FLATHEAD, UNC-2A, NON-MAGNETIC [CUST: 99 IS] | A 5306 | IS | | 30-JUN-86 |
| MS16205A NOT 2 | BOLTS, MACHINE, REGULAR SEMI-FINISHED HEXAGON HEAD, COPPER-SILICON ALLOY (SILICON BRONZE), UNC-2A, NON-MAGNETIC [CUST: IS] [REVIEW: CR4 MI] | A 5306 | IS | | 27-MAR-91 |
| MS16206A NOT 2 | BOLTS, MACHINE, HEXAGON HEAD, REGULAR SEMI-FINISHED, ALUMINUM ALLOY, UNC-2A NONMAGNETIC [CUST: IS] [REVIEW: CR4] | A 5306 | IS | | 27-MAR-91 |
| MS16207C NOT 2 | BOLTS, SQUARE NECK, (CARRIAGE BOLT), ROUND HEAD, UNC-2A, COPPER-SILICON ALLOY, NONMAGNETIC [CUST: 99 IS] [REVIEW: CR4] | A 5306 | IS | | 27-MAR-91 |
| MS16208B | BOLTS, MACHINE, HEXAGON HEAD, SEMIFINISHED CORROSION RESISTING STEEL UNC-2A, NONMAGNETIC [CUST: IS] [REVIEW: CR4 MI] | A 5306 | IS | | 29-NOV-89 |
| MS16211A NOT 1 | NUTS, PLAIN, SQUARE, REGULAR, UNFINISHED, COPPER-SILICON ALLOY, UNC-2B NONMAGNETIC [CUST: IS] | A 5310 | IS | | 27-MAR-91 |
| MS16212B NOT 1 | WASHERS, FLAT, METAL, ROUND, MEDIUM SERIES, NONMAGNETIC [CUST: IS] [REVIEW: CR4 MI] | A 5310 | IS | | 27-MAR-91 |
| MS16213C NOT 2 | WASHER, LOCK, FLAT, EXTERNAL TOOTH, NONMAGNETIC [CUST: AR AS 99 IS] | A 5310 | IS | | 20-OCT-95 |
| MS16215A NOT 1 | SCREWS, WOOD, SLOTTED OVAL HEAD 82 DEG. AUSTENITIC, CORROSION RESISTING STEEL, NONMAGNETIC [CUST: IS] [REVIEW: MI] | A 5305 | IS | | 27-MAR-91 |
| MS16216B NOT 1 | SCREWS, WOOD, SLOTTED ROUND HEAD, COPPER-SILICON ALLOY, NONMAGNETIC [CUST: IS] [REVIEW: MI] | A 5305 | IS | | 27-MAR-91 |
| MS16217A NOT 1 | SCREWS, WOOD, SLOTTED FLAT HEAD, 82 DEGREE, AUSTENITIC, CORROSION-RESISTING STEEL, NONMAGNETIC [CUST: IS] [REVIEW: MI] | A 5305 | IS | | 27-MAR-91 |
| MS16218B NOT 1 | SCREWS, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, COPPER-SILICON ALLOY, UNC-2A, NONMAGNETIC [CUST: IS] | A 5305 | IS | | 27-MAR-91 |
| MS16219A NOT 1 | SCREWS, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, NONMAGNETIC, CORROSION RESISTING STEEL, PASSIVATED, UNC-2A [CUST: IS] [REVIEW: CR4] | A 5305 | IS | | 27-MAR-91 |
| MS16228A(1) | NUT, SELF-LOCKING, HEXAGON-THIN, UNC 3B (NON METALLIC INSERT) AUSTENITIC CORROSION RESISTANT STEEL, NONMAGNETIC, 250 DEG. F [CUST: AV AS 11 IS] | A 5310 | IS | | 20-FEB-96 |
| MS16285A | NUTS, HEXAGON, SEMIFINISHED, HEAVY, UNC-2B AND 8N-2B, HIGH TEMPERATURE - TO 1000 DEG. F [CUST: AR SH IS] [REVIEW: CR4 MI] | A 5310 | IS | | 06-APR-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|-------------|-------------------|---|----------------------|-----|-------------|-----------|
| | MS16286A | NUTS, HEXAGON, FINISHED, UNC-2B AND 8N-2B, HIGH TEMPERATURE - TO 1000 DEG. F [CUST: AR SH IS] [REVIEW: CR4 MI] | A 5310 | IS | | 06-APR-97 |
| | MS16535J | RIVET - TUBULAR, OVAL HEAD [CUST: AR OS 99 IS] [REVIEW: 82 CR CR4 EA GL MC MI] | A 5320 | IS | | 26-MAY-92 |
| | MS16536A | RIVET - TUBULAR, 150 DEG. FLAT COUNTERSUNK HEAD [CUST: AR 99 IS] [REVIEW: AT CR GL MC MI] | A 5320 | IS | | 12-NOV-69 |
| | MS16555C NOT 1 | PIN, STRAIGHT, HEADLESS (DOWEL) (.0002 OVER NOMINAL SIZE) [CUST: AR OS 99 IS] [REVIEW: 82 AS AT AV EA MI YDI] | A 5315 | IS | | 29-FEB-96 |
| A | MS16556B(1) NOT 1 | PIN, STRAIGHT, HEADLESS (DOWEL), (.001 OVER NOMINAL SIZE) [CUST: AR AS 99 IS] [REVIEW: 82 AT AV EA NS SA YDI] | A 5315 | IS | | 20-OCT-97 |
| | MS16562C NOT 1 | PIN, SPRING, TUBULAR, SLOTTED [CUST: AR OS 99 IS] [REVIEW: 82 AV CR4 MC MI NS SH] | A 5315 | IS | | 29-FEB-96 |
| D | MS16563B | LAMP, INCANDESCENT, R-30 MEDIUM SCREW [CUST: SH IS] | A 6240 | IS | | 12-JAN-62 |
| | MS16569E NOT 1 | SWITCH, TOGGLE, DOUBLE POLE, SINGLE THROW (FOR USE IN LIGHTING FIXTURES) [CUST: SH] | A 5930 | SH | | 11-DEC-89 |
| A | MS16624C | RING, RETAINING, EXTERNAL, BASIC (TAPERED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: 11 82 85 AS AT AV CR GL MC MI] | A 5325 | IS | | 18-APR-90 |
| A | MS16625C | RING, RETAINING, INTERNAL, BASIC (TAPERED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: 82 CR4 MI] | A 5325 | IS | | 13-AUG-68 |
| A | MS16626B | RING, RETAINING, EXTERNAL, INVERTED (TAPERED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: AT AV CR4 MC MI] | A 5325 | IS | | 26-JAN-90 |
| A | MS16627B | RING, RETAINING, INTERNAL, INVERTED (TAPERED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: AT AV CR4 MI] | A 5325 | IS | | 14-MAY-90 |
| A | MS16628B | RING, RETAINING, EXTERNAL, BOWED (TAPERED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: 82 AV GL MC MI] | A 5325 | IS | | 04-MAY-90 |
| A | MS16629D | RING, RETAINING, INTERNAL, BOWED (TAPERED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: 82 AT AV CR4 MC MI] | A 5325 | IS | | 20-APR-90 |
| A | MS16630B | RING, RETAINING, EXTERNAL, BEVELED (TAPERED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: AT AV CR4 GL MC MI] | A 5325 | IS | | 18-APR-89 |
| A | MS16631D | RING, RETAINING, INTERNAL, BEVELED (TAPERED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: 82 AT AV MC MI] | A 5325 | IS | | 07-MAY-90 |
| A | MS16632B | RING, RETAINING, EXTERNAL, CRESCENT (REDUCED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: AT CR GL MC MI] | A 5325 | IS | | 30-APR-90 |
| A | MS16633C | RING, RETAINING, EXTERNAL, "E" (REDUCED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: AT AV GL MC MI] | A 5325 | IS | | 24-APR-90 |
| A | MS16634B | RING, RETAINING, EXTERNAL, BOWED "E" (REDUCED SECTION TYPE) [CUST: AR OS 99 IS] [REVIEW: AT GL MC MI] | A 5325 | IS | | 02-MAY-90 |
| | MS16656F NOT 2 | SWITCH, TOGGLE, SINGLE POLE, SINGLE THROW [CUST: SH] | A 5930 | SH | | 27-SEP-93 |
| | MS16662H NOT 1 | GENERAL NOTES FOR STANDARD ELECTRICAL DRAWINGS [CUST: SH] | A DRPR | SH | | 13-NOV-89 |
| | MS16686 | MEDICAL SERVICES SYMBOL [CUST: MD MS 03] [REVIEW: GL MC] | A 8455 | MB | | 02-MAY-58 |
| | MS16747A | INSERT, BRASS (FOR MOLDED ELECTRICAL FITTING) [CUST: EC CC] | A 5935 | CC | | 13-APR-78 |
| | MS16822 NOT 1 | CHOCK, ROPE, CLOSED, MARINE HARDWARE [CUST: SH] | A 2040 | SH | | 06-JUL-87 |
| | MS16833A NOT 1 | SHACKLE; STRAP AND PIN - MOORING, MARINE HARDWARE [CUST: SH] | A 2040 | SH | | 21-MAR-91 |
| | MS16858A | VALVE, GAS INLET, NONMAGNETIC [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 07-JUL-78 |
| | MS16910 | CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS [CUST: SA] | A 7530 | SA | | 20-APR-59 |
| | MS16994D | NUT, PLAIN, KNURLED [CUST: AR 99 IS] [REVIEW: IS MI OS SH] | A 5310 | IS | | 07-DEC-79 |
| | MS16995H | SCREW, CAP, SOCKET HEAD-HEXAGON, CORROSION RESISTANT STEEL, UNC-3A [CUST: AR OS 82 IS] [REVIEW: 11 MC MI NS SH] | A 5305 | IS | | 25-APR-97 |
| | MS16996F | SCREW, CAP, SOCKET HEAD-HEXAGON, CORROSION RESISTANT STEEL, UNF-3A [CUST: AR OS 99 IS] | A 5305 | IS | | 24-NOV-93 |
| | MS16997D NOT 1 | SCREW, CAP, SOCKET HEAD AND SCREW, CAP, SOCKET HEAD, SELF-LOCKING, ALLOY STEEL, CADMIUM PLATED, UNC-3A [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 EA MI OS YDI] | A 5305 | IS | | 24-JUN-94 |
| | MS16998E NOT 1 | SCREW, CAP, SOCKET HEAD AND SCREW, CAP, SOCKET HEAD, SELF-LOCKING, ALLOY STEEL, CADMIUM PLATED, UNF-3A [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 EA MI OS YDI] | A 5305 | IS | | 24-JUN-94 |
| | MS17108A NOT 1 | BEARING, BALL, ANNULAR, PRIMARILY FOR AIRCRAFT GENERATORS, TYPE II [CUST: AT AS] | A 3110 | AS | | 04-OCT-91 |
| A | MS17130F NOT 1 | RING, BEARING, INNER, FOR NEEDLE ROLLER BEARING WITH DRAWN OUTER RING [CUST: AT OS 99 GS] | A 3110 | GS | | 02-FEB-96 |
| A | MS17131H | BEARING, ROLLER, NEEDLE, DRAWN OUTER RING, FULL COMPLEMENT, WITHOUT INNER RING, OPEN AND CLOSED END, STANDARD TYPE [CUST: AT OS 99 GS] [REVIEW: 84 AR AV CR4 GL MC MI SH] | A 3110 | GS | | 08-NOV-83 |
| A | MS17133B(1) | BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW [CUST: AT 11 GS] | A 3110 | GS | | 28-FEB-96 |
| A | MS17155B | TERMINAL, STUD FEEDTHRU, SINGLE [CUST: AS GS] [REVIEW: 85 99 CR4 GS MI] | A 5940 | GS | | 06-MAR-63 |
| | MS17156A | TERMINAL, STUD, FEEDTHRU, SINGLE DOUBLE [CUST: AS GS] [REVIEW: 85 MI] | A 5940 | GS | | 06-MAR-63 |
| | MS17157A | TERMINAL, STUD, FEEDTHRU, DOUBLE DOUBLE [CUST: AS GS] [REVIEW: 85 CR4 MI] | A 5940 | GS | | 06-MAR-63 |
| A | MS17162A | BEARING, BALL, THRUST, INCH SIZE, SINGLE DIRECTION, FLAT RACE SURFACE, STAGGERED BALL TYPE [CUST: AT 99 GS] [REVIEW: 84 AR MC MI] | A 3110 | GS | | 20-FEB-68 |
| A | MS17169A | BEARING, ROLLER, THRUST, TWO CHanneled RACE SURFACE, RIGID OR FLAT SEAT TYPE [CUST: AT 11 GS] [REVIEW: 84 AR MC MI] | A 3110 | GS | | 20-FEB-68 |
| | MS17172B NOT 1 | TERMINAL, STUD THREADED DOUBLE TURRET [CUST: AS GS] | A 5940 | GS | | 23-OCT-91 |
| | MS17182E | TERMINAL LUG, CRIMP STYLE, COPPER, INSULATED (SERVO COMPONENTS) TYPE II, CLASS I, FOR 125 DEG. C TOTAL CONDUCTOR TEMPERATURE [CUST: AR AS 85 GS] [REVIEW: 99 AV CC CR EC MI SH] | A 5940 | GS | | 08-JUN-81 |
| A | MS17183A | CLAMP ASSEMBLY (SYNCHRO) [CUST: AS CC] [REVIEW: AV MI] | A 5990 | CC | | 17-MAR-67 |
| A | MS17185 | CLAMP (SYNCHRO) [CUST: AS CC] [REVIEW: MI] | A 5990 | CC | | 20-SEP-60 |
| | MS17186A(1) | WASHER, DRIVE (SYNCHRO) [CUST: AR 11 IS] | A 5310 | IS | | 20-FEB-96 |
| | MS17187B(1) | NUT, PLAIN, HEXAGON [CUST: AR IS] | A 5310 | IS | | 20-FEB-96 |
| D | MS17245E | LIGHT, COCKPIT, UTILITY [CUST: AV AS 99 IS] [REVIEW: 82] | A 6220 | IS | | 10-APR-89 |
| D | MS17246B NOT 1 | MOUNTING BASE, COCKPIT UTILITY [CUST: AV AS 99 IS] [REVIEW: 82] | A 6220 | IS | | 21-DEC-94 |
| | MS17287B | LIGHT, STATION MARKING BOX, SP SYM. NO. 285 FOR NIGHT REPLENISHMENT OPERATIONS [CUST: SH] [REVIEW: GS] | A 6230 | SH | | 15-JUN-88 |
| | MS17315 NOT 1 | LIGHT, POLARITY-150 WATT SYMBOL 215 [CUST: SH] [REVIEW: GS] | A 6220 | SH | | 15-MAR-91 |
| | MS17320F NOT 1 | MOUNTING DEVICES FOR AIRCRAFT ELECTRIC EQUIPMENT, QUICK-ATTACH-DETACH, CIRCULAR 5, 8 AND 10 INCH [CUST: AS] | A 6115 | AS | | 31-DEC-87 |
| | MS17342B NOT 1 | ADAPTER, (STEP UP) CABLE SEALING [CUST: CR EC 85] [REVIEW: 11 CR4] | A 5935 | CC | | 03-JUN-92 |
| | MS17343E | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH YDI] | A 5935 | CC | | 18-APR-94 |
| | MS17344E | CONNECTOR, PLUG, ELECTRICAL, STRAIGHT [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH YDI] | A 5935 | CC | | 18-APR-94 |
| | MS17345D | CONNECTOR, PLUG, ELECTRICAL, CABLE CONNECTING, (FEMALE) [CUST: CR EC 11] [REVIEW: 17 19 AR AS CG MC MI OS YDI] | A 5935 | CC | | 12-AUG-87 |
| | MS17346D | CONNECTOR, RECEPTACLE, ELECTRICAL BOX MOUNTING [CUST: CR EC 11] [REVIEW: 17 19 AR AS CG MC MI OS YDI] | A 5935 | CC | | 12-AUG-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----------------|-----------|
| | MS17347D | CONNECTOR, RECEPTACLE, ELECTRICAL JAM-NUT [CUST: CR EC 11] [REVIEW: 17 19 AR AS CG MC MI OS YD1] | A 5935 | CC | 12-AUG-87 |
| | MS17348E | CONNECTOR, RECEPTACLE, ELECTRICAL, JAMNUT (BOX) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH YD1] | A 5935 | CC | 18-APR-94 |
| | MS17349C | CAP, PROTECTIVE, RECEPTACLE [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CG CR4 MC MI OS] | A 5935 | CC | 12-AUG-87 |
| | MS17350C | CAP, PROTECTIVE, PLUG [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CG CR4 MC MI OS] | A 5935 | CC | 12-AUG-87 |
| | MS17778C NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 104 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| | MS17779C NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 104 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 80 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| | MS17781A | LIGHT, STATION KEEPING STARBOARD-PORT-FULL AFT [CUST: SH] [REVIEW: GS] | A 6220 | SH | 12-OCT-88 |
| | MS17793B | SCHEMATIC WIRING DIAGRAM (EXTERNAL AC POWER CONNECTOR, AIRCRAFT) [CUST: CR4 AS 85] [REVIEW: 17 CC MC] | A 5935 | AS | 18-DEC-74 |
| D | MS17811B | WASHER, THRUST, STEEL [CUST: AT OS GS] [REVIEW: AS CR4 MI] | A 3120 | GS | 27-MAR-96 |
| D | MS17814C | COUPLING, FRANGIBLE, AVIATION GROUND LIGHTS [CUST: AS 99 IS] | A 6210 | IS | 09-JUN-72 |
| D | MS17815B | CLAMP, CABLE, AVIATION GROUND LIGHTS [CUST: AS 99 IS] [REVIEW: YD1] | A 6210 | IS | 17-JUN-83 |
| | MS17825G NOT 1 | NUT, SELF-LOCKING, CASTELLATED, HEXAGON, 250 DEG. F NON-METALLIC INSERT [CUST: AV AS 99 IS] [REVIEW: AR MI] | A 5310 | IS | 30-JUN-94 |
| | MS17826H NOT 1 | NUT, SELF-LOCKING, CASTELLATED, HEXAGON 250 DEG. F, THIN NON-METALLIC INSERT [CUST: AV AS 99 IS] [REVIEW: AR MI] | A 5310 | IS | 30-JUN-94 |
| | MS17828J NOT 1 | NUT, SELF-LOCKING, HEXAGON, REGULAR-HEIGHT, (NON-METALLIC INSERT) 250 DEG. F, NICKEL-COPPER ALLOY [CUST: AV AS 99] [REVIEW: 82 SH] | A 5310 | IS | 19-JUL-89 |
| | MS17829E NOT 1 | NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 DEG. F, (NON METALLIC INSERT) NON-CORROSION-RESISTANT STEEL [CUST: AV AS 99 IS] [REVIEW: MI SH] | A 5310 | IS | 10-JUN-94 |
| A | MS17830D | NUT, SELF-LOCKING, HEXAGON-REGULAR, 250 DEG. F, (NON-METALLIC INSERT), 300 SERIES CORROSION RESISTANT STEEL [CUST: AV AS 99 IS] [REVIEW: 11 82 CR4 MI SH] | A 5310 | IS | 23-FEB-98 |
| | MS17831C NOT 1 | BUS DISCONNECT, QUICK OPENING SYMBOL 1484 [CUST: SH] [REVIEW: GS] | A 6150 | SH | 18-JUN-86 |
| | MS17832A NOT 1 | OPERATING WRENCH, BUS DISCONNECT SYMBOL 1485 [CUST: SH] [REVIEW: GS] | A 6150 | SH | 18-JUN-86 |
| | MS17845F | SHIELD FOR USE WITH MS90362 EXTERNAL POWER RECEPTACLES [CUST: CR AS] | A 5935 | AS | 30-DEC-92 |
| | MS17850 NOT 2 | DIMMER-SBM15 FOR BLINKER SIGNALING LIGHT SYMBOL 960 [CUST: SH] | A 5950 | SH | 09-SEP-93 |
| | MS17855A NOT 1 | FASTENERS, SCREW THREADED, DESCRIPTIVE FACTOR SYMBOLS AND ORDER OF NOTES FOR ENGINEERING DOCUMENTS FOR [CUST: AV AS 99] [REVIEW: 82 IS] | A 53GP | AS | 31-JUL-89 |
| | MS17856A | GAGE, PRESSURE, DIAL INDICATING, STAINLESS STEEL CASE [CUST: AS] [REVIEW: GS] | A 6685 | AS | 15-OCT-63 |
| | MS17868A | INDICATOR, PROPELLANT LEAK, PLUG, COLOR CHANGE, FOR UNSYMMETRICAL DIMETHYLHYDRAZINE AND FUMING NITRIC ACID [CUST: AS] [REVIEW: GS] | A 6685 | AS | 09-JUN-64 |
| | MS17981C | SOLENOID, ELECTRICAL, HORN, 24 VOLT DC [CUST: AT CC] [REVIEW: CR4] | A 5945 | CC | 16-FEB-88 |
| | MS17983 NOT 1 | COMPASS - MAGNETIC, PILOTS STANDBY [CUST: AV AS 11] [REVIEW: 99 MC] | A 6605 | AS | 04-OCT-62 |
| | MS17984F | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, BUTTON HANDLE [CUST: AV AS 99 IS] [REVIEW: 82 GL] | A 5315 | IS | 01-JUN-94 |
| | MS17985G | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, "T" HANDLE [CUST: AV AS 99 IS] [REVIEW: 82 GL] | A 5315 | IS | 01-JUN-94 |
| | MS17986G | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, "L" HANDLE [CUST: AV AS 99 IS] [REVIEW: 82 GL] | A 5315 | IS | 01-JUN-94 |
| | MS17987G | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, RING HANDLE [CUST: AV AS 99 IS] [REVIEW: 82 GL] | A 5315 | IS | 01-JUN-94 |
| | MS17988E | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, "T" HANDLE [CUST: AV AS 99 IS] [REVIEW: 82 GL] | A 5315 | IS | 01-JUN-94 |
| | MS17989E | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, "L" HANDLE [CUST: AV AS 99 IS] [REVIEW: 82 GL] | A 5315 | IS | 01-JUN-94 |
| | MS17990E | PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING, RING HANDLE [CUST: AV AS 99 IS] [REVIEW: 82 GL] | A 5315 | IS | 01-JUN-94 |
| | MS18013A | INDICATOR, HUMIDITY, PLUG, COLOR CHANGE [CUST: AS] [REVIEW: GS MI OS] | A 6685 | AS | 06-JUL-67 |
| | MS18014 | VALVE - PRESSURE EQUALIZING [CUST: OS] [REVIEW: CC MI] | A 4820 | OS | 23-JAN-63 |
| | MS18027E | HOOK, HELICOPTER RESCUE [CUST: AS] [REVIEW: IS] | A 4030 | AS | 10-SEP-85 |
| | MS18029E | COVER ASSEMBLY, ELECTRICAL, FOR MS 27212 TERMINAL BOARD ASSEMBLY [CUST: CR AS 85 GS] [REVIEW: 17 99 CR4 MC MI] | A 5940 | GS | 14-MAY-71 |
| | MS18062B NOT 1 | CONNECTOR, RECEPTACLE, DUMMY STOWAGE [CUST: CR EC 85] [REVIEW: 11 17 19 AS AV CG MI MS OS SH] | A 5935 | CC | 29-SEP-89 |
| | MS18063A NOT 1 | SETSCREW, HEXAGON SOCKET, CUP POINT, 250 DEG. F SELF LOCKING ELEMENT, ALLOY STEEL, CADMIUM PLATED [CUST: AR AS 99] [REVIEW: 69 CR CR4 GL MI] | A 5305 | IS | 04-OCT-91 |
| | MS18064A NOT 1 | SETSCREW, HEXAGON SOCKET, CUP POINT, 250 DEG. F SELF LOCKING ELEMENT, CORROSION RESISTING STEEL, PASSIVATED [CUST: AR AS 99] [REVIEW: 69 CR CR4 GL MI] | A 5305 | IS | 04-OCT-91 |
| | MS18067A NOT 1 | SETSCREW, HEXAGON SOCKET, CONE POINT, 250 DEG. F, SELF LOCKING ELEMENT, ALLOY STEEL, CADMIUM PLATED [CUST: AR AS 99] [REVIEW: 69 CR CR4 GL MI] | A 5305 | IS | 04-OCT-91 |
| | MS18116H NOT 1 | BOLT, STUD, AND SOCKET CAP HEAD SCREW, NICKEL-COPPER-ALUMINUM ALLOY [CUST: SH IS] | A 5307 | IS | 10-JUN-94 |
| | MS18121G | FERRULE, OUTER, INSULATED, SHIELD TERMINATING, TYPE II TWO PIECE, CLASS I, FOR SHIELDED CABLE [CUST: CR AS 85] [REVIEW: 17 99 EC MC MI] | A 5940 | AS | 13-AUG-82 |
| | MS18150J NOT 1 | SWITCH, TOGGLE, 2 CIRCUIT, SEALED TOGGLE [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AV] | A 5930 | CC | 13-JAN-89 |
| | MS18151J | SWITCH, TOGGLE, ONE POLE, SEALED TOGGLE [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AV] | A 5930 | CC | 18-JUL-91 |
| | MS18152J NOT 1 | SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AV] | A 5930 | CC | 13-JAN-89 |
| | MS18155C NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 10 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| | MS18156C NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 10 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 80 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| | MS18157C NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 20 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| | MS18158C NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 20 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 80 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| | MS18159C NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 36 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |

| Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-----------------|--|--------------------------|-----|-------------|-----------|
| MS18160C NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 36 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 80 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18161B NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 52 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18162B NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 52 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 15-DEC-89 |
| MS18163B NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 80 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18164B NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 80 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18165B NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 158 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AR AS AT AV CR4 MC OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18166B NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 158 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 15-DEC-89 |
| MS18167B NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 212 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 80 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18168B NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 212 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 15-DEC-89 |
| MS18173A NOT 1 | WASHER, FLAT [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18174C NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 14 (SIZE 16, 20 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18175C NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 14 (SIZE 16, 20 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18176C NOT 1 | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 20 (SIZE 16, 20 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18177C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 20 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 18-MAR-85 |
| MS18178C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 34 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 18-MAR-85 |
| MS18179D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 34 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 09-FEB-87 |
| MS18180C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 42, (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 18-MAR-85 |
| MS18181D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 42 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 27-NOV-90 |
| MS18182D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 50 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 26-APR-90 |
| MS18183D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 50 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 26-APR-90 |
| MS18184D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 66 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AS AT CR4 MC MI OS] | A 5935 | CC | | 18-MAR-85 |
| MS18185C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 66 (SIZE 16 AND 20 CRIMP REMOVABLE), SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 18-MAR-85 |
| MS18187E | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 75 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 AR AS AT CR4 MC OS] | A 5935 | CC | | 19-JUL-88 |
| MS18188D | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 75 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 AM AR AS AT CR4 MC MI] | A 5935 | CC | | 19-JUL-88 |
| MS18189C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 104 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 18-MAR-85 |
| MS18190C | INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 104 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 18-MAR-85 |
| MS18192F NOT 1 | SHIELD, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20, 26, 34, 42, 50 AND 75 CONTACT CONNECTORS [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18193E | SHIELD, ELECTRICAL CONNECTORS FOR 66 AND 104 CONTACT CONNECTORS [CUST: CR EC 85] [REVIEW: 11 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 26-APR-90 |
| MS18194D NOT 1 | JACKSCREW, ELECTRICAL CONNECTOR MALE AND FEMALE, LONG, TURNABLE [CUST: CR EC 85] [REVIEW: 11 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 15-DEC-89 |
| MS18195B NOT 1 | JACKSCREW, ELECTRICAL CONNECTOR, MALE AND FEMALE, SHORT, TURNABLE [CUST: CR EC 11] [REVIEW: AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18196E NOT 1 | JACKSCREW, ELECTRICAL CONNECTOR, MALE AND FEMALE, SHORT, FIXED [CUST: CR EC 85] [REVIEW: AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18197E NOT 1 | GUIDE PIN, ELECTRICAL CONNECTOR, MALE AND FEMALE [CUST: CR EC 80] [REVIEW: AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 15-DEC-89 |
| MS18198B | PLATE, RETAINING, RECEPTACLE, ELECTRICAL, CONNECTOR, FOR SIZE 14 AND 20 CONTACT CONNECTORS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 23-JUN-72 |
| MS18199B NOT 1 | PLATE, RETAINING, RECEPTACLE, ELECTRICAL CONNECTOR FOR SIZE 34, 42, 50 AND 75 CONTACT CONNECTORS [CUST: CR EC 80] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18200A NOT 1 | PLATE, RETAINING, RECEPTACLE, ELECTRICAL CONNECTOR FOR SIZE 66 AND 104 CONTACT CONNECTORS [CUST: CR EC 80] [REVIEW: AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18203F | SHELL, ELECTRICAL, CONNECTOR, PLUG, RECTANGULAR, POLARIZING [CUST: CR EC 85] [REVIEW: 80 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | | 26-APR-90 |
| MS18204E(1) | SHELL, ELECTRICAL CONNECTOR, RECEPTACLE, RECTANGULAR, POLARIZING [CUST: CR EC 85 CC] [REVIEW: 11 80 AM AR CR4 MC] | A 5935 | CC | | 25-NOV-96 |
| MS18205B NOT 1 | PIN, STRAIGHT HEADED [CUST: CR EC 80] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS18229B | PLUG FOR O RING GASKET [CUST: SH] [REVIEW: CR4] | A 4730 | SH | | 30-OCT-86 |
| MS18230 NOT 2 | RUDDER SECTION OFFSETS COEFFICIENTS [CUST: SH] | A 2040 | SH | | 21-MAR-91 |
| D MS18235C | LAMP, CARTRIDGE, SHORT CYLINDRICAL, PLUG-IN, INCANDESCENT, PLASTIC (FLAT LENS TYPE) [CUST: CR 99 IS] [REVIEW: 11 AR AS AV CR4 MC SH] | A 6240 | IS | | 13-JAN-76 |
| D MS18236C | LAMP, CARTRIDGE, STOVEPIPE, PLUG IN, NEON, PLASTIC (CURVED LENS TYPE) [CUST: CR 99 IS] [REVIEW: 11 AR AS MC SH] | A 6240 | IS | | 13-JAN-76 |
| D MS18237C | LAMP, CARTRIDGE, LONG CYLINDRICAL, PLUG-IN, NEON, PLASTIC (FLAT LENS TYPE) [CUST: CR 99 IS] [REVIEW: 11 AR AS MC SH] | A 6240 | IS | | 13-JAN-76 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|----------------------|---|-----------------------|-----------------|-----------|
| D MS18238C | LAMP, CARTRIDGE, SHORT CYLINDRICAL, PLUG-IN, INCANDESCENT, GLASS (FLAT TYPE) [CUST: CR 99 IS] [REVIEW: 11 AR AS MC SH] | A 6240 | IS | 13-JAN-76 |
| MS18239B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 16 SOLDER SOCKET CONTACTS [CUST: CR EC 80] [REVIEW: 11 99] | A 5935 | CC | 15-DEC-89 |
| MS18240B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 16 SOLDER PIN CONTACTS [CUST: CR AS 80] [REVIEW: 11 AR AT CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| MS18241B NOT 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 14, SIZE 16 SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | 31-AUG-93 |
| MS18242B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 16 SOLDER PIN CONTACTS [CUST: CR EC 80] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| MS18243B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 16 SOLDER SOCKET CONTACTS [CUST: CR EC 80] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | 15-DEC-89 |
| MS18244B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 16 SOLDER PIN CONTACTS [CUST: CR EC 80] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| MS18245B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 16 SOLDER SOCKET CONTACTS [CUST: CR EC 80] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | 15-DEC-89 |
| MS18246B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 42 SIZE 16 SOLDER PIN CONTACTS [CUST: CR EC 80] [REVIEW: 11 AR AS AT CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| MS18247B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 42 SIZE 16 SOLDER SOCKET CONTACTS [CUST: CR EC 80] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | 15-DEC-89 |
| MS18248B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 16 SOLDER PIN CONTACTS [CUST: CR EC 80] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| MS18249B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 16 SOLDER SOCKET CONTACTS [CUST: CR EC 80] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | 15-DEC-89 |
| MS18250B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 66 SIZE 16 SOLDER PIN CONTACTS [CUST: CR EC 80] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| MS18251B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 66 SIZE 16 SOLDER SOCKET CONTACTS [CUST: CR EC 80] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | 15-DEC-89 |
| MS18252B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 75 SIZE 16 SOLDER PIN CONTACTS [CUST: CR EC 80] [REVIEW: 11 AM AS AT CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| MS18253B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 75 SIZE 16 SOLDER SOCKET CONTACTS [CUST: CR EC 80] [REVIEW: 99 AR AS AT CR4 MC MI OS] | A 5935 | CC | 15-DEC-89 |
| MS18254B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 104 SIZE 16 SOLDER PIN CONTACTS [CUST: CR EC 80] [REVIEW: 11 AM AS AT CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| MS18255B NOT 1 | CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 104 SIZE 16 SOLDER SOCKET CONTACTS [CUST: CR EC 80] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS] | A 5935 | CC | 15-DEC-89 |
| MS18264B NOT 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 9, SIZE 16 SOLDER PIN CONTACTS [CUST: CR EC 80] [REVIEW: 11 99 AM AS AT CR4 MC MI OS SH] | A 5935 | CC | 15-DEC-89 |
| MS18268E | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, RECEPTACLE, SOCKET CONTACTS, SOLDER TYPE [CUST: CR EC 85 CC] [REVIEW: 99 AS AT CG MC MI SH] | A 5935 | CC | 26-JAN-89 |
| MS18269E NOT 1 | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, RECEPTACLE, SOCKET CONTACTS, SOLDER TYPE [CUST: CR EC 85] [REVIEW: 99 AS CG CR4 MC MI SH] | A 5935 | CC | 23-JUL-93 |
| MS18270H NOT 1 | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, RECEPTACLE SOCKET CONTACTS, CRIMP TYPE [CUST: CR EC 85] [REVIEW: 11 99 AS CG CR4 MC MI SH] | A 5935 | CC | 23-JUL-93 |
| MS18271F | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, PLUG, PIN CONTACTS, CRIMP TYPE [CUST: CR EC 85 CC] [REVIEW: 99 AS AT CG MC MI SH] | A 5935 | CC | 26-JAN-89 |
| MS18272E NOT 1 | CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, PLUG, HERMETIC PIN CONTACTS, CLASS H [CUST: CR EC 85 CC] [REVIEW: 99 AS AT CG CR4 MC MI SH] | A 5935 | CC | 23-JUL-93 |
| MS18273C NOT 1 | INSERT ARRANGEMENT, ELECTRICAL CONNECTOR SHELL SIZE 1 [CUST: CR EC 85 CC] [REVIEW: 11 AS AT CG CR4 MC MI SH] | A 5935 | CC | 23-JUL-93 |
| MS18274F | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 2 [CUST: CR EC 85 CC] [REVIEW: AS AT CG CR4 MC MI SH] | A 5935 | CC | 26-JAN-89 |
| MS18275F | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 3 [CUST: CR EC 85 CC] [REVIEW: AS AT CG CR4 MC MI SH] | A 5935 | CC | 26-JAN-89 |
| MS18276F | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 4 [CUST: CR EC 85 CC] [REVIEW: AS AT CG CR4 MC MI SH] | A 5935 | CC | 26-JAN-89 |
| MS18277F | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 5 [CUST: CR EC 85 CC] [REVIEW: AS AT CG CR4 MC MI SH] | A 5935 | CC | 26-JAN-89 |
| MS18281C NOT 1 | CONTACTS PIN AND SOCKET CLASSES G, N, AND H SOLDER TYPE, NON-REMOVABLE [CUST: CR EC 85 CC] [REVIEW: AS AT CG CR4 MC MI SH] | A 5935 | CC | 23-JUL-93 |
| MS18282 NOT 2 | RELIEF VALVE OPERATING CHARACTERISTICS VERSUS MAXIMUM OPERATING PRESSURE FOR LIQUID SERVICE [CUST: SH] | A 4820 | SH | 19-APR-91 |
| MS18284 NOT 2 | REGULATING AND CONTROL VALVES ACCURACY OF REGULATION REQUIREMENT [CUST: SH] | A 4820 | SH | 19-APR-91 |
| MS18287 NOT 1 | BRACKET, STEP, BIN AND RACK, STOREROOM, SHIPBOARD TYPE [CUST: SH] | A 2090 | SH | 21-MAR-91 |
| MS18291 NOT 1 | SHIP LIMITING DRAFT MARK [CUST: SH] | A 2040 | SH | 21-MAR-91 |
| MS18297 NOT 1 | CABLE, NAVY, INSULATION RESISTANCE [CUST: SH] | A 6145 | SH | 10-JUL-91 |
| MS18299 NOT 1 | SHIPBOARD POWER DEMAND FACTORS 450 VOLT [CUST: SH] | A 6145 | SH | 24-JUL-87 |
| MS18301B | HIGH PRESSURE DRAIN ORIFICE PLATES AND STRAINERS [CUST: SH] [REVIEW: CC] | A 4730 | SH | 28-FEB-92 |
| MS18307B NOT 1 | LATERALS, FORGED STEEL SOCKET WELDING 3000 PSI AT 1000 DEGREE F (MAX.) STEAM SERVICE [CUST: SH] | A 4730 | SH | 02-DEC-88 |
| MS18308 NOT 1 | ALLOY STEEL SOCKET WELDING FLANGES AND FLANGED NIPPLES, 1/4 INCH AND 3/8 INCH, 600 POUNDS PER SQUARE INCH AT 850 DEG. F (MAXIMUM) [CUST: SH] | A 4730 | SH | 19-APR-91 |
| MS19067A | NUTS, PLAIN, ROUND, RETAINING, BALL AND ROLLER BEARING, LIGHT SERIES [CUST: AT OS 99 IS] [REVIEW: 82 AR AS AV CR4 MC MI SA] | A 5310 | IS | 03-JUN-76 |
| MS19068A | NUTS, PLAIN, ROUND, RETAINING, BALL AND ROLLER BEARING REGULAR SERIES [CUST: AT OS 11 IS] [REVIEW: AR AV CR4 MC MI SA] | A 5310 | IS | 03-JUN-77 |
| A MS19069A | WASHER, KEY, RETAINING, BALL AND ROLLER BEARING, LIGHT SERIES [CUST: AT OS 11 GS] [REVIEW: 99 AR MC MI SA] | A 5310 | GS | 07-JUN-61 |
| A MS19070A | WASHER, KEY RETAINING, BALL AND ROLLER BEARING, REGULAR SERIES [CUST: AT OS 11 GS] [REVIEW: AS SA] | A 5310 | GS | 07-OCT-87 |
| MS20001L | HINGE, BUTT, STRUCTURAL, EXTRUDED [CUST: AV AS 99] [REVIEW: IS] | A 5340 | AS | 30-OCT-89 |
| MS20002E NOT 1 | WASHER, COUNTERSUNK AND PLAIN, HIGH STRENGTH [CUST: AV AS 99] [REVIEW: AT CR4 MI] | A 5310 | IS | 20-MAY-91 |
| MS20004THRU MS20024E | BOLTS, INTERNAL WRENCHING, 160 KSI FTU AND 96 KSI FSU [CUST: AR AS 99] [REVIEW: AV CR CR4 MI] | A 5306 | IS | 30-MAY-89 |
| MS20026D NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNT, SOLDER TYPE, BAYONET COUPLING [CUST: 85 CC] [REVIEW: 11 17 99 IS] | A 5935 | CC | 25-MAY-93 |
| MS20027D NOT 1 | CONNECTOR, LINE PLUG, ELECTRIC, SOLDER TYPE, BAYONET COUPLING [CUST: 85 CC] [REVIEW: 11 17 99] | A 5935 | CC | 25-MAY-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------|--|--------------------------|-----|-------------|-----------|
| | MS20028E NOT 2 | CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE STRAIGHT BAYONET COUPLING [CUST: 85 CC] [REVIEW: 11 17 99 IS] | A 5935 | CC | | 25-MAY-93 |
| | MS20029E NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, SOLDER TYPE, BAYONET COUPLING [CUST: 85 CC] [REVIEW: 11 17 99 IS] | A 5935 | CC | | 25-MAY-93 |
| | MS20033THRUMS20046C | BOLT, MACHINE, HEXAGON HEAD, 1200 DEG. F [CUST: AR AS 99] [REVIEW: CR4 MC MI OS] | A 5306 | IS | | 11-JUN-70 |
| | MS20065A NOT 1 | KEY, MACHINE, RECTANGULAR IN CROSS-SECTION, BOTH ENDS SQUARE [CUST: AR OS 99 IS] [REVIEW: 82 GL MC SA] | A 5315 | IS | | 29-FEB-96 |
| | MS20066A NOT 1 | KEY, MACHINE, SQUARE IN CROSS-SECTION, BOTH ENDS SQUARE [CUST: AR AS 99 IS] [REVIEW: 82 AV CR4 MC SA] | A 5315 | IS | | 29-FEB-96 |
| | MS20067A NOT 1 | KEY, MACHINE, SQUARE IN CROSS-SECTION, ONE END SQUARE, OTHER END ROUND [CUST: OS 99 IS] [REVIEW: 82 AT CR4 MC SA] | A 5315 | IS | | 29-FEB-96 |
| | MS20068A NOT 1 | KEY, MACHINE, SQUARE IN CROSS-SECTION, BOTH ENDS ROUND [CUST: AR OS 99 IS] [REVIEW: 82 AV CR4 MC SA] | A 5315 | IS | | 29-FEB-96 |
| | MS20069B NOT 1 | BOLT, SQUARE NECK, CARRIAGE, HOT GALVANIZED (POLE LINE) [CUST: CR YD1 99] [REVIEW: 82 CR4 FSS GL MC NA NS] | A 5306 | IS | | 12-OCT-93 |
| | MS20073B NOT 1 | BOLT, MACHINE, AIRCRAFT, DRILLED HEAD, FINE THREAD [CUST: AV AS 99 IS] [REVIEW: CR4] | A 5306 | IS | | 10-JUN-94 |
| | MS20074B NOT 1 | BOLT, MACHINE, AIRCRAFT, DRILLED HEAD, COARSE THREAD [CUST: AV AS 99 IS] [REVIEW: CR4 MI] | A 5306 | IS | | 10-JUN-94 |
| | MS20115A | SHACKLE-WIRE ROPE [CUST: AS 99] [REVIEW: CR4] | A 4030 | IS | | 17-NOV-72 |
| | MS20218B NOT 1 | BEARING, BALL, ANTI-FRICTION, AIRFRAME [CUST: AT AS 99] | A 3110 | AS | | 09-OCT-91 |
| | MS20230D NOT 1 | GROMMETS, METALLIC, PLAIN AND SPUR, WITH WASHER, TYPE I AND TYPE III [CUST: AS 99 IS] [REVIEW: 82] | A 5325 | IS | | 09-OCT-91 |
| A | MS20253E NOT 2 | PIN, HINGE [CUST: AS 82 IS] | A 5315 | IS | | 09-MAR-98 |
| | MS20257D | HINGE, CONTINUOUS [CUST: AS 99] [REVIEW: 82 IS MI] | A 5340 | AS | | 22-JUN-92 |
| | MS20270C | JOINT - UNIVERSAL, PLAIN, LIGHT DUTY [CUST: CR4 AS 99] [REVIEW: 82] | A 3010 | CC | | 15-JUN-95 |
| | MS20271C | JOINT-UNIVERSAL, PLAIN, HEAVY DUTY [CUST: CR4 AS 99] [REVIEW: 82] | A 3010 | CC | | 15-JUN-95 |
| | MS20392F | PIN, STRAIGHT, HEADED, DRILLED SHANK [CUST: AR AS 99 IS] [REVIEW: 82 AV CR4 MI] | A 5315 | IS | | 14-FEB-95 |
| | MS20426L | RIVET, SOLID, COUNTERSUNK 100 DEG., PRECISION HEAD, ALUMINUM AND TITANIUM COLUMBIUM ALLOY [CUST: AR AS 99 IS] [REVIEW: 82 AV CR4 GL MC MI OS] | A 5320 | IS | | 14-SEP-93 |
| | MS20427H | RIVET, SOLID-100 DEG. COUNTERSUNK HEAD, CARBON STEEL, CORROSION-RESISTANT STEEL, MONEL AND COPPER [CUST: AR AS 99 IS] [REVIEW: AV CE CR4 GL MC] | A 5320 | IS | | 08-FEB-93 |
| | MS20470H | RIVET, SOLID UNIVERSAL HEAD, ALUMINUM ALLOY AND TITANIUM COLUMBIUM ALLOY [CUST: AR AS 99] [REVIEW: 82 AV CR4 GL MC MI OS] | A 5320 | IS | | 14-SEP-93 |
| | MS20501D | NUT, SELF LOCKING, PLATE, TWO LUG, 1200 DEG. F, 125 KSI FTU [CUST: AR AS 99 IS] [REVIEW: 82 AS AV] | A 5310 | IS | | 01-DEC-93 |
| | MS20600J | RIVET, BLIND, STRUCTURAL PULL STEM, SELF-PLUGGING, PROTRUDING HEAD, TYPE II [CUST: AR AS 99 IS] [REVIEW: 82 AV CR MI SH] | A 5320 | IS | | 10-AUG-92 |
| | MS20601J(1) | RIVET, BLIND, STRUCTURAL PULL STEM, SELF-PLUGGING, 100 DEG. FLUSH HEAD, TYPE II [CUST: AR AS 99 IS] [REVIEW: 82 AV CR MI SH] | A 5320 | IS | | 14-JUN-95 |
| | MS20604K | RIVET, BLIND, NONSTRUCTURAL, UNIVERSAL HEAD, CLASS 1 [CUST: AR AS 99 IS] [REVIEW: 82 AV CR4 NS SH] | A 5320 | IS | | 08-DEC-95 |
| | MS20605N | RIVET, BLIND, NONSTRUCTURAL, 100 DEG. FLUSH HEAD, CLASS 2 [CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS SH] | A 5320 | IS | | 21-MAR-97 |
| | MS20613F | RIVET, SOLID-UNIVERSAL HEAD, STEEL, CARBON AND STEEL, CORROSION-RESISTANT [CUST: AR OS 99 IS] | A 5320 | IS | | 08-FEB-94 |
| | MS20615G | RIVET, SOLID-UNIVERSAL HEAD, BRASS, COPPER, NICKEL-COPPER ALLOY [CUST: AV AS 82 IS] [REVIEW: 99] | A 5320 | IS | | 13-FEB-95 |
| A | MS20658C | TERMINAL, WIRE ROPE SWAGING, FORK END [CUST: CR4 AS 99 IS] [REVIEW: 69 AR MC MD] | A 4030 | IS | | 15-AUG-97 |
| | MS20659K | TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE, TYPE I, CLASS I FOR 175 DEG. C TOTAL CONDUCTOR TEMPERATURE [CUST: CR AS 85] [REVIEW: 99 AR AV EC MI SH] | A 5940 | AS | | 30-JUN-95 |
| A | MS20663B | BALL END, WIRE ROPE, SWAGING, DOUBLE SHANK [CUST: CR4 AS 99 IS] [REVIEW: AR MC MD] | A 4030 | IS | | 15-AUG-97 |
| A | MS20664C | BALL END, WIRE ROPE, SWAGING, SINGLE SHANK [CUST: CR4 AS 99 IS] [REVIEW: MI] | A 4030 | IS | | 15-AUG-97 |
| A | MS20667D | TERMINAL, WIRE ROPE, SWAGING, FORK END [CUST: CR4 AS 99 IS] [REVIEW: AR MC MD] | A 4030 | IS | | 15-AUG-97 |
| A | MS20668C | TERMINAL, WIRE ROPE, SWAGING, EYE END [CUST: CR4 AS 99 IS] | A 4030 | IS | | 15-AUG-97 |
| | MS20756C | FLANGE, SWIVEL, RETAINING [CUST: AS 99 CC] [REVIEW: 82 AV CR4] | A 4730 | CC | | 16-JUN-78 |
| | MS20757B | CONNECTOR, FIXED FLANGE, TO HOSE [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 24-JUL-75 |
| | MS20758A | ELBOW, HOSE, FLANGED, SWIVEL, 45 DEGREE [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 10-AUG-82 |
| | MS20759B | ELBOW, HOSE, FLANGED SWIVEL, 90 DEG. [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | | 14-APR-94 |
| | MS20760C | CONNECTOR, FIXED FLANGE, TO FLARED TUBE [CUST: AS 99 CC] [REVIEW: 82 AV CR4] | A 4730 | CC | | 16-JUN-78 |
| | MS20761A | ELBOW, FLARED TUBE, FLANGED, SWIVEL, 45 DEGREE [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 11-DEC-70 |
| | MS20762A | ELBOW, FLARED TUBE, FLANGED, SWIVEL 90 DEGREE [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 11-DEC-70 |
| | MS20819G | SLEEVE, FLARED TUBE FITTING [CUST: AS 99 CC] [REVIEW: 82 AV CR4 GL MI] | A 4730 | CC | | 21-MAR-79 |
| | MS20822F | ELBOW, FLARED TUBE & PIPE THREADS, 90 DEG. [CUST: AS 99 CC] [REVIEW: 82 AV] | A 4730 | CC | | 26-DEC-85 |
| | MS20823E | ELBOW, 45 DEG. PIPE TO FLARED [CUST: AR AS 99 CC] [REVIEW: 11 82 AV CR4] | A 4730 | CC | | 27-JUL-84 |
| | MS20825D | TEE, PIPE TO TUBE, PIPE THREAD ON SIDE (INACTIVE FOR DESIGN EXCEPT FOR USE ON OXYGENSYSTEMS AND GROUND SERVICE EQUIPMENT) [CUST: CR4 AS 99 CC] [REVIEW: 11 82 AV] | A 4730 | CC | | 26-OCT-83 |
| | MS20826D | TEE, PIPE TO TUBE, PIPE THREAD ON RUN [CUST: CR4 AS 99 CC] [REVIEW: 11 82 AV MC] | A 4730 | CC | | 26-OCT-83 |
| | MS20913G | PLUG, PIPE [CUST: AR AS 99 CC] [REVIEW: 82 AV CR4 GL MI] | A 4730 | CC | | 19-JUL-84 |
| | MS21004D | TERMINAL, LUG, UNINSULATED, RECTANGULAR TONGUE, CRIMP STYLE, COPPER, TYPE 1, CLASS I FOR 175 DEG. C TOTAL CONDUCTOR TEMPERATURE [CUST: CR AS 99 GS] [REVIEW: 85 AV EC MI SH] | A 5940 | GS | | 08-JUN-81 |
| | MS21025F | NUT, CASTELLATED, HEXAGON [CUST: AV AS 99 IS] | A 5310 | IS | | 06-NOV-96 |
| | MS21026F | SWITCH, TOGGLE, POSITIVE BREAK, --LEVEL LOCK --MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING [CUST: CR AS 85 CC] [REVIEW: 17 99 AR EC MI] | A 5930 | CC | | 18-OCT-85 |
| | MS21027P | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING [CUST: AS 85 CC] [REVIEW: 99 EC MI] | A 5930 | CC | | 04-SEP-91 |
| | MS21042M | NUT, SELF-LOCKING, 450 DEG. F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, NON-CORROSION RESISTANT STEEL [CUST: AV AS 99 IS] [REVIEW: AR CR MI] | A 5310 | IS | | 06-JAN-95 |
| | MS21043E(1) | NUT, SELF-LOCKING, 800 DEG. F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, CORROSION RESISTANT STEEL [CUST: AV AS 99 IS] [REVIEW: AR CR MI OS] | A 5310 | IS | | 02-FEB-96 |
| | MS21044H | NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 DEG. F, 125 KSI FTU AND 60 KSI FTU [CUST: AR AS 99 IS] [REVIEW: 82 AV GL MI SH] | A 5310 | IS | | 21-SEP-93 |
| | MS21045L | NUT, SELF-LOCKING HEXAGON-REGULAR HEIGHT, 450 DEG. F, 125 KSI FTU [CUST: AR AS 99 IS] [REVIEW: 11 82 AT AV CR GL MI OS SH] | A 5310 | IS | | 05-NOV-94 |
| | MS21046D | NUT, SELF LOCKING, HEXAGON-REGULAR HEIGHT, 800 DEG. F, 125 KSI FTU (ASG) [CUST: AR AS 99 IS] [REVIEW: 11 82 AV CR GL MI OS SH] | A 5310 | IS | | 09-JAN-87 |

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-----------------|--|--------------------------|--------------------|-----------|
| MS21047F | NUT, SELF-LOCKING, PLATE, TWO-LUG, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 11 IS] [REVIEW: 82 CR MI] | A 5310 | IS | 01-FEB-94 |
| MS21048F | NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F. [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5310 | IS | 08-JUN-79 |
| MS21049F | NUT, SELF-LOCKING, PLATE, TWO LUG, 100 DEG. CSK LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F. [CUST: AV AS 11 IS] [REVIEW: 82 AT CR CR4 MI] | A 5310 | IS | 15-FEB-94 |
| MS21050D | NUT, SELF-LOCKING, PLATE, TWO LUG, 100 DEG CSK. LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG AND 800 DEG F [CUST: AV AS 99 IS] [REVIEW: 11 82 AT CR CR4 MI] | A 5310 | IS | 15-MAR-78 |
| MS21051G(1) | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 99 IS] | A 5310 | IS | 08-DEC-95 |
| MS21052F NOT 1 | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG AND 800 DEG F [CUST: AV AS 99 IS] [REVIEW: 82 AR CR MI] | A 5310 | IS | 30-SEP-87 |
| MS21053D | NUT, SELF-LOCKING, PLATE, ONE LUG, 100 DEG. CSK LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 99 IS] [REVIEW: 82 CR MI] | A 5310 | IS | 15-MAR-78 |
| MS21054E NOT 1 | NUT, SELF-LOCKING, PLATE, ONE LUG, 100 DEG. CSK, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. & 800 DEG. F [CUST: AV AS 99 IS] [REVIEW: CR MI OS SH] | A 5310 | IS | 09-OCT-91 |
| MS21055G | NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 11 IS] [REVIEW: 82 CR MI] | A 5310 | IS | 01-FEB-94 |
| MS21056F | NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F. (ASG) [CUST: AV AS 99 IS] [REVIEW: 82 AR CR MI] | A 5310 | IS | 30-SEP-87 |
| MS21057G | NUT, SELF-LOCKING, PLATE, CORNER, 100 DEG. CSK, LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEG. F. [CUST: AV AS 11 IS] [REVIEW: CR MI] | A 5310 | IS | 01-FEB-94 |
| MS21058D NOT 1 | NUT, SELF-LOCKING, PLATE, CORNER, 100 DEG. CSK, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. & 800 DEG. F [CUST: AV AS 99 IS] [REVIEW: 11 CR MI] | A 5310 | IS | 09-OCT-91 |
| MS21059J | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 11 IS] [REVIEW: CR MI] | A 5310 | IS | 01-FEB-94 |
| MS21060F | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F. (ASG) [CUST: AV AS 99 IS] [REVIEW: 82 AR CR MI OS SH] | A 5310 | IS | 30-SEP-87 |
| MS21061G | NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 11 IS] [REVIEW: CR MI] | A 5310 | IS | 01-FEB-94 |
| MS21062E | NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F. (ASG) [CUST: AV AS 99 IS] [REVIEW: 82 CR MI] | A 5310 | IS | 30-SEP-87 |
| M MS21063H(2) | NUT, SELF-LOCKING GANG CHANNEL, FLOATING, LOW HEIGHT, STEEL, 125 KSI FTU, 250 DEG. F [CUST: AV AS 99 IS] | A 5310 | IS | 30-APR-98 |
| MS21064G | NUT, SELF-LOCKING GANG CHANNEL, FLOATING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 99 IS] [REVIEW: CR MI] | A 5310 | IS | 15-APR-94 |
| MS21065E | NUT, SELF-LOCKING, CHANNEL, FLOATING, LOW HEIGHT, CRES, 125KSI FTU, 450 DEG.F AND 800 DEG.F [CUST: AV AS 99 IS] [REVIEW: 82 CR MI] | A 5310 | IS | 15-MAR-78 |
| MS21066G | NUT, SELF-LOCKING GANG CHANNEL, 100 DEG. CSK, FLOATING, LOW HEIGHT, STEEL, 125 KSI FTU, 250 DEG. F [CUST: AV AS 99 IS] [REVIEW: 82 CR MI] | A 5310 | IS | 15-APR-94 |
| MS21067G | NUT, SELF-LOCKING GANG CHANNEL, 100 DEG. CSK, FLOATING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 99 IS] [REVIEW: 82 CR MI] | A 5310 | IS | 15-APR-94 |
| MS21068F | NUT, SELF-LOCKING, CHANNEL, 100 DEG CSK, FLOATING, LOW HEIGHT, CRES, 125KSI FTU, 450 DEG F AND 800 DEG F [CUST: AV AS 99 IS] [REVIEW: 82 CR MI] | A 5310 | IS | 30-SEP-87 |
| MS21069G | NUT, SELF-LOCKING, PLATE, TWO-LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 11 IS] [REVIEW: 82 CR MI] | A 5310 | IS | 01-FEB-94 |
| MS21070F | NUT, SELF-LOCKING, PLATE, TWO LUG, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125KSI FTU, 450 DEG F AND 800 DEG F [CUST: AV AS 99 IS] [REVIEW: 82 AR CR MI OS SH] | A 5310 | IS | 30-SEP-87 |
| MS21071G(1) | NUT, SELF-LOCKING, PLATE, ONE LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 11 IS] | A 5310 | IS | 02-APR-97 |
| MS21072G(1) | NUT, SELF-LOCKING, PLATE, ONE LUG, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. F AND 800 DEG. F [CUST: AV AS 99 IS] | A 5310 | IS | 11-DEC-95 |
| MS21073G | NUT, SELF-LOCKING, PLATE, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125KSI FTU, 450 DEG. F [CUST: AV AS 11 IS] [REVIEW: 82 CR MI] | A 5310 | IS | 01-FEB-94 |
| MS21074F | NUT, SELF-LOCKING, PLATE, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125KSI, FTU, 450 DEG F AND 800 DEG F [CUST: AV AS 11 IS] [REVIEW: 82 CR MI] | A 5310 | IS | 30-SEP-87 |
| MS21075H | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 99 IS] [REVIEW: 82 AR CR MI OS SH] | A 5310 | IS | 28-MAR-95 |
| MS21076H | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. F AND 800 DEG. F [CUST: AV AS 99] [REVIEW: AR CR MI OS SH] | A 5310 | IS | 11-JAN-91 |
| MS21077H(1) | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F [CUST: AV AS 99 IS] | A 5310 | IS | 06-MAR-97 |
| A MS21078G(2) | NUT, SELF-LOCKING, PLATE, TWO LUG, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F [CUST: AV AS 99 IS] | A 5310 | IS | 06-JAN-98 |
| MS21079F | NUT, SELF-LOCKING, GANG CHANNEL, NON-METALLIC INSERT, 125 KSI FTU, 250 DEG. F [CUST: AV AS 99 IS] [REVIEW: CR MI] | A 5310 | IS | 15-APR-94 |
| MS21080D | NUT, SELF-LOCKING, PLATE, ONE LUG, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F [CUST: AV AS 11 IS] [REVIEW: CR MI] | A 5310 | IS | 20-APR-93 |
| MS21081D | NUT, SELF-LOCKING, PLATE, CORNER, NON-METALLIC INSERT, STEEL, 125KSI FTU, 250 DEG. F [CUST: AV AS 11 IS] [REVIEW: 82 CR MI] | A 5310 | IS | 20-APR-93 |
| MS21082F | NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F [CUST: AV AS 11 IS] [REVIEW: 82 CR MI] | A 5310 | IS | 01-SEP-93 |
| MS21083H | NUT, SELF-LOCKING, HEXAGON NON-METALLIC INSERT, LOW HEIGHT, 250 DEG. F [CUST: AV AS 99 IS] [REVIEW: AR CR MI] | A 5310 | IS | 28-SEP-93 |
| MS21084B | NUT, SELF LOCKING, STEEL, 220 KSI FTU, 450 DEG. F., FLANGED, MS33787 WRENCHING ELEMENT [CUST: AV AS 99 IS] [REVIEW: 11 82 AT MI] | A 5310 | IS | 17-OCT-86 |
| MS21085A NOT 1 | NUT, SELF-LOCKING, STEEL, 260 KSI FTU, 450 DEG. F, FLANGED, MS33787 WRENCHING ELEMENT [CUST: AV AS 99 IS] | A 5310 | IS | 09-OCT-91 |
| MS21086D | NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F [CUST: AV AS 11 IS] [REVIEW: 99 CR MI] | A 5310 | IS | 28-MAR-95 |
| MS21087B | NUT, SELF-LOCKING, PLATE, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. & 800 DEG. F [CUST: AV AS 11 IS] [REVIEW: 82] | A 5310 | IS | 25-FEB-91 |
| MS21090A NOT 1 | SCREW, SELF-LOCKING, 250 DEG. F, STEEL, 55 KSI FTU, PANHEAD, CROSS RECESSED [CUST: AS 99] [REVIEW: 11] | A 5305 | IS | 09-OCT-91 |
| MS21091 NOT 1 | BOLT, SELF-LOCKING, 250 DEG. F., STEEL, 75 KSI FSU, 125 KSI FTU, 100 DEG. FLASH HEAD CROSS RECESSED [CUST: AS 99] [REVIEW: 11] | A 5306 | IS | 09-OCT-91 |
| MS21092A NOT 1 | BOLT, SELF-LOCKING, 250 DEG. F, CRES, 48 KSI FSU, 80 KSI FTU, 100 DEG. FLUSH HEAD, CROSS RECESSED [CUST: AV AS 99] [REVIEW: 11] | A 5306 | IS | 09-OCT-91 |
| MS21093B NOT 1 | SCREW, SELF-LOCKING, 250 DEG. F, STEEL, 55 KSI FTU, 100 DEG. FLAT HEAD, CROSS RECESSED [CUST: AS 99] [REVIEW: CR4] | A 5305 | IS | 09-OCT-91 |

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------|--|-----------------------|-----|-------------|-----------|
| | MS21094(1) | BOLT, SELF-LOCKING, 250 DEG.F., STEEL, 75 KSI FSU, 125 KSI FTU, HEX HEAD [CUST: AS 99 IS] [REVIEW: 82 CR4] | A 5306 | IS | | 08-FEB-96 |
| | MS21095A NOT 1 | BOLT, SELF-LOCKING, 250 DEG. F, CRES, 48 KSI FSU, 80 KSI FTU, HEX HEAD [CUST: AV AS 99] [REVIEW: 11] | A 5306 | IS | | 09-OCT-91 |
| | MS21096C(1) | BOLT, SELF-LOCKING, 75 KSI FSU, 125 KSI FTU PAN HEAD, CROSS RECESSED [CUST: AV AS 99 IS] | A 5306 | IS | | 04-DEC-96 |
| | MS21097E | BOLT, SELF-LOCKING, 250 DEG. F, CRES, 48 KSI FSU, 80 KSI FTU, PAN HEAD, CROSS RECESSED [CUST: AV AS 99 IS] | A 5306 | IS | | 20-JAN-92 |
| | MS21098(1) | BOLT, SELF-LOCKING, STEEL, 160 KSI, FTU 250 DEG. F, 12 POINT, EXTERNAL WRENCHING (EXTERNALLY WRENCHING CAP SCREWS) [CUST: AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 08-FEB-96 |
| | MS21099 NOT 1 | BOLT, SELF LOCKING, CORROSION RESISTING STEEL, 80 KSI FTU, 250 DEG. F, 12-POINT, EXTERNAL WRENCHING (EXTERNALLY WRENCHING CAP SCREWS) [CUST: AV AS 99] [REVIEW: 11 OS] | A 5306 | IS | | 23-SEP-91 |
| | MS21125F | BOLT, SELF RETAINING, POSITIVE LOCKING, CRES 90 KSI FSU, 63KSI FTU, PAN HEAD, 450 DEG. F & 650 DEG. F [CUST: AV AS 11] [REVIEW: 82 99] | A 5306 | IS | | 30-APR-83 |
| | MS21126 NOT 1 | SPACER, GROOVED, SELF-RETAINING BOLT, ALUMINUM ALLOY [CUST: AS 11] [REVIEW: 82] | A 5340 | AS | | 30-SEP-89 |
| | MS21128 NOT 1 | SPACER, GROOVED, SELF-RETAINING BOLT, CRES [CUST: AS 99] [REVIEW: 11] | A 5340 | AS | | 09-OCT-91 |
| | MS21130E | BOLT, SELF RETAINING, POSITIVE LOCKING, CRES 90 KSI FSU, 63 KSI FTU, 100 DEG. FLUSH HEAD, 450 DEG. F AND 650 DEG. F [CUST: AV AS 99] | A 5306 | IS | | 11-MAR-81 |
| | MS21132A | WRENCHING ELEMENT, EXTERNAL HEXAGON, FOR THREAD FASTENERS [CUST: AV AS 11] [REVIEW: 82 AR AT CR4 IS MI OS SH] | A 53GP | AS | | 25-MAR-87 |
| | MS21133A | NUT, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F, FLANGED, MS33787 WRENCHING ELEMENT [CUST: SH 99 IS] | A 5310 | IS | | 21-JUL-95 |
| | MS21134 NOT 1 | BOLT, TENSION, STEEL, 180 KSI FTU, 450 DEGREE F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED [CUST: AV AS 99] [REVIEW: 82 AT MI] | A 5306 | IS | | 31-JUL-89 |
| M | MS21140J | FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100 DEG. FLUSH HEAD, CORROSION RESISTING STEEL, 95 KSI FSU [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5320 | IS | | 25-MAR-98 |
| M | MS21141J | FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, CORROSION RESISTING STEEL, 95 KSI FSU [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5320 | IS | | 25-MAR-98 |
| | MS21154F | BEARING, PLAIN, SELF-ALIGNING, GROOVED OUTER RING [CUST: AV AS 99 IS] [REVIEW: 84] | A 3120 | AS | | 14-FEB-94 |
| | MS21155B NOT 1 | BEARING, PLAIN, SELF ALIGNING [CUST: AV AS 99] | A 3120 | AS | | 09-OCT-91 |
| | MS21206A | WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 220 KSI FTU [CUST: AV AS 99 IS] [REVIEW: 82] | A 5310 | IS | | 30-AUG-91 |
| | MS21207A NOT 1 | SCREW, TAPPING, 100 DEGREE FLAT HEAD, SPACED THREAD [CUST: AS 99 IS] | A 5305 | IS | | 24-JUN-94 |
| | MS21220D | BEARING, ROLLER, ROD END, INTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE II, -67 DEG. TO 350 DEG. F, SEALED [CUST: AT AS 99] [REVIEW: 84 AV IS] | A 3110 | AS | | 05-DEC-94 |
| | MS21221D | BEARING, ROLLER, ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE I, -67 DEG. TO 350 DEG. F, SEALED [CUST: AT AS 99] [REVIEW: 84 AV IS] | A 3110 | AS | | 05-DEC-94 |
| | MS21223D | BEARING, ROLLER, ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE I, -67 DEG. TO 350 DEG. F, SEALED [CUST: AT AS 99] [REVIEW: AV] | A 3110 | AS | | 05-DEC-94 |
| | MS21224D | NUT, SELF-LOCKING, CASTELLATED, HEXAGON, COUNTERBORED, ASSEMBLED WASHER, 250 DEG. F, NON-METALLIC INSERT (FOR SELF-RETAINING BOLTS) [CUST: AV AS 99 IS] [REVIEW: AR CR] | A 5310 | IS | | 23-AUG-93 |
| | MS21225A(1) | NUT, SELF-LOCKING, CASTELLATED, HEXAGON - 800 DEG. F [CUST: AS 11 IS] | A 5310 | IS | | 20-FEB-96 |
| | MS21230B NOT 1 | BEARING, PLAIN, SELF - ALIGNING, GROOVED OUTER RING TFE LINED, WIDE [CUST: AS] [REVIEW: 11 84] | A 3120 | AS | | 09-OCT-91 |
| | MS21231B NOT 1 | BEARING, PLAIN, SELF-ALIGNING, TFE LINED, WIDE [CUST: AS] [REVIEW: 11 84] | A 3120 | AS | | 09-OCT-91 |
| | MS21232A NOT 1 | BEARING, PLAIN, SELF-ALIGNING, GROOVE OUTER RING, TFE LINED, NARROW [CUST: AS 99] [REVIEW: 11] | A 3120 | AS | | 09-OCT-91 |
| | MS21233B NOT 1 | BEARING, PLAIN, SELF-ALIGNING, TFE LINED, NARROW [CUST: AS 99] [REVIEW: 11 84] | A 3120 | AS | | 09-OCT-91 |
| | MS21234 NOT 1 | FITTING, TIEDOWN, CARGO RING (5,000 LB) AND SEAT STUD, TYPE I [CUST: GL AS 99] [REVIEW: 82 MT] | A 1670 | AS | | 21-JUN-91 |
| | MS21235 NOT 1 | FITTING, TIEDOWN, CARGO RING (10,000 LB) AND SEAT STUD, TYPE II [CUST: GL AS 99] [REVIEW: 82 MT] | A 1670 | AS | | 21-JUN-91 |
| | MS21236 NOT 1 | RING, CARGO TIEDOWN (10,000 LB), TYPE III [CUST: GL AS 99] [REVIEW: 82] | A 1670 | AS | | 21-JUN-91 |
| | MS21237 NOT 1 | RING, CARGO TIEDOWN (25,000 LB), TYPE IV [CUST: GL AS 99] [REVIEW: 82] | A 1670 | AS | | 21-JUN-91 |
| | MS21244B(1) | NUT, CASTELLATED, HEXAGON, COUNTERBORED ASSEMBLED WASHER, 450 DEG. F (FOR SELF RETAINING BOLTS) [CUST: AV 99 IS] [REVIEW: AR AS] | A 5310 | IS | | 15-JUN-94 |
| | MS21245D | NUT, SELF-LOCKING, HEXAGON, THIN, 450 DEGREE F, 80 KSI FTU [CUST: AV AS 99 IS] [REVIEW: AL AR] | A 5310 | IS | | 30-NOV-88 |
| A | MS21250L NOT 1 | BOLT, TENSION, STEEL, EXTERNAL WRENCHING, FLANGED, 12-POINT, 180 KSI FTU, 450 DEG F [CUST: AV AS 99 IS] | A 5306 | IS | | 19-JAN-98 |
| A | MS21251G | TURNBUCKLE BODY, CLIP LOCKING [CUST: AV AS 99 IS] [REVIEW: 11 82 MC] | A 5340 | IS | | 15-AUG-97 |
| A | MS21252H | CLEVIS, END, TURNBUCKLE, CLIP LOCKING [CUST: CR4 AS 99 IS] [REVIEW: MC] | A 5340 | IS | | 15-AUG-97 |
| A | MS21253K | CLEVIS END, TURNBUCKLE, CLIP LOCKING, (FOR BEARING) [CUST: AV AS 99 IS] | A 5340 | IS | | 15-AUG-97 |
| A | MS21254M | CONNECTOR, EYE END, TURNBUCKLE, CLIP LOCKING [CUST: AV AS 99 IS] [REVIEW: 11 82 CR4 MC] | A 5340 | IS | | 15-AUG-97 |
| A | MS21255L | EYE END, TURNBUCKLE, CLIP LOCKING, (FOR WIRE ROPE) [CUST: AV AS 99 IS] | A 5340 | IS | | 15-AUG-97 |
| | MS21256D | CLIP, LOCKING, TURNBUCKLE [CUST: AV AS 99] [REVIEW: MC] | A 5340 | IS | | 20-OCT-94 |
| | MS21258A | WASHER, KEY, RETAINING, WHEEL BEARING [CUST: 99 IS] [REVIEW: 99] | A 5310 | IS | | 28-DEC-84 |
| A | MS21259E | TERMINAL, WIRE ROPE, STUD [CUST: AR AS 99 IS] [REVIEW: MC] | A 4030 | IS | | 15-AUG-97 |
| A | MS21260H | TERMINAL, WIRE ROPE, STUD [CUST: AR AS 99 IS] [REVIEW: CR4 MC] | A 4030 | IS | | 15-AUG-97 |
| | MS21262D NOT 1 | SCREWS, SELF LOCKING, 250 DEG. F, CYLINDRICAL HEAD HEXAGONAL WRENCHING SOCKET, ALLOY STEEL, 160 KSI FTU (SOCKET HEAD CAP SCREWS) [CUST: AS 99 IS] [REVIEW: 82 AR OS] | A 5305 | IS | | 24-JUN-94 |
| | MS21266E(1) NOT 2 | GROMMET, PLASTIC, EDGING [CUST: GL AS 99 IS] [REVIEW: AV CR EC MC MI] | A 5325 | IS | | 24-SEP-96 |
| | MS21268A NOT 1 | SCREW, INSTRUMENT - FILISTER HEAD [CUST: AR SH 99 IS] | A 5305 | IS | | 24-JUN-94 |
| | MS21270A NOT 1 | SCREW, INSTRUMENT - 100 DEGREE FLAT HEAD [CUST: AR SH 99 IS] [REVIEW: CR CR4 MI] | A 5305 | IS | | 24-JUN-94 |
| | MS21271A | SCREW, INSTRUMENT - BINDING HEAD [CUST: AR SH 99 IS] [REVIEW: IS] | A 5305 | IS | | 31-OCT-63 |
| | MS21279B(1) | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .190-32 (MIL-S-8879) (ASG) [CUST: AS 99 IS] | A 5306 | IS | | 08-FEB-96 |
| | MS21287B | SCREW, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .164-36 (MIL-S-8879 THREAD) [CUST: AV AS 99] | A 5306 | IS | | 31-JUL-89 |
| | MS21295A NOT 1 | SCREWS, SELF LOCKING, 250 DEG. F, CYLINDRICAL HEAD, HEXAGONAL WRENCHING SOCKET, CORROSION RESISTING STEEL, 80 KSI FTU (SOCKET HEAD CAP SCREWS) [CUST: AS 99] | A 5306 | IS | | 09-OCT-91 |
| | MS21296A | BOLT, TENSION, STEEL, 260 KSI FTU, 450 DEG. F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD [CUST: AV AS 99] [REVIEW: AT MI] | A 5306 | IS | | 30-JUN-89 |
| A | MS21297A NOT 3 | BOLT, TENSION, STEEL, 220 KSI FTU, 450 DEG. F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD [CUST: AV AS 11 IS] | A 5306 | IS | | 16-MAR-98 |
| | MS21299A | WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 260 KSI FTU [CUST: AV AS 11 IS] | A 5310 | IS | | 30-SEP-94 |
| | MS21300 NOT 1 | ANCHOR - SEMI-PERMANENT MOORING [CUST: 99] | A 1730 | GS | | 10-NOV-88 |

| Document Number | Document Title | Distribution FSC/Ave | MCA | Prop. Acty. | Date |
|------------------|--|----------------------|-----|-------------|------|
| MS21301B | SCREW, SHOULDERED, HEX-SOCKET HEAD .375, .500, .625 UNC-3A, UNPLATED [CUST: CR YD1 99 IS] [REVIEW: 82 AR FSS GL MC NS] | A 5305 | IS | 27-JUN-95 | |
| MS21303B(1) | NUT, EYE, THIMBLE HOT DIP GALVANIZED (POLE LINE) [CUST: AR YD1 82 IS] | A 5310 | IS | 20-FEB-96 | |
| MS21304B NOT 1 | NUT, PLAIN, SQUARE [CUST: CR MC 99 IS] [REVIEW: AT AV CR] | A 5310 | IS | 12-OCT-93 | |
| MS21306B NOT 1 | WASHER, FLAT (ROUND) [CUST: CR 99 IS] [REVIEW: 82 84 AT MC OS SH] | A 5310 | IS | 12-OCT-93 | |
| MS21307B(1) | WASHER, FLAT (SQUARE) [CUST: CR YD1 IS] | A 5310 | IS | 20-FEB-96 | |
| MS21308C(1) | WASHER, SADDLE SQUARE, CURVED (POLE LINE) [CUST: AR YD1 82 IS] | A 5310 | IS | 20-FEB-96 | |
| MS21314B | STRAP, RETAINING, TWO HOLE, FOR PIPE, CONDUIT, AND CABLE [CUST: AR YD1 99] [REVIEW: CR CR4 MC MI] | A 5340 | IS | 30-DEC-91 | |
| MS21315A | STRAP, RETAINING, TWO HOLE, FOR TUBING [CUST: AR 99] [REVIEW: CR CR4 MC] | A 5340 | IS | 22-MAR-66 | |
| MS21316C NOT 1 | THUMBSCREW (SHOULDERED), FLAT POINT, CARBON STEEL, CADMIUM PLATED, UNC-2A [CUST: AR YD1 99 IS] [REVIEW: AS AV CR4 MC NS OS SH] | A 5305 | IS | 24-JUN-94 | |
| MS21318A NOT 1 | SCREW, DRIVE, ROUND HEAD, TYPE U, STEEL, CARBON, CADMIUM PLATED [CUST: AR 99 IS] [REVIEW: 69 CR CR4 GL MC MI OS SH YD1] | A 5305 | IS | 24-JUN-94 | |
| MS21322D | CLAMP, LOOP-ALUMINUM, PLAIN AND CUSHIONED [CUST: AR YD1 99] [REVIEW: AT CR CR4 MC MI OS] | A 5340 | IS | 22-JUN-72 | |
| MS21325B NOT 1 | STUD - STYLE III SNAPSLIDE FASTENER [CUST: GL AS 99] [REVIEW: MI] | A 5325 | IS | 10-JUN-94 | |
| MS21326A NOT 1 | STUD, STYLE IV SNAPSLIDE FASTENER [CUST: GL AS 99 IS] [REVIEW: MI] | A 5325 | IS | 10-APR-96 | |
| MS21331B(1) | NUT, PLAIN, CLINCH [CUST: AR OS IS] | A 5310 | IS | 20-FEB-96 | |
| MS21333F | CLAMP, LOOP-STEEL-PLAIN AND CUSHIONED [CUST: AR YD1 99] [REVIEW: AV CR MC MI SA SH] | A 5340 | IS | 06-NOV-87 | |
| MS21334B | CLAMP, LOOP-DOUBLE, CABLE OR TUBE, STEEL, PLAIN AND CUSHIONED [CUST: AR YD1 99] [REVIEW: AT AV MC MI OS] | A 5340 | IS | 22-JUN-72 | |
| MS21340C | NUT, PLAIN, HEXAGON, ELECTRICAL, THIN (WITH LOCKWIRE HOLES) [CUST: 99 IS] | A 5310 | IS | 15-SEP-93 | |
| MS21343 | BOSS SPACING-HYDRAULIC DESIGN STANDARD FOR [CUST: AV AS 99 CC] [REVIEW: 82 MI] | A 4730 | CC | 16-AUG-71 | |
| MS21344 | FITTING - INSTALLATION OF FLARED TUBE, STRAIGHT THREADED CONNECTORS, DESIGN STANDARD FOR [CUST: AV AS 99] [REVIEW: 82 AR MI] | A 4730 | CC | 17-AUG-71 | |
| MS21345A | FITTING, INSTALLATION OF UNIVERSAL ELBOW [CUST: AV AS 99 CC] [REVIEW: 82 AR MI] | A 4730 | CC | 21-SEP-84 | |
| MS21346E | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK AND TOGGLE, MINIATURE TOGGLE SEALED, INTEGRATED WIRE TERMINALS, SINGLE POLE, .469 MOUNTING BUSHING [CUST: CR AS 85 CC] [REVIEW: 99 AR EC MI] | A 5930 | CC | 04-SEP-91 | |
| MS21347J | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, AND -LEVER LOCK- MINIATURE, TOGGLE SEALED, INTEGRATED WIRE TERMINALS, DOUBLE POLE, .469 MOUNTING BUSHING [CUST: AS 85 CC] [REVIEW: 19 99 EC] | A 5930 | CC | 04-SEP-91 | |
| MS21351F | SWITCH, TOGGLE, POSITIVE BREAK, SPECIAL CIRCUIT, MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING [CUST: CR AS 85 CC] [REVIEW: 17 99 AR MI] | A 5930 | CC | 18-OCT-85 | |
| MS21353J | SWITCH, TOGGLE, POSITIVE BREAK, SPECIAL CIRCUIT, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING [CUST: CR AS 85 CC] [REVIEW: 17 99 AR EC MI] | A 5930 | CC | 18-OCT-85 | |
| MS21354L | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, SINGLE POLE, .250 MOUNTING BUSHING [CUST: CR AS 85 CC] [REVIEW: 99 AR EC] | A 5930 | CC | 04-SEP-91 | |
| MS21355J | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, DOUBLE POLE, .250 MOUNTING BUSHING [CUST: AS 85 CC] [REVIEW: 99 EC MI] | A 5930 | CC | 04-SEP-91 | |
| MS21356H | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, SINGLE POLE, .469 MOUNTING BUSHING [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5930 | CC | 04-SEP-91 | |
| MS21357H | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, DOUBLE POLE, .469 MOUNTING BUSHING [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5930 | CC | 04-SEP-91 | |
| MS21363A NOT 2 | COILS, RADIO FREQUENCY, MOLDED FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED, (FERRITE CORE-FERRIT SLEEVE) TYPES LT10K307 TO LT10K35E INCL. [CUST: CR EC 85] [REVIEW: 11 19] | A 5950 | CC | 26-AUG-93 | |
| A MS21367F NOT 1 | COIL, RADIO FREQUENCY, ENCAPSULATED, FIXED, MICRO MINIATURE, SHIELDED (IRON CORE), TYPES LT10K354 TO LT10K383, INCL [CUST: 85 CC] [REVIEW: 11 CC] | A 5950 | CC | 26-AUG-93 | |
| MS21378A | PLUGS & CABLE ASSEMBLIES, EXTERNAL POWER, AIRCRAFT, 230/400 VOLT, 400 HERTZ [CUST: 85 CC] [REVIEW: 11 99] | A 5935 | CC | 30-NOV-84 | |
| MS21379A NOT 1 | CONNECTOR, RECEPTACLE, EXTERNAL POWER, AIRCRAFT, 230/400 VOLT, 400 HZ [CUST: AS 85 CC] [REVIEW: 71 99] | A 5935 | CC | 03-FEB-93 | |
| A MS21380C | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, IRON CORE, TYPES LT4K [CUST: 85 CC] | A 5950 | CC | 14-SEP-94 | |
| MS21381D | COILS, RADIO FREQUENCY, MOLDED VARIABLE, SUBMINIATURE, IRON CORE, MAGNETICALLY SHIELDED, TYPES LT10V174 TO LT10V209 INCL. AND LT10V247 TO LT10V258 INCL. [CUST: CR EC 85] [REVIEW: 11 17 19 99 CC MI] | A 5950 | CC | 26-AUG-93 | |
| A MS21382E | KNOB NON ILLUMINATED, SMALL [CUST: 11 IS] [REVIEW: 82] | A 5355 | IS | 18-AUG-80 | |
| A MS21385E | KNOB, TACTILE SERIES, ILLUMINATED AND NON-ILLUMINATED [CUST: 11 IS] [REVIEW: 82 MI] | A 5355 | IS | 18-AUG-80 | |
| A MS21387E | KNOB ROUND, ILLUMINATED AND NON ILLUMINATED, SMALL [CUST: 11 IS] | A 5355 | IS | 18-AUG-80 | |
| A MS21388B NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, IRON CORE, TYPES L14K [CUST: 85 CC] [REVIEW: 11 19] | A 5950 | CC | 26-AUG-93 | |
| A MS21389D | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, PHENOLIC CORE, TYPES LT4K [CUST: 85 CC] | A 5950 | CC | 14-SEP-94 | |
| A MS21390D | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, IRON CORE, TYPES LT4K [CUST: 85 CC] | A 5950 | CC | 14-SEP-94 | |
| MS21391A NOT 1 | COUPLING END, 1-INCH, DRINKING WATER, SERVICE, AIRCRAFT, STANDARD DIMENSIONS FOR [CUST: AV AS 99] | A 1680 | 82 | 10-AUG-88 | |
| MS21392A | NUT, PLAIN, HEXAGON-AZIMUTH (WITH LOCKWIRE HOLES) [CUST: 11 IS] | A 5310 | IS | 07-SEP-76 | |
| MS21399A NOT 1 | TITLE, COILS, RADIO, FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (PHENOLIC CORE-IRON SLEEVE) TYPES, LT10K 457 TO LT10K 468 INCL. [CUST: CR EC 85] [REVIEW: 11 17 19] | A 5950 | CC | 26-AUG-93 | |
| MS21400A NOT 1 | COIL, RADIO, FREQUENCY, MOLDED, FIXED, MICRO MINIATURE, MAGNETICALLY SHIELDED (IRON CORE - IRON SLEEVE) TYPES, LT10K 469 TO LT10K 482 INCL. [CUST: CR EC 85] [REVIEW: 11 17 19] | A 5950 | CC | 26-AUG-93 | |
| MS21401C | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED, (FERRITE CORE-FERRITE SLEEVE) TYPES, LT10K 483 TO LT10K 517 INCL. [CUST: CR EC 85] [REVIEW: 17 19 99 AR MI] | A 5950 | CC | 01-NOV-90 | |
| MS21402D NOT 1 | COILS, RADIO FREQUENCY, MOLDED, VARIABLE, SUBMINIATURE, FERRITE CORE, MAGNETICALLY SHIELDED, TYPES LT10V210 TO LT10V246 INCL. [CUST: CR EC 85] [REVIEW: 11 19] | A 5950 | CC | 26-AUG-93 | |
| MS21422C NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, TYPES LT4K496 TO LT4K520 INCL. [CUST: CR EC 85] [REVIEW: 11 19] | A 5950 | CC | 26-AUG-93 | |
| MS21423C NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, TYPES LT4K521 TO LT4K545 INCL. [CUST: CR EC 85] [REVIEW: 11 19] | A 5950 | CC | 26-AUG-93 | |
| MS21424C NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE TYPES LTAK546 TO LT4K570 INC. [CUST: CR EC 85] [REVIEW: 11 19] | A 5950 | CC | 26-AUG-93 | |
| MS21426B | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE MAGNETICALLY SHIELDED, (IRON CORE-IRON SLEEVE) TYPE LT10K [CUST: EC 85] [REVIEW: 17 19 CC] | A 5950 | CC | 20-MAR-95 | |
| MS21427B NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (FERRITE CORE-FERRITE SLEEVE) TYPE LT10K [CUST: CR EC 85] [REVIEW: 11 19] | A 5950 | CC | 26-AUG-93 | |

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | MS21428C | BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA LIGHT DUTY, PRECISION [CUST: AV AS 99] [REVIEW: 84 AR AT IS MI] | A 3110 | AS | | 21-JUN-95 |
| A | MS21429B | BEARING, ROLLER, ANTI-FRICTION, ROD END, EXTERNAL THREAD, SELF-ALIGNING, AIR FRAME, -67 DEG. F, TO 350 DEG. F TYPE I, HEAVY DUTY, SEALED [CUST: AS 11] [REVIEW: 84 AT IS] | A 3110 | AS | | 29-SEP-97 |
| | MS21430A | VALVE, CHECK, FUEL AND AIR, POPPET TYPE, ZERO, LEAK [CUST: AV AS 99] [REVIEW: 82 CR4 MI] | A 4820 | CC | | 06-DEC-77 |
| | MS21431A | BEARING, ROLLER, SELF-ALIGNING SINGLE ROW ANTI-FRICTION, SEALED -65 TO 350 F, TYPE I [CUST: AT AS 99] [REVIEW: 84 IS] | A 3110 | AS | | 05-DEC-94 |
| | MS21433E | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SINGLE POLE, PRINTED CIRCUIT BOARD TERMINALS, RIGHT ANGLE MOUNT [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5930 | CC | | 04-SEP-91 |
| | MS21434B NOT 1 | SWITCHES, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, DOUBLE POLE, PRINTED CIRCUIT BOARD TERMINALS, RIGHT ANGLE MOUNT [CUST: CR AS 85 CC] [REVIEW: 17 99 AR AT AV EC MI] | A 5930 | CC | | 30-SEP-88 |
| | MS21436B NOT 1 | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR EC MI] | A 5930 | CC | | 11-AUG-86 |
| | MS21437G(1) | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING [CUST: CR AS 85 CC] [REVIEW: 99 EC MI] | A 5930 | CC | | 29-APR-96 |
| A | MS21438C | BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE V, ANTI-FRICTION, INCH [CUST: AT AS 99] [REVIEW: 11 IS] | A 3110 | AS | | 29-SEP-97 |
| | MS21439B | BEARING, ROLLER, NEEDLE, DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE VI, INCH [CUST: AT AS 99] [REVIEW: 11 84 IS] | A 3110 | AS | | 15-NOV-94 |
| | MS21440B | BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL STUD, SEALED, TYPE VIII, ANTI-FRICTION, INCH [CUST: AT AS 99] [REVIEW: 11 IS] | A 3110 | AS | | 05-DEC-94 |
| | MS21441B | BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL HEAVY STUD, SEALED, TYPE IX, ANTI-FRICTION, INCH [CUST: AT AS 99] [REVIEW: 11 IS] | A 5310 | AS | | 05-DEC-94 |
| | MS21442B | BEARING, ROLLER, NEEDLE, TRACK ROLLER, SEALED, TYPE X, ANTI-FRICTION, INCH [CUST: AT AS 99] [REVIEW: 11 IS] | A 3110 | AS | | 05-DEC-94 |
| | MS21443B | BEARING, BALL, AIRFRAME, ANTI-FRICTION, PULLEY [CUST: AV AS 99] [REVIEW: 84 AR IS SH] | A 3110 | AS | | 21-JUN-95 |
| | MS21444 NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 36X11 [CUST: 99] | A 2620 | 70 | | 04-FEB-94 |
| | MS21446A | BEARING, ROLLER, SELF-ALIGNING SINGLE ROW, BARREL ROLLER, TORQUE TUBE, AIRFRAME, ANTI-FRICTION, SEALED TYPE V [CUST: AT AS 99] [REVIEW: 84 AV IS] | A 3110 | AS | | 05-DEC-94 |
| | MS21447A | BEARING, ROLLER, NEEDLE, TRACK ROLLER CROWN RADIUSED O.D. INTEGRAL STUD, TYPE VII ANTI-FRICTION, INCH [CUST: AT AS 84] [REVIEW: 99 IS] | A 3110 | AS | | 05-DEC-94 |
| | MS21780 NOT 2 | TIRE-PNEUMATIC REBUILT TYPE VIII 30 X 11.5-14.5/24 PR [CUST: 99] [REVIEW: CC] | A 2620 | 70 | | 04-JUN-93 |
| | MS21781 | TIRE - PNEUMATIC TYPE VIII 30 X 11.5 - 14.5/26 PR [CUST: 99] [REVIEW: CC] | A 2620 | 70 | | 07-OCT-88 |
| | MS21900E | ADAPTER, FLARELESS TUBE TO A FLARED TUBE [CUST: AV AS 99] [REVIEW: 71 82 AR AT CC CR4 GL MI OS] | A 4730 | AS | | 24-OCT-88 |
| | MS21902F NOT 1 | UNION, FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR4 MI] | A 4730 | AS | | 09-OCT-91 |
| | MS21904F | ELBOW, FLARELESS TUBE, 90 DEG. [CUST: AV AS 99] [REVIEW: 11 AR AT CC CR4 GL MI OS] | A 4730 | AS | | 22-JUN-84 |
| | MS21905F | TEE, FLARELESS TUBE [CUST: AS] [REVIEW: 11 AR AT CC CR4 GL MI OS] | A 4730 | AS | | 03-JUL-92 |
| | MS21906E NOT 1 | CROSS, FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 11 AR AT CC CR4 GL MI OS] | A 4730 | AS | | 03-MAR-87 |
| | MS21907G | ELBOW, BULKHEAD UNIVERSAL, 45 DEG., FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 71 82 CC CR CR4 GL MI] | A 4730 | AS | | 20-JUN-91 |
| | MS21908F NOT 1 | ELBOW, BULKHEAD UNIVERSAL 90 DEG., FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 11 AR AT CC CR4 GL MI OS] | A 4730 | AS | | 03-MAR-87 |
| | MS21909G | TEE, BULKHEAD AND UNIVERSAL, FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR GL MI] | A 4730 | AS | | 20-JUN-91 |
| | MS21910F NOT 1 | TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON SIDE [CUST: AV AS 99] [REVIEW: 11 AT CC CR4 GL MI OS] | A 4730 | AS | | 03-MAR-87 |
| | MS21911H NOT 1 | TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON RUN [CUST: AV AS 99] [REVIEW: 11 AR AT CC CR4 GL MI OS] | A 4730 | AS | | 03-MAR-87 |
| | MS21912G | TEE, FLARELESS TUBE WITH BULKHEAD ON RUN [CUST: AV AS 99] [REVIEW: 82 AR CC CR CR4 GL MI] | A 4730 | AS | | 31-AUG-88 |
| | MS21913E NOT 1 | PLUG, FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 11 AR CC CR CR4 GL MI OS] | A 4730 | AS | | 26-JUN-81 |
| | MS21914M | CAP, PRESSURE SEAL, FLARELESS TUBE FITTING [CUST: AV AS 99] [REVIEW: 71 82 AT CC CR CR4 GL MI OS] | A 4730 | AS | | 06-MAR-90 |
| | MS21915F | ADAPTER, STRAIGHT, TUBE TO BOSS [CUST: AV AS 99] [REVIEW: 71 82 AR AT CC CR4 MI] | A 4730 | AS | | 17-JUL-89 |
| | MS21916G | REDUCER, EXTERNAL THREAD, FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 11 AR CC CR4 GL MI OS] | A 4730 | AS | | 06-JUN-88 |
| | MS21920C | CLAMP, HOSE (FLAT BAND, 500 DEGREE F) [CUST: CR4 99] [REVIEW: 82 AV MI] | A 4730 | CC | | 08-DEC-75 |
| | MS21921H NOT 1 | NUT, SLEEVE COUPLING, FLARELESS [CUST: AV AS 99] [REVIEW: AR CC CR4 GL MI OS] | A 4730 | AS | | 03-MAR-87 |
| | MS21922F | SLEEVE, COUPLING, FLARELESS [CUST: AV AS 99] [REVIEW: AT CC CR CR4 GL MC MI OS] | A 4730 | AS | | 04-APR-88 |
| | MS21923C NOT 1 | ADAPTER, FLARELESS TUBE, BULKHEAD AND UNIVERSAL TO FLARED TUBE [CUST: AV AS 99] | A 4730 | AS | | 03-MAR-87 |
| | MS21924C | UNION, FLARELESS TUBE, BULKHEAD AND UNIVERSAL [CUST: AV AS 99] [REVIEW: 71 82 AR CC CR CR4 GL OS] | A 4730 | AS | | 15-SEP-88 |
| | MS21925B NOT 1 | ELBOW, 90 DEGREE UNIVERSAL, FLARELESS TUBE, HIGH PROFILE (ASG) [CUST: AV AS 99] [REVIEW: 11 AR CC CR4 GL MI OS] | A 4730 | AS | | 03-MAR-87 |
| | MS21926C | ELBOW, 90 DEG. UNIVERSAL, FLARELESS TUBE, LOW PROFILE [CUST: AV AS 99] [REVIEW: 82 AR AT CC CR CR4 GL MI OS] | A 4730 | AS | | 03-JUL-92 |
| | MS21935C | FITTING END, BOLT CLUSTER FITTING, DOUBLE PORT, THROUGH, FLARELESS [CUST: AV AS 99] [REVIEW: 82 CC CR4 GL MI] | A 4730 | AS | | 24-JUL-87 |
| | MS21937B NOT 1 | NUT, CLUSTER FITTING, RETAINER (ASG) [CUST: AV AS 99] [REVIEW: 11 AR CC CR4 MI] | A 4730 | AS | | 27-JUN-69 |
| | MS21938D | BOLT, CLUSTER FITTING, SINGLE PORT FLARELESS [CUST: AV AS 99] [REVIEW: 11 CC CR CR4 GL] | A 4730 | AS | | 16-JAN-89 |
| | MS21942D | BODY, CLUSTER FITTING, ONE WAY, FLARELESS [CUST: AV AS 99] [REVIEW: 82 AR AT CC CR4 GL MI] | A 4730 | AS | | 24-JUL-87 |
| | MS21943C | BODY, CLUSTER FITTING, TWO WAY, 90 DEG., FLARELESS [CUST: AV AS 99] [REVIEW: 82 CC CR CR4 GL] | A 4730 | AS | | 24-JUL-87 |
| | MS21945C | BODY, CLUSTER FITTING, THREE-WAY, FLARELESS [CUST: AV AS 99] [REVIEW: 82 AR CC CR4 GL] | A 4730 | AS | | 24-JUL-87 |
| | MS21946C | BODY, CLUSTER FITTING, ONE WAY, INTERNAL BOSS (ASG) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 28-JUL-75 |
| | MS21947A | FITTING END, BOLT CLUSTER FITTING SINGLE PORT THROUGH, FLARE [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 10-NOV-84 |
| | MS21949A | BOLT, CLUSTER FITTING SINGLE PORT, FLARE [CUST: AS] [REVIEW: CC MI] | A 4730 | AS | | 13-MAY-66 |
| | MS21950A | BOLT, CLUSTER FITTING SINGLE PORT THROUGH, FLARE [CUST: MI AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 30-SEP-75 |
| | MS21953A | BODY, CLUSTER FITTING ONE WAY, FLARE [CUST: 99 CC] [REVIEW: 82 MI] | A 4730 | CC | | 22-MAY-75 |
| | MS21954A | BODY, CLUSTER FITTING TWO WAY 90 DEG., FLARE [CUST: 99 CC] [REVIEW: 82 MI] | A 4730 | CC | | 16-MAY-75 |
| | MS21955A | BODY, CLUSTER FITTING TWO WAY 180 DEG., FLARE [CUST: MI AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 30-SEP-75 |
| | MS21958B | BODY, CLUSTER FITTING, TWO-WAY, 180 DEG., INTERNAL BOSS (ASG) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 29-JUL-75 |
| | MS21959B | BODY, CLUSTER FITTING, TWO WAY, 90 DEG., INTERNAL BOSS (ASG) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 20-JUN-75 |
| | MS21960B | BODY, CLUSTER FITTING, THREE WAY, INTERNAL BOSS (ASG) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 13-JUN-75 |
| | MS21980E | FERRULE, OUTER, UNINSULATED, SHIELD TERMINATING, TYPE I TWO PIECE, CLASS I, FOR SHIELDED CABLE [CUST: CR AS GS] [REVIEW: 17 99 EC MC] | A 5940 | GS | | 13-AUG-82 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | MS21981D | FERRULE, INNER, UNINSULATED, SHIELD TERMINATING, TYPE I TWO PIECE, CLASS I, FOR SHIELDED CABLE [CUST: AS 85 GS] [REVIEW: 17 99 EC MC] | A 5940 | GS | | 13-AUG-82 |
| | MS21984F | CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE, PUSH-PULL, 3-PHASE, 5 THRU 60 AMP., TYPE I [CUST: CR AS 85] [REVIEW: 99 CR4 MI] | A 5925 | CC | | 30-NOV-87 |
| | MS21994E NOT 1 | SWITCH, ROTARY, AMMETER SELECTOR, 115/200 VOLTS FOR 1, 2, 4 GENERATOR SYSTEM [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AV EC MC MI OS] | A 5930 | CC | | 30-SEP-88 |
| | MS21995E NOT 1 | SWITCH, ROTARY, AMMETER - VOLTMETER SELECTOR, 115/200 VOLTS, FOR 1, 2, OR 4 GENERATOR SYSTEM [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AV EC MI] | A 5930 | CC | | 30-SEP-88 |
| D | MS21998C | FLASHLIGHT, PENLIGHT STYLE [CUST: AV AS 99 IS] | A 6230 | IS | | 15-MAY-90 |
| | MS22001E NOT 1 | MASK ASSEMBLIES, OXYGEN, PRESSURE BREATHING [CUST: AS] [REVIEW: AV GL] | A 1660 | CC | | 30-OCT-91 |
| A | MS22044B NOT 2 | SNAP HOOK - COILED SPRING, PARACHUTE [CUST: GL AS 99 IS] [REVIEW: 11 82 AV] | A 1670 | GL | | 29-AUG-97 |
| | MS22048A NOT 1 | GROMMET AND WASHER, PARACHUTE PACK [CUST: AS 99] | A 1670 | AS | | 30-OCT-91 |
| | MS22073M | CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I [CUST: CR AS 85] [REVIEW: 11 CC] | A 5925 | AS | | 30-NOV-87 |
| | MS22078 NOT 2 | TIRE REBUILT 26 X 6.6/14PR [CUST: AS 99] [REVIEW: CC] | A 2620 | 70 | | 27-SEP-93 |
| | MS22080 NOT 2 | TIRE-PNEUMATIC REBUILT, TYPE III 12.50-16/12 PR [CUST: AS 99] [REVIEW: CC] | A 2620 | 70 | | 04-JUN-93 |
| | MS22081 NOT 2 | TIRE, PNEUMATIC NEW TYPE III 20.00-20/26PR [CUST: AS 99] [REVIEW: CC] | A 2620 | 70 | | 04-JUN-93 |
| | DS22125 NOT 1 | PACKING, PREFORMED, TUBE-FITTING, METRIC [CUST: AV AS 11] [REVIEW: 69 MC] | A 5330 | IS | | 14-FEB-95 |
| | MS23003B | GAGES, INSPECTION FOR MS23002 CRIMPING DIES (FOR USE WITH MS25036 INSULATED TERMINALS [CUST: AS 11] [REVIEW: 85 MC] | A 5220 | AS | | 02-JAN-64 |
| D | MS23006 NOT 1 | COVER, LIGHT, NAVIGATIONAL AND WARNING, AIRCRAFT [CUST: AS 99 IS] [REVIEW: 82] | A 6220 | IS | | 13-AUG-93 |
| | MS23747D NOT 1 | GLAND, CABLE SEALING, CLASS L [CUST: CR EC 11 CC] [REVIEW: 17 19 80 85 AS CG MC MI OS YDI] | A 5935 | CC | | 03-JUN-92 |
| | MS24000F | FUSE HOLDER, BLOCK-TYPE, 1-, 2-, AND 3- POLE, 1-TO 30-AMPERE, AIRCRAFT [CUST: AS 85] | A 5920 | AS | | 22-APR-92 |
| | MS24001F | FUSE HOLDER, BLOCK-TYPE, 1-, 2-, AND 3- POLE, 35-TO 60-AMPERE, AIRCRAFT [CUST: AS 85] | A 5920 | AS | | 22-APR-92 |
| | MS24034C NOT 2 | CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, RECTANGULAR, 18 CONTACTS, MALE, 13 AMPS [CUST: MI AS 85] [REVIEW: 11 17 AR CR MC OS SH] | A 5935 | CC | | 25-MAY-93 |
| | MS24037D | CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, HEXAGONAL, 5 CONTACTS, FEMALE, 7.5 AMPS. [CUST: CR AS 85 CC] [REVIEW: 17 19 99 CR4 MC MI] | A 5935 | CC | | 21-FEB-67 |
| | MS24056F | CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, HEXAGONAL, 9 CONTACTS, MALE, 7.5 AMPS. [CUST: MI AS 85 CC] [REVIEW: 17 99] | A 5935 | CC | | 29-MAR-91 |
| | MS24120D | RING, COUPLING, ROTATING [CUST: MI AS 85] [REVIEW: 99 CR4] | A 5935 | CC | | 29-MAR-91 |
| | MS24122C NOT 1 | WIRING HARNESS-EXTERNAL POWER, 115 VOLT AC, SINGLE PHASE [CUST: 85 GS] | A 6150 | GS | | 20-JAN-93 |
| | MS24129C | HOOD, ELECTRICAL CONNECTOR, RIGHT ANGLE (INACTIVE FOR DESIGN 6 DEC 1971) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT CR4 MC MI OS] | A 5935 | CC | | 06-DEC-71 |
| | MS24130C | HOOD, ELECTRICAL, FOR 3 AMP. CONNECTOR (INACTIVE 12-6-71) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT CR4 MC MI] | A 5935 | CC | | 06-DEC-71 |
| | MS24131C | HOOD, ELECTRICAL, FOR 13 AMP. CONNECTOR (INACTIVE 6 DEC 1971) [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT CR4 MC MI OS] | A 5935 | CC | | 06-DEC-71 |
| | MS24132F NOT 1 | SHIELD, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20 AND 26 RACK AND PANEL CONTACT CONNECTOR [CUST: CR EC 85 CC] [REVIEW: 11 80 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 31-AUG-93 |
| | MS24133J NOT 1 | SHIELD, ELECTRICAL CONNECTOR FOR 34, 42, 50 AND 75 CONTACT RACK AND PANEL CONNECTOR [CUST: CR EC 85 CC] [REVIEW: 11 99 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 31-AUG-93 |
| | MS24140L(1) | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 1 PST (N.O.), TYPE I, HERMETICALLY SEALED [CUST: AS 85] [REVIEW: CC EC] | A 5945 | 85 | | 06-OCT-93 |
| | MS24141J | RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1PST (NO), TYPE I, HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 99 EC] | A 5945 | 85 | | 13-JUL-92 |
| | MS24142M | RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (NO), TYPE I, HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 99 EC] | A 5945 | 85 | | 30-AUG-93 |
| | MS24143W(2) | RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3 PST (N.O.), TYPE I, HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 99 CC EC] | A 5945 | 85 | | 15-APR-94 |
| | MS24149D NOT 1 | RELAYS, ELECTROMAGNETIC, 2 PDT 10 AMPERES, TYPE I, HERMETICALLY SEALED [CUST: CR AS 99] [REVIEW: 11 99 EC] | A 5945 | CC | | 14-MAY-93 |
| | MS24166H | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 1 PST, (N.O.) TYPE II, NONHERMETICALLY SEALED [CUST: AS 85] [REVIEW: 99] | A 5945 | 85 | | 18-MAR-96 |
| | MS24168R(1) | RELAYS, ELECTROMAGNETIC, 100 AMPERES, 3 PST (N.O.), TYPE I, HERMETICALLY SEALED [CUST: AS 85] | A 5945 | 85 | | 27-JUL-95 |
| | MS24171F | RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (NO), TYPE II, NON-HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 11 99 EC] | A 5945 | 85 | | 28-APR-89 |
| | MS24172H | RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (NO), TYPE III, NON-HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 11 99] | A 5945 | 85 | | 25-JUL-90 |
| | MS24178G | RELAY, 55 AMP, 2PST, N.O. TYPE II, NON HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 11 99 EC] | A 5945 | 85 | | 24-SEP-82 |
| | MS24179M | RELAYS, ELECTROMAGNETIC, 400 AMPERES, 1 PST (N.O.), TYPE III, NON-HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 99 CC EC] | A 5945 | 85 | | 13-OCT-94 |
| | MS24182K | RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1 PST, N.O., TYPE I, HERMETICALLY SEALED [CUST: AS 85] | A 5945 | 85 | | 10-JAN-94 |
| | MS24183K | RELAY, ELECTROMAGNETIC, 200 AMPERES, 1PST (NO), TYPE I, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 99 EC] | A 5945 | 85 | | 10-NOV-93 |
| | MS24184L | RELAYS, ELECTROMAGNETIC, 300 AMPERES, 1 PST, N.O. TYPE I, WITH AUXILIARY CONTACTS, HERMETICALLY SEALED [CUST: CR AS 85] | A 5945 | 85 | | 04-MAR-94 |
| | MS24185L | RELAYS, ELECTROMAGNETIC, 400 AMPERES, 1 PST, N.O. TYPE II, NON-HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 99 EC] | A 5945 | 85 | | 10-JAN-94 |
| | MS24187M | RELAYS, ELECTROMAGNETIC, 50/25 AMPERES, 1PDT (NO/NC), TYPE II, NONHERMETIC ALLY SEALED [CUST: AS 85] [REVIEW: 99 CC EC] | A 5945 | 85 | | 08-MAR-93 |
| | MS24192N(1) | RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3PST, N.O. TYPE II, NON-HERMETICALLY SEALED [CUST: AS 85] [REVIEW: CC EC] | A 5945 | 85 | | 10-MAR-94 |
| | MS24193G | RELAY ELECTROMAGNETIC, 50 AMPERES, 3 PST, N.O. TYPE II, NON - HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 11 99 EC] | A 5945 | 85 | | 17-JUN-88 |
| | MS24208E | CABLE AND PLUG ASSEMBLY, EXTERNAL POWER 115/200 VOLTS 3 PHASE, SINGLE POINT REFUELING [CUST: 85 GS] [REVIEW: AS] | A 6150 | GS | | 19-AUG-94 |
| | MS24234B NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTED [CUST: 85 CC] | A 5935 | CC | | 25-MAY-93 |
| | MS24235B NOT 2 | CONNECTOR, PLUG, ELECTRICAL, CABLE MOUNTING [CUST: 85 CC] | A 5935 | CC | | 25-MAY-93 |
| | MS24236B NOT 2 | CONNECTOR, PLUG, ELECTRICAL, STRAIGHT [CUST: 85 CC] | A 5935 | CC | | 25-MAY-93 |
| | MS24237B NOT 2 | CONNECTOR, PLUG, ELECTRICAL, 90 DEGREES [CUST: 85 CC] | A 5935 | CC | | 25-MAY-93 |
| | MS24238B NOT 2 | CONNECTOR-PLUG, ELECTRICAL, 45 DEG. [CUST: 85] | A 5935 | CC | | 25-MAY-93 |
| | MS24240B NOT 1 | CONNECTOR&RECEPTACLE, ELECTRICAL, HERMETIC, JAM NUT, REAR MOUNTING [CUST: 85 CC] [REVIEW: 99] | A 5935 | CC | | 30-JAN-87 |
| | MS24241B NOT 1 | CONNECTOR&RECEPTACLE, ELECTRICAL, HERMETIC, JAM NUT, FRONT MOUNTING [CUST: 85 CC] [REVIEW: 99] | A 5935 | CC | | 30-JAN-87 |

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------------|---|--------------------------|--------------------|-----------|
| MS24242B NOT 1 | INSERT ARRANGEMENT ELECTRICAL CONNECTOR RECEPTACLE [CUST: 85 CC] [REVIEW: 99] | A 5935 | CC | 13-FEB-87 |
| MS24243B NOT 1 | COUPLING DIMENSIONS&RECEPTACLE ELECTRICAL CONNECTOR [CUST: 85 CC] [REVIEW: MI] | A 5935 | CC | 15-FEB-87 |
| MS24285C NOT 2 | CONNECTOR, ELECTRICAL, STYLE S, RACK AND PANEL, MINIATURE [CUST: 85 CC] [REVIEW: 11 IS] | A 5935 | CC | 25-MAY-93 |
| MS24286D NOT 2 | CONNECTOR, ELECTRICAL, STYLE P, RACK AND PANEL, MINIATURE [CUST: 85 CC] [REVIEW: 11 IS] | A 5935 | CC | 25-MAY-93 |
| MS24287C NOT 2 | MATED ASSEMBLY, CONNECTOR, RACK AND PANNEL, MINIATURE [CUST: 85 CC] [REVIEW: 11 IS] | A 5935 | CC | 25-MAY-93 |
| MS24288D NOT 1 | INSERT ARRANGEMENTS, ELECTRICAL, CONNECTOR, RACK AND PANEL [CUST: 85 CC] [REVIEW: 99] | A 5935 | CC | 08-AUG-86 |
| MS24322A NOT 1 | WHEELS AND HUB ASSEMBLIES [CUST: AT 99] [REVIEW: 84] | A 2530 | CC | 07-JUN-93 |
| MS24323B NOT 1 | WHEEL, PNEUMATIC TIRE, 3.50-6 [CUST: AT YD1 99] [REVIEW: 84] | A 2530 | CC | 14-OCT-77 |
| MS24324C | WHEEL, PNEUMATIC TIRE, 4.00-8 [CUST: AT YD1 99] [REVIEW: 84] | A 2530 | CC | 28-AUG-87 |
| MS24325C NOT 1 | WHEEL FOR 6.00-9 TIRE [CUST: 99] [REVIEW: 84] | A 2530 | CC | 21-FEB-86 |
| MS24327B NOT 1 | HUB-CANTILEVER MOUNTING FOR 3.50-6 AND 4.00-8 WHEELS. [CUST: 99 CC] [REVIEW: 84 AT AV MC] | A 2530 | CC | 21-FEB-86 |
| MS24328B NOT 2 | HUB-CANTILEVER MOUNTING FOR 6.00-9, 7.50-10 AND 9.00-10 WHEELS [CUST: YD1 99 CC] | A 2530 | CC | 29-MAR-96 |
| MS24329B NOT 1 | HUB, ASSEMBLY, FORK MOUNTING, FOR 3.50 & 4.00-8 WHEELS [CUST: 99 CC] [REVIEW: 84] | A 2530 | CC | 21-FEB-86 |
| MS24330B NOT 1 | HUB, ASSEMBLY, FORK MOUNTING, FOR 6.00-9 & 7.50-10 WHEELS [CUST: 99 CC] [REVIEW: 84] | A 2530 | CC | 21-FEB-86 |
| MS24333F | COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK DISCONNECT, FLARED FITTING TO INTERNAL THREAD BOSS [CUST: AV AS 99] [REVIEW: 71 82 AR AT CC CR4 MC] | A 4730 | AS | 03-JUL-92 |
| MS24334E | COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, FLARELESS FITTING TO INTERNAL THREAD BOSS [CUST: AV AS 99] [REVIEW: 82 AR] | A 4730 | AS | 03-JUL-92 |
| MS24335C | FLANGE, BULKHEAD MOUNTING, HYDRAULIC, SELF-SEALING COUPLING [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | 15-AUG-94 |
| A MS24344D | HOLDER, MAINTENANCE RECORDS ASSEMBLY OF [CUST: 69 GS] [REVIEW: 82 99 GL] | A 8105 | GS | 15-APR-93 |
| D MS24345G | BASE PLATE ASSEMBLY, RUNWAY MARKER LAMP [CUST: AS 99 IS] | A 6210 | IS | 30-SEP-70 |
| D MS24347F | DRUMS, METAL, REUSABLE SHIPPING & STORAGE [CUST: GL SA 69 IS] [REVIEW: 84 AR EA SM] | A 8110 | IS | 15-DEC-87 |
| MS24373A | CASTER, RIGID AND SWIVEL, PRECISION PNEUMATIC TIRED [CUST: CR4 SA 99] [REVIEW: 11 AT] | A 5340 | IS | 03-SEP-65 |
| MS24374B | CASTER, RIGID AND SWIVEL, PRECISION, SPRING MOUNTED [CUST: CR4 YD1 99] [REVIEW: 11 AT MI SA] | A 5340 | IS | 03-SEP-65 |
| MS24376P | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3PST (NO), TYPE I, HERMETICALLY SEALED[CUST: AS 85] [REVIEW: 99 EC] | A 5945 | 85 | 23-MAY-96 |
| MS24388H | TEE, FLARED TUBE, INTERNAL THREAD ON SIDE, PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 16-APR-82 |
| MS24389F | TEE, TUBE, INTERNAL THREAD ON RUN, PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 16-APR-82 |
| MS24390F | TEE, FLARED TUBE WITH BULKHEAD ON RUN, PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 19-JUL-84 |
| MS24391H | PLUG - BLEEDER, TUBE PRECISION TYPE [CUST: 99 CC] [REVIEW: AS AV CR4] | A 4730 | CC | 14-SEP-93 |
| MS24392F | NIPPLE, TUBE, PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 16-APR-82 |
| MS24393F | NIPPLE, TUBE, 3/8 BULKHEAD, PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 16-APR-82 |
| MS24394G | ELBOW, TUBE, BULKHEAD, 90 DEG., PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 16-NOV-84 |
| MS24395G | TEE, TUBE, BULKHEAD, PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 16-APR-82 |
| MS24396E | ELBOW, TUBE, BULKHEAD, 45 DEG., PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 16-APR-82 |
| A MS24397F | REDUCER, BOSS, PRECISION TYPE [CUST: 99 CC] [REVIEW: 11 82 AS AV CR4] | A 4730 | CC | 16-APR-82 |
| MS24398H | ADAPTER, STRAIGHT, TUBE TO BOSS, PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS MI] | A 4730 | CC | 10-FEB-84 |
| MS24399F | REDUCER, TUBE, PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 20-JUL-84 |
| MS24401D | ELBOW, TUBE, 90 DEG., PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 16-APR-82 |
| MS24402D | TEE, TUBE, PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 16-APR-82 |
| MS24403E | CROSS, TUBE, PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 04-APR-85 |
| MS24404E | PLUG, TUBE, PRECISION TYPE [CUST: 99 CC] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 22-JUN-83 |
| MS24405D | ADAPTER, FLARELESS TUBE TO FLARED TUBE PRECISION TYPE [CUST: AV AS 99] [REVIEW: 11 69 AR CC CR4 GL MI OS] | A 4730 | AS | 29-APR-88 |
| MS24417J | GUARD, SWITCH, 2 OR 3 POSITION [CUST: CR AS 85 CC] [REVIEW: 99] | A 5930 | CC | 05-SEP-89 |
| MS24435A NOT 1 | POWER RECEPTACLE, AIRCRAFT, ELECTRONIC TEST EQUIPMENT, WIRING OF [CUST: 85 CC] [REVIEW: 11] | A 5935 | CC | 03-NOV-88 |
| MS24456D | SWITCH, SENSITIVE, SEALED, SPDT, CLASS A5 OR B8 [CUST: MI CC] | A 5930 | CC | 08-MAY-89 |
| A MS24461J | BEARING ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TYPE I, ANTIFRICTION, INCH [CUST: AT AS 99] [REVIEW: 84 IS MI] | A 3110 | AS | 29-SEP-97 |
| MS24463H | BEARING, ROLLER, NEEDLE-SINGLE ROW, HEAVY DUTY, SELF-ALIGNING, TYPE III, ANTIFRICTION, INCH [CUST: AT AS 99] [REVIEW: 84 IS] | A 3110 | AS | 05-DEC-94 |
| MS24464H | BEARING, ROLLER, NEEDLE-DOUBLE ROW, HEAVY DUTY, SELF-ALIGNING, TYPE IV, ANTIFRICTION, INCH [CUST: AT AS 99] [REVIEW: 84 IS] | A 3110 | AS | 05-DEC-94 |
| MS24475E | NOZZLE, PRESSURE LUBRICATING OIL SERVICING, LOCKING (ASG) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | 19-SEP-84 |
| MS24476D | ADAPTER, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT [CUST: AS 99] [REVIEW: 82] | A 4730 | CC | 30-APR-84 |
| MS24478B NOT 1 | GAGE, SINGLE 1 INCH DIAL, PNEUMATIC PRESSURE [CUST: 99 GS] [REVIEW: 82 MI] | A 6685 | GS | 09-DEC-88 |
| MS24480B NOT 1 | CAP - LUBRICATION FITTING, PROTECTIVE, PRESSURE SERVICING ADAPTER [CUST: 99 CC] [REVIEW: 84] | A 4730 | CC | 18-MAR-94 |
| MS24482A | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, ARMORED, BAYONET LOCKING TYPE, (50 DEG. TO 300 DEG. C) [CUST: AV 99] [REVIEW: 82] | A 6685 | GS | 22-APR-58 |
| MS24487C | NIPPLE, TUBE, 37 DEG TO 45 DEG. SEAT [CUST: 99] [REVIEW: 82 AS AV CR4] | A 4730 | CC | 22-MAR-79 |
| D MS24489D NOT 2 | FILTER, MARKER LIGHT, AIRPORT APPROACH, GLASS [CUST: AS 99 IS] | A 6210 | IS | 24-JAN-94 |
| D MS24502E NOT 2 | FILTER, MARKER LIGHT, AIRPORT RUNWAY, GLASS [CUST: AS 99 IS] | A 6210 | IS | 24-JAN-94 |
| MS24509K | CIRCUIT BREAKER, TRIP-FREE, RECYCLING, TOGGLE, 3 THROUGH 35 AMPERES, TYPE I [CUST: CR AS 85] [REVIEW: 99] | A 5925 | AS | 30-NOV-87 |
| MS24510K | CIRCUIT BREAKER, TRIP-FREE, RECYCLING, PUSH-PULL, 3 THROUGH 35 AMPERES, TYPE I [CUST: CR AS 85] [REVIEW: 99 CC MI] | A 5925 | AS | 30-NOV-87 |
| D MS24513E | LAMP, INCANDESCENT, SINGLE CONTACT BAYONET INDEXING CANDELABRA, GG-12B1 BULB [CUST: AV AS 82 IS] [REVIEW: CR] | A 6240 | IS | 30-JUN-71 |
| MS24518B | ELBOW, PIPE TO HOSE, 45DEG. (LOW PRESSURE) [CUST: AT AS 99] [REVIEW: AV MC MI OS] | A 4730 | CC | 30-DEC-77 |
| MS24519C | ELBOW, PIPE TO HOSE, 90 DEG. LOW PRESSURE [CUST: AT OS 99] [REVIEW: AR CR4 MC MI] | A 4730 | CC | 03-DEC-77 |
| MS24522B | ADAPTER, PIPE TO HOSE, STRAIGHT LOW PRESSURE [CUST: AT AS 99] [REVIEW: AR AV CR4 MC OS] | A 4730 | CC | 30-DEC-77 |
| MS24523H NOT 1 | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | 08-JUN-93 |
| MS24524J NOT 1 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED [CUST: CR AS 85 CC] [REVIEW: 11 19 AR AV EC MC MI] | A 5930 | CC | 08-JUN-93 |
| MS24525J NOT 1 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | 08-JUN-93 |
| D MS24526D NOT 2 | BASE, AIRPORT MARKER LIGHT [CUST: AS 99 IS] [REVIEW: YD1] | A 6210 | IS | 24-JAN-94 |
| MS24529B | CAP, LUBRICATION FITTING, PROTECTIVE [CUST: AR 99] | A 4730 | CC | 20-MAY-60 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-----------------|--|-----------------------|-----------------|-----------|
| MS24563F | COUPLING FLANGES, V-BAND, PROFILE DIMENSIONS FOR (INACTIVE FOR NEW DESIGN - FIG. 2, ONLY [CUST: AS 99] | A 5340 | IS | 30-MAY-85 |
| MS24568J NOT 1 | RELAYS, ELECTROMAGNETIC, 10 AMPERS, 4 PDT, TYPE I, HERMETICALLY SEALED [CUST: CR AS 85] [REVIEW: 11 99 CC EC] | A 5945 | 85 | 14-MAY-93 |
| MS24570A NOT 2 | SWITCH, VEHICULAR IGNITION: WATERPROOF, STARTER AND MAGNETO, WITH DEGASSER CONTROL [CUST: AT MC 85 CC] [REVIEW: 99 CR4] | A 5930 | CC | 28-JUL-93 |
| MS24571E | CIRCUIT BREAKER, AIRCRAFT, TRIP FREE, 2 1/2 TO 50 AMPERES, 121.1 DEG. C AMBIENT [CUST: 85 CC] | A 5925 | CC | 12-MAY-93 |
| MS24572C | INDICATOR - POSITION VARIABLE NOZZLE [CUST: 99 GS] | A 6620 | GS | 30-SEP-88 |
| MS24586E | SPRING, HELICAL, EXTENSION: FOR LOADS BELOW 30 POUNDS [CUST: AR OS 99] [REVIEW: 82 AV CR CR4 GL MC MI] | A 5360 | IS | 30-DEC-91 |
| MS24587B NOT 1 | ADAPTER, STRAIGHT, TUBE TO HOSE - REUSABLE, HYDRAULIC, FUEL AND OIL LINES [CUST: AR AS 99] [REVIEW: 82 AT] | A 4730 | CC | 14-FEB-94 |
| MS24588A NOT 1 | NIPPLE, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES. 3/16 THROUGH 3/4 INCH TUBING SIZES [CUST: AR AS 99] [REVIEW: 82] | A 4730 | CC | 01-SEP-86 |
| MS24589A NOT 1 | NIPPLE, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES. 1 THROUGH 2 INCHES TUBING SIZE [CUST: AR AS 99] [REVIEW: 82] | A 4730 | CC | 14-FEB-94 |
| MS24590A NOT 1 | SOCKET, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES, 3/16 THROUGH 3/4 INCH TUBING SIZE [CUST: AR AS 99] [REVIEW: 82] | A 4730 | CC | 16-MAR-94 |
| MS24591B | SOCKET, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES. 1 THROUGH 2 INCHES TUBING SIZE [CUST: AR AS 99] [REVIEW: 82] | A 4730 | CC | 08-MAR-85 |
| MS24612K | SWITCH, TOGGLE, POSITIVE BREAK LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, SINGLE POLE, .469 MOUNTING BUSHING, 25 AMPERES [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR EC MI] | A 5930 | CC | 30-SEP-86 |
| MS24613J | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR EC MI] | A 5930 | CC | 30-SEP-86 |
| MS24614K | SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, FOUR POLE, .469 MOUNTING BUSHING 25 AMPERES [CUST: CR AS 85 CC] [REVIEW: 11 17 99 EC MI] | A 5930 | CC | 30-SEP-86 |
| MS24625C NOT 2 | SCREW, TAPPING-THREAD CUTTING, TYPE BF OR BT, PAN HEAD, CROSS-RECESSED, CARBON STEEL [CUST: AR 99 IS] [REVIEW: AT AV CR4 MC MI OS] | A 5305 | IS | 24-JUN-94 |
| MS24627C NOT 2 | SCREW, TAPPING-THREAD CUTTING, TYPES D, F, G OR T, FLAT 82 DEG. COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL [CUST: AR 99 IS] [REVIEW: AT AV CR4 MC MI OS] | A 5305 | IS | 25-MAR-96 |
| MS24628C NOT 2 | SCREW, TAPPING-THREAD CUTTING, TYPES D, F, G OR T, FLAT 82 DEG. COUNTERSUNK HEAD, CROSS-RECESSED, CORROSION-RESISTING STEEL [CUST: AR 99 IS] [REVIEW: AT AV MC MI OS] | A 5305 | IS | 25-MAR-96 |
| MS24629C NOT 2 | SCREW, TAPPING-THREAD CUTTING, TYPES D, F, G OR T PAN HEAD, CROSS RECESSED, STEEL, CARBON CADMIUM PLATED [CUST: AR 99 IS] [REVIEW: CR4 MC] | A 5305 | IS | 25-MAR-96 |
| MS24630C NOT 2 | SCREW, TAPPING-THREAD CUTTING, TYPES D, F, G OR T, PAN HEAD, CROSS-RECESSED, CORROSION RESISTING STEEL [CUST: AR 99 IS] [REVIEW: CR4 MI] | A 5305 | IS | 25-MAR-96 |
| MS24632B NOT 1 | SCREW, TAPPING, THREAD FORMING- TYPES AB, B AND BP, APPROXIMATE HOLE SIZES FOR [CUST: AR 99 IS] [REVIEW: AT AV MI OS] | A 5305 | IS | 20-MAY-88 |
| MS24633B NOT 1 | SCREW, TAPPING-THREAD CUTTING, TYPES BF AND BT, APPROXIMATE HOLE SIZES FOR [CUST: AR 99 IS] [REVIEW: AT AV MC MI OS] | A 5305 | IS | 20-MAY-88 |
| MS24634B NOT 1 | SCREW, TAPPING, THREAD CUTTING-TYPES D, F, G AND T, APPROXIMATE HOLE SIZES FOR [CUST: AR 99 IS] [REVIEW: AT AV GL OS] | A 5305 | IS | 20-MAY-88 |
| MS24651C | ELBOW, TUBE-90 DEG., BULKHEAD, FLARELESS, TUBE, UNIVERSAL TO FLARED TUBE [CUST: AV AS 99] [REVIEW: 11 AR CC CR4 GL OS] | A 4730 | AS | 23-MAY-90 |
| MS24652B | ELBOW, TUBE - 90 DEG., BULKHEAD, FLARED TUBE, UNIVERSAL TO FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 11 AR CC CR4 GL MI OS] | A 4730 | AS | 23-JAN-89 |
| MS24654C | ELBOW, TUBE - 45 DEG., BULKHEAD, FLARELESS TUBE UNIVERSAL TO FLARED TUBE [CUST: AV AS 99] [REVIEW: 71 82 CC CR GL MI] | A 4730 | AS | 31-JUL-90 |
| MS24655K | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE TOGGLE SEALED, SINGLE POLE, SOLDER LUG, OR INTEGRATED WIRE TERMINALS, .250 MOUNTING BUSHINGS [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AV EC MI] | A 5930 | CC | 18-OCT-85 |
| MS24656K | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, DOUBLE POLE, SOLDER LUG OR INTEGRATED WIRE TERMINALS, .250 MOUNTING BUSHINGS [CUST: CR AS 85 CC] [REVIEW: 17 99 AR AV EC MI] | A 5930 | CC | 18-OCT-85 |
| MS24658F NOT 1 | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AT AV MC MI] | A 5930 | CC | 08-JUN-93 |
| MS24659F NOT 1 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | 08-JUN-93 |
| MS24660F NOT 1 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | 08-JUN-93 |
| MS24661C | RIVET, BLIND-COUNTERSUNK HEAD, DRIVE TYPE [CUST: AR 99 IS] [REVIEW: AS AT CR CR4 GL MC MI SH] | A 5320 | IS | 12-MAR-87 |
| MS24662B | RIVET, BLIND, UNIVERSAL HEAD, DRIVE TYPE [CUST: AR YD1 99 IS] [REVIEW: AT AV CR4 GL MC MI] | A 5320 | IS | 28-OCT-70 |
| MS24665F NOT 1 | PIN, COTTER (SPLIT) [CUST: AR OS 99 IS] [REVIEW: 11 82 AT AV CR4 MI NS YD1] | A 5315 | IS | 29-FEB-96 |
| MS24667D | SCREW, CAP, SOCKET HEAD, FLAT COUNTERSUNK, 82 DEG., ALLOY STEEL UNC-3A [CUST: AR SH 99 IS] | A 5305 | IS | 30-APR-94 |
| MS24671C(1) | SCREW, CAP, SOCKET-HEAD, FLAT COUNTERSUNK, 82 DEG., CORROSION RESISTING STEEL, UNC - 3A [CUST: AR SH 99 IS] | A 5305 | IS | 19-APR-96 |
| MS24673D(1) | SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION RESISTING STEEL (UNF-3A). [CUST: AR OS 99 IS] | A 5305 | IS | 19-APR-96 |
| MS24674D(1) | SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION RESISTING STEEL (UNC-3A) [CUST: AR OS 99 IS] | A 5305 | IS | 19-APR-96 |
| MS24677D | SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED ALLOY STEEL, (UNC-3A) [CUST: AR OS 99 IS] [REVIEW: 11 AS AT CR4 MC MI SH] | A 5305 | IS | 30-JUL-92 |
| MS24678E | SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED ALLOY STEEL, (UNF-3A) [CUST: AR OS 99 IS] [REVIEW: AS AT AV CR CR4 EA MC SH YD1] | A 5305 | IS | 02-JAN-92 |
| MS24692D NOT 1 | PIN, TAPERED, PLAIN [CUST: AR OS 99 IS] [REVIEW: AS AT AV CR4 MC SH] | A 5315 | IS | 29-FEB-96 |
| MS24693K | SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 100 DEG., CROSS RECESSED, UNC-2A AND UNF-2A [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 EA MC MI NS SH] | A 5305 | IS | 28-MAR-95 |
| MS24694C(1) | SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 100 DEG., STRUCTURAL, CROSS RECESSED, UNC-3A AND UNF-3A [CUST: AR 99 IS] [REVIEW: 82 AT AV CG CR4 MC MI] | A 5305 | IS | 14-APR-92 |
| MS24695 NOT 2 | CONNECTOR, PLUG AND RECEPTACLE, (ELECTRICAL, WATERPROOF) AND ACCESSORIES:GENERAL SPECIFICATION FOR [CUST: 85 CC] [REVIEW: 11 IS] | A 5935 | CC | 25-MAY-93 |
| MS24696B NOT 1 | RETAINER, CONNECTOR, RACK AND PANEL, MINIATURE [CUST: 85 CC] [REVIEW: 11 IS] | A 5935 | CC | 25-MAY-93 |
| MS24697 NOT 2 | SPRING-CONNECTOR RACK AND PANEL, MINIATURE [CUST: 85 CC] [REVIEW: 11 IS] | A 5935 | CC | 25-MAY-93 |
| MS24698 NOT 2 | FLOAT BUSHING, CONNECTORS, RACK AND PANEL, MINIATURE [CUST: 85 CC] [REVIEW: 11 IS] | A 5935 | CC | 25-MAY-93 |
| MS24699A NOT 2 | SHAFT, CONNECTOR, RACK AND PANEL, MINIATURE [CUST: 85 CC] [REVIEW: 11 IS] | A 5935 | CC | 25-MAY-93 |
| MS24700A NOT 1 | BUSHING, FIXED, CONNECTOR, RACK AND PANEL, MINIATURE [CUST: 85 CC] [REVIEW: 99] | A 5935 | CC | 08-AUG-86 |
| MS25002J NOT 1 | SWITCH, ROTARY, 28/115 VOLTS [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AV EC MI OS] | A 5930 | CC | 25-FEB-87 |

| Last Action | Document Number | Document Title | Distribution FSC/Ave | MCA | Prog. Acty. | Date |
|-------------|-----------------|---|-------------------------|-----|-------------|-----------|
| | MS25018G | CONNECTOR, RECEPTACLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC JET STARTING [CUST: CR AS 85] | A 5935 | AS | | 30-DEC-92 |
| | MS25019G NOT 1 | CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING [CUST: CR AS 85] [REVIEW: 99 AT AV MC SH] | A 6150 | AS | | 24-OCT-91 |
| | MS25024F NOT 1 | RELAY, 10 AMP, 4 PDT, SEALED, CLASS 0 [CUST: CR AS 85] [REVIEW: 99 CC] | A 5945 | 85 | | 31-MAR-88 |
| | MS25027F | LIGHT ASSEMBLY, COCKPIT, FIXED [CUST: AV AS 99] | A 6220 | AS | | 25-SEP-92 |
| A | MS25033B NOT 1 | RELAY, 200 AMP, 1 PST, SEALED, CLASS 0 [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |
| | MS25034J NOT 2 | GUARD, SWITCH, 3 POSITION [CUST: CR AS 85 CC] [REVIEW: 99] | A 5930 | CC | | 21-MAY-93 |
| | MS25036P | TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, BELL MOUTHED, TYPE II, CLASS I (FOR 105 DEG. C TOTAL CONDUCTOR TEMPERATURE) [CUST: CR AS 85] [REVIEW: 11 99 AR AT AV CR4 EC GS MC MI OS SH] | A 5940 | AS | | 19-FEB-86 |
| D | MS25041G | LIGHT, INDICATOR, PRESS TO TEST, SMALL [CUST: AS 99 IS] [REVIEW: AT CR4] | A 6210 | IS | | 24-DEC-85 |
| | MS25042K NOT 1 | COVER, ELECTRICAL CONNECTOR; PLUG, AN TYPE [CUST: CR AS 85] [REVIEW: 11 99 AR AV CC CR MI] | A 5935 | AS | | 24-OCT-91 |
| | MS25043K NOT 1 | COVER, ELECTRICAL, CONNECTOR, RECEPTACLE, AN TYPE [CUST: CR AS 85] [REVIEW: 11 99 AR AV CC CR MI] | A 5935 | AS | | 24-OCT-91 |
| | MS25044B | TERMINAL BOARD TWO STUD [CUST: AS 85 GS] [REVIEW: 99 CR4] | A 5940 | GS | | 16-OCT-81 |
| | MS25046B | COVER ASSY, TERMINAL BLOCK TWO STUD [CUST: CR4 AS 85 GS] [REVIEW: 99] | A 5940 | GS | | 31-MAR-67 |
| | MS25048A | MAST, ANTENNA, DEAD-END (ASG) [CUST: AS 85] [REVIEW: 99] | A 5985 | CC | | 18-JUN-76 |
| | MS25049A | MAST, ANTENNA, LEAD THROUGH [CUST: AS 85] [REVIEW: 99] | A 5985 | CC | | 18-JUN-76 |
| | MS25050A | ADAPTER, ANTENNA [CUST: AS 85] [REVIEW: 99] | A 5985 | CC | | 18-JUN-76 |
| | MS25051 NOT 1 | INSERT, DEAD-END, ANTENNA [CUST: AS 85] | A 5985 | CC | | 24-OCT-91 |
| | MS25054B NOT 1 | INSULATOR, LEAD-THROUGH ANTENNA [CUST: AS 85] [REVIEW: 99 CC] | A 5985 | AS | | 24-OCT-91 |
| | MS25055A NOT 2 | ELBOW, LEAD-THROUGH INSULATOR, ANTENNA [CUST: AS 85] | A 5985 | AS | | 30-SEP-91 |
| | MS25056A NOT 1 | SLEEVE, SUPPORT, ANTENNA, EXTERNAL THREAD [CUST: AS 85] [REVIEW: 99 CC MC] | A 5985 | AS | | 23-JAN-91 |
| | MS25057A | TAKEUP, ANTENNA [CUST: AS 85] [REVIEW: 99] | A 5985 | CC | | 01-JUL-89 |
| | MS25058 NOT 1 | TAKEUP, TENSION, ANTENNA [CUST: AS 85] | A 5985 | CC | | 24-OCT-91 |
| | MS25061A NOT 1 | SLEEVE, SUPPORT, ANTENNA, INTERNAL THREAD [CUST: AS 85] [REVIEW: 99 MC] | A 5985 | CC | | 08-DEC-89 |
| | MS25064B | CONDUIT, FLEXIBLE, RADIO FREQUENCY SHIELDING [CUST: CR AS 85] | A 5975 | AS | | 10-FEB-95 |
| | MS25065B | FERRULE, FLEXIBLE CONDUIT, RADIO FREQUENCY SHIELDING [CUST: CR AS GS] [REVIEW: 99] | A 5975 | AS | | 25-MAR-91 |
| | MS25066A | NUT, FLEXIBLE CONDUIT, RADIO FREQUENCY SHIELDING [CUST: CR AS 85 GS] [REVIEW: 99 MC] | A 5975 | GS | | 25-MAR-87 |
| | MS25067A | CONDUIT ASSEMBLY, FLEXIBLE, RADIO FREQUENCY SHIELDING [CUST: AS] [REVIEW: GS] | A 5975 | AS | | 01-JUL-89 |
| | MS25070A NOT 2 | MICROPHONE BOOM MT-521A/U [CUST: AS 85] [REVIEW: 99] | A 5965 | CC | | 13-SEP-93 |
| | MS25071 NOT 2 | MICROPHONE BOOM MT-522A/U [CUST: AS 85] [REVIEW: 99] | A 5965 | CC | | 13-SEP-93 |
| | MS25075E | COVER, TERMINAL BOARD, 6 STUD (ASG) [CUST: CR4 AS 85 GS] [REVIEW: 99] | A 5940 | GS | | 31-MAR-67 |
| | MS25081J | WASHER, KEY [CUST: AS 99 IS] [REVIEW: CR4] | A 5310 | IS | | 16-AUG-77 |
| | MS25082P | NUT, PLAIN, HEXAGON, ELECTRICAL-THIN [CUST: AR AS 99 IS] [REVIEW: 82 AV CR EC MC] | A 5310 | IS | | 01-MAR-96 |
| | MS25083K NOT 1 | JUMPER ASSEMBLY, ELECTRIC, BONDING AND CURRENT RETURN [CUST: CR 11 GS] [REVIEW: 99] | A 6150 | GS | | 24-OCT-91 |
| | MS25087B NOT 1 | SCREW, EXTERNALLY RELIEVED BODY [CUST: AS 99] | A 5305 | IS | | 09-OCT-91 |
| | MS25125K NOT 2 | SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE GENERAL SPECIFICATION FOR [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 03-SEP-93 |
| | MS25126K NOT 2 | SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE GENERAL SPECIFICATION FOR [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 03-SEP-93 |
| | MS25127K NOT 2 | SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE GENERAL SPECIFICATION FOR [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 03-SEP-93 |
| | MS25170F | KNOB, BAR (ASG) [CUST: AS 11] [REVIEW: 82 99 IS] | A 5355 | AS | | 27-DEC-65 |
| | MS25182G NOT 1 | PLUG, ELECTRIC, FOUR-WIRE, AIRCRAFT STORAGE BATTERY [CUST: AV AS 85 CC] [REVIEW: 11 80] | A 5935 | CC | | 24-OCT-91 |
| | MS25183C NOT 1 | CONNECTOR, PLUG, ELECTRIC, POTTING SEAL, SOLDER CONTACTS, AN TYPE [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CG CR4 EC MC MI OS] | A 5935 | CC | | 28-SEP-71 |
| | MS25185C | PLUG, VENTING, GRAVITY CONTROLLED, ELECTROLYTE ACCESS HOLE, CELL, AIRCRAFT LEAD ACID STORAGE BATTERY [CUST: CR AS 99] | A 6140 | AS | | 01-NOV-78 |
| | MS25189C | TERMINAL, LUG, FLAG TYPE CRIMP STYLE, COPPER, CLASS I (ASG) [CUST: 85] [REVIEW: 11 99 AV CR4 EC GS MC] | A 5940 | CC | | 04-NOV-68 |
| | MS25198 | SWITCH, MICROPHONE THROTTLE, TYPE SA-99A/AR [CUST: AS CC] | A 5930 | CC | | 27-NOV-57 |
| | MS25201K | SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE [CUST: CR AS 85 CC] [REVIEW: 11 99 AV EC] | A 5930 | CC | | 12-DEC-80 |
| | MS25205E | FLASHER, AIRCRAFT LIGHT [CUST: AS CC] [REVIEW: 99] | A 5945 | CC | | 21-MAR-74 |
| | MS25214E NOT 2 | GUARD, SWITCH, 3 POSITION [CUST: CR AS 85 CC] [REVIEW: 99] | A 5930 | CC | | 21-MAY-93 |
| D | MS25219G | LIGHT - NAVIGATIONAL AND WARNING, AIRCRAFT [CUST: AV AS 99 IS] [REVIEW: 82 CC] | A 6220 | IS | | 05-MAR-93 |
| | MS25223G NOT 2 | GUARD, SWITCH, 3 POSITION [CUST: CR AS 85 CC] [REVIEW: 99] | A 5930 | CC | | 21-MAY-93 |
| | MS25224G NOT 2 | GUARD, SWITCH, 2 POSITION [CUST: CR AS 85 CC] [REVIEW: 99 AV] | A 5930 | CC | | 21-MAY-93 |
| | MS25225G NOT 2 | GUARD, SWITCH, 3 POSITION [CUST: CR AS 85 CC] [REVIEW: 99] | A 5930 | CC | | 21-MAY-93 |
| | MS25226D | LINK, TERMINAL, CONNECTING [CUST: CR AS 85 GS] [REVIEW: 11 80 EC MC SH] | A 5940 | AS | | 15-SEP-94 |
| D | MS25231F | LAMPS, INCANDESCENT, CENTER CONTACT, MINIATURE BAYONET BASE (T-3-1/4 BULB) [CUST: CR4 AS 99 IS] [REVIEW: 82 AV EC MC SH] | A 6240 | IS | | 23-AUG-85 |
| D | MS25236F | LAMP, INCANDESCENT T-1-1/4, KNURLED SCREW BASE [CUST: CR4 AS 99 IS] [REVIEW: AR] | A 6240 | IS | | 12-JAN-67 |
| D | MS25242D | LAMP, INCANDESCENT, PAR&64 BULB, SCREW TERMINAL BASE [CUST: CR4 AS 99 IS] [REVIEW: AV CG CR EC] | A 6240 | IS | | 10-OCT-68 |
| | MS25244R | CIRCUIT BREAKER, TRIP FREE, PUSH PULL, 5 THRU 35 AMPERE, TYPE I [CUST: CR AS 85] [REVIEW: 11 CC] | A 5925 | AS | | 30-NOV-87 |
| | MS25246B | EXTENSION, TOGGLE LEVER [CUST: 85] [REVIEW: 99 MC] | A 5930 | CC | | 01-JUL-60 |
| | MS25251A | PLUG, END SEAL, ELECTRIC CONNECTOR [CUST: CR AS 85 CC] [REVIEW: 99 CR4 MI] | A 5935 | CC | | 18-SEP-61 |
| | MS25267G | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, SOLDER HOOK, HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 11 99 AR EC] | A 5945 | 85 | | 05-JUN-87 |
| | MS25269K | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 6 PDT, TYPE I, HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 99 CC EC] | A 5945 | 85 | | 12-JUN-95 |
| | MS25271H | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, SOLDER HOOK HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 11 99 EC] | A 5945 | 85 | | 24-JAN-90 |
| | MS25273G NOT 1 | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED [CUST: CR AS 85] [REVIEW: 11 99 CC EC] | A 5945 | 85 | | 14-MAY-93 |
| | MS25274G | CAP, ELECTRICAL (WIRE END, CRIMP STYLE, TYPE II, CLASS I) FOR 105 DEG. C TOTAL CONDUCTOR TEMPERATURE [CUST: CR AS 85] [REVIEW: 11 99 EC MC SH] | A 5970 | AS | | 15-JUL-82 |
| | MS25281K NOT 1 | CLAMP, LOOP, PLASTIC, WIRE SUPPORT [CUST: AR AS 99] [REVIEW: IS MI] | A 5340 | AS | | 28-MAY-93 |
| | MS25304D | CIRCUIT BREAKER, AIRCRAFT, TRIP FREE, TOGGLE TYPE, 0.1 THRU 50 AMPS, TYPE II [CUST: CR AS 85] | A 5925 | CC | | 30-NOV-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prog. Acty. | Date |
|-------------|-----------------|---|-------------------------|-----|-------------|-----------|
| | MS25306J | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, SINGLE POLE, .469 MOUNTING BUSHING, 25 AMPERES [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR AV EC MI] | A 5930 | CC | | 30-SEP-86 |
| | MS25307K | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR AV EC MI] | A 5930 | CC | | 30-SEP-86 |
| | MS25308K | SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, FOUR POLE, .469 MOUNTING BUSHING, 25 AMPERES [CUST: CR AS 85 CC] [REVIEW: 17 99 AR EC MI] | A 5930 | CC | | 04-SEP-91 |
| | MS25318C | LIGHT, APPROACH, 28 VOLT [CUST: AS] [REVIEW: GS] | A 6220 | AS | | 15-APR-91 |
| | MS25322B | SOCKET - RELAY, ELECTRICAL, 8 CONTACTS, 5 AMPS (ASG) [CUST: AS 85 CC] [REVIEW: 17 99 MC] | A 5935 | CC | | 01-MAR-63 |
| | MS25324B | SOCKET, RELAY, ELECTRICAL, 8 CONTACTS, 10 AMP (ASG) [CUST: AS 85 CC] [REVIEW: 17 99 MC] | A 5935 | CC | | 01-MAR-63 |
| | MS25326B | SOCKET, RELAY, ELECTRICAL, 14 CONTACTS, 5 AMPS (ASG) [CUST: AS 85 CC] [REVIEW: 17 99 MC] | A 5935 | CC | | 01-MAR-63 |
| | MS25328C | SOCKET, RELAY, ELECTRICAL, 14 CONTACTS, 10 AMPS (ASG) [CUST: AS 85 CC] [REVIEW: 17 99 MC MI] | A 5935 | CC | | 12-MAR-65 |
| A | MS25329L NOT 1 | RELAYS, ELECTROMAGNETIC, 6PDT, 5 AMPERES, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED [CUST: CR AS 85 CC] [REVIEW: 11 99 EC] | A 5945 | CC | | 14-MAY-93 |
| | MS25331C | LIGHT ASSEMBLY, PRESS TO TEST INDICATOR [CUST: AS 99 GS] [REVIEW: AT AV CR4 MI] | A 6210 | GS | | 01-FEB-85 |
| | MS25332(1) | SCREW AND WASHER ASSEMBLY, RELAY SOCKET MOUNTING [CUST: AS 99 IS] | A 5305 | IS | | 20-MAY-96 |
| | MS25358C NOT 1 | LIGHT, DOME, CABIN-RED AND WHITE [CUST: CR4 AS 99] [REVIEW: AT GS] | A 6220 | AS | | 31-DEC-87 |
| | MS25361P | CIRCUIT BREAKER AIRCRAFT, TRIP FREE, PUSH-PULL, 50 THRU 100 AMPS, TYPE I [CUST: CR AS 85] [REVIEW: 11 CC MI] | A 5925 | AS | | 30-NOV-87 |
| | MS25384C | ELECTROSTATIC DISCHARGER JUMPER, FUEL NOZZLE -TO- AIRCRAFT [CUST: CR4 85] [REVIEW: 11 AV SH] | A 5920 | CC | | 13-JUL-73 |
| | MS25395H NOT 1 | RELAYS, ELECTROMAGNETIC, 2 PDT, 5 AMPERES, TYPE I, HERMETICALLY SEALED [CUST: CR AS 85] [REVIEW: 11 99 CC EC] | A 5945 | 85 | | 14-MAY-93 |
| | MS25435A | TERMINAL, LUG, CRIMP STYLE, STRAIGHT TYPE, FOR ALUMINUM AIRCRAFT WIRE CLASS 1 [CUST: CR AS 85] [REVIEW: 99 GS] | A 5940 | AS | | 15-MAY-64 |
| | MS25436A | TERMINAL, LUG, CRIMP STYLE 90 DEG UPRIGHT TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1 [CUST: AS 85] [REVIEW: 99 GS] | A 5940 | AS | | 15-MAY-64 |
| | MS25438A | TERMINAL, LUG, CRIMP STYLE, RIGHT ANGLE TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1 [CUST: AS 85] [REVIEW: 99 GS] | A 5940 | AS | | 15-MAY-64 |
| | MS25439A | SPLICE-PERMANENT CRIMP STYLE, 2 WAY TYPE FOR ALUMINUM AIRCRAFT WIRE, CLASS 1 [CUST: AS 85] [REVIEW: 99 GS] | A 5940 | AS | | 15-MAY-64 |
| | MS25440C NOT 1 | WASHERS, FOR USE WITH AIRCRAFT ALUMINUM TERMINALS [CUST: CR AS 11] | A 5310 | IS | | 09-OCT-91 |
| D | MS25444A NOT 1 | LIGHT, ROTATING BEACON, 24 INCH, DUPLEX [CUST: AS 99 IS] | A 6210 | IS | | 24-JAN-94 |
| | MS25448F | INDICATOR, COUNTING ACCELEROMETER [CUST: AS] | A 6610 | AS | | 19-MAR-70 |
| | MS25452F | GUARD, SWITCH, 2 POSITION, LOCK [CUST: CR AS 85 CC] [REVIEW: 99] | A 5930 | CC | | 19-FEB-92 |
| | MS25458A | SOCKET, RELAY, ELECTRICAL, 10 CONTACTS, 10 AMP (ASG) [CUST: AS 85 CC] [REVIEW: 17 99 MC] | A 5935 | CC | | 01-MAR-63 |
| | MS25460A | SOCKET, RELAY, ELECTRICAL, 16 CONTACTS, 5 AMPS (ASG) [CUST: AS 85 CC] [REVIEW: 17 99 MC] | A 5935 | CC | | 01-MAR-63 |
| | MS25462A | SOCKET, RELAY, ELECTRICAL, 16 CONTACTS, 10 AMP. (ASG) [CUST: AS 85 CC] [REVIEW: 17 99 MC MI] | A 5935 | CC | | 01-MAR-63 |
| | MS25467D NOT 1 | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, SOLDER TERMINAL, STUD MOUNTED, HERMETICALLY SEALED [CUST: CR AS 85] [REVIEW: 11 99 CC EC] | A 5945 | 85 | | 14-MAY-93 |
| | MS25468K | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4PDT, TYPE I, MAGNETIC LATCH, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED [CUST: AS 85] | A 5945 | 85 | | 30-JUL-93 |
| | MS25469E | RELAYS, ELECTROMAGNETIC, 6PDT, 5 AMPERES, TYPE I, MAGNETIC LATCH, STUD MOUNTED, SOLDER HOOK TERMINALS, HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 17 99 CC EC] | A 5945 | 85 | | 02-JUL-93 |
| | MS25472G | GAGE-INSPECTION, FOR MS 25442 CRIMPING DIE (FOR USE WITH ALUMINUM WIRE TERMINAL) [CUST: CR AS 99] [REVIEW: 85] | A 5220 | AS | | 09-NOV-72 |
| | MS25486H | CONNECTOR, PLUG, ATTACHABLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ [CUST: CR AS 85 CC] [REVIEW: 11 80 82 AT AV MC SH] | A 5935 | AS | | 31-MAR-92 |
| | MS25487G NOT 1 | CONNECTOR, PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING [CUST: CR AS 85] [REVIEW: 80 82 AT AV MC SH] | A 5935 | AS | | 24-OCT-91 |
| | MS25488F NOT 2 | CONNECTOR PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC OPERATING POWER [CUST: CR AS 85] [REVIEW: 80 82 AT AV MC SH] | A 5935 | AS | | 24-OCT-91 |
| | MS26517 NOT 1 | HANDLES, CONTROL, AIRCRAFT THROTTLE, LARGE [CUST: AV AS 99] | A 1680 | GS | | 10-AUG-88 |
| | MS26535C NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, 18 X 5.5 TYPE VII (NAVY) [CUST: AS] | A 2620 | AS | | 30-OCT-91 |
| | MS26551 | STRAINER, 2-1/2 INCH PRESSURE FUEL SERVICING [CUST: AS] [REVIEW: CC] | A 2915 | AS | | 17-MAR-58 |
| | MS26565C NOT 1 | SPOOL - PHOTOGRAPHIC FILM, AERIAL [CUST: CR AS 99] | A 6760 | GS | | 25-SEP-89 |
| | MS26566C | JACK, AIRCRAFT, LANDING GEAR (AXLE) [CUST: AV 99] [REVIEW: MC] | A 1730 | CC | | 24-MAR-89 |
| | MS26574H | CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I [CUST: CR AS 85] [REVIEW: 11 AR AT AV CC] | A 5925 | AS | | 30-NOV-87 |
| D | MS26578B | LIGHT, MARKER, AIRPORT, SEMIFLUSH, BASE MOUNTED, BIDIRECTIONAL & UNIDIRECTIONAL [CUST: AS 99 IS] | A 6210 | IS | | 17-SEP-82 |
| | MS27019G NOT 1 | COUPLING ASSEMBLY, QUICK DISCONNECT, CAM-LOCKING TYPE [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC SH SM] | A 4730 | AT | | 14-NOV-90 |
| | MS27020E | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, INTERNAL PIPE THREAD, TYPE I [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC MI SH] | A 4730 | AT | | 21-MAR-94 |
| | MS27021E NOT 1 | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC SH] | A 4730 | AT | | 14-NOV-90 |
| | MS27022E | COUPLING HALF, QUICK DISCONNECT CAM-LOCKING TYPE, MALE EXTERNAL PIPE THREAD, TYPE III [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC SH] | A 4730 | AT | | 21-SEP-92 |
| | MS27023E NOT 1 | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, FLANGED, TYPE IV [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC] | A 4730 | AT | | 14-NOV-90 |
| | MS27024E | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, INTERNAL PIPE THREAD, TYPE V [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC SH SM] | A 4730 | AT | | 20-DEC-93 |
| | MS27025F | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, HOSE SHANK, TYPE VI [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC] | A 4730 | AT | | 01-AUG-94 |
| | MS27026E | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, EXTERNAL PIPE THREAD, TYPE VII [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC] | A 4730 | AT | | 01-AUG-94 |
| | MS27027F | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, FLANGED, TYPE VIII [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC] | A 4730 | AT | | 05-AUG-94 |
| | MS27028F | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, CAP, DUST, TYPE IX [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC] | A 4730 | AT | | 01-AUG-94 |
| | MS27029E NOT 1 | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, PLUG, DUST, TYPE X [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC] | A 4730 | AT | | 14-NOV-90 |
| | MS27030D NOT 1 | GASKET-COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC] | A 5330 | AT | | 14-NOV-90 |
| | MS27031D NOT 1 | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, DRILLING TEMPLATE [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC SH SM] | A 4730 | AT | | 14-NOV-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|-----------------------|-----|-------------|-----------|
| D | MS27033B NOT 2 | LIGHT, MARKER, AIRPORT, SEMIFLUSH, BASE MOUNTED, OMNIDIRECTIONAL [CUST: AS 99 IS] | A 6210 | IS | | 24-JAN-94 |
| D | MS27037B NOT 1 | CLAMP ASSEMBLY - MEDIUM INTENSITY RUNWAY LIGHT [CUST: CR4 AS 99 IS] | A 6210 | IS | | 10-SEP-88 |
| | MS27039F | SCREW, MACHINE - PAN HEAD, STRUCTURAL, CROSS RECESSED [CUST: AR AS 99 IS] [REVIEW: 82 AV CR4 MI NA] | A 5305 | IS | | 15-NOV-95 |
| | MS27040B(1) | NUT, PLAIN, SQUARE-STEEL, CADMIUM PLATED [CUST: AR SH 82 IS] | A 5310 | IS | | 20-FEB-96 |
| | MS27041D NOT 1 | BEARING, JEWEL - BAR HOLE [CUST: AR SH 99] [REVIEW: AS GS] | A 6695 | 82 | | 08-AUG-88 |
| | MS27042C NOT 1 | BEARING, JEWEL - OLIVE HOLE, DOUBLE CUP [CUST: AR SH 99] [REVIEW: AS GS] | A 6695 | 82 | | 17-AUG-88 |
| A | MS27043B | BEARING, JEWEL - OLIVE HOLE, BOMBE [CUST: AR SH 99] [REVIEW: AS] | A 6695 | 82 | | 17-AUG-88 |
| | MS27047B NOT 1 | BEARING, JEWEL - ENDSTONE [CUST: AR SH 99] [REVIEW: AS GS] | A 6695 | 82 | | 09-DEC-88 |
| | MS27053C | ADAPTER ASSEMBLY, FLARED, STRAIGHT, TUBE TO HOSE (WITH SWIVEL NUT) [CUST: AV AS 99] [REVIEW: 82 CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27054C | ADAPTER ASSEMBLY, STRAIGHT, SWIVEL FLANGE TO HOSE [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27055C | ADAPTER ASSEMBLY, FLARED, 45 DEG ELBOW, TUBE TO HOSE - WITH SWIVEL NUT [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27056C | ADAPTER ASSEMBLY, 45 DEG ELBOW, SWIVEL FLANGE TO HOSE [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27057C | ADAPTER ASSEMBLY, FLARED, 90 DEG ELBOW, TUBE TO HOSE - WITH SWIVEL NUT [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27058C | ADAPTER ASSEMBLY, 90 DEG ELBOW, SWIVEL FLANGE TO HOSE [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27059C | ADAPTER ASSEMBLY, FLARED, 45 DEG FORGED ELBOW, TUBE TO HOSE - WITH SWIVEL NUT [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27060C | ADAPTER ASSEMBLY, FLARED, 90 DEGREE FORGED ELBOW, TUBE TO HOSE - WITH SWIVEL NUT [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27061B | NIPPLE SUB ASSEMBLY, FLARED, STRAIGHT - WITH SWIVEL NUT [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27062B | NIPPLE SUB ASSEMBLY, STRAIGHT, SWIVEL FLANGE [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27063D | ELBOW SUB ASSEMBLY, FLARED, 45 DEG. SWIVEL NUT [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27064C | ELBOW SUB ASSEMBLY, SWIVEL FLANGE, 45 DEG [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27065D | ELBOW SUB ASSEMBLY, FLARED, 90 DEG, SWIVEL NUT [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27066D | ELBOW SUB ASSEMBLY, SWIVEL FLANGE, 90 DEG [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27067B | ELBOW SUB ASSEMBLY, FLARED, 45 DEG FORGED, SWIVEL NUT [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27068B | ELBOW SUB ASSEMBLY, FLARED, 90 DEG FORGED, SWIVEL NUT [CUST: 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27069E | SOCKET, HOSE COUPLING [CUST: AV AS 99] [REVIEW: 82 MI SH] | A 4730 | CC | | 06-MAR-69 |
| | MS27070C NOT 1 | SLEEVE, HOSE COUPLING [CUST: AV AS 99] [REVIEW: 82 MI SH] | A 4730 | CC | | 16-JAN-89 |
| | MS27071B | UNION, NIPPLE [CUST: 99 CC] [REVIEW: 82 MI SH] | A 4730 | CC | | 02-MAY-66 |
| | MS27072C | WIRE, RETAINER [CUST: AV AS 99 CC] [REVIEW: 82 CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27073E | NUT, TUBE COUPLING - SWIVEL [CUST: AV AS 99] [REVIEW: 82 AR CR4] | A 4730 | CC | | 12-AUG-77 |
| | MS27074B NOT 1 | WIRE, RETAINER [CUST: AR AS 99 CC] [REVIEW: 82 AT] | A 4730 | CC | | 14-FEB-94 |
| | MS27075B | NIPPLE, FLARED, TUBE TO HOSE - SWIVEL NUT [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27076C | NIPPLE, STRAIGHT, SWIVEL FLANGE [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27077B | FLANGE, SWIVEL, RETAINING [CUST: 99 CC] [REVIEW: 82 MI SH] | A 4730 | CC | | 02-MAY-66 |
| | MS27082C | ELBOW, NIPPLE END, SWIVEL FLANGE TO HOSE - 90 DEGREES [CUST: AV AS 99 CC] [REVIEW: 82 AR MI SH] | A 4730 | CC | | 30-JUN-72 |
| | MS27084B | ELBOW, NIPPLE END, SWIVEL FLANGE TO HOSE - 45 DEG. [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27086B | ELBOW, NIPPLE END, FLARED, TUBE TO HOSE - 90 DEGREES SWIVEL NUT [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27087B | ELBOW, NIPPLE END, FLARED, TUBE TO HOSE - 45 DEG. SWIVEL NUT [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27111A NOT 1 | WASHER, KEY, FLAT, GENERAL PURPOSE [CUST: AR AS 99 IS] [REVIEW: 82 AT CR4 MC MI OS] | A 5310 | IS | | 01-FEB-96 |
| | MS27120A | CLEVIS, ROD ENG&TURNBUCKLE (GENERAL PURPOSE) [CUST: AR IS] [REVIEW: AT AV CR CR4 MC] | A 5340 | IS | | 26-JUN-68 |
| | MS27129C NOT 2 | WASHER, FINISHING-COUNTERSUNK [CUST: AR AS 99 IS] | A 5310 | IS | | 20-OCT-95 |
| | MS27130F | NUT, PLAIN, BLIND RIVET-FLAT AND COUNTERSUNK HEAD, OPEN END [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 IS MC MI OS] | A 5310 | IS | | 29-JAN-85 |
| | MS27134B | TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING, 300W/6.6A/6.6A/5000V [CUST: 85 CC] [REVIEW: 11 99 AS YD1] | A 5950 | CC | | 15-NOV-90 |
| | MS27142C | CONNECTOR, PLUG, ELECTRICAL-PIN CONTACT NO. 12, 14, 8, 16 A.W.G. WATER PROOF [CUST: AT 80 CC] [REVIEW: CR4 MC] | A 5935 | CC | | 23-OCT-84 |
| | MS27143B | CONNECTOR, PLUG, ELECTRICAL&SOCKET CONTACT, NO.12 A.W.G., WATERPROOF [CUST: AT YD1 CC] [REVIEW: 85 CR CR4 MC] | A 5935 | CC | | 16-FEB-88 |
| | MS27144B | CONNECTOR, PLUG, ELECTRICAL, SOCKET CONTACT, NO. 14 AND 16 A.W.G., WATERPROOF [CUST: AT CC] [REVIEW: 85 CR CR4 MC] | A 5935 | CC | | 16-FEB-88 |
| | MS27145B | CONNECTOR, PLUG, ELECTRICAL&NO.14 A.W.G., DOUBLE CONTACT, WATERPROOF [CUST: AT YD1 CC] [REVIEW: CR4 MC MI] | A 5935 | CC | | 16-FEB-88 |
| | MS27146B | CONNECTOR, RECEPTACLE, ELECTRICAL: DOUBLE CONTACT, WATERPROOF [CUST: AT 99 CC] [REVIEW: 85 AR CR CR4 GL MC YD1] | A 5935 | CC | | 14-APR-89 |
| | MS27147C | ADAPTOR, CONNECTOR-31WAY NO. 12, 14 AND 16 A.W.G. WATERPROOF [CUST: AT CC] [REVIEW: 85 CR CR4 MC] | A 5935 | CC | | 16-FEB-88 |
| | MS27149B | CASTER, RIGID AND SWIVEL, PRECISION, HEAVY DUTY [CUST: AR YD1 99] [REVIEW: 11 19 CE GL] | A 5340 | IS | | 03-SEP-65 |
| | MS27151B | NUT, STAMPED&STANDARD TYPE [CUST: AR YD1 99 IS] [REVIEW: AS AT AV CR4 IS MC MI OS SH] | A 5310 | IS | | 19-JAN-76 |
| | MS27152B NOT 1 | SWITCH, PRESSURE-WARNING, LOW AIR PRESSURE, 60 PSI, SPST, WATERPROOF [CUST: AT CC] [REVIEW: 11 99 CR4 MC] | A 5930 | CC | | 16-JAN-91 |
| | MS27183J | WASHER, FLAT (ROUND, STEEL, CADMIUM PLATED) GENERAL PURPOSE [CUST: AR OS 82 IS] [REVIEW: AS AV CR MC MI NS SH] | A 5310 | IS | | 11-MAR-96 |
| | MS27188 NOT 1 | PROBE, TOTAL TEMPERATURE, DEICEABLE [CUST: 99 GS] [REVIEW: 82] | A 6685 | GS | | 01-APR-94 |
| | MS27190B | CONNECTOR, RECEPTACLE, ELECTRICAL & HIGH VOLTAGE, WATERPROOF [CUST: AT 17 CC] [REVIEW: 11 CR CR4 MC] | A 5935 | CC | | 13-MAR-87 |
| | MS27191B NOT 1 | CONNECTOR, PLUG, ELECTRICAL - HIGH VOLTAGE, WATERPROOF [CUST: AT 17 CC] [REVIEW: 11 CR CR4 EC MC] | A 5935 | CC | | 28-JUL-93 |
| | MS27193A | DUMMY CONNECTOR, PLUG&HIGH VOLTAGE [CUST: AT 17 CC] | A 5935 | CC | | 13-MAR-87 |
| | MS27194 NOT 1 | SEAL, PLAIN, RUBBER, (MINUS 65 TO PLUS 160 DEG. F FUEL RESISTANT), MOLD IN GROOVE [CUST: 99 IS] [REVIEW: 82 CR4] | A 5330 | IS | | 10-SEP-90 |

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|--------------------------|-----|-------------|-----------|
| | | | | | | |
| | MS27195A NOT 1 | SEAL, PLAIN, RUBBER, SYNTHETIC OIL RESISTANT, (MINUS 65 TO PLUS 275 DEG F), MOLD IN GROOVE [CUST: 99 IS] [REVIEW: 82 MI] | A 5330 | IS | | 10-SEP-90 |
| | MS27196B NOT 1 | GASKET, RUBBER, FLUID RESISTANT, OILS, SYNTHETIC OILS, AND FUELS (MINUS 65 TO PLUS 400 DEG. F) MOLD IN GROOVE [CUST: 82 IS] [REVIEW: 82] | A 5330 | IS | | 10-SEP-90 |
| | MS27197B NOT 1 | SEAL PLAIN, RUBBER, (HOT RESISTANT 400 DEG. F) MOLD IN GROOVE [CUST: 82 IS] [REVIEW: 82] | A 5330 | IS | | 10-SEP-90 |
| | MS27198B NOT 1 | SEAL, PLAIN, RUBBER, (MINUS 65 TO PLUS 350 DEG. F FUEL RESISTANT) MOLD IN GROOVE [CUST: 99 IS] [REVIEW: 82] | A 5330 | IS | | 10-SEP-90 |
| | MS27212P | TERMINAL BOARD ASSEMBLY, MOLDED-IN-STUD, ELECTRIC [CUST: CR AS 85 GS] [REVIEW: 99 MC MI] | A 5940 | AS | | 15-SEP-94 |
| | MS27222L(1) | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3 PST, N.O. TYPE I, HERMETICALLY SEALED [CUST: AS 85] [REVIEW: 99 CC EC] | A 5945 | 85 | | 12-MAR-93 |
| | MS27223A | NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 90 DEG [CUST: AS 99] [REVIEW: 82] | A 4730 | CC | | 27-MAR-72 |
| | MS27224 NOT 1 | 90 DEG. SWIVEL NUT ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [CUST: AR AS 99] [REVIEW: 82 AT] | A 4730 | CC | | 14-FEB-94 |
| | MS27225A | NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES, 45 DEG [CUST: CR4 AS 99] [REVIEW: 82] | A 4730 | CC | | 27-MAR-72 |
| | MS27226 NOT 1 | 45 DEG. SWIVEL NUT ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [CUST: AR AS 99] [REVIEW: 82 AT] | A 4730 | CC | | 14-FEB-94 |
| | MS27227 NOT 1 | 90 DEG. FLANGE NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [CUST: AR AS 99] [REVIEW: 82 AT] | A 4730 | CC | | 14-FEB-94 |
| | MS27228 NOT 1 | 90 DEG. FLANGE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [CUST: AR AS 99] [REVIEW: 82 AT] | A 4730 | CC | | 14-FEB-94 |
| | MS27230 NOT 1 | 45 DEG. FLANGE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [CUST: AR AS 99] [REVIEW: 82 AT] | A 4730 | CC | | 14-FEB-94 |
| | MS27231 NOT 1 | STRAIGHT FLANGE NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [CUST: AR AS 99] [REVIEW: 82 AT] | A 4730 | CC | | 14-FEB-94 |
| | MS27232 NOT 1 | STRAIGHT FLANGE ASSEMBLY ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [CUST: AR AS 99] [REVIEW: 82 AT] | A 4730 | CC | | 14-FEB-94 |
| | MS27236 NOT 1 | SHOULDER-DESIGNED FOR 45 DEG. AND 90 DEG. SWIVEL NUT HOSE TO TUBE ADAPTERS, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [CUST: AR AS 99] [REVIEW: 82 AT] | A 4730 | CC | | 14-FEB-94 |
| | MS27238 NOT 1 | WIRE, NUT RETAINING, DESIGNED FOR ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [CUST: AR AS 99 CC] [REVIEW: 82 AT] | A 4730 | CC | | 14-FEB-94 |
| | MS27242J | RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1PST, N.O. TYPE I, HERMETICALLY SEALED [CUST: AS 85] | A 5945 | 85 | | 09-OCT-90 |
| | MS27243H | TERMINAL COVER-RELAY [CUST: AS 85] [REVIEW: 99 CC] | A 5945 | 85 | | 26-AUG-92 |
| | MS27265A NOT 1 | CONNECTOR, PLUG, ELECTRICAL - RAMP POWER, 416/240 VOLTS, MALE [CUST: 11 CC] | A 5935 | CC | | 11-FEB-93 |
| | MS27266 NOT 1 | INSERT, ELECTRICAL CONNECTOR - RAMP POWER, 416/240 VOLTS, MALE [CUST: 85 CC] | A 5935 | CC | | 11-FEB-93 |
| | MS27267 NOT 1 | SHELL, ELECTRICAL CONNECTOR - RAMP POWER, 416/240 VOLTS [CUST: 85 CC] | A 5935 | CC | | 17-NOV-89 |
| | MS27271 NOT 2 | GROMMET, RUBBER - PLUG CONNECTOR, RAMP POWER 416/240 VOLTS [CUST: 85 CC] [REVIEW: 99] | A 5935 | CC | | 17-SEP-93 |
| | MS27272 NOT 2 | CAP-PLUG, PROTECTIVE DUST & MOISTURE SEAL - PLUG CONNECTOR, RAMP POWER, 416/240 VOLTS [CUST: 85 CC] [REVIEW: 99] | A 5935 | CC | | 17-SEP-93 |
| D | MS27280A | STAKE MOUNTING, AIRCRAFT MARKER LIGHT [CUST: 99 IS] [REVIEW: YD1] | A 6210 | IS | | 30-APR-84 |
| | MS27282 NOT 2 | INSERT, ELECTRICAL CONNECTOR - RAMP POWER, 416/240 VOLTS, FEMALE [CUST: 85 CC] [REVIEW: 99] | A 5935 | CC | | 17-SEP-93 |
| | MS27283B NOT 2 | CONTACT, ELECTRICAL-PLUG CONNECTOR, RAMP POWER, 416/240 VOLTS, LARGE, FEMALE [CUST: 11 CC] | A 5935 | CC | | 11-FEB-93 |
| | MS27285A | CONNECTOR, PLUG, ELECTRICAL-RAMP POWER, 416/240 VOLTS, FEMALE [CUST: 85 CC] [REVIEW: 82] | A 5935 | CC | | 24-JUN-87 |
| | MS27286C | TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING 200W/20A/6.6A/5000V [CUST: 85 CC] [REVIEW: 11 99 AS YD1] | A 5950 | CC | | 15-NOV-90 |
| | MS27288C | TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING, 200W/6.6A/6.6A/5000V [CUST: 85 CC] [REVIEW: 11 99 AS] | A 5950 | CC | | 15-NOV-90 |
| | MS27289C | TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING 30-45W/6.6A/6.6A/5000V [CUST: 85 CC] [REVIEW: 11 99 AS] | A 5950 | CC | | 15-NOV-90 |
| | MS27302C | TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING, 500W/20A/20A/5000V [CUST: 85 CC] [REVIEW: 11 99 YD1] | A 5950 | CC | | 15-NOV-90 |
| | MS27334C NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, WALL MOUNTING FLANGE, BAYONET COUPLING [CUST: 85 CC] [REVIEW: 11 17 99 IS] | A 5935 | CC | | 25-MAY-93 |
| | MS27335C NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, BOX, FLANGE MOUNT, SOLDER TYPE, BAYONET COUPLING [CUST: 85 CC] [REVIEW: 11 17 99 IS] | A 5935 | CC | | 25-MAY-93 |
| | MS27336E NOT 2 | CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE, STRAIGHT, BAYONET COUPLING [CUST: 85 CC] [REVIEW: 11 17 99 IS] | A 5935 | CC | | 25-MAY-93 |
| | MS27337C NOT 1 | CONNECTOR, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, SOLDER TYPE, BAYONET COUPLING [CUST: 85 CC] [REVIEW: 11 17 99 IS] | A 5935 | CC | | 25-MAY-93 |
| | MS27342D NOT 1 | ADAPTER, ELECTRICAL CONNECTOR, SERIES I AND II [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AV EC MC MI OS] | A 5935 | CC | | 13-JAN-89 |
| | MS27380D | LANYARD, FLUID TANK CAP [CUST: AS 99] [REVIEW: 82 AV] | A 1560 | GS | | 17-FEB-89 |
| | MS27381A | ADAPTER ASSEMBLY, FLARELESS, STRAIGHT, TUBE TO HOSE WITH SWIVEL NUT [CUST: AV AS 99] [REVIEW: 82 CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27382A NOT 1 | ADAPTER ASSEMBLY, FLARELESS, 45 DEGREE ELBOW TUBE TO HOSE-WITH SWIVEL NUT [CUST: AV AS 99] [REVIEW: 82 AR CR4 MI] | A 4730 | CC | | 16-JAN-89 |
| | MS27383A | ADAPTER ASSEMBLY, FLARELESS, 90 DEG ELBOW, TUBE TO HOSE- WITH SWIVEL NUT [CUST: AV AS 99] [REVIEW: 82 CR4 MI] | A 4730 | CC | | 30-JUN-72 |
| | MS27384A | ADAPTER ASSEMBLY, FLARELESS, 45 DEG FORGED ELBOW, TUBE TO HOSE- WITH SWIVEL NUT [CUST: AV AS 99] [REVIEW: 82 AR CR4] | A 4730 | CC | | 30-JUN-72 |
| | MS27385A | ADAPTER ASSEMBLY, FLARELESS, 90 DEG FORGED ELBOW, TUBE TO HOSE WITH SWIVEL NUT [CUST: AV AS 99] [REVIEW: 82 AR CR4] | A 4730 | CC | | 30-JUN-72 |
| | MS27386A | NIPPLE SUB ASSEMBLY, FLARELESS, STRAIGHT- WITH SWIVEL NUT [CUST: AS 99] [REVIEW: 82 AR CR4] | A 4730 | CC | | 30-JUN-72 |
| | MS27387B | ELBOW SUB ASSEMBLY, FLARELESS, 45 DEG, SWIVEL NUT [CUST: AV AS 99] [REVIEW: 82 CR4 SH] | A 4730 | CC | | 30-JUN-72 |
| | MS27388B | ELBOW SUB ASSEMBLY, FLARELESS, 90 DEG, SWIVEL NUT [CUST: AV AS 99] [REVIEW: 82 AR CR4] | A 4730 | CC | | 30-JUN-72 |
| | MS27389A | ELBOW SUB ASSEMBLY, FLARELESS, 45 DEG FORGED, SWIVEL NUT [CUST: AV AS 99] [REVIEW: 82 AR CR4] | A 4730 | CC | | 30-JUN-72 |
| | MS27390A | ELBOW SUB ASSEMBLY, FLARELESS, 90 DEG, FORGED, SWIVEL NUT [CUST: AS 99 CC] [REVIEW: 82 AR CR4] | A 4730 | CC | | 30-JUN-72 |
| | MS27391C | NIPPLE, FLARELESS, TUBE TO HOSE-SWIVEL NUT [CUST: AV AS 99 CC] [REVIEW: 82 AR CR4] | A 4730 | CC | | 23-AUG-86 |
| | MS27394A | ELBOW, FLARELESS, TUBE TO HOSE- 90 DEG [CUST: AV AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 30-JUN-72 |
| | MS27395A | ELBOW, FLARELESS, TUBE TO HOSE- 45 DEG. SWIVEL NUT [CUST: AS 99 CC] [REVIEW: 82 AR CR4] | A 4730 | CC | | 30-JUN-72 |
| | MS27399 NOT 2 | CONNECTOR, ELECTRICAL, STYLE S, RACK AND PANEL MINIATURE, CLOSED ENTRY [CUST: 85 CC] [REVIEW: 11 IS] | A 5935 | CC | | 25-MAY-93 |
| | MS27403 NOT 1 | INDICATOR, POSITION, LANDING GEAR, 28 VOLT DC [CUST: AS 99] | A 6610 | GS | | 03-DEC-86 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|--------------------------|-----|-------------|------|
| | MS27404 NOT 1 | ADAPTER, STRAIGHT, REUSABLE, TUBE TO HOSE, LOW PRESSURE [CUST: AV AS 99] [REVIEW: 82 MI] | A 4730 | CC | 03-JUN-88 | |
| | MS27406D NOT 1 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV CR4 EC MI] | A 5930 | CC | 08-JUN-93 | |
| | MS27407D NOT 1 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | 08-JUN-93 | |
| | MS27408D NOT 1 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | 08-JUN-93 | |
| | MS27409D NOT 1 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | 08-JUN-93 | |
| | MS27418J | RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3PST-NO, TYPE I, HERMETICALLY SEALED, HOOK AND SCREW TERMINALS, STUD AND BRACKET MOUNTED [CUST: AS 85 CC] [REVIEW: 11 99] | A 5945 | 85 | 16-MAR-90 | |
| | MS27429F | SPLICE, CONDUCTOR, DISCONNECT, CRIMP STYLE, COPPER, INSULATED BARREL, TYPE II, CLASS 1 FOR 105 DEG. C TOTAL CONDUCTOR TEMPERATURE [CUST: CR AS 85] [REVIEW: 11 17 99 AV EC MC SH] | A 5940 | AS | 14-NOV-86 | |
| D | MS27436B | VALVE SPECIAL, AIRCRAFT WHEEL [CUST: AV AS 99 CC] | A 2640 | CC | 27-MAY-85 | |
| | MS27466H | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES I [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MC MI OS] | A 5935 | CC | 04-MAY-90 | |
| | MS27467K NOT 1 | CONNECTOR, PLUG, ELECTRICAL STRAIGHT, CRIMP TYPE, BAYONET COUPLING SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | 25-MAY-93 | |
| | MS27468H NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL JAM NUT MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | 25-MAY-93 | |
| | MS27469F NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL WALL MOUNTING FLANGE, SOLDER TYPE, HERMETIC SEAL, SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | 25-MAY-93 | |
| | MS27470F NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL JAM NUT MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | 25-MAY-93 | |
| | MS27471E | CONNECTOR, RECEPTACLE, ELECTRICAL SOLDER MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AV EC MC MI OS] | A 5935 | CC | 02-JAN-76 | |
| | MS27479E NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | 25-MAY-93 | |
| | MS27480F NOT 2 | CONNECTOR, PLUG, ELECTRIC, STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES II [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | 25-MAY-93 | |
| | MS27481E NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES II [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | 25-MAY-93 | |
| | MS27487D NOT 2 | KIT, STRAIGHT AND 90 DEG. THREADED ADAPTER, EMR HARDWARE FOR MIL-C-38999 CONNECTORS [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | 25-MAY-93 | |
| | MS27488L | PLUG, END SEAL, ELECTRICAL CONNECTOR [CUST: CR AS 85] [REVIEW: 11 19 99 AR EC MI] | A 5935 | AS | 15-MAR-85 | |
| | MS27489D NOT 2 | ADAPTER, REDUCER, EMR HARDWARE, FOR MIL-C-38999 CONNECTORS [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | 25-MAY-93 | |
| | MS27496F | CONNECTOR, RECEPTACLE, ELECTRICAL BOX MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES I [CUST: CR AS 85 CC] [REVIEW: 11 19 80 AR EC MC MI OS] | A 5935 | CC | 04-MAY-90 | |
| | MS27500F NOT 2 | CONNECTOR, PLUG, ELECTRICAL, 90 DEGREES ELBOW, CRIMP TYPE, BAYONET COUPLING, SERIES II [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | 25-MAY-93 | |
| | MS27501F NOT 1 | COVER, PROTECTIVE, ELECTRICAL CONNECTOR PLUG, BAYONET COUPLING, SERIES I [CUST: CR AS 85] [REVIEW: 19 99 AR EC MC MI OS] | A 5935 | CC | 31-MAR-88 | |
| | MS27502H NOT 1 | COVER, ELECTRICAL CONNECTOR, PROTECTIVE, RECEPTACLE, BAYONET COUPLING, SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | 25-MAY-93 | |
| | MS27504C NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING SERIES II [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | 25-MAY-93 | |
| | MS27505F NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, BACK PANEL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | 25-MAY-93 | |
| | MS27567 | DUMMY CONNECTOR, ELECTRICAL, MALE [CUST: 85 CC] [REVIEW: 82] | A 5935 | CC | 24-JUN-87 | |
| | MS27568 NOT 1 | DUMMY CONNECTOR, ELECTRICAL, FEMALE [CUST: 85 CC] [REVIEW: 82] | A 5935 | CC | 25-MAY-93 | |
| | MS27574B | CABLE, AIRCRAFT AND AGE GROUNDING [CUST: AV AS 85] [REVIEW: 11 68 99 CR4] | A 5999 | CC | 04-FEB-72 | |
| | MS27576E | BOLT, SELF-RETAINING, IMPEDANCE TYPE, 95 KSI FSU, HEX HEAD, 450 DEG. F [CUST: AV AS 99 IS] [REVIEW: 82 IS] | A 5306 | IS | 18-OCT-93 | |
| | MS27577F | SCREW, CLOSE TOLERANCE, 95 KSI FSU, FLUSH HEAD, 450 DEG. F [CUST: AV AS 11 IS] [REVIEW: 99] | A 5305 | IS | 30-SEP-93 | |
| | MS27599 NOT 1 | REGULATOR, OXYGEN, DILUTER DEMAND [CUST: 99] [REVIEW: AS MI] | A 1660 | 71 | 19-JAN-88 | |
| | MS27611D | VALVE, HYDRAULIC BLEEDER, AIRCRAFT WHEEL BRAKE [CUST: 99 CC] [REVIEW: 82] | A 4820 | CC | 01-NOV-82 | |
| D | MS27612G | ADAPTER-HYDRAULIC BLEEDER VALVE, AIRCRAFT WHEEL BRAKE [CUST: 99 GS] | A 4820 | IS | 31-OCT-89 | |
| | MS27616 | ADAPTER ASSEMBLY, FLARED, STRAIGHT, TUBE TO HOSE - WITH SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27617 | ADAPTER ASSEMBLY, FLARED, 45 DEG. ELBOW, TUBE TO HOSE - WITH SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27618 | ADAPTER ASSEMBLY, FLARED, 90 DEGREES ELBOW, TUBE TO HOSE - WITH SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27619 | NIPPLE SUB ASSEMBLY, FLARED, STRAIGHT - WITH SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27620 | ELBOW SUB ASSEMBLY, FLARED, 45 DEGREE, SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27621 | ELBOW SUB ASSEMBLY, FLARED, 90 DEG., SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| A | MS27622 | SOCKET, HOSE COUPLING [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27623A | SLEEVE, HOSE COUPLING [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 30-APR-82 | |
| | MS27624 | UNION, NIPPLE [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27625 | WIRE, RETAINER [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27626 | NIPPLE, FLARED, TUBE TO HOSE-SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27627 | ELBOW, FLARED, TUBE TO HOSE - 90 DEGREES SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27628 | ELBOW, FLARED, TUBE TO HOSE 45 DEG. SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27629 | ADAPTER ASSEMBLY, FLARELESS, STRAIGHT, TUBE TO HOSE - WITH SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27630 | ADAPTER ASSEMBLY, FLARELESS, 45 DEG. ELBOW, TUBE TO HOSE WITH SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27631 | ADAPTER ASSEMBLY, FLARELESS, 90 DEG. ELBOW, TUBE TO HOSE WITH SWIVEL NUT [CUST: 99] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27633 | ELBOW SUB ASSEMBLY, FLARELESS, 45 DEGREES, SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27634 | ELBOW SUB ASSEMBLY, FLARELESS, 90 DEG. SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27636 | ELBOW SUB ASSEMBLY, FLARELESS, 90 DEG. SWIVEL NUT [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |
| | MS27638C | MANDREL SLEEVE SETTING [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 14-SEP-93 | |
| | MS27639 | DISASSEMBLY TOOL [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | 17-MAR-71 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | MS27640F | BEARING, BALL, AIRFRAME, ANTI-FRICTION, HEAVY DUTY [CUST: AV AS 99] [REVIEW: 84 AR AT CR4 IS MI] | A 3110 | AS | | 21-JUN-95 |
| | MS27641F | BEARING, BALL, AIRFRAME, ANTI-FRICTION, INTERMEDIATE DUTY [CUST: AV AS 99] [REVIEW: 84 AR AT CR4 IS MI] | A 3110 | AS | | 21-JUN-95 |
| A | MS27642G | BEARING, BALL, AIRFRAME, EXTRA LIGHT DUTY [CUST: AV AS 99] [REVIEW: 84 AR AT CR4 IS MI] | A 3110 | AS | | 20-JAN-98 |
| | MS27643F | BEARING, BALL, AIRFRAME, ANTI-FRICTION, SELF-ALIGNING, DOUBLE ROW, HEAVY DUTY [CUST: AV AS 99] [REVIEW: 84 AR AT CR4 IS MI] | A 3110 | AS | | 21-JUN-95 |
| | MS27644D | BEARING, BALL, AIRFRAME, ANTI-FRICTION, DOUBLE ROW, HEAVY DUTY [CUST: AV AS 99] [REVIEW: 84 AR AT CR4 IS MI] | A 3110 | AS | | 05-DEC-94 |
| A | MS27645E | BEARING, BALL, AIRFRAME, ANTI-FRICTION, SELF-ALIGNING LIGHT AND HEAVY DUTY [CUST: AV AS 99] [REVIEW: 84 AR AT IS MI] | A 3110 | AS | | 20-JAN-98 |
| | MS27646F | BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA LIGHT DUTY [CUST: AV AS 99] [REVIEW: 84 AR CR4 IS] | A 3110 | AS | | 21-JUN-95 |
| A | MS27647F | BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA WIDE, DOUBLE ROW, INTERMEDIATE DUTY [CUST: AV AS 99] [REVIEW: 84 AR AT CR4 IS MI] | A 3110 | AS | | 20-JAN-98 |
| | MS27648E | BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTERNAL SELF ALIGNING, EXTRA LIGHT DUTY [CUST: AV AS 99] [REVIEW: 84 AR AT CR4 IS MI] | A 3110 | AS | | 21-JUN-95 |
| | MS27649D | BEARING, BALL, AIRFRAME, ANTI-FRICTION, INTERMEDIATE DUTY [CUST: AV AS 99] [REVIEW: CR4 IS] | A 3110 | AS | | 28-MAY-82 |
| | MS27654C NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, BACK PANEL WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 25-MAY-93 |
| | MS27656C NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, BACK PANEL WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 13-JAN-89 |
| | MS27661D NOT 1 | CONNECTOR, PLUG, ELECTRICAL, CRIMP TYPE, LANYARD RELEASE, FAIL-SAFE, SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 13-JAN-89 |
| | MS27662D | CONNECTOR, RECEPTACLE, ELECTRICAL, THRU BULKHEAD MOUNTING, BAYONET COUPLING SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 06-FEB-85 |
| D | MS27683C | DRUM, METAL SHIPPING AND STORAGE 16 TO 80 GALLONS [CUST: GL AS 69 IS] [REVIEW: 99 AV CG DS EA MC MI] | A 8110 | IS | | 08-APR-87 |
| D | MS27684C | DRUM, METAL SHIPPING AND STORAGE - 3 TO 12 GALLONS [CUST: GL AS 69 IS] [REVIEW: 99 AV CG EA MC MI MS OS SA SM] | A 8110 | IS | | 08-APR-87 |
| | MS27708H | SWITCH, TOGGLE, FOUR POSITION ON, CENTER OFF [CUST: AV AS 85 CC] [REVIEW: 99] | A 5930 | CC | | 27-MAR-95 |
| | MS27716D | SWITCH, TOGGLE, MINIATURE, SINGLE POLE, UNSEALED [CUST: CR EC 85 CC] [REVIEW: 11 99 AV] | A 5930 | CC | | 20-MAY-88 |
| | MS27717E | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, UNSEALED [CUST: CR EC 85 CC] [REVIEW: 99 AV] | A 5930 | CC | | 18-JUN-90 |
| | MS27718E | SWITCH, TOGGLE, MINIATURE SINGLE POLE, TOGGLE SEAL [CUST: CR EC 85 CC] [REVIEW: 99 AV] | A 5930 | CC | | 18-JUN-90 |
| | MS27719F | SWITCH, TOGGLE, MINIATURE DOUBLE POLE, TOGGLE SEAL [CUST: CR EC 85 CC] [REVIEW: 99 AV] | A 5930 | CC | | 26-JUN-95 |
| | MS27720G | SWITCH, TOGGLE, MINIATURE, SINGLE POLE, TOGGLE SEAL, LEVER LOCK [CUST: CR AS 85 CC] [REVIEW: 99 AV] | A 5930 | CC | | 20-MAY-88 |
| | MS27721G | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL, LEVER LOCK [CUST: CR AS 85 CC] [REVIEW: 99 AV] | A 5930 | CC | | 20-MAY-88 |
| | MS27722C NOT 1 | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EA MC MI] | A 5930 | CC | | 08-JUN-93 |
| | MS27723C NOT 1 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 08-JUN-93 |
| | MS27724D NOT 1 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 08-JUN-93 |
| | MS27734D NOT 1 | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 08-JUN-93 |
| | MS27735D NOT 1 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 08-JUN-93 |
| | MS27736D NOT 1 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 08-JUN-93 |
| | MS27737F | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER-LOCK, SOLDER TERMINAL [CUST: CR AS 85 CC] [REVIEW: 11 99 AV EC] | A 5930 | CC | | 04-SEP-91 |
| | MS27738E NOT 1 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, SOLDER TERMINAL [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 08-JUN-93 |
| | MS27739E NOT 1 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, SOLDER TERMINAL [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 08-JUN-93 |
| | MS27740B | SWITCH, MIL-S-3950 AND MIL-S-83731, MILITARY STANDARD PART NUMBERING [CUST: CR AS 85 CC] [REVIEW: 99 AV EC MI] | A 5930 | CC | | 18-DEC-85 |
| | MS27741 NOT 1 | CONNECTOR, ELECTRICAL, INDIVIDUAL SHIELD TERMINATION [CUST: 85 CC] [REVIEW: 99] | A 5935 | CC | | 13-FEB-87 |
| | MS27742D | RELAYS, ELECTROMAGNETIC, TYPE I MAGNETIC LATCH, 25 AMPERES, 3 PDT, ALL WELDED, HERMETICALLY SEALED [CUST: 85] [REVIEW: 99 CC] | A 5945 | 85 | | 31-JAN-92 |
| | MS27743K(1) | RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3 PDT, TYPE I, HERMETICALLY SEALED, PERMANENT MAGNET DRIVE [CUST: 85] [REVIEW: 99] | A 5945 | 85 | | 14-MAY-96 |
| | MS27749D NOT 1 | RELAYS, ELECTROMAGNETIC, 60 AMPERES, 3 PDT, MAGNETIC LATCH, HERMETICALLY SEALED [CUST: CR AS 85] [REVIEW: 11 99 CC EC] | A 5945 | 85 | | 14-MAY-93 |
| | MS27750F NOT 1 | RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3 PDT-NO., CENTER OFF, HERMETICALLY SEALED [CUST: CR AS 85] [REVIEW: 11 99 CC EC] | A 5945 | 85 | | 14-MAY-93 |
| | MS27751H | RELAYS, ELECTROMAGNETIC, 50 AMPERES DC/60 AMPERES AC, 3 PST OR 3 PDT, HERMETICALLY SEALED, PERMANENT MAGNETIC DRIVE [CUST: 85] [REVIEW: 99] | A 5945 | 85 | | 20-APR-93 |
| | MS27752C NOT 2 | GUARD, SWITCH, 3 POSITION [CUST: CR AS 85 CC] [REVIEW: 99] | A 5930 | CC | | 21-MAY-93 |
| | MS27753E | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL [CUST: CR AS 85 CC] [REVIEW: 11 99 AV EA EC] | A 5930 | CC | | 18-JUN-90 |
| | MS27754E | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL, LEVER LOCK [CUST: CR AS 85 CC] [REVIEW: 99 AV EA EC] | A 5930 | CC | | 20-MAY-88 |
| | MS27755A | CONNECTOR, HOSE QUICK DISCONNECT, FEMALE, ANTI, G, SUIT [CUST: AS 99] [REVIEW: 82 MC] | A 4730 | CC | | 18-JUL-75 |
| | MS27769A | PLUG, PIPE, COUNTERSINK HEX HEAD [CUST: AS 99] [REVIEW: 82 AV CR4] | A 4730 | CC | | 22-MAR-79 |
| | MS27781C NOT 1 | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 08-JUN-93 |
| | MS27782C NOT 1 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 08-JUN-93 |
| | MS27783C NOT 1 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 08-JUN-93 |
| | MS27784C | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS [CUST: CR AS 85 CC] [REVIEW: 11 99 AV EC] | A 5930 | CC | | 28-SEP-87 |
| | MS27785C NOT 1 | SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | | 08-JUN-93 |

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-----------------|---|--------------------------|--------------------|-----------|
| MS27786C NOT 1 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | 08-JUN-93 |
| MS27787C NOT 1 | SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | 08-JUN-93 |
| MS27788C NOT 1 | SWITCH, TOGGLE, TOW POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV EC MC MI] | A 5930 | CC | 08-JUN-93 |
| MS27789C NOT 1 | SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AV CR4 EC MC] | A 5930 | CC | 08-JUN-93 |
| MS27790D | SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, UNSEALED [CUST: CR AS 85 CC] [REVIEW: 11 99 AV EA EC] | A 5930 | CC | 18-JUN-90 |
| MS27796D NOT 1 | CONNECTOR-BAYONET, THREE PIN, OXYGEN MASK [CUST: AS 99] [REVIEW: AV] | A 1660 | 82 | 06-NOV-89 |
| MS27811A(1) | TIRE - PNEUMATIC RETREAD, TYPE VII 49 X 17/26 PR [CUST: 99] | A 2620 | 70 | 27-SEP-93 |
| MS27813A NOT 2 | TIRE PNEUMATIC RETREAD, TYPE VII 56 X 16 / 38 PR 250 MPH [CUST: AS 99] [REVIEW: CC] | A 2620 | 70 | 27-SEP-93 |
| MS27815C(1) | TIRE - PNEUMATIC REBUILT, TYPE VII 44 X 16, 28 PR [CUST: 99] | A 2620 | 70 | 27-SEP-93 |
| MS27817B(1) | TIRE - PNEUMATIC REBUILT, TYPE VII 36 X 11/22 PR [CUST: 99] | A 2620 | 70 | 27-SEP-93 |
| MS27818A NOT 2 | TIRE PNEUMATIC RETREAD, TYPE VII 38 X 11 / 14 PR [CUST: AS 99] [REVIEW: CC] | A 2620 | 70 | 27-SEP-93 |
| MS27823A NOT 2 | TIRE-PNEUMATIC REBUILT, TYPE VII 20.00-20/26 PR [CUST: AS 99] [REVIEW: CC] | A 2620 | 70 | 27-SEP-93 |
| MS27826A NOT 2 | PLUG ASSEMBLY, (SEALING CLAMP) LIFE RAFT REPAIR [CUST: SH] | A 4220 | SH | 04-NOV-92 |
| MS27950A NOT 1 | BOLT, EYE - TURNBUCKLE (GENERAL PURPOSE) [CUST: AR SH 99] [REVIEW: AT CR CR4 MC MI OS] | A 5306 | IS | 01-JUN-88 |
| MS27952A NOT 1 | NUT, PLAIN-HEXAGON, JAM, LEFT HAND [CUST: AR SH 99 IS] [REVIEW: AT IS MI] | A 5310 | IS | 06-JUN-88 |
| MS27953B(1) | BOLT, HOOK-TURNBUCKLE (GENERAL PURPOSE) [CUST: SH 82 IS] [REVIEW: AT CR4 MC MI OS] | A 5306 | IS | 08-FEB-96 |
| MS27954B | TURNBUCKLE, BODY (GENERAL PURPOSE) [CUST: AR SH 99] [REVIEW: AT CR CR4 IS MI OS YD1] | A 5340 | AR | 21-MAR-69 |
| MS27955A(1) | NUT, PLAIN-ROUND, SPANNER [CUST: AR AS 69 IS] | A 5310 | IS | 20-FEB-96 |
| MS27975D | CLEVIS, ROD END-ADJUSTING, WIDE AND NARROW FORKS [CUST: AR AS 99] [REVIEW: AT AV CR4 GL MC MI OS SH YD1] | A 5340 | IS | 22-JAN-90 |
| MS27976E | CLEVIS, ROD END-PLAIN, WIDE AND NARROW FORKS [CUST: AR AS 99] [REVIEW: AT AV CR4 MC SH YD1] | A 5340 | IS | 22-JAN-90 |
| MS27977D NOT 1 | FASTENER, SNAP, STYLE 1 (LARGE CURTAIN TYPE) [CUST: GL AS 99 IS] [REVIEW: 82 AT AV CR CR4 MC MS] | A 5325 | IS | 10-APR-96 |
| MS27984B NOT 2 | FASTENERS, SNAP, STYLE 5 (SCALLOPED BUTTON HEAD TYPE) [CUST: GL AS 99 IS] [REVIEW: AR AT CR4 MI SA] | A 5325 | IS | 10-APR-96 |
| MS27986C NOT 2 | FASTENER, SNAP, STYLE 7 (RIVET TYPE) [CUST: GL AS 99 IS] [REVIEW: AR AT CR CR4 MC MS SA] | A 5325 | IS | 10-APR-96 |
| MS27997M | RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3 PST, N.O. TYPE I, HERMETICALLY SEALED [CUST: AS 85] | A 5945 | 85 | 26-OCT-93 |
| MS28008B NOT 2 | INDICATOR, TEMPERATURE, MULTI-FUNCTION, ELECTRICAL RESISTANCE, SINGLE, CLAMP MOUNTED, -50 TO +50 DEG. C, 2 INCH SIZE [CUST: AV AS 99] [REVIEW: 11 82 CR GL MI SM] | A 6685 | AS | 24-OCT-91 |
| MS28009B NOT 1 | INDICATOR - TEMPERATURE, ELECTRICAL RESISTANCE MULTI-FUNCTION, -70 TO +150 C, 2-INCH SIZE [CUST: AV AS 99] [REVIEW: 82 GL MI] | A 6685 | GS | 28-MAY-88 |
| MS28015A NOT 1 | CLOCK - AIRCRAFT, CIVIL DATE, 24-HOUR DIAL, 2-3/4 DIA [CUST: AR AS] [REVIEW: AV CG] | A 6645 | GS | 19-JUN-87 |
| MS28021C | INDICATOR - INDICATED AIR SPEED, PITOT STATIC, 20-250 KNOTS [CUST: AV AS 99 GS] | A 6610 | GS | 15-NOV-72 |
| MS28028C NOT 1 | THERMOMETER SELF-INDICATING, BIMETALLIC [CUST: AS 99] [REVIEW: 82 CG GL] | A 6685 | GS | 09-DEC-88 |
| MS28034A NOT 1 | BULBS, TEMPERATURE, ELECTRICAL RESISTANCE (-70 DEG. C TO +300 DEG. C) [CUST: AS 99] [REVIEW: 82 CR] | A 6685 | GS | 25-MAY-90 |
| MS28042F NOT 1 | CLAMP, INSTRUMENT MOUNTING, AIRCRAFT [CUST: AV AS 99 IS] | A 5340 | IS | 26-MAR-96 |
| MS28048B NOT 2 | INDICATOR, INDICATED AIRSPEED, PITOT STATIC MAXIMUM ALLOWABLE SPEED, 50-650 KNOTS (ASG) [CUST: AS 99] | A 6610 | AS | 04-SEP-96 |
| MS28050 | VALVE, CHECK, LOW PRESSURE, INTERNAL THREADS (ASG) [CUST: AS 99 CC] [REVIEW: CR4] | A 4820 | CC | 01-SEP-55 |
| MS28051 | VALVE, STATIC PRESSURE SELECTOR (ASG) [CUST: AS 99 CC] [REVIEW: 11] | A 4820 | CC | 01-SEP-55 |
| MS28052B | VALVE, CHECK, PRESSURE GAGE LINES BLEEDER AND FILLER (ASG) [CUST: AS 99] [REVIEW: 11] | A 4820 | CC | 29-NOV-56 |
| MS28055A | FLANGE, MOUNTING, ATTACHABLE, AIRCRAFT INSTRUMENT (ASG) [CUST: AS 99] [REVIEW: 11 MI] | A 1680 | GS | 08-FEB-60 |
| MS28066H NOT 1 | TRANSMITTER, ANGLE OF ATTACK OR SIDESLIP, LOCAL [CUST: AS] | A 5821 | AS | 11-DEC-87 |
| MS28105C NOT 1 | COVER GLASS, AIRCRAFT INSTRUMENT DIAL [CUST: GL 11 GS] [REVIEW: 84] | A 9340 | GS | 30-OCT-91 |
| MS28131G | TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT 320 DEGREE MOVEMENT, HIGH TEMPERATURE (177 DEG C) GENERAL PURPOSE [CUST: AV AS 11] [REVIEW: 99 CG] | A 6620 | GS | 29-NOV-78 |
| MS28741H | HOSE ASSEMBLY, DETACHABLE END FITTING, MEDIUM PRESSURE [CUST: AV AS 99] [REVIEW: 82 CR4 MI OS] | A 4720 | CC | 28-MAR-83 |
| MS28746C | FITTING END - HOSE, SWIVEL, DETACHABLE, FLANGED, 4 BOLT, 45 DEG. [CUST: AS 99 CC] [REVIEW: 69 82] | A 4730 | CC | 30-AUG-83 |
| MS28753B | FITTING END, SELF SEALING FUEL HOSE, SWIVEL DETACHABLE, FLANGED, STRAIGHT [CUST: CR4 AS 99] [REVIEW: 82] | A 4730 | CC | 24-JAN-86 |
| MS28754B | FITTING END, SELF SEALING FUEL HOSE, SWIVEL, DETACHABLE, FLANGED, 45 DEG. [CUST: CR4 AS 99] [REVIEW: 82] | A 4730 | CC | 24-JAN-86 |
| MS28755B | FITTING END, SELF SEALING FUEL HOSE, SWIVEL, DETACHABLE, FLANGED, 90 DEG [CUST: CR4 AS 99] [REVIEW: 82] | A 4730 | CC | 08-AUG-85 |
| MS28759B NOT 1 | HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FLARED TUBE [CUST: AV AS 99] [REVIEW: 82 CR4 MI] | A 4720 | CC | 16-JAN-89 |
| MS28760C | FITTING END, ATTACHABLE, HYDRAULIC AND PNEUMATIC HIGH PRESSURE HOSE (3,000 PSI) FLARED TUBE [CUST: AS 99] [REVIEW: 82] | A 4730 | CC | 22-MAY-70 |
| MS28761A | FITTING END, ATTACHABLE, HYDRAULIC HIGH PRESSURE HOSE (3,000 PSI), FLARELESS TUBE [CUST: AS 99] [REVIEW: 82] | A 4730 | CC | 25-AUG-70 |
| MS28762B | HOSE ASSEMBLY, HYDRAULIC AND PNEUMATIC HIGH PRESSURE (3,000 P.S.I.) FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 82 CR4 MI] | A 4720 | CC | 20-DEC-68 |
| MS28764A | VALVE, CHECK, CONTROLLABLE, ROTARY-ACTION, HYDRAULIC, 3,000 PSI, TYPE II SYSTEMS (ASG) [CUST: AS 99] [REVIEW: CC] | A 4820 | AS | 30-APR-57 |
| MS28765C | VALVE, CHECK, HYDRAULIC, INTERNAL PORTS 3,000 PSI. TYPE II SYSTEMS [CUST: AS 99] [REVIEW: 11 CC MI] | A 4820 | AS | 01-MAY-88 |
| MS28766A | VALVE, SHUTTLE, HYDRAULIC, DIRECT MOUNTING, 3,000 PSI, TYPE II SYSTEMS (ASG) [CUST: AS 99] [REVIEW: CC] | A 4820 | AS | 30-APR-57 |
| MS28767A NOT 1 | VALVE, SHUTTLE, HYDRAULIC, INTERNAL-THREAD, TUBE FITTING OUTLET, 3,000 PSI, TYPE II SYSTEMS (ASG) [CUST: AS 99] [REVIEW: CC CR4] | A 1650 | AS | 25-AUG-87 |
| MS28768A NOT 1 | VALVE, CHECK, CONTROLLABLE, PLUNGER-TYPE, HYDRAULIC, 3,000 PSI, TYPE II SYSTEMS (ASG) [CUST: AS 99] [REVIEW: CC] | A 4820 | AS | 25-AUG-87 |
| MS28771C | VALVE, CHECK, HYDRAULIC, FLARED, 3,000 PSI, TYPE II SYSTEMS [CUST: AS 99] [REVIEW: CC CR4 MI] | A 1650 | AS | 28-MAR-91 |
| MS28772B | PACKING, .D, RING, SHOCK STRUT [CUST: AV AS 99] [REVIEW: MI] | A 5330 | IS | 27-JAN-71 |
| MS28778C | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS [CUST: AV AS 99] [REVIEW: AR AT CC CR4 MI] | A 5330 | IS | 12-APR-84 |
| MS28780D | ELBOW, 45 DEG. FLARED TUBE TO HOSE, ATTACHABLE, HYDRAULIC (3,000 PSI) [CUST: AS 99] [REVIEW: 82] | A 4730 | CC | 06-AUG-82 |
| MS28781C | ELBOW, 90 DEG. FLARED TUBE TO HOSE, ATTACHABLE, HYDRAULIC (3,000 PSI) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | 23-DEC-82 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Ave | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|----------------------|-----|-------------|-----------|
| | MS28882F | VALVE, FUEL CHECK, LOW PRESSURE, GASKET SEAL STRAIGHT THREAD CONNECTION [CUST: AV AS 99] [REVIEW: 82 CR4 MI] | A 4820 | CC | | 10-JAN-77 |
| | MS28884E | VALVE, FUEL CHECK, LOW PRESSURE, FLARED TUBE CONNECTION, TYPE A [CUST: AV AS 99] [REVIEW: 82 CR4 MI] | A 4820 | CC | | 10-JAN-77 |
| | MS28902A | CONTACT, ELECTRICAL, LEAF TAP FOR USE WITH MIL-R-8903 RESISTOR (ASG) [CUST: 85] [REVIEW: 99] | A 5905 | CC | | 14-FEB-66 |
| | MS28912E | BEARING, ROLLER, SELF-ALIGNING, SINGLE ROW AIRFRAME, ANTI-FRICTION, SEALED, TYPE I [CUST: AT AS 99] [REVIEW: 84 AV CG CR4 IS MC MI] | A 3110 | AS | | 05-DEC-94 |
| | MS28913D | BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW AIRFRAME, ANTI-FRICTION, SEALED, TYPE II [CUST: AT AS 99] [REVIEW: 84 AV CG CR4 IS MC MI] | A 3110 | AS | | 05-DEC-94 |
| | MS28914D | BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW AIRFRAME, ANTI-FRICTION, SEALED, TYPE III [CUST: AT AS 11] [REVIEW: 84 99 AV CG CR4 IS MC MI] | A 3110 | AS | | 05-DEC-94 |
| | MS28915D | BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW TORQUE TUBE, AIRFRAME, ANTI-FRICTION, SEALED, TYPE IV [CUST: AT AS 99] [REVIEW: 84 AV CG CR4 IS MC MI] | A 3110 | AS | | 05-DEC-94 |
| | MS28920A NOT 1 | HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FITTING END TO ELBOW 45 DEG., FLARED TUBE [CUST: AV AS 99] [REVIEW: 82 CR4 MI] | A 4720 | CC | | 16-JAN-89 |
| | MS28921A NOT 1 | HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FITTING END TO ELBOW 90 DEGREE, FLARED TUBE [CUST: AV AS 99] [REVIEW: 82 CR4 MI] | A 4720 | CC | | 16-JAN-89 |
| | MS28924A NOT 1 | HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), ELBOW 90 DEG. TO ELBOW 90 DEG., FLARED TUBE [CUST: AS 99] | A 4720 | CC | | 28-JAN-94 |
| D | MS28925C | LAMP, SIGNAL, HAND HELD, 4-1/2 INCH [CUST: CR4 AS IS] | A 6220 | IS | | 25-APR-77 |
| | MS28927A | CLAMP-RIM, CLENCHING FOR MIL-R-8903 RESISTOR [CUST: 85] [REVIEW: 99 MC] | A 5905 | CC | | 14-FEB-66 |
| | MS28928A | COUPLING, INSULATED, BUSHING SHAFT, FOR MIL-R-8903 RESISTOR (ASG) [CUST: 85] [REVIEW: 99 MC] | A 5905 | CC | | 14-FEB-66 |
| | MS28931A | CAP, PROTECTIVE, DUST AND MOISTURE SEAL FOR MIL-R-8903 RESISTOR (ASG) [CUST: 85] [REVIEW: 99 MC] | A 5905 | CC | | 30-JUN-64 |
| D | MS28933 NOT 1 | LAMP, INCANDESCENT - T-20 BULB, MEDIUM BIPOST BASE [CUST: AS 99 IS] | A 6240 | IS | | 17-JUN-94 |
| | MS28936C | FUSE, SELF INDICATING CURRENT LIMITER, AIRCRAFT [CUST: AV AS 85] [REVIEW: 11 99 CC CG] | A 5920 | AS | | 28-SEP-73 |
| | MS28937C | FUSE, LIMITER TYPE, ENCLOSED LINK, 5-60 AMP, AIRCRAFT [CUST: AS] | A 5920 | AS | | 22-APR-92 |
| | MS29512C NOT 2 | PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, TUBE FITTING, "O" RING [CUST: AV AS 11] [REVIEW: 99 AT CR4 MI] | A 5330 | IS | | 10-DEC-92 |
| | MS29513C NOT 2 | PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, "O" RING [CUST: AV AS 11] [REVIEW: 99 AR AT CC CR4 MI] | A 5330 | IS | | 10-DEC-92 |
| | MS29520H | ENVELOPE DIMENSIONS NOZZLE, PRESSURE FUEL SERVICING LOCKING AIRCRAFT, TYPE D-1, D-1R, D-2 AND D-2R [CUST: CR4 AS 11] | A 4930 | AS | | 09-SEP-92 |
| | MS29521F | DISK, VALVE [CUST: AV AS 99] [REVIEW: 82] | A 4820 | CC | | 17-MAY-84 |
| | MS29523A | HOOK, FILLER CAP CHAIN (ASG) [CUST: AS] [REVIEW: 99 CR4 IS MI] | A 4030 | AS | | 16-FEB-56 |
| | MS29525F | CAP-PRESSURE FUEL SERVICING, NOMINAL 2 1/2 INCH DIAMETER, FLUSH TYPE [CUST: AV AS 99] | A 1560 | AS | | 15-JAN-91 |
| | MS29526E | CAP-PRESSURE FUEL SERVICING, NOMINAL 2 1/2 INCH DIAMETER NON-FLUSH TYPE [CUST: AV AS 11] | A 1560 | AS | | 15-JAN-91 |
| | MS29527B | VALVE, FUEL SHUTOFF SOLENOID OPERATED, 28-VOLT DC 60-PSI OPERATING PRESSURE [CUST: AS 99 CC] [REVIEW: 82] | A 4810 | CC | | 02-MAR-84 |
| | MS29561A | PACKING, PREFORMED, O RING, SYNTHETIC LUBRICANT RESISTANT [CUST: MR AS 99] [REVIEW: 11 AR CR4 MC MI] | A 5330 | IS | | 06-JAN-66 |
| | MS29571C NOT 1 | VALVE, FUEL DRAIN, SELF-LOCKING, FLUSH TYPE [CUST: 99] | A 2915 | 71 | | 09-AUG-96 |
| | MS33514G | FITTING END, STANDARD DIMENSIONS FOR FLARELESS TUBE CONNECTION AND GASKET SEAL [CUST: AV AS 99] [REVIEW: 71 82 AR AT CC CR4 GL MC MI] | A 4730 | AS | | 21-MAY-90 |
| | MS33515J | FITTING END, STANDARD DIMENSIONS FOR BULKHEAD FLARELESS TUBE CONNECTIONS [CUST: AV AS 99] [REVIEW: 11 AR AT CC CR4 MI OS] | A 4730 | AS | | 23-JAN-73 |
| | MS33522C NOT 1 | RIVETS, BLIND, STRUCTURAL, MECHANICALLY LOCKED AND FRICTION RETAINER SPINDLE, (RELIABILITY AND MAINTAINABILITY) DESIGN AND CONSTRUCTION REQUIREMENTS FOR [CUST: AV AS 99] [REVIEW: 82 AR CR4 GL MI] | A 5320 | IS | | 25-MAR-91 |
| | MS33533 NOT 2 | TOLERANCES - SEAMLESS CORROSION-RESISTANT STEEL TUBING ROUND [CUST: AS 11] [REVIEW: 99 MI] | A MISC | GS | | 06-FEB-95 |
| | MS33534 NOT 1 | STANDARD DIMENSIONS FOR STREAMLINE AND OVAL TUBULAR SHAPES [CUST: AS 99] [REVIEW: 82] | A 4710 | CC | | 16-MAR-94 |
| A | MS33537E(1) | INSERT, SCREW THREAD, HELICAL COIL, INCH SERIES, COARSE AND FINE THREAD, STANDARD ASSEMBLY DIMENSIONS FOR [CUST: AV AS 99 IS] | A 5325 | IS | | 15-NOV-94 |
| | MS33540J NOT 1 | SAFETY WIRING AND COTTER PINNING, GENERAL PRACTICES FOR [CUST: AR AS 99] [REVIEW: MI] | A MISC | AS | | 15-MAY-92 |
| D | MS33547C NOT 1 | PINS, SPRING, FUNCTIONAL LIMITATIONS OF [CUST: AV AS 99] [REVIEW: 82 AT MI] | A 5315 | IS | | 25-MAR-91 |
| | MS33557A NOT 1 | NONSTRUCTURAL RIVETS FOR BLIND ATTACHMENT; LIMITATIONS FOR DESIGN AND USAGE [CUST: AS 11] [REVIEW: 99 AR] | A 5320 | IS | | 09-OCT-91 |
| | MS33559E | ADAPTER, AIRCRAFT, JACKING POINT, DESIGN AND INSTALLATION OF [CUST: AV AS 99] [REVIEW: MC] | A 1730 | AS | | 24-MAR-89 |
| | MS33561A NOT 1 | CONNECTION, AIRCRAFT GROUND AIR CONDITIONING, 5 INCH, MINIMUM REQUIREMENTS [CUST: AS 99] [REVIEW: 82] | A 4730 | CC | | 14-FEB-94 |
| | MS33562C | CONNECTION, AIRCRAFT GROUND AIR CONDITIONING, 8 INCH MINIMUM REQUIREMENTS [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 15-MAR-84 |
| | MS33566B NOT 2 | FITTINGS, INSTALLATION OF FLARELESS TUBE, STRAIGHT-THREADED CONNECTORS [CUST: AV AS 82] [REVIEW: AR AT CR4] | A 4730 | AS | | 18-MAY-92 |
| | MS33588E NOT 1 | NUTS, SELF-LOCKING, AIRCRAFT, RELIABILITY AND MAINTAINABILITY USAGE REQUIREMENTS FOR [CUST: AV AS 99] [REVIEW: 82 CR4 MI] | A 5310 | IS | | 25-MAR-91 |
| | MS33589F | JACK, AIRCRAFT, AIRFRAME (UNIPOD AND TRIPOD) [CUST: AV AS 11] [REVIEW: 99 MC] | A 1730 | CC | | 24-MAR-89 |
| | MS33597 NOT 1 | JATO UNIT, AIRCRAFT, 1000 POUNDS THRUST, OUTLINE DIMENSIONS FOR [CUST: AS] | A 1340 | AS | | 09-OCT-91 |
| | MS33602 | BOLTS, SELF-RETAINING, AIRCRAFT, RELIABILITY AND MAINTAINABILITY, DESIGN AND USAGE REQUIREMENTS FOR [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 25-MAR-91 |
| | MS33620B | CHART, HOSE SELECTION [CUST: AV AS 99] [REVIEW: 82] | A 4720 | CC | | 04-MAR-64 |
| | MS33639D | CASES, INSTRUMENT, CLAMP-MOUNTED, AIRCRAFT [CUST: AV AS 99] [REVIEW: CR4 MI] | A 66GP | AS | | 01-MAR-88 |
| | MS33649C | BOSS, FLUID CONNECTION - INTERNAL STRAIGHT THREAD [CUST: AV AS 99] [REVIEW: 82 CG CR4 MC MI] | A 4730 | CC | | 02-AUG-84 |
| | MS33651B | BOSS AND INSTALLATIONS - AIR CONNECTION [CUST: CR4 AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 03-MAY-85 |
| | MS33658A NOT 2 | FITTING END, HOSE CONNECTION, STANDARD DIMENSIONS FOR [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | | 29-NOV-94 |
| | MS33660C | TUBING END, HOSE CONNECTION, STANDARD DIMENSIONS FOR [CUST: AS 99] [REVIEW: 82 CR4 MI] | A 4730 | CC | | 13-JAN-95 |
| | MS33677A NOT 1 | FITTING END, TAPER PIPE THREAD, STANDARD DIMENSIONS FOR [CUST: AR AS 99] [REVIEW: 82 CR4 GL MI] | A 4730 | CC | | 14-FEB-94 |
| | MS33678 | CONNECTOR, RECEPTACLE, ELECTRIC, INTEGRAL MOUNTING [CUST: CR AS 85 CC] [REVIEW: 99 MI] | A 5935 | CC | | 17-DEC-58 |
| | MS33695 NOT 1 | CONTACTS, VIDEO COAXIAL CONNECTOR [CUST: CR AS 85 CC] | A 5935 | CC | | 24-OCT-91 |
| | MS33698F | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 3 (NAVY) [CUST: AS 85 CC] [REVIEW: EC] | A 5935 | CC | | 21-JUL-71 |
| | MS33699F | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 7 (NAVY) [CUST: AS 85] [REVIEW: CC EC MI] | A 5935 | AS | | 21-JUL-71 |

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------------|---|-----------------------|-----|-------------|-----------|
| MS33700F | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 12 (NAVY) [CUST: AS 85 CC] [REVIEW: EC MI] | A 5935 | CC | | 21-JUL-71 |
| MS33701G | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 19 (NAVY) [CUST: AS 85 CC] [REVIEW: EC] | A 5935 | CC | | 21-JUL-71 |
| MS33702E | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 27 (NAVY) [CUST: AS 85 CC] | A 5935 | CC | | 21-JUL-71 |
| MS33703F | INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 37 (NAVY) [CUST: AS 85 CC] [REVIEW: EC] | A 5935 | CC | | 21-JUL-71 |
| MS33736C | TURNBUCKLE ASSEMBLIES, CLIP LOCKING OF [CUST: AV AS 99] [REVIEW: AR MC] | A 5340 | AS | | 13-NOV-91 |
| MS33737B(1) | NUT, SHEET SPRING, INSTRUMENT MOUNTING [CUST: AV AS 99 IS] [REVIEW: CR MI] | A 5310 | IS | | 14-DEC-94 |
| MS33740B | NIPPLE, PNEUMATIC STARTING, 3 INCH ID, OUTLINE DIMENSIONS OF [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 03-SEP-85 |
| MS33749 NOT 1 | SCREW - INSTALLATION AND LIMITATIONS FOR USAGE OF THREAD CUTTING AND THREAD FORMING [CUST: AR AS 99 IS] [REVIEW: MC SA SH] | A 5305 | IS | | 10-JUN-94 |
| MS33750J | RECESS, HIGH TORQUE AND CONICAL HIGH TORQUE, DIMENSIONS OF RECESS, GAGE, AND DRIVER FOR [CUST: AV AS] [REVIEW: IS MI] | A 53GP | AS | | 20-JUN-88 |
| MS33781B | RECESS, OFFSET CRUCIFORM, DIMENSIONS OF RECESS, GAGE AND DRIVER FOR [CUST: AV AS 99] [REVIEW: 82 IS] | A 53GP | AS | | 09-JUL-96 |
| MS33786A | FITTING INSTALLATION, FLARED TUBE AND HOSE, SWIVEL (ASG) [CUST: AS 99] [REVIEW: 82 CR4] | A 4730 | CC | | 01-FEB-85 |
| MS33787D NOT 1 | WRENCHING ELEMENT, EXTERNAL SPLINE, DIMENSIONS FOR [CUST: AV AS 99] [REVIEW: 82 AR IS] | A 5120 | AS | | 23-SEP-91 |
| MS33788 NOT 1 | LIQUID SPRING UNDERCARRIAGE UNIT - OIL REPLENISHMENT CONNECTION FOR [CUST: AV AS] | A 1620 | CC | | 29-MAY-92 |
| MS33800D | CONNECTOR, RECEPTACLE, ELECTRICAL - PIN CONTACT, NO. 12, 14 AND 16 A.W.G. WATERPROOF [CUST: AT CC] [REVIEW: 85 AR CR CR4 GL MC] | A 5935 | CC | | 05-SEP-84 |
| MS35058J NOT 1 | SWITCH, TOGGLE ONE POLE, SEALED TOGGLE [CUST: CR AS 85 CC] [REVIEW: 11 99 AV EC MI] | A 5930 | CC | | 25-FEB-87 |
| MS35093A NOT 1 | SOCKET, CRYSTAL SO-200 [CUST: CR CC] | A 5935 | CC | | 06-AUG-91 |
| MS35117B NOT 1 | RECEPTACLE, CONNECTOR (TYPE SM) UG-694/U [CUST: CR CC] | A 5935 | CC | | 15-AUG-91 |
| MS35118C NOT 1 | RECEPTACLE, CONNECTOR (TYPE SM) UG-695/U [CUST: CR CC] | A 5935 | CC | | 15-AUG-91 |
| MS35121B NOT 1 | RECEPTACLE CONNECTOR (TYPE-SM) UG-698/U [CUST: CR CC] | A 5935 | CC | | 14-AUG-91 |
| MS35122A NOT 1 | PLUG, CONNECTOR (TYPE-SM) UG-699/U [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 15-AUG-91 |
| MS35123B NOT 1 | RECEPTACLE CONNECTOR (TYPE SM) UG-700/U [CUST: CR CC] [REVIEW: MI] | A 5935 | CC | | 15-AUG-91 |
| MS35124B NOT 1 | RECEPTACLE, CONNECTOR (TYPE-SM) UG-923/U [CUST: CR CC] | A 5935 | CC | | 15-AUG-91 |
| MS35140D | STRAP, RETAINING, ONE HOLE, FOR PIPE, RIGID CONDUIT AND CABLE [CUST: AR YD1 99] [REVIEW: CR CR4 GL MC MI] | A 5340 | IS | | 12-FEB-87 |
| MS35190F | SCREW, MACHINE-82 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UNF-2 [CUST: AR SH 99 IS] [REVIEW: AV MC MI SA] | A 5305 | IS | | 28-JUL-76 |
| MS35191G | SCREW, MACHINE-82 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UNF-2A (IN./MM) [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 MC MI] | A 5305 | IS | | 28-JUL-76 |
| MS35198D(1) | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, BRASS, UNC-2A [CUST: AR 99 IS] | A 5305 | IS | | 19-APR-96 |
| MS35199B(1) NOT 1 | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, BRASS, BLACK-CHEMICAL FINISH, UNF-2A [CUST: AR 99 IS] | A 5305 | IS | | 19-APR-96 |
| MS35202C NOT 2 | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, ALUMINUM ALLOY, ANODIC COATED, UNC-2A [CUST: AR 99 IS] [REVIEW: AS AT AV CR4 EA MC MI SH] | A 5305 | IS | | 25-MAR-96 |
| MS35203B NOT 1 | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, ALUMINUM ALLOY, ANODIC COATED, UNF-2A [CUST: AR 99 IS] [REVIEW: AT AV CR4 EA MC MI SH] | A 5305 | IS | | 25-MAR-96 |
| MS35206H | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED CARBON STEEL, CADMIUM PLATED, UNC-2A [CUST: AR AS 99] [REVIEW: AV CR4 MC MI] | A 5305 | IS | | 14-JUN-91 |
| MS35207F(1) | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UNF-2A (IN./MM) [CUST: AR AS 99] [REVIEW: AT AV CR4 GL MC MI SH YD1] | A 5305 | IS | | 05-OCT-92 |
| MS35214D(1) | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, BRASS, UNC-2A [CUST: AR 99] [REVIEW: AT AV CR CR4 EA MC SH] | A 5305 | IS | | 05-OCT-92 |
| MS35215C(1) | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, BRASS, UNF-2A [CUST: AR 99] [REVIEW: AT AV CR4 EA MC SH] | A 5305 | IS | | 05-OCT-92 |
| MS35218B(1) | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, ALUMINUM ALLOY, UNC-2A [CUST: AR SH 99] [REVIEW: AT AV EA MC MI] | A 5305 | IS | | 05-OCT-92 |
| MS35219B(1) | SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, ALUMINUM ALLOY, UNF-2A [CUST: AR SH 99] [REVIEW: AV CR4 MC MI SA] | A 5305 | IS | | 05-OCT-92 |
| MS35265C NOT 1 | SCREW, MACHINE DRILLED FILLISTER HEAD, SLOTTED, CARBON STEEL, UNC-2A [CUST: AR 99 IS] [REVIEW: AS AV CR4 MC MI YD1] | A 5305 | IS | | 25-MAR-96 |
| MS35266C NOT 2 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CARBON STEEL, UNF-2A [CUST: AR 99 IS] [REVIEW: AV CR4 MC MI OS SH] | A 5305 | IS | | 25-MAR-96 |
| MS35273C(1) NOT 1 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, BRASS, BLACK CHEMICAL FINISH, UNC-2A [CUST: AR AS 99 IS] | A 5305 | IS | | 26-JUN-96 |
| MS35274C(1) | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, BRASS, BLACK CHEMICAL FINISH, UNF-2A [CUST: AR AS 99 IS] | A 5305 | IS | | 26-JUN-96 |
| MS35275B(1) | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CORROSION RESISTING STEEL, PASSIVATED, UNC-2A [CUST: AR AS 99] [REVIEW: AT AV CR4 EA MC MI SH] | A 5305 | IS | | 18-JUN-92 |
| MS35276C(1) | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CORROSION RESISTING STEEL, PASSIVATED, UNF-2A [CUST: AR SH 99] [REVIEW: AT AV CR4 EA GL MC] | A 5305 | IS | | 18-JUN-92 |
| MS35277B(1) NOT 1 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, ALUMINUM ALLOY, UNC-2A [CUST: AR 99 IS] | A 5305 | IS | | 26-JUN-96 |
| MS35278B(1) NOT 1 | SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, ALUMINUM ALLOY, UNF-2A [CUST: AR 99 IS] | A 5305 | IS | | 26-JUN-96 |
| MS35307E | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, CORROSION RESISTING, PASSIVATED, UNC-2A [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 EA GL MI NS OS SH YD1] | A 5305 | IS | | 25-APR-97 |
| MS35308E(1) NOT 1 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, CORROSION RESISTING, PASSIVATED, UNF-2A [CUST: AR SH 99 IS] | A 5305 | IS | | 26-JUN-96 |
| MS35309C(1) NOT 1 | SCREW, CAP, HEXAGON HEAD - NAVAL BRASS, PLAIN FINISH, UNC-2A [CUST: AR SH 99 IS] | A 5305 | IS | | 26-JUN-96 |
| MS35310B(1) | SCREW, CAP, HEXAGON HEAD, NAVAL BRASS, PLAIN FINISH, UNF-2A [CUST: AR SH 99 IS] | A 5305 | IS | | 26-JUN-96 |
| MS35311A NOT 1 | SCREW, CAP, HEXAGON HEAD, NICKEL-COPPER ALLOY, PLAIN FINISH UNF-2A [CUST: AR SH 99 IS] [REVIEW: AT AV MC OS SA] | A 5305 | IS | | 25-MAR-96 |
| MS35312A NOT 1 | SCREW, CAP, HEXAGON HEAD, NICKEL-COPPER ALLOY, PLAIN FINISH, UNF-2A [CUST: AR SH 99 IS] [REVIEW: AT AV CR4 MC MI OS] | A 5305 | IS | | 03-MAY-96 |
| MS35333K NOT 2 | WASHER, LOCK, FLAT-INTERNAL TOOTH [CUST: AR AS 99 IS] | A 5310 | IS | | 20-OCT-95 |
| MS35334D(1) | WASHER, LOCK, FLAT, HEAVY, INTERNAL TOOTH [CUST: AR 82 IS] | A 5310 | IS | | 20-FEB-96 |
| MS35335F | WASHER, LOCK, FLAT-EXTERNAL TOOTH [CUST: AR 82 IS] [REVIEW: AS AT AV CR CR4 GL MC MI OS YD1] | A 5310 | IS | | 13-DEC-93 |
| MS35336D(1) | WASHER, LOCK COUNTERSUNK, 80 DEG. 82 DEG., EXTERNAL TOOTH (IN/MM) [CUST: AR 82 IS] | A 5310 | IS | | 20-FEB-96 |
| MS35338L NOT 2 | WASHER, LOCK-SPRING, HELICAL, REGULAR (MEDIUM) SERIES [CUST: AR AS 99 IS] | A 5310 | IS | | 20-OCT-95 |
| MS35340F | WASHER, LOCK-HELICAL SPRING, EXTRA DUTY (EXTRA-HEAVY) SERIES [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MI OS SH YD1] | A 5310 | IS | | 13-DEC-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|-----------|
| A | MS35341C | FILTER, FLUID, PRESSURE, OIL, HEAVY DUTY BY-PASS TYPE, SENIOR SIZE (NON-BASE MOUNTED) [CUST: AT SH 99] [REVIEW: AS AV CR4 MC MI] | A 2940 | AT | | 16-MAR-67 |
| A | MS35342D | FILTER, FLUID, PRESSURE, OIL, HEAVY DUTY, BY-PASS TYPE SENIOR SIZE (BASE MOUNTED) [CUST: AT SH 99] [REVIEW: AR AS AV CR4 MC MI] | A 2940 | AT | | 12-DEC-79 |
| | MS35343E | FILTER, FLUID, PRESSURE, OIL, HEAVY DUTY, BY-PASS TYPE, JUNIOR SIZE [CUST: AT SH 99] [REVIEW: AR AS AV CC CR4 MC MI] | A 2940 | AT | | 12-DEC-79 |
| A | MS35345F | FILTER ELEMENT, FLUID, PRESSURE, FOR SENIOR SIZE FILTER [CUST: AT SH 99] [REVIEW: AR AS AV CR4 MC MI] | A 2940 | AT | | 12-DEC-79 |
| A | MS35346F | FILTER ELEMENT, FLUID, PRESSURE, FOR JUNIOR SIZE FILTER [CUST: AT SH 99] [REVIEW: AR AS AV CR4 MC MI] | A 2940 | AT | | 12-DEC-79 |
| | MS35347C | GASKET, FILTER, FLUID, PRESSURE [CUST: AT SH 99] [REVIEW: AR AV CC CR4 MC MI] | A 5330 | AT | | 12-DEC-79 |
| | MS35355B | BOLT, MACHINE, SQUARE HEAD, STEEL, CADMIUM OR ZINC PLATED, UNC-2A [CUST: AR SH 99] [REVIEW: AT AV CR4 MC MI OS] | A 5306 | IS | | 06-OCT-71 |
| | MS35356A | BOLT, MACHINE, SQUARE HEAD, STEEL, PHOSPHATE COATED, UNC-2A [CUST: AR SH 99] [REVIEW: AT AV MC OS] | A 5306 | IS | | 06-OCT-71 |
| | MS35420A | LENS, CLEARANCE MARKER LIGHT, BLACKOUT [CUST: MC GS] [REVIEW: 11 AS] | A 6220 | GS | | 22-AUG-62 |
| | MS35421A | LENS, CLEARANCE MARKER LIGHT, SERVICE [CUST: MC GS] [REVIEW: 11 AS GS] | A 6220 | GS | | 22-AUG-62 |
| | MS35422C | LAMPHOLDER, LIGHT, MARKER, CLEARANCE [CUST: AT MC 99 GS] [REVIEW: CR4] | A 6220 | GS | | 15-DEC-93 |
| | MS35423B NOT 1 | LIGHT, MARKER, CLEARANCE&SERVICE [CUST: AT MC 99 GS] [REVIEW: AS CR4 MI] | A 6220 | GS | | 18-SEP-87 |
| | MS35426E | NUT, PLAIN, WING, UNF-2B [CUST: AR 99 IS] [REVIEW: CR4 IS MI YD1] | A 5310 | IS | | 14-MAR-77 |
| | MS35430B | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE [CUST: AR SH GS] [REVIEW: 99 CR MI] | A 5940 | GS | | 10-FEB-61 |
| | MS35431G | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, FLAT [CUST: AR 85 GS] [REVIEW: 11 99 AS AV MC MI] | A 5940 | GS | | 16-FEB-87 |
| | MS35434A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, FLAG [CUST: AR SH 85 GS] [REVIEW: 99 CR] | A 5940 | GS | | 23-JUL-56 |
| | MS35435C | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, LOCATING LIP [CUST: AR SH 85 GS] [REVIEW: 99 CR] | A 5940 | GS | | 10-JUL-64 |
| A | MS35436B | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, ONE HOLE [CUST: AR SH] [REVIEW: 85 CR GS MI] | A 5940 | GS | | 10-FEB-61 |
| | MS35437A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, ONE-HOLE, LOCATING [CUST: AR SH 85 GS] [REVIEW: 99 CR] | A 5940 | GS | | 23-JUL-56 |
| | MS35438B | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING INSULATION GRIP, ONE HOLE, FLAG[CUST: AR SH 85 GS] [REVIEW: CR MI] | A 5940 | GS | | 15-DEC-89 |
| | MS35439C | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, ELONGATED HOLE [CUST: AR SH 85 GS] [REVIEW: 99 CR] | A 5940 | GS | | 10-JUL-64 |
| | MS35440A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, SLOTTED [CUST: AR SH 85 GS] [REVIEW: 99 CR MI] | A 5940 | GS | | 23-JUL-56 |
| | MS35442A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, SLOTTED, 45 DEG. [CUST: AR SH 85 GS] [REVIEW: 99 CR MI] | A 5940 | GS | | 23-JUL-56 |
| | MS35443A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, SLOTTED [CUST: AR SH 85 GS] [REVIEW: 99 CR] | A 5940 | GS | | 23-JUL-56 |
| | MS35444A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE [CUST: AR SH 85 GS] [REVIEW: 99 CR] | A 5940 | GS | | 23-JUL-56 |
| | MS35445A | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE, FLAT, SLITTED [CUST: AR SH 85 GS] [REVIEW: 99 CR] | A 5940 | GS | | 23-JUL-56 |
| | MS35446C | TERMINAL, LUG, SOLDER TYPE, COPPER TUBING, ONE HOLE [CUST: AR SH 85 GS] [REVIEW: 99 CR CR4 MI] | A 5940 | GS | | 15-DEC-89 |
| | MS35447B | TERMINAL, LUG, SOLDER TYPE, COPPER TUBING, ONE HOLE 45 DEG. [CUST: AR SH 85 GS] [REVIEW: 99 CR MI] | A 5940 | GS | | 10-FEB-61 |
| | MS35448B | TERMINAL, LUG, SOLDER TYPE, COPPER TUBING, ONE HOLE, 90 DEG. [CUST: AR SH 85 GS] [REVIEW: 99 CR MI] | A 5940 | GS | | 10-FEB-61 |
| D | MS35465E | CUTTING EDGE, MOLDBOARD, GRADER [CUST: AT 99] [REVIEW: 84 MC YD1] | A 3830 | CC | | 26-AUG-88 |
| | MS35489J NOT 1 | GROMMETS, SYNTHETIC AND SILICONE RUBBER, HOT-OIL AND COOLANT RESISTANT [CUST: AR OS 99 IS] [REVIEW: AS CR EC GL MC MI NS SA] | A 5325 | IS | | 10-APR-96 |
| | MS35492E NOT 2 | SCREW, WOOD, FLAT HEAD, CROSS-RECESSED, STEEL AND BRASS [CUST: AR YD1 99 IS] [REVIEW: AT AV EA MI NS] | A 5305 | IS | | 01-FEB-96 |
| | MS35493E NOT 2 | SCREW, WOOD, ROUND HEAD, CROSS-RECESSED, STEEL AND BRASS [CUST: AR YD1 99 IS] [REVIEW: AT AV EA MI NS] | A 5305 | IS | | 01-FEB-96 |
| | MS35494E NOT 2 | SCREW, WOOD, FLAT HEAD, SLOTTED, STEEL AND BRASS [CUST: AR YD1 99 IS] [REVIEW: AT AV EA MI NS] | A 5305 | IS | | 01-FEB-96 |
| | MS35495D NOT 2 | SCREW, WOOD, ROUND HEAD, SLOTTED, STEEL AND BRASS [CUST: AR YD1 99 IS] [REVIEW: AT AV EA MI NS] | A 5305 | IS | | 01-FEB-96 |
| | MS35643C | GASKET, SYNTHETIC RUBBER, CAP, FUEL TANK [CUST: AT CC] [REVIEW: 99 CR4 MC MI] | A 2910 | CC | | 07-DEC-67 |
| | MS35644F | FILLER NECK ASSEMBLY, FUEL TANK-MILITARY VEHICLES [CUST: AT 99] [REVIEW: CR4 MI YD1] | A 2910 | CC | | 25-NOV-86 |
| | MS35645F | CAP, FUEL TANK, TACTICAL VEHICLE, FORDING [CUST: AT 99] [REVIEW: CR4 MC MI] | A 2910 | CC | | 20-NOV-72 |
| | MS35646B | SCREW, EYE, STEEL OR BRASS [CUST: AR 99] [REVIEW: AS AT AV CR4 MC] | A 5305 | IS | | 22-MAR-74 |
| | MS35649H | NUT, PLAIN, HEXAGON, MACHINE SCREW, UNC-2B [CUST: AR 99 IS] [REVIEW: 82 AT EA IS MC MI NS OS YD1] | A 5310 | IS | | 12-FEB-88 |
| | MS35650G | NUT, PLAIN, HEXAGON, MACHINE SCREW, UNF-2B [CUST: AR 99 IS] [REVIEW: 82 AT AV EA IS MC MI OS YD1] | A 5310 | IS | | 07-OCT-85 |
| | MS35670D | VALVE, SAFETY RELIEF [CUST: MI 99] [REVIEW: AR AV CC GL] | A 4820 | MI | | 11-JUN-93 |
| | MS35671A NOT 1 | PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVE, CARBON STEEL [CUST: AR AS 99 IS] [REVIEW: 82 AV CR4 MC MI SH] | A 5315 | IS | | 29-FEB-96 |
| | MS35672B NOT 1 | PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVED, CORROSION-RESISTING STEEL [CUST: AR AS 99 IS] [REVIEW: 82 AV CR4 EA MC MI SH] | A 5315 | IS | | 11-MAR-96 |
| | MS35674A NOT 1 | PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, CARBON STEEL [CUST: AR SH 99 IS] [REVIEW: 82 AT AV CR4 MC MI] | A 5315 | IS | | 11-MAR-96 |
| | MS35675B NOT 1 | PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, CORROSION-RESISTING STEEL [CUST: AR AS 99 IS] [REVIEW: 82 AV CR4 MC MI SH YD1] | A 5315 | IS | | 11-MAR-96 |
| | MS35677A NOT 1 | PIN, GROOVED, HEADLESS, LONGITUDINAL CENTER GROOVE, CARBON STEEL [CUST: AR AS 99 IS] [REVIEW: 82 CR4 MC MI SH] | A 5315 | IS | | 11-MAR-96 |
| | MS35678B NOT 2 | PIN, GROOVED, HEADLESS-LONGITUDINAL CENTER GROOVE, CORROSION-RESISTING STEEL [CUST: AR AS 99 IS] [REVIEW: 82 AV CR4 MC MI SH] | A 5315 | IS | | 11-MAR-96 |
| D | MS35689A | V-BEARING (SPRING LOADED) [CUST: AR MC GS] [REVIEW: AT] | A 3120 | GS | | 01-SEP-93 |
| | MS35690E | NUT, PLAIN, HEXAGON, UNC-2B & UNF-2B [CUST: AR SH 99 IS] [REVIEW: 82 AV CR4 EA IS MC NS] | A 5310 | IS | | 29-AUG-84 |
| | MS35691D | NUT, PLAIN, HEXAGON (JAM) (UNC-2B & UNF-2B) [CUST: AR 99 IS] [REVIEW: 82 AT CR4 EA IS MC NS SH] | A 5310 | IS | | 29-AUG-84 |
| | MS35692B(1) | NUT, SLOTTED, HEXAGON, UNC-2B AND UNF-2B [CUST: AR SH 82 IS] | A 5310 | IS | | 20-FEB-96 |

DODISS NUMERICAL LISTING DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/area | MCA Prep. Acty. | Date |
|-------------|-----------------|--|--------------------------|--------------------|-----------|
| | MS35751E | BOLT, SQUARE NECK, ROUND HEAD (CARRIAGE), STEEL, CADMIUM OR ZINC PLATED, UNC-2A [CUST: AV 99 IS] [REVIEW: 82 AT AV CR4 EA FSS JFK MC OS YDI] | A 5306 | IS | 25-JUL-94 |
| | MS35754B | BOLT, SQUARE NECK, COUNTERSUNK, (FLOW) STEEL, CADMIUM OR ZINC PLATED, NC-2A AND UNC-2A [CUST: AR 99] [REVIEW: AT CR4 MC OS] | A 5306 | IS | 20-MAY-74 |
| | MS35756E NOT 1 | KEY, WOODRUFF, STEEL ALLOY, WITH KEYWAY AND KEY SLOT DIMENSIONS [CUST: AR OS 99 IS] [REVIEW: 82 AS AT AV CR4 GL MC MI SH] | A 5315 | IS | 11-MAR-96 |
| | MS35758B | CUP, GREASE, MANUAL FEED [CUST: AR 99] [REVIEW: 82 AS AT GL SH] | A 4730 | CC | 28-JAN-86 |
| | MS35759B | CUP, GREASE, AUTOMATIC FEED [CUST: AR 99] [REVIEW: GL SH] | A 4730 | CC | 18-MAR-71 |
| | MS35760A NOT 1 | CORD ASSEMBLY, ELECTRICAL (CORD CD-307-A) [CUST: CR EC 85 GS] [REVIEW: 99 AS NS] | A 5995 | CC | 10-APR-87 |
| | MS35764E | BOLT, SELF-LOCKING, HEXAGON HEAD, STEEL, GRADE 8, UNC-2A AND UNF-2A [CUST: AR 99] [REVIEW: AT CR4 MC MI OS] | A 5306 | IS | 29-DEC-75 |
| | MS35769B NOT 1 | GASKET, METALLIC, ENCASED, ANNULAR, COPPER [CUST: AR 99 IS] [REVIEW: 82 AT CR4] | A 5330 | IS | 18-JUL-96 |
| | MS35770B NOT 1 | THERMOSTATS, FLOW CONTROL, FOR 10 TO 500 H.P., LIQUID-COOLED INTERNAL COMBUSTION ENGINES | A 2930 | CC | 15-OCT-92 |
| | MS35773B | RADIATOR, ENGINE COOLING, INDUSTRIAL [CUST: 99] [REVIEW: AT MC] | A 2930 | CC | 08-APR-66 |
| | MS35782C NOT 1 | COCK, DRAIN, CENTER DRAIN, 150 P.S.I. [CUST: AR SH 99] [REVIEW: AT AV CR4 GL MC MI] | A 4820 | CC | 10-JAN-89 |
| | MS35783E NOT 1 | COCK, DRAIN, WITH HOSE BIB, 150 P.S.I. [CUST: AR SH 99] [REVIEW: AT AV CR4 MC MI] | A 4820 | CC | 10-JAN-89 |
| | MS35784C NOT 1 | COCK DRAIN, SPRING KEY, 50 P.S.I. [CUST: AR SH 99] [REVIEW: AT AV CR4 MC] | A 4820 | CC | 05-SEP-86 |
| | MS35785B NOT 1 | COCK, DRAIN, GROUND KEY, 150 P.S.I. STEAM PRESSURE [CUST: AR SH 99] [REVIEW: AT AV CR4 MC] | A 4820 | CC | 05-SEP-86 |
| | MS35787B NOT 1 | COCK, DRAIN, GROUND KEY, BIB NOZZEL, 150 P.S.I. STEAM PRESSURE [CUST: AR SH 99] [REVIEW: GL MC MI MS] | A 4820 | CC | 05-SEP-86 |
| | MS35791B | HANDLE, BAIL, CHEST, SURFACE MOUNTING, COUNTERSUNK HOLES [CUST: AR OS 99] [REVIEW: AV CR4 GL MC MI] | A 5340 | IS | 27-MAR-70 |
| | MS35792B | HANDLE, BAIL, CHEST, RECESSED [CUST: AR OS 99] [REVIEW: AV CR4 GL MC MI] | A 5340 | IS | 27-MAR-70 |
| | MS35793B | HANDLE, BAIL, CHEST, SURFACE MOUNTING, PLAIN HOLES [CUST: AR OS 99] [REVIEW: AV CR4 GL MC MI] | A 5340 | IS | 27-MAR-70 |
| | MS35798B NOT 1 | BOLT, MACHINE, SQUARE HEAD, HOT GALVANIZED (POLE LINE) [CUST: CR YD1 99] [REVIEW: 82 CR4 FSS GL NA NS] | A 5306 | IS | 12-OCT-93 |
| | MS35799C NOT 1 | ROD, CONTINUOUS THREAD, DOUBLE ARMING, HOT GALVANIZED, (POLE LINE) [CUST: CR YD1 99] [REVIEW: 82 CR4 FSS GL NA NS] | A 5306 | IS | 12-OCT-93 |
| | MS35801A | BOLT, LAG, FETTER DRIVE HOT GALVANIZED (POLE-LINE) [CUST: CR YD1 99] [REVIEW: AR MC SA] | A 5306 | IS | 10-AUG-67 |
| | MS35810B NOT 1 | PIN, STRAIGHT, HEADED (CLEVIS PIN) STEEL, CADMIUM OR ZINC PLATED [CUST: AR SH 99 IS] [REVIEW: 82 AT CR4 MC MI OS] | A 5315 | IS | 11-MAR-96 |
| | MS35812E | CLEVIS, ROD END&ADJUSTABLE AND PLAIN, STEEL [CUST: AR AS 99] [REVIEW: AT CR4 GL MC MI OS YDI] | A 5340 | IS | 27-FEB-87 |
| | MS35867C NOT 1 | CONNECTION END, INTERNAL FLARE, REFRIG. [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35868B NOT 1 | CONNECTION, END, EXTERNAL PIPE THREAD REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35869C NOT 1 | ADAPTER, STRAIGHT, MALE, REFRIGERATION PIPE TO FLARED TUBE [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35870C NOT 1 | ADAPTER, REFRIGERANT CYLINDER, EXTERNAL FLAREX STRAIGHT PIPE, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35871C | TEE, PIPE TO TUBE, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 24-FEB-78 |
| | MS35872C | FLARE NUT AND FLARE SEAL BONNET, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35873C NOT 1 | CONNECTION, END, EXTERNAL FLARE, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35875A NOT 1 | AIR CLEANER, INTAKE, OIL BATH TYPE, FOR INDUSTRIAL ENGINES [REVIEW: AT CG MC] | A 2940 | CC | 14-DEC-87 |
| A | MS35914F | INSERT, SCREW THREAD - THREAD CUTTING [CUST: AR 99 IS] [REVIEW: AT AV MI] | A 5325 | IS | 20-SEP-77 |
| | MS35916D | TACHOMETER, MECHANICAL FIXED MOUNTING - (4000 R.P.M.) [CUST: GS] [REVIEW: CR4 MC MI] | A 6680 | GS | 11-JUL-91 |
| | MS35917C NOT 1 | ELBOW, TUBE, 90 AND 45 DEGREE, SOLDER- JOINT, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35918B NOT 1 | ADAPTER, STRAIGHT, PIPE THREAD TO TUBE, MALE SOLDER-JOINT, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 12-FEB-88 |
| | MS35919C NOT 1 | ADAPTER, STRAIGHT, PIPE TO TUBE, EXTERNAL FLARE TO FEMALE SOLDER-JOINT, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35920C NOT 1 | REDUCER COUPLING, TUBE, MALE TO FEMALE SOLDER-JOINT, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35921C NOT 1 | ADAPTER, STRAIGHT, PIPE TO TUBE, PIPE THD TO FEMALE SOLDER-JOINT, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35922C NOT 1 | ELBOW, TUBE, 90 DEGREE, REDUCING, SOLDER-JOINT, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35923C | REDUCER COUPLING, TUBE, FEMALE TO FEMALE SOLDER-JOINT, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 18-DEC-75 |
| | MS35924B NOT 1 | PLUG AND CAP, TUBE, SOLDER-JOINT, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35925B NOT 1 | CONNECTION END, SOLDER-JOINT, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 12-FEB-88 |
| | MS35926C NOT 1 | CONNECTION END, INTERNAL PIPE THREAD, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35927C NOT 1 | COUPLING, TUBE, WITH STOP, SOLDER-JOINT, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35928C | ELBOW, TUBE, STREET, 90 AND 45 DEGREE, SOLDER-JOINT, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 31-OCT-86 |
| | MS35929C NOT 1 | TEE, TUBE, STRAIGHT, SOLDER JOINT, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | 12-FEB-88 |
| | MS35930B | COCK, PLUG, SPRING KEY, THREADED TYPE, 50 P.S.I. [CUST: AR SH 99] [REVIEW: AT CR4 GL MI] | A 4820 | CC | 28-SEP-73 |
| | MS35931B | COCK, PLUG, GROUND KEY, THREADED TYPE, 125 P.S.I. [CUST: AR SH] [REVIEW: AT CR4 GL MI] | A 4820 | CC | 05-SEP-86 |
| | MS35932B | COCK, PLUG, THREE WAY, THREADED TYPE, 125 P.S.I. [CUST: AR SH 99] [REVIEW: AT CR4 GL] | A 4820 | CC | 28-SEP-73 |
| | MS35934B | COCK, SHUT-OFF, SCREW STEM, THREADED TYPE, 150 P.S.I. [CUST: AR SH 99] [REVIEW: CR4 GL MC MI] | A 4820 | CC | 05-SEP-86 |
| | MS39021F | SPEEDOMETER, MECHANICAL (0-60 MPH) [CUST: GS] [REVIEW: CR4 MC MI] | A 6680 | GS | 11-JUL-91 |
| | MS39040A | BRIDLE RING (POLE LINE) [CUST: CR 85] [REVIEW: 99 MC] | A 5975 | GS | 19-DEC-67 |
| A | MS39058B | SWITCH, SENSITIVE, 24-VOLT DC (WATERPROOF) [CUST: AT CC] [REVIEW: MI] | A 5930 | CC | 16-FEB-88 |
| | MS39061B NOT 1 | SWITCH, TOGGLE - SPST, SPDT, 24 VOLT DC, 25 AMP (WATERPROOF) [CUST: AT CC] [REVIEW: AR CR4] | A 5930 | CC | 28-JUL-93 |
| | MS39086B NOT 1 | PIN, SPRING, TUBULAR, COILED, HEAVY DUTY [CUST: AR 99 IS] [REVIEW: 82 AT AV CR MC MI] | A 5315 | IS | 11-MAR-96 |
| | MS39087F(1) | HANDLE, BOW [CUST: AR 99 IS] [REVIEW: 82 AT AV CR CR4 MI] | A 5340 | IS | 12-DEC-96 |
| | MS39103D | CUTTING EDGE MOLDBOARD, DOZER [CUST: AT 99] [REVIEW: MC] | A 3830 | CC | 12-SEP-72 |
| | MS39130D | ADAPTER, SPEEDOMETER- TACHOMETER, 90 DEG. DRIVE [CUST: AT GS] [REVIEW: CR4] | A 6680 | GS | 14-NOV-85 |
| | MS39132G | ADAPTER, SPEEDOMETER- TACHOMETER STRAIGHT DRIVE [CUST: GS] [REVIEW: 99 CR4] | A 6680 | GS | 25-AUG-80 |
| | MS39133E | ADAPTER, STRAIGHT, PIPE TO HOSE-AUTOMOTIVE AIR BRAKE HOSE [CUST: AT 99] [REVIEW: 82 AR EA] | A 4730 | CC | 15-MAY-89 |
| | MS39134D | SPRING, HELICAL, COMPRESSION: MECHANICAL-AUTOMOTIVE AIR BRAKE HOSE ADAPTER [CUST: AT 99] [REVIEW: 82 AR EA] | A 4730 | CC | 15-MAY-89 |
| | MS39135E | NUT, HOSE COUPLING, AUTOMOTIVE AIR BRAKE HOSE ADAPTER [CUST: AT 82] [REVIEW: AR EA] | A 4730 | CC | 15-MAY-89 |
| | MS39136E | SLEEVE COMPRESSION, TUBE-HOSE FITTING-AUTOMOTIVE AIR BRAKE HOSE ADAPTER [CUST: AT 99] [REVIEW: 82 AR EA] | A 4730 | CC | 15-MAY-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Ave | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-------------------------|-----|-------------|-----------|
| | MS39137E | ADAPTER BODY, AUTOMOTIVE AIR BRAKE [CUST: AT 99] [REVIEW: 82 AR EA] | A 4730 | CC | | 15-MAY-89 |
| | MS39155 | ADAPTER, STRAIGHT, PIPE TO HOSE - MALE, REUSABLE [CUST: AR CC] | A 4730 | CC | | 09-MAR-62 |
| | MS39156 | ADAPTER, STRAIGHT, TUBE TO HOSE - 37 DEG. FLARE, FEMALE, REUSABLE [CUST: AR CC] | A 4730 | CC | | 09-MAR-62 |
| | MS39189E | TEE, PIPE TO TUBE, FEMALE PIPE END ON RUN, MALE PIPE END ON BRANCH, FOR AIR LINES, SPHERICAL SLEEVE [CUST: AR CC] [REVIEW: AT CR4 MC MI] | A 4730 | CC | | 10-DEC-76 |
| | MS39210F | NUT, TUBE COUPLING - SAFETY SLEEVE COMPRESSION TYPE [CUST: AT CC] | A 4730 | CC | | 29-AUG-86 |
| | MS39238A | CUTTING EDGE, SCRAPER BOWL, EARTH MOVING, 18 CUBIC YARD [CUST: AT YD1 99] [REVIEW: CC] | A 3805 | AT | | 02-MAY-87 |
| | MS39247 NOT 1 | AIR CLEANER, INTAKE, DRY TYPE, FOR INTERNAL COMBUSTION ENGINES (CLASS I AND CLASS II) [CUST: 99] [REVIEW: MC] | A 2940 | CC | | 14-DEC-87 |
| | MS39254D | CYLINDER, ENGINE STARTING (ENGINE COLD-STARTING AID) [CUST: MC] [REVIEW: AT] | A 2910 | CC | | 04-MAR-94 |
| | MS39267C NOT 2 | HOSE, RUBBER: HYDRAULIC, PRESSURE TYPE MINIMUM BEND RADIUS [CUST: AT 99] [REVIEW: 82 AL] | A 4720 | CC | | 09-JUN-95 |
| | MS39322 NOT 2 | ADAPTER: 37-DEGREE FLARE, FEMALE SWIVEL TO WELD SOCKET, 3/4-INCH TO 1-INCH [CUST: CC] [REVIEW: AR] | A 4730 | CC | | 15-MAY-95 |
| | MS39323A | TUBE - REDUCER, 37-DEGREE FLARE [CUST: AT CC] | A 4730 | CC | | 09-MAY-80 |
| | MS39324A | ADAPTER, 37-DEGREE FLARE TO ,O, RING BOSS [CUST: AT CC] | A 4730 | CC | | 09-MAY-80 |
| | MS39325A | HOSE ASSEMBLIES; AIR BRAKE [CUST: AT 99] [REVIEW: AR] | A 4720 | CC | | 31-MAY-89 |
| | MS39352D | ADAPTER MALE BY MALE QUICK DISCONNECT, CAM-LOCKING TYPE, TYPE XXI [CUST: AT YD1 99] [REVIEW: 82 CC CG MC] | A 4730 | AT | | 15-MAY-89 |
| | MS45904B NOT 2 | WASHER, LOCK, INTERNAL AND EXTERNAL TOOTH [CUST: AR AS 99 IS] | A 5310 | IS | | 20-OCT-95 |
| | MS45905A(2) | NUT, PLAIN - HEXAGON, FINISHED, LEFT HAND [CUST: AR IS] | A 5310 | IS | | 23-APR-96 |
| | MS49000E | REDUCER, MALE BY FEMALE AND FEMALE BY MALE QUICK DISCONNECT, CAM-LOCKING TYPE XI [CUST: AT YD1 99] [REVIEW: 82 CC GL MC SH] | A 4730 | AT | | 15-MAY-89 |
| | MS49001D | REDUCER, EXTERNAL PIPE THREAD BY QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, TYPE XII [CUST: AT YD1 99] [REVIEW: 82 CC GL SH] | A 4730 | AT | | 15-MAY-89 |
| | MS49002E | REDUCER, EXTERNAL PIPE THREAD BY QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, TYPE XIII [CUST: AT YD1 99] [REVIEW: 82 CC GL SH] | A 4730 | AT | | 15-MAY-89 |
| | MS49006C | PLUG, PIPE, MAGNETIC-HEADLESS, ALUMINUM, IRON OR STEEL [CUST: AR YD1 99] [REVIEW: AT AV CR4 MC MI] | A 4730 | CC | | 15-NOV-72 |
| | MS49007B | NOZZLES, OIL BURNER PRESSURE ATOMIZING [CUST: CR4 YD1 69] [REVIEW: 99 CE] | A 4530 | CC | | 30-MAR-92 |
| | MS49008B NOT 1 | TEE, TUBE, FLARE CONNECTION, REFRIGERATION [CUST: CC] [REVIEW: MC] | A 4730 | CC | | 31-OCT-86 |
| | MS51007C | GASKET, RUBBER, SYNTHETIC [CUST: AR 99] [REVIEW: 82 AS AT AV CR4 MC MI] | A 5330 | IS | | 10-AUG-71 |
| | MS51008C NOT 1 | HOSE, PREFORMED, FLEXIBLE, ENGINE COOLANT 1-1/4, 1-1/2, 1-3/4, 2, 2-1/4, 2-1/2, 3 I.D. [CUST: AT 99] [REVIEW: MC MI] | A 4720 | CC | | 10-SEP-87 |
| | MS51010C NOT 1 | LEAD AND CONDUIT ASSEMBLY, ELECTRICAL, SHIELDED, WATERPROOF SPARK PLUG (OTHER THAN AIRCRAFT) [CUST: AT YD1 82] [REVIEW: MC] | A 2920 | CC | | 10-OCT-90 |
| | MS51011A | LEAD AND CONDUIT ASSEMBLY, ELECTRICAL, SHIELDED, WATERPROOF SPARK PLUG (OTHER THAN AIRCRAFT) [CUST: AT 99] [REVIEW: CR4] | A 2920 | CC | | 03-NOV-66 |
| | MS51016A | ADAPTER, LEAD TO TERMINAL, SPARK PLUG CABLE (OTHER THAN AIRCRAFT) [CUST: AT 99] [REVIEW: CR4 MC] | A 2920 | CC | | 16-FEB-88 |
| | MS51021C | SETSCREW-HEXAGON SOCKET, CUP POINT, CORROSION RESISTING (CHROME-NICKEL) STEEL, PASSIVATED, UNC-3A PLAIN AND SELF LOCKING [CUST: AR 99] [REVIEW: AT AV MC MI OS] | A 5305 | IS | | 29-DEC-72 |
| | MS51033A NOT 1 | SETSCREW-HEXAGON SOCKET, FLAT POINT, BRASS, BLACK OXIDE, UNF-3A [CUST: AR SH 99] [REVIEW: AT AV CR4 MC] | A 5305 | IS | | 20-MAY-88 |
| | MS51040A NOT 1 | SETSCREW-HEXAGON SOCKET, CONE POINT, BRASS, BLACK OXIDE, UNF-3A [CUST: AR SH 99] [REVIEW: MC MI] | A 5305 | IS | | 20-MAY-88 |
| | MS51045B | SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A [CUST: AR 99] [REVIEW: AV CR4 MC MI OS] | A 5305 | IS | | 29-DEC-72 |
| | MS51065D | BELT, V: ENGINE ACCESSORY DRIVE (0.380 INCH NOMINAL WIDTH) [CUST: AT 99] [REVIEW: MC SH] | A 3030 | CC | | 24-MAY-89 |
| | MS51066D NOT 1 | BELTS, V: ENGINE ACCESSORY DRIVE (0.500 INCH NOMINAL WIDTH) [CUST: AT 99] [REVIEW: MC MI SH] | A 3030 | CC | | 24-MAY-89 |
| | MS51067D NOT 1 | BELTS, V: ENGINE ACCESSORY DRIVE (11/16 INCH NOMINAL WIDTH) [CUST: AT 99] [REVIEW: MC SH] | A 3030 | CC | | 24-MAY-89 |
| | MS51068D | BELTS, V: ENGINE ACCESSORY DRIVE (3/4 INCH NOMINAL WIDTH) [CUST: AT 99] [REVIEW: MC MI SH] | A 3030 | CC | | 24-MAY-89 |
| | MS51069D NOT 1 | BELTS, V: ENGINE ACCESSORY DRIVE (7/8 INCH NOMINAL WIDTH) [CUST: AT 99] [REVIEW: MC] | A 3030 | CC | | 24-MAY-89 |
| | MS51070D | BELTS, V: ENGINE ACCESSORY DRIVE (1 INCH NOMINAL WIDTH) [CUST: AT 99] [REVIEW: GL MC] | A 3030 | CC | | 24-MAY-89 |
| | MS51071H | SHAFT ASSEMBLY, FLEXIBLE METALLIC TACHOMETER AND SPEEDOMETER [CUST: AT GS] [REVIEW: YD1] | A 6680 | GS | | 12-AUG-87 |
| | MS51072F | CORE, FLEXIBLE SHAFT ASSEMBLY, TACHOMETER AND SPEEDOMETER. [CUST: GS] [REVIEW: AS CR4 MC] | A 6680 | GS | | 04-AUG-87 |
| D | MS51073A NOT 1 | LIGHT, DOME: 24 VOLT DC [CUST: IS] [REVIEW: CR4] | A 6220 | IS | | 14-JAN-91 |
| | MS51092B | GASKET&COPPER, FILTER, FLUID, PRESSURE, AUTOMOTIVE FUEL [CUST: 99 CC] [REVIEW: MC] | A 2910 | CC | | 07-SEP-71 |
| | MS51095F NOT 1 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A, PLAIN AND SELF-LOCKING [CUST: AR SH 99 IS] [REVIEW: 11 AS AV CR4 MC MI OS] | A 5305 | IS | | 03-MAY-96 |
| | MS51096E NOT 1 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A, PLAIN AND SELF-LOCKING [CUST: AR SH 99 IS] [REVIEW: AV CR4 MC MI OS] | A 5305 | IS | | 03-MAY-96 |
| | MS51099B NOT 2 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, CORROSION-RESISTING, PASSIVATED, UNC-2A [CUST: AR SH 99 IS] [REVIEW: AV MC MI OS] | A 5305 | IS | | 03-MAY-96 |
| | MS51100B NOT 1 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, CORROSION-RESISTING, PASSIVATED, UNF-2A [CUST: AR SH 99 IS] [REVIEW: AV MC MI OS] | A 5305 | IS | | 03-MAY-96 |
| | MS51105D NOT 2 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A [CUST: AR SH 99 IS] [REVIEW: AT AV CR4 GL MC MI] | A 5305 | IS | | 03-MAY-96 |
| | MS51106C NOT 1 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A [CUST: AR SH 99 IS] [REVIEW: AT AV CR4 MC MI OS] | A 5305 | IS | | 03-MAY-96 |
| | MS51107B NOT 2 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, ALLOY STEEL, GRADE 8, PHOSPHATE COATED, UNC-2A [CUST: AR SH 99 IS] [REVIEW: AT AV GL MC OS] | A 5305 | IS | | 03-MAY-96 |
| | MS51108B NOT 2 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, ALLOY STEEL, GRADE 8, PHOSPHATE COATED, UNF-2A [CUST: AR SH 99 IS] [REVIEW: AT AV MC OS] | A 5305 | IS | | 03-MAY-96 |
| | MS51109B NOT 1 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, CORROSION RESISTING, PASSIVATED, UNC-2A [CUST: AR SH 99 IS] [REVIEW: AT AV CR4 MC MI OS] | A 5305 | IS | | 03-MAY-96 |
| | MS51110B NOT 2 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, CORROSION-RESISTING, PASSIVATED, UNF-2A [CUST: AR SH 99 IS] | A 5305 | IS | | 03-MAY-96 |
| A | MS51114C NOT 2 | COIL, IGNITION-24 VOLT, DC (WITH INTERNAL BALLAST) [CUST: AT CC] [REVIEW: CR CR4 MC YD1] | A 2920 | CC | | 18-JAN-94 |
| A | MS51115A NOT 1 | COIL, IGNITION: 24 VOLT DC (WITHOUT INTERNAL BALLAST) [CUST: AT CC] [REVIEW: AR CR CR4 GL MC] | A 2920 | CC | | 15-MAR-93 |
| | MS51300E | CAP, FUEL TANK: COMBAT VEHICLE, SPILL-PROOF [CUST: AT 99] [REVIEW: 82 CR4 MC MI] | A 2910 | CC | | 13-JUN-90 |
| | MS51318B | HEADLIGHT, BLACKOUT, 24-VOLT WATERPROOF [CUST: AT 99 GS] [REVIEW: CR4] | A 6220 | GS | | 09-OCT-87 |

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|--------------------------|-----|-------------|-----------|
| D | MSS1319B | HEADLIGHT, SERVICE, 24-VOLT, WATERPROOF [CUST: AT 99 IS] | A 6220 | IS | | 16-FEB-88 |
| | MSS1323C NOT 1 | COVER, FITTED, VEHICULAR BODY-TOP [CUST: AT 99] [REVIEW: MC] | A 2540 | CC | | 22-JUL-88 |
| | MSS1324B NOT 1 | CURTAIN, VEHICULAR: END [CUST: AT CC] [REVIEW: MC] | A 2540 | CC | | 23-SEP-92 |
| D | MSS1329B | STOP LIGHT - TAILLIGHT, VEHICULAR-24 VOLT, SERVICE STOP, SERVICE TAIL, BLACKOUT TAIL [CUST: IS] [REVIEW: CR4 MI] | A 6220 | IS | | 15-JUL-83 |
| | MSS1336D NOT 1 | LUNETTE-COUPLER, DRAWBAR, RING [CUST: AT YD1 99] [REVIEW: MC] | A 2540 | CC | | 21-OCT-94 |
| | MSS1389A NOT 1 | RAINCAP, FOR AIR CLEANER INTAKE FOR INDUSTRIAL ENGINES [CUST: 99] [REVIEW: MC] | A 2940 | CC | | 12-JUL-90 |
| | MSS1400 NOT 1 | PIN, STRAIGHT, HEADLESS [CUST: AR IS] [REVIEW: AT] | A 5315 | IS | | 11-MAR-96 |
| | DS51402 NOT 1 | NUT, PLAIN, WING, METRIC [CUST: AR 99 IS] | A 5310 | IS | | 20-MAY-88 |
| | MSS1412C | WASHER, FLAT - ROUND, STEEL, GENERAL PURPOSE [CUST: AR SH 99 IS] [REVIEW: 19 82 AV CR CR4 EA GL IS MC NS] | A 5310 | IS | | 28-FEB-83 |
| | MSS1413A | WASHER, LOCK, FLAT-INTERNAL TOOTH [CUST: AR SH 99 IS] [REVIEW: 19 82 AV CR4 EA GL IS MC NS YD1] | A 5310 | IS | | 17-MAR-86 |
| | MSS1414A | WASHER, LOCK, FLAT-EXTERNAL TOOTH [CUST: AR SH 99 IS] [REVIEW: AV CR4 EA GL IS MC NS YD1] | A 5310 | IS | | 17-MAR-86 |
| | MSS1415C | WASHER, LOCK-HELICAL SPRING, REGULAR (MEDIUM) SERIES [CUST: AR SH IS] [REVIEW: 82 AV CR4 GL MC MI NS YD1] | A 5310 | IS | | 13-DEC-93 |
| | DS51417 | BOLT, MACHINE, HEX HEAD FULLY THREADED, FINE THREAD, METRIC [CUST: IS] [REVIEW: AV CR4 EA] | A 5306 | IS | | 12-AUG-83 |
| | MSS1468 | NUT, PLAIN, WING, CARBON STEEL, UNC-2B [CUST: AR SH 99 IS] [REVIEW: AV CR4 EA IS MC MI NS] | A 5310 | IS | | 10-JAN-83 |
| | MSS1469 | NUT, PLAIN, HEXAGON (MACHINE SCREW), CARBON STEEL, UNC-2B [CUST: AR SH 99 IS] [REVIEW: EA IS MC MI NS] | A 5310 | IS | | 10-JAN-83 |
| | MSS1470 | NUT, PLAIN, HEXAGON (MACHINE SCREW), CARBON STEEL, UNF-2B [CUST: AR SH 99 IS] [REVIEW: EA IS MC MI NS] | A 5310 | IS | | 10-JAN-83 |
| | MSS1471 | NUT, PLAIN, HEXAGON (JAM), CARBON STEEL, UNC-2B [CUST: AR SH 99 IS] [REVIEW: CR4 EA IS MC MI NS] | A 5310 | IS | | 10-JAN-83 |
| | MSS1472 | NUT, PLAIN, HEXAGON, CARBON STEEL, UNC-2B [CUST: AR SH 99 IS] [REVIEW: CR4 EA IS MC MI NS] | A 5310 | IS | | 10-JAN-83 |
| | MSS1473 | NUT, PLAIN, HEXAGON, CARBON STEEL, UNF-2B [CUST: AR SH 99 IS] [REVIEW: AV EA IS MC MI NS] | A 5310 | IS | | 10-JAN-83 |
| | DS51474 NOT 1 | SCREW, CAP, HEX HEAD, FULLY THREADED-METRIC [CUST: AR IS] [REVIEW: AV CR4 EA] | A 5305 | IS | | 24-JUN-94 |
| | MSS1476 NOT 1 | SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, UNC-3A [CUST: AR SH 99 IS] [REVIEW: 82 AV CR CR4 EA MC MI NS OS] | A 5305 | IS | | 03-MAY-96 |
| | MSS1477 | SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, UNF-3A [CUST: AR SH 99] [REVIEW: 82 CR4 EA MC MI NS OS] | A 5305 | IS | | 01-AUG-84 |
| | MSS1479 NOT 1 | SCREW, MACHINE, 82 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, UNF-2A [CUST: AR SH 99 IS] [REVIEW: 82 CR4 EA GL MC MI NS OS] | A 5305 | IS | | 03-MAY-96 |
| | MSS1480 NOT 1 | SCREW, CAP, SOCKET HEAD, ALLOY STEEL, UNF-3A [CUST: AR SH 99 IS] [REVIEW: 82 CR4 EA MC MI NS OS] | A 5305 | IS | | 03-MAY-96 |
| | MSS1481 NOT 1 | SCREW, MACHINE, 82 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, UNC-2A [CUST: AR SH 99 IS] [REVIEW: 82 AM AV CR4 EA MI NS OS] | A 5305 | IS | | 03-MAY-96 |
| | MSS1484 NOT 1 | SCREW, CAP, SOCKET HEAD, ALLOY STEEL, UNC-3A [CUST: AR SH 99 IS] [REVIEW: 82 AV CR4 EA MC MI NS OS] | A 5305 | IS | | 03-MAY-96 |
| | MSS1485 NOT 1 | SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G OR T PAN HEAD, CROSS-RECESSED, CARBON STEEL [CUST: AR SH 99 IS] [REVIEW: 82 EA MC MI NS OS] | A 5305 | IS | | 03-MAY-96 |
| | MSS1488 NOT 1 | SCREW, CAP HEXAGON HEAD (FINISHED HEXAGON BOLT), ALLOY STEEL, GRADE 8 [CUST: AR SH 99 IS] [REVIEW: AV EA MC MI NS OS] | A 5305 | IS | | 10-JUN-96 |
| | MSS1490 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, UNF-2A [CUST: AR SH 99] [REVIEW: 82 CR4 EA MC MI NS OS] | A 5305 | IS | | 01-AUG-84 |
| | MSS1491 NOT 1 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5 UNC-2A [CUST: AR SH 99 IS] [REVIEW: 82 CR4 EA MC MI NS OS] | A 5305 | IS | | 10-JUN-96 |
| | MSS1492(1) | SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, CARBON STEEL, UNC-2A [CUST: AR SH 99] [REVIEW: 82 AV CR4 EA MC MI OS] | A 5305 | IS | | 05-OCT-92 |
| | MSS1493(1) | SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, CARBON STEEL UNF-2A [CUST: AR SH 99] [REVIEW: 82 CR4 EA MC MI OS] | A 5305 | IS | | 05-OCT-92 |
| | MSS1495 NOT 1 | SCREW, EXTERNALLY RELIEVED BODY, FILLISTER HEAD [CUST: AR 99 IS] [REVIEW: 82 AT AV MC MI] | A 5305 | IS | | 10-JUN-96 |
| | MSS1496B | WASHER, FLAT-NARROW SERIES [CUST: AR 99 IS] [REVIEW: 82 AT AV GL IS MC MI SH] | A 5310 | IS | | 07-OCT-86 |
| A | MSS1498(1) | INSERT, SCREW THREAD-LOCKED IN, RING LOCKED, SERRATED, HIGH STRENGTH, OVERSIZE REPLACER [CUST: AR AS 99 IS] [REVIEW: 11 82 AT AV CR4 GL MC NS OS] | A 5325 | IS | | 06-AUG-97 |
| | MSS1500C | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; ADAPTER, STRAIGHT, PIPE TO TUBE, MALE PIPE END, 37 DEGREE FLARED [CUST: AR OS 99] [REVIEW: 82 AT CR CR4 MC YD1] | A 4730 | CC | | 16-FEB-88 |
| | MSS1501A | NIPPLE, TUBE, REGULAR HEX, 37 DEG. FLARED [CUST: AR OS] [REVIEW: AT CR CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| | MSS1502A | NIPPLE, TUBE, REGULAR HEX, 37 DEGREES FLARED (LONG) [CUST: AR OS] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| | MSS1503A | ADAPTER, STRAIGHT, PIPE TO TUBE, FEMALE PIPE END, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| | MSS1504A | ELBOW, PIPE TO TUBE, 90 DEGREES, MALE PIPE END, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| | MSS1505A | ELBOW, TUBE, 90 DEGREES, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| | MSS1506B | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; ELBOW, PIPE TO TUBE, 90 DEGREE, FEMALE PIPE END, 37 DEGREE FLARED [CUST: AR OS 99] [REVIEW: 82 AT CR CR4 MC YD1] | A 4730 | CC | | 16-FEB-88 |
| M | MSS1507A(1) | ELBOW, TUBE, 90 DEGREES, BULKHEAD, 37 DEGREES FLARED [CUST: AR OS CC] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 09-APR-98 |
| | MSS1508A | ELBOW, PIPE TO TUBE, 45 DEGREES, MALE PIPE END, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| M | MSS1509A(1) | ELBOW, TUBE, 45 DEGREES BULKHEAD, 37 DEGREES FLARED [CUST: AR OS CC] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 09-APR-98 |
| | MSS1510A | TEE, TUBE, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| | MSS1511A | TEE, PIPE TO TUBE, AMLE PIPE ON RUN, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| | MSS1512A | TEE, PIPE TO TUBE, MALE PIPE ON BRANCH, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| | MSS1513A | TEE, PIPE TO TUBE, FEMALE PIPE ON BRANCH, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| | MSS1514A | TEE, PIPE TO TUBE, FEMALE PIPE ON RUN, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| M | MSS1515A(1) | TEE, TUBE, BULKHEAD ON BRANCH, 37 DEGREES FLARED [CUST: AR OS CC] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 09-APR-98 |
| M | MSS1516A(1) | TEE, TUBE, BULKHEAD ON RUN, 37 DEGREES FLARED [CUST: AR OS CC] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 09-APR-98 |
| | MSS1517A | CROSS, TUBE, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| | MSS1518A | PLUG, MACHINE THREAD, 37 DEG. FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| | MSS1519A | NIPPLE, TUBE, LARGE HEX FOR USE WITH O RING, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 17-JAN-79 |
| M | MSS1520A(2) | NIPPLE, TUBE, BULKHEAD, 37 DEG. FLARED [CUST: AR OS CC] [REVIEW: AT CR4 MC YD1] | A 4730 | CC | | 09-APR-98 |
| | MSS1521A | ELBOW, TUBE, 90 DEGREES, SWIVEL, 37 DEGREES, FLARED [CUST: AR OS] [REVIEW: AT CR4 MC SH YD1] | A 4730 | CC | | 17-JAN-79 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Ver | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-------------------------|-----|-------------|-----------|
| | MS51522A | ELBOW, TUBE, 45 DEGREES, SWIVEL, 37 DEGREES, FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YDI] | A 4730 | CC | | 17-JAN-79 |
| | MS51523A | TEE, TUBE TO SWIVEL, SWIVEL ON RUN, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC MI YDI] | A 4730 | CC | | 17-JAN-79 |
| | MS51524A | TEE, TUBE TO SWIVEL, SWIVEL ON BRANCH, 37 DEGREES, FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YDI] | A 4730 | CC | | 17-JAN-79 |
| | MS51525B | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; ADAPTER, STRAIGHT, TUBE TO BOSS, O-RING, 37 DEGREE FLARED [CUST: AR OS 99] [REVIEW: 82 AT CR CR4 MC YDI] | A 4730 | CC | | 16-FEB-88 |
| | MS51526A | ADAPTER, STRAIGHT, TUBE TO BOSS, O RING, 37 DEGREES FLARED (LONG) [CUST: AR OS] [REVIEW: AT CR4 MC YDI] | A 4730 | CC | | 17-JAN-79 |
| | MS51527C | FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; ELBOW, TUBE TO BOSS, 90 DEGREE, O-RING, 37 DEGREE FLARED [CUST: AR OS 99] [REVIEW: 82 AT CR CR4 MC YDI] | A 4730 | CC | | 16-FEB-88 |
| | MS51528B | FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; ELBOW, TUBE TO BOSS, 45 DEGREE, O-RING, 37 DEGREE FLARED [CUST: AR OS 99] [REVIEW: 82 AT CR CR4 MC YDI] | A 4730 | CC | | 16-FEB-88 |
| | MS51529B | FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; TEE, TUBE TO BOSS, BOSS ON BRANCH, O-RING, 37 DEGREE FLARED [CUST: AR OS 99] [REVIEW: 82 AT CR CR4 GL MC YDI] | A 4730 | CC | | 16-FEB-88 |
| | MS51530B | FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; TEE, TUBE TO BOSS, BOSS ON RUN, O-RING, 37 DEGREE FLARED [CUST: AR OS 99] [REVIEW: 82 AT CR CR4 MC YDI] | A 4730 | CC | | 16-FEB-88 |
| | MS51531B(2) | NUT, TUBE COUPLING, 37 DEG. FLARED [CUST: AR OS] [REVIEW: AT CR CR4 GL MC YDI] | A 4730 | CC | | 04-APR-95 |
| | MS51532B | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; CAP, TUBE, 37 DEGREE FLARED [CUST: AR OS 99] [REVIEW: 82 AT CR CR4 GL MC YDI] | A 4730 | CC | | 16-FEB-88 |
| | MS51533A | SLEEVE, COMPRESSION, TUBE FITTING, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YDI] | A 4730 | CC | | 17-JAN-79 |
| | MS51534A | REDUCER, TUBE, 37 DEGREES FLARED [CUST: AR OS] [REVIEW: AT CR4 MC YDI] | A 4730 | CC | | 17-JAN-79 |
| | MS51535B | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE, 30 DEG. [CUST: AR 85 GS] [REVIEW: 11 99 AS AV MC MI] | A 5940 | GS | | 19-AUG-86 |
| | MS51536B | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE, 45 DEG. [CUST: AR 85 GS] [REVIEW: 11 99 AS AV MC MI] | A 5940 | GS | | 09-JUN-86 |
| A | MS51552A | NUT, SELF-LOCKING, PLATE, RIGHT ANGLE FLOATING, 125 KSI FTU 450 DEG.F [CUST: AR AS 99 IS] [REVIEW: AT AV CR MI] | A 5310 | IS | | 11-SEP-97 |
| | MS51560 | TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, SLOTTED, 90 DEG. [CUST: AR 85 GS] [REVIEW: 11 99 AS AV MC MI SH] | A 5940 | GS | | 23-JUN-86 |
| | MS51561(1) | TURNBUCKLE, ROUND BODY, EYE AND EYE (TYPE I, FORM 1, CLASS 4) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51562(1) | TURNBUCKLE, ROUND BODY, JAW AND JAW (TYPE I, FORM 1, CLASS 7) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51563(1) | TURNBUCKLE, ROUND BODY, JAW AND EYE (TYPE I, FORM 1, CLASS 8) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51564(1) | TURNBUCKLE, ROUND BODY, HOOK AND HOOK (TYPE I, FORM 1, CLASS 5) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51565(1) | TURNBUCKLE, ROUND BODY, HOOK AND EYE (TYPE I, FORM 1, CLASS 6) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51566(1) | TURNBUCKLE, SPREAD BODY, JAW AND JAW (TYPE I, FORM 2, CLASS 7) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51567(1) | TURNBUCKLE, SPREAD BODY, EYE AND EYE (TYPE I, FORM 2, CLASS 4) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51568(1) | TURNBUCKLE, SPREAD BODY, HOOK AND EYE (TYPE I, FORM 2, CLASS 6) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51569(1) | TURNBUCKLE, SPREAD BODY, JAW AND EYE (TYPE I, FORM 2, CLASS 8) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51570(1) | TURNBUCKLE, PIPE, BODY, EYE AND EYE (TYPE II, CLASS 4) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51571(1) | TURNBUCKLE, FLAT BODY, EYE AND EYE (TYPE I, FORM 3, CLASS 4) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51572(1) | TURNBUCKLE, FLAT BODY, JAW AND EYE (TYPE I, FORM 1, CLASS 8) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51573(1) | TURNBUCKLE, FLAT BODY, HOOK AND EYE (TYPE I, FORM 1, CLASS 6) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51574(1) | TURNBUCKLE, FLAT BODY, JAW AND JAW (TYPE I, FORM 2, CLASS 7) [CUST: AR SH 99] [REVIEW: 82 AS CR CR4 MC OS YDI] | A 5340 | IS | | 07-FEB-94 |
| | MS51575A | SCREW, SHOULDER, SLOTTED-HEAD, CORROSION-RESISTANT STEEL [CUST: AR AS 99 IS] [REVIEW: 82 AT AV MC MI NS OS] | A 5305 | IS | | 30-DEC-94 |
| | MS51576A | SCREW, SHOULDER, SOCKET-HEAD, HEXAGON, CORROSION-RESISTANT STEEL [CUST: AR OS 99 IS] [REVIEW: 82 AT MC NS] | A 5305 | IS | | 30-DEC-94 |
| | MS51605B NOT 1 | PIN, GROOVED, HEADLESS (HALF LENGTH TAPER GROOVE) CORROSION-RESISTING STEEL[CUST: AR AS IS] [REVIEW: AT MI NS OS SH] | A 5315 | IS | | 15-MAR-96 |
| | MS51606C NOT 1 | PIN, GROOVED, HEADLESS (HALF LENGTH REVERSE TAPER GROOVE) CORROSION-RESISTANT STEEL [CUST: AR AS 99 IS] [REVIEW: AT AV EA MI OS SH] | A 5315 | IS | | 15-MAR-96 |
| | MS51607B NOT 2 | VALVE STEM, PURGING (WITH FILTER) [CUST: AR] [REVIEW: AT] | A 1240 | AR | | 02-DEC-96 |
| D | MS51608A | LAMP, INCANDESCENT, T-1 1/4 SPECIAL SCREW BASE (956) [CUST: AR IS] | A 6240 | IS | | 15-OCT-92 |
| | MS51811E | TEE, TUBE, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| M | MS51812F(1) | NIPPLE, TUBE, BULKHEAD, FLARELESS TYPE, HYDRAULIC [CUST: AR OS 99 CC] [REVIEW: 82 AT AV CR4 GL MC YDI] | A 4730 | CC | | 09-APR-98 |
| | MS51813E | ELBOW, PIPE TO TUBE, 90 DEG., FEMALE PIPE END, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51814E | NIPPLE, TUBE, REGULAR HEX, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51815F | ELBOW, PIPE TO TUBE, 90 DEG., MALE PIPE END, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51816E | ADATER, STRAIGHT, PIPE TO TUBE, FEMALE PIPE END, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51817E | ELBOW, PIPE TO TUBE, 45 DEG., MALE PIPE END, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51818E | TEE, PIPE TO TUBE, MALE PIPE ON BRANCH, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51819E | ADAPTER, STRAIGHT, PIPE TO TUBE, MALE PIPE END, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51820E | ELBOW, TUBE, 90 DEG., FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51821E | TEE, PIPE TO TUBE, FEMALE PIPE ON BRANCH, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|------------|-------------------|---|--------------------------|-----|-------------|-----------|
| | MS51822E | TEE, PIPE TO TUBE, FEMALE PIPE ON RUN, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51823E(1) | NUT, TUBE COUPLING, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT CR4 GL MC MI OS] | A 4730 | CC | | 01-JUL-93 |
| | MS51824E | TEE, PIPE TO TUBE, MALE PIPE ON RUN, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51825G | SLEEVE, CLINCH, TUBE FITTING, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| A | MS51830E(1) | INSERT, SCREW-THREAD, LOCKED IN, KEY LOCKED, MINIATURE AND LIGHTWEIGHT [CUST: AR AS 99 IS] [REVIEW: 11 82 AT AV CR EC GL MC MI NS] | A 5325 | IS | | 12-FEB-93 |
| A | MS51831F(1) | INSERT, SCREW-THREAD, LOCKED IN, KEY-LOCKED, HEAVY DUTY [CUST: AR AS 99 IS] [REVIEW: 82 AT AV GL MC SH] | A 5325 | IS | | 12-FEB-93 |
| A | MS51832C(1) | INSERT, SCREW-THREAD, LOCKED IN, KEY-LOCKED, EXTRA HEAVY DUTY [CUST: AR AS 99 IS] [REVIEW: 82 AT AV CR EC MC MI SH] | A 5325 | IS | | 12-FEB-93 |
| | MS51833E(1) | STUD, LOCKED IN, KEY-LOCKED, LIGHTWEIGHT [CUST: AR AS 99 IS] [REVIEW: 11 82 AT AV CR CR4 MC MI SH] | A 5307 | IS | | 06-NOV-92 |
| | MS51834E(1) | STUD, LOCKED IN, KEY-LOCKED, HEAVY DUTY [CUST: AR AS 99 IS] [REVIEW: 11 82 AT AV CR CR4 MC MI SH] | A 5307 | IS | | 06-NOV-92 |
| | MS51835A | INSERT AND STUD, LOCKED IN - KEY LOCKED, HOLE DIMENSIONS FOR AND ASSEMBLY OF [CUST: AR AS 99] [REVIEW: 82 AT AV CR MC MI] | A 53GP | IS | | 25-NOV-70 |
| A | MS51836A | INSERT, SCREW THREAD - THREAD FORMING [CUST: AR AS 99 IS] [REVIEW: AT AV CR MC MI] | A 5325 | IS | | 25-APR-69 |
| | MS51837 NOT 1 | INSERT, SCREW THREAD - THREAD FORMING HOLE DIMENSIONS FOR AND INSTALLATION OF [CUST: AR AS 99] [REVIEW: 82 AT AV CR MC MI] | A 53GP | IS | | 05-MAY-88 |
| | MS51838 | PIN, STRAIGHT, STEEL-DRILL ROD [CUST: AR IS] [REVIEW: AT AV MI] | A 5315 | IS | | 15-MAR-96 |
| | MS51839D | ELBOW, TUBE TO BOSS, 90 DEG, O-RING, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51841D | TEE, TUBE TO BOSS, BOSS ON BENCH, O-RING, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51842D | ELBOW, TUBE TO BOSS, 45 DEG., O-RING, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR CR4 MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51843D | ADAPTER, STRAIGHT, TUBE TO BOSS, O-RING, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51844C | SLEEVE, SWAGING WIRE ROPE [CUST: AR SH 99] [REVIEW: 11 82 AS AT AV EA MI] | A 4030 | IS | | 28-JUN-85 |
| | MS51846B NOT 2 | NIPPLE, PIPE, STANDARD, BRASS OR COPPER [CUST: AR CC] [REVIEW: 99 AT CR4 GL MC MI] | A 4730 | CC | | 03-OCT-88 |
| | MS51848E NOT 2 | WASHER, LOCK-HELICAL SPRING, HI-COLLAR [CUST: AR AS 99 IS] | A 5310 | IS | | 20-OCT-95 |
| | MS51849A NOT 1 | SCREW, MACHINE - STEEL, HEXAGON HEAD, SLOTTED, UNF-2A AND UNC-2A [CUST: AR SH 99 IS] [REVIEW: AT AV CR4 MI] | A 5305 | IS | | 10-JUN-96 |
| | MS51850 NOT 2 | SCREW, TAPPING - THREAD FORMING, TYPE AB, HEXAGON HEAD, SLOTTED [CUST: AR IS] [REVIEW: AT AV CR4] | A 5305 | IS | | 10-JUN-96 |
| | MS51851 NOT 2 | SCREW, TAPPING-THREAD CUTTING, TYPE D, HEXAGON HEAD, SLOTTED [CUST: AR IS] [REVIEW: AT AV CR4 MI] | A 5305 | IS | | 10-JUN-96 |
| | MS51852C | ELBOW, TUBE TO SWIVEL, 90 DEG., FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51853C | TEE, TUBE TO SWIVEL, SWIVEL ON BRANCH, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT AV CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51854C | TEE, TUBE TO SWIVEL, SWIVEL ON RUN, FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: 82 AT CR4 GL MC MI OS] | A 4730 | CC | | 30-JUL-87 |
| M | MS51855C(1) | ELBOW, TUBE, 90 DEG., BULKHEAD, FLARELESS TYPE, HYDRAULIC [CUST: AR OS 99 CC] [REVIEW: 82 AT AV CR4 GL MC YDI] | A 4730 | CC | | 09-APR-98 |
| | MS51856C | NIPPLE, TUBE, LARGE HEX, O-RING, FLARELESS TYPE, HYDRAULIC [CUST: AR SH 99] [REVIEW: 82 AT CR4 GL MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51857 NOT 1 | NUT, PUSH-ON, STEEL [CUST: AR OS IS] [REVIEW: AT AV CR IS MC MI] | A 5310 | IS | | 01-JUN-88 |
| | MS51858B(1) | NUT, PLAIN HEXAGON, PLASTIC NYLON [CUST: AR 82 IS] | A 5310 | IS | | 20-FEB-96 |
| | MS51859B | WASHER, FLAT PLASTIC NYLON [CUST: AR 99 IS] [REVIEW: 11 AT AV CR4 IS MC MI OS] | A 5310 | IS | | 20-MAY-87 |
| | MS51860A NOT 1 | LOCKNUT, BULKHEAD, 37 DEG. FLARED AND FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: AT AV CR4 GL MC OS] | A 4730 | CC | | 12-FEB-87 |
| | MS51861A NOT 2 | SCREW, TAPPING-THREAD FORMING, TYPE AB, PAN HEAD, CROSS-RECESSED [CUST: AR YDI 99 IS] [REVIEW: AT AV MC MI OS] | A 5305 | IS | | 10-JUN-96 |
| | MS51862A NOT 2 | SCREW, TAPPING - THREAD FORMING, TYPE AB, FLAT 82 DEGREE COUNTERSUNK HEAD, CROSS-RECESSED [CUST: AR YDI 99 IS] [REVIEW: AS AT AV MC MI OS] | A 5305 | IS | | 10-JUN-96 |
| | MS51863 NOT 1 | SCREW, TAPPING HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, PAN HEAD, CROSS RECESSED [CUST: AR SH 11 IS] [REVIEW: 99 AV MC MI] | A 5305 | IS | | 10-JUN-96 |
| | MS51864(1) NOT 1 | STUD-PLAIN, GENERAL PURPOSE [CUST: AR 99 IS] [REVIEW: 82 AT AV CE CR4 MC OS] | A 5307 | IS | | 26-MAR-96 |
| A | MS51866A(1) NOT 1 | NUT, SELF-LOCKING, SPLINE-GENERAL PURPOSE, 250 DEG. F [CUST: AV AS 99 IS] | A 5310 | IS | | 09-MAR-98 |
| | MS51867A | WASHER, METAL, FLAT, PLAIN, RECTANGULAR [CUST: AR YDI 1 IS] [REVIEW: AT AV CR GL IS MC OS] | A 5310 | IS | | 31-DEC-87 |
| | MS51869 NOT 1 | SCREW, TAPPING HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, HEXAGON WASHER HEAD [CUST: AR SH 99 IS] | A 5305 | IS | | 10-JUN-96 |
| | MS51870 NOT 1 | SCREW, TAPPING-HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, FLAT COUNTERSUNK HEAD, CROSS-RECESSED [CUST: AR SH 99 IS] [REVIEW: AV] | A 5305 | IS | | 10-JUN-96 |
| | MS51871 NOT 1 | SCREW, TAPPING HIGH PERFORMANCE, ZONE HARDENED STRUCTURAL THREAD ROLLING, HEXAGON WASHER HEAD [CUST: AR SH 99 IS] [REVIEW: AS AT AV CR4 MC OS] | A 5305 | IS | | 10-JUN-96 |
| | MS51872A NOT 1 | NIPPLE, PIPE, EXTRA STRONG, BRASS OR COPPER [CUST: AR 11] [REVIEW: 99 CR4 GL MC MI] | A 4730 | CC | | 07-APR-88 |
| | MS51873A NOT 1 | NIPPLE, PIPE, EXTRA STRONG STEEL [CUST: AR 11] [REVIEW: 99 AT CR4 GL MC] | A 4730 | CC | | 07-APR-88 |
| | MS51888 NOT 1 | LOCKNUT, ADJUSTABLE, 37 DEG. FLARED AND FLARELESS TYPE, HYDRAULIC [CUST: AR 99] [REVIEW: AT AV CR4 GL MC OS] | A 4730 | CC | | 12-FEB-87 |
| | MS51889 NOT 1 | WASHER, BACK-UP, 37 DEG. FLARED AND FLARELESS TYPE, HYDRAULIC [CUST: AR 99] | A 4730 | CC | | 12-FEB-87 |
| | MS51890A | FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; CAP ASSEMBLY, TUBE, FLARELESS TYPE, HYDRAULIC [CUST: AR SH 99] [REVIEW: 82 AT CR4 MC OS YDI] | A 4730 | CC | | 16-FEB-88 |
| | MS51891 NOT 1 | PLUG, TUBE FITTING, THREADED, FLARELESS TYPE, HYDRAULIC [CUST: AR SH 99] [REVIEW: AT CR4 MC OS] | A 4730 | CC | | 12-FEB-87 |
| | MS51892A | TEE, TUBE TO BOSS, BOSS ON RUN, O-RING, FLARELESS TYPE, HYDRAULIC [CUST: AR SH 99] [REVIEW: AT CR4 MS OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51893A | ADAPTER, STRAIGHT, TUBE TO BOSS, LONG, O-RING, FLARELESS TYPE, HYDRAULIC [CUST: AR SH 99] [REVIEW: 82 AT CR4 MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51894A | CROSS, TUBE, FLARELESS TYPE, HYDRAULIC [CUST: AR SH 99] [REVIEW: 82 AT CR4 MC OS] | A 4730 | CC | | 30-JUL-87 |
| | MS51895A | REDUCER, TUBE, LARGE HEX, O-RING, FLARELESS TYPE, HYDRAULIC [CUST: AR SH 99] [REVIEW: 82 AT CR4 MC OS] | A 4730 | CC | | 30-JUL-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/NSA | MCA | Prep. Acty. | Date |
|-------------|-------------------|---|-------------------------|-----|-------------|-----------|
| | MS51896A(1) | SCREW, EXTERNALLY RELIEVED BODY, PANHEAD, CROSS-RECESSED, CORROSION-RESISTING STEEL, UNC-2A [CUST: AR AS 99] [REVIEW: AT AV CR4 EA MI OS] | A 5305 | IS | | 05-OCT-92 |
| | MS51922E NOT 1 | NUT, SELF-LOCKING, HEXAGON-PREVAILING TORQUE, GENERAL PURPOSE, 250 DEG. F, UNC-2B AND UNF-2B [CUST: AR OS 99 IS] [REVIEW: AT AV EA IS MC MI YDI] | A 5310 | IS | | 06-JUN-88 |
| | MS51923C NOT 1 | PIN, SPRING-TABULAR, COILED, MEDIUM DUTY [CUST: AR 99 IS] [REVIEW: 82 AT AV CR4 MC MI SA] | A 5315 | IS | | 15-MAR-96 |
| A | MS51925B | RING, DEB&&MEDIUM [CUST: AR IS] [REVIEW: AT CR4 GL MI] | A 5365 | IS | | 22-JAN-71 |
| | MS51926B NOT 2 | CLIP, END, STRAP TYPE I, CLASS 1 AND CLASS 2 [CUST: GL YD1 99 IS] [REVIEW: AV CR4 MD MI] | A 5340 | IS | | 09-MAY-96 |
| | MS51929A | BUCKLE, SPRING ACTION [CUST: AR IS] [REVIEW: AT CR GL MI] | A 5340 | IS | | 25-MAR-70 |
| | MS51932 NOT 1 | PIN, STRAIGHT-HEADLESS, DRILLED FOR COTTER PINS [CUST: AR IS] | A 5315 | IS | | 15-MAR-96 |
| | MS51933 | BOLT WELDING FINE THREAD [CUST: AR IS] [REVIEW: CR4] | A 5306 | IS | | 05-APR-63 |
| | MS51934 | BOLT, WELDING&COARSE THREAD [CUST: AR 99 IS] [REVIEW: 82 AT] | A 5306 | IS | | 17-AUG-87 |
| | MS51935 NOT 1 | KEY MACHINE - G.B. HEAD [CUST: AR IS] | A 5315 | IS | | 15-MAR-96 |
| | MS51936B | WASHER, FLAT (BURR) [CUST: AR YD1 IS] [REVIEW: AT CR4 GL IS MC MI SA] | A 5310 | IS | | 31-DEC-87 |
| | MS51937C | BOLT, EYE, SHOULDER UNC-2A AND UNF-2A [CUST: AR 99] [REVIEW: GL MC NS OS SH] | A 5306 | IS | | 27-SEP-85 |
| | MS51943C | NUT, SELF LOCKING, HEXAGON PREVAILING TORQUE, FOR CRITICAL INSTALLATIONS, 250 DEG. F, UNC-3B AND UNF-3B [CUST: AR OS 99 IS] [REVIEW: AT AV CR4 MC MI YDI] | A 5310 | IS | | 23-JUN-76 |
| | MS51946D | BOLT, RIBBED SHOULDER, SINGLE END, SPLINED, 3/4 INCH [CUST: AT IS] [REVIEW: CR4] | A 5306 | IS | | 31-DEC-86 |
| | MS51947B | BOLT, RIBBED SHOULDER. WHEEL MOUNTING SINGLE END, 3/4 INCH, EXTENDED LENGTH[CUST: AT IS] [REVIEW: AR CR MI] | A 5306 | IS | | 27-MAY-76 |
| | MS51948C | BOLT, RIBBED SHOULDER, SINGLE END, SPINED, 7/16 AND 1/2 INCH [CUST: AT IS] [REVIEW: AR CR CR4] | A 5306 | IS | | 20-SEP-73 |
| | MS51949B NOT 1 | BOLT, SHOULDER, WHEEL MOUNTING, SINGLE END, KEYED HEAD [CUST: AT IS] [REVIEW: AR CR CR4 MI] | A 5306 | IS | | 19-NOV-87 |
| | MS51953C | NIPPLE, PIPE, STANDARD STEEL [CUST: AR 11] [REVIEW: 99 AT AV CR4 GL MC MI] | A 4730 | CC | | 06-DEC-82 |
| | MS51955A NOT 2 | SETSCREW-SQUARE HEAD, CUP POINT, CARBON STEEL [CUST: SH 99 IS] [REVIEW: AS AT CR4 GL MC MI] | A 5305 | IS | | 10-JUN-96 |
| | MS51956A | STRAP, RETAINING, ONE HOLE, FOR THIN WALL CONDUIT (EMT) [CUST: AR SH 99] [REVIEW: CR CR4 MC MI] | A 5340 | IS | | 22-MAR-66 |
| | MS51958C(1) | SCREW, MACHINE PAN-HEAD, CROSS-RECESSED, CORROSION RESISTING STEEL, UNF-2A [CUST: AR SH 99] [REVIEW: AV MC MI OS] | A 5305 | IS | | 05-OCT-92 |
| | MS51959D | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, CORROSION - RESISTANT STEEL, UNC-2A [CUST: AR SH 82 IS] [REVIEW: AS AT AV CR CR4 GL MC MI NS OS YDI] | A 5305 | IS | | 25-APR-97 |
| A | MS51961F NOT 1 | BEARING, ROLLER, NEEDLE: THICK OUTER RING WITH ROLLERS AND CAGE [CUST: AT OS 99 GS] | A 3110 | GS | | 02-FEB-96 |
| A | MS51962F NOT 1 | RING, BEARING, INNER: FOR NEEDLE ROLLER BEARING WITH THICK OUTER RING [CUST: AT OS 99 GS] | A 3110 | GS | | 02-FEB-96 |
| | MS51963C | SETSCREW-HEXAGON SOCKET, CUP POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING [CUST: AR 99] [REVIEW: AT AV CR4 MC MI OS] | A 5305 | IS | | 29-DEC-72 |
| | MS51964E NOT 1 | SETSCREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING [CUST: AR 99 IS] [REVIEW: AT AV MC MI OS] | A 5305 | IS | | 10-JUN-96 |
| | MS51967D NOT 1 | NUT, PLAIN, HEXAGON-CARBON STEEL, CADMIUM PLATED, UNC-2B (IN./MM) [CUST: AR 99 IS] [REVIEW: AV CR4 GL IS MC MI OS SH] | A 5310 | IS | | 06-JUN-88 |
| | MS51968C NOT 1 | NUT, PLAIN, HEXAGON-CARBON STEEL, CADMIUM PLATED, UNF-2B (IN./MM) [CUST: AR 99 IS] [REVIEW: AT AV IS MC MI OS YDI] | A 5310 | IS | | 06-JUN-88 |
| | MS51969B(1) | NUT, PLAIN, HEXAGON BRASS, BLACK CHEMICAL FINISH, UNC-2B [CUST: AR SH 82 IS] | A 5310 | IS | | 20-FEB-96 |
| | MS51970A(1) | NUT, PLAIN, HEXAGON-BRASS, BLACK CHEMICAL FINISH, UNF-2B [CUST: AR SH 82 IS] | A 5310 | IS | | 20-FEB-96 |
| | MS51971B(1) | NUT, PLAIN, HEXAGON-STEEL, CORROSION RESISTING, 300 SERIES, PASSIVATED, UNC-2B [CUST: AR 82 IS] | A 5310 | IS | | 20-FEB-96 |
| | MS51972A NOT 1 | NUT, PLAIN, HEXAGON-STEEL, CORROSION RESISTING, 300 SERIES, PASSIVATED, UNF-2B [CUST: AR 99 IS] [REVIEW: AT AV IS MC MI] | A 5310 | IS | | 06-JUN-88 |
| | MS51974B NOT 1 | SETSCREW-HEXAGON SOCKET, CONE POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING [CUST: AR SH 99] [REVIEW: 11 AV CR4 MC MI OS] | A 5305 | IS | | 20-MAY-88 |
| | MS51975E | SCREW, SHOULDER - SOCKET HEAD, HEXAGON, ALLOY STEEL, CADMIUM PLATED, UNC-3A[CUST: AR SH 99 IS] [REVIEW: 82 FSS] | A 5305 | IS | | 03-MAR-95 |
| | MS51976A | SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A [CUST: AR SH 99] [REVIEW: 11 AT CR4 MC MI OS] | A 5305 | IS | | 20-MAY-88 |
| | MS51977C | SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A [CUST: AR AS 99] [REVIEW: AT AV CR4 MC MI OS] | A 5305 | IS | | 31-MAR-72 |
| | MS51980B | GUN, FIELD ARTILLERY, SELF PROPELLED-175 MM, M107 [CUST: AR] | A 2350 | AR | | 12-JUL-77 |
| | MS51981C | SETSCREW-HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A [CUST: AR AS 99] [REVIEW: AT AV CR4 GL MC MI NS OS SH] | A 5305 | IS | | 15-MAR-79 |
| | MS51987A NOT 1 | PIN, SPRING, TUBULAR, COILED, LIGHT DUTY [CUST: AR IS] [REVIEW: AT AV CR4 MC MI SA] | A 5315 | IS | | 15-MAR-96 |
| | MS51988B(1) | NUT, SELF-LOCKING, FLANGED, PREVAILING TORQUE, STEEL, CADMIUM, UNC AND UNF [CUST: AR IS] | A 5310 | IS | | 20-FEB-96 |
| | MS51989A(1) NOT 1 | STUD, LOCKED IN-RING LOCKED, SERRATED [CUST: AR 99 IS] [REVIEW: 82 AT AV MI OS] | A 5307 | IS | | 26-MAR-96 |
| A | MS51990B(3) | RING, LOCK, SERRATED [CUST: AR AS 99 IS] [REVIEW: 82 AT AV CR4 GL MC MI] | A 5365 | IS | | 20-OCT-97 |
| A | MS51991C(1) | INSERT, SCREW THREAD - LOCKED IN, RING LOCKED, SERRATED [CUST: AR AS 82 IS] [REVIEW: AT AV MI OS] | A 5325 | IS | | 06-AUG-97 |
| | MS51992B(1) | STUD, LOCKED IN-RING LOCKED, SERRATED, HIGH STRENGTH [CUST: AR AS 99 IS] [REVIEW: 11 82 AT AV CR4 GL MC MI OS] | A 5307 | IS | | 26-MAR-96 |
| A | MS51993A(1) | INSERT, SCREW THREAD - LOCKED IN, RING LOCKED, SERRATED, HIGH STRENGTH [CUST: AR AS 82 IS] [REVIEW: AT AV MC MI OS YDI] | A 5325 | IS | | 06-AUG-97 |
| | MS51994A | HOLE PREPARATION-RING LOCKED INSERTS AND STUDS, STANDARD DIMENSIONS FOR [CUST: AR AS 99] [REVIEW: 11 82 AT AV CR MC MI NS OS] | A 53GP | IS | | 12-FEB-88 |
| | MS51995C | FASTENERS, RING LOCKED INSERTS AND STUDS, INSTALLATION AND REPLACEMENT OF [CUST: AR AS 99] [REVIEW: 11 82 AT AV CR MC MI NS OS] | A 53GP | IS | | 12-FEB-88 |
| | MS51996A | HOLE PREPARATION-RING LOCKED INSERTS AND STUDS, HIGH STRENGTH, STANDARD DIMENSIONS FOR [CUST: AR AS 99] [REVIEW: 11 82 AT AV MC MI OS] | A 53GP | IS | | 11-MAR-85 |
| A | MS51997C(2) NOT 1 | RING, LOCK, SERRATED-HIGH STRENGTH [CUST: AT AS 82 IS] [REVIEW: AV CR GL MC NS] | A 5365 | IS | | 31-OCT-97 |
| | MS51998 NOT 1 | INSERT, SCREW THREAD-LOCKED IN, RING LOCKED, SERRATED, DESIGN AND USAGE LIMITATIONS FOR [CUST: AR AS 99] [REVIEW: 82] | A 53GP | IS | | 10-MAY-88 |
| | MS51999 NOT 1 | STUD, LOCKED IN - RING LOCKED, SERRATED, DESIGN AND USAGE LIMITATIONS FOR [CUST: AR AS 99] [REVIEW: 11 82 AT AV MC MI OS] | A 53GP | IS | | 20-MAY-88 |
| | MS52103D NOT 2 | HOSE ASSEMBLY, NONMETALLIC: FUEL AND OIL, MEDIUM PRESSURE, FLARED TUBE [CUST: AT YDI] [REVIEW: AR CR4 MC SH] | A 4720 | CC | | 30-AUG-96 |
| | MS52104B NOT 2 | HOSE ASSEMBLY, RUBBER: FUEL AND OIL, LOW PRESSURE, FLARED TUBE [CUST: AT YDI] [REVIEW: AR CR4 MC] | A 4720 | CC | | 30-AUG-96 |
| | MS52116A | SHAFT ASSEMBLY, FLEXIBLE, PLASTIC, TACHOMETER, AND SPEEDOMETER [CUST: AT YD1 99 GS] [REVIEW: CR4 MC] | A 6680 | GS | | 19-JAN-88 |
| | MS52125B | COMPOSITE LIGHT, TAIL STOP, TURN AND MARKER [CUST: AT GS] [REVIEW: CR4] | A 6220 | GS | | 24-JUL-89 |
| D | MS52126A | COMPOSITE LIGHT FRONT, TURN, PARK AND MARKER [CUST: AT IS] | A 6220 | IS | | 27-AUG-87 |

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|--------------------------|-----|-------------|------|
| A | MS52130A | HOSE, NONMETALLIC, STRAIGHT, ENGINE COOLANT [CUST: AT YD1 99] | A 4720 | CC | 12-DEC-79 | |
| | DS52140 | SPEEDOMETER MECHANICAL (0-100 KM/H) [CUST: YD1 GS] [REVIEW: MC] | A 6680 | GS | 28-SEP-77 | |
| | MS52141 | BEARING, ROLLER, NEEDLE, DRAWN OUTER RING, CAGED, WITHOUT INNER RING OPEN AND CLOSED END, STANDARD TYPE [CUST: AT OS 11 GS] [REVIEW: 99 AR AV CR4 GL MC MI SH] | A 3110 | GS | 30-APR-80 | |
| A | MS52143 NOT 2 | BEARING, ROLLER, NEEDLE: THICK OUTER RING WITH ROLLERS, CAGE AND SEALS [CUST: AT OS 11 GS] | A 3110 | GS | 02-FEB-96 | |
| | MS53000B | SWITCH, BEAM SELECTING, HEADLIGHT-SPDT, NO OFF, 24 VOLT DC [CUST: AT CC] [REVIEW: CR4 MC] | A 2590 | CC | 07-FEB-69 | |
| | MS53001A NOT 1 | SWITCH, BEAM SELECTING, HEADLIGHT-DPDT, NO OFF, 28 VOLT DC [CUST: AT CC] [REVIEW: CR4 MC] | A 2590 | CC | 15-SEP-90 | |
| A | MS53011E NOT 3 | STARTER, ENGINE, ELECTRICAL, 24-VOLT, D.C., 5-1/8 INCH FRAME DIAMETER, SOLENOID, ACTUATED, HEAVY-DUTY, LONG FRAME [CUST: AT] [REVIEW: CC MC] | A 2920 | AT | 25-SEP-97 | |
| D | MS53023B | HEADLIGHT & SERVICE, DOUBLE FILAMENT, 24 VOLT, WATERPROOF [CUST: AT MC IS] [REVIEW: CR4] | A 6220 | IS | 25-MAY-64 | |
| | MS53040A | RETAINER, KINGPIN, FIFTH WHEEL&UNIVERSAL [CUST: AT MC 99] | A 2510 | CC | 05-NOV-63 | |
| | MS53048C NOT 1 | BLADE, WINDSHIELD WIPER, LIGHT DUTY [CUST: AT 99] [REVIEW: CR4 MC] | A 2540 | CC | 17-MAR-88 | |
| | MS53049B | ARM, WINDSHIELD WIPER, ADJUSTABLE, LIGHT DUTY [CUST: AT 99] [REVIEW: CR4 MC] | A 2540 | CC | 21-AUG-74 | |
| A | MS53053A NOT 2 | BRACKET ASSEMBLY, TOOL KIT, PIONEER, GENERAL UTILITY [CUST: AT] [REVIEW: CC CR4 MI] | A 2540 | AT | 23-DEC-97 | |
| | MS53062A | CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE - STRAIGHT TYPE, EYE AND BUTTON FITTINGS [CUST: AT CC] | A 2530 | CC | 16-DEC-64 | |
| | MS53063A NOT 1 | INDICATOR, AIR CLEANER, INTAKE, RESTRICTION MECHANICAL TYPE [REVIEW: AT MC] | A 2940 | CC | 14-DEC-87 | |
| | MS53075B | CAP, FUEL TANK-TACTICAL VEHICLE, NON-VENTED [CUST: AT 99] [REVIEW: CR4 MC MI] | A 2910 | CC | 03-AUG-90 | |
| | MS53099A NOT 1 | ADAPTER, COUPLING/BULKHEAD, SPEEDOMETER-TACHOMETER DRIVE [CUST: GS] | A 6680 | GS | 06-OCT-87 | |
| | MS53229A NOT 1 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON CORE), TYPES LT11V001 TO LT11V021, INCL. [CUST: CR EC 85] [REVIEW: 11 17 19 80 AR AS MC MI OS SH] | A 5950 | CC | 11-NOV-91 | |
| | MS53230A NOT 1 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE CORE), TYPE LT11V022 TO LT11V038, INCL. [CUST: CR EC 85] [REVIEW: 11 17 19 80 AR AS MC MI OS SH] | A 5950 | CC | 11-NOV-91 | |
| | MS53231A NOT 1 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON CORE), TYPES LT11V039 TO LT11V059, INCL. [CUST: CR EC 85] [REVIEW: 11 17 19 80 AR AS MC MI OS SH] | A 5950 | CC | 11-NOV-91 | |
| | MS53232A NOT 1 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE-CORE), TYPES LT11V060 TO LT11V076, INCL. [CUST: CR EC 85] [REVIEW: 11 17 19 80 AR AS MC MI OS SH] | A 5950 | CC | 11-NOV-91 | |
| | MS53233 NOT 1 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON CORE), TYPES LT11V077 TO LT11V097, INCL. [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | 11-NOV-91 | |
| | MS53234 NOT 1 | COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE CORE), TYPES LT11V098 TO LT11V114, INCL. [CUST: CR EC 85] [REVIEW: 11 17 19 80 AR AS MC MI OS SH] | A 5950 | CC | 11-NOV-91 | |
| | MS70085D NOT 1 | CLEVIS, TIEDOWN, DELIVERY AIR TYPE II [CUST: GL 99 IS] [REVIEW: 11 82 AV MC] | A 1670 | GS | 10-SEP-90 | |
| | MS70086F | CLEVIS, RISER, AIR DELIVERY-TYPE III [CUST: GL AS 99 IS] [REVIEW: 82 AV MC] | A 1670 | GS | 28-MAY-91 | |
| | MS70087L | CLEVISES, SUSPENSION, AIR DELIVERY-TYPE I [CUST: GL AS 99 IS] [REVIEW: 82 MC] | A 1670 | GS | 12-FEB-92 | |
| | MS70088B NOT 1 | ADAPTER, 45 DEG., FEMALE THREAD SWIVEL COLLAR, QUICK DISCONNECT, CAM LOCKING, MALE (TANK) [CUST: AT YD1 99] [REVIEW: AV CC GL MC] | A 4730 | AT | 15-MAR-94 | |
| | MS70091D | COUPLING HALF, QUICK DISCONNECT, CAM LOCKING TYPE, FEMALE, FLANGED, TYPE VIII, (FOR D-1 NOZZLE-AIRCRAFT) [CUST: AT 99] [REVIEW: 82 AV CC GL MC SH] | A 4730 | AT | 15-MAY-89 | |
| | MS70092B NOT 1 | FASTENER, PARACHUTE PACK [CUST: GL AS 99 IS] [REVIEW: 82 AV] | A 1670 | GS | 31-DEC-87 | |
| | MS70093A | BALL END, WIRE ROPE, SWAGING, PARACHUTE RIPCORDER CABLE [CUST: GL AS IS] [REVIEW: 82 99 AV MC MD] | A 1670 | GS | 30-SEP-66 | |
| | MS70094A NOT 2 | POCKET, PARACHUTE PACK, LOG RECORD AND MANUAL [CUST: GL AS 11 IS] [REVIEW: 82 AV] | A 1670 | GS | 26-FEB-93 | |
| | MS70095D | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, INTERNAL STRAIGHT THREADS, TYPE XVII (FOR USE WITH NATO EQUIPMENT) [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC SH] | A 4730 | AT | 15-MAY-89 | |
| | MS70096D | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, EXTERNAL STRAIGHT THREADS, TYPE XVI (FOR USE WITH NATO EQUIPMENT) [CUST: AT YD1 99] [REVIEW: 82 AV CC GL] | A 4730 | AT | 15-MAY-89 | |
| | MS70097D | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE REDUCER (INTERNAL PIPE THREAD) TYPE XVIII [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC SH] | A 4730 | AT | 15-MAY-89 | |
| | MS70098B | LINK, SNAP, QUICK RELEASE, 1-3/4 INCH [CUST: GL AS] [REVIEW: AT CR4 MC] | A 1670 | GS | 31-MAR-84 | |
| | MS70099C | SNAP HOOK, QUICK RELEASE [CUST: GL AS] [REVIEW: AT AV CR4 MC] | A 5340 | IS | 15-FEB-85 | |
| | MS70100D | COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, NIPPLE ADAPTER, MALE BY EXTERNAL GROOVED PIPE, TYPE XIX [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC SH] | A 4730 | AT | 15-MAY-89 | |
| | MS70101C NOT 2 | ADAPTER, REVERSIBLE, QUICK FIT, 500 LBS 1-3/4 INCH [CUST: GL AS 99 IS] [REVIEW: 82] | A 5340 | IS | 07-FEB-97 | |
| | MS70102C NOT 1 | RING, PARACHUTE HARNESS, QUICK-FIT, "V" TYPE [CUST: GL AS 99 IS] [REVIEW: 82 AV MC] | A 1670 | GS | 27-MAR-92 | |
| | MS70104E | HOUSING, PARACHUTE RIPCORDER [CUST: GL AS 99 IS] [REVIEW: 82 AV MC] | A 1670 | GS | 20-AUG-93 | |
| | MS70105B | BAND, SPRING, PARACHUTE PACK OPENING [CUST: GL AS 99 IS] [REVIEW: 11 82 AV MC] | A 1670 | GS | 07-DEC-73 | |
| | MS70106B | GRIP, PARACHUTE RIP CORD, CLOVERLEAF [CUST: GL AS 99 IS] [REVIEW: 82 AV MC] | A 1670 | GS | 14-SEP-90 | |
| | MS70107A NOT 2 | PIN, PARACHUTE RIP CORD, LOCKING [CUST: GL AS 99 IS] [REVIEW: 11 82 AV MC] | A 1670 | GS | 26-FEB-93 | |
| | MS70108C NOT 1 | LINK, PARACHUTE CONNECTOR [CUST: GL AS 99 IS] [REVIEW: 82 AV MC] | A 1670 | GS | 27-MAR-92 | |
| | MS70109A NOT 2 | CLIP, END, STRAP TYPE II, CLASS I [CUST: GL YD1 99 IS] [REVIEW: CG CR4 MC MD MI] | A 5340 | IS | 09-MAY-96 | |
| | MS70112B NOT 1 | RIP CORD, PARACHUTE, PERSONNEL [CUST: GL AS 11 IS] [REVIEW: 82 99 AV MC] | A 1670 | GS | 10-SEP-90 | |
| | MS70113B | RING, V, QUICK FIT, PARACHUTE HARNESS [CUST: GL AS 99 IS] [REVIEW: 82 AV MC] | A 1670 | GS | 30-APR-86 | |
| | MS70114B | ADAPTER, QUICK FIT, PARACHUTE HARNESS [CUST: GL AS 99 IS] [REVIEW: 82 AV MC] | A 1670 | GS | 30-APR-86 | |
| | MS70115B | V-RING, PARACHUTE EXTRACTION BAG, AERIAL DELIVERY [CUST: GL AS 99 IS] [REVIEW: 11 82 AV MC] | A 1670 | GS | 30-APR-86 | |
| | MS70116C | LINK, CONNECTING, QUICK RELEASE [CUST: GL AS 99 IS] [REVIEW: 82 AV MC] | A 1670 | GS | 30-APR-86 | |
| | MS70117A | SNAP ASSEMBLY PARACHUTE CONNECTOR, LOCKING TYPE [CUST: GL AS 99 IS] [REVIEW: 82 AV MC] | A 1670 | GS | 05-NOV-74 | |
| | MS70118B | LINK ASSEMBLY-CONNECTOR, SEPARABLE, PARACHUTE [CUST: GL AS 11 IS] [REVIEW: 82 99 AV MC] | A 1670 | GS | 07-MAR-86 | |
| | MS70119A | SNAP ASSEMBLY - PARACHUTE CHEST TYPE PACK CONNECTOR [CUST: GL AS IS] [REVIEW: AV MC] | A 1670 | GS | 13-DEC-74 | |
| | MS70120B | SNAP ASSEMBLY, PARACHUTE STATIC LINE [CUST: GL AS 11 IS] [REVIEW: 82 99 AV MC] | A 1670 | GS | 30-APR-86 | |
| | MS70121C | SNAP, CONNECTOR - PARACHUTE CHEST TYPE PACK [CUST: GL AS 99 IS] [REVIEW: 82 AV MC] | A 1670 | GS | 30-APR-86 | |
| | MS70123B | RING, PARACHUTE HARNESS, ACCESSORY ATTACHING [CUST: GL AS 11 IS] [REVIEW: 82 99 AV MC] | A 1670 | GS | 30-APR-86 | |
| | MS70124 | ADAPTER, PARACHUTE HARNESS, WITH TENSIONER AND SPRING [CUST: GL 99 IS] [REVIEW: 82 AV] | A 1670 | GS | 30-JUN-87 | |
| | MS75002D | INDUCTOR, POWER, TYPE TF4RX04NA012 [CUST: CR EC 85] [REVIEW: 11 17 19 MC SH] | A 5950 | CC | 20-MAY-82 | |
| | MS75003D | INDUCTOR, POWER, TYPE TF4RX04YY013 [CUST: CR EC 85] [REVIEW: 11 17 19 MC SH] | A 5950 | CC | 20-MAY-82 | |
| | MS75009G | BRACKET ASSEMBLY, RESISTOR (POWER TYPE) [CUST: CR EC 85] [REVIEW: 17 99 AR AS CR4 MC OS] | A 5905 | CC | 12-JUN-90 | |
| | MS75020E NOT 1 | CONNECTOR, PLUG, ELECTRICAL - 12 CONTACT, INTERVEHICULAR, 24 VOLT, WATERPROOF [CUST: AT YD1 85 CC] [REVIEW: 11 99 MC MI SH] | A 5935 | CC | 20-OCT-86 | |
| | MS75021D NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL - 12 CONTACT, INTERVEHICULAR, 28 VOLT, WATERPROOF [CUST: AT CC] [REVIEW: 11 99 CR CR4 MC MI SH] | A 5935 | CC | 28-JUL-93 | |
| | MS75027D | CABLE ASSEMBLIES AND CORD ASSEMBLIES, ELECTRICAL, USED WITH COMMUNICATION EQUIPMENTS, STANDARD TOLERANCES FOR [CUST: CR EC 85 GS] | A 5995 | CC | 03-JAN-86 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | MS75028J | SWITCH, TOGGLE, ONE POLE, UNSEALED [CUST: CR EC 85 CC] [REVIEW: 99 AS AV] | A 5930 | CC | | 10-FEB-92 |
| | MS75029K | SWITCH, TOGGLE, TWO POLE, UNSEALED [CUST: CR EC 85 CC] [REVIEW: 99 AS AV] | A 5930 | CC | | 10-FEB-92 |
| | MS75052C NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K052 AND LT4K053 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS MC MI OS] | A 5950 | CC | | 31-JAN-92 |
| | MS75062A NOT 1 | SWITCH, PRESSURE-STOPLIGHT, VEHICULAR, AIR BRAKE SYSTEM, 24 VOLT, WATERPROOF [CUST: AT CC] [REVIEW: CR4] | A 5930 | CC | | 28-JUL-93 |
| | MS75063B NOT 1 | SWITCH, PRESSURE-STOPLIGHT, VEHICULAR, HYDRAULIC BRAKE SYSTEM, 24 VOLT, WATERPROOF [CUST: AT CC] [REVIEW: CR4 MC] | A 5930 | CC | | 28-JUL-93 |
| | MS75075C | SWITCH, TOGGLE, TWO POLE, UNSEALED [CUST: CR EC 85 CC] [REVIEW: 11 99 AS AV] | A 5930 | CC | | 22-MAY-92 |
| | MS75093 NOT 1 | ADAPTER, CONNECTOR, BNC FEMALE - GR874 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5935 | CC | | 20-AUG-91 |
| | MS75103 NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K181 TO LT10K190 INCL. [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS MC MI OS SH] | A 5950 | CC | | 11-NOV-91 |
| | MS75105 NOT 1 | HB-7 HEADBAND ASSEMBLY [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75106 NOT 1 | SUB-ASSEMBLY GUIDE PLATE AND BARREL [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75108 NOT 1 | GUIDE BARREL [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75109 NOT 1 | FRICTION SPRING [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75110 NOT 1 | V-CLIP [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75111 NOT 1 | U-CLIP [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75112 NOT 1 | RIVET [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75113 NOT 1 | CUPWASHER [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75114 NOT 1 | SUBASSEMBLY OF RECEIVER HOLDER [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75116 NOT 1 | YOKE [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75117 NOT 1 | BALE ROD [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75118 NOT 1 | YOKE STUD [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75119 NOT 1 | ROLL PIN [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75120 NOT 1 | BAND [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75121 NOT 1 | HEADBAND COVER [CUST: CR EC 85 CC] [REVIEW: 11 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75122A NOT 1 | CO-162 CABLE [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC] | A 5965 | CC | | 25-MAR-82 |
| | MS75123 NOT 1 | CORD C0169 [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75124 NOT 1 | RING TERMINAL [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 10-APR-87 |
| | MS75125 NOT 1 | TM-51 TERMINALS [CUST: CR EC 85 CC] [REVIEW: 99] | A 5965 | CC | | 10-APR-87 |
| | MS75127B NOT 1 | EARPHONE ASSEMBLY [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC] | A 5965 | CC | | 10-APR-87 |
| | MS75128A NOT 1 | CUSHION, EARPHONE [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC SH] | A 5965 | CC | | 29-MAR-88 |
| | MS75129B NOT 1 | EARPHONE RETAINER [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC] | A 5965 | CC | | 10-APR-87 |
| | MS75130A NOT 1 | CUP, EARPHONE [CUST: CR EC 85 CC] [REVIEW: 11 13 99 AS MC] | A 5965 | CC | | 25-MAR-82 |
| | MS75131 NOT 1 | DESIGN FEATURES FOR SWITCHBOARD CORD ASSEMBLIES [CUST: 85 GS] | A 5995 | GS | | 03-NOV-88 |
| | MS77066 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE 30 DEG., ONE HOLE [CUST: AR SH 85 GS] [REVIEW: 99 CR4 MC MI] | A 5940 | GS | | 08-SEP-65 |
| | MS77067A | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, FLAT, ONE HOLE [CUST: AR SH 85 GS] [REVIEW: 99 MC MI] | A 5940 | GS | | 15-DEC-89 |
| | MS77068A | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, 45 DEG., TWO HOLE [CUST: AR SH 85 GS] [REVIEW: 99 AV CR4 MC MI] | A 5940 | GS | | 15-DEC-89 |
| | MS77069 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, 30 DEG., ONE HOLE [CUST: AR SH 85 GS] [REVIEW: 99 AV CR4 MC MI] | A 5940 | GS | | 08-SEP-65 |
| | MS77070 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, FLAT, ONE HOLE [CUST: AR SH 85 GS] [REVIEW: 99 CR4 MC MI] | A 5940 | GS | | 08-SEP-65 |
| | MS77071B | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, 90 DEG., ONE HOLE [CUST: AR SH 85 GS] [REVIEW: 11 99 AS AV MC MI] | A 5940 | GS | | 03-FEB-94 |
| | MS77072 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, FLAT, ONE HOLE [CUST: AR SH 85 GS] [REVIEW: 99 MC MI] | A 5940 | GS | | 08-SEP-65 |
| | MS77073 | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE FLAT, ONE HOLE [CUST: AR SH 85 GS] [REVIEW: 99 MC MI] | A 5940 | GS | | 08-SEP-65 |
| | MS77074A | TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING INSULATION GRIP, LOCKING TYPE [CUST: AR SH 85 GS] [REVIEW: 11 99 AS AV MC] | A 5940 | GS | | 15-DEC-89 |
| | MS87033 NOT 1 | TAPE, AIRCRAFT TUBING IDENTIFICATION MARKER [CUST: AV GS] | A 7690 | GS | | 30-AUG-88 |
| | MS90013C | INDUCTOR, POWER TYPE TF4RX04HA005 [CUST: CR EC 85] [REVIEW: SH] | A 5950 | CC | | 20-MAY-82 |
| | MS90027G | TRANSFORMER, POWER, STEP DOWN & STEP UP, TYPE TF4RX03JB002 [CUST: CR EC 85] [REVIEW: 11 17 19 MC SH] | A 5950 | CC | | 20-MAY-82 |
| | MS90253A | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-702/U (ADAPTS SERIES C PLUG TO SERIES HN JACK) [CUST: CR EC 85 CC] [REVIEW: 11 99 AS] | A 5935 | CC | | 10-APR-61 |
| | MS90260 NOT 1 | COUPLING NUT; PART OF SERIES HN CONNECTORS [CUST: CR EC 85 CC] | A 5935 | CC | | 20-SEP-93 |
| | MS90261C NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-703A/U (SERIES C JACK TO SERIES HN PLUG) [CUST: CR EC 85 CC] [REVIEW: 11 99 AS] | A 5935 | CC | | 20-AUG-91 |
| A | MS90295A NOT 2 | HOOK, BAND, PARACHUTE CONTAINER OPENING [CUST: GL AS 99 IS] [REVIEW: 82 MC] | A 1670 | GL | | 29-AUG-97 |
| A | MS90296C NOT 2 | SPRING, BAND, PARACHUTE CONTAINER OPENING [CUST: GL AS 99 IS] [REVIEW: 82 MC] | A 1670 | GL | | 29-AUG-97 |
| | MS90298C | CONNECTOR, RECEPTACLE, ELECTRIC GROUNDING [CUST: AV 11] | A 5935 | CC | | 24-NOV-81 |
| D | MS90308B NOT 1 | LIGHT INDICATOR, SUBMINIATURE, RELAMPABLE [CUST: AS IS] | A 6210 | IS | | 31-JUL-92 |
| | MS90310G | SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR AV EC MI] | A 5930 | CC | | 18-OCT-85 |
| | MS90311J | SWITCH, TOGGLE-POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING [CUST: CR AS 85 CC] [REVIEW: 11 17 99 AR AT AV EC MI] | A 5930 | CC | | 18-OCT-85 |
| | MS90328G | CABLE ASSEMBLY EXTERNAL ELECTRIC POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ [CUST: CR AS 85 GS] [REVIEW: 99 CR4 SH] | A 6150 | AS | | 30-MAY-92 |
| | MS90335D | CONNECTOR, RECEPTACLES, PLUGS, ADAPTER, EL. EMBEDDED, PRINTED CIRCUIT BOARD LAMP LIGHTING PANELS [CUST: AV AS 11] [REVIEW: MC SH] | A 5935 | AS | | 05-JAN-96 |
| | MS90347D | CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT 28 VOLT DC OPERATING POWER [CUST: CR AS 85 GS] [REVIEW: 99 CR4 SH] | A 6150 | AS | | 30-MAY-92 |
| | MS90353U | FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100 DEG. FLUSH HEAD, ALLOY STEEL, 112 K.S.I. FSU [CUST: AV AS 99] [REVIEW: 82 MI] | A 5320 | IS | | 28-FEB-94 |
| | MS90354T | FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, ALLOY STEEL, 112 K.S.I. FSU [CUST: AV AS 99] [REVIEW: 82 MI] | A 5320 | IS | | 28-FEB-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Document Number | Document Title | Distribution FSC/Area | ICA Prep. Acty. | Date |
|-----------------|---|--------------------------|--------------------|-----------|
| MS90362C | CONNECTOR, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ [CUST: CR AS 85] [REVIEW: 99 AV] | A 5935 | AS | 27-FEB-76 |
| MS90367 NOT 1 | INDICATOR, ELECTRICAL, WHEELS & FLAPS POSITION [CUST: AS] | A 6610 | AS | 11-DEC-87 |
| MS90376E | CAP, DUST, PLASTIC, ELECTRIC CONNECTOR [CUST: CR AS 85] [REVIEW: AR AV CR IS] | A 5340 | AS | 25-MAY-93 |
| MS90380C | SLING, SURVIVOR S RESCUE [CUST: CR4 AS 99] [REVIEW: GS] | A 4240 | AS | 15-DEC-80 |
| MS90382 | GRIP, CABLE, RESCUE [CUST: AS 99] [REVIEW: GS] | A 4240 | AS | 24-JUN-65 |
| MS90387G NOT 1 | TOOL, HAND, ADJUSTABLE FOR PLASTIC AND METAL TIEDOWN STRAPS [CUST: CR AS 85] [REVIEW: 11 17 99 EC OS SH] | A 5120 | AS | 09-OCT-91 |
| MS90393 | WRENCH, PINION (STRAIGHT) [CUST: AR AS 85] [REVIEW: 17 AV CG MC MI] | A 5990 | CC | 06-JUN-67 |
| MS90394 | WRENCH, PINION, 90 DEG. [CUST: AR AS 85] [REVIEW: 17 CG MC MI] | A 5990 | CC | 06-JUN-67 |
| MS90395 | WRENCH, SOCKET [CUST: AR AS 85] [REVIEW: 17 CG MC MI] | A 5990 | CC | 06-JUN-67 |
| MS90398 | RING, ZEROING [CUST: AR AS 85] [REVIEW: 17 CG MC MI] | A 5990 | CC | 06-JUN-67 |
| MS90399 | SCREW, DRIVE [CUST: AR AS 11] [REVIEW: 17 CC CG MC MI] | A 5990 | AS | 06-JUN-67 |
| MS90400 | CLAMPING DISC ASSEMBLY [CUST: AR 85] [REVIEW: 17 CG MC] | A 5990 | CC | 06-JUN-67 |
| MS90401 | ADAPTER ASSEMBLY [CUST: AR 11] [REVIEW: 17 85 CG MC MI] | A 5990 | CC | 06-JUN-67 |
| MS90402 | SCREW, CAPTIVE [CUST: AR AS 85] [REVIEW: 17 AV CC CG MC MI] | A 5990 | AS | 06-JUN-67 |
| MS90404 | LUG, TERMINAL TYPE I, CLASS 2 [CUST: AR AS 85] [REVIEW: 17 CG MC MI] | A 5990 | CC | 06-JUN-67 |
| MS90405A | PIN, LOCKING [CUST: AR 85] [REVIEW: 17 CG CR4 MC MI] | A 5990 | CC | 24-MAR-69 |
| MS90415C | NUT, SELF-LOCKING, STEEL, 160KSI, 450 DEG. F 12 POINT, CAPTIVE WASHER [CUST: AS] | A 5310 | IS | 30-NOV-88 |
| MS90457A NOT 1 | HOSE ASSEMBLY METAL, LIQUID OXYGEN [CUST: AS] | A 4720 | AS | 15-DEC-87 |
| MS90484B NOT 1 | GASKET, FLANGE MOUNT, CONNECTOR, ELECTRIC [CUST: CR AS 85 CC] [REVIEW: 11 AR AT AV CR4 EC MC MI OS SH] | A 5935 | CC | 24-OCT-91 |
| MS90485E | DIES, CRIMPING TOOL, FOR USE WITH MS20659 UNINSULATED WIRE TERMINALS (FOR WIRE SIZES 8 THROUGH 4/0) [CUST: CR AS 99] [REVIEW: 85 EC GL MC OS SH] | A 5136 | AS | 30-AUG-74 |
| MS90486B | GAGE, IN SERVICE INSPECTION, FOR USE WITH MS90485 CRIMPING DIES, (FOR USE WITH COPPER UNINSULATED TERMINALS) [CUST: CR AS 99] [REVIEW: 85 MC OS] | A 5220 | AS | 09-NOV-72 |
| MS90530E | SWITCH, PRESSURE-WARNING, SPST, WATERPROOF, 24 VOLT, DC [CUST: AT CC] [REVIEW: CR4] | A 5930 | CC | 02-FEB-88 |
| MS90538B | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K001 TO LT10K021, INCLUSIVE [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI OS SH] | A 5950 | CC | 16-FEB-95 |
| MS90539C | COILS, RADIO FREQUENCY, MOLDED, FIXED SUBMINIATURE (IRON CORE) TYPES LT10K022 TO LT10K036 [CUST: CR EC 80] [REVIEW: 17 19 AR AS CR MC MI OS SH] | A 5950 | CC | 11-AUG-93 |
| MS90540A NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K037 TO LT10K049 INCL. [CUST: CR EC 85] [REVIEW: 99 MI] | A 5950 | CC | 11-NOV-91 |
| MS90541A NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED SUBMINIATURE (IRON CORE) TYPES LT10K050 TO LT10K060 INCL. [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | 11-NOV-91 |
| MS90542B NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K315 TO LT4K327 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS] | A 5950 | CC | 31-JAN-92 |
| MS90543A NOT 1 | COILS, RADIO FREQUENCY, MOLDED, VARIABLE, POWDERED IRON CORE (PRINTED CIRCUIT MT'G) TYPES LT12V001 TO LT12V031 INCLUSIVE [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS CG CR4 MC MI OS SH] | A 5950 | CC | 11-NOV-91 |
| MS90546A NOT 1 | COILS, RADIO FREQUENCY, MOLDED VARIABLE, FERRITE CORE (PRINTED CIRCUIT MT'G) TYPES LT12V032 TO LT12V062, INCLUSIVE [CUST: CR EC 85] [REVIEW: 11 17 99 AS AT CG CR4 MC MI OS SH] | A 5950 | CC | 11-NOV-91 |
| MS90547D | SWITCH ROTARY 28/125 VOLTS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AV MI OS] | A 5930 | CC | 07-JAN-85 |
| MS90555D NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING CLASS L (POWER SOURCE RECEPTACLE) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AS CG MC MI OS] | A 5935 | CC | 29-SEP-89 |
| MS90556F | CONNECTOR, PLUG, ELECTRICAL, STRAIGHT, CLASS L [CUST: CR EC 85 CC] [REVIEW: 13 17 19 99 AS AT AV CG CR4 MC MI OS SH] | A 5935 | CC | 14-JUN-95 |
| MS90557F | CONNECTOR, PLUG, ELECTRICAL, CABLE CONNECTING (WITHOUT COUPLING RING), CLASS L [CUST: CR EC 85 CC] [REVIEW: 11 13 17 19 99 AS AT AV CG CR4 MC MI OS SH] | A 5935 | CC | 14-JUN-95 |
| MS90558D NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING, (WITH COUPLING RING) CLASS L (EQUIPMENT RECEPTACLE) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS CG MC MI OS] | A 5935 | CC | 29-SEP-89 |
| MS90561E NOT 1 | GRIP, CABLE, WOVEN, STRAIN RELIEF, AXIAL [CUST: CR EC 85 CC] [REVIEW: 13 17 19 80 99 AS AT AV CG CR4 MC MI OS] | A 5935 | CC | 29-SEP-89 |
| MS90563E NOT 1 | COVER, ELECTRICAL CONNECTOR, RECEPTACLE, CLASS L [CUST: CR EC 11 CC] [REVIEW: 17 19 85 99 AS AT AV CG CR4 MC MI OS] | A 5935 | CC | 03-JUN-92 |
| MS90564E NOT 1 | COVER, ELECTRICAL CONNECTOR, PLUG, CLASS L [CUST: CR EC 11 CC] [REVIEW: 17 19 85 99 AS AT AV CG MC MI OS] | A 5935 | CC | 03-JUN-92 |
| MS90565G NOT 1 | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SIZE 32, CLASS L, 60 AMPS [CUST: CR EC 11 CC] [REVIEW: 17 19 85 AS AT AV CG CR4 MC MI SH YDI] | A 5935 | CC | 29-SEP-89 |
| MS90567B NOT 1 | INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SIZE 48 CLASS L, 150 AMPS [CUST: CR EC 11 CC] [REVIEW: 11 17 19 99 AR AS CG MC MI OS] | A 5935 | CC | 20-AUG-93 |
| MS90569 NOT 1 | ADAPTER, (STEP UP) CABLE SEALING & GRIPPING [CUST: CR EC 11 CC] [REVIEW: 17 19 85 AS AV CG MC MI OS SH] | A 5935 | CC | 03-JUN-92 |
| MS90577 NOT 1 | ADAPTER, CONNECTOR, SERIES UHF TO SERIES BNC, UG-273/U [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS CG MC MI OS] | A 5935 | CC | 20-AUG-91 |
| MS90578A NOT 1 | ADAPTER CONNECTOR, UG-1441/U (TWIN BINDING POST-BNC MALE) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS CG CR4 MC MI] | A 5935 | CC | 20-AUG-91 |
| MS90579 NOT 1 | ADAPTER, CONNECTOR, TYPE UG-1375/U "QL" FEMALE - "C" FEMALE JAM NUT MOUNTED [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AS CG MC OS] | A 5935 | CC | 20-AUG-91 |
| MS90707B NOT 1 | RING, RETAINING, EXTERNAL GRIP [CUST: AR OS 99 IS] [REVIEW: 82 AT AV GL MI] | A 5365 | IS | 14-MAR-96 |
| MS90708C | RING, RETAINING, EXTERNAL INTERLOCKING [CUST: AR 99 IS] [REVIEW: 82 AS AT AV CR CR4 MC SH YDI] | A 5365 | IS | 28-JUN-95 |
| MS90716 | NAIL, FOUNDRY [CUST: AR YDI 99 IS] [REVIEW: 82 GL MC SA] | A 5315 | IS | 18-DEC-62 |
| MS90719 | STAPLE, CABLE, ELECTRICIAN S [CUST: AR YDI 99 IS] [REVIEW: 82 GL MC SA] | A 5315 | IS | 18-DEC-62 |
| MS90720 | STAPLE, FENCE [CUST: AR YDI 99 IS] [REVIEW: 82 GL MC SA] | A 5315 | IS | 18-DEC-62 |
| MS90721 | STAPLE, WIRING, ELECTRICIAN S [CUST: AR YDI 99 IS] [REVIEW: 82 GL MC SA] | A 5315 | IS | 18-DEC-62 |
| MS90722A | TACK [CUST: AR YDI 99 IS] [REVIEW: 82 GL MC SA] | A 5315 | IS | 25-JAN-88 |
| MS90725D(1) | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNF-2A [CUST: AR SH 99] [REVIEW: AS AT AV CR4 MC MI OS] | A 5305 | IS | 06-NOV-92 |
| MS90726B(1) | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM PLATED, UNF-2A [CUST: AR SH 99] [REVIEW: AT AV CR4 MC MI OS] | A 5305 | IS | 06-NOV-92 |
| MS90908B NOT 1 | FILLER TUBE, FUEL TANK-MILITARY VEHICLES [CUST: AT CC] [REVIEW: CR MC] | A 2910 | CC | 08-JUL-88 |
| MS91124A NOT 1 | WASHER, FLAT; PART OF RF COAXIAL CONNECTORS [CUST: CR EC 85 CC] [REVIEW: 11 99] | A 5935 | CC | 20-AUG-91 |
| MS91189D NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K002 TO LT4K016 INCL. [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS] | A 5950 | CC | 11-NOV-91 |
| MS91586B NOT 1 | SHUNTS, INSTRUMENT, EXTERNAL, 50-MILLIVOLT, STYLE MSA [CUST: CR 99 CC] [REVIEW: AR AV CR4 MI] | A 6625 | CC | 30-JAN-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------------|---|-----------------------|-----|-------------|-----------|
| | MS91587A NOT 1 | SHUNTS, INSTRUMENT, EXTERNAL, 50-MILLIVOLT, STYLE MSB [CUST: CR SH 99 CC] [REVIEW: AR CR4 MI] | A 6625 | CC | | 30-JAN-91 |
| | MS91588B NOT 1 | SHUNTS, INSTRUMENT, EXTERNAL, 50-MILLIVOLT STYLE MSC [CUST: CR SH CC] | A 6625 | CC | | 30-JAN-91 |
| | MS91596B NOT 1 | ADAPTER, CONNECTOR, SERIES LC, UG-216B/U [CUST: CR EC 85 CC] | A 5935 | CC | | 20-SEP-93 |
| | MS91604A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES LC, UG-154A/U [CUST: CR EC 85 CC] | A 5935 | CC | | 20-SEP-93 |
| | MS91610B NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES LC, UG-352B/U [CUST: CR EC 85 CC] | A 5935 | CC | | 20-SEP-93 |
| | MS91618A NOT 1 | ADAPTER, CONNECTOR, SERIES LC, UG-287B/U [CUST: CR EC 85 CC] | A 5935 | CC | | 20-SEP-93 |
| | MS91620B NOT 1 | ADAPTER, CONNECTOR, SERIES LC, UG-208B/U [CUST: CR EC 85 CC] | A 5935 | CC | | 20-SEP-93 |
| | MS122026THRUMS122075A NOT 1 | WASHER - LOCK, SPRING [CUST: AS 99 IS] [REVIEW: CR4 MI] | A 5310 | IS | | 10-JUN-94 |
| A | MS122076THRUMS122115D | INSERT CRES HELICAL COIL COARSE THREAD 1 DIA. NOMINAL LENGTH [CUST: AV AS 99 IS] [REVIEW: AR CR CR4 MC MI OS] | A 5325 | IS | | 24-FEB-76 |
| A | MS122156THRUMS122195D | INSERT CRES HELICAL COIL COARSE THREAD 2 DIA. NOMINAL LENGTH [CUST: AV AS 99 IS] [REVIEW: AR CR CR4 MC MI OS] | A 5325 | IS | | 24-FEB-76 |
| A | MS122196THRUMS122235D | INSERT CRES HELICAL COIL COARSE THREAD 2 1/2 DIA. NOMINAL LENGTH [CUST: AV AS 99 IS] [REVIEW: AR CR CR4 MC MI OS] | A 5325 | IS | | 24-FEB-76 |
| A | MS122236THRUMS122275D | INSERT CRES HELICAL COIL COARSE THREAD, 3 DIA NOMINAL LENGTH (ASG) [CUST: AV AS 99 IS] [REVIEW: AR CR CR4 MC MI OS] | A 5325 | IS | | 24-FEB-76 |
| | MS122900THRUMS122939B NOT 1 | CLAMP LOOP TYPE SUPPORT (HEAT RESISTANT) .204 HOLE [CUST: AV AS 99 IS] | A 5340 | IS | | 09-MAY-96 |
| A | MS124651THRUMS124690D | INSERT - CRES HELICAL COIL FINE THREAD, 1 DIA NOMINAL LENGTH [CUST: AV AS 11 IS] [REVIEW: 99 AR CR CR4 MC MI OS] | A 5325 | IS | | 24-FEB-76 |
| A | MS124691THRUMS124730E NOT 1 | INSERT, CRES HELICAL COIL FINE THREAD, 1-1/2 DIA NOMINAL LENGTH [CUST: AV AS 99 IS] [REVIEW: 82 AR CR CR4 MC MI OS] | A 5325 | IS | | 09-OCT-91 |
| A | MS124731THRUMS124770D NOT 1 | INSERT, CRES HELICAL COIL FINE THREAD, 2 DIA NOMINAL LENGTH [CUST: AV AS 99 IS] [REVIEW: 11 82 AR CR CR4 MC MI OS] | A 5325 | IS | | 09-OCT-91 |
| A | MS124771THRUMS124810D | INSERT - CRES HELICAL COIL FINE THREAD, 2 1/2 DIA NOMINAL LENGTH [CUST: AV AS 99 IS] [REVIEW: AR CR CR4 MC MI OS] | A 5325 | IS | | 24-FEB-76 |
| A | MS124811THRUMS124850D NOT 1 | INSERT, CRES HELICAL COIL FINE THREAD, 3 DIA NOMINAL LENGTH [CUST: AV AS 99 IS] [REVIEW: 82 AR CR CR4 MC MI OS] | A 5325 | IS | | 09-OCT-91 |
| | MS171401THRUMS171900C NOT 1 | PIN - SPRING, CORROSION RESISTANT STEEL [CUST: AV AS 99] [REVIEW: AR MC MI] | A 5315 | IS | | 10-JUN-94 |
| | MS171401C NOT 1 | PIN-SPRING, CORROSION RESISTANT STEEL (ASG) [CUST: AV AS 99] [REVIEW: AR IS MC MI] | A 5315 | IS | | 08-JUL-88 |
| | MS172201THRUMS172235B NOT 1 | WASHER, KEY - SINGLE, BEARING RETAINING, AMS 8350 (ASG) [CUST: AV AS 99 IS] [REVIEW: 69 MC MI] | A 5310 | IS | | 01-FEB-96 |
| | MS172236THRUMS172270B NOT 1 | NUT, SPANNER, BEARING RETAINING, AERONAUTICAL (ASG) [CUST: AV AS 99 IS] [REVIEW: MC] | A 5310 | IS | | 01-FEB-96 |
| | MS172271THRUMS172320B NOT 1 | WASHER, KEY - SINGLE, AMS 6350 (ASG) [CUST: AS 99 IS] [REVIEW: MI] | A 5310 | IS | | 10-JUN-94 |
| | MS172321THRUMS172370 NOT 1 | NUT - SPANNER, AERONAUTICAL [CUST: AS 99 IS] | A 5310 | IS | | 10-JUN-94 |
| | MS500030A | BELT, SEAT, PASSENGER TYPE, AUTOMOTIVE, COMMERCIAL VEHICLES [CUST: AT CC] [REVIEW: CR4] | A 2540 | CC | | 18-JAN-66 |
| A | MS500072C NOT 1 | BEARING, ROLLER, NEEDLE: ASSEMBLY (THICK OUTER RACE) [CUST: AT OS 11 GS] | A 3110 | GS | | 02-FEB-96 |
| | MS500077C NOT 2 | HOSE ASSEMBLY, RUBBER, HYDRAULIC AND PNEUMATIC, MEDIUM PRESSURE, FLARED TUBE [CUST: AT 99] [REVIEW: 82 AR AV CR4 MI] | A 4720 | CC | | 30-AUG-96 |
| | MS500083C NOT 3 | HOSE ASSEMBLY, NONMETALLIC: HYDRAULIC AND PNEUMATIC HIGH PRESSURE, FLARED TUBE [CUST: AT SH 99] [REVIEW: AR AV ME MI] | A 4720 | CC | | 30-AUG-96 |
| | MS500090B | ARM, WINDSHIELD WIPER HEAVY DUTY (ADJUSTABLE) [CUST: AT 99] | A 2540 | CC | | 22-NOV-74 |
| | MS500091C NOT 1 | BLADE, WINDSHIELD WIPER, HEAVY DUTY [CUST: AT 99] [REVIEW: CR4 MC] | A 2540 | CC | | 15-OCT-87 |

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-STD-12D | ABBREVIATIONS FOR USE ON DRAWINGS, SPECIFICATIONS STANDARDS & IN TECHNICAL DOCUMENTS [CUST: AR SH 16] [REVIEW: 17 19 AV CC DH EA MI] | A DRPR | AR | | 29-MAY-81 |
| | MIL-STD-17A(1) | MECHANICAL SYMBOLS [CUST: AR SH 11] [REVIEW: 16 CC MI] | A DRPR | AR | | 16-SEP-77 |
| | MIL-STD-22D(2) NOT 3 | WELDED JOINT DESIGN [CUST: MR SH 11] [REVIEW: CR MC OS YDI] | A THJM | SH | | 21-MAR-91 |
| | MIL-STD-25B NOT 1 | SHIP STRUCTURAL SYMBOLS FOR USE ON SHIP DRAWINGS [CUST: AR SH] [REVIEW: CR4] | A DRPR | SH | | 10-MAY-84 |
| A | DOD-STD-35/3E NOT 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RESISTORS, FIXED [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 20-SEP-91 |
| | DOD-STD-35/4C(1) NOT 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, CAPACITORS, FIXED [CUST: MI] [REVIEW: AT AV CR CR4 MR] | A EGDS | MI | | 09-DEC-88 |
| | MIL-STD-35/13A | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SOLENOIDS [CUST: MI] | A EGDS | MI | | 09-DEC-88 |
| | DOD-STD-35/16C(1) NOT 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, MICROCIRCUIT DEVICES [CUST: MI] [REVIEW: AT AV CR4 MR] | A EGDS | MI | | 09-DEC-88 |
| | DOD-STD-35/44A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SYNCHROS [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 09-SEP-96 |
| | DOD-STD-35/45A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RESOLVERS, ELECTRICAL [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 09-SEP-96 |
| | DOD-STD-35/99A(1) | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLE ASSEMBLIES [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 18-SEP-92 |
| A | MIL-STD-100G | ENGINEERING DRAWINGS [CUST: AR SA 16] [REVIEW: 11 13 19 68 70 71 79 80 84 90 99 AS AT AV CC CE CH CR CR4 DH EA EC GL GS IS MC MI NS OS SH SM TD TE YDI] | A DRPR | AR | | 09-JUN-97 |
| | MIL-STD-101B | COLOR CODE FOR PIPELINES & FOR COMPRESSED GAS CYLINDERS [CUST: EA SH 68] [REVIEW: 19 69 99 AS AV CC CG CR4 GS MC MI MS YDI] | A 8120 | EA | | 03-DEC-70 |
| | MIL-STD-104C | LIMIT FOR ELECTRICAL INSULATION COLOR [CUST: CR AS 17] [REVIEW: AT AV EC IS MC MI NS OS SH] | A 6145 | AS | | 31-OCT-86 |
| | MIL-STD-107H | PREPARATION AND HANDLING OF INDUSTRIAL PLANT EQUIPMENT FOR SHIPMENT AND STORAGE [CUST: AL SH 69 GS] [REVIEW: 84 AR AV CR DH MC SM YDI] | A PACK | GS | | 21-SEP-90 |
| | MIL-STD-108E(1) NOT 2 | DEFINITIONS OF AND BASIC REQUIREMENTS FOR ENCLOSURES FOR ELECTRIC AND ELECTRONIC EQUIPMENT [CUST: TE SH] | A ENVR | SH | | 08-AUG-90 |
| | MIL-STD-129N | MILITARY MARKING [CUST: SM SA 69 DH] [REVIEW: 11 13 16 70 71 80 82 84 99 AL AM AR AS AT AV CC CG CR CR4 EA EC GL GS IS MB MC MI MR MS MT OS PS SH SS TD TM TM2 YDI] | A PACK | SM | | 15-MAY-97 |
| | MIL-STD-130J | IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY [CUST: AR AS 16 DH] [REVIEW: 11 85 AT AV CC CR CR4 DP EA GS IS MC MI OS SH SM TD YDI] | A GDRQ | 16 | | 01-JUN-97 |
| | MIL-STD-139A | RADIOGRAPHIC INSPECTION, SOUNDNESS REQUIREMENTS FOR ALUMINUM AND MAGNESIUM CASTINGS (FOR SMALL ARMS PARTS) [CUST: AR] [REVIEW: AT MI] | A NDTI | AR | | 05-JAN-65 |
| | MIL-STD-161F NOT 2 | IDENTIFICATION METHODS FOR BULK PETROLEUM PRODUCTS SYSTEMS INCLUDING HYDROCARBON MISSILE FUELS [CUST: MI SA 68] [REVIEW: 11 GS YDI] | A 91GP | 68 | | 01-AUG-85 |
| | MIL-STD-167/1 NOT 1 | MECHANICAL VIBRATIONS OF SHIPBOARD EQUIPMENT (TYPE I - ENVIRONMENTAL AND TYPE II - INTERNALLY EXCITED) [CUST: SH] [REVIEW: EA OS] | A ENVR | SH | | 01-MAY-74 |
| | MIL-STD-167/2 NOT 1 | MECHANICAL VIBRATIONS OF SHIPBOARD EQUIPMENT (RECIPROCATING MACHINERY AND PROPULSION SYSTEM AND SHAFTING) TYPES III, IV, AND V (CONTROLLED DISTRIBUTION) [CUST: SH] | A ENVR | SH | | 26-NOV-91 |
| | MIL-STD-168B NOT 1 | VISUAL INSPECTION GUIDE FOR ALL-RUBBER GLOVES EXCEPT SURGICAL [CUST: GL SH 99 CT] [REVIEW: 11 45 EA MC MS SA YDI] | A 8415 | CT | | 15-FEB-89 |
| | MIL-STD-171E | FINISHING OF METAL AND WOOD SURFACES [CUST: MR SH 11] [REVIEW: 99 AR AS CR CR4 GL MI OS TD YDI] | A MFFP | MR | | 23-JUN-89 |
| | MIL-STD-175E NOT 1 | SANITARY STANDARDS FOR THE EQUIPMENT * METHODS FOR THE HANDLING OF MILK AND MILK PRODUCTS IN BULK MILK DISPENSING OPERATIONS [CUST: MD SA 50] [REVIEW: MC MS SS] | A 8910 | MD | | 06-NOV-87 |
| | MIL-STD-177A NOT 1 | RUBBER PRODUCTS, TERMS FOR VISIBLE DEFECTS OF [CUST: MR SH 11] [REVIEW: AR AS AT EA GL GS MC] | A 9320 | SH | | 31-MAY-88 |
| | MIL-STD-186E | PROTECTIVE FINISHING FOR ARMY MISSILE WEAPON SYSTEMS [CUST: MI] [REVIEW: CR4 MR] | A MFFP | MI | | 30-SEP-91 |
| | MIL-STD-187/700B | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR THE DEFENSE INFORMATION SYSTEM [CUST: CR EC 90] [REVIEW: 02 13 17 18 19 93 AS CR DH DI IR MC MP NS SH] | A TCSS | DC | | 02-APR-96 |
| | MIL-STD-187/721B | PLANNING AND GUIDANCE STANDARD FOR AUTOMATED CONTROL APPLIQUE FOR HF RADIO [CUST: CR EC 90] [REVIEW: 02 13 21 AC CG DC DH DI MC MP NC NS OM PT TD] | A TCSS | CR | | 04-APR-94 |
| | MIL-STD-188/105 NOT 1 | INTEROPERABILITY AND PERFORMANCE STANDARD FOR THE ALL-DIGITAL TACTICAL-TO-STRATEGIC GATEWAY [CUST: CR EC 90 DC] [REVIEW: 02 13 17 18 19 93 CR MC NS] | A TCSS | DC | | 16-APR-96 |
| | MIL-STD-188/110A | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR DATA MODEMS [CUST: CR EC 90] [REVIEW: CR MC] | A TCSS | 90 | | 30-SEP-91 |
| | MIL-STD-188/111A | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR FIBER OPTIC COMMUNICATIONS SYSTEMS [CUST: CR EC 90 DC] [REVIEW: 02 13 NS OM] | A TCSS | DC | | 14-DEC-88 |
| | MIL-STD-188/112 | SUBSYSTEM DESIGN & ENGINEERING STANDARDS FOR COMMON LONG HAUL TACTICAL CABLE & WIRE COMMUNICATIONS [CUST: CR EC 90] [REVIEW: 02 NS OM TT] | A TCSS | CR | | 31-AUG-83 |
| | MIL-STD-188/113 | INTEROPERABILITY & PERFORMANCE STANDARDS FOR ANOLOG- TO- DIGITAL CONVERSION TECHNIQUES [CUST: CR EC 90] [REVIEW: 02 17 24 80 AS DC NS] | A TCSS | CR | | 17-FEB-87 |
| | MIL-STD-188/114A(1) | ELECTRICAL CHARACTERISTICS OF DIGITAL INTERFACE CIRCUITS [CUST: CR EC 17] [REVIEW: 01 11 13 71 99 AC AS AV CG MC MI SH TE] | A TCSS | CR | | 13-DEC-91 |
| | MIL-STD-188/115 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR COMMUNICATIONS TIMING AND SYNCHRONIZATION SUBSYSTEMS [CUST: CR EC 90 DC] [REVIEW: CR] | A TCSS | DC | | 31-MAR-86 |
| M | MIL-STD-188/124B NOT 2 | GROUNDING, BONDING AND SHIELDING FOR COMMON LONG HAUL/TACTICAL COMMUNICATIONS SYSTEMS INCLUDING GROUND BASED COMMUNICATIONS-ELECTRONICS FACILITIES AND EQUIPMENTS [CUST: CR EC 90 DC] [REVIEW: 01 02 17 21 50 80 84 89 93 AC CG NC OM TD] | A TCSS | DC1 | | 01-MAY-98 |
| | MIL-STD-188/125A | HIGH-ALTITUDE ELECTROMAGNETIC PULSE (HEMP) PROTECTION FOR GROUND-BASED C4I FACILITIES PERFORMING CRITICAL, TIME-URGENT MISSIONS (VOLUME I FIXED FACILITIES) [CUST: CR EC 90] [REVIEW: 01 02 13 17 19 89 93 AC AM CE CR DH DS EM IR MC MP NC NM NS OM SE TD TE] | A TCSS | 90 | | 15-FEB-94 |
| | MIL-STD-188/140A | EQUIPMENT TECHNICAL DESIGN STANDARDS FOR COMMON LONG HAUL/TACTICAL RADIO COMMUNICATIONS IN THE LOW FREQUENCY BAND AND LOWER FREQUENCY BANDS [CUST: CR EC 17 DC] | A TCSS | DC | | 01-MAY-90 |
| | MIL-STD-188/141A NOT 2 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR MEDIUM AND HIGH FREQUENCY RADIO EQUIPMENT [CUST: CR EC 90] [REVIEW: DC DI MC NS SH] | A TCSS | CR | | 10-SEP-93 |
| | MIL-STD-188/145(1) | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR DIGITAL LOS MICROWAVE RADIO EQUIPMENT [CUST: CR EC 90] [REVIEW: 02 17 24 80 AS] | A TCSS | CR | | 28-JUL-92 |
| A | MIL-STD-188/154A | SUBSYSTEM, EQUIPMENT, AND INTERFACE STANDARDS FOR COMMON LONG HAUL AND TACTICAL TELECOMMUNICATIONS CONTROL FACILITIES [CUST: AC EC 90] [REVIEW: 02 17 CR DC MC NC NS OM TD] | A TCSS | 90 | | 31-DEC-97 |
| | MIL-STD-188/161D | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR DIGITAL FACSIMILE EQUIPMENT [CUST: CR EC 90 DC] [REVIEW: 02 17 93 AC CR MC NC NS OM PT TD] | A TCSS | DC | | 10-JAN-95 |
| | MIL-STD-188/164 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR C-BAND, X-BAND, AND KU-BAND SHF SATELLITE COMMUNICATIONS EARTH TERMINALS [CUST: CR EC 90] [REVIEW: 02 11 13 17 29 33 93 AC AM CG CR DH DI DO IR MC MP NC OM PT SE TD] | A TCSS | DC | | 13-JAN-95 |
| | MIL-STD-188/165 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR SHF SATELLITE COMMUNICATIONS PSK MODEMS (FDMA OPERATION) [CUST: CR EC 90] [REVIEW: 02 11 13 17 29 33 93 AC AM CG CR DH DI DO IR MC MP NC NS OM PT SE TD] | A TCSS | DC | | 13-JAN-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-STD-188/171 | INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE I [CUST: CR EC 90 DC] [REVIEW: AC CR MC OM TD] | A TCSS | DC | | 19-MAY-89 |
| | MIL-STD-188/172 | INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE II [CUST: CR EC 90 DC] [REVIEW: 13] | A TCSS | DC | | 07-DEC-89 |
| | MIL-STD-188/173 | INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE V [CUST: CR EC 90 DC] [REVIEW: 02 13 17 AC CR MC OM TD] | A TCSS | DC | | 19-MAY-89 |
| | MIL-STD-188/174 | INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE VI [CUST: CR EC 90 DC] [REVIEW: 02 13 17 AC CR MC NC OM TD] | A TCSS | DC | | 01-MAR-90 |
| | MIL-STD-188/176 | STANDARDIZED PROFILE FOR ASYNCHRONOUS TRANSFER MODE [CUST: CR EC 90] [REVIEW: 02 13 17 19 93 AS CR DH DI IR MC MP NS SH] | A TCSS | DC | | 21-MAY-96 |
| | MIL-STD-188/181A | INTEROPERABILITY STANDARD FOR SINGLE-ACCESS 5-KHZ AND 25-KHZ UHF SATELLITE COMMUNICATIONS CHANNELS [CUST: CR EC 90 DC1] [REVIEW: 02 13 17 21 29 33 89 93 AC CG DH IR MC MP NC NS OM PT SE TD] | A TCSS | DC1 | | 31-MAR-97 |
| | MIL-STD-188/182A | INTEROPERABILITY STANDARD FOR 5-KHZ UHF DAMA TERMINAL WAVEFORM [CUST: CR EC 90 DC1] [REVIEW: 02 13 17 21 29 33 93 AC CG DH IR MC MP NC NS OM PT SE TD] | A TCSS | DC1 | | 31-MAR-97 |
| A | MIL-STD-188/183A | INTEROPERABILITY STANDARD FOR 25-KHZ TDMA/DAMA TERMINAL WAVEFORM (INCLUDING 5- AND 25-KHZ SLAVE CHANNELS) [CUST: CR EC 90 DC1] [REVIEW: 02 13 17 21 29 33 93 AC CG DH IE IR MC MP NC NS OM PT TD] | A TCSS | DC1 | | 20-MAR-98 |
| | MIL-STD-188/184 | INTEROPERABILITY AND PERFORMANCE STANDARD FOR THE DATA CONTROL WAVEFORM [CUST: CR EC 90] [REVIEW: 02 11 13 17 19 89 90 93 AC AM CR DH MC MI MP NC NS OM PT TD] | A TCSS | DC | | 20-AUG-93 |
| A | MIL-STD-188/185(1) | INTEROPERABILITY UHF MILSATCOM DAMA CONTROL SYSTEM [CUST: AC EC 90 DC1] [REVIEW: 02 13 17 21 29 33 93 CG CR DC4 DH DI IR JS MC MP NC NS OM OST PT SE TD US] | A TCSS | DC1 | | 01-DEC-97 |
| | MIL-STD-188/196 | BI-LEVEL IMAGE COMPRESSION FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD [CUST: CR OM 02 MP] [REVIEW: AC AM AR CE CR DH DI DO HP IE IR MD MI NA NS PT SO TM] | A TCSS | MP | | 18-JUN-93 |
| | MIL-STD-188/197A | ADAPTIVE RECURSIVE INTERPOLATED DIFFERENTIAL PULSE CODE MODULATION (ARIDPCM) COMPRESSION ALGORITHM FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD [CUST: CR OM 02 MP] [REVIEW: AC AM AR CE CR DH DI DO HP IE IR MD MI NA NS PT SO TM] | A TCSS | MP | | 12-OCT-94 |
| A | MIL-STD-188/198A(2) | JOINT PHOTOGRAPHIC EXPERTS GROUP (JPEG) IMAGE COMPRESSION FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD [CUST: CR OM 90 DC4] [REVIEW: 02 13 AC2 CE CR5 DC DH DO IE IR NS PT TM2] | A TCSS | MP | | 14-MAR-97 |
| | MIL-STD-188/199 | VECTOR QUANTIZATION DECOMPRESSION FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD [CUST: CR OM 02 MP] [REVIEW: AC AM AR CE CR DH DI DO HP IE IR MD MI NA PT SO TM] | A TCSS | MP | | 27-JUN-94 |
| | MIL-STD-188/200 | SYSTEM DESIGN & ENGINEERING STANDARDS FOR TACTICAL COMMUNICATIONS [CUST: CR EC 90] [REVIEW: 11 13 17 71 AS AV MI NC OM SH TE] | A TCSS | CR | | 28-JUN-83 |
| | MIL-STD-188/202 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL DIGITAL TRANSMISSION GROUPS (COAXIAL CABLE) FOR TACTICAL COMMUNICATIONS [CUST: CR EC 90 DC] [REVIEW: CR MC NS] | A TCSS | DC | | 14-AUG-89 |
| | MIL-STD-188-203-1A | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK (TADIL) A [CUST: CR EC 90 DC] [REVIEW: 02 11 13 17 19 AS CR MC OM SH] | A TCSS | DC | | 08-JAN-88 |
| | MIL-STD-188-203-3 | SUBSYSTEM DESIGN AND ENGINEERING STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK (TADIL) C [CUST: CR EC 90 DC] [REVIEW: AS CR OM SH] | A TCSS | DC | | 05-OCT-83 |
| | MIL-STD-188/212 | SUBSYSTEM DESIGN AND ENGINEERING STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK (TADIL) B [CUST: CR EC 90] [REVIEW: 02 90 AS EC MC MI NC YDI] | A TCSS | CR | | 17-OCT-92 |
| | MIL-STD-188/216A(1) | INTEROPERABILITY STANDARDS FOR DATA ADAPTER CONTROL MODE [CUST: CR EC 90 DC] [REVIEW: 02 13 17 AC CR IR MC NC OM TD] | A TCSS | DC | | 06-SEP-93 |
| | MIL-STD-188/220A | INTEROPERABILITY STANDARD FOR DIGITAL MESSAGE TRANSFER DEVICE SUBSYSTEMS [CUST: CR EC 90 DC] [REVIEW: 02 11 13 17 18 19 29 89 93 AC AM CR DH MC MI MP NC NS OM OST PT TD] | A TCSS | DC | | 27-JUL-95 |
| | MIL-STD-188/242 | INTEROPERABILITY & PERFORMANCE STANDARDS FOR TACTICAL SINGLE CHANNEL VERY HIGH FREQUENCY (VHF) RADIO EQUIPMENT [CUST: CR EC 90] [REVIEW: MC NS] | A TCSS | CR | | 20-JUN-85 |
| | MIL-STD-188/243 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL SINGLE CHANNEL ULTRA HIGH FREQUENCY (UHF) RADIO COMMUNICATIONS [CUST: CR EC] [REVIEW: CR MC] | A TCSS | 90 | | 15-MAR-89 |
| | MIL-STD-188/256 | INTEROPERABILITY & PERFORMANCE STANDARDS FOR DIGITAL SIGNALING & SUPERVISION OF TACTICAL COMMUNICATIONS SYSTEMS [CUST: CR EC 90] [REVIEW: DC MC NS] | A TCSS | CR | | 16-AUG-85 |
| | MIL-STD-188/260 | DESIGN & ENGINEERING STANDARDS FOR TACTICAL TERMINAL SUBSYSTEMS [CUST: CR EC 90] [REVIEW: 02 11 13 17 80 AS AV MI NC OM SH TE] | A TCSS | CR | | 01-FEB-85 |
| A | MIL-STD-196E | JOINT ELECTRONICS TYPE DESIGNATION SYSTEM [CUST: CR EC 11] [REVIEW: 10 AR AS MC MI NS OS] | A CMAN | CR | | 17-FEB-98 |
| | MIL-STD-198E(2) NOT 2 | CAPACITORS, SELECTION AND USE OF [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CC CG MC OS SH] | A 5910 | CC | | 16-SEP-88 |
| | MIL-STD-199E NOT 1 | RESISTORS, SELECTION AND USE OF [CUST: CR EC 85] [REVIEW: 17 19 80 AR AS AT AV CG CR4 MC MI OS SH] | A 5905 | CC | | 02-JUN-93 |
| A | MIL-STD-202F(14) | TEST METHODS FOR ELECTRONIC AND ELECTRICAL COMPONENT PARTS [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MI NS OS SH SM TE] | A 59GP | CC | | 06-FEB-98 |
| | MIL-STD-203G | AIRCRAFT STATION CONTROLS AND DISPLAYS: LOCATION, ARRANGEMENT AND ACTUATION OF, FOR FIXED WING AIRCRAFT [CUST: AV AS 11] | A 1510 | AS | | 01-MAR-91 |
| | MIL-STD-206B(2) | FRICTION TORQUE TESTING FOR BEARINGS, BALL, ANNULAR (INSTRUMENT TYPE) [CUST: AT AS 99] [REVIEW: IS] | A 3110 | AS | | 26-JUL-93 |
| A | MIL-STD-209J | LIFTING AND TIEDOWN PROVISIONS [CUST: MT YDI 11] [REVIEW: 84 99 AR AT AV CC CR CR4 GL MC MI SA SM TE] | A 2540 | MT | | 28-JAN-98 |
| A | MIL-STD-220A NOT 2 | METHOD OF INSERTION-LOSS MEASUREMENT [CUST: CR EC 11 CC] [REVIEW: YDI] | A EMCS | CC | | 19-SEP-88 |
| | MIL-STD-242/11G | ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS, RADIO FREQUENCY COMPONENTS [CUST: EC CC] [REVIEW: AS MC SH] | A 59GP | CC | | 30-SEP-83 |
| | MIL-STD-252B | WIRED EQUIPMENT, CLASSIFICATION OF VISUAL AND MECHANICAL DEFECTS. [CUST: CR] [REVIEW: AR AT AV CR4 MI] | A QCIC | CR | | 19-JAN-70 |
| | MIL-STD-276A | IMPREGNATION OF POROUS METAL CASTINGS AND POWDERED METAL COMPONENTS [CUST: MR SH] [REVIEW: AR AS AT MI OS] | A 9540 | SH | | 30-DEC-92 |
| | MIL-STD-282(4) | FILTER UNITS, PROTECTIVE CLOTHING, GAS-MASK COMPONENTS AND RELATED PRODUCTS: PERFORMANCE-TEST METHODS [CUST: EA SH] [REVIEW: YDI] | A 4240 | EA | | 12-JAN-95 |
| | MIL-STD-284A | VISUAL INSPECTION GUIDE FOR RUBBER FOOTWEAR [CUST: GL 99 CT] [REVIEW: 11] | A 84GP | CT | | 20-SEP-63 |
| | MIL-STD-286C(1) | PROPELLANTS, SOLID: SAMPLING, EXAMINATION AND TESTING [CUST: AR OS 70] | A 1376 | AR | | 08-JAN-94 |
| | MIL-STD-289A NOT 1 | VISUAL INSPECTION GUIDE FOR RUBBER SHEET MATERIAL [CUST: MR SH 11] [REVIEW: 82 AR GS] | A 9320 | SH | | 08-JUL-88 |
| | MIL-STD-290E NOT 2 | PACKAGING OF PETROLEUM AND RELATED PRODUCTS [CUST: SM SA 68 GS] [REVIEW: AR AS CR4 MC MI MR PS SH YDI] | A PACK | GS | | 01-AUG-85 |
| A | MIL-STD-291C | STANDARD TACTICAL AIR NAVIGATION (TACAN) SIGNAL [CUST: AV AS 85] | A 5826 | AS | | 10-FEB-98 |
| | MIL-STD-293 NOT 1 | VISUAL INSPECTION GUIDE FOR CELLULAR RUBBER ITEMS [CUST: MR SH 11] | A 93GP | SH | | 16-JUN-88 |
| | MIL-STD-298 NOT 1 | VISUAL INSPECTION GUIDE FOR RUBBER EXTRUDED GOODS [CUST: SH 11] [REVIEW: AT CR EA] | A 93GP | SH | | 21-MAR-91 |
| | MIL-STD-299 | VISUAL INSPECTION STANDARDS FOR NAILED WOOD BOXES AND WIREBOUND WOOD BOXES USED IN SMALL ARMS AMMUNITION [CUST: AR] [REVIEW: CR GL] | A 8140 | AR | | 17-JAN-57 |
| | MIL-STD-320A | FUZE EXPLOSIVE COMPONENT TERMINOLOGY, DIMENSIONS AND MATERIALS [CUST: AR OS 99] [REVIEW: 11 18 AS EA] | A 1390 | AR | | 30-JUN-75 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-STD-322B | EXPLOSIVE COMPONENTS, ELECTRICALLY INITIATED, BASIC EVALUATION TESTS FOR [CUST: AR OS 99] [REVIEW: MC] | A 1390 | AR | | 22-JUN-89 |
| | MIL-STD-331B(7) | FUZE AND FUZE COMPONENTS ENVIRONMENTAL AND PERFORMANCE TESTS FOR [CUST: AR OS 99] [REVIEW: EA MI MT TE] | A 13GP | AR | | 01-MAR-97 |
| | MIL-STD-333B(1) | FUZE, PROJECTILE AND ACCESSORY CONTOURS FOR LARGE CALIBER ARMAMENTS [CUST: AR OS 99] | A 1390 | AR | | 01-AUG-89 |
| | MIL-STD-333B(12) | FUZE, PROJECTILE AND ACCESSORY CONTOURS FOR LARGE CALIBER ARMAMENTS [CUST: AR] | A 13GP | AR | | 05-JUN-95 |
| M | MIL-STD-334B | DISPLAYED MESSAGES FOR AUTOMATIC TEST EQUIPMENT [CUST: TM] [REVIEW: AL AR AV CR MI SM] | A TMSS | TM | | 20-APR-98 |
| | MIL-STD-342 | FLOW CHECK, LUBRICATING OIL, PROCEDURE FOR [CUST: AT] | A QCIC | AT | | 26-MAY-88 |
| | MIL-STD-348A(2) | RADIO FREQUENCY CONNECTOR INTERFACES FOR MIL-C-3643, MIL-C-3650, MIL-C-3655, MIL-C-25516, MIL-C-26637, MIL-C-39012, MIL-C-49142, MIL-A-55339, AND MIL C-83517 [CUST: CR EC 85] [REVIEW: 10 11 17 99 AS AT AV CC CG MC MI SH] | A 5935 | CC | | 21-JUL-92 |
| | MIL-STD-368 | HPLC OF PMR-15 POLYIMIDE RESIN AND PREPREGS [CUST: MR AS 11] | X CMPS | MR | | 11-DEC-89 |
| | MIL-STD-370A | VISUAL ACCEPTANCE CRITERIA FOR INSPECTION OF ALUMINUM ALLOY WELDS [CUST: MR] [REVIEW: AT] | A NDTI | MR | | 21-SEP-93 |
| | MIL-STD-376 | BALLISTIC PERFORMANCE RANKING OF CERAMIC ARMOR PLATES AGAINST HIGH DENSITY PENETRATORS [CUST: MR SH 18] [REVIEW: AS TE] | A 9350 | MR | | 28-JUN-93 |
| | MIL-STD-398 | SHIELD, OPERATIONAL FOR AMMUNITION OPERATIONS, CRITERIA FOR DESIGN OF AND TESTS FOR ACCEPTANCE [CUST: AR] | A 4925 | AR | | 05-NOV-76 |
| | MIL-STD-401B | SANDWICH CONSTRUCTIONS AND CORE MATERIALS, GENERAL TEST METHODS [CUST: CR4 AS 11] [REVIEW: 99 AV MI MR YDI] | A 5680 | AS | | 26-SEP-67 |
| | MIL-STD-403C | PREPARATION FOR AND INSTALLATION OF RIVETS AND SCREWS, ROCKET, MISSILE, AND AIRFRAME STRUCTURES [CUST: MI] [REVIEW: 99 AR CR4 EA] | A 1410 | MI | | 30-JUN-92 |
| | MIL-STD-406 | VISUAL INSPECTION STANDARDS FOR TERNE PLATE CANS AND STEEL BOXES USED IN SMALL ARMS AMMUNITION PACKAGING [CUST: AR AS] [REVIEW: EA MI] | A 8140 | AR | | 01-FEB-57 |
| | MIL-STD-407 NOT 1 | VISUAL INSPECTION GUIDE FOR RUBBER MOLDED ITEMS [CUST: SH 11] [REVIEW: CR EA MI] | A 93GP | SH | | 21-MAR-91 |
| | MIL-STD-411F | AIRCRAFT STATION ALERTING SYSTEMS [CUST: AV AS 11] | A 15GP | AS | | 10-MAR-97 |
| | MIL-STD-413C NOT 1 | VISUAL INSPECTION GUIDE FOR ELASTOMERIC O-RINGS [CUST: MI SH 99] [REVIEW: 11 82 AS AT MC OS] | A 5330 | SH | | 19-JUN-87 |
| | MIL-STD-414(1) | SAMPLING PROCEDURE AND TABLE FOR INSPECTION BY VARIABLES FOR PERCENT DEFECTIVE [CUST: AR OS 10] | A QCIC | OS | | 08-MAY-68 |
| | MIL-STD-419D | CLEANING AND PROTECTING PIPING, TUBING, AND FITTINGS FOR HYDRAULIC POWER TRANSMISSION EQUIPMENT [CUST: CR4 SH] [REVIEW: MC MI MS OS] | A MISC | SH | | 13-JUL-87 |
| | MIL-STD-438E NOT 1 | SCHEDULE OF PIPING, VALVES, FITTINGS, & ASSOCIATED PIPING COMPONENTS FOR SUBMARINES SERVICE [CUST: SH] | A 4730 | SH | | 15-MAY-73 |
| | MIL-STD-449D(1) | MEASUREMENT OF RADIO FREQUENCY SPECTRUM CHARACTERISTICS [CUST: CR EC 10] [REVIEW: 11 17 AS MI OS SH TE] | A EMCS | JS | | 18-MAY-76 |
| | MIL-STD-457B | TANKS, PETROLEUM FUEL AND LUBRICANTS, OPERATING AND BULK STORAGE, MINIMUM FREQUENCY FOR INSPECTION AND CLEANING [CUST: CR4 SA 50 PS] [REVIEW: 68 CE] | A 91GP | PS | | 20-MAR-89 |
| A | MIL-STD-461D(1) | REQUIREMENTS FOR THE CONTROL OF ELECTROMAGNETIC INTERFERENCE EMISSIONS AND SUSCEPTIBILITY [CUST: CR EC 11 JS] [REVIEW: 13 17 19 84 99 AS AT AV CE CG CR4 MC MD MI OS SH TD TE] | A EMCS | JS | | 19-JUN-97 |
| | MIL-STD-462D(3) | MEASUREMENT OF ELECTROMAGNETIC INTERFERENCE CHARACTERISTICS [CUST: CR EC 11] | A EMCS | 11 | | 05-FEB-96 |
| | MIL-STD-464 | ELECTROMAGNETIC ENVIRONMENTAL EFFECTS REQUIREMENTS FOR SYSTEMS [CUST: SY AS 11] [REVIEW: 13 17 19 22 84 AC AL AM AR AT AV CE CG CR EC GL MC MD MI OS PT SH TE YDI] | A EMCS | 11 | | 18-MAR-97 |
| | MIL-STD-469A | RADAR ENGINEERING INTERFACE REQUIREMENTS, ELECTROMAGNETIC COMPATIBILITY METRIC [CUST: CR SH 99] [REVIEW: EC] | A EMCS | SH | | 02-DEC-96 |
| | MIL-STD-605B | INORGANIC ACIDS AND ACID ANHYDRIDES, TECHNICAL GRADE [CUST: EA SH 68] [REVIEW: AR CR4 DP MD MS OS SM] | A 6810 | GS | | 30-AUG-94 |
| | MIL-STD-608C | ALDEHYDES AND KETONES, TECHNICAL GRADE [CUST: EA YD1 68] [REVIEW: AR AS MC MD SM] | A 6810 | GS | | 28-JUN-91 |
| | MIL-STD-610B | HALOGENATED HYDROCARBON COMPOUNDS AND SOLVENTS, TECHNICAL GRADE (METRIC) [CUST: EA SH 68] [REVIEW: AS AV CE GL MC MD MI OS YDI] | A 6810 | GS | | 10-JAN-89 |
| | MIL-STD-611A | ELEMENTS, EXCEPT ACS [CUST: EA AS 68] [REVIEW: AR CR4 MC MD OS SH] | A 6810 | GS | | 20-DEC-74 |
| | MIL-STD-612C | INORGANIC BASES AND BASIC ANHYDRIDES, TECHNICAL GRADE (METRIC) [CUST: EA SH 68] [REVIEW: AR CR4 DP MD MS OS SM YDI] | A 6810 | GS | | 16-APR-93 |
| | MIL-STD-613 | INORGANIC BASES & BASIC ANHYDRIDES, REAGENT GRADE (INCLUDING ACS & USP-NF COMPOUNDS) (METRIC) [CUST: EA SH 68] [REVIEW: AR AS CR4 DP MD MI MS OS SA SM YDI] | A 6810 | GS | | 19-AUG-86 |
| | MIL-STD-636(4) | VISUAL INSPECTION STANDARDS FOR SMALL ARMS AMMUNITION THROUGH CALIBER .50 [CUST: AR OS] | A 1305 | AR | | 07-OCT-96 |
| A | MIL-STD-642L | IDENTIFICATION MARKING OF COMBAT AND TACTICAL TRANSPORT VEHICLES [CUST: AT YD1 99] [REVIEW: CR4 MC MI] | A 2310 | AT | | 15-MAY-91 |
| | MIL-STD-644A(5) | VISUAL INSPECTION STANDARDS AND INSPECTION PROCEDURES FOR INSPECTION OF PACKAGING, PACKING AND MARKING OF SMALL ARMS AMMUNITION [CUST: AR OS 70] | A 1305 | AR | | 01-MAY-92 |
| | MIL-STD-648B | DESIGN GUIDELINES FOR SPECIALIZED SHIPPING CONTAINERS [CUST: SM OS 69] [REVIEW: 10 11 13 16 17 18 19 99 AR AS AT AV CR GL MC MI SA SH TE YDI] | A PACK | OS | | 01-APR-94 |
| | MIL-STD-650(6) | EXPLOSIVE; SAMPLING, INSPECTION AND TESTING [CUST: AR OS] [REVIEW: EA YD1] | A 1376 | AR | | 30-OCT-96 |
| M | MIL-STD-650(14) | EXPLOSIVE; SAMPLING, INSPECTION AND TESTING [CUST: AR] | A 1376 | AR | | 28-SEP-87 |
| | MIL-STD-651(2) | VISUAL INSPECTION STANDARDS FOR 20MM AMMUNITION AND COMPONENTS [CUST: AR OS 99] | A 1305 | AR | | 27-FEB-70 |
| | MIL-STD-652D(6) | PROPELLANTS, SOLID, FOR CANNONS REQUIREMENTS AND PACKING [CUST: AR] | A 1376 | AR | | 28-APR-90 |
| | MIL-STD-655D | PROVISIONS FOR EVALUATING QUALITY OF CLOTH, WOOL, WORSTED AND WOOL BLENDS [CUST: GL NU 11 CT] [REVIEW: 82 99 AS MC] | A 8305 | CT | | 06-AUG-92 |
| | MIL-STD-656C | PROVISIONS FOR EVALUATING QUALITY OF SLACKS, WOMEN'S [CUST: GL NU 99 CT] [REVIEW: 82 MC] | A 8410 | CT | | 18-JUL-90 |
| | MIL-STD-657A | PROVISIONS FOR EVALUATING QUALITY OF SERVICE CAPS [CUST: GL 11 CT] [REVIEW: 45] | A 8405 | CT | | 28-JUL-78 |
| A | MIL-STD-662F | V50 BALLISTIC TEST FOR ARMOR [CUST: MR MC 11] [REVIEW: 03 45 82 AR AT AV CT GL IE TE] | A 8470 | MR | | 18-DEC-97 |
| | MIL-STD-665D | LAUNDERING OF CLOTHING AND EQUIPAGE [CUST: GL NU 99 CT] [REVIEW: 11 MC MD] | A 84GP | CT | | 10-MAR-87 |
| | MIL-STD-666B NOT 1 | DRY CLEANING OF CLOTHING AND EQUIPAGE [CUST: GL NU 99 CT] [REVIEW: MC MD] | A 84GP | CT | | 22-APR-89 |
| | MIL-STD-667C NOT 1 | SANITARY STANDARDS FOR SHELL EGG PLANTS [CUST: MD SA 50] [REVIEW: MS] | A 8910 | MD | | 01-NOV-86 |
| | MIL-STD-668E NOT 1 | SANITARY STANDARDS FOR FOOD PLANTS [CUST: MD SA 50] [REVIEW: MC SS] | A 89GP | MD | | 31-DEC-87 |
| | MIL-STD-671C NOT 1 | SANITARY STANDARDS FOR MILK EVAPORATING AND DRYING PLANTS [CUST: MD SA 50] [REVIEW: MC MS] | A 8910 | MD | | 06-NOV-87 |
| A | MIL-STD-681D | IDENTIFICATION CODING AND APPLICATION OF HOOKUP AND LEAD WIRE [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 6145 | CC | | 13-AUG-90 |
| | MIL-STD-683G | CRYSTAL UNITS (QUARTZ), CRYSTAL HOLDERS (ENCLOSURES) AND OSCILLATORS SELECTION OF [CUST: CR EC 85] [REVIEW: 17 19 AR AS CC MC MI OS SH SM] | A 5955 | CC | | 23-SEP-92 |
| A | MIL-STD-685(2) | IDENTIFICATION OF CABLE USED FOR TRANSMISSION OF TELEPHONE, TELEGRAPH, AND TELETYPE SIGNALS [CUST: CR SH 85 CC] [REVIEW: 16 AS MC] | A 6145 | CC | | 19-SEP-88 |
| A | MIL-STD-686C | CABLE AND CORD, ELECTRICAL; IDENTIFICATION MARKING AND COLOR CODING OF [CUST: CR AS 85 CC] [REVIEW: 99 EC MC MI SH] | A 6145 | CC | | 28-SEP-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| A | MIL-STD-687A | WIRE, THERMOCOUPLE, IDENTIFICATION MARKING AND COLOR CODING OF [CUST: CR 85 CC] [REVIEW: 11 AR AS AT MC MI OS] | A 6145 | CC | | 10-JUL-73 |
| | MIL-STD-690C | FAILURE RATE SAMPLING PLANS AND PROCEDURES [CUST: CR EC 85] [REVIEW: 11 19 70 AR AS CG MC MI OS SH] | A RELI | CC | | 26-MAR-93 |
| | MIL-STD-701P | LISTS OF STANDARD SEMICONDUCTOR DEVICES [CUST: CR EC 17] [REVIEW: 11 19 85 AS AT CG MC MI NA OS SH SM] | A 59GP | CC | | 20-NOV-92 |
| | MIL-STD-704E | AIRCRAFT ELECTRIC POWER CHARACTERISTICS [CUST: AV AS 11] [REVIEW: CR EC MC MI SH TE YDI] | A GDRQ | AS | | 01-MAY-91 |
| | MIL-STD-705C | GENERATOR SETS, ENGINE DRIVEN METHODS OF TESTS AND INSTRUCTIONS [CUST: CR4 YD1 80] [REVIEW: AS AT GS MC MI TE] | A 6115 | CR4 | | 24-APR-89 |
| | MIL-STD-709C NOT 2 | AMMUNITION COLOR CODING [CUST: AR OS 90] [REVIEW: 70 EA MC MI] | A 1395 | AR | | 28-SEP-84 |
| | MIL-STD-710D | SYNCHROS, 60 AND 400 HZ, SELECTION AND APPLICATION OF [CUST: AR AS 85] [REVIEW: 11 99 CC CG CR4 EC MC OS] | A 5990 | AS | | 25-MAR-91 |
| | MIL-STD-740B NOT 1 | AIRBORNE AND STRUCTUREBORNE NOISE MEASUREMENTS AND ACCEPTANCE CRITERIA OF SHIPBOARD EQUIPMENT [CUST: AV SH] [REVIEW: EC MI] | A HFAC | SH | | 22-JUN-65 |
| | MIL-STD-740/1 | AIRBORNE SOUND MEASUREMENTS AND ACCEPTANCE CRITERIA OF SHIPBOARD EQUIPMENT [CUST: SH] | A HFAC | SH | | 30-DEC-86 |
| A | MIL-STD-740/2 | STRUCTUREBORNE VIBRATORY ACCELERATION MEASUREMENTS ACCEPTANCE CRITERIA OF SHIPBOARD EQUIPMENT [CUST: SH] | A 20GP | SH | | 30-DEC-86 |
| | MIL-STD-746A | RADIOGRAPHIC TESTING REQUIREMENTS FOR CAST EXPLOSIVES [CUST: AR OS 99] [REVIEW: 11] | A NDTI | OS | | 31-JUL-63 |
| | MIL-STD-750D(1) | SEMICONDUCTOR DEVICES [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 18-MAY-95 |
| | MIL-STD-751A(1) | RADAR OUTPUTS, NAVAL SHIP AND SHORE [CUST: SH] | A 5840 | SH | | 18-JAN-89 |
| | MIL-STD-753C | CORROSION-RESISTANT STEEL PARTS: SAMPLING, INSPECTION AND TESTING FOR SURFACE PASSIVATION [CUST: MR AS 11] [REVIEW: MI] | A MFFP | AS | | 29-JUN-90 |
| | MIL-STD-758C | PACKAGING PROCEDURES FOR SUBMARINE SUPPORT ITEMS [CUST: SH] [REVIEW: EA SM] | A PACK | SH | | 13-APR-90 |
| | MIL-STD-763F | LOCKING DEVICES [CUST: SH] | F 5340 | SH | | 21-FEB-91 |
| | MIL-STD-765A NOT 4 | COMPASS SWINGING, AIRCRAFT, GENERAL REQUIREMENTS FOR [CUST: AV AS 11] | A 6605 | AS | | 27-DEC-96 |
| | MIL-STD-767D | CONTROL OF HARDWARE CLEANLINESS [CUST: SH] | F MISC | SH | | 03-DEC-93 |
| | MIL-STD-769J | THERMAL INSULATION REQUIREMENTS FOR MACHINERY AND PIPING [CUST: SH] | A 5640 | SH | | 09-OCT-90 |
| | MIL-STD-770 NOT 1 | ULTRASONIC INSPECTION OF LEAD (CONTROLLED DISTRIBUTION) [CUST: SH] | B NDTI | SH | | 17-JUL-87 |
| | MIL-STD-777E(3) | SCHEDULE OF PIPING, VALVES, FITTINGS, AND ASSOCIATED PIPING COMPONENTS FOR NAVAL SURFACE SHIPS [CUST: SH] | A 4730 | SH | | 01-JUN-95 |
| | MIL-STD-783D | LEGENDS FOR USE IN AIRCREW STATIONS AND ON AIRBORNE EQUIPMENT [CUST: AV AS 11] [REVIEW: 13 19 24 CR MI] | A HFAC | 11 | | 18-DEC-84 |
| | MIL-STD-785B(2) NOT 2 | RELIABILITY PROGRAM FOR SYSTEMS AND EQUIPMENT DEVELOPMENT AND PRODUCTION [CUST: CR AS 11] [REVIEW: 10 13 17 18 19 AR AT AV CC MI OS SA SH SS TD TE YDI] | A RELI | 11 | | 05-AUG-88 |
| | MIL-STD-789C | CONTRACTOR TECHNICAL INFORMATION CODING OF REPLENISHMENT PARTS [CUST: AV AS 10] [REVIEW: 11 99 EC MI OS SA SH TM YDI] | A MISC | AS | | 14-OCT-83 |
| | MIL-STD-790F | ESTABLISHED RELIABILITY AND HIGH RELIABILITY QUALIFIED PRODUCTS LIST (QPL) SYSTEMS FOR ELECTRICAL, ELECTRONIC, AND FIBER OPTIC PARTS SPECIFICATIONS [CUST: CR EC 85 CC NA] [REVIEW: 17 19 99 AR AS CG CR DH MC MI OS SH] | A 59GP | CC | | 01-AUG-95 |
| | MIL-STD-792E NOT 2 | IDENTIFICATION MARKING REQUIREMENTS FOR SPECIAL PURPOSE COMPONENTS [CUST: SH] | A GDRQ | SH | | 20-JAN-93 |
| | MIL-STD-796A | CHEMICAL CLEANING OF MAIN AND AUXILIARY BOILERS (HYDROCHLORIC ACID METHOD) [CUST: SH] | A MISC | SH | | 16-MAR-88 |
| | MIL-STD-798(1) | NONDESTRUCTIVE TESTING, WELDING, QUALITY CONTROL, MATERIAL CONTROL AND IDENTIFICATION AND HI-SHOCK TEST REQUIREMENTS FOR PIPING SYSTEM COMPONENTS FOR NAVAL SHIPBOARD USE [CUST: SH] | A MISC | SH | | 28-FEB-88 |
| | MIL-STD-801A | INSPECTION AND ACCEPTANCE STANDARDS FOR PROPULSION FLUID CELLS AND FITTINGS [CUST: AV AS] [REVIEW: 99 MI] | A 4730 | AS | | 13-MAY-81 |
| | MIL-STD-805B NOT 1 | TOWING FITTINGS & PROVISIONS FOR MILITARY AIRCRAFT, DESIGN REQUIREMENTS FOR [CUST: AV AS 99] | A 1620 | AS | | 07-SEP-87 |
| | MIL-STD-809B | ADAPTER, AIRCRAFT, JACKING POINT, DESIGN AND INSTALLATION OF [CUST: AV AS 99] [REVIEW: 11 70] | A 1730 | AS | | 01-DEC-86 |
| | MIL-STD-810E(3) | ENVIRONMENTAL TEST METHODS AND ENGINEERING GUIDELINES [CUST: TE AS 11] [REVIEW: 10 19 69 AR AT AV CE CR4 EC GL MI MT OS SH SM YDI] | A ENVR | 11 | | 31-JUL-95 |
| A | MIL-STD-814D | REQUIREMENTS FOR TIEDOWN, SUSPENSION AND EXTRACTION PROVISIONS ON MILITARY MATERIEL FOR AIRDROP [CUST: GL 99] [REVIEW: 11 82 MC MT] | A 1670 | GL | | 03-FEB-97 |
| | MIL-STD-831 | TEST REPORTS, PREPARATION OF [CUST: AV AS 11] [REVIEW: 99 CR4 MI MT YDI] | A QCIC | CC | | 28-AUG-63 |
| | MIL-STD-849A | INSPECTION REQUIREMENTS, DEFINITIONS AND CLASSIFICATION OF DEFECTS FOR PARACHUTES [CUST: GL AS 99] [REVIEW: 11 82 AV MC TE] | A 1670 | GS | | 15-MAR-74 |
| | MIL-STD-851A(2) | CODING, MANUFACTURER S COLOR, NYLON PARACHUTE CLOTH [CUST: AS CT] | A 8305 | CT | | 15-APR-75 |
| | MIL-STD-878A(1) NOT 2 | METHOD OF DIMENSIONING AND DETERMINING CLEARANCE FOR AIRCRAFT TIRES AND RIMS [CUST: AV AS 11] | A 2620 | 70 | | 29-JUN-90 |
| | MIL-STD-882C NOT 1 | SYSTEM SAFETY PROGRAM REQUIREMENTS [CUST: AV AS 10] [REVIEW: 11 13 19 AR AT CR EC MI OS SA SH YDI] | A SAFT | 10 | | 19-JAN-96 |
| A | MIL-STD-883E(1) | MICROCIRCUITS [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 01-DEC-97 |
| | MIL-STD-889B(3) | DISSIMILAR METALS [CUST: AS 11] [REVIEW: 13 17 99 EC OS] | A MFFP | 19 | | 17-MAY-93 |
| | MIL-STD-900C | BACTERIAL STANDARDS FOR STARCHES, FLOURS, CEREALS, ALIMENTARY PASTES, DRY MILKS, AND SUGARS USED IN THE PREPARATION OF CANNED FOODS FOR THE ARMED FORCES [CUST: MD SA 50] [REVIEW: MS SS] | A 89GP | MD | | 09-APR-85 |
| | MIL-STD-901B | PROVISIONS FOR EVALUATING QUALITY OF CAPS, GARRISON, MEN S [CUST: GL NU 11 CT] [REVIEW: 82 99 MC] | A 8405 | CT | | 08-APR-88 |
| | MIL-STD-902A | PROVISIONS FOR EVALUATING QUALITY OF CAPS, GARRISON, WOMEN S [CUST: GL NU 11 CT] [REVIEW: 82 99 MC] | A 8410 | CT | | 12-JUN-88 |
| | MIL-STD-903C | SANITARY STANDARDS FOR COMMISSARIES [CUST: MD SA 50] [REVIEW: MS] | A 89GP | MD | | 20-NOV-86 |
| | MIL-STD-904A | GUIDELINES FOR DETECTION, EVALUATION, AND PREVENTION OF PEST INFESTATION OF SUBSISTENCE [CUST: MD SA 45] [REVIEW: MC MS SS] | A 89GP | MD | | 13-JAN-84 |
| | MIL-STD-905 NOT 2 | IDENTIFICATION, NYLON CORD MANUFACTURERS COLOR CODE [CUST: GL AS 11] [REVIEW: SH] | A 4020 | IS | | 05-NOV-87 |
| | MIL-STD-906A | SANITARY STANDARDS FOR ICE PLANTS [CUST: MD SA 50] [REVIEW: MS] | A 89GP | MD | | 01-MAR-90 |
| | MIL-STD-907B NOT 1 | ENGINEERING AND DESIGN CRITERIA FOR SHELTERS, EXPANDABLE AND NON-EXPANDABLE [CUST: GL MC 99] [REVIEW: 84 CC] | A 5411 | GL | | 20-JUL-92 |
| | MIL-STD-909 | SANITATION STANDARDS FOR FOOD STORAGE FACILITIES [CUST: MD SA 50] | A 89GP | MD | | 31-AUG-89 |
| A | MIL-STD-913A | REQUIREMENTS FOR THE CERTIFICATION OF SLING LOADED MILITARY EQUIPMENT FOR EXTERNAL TRANSPORTATION BY DEPARTMENT OF DEFENSE HELICOPTERS [CUST: GL AS] [REVIEW: AR AT AV CR MC SA SM TE] | A 1670 | GL | | 03-FEB-97 |
| | MIL-STD-961D(1) | DEFENSE SPECIFICATIONS [CUST: AR SH 11 DH] [REVIEW: 10 16 17 19 22 35 45 50 68 69 70 71 79 82 84 85 99 AL AS AT AV CC CE CG CR CR4 CT DC DM DO DP DS EA EC GL GS IS LM MC MD MI MP MR MT OS PS SA SM SS TE TM YDI] | A SDMP | SO | | 22-AUG-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-STD-962C | DEFENSE STANDARDS AND HANDBOOKS [CUST: AR SH 11 DH] [REVIEW: 10 16 17 19 68 69 70 79 82 85 90 99 AL AS AT AV CC CE CG CR CR4 CT DC DM DO DP DS EA EC GL GS IS LM MC MD MI MP MR MT OS PS SA SM SS TE TM YD] | A SDMP | SO | | 20-OCT-95 |
| A | MIL-STD-963B | DATA ITEM DESCRIPTIONS (DIDS) [CUST: MI SH 10 DH DO] [REVIEW: 01 16 AM AR AS AT AV CR DS EA EC GL GS IS MC NM NS OM OS SA SM TD TM YD] | A MISC | DO | | 31-AUG-97 |
| | MIL-STD-973 | CONFIGURATION MANAGEMENT [CUST: AR AS 10 DO] [REVIEW: 13 17 19 24 AC AL AM AT AV CE CG CR CR4 DH EA EC GL HD IE LM MC MD MI MR NM OS PT SH SM TE TM YD] | A CMAN | DO | | 17-APR-92 |
| | MIL-STD-973(13) | CONFIGURATION MANAGEMENT [CUST: AR] [REVIEW: 10 13 17 AC AL AM AT AV CE CG CR CR4 DC DH EA EC GL HD IE LM MC MD MI MR NM OS PT SH SM TE TM YD] | A CMAN | DO | | 13-JAN-95 |
| | MIL-STD-974 | CONTRACTOR INTEGRATED TECHNICAL INFORMATION SERVICE (CITIS) [CUST: CR OM 16 DH] [REVIEW: 08 17 19 24 70 90 99 AM CR DC DOE IR NA NC NS SA] | A IPSC | DO | | 20-AUG-93 |
| | MIL-STD-981B(3) | DESIGN, MANUFACTURING AND QUALITY STANDARDS FOR CUSTOM ELECTROMAGNETIC DEVICES FOR SPACE APPLICATIONS [CUST: 19 CC NA] | A 5950 | CC | | 09-JUN-95 |
| | MIL-STD-984A | PROVISIONS FOR SIZE LABELING FOR WOMEN'S UNIFORM CLOTHING [CUST: NU 45 CT] [REVIEW: 32 82 CG GL MC] | A 8410 | CT | | 13-SEP-94 |
| | MIL-STD-1105E | SANITARY STANDARDS FOR BAKERIES [CUST: MD SA 50] [REVIEW: MS] | A 8920 | MD | | 27-DEC-91 |
| | MIL-STD-1130B(2) | CONNECTION, ELECTRICAL, SOLDERLESS WRAPPED [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH TD] | A 5935 | CC | | 20-JUL-83 |
| | MIL-STD-1131B | STORAGE SHELF LIFE AND REFORMING PROCEDURES FOR ALUMINUM ELECTROLYTIC FIXED CAPACITORS [CUST: CR EC 85] [REVIEW: 17 CC] | A 5910 | CC | | 01-JUN-79 |
| | MIL-STD-1132A(5) | SWITCHES AND ASSOCIATED HARDWARE, SELECTION AND USE OF [CUST: CR EC 85] [REVIEW: 17 99 CG] | A 5930 | CC | | 19-JUL-90 |
| | MIL-STD-1155D | SANITARY STANDARDS FOR FROZEN DESSERTS PLANTS [CUST: MD SA 50] [REVIEW: MA] | A 8910 | MD | | 01-MAR-90 |
| | MIL-STD-1156C NOT 1 | SANITARY STANDARDS FOR SOFT DRINK PLANTS [CUST: MD SA 50] [REVIEW: MS SS] | A 8960 | MD | | 01-OCT-87 |
| | MIL-STD-1161 | TEST FACILITY, BALLISTIC, FOR PERSONAL ARMOR MATERIAL [CUST: GL CT] | A 8470 | CT | | 28-DEC-66 |
| | MIL-STD-1162C NOT 1 | SANITARY STANDARDS FOR CHEESE AND CHEESE PRODUCTS PLANTS [CUST: MD SA 50] [REVIEW: MS] | A 8910 | MD | | 01-NOV-86 |
| | MIL-STD-1166A | RADIOGRAPHIC TESTING REQUIREMENTS FOR SOLID PROPELLANTS [CUST: MI 11] [REVIEW: EA MR TE TM] | A NDTI | MI | | 19-SEP-91 |
| | MIL-STD-1171A | ACCEPTANCE AND DESCRIPTION SHEETS (FOR PROPELLANTS AND EXPLOSIVES) [CUST: AR] | A 1376 | AR | | 29-APR-94 |
| A | MIL-STD-1179D(3) | LAMPS, REFLECTORS AND ASSOCIATED SIGNALING EQUIPMENT FOR MILITARY VEHICLES [CUST: AT] [REVIEW: 99 MC YD] | A 23GP | AT | | 09-NOV-92 |
| | MIL-STD-1180B(1) | SAFETY STANDARDS FOR MILITARY GROUND VEHICLES [CUST: AT YD] [REVIEW: AR CE CR4 TE] | A 23GP | AT | | 07-AUG-91 |
| | MIL-STD-1185 | WELDING, HIGH HARDNESS ARMOR [CUST: AT] [REVIEW: MR] | A THJM | AT | | 31-DEC-79 |
| | MIL-STD-1202A | FACESHIELD, INDUSTRIAL [CUST: EA 99] | A 4240 | GS | | 19-AUG-88 |
| | MIL-STD-1232 NOT 1 | VISUAL INSPECTION STANDARDS FOR CUPS AND DISKS USED IN SMALL ARMS AMMUNITION MANUFACTURE [CUST: AR] | A 1305 | AR | | 20-APR-61 |
| | MIL-STD-1234(3) | PYROTECHNICS: SAMPLING, INSPECTION AND TESTING [CUST: AR OS 11] [REVIEW: EA] | A 1370 | AR | | 28-MAY-73 |
| | MIL-STD-1241A NOT 1 | OPTICAL TERMS AND DEFINITIONS [CUST: AR SH 99] [REVIEW: AT AV CR4 MC MI] | A 6650 | AR | | 15-MAY-87 |
| | MIL-STD-1246C(2) | PRODUCT CLEANLINESS LEVELS AND CONTAMINATION CONTROL PROGRAM [CUST: MI YD 1 99 GS] [REVIEW: 70 71 79 84 AL AR AS AT AV CC CR4 GL OS SH] | A 3694 | MI | | 15-DEC-94 |
| | MIL-STD-1257A NOT 1 | RADIOGRAPHIC AND VISUAL SOUNDNESS REQUIREMENTS FOR COBALT-CHROMIUM ALLOY LINERS (FOR SMALL ARMS BARRELS) [CUST: AR OS 99] | A NDTI | AR | | 15-JUL-87 |
| | MIL-STD-1264B NOT 1 | RADIOGRAPHIC INSPECTION FOR SOUNDNESS OF WELDS IN STEEL BY COMPARISON TO GRADED ASTM E390 REFERENCE RADIOGRAPHS [CUST: MR AS 11] [REVIEW: AL AR AT AV CR4 MI OS TE] | A NDTI | MR | | 26-JUL-93 |
| | MIL-STD-1265A NOT 1 | RADIOGRAPHIC INSPECTION, CLASSIFICATION AND SOUNDNESS REQUIREMENTS FOR STEEL CASTINGS [CUST: MR] [REVIEW: AR AT AV CR4 EA] | A NDTI | MR | | 02-JUL-92 |
| | MIL-STD-1271B | SYMBOL TO SUPPLEMENT THE TEXT OF INSTRUCTION PLATE FOR MILITARY VEHICLES [CUST: AT] [REVIEW: 99 CR4 MC] | A 2320 | AT | | 09-SEP-87 |
| A | MIL-STD-1275B | CHARACTERISTICS OF 28 VOLT DC ELECTRICAL SYSTEMS IN MILITARY VEHICLES [CUST: AT] [REVIEW: CC CR TE] | A 2920 | AT | | 20-NOV-97 |
| | MIL-STD-1276E | LEADS FOR ELECTRONIC COMPONENT PARTS [CUST: CR EC 85] [REVIEW: 17 99 AS CG MC SH] | A 5999 | CC | | 18-MAY-93 |
| | MIL-STD-1279(1) NOT 2 | METERS, ELECTRICAL INDICATING SELECTION AND USE OF [CUST: CR EC 99] [REVIEW: 11 CC CG CR4 MC MI SH] | A 6625 | CC | | 02-APR-86 |
| | MIL-STD-1285B | MARKING OF ELECTRICAL AND ELECTRONIC PARTS [CUST: CR EC 85 DH] [REVIEW: 11 17 99 AR AS CR4 MC MI OS SH] | A 59GP | CC | | 02-APR-90 |
| | MIL-STD-1303B | PAINTING OF NAVAL ORDNANCE EQUIPMENT [CUST: OS] [REVIEW: CR4 MI] | A MISC | OS | | 15-APR-75 |
| | MIL-STD-001303C | PAINTING OF NAVAL ORDNANCE EQUIPMENT [CUST: OS] | A MISC | OS | | 11-APR-94 |
| | MIL-STD-1308D | MATERIAL APPLICATION AND PROCESSING REQUIREMENTS (CONTROLLED DISTRIBUTION) [CUST: SH] | B MISC | SH | | 12-SEP-85 |
| | MIL-STD-1309D | DEFINITIONS OF TERMS FOR TESTING, MEASUREMENT AND DIAGNOSTICS [CUST: CR SH 99] [REVIEW: 11 17 AS CG CR4 MC MI OS YD] | A ATTS | SH | | 12-FEB-92 |
| | MIL-STD-1310G | SHIPBOARD BONDING, GROUNDING, AND OTHER TECHNIQUES FOR ELECTROMAGNETIC COMPATIBILITY AND SAFETY [CUST: SH] [REVIEW: AS EC OS] | A EMCS | SH | | 28-JUN-96 |
| | MIL-STD-1311B(3) NOT 3 | TEST METHODS FOR ELECTRON TUBES [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AV CG CR4 MI OS SH SM] | A 5960 | CC | | 04-MAR-83 |
| A | MIL-STD-1312/32 | FASTENER TEST METHOD, METHOD 32, BARREL NUT TEST [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | 30-APR-97 |
| | MIL-STD-1316D(1) | FUZE DESIGN, SAFETY CRITERIA FOR [CUST: AR OS 11] [REVIEW: 18 99 AS MI] | A 13GP | AR | | 30-JUL-93 |
| | MIL-STD-1316D(12) | FUZE DESIGN, SAFETY CRITERIA FOR [CUST: AR] | A 13GP | AR | | 31-MAY-95 |
| | MIL-STD-1320C(1) NOT 1 | TRUCKLOADING OF AMMUNITION AND HAZARDOUS MATERIALS [CUST: OS] [REVIEW: AS MC SA SH] | A 8140 | OS | | 01-MAR-91 |
| | MIL-STD-1320/1 NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS-PALLETIZED UNIT LOADS SINGLE ROW PATTERN [CUST: OS] | A 8140 | OS | | 08-APR-87 |
| | MIL-STD-1320/2 NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS PALLETIZED UNIT LOADS DOUBLE ROW PATTERN [CUST: OS] | A 8140 | OS | | 08-APR-87 |
| | MIL-STD-1320/3 NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS, PALLETIZED UNIT LOADS CHIMNEY PATTERN [CUST: OS] | A 8140 | OS | | 08-APR-87 |
| | MIL-STD-1320/7A NOT 1 | TRUCKLOADING BOMB, GENERAL PURPOSE MK 83 AND MODS (1000 LB) IN PALLET ADAPTER MK 11 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 30-SEP-88 |
| | MIL-STD-1320/12A(1) | TRUCKLOADING, TORPEDO MK 44 AND MK 48 ASSEMBLIES IN CONTAINER MK 197 MOD 1 [CUST: OS] | A 8140 | OS | | 02-DEC-91 |
| | MIL-STD-1320/15 NOT 1 | TRUCKLOADING ROCKET MOTOR MK 1 MOD 0 OR MK 37 MOD 0 (ASROC) IN CONTAINER MK 178 MOD 0 [CUST: OS] | A 8140 | OS | | 30-SEP-88 |
| | MIL-STD-1320/17A | TRUCKLOADING TERRIER MISSILE AND STANDARD(ER) MISSILE IN CONTAINER MK 199 MOD 0 AND 1 [CUST: OS] | A 8140 | OS | | 11-MAR-93 |
| | MIL-STD-1320/18(2) NOT 4 | TRUCKLOADING BOOSTER MK 12 MOD 0 AND 1 IN CONTAINER MK 200 MOD 0 AND 1 [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| | MIL-STD-1320/25 | TRUCKLOADING GUIDED WEAPON MK 1 MOD 0 (WALLEYE) IN CONTAINER MK 426 MOD 0 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 10-MAR-87 |
| | MIL-STD-1320/44 NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS PROJECTILE, 8/55 AP, MK 21 AND MODS HC, MK 24 OR MK 25 AND MODS FLEET ISSUE LOAD LIST [CUST: OS] | A 8140 | OS | | 08-APR-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|----------------------------|---|-----------------------|-----------------|-----------|
| | MIL-STD-1320/53C | TRUCKLOADING UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE, MK 84 AND MODS (2000 LB) IN ADAPTER, UNIT LOAD, MK 79 MOD 0 [CUST: OS] [REVIEW: AS] | A 8140 | OS | 23-OCT-90 |
| | MIL-STD-1320/56 NOT 1 | TRUCKLOADING CHARGE, PROPELLING 5 INCH/38 IN TANK MK15 MOD 1 DOMESTIC UNIT LOAD [CUST: OS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/64 | TRUCKLOADING 16" HC PROJECTILE MK 13 AND MK 14 IN PALLET ADAPTER MK 88 MOD 0 [CUST: OS] [REVIEW: AS] | A 8140 | OS | 26-MAY-93 |
| | MIL-STD-1320/65(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS BOMB CLUSTER MK 20 MODS 2, 3, & 4 IN CONTAINER MK 427 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/73A | TRUCKLOADING SPARROW III MISSILE, (RIM-7D, RIM-7E, RIM-7F, RIM-7M, AND RIM-7P) IN CONTAINER MK 470 MOD 0 AND MOD 1 [CUST: OS] [REVIEW: AS] | A 8140 | OS | 12-NOV-93 |
| | MIL-STD-1320/75A NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING, 5 INCH /54 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/83 NOT 1 | TRUCKLOADING GUIDED MISSILE, AIM-9G OR 9H IN CRADLE, MK 16 MOD 0 OR AIM-9G, 9H OR 9L IN CONTAINER, CNU-287/E W/O WINGS AND FINS (SIDEWINDER) UNIT LOAD UNDERWAY REPLENISHMENT [CUST: OS] [REVIEW: AS] | A 8140 | OS | 10-OCT-86 |
| | MIL-STD-1320/84A NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING 5 INCH /38 IN CARTRIDGE TANK MK15 FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/103(1) NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS BOOSTER, MK 12 MOD 0 & 1 IN CONTAINER MK 578 MOD 0 [CUST: OS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/106A NOT 1 | TRUCKLOADING CHARGE, PROPELLING, 5 INCH /54 DOMESTIC UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/108 NOT 1 | TRUCKLOADING ROCKET MOTOR MK 52 AND MODS (SPARROW) OR, ROCKET MOTOR MK 53 MOD 1 OR MK 78 MOD 0 (SHRIKE) FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/109A(1) NOT 1 | TRUCKLOADING BOMB, PRACTICE MK 76 MODS 4, 5, AND 7 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/113C(2) | TRUCKLOADING TORPEDO, MK 48 MODS 1,3,4 IN CONTAINER MK 481 MODS 0,1 OR TORPEDO MK 48 ADCAP IN CONTAINER MK 746 MOD 0 [CUST: OS] | A 8140 | OS | 30-OCT-91 |
| | MIL-STD-1320/118(1) NOT 2 | TRUCKLOADING PROPULSION SECTION, (PHOENIX) IN CONTAINER CNU-159/E DOMESTIC UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1320/119(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS WING ASSEMBLIES AND TAIL FINS GUIDED MISSILE AGM-45A (SHRIKE) IN CONTAINER CNU-171/E FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1320/120 NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, M117, (750LB) AIR FORCE UNIT LOAD TPO 1325-232-6331 REV F [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1320/121 NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS PROJECTILE, 6 INCHES AAC, HC OR AP IN PALLET ADAPTER MK 20 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 29-JAN-74 |
| | MIL-STD-1320/132 | TRUCKLOADING WARHEAD, MK 103 MOD 0 (FOR MK 46 TORPEDO) IN CONTAINER, MK 301 MODS 0 AND 1 AND EXERCISE HEAD, MK 85 MODS 0, 1, 2, 3, 4, AND 6 DOMESTIC UNIT LOAD [CUST: OS] | A 8140 | OS | 18-NOV-88 |
| | MIL-STD-1320/140A(2) NOT 3 | TRUCKLOADING ROCKET MOTOR CLUSTER, LAU-10/A, LAU-10A/A LAU-10B/A OR LAU-10C/A LAUNCHER (ZUN) FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1320/150(1) NOT 2 | TRUCKLOADING GUIDED WEAPON MK 5 AND MODS (WALLEYE) IN CONTAINER CNU-154 A/E OR CNU-154 B/E [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1320/151A NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS 5 INCH/38 PROJECTILE IN PALLET ADAPTER MK11 MOD 1 FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-APR-87 |
| | MIL-STD-1320/152A NOT 1 | TRUCKLOADING OF HAZARDOUS MATERIALS PROJECTILE, 5 INCHES /54 IN PALLET ADAPTER MK 11 AND MODS FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 08-APR-87 |
| | MIL-STD-1320/154(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING, 6 INCH /47 IN CARTRIDGE TANK MK 4 IN PALLET ADAPTER MK 18 MODS FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/155(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS GUIDED MISSILE, AIM-7E OR 7F (SPARROW) (LESS WINGS AND FINS) IN CONTAINER CNU-166/E FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/157(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING 6 INCH /47 DOMESTIC UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/159B | TRUCKLOADING PHOENIX MISSILE AIM-54C (WITH WINGS AND FINS) IN SHIPPING AND STORAGE CONTAINER CNU-242A/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | 13-OCT-93 |
| | MIL-STD-1320/160C | TRUCKLOADING MINE, UNDERWATER, MK 60 MOD 0 IN SKID, MK 24 MOD 0 [CUST: OS] | A 8140 | OS | 18-NOV-88 |
| | MIL-STD-1320/161(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS BEAKER, EXPLOSIVE, 5 INCH /54 PROJECTILE DOMESTIC UNIT LOAD [CUST: OS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/162(1) NOT 3 | TRUCKLOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) AND CBU-78/B (GATOR) IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/163(1) | TRUCKLOADING OF HAZARDOUS MATERIALS CRADLE, STORAGE, MK 20 MOD 0 OR 1 CRADLE, STORAGE, MK 8 MOD 0 DOMESTIC UNIT LOAD [CUST: OS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/164 NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS CARTRIDGE, 76 MM/62 CALIBER CHARGE, CLEANING, 76 MM/62 CALIBER IN PALLET ADAPTER MK 121 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/165(1) | TRUCKLOADING OF HAZARDOUS MATERIALS GUIDED MISSILE, AGM-45 OR 45B (SHRIKE) IN CONTAINER CNU-167 /E FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 30-SEP-88 |
| | MIL-STD-1320/167(2) NOT 3 | TRUCKLOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 55 AND MOD 0 IN CRATE MK 55 MOD 1 (CONFIGURATION B) SUB ASSEMBLY W/ASSOCIATED FLIGHT GEAR [CUST: OS] | A 8140 | OS | 14-MAR-89 |
| | MIL-STD-1320/169(2) NOT 3 | TRUCKLOADING HARPOON MISSILE RGM-84A-1 (ASROC) IN CONTAINER MK 608 MOD 0 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1320/171(1) | TRUCKLOADING DISPENSER AND BOMB AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) OR CBU-55A/B OR CBU-72/B (FAE) OR CBU-59/B (APAM) IN CONTAINER, CNU-238/E FLEET ISSUE UNIT LOADS [CUST: OS] [REVIEW: AS] | A 8140 | OS | 14-MAR-89 |
| | MIL-STD-1320/173(1) NOT 2 | TRUCKLOADING DISPENSER, FLARE SUU-25 C/A (EMPTY) ON PALLET, LOADING AND STORAGE MHU-146/E [CUST: OS] | A 8140 | OS | 14-MAR-89 |
| | MIL-STD-1320/174A | TRUCKLOADING WARHEADS, GUIDED MISSILE, MK 40 MOD 0 AND WDU-25/B DOMESTIC UNIT LOAD [CUST: OS] | A 8140 | OS | 11-JAN-90 |
| | MIL-STD-1320/175C | TRUCKLOADING ROCKET MOTOR MK 27 OR MK 56 AND MODS (DTRM) IN CONTAINER, MK 593 MOD 0 AND SUSTAINER, MK 30 MODS IN CONTAINER, MK 737 MOD 0 [CUST: OS] | A 8140 | OS | 11-JUL-88 |
| | MIL-STD-1320/176(1) NOT 2 | TRUCKLOADING WARHEAD, TACTICAL, WAU-3(V)/B (HARPOON) EXERCISE SECTION, AN/DTK-46 (HARPOON) IN CONTAINER MK 592 MOD 0 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1320/177 | TRUCKLOADING CARTRIDGE, 5.125 INCH MK 182 (SUPER RBOC) CARTRIDGE, 5.125 INCH MK 186 (TORCH) IN PALLET ADAPTER MK 144 UNIT LOAD, UNDERWAY REPLENISHMENT[CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1320/178 NOT 1 | TRUCKLOADING CARTRIDGE, 20MM, M50 SERIES (LOOSE) IN CONTAINER M548 DOMESTIC AND FLEET ISSUE LOADS [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1320/179 NOT 1 | TRUCKLOADING 20MM, MK 100 SERIES NOT LINKED, BULK PACK FOR MK 11 OR MK 12 GUN FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1320/180 NOT 1 | TRUCKLOADING CARTRIDGE 20MM, MK 100 SERIES (NOT LINKED) FOR MK 11 OR MK 12 GUN IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 DOMESTIC UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1320/184B(2) | TRUCKLOADING, TORPEDO MK 48 EXERCISE/ADCAP SHAPES IN CONTAINER MK 481 MODS 0,1 OR CONTAINER MK 746 MOD 0 [CUST: OS] | A 8140 | OS | 30-OCT-91 |
| | MIL-STD-1320/185 NOT 1 | TRUCKLOADING PHOENIX GUIDANCE SECTION IN CONTAINER CNU-234/E [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1320/188 NOT 1 | TRUCKLOADING, HARPOON MISSILE AGM-84A (WITH WINGS AND FINS) IN SHIPPING AND STORAGE CONTAINER MK 607 MOD 0 [CUST: OS] | A 8140 | OS | 13-MAR-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|----------------------------|---|-----------------------|-----------------|-----------|
| MIL-STD-1320/189B(1) NOT 2 | TRUCKLOADING, HARPOON CANISTER LOADED WITH GUIDED MISSILE RGM-84A-3 IN SHIPPING AND STORAGE CONTAINER MK 631 MOD 0 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1320/190(1) NOT 2 | TRUCKLOADING, SUSTAINER SECTION A/B44G-1 HARPOON GUIDED MISSILE IN CONTAINER MK 621 MOD 0 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1320/191 NOT 1 | TRUCKLOADING, ROCKET MOTOR SECTION, BOOSTER A/B44G-2 OR A/B44G-3 HARPOON GUIDED MISSILE IN CONTAINER MK 618 MOD 0 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1320/192 NOT 1 | TRUCKLOADING, GUIDANCE SECTION, GUIDED MISSILE (HARPOON) AN/DSQ-28 IN CONTAINER MK 619 MOD 0 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1320/193 NOT 1 | TRUCKLOADING, TORPEDO, MK 37 MOD 3 MAIN ASSEMBLY IN CONTAINER MK 258 MOD 0 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1320/194 NOT 1 | TRUCKLOADING TORPEDO, MAIN ASSEMBLY MK 37 MOD 2 IN CONTAINER MK 318 MOD 0 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1320/196A NOT 1 | TRUCKLOADING, ENCAPSULATED, HARPOON MISSILE RGM-84A-3 IN SHIPPING AND STORAGE CONTAINER MK 630 MOD 0 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1320/200A NOT 1 | TRUCKLOADING TORPEDO, DUMMY AND EXERCISE MK 37 MOD 2 AND MOD 3 IN SHIPPING AND STORAGE SKID OR BARE [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1320/201A | TRUCKLOADING TORPEDO MK 46 ASSEMBLIES IN CONTAINER MK 535 MOD 0 [CUST: OS] | A 8140 | OS | 20-AUG-90 |
| MIL-STD-1320/202(1) NOT 2 | TRUCKLOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) IN CONTAINER CBU-319/E AND CBU-78/B (GATOR) UNIT LOAD UNDERWAY REPLENISHMENT [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1320/203 NOT 1 | TRUCKLOADING TORPEDO, MAIN ASSEMBLY MK 37 MOD 2 AND MOD 3 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1320/205B NOT 2 | TRUCKLOADING STANDARD MISSILE (MR) IN VLS CANISTER MK 13 MOD 0 [CUST: OS] | A 8140 | OS | 08-SEP-92 |
| MIL-STD-1320/207E | TRUCKLOADING GUIDED MISSILE U/RGM-109 (TOMAHAWK) IN SHIPPING AND STORAGE CONTAINER CNU-308/E [CUST: OS] | A 8140 | OS | 10-MAR-93 |
| MIL-STD-1320/209 NOT 2 | STANDARD MISSILE (MR) RIM-66A, TYPE 1; RIM-66C; RGM-66D-1, 2 OR ROCKET MOTOR MK 56 & MODS (DTRM) IN CONTAINERS MK 372 MODS 2, 3 OR 5 [CUST: OS] | A 8140 | OS | 29-SEP-86 |
| MIL-STD-1320/210 NOT 1 | TRUCKLOADING WALLEYE I GUIDED WEAPON IN SHIPPING AND STORAGE CONTAINER CNU-356/E [CUST: OS] | A 8140 | OS | 14-MAR-89 |
| MIL-STD-1320/211 NOT 1 | TRUCKLOADING, WARHEAD SECTION FOR MISSILE, AGM-88A (HARM) IN CNU-353/E CONTAINER [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1320/212 NOT 2 | TRUCKLOADING ROCKET MOTOR FOR MISSILE AGM-88A (HARM) IN CNU-354/E CONTAINER [CUST: OS] [REVIEW: AS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1320/213(1) NOT 2 | TRUCKLOADING STANDARD MISSILE (MR) RIM-66A-1,2; RIM-66C; RIM-66D-1,2; RIM-66E-1,2; RIM-66H OR RIM-66J IN CONTAINER MK 372 MOD 7 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1320/221 | TRUCKLOADING MOTOR, 5.0 INCH ROCKET MK 22 MOD 4 (LOADED ASSEMBLY) IN CONTAINER MK 697 MOD 0 [CUST: OS] | A 8140 | OS | 09-APR-85 |
| MIL-STD-1320/222(4) NOT 4 | TRUCKLOADING GUIDED MISSILE BGM-109 (TOMAHAWK-CLS) IN SHIPPING SKID MK 30 MODS 0 AND 1 [CUST: OS] | A 8140 | OS | 03-MAR-91 |
| MIL-STD-1320/223B | TRUCKLOADING GUIDED MISSILE RGM-109 (TOMAHAWK) VLS CANISTER MK 14 MODS 0 AND 1 [CUST: OS] | A 8140 | OS | 11-OCT-89 |
| MIL-STD-1320/224 | TRUCKLOADING VERTICAL LAUNCHING SYSTEM MK 33 MOD 0 LOADER DOLLY CANISTER/MISSILE [CUST: OS] | A 8140 | OS | 08-FEB-86 |
| MIL-STD-1320/226 NOT 1 | TRUCKLOADING HARPOON THICKWALL CANISTER LOADED WITH GUIDED MISSILE RGM-84A-5 IN SHIPPING AND STORAGE CONTAINER MK 694 MOD 0 [CUST: OS] | A 8140 | OS | 09-APR-86 |
| MIL-STD-1320/227 | TRUCKLOADING TORPEDO MK 50 (ALWT) FOR OPEVALAND TECHEVAL IN SHIPPING AND STORAGE CONTAINER EX 699 [CUST: OS] | A 8140 | OS | 14-APR-86 |
| MIL-STD-1320/228 | TRUCKLOADING DOLLY, MISSILE TRANSFER, MK 30 MOD 0 ON SKID, TRANSPORT, DL6212586 UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT [CUST: OS] | A 8140 | OS | 11-JAN-88 |
| MIL-STD-1320/232B | TRUCKLOADING GUIDED MISSILE, AGM-119 B (PENGUIN) IN CONTAINER, SHIPPING AND STORAGE, CNU-443A/E WITH WINGS AND CANARDS IN CONTAINER, SHIPPING AND STORAGE, CNU-450/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | 27-OCT-92 |
| MIL-STD-1320/233 | TRUCKLOADING DUAL THRUST ROCKET MOTOR FOR SM-2 BLOCK II MISSILE MK 104 IN CONTAINER, MK 693 MOD 0 [CUST: OS] | A 8140 | OS | 13-DEC-88 |
| MIL-STD-1320/235 | TRUCKLOADING ENCAPSULATED TOTEM, TOTEM VEHICLE AND EXPENDED CAPSULE [CUST: OS] | A 8140 | OS | 18-NOV-88 |
| MIL-STD-1320/237B | TRUCKLOADING MK 50 TORPEDO (WARSHOT AND EXERCISE) IN SHIPPING AND STORAGE CONTAINER, MK 714 MOD 0 AND 1 FLEET ISSUE UNIT LOADS [CUST: OS] | A 8140 | OS | 23-FEB-93 |
| MIL-STD-1320/238 | TRUCKLOADING AMPHIBIOUS UNIT LOAD 155MM PROJECTILES, LONG ROUND [CUST: OS] | A 8140 | OS | 10-MAR-89 |
| MIL-STD-1320/239 | TRUCKLOADING AMPHIBIOUS UNIT LOAD 155MM PROJECTILES, SHORT ROUND [CUST: OS] | A 8140 | OS | 10-MAR-89 |
| MIL-STD-1320/242 | TRUCKLOADING STANDARD MISSILE EXTENDED RANGE (ER) IN SHIPPING AND STORAGE CONTAINER MK 721 MOD 0 [CUST: OS] | A 8140 | OS | 08-JUN-89 |
| MIL-STD-1320/243 | TRUCKLOADING RAM ROUND PACK IN MK 734 MOD 0 CONTAINER [CUST: OS] | A 8140 | OS | 08-JUN-89 |
| MIL-STD-1320/244 | TRUCKLOADING MINE, UNDERWATER, MK 67 MOD 0 (SLMM) BARE [CUST: OS] | A 8140 | OS | 25-OCT-90 |
| MIL-STD-1320/245 | TRUCKLOADING GUIDED MISSILE STANDARD MR AND (ASROC) IN VLS CANISTER MKS 13, 14 AND 15 AND MODS MIXED LOADS [CUST: OS] [REVIEW: AS] | A 8140 | OS | 25-SEP-89 |
| MIL-STD-1320/246A | TRUCKLOADING CLS BALLAST CANS CHOCKED [CUST: OS] | A 8140 | OS | 15-OCT-90 |
| MIL-STD-1320/247 | TRUCKLOADING UNIT LOADS AIM-9M (SIDEWINDER) AND AGM-122A (SIDEARM) IN CONTAINERS CNU-435/E AND CNU-434/E RESPECTIVELY [CUST: OS] | A 8140 | OS | 12-JUL-89 |
| MIL-STD-1320/248 | TRUCKLOADING VERTICAL LAUNCHED ASROC MISSILE IN VLS CANISTER MK 15 MOD 0 [CUST: OS] | A 8140 | OS | 07-SEP-89 |
| MIL-STD-1320/249(1) NOT 1 | TRUCKLOADING GUIDED MISSILE, AGM-65 (MAVERICK) IN CONTAINER, SHIPPING AND STORAGE, CNU-399/E OR CNU-472E UNIT LOAD FOR UNDERWAY REPLENISHMENT [CUST: OS] | A 8140 | OS | 29-JUN-90 |
| MIL-STD-1320/250(2) | TRUCKLOADING, ROCKET MOTOR, MK 114 MOD 0 IN CONTAINER MK 733 MOD 0 [CUST: OS] | A 8140 | OS | 18-SEP-92 |
| MIL-STD-1320/251 | TRUCKLOADING GUIDED MISSILE, AGM-84-E AND ATM-84-E (SLAM) IN CONTAINER MK 724 MOD 0 [CUST: OS] | A 8140 | OS | 11-JAN-90 |
| MIL-STD-1320/253B | TRUCKLOADING IN SHIPPING AND STORAGE CONTAINER CNU-415A/E OR CNU-415B/E OR AMRAAM, CATM-120 CAPTIVE AIR TRAINING, MISSILE IN SHIPPING AND STORAGE CONTAINER CNU-555/E [CUST: OS] | A 8140 | OS | 14-JUL-95 |
| MIL-STD-1320/254 | TRUCKLOADING UNIT LOADS GUIDED MISSILE AGM-65 (MAVERICK) IN SHIPPING AND STORAGE CONTAINER, CNU-447/E [CUST: OS] | A 8140 | OS | 01-MAY-91 |
| MIL-STD-1320/256 | TRUCKLOADING WARHEAD, HE, WDU-36/B ON PALLET MK 12 MOD 1 UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT [CUST: OS] | A 8140 | OS | 13-AUG-92 |
| MIL-STD-1320/257 | TRUCKLOADING RAM ROUND PACK IN MK 749 MOD 0 CONTAINER [CUST: OS] | A 8140 | OS | 01-MAY-91 |
| MIL-STD-1320/258 | TRUCKLOADING VERSATILE EXERCISE MINE SYSTEM (VEMS) IN MINE CRATES MK113 AND MK114 [CUST: OS] | A 8140 | OS | 09-SEP-91 |
| MIL-STD-1320/260A | TRUCKLOADING AMRAAM MIXED LOAD WINGS AND FINS IN CNU-452/E CONTAINER (DOMESTIC UNIT LOAD) GUIDANCE SECTION IN CNU-463/E CONTAINER PROPULSION SECTION IN CNU-464/E CONTAINER WARHEAD SECTION IN CNU-545/E CONTAINER (DOMESTIC UNIT LOAD) CONTROL SECTION IN CNU-546/E CONTAINER (DOMESTIC UNIT LOAD) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 02-JUN-93 |
| MIL-STD-1320/261 | TRUCKLOADING HELLFIRE MISSILE, AGM 114 IN CONTAINER, SHIPPING AND STORAGE, CNU-448/E UNIT LOAD FOR UNDERWAY REPLENISHMENT [CUST: OS] [REVIEW: AS] | A 8140 | OS | 29-JUL-91 |
| MIL-STD-1320/262 | TRUCKLOADING DUAL THRUST ROCKET MOTOR (DTRM) MK 104 MODS 1, 2 & 3 IN SHIPPING AND STORAGE CONTAINER MK 750 MOD 0 [CUST: OS] [REVIEW: AS] | A 8140 | OS | 04-SEP-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----------------|-----------|
| | MIL-STD-1320/264 | TRUCKLOADING VLS CANISTERS MKS 13, 14 & 15 AND ALL MODS AND MIXED LOADS "EMPTY AND W/O PHST" [CUST: OS] | A 8140 | OS | 23-SEP-92 |
| | MIL-STD-1320/265 | TRUCKLOADING AMMO PAK, GFK 11/A49E-10 IN CNU-492/E AND GUN PAK, GAK 14/49E-10 IN CNU-493/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | 11-OCT-91 |
| | MIL-STD-1320/267 | TRUCKLOADING BOMB, 2000 LB. BLU-109-A/B (THERMALLY PROTECTED) IN PALLET, BOMB, S/S, MHU-212/E (DWG # 3336AS100) [CUST: OS] | A 8140 | OS | 25-NOV-92 |
| A | MIL-STD-1320/268 | TRUCKLOADING MOTOR, 5.0 INCH ROCKET MK 22 MOD 4 (LOADED ASSEMBLY) IN CONTAINER MK 757 MOD 0 [CUST: OS] | A 8140 | OS | 20-JAN-92 |
| | MIL-STD-1320/269 | TRUCKLOADING MIXED TRUCKLOAD FOR GUIDED MISSILE, AGM-84-E AND ATM-84-E (SLAM) IN CONTAINER MK 724 MODS 0 & 1 OR WOOD BOX # SC1943AS0100-501MH AND GUIDED MISSILE, AGM-84-F AND ATM-84-F-1C (BLOCK ID) IN CONTAINER CNU-495/E OR WOOD BOX #SC1657AS2100-501MH [CUST: OS] | A 8140 | OS | 30-MAR-92 |
| | MIL-STD-1320/270 | TRUCKLOADING TASK "A" ASSY TEST CHARGES ON WOODEN SKID WITH COVER & END FRAME ASSY'S (16 PACK UNIT LOADS) [CUST: OS] | A 8140 | OS | 20-JUL-92 |
| | MIL-STD-1320/271 | TRUCKLOADING TACTICAL AIR LAUNCHED DECOY (TALD) ADM-141 IN CONTAINER CNU-536/E [CUST: OS] | A 8140 | OS | 07-JAN-93 |
| | MIL-STD-1320/272 | TRUCKLOADING GUIDED MISSILE LAUNCHER (GML) FOR ROLLING AIRFRAME MISSILE SYSTEM (RAM) ON TRANSPROTATION SKID, DWG NO. 6660272 [CUST: OS] | A 8140 | OS | 28-JUN-93 |
| | MIL-STD-1320/274 | TRUCKLOADING ALPHA CONFIGURED UNDERWATER MINE, MK 64 MODS OR DESTRUCTOR, MK 41 MODS ON PALLET ADAPTER, MK 79 [CUST: OS] | A 8140 | OS | 08-JUN-93 |
| | MIL-STD-1320/275 | TRUCKLOADING ADG-770/B ADAPTER GROUP IN CNU- 439A/E CONTAINER [CUST: OS] [REVIEW: AS] | A 8140 | OS | 18-JUN-93 |
| | MIL-STD-1320/276 | TRUCKLOADING ALPHA CONFIGURED UNDERWATER MINE, MK 62 MODS OR DESTRUCTOR, MK 36 MODS ON PALLET ADAPTER, MK 9 [CUST: OS] | A 8140 | OS | 06-JUL-93 |
| | MIL-STD-1320/277 | TRUCKLOADING BSU-84/B AIRFOIL GROUP IN CNU-373/E CONTAINER [CUST: OS] [REVIEW: AS] | A 8140 | OS | 09-JUL-93 |
| | MIL-STD-1320/278 | TRUCKLOADING ACOUSTIC DEVICE COUNTERMEASURE (ADC) IN CONTAINER CNU-488/E [CUST: OS] | A 8140 | OS | 25-OCT-93 |
| | MIL-STD-1320/279 | TRUCKLOADING DESTRUCTOR, MK 40 OR MK 63 QUICKSTRIKE MINE ON MK 11 MOD 0 PALLET [CUST: OS] | A 8140 | OS | 23-AUG-93 |
| | MIL-STD-1320/280 | TRUCKLOADING ALPHA CONFIGURED MINE, MK 56 MOD 0 (WITH FAIRING MK 21 MOD 0 AND PARACHUTE PACK WITH FINS) IN MINE CRATE MK 56 MOD 0 [CUST: OS] | A 8140 | OS | 08-OCT-93 |
| A | MIL-STD-1320/286 | TRUCK LOADING, NULKA ELECTRONIC DECOY CARTRIDGE (EDC) MK 234 MODS 0 AND 1 IN CONTAINER, SHIPPING AND STORAGE MK 779 MOD 0 [CUST: OS] | A 8140 | OS | 15-MAY-97 |
| | MIL-STD-1322A NOT 4 | UNIT LOADS OF AMMUNITION AND EXPLOSIVES FOR DOMESTIC AND OVERSEAS SHIPMENT [CUST: OS] [REVIEW: AS MC SA] | A 8140 | OS | 19-MAR-86 |
| | MIL-STD-1322/1 | PALLETIZING DOMESTIC UNIT LOAD SPARROW III AAM-N-6-6A ANTENNA ASSEMBLY (REAR) (IN WOOD BOX) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| | MIL-STD-1322/2 | PALLETIZING DOMESTIC UNIT LOAD SPARROW III AAM-N-6-6A - IGNITER MK 172 MOD 0 - INERT (IN WOOD BOX) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| | MIL-STD-1322/9 | PALLETIZING DOMESTIC UNIT LOAD SPARROW III AAM-N6, 6A WINGS AND FINS (IN METAL CONTAINER) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| | MIL-STD-1322/10 | PALLETIZING DOMESTIC UNIT LOAD WEAPON "A" ROCKET MOTOR 5.25-INERT (IN WOOD BOX) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| | MIL-STD-1322/20 | PALLETIZING DOMESTIC UNIT LOAD AMMONIUM PERCHLORATE (IN 30 GAL. STEEL DRUM)[CUST: OS] | A 8140 | OS | 14-AUG-69 |
| A | MIL-STD-1322/24 | PALLETIZING DOMESTIC UNIT LOAD 2.75 ROCKET MOTOR MK 1, 2 AND MODS (IN CONTAINER MK 15 MOD 0) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| | MIL-STD-1322/26 | PALLETIZING DOMESTIC UNIT LOAD 20 MM AIRCRAFT AND SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| | MIL-STD-1322/27 | PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| | MIL-STD-1322/28 | PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| | MIL-STD-1322/29 | PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| | MIL-STD-1322/30 | PALLETIZING DOMESTIC UNIT LOAD 20 MM AMMUNITION (IN 20 MM AMMO BOX MK 3 MODS - ON MK 3 PALLET) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| | MIL-STD-1322/31 | PALLETIZING DOMESTIC UNIT LOAD 20 MM AMMUNITION (IN 20 MM AMMO BOX MK 3 MODS - ON MK 12 PALLET [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| | MIL-STD-1322/33 | PALLETIZING DOMESTIC UNIT LOAD HAND ILLUMINATING GRENADE MK 1 MOD 0 (IN WOOD BOX) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| | MIL-STD-1322/34 | PALLETIZING DOMESTIC UNIT LOAD PRACTICE BOMB MK 76 MOD 4 (IN WOOD BOX) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| | MIL-STD-1322/46A | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEADS, GUIDED MISSILE, MK 40 MOD 0 AND WDU-25/B [CUST: OS] | A 8140 | OS | 13-AUG-93 |
| | MIL-STD-1322/47 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 309 MOD 0 IGNITER IN WOOD BOX [CUST: OS] [REVIEW: AS] | A 8140 | OS | 25-OCT-91 |
| | MIL-STD-1322/48 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MARKER, LOCATION, MARINE MK 25 MOD 3 IN CONTAINER LD615124 [CUST: OS] [REVIEW: AS] | A 8140 | OS | 14-MAR-89 |
| | MIL-STD-1322/49 NOT 1 | UNIT LOAD FOR DOMESTIC SHIPMENT ONLY CABLE ASSEMBLIES, ASROC-MK 10 MOD 0, MK 21 MOD 0, AND MK 29 MOD 0 IN CONTAINER DWG. 1806337 [CUST: OS] | A 8140 | OS | 14-MAR-89 |
| | MIL-STD-1322/50 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT STANDARD MISSILE CONTROL SURFACES MK 26 MOD 0 AND MK 36 MOD 0 IN MK 492 MOD 1 CONTAINER [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1322/51 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BOMB, PRACTICE BDU-48/B [CUST: OS] [REVIEW: AS] | A 8140 | OS | 14-MAR-89 |
| | MIL-STD-1322/52 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT 5 INCH-54 PROJECTILES WITH WATERPROOF PROTECTING CAPS, MK 4 MOD 0 OR MK 10 MOD 1 [CUST: OS] | A 8140 | OS | 14-MAR-89 |
| | MIL-STD-1322/53 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROPELLANT GRAIN MK 90 MOD 0 IN CONTAINER DWG 233AS171 PACKED IN PALLET CRATE MK 2 MOD 0 [CUST: OS] [REVIEW: AS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1322/54 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CARTRIDGE, CALIBER 9 MM: BALL, PARABELLUM IN AMMUNITION BOX M 2A1 OVERPACKED IN WIREBOUND WOODEN BOX [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1322/55 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT HAZARDOUS MATERIALS IN 55 GALLON STEEL DRUM PPP-D-729 TYPE IV [CUST: OS] [REVIEW: AS] | A 8140 | OS | 14-MAR-89 |
| | MIL-STD-1322/59 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CARTRIDGE, 40 MM., MK 162 MOD 0 IN 40 MM. AMMUNITION BOX MK 1 MOD 0 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1322/60 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT 2.75 INCH ROCKET MOTOR, MK 66 IN CONTAINER MK 1 MOD 0 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| | MIL-STD-1322/63 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BATTERY, MERCURY MK 131 OR BATTERY, MERCURY MK 132 IN CONTAINER DWG 3268750 [CUST: OS] | A 8140 | OS | 10-APR-87 |
| | MIL-STD-1322/64 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ARMING DEVICES MK 2 MODS AND MK 36 MOD 0 IN MK 2 MOD 0 AMMUNITION COMPONENT BOX [CUST: OS] | A 8140 | OS | 06-FEB-87 |
| | MIL-STD-1322/66 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT TARGET DETECTING DEVICE MK 58 MOD 0 IN CONTAINER DWG 3268734 [CUST: OS] | A 8140 | OS | 25-SEP-85 |
| | MIL-STD-1322/67 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 136 MOD 0 ADAPTER IN SMALL ARMS AMMO BOX M2A1 [CUST: OS] [REVIEW: AS] | A 8140 | OS | 07-NOV-86 |

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-STD-1322/68 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT EXPLODER MECHANISM, MK 19 MOD 15 IN CONTAINER, MK 4 MOD 2 [CUST: OS] | A 8140 | OS | | 08-AUG-90 |
| | MIL-STD-1322/69 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT MK 42 MOD 6 FIRING MECHANISM IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 [CUST: OS] | A 8140 | OS | | 10-JUN-86 |
| | MIL-STD-1322/70 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT FIRING DEVICE KIT, MK 48 MOD 0 IN M2A1 CONTAINER [CUST: OS] | A 8140 | OS | | 12-APR-85 |
| | MIL-STD-1322/71 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MOTOR, 5.0 INCH ROCKET MK 22 MOD 4 (LOADED ASSEMBLY) IN CONTAINER MK 697 MOD 0 [CUST: OS] | A 8140 | OS | | 09-APR-85 |
| | MIL-STD-1322/72 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROJECTILE 5-INCH/54, HI-FRAG (EMPTY) IN PALLET ADAPTER MK11 MOD 2 [CUST: OS] | A 8140 | OS | | 22-JAN-86 |
| A | MIL-STD-1322/73 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT CARTRIDGE, CALIBER, .38 SPECIAL BALL, STEEL JACKETED WITH TRACER IN AMMUNITION BOX M2A1 [CUST: OS] | A 8140 | OS | | 28-MAY-87 |
| | MIL-STD-1322/75 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BATTERY MK 46 IN CONTAINER DWG 5167267 [CUST: OS] | A 8140 | OS | | 15-NOV-85 |
| | MIL-STD-1322/77 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT 5 INCH G.P. WARHEAD MK 109 MOD 0 IN CONTAINER M548 [CUST: OS] | A 8140 | OS | | 04-FEB-86 |
| | MIL-STD-1322/79 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SAFETY ARMING DEVICE ASSEMBLY, MK 75 IN AMMUNITION BOX M2A1 [CUST: OS] | A 8140 | OS | | 15-NOV-85 |
| | MIL-STD-1322/80 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 117 JATO ROCKET MOTOR IN WOOD BOX [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 08-APR-86 |
| | MIL-STD-1322/82 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT STANDARD MISSILE SM-2 BLOCK II SAFETY & ARMING DEVICE, MK 51 MOD 0 & MK 76 MOD 0 IN CONTAINER, MK 688 MOD 0 [CUST: OS] | A 8140 | OS | | 13-APR-87 |
| | MIL-STD-1322/86 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT MK 24 MOD 2 FIRING DEVICE. DEMOLITION IN WOOD BOX [CUST: OS] | A 8140 | OS | | 19-SEP-86 |
| | MIL-STD-1322/87 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT KIT. FIRING DEVICE. TRAINING ADAPTER. MK 122 MOD 0 IN M19 SERIES METAL BOX OVERPACKED IN WIREBOUND BOX [CUST: OS] | A 8140 | OS | | 22-SEP-86 |
| | MIL-STD-1322/88 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT EXPLOSIVE SECTION. DESTRUCTOR, MK 14 MOD 0. LOADED IN CONTAINER. SHIPPING & STORAGE. DL5468241 [CUST: OS] | A 8140 | OS | | 06-OCT-87 |
| | MIL-STD-1322/89 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BATTERY, PRIMARY, ALKALINE, MK 141 MOD 0 IN CONTAINER, SHIPPING AND STORAGE DL5468249 [CUST: OS] | A 8140 | OS | | 12-MAR-87 |
| | MIL-STD-1322/90 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEADS MK 5, MK 10, MK 51, MK 90, MK 91, MK 115 AND MODS OR TELEMETERING INSERTS AN/DKT-26, AN/DKT-27, AN/DKT-42 AND MODS IN CONTAINER, MK 211 AND MODS [CUST: OS] | A 8140 | OS | | 18-NOV-88 |
| | MIL-STD-1322/91 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT DOLLY, MISSILE TRANSFER, MK 30 MOD 0 ON SKID, TRANSPORT, DL, 6212586 [CUST: OS] | A 8140 | OS | | 11-JAN-88 |
| | MIL-STD-1322/92 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FIRING DEVICE, ACOUSTIC, MK 35 MOD 0 IN CONTAINER, SHIPPING AND STORAGE, DL5178223 [CUST: OS] | A 8140 | OS | | 17-OCT-96 |
| | MIL-STD-1322/97 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEADS, MK 51 MODS 0 AND 1, MK 90 MOD 0, MK 115 MOD 0 AND TELEMETERING INSERTS, AN/DKT-26, AN/DKT-27, OR AN/DKT-42 IN MK 567 CONTAINER WARHEAD, MK 125 MOD 0 IN CONTAINER MK 753 MOD 0 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 10-JUN-91 |
| | MIL-STD-1322/98 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FUZE, DISPENSER PROXIMITY FMU-140/B IN M592 CONTAINER [CUST: OS] | A 8140 | OS | | 14-MAR-89 |
| | MIL-STD-1322/99 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CHARGES, SHAPED, LINEAR, FLEXIBLE, (FLSC) 20 GRAINS/FT THROUGH 600 GRAINS/FT IN PALLET ADAPTER, MK 144 MOD 0 [CUST: OS] | A 8140 | OS | | 16-JAN-90 |
| | MIL-STD-1322/100 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT EXPLODER ASSEMBLY. MK 20 MOD 0 IN CONTAINER MK 569 MOD 0 [CUST: OS] | A 8140 | OS | | 09-JUN-89 |
| | MIL-STD-1322/102 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FIREBOMB, MK 77 MOD 5 ASSEMBLY (WITH DRY FUEL GELLING MIX) IN WOODEN CRATE [CUST: OS] | A 8140 | OS | | 05-OCT-89 |
| | MIL-STD-1322/103A | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ROCKET MOTORS, JATO MK 128 MOD 1 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 12-JAN-94 |
| | MIL-STD-1322/104(1) | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEAD, HE, WDU-36/B ON PALLET, MK 12 MOD 1 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 04-MAR-92 |
| | MIL-STD-1322/105A | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FIRING DEVICE, MK 50 MOD 0 IN CONTAINER, SHIPPING AND STORAGE, DL6209345 [CUST: OS] | A 8140 | OS | | 25-SEP-91 |
| | MIL-STD-1322/106(1) | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT EXPLOSIVE SECTION, MK 15 MOD 0 IN CONTAINER, SHIPPING AND STORAGE, DL6209352 [CUST: OS] | A 8140 | OS | | 23-SEP-92 |
| | MIL-STD-1322/107 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT RANGE AND AIRFRAME SEPARATION PROGRAMMER (RASP) MK 9 MOD 0 AND PAYLOAD CABLE ASSEMBLY 2541442, IN CONTAINER MK 589 MOD 0 [CUST: OS] | A 8140 | OS | | 09-OCT-91 |
| | MIL-STD-1322/108 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT TASK "A" ASSY TEST CHARGES ON WOODEN SKID WITH COVER & END FRAME ASSY'S (8 OR 16-PACK UNIT LOADS) [CUST: OS] | A 8140 | OS | | 08-JUL-92 |
| | MIL-STD-1322/109 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT STANDARD MR OR ER GUIDANCE SECTION IN CONTAINER MK 461 MOD 0 OR MOD 1 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 08-NOV-93 |
| | MIL-STD-1322/111 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT AMRAAM CONTROL SECTION IN CONTAINER, CNU-402/E OR AMRAAM WARHEAD SECTION IN CONTAINER, CNU-403/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 29-JUL-91 |
| | MIL-STD-1322/113 | UNIT LOAD MK 165 MOD 0 ADAPTER SILL ASSY [CUST: OS] | A 8140 | OS | | 14-AUG-92 |
| | MIL-STD-1322/114 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT AN/SSQ-110 SONOBUOY (IN SONOBUOY LAUNCH CONTAINER) PACKED IN 36 UNIT BAYONET PALLET DL #1458AS100 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 12-OCT-93 |
| | MIL-STD-1322/197 | PALLETIZING DOMESTIC UNIT LOAD DESTRUCTOR MODIFICATION KIT MK 75 (IN SMALL ARMS AMMUNITION BOX MK 1) [CUST: OS] | A 8140 | OS | | 14-AUG-69 |
| | MIL-STD-1322/329 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AMRAAM, AIM-120A IN CONTAINER, CNU-415/E [CUST: OS] | A 8140 | OS | | 15-APR-87 |
| | MIL-STD-1322/503 | PALLETIZING DOMESTIC UNIT LOAD WALLEYE CONTROL SECTION (IN CONTAINER MK 423 MOD 0) [CUST: OS] | A 8140 | OS | | 14-AUG-69 |
| | MIL-STD-1322/504 | PALLETIZING DOMESTIC UNIT LOAD WALLEYE GUIDANCE SECTION (IN CONTAINER MK 424 MOD 0) [CUST: OS] | A 8140 | OS | | 14-AUG-69 |
| | MIL-STD-1322/505 | PALLETIZING DOMESTIC UNIT LOAD PROPELLANT GRAIN MK 49 MOD 0 (IN CONTAINER MK 22 MOD 0) [CUST: OS] | A 8140 | OS | | 14-AUG-69 |
| | MIL-STD-1322/704 | PALLETIZING DOMESTIC UNIT LOAD 250 LB LOW DRAG BOMB (G.P.) MK-81 & MODS, WITH METAL OR PLASTIC NOSE PLUGS [CUST: OS] | A 8140 | OS | | 14-AUG-69 |
| | MIL-STD-1322/710 | PALLETIZING DOMESTIC UNIT LOAD SENSING ELEMENT, IMPACT-INERT (FOR BOMB FUZING SYSTEM MK 1 MOD 0) (IN WOOD BOX) [CUST: OS] | A 8140 | OS | | 14-AUG-69 |
| | MIL-STD-1322/722 | PALLETIZING DOMESTIC UNIT LOAD COUNTER WEIGHTS (UPPER AND LOWER) LD 624589-INERT (IN CONTAINER, MODIFIED LD 269790) [CUST: OS] | A 8140 | OS | | 14-AUG-69 |
| | MIL-STD-1322/723 | PALLETIZING DOMESTIC UNIT LOAD FUZE M514A1 CVT (IN WOOD BOX) [CUST: OS] | A 8140 | OS | | 14-AUG-69 |
| | MIL-STD-1322/726 | PALLETIZING DOMESTIC UNIT LOAD STANDARD ER STEERING CONTROL UNIT AND ROCKET MOTOR SPACER (IN CONTAINER MK 460 MOD 0) [CUST: OS] | A 8140 | OS | | 14-AUG-69 |
| A | MIL-STD-1322/728 | PALLETIZING DOMESTIC UNIT LOAD STANDARD MR AUTOPILOT BATTERY UNIT (IN CONTAINER MK 460 MOD 2) [CUST: OS] | A 8140 | OS | | 14-AUG-69 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|---------------------------|---|--------------------------|--------------------|-----------|
| A MIL-STD-1322/729 | PALLETIZING DOMESTIC UNIT LOAD STANDARD ER AUTOPILOT BATTERY UNIT (IN CONTAINER MK 460 MOD 3) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| MIL-STD-1322/732 | PALLETIZING DOMESTIC UNIT LOAD BOOSTER, UNDERWATER MINE MK 18 MOD 2 (IN WOOD BOX) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| MIL-STD-1322/734 | PALLETIZING DOMESTIC UNIT LOAD CHARGE, DEMOLITION, SHAPED, MK 45 MOD 0 (IN WOOD BOX) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| MIL-STD-1322/736 | PALLETIZING DOMESTIC UNIT LOAD 5" /38 WARHEAD MK 74 MOD 0 FOR ROCKET ASSIST PROJECTILE (IN PALLET ADAPTER MK 11 MOD 1) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| MIL-STD-1322/741 | PALLETIZING DOMESTIC UNIT LOAD 500 LB. FIRE BOMB MK 77 MOD 2 (EMPTY) (IN WIREBOUND CRATE) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| MIL-STD-1322/742 | PALLETIZING DOMESTIC UNIT LOAD ARMING DEVICE MK 10 MOD 0 OR MK 11 MOD 0 (IN WOOD BOX) [CUST: OS] | A 8140 | OS | 14-AUG-69 |
| MIL-STD-1322/792 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEAD, MK 103 MODS 0 AND 1 AND EXERCISE HEAD, MK 85 MODS 0, 1, 2, 3, 4 AND 6 IN CONTAINER, MK 301 MOD 0 [CUST: OS] | A 8140 | OS | 17-NOV-88 |
| MIL-STD-1322/806 NOT 2 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT C ARTRIDGE, SIGNAL, PRACTICE BOMB MK 4 MOD 3 OR CXU-3 A/B IN BOX, AMMUNITION M2A1 [CUST: OS] | A 8140 | OS | 24-FEB-87 |
| MIL-STD-1322/808 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 23 MODS JATO ROCKET MOTORS IN WOOD ADAPTER [CUST: OS] [REVIEW: AS] | A 8140 | OS | 30-APR-93 |
| MIL-STD-1322/811 NOT 1 | UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT BOMB, PRACTICE MK 106 MOD 5 [CUST: OS] | A 8140 | OS | 08-APR-87 |
| MIL-STD-1322/833 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FAIRING, UNDERWATER MINE, MK 20 TYPE FOR MINE MK 55 [CUST: OS] | A 8140 | OS | 02-APR-85 |
| MIL-STD-1322/848 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CRYPTOGRAPHIC EQUIPMENT DESTROYERS, INCENDIARY, M1A2 W/TH4 [CUST: OS] [REVIEW: AS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1322/862 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROJECTILE, 5-INCH/54, MK 41, MK 48, MK 55, MK 61, MK 64, MK 65 AND MODS (EMPTY) AND FSN 1320-01-028-4929 EL-P (EXPL. LOADED) W/O FUSE IN PALLET ADAPTER MK 11 AND MODS [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1322/866 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 23 MODS JATO ROCKET MOTOR IN 16" POWDER TANK, MK 4 MODS [CUST: OS] | A 8140 | OS | 30-APR-93 |
| MIL-STD-1322/883A | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ROCKET MOTOR, JATO, MK 6 MOD 1 OR 2 OR ROCKET MOTOR, JATO, MK 128 MOD 0 OR 1 [CUST: OS] [REVIEW: AS] | A 8140 | OS | 12-JAN-94 |
| MIL-STD-1322/898 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEAD, GUIDED MISSILE HIGH EXPLOSIVE WDU-33/B IN SHIPPING AND STORAGE CONTAINER CNU-545/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | 02-JUN-93 |
| MIL-STD-1322/900 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PRIMER MK 22 MODS 0, 1, AND 2: PERCUSSION, FOR 40MM CARTRIDGE [CUST: OS] | A 8140 | OS | 14-SEP-93 |
| MIL-STD-1322/1000 NOT 1 | UNIT LOADS FOR DOMESTIC AND OVERSEAS SHIPMENT TYPICAL LOADS [CUST: OS] | A 8140 | OS | 14-MAR-89 |
| MIL-STD-1323 NOT 1 | UNIT LOADS OF AMMUNITION AND EXPLOSIVES FOR UNDERWAY REPLENISHMENT [CUST: OS] | A 8140 | OS | 19-DEC-85 |
| MIL-STD-1323/1A | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 3-INCH/50 IN TANK, MK 5 AND MODS [CUST: OS] | A 8140 | OS | 12-JUL-92 |
| MIL-STD-1323/4 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PROJECTILE, 5/38 IN PALLET ADAPTER MK 11 AND MODS [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1323/5 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARG, PROPELLING, 5-INCH/54 IN PALLET ADAPTER, MK 16 MOD 0 [CUST: OS] | A 8140 | OS | 08-MAY-87 |
| MIL-STD-1323/6 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PROJECTILE, 5" /54, WITH METAL ROTATING BAND IN PALLET ADAPTER MK 11 & MODS [CUST: OS] | A 8140 | OS | 27-JUN-91 |
| MIL-STD-1323/18 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WARHEAD, ROCKET, 5-INCH, MK 6, MK 25, MK 29 AND MODS IN PALLET ADAPTER MK 11 AND MODS [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1323/29 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MISSILE BOOSTER FINS IN MK 205 MOD 0 CONTAINER | A 8140 | OS | 10-DEC-85 |
| MIL-STD-1323/33(2) NOT 3 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WARHEAD, ROCKET, 5 INCH, MK 24, MK 32, MK 34, AND MODS (ZUN) IN PALLET ADAPTER MK 11 AND MODS [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1323/54A | UNIT LOAD FOR UNDERWAY REPLENISHMENT MARKER, LOCATION, MARINE MK 25 MODS 3 & 4 IN CONTAINER LD 615124 [CUST: OS] [REVIEW: AS] | A 8140 | OS | 25-SEP-85 |
| MIL-STD-1323/92A | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 20 MM, M90 SERIES BELTED WITH M8 OR M10 LINKS IN 20 MM AMMUNITION BOX, MK3 MODS | A 8140 | OS | 14-FEB-85 |
| MIL-STD-1323/95 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WING ASSEMBLY, MK 9 MOD 0 AND FIN ASSEMBLY, MK 23 MOD 1 (WALLEYE I ERDL) IN CONTAINER, CNU-306/E [CUST: OS] | A 8140 | OS | 27-JUN-91 |
| MIL-STD-1323/96 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, SPOTTING, CXU-4/B IN SMALL ARMS AMMUNITION BOX, MK 1 MOD 0 [CUST: OS] | A 8140 | OS | 14-AUG-87 |
| MIL-STD-1323/97B | UNIT LOAD FOR UNDERWAY REPLENISHMENT DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) IN CONTAINER, CNU-319/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | 17-JUN-93 |
| MIL-STD-1323/98C | UNIT LOAD FOR UNDERWAY REPLENISHMENT SONOBUOYS, IN PALLET CRATE, CNU-313/E [CUST: OS] | A 8140 | OS | 11-JAN-88 |
| MIL-STD-1323/127A | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 2000 LB MK 84 MODS 2, 4, AND 7 IN UNIT LOAD ADAPTER, MK 79 MOD 0 [CUST: OS] [REVIEW: AS] | A 8140 | OS | 23-DEC-93 |
| MIL-STD-1323/149A(1) | UNIT LOAD FOR UNDERWAY REPLENISHMENT 16 INCH 50 CAL. H.C./H.E. PROJECTILE MK 13 AND MK 19 IN PALLET ADAPTER MK 88 MOD 0 [CUST: OS] | A 8140 | OS | 14-MAY-91 |
| MIL-STD-1323/151 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 16/50 INCH, REDUCED, IN POWDER TANK MK 8 MOD 0 ON PALLET ADAPTER MK 86 MOD 0 [CUST: OS] | A 8140 | OS | 01-OCT-85 |
| MIL-STD-1323/159(1) NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, SIGNAL, PRACTICE BOMB, MK 4 MOD 3 OR CXU-3A/B IN BOX, AMMUNITION M2A1 [CUST: OS] [REVIEW: AS] | A 8140 | OS | 29-APR-87 |
| MIL-STD-1323/169 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AIM-9G, 9H, IN CRADLE MK 16 MOD 0 OR AIM-9G, 9H, 9L, IN CONTAINER, CNU-287/E W/O WINGS AND FINS (SIDEWINDER) [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1323/174 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT ROCKETS MK 4, MK 40, OR MK 66 AND ROCKET MOTOR MK 66 IN ROCKET LAUNCHERS LAU-61C/A OR LAU-68D/A IN PALLET, LOADING AND STORAGE, MHU-108/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | 07-MAR-86 |
| MIL-STD-1323/187(1) NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 20MM, M50 SERIES BELTED WITH MK 7 OR M-14 LINKS IN CONTAINER, M548 [CUST: OS] | A 8140 | OS | 08-JAN-91 |
| MIL-STD-1323/192 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 7.62 MM, BALL, M80 (IN CLIPS) IN M2A1 BOXES OVERPACKED IN WIREBOUND BOX [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1323/193 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 7.62 MM (LINKED) IN M19A1 BOXES OVERPACKED IN WIREBOUND BOX [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1323/201(2) NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 5.125 INCH, MK 186 (TORCH) IN PALLET ADAPTER, MK 144 [CUST: OS] | A 8140 | OS | 03-DEC-90 |
| MIL-STD-1323/205(1) NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 500 POUND MK 82 AND MODS AND BDU-45/B INERT LOAD (UNCOATED) ON PALLET, LOADING AND STORAGE, MHU-122/E DL 623AS100 [CUST: OS] [REVIEW: AS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1323/212 | UNIT LOAD FOR UNDERWAY REPLENISHMENT 2.75" ROCKET/ROCKET MOTOR MK 4MK 40 AND MODS AND MK66 MOD 2 IN CLEATED WOODEN BOX [CUST: OS] [REVIEW: AS] | A 8140 | OS | 07-MAR-86 |
| MIL-STD-1323/217(1) NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE MK 76 MODS 5 AND 7 [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1323/219 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT SPACER ASSEMBLY FOR MARINE LOCATION MARKER MK 25 AND MODS OR UNDERWATER SOUND SIGNAL MK 84 AND MODS [CUST: OS] [REVIEW: AS] | A 8140 | OS | 13-MAR-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Avs | MCA | Prep. Acty. | Date |
|------------|---------------------------|---|-------------------------|-----|-------------|-----------|
| | MIL-STD-1323/220 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT ARMING WIRE ASSEMBLY MK 9 MOD 0 IN CONTAINER MK 2 MOD 2 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 01-MAR-89 |
| | MIL-STD-1323/221 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE BDU-48/B [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 01-MAR-89 |
| | MIL-STD-1323/229 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT TAIL SECTION MK 11 MOD 0 FOR MK 41 DESTRUCTOR IN CONTAINER DL5177769 IN MK 154 MOD 0 PALLET ADAPTER [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| | MIL-STD-1323/239A NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE, 500 LB MK 82 MOD 2 (THER. PROTECT.) & BOMB, BDU-45/B, INSERT LOAD. (THER. PROTECT) ON PALL., LOAD. & STOR., MHU-122/E DL 623AS100 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 08-OCT-85 |
| | MIL-STD-1323/241 | UNIT LOAD FOR UNDERWAY REPLENISHMENT TORPEDO MK 44 AND MK 46 ASSEMBLIES IN CONTAINER MK 197 MOD 1 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 27-JUN-91 |
| | MIL-STD-1323/242A | WEAPON REQUIREMENT, PALLETIZING FLEET ISSUE UNIT LOAD FIN ASSEMBLY, BOMB, MK 15 & MODS (SNAKEYE) IN PALLET ADAPTER ADU-383/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 19-SEP-86 |
| | MIL-STD-1323/251 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 52/55 MINE ACTUATION DUMMY FLIGHT GEAR SUB ASSEMBLY IN CONTAINER MK 662 MOD 0 [CUST: OS] | A 8140 | OS | | 07-MAY-87 |
| | MIL-STD-1323/252 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, AIRCRAFT, PARACHUTE, LUU-2 B/B (IN PLASTIC CONTAINER) [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 07-MAY-87 |
| | MIL-STD-1323/253A | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 2000 LB MK 84 MODS 3, 5, AND 6 (THERMALLY PROTECTED) IN UNIT LOAD ADAPTER, MK 79 MOD 0 WITH SADDLES (2642646) [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 23-DEC-93 |
| | MIL-STD-1323/262 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY BOMB, MAU-91A/B (SNAKEYE) [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| | MIL-STD-1323/263 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 76MM/62 CAL OR CHARGE, CLEARING, 76MM/62 CAL IN PALLET ADAPTER MK 121 MOD 0 [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| | MIL-STD-1323/268A | UNIT LOAD FOR UNDERWAY REPLENISHMENT DISPENSER AND BOMB, AIRCRAFT MK 20 AND MODS, CBU-100/B, -100A/B, -99/B, -99A/B (ROCKEYE) AND CBU-78/B, -78A/B (GATOR) IN CONTAINER, CNU-238/E [CUST: OS] | A 8140 | OS | | 17-JUN-93 |
| | MIL-STD-1323/271 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PROJECTILE, 5 INCH/54, WITH PLASTIC ROTATING BAND IN PALLET ADAPTER MK 11 MOD 2 [CUST: OS] | A 8140 | OS | | 05-JUL-85 |
| | MIL-STD-1323/273 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT TORPEDO MK 46 & MODS ASSEMBLIES IN CONTAINER MK 535 MOD 0 [CUST: OS] | A 8140 | OS | | 04-MAY-87 |
| | MIL-STD-1323/281 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, FOR 2000 POUND G.P. BOMB MK 84 IN ADAPTER, PALLET, ADU-415/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-MAR-91 |
| A | MIL-STD-1323/283A | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, FOR 1000 LB G.P. BOMB MK 83 IN ADAPTER, PALLET, ADU-425/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 20-FEB-97 |
| | MIL-STD-1323/284 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, DECOY, MJU-2/B IN CONTAINER DL 2816244 [CUST: OS] | A 8140 | OS | | 01-MAR-89 |
| | MIL-STD-1323/285A | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, .50 CAL, LINKED, IN AMMUNITION BOX M2A1 IN WIRE BOUND CONTAINER 19200-7553346 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 21-MAR-89 |
| | MIL-STD-1323/292 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, DECOY MK 46 MODS 0, 1, 1A AND 1C MK 50 MOD 0 OR MJU-8/B IN AMMUNITION BOX M2A1 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-MAR-91 |
| | MIL-STD-1323/294 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 20MM, M50 SERIES (LOOSE) IN CONTAINER M548 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 05-AUG-86 |
| | MIL-STD-1323/297 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE BGM-71A-1 (TOW) OR BTM-71C (INERT) IN ADAPTER ADU-486/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-MAR-91 |
| | MIL-STD-1323/298C NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 5.125-INCH, MK 182 (SUPER RBOC) CARTRIDGE, 5.125-INCH, PRACTICE MK 193 [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| | MIL-STD-1323/299 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BATTERY, MERCURY MK 131 TYPE IN CONTAINER DWG. 3268751 [CUST: OS] | A 8140 | OS | | 01-MAR-89 |
| | MIL-STD-1323/300(1) NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE MK 76 MODS 5 AND 7 BULK PACK IN WIREBOUND PALLET BOX ON METAL PALLET MK 3 MOD 0 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-MAR-91 |
| | MIL-STD-1323/301 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT DETECTING DEVICE, TARGET MK 57 TYPE IN CONTAINER DRAWING 3268751 [CUST: OS] | A 8140 | OS | | 01-MAR-89 |
| | MIL-STD-1323/303 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT KIT, CONVERSION, BOMB/MINE EXERCISE AND TRAINING MK 131 TYPE IN SMALL ARMS AMMUNITION BOX, MK 1 MOD 0 [CUST: OS] | A 8140 | OS | | 01-MAR-89 |
| | MIL-STD-1323/304 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT KIT, CONVERSION, BOMB/MINE MK 130 MOD 0 IN SMALL ARMS AMMUNITION BOX, MK 1 MOD 0 [CUST: OS] | A 8140 | OS | | 01-MAR-89 |
| | MIL-STD-1323/305 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BLU-80/B BALLONETTE IN CONTAINER, CNU-388/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 18-NOV-88 |
| | MIL-STD-1323/306(2) NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PROPULSION SECTION WPU-5/B (SKIPPER) IN CONTAINER CNU-248/E [CUST: OS] | A 8140 | OS | | 18-JAN-89 |
| | MIL-STD-1323/307 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT COMPUTER CONTROL GROUP, MAU-169A/B, FOR LASER GUIDED BOMBS IN CONTAINER DNU-317/E [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| | MIL-STD-1323/308C | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 1000 LB MK 83 MOD 5 AND BLU-110 A/B (THERMALLY PROTECTED) ON PALLET, BOMB, LOADING AND STORAGE, MHU-187/E (ADL145AS100) [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 12-JAN-94 |
| | MIL-STD-1323/309 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 16 INCH/50, REDUCED IN POWDER TANK MK 8 MOD 0 ON WOODEN PALLET ADAPTER | A 8140 | OS | | 01-OCT-85 |
| | MIL-STD-1323/310A | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, BSU-86/B IN PALLET ADAPTER ADU-535/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 19-MAR-86 |
| | MIL-STD-1323/311 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT SOLID NOSE PLUG MXU-735/B, FOR MK 80 SERIES BOMBS IN CONTAINER MK 548 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-MAR-91 |
| | MIL-STD-1323/312 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 25 MM, LOOSE IN CONTAINER CNU-405/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 08-OCT-86 |
| | MIL-STD-1323/313A NOT 1 | UNIT LOAD CARTRIDGE, 5.125 INCH, MK 214 MOD 0 NATO SEA GNAT RF SEDUCTION & MK 216 MOD 0 NATO SEA GNAT RF DISTRACTION IN PALLET ADAPTER, MK 144 | A 8140 | OS | | 21-APR-87 |
| | MIL-STD-1323/314 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 25MM BELTED WITH MK 28 LINKS IN CONTAINERS CNU-405/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-MAR-91 |
| | MIL-STD-1323/315 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 25 MM, PGU-25/U(LOOSE) IN CLEATED WOODEN BOX [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 20-MAR-86 |
| | MIL-STD-1323/319 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 160 FLIGHT GEAR KIT [CUST: OS] | A 8140 | OS | | 06-NOV-89 |
| | MIL-STD-1323/320A | UNIT LOAD FOR UNDERWAY REPLENISHMENT RETARDER, INFLATABLE, AIR BSU-85/B IN SHIPPING AND STORAGE CONTAINER, FIN CNU-419/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 18-NOV-88 |
| | MIL-STD-1323/322 | UNIT LOAD FOR UNDERWAY REPLENISHMENT SIGNAL, SMOKE, MARINE MK 131 MOD 0 AND SIGNAL, FLARES, MK 132 MOD 0 IN AMMUNITION BOX M2A1 [CUST: OS] | A 8140 | OS | | 10-DEC-86 |
| | MIL-STD-1323/324 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BATTERY, MERCURY MK 130 TYPE IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 [CUST: OS] | A 8140 | OS | | 13-SEP-85 |
| | MIL-STD-1323/325 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR KIT IN CONTAINER DWG.5561732 & PALLET ADAPTER MK 103 MOD 0 FOR DESTRUCTOR MK 40 OR QUICKSTRIKE MK 63 [CUST: OS] | A 8140 | OS | | 13-SEP-85 |
| | MIL-STD-1323/326 | UNIT LOAD FOR UNDERWAY REPLENISHMENT 5" G.P. PROPELLING CHARGE MK 82 MOD 0 IN 5"/54 CARTRIDGE TANK MK 14 MOD 3 IN PALLET ADAPTER MK 16 MOD 0 [CUST: OS] | A 8140 | OS | | 17-MAR-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-STD-1323/331 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 16"/50, REDUCED IN 16" POWDER TANK MK 4 & MODS & MK 3 MOD 2 ON PALLET ADAPTER, MK 87 MOD 0 [CUST: OS] | A 8140 | OS | | 20-MAR-86 |
| | MIL-STD-1323/332 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, BSU-33A/B IN ADAPTER, PALLET, ADU-426/E [CUST: OS] | A 8140 | OS | | 10-DEC-86 |
| | MIL-STD-1323/333 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FUZE, BOMB FMU-139/B IN CONTAINER M548[CUST: OS] | A 8140 | OS | | 05-AUG-86 |
| | MIL-STD-1323/334A(1) | UNIT LOAD FOR UNDERWAY REPLENISHMENT HELLFIRE MISSILE, AGM 114 IN CONTAINER, SHIPPING AND STORAGE [CUST: OS] | A 8140 | OS | | 21-JUN-91 |
| | MIL-STD-1323/335 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WARHEAD, 2.75" ROCKET, SMOKE, MK 67 MOD 1 IN CONTAINER M548 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 08-OCT-86 |
| | MIL-STD-1323/339 | UNIT LOAD FOR UNDERWAY REPLENISHMENT 2.75 INCHES ROCKET MOTOR, MK 66 MOD 2 IN CONTAINER, MK 706 MOD 0 [CUST: OS] | A 8140 | OS | | 07-JUN-89 |
| | MIL-STD-1323/340 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PACK, PARACHUTE, UMN, MK 36 OR PACK PARACHUTE, SUBASSEMBLY FOR MINE MK 55 IN CONTAINER, SHIPPING, DL 5990532 [CUST: OS] | A 8140 | OS | | 13-APR-89 |
| | MIL-STD-1323/344 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AIRBOCS, AN/SLQ-3 CHAFF BUE ELECTRONIC BUOYS IN PALLET CRATE, CNU-313/E [CUST: OS] | A 8140 | OS | | 11-JAN-88 |
| | MIL-STD-1323/345 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BATTERY, LITHIUM SULFUR DIOXIDE, AN/SLQ-44, AN/SLQ-45, BA 5391/SLQ OR BATTERY, LITHIUM THIONYL CHLORIDE, BA 6511/SLQ FOR OFFBOARD DECEPTION DEVICE (ODDS) IN PALLET ADAPTER, ADU-615/U [CUST: OS] | A 8140 | OS | | 11-JAN-88 |
| | MIL-STD-1323/347 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AGM-65 (MAVERICK) IN CONTAINER, SHIPPING AND STORAGE, CNU-399/E OR CNU-472/E [CUST: OS] | A 8140 | OS | | 09-JAN-90 |
| | MIL-STD-1323/348 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 50 TORPEDO (WARSHOT AND EXERCISE) IN CONTAINER MK 714 MOD 0 [CUST: OS] | A 8140 | OS | | 13-JUL-89 |
| | MIL-STD-1323/351A | UNIT LOAD FOR UNDERWAY REPLENISHMENT 2.75 INCH WARHEADS, M257, M261 OR M267 IN CONTAINER, PA 92 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 30-NOV-90 |
| | MIL-STD-1323/355 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLEET ISSUE UNIT LOAD MK 164 FLIGHT GEAR KIT [CUST: OS] | A 8140 | OS | | 01-DEC-89 |
| | MIL-STD-1323/356B | UNIT LOAD FOR UNDERWAY REPLENISHMENT CANISTER, ADAPTER ASSEMBLY, MK 18 MOD 0 [CUST: OS] | A 8140 | OS | | 29-JUL-92 |
| | MIL-STD-1323/357(1) | UNIT LOAD FOR UNDERWAY REPLENISHMENT COVER, PLENUM CELL, MK 18 MOD 0 [CUST: OS] | A 8140 | OS | | 25-SEP-91 |
| | MIL-STD-1323/359 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AGM-65 (MAVERICK) IN CONTAINER, SHIPPING AND STORAGE, CNU-447/E [CUST: OS] | A 8140 | OS | | 06-MAY-91 |
| | MIL-STD-1323/360A | UNIT LOAD FOR UNDERWAY REPLENISHMENT AMRAAM, AIM-120A IN S/S/C, CNU-415A/E OR AMRAAM JAIM-120A CAPTIVE AIR TRAINING MISSILE (CATM) IN S/S/C CNU-555/E [CUST: OS] | A 8140 | OS | | 26-OCT-93 |
| | MIL-STD-1323/361 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK-14 CANISTER PHST TOMAHAWK [CUST: OS] | A 8140 | OS | | 10-MAY-91 |
| | MIL-STD-1323/362A | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK-13 CANISTER PHST SM-2 BLK 11 [CUST: OS] | A 8140 | OS | | 27-OCT-92 |
| | MIL-STD-1323/363 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 15 CANISTER PHST VLASROC [CUST: OS] | A 8140 | OS | | 10-MAY-91 |
| | MIL-STD-1323/364 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WINGS AND CONTROL SURFACES (AMRAAM) IN CONTAINER, SHIPPING AND STORAGE CNU-452/E [CUST: OS] | A 8140 | OS | | 01-MAY-91 |
| | MIL-STD-1323/365 | UNIT LOAD FOR UNDERWAY REPLENISHMENT RR-182/AL (CHAFF HEAD), AN/ALQ-190(V)1 SET OR AN/SLQ-39 (CHAFF BUOY) IN CNU-438(V)/E CONTAINER IN PALLET ADAPTER, ADU-702/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 05-MAR-91 |
| | MIL-STD-1323/366 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 86 MOD 0 OR MK 88 MOD 0 EOD CHARGES IN AMMUNITION BOX M2A1 IN WIREBOUND CONTAINER 19200-7553346 [CUST: OS] | A 8140 | OS | | 19-NOV-90 |
| | MIL-STD-1323/368 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, DECOY, MJU-22/B OR FLARE, SIMULATOR SM-875 (XN-1)/ALE IN CONTAINER, M548 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 19-NOV-90 |
| | MIL-STD-1323/370 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, COUNTERMEASURES, PRACTICE, MK 229 MOD 0 CARTRIDGE, COUNTERMEASURES, 5.125 INCH, DUMMY, MK 232 MOD 0 IN PALLET ADAPTER, MK 144 [CUST: OS] | A 8140 | OS | | 11-FEB-91 |
| | MIL-STD-1323/372 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 50 TORPEDO (WARSHOT AND EXERCISE) IN CONTAINER MK 714 MOD 1 [CUST: OS] | A 8140 | OS | | 25-MAR-91 |
| | MIL-STD-1323/376 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MORTAR, 81MM, M819, OR M85381 IN PA157 CONTAINER [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 02-DEC-91 |
| | MIL-STD-1323/377 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MORTAR, 81MM, M984, M983, OR M879 IN PA156 CONTAINER [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 02-DEC-91 |
| | MIL-STD-1323/379 | UNIT LOAD FOR UNDERWAY REPLENISHMENT ROCKET MOTOR, MK 125 MOD 2 (RATO) IN CONTAINER CNU-543/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-AUG-92 |
| | MIL-STD-1323/380 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHAFF, RR-184/AL IN CONTAINER, M548 [CUST: OS] | A 8140 | OS | | 03-MAR-92 |
| A | MIL-STD-1323/381A | UNIT LOAD FOR UNDERWAY REPLENISHMENT TACTICAL AIR-LAUNCHED DECOY (TALD) IN CONTAINER, CNU-536/E OR TACTICAL AIR-LAUNCHED DECOY (TALD) / IMPROVED TACTICAL AIR-LAUNCHED DECOY (ITALD) IN CONTAINER, CNU-536A/E [CUST: OS] | A 8140 | OS | | 25-APR-97 |
| | MIL-STD-1323/382 | UNIT LOAD FOR UNDERWAY REPLENISHMENT RETARDER, INFLATABLE, AIR BSU-85/B IN SHIPPING AND STORAGE CONTAINER, FIN CNU-419 A/E, OR CNU-419 B/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 19-AUG-92 |
| | MIL-STD-1323/383 | UNIT LOAD FOR UNDERWAY REPLENISHMENT ADAPTER SILL ASSY MK 165 MOD 0 IN S/P/C/6212992 [CUST: OS] | A 8140 | OS | | 13-AUG-92 |
| | MIL-STD-1323/384 | UNIT LOAD FOR UNDERWAY REPLENISHMENT ADG-770/B PAVEWAY ADAPTER KIT IN S/S/C CNU-439A/E [CUST: OS] | A 8140 | OS | | 04-MAY-93 |
| | MIL-STD-1323/386 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, FLEXIBLE, 20 GRAM, MK 140 MOD 0 IN M2A1 AMMUNITION BOX OVERPACKED IN WIREBOUND BOX [CUST: OS] | A 8140 | OS | | 07-OCT-93 |
| | MIL-STD-1323/388 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FIZE, FMU-143E/B IN PA60 CONTAINER [CUST: OS] | A 8140 | OS | | 19-MAY-93 |
| | MIL-STD-1323/389 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDANCE CONTROL UNIT; WGU-39/B, F/LASER GUIDED BOMBS IN CONTAINER, CNU-371/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 19-MAY-93 |
| | MIL-STD-1323/393 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 1000 LB MK 83 MOD 5 AND BLU-110 A/B (THERMALLY PROTECTED) ON PALLET, BOMB, LOADING AND STORAGE, MHU-187 A/E (ADL145AS200) [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 27-JUL-93 |
| | MIL-STD-1323/394 | UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, .50 CAL, UNLINKED IN AMMUNITION BOX M2A1 IN WIREBOUND CONTAINER 19200-7553346 [CUST: OS] | A 8140 | OS | | 07-OCT-93 |
| | MIL-STD-1323/395 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 87 MOD 0 OR MK 89 MOD 0 EOD CHARGES IN AMMUNITION BOX, MK 1 MOD 0 [CUST: OS] | A 8140 | OS | | 26-AUG-93 |
| A | MIL-STD-1323/404 | UNIT LOAD FOR UNDERWAY REPLENISHMENT NULKA ELECTRONIC DECOY CARTRIDGE (EDC) MK 234 MODS 0 AND 1 IN CONTAINER, SHIPPING AND STORAGE, MK 779 MOD 0 [CUST: OS] | A 8140 | OS | | 15-MAY-97 |
| | MIL-STD-1323/405 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AIRFOIL GROUP, MKU-650/B (FOR MK 82 OR BLU-111/A/B BOMB) IN DRUM ON MK 3 MOD 0 PALLET [CUST: OS] | A 8140 | OS | | 10-JUL-95 |
| A | MIL-STD-1323/411 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDANCE SETS (KMU-556/B, KMU-557/B, KMU-558/B OR KMU-559/B) IN SHIPPING AND STORAGE CONTAINER, CNU-589/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 23-APR-97 |
| A | MIL-STD-1323/412 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB FUZE, FMU-152/B IN CONTAINER M548[CUST: OS] | A 8140 | OS | | 22-MAY-97 |
| | MIL-STD-1325A NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS [CUST: OS] [REVIEW: AS MC SA] | A 8140 | OS | | 13-MAR-91 |
| | MIL-STD-1325/13 NOT 1 | CARLOADING PROJECTILE, 5 INCH/38 MKS 35 OR 49 AND MODS IN ADAPTER MK 11 AND MODS FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 13-MAR-91 |

| Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|---------------------------|---|-------------------------|-----|-------------|-----------|
| MIL-STD-1325/15 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS PROJECTILES 5/54 IN PALLET ADAPTER MK 11 AND MODS FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 01-MAR-89 |
| MIL-STD-1325/37 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR MK 16 AND MODS OR MK 71 MOD 0 (ZUN) IN CONTAINER MK 38 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/39A NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR CLUSTER LAU-10/A, LAU-10A/A, LAU-10B/A OR LAU-10C/A LAUNCHER (ZUN) IN UNIT LOAD ADAPTER MK 58 MOD 1 FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/80 NOT 1 | CARLOADING PROJECTILE, 8 INCH MK 24, 25 AND MODS IN ADAPTER MK 74 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/81 NOT 1 | CARLOADING PROJECTILE, 8 INCH MK 21, AND MODS IN ADAPTER MK 74 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/83 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING 8 INCH/55 CARTRIDGE TANK MK11 MOD 0 OR MK13 MOD 0 IN ADAPTER MK76 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 01-MAR-89 |
| MIL-STD-1325/86 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 52 AND MODS IN CRATE, UNDERWATER MINE MK 52 MOD 0 [CUST: OS] | A 8140 | OS | | 01-MAR-89 |
| MIL-STD-1325/92 NOT 1 | CARLOADING PROJECTILE, 16 INCH, AP MK 8 AND MODS IN HANDLING BAND MK 85 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/100 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS TYPICAL CARLOADING PROCEDURES FOR PALLETIZED UNIT LOADS (2 ROWS ACROSS CAR) [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/101 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS TYPICAL CARLOADING PROCEDURES FOR PALLETIZED UNIT LOADS (3 ROWS ACROSS CAR) [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/102A NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS TYPICAL PARTIAL UPPER LAYER BRACING OF UNIT LOADS IN ALL METAL BOXCARS [CUST: OS] | A 8140 | OS | | 01-MAR-89 |
| MIL-STD-1325/149 NOT 1 | CARLOADING GUIDED WEAPON MK 5 & MODS (WALLEYE) IN CONTAINER CNU-154 A/E OR CNU-154 B/E [CUST: OS] | A 8140 | OS | | 23-FEB-89 |
| MIL-STD-1325/152 NOT 1 | CARLOADING CARTRIDGE, 3 INCH/50, IN TANK MK 5 AND MODS DOMESTIC UNIT LOAD [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/158 NOT 1 | CARLOADING LAUNCHER, ROCKET, LAU-69/A DOMESTIC UNIT LOAD [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/160 NOT 1 | CARLOADING STANDARD ARM MISSILE AGM-78 IN CONTAINER CNU-183/E [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/161 NOT 1 | CARLOADING PROPULSION SECTION, (PHOENIX) IN CONTAINER CNU-159/E DOMESTIC UNIT LOAD [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/162 NOT 1 | CARLOADING BOMB GUIDANCE KIT KMU-388/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/163 NOT 1 | CARLOADING BOMB GUIDANCE KIT KMU-351A/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/164(I) NOT 2 | CARLOADING CARTRIDGE 5 INCH/54 IN TANK MK 14, MK 14 MOD 1, MK 21 MOD 0 OR REDUCED MK 14 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/165 NOT 1 | CARLOADING CARTRIDGE, 6 INCH/47, IN CARTRIDGE TANK MK 4 FLEET UNIT LOAD [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/168 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, CLUSTER, MK 20 AND MODS (ROCKEYE II) IN CONTAINER CNU-208/E FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/174 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 MODS (ROCKEYE II) IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/177 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS CARTRIDGE, 76MM/62 CAL OR CHARGE, CLEARING, 76MM/62 CAL IN PALLET ADAPTER MK 121 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/179(I) NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-MK20 AND MODS (ROCKEYE II) OR CBU-55/B, CBU-55A/B OR CBU-72/B (FAE) OR CBU-59B (AFAM) OR CBU-78/B (GATOR) IN CONTAINER, CNU-238/E FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/182 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR MK 52 AND MODS (SPARROW) OR ROCKET MOTOR MK 53 MOD 1 OR MK 78 MOD 0 (SHRIKE) FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 23-FEB-89 |
| MIL-STD-1325/183 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS AIRFOIL GROUP, MXU-641/B, F/MK 83 BOMB FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 23-FEB-89 |
| MIL-STD-1325/188 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS CARTRIDGE, 4.4 INCH CHAFF, MK 171, TYPE, MK 173, MK 178, MK 179 (RBOC) IN PALLET ADAPTER MK 132 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/193 NOT 1 | RAILCAR LOADING TORPEDO, MK 44 AND MK 46 ASSEMBLIES IN CONTAINER MK 197 MOD 1 [CUST: OS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/196 NOT 2 | RAILCAR LOADING DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) AND CBU-78/B (GATOR) IN CONTAINER CNU-319/E UNIT LOAD UNDERWAY REPLENISHMENT [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1325/197 NOT 1 | RAILCAR LOADING OF HAZARDOUS MATERIALS GUIDED MISSILE BGM-71A-1 (TOW) IN ADAPTER ADU-486/E UNIT LOAD FOR UNDERWAY REPLENISHMENT [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 13-MAR-91 |
| MIL-STD-1327A(1) | FLANGE, COAXIAL AND WAVEGUIDE, AND COUPLING ASSEMBLIES SELECTION OF [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV CG MC MI OS] | A 5985 | CC | | 19-AUG-75 |
| MIL-STD-1328C NOT 1 | COUPLERS, DIRECTIONAL SELECTION OF [CUST: CR EC 11] [REVIEW: 17 19 85 AR AS AV CG MC MI OS] | A 5985 | CC | | 22-SEP-89 |
| MIL-STD-1329C | SWITCHES, RF COAXIAL, SELECTION OF [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AV CG MC MI OS SH] | A 5985 | CC | | 15-JUL-88 |
| MIL-STD-1330D | PRECISION CLEANING AND TESTING OF SHIPBOARD OXYGEN, HELIUM, HELIUM-OXYGEN, AND NITROGEN SYSTEMS [CUST: SH] | A 4730 | SH | | 20-SEP-96 |
| MIL-STD-1331(1) | PARAMETERS TO BE CONTROLLED FOR THE SPECIFICATION OF MICROCIRCUITS [CUST: CR EC 17 CC] [REVIEW: 01 10 11 85 AR AS CG CR4 MI OS] | A 5962 | CC | | 19-AUG-70 |
| MIL-STD-1332B | DEFINITIONS OF TACTICAL, PRIME, PRECISE, AND UTILITY TERMINOLOGIES FOR CLASSIFICATION OF THE DOD MOBILE ELECTRIC POWER ENGINE GENERATOR SET FAMILY [CUST: CR4 YD1 11] [REVIEW: 17 99 AR CE GS MC MI] | A 6115 | CR4 | | 13-MAR-73 |
| MIL-STD-1334B(1) NOT 2 | PROCESS FOR BARRIER COATING OF ANTI-FRICTION BEARINGS [CUST: AR AS IS] [REVIEW: 11 17 84 AV CR EC MI OS SH] | A 3110 | AS | | 02-OCT-91 |
| MIL-STD-1339C | FITTING OUT PROCEDURES-SHIPS [CUST: SH] | A ALSS | SH | | 27-FEB-90 |
| MIL-STD-1344A(5) | TEST METHODS FOR ELECTRICAL CONNECTORS [CUST: CR AS 85] [REVIEW: 11 17 99 AR EC MC MI SH] | A 5935 | AS | | 15-SEP-93 |
| MIL-STD-1346C | RELAYS, SELECTION AND APPLICATION OF [CUST: CR EC 85 CC] [REVIEW: 17 AR AS AT AV CR4 MC MI OS SH YD1] | A 5945 | CC | | 14-JAN-94 |
| MIL-STD-1347A NOT 3 | NAVIGATION DISPLAY MULTICOLOR MICROCHART/MAP TRANSPARENCIES [CUST: AV AS 85] | A 6605 | AS | | 02-OCT-91 |
| MIL-STD-1352F | ATTENUATOR, FIXED & VARIABLE, SELECTION OF [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AV CG CR4 MC MI OS SH] | A 5985 | CC | | 24-APR-85 |
| MIL-STD-1353B(4) | ELECTRICAL CONNECTORS, PLUG-IN SOCKETS AND ASSOCIATED HARDWARE, SELECTION AND USE OF [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AS AV CR4 MC MI OS SH] | A 5935 | CC | | 12-MAY-89 |
| MIL-STD-1358B | WAVEGUIDES, RECTANGULAR, RIDGE AND CIRCULAR, SELECTION OF [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AV CG CR4 MI OS] | A 5985 | CC | | 06-MAR-78 |
| MIL-STD-1359B | CLEANING METHODS AND PROCEDURES FOR BREATHING OXYGEN EQUIPMENT [CUST: AS] [REVIEW: 11 68 82 84] | A 1660 | AS | | 24-JUN-87 |
| MIL-STD-1362A NOT 1 | PROCEDURES FOR STEAM PURITY MEASUREMENT NAVAL PROPULSION BOILERS [CUST: SH] | A 4410 | SH | | 16-APR-92 |
| A MIL-STD-1365B | GENERAL DESIGN CRITERIA FOR HANDLING EQUIPMENT ASSOCIATED WITH WEAPONS AND RELATED ITEMS [CUST: SM OS 99] [REVIEW: 69 AL AR AS EC MC MI MT SA SH] | A PACK | OS | | 30-SEP-97 |

| Document Number | Document Title | Distribution FSC/Area | MCA Reg. Acty. | Date |
|--------------------------|---|--------------------------|-------------------|-----------|
| MIL-STD-1366C | TRANSPORTABILITY CRITERIA [CUST: MT SA 11] [REVIEW: 13 18 69 99 AR AS AT AV CR CR4 DH EC GL MC MI OS SH SM TE YD1] | A PACK | MT | 27-FEB-92 |
| DOD-STD-1376A | PIEZOELECTRIC CERAMIC FOR SONAR TRANSDUCERS (HYDROPHONES AND PROJECTORS) [CUST: SH] | A 5845 | SH | 20-DEC-88 |
| MIL-STD-1376B | PIEZOELECTRIC CERAMIC MATERIAL AND MEASUREMENTS GUIDELINES FOR SONAR TRANSDUCERS [CUST: SH] | A 5845 | SH | 24-FEB-95 |
| MIL-STD-1377 | EFFECTIVENESS OF CABLE, CONNECTOR, AND WEAPON ENCLOSURE SHIELDING AND FILTERS IN PRECLUDING HAZARDS OF ELECTROMAGNETIC RADIATION TO ORDNANCE, MEASUREMENT OF [CUST: OS 11] [REVIEW: AS EC MC MI] | A EMCS | OS | 20-AUG-71 |
| MIL-STD-1386 NOT 2 | LOADING OF HAZARDOUS MATERIALS IN MILVAN CONTAINERS [CUST: OS] [REVIEW: AS] | A 8140 | OS | 18-MAR-92 |
| MIL-STD-1386/5 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ADAPTER, BOOSTER, NOSE T45 TYPE FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/8 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FUZE, BOMB, M904 OR M990 TYPE FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/9A NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILES, 5 INCH/54 IN PALLET ADAPTER MK II FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/10 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 5 INCH/54 CARTRIDGE FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/11 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILE, 6-INCH AP IN PALLET ADAPTER MK 20 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/12 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILE, 6 INCH AAC OR HC WITH PROTECTIVE CAP MK 1 AND 3 IN PALLET ADAPTER MK 20 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/13 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILE, 6 INCH AAC OR HC WITH PROTECTIVE CAP MK 4 IN PALLET ADAPTER MK 20 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/17 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB FOR 1000 LB MK 83 BOMB IN BOMB CRATE MK 10 AND MODS FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/19 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB FOR 500 LB BOMB MK 82 IN CRATE MK 17 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/20 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET LAUNCHER, LAU-69/A DOMESTIC UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/22(1) NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, PRACTICE MK 76 MOD 4, 5, AND 7 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/24 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CHARGE, PROPELLING 6 INCH/47 IN CARTRIDGE TANK MK 4 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/25 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 5 INCHES/38 PROJECTILE FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/26 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 5 INCH/38 CARTRIDGE FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/27 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 3 INCH/50 CARTRIDGE FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/29 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLARE, AIRCRAFT PARACHUTE MK 45 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/30 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 20 MM, M50 SERIES BELTED WITH MK 7 OR M14 LINKS IN CONTAINER M548 FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/31 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET LAUNCHER, LAU-611A, LAU-68/A OR LAU 69/A FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/32 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET HEAD, 5 INCH MK 24 OR MK 32 AND MODS (ZUN) FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | 30-OCT-88 |
| MIL-STD-1386/33 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 20 MM IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/35 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 40 MM, HE FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/36 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS-BOMB GUIDANCE KIT, KMU-351 A/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/37 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS INITIATOR, MK 13 MOD 0 (FOR FIRE BOMB) IN CONTAINER CNU 157/E FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/38 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB GUIDANCE KIT, KMU-388/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/39 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS SAFETY AND ARMING DEVICE MK 13 MOD 0 AND 1 FOR AIM-9D, 9G AND 9H (SIDEWINDER 1C) IN CONTAINER CNU-189/E FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/40 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, .50 CALIBER IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 DOMESTIC UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/41 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET MOTOR, MK 16 AND MODS AND MK 71 MOD 0 AND 1 (ZUN) IN CONTAINER MK 38 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/42 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 7.62MM, BALL M80 AMPHIBIOUS UNIT LOAD [CUST: OS] | A 8140 | OS | 13-MAR-91 |
| MIL-STD-1386/43 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS .50 CALIBER LINKED AMMUNITION IN AMMUNITION BOX MK 1 MOD 0 AMPHIBIOUS UNIT LOAD [CUST: OS] | A 8140 | OS | 15-MAY-74 |
| MIL-STD-1386/46 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILES, 6 INCHES AAC, HC OR AP IN PALLET ADAPTER MK4 AND MODS FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 21-MAY-87 |
| MIL-STD-1386/55 NOT 1 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 76 MM/62 CALIBER OR CHARGE, CLEARING 76 MM/62 CALIBER FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | 29-MAY-87 |
| MIL-STD-1391D | PROVISIONS FOR EVALUATING QUALITY OF OVERCOATS, MEN'S [CUST: GL NU CT] [REVIEW: MC] | A 8405 | CT | 02-JUN-92 |
| MIL-STD-1394B | PROVISIONS FOR EVALUATING QUALITY OF CAP CROWNS [CUST: NU 11 CT] [REVIEW: 82 99 MC] | A 8405 | CT | 06-NOV-89 |
| MIL-STD-1399C | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS [CUST: SH] [REVIEW: AS EC OS YD1] | A 1990 | SH | 02-FEB-88 |
| DOD-STD-1399-70-1 NOT 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 070 - PART 1 D.C. MAGNETIC FIELD ENVIRONMENT (METRIC) [CUST: SH] [REVIEW: AS EC OS] | A 1990 | SH | 30-NOV-89 |
| MIL-STD-1399-72-1A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072.1 BLAST ENVIRONMENT, MISSILE EXHAUST [CUST: SH] [REVIEW: AS EC OS] | A 1990 | SH | 24-OCT-91 |
| MIL-STD-1399-72-2A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072.2 BLAST ENVIRONMENT, GUN MUZZLE [CUST: SH] [REVIEW: AS EC OS] | A 1990 | SH | 24-OCT-91 |
| DOD-STD-1399-72-3 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072 - PART 3 BLAST ENVIRONMENT, NUCLEAR WEAPONS (METRIC) [CUST: SH] [REVIEW: AS EC SA SS] | A 1990 | SH | 22-MAY-78 |
| MIL-STD-1399/102A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 102 LOW PRESSURE DRY AIR SERVICE FOR SURFACE SHIPS [CUST: SH] [REVIEW: AS EC OS] | A 1990 | SH | 05-FEB-88 |

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|---------------------------|--|-----------------------|-----|-------------|-----------|
| MIL-STD-1399/300A(1) | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 300A ELECTRIC POWER, ALTERNATING CURRENT (METRIC) [CUST: SH] [REVIEW: OS YD1] | A 1990 | SH | | 11-MAR-92 |
| DOD-STD-1399/301A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 301A SHIP MOTION AND ATTITUDE (METRIC) [CUST: SH] [REVIEW: AS CG EC OS] | A 1990 | SH | | 21-JUL-86 |
| MIL-STD-1399/302A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 302 WEATHER ENVIRONMENT [CUST: SH] [REVIEW: AS EC OS] | A 1990 | SH | | 29-FEB-88 |
| DOD-STD-1399/304 NOT 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 304 ELECTRICAL CABLES AND CONNECTORS [CUST: SH] [REVIEW: AS CG EC MC] | A 1990 | SH | | 12-JUN-91 |
| MIL-STD-1399/390 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 390 ELECTRIC POWER, DIRECT CURRENT, (OTHER THAN SHIP'S BATTERY) FOR SUBMARINES (METRIC) [CUST: SH] [REVIEW: EC] | A 1990 | SH | | 02-OCT-87 |
| DOD-STD-1399/441 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 441 PRECISE TIME AND TIME INTERVAL (PTT) [CUST: EC] | A 1990 | EC | | 01-JUN-82 |
| MIL-STD-1399/502A | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 502 ELECTRONIC SYSTEMS PARAMETERS [CUST: SH] [REVIEW: AS CG EC MC OS] | A 1990 | SH | | 01-FEB-95 |
| DOD-STD-1399/532(1) NOT 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 532 COOLING WATER FOR SUPPORT OF ELECTRONIC EQUIPMENT (METRIC) [CUST: SH] | A 1990 | SH | | 28-FEB-90 |
| MIL-STD-1399-593-1 NOT 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 593 - PART 1 SEWAGE/WASTE WATER DISPOSAL FOR SURFACE SHIPS [CUST: SH] [REVIEW: YD1] | A 1990 | SH | | 30-NOV-89 |
| MIL-STD-1399-593-2 NOT 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 593 - PART 2 SEWAGE/WASTE WATER DISPOSAL FOR SUBMARINES [CUST: SH] [REVIEW: YD1] | A 1990 | SH | | 27-NOV-89 |
| MIL-STD-1399/702 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 702 SYNCHRO DATA TRANSMISSION [CUST: SH] [REVIEW: EC OS] | A MISC | SH | | 25-MAR-71 |
| MIL-STD-1400C | ENGINES, GASOLINE AND DIESEL, METHODS OF TEST [CUST: CR4 99] [REVIEW: 82 AR MC YD1] | A 2805 | CR4 | | 30-JUL-90 |
| MIL-STD-1407B | HEATER, VEHICULAR COMPARTMENT, HEATERS, COOLANT, ENGINE, HEATERS, SPACE, HEATERS, DUCT-TYPE [CUST: CR4 MC 84] [REVIEW: AT CC MI] | A 4520 | CR4 | | 17-DEC-85 |
| MIL-STD-1408B | AIR CONDITIONERS, STANDARD FAMILY OF MILITARY AIR CONDITIONERS, GENERAL APPLICATION CHARACTERISTICS [CUST: CR4] [REVIEW: CR EA GL GS MC] | A 4120 | CR4 | | 05-MAR-92 |
| MIL-STD-1425A | SAFETY DESIGN REQUIREMENTS FOR MILITARY LASERS AND ASSOCIATED SUPPORT EQUIPMENT [CUST: EA 99] [REVIEW: AR AT CR GL GS MD TE] | A 4240 | EA | | 30-AUG-91 |
| MIL-STD-1435A | ETHERS, REAGENT GRADE (INCLUDING ACS AND USP-NF COMPOUNDS) [CUST: EA SH 68] [REVIEW: AR CR4 DP MD MS OS SM YD1] | A 6810 | GS | | 12-MAR-93 |
| MIL-STD-1437A | ORGANIC CHEMICAL COMPOUNDS, SOLID, TECHNICAL GRADE [CUST: EA 68] [REVIEW: AR CR4 DP MD MI MS OS SH SM YD1] | A 6810 | GS | | 09-JUL-93 |
| MIL-STD-1441A | EQUIPMENT, LEAK DETECTION, HELIUM, FOR CHEMICAL MUNITIONS [CUST: EA] | A 4925 | EA | | 28-JUN-94 |
| MIL-STD-1443A | INORGANIC ACIDS AND ACID ANHYDRIDES, REAGENT GRADE (INCLUDING ACS AND USP-NF COMPOUNDS) [CUST: EA SH 68] [REVIEW: AR CR4 DP MD MS OS SM] | A 6810 | GS | | 17-AUG-94 |
| MIL-STD-1445A | METAL ORGANIC COMPOUNDS, TECHNICAL GRADE [CUST: EA SH 68] [REVIEW: AR CR4 DP MD MS OS SM] | A 6810 | GS | | 21-SEP-94 |
| MIL-STD-1446A | METAL ORGANIC COMPOUNDS, REAGENT GRADE (INCLUDING ACS AND USP-NF COMPOUNDS) [CUST: EA SH 68] [REVIEW: AR CR4 DP MD MS OS SM] | A 6810 | GS | | 13-SEP-94 |
| MIL-STD-1447 | ETHERS AND ORGANIC PEROXIDES, TECHNICAL GRADE (METRIC) [CUST: EA SH 68] [REVIEW: AR AS AV MB MD OS] | A 6810 | GS | | 24-AUG-88 |
| MIL-STD-1448 | HYDROCARBON COMPOUNDS AND SOLVENT DISTILLATES, TECHNICAL GRADE [CUST: EA GS] [REVIEW: AL AR AT AV GL] | A 6810 | GS | | 22-AUG-90 |
| MIL-STD-1455A | DISPENSER AND SUB-MUNITION, AIR DELIVERED, SAFETY DESIGN AND SAFETY QUALIFICATION CRITERIA FOR [CUST: AR AS 11] | A 1345 | 11 | | 01-JUN-85 |
| MIL-STD-1457 | MINES, LAND, PRACTICE AND LAND MINE SIMULATORS, COLOR OF INDICATING SMOKE FOR [CUST: AR] | A 1345 | AR | | 01-AUG-72 |
| MIL-STD-1461E | AMMUNITION MANUFACTURERS AND THEIR SYMBOLS [CUST: AR OS] [REVIEW: MC] | A 13GP | AR | | 05-NOV-90 |
| MIL-STD-1464A | ARMY NOMENCLATURE SYSTEM [CUST: AR] [REVIEW: AT CR4 EA GL MI] | A CMAN | AR | | 15-MAY-87 |
| MIL-STD-1465A(1) NOT 1 | CONFIGURATION MANAGEMENT OF ARMAMENTS, MUNITIONS, AND CHEMICAL PRODUCTION BASE MODERNIZATION [CUST: AR] [REVIEW: AL CE] | A CMAN | AR | | 05-DEC-88 |
| MIL-STD-1466 NOT 1 | SAFETY CRITERIA AND QUALIFICATION REQUIREMENTS FOR PYROTECHNIC INITIATED EXPLOSIVE (PIE) AMMUNITION [CUST: AR OS 99] | A 13GP | AR | | 02-NOV-88 |
| DOD-STD-1469 | BALLISTIC ACCEPTANCE TEST REQUIREMENTS FOR SOLID PROPELLANT FOR CANNON [CUST: AR] [REVIEW: TE] | A 1376 | AR | | 08-AUG-85 |
| M MIL-STD-1472E(1) | HUMAN ENGINEERING [CUST: MI AS 11] [REVIEW: 13 19 AR AT AV CR EA EC GL MC MD1 OS PE PT SH TD TE TM] | A HFAC | MI | | 31-MAR-98 |
| A MIL-STD-1474D NOT 1 | NOISE LIMITS [CUST: MI AS 11] [REVIEW: AM AT CR4 MD OS SH TD TE YD1] | A HFAC | MI | | 29-AUG-97 |
| MIL-STD-1477C | SYMBOLS FOR ARMY AIR DEFENSE SYSTEM DISPLAYS (METRIC) [CUST: MI] [REVIEW: AV CE CR MD1 TE] | A HFAC | MI | | 30-SEP-96 |
| MIL-STD-1480D | COLOR CODES FOR WEBBING, TEXTILE; MANUFACTURERS' IDENTIFICATION [CUST: GL NU 99 CT] [REVIEW: 45 82 AS AT MC MI OS SH] | A 8305 | CT | | 21-DEC-88 |
| MIL-STD-1481E | SANITATION STANDARDS FOR MEAT PROCESSING PLANTS IN OVERSEAS AREAS [CUST: MD SA 50] [REVIEW: MS] | A 8905 | MD | | 30-JUN-92 |
| MIL-STD-1482C | SANITARY STANDARDS FOR BUTTER (AND RELATED PRODUCTS) PLANTS [CUST: MD SA 50] [REVIEW: MS] | A 8910 | MD | | 01-NOV-86 |
| MIL-STD-1487 NOT 1 | GLOSSARY OF CLOTH COATING IMPERFECTIONS [CUST: GL NU 11 CT] [REVIEW: 45 99 AS AV CR4 MC MD YD1] | A 8305 | CT | | 01-JUN-70 |
| MIL-STD-1488G | PROVISIONS FOR EVALUATING QUALITY OF TROUSERS [CUST: GL NU 11 CT] [REVIEW: 82 99 AS CG MC MD] | A 8405 | CT | | 30-MAR-90 |
| MIL-STD-1489B | PERFORMANCE TESTING OF COMMERCIALY OWNED HOUSEHOLD GOODS CONTAINERS [CUST: MT SA 69] [REVIEW: 99 CR4 GL] | A 8115 | MT | | 01-FEB-80 |
| MIL-STD-1490G | PROVISIONS FOR EVALUATING QUALITY OF COATS, MEN'S, DRESS [CUST: GL NU 11 CT] [REVIEW: 82 99 MC MD] | A 8405 | CT | | 26-AUG-92 |
| MIL-STD-1491(1) | GLOSSARY OF KNITTING IMPERFECTIONS [CUST: GL SA 11 CT] [REVIEW: 45 82 99 AS AV MC YD1] | A 83GP | CT | | 17-SEP-73 |
| MIL-STD-1492C | PROVISIONS FOR EVALUATING QUALITY OF MEN'S SHIRTS [CUST: GL NU 11 CT] | A 8405 | CT | | 10-JUN-88 |
| MIL-STD-1494B | PROVISIONS FOR EVALUATING QUALITY OF RAINCOATS [CUST: GL NU 11 CT] [REVIEW: 45] | A 8405 | CT | | 14-JUN-88 |
| MIL-STD-1512(1) | ELECTROEXPLOSIVE SUBSYSTEMS, ELECTRICALLY INITIATED, DESIGN REQUIREMENTS AND TEST METHODS [CUST: 11] [REVIEW: 10 13 19 AV] | A EMCS | 11 | | 06-JAN-76 |
| MIL-STD-1522A NOT 3 | STANDARD GENERAL REQUIREMENTS FOR SAFE DESIGN AND OPERATION OF PRESSURIZED MISSILE AND SPACE SYSTEMS [CUST: 19] | A 1810 | 19 | | 04-SEP-92 |
| A MIL-STD-1525A(2) | VERIFICATION TESTING OF PARACHUTE TEXTILE MATERIALS [CUST: 99 GS] [REVIEW: 11 82] | A 1670 | GS | | 13-OCT-95 |
| MIL-STD-1531A | INSERT ARRANGEMENTS FOR MIL-C-83733 RACK TO PANEL CONNECTORS, SHELL SIZE A [CUST: 85] [REVIEW: 99] | A 5935 | CC | | 25-MAR-88 |
| MIL-STD-1532A | INSERT ARRANGEMENTS FOR MIL-C-83733 RACK TO PANEL CONNECTORS, SHELL SIZE B [CUST: 85 CC] [REVIEW: 11 70 82 99] | A 5935 | CC | | 25-MAR-88 |
| MIL-STD-1537B(1) | ELECTRICAL CONDUCTIVITY TEST FOR VERIFICATION OF HEAT TREATMENT OF ALUMINUM ALLOYS, EDDY CURRENT METHOD [CUST: MR AS 11] [REVIEW: 84 99] | A NDTI | 11 | | 05-FEB-96 |
| MIL-STD-1538 NOT 1 | SPARE PARTS AND MAINTENANCE SUPPORT OF SPACE AND MISSILE SYSTEMS UNDERGOING RDT&E [CUST: 19] | A 1810 | 19 | | 04-SEP-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Document Number | Document Title | Distribution FSC/Ver | MCA | Prog. Acty. | Date |
|------------------------|---|-------------------------|-----|-------------|------|
| MIL-STD-1540C | TEST REQUIREMENTS FOR LAUNCH, UPPER-STAGE, AND SPACE VEHICLES [CUST: 19] | A 1810 | 19 | 15-SEP-94 | |
| MIL-STD-1541A | ELECTROMAGNETIC COMPATIBILITY REQUIREMENTS FOR SPACE SYSTEMS [CUST: 19] | A EMCS | 19 | 30-DEC-87 | |
| MIL-STD-1542B | ELECTROMAGNETIC COMPATIBILITY AND GROUNDING REQUIREMENTS FOR SPACE SYSTEM FACILITIES [CUST: 19] | A EMCS | 19 | 15-NOV-91 | |
| MIL-STD-1545 NOT 1 | OPTIONAL SPARE PARTS, MAINTENANCE AND INVENTORY SUPPORT OF SPACE AND MISSILE SYSTEMS [CUST: 19] | A 1810 | 19 | 04-SEP-92 | |
| MIL-STD-1547A | ELECTRONIC PARTS, MATERIALS, & PROCESSES FOR SPACE & LAUNCH VEHICLES [CUST: 19] | A 1810 | 19 | 01-DEC-87 | |
| MIL-STD-1553B NOT 4 | DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATE BUS [CUST: CR AS 11] | A MCCR | 11 | 15-JAN-96 | |
| MIL-STD-1554(4) | INSERT ARRANGEMENTS FOR MIL-C-83723 SERIES III AND MIL-C-26500 ENVIRONMENT RESISTING, CIRCULAR, ELECTRICAL CONNECTORS [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR AV EC MI] | A 5935 | CC | 19-DEC-89 | |
| MIL-STD-1559A(2) NOT 2 | NUMBERS, SERIAL, AIRCRAFT GAS TURBINE ENGINE AND ENGINE MODULE ASSIGNMENT OF [CUST: AV 11] [REVIEW: 82 99] | A 2840 | 11 | 14-JUN-91 | |
| A MIL-STD-1560A(6) | INSERT ARRANGEMENTS FOR MIL-C-38999 AND MIL-C-27599 ELECTRICAL, CIRCULAR CONNECTORS [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS] | A 5935 | CC | 25-JUN-93 | |
| A MIL-STD-1564A(2) | PROCEDURE FOR CALIBRATION AND ANALYSIS OF TRACE CONTAMINANTS IN AVIATOR S BREATHING OXYGEN BY INFRARED SPECTROSCOPY [CUST: 68] [REVIEW: GS] | A 6830 | 68 | 27-OCT-97 | |
| MIL-STD-1576 NOT 1 | ELECTROEXPLOSIVE SUBSYSTEM SAFETY REQUIREMENTS AND TEST METHODS FOR SPACE SYSTEMS [CUST: 19] | A SAFT | 19 | 04-SEP-92 | |
| DOD-STD-1578B NOT 1 | NICKEL-CADMIUM BATTERY USAGE PRACTICES FOR SPACE VEHICLES [CUST: 19] | A 1820 | 19 | 04-SEP-92 | |
| MIL-STD-1580A | DESTRUCTIVE PHYSICAL ANALYSIS FOR ELECTRONIC, ELECTROMAGNETIC, AND ELECTROMECHANICAL PARTS [CUST: 19] | A 1820 | 19 | 22-DEC-89 | |
| MIL-STD-1605 | PROCEDURES FOR CONDUCTING A SHIPBOARD ELECTROMAGNETIC INTERFERENCE (EMI) SURVEY (SURFACE SHIPS) [CUST: SH] | A EMCS | SH | 20-APR-73 | |
| MIL-STD-1607A NOT 1 | CHEMICAL CLEANING OF MAIN AND AUXILIARY BOILERS (SULFAMIC-CITRIC ACID METHOD) [CUST: SH] | A 4410 | SH | 22-JAN-92 | |
| MIL-STD-1608C(1) NOT 1 | PROVISIONS FOR EVALUATING QUALITY OF COATS, WOMEN'S, DRESS [CUST: GL NU 11 CT] [REVIEW: 82 99 MC] | A 8410 | CT | 04-JUN-90 | |
| MIL-STD-1609C | PROVISIONS FOR EVALUATING QUALITY OF WOMEN'S SKIRTS [CUST: GL NU 11 CT] [REVIEW: 82 99 MC] | A 8410 | CT | 21-MAY-90 | |
| MIL-STD-1610A | MAGNETIC TAPE RECORDER/REPRODUCER FORMATS FOR ASW SENSOR & SYSTEMS DATA [CUST: SH 99] [REVIEW: EC NP TD] | A 6625 | SH | 06-JUL-87 | |
| MIL-STD-1611A NOT 1 | PROVISIONS FOR EVALUATING QUALITY OF HOODS AND HAVELOCKS, WOMAN S [CUST: GL NU 11 CT] [REVIEW: 99 MC MD] | A 8410 | CT | 25-JAN-88 | |
| MIL-STD-1612B | PROVISIONS FOR EVALUATING QUALITY OF GLOVES, CLOTH, DRESS [CUST: GL NU 11 CT] [REVIEW: 82 99 CG MC] | A 8440 | CT | 17-OCT-88 | |
| MIL-STD-1613B | PROVISIONS FOR EVALUATING QUALITY OF GLOVES, LEATHER, DRESS [CUST: GL NU 11 CT] [REVIEW: 82 99 CG MC MD] | A 84GP | CT | 01-MAR-90 | |
| MIL-STD-1622A | CLEANING OF SHIPBOARD COMPRESSED AIR SYSTEMS [CUST: SH] | A 4310 | SH | 08-JAN-92 | |
| MIL-STD-1623D NOT 1 | FIRE PERFORMANCE REQUIREMENTS AND APPROVED SPECIFICATION FOR INTERIOR FINISH MATERIALS AND FURNISHINGS (NAVAL SHIPBOARD USE) [CUST: SH] [REVIEW: YDI] | A 19GP | SH | 03-JUL-85 | |
| MIL-STD-1625C(1) | SAFETY CERTIFICATION PROGRAM FOR DRYDOCKING FACILITIES AND SHIPBUILDING WAYS FOR U.S. NAVY SHIPS [CUST: SH] | A 1950 | SH | 30-DEC-92 | |
| MIL-STD-1627C | BENDING OF PIPE OR TUBE FOR SHIP PIPING SYSTEMS [CUST: SH] | A 4710 | SH | 30-SEP-94 | |
| MIL-STD-1628 | FILLET WELD SIZE, STRENGTH, AND EFFICIENCY DETERMINATION [CUST: SH] [REVIEW: GS] | A 3439 | SH | 28-JUN-74 | |
| MIL-STD-1629A NOT 2 | PROCEDURES FOR PERFORMING A FAILURE MODE, EFFECTS & CRITICALITY ANALYSIS [CUST: CR 17] [REVIEW: AR EA OS SH TD] | A RELI | 17 | 28-NOV-84 | |
| MIL-STD-1632A | INSERT ARRANGEMENTS FOR MIL-C-28804 HIGH DENSITY, RECTANGULAR, ELECTRICAL CONNECTORS [CUST: CR EC 85 CC] [REVIEW: 11 99 AM AR AS AT CR4 MC MI] | A 5935 | CC | 27-MAR-78 | |
| MIL-STD-1637B | DUMMY LOADS, ELECTRICAL, WAVEGUIDE, COAXIAL, AND STRIPLINE, SELECTION OF [CUST: CR EC 85] [REVIEW: 17 19 AR AS AV CG MC MI OS SH] | A 5985 | CC | 22-SEP-89 | |
| MIL-STD-1638A NOT 1 | WAVEGUIDE ASSEMBLIES, RIGID AND FLEXIBLE, SELECTION OF [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV CG MC MI OS] | A 5985 | CC | 27-OCT-87 | |
| MIL-STD-1639A NOT 1 | POWER DIVIDERS, POWER COMBINERS, AND POWER DIVIDER/COMBINERS, SELECTION OF [CUST: CR EC 85] [REVIEW: 17 19 AR AS AV CG MC MI OS SH] | A 5985 | CC | 27-OCT-87 | |
| MIL-STD-1640B | MIXER STAGES, FREQUENCY, SELECTION OF [CUST: CR EC 11 CC] [REVIEW: 17 19 85 AR AS AV CG MC MI OS SH] | A 5985 | CC | 07-FEB-85 | |
| A MIL-STD-1647D(2) | IDENTIFICATION MARKINGS FOR DOMESTICALLY MANUFACTURED BEARINGS, BALL, ANNULAR FOR INSTRUMENTS AND PRECISION COMPONENTS [CUST: AT AS 99] [REVIEW: IS] | A 3110 | AS | 15-SEP-97 | |
| MIL-STD-1651A | INSERT ARRANGEMENTS FOR MIL-C-5015, MIL-C-22992 (CLASSES C, I, AND R), AND MIL-C-83723 (SERIES II) ELECTRICAL CONNECTORS [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR CC EC] | A 5935 | AS | 03-APR-92 | |
| MIL-STD-1655 NOT 1 | FITTINGS, FLARELESS, CLASSIFICATION OF DEFECTS OF [CUST: AV AS 99] [REVIEW: 11 MI] | A 4730 | AS | 10-APR-75 | |
| MIL-STD-1656 | VALIDATION PLANS FOR NAVAL ORDNANCE OVERHAUL AND REPAIR ACTIVITIES, PREPARATION OF [CUST: OS] | A MISC | OS | 18-SEP-74 | |
| MIL-STD-1657A | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION, REQUIREMENTS FOR [CUST: SH] | A 1290 | SH | 02-MAY-83 | |
| MIL-STD-1658(3) | SHIPBOARD GUIDED MISSILE LAUNCHING SYSTEM SAFETY REQUIREMENTS, MINIMUM [CUST: OS] | A 1440 | OS | 30-JUN-82 | |
| MIL-STD-1660(1) NOT 2 | DESIGN CRITERIA FOR AMMUNITION UNIT LOADS [CUST: AR OS 69] [REVIEW: AS CR4 MC MI SH SM] | A 8140 | OS | 13-MAR-91 | |
| MIL-STD-1661 | MARK AND MOD NOMENCLATURE SYSTEM [CUST: OS] | A CMAN | OS | 01-AUG-78 | |
| MIL-STD-1662C | ORDNANCE ALTERATION (ORDALT) INSTRUCTIONS, PREPARATION OF [CUST: OS] | A CMAN | OS | 02-MAR-92 | |
| MIL-STD-1663 NOT 1 | LOADING AND RESTRAINT OF AMMUNITION AND EXPLOSIVES IN COMMERCIAL INTERMODAL CONTAINERS UTILIZING THE INTERNAL RESTRAINT SYSTEM KIT [CUST: SM OS 99] [REVIEW: 69 AR AS MC SA SH] | A 8140 | OS | 13-MAR-91 | |
| MIL-STD-1664A | CONNECTION, ELECTRICAL CLIP TERMINATION [CUST: EC CC] | A 5935 | CC | 19-AUG-81 | |
| MIL-STD-1666B | CLASSIFICATION OF DEFECTS FOR EVALUATING QUALITY OF ALUMINIZED FIREMEN'S CLOTHING [CUST: GL NU 99 CT] [REVIEW: 45 MC] | A 8415 | CT | 10-OCT-88 | |
| MIL-STD-1667B | PROVISIONS FOR EVALUATING QUALITY OF HOODS: COLD WEATHER, EXTREME COLD WEATHER, AND FLYER'S [CUST: GL NU 99 CT] [REVIEW: 31 32 45 82 AS MC] | A 8415 | CT | 18-JAN-95 | |
| MIL-STD-1668B | PROVISIONS FOR EVALUATING QUALITY OF CLOTH COVERALLS [CUST: GL NU 99 CT] [REVIEW: 31 45 82 AS MC MD] | A 8415 | CT | 09-FEB-88 | |
| MIL-STD-1669 | INSERT ARRANGEMENTS FOR MIL-C-26482 ENVIRONMENT RESISTING, CIRCULAR, ELECTRICAL CONNECTORS [CUST: CR AS 85] [REVIEW: 11 17 AR AV EC MI SH] | A 5935 | CC | 05-SEP-75 | |
| MIL-STD-1670A NOT 1 | ENVIRONMENTAL CRITERIA AND GUIDELINES FOR AIR-LAUNCHED WEAPONS [CUST: AV AS 11] [REVIEW: AR CE EA EC OS] | A MISC | AS | 23-OCT-91 | |
| MIL-STD-1672 NOT 1 | CONNECTOR, UMBILICAL, INSERT ARRANGEMENTS [CUST: CR AS 99 CC] [REVIEW: 11 19 80 AR SH] | A 5935 | CC | 23-OCT-91 | |
| MIL-STD-1674 NOT 1 | INSERT ARRANGEMENTS FOR MIL-C-85028(AS) CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW [CUST: AS CC] [REVIEW: EC] | A 5935 | CC | 23-OCT-91 | |
| DOD-STD-1678(1) | FIBER OPTICS TEST METHODS AND INSTRUMENTATION [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 90 AR AV EC MI OS SH] | A 60GP | AS | 26-DEC-84 | |

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------------|--|--------------------------|-----|-------------|-----------|
| | MIL-STD-1683B | CONNECTORS AND JACKETED CABLE, ELECTRIC, SELECTION STANDARD FOR SHIPBOARD USE [CUST: SH] | A 5935 | SH | | 31-MAR-89 |
| | MIL-STD-1684A NOT 1 | CONTROL OF HEAT TREATMENT (THIS DOCUMENT SUBJECT TO SPECIAL EXPORT CONTROL RELEASE TO FOREIGN GOVTS/NATIONALS NEED PRIOR APPROVAL OF THE NAVAL SEA SYS COMD) [CUST: SH] | A 95GP | SH | | 01-NOV-85 |
| | MIL-STD-1686C | ELECTROSTATIC DISCHARGE CONTROL PROGRAM FOR PROTECTION OF ELECTRICAL AND ELECTRONIC PARTS, ASSEMBLIES AND EQUIPMENT (EXCLUDING ELECTRICALLY INITIATED EXPLOSIVE DEVICES) [CUST: CR SH 17] [REVIEW: 11 19 99 AS AT CR EC MI OS SA SM] | A RELI | SH | | 25-OCT-95 |
| | MIL-STD-1687A(1) | THERMAL SPRAY PROCESSES FOR NAVAL SHIP MACHINERY APPLICATIONS [CUST: SH] | A MFFP | SH | | 23-SEP-94 |
| | MIL-STD-1689A | FABRICATION, WELDING, AND INSPECTION OF SHIPS STRUCTURE [CUST: SH] | A THJM | SH | | 23-NOV-90 |
| | MIL-STD-1691F | CONSTRUCTION AND MATERIAL SCHEDULE FOR MILITARY MEDICAL AND DENTAL FACILITIES [CUST: MD YD1 03] | A 6530 | YD1 | | 01-JUN-94 |
| | MIL-STD-1697 NOT 1 | TAPE, ONE-HALF INCH VIDEO CASSETTE BROADCAST FORMAT [CUST: BC] | A 5820 | BC | | 03-OCT-88 |
| | MIL-STD-1698(2) | INSERT ARRANGEMENTS FOR MIL-C-28840(EC) HIGH DENSITY HIGH SHOCK CIRCULAR ELECTRICAL CONNECTORS [CUST: EC CC] | A 5935 | CC | | 26-MAY-81 |
| | MIL-STD-1699B | NONDESTRUCTIVE EVALUATION OF BUTT WELDS IN CRANE AND RAILROAD RAILS [CUST: YD1] | A NDTI | YD1 | | 17-JUL-92 |
| A | MIL-STD-1751(3) NOT 2 | SAFETY AND PERFORMANCE TESTS FOR QUALIFICATION OF EXPLOSIVES [CUST: OS 99] [REVIEW: 70] | A 13GP | OS | | 07-FEB-95 |
| | MIL-STD-1760C | INTERFACE STANDARD FOR AIRCRAFT/STORE ELECTRICAL INTERCONNECTION SYSTEM [CUST: AV AS 11] [REVIEW: EC MC OS SH TD] | A GDRQ | 11 | | 20-MAR-97 |
| | MIL-STD-1763A(1) | AIRCRAFT/STORES CERTIFICATION PROCEDURES [CUST: AV AS 22] [REVIEW: 11] | A MISC | 22 | | 15-JUN-92 |
| | MIL-STD-1766B | NUCLEAR HARDNESS AND SURVIVABILITY PROGRAM REQUIREMENTS FOR ICBM WEAPON SYSTEMS [CUST: 19] [REVIEW: MI OS TE] | A ENVR | 19 | | 09-SEP-94 |
| | MIL-STD-1773(1) | FIBER OPTICS MECHANIZATION OF AN AIRCRAFT INTERNAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS [CUST: AS 11] | A MCCR | AS | | 02-OCT-89 |
| | MIL-STD-1776A | AIRCREW STATION AND PASSENGER ACCOMMODATIONS [CUST: 11] | D GDRQ | 11 | | 25-FEB-94 |
| | MIL-STD-1783 NOT 1 | ENGINE STRUCTURAL INTEGRITY PROGRAM (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503) [CUST: 11] | D 2840 | 11 | | 15-APR-86 |
| | MIL-STD-1784 NOT 1 | MOBILITY, TOWED & MANUALLY PROPELLED SUPPORT EQUIPMENT (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503) [CUST: 11] | D 1740 | 11 | | 15-APR-86 |
| | MIL-STD-1787B | AIRCRAFT DISPLAY SYMBOLOGY [CUST: 11] [REVIEW: DC2 EC MI] | A HFAC | 11 | | 05-APR-96 |
| | MIL-STD-1789A(1) NOT 1 | SOUND PRESSURE LEVELS IN AIRCRAFT (CONTROLLED DISTRIBUTION) [CUST: 11] | D 15GP | 11 | | 19-JUL-89 |
| | MIL-STD-1793 NOT 1 | FLIGHT PERFORMANCE, AIR VEHICLE (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503) [CUST: 11] | D 1510 | 11 | | 15-APR-86 |
| | MIL-STD-1797A | FLYING QUALITIES OF PILOTED AIRCRAFT (CONTROLLED DISTRIBUTION) [CUST: AV AS 11] | D 15GP | 11 | | 30-JAN-90 |
| | MIL-STD-1798 NOT 1 | MECHANICAL EQUIPMENT AND SUBSYSTEMS INTERITY PROGRAM [CUST: 11] | D GDRQ | 11 | | 24-MAR-93 |
| | MIL-STD-1799 | SURVIVABILITY, AERONAUTICAL SYSTEMS (FOR COMBAT MISSION EFFECTIVENESS (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503) [CUST: 11] | D 15GP | 11 | | 01-DEC-86 |
| | MIL-STD-1801 | USER/COMPUTER INTERFACE (CONTROLLED DISTRIBUTION) [CUST: 11] | B HFAC | 11 | | 29-MAY-87 |
| | MIL-STD-1807 | CRASH SURVIVABILITY OF AIRCRAFT PERSONNEL (RELEASE TO OTHER THAN DOD ACTIVITY REQUIRE PRIOR APPROVAL OF ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503) [CUST: 11] | D 15GP | 11 | | 01-JUN-90 |
| A | MIL-STD-1808A | SYSTEM/SUBSYSTEM/SUB-SUBSYSTEM NUMBERING [CUST: 16] [REVIEW: 10 11 13 19 99] | A TMSS | 16 | | 01-DEC-96 |
| | MIL-STD-1809 | SPACE ENVIRONMENT FOR USAF SPACE VEHICLES [CUST: 19] | A 1810 | 19 | | 15-FEB-91 |
| | MIL-STD-1811(1) | MASS PROPERTIES CONTROL FOR SPACE VEHICLES [CUST: 19] | A 1810 | 19 | | 02-APR-92 |
| | MIL-STD-1812 | TYPE DESIGNATION, ASSIGNMENT AND METHOD FOR OBTAINING [CUST: CR AS 11] [REVIEW: 13 19 68 99 MI] | A MISC | 11 | | 28-FEB-91 |
| | MIL-STD-1820(2) | GENERIC TRANSFORMED DATA BASE (GTDB) [CUST: PT TD 11] | A 69GP | 11 | | 17-FEB-96 |
| | MIL-STD-1821(2) | STANDARD SIMULATOR DATA BASE (SSDB) INTERCHANGE FORMAT (SIF) [CUST: PT TD 11] | A 69GP | 11 | | 17-FEB-96 |
| | MIL-STD-1822 | NUCLEAR CERTIFICATION OF WEAPON SYSTEMS, SUBSYSTEMS, AND ASSOCIATED FACILITIES AND EQUIPMENT [CUST: 27] | A 11GP | 27 | | 30-SEP-94 |
| A | MIL-STD-1832 | DISKETTE MESSAGE FILE FORMATS FOR DEFENSE MESSAGING [CUST: 02 DC3] [REVIEW: 17 93 CR NS OM] | A IPSC | DC3 | | 15-MAR-91 |
| A | MIL-STD-1835B(2) | MICROCIRCUIT CASE OUTLINES [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 15-DEC-97 |
| | MIL-STD-1837B | MISCELLANEOUS ELECTRICAL AND ELECTRONIC COMPONENTS, SELECTION GUIDE [CUST: CR EC 85] [REVIEW: 99 CR4 MI] | A 5999 | CC | | 04-NOV-91 |
| | MIL-STD-1839B | STANDARD PRACTICE FOR CALIBRATION AND MEASUREMENT REQUIREMENTS [CUST: MI OS 30] [REVIEW: 11 13 16 17 19 AR AS AT AV CR EC MC NM SH TD TM] | A QCIC | 30 | | 20-AUG-95 |
| A | MIL-STD-1840C | AUTOMATED INTERCHANGE OF TECHNICAL INFORMATION [CUST: CR OM 16] [REVIEW: 13 17 19 33 90 93 AC AC1 AC2 AL AS AT CG CH CR4 DC1 DC4 DI DO EC IR MC ND NM NS PT SE TD TM TM1 US] | A IPSC | DC3 | | 26-JUN-97 |
| | DOD-STD-1842 | INSERT ARRANGEMENTS FOR DOD-C-83527 RACK TO PANEL CONNECTORS (METRIC) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 15-MAY-85 |
| | MIL-STD-1861A | ELECTRICAL AND ELECTRONIC ASSEMBLIES, BOARDS, CARDS, AND ASSOCIATED HARDWARE, SELECTION AND USE OF [CUST: CR EC 85] [REVIEW: 17 99 CR4] | A 5998 | CC | | 28-MAR-93 |
| A | MIL-STD-1863A NOT 1 | INTERFACE DESIGNS & DIMENSION FOR FIBER OPTIC INTERCONNECTION DEVICES [CUST: CR EC 85 CC] [REVIEW: 11 13 19 AR AS AV MC MI OS] | A 6060 | CC | | 10-JUN-86 |
| A | DOD-STD-1866 NOT 2 | SOLDERING PROCESS GENERAL (NON ELECTRICAL) [CUST: MI 99] [REVIEW: AR AV CR4 MC OS] | A SOLD | MI | | 27-JUN-94 |
| | MIL-STD-1894A | REFERENCE STANDARDS & RADIOGRAPHIC PROCEDURES FOR PARTIAL PENETRATION STEEL WELDS [CUST: AT 11] [REVIEW: AR] | A NDTI | AT | | 17-OCT-86 |
| | MIL-STD-1895A | REFERENCE STANDARDS + RADIOGRAPHIC PROCEDURES FOR PARTIAL PENETRATION ALUMINUM WELDS [CUST: AT] | A NDTI | AT | | 20-OCT-86 |
| | MIL-STD-1901 | MUNITION ROCKET AND MISSILE MOTOR IGNITION SYSTEM DESIGN, SAFETY CRITERIA FOR [CUST: AR OS 11] [REVIEW: 18 99 AS MI] | A 13GP | AR | | 22-JAN-92 |
| | MIL-STD-1901(11) | MUNITION ROCKET AND MISSILE MOTOR IGNITION, SAFETY CRITERIA FOR [CUST: AR] | A 13GP | AR | | 31-MAY-95 |
| | MIL-STD-1904A | DESIGN AND TEST REQUIREMENTS FOR LEVEL A AMMUNITION PACKAGING [CUST: AR] | A 8140 | AR | | 01-APR-92 |
| | MIL-STD-1905A | DESIGN AND TEST REQUIREMENTS FOR LEVEL B AND LEVEL C AMMUNITION PACKAGING [CUST: AR] | A 8140 | AR | | 01-APR-92 |
| | MIL-STD-1907 NOT 3 | INSPECTION, LIQUID PENETRANT AND MAGNETIC PARTICLE, SOUNDNESS REQUIREMENTS FOR MATERIALS, PARTS AND WELDMENTS [CUST: MR AS 11] [REVIEW: 24 70 80 82 84 AL AR AT CR4 OS TM] | A NDTI | MI | | 29-JUL-96 |
| | MIL-STD-1911 | HAND-EMPLACED ORDNANCE DESIGN, SAFETY CRITERIA FOR [CUST: AR OS 11] [REVIEW: 18 99 AS MI] | A 13GP | AR | | 06-DEC-93 |
| | MIL-STD-1911(11) | HAND-EMPLACED ORDNANCE DESIGN, SAFETY CRITERIA FOR [CUST: AR] | A 13GP | AR | | 31-MAY-95 |
| | MIL-STD-1913 | DIMENSIONING OF ACCESSORY MOUNTING RAIL FOR SMALL ARMS WEAPONS [CUST: AR] | A 1005 | AR | | 03-FEB-95 |
| | MIL-STD-1916 | DOD PREFERRED METHODS FOR ACCEPTANCE OF PRODUCT [CUST: AR OS 05 DH] [REVIEW: 10 11 13 17 19 70 71 80 82 84 AP AS AT AV CC CH CR CR4 EA EC GL MI MR NM NW SA SH YD1] | A QCIC | AR | | 01-APR-96 |
| | MIL-STD-1941 NOT 4 | METAL-ARC WELDING OF HOMOGENEOUS ARMOR [CUST: MR] [REVIEW: AL AR AT CR4 TE] | A THJM | MR | | 01-AUG-91 |
| | MIL-STD-2002 | DOCUMENT INTERCHANGE FORMAT [CUST: CR OM 90] [REVIEW: 11 MT NC SA] | A IPSC | OM | | 31-OCT-87 |
| | DOD-STD-2003(1) | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIP AND SUBMARINES [CUST: SH] | A GDRQ | SH | | 17-DEC-90 |
| | DOD-STD-2003/1(1) | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIPS AND SUBMARINES (CABLE) SECTION 1 OF 5 SECTIONS (CONTROLLED DISTRIBUTION) [CUST: SH] | B GDRQ | SH | | 17-DEC-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|-------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | DOD-STD-2003/2(1) NOT 1 | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIPS AND SUBMARINES (EQUIPMENT) SECTIONS 2 OF 5 SECTIONS [CUST: SH] | A GDRQ | SH | | 17-DEC-90 |
| | DOD-STD-2003/3(1) | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIP AND SUBMARINES (PENETRATIONS) SECTION 3 OF 5 SECTIONS [CUST: SH] | A GDRQ | SH | | 17-DEC-90 |
| | DOD-STD-2003/4(1) | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIPS & SUBMARINES (CABLEWAYS) SEC 4 OF 5 [CUST: SH] | A GDRQ | SH | | 24-JUN-87 |
| | DOD-STD-2003/5(1) | ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIP AND SUBMARINES (CONNECTORS) SECTION 5 OF 5 SECTIONS [CUST: SH] | A GDRQ | SH | | 17-DEC-90 |
| | MIL-STD-2031 | FIRE AND TOXICITY TEST METHODS AND QUALIFICATION PROCEDURE FOR COMPOSITE MATERIAL SYSTEMS USED IN HULL, MACHINERY, AND STRUCTURAL APPLICATIONS INSIDE NAVAL SUBMARINES [CUST: MR SH] | A CMPS | SH | | 26-FEB-91 |
| | MIL-STD-2032 | EDDY CURRENT INSPECTION OF HEAT EXCHANGER TUBING ON SHIPS OF THE UNITED STATES NAVY [CUST: SH] | A NDTI | SH | | 14-SEP-90 |
| | MIL-STD-2034 | QUALIFICATION REQUIREMENTS FOR MATERIAL SPECIFICATIONS [CUST: SH] | B 95GP | SH | | 19-JUL-91 |
| | MIL-STD-2035A | NONDESTRUCTIVE TESTING ACCEPTANCE CRITERIA [CUST: SH] | A NDTI | SH | | 15-MAY-95 |
| | MIL-STD-2036A | GENERAL REQUIREMENTS FOR ELECTRONIC EQUIPMENT SPECIFICATIONS [CUST: CR SH 11] [REVIEW: 17 19 85 AR AV CC CR4 EC MC MI NA OS TE] | A GDRQ | SH | | 03-SEP-93 |
| | MIL-STD-2037(1) | PROCEDURE TO OBTAIN CERTIFICATION FOR ELECTRIC MOTOR SEALED INSULATION SYSTEMS [CUST: SH] | A 6105 | SH | | 23-OCT-91 |
| | MIL-STD-2038 | REQUIREMENTS FOR EMPLOYING STANDARD POWER SUPPLIES [CUST: CR SH 99] [REVIEW: AV GS] | A 6130 | NW | | 29-NOV-91 |
| | MIL-STD-2039(1) | FIELD CHANGES AND FIELD CHANGE KITS PREPARATION OF [CUST: SH] | A TMSS | SH | | 14-APR-94 |
| | MIL-STD-2040 | TUG REQUIREMENTS FOR HANDLING U.S. NAVY SHIPS [CUST: SH] | A 1925 | SH | | 03-MAR-92 |
| | MIL-STD-2041B | CONTROL OF DETRIMENTAL MATERIALS [CUST: SH] | B 20GP | SH | | 02-NOV-93 |
| A | MIL-STD-2042A | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS [CUST: SH] | A GDRQ | SH | | 29-SEP-97 |
| A | MIL-STD-2042/1A | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS (CABLES) (PART 1 OF 6 PARTS) [CUST: SH] | A GDRQ | SH | | 29-SEP-97 |
| A | MIL-STD-2042/2A | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS (EQUIPMENT) (PART 2 OF 6 PARTS) [CUST: SH] | A GDRQ | SH | | 29-SEP-97 |
| A | MIL-STD-2042/3A | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS (CABLE PENETRATIONS) (PART 3 OF 6 PARTS) [CUST: SH] | A GDRQ | SH | | 29-SEP-97 |
| A | MIL-STD-2042/4A | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS (CABLEWAYS) (PART 4 OF 6 PARTS) [CUST: SH] | A GDRQ | SH | | 29-SEP-97 |
| A | MIL-STD-2042/5A | FIBER OPTIC TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS (CONNECTORS AND INTERCONNECTIONS) (PART 5 OF 6 PARTS) [CUST: SH] | A GDRQ | SH | | 29-SEP-97 |
| A | MIL-STD-2042/6A | FIBER OPTIC CABLE TOPOLOGY INSTALLATION STANDARD METHODS FOR NAVAL SHIPS (TESTS) (PART 6 OF 6 PARTS) [CUST: SH] | A GDRQ | SH | | 29-SEP-97 |
| A | MIL-STD-2045/44500(1) | TACTICAL COMMUNICATIONS PROTOCOL 2 (TAC02) FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD [CUST: CR OM 90 DH MP] [REVIEW: 02 13 17 29 AC CG CH DI DO EC IR MA MC ND NS PT SE TD] | A DCPS | MP | | 29-JUL-94 |
| | MIL-STD-2045/47001 | INTEROPERABILITY STANDARD FOR CONNECTIONLESS DATA TRANSFER APPLICATION LAYER STANDARD [CUST: CR OM 90 DH DC] [REVIEW: 03 17 29 CG CH DI DO EC IR MA MC MP ND NS PT SE TD] | A DCPS | DC | | 27-JUL-95 |
| | MIL-STD-2045/48501 | COMMON SECURITY LABEL (CSL) [CUST: DC] | A DCPS | DC | | 25-JAN-95 |
| | MIL-STD-2051 | FIBER OPTIC SHIPBOARD CABLE TOPOLOGY DESIGN STANDARD [CUST: SH] | B GDRQ | SH | | 21-APR-94 |
| A | MIL-STD-2052A | FIBER OPTIC SYSTEMS DESIGN [CUST: SH] | A 60GP | SH | | 10-OCT-97 |
| | MIL-STD-2053 | REQUIREMENTS FOR EMPLOYING STANDARD BATTERIES [CUST: CR NW 99] [REVIEW: 80 AR AS CR GS MC MI SH] | A 61GP | NW | | 18-JAN-95 |
| | MIL-STD-2066 NOT 1 | CATAPULTING & ARRESTING GEAR FORCING FUNCTIONS FOR AIRCRAFT STRUCTURAL DESIGN [CUST: AS] | A 1510 | AS | | 08-MAR-82 |
| | MIL-STD-2067 | AIRCREW AUTOMATED ESCAPE SYSTEMS RELIABILITY AND MAINTAINABILITY (R/M) PROGRAM REQUIREMENTS FOR [CUST: AS] | A 1680 | AS | | 17-OCT-78 |
| | MIL-STD-2069 | REQUIREMENTS FOR AIRCRAFT NONNUCLEAR SURVIVABILITY PROGRAM [CUST: AS] | A 15GP | AS | | 24-AUG-81 |
| | MIL-STD-2071 NOT 1 | TESTING OF CHAFF RADAR CROSS-SECTION [CUST: AS] | A MISC | AS | | 23-OCT-91 |
| | MIL-STD-2073/1C | DOD STANDARD PRACTICE FOR MILITARY PACKAGING [CUST: SM AS 69 DH] [REVIEW: 10 11 13 18 19 69 99 AL AR AT AV CC CG CR CR4 CT EC GL GS IS LS MC MI OS PS SA SH SS YDI] | A PACK | AS | | 01-OCT-96 |
| A | MIL-STD-2088A(1) | BOMB RACK UNIT (BRU), AIRCRAFT, GENERAL DESIGN CRITERIA FOR [CUST: AV AS 11] | A 1095 | AS | | 05-MAY-97 |
| | MIL-STD-2089 | AIRCRAFT NONNUCLEAR SURVIVABILITY TERMS [CUST: AV AS 11] | A 15GP | AS | | 21-JUL-81 |
| | MIL-STD-2098 | ORDNANCE PREPARATION AND APPLICATION OF INTUMESCENT SHEET, TYPE III [CUST: AS] | A 8010 | AS | | 02-JUN-80 |
| | MIL-STD-2100 | PROPELLANT, SOLID, CHARACTERIZATION OF (EXCEPT GUN PROPELLANT) [CUST: OS] | A 1376 | OS | | 30-MAR-79 |
| | DOD-STD-2101 | CLASSIFICATION OF CHARACTERISTICS [CUST: OS] | A QCIC | OS | | 10-MAY-79 |
| | MIL-STD-2102A NOT 2 | AIRCREW ESCAPE PROPULSION SYSTEMS; VIBRATION AND SHOCK TESTS FOR [CUST: OS] [REVIEW: AS] | A 1377 | OS | | 14-AUG-91 |
| | MIL-STD-2105B | HAZARD ASSESSMENT TESTS FOR NON-NUCLEAR MUNITIONS [CUST: AR OS 11] [REVIEW: 18 AS TE] | A SAFT | OS | | 12-JAN-94 |
| | DOD-STD-2106 | DEVELOPMENT OF SHIPBOARD INDUSTRIAL TEST PROCEDURES [CUST: OS] | A QCIC | OS | | 31-JUL-86 |
| | MIL-STD-2110 NOT 1 | RESTORATION, OVERHAUL, AND REPAIR OF ELECTRONIC EQUIPMENT [CUST: EC] | A MISC | EC | | 18-DEC-86 |
| | MIL-STD-2113A NOT 1 | RADIO FREQUENCY CIRCULATORS AND ISOLATORS, SELECTION OF [CUST: CR EC 85 CC] | A 5985 | CC | | 18-SEP-89 |
| | MIL-STD-2115 | AUDIO DEVICES & COMPONENTS, SELECTION & USE OF [CUST: CR EC 85 CC] [REVIEW: 11 99 AR CE MI SH] | A 5965 | CC | | 25-MAR-82 |
| | MIL-STD-2118 NOT 1 | FLEXIBLE & RIGID FLEX PRINTED WIRING FOR ELECTRONIC EQUIPMENT DESIGN REQUIREMENTS FOR [CUST: CR EC 17] [REVIEW: 11 16 19 99 AR AS CG MC MI OS SH] | A 5999 | CC | | 12-MAY-86 |
| | MIL-STD-2119A | DESIGN REQUIREMENTS FOR PRINTED-WIRING ELECTRICAL BACKPLANE ASSEMBLIES [CUST: CR NW 85] [REVIEW: AS CC CG MC OS] | A 5998 | NW | | 19-FEB-90 |
| | MIL-STD-2124A NOT 1 | FLIGHT DATA RECORDER, FUNCTIONAL STANDARDS FOR [CUST: AV AS 99] [REVIEW: 80] | A 5835 | AS | | 02-JUL-84 |
| | MIL-STD-2131A | LAUNCHER, EJECTION, GUIDED MISSILE, AIRCRAFT, GENERAL DESIGN CRITERIA FOR [CUST: AS] | A 1440 | AS | | 16-DEC-91 |
| | MIL-STD-2132A NOT 1 | NONDESTRUCTIVE EXAMINATION REQUIREMENTS FOR SPECIAL APPLICATIONS (CONTROLLED DISTRIBUTION) [CUST: SH] | F NDTI | SH | | 15-MAR-85 |
| | DOD-STD-2133(1) NOT 1 | CABLE ARRANGEMENT FOR MINIMUM STRAY MAGNETIC FIELD (METRIC) [CUST: SH] [REVIEW: CR] | A 6145 | SH | | 22-AUG-88 |
| | DOD-STD-2134 | STORAGE BATTERY ARRANGEMENT FOR MINIMUM STRAY MAGNETIC FIELD (METRIC) [CUST: SH] | A 6140 | SH | | 21-APR-89 |
| | DOD-STD-2136 NOT 1 | STANDARD PROCEDURE FOR THE METALLURGICAL EXAMINAT OF GAS TURBINE HOT SECTION AIRFOIL COMPONENTS FOR HOT CORROSION DEGRADATION (METRIC) [CUST: SH] | A 2835 | SH | | 11-JAN-88 |
| | MIL-STD-2137A | WEIGHT CONTROL TECHNICAL REQUIREMENTS FOR SURFACE SHIPS [CUST: SH] | A MISC | SH | | 06-AUG-93 |
| | MIL-STD-2138A(1) | METAL SPRAYED COATINGS FOR CORROSION PROTECTION ABOARD NAVAL SHIPS (METRIC)[CUST: SH] | A MFFP | SH | | 29-AUG-94 |
| | DOD-STD-2140 | MACHINERY ALTERATION (MACHALT) INSTRUCTIONS, PREPARATION OF (METRIC) [CUST: SH] | A CMAN | SH | | 20-OCT-82 |
| | DOD-STD-2141 NOT 1 | DEFINITIONS AND SYSTEMS OF UNITS, MAGNETIC SILENCING (METRIC) [CUST: SH] | A 1905 | SH | | 16-FEB-89 |
| | MIL-STD-2142A | MAGNETIC SILENCING CHARACTERISTICS, MEASUREMENT OF (METRIC) [CUST: SH] | A 1905 | SH | | 06-AUG-90 |

| Doc Action | Document Number | Document Title | Distribution FSC/Area | ACA | Prep. Acty. | Date |
|------------|-----------------------|---|--------------------------|-----|-------------|-----------|
| | DOD-STD-2143 | MAGNETIC SILENCING REQUIREMENTS FOR THE CONSTRUCTION OF NONMAGNETIC SHIPS & CRAFT (METRIC) [CUST: SH] | A 1905 | SH | | 01-JUN-83 |
| | DOD-STD-2145 NOT 1 | DISCONNECT SWITCH BOXES, CONTACTOR PANELS AND SWITCHBOARDS, LOW MAGNETIC FIELD DESIGN OF (METRIC) [CUST: SH] | A 6110 | SH | | 03-OCT-89 |
| | DOD-STD-2146 NOT 1 | DIRECT CURRENT GENERATORS AND MOTORS, LOW STRAY MAGNETIC FIELD, DESIGN OF (METRIC) [CUST: SH] | A 6115 | SH | | 16-FEB-89 |
| | MIL-STD-2148 NOT 1 | VIBRATION DAMPING MATERIALS, PROCEDURES FOR INSTALLATION, MAINTENANCE, AND REPAIRS [CUST: SH] | A 93GP | SH | | 03-OCT-89 |
| | MIL-STD-2149A(1) | STANDARD PROCEDURES FOR EXPLOSION TESTING FERROUS AND NON-FERROUS METALLIC MATERIALS AND WELDMENTS [CUST: SH] | A THJM | SH | | 05-APR-93 |
| | MIL-STD-2150A | SHIP COMPARTMENT NONMENCLATURE AND SPACE CLASSIFICATION SYSTEM [CUST: SH] | A 1990 | SH | | 28-SEP-89 |
| | MIL-STD-2151 NOT 1 | INCLINED LADDER TREAD TEST METHODS AND EQUIPMENT FOR WEAR, SLIP-RESISTANCE AND IMPACT [CUST: SH] | A 2040 | SH | | 21-MAR-91 |
| | MIL-STD-2154 | INSPECTION, ULTRASONIC, WROUGHT METALS, PROCESS FOR [CUST: MR AS 11] | A NDTI | AS | | 30-SEP-82 |
| | MIL-STD-2156 NOT 1 | LAUNCHER, RAIL, GUIDED MISSILE, AIRCRAFT, GENERAL DESIGN CRITERIA FOR [CUST: AS] | A 1440 | AS | | 20-DEC-85 |
| | MIL-STD-2161A | PAINT SCHEMES AND EXTERIOR MARKINGS FOR U.S. NAVY AND MARINE CORPS AIRCRAFT [CUST: AS] | A MFFP | AS | | 01-MAY-93 |
| | MIL-STD-2162 | AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE SELECTION OF [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS AV MC MI OS SH] | A 5985 | CC | | 27-JUL-83 |
| | MIL-STD-2163C | INSERT ARRANGEMENTS FOR MIL-C-28876 CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI [CUST: CR SH 85] [REVIEW: 17 19 80 CC MC MI OS] | A 6060 | SH | | 16-FEB-93 |
| | MIL-STD-2166 | CONNECTION, ELECTRICAL, COMPLAINT PIN [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5935 | CC | | 05-DEC-84 |
| | MIL-STD-2173(1) NOT 1 | RELIABILITY-CENTERED MAINTENANCE REQUIREMENTS FOR NAVAL AIRCRAFT, WEAPONS SYSTEMS AND SUPPORT EQUIPMENT [CUST: AS] | A ALSS | AS | | 31-DEC-89 |
| | MIL-STD-2175A | CASTINGS, CLASSIFICATION AND INSPECTION OF [CUST: MR AS 11] [REVIEW: 70 71 80 82 84 99 AR CR4 EA IS MI OS SH] | A NDTI | AS | | 25-AUG-93 |
| | MIL-STD-2177 | DEPOT REWORK SPECIFICATION, AIR-LAUNCHED WEAPONS, ARMAMENT, ORDNANCE, MISSILE LAUNCHERS, & PECULIAR SUPPORT EQUIPMENT, PREPARATION OF | A SDMP | AS | | 07-FEB-89 |
| | MIL-STD-2179B | HELICAL DIGITAL RECORDING FORMAT FOR 19-MM MAGNETIC TAPE CASSETTE RECORDER/REPRODUCERS [CUST: CR AS 99] [REVIEW: EC MC NS SH] | A 5895 | AS | | 14-DEC-90 |
| | DOD-STD-2182 | ENGINEERING CHROMIUM PLATING (ELECTRODEPOSITED FOR REPAIR OF SHAFTING (METRIC) [CUST: SH] | A MFFP | SH | | 29-JAN-85 |
| | DOD-STD-2183 NOT 1 | BOND TESTING, BABBITT-LINED BEARINGS [CUST: SH] | A 3120 | SH | | 26-MAR-91 |
| | MIL-STD-2184 | PROCEDURES FOR INSTALLATION, INSPECTION, MAINTENANCE, AND REPAIR OF- ABSORBER, REFLECTOR, AND DECOUPLER ACOUSTIC MATERIALS (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA PREP ACT - COMD., NAVSEASYS COM, SEA 5523, DEPT OF NAVY, WASH DC 20362-5 [CUST: SH] | D 5640 | SH | | 04-NOV-85 |
| | DOD-STD-2185 | REQUIREMENTS FOR REPAIR AND STRAIGHTENING OF BRONZE NAVAL SHIP PROPELLERS [CUST: SH] | A 2010 | SH | | 28-OCT-86 |
| | MIL-STD-2186A | REAL-TIME OUTFITTING MANAGEMENT INFORMATION SYSTEM, GENERAL REQUIREMENTS FOR [CUST: SH] | A ALSS | SH | | 04-JAN-93 |
| | DOD-STD-2187 | CHEMICAL CLEANING OF SALT WATER PIPING SYSTEMS (METRIC) [CUST: SH] | A 4710 | SH | | 20-AUG-87 |
| | DOD-STD-2188 | BABBITTING OF BEARING SHELLS (METRIC) [CUST: SH] | A 3120 | SH | | 01-APR-87 |
| | MIL-STD-2189 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS [CUST: SH] | A 1990 | SH | | 13-NOV-87 |
| | MIL-STD-2189-100-1 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 100-1 REINFORCEMENT OF OPENINGS IN STRUCTURE OF SURFACE SHIPS OTHER THAN IN PROTECTIVE PLATING [CUST: SH] | A 1990 | SH | | 22-JAN-88 |
| | MIL-STD-2189-243-1 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS PROPULSION SHAFTING [CUST: SH] | A GDRQ | SH | | 30-AUG-94 |
| | MIL-STD-2189-562-2 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 562-2 CONTROL SURFACE STRUCTURE DESIGN [CUST: SH] | A 1990 | SH | | 02-JUN-92 |
| | MIL-STD-2189-672-1 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 672-1 CALCULATION OF STOREROOM CAPACITIES [CUST: SH] | A 1990 | SH | | 24-DEC-87 |
| | MIL-STD-2191 | REPAIR WELDING, WELD CLADDING, STRAIGHTENING, AND COLD ROLLING OF MAIN PROPULSION SHAFTING [CUST: SH] | A 2010 | SH | | 05-NOV-92 |
| | MIL-STD-2192 | NICKEL-CHROMIUM-IRON ALLOY MICROSTRUCTURE PROCEDURE REQUIREMENTS & ACCEPTANCE CRITERIA (CONTROLLED DISTRIBUTION) [CUST: SH] | B NDTI | SH | | 05-OCT-87 |
| | MIL-STD-2193B | HYDRAULIC SYSTEM COMPONENTS, SHIP [CUST: SH] | A 4810 | SH | | 21-JUN-94 |
| | MIL-STD-2195A | INSPECTION PROCEDURE FOR DETECTION AND MEASUREMENT OF DEALLOYING CORROSION ON ALUMINUM BRONZE AND NICKEL-ALUMINUM BRONZE COMPONENTS [CUST: SH] | A NDTI | SH | | 17-DEC-93 |
| | MIL-STD-2197 | BRUSH ELECTROPLATING ON MARINE MACHINERY [CUST: SH] | A MFFP | SH | | 28-MAR-89 |
| | MIL-STD-2198 | DESIGN REQUIREMENTS FOR METAL ELECTRICAL BACKPLANE ASSEMBLIES [CUST: CR NW 85] [REVIEW: CC] | A 5998 | NW | | 26-FEB-90 |
| | MIL-STD-2199(1) | GLASS REINFORCED PLASTIC COVERINGS FOR PROPELLER SHAFTING (METRIC) [CUST: SH] | A 9330 | SH | | 05-OCT-93 |
| | MIL-STD-2202A | ENERGY MONITORING AND CONTROL SYSTEMS, FACTORY TESTS [CUST: CE YD1 04] | A ATTS | YD1 | | 10-JUN-94 |
| | MIL-STD-2203A | ENERGY MONITORING AND CONTROL SYSTEMS, PERFORMANCE VERIFICATION AND ENDURANCE TESTS [CUST: CE YD1 04] | A ATTS | YD1 | | 10-JUN-94 |
| | MIL-STD-2217(1) | MEMORY LOADER/VERIFIER MULTIPLEX BUS INTERFACE WITH AVIONIC SYSTEMS, REQUIREMENTS FOR [CUST: AS] | A GDRQ | AS | | 28-MAY-93 |
| | MIL-STD-2218 | THERMAL DESIGN, ANALYSIS, AND TEST PROCEDURES FOR AIRBORNE ELECTRONIC EQUIPMENT [CUST: CR AS 11] | A GDRQ | AS | | 20-MAY-92 |
| | MIL-STD-2219 | FUSION WELDING FOR AEROSPACE APPLICATIONS [CUST: AV AS 11] [REVIEW: 70 71 82 84 99 MI MR] | A THJM | AS | | 30-DEC-88 |
| | MIL-STD-2223(1) | TEST METHODS FOR INSULATED ELECTRIC WIRE [CUST: CR AS 85] [REVIEW: AR NA] | A 6145 | AS | | 09-SEP-94 |
| | MIL-STD-2225 | VIBRATION AND NOISE TESTING FOR INSTRUMENT BEARINGS [CUST: AT AS 99] [REVIEW: 84 IS] | A 3110 | AS | | 01-AUG-94 |
| | MIL-STD-2301(1) | COMPUTER GRAPHICS METAFILE (CGM) IMPLEMENTATION STANDARD FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD [CUST: CR OM 02 MP] [REVIEW: AC AM AR CE DH DI DO HP IE IR MD MI NA NS PT SO TM] | A IPSC | MP | | 12-OCT-94 |
| | MIL-STD-2361 | DIGITAL PUBLICATIONS DEVELOPMENT [CUST: AC1] [REVIEW: AC AL AR AT AV CR CR4 GL MI MR SM TE TM] | A IPSC | AC1 | | 30-JAN-97 |
| | MIL-STD-2401 | DEPARTMENT OF DEFENSE WORLD GEODETIC SYSTEM (WGS) [CUST: NO 09 MP] [REVIEW: MC] | A MCGT | MP | | 11-JAN-94 |
| | MIL-STD-2407 | INTERFACE STANDARD FOR VECTOR PRODUCT FORMAT [CUST: TI NO 09 MP] [REVIEW: MC] | A MCGT | MP | | 28-JUN-96 |
| | MIL-STD-2408 NOT 2 | MAPPING, CHARTING & GEODESY GLOSSARY OF FEATURE AND ATTRIBUTE DEFINITIONS [CUST: NO 09 MP] [REVIEW: MC] | A MCGT | MP | | 30-AUG-95 |
| | MIL-STD-2410 | MAPPING, CHARTING & GEODESY REPRODUCTION AND PRINTING [CUST: MP] | A MCGT | MP | | 31-JAN-97 |
| | MIL-STD-2411(1) | RASTER PRODUCT FORMAT [CUST: MP] [REVIEW: 09 MC NO] | A MCGT | MP | | 17-JAN-95 |
| | MIL-STD-2411/1 | REGISTERED DATA VALUES FOR RASTER PRODUCT FORMAT [CUST: MP] [REVIEW: 09 MC NO] | A MCGT | MP | | 30-AUG-94 |
| | MIL-STD-2411/2 | INTEGRATION OF RASTER PRODUCT FORMAT FILES INTO THE NATIONAL IMAGERY TRANSMISSION FORMAT [CUST: MP] [REVIEW: 09 MC NO] | A MCGT | MP | | 26-AUG-94 |
| | MIL-STD-2413 | STANDARD PRACTICE FOR STANDARD LINEAR FORMAT (SLF) FOR DIGITAL CARTOGRAPHIC FEATURE DATA [CUST: MP] | A MCGT | MP | | 16-AUG-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|------------------|--|--------------|------|-------|-------|-----------|
| | | | FSC/Area | MCA | Pres. | Acty. | |
| | MIL-STD-2414 | STANDARD PRACTICE BAR CODING FOR MAPPING, CHARTING, AND GEODESY PRODUCTS [CUST: MP] [REVIEW: LS] | A | MCCT | MP | | 25-MAY-95 |
| A | MIL-STD-2500A(1) | NATIONAL IMAGERY TRANSMISSION FORMAT (VERSION 2.0) FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD [CUST: CR OM 90 DC4] [REVIEW: 02 13 AC AC2 CR5 DC DH DO IE IR NS PT TM2] | A | INST | MP | | 07-FEB-97 |
| A | MIL-STD-2525A(1) | COMMON WARFIGHTING SYMBOLOGY [CUST: AC OM 90 DC4] [REVIEW: 02 09 10 11 13 16 17 19 29 33 93 AC1 AC2 AR AS CC CE CG CH CR5 DC1 DH DI DO EC HS IE IR MC MD1 MI MP NC ND NO NP NS PT SA SO TI TM US] | A | INST | DC4 | | 10-JUL-97 |
| A | MIL-STD-2549 | CONFIGURATION MANAGEMENT DATA INTERFACE [CUST: AR AP 16 NS] [REVIEW: 02 05 13 17 19 29 33 94 AC AL AM AS AT AV CE CG CH CR CR4 CR5 DC DC1 DH DI EA EC GL HD IE LM MC MD MI MR ND NM NP OM OS OST PT SH SM TD TE TM TM2 US YD1] | A | CMAN | DO | | 30-JUN-97 |
| | MIL-STD-6011A | TACTICAL DIGITAL INFORMATION LINK (TADIL) A/B MESSAGE STANDARD [CUST: CR OM 02 DC] [REVIEW: 93 CR MC MI NS] | D | INST | DC | | 24-JAN-97 |
| | MIL-STD-6013A | ARMY TACTICAL DATA LINK-1 (ATDL-1) MESSAGE STANDARD, DEPARTMENT OF DEFENSE INTERFACE STANDARD [CUST: CR3 OM 02 DC] [REVIEW: 93 MC MI NS] | D | INST | DC | | 01-MAR-97 |
| | MIL-STD-6016 | TACTICAL DIGITAL INFORMATION LINK (TADIL) J MESSAGE STANDARD [CUST: CR OM 02 DC] [REVIEW: 93 CR MC MI NS] | D | INST | DC | | 07-FEB-97 |
| | MIL-STD-7080 | SELECTION AND INSTALLATION OF AIRCRAFT ELECTRIC EQUIPMENT [CUST: AV AS 11] | A | 16GP | AS | | 31-MAY-94 |
| A | MIL-STD-7179 | FINISHES, COATINGS, AND SEALANTS, FOR THE PROTECTION OF AEROSPACE WEAPONS SYSTEMS [CUST: MR AS 11] [REVIEW: 71 84 99 AR AV CG MC MI] | A | MFFP | AS | | 30-SEP-97 |
| A | MIL-STD-8651 | INSTALLATION OF IDENTIFICATION AND MODIFICATION PLATES (FOR AIRCRAFT) [CUST: AV AS 99] [REVIEW: 84] | A | 9905 | AS | | 10-NOV-97 |
| M | MIL-STD-1168B | AMMUNITION LOT NUMBERING AND AMMUNITION DATA CARD [CUST: AR OS 99] [REVIEW: 70 MC MI] | A | 1395 | AR | | 10-JUN-98 |
| | MIL-STD-3878A | STANDARD PRACTICE FOR MANUALS, TECHNICAL: GENERAL STYLE AND FORMAT REQUIREMENTS [CUST: TM OS 16] [REVIEW: 01 99 AR AS AT AV CC CE CR CR4 EC GS IS MC MI SA SH TD YD1] | A | TMSS | 16 | | 02-JUL-95 |
| | MIL-STD-40051 | TECHNICAL MANUAL PREPARATION [CUST: TM] [REVIEW: AC1 AL AR AT AV CR EA MI PT] | A | TMSS | TM | | 31-JUL-96 |
| A | MIL-STD-40076 | PRESERVATION AND PACKING OF ROCKET AND MISSILE SYSTEMS EQUIPMENT FOR SHIPMENT [CUST: MI] [REVIEW: SM] | A | PACK | MI | | 17-DEC-97 |
| | MIL-STD-600001 | MAPPING, CHARTING & GEODESY ACCURACY [CUST: MP] [REVIEW: 09 CE NO] | A | MCCT | MP | | 26-FEB-90 |
| | MIL-STD-600002 | DEPARTMENT OF DEFENSE DMA STOCK NUMBER BAR CODING [CUST: MP] [REVIEW: 09 NO] | A | MCCT | MP | | 22-AUG-90 |
| | MIL-STD-600011 | DMA SINGLE COLOR OVERPRINT LIMITED REVISION UPDATES (SCO) [CUST: MP] [REVIEW: 09 MC NO] | A | MCCT | MP | | 18-MAR-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|---------------|-----------------|---|--------------------------|-----|-------------|-----------|
| A | A-A-1D | RACKS, WEARING APPAREL, STEEL [CUST: FSS] | A 7195 | # | FSS | 24-FEB-98 |
| | A-A-2A | ELECTROGRAPHIC PAPER | A 6750 | # | FSS | 01-JUN-81 |
| | A-A-3 | CLEANING COMPOUND, PORCELAIN & CERAMIC TILE, ACID TYPE | A 7930 | # | FSS | 10-APR-80 |
| M | A-A-5B | DISHWASHING COMPOUND, HAND (BUILT DETERGENT; FLAKE, GRANULAR OR BEAD) | A 7930 | # | FSS | 02-APR-98 |
| | A-A-8 | SHELLAC VARNISH | A 8010 | # | FSS | 17-SEP-79 |
| | A-A-11 | CLEANING COMPOUND, SEPTIC TANK (ENZYME BACTERIA TYPE FOR DRAINS) | A 7930 | # | FSS | 29-JUN-81 |
| | A-A-14 | SCOURING POWDER (GLASS CLEANING) | A 7930 | # | FSS | 27-MAR-80 |
| | A-A-17 | DETERGENT, LABORATORY GLASSWARE | A 7930 | # | FSS | 06-MAY-80 |
| | A-A-18B | SHAVING CREAM | A 8520 | # | FSS | 20-MAR-94 |
| A | A-A-19C | SCALE REMOVING COMPOUND (POWER, SULFAMIC ACID) [CUST: GS] | A 6850 | / | GS | 17-OCT-97 |
| | A-A-22 | SHAMPOO (ANTIDANDRUFF) | A 8520 | # | FSS | 28-NOV-79 |
| | A-A-23 | POLISH, SHOE, PASTE | A 7930 | # | FSS | 07-FEB-80 |
| | A-A-24 | DUST MOP TREATING COMPOUND | A 7930 | # | FSS | 15-OCT-79 |
| | A-A-28B | HOLDER, LABEL, DESK TRAY, WOOD | A 7510 | # | FSS | 27-NOV-95 |
| A | A-A-29B | BOX, FILING, LETTER [CUST: FSS] | A 7520 | # | FSS | 15-DEC-97 |
| | A-A-31 | CLEANING COMPOUND, RUG & UPHOLSTERY SURFACE [REVIEW: 03 MD MS SH] | A 7930 | % | FSS | 10-JUN-81 |
| A | A-A-33A | SCALE REMOVING COMPOUND (LIQUID) [CUST: GS] | A 6850 | / | GS | 17-OCT-97 |
| | A-A-39A | DETERGENT, GENERAL PURPOSE (HARD SURFACE CLEANER; LIQUID; CONCENTRATED) | A 7930 | # | FSS | 05-APR-84 |
| A | A-A-40B | GLASS CLEANER (LIQUID) [CUST: FSS] | A 7930 | # | FSS | 09-MAR-98 |
| A | A-A-41A | SODIUM CARBONATE, ANHYDROUS [CUST: FSS] | A 6810 | # | FSS | 06-MAR-98 |
| | A-A-42B | TALCUM POWDER | A 8510 | # | FSS | 03-DEC-96 |
| A | A-A-46B | SOAP, GRIT (CAKE PUMICE SOAP) [CUST: FSS] | A 8520 | # | FSS | 09-MAR-98 |
| | A-A-51 | SOAP, TOILET (FOR SOFT AND HARD WATER USE) | A 8520 | # | FSS | 04-SEP-79 |
| | A-A-54 | LANTERN, ELECTRIC, SINGLE CONCENTRATED LIGHT BEAM | A 6230 | # | FSS | 26-SEP-79 |
| | A-A-55A | LANTERN, ELECTRIC (FLOATING, CONCENTRATED BEAM, WITH WARNING FLASHER) | A 6230 | # | FSS | 28-JUL-81 |
| | A-A-56B | STENOTYPE MACHINE PAPER (PAPER, SHORTHAND MACHINE) | A 7530 | # | FSS | 25-MAR-94 |
| | A-A-57 | ABSORBENT STENCIL FILING WRAPPER | A 7530 | # | FSS | 21-FEB-80 |
| | A-A-57(11) | ABSORBENT STENCIL FILING WRAPPER | A 7530 | # | FSS | 20-APR-89 |
| | A-A-59C | TOOTHBRUSH, CHILDREN'S (MULTITUFT) | A 8530 | # | FSS | 15-DEC-94 |
| | A-A-65A | PUNCH, PAPER (OFFICE TYPE), LIGHT DUTY | A 7520 | # | FSS | 14-NOV-86 |
| | A-A-66C | PUNCH, PAPER, HAND-HELD, OFFICE TYPE | A 7520 | # | FSS | 26-SEP-96 |
| | A-A-67 | PUNCH, PAPER, HAND HELD (2 INCH REACH) | A 7520 | # | FSS | 07-FEB-80 |
| | A-A-68B | DISPENSER, GUMMED TAPE, ELECTRICALLY OPERATED (DUAL PRESET) | A 7520 | # | FSS | 25-FEB-92 |
| | A-A-72B | CRAYON, MARKING, LUMBER | A 7510 | # | FSS | 05-JUN-92 |
| | A-A-73 | HAIRBRUSH, SYNTHETIC | A 8530 | # | FSS | 15-MAY-80 |
| | A-A-75A | COMBS, HAIR (PLASTIC) | A 8530 | # | FSS | 31-MAR-93 |
| | A-A-78C | DISPENSER, GUMMED TAPE (TEAR OFF TYPE) | A 7520 | # | FSS | 25-FEB-92 |
| | A-A-79C | DISPENSER, GUMMED TAPE (AUTOMATIC TYPE) | A 7520 | # | FSS | 25-FEB-92 |
| | A-A-80A | CHALK, MARKING, COLORED | A 7510 | # | FSS | 09-JAN-80 |
| | A-A-81C | DISPENSER, PRESSURE-SENSITIVE ADHESIVE TAPE (HAND-HELD) | A 7520 | # | FSS | 16-JAN-96 |
| | A-A-82B | DISPENSER, PRESSURE SENSITIVE ADHESIVE TAPE (COUNTER TYPE FOR 7.62 CM (3-INCH TAPE)) | A 7520 | # | FSS | 16-JAN-96 |
| | A-A-83B | DISPENSER, PRESSURE-SENSITIVE ADHESIVE TAPE (COUNTER TYPE FOR 5.08CM (2-INCH TAPE)) | A 7520 | # | FSS | 16-JAN-96 |
| | A-A-84C | DISPENSER, PRESSURE-SENSITIVE ADHESIVE TAPE (COUNTER TYPE FOR 2.54CM (1-INCH TAPE)) | A 7520 | # | FSS | 16-JAN-96 |
| | A-A-85D | DISPENSER, PRESSURE-SENSITIVE ADHESIVE TAPE (COUNTER TYPE FOR 1.9 CM (3/4-INCH) TAPE) | A 7520 | # | FSS | 16-JAN-96 |
| | A-A-87C | PENCILS, WAX CHINA AND GLASS MARKING SPIRAL-PAPER-FORM | A 7520 | # | FSS | 13-MAY-96 |
| A | A-A-91C | APRON, FOOD HANDLER'S [CUST: FSS] | A 8415 | # | FSS | 03-SEP-97 |
| M | A-A-96A | CLEANING COMPOUND, OVEN (AEROSOL) | A 7930 | # | FSS | 02-APR-98 |
| | A-A-97 | DEODORANT, GENERAL PURPOSE (CONCENTRATED, WICK BOTTLE) | A 6840 | # | FSS | 10-JAN-80 |
| | A-A-98 | DEODORANT, GENERAL PURPOSE (CONCENTRATED) | A 6840 | # | FSS | 10-JAN-80 |
| | A-A-103 | TOOTH POWDER | A 8520 | # | FSS | 06-SEP-79 |
| | A-A-104 | TOOTHPASTE | A 8520 | # | FSS | 13-OCT-82 |
| | A-A-106A | HAND CLEANER (PADS) | A 8520 | # | FSS | 05-JUN-91 |
| | A-A-109 | TENT, WALL TYPE | A 8340 | # | FSS | 18-SEP-79 |
| | A-A-110B | BOX, FILING, STEEL | A 7520 | # | FSS | 07-OCT-94 |
| M | A-A-112C | FILE, HORIZONTAL, DESK | A 7520 | # | FSS | 24-MAR-98 |
| | A-A-113D | TAPE, PRESSURE-SENSITIVE ADHESIVE | A 7510 | # | FSS | 04-DEC-96 |
| | A-A-116 | RULE, LINE GUIDE | A 7510 | # | FSS | 09-NOV-79 |
| | A-A-117D | PROTECTOR, DOCUMENT (BINDER FILLER) | A 7510 | # | FSS | 31-DEC-90 |
| | A-A-119C | SAFETY PIN | A 8315 | # | FSS | 16-APR-96 |
| | A-A-123C | TOOTHBRUSH, ADULT'S (MULTITUFT) | A 8530 | # | FSS | 03-FEB-94 |
| A | A-A-125C | RINGS, LOOSE-LEAF BINDERS [CUST: FSS] | A 7510 | % | FSS | 22-JUL-97 |
| | A-A-127A | BOOKREST | A 7520 | # | FSS | 22-JAN-90 |
| | A-A-128C | POCKET PLANNING SET | A 7510 | # | FSS | 08-APR-94 |
| | A-A-129A | PADS, DESK | A 7520 | # | FSS | 28-OCT-96 |
| M | A-A-130B | STENCIL SET, MARKING (BRASS) | A 7520 | # | FSS | 24-MAR-98 |
| A | A-A-131B | RUBBER BANDS [CUST: FSS] | A 7510 | # | FSS | 25-NOV-97 |
| | A-A-132A | ERASERS | A 7510 | # | FSS | 07-NOV-88 |
| | A-A-132A(11) | ERASERS | A 7510 | # | FSS | 24-SEP-90 |
| | A-A-134B | FINGER PADS, RUBBER | A 7510 | # | FSS | 29-MAR-93 |
| A | A-A-135C | OPENER, LETTER, HAND (METAL) [CUST: FSS] | A 7520 | # | FSS | 18-SEP-97 |
| | A-A-136B | HOLDER, TELEPHONE RECEIVER | A 7520 | # | FSS | 04-DEC-95 |
| | A-A-137B | MOISTENER, PAPER SEALING, FOUNTAIN-TYPE | A 7520 | # | FSS | 31-OCT-95 |
| | A-A-142B | CORRECTABLE TYPEWRITER RIBBONS (HIGH YIELD) | A 7510 | # | FSS | 02-MAR-92 |
| | A-A-146 | SOAP, GRIT (CAKE PUMICE SOAP) | A 8520 | # | FSS | 03-JUL-79 |
| | A-A-148B | BAG, PLASTIC (SANDWICH) | A 8105 | # | FSS | 04-FEB-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Line Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | A-A-150 | CLOTH, COATED (WINDOW SHADE) | A 8305 | # | FSS | 30-JAN-81 |
| | A-A-153A | DRAWERS, MEN'S [CUST: GL NU CT] [REVIEW: MC MD] | A 8420 | / | CT | 23-JAN-95 |
| | A-A-156C | BAG, PAPER (HARDWARE) | A 8105 | # | FSS | 21-JUN-95 |
| A | A-A-157D | SACK, SHIPPING, PAPER (REINFORCED) [CUST: FSS] | A 8105 | # | FSS | 24-JUL-97 |
| A | A-A-160E | SACK, SHIPPING, PAPER (CUSHIONED) [CUST: FSS] | A 8105 | # | FSS | 24-JUL-97 |
| | A-A-162A | CLOTH, CLEANING (NONWOVEN) | A 7920 | # | FSS | 10-APR-96 |
| A | A-A-163C | PILLOWCASE AND COVER, HEADREST (DISPOSABLE) [CUST: FSS] | A 7210 | # | FSS | 28-AUG-97 |
| A | A-A-168A | CLOTH, POLISHING (FOR ELECTRICAL CONTACT SURFACES) [CUST: FSS] | A 7920 | # | FSS | 03-DEC-97 |
| A | A-A-169A | CALCIUM CHLORIDE, TECHNICAL [CUST: FSS] | A 6810 | # | FSS | 10-JUL-97 |
| | A-A-175A | POST, LEDGER AND BINDER, SCREW TYPE | A 7510 | # | FSS | 15-FEB-91 |
| | A-A-177C | DICTIONARY, ENGLISH, TYPE II (MINIMUM 150,000 ENTRIES) | A 7610 | # | FSS | 11-APR-94 |
| | A-A-179 | PAD, DESK, PAPERBOARD | A 7520 | # | FSS | 12-OCT-79 |
| A | A-A-180C | TAPE, PRESSURE-SENSITIVE ADHESIVE DOUBLE-COATED [CUST: FSS] | A 7510 | # | FSS | 24-JUL-97 |
| | A-A-181 | MINING TRANSIT BOOK | A 7530 | # | FSS | 19-SEP-80 |
| | A-A-182 | BASKET, WASTEPAPER, METAL, OFFICE AND LOBBY | A 7520 | # | FSS | 23-SEP-79 |
| | A-A-183C | SHEATH, PEN AND PENCIL, POCKET (PLASTIC) | A 7510 | # | FSS | 10-OCT-95 |
| | A-A-186B | ERASER, BLACKBOARD | A 7510 | # | FSS | 19-SEP-95 |
| | A-A-188B | EYELET REINFORCEMENT, GUMMED CLOTH | A 7510 | # | FSS | 31-DEC-96 |
| | A-A-190A | PAPER, CORRECTION TYPE | A 7510 | # | FSS | 27-DEC-90 |
| | A-A-194B | TAPE, PRESSURE-SENSITIVE ADHESIVE PAPER, DRAFTING | A 7510 | # | FSS | 24-JAN-89 |
| | A-A-195D | TAPE, PRESSURE-SENSITIVE ADHESIVE (EDGING) [CUST: GL SA] [REVIEW: AV SM] | A 7510 | % | FSS | 30-NOV-95 |
| | A-A-196A | CUP, PIN, CLIP AND SPONGE | A 7510 | # | FSS | 28-SEP-89 |
| M | A-A-197 NOT 2 | HERBICIDE, 2,4-DICHLOROPHENOXYACETIC ACID (SALTS AND ESTERS) [CUST: GS] | A 6840 | / | GS | 23-MAR-98 |
| | A-A-203C | PAPER, KRAFT, UNTREATED [CUST: GL 69] [REVIEW: 99 AR AS CG CR CR4 DS EA MC MD MI SA SH] | A 8135 | % | FSS | 03-JAN-96 |
| | A-A-204A | LABEL TAPE, PRESSURE SENSITIVE ADHESIVE | A 7510 | # | FSS | 14-DEC-82 |
| | A-A-205B | DUPLICATING FLUID, DIRECT PROCESS (SPIRIT TYPE) | A 7510 | # | FSS | 12-JAN-90 |
| | A-A-206A | INK, DUPLICATING MACHINE STENCIL, PASTE, BLACK | A 7510 | # | FSS | 16-FEB-94 |
| | A-A-207B | INKING PAD, RUBBER STAMP (FOAM PAD) | A 7510 | # | FSS | 09-DEC-96 |
| | A-A-208B | INK, MARKING, STENCIL, OPAQUE, (POROUS AND NON-POROUS SURFACES) [CUST: GL SA 99] [REVIEW: 84 AR DS MC MD SM SS] | A 7510 | % | FSS | 20-NOV-95 |
| | A-A-209B | INK, STAMP PAD [REVIEW: DS] | A 7520 | # | FSS | 12-OCT-95 |
| | A-A-210B | TAPE, EMBOSING (PRESSURE SENSITIVE, PLASTIC) [REVIEW: DS] | A 7510 | # | FSS | 01-JAN-89 |
| | A-A-211A | EMBOSSING MACHINE, IDENTIFICATION TAPE (MANUALLY OPERATED) | A 7490 | # | FSS | 29-MAR-91 |
| | A-A-212A | CORRECTION FLUID, WHITE OPAQUE | A 7510 | # | FSS | 30-APR-81 |
| | A-A-213A | CORRECTION FLUID, DUPLICATING MACHINE STENCIL | A 7510 | # | FSS | 13-NOV-79 |
| A | A-A-217B | SCOURING BRICK AND HOLDER [CUST: FSS] | A 7920 | # | FSS | 14-JUL-97 |
| M | A-A-223A | BROOM, UPRIGHT, COARSE FIBER | A 7920 | # | FSS | 02-MAR-98 |
| | A-A-228A | TWINE, FIBROUS, JUTE [REVIEW: IS MD] | A 4020 | % | FSS | 03-MAY-95 |
| A | A-A-230B | MAT, BATH (DISPOSABLE) [CUST: FSS] | A 7210 | # | FSS | 01-OCT-97 |
| | A-A-00230/3D | OFFICE FURNITURE: COSTUMER, EXECUTIVE TYPE, WOOD, TRADITIONAL | A 7110 | # | FSS | 02-JUL-93 |
| | A-A-236 | PAN, PIE, DISPOSABLE (ALUMINUM FOIL) | A 7330 | # | FSS | 21-JAN-80 |
| | A-A-240A | SHOWER HEAD, BALL JOINT [CUST: 99 CC] | A 4510 | * | IS | 25-APR-91 |
| | A-A-243B | SHEARS; PRUNING (TWO HAND, LOPPING) [CUST: 99] | A 3750 | * | FSS | 06-FEB-95 |
| | A-A-244A | VALVE, AIR VENTING, STEAM, THERMOSTATIC [REVIEW: CC] | A 4520 | % | FSS | 25-JUN-96 |
| | A-A-246A | FLOAT, VALVE (WATER CLOSET) [CUST: CC] | A 4510 | * | IS | 21-FEB-91 |
| | A-A-247A | FASTENERS (PRONG TYPE) | A 7510 | # | FSS | 26-FEB-91 |
| | A-A-248A | VALVE, INLET, ANTISIPHON (WATER CLOSET) [CUST: CC] | A 4510 | * | IS | 19-FEB-91 |
| | A-A-249A | ROD, TANK FLOAT (WATER CLOSET) [CUST: CC] | A 4510 | * | IS | 20-FEB-91 |
| | A-A-254 | MENTHOL LOTION | A 6505 | # | FSS | 20-SEP-79 |
| A | A-A-258A | BRUSH, FILE CLEANER [CUST: FSS] | A 7920 | # | FSS | 02-OCT-97 |
| | A-A-260C | HOLDERS, BINDER, LABEL | A 7510 | # | FSS | 04-MAR-96 |
| | A-A-261A | WRINGER, MOP | A 7920 | # | FSS | 24-SEP-80 |
| | A-A-262A | BUCKET, MOP, METAL | A 7920 | # | FSS | 27-JUN-80 |
| | A-A-265A | MOPPING OUTFIT, FLOOR | A 7920 | # | FSS | 21-JUN-93 |
| A | A-A-266B | DEODORANT, GENERAL PURPOSE (CAKES FOR URINALS AND TOILETS) [CUST: FSS] | A 6840 | # | FSS | 29-JAN-98 |
| A | A-A-267B | DEODORANT, GENERAL PURPOSE (AEROSOL AIR FRESHENER) [CUST: FSS] | A 6840 | # | FSS | 28-JAN-98 |
| | A-A-268 | HAND CLEANER (WATERLESS, LOTION FORM) | A 8520 | # | FSS | 03-JAN-80 |
| A | A-A-270A | BRUSH, SCRUB, PLASTIC [CUST: FSS] | A 7920 | # | FSS | 04-NOV-97 |
| | A-A-271 | BICYCLES, MEN S, & WOMEN S | A 2330 | # | FSS | 25-FEB-80 |
| | A-A-272A | CAULKING COMPOUNDS [CUST: MR SH 99] | A 8030 | * | FSS | 07-JUN-95 |
| | A-A-277A | SCRAPER, BAKER'S (PLATE AND BOWL) [CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A 7330 | * | FSS | 14-MAY-93 |
| | A-A-278 | OILED STENCIL FILING WRAPPER | A 7530 | # | FSS | 05-JAN-80 |
| | A-A-279 | HAND CLEANER (WATERLESS: CREAM FORM: REGULAR AND ANTIMICROBIAL) | A 8520 | # | FSS | 14-JUN-83 |
| | A-A-284 | RIVETER, YOKE, HAND (RIVET SQUEEZER, HAND) | A 5120 | # | FSS | 16-OCT-79 |
| | A-A-286C | ENVELOPE, PACKAGING (CORRUGATED FIBERBOARD) [CUST: GL] | A 8105 | * | GL | 22-JAN-93 |
| A | A-A-288B | DATE STAMP (NONFIXED LEGEND) [CUST: FSS] | A 7520 | # | FSS | 25-JUL-97 |
| | A-A-289 | BRUSHES, ACID, SWABBING | A 7920 | # | FSS | 12-OCT-79 |
| | A-A-292 | RUBBER STAMP, FIXED LEGEND | A 7520 | # | FSS | 12-OCT-79 |
| | A-A-294A | RACKS, WEARING APPAREL (SEMI-CONCEALED) | A 7195 | # | FSS | 01-NOV-82 |
| A | A-A-296B | SOAP HOLDER, DISPOSABLE | A 4510 | # | FSS | 27-MAY-97 |
| | A-A-297 | IRONING BOARD, HOUSEHOLD | A 7290 | % | FSS | 20-MAR-81 |
| | A-A-300B | DUSTPAN [CUST: 99] [REVIEW: 84] | A 7290 | * | 99 | 24-SEP-96 |
| | A-A-301 | BAG, COTTON DUCK | A 8105 | # | FSS | 01-OCT-79 |
| | A-A-302D | BAG, PAPER (SHOPPING) | A 8105 | # | FSS | 29-OCT-91 |
| | A-A-303B | HOLDERS, LABEL, DESK TRAY (PLASTIC OR METAL) | A 7510 | # | FSS | 05-MAR-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prop. Acty. | Date |
|------------|-----------------|--|--------------------------|-----|-------------|-----------|
| A | A-A-304C | BAG, PAPER (HOSPITAL BEDSIDE WASTE) [CUST: FSS] | A 8105 | # | FSS | 16-JAN-98 |
| | A-A-305 | THREAD CUTTER, RECEDING SEGMENTAL DIE (ADJUSTABLE CEARED DIESTOCK) | A 5136 | # | FSS | 10-NOV-79 |
| | A-A-306 | THREAD CUTTER, RECEDING SEGMENTAL DIE (SELF CONTAINED RATCHET THREADER) | A 5136 | # | FSS | 12-OCT-79 |
| | A-A-307A | PICK, DRIFTING (WITHOUT HANDLE) | A 5120 | # | FSS | 10-NOV-79 |
| | A-A-308A | PICK, CONTRACTORS, POINT AND CHISEL ENDS (WITHOUT HANDLE) | A 5120 | # | FSS | 05-JAN-80 |
| | A-A-309C | BAG, PAPER MERCHANDISE | A 8105 | # | FSS | 02-JUN-95 |
| | A-A-310C | BAG, WASTE RECEPTACLE, PAPER | A 8105 | # | FSS | 23-JUN-89 |
| | A-A-311A | THREAD CUTTER, DIE HEAD, HAND | A 5136 | # | FSS | 07-DEC-82 |
| | A-A-312 | JACK KIT, HYDRAULIC, HAND (20 TON) | A 5120 | # | FSS | 19-SEP-79 |
| | A-A-313 | JACK KIT, HYDRAULIC, HAND (10 TON) | A 5120 | # | FSS | 01-OCT-79 |
| | A-A-314 | JACK KIT, HYDRAULIC, HAND (4 TON) | A 5120 | # | FSS | 20-SEP-79 |
| | A-A-315A | MATTOCK, PICK (WITHOUT HANDLE) [CUST: GL 99] | A 5120 | % | FSS | 05-JAN-88 |
| | A-A-316A | WEDGE, STEEL (FELLING) [CUST: GL 99] [REVIEW: 84] | A 5120 | % | GL | 05-JAN-88 |
| | A-A-318A | CHALK, MARKING, WHITE (EXTRUDED) | A 7510 | % | FSS | 21-AUG-90 |
| | A-A-319A | PAPER, WRAPPING, WET-WAXED | A 8135 | # | FSS | 18-AUG-93 |
| | A-A-320A | CHALK, MARKING, WHITE (MOLDED) | A 7510 | # | FSS | 16-JAN-91 |
| | A-A-321A | FILE, WORK ORGANIZER, POCKET | A 7520 | % | FSS | 25-JUL-96 |
| | A-A-332 | PAIL, 5 GALLON, WITH REMOVABLE BAIL AND SNAP ON LID | A 7240 | # | FSS | 21-SEP-79 |
| | A-A-333 | FILE, WORK ORGANIZER, BOOK | A 7520 | # | FSS | 09-JAN-80 |
| | A-A-336 | WEDGE, STEEL (SPLITTING) | A 5120 | # | FSS | 05-DEC-79 |
| | A-A-337A | PICK, TAMPING (WITHOUT HANDLE) | A 5120 | # | FSS | 05-JAN-80 |
| | A-A-338A | PICK, CLAY, POINT AND CHISEL ENDS (WITHOUT HANDLE) | A 5120 | # | FSS | 10-NOV-79 |
| | A-A-340A | INSECTICIDE; MIXTURE OF D-TRANS ALLETHRIN AND RESMETHRIN | A 6840 | # | FSS | 29-APR-85 |
| | A-A-341A NOT 1 | PIGMENT, ALUMINUM, POWDER AND PASTE [REVIEW: DS] | A 8010 | # | FSS | 12-DEC-95 |
| | A-A-342A | ADHESIVE, SEMI SOLID, STICK FORM, WITH DISPENSERS | A 8040 | # | FSS | 08-JAN-80 |
| | A-A-343C | DISPENSER, PRESSURE-SENSITIVE ADHESIVE TAPE (FOR FILAMENT-REINFORCED TAPE) | A 7520 | # | FSS | 18-JAN-96 |
| | A-A-344B | LACQUER, CLEAR GLOSS, EXTERIOR, INTERIOR [CUST: MR SH 99] | A 8010 | * | AV | 15-AUG-96 |
| | A-A-345 | THREAD CUTTER, RECEDING SEGMENTAL DIE (POST TYPE RATCHET THREADER) | A 5136 | # | FSS | 18-OCT-79 |
| | A-A-346A | MATTOCK, CUTTER (WITHOUT HANDLE) [CUST: GL 99] [REVIEW: 84] | A 5120 | # | GL | 05-JAN-88 |
| | A-A-350D | DINING PACKETS [CUST: GL 99] [REVIEW: 84 MD SA YD1] | A 8415 | # | GL | 31-DEC-90 |
| | A-A-355B | RULER, WOOD (DESK) | A 7510 | # | FSS | 16-MAR-94 |
| | A-A-356A | MARKER, TUBE TYPE (WHITE) | A 7520 | # | FSS | 02-OCT-95 |
| A | A-A-359A | BRUSH, SCRUB, BASEBOARD [CUST: FSS] | A 7920 | # | FSS | 03-DEC-97 |
| | A-A-360C | STAPLER, PAPER FASTENING, STANDARD AND LIGHT DUTY | A 7520 | # | FSS | 08-OCT-93 |
| | A-A-363 | DIESTOCK (FOR RECTANGULAR, TWO PIECE DIES) | A 5136 | # | FSS | 31-OCT-79 |
| | A-A-364 | TAP, THREAD CUTTING (NPT AND NPS SERIES) | A 5136 | # | FSS | 09-OCT-79 |
| | A-A-367 | DIE, THREAD CUTTING (RECTANGULAR, TWO-PIECE PIPE DIES) | A 5136 | # | FSS | 13-NOV-79 |
| | A-A-368 | DIE, THREAD CUTTING (SOLID SQUARE DIES) | A 5136 | # | FSS | 10-OCT-79 |
| | A-A-370 | RIBBON, COMPUTING AND RECORDING MACHINES | A 7510 | # | FSS | 01-OCT-85 |
| | A-A-375 NOT 1 | GOLD LEAF | A 8010 | # | FSS | 25-JAN-96 |
| | A-A-377B | BRUSH, ROOF, KNOTTED STYLE, THREE KNOTS | A 8020 | # | FSS | 05-SEP-91 |
| | A-A-378 | PUTTY, LINSEED OIL TYPE, (FOR WOOD SASH GLAZING) | A 8030 | # | FSS | 18-OCT-79 |
| | A-A-380 | JACK, BUMPER (HYDRAULIC) | A 5120 | # | FSS | 08-OCT-79 |
| | A-A-381 | JACK, HYDRAULIC, HAND (SELF CONTAINED) | A 5120 | # | FSS | 30-SEP-79 |
| | A-A-382 | JACK, HYDRAULIC, HAND (REMOTE CONTROL) | A 5120 | # | FSS | 19-SEP-79 |
| | A-A-385A | EXTRACTOR, COTTER PIN | A 5120 | # | FSS | 27-NOV-79 |
| | A-A-388C | PAN, BAKING AND ROASTING [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7330 | * | GL | 12-DEC-96 |
| | A-A-389B | SAUCEPAN [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7330 | * | GL | 06-DEC-96 |
| | A-A-390B NOT 1 | PANS, PIE [CUST: GL SA 99] [REVIEW: 99 MD SA] | A 7330 | # | FSS | 15-JUN-93 |
| | A-A-391B | BOARD, FOOD CHOPPING AND SLICING [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7330 | * | GL | 29-JUL-96 |
| | A-A-393A | EXTINGUISHER, FIRE, DRY CHEMICAL (HAND PORTABLE) | A 4210 | # | FSS | 02-OCT-96 |
| | A-A-394A | EGG WHIP [CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A 7330 | * | GL | 06-NOV-91 |
| | A-A-399A | WRENCH SET, SOCKET, POWER, 3/4 INCH DRIVE | A 5130 | # | FSS | 25-OCT-79 |
| | A-A-400 | TRICYCLE, INDUSTRIAL | A 2330 | # | FSS | 25-FEB-80 |
| | A-A-401A | MANUAL TYPEWRITER (NONPORTABLE MODEL) | A 7430 | # | FSS | 29-JAN-80 |
| | A-A-402B | TYPEWRITER, MANUAL, PORTABLE | A 7430 | # | FSS | 30-JAN-89 |
| | A-A-403C | BINDER CLIP | A 7510 | # | FSS | 03-NOV-94 |
| | A-A-405A | HAMMER, ROTARY, ELECTRIC | A 5130 | # | FSS | 20-FEB-81 |
| | A-A-407C | FASTENER, PAPER (COMPRESSOR TYPE) | A 7510 | # | FSS | 28-AUG-89 |
| | A-A-409 | STAPLE REMOVER, OFFICE TYPE | A 7520 | % | FSS | 16-OCT-81 |
| | A-A-410 | DIE, THREAD CUTTING (ROUND, SPLIT, INCH SERIES) | A 5136 | # | FSS | 17-OCT-79 |
| | A-A-411 | DIE, THREAD CUTTING (ROUND, SPLIT, METRIC SERIES) | A 5136 | # | FSS | 23-OCT-79 |
| | A-A-412 | DIE AND COLLET (TWO PIECE DIES WITH COLLETS) | A 5136 | # | FSS | 06-NOV-79 |
| | A-A-413 | DIE, RETHREADING (HEXAGON) | A 5136 | # | FSS | 13-NOV-79 |
| | A-A-414 | DIE STOCK (FOR ROUND, SPLIT DIES) | A 5136 | # | FSS | 26-OCT-79 |
| | A-A-415 | DIESTOCK (FOR ROUND, COLLET DIES) | A 5136 | # | FSS | 13-NOV-79 |
| | A-A-416B | SINGLE STRIKE TYPEWRITER RIBBONS | A 7510 | # | FSS | 05-APR-91 |
| | A-A-417B | RIBBONS, TYPEWRITER | A 7510 | # | FSS | 05-APR-91 |
| | A-A-419 | RIBBON, TELETYPEWRITER | A 7510 | # | FSS | 01-OCT-85 |
| | A-A-420A | RIBBON, ACCOUNTING MACHINE | A 7510 | # | FSS | 10-APR-91 |
| | A-A-421A | PITCHER, VACUUM [CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A 7350 | * | GL | 04-NOV-93 |
| A | A-A-422C | PAN SET, BREAD [CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A 7330 | * | GL | 24-SEP-97 |
| | A-A-424A | PITCHER, WATER [CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A 7350 | * | GL | 26-AUG-91 |
| | A-A-425 | PITCHER, INSULATED, 10 OZ. | A 7350 | # | FSS | 30-MAY-80 |
| | A-A-426A | THUMBTRACK | A 7510 | % | FSS | 30-AUG-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/area | MCA | Prog. Acty. | Date |
|------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | A-A-427C | SHARPENER, PENCIL (AND C- CLAMP) | A 7520 | # | FSS | 12-APR-96 |
| | A-A-428 | COPYHOLDER, TYPISTS | A 7520 | # | FSS | 15-DEC-82 |
| | A-A-429C | CLAMP, C-, LIGHT SERVICE [CUST: 99] | A 5120 | * | 99 | 01-APR-83 |
| | A-A-430E | CLAMP, C-, VERY LIGHT SERVICE [CUST: GL 99] | A 5120 | % | FSS | 08-JAN-88 |
| | A-A-431D | CLAMP, C-, MEDIUM SERVICE [CUST: GL 99] | A 5120 | % | FSS | 08-JAN-88 |
| | A-A-432C | CLAMP, SCREW, QUICK ADJUSTING, FIXED HEAD | A 5120 | # | FSS | 01-APR-83 |
| | A-A-433D | CLAMP, C-, HEAVY DUTY [CUST: GL 99] | A 5120 | * | 99 | 08-JAN-88 |
| | A-A-434C | CLAMP, SCREW, QUICK-ADJUSTING, SLIDING HEAD [CUST: 99] | A 5120 | # | GL | 01-APR-83 |
| | A-A-435D | CLAMP, SCREW, QUICK ADJUSTING, THREADED HEAD [CUST: GL 99] | A 5120 | # | FSS | 12-OCT-79 |
| | A-A-436 | DRIVER, PROJECTILE UNIT, .38 CALIBER, UNDERWATER | A 5130 | # | FSS | 05-NOV-80 |
| | A-A-437A | SAW, RECIPROCATING, PORTABLE, ELECTRIC, HEAVY DUTY | A 5130 | # | FSS | 08-NOV-79 |
| | A-A-438 | WRENCH, IMPACT, ELECTRIC, DOUBLE INSULATED | A 8135 | # | FSS | 03-OCT-79 |
| | A-A-440 NOT 1 | CUSHIONING MATERIAL, PLASTIC, OPEN CELL (FOR PACKAGING APPLICATIONS) [REVIEW: 99 AR AV CR CR4 MD] | A 5130 | # | FSS | 15-OCT-79 |
| | A-A-444 | DRIVER, PROJECTILE UNIT, .27 CALIBER | A 5130 | # | FSS | 25-SEP-79 |
| | A-A-446 | DRILL, ELECTRIC, PORTABLE, BATTERY POWERED, 750 RPM | A 5130 | # | FSS | 20-FEB-81 |
| | A-A-450A | HAMMER, ROTARY, ELECTRIC | A 5110 | # | FSS | 05-JAN-80 |
| | A-A-452 | FRAME, JEWELERS SAW (ADJUSTABLE LENGTH) | A 5110 | # | FSS | 05-NOV-79 |
| | A-A-453 | FRAME, HAND HACKSAW, ADJUSTABLE LENGTH | A 7350 | * | GL | 04-NOV-93 |
| | A-A-457A | TUMBLER, DRINKING (PLASTIC) [CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A 7930 | # | FSS | 06-DEC-91 |
| | A-A-460 NOT 1 | CLEANING COMPOUND, TOILET BOWL, BISULFATE | A 8520 | % | FSS | 02-MAY-95 |
| | A-A-461B | HAND CLEANER (PRE-MOISTENED PAPER TOWELETTE IN PACKET) [REVIEW: 99 GL SA] | A 7340 | # | GL | 13-DEC-96 |
| | A-A-462C | HOOK AND EYE, DOOR | A 5330 | * | FSS | 30-DEC-96 |
| | A-A-463B | SCOOP, ICE CREAM, MECHANICAL [CUST: GL SA 99] [REVIEW: 35 84 MC MD QM1] | A 7330 | * | GL | 25-APR-91 |
| | A-A-467A | SIFTER, FLOUR, HAND [CUST: GL SA 99] | A 7330 | * | FSS | 12-MAY-93 |
| | A-A-468A | SCOOP, KITCHEN [CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A 7330 | * | GL | 25-JUL-96 |
| | A-A-469B | COLANDER [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 5133 | # | FSS | 26-SEP-79 |
| | A-A-478 | DRILL, TWIST, DOUBLE END | A 5130 | # | FSS | 06-NOV-79 |
| | A-A-481 | DRILLS, ELECTRIC, PORTABLE | A 5130 | # | FSS | 10-OCT-79 |
| | A-A-482 | ROUTER, ELECTRIC, PORTABLE | A 5130 | # | FSS | 27-SEP-79 |
| | A-A-491 | SANDER FILER, PNEUMATIC | A 5133 | # | FSS | 26-OCT-79 |
| | A-A-501 | COUNTERBORE SET | A 5130 | # | FSS | 11-DEC-79 |
| | A-A-509 | SHAVER, WELD, PORTABLE, PNEUMATIC | A 5130 | # | FSS | 12-OCT-79 |
| | A-A-511 | SANDER POLISHER, TRANSLATORY ACTION, PNEUMATIC, PORTABLE | A 5130 | # | FSS | 15-OCT-79 |
| | A-A-512 | NAILER, PNEUMATIC, PORTABLE | A 5133 | # | FSS | 25-SEP-79 |
| | A-A-517 | DRILL, TWIST, 1/4 INCH SHANK | A 5130 | # | FSS | 06-FEB-98 |
| A | A-A-521A | SAW, CIRCULAR, GASOLINE ENGINE DRIVEN, PORTABLE [CUST: FSS] | A 5130 | # | FSS | 12-OCT-79 |
| | A-A-522 | WRENCH, RATCHETING, PNEUMATIC | A 8040 | * | FSS | 01-FEB-96 |
| | A-A-529A | ADHESIVE AND SEALING COMPOUND, CELLULOSE NITRATE BASE (SOLVENT TYPE) [CUST: MR SH 99] | A 7920 | # | FSS | 21-SEP-79 |
| | A-A-531 | RAG WIPING, COTTON & COTTON SYNTHETIC | A 5120 | # | FSS | 18-NOV-83 |
| | A-A-534A | WRENCH SET, SOCKET, HAND | A 5120 | # | FSS | 07-NOV-79 |
| | A-A-539 | INSTALLING TOOL SET, O-RING | A 5130 | # | FSS | 01-OCT-79 |
| | A-A-542 | HEAD, RIVET PULLING | A 5120 | % | FSS | 08-JAN-88 |
| | A-A-547D | CLAMP, HAND SCREW [CUST: GL 99] | A 5120 | % | FSS | 08-JAN-88 |
| | A-A-548D | CLAMP, CANTILEVER JAW [CUST: GL 99] [REVIEW: 84] | A 8135 | * | GL | 13-JUN-94 |
| | A-A-549D | CUSHIONING MATERIAL, PACKAGING (FLEXIBLE CLOSED CELL PLASTIC FILM, FOR SHORT DISTRIBUTION CYCLES) [CUST: GL AS 69] [REVIEW: 84 99 AR AV CG MD MI] | A 8105 | # | FSS | 18-NOV-82 |
| | A-A-550A | BAGS, PAPER (GROCER S) [CUST: GL SA 69] [REVIEW: 99 MD] | A 8105 | # | FSS | 14-OCT-88 |
| | A-A-550A(11) | BAGS, PAPER (GROCER S) | A 7330 | # | GL | 12-OCT-93 |
| | A-A-551A | DOUBLE BOILER [CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A 7330 | * | GL | 21-OCT-93 |
| | A-A-554A | TEAKETTLE (4-QUART) [CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A 5340 | # | FSS | 30-JAN-95 |
| | A-A-556A NOT 1 | STRAP, WEBBING | A 7510 | # | FSS | 30-NOV-95 |
| | A-A-558B | MAPTACK | A 7510 | # | FSS | 08-DEC-93 |
| | A-A-559A | SCALE, MEASURING, TYPIST'S | A 7510 | % | FSS | 04-MAY-90 |
| | A-A-560C | PAPERWEIGHT, DRAFTING AND TOPOGRAPHICAL | A 7520 | # | FSS | 19-JAN-94 |
| | A-A-561A | RACKS, RUBBER STAMP | A 7520 | * | GL | 24-SEP-81 |
| | A-A-562 | LEAD REPOINTER, PENCIL | A 7510 | # | FSS | 13-MAY-94 |
| | A-A-563A | RULER, POLYMER (DESK) | A 7520 | # | FSS | 20-FEB-80 |
| | A-A-564 | DISPENSER, GUMMED TAPE, ELECTRICALLY OPERATED (SINGLE LENGTH) | A 7520 | # | FSS | 09-APR-97 |
| | A-A-565B | DATING STAMP (TIME LEGEND) | A 7520 | # | FSS | 09-APR-97 |
| | A-A-567B | NUMBERING AND LETTERING STAMP | A 5130 | # | FSS | 19-NOV-79 |
| | A-A-569 | POLISHER, ELECTRIC, PORTABLE | A 5130 | # | FSS | 28-FEB-86 |
| | A-A-571A | NUTRUNNER AND SCREWDRIVER, ELECTRIC | A 5130 | # | FSS | 10-OCT-79 |
| | A-A-576 | DRILL, ELECTRIC, PORTABLE, 2 VARIABLE SPEEDS | A 5130 | # | FSS | 12-OCT-79 |
| | A-A-577 | SANDER POLISHER, TRANSLATORY ACTION, ELECTRIC, PORTABLE | A 7520 | # | FSS | 15-JAN-94 |
| | A-A-580A | LEAD HOLDER | A 7520 | # | FSS | 25-JUL-96 |
| | A-A-581C | DESK TRAY, PLASTIC (LETTER SIZE) | A 7520 | % | FSS | 25-JUL-96 |
| | A-A-582C | DESK TRAY, PLASTIC (LEGAL SIZE) | A 7520 | % | FSS | 25-JUL-96 |
| | A-A-583C | DESK TRAY, PLASTIC (COMPUTER PRINTOUT SIZE) | A 8460 | # | FSS | 15-JUN-93 |
| | A-A-584B NOT 1 | CASES, GENERAL UTILITY (ARTIFICIAL LEATHER) | A 8460 | % | FSS | 25-APR-91 |
| | A-A-585A | BRIEFCASE, GENERAL PURPOSE (ARTIFICIAL LEATHER) | A 6130 | # | FSS | 31-OCT-79 |
| | A-A-586 | BATTERY CHARGER MOBILE, HIGH RATE, FOR 6 AND 12 VOLT BATTERIES | A 6130 | # | FSS | 15-NOV-79 |
| | A-A-596 | BATTERY CHARGER AND ANALYZER, MOBILE, FOR 6 AND 12 VOLT BATTERIES | A 6130 | # | FSS | 09-DEC-79 |
| | A-A-597 | BATTERY CHARGER AND ANALYZER, MOBILE HIGH RATE, FOR 6-, 12, AND 24 VOLT BATTERIES | A 6130 | # | FSS | 05-DEC-79 |
| | A-A-598 | BATTERY CHARGER, PORTABLE, FOR 6 AND 12 VOLT BATTERIES | | | | |

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------|---|-----------------------|-----|-------------|-----------|
| A-A-599 | BATTERY CHARGER, PORTABLE, SLOW RATE, FOR 24- OR 36-VOLT BATTERIES | A 6130 | # | FSS | 30-OCT-79 |
| A-A-601 | BATTERY CHARGER, PORTABLE, SLOWRATE FOR SERIES CHARGING OF 6 TO 84 VOLT BATTERIES | A 6130 | # | FSS | 11-DEC-79 |
| A-A-602 | BATTERY CHARGER, DUAL CIRCUIT, SLOW RATE, FOR SERIES CHARGING OF 72 OR 144 VOLTS OF BATTERIES | A 6130 | # | FSS | 31-OCT-79 |
| A-A-605 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 6 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 31-OCT-79 |
| A-A-606A | BATTERY CHARGER, THREE PHASE, F OR CHARGING 6 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 20-MAY-81 |
| A-A-609 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 9 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 05-DEC-79 |
| A-A-610 | BATTERY CHARGER, THREE PHASE, FOR CHARGING NINE CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 31-OCT-79 |
| A-A-611 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 12 CELL INDUSTRIAL STORAG BATTERIES | A 6130 | # | FSS | 31-OCT-79 |
| A-A-612 | BATTERY CHARGER, THREE PHASE, FOR CHARGING 12 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 19-NOV-79 |
| A-A-613 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 15 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 11-DEC-79 |
| A-A-614 | BATTERY CHARGER, THREE PHASE, FOR CHARGING 15 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 10-DEC-79 |
| A-A-615 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 16 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 10-DEC-79 |
| A-A-616 | BATTERY CHARGER, THREE PHASE, FOR CHARGING 16 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 09-DEC-79 |
| A-A-617 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 18 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 09-DEC-79 |
| A-A-618 | BATTERY CHARGER, THREE PHASE, FOR CHARGING 18 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 09-DEC-79 |
| A-A-619 | BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 24 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 09-DEC-79 |
| A-A-620 | BATTERY CHARGER, THREE PHASE, FOR CHARGING 24 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 09-DEC-79 |
| A-A-621 | BATTERY CHARGER, THREE PHASE, FOR CHARGING 36 CELL INDUSTRIAL STORAGE BATTERIES | A 6130 | # | FSS | 30-OCT-79 |
| A-A-624A | TAP, THREAD CUTTING (GROUND, HIGH SPEED STEEL, REGULAR, MACHINE SCREW TAPS) | A 5136 | # | FSS | 07-DEC-87 |
| A-A-625A | TAP, THREAD CUTTING (REGULAR, FRACTIONAL INCH SIZES) | A 5136 | # | FSS | 07-DEC-87 |
| A-A-630 | SCREWDRIVER, ELECTRIC, PORTABLE, BATTERY POWERED | A 5130 | # | FSS | 27-NOV-79 |
| A-A-631A | PICK, ICE [CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A 7330 | * | FSS | 25-MAR-93 |
| A-A-635 | RUBBISH PICKER | A 5120 | # | FSS | 24-JAN-80 |
| A-A-661A | ENGRAVING MACHINE, PANTOGRAPH | A 3417 | / | GS | 19-SEP-86 |
| A-A-665D | LACQUER [CUST: 99] [REVIEW: 84] | A 8010 | * | 99 | 19-NOV-91 |
| A-A-669B | BOX, SHELF, STATIONARY STORAGE [CUST: 69] [REVIEW: SM] | A 8115 | % | FSS | 15-JAN-97 |
| A-A-670C | BOXES, CORRUGATED FIBERBOARD, RECORDS RETIRING | A 8115 | # | FSS | 26-SEP-94 |
| A-A-672B | CANS, MILK, STEEL, STAINLESS [CUST: FSS] | A 8110 | # | FSS | 12-DEC-97 |
| A-A-674 | HOLDER, CAN, GARBAGE | A 7240 | % | FSS | 01-MAY-80 |
| A-A-675A | COVER, RECEPTACLE, SWINGING DOOR [REVIEW: 84 99] | A 7240 | % | FSS | 02-OCT-95 |
| A-A-682A | DISHWASHING COMPOUND, MACHINE (NONCHLORINATED, GRANULAR) [CUST: FSS] | A 7930 | # | FSS | 06-MAR-98 |
| A-A-684A | DISHWASHING COMPOUND, MACHINE (CHLORINATED, GRANULAR) [CUST: FSS] | A 7930 | # | FSS | 05-MAR-98 |
| A-A-685B | BOTTLE, SCREW CAP (POLYETHYLENE), 36.96 CC (1.25 OUNCES) [CUST: FSS] | A 8125 | # | FSS | 12-DEC-97 |
| A-A-688B | BAG, PAPER (INSULATED) | A 8105 | # | FSS | 11-JUL-95 |
| A-A-689A | CARTON, EGG | A 8115 | # | FSS | 02-AUG-95 |
| A-A-690A | CANOE | A 1940 | # | FSS | 20-SEP-80 |
| A-A-694C | SODIUM CHLORIDE, TECHNICAL | A 6810 | # | FSS | 12-AUG-94 |
| A-A-696A | TOWEL, PAPER | A 8540 | # | FSS | 08-SEP-86 |
| A-A-696A(11) | TOWEL, PAPER | A 8540 | # | FSS | 14-OCT-88 |
| A-A-697D | PAPER, TOILET | A 8540 | # | FSS | 14-JUL-93 |
| A-A-700B | CHAIR, SHELL, ROTARY, HIGH BACK | A 7110 | # | FSS | 23-FEB-83 |
| A-A-701A | CHAIR, SHELL, ROTARY, LOW BACK | A 7110 | # | FSS | 23-FEB-83 |
| A-A-702A | CHAIR, SHELL, ROTARY, SIDE | A 7110 | # | FSS | 23-FEB-83 |
| A-A-703A | CHAIR, SHELL, ROTARY, SECRETARIAL | A 7110 | # | FSS | 23-FEB-83 |
| A-A-704G | FILE CABINETS, VERTICAL, STEEL | A 7110 | # | FSS | 26-MAR-96 |
| A-A-706 | STORAGE CABINETS FOR FLAMMABLE LIQUIDS | A 7125 | # | FSS | 15-APR-81 |
| A-A-708 | STORAGE CABINET FOR FORMS | A 7110 | # | FSS | 13-APR-81 |
| A-A-710 | CHAIRS, EASY (RECLINERS) | A 7105 | # | FSS | 07-MAY-81 |
| A-A-713 | AEROSOL FLUORESCENT LACQUER | A 8010 | # | FSS | 14-MAY-80 |
| A-A-714 | LINSEED OIL, ALKALI REFINED | A 8010 | # | FSS | 10-APR-80 |
| A-A-719A | CAP, PAPER FOOD HANDLERS | A 8415 | # | FSS | 01-NOV-96 |
| A-A-723C | PENCIL, MECHANICAL FOR 0.5 AND 0.7 MM LEAD SIZES (TOP/SIDE ACTIVATED) | A 7520 | # | FSS | 12-APR-95 |
| A-A-725A | CLIP, PAPER (BULLDOG) | A 7510 | # | FSS | 22-NOV-88 |
| A-A-726A | TIMER, INTERVAL, MECHANICAL (60 MINUTE MAXIMUM INTERVAL) | A 6645 | # | FSS | 08-MAY-92 |
| A-A-729 | GENERATOR SET, GASOLINE ENGINE (AIR COOLED, PORTABLE, 120 VOLTS, 60 HERTZ, SINGLE PHASE) | A 6115 | # | FSS | 24-FEB-81 |
| A-A-732 | GENERATOR SET, GASOLINE ENGINE (STATIONARY, 120/240 V, 60 HERTZ, SINGLE PHASE) | A 6115 | # | FSS | 20-FEB-81 |
| A-A-733 | GENERATOR SET, GASOLINE ENGINE PORTABLE, 120/240 V, 60 HERTZ, SINGLE PHASE) | A 6115 | # | FSS | 24-FEB-81 |
| A-A-734 | GENERATOR SET, GASOLINE ENGINE AIR COOLED, STATIONARY, 120 V, 60 HERTZ, SINGLE PHASE) | A 6115 | # | FSS | 25-FEB-81 |
| A-A-741 | MOWER, LAWN, ROTARY, WALK BEHIND (HAND PROPELLED) | A 3750 | # | FSS | 20-AUG-80 |
| A-A-744 | MOWER, LAWN, ROTARY, WALK BEHIND (HAND PROPELLED WITH BLADE STOP) | A 3750 | # | FSS | 20-AUG-80 |
| M A-A-829A NOT 2 | HERBICIDE, SIMAZINE [CUST: GS] | A 6840 | / | GS | 23-MAR-98 |
| A-A-838 | MOWER, ROTARY RIDING (7 HP, 3 SPEED, ELECTRIC START) | A 3750 | # | FSS | 05-JUN-80 |
| A-A-839 | MOWER, ROTARY RIDING (7 HP, 3 SPEED, RECOIL START) | A 3750 | # | FSS | 05-JUN-80 |
| A-A-840 | MOWER, ROTARY RIDING (10 HP, 3 SPEED, ELECTRIC START) | A 3750 | # | FSS | 05-JUN-80 |
| A-A-843E | T-SQUARE (WOOD, WOOD AND PLASTIC, STEEL AND PLASTIC) | A 6675 | # | FSS | 17-JUN-93 |
| A-A-857B | THINNER, DOPE & LACQUER (CELLULOSE NITRATE) [REVIEW: 84 DS] | A 8010 | % | FSS | 06-AUG-84 |
| A-A-859A | BREADBOX, PANTRY [CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A 7330 | * | GL | 29-JUL-93 |
| A-A-860A NOT 1 | CANISTER, FOOD STORAGE [CUST: GL SA 99] [REVIEW: 84 MD] | A 7330 | * | FSS | 15-JUN-93 |
| A-A-861 | REMOVER, FLOOR POLISH (POLYMER-TYPE AND WAX) | A 7930 | # | FSS | 22-OCT-84 |
| A-A-863A | ADHESIVE (RUBBER, FOR PAPER BONDING) | A 8040 | # | FSS | 30-MAY-96 |
| A-A-865C | MAILING AND FILING TUBES [CUST: FSS] | A 8110 | # | FSS | 12-DEC-97 |
| A-A-867B | POT HOLDER [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7330 | * | GL | 30-DEC-96 |
| A-A-870A NOT 2 | ENGINE ANTIFREEZE/COOLANT: INHIBITED CONCENTRATED, ETHYLENE GLYCOL | A 6850 | # | FSS | 20-MAR-97 |
| A-A-871 | BAG, MOTION SICKNESS | A 8105 | # | FSS | 14-JAN-80 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | A-A-871(11) | BAG, MOTION SICKNESS | A 8105 | # | FSS | 20-APR-89 |
| | A-A-872 | BAG, PLASTIC (CUSHIONED) | A 8105 | # | FSS | 06-MAR-80 |
| | A-A-873B | STAPLER, PAPER FASTENING, HEAVY DUTY | A 7520 | # | FSS | 08-OCT-93 |
| | A-A-874 | RETRO REFLECTIVE GLASS BEADS | A 8010 | # | FSS | 01-JAN-80 |
| | A-A-881C | BAGS, SHIPPING, BURLAP [CUST: GL 69] [REVIEW: 71 MC MD OS SH] | A 8105 | * | GL | 13-FEB-96 |
| | A-A-883A | TAPE, PRESSURE SENSITIVE ADHESIVE, MASKING [REVIEW: DS] | A 7510 | # | FSS | 13-JAN-83 |
| | A-A-885C | TRAYS, PREPACKING (PLASTIC, FOAM AND CLEAR) | A 8135 | # | FSS | 17-JUN-83 |
| | A-A-886A | TOWELS, BATH, (TERRY) [CUST: GL NU 99 CT] [REVIEW: MC MD] | A 7210 | / | CT | 05-NOV-92 |
| | A-A-887A | CARD, TABULATING, EAM | A 7530 | # | FSS | 17-MAR-81 |
| | A-A-887A(12) | CARD, TABULATING, EAM | A 7530 | # | FSS | 23-NOV-90 |
| A | A-A-888C | CAN, SCREW CAP, METAL, 28-GAGE AND LIGHTER [CUST: GL] [REVIEW: 69 GS MI SA] | A 8110 | * | GL | 24-DEC-97 |
| | A-A-890C | TYPEWRITER (ELECTRIC, TYPEBAR) | A 7430 | # | FSS | 23-FEB-83 |
| | A-A-891B | TYPEWRITER, ELECTRIC, SINGLE ELEMENT | A 7430 | # | FSS | 23-JUN-81 |
| | A-A-894A | PAPER, WRAPPING, DRY WAXED [CUST: GL SA 69] [REVIEW: 71 AR MD SH] | A 8135 | # | GL | 10-SEP-91 |
| | A-A-896C | PAPER SET, MANIFOLD AND CARBON (CORRESPONDENCE SET) | A 7530 | # | FSS | 29-MAR-94 |
| | A-A-897A | PAPER PLACE MAT OR PAPER TRAY COVER (PAPER, DOILY) | A 8540 | # | FSS | 23-AUG-93 |
| | A-A-898 | INDEX SHEET SET, LOOSE-LEAF BINDER (WHITE, BLANK) | A 7530 | % | FSS | 04-JAN-82 |
| | A-A-898(11) | INDEX SHEET SET, LOOSE-LEAF BINDER (WHITE, BLANK) | A 7530 | % | FSS | 20-APR-89 |
| | A-A-900B NOT 1 | TAG, SHIPPING, (PAPER) [CUST: GL SA 69] [REVIEW: 99 AT CR4 MC] | A 8135 | * | GL | 12-APR-91 |
| | A-A-931 | AIR CONDITIONERS, ELECTRIC MOTOR DRIVEN SELF CONTAINED (FOR SHORE USE) | A 4120 | # | FSS | 28-NOV-80 |
| | A-A-932 | AIR CONDITIONER, ELECTRIC MOTOR DRIVEN SELF CONTAINED (FOR SHORE USE) | A 4120 | # | FSS | 10-DEC-80 |
| | A-A-949A | CABLE AND CONDUIT ASSEMBLY, ELECTRICAL | A 6150 | # | FSS | 22-APR-81 |
| | A-A-962A | SHEARS, PRUNING, HAND (ONE HAND OPERATED) [CUST: 99] [REVIEW: 84] | A 3750 | # | FSS | 29-NOV-94 |
| | A-A-970A | BUSH HOOK, HAND [CUST: 99] [REVIEW: 84] | A 3750 | % | FSS | 14-NOV-94 |
| | A-A-973A | SPONGES, METAL | A 7920 | # | FSS | 06-NOV-96 |
| | A-A-974A NOT 1 | PORTFOLIO, ENVELOPE, SLIDE FASTENER (ARTIFICIAL LEATHER) | A 8460 | # | FSS | 15-JUN-93 |
| | A-A-975A | LEAD, DRAWING | A 7510 | # | FSS | 02-MAY-92 |
| | A-A-976A | PENCIL, LEAD DRAWING | A 7510 | # | FSS | 08-MAY-92 |
| | A-A-978A | TAPE, TYPEWRITER, CORRECTION (LIFT OFF) | A 7510 | # | FSS | 05-AUG-80 |
| | A-A-979B | MULTI-STRIKE TYPEWRITER RIBBONS | A 7510 | # | FSS | 28-DEC-90 |
| | A-A-984 | TRUCK, HAND, TWO WHEEL (LIGHT DUTY) | A 3920 | # | FSS | 05-MAY-81 |
| | A-A-1007A | WIRE, STEEL, CARBON (NONELECTRICAL) [REVIEW: DS] | A 9505 | % | FSS | 07-AUG-90 |
| | A-A-1011 | CASTER, SWIVEL (CHAIR) [REVIEW: CR4 IS MC YD1] | A 5340 | % | FSS | 06-JAN-83 |
| | A-A-1013 | LOCK OFFICE MACHINE [REVIEW: CR4 IS MC] | A 5340 | % | FSS | 17-MAR-83 |
| | A-A-1017 | BAG, COTTON DUCK (SOIL AND GRAIN) | A 8105 | # | FSS | 05-MAR-80 |
| | A-A-1019C | STAPLES, PAPER FASTENING, STANDARD AND LIGHT DUTY | A 7510 | # | FSS | 08-OCT-93 |
| | A-A-1020C | PERFORATOR, PAPER, TWO HOLE, DESK | A 7520 | # | FSS | 08-MAR-96 |
| | A-A-1021C | PERFORATOR, PAPER, THREE HOLE, DESK | A 7520 | # | FSS | 08-MAR-96 |
| | A-A-1022B | TRIMMER, PAPER, DROP KNIFE | A 7520 | # | FSS | 05-MAR-96 |
| | A-A-1023A | FRAME, FILE DRAWER | A 7520 | # | FSS | 25-JUL-96 |
| | A-A-1030A | RACK, DISTRIBUTOR, DESK | A 7520 | # | FSS | 19-JAN-94 |
| | A-A-1038A | SEAL, ANTIPILFERAGE (SELF-LOCKING) | A 5340 | % | FSS | 30-JUN-81 |
| | A-A-1039 | SEAL, ANTIPILFERAGE | A 5340 | # | FSS | 26-MAR-80 |
| A | A-A-1040B | KEY CHAIN, REEL (DOOR KEY AND DRILL CHUCK KEYS) [CUST: FSS] | A 5340 | # | FSS | 09-JUL-97 |
| | A-A-1043A NOT 1 | STEEL WOOL [REVIEW: DS] | A 5350 | # | FSS | 12-JUL-94 |
| | A-A-1044A NOT 1 | WOOL, METALLIC (COPPER AND ALUMINUM) | A 5350 | # | FSS | 12-JUL-94 |
| | A-A-1045B | GRAIN, ABRASIVE (MINERAL) | A 5350 | * | 99 | 19-DEC-96 |
| | A-A-1051C | PAPERBOARD, WRAPPING AND CUSHIONING [CUST: GL SA 69] [REVIEW: 71 99 MC MD MT] | A 8135 | * | GL | 01-NOV-95 |
| | A-A-1052A NOT 1 | TUBE, DRINKING, (PLASTIC) [CUST: GL SA 99] [REVIEW: 84 MB MD MS] | A 7350 | * | FSS | 15-JUN-93 |
| | A-A-1053B | DISPENSER, PAPER NAPKIN [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7350 | * | GL | 06-AUG-96 |
| | A-A-1054B | DISPENSER, TOOTHPICK [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7350 | * | GL | 06-AUG-96 |
| | A-A-1056B | TOOTHPICK (WOOD) | A 7350 | # | FSS | 09-JAN-96 |
| | A-A-1060A | TABLEWARE, GLASS (SALT AND PEPPER SHAKERS; SYRUP PITCHER; SUGAR DISPENSER, CONDIMENT CRUT; AND SHERBET CUP) [CUST: GL SA 99] [REVIEW: CR4 MC MD MS SM YD1] | A 7350 | * | GL | 25-APR-91 |
| A | A-A-1061B | TUMBLER, DRINKING (GLASS) [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7350 | * | GL | 05-DEC-97 |
| | A-A-1069B | CANS, ASH AND GARBAGE, AND COVERS | A 7240 | # | FSS | 19-SEP-95 |
| | A-A-1072B | SKIMMER, KITCHEN [CUST: GL SA 99] [REVIEW: 35 84 MC MD QM1] | A 7330 | * | GL | 22-JUL-96 |
| A | A-A-1073B | PANS; CAKE, MUFFIN, AND PUDDING [CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A 7330 | * | GL | 24-SEP-97 |
| | A-A-1074A | LINER, BAKING CUP (PAPER) [CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A 7330 | * | GL | 15-OCT-93 |
| | A-A-1075B | JUG, INSULATED (WATER COOLER) [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7330 | * | GL | 03-DEC-96 |
| | A-A-1078A | COFFEE-MAKER, VACUUM | A 7330 | # | FSS | 25-APR-91 |
| | A-A-1079 | BOWL, FOOD MIXING (STAINLESS STEEL) | A 7330 | # | FSS | 29-JUL-80 |
| | A-A-1080A | OPENER, CAN, HAND (DISPOSABLE, COMBINATION OPENER AND PUNCH) [CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A 7330 | * | FSS | 20-MAY-93 |
| | A-A-1081B | STIRRING STICK, BEVERAGE (WOOD) [CUST: GL SA 99] [REVIEW: 35 84 MC MD1] | A 7340 | * | GL | 06-AUG-96 |
| | A-A-1082B | SPOON, FOOD SERVICE (BASTING, STRAINING, AND MIXING) [CUST: GL SA 99] [REVIEW: 84 MC MD1 QM1] | A 7340 | * | GL | 24-JUL-96 |
| | A-A-1083A | PAD, LITHOGRAPH WIPING | A 3610 | # | FSS | 27-NOV-90 |
| | A-A-1105 | EXTINGUISHER, FIRE, DRY CHEMICAL WEELED | A 4210 | # | FSS | 07-JUL-80 |
| | A-A-1106B | EXTINGUISHER, FIRE, CARBON DIOXIDE [CUST: YD1 99] [REVIEW: AR CC CE MC OS SM] | A 4210 | # | FSS | 31-JAN-85 |
| A | A-A-1110B | GOGGLES, INDUSTRIAL, PLASTIC [CUST: FSS] | A 4240 | # | FSS | 02-DEC-97 |
| | A-A-1152B | DISPENSER, DRINKING WATER, MECHANICALLY COOLED | A 4110 | # | FSS | 06-JUN-80 |
| | A-A-1153B | DISPENSER, DRINKING WATER, MECHANICALLY COOLED | A 4110 | # | FSS | 13-JUN-80 |
| | A-A-1154B | DISPENSER, DRINKING WATER, MECHANICALLY COOLED | A 4110 | # | FSS | 26-JUN-80 |
| | A-A-1184B | PACKING MATERIAL (PLASTIC) | A 5330 | # | FSS | 16-JUN-95 |
| | A-A-1186 | OAKUM (PACKING, JUTE, TWISTED) | A 5330 | # | FSS | 23-JUL-81 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | A-A-1188 | CORK SHEET (PACKAGING & GASKETING) [CUST: OS 99] | A 5330 | * | OS | 30-JUN-81 |
| | A-A-1189 | CALKING LEAD (PACKING & GASKETING) [CUST: MR SH 99] | A 5330 | * | SH | 07-MAY-81 |
| | A-A-1190 | WIRE FABRIC (SPLINT, WIRE MESH) | A 5335 | # | FSS | 27-APR-81 |
| | A-A-1193A | HANGER, PICTURE (MAGNETIC) [CUST: 99] [REVIEW: 82 IS] | A 5340 | * | FSS | 23-JUN-89 |
| A | A-A-1214B | CLOTH, COATED [CUST: FSS] | A 8305 | # | FSS | 25-SEP-97 |
| | A-A-1217B | INDEX SHEET SET, LOOSE-LEAF BINDER (BUFF) | A 7530 | # | FSS | 22-MAR-94 |
| | A-A-1219 | PAPER, CARBON, PENCIL | A 7530 | # | FSS | 17-MAR-81 |
| | A-A-1219(11) | PAPER, CARBON, PENCIL | A 7530 | # | FSS | 20-APR-89 |
| | A-A-1220 | COVER, TOILET SEAT, PAPER | A 8540 | # | FSS | 04-APR-81 |
| M | A-A-1223B | BAG, LAUNDRY (WATER SOLUBLE PLASTIC) | A 8415 | # | FSS | 05-MAR-98 |
| A | A-A-1232B | BOTTLE, DRINKING WATER DISPENSER [CUST: FSS] | A 8125 | # | FSS | 15-DEC-97 |
| | A-A-1235A | CONTAINERS, PLASTIC, MOLDED (FOR LIQUIDS, PASTES, AND POWDERS) [CUST: GL] | A 8115 | % | GL | 17-JAN-96 |
| | A-A-1243A | TAPE, PRESSURE-SENSITIVE ADHESIVE DOUBLE-COATED VINYL, CARPET | A 7510 | # | FSS | 17-MAY-89 |
| | A-A-1244 | PAPER, WRAPPING, DRY WAXED (NON-FOOD WRAPPING USES) | A 8135 | # | FSS | 12-DEC-79 |
| | A-A-1244(11) | PAPER, WRAPPING, DRY-WAXED (NON-FOOD WRAPPING USES) | A 8135 | # | FSS | 20-APR-89 |
| | A-A-1245B | PAPER, WRAPPING, FREEZER (PLASTIC-COATED) [CUST: GL 69] [REVIEW: 99 MD] | A 8135 | * | GL | 04-MAR-93 |
| | A-A-1246A | BAG, PLASTIC (PRODUCE AND POULTRY) | A 8105 | # | FSS | 21-SEP-90 |
| | A-A-1247B | BAG, CELLOPHANE [CUST: GL SA 99] [REVIEW: 84 MD SS] | A 8105 | * | GL | 29-SEP-92 |
| | A-A-1249A | PAPER, WRAPPING, TISSUE [CUST: GL SA 69] [REVIEW: 84 99 MD] | A 8135 | * | FSS | 18-MAY-93 |
| | A-A-1252B | PAD (MEAT, POULTRY & FISH) [CUST: GL SA] [REVIEW: MD] | A 8135 | * | GL | 11-FEB-92 |
| | A-A-1253B | BOARD, PREPACKING (PAPERBOARD & MOLDED PULP TRAYS) | A 8135 | # | FSS | 19-JUN-83 |
| | A-A-1266B | TAG, SHIPPING (CLOTH) [CUST: GL SA 69] [REVIEW: 99 AR AT CR4 MC MD YD1] | A 8135 | * | GL | 09-JAN-91 |
| | A-A-1267A | TAP, THREAD CUTTING (SPIRAL POINTED) | A 5136 | # | FSS | 07-DEC-87 |
| | A-A-1270 | ADHESIVE, POLYVINYL ACETATE EMULSION, GENERAL PURPOSE [CUST: MR AS 99] [REVIEW: 84 AR AT EA YD] | A 8040 | * | FSS | 16-APR-96 |
| | A-A-1272A | PLASTER, GYPSUM (SPACKLING COMPOUND) | A 5610 | # | FSS | 01-NOV-91 |
| | A-A-1273 | PAIL, UTILITY, METAL, GALVANIZED, (ZINC COATED) | A 7240 | # | FSS | 17-JUN-80 |
| | A-A-1274A | WRENCH, TORQUE, DEFLECTING BEAM [CUST: GL YD1 99] | A 5120 | % | FSS | 26-MAY-87 |
| | A-A-1280B | SORBENT, OIL (ROLL, SWEEP, PAD) [CUST: YD1 99] [REVIEW: 84 AS GS] | A 9330 | / | YD1 | 09-MAR-95 |
| | A-A-1281A | SORBENT, OIL (PARTICULATE) [CUST: YD1 84] | A 9330 | / | YD1 | 31-MAR-89 |
| | A-A-1282A | SORBENT, OIL (ENCLOSED) [CUST: GL YD1 84] | A 9330 | / | YD1 | 31-MAR-89 |
| | A-A-1284B | HAMMER, HAND, MAUL, SPIKE (RAILROAD) [CUST: GL 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1285B | HAMMER, HAND, MAUL, SHIP (TOP) [CUST: GL SH 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1286B | HAMMER, HAND, STONEMWORKERS', MASONS' [CUST: GL 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1288B | HAMMER, HAND, STONEMWORKERS', NAPPING [CUST: GL 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1289 | HAMMER, HAND, STONEMWORKERS, STRIKING (DRILLING) [CUST: GL SH 99] | A 5120 | % | FSS | 16-MAY-84 |
| | A-A-1290B | HAMMER, HAND, STONEMWORKERS', HAND DRILLING, SHORT PATTERN [CUST: GL 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1291B | HAMMER, HAND, BLACKSMITHS' OR ENGINEERS', STRAIGHT PEEN [CUST: GL 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1292B | HAMMER, HAND, BLACKSMITHS' OR ENGINEERS' CROSS PEEN [CUST: GL 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1293B | HAMMER, HAND, BLACKSMITHS' OR ENGINEERS' DOUBLE FACE [CUST: GL SH 99] [REVIEW: YD1] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1294B | HAMMER, HAND, TINNERS', SETTING (PANEING) [CUST: GL 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1295B | HAMMER, HAND, TINNERS', RIVETING [CUST: GL SH 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1297B | HAMMER, HAND, TRIMMERS', TACK, MAGNETIZED [CUST: GL 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1300B | HAMMER, HAND, SCALING [CUST: GL 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1304B | HAMMER, HAND, MACHINISTS', RIVETING [CUST: GL 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1305B | HAMMER, HAND, MACHINISTS', BALL PEEN [CUST: GL 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1306B | HAMMER, HAND, CARPENTERS', RIPPING STRAIGHT CLAW [CUST: GL 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1307B | HAMMER, HAND, CARPENTERS', NAIL, CURVED CLAW [CUST: GL 99] | A 5120 | * | GL | 17-APR-89 |
| | A-A-1340 | WRENCH, BOX, STUB END TYPE, OFFSET HANDLE | A 5120 | # | FSS | 14-JAN-80 |
| | A-A-1341 | WRENCH, BOX, STUB END TYPE, STRAIGHT HANDLE | A 5120 | # | FSS | 14-JAN-80 |
| | A-A-1342A | WRENCH, BOX, DOUBLE HEAD 15 DEG. OFFSET EACH END, REGULAR LENGTH [CUST: GL 99] | A 5120 | * | GL | 05-MAR-91 |
| | A-A-1343A | WRENCH, BOX, DOUBLE HEAD 15 DEG. OFFSET EACH END, SHORT LENGTH [CUST: GL 99] | A 5120 | * | GL | 05-MAR-91 |
| | A-A-1344A | WRENCH, BOX, DOUBLE HEAD OFFSET EACH END (DEEP OR MODIFIED), REGULAR LENGTH [CUST: GL 99] | A 5120 | * | GL | 05-MAR-91 |
| | A-A-1345A | WRENCH, BOX, DOUBLE HEAD OFFSET EACH END (DEEP OR MODIFIED), SHORT LENGTH [CUST: GL 99] | A 5120 | * | GL | 05-MAR-91 |
| | A-A-1346 | WRENCH, BOX, DOUBLE HEAD, 12 POINT, HALF MOON | A 5120 | # | FSS | 14-JAN-80 |
| | A-A-1348 | WRENCH, TAPPET, DOUBLE SPEARHEAD, OPEN END, 15 DEG. HEAD | A 5120 | # | FSS | 09-MAY-80 |
| | A-A-1349 | WRENCH, SLUGGING, BOX, 12 POINT [REVIEW: YD1] | A 5120 | # | FSS | 26-FEB-80 |
| | A-A-1350A | WRENCH, FLARE NUT, SINGLE HEAD, MODIFIED 12-POINT [CUST: GL 99] | A 5120 | * | GL | 18-JAN-89 |
| | A-A-1351 | WRENCH, OPEN END, THIN DOUBLE HEAD | A 5120 | # | FSS | 14-JAN-80 |
| | A-A-1352 | WRENCH, OPEN END, SINGLE THIN HEAD, STRAIGHT | A 5120 | # | FSS | 14-JAN-80 |
| | A-A-1353 | WRENCH, OPEN END, SINGLE THIN HEAD, 30 DEG. HEAD | A 5120 | # | FSS | 26-FEB-80 |
| | A-A-1354 | WRENCH, OPEN END, SINGLE THIN HEAD, 15 DEG. HEAD | A 5120 | # | FSS | 14-JAN-80 |
| | A-A-1355 | WRENCH, IGNITION, DOUBLE HEAD, OPEN END, 15 DEG. AND 60 DEG. HEADS | A 5120 | # | FSS | 14-JAN-80 |
| | A-A-1356A | WRENCH, ENGINEER'S, DOUBLE HEAD, OPEN END, 15 DEGREE HEAD [CUST: GL 99] | A 5120 | * | GL | 17-JAN-89 |
| | A-A-1357A | WRENCH, ENGINEER'S, SINGLE HEAD, OPEN END, 15 DEGREE HEAD [CUST: GL 99] | A 5120 | * | GL | 19-JAN-89 |
| | A-A-1358A | WRENCH, COMBINATION, OPEN END AND 15 DEG. OFFSET BOX OPENING | A 5120 | # | FSS | 15-JAN-80 |
| | A-A-1359 | WRENCH, ANGLE, DOUBLE HEAD, OPEN END, 15 DEG & 60 DEG. HEADS | A 5120 | # | FSS | 08-MAY-80 |
| | A-A-1360 | WRENCH, STRIKING, BOX 12 POINT | A 5120 | # | FSS | 14-JAN-80 |
| | A-A-1374 | SOUP, LAUNDRY (FLUORIDATED) | A 7930 | # | FSS | 30-APR-80 |
| | A-A-1375A | SOAP, LAUNDRY, BAR | A 7930 | # | FSS | 07-MAY-80 |
| | A-A-1381A | LANTERN, ELECTRIC ONE CONCENTRATED BEAM | A 6230 | # | FSS | 02-JUN-81 |
| | A-A-1382 | LANTERN, ELECTRIC (RECHARGEABLE) | A 6230 | # | FSS | 31-MAR-81 |
| A | A-A-1383B | INKING PAD, RUBBER STAMP (FABRIC PAD) [CUST: FSS] | A 7510 | # | FSS | 17-SEP-97 |
| | A-A-1384A | HOLDER, DOOR [CUST: IS] | A 5340 | * | IS | 04-MAR-93 |
| | A-A-1392 | SOCKET, SOCKET WRENCH, NONPOWER, 1 INCH DRIVE, 12-POINT [CUST: GL 99] [REVIEW: AL YD1] | A 5120 | GL | | 14-DEC-82 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-------|-------------|-----------|
| | A-A-1393 | SOCKET, SOCKET WRENCH, NONPOWER, 1 INCH DRIVE, 6-POINT [CUST: GL 99] [REVIEW: AL] | A 5120 | GL | | 14-DEC-82 |
| | A-A-1394 | SOCKET, SOCKET WRENCH, NONPOWER, 3/4 INCH DRIVE, 12-POINT, REGULAR LENGTH [CUST: GL 99] [REVIEW: AL YDI] | A 5120 | GL | | 14-DEC-82 |
| | A-A-1395 | SOCKET, SOCKET WRENCH, NONPOWER, 3/4 INCH DRIVE, 12 POINT, LONG LENGTH [CUST: GL 99] [REVIEW: AL YDI] | A 5120 | GL | | 13-JUN-85 |
| | A-A-1396 | SOCKET, SOCKET WRENCH, NONPOWER, 1/2 INCH DRIVE, UNIVERSAL JOINT [CUST: GL 99] [REVIEW: AL YDI] | A 5120 | * GL | | 14-DEC-82 |
| | A-A-1397 | SOCKET, SOCKET WRENCH, NONPOWER, 1/2 INCH DRIVE, 8-POINT [CUST: GL 99] [REVIEW: AL] | A 5120 | * GL | | 14-DEC-82 |
| | A-A-1398 | SOCKET, SOCKET WRENCH, NONPOWER, 1/2 INCH DRIVE, 12-POINT, LONG LENGTH [CUST: GL 99] [REVIEW: AL YDI] | A 5120 | GL | | 14-DEC-82 |
| | A-A-1399 | SOCKET, SOCKET WRENCH, NONPOWER, 1/2 INCH DRIVE, 12-POINT, REGULAR LENGTH [CUST: GL 99] [REVIEW: AL YDI] | A 5120 | * GL | | 14-DEC-82 |
| | A-A-1401 | SOCKET, SOCKET WRENCH, NONPOWER, 3/8 INCH DRIVE, UNIVERSAL JOINT [REVIEW: AL YDI] | A 5120 | % FSS | | 14-DEC-82 |
| | A-A-1402 | SOCKET, SOCKET WRENCH, NONPOWER, 3/8 INCH DRIVE, 8 POINT [REVIEW: AL YDI] | A 5120 | * GL | | 14-DEC-82 |
| | A-A-1403 | SOCKET, SOCKET WRENCH, NONPOWER, 3/8 INCH DRIVE, 12-POINT, LONG LENGTH [CUST: GL 99] [REVIEW: AL YDI] | A 5120 | GL | | 14-DEC-82 |
| | A-A-1404A | SOCKET, SOCKET WRENCH, NONPOWER, 3/8 INCH DRIVE, 12 POINT, REGULAR LENGTH [CUST: GL 99] [REVIEW: AL YDI] | A 5120 | * GL | | 07-DEC-87 |
| | A-A-1405 | SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 4 AND 8 POINT [REVIEW: AL] | A 5120 | % FSS | | 14-DEC-82 |
| | A-A-1406 | SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 12 POINT, LONG LENGTH [REVIEW: AL] | A 5120 | % FSS | | 14-DEC-82 |
| | A-A-1407 | SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 12 POINT, REGULAR LENGTH [CUST: GL 99] [REVIEW: AL] | A 5120 | * GL | | 14-DEC-82 |
| | A-A-1408 | SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 6-POINT, LONG LENGTH [CUST: GL 99] [REVIEW: AL] | A 5120 | * GL | | 14-DEC-82 |
| | A-A-1409 | SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 6 POINT, REGULAR LENGTH [CUST: GL 99] [REVIEW: AL] | A 5120 | * GL | | 14-DEC-82 |
| | A-A-1419D | FILTER ELEMENT, AIR CONDITIONING (VISCIOUS-IMPINGEMENT AND DRY TYPES, REPLACEABLE) | A 4130 | # FSS | | 18-JUN-91 |
| | A-A-1420 | AEROSOL FIXATIVE LACQUER | A 8010 | # FSS | | 06-MAY-80 |
| | A-A-1427C | SODIUM HYPOCHLORITE SOLUTION | A 6810 | # FSS | | 02-DEC-93 |
| A | A-A-1430A | PADS, SCOURING, PLASTIC SPONGE WITH ABRASIVE BACK [CUST: FSS] | A 7920 | # FSS | | 14-JUL-97 |
| | A-A-1432A | TOWEL, PAPER (INDUSTRIAL WIPING) | A 7920 | # FSS | | 11-APR-96 |
| | A-A-1433C | SHEET, BED (COTTON AND POLYESTER/COTTON BLEND) | A 7210 | # FSS | | 16-OCT-95 |
| A | A-A-1438A | DISINFECTANT, GENERAL PURPOSE (LIQUID PHENOLIC TYPE) [CUST: GL 1 MS 68 GS] [REVIEW: MD1] | A 6840 | / GS | | 22-SEP-97 |
| A | A-A-1439A | DISINFECTANT-DETERGENT, GENERAL PURPOSE (PHENOLIC TYPE) [CUST: GL GS] [REVIEW: MD1] | A 6840 | / GS | | 26-FEB-98 |
| | A-A-1440 | DISINFECTANT-DETERGENT, GENERAL PURPOSE (IODOPHOR) [CUST: GL 68] [REVIEW: GS MD] | A 6840 | * GL | | 21-FEB-91 |
| | A-A-1441 NOT 1 | DISINFECTANT, GENERAL PURPOSE (QUATERNARY AMMONIUM COMPOUND) [CUST: SH 68] [REVIEW: AS] | A 6840 | * GS | | 02-MAY-89 |
| | A-A-1442 | SANITIZER-DETERGENT, GENERAL PURPOSE (QUATERNARY AMMONIUM COMPOUND) | A 6840 | # FSS | | 22-MAY-81 |
| A | A-A-1443A | DISINFECTANT-DETERGENT, GENERAL PURPOSE (QUATERNARY AMMONIUM COMPOUND) [CUST: GL YDI 68 GS] [REVIEW: MC MD1 MS] | A 6840 | * GS | | 26-FEB-98 |
| | A-A-1446F | ENVELOPE, MAILING [CUST: GL SA 99] [REVIEW: 84 CG MC] | A 7530 | % FSS | | 10-MAR-94 |
| | A-A-1447A | TOWEL, PAPER (PLASTIC WIPING) | A 7920 | # FSS | | 15-AUG-84 |
| | A-A-1451A | LACQUER, FIBROUS [CUST: 99] [REVIEW: 82 IS MC MD] | A 4020 | % FSS | | 28-JUL-95 |
| | A-A-1452B | TWINE (SPRAYING, CHEMICAL RESISTANT) [CUST: MR SH 99] | A 8010 | * MR | | 23-FEB-96 |
| | A-A-1453B | STOPWATCH, DIGITAL, ELECTRIC | A 6645 | # FSS | | 10-APR-92 |
| | A-A-1455 | MOPPING OUTFIT, FLOOR | A 7920 | # FSS | | 18-SEP-81 |
| | A-A-1457A | TIMER, INTERVAL, MECHANICAL (120 MINUTE MAXIMUM INTERVAL) | A 6645 | # FSS | | 22-APR-92 |
| | A-A-1462C | LABEL, PAPER, PRESSURE-SENSITIVE ADHESIVE, GENERAL PURPOSE [CUST: GL SA] | A 7530 | % FSS | | 24-MAR-94 |
| | A-A-1464 | HANDLE, ACME THREADED END (TELESCOPIC) | A 7920 | # FSS | | 24-AUG-81 |
| | A-A-1491C | CLOTH, CHEESECLOTH (COTTON) | A 8305 | # FSS | | 01-MAY-96 |
| | A-A-1492B | TAPE, GUMMED, PAPER, PLAIN [REVIEW: CG CR4 SA SH] | A 8135 | % FSS | | 08-AUG-90 |
| | A-A-1493 | TIMER, INTERVAL, ELECTRIC (DIGITAL) | A 6645 | % FSS | | 27-MAR-81 |
| | A-A-1496A | RECEPTACLE, TRASH (PLASTIC, 2 WHEELED, 2-WHEELED, 85 GALLONS, WITH LID) [CUST: GL YDI 99] | A 7240 | * GL | | 28-MAY-81 |
| | A-A-1500A NOT 1 | SEALER SURFACE (LATEX BLOCK FILLER) [CUST: YDI1] [REVIEW: CE] | A 8030 | % FSS | | 10-JAN-96 |
| | A-A-1501B | PAPER SET, DUPLICATING, MASTER | A 7530 | % FSS | | 30-MAR-94 |
| | A-A-1502A | PAPER, CARBON, TYPEWRITER | A 7530 | % FSS | | 24-JAN-90 |
| | A-A-1505C | TISSUE, FACIAL | A 8540 | # FSS | | 30-MAY-90 |
| | A-A-1507A | CHIPBOARD | A 8135 | # FSS | | 28-JUN-93 |
| | A-A-1509 | CLOCK, WALL ELECTRIC, SYNCHRONOUS MOTOR | A 6645 | # FSS | | 26-MAR-81 |
| | A-A-1519A | CASE, DISPATCH (ARTIFICIAL LEATHER) [REVIEW: 82] | A 8460 | % FSS | | 27-APR-90 |
| A | A-A-1533A | AIRBRUSH, ARTIST (KIT) [CUST: FSS] | A 7520 | # FSS | | 01-OCT-97 |
| | A-A-1534A | FIXTURE LIGHTING (FLUORESCENT INDUSTRIAL) [CUST: CR4 99] | A 6210 | # FSS | | 23-FEB-82 |
| | A-A-1535 | FIXTURE, LIGHTING (FLUORESCENT SURFACE MOUNTED) | A 6210 | # FSS | | 28-JUL-81 |
| | A-A-1540 | TIRE CHAIN, REINFORCED, PASSENGER CAR (TYPE RP) WITH REPLACEMENT CROSS CHAINS | A 2540 | # FSS | | 20-MAY-80 |
| | A-A-1541 | TIRE CHAIN, REINFORCED, DUAL TRIPLE TRUCK, (TYPE RDT) WITH REPLACEMENT CROSS CHAINS | A 2540 | # FSS | | 12-MAY-80 |
| | A-A-1542 | TIRE CHAIN, REINFORCED, SINGLE TRUCK (TYPE RS) WITH REPLACEMENT CROSS CHAINS | A 2540 | # FSS | | 16-MAY-80 |
| | A-A-1543B | SOAP, BORAX (POWDERED) [CUST: GL 99] [REVIEW: MD] | A 8520 | % FSS | | 10-SEP-96 |
| A | A-A-1545A | SODIUM CHLORIDE, TECHNICAL (FOR ICE REMOVAL) [CUST: FSS] | A 6810 | # FSS | | 10-JUL-97 |
| | A-A-1546A | RUBBING VARNISH | A 8010 | # FSS | | 07-AUG-80 |
| | A-A-1551 | PRIMER COATING (GENERAL PURPOSE, AEROSOL) | A 8010 | # FSS | | 30-APR-81 |
| | A-A-1552A | PRIMER COATING (FERRIC OXIDE, AEROSOL) | A 8010 | # FSS | | 24-MAR-81 |
| | A-A-1555 | WATER PAINT, POWDER (CEMENTITIOUS, WHITE & COLORS) | A 8010 | # FSS | | 14-APR-81 |
| | A-A-1556A | SEALING COMPOUND (ELASTOMERIC JOINT SEALANTS) | A 8030 | # FSS | | 17-DEC-96 |
| | A-A-1558 | PAINT, STENCIL [REVIEW: DS] | A 8010 | # FSS | | 03-APR-81 |
| A | A-A-1565A | SWAB, TOILET, ALL SYNTHETIC [CUST: FSS] | A 7920 | # FSS | | 04-OCT-97 |
| | A-A-1570 | PAPER, TELETYPEWRITER, ROLL (SPIRIT PROCESS) [CUST: GL SA] [REVIEW: CR] | A 7530 | * GL | | 22-MAR-83 |
| | A-A-1572 | SEALER, SURFACES (SANDING) | A 8010 | * GL | | 23-APR-82 |
| | A-A-1573 | PAPER, XEROGRAPHIC | A 7530 | # FSS | | 23-APR-80 |
| | A-A-1577 | LAMP, INCANDESCENT, 150 WATT, FLOODLIGHT, 150PAR/FL | A 6240 | # FSS | | 19-FEB-81 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty | Date |
|------------|-----------------|---|-----------------------|-----|------------|-----------|
| | A-A-1578 | LAMP, INCANDESCENT, 150 WATT, SPOTLIGHT, 150 PAR/SP | A 6240 | # | FSS | 18-FEB-81 |
| | A-A-1579 | LAMP, FLUORESCENT, F40LW/RS ENERGY SAVING [REVIEW: GS] | A 6240 | # | FSS | 20-FEB-81 |
| | A-A-1584 | LAMP, INCANDESCENT, TRADE NO. 60A/D | A 6240 | # | FSS | 19-FEB-81 |
| | A-A-1585 | PAINT, STENCIL (AEROSOL) | A 8010 | # | FSS | 13-MAY-81 |
| A | A-A-1588D | SACK, SHIPPING, PAPER (CUSHIONED WITH CLOSED CELL PLASTIC FILM) [CUST: FSS] | A 8105 | # | FSS | 24-JUL-97 |
| | A-A-1591C | PAPER, MEAT INTERLEAVING (DRY WAXED) [CUST: GL SA 69] [REVIEW: 84 99 CG MD SA SH SM] | A 8135 | * | FSS | 13-DEC-95 |
| | A-A-1592A | CALCULATING MACHINE (DESK TOP, 12 DIGIT DISPLAY/PRINT) [CUST: GL SA 99] [REVIEW: 84 AT MI] | A 7420 | # | GL | 31-JAN-83 |
| | A-A-1593A | CALCULATING MACHINE (DESK TOP, 10 DIGIT, DISPLAY ONLY, BATTERY POWERED WITH AC ADAPTER) [CUST: GL SA 99] [REVIEW: 84 AT MI] | A 7420 | % | FSS | 31-JAN-83 |
| | A-A-1594A | CALCULATING MACHINE (DESK TOP, 12-DIGIT DISPLAY ONLY) [CUST: GL SA 99] [REVIEW: 84 AT MI] | A 7420 | % | FSS | 31-JAN-83 |
| | A-A-1595A | CALCULATING MACHINE (DESK TOP, 10 DIGIT DISPLAY/THERMAL PRINT) [CUST: GL SA 99] [REVIEW: 84 AT MI] | A 7420 | % | FSS | 31-JAN-83 |
| | A-A-1596A | CALCULATING MACHINE (DESK TOP, 12-DIGIT PRINT ONLY) [CUST: GL SA 99] [REVIEW: 84 AT MI] | A 7420 | % | FSS | 31-JAN-83 |
| | A-A-1606 | OPENER-DISPENSER CAN [CUST: GL YD1 99] | A 7240 | * | GL | 11-MAY-81 |
| | A-A-1607A | MEASURE, LIQUID [CUST: GL YD1 99] | A 7240 | * | FSS | 11-OCT-85 |
| | A-A-1608B | VIEWER, STILL PICTURE (READER, MICROFICHE, DESK TOP) | A 6730 | # | FSS | 18-FEB-94 |
| | A-A-1610 | STAY, METAL, PAPERBOARD BOX | A 8135 | # | FSS | 02-FEB-81 |
| | A-A-1611A | CARD, INDEX | A 7530 | # | FSS | 04-APR-94 |
| | A-A-1613A | PAPER, WRAPPING, MEAT | A 8135 | # | FSS | 19-JUL-93 |
| | A-A-1615 | ENVELOPE, MAILING | A 7530 | # | FSS | 17-MAR-81 |
| | A-A-1615(11) | ENVELOPE, MAILING | A 7530 | # | FSS | 20-APR-89 |
| | A-A-1616 | ENVELOPE, MAILING | A 7530 | # | FSS | 17-MAR-81 |
| | A-A-1616(11) | ENVELOPE, MAILING | A 7530 | # | FSS | 20-APR-89 |
| | A-A-1617B | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, DESK TOP, STANDARD CASSETTE) | A 7450 | # | FSS | 19-MAR-81 |
| | A-A-1618 | RECORDER-REPRODUCER, SOUND (TRANSCRIBING MACHINE, TAPE, STANDARD CASSETTE) | A 7450 | # | FSS | 19-MAR-81 |
| | A-A-1619B | RECORDER-REPRODUCER, SOUND (DICTATING & TRANSCRIBING MACHINE, COMBINATION, STANDARD CASSETTE) | A 7450 | # | FSS | 20-MAR-81 |
| | A-A-1620B | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, PORTABLE STANDARD CASSETTE) | A 7450 | # | FSS | 20-MAR-81 |
| | A-A-1621B | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, PORTABLE, MICRO-CASSETTE) | A 7450 | # | FSS | 19-MAR-81 |
| | A-A-1622B | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, PORTABLE, MINI-CASSETTE) | A 7450 | # | FSS | 19-MAR-81 |
| | A-A-1623 | STAY, METAL, PAPERBOARD BOX | A 8135 | # | FSS | 10-APR-81 |
| | A-A-1628A | LABEL, PAPER, GUMMED (ADDRESS) [CUST: GL SA] [REVIEW: NA] | A 7530 | % | FSS | 23-MAR-94 |
| | A-A-1629A | LABEL, PAPER, GUMMED (IN BOOK FORM) [CUST: GL SA] | A 7530 | % | FSS | 23-MAR-94 |
| | A-A-1630A | LABEL, PAPER, GUMMED (INDIVIDUAL) [CUST: GL SA] [REVIEW: NA] | A 7530 | % | FSS | 23-MAR-94 |
| | A-A-1631A | LABEL, PAPER, GUMMED (FILE FOLDER) [CUST: GL SA] [REVIEW: NA] | A 7530 | % | FSS | 23-MAR-94 |
| | A-A-1632 | VARNISH, ASPHALT [REVIEW: 99 YD1] | A 8010 | * | AV | 10-JUN-81 |
| | A-A-1636A | BAG, PAPER (GLASSINE) | A 8105 | # | FSS | 26-NOV-96 |
| | A-A-1640B | FOOD TURNER [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7330 | * | FSS | 22-JUL-96 |
| | A-A-1642 | LINER, TOILET BOWL | A 8105 | # | FSS | 28-JAN-81 |
| | A-A-1658B | ENVELOPE, PACKING LIST (SELF-ADHESIVE, PLASTIC) [CUST: GL] [REVIEW: 99 AR DS] | A 8105 | * | GL | 24-MAY-90 |
| | A-A-1659A | ENVELOPE, PACKING LIST (DOUBLE SAFETY FOLD) [CUST: GL 69] | A 8105 | * | GL | 27-DEC-91 |
| | A-A-1660A | ENVELOPE, PACKING LIST (SINGLE SAFETY FOLD) [CUST: GL 69] [REVIEW: DS] | A 8105 | * | GL | 13-JAN-92 |
| | A-A-1664 | BLEACH, LAUNDRY, ACTIVE OXYGEN (SODIUM PERCARBONATE) [CUST: GL SA 69] [REVIEW: 99 GS MD] | A 6850 | * | GL | 22-APR-81 |
| | A-A-1665B | GLOVES, MEN'S AND WOMEN'S (WORK) [REVIEW: NU] | A 8415 | % | FSS | 05-SEP-96 |
| | A-A-1666B | TAPE, MEASURING (DRESSMAKERS) [CUST: NU 99] [REVIEW: 32 45 82 MC] | A 8315 | * | FSS | 04-JUN-96 |
| | A-A-1668E | BAG, PLASTIC, GENERAL PURPOSE (RIP-RESISTANT) | A 8105 | # | FSS | 09-FEB-96 |
| | A-A-1669A | BAG, PAPER (BURN BAG) [CUST: GL] | A 8105 | * | GL | 13-FEB-92 |
| | A-A-1671B | TAPE, GUMMED (PAPER, REINFORCED, ASPHALT LAMINATED) [REVIEW: 99 AR CG CR4 CT EA MD SA SH] | A 8135 | % | FSS | 10-AUG-90 |
| | A-A-1671B(11) | TAPE, GUMMED (PAPER, REINFORCED, LAMINATED) [REVIEW: CG CR4 SA SH] | A 8135 | % | FSS | 06-NOV-90 |
| | A-A-1674 | CAN, FLAMMABLE WASTE [CUST: GL YD1 99] | A 7240 | * | GL | 23-MAR-81 |
| | A-A-1676A | ALUMINUM FOIL (FOOD HANDLING AND PROCESSING) | A 8135 | % | FSS | 18-JUN-93 |
| | A-A-1681B | VIEWER-PRINTER, PROJECTION, PHOTOGRAPHIC (READER/PRINTER, MICROFICHE) | A 6730 | # | FSS | 22-FEB-94 |
| A | A-A-1684C | TAPE, PRESSURE-SENSITIVE ADHESIVE (PLASTIC FILM) [CUST: FSS] | A 7510 | # | FSS | 24-JUL-97 |
| | A-A-1688A | TAPE, PRESSURE-SENSITIVE ADHESIVE (PAPER PHOTOGRAPHIC) [REVIEW: GL] | A 7510 | % | FSS | 30-NOV-95 |
| | A-A-1689B | TAPE, PRESSURE-SENSITIVE ADHESIVE (PLASTIC FILM) [REVIEW: DS] | A 7510 | # | FSS | 18-MAY-89 |
| | A-A-1694B | RECORDER-REPRODUCER, SOUND (TRANSCRIBING MACHINE, TAPE, MINI-CASSETTE) | A 7450 | # | FSS | 19-MAR-81 |
| | A-A-1695 | RECORDER-REPRODUCER, SOUND (TRANSCRIBING MACHINE, TAPE, MICRO-CASSETTE) | A 7450 | # | FSS | 19-MAR-81 |
| | A-A-1696A | BAG, PLASTIC (GARMENT) [CUST: GL SA 69] | A 8105 | * | GL | 29-APR-92 |
| | A-A-1702 | SAFETY CAN (SPRING CLOSING TYPE) [CUST: GL YD1 99] [REVIEW: CG MC OS] | A 7240 | * | GL | 25-AUG-81 |
| | A-A-1709H | FILE CABINETS, LATERAL, STEEL | A 7110 | # | FSS | 28-MAR-96 |
| | A-A-1711 | INDEX SHEET SET, LOOSE-LEAF BINDER (BUFF, 3X5) | A 7530 | * | GL | 04-JAN-82 |
| | A-A-1711(11) | INDEX SHEET SET, LOOSE-LEAF BINDER (BUFF, 3 X 5) | A 7530 | # | FSS | 20-APR-89 |
| | A-A-1718A | MAGNETIC STRIP [CUST: 99] [REVIEW: 82] | A 5340 | * | 99 | 16-DEC-96 |
| | A-A-1719 | RUBBER, SHEET, SOLID [CUST: AV SH] [REVIEW: 85 AS MI OS] | A 5330 | * | SH | 23-JUL-81 |
| | A-A-1721A NOT 1 | HOOK, COAT AND HAT (ROBE HOOK, BATHROOM) [CUST: AL YD1 99] [REVIEW: 82 AR CE CG GL IS MC SH] | A 5340 | * | YD1 | 01-DEC-93 |
| | A-A-1722 NOT 1 | GRAIN, ABRASIVE (SOFT BLASTING) [CUST: MR 99] [REVIEW: AR CR4 MC SH] | A 5350 | / | 84 | 23-AUG-95 |
| | A-A-1728A | BAG, PLASTIC (BREAD) [CUST: GL] | A 8105 | * | GL | 29-MAY-92 |
| | A-A-1733A | STENCILBOARD [CUST: GL] | A 9310 | * | GL | 14-OCT-93 |
| | A-A-1734 | TIE, STRIP, BAG [CUST: GL 69] [REVIEW: MD] | A 8135 | * | GL | 14-MAY-81 |
| | A-A-1735 | PAPERBOARD, DRAWING (DRAFTING BRISTOL BOARD) [CUST: GL SA 99] [REVIEW: AR CG CR4 EA MC YD1] | A 9310 | * | GL | 29-APR-81 |
| | A-A-1735(11) | PAPERBOARD, DRAWING (DRAFTING BRISTOL BOARD) | A 9310 | # | FSS | 20-APR-89 |
| | A-A-1736 | PAPERBOARD, DRAWING (DRAFTING BRISTOL BOARD) [CUST: GL SA 99] [REVIEW: AR CG CR4 EA MC] | A 9310 | * | GL | 29-APR-81 |
| | A-A-1736(11) | PAPERBOARD, DRAWING (DRAFTING BRISTOL BOARD) | A 9310 | # | FSS | 20-APR-89 |
| M | A-A-1737A | BUCKET, MOP (PLASTIC) | A 7920 | # | FSS | 05-MAR-98 |
| | A-A-1738B | BOX, SMALL PARTS (PLASTIC, COMPARTMENTED) [CUST: GL] | A 8115 | * | GL | 09-FEB-96 |
| | A-A-1739 | PAPER, NONCARBON TRANSFER | A 7530 | # | FSS | 17-MAR-81 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | ICA Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----------------|-----------|
| | A-A-1740 | LAMP, PHOTO, PROJECTION [REVIEW: 99] | A 6240 | % FSS | 31-DEC-81 |
| | A-A-1741 | BATTERY CHARGER (FOR 6/12/18/24 VOLTS) | A 6130 | # FSS | 17-APR-81 |
| | A-A-1742B | PLASTIC SHEET AND STRIP (FOR USE IN CONTACT WITH FOOD) [CUST: GL SA 69] | A 8135 | * GL | 03-MAY-95 |
| | A-A-1743 | LAMP, PHOTO, PROJECTION, DYS/DYV/BHC [REVIEW: 99] | A 6240 | % FSS | 31-DEC-81 |
| | A-A-1744 | LAMP, PHOTO, PROJECTION, MOVIE [REVIEW: 99] | A 6240 | % FSS | 24-NOV-81 |
| | A-A-1751B | MEASURE, LIQUID (ALUMINUM) [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7330 | * GL | 30-JUL-96 |
| | A-A-1752B | DIPPER, KITCHEN [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7330 | * GL | 30-JUL-96 |
| | A-A-1753A | POACHER, EGG [CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A 7330 | * GL | 29-JUL-93 |
| | A-A-1755B | STRAINER, CHINA CAP [CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A 7330 | * GL | 12-OCT-93 |
| | A-A-1756 | LAMP, PHOTO, PROJECTION [REVIEW: 99] | A 6240 | % FSS | 31-DEC-81 |
| | A-A-1757 | LAMP, SODIUM (HIGH PRESSURE) [REVIEW: 99] | A 6240 | % FSS | 31-DEC-81 |
| | A-A-1758 | LAMP, METAL HALIDE (250 WATTS) [REVIEW: 99] | A 6240 | % FSS | 31-DEC-81 |
| | A-A-1759 | LAMP, METAL HALIDE (400 WATTS) [REVIEW: 99] | A 6240 | % FSS | 31-DEC-81 |
| | A-A-1760 | LAMP, METAL HALIDE (1000 WATTS) [REVIEW: 99] | A 6240 | % FSS | 31-DEC-81 |
| D | A-A-1761 | LAMP, METAL HALIDE (175 WATTS) [CUST: IS] [REVIEW: 99] | A 6240 | % IS | 31-DEC-81 |
| | A-A-1762 | LAMP, MERCURY VAPOR (SAFTY) [REVIEW: 99] | A 6240 | % FSS | 31-DEC-81 |
| | A-A-1763 | LAMP SODIUM (HIGH PRESSURE, REPLACEMENT) [REVIEW: 99] | A 6240 | % FSS | 31-DEC-81 |
| | A-A-1764 | LAMP, METAL HALID (1,500 WATTS) [REVIEW: 99] | A 6240 | % FSS | 31-DEC-81 |
| | A-A-1765 | LAMP, MERCURY VAPOR [REVIEW: 99] | A 6240 | % FSS | 31-DEC-81 |
| | A-A-1770A | FACESHIELD, INDUSTRIAL [CUST: EA 99] [REVIEW: CR4 MC MD YD1] | A 4240 | * GS | 03-AUG-93 |
| | A-A-1778 | CALCULATING MACHINE (CALCULATOR, DESK TOP, NON-PROGRAMMABLE, DISPLAY ONLY, 10 DIGIT) | A 7420 | # FSS | 04-MAR-81 |
| | A-A-1779A | CALCULATING MACHINE (DESK TOP, 10-DIGIT THERMAL PRINT ONLY) [CUST: GL SA 99] [REVIEW: 84 AT MI] | A 7420 | % FSS | 31-JAN-83 |
| | A-A-1780A | CALCULATING MACHINE (DESK TOP, 10-DIGIT PRINT ONLY [CUST: GL SA 99] [REVIEW: 84 AT MI] | A 7420 | * GL | 31-JAN-83 |
| | A-A-1781A | PAPER, CREPE, DISPLAY | A 9310 | # FSS | 08-JUN-93 |
| | A-A-1788 | VARNISH, OIL: INTERIOR [REVIEW: GL OS] | A 8010 | % FSS | 31-MAR-97 |
| | A-A-1799B | BAG, PLASTIC (INTERLOCKING SEAL CLOSURE) [CUST: GL] | A 8105 | * GL | 07-NOV-95 |
| | A-A-1800 | VARNISH, OIL: SPAR | A 8010 | # FSS | 14-APR-97 |
| | A-A-1801 | COATING COMPOUND, OBLITERATING AEROSOL | A 8010 | # FSS | 28-OCT-81 |
| A | A-A-1802B | CARD SET, GUIDE, FILE [CUST: FSS] | A 7530 | # FSS | 20-NOV-97 |
| | A-A-1805A | COVER, IRONING BOARD | A 7290 | % FSS | 07-FEB-86 |
| | A-A-1806 | PAD, IRONING BOARD [CUST: GL 99] | A 7290 | * GL | 20-MAR-81 |
| | A-A-1808B NOT 1 | FLATWARE, SILVERPLATED AND STAINLESS STEEL [CUST: GL SA 99] [REVIEW: 84 MD] | A 7340 | * FSS | 16-JUN-93 |
| | A-A-1809B NOT 1 | TABLEWARE, SILVERPLATED AND STAINLESS STEEL [CUST: GL SA 99] [REVIEW: 84 MD MS] | A 7350 | * FSS | 16-JUN-93 |
| | A-A-1811A | COVER, TYPEWRITER | A 7430 | # FSS | 21-DEC-90 |
| A | A-A-1812B | INSECTICIDE, NAPHTHALENE [CUST: EA SH 68 GS] [REVIEW: CR4 MC MD1 OS OSS PM] | A 6810 | / GS | 20-FEB-98 |
| A | A-A-1813A | GOGGLES AND LENSES, SAFETY, CHIPPER'S AND WELDER'S [CUST: FSS] | A 4240 | # FSS | 02-DEC-97 |
| | A-A-1814 | GOGGLES, INDUSTRIAL (EYECUP, COVER-CUP TYPE) [CUST: EA 99] [REVIEW: YD1] | A 4240 | * GS | 15-APR-81 |
| | A-A-1817D | BOOKCASE (STEEL, CONTEMPORARY STYLE) | A 7110 | # FSS | 03-DEC-93 |
| | A-A-1822B | RIBBON, FLAGGING, SURVEYOR'S (PLASTIC, PLAIN COLORS) | A 9905 | # FSS | 06-MAR-95 |
| | A-A-1823B | RIBBON, FLAGGING, SURVEYOR'S (PLASTIC, FLUORESCENT COLORS) | A 9905 | # FSS | 06-MAR-95 |
| | A-A-1824B | RIBBON, FLAGGING, SURVEYOR'S (PLASTIC, STRIPED) | A 9905 | # FSS | 06-MAR-95 |
| | A-A-1828B | LEAD, PENCILS, GRAPHITE, POLYMER | A 7510 | # FSS | 13-MAY-96 |
| | A-A-1835 | BAG, RODENT (PLASTIC, ENTOMOLOGICAL SPECIMENS) [CUST: GL MS 69] | A 6640 | * MB | 18-MAY-82 |
| | A-A-1837A | MOBILE PROJECTION STANDS | A 6760 | # FSS | 12-DEC-88 |
| | A-A-1840B | MITT, PAINT | A 8020 | # FSS | 17-JAN-95 |
| | A-A-1841 | LAMP, FLUORESCENT (F8T5/D) [REVIEW: GS] | A 6240 | # FSS | 12-JUN-81 |
| | A-A-1842 | LAMP, FLUORESCENT (F8T5/CW) [REVIEW: GS] | A 6240 | # FSS | 12-JUN-81 |
| | A-A-1843 | LAMP, FLUORESCENT (F15T8/W) [REVIEW: GS] | A 6240 | # FSS | 12-JUN-81 |
| | A-A-1844A | LAMP, FLUORESCENT (F15T8/WW) [REVIEW: GS] | A 6240 | # FSS | 29-AUG-84 |
| | A-A-1845A | LAMP, FLUORESCENT (F15T8/D) [REVIEW: GS] | A 6240 | # FSS | 29-AUG-84 |
| | A-A-1846A | LAMP, FLUORESCENT (F15T8/CW) [REVIEW: GS] | A 6240 | # FSS | 29-AUG-84 |
| | A-A-1847A | LAMP, FLUORESCENT (FC12T10/CW/RS OR FC12T9/CW/RS) [REVIEW: GS] | A 6240 | # FSS | 29-AUG-84 |
| | A-A-1850A | LAMP, FLUORESCENT (F40W) [REVIEW: GS] | A 6240 | # FSS | 29-AUG-84 |
| | A-A-1856A | LAMP, FLUORESCENT (F40CW ENERGY SAVING) [REVIEW: GS] | A 6240 | # FSS | 20-AUG-84 |
| | A-A-1857A | LAMP, FLUORESCENT (F40W ENERGY SAVING) [REVIEW: GS] | A 6240 | # FSS | 20-AUG-84 |
| | A-A-1858A | LAMP, FLUORESCENT (F40WW ENERGY SAVING) [REVIEW: GS] | A 6240 | # FSS | 17-AUG-84 |
| | A-A-1859A | LAMP, FLUORESCENT (F40D ENERGY SAVING) | A 6240 | # FSS | 17-AUG-84 |
| | A-A-1864A | LAMP, FLUORESCENT (F96T12/CW/HO ENERGY SAVING) [REVIEW: GS] | A 6240 | # FSS | 05-SEP-84 |
| | A-A-1868 | RIBBON, TYPEWRITER (WORD PROCESSING, MULTI- STRIKE) | A 7510 | # FSS | 08-DEC-82 |
| | A-A-1870 | SQUEEGEES, FLOOR AND WINDOW | A 7920 | % FSS | 18-JUL-96 |
| | A-A-1888 | HOSE, NON METALLIC (FIRE, DOUBLE JACKET) [CUST: 99] [REVIEW: CC CG MC SH] | A 4210 | # FSS | 07-JAN-82 |
| | A-A-1889 | HOSE, NON METALLIC (FIRE, COTTON, DOUBLE JACKET [CUST: YD1 99] [REVIEW: CC CG MC SH] | A 4210 | # FSS | 07-JAN-82 |
| | A-A-1894A | PAPER, KRAFT, TREATED (FIRE RESISTANT) [CUST: GL 69] [REVIEW: 84 99 AR AS CG MC MD SA SH] | A 8135 | * FSS | 27-MAY-93 |
| | A-A-1897 | CASSETTE, MAGNETIC TAPE, 3/4-INCH, U-MATIC, VIDEO COLOR [CUST: CR] | A 5835 | * CR | 24-JUL-81 |
| | A-A-1898C | CUSHIONING MATERIAL, CELLULOSIC, PACKAGING [CUST: GL AS 99] [REVIEW: AT CR4 DS MI SM SS] | A 8135 | * GL | 22-FEB-94 |
| | A-A-1899 | CUSHIONING MATERIAL, PACKAGING (CELLULOSIC, WATER RESISTANT) [CUST: AS 99] [REVIEW: AT CR4 MI SH SS] | A 8135 | / GL | 24-NOV-86 |
| | A-A-1907A | PROTECTOR, PACKING LIST | A 8105 | # FSS | 14-FEB-90 |
| | A-A-1912C | PAPER, COPYING, XEROGRAPHIC PROCESSES (DUAL PURPOSE; WHITE AND COLORS) | A 7530 | # FSS | 08-APR-94 |
| | A-A-1913B | GRID, PAINT ROLLER | A 8020 | # FSS | 20-MAR-95 |
| | A-A-1914 | ROLLER FRAME, PAINT | A 8020 | # FSS | 08-AUG-83 |
| | A-A-1915B | TRAY, PAINT ROLLER | A 8020 | # FSS | 20-MAR-95 |
| | A-A-1916B | TAG, SHIPPING (STOCK, CIRCULAR) [CUST: GL SA 69] [REVIEW: 99 AT CR4 MC MD YD1] | A 8135 | * FSS | 01-FEB-94 |
| | A-A-1922A | SHIELD, EXPANSION (CAULKING ANCHORS, SINGLE LEAD) [CUST: AR YD1 99] | A 5340 | / IS | 18-JUL-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Wea | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-------------------------|-------|-------------|-----------|
| | A-A-1923A | SHIELD EXPANSION (LAG, MACHINE AND EXTERNALLY THREADED WEDGE BOLT ANCHORS) [CUST: AR YD1 99] | A 5340 | / IS | | 18-JUL-95 |
| | A-A-1924A | SHIELD, EXPANSION (SELF DRILLING TUBULAR EXPANSION SHELL BOLT ANCHORS) [CUST: AR YD1 99 IS] | A 5340 | / IS | | 11-JUL-95 |
| | A-A-1925A | SHIELD, EXPANSION (NAIL ANCHORS) [CUST: AR YD1 99 IS] | A 5340 | / IS | | 25-JUL-95 |
| | A-A-1927D | PADLOCK [CUST: CR4 YD1 99] [REVIEW: AR AT AV CE IS MC OS SH] | A 5340 | / YD1 | | 16-JUL-93 |
| A | A-A-1928B | PADLOCK (COMBINATION) [CUST: CR4 YD1 99] [REVIEW: AR CE CG IS MC] | A 5340 | / IS | | 02-AUG-82 |
| | A-A-1936A | ADHESIVE, CONTACT, NEOPRENE RUBBER [CUST: 99] [REVIEW: 84 MI YD1] | A 8040 | % FSS | | 12-AUG-96 |
| | A-A-1939A | FAN, CIRCULATING, (DESK/WALL, OSCILLATING) | A 4140 | # FSS | | 29-DEC-88 |
| | A-A-1941A | FAN, CIRCULATING, PEDESTAL (30 INCH, NON-OSCILLATING) | A 4140 | # FSS | | 29-DEC-88 |
| | A-A-1942 | FAN, CIRCULATING (HASSECK) | A 4140 | # FSS | | 29-DEC-88 |
| | A-A-1943A | FAN, CIRCULATING, (MULTIPURPOSE, HIGH VELOCITY) | A 4110 | # FSS | | 29-DEC-88 |
| | A-A-1952A | SHOES, LADDER SAFETY | A 5440 | % FSS | | 20-SEP-90 |
| | A-A-1953A | PEELER, POTATO, HAND [CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A 7330 | * GL | | 15-JUL-93 |
| | A-A-1954A | MEASURING SET, SPOON (CORROSION-RESISTING STEEL) [CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A 7330 | * GL | | 14-JUL-93 |
| | A-A-1955A | HOLDER AND CUTTER, WRAPPING PAPER [CUST: 99] [REVIEW: 84] | A 7290 | * 99 | | 23-SEP-96 |
| | A-A-1956B | LADLE, KITCHEN [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7330 | * GL | | 25-JUL-96 |
| | A-A-1957A NOT 2 | FASTENER, CORRUGATED, WOOD JOINT [CUST: AR YD1 99 IS] [REVIEW: AS GS SA SH] | A 5315 | / IS | | 01-JUL-94 |
| | A-A-1959 NOT 1 | NAIL (CASING) [CUST: AR YD1 99 IS] [REVIEW: AS CR4 GS MC] | A 5315 | / IS | | 01-JUL-94 |
| | A-A-1964A | ENVELOPE, WALLET [CUST: 99] [REVIEW: 84 SA] | A 7530 | * 99 | | 14-JAN-92 |
| | A-A-1965A | JACKET, FILING, WALLET [CUST: SA 84] | A 7530 | * SA | | 21-JUN-91 |
| | A-A-1966 | LAMP, INCANDESCENT (3 WAY) | A 6240 | % FSS | | 12-JAN-82 |
| | A-A-1967 | LAMPS, HALOGEN (TUBULAR Q500T3/CL) [REVIEW: CR4 SH] | A 6240 | # FSS | | 12-FEB-82 |
| | A-A-1968 | LAMP, HALOGEN (TUBULAR Q150T4/CL) [REVIEW: CR4 SH] | A 6240 | # FSS | | 23-FEB-81 |
| | A-A-1969 | LAMP, INCANDESCENT (SEALED BEAM) | A 6240 | % FSS | | 23-FEB-82 |
| | A-A-1970 | LAMP, HALOGEN (TUBULAR Q1500T3/CL) [REVIEW: CR4 SH] | A 6240 | # FSS | | 23-FEB-82 |
| | A-A-1971 | LAMP, INCANDESCENT (6.6A/T10/IP) [REVIEW: CR4 SH] | A 6240 | # FSS | | 23-FEB-82 |
| | A-A-1972 | LAMP, INCANDESCENT (50/50P25/28) [REVIEW: CR4] | A 6240 | # FSS | | 23-FEB-82 |
| | A-A-1974A | FLASHLIGHT | A 6230 | # FSS | | 27-OCT-95 |
| | A-A-1975A | DOWEL, WOOD [CUST: CR4 99] [REVIEW: 84] | A 5510 | * IS | | 03-APR-86 |
| | A-A-1977 | BELT, SAFETY (LINEMANS) | A 4240 | # FSS | | 12-JUN-84 |
| | A-A-1978 | HELMET, FIREMAN'S (POLYCARBONATE) | A 8415 | # FSS | | 07-OCT-82 |
| A | A-A-1979A | ABSORBENT MATERIAL, OIL AND WATER (FOR FLOORS AND DECKS) [CUST: FSS] | A 7930 | # FSS | | 29-JAN-98 |
| | A-A-1984 | LAMP, FLUORESCENT (F30T12/CW/RS, ENERGY SAVING) [REVIEW: GS] | A 6240 | # FSS | | 11-JAN-82 |
| | A-A-1985 | LAMP, FLUORESCENT (F40CW/RS, ENERGY SAVING) [REVIEW: GS] | A 6240 | # FSS | | 11-JAN-82 |
| | A-A-1986 | LAMP, FLUORESCENT (F96T12/CW/1500, VERY HIGH OUTPUT, ENERGY SAVING) [REVIEW: GS] | A 6240 | # FSS | | 11-JAN-82 |
| | A-A-1987 | LAMP, FLUORESCENT (F96T12/LW/1500, VERY HIGH OUTPUT, ENERGY SAVING) [REVIEW: GS] | A 6240 | # FSS | | 11-JAN-82 |
| | A-A-1988 | LAMP, FLUORESCENT (F40CW/U/6 OR FB40/CW/6) [REVIEW: GS] | A 6240 | # FSS | | 11-JAN-82 |
| A | A-A-1989B | CELLOPHANE [CUST: GL 69] [REVIEW: 99 MD] | A 8135 | % GL | | 19-AUG-93 |
| | A-A-1994A | HELMET AND HANDHELD SHIELD, WELDER'S [CUST: 99 GS] [REVIEW: AS MC MS OS YD1] | A 4240 | * GS | | 06-JAN-98 |
| | A-A-2001 | LIGHT SET, GENERAL ILLUMINATION (EMERGENCY OR AUXILIARY) | A 6230 | # FSS | | 11-DEC-95 |
| | A-A-2006 | PAPER, PLAY CONSTRUCTION | A 7530 | # FSS | | 15-MAR-83 |
| | A-A-2009D | TABLES, OFFICE (CONTEMPORARY STYLE) | A 7110 | # FSS | | 08-DEC-93 |
| | A-A-2010A | REFRIGERATORS, MECHANICAL, HOUSEHOLD COMPACT (ELECTRICAL, SELF CONTAINED) | A 7320 | # FSS | | 03-OCT-83 |
| | A-A-2015D | CREDENZA (STEEL, CONTEMPORARY STYLE) | A 7110 | # FSS | | 04-NOV-93 |
| | A-A-2016 | BOX, FOLDING | A 8115 | # FSS | | 17-SEP-82 |
| | A-A-2017 | BOX, FIBERBOARD, SPECIAL USE (POST OFFICE MONEY ORDER FORMS) | A 8115 | # FSS | | 17-SEP-82 |
| | A-A-2017(11) | BOX, FIBERBOARD, SPECIAL USE (POST OFFICE MONEY ORDER FORMS) | A 8115 | # FSS | | 14-OCT-88 |
| | A-A-2018 | BOX, FIBERBOARD SPECIAL USE, TYPE III, STYLE A (POST OFFICE MONEY ORDER FORMS) | A 8115 | # FSS | | 18-OCT-82 |
| | A-A-2018(11) | BOX, FIBERBOARD SPECIAL USE, TYPE III, STYLE A (POST OFFICE MONEY ORDER FORMS) | A 8115 | # FSS | | 14-OCT-88 |
| | A-A-2022 | BOX, FIBERBOARD, OVERPACK FOR THREE TYPE IV BOXES FOR POST OFFICE MONEY ORDER FORMS | A 8115 | # FSS | | 19-OCT-82 |
| | A-A-2022(11) | BOX, FIBERBOARD, OVERPACK FOR THREE TYPE IV BOXES FOR POST OFFICE MONEY ORDER FORMS | A 8115 | # FSS | | 14-OCT-88 |
| | A-A-2042 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4546) | A 6240 | # FSS | | 31-AUG-82 |
| | A-A-2043 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4554) | A 6240 | # FSS | | 10-DEC-82 |
| | A-A-2044 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4860) | A 6240 | # FSS | | 10-DEC-82 |
| | A-A-2045 | LAMP, TUNGSTEN-HALOGEN (SEALED BEAM, TRADE NO. Q4681) | A 6240 | # FSS | | 31-AUG-82 |
| | A-A-2046 | LAMP, INCANDESCANT (SEALED BEAM, TRADE NO. 4811) | A 6240 | # FSS | | 10-DEC-82 |
| | A-A-2047 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 6014) | A 6240 | # FSS | | 10-DEC-82 |
| | A-A-2048 | LAMP, TUNGSTEN-HALOGEN (SEALED BEAM, TRADE NO. Q4559) | A 6240 | # FSS | | 31-AUG-82 |
| | A-A-2059 | LAMP, PHOTOGRAPHIC (TRADE NO. ELC) | A 6240 | # FSS | | 31-AUG-82 |
| | A-A-2060 | LAMP, PHOTOGRAPHIC (TRADE NO. FCS) | A 6240 | # FSS | | 31-AUG-82 |
| | A-A-2061 | LAMP, PHOTO (TRADE NO. DCA) | A 6240 | # FSS | | 10-DEC-82 |
| | A-A-2062 | LAMP, PHOTO (TRADE NO. BVE) | A 6240 | # FSS | | 10-DEC-82 |
| | A-A-2063 | LAMP, PHOTOGRAPHIC (TRADE NO. EJJ) | A 6240 | # FSS | | 31-AUG-82 |
| | A-A-2065 | LAMP, INCANDESCENT (TRADE NO. 100A/RS/TF, 100A21/RS/SL OR 100A21/RS/VS/STCII) | A 6240 | # FSS | | 10-DEC-82 |
| | A-A-2066 | LAMP INCANDESCANT (TRADE NO. 300PAR56/2SP) | A 6240 | # FSS | | 31-AUG-82 |
| | A-A-2067 | LAMP, INCANDESCENT (TUNGSTEN-HALOGEN, TRADE NO. Q100T3/6CL) | A 6240 | # FSS | | 10-DEC-82 |
| | A-A-2068 | LAMP, INCANDESCANT (TRADE NO. 110R30/FL/RS) | A 6240 | # FSS | | 31-AUG-82 |
| | A-A-2069 | LAMP, INCANDESCENT (TRADE NO. Q6.6A/PAR64/3P) | A 6240 | # FSS | | 10-DEC-82 |
| | A-A-2070 | LAMP, INCANDESCANT (TRADE NO. 50/50T12) | A 6240 | # FSS | | 31-AUG-82 |
| | A-A-2071 | LAMP, INCANDESCENT (TRADE NO. 6.6A/T14P) | A 6240 | # FSS | | 10-DEC-82 |
| | A-A-2072 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4863) | A 6240 | # FSS | | 10-DEC-82 |
| | A-A-2073 | SPONGES, SYNTHETIC AND REGENERATED CELLULOSE | A 7920 | # FSS | | 20-MAY-96 |
| A | A-A-2074A | BRUSHES, SCRUB [CUST: FSS] | A 7920 | # FSS | | 10-JUL-97 |
| | A-A-2075 | BRUSH, PLATER'S (HAND) [CUST: GL SA 99] | A 7920 | * GL | | 02-MAY-83 |
| A | A-A-2076A | BRUSH, DUSTING, LENS [CUST: GL 99 FSS] [REVIEW: 84 EC] | A 7920 | % FSS | | 08-JAN-98 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/NSA | MCA | Prog. Acty. | Date |
|-------------|-----------------|--|-------------------------|-----|-------------|-----------|
| A | A-A-2077 | BRUSH, ADHESIVE (GLUE) [CUST: GL SA 99] [REVIEW: CE CG MC] | A 7920 | * | GL | 02-MAY-83 |
| | A-A-2078A | BRUSHES, PLATERS, HAND (SHOE STYLE HANDLE) [CUST: FSS] | A 7920 | # | FSS | 11-JUL-97 |
| | A-A-2079B | FAUCET, SINGLE (DRUM & BARREL) [CUST: AT YD1] [REVIEW: CC MC] | A 4510 | * | AT | 25-FEB-91 |
| | A-A-2080D | TABLES, OFFICE (TRADITIONAL STYLE) | A 7110 | # | FSS | 02-FEB-94 |
| | A-A-2081D | CREDENZA (OFFICE, TRADITIONAL STYLE) | A 7110 | # | FSS | 03-NOV-93 |
| | A-A-2082D | STANDS, OFFICE MACHINE (TRADITIONAL STYLE) | A 7110 | # | FSS | 03-DEC-93 |
| | A-A-2084A | SIGN (EXIT, ELECTRICALLY POWERED AND ENERGY EFFICIENT) [REVIEW: IS] | A 9905 | % | FSS | 23-AUG-93 |
| | A-A-2085A | SIGN (SELF-ILLUMINATING, EXIT) [REVIEW: 99 YD1] | A 9905 | * | GL | 30-JUL-96 |
| | A-A-2086C | DESK, (OFFICE, TRADITIONAL STYLE) | A 7110 | # | FSS | 10-DEC-91 |
| | A-A-2087C | DESK ATTACHMENT, L-UNIT (OFFICE, TRADITIONAL STYLE) | A 7110 | # | FSS | 10-DEC-91 |
| | A-A-2093D | DESK ATTACHMENTS, L-RETURN (STEEL, CONTEMPORARY STYLE) | A 7110 | # | FSS | 03-NOV-93 |
| | A-A-2094 | TAPE, INSULATION, ELECTRICAL (FRICTION) | A 5970 | # | FSS | 14-OCT-82 |
| | A-A-2095D | DESK (STEEL, CONTEMPORARY STYLE) | A 7110 | # | FSS | 03-NOV-93 |
| | A-A-2098B | WRAPPER, COIN | A 8135 | # | FSS | 27-SEP-91 |
| | A-A-2099A | PAPER, WRAPPING, WAXED | A 8135 | # | FSS | 26-APR-91 |
| | A-A-2105A | METAL STRIP BAG TIE | A 8135 | # | FSS | 14-SEP-82 |
| | A-A-2106A | PAPER, PROTECTIVE, ADHESIVE | A 8135 | % | FSS | 17-JUN-93 |
| | A-A-2110 | BAG, CANVAS, HARDWARE | A 8105 | # | FSS | 08-DEC-82 |
| | A-A-2112A | COSTUMER, METAL (CONTEMPORARY STYLE) | A 7195 | # | FSS | 19-JAN-90 |
| | A-A-2113 | CABINETS, WARDROBE AND STORAGE, CONTEMPORARY STYLE, STEEL GENERAL OFFICE | A 7105 | # | FSS | 22-NOV-82 |
| | A-A-2114 NOT 1 | CASTER, RIGID (INDUSTRIAL DUTY) [CUST: AR YD1 99 IS] [REVIEW: CR4 MC] | A 5340 | / | IS | 10-JUN-94 |
| | A-A-2116B | FILING CABINETS, SHELF (STEEL, CONTEMPORARY STYLE) | A 7110 | # | FSS | 29-NOV-93 |
| | A-A-2121A | COVER, PAINT ROLLER | A 8020 | # | FSS | 20-MAR-95 |
| | A-A-2122F | STANDS, OFFICE MACHINE | A 7110 | # | FSS | 03-DEC-93 |
| | A-A-2123B | STENCIL, DUPLICATING MACHINE | A 7530 | # | FSS | 22-MAR-94 |
| | A-A-2124A | STOPPER, WASTE DRAIN | A 4510 | # | FSS | 03-JAN-95 |
| | A-A-2127 | GRASS HOOK (SCYTHE TYPE) [REVIEW: 99 CR4] | A 3750 | # | FSS | 21-FEB-84 |
| | A-A-2128B | REFLECTOR SET, HIGHWAY WARNING, TRIANGULAR [CUST: GL YD1 99] [REVIEW: 84] | A 9905 | % | FSS | 16-JUN-95 |
| | A-A-2130 | LIGHT, DESK (FLUORESCENT) | A 6230 | # | FSS | 13-NOV-95 |
| | A-A-2131A | HOSE ASSEMBLY, NONMETALLIC (FIRE, 600 LBS. TEST PRESSURE [CUST: YD1 99] [REVIEW: CC CG MC SH] | A 4210 | # | FSS | 04-OCT-83 |
| | A-A-2132A | HOSE ASSEMBLY, NONMETALLIC (FIRE, 800 LBS. TEST PRESSURE) [CUST: YD1 99] [REVIEW: CC CG MC SH] | A 4210 | # | FSS | 04-OCT-83 |
| | A-A-2136 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1157A) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2137 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1228) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2138 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1157NA) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2139 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1813R) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2140 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1142) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2141 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4570) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2142 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4596) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2143 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4651) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2144 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4652) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2145 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 6052) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2146 | LAMP, INCANDESCENT (TUNGSTEN-HALOGEN, Q1500T3/CL) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2147 | LAMP, METAL HALIDE (REPLACEMENT, TRADE NO. M59PJ-R400/I/U) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2148 | LAMP, FLUORESCENT (TRADE NO. F14T12/SW) [REVIEW: GS] | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2149 | LAMP, FLUORESCENT (TRADE NO. F15T8/PL/AQ) [REVIEW: GS] | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2152 | LAMP, FLUORESCENT (TRADE NO. F14T8/D) [REVIEW: GS] | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2153 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4551) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2154B | PAPER, COPYING, XEROGRAPHIC PROCESS (WATERMARK) | A 7530 | # | FSS | 21-MAR-94 |
| | A-A-2155B | PAPER, COPYING, XEROGRAPHIC PROCESS (WET TONER) | A 7530 | # | FSS | 22-MAR-94 |
| | A-A-2156A | FIRE HOSE, RELAY-SUPPLY | A 4210 | # | FSS | 06-JAN-97 |
| | A-A-2158 | HOSE, NONMETALLIC (FIRE, SUCTION, HARD & SOFT) [CUST: YD1 99] [REVIEW: CC CG MC SH] | A 4210 | # | FSS | 30-NOV-83 |
| | A-A-2160A | HOSE ASSEMBLY, NONMETALLIC (BOOSTER) [CUST: YD1 99] [REVIEW: CC CG MC SH] | A 4210 | # | FSS | 03-OCT-83 |
| | A-A-2161 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4581) | A 6240 | # | FSS | 06-AUG-83 |
| | A-A-2164 | HANDLE, HINGED [CUST: GL 99] [REVIEW: YD1] | A 5120 | % | FSS | 25-MAY-84 |
| | A-A-2166A | HANDLE, SPEEDER, BRACE TYPE [CUST: GL 99] | A 5120 | * | GL | 26-JAN-89 |
| | A-A-2167 | HANDLE, SPIN TYPE [CUST: GL 99] | A 5120 | % | FSS | 25-MAY-84 |
| | A-A-2168 | HANDLE, TEE, SLIDING [CUST: GL 99] | A 5120 | % | FSS | 25-MAY-84 |
| | A-A-2169 | UNIVERSAL JOINT, SOCKET WRENCH [CUST: GL 99] | A 5120 | % | FSS | 25-MAY-84 |
| | A-A-2170 | EXTENSION, SOCKET WRENCH, SOLID [CUST: GL 99] [REVIEW: YD1] | A 5120 | % | FSS | 25-MAY-84 |
| | A-A-2171 | EXTENSION, SOCKET WRENCH, FLEXIBLE [CUST: GL 99] | A 5120 | % | FSS | 25-MAY-84 |
| | A-A-2172 | ADAPTER, SOCKET WRENCH [CUST: GL 99] [REVIEW: YD1] | A 5120 | % | FSS | 25-MAY-84 |
| | A-A-2173 | ADAPTER, RATCHET, SOCKET WRENCH [CUST: GL 99] | A 5120 | % | FSS | 25-MAY-84 |
| M | A-A-2174B | TOWEL, PAPER (DENTAL) | A 8540 | # | FSS | 12-MAR-98 |
| | A-A-2175 | BATTERY FILLER, GRAVITY | A 6140 | # | FSS | 11-OCT-83 |
| A | A-A-2192A | PAPER, BLOTTING | A 7530 | # | FSS | 30-MAR-94 |
| | A-A-2196 | FILING CABINET, STEEL, LEGAL AND LETTER SIZE, INSULATED | A 7110 | # | FSS | 11-JAN-84 |
| | A-A-2202A | STAKES, WOOD [CUST: FSS] | A 5510 | # | FSS | 02-OCT-97 |
| | A-A-2210 NOT 2 | FILLER, WOOD, PASTE | A 8030 | # | FSS | 26-JAN-96 |
| | A-A-2212 | LAMP SODIUM (HIGH PRESSURE) | A 6240 | # | FSS | 18-JUL-84 |
| | A-A-2213 | LAMP, INCANDESCENT (ELLIPTICAL REFLECTOR) | A 6240 | # | FSS | 18-JUL-84 |
| | A-A-2214 | LAMP UNIT, PHOTOFLASH (MULTIFLASH) | A 6750 | # | FSS | 29-JUN-84 |
| | A-A-2215 | LAMP, INCANDESCENT (SUBMINIATURE, TRADE NO. 6839) | A 6240 | # | FSS | 29-JUN-84 |
| | A-A-2217 | LAMP, INCANDESCENT, (ROUGH SERVICE, TRADE NO. 100A/RS, 130V) | A 6240 | # | FSS | 29-JUN-84 |
| | A-A-2218 | LAMP, MERCURY VAPOR | A 6240 | # | FSS | 19-JUL-84 |
| | A-A-2219 | LAMP, INCANDESCENT (MINIATURE TRADE NO. 325) | A 6240 | # | FSS | 29-JUN-84 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|-----------------|---|--------------|-----|-------------|--|-----------|
| | | | FSC/rea | MCA | Prep. Acty. | | |
| | A-A-2220 | LAMP, INCANDESCENT (SUBMINIATURE) | A 6240 | # | FSS | | 03-JUL-84 |
| | A-A-2221 | LAMP, INCANDESCENT (TRADE NO. 25T8DC) | A 6240 | # | FSS | | 07-JUL-84 |
| | A-A-2222 | LAMP, INCANDESCENT (FLOODLIGHT TRADE NO. 75 R30/FL) | A 6240 | # | FSS | | 09-JUL-84 |
| | A-A-2223 | LAMP, MERCURY VAPOR (TRADE NO. H33 GL-400/C) | A 6240 | # | FSS | | 25-JUL-84 |
| | A-A-2224 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1835) | A 6240 | # | FSS | | 09-JUL-84 |
| | A-A-2225 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 24X) | A 6240 | # | FSS | | 09-JUL-84 |
| | A-A-2226 | LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1662) | A 6240 | # | FSS | | 09-JUL-84 |
| | A-A-2227 | LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4515) | A 6240 | # | FSS | | 09-JUL-84 |
| | A-A-2228 | LAMP, INCANDESCENT (TRADE NO. 25A/TF) | A 6240 | # | FSS | | 09-JUL-84 |
| | A-A-2229 | LAMP, PHOTO PROJECTION | A 6240 | # | FSS | | 21-AUG-84 |
| | A-A-2235 | CHAIRS, ROTARY, (OFFICE, ERGONOMIC, UPHOLSTERED) | A 7110 | # | FSS | | 26-SEP-85 |
| | A-A-2240 | TABLES, TASK (OPEN BASE) | A 7110 | # | FSS | | 08-OCT-85 |
| | A-A-2242 | PEDESTALS, MOBILE | A 7110 | # | FSS | | 08-OCT-85 |
| | A-A-2246B | PAINT, LATEX [REVIEW: 84 99 YD1] | A 8010 | % | FSS | | 25-FEB-97 |
| | A-A-2247 | PAINT, LATEX (SEMI-GLOSS, INTERIOR) [CUST: 99] [REVIEW: 84 MD SH YD1] | A 8010 | % | FSS | | 27-JUN-84 |
| | A-A-2248 | PAINT, LATEX (FLAT, INTERIOR) [CUST: CR4 99] [REVIEW: 84 MD SH YD1] | A 8010 | % | FSS | | 27-JUN-84 |
| | A-A-2256 | CALCULATING MACHINE (DESK TOP, 10 DIGIT, 1 MEMORY, PRINT/DISPLAY, TWO-COLOR PRINT) | A 7420 | # | FSS | | 09-MAR-84 |
| | A-A-2257 | CALCULATING MACHINE (DESK TOP, 10 DIGIT, 1 MEMORY, PRINT/DISPLAY) (SINGLE-COLOR PRINT) | A 7420 | # | FSS | | 09-MAR-84 |
| | A-A-2258D | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 MEMORY, PRINT/DISPLAY) (TWO COLOR PRINT) [CUST: 99] [REVIEW: 84] | A 7420 | * | 99 | | 04-FEB-97 |
| | A-A-2259 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 MEMORY, PRINT/DISPLAY) (SINGLE-COLOR PRINT) | A 7420 | # | FSS | | 09-MAR-84 |
| | A-A-2260C | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 2 OR MORE MEMORIES, PRINT/DISPLAY) (TWO-COLOR PRINT) [CUST: 99] | A 7420 | * | 99 | | 10-MAY-91 |
| | A-A-2261 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 2 OR MORE MEMORIES, PRINT/DISPLAY) (SINGLE-COLOR PRINT) | A 7420 | # | FSS | | 09-MAR-84 |
| | A-A-2262C | CALCULATING MACHINE (DESK TOP, 14 DIGIT, 1 OR MORE MEMORIES, PRINT/DISPLAY) (TWO-COLOR PRINT) [CUST: 99] | A 7420 | * | 99 | | 10-MAY-91 |
| | A-A-2263E | CALCULATOR, ELECTRONIC (DESK PORTABLE, 10 DIGITS, 1 OR MORE MEMORIES) (PRINT/DISPLAY) [CUST: 99] | A 7420 | * | 99 | | 04-FEB-97 |
| | A-A-2264 | CALCULATING MACHINE (DESK TOP, 10 DIGIT, 1 OR MORE MEMORIES, DISPLAY ONLY) | A 7420 | # | FSS | | 09-MAR-84 |
| | A-A-2265 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 OR MORE MEMORIES, DISPLAY ONLY) | A 7420 | # | FSS | | 09-MAR-84 |
| | A-A-2266 | CALCULATING MACHINE (DESK TOP, 10 DIGIT, 0 MEMORY, PRINT ONLY) (TWO COLOR PRINT) | A 7420 | # | FSS | | 09-MAR-84 |
| | A-A-2267 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 0 MEMORY, PRINT ONLY) (TWO COLOR PRINT) | A 7420 | # | FSS | | 09-MAR-84 |
| | A-A-2268 | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 OR MORE MEMORIES, PRINT ONLY) (TWO COLOR PRINT) | A 7420 | # | FSS | | 09-MAR-84 |
| | A-A-2269A | HELMET, SAFETY [CUST: GL NU] [REVIEW: 45 82 CG CT MD] | A 8415 | * | GL | | 01-APR-93 |
| | A-A-2270 | HELMET, SAFETY (ELECTRICAL WORKER) [CUST: GL SA CT] [REVIEW: 45 82 CG MD NU] | A 8415 | / | CT | | 09-JUL-84 |
| | A-A-2271 | HELMET, SAFETY (WITH HEADLAMP CLIPS) [CUST: GL SA CT] [REVIEW: 45 82 CG MD NU] | A 8415 | / | CT | | 09-JUL-84 |
| | A-A-2279 | NOZZLE, FIRE HOSE, WATER (FIXED GALLONAGE) [REVIEW: CR4] | A 4210 | % | FSS | | 07-NOV-84 |
| | A-A-2280 | NOZZLE, FIRE HOSE, WATER (SELF-ADJUSTING) [REVIEW: CR4] | A 4210 | % | FSS | | 07-NOV-84 |
| | A-A-2281 | NOZZEL, FIRE HOSE, WATER (VARIABLE GALLONAGE, CONSTANT FLOW) [REVIEW: CR4] | A 4210 | % | FSS | | 06-NOV-84 |
| | A-A-2282 | AIR CONDITIONER (WINDOW, HEAT PUMP) | A 4120 | % | FSS | | 31-MAY-85 |
| | A-A-2284 | HOSE ASSEMBLY, NON-METALLIC (FIRE; COTTON; SINGLE-JACKETED) [CUST: CR4] | A 4210 | % | FSS | | 27-AUG-84 |
| | A-A-2285 | CALCULATOR, ELECTRONIC (HANDHELD, GENERAL PURPOSE) (BATTERY OPERATED) [CUST: 99] [REVIEW: 84] | A 7420 | * | 99 | | 04-FEB-97 |
| | A-A-2286B | CALCULATOR, ELECTRONIC (HANDHELD, GENERAL PURPOSE) (SOLAR POWER) [CUST: 99] [REVIEW: 84] | A 7420 | * | 99 | | 04-FEB-97 |
| | A-A-2287 | CALCULATING MACHINE (HANDHELD, PRINT/DISPLAY) | A 7420 | # | FSS | | 15-MAY-84 |
| | A-A-2288B | CALCULATOR, ELECTRONIC (HANDHELD, GENERAL PURPOSE) (SOLAR POWER) [CUST: 99] [REVIEW: 84] | A 7420 | * | 99 | | 04-FEB-97 |
| | A-A-2289B | CALCULATOR, ELECTRONIC (HANDHELD, BASIC SCIENTIFIC) (SOLAR POWER) [CUST: 99] [REVIEW: 84] | A 7420 | * | 99 | | 04-FEB-97 |
| | A-A-2290 | CALCULATING MACHINE (HANDHELD, PROFESSIONAL SCIENTIFIC) | A 7420 | # | FSS | | 15-MAY-84 |
| | A-A-2291 | CALCULATING MACHINE (HANDHELD, PROFESSIONAL SCIENTIFIC) | A 7420 | # | FSS | | 15-MAY-84 |
| | A-A-2292 | CALCULATING MACHINE (HANDHELD, GENERAL PURPOSE) | A 7420 | # | FSS | | 15-MAY-84 |
| | A-A-2293 | GAGE, WHEEL ALIGNMENT [CUST: GL YD1] [REVIEW: AT MC] | A 5210 | * | YD1 | | 15-MAY-84 |
| | A-A-2294 | EDUCTOR (BY PASS & INLINE) [REVIEW: CR4] | A 4210 | % | FSS | | 21-NOV-84 |
| | A-A-2299D | BAG, PLASTIC, GENERAL PURPOSE (CONTAINING POST CONSUMER RECOVERED MATERIALS) [CUST: GL 69] [REVIEW: 84 99 CR4 MD] | A 8105 | * | FSS | | 09-FEB-96 |
| | A-A-2302A | COPYING MACHINE, INDIRECT ELECTROSTATIC PROCESS (PLAIN PAPER) | A 3610 | # | FSS | | 26-SEP-84 |
| | A-A-2303A | RULER, STEEL (BUSINESS FORMS) | A 7510 | # | FSS | | 18-OCT-93 |
| | A-A-2305A | COPYING MACHINE, INDIRECT ELECTROSTATIC PROCESS (PLAIN PAPER) | A 3610 | # | FSS | | 09-NOV-84 |
| | A-A-2306A | COPYING MACHINE, INDIRECT ELECTROSTATIC PROCESS (PLAIN PAPER) | A 3610 | # | FSS | | 09-NOV-84 |
| | A-A-2307 | FILE, HAND (AMERICAN PATTERN), ALUMINUM | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2308 | FILE, HAND (AMERICAN PATTERN), BANDSAW BLUNT | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2309 | FILE, HAND (AMERICAN PATTERN), CANTSAW | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2310 | FILE, HAND (AMERICAN PATTERN), CROSSCUT | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2311 | FILE, HAND (AMERICAN PATTERN), FLAT | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2312 | FILE, HAND (AMERICAN PATTERN), HALF ROUND | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2313 | FILE, HAND (AMERICAN PATTERN)N HAND, REGULAR | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2314 | FILE, HAND (AMERICAN PATTERN), KNIFE | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2315 | FILE, HAND (AMERICAN PATTERN), LEAD FLOAT, FLAT | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2316 | FILE, HAND (AMERICAN PATTERN) MILL | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2317 | FILE, HAND (AMERICAN PATTERN), PILLAR | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2318 | FILE, HAND (AMERICAN PATTERN), ROUND, REGULAR | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2319 | FILE, HAND (AMERICAN PATTERN), ROUND CHAIN SAW | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2320 | FILE, HAND (AMERICAN PATTERN), SQUARE | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2321 | FILE, HAND (AMERICAN PATTERN), TAPER | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2322 | FILE, HAND (AMERICAN PATTERN), THREE SQUARE | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2323 | FILE, HAND (AMERICAN PATTERN), WARDING | A 5110 | # | FSS | | 27-SEP-85 |
| | A-A-2324 | FILE, HAND (AMERICAN PATTERN), LONG ANGLE LATHE | A 5110 | # | FSS | | 27-SEP-85 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|------------|-----------------|---|-------------------------|-----|-------------|-----------|
| | A-A-2325 | FILE, HAND (AMERICAN PATTERN), MILLED CURVED TEETH, FLAT FLEXIBLE BLADE | A 5110 | # | FSS | 27-SEP-85 |
| | A-A-2326 | RASP, HAND, CABINET | A 5110 | # | FSS | 27-SEP-85 |
| | A-A-2327 | RASP, HAND, HORSE, PLAIN, REGULAR | A 5110 | # | FSS | 27-SEP-85 |
| | A-A-2328 | RASP HAND, SHOE, HALF-ROUND | A 5110 | # | FSS | 27-SEP-85 |
| | A-A-2329 | RASP, HAND, WOOD | A 5110 | # | FSS | 27-SEP-85 |
| | A-A-2330 | PLIERS, DIAGONAL CUTTING | A 5110 | # | FSS | 27-SEP-85 |
| | A-A-2331A | INK, DRAWING (WATERPROOF, COLORED) | A 5110 | # | FSS | 01-APR-85 |
| | A-A-2335 | SEALER, SURFACE (VARNISH TYPE, WOOD & CORK FLOORS) | A 7510 | # | FSS | 20-NOV-95 |
| | A-A-2336A | PRIMER COATING (ALKYD, EXTERIOR WOOD, WHITE AND TINTS) [CUST: AS 99] [REVIEW: 84 AT MC] | A 8010 | # | FSS | 11-DEC-84 |
| | A-A-2338 | SPADE (GARDENING TYPE) [CUST: CR4 99] [REVIEW: 84 YD1] | A 8010 | % | FSS | 01-NOV-95 |
| | A-A-2339 | STAIN (WOOD, SOLVENT-DYE TYPE) | A 3750 | % | FSS | 20-SEP-84 |
| | A-A-2340 | PRIMER COATING (LATEX, WHITE, FOR GYPSUM WALLBOARD) | A 8010 | # | FSS | 26-NOV-84 |
| | A-A-2344A | WRENCHES, ADJUSTABLE | A 8010 | # | FSS | 15-JAN-85 |
| | A-A-2345 | WRENCH, OPEN END, ADJUSTABLE | A 5120 | # | FSS | 14-MAY-85 |
| | A-A-2346 | WRENCH, AUTO, ADJUSTABLE | A 5120 | # | FSS | 26-OCT-84 |
| | A-A-2347 | WRENCH, MONKEY | A 5120 | # | FSS | 26-OCT-84 |
| | A-A-2348B | INDICATOR, DIAL, ACCESSORIES, AND TEST SETS [CUST: GL] [REVIEW: 84 SH YD1] | A 5120 | # | FSS | 26-OCT-84 |
| | A-A-2349 | WRAPPING TOOL, WIRE | A 5210 | * | GL | 30-JUL-91 |
| | A-A-2350A | HAMMERS, PNEUMATIC, PORTABLE, CHIPPING [CUST: GL 99] | A 5130 | # | FSS | 01-NOV-84 |
| | A-A-2351A | SCALING AND CHIPPING TOOL, ROTARY, PORTABLE, ELECTRIC, AND CUTTER BUNDLES | A 5130 | * | GL | 01-APR-91 |
| | A-A-2352 | NIBBLERS, ELECTRIC, PORTABLE | A 5130 | # | FSS | 01-AUG-95 |
| | A-A-2356B | CASE, FILING, TRANSFER, (COLLAPSIBLE) [CUST: FSS] | A 5130 | # | FSS | 29-NOV-85 |
| | A-A-2359A | CRAYON, MARKING | A 7520 | # | FSS | 15-DEC-97 |
| | A-A-2360A | CRAYON ASSORTMENT, MARKING, COLORED | A 7510 | # | FSS | 05-DEC-90 |
| | A-A-2361A | CHALK, LINE MARKING, POWDER AND CHALK MARKING | A 7510 | # | FSS | 16-JAN-90 |
| | A-A-2364A | TYPING, ELEMENT (96 CHARACTERS) | A 7510 | # | FSS | 21-DEC-90 |
| | A-A-2365A | TYPING, ELEMENT (88 CHARACTERS) | A 7510 | # | FSS | 06-JAN-92 |
| | A-A-2367 | RIBBON, COMPUTING MACHINE (WORD PROCESSING) [CUST: GL SA 99] | A 7510 | # | FSS | 15-DEC-91 |
| | A-A-2368 NOT 1 | ROLLING PIN, WOOD [CUST: GL SA 99] [REVIEW: 84 85 CG MC MD SA] | A 7510 | * | GL | 03-OCT-85 |
| | A-A-2369A | HOLDER, FLOOR POLISHING MACHINE PAD [CUST: 99] | A 7330 | * | FSS | 19-MAY-93 |
| | A-A-2370 | PAD, FLOOR POLISHING MACHINE (THIN) | A 7910 | * | 99 | 06-JAN-86 |
| | A-A-2371 | CALCULATING MACHINE (HANDHELD, BUSINESS/FINANCIAL) | A 7910 | # | FSS | 05-DEC-85 |
| | A-A-2372 | CALCULATING MACHINE (HANDHELD, GENERAL PURPOSE) | A 7420 | # | FSS | 19-FEB-85 |
| | A-A-2373 | CALCULATING MACHINE (DESK TOP, 1 OR MORE MEMORIES, DISPLAY ONLY) (SOLAR POWER) | A 7420 | # | FSS | 22-JAN-85 |
| | A-A-2380A | DISPENSER, PAPER TOWEL [CUST: YD1 99] [REVIEW: 84] | A 7420 | # | FSS | 18-DEC-84 |
| | A-A-2382 | WRENCH, SOCKET, CONVENTIONAL SIZE | A 4510 | % | FSS | 06-JAN-97 |
| | A-A-2383 | WRENCH, SOCKET, POCKET | A 5120 | # | FSS | 09-AUG-85 |
| | A-A-2385 | WRENCH, SOCKET, STUBBY | A 5120 | # | FSS | 09-AUG-85 |
| | A-A-2395 | LAMP, PHOTOGRAPHIC (ANSI NO. FHS) | A 5120 | # | FSS | 09-AUG-85 |
| | A-A-2397 | LAMP, PHOTOGRAPHIC (ANSI NO DDM) | A 6240 | % | FSS | 09-AUG-85 |
| | A-A-2398B | CURTAIN, SHOWER AND WINDOW | A 6240 | # | FSS | 15-SEP-85 |
| | A-A-2400 | PAD, FLOOR POLISHING MACHINE (THICK) | A 7230 | # | FSS | 22-SEP-93 |
| | A-A-2402 | EXTINGUISHER, FIRE, VAPORIZING LIQUID (HEAT-ACTUATED, HALON 1301) [CUST: AV FSS] | A 7910 | # | FSS | 07-MAR-86 |
| | A-A-2428 | FILE, HAND (SWISS PATTERN) BARRETTE | A 4210 | # | FSS | 19-FEB-86 |
| | A-A-2429 | FILE, HAND (SWISS PATTERN), HALF-ROUND | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2430 | FILE, HAND (SWISS PATTERN) | A 5110 | # | FSS | 20-JUN-86 |
| | A-A-2431 | FILE, HAND (SWISS PATTERN), KNIFE | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2432 | FILE, HAND (SWISS PATTERN), PILLAR, EXTRA-NARROW | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2433 | FILE, HAND (SWISS PATTERN), PILLAR, NARROW | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2434 | FILE, HAND (SWISS PATTERN), PILLAR, REGULAR | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2435 | FILE, HAND (SWISS PATTERN), PIPPIN | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2436 | FILE, HAND (SWISS PATTERN), ROUND, STRAIGHT | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2437 | FILE, HAND (SWISS-PATTERN), ROUND, TAPER | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2440 | FILE, HAND (SWISS PATTERN), THREE-SQUARE | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2441 | FILE, HAND (SWISS PATTERN), WARDING | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2442 | FILE, HAND (SWISS PATTERN), NEEDLE, ROUND | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2443 | FILE, HAND (SWISS PATTERN), NEEDLE, HALF-ROUND | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2444 | FILE, HAND (SWISS PATTERN), NEEDLE, THREE-SQUARE | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2445 | FILE, HAND (SWISS PATTERN), NEEDLE, CROSSING | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2446 | FILE, HAND (SWISS PATTERN), NEEDLE, KNIFE | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2447 | FILE, HAND (SWISS PATTERN), NEEDLE, FLAT | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2448 | FILE, HAND (SWISS PATTERN), NEEDLE, SQUARE | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2452 | FILE, HAND (SWISS PATTERN), NEEDLE, SLITTING | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2453 | FILE, HAND (SWISS PATTERN), NEEDLE, MARKING, HALF-ROUND | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2454 | FILE, HAND (SWISS PATTERN), SCREWHEAD | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2455 | FILE, HAND (SWISS PATTERN), CONTACT-POINT | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2456 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 1 | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2457 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 3 | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2458 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 4 | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2459 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 5 | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2460 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 6 | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2461 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 7 | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2462 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 8 | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2463 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 9 | A 5110 | # | FSS | 02-JUN-86 |
| | A-A-2464 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 10 | A 5110 | # | FSS | 02-JUN-86 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|--|-----------------------|-----|-------------|-----------|
| A-A-2465 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 11 | A 5110 | # | FSS | 02-JUN-86 |
| A-A-2466 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 12 | A 5110 | # | FSS | 02-JUN-86 |
| A-A-2469 | RIFFLER, DIE SINKERS, (SWISS PATTERN), SHAPENUMBER 15 | A 5110 | # | FSS | 02-JUN-86 |
| A-A-2470 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 16 | A 5110 | # | FSS | 02-JUN-86 |
| A-A-2471 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 17 | A 5110 | # | FSS | 02-JUN-86 |
| A-A-2472 | RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 18 | A 5110 | # | FSS | 02-JUN-86 |
| A-A-2474 | BAR, WRECKING (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2475 | CHISEL, COLD, HAND (NONSPARKING AND NONMAGNETIC) | A 5110 | # | FSS | 15-AUG-88 |
| A-A-2476 | HAMMER, HAND (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-SEP-88 |
| A-A-2477 | KEY, SOCKET HEAD SCREW (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2478 | MARLINESPIKE (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2479 | PLIERS, (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2480 | SAW, HAND, CROSSCUT (NONSPARKING AND NONMAGNETIC) | A 5110 | # | FSS | 15-AUG-88 |
| A-A-2481 | SCRAPER, SHIP (NONSPARKING AND NONMAGNETIC) | A 5110 | # | FSS | 15-AUG-88 |
| A-A-2482 | SCRAPER, SPRAY BOOTH (NONSPARKING AND NONMAGNETIC) | A 5110 | # | FSS | 15-AUG-88 |
| A-A-2483 | SCREWDRIVER, CROSS TIP (PHILLIPS, NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2484 | SCREWDRIVER, FLAT TIP (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2485 | SCREWDRIVER, OFFSET (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2486 | SOCKET, SOCKET WRENCH (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2487 | TROWEL (BRICKLAYER'S, NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2488 | WEDGE, JOINT BREAKING (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2489 | WRENCHES, ADJUSTABLE (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2490 | WRENCH, BOX (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2491 | WRENCH, BOX AND OPEN END, COMBINATION (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2493 | WRENCH, OPEN END (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2495 | WRENCH, SOCKET (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2496 | WRENCH, SPANNER (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2497 | WRENCH SET, SOCKET (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2505 | PLIERS, SLIP JOINT (NONSPARKING AND NONMAGNETIC) | A 5120 | # | FSS | 15-AUG-88 |
| A-A-2506 | PLIERS, DIAGONAL CUTTING (NONSPARKING AND NONMAGNETIC) | A 5110 | # | FSS | 15-AUG-88 |
| A-A-2507 | CHISEL, DIAMOND POINT, HAND (NONSPARKING AND NONMAGNETIC) | A 5110 | # | FSS | 15-AUG-88 |
| A-A-2510A | CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 OR MORE MEMORIES, DISPLAY ONLY) (SOLAR POWER) [CUST: 99] [REVIEW: 84] | A 7420 | * | 99 | 10-MAY-91 |
| A-A-2511 | BRUSHES, WIRE, ROTARY, CUP, CRIMPED WIRE | A 5130 | # | FSS | 01-APR-87 |
| A-A-2512 | BRUSHES, WIRE, ROTARY, CUP, TWISTED TUFT | A 5130 | # | FSS | 01-APR-87 |
| A-A-2513 | BRUSHES, WIRE, ROTARY, END ATTACHMENT, SOLID WIRE FILLED | A 5130 | # | FSS | 01-APR-87 |
| A-A-2514 | BRUSHES, WIRE, ROTARY, END ATTACHMENT, CIRCULAR, SIDE FLARE | A 5130 | # | FSS | 01-APR-87 |
| A-A-2516 | BRUSHES, WIRE, ROTARY, WHEEL, CRIMPED WIRE | A 5130 | # | FSS | 01-APR-87 |
| A-A-2517 | BRUSHES, WIRE, ROTARY, WHEEL, TWISTED TUFT | A 5130 | # | FSS | 01-APR-87 |
| A-A-2518 | DRILL, TWIST (CARBIDE TIP) [CUST: GL 99] [REVIEW: 84 AR CR4 MC] | A 5133 | % | FSS | 07-DEC-87 |
| A-A-2522A | RAGS, WIPING (COTTON AND COTTON-SYNTHETIC) [REVIEW: 99 GL SA YD1] | A 7920 | # | FSS | 19-JAN-94 |
| A-A-2523B | CASE, DISPATCH, MOLDED PLASTIC | A 8460 | # | FSS | 01-MAY-92 |
| A-A-2524 | HOLDER, TOILET PAPER (SINGLE ROLL) [CUST: CR4 YD1 99] [REVIEW: CC] | A 4510 | * | YD1 | 14-MAR-91 |
| A-A-2527A | WAX, CARNAURA [CUST: AR] | A 9160 | / | AR | 05-JUL-89 |
| A-A-2528 | LADLES, MELTING, HAND | A 5120 | # | FSS | 06-FEB-87 |
| A-A-2529 | IRON; CALKING WOOD | A 5130 | # | FSS | 01-APR-87 |
| A-A-2530B | CHALKBOARD (STAND AND WALL MOUNTED) | A 7110 | # | FSS | 24-SEP-90 |
| A-A-2531 | MARLINSPIKE (MANILA ROPE) | A 5120 | # | FSS | 19-FEB-87 |
| A-A-2532 | BEVELS, SLIDING T [CUST: 99] [REVIEW: 84] | A 5210 | % | FSS | 15-JAN-87 |
| A-A-2534A | GRIDDLE PLATE (CAST IRON) [CUST: GL SA 99] [REVIEW: 50 84 MC MD QM] | A 7330 | * | GL | 15-OCT-93 |
| A-A-2539B | HAMMER, HAND, BRICKLAYERS' [CUST: GL SH 99] | A 5120 | * | GL | 18-DEC-89 |
| A-A-2540 | NAIL SET [CUST: GL 99] [REVIEW: 84 CR CR4 MC YD1] | A 5120 | * | GL | 06-FEB-91 |
| A-A-2542 | SEALER, TERRAZO AND CONCRETE FLOORS, WATERBASED [CUST: SH 99] [REVIEW: MR] | A 8030 | * | FSS | 30-JAN-96 |
| A-A-2543B | STAPLER, PAPER FASTENING, COMBINATION PLIER AND TACKER | A 7520 | # | FSS | 08-OCT-93 |
| A-A-002544 | COATING, RUST PREVENTIVE FOR INACTIVE FLEET SHIPS | A 8010 | # | FSS | 23-APR-87 |
| A-A-2546B | PAD, WRITING PAPER (REPOSITIONABLE) | A 7530 | # | FSS | 24-MAR-94 |
| A-A-2547 | CABINET, KEY AND IDENTIFICATION SYSTEMS | A 7125 | # | FSS | 20-JAN-88 |
| A-A-2549C | BINDER, LOOSE-LEAF (RING) | A 7510 | % | FSS | 11-JUL-96 |
| A-A-2550 | PULLER, NAIL, HAND [CUST: GL 99] [REVIEW: 84] | A 5120 | * | GL | 05-FEB-88 |
| A-A-2551 | DRILL, HAND [CUST: GL 99] [REVIEW: 84] | A 5110 | * | GL | 06-FEB-88 |
| A-A-2555 | DRILL, MASONRY, HAND (STAR (FOUR-FLUTE) DRILL) [CUST: GL 99] | A 5110 | * | GL | 17-MAR-88 |
| A-A-2561 | KEY, COWL FASTENER [CUST: GL 99] [REVIEW: 84] | A 5120 | * | GL | 06-APR-88 |
| A-A-2562 | BAR, CHISEL [CUST: GL 99] [REVIEW: 84] | A 5110 | * | FSS | 25-MAR-88 |
| A-A-2563 | CROWBAR [CUST: GL 99] [REVIEW: 84] | A 5120 | * | GL | 25-MAR-88 |
| A-A-2564 | BAR, PINCH (OFFSET) [CUST: GL 99] [REVIEW: 84] | A 5120 | * | GL | 25-MAR-88 |
| A-A-2565 | BAR, PRY (ROLLING - HEAD) [CUST: GL 99] [REVIEW: 84] | A 5120 | * | GL | 25-MAR-88 |
| A-A-2566 | BAR, WRECKING [CUST: GL 99] | A 5120 | * | GL | 25-MAR-88 |
| A-A-2567 | BAR, DIGGING AND TAMPING [CUST: GL 99] [REVIEW: 84 GS] | A 5120 | * | GL | 25-MAR-88 |
| A-A-2568 | BAR, DIGGING [CUST: GL 99] [REVIEW: 84] | A 5120 | * | FSS | 25-MAR-88 |
| A-A-2574 | SAW, BUTCHER'S; AND BLADE, BUTCHER'S HANDSAW [CUST: GL SA 99] [REVIEW: MD] | A 7330 | * | GL | 15-DEC-88 |
| A-A-2576A | SCALE, AREA (TRANSPARENT PLASTIC) | A 6675 | # | FSS | 30-APR-92 |
| A-A-2579 | PSYCHROMETER, SLING, POCKET TYPE | A 6685 | # | FSS | 02-MAY-88 |
| A-A-2580 | STOP WATCH, LABORATORY [CUST: 82] | A 6645 | * | 82 | 25-MAY-88 |
| A-A-2581 NOT 1 | PLATE, EATING (POLYSTYRENE, DISPOSABLE) [CUST: GL SA 99] [REVIEW: 84 MD MS] | A 7350 | * | FSS | 16-JUN-93 |
| A-A-2585A | DINNERWARE, CHINA (WHITE) [CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A 7350 | * | GL | 01-JUN-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | UIC | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-------|-------------|------|
| | A-A-2586 | HOLDER AND GUIDE, DRIVE PIN [CUST: GL 99] [REVIEW: 84 CR CR4 MC] | A 5120 | * GL | 18-NOV-92 | |
| | A-A-2590 | DISPENSER, DRINKING WATER, MECHANICALLY COOLED (BARRIER FREE, WATER COOLER) [REVIEW: YDI] | A 4110 | # FSS | 20-DEC-88 | |
| | A-A-2591 | CLAMPING TOOL, STRAP BAND, HOSE [CUST: 99] [REVIEW: 84 CR CR4 MC] | A 5120 | * GL | 22-DEC-95 | |
| | A-A-2594 | TRAY, SERVICE | A 7350 | # FSS | 16-MAR-89 | |
| | A-A-2595A | CUP, DISPOSABLE (FOAM POLYSTYRENE) | A 7350 | # FSS | 09-MAY-96 | |
| | A-A-2596 NOT 1 | PITCHER, INSULATED | A 7330 | % FSS | 01-JUN-93 | |
| | A-A-2597A | DISHPAN (FOOD CONTAINER PAN) [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7330 | * GL | 25-JUL-96 | |
| | A-A-2598B | CLOCK, ALARM (GENERAL PURPOSE) | A 6645 | # FSS | 16-AUG-91 | |
| | A-A-2599A | SHREDDING MACHINE, PAPER, OFFICE (HIGH SECURITY, CROSS-CUT) | A 7490 | # FSS | 19-NOV-90 | |
| | A-A-2601 | CLIP, PAPER, WIRE | A 7510 | % FSS | 19-DEC-88 | |
| | A-A-2602A | SHREDDING MACHINE, PAPER, OFFICE (CROSS-CUT) | A 7490 | # FSS | 19-NOV-90 | |
| | A-A-2603A | SHREDDING MACHINE, PAPER, OFFICE (STRAIGHT CUT, HIGH SPEED) | A 7450 | # FSS | 19-NOV-90 | |
| | A-A-2606A | PAN, FRYING (ALUMINUM) [CUST: GL SA 99] [REVIEW: 84 MC MD1 QM1] | A 7330 | * GL | 25-JUL-96 | |
| | A-A-2607A | SHREDDING MACHINE, PAPER, OFFICE (STRAIGHT CUT) | A 7450 | # FSS | 19-NOV-90 | |
| | A-A-2608A | SHREDDING MACHINE, PAPER, OFFICE (STRAIGHT AND CROSS CUT, PERSONAL TYPE) | A 7490 | # FSS | 19-NOV-90 | |
| | A-A-2609A | SHREDDING MACHINE, PAPER, OFFICE (STRAIGHT CUT, HIGH VOLUME) | A 7490 | # FSS | 19-NOV-90 | |
| | A-A-2610B | PULVERIZING MACHINE, PAPER, CLASSIFIED WASTE | A 3615 | # FSS | 04-JAN-91 | |
| | A-A-2611 | PUNCH; BINDER AND PUNCH/BINDER MACHINES (FOR SPIRAL BINDERS) | A 3610 | # FSS | 01-DEC-89 | |
| | A-A-2615A | PLATE, ELECTROSTATIC | A 3610 | # FSS | 07-DEC-90 | |
| | A-A-2618 | RIBBON, INKING TAPE, LIFT-OFF | A 7510 | # FSS | 28-MAR-91 | |
| A | A-A-2622A | ADAPTERS, PIPE TO HOSE, STRAIGHT OR REDUCING [CUST: YDI 99] [REVIEW: 84 CC] | A 4730 | / YDI | 17-FEB-98 | |
| | A-A-2623A | PLATE, ELECTROSTATIC [REVIEW: CR4] | A 3610 | # FSS | 14-DEC-90 | |
| | A-A-2625A | PLATE, ELECTROSTATIC [REVIEW: CR4] | A 3610 | # FSS | 14-DEC-90 | |
| | A-A-2627A | PLATE, LITHOGRAPHIC, PRESENSITIZED [REVIEW: CR4] | A 3610 | # FSS | 28-DEC-90 | |
| | A-A-2628 | SCANNER, STENCIL MAKER, ELECTRONIC/DIGITAL, DESK-TOP | A 3610 | # FSS | 09-NOV-90 | |
| | A-A-2629 | DUPLICATING MACHINE, STENCIL-PROCESS, TABLE MOUNTED [CUST: GL SA 99] [REVIEW: 84 GS] | A 3610 | * GL | 09-NOV-90 | |
| | A-A-2630 | DUPLICATING MACHINE, SPIRIT, TABLE MOUNTED | A 3610 | # FSS | 09-NOV-90 | |
| | A-A-2631 | MIRROR, GLASS, (HARDWOOD FRAMED) | A 7105 | # FSS | 02-JAN-90 | |
| | A-A-2635 | SOCKET, SOCKET WRENCH [CUST: GL 99] [REVIEW: 84 CR MC] | A 5120 | * GL | 15-AUG-89 | |
| M | A-A-2637A NOT 2 | HERBICIDE, TRICLOPYR [CUST: GS] | A 6840 | / GS | 23-MAR-98 | |
| | A-A-2638 | DUPLICATOR, DIGITAL STENCIL (COPIER-PRINTER) | A 3610 | # FSS | 01-FEB-90 | |
| | A-A-2642 | BINDER, LOOSE-LEAF, PLASTIC BOUND, STIFF COVERS (FOR TABULATING MACHINE PAPER AND ACCESSORIES) [CUST: GL FSS] | A 7510 | * FSS | 01-FEB-93 | |
| | A-A-2651 | BINDER, AWARD CERTIFICATE [CUST: GL SA 99] | A 7510 | * GL | 14-FEB-91 | |
| | A-A-2652A | BINDER, NOTE PAD [CUST: GL SA 99] [REVIEW: 84 GS] | A 7510 | * GL | 11-FEB-97 | |
| | A-A-2653 | BINDER, NOTE PAD, SPRING-BACK | A 7510 | # FSS | 02-OCT-92 | |
| | A-A-2654 | PROTECTOR, DOCUMENT | A 7510 | # FSS | 02-JAN-90 | |
| | A-A-2655A | BINDER, LOOSE-LEAF, FLEXIBLE PRONG | A 7510 | # FSS | 23-DEC-96 | |
| | A-A-2656 | TAB, SIGNAL, PLASTIC TAB SET, SIGNAL, PLASTIC | A 7510 | # FSS | 09-MAY-90 | |
| A | A-A-2657A | BINDER, AWARD CERTIFICATE [CUST: FSS] | A 7510 | # FSS | 06-OCT-97 | |
| | A-A-2658 | BINDER, LOOSE-LEAF, (WITH OR WITHOUT FLEXIBLE PRONG) | A 7510 | % FSS | 10-JAN-91 | |
| | A-A-2660 | PORTFOLIO, DOUBLE-POCKET PRESENTATION | A 7510 | # FSS | 18-NOV-90 | |
| | A-A-2661 | BRUSHES, MUCILAGE | A 7510 | # FSS | 30-DEC-91 | |
| | A-A-2664 | FLATWARE, STAINLESS STEEL [CUST: GL SA 99] [REVIEW: 84 MC MD] | A 7340 | * GL | 24-MAR-93 | |
| | A-A-2666A | PENCIL, ELECTROGRAPHIC | A 7510 | % FSS | 13-MAY-96 | |
| A | A-A-2667A | SAND, SANDBLAST [CUST: 99 FSS] [REVIEW: 84 AS SH] | A 5350 | % FSS | 11-JUL-97 | |
| A | A-A-2668A | DISPENSER, TOILET PAPER, CABINET [CUST: FSS] | A 4510 | # FSS | 14-OCT-97 | |
| | A-A-2669A | BOX, FILING, PLASTIC | A 7520 | # FSS | 02-AUG-95 | |
| | A-A-2670A | STAPLE, TACKER [CUST: 82] [REVIEW: 99 GL] | A 5315 | % FSS | 20-MAR-95 | |
| | A-A-2673A | NUTRUNNER AND SCREWDRIVER, PNEUMATIC [CUST: GL 99] [REVIEW: 35 84] | A 5130 | * GL | 10-AUG-95 | |
| | A-A-2678A | WRENCH, IMPACT, PNEUMATIC, PORTABLE (PISTOL GRIP) [CUST: GL 99] [REVIEW: 35 84] | A 5130 | * GL | 10-AUG-95 | |
| | A-A-2679A | SAW, CIRCULAR, PNEUMATIC, PORTABLE [CUST: GL 99] [REVIEW: 35 84 MC] | A 5130 | * GL | 10-AUG-95 | |
| | A-A-2687A | SANDER, PAD, PNEUMATIC, PORTABLE (ORBITAL MOTION) [CUST: GL 99] [REVIEW: 35 84] | A 5130 | * GL | 10-AUG-95 | |
| | A-A-2688 | SANDER, PAD, PNEUMATIC, PORTABLE (RECIPROCATING MOTION) [CUST: GL 99] [REVIEW: 84] | A 5130 | * GL | 01-JUN-91 | |
| | A-A-2689A | SANDER, DISK, PNEUMATIC, PORTABLE (RIGHT ANGLE) [CUST: GL 99] [REVIEW: 35 84] | A 5130 | * GL | 10-AUG-95 | |
| | A-A-2690A | SANDER, DISK, PNEUMATIC, PORTABLE (RANDOM ORBITAL) [CUST: GL 99] [REVIEW: 35 84 MC] | A 5130 | * GL | 10-AUG-95 | |
| | A-A-2691A | WRENCH, IMPACT, PNEUMATIC, PORTABLE (CLOSED GRIP) [CUST: GL 99] [REVIEW: 84] | A 5130 | * GL | 10-AUG-95 | |
| | A-A-2692A | WRENCH, IMPACT, PNEUMATIC, PORTABLE (BODY GRIP) [CUST: GL 99] [REVIEW: 35 84] | A 5130 | * GL | 10-AUG-95 | |
| | A-A-2695B | PEN, ROLLERBALL-POINT, RETRACTABLE AND NON-RETRACTABLE (REFILLABLE AND NON-REFILLABLE) | A 7520 | # FSS | 01-JUL-96 | |
| | A-A-2699 | TACKER, STAPLE, (COMPRESSION TYPE, MANUALLY-OPERATED) [CUST: 82] [REVIEW: GL] | A 5120 | * 82 | 01-APR-91 | |
| | A-A-2702A | SEALING COMPOUND (LIQUID PROTECTANT AND "BEAUTIFIER") [CUST: SH 99] [REVIEW: MR] | A 8030 | * FSS | 25-JAN-96 | |
| | A-A-2703 | DISPENSERS, SOAP [CUST: YDI 84] [REVIEW: CC MC] | A 4510 | * YDI | 19-MAR-91 | |
| | A-A-2704 | PAD, TYPEWRITER, SPONGE RUBBER | A 7510 | # FSS | 13-NOV-90 | |
| | A-A-2707A | STAPLES, PAPER FASTENING, HEAVY DUTY | A 7510 | # FSS | 08-OCT-93 | |
| | A-A-2709 | SANDER, DISK, PNEUMATIC, PORTABLE (VERTICAL DRIVE) [CUST: GL 99] [REVIEW: 84] | A 5130 | * GL | 01-JUN-91 | |
| | A-A-2710A | POT, COOKING [CUST: GL SA 99] [REVIEW: 35 84 MC MD1 QM1] | A 7330 | * GL | 12-DEC-96 | |
| | A-A-2711 | SCREWDRIVER, CROSS TIP (HIGH PERFORMANCE) | A 5120 | % FSS | 15-MAR-91 | |
| | A-A-2712 | SCREWDRIVER, FLAT TIP (HIGH PERFORMANCE) | A 5120 | % FSS | 15-MAR-91 | |
| | A-A-2714 | BAG, CLOTH, MAILING [CUST: GL SA] [REVIEW: SM] | A 8105 | * GL | 31-MAY-91 | |
| A | A-A-2715 | PAPER, DRAWING [CUST: GL SA 69] [REVIEW: AS CG MC SM] | A 7530 | % FSS | 19-SEP-96 | |
| | A-A-2717 | CLOCKS, WALL (QUARTZ CRYSTAL-BATTERY OPERATED) | A 6645 | # FSS | 16-AUG-91 | |
| | A-A-2722 | STENCIL CUTTING MACHINE, HAND-OPERATED | A 7490 | # FSS | 27-MAR-91 | |
| | A-A-2733 | CUTLERY, GALLEY AND KITCHEN (CLEAVER, FORKS, KNIVES, SPATULAS, STEEL AND SERVER) | A 7330 | # FSS | 09-DEC-95 | |
| | A-A-2738(1) | SEALS, ANTIPILEFRAGE [CUST: AR YDI] [REVIEW: 99 CR4 IS MC SA SH] | A 5340 | YDI | 31-JAN-91 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/NSA | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-------------------------|-----|-------------|-----------|
| | A-A-2741 | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, PORTABLE) | A 7450 | # | FSS | 24-JUN-91 |
| | A-A-2742 | RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, DESK TOP) | A 7450 | # | FSS | 24-JUN-91 |
| | A-A-2744A | RAZOR, SAFETY, DISPOSABLE [REVIEW: GS MC SA] | A 8530 | % | FSS | 18-AUG-93 |
| | A-A-2745A | SPRINKLER, LAWN [CUST: 99] [REVIEW: 84] | A 3750 | % | FSS | 01-APR-94 |
| | A-A-2747A | BASKET, WASTEPAPER, PLASTIC | A 7510 | # | FSS | 13-MAY-96 |
| | A-A-2748A | ENVELOPE, TRANSLUCENT | A 7530 | # | FSS | 29-JUN-92 |
| | A-A-2749 | INK, WRITING RED | A 7510 | # | FSS | 26-FEB-92 |
| | A-A-2752 | INK, WRITING FOR FOUNTAIN AND DIP PENS | A 7510 | # | FSS | 15-NOV-91 |
| | A-A-2753 | INK, BLACK, FOR DUPLICATING PROCESS | A 7510 | # | FSS | 15-NOV-91 |
| | A-A-2755A | PENCIL, COLORED LEAD | A 7510 | % | FSS | 13-MAY-96 |
| | A-A-2756A | MARKER, TUBE TYPE, FINE TIP (FOR OVERHEAD PROJECTION TRANSPARENCIES) | A 7520 | # | FSS | 01-NOV-95 |
| | A-A-2757 | PENCIL, CARPENTER | A 7510 | # | FSS | 15-DEC-91 |
| | A-A-2758A | MARKER, TUBE TYPE, FELT TIP (PERMANENT INK) | A 7520 | # | FSS | 01-NOV-95 |
| | A-A-2762 | TYPING, ELEMENT (DAISY WHEEL - DISK TYPE) | A 7510 | # | FSS | 07-JAN-92 |
| | A-A-2763 | TYPING, ELEMENT (DISK TYPE) | A 7510 | # | FSS | 07-JAN-92 |
| | A-A-2764A | PENCIL, MECHANICAL FOR .5 AND .7 MM LEAD (DUAL ACTION) | A 7520 | # | FSS | 11-MAR-96 |
| | A-A-2766 | TYPING, ELEMENT (TELETYPE AND FACSIMILE EQUIPMENT) | A 7510 | # | FSS | 30-DEC-91 |
| | A-A-2767 | INK, DRAWING, WATERPROOF, BLACK | A 7510 | # | FSS | 02-OCT-92 |
| A | A-A-2768A | PENCIL, MECHANICAL DUAL POINT AND PUSH BUTTON COLORED OR GRAPHITE (0.9MM AND 1.1MM LEAD) [CUST: FSS] | A 7520 | # | FSS | 05-AUG-97 |
| | A-A-2770 | PENCIL, COPYING | A 7510 | # | FSS | 13-JAN-92 |
| | A-A-2771A | PENCIL, GENERAL WRITING | A 7510 | # | FSS | 20-MAY-96 |
| | A-A-2772A | PENCIL, EXTRA FINE LEAD | A 7510 | # | FSS | 29-OCT-96 |
| | A-A-2776 | PENCIL, WHITE CORRECTION LEAD | A 7510 | # | FSS | 02-JAN-92 |
| | A-A-2778 | MARKER, TUBE TYPE, FINE, FELT TIP | A 7520 | # | FSS | 06-SEP-95 |
| | A-A-2779A | MARKER, TUBE AND FLAT TYPE FLUORESCENT/NON-FLUORESCENT HIGHLIGHTER | A 7520 | # | FSS | 02-OCT-95 |
| | A-A-2780 | TYPE CLEANER | A 7510 | # | FSS | 01-APR-92 |
| | A-A-2784 | INK, ROLL | A 7510 | # | FSS | 15-JAN-92 |
| | A-A-2785 | PENCIL, DRAFTING | A 7510 | # | FSS | 21-JUL-92 |
| | A-A-2786 | PRIMER COATING (AEROSOL, LEAD AND CHROMATE FREE) | A 8010 | # | FSS | 31-MAR-92 |
| | A-A-2788A | BINDER, LOOSE-LEAF, POST, SOLID AND TELESCOPIC | A 7510 | # | FSS | 15-OCT-96 |
| | A-A-2789 | NAPKINS, PAPER, QUARTER-FOLDED | A 8540 | # | FSS | 20-AUG-93 |
| | A-A-2790 | ENVELOPE, TRANSPARENT [CUST: GL 99] [REVIEW: 84] | A 7510 | * | GL | 25-JUN-92 |
| | A-A-2791A | CLIP SYSTEM, PAPER | A 7510 | # | FSS | 11-MAY-94 |
| | A-A-2792A | CLIP, PAPER | A 7510 | # | FSS | 11-MAY-94 |
| | A-A-2793 | CLEANER-DISINFECTANT (PINE TYPE) | A 6840 | # | FSS | 06-JUL-92 |
| | A-A-2794 | CASE, FILING, TRANSFER | A 7520 | # | FSS | 18-JUN-92 |
| | A-A-2798 | LEAD, SYNTHETIC | A 7510 | # | FSS | 15-SEP-92 |
| A | A-A-2800A | CUSHION, CHAIR AND STOOL [CUST: 99 FSS] [REVIEW: 84 85] | A 7210 | * | FSS | 25-SEP-97 |
| | A-A-2801 | PENCIL, MECHANICAL FOR 0.9 MM AND 1.1 MM SIZE, COLORED OR BLACK LEADS | A 7520 | # | FSS | 03-MAY-92 |
| | A-A-2802 | DOG FOOD, HIGH PERFORMANCE, DRY | A 8710 | # | FSS | 22-JUL-92 |
| | A-A-2803A | NOTEBOOK, STENOGRAPHER'S | A 7530 | # | FSS | 29-MAR-94 |
| | A-A-2804A | PAPER, BOND AND WRITING; WHITE AND COLORED | A 7530 | # | FSS | 28-MAR-94 |
| A | A-A-2805A | SHAKER, SALT OR PEPPER; DISPENSER, SUGAR [CUST: GL SA 99] [REVIEW: 84 MC MD1 QM1] | A 7350 | * | GL | 24-NOV-97 |
| A | A-A-2806A | BOTTLE, APPLICATOR, 473.12 CC (16 OUNCE) CAPACITY, SPRAYER NOZZLE [CUST: FSS] | A 8125 | # | FSS | 12-DEC-97 |
| A | A-A-2807A | BOX, FILE [CUST: FSS] | A 7520 | # | FSS | 15-DEC-97 |
| A | A-A-2808A | BOTTLE, APPLICATOR, 236.56 CC (8 OUNCE) CAPACITY [CUST: FSS] | A 8125 | # | FSS | 12-DEC-97 |
| | A-A-2809A | BINDER, LOOSE-LEAF, RING: ONE-PIECE COVER | A 7510 | # | FSS | 04-FEB-97 |
| | A-A-2810A | BINDER, LOOSE-LEAF, COATED CLOTH BOUND, STIFF COVERS (FOR TABULATING MACHINE PAPER AND ACCESSORIES) [REVIEW: GL] | A 7510 | % | FSS | 27-DEC-96 |
| | A-A-2811 | BINDER, LOOSE-LEAF, PRESSBOARD, FLEXIBLE COVERS (FOR TABULATING MACHINE PAPER AND ACCESSORIES) | A 7510 | * | FSS | 01-FEB-93 |
| | A-A-2812B | FOLDER, FILE; AND FOLDER, FILE, HANGING [CUST: GL 99] [REVIEW: 84] | A 7530 | * | GL | 21-DEC-94 |
| A | A-A-2813A | BODY AND LID, FILING AND TRANSFER CASE [CUST: FSS] | A 7520 | # | FSS | 15-DEC-97 |
| | A-A-2814A | PAPER, LEDGER, UNRULED | A 7530 | # | FSS | 29-MAR-94 |
| | A-A-2817 | TIRE PUNCTURE SEALANT AND INFLATOR | A 8030 | # | FSS | 31-MAY-96 |
| | A-A-2818A | PAPER, DUPLICATING, COPY, LIQUID PROCESS | A 7530 | # | FSS | 23-MAR-94 |
| | A-A-2819A | PAPER, TELETYPEWRITER, ROLL [CUST: 84] [REVIEW: GL] | A 7530 | % | FSS | 23-MAR-94 |
| | A-A-2821 | RAILROAD BOARD (WHITE AND COLORED) | A 9310 | % | FSS | 09-JUN-93 |
| | A-A-2823A | PAPER, MIMEOGRAPH | A 7530 | # | FSS | 30-MAR-94 |
| | A-A-2824 | KITCHEN UTENSILS [CUST: GL SA 50] [REVIEW: 50 84 MC MD QM] | A 7330 | * | GL | 13-OCT-93 |
| | A-A-2827A | LETTER SET, POLYSTYRENE | A 7520 | # | FSS | 25-FEB-97 |
| | A-A-2832 | LABEL, PAPER, PRESSURE-SENSITIVE ADHESIVE [CUST: GL SA] | A 7530 | % | FSS | 26-JUL-95 |
| | A-A-2833 | REFILL, APPOINTMENT BOOK | A 7530 | # | FSS | 29-JUN-93 |
| | A-A-2834 | URETHANE, WATERBORNE (LOW VOC, CLEAR) [CUST: 99] [REVIEW: 84] | A 8010 | % | FSS | 28-MAR-94 |
| | A-A-2835 | BOXES, CONSOLIDATION, FIBERBOARD | A 8115 | # | FSS | 10-JAN-94 |
| | A-A-2836 | STAPLER, PAPER FASTENING, STANDARD DUTY, LONG REACH | A 7520 | # | FSS | 08-OCT-93 |
| | A-A-2837 | NAPKINS, PAPER, DINNER, THREE-PLY | A 8540 | # | FSS | 20-AUG-93 |
| | A-A-2838 | NAPKINS, PAPER, DISPENSER | A 8540 | # | FSS | 20-AUG-93 |
| | A-A-2839 | NAPKIN, PAPER, COCKTAIL | A 8540 | # | FSS | 12-AUG-93 |
| | A-A-2840 | NAPKINS, PAPER, DINNER, TWO-PLY | A 8540 | # | FSS | 20-AUG-93 |
| | A-A-2845 | SHEARS; GRASS CUTTING AND HEDGE TRIMMING [CUST: 99] [REVIEW: 84] | A 3750 | % | FSS | 04-OCT-94 |
| | A-A-2846 | RAKE, HAND (GARDEN AND LAWN) [CUST: 99] [REVIEW: 84] | A 3750 | % | FSS | 01-AUG-94 |
| | A-A-2848 | PLASTIC SHEET, POLYETHYLENE TEREPHTHALATE (PET) AND GLYCOL-MODIFIED POLYETHYLENE TEREPHTHALATE (PETG) | A 9330 | # | FSS | 05-APR-94 |
| | A-A-2849 | CASE, FILING, TRANSFER, FIBERBOARD | A 7520 | # | FSS | 12-JAN-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-----------------|---|-----------------------|-------|-------------|-----------|
| A-A-2850 | COATING COMPOUND, WATERBORNE POLYMERIC (INTERIOR, WOOD) [CUST: 99] [REVIEW: 84] | A 8010 | % FSS | | 03-FEB-94 |
| A-A-2851A | KIT, PAINT ROLLER | A 8020 | # FSS | | 19-OCT-95 |
| A-A-2852 | TRAPS, DRAIN, PLUMBING FIXTURE (P-TRAP) (LAND USE) [CUST: YD1] [REVIEW: CC] | A 4510 | % FSS | | 24-MAY-94 |
| A-A-2853 | PAPER, FACSIMILE | A 7530 | # FSS | | 27-OCT-93 |
| A A-A-2854 | MAT, FLOOR (LINK-TYPE) [CUST: FSS] | A 7220 | # FSS | | 12-JAN-98 |
| A-A-2855 | BLADE, RAZOR | A 8530 | # FSS | | 19-OCT-95 |
| A-A-2858A | TAPE, PAPER, COMPUTING MACHINE | A 7530 | # FSS | | 24-MAR-94 |
| A-A-2859A | TAPE, POSTAGE METER | A 7530 | # FSS | | 22-MAR-94 |
| A-A-2860 | CABINET, TOOL, MOBILE [CUST: GL] [REVIEW: 99 MC SH] | A 5140 | % FSS | | 21-DEC-93 |
| A-A-2861 | CABINET, TOOL, MOBILE [CUST: GL] [REVIEW: 99 MC SH] | A 5140 | % FSS | | 21-JAN-94 |
| A-A-2862 | HEAD, SPRINKLER (UNDERGROUND CONNECTED) [CUST: 99] [REVIEW: 84] | A 3750 | % FSS | | 31-MAR-94 |
| A-A-2864 | FLAG, NATIONAL, UNITED STATES OF AMERICA, INDOOR SET | A 8345 | # FSS | | 18-MAY-94 |
| A-A-2866A | EASEL, DISPLAY AND TRAINING | A 7520 | # FSS | | 24-MAY-96 |
| A-A-2867 | COATING, POLYURETHANE, SINGLE COMPONENT MOISTURE CURE, ALIPHATIC | A 8010 | # FSS | | 22-DEC-95 |
| A-A-2868A | PAD, COLUMNAR | A 7530 | # FSS | | 24-MAR-94 |
| A-A-2869 | CARBON DIOXIDE, TECHNICAL, SOLID [REVIEW: SH] | A 6830 | % FSS | | 17-JUN-94 |
| A-A-2870 | TABLEWARE, PLASTIC [CUST: GL SA 99] [REVIEW: 35 84 MD QM] | A 7350 | * GL | | 20-APR-95 |
| A-A-2871 | HOE, GARDEN [CUST: 99] | A 3750 | % FSS | | 06-JUL-94 |
| A-A-2874 | BOX, FILING, WOOD | A 7520 | # FSS | | 07-OCT-94 |
| A-A-2875 | BOX, CASH, STEEL | A 7520 | # FSS | | 03-OCT-94 |
| A-A-2876 | BOXES, SHIPPING, CORRUGATED FIBERBOARD, HIGH STRENGTH WEATHER RESISTANT, DOUBLE WALL | A 8115 | # FSS | | 27-SEP-94 |
| A-A-2877 | DRUMS, SHIPPING, STEEL DOT-6A, DOT-6B, DOT 17C AND POP | A 8110 | # FSS | | 29-SEP-94 |
| A-A-2878 | SHIELDS, ERASING | A 7510 | # FSS | | 11-JUL-94 |
| A-A-2879 | BAR, PINCH (STRAIGHT) [CUST: GL 99] [REVIEW: 84] | A 5120 | % FSS | | 29-AUG-95 |
| A-A-2880 | CHISEL, BRICK [CUST: GL 99] [REVIEW: 84] | A 5110 | % FSS | | 05-DEC-95 |
| A-A-2881 | BAR, COMBINATION PRY AND SCRAPER [CUST: GL SH 99] [REVIEW: 84] | A 5120 | * GL | | 25-OCT-96 |
| A-A-2882 | DRAIN, LAVATORY [REVIEW: CC] | A 4510 | % FSS | | 03-JAN-95 |
| A-A-2883A | CLOCKS, WALL (QUARTZ CRYSTAL-BATTERY OPERATED) | A 6645 | # FSS | | 31-MAY-96 |
| A-A-2884 | NEAT'S-FOOT OIL | A 8030 | # FSS | | 28-SEP-94 |
| A-A-2885 | TOWEL, PAPER, UNBLEACHED | A 8540 | # FSS | | 23-AUG-94 |
| A-A-2886 | PAINT, TRAFFIC, SOLVENT BASED [CUST: 99] [REVIEW: 84] | A 8010 | * FSS | | 20-SEP-94 |
| A-A-2887 | SHEARS, BARBERS' | A 3590 | # FSS | | 10-JAN-95 |
| A-A-2888 | PUMP, INFLATING, MANUAL [CUST: CR4] [REVIEW: AT CC MC] | A 4320 | % FSS | | 05-DEC-94 |
| A-A-2889 | BRUSH, CHASSIS AND RUNNING GEAR | A 7920 | * GL | | 01-FEB-95 |
| A A-A-2890A | PAD, EASEL [CUST: FSS] | A 7530 | # FSS | | 27-FEB-98 |
| N A-A-2891A | PAD, WRITING, LEGAL | A 7530 | # FSS | | 23-MAR-98 |
| A A-A-2892A | PAD, WRITING [CUST: FSS] | A 7530 | # FSS | | 27-FEB-98 |
| A A-A-2893A | PAD, WRITING, LEATHERETTE, BINDING OR LINEN BINDING [CUST: FSS] | A 7530 | # FSS | | 03-OCT-97 |
| A-A-2894 | ARCH AND CLIP BOARD FILES, COMPOSITION HARDBOARD BACK | A 7520 | # FSS | | 04-APR-96 |
| A-A-2895 | BOOKENDS, STEEL | A 7520 | # FSS | | 23-MAY-95 |
| A-A-2896 | SCRUBBING MACHINE, FLOOR, ELECTRIC (BATTERY POWERED) [CUST: 99] [REVIEW: 84] | A 7910 | % FSS | | 29-DEC-95 |
| A-A-2897 | BUTANE, PROPANE, AND BUTANE-PROPANE MIXTURES [CUST: CR4 YD1 68] [REVIEW: CR4 MC MI SH] | A 6830 | * YD1 | | 05-JAN-95 |
| A-A-2898 | FUNNELS [REVIEW: MC MD MS] | A 7240 | % FSS | | 03-MAY-95 |
| A-A-2899 | HANGERS, COAT AND TROUSER [CUST: GL SA 99] [REVIEW: 84] | A 7290 | * FSS | | 06-MAR-95 |
| A-A-2900 | MOISTENER, PAPER SEALING, WELL TYPE | A 7520 | # FSS | | 19-AUG-96 |
| A-A-2903 | BRUSH, STENCIL | A 7520 | # FSS | | 08-APR-96 |
| A-A-2904 | THINNER, PAINT, MINERAL SPIRITS, REGULAR AND ODORLESS [CUST: AT SH 99] [REVIEW: AR MC MR YD1] | A 8010 | * AT | | 01-DEC-95 |
| A-A-2905A | PEN, RUBBERIZED BARREL (RETRACTABLE AND STICK/REFILLABLE) | A 7520 | # FSS | | 24-APR-96 |
| A-A-2906A | PEN RUBBERIZED BARREL, REFILLS (RETRACTABLE AND STICK) | A 7520 | # FSS | | 24-APR-96 |
| A-A-2907A | PEN, BALL-POINT, NON-REFILLABLE (PLASTIC, STICK-TYPE) | A 7520 | # FSS | | 24-APR-96 |
| A-A-2908 | PENCIL, MECHANICAL FOR 1.1MM SIZE LEAD/COLORED (PUSH/TWIST ACTION) | A 7520 | # FSS | | 24-APR-95 |
| A-A-2909 | PENCIL, MECHANICAL FOR 3.05MM LEADS (CHINA MARKING) | A 7520 | % FSS | | 29-SEP-95 |
| A-A-2910 | 3.05MM LEADS, FOR CHINA MARKING, MECHANICAL PENCILS (COLORED, WAX) | A 7510 | % FSS | | 29-SEP-95 |
| A-A-2915A | PEN, BALL-POINT (RECYCLED PLASTIC, RETRACTABLE) | A 7520 | # FSS | | 24-APR-96 |
| A-A-2916A | PEN, BALLPOINT, REFILLABLE (RETRACTABLE AND NON-RETRACTABLE) | A 7520 | # FSS | | 24-APR-96 |
| A-A-2917 | TWINE, COTTON SEINE [CUST: 99] [REVIEW: 82] | A 4020 | % FSS | | 21-JUN-95 |
| A-A-2919 | FOUNTAIN, PEN (TECHNICAL) | A 7510 | # FSS | | 06-SEP-95 |
| A-A-2920 | RAKE (ASPHALT, ROAD) | A 5120 | # FSS | | 24-NOV-95 |
| A-A-2921 | COUPLING ASSEMBLIES AND MENDORS, HOSE [CUST: 99] [REVIEW: 82] | A 4730 | / CC | | 12-JUL-95 |
| A-A-2922 | PIGMENT, LAMPBLACK - DRY [CUST: CR4 AS 99] [REVIEW: MR OS SH] | A 8010 | * AS | | 11-SEP-95 |
| A-A-2923 | LIGHT, DESK, INCANDESCENT, FLEXIBLE COLUMN [REVIEW: GS] | A 6230 | % FSS | | 07-SEP-95 |
| A-A-2924 | CALENDAR PADS | A 7510 | # FSS | | 13-SEP-96 |
| A A-A-2925A | KEY, SPLINE SOCKET HEAD SCREW AND KEY SETS SOCKET HEAD [CUST: GL SH FSS] | A 5120 | % FSS | | 22-OCT-97 |
| A A-A-2926A | SCREWDRIVER HANDLE AND HEXAGON BIT, REPLACEABLE, ADJUSTABLE BIT [CUST: GL SH FSS] | A 5120 | % FSS | | 22-OCT-97 |
| A A-A-2927A | SCREWDRIVER HANDLE AND HEXAGON BIT, NONREPLACEABLE, ADJUSTABLE BIT [CUST: GL SH FSS] | A 5120 | % FSS | | 22-OCT-97 |
| A-A-2928 | REAMER, HAND, STRAIGHT FLUTED | A 5110 | # FSS | | 01-APR-96 |
| A-A-2929 | REAMER, HAND, FINISHING, MORSE TAPER | A 5110 | # FSS | | 01-APR-96 |
| A-A-2930 | REAMER, HAND, TAPER PIN | A 5110 | # FSS | | 01-APR-96 |
| A-A-2931 | REAMER, HAND, BROWN AND SHARPE TAPER SOCKET | A 5110 | # FSS | | 01-APR-96 |
| A A-A-2932A | KEY, HEXAGON SOCKET HEAD SCREW AND KEY SETS SOCKET HEAD [CUST: GL SH FSS] | A 5120 | % FSS | | 22-OCT-97 |
| A-A-2934 | ICE SCRAPER AND CHIPPER, SIDEWALK | A 5120 | # FSS | | 30-NOV-95 |
| A-A-2936 | REAMER, HAND, BURRING, PIPE | A 5110 | # FSS | | 27-NOV-95 |
| A-A-2937 | REAMER, HAND, ADJUSTABLE | A 5110 | # FSS | | 27-NOV-95 |
| A-A-2938 | CAPS, VISE JAW | A 5120 | # FSS | | 01-NOV-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|-----------------|--|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | Date |
| | A-A-2940 | YARDSTICK (ALUMINUM) | A 5210 | # | FSS | 15-DEC-95 |
| | A-A-2941 | CALENDAR PAD STANDS (METAL AND PLASTIC) | A 7520 | # | FSS | 16-OCT-96 |
| | A-A-2942 | MARKER, ASSORTMENT, TUBE TYPE (DRY-ERASE) | A 7520 | # | FSS | 19-SEP-95 |
| | A-A-2943 | TAG BOARD, MANILA [REVIEW: GL] | A 9310 | % | FSS | 04-OCT-95 |
| | A-A-2944 | CLEANER, VACUUM, ELECTRIC (INSTITUTIONAL/HOSPITAL) [CUST: 99] [REVIEW: 84] | A 7910 | % | FSS | 05-OCT-95 |
| | A-A-2946 | PAPER, TRACING [CUST: GL] | A 7530 | % | FSS | 29-SEP-95 |
| | A-A-2947 | PAPER, LOOSE-LEAF, RULED AND BLANK | A 7530 | # | FSS | 26-FEB-96 |
| | A-A-2948 | PAPER, GRAPH | A 7530 | # | FSS | 01-MAY-96 |
| | A-A-2949 | DEICING COMPOUND (CALCIUM MAGNESIUM ACETATE) | A 6810 | # | FSS | 19-OCT-95 |
| | A-A-2950A | CLOTH, COATED, VINYL RESIN, EXPANDED LAYER, FOR UPHOLSTERY (ARTIFICIAL LEATHER) [CUST: 99] [REVIEW: 45 82] | A 8305 | % | FSS | 29-APR-96 |
| | A-A-2951 | PAPERBOARD, DRAWING | A 7530 | # | FSS | 02-OCT-95 |
| | A-A-2952 | CLEANER, VACUUM, ELECTRIC (HOUSEHOLD/COMMERCIAL) [CUST: 99] [REVIEW: 84] | A 7910 | % | FSS | 29-DEC-95 |
| | A-A-2953 | SEALING MACHINES, ELECTRICAL IMPULSE (JAW TYPE) | A 3540 | # | FSS | 24-OCT-95 |
| | A-A-2954 | BRUSH, BOTTLE, BURETTE, FLASK, PIPET, AND TEST TUBE | A 7920 | # | FSS | 03-OCT-95 |
| | A-A-2955 | HEATER, WATER, GAS-FIRED, RESIDENTIAL [REVIEW: CR4 MD YD1] | A 4520 | % | FSS | 27-NOV-95 |
| | A-A-2956 | HEATER, WATER, ELECTRIC, RESIDENTIAL [REVIEW: CR4 MD YD1] | A 4520 | % | FSS | 27-NOV-95 |
| | A-A-2957 | MATTRESS, BED, FELT | A 7210 | # | FSS | 21-NOV-95 |
| | A-A-2958 | FILM, COPYING, XEROGRAPHIC PROCESS (TRANSPARENT) | A 7530 | # | FSS | 19-DEC-95 |
| | A-A-2959 | TAB, SIGNAL, STEEL | A 7510 | # | FSS | 03-OCT-95 |
| | A-A-2962 | ENAMEL, ALKYD [REVIEW: DS] | A 8010 | # | FSS | 22-DEC-95 |
| | A-A-2963 | SEALING MACHINES, HEAT; HOT JAW AND CONTINUOUS | A 3540 | # | FSS | 11-DEC-95 |
| | A-A-2964 | CLOCKS, WALL (QUARTZ CRYSTAL-BATTERY OPERATED) (SOLID HARDWOOD CASES) | A 6645 | # | FSS | 31-MAY-96 |
| | A-A-2965 | CORRECTION MARKER, TUBE TYPE, OPAQUE COATING (CORRECTION STX & REFILLS) | A 7510 | # | FSS | 11-MAR-96 |
| | A-A-2966 | MARKER, TUBE TYPE, CRAYON, HIGHLIGHTER (ILLUMINATOR STX & REFILLS) | A 7520 | # | FSS | 11-MAR-96 |
| | A-A-2967 | PUNCH, CUTTING, REVOLVING HEAD | A 5110 | # | FSS | 14-AUG-96 |
| | A-A-2968 | SAW SET, HAND [CUST: GL SH 99] [REVIEW: 84] | A 5120 | * | GL | 27-JUN-96 |
| | A-A-2969 | CUTTER, ANGLE, HAND OPERATED | A 5110 | # | FSS | 28-AUG-96 |
| | A-A-2970 | JACK, SCREW | A 5120 | # | FSS | 06-NOV-96 |
| | A-A-2971 | PLIERS, SLIP JOINT (LINE CLAMP) | A 5120 | # | FSS | 07-JUN-96 |
| | A-A-2972 | EXTRACTOR, ELECTRON TUBE (TONG TYPE) | A 5120 | # | FSS | 25-JUN-96 |
| | A-A-2973 | PULLERS, FUSE | A 5120 | # | FSS | 10-JUN-96 |
| | A-A-2975 | DIGGER, POSTHOLE, HINGED | A 5120 | # | FSS | 02-OCT-96 |
| | A-A-2976 | HANDLE, FILE (ADJUSTABLE TYPE) | A 5110 | # | FSS | 01-MAY-96 |
| | A-A-2977 | HOE, MORTAR MIXING | A 5120 | # | FSS | 02-OCT-96 |
| | A-A-2978 | REMOVAL TOOL, OIL FILTER | A 5120 | # | FSS | 11-OCT-96 |
| | A-A-2979 | JACK, RACK BAR | A 5120 | # | FSS | 11-OCT-96 |
| | A-A-2980 | WISE, PIPE, CHAIN-STYLE | A 5120 | # | FSS | 02-OCT-96 |
| | A-A-2981 | MACHETE, RIGID HANDLE | A 5110 | # | FSS | 07-NOV-96 |
| | A-A-2982A | COATING COMPOUND, BITUMINOUS, FILLERS, SOLVENT TYPE, ALUMINUM PIGMENTED | A 8030 | # | FSS | 07-JAN-97 |
| | A-A-2983 | POINTER, WOOD | A 7520 | # | FSS | 12-DEC-95 |
| | A-A-2984 | CAN, TELESCOPE TOP [CUST: GL] | A 8110 | * | GL | 06-FEB-96 |
| | A-A-2985 | ADHESIVE, AIR-CURE, SILICONE RUBBER | A 8030 | % | FSS | 15-MAR-96 |
| A | A-A-2987 | PAPER, MANIFOLD | A 7530 | % | FSS | 29-JAN-96 |
| | A-A-2988 | HOLDER, DESK MEMORANDUM PAPER, SHEET TYPE (PLASTIC) | A 7520 | # | FSS | 02-AUG-96 |
| | A-A-2989 | TRAY, DESK, WOOD, EXECUTIVE OFFICE TYPE | A 7520 | % | FSS | 25-JUL-96 |
| | A-A-2990 | TRAYS, DESK; AND SUPPORT SET, STACKING, DESK TRAY | A 7520 | # | FSS | 25-JUL-96 |
| | A-A-2991 | PRINTING SET, RUBBER TYPE | A 7520 | # | FSS | 22-MAY-96 |
| | A-A-2992 | HOLDER, NAMEPLATE, DESK, WOOD | A 7520 | # | FSS | 19-AUG-96 |
| | A-A-2993 | TRAYS, REPOSITIONAL NOTE PAD | A 7520 | # | FSS | 25-MAR-96 |
| | A-A-2994 | PRIMER COATING, INTERIOR, FOR WALLS AND WOOD [CUST: MR] [REVIEW: YD1] | A 8010 | * | MR | 15-JUL-96 |
| | A-A-2995 | BINDER, LOOSE-LEAF, SPRING BACK [REVIEW: GL] | A 7510 | % | FSS | 27-DEC-96 |
| | A-A-2996 | PAD, DESK, BLOTTER | A 7520 | # | FSS | 15-AUG-96 |
| | A-A-2997 | BROOM, PUSH, VEGETABLE FIBER | A 7920 | # | FSS | 11-JUL-96 |
| | A-A-2998 | BROOM, UPRIGHT (CORN) | A 7920 | # | FSS | 20-AUG-96 |
| | A-A-2999 | APPLICATOR, WAX | A 7920 | # | FSS | 12-JUL-96 |
| | A-A-3000 | TOWEL, COTTON (FOR GLASSWARE) | A 7210 | # | FSS | 06-MAY-96 |
| | A-A-3001 | ADHESIVE, POLYVINYL ACETATE EMULSION, WOOD AND PLASTIC [CUST: MR AS 99] [REVIEW: 84 AR AT MI] | A 8040 | * | FSS | 16-APR-96 |
| | A-A-3002 | MIRRORS, GLASS | A 7105 | # | FSS | 04-JUN-96 |
| | A-A-3003 | LACQUER, SPRAYING, CLEAR AND PIGMENTED FOR INTERIOR USE [CUST: MR SH 99] [REVIEW: CR4] | A 8010 | % | FSS | 17-JUL-96 |
| | A-A-3004 | PAD, FLOOR POLISHING MACHINE [REVIEW: 84] | A 7910 | % | FSS | 18-DEC-96 |
| | A-A-3005A | FRAME, PICTURE (WOOD) | A 7105 | # | FSS | 29-APR-97 |
| A | A-A-3006 | ADHESIVE, PAPER LABEL [CUST: MR AS 99 FSS] [REVIEW: 69 AR CE CR4 GL MI OS SA SH SM YD1] | A 8040 | * | FSS | 11-MAR-98 |
| | A-A-3007 | THINNER: FOR PHENOL-FORMALDEHYDE AND MEDIUM OIL AND STYRENATED ALKYD PAINTS AND VARNISHES [CUST: 99] [REVIEW: 84 GL MI OS] | A 8010 | * | 99 | 16-JUL-96 |
| | A-A-3009 | TAPE, TELETYPEWRITER, PERFORATOR | A 7530 | # | FSS | 30-JAN-97 |
| | A-A-3010 | TOWEL, MACHINERY WIPING | A 7920 | # | FSS | 30-JUL-96 |
| | A-A-3011 | MOP, DUSTING, COTTON, UNIVERSAL ACTION SWIVEL | A 7920 | # | FSS | 29-JUL-96 |
| | A-A-3016 | HAWK, PLASTERER'S | A 5120 | # | FSS | 23-JUL-96 |
| | A-A-3017 | BLOCK, DOLLY, SHEET METAL | A 5120 | # | FSS | 25-JUN-96 |
| | A-A-3018 | PILOT, REAMER | A 5110 | # | FSS | 15-JUN-96 |
| | A-A-3019 | REAMER, HAND, REPAIRMAN'S T-HANDLE | A 5110 | # | FSS | 15-JUN-96 |
| | A-A-3020 | HANDLES, FILE, WOOD | A 5120 | # | FSS | 25-JUN-96 |
| | A-A-3021 | EXTRACTOR, SCREW (STUD AND PIPE) | A 5120 | # | FSS | 10-OCT-96 |
| | A-A-3022 | EXTRACTOR, TAP | A 5120 | # | FSS | 10-OCT-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prog. Acty. | Date |
|------------|-----------------|---|--------------------------|-----|-------------|-----------|
| | A-A-3023 | EXTRACTOR, SCREW AND DRILL GUIDE, SCREW EXTRACTOR | A 5120 | # | FSS | 10-OCT-96 |
| | A-A-3024 | CUTTER, GAGE-GLASS | A 5110 | # | FSS | 29-OCT-96 |
| | A-A-3026 | SCRIBER, MACHINISTS' | A 5120 | # | FSS | 06-NOV-96 |
| | A-A-3027 | CUTTER, WIRE ROPE, IMPACT (HAMMER ACTION) | A 5110 | # | FSS | 06-NOV-96 |
| | A-A-3029 | CUTTER, WIRE ROPE, HAND-OPERATED, HYDRAULIC, HORIZONTAL CUTTING | A 5110 | # | FSS | 06-NOV-96 |
| | A-A-3030 | CUTTER, GLASS, WHEEL TYPE | A 5110 | # | FSS | 07-OCT-96 |
| | A-A-3031 | HOOK, CANT | A 5120 | # | FSS | 03-OCT-96 |
| | A-A-3032 | PEAVY | A 5120 | # | FSS | 03-OCT-96 |
| | A-A-3033 | IGNITER, FRICTION, OXYACETYLENE-TORCH | A 5120 | # | FSS | 29-OCT-96 |
| | A-A-3034 | ROLLER, HAND (RUBBER ROLLER) | A 5120 | # | FSS | 10-OCT-96 |
| | A-A-3035 | WEDGE, METAL, JOINTING AND BREAKING | A 5120 | # | FSS | 11-OCT-96 |
| | A-A-3036 | WISE, WOODWORKER'S (QUICK ACTING) | A 5120 | # | FSS | 04-NOV-96 |
| | A-A-3037 | LIFTER, VALVE SPRING | A 5120 | # | FSS | 10-OCT-96 |
| | A-A-3038 | COMPRESSOR, PISTON RING, BAND TYPE | A 5120 | # | FSS | 10-OCT-96 |
| | A-A-3039 | HANDLING TOOL, SHEET MATERIAL (VACUUM TYPE) | A 5120 | # | FSS | 11-OCT-96 |
| | A-A-3040 | PULLER, NAIL, HAND | A 5120 | # | FSS | 02-OCT-96 |
| | A-A-3041 | WRENCH, OPEN END, RATCHET (TAC PATTERN) FOR TUBE FITTINGS, ELECTRICAL CABLE TERMINALS, AND STUFFING TUBE GLAND NUTS | A 5120 | # | FSS | 24-OCT-96 |
| | A-A-3042 | SOCKET, OPEN DETACHABLE, STANDARD WALL, OCTAGON | A 5120 | # | FSS | 24-OCT-96 |
| | A-A-3043 | RIVETER, BLIND, HAND AND HEADS | A 5120 | # | FSS | 29-OCT-96 |
| | A-A-3044 | SANDER, ELECTRIC, PORTABLE, DISK | A 5130 | # | FSS | 07-NOV-96 |
| | A-A-3045 | HAMMER, GEOLOGISTS' (PROSPECTING PICK) | A 5120 | # | FSS | 29-OCT-96 |
| | A-A-3046 | JOINTER, BRICK | A 5120 | # | FSS | 06-NOV-96 |
| | A-A-3047 | CUTTER, BOLT | A 5110 | # | FSS | 06-NOV-96 |
| | A-A-3048 | TAPES, MEASURING (STEEL SURVEYORS') | A 5120 | # | FSS | 07-NOV-96 |
| | A-A-3049 | HAMMER, PNEUMATIC, PORTABLE (RIVETING HAMMER) | A 5130 | # | FSS | 06-NOV-96 |
| | A-A-3050 | WISE, PIPE, HINGED JAW | A 5120 | # | FSS | 06-NOV-96 |
| | A-A-3051 | FRAME, COPING SAW | A 5110 | # | FSS | 06-NOV-96 |
| | A-A-3052 | ADHESIVE, UREA RESIN TYPE (LIQUID AND POWDER) [CUST: AS 99] [REVIEW: MI] | A 8040 | % | FSS | 12-AUG-96 |
| | A-A-3053 | ADHESIVE, EPOXY RESIN BASE, GENERAL PURPOSE | A 8040 | % | FSS | 06-AUG-96 |
| | A-A-3054 | PAINT: HEAT RESISTING (204 DEG. C) [REVIEW: AR MC MI YD1] | A 8010 | % | FSS | 10-SEP-96 |
| | A-A-3055 | PAPER, COVER | A 9310 | # | FSS | 18-SEP-96 |
| | A-A-3056 | PAPER, BOOK | A 9310 | # | FSS | 18-SEP-96 |
| | A-A-3057 | PAPER, INDEX [CUST: GL SA 84] | A 9310 | * | GL | 09-SEP-96 |
| | A-A-3058 | PAINT, INTERIOR, FIRE RETARDANT [CUST: MR SH 99] [REVIEW: 84 MC SA YD1] | A 8010 | % | FSS | 30-OCT-96 |
| | A-A-3059 | PAINT: PHOTOLUMINESCENT, NONRADIOACTIVE, INTERIOR [CUST: CG 99] [REVIEW: 84 AS MC MI MR OS SA] | A 8010 | % | FSS | 29-JAN-97 |
| | A-A-3060 | MOP, WET, COTTON (WITH FIXED HANDLE) | A 7920 | # | FSS | 20-NOV-96 |
| | A-A-3061 | HANDLES, MOP (WET) | A 7920 | # | FSS | 01-NOV-96 |
| | A-A-3062 | BRUSHES, DUSTING | A 7920 | # | FSS | 05-NOV-96 |
| | A-A-3067 | PAINT: ALKYD, EXTERIOR, LOW VOC [CUST: 99] [REVIEW: 84 GL MI OS] | A 8010 | % | FSS | 15-DEC-96 |
| | A-A-3068 | STONES, SHARPENING [REVIEW: 84 AV YD2] | A 5340 | % | FSS | 14-FEB-97 |
| | A-A-3068/1 | STONES, SHARPENING TYPE I - MOUNTED-IN-BOX CLASS B - NATURAL (NOVACULITE) STYLE I - RECTANGULAR [REVIEW: 84 AV YD] | A 5345 | % | FSS | 14-FEB-97 |
| | A-A-3068/2 | STONES, SHARPENING TYPE II - UNMOUNTED STONES CLASS A - 1 - ARTIFICIAL (ALUMINUM OXIDE) [CUST: FSS] [REVIEW: 84 AV YD] | A 5345 | % | FSS | 14-FEB-97 |
| | A-A-3068/3 | STONES, SHARPENING TYPE II - UNMOUNTED STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) [REVIEW: 84 AV YD1] | A 5345 | % | FSS | 14-FEB-97 |
| | A-A-3068/4 | STONES, SHARPENING TYPE II - UNMOUNTED STONES CLASS B - NATURAL (NOVACULITE) [REVIEW: 84 AV YD] | A 5345 | % | FSS | 14-FEB-97 |
| | A-A-3068/5 | STONES, SHARPENING TYPE II - UNMOUNTED STONES COMBINATION STONES (SEE TABLE I FOR CLASSES) STYLE I - RECTANGULAR [REVIEW: 84 AV YD] | A 5345 | % | FSS | 14-FEB-97 |
| | A-A-3068/6 | STONES, SHARPENING TYPE III - TAPER ROUND STONES CLASS A-1 - ARTIFICIAL (ALUMINUM OXIDE) [REVIEW: 84 AV YD] | A 5345 | % | FSS | 14-FEB-97 |
| | A-A-3068/7 | STONES, SHARPENING TYPE IV - SCYTHE STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) [REVIEW: 84 AV YD] | A 5345 | % | FSS | 14-FEB-97 |
| | A-A-3068/8 | STONES, SHARPENING TYPE V - KNIFE SHARPENING STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) [REVIEW: 84 AV YD] | A 5345 | % | FSS | 14-FEB-97 |
| | A-A-3068/9 | STONES, SHARPENING TYPE VI - GROOVED, SURGICAL AND DENTAL STONES CLASS B - NATURAL (NOVACULITE) [REVIEW: 84 AV YD] | A 5345 | % | FSS | 14-FEB-97 |
| | A-A-3068/10 | STONES, SHARPENING TYPE VII - AX SHARPENING STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) [REVIEW: 84 AV YD] | A 5345 | # | FSS | 14-FEB-97 |
| | A-A-3068/11 | STONES, SHARPENING TYPE X - SHOEMAKER SHARPENING STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) [REVIEW: 84 AV YD] | A 5345 | % | FSS | 14-FEB-97 |
| | A-A-3069 | BRUSHES, SANITARY | A 7920 | # | FSS | 01-NOV-96 |
| | A-A-3070 | SCRAPERS, ICE AND SNOW, VEHICLE WINDOW | A 7920 | # | FSS | 13-JAN-97 |
| | A-A-3071 | FILE FOLDERS, DRAWER (STRAIGHT CUT) [CUST: GL SA 99 FSS] [REVIEW: 84 AV] | A 7530 | % | FSS | 08-DEC-97 |
| | A-A-3072 | FILE FOLDERS, DRAWER (VARIOUS CUTS) [CUST: GL SA 99 FSS] [REVIEW: 84 AV] | A 7530 | % | FSS | 08-DEC-97 |
| | A-A-3073 | FILE FOLDERS, INNER [CUST: GL SA 99 FSS] [REVIEW: 84 AV] | A 7530 | % | FSS | 11-DEC-97 |
| | A-A-3074 | FILE FOLDERS, DRAWER (CLASSIFICATION) [CUST: GL SA 99 FSS] [REVIEW: 84 AV] | A 7530 | % | FSS | 08-DEC-97 |
| | A-A-3075 | FILE FOLDERS, DRAWER (CHARGE-OUT) [CUST: GL SA 99 FSS] [REVIEW: 84 AV] | A 7530 | % | FSS | 08-DEC-97 |
| | A-A-3076 | FILE FOLDERS, SHELF (VARIOUS CUTS) [CUST: GL SA 99 FSS] [REVIEW: 84 AV] | A 7530 | % | FSS | 08-DEC-97 |
| | A-A-3077 | BRUSHES, TYPEWRITER [CUST: FSS] | A 7510 | # | FSS | 01-MAY-97 |
| | A-A-3078 | BINDER, LOOSE-LEAF, SECTIONAL-POST-TYPE [CUST: GL] [REVIEW: GL] | A 7510 | % | FSS | 16-DEC-96 |
| | A-A-3079 | BAG, SOILED CLOTHES | A 8465 | # | FSS | 14-JAN-97 |
| | A-A-3080 | BRUSH, WINDOW | A 7920 | % | FSS | 10-JUN-97 |
| | A-A-3081 | MOPHEAD, WET (COTTON-SYNTHETIC AND SYNTHETIC) [CUST: FSS] | A 7920 | % | FSS | 01-JUL-97 |
| | A-A-3082 | HANDLES, WOOD, THREADED AND TAPERED | A 7920 | # | FSS | 24-FEB-97 |
| | A-A-3084 | PROTRACTORS, MECHANIC'S, BEVEL AND PLAIN, RECTANGULAR HEAD | A 5210 | # | FSS | 07-NOV-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------|--|-----------------------|-----|-------------|-----------|
| | A-A-3085 | PROTRACTORS, MECHANIC'S, UNIVERSAL BEVEL AND VERNIER SCALE | A 5210 | # | FSS | 07-NOV-96 |
| | A-A-3086 | WRENCH, BUNG, AND WRENCH, DRAIN PLUG | A 5120 | # | FSS | 23-OCT-96 |
| | A-A-3087 | FORCEPS, SHEET HOLDER | A 5120 | # | FSS | 10-OCT-96 |
| | A-A-3088 | BLADE, RECIPROCATING SAW, 1/4-INCH UNIVERSAL SHANK (JIG SAW BLADE) | A 5130 | # | FSS | 06-NOV-96 |
| | A-A-3089 | BLADE, RECIPROCATING SAW, 1/2-INCH UNIVERSAL SHANK (RECIPROCATING SAW BLADE) | A 5130 | # | FSS | 06-NOV-96 |
| | A-A-3090 | CHISELS, SCALING, POWER HAMMER | A 5130 | # | FSS | 30-OCT-96 |
| | A-A-3091 | CHISELS, COLD, POWER HAMMER | A 5130 | # | FSS | 30-OCT-96 |
| | A-A-3092 | SANDER, ELECTRIC, PORTABLE, BELT | A 5130 | # | FSS | 06-NOV-96 |
| | A-A-3093 | SANDER, ELECTRIC, PORTABLE, OSCILLATING PAD | A 5130 | # | FSS | 06-NOV-96 |
| | A-A-3097 | ADHESIVES, CYANOACRYLATE, RAPID ROOM TEMPERATURE-CURING, SOLVENTLESS | A 8040 | # | FSS | 06-MAY-97 |
| A | A-A-3098 | ADHESIVE, EPOXY, SAND FILLED, FOR REPAIRING, SEALING, AND GROUTING CONCRETE[CUST: 99] | A 8040 | * | 99 | 14-OCT-97 |
| | A-A-3099 | HAMMER, CARPENTERS', STRAIGHT CLAW | A 5120 | # | FSS | 15-OCT-96 |
| | A-A-3100 | CLEANING AND POLISHING PAD, NONMETALLIC (FOR AIRCRAFT) | A 7920 | # | FSS | 05-MAR-97 |
| A | A-A-3102 | PAPER, TABULATING MACHINE CONTINUOUS FLAT FOLD | A 7530 | # | FSS | 23-MAY-97 |
| | A-A-3103 | TAB, INDEX, PRESSURE-SENSITIVE, TRANSPARENT | A 7510 | # | FSS | 31-DEC-96 |
| A | A-A-3104 | APRON, LABORATORY | A 8415 | # | FSS | 27-JUN-97 |
| | A-A-3105 | APRONS, FOOD HANDLER'S | A 8415 | # | FSS | 12-MAR-97 |
| | A-A-3106 | BRUSHES, FLOOR SWEEPING | A 7920 | # | FSS | 10-MAR-97 |
| | A-A-3107 | DICTIONARIES, ENGLISH | A 7610 | # | FSS | 09-JAN-97 |
| | A-A-3108A | TINTING MEDIUM, ENAMEL: UNIVERSAL COLORANTS [CUST: YD1] | A 8010 | % | FSS | 15-MAY-97 |
| | A-A-3110 | PLUMBING FIXTURE SETTING COMPOUND | A 8030 | # | FSS | 25-FEB-97 |
| | A-A-3113 | CHAIRS, ROTARY, STEEL, TUBULAR, SPECIAL PURPOSE | A 7105 | # | FSS | 06-JAN-97 |
| | A-A-3115 | HOLDER, CARD-LABEL, (PLASTIC) [CUST: GL 99] [REVIEW: 84 SA] | A 9905 | * | GL | 05-FEB-97 |
| A | A-A-3118 | BRUSH, PLATER'S, HAND (CURVED HANDLE STYLE) [CUST: FSS] | A 7920 | # | FSS | 15-JUL-97 |
| A | A-A-3119 | BRUSH, PLATER'S, HAND (STRAIGHT BLOCK) [CUST: FSS] | A 7920 | # | FSS | 15-JUL-97 |
| A | A-A-3120 | PAINT: FOR SWIMMING POOLS [CUST: CE YD1 FSS] [REVIEW: MR] | A 8010 | % | FSS | 05-SEP-97 |
| A | A-A-3122 | DROPCLOTH, PAINTER'S (PLASTIC AND COTTON DUCK CLOTH) [CUST: NU] [REVIEW: CT] | A 8340 | % | FSS | 23-JUN-97 |
| A | A-A-3123 | MATTRESS, BED, FOAM [CUST: 99 FSS] [REVIEW: 84 85] | A 7210 | * | FSS | 25-SEP-97 |
| A | A-A-3124 | BAG, COTTON DUCK (SOIL AND GRAIN) [CUST: FSS] | A 8105 | # | FSS | 13-AUG-97 |
| A | A-A-3125 | CARDS, GUIDE, FILE [CUST: FSS] [REVIEW: GL] | A 7530 | % | FSS | 08-AUG-97 |
| A | A-A-3129 | CUSHIONING MATERIAL, FLEXIBLE OPEN CELL PLASTIC FILM (FOR PACKAGING APPLICATIONS) [CUST: GL SA 69] [REVIEW: 19 99 AR AS AV CR4 SM] | A 8135 | * | GL | 06-OCT-97 |
| A | A-A-3134 | COVER, MATTRESS AND PILLOW (PLASTIC) [CUST: 99 FSS] [REVIEW: 45 84] | A 7210 | * | FSS | 14-OCT-97 |
| N | A-A-3135 | WHEELBARROWS [CUST: 99 FSS] [REVIEW: 84] | A 3920 | # | FSS | 26-MAR-98 |
| A | A-A-3139 | ADHESIVE, RESILIENT FLOORING, (WATER-BASED) [CUST: 99 FSS] [REVIEW: 84] | A 8040 | * | FSS | 03-MAR-98 |
| A | A-A-3142 | PILLOW, BED, POLYESTER FIBERFILL (REFLUFFABLE) [CUST: 99 FSS] [REVIEW: 82] | A 7210 | % | FSS | 05-NOV-97 |
| A | A-A-3143 | PILLOW, BED, SHREDDED URETHANE FOAM FILLER [CUST: 99 FSS] [REVIEW: 82] | A 7210 | % | FSS | 05-NOV-97 |
| A | A-A-3148 | PAD, MATTRESS, POLYESTER BATTING, QUILTED, FLAT OR FITTED [CUST: 99 FSS] [REVIEW: 03 45] | A 7210 | % | FSS | 13-JAN-98 |
| N | A-A-3150 | PILLOW, BED (LATEX FOAM AND POLYESTER FIBERFILL) [CUST: 99] [REVIEW: 03 45] | A 7210 | % | FSS | 04-MAR-98 |
| A | A-A-3151 | SOAP, TOILET (LIQUID AND PASTE) [CUST: FSS] | A 8520 | # | FSS | 09-MAR-98 |
| A | A-A-3152 | SCREWDRIVER, JEWELERS', SWIVEL KNOB [CUST: FSS] | A 5120 | # | FSS | 08-JAN-98 |
| A | A-A-3155 | COAT RACK, WALL MOUNTED, WOOD, EXECUTIVE TYPE [CUST: FSS] | A 7195 | # | FSS | 03-DEC-97 |
| A | A-A-3156 | DETERGENT, GENERAL PURPOSE (SPRAY-ON, WIPE-OFF) [CUST: FSS] | A 7930 | # | FSS | 06-MAR-98 |
| | A-A-005337 | INTERIM COMMERCIAL ITEM DESCRIPTION WAX, DENTAL, IMPRESSION [CUST: MD MS 03] | A 6520 | MB | | 07-FEB-88 |
| | A-A-20000B | CEREAL, PREPARED, READY-TO-EAT [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8920 | * | GL | 14-MAR-95 |
| | A-A-20001 | SPICES, GROUND AND WHOLE, AND SPICE BLENDS [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8950 | / | SS | 28-JAN-88 |
| | A-A-20022B | CEREAL FOR BABIES, INSTANT | A 8920 | # | FV | 01-OCT-96 |
| | A-A-20030A | SALAD DRESSING MIXES [CUST: GL SA 50] [REVIEW: MC MD QM] | A 8950 | / | SS | 27-AUG-91 |
| A | A-A-20032E | POTATOES, WHITE, DEHYDRATED [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8915 | * | GL | 06-AUG-97 |
| | A-A-20033B | TEA, BLACK (BAGS OR LOOSE) [CUST: GL SA 35] [REVIEW: MC MD SS] | A 8955 | * | GL | 27-SEP-95 |
| A | A-A-20034A | BREAKFAST COCOA: COCOA, COCOA, LOWFAT: AND COCOA, FAT FREE [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8955 | / | SS | 03-JUN-97 |
| | A-A-20035A | HOMINY GRITS, ENRICHED [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8920 | / | SS | 14-JUL-83 |
| | A-A-20036A | MUSTARD, PREPARED [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8950 | / | SS | 08-FEB-88 |
| | A-A-20037A NOT 1 | MEAL, PRECOOKED, FROZEN [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8970 | / | SS | 26-APR-96 |
| | A-A-20038B | POTATO PRODUCTS, PREFORMED, PRECOOKED, FROZEN [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8915 | * | FV | 07-JUN-96 |
| | A-A-20039 | POTATOES, WHITE, (PEELED) | A 8915 | * | GL | 17-AUG-81 |
| | A-A-20042A | BEAN SPROUTS, CANNED [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8915 | / | SS | 01-JUN-89 |
| | A-A-20043 | CREAMER, NON-DAIRY, DRY [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8940 | / | SS | 16-AUG-82 |
| | A-A-20045A | CUSTARD MIX, EGG, NO-BAKE, DRY | A 8940 | # | FV | 25-MAY-94 |
| | A-A-20046A | EGGNOG MIX, IMITATION, DRY [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8910 | * | GL | 24-JAN-95 |
| | A-A-20047C | MEAT PUREES, WITH MEAT BROTHS, CANNED [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8905 | * | GL | 17-MAY-94 |
| | A-A-20048A | RAVIOLI, BEEF, CANNED (IN TOMATO SAUCE, WITH OR WITHOUT BEEF) [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8940 | * | GL | 24-MAY-94 |
| | A-A-20049B | CREAMER, NONDAIRY, FOR RECONSTITUTION | A 8940 | # | FV | 04-APR-94 |
| | A-A-20050D | VEGETABLE PUREES, CANNED | A 8915 | # | FV | 07-APR-95 |
| | A-A-20051C | PUDDINGS, CANNED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | * | GL | 07-APR-94 |
| M | A-A-20052B | BREAD, FRESH OR FROZEN [CUST: GL SA 35] [REVIEW: MC MD QM] | A 8920 | / | SS | 11-MAY-98 |
| | A-A-20053A | ROLLS, BREAD, FRESH OR FROZEN [REVIEW: MC MD MS] | A 8920 | * | SS | 21-SEP-81 |
| | A-A-20054A NOT 1 | DOUGHNUTS, FRESH, PLAIN, COATED, OR FILLED [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8920 | / | SS | 26-APR-96 |
| | A-A-20055A NOT 1 | CAKE, FRESH OR FROZEN, INDIVIDUALLY PACKAGED [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8920 | / | SS | 26-APR-96 |
| A | A-A-20062C | PASTA PRODUCTS, ENRICHED [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8920 | / | SS | 03-JUN-97 |
| A | A-A-20063C | NOODLES, EGG, ENRICHED [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8920 | / | SS | 03-JUN-97 |
| | A-A-20064 | STARCHES, EDIBLE [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8920 | / | SS | 09-DEC-86 |
| | A-A-20065A | ICING MIXES, POWDER [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8925 | / | SS | 26-MAR-97 |
| | A-A-20066 | CORNMEAL, ENRICHED (YELLOW OR WHITE) [CUST: GL SA 50] [REVIEW: MC MD] | A 8920 | / | SS | 29-JUL-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Act | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|----------------------|-----|-------------|-----------|
| | A-A-20068C | BEVERAGE, NONALCOHOLIC, CARBONATED (GINGER ALE | A 8940 | # | FV | 07-APR-95 |
| | A-A-20069A | SALT SUBSTITUTE (INDIVIDUAL PACKET) | A 8940 | # | FV | 16-MAR-92 |
| | A-A-20070A | PEPPERS, GREEN AND RED, DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD] | A 8915 | / | SS | 26-JAN-90 |
| | A-A-20071A | ROLLS, BROWN AND SERVE, FRESH [CUST: GL SA 50] [REVIEW: MC MD QM] | A 8920 | / | SS | 28-JUN-91 |
| | A-A-20072B | MILK, EVAPORATED [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8910 | * | GL | 14-JUN-94 |
| | A-A-20073 NOT 1 | PIES, FROZEN, BAKED AND UNBAKED, 8, 9, OR 10 INCH DIAMETER [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8920 | / | SS | 26-APR-96 |
| | A-A-20074A | PIE, FRESH, FRUIT FILLD, READY TO EAT [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8920 | / | SS | 31-JAN-83 |
| | A-A-20078A | JELLY, FRUIT [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8930 | * | GL | 29-FEB-96 |
| | A-A-20079A | PRESERVES (OR JAMS), FRUIT [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8930 | * | GL | 29-FEB-96 |
| | A-A-20081D | BACON, PRECOOKED, SLICED, CANNED OR IN FLEXIBLE POUCHES [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8905 | * | GL | 01-APR-96 |
| | A-A-20085A | MILK, DRY, NONFAT; AND MILK, DRY, NONFAT, IN STAND (SPRAY PROCESS) [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8910 | / | MB | 20-MAR-87 |
| | A-A-20086A | BAKING SODA (SODIUM BICARBONATE) [CUST: GL SA 50] [REVIEW: MC MD] | A 8950 | / | SS | 29-SEP-89 |
| | A-A-20087A | SOY SAUCE [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8950 | / | SS | 26-MAR-87 |
| | A-A-20089A | YEAST, BAKER'S (ACTIVE DRY) [CUST: GL SA 50] [REVIEW: MC MD] | A 8950 | / | SS | 30-MAR-90 |
| | A-A-20090B | CEREALS, ROLLED OATS [CUST: GL SA 35] [REVIEW: GL MC MD QM] | A 8920 | / | SS | 20-SEP-96 |
| | A-A-20091B | SALAD OILS, VEGETABLE [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8945 | / | SS | 21-APR-97 |
| | A-A-20092A | STEAK SAUCE [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8950 | / | SS | 26-MAY-89 |
| | A-A-20093 | CHEESECAKE, FROZEN [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8920 | / | SS | 28-MAR-83 |
| | A-A-20094A | BAKING POWDER [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8950 | / | SS | 04-DEC-87 |
| | A-A-20096 | CHEESE BLEND, PIZZA [CUST: GL SA 50] [REVIEW: MC MD QM] | A 8910 | / | SS | 16-JUL-93 |
| | A-A-20097C | HOT SAUCE [CUST: GL SA 35] [REVIEW: MC MD QM] | A 8950 | / | SS | 27-MAY-97 |
| | A-A-20098A | BEVERAGE BASES (POWDERED) [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8960 | / | SS | 26-JAN-90 |
| | A-A-20099A | WORCESTERSHIRE SAUCE [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8950 | / | SS | 22-MAR-83 |
| | A-A-20100B | SHORTENING COMPOUNDS [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8945 | / | SS | 21-APR-97 |
| | A-A-20101 | BACON BITS, IMITATION [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8940 | / | SS | 17-JUL-84 |
| | A-A-20102A | JUICE, LEMON, FROZEN (CONCENTRATED) [CUST: GL SA 50] [REVIEW: MC MD] | A 8915 | / | SS | 30-MAR-90 |
| | A-A-20107 | PIES, FRESH OR CHILLED, SOFT-FILLED, READY-TO-EAT [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8920 | / | SS | 11-JUL-83 |
| A | A-A-20108A | CEREALS, WHEAT, QUICK-COOKING AND INSTANT [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8920 | / | SS | 25-SEP-97 |
| | A-A-20109 | TERIYAKI SAUCE [CUST: GL SA 50] [REVIEW: MC MD] | A 8950 | / | SS | 16-SEP-88 |
| | A-A-20112A | NOODLES, CHOW MEIN [CUST: GL SA 50] [REVIEW: DP MC MD QM] | A 8920 | / | SS | 08-APR-93 |
| | A-A-20113B | MILK AND MILK PRODUCTS [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8910 | % | FSS | 22-JUN-84 |
| | A-A-20116B | COFFEE, ROASTED, GROUND, HIGH EXTRACTION | A 8955 | # | FV | 16-APR-97 |
| | A-A-20117A | JUICE, PRUNE, CANNED | A 8915 | # | FV | 09-SEP-93 |
| | A-A-20118A | NECTARS, FRUIT, CANNED (APRICOT, PEAR, AND PEACH) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8915 | * | FV | 09-SEP-93 |
| | A-A-20119A | ORANGES, CANNED (MANDARIN) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8915 | # | FV | 12-MAY-93 |
| | A-A-20120B | VEGETABLES, MIXED, CANNED | A 8915 | # | FV | 16-APR-97 |
| | A-A-20121 NOT 1 | CRANBERRY JUICE COCKTAIL, CANNED [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8915 | * | GL | 03-JUN-94 |
| | A-A-20122A | JUICE, LIME, FROZEN, & FROZEN CONCENTRATE FOR LIMEADE [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8915 | * | FV | 12-MAY-93 |
| | A-A-20124B | SYRUP [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8925 | * | GL | 05-APR-95 |
| | A-A-20126C | FLOUR [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8920 | * | GL | 28-SEP-93 |
| A | A-A-20130A | CHICKEN FILLETS, CHUNKED AND FORMED, BREADED OR UNBREADED, PRECOOKED, INDIVIDUALLY FROZEN [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8905 | / | SS | 03-JUN-97 |
| | A-A-20131A | CHERRY, MARASCHINO, PITTED, RED [CUST: GL SA 50] [REVIEW: 50 GL QM SA] | A 8915 | * | FV | 12-MAR-93 |
| | A-A-20133A | SAUCE, SPAGHETTI, MEATLESS [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | * | GL | 30-SEP-93 |
| | A-A-20134A | BEANS, DRIED, CANNED (IN TOMATO SAUCE OR BRINE, WITH OR WITHOUT MEAT OR MEAT PRODUCT) [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8915 | * | GL | 01-JUN-94 |
| | A-A-20135B | SUGAR, REFINED, WHITE AND SUGAR BROWN [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8925 | * | GL | 02-MAY-97 |
| | A-A-20136B | MEAT HASH, CANNED [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8940 | * | GL | 31-DEC-96 |
| M | A-A-20139A | MUFFINS, FRESH OR FROZEN [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8920 | / | SS | 11-MAY-98 |
| | A-A-20140B | MAYONNAISE, SALAD DRESSING, AND TARTAR SAUCE [CUST: GL SA 50] [REVIEW: MC MD QM] | A 8950 | / | SS | 24-JUN-93 |
| | A-A-20141 | PEPPERS, PICKLED, CHERRY & JALAPENO [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8950 | / | SS | 17-JUN-87 |
| | A-A-20143 | TORTILLAS, TACO SHELLS, AND CHALUPA SHELLS [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8920 | / | SS | 30-APR-87 |
| | A-A-20144 | JUICE, LEMON, RECONSTITUTED | A 8915 | # | FV | 01-FEB-93 |
| | A-A-20145A | SOUPS, CANNED [CUST: GL SA 50] [REVIEW: MC MD] | A 8935 | / | SS | 24-SEP-90 |
| A | A-A-20146 | FRUITCAKE, FRESH [CUST: GL SA 50 SS] [REVIEW: MC MD MS] | A 8920 | / | SS | 05-SEP-86 |
| | A-A-20148A | BEEF STEW, CANNED [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8940 | * | GL | 26-SEP-96 |
| | A-A-20149B | HAM PRODUCTS, FULLY COOKED, CANNED OR PACKAGED [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8905 | * | GL | 11-DEC-95 |
| | A-A-20150 | CHICKEN PARTS, FROZEN, FULLY COOKED, BREADED [CUST: GL SA 50] [REVIEW: MC MD] | A 8905 | / | SS | 04-AUG-89 |
| | A-A-20151 | DESSERT POWDER, IMATATION GELATIN, ARTIFICIALLY COLORED, NONCHILL SET [CUST: GL SA 50] | A 8940 | * | SS | 28-JUL-87 |
| | A-A-20152A | CABBAGE, FRESH, SHREDDED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8915 | % | FV | 04-APR-94 |
| | A-A-20154A | COTTAGE CHEESE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8910 | * | GL | 30-JUN-94 |
| | A-A-20155A | TUNA, CANNED [CUST: GL SA 50] [REVIEW: MC MD SS] | A 8905 | * | GL | 16-NOV-92 |
| | A-A-20156A | JUICE, VEGETABLE, CANNED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8915 | * | GL | 10-JAN-94 |
| | A-A-20157A | CRABAPPLES, SPICED, CANNED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8915 | * | GL | 10-JAN-94 |
| | A-A-20158B | SALMON, CANNED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8905 | * | GL | 22-JUL-93 |
| | A-A-20161A | PIE FILLINGS, FRUIT, PREPARED [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8940 | / | SS | 21-MAR-97 |
| A | A-A-20162A | SALAD DRESSINGS, POURABLE [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8940 | / | SS | 24-MAR-98 |
| | A-A-20164B | NUTS, SHELLED, ROASTED [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8925 | * | GL | 29-FEB-96 |
| A | A-A-20165B | POTATO-BASED MIX, PELLETIZED, DEHYDRATED (FOR FRENCH-FRIED TYPE PRODUCTS) [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8915 | / | SS | 12-FEB-98 |
| | A-A-20167 | EXTRACTS AND FLAVORS [CUST: GL SA 50] [REVIEW: MC MD] | A 8950 | / | SS | 29-JUL-88 |
| | A-A-20169 | CAKE MIX, CHEESE, UNBAKED [CUST: GL SA 50] [REVIEW: MC MD] | A 8920 | / | SS | 28-APR-88 |
| | A-A-20170 | DESSERT POWDER (GELATIN), PLAIN, EDIBLE [CUST: GL SA 50] [REVIEW: MC MD] | A 8940 | / | SS | 10-AUG-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prog. Acty. | Date |
|------------|-----------------|--|----------------------|-----|-------------|-----------|
| | A-A-20172A | FORMULAS, INFANT | A 8940 | # | FV | 06-APR-94 |
| | A-A-20173A | LETTUCE, FRESH, READY-TO-USE [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8915 | * | GL | 04-APR-94 |
| | A-A-20174 | COCONUT, DRIED, PREPARED [CUST: GL SA 50] [REVIEW: MC MD] | A 8925 | / | SS | 29-JUN-89 |
| A | A-A-20175A | CHEWING GUM [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8925 | / | SS | 07-OCT-97 |
| A | A-A-20177A | CANDY AND CHOCOLATE CONFECTIONS [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8925 | / | SS | 10-DEC-97 |
| | A-A-20178 | SUGAR SUBSTITUTES [CUST: GL SA 50] [REVIEW: MC MD QM] | A 8940 | / | SS | 27-AUG-91 |
| | A-A-20179A | BROWNING AND SEASONING SAUCE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8950 | * | FV | 31-MAY-96 |
| | A-A-20180 | PIE CRUST, PREFORMED, GRAHAM CRACKER [CUST: GL SA 50] [REVIEW: MC MD] | A 8920 | / | SS | 29-JAN-90 |
| | A-A-20181A | BAKERY, MIXES, PREPARED [CUST: GL SA 35] [REVIEW: MC MD QM] | A 8920 | / | SS | 16-DEC-96 |
| | A-A-20182 | PIE CRUST MIX (PREPARED) [CUST: GL SA 50] [REVIEW: MC MD QM] | A 8920 | / | SS | 23-JUL-90 |
| | A-A-20183 | TEA, INSTANT [CUST: GL SA 50] | A 8955 | / | SS | 01-NOV-90 |
| A | A-A-20184 | COFFEE, INSTANT [CUST: GL SA 50 SS] [REVIEW: MC MD QM SS] | A 8955 | / | SS | 19-NOV-93 |
| | A-A-20186 | LOBSTER TAIL, SPINY, RAW, FROZEN [CUST: GL SA 50] [REVIEW: MC MD QM] | A 8905 | / | SS | 28-JUN-91 |
| | A-A-20189 | COCOA BEVERAGE POWDER [CUST: GL SA 50] [REVIEW: MC MD QM] | A 8960 | / | SS | 14-FEB-92 |
| | A-A-20190A | ONIONS, GREEN, FRESH, READY-TO-USE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8915 | * | GL | 29-FEB-96 |
| | A-A-20191A | CARROTS, FRESH, READY-TO-USE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8915 | * | GL | 29-FEB-96 |
| | A-A-20192A | RADISHES, FRESH, READY-TO-USE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8915 | * | GL | 29-FEB-96 |
| | A-A-20193A | ONIONS, DRY, READY-TO-USE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8915 | * | GL | 29-FEB-96 |
| | A-A-20195B | SNACK FOODS [CUST: GL SA 35] [REVIEW: GL MC MD QM] | A 8940 | / | SS | 14-AUG-96 |
| | A-A-20196 | TOPPING, DESSERT AND BAKERY PRODUCTS, FROZEN OR DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD QM] | A 8940 | / | SS | 02-AUG-93 |
| | A-A-20197 | CHICKENS AND CHICKEN PARTS, READY-TO-COOK, CHILLED AND FROZEN [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8905 | * | GL | 17-SEP-96 |
| | A-A-20198 | SAUSAGE, POULTRY, RAW OR PRECOOKED, FROZEN [CUST: GL SA 90] [REVIEW: MC MD QM SA SS] | A 8905 | * | FSS | 08-JUN-93 |
| | A-A-20199 | CHICKEN BREAST FILLET WITH RIB MEAT, SEASONED, CHUNKED AND FORMED, GRILLED, THERMOPROCESSED [CUST: GL SA 50] [REVIEW: MC MD QM SA] | A 8905 | / | SS | 30-JUN-93 |
| | A-A-20200 | PIZZA SAUCE [CUST: GL SA 35] [REVIEW: MC MD QM] | A 8940 | / | SS | 30-DEC-94 |
| | A-A-20202 | BOUILLON (SOUP AND GRAVY BASES) [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8935 | * | GL | 29-FEB-96 |
| | A-A-20203 | CHICKEN, NOODLES, AND VEGETABLES, IN SAUCE, KOSHER AND HALAL, THERMOSTABILIZED [CUST: GL SA 35] [REVIEW: MC MD QM] | A 8940 | / | SS | 30-JUN-94 |
| | A-A-20204 | PASTA WITH VEGETABLES IN TOMATO SAUCE, KOSHER AND HALAL, THERMOSTABILIZED [CUST: GL SA 35] [REVIEW: MC MD QM] | A 8940 | / | SS | 30-JUN-94 |
| | A-A-20205 | CHICKEN BREAST FILLET WITH RIB MEAT, CHUNKED AND FORMED, BREADED IN TOMATO SAUCE, WITH CAVATELLI, THERMOSTABILIZED [CUST: GL SA 35] [REVIEW: MC MD QM] | A 8940 | / | SS | 30-DEC-94 |
| | A-A-20207 | CHEESE TORTELLINI IN TOMATO SAUCE, KOSHER AND HALAL, THERMOSTABILIZED [CUST: GL SA 35] [REVIEW: MC MD QM] | A 8940 | / | SS | 30-JUN-94 |
| | A-A-20208 | CHEESE, CHEDDAR, REDUCED FAT [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8910 | * | GL | 06-JUN-95 |
| | A-A-20209 | BEEFSTEAK, RESTRUCTURED, GRILLED, THERMOSTABILIZED [CUST: GL SA 35] [REVIEW: MC MD QM] | A 8905 | / | SS | 30-DEC-94 |
| | A-A-20210 | SALSA [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8950 | * | GL | 02-MAY-97 |
| | A-A-20211 | TOASTER PASTRY [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8920 | * | GL | 29-MAR-95 |
| | A-A-20212 | FRUIT BARS [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8920 | * | GL | 07-SEP-95 |
| | A-A-20213A | COFFEE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8955 | * | FV | 18-JUN-96 |
| A | A-A-20234 | WAFFLES, SHELF STABLE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8920 | / | SS | 22-MAY-95 |
| | A-A-20244 | PIE FILLING, LEMON, READY-TO-USE [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8940 | / | SS | 26-JUN-96 |
| | A-A-20245 | GRANOLA BARS [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8920 | * | GL | 10-MAR-97 |
| | A-A-20247 | FOOD PACKET, SURVIVAL, ABANDON SHIP [CUST: GL SA 35 SS] [REVIEW: MC MD QM] | A 8970 | / | SS | 10-SEP-96 |
| A | A-A-20248 | CHEESE, MOZZARELLA, LITE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8910 | * | GL | 10-JUN-97 |
| A | A-A-20250 | YOGURT [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8910 | * | GL | 18-NOV-97 |
| | A-A-20252 | PLUM (PRUNE) PUREE, DRIED | A 8915 | # | FV | 07-APR-97 |
| A | A-A-20253 | CREAM CHEESE, NEUFCHATEL CHEESE, AND RELATED PRODUCTS [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8910 | * | GL | 04-SEP-97 |
| A | A-A-20254 | BAKING MIX, ALL PURPOSE, LOWFAT, WITH FRUIT-BASED FAT REPLACERS [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8920 | # | FV | 08-JUL-97 |
| A | A-A-20256 | BEEF PATTY PRODUCTS, FULLY COOKED, INDIVIDUALLY QUICK FROZEN [CUST: FV] | A 8905 | # | FV | 16-JUL-97 |
| A | A-A-20257 | BEANS, REFRIED, CANNED OR DEHYDRATED [CUST: GL SA 35] [REVIEW: MC MD SS] | A 8940 | % | FV | 08-JUL-97 |
| A | A-A-20259 | PICANTE SAUCE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8950 | * | GL | 16-JUL-97 |
| A | A-A-20260 | LASAGNA, WITH MEAT AND SAUCE, FROZEN [CUST: FV] | A 8940 | # | FV | 31-JUL-97 |
| A | A-A-20261 | LASAGNA, VEGETABLE, FROZEN [CUST: FV] | A 8940 | # | FV | 31-JUL-97 |
| A | A-A-20262 | LASAGNA, CHEESE, FROZEN [CUST: FV] | A 8940 | # | FV | 31-JUL-97 |
| A | A-A-20263 | MACRONI AND BEEF IN TOMATO SAUCE, FROZEN [CUST: FV] | A 8940 | # | FV | 31-JUL-97 |
| A | A-A-20264 | MACARONI AND CHEESE, FROZEN [CUST: FV] | A 8940 | # | FV | 31-JUL-97 |
| A | A-A-20266 | CABBAGE, STUFFED WITH MEAT, IN SAUCE, FROZEN [CUST: FV] | A 8940 | # | FV | 31-JUL-97 |
| A | A-A-20267 | MEAT LOAF WITH BROWN GRAVY, SLICED, FROZEN [CUST: FV] | A 8940 | # | FV | 31-JUL-97 |
| A | A-A-20268 | SALISBURY STEAK WITH BROWN GRAVY, FROZEN [CUST: FV] | A 8940 | # | FV | 31-JUL-97 |
| A | A-A-20269 | PASTA SHELLS, STUFFED WITH CHEESE IN SAUCE, FROZEN [CUST: FV] | A 8940 | # | FV | 31-JUL-97 |
| A | A-A-20270 | CHICKEN A' LA KING, FROZEN [CUST: FV] | A 8940 | # | FV | 31-JUL-97 |
| A | A-A-20271 | CHICKEN CHOW MEIN, FROZEN [CUST: FV] | A 8940 | # | FV | 31-JUL-97 |
| A | A-A-20272 | BEANS, WITH JALAPENO PEPPERS, CANNED, INCLUDING PRODUCT FLAVORED WITH SLAB BACON [CUST: FV] | A 8915 | # | FV | 24-SEP-97 |
| A | A-A-20273 | CHILI WITH BEANS, CANNED [CUST: FV] | A 8940 | # | FV | 24-SEP-97 |
| A | A-A-20274 | BEANS, WESTERN STYLE, CANNED [CUST: FV] | A 8915 | # | FV | 24-SEP-97 |
| A | A-A-20275 | VEGETABLE PATTIES, FROZEN [CUST: FV] | A 8940 | # | FV | 24-SEP-97 |
| | A-A-22344A | WRENCHES, ADJUSTABLE | A 5120 | # | FSS | 14-MAY-85 |
| | A-A-30011B | PAD, COTTON (EYE PADS) | A 6510 | % | FSS | 08-FEB-85 |
| | A-A-30012C | BOTTLE, SAFETY CAP (TABLETS AND CAPSULES) [CUST: MD MS 03] | A 6530 | / | MB | 15-OCT-93 |
| | A-A-30013A | CATHETER, URETHRAL (FOLEY, SILICONE) [CUST: MD MS 03] | A 6515 | / | MB | 07-OCT-83 |
| | A-A-30016C | APPLICATOR, DISPOSABLE (STERILE AND NONSTERILE) [CUST: MD MS 03] | A 6515 | * | MB | 21-MAY-91 |
| | A-A-30018A | PROSTHETIC SOCKS [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-82 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|-----------------|--|-------------------------|-----|-------------|-----------|
| A-A-30019 | ALUMINUM HYDROXIDE GEL, DRIED, MAGNESIUM HYDROXIDE, AND SIMETHICONE TABLET [CUST: MD MS 03] | A 6505 | / | MB | 28-OCT-81 |
| A-A-30025 | HEMORRHOIDAL SUPPOSITORIES [CUST: MD MS 03] | A 6505 | / | MB | 28-OCT-81 |
| A-A-30029 | MINERAL OIL, LANOLATED, WATER DISPERSIBLE [CUST: MD MS 03] | A 6505 | / | MB | 28-OCT-81 |
| A-A-30031 | PSYLLIUM HYDROPHILIC MUCILLOID WITH DEXTROSE [CUST: MD MS 03] | A 6505 | / | MB | 28-OCT-81 |
| A-A-30034D | APPLICATOR, GLYCERIN-LEMON OIL IMPREGNATED [CUST: MD MS 03] | A 6510 | * | MB | 24-JUL-91 |
| A-A-30035C | WATER SET (PLASTIC) [CUST: MD MS 03] | A 7350 | * | MB | 22-JAN-93 |
| A-A-30036B | PUMP UNIT, ALTERNATING PRESSURE POINT PAD, PHYSIOTHERAPEUTIC [CUST: MD MS 03] | A 6530 | * | MB | 27-NOV-91 |
| A-A-30041A | DEPRESSOR, TONGUE, WOOD [CUST: MD MS 03] | A 6515 | / | MB | 27-NOV-91 |
| A-A-30043C | URINAL, MALE PATIENT [CUST: MD MS 03] | A 6530 | * | MB | 28-FEB-92 |
| A-A-30045A | BOTTLE, URINE SPECIMEN [CUST: MD MS 03] | A 6530 | * | MB | 31-MAY-91 |
| A-A-30046B | BAG, TUBE FEEDING [CUST: MD MS 03] | A 6515 | * | MB | 27-NOV-91 |
| A-A-30048 | CUSHION, RING, INFLATABLE (DONUT) | A 6530 | # | FSS | 22-SEP-82 |
| A-A-30049B | BOTTLES, SAFETY CAP (LIQUID) | A 6530 | # | FSS | 15-MAR-85 |
| A-A-30051C | IRRIGATION KIT, PATIENT [CUST: MD MS 03] | A 6530 | * | MB | 01-DEC-89 |
| A-A-30052B | SOCKS, MEN'S [CUST: MD MS 03] | A 8440 | * | MB | 21-DEC-90 |
| A-A-30054C | JAR, SCREW CAP, OINTMENT [CUST: MD MS 03] | A 6530 | # | FSS | 12-DEC-84 |
| A-A-30055C | ENEMA ADMINISTRATION SETS [CUST: MD MS 03] | A 6530 | * | MB | 24-JUL-91 |
| A-A-30056E | CUP, SPECIMEN (STERILE AND NONSTERILE) [CUST: MD MS 03] | A 6530 | * | MB | 13-OCT-92 |
| A-A-30057B | BASIN, WASH (PLASTIC AUTOCLAVABLE) [CUST: MD MS 03] | A 6530 | / | MB | 15-APR-87 |
| A-A-30058F | BEDPANS (PLASTIC) [CUST: MD MS 03] | A 6530 | * | MB | 15-JUL-92 |
| A-A-30059A | BOTTLE, SPECIMEN COLLECTING (SPUTUM) [CUST: MD MS 03] | A 6515 | * | MB | 24-JUL-91 |
| A-A-30060A | BOTTLE, EMESIS (DISPOSABLE, SINGLE-PATIENT USE) [CUST: MD MS 03] | A 6530 | * | MB | 11-MAR-83 |
| A-A-30065B | BATIN, SAFETY CAP (CONTROLLED SUBSTANCE) [CUST: MD MS 03] | A 6530 | * | MB | 28-FEB-92 |
| A-A-30066B | STOCKINGS, ANTI-EMBOLISM [CUST: MD MS 03] | A 6515 | * | MB | 27-NOV-91 |
| A-A-30067C | PAPER SHEETING, EXAMINATION-TREATMENT TABLES [CUST: MD MS 03] | A 6530 | * | MB | 08-JAN-93 |
| A-A-30071D | CRUTCH (ADJUSTABLE, WOOD) [CUST: MD MS 03] | A 6515 | * | MB | 08-JAN-93 |
| A-A-30073 | PENS, SKIN MARKING [CUST: MD MS] | A 6515 | / | MB | 11-MAR-83 |
| A-A-30074A | ADHESIVE TAPE, SURGICAL [CUST: MD MS 03] | A 6510 | / | MB | 29-OCT-84 |
| A-A-30076C | ADHESIVE TAPE, SURGICAL (PAPER TYPE) [CUST: MD MS 03] | A 6510 | * | MB | 19-AUG-91 |
| A-A-30078A | CUSHION, CRUTCH [CUST: MD MS 03] | A 6515 | * | MB | 15-MAR-90 |
| A-A-30080A | GAUZE, ABSORBENT (NONSTERILE) | A 6510 | # | FSS | 11-APR-86 |
| A-A-30081C | TIP, CANE AND CRUTCH [CUST: MD MS 03] | A 6515 | * | MB | 28-FEB-92 |
| A-A-30082B | BAG, URINE COLLECTION [CUST: MD MS 03] | A 6530 | * | MB | 26-JUL-89 |
| A-A-30083A | DIAPER, ADULT'S [CUST: MD MS 03] | A 6532 | * | MB | 18-SEP-92 |
| A-A-30084A | ENVELOPES, STERILIZATION | A 6530 | # | FSS | 10-JUN-83 |
| A-A-30085E | SPECIMEN KIT, URINE (MIDSTREAM) [CUST: MD MS 03] | A 6530 | * | MB | 21-JUN-93 |
| A-A-30087C | WALKER, INVALID [CUST: MD MS 03] | A 6530 | * | MB | 27-NOV-91 |
| A-A-30090A | CANE, WALKING (WOOD) [CUST: MD MS 03] | A 6515 | * | MB | 10-AUG-84 |
| A-A-30092C | CRUTCH (CANE TYPE, FOREARM AND ELBOW) [CUST: MD MS 03] | A 6515 | * | MB | 18-SEP-92 |
| A-A-30093 | PADS, BED LINEN PROTECTIVE [CUST: MD MS 03] | A 6530 | * | MB | 19-JUL-83 |
| A-A-30094A | WHEELCHAIR, FOLDING [CUST: MD MS 03] | A 6530 | * | MB | 28-JAN-87 |
| A-A-30096A | PADS, ISOPROPYL ALCOHOL IMPREGNATED | A 6510 | % | FSS | 08-FEB-85 |
| A-A-30099D | CATHETERIZATION SET, URETHRAL [CUST: MD MS 03] | A 6515 | * | MB | 20-APR-93 |
| A-A-30100B | RAZOR, SURGICAL PREPARATION, SAFETY, DISPOSABLE [CUST: MD MS 03] | A 6515 | * | MB | 24-JUL-91 |
| A-A-30101 | TUBE, CONNECTING, GENERAL PURPOSE | A 6515 | # | FSS | 07-OCT-83 |
| A-A-30102A | SYRINGE, IRRIGATING, PLASTIC [CUST: MD MS 03] | A 6515 | * | MB | 28-JUL-89 |
| A-A-30104C | SPONGE, LAPAROTOMY, STERILE [CUST: MD MS 03] | A 6510 | * | MB | 24-JUL-91 |
| A-A-30109 | TUBE, INHALER (OXYGEN) | A 6515 | # | FSS | 02-FEB-84 |
| A-A-30111F | TRACHEOSTOMY CARE KIT [CUST: MD MS 03] | A 6515 | * | MB | 20-APR-93 |
| A-A-30116A | DRAPE, SURGICAL (ANTIMICROBIAL) [CUST: MD MS 03] | A 6530 | * | MB | 08-SEP-89 |
| A-A-30117A | CATHETER, URETHRAL (TEFLON COATED) [CUST: MD MS 03] | A 6515 | * | MB | 27-NOV-91 |
| A-A-30118 | MASK, FACE, ASEPTIC (ISOLATION) [CUST: MD MS 03] | A 6532 | / | MB | 17-DEC-86 |
| A-A-0030118 | MASK, FACE, ASEPTIC (ISOLATION) [CUST: MD MS 03] | A 6532 | / | MB | 17-DEC-86 |
| A-A-30121A | PAD, TRACHEOSTOMY [CUST: MD MS 03] | A 6510 | / | MB | 27-NOV-92 |
| A-A-30122A | SPONGE, SURGICAL - STERILE AND NONSTERILE (KERLIX) [CUST: MD MS 03] | A 6510 | * | MB | 13-OCT-92 |
| A-A-30125A | TUBE, FEEDING, SURGICAL [CUST: MD MS 03] | A 6515 | * | MB | 28-MAY-92 |
| A-A-30129A | BANDAGE, GAUZE, CALAMINE-GELATIN-GLYCERIN-ZINC OXIDE IMPREGNATED [CUST: MD MS 03] | A 6510 | * | MB | 28-FEB-92 |
| A-A-30132A | DISPOSABLE CONTAINER, HYPODERMIC NEEDLE AND SYRINGE [CUST: MD MS 03 DM] | A 6530 | * | DM | 26-JUL-93 |
| A-A-30134C | SURGICAL PACK, DISPOSABLE (SKIN PREPARATION TYPE) [CUST: MD MS 03] | A 6530 | * | MB | 08-JAN-93 |
| A-A-30138A | MORTUARY PACK [CUST: MD MS 03] | A 9930 | * | MB | 08-JAN-93 |
| A-A-30142 | LANCET, FINGER BLEEDING [CUST: MD MS 03] | A 6515 | * | MB | 01-AUG-89 |
| A-A-30151 | PAD, ABDOMINAL (STERILE) [CUST: MD MS 03] | A 6510 | * | MB | 24-JUL-91 |
| A-A-30152 | PAD, ABDOMINAL (NONSTERILE) [CUST: MD MS 03] | A 6510 | * | MB | 24-JUL-91 |
| A-A-30153 | MASK, SURGICAL [CUST: MD MS 03] | A 6515 | * | MB | 28-FEB-92 |
| A-A-30155 | DRESSING, OCCLUSIVE, ADHESIVE [CUST: MD MS 03] [REVIEW: 03 MD MS] | A 6510 | * | MB | 28-FEB-92 |
| A-A-30156 | CAP, OPERATING, SURGICAL (WOMEN'S) [CUST: MD MS 03] | A 6532 | * | MB | 24-JUL-91 |
| A-A-30157 | CANNULA, NASAL, OXYGEN [CUST: MD MS 03] | A 6515 | / | MB | 28-FEB-92 |
| A-A-30160 | BAG, URINE COLLECTION (LEG TYPE) [CUST: MD MS 03 DM] | A 6530 | * | DM | 28-FEB-92 |
| A-A-30161 | STERILIZATION, AIR REMOVAL [CUST: MD MS 03] | A 6530 | * | MB | 28-MAY-92 |
| A-A-30163 | STERILIZATION TEST PACK, BIOLOGICAL [CUST: MD MS 03] | A 6530 | * | MB | 30-APR-92 |
| A-A-30164 | COVER, STERILITY MAINTENANCE [CUST: MD MS 03] | A 6530 | * | MB | 28-MAY-92 |
| A-A-30165 | INDICATOR, STERILIZATION, BACTERIAL SPORE (STEAM AND ETHYLENE OXIDE CYCLES) [CUST: MD MS 03] | A 6530 | * | MB | 30-APR-92 |
| A-A-30166 | INDICATOR, STERILIZATION, BACTERIAL SPORE (FLASH CYCLES) [CUST: MD MS 03 DM] | A 6530 | * | DM | 28-FEB-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | UIC | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|------|-------------|-----------|
| | A-A-30168 | INDICATOR, STERILIZATION, BACTERIAL SPORE (WASHER-STERILIZER AND LIQUID CYCLES) [CUST: MD MS 03 DM] | A 6530 | * DM | | 28-FEB-92 |
| | A-A-30170 | CUSHION, WHEELCHAIR SEAT (RUBBER AIR CELLS) [CUST: MD MS 03] | A 6530 | * MB | | 28-FEB-92 |
| | A-A-30171 | CUSHION, WHEELCHAIR SEAT [CUST: MD MS 03 DM] | A 6530 | * DM | | 28-FEB-92 |
| | A-A-30172 | SPONGE, SURGICAL (STERILE) [CUST: MD MS 03] | A 6510 | * MB | | 20-APR-93 |
| | A-A-30173 | SPONGE, SURGICAL (NON-STERILE) [CUST: MD MS 03] | A 6510 | * MB | | 20-APR-93 |
| | A-A-30174 | INDICATOR, STERILIZATION (STEAM AND ETHYLENE OXIDE) [CUST: MD MS 03] | A 6530 | * MB | | 30-APR-92 |
| | A-A-30177 | CATHETER & NEEDLE UNIT, INTRAVENOUS (CRITIKON) [CUST: MD MS 03] | A 6515 | * MB | | 28-MAY-92 |
| | A-A-30178 | EXERCISER, LUNG INHALATION THERAPY [CUST: MD MS 03] | A 6530 | * MB | | 28-MAY-92 |
| | A-A-30179 | TEETH CLEANING DEVICE, DISPOSABLE [CUST: MD MS 03] | A 6520 | * MB | | 28-MAY-92 |
| | A-A-30180 | BAG, SPECIMEN, (TRANSPORT HANDLING) [CUST: MD MS 03] | A 6530 | * MB | | 28-MAY-92 |
| | A-A-30181A | URINAL INCONTINENT [CUST: MD MS 03] | A 6530 | * MB | | 15-JUL-92 |
| | A-A-30182 | URINAL, INCONTINENT (EXTERNAL CATHETER) [CUST: MD MS 03] | A 6530 | * MB | | 30-APR-92 |
| | A-A-30186A | PAD, BED LINEN PROTECTIVE (REUSABLE) [CUST: MD MS 03] | A 6530 | * MB | | 08-JAN-93 |
| | A-A-30188 | MASK, SURGICAL (SUB-MICRON) [CUST: MD MS 03] | A 6515 | * MB | | 18-SEP-92 |
| | A-A-30189 | RESPIRATOR, PARTICULATE HEALTHCARE [CUST: MD MS 03] | A 6515 | * MB | | 18-SEP-92 |
| | A-A-30190 | PAD, PETROLATUM AND BISMUTH TRIBROMOPHENATE [CUST: MD MS 03] | A 6510 | * MB | | 08-JAN-93 |
| | A-A-30192 | PITCHER, WATER (PLASTIC) [CUST: MD MS 03] | A 7350 | * MB | | 18-SEP-92 |
| | A-A-30193 | CHAIR, BATHTUB AND SHOWER [CUST: MD MS 03] | A 6530 | * MB | | 08-JAN-93 |
| | A-A-30198 | ADAPTER, INJECTION-ASPIRATION SITE (CRITIKON) [CUST: MD MS 03] | A 6515 | * MB | | 13-OCT-92 |
| | A-A-30199 | CARTON, FIBER, PLASTIC COATED [CUST: MD MS 03] | A 8115 | / DM | | 21-JUN-93 |
| | A-A-50001B | CLOTH, CLEANING, ARTIFICIAL CHAMOIS [CUST: GL 99] [REVIEW: 84 MD] | A 7920 | * GL | | 08-NOV-85 |
| | A-A-50003B | DRAWERS, MEN'S (BRIEF TYPE) [CUST: GL NU 99 CT] [REVIEW: 45 MC MD] | A 8420 | / CT | | 13-MAR-91 |
| | A-A-50005A | DISPENSER, BREAD, FRONT AND REAR LOADING, 5 COMPARTMENT [CUST: GL YD1 99 IS] [REVIEW: 84 MD SA] | A 7320 | * IS | | 20-JUN-86 |
| | A-A-50006A | DISPENSER, BUTTER, SELF-CONTAINED, EUTECTIC [CUST: GL YD1 99 IS] [REVIEW: MC MD SA] | A 7320 | / IS | | 30-APR-90 |
| | A-A-50007 | DISPENSER, CONDIMENT, LEVER TYPE PUMP, MANUALLY OPERATED [CUST: GL YD1 99 IS] [REVIEW: MD] | A 7320 | * IS | | 24-AUG-81 |
| | A-A-50008A | GRILL, FRANKFURTER, ROLLER TYPE, ELECTRIC [CUST: GL YD1 99 GS] [REVIEW: MD SA] | A 7310 | * GS | | 30-JUN-88 |
| A | A-A-50009B | GRIDDLE, SELF-HEATING, ELECTRIC, STAND MOUNTED [CUST: GL YD1 99 IS] [REVIEW: CE MC MD SA] | A 7310 | / IS | | 23-FEB-89 |
| | A-A-50010A | TOASTERS, CONVEYOR, HEAVY DUTY, GAS [CUST: GL YD1 99 GS] | A 7310 | * GS | | 23-MAR-87 |
| | A-A-50011 NOT 1 | UNIFORM, WOMAN, TUNIC AND SLACKS, WHITE, FOOD HANDLER [CUST: GL NU 11 CT] [REVIEW: 99 MD] | A 8410 | * CT | | 01-FEB-88 |
| D | A-A-50012 | GARBAGE DISPOSAL MACHINE, COMMERCIAL [CUST: YD1 99 IS] | A 4540 | * IS | | 28-OCT-81 |
| A | A-A-50013E | UNDERSHIRT (QUARTER-SLEEVE) [CUST: GL NU 99 CT] [REVIEW: 45 82 MC] | A 8420 | / CT | | 12-MAR-98 |
| | A-A-50014A | WADDING, COTTON, (SHEET FORM) [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8320 | / CT | | 16-MAY-90 |
| | A-A-50015C | SOCKS, STRETCH TYPE (DRESS OR LINER) [CUST: GL NU 99 CT] [REVIEW: 32 45 82 AS MC MD] | A 8440 | / CT | | 07-AUG-96 |
| | A-A-50016A | GLOVE, MEN'S; CLOTH, LEATHER PALM, KNITTED WRISTLET, SIZE MEDIUM [CUST: GL CT] [REVIEW: MC MD YD1] | A 8415 | / CT | | 08-JAN-90 |
| | A-A-50019B | RACKS, MILK CONTAINER, MOBILE AND RACKS, EGG CONTAINER, MOBILE [CUST: GL 99 IS] [REVIEW: 84 MD] | A 7320 | / IS | | 18-MAR-88 |
| | A-A-50020 | OVEN, PIZZA, COUNTER TOP, ELECTRIC [CUST: GL YD1 99 GS] | A 7310 | * GS | | 13-JAN-82 |
| | A-A-50021A | GLOVES, MEN'S, CLOTH, LEATHER PALM WITH GAUNTLET [CUST: GL NU 99 CT] [REVIEW: 45 82 CG MC MD] | A 8415 | / CT | | 30-JAN-90 |
| | A-A-50022B | GLOVES, WELDER'S, LEATHER, GAUNTLET [CUST: GL NU 99 CT] [REVIEW: 82 MD] | A 8415 | / CT | | 10-JAN-96 |
| | A-A-50023A | SAW, HAND, MEAT CUTTING, RECIPROCATING, ELECTRIC [CUST: GL YD1 99 IS] [REVIEW: CE MC MD SA] | A 7320 | / IS | | 03-JUN-88 |
| | A-A-50024 | BONE DUST REMOVING MACHINE, ELECTRIC, AUTOMATIC, MOBILE [CUST: GL YD1 99 IS] [REVIEW: CE MC MD SA] | A 7320 | / IS | | 09-APR-82 |
| | A-A-50025A | TRUCK, HAND, BOX, LAUNDRY, PLASTIC [CUST: GL 99 GS] [REVIEW: 82 MC MD] | A 3510 | / GS | | 30-SEP-92 |
| | A-A-50026A | DRYING AND CONDITIONING TUMBLERS, LAUNDRY [CUST: GL 99 GS] [REVIEW: 82 CR4] | A 3510 | / GS | | 30-SEP-92 |
| | A-A-50027B | MEAT TENDERIZER, ELECTRIC [CUST: GL YD1 99 IS] [REVIEW: 84 MC MD SA] | A 7320 | / IS | | 02-SEP-88 |
| | A-A-50028A | BIN, INGREDIENT, MOBILE, 150 LB. AND 250 LB. CAPACITY [CUST: GL YD1 99 IS] [REVIEW: 50 84 MC MD QM SA] | A 7320 | / IS | | 29-OCT-93 |
| A | A-A-50029 | STEAM TABLE, HOT FOOD, GAS [CUST: IS] [REVIEW: MD] | A 7310 | / IS | | 27-JUL-82 |
| | A-A-50030A | SLICING MACHINE, BUN [CUST: GL SA 99 IS] [REVIEW: 84 MC MD MS YD1] | A 7320 | * IS | | 15-APR-88 |
| | A-A-50031A | COOKIE CUTTING MACHINE, ELECTRIC [CUST: GL YD1 IS] [REVIEW: MC MD SA] | A 7320 | * IS | | 18-JUN-86 |
| | A-A-50032B | FANS, VENTILATING, PROPELLER [CUST: GL YD1 99] [REVIEW: 82 CE CR4 GS] | A 4140 | / GL | | 10-SEP-92 |
| | A-A-50033A | SUPPORTER, ATHLETE'S [CUST: GL NU 99 CT] [REVIEW: MC MD MS] | A 8415 | / CT | | 10-DEC-90 |
| | A-A-50034 | DISPENSERS, BREAD, SELF-LEVELING, DROP-IN [CUST: GL SA IS] [REVIEW: MD MS YD1] | A 7320 | * IS | | 27-SEP-82 |
| A | A-A-50035A | RANGES, ELECTRIC, INDUSTRIAL [CUST: GL SA 99 IS] [REVIEW: 50 84 CG MC MD QM] | A 7310 | / IS | | 29-OCT-93 |
| | A-A-50036 | DOUGH TROUGHS [CUST: GL YD1 99 IS] [REVIEW: MC MD MS SA] | A 7320 | * IS | | 30-SEP-82 |
| A | A-A-50037B | GRIDDLES, SELF HEATING, GAS, COUNTER OR STAND MOUNTER [CUST: GL SA 99 IS] [REVIEW: 50 84 MC MD QM] | A 7310 | / IS | | 08-DEC-93 |
| | A-A-50038 | FILTERS, COOKING GREASE [CUST: GL SA 99 IS] [REVIEW: CE MC MD MS YD1] | A 7330 | / IS | | 30-SEP-82 |
| A | A-A-50039A | OVENS, BAKING AND ROASTING, FORCED CONVECTION, ELECTRIC [CUST: GL YD1 99 IS] [REVIEW: CE MC MD SA] | A 7310 | / IS | | 06-NOV-90 |
| | A-A-50040 | FILTER UNIT, COOKING GREASE, PRESSURE [CUST: GL SA 99 IS] [REVIEW: CE MC MD MS] | A 7330 | * IS | | 01-NOV-82 |
| | A-A-50041C | SNAP LINK, MOUNTAIN PITON, LOCKING AND NONLOCKING [CUST: GL NU CT] | A 8465 | / CT | | 21-FEB-90 |
| A | A-A-50042A | OVENS, BAKING AND ROASTING, FORCED CONVECTION, GAS [CUST: GL YD1 99 IS] [REVIEW: 84 MC MD] | A 7310 | / IS | | 30-APR-90 |
| A | A-A-50043A | WARMER, FOOD, PORTABLE, INFRARED [CUST: GL SA 99 IS] [REVIEW: 50 84 CG MC MD] | A 7310 | / IS | | 12-MAR-91 |
| | A-A-50044 | DISPENSER, SILVERWARE [CUST: GL YD1 99 IS] [REVIEW: 84 MC MD MS] | A 7320 | / IS | | 09-MAR-83 |
| | A-A-50045 | DISPENSER, CONDIMENTS, COUNTERTOP [CUST: GL YD1 99 IS] [REVIEW: 84 CG MC MD SA SH] | A 7320 | / IS | | 18-MAR-83 |
| | A-A-50046 | MARKING MACHINES, LAUNDRY [CUST: GL 99 GS] [REVIEW: 50 CR4] | A 3510 | / GS | | 23-MAR-83 |
| | A-A-50047A | DRY CLEANING UNIT ASSEMBLY, DRY TO DRY, PERCHLOROETHYLENE SOLVENT [CUST: GL 99 GS] [REVIEW: 50 82 CE MD] | A 3510 | / GS | | 15-DEC-92 |
| A | A-A-50048 | WAFFLE IRON, ELECTRIC [CUST: GL SA 50 IS] [REVIEW: MD] | A 7310 | / IS | | 11-APR-83 |
| A | A-A-50049A | DISPENSER, FREEZE-DRIED COFFEE [CUST: GL SA 99 IS] [REVIEW: MC MD YD1] | A 7310 | / IS | | 15-FEB-90 |
| | A-A-50050 | MOLDING MACHINES, MEAT - FISH [CUST: GL YD1 99 IS] [REVIEW: 84 MC MD SA] | A 7320 | / IS | | 10-MAY-83 |
| | A-A-50052 | RINSE-SANITIZER, CAN [CUST: GL YD1 99 IS] [REVIEW: 84 MC MD] | A 7320 | / IS | | 25-MAY-83 |
| | A-A-50053A | CUTTERS, PAPER, GUILLotine, HAND OPERATED [CUST: GL SA 99 GS] [REVIEW: 84] | A 3610 | / GS | | 15-DEC-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|------------|------------------|--|--------------------------|-----|-------------|-----------|
| | A-A-50054A | GLOVES, BARBED TAPE - WIRE HANDLERS [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | / | CT | 06-MAR-90 |
| | A-A-50055 | GRINDERS AND MIXER-GRINDERS, MEAT, ELECTRIC [CUST: GL YD1 84 IS] [REVIEW: CE MC MD SA SH] | A 7320 | / | IS | 23-JUN-83 |
| | A-A-50056 | REFRIGERATORS, MECHANICAL, MORTUARY [CUST: GL 99 IS] [REVIEW: 34 MD] | A 4110 | / | IS | 08-AUG-83 |
| | A-A-50057B | ROPE, FIBROUS, TENT-LAY [CUST: GL 99] [REVIEW: 82 CR4 MD] | A 4020 | / | IS | 23-AUG-91 |
| | A-A-50060A | BALANCES, TRIP, LABORATORY [CUST: GL 03 GS] [REVIEW: 82 99 CR4 MD MS YD1] | A 6670 | / | GS | 26-OCT-92 |
| A | A-A-50062 | SCALES, SPRING, (SUSPENSION MOUNTED) [CUST: GL YD1 99 GS] [REVIEW: 82 MS] | A 6670 | / | GS | 26-SEP-83 |
| | A-A-50063B | BOOTS, KNEE AND HIP (RUBBER) [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8430 | / | CT | 14-JAN-91 |
| A | A-A-50064 | RANGE, GAS, COMMERCIAL [CUST: GL 99 IS] [REVIEW: 84 CE MC MD] | A 7310 | / | IS | 14-OCT-83 |
| | A-A-50065B | INSECT REPELLENT, PERSONAL APPLICATION, STICK [CUST: GL 68] [REVIEW: GS MC MD MS YD1] | A 6840 | / | GS | 24-SEP-92 |
| | A-A-50066 | ICE CREAM CABINETS, MECHANICALLY REFRIGERATED [CUST: GL YD1 99 IS] [REVIEW: MC MD] | A 4110 | / | IS | 31-OCT-83 |
| | A-A-50067A | CLOTH, FLANNEL, WOOL [CUST: GL NU CT] [REVIEW: MC MD] | A 8305 | / | CT | 27-FEB-95 |
| | A-A-50068 | APRON, LABORATORY, PLASTIC [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | / | CT | 27-MAY-87 |
| | A-A-50071 | RACKS, FOOD CONTAINER, MOBILE [CUST: GL IS] [REVIEW: MD] | A 7330 | / | IS | 31-DEC-84 |
| | A-A-50072A | HAT, SERVICE, WOMAN'S, DRILL INSTRUCTOR [CUST: GL CT] [REVIEW: MD] | A 8410 | / | CT | 30-NOV-88 |
| | A-A-50073A | CONVEYOR, BELT: POWERED, MEAT PROCESSING [CUST: GL IS] [REVIEW: MD] | A 7320 | / | IS | 17-MAY-89 |
| D | A-A-50082 | BEADING MACHINE, SHEETMETAL, ROTARY, MANUALLY OPERATED [CUST: GL SA 99] [REVIEW: AV] | A 3441 | / | GS | 30-SEP-86 |
| | A-A-50083 | BAG, PLASTIC, FOLDED GARMET [CUST: GL SA 69] [REVIEW: NU] | A 8105 | / | CT | 30-SEP-86 |
| | A-A-50085 | WEIGHT SET, COMMERCIAL SCALE TESTING, 10 POUNDS MAXIMUM [CUST: GL GS] | A 6670 | / | GS | 03-NOV-86 |
| | A-A-50088A | MEAT SLICING MACHINES, ELECTRIC [CUST: GL SA 99 IS] [REVIEW: 84 CG MD MS] | A 7320 | / | IS | 26-APR-88 |
| | A-A-50092A | BINDING, ASSEMBLY, SKI, DOWNHILL AND CROSS COUNTRY [CUST: GL 99 CT] [REVIEW: 45 82] | A 8465 | / | CT | 25-MAR-88 |
| | A-A-50094 NOT 2 | BALER, AUTOMATIC, VERTICAL [CUST: YD1] | A 3540 | / | YD1 | 09-MAY-95 |
| | A-A-50096C | HAMMER, ROCK [CUST: GL 99] [REVIEW: 82 84 CT] | A 5120 | / | GL | 19-MAR-93 |
| | A-A-50097A | PULLEY, MOUNTAIN RESCUE [CUST: GL 99] [REVIEW: 82 CT MC] | A 3020 | / | GL | 21-FEB-90 |
| | A-A-50098A | STOPPER, HEXAGON, IRREGULAR [CUST: GL NU 99 CT] [REVIEW: 82 84 MC] | A 8465 | / | CT | 21-FEB-90 |
| A | A-A-50101A | TABLE, MERCHANDISE DISPLAY [CUST: GL GS] [REVIEW: TM2] | A 7195 | / | GS | 18-JUL-97 |
| | A-A-50104B | RACK, STORAGE, WAREHOUSE [CUST: GL 99 GS] [REVIEW: 84] | A 7125 | / | GS | 28-OCT-92 |
| | A-A-50106A | STOPPER, WIRED, WEDGED [CUST: GL NU 99 CT] [REVIEW: 82 84 MC] | A 8465 | / | CT | 21-FEB-90 |
| | A-A-50107 | DOLLY, FOOD HANDLING EQUIPMENT NDISHWASHING RACKS) [CUST: GL YD1 99 IS] | A 7320 | / | IS | 31-MAR-87 |
| | A-A-50108 | FOOD BLENDER, ELECTRIC [CUST: GL YD1 99 IS] [REVIEW: 84 MC MD MS] | A 7320 | / | IS | 31-MAR-87 |
| | A-A-50109A | DISPENSERS, TABLEWARE, AUTOMATIC, SELF-LEVELING, MOBILE [CUST: GL YD1 99 IS] [REVIEW: 50 84 MC MD QM SA] | A 7320 | / | IS | 29-OCT-93 |
| | A-A-50110 | RACK, BREAD, BAKER S: 10- SHELF, KNOCKDOWN TYPE [CUST: GL YD1 99 IS] [REVIEW: 84 MD MS SA] | A 7320 | / | IS | 31-MAR-87 |
| | A-A-50111B | PITON, MOUNTAIN, FLAT [CUST: GL 99 CT] [REVIEW: 82 MC] | A 8465 | / | CT | 21-FEB-90 |
| | A-A-50112A | PITON, MOUNTAIN, ANGLE [CUST: GL 99 CT] [REVIEW: 82 MC] | A 8465 | / | CT | 21-FEB-90 |
| | A-A-50113A | PITON, MOUNTAIN, ICE [CUST: GL 99 CT] [REVIEW: 82 MC] | A 8465 | / | CT | 21-FEB-90 |
| | A-A-50114A | PITON, MOUNTAIN, KNIFEBLADE OFFSET [CUST: GL NU 99 CT] [REVIEW: 45 82 MC] | A 8465 | / | CT | 21-FEB-90 |
| | A-A-50115A | PITON, MOUNTAIN, CLIFFHANGER [CUST: GL 99 CT] [REVIEW: 82 MC] | A 8465 | / | CT | 21-FEB-90 |
| | A-A-50116A | AXE, ICE [CUST: GL] [REVIEW: CT MC] | A 5110 | / | GL | 21-FEB-90 |
| | A-A-50117A | CRAMPONS, HINGED [CUST: GL NU 99 CT] [REVIEW: 82 MC] | A 8465 | / | CT | 21-FEB-90 |
| | A-A-50118A | STRAPS, CRAMPON [CUST: GL NU CT] [REVIEW: MC] | A 8465 | / | CT | 21-FEB-90 |
| | A-A-50119A | ANCHOR, SNOW, WIRED [CUST: GL 99 CT] [REVIEW: 82 MC] | A 8465 | / | CT | 21-FEB-90 |
| | A-A-50120A | HARNES, CLIMBING, FULL-BODY [CUST: GL NU CT] [REVIEW: MC] | A 8465 | / | CT | 21-FEB-90 |
| | A-A-50121A | PROTECTOR, CRAMPON [CUST: GL NU 99 CT] [REVIEW: 82 MC] | A 8465 | / | CT | 21-FEB-90 |
| M | A-A-50122A NOT 2 | TRUCKS, HAND, 3 SHELVES STAINLESS STEEL UTILITY [CUST: GL SH 99 GS] [REVIEW: 84 MD MS YD1] | A 3920 | / | IS | 20-MAY-98 |
| | A-A-50125B | DESCENDER, FIGURE-8 [CUST: GL NU CT] [REVIEW: MC] | A 8465 | / | CT | 21-FEB-90 |
| | A-A-50126 | RACKS, FOOD SERVICE TRAY [CUST: GL 99 IS] [REVIEW: 84 MD] | A 7320 | / | IS | 28-JUL-87 |
| | A-A-50127A | ASCENDERS, CAM ACTION [CUST: GL NU 99 CT] [REVIEW: 82 MC] | A 8465 | / | CT | 21-FEB-90 |
| | A-A-50128A | CLOTH, INTERLINING: NONWOVEN [CUST: GL NU 45 CT] [REVIEW: 01 32 82 MD] | A 8305 | / | CT | 28-MAR-95 |
| | A-A-50129A | CLOTH, FLANNEL, LIGHTWEIGHT [CUST: GL NU 99 CT] [REVIEW: 32 45 82 MC] | A 8305 | / | CT | 07-MAR-96 |
| | A-A-50135 | CLOTH, INTERLINING, POLYESTER [CUST: GL NU 11] [REVIEW: 82 CT MC MD] | A 8305 | / | GL | 05-OCT-87 |
| | A-A-50136A | BAG, MONEY [CUST: GL NU 99 CT] [REVIEW: 45 82] | A 8460 | / | CT | 12-FEB-92 |
| | A-A-50137B | SHOES, GYMNASIUM: BASKETBALL AND OTHER ACTIVITIES, HEAVY DUTY [CUST: GL NU 99 CT] [REVIEW: 32 45 82] | A 8430 | / | CT | 15-FEB-94 |
| | A-A-50138 | FREEZER, MECHANICAL, FOOD [CUST: GL YD1 99 IS] | A 4110 | / | IS | 31-MAR-88 |
| | A-A-50139A | ROPE, KERNMANTLE [CUST: GL AS] | A 4020 | / | IS | 16-FEB-90 |
| | A-A-50140 | MIXER, FLUID, ELECTRIC [CUST: GL YD1 50 IS] [REVIEW: CE MC MD SA SH] | A 7320 | / | IS | 16-DEC-87 |
| | A-A-50145 | CLOTH, SHEETING, COTTON, AND POLYESTER/COTTON, WHITE [CUST: GL NU 99 CT] [REVIEW: 45 82 EA MC MD MS SH] | A 8305 | / | CT | 20-APR-88 |
| | A-A-50147 | DISPENSER, ICE, AUTOMATIC DISPENSING HEAD, MOBILE [CUST: GL 84 IS] [REVIEW: MC MD MS] | A 7320 | / | IS | 06-JAN-88 |
| D | A-A-50148 | GLASS, VOTIVE [CUST: GL PE 28 IS] [REVIEW: GS] | A 9925 | / | IS | 21-JAN-88 |
| D | A-A-50149 | VASE, CHAPEL, ALTAR [CUST: GL PE 28 IS] [REVIEW: GS] | A 9925 | / | IS | 21-JAN-88 |
| D | A-A-50150 | SANCTUARY LAMPS, CANDLE TYPE, ELECTRIC TYPE [CUST: GL PE 28 IS] [REVIEW: GS] | A 9925 | / | IS | 21-JAN-88 |
| D | A-A-50151 | STAND, BIBLE & MISSAL [CUST: GL PE 28 IS] [REVIEW: GS] | A 9925 | / | IS | 21-JAN-88 |
| D | A-A-50152 | FAIR LINEN, ALTAR [CUST: GL PE 28 IS] | A 9925 | / | IS | 19-JAN-88 |
| | A-A-50153 | DETERGENT, LAUNDRY, NONIONIC, LIQUID [CUST: GL 99] | A 7930 | * | GL | 01-FEB-88 |
| | A-A-50154 | FREEZER, MECHANICAL, WORK TOP TYPE [CUST: GL 99 IS] [REVIEW: 50 MC MD SA] | A 4110 | / | IS | 01-MAR-88 |
| | A-A-50155 | CLOTH, MUSLIN, COTTON [CUST: GL NU 11 CT] [REVIEW: 45 82 99 IH MC MD] | A 8305 | * | CT | 21-MAR-88 |
| | A-A-50156 | HEATERS, HOT WATER BOOSTER, ELECTRIC; SINK, SANITIZING [CUST: GL 99 IS] [REVIEW: 84 MD SA YD1] | A 7320 | / | IS | 24-MAR-88 |
| D | A-A-50157 | TRAY, CRUET, COMMUNION [CUST: GL PE 28 IS] | A 9925 | / | IS | 22-MAR-88 |
| D | A-A-50158 | CANDLESTICK, ALTAR [CUST: GL PE 28 IS] | A 9925 | / | IS | 22-MAR-88 |
| D | A-A-50159 | CANDELABRA, CHAPEL [CUST: GL PE 28 IS] | A 9925 | / | IS | 22-MAR-88 |
| | A-A-50161 | CLOTH, DENIM, COTTON [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8305 | / | CT | 01-APR-88 |
| | A-A-50162 | CLOTH, JEAN, COTTON [CUST: GL NU 99 CT] [REVIEW: 82 EA MC MD MI] | A 8305 | / | CT | 01-APR-88 |
| D | A-A-50163 | CRUETS, COMMUNION [CUST: GL PE 28 IS] | A 9925 | / | IS | 20-APR-88 |
| | A-A-50165 | BATTING, COTTON, NONABSORBENT, UNBLEACHED [CUST: GL CT] [REVIEW: DS MD] | A 8320 | / | CT | 21-APR-88 |
| | A-A-50166A | PADDING, COTTON, STITCHED ROVING [CUST: GL NU CT] [REVIEW: 45 MC MD MS] | A 8320 | / | CT | 30-AUG-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------|--|-----------------------|-----|-------------|-----------|
| A | A-A-50167A | WADDING, COTTON [CUST: GL 99 CT] [REVIEW: 45 82] | A 8320 | / | CT | 25-AUG-94 |
| A | A-A-50168 | CABINETS, FOOD WARMING, ELECTRICALLY HEATED, DRAWER TYPE [CUST: GL SA 99 IS] [REVIEW: 84 MC MD] | A 7310 | / | IS | 03-JUN-88 |
| | A-A-50169 | SKIN PROTECTIVE COMPOUNDS, CHEMICAL BARRIER [CUST: GL 68 GS] [REVIEW: 11 AS MC MD] | A 6850 | / | 68 | 26-JUL-88 |
| | A-A-50170 | EMBALMING FLUID, CAVITY [CUST: GL 50] [REVIEW: MD SM] | A 9930 | / | IS | 26-JUL-88 |
| D | A-A-50172 | COLLECTION PLATE [CUST: GL PE 28 IS] | A 9925 | / | IS | 03-OCT-88 |
| D | A-A-50173 | CANDLE BURNER [CUST: GL PE 28 IS] | A 9925 | / | IS | 05-OCT-88 |
| D | A-A-50174 | CANDLELIGHTER AND SNUFFER [CUST: GL PE 28 IS] | A 9925 | / | IS | 05-OCT-88 |
| D | A-A-50175 | CUP, COMMUNION, PLASTIC [CUST: GL PE 28 IS] | A 9925 | / | IS | 05-OCT-88 |
| D | A-A-50176 | BOWL, BAPTISMAL [CUST: GL PE 28 IS] | A 9925 | / | IS | 07-OCT-88 |
| | A-A-50177 | PAPER, LENS [CUST: GL MS 99] [REVIEW: AR CR4 EA MD MI OS] | A 6640 | / | DM | 05-OCT-88 |
| D | A-A-50178 | WAX, MACHINE STITCHING [CUST: GL SH 68 IS] [REVIEW: CR4 SM] | A 9160 | / | IS | 23-SEP-88 |
| A | A-A-50179 | PANS, FOOD SERVING, RECTANGULAR, ROUND AND INSETS FOR HOT FOOD TABLES AND COLD FOOD COUNTERS [CUST: GL SA 99 IS] [REVIEW: 84 MC MD SH] | A 7310 | / | IS | 08-SEP-88 |
| | A-A-50180A | FRYERS, DEEP FAT, ELECTRIC [CUST: GL YD1 99 GS] [REVIEW: 50 84 MC MD SA] | A 7310 | * | GS | 15-MAR-90 |
| A | A-A-50181A | FRYERS, DEEP-FAT (GAS, HEAVY DUTY) [CUST: GL SA 99 IS] [REVIEW: 50 84 MC MD MS QM] | A 7310 | / | IS | 15-DEC-93 |
| A | A-A-50182 | URN, COFFEE, TWIN, AUTOMATIC (ELECTRIC, STEAM, AND GAS) [CUST: GL YD1 99 IS] [REVIEW: 84 CG MC MD MS] | A 7310 | / | IS | 20-OCT-88 |
| | A-A-50183 | ICE CREAM MAKER, SHAKE MAKER, AND COMBINATION ICE CREAM AND SHAKE MAKER, SOFT SERVE, MECHANICALLY REFRIGERATED [CUST: GL YD1 99 IS] [REVIEW: 50 82 MC MD MS SA] | A 4110 | / | IS | 19-OCT-88 |
| | A-A-50184 | TABLES, FOOD PREPARATION, AND RACKS, TABLE, KITCHEN UTENSILS [CUST: GL YD1 99 IS] [REVIEW: 84 MC MD SA] | A 7320 | / | IS | 21-OCT-88 |
| | A-A-50185 | CLOTH, BATISTE, COTTON, POLISHING [CUST: GL CT] | A 8305 | / | CT | 15-NOV-88 |
| | A-A-50186 | CLOTH, BUCKRAM, WOVEN AND NONWOVEN [CUST: GL NU 11 CT] [REVIEW: 82 99 MC MD] | A 8305 | / | CT | 18-NOV-88 |
| | A-A-50187 | PREFLUSHING MACHINE, DISH [CUST: GL 99 IS] | A 7320 | / | IS | 02-DEC-88 |
| | A-A-50188 | COFFEE BOILER, METAL [CUST: GL SA 84 IS] | A 7330 | / | IS | 02-DEC-88 |
| | A-A-50189A | DISPENSER, ICE, SELF-LEVELING, MOBILE [CUST: GL SA 99 IS] [REVIEW: 50 84 MC MD MS QM] | A 7320 | / | IS | 15-DEC-93 |
| | A-A-50190 | CABINETS, DELIVERY AND STORAGE, PASTRY, AND TRUCK DOLLY, PASTRY CABINETS [CUST: GL SA 99 IS] [REVIEW: 84 MC MD YD1] | A 7320 | / | IS | 04-JAN-89 |
| | A-A-50191 | CANDLELIGHTER, TAPER [CUST: GL PE 28] [REVIEW: GS] | A 9925 | / | GS | 10-FEB-89 |
| D | A-A-50192 | CANDLES, ALTAR [CUST: GL PE 28 IS] [REVIEW: GS] | A 9925 | / | IS | 17-FEB-89 |
| A | A-A-50193A | ETHYLENE ABSORBER/SHELF-LIFE EXTENDER, FOR FRESH FRUITS AND VEGETABLES [CUST: GL1 MC 68 GS] [REVIEW: MD1 SH SS] | A 6850 | / | GS | 18-JUL-97 |
| | A-A-50194A | HOOD, BALACLAVA, EXTENDED COLD WEATHER [CUST: GL NU 99 CT] [REVIEW: 45 82 MC] | A 8415 | / | CT | 28-APR-92 |
| | A-A-50195 | THREAD, ARAMID [CUST: GL NU 99 CT] [REVIEW: 11 82 AS MD] | A 8310 | / | CT | 10-MAY-89 |
| | A-A-50196A | THREAD, SILK [CUST: GL NU 11 CT] [REVIEW: 82 99 AR MC MD OS] | A 8310 | / | CT | 23-MAY-91 |
| | A-A-50197 | THREAD, LINEN [CUST: GL NU CT] [REVIEW: CR4 DS EA MC MD] | A 8310 | / | CT | 30-JUN-89 |
| | A-A-50198 | THREAD, GIMP, COTTON, BUTTONHOLE [CUST: GL NU 11 CT] [REVIEW: 82 99 MC MD] | A 8310 | / | CT | 30-JUN-89 |
| | A-A-50199 | THREAD, POLYESTER CORE, COTTON-OR POLYESTER-COVERED [CUST: GL NU 99 CT] [REVIEW: 11 82 MC MD] | A 8310 | / | CT | 30-JUN-89 |
| | A-A-50200 | BOOTS, SKI-MOUNTAIN, PLASTIC SHELL [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8430 | / | CT | 07-FEB-90 |
| | A-A-50201A | COMPASS, DRAFTING, PIVOT, DROP SPRING BOW, PEN & PENCIL, WITH CASE [CUST: CE] | A 6675 | / | GS | 18-MAY-88 |
| | A-A-50202 | PUMP, BUCKET, LUBRICATION, HAND-OPERATED [CUST: AT YD1 99] [REVIEW: CC MC] | A 4930 | / | AT | 06-MAY-83 |
| | A-A-50203A | COMPASS, DRAFTING, BEAM [CUST: CE 99] [REVIEW: MC] | A 6675 | / | GS | 10-JUN-88 |
| | A-A-50204A | DIVIDER, DRAFTING, PROPORTIONAL [CUST: CE 99] [REVIEW: 82 MC] | A 6675 | / | GS | 28-JAN-88 |
| | A-A-50206A | RULER, DRAFTING, ADJUSTABLE CURVE [CUST: CE 99] [REVIEW: 82 MC] | A 6675 | / | GS | 03-MAY-83 |
| | A-A-50207A NOT 1 | MICROSCOPE, OPTICAL: MONOCULAR, FIXED-FOCUS, POCKET-TYPE, BETWEEN 40X AND 60X MAGNIFICATION [CUST: CE GS] | A 6675 | / | GS | 25-JUN-93 |
| | A-A-50208A NOT 1 | PROTRACTOR, RECTANGULAR [CUST: CE MC 99] [REVIEW: 82 MC] | A 6675 | / | GS | 25-JUN-93 |
| | A-A-50209A NOT 1 | STRAIGHTEDGES, STEEL, DRAFTSMEN'S [CUST: CE YD1 99] [REVIEW: 82] | A 6675 | / | GS | 25-JUN-93 |
| | A-A-50210A | RODS, LEVEL, PHILADELPHIA [CUST: CE YD1 99] [REVIEW: MC] | A 6675 | / | GS | 18-MAY-88 |
| | A-A-50211A | RODS, STADIA (FOLDING) [CUST: CE GS] | A 6675 | / | GS | 05-FEB-88 |
| | A-A-50212A | PARALLEL RULERS, FOLDING TYPE [CUST: CE 99] [REVIEW: 82] | A 6675 | / | GS | 18-MAY-88 |
| | A-A-50213A | CURVES, DRAFTING, REGULAR AND IRREGULAR: CURVE SETS, DRAFTING, REGULAR AND IRREGULAR; FRENCH, MECHANICAL ENGINEERS, RAILROAD, AND SHIPS [CUST: CE YD1 99] [REVIEW: 82 CR MC] | A 6675 | / | GS | 18-MAY-88 |
| | A-A-50214 | RAILWAY, MAINTENANCE-OF-WAY, 56-1/2 INCH GAGE [CUST: AV YD1 84] | A 2230 | / | AV | 03-AUG-83 |
| | A-A-50215A | PLANIMETER, POLAR, COMPENSATING, WITH CASE [CUST: CE GS] | A 6675 | / | GS | 11-FEB-88 |
| | A-A-50216A | ALIDADES, SURVEYING: TELESCOPE, WITH CASE [CUST: CE YD1 99] [REVIEW: 82] | A 6675 | / | GS | 10-JUN-88 |
| | A-A-50217A NOT 1 | PENS, LETTERING, SCRIBER-TEMPLATE: RESERVOIR [CUST: CE GS] [REVIEW: MC] | A 6675 | / | GS | 25-JUN-93 |
| | A-A-50218 | RAILWAY MOTOR CARS, MAINTENANCE 8-MAN, 3000 LB LOAD CAPACITY, 56 1/2 INCH GAUGE [CUST: AV YD1 84] | A 2230 | / | AV | 15-DEC-83 |
| | A-A-50219 | WHEEL, LATHE RAILWAY, DUAL END DRIVE [CUST: AT] [REVIEW: CC] | A 4940 | / | AT | 20-JAN-84 |
| | A-A-50220 | LATHE, AXLE, JOURNAL TRUING RAILWAY, DUAL OR SINGLE END DRIVE [CUST: AT] [REVIEW: CC] | A 4940 | / | AT | 20-JAN-84 |
| | A-A-50222 | BUCKET, HELICOPTER, FIRE FIGHTING [CUST: AV] | A 4210 | / | AV | 08-JUL-86 |
| | A-A-50223 NOT 1 | SCALE, BEAM INDICATING: WEIGHING, SPECIFIC GRAVITY; CAPACITY 0.01 NOT LESS THAN 200 GRAMS, THREE OR FOUR WEIGHT BEAMS: 0.01 GRAM SENSITIVITY [CUST: CE 99] [REVIEW: 82 CC GL MD] | A 6670 | / | GS | 25-JUN-93 |
| D | A-A-50224 | EXPOSURE CONTROL, PHOTOLITHOGRAPHIC, LIGHT-INTEGRATING [CUST: CE 99 IS] [REVIEW: 70] | A 6760 | / | IS | 22-SEP-86 |
| | A-A-50225 | CALCULATING MACHINE, HAND-HELD (PROGRAMMABLE) [CUST: CE YD1] [REVIEW: MC] | A 7420 | / | CE | 29-SEP-86 |
| | A-A-50226 NOT 1 | SHAKING MACHINE, TESTING SIEVE, LABORATORY, PORTABLE, HAND-OPERATED, CAPACITY 6 FULL-HEIGHT OR 13 HALF-HEIGHT, 8-INCH STANDARD SIEVES [CUST: CE 99] [REVIEW: 82 GL GS] | A 6635 | / | CE | 26-NOV-93 |
| | A-A-50227 NOT 1 | T-SQUARES (METAL, WOOD, AND PLASTIC) [CUST: CE 99] [REVIEW: 82 MC] | A 6675 | / | GS | 25-JUN-93 |
| D | A-A-50229A | OPAQUES, PHOTOGRAPHIC FILM-PLATE RETOUCHING [CUST: CE AS 99 IS] [REVIEW: 70 CR OS] | A 6750 | / | IS | 30-MAR-87 |
| | A-A-50230 | BLANKET, FIRE (WOOL, WITH CASE) [CUST: AV 99] [REVIEW: 84 CC MC MD] | A 4210 | / | AV | 03-FEB-87 |
| | A-A-50271 | PLATE, IDENTIFICATION [CUST: AR] [REVIEW: AT CR4 MC MI YD1] | A 9905 | / | AR | 01-FEB-96 |
| A | A-A-50272 | ADHESIVES, EPOXY [CUST: AR SH] [REVIEW: AS CR CR4] | A 8040 | / | AR | 28-OCT-97 |
| | A-A-50310 | SPRAY GUN, PAINT (HEAVY DUTY, SIPHON FEED) [CUST: AL MC 99 CC] | A 4940 | / | CC | 30-MAY-90 |
| | A-A-50312 | SHEARING MACHINE, THROATLESS, HAND LEVER [CUST: AL GS] [REVIEW: CR4] | A 3445 | / | GS | 28-AUG-92 |
| | A-A-50313 | CREEPER, MECHANIC'S [CUST: AL YD1] [REVIEW: AV MC] | A 4910 | / | CC | 15-APR-94 |
| | A-A-50314 | BORING MACHINES, ENGINE CYLINDER (PORTABLE) [CUST: AL YD1 99] [REVIEW: 82 CR MC SH SM] | A 4910 | / | AL | 07-FEB-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | A-A-50351 NOT 1 | HOSE, BRONZE, ANNULAR CORRUGATED METAL, SINGLE BRAID, FLEXIBLE, GAS TIGHT [CUST: SH] [REVIEW: CC] | A 4720 / SH | | | 29-JUL-87 |
| A | A-A-50352C | CLAMP, MATERIAL LIFTING (PLATE, VERTICAL LIFT) [CUST: YD1 99] [REVIEW: 84 GS] | A 3940 / YD1 | | | 27-MAR-98 |
| | A-A-50354B | COFFEE MAKERS, PERCOLATOR: ELECTRIC [CUST: GL YD1 99] [REVIEW: 84 CE CG GS MC MD SA] | A 7310 / YD1 | | | 04-MAR-96 |
| | A-A-50355B | GLOVES, MEN'S AND WOMEN'S CLOTH, VINYL COATED [CUST: NU CT] | A 8415 / CT | | | 17-JUL-92 |
| | A-A-50356B | HANDKERCHIEF, MEN'S OR WOMEN'S [CUST: GL NU 99 CT] [REVIEW: 11 45 82 MC] | A 8440 / CT | | | 01-MAR-90 |
| | A-A-50357A | SHOE, SUBMARINE DECK [CUST: NU 99 CT] [REVIEW: 11 45 82 SH] | A 8430 / CT | | | 31-JAN-85 |
| | A-A-50358B | COVERALLS, DISPOSABLE, GENERAL PURPOSE [CUST: NU CT] [REVIEW: SH] | A 8415 / CT | | | 10-DEC-90 |
| | A-A-50359B | SHOES, CONDUCTIVE [CUST: NU 99 CT] [REVIEW: 31 45 82 OS] | A 8415 / CT | | | 14-MAR-94 |
| | A-A-50362A | OVERSHOES, MEN'S RUBBER, 5 BUCKLE TYPE [CUST: GL NU 99 CT] [REVIEW: MD] | A 8430 / CT | | | 10-OCT-95 |
| | A-A-50363A | JUMPER, RADIOACTIVE CONTAMINANTS PROTECTIVE (VINYL) [CUST: NU CT] [REVIEW: SH] | A 8415 / CT | | | 07-JAN-91 |
| | A-A-50364A | TROUSERS, RADIOACTIVE CONTAMINANTS PROTECTIVE (VINYL) [CUST: NU CT] [REVIEW: SH] | A 8415 / CT | | | 07-JAN-91 |
| | A-A-50365A | SWEATER, WOMAN'S, ACRYLIC [CUST: NU CT] | A 8410 / CT | | | 09-OCT-90 |
| | A-A-50366A | SWEATER, MAN'S, WOOL [CUST: NU CT] | A 8405 / CT | | | 16-OCT-96 |
| | A-A-50367A | COAT, MAN'S, ALL WEATHER, WITH REMOVABLE LINER [CUST: NU CT] | A 8405 / CT | | | 16-DEC-91 |
| | A-A-50368A | COAT, WOMAN'S, ALL WEATHER, WITH REMOVABLE LINER [CUST: NU CT] | A 8410 / CT | | | 16-DEC-91 |
| | A-A-50369 | CAP, KNIT (WATCH) [CUST: NU CT] | A 8405 / CT | | | 01-MAR-89 |
| | A-A-50370 | GLOVES, CLOTH, VINYL DIPPED [CUST: NU 99 CT] [REVIEW: 11 AS MC MD OS SH SS YD1] | A 8415 / CT | | | 31-MAY-89 |
| | A-A-50371A | BOOTS, FIREMEN'S [CUST: NU CT] | A 8430 / CT | | | 04-MAR-94 |
| | A-A-50373A | VEST, COOLING (WITH FREEZEABLE GEL STRIPS) [CUST: NU CT] [REVIEW: CG] | A 8415 / CT | | | 07-DEC-92 |
| | A-A-50374 | BAG, FIREMAN'S UTILITY [CUST: NU CT] [REVIEW: AS CG MC SH] | A 8460 / CT | | | 11-DEC-89 |
| | A-A-50375 | LACES, LEGGINGS [CUST: NU CT] | A 8315 / CT | | | 14-MAY-90 |
| A | A-A-50378A | DRAWERS, EXTREME COLD WEATHER, MEN'S AND WOMEN'S [CUST: NU 99 CT] [REVIEW: 45 82 CG YD1] | A 8415 / CT | | | 24-MAR-98 |
| | A-A-50379 | MITTEN SHELLS, MEN'S [CUST: NU CT] | A 8415 / CT | | | 29-AUG-90 |
| A | A-A-50383A | UNDERSHIRT, EXTREME COLD WEATHER, MAN'S AND WOMAN'S [CUST: NU 99 CT] [REVIEW: 45 82 CG YD1] | A 8415 / CT | | | 23-MAR-98 |
| | A-A-50386 | GLOVES, MEN'S AND WOMEN'S [CUST: GL NU 11 CT] | A 8440 / CT | | | 13-MAR-91 |
| | A-A-50390A | SHIRT, DISPOSABLE [CUST: NU CT] [REVIEW: OS SH] | A 8415 / CT | | | 23-JAN-96 |
| | A-A-50391 | FOOTWEAR COVERS, DISPOSABLE [CUST: NU] [REVIEW: CT] | A 8430 / NU | | | 24-JUN-92 |
| | A-A-50423 | APPLICATOR, SELF-PRESSURIZED CAN, BRUSH-TYPE, FOR USE WITH ISOPROPYL ALCOHOL SOLVENT (AEROSOL BRUSH APPLICATOR FOR ISOPROPYL ALCOHOL) [CUST: EA AS 68] | A 6850 / AS | | | 20-FEB-95 |
| | A-A-50425 | CLEANING COMPOUND, HALOGENATED HYDROCARBON, FOR OXYGEN SYSTEM COMPONENTS, AEROSOL (SPOT CLEANER) [CUST: EA AS 68] | A 6850 / AS | | | 26-JUN-96 |
| | A-A-50426 | SOLVENT WIPER DISPENSING SYSTEM [CUST: GL AS 99] | A 7930 / AS | | | 15-SEP-95 |
| | A-A-50427 | CLEANING COMPOUND, SOLVENT, 1,1-DICHLORO-1-FLUOROETHANE, HCFC-141B, FOR OXYGEN SYSTEMS [CUST: EA AS 68] | A 6850 / AS | | | 26-JUN-96 |
| | A-A-50431A | COUPLINGS - QUICK DISCONNECT, BOWES TYPE (AIR HOSES AND PIPING) [CUST: AR SH] [REVIEW: AL YD1] | A 4730 / SH | | | 07-NOV-91 |
| | A-A-50432 | HINGE, BUTT (SHIPBOARD/MARINE) [CUST: AR SH 99] [REVIEW: AS IS MC OS] | A 5340 / SH | | | 20-APR-89 |
| | A-A-50433 | GREASE, SEA WATER WASH RESISTANT [CUST: CD SH] [REVIEW: GS PS] | A 9150 / SH | | | 15-AUG-89 |
| | A-A-50434 | PATCH REPAIR EMERGENCY WATER ACTIVATED DAMAGE CONTROL [CUST: CR4 SH] [REVIEW: MD] | A 4730 / SH | | | 15-AUG-90 |
| | A-A-50435B | ROPES (ARAMID) [CUST: SH] | A 4020 / SH | | | 24-MAR-92 |
| | A-A-50437 | EXOTHERMIC CUTTING RODS FOR USE IN PORTABLE EXOTHERMIC CUTTING UNIT (PECU) [CUST: CR4 SH] [REVIEW: YD1] | A 4240 / SH | | | 20-MAR-91 |
| | A-A-50438 | CLEANER, BLOWER AND VACUUM, PORTABLE, INDUSTRIAL [CUST: GL SH 84] [REVIEW: 85 CR CR4 YD1] | A 7910 / SH | | | 26-MAR-91 |
| D | A-A-50439 | LAMP, INCANDESCENT, T-3-1/4, MINIATURE SCREW BASE [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 22-JUL-91 |
| D | A-A-50440 | LAMP, INCANDESCENT, T-5, PREFOCUSING, DOUBLE CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 22-JUL-91 |
| D | A-A-50441 | LAMP, INCANDESCENT, T-12, MEDIUM SCREW, 3 CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 22-JUL-91 |
| D | A-A-50442 | LAMP, INCANDESCENT, T-8, CANDELABRA SCREW [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 22-JUL-91 |
| D | A-A-50443 | LAMP, INCANDESCENT, T-8, BAYONET CANDELABRA, DOUBLE CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 22-JUL-91 |
| | A-A-50444 | LIGHT, STROBE, LIFE PRESERVER [CUST: CR4 SH] [REVIEW: AS AT AV EA MC YD1] | A 6230 / SH | | | 12-AUG-91 |
| D | A-A-50445 | LAMP, INCANDESCENT, G-8, MINIATURE SCREW [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 15-JAN-92 |
| D | A-A-50446 | LAMP, INCANDESCENT, S-6, CANDELABRA SCREW [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 15-JAN-92 |
| D | A-A-50447 | LAMP, INCANDESCENT, T-4, CANDELABRA SCREW [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 15-JAN-92 |
| D | A-A-50448 | LAMP, INCANDESCENT, G-16-1/2, BAYONET CANDELABRA, DOUBLE CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 15-JAN-92 |
| D | A-A-50449 | LAMP, INCANDESCENT, A-19, MEDIUM SCREW [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 15-JAN-92 |
| D | A-A-50450 | LAMP, INCANDESCENT, T-12, MEDIUM PREFOCUSING, SINGLE CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 24-JAN-92 |
| D | A-A-50451 | LAMP, INCANDESCENT, RP-11, BAYONET CANDELABRA, DOUBLE CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 24-JAN-92 |
| D | A-A-50452 | LAMP, INCANDESCENT, S-6, BAYONET CANDELABRA, DOUBLE CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 24-JAN-92 |
| D | A-A-50453 | LAMP, INCANDESCENT, G-8 BULB, DOUBLE CONTACT, BAYONET CANDELABRA BASE [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 24-JAN-92 |
| D | A-A-50454 | LAMP, INCANDESCENT, G-6, BAYONET CANDELABRA, DOUBLE CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 / IS | | | 24-JAN-92 |
| | A-A-50455 | PORTABLE FILTRATION CART [CUST: SH] | A 4330 / SH | | | 26-FEB-92 |
| D | A-A-50456A | VALVES, RADIATOR, HEATING PACKED BONNET, CLASS 150 PSIG [CUST: CR4 99 IS] [REVIEW: CE] | A 4520 / IS | | | 07-APR-89 |
| D | A-A-50457A | VALVES, RADIATOR, HEATING PACKLESS BONNET, CLASS 125 PSIG [CUST: CR4 99 IS] [REVIEW: CE] | A 4520 / IS | | | 07-APR-89 |
| | A-A-50459A | SHEARS, METAL CUTTING, ELECTRIC (PORTABLE) [CUST: YD1 99] [REVIEW: 84] | A 5130 / YD1 | | | 14-APR-89 |
| A | A-A-50460B | CARRIER, STORAGE BATTERY, HAND [CUST: GL YD1 99] [REVIEW: 84 CR4] | A 5120 / YD1 | | | 18-FEB-98 |
| | A-A-50461B | NOZZLES; GARDEN HOSE (FOR 5/8- AND 3/4-INCH HOSE) [CUST: YD1 99] [REVIEW: 82 CC MC] | A 4730 / YD1 | | | 26-MAR-93 |
| | A-A-50464B | CAP, FLUE, CYLINDRICAL [CUST: YD1] [REVIEW: CC MC] | A 4520 / YD1 | | | 13-FEB-96 |
| | A-A-50468A | GATE, BLAST, LOW PRESSURE, SHEET METAL PIPE SYSTEMS [CUST: YD1] | A 4460 / YD1 | | | 29-MAR-91 |
| | A-A-50469B | HOOK, REGULAR EYE, LATCH TYPE [CUST: YD1 99] [REVIEW: 82 IS OS] | A 4030 / YD1 | | | 03-JUN-94 |
| | A-A-50470B | OILERS, HAND, FILLER [CUST: YD1] [REVIEW: CC CR4 EA MC] | A 4930 / YD1 | | | 21-JUN-93 |
| | A-A-50472A | HOOK, SWIVEL, LATCH TYPE [CUST: YD1 99] [REVIEW: 82 IS OS SH] | A 4030 / YD1 | | | 21-SEP-88 |
| | A-A-50473B | OILERS, HAND, PUSH-BOTTOM [CUST: YD1] [REVIEW: CC EA MC] | A 4930 / YD1 | | | 21-JUN-93 |
| | A-A-50474B | OILERS, HAND, TYPEWRITER [CUST: YD1] [REVIEW: CC EA MC] | A 4930 / YD1 | | | 21-JUN-93 |

DODISS NUMERICAL LISTING COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | A-A-50475B | POLISHER, FLOOR, ELECTRIC, DIVIDED WEIGHT (COMMERCIAL TYPE) [CUST: YD1 99] [REVIEW: 84 MC] | A 7910 | / | YD1 | 03-JAN-94 |
| | A-A-50476B | POLISHER, FLOOR, ELECTRIC, CONCENTRATED WEIGHT TWO-BRUSH (COMMERCIAL TYPE) [CUST: YD1 99] [REVIEW: 84 MC MD] | A 7910 | / | YD1 | 21-JAN-94 |
| | A-A-50477C | OILERS, HAND, PUMP [CUST: YD1] [REVIEW: CC CR4 EA MC] | A 4930 | / | YD1 | 21-JUN-93 |
| | A-A-50478B | POLISHER, FLOOR, ELECTRIC, CONCENTRATED WEIGHT SINGLE BRUSH (COMMERCIAL TYPE) [CUST: YD1 99] [REVIEW: 84 GL MC] | A 7910 | / | YD1 | 21-JAN-94 |
| | A-A-50486A | CONTAINER, INSULATED, SHIPPING [CUST: GL YD1] [REVIEW: GS MD] | A 8145 | / | YD1 | 23-NOV-92 |
| | A-A-50492A | OILERS, AIR LINE [CUST: YD1] [REVIEW: CC] | A 4930 | / | YD1 | 29-NOV-93 |
| | A-A-50493 | OIL, PENETRATING (FOR LOOSENIG FROZEN METALLIC PARTS) [CUST: CR4 YD1 68] [REVIEW: AR AT AV GS MC MS SA SH] | A 9150 | / | YD1 | 19-FEB-90 |
| | A-A-50494 | EXHAUST HEAD, STEAM [CUST: YD1] | A 4730 | / | YD1 | 16-APR-90 |
| | A-A-50495B | HEATING ELEMENT, ELECTRICAL (REPLACEMENTS FOR DOMESTIC APPLIANCES) [CUST: YD1] [REVIEW: MC] | A 4540 | / | YD1 | 20-SEP-95 |
| M | A-A-50496A | COFFEE MAKER, PERCOLATOR, ELECTRIC [CUST: QM1 YD1 99] [REVIEW: 35 84 CG IS MC MS SA SH] | A 7310 | / | YD1 | 16-JUN-98 |
| M | A-A-50497A | COFFEE MAKER, ELECTRIC, AUTOMATIC [CUST: QM1 YD1 99] [REVIEW: 84 CG IS MC MS SA SH] | A 7310 | / | YD1 | 16-JUN-98 |
| | A-A-50498 | VALVE, FOOT, CAST IRON, BRONZE AND POLYVINYL CHLORIDE (PVC) [CUST: CR4 YD1 99] [REVIEW: 82 CC GL MC OS SH] | A 4820 | / | YD1 | 05-JUL-90 |
| | A-A-50499A | TAMPER, VIBRATING PLATE TYPE, GASOLINE AND DIESEL ENGINE DRIVEN [CUST: YD1] | A 3895 | / | YD1 | 11-MAY-92 |
| | A-A-50500 | DOUGH DIVIDER, ROLL, HAND OPERATED, 36-PART AND DOUGH DIVIDER AND ROUNDING MACHINE, ROLL, 36-PART [CUST: YD1 99] [REVIEW: 50 84 GS MC SA] | A 7320 | / | YD1 | 06-SEP-91 |
| | A-A-50501 | AUGER MACHINES, PIPE AND SEWER CLEANER: GASOLINE-ENGINE-DRIVEN, TRAILER MOUNTED [CUST: YD1] [REVIEW: CC] | A 4940 | / | YD1 | 18-JUL-91 |
| | A-A-50502 | AIR CONDITIONER, (UNITARY HEAT PUMP), AIR TO AIR (3,000 TO 300,000 BTU) [CUST: YD1] [REVIEW: CE GS] | A 4120 | / | YD1 | 29-NOV-90 |
| | A-A-50504 | ANALYZERS, FLUE-GAS, ORSAT-TYPE, PORTABLE [CUST: YD1 99] [REVIEW: 82] | A 6630 | / | YD1 | 28-FEB-92 |
| | A-A-50505 | CONNECTOR ASSEMBLY, ELECTRICAL, IN-LINE [CUST: YD1] [REVIEW: CC] | A 5935 | / | YD1 | 08-NOV-91 |
| | A-A-50506A | FAN, TUBEAXIAL, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT [CUST: CR4 EC 99 GS] | A 4140 | / | GS | 01-DEC-82 |
| | A-A-50526C | HAT, SERVICE: WITH CHIN STRAP [CUST: GL MC 45 CT] [REVIEW: 01 32 MD SO] | A 8405 | / | CT | 21-FEB-95 |
| | A-A-50527B | TRUNKS, GENERAL PURPOSE [CUST: MC CT] | A 8415 | / | CT | 03-JUL-96 |
| | A-A-50528A | COAT, SHOOTER'S, GREEN [CUST: MC CT] | A 8415 | / | CT | 20-NOV-92 |
| | A-A-50531 | CLOTH, POPLIN; POLYESTER AND COTTON (WATER REPELLENT) [CUST: GL MC CT] | A 8305 | / | CT | 14-JUN-90 |
| | A-A-50532 | CLOTH, SERGE: POLYESTER/WOOL [CUST: MC] | A 8305 | / | MC | 19-SEP-90 |
| | A-A-50535 | ADHESIVE, STARCH [CUST: CR4 MC] | A 8040 | / | MC | 26-SEP-91 |
| | A-A-50537 | CHEST, TOOL: CARPENTER OR COMPANY [CUST: MC 99] [REVIEW: 84] | A 5140 | / | MC | 21-SEP-92 |
| | A-A-50538 | APPLICATOR, BAIT, INSECTICIDE [CUST: MD YD1 99] [REVIEW: CC MS] | A 3740 | / | YD1 | 14-SEP-92 |
| | A-A-50539 | VIBRATORS, CONCRETE, ELECTRIC-MOTOR-DRIVEN [CUST: CR4 YD1] | A 3895 | / | YD1 | 22-JUN-92 |
| | A-A-50540 | COLLECTOR UNIT, DUST, WITH FAN [CUST: YD1] | A 4460 | / | YD1 | 30-JUN-93 |
| | A-A-50541 | VALVES, TANK FLOAT, ANGLE AND GLOBE PATTERN [CUST: CR4 YD1 99] [REVIEW: 82 CC CE] | A 4820 | / | YD1 | 22-JAN-93 |
| | A-A-50542A | COATING SYSTEM: REFLECTIVE, SLIP-RESISTANT, CHEMICAL-RESISTANT URETHANE FOR MAINTENANCE FACILITY FLOORS [CUST: CR4 YD1 99] [REVIEW: 84 AS CE MC SH] | A 8010 | / | YD1 | 13-MAY-94 |
| | A-A-50543 | HEATERS, CONVECTION, STEAM OR HOT WATER [CUST: YD1 99] [REVIEW: CC CE MC] | A 4520 | / | YD1 | 30-SEP-93 |
| | A-A-50544 | RADIATORS, HEATING, STEAM AND HOT WATER, CAST IRON [CUST: YD1 99] [REVIEW: CC CE MC] | A 4520 | / | YD1 | 30-SEP-93 |
| | A-A-50545 | RADIATOR, HEATING, BASEBOARD PANEL, STEAM AND HOT WATER [CUST: YD1 99] [REVIEW: CC CE] | A 4520 | / | YD1 | 30-SEP-93 |
| | A-A-50547 | BAG, LINEMAN'S GLOVE [CUST: YD1] | A 4240 | / | YD1 | 22-FEB-94 |
| | A-A-50548 | FANS, CENTRIFUGAL, INDUSTRIAL [CUST: CR4 YD1] [REVIEW: CE MC] | A 4140 | / | YD1 | 09-JUN-95 |
| | A-A-50549 | HEATERS, WATER, LIQUID FUEL (OIL-FIRED, STORAGE TYPE, NOT EXCEEDING 280,000 BTU/H INPUT CAPACITY) [CUST: CR4 YD1 99] [REVIEW: 84 CC CE MC] | A 4520 | / | YD1 | 13-JUN-96 |
| | A-A-50550 | KITCHEN CENTER UNIT - QUICK CONNECT SYSTEM: TO INCLUDE KITCHENETTE-SINK, COUNTERTOP/CABINET, UNDERCOUNTER, REFRIGERATOR, MICROWAVE OVEN, AND BURNER COOKTOPS; [CUST: GL YD1 99] [REVIEW: GS] | A 7360 | / | YD1 | 07-JUL-95 |
| | A-A-50552 | FITTINGS FOR CABLE, POWER, ELECTRICAL AND CONDUIT, METAL, FLEXIBLE [CUST: CR YD1 85] | A 5975 | / | YD1 | 31-MAY-95 |
| | A-A-50553 | FITTING FOR CONDUIT, METAL, RIGID (THICK-WALL AND THIN-WALL (EMT) TYPE) [CUST: CR4 YD1 85] [REVIEW: 99 CE MC] | A 5975 | / | YD1 | 07-JUN-95 |
| A | A-A-50554 | FILTER, AIR-EXTENDED AREA, INITIAL INSTALLATION [CUST: CR4 YD1 99] [REVIEW: GS] | A 4130 | / | YD1 | 09-OCT-97 |
| | A-A-50555 | PUMPING UNITS, SEWAGE, DUPLEX, CENTRIFUGAL, AUTOMATIC WET-PIT TYPE [CUST: AT YD1 99] [REVIEW: 84 CC CE CG MC] | A 4630 | / | YD1 | 05-DEC-96 |
| | A-A-50557 | PRIMER, WATER-BORNE, ACRYLIC OR MODIFIED ACRYLIC, FOR METAL SURFACES [CUST: AV YD1 99] [REVIEW: 84 SH] | A 8010 | / | YD1 | 15-MAY-96 |
| | A-A-50558 | VALVES, PRESSURE REGULATING, STEAM [CUST: YD1] [REVIEW: CC] | A 4820 | / | YD1 | 03-JUN-96 |
| | A-A-50559 | VALVES, TEMPERATURE-REGULATING (THERMOSTATICALLY CONTROLLED) [CUST: YD1] [REVIEW: CC SH] | A 4820 | / | YD1 | 03-JUN-96 |
| | A-A-50560 | PUMPS, CENTRIFUGAL, WATER CIRCULATING, ELECTRIC-MOTOR-DRIVEN [CUST: AT YD1] | A 4320 | / | CC | 21-JUN-96 |
| | A-A-50561 | PUMPS, ROTARY, POWER-DRIVEN, VISCOUS LIQUIDS [CUST: AT YD1] [REVIEW: CC SH] | A 4320 | / | YD1 | 22-MAY-96 |
| A | A-A-50562 | PUMP UNITS, CENTRIFUGAL, WATER, HORIZONTAL; GENERAL SERVICE AND BOILER-FEED: ELECTRIC-MOTOR OR STEAM-TURBINE-DRIVEN [CUST: YD1] [REVIEW: CC] | A 4320 | / | YD1 | 19-JUN-97 |
| | A-A-50563 | CONDUIT OUTLET BOXES, BODIES, AND ENTRANCE CAPS, ELECTRICAL: CAST METAL [CUST: CR4 YD1 99] | A 5975 | / | YD1 | 13-OCT-95 |
| | A-A-50564 | FINISHING MACHINE, CONCRETE ROTARY, GASOLINE ENGINE, HAND CONTROLLED [CUST: YD1] | A 3895 | / | YD1 | 12-JUL-96 |
| | A-A-50565 | CABINET, STORAGE; WARDROBE, THREE DRAWER [CUST: YD1 99] [REVIEW: 84] | A 7105 | / | YD1 | 05-MAR-97 |
| N | A-A-50566 | MONITORING DEVICES, EMISSION; STACK RELATED [CUST: EA YD1] [REVIEW: DP MS] | A 6630 | / | YD1 | 25-MAY-98 |
| | A-A-50567 | VANITY; CABINET (WOOD OR WOOD AND STEEL) [CUST: YD1 99] [REVIEW: 84 GL] | A 7105 | / | YD1 | 28-FEB-97 |
| | A-A-50568 | GAGES, LIQUID LEVEL MEASURING, TANK [CUST: YD1] | A 6680 | / | YD1 | 17-JAN-97 |
| | A-A-50569 | WARDROBES: CLOTHING, COMPOSITE WOOD AND METAL [CUST: YD1 99] [REVIEW: 84 MC] | A 7105 | / | YD1 | 10-JAN-97 |
| | A-A-50570 | PAINT, WATER-BORNE, ACRYLIC OR MODIFIED ACRYLIC, SEMIGLOSS, FOR METAL SURFACES [CUST: AV YD1 99] [REVIEW: 84 SH] | A 8010 | / | YD1 | 17-JAN-97 |
| A | A-A-50572 | PUMP UNIT, CENTRIFUGAL: PORTABLE, SELF-PRIMING, ENGINE-DRIVEN (DEWATERING; CONTRACTOR AND TRASH TYPE) [CUST: CE YD1 99] [REVIEW: AT GS MC] | A 4320 | / | YD1 | 02-JUL-97 |
| | A-A-50573 | WATER SOFTENER UNIT, LIME-SODA TYPE [CUST: AT YD1 99] [REVIEW: 84 CC] | A 4610 | / | YD1 | 21-APR-97 |
| | A-A-50574 | ENAMEL, ODORLESS, ALKYD, INTERIOR, SEMIGLOSS, WHITE AND TINTS [CUST: CR4 YD1 84] [REVIEW: CE MC MD MR] | A 8010 | / | YD1 | 28-FEB-97 |
| | A-A-50575 | PUMP-ENGINE SYSTEM, CENTRIFUGAL, WATER-GASOLINE-FUEL OIL, SKID-BASE-MOUNTED [CUST: YD1] | A 4320 | / | YD1 | 07-FEB-97 |
| | A-A-50577 | SEMITRAILERS, REAR DUMP; SINGLE AXLE AND TANDEM AXLE [CUST: YD1] | A 2330 | / | YD1 | 17-JAN-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/NA | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|---------------------|-----|-------------|-----------|
| | A-A-50578 | CART, CONCRETE [CUST: YD1] [REVIEW: AT CC] | A 3895 | / | YD1 | 15-APR-97 |
| | A-A-50579 | TRAILER, EQUIPMENT, ELEVATING BODY, 4-WHEEL [CUST: YD1] | A 2330 | / | YD1 | 14-APR-97 |
| | A-A-50580 | TRUCK, TANK: SEWAGE OR WASTE COLLECTION, COMMERCIAL 4 BY 2 [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2320 | / | YD1 | 07-APR-97 |
| A | A-A-50581 | FITTINGS, PIPE, STEEL, SPECIAL (FOR TANKER UNLOADING INSTALLATIONS) [CUST: YD1 99] [REVIEW: 82 CC] | A 4730 | / | YD1 | 12-JUN-97 |
| A | A-A-50582 | TORCH OUTFIT, CUTTING AND WELDING [CUST: YD1] | A 3433 | / | YD1 | 02-JUL-97 |
| | A-A-50585 | GANTRIES, HOIST, PORTABLE (SHOP TYPE) [CUST: YD1 99] [REVIEW: 84 CC] | A 3950 | / | YD1 | 24-APR-97 |
| A | A-A-50586 | PUMP ASSEMBLIES, DEEP-WELL, ELECTRIC-MOTOR-DRIVEN [CUST: YD1] | A 4320 | / | YD1 | 15-JUN-97 |
| A | A-A-50587 | COMPRESSOR, AIR, HIGH PRESSURE [CUST: YD1] | A 4310 | / | YD1 | 24-JUN-97 |
| D | A-A-50588 | LAMP, INCANDESCENT, T-3-1/4, MINIATURE BAYONET, SINGLE CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 | / | IS | 21-FEB-92 |
| D | A-A-50589 | LAMP, INCANDESCENT, G-4-1/2, MINIATURE BAYONET, SINGLE CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 | / | IS | 21-FEB-92 |
| D | A-A-50590 | LAMP, INCANDESCENT, G-3-1/2, MINIATURE BAYONET, SINGLE CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 | / | IS | 21-FEB-92 |
| D | A-A-50591 | LAMP, INCANDESCENT, T-7, CANDELABRA SCREW [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 | / | IS | 21-FEB-92 |
| D | A-A-50592 | LAMP, INCANDESCENT, S-11, CANDELABRA SCREW [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 | / | IS | 21-FEB-92 |
| D | A-A-50593 | LAMP, INCANDESCENT, T-2, TELEPHONE SLIDE, TUNGSTEN FILAMENT, CLEAR FINISH [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 | / | IS | 26-FEB-92 |
| D | A-A-50594 | LAMP, INCANDESCENT, C-7, BAYONET, DOUBLE CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 | / | IS | 26-FEB-92 |
| D | A-A-50595 | LAMP, INCANDESCENT, PAR-36, SCREW TERMINAL [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 | / | IS | 26-FEB-92 |
| D | A-A-50596 | LAMP, FLUORESCENT, T-12, HIGH OUTPUT-HIGH TEMPERATURE, BASE RECESSED, DOUBLE CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 | / | IS | 26-FEB-92 |
| D | A-A-50597 | LAMP, FLUORESCENT, T-12, PREHEAT, COOL WHITE, MEDIUM BIPIN [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 | / | IS | 26-FEB-92 |
| | A-A-50598 | KIT, PHOTOLUMINESCENT MARKING [CUST: SH] | A 4240 | / | SH | 22-MAY-92 |
| | A-A-50599 | FAN, TUBEAXIAL, PORTABLE, DESMOKING, AND VENTILATING [CUST: SH 99] [REVIEW: 82 GS SA] | A 4140 | / | SH | 16-JUL-92 |
| D | A-A-50600 | LAMPS, INCANDESCENT, G-9, BAYONET CANDELABRA, DOUBLE CONTACT [CUST: CR4 SH 99 IS] [REVIEW: 82] | A 6240 | / | IS | 31-JUL-92 |
| | A-A-50601 | AUDIO ENTERTAINMENT DISTRIBUTION EQUIPMENT [CUST: SH] | A 5830 | / | SH | 14-JAN-93 |
| | A-A-50602 | SELF-LUBRICATED BEARINGS [CUST: AT SH 99] | A 3120 | / | SH | 05-APR-93 |
| | A-A-50603 | LOUDSPEAKER - MICROPHONE (MEGAPHONE, ELECTRONIC, PORTABLE) [CUST: CR SH] [REVIEW: 13 85 90 AS AT CC CE CG DP IS LS MC MT TD YD1] | A 5830 | / | SH | 11-FEB-93 |
| | A-A-50604 | EXPANSION JOINT, SLEEVED, (NON-FLANGED), FIRE-RETARDANT, WITH RETAINING CLAMPS [CUST: SH] | A 4730 | / | SH | 10-AUG-93 |
| | A-A-50605 | EXPANSION JOINT, TFE FLUOROCARBON RESIN, CORRUGATED WITH DUCTILE IRON FLANGES [CUST: SH] | A 4730 | / | SH | 10-AUG-93 |
| | A-A-50606 | PORTABLE HYDRAULIC ACCESS AND RESCUE SYSTEM (PHARS) (SHIPBOARD MODELS) [CUST: SH] | A 4240 | / | SH | 13-SEP-93 |
| | A-A-50607 | RESCUE SWIMMER DRY SUIT [CUST: SH] | A 4220 | / | SH | 27-JAN-94 |
| | A-A-50608 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 2 VOLT, 10 AMPERE-HOUR, TYPE 2V-S-10 AH [CUST: CR SH 99] [REVIEW: 80 AS AT AV GS MI] | A 6140 | / | SH | 03-DEC-93 |
| | A-A-50609 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 12 VOLT, 15 AMPERE-HOUR, TYPE 12V-S-15 AH [CUST: CR SH 99] [REVIEW: 80 AS AT AV GS MI] | A 6140 | / | SH | 03-DEC-93 |
| | A-A-50610 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 2 VOLT, 20 AMPERE-HOUR, TYPE 2V-S-20 AH [CUST: CR SH 99] [REVIEW: 11 80 AS AT AV GS MI] | A 6140 | / | SH | 03-DEC-93 |
| | A-A-50611 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 6 VOLT, 50 AMPERE-HOUR, TYPE 6V-S-50 AH [CUST: CR SH 99] [REVIEW: 11 80 AS AT AV GS MI] | A 6140 | / | SH | 03-DEC-93 |
| | A-A-50612 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 12 VOLT, 50 AMPERE-HOUR, TYPE 12V-S-50 AH [CUST: CR SH 99] [REVIEW: 11 80 AS AT AV GS MI] | A 6140 | / | SH | 03-DEC-93 |
| | A-A-50613 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 6 VOLT, 100 AMPERE-HOUR, TYPE 6V-S-100 AH [CUST: CR SH 99] [REVIEW: 80 AS AT AV GS MI] | A 6140 | / | SH | 03-DEC-93 |
| | A-A-50614 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 12 VOLT, 100 AMPERE-HOUR, TYPE 12V-S-100 AH [CUST: CR SH 99] [REVIEW: 80 AS AT AV GS MI] | A 6140 | / | SH | 03-DEC-93 |
| | A-A-50615 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 6 VOLT, 130 AMPERE-HOUR, TYPE 6V-S-130 AH [CUST: CR SH 99] [REVIEW: 80 AS AT AV GS MI] | A 6140 | / | SH | 03-DEC-93 |
| | A-A-50616 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 12 VOLT, 130 AMPERE-HOUR, TYPE 12V-S-130 AH [CUST: CR SH 99] [REVIEW: 80 AS AT AV GS MI] | A 6140 | / | SH | 03-DEC-93 |
| | A-A-50617 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 6 VOLT, 200 AMPERE-HOUR, TYPE 6V-S-200 AH [CUST: CR SH 99] [REVIEW: 80 AS AT AV GS MI] | A 6140 | / | SH | 03-DEC-93 |
| | A-A-50618 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 6 VOLT, 300 AMPERE-HOUR, TYPE 6V-S-300 AH [CUST: CR SH 99] [REVIEW: 80 AS AT AV GS MI] | A 6140 | / | SH | 03-DEC-93 |
| | A-A-50619 | BATTERY, STORAGE (PORTABLE, SEALED, MAINTENANCE-FREE, LEAD-ACID) 6 VOLT, 780 AMPERE-HOUR, TYPE 6V-S-780 AH [CUST: CR SH 99] [REVIEW: 80 AS AT AV GS MI] | A 6140 | / | SH | 03-DEC-93 |
| | A-A-50620 | ELECTRODE, PH, COMBINATION SEALED [CUST: SH 99] [REVIEW: 21 82 AS AV CG CR4] | A 6630 | / | SH | 28-JAN-94 |
| | A-A-50621 | LOUDSPEAKERS, PERMANENT MAGNET FOR SHIPBOARD ENTERTAINMENT SYSTEMS [CUST: CR SH 99] [REVIEW: AS GS] | A 5965 | / | SH | 23-FEB-93 |
| | A-A-50622 | SURGE SUPPRESSOR FOR SHIPBOARD PERSONAL COMPUTERS AND PERIPHERAL EQUIPMENTS [CUST: SH] [REVIEW: GS] | A 6150 | / | SH | 14-MAR-94 |
| | A-A-50623 | ALARM SWITCHBOARD TYPE IC/SM [CUST: SH] | A 6320 | / | SH | 16-SEP-94 |
| | A-A-50624 | AIRFLOW MONITORING EQUIPMENT [CUST: CR4 SH 99] [REVIEW: 13 AS CR GS MC] | A 6680 | / | SH | 09-JUN-94 |
| | A-A-50625 | LIQUID FLOW SENSOR [CUST: SH] | A 5930 | / | SH | 09-JUN-94 |
| | A-A-50626 | SWITCH, DOOR TYPE IC/DM-1-() [CUST: SH] | A 5930 | / | SH | 18-JUL-94 |
| | A-A-50627 | BELL, ELECTRICAL, SHIPBOARD [CUST: SH] | A 6350 | / | SH | 09-FEB-95 |
| | A-A-50628 | BUZZER, ELECTRICAL, SHIPBOARD [CUST: SH] | A 6350 | / | SH | 09-FEB-95 |
| | A-A-50629 | SIREN, ELECTRICAL, SHIPBOARD [CUST: SH] | A 6350 | / | SH | 09-FEB-95 |
| | A-A-50630 | HORN, ELECTRICAL, SHIPBOARD [CUST: SH] | A 6350 | / | SH | 09-FEB-95 |
| | A-A-50631 | BUS FAILURE ALARM, ELECTRICAL, SHIPBOARD [CUST: SH] | A 6350 | / | SH | 09-FEB-95 |
| A | A-A-50632A | STRAINER, SIMPLEX, CONTINUOUS SELF-CLEANING [CUST: AT SH 16] [REVIEW: 10 CC CG CR MC MR OS] | A 4730 | / | SH | 17-JUL-97 |
| | A-A-50633 | GLOVES, LEATHER; GAUNTLET; DRUMMER'S [CUST: MC] | A 8440 | / | MC | 01-AUG-94 |
| | A-A-50634 | LUBRICATING OIL, ESTER-BASED, FOR COMPRESSORS USING HFC-134A REFRIGERANT [CUST: SH] [REVIEW: GS] | A 9150 | / | SH | 28-FEB-95 |
| | A-A-50635 | BELT, WEB, WHITE; SWORD CARRYING [CUST: MC] | A 8465 | / | MC | 25-AUG-94 |
| A | A-A-50651A | BOOTS, CLIMBER'S [CUST: GL 99 CT] [REVIEW: 45 82 MD] | A 8430 | / | CT | 25-MAR-98 |
| | A-A-50652 | LIFE PRESERVER, VEST, ADULT OR CHILD (35 POUND BUOYANCY) [CUST: 99] | A 4220 | / | 84 | 04-MAR-81 |
| | A-A-50680 | VOLTMETER, AC [CUST: AS 99] [REVIEW: 11 68 MC] | A 6625 | / | 82 | 22-MAR-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|------------|--------------------|---|-----------------------|-----|-------------|-----------|
| | A-A-50681 | TRAILER, MAINTENANCE POWER [CUST: AL 99] | A 4940 / 82 | | | 30-MAY-89 |
| | A-A-50682 | TANK, STORAGE, LIQUID ARGON-NITROGEN-OXYGEN, CRYOGENIC, HORIZONTAL, 3000 AND 6000 GALLON [CUST: 99] | A 3655 / 68 | | | 07-FEB-92 |
| | A-A-50683 NOT 1 | FOLDING MACHINE, PAPER [CUST: 84 GS] [REVIEW: SA] | A 3610 / GS | | | 09-JUN-95 |
| | A-A-50685 NOT 1 | LEVEL, PRECISION MASTER, SINGLE FACE [CUST: 99 GS] [REVIEW: 84] | A 5220 / GS | | | 09-JUN-95 |
| A | A-A-50686A | AIR CONDITIONER, TRAILER MOUNTED, ELECTRIC MOTOR, DRIVEN [CUST: 99 IS] [REVIEW: 82 AM CR4 SH] | A 4120 / IS | | | 20-JAN-94 |
| A | A-A-50687A | AIR CONDITIONER, TRAILER MOUNTED, DIESEL ENGINE DRIVEN [CUST: 99 IS] [REVIEW: 82 AM CR4 SH] | A 4120 / IS | | | 20-JAN-94 |
| A | A-A-50688 | SENTRY BUILDING, MOBILE | A 5410 / CC | | | 21-MAR-90 |
| | A-A-50690 | TIRE FILL, SOLID POLYURETHANE | A 2630 / AT | | | 26-NOV-90 |
| | A-A-50691 | TRUCK, AIRCRAFT BAGGAGE LOADING-UNLOADING [CUST: 99] | A 3930 / 84 | | | 02-NOV-90 |
| | A-A-50691(11) | TRUCK, AIRCRAFT BAGGAGE LOADING-UNLOADING [CUST: 99] | A 3930 / 84 | | | 17-JUN-93 |
| | A-A-50692 | OSCILLOGRAPH, PORTABLE [CUST: 99] | A 6625 / 82 | | | 11-OCT-90 |
| | A-A-50693B | TRUCK, AIRCRAFT CARGO LOADING-UNLOADING, WIDE BODY [CUST: 99] | A 3930 / 84 | | | 11-MAY-92 |
| | A-A-50694 | CUTTER, TILE, ASPHALT, PLASTIC, RUBBER [CUST: 99] | A 5110 / 84 | | | 31-DEC-90 |
| | A-A-50695 | DIES, THREADING DIE HEAD [CUST: 99] | A 5136 / 84 | | | 27-MAR-92 |
| | A-A-50696 | REELS, STATIC DISCHARGE, GROUNDING, 50 AND 75 FOOT CABLE LENGTHS [CUST: 99] [REVIEW: 68 79 CC] | A 4930 / 82 | | | 11-JUL-91 |
| | A-A-50717 | ATTENUATOR VARIABLE DC TO 18 GHZ [CUST: 99 CC] [REVIEW: 82 CR SH] | A 5985 / CC | | | 15-MAR-89 |
| | A-A-50718 | TEST SET, FUEL SYSTEM [CUST: 99] [REVIEW: SH] | A 6625 / 82 | | | 15-FEB-89 |
| | A-A-50721 | SCALE, LOW PROFILE, PALLET WEIGHING [CUST: 99] | A 6670 / 84 | | | 15-JAN-90 |
| | A-A-50723 NOT 1 | MARKING MACHINE, ELECTRICAL WIRE-FLEXIBLE INSULATING SLEEVING [CUST: 99 GS] | A 3611 / GS | | | 17-MAR-95 |
| | A-A-50724 | BUILDING, PORTABLE [CUST: 99] | A 5410 / 84 | | | 09-SEP-88 |
| | A-A-50725 | TEST SET, TELEPHONE SIGNAL [CUST: 99] | A 6625 / 82 | | | 30-JUL-88 |
| | A-A-50726 | TEST SET, TELEPHONE [CUST: 99] | A 6625 / 82 | | | 25-FEB-88 |
| | A-A-50727 | GENERATOR, SIGNAL (2 GHZ TO 26 GHZ) [CUST: EC 99 CC] [REVIEW: CR] | A 6625 / 82 | | | 23-DEC-87 |
| | A-A-50728 | FREQUENCY SELECTIVE LEVELMETER & SPECTRUM DISPLAY (FSLSD) [CUST: 99] | A 6625 / 82 | | | 01-JAN-88 |
| | A-A-50730 | GENERATOR, SIGNAL 10 KHZ TO 1 GHZ [CUST: EC 99 CC] [REVIEW: CR] | A 6625 / 82 | | | 15-DEC-87 |
| | A-A-50731 | GENERATOR, SIGNAL 1 MHZ TO 2 GHZ [CUST: EC 99 CC] [REVIEW: CR] | A 6625 / 82 | | | 15-DEC-87 |
| A | A-A-50734A | MULTIMETER, RUGGEDIZED [CUST: MI SH 99] [REVIEW: CC CR SO] | A 6625 / 82 | | | 01-SEP-97 |
| | A-A-50735 | TEST SET, MICROPROCESSOR BOARD [CUST: EC 82 CC] [REVIEW: CR] | A 6625 / 82 | | | 15-DEC-87 |
| | A-A-50739 | TEST SET, TELEPHONE [CUST: 99] [REVIEW: CR SH] | A 6625 / 82 | | | 30-OCT-87 |
| | A-A-50740 | SPECTRUM ANALYZER 10 HZ TO 50 KHZ [CUST: 99] [REVIEW: GL] | A 6625 / 82 | | | 30-OCT-87 |
| | A-A-50741 | DIVIDER, POWER, RADIO FREQUENCY [CUST: 99] | A 6625 / 82 | | | 30-OCT-87 |
| | A-A-50742 | AIRCRAFT MOVER, ELECTRICALLY POWERED [CUST: AV AS 99] [REVIEW: GL IS NS] | A 1740 / 82 | | | 15-OCT-87 |
| | A-A-50743A | CLEANER, ULTRASONIC, WITH RINSE AND DRY, 5.5 GALLON [CUST: 99] | A 4940 / 82 | | | 29-SEP-89 |
| | A-A-50744A | CLEANER, ULTRASONIC, NINE GALLON CAPACITY, AEROSPACE MAINTENANCE [CUST: 99] [REVIEW: AL CC] | A 4940 / 82 | | | 27-SEP-89 |
| | A-A-50746 NOT 1 | DEHUMIDIFIER, SPACE [CUST: 99] [REVIEW: CR4 YD1] | A 4440 / 84 | | | 11-JAN-96 |
| | A-A-50747(1) NOT 1 | POUCH, AMMUNITION MAGAZINE, 9MM [CUST: AR OS 99] | A 1095 / 84 | | | 05-MAY-93 |
| | A-A-50748(1) NOT 1 | HOLSTER, HIP, PISTOL, SEMI-AUTOMATIC, 9MM [CUST: AR OS 99] | A 1095 / 84 | | | 26-JUL-93 |
| | A-A-50749 | CURRENT-VOLTAGE STANDARD [CUST: EC 99 CC] [REVIEW: CR] | A 6625 / 82 | | | 12-MAY-87 |
| | A-A-50750 | CALIBRATOR, VOLTAGE [CUST: EC 99 CC] [REVIEW: CR] | A 6625 / 82 | | | 15-MAY-87 |
| A | A-A-50751 | MAGNETIC PARTICLE PROCESS CONTROL KIT [CUST: 99 GS] [REVIEW: 82] | A 6635 / GS | | | 02-APR-87 |
| A | A-A-50752 | TEST KIT, PENETRANT [CUST: AS 99 GS] [REVIEW: 82 GL] | A 6635 / GS | | | 31-MAR-87 |
| | A-A-50753 | GENERATOR, VARIABLE FREQUENCY [CUST: EC 99 CC] [REVIEW: CR] | A 6625 / 82 | | | 02-MAR-87 |
| | A-A-50754 | MODULATOR, PULSE [CUST: EC 99 CC] [REVIEW: CR] | A 6625 / 82 | | | 02-MAR-87 |
| | A-A-50755 | CONTROL HEAD ASSEMBLY TEST FIXTURE [CUST: EC 99] | A 6625 / 82 | | | 15-OCT-86 |
| | A-A-50756 | SWEEP GENERATOR [CUST: CR EC 99] | A 6625 / 82 | | | 01-OCT-86 |
| | A-A-50757 | FOUR CHANNEL RECORDER [CUST: EC 99] [REVIEW: CC CR] | A 6625 / 82 | | | 01-OCT-86 |
| | A-A-50758 | DEODORANT, CHEMICAL FOR HOLDING TANKS & RECIRCULATING TOILETS [CUST: 68] | A 6840 / GS | | | 25-MAY-86 |
| | A-A-50760 | SIGNAL GENERATOR [CUST: EC 99 CC] | A 6625 / 82 | | | 30-MAY-86 |
| | A-A-50761 | OSCILLOSCOPE [CUST: CR EC 99] [REVIEW: CR] | A 6625 / 82 | | | 30-MAY-86 |
| | A-A-50762 | SIGNAL GENERATOR [CUST: EC 99] | A 6625 / 82 | | | 30-MAY-86 |
| | A-A-50763 | PULSE GENERATOR [CUST: EC 99] [REVIEW: CR] | A 6625 / 82 | | | 30-APR-86 |
| | A-A-50765A | FORCEPS; SHEET HOLDER [CUST: AL SH 99] | A 5120 / 84 | | | 07-OCT-96 |
| | A-A-50766 | BUS, MOTOR, 16 PASSENGER [CUST: AT YD1 99] | A 2310 / 84 | | | 12-MAR-84 |
| | A-A-50767 NOT 1 | ANALYZER, SURFACE FINISH [CUST: 99 GS] | A 5220 / GS | | | 09-JUN-95 |
| | A-A-50782 NOT 2 | WORK STATION, LAMINAR FLOW [CUST: AS 99] [REVIEW: 84] | A 3694 / GS | | | 09-JUN-95 |
| | A-A-50783A | SLEEPING BAG, ARCTIC SURVIVAL, CONTAINERIZED, PRESSURE VACUUM PACKED [CUST: 99 CT] [REVIEW: 45] | A 8465 / CT | | | 22-OCT-84 |
| | A-A-50797 | CRANE, FLOOR, PORTABLE [CUST: YD1 99] | A 3950 / 84 | | | 16-APR-82 |
| | A-A-50798 | FREQUENCY STANDARD, OSCILLATOR (5MHZ, 1MHZ & 100KHZ) [CUST: 99] | A 6625 / 82 | | | 30-APR-82 |
| A | A-A-50799 | CHARGER ANALYZER FOR VENTED CELL NICKEL CADMIUM BATTERIES [CUST: 99 GS] [REVIEW: 80] | A 6130 / GS | | | 16-FEB-82 |
| A | A-A-50800A | CADMIUM OXIDE [CUST: AS 68 GS] | A 6810 / GS | | | 27-FEB-98 |
| | A-A-50801A | WATER BATH, ELECTRIC, SEROLOGICAL [CUST: MD MS 03] [REVIEW: MB] | A 6640 / MB | | | 16-MAR-87 |
| | A-A-50802A | COUNTER, BLOOD CELLS, DIFFERENTIAL [CUST: MD MS 03] | A 6640 / MB | | | 22-JUN-92 |
| | A-A-50803A | SHAKING MACHINE, LABORATORY, 115 VOLT, 60 HZ, AC [CUST: MD MS 03] [REVIEW: MB] | A 6640 / MB | | | 17-APR-81 |
| | A-A-50804A | SHAKING MACHINE, LABORATORY SINGLE CUP, 115 VOLT, 50-60 HZ, AC [CUST: MD MS 03] [REVIEW: MB] | A 6640 / MB | | | 17-APR-81 |
| | A-A-50805 | RACK, TEST TUBE, LABORATORY WINTROBE, ENAMELED STEEL, 10 TUBE [CUST: MD MS 03] [REVIEW: MB] | A 6640 / MB | | | 17-APR-81 |
| | A-A-50806C | BOTTLE, URINE SPECIMEN, SHIPPING [CUST: MD MS 03] | A 6640 / MB | | | 15-AUG-93 |
| | A-A-50807 | CYLINDER, GRADUATED, LABORATORY, GLASS [CUST: MD MS 03] [REVIEW: MB] | A 6640 / MB | | | 17-APR-81 |
| | A-A-50808 | URINOMETER, SQUIBB & MICRO [CUST: MD MS 03] | A 6630 * MB | | | 05-AUG-81 |
| | A-A-50809 | SHAKING MACHINE, LABORATORY, SLIDE, 115 VOLT, AC-DC [CUST: MD MS 03] | A 6640 / MB | | | 05-AUG-81 |
| | A-A-50810 | PELLET, ABSORBENT, COTTON [CUST: MD MS 03] | A 6510 / MB | | | 05-AUG-81 |
| | A-A-50811 | ADHESIVE TAPE, SURGICAL, 1 INCH BY 1 1/2 YARDS, 1005 [CUST: MD MS 03] | A 6510 * MB | | | 05-AUG-81 |
| | A-A-50812A | PIPET, BLOOD DILUTING [CUST: MD MS 03] | A 6640 / MB | | | 17-APR-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prog. Acty. | Date |
|------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | A-A-50813A | BALL, ABSORBENT, COTTON OR RAYON [CUST: MD MS 03] | A 6510 | * | MB | 14-FEB-83 |
| | A-A-50814A | BASIN, WASH CORROSION-RESISTING STEEL [CUST: MD MS 03] | A 6530 | / | MB | 31-JAN-89 |
| | A-A-50815A | LIGHT, DESK HIGH INTENSITY [CUST: MD MS 03] | A 6230 | / | MB | 24-MAR-89 |
| | A-A-50816A | JAR, SURGICAL DRESSING CORROSION-RESISTING STEEL [CUST: MD MS 03] | A 6530 | / | MB | 30-MAY-89 |
| | A-A-50817A | COMPARATOR SET, COLOR CHLORINE-BROMINE AND PH DETERMINATION [CUST: MD MS 03] | A 6630 | / | MB | 07-SEP-88 |
| | A-A-50818 | TIP, PIPET, PLASTIC, 0.2 ML, DISPOSABLE, 1000 [CUST: MD MS 03] | A 6640 | * | MB | 26-OCT-81 |
| | A-A-50819 | TOWEL, HAND, GREEN, HUCK, COTTON [CUST: MD MS 03] | A 7210 | / | MB | 27-JUL-82 |
| | A-A-50820 | BLANKET, CASUALTY, LIGHTWEIGHT, WATERPROOF, ALUMINIZED PLASTIC [CUST: MD MS 03] | A 7210 | / | MB | 27-JUL-82 |
| | A-A-50822B | BOWL, SURGICAL SPONGE METAL [CUST: MD MS 03] | A 6530 | / | MB | 24-MAR-89 |
| | A-A-50823 | FELT SHEET, WOOL, WHITE, SOFT [CUST: MD MS 03] | A 8305 | / | MB | 31-OCT-88 |
| | A-A-50824A | BOTTLE, SPRAY PLASTIC [CUST: MD MS 03] | A 6530 | / | MB | 31-JAN-89 |
| | A-A-50825 | CHAMBER, COUNTING, BLOOD CELLS, HEMACYTOMETER [CUST: MD MS 03] | A 6630 | * | MB | 02-DEC-81 |
| | A-A-50826 NOT 1 | TRAYS, INSERT, DENTAL INSTRUMENT AND SUPPLIES CABINET, PLASTIC [CUST: MD MS 03] | A 6520 | / | MB | 09-DEC-88 |
| | A-A-50831 | SLIDE, MICROSCOPE [CUST: MD MS] | A 6640 | / | MB | 08-JAN-82 |
| | A-A-50832 | TUBE, FILTERING, DISPOSABLE [CUST: MD MS 03] | A 6640 | / | MB | 08-MAR-82 |
| | A-A-50833A | MIRROR, DIAGNOSTIC HEAD LIGHT, SLOTTED [CUST: MD MS 03] | A 6515 | / | MB | 02-JUN-89 |
| | A-A-50834 | FLASK, ERLLENMEYER (GRADUATED) [CUST: MD MS 03 MB] | A 6640 | / | MB | 14-MAY-82 |
| | A-A-50836A | BASIN, EMESIS, CORROSION-RESISTING STEEL [CUST: MD MS 03] | A 6530 | / | MB | 31-JAN-89 |
| | A-A-50837 NOT 1 | PULMONARY EXERCISE UNIT, PLASTIC [CUST: MD MS 03] | A 6530 | / | MB | 31-OCT-88 |
| | A-A-50838 | PROMETHAZINE HYDROCHLORIDE, IPECAC FLUIDEXTRACT, AND POTASSIUM GUAIACOLSULFONATE ELIXIR [CUST: MD MS 03] | A 6505 | / | MB | 26-JUL-82 |
| | A-A-50839 | UNDECYLENIC ACID AND ZINC UNDECYLENATE POWDER [CUST: MD MS 03] | A 6505 | / | MB | 26-JUL-82 |
| | A-A-50840A | CARRIAGE, PAIL CORROSION-RESISTING STEEL [CUST: MD MS 03] | A 6530 | / | MB | 24-MAR-89 |
| | A-A-50841A | ENEMA ADMINISTRATION SET [CUST: MD MS 03] | A 6530 | / | MB | 29-JUL-88 |
| | A-A-50843A | FLASHLIGHT, PATIENT, EXAMINING, DISPOSABLE [CUST: MD MS 03] | A 6230 | / | MB | 31-MAR-86 |
| | A-A-50844A | URINAL, MALE PATIENT CORROSION-RESISTING STEEL [CUST: MD MS 03] | A 6530 | / | MB | 24-MAR-89 |
| | A-A-50851A | NEBULIZER, MEDICINAL [CUST: MD MS 03] | A 6515 | * | MB | 12-AUG-86 |
| | A-A-50852A | MICROSCOPE, OPTICAL, BINOCULAR [CUST: MD MS 03] | A 6550 | / | MB | 13-DEC-85 |
| | A-A-50853 | DISH, CULTURE, PETRI, STERILE, PLASTIC, DISPOSABLE [CUST: MD MS 03] | A 6640 | * | MB | 14-OCT-82 |
| | A-A-50855A | FINGER COT, SURGICAL, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-93 |
| | A-A-50856 | WATER BATH, ELECTRIC, SEROLOGICAL [CUST: MD MS 03] | A 6640 | * | MB | 29-OCT-82 |
| | A-A-50857A | CUP, MEDICINE, PLASTIC [CUST: MD MS 03] | A 6530 | / | MB | 29-JUL-88 |
| | A-A-50858A | PERPHENAZINE AND AMITRIPTYLINE HYDROCHLORIDE TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 06-JAN-89 |
| | A-A-50859B | ANTIPYRINE AND BENZOCAINE OTIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-JUN-90 |
| | A-A-50860A | CUSHION, RING, INFLATABLE PLASTIC [CUST: MD MS 03] | A 6530 | / | MB | 24-MAR-89 |
| | A-A-50861A | COVERS, DENTAL BRACKET TABLE, PAPER [CUST: MD MS 03] | A 6520 | / | MB | 27-OCT-89 |
| | A-A-50862A | MIXING SLAB, DENTAL [CUST: MD MS 03] [REVIEW: YD1] | A 6520 | * | MB | 12-JUN-85 |
| | A-A-50863 | URINAL, MALE PATIENT, PLASTIC [CUST: MD MS 03] | A 6530 | / | MB | 04-MAR-83 |
| | A-A-50864A | BEDSPREAD, COTTON, POLYESTER, COTTON/RAYON, COTTON/POLYESTER, OR POLYESTER/RAYON [CUST: MD NU 99 CT] [REVIEW: 82] | A 7210 | / | CT | 22-APR-96 |
| | A-A-50865 | MIXING PAD, PARCHMENT PAPER, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 25-FEB-83 |
| | A-A-50866B | STOOL, REVOLVING [CUST: MD MS 03] | A 6530 | / | MB | 30-MAY-89 |
| | A-A-50867 | PAD, GROUNDING, ELECTROSURGICAL [CUST: MD MS 03] | A 6515 | / | MB | 16-DEC-85 |
| | A-A-50868 NOT 1 | SUPPORT, CERVICAL, MEDIUM SIZE (JAW CUT-OUT) [CUST: MD MS 03] | A 6515 | / | MB | 10-FEB-89 |
| | A-A-50869 | PIPET, SEROLOGICAL (DISPOSABLE, STERILE) [CUST: MD MS 03] | A 6640 | / | MB | 01-JUN-83 |
| | A-A-50870A | COVER, OPERATING TABLE [CUST: MD MS 03] | A 6530 | / | MB | 29-JUL-88 |
| | A-A-50871A | PREVENTIVE DENTISTRY KIT, PATIENT [CUST: MD MS 03] | A 6520 | / | MB | 28-JUL-89 |
| | A-A-50873A | BASSINET AND DRESSING TABLE COMBINATION, HOSPITAL [CUST: MD MS 03] | A 6530 | / | MB | 30-MAY-89 |
| | A-A-50874A | STOOL, STRAIGHT METAL [CUST: MD MS 03] | A 6530 | / | MB | 30-MAY-89 |
| | A-A-50875B | TUBE, BLOOD COLLECTING (VACUUM) [CUST: MD MS 03] | A 6630 | / | MB | 05-OCT-90 |
| | A-A-50876A | BATH, PARAFFIN [CUST: MD MS 03] | A 6530 | / | MB | 24-MAR-89 |
| | A-A-50877A | ELECTRODE, ELECTROSURGICAL APPARATUS [CUST: MD MS 03] | A 6515 | / | MB | 29-APR-88 |
| | A-A-50878A | CUP, SPECIMEN PAPER [CUST: MD MS 03] | A 6530 | / | MB | 30-MAY-89 |
| | A-A-50879A | STERILIZATION TEST STRIP SET, BACTERIAL SPORE [CUST: MD MS 03] | A 6530 | / | MB | 30-AUG-91 |
| | A-A-50880A | TUBING, STERILIZATION [CUST: MD MS 03] | A 6530 | / | MB | 30-MAY-89 |
| | A-A-50881A | PAD, DENTAL RUBBER DAM [CUST: MD MS 03] | A 6520 | / | MB | 28-OCT-85 |
| | A-A-50882B | PAIL, UTILITY, (CORROSION-RESISTING STEEL) [CUST: MD MS 03] | A 7240 | / | MB | 15-JUN-90 |
| | A-A-50883A | BEDPAN [CUST: MD MS 03] | A 6530 | / | MB | 31-JAN-89 |
| | A-A-50884 | ESTROGENS, CONJUGATED, CREAM, VAGINAL [CUST: MD MS 03] | A 6505 | / | MB | 21-NOV-85 |
| | A-A-50885 | SULFUR & POLYOXYETHYLENE LAURYL ETHER CREAM [CUST: MD MS 03] | A 6505 | / | MB | 21-NOV-85 |
| | A-A-50887A | LINDANE SHAMPOO, USP [CUST: MD MS 03] | A 6508 | / | MB | 23-SEP-86 |
| | A-A-50888A | EMOLLIENT LOTION [CUST: MD MS 03] | A 6508 | / | MB | 29-JUN-90 |
| | A-A-50889 | GLUCOSE TEST SOLUTION [CUST: MD MS 03] | A 6505 | / | MB | 09-OCT-85 |
| | A-A-50890A | SCREEN, X-RAY PROTECTIVE MOBILE [CUST: MD MS 03] | A 6525 | / | MB | 24-MAR-89 |
| | A-A-50891A | VIBRATOR, DENTAL MOLDING [CUST: MD MS 03] | A 6520 | / | MB | 17-SEP-93 |
| | A-A-50893B | LIGHT, DIAGNOSTIC-EXAMINATION (HAND HELD) [CUST: MD MS 03] | A 6530 | / | MB | 15-JUN-90 |
| | A-A-50894 | INVESTMENT, DENTAL, INLAY [CUST: MD MS 03] | A 6520 | / | MB | 03-AUG-83 |
| | A-A-50895A | DISPENSER, DENTAL X-RAY FILM [CUST: MD MS 03] | A 6525 | / | MB | 30-MAY-89 |
| | A-A-50897A | DESK, FLAT TOP CORROSION-RESISTING STEEL [CUST: MD MS 03] | A 6530 | / | MB | 24-MAR-89 |
| | A-A-50898A | CUP, SOLUTION [CUST: MD MS 03] | A 6530 | / | MB | 24-MAR-89 |
| | A-A-50899 | STERILIZER, DRY HEAT [CUST: MD MS 03] | A 6530 | / | MB | 30-DEC-85 |
| | A-A-50900A | STERILIZER, SURGICAL INSTRUMENT AND DRESSING [CUST: MD MS 03] | A 6530 | / | MB | 15-JAN-93 |
| | A-A-50902A | HANDLE, ELECTRODE, ELECTROSURGERY [CUST: MD MS 03] | A 6515 | / | MB | 29-JUL-88 |
| | A-A-50904A | MUELLER HINTON MEDIUM, DEHYDRATED [CUST: MD MS 03] | A 6550 | / | MB | 17-SEP-86 |
| | A-A-50905 | TUBE, SUCTION, SURGICAL, STERILE [CUST: MD MS 03] | A 6515 | / | MB | 21-JAN-85 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | A-A-50906 | KNIFE, PLASTER [CUST: MD MS 03] | A 6520 | / | MB | 08-MAY-85 |
| | A-A-50907 | PLASTIC STRIP, DENTAL MATRIX (POLYETHYLENE TEREPHTHALATE, CLEAR, 45 FEET) [CUST: MD MS 03] | A 6520 | | MB | 13-MAY-85 |
| | A-A-50908 | BOWL, PLASTER OF PARIS MIXING [CUST: MD MS 03] | A 6520 | | MB | 14-JUN-85 |
| | A-A-50909C | TUBES, DRAINAGE, SURGICAL (PENROSE TYPE) [CUST: MD MS 03] | A 6515 | / | MB | 31-MAY-94 |
| | A-A-50910 | HANGER, X-RAY FILM DEVELOPING AND DRYING [CUST: MD MS 03] | A 6525 | | MB | 29-JAN-85 |
| | A-A-50961A | DOG, LATHE [CUST: AL 99 GS] [REVIEW: 84 MC SH] | A 3460 | / | GS | 19-JUN-89 |
| | A-A-50962 NOT 1 | FORMING MACHINE, SHEET METAL, SLIP ROLL, HAND OPERATED [CUST: 99 GS] [REVIEW: 84 DH MC] | A 3441 | / | GS | 29-JUN-89 |
| | A-A-50964A | GRINDING MACHINES, TOOL ATTACHMENT, PRECISION [CUST: AL 99 GS] [REVIEW: 84 MC SH] | A 3460 | / | GS | 29-DEC-89 |
| | A-A-50965A | HOLDER, CUT-OFF OR SIDE CUTTING BLADE, LATHE [CUST: AL 99 GS] [REVIEW: 84 MC] | A 3460 | / | GS | 29-SEP-89 |
| | A-A-50966 NOT 1 | CHUCKS, DRILL, AUTOMATIC, TAPER SHANK WITH TANG [CUST: 99 GS] [REVIEW: 84] | A 3460 | / | GS | 29-JUN-89 |
| | A-A-50967A | GRINDING MACHINE, BENCH, HAND POWERED [CUST: 99 GS] [REVIEW: 84] | A 3415 | / | GS | 28-FEB-90 |
| | A-A-50968 NOT 1 | CHUCKS, DRILL, KEYLESS TYPE, THREE JAW, BALL BEARINGS [CUST: 99 GS] [REVIEW: 84] | A 3460 | / | GS | 29-JUN-89 |
| | A-A-50969 NOT 1 | ARBORS, DRILL CHUCK, STRAIGHT SHANK [CUST: AL 99 GS] [REVIEW: 84] | A 3460 | / | GS | 28-JUN-89 |
| | A-A-50970 NOT 1 | ARBORS, DRILL CHUCK, TAPER SHANK WITH TANG [CUST: 99 GS] | A 3460 | / | GS | 28-JUN-89 |
| | A-A-50972 | CONDOM, PROPHYLACTIC [CUST: MD MS 03] | A 6515 | / | MB | 05-JUN-85 |
| | A-A-50973 | WHEEL, ABRASIVE, (SILICON CARBIDE, IMPREGNATED RUBBER, COURSE, SQUARE EDGE)[CUST: MD MS 03] | A 6520 | / | MB | 12-JUN-85 |
| | A-A-50974 | METAL FOIL (TIN) [CUST: MD MS 03] [REVIEW: YD1] | A 6520 | / | MB | 12-JUN-85 |
| | A-A-50975 | STIRRER-HOT PLATE, MAGNETIC, LABORATORY [CUST: MD MS 03] | A 6640 | / | MB | 14-JUN-85 |
| | A-A-50976 | HOLDER, RUBBER DAM, DENTAL, (METAL, "U" SHAPED) [CUST: MD MS 03] | A 6520 | / | MB | 25-JUN-85 |
| | A-A-50977 | HOLDER, RUBBER DAM, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 25-JUN-85 |
| | A-A-50978 | TUBE, BIOLOGICAL CULTURE SAMPLING, PLEDGET STYLE, WITH TRANSPORT MEDIA, PLASTIC [CUST: MD MS 03] | A 6640 | / | MB | 25-AUG-85 |
| | A-A-50979 | BOTTLE, SCREW CAP (PRESCRIPTION) [CUST: MD MS 03] | A 6530 | / | MB | 01-JUL-85 |
| | A-A-50980 | SLIDE, MICROSCOPE, (FROSTED END, BEVELED EDGE) [CUST: MD MS 03] | A 6640 | / | MB | 15-JUL-85 |
| | A-A-50981 | CEMENT, ZINC PHOSPHATE, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 19-JUL-85 |
| | A-A-50982A | BAG, ICE [CUST: MD MS 03] | A 6530 | / | MB | 31-JAN-89 |
| | A-A-50983A | BOTTLE, SAFETY CAP, GLASS, LIGHT RESISTANT, LIQUID PRESCRIPTION [CUST: MD MS 03] | A 6530 | / | MB | 03-SEP-87 |
| | A-A-50984 | BOTTLE DROPPER (PRESCRIPTION) [CUST: MD MS 03] | A 6530 | | MB | 24-JUL-85 |
| | A-A-50985 | RULER, SURGICAL (CORROSION-RESISTING STEEL) [CUST: MD MS 03] | A 6515 | / | MB | 29-JUL-85 |
| | A-A-50986A | BOTTLE, SAFETY CAP (GLASS, LIGHT-RESISTANT, TABLET AND CAPSULE) [CUST: MD MS 03] | A 6530 | / | MB | 03-SEP-87 |
| | A-A-50987 | BAND, COPPER, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 02-AUG-85 |
| | A-A-50988 | HOLDER, NAPKIN, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 23-AUG-85 |
| | A-A-50989 | TUBE, COILED, BLOOD WARMING, (STERILE) [CUST: MD MS 03 MB] | A 6515 | / | MB | 03-OCT-85 |
| | A-A-50990A | SOUND, URETHRAL, CURVED, VAN-BUREN [CUST: MD MS 03] | A 6515 | / | MB | 04-OCT-85 |
| | A-A-50991 | PAD, MAGNETIC, SURGICAL INSTRUMENT [CUST: MD MS 03] | A 6515 | / | MB | 04-OCT-85 |
| | A-A-50992 | OTOSCOPE (BATTERY TYPE) [CUST: MD MS 03] | A 6515 | / | MB | 03-OCT-85 |
| | A-A-50993 | MIRROR, LARYNGEAL [CUST: MD MS 03] | A 6515 | / | MB | 04-SEP-85 |
| | A-A-50994B | CATHETER, URETHRAL, (FOLEY-TYPE) [CUST: MD MS 03] | A 6515 | / | MB | 10-JUL-90 |
| | A-A-50995 | CATHETER, URETHRAL, PLASTIC, DISPOSABLE ROUND TIP, ROBINSON-NELATON TYPE [CUST: MD MS 03] | A 6515 | / | MB | 04-OCT-85 |
| | A-A-50996 | APPLICATOR, NASAL, LATHBURY [CUST: MD MS 03] | A 6515 | / | MB | 04-SEP-85 |
| | A-A-50997 | CATHETER & NEEDLE UNIT, INTRAVENOUS, STERILE [CUST: MD MS 03] | A 6515 | / | MB | 04-SEP-85 |
| | A-A-50999 | CYLINDER, GRADUATED, LABORATORY, POLYPROPYLENE [CUST: MD MS 03] | A 6640 | / | MB | 14-AUG-85 |
| | A-A-51000 | RACK, TEST TUBE, LABORATORY [CUST: MD MS 03] | A 6640 | / | MB | 08-AUG-85 |
| | A-A-51001 | CATHETER, CHOLANGIOGRAM, PLASTIC, DISPOSABLE, STERILE [CUST: MD MS 03] | A 6515 | / | MB | 05-SEP-85 |
| | A-A-51002 | LABEL, PAPER, PRESSURE SENSITIVE ADHESIVE [CUST: MD MS 03] | A 7530 | / | MB | 03-OCT-85 |
| | A-A-51003 | BRUSH, SCRATCH, DENTAL [CUST: MS 03 MB] | A 6520 | / | MB | 30-AUG-85 |
| | A-A-51004 | GAGE, ENDODONTIC [CUST: MD MS 03] | A 6520 | | MB | 31-AUG-85 |
| | A-A-51005 | STAND, DISK, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 30-AUG-85 |
| | A-A-51006A | CLAY, MODELING (DENTAL) [CUST: MD MS 03] | A 6520 | / | MB | 25-NOV-85 |
| | A-A-51007 | FLASHLIGHT, SURGICAL [CUST: MD MS 03] | A 6515 | / | MB | 13-SEP-85 |
| | A-A-51008 | CAUTERY, BATTERY OPERATED [CUST: MD MS 03] | A 6515 | / | MB | 10-OCT-85 |
| | A-A-51009 | CAUTERY, OPHTHALMIC, BATTERY OPERATED, LOW TEMPERATURE [CUST: MD MS 03] | A 6515 | / | MB | 10-OCT-85 |
| | A-A-51010A | VIEWER, DENTAL RADIOGRAPHIC FILM [CUST: MD MS 03] | A 6525 | / | MB | 25-OCT-89 |
| | A-A-51011A | SCREEN, X-RAY PROTECTIVE (FRAME MOUNTED, MOBILE) [CUST: MD MS 03] | A 6525 | / | MB | 20-SEP-89 |
| | A-A-51012A | PAD, HEAT TREATMENT (MOIST HEAT) [CUST: MD MS 03] | A 6530 | / | MB | 25-OCT-89 |
| | A-A-51013 | SPECIMEN KIT, URINE [CUST: MD MS 03] | A 6530 | / | MB | 13-SEP-85 |
| | A-A-51014A | BOWLS, SURGICAL SPONGE (PLASTIC) [CUST: MD MS 03] | A 6530 | / | MB | 17-MAY-92 |
| | A-A-51015 | CUP, SPECIMEN [CUST: MD MS 03] | A 6530 | / | MB | 20-SEP-85 |
| | A-A-51016 | TRAY, CATHETER [CUST: MD MS 03] | A 6532 | / | MB | 10-OCT-85 |
| | A-A-51017 | SPECIMEN KIT, URINE [CUST: MD MS 03] | A 6530 | | MB | 13-SEP-85 |
| | A-A-51018 | BOTTLE, URINE SPECIMEN & CAP, SNAP ON [CUST: MD MS 03] | A 6530 | | MB | 10-OCT-85 |
| | A-A-51019 | ADAPTER, CATHETER TO LUER SYRINGE [CUST: MD MS 03] | A 6515 | / | MB | 20-SEP-85 |
| | A-A-51020A | APPLICATOR, NASAL, FARRELL [CUST: MD MS 03] | A 6515 | / | MB | 16-DEC-94 |
| | A-A-51021A | PATIENT UTILITY KIT (PLASTIC) [CUST: MD MS 03] | A 6530 | / | MB | 19-JAN-90 |
| | A-A-51022 | TRAY, MEDICINE [CUST: MD MS 03] | A 6530 | | MB | 10-OCT-85 |
| | A-A-51023 | PROTECTOR, DENTURE MODEL, FOAMED PLASTIC, THREE-PIECE [CUST: MD MS 03] | A 6520 | | MB | 10-OCT-85 |
| | A-A-51024 | CATHETER, VETERINARY, HORSE, PLASTIC [CUST: MD MS 03] | A 6515 | / | MB | 20-SEP-85 |
| | A-A-51025 | SWAB, PROCTOSIGMOIDOSCOPIC TIP, (NON-STERILE, 500S) [CUST: MD MS 03] | A 6515 | | MB | 03-OCT-85 |
| | A-A-51026 | NEEDLE, SUTURE, VETERINARY, SURGEONS' [CUST: MD MS 03] | A 6515 | / | MB | 20-SEP-85 |
| | A-A-51027 | BRUSH, FIBER, ROTARY WHEEL (DENTAL) [CUST: MD MS 03] | A 6520 | | MB | 14-OCT-85 |
| | A-A-51028 | JAR, FORCEPS, [CUST: MD MS 03] | A 6530 | / | MB | 09-DEC-85 |
| | A-A-51029 | MATTRESS, BED [CUST: MD MS 03 MB] | A 7210 | / | MB | 10-OCT-85 |
| | A-A-51030C | EXERCISER, LUNG, INHALATION THERAPY [CUST: MD MS 03] | A 6530 | / | MB | 10-FEB-94 |
| | A-A-51031 | SPECIMEN COLLECTION UNIT, URINE & STOOL [CUST: MD MS 03] | A 6530 | / | MB | 10-OCT-85 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prog. Acty. | Date |
|------------|-----------------|---|-------------------------|-----|-------------|-----------|
| | A-A-51032 | FORCEPS, CASTING REMOVING, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 10-OCT-85 |
| | A-A-51033 | PAPER, ELECTROCARDIOGRAPH RECORDING [CUST: MD MS 03] | A 6515 | / | MB | 10-OCT-85 |
| | A-A-51034 | DISPENSER, SURGICAL DETERGENT [CUST: MD MS 03] | A 6530 | / | MB | 10-OCT-85 |
| | A-A-51035 | GUIDE WIRE, CARDIOVASCULAR CATHETER, DISPOSABLE, MOVEABLE CORE [CUST: MD MS 03] | A 6515 | / | MB | 04-OCT-85 |
| | A-A-51036 | ADAPTER, CATHETER TO LUER SYRINGE, SMALL LUMEN [CUST: MD MS 03] | A 6515 | / | MB | 20-SEP-85 |
| | A-A-51038B | ALPRAZOLAM TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 11-JUN-87 |
| | A-A-51039A | ALUMINUM HYDROXIDE GEL AND MAGNESIUM CARBONATE SUSPENSION [CUST: MD MS 03] | A 6505 | / | MB | 10-AUG-90 |
| | A-A-51043A | BRETYLIUM TOSYLATE INJECTION [CUST: MD MS 03 MB] | A 6505 | / | MB | 17-MAR-89 |
| | A-A-51046A | CIMETIDINE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 19-SEP-86 |
| | A-A-51050 | GUIDE WIRE, CEREBRAL CATHETER [CUST: MD MS 03] | A 6515 | / | MB | 07-OCT-85 |
| | A-A-51051 | GUIDE WIRE, CARDIOVASCULAR CATHETER, FIXED CORE, HEPARIN COATED [CUST: MD MS 03] | A 6515 | / | MB | 07-OCT-85 |
| | A-A-51052A | TABLE, OVERBED MOBILE [CUST: MD MS 03] | A 6530 | / | MB | 30-MAY-89 |
| | A-A-51053 | TUBE, STOMACH, SURGICAL, SILICONE, SALEM, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 07-OCT-85 |
| | A-A-51054 | TRIMMER, ANIMAL TOENAIL [CUST: MD MS 03] | A 6515 | / | MB | 09-OCT-85 |
| | A-A-51057A | STOOL, STRAIGHT CORROSION RESISTING STEEL [CUST: MD MS 03] | A 6530 | / | MB | 25-OCT-89 |
| | A-A-51058B | WASTE RECEPTACLE, STEP ON TYPE [CUST: MD MS 03] | A 7240 | / | MB | 26-JUN-87 |
| | A-A-51059 | GRADUATE, LIQUID, LABORATORY, (CORROSION RESISTING) [CUST: MD MS 03] | A 6640 | / | MB | 09-OCT-85 |
| | A-A-51060 | MALLET, ORAL SURGERY, HAND TYPE, MEAD [CUST: MD MS 03] | A 6520 | / | MB | 22-OCT-85 |
| | A-A-51061 | BUR, DENTURE TRIMMING (STRAIGHT HANDPIECE, TUNGSTEN CARBIDE) [CUST: MD MS 03] | A 6520 | / | MB | 21-OCT-85 |
| | A-A-51062A | STERILIZER, SURGICAL INSTRUMENT [CUST: MD MS 03] | A 6530 | / | MB | 15-JUN-90 |
| | A-A-51063A | CHEMICAL COOLING PAD [CUST: MD MS 03] | A 6530 | / | MB | 29-APR-88 |
| | A-A-51065 | TUBE, SUCTION, SURGICAL RHOTON MERZ, STRAIGHT TIP [CUST: MD MS 03] | A 6515 | / | MB | 10-OCT-85 |
| | A-A-51066 | IRRIGATION SET, UROLOGICAL, SINGLE PORT, STERILE, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 20-DEC-85 |
| | A-A-51067 | CODEINE PHOSPHATE AND ASPIRIN TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 26-NOV-85 |
| | A-A-51070A | MASK, SURGICAL [CUST: MD MS 03] | A 6515 | / | MB | 30-AUG-91 |
| | A-A-51071 | MIRROR, MOUTH EXAMINING, (PLASTIC, PLANE GLASS, DISPOSABLE) [CUST: MD MS 03] | A 6520 | / | MB | 30-OCT-85 |
| | A-A-51072 | DISH, MEDICAMENT, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 16-OCT-85 |
| | A-A-51073 | ROD ASSORTMENT, STIRRING, LABORATORY, GLASS [CUST: MD MS 03] | A 6640 | / | MB | 28-OCT-86 |
| | A-A-51075B | COVER, X-RAY CASSETTE [CUST: MD MS 03] | A 6525 | / | MB | 26-FEB-88 |
| | A-A-51076 | GLASS TUBING ASSORTMENT [CUST: MD MS 03] | A 6640 | / | MB | 29-OCT-85 |
| | A-A-51078 | CODEINE PHOSPHATE AND ACETAMINOPHEN ELIXIR [CUST: MD MS 03] | A 6505 | / | MB | 21-NOV-85 |
| | A-A-51080 | VINCISTINE SULFATE INJECTION [CUST: MD MS 03] | A 6505 | / | MB | 21-NOV-85 |
| | A-A-51081 | TRIPROLIDINE & PSEUDOEPHEDRINE HYDROCHLORIDES SYRUP, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-DEC-85 |
| | A-A-51082 | BAG, TUBE FEEDING STERILE [CUST: MD MS 03] | A 6515 | / | MB | 06-DEC-85 |
| | A-A-51083 | TRIAMTERENE AND HYDROCHLOROTHIAZIDE CAPSULES [CUST: MD MS 03] | A 6505 | / | MB | 26-NOV-85 |
| | A-A-51085 | MORPHINE SULFATE ORAL SOLUTION [CUST: MD MS 03] | A 6505 | / | MB | 26-NOV-85 |
| | A-A-51089A | TUBE, STOMACH, SURGICAL (SALEM) [CUST: MD MS 03] | A 6515 | / | MB | 26-AUG-88 |
| | A-A-51090 | ENDOSCOPIC INSTRUMENT, FIBER OPTIC, FLEXIBLE [CUST: MD MS 03] | A 6515 | / | MB | 25-OCT-85 |
| | A-A-51091A | ILLUMINATOR, X-RAY FILM SINGLE, 14 BY 17 INCHES [CUST: MD MS 03] | A 6525 | / | MB | 30-MAY-89 |
| | A-A-51092A | ILLUMINATOR, X-RAY FILM (FOUR SECTION, MOBILE) [CUST: MD MS 03] | A 6525 | / | MB | 15-JUN-90 |
| | A-A-51093A | SAFELIGHT, DARKROOM, RADIOGRAPHIC [CUST: MD MS 03] | A 6525 | / | MB | 23-NOV-90 |
| | A-A-51094A | JAR, SURGICAL DRESSING (GLASS) [CUST: MD MS 03] | A 6530 | / | MB | 31-JUL-90 |
| | A-A-51097 | BOOT, EXERCISER, PHYSICAL THERAPY [CUST: MD MS 03] | A 6530 | / | MB | 30-OCT-85 |
| | A-A-51098 | TRIETHANOLAMINE POLYPEPTIDE OLEATE CONDENSATE SOLUTION, OTIC [CUST: MD MS 03] | A 6505 | / | MB | 27-DEC-85 |
| | A-A-51099 | LORAZEPAM TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 26-NOV-85 |
| | A-A-51100 | NADOLOL TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 26-NOV-85 |
| | A-A-51101B | BEAKER, LABORATORY (BOROSILICATE GLASS) [CUST: MD MS 03] | A 6640 | / | MB | 13-MAY-91 |
| | A-A-51102 | RITODRINE HYDROCHLORIDE INJECTION [CUST: MD MS 03] | A 6505 | / | MB | 26-NOV-85 |
| | A-A-0051108A | URINE SUGAR TEST TABLETS [CUST: MD MS 03] [REVIEW: YD1] | A MISC | / | MB | 18-SEP-86 |
| | A-A-51109 | FLASK, KJELDAHL, (BOROSILICATE GLASS) [CUST: MD MS 03] | A 6640 | / | MB | 29-NOV-85 |
| | A-A-51110A | FLASHLIGHTS, EYE EXAMINING [CUST: MD MS 03] | A 6515 | / | MB | 23-NOV-90 |
| | A-A-51111 | BANDAGE, GAUZE, (FINE MESH) [CUST: MD MS 03] | A 6510 | / | MB | 26-NOV-85 |
| | A-A-51113 | PEMOLINE TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 26-NOV-85 |
| | A-A-51114 | VALPROATE SODIUM SYRUP [CUST: MD MS 03] | A 6505 | / | MB | 26-NOV-85 |
| | A-A-51115 | TRACHEOSTOMY KIT, EMERGENCY, STERILE [CUST: MD MS 03] | A 6515 | / | MB | 15-JAN-86 |
| | A-A-51116 | CLAMP, TEST TUBE [CUST: MD MS 03] | A 6640 | / | MB | 20-NOV-85 |
| | A-A-51117 | PLIER, OPTICIANS, ENDPIECE GRIPPING [CUST: MD MS 03] | A 6540 | / | MB | 12-NOV-85 |
| | A-A-51118 | PLIER, OPTICIANS, RIVET & SHIELD BURNISHING [CUST: MD MS 03] | A 6540 | / | MB | 08-NOV-85 |
| | A-A-51119 | PLIER, OPTICIANS, TEMP LE ANGLING [CUST: MD MS 03] | A 6540 | / | MB | 14-NOV-85 |
| | A-A-51120 | PLIER, OPTICIANS, LENS & ALIGNING, 7-1/4 IN. [CUST: MD MS 03] | A 6540 | / | MB | 20-NOV-85 |
| | A-A-51121 | PLIER, OPTICIANS, CHIPPING [CUST: MD MS 03] | A 6540 | / | MB | 22-NOV-85 |
| | A-A-51122 | SINCALIDE FOR INJECTION [CUST: MD MS 03] | A 6505 | / | MB | 26-NOV-85 |
| | A-A-51123B | VICES, MACHINE TABLE BENCH AND MACHINE TABLE [CUST: AL 99] [REVIEW: 84] | A 3460 | / | GS | 04-DEC-96 |
| | A-A-51124 NOT 1 | ADAPTER, DRILL CHUCK, MOTOR SHAFT [CUST: AL 99 GS] [REVIEW: 84 DH YD1] | A 3460 | / | GS | 15-SEP-89 |
| | A-A-51126A | ANODES, CADMIUM [CUST: AL SH 99 GS] [REVIEW: 84 OS] | A 3426 | / | GS | 09-FEB-90 |
| | A-A-51127A | HOLDER, KNURLING TOOL, LATHE [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3460 | / | GS | 12-JAN-90 |
| | A-A-51128A | TORCH KIT, SOLDERING (PROPANE GAS) [CUST: AL 99 GS] [REVIEW: 84 DH OS] | A 3439 | / | GS | 08-JUN-90 |
| | A-A-51129B | MANDRELS, MACHINE, SOLID [CUST: AL YD1 99 GS] [REVIEW: 84] | A 3460 | / | GS | 21-MAY-92 |
| | A-A-51130A | CUTTER BIT BLANKS AND CUT-OFF BLADES [CUST: AL SH 99 GS] [REVIEW: 84] | A 3455 | / | GS | 03-FEB-90 |
| | A-A-51131A | TOOL HOLDER, SHAPER EXTENSION [CUST: AL 99 GS] [REVIEW: 84 MC] | A 3460 | / | GS | 30-JAN-90 |
| | A-A-51132A | SOCKET, STRAIGHT SHANK (TURRET TOOL HOLDER) [CUST: AL YD1 99 GS] [REVIEW: 84 CG MC] | A 3460 | / | GS | 28-JAN-91 |
| | A-A-51133A | HOLDER, PLANNER AND SHAPER, ADJUSTABLE [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3460 | / | GS | 30-JAN-90 |
| | A-A-51136A | TOOL HOLDER, THREADING TOOL TYPE, LATHE [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3460 | / | GS | 23-JAN-90 |
| | A-A-51137A | TOOL HOLDERS, BORING TOOL AND BORING BAR, LATHE [CUST: AL 99 GS] [REVIEW: 84] | A 3460 | / | GS | 05-FEB-90 |
| | A-A-51138 NOT 1 | BRAZING AND SOLDERING SET (ACETYLENE GAS) [CUST: AL 99 GS] | A 3433 | / | GS | 18-JUL-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | A-A-51139A | HOLDER, TURNING TOOL, LATHE [CUST: AL 99 GS] [REVIEW: 84 MC SH] | A 3460 | / | GS | 31-OCT-84 |
| | A-A-51140A | CHUCKS, DRILL, KEY TYPE, THREE-JAW, GEARED [CUST: AL 99 GS] [REVIEW: 84] | A 3460 | / | GS | 23-MAR-90 |
| | A-A-51141A | PLATE, LAPPING [CUST: AL SH 99 GS] [REVIEW: 84] | A 3460 | / | GS | 14-FEB-90 |
| | A-A-51142A | ANODES, NICKEL, CARBONIZED [CUST: AS 99 GS] [REVIEW: OS SH] | A 3426 | / | GS | 09-FEB-90 |
| | A-A-51143A | CUTTER BIT (CARBIDE TIP) [CUST: AL 99 GS] [REVIEW: 84] | A 3455 | / | GS | 24-JUL-90 |
| | A-A-51144 NOT 1 | ANODES, COPPER [CUST: AR AS 99 GS] [REVIEW: 84 OS SH] | A 3426 | / | GS | 17-DEC-90 |
| | A-A-51145C | FLUX, SOLDERING, NON-ELECTRONIC, PASTE AND LIQUID [CUST: AL SH 99 GS] [REVIEW: 84 AT EA MC MI] | A 3439 | / | GS | 30-APR-92 |
| | A-A-51146B | FILES, ROTARY, CYLINDRICAL SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE [CUST: AL 99 GS] [REVIEW: 84] | A 3455 | / | GS | 05-SEP-96 |
| | A-A-51148 NOT 1 | BLADES, BAND SAW, CARBON STEEL, MEAT CUTTING [CUST: GL SA 99 IS] [REVIEW: 84 MC] | A 7320 | / | IS | 18-SEP-90 |
| | A-A-51149A | CHUCKS, INDEPENDENT TYPE, FOUR-JAW [CUST: AL SH 99 GS] [REVIEW: 84 AS MC YDI] | A 3460 | / | GS | 05-MAR-91 |
| | A-A-51150B | "V" BLOCKS AND CLAMPS, SINGLE "V" GROOVE REVERSIBLE CLAMPING [CUST: AL 99 GS] [REVIEW: 84] | A 3460 | / | GS | 04-DEC-96 |
| | A-A-51151B | FILES, ROTARY, TREE SHAPE, RADIUS NOSE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE [CUST: AL 99 GS] [REVIEW: 84] | A 3455 | / | GS | 05-SEP-96 |
| | A-A-51152 | FILES, ROTARY, CYLINDRICAL SHAPE, BALL NOSE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE [CUST: AL SH 99 GS] [REVIEW: 84] | A 3455 | / | GS | 14-APR-86 |
| | A-A-51153A | CLEANING SETS, OXYGEN AND ACETYLENE, WELDING AND CUTTING TORCH TIPS [CUST: AL SH 99 GS] [REVIEW: 84] | A 3439 | / | GS | 19-MAR-91 |
| | A-A-51154A | FILES, ROTARY, BALL SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE [CUST: AL 99] [REVIEW: 84] | A 3455 | / | GS | 05-SEP-96 |
| | A-A-51155B | FILES, ROTARY, OVAL SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE [CUST: AL 99 GS] [REVIEW: 84] | A 3455 | / | GS | 05-SEP-96 |
| | A-A-51159A | CRIMPING AND BEADING MACHINES, SHEET METAL, MANUALLY OPERATED, ROTARY TYPE, DEEP THROAT STYLE [CUST: AL 99 GS] [REVIEW: 84] | A 3441 | / | GS | 10-NOV-93 |
| | A-A-51160A | FOLDING MACHINES, SHEET METAL, BAR TYPE, HAND OPERATED, BENCH MOUNTED [CUST: 99 GS] [REVIEW: 84 SH] | A 3441 | / | GS | 12-DEC-91 |
| M | A-A-51161B | HOLDERS, ELECTRODE, SHIELDED METAL, ARC WELDING [CUST: AL SH 99] [REVIEW: 84 AS MC YDI] | A 3439 | / | GS | 11-MAY-98 |
| | A-A-51162A | FILES, ROTARY, TREE SHAPED, POINTED NOSE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE [CUST: AL 99 GS] [REVIEW: 84] | A 3455 | / | GS | 05-SEP-96 |
| | A-A-51163A | FILES, ROTARY, FLAME SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE [CUST: AL 99 GS] [REVIEW: 84] | A 3455 | / | GS | 05-SEP-96 |
| | A-A-51164A | CRIMPING AND BEADING MACHINES, SHEET METAL, MANUALLY OPERATED, ROTARY TYPE, THROATLESS STYLE [CUST: AL 99 GS] [REVIEW: 84] | A 3441 | / | GS | 10-NOV-93 |
| | A-A-51165 | MOISTURE STABILIZER, WELDING ELECTRODE [CUST: AL SH 99] [REVIEW: 84] | A 3439 | / | GS | 20-MAR-87 |
| | A-A-51166B | FILES, ROTARY, INVERTED CONE SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE [CUST: AL 99 GS] [REVIEW: 84] | A 3455 | / | GS | 05-SEP-96 |
| | A-A-51167A | FILES, ROTARY, 90 DEG. CONE SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE [CUST: AL 99 GS] [REVIEW: 84] | A 3455 | / | GS | 05-SEP-96 |
| | A-A-51168 | FORMING MACHINE, DOUBL [CUST: AL 99] [REVIEW: 84 YDI] | A 3441 | / | GS | 30-JUL-87 |
| | A-A-51169 | GROOVING MACHINE, SHEET METAL, HAND OPERATED, BENCH MOUNTED [CUST: AL 99] [REVIEW: 84 YDI] | A 3441 | / | GS | 18-AUG-87 |
| | A-A-51170 | FORMING MACHINE, SETTING DOWN TYPE, MANUALLY OPERATED, BENCH MOUNTED [CUST: AL 99] | A 3441 | / | GS | 18-SEP-87 |
| | A-A-51171A | FILES, ROTARY, 60 DEG. CONE SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE [CUST: AL 99] | A 3455 | / | GS | 05-SEP-96 |
| | A-A-51172 | FORMING MACHINE, SHEET METAL, ROTARY, MANUALLY OPERATED, BENCH MOUNTED COMBINATION TYPE [CUST: AL 99] | A 3441 | / | GS | 18-SEP-87 |
| | A-A-51174A | WHEEL, EXPANDING [CUST: AL 99 GS] [REVIEW: 84] | A 3460 | / | GS | 04-DEC-96 |
| | A-A-51175A | WHEEL, BUFFING (BUFFS), FULL DISC, CLOTH TYPE [CUST: AL 99 GS] [REVIEW: 84] | A 3460 | / | GS | 04-DEC-96 |
| | A-A-51176A | FILES, ROTARY, CONE SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE [CUST: AL 99 GS] [REVIEW: 84] | A 3455 | / | GS | 05-SEP-96 |
| | A-A-51177 | ANODES, NICKEL, DEPOLARIZED [CUST: AS 99 GS] [REVIEW: 84 OS SH] | A 3426 | / | GS | 09-FEB-90 |
| | A-A-51178 | ANODES, NICKEL, ELECTRO-REFINED [CUST: AS 99 GS] [REVIEW: 84 OS SH] | A 3426 | / | GS | 07-FEB-90 |
| | A-A-51179A | GRINDING MACHINES, UTILITY, BENCH AND PEDESTAL [CUST: AL 99 GS] [REVIEW: 84 SH] | A 3415 | / | GS | 17-JUL-96 |
| | A-A-51180A | GRINDING MACHINES, UTILITY, PEDESTAL, COMBINATION WET-DRY [CUST: AL 99 GS] [REVIEW: 84 SH] | A 3415 | / | GS | 17-JUL-96 |
| | A-A-51181A | GRINDING AND BUFFING MACHINES, UTILITY, BENCH AND PEDESTAL [CUST: AL 99 GS] [REVIEW: 84 SH] | A 3415 | / | GS | 19-JUL-96 |
| | A-A-51182 | WIRE, WELDING, HARD FACING, COBALT BASE ALLOY [CUST: AL SH 99 GS] | A 3439 | / | GS | 23-APR-90 |
| | A-A-51183 | POWER SOURCE, ARC, DC, CONSTANT CURRENT, FOR SHIELDED METAL ARC WELDING (SMAW) [CUST: AL SH 99 GS] [REVIEW: 84 AS CG CR4 MC YDI] | A 3431 | / | GS | 19-JUN-90 |
| | A-A-51186A | FILES, ROTARY, TAPERED, 14 DEGREE CONE SHAPE, RADIUS NOSE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE [CUST: AL 99 GS] [REVIEW: 84] | A 3455 | / | GS | 05-SEP-96 |
| | A-A-51187A | WELDING TORCHES AND COMPONENT PARTS, GAS TUNGSTEN ARC WELDING (GTAW) [CUST: AL SH 99 GS] [REVIEW: 84 CE CR4 MC YDI] | A 3431 | / | GS | 12-FEB-91 |
| | A-A-51188 | SOCKET, TAPER, EXTENSION [CUST: AL YDI 99 GS] [REVIEW: 84] | A 3460 | / | GS | 28-JAN-91 |
| | A-A-51189 | SOCKET, TAPER, REDUCING SLEEVE [CUST: AL YDI 99 GS] [REVIEW: 84] | A 3460 | / | GS | 29-JAN-91 |
| | A-A-51190 | SOCKET, TAPER, REDUCING SLEEVE (BROWN AND SHARPE TAPERS) [CUST: AL YDI 99 GS] [REVIEW: 84] | A 3460 | / | GS | 23-JAN-91 |
| | A-A-51191 | SOCKET, TAPER, SLEEVE (USE-EM-UP) [CUST: AL YDI 99 GS] [REVIEW: 84] | A 3460 | / | GS | 29-JAN-91 |
| | A-A-51194 | PRESS, "H" FRAME, HYDRAULIC, HAND OPERATED, NON ROLL BED [CUST: AL SH 99 GS] [REVIEW: 84 AR AV CR4 YDI] | A 3444 | / | GS | 15-FEB-91 |
| M | A-A-51195A | PRESS, ARBOR, "C" FRAME, HYDRAULIC, HAND OPERATED [CUST: AL SH 99 GS] [REVIEW: 84 YD] | A 3444 | / | GS | 02-JUN-98 |
| | A-A-51200 | PRESS, "H" FRAME, HYDRAULIC, HAND OPERATED, ROLL BED [CUST: AL SH 99 GS] [REVIEW: 84 AR AV CR4 YDI] | A 3444 | / | GS | 20-FEB-91 |
| | A-A-51202 | SALSALATE TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 27-NOV-85 |
| | A-A-51206 | BUR, DENTURE TRIMMING, (HIGH SPEED TOOL STEEL) [CUST: MD MS 03] | A 6520 | / | MB | 20-NOV-85 |
| | A-A-51207 | WEDGE AND WEDGE SET, DENTAL (WOOD) [CUST: MD MS 03] | A 6520 | / | MB | 12-DEC-85 |
| | A-A-51208A | CROMOLYN SODIUM NASAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 19-SEP-86 |
| | A-A-51210 | OXYCODONE HYDROCHLORIDE, ASPIRIN, & OXYCODONE TEREPHTHALATE TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 22-NOV-85 |
| | A-A-51211 | STAND, LABORATORY APPARATUS SUPPORT [CUST: MD MS 03] | A 6640 | / | MB | 05-DEC-85 |
| | A-A-51212 | FUNNEL, COMMON, LABORATORY (RIBBED, POLYPROPYLENE) [CUST: MD MS 03] | A 6640 | / | MB | 05-DEC-85 |
| | A-A-51214 | DISPENSER, DENTAL ACRYLIC RESIN [CUST: MD MS 03] | A 6520 | / | MB | 09-DEC-85 |
| | A-A-51215 | BRUSH, DENTURE [CUST: MD MS 03] | A 6520 | / | MB | 20-NOV-85 |
| | A-A-51216 | POLISHING COMPOUND, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 20-NOV-85 |
| | A-A-51217 | CHART, VISION ACUITY TESTING, ASTIGMATIC DIAL, GREEN [CUST: MD MS 03] | A 6540 | / | MB | 20-NOV-85 |
| | A-A-51218B | TEST PACK, AIR REMOVAL, STEAM STERILIZER [CUST: MD MS 03] | A 6530 | / | MB | 31-AUG-87 |
| | A-A-51219A | STERILIZATION TEST AMPULES, BACTERIAL SPORE [CUST: MD MS 03] | A 6530 | | MB | 30-MAY-86 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|------|-------------|-----------|
| | A-A-51220 | TROUSERS, PNEUMATIC, ANTI-SHOCK [CUST: MD MS 03] | A 6515 | MB | | 20-NOV-85 |
| | A-A-51221 | PLIER, OPTICIANS, SCREW & RIVET PEENING [CUST: MD MS 03] | A 6540 | / MB | | 22-NOV-85 |
| | A-A-51222 | PLIER, OPTICIANS, SCREW CUTTING [CUST: MD MS 03] | A 6540 | / MB | | 20-NOV-85 |
| | A-A-51223 | PLIER, OPTICIANS, FINGER PIECE, 5 INCH [CUST: MD MS 03] | A 6540 | / MB | | 20-NOV-85 |
| | A-A-51225 | SIMULATOR, ARRHYTHMIA, ECG [CUST: MD MS 03] | A 6910 | / MB | | 09-DEC-85 |
| | A-A-51226 | LINER, SURGICAL SUCTION CANISTER [CUST: MD MS 03] | A 6515 | / MB | | 20-DEC-85 |
| | A-A-51227A | CLIPER; X-RAY TECHNIQUE [CUST: MD MS 03] | A 6525 | / MB | | 23-NOV-90 |
| | A-A-51229 | SPATULA, BRAIN, DAVIS, MALLEABLE, 7 INCH [CUST: MD MS 03] | A 6515 | / MB | | 10-DEC-85 |
| | A-A-51230 | TEST KIT, OCCULT BLOOD DETERMINATION [CUST: MD MS 03] | A 6550 | / MB | | 29-NOV-85 |
| | A-A-51233 | ADHESIVE TAPE, SURGICAL, ELASTIC [CUST: MD MS 03] | A 6510 | / MB | | 22-DEC-85 |
| | A-A-51237A | BACTERIOLOGICAL SPECIMEN COLLECTION AND TRANSPORTATION SYSTEM (ANAEROBIC BACTERIA, COLLECTING AND TRANSPORTING) [CUST: MD MS 03] [REVIEW: 85 GS] | A 6550 | / MB | | 18-SEP-89 |
| | A-A-51239 | HOOK, SKIN, KLEINERT KURTZ, SHARP POINT, MEDIUM [CUST: MD MS 03] | A 6515 | / MB | | 17-DEC-85 |
| | A-A-51240 | WRIGHT'S STAIN [CUST: MD MS 03] | A 6505 | / MB | | 29-NOV-85 |
| | A-A-51241 | OXYCODONE HYDROCHLORIDE & ACETAMINOPEN TABLETS [CUST: MD MS 03] | A 6505 | / MB | | 01-AUG-86 |
| | A-A-51242 | BURNER, GAS, LABORATORY, (BUNSEN, AUTOMATIC) [CUST: MD MS 03] | A 6640 | / MB | | 22-NOV-85 |
| | A-A-51246 | BURET, LABORATORY, (STRAIGHT, AUTOMATIC 50 ML) [CUST: MD MS 03] | A 6640 | / MB | | 21-JAN-86 |
| | A-A-51247 | BURET, LABORATORY (MICRO) [CUST: MD MS 03] | A 6640 | / MB | | 06-DEC-86 |
| | A-A-51248 | BURET, LABORATORY, (STRAIGHT) [CUST: MD MS 03] | A 6640 | / MB | | 05-DEC-85 |
| | A-A-51249B | CASSETTE, RADIOGRAPHIC FILM [CUST: MD MS 03] | A 6525 | / MB | | 29-JUL-88 |
| | A-A-51250 | BOTTLE, WEIGHTED [CUST: MD MS 03] | A 6640 | / MB | | 25-NOV-86 |
| | A-A-51253 | MINERAL OIL LOTION, LANOLATED [CUST: MD MS 03] | A 6505 | / MB | | 01-AUG-86 |
| | A-A-51254 | GAUZE, ABSORBENT, IODOFORM IMPREGNATED [CUST: MD MS 03] | A 6510 | / MB | | 17-DEC-85 |
| | A-A-51255 | ADHESIVE PAD, COLOSTOMY-ILEOSTOMY-TRACHEOSTOMY [CUST: MD MS 03] | A 6510 | / MB | | 19-DEC-85 |
| | A-A-51257 | SPONGE, SURGICAL, GAUZE, TONSIL [CUST: MD MS 03] | A 6510 | / MB | | 22-DEC-85 |
| | A-A-51258A | TUBE, CAPILLARY, BLOOD SAMPLE [CUST: MD MS 03] | A 6630 | / MB | | 03-AUG-87 |
| | A-A-51261 | HANDGRIP COVER, CRUTCH [CUST: MD MS 03] | A 6515 | / MB | | 20-DEC-85 |
| | A-A-51263 | MINERAL OIL LOTION, LANOLATED [CUST: MD MS 03] | A 6505 | / MB | | 01-AUG-86 |
| | A-A-51264B | SURGICAL PACK, GOWN AND TOWEL [CUST: MD MS 03] | A 6532 | / MB | | 30-MAY-89 |
| | A-A-51265 | STONE, SHARPENING [CUST: MD MS 03] | A 6520 | / MB | | 09-DEC-85 |
| | A-A-51266 | IMPRESSION MATERIAL, DENTAL (CARTRIDGE FORM, HYDROCOLLOID, AGAR TYPE) [CUST: MD MS 03] | A 6520 | / MB | | 09-DEC-85 |
| | A-A-51267A | SURGICAL PACK DISPOSABLE [CUST: MD MS 03] | A 6530 | MB | | 19-SEP-86 |
| | A-A-51268 | TAB, DENTAL BITEWING [CUST: MD MS 03] | A 6525 | / MB | | 09-DEC-85 |
| | A-A-51269 | JAR, SURGICAL NEEDLE [CUST: MD MS 03] | A 6530 | / MB | | 09-DEC-85 |
| | A-A-51270 | TAPE, MEASURING, SURGICAL [CUST: MD MS 03] | A 6515 | / MB | | 11-DEC-85 |
| | A-A-51271 | COVER GLASS, MICROSCOPE SLIDE [CUST: MD MS 03] | A 6640 | / MB | | 10-DEC-85 |
| | A-A-51273 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, 24 GAUGE CATHETER, RADIOPAQUE, DISPOSABLE, 50S [CUST: MD MS 03] | A 6515 | / MB | | 09-DEC-85 |
| | A-A-51275 | HANGER, X RAY FILM [CUST: MD MS 03] | A 6525 | / MB | | 09-DEC-85 |
| | A-A-51276A | STRETCHER, AMBULANCE [CUST: MD MS 03] | A 6530 | / MB | | 25-OCT-89 |
| | A-A-51279 | CURETTE, SUCTION, UTERINE, STERILE [CUST: MD MS 03] | A 6515 | / MB | | 24-FEB-86 |
| | A-A-51280A | NEUROSURGICAL HEADREST SYSTEM [CUST: MD MS 03] | A 6530 | / MB | | 17-JUN-88 |
| | A-A-51281A | TAPE, SEALING, STERILIZATION INDICATOR (GAS) [CUST: MD MS 03] | A 6530 | / MB | | 19-MAR-93 |
| | A-A-51282 | PAD, HOSPITAL STRETCHER [CUST: MD MS 03] | A 6530 | / MB | | 09-DEC-85 |
| | A-A-51283 | GAGE, THICKNESS, DIAL INDICATING [CUST: MD MS 03] | A 6540 | / MB | | 19-DEC-86 |
| | A-A-51285 | WHEEL, ABRASIVE, (DENTAL) [CUST: MD MS 03] | A 6520 | / MB | | 18-DEC-85 |
| | A-A-51286 | WEDGE SET, DENTAL, (WOOD) [CUST: MD MS 03] | A 6520 | / MB | | 18-DEC-85 |
| | A-A-51287 | PROP, MOUTH, DENTAL, RUBBER [CUST: MD MS 03] | A 6520 | / MB | | 18-DEC-85 |
| | A-A-51288 | MAGNIFIER, DENTAL OPERATING [CUST: MD MS 03] | A 6520 | / MB | | 18-DEC-85 |
| | A-A-51289 | MAGNIFIER, (DENTAL LABORATORY) [CUST: MD MS 03] | A 6520 | / MB | | 18-DEC-85 |
| | A-A-51290 | CLOTH, SQUEEZE, DENTAL [CUST: MD MS 03] | A 6520 | / MB | | 18-DEC-85 |
| | A-A-51291 | WAX, DENTAL (UTILITY) [CUST: MD MS 03] | A 6520 | / MB | | 23-DEC-85 |
| | A-A-51292 | RULE, ANATOMICAL [CUST: MD MS 03] | A 6525 | MB | | 12-DEC-85 |
| | A-A-51293 | CART, MEDICINE [CUST: MD MS 03] | A 6530 | / MB | | 12-DEC-85 |
| | A-A-51294A | BAG, HOT WATER-ICE [CUST: MD MS 03] | A 6530 | / MB | | 31-JAN-89 |
| | A-A-51295 | TUBING, STERILIZATION [CUST: MD MS 03] | A 6530 | / MB | | 12-DEC-85 |
| | A-A-51296 | WAX, DENTAL (BOXING) [CUST: MD MS 03 MB] | A 6520 | / MB | | 18-DEC-85 |
| | A-A-51297 | WIRE, NONELECTRICAL (CORROSION-RESISTING STEEL) [CUST: MD MS 03] | A 6520 | MB | | 18-DEC-85 |
| | A-A-51298 | FLASK, BOILING, FLORENCE [CUST: MD MS 03] | A 6640 | / MB | | 28-JAN-86 |
| | A-A-51300A | MICROTOME, ROTARY, AUTOMATIC [CUST: MD MS 03] | A 6640 | / MB | | 04-JUN-90 |
| | A-A-51301A | FOOTWEAR COVERS, OPERATING ROOM (DISPOSABLE) [CUST: MD MS 03] | A 6532 | / MB | | 24-JAN-92 |
| | A-A-51302 | CATHETER AND NEEDLE UNIT, INTRAVENOUS 16 GAGE CATHETER, 5-1/4 INCHES LONG, 50S [CUST: MD MS 03] | A 6515 | / MB | | 19-DEC-85 |
| | A-A-51303 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, 16 GAGE CATHETER, 8 INCHES LONG, 50S [CUST: MD MS 03] | A 6515 | / MB | | 19-DEC-85 |
| | A-A-51304A | CHEST, X-RAY FILM PROTECTIVE (STEEL) [CUST: MD MS 03] | A 6525 | / MB | | 14-FEB-91 |
| | A-A-51305A | MATTRESS, STRETCHER (AMBULANCE) [CUST: MD MS 03] | A 6530 | / MB | | 19-JAN-90 |
| | A-A-51306 | TUBE, SERUM SHIPPING AND STORING, (NARROW MOUTH, ROUND, TRANSLUCENT) [CUST: MD MS 03] | A 6640 | / MB | | 20-DEC-85 |
| | A-A-51307 | DISH, CULTURE, PETRI [CUST: MD MS 03] | A 6640 | / MB | | 20-DEC-85 |
| | A-A-51308 | SPLINT, ARM AND SPLINT, LEG (PNEUMATIC) [CUST: MD MS 03] | A 6515 | / MB | | 12-MAR-86 |
| | A-A-51310B | IMPRESSION MATERIAL, DENTAL (MODELING COMPOUND) [CUST: MD MS 03] | A 6520 | / MB | | 15-MAY-92 |
| | A-A-51311 | WHEEL, ABRASIVE, IMPREGNATED RUBBER, PUMICE [CUST: MD MS 03] | A 6520 | / MB | | 30-DEC-85 |
| | A-A-51312 | WHEEL SET, ABRASIVE (RUBBER, STRAIGHT HANDPIECE) [CUST: MD MS 03] | A 6520 | / MB | | 30-DEC-85 |
| | A-A-51313 | MASK, ORONASAL [CUST: MD MS 03] [REVIEW: YD1] | A 6515 | / MB | | 17-MAR-86 |
| | A-A-51314 | LIGHT, BED, HOSPITAL [CUST: MD MS 03] | A 6230 | / MB | | 26-DEC-85 |
| | A-A-51315 | MANIKIN, CARDIOPULMONARY RESUSCITATION TRAINING (HEAD AND TORSO) [CUST: MD MS 03] | A 6530 | / MB | | 27-DEC-85 |
| | A-A-51316 | OPHTHALMOSCOPE, RETINOSCOPE AND TRANSILLUMINATOR SET [CUST: MD MS 03] | A 6540 | / MB | | 20-DEC-85 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|--|--------------------------|-----|-------------|-----------|
| A-A-51317 | EDGER, HAND, OPHTHAMIC LENS [CUST: MD MS 03] | A 6540 | / | MB | 26-DEC-85 |
| A-A-51318 | MEASURE, LENS, OPHTHALMIC [CUST: MD MS 03] | A 6540 | / | MB | 18-DEC-85 |
| A-A-51319 | PAD, CONTAMINATION CONTROL MAT [CUST: MD MS 03] | A 6530 | / | MB | 27-DEC-85 |
| A-A-51320 | ELECTRODE, ELECTROCARDIOGRAPH [CUST: MD MS 03] | A 6515 | / | MB | 27-DEC-85 |
| A-A-51321A | FOOTPRINTER, INFANT IDENTIFICATION (DISPOSABLE) [CUST: MD MS 03] | A 6530 | / | MB | 31-JUL-90 |
| A-A-51327 | CONNECTOR, SURGICAL TUBING STRAIGHT, PLASTIC [CUST: MD MS 03] | A 6515 | / | MB | 31-DEC-85 |
| A-A-51328 | COMMERCIAL ITEM DESCRIPTION CANNULA, LARYNEGAL [CUST: MD MS 03] | A 6515 | / | MB | 21-FEB-86 |
| A-A-51330 | BLOOD PLATELET ADMINISTRATION-POOLING SET [CUST: MD MS 03] | A 6515 | | MB | 14-MAR-86 |
| A-A-51331 | PHOROPTER, ADDITIVE TYPE [CUST: MD MS 03] | A 6540 | / | MB | 14-JAN-86 |
| A-A-51332 | FRAME, OPHTHALMIC TRIAL LENS SET [CUST: MD MS 03] | A 6540 | | MB | 28-FEB-86 |
| A-A-51336 | TIP, PIPET, PLASTIC, DISPOSABLE [CUST: MD MS 03] | A 6640 | / | MB | 28-JAN-86 |
| A-A-51337 | GAGE SET, OPHTHALMIC LENS GRINDING TOOLS, METAL [CUST: MD MS 03] | A 6540 | / | MB | 27-JAN-86 |
| A-A-51340A | IRRIGATOR (CORROSION-RESISTING STEEL) [CUST: MD MS 03] | A 6530 | / | MB | 30-MAR-90 |
| A-A-51341 | LABEL, X-RAY FILM IDENTIFICATION [CUST: MD MS 03] | A 6525 | / | MB | 31-JAN-86 |
| A-A-51342 | SHAKING MACHINE, LABORATORY, (BLOOD COLLECTING TUBE) [CUST: MD MS 03] | A 6640 | / | MB | 31-JAN-86 |
| A-A-51343 | SURGICAL PACK, LOWER EXTREMITY [CUST: MD MS 03] | A 6530 | / | MB | 14-FEB-86 |
| A-A-51344B | GRADUATE, LIQUID, LABORATORY [CUST: MD MS 03] | A 6640 | / | MB | 11-FEB-92 |
| A-A-51345 | LARYNGEAL STENTS, SILICONE RUBBER [CUST: MD MS 03] | A 6515 | / | MB | 07-FEB-86 |
| A-A-51346 | CONNECTOR, ELASTIC TUBING [CUST: MD MS 03] | A 6515 | / | MB | 30-JUL-86 |
| A-A-51348A | CONNECTOR, ELASTIC TUBING, BRANCHED, PLASTIC, T-SHAPED [CUST: MD MS 03] | A 6515 | / | MB | 20-MAR-92 |
| A-A-51349 | LUBRICANT, DENTAL HANDPIECE [CUST: MD MS 03] | A 6520 | | MB | 12-FEB-86 |
| A-A-51350 | SHIELD, GONADAL, X-RAY PROTECTIVE [CUST: MD MS 03] | A 6525 | / | MB | 21-FEB-86 |
| A-A-51351 | CENTRIFUGE, LABORATORY (MICROHEMATOCRIT, BATTERY POWERED) [CUST: MD MS 03] | A 6640 | / | MB | 28-FEB-86 |
| A-A-51353 | KNIFE-CURETTE, EAR (SHEEHY-HOUSE) [CUST: MD MS 03] | A 6515 | / | MB | 12-SEP-86 |
| A-A-51354 | BEDPAN [CUST: MD MS 03] | A 6530 | | MB | 14-MAR-86 |
| A-A-51355B | STRETCHER, HOSPITAL (WHEELED) [CUST: MD MS 03] | A 6530 | / | MB | 24-DEC-91 |
| A-A-51356 | BATTERY SUPPORT SYSTEM [CUST: MS] | A 6625 | | MB | 07-MAR-86 |
| A-A-51357A | ADHESIVE TAPE, SURGICAL, (PERFORATED) [CUST: MD MS 03] | A 6510 | / | MB | 25-JUN-90 |
| A-A-51358 | TONGS, LABORATORY [CUST: MD MS 03] | A 6640 | / | MB | 28-APR-86 |
| A-A-51360A | FLASK, VOLUMETRIC (BOROSILICATE GLASS) [CUST: MD MS 03] | A 6640 | / | MB | 30-AUG-91 |
| A-A-51361A | SURGICAL PACK, GOWN AND TOWEL [CUST: MD MS 03] | A 6532 | / | MB | 17-MAY-92 |
| A-A-51362A | BATH, WHIRLPOOL ARM [CUST: MD MS 03] | A 6530 | / | MB | 24-MAR-89 |
| A-A-51363A | DRAIN, SURGICAL, RUBBER, T-TYPE, STERILE [CUST: MD MS 03] | A 6515 | / | MB | 15-JUN-92 |
| A-A-51364 | LITTER, SEA-AIR RESCUE, MEDICAL EVACUATION [CUST: MD MS 03] | A 6530 | / | MB | 31-MAR-86 |
| A-A-51365A | CANNULA, EAR (HOUSE, SUCTION-IRRIGATOR) [CUST: MD MS 03] | A 6515 | | MB | 22-SEP-87 |
| A-A-51366 | SUCTION APPARATUS, SURGICAL [CUST: MD MS 03] | A 6515 | | MB | 31-MAR-86 |
| A-A-51367 | DEMINERALIZER, WATER, ION EXCHANGE [CUST: MD MS 03] | A 4610 | / | MB | 14-MAR-86 |
| A-A-51369A | PROBE, GENERAL OPERATING [CUST: MD MS 03] | A 6515 | / | MB | 25-NOV-91 |
| A-A-51370C | DRAPES, SURGICAL (SELF-ADHERING) [CUST: MD MS 03] | A 6530 | / | MB | 25-JAN-93 |
| A-A-51371 | RESUSCIATOR AND ASPIRATOR [CUST: MD MS 03] | A 6515 | | MB | 31-MAR-86 |
| A-A-51373A | GOWN OPERATING, SURGICAL [CUST: MD MS 03] | A 6532 | / | MB | 22-AUG-86 |
| A-A-51376 | GUIDE, WIRE STRUT (V SHAPE, HOUSE) [CUST: MD MS 03] | A 6515 | / | MB | 08-JUL-86 |
| A-A-51379A | CHLOROTHALIDONE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 18-SEP-86 |
| A-A-51381A | MAGALDRATE ORAL SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / | MB | 11-SEP-86 |
| A-A-51382A | STERILIZER, SURGICAL INSTRUMENT [CUST: MD MS 03] | A 6530 | / | MB | 28-NOV-86 |
| A-A-51383A | NEISSERIA ENRICHMENT MEDIA, DEHYDRATED [CUST: MD MS 03] | A MISC | / | MB | 19-SEP-86 |
| A-A-51384B | NAFCILLIN SODIUM FOR INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 13-JUN-90 |
| A-A-51385 | CONNECTOR, CANNULA, HEMODIALYSIS [CUST: MD MS 03] | A 6515 | | MB | 09-APR-86 |
| A-A-51386 | CANNULA, HEMODIALYSIS [CUST: MD MS 03] | A 6515 | | MB | 10-APR-86 |
| A-A-51387A | POVIDONE-IODINE TOPICAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | | MB | 21-JUL-87 |
| A-A-51388A | MENOTROPINS FOR INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 02-APR-86 |
| A-A-51389A | STOCKINET, SURGICAL (NYLON), 2 INCH BY 25 YARDS [CUST: MD MS 03] | A 6510 | / | MB | 01-APR-88 |
| A-A-51390A | WIRE, ELECTRODE, PATIENT [CUST: MD MS 03] | A 6515 | / | MB | 22-AUG-86 |
| A-A-51391A | SPONGE, SURGICAL, (GAUZE, RADIOPAQUE, PRECOUNTED, IN TRAYS) [CUST: MD MS 03] | A 6510 | / | MB | 16-JUN-89 |
| A-A-51393A | DRESSING, BURN [CUST: MD MS 03] | A 6510 | | MB | 11-SEP-87 |
| A-A-51394A | BANDAGE, GAUZE (TWO-PLY) [CUST: MD MS 03] | A 6510 | / | MB | 01-JUN-88 |
| A-A-51395A | OATMEAL, COLLOIDAL CONCENTRATE [CUST: MD MS 03] | A 6505 | / | MB | 11-SEP-86 |
| A-A-51396A | CONTROL URINE CHEMISTRY, NORMAL [CUST: MD MS 03] | A MISC | / | MB | 17-SEP-86 |
| A-A-51397 | TUBING, SURGICAL PLASTIC, 3/16 INCH INSIDE DIAMETER [CUST: MD MS 03] | A 6515 | | MB | 11-APR-86 |
| A-A-51398 | BOUGIE, URETHRAL, OTIS [CUST: MD MS 03] | A 6515 | | MB | 14-APR-86 |
| A-A-51399A | THEOPHYLLINE CAPSULES, MODIFIED [CUST: MD MS 03] | A 6505 | / | MB | 19-SEP-86 |
| A-A-51401A | NORGESTREL & ETHINYL ESTRADIOL TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 16-SEP-86 |
| A-A-51402A | PENTOXIFYLLINE TABLETS, (SUSTAINED RELEASE) [CUST: MD MS 03] | A 6505 | / | MB | 16-SEP-86 |
| A-A-51403A | POTASSIUM CHLORIDE EXTENDED-RELEASE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-SEP-86 |
| A-A-51405A | SPONGE, SURGICAL (NONWOVEN, RAYON, PATTIE, RADIOPAQUE) [CUST: MD MS 03] | A 6510 | / | MB | 15-JUL-88 |
| A-A-51406A | ISOSORBIDE DINITRATE CAPSULES, (SUSTAINED-RELEASE) [CUST: MD MS 03] | A 6505 | / | MB | 09-SEP-86 |
| A-A-51407A | BISACODYL SUPPOSITORIES, USP [CUST: MD MS 03] | A 6505 | / | MB | 16-SEP-86 |
| A-A-51408 | TUBE, COLON, SURGICAL (DISPOSABLE) [CUST: MD MS 03] | A 6515 | / | MB | 15-APR-86 |
| A-A-51409 | TUBE, DRAINAGE, SURGICAL, THORACIC [CUST: MD MS 03] | A 6515 | | MB | 16-APR-86 |
| A-A-51410 | SUTURE, NONABSORBABLE, SURGICAL POLYPROPYLENE, MONOFILAMENT, SINGLE ARMED [CUST: MD MS 03] | A 6515 | | MB | 16-APR-86 |
| A-A-51412 | ANOSCOPE, FANSLER, 6 CM [CUST: MD MS 03] | A 6515 | | MB | 08-MAY-86 |
| A-A-51413 | ANOSCOPE, HIRSCHMAN [CUST: MD 03] | A 6515 | / | MB | 08-MAY-86 |
| A-A-51414 | CANNULA, BRAIN, HAYNES, 13 GAGE [CUST: MD MS 03] | A 6515 | | MB | 17-APR-86 |
| A-A-51417A | DEXTRANOMER BEADS [CUST: MD MS 03] | A 6505 | | MB | 01-JUL-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|-----------------|---|-------------------------|------|-------------|-----------|
| A-A-51418A | PREDNISOLONE SODIUM SUCCINATE, STERILE, VETERINARY [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-86 |
| A-A-51420 | CENTRIFUGE, LABORATORY [CUST: EA MS 99] | A 6640 | / MB | | 18-APR-86 |
| A-A-51421A | FLUOROMETHOLONE OPHTHALMIC SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-86 |
| A-A-51424B | COVER, SURGICAL INSTRUMENT STAND [CUST: MD MS 03] | A 6530 | / MB | | 24-NOV-89 |
| A-A-51425A | BRUSH-SPONGE, SURGICAL SCRUB [CUST: MD MS 03] | A 6530 | / MB | | 19-SEP-86 |
| A-A-51427A | POTASSIUM CHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-86 |
| A-A-51429 | CALIPER, WAX THICKNESS MEASURING, DENTAL [CUST: MD MS 03] | A 6520 | / MB | | 12-MAY-86 |
| A-A-51430 | SPLINT SET, ARCH WIRE, DENTAL AND BAND, LIGATURE, DENTAL [CUST: MD MS 03] | A 6520 | MB | | 20-MAY-86 |
| A-A-51431 | BLOWTORCH, ALCOHOL [CUST: MD MS 03] | A 6520 | / MB | | 08-MAY-86 |
| A-A-51433A | HYDROCORTISONE VALERATE OINTMENT [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-86 |
| A-A-51434 | BLOCKER SET, X-RAY FILM IDENTIFICATION [CUST: MD MS 03] | A 6525 | MB | | 30-MAY-86 |
| A-A-51435 | BAG, URINE COLLECTION, PEDIATRIC [CUST: MD MS 03] | A 6530 | MB | | 20-MAY-86 |
| A-A-51436 | LIDOCAINE HYDROCHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | MB | | 25-MAR-87 |
| A-A-51438B | DRAINAGE UNIT, PLEURAL CAVITY [CUST: MD MS 03] | A 6515 | / MB | | 11-JUN-93 |
| A-A-51439 | TUBING, SURGICAL (PLASTIC) [CUST: 03 MB] | A 6515 | / MB | | 09-MAY-86 |
| A-A-51443A | ASPIRIN ALUMINUM HYDROXIDE GEL, DRIED, & MAGNESIUM OXIDE TABLETS [CUST: MD MS 03] | A 6505 | / MB | | 11-SEP-86 |
| A-A-51445 | KIT, DISPOSABLE, LENSECTOMY [CUST: MD YD1 03 MB] | A 6515 | / MB | | 12-MAY-86 |
| A-A-51446 | TUBE, DRAINAGE, SURGICAL (PENROSE) [CUST: MS 03 MB] | A 6515 | / MB | | 12-MAY-86 |
| A-A-51447 | STRETCHER, (VETERINARY) [CUST: MD MS 03] | A 3770 | MB | | 30-MAY-86 |
| A-A-51448A | TABLE, SURGICAL INSTRUMENT AND SURGICAL DRESSING ANGULAR-TOP [CUST: MD MS 03] | A 6530 | / MB | | 30-MAY-89 |
| A-A-51449A | TABLE, SURGICAL INSTRUMENT AND SURGICAL DRESSING STRAIGHT-TOP [CUST: MD MS 03] | A 6530 | / MB | | 24-MAR-89 |
| A-A-51450A | METAPROTERENOL SULFATE INHALATION SOLUTION, USP [CUST: MD MS 03] | A 6505 | MB | | 10-AUG-87 |
| A-A-51451A | CLOTRIMAZOLE TOPICAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 11-SEP-86 |
| A-A-51452A | SUPPORT, KNEE [CUST: MD MS 03] | A 6515 | / MB | | 22-AUG-86 |
| A-A-51453A | KETOCONAZOLE TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 11-SEP-86 |
| A-A-51454A | STOCKINET, SURGICAL, COTTON (6 INCHES BY 48 INCHES, ROLLED AND SEWN) [CUST: MD MS 03] | A 6510 | / MB | | 13-MAR-89 |
| A-A-51455 | TUBE, DRAINAGE, SURGICAL, THORACIC, PLASTIC, RADIOPAQUE, STRAIGHT, DISPOSABLE, 28 FR, 10 S [CUST: MD MS 03] | A 6515 | MB | | 20-MAY-86 |
| A-A-51456A | TUBE, CENTRIFUGE [CUST: MD MS 03] | A 6640 | MB | | 07-MAR-88 |
| A-A-51458A | CHLORZOXAZONE & ACETAMINOPHEN TABLETS, USP [CUST: MD MS 03] | A 6505 | MB | | 11-JUN-87 |
| A-A-51460 | WHEEL, ABRASIVE, (ALUMINUM OXIDE, MANDREL MOUNTED) [CUST: MD MS 03] | A 6520 | / MB | | 23-JUN-86 |
| A-A-51461B | TEST KIT, TEST STRIPS AND COLOR CHART, ANTIFREEZE, FREEZE POINT AND CORROSION [CUST: AT MS 99] [REVIEW: MB] | A 6630 | / AT | | 30-JAN-89 |
| A-A-51462A | SULFACETAMIDE SODIUM AND PREDNISOLONE ACETATE OPHTHALMIC SUSPENSION [CUST: MD MS 03] | A 6505 | / MB | | 15-NOV-91 |
| A-A-51463 | SUCTION SET, TRACHEAL [CUST: MD MS 03] | A 6515 | MB | | 06-JUN-86 |
| A-A-51464 | RESERVOIR, SUCTION, CKSON-PRATT, SILICONE [CUST: MD MS 03] | A 6515 | MB | | 09-JUN-86 |
| A-A-51465 | CONTAINER, URINE SPECIMEN [CUST: MD MS 03] | A 6530 | / MB | | 16-JUN-86 |
| A-A-51466A | BAG, BIOHAZARD DISPOSAL [CUST: MD MS 03] [REVIEW: SS] | A 6530 | / MB | | 29-APR-88 |
| A-A-51467 | DYNAMOMETER, HAND, HYDRAULIC [CUST: MD MS 03] | A 6530 | / MB | | 16-JUN-86 |
| A-A-51468 | INTRAVENOUS INJECTION SET, WITH FLEXIBLE DRIP CHAMBER, NON-VENTED, ADULT, WITHOUT NEEDLE, DISPOSABLE, 50'S [CUST: MD MS 03] | A 6515 | / MB | | 10-JUN-86 |
| A-A-51469 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, 22 GAGE CATHETER, RADIOPAQUE, DISPOSABLE, 50S [CUST: MD MS 03] | A 6515 | / MB | | 30-JUN-86 |
| A-A-51471 | MALLET NASAL, COPPER, SMALL [CUST: MD MS 03] | A 6515 | MB | | 10-JUN-86 |
| A-A-51472 | HOLDER, BAG, BIOHAZARD [CUST: MD MS 03] | A 6530 | / MB | | 16-JUN-86 |
| A-A-51474 | BONE PLATE, BROAD, ORTHOPEDIC IMPLANT, SELF-COMPRESSING HOLES [CUST: MD MS 03] | A 6515 | MB | | 11-JUN-86 |
| A-A-51475 | NAIL, BONE, SCHNEIDER, DOUBLE POINT [CUST: MD MS 03] | A 6515 | MB | | 11-JUN-86 |
| A-A-51476A | OTOSCOPE (BRUENING) [CUST: MD MS 03] | A 6515 | / MB | | 06-MAY-87 |
| A-A-51478 | SCREEN, X-RAY PROTECTIVE [CUST: MD MS 03] | A 6525 | / MB | | 20-JUN-86 |
| A-A-51479 | SANDBAG, PHYSICAL THERAPY [CUST: MD MS 03] | A 6530 | / MB | | 20-JUN-86 |
| A-A-51480A | BAG, URINE COLLECTION, PEDIATRIC [CUST: MD MS 03] | A 6530 | / MB | | 30-MAY-89 |
| A-A-51481A | WHEEL, ABRASIVE (SILICON CARBIDE, NON-HEATINGD [CUST: MD MS 03] | A 6520 | MB | | 28-DEC-87 |
| A-A-51482 | WIRE SNARE, NO. 24 STUBS WIRE GAGE, CARBON STEEL [CUST: MD MS 03] | A 6515 | / MB | | 13-JUN-86 |
| A-A-51483 | BLADE & FRAME, DENTAL LABORATORY SAW (PLASTIC & SYPSUM MATERIALS) [CUST: MD MS 03] | A 6520 | MB | | 23-JUN-86 |
| A-A-51484 | DENTAL WAX SOLVENT [CUST: MD MS 03] | A 6520 | / MB | | 23-JUN-86 |
| A-A-51485 | BRUSH, CLEANING, DENTAL SUCTION APPARATUS TIP [CUST: MD MS 03] | A 6520 | MB | | 23-JUN-86 |
| A-A-51486 | HOLDER, TOOTH DIE PIN (SPRING TYPE) [CUST: MD MS 03] | A 6520 | MB | | 23-JUN-86 |
| A-A-51488B | FLUORIDE APPLICATION TRAY, DENTAL [CUST: MD MS 03] | A 6520 | / MB | | 31-DEC-90 |
| A-A-51490 | PROBE, GENERAL OPERATING (MALL) [CUST: MD MS 03] | A 6515 | MB | | 03-JUN-87 |
| A-A-51492B | INCISION-DRAINAGE SET [CUST: MD MS 03] | A 6515 | MB | | 12-JUN-87 |
| A-A-51493 | BIN, STORAGE [CUST: MD MS 03] | A 7125 | MB | | 20-JUN-86 |
| A-A-51494A | ELECTRODE, ELECTROCARDIOGRAPH [CUST: MD MS 03] | A 6515 | / MB | | 31-MAR-87 |
| A-A-51495 | WAX, DENTAL (PERIPHERY) [CUST: MD MS 03] | A 6520 | / MB | | 21-JUL-86 |
| A-A-51496A | RECOVERY PACK, BLOOD CELL COLLECTION [CUST: MD MS 03] | A 6515 | MB | | 05-OCT-87 |
| A-A-51497A | SODIUM FLUORIDE ORAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 25-SEP-92 |
| A-A-51498A | PENICILLIN G BENZATHINE SUSPENSION, STERILE, USP [CUST: MD MS 03] | A 6505 | MB | | 11-SEP-87 |
| A-A-51501A | FAT EMULSION INJECTION [CUST: MD MS 03] | A 6505 | MB | | 30-JUL-87 |
| A-A-51502A | TERFENADINE TABLETS [CUST: MD MS 03] | A 6505 | / MB | | 11-JUN-87 |
| A-A-51503A | TRETINOIN GEL, USP [CUST: MD MS 03] | A 6505 | MB | | 30-JUL-87 |
| A-A-51505A | OXACILLIN SODIUM FOR INJECTION, USP [CUST: MD MS 03] | A 6505 | MB | | 11-JUN-87 |
| A-A-51506A | BOX, FOLDING (SPECTACLE MAILING) [CUST: MD MS 03] | A 8115 | / MB | | 18-JUN-93 |
| A-A-51507 | TUBE, TRACHEAL, MAGILL [CUST: MD MS 03] | A 6515 | / MB | | 23-JUN-86 |
| A-A-51508B | SYRINGE, IRRIGATING, BULB TYPE, 3 OZ., DISPOSABLE, 50S [CUST: MD MS 03] | A 6515 | / MB | | 27-MAR-92 |
| A-A-51509B | TUBE, TRACHEAL, RADIOPAQUE (MURPHY) [CUST: MD MS 03] | A 6515 | / MB | | 12-FEB-93 |
| A-A-51510 | HOLDER, DENTAL BUR (ALUMINUM) [CUST: MD MS 03] | A 6520 | / MB | | 30-JUL-86 |
| A-A-51511B | CABINET, STORAGE, X-RAY FILM [CUST: MD MS 03] | A 6525 | / MB | | 24-MAR-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | A-A-51513B | CATHETER AND CONNECTOR, SUCTION, TRACHEAL [CUST: MD MS 03] | A 6515 | / | MB | 03-AUG-90 |
| | A-A-51514B | SYRINGE AND NEEDLE HYPODERMIC, DISPOSABLE, U-100 INSULIN [CUST: MD MS 03] | A 6515 | / | MB | 18-MAR-91 |
| | A-A-51516 | RACK, CARD [CUST: MD MS 03] | A 7110 | / | MB | 03-JUL-86 |
| | A-A-51517 | DUMBBELL SET, PHYSICAL THERAPY [CUST: MD MS 03] | A 6530 | / | MB | 03-JUL-86 |
| | A-A-51518 | MAT, EXERCISE, PHYSICAL THERAPY [CUST: MD MS 03] | A 6530 | / | MB | 03-JUL-86 |
| | A-A-51520B | SCREW, BONE, CANCELLOUS [CUST: MD MS 03] | A 6515 | / | MB | 27-JAN-92 |
| | A-A-51522A | COVER, BEDPAN (PAPER) [CUST: MD MS 03] | A 6530 | / | MB | 15-JUN-90 |
| | A-A-51524 | BLADE AND FRAME, DENTAL LABORATORY SAW (DIE MATERIALS) [CUST: MD MS 03] | A 6520 | | MB | 07-JUL-86 |
| | A-A-51525A | CENTRIFUGE, LABORATORY (SMALL) [CUST: MD MS 03] | A 6640 | / | MB | 18-JUN-90 |
| | A-A-51526A | NORETHINDRONE AND MESTRANOL TABLETS, USP, 63S [CUST: MD MS 03] | A 6505 | / | MB | 23-JUL-87 |
| | A-A-51527A | ISOPROTERENOL HYDROCHLORIDE INHALATION AEROSOL, USP [CUST: MD MS 03] | A 6505 | / | MB | 13-AUG-87 |
| | A-A-51528A | SUPPORT, KNEE [CUST: MD MS 03] | A 6515 | / | MB | 30-JAN-87 |
| | A-A-51529A | HOOK, BONE (9 INCH) [CUST: MD MS 03] | A 6515 | / | MB | 28-JUN-89 |
| | A-A-51530B | ANESTHESIA SET, SPINAL [CUST: MD MS 03] | A 6515 | / | MB | 21-DEC-89 |
| | A-A-51531A | HOOK, BONE, 7-1/4 INCH [CUST: MD MS 03] | A 6515 | / | MB | 22-JUL-87 |
| | A-A-51532 | PIN, BONE (KIRSCHNER) [CUST: MD MS 03] | A 6515 | / | MB | 08-JUL-86 |
| | A-A-51533 | SCREW, BONE (WOODRUFF HEAD) [CUST: MD MS 03] | A 6515 | / | MB | 08-JUL-86 |
| | A-A-51534 | SCREW, BONE (82 DEG. COUNTERSUNK HEAD) [CUST: MD MS 03] | A 6515 | / | MB | 08-JUL-86 |
| | A-A-51536 | BLOCK, SOLDERING, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 21-JUL-86 |
| | A-A-51537 | DISPENSER, COTTON PELLETT, DENTAL [CUST: MD MS 03] | A 6520 | | MB | 21-AUG-86 |
| | A-A-51539 | DISPENSER, DENTAL FLOSS [CUST: MD MS 03] | A 6520 | | MB | 21-JUL-86 |
| | A-A-51540 | CATHETER, IRRIGATION, COLONOSCOPE [CUST: MD MS 03] | A 6515 | / | MB | 10-JUL-86 |
| | A-A-51542 | TEST SET, ELECTRONIC CIRCUIT-COMPONENT [CUST: MD MS 03] | A 6625 | / | MB | 02-AUG-86 |
| | A-A-51544 | SYRINGE, FOUNTAIN [CUST: MD MS 03] | A 6530 | | MB | 18-JUL-86 |
| | A-A-51545B | HUMIDIFIER, INHALATION THERAPY APPARATUS [CUST: MD MS 03] | A 6515 | / | MB | 24-MAR-89 |
| | A-A-51546A | DRAIN, CLOSED SUCTION (JACKSON-PRATT STYLE) [CUST: MD MS 03] | A 6515 | / | MB | 03-FEB-87 |
| | A-A-51548 | WRIGHT'S STAINING SOLUTION [CUST: MD MS 03] | A 6550 | / | MB | 07-JUL-87 |
| | A-A-51550 | SPLINT, HAND (MASON-ALLEN) [CUST: MD MS 03] | A 6515 | / | MB | 14-JUL-86 |
| | A-A-51552A | AIRWAY, PHARYNGEAL (GUEDEL) [CUST: MD MS 03] | A 6515 | / | MB | 15-JAN-93 |
| | A-A-51554A | ERYTHROMYCIN OPHTHALMIC OINTMENT, USP [CUST: MD MS 03] | A 6505 | / | MB | 07-JUN-90 |
| | A-A-51555 | TRAZODONE HYDROCHLORIDE TABLETS [CUST: MD MS 03] | A 6505 | | MB | 09-JUL-87 |
| | A-A-51557A | KNIFE-ELEVATOR (PAPARELLA) [CUST: MD MS 03] | A 6515 | / | MB | 10-JUL-89 |
| | A-A-51559 | VERAPAMIL HYDROCHLORIDE INJECTION [CUST: MD MS 03] | A 6505 | / | MB | 16-JUL-86 |
| | A-A-51563 | ARBOR AND BAND SET, DENTAL HANDPIECE [CUST: MD MS 03] | A 6520 | / | MB | 28-JUL-86 |
| | A-A-51564 | APRON, DENTAL (PLASTIX, DISPOSABLE) [CUST: MD MS 03] | A 6532 | / | MB | 28-JUL-86 |
| | A-A-51566 | IMPRESSION MATERIAL, DENTAL (AGAR TYPE) [CUST: MD MS 03] | A 6520 | | MB | 28-JUL-86 |
| | A-A-51567A | NORETHINDRONE & ETHINYL ESTRADIOL TABLETS, USP (TRIPHASIC) [CUST: MD MS 03] | A 6505 | | MB | 03-SEP-87 |
| | A-A-0051569 | MORPHINE SULFATE TABLETS, SUSTAINED-RELEASE, OVER 12 HOURS [CUST: MD MS 03] | A 6505 | | MB | 09-JUN-87 |
| | A-A-51571A | DISULFIRAM TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-DEC-89 |
| | A-A-51572A | THIABENDAZOLE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 11-JUN-87 |
| | A-A-51574A | AMOXICILLIN & POTASSIUM CLAVULANATE TABLETS [CUST: MD MS 03] | A 6505 | | MB | 01-JUL-87 |
| | A-A-51575A | HYDROCHLORIDE & EPINEPHRINE INJECTION, USP [CUST: MD MS 03] | A 6505 | | MB | 19-AUG-87 |
| | A-A-51576A | PREVENTIVE DENTISTRY PAST (FLUORIDATED) [CUST: MD MS 03] | A 6520 | / | MB | 19-MAR-90 |
| | A-A-51579A | SPECULUM, EYE (BARRAQUER) [CUST: MD MS 03] | A 6515 | / | MB | 12-JUN-89 |
| | A-A-51581A | RESUSCITATOR, HAND OPERATED [CUST: MD MS 03] | A 6515 | | MB | 31-AUG-87 |
| | A-A-51582A | GUIDE, SHADE, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 20-AUG-90 |
| | A-A-51583A | CRUCIBLE, CASTING MACHINE, DENTAL [CUST: MD MS 03] | A 6520 | | MB | 30-JUN-87 |
| | A-A-51586A | RETRACTOR, GENERAL, SENN [CUST: MD MS 03] | A 6515 | / | MB | 03-FEB-87 |
| | A-A-51587A | CHISEL, DENTAL, (RHODES NO. 36 AND 37) [CUST: MD MS 03] | A 6520 | | MB | 15-FEB-88 |
| | A-A-51588 | WET GLOBE TEMPERATURE KIT (DIAL THERMOMETER TYPE, MECHANICAL) [CUST: MD MS 03] | A 6665 | / | MB | 01-AUG-86 |
| | A-A-51589 | STAIR, EXERCISE [CUST: MD MS 03] | A 6530 | / | MB | 12-AUG-86 |
| | A-A-51590 | PADDLE, PNEUMATIC COMPRESSION [CUST: MD MS 03] | A 6525 | / | MB | 12-AUG-86 |
| | A-A-51591 | SHAVE KIT, PATIENT [CUST: MD MS 03] | A 6530 | / | MB | 12-AUG-86 |
| | A-A-51592A | CLEANER, AUTOMATIC FILM PROCESSOR (TWO PART CLEANER) [CUST: MD MS 03] | A 6525 | / | MB | 31-JUL-90 |
| | A-A-51595 | CATHETER, CARDIOVASCULAR, IRRIGATION [CUST: MD MS 03] | A 6515 | / | MB | 05-AUG-86 |
| | A-A-0051596 | INSERT, HANDPIECE, DENTAL ULTRASONIC PROPHYLAXIS UNIT [CUST: MD MS 03] | A 6520 | / | MB | 04-AUG-86 |
| | A-A-51597A | ELECTRODE, ELECTROCARDIOGRAPH [CUST: MD MS 03] | A 6515 | / | MB | 15-JUN-90 |
| | A-A-0051598 | PLASMA PROTEIN FRACTION, USP, HEAT-TREATED [CUST: MD MS 03] | A 6505 | / | MB | 28-JUL-86 |
| | A-A-51599A | TOBRAMYCIN SULFATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 22-MAY-92 |
| | A-A-51600A | TIMOLOLMALATE OPHTHALMIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | | MB | 11-JUN-87 |
| | A-A-51601B | MASK, ORONASAL, TRANSPARENT [CUST: MD MS 03] | A 6515 | / | MB | 17-MAY-92 |
| | A-A-51602B | CANISTER ASSEMBLY, SUCTION, SURGICAL [CUST: MD MS 03] | A 6515 | / | MB | 05-AUG-94 |
| | A-A-51603A | RESUSCITATOR, CARDIOPULMONARY [CUST: MD MS 03] | A 6515 | / | MB | 17-APR-87 |
| | A-A-51605A | ADAPTER, CATHETER-TO-LUER SYRINGE, TUOHY [CUST: MD MS 03] | A 6515 | / | MB | 21-MAY-87 |
| | A-A-51608A | DESIPRAMINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 11-JUN-87 |
| | A-A-51611 | METHYLPREDNISOLONE ACETATE SUSPENSION, STERILE, USP [CUST: MD MS 03] | A 6505 | | MB | 08-JUL-87 |
| | A-A-51612A | SUTURE, ABSORBABLE, SURGICAL (GLYCOLIDE-LACTIDE COPOLYMER) [CUST: MD MS 03] | A 6515 | / | MB | 12-MAR-87 |
| | A-A-51614A | BRUSH-SPONGE, SURGICAL SCRUB [CUST: MD MS 03] | A 6530 | / | MB | 26-FEB-93 |
| | A-A-51615A | CLIP, HEMOSTATIC, SMALL [CUST: MD MS 03] | A 6515 | / | MB | 06-FEB-89 |
| | A-A-51616A | DICLOXACILLIN SODIUM CAPSULES, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-DEC-89 |
| | A-A-51617 | PLIERS, OPTICIANS, LENS AXIS ALIGNING, 6 INCH [CUST: MD MS 03] | A 6540 | / | MB | 31-OCT-86 |
| | A-A-51618 | ANOSCOPE (BRINKERHOFF) [CUST: MD MS 03] | A 6515 | / | MB | 10-SEP-86 |
| | A-A-51619 | MATRIX SET, DENTAL (CERVICAL) [CUST: MD MS 03] | A 6520 | / | MB | 25-AUG-86 |
| | A-A-51620 | PAD, HOT-COLD TREATMENT, CIRCULATING [CUST: MD MS 03] | A 6530 | | MB | 22-AUG-86 |
| | A-A-51621A | HOLDER, LEG [CUST: MD MS 03] | A 6515 | / | MB | 23-NOV-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|-----------------|---|-----------------------|------|-------------|-----------|
| | A-A-51622 | PARALLEL BARS, PHYSICAL THERAPY [CUST: MD MS 03] | A 6530 | MB | | 22-AUG-86 |
| | A-A-51623A | BATH, WHIRLPOOL LEG [CUST: MD MS 03] | A 6530 | / MB | | 24-MAR-89 |
| | A-A-51624 | COVER, PROTECTIVE, HEAT PAD [CUST: MD MS 03] | A 6530 | MB | | 22-AUG-86 |
| | A-A-51625C | DISPOSAL CONTAINER, HYPODERMIC NEEDLE AND SYRINGE [CUST: MD MS 03] | A 6530 | / MB | | 17-JUN-94 |
| | A-A-51626 | HANDLE, INSTRUMENT TRAY [CUST: MD MS 03] | A 6530 | MB | | 22-AUG-86 |
| | A-A-51630A | BLOOD SAMPLE, COLLECTING SET [CUST: MD MS 03] | A 6515 | / MB | | 12-MAR-93 |
| | A-A-0051632 | INSULIN, HUMAN, ZINC SUSPENSION, 100 U/ML, 10 ML [CUST: MD MS 03] | A 6505 | MB | | 15-MAY-87 |
| | A-A-51633A | DISPENSER, SENSITIVITYDISCS [CUST: MD MS 03] | A 6640 | MB | | 26-JAN-87 |
| | A-A-51634 | HANDLE-ELECTRODE, ELECTROSURGERY [CUST: MD MS 03] | A 6515 | / MB | | 28-NOV-86 |
| | A-A-51636A | SYRINGE, FLUID DISPENSING, 10 ML (PHARMACEUTICAL) [CUST: MD MS 03] | A 6515 | MB | | 05-MAY-87 |
| | A-A-51637A | BLEOMYCIN SULFATE STERILE, USP, 15 UNITS OF BLEOMYCIN [CUST: MD MS 03] | A 6505 | / MB | | 22-JAN-93 |
| | A-A-51638A | TICARCILLIN DISODIUM, STERILE, USP [CUST: MD MS 03] | A 6505 | MB | | 19-AUG-87 |
| | A-A-51639A | ARCH SUPPORTS [CUST: MD MS 03] | A 6515 | / MB | | 30-JAN-87 |
| | A-A-0051641 | FORM, PRINTED, MINNESOTA MULTIPHASIC PERSONALITY INVENTORY [CUST: MD MS 03] | A 6515 | / MB | | 03-SEP-86 |
| | A-A-51644 | BELT, ROUND, (ENGINE) [CUST: MD MS 03] | A 3030 | MB | | 09-MAR-87 |
| | A-A-51647 | TRAY, ENDOSCOPIC INSTRUMENT STERILIZATION [CUST: MD MS 03] | A 6530 | MB | | 24-APR-87 |
| | A-A-51648 | TRAY SET, ENDOSCOPIC INSTRUMENT STERILIZATION [CUST: MD MS 03] | A 6530 | MB | | 24-APR-87 |
| | A-A-51649 | AUDIOMETER (DUAL CHANNEL) [CUST: MD MS 03] | A 6515 | / MB | | 19-SEP-86 |
| | A-A-51651A | AMINO ACIDS AND GLYCERIN INJECTION WITH ELECTROLYTES [CUST: MD MS 03] | A 6505 | / MB | | 21-AUG-92 |
| | A-A-51652A | GENTAMICIN SULFATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 31-MAY-90 |
| | A-A-51653A | FECAL SPECIMEN COLLECTION AND PREPARATION KIT [CUST: MD MS 03] | A 6550 | / MB | | 31-AUG-87 |
| | A-A-51654B | TUBE, TRACHEOSTOMY, DISPOSABLE (LOW PRESSURE CUFF, SHILEY) [CUST: MD MS 03] | A 6515 | / MB | | 24-JAN-92 |
| | A-A-51655 | BUTTRESS, SUTURE (POLYTETRAFLUOROETHYLENE) [CUST: MD MS 03] | A 6515 | / MB | | 05-SEP-86 |
| | A-A-51656 | ELECTROSURGICAL APPARATUS, (PORTABLE) [CUST: MD MS 03] | A 6515 | / MB | | 19-SEP-86 |
| | A-A-51657A | TRAY, INSTRUMENT, (CORROSION-RESISTING STEEL) [CUST: MD MS 03] | A 6530 | / MB | | 25-OCT-89 |
| | A-A-51658B | SODIUM HYALURONATE INJECTION [CUST: MD MS 03] | A 6505 | / MB | | 30-SEP-88 |
| | A-A-51662 | SPECIMEN TRAP, MUCUS [CUST: MD MS 03] | A 6530 | / MB | | 19-SEP-86 |
| | A-A-51663 | MINERAL OIL, DI SOPROPYL SEBACATE, AND ISOPROPYL MYRISTATE LOTION [CUST: MD MS 03] | A 6505 | / MB | | 12-SEP-86 |
| | A-A-51667 | CASSETTE, X-RAY TUBE CALIBRATION TEST [CUST: MD MS 03] | A 6525 | MB | | 26-JUN-87 |
| | A-A-51668A | DENSITOMETER [CUST: MD MS 03] | A 6525 | MB | | 31-AUG-87 |
| | A-A-51671 | INTRODUCER SET, CATHETER, PERCUTANEOUS [CUST: MD MS 03] | A 6515 | / MB | | 07-OCT-86 |
| | A-A-0051672 | AMOXICILLIN AND POTASSIUM CLAVULANATE FOR ORAL SUSPENSION [CUST: MD MS 03] | A 6505 | MB | | 16-SEP-86 |
| | A-A-51673A | VITAMIN E CAPSULES, USP [CUST: MD MS 03] | A 6505 | / MB | | 11-JUN-87 |
| | A-A-51675B | HOLDER, CLINICAL CHART ALUMINUM [CUST: MD MS 03] | A 6530 | / MB | | 24-MAR-89 |
| | A-A-51676 | CARTRIDGE, LABORATORY GAS BURNER [CUST: MD MS 03] | A 6640 | MB | | 30-JUN-87 |
| | A-A-51677 | LAMP, INCANDESCENT [CUST: MD MS 03] | A 6240 | / MB | | 22-SEP-86 |
| | A-A-51678 | FILAMENT, COMBUSTIBLE GAS INDICATOR [CUST: MD MS 03] | A 6665 | / MB | | 20-OCT-86 |
| | A-A-51679 | SPATULA, LABORATORY (HARD RUBBER) [CUST: MD MS 03] | A 6640 | / MB | | 31-MAR-87 |
| | A-A-51680 | BURNER, GAS, LABORATORY [CUST: MD MS 03] | A 6640 | / MB | | 31-MAR-87 |
| | A-A-51681 | CETYLPYRIDINIUM CHLORIDE & BENZOCAINE LOZENGES [CUST: MD MS 03] | A 6505 | / MB | | 22-SEP-86 |
| | A-A-51684A | CONTROLLER, DROP RATE, INTRAVENOUS INJECTION [CUST: MD MS 03] | A 6515 | / MB | | 21-DEC-87 |
| | A-A-51685 | BOX, MICROSCOPE SLIDE (CHIPBOARD) [CUST: MD MS 03] | A 6640 | / MB | | 10-OCT-86 |
| | A-A-51687 | STIRRING BAR SET, (MAGNETIC) [CUST: MD MS 03] | A 6640 | / MB | | 10-OCT-86 |
| | A-A-51688 | TEST TUBE [CUST: MD MS 03] | A 6640 | / MB | | 10-OCT-86 |
| | A-A-51690A | MASK, ORONASAL (PLASTIC, ELONGATED) [CUST: MD MS 03] | A 6515 | MB | | 19-FEB-88 |
| | A-A-51692 | CASE, NEEDLE & BLADE [CUST: MD MS 03] | A 6515 | / MB | | 26-SEP-86 |
| | A-A-51693A | ALCOHOL, DEHYDRATED, USP [CUST: MD MS 03] | A 6505 | / MB | | 28-JUL-89 |
| | A-A-51694 | STOPCOCK, ARTERIAL-VEINUS PRESSURE MONITORING (ONE-WAY) [CUST: MD MS 03] | A 6515 | / MB | | 29-SEP-86 |
| | A-A-51695A | RETRACTOR, RECTAL (HILL-FERGUSON) [CUST: MD MS 03] | A 6515 | MB | | 20-MAY-87 |
| | A-A-51697A | PENTAGASTRIN INJECTION [CUST: MD MS 03] | A 6505 | / MB | | 21-JUL-87 |
| | A-A-51700 | DISK, ABRASIVE (SILICON CARBIDE) [CUST: MD MS 03] | A 6520 | MB | | 27-OCT-86 |
| | A-A-51701 | MALLET, ORAL SURGERY (GARDNER, HAND TYPE) [CUST: MD MS 03] | A 6520 | / MB | | 24-NOV-86 |
| | A-A-51702A | SPECULUM, SEPTUM (COTTLE) [CUST: MD MS 03] | A 6515 | MB | | 05-JUN-87 |
| | A-A-0051703 | CONTAINER & PUMP, DENTAL (MOUTHRINSE) [CUST: MD MS 03] | A 6520 | / MB | | 13-OCT-86 |
| | A-A-51704A | DEXBROMPHENIRAMINE MALEATE & PSEUDOEPHEDRINE SULFATE TABLETS (SUSTAINED-RELEASE) [CUST: MD MS 03] | A 6505 | / MB | | 31-JUL-87 |
| | A-A-51705A | GLYBURIDE TABLETS [CUST: MD MS 03] | A 6505 | MB | | 16-JUL-87 |
| | A-A-51706A | STETHOSCOPE, ESOPHAGEAL (DISPOSABLE, 20S) [CUST: MD MS 03] | A 6515 | / MB | | 29-AUG-87 |
| | A-A-51707A | LENS, OPHTHALMIC, PLASTIC [CUST: MD MS 03] | A 6540 | / MB | | 31-AUG-93 |
| | A-A-51708 | MALLET, BONE SURGERY, STAINLESS STEEL [CUST: MD MS 03] | A 6515 | / MB | | 17-OCT-86 |
| | A-A-51709 | THERMOMETER, CLINICAL, HUMAN [CUST: MD MS 03] | A 6515 | / MB | | 31-OCT-86 |
| | A-A-51710A | ACETAMINOPHEN ORAL SOLUTION, USP, ALCOHOL FREE [CUST: MD MS 03] | A 6505 | / MB | | 13-NOV-92 |
| | A-A-51711 | VISCOMETER, CAPILLARY TYPE, CANNON-FENSKE REVERSE FLOW [CUST: MD MS 03] | A 6630 | / MB | | 16-OCT-86 |
| | A-A-51712A | TONGS, SKULL TRACTION GARDNER-WELLS [CUST: MD MS 03] | A 6515 | / MB | | 04-MAY-88 |
| | A-A-0051713 | LIDOCAINE HYDROCHLORIDE TOPICAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 22-OCT-86 |
| | A-A-0051714 | VITAMIN B COMPLEX & ASCORBIC ACID TABLETS [CUST: MD MS 03] | A 6505 | / MB | | 09-OCT-86 |
| | A-A-51715A | SULFASALAZINE TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 31-DEC-91 |
| | A-A-0051716 | IPECAC SYRUP, USP [CUST: MD MS 03] | A 6505 | / MB | | 10-OCT-86 |
| | A-A-0051717 | THEOPHYLLINE, EPHEDRINE SULFATE AND HYDROXYZINE HYDROCHLORIDE TABLETS [CUST: MD MS 03] | A 6505 | MB | | 06-OCT-86 |
| | A-A-51718A | GUAIFENESIN TABLETS, MODIFIED (SUSTAINED-RELEASE) [CUST: MD MS 03] | A 6505 | / MB | | 21-JUL-87 |
| | A-A-0051719 | MULTIVITAMIN SOLUTION FOR INJECTION [CUST: MD MS 03] | A 6505 | MB | | 24-NOV-86 |
| | A-A-51720A | CARRIER, AMALGAM [CUST: MD MS 03] | A 6520 | / MB | | 19-JUN-89 |
| | A-A-51721B | RACK, SPINAL GOUGE STERILIZATION [CUST: MD MS 03] | A 6515 | / MB | | 30-NOV-91 |
| | A-A-51723 | METER FOOTCANDLE, PHOTOELECTRIC [CUST: MD MS 03] | A 6695 | / MB | | 28-NOV-86 |
| | A-A-51724 | CARRIER, SUTURE WIRE (RUSH) [CUST: MD MS 03] | A 6515 | / MB | | 27-OCT-86 |

DODISS NUMERICAL LISTING COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | UIC | Prep. Acty. | Date |
|------------|-----------------|---|--------------------------|------|-------------|-----------|
| | A-A-51725 | MAILING CASE, LABORATORY SPECIMEN [CUST: MD MS 03] | A 6640 | / MB | | 27-OCT-86 |
| | A-A-51727 | SEALING COMPOUND, PULPCANAL, DENTAL [CUST: MD MS 03] | A 6520 | / MB | | 03-NOV-86 |
| | A-A-51729A | BANDAGE, GAUZE, (COTTON, ELASTIC, SPUN RAYON, AND POLYESTER) [CUST: MD MS 03] | A 6510 | / MB | | 15-JUN-91 |
| | A-A-51731A | IOTHALAMATE MEGLUMINE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 31-JUL-90 |
| | A-A-51733A | LAMP, INCANDESCENT [CUST: MS 03] | A 6240 | / MB | | 31-MAR-87 |
| | A-A-51734A | WRAPPER, STERILIZATION [CUST: MD MS 03] | A 6530 | / MB | | 29-APR-88 |
| | A-A-51735A | RESUSCITATOR, HAND-OPERATED (INTERMITTENT POSITIVE PRESSURE, HIGH OXYGEN CONCENTRATION CAPACITY) [CUST: MD MS 03] | A 6515 | / MB | | 17-MAY-92 |
| | A-A-0051736 | DENTAL ENGINE, BENCH TYPE, HIGH SPEED, 115 VOLTS, 60 HZ, AC [CUST: MD MS 03] | A 6520 | / MB | | 03-NOV-86 |
| | A-A-51737A | RETRACTOR, TISSUE (HIBBS) [CUST: MD MS 03] | A 6515 | / MB | | 01-JUN-88 |
| | A-A-51738 | DICHLORODIFLUOROMETHANE, TECHNICAL [CUST: MD MS 03] | A 6830 | / MB | | 29-NOV-86 |
| | A-A-51739A | RETRACTOR, UNIVERSAL, DELEE [CUST: MD MS 03] | A 6515 | / MB | | 06-JUL-88 |
| | A-A-51740A | AMINO ACIDS INJECTION [CUST: MD MS 03] | A 6505 | / MB | | 28-AUG-92 |
| | A-A-51741B | TRIAZOLAM TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 15-SEP-88 |
| | A-A-51742A | DRILL, HAND, BONE (BUNNELL) [CUST: MD MS 03] | A 6515 | / MB | | 27-JUN-88 |
| | A-A-51743A | CANISTER ASSEMBLY, SUCTION, SURGICAL [CUST: MD MS 03] | A 6515 | / MB | | 26-FEB-88 |
| | A-A-0051744 | ENALAPRIL MALEATE TABLETS [CUST: MD MS 03] | A 6505 | / MB | | 05-NOV-86 |
| | A-A-51745A | EDROPHONIUM CHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 15-JUN-93 |
| | A-A-51746A | ANTHRALIN CREAM [CUST: MD MS 03] | A 6505 | / MB | | 13-NOV-92 |
| | A-A-51748B | PHENTOLAMINE MESYLATE FOR INJECTION, USP, LYOPHILIZED [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-88 |
| | A-A-0051749 | THEOPHYLLINE CAPSULES, MODIFIED, SUSTAINED-RELEASE [CUST: MD MS 03] | A 6505 | / MB | | 20-OCT-86 |
| | A-A-51750 | BAND, MATRIX, DENTAL (CONTOURED) [CUST: MD MS 03] | A 6520 | / MB | | 02-JUN-87 |
| | A-A-51751 | WHEEL, ABRASIVE (ALUMINUM OXIDE) [CUST: MD MS 03] | A 6520 | / MB | | 31-MAR-87 |
| | A-A-51755A | CROMOLYN SODIUM INHALATION AEROSOL, ORAL [CUST: MD MS 03] | A 6505 | / MB | | 18-DEC-92 |
| | A-A-51756A | GUIDE, ANGLE (ADJUSTABLE) [CUST: MD MS 03] | A 6515 | / MB | | 15-AUG-88 |
| | A-A-51758 | CANNULA, EAR, (BARON) [CUST: MD MS 03] | A 6515 | / MB | | 24-NOV-86 |
| | A-A-51759 | CART, MEDICINE [CUST: MD MS 03] | A 6530 | / MB | | 30-JAN-87 |
| | A-A-51760 | BEDPAN [CUST: MD MS 03] | A 6530 | / MB | | 30-JAN-87 |
| | A-A-51762A | BETHANECHOL CHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 02-JUL-87 |
| | A-A-51763 | CANNULA, EAR (ROSEN) [CUST: MD MS 03] | A 6515 | / MB | | 02-DEC-86 |
| | A-A-51764A | FORCEPS, DRESSING (ADSON) [CUST: MD MS 03] | A 6515 | / MB | | 05-MAY-88 |
| | A-A-51765A | MASK, OXYGEN [CUST: MD MS 03] | A 6515 | / MB | | 25-APR-88 |
| | A-A-51766 | CATHETER & NEEDLE UNIT, INTRAVENOUS, (18 GAGE CATHETER) [CUST: MD MS 03] | A 6515 | / MB | | 04-DEC-86 |
| | A-A-51767A | PIN, GUIDE, CALIBRATED [CUST: MD MS 03] | A 6515 | / MB | | 15-AUG-88 |
| | A-A-0051768 | FLUPHENAZINE HYDROCHLORIDE ELIXIR, USP [CUST: MD MS 03] | A 6505 | / MB | | 25-NOV-86 |
| | A-A-51770 | BOTTLE, SCREW CAP, (PLASTIC) [CUST: MD MS 03] | A 6530 | / MB | | 15-DEC-86 |
| | A-A-51771 | BRACE, KNEE DRESSING [CUST: MD MS 03] | A 6515 | / MB | | 30-JAN-87 |
| | A-A-51772 | BOTTLE, SAFETY CAP (TABLET AND CAPSULE) [CUST: MD MS 03] | A 6530 | / MB | | 16-DEC-86 |
| | A-A-51774A | MEPIVACAINE HYDROCHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 15-FEB-93 |
| | A-A-51776A | NALOXONE HYDROCHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 11-JUL-88 |
| | A-A-51778A | CATHETERIZATION SET, URETHRAL [CUST: MD MS 03] | A 6515 | / MB | | 10-APR-89 |
| | A-A-51780 | SURGICAL PACK, DISPOSABLE (WOUND CLOSURE) [CUST: MD MS 03] | A 6515 | / MB | | 12-JAN-87 |
| | A-A-51781A | HOOK, TISSUE, DOUBLE PRONG (JOSEPH) [CUST: MD MS 03] | A 6515 | / MB | | 06-JUN-89 |
| | A-A-0051782 | UREA LOTION [CUST: MD MS 03] | A 6505 | / MB | | 15-APR-87 |
| | A-A-51784A | HALOPERIDOL TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 03-SEP-87 |
| | A-A-0051785 | SENNA FRUIT EXTRACT, STANDARDIZED [CUST: MD MS 03] | A 6505 | / MB | | 01-AUG-87 |
| | A-A-0051787 | ETOPOSIDE INJECTION [CUST: MD MS 03] | A 6505 | / MB | | 23-DEC-86 |
| | A-A-0051789 | GLIPIZIDE TABLETS [CUST: MD MS 03] | A 6515 | / MB | | 23-DEC-86 |
| | A-A-51790A | DISOPYRAMIDE PHOSPHATE CAPSULES, USP [CUST: MD MS 03] | A 6505 | / MB | | 01-APR-93 |
| | A-A-51791A | ALBUTEROL INHALATION AEROSOL [CUST: MD MS 03] | A 6505 | / MB | | 07-JUN-90 |
| | A-A-51792A | SIMULATOR, PATIENT [CUST: MD MS 03] | A 6515 | / MB | | 31-AUG-87 |
| | A-A-0051793 | HYPODERMIC INJECTION APPARATUS (JET, AUTOMATIC, GAS PRESSURE POWER SOURCE) [CUST: MD MS 03] | A 6515 | / MB | | 28-JAN-87 |
| | A-A-51794B | PIPET, SEROLOGICAL (KAHN) [CUST: MD MS 03] | A 6640 | / MB | | 12-OCT-90 |
| | A-A-51795B | PIPET, SEROLOGICAL (BOROSILICATE GLASS) [CUST: MD MS 03] | A 6640 | / MB | | 03-MAY-89 |
| | A-A-51796A | MICROSCOPE, OPTICAL (BINOCULAR) [CUST: MD MS 03] | A 6650 | / MB | | 22-APR-91 |
| | A-A-51797 | TIP, PIPET [CUST: MD MS 03] | A 6640 | / MB | | 22-JAN-87 |
| | A-A-51798 | PIPET TIP, BLOOD AND PLASMA COAGULATION TIMER [CUST: MD MS 03] | A 6640 | / MB | | 01-MAY-87 |
| | A-A-51799 | BASKET, TEST TUBE [CUST: MD MS 03] | A 6640 | / MB | | 21-JAN-87 |
| | A-A-51800 | BAND, CIRCLING (SILICONE) [CUST: MD MS 03] | A 6515 | / MB | | 23-JAN-87 |
| | A-A-51802A | PRESS, HYDRAULIC, OPHTHALMIC LAP [CUST: MD MS 03] | A 6540 | / MB | | 17-MAY-89 |
| | A-A-51803 | FILLER, PIPET (RUBBER) [CUST: MD MS 03] | A 6640 | / MB | | 17-MAR-87 |
| | A-A-51804 | FORCEPS, EYE, SUTURE, ANGULAR [CUST: MD MS 03] | A 6515 | / MB | | 30-JAN-87 |
| | A-A-51805 | SLEEVE, CIRCLE BAND (SILICONE) [CUST: MD MS 03] | A 6515 | / MB | | 30-JAN-87 |
| | A-A-51807A | AMINO ACID AND UREA CERVICAL CREAM [CUST: MD MS 03] | A 6505 | / MB | | 21-AUG-92 |
| | A-A-0051808 | ELECTROLYTE SOLUTION, ORAL [CUST: MD MS 03] | A 6505 | / MB | | 13-JAN-87 |
| | A-A-51810 | TIMER, INTERVAL [CUST: MD MS 03] | A 6645 | / MB | | 04-FEB-87 |
| | A-A-51811A | CARTRIDGE EXTRACTION ASSEMBLY, SAMPLE PROCESSOR [CUST: MD MS 03] | A 6630 | / MB | | 19-AUG-87 |
| | A-A-51812A | FORCEPS, EYE, SUTURE [CUST: MD MS 03] | A 6515 | / MB | | 20-FEB-89 |
| | A-A-51813A | AMIODARONE HYDROCHLORIDE TABLETS [CUST: MD MS 03] | A 6505 | / MB | | 28-AUG-92 |
| | A-A-0051815 | VITAMIN E SOLUTION, WATER-MISCIBLE [CUST: MD MS 03] | A 6505 | / MB | | 28-JAN-87 |
| | A-A-0051816A | POLYETHYLENE GLYCOL AND ELECTROLYTES FOR ORAL SOLUTION [CUST: MD MS 03] | A 6505 | / MB | | 16-FEB-88 |
| | A-A-51817A | AMCINONIDE OINTMENT, USP [CUST: MD MS 03] | A 6505 | / MB | | 28-AUG-92 |
| | A-A-51818A | CEPHALOTHIN SODIUM FOR INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 16-MAR-90 |
| | A-A-51821 | FILIFORM, URETHRAL [CUST: MD MS 03] | A 6515 | / MB | | 11-FEB-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-----------------|---|--------------------------|-----|-------------|-----------|
| A-A-51822A | CYLINDER, GRADUATED, LABORATORY [CUST: EA MS 99] | A 6640 | / | MB | 20-JUL-87 |
| A-A-51823A | TUBE, CENTRIFUGAL HEMATOLOGY [CUST: MD MS 03] | A 6630 | | MB | 03-FEB-88 |
| A-A-51825A | FORCEPS, HEMOSTATIC CLIP APPLYING, MEDIUM, SERRATED JAWS, ANGLED [CUST: MD MS 03] | A 6515 | / | MB | 08-JUN-89 |
| A-A-51828A | METOCLOPRAMIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-JAN-91 |
| A-A-51829A | FORCEPS, TENDON-DILATION, STRAIGHT [CUST: MD MS 03] | A 6515 | / | MB | 22-JAN-93 |
| A-A-51830 | ADAPTER, EAR CANNULA TO TUBING (.HOUGH) [CUST: MD MS 03] | A 6515 | / | MB | 18-FEB-87 |
| A-A-51831A | FORCEPS, COAGULATION (MALIS) [CUST: MD OS 03] | A 6515 | / | MB | 02-FEB-90 |
| A-A-51832 | BANDAGE, ADHESIVE [CUST: MD MS 03] | A 6510 | / | MB | 13-MAY-87 |
| A-A-51833 | IBUPROFEN TABLETS, USP [CUST: MD MS 03] | A 6505 | | MB | 23-JUL-87 |
| A-A-51834A | ALBUMIN HUMAN, USP, HEAT TREATED [CUST: MD MS 03] | A 6505 | / | MB | 30-MAY-89 |
| A-A-51835A | CYCLOPHOSHAMIDE FOR INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-NOV-89 |
| A-A-51836A | FORCEPS, EYE SUTURE, STRAIGHT, TWEEZERS-TYPE (CASTROVIEJO) [CUST: MD MS 03] | A 6515 | / | MB | 13-FEB-89 |
| A-A-0051837 | DRAPE, SURGICAL [CUST: MD MS 03] | A 6530 | | MB | 20-FEB-87 |
| A-A-51838 | STRIP ASSORTMENT, ABRASIVE, DENTAL (ALUMINUM OXIDE, METAL BACKED) [CUST: MD MS 03] | A 6520 | | MB | 09-MAR-87 |
| A-A-51839A | CLAMP, ARTERY, (GLOVER) [CUST: MD MS 03] | A 6515 | / | MB | 16-FEB-89 |
| A-A-51840A | SCISSORS, EAR, SERRATED (JOSEPH) [CUST: MD MS 03] | A 6515 | / | MB | 06-JUN-89 |
| A-A-51841 | RULER, ENDODNTIC INSTRUMENT (FINGER RING, RIGHT HANDED) [CUST: MD MS 03] | A 6520 | | MB | 13-APR-87 |
| A-A-51843A | FORCEPS, FIXATION (LESTER) [CUST: MD MS 03] | A 6515 | / | MB | 10-OCT-89 |
| A-A-51844 | ENVELOPE, STERILIZATION [CUST: MD MS 03] | A 6530 | / | MB | 31-MAR-87 |
| A-A-51845 | CABINET, ELECTROCARDIOGRAPH [CUST: MD MS 03] | A 6530 | | MB | 31-MAR-87 |
| A-A-51846 | HEADBAND, HEADLIGHT [CUST: MD MS 03] | A 6515 | | MB | 31-MAR-87 |
| A-A-51847B | INDICATOR, STERILIZATION [CUST: MD MS 03] | A 6530 | / | MB | 19-MAR-93 |
| A-A-51848A | FORCEPS, ELECTROCOAGULATION, BIPOLAR, 6 INCH (MALIS) [CUST: MD MS 03] | A 6515 | / | MB | 21-FEB-89 |
| A-A-51849A | ELEVATOR AND RETRACTOR, BONE (BENNETT DESIGN) [CUST: MD MS 03] | A 6515 | / | MB | 08-MAR-89 |
| A-A-51850 | DILATOR, VASCULAR, STERILE [CUST: MD MS 03] | A 6515 | | MB | 04-MAR-87 |
| A-A-51851A | NEEDLE, HYPODERMIC DISPOSABLE 30 GAGE BY 1/2 INCH (1.3 CM) [CUST: MD MS 03] | A 6515 | / | MB | 14-MAY-90 |
| A-A-51852A | ADAPTER, AUTOMATIC RETRACTOR HOLDER [CUST: MD MS 03] | A 6515 | / | MB | 27-JUN-88 |
| A-A-51853A | EPINEPHRINE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-FEB-90 |
| A-A-0051855 | VITAMIN A AND VITAMIN D OINTMENT [CUST: MD MS 03] | A 6505 | | MB | 17-FEB-87 |
| A-A-51856A | SPONGE, SURGICAL, (NONWOVEN SYNTHETIC FIBER, SPEAR SHAPED) [CUST: MD MS 03] | A 6510 | | MB | 01-MAR-88 |
| A-A-0051857 | VITAMIN B COMPLEX AND ASCORBIC ACID CAPSULES [CUST: MD MS 03] | A 6505 | | MB | 18-FEB-87 |
| A-A-0051858 | CASE, MEDICAL, SHIPPING AND STORAGE, POLYETHYLENE, RIGID [CUST: MD MS 03] | A 6545 | | MB | 17-MAR-87 |
| A-A-51859A | FORCEPS, HEMOSTATIC CLIP APPLYING, LARGE, SERRATED JAWS, ANGLED [CUST: MD MS 03] | A 6515 | / | MB | 01-JUN-89 |
| A-A-51860A | PARTITION, MEDICAL CASE [CUST: MD MS 03] | A 6515 | | MB | 16-DEC-87 |
| A-A-51862A | GUIDE WIRE, VEIN CATHETERIZATION [CUST: MD MS 03] | A 6515 | / | MB | 18-AUG-88 |
| A-A-51863A | HOOK, DURA (DANDY) [CUST: MD MS 03] | A 6515 | / | MB | 02-MAY-89 |
| A-A-51865A | SPONGE, SURGICAL, (NONWOVEN SYNTHETIC FIBER, SPEAR-SHAPED) [CUST: MD MS 03] | A 6510 | | MB | 01-MAR-88 |
| A-A-51867A | ELECTROSURGICAL APPARATUS [CUST: MD MS 03] | A 6515 | / | MB | 12-JUL-91 |
| A-A-51868 | TABLE, OPHTHALMIC INSTRUMENT, ADJUSTABLE [CUST: MD MS 03] | A 6540 | | MB | 20-MAR-87 |
| A-A-0051869 | HALCINONIDE SOLUTION [CUST: MD MS 03] | A 6505 | | MB | 09-MAR-87 |
| A-A-51872 | SUTURE, ABSORBABLE, SURGICAL (POLYGLYCOLIC ACID) [CUST: MD MS 03] | A 6515 | | MB | 18-MAR-87 |
| A-A-51875A | HOLDER, SUTURE NEEDLE, DELICATE JAWS [CUST: MD MS 03] | A 6515 | / | MB | 05-JUN-89 |
| A-A-51876A | FORCEPS, THORACIC (HARRINGTON) [CUST: MD MS 03] | A 6515 | / | MB | 08-MAY-89 |
| A-A-0051877 | BLADE, SURGICAL KNIFE [CUST: MD MS 03] | A 6515 | | MB | 06-APR-87 |
| A-A-0051878 | RANITIDINE HYDROCHLORIDE INJECTION [CUST: MD MS 03] | A 6505 | | MB | 12-MAR-87 |
| A-A-51879A | TUBE, CENTRIFUGAL HEMATOLOGY [CUST: MD MS 03] | A 6630 | | MB | 02-FEB-88 |
| A-A-51881A | HOLDER, SUTURE NEEDLE (TROUTMAN) [CUST: MD MS 03] | A 6515 | / | MB | 10-JUL-89 |
| A-A-51882A | HOLDER, SUTURE NEEDLE, (BARRAQUER) [CUST: MD MS 03] | A 6515 | / | MB | 11-OCT-89 |
| A-A-51884 | CATHETER, CHOLANGIOGRAM (PLASTIC) [CUST: MD MS 03] | A 6515 | | MB | 23-MAR-87 |
| A-A-51885 | DRAIN, SURGICAL (RUBBER, MUSHROOM TIP, PEZZER) [CUST: MD MS 03] | A 6515 | | MB | 23-MAR-87 |
| A-A-51886 | INTRAVENOUS INJECTION SET, (WITH FLEXIBLE DRIP CHAMBER, NON VENTED, ADULT, WITHOUT NEEDLE, DISPOSABLE) [CUST: MD MS 03] | A 6515 | | MB | 24-MAR-87 |
| A-A-51887 | NEEDLE, HYPODERMIC, (BLOOD COLLECTING, MULTILE SAMPLE [CUST: MD MS 03] | A 6515 | / | MB | 24-MAR-87 |
| A-A-51888 | RETRACTOS, HIP JOINT (AUFRANC COBRA) [CUST: MD MS 03] | A 6515 | | MB | 19-FEB-88 |
| A-A-51889 | WAX, DENTAL (INLAY) [CUST: MD MS 03] | A 6520 | | MB | 06-APR-87 |
| A-A-51890 | LAMP, HEADLIGHT, SURGICAL [CUST: MD MS 03] | A 6515 | | MB | 17-APR-87 |
| A-A-51895A | BAGS, WASTE RECEPTACLE [CUST: MD MS 03] | A 8105 | / | MB | 24-JUL-92 |
| A-A-51896 | PLATFORM, EXERCISE MAT, PHYSICAL THERAPY [CUST: MD MS 03] | A 6530 | | MB | 24-APR-87 |
| A-A-51897 | TRAY, INSTRUMENT [CUST: MD MS 03] | A 6530 | / | MB | 24-APR-87 |
| A-A-51898 | STORAGE UNIT, PHARMACEUTICALS [CUST: MD MS 03] | A 6530 | | MB | 24-APR-87 |
| A-A-51899 | PAPER, ELECTROENCEPHALOGRAPH RECORDING [CUST: MD MS 03] | A 6515 | | MB | 24-APR-87 |
| A-A-51900 | RETRACTOR, ABDOMINAL (LEMMON, EXTRA DEEP, DEEVER. 9-1/2 INCH BLADE) [CUST: MD MS 03] | A 6515 | | MB | 17-SEP-87 |
| A-A-51901 | MAGNIFIER [CUST: MD MS 03] | A 6650 | | MB | 30-MAR-87 |
| A-A-51902 | MAGNIFIER [CUST: MD MS 03] | A 6650 | / | MB | 30-MAR-87 |
| A-A-0051903 | SPLINT, NASAL (LARGE, BROWN) [CUST: MD MS 03] | A 6515 | | MB | 13-APR-87 |
| A-A-51905A | SPECULUM, EYE, LANCASTER, NON-MAGNETIC, 3 INCH [CUST: MD MS 03] | A 6515 | / | MB | 17-MAY-89 |
| A-A-51906A | TUBE, INHALER [CUST: MD MS 03] | A 6515 | / | MB | 31-AUG-90 |
| A-A-51907A | SPECTACLES, PROTECTIVE, DENTAL PATIENT, CLEAR LENSES [CUST: MD MS 03] | A 6520 | | MB | 01-DEC-87 |
| A-A-51908A | FORCEPS, ENDOSCOPIC, (LARGE, FORWARD GRASPING, JACKSON) [CUST: MD MS 03] | A 6515 | / | MB | 14-FEB-89 |
| A-A-51909A | FORCEPS, ENDOSCOPIC (ALLIGATOR, GRASPING, JACKSON) [CUST: MD MS 03] | A 6515 | / | MB | 14-FEB-89 |
| A-A-0051910 | GLOBULIN, RHO(D) IMMUNE [CUST: MD MS 03] | A 6505 | | MB | 30-MAR-87 |
| A-A-0051911 | DIETHYLPROPION HYDROCHLORIDE TABLETS, MODIFID [CUST: MD MS 03] | A 6505 | | MB | 30-MAR-87 |
| A-A-0051913 | ANTISEPTIC-ANESTHETIC SOLUTION, PHENOLATED [CUST: MD MS 03] | A 6505 | / | MB | 26-MAR-87 |
| A-A-0051914 | OPHTHALMIC IRRIGATING SOLUTION [CUST: MD MS 03] | A 6505 | | MB | 20-MAR-87 |
| A-A-51915A | TESTER, DEFIBRILLATOR ENERGY [CUST: MD MS 03] | A 6625 | / | MB | 29-APR-88 |

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prop. Acty. | Date |
|------------|-----------------|--|--------------------------|-----|-------------|-----------|
| | A-A-51916A | FORCEPS, COAGULATION (GERALD) [CUST: MD MS 03] | A 6515 | / | MB | 19-MAY-89 |
| | A-A-51917A | FORCEPS, SEPTUM, JANSEN-MIDDLETON, SMALL, THROUGH CUTTING [CUST: MD MS 03] | A 6515 | / | MB | 19-MAY-89 |
| | A-A-51918A | ELEVATOR, EAR (LEMPERT) [CUST: MD MS 03] | A 6515 | / | MB | 13-FEB-89 |
| | A-A-51919 | SLIDE MICROSCOPE (PLAIN, FROSTED END) [CUST: MD MS 03] | A 6640 | | MB | 10-APR-87 |
| | A-A-51920A | FORCEPS, TISSUE, BISHOP-HARMON, STRAIGHT [CUST: MD MS 03] | A 6515 | / | MB | 12-JUN-89 |
| | A-A-51922A | DIAPHRAGM, VAGINAL (ARCING) [CUST: MD MS 03] | A 6515 | / | MB | 06-APR-92 |
| | A-A-51923 | SHEETING, IMPLANT AND FABRICATION, (SILICONERUBBER) [CUST: MD MS 03] | A 6515 | | MB | 08-APR-87 |
| | A-A-51924A | MILK OF MAGNESIA, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-SEP-92 |
| | A-A-51925A | CHIGGER REPELLENT AND ANTIPRURITIC LOTION [CUST: MD MS 03] | A 6505 | / | MB | 26-SEP-88 |
| | A-A-51926A | DIPHENHYDRAMINE HYDROCHLORIDE CAPSULES, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-NOV-89 |
| | A-A-51927A | BUTOCONAZOLE NITRATE CREAM, VAGINAL [CUST: MD MS 03] | A 6505 | / | MB | 18-DEC-92 |
| | A-A-0051928 | TRIAMCINOLONE ACETONIDE INHALATION AEROSOL [CUST: MD MS 03] | A 6505 | | MB | 06-APR-87 |
| | A-A-51931A | FORCEPS, MAXILLARY DISIMPACTION, ROWE'S DESIGN [CUST: MD MS 03] | A 6515 | / | MB | 18-DEC-92 |
| | A-A-0051934 | NITROGLYCERIN TRANSDERMAL SYSTEM, MICROSEALED [CUST: MD MS 03] | A 6505 | | MB | 10-APR-87 |
| | A-A-51936A | ALLOPURINOL TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-MAY-89 |
| | A-A-51937A | NITROGLYCERIN LINGUAL AEROSOL [CUST: MD MS 03] | A 6505 | / | MB | 22-APR-94 |
| | A-A-51938A | CASSETTE, RADIOGRAPHIC FILM (LIGHTWEIGHT) [CUST: MD MS 03] | A 6525 | / | MB | 10-SEP-90 |
| | A-A-51939 | MONITOR, TRI-GAS [CUST: MD MS 03] | A 6665 | | MB | 24-APR-87 |
| | A-A-51940A | RETRACTOR, ORAL (OBWEGESER, 14 BY 70 MM CURVED DOWNWARD) [CUST: MD MS 03] | A 6520 | / | MB | 13-NOV-89 |
| | A-A-51941A | POSITIONING SET, SURGICAL [CUST: MD MS 03] | A 6530 | / | MB | 23-JUL-93 |
| | A-A-51942A | FORCEPS, THORACIC, CURVED, MIXTER [CUST: MD MS 03] | A 6515 | / | MB | 06-JUN-89 |
| | A-A-51943A | ELEVATOR, EAR (SMALL, LEMPERT) [CUST: MD MS 03] | A 6515 | / | MB | 16-FEB-89 |
| | A-A-51945 | ELECTROCARDIOGRAPH (ECG) [CUST: MD MS 03] | A 6515 | / | MB | 31-JUL-90 |
| | A-A-51946A | GAUZE, ABSORBENT (PACKING STRIPS) [CUST: MD MS 03] | A 6510 | / | MB | 26-AUG-87 |
| | A-A-0051949 | LEVONORGESTREL & ETHINYL ESTRADIOL TABLETS, USP, TRIPHASIC, 845 [CUST: MD MS 03] | A 6505 | | MB | 09-APR-87 |
| | A-A-51950A | GAUZE, OIL EMULSION IMPREGNATED [CUST: MD MS 03] | A 6510 | / | MB | 29-AUG-88 |
| | A-A-51951 | TIRE, RETINAL IMPLANT, (SILICONE) [CUST: MD MS 03] | A 6515 | | MB | 28-APR-87 |
| | A-A-51953 | APRON, X-RAY PROTECTIVE (DENTAL PATIENT) [CUST: MD MS 03] | A 6532 | | MB | 29-MAY-87 |
| | A-A-51954A | CURETTE, BONE (BRUN) [CUST: MD MS 03] | A 6515 | / | MB | 06-FEB-89 |
| | A-A-51955A | ELEVATOR, EAR (LAMPERT, NARROW) [CUST: MD MS 03] | A 6515 | / | MB | 13-FEB-89 |
| | A-A-51956A | BUTALBITAL, ASPIRIN AND CAFFEINE CAPSULES [CUST: MD MS 03] | A 6505 | / | MB | 18-DEC-92 |
| | A-A-51957A | MINERAL INJECTION, TRACE ELEMENTS [CUST: MD MS 03] | A 6505 | / | MB | 12-AUG-88 |
| | A-A-0051958 | GLOBULIN, IMMUNE FOR INJECTION, HUMAN, DRIED [CUST: MD MS 03] | A 6505 | | MB | 27-APR-87 |
| | A-A-0051960 | INTRAVENOUS INJECTION SET (NON-VENTED, WITH METERING CHAMBER) [CUST: MD MS 03] | A 6515 | | MB | 01-MAY-87 |
| | A-A-51961A | TUBE, STOMACH, SURGICAL (LEVIN) [CUST: MD MS 03] | A 6515 | / | MB | 21-AUG-92 |
| | A-A-51962 | BURNER, ALCOHOL (DENTAL) [CUST: MD MS 03] | A 6640 | / | MB | 11-MAY-87 |
| | A-A-51963 | WEIGHT, BLOOD BAG, WATER BATH (LEAD) [CUST: MD MS 03] | A 6640 | | MB | 11-MAY-87 |
| | A-A-51964 | OXYGEN ABSORBENT, CHEMICAL, SEEZ 02 [CUST: EA MS 99] | A 6630 | | MB | 15-MAY-87 |
| | A-A-0051966 | CONTROL, SPINAL FLUID, ASSAYED [CUST: MD MS 03] | A 6550 | / | MB | 28-APR-87 |
| | A-A-51967A | APPLICATOR, ACETONE-ALCOHOL IMPREGNATED [CUST: MD MS 03] | A 6510 | / | MB | 01-APR-88 |
| | A-A-51968A | BULB, PIPET, BACTERIOLOGICAL (RUBBER) [CUST: MD MS 03] | A 6640 | / | MB | 14-SEP-87 |
| | A-A-51969 | PRESSURE INDICATING COMPOUND AND BRUSH, DENTAL [CUST: MD MS 03] | A 6520 | | MB | 02-JUN-87 |
| | A-A-51970 | STONE, SHARPENING [CUST: MD MS 03] | A 6520 | | MB | 15-JUN-87 |
| | A-A-51971A | BROMPHENIRAMINE MALEATE AND PHENYLPROPANOLAMINE HYDROCHLORIDE TABLETS, EXTENDED RELEASE [CUST: MD MS 03] | A 6505 | / | MB | 18-DEC-92 |
| | A-A-51972A | CHLORAMPHENICOL OPHTHALMIC OINTMENT, USP [CUST: MD MS 03] | A 6505 | / | MB | 18-DEC-92 |
| | A-A-0051973 | POTASSIUM CHLORIDE EXTENDED-RELEASE CAPSULES, USP [CUST: MD MS 03] | A 6505 | | MB | 27-APR-87 |
| | A-A-51974A | TRANSFER SET, INTRAVENOUS SOLUTION (NON-VENTED, 27 INCHES) [CUST: MD MS 03] | A 6515 | / | MB | 05-MAY-89 |
| | A-A-51975 | LIGHT, HEAD, SURGICAL [CUST: MD MS 03] | A 6515 | | MB | 26-JUN-87 |
| | A-A-51976A | DIAPER, INFANT'S [CUST: MD MS 03] | A 6532 | / | MB | 15-OCT-92 |
| | A-A-51977 | CANNULA SET, LACHRYMAL [CUST: MD MS 03] | A 6515 | | MB | 19-MAY-87 |
| | A-A-51978 | CATHETER AND NEEDLE UNIT, INTRAVENOUS (20 GAGE) [CUST: MD MS 03] | A 6515 | | MB | 20-MAY-87 |
| | A-A-51979 | CONE, FELT (DENTAL GRINDING AND POLISHING MACHINE) [CUST: MD MS 03] | A 6520 | | MB | 09-JUN-87 |
| | A-A-0051980 | OINTMENT BASE, WASHABLE [CUST: MD MS 03] | A 6505 | | MB | 28-MAY-87 |
| | A-A-51983 | SPECULUM, EAR (BOUCHERON) [CUST: MD MS 03] | A 6515 | | MB | 22-MAY-87 |
| | A-A-51984 | TABLE, TREATMENT [CUST: MD MS 03] | A 6530 | | MB | 26-JUN-87 |
| | A-A-51985 | APRON, X-RAY PROTECTIVE [CUST: MD MS 03] | A 6532 | | MB | 26-JUN-87 |
| | A-A-51986A | HANDLE, ELECTRODE, ELECTROSURGERY [CUST: MD MS 03] | A 6515 | / | MB | 12-AUG-88 |
| | A-A-51987A | TABLE, OPERATING, ORTHOPEDIC (HAND) [CUST: MD MS 03] | A 6530 | / | MB | 04-JUN-93 |
| | A-A-51988 | STOOL, REVOLVING [CUST: MD MS 03] | A 6530 | | MB | 26-JUN-87 |
| | A-A-51989 | INDICATOR, STERILIZATION [CUST: MD MS 03] | A 6530 | | MB | 26-JUN-87 |
| | A-A-51990A | SYRINGE, CARTRIDGE (MEDICAL, PLASTIC) [CUST: MD MS 03] | A 6515 | / | MB | 04-MAY-89 |
| | A-A-51991 | SCOOP, GALLSTONE (DOUBLE-ENDED, MAYO) [CUST: MD MS 03] | A 6515 | | MB | 21-MAY-87 |
| | A-A-51994A | TESTER, PULP, CANAL [CUST: MD MS 03] | A 6520 | / | MB | 12-JUN-89 |
| | A-A-51995 | INFUSOR, PRESSURE, BLOOD COLLECTING-DISPENSING BAG [CUST: MD MS 03] | A 6515 | | MB | 04-JUN-87 |
| | A-A-51996 | ESOPHAGOSCOPE (FIBER OPTIC HOLINGER) [CUST: MD MS 03] | A 6515 | | MB | 04-JUN-87 |
| | A-A-51997 | MANDREL, DENTAL HANDPIECE, NO. 303 [CUST: MD MS 03] | A 6520 | | MB | 22-JUN-87 |
| | A-A-51998 | MANDREL, DENTAL HANDPIECE, NO. 303-1/2 [CUST: MD MS 03] | A 6520 | | MB | 22-JUN-87 |
| | A-A-51999 | MANDREL, DENTAL HANDPIECE, NO. X350 [CUST: MD MS 03] | A 6520 | | MB | 22-JUN-87 |
| | A-A-52001 NOT 1 | PLANETABLES, SURVEYING, WITH TRIPOD AND CARRYING CASE [CUST: CE YD1 99] [REVIEW: 82 CG MC] | A 6675 | / | GS | 25-JUN-93 |
| | A-A-52002 NOT 1 | LEVEL, CIRCULAR, ROD [CUST: CE GS] | A 6675 | / | GS | 25-JUN-93 |
| | A-A-52003 NOT 1 | MEASURER, MAP [CUST: CE 99] [REVIEW: 82 MC] | A 6675 | / | GS | 25-JUN-93 |
| | A-A-52004 NOT 1 | RODS SET, LEVEL [CUST: CE MC 99] [REVIEW: 82] | A 6675 | / | GS | 25-JUN-93 |
| | A-A-52005 NOT 1 | ALTIMETER/BAROMETER, POCKET SIZE, WITH CASE [CUST: CE YD1 99] [REVIEW: 84 MC] | A 6675 | / | GS | 25-JUN-93 |
| | A-A-52006 | PLOTTER, PEN, DIGITAL [CUST: YD1 99] | A 6675 | / | CE | 29-MAR-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | A-A-52008 | CUTTING EDGES, MOLDBOARD, GRADER [CUST: AT CC] | A 3805 | / | CC | 17-AUG-88 |
| A | A-A-52009 | SURVEYOR'S TOOL POUCH [CUST: CE GS FSS] | A 5210 | / | FSS | 11-AUG-89 |
| | A-A-52012 | OUTBOARD MOTOR, GASOLINE [CUST: AV SH] [REVIEW: CR MC] | A 2805 | / | AV | 15-AUG-89 |
| A | A-A-52014A | HARROW, DISK TYPE, TANDEM [CUST: AT YD1 99] [REVIEW: 84] | A 3830 | / | AT | 06-MAR-96 |
| | A-A-52015 | TAGLINES, CRANE, SPRING-LOADED, REEL TYPE [CUST: AT 99] [REVIEW: CC CE] | A 3815 | / | AT | 09-JAN-90 |
| | A-A-52017 | COMPRESSOR UNIT: DIESEL-ENGINE-DRIVEN, 450-650 CFM, 350 PSI, WHEEL-MOUNTED [CUST: AT] | A 4310 | / | AT | 12-JAN-90 |
| | A-A-52018A | SANDER, FLOOR: POWER DRIVEN, PORTABLE [CUST: AT] [REVIEW: GS] | A 3220 | / | AT | 06-JAN-91 |
| | A-A-52021 | SCALE, BEAM INDICATING; WEIGHING SENSITIVE TO 1 GRAM [CUST: CE 99] [REVIEW: 82 GL SM YD1] | A 6670 | / | GS | 10-MAY-91 |
| | A-A-52022 | REPAIR OUTFIT, COLLAPSIBLE TANKS AND DRUMS (ROCTAD) [CUST: AT 99] [REVIEW: 82 CC GS MC] | A 5430 | / | AT | 14-JAN-91 |
| | A-A-52023 | TARGET SET, SURVEYING [CUST: CE 99] [REVIEW: 82] | A 6675 | / | GS | 19-FEB-91 |
| | A-A-52024 | COMPASS, MAGNETIC: SURVEYOR'S AND TRANSIT, POCKET; WITH OPTIONAL BALL AND SOCKET JOINT OR BALL AND SOCKET HEAD, AND JACOB'S STAFF [CUST: CE 99] [REVIEW: 82] | A 6675 | / | GS | 12-MAR-91 |
| | A-A-52025 | LEVELS, SURVEYING: ABNEY TYPE [CUST: CE YD1] [REVIEW: CE MC] | A 6675 | / | GS | 04-FEB-91 |
| | A-A-52026 | PUMPS, CENTRIFUGAL: SUMP, PNEUMATIC-MOTOR-DRIVEN, 210 GPM AT 25 FOOT TOTAL HEAD [CUST: AT 99] [REVIEW: 84 MC] | A 4320 | / | AT | 10-MAY-91 |
| | A-A-52027 | PUMPING UNIT, FRAME MOUNTED, 1-1/2 INCH, ELECTRIC MOTOR DRIVEN, 35 GPM AT 25 FEET TOTAL HEAD [CUST: AT] | A 4320 | / | AT | 26-FEB-91 |
| | A-A-52028 | DRAIN, FLOOR, CAST-IRON [CUST: AT 99] [REVIEW: 84 CC] | A 4510 | / | AT | 21-JUN-91 |
| | A-A-52029 | CONTAINER, CARGO, SIDE OPENING [CUST: AT] | A 8115 | / | AT | 09-MAY-91 |
| | A-A-52030 | NOZZLES, FUEL AND OIL SERVICING, NONAUTOMATIC SHUTOFF AND NOZZLES, FUEL SERVICING, AUTOMATIC SHUTOFF [CUST: AT YD1] [REVIEW: 82 AV CE GC MC] | A 4930 | / | CC | 09-MAY-91 |
| | A-A-52031 | DRAWING BOARD, ILLUMINATED, PORTABLE [CUST: CE GS] [REVIEW: MC] | A 6675 | / | GS | 15-MAY-91 |
| | A-A-52032A | CONTAINER, CARGO, END OPENING [CUST: AT] | A 8115 | / | AT | 10-FEB-94 |
| | A-A-52033 | CONTAINER, CARGO, HALF HEIGHT [CUST: AT] | A 8115 | / | AT | 29-MAY-91 |
| | A-A-52034A | DRAFTING INSTRUMENT SETS AND DRAFTING INSTRUMENTS [CUST: CE 99] [REVIEW: MC YD1] | A 6675 | / | GS | 13-FEB-92 |
| | A-A-52035 | PROTRACTOR, ONE ARM: SEMICIRCULAR (CORROSION-RESISTANT ALLOY, WITH CASE) [CUST: CE 99] [REVIEW: MC YD1] | A 6675 | / | GS | 13-DEC-91 |
| | A-A-52036 | LEVELS, SURVEYING, SELF-LEVELING AND TILTING [CUST: CE 99] [REVIEW: GS MC YD1] | A 6675 | / | CE | 01-MAY-92 |
| | A-A-52037 | STENCIL SET, MARKING: MANILA BOUND: CONSISTING OF LETTERS, NUMBERS, AND TRAFFIC SIGNS [CUST: CE YD1 99] [REVIEW: GS MC] | A 7520 | / | CE | 28-APR-92 |
| | A-A-52038 | PUMP ASSEMBLY, CENTRIFUGAL, WATER, DIESEL-ENGINE-DRIVEN, 3-INCH, SKID-MOUNTED, 200 GPM AT 300 FEET [CUST: AT] | A 4320 | / | AT | 25-OCT-91 |
| | A-A-52039B | LUBRICATING OIL, AUTOMOTIVE ENGINE, API SERVICE SH [CUST: AT SH 68] [REVIEW: 11 AS CD GS MC MD] OS PS SA SM YD1] | A 9150 | / | AT | 15-SEP-95 |
| | A-A-52040 | STEREOSCOPIES, LENS, AERIAL PHOTOGRAPH INTERPRETATION (POCKET) [CUST: CE GS] | A 6675 | / | GS | 06-JAN-92 |
| | A-A-52041 | CASE, COMPUTER SUPPLIES, CARRYING [CUST: AV] [REVIEW: GS] | A 6675 | / | AV | 19-MAR-92 |
| | A-A-52042 | SCALE, PLOTTING COORDINATE: PLASTIC, GRADUATED IN YARDS AND METERS IN 1:25000 AND 1:50000 SCALES [CUST: CE GS] [REVIEW: AS MC OS YD1] | A 6675 | / | GS | 12-MAR-92 |
| | A-A-52043 | PARALLEL RULERS (ROLLING) [CUST: CE SH 99] | A 6675 | / | GS | 11-MAR-92 |
| | A-A-52044 | POLE, RANGE, METAL, WITH CASE [CUST: CE GS] [REVIEW: MC] | A 6675 | / | GS | 03-JAN-92 |
| | A-A-52045 | TENSION HANDLE, STEEL MEASURING TAPE, SURVEYOR'S [CUST: CE 99] | A 6675 | / | GS | 07-JAN-92 |
| | A-A-52046 | ARROW SETS, SURVEYING [CUST: CE YD1 99] [REVIEW: MC] | A 6675 | / | GS | 09-JAN-92 |
| | A-A-52047A | TUBING, NONMETALLIC (RUBBER AND PLASTIC) [CUST: AT YD1 99] [REVIEW: 82] | A 4720 | / | CC | 01-JUN-96 |
| | A-A-52048 | THERMOMETER, SELF-INDICATING, LIQUID-IN-GLASS POCKET TYPE [CUST: CE] [REVIEW: GS] | A 6685 | / | CE | 12-MAR-92 |
| | A-A-52049 | TRIPOD, SURVEYING: FOR RANGE POLE [CUST: CE YD1] [REVIEW: MC] | A 6675 | / | GS | 16-JAN-92 |
| | A-A-52050 | PROTRACTORS, SEMICIRCULAR, PLASTIC, GRADUATED IN MILS, YARDS, METERS, AND INCHES [CUST: CE 99] [REVIEW: AR MC] | A 6675 | / | GS | 24-JAN-92 |
| | A-A-52051 | BINDING, SKI, ALPINE AND CROSS COUNTRY, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) [CUST: GL 99 CT] [REVIEW: 31 45 82] | A 8465 | / | CT | 12-OCT-89 |
| | A-A-52053 | SAWS, BAND, MEAT CUTTING [CUST: GL 99 IS] [REVIEW: 84 MC MD] | A 7320 | / | IS | 05-OCT-89 |
| | A-A-52054 | MIXING MACHINES, FOOD, ELECTRIC, (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) [CUST: GL YD1 99 IS] [REVIEW: 84 MC MD SA] | A 7320 | / | IS | 29-SEP-89 |
| | A-A-52055 | GLOVES, MEN'S AND WOMEN'S, LEATHER, LIGHT DUTY [CUST: GL NU 99 CT] [REVIEW: 11 45 82 MC MD] | A 8415 | / | CT | 05-DEC-89 |
| | A-A-52056 | TWINE, FIBROUS, LINE, (WAXED AND BLOCKING) [CUST: GL IS] [REVIEW: AR AV CR CR4 MD] | A 4020 | / | IS | 09-APR-90 |
| | A-A-52057 | REFRIGERATED BASE, SELF-CONTAINED, DRAWER TYPE [CUST: GL SA 99 IS] [REVIEW: 50 82 CE MC MD] | A 4110 | / | IS | 19-JAN-90 |
| A | A-A-52058 | OVEN, WARMING, FOOD, PASS-THROUGH, ELECTRIC [CUST: GL SA 99 IS] [REVIEW: 50 84 CE MC MD] | A 7310 | / | IS | 19-JAN-90 |
| A | A-A-52059 | DISPENSER, BEVERAGE, MECHANICALLY COOLED, ICE/CARBONATED DRINK, COUNTERTOP [CUST: GL SA 99 IS] [REVIEW: 50 84 CE MC MD] | A 7310 | / | IS | 19-JAN-90 |
| A | A-A-52060 | COLD FOOD COUNTER, DROP-IN, MECHANICALLY REFRIGERATED [CUST: GL SA 99 IS] [REVIEW: MC MD YD1] | A 7310 | / | IS | 22-JAN-90 |
| | A-A-52061 | DISPENSER, CUPS, CUP LIDS, AND DRINKING STRAWS [CUST: GL SA 99 IS] [REVIEW: 50 84 CE MC MD] | A 4510 | / | IS | 22-JAN-90 |
| | A-A-52062 | TABLE, FOOD PREPARATION, WITH SINK [CUST: GL SA 99 IS] [REVIEW: 50 84 CE MC MD] | A 7320 | / | IS | 31-JAN-90 |
| A | A-A-52063 | GRIDDLE, WITH OVERHEAD BROILER, ELECTRIC [CUST: GL SA 99 IS] [REVIEW: 50 84 CE MC MD] | A 7310 | / | IS | 06-FEB-90 |
| A | A-A-52064 | RANGE, ELECTRIC, TWO BURNER [CUST: GL SA 99 IS] [REVIEW: 50 84 CE MC MD] | A 7310 | / | IS | 06-APR-90 |
| | A-A-52065 | CARDBOARD AND PAPER, EMBOSSED, TOP [CUST: GL SA 99] [REVIEW: 84 MC] | A 9310 | / | GS | 23-FEB-90 |
| | A-A-52066 | RACK, DISPENSING, CAN [CUST: GL SA 99 IS] [REVIEW: 50 84 CE MC MD] | A 7320 | / | IS | 15-FEB-90 |
| | A-A-52067 | BINDING, TEXTILE, COTTON, BIAS-CUT [CUST: GL NU CT] [REVIEW: MD] | A 8315 | / | CT | 13-MAR-90 |
| | A-A-52068 | SCRAPER, BAKERS [CUST: GL SA 99 IS] [REVIEW: 84 MD MS] | A 7330 | / | IS | 12-MAR-90 |
| | A-A-52069 | FIBER ROPE ASSEMBLY, SINGLE LEG [CUST: GL 99] [REVIEW: 82 CR4 SH] | A 4020 | / | IS | 23-APR-90 |
| | A-A-52070 | CORD, PLUMB BOB [CUST: GL IS] [REVIEW: MC MD YD1] | A 4020 | / | IS | 23-APR-90 |
| | A-A-52071 | TAPE, TEXTILE, COTTON, GENERAL PURPOSE [CUST: GL NU 99 CT] [REVIEW: 11 45 82 DS EA MC MD OS] | A 8315 | / | CT | 25-APR-90 |
| | A-A-52072 | WEBBING, TEXTILE, COTTON, SPLINT [CUST: GL SA 99 CT] [REVIEW: 82 MD MS] | A 8305 | / | CT | 01-MAY-90 |
| | A-A-52074 | CLOTH, SATIN, LINING MATERIAL [CUST: GL NU 11 CT] [REVIEW: 82 99 CG MD] | A 8305 | / | CT | 02-JUL-90 |
| | A-A-52075 | EMBALMING FLUID, ARTERIAL [CUST: GL MS 50] [REVIEW: MD] | A 9930 | / | IS | 31-JUL-90 |
| | A-A-52077 | PILLOWS, BED (FEATHER) [CUST: GL NU 99 CT] [REVIEW: 82 MD] | A 7210 | / | CT | 15-AUG-90 |
| D | A-A-52078B | LANTERN, GASOLINE, NONLEADED FUEL, WITH CASE [CUST: GL 99 IS] [REVIEW: 82 CG CR4 MC MD] | A 6260 | / | IS | 12-MAY-94 |
| D | A-A-52079A | MANTLE, ILLUMINATING (GASOLINE LANTERN) [CUST: GL 99 IS] [REVIEW: 82 CG CR4 MC] | A 6260 | / | IS | 30-JUN-93 |
| M | A-A-52080B | TAPE, LACING AND TYING, NYLON [CUST: GL SH 99] [REVIEW: 82 AR AS CR CR4 MC MD MI OS] | A 4020 | / | IS | 23-MAY-98 |
| M | A-A-52081B | TAPE, LACING AND TYING, POLYESTER [CUST: GL SH 99] [REVIEW: 82 AR AS CR CR4 MC MD MI OS] | A 4020 | / | IS | 23-MAY-98 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|-----------|
| M | A-A-52082B | TAPE, LACING AND TYING, TFE-FLUOROCARBON [CUST: GL SH 99] [REVIEW: 82 AR AS CR CR4 MC MD MI OS] | A 4020 | / | IS | 23-MAY-98 |
| M | A-A-52083B | TAPE, LACING AND TYING, GLASS [CUST: GL SH 99] [REVIEW: 82 AR AS CR CR4 MC MD MI OS] | A 4020 | / | IS | 23-MAY-98 |
| M | A-A-52084B | TAPE, LACING AND TYING, ARAMID [CUST: GL SH 99] [REVIEW: 82 AR AS CR CR4 MC MD MI OS] | A 4020 | / | IS | 23-MAY-98 |
| | A-A-52085 | CLOTH, DRILL, COTTON [CUST: GL NU 11 CT] [REVIEW: 82 99 MC MD] | A 8305 | / | CT | 02-JAN-91 |
| | A-A-52086 | CLOTH, INTERLINING, COTTON WARP, RAYON FILLING [CUST: GL CT] [REVIEW: MD] | A 8305 | / | CT | 10-JAN-91 |
| | A-A-52087A | GLOVE INSERTS (COLD WEATHER) [CUST: GL NU 99 CT] [REVIEW: 31 45 82 MC MD] | A 8415 | / | CT | 22-JUL-92 |
| | A-A-52088 | ROPE, COTTON, OR COTTON/POLYESTER BLEND [CUST: GL 99] [REVIEW: 82 AV MC MD SM] | A 4020 | / | IS | 07-MAR-91 |
| | A-A-52089 | BOWL, FOOD MIXING, CORROSION-RESISTING STEEL [CUST: GL SA 99 IS] [REVIEW: 84 MC MD] | A 7330 | / | IS | 13-MAR-91 |
| | A-A-52090 | BREAD SLICING MACHINE, ELECTRIC OPERATED, MULTIPLE KNIFE [CUST: GL 99 IS] [REVIEW: 50 84 MC MD] | A 7320 | / | IS | 11-MAR-91 |
| | A-A-52091 | BLEACH, LAUNDRY, ORGANIC CHLORINE [CUST: GL 68] [REVIEW: AR GS MD] | A 6850 | / | GS | 14-MAR-91 |
| | A-A-52092 | AMMONIUM CHLORIDE, TECHNICAL [CUST: GL 68] [REVIEW: AR GS MD SM] | A 6810 | / | GS | 14-MAR-91 |
| | A-A-52094 | THREAD, COTTON [CUST: GL NU 11 CT] [REVIEW: MC] | A 8310 | / | CT | 15-MAR-91 |
| | A-A-52095 | THREAD, POLYESTER, TEXTURED [CUST: GL NU 11 CT] [REVIEW: 82 99 MC MD] | A 8310 | / | CT | 15-MAR-91 |
| | A-A-52097 | CLOTH, WIGAN, COTTON [CUST: GL NU 99 CT] [REVIEW: MC MD] | A 8305 | / | CT | 26-MAR-91 |
| | A-A-52098 | CLOTH, INTERLINING, ACETATE AND COTTON [CUST: GL NU 11 CT] [REVIEW: 82 99 MD] | A 8305 | / | CT | 26-MAR-91 |
| | A-A-52100 | SPOT REMOVER (FOR REMOVAL OF OIL AND GREASE FROM CLOTHING) [CUST: GL 68 GS] | A 6850 | / | GS | 03-APR-91 |
| | A-A-52102 | DETERGENT, LAUNDRY (NON-PHOSPHATE, LOW TEMPERATURE) [CUST: GL 99] [REVIEW: 84 MD] | A 7930 | / | GL | 15-APR-91 |
| | A-A-52105 | CLOTH, INTERLINING, COTTON OR SYNTHETIC WARP, AND SPUN HAIR-WOOL OR RAYON FILLING [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8305 | / | CT | 07-MAY-91 |
| | A-A-52106 | CLOTH, TWILL OR PLAIN WEAVE, POLYESTER AND POLYESTER BLEND [CUST: GL NU 11 CT] [REVIEW: 82 99 MC MD] | A 8305 | / | CT | 28-JUN-91 |
| | A-A-52107 | CLOTH, PILE, SYNTHETIC FIBER PILE [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8305 | / | CT | 28-JUN-91 |
| | A-A-52108 | CLOTH, INTERLINING, COTTON AND SYNTHETIC, OR SYNTHETIC [CUST: GL NU 11 CT] [REVIEW: 82 99 MC MD] | A 8305 | / | CT | 28-JUN-91 |
| | A-A-52110 | CLOTH, PLAIN WEAVE, POLYESTER/COTTON FOR POCKETS (WATER REPELLENT) [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8305 | / | CT | 23-AUG-91 |
| | A-A-52111 | SUN GLASSES, IMPACT RESISTANT [CUST: GL SA 11 CT] [REVIEW: 82 AS GS MC MD MS] | A 8465 | / | CT | 30-SEP-91 |
| | A-A-52112B | SHIRTS, MAN'S [CUST: GL CT] [REVIEW: MD] | A 8405 | / | CT | 16-JUN-93 |
| | A-A-52114A | MATTAX, WITH CARRIER [CUST: GL SH 99] [REVIEW: 84] | A 5120 | * | GL | 30-SEP-93 |
| | A-A-52115C | SWEATER, MAN'S, OLIVE DRAB [CUST: GL NU 99 CT] [REVIEW: 45 82 MD] | A 8405 | / | CT | 05-NOV-96 |
| | A-A-52116 | OPENERS, CAN, ELECTRIC HEAVY DUTY [CUST: GL SA 84 IS] [REVIEW: 50 MD] | A 7330 | / | IS | 01-SEP-92 |
| | A-A-52117 | TONGS, FOOD SERVICING [CUST: GL AS 84 IS] [REVIEW: 50 CG MC MD] | A 7330 | / | IS | 25-SEP-92 |
| | A-A-52119 | TABLET, CHLORINE, FLOCCULATING, EMERGENCY WATER PURIFICATION [CUST: GL MC 68] [REVIEW: 50 EA GS MC MD QM SH SS] | A 6850 | / | GL | 11-DEC-92 |
| | A-A-52120 | SPECTACLES SET, BALLISTICS PROTECTIVE [CUST: GL NU 11] [REVIEW: 82 99 AS MC MD] | A 8465 | / | CT | 31-DEC-92 |
| | A-A-52121 | CABINET, DOUGH-PROOFING, (18 PAN CAPACITY) [CUST: GL YD1 99 IS] [REVIEW: MC MD MS SA] | A 7320 | / | IS | 15-MAR-93 |
| | A-A-52122 | KIT, WATER PURIFICATION, EMERGENCY [CUST: GL MC 68] [REVIEW: 50 EA MD] | A 6850 | / | GS | 03-MAR-93 |
| | A-A-52123 | BAR, BUCKING, RIVET [CUST: GL 99] [REVIEW: 84 CR CR4 MC OS YD1] | A 5120 | * | GL | 24-MAR-93 |
| | A-A-52124 | REPAIR KIT, TAPE, PRESSURE SENSITIVE ADHESIVE (PSA) [CUST: GL 99] [REVIEW: 82 MC MD] | A 7510 | / | CT | 31-MAR-93 |
| | A-A-52125 | CAN, RADIATOR FILLING AND CAN SPRINKLING; PLASTIC [CUST: GL 99 GS] [REVIEW: 84 AT CG CR4 MC] | A 7240 | / | GS | 16-APR-93 |
| | A-A-52127 | PIN, NET, LAUNDRY, (5-INCH) [CUST: GL YD1 99 GS] [REVIEW: 82] | A 3510 | / | GS | 15-JUN-93 |
| A | A-A-52128 | SHELVING, STORAGE, STATIONARY AND MOBILE, FOOD STORAGE [CUST: GL 99 GS] [REVIEW: 84 CG MC MD YD1] | A 7125 | / | GS | 16-JUN-93 |
| A | A-A-52131 | BROILER, SELF-CLEANING, ELECTRIC: COUNTER MODEL [CUST: GL YD1 99 IS] [REVIEW: 50 84 CG MC MD QM] | A 7310 | / | IS | 29-OCT-93 |
| A | A-A-52132 | HOTPLATES, ELECTRIC [CUST: GL SA 99 IS] [REVIEW: 50 84 CG MC MD QM SH] | A 7310 | / | IS | 29-OCT-93 |
| | A-A-52133 | CLEANING AND SANITIZING MACHINE [CUST: GL SA 99 IS] [REVIEW: 50 84 CC CG GS MC MD QM] | A 7320 | / | IS | 29-OCT-93 |
| | A-A-52134 | GLASSWASHER, ELECTRIC, PORTABLE [CUST: GL SA 99 IS] [REVIEW: 50 84 CG MC MD MS QM] | A 7320 | / | IS | 29-OCT-93 |
| A | A-A-52135 | KETTLES, STEAM JACKETED; TWIN; 5-GALLON; TILTING, CABINET MOUNTED; NATURAL GAS HEATED [CUST: GL SA 99 IS] [REVIEW: 50 84 CG MD QM] | A 7310 | / | IS | 08-DEC-93 |
| A | A-A-52136A | KETTLES, STEAM JACKETED (STAINLESS STEEL, STEAM HEATED) [CUST: GL SA 99 IS] [REVIEW: 35 84 CG MC MD QM] | A 7310 | / | IS | 15-JUN-95 |
| | A-A-52137 | CABINETS, FOOD SERVICE, REFRIGERATOR-WARMER, ROLL-THROUGH, ROLL-IN [CUST: GL YD1 99 IS] [REVIEW: 50 CR4 MC MD QM SA] | A 4110 | / | IS | 15-DEC-93 |
| | A-A-52138 | VEGETABLE PEELING MACHINE, ELECTRIC [CUST: GL YD1 99 IS] [REVIEW: 50 84 CG GS MC MD QM SA SH] | A 7320 | / | IS | 15-DEC-93 |
| | A-A-52139 | ICE MAKING MACHINE, CUBE [CUST: GL YD1 99 IS] [REVIEW: 35 82 MC MD QM SA] | A 4110 | / | IS | 30-NOV-93 |
| | A-A-52140 | BAGS, SAND; ACRYLIC [CUST: GL 99] [REVIEW: 84 MC MD] | A 8105 | / | GS | 03-JAN-94 |
| | A-A-52141 | BAGS, SAND; BURLAP AND COTTON [CUST: GL 99] [REVIEW: 84 MC MD] | A 8105 | / | GS | 03-JAN-94 |
| | A-A-52142 | BAGS, SAND; POLYPROPYLENE [CUST: GL 99] [REVIEW: 84 CR4 GS MC MD] | A 8105 | / | GS | 03-JAN-94 |
| D | A-A-52143 | ICE CREAM CABINETS, MECHANICALLY-REFRIGERATED DISPENSING, MOBILE, SELF-ELEVATING [CUST: GL YD1 99] [REVIEW: 50 82 CR4 GS MC MD QM] | A 4110 | / | IS | 14-JAN-94 |
| | A-A-52144 | ICEMAKER-DISPENSER: WITH WATER DISPENSER ATTACHMENT [CUST: GL YD1 99 IS] [REVIEW: 50 82 MC MD MS QM SA] | A 4110 | / | IS | 14-JAN-94 |
| A | A-A-52145 | KETTLES, STEAM JACKETED (STAINLESS STEEL), GAS [CUST: GL SA 99 IS] [REVIEW: 50 84 CG MC MD QM] | A 7310 | / | IS | 14-JAN-94 |
| | A-A-52146 | REFRIGERATOR, MECHANICAL, BIOLOGICAL, LOW-TEMPERATURE [CUST: GL SA 99 IS] [REVIEW: 50 MC MD MS] | A 4110 | / | IS | 14-JAN-94 |
| A | A-A-52147 | SANDWICH UNIT, MECHANICALLY REFRIGERATED [CUST: GL SA 99 IS] [REVIEW: 50 84 CG MC MD QM] | A 7310 | / | IS | 14-JAN-94 |
| A | A-A-52148 | STEAM TABLES (COMMERCIAL, HEAVY DUTY, STEAM, GAS, OR ELECTRICALLY HEATED) [CUST: GL YD1 99 IS] [REVIEW: 50 84 CE CG MC MD QM] | A 7310 | / | IS | 14-JAN-94 |
| | A-A-52149 | JUGS, VACUUM OR INSULATED, THERMAL EFFICIENT [CUST: GL SA 99] [REVIEW: 35 84 GS MC MD MS QM YD1] | A 7330 | * | GL | 28-FEB-94 |
| | A-A-52150 | REFRIGERATOR-FREEZER, EXPLOSION PROOF, NON-FOOD, LABORATORY [CUST: GL MC 99 IS] [REVIEW: 82 MD MS] | A 4110 | / | IS | 02-SEP-94 |
| | A-A-52151A | BELT, SEAT, PASSENGER TYPE, AUTOMOTIVE, COMMERCIAL VEHICLES [CUST: AT] [REVIEW: CC] | A 2540 | / | AT | 28-JUN-96 |
| | A-A-52152A | INSULATION SLEEVING, THERMAL, TUBULAR (METRIC) [CUST: AT] [REVIEW: SM] | A 5640 | / | AT | 28-JUN-96 |
| | A-A-52155A | ENGINE ACCESSORY DRIVE V-BELTS [CUST: AT 99] [REVIEW: 82 CC MC SH YD1] | A 3030 | / | AT | 25-JUL-95 |
| | A-A-52160 | INDUSTRIAL V-BELTS (MULTIPLE DRIVE) [CUST: AT CC] | A 3030 | / | CC | 25-AUG-90 |
| | A-A-52162A | AUTOMOBILE, HEARSE: COMMERCIAL [CUST: AT] | A 2310 | / | AT | 08-JUL-96 |
| | A-A-52163A | LADDER, VEHICLE-BOARDING [CUST: AT MC 99] [REVIEW: 84 MI] | A 2540 | / | AT | 29-MAY-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Ave | MCA | Prog. Acty. | Date |
|-----------------|---|----------------------|-----|-------------|-----------|
| A-A-52164A | MOTORCYCLE: DUAL PURPOSE, FOUR STROKE, NOMINAL 250 CC, MODIFIED COMMERCIAL[CUST: AT] | A 2340 / AT | | | 26-JUN-96 |
| A-A-52165A | MOTORCYCLES: 1000 AND 1300 CC, COMMERCIAL [CUST: AT] | A 2340 / AT | | | 17-JUL-96 |
| A-A-52166A | SNOWMOBILES: GASOLINE ENGINE DRIVEN, COMMERCIAL [CUST: AT 99] [REVIEW: 84 CR] | A 2340 / AT | | | 28-JUN-96 |
| M A-A-52167A | FIBER METAL, SHEET, NICKEL BASE, UNBACKED [CUST: AT] | A 9515 / AT | | | 10-APR-98 |
| A-A-52168A | CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE-STRAIGHT TYPE, BUTTON AND THREADED FITTINGS [CUST: AT CC] | A 2530 / CC | | | 22-SEP-93 |
| A-A-52169B | INSULATION; SOUND, VIBRATION, AND THERMAL [CUST: AT] | A 5640 / AT | | | 09-FEB-95 |
| A A-A-52175A | PISTONS, HYDRAULIC BRAKE, WHEEL CYLINDER: SINTERED IRON (METRIC) [CUST: AT 99] [REVIEW: 84 CC] | A 2530 / AT | | | 03-APR-98 |
| A-A-52176 | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION [CUST: CR CC] | A 5905 / CC | | | 30-MAY-90 |
| A-A-52186 | TABLES, FOOD PREPARATION, COMMISSARY [CUST: GL 99 IS] [REVIEW: 35 82 84 MD] | A 7320 / IS | | | 30-JUN-94 |
| A-A-52188 | GRATER, FOOD, (NON-MECHANICAL) [CUST: GL SA IS] [REVIEW: MD YD1] | A 7330 / IS | | | 30-JUN-94 |
| A-A-52189 | BRUSHES, GREASE, COOKING AND BAKING [CUST: GL SA 99 IS] [REVIEW: 35 84 MC MD YD1] | A 7330 / IS | | | 30-JUN-94 |
| A-A-52190 | DISPENSER, LIQUID, INSULATED [CUST: GL SA 99] [REVIEW: 35 84 AV GS MC MD QM] | A 7320 / IS | | | 10-AUG-94 |
| A A-A-52191 | DISPENSER, CARBONATED BEVERAGE, MECHANICALLY REFRIGERATED; COUNTERTOP DISPENSING, REMOTE SYSTEM [CUST: GL SA 99 IS] [REVIEW: 35 84 MD QM] | A 7310 / IS | | | 19-AUG-94 |
| A A-A-52192 | DISPENSER, CARBONATED BEVERAGE, MECHANICALLY REFRIGERATED [CUST: GL SA 99 IS] [REVIEW: 35 84 MC MD QM] | A 7310 / IS | | | 19-AUG-94 |
| A-A-52193A | FOOD CONTAINER, INSULATED, WITH INSERTS [CUST: GL MC 99 IS] [REVIEW: 35 84 AV MD QM] | A 7330 / IS | | | 23-OCT-95 |
| A-A-52194 | STAND, MIXING BOWL, MOBILE [CUST: GL SA 99 IS] [REVIEW: 35 84 CG MC MD QM] | A 7330 / IS | | | 19-AUG-94 |
| A-A-52195 | BRACE, ANKLE, PARACHUTISTS [CUST: GL AS 99] [REVIEW: 82 AV MC] | A 8465 / CT | | | 30-DEC-94 |
| A-A-52196 | RACK, MOBILE (FOR ROLL-THRU REFRIGERATORS AND ROLL-THRU FOOD WARMERS) [CUST: GL YD1 99 IS] [REVIEW: 35 84 MC MD QM SA] | A 7320 / IS | | | 31-JAN-95 |
| A-A-52197 | WEIGHT, PARACHUTE PACKING [CUST: GL AS 99] [REVIEW: 82 AV MC] | A 1670 / GL | | | 15-DEC-95 |
| A-A-52198 | BARBET KIT, WITH PLASTIC CASE [CUST: GL MC 99] [REVIEW: 35 84 SA] | A 3590 / GL | | | 01-DEC-95 |
| A-A-52199 | TRAY, MESS, COMPARTMENTED, PLASTIC [CUST: GL SA 99] [REVIEW: 35 84 MC MD MS QM] | A 7350 / GL | | | 05-DEC-95 |
| A-A-52200 | LINK ASSEMBLY, CONNECTOR, SEPARABLE [CUST: GL AS 99] [REVIEW: 82 AV] | A 1670 / GL | | | 18-JAN-96 |
| A-A-52201 | PAN, BAKING AND ROASTING, ALUMINUM; PAN COVER AND WARMER ADAPTER; FOR RANGE, FIELD, GASOLINE [CUST: GL SA 99] [REVIEW: 35 84 CG MC MD1 QM1] | A 7330 / GL | | | 31-MAY-96 |
| A-A-52202 | OPENER, CAN, HAND, FOR TRAY PACKS AND ROUND CANS [CUST: GL SA 99 IS] [REVIEW: 35 84 GS MC MD1 QM1 SS] | A 7330 / IS | | | 20-MAY-96 |
| A A-A-52203 | OPENERS, CAN, HAND, FOLDING [CUST: GL SA 99] [REVIEW: 82] | A 7330 / GL | | | 06-JUN-96 |
| A-A-52204 | UTENSILS, COOKING, CORROSION-RESISTING STEEL [CUST: GL SA 99] [REVIEW: 35 84 CG MC MD1 QM1] | A 73GP / GL | | | 24-JUN-96 |
| A-A-52205 | TABLE, FOLDING LEGS [CUST: GL 99] [REVIEW: 84 CE1 GS MC] | A 7105 / GL | | | 11-JUL-96 |
| A-A-52206 | OPENERS, CAN, HAND AND MOUNTED [CUST: GL SA 99] [REVIEW: 35 84 CG MC MD1 QM1] | A 7330 / GL | | | 11-JUL-96 |
| A-A-52207 | CUTTER, BARBED WIRE, INSULATED HANDLES, HAND OPERATED [CUST: GL AS 99] [REVIEW: 03 84 CG MC] | A 5110 / GL | | | 12-AUG-96 |
| A-A-52208 | CUTTER, CABLE, HAND OPERATED, WITH GROPING HOOK GUIDE [CUST: GL AS 99] [REVIEW: 03 84 CG MC] | A 5110 / GL | | | 27-AUG-96 |
| A-A-52209 | STRAIGHT, DIAMOND POINT [CUST: GL 99] [REVIEW: 03 84 CG MC] | A 5120 / GL | | | 12-SEP-96 |
| A-A-52210 | SCRIBEREDGE, STEEL [MACHINISTS' AND TOOLMAKERS] [CUST: GL 99] [REVIEW: 84 AT AV MC NP SH] | A 5210 / GL | | | 13-SEP-96 |
| A-A-52211 | STRETCHERS, STEEL, STRAPPING, HAND [CUST: GL SA 99] [REVIEW: 84 MC SM] | A 3540 / GL | | | 23-OCT-96 |
| A-A-52212 | GAGE, CYLINDER [CUST: GL YD1 99] [REVIEW: 84 AT AV MC MI NP SH] | A 5210 / GL | | | 23-OCT-96 |
| A-A-52213 | BATH UNIT, PORTABLE, FOUR SHOWERHEADS [CUST: GL YD1 99] [REVIEW: 03 84 AV CC MC MD1] | A 4510 / GL | | | 10-JAN-97 |
| A-A-52214 | RIVETER, PNEUMATIC, COMPRESSION TYPE, PORTABLE, WITH RIVET SETS [CUST: GL 99] [REVIEW: 84 AV CG] | A 5130 / GL | | | 09-JAN-97 |
| A A-A-52215 | STRAPPING AND SEALING KITS, HAND-OPERATED [CUST: GL SA 99 FSS] [REVIEW: 03 84 AS CG MC MD1 SM YD1] | A 3540 / FSS | | | 07-JAN-97 |
| A A-A-52216 | TAPES, MEASURING: TANK GAUGING TYPE, WITH REEL, AND PLUMB BOB [CUST: GL 99] [REVIEW: 84 AT] | A 5210 / GL | | | 28-FEB-97 |
| A-A-52217 | TRAY, MESS, COMPARTMENTED [CUST: GL SA 99] [REVIEW: 03 35 84 MC MD1 QM1 SS] | A 7350 / GL | | | 11-MAR-97 |
| A-A-52218 | CHEST, ICE STORAGE [CUST: GL 99] [REVIEW: 82 GS IS MC MD1] | A 4110 / GL | | | 04-MAR-97 |
| A-A-52286 | SPRAYER, PESTICIDE, PUSH CART MOUNTED [CUST: MD YD1 99] [REVIEW: 84 AV CC MC MS PM] | A 3740 / MD | | | 10-JUL-90 |
| A A-A-52287A | INSECTICIDE, PARADICHLOROBENZENE [CUST: EA GS] [REVIEW: MD1 PM] | A 6840 / GS | | | 23-FEB-98 |
| A-A-52296 | STENCIL SET: STENCIL BOARD; NONADJUSTABLE [CUST: CE] [REVIEW: GL] | A 7520 / CE | | | 04-FEB-92 |
| A-A-52297 | TABLE, PHOTOINTERPRETER AND ANALYST, ILLUMINATED, SPLIT STAGE [CUST: CE] | A 6675 / CE | | | 03-FEB-92 |
| A-A-52298 | TRIPOD, SURVEYING: EXTENSION-LEG-TYPE [CUST: CE] [REVIEW: AR GS] | A 6675 / CE | | | 20-FEB-92 |
| A-A-52299 | LEVELS, SURVEYING: LOCATORS, HAND-TYPE [CUST: CE YD1 99] [REVIEW: 82 GS MC] | A 6675 / CE | | | 29-JAN-92 |
| A-A-52300 | PROTRACTORS, CIRCULAR AND SEMICIRCULAR, (MILS, DEGREES) [CUST: CE 99] [REVIEW: 82 CG MC] | A 6675 / GS | | | 03-MAR-92 |
| A-A-52301 | DRAWING BOARD AND DRAWING BOARD TRESTLES [CUST: CE 99] [REVIEW: 82 GL MC YD1] | A 6675 / GS | | | 03-APR-92 |
| A-A-52302 | GASKET, SPLIT INTEGRAL, FOR INLAND PETROLEUM DISTRIBUTION SYSTEM (IPDS) SNAP-JOINT COUPLING [CUST: AT] [REVIEW: 99 CC CE YD1] | A 5330 / AT | | | 06-APR-92 |
| A-A-52303 | HOOKS, BOAT, BALL POINT [CUST: AV GS] [REVIEW: SH] | A 2040 / GS | | | 08-APR-92 |
| A-A-52304 | LETTERING SETS AND ACCESSORIES [CUST: CE 99] [REVIEW: AR MC YD1] | A 6675 / GS | | | 15-MAY-92 |
| A-A-52305 | AUGER, EARTH, BOOM MOUNTED [CUST: AT] | A 3820 / AT | | | 20-AUG-92 |
| A-A-52306A | LUBRICATING OIL, HEAVY-DUTY DIESEL ENGINE [CUST: AT SH 68] [REVIEW: 11 AR AV GS MD1 OS PS SA SM YD1] | A 9150 / AT | | | 15-SEP-95 |
| A-A-52307 | PUMP, RECIPROCATING, HAND-DRIVEN, SINGLE-ACTING, BILGE [CUST: AT] [REVIEW: CC] | A 4320 / AT | | | 17-NOV-93 |
| A-A-52308 | PANS: MIXING AND CLEANING [REVIEW: GS] | A 3610 / CE | | | 15-DEC-93 |
| A-A-52309 | LAMP, INCANDESCENT, PAR-46, 12 VOLT, FLOODLAMP, 2 CONTACT LUGS [CUST: CR4 AS 99] [REVIEW: 82 GS MC YD1] | A 6240 / CR4 | | | 04-AUG-94 |
| A-A-52310 | LAMP, INCANDESCENT, PAR-46, 24 VOLT, FLOODLAMP, 2 CONTACT LUGS [CUST: CR4 AS 99] [REVIEW: 82 GS MC] | A 6240 / CR4 | | | 04-AUG-94 |
| A-A-52311 | LAMP, INCANDESCENT, PAR-46, 24 VOLTS, HEADLAMP, 2 CONTACT LUGS [CUST: CR4 AS 99] [REVIEW: 82 GS MC] | A 6240 / CR4 | | | 04-AUG-94 |
| A-A-52312 | PLATE, LITHOGRAPHIC PRINTING, METAL SENSITIZED, WITH PROCESSING CHEMICALS [CUST: CE 99] [REVIEW: 84 GL GS MC] | A 3610 / CE | | | 06-JUL-94 |
| A-A-52313 | STEEL SHEETS, CORRUGATED: 2-1/2 INCH NOMINAL CORRUGATION, PAINTED OR UNPAINTED [CUST: AV 99] [REVIEW: IS] | A 9515 / AV | | | 21-OCT-94 |
| A-A-52314 | TEMPLATE, DRAFTING: MAP SYMBOL, FOR PLASTIC SCRIBING [CUST: CE] [REVIEW: GS MC] | A 6675 / CE | | | 07-JUL-94 |
| A-A-52315 | PUMPS, RECIPROCATING, POWER-DRIVEN: DIAPHRAGM, DIESEL-ENGINE-DRIVEN, WHEEL-MOUNTED [CUST: AT YD1] [REVIEW: MC] | A 4320 / AT | | | 27-SEP-94 |
| A-A-52316 | TESTER, DENSITY AND MOISTURE (SOIL AND ASPHALT), NUCLEAR METHOD [CUST: CE] | A 6635 / CE | | | 08-DEC-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | A-A-52317 | DUAL TRANSMISSION MEDIA DATA COMMUNICATION SYSTEM (DTMDCS) [CUST: CR4 SH 99] [REVIEW: CC GS] | A 6350 | / | CR4 | 14-MAR-96 |
| D | A-A-52400 | HEADLAMP, SEALED BEAM, 12 VOLT (TRADE NO. 6015) [CUST: AT 99 IS] [REVIEW: 82] | A 6240 | / | IS | 17-JUL-92 |
| | A-A-52401 | BEARING, SLEEVE (STEEL-BACKED) [CUST: AT OS 99] [REVIEW: 84 IS MC MI SH] | A 3120 | / | AT | 10-JUL-92 |
| | A-A-52402 | GUARD, SPLASH, WHEEL [CUST: AT CC] [REVIEW: MC] | A 2540 | / | CC | 10-JUL-92 |
| | A-A-52403 | MENDER, HOSE (LOW PRESSURE) [CUST: AT AS 99] [REVIEW: 69 82 AR AV CC CR4 MC OS] | A 4730 | / | AT | 21-JAN-93 |
| | A-A-52404 | INSULATION SHEET, CELLULAR, PLASTIC: THERMAL (METRIC) [CUST: AT 99] [REVIEW: 84 AR AV CR4 MI MR] | A 5640 | / | AT | 20-JUL-92 |
| | A-A-52405A | TEE, HOSE (LOW PRESSURE) [CUST: AT AS 99] [REVIEW: 82 CC] | A 4730 | / | AT | 20-JUN-95 |
| | A-A-52406 | CLAMP, LOOP, MUFFLER [CUST: AT 99] [REVIEW: 82] | A 5340 | / | AT | 06-AUG-92 |
| | A-A-52407 | GLASS, FILTER, COLORED (METRIC) [CUST: AT AS 99] [REVIEW: 84 GS MI] | A 9340 | / | AT | 15-SEP-92 |
| | A-A-52408 | PRESERVATIVE COATING, RUBBER: FOR RUBBER SURFACES [CUST: AT 69] [REVIEW: AR AS CR4 GL MC MR OS SH SM] | A 8030 | / | AT | 31-AUG-93 |
| D | A-A-52409 | LAMPS, INCANDESCENT-SEALED BEAM [CUST: AT YD1 99 IS] [REVIEW: 11 82 SH] | A 6240 | / | IS | 03-NOV-92 |
| | A-A-52410 | BOOT, DUST AND MOISTURE SEAL: HYDRAULIC BRAKE CYLINDER, SYNTHETIC RUBBER [CUST: AT] [REVIEW: CC MI] | A 2530 | / | AT | 09-FEB-93 |
| | A-A-52411 | INSULATION, MOLDED, NOISE BARRIER [CUST: AT] | A 5640 | / | AT | 09-OCT-92 |
| | A-A-52412 | INCLINOMETER, BALL STYLE [CUST: AT] | A 6695 | / | AT | 03-NOV-92 |
| | A-A-52413 | HOSE, RUBBER; OIL SUCTION, WIRE-REINFORCED [CUST: AT] [REVIEW: CC] | A 4720 | / | AT | 18-JAN-93 |
| | A-A-52414 | BEARING, ROLLER, THRUST [CUST: AT OS 99] [REVIEW: 84 AR IS MC SH YD1] | A 3110 | / | AT | 09-MAR-93 |
| | A-A-52415 | CLAMP ASSEMBLY - EXHAUST MUFFLER AND TAILPIPE [CUST: AT] | A 2990 | / | AT | 18-JAN-93 |
| | A-A-52417 | BATTERY, STORAGE: ALKALINE, NICKEL-CADMIUM [CUST: AT 99] [REVIEW: 82 CR CR4 GS] | A 6140 | / | AT | 07-JAN-93 |
| | A-A-52418 | LIGHT, WARNING, VEHICULAR: ROTATING UNIT, 14 AND 28 VOLT DC [CUST: AT YD1 99] [REVIEW: 82 CR4 GS MC SH] | A 6220 | / | AT | 11-JAN-93 |
| | A-A-52420 | PLUG, EXPANSION [CUST: AT AS 99] [REVIEW: 82 AR AV CR4 IS MC] | A 5340 | / | AT | 13-JAN-93 |
| | A-A-52421 | ACCESSORY KIT; WARNING DEVICE, DEMOUNTABLE, FOR EMERGENCY VEHICLES [CUST: AT] [REVIEW: CR4] | A 6220 | / | AT | 11-JAN-93 |
| | A-A-52422 | BELTS, V: INDUSTRIAL DRIVE, NARROW TYPE [CUST: CR4 99] [REVIEW: 82 CR MC] | A 3030 | / | AT | 12-JAN-93 |
| | A-A-52423 | PUMP, SUBMERSIBLE, BILGE, AXIAL FLOW; ELECTRIC-MOTOR-DRIVEN [CUST: AT] | A 4320 | / | AT | 25-JAN-93 |
| | A-A-52424A | CAPS, RADIATOR: PRESSURE RELIEVING (METRIC) [CUST: AT MC 99] [REVIEW: 82 CC CR4] | A 2930 | / | AT | 21-OCT-94 |
| | A-A-52425A | ADAPTER, BATTERY TERMINAL [CUST: AT MC 85] [REVIEW: 99 CR4 GS MI] | A 5940 | / | AT | 29-JUL-96 |
| | A-A-52426 | HOSE AND HOSE ASSEMBLIES, NON-METALLIC, SILICONE, POLYESTER AND WIRE REINFORCED (FOR COOLANT AND HEATING SYSTEMS OF DIESEL AND GASOLINE POWERED ENGINES) [CUST: AT] [REVIEW: CC CR4] | A 4720 | / | AT | 10-FEB-93 |
| | A-A-52427 | NUT, PLAIN, SINGLE BALL SEAT, HEXAGON WHEEL MOUNTING - 3/4 AND 1-1/8 INCH [CUST: AT 99 IS] [REVIEW: 82 CR CR4 MI] | A 5310 | / | IS | 12-FEB-93 |
| | A-A-52428A | REFLECTOR, INDICATING, CLEARANCE [CUST: AT YD1 99] [REVIEW: 84] | A 9905 | / | AT | 21-APR-97 |
| | A-A-52429 | VALVE, SOLENOID OPERATED [CUST: AT] | A 4810 | / | AT | 15-FEB-93 |
| | A-A-52430 | PADS, CUSHIONING: PERSONNEL-PROTECTION, VEHICULAR (METRIC) [CUST: AT CC] | A 2590 | / | CC | 15-FEB-93 |
| | A-A-52431 | EVAPORATOR, ALCOHOL - AIR BRAKE SYSTEM [CUST: AT] [REVIEW: CC CR4] | A 2530 | / | AT | 18-FEB-93 |
| | A-A-52432A | MIRROR ASSEMBLY, REARVIEW: AUTOMOTIVE EXTERIOR MOUNTING [CUST: AT YD1 99] [REVIEW: CC CR4 MC MI] | A 2540 | / | AT | 12-OCT-95 |
| | A-A-52433 | CUSHION ASSEMBLIES (METRIC) [CUST: AT] | A 2540 | / | AT | 26-FEB-93 |
| | A-A-52435 | HOSE ASSEMBLIES, METAL: FLEXIBLE, FUEL AND OIL [CUST: AT] [REVIEW: CC EA] | A 4720 | / | AT | 02-APR-93 |
| | A-A-52440A | CONDUIT, METAL, FLEXIBLE: ELECTRICAL SHIELDED [CUST: AT AS 85] [REVIEW: 99 AR GS] | A 5975 | / | AT | 28-NOV-94 |
| | A-A-52441 | MOTORS, WINDSHIELD WIPER; PNEUMATIC, AND VALVES, CONTROL FOR [CUST: AT YD1] [REVIEW: CR MC] | A 2540 | / | CC | 17-MAR-93 |
| | A-A-52442 | REPAIR KIT, PUNCTURE, PNEUMATIC TIRE (METRIC) [CUST: AT] [REVIEW: CC SM] | A 2640 | / | AT | 24-MAR-93 |
| | A-A-52443 | LUBRICANT, MOLD, TIRE, SILICON BASE EMULSION (METRIC) [CUST: AT] | A 2640 | / | AT | 24-MAR-93 |
| | A-A-52444 | GASKETS: COMBINATION OF METAL AND NONASBESTOS FACING MATERIAL (METRIC) [CUST: AT MC] [REVIEW: CC] | A 2805 | / | AT | 06-AUG-93 |
| | A-A-52446 | SHEET MOLDING COMPOUND: LOW SHRINKAGE (METRIC) [CUST: AT] [REVIEW: GS] | A 9330 | / | AT | 10-MAR-94 |
| | A-A-52447 | PUMP, FUEL, CAM-ACTUATED: ENGINE, MECHANICAL DIAPHRAGM AND PARTS KIT, ENGINE FUEL PUMP [CUST: AT 99] [REVIEW: 82 CC CR4] | A 2910 | / | AT | 15-APR-93 |
| | A-A-52448 | COCK, PLUG: AIR SUPPLY, VEHICULAR, AIR BRAKE SYSTEM [CUST: AT 99] [REVIEW: CC MC] | A 2530 | / | AT | 07-MAY-93 |
| | A-A-52449 | INSULATION, PANEL, VIBRATION-DAMPENING AND THERMAL-BARRIER [CUST: AT] | A 5640 | / | AT | 18-NOV-93 |
| | A-A-52450 | VERMICULITE, ABSORBENT (FOR PACKAGING LIQUID HAZARDOUS MATERIALS) [CUST: SM MC] | A 8135 | / | SM | 26-JUN-92 |
| | A-A-52460 | FILTER, FLUID, PRESSURE-AUTOMOTIVE FUEL (21 GPH FILTRATION) [CUST: AT 99] [REVIEW: 82 CC] | A 2910 | / | AT | 11-AUG-93 |
| | A-A-52461 | STRAINER, SEDIMENT: AUTOMOTIVE FUEL (10 GPH) [CUST: AT 99] [REVIEW: 82 CC CR4 MC] | A 2910 | / | AT | 12-AUG-93 |
| | A-A-52462 | CONTAINERS, SHIPPING AND STORAGE: METAL, REUSABLE; FOR ENGINES, TRANSMISSIONS, DIFFERENTIALS, TRANSFERS, AND SIMILAR ASSEMBLIES (METRIC) [CUST: AT YD1 99] [REVIEW: 84 CR4 GL MC SM] | A 8145 | / | AT | 28-APR-93 |
| | A-A-52463B | LAMP BULBS, INCANDESCENT, MINIATURE, SINGLE AND DOUBLE CONTACT, BAYONET CANDELABRA BASE [CUST: AT SH 99] [REVIEW: 82 AS AV CR GS MI YD1] | A 6240 | / | AT | 28-JUN-96 |
| | A-A-52464 | COUPLER, DRAWBAR, RING: LIGHT DUTY, 60,000 LB GVW; OFFSET (TAPER SHANK), 60,000 LB GVW; AND HEAVY DUTY 120,000 LB GVW [CUST: AT YD1 99] [REVIEW: 84 CR4 MC] | A 2540 | / | CC | 28-APR-93 |
| | A-A-52465 | PRIMER COATING, SYNTHETIC, VOC COMPLAINT (FOR BRAKE DRUMS) [CUST: AT] [REVIEW: CR4 SM] | A 8010 | / | AT | 09-JUN-93 |
| | A-A-52466 | SCOOTERS, MOTOR: GASOLINE ENGINE DRIVEN, THREE- AND FOUR-WHEEL, MODIFIED COMMERCIAL [CUST: AT YD1] | A 2340 | / | AT | 15-JUL-93 |
| | A-A-52467 | SCOOTERS, MOTOR: ELECTRICAL MOTOR DRIVEN, THREE- AND FOUR-WHEEL, MODIFIED COMMERCIAL [CUST: AT YD1] | A 2340 | / | AT | 15-JUL-93 |
| | A-A-52468 | GASKET: FILTER, FLUID, PRESSURE, AUTOMOTIVE FUEL [CUST: AT 99] [REVIEW: CC CR4 MC] | A 2910 | / | AT | 20-JUL-93 |
| | A-A-52469 | CEMENT, TREAD, RUBBER (METRIC) [CUST: AT] | A 2640 | / | AT | 28-JUL-93 |
| | A-A-52470 | FILTER, FLUID, PRESSURE AND FILTER ELEMENT, FLUID, PRESSURE-AUTOMOTIVE FUEL (45 GPH FILTRATION) [CUST: AT YD1 99] [REVIEW: 82 CC MC] | A 2910 | / | AT | 05-AUG-93 |
| | A-A-52471D | EXTINGUISHER, FIRE, CO2 2-1/2-POUND, WITH BRACKET [CUST: AT 99] | A 4210 | / | AT | 22-MAR-95 |
| | A-A-52472 | FILTER, FLUID, PRESSURE, AUTOMOTIVE FUEL (10 GPH FILTRATION) [CUST: AT YD1 99] [REVIEW: 82 85 AV CC CR4 GL MC MI] | A 2910 | / | AT | 31-AUG-93 |
| | A-A-52473 | INSULATION, FLOOR-MAT, THERMAL-BARRIER [CUST: AT] | A 5640 | / | AT | 15-SEP-93 |
| | A-A-52474A | ELECTROCOATING PRIMER [CUST: AT] | A 8010 | / | AT | 04-DEC-96 |
| | A-A-52475 | CHOCK, WHEEL [CUST: AT YD1] [REVIEW: CR4] | A 2540 | / | CC | 06-OCT-93 |
| | A-A-52476 | PUMP, ENGINE PRIMING, HAND-DRIVEN, (NONAIRCRAFT) ENGINE [CUST: AT] [REVIEW: CC CR4 MC] | A 2910 | / | AT | 20-OCT-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | A-A-52477 | CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE-LOOP TYPE, EYE END FITTING (METRIC) [CUST: AT] [REVIEW: CC] | A 2530 | / | AT | 08-JUN-94 |
| | A-A-52478 | KINGPIN, FIFTH WHEEL, 2 INCH [CUST: AT YD1 99] [REVIEW: CR4 MC MI] | A 2510 | / | AT | 21-OCT-93 |
| | A-A-52479 | KINGPIN, FIFTH WHEEL, 3 1/2 INCH [CUST: AT YD1 99] [REVIEW: CR4 MC] | A 2510 | / | AT | 21-OCT-93 |
| | A-A-52480 | CONTROLLER ASSEMBLY, PUSH-PULL [CUST: AT YD1 99] [REVIEW: 11 82 CC CR4 MC] | A 2990 | / | AT | 29-OCT-93 |
| | A-A-52481 | GASKET, RUBBER, SYNTHETIC [CUST: AT] [REVIEW: IS MI] | A 5330 | / | AT | 28-OCT-93 |
| | A-A-52482A | SWITCH, ROTARY: STOPLIGHT, VEHICULAR, MECHANICALLY ACTUATED, 28 VOLT DC [CUST: AT] [REVIEW: 85 CC] | A 5930 | / | AT | 05-JUL-95 |
| | A-A-52483 | PLATE, IDENTIFICATION: EMERGENCY AND SERVICE AUTOMOTIVE AIR BRAKE (METRIC)[CUST: AT YD1 99] [REVIEW: 84 CR4 GL MC MI] | A 9905 | / | AT | 04-JAN-94 |
| | A-A-52484 | COUPLER, AUTOMOTIVE AIR BRAKE LINE: QUICK-DISCONNECT [CUST: AT 99] [REVIEW: 82 CC CR4 MC MI] | A 4730 | / | AT | 04-JAN-94 |
| | A-A-52485A | VALVE, RELAY EMERGENCY: BREAKAWAY AIR BRAKE [CUST: AT MC 99] [REVIEW: 84 CC MI] | A 2530 | / | AT | 06-APR-95 |
| | A-A-52486 | MOUNT, SHIPPING CONTAINER, RESILIENT: SHOCK AND VIBRATION DAMPING [CUST: AT] [REVIEW: IS] | A 5340 | / | AT | 18-JAN-94 |
| | A-A-52487 | INSULATION, PANEL NOISE-AND THERMAL-BARRIER [CUST: AT] | A 5640 | / | AT | 24-JAN-94 |
| | A-A-52488 | SPOTLIGHT: 24 VOLT DIRECT CURRENT [CUST: AT MC 99] [REVIEW: 82] | A 6220 | / | AT | 27-JAN-94 |
| | A-A-52489 | GASKET, SPARK PLUG: NONAIRCRAFT [CUST: AT 99] [REVIEW: CC CR4 MC] | A 2920 | / | AT | 03-MAR-94 |
| | A-A-52490A | BELTS, V: LIGHT-DUTY OR FRACTIONAL-HORSEPOWER [CUST: AT YD1] [REVIEW: AV CC MC] | A 3030 | / | AT | 08-DEC-95 |
| | A-A-52491 | BEARING, BALL, THRUST: INCH AND METRIC SIZES, GROOVED RACE SURFACE RIGID OR FLAT SEAT TYPE [CUST: AT 99] [REVIEW: 84 AR IS MC MI] | A 3110 | / | AT | 15-APR-94 |
| | A-A-52492 | SEAL, ENGINE SHROUD [CUST: AT] | A 2930 | / | AT | 14-OCT-94 |
| | A-A-52493 | ROD END, THREADED-LINKAGE, RIGID [CUST: AT 99] [REVIEW: 82 MC MI OS] | A 5340 | / | AT | 15-APR-94 |
| | A-A-52494 | RUBBER STOCK, UNVULCANIZED: FOR TRACK SHOES, PADS, AND PIN BUSHINGS (METRIC) [CUST: AT] | A 2530 | / | AT | 22-JUN-94 |
| | A-A-52495 | SEALING COMPOUND, NON-CURING, POLYBUTENE [CUST: AT] [REVIEW: AR CR4 MR SM] | A 8030 | / | AT | 08-JUN-94 |
| | A-A-52496 | HOOK, TOWING: MEDIUM (FOR VEHICLES 13 TO 36 METRIC TONNES) (METRIC) [CUST: AT] [REVIEW: CC MC] | A 2540 | / | AT | 03-AUG-94 |
| | A-A-52497 | HOOK, TOWING: HEAVY (FOR VEHICLES 36 METRIC TONNES AND OVER) (METRIC) [CUST: AT] [REVIEW: AR CC MC] | A 2540 | / | AT | 03-AUG-94 |
| | A-A-52498 | FLOODLIGHT, ELECTRIC-24 VOLT [CUST: AT 99] [REVIEW: 82 GS] | A 6220 | / | AT | 01-AUG-94 |
| | A-A-52499 | LEAD, ELECTRICAL (STORAGE BATTERY) [CUST: AT] [REVIEW: CR4 GS YD1] | A 6140 | / | AT | 01-AUG-94 |
| | A-A-52500 | CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE-LOOP TYPE, BUTTON END FITTING (METRIC) [CUST: AT] [REVIEW: CC] | A 2530 | / | AT | 08-AUG-94 |
| A | A-A-52502A | VALVE ASSEMBLY, POPPET, HULL DRAIN-VEHICULAR, 3 INCH [CUST: AT] [REVIEW: CC] | A 2590 | / | AT | 16-JAN-98 |
| A | A-A-52503A | MIRROR AND BRACKET ASSEMBLY, REARVIEW [CUST: AT MC 99] [REVIEW: CC] | A 2540 | / | AT | 23-DEC-97 |
| | A-A-52505 | RETAINER, BATTERY (METRIC) [CUST: AT 99] [REVIEW: 84 CC CR4 MC MI] | A 6160 | / | AT | 28-OCT-94 |
| | A-A-52506B | CLAMPS, HOSE [CUST: AT YD1 99] [REVIEW: 11 82 84 85 AR AV CC CG CR4 GL MC MI OS SH] | A 4730 | / | AT | 16-AUG-96 |
| | A-A-52507 | CHAIN ASSEMBLY AND CROSS CHAIN, TIRE: FOR MILITARY VEHICLES [CUST: AT 99] [REVIEW: 84 CC] | A 2540 | / | AT | 03-NOV-94 |
| | A-A-52508A | INDICATOR, VOLTAGE: BATTERY-GENERATOR, 28 VOLT DC (NOMINAL) (METRIC) [CUST: AT MC 99] [REVIEW: 82 CR] | A 6625 | / | AT | 18-NOV-96 |
| | A-A-52509 | HOOK, TOWING: LIGHT (FOR VEHICLES 7.26 TO 13.62 METRIC TONNES) (METRIC) [CUST: AT] [REVIEW: MC] | A 2540 | / | AT | 10-FEB-95 |
| | A-A-52510 | GENERATOR, TACHOMETER [CUST: AT] | A 6680 | / | AT | 17-FEB-95 |
| | A-A-52511 | TRUCKS, DOLLY, RECTANGULAR, WITH 4 SWIVEL CASTERS (GENERAL PURPOSE AND MACHINERY) (METRIC) [CUST: AT] [REVIEW: GS MC] | A 3920 | / | AT | 14-SEP-95 |
| | A-A-52512 | WINCH, DRUM, POWER OPERATED, 1-TON PULL, PNEUMATIC [CUST: AT 99] [REVIEW: CC SA] | A 3950 | / | AT | 18-AUG-95 |
| | A-A-52513 | BRACKET ASSEMBLY, LIQUID CONTAINER, FIVE GALLON [CUST: AT] [REVIEW: CC CR4] | A 2590 | / | AT | 22-MAY-95 |
| | A-A-52514 | POWDER, POLYESTER-ALUMINUM (METRIC) [CUST: AT] | A 9630 | / | AT | 14-AUG-95 |
| | A-A-52515 | POWDER, CHROMIUM CARBIDE-NICKEL CHROMIUM ALLOY (METRIC) [CUST: AT] | A 9630 | / | AT | 14-AUG-95 |
| | A-A-52516 | POWDER, YTTRIUM, ALUMINUM, NICKEL-CHROMIUM (METRIC) [CUST: AT] | A 9630 | / | AT | 14-AUG-95 |
| | A-A-52517 | PATCH, REPAIR, FOR INNER TUBES AND TUBELESS TIRE LINERS (METRIC) [CUST: AT YD1 99] [REVIEW: 84 AR] | A 2640 | / | AT | 05-SEP-95 |
| | A-A-52518 | TIRE, PNEUMATIC: RETREAD AND REPAIR MATERIALS (METRIC) [CUST: AT 99] [REVIEW: 84 MC] | A 2640 | / | AT | 07-SEP-95 |
| | A-A-52518/1 | PATCH, PNEUMATIC TIRE REPAIR: UNCURED (METRIC) [CUST: AT 99] [REVIEW: 84 MC] | A 2640 | / | AT | 07-SEP-95 |
| | A-A-52519 | SCRAPPERS (PIGS), PIPELINE: CLEANING AND BATCHING (METRIC) [CUST: AT] [REVIEW: CC] | A 4940 | / | AT | 13-SEP-95 |
| | A-A-52520 | HARDWOOD: FLOORBOARDS AND PLATFORMS: FOR MILITARY VEHICLES (METRIC) [CUST: AT 99] [REVIEW: 85 CC MC MD MI] | A 2510 | / | AT | 26-SEP-95 |
| | A-A-52521 | FILLER NECK: RADIATOR (METRIC) [CUST: AT 82] [REVIEW: 99 CC MC SH] | A 2930 | / | AT | 26-SEP-95 |
| | A-A-52522B | LINING BRAKE, AND LINING MATERIAL, BRAKE: AUTOMOTIVE (METRIC) [CUST: AT 99] [REVIEW: CC] | A 2530 | / | AT | 10-JUN-97 |
| | A-A-52523 | TANK, PRESSURE: AIR BRAKE, TACTICAL TRAILERS [CUST: AT 99] [REVIEW: CC MC MI] | A 2530 | / | AT | 26-SEP-95 |
| | A-A-52524A | SEAL, PLAIN, AND SEAL, PLAIN, ENCASED: FLUID, RADIAL, SINGLE AND MULTIPLE LIP SEALING MEMBER [CUST: AT] [REVIEW: AR IS MI] | A 5330 | / | AT | 10-APR-97 |
| | A-A-52524/1 | SEAL, PLAIN ENCASED: SINGLE SEALING MEMBER, SPRING LOADED [CUST: AT] [REVIEW: AR AV IS MI] | A 5330 | / | AT | 22-SEP-95 |
| | A-A-52524/2 | SEAL, PLAIN ENCASED: DUAL SEAL, SPRING LOADED [CUST: AT] [REVIEW: AR GL MI] | A 5330 | / | AT | 22-SEP-95 |
| | A-A-52524/3 | SEAL, PLAIN ENCASED: DUAL SEALING MEMBERS, OPPOSED, SPRING LOADED [CUST: AT] [REVIEW: AR AV IS] | A 5330 | / | AT | 22-SEP-95 |
| | A-A-52524/4 | SEAL, PLAIN ENCASED: SPRING LOADED, FLANGED TYPE [CUST: AT] [REVIEW: AR] | A 5330 | / | AT | 22-SEP-95 |
| | A-A-52524/5 | SEAL, PLAIN ENCASED: SINGLE SEALING MEMBER, SPRING LOADED, SHOULDERED CASE[CUST: AT] [REVIEW: AR AV IS] | A 5330 | / | AT | 22-SEP-95 |
| | A-A-52524/6 | SEAL, PLAIN ENCASED: SINGLE SEAL, EXTERNAL TYPE, SPRING LOADED [CUST: AT] | A 5330 | / | AT | 22-SEP-95 |
| | A-A-52524/7 | SEAL, PLAIN ENCASED: DUAL SEAL, INTERNAL SEAL SPRING LOADED [CUST: AT] [REVIEW: AR] | A 5330 | / | AT | 22-SEP-95 |
| | A-A-52524/8 | SEAL, PLAIN ENCASED: DUAL SEALING MEMBERS, OPPOSED, ONE SEAL SPRING LOADED[CUST: AT] [REVIEW: AR AV IS MI] | A 5330 | / | AT | 22-SEP-95 |
| | A-A-52524/9 | SEAL, PLAIN ENCASED: DUAL SEAL, EXTERNAL SEAL SPRING LOADED [CUST: AT] [REVIEW: AR] | A 5330 | / | AT | 22-SEP-95 |
| | A-A-52524/10 | SEAL, PLAIN ENCASED: DUAL SEALS, ONE SEAL SPRING LOADED, SHOULDERED CASE [CUST: AT] [REVIEW: AR] | A 5330 | / | AT | 22-SEP-95 |
| | A-A-52524/11 | SEAL, PLAIN ENCASED: ONE FELT, PLUS ONE LEATHER OR SYNTHETIC ELASTOMER SEALING MEMBER SPRING LOADED [CUST: AT] [REVIEW: AR] | A 5330 | / | AT | 22-SEP-95 |
| | A-A-52524/12 | SEAL, PLAIN ENCASED: ONE FELT AND ONE LEATHER OR SYNTHETIC ELASTOMER SEALING MEMBERS, SPRING LOADED, SHOULDERED CASE [CUST: AT] [REVIEW: AR AV GL IS] | A 5330 | / | AT | 22-SEP-95 |
| | A-A-52524/13 | SEAL, PLAIN OR SEAL, PLAIN ENCASED: NON-SPRING LOADED, SINGLE SEALING MEMBER [CUST: AT] [REVIEW: AR IS] | A 5330 | / | AT | 10-APR-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|--------------------------|-----|-------------|-----------|
| | A-A-52524/14 | SEAL, PLAIN ENCASED: SINGLE FELT SEALING MEMBER, INTERNAL TYPE [CUST: AT] [REVIEW: AL AR AV GL IS MI] | A 5330 | / | AT | 10-APR-97 |
| | A-A-52524/15 | SEAL, PLAIN ENCASED: SINGLE FELT SEALING MEMBER, EXTERNAL TYPE [CUST: AT] [REVIEW: AL AR AV GL IS MI] | A 5330 | / | AT | 10-APR-97 |
| | A-A-52524/16 | SEAL, PLAIN ENCASED: SINGLE FELT SEALING MEMBER, INTERNAL TYPE SHOULDERED CASE [CUST: AT] [REVIEW: AR MI] | A 5330 | / | AT | 10-APR-97 |
| | A-A-52524/17 | SEAL, PLAIN OR SEAL, PLAIN ENCASED: SINGLE SEALING MEMBER, EXTENDED CASE [CUST: AT] [REVIEW: AR] | A 5330 | / | AT | 10-APR-97 |
| | A-A-52524/18 | SEAL, PLAIN OR SEAL, PLAIN ENCASED: SINGLE SEALING MEMBER, FACE TYPE [CUST: AT] [REVIEW: AL AR AV GL MI] | A 5330 | / | AT | 10-APR-97 |
| | A-A-52525A | HORNS AND BUZZERS, AIR-AND ELECTRICALLY-ACTUATED [CUST: AT MC 99] [REVIEW: 84 CC] | A 2590 | / | AT | 07-OCT-96 |
| | A-A-52526 | TIME DELAY UNIT; ADJUSTABLE, SOLID STATE (METRIC) [CUST: AT] [REVIEW: CC] | A 5945 | / | AT | 22-SEP-95 |
| | A-A-52527A | COLLAPSIBLE TRACK FOR MAINLINE PUMPS (METRIC) [CUST: AT] [REVIEW: 69 SA SM] | A 8115 | / | AT | 01-NOV-95 |
| | A-A-52528 | BRACKET, EXHAUST, MUFFLER AND TAILPIPE (METRIC) [CUST: AT] [REVIEW: CC] | A 2990 | / | AT | 13-OCT-95 |
| | A-A-52529 | HANGER, EXHAUST, MUFFLER AND TAILPIPE (METRIC) [CUST: AT] [REVIEW: CC] | A 2990 | / | AT | 13-OCT-95 |
| | A-A-52530 | GASOLINE, AUTOMOTIVE, UNLEADED [CUST: AT YD1 68] [REVIEW: MD PS SA SH] | A 9130 | / | AT | 10-OCT-95 |
| | A-A-52531 | KINGPIN, FIFTH WHEEL, 2 INCH AND 3.5 INCH, UNIVERSAL [CUST: AT YD1 99] [REVIEW: 84 CR4 MC] | A 2510 | / | AT | 27-NOV-95 |
| | A-A-52532 | SOCKET, KINGPIN, FIFTH WHEEL - UNIVERSAL [CUST: AT] | A 2510 | / | AT | 27-NOV-95 |
| | A-A-52533 | TRUCKS, HAND, PLATFORM, FOUR WHEELED, TILT AND NON-TILT, SOLID RUBBER TIRES OR PLASTIC TIRES (METRIC) [CUST: AT SA 99] [REVIEW: 84 GS MC SH YD1] | A 3920 | / | AT | 02-NOV-95 |
| | A-A-52534 | SLINGS, CARGO NET: (NYLON, MANILA, OR POLYPROPYLENE) (METRIC) [CUST: AT MC 99] [REVIEW: 84] | A 3940 | / | AT | 13-NOV-95 |
| | A-A-52535 | DRILL, PNEUMATIC, SINKER, ROCK [CUST: AT YD1] [REVIEW: CC CE MC] | A 3820 | / | AT | 07-NOV-95 |
| | A-A-52536 | CONTACT, ELECTRICAL NO. 12, 14, AND 16 A.W.G. [CUST: AT YD1] [REVIEW: AR CC MC] | A 5999 | / | AT | 20-NOV-95 |
| | A-A-52538 | HOOK, LOG-GRAB (127 BY 203 MILLIMETERS) [CUST: AT YD1 99] [REVIEW: 82] | A 4030 | / | AT | 04-DEC-95 |
| | A-A-52539 | HOOKS, HOIST (REGULAR EYE) [CUST: AT] [REVIEW: IS] | A 4030 | / | AT | 05-DEC-95 |
| | A-A-52540 | FITTINGS, WIRE ROPE [CUST: AT] | A 4030 | / | AT | 06-DEC-95 |
| | A-A-52542 | FIFTH WHEEL ASSEMBLY -33 INCH NON-UNIVERSAL, DOLLY TRAILER CONVERTER, 19000 LBS. CAPACITY [CUST: AT MC 99] [REVIEW: 84] | A 2510 | / | AT | 12-DEC-95 |
| | A-A-52543 | FIFTH WHEEL ASSEMBLY -36 INCH UNIVERSAL, TRUCK-TRACTOR, 45000 LBS. CAPACITY [CUST: AT MC 99] | A 2510 | / | AT | 12-DEC-95 |
| | A-A-52544 | FIFTH WHEEL ASSEMBLY -33 INCH UNIVERSAL, TRUCK-TRACTOR, 25000 LBS. CAPACITY [CUST: AT MC 99] [REVIEW: 84] | A 2510 | / | AT | 12-DEC-95 |
| | A-A-52545A | HEATERS, VEHICULAR COMPARTMENT 28 VOLT, DC [CUST: AT MC 99] [REVIEW: CC] | A 2540 | / | AT | 04-FEB-97 |
| | A-A-52546 | HOSE, PREFORMED: SEMI-FLEXIBLE, REINFORCED [CUST: AT] [REVIEW: CC CD] | A 4720 | / | AT | 12-JAN-96 |
| | A-A-52546/1 | HOSE, PREFORMED, AIR CLEANER, SEMI-FLEXIBLE, HEAVY DUTY 517 KILOPASCALS (75 PSI) BURST [CUST: AT MC] [REVIEW: CC] | A 4720 | / | AT | 21-JAN-96 |
| | A-A-52549 | NICKEL BASE ALLOY, SHEET, CORROSION-AND HEAT-RESISTANT (METRIC) [CUST: AT] | A 9630 | / | AT | 15-MAR-96 |
| | A-A-52550 | PINTLE ASSEMBLY, TOWING, MANUAL RELEASE, 18 000, 40 000 AND 100 000 LBS CAPACITY [CUST: AT YD1 99] [REVIEW: 84 AR CC MC] | A 2540 | / | AT | 30-JUL-96 |
| | A-A-52551 | STARTER-GENERATOR: 300 AMPERE, 28 VOLTS, DIRECT CURRENT [CUST: AT] [REVIEW: CC] | A 2920 | / | AT | 15-DEC-95 |
| | A-A-52552 | HEADLIGHT-INFRARED, DOUBLE FILAMENT, 24 VOLT, WATERPROOF [CUST: AT YD1 99] [REVIEW: 82 CR GS MC] | A 6220 | / | AT | 13-DEC-95 |
| | A-A-52553 | HAMMER, PNEUMATIC, PORTABLE, NAIL-DRIVING [CUST: AT YD1 99] [REVIEW: 84 GL] | A 5130 | / | AT | 17-JAN-96 |
| | A-A-52554 | HOSE AND HOSE ASSEMBLIES, NONMETALLIC: ELASTOMERIC, LIQUID FUEL [CUST: AT YD1 99] [REVIEW: 82 CC MC SH] | A 4720 | / | AT | 27-JAN-96 |
| | A-A-52555 | HOOK, HOIST, BURTON-STYLE [CUST: AT] | A 4030 | / | AT | 02-JAN-96 |
| | A-A-52556 | OIL GUN, PNEUMATIC [CUST: AT YD1 99] [REVIEW: AR CC MC MD] | A 4930 | / | AT | 12-JAN-96 |
| | A-A-52557 | FUEL OIL, DIESEL; FOR POSTS, CAMPS AND STATIONS [CUST: AT SH 68] [REVIEW: 11 AR EC MC PS SA YD1] | A 9140 | / | AT | 02-JAN-96 |
| | A-A-52558 | BREAKERS, PAVING, PNEUMATIC-POWERED; (0.875 INCH HEXAGON BY 3.25 INCH CHUCK) [CUST: AT 99] [REVIEW: 84 CC] | A 3820 | / | AT | 20-FEB-96 |
| | A-A-52559 | GUARD, ROADWAY CROSSING (METRIC) [CUST: AT] [REVIEW: CC] | A 3835 | / | AT | 27-FEB-96 |
| | A-A-52560 | STOOL, STRAIGHT [CUST: CE] [REVIEW: GL] | A 7110 | / | CE | 01-FEB-96 |
| | A-A-52561 | INK, PRINTING: LITHOGRAPHIC OFFSET, WITH DRIER [CUST: CE] [REVIEW: GL MC] | A 7510 | / | CE | 15-AUG-96 |
| | A-A-52562 | CASE, MAINTENANCE AND OPERATIONAL MANUALS [CUST: CE 99] [REVIEW: 84 MC] | A 7520 | / | CE | 15-AUG-96 |
| | A-A-52563 | PLANIMETERS, POLAR, COMPENSATING, WITH CASE [CUST: CE 99] [REVIEW: CR GS] | A 6675 | / | CE | 15-AUG-96 |
| | A-A-52564 | STEREOSCOPE, LENS-PRISM-MIRROR, AERIAL PHOTOGRAPH INTERPRETATION (WITH BINOCULARS AND CASE) [CUST: CE 99] [REVIEW: GS] | A 6675 | / | CE | 15-AUG-96 |
| | A-A-52565 | SURVEYING INSTRUMENTS; AZIMUTH GYRO, LIGHTWEIGHT (SIAGL) [CUST: CE] [REVIEW: GS] | A 6675 | / | CE | 05-MAR-97 |
| | A-A-52566 | SINKS, PHOTOGRAPHIC PROCESSING, TEMPERATURE-CONTROLLED [CUST: CE] | A 6740 | / | CE | 23-MAY-97 |
| A | A-A-52567 | SURVEY INSTRUMENT AUTOMATED, INTEGRATED (AIS) [CUST: CE3 YD1] [REVIEW: GS] | A 6675 | / | CE3 | 05-AUG-97 |
| A | A-A-52568 | TABLE, LITHOGRAPHIC LAYOUT: TILT TOP, ILLUMINATED [CUST: CE3] [REVIEW: GS] | A 3610 | / | CE3 | 29-AUG-97 |
| A | A-A-52569 | SINK, PHOTOGRAPHIC PROCESSING AND SINK, LITHOGRAPHIC PROCESSING [CUST: CE3 SA 99] [REVIEW: 84 GL GS MC] | A 3610 | / | CE3 | 24-OCT-97 |
| A | A-A-52570 | TABLES, LINE-UP AND REGISTER, PRINTING, LITHOGRAPHIC [CUST: CE3 SA] [REVIEW: MC] | A 3610 | / | CE3 | 24-OCT-97 |
| A | A-A-52571 | TARGET, SURVEYING, BEACON (WITH CARRYING BAG) [CUST: CE3 MC] | A 6675 | / | CE3 | 30-JAN-98 |
| A | A-A-52572 | CUTTERS; PAPER, GUILLotine: FLOOR MODEL, ELECTRIC-MOTOR-DRIVEN [CUST: CE3] [REVIEW: GS] | A 3610 | / | CE3 | 30-JAN-98 |
| N | A-A-52573 | THEODOLITES, SURVEYING, DIRECTION: THIRD ORDER [CUST: CE3 MC] [REVIEW: AR GS] | A 6675 | / | CE3 | 15-MAY-98 |
| N | A-A-52574 | THEODOLITES, SURVEYING, DIRECTION: SECOND ORDER [CUST: CE MC 99] [REVIEW: 82 GS] | A 6675 | / | CE | 15-MAY-98 |
| | A-A-52586 | PALLET, MATERIAL HANDLING, WOOD STRINGER CONSTRUCTION, 4-WAY PARTIAL, 48 BY 40 INCHES [CUST: AT] [REVIEW: GS] | A 3990 | / | AT | 27-MAR-96 |
| | A-A-52587 | HOOK, ROPE, DECK [CUST: AT] | A 4030 | / | AT | 23-JAN-96 |
| | A-A-52589 | OILERS, AIR LINE, FOR PNEUMATIC TOOLS [CUST: AT MC] [REVIEW: CC] | A 4930 | / | AT | 15-FEB-96 |
| | A-A-52592 | PIPE FITTINGS: ONE OR MORE ENDS GROOVED [CUST: AT MC] [REVIEW: CC] | A 4730 | / | AT | 15-MAR-96 |
| | A-A-52593 | SAW RECIPROCATING, PORTABLE, PNEUMATIC: METAL CUTTING [CUST: AT YD1 99] [REVIEW: GL] | A 5130 | / | AT | 06-FEB-96 |
| | A-A-52594 | DRILL ROD SECTION, ROCK DRILL FOR DRIFTER DRILLS [CUST: AT YD1 99] [REVIEW: 84 MC] | A 3820 | / | AT | 14-FEB-96 |
| | A-A-52595 | BIT, STAR, ROCK DRILL, X-TYPE, FOR DRIFTER DRILLS [CUST: AT MC 99] [REVIEW: 84] | A 3820 | / | AT | 21-FEB-96 |
| | A-A-52596 | BIT, BUTTON, ROCK DRILL, FOR DRIFTER DRILLS [CUST: AT MC 99] [REVIEW: 84 CC] | A 3820 | / | AT | 21-FEB-96 |
| | A-A-52597 | VALVES, CHECK: SWING, CAST-IRON AND STEEL [CUST: AT] [REVIEW: CC CE1] | A 4820 | / | AT | 23-FEB-96 |
| | A-A-52598 | COUPLINGS, CLAMP, PIPE, WITH BOLTS AND SYNTHETIC-RUBBER GASKETS FOR GROOVED-END PIPE [CUST: AT MC 99] [REVIEW: 82 CC CE1] | A 4730 | / | AT | 14-MAR-96 |
| | A-A-52599 | BREAKERS, PAVING: PNEUMATIC (METRIC) [CUST: AT YD1 99] [REVIEW: 84 CC MC] | A 3820 | / | AT | 06-MAR-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | A-A-52600 | TANK, LIQUID STORAGE, METAL: FUEL-OIL, HORIZONTAL [CUST: AT YD1 99] [REVIEW: 84 CC MC] | A 5430 | / | AT | 06-MAR-96 |
| | A-A-52608 | BOX, STOWAGE, VEHICULAR ACCESSORIES [CUST: AT] [REVIEW: CC MI] | A 2540 | / | AT | 03-APR-96 |
| | A-A-52609 | POWDER, NICKEL-CHROMIUM/ALUMINUM COMPOSITE [CUST: AT] | A 9630 | / | AT | 27-MAY-96 |
| | A-A-52610 | NICKEL BASE ALLOY, SHEET AND PLATE CORROSION AND HEAT RESISTANT, SOLUTION HEAT TREATED (HAYNES 230) (METRIC) [CUST: AT] | A 9630 | / | AT | 24-JUN-96 |
| | A-A-52611 | VALVES AND VALVES SPUDS, CAPS, AND CORES, PNEUMATIC TIRE [CUST: AT YD1 99] [REVIEW: 84 AS CC CG MC] | A 2640 | / | AT | 05-MAY-97 |
| | A-A-52612 | BUSES, MOTOR: COMPACT, FORWARD CONTROL 8600 TO 13 500 POUNDS GVW, 12, 16 AND 20 PASSENGER, 4X2 [CUST: AT YD1 99] [REVIEW: 84 85 MC] | A 2310 | / | AT | 31-JUL-96 |
| | A-A-52613 | SEMITRAILER, REFUSE COLLECTION: TANDEM AXLE, 57 CUBIC METERS (75 CUBIC YARD), FOR USE WITH STATIONARY COMPACTORS AND COMPACTORS, STATIONARY, 2.7 CUBIC METERS (3.5 CUBIC YARD), FOR USE WITH REFUSE COLLECTION SEMITRAILERS [CUST: AT 99] | A 2330 | / | AT | 17-JUN-96 |
| A | A-A-52614 | LIGHT, MARKER, DIRECTIONAL, FLASHING [CUST: AT AS 99 GS] [REVIEW: 82 AV CE MC YD1] | A 6230 | / | AT | 23-SEP-97 |
| | A-A-52615 | BALLS, WRECKING [CUST: AT] [REVIEW: CC] | A 3815 | / | AT | 12-JUL-96 |
| | A-A-52617 | TRAILER, VAN: MOBILE HEARING TEST CENTER [CUST: AT] | A 2330 | / | AT | 25-JUL-96 |
| | A-A-52624 | ANTIFREEZE, MULTI ENGINE TYPE [CUST: AT SH 68] [REVIEW: EA GS] | A 6850 | / | AT | 06-FEB-97 |
| | A-A-52625 | LUBRICANT, TIRE AND RIM, DEMOUNTING [CUST: AT YD1 99] [REVIEW: 84 AS AV MC] | A 2640 | / | AT | 21-APR-97 |
| | A-A-52686 | MAINTENANCE KIT, ACRYLIC PLASTIC WINDOW REFINISHING, AIRCRAFT [CUST: AV AS 11] [REVIEW: 84 99] | A 1560 | / | AV | 11-MAR-96 |
| A | A-A-52687 | TESTER, HOSE ASSEMBLIES, HYDRAULIC-PNEUMATIC, AIRCRAFT AND MISSILE, HYDROCARBON FUEL AND OIL [CUST: AV AS 99] | A 4940 | / | AV | 11-MAR-97 |
| | A-A-52696 | FLAG, NATIONAL, UNITED STATES OF AMERICA, INTERMENT [CUST: IH] | A 8345 | / | IH | 05-AUG-96 |
| | A-A-0053001 | PHENYLPROPANOLAMINE HYDROCHLORIDE & GUAIFENESIN TABLETS [CUST: MD MS 03] | A 6505 | | MB | 01-JUN-87 |
| | A-A-53002 | HOOD, DENTAL LABORATORY GRINDING AND POLISHING MACHINE, COLLAPSIBLE, FIELD [CUST: MD MS 03] | A 6520 | | MB | 27-JUL-87 |
| | A-A-53003A | CART, CARDIAC RESUSCITATION KIT MOBILE [CUST: MD MS 03] | A 6530 | / | MB | 30-MAY-89 |
| | A-A-53004 | MARKER, IDENTIFICATION [CUST: MD MS 03] | A 7690 | | MS | 26-JUN-87 |
| | A-A-53005 | BOTTLE, NEBULIZER [CUST: MD MS 03] | A 6515 | | MB | 26-JUN-87 |
| | A-A-53006 | BRUSH, CLEANING, COLONOSCOPE [CUST: MD MS 03] | A 1615 | | MB | 26-JUN-87 |
| | A-A-53007 | ANALYZER, DEFIBRILLATOR [CUST: MD MS 03] | A 6625 | | MB | 26-JUN-87 |
| | A-A-53008 | PAD, LEG HOLDER [CUST: MD MS 03] | A 6515 | | MB | 26-JUN-87 |
| | A-A-53009 | FORCEPS, EYE, SUTURE, STRAIGHT [CUST: MD MS 03] | A 6515 | | MB | 08-JUN-87 |
| | A-A-53010 | CATHETER AND NEEDLE UNIT, INTRAVENOUS (16 GAGE BY 24 INCH CATHETER, RADIOPAQUE, DISPOSABLE) [CUST: MD MS 03] | A 6515 | | MB | 08-JUN-87 |
| | A-A-53011 | SCISSORS, NASAL (CURVED, JOSEPH) [CUST: MD MS 03] | A 6515 | | MB | 09-JUN-87 |
| | A-A-53012 | SCISSORS, WIRE CUTTING (ANGULAR) [CUST: MD MS 03] | A 6515 | | MB | 09-JUN-87 |
| | A-A-53013A | SCISSORS, GENERAL SURGICAL (CURVED, METZENBAUM) [CUST: MD MS 03] | A 6515 | / | MB | 16-SEP-88 |
| | A-A-53014A | SPREADER, BONE, PEDIATRIC (BABY INGE) [CUST: MD MS 03] | A 6515 | / | MB | 13-FEB-90 |
| | A-A-53016A | STRIP, ABRASIVE, DENTAL, ALUMINUM OXIDE [CUST: MD MS 03] | A 6520 | | MB | 18-JUL-88 |
| | A-A-53018 | BUFFER SOLUTION, STANDARD (PH) [CUST: MD MS 03] | A 6550 | / | MB | 22-JUN-87 |
| | A-A-53019 | PRISM SET, OPHTHALMIC [CUST: MD MS 03] | A 6540 | | MB | 19-JUN-87 |
| | A-A-53020 | BEAD, LABORATORY [CUST: MD MS 03] | A 6640 | | MB | 19-JUN-87 |
| | A-A-53021 | WHEEL, BUFFING, CLOTH, DENTAL [CUST: MD MS 03] | A 6520 | | MB | 30-JUN-87 |
| | A-A-53022A | STAPLES, BONE FIXATION [CUST: MD MS 03] | A 6515 | / | MB | 07-JAN-91 |
| | A-A-53023A | INCUBATOR, INFANT [CUST: MD MS 03] | A 6530 | / | MB | 17-JUN-88 |
| | A-A-53024A | SPECULUM, VAGINAL (AUVARD) [CUST: MD MS 03] | A 6515 | / | MB | 09-FEB-90 |
| | A-A-53025A | DEXAMETHASONE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-DEC-89 |
| | A-A-0053026 | POTASSIUM CHLORIDE SOLUTION [CUST: MD MS 03] | A 6550 | / | MB | 15-JUN-87 |
| | A-A-53027 | LINER, FLASK, DENTAL CASTING MACHINE (NON-WATER ABSORBING) [CUST: MD MS 03] | A 6520 | | MB | 06-JUL-87 |
| | A-A-53028 | GAGE, PROSTHODONTIC (BOLEY) [CUST: MD MS 03] | A 6520 | | MB | 06-JUL-87 |
| | A-A-0053029 | KNIFE, GENERAL SURGICAL (DISPOSABLE) [CUST: MD MS 03] | A 6515 | | MB | 05-AUG-87 |
| | A-A-53030 | OPHTHALMOSCOPE, BINOCULAR, INDIRECT [CUST: MD MS 03] | A 6540 | | MB | 29-JUN-87 |
| | A-A-53031 | PRISM BAR, OPHTHALMIC [CUST: MD MS 03] | A 6540 | | MB | 29-JUN-87 |
| | A-A-53032 | SCREEN, TANGENT, EYE EXAMINING [CUST: MD MS 03] | A 6540 | | MB | 29-JUN-87 |
| | A-A-53034 | THERMOMETER, SELF-INDICATING, BIMETALLIC [CUST: MD MS 03] | A 6685 | | MB | 30-JUN-87 |
| | A-A-53035 | OPHTHALMOMETER [CUST: MD MS 03] | A 6540 | | MB | 30-JUN-87 |
| | A-A-53036 | OPHTHALMOSCOPE, POLARIZING TYPE [CUST: MD MS 03] | A 6540 | | MB | 30-JUN-87 |
| | A-A-53038 | PLASTIC STRIP, DENTAL SURFACE PROTECTION, (MOUTHGUARD) [CUST: MD MS 03] | A 6520 | | MB | 06-JUL-87 |
| | A-A-53039A | ETHYNODIOL DIACETATE AND ETHINYL ESTRADIOL TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-NOV-90 |
| | A-A-0053040 | IOHEXOL INJECTION [CUST: MD MS 03] | A 6505 | | MB | 24-JUN-87 |
| | A-A-0053041A | MULTIVITAMIN TABLETS [CUST: MD MS 03] | A 6505 | | MB | 25-JAN-88 |
| | A-A-0053043 | MICONAZOLE NITRATE TREATMENT KIT, 36S [CUST: MD MS 03] | A 6505 | | MB | 19-JUN-87 |
| | A-A-53044 | CLINDAMYCIN PHOSPHATE INJECTION, USP [CUST: MD MS 03] | A 6505 | | MB | 01-JUL-87 |
| | A-A-53045 | CATHETER, CARDIOVASCULAR (TRIPLE LUMEN, RADIOPAQUE, DISPOSABLE, 110 CM LONG) [CUST: MD MS 03] | A 6515 | | MB | 07-JUL-87 |
| | A-A-53046A | FORCEPS, UTILITY (STRAIGHT, SMALL) [CUST: MD MS 03] | A 6515 | / | MB | 18-MAY-89 |
| | A-A-0053047 | GLOBULIN, HEPATITIS B IMMUNE, USP [CUST: MD MS 03] | A 6505 | | MB | 26-JUN-87 |
| | A-A-53049 | DIATRIZOATE SODIUM INJECTION, USP [CUST: MD MS 03] | A 6505 | | MB | 02-JUL-87 |
| | A-A-53050 | AMPICILLIN CAPSULES, USP [CUST: MD MS 03] | A 6505 | | MB | 02-JUL-87 |
| | A-A-53051 | CISPLATIN FOR INJECTION [CUST: MD MS 03] | A 6505 | | MB | 06-JUL-87 |
| | A-A-53052 | ISOETHARINE INHALATIONSOLUTION, USP [CUST: MD MS 03] | A 6505 | | MB | 02-JUL-87 |
| | A-A-53053 | SOYBEAN-CASEIN DIGEST AGAR MEDIUM, DEHYDRATED [CUST: MD MS 03] | A 6545 | | MB | 21-JUL-87 |
| | A-A-53056 | HOLDER, LABORATORY NEEDLE (DISSECTING) [CUST: MD MS 03] | A 6640 | | MB | 10-JUL-87 |
| | A-A-53057 | SWAB, CULTURE (CALCIUM ALGINATE WOOL TIPPED) | A 6515 | | MB | 13-JUL-87 |
| | A-A-53058A | PIPET, BACTERIOLOGICAL (PASTEUR TYPE) [CUST: MD MS 03] | A 6640 | / | MB | 01-FEB-93 |
| | A-A-0053059 | KITS, THREAD-FORMING MOUNTED PINS, DENTAL [CUST: MD MS 03] | A 6520 | | MB | 17-AUG-87 |
| | A-A-53061 | TEMAZE PAM CAPSULES [CUST: MD MS 03] | A 6505 | | MB | 09-JUL-87 |
| | A-A-53062A | SCISSORS, GENERAL SURGICAL, 9 INCH (CURVED, METZENBAUM) [CUST: MD MS 03] | A 6515 | / | MB | 18-JUL-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|---|--------------------------|------|-------------|-----------|
| A-A-0053063 | INFUSION SET, SCALP VEIN, (27 GAGE BY 3/8 INCH NEEDLE, WITH 8 INCH TUBING, DISPOSABLE, 40S) [CUST: MD MS 03] | A 6515 | MB | | 10-JUL-87 |
| A-A-53064 | DOXYCYCLINE HYCLATE CAPSULES, USP [CUST: MD MS 03] | A 6505 | MB | | 08-JUL-87 |
| A-A-53065A | TEST TUBE [CUST: MD MS 03] | A 6640 | / MB | | 15-JAN-88 |
| A-A-53066 | BOTTLE, SCREW CAP [CUST: MD MS 03] | A 6640 | MB | | 20-JUL-87 |
| A-A-0053067 | POLARISCOPE, OPHTHALMIC LENS [CUST: MD MS 03] | A 6540 | MB | | 20-JUL-87 |
| A-A-53068 | FLUOCINONIDE OINTMENT, USP [CUST: MD MS 03] | A 6505 | / MB | | 20-JUL-87 |
| A-A-53069 | FLUOCINONIDE CREAM, USP [CUST: MD MS 03] | A 6505 | MB | | 20-JUL-87 |
| A-A-53070 | STIRRER, ELECTRIC, LABORATORY [CUST: EA MS 99] | A 6640 | MB | | 20-JUL-87 |
| A-A-53071 | OVEN, LABORATORY [CUST: EA MS 99] | A 6640 | / MB | | 20-JUL-87 |
| A-A-53072A | BRONCHOSCOPE, FIBER OPTIC, HOLINGER [CUST: MD MS 03] | A 6515 | / MB | | 12-FEB-93 |
| A-A-53073A | GLOVES, DENTAL (RUBBER, NON-STERILE, DISPOSABLE, 50 PR) [CUST: MD MS 03] | A 6520 | / MB | | 11-JUL-89 |
| A-A-53077 | SPLINT, NASAL (BROWN STYLE) [CUST: MD MS 03] | A 6515 | MB | | 22-JUL-87 |
| A-A-53078 | TUBE AND SYRINGE, STOMACH (ADULT, LAVAGE, EDLICH, DISPOSABLE, 34 FR) [CUST: MD MS 03] | A 6515 | MB | | 16-JUL-87 |
| A-A-0053079 | INFUSION SET, SCALP VEIN, (21 GAGE BY 3/4 INCH NEEDLE, WITH 3-1/2 INCH TUBING, DISPOSABLE, 40S) [CUST: MD MS 03] | A 6515 | MB | | 17-JUL-87 |
| A-A-53080 | PROTECTOR, HEEL [CUST: MD MS 03] | A 6515 | MB | | 27-JUL-87 |
| A-A-53081 | AMANTADINE HYDROCHLORIDE CAPSULES, USP [CUST: MD MS 03] | A 6505 | MB | | 21-JUL-87 |
| A-A-53082A | HANGER, X-RAY FILM [CUST: MD MS 03] | A 6525 | / MB | | 17-JUN-88 |
| A-A-0053084 | CARBAMIDE PEROXIDE ORAL TOPICAL SOLUTION [CUST: MD MS 03] | A 6505 | / MB | | 15-JUL-87 |
| A-A-53085A | MOULAGE KIT, COLOSTOMY [CUST: MD MS 03] | A 6910 | / MB | | 17-JUN-88 |
| A-A-0053086 | FAMOTIDINE TABLETS [CUST: MD MS 03] | A 6505 | MB | | 16-JUL-87 |
| A-A-53087 | PIPERACILLIN SODIUM, STERILE, USP [CUST: MD MS 03] | A 6505 | MB | | 23-JUL-87 |
| A-A-53088 | LENS, OPHTHALMIC, GLASS [CUST: MD MS 03] | A 6540 | MB | | 31-JUL-87 |
| A-A-53090 | RACK, INSTRUMENT STERILIZATION [CUST: MD MS 03] | A 6530 | MB | | 31-AUG-87 |
| A-A-53091 | CHAIR, WHIRLPOOL BATH [CUST: MD MS 03] | A 6530 | MB | | 31-AUG-87 |
| A-A-53092A | TRAY, INSTRUMENT (CORROSION-RESISTING STEEL) [CUST: MD MS 03] | A 6530 | / MB | | 31-JUL-90 |
| A-A-53093 | PATIENT UTILITY KIT [CUST: MD MS 03] | A 6530 | MB | | 31-AUG-87 |
| A-A-53094A | RACKS, X-RAY FILM HANGER [CUST: MD MS 03] | A 6525 | / MB | | 04-JUN-93 |
| A-A-53095 | BLOCK SET, RADIOGRAPHIC POSITIONING [CUST: MD MS 03] | A 6525 | MB | | 31-AUG-87 |
| A-A-53096 | SUPPORT, CERVICAL [CUST: MD MS 03] | A 6515 | MB | | 31-AUG-87 |
| A-A-53097 | RING, CERVICAL SPINE TRACTION [CUST: MD MS 03] | A 6515 | MB | | 31-AUG-87 |
| A-A-53098 | CALIBRATOR, TIMER [CUST: MD MS 03] | A 6625 | MB | | 31-AUG-87 |
| A-A-53099 | RACK-BIN ASSEMBLY, PHARMACEUTICAL STORAGE [CUST: MD MS 03] | A 6530 | MB | | 31-AUG-87 |
| A-A-53100 | GLOVES, X-RAY PROTECTIVE [CUST: MD MS 03] | A 6532 | MB | | 31-AUG-87 |
| A-A-53101 | APPLICATOR, DISPOSABLE, (WOOD OR PLASTIC, COTTON OR POLYESTER TIPPED END) [CUST: MD MS 03] | A 6515 | MB | | 28-JUL-87 |
| A-A-53102 | ADAPTER, HYPODERMIC NEEDLE-TO-TUBING [CUST: MD MS 03] | A 6515 | MB | | 28-JUL-87 |
| A-A-53103A | SYRINGE, ASPIRATING [CUST: MD MS 03] | A 6515 | / MB | | 09-JUL-90 |
| A-A-53104 | SUPPORT, ACROMIOCLAVICULAR [CUST: MD MS 03] | A 6515 | / MB | | 31-AUG-87 |
| A-A-53105 | HOLDER, RADIOGRAPHIC FILM EXPOSURE [CUST: MD MS 03] | A 6525 | MB | | 31-AUG-87 |
| A-A-53106 | APPLICATOR, CRANIAL IMMOBILIZATION RING [CUST: MD MS 03] | A 6515 | MB | | 31-AUG-87 |
| A-A-53107 | CART, PLASTER CAST MATERIALS [CUST: MD MS 03] | A 6530 | MB | | 31-AUG-87 |
| A-A-53108 | NUMERAL SET, X-RAY FILM MARKING [CUST: MD MS 03] | A 6525 | MB | | 31-AUG-87 |
| A-A-53109 | LETTER SET, X-RAY FILM MARKING [CUST: MD MS 03] | A 6525 | MB | | 31-AUG-87 |
| A-A-53110 | MODEL, ANATOMICAL (TEETH & GUMS) [CUST: MD MS 03] | A 6910 | MB | | 17-AUG-87 |
| A-A-53111 | BRUSH, POLISHING, DENTAL HANDPIECE (SCREW STEM) [CUST: MD MS 03] | A 6520 | MB | | 17-AUG-87 |
| A-A-53112 | CYLINDER, GRADUATED, LABORATORY [CUST: EA MS 99 DM] | A 6640 | / DM | | 31-JUL-87 |
| A-A-53114A | PHENYTOIN SODIUM INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 30-APR-92 |
| A-A-53116 | CUFF, TOURNIQUET, EXTREMITY, SYNTHETIC RUBBER [CUST: MD MS 03] | A 6515 | MB | | 07-AUG-87 |
| A-A-53117 | TEST GAGE, TOURNIQUET [CUST: MD MS 03] | A 6515 | MB | | 05-AUG-87 |
| A-A-53118 | PLUGGER, AMALGAM, DENTAL, BACK ACTION, UNIVERSITY OF MINNESOTA, NO. 4 [CUST: MD MS 03] | A 6520 | MB | | 17-AUG-87 |
| A-A-53120 | METHOTREXATE SODIUM FOR INJECTION [CUST: MD MS 03] | A 6505 | MB | | 31-JUL-87 |
| A-A-53121A | DILTIAZEM HYDROCHLORIDE TABLETS [CUST: MD MS 03] | A 6505 | / MB | | 30-OCT-89 |
| A-A-53122 | METHYLDOPA TABLETS, USP [CUST: MD MS 03] | A 6505 | MB | | 27-JUL-87 |
| A-A-53123 | CEMENT, ZINC OXIDE AND EUGENOL, DENTAL (TEMPORARY) [CUST: MD MS 03] | A 6520 | / MB | | 17-AUG-87 |
| A-A-53124A | TABLE, TREATMENT [CUST: MD MS 03] | A 6530 | / MB | | 17-JUN-88 |
| A-A-53125 | PIN, INSECT TRANSFIXION [CUST: MD MS 03] | A 6640 | MB | | 07-AUG-87 |
| A-A-53127 | PLUGS, EAR (HEARING PROTECTION, CYLINDRICAL, WITH CORD) [CUST: MD MS 03] | A 6515 | MB | | 06-AUG-87 |
| A-A-53128 | FUROSEMIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | MB | | 10-AUG-87 |
| A-A-53129 | METHYLPREDNISOLONE SODIUM SUCCINATE FOR INJECTION, USP [CUST: MD MS 03] | A 6505 | MB | | 13-AUG-87 |
| A-A-53130 | METHYLPREDNISOLONE TABLETS, USP [CUST: MD MS 03] | A 6505 | MB | | 05-AUG-87 |
| A-A-0053131 | INFUSION SET, SCALP VEIN, (21 GAGE BY 3/4 INCH NEEDLE, WITH 3-1/2 INCH TUBING, DISPOSABLE, 40S) [CUST: MD MS 03] | A 6515 | MB | | 13-AUG-87 |
| A-A-53132 | WHEELS, ABRASIVE (ALUMINUM OXIDE, STRAIGHT HANDPIECE [CUST: MD MS 03] | A 6520 | MB | | 17-AUG-87 |
| A-A-53133A | CUFF SET, TOURNIQUET, PNEUMATIC [CUST: MD MS 03] | A 6515 | / MB | | 15-APR-88 |
| A-A-0053134 | GLOVES, SURGEONS' (POWDER-FREE, STERILE, DISPOSABLE [CUST: MD MS 03] | A 6515 | MB | | 17-AUG-87 |
| A-A-53135 | COLD PACK AND WRAPPER, CRYOTHERAPY [CUST: MD MS 03] | A 6530 | MB | | 31-AUG-87 |
| A-A-53136 | ISOETHARINE MESYLATE INHALATION AEROSOL, USP [CUST: MD MS 03] | A 6505 | MB | | 13-AUG-87 |
| A-A-53137 | METRONIDAZOLE INJECTION, USP [CUST: MD MS 03] | A 6505 | MB | | 13-AUG-87 |
| A-A-53138 | GUAIFENESIN SYRUP, USP [CUST: MD MS 03] | A 6505 | MB | | 13-AUG-87 |
| A-A-53139 | INDOMETHACIN CAPSULES, USP [CUST: MD MS 03] | A 6505 | MB | | 13-AUG-87 |
| A-A-53140A | COMPARATOR SET, COLOR, (FREE RESIDUAL CHLORINE AND PH DETERMINATION) [CUST: MD MS 03] | A 6630 | / MB | | 25-JAN-88 |
| A-A-0053141 | INFUSION SET, SCALP VEIN, (23 GAGE BY 3/4 INCH NEEDLE, WITH 3-1/2 INCH TUBING, DISPOSABLE, 40S) [CUST: MD MS 03] | A 6515 | / MB | | 12-AUG-87 |
| A-A-53143 | WIRE CUTTER, EAR (GUILFORD-WRIGHT) [CUST: MD MS 03] | A 6515 | MB | | 21-AUG-87 |
| A-A-53144 | TUBE, BIOLOGICAL CULTURE SAMPLING (PLASTIC) [CUST: MD MS 03] | A 6640 | / MB | | 21-AUG-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/NSA | ICA Prep. Acty. | Date |
|-----------------|---|-------------------------|--------------------|-----------|
| A-A-53145A | TRANSCERVICAL INTRAUTERINE KIT [CUST: MD MS 03] | A 6515 / | MB | 07-JUL-89 |
| A-A-53146A | HOLDER, RADIOGRAPHIC FILM CASSETTE [CUST: MD MS 03] | A 6525 / | MB | 29-JUL-88 |
| A-A-53147A | BOTTLE, SCREW CAP (SWIVEL LOCK DISPENSING) [CUST: MD MS 03] | A 6640 / | MB | 14-AUG-88 |
| A-A-53148A | SCISSORS, GENERAL SURGICAL (CURVED, 7 INCH, METZENBAUM, TONSILECTOMY) [CUST: MD MS 03] | A 6515 / | MB | 13-JUL-89 |
| A-A-0053149 | TIMER, BLOOD AND PLASMA COAGULATION [CUST: MD MS 03 DM] | A 6630 / | DM | 01-SEP-87 |
| A-A-53150 | SWAB, CULTURE (CALCIUM ALGINATE) [CUST: MD MS 03] | A 6515 / | MB | 25-AUG-87 |
| A-A-0053151 | LEVOBUNOLOL HYDROCHLORIDE OPHTHALMIC SOLUTION [CUST: MD MS 03] | A 6505 | % FSS | 19-AUG-87 |
| A-A-0053154 | CHLORHEXIDINE GLUCONATE ORAL RINSE [CUST: MD MS 03] | A 6505 | MB | 04-AUG-87 |
| A-A-53155A | DOBUTAMINE HYDROCHLORIDE INJECTION [CUST: MD MS 03] | A 6505 / | MB | 01-APR-93 |
| A-A-53156A | WATER FOR INJECTION, STERILE, USP [CUST: MD MS 03] | A 6505 / | MB | 29-OCT-93 |
| A-A-53158 | PROCAINAMIDE HYDROCHLORIDE TABLETS (SUSTAINED-RELEASE) [CUST: MD MS 03] | A 6505 | MB | 19-AUG-87 |
| A-A-53161 | PROPRANOLOL HYDROCHLORIDE CAPSULES [CUST: MD MS 03] | A 6505 | MB | 21-AUG-87 |
| A-A-53163 | VERAPAMIL HYDROCHLORIDE TABLETS [CUST: MD 03] | A 6505 | MB | 27-AUG-87 |
| A-A-53164 | PENICILLIN V POTASSIUM FOR ORAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | MB | 27-AUG-87 |
| A-A-0053165 | INFUSION SET, SCALP VEIN, (16 GAGE BY 1 INCH NEEDLE, WITH 30-INCH TUBING, DISPOSABLE, 20S) [CUST: MD MS 03] | A 6515 / | MB | 02-SEP-87 |
| A-A-0053166 | PORTABLE BLOOD WARMER [CUST: MD MS 03] | A 6515 | MB | 10-SEP-87 |
| A-A-53167 | MARKER, IDENTIFICATION, DENTAL HEALTH RECORD [CUST: MD MS 03] | A 7690 | MB | 14-SEP-87 |
| A-A-53168 | METHOTREXATE SODIUM INJECTION, USP [CUST: MD MS 03] | A 6505 | MB | 27-AUG-87 |
| A-A-53169 | METHOXYREXATE SODIUM INJECTION, USP [CUST: MD MS 03] | A 6505 / | MB | 27-AUG-87 |
| A-A-53170 | THIOTHIXENE CAPSULES, USP [CUST: MD MS 03] | A 6505 | MB | 27-AUG-87 |
| A-A-0053171 | INTERN COMMERCIAL ITEM DESCRIPTION ISOTRETINOIN CAPSULES [CUST: MD MS 03 MB] | A 6505 / | MB | 19-JAN-88 |
| A-A-53172A | AMPHOTERICIN B FOR INJECTION, USP [CUST: MD MS 03] | A 6505 / | MB | 17-SEP-93 |
| A-A-53173A | AMINOGLUTETHIMIDE TABLETS, USP [CUST: MD MS 03] | A 6505 / | MB | 18-DEC-92 |
| A-A-0053174 | SODIUM POLYSTYRENE SULFONATE SUSPENSION [CUST: MD MS 03] | A 6505 / | MB | 21-AUG-87 |
| A-A-0053175 | TEST KIT, BLOOD UREA NITROGEN DETERMINATION [CUST: MD MS 03] | A 6505 | MB | 20-AUG-87 |
| A-A-53176 | STOCKINET, SURGICAL (DRAPE) [CUST: MD MS 03] | A 6510 | MB | 28-AUG-87 |
| A-A-53177 | FORCEPS, DENTAL ARTICULATING PAPER [CUST: MD MS 03] | A 6520 | MB | 21-SEP-87 |
| A-A-53179 | CHISEL, BONE [CUST: MD MS 03] | A 6515 | MB | 14-SEP-87 |
| A-A-53180 | SEALER-HOLDER, CAPILLARY TUBE [CUST: MD MS 03] | A 6640 | MB | 14-SEP-87 |
| A-A-0053181 | VANCOMYCIN HCL, STERILE, USP [CUST: MD MS 03] | A 6505 / | MB | 24-AUG-87 |
| A-A-53183 | SPLINT, JAW (ERICH) [CUST: MD MS 03] | A 6520 / | MB | 21-SEP-87 |
| A-A-53184B | NAFCILLIN SODIUM INJECTION, USP [CUST: MD MS 03] | A 6505 / | MB | 13-JUN-90 |
| A-A-53185 | INSULIN INJECTION, HUMAN, USP (U-100, 10 ML) [CUST: MD MS 03] | A 6505 | MB | 03-SEP-87 |
| A-A-53186 | BANDAGE, CAST, FIBERGLASS RESIN IMPREGNATED [CUST: MD MS 03] | A 6510 | MB | 21-SEP-87 |
| A-A-53187 | INSULIN HUMAN, SUSPENSION, ISOPHANE, U-100, 10 ML [CUST: MD MS 03] | A 6505 | MB | 04-SEP-87 |
| A-A-53188 | MEZLOCILLIN SODIUM, STERILE, USP [CUST: MD MS 03] | A 6505 | MB | 04-SEP-87 |
| A-A-53189A | FLURAZEPAM HYDROCHLORIDE CAPSULES, USP [CUST: MD MS 03] | A 6505 / | MB | 31-JAN-90 |
| A-A-53190 | ACETYL CYSTEINE SOLUTION, USP [CUST: MD MS 03] | A 6505 | MB | 04-SEP-87 |
| A-A-53191 | PRAZOSIN HYDROCHLORIDE CAPSULES, USP [CUST: MD MS 03] | A 6505 | MB | 04-SEP-87 |
| A-A-53192A | SPLINT, TRACTION-EXTRICATION [CUST: MD MS 03] | A 6515 / | MB | 22-JAN-88 |
| A-A-53193 | HAMMER, HAND (OPTICAL) [CUST: MD MS 03] | A 5120 | MB | 15-SEP-87 |
| A-A-53194 | CANNULA, SUCTION, SURGICAL (ADSON) [CUST: MD MS 03] | A 6515 | MB | 06-OCT-87 |
| A-A-53195A | ANALYZING KIT, MEAT FAT CONTENT [CUST: MD MS 03] | A 6695 / | MB | 12-FEB-90 |
| A-A-53196 | PAD, WITCH HAZEL-LANOLIN IMPREGNATED [CUST: MD MS 03] | A 6510 | MB | 14-SEP-87 |
| A-A-53197 | TUBE, FEEDING (ENTERAL, 12 FRENCH) [CUST: MD MS 03] | A 6515 / | MB | 30-SEP-88 |
| A-A-53199 | PIPET, DROPPING (PLASTIC, DISPOSABLE) [CUST: MD MS 03] | A 6640 | MB | 28-SEP-87 |
| A-A-53200 | CENTRIFUGE, LABORATORY (HAND HELD) [CUST: MD MS 03] | A 6640 | MB | 21-SEP-87 |
| A-A-53201 | FORCEPS, ARTHROSCOPIC (STRAIGHT) [CUST: MD MS 03] | A 6515 | MB | 18-SEP-87 |
| A-A-53202 | CHLORDIAZEPOXIDE HYDROCHLORIDE CAPSULES, USP [CUST: MD MS 03] | A 6505 | MB | 17-SEP-87 |
| A-A-53203A | DIALYSIS PROCEDURAL SET, ACUTE PERITONEAL [CUST: MD MS 03] | A 6515 / | MB | 17-MAY-90 |
| A-A-53206 | BUFFER SOLUTION, STANDARD (PH 6.833 TO 6.843) [CUST: MD MS 03] | A 6550 / | MB | 20-SEP-87 |
| A-A-53207 | CHLORPROMAZINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | MB | 23-SEP-87 |
| A-A-53208 | PERPHENAZINE TABLETS, USP [CUST: MD MS 03] | A 6505 | MB | 23-SEP-87 |
| A-A-53210A | RESIN, ACRYLIC, DENTAL, INLAY PATTERN AND RESIN, ACRYLIC, LIQUID, DENTAL [CUST: MD MS 03] | A 6520 / | MB | 15-SEP-89 |
| A-A-53211A | CLORAZEPATE DIPOTASSIUM TABLETS [CUST: MD MS 03] | A 6505 / | MB | 15-JAN-91 |
| A-A-0053215 | INSULIN ISOPHANE SUSPENSION, USP, PURIFIED, BEEF, 10 ML [CUST: MD MS 03] | A 6505 | MB | 17-SEP-87 |
| A-A-0053216 | TEST STRIPS AND COLOR CHART, GLUCOSE, LEUKOCYTES, NITRATE, AND PROTEIN IN URINE, 100S [CUST: MD MS 03] | A 6550 / | MB | 23-SEP-87 |
| A-A-0053217 | TEST KIT, GLUCOSE DETERMINATION [CUST: MD MS 03] | A 6550 / | MB | 18-SEP-87 |
| A-A-53218A | CASE, MEDULLARY PIN STERILIZATION (DACRON) [CUST: MD MS 03] | A 6530 / | MB | 06-MAR-92 |
| A-A-53219 | LOUNGE, BLOOD DONOR [CUST: MD MS 03] | A 6530 | MB | 29-SEP-87 |
| A-A-53220 | RACK, WEIGHT SET, STORAGE [CUST: MD MS 03] | A 6530 | MB | 29-SEP-87 |
| A-A-53221 | STRAP, LEG-HOLDER, EXAMINATION TABLE [CUST: MD MS 03] | A 6530 | MB | 29-SEP-87 |
| A-A-53222 | BEDPAN [CUST: MD MS 03] | A 6530 / | MB | 29-SEP-87 |
| A-A-53223 | WEIGHT SET, WRIST & ANKLE [CUST: MD MS 03] | A 6530 | MB | 29-SEP-87 |
| A-A-53224 | SPATULA, DENTAL & CARVER, DENTAL (WAX) [CUST: MD MS 03] | A 6520 / | MB | 29-SEP-87 |
| A-A-53225 | DOCUSATE CALCIUM CAPSULES, USP [CUST: MD MS 03] | A 6505 / | MB | 17-MAR-88 |
| A-A-53226A | WRAPPER, STERILIZATION (CELLULOSE WITH REINFORCED POLYESTER FIBERS) [CUST: MD MS 03] | A 6530 / | MB | 29-JUL-88 |
| A-A-53227A | WRAPPER, STERILIZATION (HEAVY DUTY) [CUST: MD MS 03] | A 6530 / | MB | 17-JUN-88 |
| A-A-53228A | WRAPPER, STERILIZATION (BONDED WOOD PULP) [CUST: MD MS 03] | A 6530 / | MB | 29-JUL-88 |
| A-A-53229A | INTRODUCER SET, CATHETER, PERCUTANEOUS [CUST: MD MS 03] | A 6515 / | MB | 13-OCT-89 |
| A-A-53231A | FORCEPS, HEMOSTATIC CLIP APPLYING, SMALL, SERRATED JAWS, ANGLED [CUST: MD MS 03] | A 6515 / | MB | 15-MAR-89 |
| A-A-53232 | STRIP ABRASIVE, DENTAL (ALUMINUM OXIDE) [CUST: MD MS 03] | A 6520 / | MB | 29-SEP-87 |
| A-A-53233 | BENDER, THREAD-FORMING PIN, DENTAL [CUST: MD MS 03] | A 6520 / | MB | 29-SEP-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-------|-------------|-----------|
| | A-A-53234 | PLIERS, DENTAL (STEIGLITZ, 5-3/16 INCHES) [CUST: MD MS 03] | A 6520 | / MB | | 29-SEP-87 |
| | A-A-53235 | WIRE, NONELECTRICAL (CHROMIUM-COBALT ALLOY) [CUST: MD MS 03] | A 6520 | MB | | 29-SEP-87 |
| | A-A-53236 | SPECTACLES, PROTECTIVE, DENTAL PATIENT, GREEN LENSES [CUST: MD MS 03] | A 6520 | MB | | 29-SEP-87 |
| | A-A-53237 | BATH, WATER, DENTAL IMPRESSION MATERIAL, LOW TEMPERATURE [CUST: MD MS 03] | A 6520 | / MB | | 29-SEP-87 |
| | A-A-53238 | ENVELOPE, STERILIZATION [CUST: MD MS 03] | A 6530 | MB | | 29-SEP-87 |
| | A-A-53239 | GRID, RADIOGRAPHIC [CUST: MD MS 03] | A 6525 | MB | | 29-SEP-87 |
| | A-A-0053240 | ZIDOVUDINE CAPSULES [CUST: MD MS 03] | A 6505 | MB | | 07-OCT-87 |
| | A-A-53241 | DILATOR SET, UTERINE, HANK [CUST: MD MS 03] | A 6515 | MB | | 23-SEP-87 |
| | A-A-53245A | LUMBAR PUNCTURE KIT [CUST: MD MS 03] | A 6515 | / MB | | 02-JUN-89 |
| | A-A-53246 | FORCEPS, HYSTERECTOMY (HEANEY-BALLANTINE) [CUST: MD MS 03] | A 6515 | MB | | 08-OCT-87 |
| | A-A-53247A | OBTURATOR, CARDIOVASCULAR Tourniquet (RUMEL) [CUST: MD MS 03] | A 6515 | / MB | | 28-JUL-88 |
| | A-A-53248A | PUMP, ENTERAL FEEDING [CUST: MD MS 03] | A 6515 | / MB | | 29-JUN-88 |
| | A-A-53249A | AMINO ACID INJECTION, WITHOUT ELECTROLYTES [CUST: MD MS 03] | A 6505 | / MB | | 28-AUG-92 |
| | A-A-0053250 | ISOPROTERENOL HYDROCHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | % FSS | | 02-OCT-87 |
| | A-A-0053251 | MIDAZOLAM HYDROCHLORIDE INJECTION [CUST: MD MS 03] | A 6505 | MB | | 02-OCT-87 |
| | A-A-53253 | RONGER (STRAIGHT, LEMPERT) [CUST: MD MS 03] | A 6515 | MB | | 26-OCT-87 |
| | A-A-53254A | ANALYZER, CARBON DIOXIDE (MICRO CO2, SERUM) [CUST: MD MS 03] | A 6630 | / MB | | 02-MAY-88 |
| | A-A-53256A | AMMONIUM LACTATE LOTION [CUST: MD MS 03] | A 6505 | / MB | | 13-NOV-92 |
| | A-A-0053260 | GLOBULIN, IMMUNE FOR INJECTION [CUST: MD MS 03] | A 6505 | MB | | 19-OCT-87 |
| | A-A-0053261 | TETRACAINE HYDROCHLORIDE & DEXTROSE INJECTION [CUST: MD MS 03] | A 6505 | MB | | 16-OCT-87 |
| | A-A-53262 | PAD, NONADHERENT [CUST: MD MS 03] | A 6510 | / MB | | 01-MAR-88 |
| | A-A-53263 | ADHESIVE LIQUID, SURGICAL (AEROSOL) [CUST: MD MS 03] | A 6510 | MB | | 01-MAR-88 |
| | A-A-53267A | ANALYZER, CENTRIFUGAL, HEMATOLOGY [CUST: MD MS 03] | A 6630 | / MB | | 20-APR-90 |
| | A-A-53268 | PRESS, DENTURE FLASK [CUST: MD MS 03] | A 6520 | / MB | | 07-DEC-87 |
| | A-A-53269A | STAINING PACK, CYTOLOGY [CUST: MD MS 03] | A 6550 | / MB | | 11-APR-88 |
| | A-A-53270 | TIP, DENTAL SUCTION APPARATUS [CUST: MD MS 03] | A 6520 | MB | | 16-NOV-87 |
| | A-A-53271 | ARTICULATOR, DENTAL (SEMI-ADJUSTABLE, ARCON STYLE) AND PLATE, MOUNTING, DENTAL ARTICULATOR [CUST: MD MS 03] | A 6520 | / MB | | 30-NOV-87 |
| | A-A-53272A | MIXING PAD, PAPER, DENTAL [CUST: MD MS 03] | A 6520 | / MB | | 20-FEB-89 |
| | A-A-0053282 | HEPATITIS B VACCINE, INACTIVATED, USP [CUST: MD MS 03] | A 6505 | MB | | 30-OCT-87 |
| | A-A-53284A | MEDROXYPROGESTERONE ACETATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 01-AUG-92 |
| | A-A-53285 | PAD, WITCH HAZEL-GLYCERINE IMPREGNATED [CUST: MD MS 03] | A 6510 | MB | | 01-MAR-88 |
| | A-A-0053288 | BACTERIAL INHIBITING AGENT; DEHYDRATED [CUST: MD MS 03] | A 6550 | / MB | | 01-APR-88 |
| | A-A-53289 | VISCOMETER, CAPILLARY TYPE [CUST: MD MS 03] | A 6630 | MB | | 30-NOV-87 |
| | A-A-53290A | FORCEPS, EAR, SERRATED POINTED JAWS (BELLUCCI) [CUST: MD MS 03] | A 6515 | / MB | | 05-JUN-89 |
| | A-A-53291 | RETRACTOR PERIOSTEAL, (PRICHARD NO. 3) [CUST: MD MS 03] | A 6520 | MB | | 07-DEC-87 |
| | A-A-53292 | PROCESSING UNIT, DENTAL RESINS [CUST: MD MS 03] | A 6520 | MB | | 01-DEC-87 |
| | A-A-53293A | CONTROL STRIPS, VISUAL URINALYSIS [CUST: MD MS 03] | A 6550 | / MB | | 22-JUL-88 |
| | A-A-53294A | SCISSORS, EAR, (ALLIGATOR JAWS, HOUSE-BELLUCCI) [CUST: MD MS 03] | A 6515 | / MB | | 01-JUN-89 |
| | A-A-53295 | TRAY, PORCELAIN FIRING (SAGGER) [CUST: MD MS 03] | A 6520 | / MB | | 14-DEC-87 |
| | A-A-53296 | ADAPTER, CATHETER-TO-LUER SYRINGE, EYNARD [CUST: MD MS 03] | A 6515 | MB | | 11-DEC-87 |
| | A-A-53298A | SCOOP, DUCT, COMMON (MAYO) [CUST: MD MS 03] | A 6515 | / MB | | 07-JUL-89 |
| | A-A-53299B | BAG, STERILIZATION-BIOHAZARD [CUST: MD MS 03] | A 6530 | / MB | | 31-JAN-94 |
| | A-A-53300 | DIPPER, ENTOMOLOGICAL [CUST: MD MS 03] | A 6640 | MB | | 21-DEC-87 |
| | A-A-53305A | CARBAMAZEPINE TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 22-JUL-88 |
| | A-A-0053306 | TETRACAINE HYDROCHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 14-FEB-88 |
| | A-A-0053307 | VECURIUM BROMIDE FOR INJECTION [CUST: MD MS 03] | A 6505 | MB | | 29-JAN-88 |
| | A-A-0053308 | TICARCILLIN DISODIUM AND CLAVULANATE POTASSIUM FOR INJECTION [CUST: MD MS 03] | A 6505 | MB | | 14-FEB-88 |
| | A-A-53309A | DOXORUBICIN HYDROCHLORIDE FOR INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 15-FEB-90 |
| | A-A-53310A | DEXTROSE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 15-DEC-89 |
| | A-A-0053312 | OPHTHALMIC IRRIGATING SOLUTION [CUST: MD MS 03 MB] | A 6505 | / MB | | 25-JAN-88 |
| | A-A-53315 | EXTRACTION APPARATUS, [CUST: MD MS 03 MB] | A 6515 | / MB | | 26-FEB-88 |
| | A-A-53316 | BOOTH, AUDIOMETRIC EXAMINATION [CUST: MD MS 03] | A 6515 | MB | | 24-FEB-88 |
| | A-A-53317 | CENTRIFUGE, LABORATORY [CUST: MD MS 03] | A 6640 | MB | | 28-DEC-87 |
| | A-A-53318 | MARKER STE, X-RAY FLUIMIDENTIFICATION [CUST: MD MS 03] | A 6525 | MB | | 26-FEB-88 |
| | A-A-53319 | SPECIMEN KIT, SPUTUM [CUST: MD MS 03] | A 6530 | MB | | 26-FEB-88 |
| | A-A-53320 | TEST PATTERN, RADIOGRAPHIC IMAGE INTENSIFIER [CUST: MD MS 03] | A 6525 | MB | | 26-FEB-88 |
| | A-A-53321 | SPREADER BAR, HEAD SLING [CUST: MD MS 03] | A 6530 | MB | | 26-FEB-88 |
| | A-A-53322 | SLING, HEAD [CUST: MD MS 03] | A 6530 | MB | | 24-FEB-88 |
| | A-A-53323 | LIDDING SHEET, UNIT DOSE [CUST: MD MS 03] | A 6530 | MB | | 26-FEB-88 |
| | A-A-53324 | HOLDER, RADIOGRAPHIC FILM CASSETTE [CUST: MD MS 03] | A 6525 | MB | | 26-FEB-88 |
| | A-A-53325A | ENVELOPE, STERILIZATION (HEAT SEAL) [CUST: MD MS 03] | A 6530 | / MB | | 30-APR-93 |
| | A-A-53326 | ENVELOPE, STERILIZATION [CUST: MD MS 03] | A 6530 | MB | | 26-FEB-88 |
| | A-A-53327A | CASSETTES, RADIOGRAPHIC FILM (HEAVY DUTY TYPE) [CUST: MD MS 03] | A 6525 | / MB | | 12-JUL-91 |
| | A-A-53328 | DILATOR SET, UTERINE, HANK [CUST: MD MS 03] | A 6515 | / MB | | 18-DEC-87 |
| | A-A-0053329 | INSULIN HUMAN, ZINC SUSPENSION, U-100, 10 ML [CUST: MD MS 03] | A 6505 | MB | | 08-FEB-88 |
| | A-A-0053330 | INSULIN HUMAN, ZINC SUSPENSION, EXTENDED, U-100, 10 ML [CUST: MD MS 03] | A 6505 | MB | | 09-FEB-88 |
| | A-A-53331A | SPONGE, SURGICAL, GAUZE, (12 PLY, DOUBLE PACK) [CUST: MD MS 03] | A 6510 | / MB | | 13-MAR-89 |
| | A-A-0053332 | SODIUM CHLORIDE INJECTION, USP, PARTIAL-FILL BAGS WITH VIAL ADDITIVE PORT [CUST: MD MS 03] | A 6505 | / MB | | 14-FEB-88 |
| | A-A-53335 | RETRACTOR, TONGUE AND CHEEK (UNIVERSITY OF MINNESOTA) [CUST: MD MS 03] | A 6520 | MB | | 18-JAN-88 |
| | A-A-53336 | KNIFE, PERIODONTAL [CUST: MD MS 03] | A 6520 | % FSS | | 01-FEB-88 |
| | A-A-53337A | WAX, DENTAL (IMPRESSION) [CUST: MD MS 03] | A 6520 | / MB | | 31-MAY-88 |
| | A-A-0053340 | PNEUMOCOCCAL VACCINE, POLYVALENT [CUST: MD MS 03] | A 6505 | / MB | | 16-FEB-88 |
| | A-A-53341A | MAGNESIA AND ALUMINA ORAL SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / MB | | 29-MAR-91 |
| | A-A-53342 | BOTTLE, SCREW CAP, CPLASTIC SQUARE [CUST: MD MS 03] | A 6530 | * MB | | 15-JAN-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Docu- ment Number | Docu- ment Title | Distribution FSC/area | UIC Prep. Acty. | Date |
|----------------------|--|--------------------------|--------------------|-----------|
| A-A-53343 | HOOK, GLAND (VETERINARY) [CUST: MD MS 03] | A 6515 | MB | 14-JAN-88 |
| A-A-53345 | THERMOMETER, CLINICAL, VETERINARY [CUST: MD MS 03] | A 6515 | % FSS | 15-JAN-88 |
| A-A-53346 | FORCEPS, EAR (OVAL CUP, HOUSE) [CUST: MD MS 03] | A 6515 | / MB | 15-JAN-88 |
| A-A-53348 | PLASTER, DENTAL, (MODELING) [CUST: MD MS 03] | A 6520 | MB | 15-FEB-88 |
| A-A-53349 | INSERT PAD, HEEL, FOOTWEAR [CUST: MD MS 03] | A 8335 | % FSS | 22-JAN-88 |
| A-A-53350 | INSERT PAD, HEEL, FOOTWEAR (ACCOMMODATIVE) [CUST: MD MS 03] | A 8335 | MB | 22-JAN-88 |
| A-A-53351 | INSOLES, FOOTWEAR [CUST: MD MS 03] | A 8335 | % FSS | 22-JAN-88 |
| A-A-53352 | RONGEUR, STRAIGHT (CITELLI) [CUST: MD MS 03] | A 6515 | / MB | 22-MAR-88 |
| A-A-0053354 | METHYL SALICYLATE AND MENTHOL CREAM [CUST: MD MS 03] | A 6505 | / MB | 02-FEB-88 |
| A-A-0053355 | BISMUTH SUBSALICYLATE SUSPENSION [CUST: MD MS 03] | A 6505 | MB | 11-FEB-88 |
| A-A-0053357 | EMOLLIENT CREAM, SKIN CAKE [CUST: MD MS 03] | A 6505 | MB | 14-FEB-88 |
| A-A-53360A | NAPHAZOLINE HYDROCHLORIDE OPHTHALMIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / MB | 22-APR-94 |
| A-A-0053361 | THEOPHYLLINE CAPSULES, MODIFIED [CUST: MD MS 03] | A 6505 | MB | 13-FEB-88 |
| A-A-53363A | NIFEDIPINE CAPSULES, USP [CUST: MD MS 03] | A 6505 | / MB | 22-APR-94 |
| A-A-53365A | AMPICILLIN SODIUM, STERILE, USP [CUST: MD MS 03] | A 6505 | / MB | 26-MAY-89 |
| A-A-53366 | CURETTES, PERIODONTAL, (GRACEY) [CUST: MD MS 03] | A 6520 | % FSS | 15-FEB-88 |
| A-A-53367A | SONIC PROPHYLAXIS UNIT, DENTAL, PORTABLE, AIR DRIVEN [CUST: MD MS 03] | A 6520 | / MB | 19-JUN-89 |
| A-A-53368A | LIPSTICK, ANTICHAP [CUST: MD MS 03] | A 6508 | / MB | 15-NOV-91 |
| A-A-53369 | CONDUCTOR, BONE CUTTING WIRE SAW (BAILEY) [CUST: MD MS 03 MB] | A 6515 | / MB | 12-FEB-88 |
| A-A-53370 | FORCEPS, EAR (STRUT, HOUSE) [CUST: MD MS 03] | A 6515 | MB | 29-JAN-88 |
| A-A-53371A | STOP, ENDODONTIC, SILICONE [CUST: MD MS 03] | A 6520 | / MB | 19-JUN-89 |
| A-A-53372 | FORCEPS, SUTURE, TYING (TROUTMAN) [CUST: MD MS 03] | A 6515 | % FSS | 05-FEB-88 |
| A-A-53373 | MARKER, TUBE TYPE [CUST: MD MS 03] | A 7520 | MB | 05-FEB-88 |
| A-A-0053374 | LIOTRIX TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | 01-MAR-88 |
| A-A-0053375 | CYTARABINE, STERILE, USP [CUST: MD MS 03] | A 6505 | MB | 01-MAR-88 |
| A-A-53376A | WATER FOR IRRIGATION, STERILE, USP [CUST: MD MS 03] | A 6505 | / MB | 22-JAN-93 |
| A-A-0053378 | LOVASTATIN TABLETS [CUST: MD MS 03] | A 6505 | / MB | 23-FEB-88 |
| A-A-0053380 | MICONAZOLE NITRATE VAGINAL SUPPOSITORIES [CUST: MD MS 03] | A 6505 | / MB | 01-MAR-88 |
| A-A-53381 | ARTICULATOR, DENTAL (PLAIN LINE, LINGUAL ACCESS DESIGN) [CUST: MD MS 03] | A 6520 | % FSS | 22-FEB-88 |
| A-A-53382 | TUBE, SUCTION, SURGICAL [CUST: MD MS 03 MB] | A 6515 | / MB | 09-FEB-88 |
| A-A-53383 | CLIP, HEMOSTATIC, STEEL (RANEY) [CUST: MD MS 03 MB] | A 6515 | / MB | 10-FEB-88 |
| A-A-53384A | CEMENT, ZINC OXIDE AND EUGENOL, DENTAL (ENCAPSULATED) [CUST: MD MS 03] | A 6520 | / MB | 19-JUN-89 |
| A-A-53385 | ADHESIVE, IMPRESSION MATERIAL, DENTAL (RUBBER BASE) [CUST: MD MS 03] | A 6520 | MB | 12-FEB-88 |
| A-A-53386 | SPLINT, FINGER [CUST: MD MS 03] | A 6515 | MB | 12-FEB-88 |
| A-A-53387 | SEPARATOR, TEETH, DENTAL [CUST: MD MS 03] | A 6520 | MB | 14-MAR-88 |
| A-A-53388 | IMPRESSION MATERIAL, DENTAL (ALINATE) [CUST: MD MS 03] | A 6520 | MB | 14-MAR-88 |
| A-A-53389 | STONE, ARTIFICIAL, DENTAL [CUST: MD MS 03] | A 6520 | MB | 14-MAR-88 |
| A-A-53391 | CUVETTE, BLOOD COAGULATION (POLYSTYRENE, DISPOSABLE) [CUST: MD MS 03] | A 6640 | MB | 26-FEB-88 |
| A-A-53392 | HOOK, RETINAL DETACHMENT (GASS) [CUST: MD MS 03] | A 6515 | MB | 01-MAR-88 |
| A-A-53393 | OSTEOTOME SET, (LAMBOTTE) [CUST: MD MS 03] | A 6515 | MB | 01-MAR-88 |
| A-A-53394 | RONGEUR, STRAIGHT (LOVE-KERRISON) [CUST: MD MS 03] | A 6515 | MB | 02-MAR-88 |
| A-A-53395 | FORCEPS, SLEEVE SPREADING (WATER) [CUST: MD MS 03] | A 6515 | MB | 02-MAR-88 |
| A-A-53396A | RASP, ANTRUM (WIENER, TROCAR TIP) [CUST: MD MS 03] | A 6515 | / MB | 03-MAY-89 |
| A-A-53397 | WAX, DENTAL OCCLUSAL INDICATOR [CUST: MD MS 03] | A 6520 | / MB | 07-MAR-88 |
| A-A-53398 | FORCEPS, NASAL SEPTUM CUTTING, CUPPED BLADES [CUST: MD MS 03] | A 6515 | MB | 03-MAR-88 |
| A-A-53399A | BLOOD RECOVERY DELIVERY SYSTEM [CUST: MD MS 03] | A 6515 | / MB | 18-AUG-88 |
| A-A-53400 | FORCEPS, HEMOSTATIC [CUST: MD MS 03] | A 6515 | / MB | 27-JUN-88 |
| A-A-53400/1 | FORCEPS, HEMOSTATIC, HALSTED [CUST: MD MS 03] | A 6515 | / MB | 27-JUN-88 |
| A-A-53400/2 | FORCEPS, HEMOSTATIC, ROCHESTER-PEAN [CUST: MD MS 03] | A 6515 | / MB | 27-JUN-88 |
| A-A-53400/3 | FORCEPS, HEMOSTATIC, KELLY [CUST: MD MS 03] | A 6515 | / MB | 27-JUN-88 |
| A-A-53400/4 | FORCEPS, HEMOSTATIC, CRILE [CUST: MD MS 03] | A 6515 | / MB | 27-JUN-88 |
| A-A-53400/5A | FORCEPS, HEMOSTATIC, HARTMAN [CUST: MD MS 03] | A 6515 | / MB | 13-MAY-91 |
| A-A-53400/6 | FORCEPS, HEMOSTATIC, ROCHESTER-OCHSNER [CUST: MD MS 03] | A 6515 | / MB | 27-JUN-88 |
| A-A-53400/7 | FORCEPS, HEMOSTATIC MAYO-CARMALT [CUST: MD MS 03] | A 6515 | / MB | 27-JUN-88 |
| A-A-53400/8 | FORCEPS, HEMOSTATIC, MIXTER [CUST: MD MS 03] | A 6515 | / MB | 27-JUN-88 |
| A-A-53400/9 | FORCEPS, HEMOSTATIC, PEAN [CUST: MD MS 03] | A 6515 | / MB | 27-JUN-88 |
| A-A-53400/10 | FORCEPS, HEMOSTATIC, RANKIN [CUST: MD MS 03] | A 6515 | / MB | 27-JUN-88 |
| A-A-53400/11 | FORCEPS, HEMOSTATIC, PRATT [CUST: MD MS 03] | A 6515 | / MB | 27-JUN-88 |
| A-A-53400/12 | FORCEPS, HEMOSTATIC CURVED, (ROCHESTER-OCHSNER) [CUST: MD MS 03] | A 6515 | / MB | 23-JAN-89 |
| A-A-53400/13 | FORCEPS, HEMOSTATIC, CURVED (DANDY) [CUST: MD MS 03] | A 6515 | / MB | 12-JUL-89 |
| A-A-53400/14 | FORCEPS, HEMOSTATIC (9-1/4 INCH, SAROT) [CUST: MD MS 03] | A 6515 | / MB | 06-OCT-89 |
| A-A-53400/15 | FORCEPS, HEMOSTATIC (STOREY, RIGHT ANGLE) [CUST: MD MS 03] | A 6515 | / MB | 15-JAN-90 |
| A-A-53400/16 | FORCEPS, HEMOSTATIC, CURVED, MIXTER, 5-1/2 INCH [CUST: MD MS 03] | A 6515 | / MB | 11-FEB-91 |
| A-A-53400/17 | FORCEPS, HEMOSTATIC, SCHNIDT, 7-1/4 INCH [CUST: MD MS 03] | A 6515 | / MB | 28-FEB-92 |
| A-A-53400/18 | FORCEPS, HEMOSTATIC, LEWIS, 7-1/2 INCH [CUST: MD MS 03] | A 6515 | / MB | 17-JAN-92 |
| A-A-53400/19 | FORCEPS, HEMOSTATIC, KOCHER, 5-1/2 INCH [CUST: MD MS 03] | A 6515 | / MB | 20-MAR-92 |
| A-A-53400/21 | FORCEPS, HEMOSTATIC, PENNINGTON [CUST: MD MS 03] | A 6515 | / MB | 15-JAN-93 |
| A-A-53401 | BANDAGE ELASTIC [CUST: MD MS 03] | A 6510 | / MB | 01-APR-88 |
| A-A-0053402 | CHLORAMPHENICOL CAPSULES, USP [CUST: MD MS 03] | A 6505 | / MB | 28-MAR-88 |
| A-A-53403A | ACETOHYDROXAMIC ACID TABLETS [CUST: MD MS 03] | A 6505 | / MB | 21-AUG-92 |
| A-A-0053404 | FERROUS FUMARATE AND DUCASATE SODIUM TABLETS, SUSTAINED-RELEASE [CUST: MD MS 03] | A 6505 | / MB | 20-JUL-88 |
| A-A-0053405 | FLECAINIDE ACETATE TABLETS [CUST: MD MS 03 MB] | A 6505 | / MB | 28-MAR-88 |
| A-A-53407A | BUPRENORPHINE HYDROCHLORIDE INJECTION [CUST: MD MS 03] | A 6505 | / MB | 13-NOV-92 |
| A-A-53409 | PLIERS, DENTAL, (BENDING) [CUST: MD MS 03 MB] | A 6520 | / MB | 21-MAR-88 |
| A-A-53410 | TUBE, DRAINAGE (T-TUBE, EAR) [CUST: MD MS 03] | A 6515 | MB | 21-MAR-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/area | LCA | Prep. Acty. | Date |
|------------|-----------------|---|--------------------------|-----|-------------|-----------|
| | A-A-53411 | SULFANILIC ACID REAGENT [CUST: MD MS 03] | A 6550 | / | MB | 11-MAR-88 |
| | A-A-53412 | FORCEPS, FOREIGN BODY, INTRAOCULAR (VITREOUS, WILSON) [CUST: MD MS 03] | A 6515 | / | MB | 21-MAR-88 |
| | A-A-53413 | HOLDER, ANAEROBIC JAR & STRIP RACK [CUST: MD MS 03] | A 6640 | / | MB | 24-MAR-88 |
| | A-A-53416 | FORCEPS, GALL DUCT (LAHEY) [CUST: MD MS 03] | A 6515 | / | MB | 21-MAR-88 |
| | A-A-53417 | BUR, BONE SURGERY (SWANSON REAMER) [CUST: MD MS 03] | A 6515 | / | MB | 28-MAR-88 |
| | A-A-53418 | RETRACTOR, CHEEK, LIGHT ANGLE (JOHNSON) [CUST: MD MS 03] | A 6515 | / | MB | 22-MAR-88 |
| | A-A-53420A | CALIBRATION AND VERIFICATION SYSTEM [CUST: MD MS 03] | A 6625 | / | MB | 31-JAN-89 |
| | A-A-53421 | SCREW, INSTRUMENT, SPECTACLE FRAME 7 OR 5 BARREL HINGE [CUST: MD MS 03 MB] | A 5305 | / | MB | 21-MAR-88 |
| | A-A-53422 | CATHETER, URETHRAL (RUBBER, WHISTLE TIP) [CUST: MD MS 03 MB] | A 6515 | / | MB | 22-MAR-88 |
| | A-A-53423 | BAG, BLOOD WARMING (DISPOSABLE) [CUST: MD MS 03] | A 6515 | / | MB | 23-MAR-88 |
| | A-A-53424 | FORCEPS, TISSUE (CUSHING, STRAIGHT) [CUST: MD MS 03] | A 6515 | / | MB | 22-MAR-88 |
| | A-A-53425 | JAR, ANAEROBIC CULTURE APPARATUS [CUST: MD MS 03 MB] | A 6640 | / | MB | 25-MAR-88 |
| | A-A-53426 | TESTER, ANTIFREEZ & BATTERY ELECTROLYTE SOLUTION [CUST: MD MS 03 MB] | A 6630 | / | MB | 28-MAR-88 |
| | A-A-53427 | LINER, FLASK, DENTAL CASTING MACHINE (CELLULOSE TYPE, WATER ABSORBING) [CUST: MD MS 03] | A 6520 | / | MB | 22-APR-88 |
| | A-A-53428 | CONTROL STRIP, REAGENT SUITABILITY [CUST: MD MS 03] | A 6550 | / | MB | 31-MAR-88 |
| | A-A-53429A | DEXTROSE INJECTION, USP, 5% PARTIAL-FILL BAGS WITH VIAL ADDITIVE PORT [CUST: MD MS 03] | A 6505 | / | MB | 01-APR-93 |
| | A-A-0053430 | TEST STRIPS AND COLOR CHART, BILIRUBIN, BLOOD, GLUCOSE, KETONE, LEUKOCYTES, NITRITE, PH, PROTEIN, SPECIFIC GRAVITY AND UROBILINOGEN IN URINE [CUST: MD MS 03] | A 6550 | / | MB | 12-MAY-88 |
| | A-A-53432 | TEST SET, BINOCULAR VISION [CUST: MD MS 03] | A 6540 | / | MB | 11-APR-88 |
| | A-A-53433 | INDEX, ANALYTICAL PROFILE, ANAEROBE IDENTIFICATION [CUST: MD MS 03] | A 6550 | / | MB | 08-APR-88 |
| | A-A-53434 | BAG, OSTOMY [CUST: MD MS 03] | A 6515 | / | MB | 29-APR-88 |
| | A-A-53435 | BLEEDER, HIGH VOLTAGE, X-RAY GENERATOR SERVICING [CUST: MD MS 03] | A 6525 | / | MB | 29-APR-88 |
| | A-A-53436 | BLISTER SHEET, UNIT DOSE [CUST: MD MS 03] | A 6530 | / | MB | 29-APR-88 |
| | A-A-53437 | BOTTLE AND TUMBLER SET [CUST: MD MS 03] | A 7360 | / | MB | 29-APR-88 |
| | A-A-53438 | BRUSH SET, INSTRUMENT CLEANING [CUST: MD MS 03] | A 6515 | / | MB | 29-APR-88 |
| | A-A-53439 | CHAMBER, X-RAY FILM PROCESSING [CUST: MD MS 03] | A 6525 | / | MB | 29-APR-88 |
| | A-A-53440 | DOME, TRANSDUCER, PHYSIOLOGICAL PRESSURE [CUST: MD MS 03] | A 6515 | / | MB | 29-APR-88 |
| | A-A-53441B | ENVELOPE, STERILIZATION (SELF SEALING) [CUST: MD MS 03] | A 6530 | / | MB | 30-APR-93 |
| | A-A-53442 | FECAL SPECIMEN COLLECTION AND PREPARATION KIT [CUST: MD MS 03] | A 6550 | / | MB | 29-APR-88 |
| | A-A-53443 | GOWN, OPERATING, SURGICAL [CUST: MD MS 03] | A 6532 | / | MB | 29-APR-88 |
| | A-A-53444 | SLING, HEAD [CUST: MD MS 03] | A 6530 | / | MB | 29-APR-88 |
| | A-A-53445 | SUPPORT, ANKLE (ELASTIC) [CUST: MD MS 03] | A 6515 | / | MB | 29-APR-88 |
| | A-A-53446 | SYRINGE, FOUNTAIN [CUST: MD MS 03] | A 6530 | / | MB | 29-APR-88 |
| | A-A-53447 | TOWEL PACK, SURGICAL [CUST: MD MS 03] | A 6530 | / | MB | 29-APR-88 |
| | A-A-53448A | TRAY, INSTRUMENT (OPHTHALMIC MICROSURGERY) [CUST: MD MS 03] | A 6530 | / | MB | 15-APR-91 |
| | A-A-53449 | TRAY, STERILIZATION, ARTHROSCOPIC INSTRUMENT COMPONENTS [CUST: MD MS 03] | A 6530 | / | MB | 29-APR-88 |
| | A-A-53450 | WRAPPER, STERILIZATION [CUST: MD MS 03] | A 6530 | / | MB | 29-APR-88 |
| | A-A-53451 | WRAPPER, STERILIZATION [CUST: MD MS 03] | A 6530 | / | MB | 29-APR-88 |
| | A-A-53452 | SHAMPOO, MEDICATED (SULFUR AND SALICYLIC ACID) [CUST: MD MS 03] [REVIEW: AT CC] | A 6508 | / | MB | 07-SEP-89 |
| | A-A-53453 | POTASSIUM CHLORIDE, L-LYSINE MONOHYDROCHLORIDE, AND POTASSIUM BICARBONATE TABLETS, EFFERVESCENT [CUST: MD MS 03] | A 6505 | / | MB | 07-JUL-88 |
| | A-A-53454 | POTASSIUM CHLORIDE, L-LYSINE MONOHYDROCHLORIDE, AND POTASSIUM BICARBONATE GRANULES, EFFERVESCENT [CUST: MD MS 03] | A 6505 | / | MB | 07-JUL-88 |
| | A-A-53455 | MONTHPIECE, PIPETTING [CUST: MD MS 03] | A 6640 | / | MB | 12-APR-88 |
| | A-A-53456 | SPLINT, HAND, (COCK-UP WRIST) [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-88 |
| | A-A-53457 | FORCEPS, FOREIGN BODY INTRAOCULAR [CUST: MD MS 03] | A 6515 | / | MB | 19-APR-88 |
| | A-A-53458 | ELEVATOR-RETRACTOR, PERIOSTEAL (CREGO) [CUST: MD MS 03] | A 6515 | / | MB | 20-APR-88 |
| | A-A-53459 | SUCTION APPARATUS, SURGICAL [CUST: MD MS 03] | A 6515 | / | MB | 15-DEC-88 |
| | A-A-53460A | BOTTLE, SAFETY CAP (PLASTIC, LIGHT-RESISTANT, LIQUID PRESCRIPTION) [CUST: MD MS 03] | A 6530 | / | MB | 13-SEP-88 |
| | A-A-53461 | CONTAINER, MOUTHRINSE, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 29-JUN-88 |
| | A-A-53462 | PUMP, DENTAL (MOUTHRINSE) [CUST: MD MS 03] | A 6520 | / | MB | 30-JUN-88 |
| | A-A-53464 | BOTTLE, ASPIRATOR (GLASS) [CUST: MD MS 03 DM] | A 6640 | / | DM | 25-APR-88 |
| | A-A-53465 | CURETTE, EAR (HOUSE, LIGHT, ANGLE) [CUST: MD MS 03] | A 6515 | / | MB | 29-JUL-88 |
| | A-A-53466 | ELEVATOR, EAR (STAPES, ANGLED) [CUST: MD MS 03] | A 6515 | / | MB | 20-MAY-88 |
| | A-A-53468 | FURNACE, DENTAL LABORATORY, ELECTRIC [CUST: MD MS 03] | A 6520 | / | MB | 25-MAY-90 |
| | A-A-53469 | INTRAVENOUS INJECTION SET [CUST: MD MS 03] | A 6515 | / | MB | 27-APR-88 |
| | A-A-53470 | GENERAL SPECIFICATION, BURS, BONE SURGERY, DIAMOND, FOR [CUST: MD MS 03] | A 6515 | / | MB | 22-AUG-88 |
| | A-A-53470/1 | BUR, BONE SURGERY (DIAMOND, 2MM, ROUND HEAD, LONG SHANK) [CUST: MD MS 03] | A 6515 | / | MB | 22-AUG-88 |
| | A-A-53470/2 | BUR, BONE SURGERY (DIAMOND, 3 MM, ROUND HEAD, LONG SHANK) [CUST: MD MS 03] | A 6515 | / | MB | 22-AUG-88 |
| | A-A-53470/3 | BUR, BONE SURGERY (DIAMOND, 5 MM, ROUND HEAD, LONG SHANK) [CUST: MD MS 03] | A 6515 | / | MB | 22-AUG-88 |
| | A-A-53470/4 | BUR, BONE SURGERY (DIAMOND, 2 MM, RHINOPLASTIC HEAD, LONG SHANK) [CUST: MD MS 03] | A 6515 | / | MB | 22-AUG-88 |
| | A-A-53470/5 | BUR, BONE SURGERY (DIAMOND, 4 MM, ROUND HEAD, LONG SHANK) [CUST: MD MS 03] | A 6515 | / | MB | 22-AUG-88 |
| | A-A-53470/6 | BUR, BONE SURGERY (DIAMOND, 4 MM, OVAL HEAD, LONG SHANK) [CUST: MD MS 03] | A 6515 | / | MB | 22-AUG-88 |
| | A-A-53470/7 | BUR, BONE SURGERY (DIAMOND, 4MM, DERMABRADER HEAD, MEDIUM SHANK) [CUST: MD MS 03] | A 6515 | / | MB | 22-AUG-88 |
| | A-A-53472 | FORCEPS, EAR, OVAL CUP, ANGULAR (WULLSTEIN) [CUST: MD MS 03] | A 6515 | / | MB | 09-MAY-88 |
| | A-A-53473 | ELEVATOR, PERIOSTEAL (MATSON) [CUST: MD MS 03] | A 6515 | / | MB | 26-APR-88 |
| | A-A-53474 | BEAD, GLASS, LABORATORY, (PLASTIC SPECTACLE FRAME WARMER) [CUST: MD MS 03] | A 6640 | / | MB | 29-APR-88 |
| | A-A-53475 | PLATINUM FOIL (1 PENNYWEIGHT) [CUST: MD MS 03] | A 6520 | / | MB | 23-MAY-88 |
| | A-A-53476 | PADDING, CAST, SYNTHETIC, POROUS, NON-WOVEN [CUST: MD MS 03] | A 6510 | / | MB | 23-MAY-88 |
| | A-A-53477 | PAPER, ARTICULATING, DENTAL (25 FOOT ROLL) [CUST: MD MS 03] | A 6520 | / | MB | 16-MAY-88 |
| | A-A-53478 | SPATULA, DENTAL, (PLASTIC) [CUST: MD MS 03] | A 6520 | / | MB | 16-MAY-88 |
| | A-A-53481 | STAPLER, SURGICAL (INTRALUMINAL) [CUST: MD MS 03] | A 6515 | / | MB | 08-MAY-88 |
| | A-A-53482 | STAPLE UNIT, SURGICAL (GASTRO-INTESTINAL) [CUST: MD MS 03] | A 6515 | / | MB | 31-MAY-88 |
| | A-A-53483 | STAPLER, SURGICAL, (GASTRO-INTESTINAL) [CUST: MD MS 03] | A 6515 | / | MB | 08-MAY-88 |
| | A-A-53484 | BAG, BIOHAZARD DISPOSAL [CUST: MD MS 03] | A 6530 | / | MB | 17-JUN-88 |
| | A-A-53486 | COVER, DUST, SURGICAL [CUST: MD MS 03] | A 6530 | / | MB | 17-JUN-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|-----------------|--|--------------|-----|-------------|--|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | | |
| | A-A-53487 | CUSHION, HEEL/ELBOW [CUST: MD MS 03] | A 6530 | / | MB | | 17-JUN-88 |
| | A-A-53489 | GOGGLES, DARKNESS ADAPTATION [CUST: MD MS 03] | A 6532 | / | MB | | 17-JUN-88 |
| | A-A-53490 | HUMIDIFIER, HYGROSCOPIC [CUST: MD MS 03] | A 6515 | / | MB | | 17-JUN-88 |
| | A-A-53491 | INK, PRINTING [CUST: MD MS 03] | A 7510 | / | MB | | 17-JUN-88 |
| | A-A-53492 | LABEL [CUST: MD MS 03] | A 7530 | / | MB | | 17-JUN-88 |
| | A-A-53493 | PAD, PRE-OPERATION PREPARATION [CUST: MD MS 03] | A 6530 | / | MB | | 17-JUN-88 |
| | A-A-53494 | PROCESSING MACHINE, RADIOGRAPHIC FILM, AUTOMATIC [CUST: MD MS 03] | A 6525 | / | MB | | 17-JUN-88 |
| | A-A-53495 | PUMP, INFLATING, MANUAL [CUST: MD MS 03] | A 4320 | / | MB | | 17-JUN-88 |
| | A-A-53496 | SLING, HEAD [CUST: MD MS 03] | A 6530 | / | MB | | 17-JUN-88 |
| | A-A-53497 | SUPPORT, CERVICAL [CUST: MD MS 03] | A 6515 | / | MB | | 17-JUN-88 |
| | A-A-53498 | TABLE, TREATMENT [CUST: MD MS 03] | A 6530 | / | MB | | 17-JUN-88 |
| | A-A-53499 | SURGICAL PACK, DISPOSABLE [CUST: MD MS 03] | A 6530 | / | MB | | 17-JUN-88 |
| | A-A-53500 | STAPLER, SURGICAL, THORACIC-ABDOMINAL [CUST: MD MS 03] | A 6515 | / | MB | | 11-MAY-88 |
| | A-A-53501 | STAPLE UNIT, SURGICAL, THORACIC-ABDOMINAL [CUST: MD MS 03] | A 6515 | / | MB | | 11-MAY-88 |
| | A-A-53502 | RONGEUR, STRAIGHT, SQUARE BITE (SAUERBRUCH) [CUST: MD MS 03] | A 6515 | / | MB | | 13-MAY-88 |
| | A-A-53503 | SUPPORT, BACK, ELASTIC [CUST: MD MS 03] | A 6515 | / | MB | | 17-JUN-88 |
| | A-A-53504B | BAGS, URINE COLLECTION - MEASURING DEVICE [CUST: MD MS 03] | A 6530 | / | MB | | 09-DEC-94 |
| | A-A-53505 | PLUGGER, AMALGAM, DENTAL (MODIFIED MORTONSON, NO. 2; DOUBLE-ENDED) [CUST: MD MS 03] | A 6520 | / | MB | | 25-JUL-88 |
| | A-A-53506 | WIRE, NONELECTRICAL, (PLATINUM ALLOY) [CUST: MD MS 03] | A 6520 | / | MB | | 16-JUN-88 |
| | A-A-53507 | PLUGGER, PLASTIC FILLING, DENTAL CONTOURING INSTRUMENT, MATRIX, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | | 28-JAN-91 |
| | A-A-53508 | PLUGGER, PLASTIC FILLING, DENTAL (GLICK NO. 1) [CUST: MD MS 03] | A 6520 | / | MB | | 27-JUN-88 |
| | A-A-53509 | RETRACTOR, SURGICAL (HARRINGTON) [CUST: MD MS 03] | A 6515 | / | DM | | 18-MAY-88 |
| | A-A-0053510 | KETOPROFEN CAPSULES [CUST: MD MS 03] | A 6505 | / | MB | | 08-JUN-88 |
| | A-A-53511 | SPLINT, LEG, (TRACTION) [CUST: MD MS 03] | A 6515 | / | MB | | 01-JUN-88 |
| | A-A-53512 | WHEEL, ABRASIVE, (SILICON CARBIDE, DENTAL MODEL TRIMMINGS) [CUST: MD MS 03] | A 6520 | / | MB | | 20-JUN-88 |
| | A-A-53513A | GLOVE, PATIENT EXAMINING AND TREATMENT, LATEX RUBBER, PRE-POWDERED, DISPOSABLE, NON-STERILE [CUST: MD MS 03] | A 6515 | / | MB | | 30-JAN-93 |
| | A-A-53514 | LID, ANAEROBIC CULTURE APPARATUS [CUST: MD MS 03] | A 6640 | / | MB | | 01-JUN-88 |
| | A-A-53515 | CATHETER KIT, PACING, TRANSVENOUS (BIPOLAR) [CUST: MD MS 03] | A 6515 | / | MB | | 02-JUN-88 |
| | A-A-53516 | FORCEPS, EYE, VITREOUS MICROEXTRACTOR (NEUBAUER) [CUST: MD MS 03] | A 6515 | / | MB | | 02-JUN-88 |
| | A-A-53517 | RONGEUR (KERRISON, 7-1/2 INCH, 40 DEG. UPBITE) [CUST: MD MS 03] | A 6515 | / | MB | | 03-JUN-88 |
| | A-A-53518 | STAPLE UNIT, SURGICAL (END-TO-END ANASTOMOSIS) [CUST: MD MS 03] | A 6515 | / | MB | | 03-JUN-88 |
| | A-A-53519 | HANDLE, BONE CUTTING SAW (GIGLI) [CUST: MD MS 03] | A 6515 | / | MB | | 06-JUN-88 |
| | A-A-53520 | RETRACTOR, RIB (TUFFIER) [CUST: MD MS 03] | A 6515 | / | MB | | 06-JUN-88 |
| | A-A-53521 | SPLINT, ORTHOPEDIC SHEET [CUST: MD MS 03] | A 6510 | / | MB | | 01-JUN-88 |
| | A-A-53522 | AMINOPHYLLINE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | | 10-JUN-88 |
| | A-A-53523 | SPECULUM, ENDURAL-NASAL [CUST: MD MS 03] | A 6515 | / | MB | | 17-JUN-88 |
| | A-A-53524 | ACETAMINOPHEN TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | | 17-JUN-88 |
| | A-A-53525 | RULE, ACCOMMODATION TEST AND TEST CARD [CUST: MD MS 03] | A 6540 | / | MB | | 17-JUN-88 |
| | A-A-53526 | AMCINONIDE CREAM, USP [CUST: MD MS 03] | A 6505 | / | MB | | 17-JUN-88 |
| | A-A-53527 | ACETYLCHOLINE CHLORIDE FOR OPHTHALMIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | | 17-JUN-88 |
| | A-A-53528 | ALUMINUM HYDROXIDE GEL, USP [CUST: MD MS 03] | A 6505 | / | MB | | 17-JUN-88 |
| | A-A-53529 | ACETAZOLAMIDE CAPSULES [CUST: MD MS 03] | A 6505 | / | MB | | 17-JUN-88 |
| | A-A-53530 | AMIKACIN SULFATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | | 17-JUN-88 |
| | A-A-53531 | DILATOR - CATHETER (WALTHER, FEMALE) [CUST: MD MS 03] | A 6515 | / | MB | | 30-JUN-88 |
| | A-A-53532 | PAPER, CHART, FETAL-UTERINE MONITOR [CUST: MD MS 03] | A 6515 | / | MB | | 17-JUN-88 |
| | A-A-53533 | MODEL, ANATOMICAL, HUMAN SKULL [CUST: MD MS 03] | A 6910 | / | MB | | 17-JUN-88 |
| | A-A-53534 | CATHETER-SPECIMEN COLLECTING UNIT, ENDOTRACHEAL (LUKENS) [CUST: MD MS 03] | A 6515 | / | MB | | 13-JUN-88 |
| | A-A-53535 | STAPLER, SKIN, SURGICAL (DISPOSABLE) [CUST: MD MS 03] | A 6515 | / | MB | | 27-JUN-88 |
| | A-A-53536 | EMBEDDING COMPOUND, LABORATORY (PARAFFIN AND PLASTIC POLYMERS) [CUST: MD MS 03] | A 6640 | / | MB | | 24-JUN-88 |
| | A-A-53537 | SPLINT, ALL PURPOSE, EMERGENCY TRANSPORT [CUST: MD MS 03] | A 6515 | / | MB | | 22-JUN-88 |
| | A-A-53540 | CALIPER, EYE, CASTROVIEJO [CUST: MD MS 03] | A 6540 | / | MB | | 27-JUN-88 |
| | A-A-53542 | KNIFE, EAR (STRAIGHT, HOUSE) [CUST: MD MS 03] | A 6515 | / | MB | | 27-JUN-88 |
| | A-A-53543 | BOTTLE, SCREWCAP [CUST: MD MS 03] | A 6640 | / | MB | | 30-JUN-88 |
| | A-A-53544 | WAX, DENTAL (DISCLOSING) [CUST: MD MS 03] | A 6520 | / | MB | | 18-JUL-88 |
| | A-A-53545 | MAGNIFIER, FOLDING, DOUBLE LENS [CUST: MD MS 03] | A 6650 | / | MB | | 30-JUN-88 |
| | A-A-53546 | EVACUATOR, SURGICAL WOUND [CUST: MD MS 03] | A 6515 | / | MB | | 28-JUN-88 |
| | A-A-53547A | ELEVATOR, PERIOSTEAL (KEY) [CUST: MD MS 03] | A 6515 | / | MB | | 16-SEP-91 |
| | A-A-53548A | CIPROFLOXACIN TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | | 23-MAR-93 |
| | A-A-53550A | BETAXOLOL HYDROCHLORIDE OPHTHALMIC SOLUTION [CUST: MD MS 03] | A 6505 | / | MB | | 13-NOV-92 |
| | A-A-53551 | ACETAZOLAMIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | | 30-JUN-88 |
| | A-A-53552 | GLYCOPYRROLATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | | 30-JUN-88 |
| | A-A-53553 | DIPYRIDAMOLE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | | 30-JUN-88 |
| | A-A-53556 | GENTAMICIN SULFATE CREAM, USP [CUST: MD MS 03] | A 6505 | / | MB | | 30-JUN-88 |
| | A-A-53557 | FLURANDRENOLIDE CREAM, USP [CUST: MD MS 03] | A 6505 | / | MB | | 30-JUN-88 |
| | A-A-53559A | JAR, SCREW CAP (PATHOLOGICAL SPECIMEN) [CUST: MD MS 03] | A 6640 | / | MB | | 15-DEC-88 |
| | A-A-53560 | CANNULA, BRONCHIAL (HOLINGER) [CUST: MD MS 03] | A 6515 | / | MB | | 30-JUN-88 |
| | A-A-53561 | LITHIUM SOLUTION, STANDARD [CUST: MD MS 03] | A 6550 | / | MB | | 08-JUL-88 |
| | A-A-53562 | GLOVE, PATIENT EXAMINING AND TREATMENT (PLASTIC, LARGE SIZE, STERILE) [CUST: MD MS 03] | A 6515 | / | MB | | 30-JUN-88 |
| | A-A-53563 | ALGINATE COMPOUND SOLUTION, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | | 15-JUL-88 |
| | A-A-53564 | FLUPHENAZINE DECANOATE INJECTION [CUST: MD MS 03] | A 6505 | / | MB | | 22-JUL-88 |
| | A-A-53565 | GENTAMICIN SULFATE OPHTHALMIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | | 22-JUL-88 |
| | A-A-53566 | DESONIDE CREAM [CUST: MD MS 03] | A 6505 | / | MB | | 22-JUL-88 |
| | A-A-53567 | FLUOXYMESTERONE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | | 22-JUL-88 |
| | A-A-53568 | GLYCERIN SUPPOSITORIES, USP [CUST: MD MS 03] | A 6505 | / | MB | | 22-JUL-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Ave | MCA | Prep. Acty. | Date |
|------------|-----------------|---|-------------------------|-----|-------------|-----------|
| | A-A-53569 | CLOXACILLIN SODIUM CAPSULES, USP [CUST: MD MS 03] | A 6505 | / | MB | 22-JUN-88 |
| | A-A-53570 | FLUPHENAZINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 22-JUL-88 |
| | A-A-53571 | LENS, INDIRECT OPHTHALMOSCOPE [CUST: MD MS 03] | A 6540 | / | MB | 22-JUL-88 |
| | A-A-53572 | BRACE, KNEE [CUST: MD MS 03] | A 6515 | / | MB | 29-JUL-88 |
| | A-A-53573A | BRUSH-SPONGE, SURGICAL SCRUB [CUST: MD MS 03] | A 6530 | / | MB | 30-APR-92 |
| | A-A-53574 | CANISTER, SUCTION, SURGICAL [CUST: MD MS 03] | A 6515 | / | MB | 29-JUL-88 |
| | A-A-53575 | CARD, IDENTIFICATION [CUST: MD MS 03] | A 7530 | / | MB | 29-JUL-88 |
| | A-A-53576 | CASSETTE, RADIOGRAPHIC FILM [CUST: MD MS 03] | A 6525 | / | MB | 29-JUL-88 |
| | A-A-53577 | ELECTROSURGICAL APPARATUS (PORTABLE, UNBLENDED CURRENT) [CUST: MD MS 03] | A 6515 | / | MB | 29-JUL-88 |
| | A-A-53579 | HANGER, X-RAY FILM [CUST: MD MS 03] | A 6525 | / | MB | 29-JUL-88 |
| | A-A-53580 | HOLDER, SURGICAL INSTRUMENT STERILIZATION [CUST: MD MS 03] | A 6530 | / | MB | 29-JUL-88 |
| | A-A-53581 | HOLDER, SURGICAL INSTRUMENT STERILIZATION [CUST: MD MS 03] | A 6530 | / | MB | 29-JUL-88 |
| | A-A-53582 | MOUNT, RADIOGRAPHIC FILM, DENTAL [CUST: MD MS 03] | A 6525 | / | MB | 29-JUL-88 |
| | A-A-53583 | MOUNT, RADIOGRAPHIC FILM, DENTAL [CUST: MD MS 03] | A 6525 | / | MB | 29-JUL-88 |
| | A-A-53585 | TANK, INSERT, X-RAY FILM PROCESSING [CUST: MD MS 03] | A 6525 | / | MB | 29-JUL-88 |
| | A-A-53586 | TOURNIQUET, NON-PNEUMATIC [CUST: MD MS 03] | A 6515 | / | MB | 29-JUL-88 |
| | A-A-53587 | WRAPPER, STERILIZATION [CUST: MD MS 03] | A 6530 | / | MB | 29-JUL-88 |
| | A-A-53588 | PIPET, VOLUMETRIC (MICRO) [CUST: MD MS 03] | A 6640 | / | MB | 15-JUL-88 |
| | A-A-53589 | SCREW, INSTRUMENT, SPECTACLE FRAME, 3-BARREL [CUST: MD MS 03 IS] | A 5305 | / | IS | 15-JUL-88 |
| | A-A-53590 | ANVIL, OPTICIAN'S, RIVETING [CUST: MD MS 03] | A 6540 | / | MB | 22-JUL-88 |
| | A-A-53593 | DOLL, TRAINING, NURSING TECHNIQUE [CUST: MD MS 03] | A 6910 | / | MB | 22-JUL-88 |
| | A-A-53594 | SKELETON, HUMAN [CUST: MD MS 03] | A 6910 | / | MB | 22-JUL-88 |
| | A-A-0053595 | LABETALOL HYDROCHLORIDE TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 12-AUG-88 |
| | A-A-53596A | BUMETANIDE INJECTION [CUST: MD MS 03] | A 6505 | / | MB | 13-NOV-92 |
| | A-A-53597A | BUMETANIDE TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 18-DEC-92 |
| | A-A-53599 | DOXEPIN HYDROCHLORIDE CAPSULES, USP [CUST: MD MS 03] | A 6505 | / | MB | 22-JUL-88 |
| | A-A-53600 | TRAYS, IMPRESSION, DENTAL (NON-WATER COOLED) [CUST: MD MS 03] | A 6520 | / | MB | 29-JUL-88 |
| | A-A-53601 | EXCAVATOR, DENTAL (CARBON STEEL, BLACK'S FORMULA) [CUST: MD MS 03] | A 6520 | / | MB | 18-AUG-88 |
| | A-A-53602 | GENTAMICIN SULFATE OPHTHALMIC OINTMENT, USP [CUST: MD MS 03] | A 6505 | / | MB | 29-JUL-88 |
| | A-A-53603 | RETRACTOR, ABDOMINAL (BALFOUR, SELF-RETAINING) [CUST: MD MS 03] | A 6515 | / | MB | 28-JUL-88 |
| | A-A-53604 | RESIN, ACRYLIC, DENTAL (TRAY MATERIAL) [CUST: MD MS 03] | A 6520 | / | MB | 06-SEP-88 |
| | A-A-53605 | CHUCK AND KEY, BONE PIN (JACOBS) [CUST: MD MS 03] | A 6515 | / | MB | 01-AUG-88 |
| | A-A-53606 | ERYTHROMYCIN STEARATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 05-AUG-88 |
| | A-A-0053607 | TERBUTALINE SULFATE INHALATION AEROSOL [CUST: MD MS 03] | A 6505 | / | MB | 29-AUG-88 |
| | A-A-53608 | HYDROMETERS, GRADUATED SCALE (WITH THERMOMETER, API GRAVITY) [CUST: MD MS 03] | A 6630 | / | MB | 10-AUG-88 |
| | A-A-53609 | FORCEPS, MICROSCOPE COVER GLASS [CUST: MD MS 03] | A 6640 | / | MB | 11-AUG-88 |
| | A-A-53610A | DRESSING, HYDROCOLLOID (OCCLUSIVE) [CUST: MD MS 03] | A 6510 | / | MB | 06-JUL-89 |
| | A-A-0053611 | CONTROL SET, SYPHILIS [CUST: MD MS 03] | A 6550 | / | MB | 29-AUG-88 |
| | A-A-0053612 | LEVOTHYROXINE SODIUM FOR INJECTION, LYOPHILIZED [CUST: MD MS 03] | A 6505 | / | MB | 29-AUG-88 |
| | A-A-53613 | DIGOXIN TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 12-AUG-88 |
| | A-A-53614 | TRIMMERS, GINGIVAL MARGIN, (CARBON STEEL) [CUST: MD MS 03] | A 6520 | / | MB | 15-AUG-88 |
| | A-A-0053615 | LORAZEPAM INJECTION [CUST: MD MS 03] | A 6505 | / | MB | 29-AUG-88 |
| | A-A-53616A | ALFENTANIL HYDROCHLORIDE INJECTION [CUST: MD MS 03] | A 6505 | / | MB | 13-NOV-92 |
| | A-A-53618A | TERBUTALINE SULFATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-MAR-92 |
| | A-A-53621A | CEPHRADINE FOR ORAL SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / | MB | 18-DEC-92 |
| | A-A-0053623 | SUCRALPATE TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 29-AUG-88 |
| | A-A-0053624 | INDAPAMIDE TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 29-AUG-88 |
| | A-A-53625B | RESUSCITATOR, HAND OPERATED (ADULT, SINGLE USE) [CUST: MD MS 03] | A 6515 | / | MB | 15-OCT-92 |
| | A-A-53626 | SCISSORS, GENERAL SURGICAL (CURVED, METZENBAUM) [CUST: MD MS 03] | A 6515 | / | MB | 08-AUG-88 |
| | A-A-53627 | FORCEPS, NASAL SEPTUM STRAIGHTENING (WALSHAM) [CUST: MD MS 03] | A 6515 | / | MB | 09-AUG-88 |
| | A-A-53628 | RONGEUR, STRAIGHT (ADSON) [CUST: MD MS 03] | A 6515 | / | MB | 10-AUG-88 |
| | A-A-53629 | ELEVATOR, SEPTUM (COTTLE, DOUBLE-ENDED, GRADUATED) [CUST: MD MS 03] | A 6515 | / | MB | 11-AUG-88 |
| | A-A-53630 | FORCEPS, DRESSING (POTTS-SMITH) [CUST: MD MS 03] | A 6515 | / | MB | 30-SEP-88 |
| | A-A-53631 | AMITRIPTYLINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 12-AUG-88 |
| | A-A-53632 | ERYTHROMYCIN LACTOBIONATE FOR INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 12-AUG-88 |
| | A-A-53633A | RESUSCITATOR, MOUTH TO MASK, ADULT, SINGLE USE [CUST: MD MS 03] | A 6515 | / | MB | 24-MAR-89 |
| | A-A-53634 | CATHETER, URETHRAL (FOLEY, CARSON TYPE) [CUST: MD MS 03] | A 6515 | / | MB | 12-AUG-88 |
| | A-A-53635 | CONNECTOR, TRACHEAL TUBE (ACUTE ANGLED) [CUST: MD MS 03] | A 6515 | / | MB | 12-AUG-88 |
| | A-A-53636 | CLIP, HEMOSTATIC, LARGE [CUST: MD MS 03] | A 6515 | / | MB | 10-AUG-88 |
| | A-A-53637 | TEST PAPER, HYDROGEN ION [CUST: MD MS 03] | A 6640 | / | MB | 15-AUG-88 |
| | A-A-53638 | MIXER, DENTAL CASTING INVESTMENT (MECHANICAL) [CUST: MD MS 03] | A 6520 | / | MB | 20-AUG-88 |
| | A-A-53639 | WAX, DENTAL (STICKY) [CUST: MD MS 03] | A 6520 | / | MB | 06-SEP-88 |
| | A-A-53640 | DRIVER-BENDER-EXTRACTOR, BONE PIN (MCNUTT, 13 INCHES) [CUST: MD MS 03] | A 6515 | / | MB | 12-AUG-88 |
| | A-A-53641 | CONDOM (PROPHYLACTIC, NATURAL RUBBER) [CUST: MD MS 03] | A 6515 | / | MB | 14-NOV-88 |
| | A-A-53642 | INTRAVENOUS INJECTION CASSETTE SET [CUST: MD MS 03] | A 6515 | / | MB | 12-AUG-88 |
| | A-A-53643 | CARVER, DENTAL, INTERPROXIMAL [CUST: MD MS 03] | A 6520 | / | MB | 17-APR-89 |
| | A-A-53644A | SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 31-MAY-94 |
| | A-A-53645 | CLIP, HEMOSTATIC (MEDIUM) [CUST: MD MS 03] | A 6515 | / | MB | 15-AUG-88 |
| | A-A-53646 | IMPLANT, ARTERIAL (STRAIGHT, KNITTED POLYESTER) [CUST: MD MS 03] | A 6515 | / | MB | 15-AUG-88 |
| | A-A-53647 | ELECTROSURGICAL APPARATUS [CUST: MD MS 03] | A 6515 | / | MB | 19-AUG-88 |
| | A-A-53648 | COOLANT AND CUTTING FLUID, LENS PREPARATION [CUST: MD MS 03] | A 6540 | / | MB | 19-AUG-88 |
| | A-A-53650 | INTRAVENOUS EXCHANGE SET [CUST: MD MS 03] | A 6515 | / | MB | 16-AUG-88 |
| | A-A-53652 | FLOSS, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 26-AUG-88 |
| | A-A-53653 | CEMENT POWDER, ZINC OXIDE, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 19-AUG-88 |
| | A-A-53654 | ABRASIVE, DENTAL (STICK FORM, SILICON CARBIDE) [CUST: MD MS 03] | A 6520 | / | MB | 19-AUG-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Asa | MB | Acty. | Date |
|-----------------|--|-------------------------|------|-------|-----------|
| A-A-53656 | THERMOMETER, CLINICAL, HUMAN (ELECTRONIC, BATTERY POWERED) [CUST: MD MS 03] | A 6515 | / MB | | 19-AUG-88 |
| A-A-53657 | TEST TUBE (DISPOSABLE) [CUST: MD MS 03] | A 6640 | / MB | | 26-AUG-88 |
| A-A-53658 | CARRIER, BRONCHOSCOPIC SPONGE (JACKSON EXTRA HEAVY) [CUST: MD MS 03] | A 6515 | / MB | | 24-AUG-88 |
| A-A-53659 | BOTTLE, SCREW CAP [CUST: MD MS 03] | A 6640 | / MB | | 26-AUG-88 |
| A-A-53660 | FLASK, SAYBOLT VISCOSITY [CUST: MD MS 03] | A 6630 | / MB | | 31-AUG-88 |
| A-A-53662 | DRAPE, SURGICAL, SPLIT SHEET, NONWOVEN FABRIC [CUST: MD MS 03] | A 6530 | / MB | | 26-AUG-88 |
| A-A-53663 | COUNTING APPARATUS, BACTERIAL COLONY [CUST: MD MS 03] | A 6640 | / MB | | 01-SEP-88 |
| A-A-53664 | PLATE COUNTING, BACTERIOLOGICAL [CUST: MD MS 03] | A 6640 | / MB | | 02-SEP-88 |
| A-A-53665 | TRAY AND RACK, LABORATORY [CUST: MD MS 03] | A 6640 | / MB | | 06-SEP-88 |
| A-A-53666A | ADHESIVE TIES, SURGICAL [CUST: MD MS 03] | A 6510 | / MB | | 02-JUN-89 |
| A-A-53667A | THROMBIN, USP [CUST: MD MS 03] | A 6505 | / MB | | 15-MAR-93 |
| A-A-53668A | BANDAGE, ELASTIC (RUBBER WARP THREADS-SELF-ADHERING) [CUST: MD MS 03] | A 6510 | / MB | | 17-AUG-89 |
| A-A-0053669 | CLOTIMAZOLE VAGINAL TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 06-OCT-88 |
| A-A-0053670 | TESTOSTERONE ENANTHATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 19-SEP-88 |
| A-A-53672 | ELEVATOR, MUSCLE (CHANDLER) [CUST: MD MS 03] | A 6515 | / MB | | 06-SEP-88 |
| A-A-53673 | FORCEPS, EAR, SMOOTH JAW (HARTMAN) [CUST: MD MS 03] | A 6515 | / MB | | 06-SEP-88 |
| A-A-53674 | SHEARS, RIB CUTTING (STILLE) [CUST: MD MS 03] | A 6515 | / MB | | 06-SEP-88 |
| A-A-53675 | RONGEUR, STRAIGHT (DECKER, 6 INCHES) [CUST: MD MS 03] | A 6515 | / MB | | 06-SEP-88 |
| A-A-0053675 | RESUSCITATOR, HAND OPERATED ADULT SINGLE USE [CUST: MD MS 03] | A 6515 | / MB | | 08-AUG-88 |
| A-A-53676 | FORCEPS, INTESTINAL (SINGLEY) [CUST: MD MS 03] | A 6515 | / MB | | 07-SEP-88 |
| A-A-53677 | FORCEPS SET, CLAMP APPLYING, INTESTINAL, STONE [CUST: MD MS 03] | A 6515 | / MB | | 07-SEP-88 |
| A-A-53678 | FORCEPS, ARTHROSCOPIC (STRAIGHT, LOOSE BODY TIP) [CUST: MD MS 03] | A 6515 | / MB | | 07-SEP-88 |
| A-A-53679A | ACEBUTOLOL HYDROCHLORIDE CAPSULES [CUST: MD MS 03] | A 6505 | / MB | | 30-AUG-93 |
| A-A-53681 | MARKER, OPHTHALMIC LENS [CUST: MD MS 03] | A 6540 | / MB | | 16-SEP-88 |
| A-A-53682 | ROD, STIRRING, LABORATORY POLYTETRAFLUOROETHYLENE [CUST: MD MS 03] | A 6640 | / MB | | 16-SEP-88 |
| A-A-53683 | BOX, MICROSCOPE SLIDE [CUST: MD MS 03] | A 6640 | / MB | | 16-SEP-88 |
| A-A-53684 | PROPRANOLOL HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 29-SEP-88 |
| A-A-53685 | LACTULOSE SYRUP, USP [CUST: MD MS 03] | A 6505 | / MB | | 19-SEP-88 |
| A-A-53686 | OXTRIPHYLLINE TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 19-SEP-88 |
| A-A-53687 | METHYLDOPATE HYDROCHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 19-SEP-88 |
| A-A-53688 | FORCEPS, PINNING, ENTOMOLOGICAL SPECIMEN [CUST: MD MS 03] | A 6640 | / MB | | 16-SEP-88 |
| A-A-53689 | LUBRICANT, SILICATE CEMENT, DENTAL [CUST: MD MS 03] | A 6520 | / MB | | 15-SEP-88 |
| A-A-53690 | VEST ASSEMBLY, TRACTION APPARATUS [CUST: MD MS 03] | A 6515 | / MB | | 15-SEP-88 |
| A-A-53691 | MANIKIN, HEAD AND TORSO [CUST: MD MS 03] | A 6910 | / MB | | 15-SEP-88 |
| A-A-53692 | ELECTROCARDIOGRAPH, GENERATOR/CALIBRATOR [CUST: MD MS 03] | A 6515 | / MB | | 16-SEP-88 |
| A-A-53693 | CERVICAL UNIT, TRACTION APPARATUS, HALO [CUST: MD MS 03] | A 6515 | / MB | | 16-SEP-88 |
| A-A-53694 | HYDRALAZINE HYDROCHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-88 |
| A-A-53695 | AMPICILLIAN FOR ORAL SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-88 |
| A-A-53696 | ERGOLOID MESYLATES TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-88 |
| A-A-53697 | HYDROCORTISONE ACETATE AND PRAMOXINE HYDROCHLORIDE AEROSOL FOAM [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-88 |
| A-A-53698 | LINDANE LOTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-88 |
| A-A-53699 | HYDROCORTISONE ACETATE AEROSOL [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-88 |
| A-A-53700 | BASKET, PIPET [CUST: MD MS 03] | A 6640 | / MB | | 16-SEP-88 |
| A-A-53701 | JAR, PIPET [CUST: MD MS 03] | A 6640 | / MB | | 20-SEP-88 |
| A-A-53702 | BULB, DROPPING PIPET [CUST: MD MS 03] | A 6640 | / MB | | 20-SEP-88 |
| A-A-53703 | TEST TUBE [CUST: MD MS 03] | A 6640 | / MB | | 20-SEP-88 |
| A-A-53705 | HYDROCORTISONE CREAM, USP [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-88 |
| A-A-53706 | IOPANOIC ACID TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-88 |
| A-A-53707 | HYDROGEN PEROXIDE TOPICAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 16-SEP-88 |
| A-A-53708 | STONE, SHARPENING (FINE INDIA) [CUST: MD MS 03] | A 6520 | / MB | | 26-SEP-88 |
| A-A-53709 | STERILIZER, SURGICAL INSTRUMENT AND DRESSING [CUST: MD MS 03] | A 6530 | / MB | | 30-SEP-88 |
| A-A-53710 | MINOCYCLINE HYDROCHLORIDE CAPSULES, USP [CUST: MD MS 03] | A 6505 | / MB | | 29-SEP-88 |
| A-A-53711 | NAPHAZOLINE HYDROCHLORIDE AND ANTIAZOLINE PHOSPHATE OPHTHALMIC SOLUTION [CUST: MD MS 03] | A 6505 | / MB | | 26-SEP-88 |
| A-A-53712 | NALIDIXIC ACID TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 26-SEP-88 |
| A-A-53713 | STONE, SHARPENING (SOFT ARKANSAS) [CUST: MD MS 03] | A 6520 | / MB | | 30-SEP-88 |
| A-A-53714 | WAX, DENTAL (CASTING) [CUST: MD MS 03] | A 6520 | / MB | | 23-SEP-88 |
| A-A-53715 | STOOL, DENTAL LABORATORY, MOBILE, ADJUSTABLE [CUST: MD MS 03] | A 6520 | / MB | | 24-OCT-88 |
| A-A-53717 | PLASTIC STRIP, DENTAL SURFACE PROTECTION [CUST: MD MS 03] | A 6520 | / MB | | 30-SEP-88 |
| A-A-53718 | PLASTIC STRIP, DENTURE TRIAL PACK [CUST: MD MS 03] | A 6520 | / MB | | 30-SEP-88 |
| A-A-53719 | DOCUSATE SODIUM CAPSULES, USP [CUST: MD MS 03] | A 6505 | / MB | | 30-SEP-88 |
| A-A-53720 | METHOCARBAMOL TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 26-SEP-88 |
| A-A-53721 | LITHIUM CARBONATE CAPSULES, USP [CUST: MD MS 03] | A 6505 | / MB | | 26-SEP-88 |
| A-A-53722 | PHENOBARBITAL TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 26-SEP-88 |
| A-A-53723 | KANAMYCIN SULFATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 30-SEP-88 |
| A-A-0053724 | THIETHYLPERAZINE MALEATE SUPPOSITORIES, USP [CUST: MD MS 03] | A 6505 | / MB | | 28-OCT-88 |
| A-A-0053725 | SUFENTANIL CITRATE INJECTION [CUST: MD MS 03] | A 6505 | / MB | | 28-OCT-88 |
| A-A-0053726 | MITOMYCIN FOR INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 28-OCT-88 |
| A-A-53727A | WARFARIN SODIUM TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 29-OCT-93 |
| A-A-53729A | DIMETHYL SULFOXIDE IRRIGATION, USP [CUST: MD MS 03] | A 6505 | / MB | | 01-APR-93 |
| A-A-53734 | IODOQUINOL TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 28-OCT-88 |
| A-A-0053734 | IODOQUINOL TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 28-OCT-88 |
| A-A-53736 | AMOXICILLIN CAPSULES, USP [CUST: MD MS 03] | A 6505 | / MB | | 30-SEP-88 |
| A-A-53737 | HYDROCHLOROTHIAZIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 30-SEP-88 |
| A-A-53738 | MEMBRANE KIT, BLOOD GAS ANALYZER (PO2) [CUST: MD MS 03] | A 6630 | / MB | | 03-OCT-88 |

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|-----------------|--|--------------------------|-----|-------------|-----------|
| A-A-53739 | PANCRELIPASE CAPSULES, MODIFIED [CUST: MD MS 03] | A 6505 | / | MB | 30-SEP-88 |
| A-A-53740 | MINERAL OIL, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-SEP-88 |
| A-A-53741 | METAPROTERENOL SULFATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-SEP-88 |
| A-A-53742 | METAPROTERENOL SULFATE INHALATION AEROSOL, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-SEP-88 |
| A-A-53743 | PENTAZOCINE LACTATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-SEP-88 |
| A-A-53745A | DRAINAGE UNIT, PLEURAL CAVITY [CUST: MD MS 03] | A 6530 | / | MB | 24-NOV-89 |
| A-A-53746 | WATCH GLASS, LABORATORY [CUST: MD MS 03] | A 6640 | / | MB | 17-OCT-88 |
| A-A-53747 | FERRIC CHLORIDE SOLUTION [CUST: MD MS 03] | A 6550 | / | MB | 17-OCT-88 |
| A-A-53748 | A-NAPHTHOL REAGENT [CUST: MD MS 03] | A 6550 | / | MB | 17-OCT-88 |
| A-A-53749A | REFRIGERATOR, MECHANICAL, BIOLOGICALS [CUST: MD MS 03] | A 4110 | / | MB | 09-MAR-90 |
| A-A-53750 | THIORIDAZINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 17-OCT-88 |
| A-A-53751 | HYDRALAZINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 28-OCT-88 |
| A-A-53752 | ALUMINUM HYDROXIDE GEL, DRIED, AND MAGNESIUM TRISILICATE TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 28-OCT-88 |
| A-A-53753 | MANIKIN, RESUSCITATION TRAINING [CUST: MD MS 03] | A 6910 | / | MB | 28-OCT-88 |
| A-A-53754 | WHEEL, ABRASIVE (SILICON CARBIDE, IMPREGNATED RUBBER, FINE, SQUARE EDGE, 2 BY 1/4 INCHES) [CUST: MD MS 03] | A 6520 | / | MB | 07-NOV-88 |
| A-A-53755 | BLADE, GAG, RING RETRACTOR [CUST: MD MS 03] | A 6515 | / | MB | 11-NOV-88 |
| A-A-53756A | GAUZE, OINTMENT IMPREGNATED [CUST: MD MS 03] | A 6510 | / | MB | 23-JUN-89 |
| A-A-53757 | LINER, FLASK, DENTAL CASTING MACHINE (ALUMINUM SILICATE, WATER ABSORBING) [CUST: MD MS 03] | A 6520 | / | MB | 18-NOV-88 |
| A-A-53758 | POTASSIUM HYDROXIDE SOLUTION [CUST: MD MS 03] | A 6550 | / | MB | 08-NOV-88 |
| A-A-53759 | PROBE, NERVE LOCATOR-STIMULATOR [CUST: MD MS 03] | A 6515 | / | MB | 28-FEB-89 |
| A-A-53761 | ALUMINUM HYDROXIDE GEL, MODIFIED [CUST: MD MS 03] | A 6505 | / | MB | 30-NOV-88 |
| A-A-53762 | AMINOPHYLLINE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 18-NOV-88 |
| A-A-53763 | HYDROXYZINE HYDROCHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 18-NOV-88 |
| A-A-53764 | CLEANING COMPOUND, DENTAL VACUUM SYSTEM [CUST: MD MS 03] | A 6520 | / | MB | 18-NOV-88 |
| A-A-53766 | THIMBLE, EXTRACTION [CUST: MD MS 03] | A 6640 | / | MB | 09-NOV-88 |
| A-A-53767 | RETRACTOR, RIB (BURFORD-FINOCCHIETTO) [CUST: MD MS 03] | A 6515 | / | MB | 15-NOV-88 |
| A-A-53768 | RETRACTOR, ABDOMINAL (O'SULLIVAN-O'CONNOR) [CUST: MD MS 03] | A 6515 | / | MB | 15-NOV-88 |
| A-A-53769 | RETRACTOR, GENERAL OPERATING [CUST: MD MS 03] | A 6515 | / | MB | 18-NOV-88 |
| A-A-53770 | PLATE, SPOT TEST (WHITE PORCELAIN) [CUST: MD MS 03] | A 6640 | / | MB | 12-DEC-88 |
| A-A-53771 | PROTECTOR, TRANSDUCER, PHYSIOLOGICAL PRESSURE [CUST: MD MS 03] | A 6515 | / | MB | 30-NOV-88 |
| A-A-53772 | MASK, ORONASAL [CUST: MD MS 03] | A 6515 | / | MB | 30-NOV-88 |
| A-A-53773 | SPONGE, SCLERAL, SILICONE (LINCAFF) [CUST: MD MS 03] | A 6515 | / | MB | 01-DEC-88 |
| A-A-53774 | KOVACS' REAGENT [CUST: MD MS 03] | A 6550 | / | MB | 12-DEC-88 |
| A-A-53775 | STONE DISLODGER, CYSTOSCOPE, RADIOPAQUE (DAVIS) [CUST: MD MS 03] | A 6515 | / | MB | 01-DEC-88 |
| A-A-53777 | AUDIOMETER, MANUALLY OPERATED, PORTABLE, 110/220 VOLT, 50/60 HZ, AC [CUST: MD MS 03] | A 6515 | / | MB | 10-DEC-88 |
| A-A-53778 | NITROGLYCERIN INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 16-DEC-88 |
| A-A-53779 | NITROGLYCERIN TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 06-JAN-89 |
| A-A-53780 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 50S [CUST: MD MS 03] | A 6515 | / | MB | 18-APR-90 |
| A-A-53780/1 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 14 GAGE CATHETER, 50S [CUST: MD MS 03] | A 6515 | / | MB | 18-APR-90 |
| A-A-53780/2 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 16 GAGE CATHETER, 50S [CUST: MD MS 03] | A 6515 | / | MB | 18-APR-90 |
| A-A-53780/3 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 18 GAGE CATHETER, 50S [CUST: MD MS 03] | A 6515 | / | MB | 18-APR-90 |
| A-A-53780/4 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 20 GAGE CATHETER, 50S [CUST: MD MS 03] | A 6515 | / | MB | 18-APR-90 |
| A-A-53780/5 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 22 GAGE CATHETER, 50S [CUST: MD MS 03] | A 6515 | / | MB | 18-APR-90 |
| A-A-53780/6 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 24 GAGE CATHETER, 50S [CUST: MD MS 03] | A 6515 | / | MB | 18-APR-90 |
| A-A-53781 | MASK, ORONASAL, RESUSCITATOR AND ANESTHESIA, PEDIATRIC [CUST: MD MS 03] | A 6515 | / | MB | 14-DEC-88 |
| A-A-53782 | ORPHENADRINE CITRATE, ASPIRIN AND CAFFEINE TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 06-JAN-89 |
| A-A-53783 | MIRRORS AND MIRROR HANDLE, MOUTH EXAMINING [CUST: MD MS 03] | A 6520 | / | MB | 20-FEB-89 |
| A-A-53784 | WHEEL SET, ABRASIVE (SHARPENERS, DENTAL) [CUST: MD MS 03] | A 6520 | / | MB | 21-DEC-88 |
| A-A-53785 | PLACEMENT KIT, TOOTH DIE PIN [CUST: MD MS 03] | A 6520 | / | MB | 01-FEB-89 |
| A-A-53786 | RETRACTOR SET, ABDOMINAL (DOUBLE-ENDED, RICHARDSON-EASTMAN) [CUST: MD MS 03] | A 6515 | / | MB | 14-DEC-88 |
| A-A-53787 | COLLECTING TUBING SET, UTERINE, PLASTIC, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 15-DEC-88 |
| A-A-53788 | CUTTER, BONE PIN (6 INCHES) [CUST: MD MS 03] | A 6515 | / | MB | 15-DEC-88 |
| A-A-53789 | TEST LUNG [CUST: MD MS 03] | A 6910 | / | MB | 30-DEC-88 |
| A-A-53790 | TEST SET, ELECTROSURGICAL APPARATUS [CUST: MD MS 03] | A 6625 | / | MB | 30-DEC-88 |
| A-A-53791 | TESTER, CURRENT LEAKAGE [CUST: MD MS 03] | A 6625 | / | MB | 30-DEC-88 |
| A-A-53793 | STOOL, STEP, SURGICAL [CUST: MD MS 03] | A 6530 | / | MB | 30-DEC-88 |
| A-A-53794 | CLAMP, ARTERY, 8 INCH (DEBAKEY) [CUST: MD MS 03] | A 6515 | / | MB | 27-DEC-88 |
| A-A-53795 | DRILL GUIDE, CRANIAL (ADSON) [CUST: MD MS 03] | A 6515 | / | MB | 30-DEC-88 |
| A-A-53797 | IMPRESSION TRAY, DENTAL (WATER-COOLED) [CUST: MD MS 03] | A 6520 | / | MB | 13-FEB-89 |
| A-A-53798 | PLUGGER SET, FINGER ENDODONTIC [CUST: MD MS 03] | A 6520 | / | MB | 31-AUG-89 |
| A-A-53799 | SPREADER SET, FINGER, ENDODONTIC [CUST: MD MS 03] | A 6520 | / | MB | 31-AUG-89 |
| A-A-53800 | ELEVATOR, PERIOSTEAL (JOSEPH STRAIGHT BLADE) [CUST: MD MS 03] | A 6515 | / | MB | 13-FEB-89 |
| A-A-53801 | KNIFE, MARGIN FINISHING, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 13-FEB-89 |
| A-A-53802 | PLUGGERS, PULP CANAL, ENDODONTIC [CUST: MD MS 03] | A 6520 | / | MB | 27-MAR-89 |
| A-A-53803B | SYRINGE, HYPODERMIC, GENERAL PURPOSE, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 15-APR-92 |
| A-A-53804 | RASP, NASAL (LEWIS, FINE) [CUST: MD MS 03] | A 6515 | / | MB | 06-JAN-89 |
| A-A-53805 | ELECTRODE SET, ELECTROCARDIOGRAPH [CUST: MD MS 03] | A 6515 | / | MB | 13-JAN-89 |
| A-A-53806 | RETRACTOR, KNEE (BLOUNT) [CUST: MD MS 03] | A 6515 | / | MB | 12-JAN-89 |
| A-A-53807 | REGULATOR, PRESSURE, MEDICAL GAS ADMINISTRATION APPARATUS [CUST: MD MS 03] | A 6680 | / | MB | 18-JAN-89 |
| A-A-53808 | DRILL, TWIST, BONE [CUST: MD MS 03] | A 6515 | / | MB | 19-JAN-89 |
| A-A-53809 | PIN, BONE NAIL GUIDE (KUNTSCHE) [CUST: MD MS 03] | A 6515 | / | MB | 19-JAN-89 |
| A-A-53810 | CAP, SCREW, BOTTLE AND JAR [CUST: MD MS 03] | A 6640 | / | MB | 01-FEB-89 |
| A-A-53811 | CLAMP, VASCULAR (SERREFINE, DIEFFENBACH) [CUST: MD MS 03] | A 6515 | / | MB | 23-JAN-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | A-A-53813 | SIMULATOR, ARRHYTHMIA, ELECTROCARDIOGRAM [CUST: MD MS 03] | A 6910 | / | MB | 31-JAN-89 |
| | A-A-53814 | AUDIOMETER, AUTOMATIC, PORTABLE [CUST: MD MS 03] | A 6515 | / | MB | 31-JAN-89 |
| | A-A-53815 | AUDIOMETER [CUST: MD MS 03] | A 6515 | / | MB | 31-JAN-89 |
| | A-A-53816 | ELECTROCARDIOGRAPH, SINGLE CHANNEL [CUST: MD MS 03] | A 6515 | / | MB | 31-JAN-89 |
| | A-A-53817 | DISH, BIOLOGICAL STAINING (WITH TRAY) [CUST: MD MS 03] | A 6640 | / | MB | 01-FEB-89 |
| | A-A-53818 | SUCTION APPARATUS, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 18-DEC-90 |
| | A-A-53819 | FUNNEL (ENTOMOLOGICAL) [CUST: MD MS 03] | A 6640 | / | MB | 06-FEB-89 |
| | A-A-53820 | GRID, WIRE GAUZE, LABORATORY [CUST: MD MS 03] | A 6640 | / | MB | 06-FEB-89 |
| | A-A-53821 | RETRACTOR, NERVE ROOT, LOVE [CUST: MD MS 03] | A 6515 | / | MB | 08-FEB-89 |
| | A-A-53822 | WIRE, NONELECTRICAL (CORROSION-RESISTING STEEL, SOFT) [CUST: MD MS 03] | A 6520 | / | MB | 28-FEB-89 |
| | A-A-53823 | BUR, DENTAL, FINISHING (STEEL) [CUST: MD MS 03] | A 6520 | / | MB | 20-FEB-89 |
| | A-A-53824 | CURETTE, BONE (SCOVILLE) [CUST: MD MS 03] | A 6515 | / | MB | 14-FEB-89 |
| | A-A-53825 | FORCEPS, TOOTH EXTRACTING, DENTAL, GENERAL SPECIFICATION FOR [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/1 | FORCEPS, TOOTH EXTRACTING, NO. 22 [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/2 | FORCEPS, TOOTH EXTRACTING, NO. 222 [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/3 | FORCEPS, TOOTH EXTRACTING, NO. 13 [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/4 | FORCEPS, TOOTH EXTRACTING, NO. 150-AS [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/5 | FORCEPS, TOOTH EXTRACTING, NO. 17 [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/6 | FORCEPS, TOOTH EXTRACTING, NO. 151-AS [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/7 | FORCEPS, TOOTH EXTRACTING, NO. 210-S [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/8 | FORCEPS, TOOTH EXTRACTING, NO. 53L [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/9 | FORCEPS, TOOTH EXTRACTING, NO. 53R [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/10 | FORCEPS, TOOTH EXTRACTING NO. 65 [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/11 | FORCEPS, TOOTH EXTRACTING NO. 150 [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/12 | FORCEPS, TOOTH EXTRACTING, NO. 151 [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/13 | FORCEPS, TOOTH EXTRACTING, NO. 150S [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/14 | FORCEPS, TOOTH EXTRACTING, NO. 151S [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-89 |
| | A-A-53825/15 | FORCEPS, TOOTH EXTRACTING (NO. 23) [CUST: MD MS 03] | A 6520 | / | MB | 10-OCT-89 |
| | A-A-53825/16 | FORCEPS, TOOTH EXTRACTING, NO. 217 [CUST: MD MS 03] | A 6520 | / | MB | 28-JAN-91 |
| | A-A-53826 | BUFFER SOLUTION (STANDARD) [CUST: MD MS 03] | A 6550 | / | MB | 13-FEB-89 |
| | A-A-53827 | THERMOMETER, CLINICAL, HUMAN (SUBNORMAL) [CUST: MD MS 03] | A 6515 | / | MB | 21-FEB-89 |
| | A-A-53828 | BOTTLE, SCREW CAP [CUST: MD MS 03] | A 6640 | / | MB | 17-FEB-89 |
| | A-A-53829 | SYRINGE, IRRIGATING (SURGICAL, BARREL AND PLUNGER TYPE, DISPOSABLE) [CUST: MD MS 03] | A 6515 | / | MB | 17-FEB-89 |
| | A-A-53830 | FORCEPS, ARTHROSCOPIC, STRAIGHT, HOOK BASKET [CUST: MD MS 03] | A 6515 | / | MB | 10-MAR-89 |
| | A-A-53831 | FORCEPS, KIDNEY STONE REMOVING (RANDALL) [CUST: MD MS 03] | A 6515 | / | MB | 10-MAR-89 |
| | A-A-53832 | AMPHOTERICIN B LOTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 28-FEB-89 |
| | A-A-53833 | ALUMINUM ACETATE SOLUTION TABLETS EFFERVESCENT [CUST: MD MS 03] | A 6505 | / | MB | 28-FEB-89 |
| | A-A-53834 | ACETOHEXAMIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 28-FEB-89 |
| | A-A-53835 | TEST SET, AUDIOMETER CALIBRATION, PORTABLE [CUST: MD MS 03] | A 6515 | / | MB | 28-FEB-89 |
| | A-A-53836 | PHENOL RED PH TEST TABLETS [CUST: MD MS 03] | A 6550 | / | MB | 03-MAR-89 |
| | A-A-53837 | ELECTROSURGICAL APPARATUS [CUST: MD MS 03] | A 6515 | / | MB | 30-MAY-89 |
| | A-A-53838 | IRRIGATION TIP, SURGICAL [CUST: MD MS 03] | A 6530 | / | MB | 24-MAR-89 |
| | A-A-53839 | LINER, UTILITY PAIL, PLASTIC [CUST: MD MS 03] | A 7240 | / | MB | 24-MAR-89 |
| | A-A-53840 | HOOK [CUST: MD MS 03] | A 6515 | / | MB | 10-MAY-90 |
| | A-A-53840/1 | HOOK, ADSON [CUST: MD MS 03] | A 6515 | / | MB | 10-MAY-90 |
| | A-A-53840/2 | HOOK, FRAZIER [CUST: MD MS 03] | A 6515 | / | MB | 10-MAY-90 |
| | A-A-53840/3 | HOOK, TYRELL [CUST: MD MS 03] | A 6515 | / | MB | 10-MAY-90 |
| | A-A-53840/4 | HOOK, GRAEFE [CUST: MD MS 03] | A 6515 | / | MB | 10-MAY-90 |
| | A-A-53841 | PAIL, PLASTIC 14 QUART CAPACITY [CUST: MD MS 03] | A 7240 | / | MB | 24-MAR-89 |
| | A-A-53842 | TEST PATTERN AND PENETROMETER ASSEMBLY, X-RAY [CUST: MD MS 03] | A 6525 | / | MB | 24-MAR-89 |
| | A-A-53843 | TUBINE ASSEMBLY, SURGICAL IRRIGATOR [CUST: MD MS 03] | A 6530 | / | MB | 24-MAR-89 |
| | A-A-53844A | LEAD, MARKING, DENTAL SURVEYOR [CUST: MD MS 03] | A 6520 | / | MB | 22-JUN-92 |
| | A-A-53845 | BURS, DENTAL, FINISHING (TUNGSTEN CARBIDE) [CUST: MD MS 03] | A 6520 | / | MB | 10-APR-89 |
| | A-A-53846 | BLOWPIPE, SOLDERING, DENTAL LABORATORY [CUST: MD MS 03] | A 6520 | / | MB | 13-MAR-89 |
| | A-A-53847 | SPECIMEN KIT, URINE [CUST: MD MS 03] | A 6530 | / | MB | 24-MAR-89 |
| | A-A-53848 | TUBING, NONMETALIC (RUBBER) [CUST: MD MS 03] | A 4720 | / | MB | 03-MAR-89 |
| | A-A-53849 | BUPIVACAINE HYDROCHLORIDE AND EPINEPHRIN INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 14-MAR-89 |
| | A-A-53851 | AZATHIOPRINE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 14-MAR-89 |
| | A-A-53852 | CASSETTE, RADIOGRAPHIC FILM LIGHTWEIGHT [CUST: MD MS 03] | A 6525 | / | MB | 24-MAR-89 |
| | A-A-53853 | CLAMP, ARTERY, AORTIC ANEURYSM (DEBAKEY) [CUST: MD MS 03] | A 6515 | / | MB | 08-MAR-89 |
| | A-A-53854 | CABINET, TOOTH ASSORTMENT, COMPARTMENTED [CUST: MD MS 03] | A 6520 | / | MB | 20-MAR-89 |
| | A-A-53856 | REFRACTOMETER [CUST: MD MS 03] | A 6650 | / | MB | 15-MAR-89 |
| | A-A-53857 | PAD, OPERATING TABLE TWO SECTIONS [CUST: MD MS 03] | A 6530 | / | MB | 30-MAY-89 |
| | A-A-53858 | TURNING FRAME, ORTHOPEDIC BED [CUST: MD MS 03] | A 6530 | / | MB | 30-MAY-89 |
| | A-A-53859 | FORCEPS, TISSUE, BROWN AND BROWN-ADSON [CUST: MD MS 03] | A 6515 | / | MB | 15-MAR-89 |
| | A-A-53860 | NIPPER, INGROWN TOENAIL [CUST: MD MS 03] | A 6515 | / | MB | 15-MAR-89 |
| | A-A-53861 | INDICATOR, COMBUSTIBLE GAS, PORTABLE (DUEL RANGE) [CUST: MD MS 03] | A 6665 | / | MB | 17-MAR-89 |
| | A-A-53862 | POLISHERS, DENTAL; MANDRELS, DENTAL HANDPIECE [CUST: MD MS 03] | A 6520 | / | MB | 20-MAR-89 |
| | A-A-53863 | FORCEPS, DRESSING, STRAIGHT, 5-1/2 INCH [CUST: MD MS 03] | A 6515 | / | MB | 16-MAR-89 |
| | A-A-53864 | REGULATOR, NITROGEN, SINGLE PORT [CUST: MD MS 03] | A 6515 | / | MB | 16-MAR-89 |
| | A-A-53865A | HOLDER, BLOOD COLLECTING TUBE (PLASTIC) [CUST: MD MS 03] | A 6630 | / | MB | 19-FEB-93 |
| | A-A-53867 | AMOXICILLIAN FOR ORAL SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-MAR-89 |
| | A-A-53868 | BETAMETHASONE BENZOATE GEL, USP [CUST: MD MS 05] | A 6505 | / | MB | 24-MAR-89 |
| | A-A-53870 | TUBE, CENTRIFUGE (POLYETHYLENE, CONICAL BOTTOM, GRADUATED) [CUST: MD MS 03] | A 6640 | / | MB | 24-MAR-89 |
| | A-A-53871 | TEST TUBE, (SCREW CAP, DISPOSABLE) [CUST: MD MS 03] | A 6640 | / | MB | 24-MAR-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|-----------------|---|--------------|-----|-------------|--|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | | |
| A-A-53872 | | READER, MICROHEMATOCRIT [CUST: MD MS 03] | A 6640 | / | MB | | 24-MAR-89 |
| A-A-53874 | | ANTIVENIN, CROTALIDAE, POLYVALENT, USP [CUST: MD MS 03] | A 6505 | / | MB | | 31-MAR-89 |
| A-A-53878 | | MAGNIFIER, SINGLE LENS, FLIP-UP, PLASTIC [CUST: MD MS 03] | A 6515 | / | MB | | 24-MAR-89 |
| A-A-53879 | | ANYL NITRITE INHALANT, USP [CUST: MD MS 03] | A 6505 | / | MB | | 31-MAR-89 |
| A-A-53880 | | ALCOHOL, USP [CUST: MD MS 03] | A 6505 | / | MB | | 31-MAR-89 |
| A-A-53881 | | RONGUER, CURVED, 7-1/4 INCH (BEYER) [CUST: MD MS 03] | A 6515 | / | MB | | 23-MAY-89 |
| A-A-53882 | | ELEVATOR, EAR, HEAVY, CURVED BLADE [CUST: MD MS 03] | A 6515 | / | MB | | 10-AUG-89 |
| A-A-53883 | | FLOSS, WAXED, DENTAL, FLAVORED, 50 YARDS [CUST: MD MS 03] | A 6520 | / | MB | | 19-JUN-89 |
| A-A-53884A | | GOLD ALLOY, CASTING, DENTAL [CUST: MD MS 03] | A 6515 | / | MB | | 30-SEP-92 |
| A-A-53885 | | SPATULA, DENTAL, CEMENT (NO. 324) [CUST: MD MS 03] | A 6520 | / | MB | | 12-JUN-89 |
| A-A-53886 | | PHOSPHORIC ACID GEL, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | | 19-JUN-89 |
| A-A-53887 | | PROP, MOUTH, DENTAL, STYROFOAM [CUST: MD MS 03] | A 6520 | / | MB | | 12-JUN-89 |
| A-A-53889 | | FLASKS, DENTURE, UPPER AND LOWER, EJECTOR TYPE [CUST: MD MS 03] | A 6520 | / | MB | | 12-JUN-89 |
| A-A-53890 | | PIPET, VOLUMETRIC [CUST: MD MS 03] | A 6640 | / | MB | | 07-APR-89 |
| A-A-53891 | | TOOL KIT, OPTICIAN [CUST: MD MS 03] | A 6540 | / | MB | | 07-APR-89 |
| A-A-53892 | | STIMULATOR, FACIAL NERVE [CUST: MD MS 03] | A 6515 | / | MB | | 28-APR-89 |
| A-A-53893 | | POWER SUPPLY (120 VOLT, 50/60 HZ, AC) [CUST: MD MS 03] | A 6640 | / | MB | | 14-APR-89 |
| A-A-53894 | | ELECTRODE, ELECTROCARDIOGRAPH, INFANT [CUST: MD MS 03] | A 6515 | / | MB | | 28-APR-89 |
| A-A-53895 | | SURGICAL PACK, DISPOSABLE [CUST: MD MS 03] | A 6530 | / | MB | | 30-MAY-89 |
| A-A-53896 | | CHAIR, SITZ BATH [CUST: MD MS 03] | A 6530 | / | MB | | 30-MAY-89 |
| A-A-53897 | | JAR, SURGICAL DRESSING ALUMINUM [CUST: MD MS 03] | A 6530 | / | MB | | 09-MAR-90 |
| A-A-53898 | | CALIBRATOR, X-RAY GENERATOR [CUST: MD MS 03] | A 6625 | / | MB | | 28-APR-89 |
| A-A-53899A | | STOPCOCK, INTRAVENOUS THERAPY [CUST: MD MS 03] | A 6515 | / | MB | | 08-JAN-93 |
| A-A-53900 | | CURETTE, ENDOMETRIAL BIOPSY, CURVED, 11-3/4 INCH, DISPOSABLE, 12S [CUST: MD MS 03] | A 6515 | / | MB | | 02-MAY-89 |
| A-A-53902 | | SCISSORS, HYSTERECTOMY, ADNEXAL, 210 MM [CUST: MD MS 03] | A 6515 | / | MB | | 04-MAY-89 |
| A-A-53903 | | STIMULATOR, ULTRASOUND, HIGH GALVANIC, HVS [CUST: MD MS 03] | A 6515 | / | MB | | 30-MAY-89 |
| A-A-53904 | | BULB, PIPET, DROPPING [CUST: MD MS 03] | A 6640 | / | MB | | 04-MAY-89 |
| A-A-53905A | | ELECTROCARDIOGRAPH, AUTOMATIC [CUST: MD MS 03] | A 6515 | / | MB | | 07-SEP-90 |
| A-A-53906 | | MOUTHPIECE, SALIVA EJECTOR, DENTAL, (PLASTIC, DISPOSABLE) [CUST: MD MS 03] | A 6520 | / | MB | | 19-JUN-89 |
| A-A-53907 | | APPLICATOR SET, PIN RETENTION, DENTAL, SPIRAL, CEMENT [CUST: MD MS 03] | A 6520 | / | MB | | 19-JUN-89 |
| A-A-53908 | | SYRINGE, DENTAL IMPRESSION MATERIAL AND ACCESSORY KIT [CUST: MD MS 03] [REVIEW: CC] | A 6520 | / | MB | | 04-SEP-89 |
| A-A-53909 | | DRILL, PULP CANAL, DENTAL (GATES GLIDDEN) [CUST: MD MS 03] | A 6520 | / | MB | | 26-JUN-89 |
| A-A-53910 | | DRILL, PULP CANAL, DENTAL (PEESO) [CUST: MD MS 03] | A 6520 | / | MB | | 26-JUN-89 |
| A-A-53911 | | CARVER, DENTAL (AMALGAM AND WAX) [CUST: MD MS 03] | A 6520 | / | MB | | 10-OCT-89 |
| A-A-53912 | | TRIMMERS, GINGIVAL MARGIN, DENTAL (CORROSION-RESISTING STEEL) [CUST: MD MS 03] | A 6520 | / | MB | | 13-JUN-90 |
| A-A-53913 | | CHISELS, DENTAL (CARBON STEEL) [CUST: MD MS 03] | A 6520 | / | MB | | 19-JUN-89 |
| A-A-53914 | | WIRE, MAXILLOFACIAL, IMPLANT [CUST: MD MS 03] | A 6515 | / | MB | | 11-DEC-89 |
| A-A-53915 | | STRIP, MATRIX, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | | 19-JUN-89 |
| A-A-53916 | | BUR, BONE (WIRE PASS DRILL) [CUST: MD MS 03] | A 6515 | / | MB | | 26-JUN-89 |
| A-A-53917 | | CURETTES, ALVEOLAR, MOLT [CUST: MD MS 03] | A 6520 | / | MB | | 19-JUN-89 |
| A-A-53918 | | PROJECTOR, VISUAL ACUITY TEST [CUST: MD MS 03] | A 6540 | / | MB | | 30-MAY-89 |
| A-A-53919 | | BAND, ABRASIVE (SILICON CARBIDE) [CUST: MD MS 03] | A 6520 | / | MB | | 19-JUN-89 |
| A-A-53920 | | CAN, PETRI CULTURE DISH [CUST: MD MS 03] | A 6640 | / | MB | | 20-JUL-89 |
| A-A-53921 | | WATCH GLASS SET [CUST: MD MS 03] | A 6640 | / | MB | | 30-MAY-89 |
| A-A-53922 | | ALUMINUM HYDROXIDE GEL, DRIED, TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | | 30-MAY-89 |
| A-A-53924 | | RINSE SOLUTION, BLOOD GAS ANALYZER [CUST: MD MS 03] | A 6630 | / | MB | | 07-JUN-89 |
| A-A-53925 | | SURGICAL SYSTEM, ADVANCED INTRA-ARTICULAR [CUST: MD MS 03] | A 6515 | / | MB | | 13-JUN-89 |
| A-A-53926 | | SCALE, DENTAL, DOUBLE-ENDED [CUST: MD MS 03] | A 6520 | / | MB | | 26-JUN-89 |
| A-A-53927 | | INFUSOR, PRESSURE, BLOOD-INTRAVENOUS BAG [CUST: MD MS 03] | A 6515 | / | MB | | 22-JUN-89 |
| A-A-53928 | | RETRACTOR, SCAPULAR (DAVIDSON) [CUST: MD MS 03] | A 6515 | / | MB | | 22-JUN-89 |
| A-A-53929 | | FORCEPS, THORACIC, ANGULAR, MIXTER, SOFT JAW [CUST: MD MS 03] | A 6515 | / | MB | | 23-JUN-89 |
| A-A-53930 | | KNIFE, STERNUM (LEBSCHKE) [CUST: MD MS 03] | A 6515 | / | MB | | 26-JUN-89 |
| A-A-53931 | | CLAMP, COARCTATION, (GLOVER) [CUST: MD MS 03] | A 6515 | / | MB | | 05-JUL-89 |
| A-A-53932 | | FORCEPS, TENDON-RETRIEVAL, HOEN, ALLIGATOR [CUST: MD MS 03] | A 6515 | / | MB | | 25-JUL-89 |
| A-A-53933 | | PROBE, PERIODONTAL [CUST: MD MS 03] | A 6520 | / | MB | | 31-JUL-89 |
| A-A-53934 | | BAG, DENTAL PROSTHESIS (PLASTIC) [CUST: MD MS 03] | A 6520 | / | MB | | 24-JUL-89 |
| A-A-53935 | | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS (TOTAL IMMERSION) [CUST: MD MS 03] | A 6685 | / | MB | | 30-JUN-89 |
| A-A-53936 | | SCREWDRIVER, MAXILLOFACIAL SURGERY, BONE SCREW [CUST: MD MS 03] | A 6515 | / | MB | | 07-AUG-89 |
| A-A-53937 | | KNIFE, CARTILAGE, CURVED [CUST: MD MS 03] | A 6515 | / | MB | | 28-JUL-89 |
| A-A-53938 | | BRAZING ALLOY, SILVER [CUST: MD MS 03] | A 6520 | / | MB | | 28-JUL-89 |
| A-A-53939 | | POINT, ENDODONTIC, AUXILIARY, GUTTA-PERCHA [CUST: MD MS 03] | A 6520 | / | MB | | 21-MAR-90 |
| A-A-53940 | | RESIN, ACRYLIC, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | | 28-JUL-89 |
| A-A-53941 | | SPECTACLES, POST CYCLOPLEGIC [CUST: MD MS 03] | A 6540 | / | MB | | 28-JUL-89 |
| A-A-53942 | | DEPTH PERCEPTION APPARATUS, OPHTHALMIC, VERHOEFF [CUST: MD MS 03] | A 6540 | / | MB | | 28-JUL-89 |
| A-A-53943 | | PLATE SET, PSEUDOISCHROMATIC, 15 PLATE [CUST: MD MS 03] | A 6540 | / | MB | | 28-JUL-89 |
| A-A-53944 | | TROCAR, GALLBLADDER, OCHSNER [CUST: MD MS 03] | A 6515 | / | MB | | 28-JUL-89 |
| A-A-53945 | | TEST PAPER, CHLORINE DETERMINATION [CUST: MD MS 03] | A 6630 | / | MB | | 26-JUL-89 |
| A-A-53946 | | SCISSORS, ORAL SURGICAL (GOLDMAN-FOX) [CUST: MD MS 03] [REVIEW: CC] | A 6520 | / | MB | | 31-AUG-89 |
| A-A-53947 | | ARCH BOARD FILE AND BOX, PRESCRIPTION FILING [CUST: MD MS 03] | A 7520 | / | MB | | 28-JUL-89 |
| A-A-53948 | | TRIPOD, LABORATORY APPARATUS [CUST: MD MS 03] | A 6640 | / | MB | | 07-AUG-89 |
| A-A-53950 | | RACK, TEST TUBE, LABORATORY [CUST: MD MS 03] | A 6640 | / | MB | | 28-JUL-89 |
| A-A-53951 | | TOURNIQUET SYSTEM, PNEUMATIC [CUST: MD MS 03] | A 6515 | / | MB | | 28-JUL-89 |
| A-A-53953 | | CLEANER, ULTRASONIC [CUST: MD MS 03] | A 6530 | / | MB | | 21-AUG-89 |
| A-A-53954 | | BUR, DENTURE TRIMMING (STRAIGHT HANDPIECE, TUNGSTEN CARBIDE, STAGGERED-TOOTH) [CUST: MD MS 03] [REVIEW: CC] | A 6520 | / | MB | | 31-AUG-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | UICA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|------|-------------|-----------|
| | A-A-53955 | CHLORINE TEST TABLETS (DPD METHOD NO. 1) [CUST: MD MS 03] | A 6810 | / MB | | 15-AUG-89 |
| | A-A-53956 | BAG, TUBE FEEDING, PLASTIC [CUST: MD MS 03] | A 6515 | / MB | | 30-AUG-89 |
| | A-A-53957A | CANNULA, NASAL, OXYGEN (PLASTIC, DISPOSABLE) [CUST: MD MS 03] | A 6515 | / MB | | 24-OCT-90 |
| | A-A-53958 | FORCEPS, VASCULAR TISSUE, DEBAKEY [CUST: MD MS 03] | A 6515 | / MB | | 16-OCT-89 |
| | A-A-53959 | HOLDER, SUTURE NEEDLE, MASSON, 10-1/2 INCH [CUST: MD MS 03] | A 6515 | / MB | | 18-OCT-89 |
| | A-A-53960 | FORCEPS, TISSUE (DEBAKEY) [CUST: MD MS 03] | A 6515 | / MB | | 19-OCT-89 |
| | A-A-53961 | RONGUER, LEKSELL, 9-3/4 INCH [CUST: MD MS 03] | A 6515 | / MB | | 20-OCT-89 |
| | A-A-53962 | KNIFE, EYE, NEEDLE TYPE, ZIEGLER [CUST: MD MS 03] | A 6515 | / MB | | 06-NOV-89 |
| | A-A-53963 | BATTERY, NONRECHARGEABLE, HEARING AID [CUST: MD MS 03] | A 6135 | / MB | | 30-AUG-89 |
| | A-A-53964 | REFRIGERATOR, COLD PACK THERAPY [CUST: MD MS 03] | A 4110 | / MB | | 30-AUG-89 |
| | A-A-53965 | CROTAMITON CREAM, USP [CUST: MD MS 03] | A 6505 | / MB | | 30-OCT-89 |
| | A-A-53966 | CROMOLYN SODIUM FOR INHALATION, USP [CUST: MD MS 03] | A 6505 | / MB | | 30-OCT-89 |
| | A-A-53967 | CALCIUM THIOGYCOLLATE, TRIHYDRATE, CREAM [CUST: MD MS 03] | A 6505 | / MB | | 30-OCT-89 |
| | A-A-53968 | CHLORPHENIRAMINE MALEATE SYRUP, USP [CUST: MD MS 03] | A 6505 | / MB | | 30-OCT-89 |
| | A-A-53969 | CLOMIPHENE CITRATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 30-OCT-89 |
| | A-A-53970 | CLOXACILLIN SODIUM FOR ORAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 30-OCT-89 |
| | A-A-53971 | CUFF, BLOOD WARMER [CUST: MD MS 03] | A 6515 | / MB | | 07-NOV-89 |
| | A-A-53972 | FILTER, BLOOD TRANSFUSION [CUST: MD MS 03] | A 6515 | / MB | | 08-NOV-89 |
| | A-A-53973B | BAG, BLOOD COLLECTING-DISPENSING-SYSTEM [CUST: MD MS 03] | A 6515 | / MB | | 16-DEC-93 |
| | A-A-53974 | BUR KIT, DENTAL FINISHING (TUNGSTEN CARBIDE) [CUST: MD MS 03] [REVIEW: 11 19 99 AT AV CC CR4 MI] | A 6520 | / MB | | 11-SEP-89 |
| | A-A-53975A | SAW, BONE CUTTING, WIRE [CUST: MD MS 03] | A 6515 | / MB | | 18-DEC-92 |
| | A-A-53976 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS [CUST: MD MS 03] [REVIEW: 70] | A 6685 | / MB | | 25-AUG-89 |
| | A-A-53977 | PIPET, VOLUMETRIC (MICRO, LANG-LEVY) [CUST: MD MS 03] [REVIEW: 70] | A 6640 | / MB | | 25-AUG-89 |
| | A-A-53978 | POINT, ENDODONTIC, CORE, GUTTA-PERCHA [CUST: MD MS 03] [REVIEW: 11 19 99 AT AV CC CR4 MI] | A 6520 | / MB | | 15-SEP-89 |
| | A-A-53979 | WIRE, NONELECTRICAL (PLATINUM ALLOY) [CUST: MD MS 03] [REVIEW: 11 19 99 AR CC DS MI] | A 9545 | / MB | | 15-SEP-89 |
| | A-A-53980 | FLASK, DENTURE, CROWN AND BRIDGE [CUST: MD MS 03] [REVIEW: AT CC] | A 6520 | / MB | | 02-OCT-89 |
| | A-A-53981 | CHISEL, DENTAL, BONE, SURGICAL [CUST: MD MS 03] [REVIEW: AT CC] | A 6520 | / MB | | 10-OCT-89 |
| | A-A-53983 | BLOCK, INSECT FIXATION (DOUBLE MOUNT) [CUST: MD MS 03] [REVIEW: 70] | A 6640 | / MB | | 01-SEP-89 |
| | A-A-53984 | WIRE TWISTER, DENTAL, BLUNT [CUST: MD MS 03] [REVIEW: CC] | A 6520 | / MB | | 15-SEP-89 |
| | A-A-53985 | ARTICULATOR, DENTAL, GALETTI TYPE [CUST: MD MS 03] | A 6520 | / MB | | 23-FEB-90 |
| | A-A-53986 | RUBBER DAM (DENTAL) 36S [CUST: MD MS 03] [REVIEW: 11 19 99 AT AV CC CR4 MI] | A 6520 | / MB | | 15-SEP-89 |
| | A-A-53987 | PIPET, BLOOD CHEMISTRY (MICRO-FOLIN) [CUST: MD MS 03] | A 6640 | / MB | | 18-SEP-89 |
| | A-A-53988 | PIPET, SEROLOGICAL (BOROSILICATE GLASS) [CUST: MD MS 03] | A 6640 | / MB | | 18-SEP-89 |
| | A-A-53989 | CAP, SCREW, BOTTLE AND JAR [CUST: MD MS 03] | A 6640 | / MB | | 18-SEP-89 |
| | A-A-53991 | VALVE, SURGICAL DRAIN, CHEST, HEIMLECH, DISPOSABLE [CUST: MD MS 03] | A 6515 | / MB | | 30-NOV-89 |
| | A-A-53992 | LENS, CONTACT, THREE-MIRROR, GOLDMANN [CUST: MD MS 03] | A 6540 | / MB | | 30-SEP-89 |
| | A-A-53993 | RACK, BUR, H-SHAPED, 6 INCHES BY 4 INCHES [CUST: MD MS 03] [REVIEW: AT CC] | A 6515 | / MB | | 10-OCT-89 |
| | A-A-53994 | CURETTE, ALVEOLAR, MILLER [CUST: MD MS 03] [REVIEW: AT CC] | A 6520 | / MB | | 10-OCT-89 |
| | A-A-53995 | GINGIVAL RETRACTION CORD (IMPREGNATED WITH ALUMINUM SULFATE) [CUST: MD MS 03] | A 6520 | / MB | | 10-OCT-89 |
| | A-A-53996 | TOOTHBRUSH, POST-SURGICAL, ULTRA-SOFT [CUST: MD MS 03] | A 6520 | / MB | | 10-OCT-89 |
| | A-A-53997 | MOUTHPIECE, SALIVA EJECTOR WITH REFLECTOR BLADES, DENTAL [CUST: MD MS 03] | A 6520 | / MB | | 10-OCT-89 |
| | A-A-53998 | DRILL, PIN HOLE, DENTAL [CUST: MD MS 03] | A 6520 | / MB | | 10-OCT-89 |
| | A-A-53999 | INSERT, HANDPIECE, DENTAL, ULTRASONIC PROPHYLAXIS UNIT [CUST: MD MS 03] | A 6520 | / MB | | 10-OCT-89 |
| | A-A-54000 | MESH, MAXILLOFACIAL IMPLANT [CUST: MD MS 03] | A 6515 | / MB | | 11-DEC-89 |
| | A-A-54001 | SCREW, BONE, MAXILLOFACIAL SURGERY [CUST: MD MS 03] | A 6515 | / MB | | 10-OCT-89 |
| | A-A-54002 | BUR, BONE (FAST CUTTING, CORROSION-RESISTING STEEL) [CUST: MD MS 03] [REVIEW: AT CC] | A 6515 | / MB | | 10-OCT-89 |
| | A-A-54003 | SPATULA, DENTAL, CEMENT (NO. 313) [CUST: MD MS 03] | A 6520 | / MB | | 20-OCT-89 |
| | A-A-54004 | ANESTHESIA BLOCK SET, PARACERVICAL-PUDENDAL [CUST: MD MS 03] | A 6515 | / MB | | 13-NOV-89 |
| | A-A-54005 | THORACENTESIS SET, DISPOSABLE [CUST: MD MS 03] | A 6515 | / MB | | 13-NOV-89 |
| | A-A-54006 | FORCEPS, EAR, GELFOAM PRESSURE, 6 INCH (HOUSE) [CUST: MD MS 03] | A 6515 | / MB | | 15-NOV-89 |
| | A-A-54007 | POLYP, RETRIEVER, RECTAL, FLEXIBLE, 3 OR 4 PRONG, 2.4 MM DIAMETER [CUST: MD MS 03] | A 6515 | / MB | | 02-FEB-90 |
| | A-A-54008 | LENS, DIPLOPIA TEST, RED [CUST: MD MS 03] [REVIEW: AT CC] | A 6540 | / MB | | 27-SEP-89 |
| | A-A-54009 | STERILIZER, SURGICAL INSTRUMENTS [CUST: MD MS 03] | A 6530 | / MB | | 15-OCT-89 |
| | A-A-54010 | SPREADER, GUTTA-PERCHA, DENTAL [CUST: MD MS 03] | A 6520 | / MB | | 28-FEB-90 |
| | A-A-54011 | PLIERS, DENTAL (AMALGAM REINFORCEMENT PIN) [CUST: MD MS 03] | A 6520 | / MB | | 06-NOV-89 |
| | A-A-54012 | CARVERS, DENTAL (PKT) [CUST: MD MS 03] | A 6520 | / MB | | 14-FEB-90 |
| | A-A-54013 | ELECTRODE, PERIPHERAL NERVE STIMULATOR [CUST: MD MS 03] | A 6515 | / MB | | 25-OCT-89 |
| | A-A-54014 | GINGIVAL RETRACTION CORD (IMPREGNATED WITH RACEMIC EPINEPHRINE HYDROCHLORIDE) [CUST: MD MS 03] | A 6520 | / MB | | 06-NOV-89 |
| | A-A-54015 | ELECTROCARDIOGRAPH AUTOMATIC, SOLID STATE, PORTABLE [CUST: MD MS 03] | A 6515 | / MB | | 25-OCT-89 |
| | A-A-54016 | REFRIGERATOR, SOLID STATE BIOLOGICALS [CUST: MD MS 03] | A 4110 | / MB | | 19-MAR-93 |
| | A-A-54017 | PROCESSING MACHINE, RADIOGRAPHIC FILM, AUTOMATIC [CUST: MD MS 03] | A 6525 | / MB | | 24-NOV-89 |
| | A-A-54018 | SCISSORS, GENERAL SURGICAL (CURVED, 7 INCH, METZENBAUM, DISSECTION) [CUST: MD MS 03] | A 6515 | / MB | | 01-FEB-90 |
| | A-A-54019 | KNIFE, COMPOUND, DENTAL (WITH DETACHABLE BLADE) [CUST: MD MS 03] | A 6520 | / MB | | 13-NOV-89 |
| | A-A-54020 | CHLORAMPHENICOL OPHTHALMIC SOLUTION, MODIFIED [CUST: MD MS 03] | A 6505 | / MB | | 30-OCT-89 |
| | A-A-54022 | CHLOROQUINE PHOSPHATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 30-OCT-89 |
| | A-A-54023 | CHOLESTYRAMINE FOR ORAL SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / MB | | 30-NOV-89 |
| | A-A-54024 | FILES AND REAMERS, PULP CANAL, DENTAL, STANDARDIZED [CUST: MD MS 03] | A 6520 | / MB | | 13-NOV-89 |
| | A-A-54025 | FORCEPS, BONE HOLDING (KERN) [CUST: MD MS 03] | A 6515 | / MB | | 05-JAN-90 |
| | A-A-54026 | FORCEPS, BONE CUTTING (CORYLLOS) [CUST: MD MS 03] | A 6515 | / MB | | 03-JAN-90 |
| | A-A-54027 | LOOP, EAR, SIZE 2 (HOUSE-BILLEAU) [CUST: MD MS 03] | A 6515 | / MB | | 14-DEC-89 |
| | A-A-54028 | CLAMP, ARTERY, INFANT, PARTIAL OCCLUDING (CASTANEDA) [CUST: MD MS 03] | A 6515 | / MB | | 07-AUG-90 |
| | A-A-54029 | CANNULA, EYE (BISHOP-HARMON) [CUST: MD MS 03] | A 6515 | / MB | | 18-DEC-89 |
| | A-A-54030 | BRUSH, BRISTLE, DENTAL HANDPIECE (MANDREL MOUNTED) [CUST: MD MS 03] | A 6520 | / MB | | 16-NOV-89 |
| | A-A-54031 | INDICATOR, STERILIZATION, STEAM [CUST: MD MS 03] | A 6530 | / MB | | 24-NOV-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/NSA | MCA | Prep. Acty. | Date |
|-----------------|--|-------------------------|-----|-------------|-----------|
| A-A-54032 | REFRIGERATOR, MORTUARY MOBILE, TWO BODY CAPACITY [CUST: MD MS 03] | A 4110 | / | MB | 24-NOV-89 |
| A-A-54033 | BRACKET, CONTAINER, HYPODERMIC NEEDLE AND SYRINGE [CUST: MD MS 03] | A 6530 | / | MB | 24-NOV-89 |
| A-A-54034A | DISPOSAL CONTAINER, HYPODERMIC NEEDLE AND SYRINGE (WITH NEEDLE REMOVER) [CUST: MD MS 03] | A 6530 | / | MB | 18-MAR-94 |
| A-A-54035 | LABEL (GAS STERILIZE ONLY) [CUST: MD MS 03] | A 7690 | / | MB | 24-NOV-89 |
| A-A-54036 | UNDERSHIRT, INFANT'S [CUST: MD MS 03] | A 6532 | / | MB | 19-JAN-90 |
| A-A-54037 | SUPPORT, CERVICAL [CUST: MD MS 03] | A 6515 | / | MB | 19-JAN-90 |
| A-A-54038 | SUCTION APPARATUS, OROPHARYNGEAL, TRACHEAL PORTABLE, BATTERY OPERATED, (AEROMEDICAL) [CUST: MD MS 03] | A 6515 | / | MB | 30-MAR-90 |
| A-A-54039 | SUCTION APPARATUS, OROPHARYNGEAL TRACHEAL, AEROMEDICAL, PORTABLE/DUAL VOLTAGE [CUST: MD MS 03] | A 6515 | / | MB | 30-MAR-90 |
| A-A-54040 | REGULATOR, OXYGEN PRESSURE [CUST: MD MS 03] | A 6680 | / | MB | 19-MAR-93 |
| A-A-54041 | PIN, SAFETY, SURGICAL [CUST: MD MS 03] | A 6530 | / | MB | 19-JAN-90 |
| A-A-54042 | PACEMAKER, CARDIAC EXTERNAL TYPE, BATTERY POWERED [CUST: MD MS 03] | A 6515 | / | MB | 19-JAN-90 |
| A-A-54043A | OTOSCOPE AND OPHTHALMOSCOPE SET [CUST: MD MS 03] | A 6515 | / | MB | 29-JUL-91 |
| A-A-54044 | TONOMETER, OPHTHALMIC, SCHIOTZ [CUST: MD MS 03] | A 6540 | / | MB | 30-NOV-89 |
| A-A-54045 | MAGNIFIER, SPECTACLE, GULLSTRAND [CUST: MD MS 03] | A 6540 | / | MB | 30-NOV-89 |
| A-A-54046 | EPINEPHRYL BORATE OPHTHALMIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-NOV-89 |
| A-A-54047 | ETHAMBUTOL HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-NOV-89 |
| A-A-54049 | CODEINE SULFATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-NOV-89 |
| A-A-54050 | DICYCLOMINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-NOV-89 |
| A-A-54051 | CYPROHEPTADINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-NOV-89 |
| A-A-54052 | COLISTIN SULFATE, HYDROCORTISONE ACETATE, NEOMYCIN SULFATE, AND THONZONIUM BROMIDE SUSPENSION, OTIC [CUST: MD MS 03] | A 6505 | / | MB | 30-NOV-89 |
| A-A-54053 | FLUOROURACIL INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-DEC-89 |
| A-A-54054 | DIAZEPAM TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-DEC-89 |
| A-A-54055 | DIPHENHYDRAMINE HYDROCHLORIDE ELIXIR, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-DEC-89 |
| A-A-54056 | DEXAMETHASONE SODIUM PHOSPHATE INHALATION AEROSOL, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-DEC-89 |
| A-A-54057 | DIPHENHYDRAMINE HYDROCHLORIDE SYRUP [CUST: MD MS 03] | A 6505 | / | MB | 29-DEC-89 |
| A-A-54058 | DEXAMETHASONE SODIUM PHOSPHATE OPHTHALMIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-DEC-89 |
| A-A-54059 | DIENESTROL CREAM, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-DEC-89 |
| A-A-54060 | DICLOXACILLIN SODIUM FOR ORAL SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-DEC-89 |
| A-A-54061 | CONDOM, PROPHYLACTIC, NATURAL RUBBER, NON-LUBRICATED [CUST: MD MS 03] | A 6515 | / | MB | 18-DEC-90 |
| A-A-54062 | FORCEPS, ANEURYSM CLIP APPLYING, BAYONET, 8-1/4 INCH (YASARGIL) [CUST: MD MS 03] | A 6515 | / | MB | 07-FEB-90 |
| A-A-54063 | PIPET, TRANSFER (URINALYSIS) [CUST: MD MS 03] | A 6640 | / | MB | 19-JAN-90 |
| A-A-54064 | SCALER, DENTAL (YOUNGER-GOOD) [CUST: MD MS 03] | A 6520 | / | MB | 15-FEB-90 |
| A-A-54065 | SLIDE, MICROSCOPE (BOERNER TEST) [CUST: MD MS 03] | A 6640 | / | MB | 12-JAN-90 |
| A-A-54066 | FLUOCINOLONE ACETONIDE CREAM, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-JAN-90 |
| A-A-54067 | EPINEPHRINE OPHTHALMIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-JAN-90 |
| A-A-54068 | FLAVOXATE HYDROCHLORIDE TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 31-JAN-90 |
| A-A-54069 | FLUOROURACIL CREAM, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-JAN-90 |
| A-A-54070 | MIXING TIPS, DENTAL IMPRESSION, SYRINGE, DISPOSABLE, 48S [CUST: MD MS 03] | A 6520 | / | MB | 15-OCT-90 |
| A-A-54071 | GAG, MOUTH, DENTAL, ADULT [CUST: MD MS 03] | A 6520 | / | MB | 23-FEB-90 |
| A-A-54072 | LIGHT, SLIT, OPHTHALMIC (WITH TONOMETER [CUST: MS MS 03] | A 6540 | / | MB | 22-JAN-90 |
| A-A-54073 | BOTTLE, SCREW CAP [CUST: MD MS 03] | A 6640 | / | MB | 22-JAN-90 |
| A-A-54074 | FORCEPS, BONE HOLDING (CURVED, DINGMAN) [CUST: MD MS 03] | A 6515 | / | MB | 23-JAN-90 |
| A-A-54075 | VITRECTOMY KIT, OPHTHALMOLOGY [CUST: MD MS 03] | A 6515 | / | MB | 31-JAN-90 |
| A-A-54076 | HYDROMETER, GRADUATED SCALE API GRAVITY [CUST: MD MS 03] | A 6630 | / | MB | 29-JAN-90 |
| A-A-54077 | ARM, PHOROPTER, REFRACTOR [CUST: MD MS 03] | A 6540 | / | MB | 30-JAN-90 |
| A-A-54078 | BAG, TISSUE SPECIMEN [CUST: MD MS 03] | A 6640 | / | MB | 31-JAN-90 |
| A-A-54079 | SURVEYOR, DENTAL, CLASP, STATIONARY [CUST: MD MS 03] | A 6520 | / | MB | 23-FEB-90 |
| A-A-54080 | CENTRIFUGE, LABORATORY, MICRO-HEMATOCRIT [CUST: MD MS 03] | A 6640 | / | MB | 30-JAN-90 |
| A-A-54081 | SYRINGE, IRRIGATING, DENTAL, STERILE (DISPOSABLE) [CUST: MD MS 03] | A 6520 | / | MB | 15-FEB-90 |
| A-A-54082 | HYDROXYZINE HYDROCHLORIDE SYRUP, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-FEB-90 |
| A-A-54083 | HYDROCORTISONE SODIUM SUCCINATE FOR INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-FEB-90 |
| A-A-54084 | FERROUS SULFATE ORAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-FEB-90 |
| A-A-54085 | HYDROCORTISONE, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-FEB-90 |
| A-A-54086 | HIDROCORTISONE, ENEMA, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-FEB-90 |
| A-A-54087 | HYDROXYZINE PAMOATE CAPSULES, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-FEB-90 |
| A-A-54088 | SYRINGE, IRRIGATING, SURGICAL, BARREL AND PLUNGER TYPE [CUST: MD MS 03] | A 6515 | / | MB | 22-MAY-90 |
| A-A-54089A | BLOOD RECIPIENT SET, INDIRECT TRANSFUSION (DISPOSABLE) [CUST: MD MS 03] | A 6515 | / | MB | 30-JUN-92 |
| A-A-54090 | CATHETER, SPECIMEN COLLECTING UNIT, ENDOTRACHEAL (DELEE) [CUST: MD MS 03] | A 6515 | / | MB | 15-FEB-90 |
| A-A-54091 | CHLORINE TEST TABLETS (DPD METHOD NO. 4) [CUST: MD MS 03] | A 6810 | / | MB | 20-FEB-90 |
| A-A-54092 | TUBE, BLOOD COLLECTING (VACUUM WITH SEPARATOR GEL) [CUST: MD MS 03] | A 6630 | / | MB | 16-FEB-90 |
| A-A-54093 | HEATER, HEAT TREATMENT PAD [CUST: MD MS 03] | A 6530 | / | MB | 09-MAR-90 |
| A-A-54094 | LIGHT, SURGICAL, STAND [CUST: MD MS 03] | A 6530 | / | MB | 30-MAR-90 |
| A-A-54095 | PILLOW, BED (POLYESTER FIBER) [CUST: MD MS 03] | A 7210 | / | MB | 09-MAR-90 |
| A-A-54096 | TRAY, INSTRUMENT (PLASTIC) [CUST: MD MS 03] | A 6530 | / | MB | 09-MAR-90 |
| A-A-54097 | TRUCK, HAND, SHELF (SURGICAL DRESSING) [CUST: MD MS 03] | A 6530 | / | MB | 09-MAR-90 |
| A-A-54098 | WASHCLOTH [CUST: MD MS 03] | A 7210 | / | MB | 30-MAR-90 |
| A-A-54099 | BATTERY-CHARGER, MEDICAL ANALYZER [CUST: MD MS 03] | A 6625 | / | MB | 30-MAR-90 |
| A-A-54100 | CABINET, STORAGE, FLAMMABLE LIQUID [CUST: MD MS 03] | A 7125 | / | MB | 09-MAR-90 |
| A-A-54101 | CART, ANESTHESIOLOGY EQUIPMENT (CORROSION-RESISTING STEEL) [CUST: MD MS 03] | A 6530 | / | MB | 30-MAR-90 |
| A-A-54102 | CASE, BONE NAIL AND INSTRUMENT STERILIZATION [CUST: MD MS 03] | A 6530 | / | MB | 09-MAR-90 |
| A-A-54103 | COVER, PILLOW [CUST: MD MS 03] | A 7210 | / | MB | 30-MAR-90 |
| A-A-54104 | COVER, SURGICAL INSTRUMENT AND DRESSING TRAY (ALUMINUM) [CUST: MD MS 03] | A 6530 | / | MB | 30-MAR-90 |
| A-A-54105 | DISPENSER, SURGICAL DETERGENT (FREE-STANDING) [CUST: MD MS 03] | A 6530 | / | MB | 09-MAR-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Aes | MCA | Prog. Acty. | Date |
|------------|-----------------|---|----------------------|-----|-------------|-----------|
| | A-A-54106 | ENVELOPE, DRUG DISPENSING (POLYETHYLENE) [CUST: MD MS 03] | A 8105 | / | MB | 09-MAR-90 |
| | A-A-54107 | RETRACTOR, ABDOMINAL, 12 INCHES (DEAVER) [CUST: MD MS 03] | A 6515 | / | MB | 01-MAR-90 |
| | A-A-54108 | RETRACTOR, GENERAL OPERATING (VOLKMAN) [CUST: MD MS 03] | A 6515 | / | MB | 02-MAR-90 |
| | A-A-54109 | TAG, TISSUE SPECIMEN [CUST: MD MS 03] | A 6640 | / | MB | 26-FEB-90 |
| | A-A-54110 | TRACHOMETER, STROBOSCOPIC (PORTABLE, BATTERY POWERED) [CUST: MD MS 03] | A 6580 | / | MB | 05-MAR-90 |
| | A-A-54111 | CHLORPHENIRAMINE MALEATE TABLETS, MODIFIED [CUST: MD MS 03] | A 6505 | / | MB | 16-MAR-90 |
| | A-A-54113 | COLLODION, FLEXIBLE, USP [CUST: MD MS 03] | A 6505 | / | MB | 16-MAR-90 |
| | A-A-54114 | CHLORPHENIRAMINE MALEATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 16-MAR-90 |
| | A-A-54115 | CEMENT, ZINC OXIDE AND EUGENOL, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 21-MAR-90 |
| | A-A-54116 | PREVENTIVE DENTISTRY PASTE, PATIENT [CUST: MD MS 03] | A 6520 | / | MB | 21-MAR-90 |
| | A-A-54117 | FLURANDRENOLIDE TAPE, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-MAR-90 |
| | A-A-54118 | GLOBULIN, TETANUS IMMUNE, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-MAR-90 |
| | A-A-54119 | HALOPROGIN CREAM, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-MAR-90 |
| | A-A-54120 | DIMENHYDRINATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 23-MAR-90 |
| | A-A-54121 | FOLIC ACID TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 23-MAR-90 |
| | A-A-54122 | ERYTHROMYCIN ETHYLSUCCINATE FOR ORAL SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-MAR-90 |
| | A-A-54123 | FLURANDRENOLIDE OINTMENT, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-MAR-90 |
| | A-A-54124 | FUROSEMIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-MAR-90 |
| | A-A-54125 | ISOXSUPRINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-MAR-90 |
| | A-A-54126 | PIPET-DILUENT, BLOOD, LABORATORY [CUST: MD MS 03] [REVIEW: CC] | A 6630 | / | MB | 09-APR-90 |
| | A-A-54127 | TUBE, DRYING, LABORATORY [CUST: MD MS 03] [REVIEW: CC] | A 6640 | / | MB | 16-APR-90 |
| | A-A-54128 | DISPENSER, STRIP, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 16-MAY-90 |
| | A-A-54129 | DISSECTORS, GENERAL SURGICAL (CURVED, PENFIELD) [CUST: MD MS 03] | A 6515 | / | MB | 11-APR-90 |
| | A-A-54130 | FORCEPS, TISSUE, (CUSHING) [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-90 |
| | A-A-54131 | RACK, HEMOSTATIC CLIP (MCKENZIE) [CUST: MD MS 03] | A 6515 | / | MB | 17-APR-90 |
| | A-A-54132 | CLAMP, PYLORUS (PAYR) [CUST: MD MS 03] | A 6515 | / | MB | 18-APR-90 |
| | A-A-54133 | CARVER, DENTAL (BINANGLE, THARP NO. 1) [CUST: MD MS 03] | A 6520 | / | MB | 30-APR-90 |
| | A-A-54134 | FLURANDRENOLIDE LOTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-APR-90 |
| | A-A-54135 | FERROUS SULFATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-APR-90 |
| | A-A-54136 | ISOPROTERENOL SULFATE INHALATION AEROSOL, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-APR-90 |
| | A-A-54137 | IMIPRAMINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-APR-90 |
| | A-A-54138 | ISONIAZID TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-APR-90 |
| | A-A-54139 | FENTANYL CITRATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-APR-90 |
| | A-A-54140 | HEPARIN SODIUM INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-APR-90 |
| | A-A-54141 | ANALYZER, INTRAVENOUS INFUSION PUMP [CUST: MD MS 03] | A 6515 | / | MB | 20-APR-90 |
| | A-A-54142 | MONITORING DEVICE, DENTAL X-RAY FILM [CUST: MD MS 03] | A 6525 | / | MB | 15-JUN-90 |
| | A-A-54143 | BLANKET, BED (COTTON, THERMAL WEAVE) [CUST: MD MS 03] | A 7210 | / | MB | 15-JUN-90 |
| | A-A-54144 | FORCEPS, UTERINE PACKING, CURVED, BOZEMAN, 10 INCH [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-90 |
| | A-A-54145 | SCISSORS, GENERAL SURGICAL, CURVED, 6-1/2 INCH [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-90 |
| | A-A-54146 | FORCEPS, LARYNGEAL, APPLICATING, JACKSON [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-90 |
| | A-A-54147 | RONGEUR, CURVED, HARTMANN, 7-1/4 INCH [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-90 |
| | A-A-54148 | RETRACTOR, HYSTERECTOMY, HEANEY, LARGE [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-90 |
| | A-A-54149 | FORCEPS, NASAL SEPTUM, STRAIGHTENING, ASCH, 8-1/2 INCH [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-90 |
| | A-A-54150 | SCISSORS, IRIS, CURVED, 4-7/8 INCH [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-90 |
| | A-A-54151 | TUBE, CAPILLARY, MICROHEMATOCRIT [CUST: MD MS 03] | A 6640 | / | MB | 07-MAY-90 |
| | A-A-54152 | CLAMP, UMBILICAL CORD, PLASTIC [CUST: MD MS 03] | A 6515 | / | MB | 15-MAY-90 |
| | A-A-54153 | SNARE, NASAL (KRAUSE) [CUST: MD MS 03] | A 6515 | / | MB | 16-MAY-90 |
| | A-A-54154 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, RADIOPAQUE, DISPOSABLE 50S (CATHETER INTO NEEDLE) [CUST: MD MS 03] | A 6515 | / | MB | 17-MAY-90 |
| | A-A-54155 | RETRACTOR, ORTHOPEDIC (5-1/2 INCH, SMILLIE) [CUST: MD MS 03] | A 6515 | / | MB | 18-MAY-90 |
| | A-A-54156 | HOLDER, SUTURE NEEDLE (HEANEY) [CUST: MD MS 03] | A 6515 | / | MB | 21-MAY-90 |
| | A-A-54158 | RONGEUR, CURVED, 7 INCH (BEYER) [CUST: MD MS 03] | A 6515 | / | MB | 23-MAY-90 |
| | A-A-54159 | CLAMP, ARTERY, BULLDOG (DEBAKEY) [CUST: MD MS 03] | A 6515 | / | MB | 24-MAY-90 |
| | A-A-54160 | RETRACTOR, VAGINAL (SIMS) [CUST: MD MS 03] | A 6515 | / | MB | 05-JUN-90 |
| | A-A-54161 | FORCEPS, LARYNGEAL (JACKSON) [CUST: MD MS 03] | A 6515 | / | MB | 06-JUN-90 |
| | A-A-54162 | CUTTER-VACUUM, ORTHOPEDIC CAST (110/230 V, 50/60 HZ, AC) [CUST: MD MS 03] | A 6515 | / | MB | 07-JUN-90 |
| | A-A-54163 | CLIP, HEMOSTATIC, SILVER (MCKENZIE) [CUST: MD MS 03] | A 6515 | / | MB | 08-JUN-90 |
| | A-A-54164 | FLUOCINOLONE ACETONIDE TOPICAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-MAY-90 |
| | A-A-54165 | BUR, BONE, TUNGSTEN CARBIDE GENERAL SPECIFICATION FOR [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54165/1 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 19 MM CUTTING LENGTH, TAPERED, LONG SHANK [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54165/2 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 1.5 MM HEAD DIAMETER, LONG SHANK [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54165/3 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 2 MM HEAD DIAMETER, LONG SHANK [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54165/4 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 2 MM HEAD DIAMETER, MEDIUM SHANK [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54165/5 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 7.5MM CUTTING LENGTH, TAPERED, MEDIUM SHANK [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54165/6 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 19 MM CUTTING LENGTH, STRAIGHT, MEDIUM SHANK [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54165/7 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 1.5 MM HEAD DIAMETER, MEDIUM SHANK [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54165/8 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 7.5 MM CUTTING LENGTH, TAPERED, MEDIUM SHANK [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54165/9 | BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 8 MM CUTTING LENGTH, MEDIUM SHANK [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-----------------|---|--------------------------|--------------------|-----------|
| A-A-54165/10 | BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 10 MM CUTTING LENGTH, MEDIUM SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54165/11 | BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 8 MM CUTTING LENGTH, LONG SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54165/12 | BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 10 MM CUTTING LENGTH, LONG SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54165/13 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 5 MM CUTTING LENGTH, STRAIGHT, MEDIUM SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54165/14 | BUR, BONE, TUNGSTEN CARBIDE, BARREL CUTTING, MEDIUM SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54165/15 | BUR, BONE, TUNGSTEN CARBIDE, BARREL CUTTING, LONG SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54165/16 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 3 MM HEAD DIAMETER, LONG SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54165/17 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 5 MM HEAD DIAMETER, MEDIUM SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54165/18 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 5 MM HEAD DIAMETER, LONG SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54165/19 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 4.0 MM HEAD DIAMETER, LONG SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54165/20 | BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 4.0 MM HEAD DIAMETER, MEDIUM SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54165/21 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 4.5 MM CUTTING LENGTH, STRAIGHT, MEDIUM SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54165/22 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 10 MM CUTTING LENGTH, TAPERED, MEDIUM SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54165/23 | BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 12 MM CUTTING LENGTH, TAPERED, LONG SHANK [CUST: MD MS 03] | A 6515 / MB | | 12-APR-91 |
| A-A-54166 | DEXTROSE INJECTION, USP (LARGE VOLUME INJECTION FOR SINGLE DOSE INFUSION) [CUST: MD MS 03] | A 6505 / MB | | 31-MAY-90 |
| A-A-54167 | FORCEPS, EYE, UTILITY, ANGULAR, NUGENT [CUST: MD MS 03] | A 6515 / MB | | 31-MAY-90 |
| A-A-54168 | RETRACTOR, ORTHOPEDIC, HOHMANN [CUST: MD MS 03] | A 6515 / MB | | 31-MAY-90 |
| A-A-54169 | HALOPROGIN TOPICAL SOLUTION, USP [CUST: MD MS 03] | A 6505 / MB | | 31-MAY-90 |
| A-A-54170 | GAGE, ANEROID, SPHYGMOMANOMETER [CUST: MD MS 03] | A 6515 / MB | | 11-JUN-90 |
| A-A-54171 | CLINDAMYCIN HYDROCHLORIDE CAPSULES, USP [CUST: MD MS 03] | A 6505 / MB | | 07-JUN-90 |
| A-A-54172 | DIPIVEFRIN HYDROCHLORIDE OPHTHALMIC SOLUTION, USP [CUST: MD MS 03] | A 6505 / MB | | 07-JUN-90 |
| A-A-54173 | GRISOEFULVIN TABLETS, ULTRAMICROSIZED, USP [CUST: MD MS 03] | A 6505 / MB | | 07-JUN-90 |
| A-A-54174 | ERYTHROMYCIN TABLETS, USP [CUST: MD MS 03] | A 6505 / MB | | 07-JUN-90 |
| A-A-54175 | COAL TAR GEL [CUST: MD MS 03] | A 6505 / MB | | 07-JUN-90 |
| A-A-54176 | DIBUCAINE OINTMENT, USP [CUST: MD MS 03] | A 6505 / MB | | 07-JUN-90 |
| A-A-54178 | BROMOCRIPTINE MESYLATE TABLETS, USP [CUST: MD MS 03] | A 6505 / MB | | 07-JUN-90 |
| A-A-54180 | ARTIFICIAL TEARS SOLUTION [CUST: MD MS 03] | A 6505 / MB | | 07-JUN-90 |
| A-A-54181 | FLUNISOLIDE NASAL SOLUTION, USP [CUST: MD MS 03] | A 6505 / MB | | 07-JUN-90 |
| A-A-54182 | CETYLPYRIDINIUM CHLORIDE SOLUTION, ALCOHOLIC [CUST: MD MS 03] | A 6505 / MB | | 07-JUN-90 |
| A-A-54184 | DESOXIMETASONE CREAM, USP [CUST: MD MS 03] | A 6505 / MB | | 07-JUN-90 |
| A-A-54185 | CHLORPROMAZINE HYDROCHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 / MB | | 07-JUN-90 |
| A-A-54187A | FREEZER, MECHANICAL, BLOOD PRODUCTS [CUST: MD MS 03] | A 4110 / MB | | 23-NOV-91 |
| A-A-54188 | REFRIGERATOR, MECHANICAL, BIOLOGICALS [CUST: MD MS 03] | A 4110 / MB | | 15-JUN-90 |
| A-A-54189 | SCRAPER, UTERINE, CERVICAL (AYRE, 7 INCH) [CUST: MD MS 03] | A 6515 / MB | | 14-JUN-90 |
| A-A-54190 | HOLDER, BLOOD COLLECTING-DISPENSING BAG [CUST: MD MS 03] | A 6515 / MB | | 15-JUN-90 |
| A-A-54191 | BAG, COMPRESSION, SPHYGMOMANOMETER [CUST: MD MS 03] | A 6515 / MB | | 19-JUN-90 |
| A-A-54192 | GLYCOPYRROLATE TABLETS, USP [CUST: MD MS 03] | A 6505 / MB | | 15-JUN-90 |
| A-A-54193 | PAD, POST-SURGICAL-OBSTETRICAL, BELTLESS, POSTPARTUM OR POSTOPERATIVE [CUST: MD MS 03] | A 6510 / MD | | 01-JUL-90 |
| A-A-54194 | STOPPER, BOTTLE (RUBBER, SOLID) [CUST: MD MS 03] | A 6640 / MB | | 25-JUN-90 |
| A-A-54195 | STOPPER SET, BOTTLE [CUST: MD MS 03] | A 6640 / MB | | 18-JUL-90 |
| A-A-54196 | PIPET, SEROLOGICAL (PLASTIC, DISPOSABLE) [CUST: MD MS 03] | A 6640 / MB | | 25-JUN-90 |
| A-A-54197 | SYRINGE, DENTAL, IMPRESSION MATERIAL [CUST: MD MS 03] | A 6520 / MB | | 27-JUN-90 |
| A-A-54198A | AIRWAY, PHARYNGEAL (BERMAN) [CUST: MD MS 03] | A 6515 / MB | | 27-MAR-92 |
| A-A-54199 | CALIBRATING GAS MIXTURE [CUST: MD MS 03] | A 6830 / MB | | 25-JUN-90 |
| A-A-54200 | MAILING CASE SECTION, MICROSCOPE SLIDE [CUST: MD MS 03] | A 6640 / MB | | 25-JUN-90 |
| A-A-54201 | ISOPROPYL ALCOHOL, USP [CUST: MD MS 03] | A 6505 / MB | | 13-JUL-90 |
| A-A-54202 | LIDOCAINE OINTMENT, USP [CUST: MD MS 03] | A 6505 / MB | | 29-JUN-90 |
| A-A-54203 | DIGOXIN ELIXIR, USP [CUST: MD MS 03] | A 6505 / MB | | 30-NOV-90 |
| A-A-54205 | STEREOSCOPE, VISION TESTING [CUST: MD MS 03] | A 6540 / MB | | 25-JUN-90 |
| A-A-54206 | CATHETER, CARDIOVASCULAR (OCCLUSION) [CUST: MD MS 03] | A 6515 / MB | | 31-AUG-90 |
| A-A-54207 | CATHETER, CARDIOVASCULAR (VENOUS THROMBECTOMY) [CUST: MD MS 03] | A 6515 / MB | | 10-SEP-90 |
| A-A-54208 | SYRINGE, IRRIGATING (METAL, EAR, 2 OZ) [CUST: MD MS 03] | A 6515 / MB | | 18-JUL-90 |
| A-A-54209 | FORCEPS, GAUZE PAD HOLDING (FOERSTER) [CUST: MD MS 03] | A 6515 / MB | | 19-JUL-90 |
| A-A-54210 | SCISSORS, EYE (IRIS, STRABISMUS, TENOTOMY AND ENUCLEATION) [CUST: MD MS 03] | A 6515 / MB | | 07-NOV-90 |
| A-A-54210/1 | SCISSORS, IRIS [CUST: MD MS 03] | A 6515 / MB | | 07-NOV-90 |
| A-A-54210/2 | SCISSORS, STRABISMUS [CUST: MD MS 03] | A 6515 / MB | | 07-NOV-90 |
| A-A-54210/3 | SCISSORS, TENOTOMY [CUST: MD MS 03] | A 6515 / MB | | 07-NOV-90 |
| A-A-54210/4 | SCISSORS, ENUCLEATION [CUST: MD MS 03] | A 6515 / MB | | 07-NOV-90 |
| A-A-54211 | CARVER, DENTAL, (BINANGLE, CLEOID-DISCOID, NO. UWD-5) [CUST: MD MS 03] | A 6520 / MB | | 13-JUL-90 |
| A-A-54212 | SHEET, BED (NONWOVEN) [CUST: MD MS 03] | A 7210 / MB | | 31-JUL-90 |
| A-A-54214 | TABLE, ANESTHETIST'S [CUST: MD MS 03] | A 6530 / MB | | 31-JUL-90 |
| A-A-54215 | SUPPORT, CERVICAL [CUST: MD MS 03] | A 6515 / MB | | 31-JUL-90 |
| A-A-54216 | STAND, BASIN (CORROSION-RESISTING STEEL) [CUST: MD MS 03] | A 6530 / MB | | 31-JUL-90 |
| A-A-54217 | REFRIGERATOR, MECHANICAL, BLOOD BANK [CUST: MD MS 03] | A 4110 / MB | | 31-JUL-90 |
| A-A-54219 | CART, SURGICAL DRESSING (CORROSION-RESISTING STEEL) [CUST: MD MS 03] | A 6530 / MB | | 31-JUL-90 |
| A-A-54220 | CLAMP, ARTERY, DEBAKEY, ANGULAR JAWS, 7 INCH [CUST: MD MS 03] | A 6515 / MB | | 20-JUL-90 |
| A-A-54221 | FORCEPS, UTERINE ELEVATING, SOMER [CUST: MD MS 03] | A 6515 / MB | | 28-SEP-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|-----------|
| A-A-54222 | | WATER BATH, ELECTRIC (MICROTOME TISSUE SPECIMEN SECTION MOUNTING) [CUST: MD MS 03] | A 6640 | / | MB | 20-JUL-90 |
| A-A-54223 | | RETRACTOR, STERNAL, COOLEY, WITH WIDE CONCAVE BLADES [CUST: MD MS 03] | A 6515 | / | MB | 30-JUL-90 |
| A-A-54224 | | FORCEPS, TISSUE, ADSON, 4-1/2 INCH [CUST: MD MS 03] | A 6515 | / | MB | 30-JUL-90 |
| A-A-54225 | | FORCEPS, TISSUE, RUSSIAN, 6 INCH [CUST: MD MS 03] | A 6515 | / | MB | 30-NOV-90 |
| A-A-54226 | | FORCEPS, TISSUE, MAYO-RUSSIAN [CUST: MD MS 03] | A 6515 | / | MB | 31-JUL-90 |
| A-A-54227 | | DIATRIZOATE MEGGLUMINE AND DIATRIZOATE SODIUM INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-JUL-90 |
| A-A-54228 | | VIEWER, AGGLUTINATION, TEST TUBE [CUST: MD MS 03] | A 6640 | / | MB | 27-JUL-90 |
| A-A-54229 | | BUPIVACAINE HYDROCHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-JUL-90 |
| A-A-54230 | | FORCEPS, RUBBER DAM CLAMP, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 13-AUG-90 |
| A-A-54231 | | PIN, TOOTH DIE [CUST: MD MS 03] | A 6520 | / | MB | 14-AUG-90 |
| A-A-54232 | | CATHETER, CARDIOVASCULAR (ARTERIAL EMBOLECTOMY) [CUST: MD MS 03] | A 6515 | / | MB | 05-SEP-90 |
| A-A-54233 | | CLAMP, KIDNEY VESSEL, 8-1/2 INCH (OCKERBLAD) [CUST: MD MS 03] | A 6515 | / | MB | 16-AUG-90 |
| A-A-54234 | | CURETTES, PERIODONTAL, DOUBLE-ENDED [CUST: MD MS 03] | A 6520 | / | MB | 30-AUG-90 |
| A-A-54235A | | SURGICAL PREPARATION KIT, DISPOSABLE, PRE-SURGICAL SHAVE TYPE, NONSTERILE [CUST: MD MS 03] | A 6515 | / | MB | 20-NOV-91 |
| A-A-54236 | | RETRACTOR, MASTOID (WEITLANER) [CUST: MD MS 03] | A 6515 | / | MB | 07-SEP-90 |
| A-A-54237 | | RETRACTOR, GOITER (BECKMAN) [CUST: MD MS 03] | A 6515 | / | MB | 10-SEP-90 |
| A-A-54238 | | RETRACTOR, LAMINECTOMY (MEYERDING) [CUST: MD MS 03] | A 6515 | / | MB | 11-SEP-90 |
| A-A-54239 | | DRILL, WIRE-PASS, BONE [CUST: MD MS 03] | A 6515 | / | MB | 27-AUG-90 |
| A-A-54240 | | FORCEPS, TISSUE, ALLIS, STRAIGHT, 6 INCH [CUST: MD MS 03] | A 6515 | / | MB | 30-AUG-90 |
| A-A-54241 | | IRRIGATION KIT, CATHETER-NASOGASTRIC TUBE [CUST: MD MS 03] | A 6515 | / | MB | 12-SEP-90 |
| A-A-54242 | | PROBE, CRYOSURGICAL, STRAIGHT, 1 MM TIP [CUST: MD MS 03] | A 6515 | / | MB | 13-SEP-90 |
| A-A-54243 | | PROBE, CRYOSURGICAL, MICRO, CURVED, WITHOUT THERMOCOUPLE, 1 MM TIP [CUST: MD MS 03] | A 6515 | / | MB | 14-SEP-90 |
| A-A-54244 | | FILES, PULP CANAL, DENTAL, (HEDSTROM) [CUST: MD MS 03] | A 6520 | / | MB | 03-SEP-90 |
| A-A-54245 | | FORCEPS, GOITER, LAHEY, 6 INCH [CUST: MD MS 03] | A 6515 | / | MB | 30-SEP-90 |
| A-A-54246 | | DISPENSER, FILTERING SOLVENT [CUST: MD 99] | A 6640 | / | MB | 27-AUG-90 |
| A-A-54247A | | REMOVER, DENTAL CROWN (MORRELL) [CUST: MD MS 03] | A 6520 | / | MB | 09-SEP-94 |
| A-A-54248 | | SUTURE REMOVAL KIT (DISPOSABLE) [CUST: MD MS 03] | A 6515 | / | MB | 19-SEP-90 |
| A-A-54249 | | TUBES, NASAL FEEDING, SURGICAL, INFANT, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 20-SEP-90 |
| A-A-54250 | | IRON DEXTRAN INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-AUG-90 |
| A-A-54251 | | LIGHT, SURGICAL, FIELD [CUST: MD MS 03] | A 6530 | / | MB | 23-NOV-90 |
| A-A-54252 | | SURGICAL PACK, DISPOSABLE (ARTHROSCOPIC) [CUST: MD MS 03] | A 6530 | / | MB | 21-SEP-90 |
| A-A-54253 | | LIDOCAINE HYDROCHLORIDE TOPICAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 14-SEP-90 |
| A-A-54254 | | KETAMINE HYDROCHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 28-SEP-90 |
| A-A-54255A | | TABLE, EXAMINING AND TREATMENT (STEEL, CABINET TYPE) [CUST: MD MS 03] | A 6530 | / | MB | 31-MAY-94 |
| A-A-54256 | | DIFFERENTIATION DISKS, MICROORGANISM [CUST: MD MS 03] | A 6550 | / | MB | 28-SEP-90 |
| A-A-54257 | | ISOSORBIDE DINITRATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-OCT-90 |
| A-A-54258 | | KETAMINE HYDROCHLORIDE INJECTION, USP VETERINARY [CUST: MD MS 03] | A 6505 | / | MB | 28-SEP-90 |
| A-A-54259 | | ELEVATOR, PERIOSTEAL, HAIGHT, 12 INCH [CUST: MD MS 03] | A 6515 | / | MB | 15-OCT-90 |
| A-A-54260 | | BLADE, ORTHOPEDIC CAST CUTTER [CUST: MD MS 03] | A 6515 | / | MB | 15-OCT-90 |
| A-A-54261A | | RONGUER, ANGLED, LOVE-GRUENWALD [CUST: MD MS 03] | A 6515 | / | MB | 11-MAY-91 |
| A-A-54262 | | FORCEPS, EYE MUSCLE, ANGULAR (JAMESON) [CUST: MD MS 03] | A 6515 | / | MB | 02-NOV-90 |
| A-A-54263 | | FORCEPS, TISSUE (POTTS-SMITH, DELICATE) [CUST: MD MS 03] | A 6515 | / | MB | 01-NOV-90 |
| A-A-54264 | | RETRACTOR, GENERAL OPERATING, BLAIR, FOUR CURVED-PRONGS [CUST: MD MS 03] | A 6515 | / | MB | 02-NOV-90 |
| A-A-54265 | | SAMPLING KIT, ARTERIAL BLOOD GAS [CUST: MD MS 03] | A 6515 | / | MB | 11-OCT-90 |
| A-A-54266 | | SURFACER, OPHTHALMIC LENS [CUST: MD MS 03] | A 6540 | / | MB | 12-OCT-90 |
| A-A-54267 | | PELVIMETER, MARTIN [CUST: MD MS 03] | A 6515 | / | MB | 30-OCT-90 |
| A-A-54268 | | GENERATOR, GAS ENVELOPE [CUST: MD MS 03] | A 6640 | / | MB | 26-OCT-90 |
| A-A-54269 | | GENERATOR, GAS ENVELOPE [CUST: MD MS 03] | A 6640 | / | MB | 26-OCT-90 |
| A-A-54270 | | ELEVATORS, DENTAL, SURGICAL, GENERAL REQUIREMENTS FOR [CUST: MD MS 03] | A 6520 | / | MB | 28-FEB-92 |
| A-A-54270/1 | | ELEVATOR, ROOT [CUST: MD MS 03] | A 6520 | / | MB | 28-FEB-92 |
| A-A-54270/2 | | ELEVATOR, ROOT [CUST: MD MS 03] | A 6520 | / | MB | 28-FEB-92 |
| A-A-54270/3 | | ELEVATOR, ROOT [CUST: MD MS 03] | A 6520 | / | MB | 28-FEB-92 |
| A-A-54270/4 | | ELEVATOR, ROOT [CUST: MD MS 03] | A 6520 | / | MB | 28-FEB-92 |
| A-A-54270/5 | | ELEVATOR, ROOT [CUST: MD MS 03] | A 6520 | / | MB | 28-FEB-92 |
| A-A-54270/6 | | ELEVATOR, ROOT [CUST: MD MS 03] | A 6520 | / | MB | 28-FEB-92 |
| A-A-54270/7 | | ELEVATOR, ROOT [CUST: MD MS 03] | A 6520 | / | MB | 28-FEB-92 |
| A-A-54270/8 | | ELEVATOR, PERIOSTEAL [CUST: MD MS 03] | A 6520 | / | MB | 28-FEB-92 |
| A-A-54270/9 | | ELEVATOR, MALAR, IVY [CUST: MD MS 03] | A 6520 | / | MB | 28-FEB-92 |
| A-A-54271 | | CANNULA, TRACHEOSTOMY, MODIFIED, JACKSON [CUST: MD MS 03] | A 6515 | / | MB | 07-NOV-90 |
| A-A-54272 | | IMPRESSION MATERIAL, DENTAL, PASTE, VARIABLE VISCOSITY [CUST: MD MS 03] | A 6520 | / | MB | 15-NOV-90 |
| A-A-54273 | | CEMENT, ZINC OXIDE AND EUGENOL, DENTAL (INTERMEDIATE RESTORATIVE MATERIAL) [CUST: MD MS 03] | A 6520 | / | MB | 31-OCT-90 |
| A-A-54274 | | RETRACTOR, SPINAL (ADSON-BECKMAN) [CUST: MD MS 03] | A 6515 | / | MB | 05-NOV-90 |
| A-A-54275 | | FORCEPS, NASAL (TAKAHASHI) [CUST: MD MS 03] | A 6515 | / | MB | 06-NOV-90 |
| A-A-54276 | | FORCEPS, ENDOSCOPIC, GLOBULAR OBJECT GRASPING (JACKSON) [CUST: MD MS 03] | A 6515 | / | MB | 07-NOV-90 |
| A-A-54277 | | RETRACTOR SET, GENERAL OPERATING [CUST: MD MS 03] | A 6515 | / | MB | 31-OCT-90 |
| A-A-54278 | | BOTTLE, SCREW CAP [CUST: MD MS 03] | A 6640 | / | MB | 31-OCT-90 |
| A-A-54279 | | FUNNEL, COMMON, LABORATORY (SMOOTH) [CUST: MD MS 03] | A 6640 | / | MB | 31-OCT-90 |
| A-A-54280 | | SPECULUM, SIGMOID (PLASTIC, DISPOSABLE) [CUST: MD MS 03] | A 6515 | / | MB | 14-NOV-90 |
| A-A-54281 | | HOLDER, SUTURE NEEDLE (4-5/8 INCH, TROUTMAN) [CUST: MD MS 03] | A 6515 | / | MB | 03-DEC-90 |
| A-A-54282 | | RACK, OPHTHALMIC LAP [CUST: MD MS 03] | A 6540 | / | MB | 15-NOV-90 |
| A-A-54283 | | FORCEPS, BIOPSY, NASAL-ETHMOID, (WATSON-WILLIAMS) [CUST: MD MS 03] | A 6515 | / | MB | 10-DEC-90 |
| A-A-54284 | | CHAIR, HOSPITAL WARD METAL [CUST: MD MS 03] | A 6530 | / | MB | 23-NOV-90 |
| A-A-54285 | | TABLE, EXERCISER, PHYSICAL THERAPY [CUST: MD MS 03] | A 6530 | / | MB | 23-NOV-90 |
| A-A-54286 | | SURGICAL PACK, DISPOSABLE (UNIVERSAL) [CUST: MD MS 03] | A 6530 | / | MB | 23-NOV-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|--------------------------|-----|-------------|-----------|
| | A-A-54287 | SIMULATION, CASUALTY KIT [CUST: MD MS 03] | A 6910 | / | MB | 23-NOV-90 |
| | A-A-54288 | HUMIDIFIER, OXYGEN [CUST: MD MS 03] | A 6515 | / | MB | 23-NOV-90 |
| | A-A-54289 | DRAPE, SURGICAL (BREAST) [CUST: MD MS 03] | A 6530 | / | MB | 23-NOV-90 |
| | A-A-54290 | ELEVATOR, ZYGOMA, DINGMAN, HEAVY DUTY [CUST: MD MS 03] | A 6515 | / | MB | 11-DEC-90 |
| | A-A-54291 | BAG, BUCKSHOT [CUST: MD MS 03] | A 6530 | / | MB | 23-NOV-90 |
| | A-A-54292 | BURS, DENTAL EXCAVATING (TUNGSTEN CARBIDE) [CUST: MD MS 03] | A 6520 | / | MB | 30-NOV-90 |
| | A-A-54293 | STOPPER, BOTTLE (WHITE RUBBER) [CUST: MD MS 03] | A 6640 | / | MB | 30-NOV-90 |
| | A-A-54294 | INSERT, HANDPIECE, DENTAL ULTRASONIC PROPHYLAXIS UNIT [CUST: MD MS 03] | A 6520 | / | MB | 14-DEC-90 |
| | A-A-54295A | TUBE, SUCTION, SURGICAL, PLASTIC, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 31-MAY-93 |
| | A-A-54296 | FIXATION DEVICE, EXTERNAL, ORTHOPEDIC [CUST: MD MS 03] | A 6515 | / | MB | 14-NOV-90 |
| | A-A-54297 | NOREPINEPHRINE BITARTRATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-NOV-90 |
| | A-A-54298 | VIAL, CRYOGENIC STORAGE [CUST: MD MS 03] | A 6640 | / | MB | 14-DEC-90 |
| | A-A-54299 | AWL, ORAL SURGERY, WIRE PASSING [CUST: MD MS 03] | A 6520 | / | MB | 18-DEC-90 |
| | A-A-54300 | FORCEPS, CORNEAL (4-1/8 INCH, COLIBRI) [CUST: MD MS 03] | A 6515 | / | MB | 13-DEC-90 |
| | A-A-54301 | SPECULUM, VAGINAL (GRAVES) [CUST: MD MS 03] | A 6515 | / | MB | 14-DEC-90 |
| | A-A-54302 | SOUND, URETHRAL, CURVED, ADULT MALE [CUST: MD MS 03] | A 6515 | / | MB | 08-JAN-91 |
| | A-A-54303 | FORCEPS, BRONCHOSCOPIC, BIOPSY, CANNULATED [CUST: MD MS 03] | A 6515 | / | MB | 09-JAN-91 |
| | A-A-54304 | SHIELDS, EYE SURGICAL [CUST: MD MS 03] | A 6515 | / | MB | 14-DEC-90 |
| | A-A-54306 | PERIOSTEOTOME [CUST: MD MS 03] | A 6515 | / | MB | 17-DEC-90 |
| | A-A-54307 | TUBE, SPECIMEN (PINWORM, DISPOSABLE) [CUST: MD MS 03] | A 6640 | / | MB | 14-DEC-90 |
| | A-A-54308 | BONE PLATE [CUST: MD MS 03] | A 6515 | / | MB | 16-SEP-91 |
| | A-A-54309 | BANDAGE, CAST, POLYESTER FABRIC, RESIN IMPREGNATED [CUST: MD MS 03] | A 6510 | / | MB | 31-DEC-90 |
| | A-A-54310 | ELEVATOR, PERIOSTEAL (ADSON) [CUST: MD MS 03] | A 6515 | / | MB | 14-FEB-91 |
| | A-A-54311 | SCISSORS, TENOTOMY [CUST: MD MS 03] | A 6515 | / | MB | 08-MAR-91 |
| | A-A-54312 | CASE, DENTAL INSTRUMENTS (STERILIZING AND STORAGE) [CUST: MD MS 03] | A 6520 | / | MB | 21-JAN-91 |
| | A-A-54315 | CATHETERS, UMBILICAL [CUST: MD MS 03] | A 6515 | / | MB | 11-JAN-91 |
| | A-A-54316 | DRILL, TWIST, BONE, ROUND SHAFT [CUST: MD MS 03] | A 6515 | / | MB | 14-JAN-91 |
| | A-A-54317 | RETRACTOR, MASTOID (PEDIATRIC, 4-INCH, WULLSTEIN) [CUST: MD MS 03] | A 6515 | / | MB | 15-JAN-91 |
| | A-A-54318 | PROBE SET, LACHRYMAL, WILLIAMS, SET OF 3 [CUST: MD MS 03] | A 6515 | / | MB | 15-JAN-91 |
| | A-A-54319 | CHISEL, BONE, FREER, STRAIGHT, 3/16 INCH [CUST: MD MS 03] | A 6515 | / | MB | 15-JAN-91 |
| | A-A-54320 | ELEVATOR, EAR, BAYONET TYPE, CURVED BLADE (HOUSE) [CUST: MD MS 03] | A 6515 | / | MB | 12-FEB-91 |
| | A-A-54321 | CASE, DENTAL INSTRUMENTS (STERILIZING AND STORAGE) [CUST: MD MS 03] | A 6520 | / | MB | 21-JAN-91 |
| | A-A-54322 | BROACH, PULP CANAL, BARBET, STERILE [CUST: MD MS 03] | A 6520 | / | MB | 04-FEB-91 |
| | A-A-54324 | AIRWAY, NASOPHARYNGEAL (ARGYLE) [CUST: MD MS 03] | A 6515 | / | MB | 18-MAR-91 |
| | A-A-54325 | AIRWAY, PHARYNGEAL, RUBBER (GUEDEL) [CUST: MD MS 03] | A 6515 | / | MB | 18-JAN-91 |
| | A-A-54326 | SPECULUM, RECTAL, 8-1/2 INCHES (PRATT) [CUST: MD MS 03] | A 6515 | / | MB | 14-FEB-91 |
| | A-A-54327 | DRILL, TWIST, BONE (JACOBS CHUCK) [CUST: MD MS 03] | A 6515 | / | MB | 05-FEB-91 |
| | A-A-54328 | ADAPTER, REAMER (HUDSON TO TRINKLE) [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54329 | RETRACTOR, ANTRAL (DRUCK-LEVINE) [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54330 | RETRACTOR, ABDOMINAL, RICHARDSON [CUST: MD MS 03] | A 6515 | / | MB | 13-MAR-91 |
| | A-A-54331 | SCOOP, GALLSTONE, CYSTIC DUCT, MAYO [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54332 | CLAMP, INTESTINAL ANASTOMOSIS (BEST, RIGHT ANGLE) [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54333 | FORCEPS, KIDNEY PEDICLE, GUYON-PEAN [CUST: MD MS 03] | A 6515 | / | MB | 22-APR-91 |
| | A-A-54334 | CELL WASHING SYSTEM [CUST: MD MS 03] | A 6640 | / | MB | 04-FEB-91 |
| | A-A-54335 | PUMP, CIRCULATING [CUST: MD MS 03] | A 6640 | / | MB | 04-FEB-91 |
| | A-A-54336 | CHART SET, ANATOMICAL [CUST: MD MS 03] | A 6910 | / | MB | 14-FEB-91 |
| | A-A-54337 | SHEET, BED (COTTON-POLYESTER, WHITE, FITTED) [CUST: MD MS 03] | A 7210 | / | MB | 14-FEB-91 |
| | A-A-54338 | STERILIZATION TEST AMPULES, BACTERIAL SPORE [CUST: MD MS 03] | A 6530 | / | MB | 14-FEB-91 |
| | A-A-54339 | SURGICAL PACK, HEAD AND NECK, DISPOSABLE [CUST: MD MS 03] | A 6530 | / | MB | 14-FEB-91 |
| | A-A-54340 | NEBULIZER, INHALATION THERAPY APPARATUS PLASTIC, JET TYPE [CUST: MD MS 03] | A 6515 | / | MB | 14-FEB-91 |
| | A-A-54341 | BUR, DENTAL, EXCAVATING EXTRA LONG SHANK (STEEL) [CUST: MD MS 03] | A 6520 | / | MB | 12-FEB-91 |
| | A-A-54342 | LOOP, INOCULATING, LABORATORY (QUANTITATIVE) [CUST: MD MS 03] | A 6640 | / | MB | 04-FEB-91 |
| | A-A-54343 | LANCET, FINGER BLEEDING [CUST: MD MS 03] | A 6515 | / | MB | 01-APR-91 |
| | A-A-54344 | CURETTE, ENDOMETRIAL BIOPSY (STRAIGHT, PLASTIC) [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-91 |
| | A-A-54345 | BATH, WATER, DENTAL IMPRESSION COMPOUND [CUST: MD MS 03] | A 6520 | / | MB | 15-FEB-91 |
| | A-A-54346 | TUBING, GLASS (LABORATORY USE) [CUST: MD MS 03] | A 6640 | / | MB | 28-FEB-91 |
| | A-A-54347 | MONITOR, FETAL HEART (WITH RECORDER) [CUST: MD MS 03] | A 6515 | / | MB | 01-MAR-91 |
| | A-A-54348 | FORCEPS, UTERINE, STRAIGHT, BRAUN [CUST: MD MS 03] | A 6515 | / | MB | 08-MAR-91 |
| | A-A-54349 | SCISSORS, NASAL, ANGULAR, KNIGHT, 6-1/4 INCH [CUST: MD MS 03] | A 6515 | / | MB | 08-MAR-91 |
| | A-A-54350 | BOLT, TIBIAL [CUST: MD MS 03] | A 6515 | / | MB | 08-MAR-91 |
| | A-A-54351 | SPECULUM, VAGINAL (PLASTIC) [CUST: MD MS 03] | A 6515 | / | MB | 15-MAR-91 |
| | A-A-54352 | TUBE, CONNECTING, SURGICAL APPARATUS, GLASS [CUST: MD MS 03] | A 6515 | / | MB | 08-MAR-91 |
| | A-A-54353 | FORCEPS, DRESSING, EYE, STRAIGHT, 4 INCH [CUST: MD MS 03] | A 6515 | / | MB | 08-MAR-91 |
| | A-A-54354 | LOOP, EYE LENS, WILDER [CUST: MD MS 03] | A 6515 | / | MB | 15-MAR-91 |
| | A-A-54355 | SPATULA, EYE (CASTROVIEJO) [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-91 |
| | A-A-54356 | FORCEPS, BONE HOLDING (CURVED) [CUST: MD MS 03] | A 6515 | / | MB | 01-APR-91 |
| | A-A-54357 | FORCEPS, DRESSING, STRAIGHT, CUSHING, 7 INCH [CUST: MD MS 03] | A 6515 | / | MB | 29-MAR-91 |
| | A-A-54359 | MEDRYSONE OPHTHALMIC SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / | MB | 29-MAR-91 |
| | A-A-54360 | NYSTATIN CREAM, USP [CUST: MD MS 03] | A 6505 | / | MB | 22-MAR-91 |
| | A-A-54361 | NYSTATIN VAGINAL TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 22-MAR-91 |
| | A-A-54362 | OXACILLIN SODIUM CAPSULES, USP [CUST: MD MS 03] | A 6505 | / | MB | 27-MAR-91 |
| | A-A-54363 | OXACILLIN SODIUM FOR ORAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 27-MAR-91 |
| | A-A-54364 | OXAZEPAM CAPSULES, USP [CUST: MD MS 03] | A 6505 | / | MB | 29-MAR-91 |
| | A-A-54366 | CANISTER ASSEMBLY, SUCTION, SURGICAL (ONE CANISTER WITH FIFTY LINERS) [CUST: MD MS 03] | A 6515 | / | MB | 15-APR-91 |
| | A-A-54368 | DEFIBRILLATOR AND CARDIOSCOPE (THREE LEAD, PORTABLE, WITH CHARGER) [CUST: MD MS 03] | A 6515 | / | MB | 15-APR-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Ave | MCA | Prog. Acty. | Date |
|------------|-----------------|--|-------------------------|-----|-------------|-----------|
| | A-A-54370 | DRAPE, SURGICAL PLASTIC, DISPOSABLE [CUST: MD MS 03] | A 6530 | / | MB | 15-APR-91 |
| | A-A-54371 | HEATER, HEAT TREATMENT PAD [CUST: MD MS 03] | A 6530 | / | MB | 15-APR-91 |
| | A-A-54372A | MASK, SURGICAL (PLEATED) [CUST: MD MS 03] | A 6515 | / | MB | 15-JAN-93 |
| | A-A-54373 | ROBE, DRESSING (STRIPED SEERSUCKER) [CUST: MD MS 03] | A 6532 | / | MB | 15-APR-91 |
| | A-A-54374 | CURING UNIT, DENTURE, ONE STAGE [CUST: MD MS 03] | A 6520 | / | MB | 12-APR-91 |
| | A-A-54375 | FORCEPS, DRESSING, 3 1/2 INCH [CUST: MD MS 03] | A 6515 | / | MB | 15-APR-91 |
| | A-A-54376 | GUIDE WIRE, CARDIOVASCULAR, CATHETER, (STERILE, DISPOSABLE, 50'S) [CUST: MD MS 03] | A 6515 | / | MB | 22-APR-91 |
| | A-A-54377 | FILE, BONE, (DENTAL, DOUBLE-ENDED) SELDIN, NO. 11 [CUST: MD MS 03] | A 6520 | / | MB | 22-APR-91 |
| | A-A-54378 | CURETTE SET, ANTRUM, COAKLEY [CUST: MD MS 03] | A 6515 | / | MB | 22-APR-91 |
| | A-A-54379 | SPECULUM, OTOSCOPE (PLASTIC, 4 MM, DISPOSABLE) [CUST: MD MS 03] | A 6515 | / | MB | 22-APR-91 |
| | A-A-54380 | SPECULUM, EYE (GUYTON-PACK, NONMAGNETIC) [CUST: MD MS 03] | A 6515 | / | MB | 22-APR-91 |
| | A-A-54381 | CRUTCH, CANE TYPE, ADJUSTABLE, CHILD [CUST: MD MS 03] | A 6515 | / | MB | 22-APR-91 |
| | A-A-54382 | ANESTHESIA SET SPINAL (SADDLE BLOCK, DISPOSABLE) [CUST: MD MS 03] | A 6515 | / | MB | 22-APR-91 |
| | A-A-54383 | FACE-BOW, ARTICULATOR, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 10-JUN-91 |
| | A-A-54384 | POINTS, ENDODONTIC, PAPER, STERILE [CUST: MD MS 03] | A 6520 | / | MB | 15-APR-94 |
| | A-A-54385 | CRIMPER, MESH, MAXILLOFACIAL IMPLANT [CUST: MD MS 03] | A 6515 | / | MB | 22-APR-91 |
| | A-A-54386 | MICROSCOPE, OPTICAL (BINOCULAR, BRIGHFIELD) [CUST: MD MS 03] | A 6500 | / | MB | 22-APR-91 |
| | A-A-54387 | MIRROR, MOUTH EXAMINING, (PLASTIC HANDLE, DISPOSABLE) [CUST: MD MS 03] | A 6520 | / | MB | 22-APR-91 |
| | A-A-54388 | TUBE, TRACHEOSTOMY, DOUBLE CUFF [CUST: MD MS 03] | A 6515 | / | MB | 12-MAY-91 |
| | A-A-54389 | PROMETHAZINE HYDROCHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-91 |
| | A-A-54390 | NYSTATIN OINTMENT, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-91 |
| | A-A-54391 | CURING UNIT, DENTURE, TWO STAGE [CUST: MD MS 03] | A 6520 | / | MB | 30-APR-91 |
| | A-A-54392 | HYDROXYPROGESTERONE CAPROATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-91 |
| | A-A-54393 | SCISSORS, CORNEAL, CASTROVIEJO [CUST: MD MS 03] | A 6515 | / | MB | 17-MAY-91 |
| | A-A-54394 | CURETTE, UTERINE, BLUNT, THOMAS [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-91 |
| | A-A-54395 | GAG, DENHARDT [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-91 |
| | A-A-54396 | CURETTES, PERIODONTAL (MCCALL) [CUST: MD MS 03] | A 6520 | / | MB | 30-APR-91 |
| | A-A-54397 | TIP, DENTAL SUCTION APPARATUS, PLASTIC [CUST: MD MS 03] | A 6520 | / | MB | 30-APR-91 |
| | A-A-54398 | CAVITY LINING AND THINNER SET, DENTAL NITROCELLULOSE BASE [CUST: MD MS 03] | A 6520 | / | MB | 30-APR-91 |
| | A-A-54399 | SPECULUM, NASAL (VIENNA, 5-3/4 INCH) [CUST: MD MS 03] | A 6515 | / | MB | 17-MAY-91 |
| | A-A-54401 | DILATOR SET, LACHRYMAL, NETTLESHIP-WILDER, SET OF 3 [CUST: MD MS 03] | A 6515 | / | MB | 17-MAY-91 |
| | A-A-54402 | EXTRACTOR AND LANCET, COMEDO (SAALFELD) [CUST: MD MS 03] | A 6515 | / | MB | 17-MAY-91 |
| | A-A-54403 | INTRAUTERINE DEVICE, CONTRACEPTIVE [CUST: MD MS 03] | A 6515 | / | MB | 22-MAY-91 |
| | A-A-54404A | LUMBAR PUNCTURE KIT, STERILE, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 29-MAY-92 |
| | A-A-54405 | SPECULUM, EYE (WEEKS, NONMAGNETIC, 3 INCH) [CUST: MD MS 03] | A 6515 | / | MB | 22-MAY-91 |
| | A-A-54406 | TIP ASSORTMENT, UTERINE CANNULA (PLASTIC, DISPOSABLE) [CUST: MD MS 03] | A 6515 | / | MB | 17-MAY-91 |
| | A-A-54407 | GOWN, OPERATING, SURGICAL [CUST: MD MS 03] | A 6532 | / | MB | 17-MAY-91 |
| | A-A-54408 | BLOOD EXCHANGE-TRANSFUSION KIT, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 12-SEP-91 |
| | A-A-54409 | BLANKET, BURN, (WATER-GEL TYPE, 6 BY 5 FEET) [CUST: MD MS 03] | A 6510 | / | MB | 14-JUN-91 |
| | A-A-54410 | HOLDER, SUTURE NEEDLE, COLLIER [CUST: MD MS 03] | A 6515 | / | MB | 31-MAY-91 |
| | A-A-54411 | CURETTE, UTERINE, MALLEABLE, SHARP, SIMS [CUST: MD MS 03] | A 6515 | / | MB | 31-MAY-91 |
| | A-A-54412 | CLAMP, BONE AND PLATE HOLDING, LOWMAN'S MODIFIED [CUST: MD MS 03] | A 6515 | / | MB | 31-MAY-91 |
| | A-A-54413 | FORCEPS, EAR, BAYONET SHAPED, SERRATED JAWS, LUCAS, 5-1/2 INCH [CUST: MD MS 03] | A 6515 | / | MB | 31-MAY-91 |
| | A-A-54414 | FORCEPS, INTESTINAL, (GLASSMAN) [CUST: MD MS 03] | A 6515 | / | MB | 31-MAY-91 |
| | A-A-54415 | SNARE, TONSIL, TYDING [CUST: MD MS 03] | A 6515 | / | MB | 31-MAY-91 |
| | A-A-54416 | PIN, BONE, STEINMANN, BAYONET AND TROCER POINT [CUST: MD MS 03] | A 6515 | / | MB | 14-JUN-91 |
| | A-A-54417 | SUSPENSORY, SCROTAL [CUST: MD MS 03] | A 6510 | / | MB | 15-JUN-91 |
| | A-A-54418 | ADHESIVE TAPE, SURGICAL, (1 INCH BY 10 YARDS PERFORATED) [CUST: MD MS 03] | A 6510 | / | MB | 14-JUN-91 |
| | A-A-54419 | GAUZE, PETROLATUM [CUST: MD MS 03] | A 6510 | / | MB | 28-JUN-91 |
| | A-A-54420 | PACK, PETROLATUM GAUZE [CUST: MD MS 03] | A 6510 | / | MB | 28-JUN-91 |
| | A-A-54421 | SKIN CLOSURE, ADHESIVE, SURGICAL, (POROUS) [CUST: MD MS 03] | A 6510 | / | MB | 28-JUN-91 |
| | A-A-54422 | PROPARACAIN HYDROCHLORIDE OPHTHALMIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 14-JUN-91 |
| | A-A-54423 | PROPYLTHIOURACIL TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 14-JUN-91 |
| | A-A-54424 | ZINC OXIDE OINTMENT, USP [CUST: MD MS 03] | A 6505 | / | MB | 14-JUN-91 |
| | A-A-54425 | CLAMPS, ARTERY, DEBAKEY, SHALLOW "U" JAWS [CUST: MD MS 03] | A 6515 | / | MB | 14-JUN-91 |
| | A-A-54426 | ABRASIVE, DENTAL (PASTE, ALUMINUM OXIDE) [CUST: MD MS 03] | A 6520 | / | MB | 17-JUN-91 |
| | A-A-54427 | MEASLES, MUMPS AND RUBELLA VIRUS VACCINE, LIVE, USP [CUST: MD MS 03] | A 6505 | / | MB | 28-JUN-91 |
| | A-A-54428 | DIPHTHERIA AND TETANUS TOXOIDS AND PERTUSSIS VACCINE, ADSORBED, USP [CUST: MD MS 03] | A 6505 | / | MB | 28-JUN-91 |
| | A-A-54429 | BAG, PLASTIC [CUST: MD MS 03] | A 8105 | / | MB | 29-JUL-88 |
| | A-A-54430 | PIPET, MEASURING (MOHR) [CUST: MD MS 03] | A 6640 | / | MB | 14-JUN-91 |
| | A-A-54431 | LEUCOVORIN CALCIUM FOR INJECTION (FREEZE-DRIED) [CUST: MD MS 03] | A 6505 | / | MB | 28-JUN-91 |
| | A-A-54432 | BOTTLE SET, PHYSICIAN'S SATCHEL [CUST: MD MS 03] | A 6515 | / | MB | 25-JUN-91 |
| | A-A-54433 | CAP, OPERATING, SURGICAL [CUST: MD MS 03] | A 6532 | / | MB | 25-JUN-91 |
| | A-A-54434 | DRAPE, OPERATING MICROSCOPE [CUST: MD MS 03] | A 6530 | / | MB | 25-JUN-91 |
| | A-A-54435 | MASK, SURGICAL (NON-WOVEN FABRIC, POUCH) [CUST: MD MS 03] | A 6515 | / | MB | 25-JUN-91 |
| | A-A-54436 | PAD, HEAT TREATMENT (ELECTRIC) [CUST: MD MS 03] | A 6530 | / | MB | 25-JUN-91 |
| | A-A-54437 | PITCHER, CLINICAL SOLUTIONS (ALUMINUM) [CUST: MD MS 03] | A 6530 | / | MB | 25-JUN-91 |
| | A-A-54438 | PRIMAQUINE PHOSPHATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 28-JUN-91 |
| | A-A-54439 | PYRANTEL PAMOATE ORAL SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / | MB | 28-JUN-91 |
| | A-A-54440 | PROCHLORPERAZINE EDISYLATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 28-JUN-91 |
| | A-A-54441 | CEMENT, ZINC POLYCARBOXYLATE, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 15-JUL-91 |
| | A-A-54442 | NIPPER-RONGUER, SUGARMAN [CUST: MD MS 03] | A 6520 | / | MB | 10-JUL-91 |
| | A-A-54443 | PLATE, GROUNDING, ELECTROSURGICAL [CUST: MD MS 03] | A 6515 | / | MB | 12-JUL-91 |
| | A-A-54444 | VENTILATOR, VOLUME, PORTABLE [CUST: MD MS 03] | A 6530 | / | MB | 19-JUL-91 |
| | A-A-54445 | PASTE, PERIODONTAL PROTECTIVE, SURGICAL (SOFT DRESSING) [CUST: MD MS 03] | A 6520 | / | MB | 15-JUL-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|--------------------------|-----|-------------|-----------|
| | A-A-54446 | APPLICATOR, POVIDONE-IODINE IMPREGNATED [CUST: MD MS 03] | A 6510 | / | MB | 12-JUL-91 |
| | A-A-54447 | SEALANT KIT, DENTAL, PIT AND FISSURE [CUST: MD MS 03] | A 6520 | / | MB | 19-JUL-91 |
| | A-A-54448 | ADENOTOME, LAFORCE [CUST: MD MS 03] | A 6515 | / | MB | 31-JUL-91 |
| | A-A-54449 | CLAMP, ARTERY, BULLDOG, GLOVER [CUST: MD MS 03] | A 6515 | / | MB | 26-JUL-91 |
| | A-A-54450 | CLAMP, BRONCHUS, DOUBLE CURVED, DAEMS, 9-1/2 INCH [CUST: MD MS 03] | A 6515 | / | MB | 30-SEP-91 |
| | A-A-54451 | CLAMP, VENA CAVA, SATINSKY, LARGE, 10 INCH [CUST: MD MS 03] | A 6515 | / | MB | 26-JUL-91 |
| | A-A-54452 | OXYTOCIN INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 26-JUL-91 |
| | A-A-54453 | OXYMETAZOLINE HYDROCHLORIDE NASAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 26-JUL-91 |
| | A-A-54454 | PHENYLBUTAZONE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 26-JUL-91 |
| | A-A-54455 | PREDNISONE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 26-JUL-91 |
| | A-A-54456 | PREDNISOLONE ACETATE OPHTHALMIC SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / | MB | 16-AUG-91 |
| | A-A-54457 | WIRE, NONELECTRICAL, CORROSION RESISTING STEEL [CUST: MD MS 03] | A 6520 | / | MB | 31-JUL-91 |
| | A-A-54458 | BURNISHER, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 31-JUL-91 |
| | A-A-54459 | PANCRELIPASE CAPSULES, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-JUL-91 |
| | A-A-54460 | FORCEPS, GALLSTONE REMOVING, CURVED, ROCHESTER, 8-1/2 INCH [CUST: MD MS 03] | A 6515 | / | MB | 31-JUL-91 |
| | A-A-54461 | RESTRAINT SET, WRIST AND ANKLE [CUST: MD MS 03] | A 6530 | / | MB | 10-FEB-92 |
| | A-A-54462 | ELECTRODE, PACEMAKER [CUST: MD MS 03] | A 6515 | / | MB | 30-AUG-91 |
| | A-A-54463 | PAPER, ELECTROCARDIOGRAPH RECORDING [CUST: MD MS 03] | A 6515 | / | MB | 30-AUG-91 |
| | A-A-54464 | RONGEUR, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 02-AUG-91 |
| | A-A-54465 | SYRINGE KIT, DENTAL IMPRESSION AND IRRIGATING [CUST: MD MS 03] | A 6520 | / | MD | 15-AUG-91 |
| | A-A-54466 | HOOD, DENTAL LABORATORY (GRINDING AND POLISHING MACHINE) [CUST: MD MS 03] | A 6520 | / | MB | 16-AUG-91 |
| | A-A-54467 | SPONGE, SURGICAL, GAUZE (COMPRESSED) [CUST: MD MS 03] | A 6510 | / | MB | 30-SEP-91 |
| | A-A-54468 | ROLL, ABSORBENT [CUST: MD MS 03] | A 6510 | / | MB | 30-SEP-91 |
| | A-A-54469 | NEOMYCIN AND POLYMYXIN B SULFATES AND HYDROCORTISONE OTIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-AUG-91 |
| | A-A-54470 | NEOMYCIN AND POLYMYXIN B SULFATES AND HYDROCORTISONE OTIC SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-AUG-91 |
| | A-A-54471 | SPLINT, WIRE (MALLEABLE ALUMINUM) [CUST: MD MS 03] | A 6515 | / | MB | 12-AUG-91 |
| | A-A-54472 | TIP, PIPET (PLASTIC, DISPOSABLE) [CUST: MD MS 03] | A 6640 | / | MB | 12-AUG-91 |
| | A-A-54473 | CENTRIFUGE, LABORATORY (HEMATOLOGY) [CUST: MD MS 03] | A 6640 | / | MB | 19-AUG-91 |
| | A-A-54474 | MICROSCOPE, SURGICAL (CO-OBSERVATION, BINOCULAR) [CUST: MD MS 03 MB] | A 6515 | / | MB | 23-AUG-91 |
| | A-A-54475 | REFRIGERATOR, MECHANICAL, BIOLOGICALS (BLOOD BANK) [CUST: MD MS 03] | A 4110 | / | MB | 30-AUG-91 |
| | A-A-54476 | WATER QUALITY ANALYSIS SET (MBT) [CUST: MD MS 03 MB] | A 6630 | / | MB | 30-AUG-91 |
| | A-A-54477 | GUIDE, PUDENDAL NEEDLE, 5-1/2 INCH [CUST: MD MS 03] | A 6515 | / | MB | 30-AUG-91 |
| | A-A-54479 | HEELS, ORTHOPEDIC, CAST [CUST: MD MS 03] | A 6515 | / | MB | 30-AUG-91 |
| | A-A-54480 | MASK, FACE, ASEPTIC [CUST: MD MS 03] | A 6532 | / | MB | 30-NOV-92 |
| | A-A-54481 | SHOE, WALKING CAST, CURVED, ROCKER SOLE [CUST: MD MS 03] | A 6532 | / | MB | 30-AUG-91 |
| | A-A-54482 | PRIMIDONE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-SEP-91 |
| | A-A-54484 | HUMIDIFIER, INHALATION THERAPY APPARATUS (PLASTIC, DISPOSABLE, HEAT & MOISTURE EXCHANGER TYPE) [CUST: MD MS 03] | A 6515 | / | MB | 30-AUG-91 |
| | A-A-54485 | BAGS, CONTAMINATED WASTE (PLASTIC) [CUST: MD MS 03] | A 6530 | / | MB | 13-SEP-91 |
| | A-A-54486 | FILE, BONE, 3-1/2 INCH BLADE [CUST: MD MS 03] | A 6515 | / | MB | 16-SEP-91 |
| | A-A-54487 | NEEDLE, HYPODERMIC, MALLEABLE, SPINAL PUNCTURE (LEMMON) [CUST: MD MS 03] | A 6515 | / | MB | 09-SEP-91 |
| | A-A-54488 | VIBRATOR, DENTAL MOLDING (4 INCH PLATFORM) [CUST: MD MS 03] | A 6520 | / | MB | 16-SEP-91 |
| | A-A-54489 | ILLUMINATOR SET, VAGINAL SPECULUM [CUST: MD MS 03] | A 6515 | / | MB | 30-SEP-91 |
| | A-A-54490 | PAV, POVIDONE-IODINE, IMPREGNATED [CUST: MD MS 03] | A 6510 | / | MB | 30-SEP-91 |
| | A-A-54491 | CANNULA, TRACHEOTOMY, UNIVERSITY OF KANSAS DESIGN [CUST: MD MS 03] | A 6515 | / | MB | 30-SEP-91 |
| | A-A-54492 | PETROLATUM, WHITE, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-SEP-91 |
| | A-A-54493 | MECLIZINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-AUG-91 |
| | A-A-54494 | PANCURONIUM BROMIDE INJECTION [CUST: MD MS 03] | A 6505 | / | MB | 30-SEP-91 |
| | A-A-54495 | SUPPORTS, LEG CALF (ELASTIC, SEAMLESS) [CUST: MD MS 03] | A 6515 | / | MB | 25-SEP-91 |
| | A-A-54496 | PACEMAKER, CARDIAC NON-INVASIVE, TEMPORARY, DESK TOP TYPE [CUST: MD MS 03] | A 6515 | / | MB | 25-SEP-91 |
| | A-A-54497 | PAD, PRESSURE POINT, PHYSICOTHERAPEUTIC (EGGCRATE STYLE FOAM PAD) [CUST: MD MS 03] | A 6530 | / | MB | 25-SEP-91 |
| | A-A-54498 | BETAMETHASONE DIPROPIONATE CREAM, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-SEP-91 |
| | A-A-54499 | CLINDAMYCIN PHOSPHATE TOPICAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-SEP-91 |
| | A-A-54501 | PENICILLIN V POTASSIUM TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-OCT-91 |
| | A-A-54502 | MEPERIDINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-OCT-91 |
| | A-A-54503 | SCISSORS, COLLAR AND CROWN [CUST: MD MS 03] | A 6520 | / | MB | 22-OCT-91 |
| | A-A-54504 | ANALYZER, BLOOD GAS [CUST: MD MS 03] | A 6630 | / | MB | 18-OCT-91 |
| | A-A-54505 | RIFAMPIN CAPSULES, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-OCT-91 |
| | A-A-54506 | METHICILLIN SODIUM FOR INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-OCT-91 |
| | A-A-54507 | WAX, DENTAL, BITE, METAL IMPREGNATED [CUST: MD MS 03] | A 6520 | / | MB | 01-NOV-91 |
| | A-A-54508 | BURS, BONE SURGERY ("J" NOTCHED) [CUST: MD MS 03] | A 6515 | / | MB | 08-NOV-91 |
| | A-A-54509 | TESTER, FLASH POINT, CLOSED-TYPE (120 VOLT, 50/60 HZ, AC) [CUST: MD MS 03 MB] | A 6630 | / | MB | 01-NOV-91 |
| | A-A-54510 | NITROGLYCERIN OINTMENT, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-NOV-91 |
| | A-A-54511 | SCISSORS, GENERAL SURGICAL, NELSON, 9 INCH [CUST: MD MS 03] | A 6515 | / | MB | 25-NOV-91 |
| | A-A-54512 | FORCEPS, TONSIL SEIZING, ALLIS-COOKLEY [CUST: MD MS 03] | A 6515 | / | MB | 17-JAN-92 |
| | A-A-54513 | SCISSORS, BANDAGE, ANGULAR, LISTER [CUST: MD MS 03] | A 6515 | / | MB | 06-MAR-92 |
| | A-A-54514 | FORCEPS, TOWEL, BACKHAUS [CUST: MD MS 03] | A 6515 | / | MB | 25-NOV-91 |
| | A-A-54515 | PILOCARPINE OCULAR SYSTEM, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-NOV-91 |
| | A-A-54516 | MANITOL INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 17-JAN-92 |
| | A-A-54517 | POTASSIUM CHLORINE ORAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-NOV-91 |
| | A-A-54518 | PASTE, PERIODONTAL PROTECTIVE, SURGICAL (MEDIUM FIRM DRESSING) [CUST: MD MS 03] | A 6520 | / | MB | 20-NOV-91 |
| | A-A-54519 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS (BLOOD BANK) [CUST: MD MS 03 MB] | A 6685 | / | MB | 12-NOV-91 |
| | A-A-54520 | THERMOMETER, SELF-INDICATING, BIMETALLIC [CUST: MD MS 03 MB] | A 6685 | / | MB | 12-NOV-91 |
| | A-A-54521 | SULFACETAMIDE, SULFABENZAMIDE, SULFATHIAZOLE AND UREA CREAM [CUST: MD MS 03] | A 6505 | / | MB | 15-NOV-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | A-A-54522 | SCREWDRIVER, BONE SCREW (HEXAGONAL SOCKET) [CUST: MD MS 03] | A 6515 | / | MB | 30-NOV-91 |
| | A-A-54523 | NYSTATIN ORAL SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / | MD | 15-NOV-91 |
| | A-A-54524 | CUP, EARPHONE, AUDIOMETER [CUST: MD MS 03] | A 6515 | / | MB | 23-NOV-91 |
| | A-A-54525 | FREEZER, MECHANICAL, BLOOD PRODUCTS [CUST: MD MS 03] | A 4110 | / | MB | 23-NOV-91 |
| | A-A-54526 | INDICATOR, STERILIZATION [CUST: MD MS 03] | A 6530 | / | MB | 25-NOV-91 |
| | A-A-54527 | PAD, ELECTRODE, DEFIBRILLATOR [CUST: MD MS 03] | A 6515 | / | MB | 23-NOV-91 |
| | A-A-54528 | SURGICAL PACK, DISPOSABLE [CUST: MD MS 03] | A 6530 | / | MB | 23-NOV-91 |
| | A-A-54529 | ULTRASONIC CLEANING SYSTEM, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 23-NOV-91 |
| | A-A-54530 | SURGICAL PACK, DISPOSABLE [CUST: MD MS 03] | A 6530 | / | MB | 25-OCT-91 |
| | A-A-54531 | SULFACETAMIDE SODIUM OPHTHALMIC OINTMENT, USP [CUST: MD MS 03] | A 6505 | / | MB | 25-NOV-91 |
| | A-A-54532 | SECOBARBITAL SODIUM CAPSULES, USP [CUST: MD MS 03] | A 6505 | / | MB | 25-NOV-91 |
| | A-A-54533 | FORCEPS, INTESTINAL, STRAIGHT, BABCOCK [CUST: MD MS 03] | A 6515 | / | MB | 25-NOV-91 |
| | A-A-54534 | CURRENT, EYE, KNAPP, 5 INCH [CUST: MD MS 03] | A 6515 | / | MB | 25-NOV-91 |
| | A-A-54535 | RETRACTOR, MASTOID, JANSEN, 3-VS-3, BLUNT PRONGS [CUST: MD MS 03] | A 6515 | / | MB | 25-NOV-91 |
| | A-A-54536 | RETRACTOR, EYELID, NONMAGNETIC, DESMARRES, 5-1/2 INCH [CUST: MD MS 03] | A 6515 | / | MB | 31-DEC-91 |
| | A-A-54537 | FORCEPS, FIXATION, STRAIGHT, NONMAGNETIC, 4-1/2 INCH [CUST: MD MS 03] | A 6515 | / | MB | 25-NOV-91 |
| | A-A-54538 | INJECTOR, TUBE, PLASTIC, REUSABLE [CUST: MD MS 03] | A 6515 | / | MB | 20-DEC-91 |
| | A-A-54539 | FORCEPS, HYSTERECTOMY, STRAIGHT (BALLENTINE) [CUST: MD MS 03] | A 6515 | / | MB | 12-MAR-93 |
| | A-A-54540 | RETRACTOR, EYELID, (JAEGER, 3-1/2 INCH) [CUST: MD MS 03] | A 6515 | / | MB | 20-DEC-91 |
| | A-A-54541 | SPREADER, PLASTIC CAST (STRYKER) [CUST: MD MS 03] | A 6515 | / | MB | 06-DEC-91 |
| | A-A-54542 | CANNULA, ESOPHAGEAL, ASPIRATING, CURVED, JACKSON, 4 MM DIAMETER [CUST: MD MS 03] | A 6515 | / | MB | 15-JAN-93 |
| | A-A-54543 | FORCEPS, HYSTERECTOMY, HEANEY [CUST: MD MS 03] | A 6515 | / | MB | 28-FEB-92 |
| | A-A-54544 | FORCEPS, BONE HOLDING (SELF-CENTERING) [CUST: MD MS 03] | A 6515 | / | MB | 20-MAR-92 |
| | A-A-54545 | FORCEPS, INTESTINAL, (DOYEN) [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-92 |
| | A-A-54546 | FORCEPS, TOWEL, NONPERFORATING [CUST: MD MS 03] | A 6515 | / | MB | 28-FEB-92 |
| | A-A-54547 | FORCEPS, OBSTETRICAL, LUIKART-MCLEAN [CUST: MD MS 03] | A 6515 | / | MB | 20-MAR-92 |
| | A-A-54548 | FORCEPS, CONJUNCTIVAL, STRAIGHT, NONMAGNETIC [CUST: MD MS 03] | A 6515 | / | MB | 20-MAR-92 |
| | A-A-54549 | RONGEUR, CURVED, BANE, 7 INCH [CUST: MD MS 03] | A 6515 | / | MB | 20-MAR-92 |
| | A-A-54550 | TUBING, ASSEMBLY, BAG, ASEPTIC SOLUTION [CUST: MD MS 03] | A 6515 | / | MB | 20-DEC-91 |
| | A-A-54551 | POUCH, LIQUID ABSORBENT (BREAK OPEN TYPE) [CUST: MD MS 03] | A 6530 | / | MB | 20-DEC-91 |
| | A-A-54552 | POUCH, LIQUID ABSORBENT [CUST: MD MS 03] | A 6530 | / | MB | 20-DEC-91 |
| | A-A-54553 | MASK, SURGICAL [CUST: MD MS 03] | A 6515 | / | MB | 31-DEC-91 |
| | A-A-54554 | SAW, FINGER RING [CUST: MD MS 03] | A 6515 | / | MB | 17-JAN-92 |
| | A-A-54555 | SPONGE, LAPAROTOMY [CUST: MD MS 03] | A 6510 | / | MB | 15-DEC-91 |
| | A-A-54556 | BAG, SPECIMEN [CUST: MD MS 03] | A 6530 | / | MB | 20-DEC-91 |
| | A-A-54557 | ELECTRODE, PACEMAKER [CUST: MD MS 03] | A 6515 | / | MB | 24-DEC-91 |
| | A-A-54558 | BURN CARE KIT, MEDICAL [CUST: MD MS 03] | A 6515 | / | MB | 24-JAN-92 |
| | A-A-54559 | BEAKER, WATER [CUST: MD MS 03] | A 6530 | / | MB | 24-JAN-92 |
| | A-A-54560 | SELENIUM SULFIDE LOTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-DEC-91 |
| | A-A-54561 | SPIRONOLACTONE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-DEC-91 |
| | A-A-54562 | SODIUM FLUORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-DEC-91 |
| | A-A-54563 | LIDOCAINE HYDROCHLORIDE JELLY, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-DEC-91 |
| | A-A-54564 | SPIRONOLACTONE AND HYDROCHLOROTHIAZIDE TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 31-DEC-91 |
| | A-A-54565 | SULFACETAMIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 17-JAN-92 |
| | A-A-54566 | SULFACETAMIDE SODIUM OPHTHALMIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 17-JAN-92 |
| | A-A-54567 | SPECULUM, VAGINAL, PLASTIC [CUST: MD MS 03] | A 6515 | / | MB | 24-JAN-92 |
| | A-A-54568 | SCISSORS, TENOTOMY, CURVED, WESTCOTT, 4-1/2 INCH [CUST: MD MS 03] | A 6515 | / | MB | 17-JAN-92 |
| | A-A-54569 | FORCEPS, HEMOSTATIC, COARCTATION, STRAIGHT, 8-3/4 INCH [CUST: MD MS 03] | A 6515 | / | MB | 17-JAN-92 |
| | A-A-54570 | HOLDER, SUTURE NEEDLE, BROWN [CUST: MD MS 03] | A 6515 | / | MB | 17-JAN-92 |
| | A-A-54571 | HOLDER, SUTURE NEEDLE (HEGAR-MAYO) [CUST: MD MS 03] | A 6515 | / | MB | 17-JAN-92 |
| | A-A-54572 | RETRACTOR, TRACHEAL, HUPP [CUST: MD MS 03] | A 6515 | / | MB | 17-JAN-92 |
| | A-A-54573 | SCISSORS-DAGGER, TRACHEOTOMY, UNIVERSITY OF KANSAS DESIGN, CURVED BLADES, 5-3/16 INCH LONG [CUST: MD MS 03] | A 6515 | / | MB | 17-JAN-92 |
| | A-A-54574 | FORCEPS, BULLETS EXTRACTING, SENN, 8 INCH [CUST: MD MS 03] | A 6515 | / | MB | 17-JAN-92 |
| | A-A-54575 | DRAINING KIT, CLOSED SUCTION JACKSON-PRATT [CUST: MD MS 03] | A 6515 | / | MB | 24-JAN-92 |
| | A-A-54576 | AUDIOMETER [CUST: MD MS 03] | A 6515 | / | MB | 24-JAN-92 |
| | A-A-54577 | BAG, SPECIMEN [CUST: MD MS 03] | A 6530 | / | MB | 20-JAN-92 |
| | A-A-54578 | SUCCINYLCHOLINE CHLORIDE, STERILE, USP [CUST: MD MS 03] | A 6505 | / | MB | 24-JAN-92 |
| | A-A-54579 | INSTRUMENT SET, SURGICAL, DISSECTION, VITREORETINAL [CUST: MD MS 03] | A 6515 | / | MB | 28-FEB-92 |
| | A-A-54580 | FILES, PULP CANAL, DENTAL (RHOMBOIDAL) [CUST: MD MS 03] | A 6520 | / | MB | 20-APR-92 |
| | A-A-54582 | SPECTINOMYCIN HYDROCHLORIDE, STERILE, USP [CUST: MD MS 03] | A 6505 | / | MB | 31-JAN-92 |
| | A-A-54583 | LABEL (FOUR PART, TAMPER EVIDENT) [CUST: MD MS 03] | A 7530 | / | MB | 03-FEB-92 |
| | A-A-54584 | RAZOR, SURGICAL PREPARATION [CUST: MD MS 03] | A 6515 | / | MB | 10-FEB-92 |
| | A-A-54586A | SCISSORS, BANDAGE, ANGULAR [CUST: MD MS 03] | A 6515 | / | MB | 14-JAN-94 |
| | A-A-54587 | THIABENDAZOLE ORAL SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / | MB | 14-FEB-92 |
| | A-A-54588 | SUPPORT, CERVICAL [CUST: MD MS 03] | A 6515 | / | MB | 10-FEB-92 |
| | A-A-54589A | TAPES, SEALING, STERILIZATION INDICATOR [CUST: MD MS 03] | A 6530 | / | MB | 16-APR-93 |
| | A-A-54590 | NEOMYCIN AND POLYMYXIN B SULFATES, BACITRACIN ZINC, AND HYDROCORTISONE OPHTHALMIC OINTMENT, USP [CUST: MD MS 03] | A 6505 | / | MB | 14-FEB-92 |
| | A-A-54591 | TETRACAINE AND MENTHOL OINTMENT, USP [CUST: MD MS 03] | A 6505 | / | MB | 14-FEB-92 |
| | A-A-54592 | TETRACYCLINE HYDROCHLORIDE CAPSULES [CUST: MD MS 03] | A 6505 | / | MB | 14-FEB-92 |
| | A-A-54593 | ROLL, COTTON TAPE, (RADIOPAQUE) [CUST: MD MS 03] | A 6510 | / | MB | 14-FEB-92 |
| | A-A-54595 | CHLORPROPAMIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 14-FEB-92 |
| | A-A-54596 | CURETTE, PERIODONTAL (COLUMBIA) [CUST: MD MS 03] | A 6520 | / | MB | 28-FEB-92 |
| | A-A-54597A | STERILIZER, SURGICAL INSTRUMENT AND DRESSING [CUST: MD MS 03] | A 6530 | / | MB | 16-DEC-94 |

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | UIC | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | A-A-54598 | CLIPPER, HAIR, AND BLADE SETS (SMALL ANIMAL) [CUST: MD MS 03] [REVIEW: CC] | A 3770 | / | MB | 06-MAR-92 |
| | A-A-54599 | BANDS, PERSONAL IDENTIFICATION [CUST: MD MS 03] | A 6530 | / | MB | 06-MAR-92 |
| | A-A-54601 | ULTRASONIC PROPHYLAXIS UNIT, DENTAL, PORTABLE [CUST: MD MS 03] | A 6520 | / | MB | 20-MAR-92 |
| | A-A-54602 | STOCKINET, SURGICAL (COTTON, 25 YARDS, ROLLED) [CUST: MD MS 03] | A 6510 | / | MB | 30-MAR-92 |
| | A-A-54603 | SULFUR AND SALICYLIC ACID CREAM [CUST: MD MS 03] | A 6505 | / | MB | 20-MAR-92 |
| | A-A-54604 | TROPICAMIDE OPHTHALMIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-MAR-92 |
| | A-A-54605 | TRIMETHOBENZAMIDE HYDROCHLORIDE AND BENZOCAINE SUPPOSITORIES [CUST: MD MS 03] | A 6505 | / | MB | 20-MAR-92 |
| | A-A-54606 | THEOPHYLLINE AND GUAIFENESIN CAPSULES [CUST: MD MS 03] | A 6505 | / | MB | 20-MAR-92 |
| | A-A-54607 | TETRAHYDROZOLINE HYDROCHLORIDE OPHTHALMIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-MAR-92 |
| | A-A-54608 | SILVER NITRATE APPLICATORS [CUST: MD MS 03] | A 6505 | / | MB | 20-MAR-92 |
| | A-A-54609 | SULFISOXAZOLE ACETYL ORAL SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-MAR-92 |
| | A-A-54610 | TETRACYCLINE ORAL SUSPENSION, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-MAR-92 |
| | A-A-54611 | TETRACAINE HYDROCHLORIDE OPHTHALMIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-MAR-92 |
| | A-A-54612 | TEST KIT, HUMAN CHORIONIC GONADOTROPIN DETERMINATION [CUST: MD MS 03] | A 6550 | / | MB | 20-MAR-92 |
| | A-A-54613 | TEST KIT, BILIRUBIN DETERMINATION [CUST: MD MS 03] | A 6550 | / | MB | 20-MAR-92 |
| | A-A-54614 | SODIUM PHOSPHATES ENEMA, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-MAR-92 |
| | A-A-54615 | FORCEPS, BIOPSY, UTERINE, GAYLOR, THOMS MODIFICATION [CUST: MD MS 03] | A 6515 | / | MB | 20-MAR-92 |
| | A-A-54616 | FORCEPS, BONE HOLDING, STRAIGHT, LANE [CUST: MD MS 03] | A 6515 | / | MB | 20-MAR-92 |
| | A-A-54617 | SCISSORS, TENOTOMY, SUB-MINIATURE [CUST: MD MS 03] | A 6515 | / | MB | 20-MAR-92 |
| | A-A-54618 | CURETTE, CHALAZION, MEYHOEFER [CUST: MD MS 03] | A 6515 | / | MB | 19-JUN-92 |
| | A-A-54619 | SCISSORS, NASAL, FORMON [CUST: MD MS 03] | A 6515 | / | MB | 20-MAR-92 |
| | A-A-54620 | ARTHROSCOPIC SYSTEM, SURGICAL, 4 MM [CUST: MD MS 03] | A 6515 | / | MB | 21-AUG-92 |
| | A-A-54621 | SUCCINYLCHOLINE CHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 20-MAR-92 |
| | A-A-54622 | ARTHROGRAM KIT, DISPOSABLE, 10S [CUST: MD MS 03] | A 6515 | / | MB | 31-MAR-92 |
| | A-A-54623 | MASK, TRACHEOSTOMY, PLASTIC, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-92 |
| | A-A-54624 | LAMP, INCANDESCENT [CUST: MD MS 03] | A 6240 | / | MB | 17-APR-92 |
| | A-A-54625 | CUTTER, ORTHOPEDIC CAST, STRYKER, 110 VOLT, AC-DC [CUST: MD MS 03] | A 6515 | / | MB | 15-APR-92 |
| | A-A-54626 | LANCE KIT, FINGER BLEEDING [CUST: MD MS 03] | A 6515 | / | MB | 20-APR-92 |
| | A-A-54627 | FORCEPS EAR, HARTMAN-HERZFELD, STRAIGHT [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-92 |
| | A-A-54628 | SLIDE, MICROSCOPE (PLAIN) [CUST: MD MS 03] | A 6640 | / | MB | 17-APR-92 |
| | A-A-54629 | BLANKET, BURN RELIEF [CUST: MD MS 03] | A 6532 | / | MB | 30-APR-92 |
| | A-A-54630 | DISPENSER, SCRUB BRUSH [CUST: MD MS 03] | A 7920 | / | MB | 30-APR-92 |
| | A-A-54631 | STRAP, ABDOMINAL, TRANSDUCER [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-92 |
| | A-A-54632 | HOLSTER KIT, PHYSICIAN, COMPARTMENTED [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-92 |
| | A-A-54633 | CATHETERIZATION SET, CARDIOVASCULAR [CUST: MD MS 03] | A 6515 | / | MB | 30-MAY-92 |
| | A-A-54634 | TRETINOIN CREAM, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-92 |
| | A-A-54635 | TOLNAFTATE CREAM, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-92 |
| | A-A-54636 | TOLNAFTATE TOPICAL SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-92 |
| | A-A-54637 | UNDECYLENIC ACID OINTMENT, COMPOUND, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-MAY-92 |
| | A-A-54638 | SHAMPOO, MEDICATED, COAL TAR EXTRACT, SALICYLIC ACID, AND SULFUR [CUST: MD MS 03] | A 6508 | / | MB | 30-APR-92 |
| | A-A-54639 | FORCEPS, IRIS, GRAEFE [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-92 |
| | A-A-54640 | FORCEPS, EAR, SERRATED JAWS, HARTMANN [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-92 |
| | A-A-54641 | FORCEPS, LUNG GRASPING, COLLIN, 8 INCH [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-92 |
| | A-A-54642 | SLIPPERS, CONVALESCENT PATIENT'S (POLYURETHANE FOAM, DISPOSABLE) [CUST: MD MS 03] | A 6532 | / | MB | 17-MAY-92 |
| | A-A-54643 | DEFIBRILLATOR/ECG MONITOR-RECORDER (WITH EXTERNAL NON-INVASIVE CARDIAC PACING CASSETTE) [CUST: MD MS 03] | A 6515 | / | MB | 17-MAY-92 |
| | A-A-54644 | METHYLERGONOVINE MALEATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-92 |
| | A-A-54646A | SUCTION SET, TRACHEAL [CUST: MD MS 03] | A 6515 | / | MB | 19-FEB-93 |
| | A-A-54647 | WIRE, BONE, KIRSCHNER [CUST: MD MS 03] | A 6515 | / | MB | 22-MAY-92 |
| | A-A-54648 | PENTAZOCINE AND NALOXONE HYDROCHLORIDES TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-MAY-92 |
| | A-A-54649 | BONE PLATE, NARROW [CUST: MD MS 03] | A 6515 | / | MB | 15-MAY-92 |
| | A-A-54650 | CRANIOTOME SET, NEUROSURGICAL AIR POWERED [CUST: MD MS 03] | A 6515 | / | MB | 15-MAY-92 |
| | A-A-54652 | CATHETER, URETHRAL, X-RAY, WHISTLE TIP [CUST: MD MS 03] | A 6515 | / | MB | 30-MAY-92 |
| | A-A-54653 | TOLBUTAMIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 15-MAY-92 |
| | A-A-54654 | DEXAMETHASONE SODIUM PHOSPHATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 29-MAY-92 |
| | A-A-54655 | DISSECTOR, SURGICAL (KITTNER) [CUST: MD MS 03] | A 6510 | / | MB | 15-MAY-92 |
| | A-A-54656 | IMMERSION OIL, MICROSCOPY [CUST: MD MS 03] | A 6640 | / | MB | 15-MAY-92 |
| | A-A-54657 | CURING SYSTEM, DENTAL, VISIBLE LIGHT [CUST: MD MS 03] | A 6520 | / | MB | 29-MAY-92 |
| | A-A-54658 | CRUTCH, ALUMINUM, CAN TYPE, ADJUSTABLE [CUST: MD MS 03] | A 6515 | / | MB | 30-MAY-92 |
| | A-A-54659 | TRIFLUOPERAZINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 22-MAY-92 |
| | A-A-54660 | TRIAMCINOLONE ACETONIDE DENTAL PASTE, USP [CUST: MD MS 03] | A 6505 | / | MB | 22-MAY-92 |
| | A-A-54661 | THYROID TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 22-MAY-92 |
| | A-A-54662 | TEST STRIPS AND COLOR CHART, URINARY GLUCOSE AND PROTEIN [CUST: MD MS 03] | A 6550 | / | MB | 22-MAY-92 |
| | A-A-54663 | SULFAMETHOXAZOLE AND TRIMETHOPRIM TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 22-MAY-92 |
| | A-A-54664 | NEEDLE, HYPODERMIC, CARTRIDGE TYPE, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 29-MAY-92 |
| | A-A-54665 | FORCEPS, OBSTETRICAL, PIPER, 17-1/2 INCH [CUST: MD MS 03] | A 6515 | / | MB | 29-MAY-92 |
| | A-A-54666 | FORCEPS, BONE CUTTING, STRAIGHT, LISTON, 8-3/4 INCH [CUST: MD MS 03] | A 6515 | / | MB | 29-MAY-92 |
| | A-A-54668 | FORCEPS, OBSTETRICAL, SIMPSON [CUST: MD MS 03] | A 6515 | / | MB | 29-MAY-92 |
| | A-A-54669 | FORCEPS, HEMOSTATIC CLIP, APPLYING, SMITHWICK [CUST: MD MS 03] | A 6515 | / | MB | 29-MAY-92 |
| | A-A-54670 | PLUGGER, COMPOSITE RESIN, (DR. FELT, DOUBLE-ENDED) [CUST: MD MS 03] | A 6520 | / | MB | 15-JUN-92 |
| | A-A-54671 | INHALER, MEDICAMENT, PLASTIC [CUST: MD MS 03] | A 6515 | / | MB | 15-JUN-92 |
| | A-A-54672 | ANESTHESIA KIT, LARYNGOTRACHEAL, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 15-JUN-92 |
| | A-A-54673 | DRAIN, SURGICAL, RUBBER, WHISTLE TIP, RIGHT ANGLE, 13 INCHES LONG, 3-1/2 INCH LEG [CUST: MD MS 03] | A 6515 | / | MB | 15-JUN-92 |
| | A-A-54674 | BOX, PATHOLOGICAL SPECIMEN SHIPPING, INSULATED [CUST: MD MS 03] | A 8115 | / | MB | 22-JUN-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | A-A-54675 | BAND AND BAND SET, MATRIX, DENTAL, TOFFLEMIRE [CUST: MD MS 03] | A 6520 | / | MB | 19-JUN-92 |
| | A-A-54676 | SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE, TUBERCULIN [CUST: MD MS 03] | A 6515 | / | MB | 19-JUN-92 |
| | A-A-54677 | TOLNAFTATE POWDER, USP [CUST: MD MS 03] | A 6505 | / | MB | 19-JUN-92 |
| | A-A-54678 | SIMETHICONE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 17-JUL-92 |
| | A-A-54679 | NEOMYCIN AND POLYMYXIN B SULFATES AND BACITRACIN ZINC OPHTHALMIC OINTMENT, USP [CUST: MD MS 03] | A 6505 | / | MB | 19-JUN-92 |
| | A-A-54680 | NEOMYCIN SULFATE AND BACITRACIN OINTMENT, USP [CUST: MD MS 03] | A 6505 | / | MB | 19-JUN-92 |
| | A-A-54681 | RONGEUR, ANGULARY, STILLE, 8-3/4 INCH [CUST: MD MS 03] | A 6515 | / | MB | 19-JUN-92 |
| | A-A-54682 | FORCEPS, TISSUE, DEBAKEY [CUST: MD MS 03] | A 6515 | / | MB | 19-JUN-92 |
| | A-A-54683 | HOLDER, SUTURE NEEDLE, DEBAKEY [CUST: MD MS 03] | A 6515 | / | MB | 19-JUN-92 |
| | A-A-54684 | CONTRACTOR, RIB, BAILEY [CUST: MD MS 03] | A 6515 | / | MB | 19-JUN-92 |
| | A-A-54685 | TROCAR, COAKLEY, ANTRUM [CUST: MD MS 03] | A 6515 | / | MB | 19-JUN-92 |
| | A-A-54686 | PLUGGER, AMALGAM, DENTAL (MARKLEY) [CUST: MD MS 03] | A 6520 | / | MB | 19-JUN-92 |
| | A-A-54687 | CARTRIDGE, WATER DEMINERALIZER [CUST: MD MS 03] | A 4610 | / | MB | 22-JUN-92 |
| | A-A-54688 | NET, INSECT [CUST: MD MS 03] | A 6640 | / | MB | 22-JUN-92 |
| | A-A-54689 | STERILIZER, SURGICAL DRESSING (PRESSURE) [CUST: MD MS 03] | A 6530 | / | MB | 25-JUN-92 |
| | A-A-54690 | PAD, ELECTRODE, DEFIBRILLATOR [CUST: MD MS 03] | A 6515 | / | MB | 25-JUN-92 |
| | A-A-54691 | LIGHT, FLOOR [CUST: MD MS 03] | A 6530 | / | MB | 25-JUN-92 |
| | A-A-54692 | CAGE, ANIMAL [CUST: MD MS 03] | A 3770 | / | MB | 24-JUL-92 |
| | A-A-54694 | CALIPER, DENTAL, METAL THICKNESS [CUST: MD MS 03] | A 6520 | / | MB | 22-JUN-92 |
| | A-A-54695 | PSYCHROMETER (SLING) [CUST: MD MS 03] | A 6685 | / | MB | 29-JUN-92 |
| | A-A-54696 | SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE, ALLERGY [CUST: MD MS 03] | A 6515 | / | MB | 11-SEP-92 |
| | A-A-54697 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS, INCUBATOR, 0 DEG. TO 70 DEG. C [CUST: MD MS 03] | A 6685 | / | MB | 13-JUL-92 |
| | A-A-54698 | GAGE, COMPOUND PRESSURE-VACUUM, DIAL INDICATING [CUST: MD MS 03] | A 6685 | / | MB | 06-JUL-92 |
| | A-A-54699 | THERMOMETER, SELF-INDICATING, BIMETALLIC, DIAL, 8-1/2 INCH [CUST: MD MS 03] | A 6685 | / | MB | 13-JUL-92 |
| | A-A-54702 | METRONIDAZOLE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 01-JUL-92 |
| | A-A-54703 | DEMINERALIZER, WATER, ION EXCHANGE, HAND OPERATED [CUST: MD MS 03] | A 4610 | / | MB | 20-JUL-92 |
| | A-A-54704 | GLUCOSE, ENZYMATIC TEST STRIP, USP [CUST: MD MS 03] | A 6550 | / | MB | 17-JUL-92 |
| | A-A-54705 | FUNNEL, COMMON, LABORATORY [CUST: MD MS 03] | A 6640 | / | MB | 20-JUL-92 |
| | A-A-54706 | INDICATOR, STERILIZATION, GAS [CUST: MD MS 03] | A 6530 | / | MB | 24-JUL-92 |
| | A-A-54707 | INDICATOR, STERILIZATION [CUST: MD MS 03] | A 6530 | / | MB | 24-JUL-92 |
| | A-A-54708 | STERILIZER, SURGICAL INSTRUMENT AND DRESSING (AUTOCLAVE) [CUST: MD MS 03] | A 6530 | / | MB | 24-JUL-92 |
| | A-A-54710 | NEEDLE, HYPODERMIC, SPINAL ANESTHESIA, TUOHY [CUST: MD MS 03] | A 6515 | / | MB | 14-AUG-92 |
| | A-A-54712 | VACUUM PUMP, ROTARY, POWER DRIVEN, SMALL [CUST: MD MS 03] | A 4310 | / | MB | 31-JUL-92 |
| | A-A-54713 | STOPCOCK, SURGICAL SYRINGE, THREE WAY, AYER [CUST: MD MS 03] | A 6515 | / | MB | 14-AUG-92 |
| | A-A-54714 | STOPCOCK, SURGICAL SYRINGE, ONE WAY [CUST: MD MS 03] | A 6515 | / | MB | 14-AUG-92 |
| | A-A-54715 | STOPCOCK, SURGICAL SYRINGE, 3-WAY, TUOHY [CUST: MD MS 03] | A 6515 | / | MB | 14-AUG-92 |
| | A-A-54716 | BAG, TUBE FITTING [CUST: MD MS 03] | A 6515 | / | MB | 10-SEP-92 |
| | A-A-54717 | COMPRESSOR AND OXYGEN BLENDER, VENTILATOR (PORTABLE, BATTERY AND LINE POWERED) [CUST: MD MS 03] | A 6530 | / | MB | 10-SEP-92 |
| | A-A-54718 | DRAPE, SURGICAL [CUST: MD MS 03] | A 6350 | / | MB | 10-AUG-92 |
| | A-A-54719 | NEBULIZER-MANIFOLD ASSEMBLY, INHALATION THERAPY APPARATUS [CUST: MD MS 03] | A 6515 | / | MB | 10-AUG-92 |
| | A-A-54720 | GAGE, FRUIT AND VEGETABLE SIZING [CUST: MD MS 03] | A 6695 | / | MB | 03-AUG-92 |
| | A-A-54721 | WATER BATH, ELECTRIC [CUST: MD MS 03] | A 6640 | / | MB | 03-AUG-92 |
| | A-A-54722 | PENICILLIN G PROCAINE SUSPENSION, STERILE, USP [CUST: MD MS 03] | A 6505 | / | MB | 14-AUG-92 |
| | A-A-54723 | CORROSION TEST STRIP, COPPER, 3 BY 1/2 INCH [CUST: MD MS 03] | A 6640 | / | MB | 10-AUG-92 |
| | A-A-54724 | PENICILLIN G POTASSIUM FOR INJECTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 14-AUG-92 |
| | A-A-54725 | TEST TUBE, HERMATOCRIT DETERMINATION, WINTROBE, DISPOSABLE [CUST: MD MS 03] | A 6640 | / | MB | 10-AUG-92 |
| | A-A-54726 | WIRE FABRIC (FOR SURGICAL USE) [CUST: MD MS 03] | A 5335 | / | MB | 10-AUG-92 |
| | A-A-54727 | DISK, COLOR STANDARDS, ANTI-ICING ADDITIVE [CUST: MD MS 03] | A 6630 | / | MB | 10-AUG-92 |
| | A-A-54728 | PROPOXYPHENE HYDROCHLORIDE CAPSULES, USP [CUST: MD MS 03] | A 6505 | / | MB | 18-SEP-92 |
| | A-A-54729 | PSEUDOEPHEDRINE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 25-SEP-92 |
| | A-A-54730 | MUMPS VIRUS VACCINE, LIVE, USP [CUST: MD MS 03] | A 6505 | / | MB | 28-AUG-92 |
| | A-A-54731 | PAPER, BIBULOUS AND LENS 4 X 6 INCHES, 12S [CUST: MD MS 03] | A 6640 | / | MB | 10-AUG-92 |
| | A-A-54732 | FORCEPS, DRESSING (DENTAL) [CUST: MD MS 03] | A 6520 | / | MB | 30-SEP-92 |
| | A-A-54733 | GRADUATE, LIQUID, LABORATORY, PLASTIC [CUST: MD MS 03] | A 6640 | / | MB | 11-SEP-92 |
| | A-A-54734 | FILTER UNIT, CONTAMINATION ANALYSIS, GRAVIMETRIC [CUST: MD MS 03] | A 6630 | / | MB | 11-SEP-92 |
| | A-A-54735 | STERILIZER, SURGICAL INSTRUMENT AND RESIN [CUST: MD MS 03] | A 6530 | / | MB | 10-SEP-92 |
| | A-A-54736 | THERMOMETER, CLINICAL, HUMAN (ELECTRONIC, BATTERY POWERED, WITH BATTERY CHARGER) [CUST: MD MS 03] | A 6515 | / | MB | 23-NOV-92 |
| | A-A-54737 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, 16 GAUGE, RADIOPAQUE, DISPOSABLE (CATHETER INTO NEEDLE) [CUST: MD MS 03] | A 6515 | / | MB | 16-OCT-92 |
| | A-A-54738 | PIPETTING MACHINE, SEMI-AUTOMATIC [CUST: MD MS 03] | A 6640 | / | MB | 11-SEP-92 |
| | A-A-54739 | CASSEROLE, LABORATORY (PORCELAIN) [CUST: MD MS 03] | A 6640 | / | MB | 01-SEP-92 |
| | A-A-54740 | CRUCIBLE, FILTERING, LABORATORY (GOOCH, LOW FORM) [CUST: MD MS 03] | A 6640 | / | MB | 01-SEP-92 |
| | A-A-54741 | QUINIDINE SULFATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 18-SEP-92 |
| | A-A-54742 | PROBENECID TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 18-SEP-92 |
| | A-A-54743 | PROCAINAMIDE HYDROCHLORIDE CAPSULES, USP [CUST: MD MS 03] | A 6505 | / | MB | 25-SEP-92 |
| | A-A-54744 | MICONAZOLE NITRATE CREAM, USP [CUST: MD MS 03] | A 6505 | / | MB | 25-SEP-92 |
| | A-A-54745 | QUINIDINE GLUCONATE TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 25-SEP-92 |
| | A-A-54746 | STOPCOCK, INTRAVENOUS THERAPY, 3-WAY, PLASTIC [CUST: MD MS 03] | A 6515 | / | MB | 25-SEP-92 |
| | A-A-54747 | BANDAGE, FELT, ORTHOPEDIC, (RAYON) [CUST: MD MS 03] | A 6510 | / | MB | 15-SEP-92 |
| | A-A-54748 | WADDING, COTTON SURGICAL [CUST: MD MS 03] | A 6510 | / | MB | 15-SEP-92 |
| | A-A-54749 | SPONGE, SURGICAL (FOR FORCEPS) [CUST: MD MS 03] | A 6510 | / | MB | 15-SEP-92 |
| | A-A-54750 | METHYLPHENIDATE HYDROCHLORIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / | MB | 18-DEC-92 |
| | A-A-54751 | DISH, BIOLOGICAL PREPARATION (STENDER DESIGN) [CUST: MD MS 03] | A 6640 | / | MB | 21-SEP-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | UIC | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|------|-------------|-----------|
| | A-A-54752 | DISK, FILTERING, MICROPOROUS [CUST: MD MS 03] | A 6640 | / MB | | 21-SEP-92 |
| | A-A-54753A | LOOP, VASCULAR, SURGICAL [CUST: MD MS 03] | A 6515 | / MB | | 31-JAN-94 |
| | A-A-54755 | BANDAGE, GAUZE, SIX-PLY, 4-1/2 INCHES WIDE BY 4 YARDS [CUST: MD MS 03] | A 6510 | / MB | | 30-SEP-92 |
| | A-A-54756 | BANDAGE, FELT, ORTHOPEDIC (COTTON) [CUST: MD MS 03] | A 6510 | / MB | | 30-SEP-92 |
| | A-A-54757 | PAD, COTTON, GAUZE COVERED (EYE PAD) [CUST: MD MS 03] | A 6510 | / MB | | 30-SEP-92 |
| | A-A-54758 | STAND, SHELF (CORROSION RESISTING STEEL) [CUST: MD MS 03] | A 6530 | / MB | | 15-OCT-92 |
| | A-A-54759 | CANISTER AND TIMER SYSTEM (OROPHARYNGEAL SUCTION APPARATUS) [CUST: MD MS 03] | A 6515 | / MB | | 15-OCT-92 |
| | A-A-54760 | TUBERCULIN, USP [CUST: MD MS 03] | A 6505 | / MB | | 31-MAR-93 |
| | A-A-54760/1 | TUBERCULIN, USP, PURIFIED PROTEIN DERIVATIVE (PPD) [CUST: MD MS 03] | A 6505 | / MB | | 31-MAR-93 |
| | A-A-54760/2 | TUBERCULIN, USP, OLD, LIQUID [CUST: MD MS 03] | A 6505 | / MB | | 31-MAR-93 |
| | A-A-54760/3 | TUBERCULIN, USP, OLD, DRIED [CUST: MD MS 03] | A 6505 | / MB | | 31-MAR-93 |
| | A-A-54761 | TIP ASSEMBLY, SONIC PROPHYLAXIS UNIT, DENTAL [CUST: MD MS 03] | A 6520 | / MB | | 20-NOV-92 |
| | A-A-54762 | PAN, BIOLOGICAL STAINING [CUST: MD MS 03] | A 6640 | / MB | | 19-OCT-92 |
| | A-A-54763 | PAPER, GLASSINE, WEIGHING [CUST: MD MS 03] | A 8135 | / MB | | 19-OCT-92 |
| | A-A-54764 | BAGS, WET DRESSING [CUST: MD MS 03] | A 6515 | / MB | | 24-OCT-92 |
| | A-A-54765 | LABEL, PRESSURE SENSITIVE ADHESIVE [CUST: MD MS 03] | A 7690 | / MB | | 06-NOV-92 |
| | A-A-54766 | RACK, TEST TUBE, LABORATORY, POLYPROPYLENE [CUST: MD MS 03] | A 6640 | / MB | | 30-OCT-92 |
| | A-A-54767 | CATHETER AND NEEDLE UNIT, INTRAVENOUS, 14 GAUGE CATHETER, RADIOPAQUE, DISPOSABLE [CUST: MD MS 03] | A 6515 | / MB | | 20-NOV-92 |
| | A-A-54768 | LABEL, ADD-ON [CUST: MD MS 03] | A 7690 | / MB | | 06-NOV-92 |
| | A-A-54769 | CATHETERIZATION SET, URETHRAL DISPOSABLE, PLASTIC [CUST: MD MS 03] | A 6515 | / MB | | 18-DEC-92 |
| | A-A-54770 | METHYL SALICYLATE, NF [CUST: MD MS 03] | A 6505 | / MB | | 13-NOV-92 |
| | A-A-54771 | LIGHT, HEAD, DIAGNOSTIC, LEMPERT-STORZ [CUST: MD MS 03] | A 6515 | / MB | | 18-DEC-92 |
| | A-A-54772 | STETHOSCOPE, COMBINATION TYPE, LIGHT WEIGHT [CUST: MD MS 03] | A 6515 | / MB | | 31-DEC-92 |
| | A-A-54773A | NEEDLE, HYPODERMIC, DISPOSABLE [CUST: MD MS 03] | A 6515 | / MB | | 15-MAR-94 |
| | A-A-54774 | TEST BRIDGE [CUST: MD MS 03 DM] | A 6630 | / DM | | 23-NOV-92 |
| | A-A-54775 | DISH, CULTURE, PETRI (BOROSILICATE GLASS) [CUST: MD MS 03] | A 6640 | / MB | | 30-NOV-92 |
| | A-A-54776 | GAGE, FOOD BLENDISH, VETERINARY [CUST: MD MS 03] | A 6695 | / MB | | 30-NOV-92 |
| | A-A-54777 | BRIDGE, BOWELS, LOOP COLOSTOMY [CUST: MD MS 03] | A 6515 | / MB | | 18-DEC-92 |
| | A-A-54778 | ANALYZER, CLINICAL CHEMISTRY, DRY [CUST: MD MS 03] | A 6630 | / MB | | 15-JAN-93 |
| | A-A-54779 | ELECTROSURGICAL APPARATUS [CUST: MD MS 03] | A 6515 | / MB | | 15-JAN-93 |
| | A-A-54780 | SCISSORS, HYSTERECTOMY (SLIGHTLY CURVED, CURVED, STRONGLY CURVED, PARAMETRIUM) [CUST: MD MS 03] | A 6515 | / MB | | 15-JAN-93 |
| | A-A-54781 | VENTILATOR, CRITICAL CARE [CUST: MD MS 03] | A 6530 | / MB | | 29-APR-94 |
| | A-A-54783 | CENTRIFUGE, LABORATORY GENERAL PURPOSE [CUST: MD MS 03] | A 6640 | / MB | | 25-JAN-94 |
| | A-A-54784 | FORCEPS, TISSUE, JUDD-ALLIS, STRAIGHT [CUST: MD MS 03] | A 6515 | / MB | | 04-JAN-93 |
| | A-A-54785 | MANOMETER, SPINAL FLUID [CUST: MD MS 03] | A 6515 | / MB | | 08-JAN-93 |
| | A-A-54786 | STOPCOCK, INTRAVENOUS THERAPY [CUST: MD MS 03] | A 6515 | / MB | | 08-JAN-93 |
| | A-A-54787 | PROPOXYPHENE NAPSYLATE AND ACETAMINOPHEN TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 08-JAN-93 |
| | A-A-54788 | PROPANTHELINE BROMIDE TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 08-JAN-93 |
| | A-A-54789 | PROTAMINE SULFATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 08-JAN-93 |
| | A-A-54790 | QUINIDINE SULFATE EXTENDED-RELEASE TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 08-JAN-93 |
| | A-A-54791 | GLOVES, SURGEONS', LATEX RUBBER, PRE-POWDERED, DISPOSABLE, STERILE [CUST: MD MS 03] | A 6515 | / MB | | 30-JAN-93 |
| | A-A-54792 | PLATE, EGG TESTING [CUST: MD MS 03] | A 6695 | / MB | | 08-JAN-93 |
| | A-A-54793 | BOXES, SETUP (MAILING, DENTAL) [CUST: MD MS 03] | A 8115 | / MB | | 08-JAN-93 |
| | A-A-54794 | HUMIDIFIER, OXYGEN DIFFUSER TYPE [CUST: MD MS 03] | A 6515 | / MB | | 15-JAN-93 |
| | A-A-54795 | WATER TESTING KIT, BACTERIOLOGICAL [CUST: MD MS 03] | A 6665 | / MB | | 11-JAN-93 |
| | A-A-54796 | HYDROMETER, GRADUATED SCALE (SPECIFIC GRAVITY RANGE 1.196 TO 1.286) [CUST: MD MS 03] | A 6630 | / MB | | 11-JAN-93 |
| | A-A-54797 | SODIUM CHLORIDE IRRIGATION, USP [CUST: MD MS 03] | A 6505 | / MB | | 22-JAN-93 |
| | A-A-54799 | SODA LIME, NF [CUST: MD MS 03] | A 6505 | / MB | | 22-JAN-93 |
| | A-A-54800 | CUTTER, BONE PIN, 18 INCH [CUST: MD MS 03] | A 6515 | / MB | | 16-APR-93 |
| | A-A-54802 | FORCEPS, HYSTERECTOMY, SLIGHTLY CURVED, PARAMETRIUM [CUST: MD MS 03] | A 6515 | / MB | | 22-JAN-93 |
| | A-A-54803 | INFLUENZA VIRUS VACCINE, USP [CUST: MD MS 03] | A 6505 | / MB | | 26-FEB-93 |
| | A-A-54804 | BOX, INSECT, SPECIMEN [CUST: MD MS 03] | A 6640 | / MB | | 18-JAN-93 |
| | A-A-54805 | FORCEPS, TISSUE, TWEEZERS TYPE [CUST: MD MS 03] | A 6515 | / MB | | 22-JAN-93 |
| | A-A-54806 | TUBE, SAYBOLT VISCOSIMETER [CUST: MD MS 03] | A 6630 | / MB | | 25-JAN-93 |
| | A-A-54807 | GLOVES, SURGEONS', BROWN-MILLED RUBBER, PRE-POWDERED, TALC-FREE, DISPOSABLE, STERILE [CUST: MD MS 03] | A 6515 | / MB | | 12-FEB-93 |
| | A-A-54808 | NEEDLE, HYPODERMIC, SPINAL PUNCTURE [CUST: MD MS 03] | A 6515 | / MB | | 12-FEB-93 |
| | A-A-54809 | PUNCH AND DISK, DENTAL RUBBER DAM [CUST: MD MS 03] | A 6520 | / MB | | 12-FEB-93 |
| | A-A-54810 | BLOCK, BITE, PLASTIC [CUST: MD MS 03] | A 6515 | / MB | | 12-FEB-93 |
| | A-A-54811 | SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE, ALLERGY, DETACHABLE NEEDLE [CUST: MD MS 03] | A 6515 | / MB | | 12-FEB-93 |
| | A-A-54812 | SYRINGE, IRRIGATING, BULB-TYPE [CUST: MD MS 03] | A 6515 | / MB | | 12-FEB-93 |
| | A-A-54813 | RESIN, ACRYLIC, DENTAL, FIBERED, DENTURE BASE MATERIAL [CUST: MD MS 03] | A 6520 | / MB | | 12-FEB-93 |
| | A-A-54814 | MASK, ORONASAL, PLASTIC, DISPOSABLE [CUST: MD MS 03] | A 6515 | / MB | | 12-FEB-93 |
| | A-A-54815 | RETRACTOR, NERVE ROOT, HOLDSHER [CUST: MD MS 03] | A 6515 | / MB | | 26-FEB-93 |
| | A-A-54816 | METHYSERGIDE MALEATE TABLETS, USP [CUST: MD MS 03] | A 6505 | / MB | | 15-FEB-93 |
| | A-A-54817 | SCISSORS, ORAL SURGICAL [CUST: MD MS 03] | A 6520 | / MB | | 12-FEB-93 |
| | A-A-54818 | SAMPLER, BUTTER-CHEESE-LARD [CUST: MD MS 03] | A 6695 | / MB | | 12-FEB-93 |
| | A-A-54819 | MEPERIDINE HYDROCHLORIDE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 15-FEB-93 |
| | A-A-54820 | CELLULOSE, OXIDIZED, REGENERATED, USP [CUST: MD MS 03] | A 6510 | / MB | | 16-APR-93 |
| | A-A-54821 | SODIUM BICARBONATE INJECTION, USP [CUST: MD MS 03] | A 6505 | / MB | | 23-MAR-93 |
| | A-A-54822 | SODIUM NITROPRUSSIDE, STERILE, USP [CUST: MD MS 03] | A 6505 | / MB | | 23-MAR-93 |
| | A-A-54823 | RETRACTOR, HEMILAMINECTOMY, HAVERFIELD-SCOVILLE AND BLADES, INTERCHANGEABLE [CUST: MD MS 03] | A 6515 | / MB | | 28-MAY-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | LCA | Prep. Acty. | Date |
|------------|-----------------|---|--------------------------|-----|-------------|-----------|
| | A-A-54825 | BLOOD COLLECTING-DISPENSING BAG, INDIRECT TRANSFUSION, PLASTIC DISPOSABLE TYPE [CUST: MD MS 03] | A 6515 | / | MB | 05-MAR-93 |
| | A-A-54826 | NEEDLE, HYPODERMIC, TONSIL [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-93 |
| | A-A-54827 | NEEDLE, BIOPSY, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-93 |
| | A-A-54828 | SYRINGE, HYPODERMIC, ANGIOGRAPHIC INJECTOR [CUST: MD MS 03] | A 6515 | / | MB | 12-MAR-93 |
| | A-A-54829 | CATHETER, CARDIOVASCULAR, FLOW DIRECTED, THERMODILUTION [CUST: MD MS 03] | A 6515 | / | MB | 19-MAR-93 |
| | A-A-54830 | TABLE, AUTOPSY [CUST: MD MS 03] | A 6530 | / | MB | 19-MAR-93 |
| | A-A-54831 | ELECTRODE, ELECTROCARDIOGRAPH [CUST: MD MS 03] | A 6515 | / | MB | 19-MAR-93 |
| | A-A-54832 | SUPPORT, LEG CALF [CUST: MD MS 03] | A 6515 | / | MB | 19-MAR-93 |
| | A-A-54833 | DRILL, HAND, BONE, SMEDBERG [CUST: MD MS 03] | A 6515 | / | MB | 19-APR-93 |
| | A-A-54834 | POVIDONE IODINE DOUCHE [CUST: MD MS 03] | A 6505 | / | MB | 23-MAR-93 |
| | A-A-54835 | RONGEUR, KERRISON [CUST: MD MS 03] | A 6515 | / | MB | 08-OCT-93 |
| | A-A-54835/1 | RONGEUR, KERRISON, 90 DEGREE UPBITE [CUST: MD MS 03] | A 6515 | / | MB | 08-OCT-93 |
| | A-A-54835/2 | RONGEUR, KERRISON, 40 DEGREE UPBITE [CUST: MD MS 03] | A 6515 | / | MB | 08-OCT-93 |
| | A-A-54836 | BOX, PATHOLOGICAL SPECIMEN, SHIPPING [CUST: MD MS 03] | A 8115 | / | MB | 26-MAR-93 |
| | A-A-54837 | SYRINGE, IRRIGATING, GLASS [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-93 |
| | A-A-54838A | IMPLANT, MESH, SURGICAL [CUST: MD MS 03] | A 6515 | / | MB | 31-JAN-94 |
| | A-A-54839 | NEEDLE, HYPODERMIC, BLOOD COLLECTING [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-93 |
| | A-A-54840 | SYRINGE, HYPODERMIC, GLASS [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-93 |
| | A-A-54841 | SAW, BONE, ELECTRIC, OSCILLATING, AUTOPSY [CUST: MD MS 03] | A 6515 | / | MB | 31-MAR-93 |
| | A-A-54842 | SCISSORS, GENERAL SURGICAL, MAYO [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-93 |
| | A-A-54843 | SCISSORS, GENERAL SURGICAL, STRAIGHT [CUST: MD MS 03] | A 6515 | / | MB | 16-APR-93 |
| | A-A-54844 | NEEDLE, HYPODERMIC, BLOOD COLLECTING [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-93 |
| | A-A-54845 | HAMMER, REFLEX TESTING, TAYLOR [CUST: MD MS 03] | A 6515 | / | MB | 18-JUN-93 |
| | A-A-54846 | INDICATOR, OXYGEN, ANAEROBIC CULTURE APPARATUS [CUST: MD MS 03] | A 6640 | / | MB | 01-APR-93 |
| | A-A-54847 | PAPER, FILTER QUALITATIVE, FINE PRECIPITATES [CUST: MD MS 03] | A 6640 | / | MB | 29-MAR-93 |
| | A-A-54848 | COMPASS, MAGNETIC, UNMOUNTED [CUST: MD MS 03] | A 6605 | / | MB | 16-APR-93 |
| | A-A-54849 | ELECTRODE, GROUNDING, ELECTROSURGICAL [CUST: MD MS 03] | A 6515 | / | MB | 16-APR-93 |
| | A-A-54850 | LIGHT, SURGICAL, CEILING VENTILATED DOME, ROTATION TYPE [CUST: MD MS 03] | A 6530 | / | MB | 16-APR-93 |
| | A-A-54851 | LITTER-SPLINT, EXTRICATION [CUST: MD MS 03] | A 6530 | / | MB | 16-APR-93 |
| | A-A-54852 | CASE, BRONCHOSCOPIC, INSTRUMENTS STERILIZING AND STORAGE, EMPTY [CUST: MD MS 03] | A 6515 | / | MB | 12-APR-93 |
| | A-A-54854 | SUTURE CLIP KIT, AUTOMATIC [CUST: MD MS 03] | A 6515 | / | MB | 16-APR-93 |
| | A-A-54855 | GAUZE, ABSORBENT, STERILE, COMPRESSED [CUST: MD MS 03] | A 6510 | / | MB | 16-APR-93 |
| | A-A-54856 | PAD, POST SURGICAL OBSTETRICAL [CUST: MD MS 03] | A 6510 | / | MB | 16-APR-93 |
| | A-A-54857 | FORCEPS, BONE CUTTING, CURVED, LISTON-STILLE [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-93 |
| | A-A-54858 | DEPRESSOR, TONGUE, METAL, WEDER [CUST: MD MS 03] | A 6515 | / | MB | 16-APR-93 |
| | A-A-54859 | TUBE, EXTENSION, INFECTION SET [CUST: MD MS 03] | A 6515 | / | MB | 21-MAY-93 |
| | A-A-54860 | FORCEPS, SUTURE CLIP, APPLYING AND REMOVING, MICHEL [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-93 |
| | A-A-54861 | INDICATOR, CLINICAL CHART HOLDER, METAL [CUST: MD MS 03] | A 6530 | / | MB | 30-APR-93 |
| | A-A-54862 | TUNING FORK SET [CUST: MD MS 03] | A 6515 | / | MB | 30-APR-93 |
| | A-A-54863 | TRIAMTERENE CAPSULES, USP [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-93 |
| | A-A-54864 | BRONCHOSCOPE, FLEXIBLE, FIBER OPTIC, TRANSNASAL OR TRANSORAL [CUST: MD MS 03] | A 6515 | / | MB | 15-MAY-93 |
| | A-A-54865 | SYRINGE, IRRIGATING, BLADDER EVACUATING TOOMEY [CUST: MD MS 03] | A 6515 | / | MB | 30-JUN-93 |
| | A-A-54866 | TOURNIQUET, PNEUMATIC [CUST: MD MS 03] | A 6515 | / | MB | 03-MAY-93 |
| | A-A-54867 | OTOSCOPE AND OPHTHALMOSCOPE SET [CUST: MD MS 03] | A 6515 | / | MB | 14-MAY-93 |
| | A-A-54868 | MICROSCOPE, OPTICAL STEREOSCOPIC [CUST: MD MS 03] | A 6650 | / | MB | 17-MAY-93 |
| | A-A-54869 | MICROSCOPE, SURGICAL BINOCULAR, MULTI-DISCIPLINARY [CUST: MD MS 03] | A 6515 | / | MB | 17-MAY-93 |
| | A-A-54870 | CAPS, OPERATING, SURGICAL (WOMAN'S) [CUST: MD MS 03] | A 6532 | / | MB | 17-MAY-93 |
| | A-A-54871 | PILLOWCASE (NONWOVEN FABRIC, WHITE, DISPOSABLE) [CUST: MD MS 03] | A 6532 | / | MB | 17-MAY-93 |
| | A-A-54872 | BLOOD EXCHANGE-TRANSFUSION KIT, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 01-JUN-93 |
| | A-A-54873 | BOXES, MICROSCOPE SLIDE, PLASTIC [CUST: MD MS 03] | A 6640 | / | MB | 21-MAY-93 |
| | A-A-54874 | BANDAGE, ELASTIC, RUBBER WARP THREADS [CUST: MD MS 03] | A 6510 | / | MB | 21-MAY-93 |
| | A-A-54875 | SPRAY BOTTLE, PLASTIC [CUST: MD MS 03] | A 6530 | / | MB | 21-MAY-93 |
| | A-A-54876 | SPONGE, ABSORBABLE GELATIN, USP [CUST: MD MS 03] | A 6510 | / | MB | 21-MAY-93 |
| | A-A-54877 | COMPARATOR, VISCOSITY, OIL [CUST: MD MS 03] | A 6630 | / | MB | 20-MAY-93 |
| | A-A-54878 | PLUG, EAR, HEARING PROTECTION, UNIVERSAL SIZE, VINYL FOAM [CUST: MD MS 03] | A 6515 | / | MB | 23-JUL-93 |
| | A-A-54879 | BREATHING CIRCUIT, ANESTHESIA [CUST: MD MS 03] | A 6515 | / | MB | 16-JUL-93 |
| | A-A-54880 | BOTTLE, ASPIRATOR (5 GALLON) [CUST: MD MS 03] | A 6640 | / | MB | 04-JUN-93 |
| | A-A-54881 | ELECTRODE ASSEMBLY, FETAL [CUST: MD MS 03] | A 6515 | / | MB | 04-JUN-93 |
| | A-A-54882 | FORCEPS, TRACHEAL TUBE [CUST: MD MS 03] | A 6515 | / | MB | 28-MAY-93 |
| | A-A-54883 | ARCH SUPPORT [CUST: MD MS 03] | A 6515 | / | MB | 18-JUN-93 |
| | A-A-54884 | CATHETER AND NEEDLE UNIT, INTRAVENOUS (CATHETER INTO NEEDLE) [CUST: MD MS 03] | A 6515 | / | MB | 18-JUN-93 |
| | A-A-54885 | CHART SET, VISION ACUITY TESTING, CLINICAL AND SCREENING, DISTANT VISION [CUST: MD MS 03] | A 6540 | / | MB | 13-AUG-93 |
| | A-A-54886 | ENVELOPE, RADIOGRAPHIC FILM MOUNT, DENTAL [CUST: MD MS 03] | A 7530 | / | MB | 30-JUN-93 |
| | A-A-54887 | SHIELD, EYE, SURGICAL, FOX [CUST: MD MS 03] | A 6515 | / | MB | 02-JUL-93 |
| | A-A-54888 | STOPPER, BOTTLE, CORK [CUST: MD MS 03] | A 6640 | / | MB | 02-JUL-93 |
| | A-A-54889 | BLOOD FLUID WARMER AND PRESSURE INFUSION SYSTEM [CUST: MD MS 03] | A 6515 | / | MB | 23-JUL-93 |
| | A-A-54890 | PLUG, EAR, HEARING PROTECTION, UNIVERSAL SIZE, WITH HEADBAND [CUST: MD MS 03] | A 6515 | / | MB | 16-JUL-93 |
| | A-A-54891 | PLUG, EAR, HEARING PROTECTION, TRIPLE FLANGE [CUST: MD MS 03] | A 6515 | / | MB | 16-JUL-93 |
| | A-A-54892 | TRIMMER, DENTAL MODEL WHEEL, ABRASIVE, SILICON CARBIDE, DENTAL MODEL, TRIMMING [CUST: MD MS 03] | A 6520 | / | MB | 23-JUL-93 |
| | A-A-54893 | ENVELOPES, STERILIZATION PAPER, SELF-SEALING [CUST: MD MS 03] | A 6530 | / | MB | 23-JUL-93 |
| | A-A-54895 | SOUND CHAMBER AND CUFF, BLOOD PRESSURE [CUST: MD MS 03] | A 6515 | / | MB | 16-JUL-93 |
| | A-A-54896 | CANNULA, BRONCHIAL, JACKSON, OPEN END [CUST: MD MS 03] | A 6515 | / | MB | 20-AUG-93 |
| | A-A-54897 | BRACE, BIT, BONE, CRANIAL, HUDSON, AND BURS, DRILL AND EXTENSION [CUST: MD MS 03] | A 6515 | / | MB | 23-JUL-93 |

DODISS NUMERICAL LISTING COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | A-A-54898 | THERMOMETER, LIQUID CRYSTAL, CLINICAL, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 30-JUL-93 |
| | A-A-54899 | SPONGE, SURGICAL, GAUZE [CUST: MD MS 03] | A 6510 | / | MB | 31-AUG-93 |
| | A-A-54900 | STYLET, CATHETER, FLEXIBLE, COPPER [CUST: MD MS 03] | A 6515 | / | MB | 30-JUL-93 |
| | A-A-54901 | SYRINGE, AIR, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 30-JUL-93 |
| | A-A-54902 | SYRINGES, HYPODERMIC, NEEDLE LOCK, GLASS, 3 ML (CC) [CUST: MD MS 03] | A 6515 | / | MB | 30-JUL-93 |
| | A-A-54904 | HOLDER, SUTURE NEEDLE, CASTROVIEJO [CUST: MD MS 03] | A 6515 | / | MB | 13-AUG-93 |
| | A-A-54905 | FORCEPS, BONE CUTTING, STRAIGHT [CUST: MD MS 03] | A 6515 | / | MB | 13-AUG-93 |
| | A-A-54906 | FORCEPS, STERILIZER [CUST: MD MS 03] | A 6515 | / | MB | 30-AUG-93 |
| | A-A-54907 | FORCEPS, SPLINTER [CUST: MD MS 03] | A 6515 | / | MB | 30-AUG-93 |
| | A-A-54908 | CANNULA, BRAIN, (FRAZIER) [CUST: MD MS 03] | A 6515 | / | MB | 31-AUG-93 |
| | A-A-54909 | CURETTE, MASTOID, SPRATT [CUST: MD MS 03] | A 6515 | / | MB | 03-SEP-93 |
| | A-A-54910 | RONGEUR, STILLE, 9 INCH [CUST: MD MS 03] | A 6515 | / | MB | 03-SEP-93 |
| | A-A-54911 | FLURBIPROFEN TABLETS [CUST: MD MS 03] | A 6505 | / | MB | 17-SEP-93 |
| | A-A-54914 | ACETIC ACID OTIC SOLUTION, USP [CUST: MD MS 03] | A 6505 | / | MB | 17-SEP-93 |
| | A-A-54915 | ESOPHAGOSCOPE, JESBERG, FIBER OPTIC, OVAL [CUST: MD MS 03] | A 6515 | / | MB | 08-OCT-93 |
| | A-A-54916 | GOWN, HOSPITAL PATIENT [CUST: MD MS 03] | A 6532 | / | MB | 01-OCT-93 |
| | A-A-54917 | BRUSH, SURGICAL SCRUB [CUST: MD MS 03] | A 6530 | / | MB | 19-NOV-93 |
| | A-A-54918 | NEEDLE, HYPODERMIC, SPINAL ANESTHESIA [CUST: MD MS 03] | A 6515 | / | MB | 29-OCT-93 |
| | A-A-54920 | FORCEPS, CHALAZION, DESMARRES [CUST: MD MS 03] | A 6515 | / | MB | 30-SEP-93 |
| | A-A-54921 | CLAMP, ARTERY, COOLEY [CUST: MD MS 03] | A 6515 | / | MB | 30-SEP-93 |
| | A-A-54922 | SYRINGE, CARTRIDGE, ASPIRATING [CUST: MD MS 03] | A 6515 | / | MB | 08-OCT-93 |
| | A-A-54923 | WAX, BONE [CUST: MD MS 03] | A 6515 | / | MB | 08-OCT-93 |
| | A-A-54924 | ADAPTERS, ENDOTRACHEAL ANESTHESIA SET [CUST: MD MS 03] | A 6515 | / | MB | 08-OCT-93 |
| | A-A-54925 | ANALYZER, MIDDLE EAR [CUST: MD MS 03] | A 6625 | / | MB | 15-OCT-93 |
| | A-A-54927 | ACETAMINOPHEN SUPPOSITORIES [CUST: MD MS 03] | A 6505 | / | MB | 29-OCT-93 |
| | A-A-54928 | ORTHOPEDIC SYSTEM, SURGICAL, ELECTRICAL POWER [CUST: MD MS 03] | A 6515 | / | MB | 30-NOV-93 |
| | A-A-54929 | PULP PROTECTOR, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 17-DEC-93 |
| | A-A-54930 | ATTACHMENT, HEAD, HANDPIECE DENTAL, (PROPHYLAXIS, RIGHT ANGLE, ROUND SLEEVE, AUTOCLAVABLE) [CUST: MD MS 03] | A 6520 | / | MB | 31-JAN-94 |
| | A-A-54931 | RETRACTOR, RIB, FINOCCHIETO [CUST: MD MS 03] | A 6515 | / | MB | 10-DEC-93 |
| | A-A-54932 | TEST SET, PSYCHODIAGNOSTIC, SHIPLEY INSTITUTE OF LIVING SCALE [CUST: MD MS 03] | A 6515 | / | MB | 10-DEC-93 |
| | A-A-54933 | AIRWAY, NASOPHARYNGEAL [CUST: MD MS 03] | A 6515 | / | MB | 07-JAN-94 |
| | A-A-54934 | PLIERS, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 17-DEC-93 |
| | A-A-54935 | FREEZER, LABORATORY (115/230 VOLT) [CUST: MD MS 03] | A 4110 | / | MB | 24-DEC-93 |
| | A-A-54936 | GUIDE, CIRCUMCISION, PLASTIC, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 20-DEC-93 |
| | A-A-54937 | VACUUM CLEANER, PLASTER [CUST: MD MS 03] | A 6515 | / | MB | 25-JAN-94 |
| | A-A-54938 | NEEDLE, HYPODERMIC WITH FILTER [CUST: MD MS 03] | A 6515 | / | MB | 12-JAN-94 |
| | A-A-54939 | ENVELOPE, PHOTOGRAPHIC NEGATIVE [CUST: MD MS 03] | A 7530 | / | MB | 28-FEB-94 |
| | A-A-54940 | NEEDLE, HYPODERMIC, BLOOD COLLECTING [CUST: MD MS 03] | A 6515 | / | MB | 31-JAN-94 |
| | A-A-54941 | CHISEL, PERIODONTAL (DOUBLE-ENDED) [CUST: MD MS 03] | A 6520 | / | MB | 31-JAN-94 |
| | A-A-54942 | STAND, INTRAVENOUS - IRRIGATION CONTAINER [CUST: MD MS 03] | A 6530 | / | MB | 25-JAN-94 |
| | A-A-54943 | CLEANER, VACUUM, ELECTRIC PORTABLE, WET/DRY, INFECTIOUS WASTE [CUST: MD MS 03 MB] | A 7910 | / | MB | 10-FEB-94 |
| | A-A-54944 | FOOD BLENDER, ELECTRIC (110/220 V, 50/60 HZ, AC) [CUST: MD MS 03] | A 6640 | / | MB | 25-FEB-94 |
| | A-A-54945 | AIRWAY, PHARYNGEAL, GUEDEL [CUST: MD MS 03] | A 6515 | / | MB | 15-MAR-94 |
| | A-A-54946 | RULE, LABORATORY, 6 INCH [CUST: MD MS 03] | A 6640 | / | MB | 11-MAR-94 |
| | A-A-54947 | TUBE, TRACHEOSTOMY, DISPOSABLE, JACKSON [CUST: MD MS 03] | A 6515 | / | MB | 15-MAR-94 |
| | A-A-54948 | SUCTION APPARATUS, SURGICAL (GASTROINTESTINAL ABDOMINAL DRAINAGE) (PROGRAMMABLE, BATTERY OR AC OPERATED) [CUST: MD MS 03] | A 6515 | / | MB | 29-APR-94 |
| | A-A-54949 | VENTILATOR, CRITICAL CARE VOLUME CYCLED [CUST: MD MS 03] | A 6530 | / | MB | 29-APR-94 |
| | A-A-54950 | SUCTION AND PRESSURE APPARATUS, SURGICAL [CUST: MD MS 03] | A 6515 | / | MB | 29-JUL-94 |
| | A-A-54952 | PAPER, ELECTROCARDIOGRAPH RECORDING [CUST: MD MS 03] | A 6515 | / | MB | 20-MAY-94 |
| | A-A-54953 | MANIKINS, CARDIOPULMONARY-RESUSCITATION, ADULT [CUST: MD MS 03] | A 6910 | / | MB | 13-MAY-94 |
| | A-A-54954 | CATHETER, URETHAL (METAL, LEFORT) [CUST: MD MS 03] | A 6515 | / | MB | 31-MAY-94 |
| | A-A-54955 | LANCET, FINGER BLEEDING [CUST: MD MS 03] | A 6515 | / | MB | 31-MAY-94 |
| | A-A-54956 | HOOK, SKIN (JOSEPH) SINGLE PRONG, SHARP [CUST: MD MS 03] | A 6515 | / | MB | 31-MAY-94 |
| | A-A-54957 | BAG, OSTOMY [CUST: MD MS 03] | A 6515 | / | MB | 10-JUN-94 |
| | A-A-54958 | PERFORATOR, AMNIOTOMY, PLASTIC, DISPOSABLE [CUST: MD MS 03] | A 6515 | / | MB | 17-JUN-94 |
| | A-A-54961 | INTRAVENOUS INJECTION SET [CUST: MD MS 03] | A 6515 | / | MB | 30-JUN-94 |
| | A-A-54962 | INTRAVENOUS INJECTION SET, SECONDARY [CUST: MD MS 03] | A 6515 | / | MB | 30-JUN-94 |
| | A-A-54963 | IMPLANT, ORBITAL, SPHERE (MULES) [CUST: MD MS 03] | A 6515 | / | MB | 30-JUN-94 |
| | A-A-54964 | MONITORING SET, ARTERIAL BLOOD GAS SAMPLING AND PRESSURE [CUST: MD MS 03] | A 6515 | / | MB | 15-JUL-94 |
| | A-A-54965 | TUBE, INHALER, (CONDUCTIVE RUBBER) [CUST: MD MS 03] | A 6515 | / | MB | 15-JUL-94 |
| | A-A-54966 | WAX, BASEPLATE, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 15-JUL-94 |
| | A-A-54967 | MANIPULATOR - INJECTOR, UTERINE [CUST: MD MS 03] | A 6515 | / | MB | 31-JUL-94 |
| | A-A-54968 | IMPRESSION MATERIAL, DENTAL, (TISSUE CONDITIONER TYPE) [CUST: MD MS 03] | A 6520 | / | MB | 31-JUL-94 |
| | A-A-54970 | MICROSCOPE, OPTICAL [CUST: MD MS 03] | A 6650 | / | MB | 29-JUL-94 |
| | A-A-54971 | ATOMIZER, MEDICINAL [CUST: MD MS 03] | A 6515 | / | MB | 31-AUG-94 |
| | A-A-54972 | SUTURE, NONABSORBABLE, SURGICAL, CORROSION-RESISTING STEEL, STERILE [CUST: MD MS 03] | A 6515 | / | MB | 09-SEP-94 |
| | A-A-54973 | SUTURE NONABSORBABLE SURGICAL, SILK [CUST: MD MS 03] | A 6515 | / | MB | 09-SEP-94 |
| | A-A-54974 | SUTURE, NONABSORBABLE, SURGICAL, NYLON [CUST: MD MS 03] | A 6515 | / | MB | 09-SEP-94 |
| | A-A-54975 | SUTURE ABSORBABLE SURGICAL, (GUT) [CUST: MD MS 03] | A 6515 | / | MB | 31-OCT-94 |
| | A-A-54976 | SUTURE, ABSORBABLE, SURGICAL, GUT [CUST: MD MS 03] | A 6515 | / | MB | 09-SEP-94 |
| | A-A-54977 | SUTURE, NONABSORBABLE, SURGICAL, CORROSION-RESISTING STEEL, NON-STERILE [CUST: MD MS 03] | A 6515 | / | MB | 09-SEP-94 |
| | A-A-54978 | CANNULA, TRACHEOSTOMY, NYLON [CUST: MD MS 03] | A 6515 | / | MB | 31-AUG-94 |
| | A-A-54979 | INCUBATOR, BACTERIOLOGICAL [CUST: MD MS 03] | A 6640 | / | MB | 31-AUG-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/NSC | MCA | Prep. Acty. | Date |
|-----------------|--|-------------------------|------|-------------|-----------|
| A-A-54980 | CURETTE, EAR, BILLEAU [CUST: MD MS 03] | A 6515 | / MB | | 30-SEP-94 |
| A-A-54981 | HUMIDIFIER, PORTABLE (THERAPEUTIC) [CUST: MD MS 03] | A 6530 | / MB | | 20-JAN-95 |
| A-A-54982 | SCISSORS, GENERAL SURGICAL (ANGULAR, POTTS SMITH) [CUST: MD MS 03] | A 6515 | / MB | | 30-SEP-94 |
| A-A-54983 | PUNCH, CUTANEOUS BIOPSY, KEYES [CUST: MD MS 03] | A 6515 | / MB | | 30-SEP-94 |
| A-A-54984 | MASK, ORONASAL, FACE TENT [CUST: MD MS 03] | A 6515 | / MB | | 30-SEP-94 |
| A-A-54985 | VALVE KIT, OXYGEN, POSITIVE END EXPIRATORY PRESSURE [CUST: MD MS 03] | A 6530 | / MB | | 16-DEC-94 |
| A-A-54986 | CONCENTRATOR, OXYGEN [CUST: MD MS 03] | A 6515 | / MB | | 16-DEC-94 |
| A-A-54987 | TABLE, OPERATING, HOSPITAL (PEDESTAL) [CUST: MD MS 03] | A 6530 | / MB | | 14-OCT-94 |
| A-A-54988 | RESIN, ACRYLIC, DENTAL, FIBERED [CUST: MD MS 03] | A 6520 | / MB | | 09-DEC-94 |
| A-A-54990 | NEEDLE, HYPODERMIC, ANESTHESIA [CUST: MD MS 03] | A 6515 | / MB | | 16-DEC-94 |
| A-A-54994 | PHACOEMULSIFICATION VITRECTOMY SYSTEM [CUST: MD MS 03] | A 6515 | / MB | | 16-DEC-94 |
| A-A-54995 | REFRIGERATOR, SOLID STATE BIOLOGICALS [CUST: MD MS 03] | A 4110 | / MB | | 16-DEC-94 |
| A-A-54996 | LIGHT, ULTRAVIOLET, SPECIMEN EXAMINING (110 VOLTS, 60 CYCLE, AC OR BATTERY OPERATED) [CUST: MD MS 03] | A 6530 | / MB | | 16-DEC-94 |
| A-A-54997 | CURTAIN, BEDSIDE SCREEN [CUST: MD MS 03] | A 6530 | / MB | | 20-JAN-95 |
| A-A-54998 | CANNULA, HEART, VASCULAR, SUMP, COOLEY [CUST: MD MS 03] | A 6515 | / MB | | 15-FEB-95 |
| A-A-54999 | NEPHROSTOMY SET, PERCUTANEOUS, 10 FR. PIGTAIL CATHETER [CUST: MD MS 03] | A 6515 | / MB | | 15-FEB-94 |
| A-A-55000 | CATHETERIZATION SET, CARDIOVASCULAR, RADIAL ARTERY [CUST: MD MS 03] | A 6515 | / MB | | 15-FEB-95 |
| A-A-55001C | DISK DRIVE UNIT, HALF HEIGHT, CD-ROM, SMALL COMPUTER SYSTEM INTERFACE (SCSI), AND OTHER ACCESSORIES, GENERAL REQUIREMENTS FOR [CUST: EC CC] | A 7025 | / CC | | 23-MAY-96 |
| A-A-55001/1B | DISK DRIVE UNIT, SINGLE DRIVE, SMALL COMPUTER SYSTEM INTERFACE (SCSI), HALF HEIGHT, EXTERNAL, CD-ROM AND OTHER ACCESSORIES [CUST: CC] | A 7025 | / CC | | 23-MAY-96 |
| A-A-55001/2B | DISK DRIVE UNIT, DUAL DRIVE, SMALL COMPUTER SYSTEM INTERFACE (SCSI), HALF HEIGHT, EXTERNAL, CD-ROM, AND OTHER ACCESSORIES [CUST: CC] | A 7025 | / CC | | 23-MAY-96 |
| A-A-55001/3B | DISK DRIVE UNIT, SINGLE DRIVE, SMALL COMPUTER SYSTEM INTERFACE (SCSI), HALF HEIGHT, INTERNAL, CD-ROM WITH CONTROLLER CARD, CABLES, HOLDER CARTRIDGE, SOFTWARE PROGRAM AND OTHER ACCESSORIES [CUST: CC] | A 7025 | / CC | | 23-MAY-96 |
| A-A-55001/4B | DISK DRIVE UNIT, FOUR DRIVE, SMALL COMPUTER SYSTEM INTERFACE (SCSI), HALF HEIGHT, EXTERNAL, CD-ROM, AND OTHER ACCESSORIES [CUST: CC] | A 7025 | / CC | | 23-MAY-96 |
| A-A-55001/5B | DISK DRIVE UNIT, SEVEN DRIVE, SMALL COMPUTER SYSTEM INTERFACE (SCSI), HALF HEIGHT, EXTERNAL, CD-ROM, AND OTHER ACCESSORIES [CUST: CC] | A 7025 | / CC | | 23-MAY-96 |
| A-A-55002 | LAMP, FLUORESCENT, F40/T12(COLOR)/RS [CUST: CR4 AS 99] | A 6240 | / AS | | 10-SEP-90 |
| A-A-55003 | LAMP, FLUORESCENT, F96T12(COLOR)/IS, ENERGY SAVING [CUST: CR4 AS 99] | A 6240 | / AS | | 10-SEP-90 |
| A-A-55004 | LAMP, FLUORESCENT, F96/T12(COLOR)/IS [CUST: CR4 AS 99] | A 6240 | / AS | | 10-SEP-90 |
| A-A-55005 | LAMP, FLUORESCENT, F20/T12(COLOR) [CUST: CR4 AS 99] | A 6240 | / AS | | 10-SEP-90 |
| A-A-55006 | "V" BLOCKS, SOLID BODY, WITHOUT CLAMP [CUST: AL SH 99 GS] [REVIEW: 84 AR] | A 3460 | / GS | | 24-SEP-91 |
| A-A-55007 | "V" BLOCKS AND CLAMPS, COMBINATION TOP AND END "V" GROOVES [CUST: AL SH 99 GS] [REVIEW: 84 AR] | A 3460 | / GS | | 24-SEP-91 |
| A-A-55008 | "V" BLOCKS AND CLAMPS, DOUBLE "V" GROOVE, SINGLE LEVEL CLAMPING [CUST: AL SH 99 GS] [REVIEW: 84 AR] | A 3460 | / GS | | 19-SEP-91 |
| A-A-55009 | "V" BLOCK, RIBBED BODY, WITHOUT CLAMP [CUST: AL SH 99 GS] [REVIEW: 84 AR] | A 3460 | / GS | | 19-SEP-91 |
| A-A-55010 | WHEEL, POLISHING, CANVAS [CUST: 99 GS] [REVIEW: 84] | A 3460 | / GS | | 16-SEP-91 |
| A-A-55011 | WHEEL, POLISHING, FELT [CUST: AL 99 GS] [REVIEW: 84] | A 3460 | / GS | | 19-NOV-91 |
| A-A-55012 | PRESS, "H" FRAME TYPE, HYDRAULIC, ELECTRIC MOTOR DRIVEN [CUST: AL SH 99 GS] [REVIEW: 84 AR AS MC OS] | A 3442 | / GS | | 28-APR-92 |
| A-A-55013 | HOLDERS, ELECTRODE, SHIELDED METAL, ARC WELDING, TONG TYPE [CUST: AL SH 99 GS] [REVIEW: 84 AS MC YDI] | A 3439 | / GS | | 04-FEB-92 |
| A-A-55014 | TORCH OUTFITS, WELDING, GAS TUNGSTEN ARC WELDING (GTAW) AND COMPONENT PARTS [CUST: AL SH 99 GS] [REVIEW: 84 CE CR4 MC YDI] | A 3431 | / GS | | 12-FEB-92 |
| A-A-55015 | PRESS, "H" FRAME TYPE, HYDRAULIC, ELECTRIC MOTOR DRIVEN, WITH ROLL OUT WORK TABLE [CUST: AL SH 99 GS] [REVIEW: 84 AR AS MC OS] | A 3442 | / GS | | 28-APR-92 |
| A-A-55016 | MANDRELS, MACHINE, EXPANDING, STEP [CUST: AL YDI 99 GS] [REVIEW: 84] | A 3460 | / GS | | 21-MAY-92 |
| A-A-55017 | MANDRELS, MACHINE, EXPANDING [CUST: AL YDI 99 GS] [REVIEW: 84] | A 3460 | / GS | | 21-MAY-92 |
| A-A-55018 | CUTTING MACHINE, MOTOR DRIVEN, PORTABLE [CUST: AL YDI 99 GS] [REVIEW: 84] | A 3433 | / GS | | 12-MAR-93 |
| A-A-55021 | TROUSERS, DISPOSABLE [CUST: NU CT] [REVIEW: OS SH] | A 8415 | / CT | | 14-APR-93 |
| A-A-55057A | PANELS, WOOD/WOOD BASED; CONSTRUCTION AND DECORATIVE [CUST: 99 CC] [REVIEW: 84 AR EA GL MC SM YDI] | A 5530 | / IS | | 30-DEC-94 |
| A-A-55058 | CLUB, POLICEMAN'S [CUST: NU 99 CT] [REVIEW: 45 82 CG GL MC] | A 8465 | / CT | | 27-MAY-92 |
| A-A-55059 | CARRIER, POLICEMAN'S CLUB, WITH GROMMET [CUST: GL 99 CT] [REVIEW: 45 82] | A 8465 | / CT | | 04-JUN-92 |
| A-A-55060 | GLOVES, MEN'S AND WOMEN'S HEAVY DUTY [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD SH] | A 8415 | / CT | | 19-JUN-92 |
| A-A-55062A | SUITCASE, FLYERS [CUST: 99 CT] [REVIEW: 45 82] | A 8460 | / CT | | 30-DEC-92 |
| A-A-55063 | APRON, UTILITY, IMPERMEABLE, RUBBER COATED FABRIC (GENERAL PURPOSE) [CUST: GL NU 99 CT] [REVIEW: 31 45 82 MC MD YDI] | A 8415 | / CT | | 13-AUG-92 |
| A-A-55064 | LANYARD, INDIVIDUAL EQUIPMENT CARRYING [CUST: CT] [REVIEW: MC] | A 8465 | / CT | | 17-FEB-93 |
| A-A-55065 | APRON, MEAT CUTTER'S [CUST: GL 99 CT] [REVIEW: 82 MD] | A 8415 | / CT | | 13-JUL-92 |
| A-A-55066 | NEEDLES, EXCEPT SURGICAL, HAND [CUST: GL NU 45 CT] [REVIEW: MC] | A 8315 | / CT | | 15-JUL-92 |
| A-A-55067 | SMOCK, FOOD INSPECTOR'S [CUST: GL 99 CT] [REVIEW: 45 82 MD] | A 8415 | / CT | | 16-JUL-92 |
| A-A-55068A | JERSEY, FLIGHT DECK CREWMAN [CUST: NU CT] [REVIEW: AS CG SH] | A 8415 | / CT | | 05-JUL-96 |
| A-A-55069 | T-SHIRT, ATHLETE'S PHYSICAL FITNESS UNIFORM (PFU) [CUST: GL CT] | A 8415 | / CT | | 17-JUL-92 |
| A-A-55070 | BAG, WET WEATHER CLOTHING: (PARKA AND TROUSERS) [CUST: GL 99 CT] [REVIEW: 45 82] | A 8465 | / CT | | 31-JUL-92 |
| A-A-55071 | TAPE, TEXTILE, 1-INCH [CUST: EA CT] [REVIEW: GL] | A 8315 | / CT | | 07-AUG-92 |
| A-A-55072 | BADGE, IDENTIFICATION, PERSONNEL [CUST: 11 CT] [REVIEW: 45 82 99] | A 8455 | / CT | | 03-AUG-92 |
| A-A-55073 | NECKTIE, WOMAN'S (COAST GUARD) [CUST: CG CT] | A 8445 | / CT | | 14-AUG-92 |
| A-A-55074 | MAT, SLEEPING, SELF-INFLATING [CUST: GL NU 99 CT] [REVIEW: 82 MC] | A 8465 | / CT | | 11-AUG-92 |
| A-A-55075 | GLOVES: MEN'S AND WOMEN'S ANTI-CONTACT [CUST: GL NU] [REVIEW: CG MC MD] | A 8415 | / CT | | 17-AUG-92 |
| A-A-55076 | OVERSHOES, WOMEN'S, PLASTIC, GRAY [CUST: GL NU 11 CT] [REVIEW: 45 82 99 MC] | A 8435 | / CT | | 26-AUG-92 |
| A-A-55077 | BAG, DUFFEL [CUST: GL NU 99 CT] [REVIEW: 45 82 MC] | A 8465 | / CT | | 02-SEP-92 |
| A-A-55079 | SOCKS: MEN'S, CUSHION SOLE, STRETCH TYPE [CUST: GL NU 99 CT] [REVIEW: 11 45 82 MC] | A 8440 | / CT | | 01-OCT-92 |
| A-A-55080 | COVER, WATERPROOF, MULTIPURPOSE [CUST: GL NU CT] [REVIEW: MC] | A 8465 | / CT | | 01-OCT-92 |
| A-A-55081 | CLOTH, BRATTICE; COTTON, FIRE RESISTANT [CUST: NU CT] | A 8305 | / CT | | 05-OCT-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | A-A-55082 | INSECT NET, HAT, SUN, HOT WEATHER [CUST: GL 99 CT] [REVIEW: 45 82 MD] | A 8415 | / | CT | 24-NOV-92 |
| | A-A-55083 | SCARF, NECKWEAR, SAGE GREEN, FLYING, TUBULAR N-1B (SCARF, SAGE GREEN, FLYING TUBULAR, TYPE N-1B) [CUST: 99 CT] | A 8440 | / | CT | 05-JAN-93 |
| | A-A-55084 | POCKET, AMMUNITION MAGAZINE [CUST: GL CT] [REVIEW: MC MD] | A 8465 | / | CT | 21-OCT-92 |
| | A-A-55085 | TROUSERS, MEN'S POLYESTER/COTTON [CUST: NU CT] | A 8405 | / | CT | 06-APR-93 |
| | A-A-55086 | TROUSERS, MEN'S, UNDRRESS, POLYESTER/COTTON (CG) [CUST: CG CT] | A 8405 | / | CT | 26-OCT-92 |
| | A-A-55087 | SHOES, SWIMMERS [CUST: CT] | A 8430 | / | CT | 29-OCT-92 |
| | A-A-55088 | RESISTORS, FLAMEPROOF, FUSIBLE [CUST: CC] | A 5905 | / | CC | 13-SEP-91 |
| | A-A-55089A | CAPACITORS, FIXED, CERAMIC DIELECTRIC [CUST: CC] | A 5910 | / | CC | 23-MAR-92 |
| | A-A-55090 | FILTER, RADIO FREQUENCY INTERFERENCE [CUST: CC] | A 5915 | / | CC | 22-NOV-91 |
| | A-A-55091 | SHIRT, MAN'S, POLYESTER AND WOOL, LONG SLEEVE [CUST: NU CT] | A 8405 | / | CT | 25-FEB-93 |
| | A-A-55092 | BAG, CLOTHING, WATERPROOF [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8465 | / | CT | 16-NOV-92 |
| | A-A-55093 | LACES, FOOTWEAR [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8335 | / | CT | 15-NOV-92 |
| | A-A-55094 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG, 24 POSITION, DISCRETE WIRE CABLE TERMINATING, BAIL LOCKING [CUST: CC] | A 5935 | / | CC | 15-MAR-94 |
| | A-A-55095 | COVERALLS, UTILITY [CUST: NU CT] [REVIEW: CG SH] | A 8405 | / | CT | 10-MAR-93 |
| | A-A-55096 | TRANSFORMER, PRINTED CIRCUIT POWER, 6 PIN [CUST: CC] | A 5950 | / | CC | 29-JAN-93 |
| | A-A-55097 | TRANSFORMER, PRINTED CIRCUIT POWER, 8 PIN [CUST: CC] | A 5950 | / | CC | 29-JAN-93 |
| | A-A-55098 | CLOTHING, LEATHER, (APRONS, SLEEVES, AND JACKETS) [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8415 | / | CT | 04-DEC-92 |
| | A-A-55099A | ROD AND CLAMP, INSECT BAR [CUST: GL 99 CT] [REVIEW: 45 82 MD] | A 7210 | / | CT | 08-JAN-97 |
| | A-A-55100 | YARN: COTTON [CUST: CT] | A 8310 | / | CT | 10-NOV-92 |
| | A-A-55102 | LINER, FOOD INSPECTOR'S SMOCK [CUST: GL NU 99 CT] [REVIEW: 45 MD] | A 8415 | / | CT | 10-JUN-95 |
| | A-A-55103 | OVERSHOES, RADIOACTIVE CONTAMINANTS, PROJECTIVE [CUST: NU 45 CT] [REVIEW: AS OS SH] | A 8430 | / | CT | 08-DEC-92 |
| | A-A-55104 | COVERALLS, SAFETY, INDUSTRIAL [CUST: GL NU CT] [REVIEW: MD] | A 8415 | / | CT | 10-DEC-92 |
| | A-A-55105 | BAG, BARRACKS [CUST: CT] [REVIEW: GL] | A 8465 | / | CT | 17-DEC-92 |
| A | A-A-55106A | WHISTLE, PLASTIC [CUST: GL NU 99 CT] [REVIEW: 45 82 AS MC MD] | A 8465 | / | CT | 03-MAR-98 |
| | A-A-55107 | SOCKS: MEN'S, NYLON, CUSHION SOLE, STRETCH TYPE [CUST: GL SA CT] [REVIEW: YD1] | A 8440 | / | CT | 17-DEC-92 |
| | A-A-55108 | HAT, SERVICE (WHITE) [CUST: NU CT] | A 8405 | / | CT | 16-DEC-92 |
| | A-A-55109 | FOOT MEASURING DEVICE, MEN'S [CUST: GL CT] [REVIEW: 45 99 NU] | A 8335 | / | CT | 08-JAN-93 |
| | A-A-55110A | COAT, ALL-WEATHER, MAN'S, W/REMOVABLE LINER [CUST: CG 99 CT] [REVIEW: 45 82] | A 8405 | / | CT | 18-NOV-93 |
| | A-A-55111A | COAT, ALL-WEATHER, WOMAN'S, W/REMOVABLE LINER [CUST: CG 99 CT] [REVIEW: 45 82] | A 8410 | / | CT | 18-NOV-93 |
| | A-A-55112A | BAG, FLYER'S HELMET [CUST: GL 99 CT] [REVIEW: 32 45 82 MD] | A 8415 | / | CT | 19-JUN-95 |
| | A-A-55113 | HANDBAG, WOMEN'S: SYNTHETIC, BLACK [CUST: GL 11 CT] [REVIEW: 45 82 99] | A 8445 | / | CT | 07-JAN-93 |
| | A-A-55114 | BAG, SOILED CLOTHES [CUST: GL MS CT] [REVIEW: 82 MC] | A 8465 | / | MS | 06-JAN-93 |
| | A-A-55115 | CLOTH, BROADCLOTH, POLYESTER AND COTTON [CUST: GL NU CT] [REVIEW: MC] | A 8305 | / | CT | 31-AUG-93 |
| | A-A-55117 | SKIS, MILITARY, ALL TERRAIN [CUST: NU 99 CT] [REVIEW: 45 82 GL MC] | A 8465 | / | CT | 11-JAN-93 |
| | A-A-55119 | GLOVE INSERTS, COLD WEATHER [CUST: GL NU 99 CT] [REVIEW: 31 45 82 AS CG MC] | A 8415 | / | CT | 23-MAR-93 |
| | A-A-55120 | LANYARD, INDIVIDUAL EQUIPMENT CARRYING [CUST: GL NU CT] [REVIEW: MC] | A 8465 | / | CT | 21-JAN-93 |
| | A-A-55121 | APRON, UTILITY, DISPOSABLE [CUST: NU CT] [REVIEW: OS SH] | A 8415 | / | CT | 25-JAN-93 |
| | A-A-55122 | HOOD, RAIN, WOMAN'S [CUST: 11 CT] [REVIEW: 45 82] | A 8410 | / | CT | 19-JAN-93 |
| | A-A-55123A | SMOCK, GENERAL PURPOSE [CUST: GL NU 99 CT] [REVIEW: 45 82 MD] | A 8415 | / | CT | 18-NOV-94 |
| | A-A-55124A | CREEPERS, ICE [CUST: GL 99 CT] [REVIEW: 82] | A 8465 | / | CT | 17-OCT-94 |
| | A-A-55126 | FASTENER TAPE, HOOK AND PILE, SYNTHETIC [CUST: GL NU 11 CT] [REVIEW: 45 82 99 AR AS EA MC MD OS] | A 8315 | / | CT | 05-FEB-93 |
| | A-A-55127 | BATTING, SYNTHETIC FIBERS, POLYESTER (UNQUILTED AND QUILTED) [CUST: GL 99 CT] [REVIEW: 11 82 MD] | A 8320 | / | CT | 17-FEB-93 |
| | A-A-55128 | INSULATOR, SPREADER [CUST: CR SH 99 GS] [REVIEW: 85 CR CR4 EC MI SH YD1] | A 5970 | / | GS | 25-MAY-95 |
| D | A-A-55131 | LIGHT, CHEMILUMINESCENT, 6 IN - 8 HR - A, G [CUST: EC 99 IS] [REVIEW: YD1] | A 6260 | * | IS | 10-DEC-92 |
| D | A-A-55132 | LIGHT, CHEMILUMINESCENT, 6 IN - 30 MIN E, F [CUST: EC 99 IS] [REVIEW: YD1] | A 6260 | / | IS | 10-DEC-92 |
| D | A-A-55133 | LIGHT, CHEMILUMINESCENT, 6 IN - 30 MIN - G [CUST: EC 99 IS] [REVIEW: YD1] | A 6260 | / | IS | 10-DEC-92 |
| D | A-A-55134 | LIGHT, CHEMILUMINESCENT, 6 IN - 12 HOUR - B, C, E, F [CUST: EC 99 IS] [REVIEW: YD1] | A 6260 | / | IS | 10-DEC-92 |
| D | A-A-55135 | LIGHT, CHEMILUMINESCENT, 6 IN - 5 IN - C [CUST: EC 99 IS] [REVIEW: YD1] | A 6260 | / | IS | 10-DEC-92 |
| A | A-A-55137 | SAW, JIG, WOODWORKING [CUST: AL SH 99 IS] [REVIEW: 84 CC CE CR4 MC] | A 3220 | / | IS | 17-JUN-93 |
| | A-A-55138 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, 24 POSITION, CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW OR BAIL LOCKING, THICK FLANGE [CUST: CC] | A 5935 | / | CC | 07-DEC-93 |
| | A-A-55139 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, 24 POSITION, CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW OR BAIL LOCKING, THIN FLANGE [CUST: CC] | A 5935 | / | CC | 07-DEC-93 |
| | A-A-55140 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, SHIELDED, 24 POSITION, FLAT CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING, PREASSEMBLED CONSTRUCTION [CUST: CC] | A 5935 | / | CC | 07-DEC-93 |
| | A-A-55141 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, LOW PROFILE, 24 POSITION, FLAT CABLE TERMINATING, INSULATION DISPLACEMENT, PANEL MOUNT [CUST: CC] | A 5935 | / | CC | 15-MAR-94 |
| | A-A-55142 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG, LOW PROFILE, 24 POSITION, FLAT CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING [CUST: CC] | A 5935 | / | CC | 07-DEC-93 |
| | A-A-55143 | RELAYS, ELECTROMAGNETIC, GENERAL PURPOSE GENERAL SPECIFICATION FOR [CUST: CC] | A 5945 | / | CC | 27-APR-95 |
| | A-A-55143/1A | RELAYS, ELECTROMAGNETIC, GENERAL PURPOSE 10 AMPERES, 1-3PDT, AC AND DC COILS, SOCKET MOUNT [CUST: CC] | A 5945 | / | CC | 24-JAN-96 |
| | A-A-55143/2A | RELAYS, ELECTROMAGNETIC, GENERAL PURPOSE 10 AMPERES, 1-3PDT, AC AND DC COILS, FLANGE MOUNT [CUST: CC] | A 5945 | / | CC | 24-JAN-96 |
| | A-A-55144 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, SHIELDED, 24 POSITION, VERTICAL MOUNT, PRINTED CIRCUIT BOARD TERMINATING, SCREW LOCKING [CUST: CC] | A 5935 | / | CC | 07-DEC-93 |
| | A-A-55145 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, SHIELDED, 24 POSITION, RIGHT ANGLE, PRINTED CIRCUIT BOARD TERMINATING, SCREW LOCKING [CUST: CC] | A 5935 | / | CC | 07-DEC-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Ave | MCA | Prep. Acty. | Date |
|-----------------|--|-------------------------|-----|-------------|-----------|
| A-A-55146 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, SHIELDED, 24 POSITION, RIGHT ANGLE, PRINTED CIRCUIT BOARD TERMINATING, BAIL LOCKING [CUST: CC] | A 5935 | / | CC | 15-MAR-94 |
| A-A-55147 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG, LOW PROFILE, 24 POSITION, FLAT CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING [CUST: CC] | A 5935 | / | CC | 15-MAR-94 |
| A-A-55148 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, 24 POSITION, BACK TO BACK INTERFACE BUS, CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING [CUST: CC] | A 5935 | / | CC | 07-DEC-93 |
| A-A-55149 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG AND RECEPTACLE, METRIC SCREW LOCKING HARDWARE KIT [CUST: CC] | A 5935 | / | CC | 15-MAR-94 |
| A-A-55150 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG AND RECEPTACLE, METRIC SCREW LOCKING AND MOUNTING HARDWARE KIT [CUST: CC] | A 5935 | / | CC | 15-MAR-94 |
| A-A-55151 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG AND RECEPTACLE, BAIL LOCKING HARDWARE KIT [CUST: CC] | A 5935 | / | CC | 07-DEC-93 |
| A-A-55152 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG AND RECEPTACLE, METRIC SCREW LOCKING HARDWARE [CUST: CC] | A 5935 | / | CC | 15-MAR-94 |
| A-A-55153 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG AND RECEPTACLE, METRIC JACKSCREW [CUST: CC] | A 5935 | / | CC | 15-MAR-94 |
| A-A-55154 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECTANGULAR, LOW PROFILE, 24 POSITION, FLAT CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING [CUST: CC] | A 5935 | / | CC | 15-MAR-94 |
| A-A-55155 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, RECEPTACLE, SHIELDED, 24 POSITION, FLAT CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING, LOOSE PIECE CONSTRUCTION [CUST: CC] | A 5935 | / | CC | 15-MAR-94 |
| A-A-55157 | RESISTOR, FIXED, WIREWOUND, INDUCTIVE, POWER TYPE [CUST: CC] | A 5905 | / | CC | 11-JUN-92 |
| A-A-55159 | RESISTOR, WIREWOUND, INDUCTIVE, POWER TYPE [CUST: CC] | A 5905 | / | CC | 11-JUN-92 |
| A-A-55160 | TRANSFORMER, PRINTED CIRCUIT POWER, 6 PIN TOP LUG TYPE [CUST: CC] | A 5950 | / | CC | 29-JAN-93 |
| A-A-55161A | FILTER, RADIO FREQUENCY INTERFERENCE [CUST: CC] | A 5915 | / | CC | 29-APR-94 |
| A-A-55162 | CONNECTORS, ELECTRICAL, SOCKETS SINGLE IN LINE MEMORY MODULE, SINGLE AND DUAL VERTICAL TYPE, 30 OR 60 CONTACTS [CUST: CC] | A 5935 | / | CC | 23-JUN-95 |
| A-A-55163A | FILTER, RADIO FREQUENCY INTERFERENCE [CUST: CC] | A 5915 | / | CC | 29-APR-94 |
| A-A-55164 | CONNECTORS, ELECTRICAL, SOCKETS SINGLE IN LINE MEMORY MODULE, SINGLE AND DUAL, ANGLED LOW PROFILE TYPE, 30 OR 60 CONTACTS [CUST: CC] | A 5935 | / | CC | 23-JUN-95 |
| A-A-55165 | CONNECTORS, ELECTRICAL, SOCKETS SINGLE IN LINE MEMORY MODULE, SINGLE VERTICAL TYPE, 64 CONTACTS [CUST: CC] | A 5935 | / | CC | 23-JUN-95 |
| A-A-55166A | FILTER, RADIO FREQUENCY INTERFERENCE [CUST: CC] | A 5915 | / | CC | 29-APR-94 |
| A-A-55167A | FILTER, RADIO FREQUENCY INTERFERENCE [CUST: CC] | A 5915 | / | CC | 29-APR-94 |
| A-A-55168 | FUSEHOLDER, BLOCK, CLASS H, 30 AMPERES, 250 V AC, ONE, TWO, AND THREE POLE [CUST: CC] | A 5920 | / | CC | 01-OCT-93 |
| A-A-55169A | FILTER, RADIO FREQUENCY INTERFERENCE [CUST: CC] | A 5915 | / | CC | 29-APR-94 |
| A-A-55170A | FILTER, RADIO FREQUENCY INTERFERENCE [CUST: CC] | A 5915 | / | CC | 29-APR-94 |
| A-A-55171B | FILTER, RADIO FREQUENCY INTERFERENCE [CUST: CC] | A 5915 | / | CC | 27-SEP-95 |
| A-A-55172 | LAST, FOOTWEAR, FIELD, WOMEN'S [CUST: 99 CT] [REVIEW: 45 82] | A 8335 | / | CT | 04-FEB-93 |
| A-A-55173 | BELT, MILITARY POLICE, 1-3/4 INCH WIDE, MAN'S [CUST: 99 CT] [REVIEW: 45 82 GL MC] | A 8465 | / | CT | 08-FEB-93 |
| A-A-55174 | COVER, BEDDING, FLAME RESISTANT [CUST: NU CT] [REVIEW: SH] | A 7210 | / | CT | 01-MAR-93 |
| A-A-55175 | TRUNKS, PHYSICAL FITNESS UNIFORM [CUST: GL CT] [REVIEW: MD] | A 8415 | / | CT | 01-MAR-93 |
| A-A-55176 | BAG, LAUNDRY, NYLON [CUST: SA CT] | A 8465 | / | CT | 05-MAR-93 |
| A-A-55177 | SUSPENDERS, INDIVIDUAL EQUIPMENT BELT, LC-2 [CUST: GL NU 99] [REVIEW: 45 82 MC MD YD1] | A 8465 | / | CT | 03-MAR-93 |
| A-A-55178 | COVERALLS, MEN'S, COTTON, SATEEN [CUST: GL CT] [REVIEW: MC] | A 8405 | / | CT | 09-MAR-93 |
| A-A-55179 | BAG, MONEY [CUST: NU CT] [REVIEW: MC] | A 8460 | / | CT | 03-MAR-93 |
| A-A-55180 | CAP, UTILITY, COTTON, SATEEN, GREEN [CUST: SA CT] [REVIEW: YD1] | A 8405 | / | CT | 04-MAR-94 |
| A-A-55181 | HOLDER, BADGE, PLASTIC, SECURITY POLICE [CUST: 11 CT] [REVIEW: 45 82] | A 8455 | / | CT | 25-MAY-93 |
| A-A-55182 | COVER, PERSONNEL IDENTIFICATION TAG [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD MS SM] | A 8465 | / | CT | 26-APR-93 |
| A-A-55183 | CLOTH, NETTING, PARACHUTE SKIRT EXTENSION, NYLON, RASCHEL KNIT [CUST: GL CT] | A 8305 | / | CT | 08-MAR-93 |
| A-A-55184 | BERET, MAN'S, WOOL [CUST: GL 11 CT] [REVIEW: 45 82 99 GL] | A 8405 | / | CT | 10-MAR-93 |
| A-A-55185 | TROUSERS, MEN'S (WHITE) [CUST: NU CT] | A 8405 | / | CT | 10-MAR-93 |
| A-A-55186 | PONCHO, WET WEATHER, HEAVY DUTY [CUST: GL NU CT] [REVIEW: MC MD] | A 8405 | / | CT | 12-MAR-93 |
| A-A-55187 | BRAID, TEXTILE (FLAT) [CUST: NU 11 CT] [REVIEW: 45 82 99 GL MC] | A 8315 | / | CT | 17-MAR-93 |
| A-A-55188A | BLANKETS, BED, WOOL, SHRINK RESISTANT AND MOTHPROOFED [CUST: GL NU 99 CT] [REVIEW: 03 45 82 MB MC MD MS] | A 7210 | / | CT | 15-MAR-95 |
| A-A-55189 | SKIRT, MATERNITY [CUST: CT] [REVIEW: MC] | A 8410 | / | CT | 25-MAR-93 |
| A-A-55190 | SEWING KIT [CUST: GL 99 CT] [REVIEW: 11 82] | A 8315 | / | CT | 29-MAR-93 |
| A-A-55191 | SHOULDER STRAP, SIDE ARM, MILITARY POLICE, LEATHER, BLACK [CUST: GL 82 CT] [REVIEW: 11 MD] | A 8465 | / | CT | 29-MAR-93 |
| A-A-55192 | CASE, MAP [CUST: GL NU CT] [REVIEW: MC] | A 8460 | / | CT | 07-APR-93 |
| A-A-55193 | HOLDER, CARTRIDGE, BELT, CAL. .38, LEATHER, BLACK, 6-ROUND [CUST: CT] [REVIEW: GL] | A 8465 | / | CT | 29-MAR-93 |
| A-A-55194 | PROTECTOR, TROUSERS, PISTOL HOLSTER [CUST: MC CT] | A 8465 | / | CT | 01-APR-93 |
| A-A-55195 | THREAD: PARA-ARAMID, SPUN, INTERMEDIATE MODULUS [CUST: GL NU 11 CT] [REVIEW: 11 82 99 AS MD] | A 8310 | / | CT | 07-APR-93 |
| A-A-55196 | COVERALLS, DISPOSABLE [CUST: NU CT] [REVIEW: SH] | A 8415 | / | CT | 09-APR-93 |
| A-A-55197 | BELT, MAN'S, WAIST, BLUE 334 (ARMY BAND UNIFORM) [CUST: GL CT] | A 8405 | / | CT | 08-APR-93 |
| A-A-55199 | NECKTIE [CUST: GL NU 11 CT] [REVIEW: 45 82 99 MC MD] | A 8440 | / | CT | 20-MAY-93 |
| A-A-55201A | TROUSERS, DISPOSABLE [CUST: NU CT] [REVIEW: OS] | A 8415 | / | CT | 23-JAN-96 |
| A-A-55202A | HELMET, FIREMAN'S [CUST: GL CT] [REVIEW: MD] | A 8415 | / | CT | 06-FEB-96 |
| A-A-55203 | SUSPENDERS, TROUSERS (FLYING SUIT) [CUST: AV AS 99] | A 8440 | / | CT | 03-MAY-93 |
| A-A-55204 | HEELS, FOOTWEAR (RUBBER) [CUST: GL NU 99] [REVIEW: CG MC MD] | A 8335 | / | CT | 14-MAY-93 |
| A-A-55205 | BAG, PERSONAL EFFECTS [CUST: GL NU CT] [REVIEW: MC] | A 8465 | / | CT | 18-MAY-93 |
| A-A-55206 | HELMET, CRASH; MOTORCYCLIST [CUST: MC 99 CT] [REVIEW: 45 GL] | A 8415 | / | CT | 21-MAY-93 |
| A-A-55207 | BELT, ALL-WEATHER, COAT, MEN'S [CUST: GL CT] [REVIEW: MC] | A 8405 | / | CT | 19-MAY-93 |
| A-A-55208 | TAPE, TEXTILE: NYLON, MULTIPLE TUBULAR [CUST: GL AS 99 CT] [REVIEW: 82 AV CT OS] | A 8315 | / | CT | 19-MAY-93 |
| A-A-55210 | SLACKS, WOMEN'S, UNDRRESS [CUST: CG CT] | A 8410 | / | CT | 27-MAY-93 |
| A-A-55211 | YARN, WOOL [CUST: GL NU CT] [REVIEW: MD] | A 8310 | / | CT | 04-JUN-93 |
| A-A-55212 | BELT, ALL-WEATHER COAT, WOMEN'S [CUST: GL CT] [REVIEW: MC] | A 8410 | / | CT | 14-JUN-93 |

DODISS NUMERICAL LISTING COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-----------------|--|--------------------------|--------------------|-----------|
| A-A-55213 | GLOVES, PERMEABLE, CLOTH, COTTON, OLIVE GREEN [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YD1] | A 8415 / CT | | 02-NOV-93 |
| A-A-55214 | PILLOWCASE, COTTON AND POLYESTER/COTTON [CUST: GL NU 99 CT] [REVIEW: 45 MB MC MD MS SH] | A 7210 / CT | | 12-JUL-93 |
| A-A-55215 | PILLOW, PASSENGER, HEADREST, AIRLINE TYPE [CUST: 99 CT] [REVIEW: 45 82] | A 7210 / CT | | 20-JUN-93 |
| A-A-55218 | SHIRT, WOMEN'S, DRESS, WHITE (SHORT SLEEVE) [CUST: NU CT] | A 8410 / CT | | 01-JUL-93 |
| A-A-55219 | TROUSERS, MEN'S (ENLISTED, WHITE) [CUST: NU CT] | A 8405 / CT | | 02-JUL-93 |
| A-A-55220 | THREAD, PARA-ARAMID, INTERMEDIATE MODULUS [CUST: 99 CT] [REVIEW: 32 45 82] | A 8310 / CT | | 11-DEC-95 |
| A-A-55221 | TUNIC, MATERNITY [CUST: MC CT] | A 8410 / CT | | 10-SEP-93 |
| A-A-55222 | BELT, MAN'S COAT [CUST: MC CT] | A 8405 / CT | | 06-JUL-93 |
| A-A-55223 | FASTENER, PLASTIC, FOR EQUIPAGE ITEMS [CUST: GL NU CT] [REVIEW: MC] | A 8465 / CT | | 13-JUL-93 |
| A-A-55224 | CLOTH, TROPICAL: POLYESTER AND WOOL [CUST: NU CT] | A 8305 / CT | | 08-OCT-96 |
| A-A-55225 | SCARF, NECKWEAR, WOMAN'S ACRYLIC [CUST: NU CT] | A 8445 / CT | | 17-AUG-93 |
| A-A-55226A | SCARF, NECKWEAR, WOOL AND SCARF, HEADOVER, WOOL [CUST: GL NU 99 CT] [REVIEW: 45 82 MC] | A 8440 / CT | | 23-OCT-96 |
| A-A-55227 | POCKET, AMMUNITION MAGAZINE, ENLISTED MEN'S, M-1923 [CUST: GL NU CT] [REVIEW: MC YD1] | A 8465 / CT | | 19-AUG-93 |
| A-A-55228 | SHOWER PAIL, COLLAPSIBLE, COTTON DUCK, 5-GALLON CAPACITY [CUST: GL CT] [REVIEW: MD] | A 8465 / CT | | 20-AUG-93 |
| A-A-55229 | RAINCOAT, MAN'S [CUST: GL CT] | A 8405 / CT | | 17-SEP-93 |
| A-A-55230 | SLACKS, WOMEN'S HOSPITAL DUTY UNIFORM (HDI) [CUST: GL 99 CT] [REVIEW: 82 MD] | A 8410 / CT | | 23-SEP-93 |
| A-A-55231 | CASE, HANDCUFFS, LEATHER, BLACK [CUST: GL NU CT] [REVIEW: MC] | A 8465 / CT | | 01-SEP-93 |
| A-A-55234A | CLOTH, KNITTED, NYLON, FLEECE [CUST: GL NU CT] [REVIEW: EA] | A 8305 / CT | | 07-NOV-94 |
| A-A-55235 | TARPAULIN; COTTON DUCK, CAMOUFLAGE GREEN 483; 20 FEET BY 20 INCHES [CUST: GL CT] | A 8340 / CT | | 15-OCT-93 |
| A-A-55236 | GLOVES, MEN'S, CLOTH, DRESS, WHITE [CUST: GL NU 11 CT] [REVIEW: 82 99 MC] | A 8440 / CT | | 13-SEP-93 |
| A-A-55238 | CASE, FIELD, FIRST AID DRESSING, LEATHER (MILITARY POLICE) [CUST: GL 99] [REVIEW: 45 82 MD] | A 8465 / CT | | 29-SEP-93 |
| A-A-55239A | SWEATER, SERVICE, WOOL [CUST: MC CT] | A 8405 / CT | | 01-NOV-96 |
| A-A-55240 | APRON, CONSTRUCTION WORKER'S [CUST: GL NU 99 CT] [REVIEW: 45 82 YD1] | A 8415 / CT | | 01-NOV-93 |
| A-A-55242A | WEBBING, TEXTILE; POLYESTER LOW ELONGATION [CUST: GL 99] [REVIEW: 11 45 82] | A 8305 / CT | | 10-JUN-96 |
| A-A-55243 | TAPE, TEXTILE, NYLON OR POLYESTER (FOR NAME TAPES) [CUST: GL CT] [REVIEW: MD] | A 8315 / CT | | 27-OCT-93 |
| A-A-55244 | INSECT NET PROTECTOR [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 7210 / CT | | 02-NOV-93 |
| A-A-55245 | NECKLACE, PERSONNEL, IDENTIFICATION TAG [CUST: GL NU 99 CT] [REVIEW: 45 82 CG MC MD PE] | A 8465 / CT | | 12-NOV-93 |
| A-A-55246 | DRAWERS, COLD WEATHER; UNDERSHIRT, COLD WEATHER: POLYPROPYLENE [CUST: GL NU CT] [REVIEW: MC] | A 8415 / CT | | 22-NOV-93 |
| A-A-55247A | GAITER, NECK [CUST: GL NU CT] | A 8440 / CT | | 03-MAR-94 |
| A-A-55248 | MITTEN, WELDERS [CUST: NU CT] | A 8415 / CT | | 17-FEB-94 |
| A-A-55250 | CLOTH, ELASTIQUE, POLYESTER/WOOL [CUST: CG CT] | A 8305 / CT | | 29-AUG-94 |
| A-A-55253 | PAD, PARACHUTIST'S HELMET [CUST: GL MC 99 CT] [REVIEW: 45 82 MD] | A 8470 / CT | | 24-AUG-94 |
| A-A-55254 | TUNIC, WOMAN'S HOSPITAL DUTY UNIFORM (HDI) [CUST: GL 99 CT] [REVIEW: 32 45 82 MD] | A 8410 / CT | | 27-NOV-95 |
| A-A-55259 | GLOVE SHELLS, FLYER'S [CUST: GL AS 99 CT] [REVIEW: 45 82 MD] | A 8415 / CT | | 10-APR-95 |
| A-A-55260 | COAT, ALL-WEATHER, MEN'S [CUST: GL CT] [REVIEW: MC] | A 8405 / CT | | 12-OCT-94 |
| A-A-55262 | SLEEPING BAG, MODULAR [CUST: GL MC CT] [REVIEW: 11 45 82 99] | A 8465 / CT | | 15-NOV-94 |
| A-A-55263 | SHIRT, WOMAN'S, TUCK-IN [CUST: 45 CT] [REVIEW: 32] | A 8410 / CT | | 04-NOV-94 |
| A-A-55264 | BRAID, TEXTILE, CORD-EDGE [CUST: GL 45 CT] [REVIEW: 01 32 MD SO] | A 8315 / CT | | 24-FEB-95 |
| A-A-55265 | JACKET, FLYER'S, A-2 LEATHER [CUST: 45 CT] [REVIEW: 32 82] | A 8415 / CT | | 16-FEB-95 |
| A-A-55266 | TENT: LIGHTWEIGHT EXTREME WEATHER [CUST: GL MC CT] | A 8340 / CT | | 23-FEB-95 |
| A-A-55267 | STRAP, INVOLUNTARY, RESTRAINT: HANDCUFFS [CUST: GL CT] | A 8465 / CT | | 23-FEB-95 |
| A-A-55268 | APRON, CONSTRUCTION WORKER'S, LEATHER [CUST: GL NU 99 CT] [REVIEW: 45 82] | A 8415 / CT | | 28-FEB-95 |
| A-A-55269 | POCKET, AMMUNITION MAGAZINE, MILITARY POLICE [CUST: GL MC CT] | A 8465 / CT | | 03-MAR-95 |
| A-A-55270 | UNDERWEAR SET, LIGHTWEIGHT, COLD WEATHER [CUST: GL MC CT] | A 8415 / CT | | 17-APR-95 |
| A-A-55272 | CLOTH, PLAIN WEAVE (BASKET VARIATION) POLYESTER AND COTTON (CREASE RESISTANT FINISH) [CUST: CG CT] | A 8305 / CT | | 30-MAY-95 |
| A-A-55273 | RETAINER, EYEWEAR [CUST: GL NU 99 CT] [REVIEW: 11 45 82 AS CG MC MD] | A 8465 / CT | | 18-APR-95 |
| A-A-55274 | TRUNKS, PHYSICAL CONDITIONING UNIFORM [CUST: 45 CT] | A 8415 / CT | | 03-MAY-95 |
| A-A-55275 | T-SHIRT, PHYSICAL CONDITIONING UNIFORM [CUST: 45 CT] | A 8415 / CT | | 04-MAY-95 |
| A-A-55276 | SWEATPANT, PHYSICAL CONDITIONING UNIFORM [CUST: 45 CT] | A 8415 / CT | | 05-MAY-95 |
| A-A-55277 | SWEATSHIRT, PHYSICAL CONDITIONING UNIFORM [CUST: 45 CT] | A 8415 / CT | | 05-MAY-95 |
| A-A-55278 | COVERALLS, ANTI-EXPOSURE [CUST: NU CT] | A 8415 / CT | | 02-MAY-95 |
| A-A-55279 | COVER, PISTOL HOLSTER AND FLAP, 9MM [CUST: MC CT] | A 8465 / CT | | 12-MAY-95 |
| A-A-55280 | CLOTH, COATED: GLASS SILICONE RUBBER [CUST: GL CT] [REVIEW: CT MD] | A 8305 / CT | | 26-APR-93 |
| A-A-55281 | CLOTH, POPLIN: POLYESTER/COTTON, PRECURED, SOIL RELEASE DURABLE PRESS TREATMENT [CUST: SA CT] | A 8305 / CT | | 09-JUN-95 |
| A-A-55282 | HAMMOCK, JUNGLE, M-1965 [CUST: NU CT] | A 8465 / CT | | 13-SEP-96 |
| A-A-55283 | SHIRT, WOMAN'S, TUCK-IN [CUST: GL CT] | A 8410 / CT | | 31-AUG-95 |
| A-A-55284 | BUCKLES, BRASS [CUST: GL MC CT] [REVIEW: MD] | A 8315 / CT | | 26-SEP-95 |
| A-A-55285 | SLACKS, WOMEN'S, DRESS, POLYESTER/WOOL [CUST: GL CT] | A 8410 / CT | | 31-AUG-95 |
| A-A-55286 | CLOTH, POPLIN, COTTON [CUST: GL CT] [REVIEW: MD] | A 8305 / CT | | 18-SEP-95 |
| A-A-55287 | POCKET, AMMUNITION MAGAZINE, 2 CLIPS, .45 CAL. AUTOMATIC PISTOL, LEATHER [CUST: GL 99 CT] [REVIEW: 82] | A 8465 / CT | | 27-SEP-95 |
| A-A-55288 | SMOCK, MEDICAL ASSISTANTS, MAN'S WHITE, COTTON-POLYESTER, DURABLE PRESS [CUST: MD MS 03 CT] [REVIEW: 45 GL NU] | A 8415 / CT | | 21-NOV-95 |
| A-A-55289 | SWEAT SHIRT [CUST: GL SA CT] [REVIEW: MC MD NU] | A 8415 / CT | | 12-DEC-95 |
| A-A-55290 | SWEAT PANTS [CUST: GL SA CT] [REVIEW: MC MD NU] | A 8415 / CT | | 12-DEC-95 |
| A-A-55291 | JACKET, UTILITY, UNISEX [CUST: NU CT] | A 8415 / CT | | 11-JAN-96 |
| A-A-55292 | CLOTH, POPLIN, POLYESTER AND COTTON [CUST: GL NU 99 CT] [REVIEW: 32 45 82 CG MC MD] | A 8305 / CT | | 02-FEB-96 |
| A-A-55294A | CAP, HOT WEATHER [CUST: GL CT] | A 8415 / CT | | 21-AUG-97 |
| A-A-55295 | CLOTH, PLAIN WEAVE, NYLON AND CLOTH, PLAIN WEAVE, POLYESTER [CUST: GL NU 99 CT] [REVIEW: 45 82 AT CR4] | A 8305 / CT | | 22-MAR-96 |
| A-A-55299 | LINER, HELMET: PARACHUTIST, IMPACT [CUST: GL MC 99 CT] [REVIEW: 45 82 MD] | A 8415 / CT | | 01-JUL-96 |
| A-A-55300 | SOCKS, HEAVY WEIGHT, ALL WEATHER [CUST: AS] [REVIEW: CG MC NU] | A 8415 / CT | | 12-JUL-96 |
| A-A-55302 | SOCKS, WINTER (WOOL AND COTTON) [CUST: GL NU 99] [REVIEW: 32 45 82 MC MD] | A 8440 / CT | | 05-NOV-96 |
| A-A-55303 | WASHCLOTH, TERRY, CLOTH AND COTTON/POLYESTER BLEND [CUST: GL 99 CT] [REVIEW: 45 82 MD] | A 7210 / CT | | 23-OCT-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | A-A-55304 | SKIRT, WOMAN'S DRESS, POLYESTER/WOOL [CUST: GL CT] | A 8410 | / | CT | 05-FEB-97 |
| | A-A-55305 | TAG, IDENTIFICATION, PERSONNEL [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8465 | / | CT | 27-JAN-97 |
| | A-A-55306 | NEEDLE, SAILMAKER'S [CUST: GL NU 99] [REVIEW: 45 82] | A 8315 | / | CT | 29-JAN-97 |
| | A-A-55307 | SHEATH, KNIFE [CUST: GL MC CT] | A 8465 | / | CT | 18-FEB-97 |
| | A-A-55308 | CLOTH AND STRIP, LAMINATED OR COATED, VINYL NYLON OR POLYESTER, HIGH STRENGTH, FLEXIBLE [CUST: GL NU 99 CT] [REVIEW: 45 AT] | A 8305 | / | CT | 13-MAY-97 |
| A | A-A-55309 | SWEATSHIRT, PHYSICAL FITNESS UNIFORM [CUST: GL CT] [REVIEW: MD] | A 8415 | / | CT | 03-JUN-97 |
| A | A-A-55310 | SWEATPANTS, PHYSICAL FITNESS UNIFORM [CUST: GL CT] [REVIEW: MD] | A 8415 | / | CT | 03-JUN-97 |
| A | A-A-55311 | SHIRT, LIQUID COOLING, LONG SLEEVE [CUST: GL CT] | A 8415 | / | CT | 01-JUL-97 |
| A | A-A-55312 | CAP, CAMOUFLAGE PATTERN [CUST: GL MC 99 CT] [REVIEW: 45 82 MD] | A 8415 | / | CT | 25-AUG-97 |
| A | A-A-55313 | CAP, UTILITY: CAMOUFLAGE [CUST: MC CT] [REVIEW: NU YD1] | A 8405 | / | CT | 25-AUG-97 |
| A | A-A-55314 | JERSEY, REVERSIBLE [CUST: NU CT] | A 8415 | / | CT | 03-DEC-97 |
| A | A-A-55316 | COVERALLS, UTILITY [CUST: GL NU 99 CT] [REVIEW: 11 45 CG MC MD] | A 8415 | / | CT | 02-MAR-98 |
| | A-A-55422 | ADAPTER, SWITCH ACTUATOR (FOR MINIATURE BASIC SENSITIVE SWITCHES) [CUST: CC] | A 5930 | / | CC | 15-SEP-93 |
| | A-A-55424 | RETAINER, CAPACITOR [CUST: CC] | A 5910 | / | CC | 30-MAY-93 |
| | A-A-55425 | RETAINER, CAPACITOR [CUST: CC] | A 5910 | / | CC | 30-MAY-93 |
| | A-A-55426 | FUSEHOLDER, BLOCK, CLASS H, 60 AMPERES, 600 V AC, ONE, TWO, AND THREE POLE [CUST: CC] | A 5920 | / | CC | 01-OCT-93 |
| | A-A-55427 | FUSEHOLDER, BLOCK, CLASS H, 60 AMPERES, 250 V AC, ONE, TWO, AND THREE POLE [CUST: CC] | A 5920 | / | CC | 01-OCT-93 |
| | A-A-55428 | FUSE HOLDER, BLOCK, CLASS H, 30 AMPERES, 600 V AC, ONE, TWO, AND THREE POLE [CUST: CC] | A 5920 | / | CC | 01-OCT-93 |
| | A-A-55429 | FUSEHOLDER, BLOCK, CLASS H, 100 AMPERES, 600 V AC, ONE, TWO, AND THREE POLE [CUST: CC] | A 5920 | / | CC | 01-OCT-93 |
| | A-A-55430A | DISK, FLEXIBLE, TWO-SIDED, HIGH-DENSITY, 3.8 TRACKS PER MILLIMETER (TPMM) (96 TRACKS PER INCH (TPI)), 130 MILLIMETERS (MM) (5.25 INCHES) [CUST: CC] | A 7045 | / | CC | 17-APR-95 |
| | A-A-55431A | DISK, FLEXIBLE, TWO-SIDED, HIGH-DENSITY, 5.3 TRACKS PER MILLIMETER (TPMM) (135 TRACKS PER INCH (TPI)), 90 MILLIMETERS (MM) (3.5 INCHES) [CUST: CC] | A 7045 | / | CC | 17-APR-95 |
| D | A-A-55432 | LIGHT, CHEMILUMINESCENT, 15 IN - 12 HR - B, E, F [CUST: EC 99 IS] [REVIEW: YD1] | A 6260 | / | IS | 26-AUG-93 |
| D | A-A-55433 | LIGHT, CHEMILUMINESCENT, 15 IN - 8 HR - A, G [CUST: EC 99 IS] [REVIEW: YD1] | A 6260 | / | IS | 26-AUG-93 |
| D | A-A-55434 | LIGHT, CHEMILUMINESCENT, 4 IN - 6 HR - B, C [CUST: EC 99 IS] [REVIEW: YD1] | A 6260 | / | IS | 26-AUG-93 |
| D | A-A-55435A | SUPPLEMENTAL SOLAR LIGHTING SYSTEM (NON-ELECTRIC); WITH ACTIVE SUN TRACKING COLLECTORS AND REFLECTIVE LIGHT WAVEGUIDES [CUST: GL YD1 99 IS] [REVIEW: CE CR4] | A 6260 | / | IS | 21-NOV-94 |
| | A-A-55436 | AIR CONDITIONERS, DOUBLE HUNG WINDOW MOUNT [CUST: CR4 YD1 99 GS] | A 4120 | / | GS | 31-MAY-94 |
| | A-A-55437 | COVER, POLYETHYLENE, PALLET, CARGO HCU-6/E AND HCU-12/E [CUST: 99] | A 3990 | / | 84 | 13-JUN-94 |
| | A-A-55439 | BATTERY, STORAGE, VEHICULAR IGNITION, LIGHTING, AND STARTING [CUST: GS] [REVIEW: 80] | A 6140 | / | GS | 16-AUG-94 |
| | A-A-55441 | WASHER-EXTRACTOR, COMMERCIAL FOR DECONTAMINATION OF PROTECTIVE EQUIPMENT AND CLOTHING [CUST: GL YD1 99] [REVIEW: MD] | A 3510 | / | GS | 21-DEC-95 |
| | A-A-55442 | JAR, SCREW CAP [CUST: SM SA 69] | A 8125 | / | IS | 10-FEB-95 |
| D | A-A-55447 | FLASHLIGHT, MANUALLY OPERATED MINI-GENERATOR [CUST: CR4 AS 99 IS] [REVIEW: 82 YD1] | A 6230 | / | IS | 14-JUN-95 |
| | A-A-55449 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 2 [CUST: MR AS 11 GS] | A 9320 | / | GS | 31-AUG-95 |
| | A-A-55450 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 1 [CUST: MR AS 11 GS] | A 9320 | / | GS | 31-AUG-95 |
| | A-A-55451 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 3 [CUST: MR AS 11 GS] | A 9320 | / | GS | 31-AUG-95 |
| | A-A-55452 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 4 [CUST: MR AS 11 GS] | A 9320 | / | GS | 05-SEP-95 |
| D | A-A-55454 | TASK LIGHT, UNDER-CABINET, FLUORESCENT, HIGH EFFICIENCY [CUST: CR4 SH 99 IS] | A 6210 | / | IS | 22-JAN-96 |
| | A-A-55456A | DISK, FLEXIBLE, TWO-SIDED, DOUBLE-DENSITY, 1.9 TRACKS PER MILLIMETER (TPMM) (48 TRACKS PER INCH (TPI)), 130 MILLIMETERS (MM) (5.25 INCHES) [CUST: CC] | A 7045 | / | CC | 17-APR-95 |
| | A-A-55457A | DISK, FLEXIBLE, TWO-SIDED, DOUBLE-DENSITY, 5.3 TRACKS PER MILLIMETER (TPMM) (135 TRACKS PER INCH (TPI)), 90 MILLIMETERS (MM) (3.5 INCH) [CUST: CC] | A 7045 | / | CC | 17-APR-95 |
| | A-A-55458A | INTERRUPTER, GROUND FAULT, TWO-POLE, THREE-WIRE, 15-AMPERE [CUST: CC] | A 5925 | / | CC | 06-JUN-95 |
| | A-A-55459A | INTERRUPTER, GROUND FAULT, TWO-POLE, THREE-WIRE, 20-AMPERE [CUST: CC] | A 5925 | / | CC | 06-JUN-95 |
| | A-A-55460A | INTERRUPTER, GROUND FAULT, TWO-POLE, THREE-WIRE, HOSPITAL GRADE, 15-AMPERE [CUST: CC] | A 5925 | / | CC | 06-JUN-95 |
| | A-A-55461A | INTERRUPTER, GROUND FAULT, TWO-POLE, THREE-WIRE, HOSPITAL GRADE, 20-AMPERE [CUST: CC] | A 5925 | / | CC | 06-JUN-95 |
| | A-A-55462A | DISK, FLEXIBLE, TWO-SIDED, DOUBLE-DENSITY, 3.8 TRACKS PER MILLIMETER (TPMM) (96 TRACKS PER INCH (TPI)), 130 MILLIMETERS (MM) (5.25 INCHES) [CUST: CC] | A 7045 | / | CC | 17-APR-95 |
| | A-A-55463A | CONNECTORS, ELECTRICAL, POWER, RECEPTACLE HOUSINGS, POLARIZED [CUST: CC] | A 5935 | / | CC | 12-AUG-94 |
| | A-A-55464A | CONNECTORS, ELECTRICAL, POWER, PLUG HOUSINGS, POLARIZED [CUST: CC] | A 5935 | / | CC | 12-AUG-94 |
| | A-A-55465A | CONNECTORS, ELECTRICAL, POWER, SAFETY SHIELD, CLAM SHELL [CUST: CC] | A 5935 | / | CC | 12-AUG-94 |
| | A-A-55466A | CONNECTORS, ELECTRICAL, POWER, CRIMP TO WIRE SOCKETS [CUST: CC] | A 5935 | / | CC | 12-AUG-94 |
| | A-A-55467A | CONNECTORS, ELECTRICAL, POWER, CRIMP TO WIRE, SPLIT PIN [CUST: CC] | A 5935 | / | CC | 12-AUG-94 |
| | A-A-55468A | CONNECTORS, ELECTRICAL, POWER, CRIMP TO WIRE, SOLID PIN [CUST: CC] | A 5935 | / | CC | 12-AUG-94 |
| | A-A-55469 | CONNECTORS, ELECTRICAL, PLUGS, TIP (TEST POINT PLUG, BANANA PLUG), GENERAL REQUIREMENTS FOR [CUST: CC] | A 5935 | / | CC | 05-OCT-93 |
| | A-A-55469/1B | CONNECTORS, ELECTRICAL, PLUGS, TIP, SINGLE (BANANA PLUG) [CUST: CC] | A 5935 | / | CC | 07-APR-95 |
| | A-A-55469/2 | CONNECTORS, ELECTRICAL, PLUGS, TIP, DUAL (BANANA PLUG) [CUST: CC] | A 5935 | / | CC | 07-APR-95 |
| | A-A-55469/3A | CONNECTORS, ELECTRICAL, PLUGS, TIP, DUAL (BANANA PLUG) [CUST: CC] | A 5935 | / | CC | 29-AUG-95 |
| | A-A-55469/4 | CONNECTORS, ELECTRICAL, PLUGS, TIP, SINGLE RIGHT ANGLE (BANANA PLUG) [CUST: CC] | A 5935 | / | CC | 07-APR-95 |
| | A-A-55469/5 | CONNECTORS, ELECTRICAL, PLUGS, TIP, SINGLE, MINIATURE, TEST POINT PLUG, .080 [CUST: CC] | A 5935 | / | CC | 07-APR-95 |
| | A-A-55469/6 | CONNECTORS, ELECTRICAL, PLUGS, TIP, SINGLE, RIGHT, ANGLE, TEST POINT PLUG, .080 [CUST: CC] | A 5935 | / | CC | 07-APR-95 |
| | A-A-55469/7 | CONNECTORS, ELECTRICAL, PLUGS, TIP, SINGLE, TEST POINT PLUG, .080, SOLDERLESS [CUST: CC] | A 5935 | / | CC | 07-APR-95 |
| | A-A-55469/10A | CONNECTORS, ELECTRICAL, PLUGS, TIP, SINGLE (BANANA JACK TO TEST POINT PLUG) [CUST: CC] | A 5935 | / | CC | 29-AUG-95 |
| | A-A-55470 | FUSE, PLUG, (TYPE W), NON TIME DELAY, EDISON BASE [CUST: CC] | A 5920 | / | CC | 21-OCT-93 |
| | A-A-55471 | FUSE, PLUG, (TYPE TL), TIME DELAY, EDISON BASE [CUST: CC] | A 5920 | / | CC | 21-OCT-93 |
| | A-A-55472 | FUSE, PLUG, (TYPE S), TIME DELAY, TYPE S BASE [CUST: CC] | A 5920 | / | CC | 21-OCT-93 |
| | A-A-55473 | FUSE, PLUG, (TYPE T), TIME DELAY, DUAL ELEMENT, EDISON BASE [CUST: CC] | A 5920 | / | CC | 21-OCT-93 |
| | A-A-55474 | ADAPTER, FUSE, TYPE S [CUST: CC] | A 5920 | / | CC | 21-OCT-93 |
| | A-A-55475 | FUSEHOLDER, EXTRACTOR POST [CUST: CC] | A 5920 | / | CC | 17-SEP-93 |
| | A-A-55476 | FUSE, CARTRIDGE, TYPE SFE [CUST: CC] | A 5920 | / | CC | 17-SEP-93 |
| | A-A-55477 | MULTIMETER, HAND HELD, 3/23 DIGIT, COMBINATION MULTIMETER/OSCILLOSCOPE [CUST: CC] | A 6625 | / | CC | 04-AUG-95 |
| | A-A-55478 | FUSE, PLUG, (TYPE SL), TIME DELAY, DUAL ELEMENT, TYPE S BASE [CUST: CC] | A 5920 | / | CC | 21-OCT-93 |
| | A-A-55479 | CONNECTORS, PIN, ELECTRICAL, RECTANGULAR, RACK AND PANEL, PIN PROTECTOR [CUST: CC] | A 5935 | / | CC | 07-DEC-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Unit Action | Document Number | Document Title | Distribution FSC/Area | ICA Prep. Acty. | Date |
|-------------|-----------------|---|--------------------------|--------------------|-----------|
| | A-A-55480 | CONNECTORS, PIN AND RECEPTACLE, ELECTRICAL, RECTANGULAR, RACK AND PANEL, DUST COVER [CUST: CC] | A 5935 / CC | | 07-DEC-93 |
| | A-A-55481 | TAPE, VIDEO RECORDING, CASSETTE [CUST: CC] | A 5836 / CC | | 18-SEP-95 |
| | A-A-55481/1 | TAPE, VIDEO RECORDING, CASSETTE, VIDEO HOME SYSTEM (VHS) FORMAT, 0.5-INCH (IN.) WIDTH, STANDARD OR HIGH GRADE [CUST: CC] | A 5836 / CC | | 18-SEP-95 |
| | A-A-55481/2 | TAPE, VIDEO RECORDING, CASSETTE, SUPER VIDEO HOME SYSTEM (S VHS) FORMAT, 0.5-INCH WIDE [CUST: CC] | A 5836 / CC | | 18-SEP-95 |
| | A-A-55481/3 | TAPE, VIDEO RECORDING, CASSETTE, VIDEO HOME SYSTEM WITH COMPACT CASSETTE (VHS C) AND SUPER VHS C (S VHS C) FORMAT, 0.5-INCH WIDE [CUST: CC] | A 5836 / CC | | 18-SEP-95 |
| | A-A-55481/4 | TAPE, VIDEO RECORDING, CASSETTE, 8 MILLIMETER (MM) (0.314-INCH) WIDE, METAL PARTICLE (MP) TYPE, STANDARD OR HIGH GRADE [CUST: CC] | A 5836 / CC | | 18-SEP-95 |
| | A-A-55481/5 | TAPE, VIDEO RECORDING, CASSETTE, HI-8 FORMAT, 8 MILLIMETER (MM) (0.314-INCH) WIDE, METAL PARTICLE (MP) POSITION, OR METAL EVAPORATED (ME) POSITION [CUST: CC] | A 5836 / CC | | 18-SEP-95 |
| | A-A-55483 | SHIELDING BEAD, ELECTRONIC [CUST: CC] | A 5950 / CC | | 07-SEP-94 |
| | A-A-55484 | SHIELDING BEADS, FERRITE, LEADED, EMI SUPPRESSOR [CUST: CC] | A 5950 / CC | | 01-AUG-94 |
| | A-A-55485A | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, GENERAL REQUIREMENTS FOR [CUST: CR EC 85 CC] | A 5999 / CC | | 26-NOV-93 |
| | A-A-55485/1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .100 DIAMETER PIN CENTER [CUST: CR EC 85 CC] | A 5999 / CC | | 30-SEP-93 |
| | A-A-55485/2 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .200 OR .230 DIAMETER PIN CENTER [CUST: CR EC 85 CC] | A 5999 / CC | | 30-SEP-93 |
| | A-A-55485/3 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .100 DIAMETER PIN CENTER TO A LARGER DIAMETER [CUST: CR EC 85 CC] | A 5999 / CC | | 30-SEP-93 |
| | A-A-55485/4 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 OR .230 DIAMETER PIN CENTER TO A LARGER DIAMETER [CUST: CR EC 85 CC] | A 5999 / CC | | 30-SEP-93 |
| | A-A-55485/5 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 TO .230 DIAMETER PIN CENTER TO A GRID PATTERN [CUST: CR EC 85 CC] | A 5999 / CC | | 30-SEP-93 |
| | A-A-55485/6A | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, FOR RELAYS AND DISCRETE COMPONENTS [CUST: CR EC 85 CC] | A 5999 / CC | | 01-JUN-95 |
| | A-A-55485/7 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, MULTIPLE APPLICATIONS [CUST: CR EC 85 CC] | A 5999 / CC | | 30-SEP-93 |
| | A-A-55485/10 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 DIAMETER PIN CENTER [CUST: CR EC 85 CC] | A 5999 / CC | | 30-SEP-93 |
| | A-A-55485/11 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, VERTICAL TYPE [CUST: CR EC 85 CC] | A 5999 / CC | | 30-SEP-93 |
| | A-A-55487 | PIN, LOCK (HITCH PIN) [CUST: AV AS 99 IS] | A 5315 / IS | | 23-NOV-94 |
| | A-A-55488 | PIN, RETAINING, SAFETY [CUST: AV 82 IS] [REVIEW: 99] | A 5315 / IS | | 18-OCT-94 |
| | A-A-55489 | BASE, CIRCUIT BREAKER, AUTOMOTIVE TYPE [CUST: CC] | A 5925 / CC | | 17-OCT-94 |
| | A-A-55490 | CIRCUIT BREAKER, AUTOMOTIVE TYPE [CUST: CC] | A 5925 / CC | | 21-DEC-93 |
| | A-A-55491 | CIRCUIT BREAKER, AUTOMOTIVE TYPE, SEALED [CUST: CC] | A 5925 / CC | | 21-DEC-93 |
| | A-A-55492A | FUSE CARTRIDGE, SEMICONDUCTOR TYPE, 130 VOLTS [CUST: EC CC] | A 5920 / CC | | 14-APR-97 |
| A | A-A-55493A | FUSE CARTRIDGE, SEMICONDUCTOR TYPE, 150 VOLTS [CUST: EC CC] | A 5920 / CC | | 03-OCT-97 |
| A | A-A-55494A | FUSE CARTRIDGE, SEMICONDUCTOR TYPE, 250 VOLTS [CUST: EC CC] | A 5920 / CC | | 03-OCT-97 |
| | A-A-55495A | FUSE CARTRIDGE, SEMICONDUCTOR TYPE, 500 VOLTS [CUST: EC CC] | A 5920 / CC | | 14-APR-97 |
| | A-A-55496A | FUSE CARTRIDGE, SEMICONDUCTOR TYPE, 700 VOLTS [CUST: EC CC] | A 5920 / CC | | 04-APR-97 |
| | A-A-55497 | FUSE LINK, ELECTRICAL TYPE K (FAST) [CUST: CC] | A 5920 / CC | | 07-MAR-94 |
| | A-A-55498 | FUSE LINK, ELECTRICAL, TYPE T (SLOW) [CUST: CC] | A 5920 / CC | | 07-MAR-94 |
| | A-A-55499 | FUSEHOLDER, EXTRACTOR POST [CUST: CC] | A 5920 / CC | | 04-MAR-94 |
| | A-A-55500 | SHIELDING BEAD, ELECTRONIC, GENERAL REQUIREMENTS FOR [CUST: CC] | A 5950 / CC | | 22-MAY-96 |
| | A-A-55500/1 | SURFACE MOUNT SHIELDING BEAD [CUST: CC] | A 5950 / CC | | 22-MAY-96 |
| A | A-A-55501A | RESISTORS, FIXED, ZERO OHM, 1/4 WATT [CUST: EC CC] | A 5905 / CC | | 07-APR-98 |
| A | A-A-55502A | RESISTORS, FIXED, ZERO OHM, 1/8 WATT [CUST: EC CC] | A 5905 / CC | | 07-APR-98 |
| | A-A-55503 | MICROCIRCUIT, DIGITAL, 8-BIT NMOS MICROCONTROLLER WITH 2K X 8 EPROM AND 128K X 8 RAM [CUST: CC] | A 5962 / CC | | 09-MAR-94 |
| | A-A-55504 | FUSEHOLDER, EXTRACTOR POST, WHICH ACCOMMODATES 3AG (6.35 MILLIMETERS (MM) X 31.75 MM (.25 INCH (IN) X 1.25 IN)) OR 5 MM X 20 MM (.196 IN X .787 IN) FUSE CARTRIDGES [CUST: CC] | A 5920 / CC | | 07-NOV-94 |
| | A-A-55504/1 | FUSEHOLDER, EXTRACTOR POST, FRONT MOUNT, LOW PROFILE, FINGER GRIP KNOB FUSE CARRIER FOR 3AG (6.35 MILLIMETERS (MM) X 31.75 MM (.25 INCH (IN) X 1.25 IN)) OR 5 MM X 20 MM (.196 IN X .787 IN) FUSE CARTRIDGES [CUST: CC] | A 5920 / CC | | 07-NOV-94 |
| | A-A-55504/2 | FUSEHOLDER, EXTRACTOR POST, FRONT MOUNT, HIGH PROFILE, FINGER GRIP KNOB FUSE CARRIER FOR 3AG (6.35 MILLIMETERS (MM) X 31.75 MM (.25 INCH (IN) X 1.25 IN)) OR 5 MM X 20 MM (.196 IN X .787 IN) FUSE CARTRIDGES [CUST: CC] | A 5920 / CC | | 07-NOV-94 |
| | A-A-55504/3 | FUSEHOLDER, EXTRACTOR POST, FRONT OR REAR MOUNT, FINGER GRIP KNOB FUSE CARRIER FOR 3AG (6.35 MILLIMETERS (MM) X 31.75 MM (.25 INCH (IN) X 1.25 IN)) OR 5 MM X 20 MM (.196 IN X .787 IN) FUSE CARTRIDGES [CUST: CC] | A 5920 / CC | | 07-NOV-94 |
| | A-A-55504/4 | FUSEHOLDER, EXTRACTOR POST, LOW PROFILE, SNAP-IN, FRONT MOUNT, FINGER GRIP KNOB FUSE CARRIER FOR 3AG (6.35 MILLIMETERS (MM) X 31.75 MM (.25 INCH (IN) X 1.25 IN)) OR 5 MM X 20MM (.196 IN X .787 IN) FUSE CARTRIDGES [CUST: CC] | A 5920 / CC | | 07-NOV-94 |
| | A-A-55504/5 | FUSEHOLDER, EXTRACTOR POST, FRONT MOUNT, LOW PROFILE, SCREWDRIVER KNOB FUSE CARRIER FOR 3AG (6.35 MILLIMETERS (MM) X 31.75 MM (.25 INCH (IN) X 1.25 IN)) OR 5 MM X 20 MM (.196 IN X .787 IN) FUSE CARTRIDGES [CUST: CC] | A 5920 / CC | | 07-NOV-94 |
| | A-A-55504/6 | FUSEHOLDER, EXTRACTOR POST, HIGH PROFILE, FRONT MOUNT, SCREWDRIVER SLOTTED KNOB FUSE CARRIER FOR 3AG (6.35 MILLIMETERS (MM) X 31.75 MM (.25 INCH (IN) X 1.25 IN)) OR 5 MM X 20MM (.196 IN X .787 IN) FUSE CARTRIDGES [CUST: CC] | A 5920 / CC | | 07-NOV-94 |
| | A-A-55504/7 | FUSEHOLDER, EXTRACTOR POST, FRONT MOUNT, LOW PROFILE, SNAP-IN, WITH SCREWDRIVER SLOTTED KNOB FUSE CARRIER FOR 3AG (6.35 MILLIMETERS (MM) X 31.75 MM (.25 INCH (IN) X 1.25 IN)) OR 5 MM X 20 MM (.196 IN X .787 IN) FUSE CARTRIDGES [CUST: CC] | A 5920 / CC | | 07-NOV-94 |
| | A-A-55506 | FILTER, RADIO FREQUENCY INTERFERENCE [CUST: CC] | A 5915 / CC | | 25-DEC-93 |
| | A-A-55507 | CLIP, ELECTRICAL, FUZE, GENERAL REQUIREMENTS FOR [CUST: CR SH 85 CC] | A 5999 / CC | | 15-AUG-95 |
| | A-A-55507/1 | CLIP, ELECTRICAL, FUSE, 30 AND 60 AMPERE, FOR FUSE DIAMETERS 1/4" THRU 13/16" [CUST: CR SH 85 CC] | A 5999 / CC | | 15-AUG-95 |
| | A-A-55508 | FUSEHOLDER, BLOCK, 30 AMPERES, 250 V AC, 1 TO 12 POLES [CUST: CC] | A 5920 / CC | | 22-APR-94 |
| | A-A-55509 | FUSE, INDICATOR ALARM [CUST: CC] | A 5920 / CC | | 04-JUL-94 |
| | A-A-55510 | FUSEHOLDER, BLOCK FOR INDICATOR ALARM FUSES [CUST: CC] | A 5920 / CC | | 04-JUL-94 |
| | A-A-55511 | MULTIMETER, 3 1/2 DIGIT, DIGITAL DISPLAY, HAND HELD [CUST: CC] | A 6625 / CC | | 10-JUN-94 |
| | A-A-55512 | RESISTOR, THERMALLY SENSITIVE (THERMISTOR) [CUST: CC] | A 5905 / CC | | 19-APR-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | A-A-55513 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG, 24 POSITION, EMI SHIELDED, CABLE TERMINATING, SCREW LOCKING [CUST: CC] | A 5935 | / | CC | 15-MAR-94 |
| | A-A-55514 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG, 24 POSITION, CABLE TERMINATING, INSULATION DISPLACEMENT, SCREW LOCKING, THICK FLANGE [CUST: CC] | A 5935 | / | CC | 15-MAR-94 |
| | A-A-55515 | CONNECTORS, ELECTRICAL, IEEE 488 COMPATIBLE, RECTANGULAR, MINIATURE, POLARIZED SHELL, PLUG AND RECEPTACLE, SNAP ON COVERS, HARDWARE KIT [CUST: CC] | A 5935 | / | CC | 15-MAR-94 |
| | A-A-55517 | RESISTOR, FIXED, CARBON FILM, GENERAL REQUIREMENTS FOR [CUST: EC CC] | A 5905 | / | CC | 21-FEB-97 |
| | A-A-55517/1A | RESISTOR, FIXED, CARBON FILM, 1/8 WATT [CUST: EC CC] | A 5905 | / | CC | 17-JUN-97 |
| | A-A-55517/2A | RESISTOR, FIXED, CARBON FILM, 1/4 WATT [CUST: EC CC] | A 5905 | / | CC | 17-JUN-97 |
| | A-A-55517/3A | RESISTOR, FIXED, CARBON FILM, 1/2 WATT [CUST: EC CC] | A 5905 | / | CC | 17-JUN-97 |
| | A-A-55517/4A | RESISTOR, FIXED, CARBON FILM, 1 WATT [CUST: EC CC] | A 5905 | / | CC | 17-JUN-97 |
| | A-A-55517/5A | RESISTOR, FIXED, CARBON FILM, 2 WATT [CUST: EC CC] | A 5905 | / | CC | 17-JUN-97 |
| | A-A-55518 | FUSEHOLDER, BLOCK, GENERAL REQUIREMENTS FOR [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG EA EC MI] | A 5920 | / | CC | 01-MAR-96 |
| | A-A-55518/1 | FUSEHOLDER, BLOCK, 2 AMPERES (A), 250 VOLTS (V) AC, 1 POLE OR 1 THROUGH 12 POLE, ACCOMMODATES 8AG TYPE FUSE CARTRIDGES [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG EA EC MI] | A 5920 | / | CC | 01-MAR-96 |
| | A-A-55518/2 | FUSEHOLDER, BLOCK, 20 OR 30 AMPERES (A), 250 VOLTS (V) AC, 1 THROUGH 12 POLE, ACCOMMODATES 3AG OR 3AB TYPE FUSE CARTRIDGES [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG EA EC MI] | A 5920 | / | CC | 01-MAR-96 |
| | A-A-55518/3 | FUSEHOLDER, BLOCK, 30 AMPERES (A), 250 VOLTS (V), AC, 1 THROUGH 12 POLE ACCOMMODATES 4AG OR 4AB TYPE FUSE CARTRIDGES [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG EA EC MI] | A 5920 | / | CC | 01-MAR-96 |
| | A-A-55518/4 | FUSEHOLDER, BLOCK, 30 AMPERE (A), 250 VOLTS (V) AC, 1 THROUGH 12 POLE, ACCOMMODATES 5AG OR 5AB TYPE FUSE CARTRIDGES [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG EA EC MI] | A 5920 | / | CC | 01-MAR-96 |
| | A-A-55519 | FUSE, INCLOSED LINK, SUBMINIATURE, SURFACE MOUNT (SM), GENERAL REQUIREMENTS FOR [CUST: EC CC] | A 5920 | / | CC | 04-NOV-96 |
| | A-A-55519/1 | FUSE, INCLOSED LINK, SUBMINIATURE, SURFACE MOUNT (SM), VERY FAST ACTING, WITH END CAPS [CUST: EC CC] | A 5920 | / | CC | 04-NOV-96 |
| | A-A-55519/2 | FUSE, INCLOSED LINK, SUBMINIATURE, SURFACE MOUNT (SM), TIME DELAY, WITH END CAPS [CUST: EC CC] | A 5920 | / | CC | 04-NOV-96 |
| | A-A-55519/3 | FUSE, INCLOSED LINK, SUBMINIATURE, SURFACE MOUNT (SM), VERY FAST ACTING, WITH WRAP AROUND TERMINALS [CUST: EC CC] | A 5920 | / | CC | 04-NOV-96 |
| | A-A-55519/4 | FUSE, INCLOSED LINK, SUBMINIATURE, SURFACE MOUNT (SM), TIME DELAY, WITH WRAP AROUND TERMINALS [CUST: EC CC] | A 5920 | / | CC | 04-NOV-96 |
| | A-A-55520 | CLEANING KIT, AUTOMATIC DATA PROCESSING EQUIPMENT, DISK DRIVE [CUST: CC] | A 7035 | / | CC | 28-OCT-94 |
| | A-A-55520/1 | CLEANING KIT, AUTOMATIC DATA PROCESSING EQUIPMENT, DISK DRIVE, 90 MILLIMETERS (MM) (3.5 INCHES) [CUST: CC] | A 7035 | / | CC | 28-OCT-94 |
| | A-A-55520/2 | CLEANING KIT, AUTOMATIC DATA PROCESSING EQUIPMENT, DISK DRIVE, 130 MILLIMETERS (MM) (5.25 INCHES) [CUST: CC] | A 7035 | / | CC | 28-OCT-94 |
| | A-A-55520/3 | CLEANING KIT, AUTOMATIC DATA PROCESSING EQUIPMENT, DISK DRIVE, 203.20 MILLIMETERS (MM) (8 INCHES) [CUST: CC] | A 7035 | / | CC | 28-OCT-94 |
| D | A-A-55522 | BARBED TAPE, CONCERTINA [CUST: AT YD1 99 IS] [REVIEW: 84] | A 5660 | / | IS | 28-APR-97 |
| | A-A-55523 | POSTS, FENCE: DRIVE-TYPE, SPADELESS [CUST: AT YD1 99 IS] [REVIEW: 84 CE MC] | A 5660 | / | IS | 28-APR-97 |
| A | A-A-55524 | SHUNT, INSTRUMENT (EXTERNAL, 50 MILLIVOLT, LIGHTWEIGHT TYPE) [CUST: CR EC 82 CC] [REVIEW: 99 AR MI] | A 6625 | / | CC | 17-OCT-97 |
| A | A-A-55524/1 | SHUNT, INSTRUMENT (EXTERNAL, 50 MILLIVOLT, 10 THROUGH 150 AMPERES [A] LIGHTWEIGHT TYPE) [CUST: CR EC 82 CC] [REVIEW: 99 AR MI] | A 6625 | / | CC | 17-OCT-97 |
| A | A-A-55524/2 | SHUNT, INSTRUMENT (EXTERNAL, 50 MILLIVOLT, 170 THROUGH 600 AMPERES [A] LIGHTWEIGHT TYPE) [CUST: CR EC 82 CC] [REVIEW: 99 AR MI] | A 6625 | / | CC | 17-OCT-97 |
| A | A-A-55524/3 | SHUNT, INSTRUMENT (EXTERNAL, 50 MILLIVOLT, 800 THROUGH 1200 AMPERES [A] LIGHTWEIGHT TYPE) [CUST: CR EC 82 CC] [REVIEW: 99 AR MI] | A 6625 | / | CC | 17-OCT-97 |
| | A-A-55527 | FILLERS FOR ROTARY SWEEPER BRUSH: FOR SWEEPER, FRONT MOUNTED OR TOWED TYPE [CUST: CR4 99 CC] | A 3825 | / | IS | 09-JUN-97 |
| | A-A-55528 | CONNECTORS, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE RACK AND PANEL, SOLDER CONTACT, SCREWLOCK [CUST: CC] | A 5935 | / | CC | 30-JAN-96 |
| | A-A-55529 | CONNECTORS, TELECOMMUNICATION, POLARIZED SHELL, RECEPTACLE, FEMALE RACK AND PANEL, SOLDER CONTACT, SCREWLOCK [CUST: CC] | A 5935 | / | CC | 30-JAN-96 |
| | A-A-55530 | CONNECTORS, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE RACK AND PANEL, SOLDER CONTACT, SIDE ENTRY SHIELD, SCREWLOCK [CUST: CC] | A 5935 | / | CC | 30-JAN-96 |
| | A-A-55531 | CONNECTORS, TELECOMMUNICATION, POLARIZED SHELL, RECEPTACLE, FEMALE RACK AND PANEL, SOLDER CONTACT, SIDE ENTRY COVER, SCREWLOCK [CUST: CC] | A 5935 | / | CC | 30-JAN-96 |
| | A-A-55532 | CONNECTORS, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE PRINTED CIRCUIT BOARD, SOLDER CONTACT, SCREWLOCK [CUST: CC] | A 5935 | / | CC | 30-JAN-96 |
| | A-A-55533 | CONNECTORS, TELECOMMUNICATION, POLARIZED SHELL, RECEPTACLE, FEMALE PRINTED CIRCUIT BOARD, SOLDER CONTACT, SCREWLOCK [CUST: CC] | A 5935 | / | CC | 30-JAN-96 |
| | A-A-55534 | RESISTOR, FIXED, POWER TYPE (VERY LOW RESISTANCE VALUES), GENERAL REQUIREMENTS FOR [CUST: EC CC] | A 5905 | / | CC | 19-FEB-97 |
| | A-A-55534/1 | RESISTORS, FIXED, WIRE WOUND OR METAL ELEMENT, (POWER TYPE) STYLE VLV1 [CUST: EC CC] | A 5905 | / | CC | 19-FEB-97 |
| A | A-A-55534/2 | RESISTORS, FIXED, WIREWOUND OR METAL ELEMENT, CHIP, (POWER TYPE) STYLE VLV1206 [CUST: EC CC] | A 5905 | / | CC | 20-FEB-98 |
| | A-A-55534/3 | RESISTORS, FIXED, WIRE WOUND OR METAL ELEMENT, (POWER TYPE) STYLE VLV3 [CUST: EC CC] | A 5905 | / | CC | 19-FEB-97 |
| | A-A-55534/4 | RESISTORS, FIXED, WIRE WOUND OR METAL ELEMENT, (POWER TYPE) STYLE VLV5 [CUST: EC CC] | A 5905 | / | CC | 19-FEB-97 |
| | A-A-55534/5 | RESISTORS, FIXED, WIRE WOUND OR METAL ELEMENT, (POWER TYPE) STYLE VLV7 [CUST: EC CC] | A 5905 | / | CC | 19-FEB-97 |
| | A-A-55534/6 | RESISTORS, FIXED, WIRE WOUND OR METAL ELEMENT, (POWER TYPE) STYLE VLV10 [CUST: EC CC] | A 5905 | / | CC | 19-FEB-97 |
| A | A-A-55534/7 | RESISTORS, FIXED, WIREWOUND OR METAL ELEMENT, CHIP, (POWER TYPE) STYLE VLV2010 [CUST: EC CC] | A 5905 | / | CC | 20-FEB-98 |
| A | A-A-55534/8 | RESISTORS, FIXED, WIREWOUND OR METAL ELEMENT, CHIP, (POWER TYPE) STYLE VLV2512 [CUST: EC CC] | A 5905 | / | CC | 20-FEB-98 |
| A | A-A-55534/9 | RESISTORS, FIXED, WIREWOUND OR METAL ELEMENT, CHIP, (POWER TYPE) STYLE VLV2 [CUST: EC CC] | A 5905 | / | CC | 20-FEB-98 |
| | A-A-55547 | DISKETTE-LIBRARY BOX [CUST: EC CC] | A 7045 | / | CC | 31-JAN-95 |
| | A-A-55549 | PACKING, PREFORMED, ROUND (FOR USE WITH WAVEGUIDE FLANGES) [CUST: MR EC 99 IS] [REVIEW: 82 85 CR MC] | A 5330 | / | IS | 18-OCT-94 |
| | A-A-55555 | DUSTER, MANUALLY-OPERATED TUBULAR-PUMP MANUALLY CARRIED [CUST: MD 99 CC] [REVIEW: 84 MC MS PM] | A 3740 | / | CC | 31-MAR-94 |
| | A-A-55558 | CONNECTOR, RECEPTACLE, ELECTRICAL, UTILITY POWER, 15 AMP, 125 VOLT, 50/60 HERTZ WITH COVER [CUST: CC] | A 5935 | / | CC | 18-JAN-95 |
| | A-A-55559 | TAPE, ELECTRONIC DATA PROCESSING [CUST: CC] | A 7045 | / | CC | 31-AUG-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|-----------------|--|--------------|-----|-------------|--|-----------|
| | | | FSC/Area | UIC | Prep. Acty. | | |
| | A-A-55559/1 | TAPE, ELECTRONIC DATA PROCESSING, UNFORMATTED, 6.35 MILLIMETER (MM) (.25 INCH (IN)) WIDE, IN A 5.25-INCH FORM FACTOR DATA CARTRIDGE [CUST: CC] | A 7045 | / | CC | | 31-AUG-95 |
| | A-A-55559/2 | TAPE, ELECTRONIC DATA PROCESSING, UNFORMATTED, 6.35 MILLIMETER (MM) (.25 INCH (IN)) WIDE, IN A 3.5-INCH FORM FACTOR MINICARTRIDGE [CUST: CC] | A 7045 | / | CC | | 31-AUG-95 |
| | A-A-55559/3 | TAPE, ELECTRONIC DATA PROCESSING, 4 MILLIMETER (MM) (.157 INCH (IN)) WIDE, UNFORMATTED, COMPATIBLE WITH DIGITAL DATA STORAGE (DDS) OR DATA/DIGITAL AUDIO TAPE (DAT) RECORDING FORMATS, SUPPLIED IN AN UNRECORDED HELICAL-SCAN DIGITAL COMPUTER TAPE CARTRIDGE [CUST: CC] | A 7045 | / | CC | | 31-AUG-95 |
| | A-A-55559/4 | TAPE, ELECTRONIC DATA PROCESSING, 8 MILLIMETER (MM) (.315 INCH (IN)) WIDE, UNFORMATTED, SUPPLIED IN AN UNRECORDED HELICAL-SCAN DIGITAL COMPUTER TAPE CARTRIDGE [CUST: CC] | A 7045 | / | CC | | 31-AUG-95 |
| | A-A-55560 | DISK, FLEXIBLE, TWO-SIDED, EXTRA HIGH-DENSITY, 5.3 TRACKS PER MILLIMETER (TPMM) (135 TRACKS PER INCH (TPI)), 90 MILLIMETERS (MM) (3.5 INCHES) [CUST: CC] | A 7045 | / | CC | | 17-APR-95 |
| | A-A-55561 | FUSE, INCLOSED LINK, DUAL-INLINE PACKAGE (DIP), OR SURFACE MOUNT (SM), GENERAL REQUIREMENTS FOR [CUST: CC] | A 5920 | / | CC | | 29-MAR-95 |
| | A-A-55561/1 | FUSE, INCLOSED LINK, DUAL-INLINE PACKAGE (DIP), OR SURFACE MOUNT (SM), FAST ACTING [CUST: CC] | A 5920 | / | CC | | 29-MAR-95 |
| | A-A-55561/2 | FUSE, INCLOSED LINK, DUAL-INLINE PACKAGE (DIP), OR SURFACE MOUNT (SM), SLOW BLOWING [CUST: CC] | A 5920 | / | CC | | 29-MAR-95 |
| | A-A-55562 | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP [CUST: CC] | A 5905 | / | CC | | 13-FEB-95 |
| | A-A-55562/1 | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 0603 [CUST: CC] | A 5905 | / | CC | | 13-FEB-95 |
| | A-A-55562/2 | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 0805 [CUST: CC] | A 5905 | / | CC | | 13-FEB-95 |
| | A-A-55562/3 | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 1206 [CUST: CC] | A 5905 | / | CC | | 13-FEB-95 |
| | A-A-55562/4 | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL OXIDE), CHIP, STYLE 1210 [CUST: CC] | A 5905 | / | CC | | 13-FEB-95 |
| | A-A-55563 | HOLDERS, ELECTRICAL CARD, METAL CARD GUIDE, GENERAL REQUIREMENTS FOR [CUST: CC] | A 5998 | / | CC | | 29-APR-96 |
| | A-A-55563/1 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, OPEN ENDED, WITH FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES [CUST: CC] | A 5998 | / | CC | | 29-APR-96 |
| | A-A-55563/2 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, OPEN ENDED, WITHOUT FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES [CUST: CC] | A 5998 | / | CC | | 29-APR-96 |
| | A-A-55563/3 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, CLOSED ENDED, WITH FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES [CUST: CC] | A 5998 | / | CC | | 29-APR-96 |
| | A-A-55563/4 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, CLOSED ENDED, WITHOUT FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES [CUST: CC] | A 5998 | / | CC | | 29-APR-96 |
| | A-A-55563/5 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITH FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES [CUST: CC] | A 5998 | / | CC | | 29-APR-96 |
| | A-A-55563/6 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITHOUT FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES [CUST: CC] | A 5998 | % | CC | | 29-APR-96 |
| | A-A-55563/7 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, OPEN ENDED, WITH FLARED ENTRY, AND WITH 3 MOUNTING HOLES [CUST: CC] | A 5998 | / | CC | | 29-APR-96 |
| | A-A-55563/8 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, OPEN ENDED, WITHOUT FLARED ENTRY, AND WITH 3 MOUNTING HOLES [CUST: CC] | A 5998 | / | CC | | 29-APR-96 |
| | A-A-55563/9 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, CLOSED ENDED, WITH FLARED ENTRY, AND WITH 3 MOUNTING HOLES [CUST: CC] | A 5998 | / | CC | | 29-APR-96 |
| | A-A-55563/10 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, CLOSED ENDED, WITHOUT FLARED ENTRY, AND WITH 3 MOUNTING HOLES [CUST: CC] | A 5998 | / | CC | | 29-APR-96 |
| | A-A-55563/11 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITH FLARED ENTRY, AND WITH 3 MOUNTING HOLES [CUST: CC] | A 5998 | / | CC | | 29-APR-96 |
| | A-A-55563/12 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITHOUT FLARED ENTRY, AND WITH 3 MOUNTING HOLES [CUST: CC] | A 5998 | / | CC | | 29-APR-96 |
| | A-A-55563/13 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITH FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES, AND WITH CONTROLLED INSIDE BEND RADIUS | A 5998 | / | CC | | 28-JUN-96 |
| | A-A-55563/14 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITHOUT FLARED ENTRY, WITH 2 OFFSET (SIDE) MOUNTING HOLES, AND WITH CONTROLLED INSIDE BEND RADIUS | A 5998 | / | CC | | 28-JUN-96 |
| | A-A-55563/15 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITH FLARED, WITH 3 MOUNTING HOLES, WITH CONTROLLED INSIDE BEND RADIUS | A 5998 | / | CC | | 28-JUN-96 |
| | A-A-55563/16 | HOLDER, ELECTRICAL CARD, METAL CARD GUIDE, LOW PROFILE, OPEN ENDED, WITHOUT FLARED ENTRY, WITH 3 MOUNTING HOLES, AND WITH CONTROLLED INSIDE BEND RADIUS | A 5998 | / | CC | | 28-JUN-96 |
| | A-A-55564 | RESISTOR, VOLTAGE SENSITIVE (VARISTOR), GENERAL REQUIREMENTS FOR [CUST: EC CC] | A 5905 | / | CC | | 06-OCT-95 |
| | A-A-55564/1 | RESISTOR, VOLTAGE SENSITIVE (VARISTOR), BASE MOUNT [CUST: EC CC] | A 5905 | / | CC | | 06-OCT-95 |
| | A-A-55564/2 | RESISTOR, VOLTAGE SENSITIVE (VARISTOR), METAL-OXIDE, HIGH ENERGY [CUST: EC CC] | A 5905 | / | CC | | 28-NOV-95 |
| | A-A-55565 | PRINTER, AUTOMATIC DATA PROCESSING, LASER, 12 PPM, 600 DPI [CUST: EC CC] | A 7025 | / | CC | | 30-JUN-95 |
| | A-A-55566 | PAD, MOUSE [CUST: EC CC] | A 7045 | / | CC | | 30-JUN-95 |
| | A-A-55567 | CAPACITOR, ALUMINUM ELECTROLYTIC, GENERAL REQUIREMENTS FOR [CUST: CC] | A 5910 | / | CC | | 01-APR-96 |
| | A-A-55567/1 | CAPACITOR, ALUMINUM ELECTROLYTIC, LARGE CAN, SCREW TERMINAL [CUST: CC] | A 5910 | / | CC | | 01-APR-96 |
| M | A-A-55568A | HEADSET-MICROPHONE, LIGHTWEIGHT, GENERAL REQUIREMENTS FOR [CUST: EC 85 CC] | A 5965 | / | CC | | 12-MAY-98 |
| M | A-A-55568/1A | HEADSET-MICROPHONE, MONAURAL, LIGHTWEIGHT, INTRA-AURAL, AMPLIFIED RECEIVER [CUST: EC 85 CC] | A 5965 | / | CC | | 12-MAY-98 |
| M | A-A-55568/2A | HEADSET-MICROPHONE, MONAURAL, LIGHTWEIGHT, INTRA-AURAL, UNAMPLIFIED RECEIVER [CUST: EC 85 CC] | A 5965 | / | CC | | 12-MAY-98 |
| M | A-A-55568/3A | HEADSET-MICROPHONE, MONAURAL, LIGHTWEIGHT, SUPRA-AURAL [CUST: EC 85 CC] | A 5965 | / | CC | | 12-MAY-98 |
| | A-A-55569 | FUSE, INCLOSED LINK, AUTOMOTIVE BLADE TYPE, GENERAL REQUIREMENTS FOR [CUST: EC CC] | A 5920 | % | CC | | 03-JUN-96 |
| | A-A-55569/1 | FUSE, INCLOSED LINK, FAST ACTING, 1 AMPERES (A) THROUGH 40 A, AUTOMOTIVE BLADE TYPE [CUST: EC CC] | A 5920 | % | CC | | 03-JUN-96 |
| | A-A-55569/2 | FUSE, INCLOSED LINK, FAST ACTING, 2 AMPERES (A) THROUGH 30 A, MINIATURE, AUTOMOTIVE BLADE TYPE [CUST: EC CC] | A 5920 | % | CC | | 03-JUN-96 |
| | A-A-55569/3 | FUSE, INCLOSED LINK, SLOW BLOWING, 20 AMPERES (A) THROUGH 80 A, AUTOMOTIVE BLADE TYPE [CUST: EC CC] | A 5920 | % | CC | | 03-JUN-96 |
| | A-A-55570 | FUSEHOLDER FOR AUTOMOTIVE BLADE TYPE, INCLOSED LINK FUSES, GENERAL REQUIREMENTS FOR [CUST: EC CC] | A 5920 | % | CC | | 03-JUN-96 |
| | A-A-55570/1 | FUSEHOLDER, EXTRACTOR POST, IN-LINE TYPE, ACCOMMODATES FAST ACTING, AUTOMOTIVE BLADE TYPE, INCLOSED LINK FUSES [CUST: EC CC] | A 5920 | % | CC | | 03-JUN-96 |
| | A-A-55570/2 | FUSEHOLDER, EXTRACTOR POST, IN-LINE CRIMP TYPE, ACCOMMODATES MINIATURE, AUTOMOTIVE BLADE TYPE, INCLOSED LINK FUSES [CUST: EC CC] | A 5920 | % | CC | | 03-JUN-96 |
| | A-A-55570/3 | FUSEHOLDER, EXTRACTOR POST, PRINTED CIRCUIT (PC) BOARD MOUNT TYPE, ACCOMMODATES MINIATURE, AUTOMOTIVE BLADE TYPE, INCLOSED LINK, FUSES [CUST: EC CC] | A 5920 | % | CC | | 03-JUN-96 |
| | A-A-55571/3 | CIRCUIT BREAKER, 28 VOLTS (V) DC, MANUAL RESET, NONWATERPROOF, 105 AMPERES (A) TO 200 A [CUST: AT EC 85 CC] | A 5925 | / | CC | | 24-JUN-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/rea | MCA | Prog. Acty. | Date |
|-----------------|---|----------------------|-----|-------------|-----------|
| A-A-55571/4 | CIRCUIT BREAKER, 28 VOLTS (V) DC, MANUAL RESET, NONWATERPROOF, 35 AMPERES (A) TO 150 A [CUST: AT EC 85 CC] | A 5925 | / | CC | 24-JUN-96 |
| A-A-55571/5 | CIRCUIT BREAKER, 28 VOLTS (V) DC, AUTOMATIC RESET, NONWATERPROOF, 10 AMPERES (A) TO 35 A [CUST: AT EC 85 CC] | A 5925 | / | CC | 24-JUN-96 |
| A-A-55571/6 | CIRCUIT BREAKER, 28 VOLTS (V) DC, MANUAL RESET, NONWATERPROOF, 10 AMPERES (A) TO 35 A [CUST: AT EC 85 CC] | A 5925 | / | CC | 24-JUN-96 |
| A-A-55571/7 | CIRCUIT BREAKER, 28 VOLTS (V) DC, AUTOMATIC RESET, NONWATERPROOF, 35 AMPERES (A) TO 150 A [CUST: AT EC 85 CC] | A 5925 | / | CC | 24-JUN-96 |
| A-A-55571/8 | CIRCUIT BREAKER, 28 VOLTS (V) DC, AUTOMATIC RESET, NON-WATERPROOF, 150 AMPERES (A) TO 200 A [CUST: AT EC 85 CC] | A 5925 | / | CC | 24-JUN-96 |
| A-A-55586 | HINGE, BUTT-NARROW, NON-TEMPLATE [CUST: AR YD1 99] [REVIEW: 82 AV CR4 IS MC SH] | A 5340 | / | AR | 31-OCT-94 |
| A-A-55587 | HINGE, BUTT, BROAD, NON-TEMPLATE [CUST: AR YD1 99] [REVIEW: 82 AV CR4 MC SH] | A 5340 | / | IS | 31-OCT-94 |
| A-A-55588 | HINGE STRAP (OFFSET) [CUST: AR YD1 99] [REVIEW: 82 AV CR4 MC SH] | A 5340 | / | IS | 31-OCT-94 |
| A A-A-55589A | HINGE, BUTT, CONTINUOUS (PIANO) .032 THICKNESS, .063 PIN DIA [CUST: AR AS 99 IS] [REVIEW: 82 MC MI] | A 5340 | / | IS | 31-OCT-97 |
| A A-A-55590A | HINGE, BUTT, CONTINUOUS (PIANO) .040 THICKNESS, .091 PIN DIA [CUST: AR AS 99 IS] [REVIEW: 82 AT AV MC MI] | A 5340 | / | IS | 31-OCT-97 |
| A-A-55591 | HINGE, BUTT, CONTINUOUS (PIANO) .050 THICKNESS, .125 PIN DIA [CUST: AR AS 99] [REVIEW: 82 AT AV MC MI] | A 5340 | / | IS | 31-OCT-94 |
| A A-A-55592A | HINGE, BUTT, CONTINUOUS (PIANO) .060 THICKNESS, .125 PIN DIA [CUST: AR AS 99 IS] [REVIEW: 82 MC MI] | A 5340 | / | IS | 31-OCT-97 |
| A-A-55593 | HINGE, BUTT, CONTINUOUS (PIANO) .060 THICKNESS, .187 PIN DIA [CUST: AR AS 99] [REVIEW: 82 AT AV MC MI] | A 5340 | / | IS | 31-OCT-94 |
| A A-A-55594A | HINGE, BUTT, CONTINUOUS (PIANO) .075 THICKNESS, .187 AND .250 PIN DIA [CUST: AR AS 99 IS] [REVIEW: 82 MC MI] | A 5340 | / | IS | 31-OCT-97 |
| A-A-55595Q | HINGE, BUTT, CONTINUOUS (PIANO) .090 THICKNESS, .250 AND .375 PIN DIA [CUST: AR AS 99] [REVIEW: 82 AT AV MC MI] | A 5340 | / | IS | 31-OCT-94 |
| A A-A-55596A | HINGE, BUTT, CONTINUOUS (PIANO) .125 THICKNESS, .375 PIN DIA [CUST: AR AS 99 IS] [REVIEW: 82 MC MI] | A 5340 | / | IS | 31-OCT-97 |
| A A-A-55598A | BEARINGS, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLERS RETAINING RIBS ON INNER RING, ONE ROLLER RETAINING RIB ON OUTER RING, ONE DIRECTION LOCATING [CUST: AT OS GS] [REVIEW: MC SH] | A 3110 | / | GS | 25-JAN-96 |
| A A-A-55599A | BEARINGS, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, ONE ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, ONE DIRECTION LOCATING [CUST: AT OS GS] [REVIEW: MC SH] | A 3110 | / | GS | 25-JAN-96 |
| A-A-55600A | BEARINGS, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, TWO DIRECTION LOCATING [CUST: AT OS IS] [REVIEW: MC SH] | A 3110 | / | IS | 25-JAN-96 |
| A A-A-55601A | BEARINGS, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, CYLINDRICAL INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, NON - LOCATING [CUST: AT OS GS] [REVIEW: MC SH] | A 3110 | / | GS | 25-JAN-96 |
| A A-A-55602A | BEARINGS, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, CYLINDRICAL OUTER RING, NON - LOCATING [CUST: AT OS GS] [REVIEW: MC SH] | A 3110 | / | GS | 25-JAN-96 |
| A-A-55603 | CLAMP, GUY (POLE LINE) [CUST: CR YD1 99] [REVIEW: 82 CR4 MC] | A 4030 | / | IS | 02-MAY-95 |
| A-A-55606 | ANCHOR, GUY, AND RODS, ANCHOR [CUST: CR YD1 99] [REVIEW: AV SA] | A 4030 | / | IS | 21-AUG-95 |
| A-A-55607 | WASHER, LOCK, FLAT, EXTERNAL TOOTH, NONMAGNETIC [CUST: AR SH 99 IS] [REVIEW: 82 GL] | A 5310 | / | IS | 30-JAN-95 |
| A-A-55610A | WASHER, LOCK-SPRING, HELICAL, REGULAR (MEDIUM) SERIES [CUST: AR AS 99 IS] [REVIEW: 82 AT AV CR CR4 GL MC MI NS] | A 5310 | / | IS | 04-APR-95 |
| A-A-55614 | SHIELD, EXPANSION (NON-DRILLING EXPANSION ANCHORS) [CUST: AR YD1 99 IS] | A 5340 | / | IS | 19-JUL-95 |
| A-A-55615 | SHIELD, EXPANSION (WOOD SCREW AND LAG BOLT SELF-THREADING ANCHORS) [CUST: AR YD1 99 IS] | A 5340 | / | IS | 19-JUL-95 |
| M A-A-55617B | CASTER, INDUSTRIAL, MEDIUM DUTY [CUST: AR AS 99] [REVIEW: 82 MI] | A 5340 | / | IS | 29-MAY-98 |
| A A-A-55618A | CASTER, SWIVEL, KINGPINLESS INDUSTRIAL, HEAVY DUTY WITH TOWING APPLICATION [CUST: AS 99 IS] [REVIEW: 82] | A 5340 | / | IS | 31-DEC-97 |
| M A-A-55619B | CASTER, INDUSTRIAL, HEAVY DUTY [CUST: AR AS 99] [REVIEW: 82 MI] | A 5340 | / | IS | 29-MAY-98 |
| A-A-55620 | LOOPS, SLIDE (FOR EQUIPAGE) [CUST: GL YD1 99 IS] [REVIEW: 82] | A 5340 | / | IS | 17-NOV-95 |
| A-A-55621 | FASTENERS, SNAP, STYLE 3 PRONGED RING HEAD TYPE (16 LIGNE) [CUST: GL AS 99 IS] [REVIEW: AR MI SA] | A 5325 | / | IS | 31-MAY-96 |
| A-A-55622 | CORD, COTTON, SASH, VENETIAN BLIND, SPECIAL, AND GENERAL PURPOSE [CUST: GL SH 99 IS] [REVIEW: 82 AR EA MC MD YD] | A 4020 | / | IS | 13-AUG-96 |
| A-A-55623 | SCREW, MACHINE, 82 DEGREE AND 100 DEGREE, FLAT COUNTERSUNK HEAD, SLOTTED, PLASTIC (NYLON), UNC-2A AND UNF-2A [CUST: AR SH 99 IS] [REVIEW: 82 AS AT AV CR4 MC MI NS OS] | A 5305 | / | IS | 18-MAR-97 |
| A-A-55624 | SCREW, MACHINE, PAN HEAD, SLOTTED, PLASTIC (NYLON), UNC-2A [CUST: AT AS 82 IS] [REVIEW: 99 AR SH] | A 5305 | / | IS | 11-MAR-97 |
| A A-A-55625 | NUT, PLAIN, PLATE [CUST: AR IS] [REVIEW: CR4 MI] | A 5310 | / | IS | 19-APR-97 |
| A A-A-55628A | NUT, PLAIN, CAP, HIGH CROWN UNC-2B AND UNF-2B [CUST: AR SH 99 IS] [REVIEW: AS AT AV MC OS] | A 5310 | / | IS | 17-FEB-98 |
| A A-A-55629 | NUT, PLAIN, CAP, LOW CROWN UNC-2B AND UNF-2B [CUST: AR SH 99 IS] [REVIEW: AS AT AV MC OS] | A 5310 | / | IS | 31-JUL-97 |
| A A-A-55630 | FILLERS, CONTINUOUS, FOR ROTARY SWEEPER BRUSH: FOR SWEEPER, FRONT MOUNTED OR TOWED TYPE [CUST: AT 99 IS] [REVIEW: 84] | A 3825 | / | IS | 05-DEC-97 |
| A A-A-55631 | FILLERS, STRIP, FOR ROTARY SWEEPER BRUSH: FOR SWEEPER, FRONT MOUNTED OR TOWED TYPE [CUST: AT 99 IS] [REVIEW: 84] | A 3825 | / | IS | 05-DEC-97 |
| A A-A-55632 | SPACERS, FOR ROTARY SWEEPER BRUSH: FOR SWEEPER, FRONT MOUNTED OR TOWED TYPE [CUST: AT 99 IS] [REVIEW: 84] | A 3825 | / | IS | 05-DEC-97 |
| A A-A-55634 | ZIPPERS (FASTENERS, SLIDE INTERLOCKING) [CUST: GL AS 99 IS] [REVIEW: 82 MC MI NU OS SA] | A 5325 | / | IS | 20-MAR-98 |
| A-A-55697 | TUBE, NONMETALLIC, POLYVINYL CHLORIDE (PVC) FLEXIBLE (FOR LABORATORY AND MEDICAL USE) [CUST: 82 CC] | A 4720 | / | CC | 15-JAN-95 |
| A-A-55698 | LENS, SCLERAL, OCULAR LAVAGE [CUST: MD MS 03] | A 6540 | / | MB | 21-FEB-95 |
| A-A-55699 | PATIENT MONITOR [CUST: MD MS 03] | A 6515 | / | MB | 31-MAR-95 |
| A-A-55700 | LARYNGOSCOPE SET, MACINTOSH [CUST: MD MS 03] | A 6515 | / | MB | 30-JUN-95 |
| A-A-55708 | ROTATOR, LABORATORY, VARIABLE SPEED [CUST: MD MS 03] | A 6640 | / | MB | 09-AUG-96 |
| A-A-55709 | PUMP, INTRAVENOUS INFUSION [CUST: MD MS 03] | A 6515 | / | MB | 16-AUG-96 |
| A-A-55711 | FREEZER, UNDER COUNTER, BLOOD PLASMA [CUST: MD MS 03] | A 4110 | / | MB | 16-AUG-96 |
| A-A-55712 | METER, HYDROGEN ION TEST, 115/230 VOLTS, 50/60 HZ, AC [CUST: MD MS 03] | A 6630 | / | MB | 16-AUG-96 |
| A-A-55748 | SPRAYERS, INSECTICIDE, MANUALLY-CARRIED: HAND-OPERATED-COMPRESSION [CUST: YD1 99 CC] [REVIEW: 84 CG MC MD MS] | A 3740 | / | CC | 27-MAR-95 |
| A-A-55749 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 5 [CUST: MR AS 11 GS] | A 9320 | / | GS | 07-SEP-95 |
| A-A-55750 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 6 [CUST: MR AS 11 GS] | A 9320 | / | GS | 08-SEP-95 |
| A-A-55751 | RUBBER, SILICONE; CHANNEL, NONMETALLIC, SHAPE 7 [CUST: MR AS 11 GS] | A 9320 | / | GS | 08-SEP-95 |
| A-A-55752 | RUBBER, SILICONE; CHANNEL NONMETALLIC, SHAPE 8 [CUST: MR AS 11 GS] | A 9320 | / | GS | 08-SEP-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|-----------------|--|--------------|-----|-------------|--|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | | |
| | A-A-55753 | RUBBER, SILICONE; TUBING, NONMETALLIC, ROUND, FLEXIBLE, SHAPE 9 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 25-SEP-95 |
| | A-A-55754 | RUBBER, SILICONE; ROUND SECTION, SHAPE 10 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 11-SEP-95 |
| | A-A-55755 | RUBBER, SILICONE; PACKING MATERIAL, SHAPE 11 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 11-SEP-95 |
| | A-A-55756 | RUBBER, SILICONE; PACKING MATERIAL, SHAPE 12 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 11-SEP-95 |
| | A-A-55757 | RUBBER, SILICONE; GASKET, SHAPE 13 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 11-SEP-95 |
| | A-A-55758 | RUBBER, SILICONE; GASKET, SHAPE 14 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 12-SEP-95 |
| | A-A-55759 | RUBBER, SILICONE; SHEET, SOLID, SHAPE 15 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 12-SEP-95 |
| | A-A-55760 | RUBBER, SILICONE; STRIP, SHAPE 16 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 13-SEP-95 |
| | A-A-55761 | RUBBER, SILICONE; STRIP, SHAPE 17 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 13-SEP-95 |
| | A-A-55762 | RUBBER, SILICONE; STRIP, SHAPE 18 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 13-SEP-95 |
| | A-A-55763 | RUBBER, SILICONE; NONMETALLIC, SPECIAL SHAPED SECTION 19 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 13-SEP-95 |
| | A-A-55764 | RUBBER, SILICONE; NONMETALLIC, SPECIAL SHAPED SECTION 20 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 14-SEP-95 |
| | A-A-55765 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 21 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 15-SEP-95 |
| | A-A-55766 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 22 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 15-SEP-95 |
| | A-A-55767 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 23 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 15-SEP-95 |
| | A-A-55768 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 24 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 19-SEP-95 |
| | A-A-55769 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 25 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 19-SEP-95 |
| | A-A-55770 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 26 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 19-SEP-95 |
| | A-A-55771 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 27 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 19-SEP-95 |
| | A-A-55772 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 28 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 19-SEP-95 |
| | A-A-55773 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 29 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 19-SEP-95 |
| | A-A-55774 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 30 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 20-SEP-95 |
| | A-A-55775 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 31 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 20-SEP-95 |
| | A-A-55776 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 32 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 20-SEP-95 |
| | A-A-55777 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 33 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 20-SEP-95 |
| | A-A-55778 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 34 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 20-SEP-95 |
| | A-A-55779 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 35 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 21-SEP-95 |
| | A-A-55780 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 36 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 21-SEP-95 |
| | A-A-55781 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 37 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 21-SEP-95 |
| | A-A-55782 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 38 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 21-SEP-95 |
| | A-A-55783 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 39 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 21-SEP-95 |
| | A-A-55784 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 40 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 21-SEP-95 |
| | A-A-55785 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 41 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 21-SEP-95 |
| | A-A-55786 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 42 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 21-SEP-95 |
| | A-A-55787 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 43 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 21-SEP-95 |
| | A-A-55788 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 44 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 21-SEP-95 |
| | A-A-55789 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 45 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 21-SEP-95 |
| | A-A-55790 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 46 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 21-SEP-95 |
| | A-A-55791 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 47 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 21-SEP-95 |
| | A-A-55792 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 49 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 22-SEP-95 |
| | A-A-55793 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 50 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 22-SEP-95 |
| | A-A-55794 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 51 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 22-SEP-95 |
| | A-A-55795 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 52 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 22-SEP-95 |
| | A-A-55796 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 53 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 22-SEP-95 |
| | A-A-55797 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 54 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 22-SEP-95 |
| | A-A-55798 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 55 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 22-SEP-95 |
| | A-A-55799 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 56 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 22-SEP-95 |
| | A-A-55800 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 57 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 22-SEP-95 |
| | A-A-55801 | RUBBER, SILICONE; PACKING PREFORMED [CUST: MR AS 11 GS] [REVIEW: 82 99 AR CR MI OS SH YD1] | A 9320 | / | GS | | 22-SEP-95 |
| | A-A-55802 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION, SHAPE 48 [CUST: MR AS 11 GS] | A 9320 | / | GS | | 22-SEP-95 |
| | A-A-55803A | MILLING MACHINE, VERTICAL KNEE TYPE, 3 AXIS, COMPUTER NUMERICAL CONTROL, 3.0 TO 7.5 HORSEPOWER SPINDLE DRIVE [CUST: AL SH 99 GS] [REVIEW: 84] | A 3417 | / | GS | | 14-NOV-96 |
| | A-A-55804 | RODS, GROUND (WITH ATTACHMENTS) [CUST: CR 4 85 GS] [REVIEW: 11 99 AR CR MC MI] | A 5975 | / | GS | | 11-MAR-96 |
| | A-A-55805 | SHEARING MACHINES, METAL SQUARING, HYDRAULIC DRIVE [CUST: AL 99 GS] [REVIEW: 84 SH] | A 3445 | / | GS | | 31-MAY-96 |
| | A-A-55809 | INSULATION TAPE, ELECTRICAL, PRESSURE-SENSITIVE ADHESIVE, PLASTIC [CUST: AL SH 99 GS] [REVIEW: 84 YD1] | A 5970 | / | GS | | 23-APR-96 |
| | A-A-55810 | CONDUIT, METAL, FLEXIBLE [CUST: AL 99 GS] [REVIEW: 84 SH YD1] | A 5975 | / | GS | | 03-APR-96 |
| | A-A-55811 | STOPWATCH, GENERAL PURPOSE [CUST: AR SH 99 GS] [REVIEW: 82 AS CR MC OS] | A 6645 | / | GS | | 10-MAY-96 |
| | A-A-55812 | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, 125 VOLTS, 13 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR [CUST: 99 GS] [REVIEW: 11 85 CC CR 4 SH] | A 6150 | / | GS | | 13-NOV-95 |
| | A-A-55813 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 125 VOLTS, 10 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND LEFT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR [CUST: 99 GS] [REVIEW: 11 85 CC CR 4 SH] | A 6150 | / | GS | | 13-NOV-95 |
| | A-A-55814 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 125 VOLTS, 10 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND RIGHT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR [CUST: 99 GS] [REVIEW: 11 85 CC CR 4 SH] | A 6150 | / | GS | | 13-NOV-95 |
| | A-A-55815 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 125 VOLTS, 10 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND STRAIGHT MOLDED TYPE II EQUIPMENT CONNECTOR [CUST: 99 GS] [REVIEW: 11 85 CC CR 4 SH] | A 6150 | / | GS | | 13-NOV-95 |
| | A-A-55816 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 10 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND LEFT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR [CUST: 99 GS] [REVIEW: 11 85 CC CR 4 SH] | A 6150 | / | GS | | 13-NOV-95 |
| | A-A-55817 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 10 AMPERES, 50 AND 60 HERTZ), GROUNDING PLUG CONNECTOR, AND STRAIGHT MOLDED TYPE II EQUIPMENT CONNECTOR [CUST: 99 GS] [REVIEW: 11 85 CC CR 4 SH] | A 6150 | / | GS | | 13-NOV-95 |
| | A-A-55818 | SURGE SUPPRESSOR, TRANSIENT VOLTAGE (120 VOLT, 60 HERTZ, SINGLE PHASE, 15 AMPERE) DIRECT PLUG-IN AND CORD-CONNECTED TYPES [CUST: AL 99] [REVIEW: 84 SH] | A 6150 | / | GS | | 09-JUL-96 |
| | A-A-55820 | ORTHOPHOSPHORIC (PHOSPHORIC) ACID, TECHNICAL [CUST: EA SH 68 GS] [REVIEW: MC MD MI SA YD1] | A 6810 | / | GS | | 01-AUG-96 |
| | A-A-55821 | CALCIUM HYDROXIDE, TECHNICAL [CUST: EA SH 68 GS] [REVIEW: MC MI SA YD1] | A 6810 | / | GS | | 16-JUL-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|-----------------|---|--------------|-----|-------|-------|-----------|
| | | | FSC/rea | MCA | Prep. | Acty. | |
| | A-A-55822 | CHESTS, PLYWOOD [CUST: 99 GS] [REVIEW: 01 CC MC SO] | A 8145 | / | GS | | 01-AUG-96 |
| | A-A-55823 | ALUMINUM SULFATE, TECHNICAL [CUST: EA SH 68 GS] [REVIEW: MC MD SA YDI] | A 6810 | / | GS | | 30-JUL-96 |
| | A-A-55824 | N-AMYL ACETATE [CUST: EA 68 GS] [REVIEW: AR CR4 MDI] | A 6840 | / | GS | | 30-JUL-96 |
| | A-A-55825 | TERT-AMYL ALCOHOL [CUST: EA 68 GS] [REVIEW: AR CR4 MDI] | A 6810 | / | GS | | 30-JUL-96 |
| | A-A-55826 | TORCHES, OXYACETYLENE, HAND HELD, CUTTING AND WELDING [CUST: AL YD1 99] [REVIEW: 84 AV MC] | A 3433 | / | GS | | 05-SEP-96 |
| M | A-A-55827A | CHROMIUM TRIOXIDE, TECHNICAL [CUST: EA AS 68] [REVIEW: AR CR MD1 MI OS] | A 6810 | / | GS | | 19-MAY-98 |
| | A-A-55828 | SULFURIC ACID, TECHNICAL [CUST: EA 68 GS] [REVIEW: MD1 MI] | A 6810 | / | GS | | 06-FEB-97 |
| | A-A-55829 | ACETIC ACID, GLACIAL, TECHNICAL [CUST: EA 68 GS] [REVIEW: AS CR MD1 MI OS] | A 6810 | / | GS | | 04-FEB-97 |
| A | A-A-55830A | RACKS, TRAY BUSSING, MOBILE [CUST: GL SA 99 IS] [REVIEW: MC MD1 QM1 YDI] | A 7320 | / | IS | | 29-APR-97 |
| | A-A-55859 | TUBE, NONMETALLIC; POLYVINYL CHLORIDE (PVC) FLEXIBLE (GENERAL USE) [CUST: 99 CC] [REVIEW: 82] | A 4720 | / | CC | | 01-JUL-96 |
| | A-A-56001 | TEST SET, ELECTRICAL POWER AN/UPM-93() [CUST: CR] | A 6625 | / | CR | | 11-JUL-89 |
| | A-A-56002 | TEST SET, INSULATION BREAKDOWN AN/GSM-6() [CUST: CR] | A 6625 | / | CR | | 17-JUL-89 |
| | A-A-56011 | HANDLE, FOLDING, MALE 90 DEG. DETENT [CUST: MI] | A 5340 | / | MI | | 16-AUG-89 |
| | A-A-56012 | HANDLE, FOLDING, FEMALE 90 DEG. DETENT [CUST: MI] | A 5340 | / | MI | | 16-AUG-89 |
| | A-A-56013 | HANDLE, FOLDING, MALE 90 DEG. DETENT [CUST: MI] | A 5340 | / | MI | | 15-AUG-89 |
| | A-A-56014 | HANDLE, FOLDING, MALE 65 DEG. DETENT [CUST: MI] | A 5340 | / | MI | | 16-AUG-89 |
| | A-A-56015A | ADHESIVE SYSTEM, EPOXY, FOR DISSIMILAR METAL BONDING [CUST: MI] [REVIEW: AR MR] | A 8040 | / | MI | | 30-JUL-91 |
| | A-A-56023A | INSULATING COMPOUND, ELECTRICAL, SILICONE RUBBER, ROOM TEMPERATURE VULCANIZING [CUST: MI GS] [REVIEW: CR4 MD MR] | A 5970 | / | GS | | 15-FEB-94 |
| | A-A-56024 | FOIL, TITANIUM [CUST: MI SH] [REVIEW: AT CG GS] | A 6610 | / | MI | | 20-JAN-93 |
| | A-A-56025 | PASTE, CONDUCTIVE [CUST: MI 99] [REVIEW: 84] | A 8030 | / | MI | | 20-JAN-93 |
| | A-A-56028 | EYELET, LACING [CUST: MI OS 99 IS] [REVIEW: 82] | A 5325 | / | IS | | 30-AUG-93 |
| | A-A-56029 | MOLDING MATERIAL, SHEET, FIBER REINFORCED [CUST: MI AS 99] [REVIEW: 84 MR] | A 9330 | / | MI | | 10-SEP-93 |
| | A-A-56031 | ADHESIVE, EPOXY, MODIFIED, FLEXIBLE, TWO COMPONENT [CUST: MI] | A 8040 | / | MI | | 02-OCT-96 |
| A | A-A-56032A | INK, MARKING, EPOXY BASE [CUST: MI AS 99] [REVIEW: 84 AL AR CR4 EA GL MD OS] | A 7510 | / | MI | | 10-MAR-98 |
| | A-A-57174 | NUT, CAP, DUAL WHEEL MOUNTING [CUST: AT 99] [REVIEW: CC CR4] | A 2530 | / | AT | | 17-SEP-92 |
| A | A-A-58000 | TANK, STORAGE, LIQUID ARGON-NITROGEN-OXYGEN, CRYOGENIC, HORIZONTAL, 3000 AND 6000 GALLON [CUST: 99 GS] [REVIEW: 82] | A 3655 | / | GS | | 16-MAR-92 |
| | A-A-58001 | GENERATOR, SIGNAL, DIGITAL WORD [CUST: 99] | A 6625 | / | 82 | | 01-JUN-92 |
| | A-A-58002 | GENERATOR, PULSE 5 HZ TO 50 MHZ [CUST: 99] [REVIEW: CC CR EC] | A 6625 | / | 82 | | 01-JUN-92 |
| | A-A-58003 | TRUCK, FIRE FIGHTING (STRUCTURAL, 4 X 2 OR 4 X 4) [CUST: 99] | A 4210 | / | 84 | | 02-APR-92 |
| | A-A-58004 | TRUCK, FIRE FIGHTING (WATER TANKER, 5,000 GALLON CAPACITY) [CUST: 99] | A 4210 | / | 84 | | 18-FEB-92 |
| | A-A-58005 | TRUCK, FIRE FIGHTING (TELESCOPING AERIAL LADDER AND WORK PLATFORM) [CUST: 99] | A 4210 | / | 84 | | 02-APR-92 |
| | A-A-58006 | 4-WHEEL DRIVEN, MULTI-PURPOSE TRACTOR [CUST: 99] | A 2420 | / | 84 | | 10-APR-92 |
| | A-A-58008A | TEST SET, TELECOMMUNICATION SYSTEM [CUST: 99] [REVIEW: CC FSS] | A 6625 | / | 82 | | 21-MAY-96 |
| | A-A-58009A | TRUCK, FIRE FIGHTING, RESCUE (4X4 HEAVY RESCUE VEHICLE (HRV)) [CUST: 99] | A 4210 | / | 84 | | 25-JUL-94 |
| | A-A-58011 | CLEANER, ULTRASONIC, SIX GALLON [CUST: 99] | A 4940 | / | 82 | | 30-JAN-93 |
| | A-A-58012 | TEST SET, INTERFACE BUS [CUST: SH 99 CC] | A 6625 | / | 82 | | 01-FEB-93 |
| | A-A-58013 | COMPACT LOADER/BACKHOE [CUST: 99] | A 3805 | / | 84 | | 24-FEB-93 |
| | A-A-58014 | MOTOR GRADER, DED [CUST: 99] | A 3805 | / | 84 | | 29-MAR-93 |
| | A-A-58015 | TRAILER, FIRE FIGHTING (FOAM 1,000 GALLON CAPACITY) [CUST: 99] | A 4210 | / | 84 | | 27-MAY-93 |
| | A-A-58017 | RECOVERY UNIT, ANTI-FREEZE [CUST: 99] | A 4940 | / | 82 | | 09-AUG-93 |
| | A-A-58018 | RECOVERY UNIT, ANTI-FREEZE [CUST: 99] | A 4940 | / | 82 | | 09-AUG-93 |
| A | A-A-58019 | SELF GENERATING NITROGEN SERVICING CART (SGNSC) [CUST: 99 GS] [REVIEW: 82] | A 3655 | / | GS | | 31-DEC-93 |
| D | A-A-58020A | DRUMS, SHIPPING, STEEL WITH POLYETHYLENE INSERT [CUST: GL SA 69 IS] [REVIEW: 11 70 71 84 99 AS EA MI OS SH SM] | A 8110 | / | IS | | 15-APR-94 |
| | A-A-58024 | DIESEL-ENGINE-DRIVEN PNEUMATIC TIERED TRENCHERS [CUST: 99] | A 3805 | / | 84 | | 29-JUL-94 |
| | A-A-58025 | FISHING KIT, SURVIVAL [CUST: AS 99] [REVIEW: CC MC] | A 4220 | / | 84 | | 30-MAY-94 |
| | A-A-58028 | TRUCK, FIRE FIGHTING, RESCUE (HAZARDOUS MATERIALS VEHICLE (HMV)) [CUST: 99] | A 4210 | / | 84 | | 25-JUL-94 |
| | A-A-58030 | BOTTLES, SHIPPING, STORAGE, NON-HAZARDOUS [CUST: GL SA 69 IS] [REVIEW: 99 AR AS MC MD SM] | A 8125 | / | IS | | 15-SEP-94 |
| | A-A-58031 | VAN, MULTI-PURPOSE MORTUARY SERVICE: COMMERCIAL [CUST: 99] | A 2320 | / | 84 | | 30-SEP-94 |
| | A-A-58032 | TEST SET, ELECTRICAL POWER [CUST: 99] | A 6625 | / | 82 | | 17-OCT-94 |
| | A-A-58033 | REFLECTOMETER, METALLIC, TIME DOMAIN [CUST: 99] [REVIEW: CC SH] | A 6625 | / | 82 | | 10-OCT-94 |
| | A-A-58034 | FREQUENCY STANDARD, CESIUM [CUST: 99] [REVIEW: AS CC CR] | A 6625 | / | 82 | | 17-OCT-94 |
| | A-A-58035 | GENERATOR, SIGNAL 2.0 TO 8.4 GHZ [CUST: 99] [REVIEW: CC] | A 6625 | / | 82 | | 17-OCT-94 |
| | A-A-58036 | STAIRCASE, AIRCRAFT BOARDING [CUST: 99] | A 1730 | / | 82 | | 10-AUG-94 |
| | A-A-58037 | GENERATOR, PULSE [CUST: 99] [REVIEW: AS CC] | A 6625 | / | 82 | | 28-OCT-94 |
| | A-A-58038 | DIESEL ENGINE FUEL INJECTOR CLEANER [CUST: 82 CC] | A 4910 | / | 82 | | 04-DEC-94 |
| | A-A-58039 | VOLTAGE STANDARD [CUST: 99] | A 6625 | / | 82 | | 02-FEB-95 |
| | A-A-58040 | GASOLINE-ENGINE DRIVEN AND PNEUMATIC-POWERED VIBRATING SCREEDS [CUST: 99] | A 3895 | / | 84 | | 16-MAR-95 |
| | A-A-58041 | TRAILER, LD-3 CONTAINER, SIDE TRANSFER, TURNABLE [CUST: 99] | A 3920 | / | 84 | | 15-MAR-95 |
| | A-A-58042A | ANALYZER, DIGITAL DATA, ELECTRONIC TEST [CUST: CR AS 99 CC] | A 6625 | / | 82 | | 22-JAN-96 |
| | A-A-58043 | TRUCK, CURBSIDE RECYCLING, OVER THE TOP LOADING [CUST: 99] | A 2320 | / | 84 | | 17-MAY-95 |
| | A-A-58044 | N-METHYLPYRROLIDONE [CUST: 68 GS] | A 6810 | / | 68 | | 30-JUN-95 |
| | A-A-58045 | TRACTOR, WHEELED, AIRCRAFT TOWING [CUST: 99] | A 1740 | / | 84 | | 26-MAY-95 |
| | A-A-58046 | SAW, HAND, FINGER GRIP, SURVIVAL [CUST: GL 99] | A 5110 | / | 84 | | 27-JUN-95 |
| | A-A-58047 | GENERATOR, SIGNAL 10.0 MHZ TO 26.5 GHZ [CUST: 99] | A 6625 | / | 82 | | 12-SEP-95 |
| | A-A-58048 | GUARD, SAFETY, TIRE INFLATION [CUST: 99] [REVIEW: CC YDI] | A 4910 | / | 82 | | 29-SEP-95 |
| A | A-A-58049A | MAGNETIC PARTICLE INSPECTION UNITS, 52 INCH AND 100 INCH [CUST: AS 99 GS] | A 6635 | / | 82 | | 14-JAN-98 |
| | A-A-58050 | FLUORESCENT PENETRANT INSPECTION UNIT TYPE MA-2 [CUST: GL AS 99 GS] | A 6635 | / | 82 | | 20-OCT-95 |
| | A-A-58051 | OPTICAL FLATS [CUST: GL 99] [REVIEW: CD CEI] | A 5210 | / | 84 | | 17-NOV-95 |
| | A-A-58052 | STONE, COMMUTATOR BURNISHING (FLEXIBLE ABRASIVE) [CUST: MR SH 99] [REVIEW: IS] | A 5345 | / | 84 | | 05-APR-96 |
| | A-A-58053 | BEAD BREAKER, PNEUMATIC TIRE [CUST: 99] [REVIEW: CC] | A 4910 | / | 82 | | 08-DEC-95 |
| | A-A-58054 | ABRASIVE MATS, NON-WOVEN, NON-METALLIC [CUST: MR SH 99] [REVIEW: DS] | A 5350 | / | 84 | | 05-APR-96 |
| | A-A-58055 | INDICATOR, ATTITUDE, THREE INCH, SOLID STATE, SELF-CONTAINED [CUST: 99] | A 6610 | / | 82 | | 01-JAN-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Docu- ment Number | Docu- ment Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|----------------------|--|--------------------------|-----|-------------|-----------|
| A-A-58056 | MECHANICAL STREET SWEEPER, MINIMUM 3 CUBIC YARD CAPACITY [CUST: 99] | A 3825 / 84 | | | 01-APR-96 |
| A-A-58057 | PROCESSING MACHINE, RADIOGRAPHIC FILM, AUTOMATIC, STATIONARY [CUST: 99 GS] | A 6635 / 82 | | | 22-MAR-96 |
| A-A-58058 | PROCESSING MACHINE, RADIOGRAPHIC FILM, AUTOMATIC, DEPLOYABLE [CUST: 99 GS] | A 6635 / 82 | | | 22-MAR-96 |
| A-A-58059 | LATHE, BRAKE DRUM/ROTOR [CUST: AL YD1 99 CC] | A 4910 / 82 | | | 22-MAR-96 |
| A-A-58060 | FLUOROCARBON AND OTHER REFRIGERANTS [CUST: 68] | A 6830 / 68 | | | 03-SEP-96 |
| A-A-58061 | SOLDERING - DESOLDERING STATION [CUST: 99] [REVIEW: 84] | A 3439 / 82 | | | 29-JUL-96 |
| A-A-58062 | CLOSED CIRCUIT IMPACT CRUSHER AND SCREENING PLANT [CUST: 99] | A 3820 / 84 | | | 15-JUN-96 |
| A-A-58063 | HIGH SPEED SNOW BROOM, MOUNTED ON A 44,500 LBS GVW (MINIMUM), 6X4 DUMP TRUCK [CUST: 99] | A 3825 / 84 | | | 15-JUN-96 |
| A-A-58064 | RESISTOR, DECADE (0.01-111,111.1 OHM) [CUST: 99] [REVIEW: CC MI] | A 6625 / 82 | | | 21-MAY-96 |
| A-A-58065 | MOUNTER-DEMOUNTER, PNEUMATIC TIRE, STATIONARY [CUST: AL YD1 99 CC] | A 4910 / 82 | | | 11-JUN-96 |
| A-A-58066 | SHAVER, RIVET HEAD, PORTABLE, PNEUMATIC [CUST: AS 99] | A 5130 / 84 | | | 27-AUG-96 |
| A-A-58067 | TRUCK, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 15,000 POUNDS CAPACITY AT 24 INCH LOAD CENTER [CUST: AT SA 99] | A 3930 / 84 | | | 28-JUN-96 |
| A-A-58068 | TRUCK, LIFT, FORK, ELECTRIC, SIT DOWN, SOLID TIRES, 6,000 POUND CAPACITY AT 24 INCH LOAD CENTER, 180 INCH MINIMUM LIFT HEIGHT [CUST: AT SA 84] | A 3930 / 84 | | | 28-JUN-96 |
| A-A-58069 | TRUCK, LIFT, FORK, ELECTRIC, ORDER SELECTOR, HIGH LIFT RIDER, 3000 POUND CAPACITY, 193 INCH MINIMUM LIFT [CUST: AT SA 99] | A 3930 / 84 | | | 28-JUN-96 |
| A-A-58070 | GAGE, INDICATOR BORE [CUST: 99] | A 5210 / 84 | | | 01-JUL-96 |
| A-A-58071 | TEST SET, RADIO FREQUENCY POWER (50 MHZ TO 26.5 GHZ) [CUST: MI SH 99] [REVIEW: CC] | A 6625 / 82 | | | 26-JUN-96 |
| A-A-58072 | TEST SET, TELEPHONE [CUST: MI SH 99] [REVIEW: CC FSS] | A 6625 / 82 | | | 26-JUN-96 |
| A-A-58073 | TEST SET, ULTRASONIC [CUST: 99] [REVIEW: GS] | A 6635 / 82 | | | 31-JUL-96 |
| A-A-58074 | TEST SET, ULTRASONIC, BOND [CUST: 99] [REVIEW: GS] | A 6635 / 82 | | | 31-JUL-96 |
| A-A-58075 | HOLDER: COUNTERSINK, ADJUSTABLE MICROMETER STOP [CUST: GL 99 GS] [REVIEW: AV] | A 5133 / 84 | | | 02-AUG-96 |
| A-A-58076 | CUTTER, COUNTERSINKS [CUST: GL 99 GS] [REVIEW: AV] | A 5133 / 84 | | | 02-AUG-96 |
| A-A-58077 | X-RAY APPARATUS SET, RADIOGRAPHIC, INDUSTRIAL, PORTABLE 160KVCP [CUST: 99] | A 6635 / 82 | | | 06-AUG-96 |
| A-A-58078 | PLASTIC BOARD (FOR PACKAGING APPLICATIONS) [CUST: SM SA 69] [REVIEW: 70 71 80 84 99] | A 8135 / 11 | | | 02-SEP-96 |
| A-A-58079 | TRUCK, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 6,000 POUNDS CAPACITY AT 24 INCH LOAD CENTER [CUST: AT SA 99] | A 3930 / 84 | | | 18-OCT-96 |
| A-A-58080 | TRUCK, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 4,000 POUNDS CAPACITY AT 24 INCH LOAD CENTER [CUST: AT SA 99] | A 3930 / 84 | | | 18-OCT-96 |
| A-A-58081 | TRUCK, LIFT, FORK, ELECTRIC, FRONT/SIDE LOADING, SIT-DOWN OPERATOR, 4,000 POUNDS CAPACITY, EE RATED [CUST: AT SA 99] | A 3930 / 84 | | | 18-OCT-96 |
| A-A-58082 | TRUCK, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 8,000 POUNDS CAPACITY AT 24 INCH LOAD CENTER [CUST: AT SA 99] | A 3930 / 84 | | | 18-OCT-96 |
| A-A-58083 | TRUCK, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC-TIRED, 4-WHEEL DRIVE, ROUGH TERRAIN, 6,000 POUNDS CAPACITY AT 24 INCH LOAD CENTER [CUST: AT SA 99] | A 3930 / 84 | | | 18-OCT-96 |
| A-A-58084 | PROTECTOR, HEARING [CUST: EA MS 99] [REVIEW: 11 CR4 GS] | A 4240 / 84 | | | 20-NOV-96 |
| A-A-58085 | TRUCK, LIFT, FORK, ELECTRIC, WALKIE REACH, 3000 POUND CAPACITY, 150 INCH MINIMUM LIFT [CUST: AT SA 99] | A 3930 / 84 | | | 29-NOV-96 |
| A-A-58086 | TRUCK, LIFT, FORK, ELECTRIC, SIT DOWN, SOLID TIRES, 3,000 POUND CAPACITY AT 24 INCH LOAD CENTER, 185 INCH MINIMUM LIFT [CUST: AT SA 99] | A 3930 / 84 | | | 29-NOV-96 |
| A-A-58087 | TRUCK, LIFT, FORK, ELECTRIC, NARROW AISLE REACH, STAND-UP OPERATOR, 3000 POUND CAPACITY AT 24 INCH LOAD CENTER, 205 INCH MINIMUM LIFT [CUST: AT SA 99] | A 3930 / 84 | | | 29-NOV-96 |
| A-A-58088 | SCALE, WEIGHING SYSTEMS, AIRCRAFT PLATFORM [CUST: 99] | A 6670 / 82 | | | 22-NOV-96 |
| A-A-58089 | COMPARATOR, BENCH TYPE, ELECTRONICALLY AMPLIFIED [CUST: AR AS 99] [REVIEW: AT AV CR4 MI] | A 5220 / 84 | | | 10-DEC-96 |
| A-A-58090 | GENERATOR, SIGNAL, VOR/LIS, AN/ARM-186 [CUST: MI 99] [REVIEW: SO] | A 6625 / 82 | | | 01-MAY-97 |
| A-A-58091 | TRAILER, TANK MOUNTED, RECOVERABLE AVIATION TURBINE FUEL (BOWERS): 200, 400 AND 600 GALLON CAPACITY [CUST: 99] | A 2330 / 82 | | | 20-DEC-96 |
| A-A-58092 | TAPE, ANTISEIZE, POLYTETRAFLUORETHYLENE [CUST: MI OS 99] [REVIEW: 11 CR4 YD1] | A 8030 / 84 | | | 07-JAN-97 |
| A-A-58207 | CROSSARMS, WOOD [CUST: CR4 YD1 99] [REVIEW: CC CE] | A 5510 / 84 | | | 05-JUL-94 |
| A-A-59000A | STRAINERS, SEDIMENT, PIPELINE, SELF-CLEANING (MANUAL OR AUTOMATED) [CUST: AR SH 16] [REVIEW: 11 85 90 AT CC CG CR CR4 EC MC MR OS YD1] | A 4730 / SH | | | 01-APR-97 |
| A-A-59001 | BATTERBOARD, SYNTHETIC [CUST: SH] | A 2040 / SH | | | 30-MAR-95 |
| A-A-59002 | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59002/1 | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 1 TO 5 VOLT-AMPERES [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59002/2 | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 6 TO 15 VOLT-AMPERES [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59002/3 | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 80 VOLT-AMPERES [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59002/4 | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, HIGH POWER, ROTATIONAL, 70.7 VOLT [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59002/5 | LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 10 VOLT-AMPERES [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59003 | AMPLIFIERS, AUDIO FREQUENCY; AND AMPLIFIER-CONTROL GROUPS-SHIPBOARD ANNOUNCING [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59003/1 | AMPLIFIER-OSCILLATOR GROUP AN/SIA-114 [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59003/2 | AMPLIFIER-CONTROL GROUP AN/SIA-115 [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59003/3 | AMPLIFIER-CONTROL GROUP, AN/SIA-116 [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59003/4 | AMPLIFIER-OSCILLATOR GROUP AN/SIA-117 [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59003/5 | AMPLIFIER-OSCILLATOR GROUP AN/SIA-118 [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59003/6 | AMPLIFIER ASSEMBLY AM-2316/SIA [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59003/7 | AMPLIFIER-CONTROL GROUP AN/SIA-119 [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59003/8 | AMPLIFIER-CONTROL GROUP AN/SIA-120 [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59003/9 | AMPLIFIER-CONTROL GROUP AN/SIA-122 [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59003/10 | AMPLIFIER, AUDIO FREQUENCY - EMERGENCY REPORT SYSTEM [CUST: SH] | A 6320 / SH | | | 31-MAY-95 |
| A-A-59003/11 | AMPLIFIERS, AUDIO FREQUENCY; BOOSTER AMPLIFIER - AUDIO - 20 WATT SHIPBOARD ANNOUNCING [CUST: SH] | A 6320 / SH | | | 11-MAY-95 |
| A-A-59005 | SEXTANT, MARINE [CUST: SH 99] [REVIEW: 71] | A 6605 / SH | | | 09-JUL-96 |
| A-A-59006 | INDICATORS, PIPELINE, FLOW, SIGHT [CUST: CR4 SH 99] [REVIEW: 10 82 AS CC FSS GL OS YD1] | A 4730 / SH | | | 03-DEC-96 |
| A-A-59007 | BAR, FLINDERS [CUST: AV SH] | A 6605 / SH | | | 01-JUL-97 |
| A-A-59008 | STRAINERS, SELF-CLEANING, BACKFLUSH TYPE (MANUAL OR AUTOMATED) [CUST: MR SH 99] [REVIEW: 82 CC SA] | A 4730 / SH | | | 22-JUL-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|--------------------------|-----|-------------|-----------|
| A | A-A-59009 | STRAINERS, SEDIMENT, PIPELINE, SELF-CLEANING [CUST: MR SH 99] [REVIEW: 82 CC SA] | A 4730 | / | SH | 22-JUL-97 |
| | A-A-59100 | KNIFE, POCKET, GENERAL PURPOSE [CUST: GL AS 99] [REVIEW: 84 MC] | A 5110 | * | GL | 10-APR-97 |
| | A-A-59101 | WATTMETER (AUDIO POWER METER) [CUST: 99] | A 6625 | / | 82 | 07-MAY-97 |
| | A-A-59102 | TABLES, ALUMINUM, GENERAL PURPOSE [CUST: GL YD1 99] [REVIEW: 84 CG MC QM1] | A 7195 | / | GL | 12-MAY-97 |
| A | A-A-59103 | TRUCK, TANK A/S32A-24, POTABLE WATER [CUST: 99] | A 2320 | / | 84 | 09-JUN-97 |
| A | A-A-59104 | INSECT REPELLENT, CLOTHING AND PERSONAL APPLICATION [CUST: GL1 SH 68 GS] [REVIEW: MC MD1 MS PM YD1] | A 6840 | / | GS | 03-SEP-97 |
| A | A-A-59105 | NITRIC ACID, TECHNICAL [CUST: EA SH 68 GS] [REVIEW: AR MD1 MI OS] | A 6810 | / | GS | 03-SEP-97 |
| A | A-A-59107 | TOLUENE, TECHNICAL [CUST: EA SH 68 GS] [REVIEW: AR DS MC MD1 MI OS] | A 6810 | / | GS | 09-SEP-97 |
| A | A-A-59108 | TRUCK, FIRE FIGHTING (AIRCRAFT RESCUE) (ARFF) [CUST: 99] [REVIEW: CC] | A 4210 | / | 84 | 27-JUN-97 |
| A | A-A-59109 | ADHESIVE, EPOXY RESIN BASE [CUST: MI] | A 8040 | / | MI | 03-JUL-97 |
| A | A-A-59110 | LEAK DETECTOR, FUEL SYSTEM [CUST: 99] [REVIEW: FSS] | A 4940 | / | 82 | 02-JUL-97 |
| A | A-A-59111 | SERVICING/DEICING MAINTENANCE PLATFORM, HIGH REACH, TRUCK MOUNTED [CUST: 82] | A 1730 | / | 82 | 10-JUL-97 |
| A | A-A-59112 | SPECTRUM ANALYZER 100 HZ TO 1.8 GHZ [CUST: 99] | A 6625 | / | 82 | 07-JUL-97 |
| A | A-A-59113 | LUBRICATING OIL, MACHINE TOOL SLIDEWAYS [CUST: AR 68 GS] [REVIEW: AT] | A 9150 | / | GS | 30-DEC-97 |
| A | A-A-59114 | TRUCK, FIRE FIGHTING, (BRUSH) (4X4 BRUSH FIRE TRUCK (BFT)) [CUST: 99] [REVIEW: CC] | A 4210 | / | 84 | 08-AUG-97 |
| A | A-A-59115 | PAPER, MAP AND CHART, LITHOGRAPHIC-FINISH, ROLLED [CUST: GL SA 99 GS] [REVIEW: MP] | A 9310 | / | GS | 21-JAN-98 |
| A | A-A-59116 | PRIMER, SILICONE RUBBER SEALANT [CUST: MI] | A 8040 | / | MI | 03-SEP-97 |
| A | A-A-59117 | INSECTICIDE, MALATHION, EMULSIFIABLE CONCENTRATE [CUST: EA 68 GS] [REVIEW: AS GL1 MC MD1 PM] | A 6840 | / | GS | 02-SEP-97 |
| A | A-A-59118 | MACHINING CENTER, HORIZONTAL, SINGLE SPINDLE, COMPUTER NUMERICAL CONTROL (CNC) [CUST: AL 99 GS] [REVIEW: 84] | A 3408 | / | GS | 08-SEP-97 |
| A | A-A-59119 | LAPPING MACHINES, METAL WORKING, HIGH-PRECISION, FLAT SURFACE [CUST: AL 99 GS] [REVIEW: 84] | A 3419 | / | GS | 03-DEC-97 |
| A | A-A-59120 | GAUGE, SURFACE PLATE FLATNESS CHECKING [CUST: AR 99] [REVIEW: AT] | A 5220 | / | 84 | 22-SEP-97 |
| A | A-A-59121 | OXALIC ACID, DIHYDRATE, TECHNICAL [CUST: MD1 68 GS] | A 6810 | / | GS | 22-SEP-97 |
| A | A-A-59124 | DECK COVERING, LIGHTWEIGHT, NONSLIP [CUST: 99] | A 7220 | / | 84 | 25-SEP-97 |
| A | A-A-59125 | TERMINAL BOARDS, MOLDED, BARRIER SCREW AND STUD TYPES AND ASSOCIATED ACCESSORIES [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/1 | TERMINAL BOARDS, MOLDED, BARRIER SCREW TYPE, CLASS 37TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/2 | TERMINAL BOARDS, MOLDED, BARRIER SCREW TYPE, CLASS 38TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/3 | TERMINAL BOARDS, MOLDED, BARRIER SCREW TYPE, CLASS 39TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/4 | TERMINAL BOARDS, MOLDED, BARRIER SCREW TYPE, CLASS 40TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/5 | TERMINAL BOARDS, MOLDED, BARRIER SCREW TYPE, CLASS 41TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/6 | TERMINAL BOARDS, MOLDED, BARRIER SCREW TYPE, CLASS 42TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/7 | TERMINAL LUGS, SOLDER TYPE, STYLES TBLD AND TBLs [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/8 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 3TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/10 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 4TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/11 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 5TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/12 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 6TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/13 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 7TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/14 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 8TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/15 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 9TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/16 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 10TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/17 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 11TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/19 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 15TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/20 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 16TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/21 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 17TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/22 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 18TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/23 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 25TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/24 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 26TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/25 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 27TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/26 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 43TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/27 | TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 44TB [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/28 | BUS (JUMPER) CONNECTORS STYLES TBJA, TBJB, TBJC, TBJD, TBJE, TBJF, TBJG, TBJH AND TBJI [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/30 | MARKER STRIPS, FOR CLASS 38TB TERMINAL BOARDS [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/31 | MARKER STRIPS, FOR CLASS 39TB TERMINAL BOARDS [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59125/32 | MARKER STRIPS, FOR CLASS 40TB TERMINAL BOARDS [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126 | TERMINALS, FEEDTHRU (INSULATED) AND TERMINALS, STUD (INSULATED AND NONINSULATED) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/1 | TERMINALS, FEEDTHRU (INSULATED) STYLE FT01 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/2 | TERMINALS, FEEDTHRU (INSULATED) STYLE FT02 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/3 | TERMINALS, FEEDTHRU (INSULATED) STYLE FT03 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/4 | TERMINALS, FEEDTHRU (INSULATED) STYLE FT04 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/5 | TERMINALS, FEEDTHRU (INSULATED) STYLE FT05 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/6 | TERMINALS, FEEDTHRU (INSULATED) STYLE FT06 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/7 | TERMINALS, STUD (INSULATED) STYLE SE07 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/8 | TERMINALS, STUD (INSULATED) STYLE SE08 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/9 | TERMINALS, STUD (INSULATED) STYLE SE09 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/10 | TERMINALS, STUD (INSULATED) STYLE SE10 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/11 | TERMINALS, STUD (NONINSULATED) STYLE SE11 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/12 | TERMINALS, STUD (NONINSULATED) STYLE SE12 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/13 | TERMINALS, STUD (NONINSULATED) STYLE SE13 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/14 | TERMINALS, STUD (NONINSULATED) STYLE SE14 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/15 | TERMINALS, STUD (NONINSULATED) STYLE SE15 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/16 | TERMINALS, STUD (NONINSULATED) STYLE SE16 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/17 | TERMINALS, STUD (NONINSULATED) STYLE SE17 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|-----------|
| A | A-A-59126/18 | TERMINALS, STUD (INSULATED) STYLE SE18 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/19 | TERMINALS, STUD (INSULATED) STYLE SE19 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/20 | TERMINALS, STUD (INSULATED) STYLE SE20 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/21 | TERMINALS, STUD (INSULATED) STYLE SE21 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/22 | TERMINALS, STUD (INSULATED) STYLE SE22 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/23 | TERMINALS, STUD (NONINSULATED) STYLE SE23 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/24 | TERMINALS, STUD (NONINSULATED) STYLE SE24 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/25 | TERMINALS, STUD (NONINSULATED) STYLE SE25 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/26 | TERMINALS, STUD (NONINSULATED), (CIRCULAR, GROUND) STYLE SE26 [CUST: CR EC 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/27 | TERMINALS, STUD (INSULATED) STYLE SE27 [CUST: CR 85 GS] | A 5940 | / | GS | 26-SEP-97 |
| A | A-A-59126/29 | TERMINALS, STUD, SINGLE TURRET (NONINSULATED, SWAGE MOUNTED) STYLE SE29 [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/30 | TERMINALS, STUD, DOUBLE TURRET (NONINSULATED, SWAGE MOUNTED) STYLE SE30 [CUST: CR AS 85] [REVIEW: GS] | A 5940 | / | CR | 26-SEP-97 |
| A | A-A-59126/31 | TERMINALS, STUD, TRIPLE TURRET (NONINSULATED, SWAGE MOUNTED) STYLE SE31 [CUST: CR 85 GS] | A 5940 | / | GS | 26-SEP-97 |
| A | A-A-59126/32 | TERMINALS, STUD, FORK TYPE, (NONINSULATED, SWAGE, MOUNTED) [CUST: CR 85 GS] | A 5940 | / | GS | 26-SEP-97 |
| A | A-A-59127 | GENERATOR, SIGNAL, VOR/LS, AN/ARM-180 [CUST: 99] [REVIEW: 01 SO] | A 6625 | / | 82 | 15-OCT-97 |
| A | A-A-59128 | TABLE, DINING, 4-SEAT CAPACITY [CUST: GL MC 99] [REVIEW: 84] | A 7105 | * | GL | 02-OCT-97 |
| A | A-A-59129 | CRUSHER, CAN [CUST: GL SA 99] [REVIEW: 35 84 CG IS MC MD1 QM1 SS YD1] | A 7330 | * | GL | 03-OCT-97 |
| A | A-A-59130 | ANALYZER, SPECTRUM 10 KHZ TO 50 GHZ [CUST: MI 99] [REVIEW: CC] | A 6625 | / | 82 | 17-OCT-97 |
| A | A-A-59131 | DETECTOR METAL FLAW, EDDY CURRENT, IMPEDANCE PLANE, LIGHTWEIGHT [CUST: GL AS 99] [REVIEW: GS] | A 6635 | / | 82 | 08-OCT-97 |
| N | A-A-59132 | AMYL ACETATE, TECHNICAL [CUST: EA AS 68 GS] [REVIEW: MD1 OS] | A 6810 | / | GS | 30-JAN-98 |
| A | A-A-59133 | CLEANING COMPOUND, HIGH PRESSURE (STEAM) CLEANER [CUST: MR SH 68 GS] [REVIEW: AR AS MC OS YD1] | A 6850 | / | GS | 03-NOV-97 |
| A | A-A-59134 | INSULATING COMPOUND, ELECTRICAL, EPOXY, COLLOIDAL SILICA FILLED FOR POTTING AND ENCAPSULATION [CUST: MI] | A 5970 | / | MI | 28-OCT-97 |
| A | A-A-59135 | PACKAGING MATERIAL, SHEET [CUST: SM AS 69 CC] [REVIEW: 70 71 80 84 99 AR AT GL MI OS SA SH YD1] | A 8135 | / | 11 | 28-OCT-97 |
| A | A-A-59136 | CUSHIONING MATERIAL, PACKAGING, CLOSED CELL FOAM PLANK [CUST: SM AS 69 CC] [REVIEW: 70 71 80 84 99 AR AT GL MI OS SA SH YD1] | A 8135 | / | 11 | 28-OCT-97 |
| A | A-A-59137 | LUBRICATING OIL, BREECH BLOCK (FOR NAVAL ORDNANCE) [CUST: AT OS GS] [REVIEW: SA] | A 9150 | / | GS | 30-JAN-98 |
| A | A-A-59140 | TEST SET, RADIO FREQUENCY POWER (POWER METER, DIGITAL) (50 MHZ TO 26.5 GHZ) [CUST: 99] | A 6625 | / | 82 | 24-NOV-97 |
| A | A-A-59141 | TRUCK, LIFT, FORK, ELECTRIC, SOLID-TIRED, 2,000 POUNDS CAPACITY AT 24 INCH LOAD CENTER, 144 INCH LIFT HEIGHT [CUST: AT SA 99] | A 3930 | / | 84 | 01-DEC-97 |
| A | A-A-59142 | ROSINS: GUM, WOOD, AND TALL OIL [CUST: EA OS 68 GS] [REVIEW: MD1 MI] | A 6810 | / | GS | 21-JAN-98 |
| A | A-A-59143 | TABLE, SHADOW, PARACHUTE CANOPY INSPECTION [CUST: GL AS 99] [REVIEW: 82 AV MC] | A 1670 | / | GL | 02-DEC-97 |
| A | A-A-59144 | AUGER, EARTH, PORTABLE; HAND-HELD TWO-MAN GASOLINE ENGINE DRIVEN [CUST: YD1] | A 3820 | / | YD1 | 12-JAN-98 |
| A | A-A-59145 | SPRAYING UNIT, DEICING, TRUCK MOUNTED [CUST: 82] | A 1730 | / | 82 | 01-DEC-97 |
| A | A-A-59146 | CLEANING COMPOUND, ALKALI, BOILING VAT (SOAK) OR HYDROSTEAM [CUST: MR SH 68 GS] [REVIEW: CR4 MC MI] | A 6850 | / | GS | 17-DEC-97 |
| A | A-A-59147 | CITRIC ACID, TECHNICAL [CUST: MD1 68 GS] | A 6810 | / | GS | 17-DEC-97 |
| A | A-A-59148 | WELDING MACHINE, ARC, AC/DC INVERTER, CONSTANT CURRENT [CUST: AL SH 99 GS] | A 3431 | / | GS | 28-JAN-98 |
| A | A-A-59149 | MONITOR, POWER LINE [CUST: MI SH 99] | A 6625 | / | 82 | 01-JAN-98 |
| A | A-A-59150A | CLEANING COMPOUND, SOLVENT, HYDROFLUOROETHER (HFE) [CUST: EA AS 68] [REVIEW: GS NA SH] | A 6850 | / | AS | 12-MAR-98 |
| A | A-A-59151 | CHEST, MEDICAL EQUIPMENT MAINTENANCE AND REPAIR TOOL KIT [CUST: GL] [REVIEW: MD] | A 5140 | * | GL | 06-JAN-98 |
| A | A-A-59152 | TRUCK, FIRE FIGHTING, (RESCUE) (MEDIUM RESCUE TRUCK (MRT)) [CUST: 99] [REVIEW: CC] | A 4210 | / | 84 | 09-JAN-98 |
| A | A-A-59154 | LOADER, SCOOP TYPE, FULL TRACKED [CUST: AT YD1 99] [REVIEW: 84 CC MC] | A 3805 | / | YD1 | 28-FEB-98 |
| N | A-A-59157 | RING, SIDE, AUTOMOTIVE WHEEL FOR TACTICAL WHEELED VEHICLES [CUST: AT MC 99] [REVIEW: 84 CC] | A 2530 | / | AT | 27-FEB-98 |
| A | A-A-59158 | TOOLS FOR INSERTING AND EXTRACTING HELICAL COIL WIRE SCREW THREAD INSERTS [CUST: GL SH 99] [REVIEW: 84 AS CG MC] | A 5120 | * | GL | 30-JAN-98 |
| A | A-A-59159 | HOSE AND HOSE ASSEMBLY, RUBBER, STEAM [CUST: AT YD1 99] [REVIEW: 82 CC SH] | A 4720 | / | YD1 | 27-MAR-98 |
| N | A-A-59161 | ETHYLENE GLYCOL MONOETHYL ETHER ACETATE, TECHNICAL [CUST: EA AS 68 GS] [REVIEW: AR MD1] | A 6810 | / | GS | 08-MAY-98 |
| A | A-A-59163 | INSULATION TAPE, ELECTRICAL, SELF ADHERING UNSUPPORTED SILICONE RUBBER [CUST: MI 85 GS] [REVIEW: 99 DS] | A 5970 | / | GS | 13-FEB-98 |
| A | A-A-59166 | COATING COMPOUND, NONSLIP (FOR WALKWAYS) [CUST: AV AS 99] [REVIEW: MI SH] | A 8010 | / | 84 | 16-MAR-98 |
| A | A-A-59167 | MAGNET MATERIALS, PERMANENT [CUST: MI] | A 9535 | / | MI | 24-FEB-98 |
| A | A-A-59170 | BLOCK AND TACKLE WITH LOAD-LOCKING DEVICE [CUST: CR4 99 GS] [REVIEW: 84 SH YD1] | A 3940 | / | GS | 27-MAR-98 |
| A | A-A-59172 | INSECTICIDE, DICHLORVOS, IMPREGNATED STRIP [CUST: EA GS] [REVIEW: GL MD1 PM] | A 6840 | / | GS | 02-MAR-98 |
| A | A-A-59173 | GREASE, SILICONE [CUST: MI OS GS] [REVIEW: CD PS] | A 9150 | / | GS | 04-MAR-98 |
| A | A-A-59174 | PRESS, ARBOR, MECHANICAL, HAND OPERATED [CUST: AL SH 99 GS] [REVIEW: 84 YD] | A 3444 | / | GS | 01-APR-98 |
| N | A-A-59176 | MARKER LIGHT, PERSONAL DISTRESS [CUST: AS 99 GS] [REVIEW: CR4 SH YD1] | A 6230 | / | GS | 22-MAY-98 |
| D | A-A-59177 | MORTAR, REFRACTORY: HEAT-SETTING AND AIR-SETTING WET AND DRY TYPES [CUST: SH GS] [REVIEW: MC OS] | A 9350 | / | GS | 20-MAR-98 |
| A | A-A-59178 | NIPPLE, ELECTRICAL TERMINAL [CUST: AS 85 GS] [REVIEW: 99 MC] | A 5975 | / | GS | 09-APR-98 |
| A | A-A-59179 | IRON OXIDE, BLACK, TECHNICAL [CUST: EA OS GS] [REVIEW: AR AS MD1] | A 6810 | / | GS | 02-APR-98 |
| A | A-A-59180 | LATHE, BENCH AND JEWELER'S, HORIZONTAL SPINDLE [CUST: AL SH 99 GS] [REVIEW: 84 AV MC] | A 3416 | / | GS | 30-MAR-98 |
| A | A-A-59181 | INTERCEPTOR, GREASE [CUST: GL SA 99] [REVIEW: 35 84 IS MC MD1 QM1 YD1] | A 7330 | / | GL | 04-MAR-98 |
| N | A-A-59182 | HAMMER, PILEDRIVER, SELF-POWERED, DIESEL [CUST: AT YD1] [REVIEW: MC] | A 3895 | / | YD1 | 15-APR-98 |
| N | A-A-59183 | ICEMAKER-DISPENSER WITH WATER DISPENSER ATTACHMENT (NAVAL SHIPBOARD) [CUST: SH] | A 4110 | / | SH | 27-MAY-98 |
| N | A-A-59184 | DISPENSER, CARBONATED BEVERAGE, MECHANICALLY REFRIGERATED (NAVAL SHIPBOARD) [CUST: SH] | A 7310 | / | SH | 27-MAY-98 |
| N | A-A-59185 | HEATER, HOT WATER BOOSTER, ELECTRIC; SINK, SANITIZING (NAVAL SHIPBOARD) [CUST: SH] | A 7320 | / | SH | 27-MAY-98 |
| N | A-A-59189 | OVEN, BAKING AND ROASTING, FORCED CONVECTION, ELECTRIC (NAVAL SHIPBOARD) [CUST: GL SH] | A 7310 | / | SH | 12-MAY-98 |
| N | A-A-59190 | COLD FOOD COUNTER, MECHANICALLY REFRIGERATED (NAVAL SHIPBOARD) [CUST: GL SH] | A 7310 | / | SH | 12-MAY-98 |
| N | A-A-59191 | URN, COFFEE, SINGLE AND TWIN, AUTOMATIC, ELECTRIC (NAVAL SHIPBOARD) [CUST: GL SH] | A 7310 | / | SH | 12-MAY-98 |
| D | A-A-59192 | TUBE AND FLUE CLEANER, BOILER, INTERNAL, AIR MOTOR DRIVEN [CUST: AL SH 99] | A 4940 | / | SH | 20-MAY-98 |
| N | A-A-59193 | BRUSHES, WIRE, BOILER TUBE, EXPANDING TYPE FOR USE WITH ELECTRIC AND AIR MOTOR DRIVEN BOILER TUBE CLEANING OUTFITS [CUST: GL SH 99] | A 5120 | / | SH | 20-MAY-98 |
| N | A-A-59194 | BUS TRANSFER SWITCHES, ELECTRIC POWER, AUTOMATIC SHIPBOARD (NON-NUCLEAR APPLICATIONS) [CUST: CR SH 85] | A 5930 | / | SH | 05-MAY-98 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|-----------------------|-----|-------------|-----------|
| A | A-A-59196 | TRUCK, AIRCRAFT SERVICING (AST), 3 TON HIGH LIFT, FOR LOADING C-5 AIRCRAFT UPPER DECK [CUST: 99] | A 2320 | / | 84 | 25-MAR-98 |
| A | A-A-59197 | FATTY OIL (FOR METAL-WORKING LUBRICANTS) [CUST: AR GS] [REVIEW: AV MI] | A 9150 | / | GS | 10-APR-98 |
| A | A-A-59198 | PSYCHROMETERS [CUST: CR SH GS] | A 6685 | / | GS | 31-MAR-98 |
| N | A-A-59199 | CLEANING COMPOUND, OPTICAL LENS (READY TO USE) | A 6850 | / | GS | 12-MAY-98 |
| A | A-A-59202 | CHIPBOARD, WAD MATERIAL [CUST: AR] | A 8140 | / | AR | 31-MAR-98 |
| M | A-A-59203 | PADDING MATERIAL, RESILIENT [CUST: AR] [REVIEW: EA] | A 8140 | / | AR | 31-MAR-98 |
| N | A-A-59206 | PROBE LIGHT KIT, INSPECTION [CUST: CR 05 99 GS] [REVIEW: AS MC] | A 6230 | / | GS | 03-JUN-98 |
| N | A-A-59211 | PARTS CLEANING CAN, SAFETY, BENCH [CUST: AL YD1 99] [REVIEW: 03 11 82 AS CC CG NP] | A 4940 | / | YD1 | 18-MAY-98 |
| N | A-A-59212 | WINCHES, DRUMS, POWER-OPERATED, DIESEL-ENGINE-DRIVEN [CUST: AV YD1 99] [REVIEW: 84 SA SH SM] | A 3950 | / | YD1 | 18-MAY-98 |
| N | A-A-59213 | SPLICE CONNECTORS [CUST: CR YD1 85] [REVIEW: 03 82 99 AS GS HD] | A 5940 | / | YD1 | 18-MAY-98 |
| N | A-A-59214 | JUNCTION BOX: EXTENSION, JUNCTION BOX: COVER, JUNCTION BOX (STEEL, COATED WITH CORROSION-RESISTANT FINISH) [CUST: CR YD1 85] [REVIEW: 19 82 AS CG GS HD NW] | A 5975 | / | YD1 | 18-MAY-98 |
| M | A-A-59215 | LEADS, STORAGE-BATTERY [CUST: CR YD1 99] [REVIEW: 03 19 33 80 82 AS CG GS] | A 6140 | / | YD1 | 18-MAY-98 |
| N | A-A-59216 | DITCHING MACHINES, BOOM TYPE; CRAWLER-MOUNTED, DED [CUST: AT YD1 99] [REVIEW: 84 CC] | A 3805 | / | YD1 | 18-MAY-98 |
| N | A-A-59217 | DITCHING MACHINES, LADDER-TYPE, LIGHT DUTY, 4-WHEEL-DRIVE, PNEUMATIC-TIRED, DED [CUST: AT YD1 99] [REVIEW: 84 CC] | A 3805 | / | YD1 | 18-MAY-98 |
| N | A-A-59218 | CRANES, HYDRAULIC, CARRIER MOUNTED [CUST: AT YD1 99] [REVIEW: 84 CC MC] | A 3810 | / | YD1 | 18-MAY-98 |
| N | A-A-59219 | AUGERS, POSTHOLE, HAND [CUST: GL YD1 84] [REVIEW: CE MC] | A 5120 | / | YD1 | 18-MAY-98 |
| N | A-A-59220 | WRENCHES, OPEN END, AND WRENCH ASSEMBLY, STAMPED STEEL [CUST: GL YD1 99] [REVIEW: 84 MC] | A 5120 | / | YD1 | 18-MAY-98 |
| N | A-A-59221 | LAPPERS, POPPET VALVE, HAND POWERED [CUST: AT YD1] [REVIEW: MD SH SM] | A 5120 | / | YD1 | 18-MAY-98 |
| N | A-A-59222 | FANS, CENTRIFUGAL, DRAFT, FORCED AND INDUCED [CUST: YD1 99] [REVIEW: 82 GS] | A 4140 | / | YD1 | 18-MAY-98 |
| N | A-A-59223 | COOLING TOWERS, LIQUID [CUST: YD1 99] [REVIEW: 82 GS] | A 4130 | / | YD1 | 18-MAY-98 |
| N | A-A-59224 | METERS, FLUID QUANTITY VOLUMETRIC [CUST: AV YD1] [REVIEW: AS GS] | A 6680 | / | YD1 | 01-JUN-98 |
| M | A-A-59225 | CELLULOSE, WOODPULP [CUST: AR] | A 1320 | / | AR | 22-APR-98 |
| M | A-A-59226 | HOSE ASSEMBLY, NONMETALLIC, FIRE FIGHTING, WITH COUPLINGS [CUST: YD1 99] [REVIEW: 84 CC CG SH] | A 4210 | / | YD1 | 18-MAY-98 |
| N | A-A-59227 | COUPLING ASSEMBLY, HOSE, FIRE FIGHTING [CUST: YD1 99] [REVIEW: 84 CC SH] | A 4210 | / | YD1 | 18-MAY-98 |
| N | A-A-59228 | TONGS, MATERIAL LIFTING, PIPE [CUST: YD1 99] [REVIEW: 84 GS SH] | A 3940 | / | YD1 | 18-MAY-98 |
| N | A-A-59229 | CAP, VENT, FILLER, BATTERY [CUST: AT] | A 6140 | / | AT | 20-MAY-98 |
| N | A-A-59232 | MACHINING CENTER, VERTICAL, SINGLE-COLUMN, SINGLE-SPINDLE, COMPUTER NUMERICAL CONTROL (CNC) [CUST: AL SH 99 GS] [REVIEW: 84 AS OS] | A 3408 | / | GS | 15-MAY-98 |
| N | A-A-59233 | ELECTRICAL DISCHARGE MACHINE, COMPUTER NUMERICAL CONTROL (CNC), WIRE [CUST: AL SH 99 GS] [REVIEW: 84 AR AV CR4 MC SA] | A 3410 | / | GS | 18-MAY-98 |
| N | A-A-59238 | SHEARING, MACHINES, METAL, CIRCULAR, POWER-DRIVEN [CUST: SH 99 GS] [REVIEW: 84 MC] | A 3445 | / | GS | 26-MAY-98 |
| N | A-A-59239 | DIATOMACEOUS EARTH [CUST: AL 99 GS] [REVIEW: 84] | A 9390 | / | GS | 12-MAY-98 |
| N | A-A-59241 | DISTRIBUTORS, WATER TANK, TRUCK MOUNTED FRONT AND REAR SPRAY [CUST: AT YD1 99] [REVIEW: 84 MT] | A 3825 | / | YD1 | 16-JUN-98 |
| A | A-A-59242 | EXCAVATORS, CRAWLER MOUNTED, DED, HYDRAULICALLY OPERATED [CUST: AT YD1] [REVIEW: CC MT] | A 3805 | / | YD1 | 16-JUN-98 |
| N | A-A-59243 | SCRAPER-TRACTORS: EARTH MOVING, HYDRAULIC OPERATED, 12 AND 20 CUBIC YARD MINIMUM HEAPED CAPACITY, DED [CUST: AT YD1 99] [REVIEW: 84 CC MT] | A 3805 | / | YD1 | 16-JUN-98 |
| N | A-A-59244 | DRILL, PNEUMATIC DRIFTER, SELF-PROPELLED, CRAWLER MOUNTED (TRACK DRILL) [CUST: AT YD1 99] [REVIEW: 84 CC MC MT] | A 3820 | / | YD1 | 16-JUN-98 |
| N | A-A-59245 | SWEEPER, PERMANENT MAGNET, ROAD, TOWED [CUST: AT YD1 99] [REVIEW: 84 CC MC] | A 3830 | / | YD1 | 16-JUN-98 |
| N | A-A-59247 | DRIVE, POWER, PORTABLE; FOR PIPE AND BOLT THREADING, ELECTRIC (WITH ACCESSORIES) [CUST: AL YD1 99] [REVIEW: 84 GS MC] | A 3450 | / | YD1 | 16-JUN-98 |
| N | A-A-59248 | METER, VOLUMETRIC, POSITIVE DISPLACEMENT, LIQUID, FUEL, 600 GPM [CUST: AV YD1 99] [REVIEW: 82 AS CG GS] | A 6680 | / | YD1 | 16-JUN-98 |
| N | A-A-59249 | FILTERS, FLUID, PRESSURE, FEEDWATER [CUST: AV YD1] [REVIEW: CC] | A 4330 | / | YD1 | 16-JUN-98 |
| N | A-A-59250 | EXCAVATOR, MULTIPURPOSE, TRUCK MOUNTED, TWO CABS [CUST: AT YD1 99] [REVIEW: 84 CC MT] | A 3805 | / | YD1 | 16-JUN-98 |
| N | A-A-59251 | EXCAVATOR, MULTIPURPOSE, WHEEL-UNDERCARRIAGE DIESEL-ENGINE-DRIVEN [CUST: AT YD1 99] [REVIEW: 84 MT] | A 3805 | / | YD1 | 16-JUN-98 |
| N | A-A-59252 | ETHERS, ELECTRIC, PORTABLE, 120-VOLT A.C. [CUST: GL YD1 99] [REVIEW: AS SH] | A 5130 | / | YD1 | 16-JUN-98 |
| N | A-A-59253 | PAILS, UTILITY, PLASTIC [CUST: GL YD1 99] [REVIEW: 03 84] | A 7240 | / | YD1 | 16-JUN-98 |
| N | A-A-59256 | DINITROTOLUENE, (FOR USE IN EXPLOSIVES) [CUST: AR OS] [REVIEW: MC] | A 1375 | / | AR | 11-MAY-98 |
| N | A-A-59257 | OSCILLOSCOPE (DIGITAL STORAGE, 500 MHZ) [CUST: 99] [REVIEW: CC] | A 6625 | / | 82 | 19-MAY-98 |
| N | A-A-59258 | TAPE, ALUMINUM FOIL, HEAT REFLECTIVE, PRESSURE SENSITIVE ADHESIVE [CUST: AR] [REVIEW: MR] | A 8030 | / | AR | 20-MAY-98 |
| A | A-A-60001 | TRAPS, STEAM [CUST: CE YD1 99] [REVIEW: CC SH] | A 4730 | / | YD1 | 17-JUN-97 |
| A | A-A-60002 | MARKERS, TRAFFIC CONES [CUST: GL YD1 99] [REVIEW: 84 CE MC] | A 9905 | / | YD1 | 11-NOV-97 |
| A | A-A-60003 | PARTITIONS, TOILET, COMPLETE [CUST: YD1] [REVIEW: MC SA] | A 5670 | / | YD1 | 22-AUG-97 |
| A | A-A-60004 | TRUCK, LIFT, PLATFORM, GASOLINE-ENGINE-DRIVEN, TELESCOPING BOOM [CUST: AT YD1 99] [REVIEW: 84 CC SH] | A 3930 | / | YD1 | 27-AUG-97 |
| A | A-A-60005 | FRAMES, COVERS, GRATINGS, STEPS, SUMP AND CATCH BASIN, MANHOLE [CUST: CE YD1 99] [REVIEW: 84 MC] | A 5680 | / | YD1 | 02-MAR-98 |
| A | A-A-60006 | LIGHT, EXTENSION, ELECTRICAL [CUST: M1 YD1 99] [REVIEW: 82 GL GS MC] | A 6230 | / | YD1 | 05-JAN-98 |
| A | A-82587 | TRAP, FLYING INSECTS, ELECTROCUTING [CUST: MD 99] [REVIEW: 50 AV GL MS] | A 3740 | / | PM | 31-AUG-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------|---|-----------------------|-----|-------------|-----------|
| A | A-B-2787(1) | BOOMS: FLOATING OIL AND DEBRIS CONTAINMENT, DEPLOYABLE (FOR HARBOR USE) [CUST: CR4 YD1] | A 1945 | / | YD1 | 28-MAY-93 |
| | A-L-2924 | LIFTING, LAUNCHING, AND SIDE CARRYING EQUIPMENT FOR PONTOONS ON 1179 CLASS LST VESSELS [CUST: YD1] [REVIEW: IS SH] | A 4010 | / | YD1 | 12-JUN-97 |
| | C-T-91C | TALLOW, INEDIBLE | A 9160 | # | FSS | 18-NOV-68 |
| | C-F-158C(1) NOT 1 | FEATHER, LANDFOWL, (WHOLE) AND (CRUSHED) [CUST: GL 99 CT] [REVIEW: MD] | A 8320 | / | CT | 12-NOV-87 |
| | C-F-160C NOT 1 | FEATHER, WATERFOWL, AND DOWN, WATERFOWL [CUST: GL SA 99 CT] [REVIEW: 10 45 MB MD MS] | A 8320 | / | CT | 12-NOV-87 |
| | C-F-202F | FELT SHEET (HAIR) AND FELT ROLL (HAIR) [CUST: GL NU 99 CT] [REVIEW: 82 MD] | A 8305 | / | CT | 31-DEC-85 |
| | C-F-206G | FELT SHEET: CLOTH, FELT, WOOL, PRESSED [CUST: GL NU 99 CT] [REVIEW: 45 82 DS MC MD OS] | A 8305 | / | CT | 27-JUN-89 |
| | C-O-376A | OIL, LARD | A 9150 | # | FSS | 17-JUN-46 |
| | D-P-355A(1) NOT 1 | PISTOL, CALIBER .45, AUTOMATIC, M1911A1 [CUST: AR MC 99] | A 1005 | / | AR | 18-APR-86 |
| | F-F-320B NOT 1 | FILTERS, ELECTRONIC AIR CLEANING, IONIZING PLATE TYPE [CUST: YD1 99] [REVIEW: GS] | A 4460 | / | YD1 | 15-FEB-91 |
| | F-F-351D | FILTER AND FILTER ELEMENTS, FLUID, PRESSURE, LUBRICATING OIL, BYPASS AND FULL FLOW [CUST: AT SH 99] [REVIEW: CC CR4 YD1] | A 2940 | / | AT | 22-APR-83 |
| | F-B-2835 | BOILER, STEAM, LOW PRESSURE, FIRETUBE [CUST: YD1] [REVIEW: CC CE] | A 4520 | / | YD1 | 28-APR-95 |
| | F-R-2864 | CONTROLLERS, BOILER-FEED WATER, AUTOMATIC [CUST: CE YD1 99] [REVIEW: 84 CC CG CR4 SH] | A 4410 | / | YD1 | 20-JAN-95 |
| | F-F-2901 | FEEDERS, BOILER WATER TREATMENT, BY-PASS AND COMPOUND RECEIVER TYPES [CUST: YD1 99] [REVIEW: 84] | A 4410 | / | YD1 | 21-APR-97 |
| | F-B-2902 | BOILERS, STEAM WATERTUBE (BENT TUBE, MULTI-DRUM AND CROSS DRUM) PACKAGED TYPE (10,000,000 TO 125,000,000 BTU/HR THERMAL OUTPUT CAPACITY) [CUST: CE YD1 99] [REVIEW: 84 MC SA] | A 4410 | / | YD1 | 17-JAN-97 |
| A | F-V-2906 | VALVES, AIR VENTING, STEAM [CUST: YD1 99] [REVIEW: CC] | A 4520 | / | YD1 | 12-JUN-97 |
| | F-T-2907 | TANKS, POTABLE HOT WATER STORAGE [CUST: YD1 99] [REVIEW: CE CG MC MD] | A 4520 | / | YD1 | 17-JAN-97 |
| A | F-P-2908 | PUMPING UNITS, CONDENSATE, RETURN; AND BOILER FEED PACKAGE [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 4520 | / | YD1 | 02-JUN-97 |
| A | F-B-2909 | BURNERS, SINGLE: LIGHT OIL, GAS, AND LIGHT OIL-GAS COMBINATION FOR PACKAGED HEATING BOILERS (UP TO 320,000 BTU/HR THERMAL OUTPUT CAPACITY) [CUST: CR4 YD1 99] [REVIEW: 84 CC MC] | A 4530 | / | YD1 | 18-AUG-97 |
| A | F-B-2910 | BURNERS, SINGLE: OIL, GAS, AND GAS-OIL COMBINATION FOR PACKAGED BOILERS (320,001 TO 125,000,000 BTU/HR THERMAL OUTPUT CAPACITY) [CUST: CE YD1 99] [REVIEW: 84 CC MC] | A 4530 | / | YD1 | 31-MAR-98 |
| | F-S-2911 | STOKERS, MECHANICAL: FOR PACKAGED BOILERS FIRED ON COAL OR A COMBINATION OF COAL-GAS, COAL-OIL, OR COAL-GAS-OIL (2,000,000 TO 50,000,000 BTU/HR THERMAL OUTPUT CAPACITY) [CUST: CE YD1] [REVIEW: CC MC] | A 4530 | / | YD1 | 17-JAN-97 |
| | H-B-118E | BRUSHES: ARTISTS | A 8020 | # | FSS | 04-OCT-76 |
| | H-B-118E(11) | BRUSHES: ARTISTS | A 8020 | # | FSS | 22-JUN-77 |
| | H-B-178D | BRUSH, WIRE AND PLATERS GENERAL SPECIFICATION FOR [CUST: GL SA 99] [REVIEW: 84 CE CG MC SH] | A 7920 | * | GL | 10-MAY-76 |
| | H-B-178/1 | BRUSH, WIRE & PLATER, CURVED HANDLE, 4 ROW BRUSHES [CUST: GL SA 99] [REVIEW: 84] | A 7920 | * | GL | 10-MAY-76 |
| | H-B-178/2 | BRUSH, WIRE AND PLATERS, CURVED HANDLE, 3 ROW BRUSHES [CUST: GL SA 99] [REVIEW: 84] | A 7920 | * | GL | 10-MAY-76 |
| | H-B-178/3 | BRUSH, WIRE AND PLATERS, SHOE HANDLE BRUSHES [CUST: GL SA 99] [REVIEW: 84] | A 7920 | * | GL | 10-MAY-76 |
| | H-B-178/4 | BRUSH, WIRE AND PLATERS, STRAIGHT BLOCK BRUSHES [CUST: GL SA 99] [REVIEW: 84] | A 7920 | * | GL | 10-MAY-76 |
| | H-B-178/5 | BRUSH, WIRE AND PLATERS, CURVED BLOCK BRUSH [CUST: GL SA 99] [REVIEW: 84] | A 7920 | * | GL | 10-MAY-76 |
| | H-B-241J | BRUSH, ARTIST'S FITCH, FLAT | A 8020 | # | FSS | 16-FEB-95 |
| | H-B-371F | BRUSH, ARTIST'S, MARKING | A 8020 | # | FSS | 16-FEB-95 |
| | H-B-391F | BRUSHES, MOTTILING | A 8020 | # | FSS | 19-AUG-93 |
| | H-B-420L | BRUSH, PAINT | A 8020 | # | FSS | 12-FEB-97 |
| | H-B-451G | BRUSH, RADIATOR BRONZING | A 8020 | # | FSS | 16-FEB-95 |
| | H-B-471H | BRUSH, ROOF, KNOTTED-STYLE, THREE KNOTS | A 8020 | # | FSS | 31-MAY-78 |
| | H-B-00481D | BRUSHES, SANITARY | A 7920 | # | FSS | 15-OCT-70 |
| | H-B-491K | BRUSH, PAINT, SASH AND TRIM | A 8020 | # | FSS | 29-SEP-93 |
| | H-B-00515A | BRUSH, SCRUB, BASEBOARD | A 7920 | # | FSS | 27-SEP-66 |
| | H-B-531C | BRUSH, SCRUB, DECK [REVIEW: GL] | A 7920 | % | FSS | 16-NOV-62 |
| | H-B-00555B | BRUSH, SCRUB, VEGETABLE | A 7920 | # | FSS | 28-JAN-71 |
| | H-B-00571B | BRUSH, SHAVING | A 8530 | % | FSS | 02-JUN-69 |
| | H-B-581(1) | BRUSH, SHOE [REVIEW: GL] | A 7920 | % | FSS | 31-JUL-50 |
| | H-B-00621G | BRUSH, STENCIL | A 7520 | # | FSS | 07-OCT-70 |
| | H-B-643C(11) | BRUSHES, ACID SWABBING | A 7920 | # | FSS | 29-APR-71 |
| | H-B-731H | BRUSH, WHITEWASH | A 8020 | # | FSS | 06-DEC-94 |
| | H-H-001193A | HAIRBRUSH, SYNTHETIC | A 8530 | # | FSS | 10-DEC-71 |
| A | J-C-30B(1) | CABLE AND WIRE, ELECTRICAL (POWER, FIXED INSTALLATION) [CUST: CR YD1 85 CC] [REVIEW: 11 99 AR AS CR4 EA MC MI] | A 6145 | / | CC | 28-JAN-90 |
| A | J-C-96A(2) NOT 1 | CABLE, TELEPHONE (W-108-B) [CUST: CR YD1 17 CC] [REVIEW: 80 CG SH] | A 6145 | / | CC | 20-SEP-91 |
| | J-C-145C | CABLE, POWER, ELECTRICAL AND WIRE, ELECTRICAL, (WEATHER-RESISTANT) | A 6145 | % | FSS | 25-MAR-83 |
| | J-C-175F | CABLE ASSEMBLY, POWER, ELECTRICAL, FOR 125 VOLT, 250 VOLT, AND 125/250 VOLT, 50-60 HZ, EQUIPMENT [CUST: CR SH 17] [REVIEW: 85 AS CG GS MC] | A 6150 | / | CC | 23-JAN-80 |
| A | J-C-580B(3) NOT 1 | CORD, ELECTRICAL AND WIRE, ELECTRICAL (0- TO 600- VOLT SERVICE) [CUST: CR YD1 17 CC] [REVIEW: 85 AT AV CR4 MC OS SH] | A 6145 | / | CC | 08-AUG-88 |
| A | J-W-1177/7A | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SA, SOLDERABLE-ACRYLIC-COATED, ROUND [CUST: CR SH 85 CC] [REVIEW: AR AS CG CR4 MI] | A 6145 | / | CC | 27-SEP-76 |
| A | J-W-1177/8A | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SAN, SOLDERABLE ACRYLIC NYLON COATED, ROUND [CUST: CR SH 85 CC] [REVIEW: AR AS CG CR4 MC MI] | A 6145 | / | CC | 27-SEP-76 |
| | J-C-1270B | CABLE ASSEMBLY, POWER, ELECTRICAL [REVIEW: 99 AT YD1] | A 6150 | * | FSS | 05-OCT-73 |
| | J-L-2744 | LEADS, ELECTRICAL, ARC-WELDING [CUST: CR4 YD1 99] [REVIEW: 80 CR GS] | A 6150 | / | YD1 | 31-DEC-90 |
| | K-B-100C | BASKET, FRAME MOUNTED, REMOVABLE CLOTH OR PLASTIC LINERS AND NONREMOVABLE CLOTH LINERS [CUST: GL YD1 99] [REVIEW: SA] | A 7240 | * | GL | 24-JUL-67 |
| | K-P-146E | TARPAULIN, COTTON DUCK, FIRE, WATER, WEATHER AND MILDEW RESISTANT [CUST: GL NU 99 CT] [REVIEW: 45 CG MC MD YD1] | A 8340 | / | CT | 13-FEB-79 |
| | K-P-146E(11) | TARPAULINS, COTTON DUCK, FWWMR [CUST: GL] | A 8340 | / | CT | 10-OCT-90 |
| | L-W-25D(1) | WASTE RECEPTACLE, PLASTIC [CUST: GL 99] | A 7240 | * | GL | 05-MAR-74 |
| | L-T-0030 | TAB, SIGNAL, PLASTIC, TAB SET, SIGNAL, PLASTIC | A 7510 | # | FSS | 10-JUN-64 |
| | L-P-50B | PAD, SCOURING [REVIEW: GL] | A 7920 | % | FSS | 25-NOV-66 |
| | L-P-50B(12) | PADS, SCOURING | A 7920 | % | FSS | 18-SEP-68 |
| | L-T-80B | TAPE, PRESSURE-SENSITIVE ADHESIVE (ALUMINUM-BACKED) [CUST: MR 11] [REVIEW: AR CR GL MI] | A 8030 | / | MR | 01-OCT-71 |
| | L-T-99C | TAPE, PRESSURE SENSITIVE ADHESIVE IDENTIFICATION [CUST: GL SA 84] [REVIEW: AV SM] | A 7510 | * | GL | 01-JAN-75 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------------|--|--------------------------|-------|-------------|-----------|
| L-T-100B | TAPE, PRESSURE&SENSITIVE ADHESIVE, POLYESTER FILM [REVIEW: 84 CR4 DS EA] | A 7510 | % FSS | | 30-AUG-60 |
| L-S-125B NOT 1 | SCREENING, NONMETALLIC, INSECT [CUST: GL SA 82 CT] [REVIEW: EA MC MD MS YD1] | A 8305 | / CT | | 12-NOV-87 |
| L-F-315C | FILM, DIAZOTYPE, SENSITIZED (DIRECT IMAGE MICROFORMS) [CUST: CR AS 70] [REVIEW: 16] | A 6750 | / AS | | 15-NOV-71 |
| L-F-315C(11) | FILM, DIAZOTYPE, SENSITIZED (DIRECT IMAGE MICROFORMS) | A 6750 | # FSS | | 28-OCT-75 |
| L-F-320B | FILM, THERMAL DEVELOPING | A 6750 | # FSS | | 04-MAY-65 |
| L-F-00320D | FILM, THERMAL DEVELOPING, VESICULAR [CUST: CR AS 99] [REVIEW: 16 MC OS] | A 6750 | * CR | | 21-AUG-75 |
| L-P-320B(1) NOT 1 | PIPE AND FITTINGS, PLASTIC (POLYVINYL CHLORIDE, PVC, DRAIN, WASTE, AND VENT, DWV) [REVIEW: 99 CC CG YD1] | A 4710 | * FSS | | 30-MAR-77 |
| L-F-340B(2) | FILM, DIAZOTYPE, SENSITIZED, MOIST AND DRY PROCESS, ROLL AND SHEET [CUST: CR AS 99] [REVIEW: AV CR4] | A 6750 | * AS | | 06-OCT-76 |
| L-P-375D | PLASTIC FILM, FLEXIBLE, VINYL CHLORIDE [CUST: GL] [REVIEW: AR MD MI OS SA] | A 8135 | / GL | | 31-MAR-94 |
| L-P-377C | PLASTIC SHEET AND STRIP, POLYESTER [CUST: GL SA 69] [REVIEW: MD SM] | A 8135 | / GL | | 23-MAR-94 |
| L-P-378D(1) NOT 1 | PLASTIC SHEET AND STRIP, THIN GAUGE, POLYOLEFIN [CUST: GL SA 69] [REVIEW: 99 AR AV CR DS EA EC GS MC MD OS SM SS] | A 8135 | * GL | | 25-JAN-88 |
| L-P-380C | PLASTIC MOLDING MATERIAL METHACRYLATE [CUST: MR 11] [REVIEW: 17 99 AS CR4 EA EC GS MD MI OS SH] | A 9330 | / MR | | 03-AUG-89 |
| L-P-383(1) NOT 1 | PLASTIC MATERIAL, POLYESTER RESIN, GLASS FIBER BASE, LOW PRESSURE LAMINATED [CUST: MR AS 11] [REVIEW: 17 AR CR4 GS MI OS SH] | A 9330 | / AS | | 30-OCT-91 |
| L-P-386C | PLASTIC MATERIAL, CELLULAR, URETHANE (FLEXIBLE) | A 9330 | # FSS | | 26-AUG-77 |
| L-P-390C(2) NOT 1 | PLASTIC, MOLDING AND EXTRUSION MATERIAL, POLYETHYLENE AND COPOLYMERS (LOW, MEDIUM, AND HIGH DENSITY) [CUST: CR 11] [REVIEW: 17 99 AS AT AV EA MC MI MR OS] | A 9330 | / GS | | 07-JUL-87 |
| L-P-391D(1) NOT 1 | PLASTIC SHEETS, RODS AND TUBING, RIGID CAST, METHACRYLATE (MULTIAPPLICATION) [CUST: MR SH 11 GS] [REVIEW: AR AS CR CR4 GL MI OS YD1] | A 9330 | / GS | | 06-JUN-90 |
| L-P-397C | PLASTIC MOLDING MATERIAL, CELLULOSE ACETATE [CUST: MR SH 11] [REVIEW: 17 99 AR EA GS MI SM] | A 9330 | / MR | | 16-DEC-77 |
| L-P-410A(3) | PLASTIC, POLYAMIDE (NYLON), RIGID, RODS, TUBES, FLATS, MOLDED & CAST PARTS [CUST: MR 11] [REVIEW: CR4 EC MC MI OS SH] | A 9330 | / AS | | 21-MAY-74 |
| L-F-475A(13) | FLOOR COVERING VINYL, SURFACE (TILE AND ROLL), WITH BACKING | A 7220 | # FSS | | 24-SEP-82 |
| L-P-504E | PLASTIC SHEET AND FILM, CELLULOSE ACETATE [CUST: MR AS 11] [REVIEW: CR CR4 EA GL GS] | A 9330 | / AS | | 17-JUN-91 |
| L-P-508H NOT 1 | PLASTIC SHEET, LAMINATED, DECORATIVE AND NONDECORATIVE [CUST: MR GS] [REVIEW: GL MI YD1] | A 9330 | / GS | | 10-APR-91 |
| L-P-511(1) NOT 1 | PLASTIC SHEET, LAMINATED, THERMOSETTING, COTTON FABRIC BASE, PHENOLIC-RESIN, POST-FORMING [CUST: MR AS 11] [REVIEW: 69 AR CR MI] | A 9330 | / AS | | 30-OCT-91 |
| L-P-512C NOT 2 | PLASTIC SHEET (SHEETING); POLYETHYLENE [CUST: MR AS 11 GS] [REVIEW: AR GL MC MI OS SH SM] | A 9330 | / GS | | 10-APR-91 |
| L-P-513C NOT 1 | PLASTIC SHEET & INSULATION SHEET, ELECTRICAL (LAMINATED, THERMOSETTING, PAPER BASE, PHENOLIC RESIN) [CUST: 11] [REVIEW: AS CR4 EA EC MC MI MR] | A 9330 | / GS | | 07-JUL-87 |
| L-P-516A NOT 1 | PLASTIC SHEET & PLASTIC ROD, THERMOSETTING, CAST [CUST: CR 11] [REVIEW: 17 CC EC MC MI] | A 9330 | / GS | | 21-MAR-67 |
| L-P-517C(1) | PLASTIC SHEET, SCRIBE-COATED [CUST: CR AS 11] [REVIEW: 68 AR GS OS] | A 9330 | / AS | | 09-JUL-74 |
| L-P-519C | PLASTIC SHEET: TRACING, GLAZED AND MATTE FINISH [CUST: AR] | A 9330 | * AR | | 01-SEP-92 |
| L-H-520G(1) | HOSE AND HOSE ASSEMBLIES, NON-METALLIC (RUBBER, PLASTIC) [CUST: CR4 YD1] [REVIEW: CC CG] | A 4720 | / YD1 | | 10-JUL-91 |
| L-P-527B NOT 1 | PLASTIC SHEET, STYRENE-BUTADIENE [CUST: MR AS 11] [REVIEW: 99 CR GL GS MI OS SH] | A 9330 | / MR | | 10-FEB-87 |
| L-C-530C | COATING, PIPE, THERMOPLASTIC RESIN [CUST: CR4 YD1 99] | A 9330 | / YD1 | | 17-FEB-87 |
| L-E-530A | ENVELOPE, TRANSPARENT [REVIEW: AR GL MC MD] | A 7510 | % FSS | | 27-APR-66 |
| L-P-535E | PLASTIC SHEET (SHEETING); PLASTIC STRIP: POLY(VINYL CHLORIDE) AND POLY(VINYL CHLORIDE-VINYL ACETATE), RIGID [CUST: MR SH 11 GS] [REVIEW: 99 AS CR4 EA MI SM] | A 9330 | / GS | | 29-MAR-91 |
| L-B-560A | BOTTLE, SCREW CAP (POLYETHYLENE), 1.25 OUNCES [CUST: GL SA 99] [REVIEW: GS MT] | A 8125 | * GL | | 08-FEB-74 |
| L-C-566C | COMB, HAIR (PLASTIC) [REVIEW: GL MC] | A 8530 | % FSS | | 17-SEP-57 |
| L-H-580A(1) | HOLDER, NAMEPLATE, DESK, PLASTIC [REVIEW: GL] | A 7520 | % FSS | | 03-APR-72 |
| L-P-600A(12) | PORTFOLIO, PLASTIC | A 7510 | # FSS | | 14-JAN-87 |
| L-S-00626D | SPONGES, SYNTHETIC | A 7920 | # FSS | | 15-JAN-70 |
| L-P-00665A | PROTECTOR, DUPLICATING STENCIL | A 7510 | # FSS | | 15-FEB-68 |
| L-P-00670B(2) | PROTECTOR, DOCUMENT | A 7510 | # FSS | | 11-MAY-72 |
| L-P-1036A NOT 1 | PLASTIC ROD SOLID, PLASTIC TUBES AND TUBING, HEAVY WALLED, POLYVINYL CHLORIDE, RIGID [CUST: MR 11 GS] [REVIEW: 99 AR CR4 EA GL SH] | A 9330 | / GS | | 10-FEB-87 |
| L-P-1040B | PLASTIC SHEETS AND STRIPS (POLYVINYL FLUORIDE) [CUST: MR] [REVIEW: CR CR4 GL GS YD1] | A 9330 | / MR | | 22-JUL-77 |
| L-P-1041A NOT 1 | PLASTIC MOLDING AND EXTRUSION MATERIAL, VINYLIDENE CHLORIDE VINYL CHLORIDE COPOLYMER [CUST: MR 11] [REVIEW: 17 AS CR CR4 EC GL GS MI OS] | A 9330 | / MR | | 10-FEB-87 |
| L-T-1512A | TAPE, PRESSURE SENSITIVE ADHESIVE, PIPE WRAPPING [REVIEW: YD1] | A 8030 | % FSS | | 09-JUN-75 |
| L-W-1653(1) | WASTE RECEPTACLE, MOBILE, PLASTIC | A 7240 | # FSS | | 27-DEC-76 |
| L-S-1805 | DRY TRANSFER SHEETS [REVIEW: GL] | A 7510 | # FSS | | 01-JUL-74 |
| L-S-1805(11) | DRY TRANSFER SHEETS | A 7510 | # FSS | | 14-OCT-75 |
| L-F-333A | FILM, PHOTOGRAPHIC, MOTION-PICTURE (BLACK AND WHITE) [CUST: CR AS 99 IS] [REVIEW: 85 EC MC MI] | A 6750 | / IS | | 26-FEB-74 |
| O-B-41F | BATTERY WATER [CUST: EA YD1 68 GS] [REVIEW: AT MC] | A 6810 | / GS | | 31-DEC-97 |
| O-C-101A(1) | CALCIUM CARBIDE [CUST: EA 68] [REVIEW: CR4] | A 6810 | / GS | | 06-MAR-51 |
| O-C-105D(1) | CALCIUM CHLORIDE, DIHYDRATE AND CALCIUM CHLORIDE, ANHYDROUS, TECHNICAL [REVIEW: CE CR4] | A 6810 | % FSS | | 10-FEB-76 |
| O-L-160A(12) | LEAK PREVENTIVE COMPOUND, RADIATOR | A 6850 | # FSS | | 08-JUN-78 |
| O-D-190B | DEICING-DEFROSTER FLUID (AEROSOL) | A 6850 | # FSS | | 10-SEP-76 |
| O-D-190B(11) | DEICING-DEFROSTER FLUID (AEROSOL) | A 6850 | # FSS | | 03-JUN-77 |
| O-H-210C | HERBICIDE, 2, 4, 5-TRICHLOROPHENOXYACETIC ACID (2, 4, 5-T) (SALTS AND ESTERS) | A 6840 | # FSS | | 26-SEP-69 |
| O-H-215A | HERBICIDE, SILVEX ESTER AND SILVEX POTASSIUM SALT | A 6840 | # FSS | | 11-AUG-65 |
| O-W-221C NOT 1 | WETTING AGENT, LIQUID, PHOTOGRAPHIC GRADE [CUST: CR AS 70] [REVIEW: GS] | A 6750 | / AS | | 20-FEB-89 |
| O-C-230(4) | CHARGE, FIRE EXTINGUISHER, FOAM [CUST: YD1] [REVIEW: CC] | A 4210 | # FSS | | 12-SEP-61 |
| O-M-232J | METHANOL (METHYL ALCOHOL) [CUST: EA OS 68] [REVIEW: AR AS DS GL MD MI] | A 6810 | / GS | | 19-NOV-90 |
| O-C-265C | CHEMICALS, ANALYTICAL; GENERAL SPECIFICATION FOR [CUST: EA 68] [REVIEW: AR MD MI MS OS SM YD1] | A 6810 | / GS | | 30-OCT-91 |
| O-C-00275D | CHEMICALS, PHOTOGRAPHIC (SINGLE SUBSTANCE), GENERAL SPECIFICATION FOR [CUST: CR AS 70 GS] [REVIEW: CR4] | A 6750 | * GS | | 04-APR-74 |
| O-C-289G NOT 2 | CHLORINATION KIT, WATER PURIFICATION, (FOR TREATMENT OF DRINKING WATER) [CUST: GL MC 68 GS] [REVIEW: CR GS MD MS] | A 6850 | / GS | | 06-FEB-98 |
| O-C-291B NOT 1 | CHLOROFORM, TECHNICAL [CUST: EA 68] [REVIEW: GS MD] | A 6810 | / EA | | 10-JUL-89 |
| O-N-335 | NICKEL SALT, ELECTROPLATING | A 6810 | # FSS | | 11-JAN-62 |

| Document Number | Document Title | Distribution FSC/Area | MA Prop. Acty. | Date |
|-------------------|---|--------------------------|-------------------|-----------|
| O-T-370 | THIONYL CHLORIDE, REAGENT [CUST: EA SH 68] [REVIEW: GS] | A 6810 / EA | | 21-NOV-62 |
| O-S-377B | SODIUM PYROPHOSPHATE, ANHYDROUS, TECHNICAL (TETRASODIUM-PYROPHOSPHATE) (S/S BY DOD-S-51517) | A 6810 # FSS | | 20-APR-66 |
| O-C-430A | CLEANING COMPOUND, PAINT BRUSH | A 6850 # FSS | | 09-JUL-75 |
| O-C-00432(1) | CLEANING COMPOUND, ENGINE COOLING SYSTEM | A 6850 # FSS | | 31-JAN-69 |
| O-A-445B(1) | AMMONIA, TECHNICAL [CUST: AS 68] | A 6830 / 68 | | 05-MAY-83 |
| O-A-451F(1) | AMMONIUM HYDROXIDE, TECHNICAL | A 6810 # FSS | | 10-DEC-75 |
| O-I-00490B | INHIBITOR, CORROSION, LIQUID COOLING SYSTEM | A 6850 # FSS | | 04-SEP-74 |
| O-A-498B NOT 1 | AMMONIUM DICHROMATE, PHOTOGRAPHIC, (AMMONIUM BICHROMATE) [CUST: OS] | A 6750 / OS | | 07-SEP-66 |
| O-F-499D NOT 1 | FLUX, BRAZING, (SILVER BRAZING FILLER METAL, LOW MELTING POINT) [CUST: AR SH 11] [REVIEW: 99 AT CR4 EA GS MC MI] | A 3439 / SH | | 20-FEB-91 |
| O-I-501B NOT 1 | INHIBITORS, PICKLING (FOR USE WITH SULPHURIC ACID) [CUST: EA 11] [REVIEW: AS GS MR OS SH] | A 6850 / EA | | 23-SEP-88 |
| O-I-520B | INSECTICIDE, DIAZINON, EMULSIFIABLE CONCENTRATE [CUST: GL SH 68] [REVIEW: AR MC MD YD1] | A 6840 / GS | | 16-AUG-77 |
| O-P-559 | POTASSIUM DICHROMATE (POTASSIUM BICHROMATE) TECHNICAL GRADE [CUST: AR SH 68 GS] | A 6810 / GS | | 26-MAY-52 |
| O-I-568D | INSECTICIDE, DDT (75 PERCENT, WATER-DISPERSIBLE POWDER) [CUST: GL YD1 68] [REVIEW: AS GS] | A 6840 * GL | | 04-DEC-69 |
| O-I-568D(11) | INSECTICIDE, DDT (75 PERCENT, WATER-DISPERSIBLE POWDER) | A 6840 # FSS | | 14-AUG-70 |
| O-S-571G | SODIUM CARBONATE, ANHYDROUS, TECHNICAL [CUST: EA 68] [REVIEW: AR CR4 GS MC MD SH SM YD1] | A 6810 / EA | | 13-NOV-91 |
| O-M-575A | MORPHOLINE, TECHNICAL [REVIEW: 68 CR4 GS SH] | A 6810 % FSS | | 13-SEP-75 |
| O-S-588C | SODIUM CHROMATE, ANHYDROUS, TECHNICAL [CUST: EA 68] [REVIEW: AS CR4 GS OS YD1] | A 6810 / EA | | 20-JUN-85 |
| O-S-595B(1) | SODIUM DICHROMATE, DIHYDRATE, TECHNICAL [CUST: OS] [REVIEW: MI] | A 6810 * GS | | 23-APR-70 |
| O-T-620C(13) | 1, 1, 1-TRICHLOROETHANE, TECHNICAL, INHIBITED (METHYL CHLOROFORM) | A 6810 # FSS | | 06-JUN-77 |
| O-S-634B | SODIUM NITRATE, TECHNICAL (NITRATE OF SODA) [CUST: OS] | A 6810 / OS | | 14-DEC-70 |
| O-S-635D | SODIUM POLYPHOSPHATES, TECHNICAL [CUST: EA YD1 68] [REVIEW: GS MD SH] | A 6810 % FSS | | 04-MAY-77 |
| O-S-639B | SODIUM PHOSPHATE, DIBASIC, ANHYDROUS, TECHNICAL [CUST: GL SH 68] [REVIEW: AS GS] | A 6810 / SH | | 27-AUG-84 |
| O-S-642G | SODIUM PHOSPHATE, TRIBASIC, ANHYDROUS, DODECAHYDRATE; AND MONOHYDRATE; TECHNICAL [CUST: GL SH 68] [REVIEW: AR MC MD MI] | A 6810 / SH | | 07-MAY-93 |
| O-S-00650 | SODIUM SULFITE, ANHYDROUS, TECHNICAL, AND SODIUM BISULFITE, ANHYDROUS, TECHNICAL, FOR WATER TREATMENT | A 6810 # FSS | | 25-FEB-65 |
| O-E-751B | ETHER, PETROLEUM, TECHNICAL-GRADE [CUST: EA] | A 6810 / EA | | 11-APR-56 |
| O-E-760D(2) NOT 2 | ETHYL ALCOHOL (ETHANOL); DENATURED ALCOHOL; PROPRIETARY SOLVENTS AND SPECIAL INDUSTRIAL SOLVENTS [CUST: GS] [REVIEW: MD MI] | A 6810 / GS | | 09-SEP-93 |
| O-E-780B | ETHYLENE GLYCOL MONOMETHYL ETHER, TECHNICAL [CUST: EA 68] [REVIEW: MD OS SH] | A 6810 / GS | | 28-APR-92 |
| O-H-795(2) | HYDROFLUORIC ACID, TECHNICAL | A 6810 # FSS | | 03-JUL-57 |
| O-S-801E | SULFURIC ACID, ELECTROLYTE (FOR STORAGE BATTERIES) [CUST: EA SH 68] [REVIEW: MC MD MI SA YD1] | A 6810 / GS | | 21-NOV-90 |
| O-D-825C | DUPLICATING FLUID, DIRECT PROCESS (SPIRIT TYPE) [REVIEW: GL] | A 7510 # FSS | | 01-OCT-73 |
| O-C-940B | CYCLOHEXYLAMINE, TECHNICAL | A 6810 # FSS | | 12-JUN-75 |
| O-E-950A | EXTRACT, QUEBRACHO | A 6810 # FSS | | 10-MAR-75 |
| O-L-1031A(1) | LITHOGRAPHIC SOLVENT [CUST: GL PE 68 FSS] [REVIEW: AR CR4 GS MD] | A 6850 * FSS | | 05-SEP-68 |
| O-L-1031A(12) | LITHOGRAPHIC SOLVENT [CUST: GL] | A 6850 / GL | | 12-MAY-69 |
| O-R-1151B | REGENERATOR, LITHOGRAPHIC BLANKET [CUST: GL SA] [REVIEW: CR4 GS MD MR PE] | A 6850 * GL | | 13-NOV-69 |
| O-D-1271B | DIETHYLENTRIAMINE, TECHNICAL [CUST: EA 68 GS] [REVIEW: MD] | A 6810 / GS | | 20-JUN-85 |
| O-D-1271B(11) | DIETHYLENTRIAMINE, TECHNICAL [CUST: EA] | A 6810 / GS | | 02-JUN-86 |
| O-D-1276B | DISINFECTANT DETERGENT, GENERAL PURPOSE (PINE OIL) [CUST: YD1] | A 6840 % FSS | | 09-MAY-80 |
| O-I-1279B | ION EXCHANGE RESINS [CUST: SH] [REVIEW: SM] | A 6810 / SH | | 30-JUN-93 |
| O-W-1284B NOT 1 | WATER DISPLACING COMPOUND (WITH CORROSION INHIBITOR) [REVIEW: 68] | A 6850 % FSS | | 26-JUN-96 |
| O-D-1407 | DRY CHEMICAL, FIRE EXTINGUISHING, POTASSIUM BICARBONATE | A 4210 # FSS | | 09-AUG-72 |
| O-D-1407(11) | DRY CHEMICAL, FIRE EXTINGUISHING, POTASSIUM BICARBONATE | A 4210 # FSS | | 03-MAY-76 |
| O-D-1435B | SANITIZER, PHENOLIC TYPE, CONCENTRATE [CUST: GL 68] [REVIEW: MD MS] | A 6840 / GS | | 30-JUN-92 |
| O-P-1731(11) | PENETRATING FLUID | A 6850 # FSS | | 07-MAY-79 |
| O-C-1901 | CLEANING COMPOUND, WINDSHIELD (SOLVENT AND ANTI-FREEZE, CONCENTRATED) | A 6850 % FSS | | 07-MAR-75 |
| O-C-1901(11) | CLEANING COMPOUND, WINDSHIELD (SOLVENT AND ANTI-FREEZE, CONCENTRATED) | A 6850 % FSS | | 19-JUL-77 |
| O-C-275C | CHEMICALS, PHOTOGRAPHIC (SINGLE SUBSTANCE) GENERAL SPECIFICATION FOR [CUST: CR AS 99 IS] [REVIEW: CR4] | A 6750 / IS | | 30-JUN-69 |
| P-C-111D(2) NOT 2 | CARBON REMOVING COMPOUND [CUST: MR AS 11] [REVIEW: 99 AR CR4 MD] | A 6850 / MR | | 13-APR-93 |
| P-W-155C | WAX, FLOOR, WATER-EMULSION [REVIEW: 99 GL SH] | A 7930 % FSS | | 22-FEB-78 |
| P-W-155C(11) | WAX, FLOOR, WATER-EMULSION | A 7930 # FSS | | 03-MAR-80 |
| P-D-220D | DETERGENT, GENERAL PURPOSE [REVIEW: GL] | A 7930 % FSS | | 06-AUG-79 |
| P-D-225A | DETERGENT, GENERAL PURPOSE, SOLVENT TYPE [CUST: GL] | A 7930 % GL | | 12-APR-75 |
| P-D-225A(11) | DETERGENT, GENERAL PURPOSE, SOLVENT TYPE | A 7930 # FSS | | 14-JUN-77 |
| P-D-245F(1) | DETERGENT, GENERAL PURPOSE, LAUNDRY AND HAND DISHWASHING (GRANULAR) [CUST: GL YD1 99] [REVIEW: 84 MC MD MS SH] | A 7930 * GL | | 11-OCT-91 |
| P-D-410C | DISHWASHING COMPOUND, HAND, (SYNTHETIC DETERGENT, SOLID AND LIQUID FORM) [CUST: GL SH 84] [REVIEW: 03 MD MS OS] | A 7930 * GL | | 18-MAY-77 |
| P-D-410C(11) | DISHWASHING COMPOUND, HAND (SYNTHETIC DETERGENT, SOLID AND LIQUID FORM) | A 7930 # FSS | | 24-AUG-83 |
| P-F-430C(1) | FINISH, FLOOR, WATER EMULSION (FOR USE ON LIGHT COLORED FLOORS) [REVIEW: GL YD1] | A 7930 % FSS | | 15-APR-83 |
| P-C-444B | CLEANING COMPOUND, SOLVENT SOLUBLE, GREASE EMULSIFYING [CUST: AR AS 68] [REVIEW: EA GS MS OS SM] | A 6850 / AS | | 26-MAY-83 |
| P-P-560B(2) | POLISH, PLASTIC [CUST: GL AS 99] [REVIEW: EA MD] | A 7930 / AS | | 19-JUN-86 |
| P-S-577C(1) | SOAP, GRIT (PASTE WITH MINERAL SCURBBER, AND POWER WITH VEGETABLE SCRUBBER) [REVIEW: GL MC SA] | A 8520 % FSS | | 23-MAR-77 |
| P-S-624J | SOAP, TIOLET (LIQUID AND PASTE) [CUST: GL 99] [REVIEW: 85 CG MD SH] | A 8520 * GL | | 23-APR-80 |
| P-D-680B | DRY CLEANING AND DEGREASING SOLVENT [CUST: AT 68] [REVIEW: AS AV DP GS MC MD MI SH SM] | A 6850 / AT | | 29-OCT-92 |
| P-D-680B(12) | DRY CLEANING AND DEGREASING SOLVENT [CUST: AS] | A 6850 / AS | | 16-MAY-95 |
| P-L-790(1) | LUBRICATE, SILICATE CEMENT, DENTAL [CUST: MD MS 03] | A 6520 / MB | | 06-FEB-57 |
| P-L-00790A | LUBRICANT, SILICATE CEMENT, DENTAL [CUST: MD MS 03] | A 6520 / MB | | 15-JAN-71 |
| P-R-1272C | RINSE ADDITIVE, DISHWASHING, CONCENTRATED [CUST: GL MC 84] [REVIEW: 03 MD MS SH] | A 7930 * GL | | 19-MAR-76 |
| P-R-1272C(11) | RINSE ADDITIVE, DISHWASHING, CONCENTRATED | A 7930 # FSS | | 08-JUN-77 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/NA | MCA Prep. Acty. | Date |
|------------------|--|------------------------|--------------------|-----------|
| P-H-001722A(1) | HAND CLEANER (PRE-MOISTENED PAD AND TOWELETTE, FOR INK AND OFFICE SOILS) | A 8520 # FSS | | 24-SEP-76 |
| P-D-1747C | DETERGENT, GENERAL PURPOSE (SPRAY ON, WIPE OFF) [CUST: GL 99] [REVIEW: MC MD MS SH] | A 7930 * GL | | 11-MAY-83 |
| P-C-1891 | CLEANING COMPOUND, PORCELAIN AND CERAMIC TILE [CUST: GL] | A 7930 * GL | | 27-SEP-76 |
| P-C-1891(11) | CLEANING COMPOUND, PORCELAIN AND CERAMIC TILE | A 7930 # FSS | | 03-JUN-77 |
| P-W-2891 | WIPE SOLVENTS, LOW VAPOR PRESSURE [CUST: AS] | A 7930 / AS | | 31-JUL-96 |
| Q-C-571C | COKE (COAL) | A 9110 # FSS | | 12-AUG-69 |
| R-C-1424A | COAL TAR, (FOR USE IN ROAD CONSTRUCTION) [CUST: CR4 99] | A 5610 # FSS | | 10-MAY-74 |
| S-T-540E(2) | TOASTER, CONTINUOUS (CONVEYOR, HEAVY DUTY), ALL ELECTRIC AND COMBINATION GAS AND ELECTRIC [CUST: SH] [REVIEW: MC SA] | A 7310 / SH | | 28-JUN-77 |
| S-F-695G(1) | FRYERS, DEEP-FAT (ELECTRIC) [CUST: SA 99] [REVIEW: GS MC SA SH YD1] | A 7310 / SA | | 15-DEC-83 |
| S-F-695G(14) | FRYERS, DEEP-FAT (ELECTRIC) [CUST: SH] | A 7310 / SH | | 07-APR-92 |
| A S-O-865B NOT 1 | OVEN, REVOLVING TRAY, BAKING AND ROASTING, COMPACT, (GAS, ELECTRIC) [CUST: GL YD1 99 IS] [REVIEW: MD] | A 7310 / IS | | 30-APR-74 |
| S-U-2833 | UNIT HEATER, AIR-CIRCULATING, STEAM - HOT WATER [CUST: YD1 99] [REVIEW: 84 CC] | A 4520 / YD1 | | 29-APR-94 |
| S-R-2834 | RADIATORS: HEATING, STEEL, MULTIFIN TYPE [CUST: YD1 99] [REVIEW: 84 CC] | A 4520 / YD1 | | 30-DEC-93 |
| T-O-56A | OAKUM, MARINE [CUST: SH 99] [REVIEW: 82 AR IS SA] | A 5330 / SH | | 22-DEC-70 |
| T-M-550A | MOP, DUSTING, COTTON, UNIVERSAL ACTION SWIVEL [REVIEW: GL] | A 7920 % FSS | | 19-SEP-61 |
| T-M-550A(11) | MOP, DUSTING, COTTON, UNIVERSAL ACTION SWIVEL | A 7920 # FSS | | 03-JUL-63 |
| T-M-567A | MOP, DUSTING, COTTON, RECTANGULAR AND TRIANGULAR [REVIEW: GL SA] | A 7920 % FSS | | 02-JUN-58 |
| T-D-00568B | DUSTER, VENETIAN BLIND | A 7920 # FSS | | 01-JUN-70 |
| T-M-570 | MOP, DUSTING, COTTON, SLIP-ON (WITH HANDLE) [REVIEW: GL] | A 7920 % FSS | | 07-FEB-55 |
| T-R-571E | ROPE, COTTON, OR COTTON AND POLYESTER [CUST: GL 99] [REVIEW: 82 AV CR4 MC MD SM] | A 4020 / IS | | 13-MAR-90 |
| T-R-605B(3) | ROPE, MANILA AND SISAL [CUST: GL SH 99 IS] [REVIEW: AR CC CE CR4 EA MC YD1] | A 4020 / IS | | 17-APR-73 |
| T-T-616B | TREATMENT MILDEW RESISTANT FOR ROPE AND CORD [CUST: GL AS 99] [REVIEW: 82 MC MD MI] | A 4020 / IS | | 12-JUN-86 |
| T-R-650(1) | ROPE, YARN AND TWINE, BAST FIBER [CUST: GL SH 99 IS] [REVIEW: AR CG CR4 MC MD YD1] | A 4020 / IS | | 19-MAY-69 |
| T-M-001203(2) | MOP, DUSTING (RENTAL SERVICE) | A 7920 # FSS | | 27-JUN-73 |
| T-C-2754 | CORD, POLYESTER, CORELESS [CUST: GL AS 99] [REVIEW: 82 CR4 SH] | A 4020 / IS | | 05-FEB-90 |
| U-T-30C(11) | TALCUM POWDER | A 8510 % FSS | | 19-MAY-77 |
| U-W-149 | WAX, STICKY, DENTAL [CUST: MD MS 03] | A 6520 / MB | | 23-NOV-48 |
| V-F-106F(2) | FASTENER, SLIDE, INTERLOCKING [CUST: GL AS 99 IS] [REVIEW: 82 MC MI NU OS SA] | A 5325 / IS | | 20-APR-90 |
| V-T-285F | THREAD, POLYESTER [CUST: GL NU 11 CT] [REVIEW: 82 99 AR AS DS EA MC MD OS] | A 8310 / CT | | 03-JAN-91 |
| V-T-295E | THREAD, NYLON [CUST: GL NU 11 CT] [REVIEW: 99 AR AS CG DS EA MC MD MI] | A 8310 / CT | | 01-AUG-85 |
| V-V-632 | GREASE, INDUSTRIAL, GENERAL PURPOSE [CUST: 68] [REVIEW: AT CD GS MI SM TE] | A 9150 / AT | | 12-OCT-89 |
| V-V-671F | GREASE, GRAPHITE [CUST: 68] [REVIEW: AL AR AT GS] | A 9150 / AT | | 12-OCT-89 |
| V-B-871F | BUTTON, SEWING HOLE, AND BUTTON, STAPLE, (PLASTIC) [CUST: GL NU 99 CT] [REVIEW: 11 45 82 CG MC MD] | A 8315 / CT | | 28-MAR-84 |
| W-R-36D | RACEWAY AND FITTINGS, METALLIC, UNDERFLOOR | A 5975 # FSS | | 25-NOV-83 |
| W-H-50B(1) NOT 1 | HAND DRIER, BLOWER, ELECTRIC [CUST: GL SH 99] [REVIEW: 84 CC MC YD1] | A 4510 / SH | | 20-FEB-91 |
| W-S-90C | SAW, RECIPROCATING, PORTABLE, ELECTRIC | A 5130 # FSS | | 14-JUN-95 |
| W-L-101H SUP 1 | LAMP, INCANDESCENT (ELECTRIC, LARGE TUNGSTEN-FILAMENT) (GENERAL SPECIFICATION) [CUST: SH 85] [REVIEW: GS YD1] | A 6240 * SH | | 06-DEC-77 |
| W-L-101/1A | LAMP, INCANDESCENT 100 WATT, 120 VOLTS A-19 BULB, INSIDE FROSTED, MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 17-NOV-77 |
| W-L-101/2A | LAMP, INCANDESCENT 100 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 17-NOV-77 |
| W-L-101/3A | LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 17-NOV-77 |
| W-L-101/4A | LAMP, INCANDESCENT 60 WATT, 120 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 17-NOV-77 |
| W-L-101/5A | LAMP, INCANDESCENT 60 WATT, 125 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 17-NOV-77 |
| W-L-101/6A | LAMP, INCANDESCENT 60 WATT, 130 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/7A | LAMP, INCANDESCENT 75 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/8A | LAMP, INCANDESCENT 75 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/9A | LAMP, INCANDESCENT 75 WATT, 130 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/10A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/11A | LAMP, INCANDESCENT 150 WATT, 125 VOLTS, A-23 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/12A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, A-23 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/13B | LAMP, INCANDESCENT 100 WATT, 120 VOLTS, A-21 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/14B | LAMP, INCANDESCENT 100 WATT, 125 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/15B | LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-21 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/16A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/17A | LAMP, INCANDESCENT 200 WATT, 125 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/18A | LAMP, INCANDESCENT 200 WATT, 130 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/19A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/20A | LAMP, INCANDESCENT 300 WATT, 125 VOLTS, PS-35 BULB, INSIDE FROSTED MOGUL SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |
| W-L-101/21A | LAMP, INCANDESCENT, 300 WATT, 130 VOLTS PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE [REVIEW: GS] | A 6240 # FSS | | 18-NOV-77 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|------------|-----------------|--|--------------------------|-----|-------------|-----------|
| | W-L-101/22B | LAMP, INCANDESCENT 40 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/23 | LAMP, INCANDESCENT 40 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED, MEDIUM SCREW BASE | A 6240 | # | FSS | 15-JAN-69 |
| | W-L-101/24B | LAMP, INCANDESCENT 40 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/25B | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/26B | LAMP, INCANDESCENT 200 WATT, 125 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: 85 GS SH] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/27B | LAMP, INCANDESCENT 200 WATT, 130 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: 85 GS SH] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/28A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, PS-25 BULB, INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/29A | LAMP, INCANDESCENT 150 WATT, 125 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/30A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/31B | LAMP, INCANDESCENT 25 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/33B | LAMP, INCANDESCENT 25 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/34A | LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/35A | LAMP, INCANDESCENT 1000 WATT, 125 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/36A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-40 BULB CLEAR MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 01-DEC-77 |
| | W-L-101/37B | LAMP, INCANDESCENT 15 WATT, 120 VOLTS, A-15 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/38B | LAMP, INCANDESCENT 15 WATT, 130 VOLTS, A-15 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/39A | LAMP, INCANDESCENT 750 WATT, 120 VOLTS, PS-52 BULB, CLEAR MOGUL SCREW BASE [REVIEW: 85 GS SH] | A 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/40A | LAMP, INCANDESCENT 750 WATT, 125 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE [REVIEW: 85 GS SH] | A 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/41A | LAMP, INCANDESCENT 750 WATT, 120 VOLTS, PS-52 BULB INSIDE FROSTED MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/42A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/43A | LAMP, INCANDESCENT 300 WATT, 125 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/44A | LAMP, INCANDESCENT 300 WATT, 130 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: 85 GS SH] | A 6240 | % | FSS | 18-NOV-77 |
| | W-L-101/45A | LAMP, INCANDESCENT 1500 WATT, 120 VOLTS, PS-52 BULB INSIDE FROSTED MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/46A | LAMP, INCANDESCENT 1500 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/47A | LAMP, INCANDESCENT 1500 WATT, 125 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/48A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, A-23 BULB CLEAR MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/49A | LAMP, INCANDESCENT 200 WATT, 130 VOLTS, A-23 BULB CLEAR MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/50A | LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, PS-52 BULB INSIDE FROSTED MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/51A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/52A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-23 BULB CLEAR MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/53A | LAMP, INCANDESCENT 50 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/54A | LAMP, INCANDESCENT 50 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/56A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/57A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/58A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/59A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-25 BULB CLEAR MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/60A | LAMP, INCANDESCENT 60 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/61A | LAMP, INCANDESCENT 60 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/62A | LAMP, INCANDESCENT 60 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/63A | LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/64A | LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/65A | LAMP, INCANDESCENT 150 WATT, 125 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/66A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/67A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/68A | LAMP, INCANDESCENT 40 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/69A | LAMP, INCANDESCENT 40 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| | W-L-101/72A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-40 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| | W-L-101/73A | LAMP, INCANDESCENT 750 WATT, 130 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|---|--------------------------|-----|-------------|-----------|
| W-L-101/74A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| W-L-101/75A | LAMP, INCANDESCENT 300 WATT, 130 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| W-L-101/76A | LAMP, INCANDESCENT 100 WATT, 115 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| W-L-101/77A | LAMP, INCANDESCENT 100 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| W-L-101/78A | LAMP, INCANDESCENT 100 WATT, 125 VOLTS, A-21 BULB INSIDE COATED MEDIUM SCREW BASE, ROUGH SERVICE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| W-L-101/79A | LAMP, INCANDESCENT 50 WATT, 115 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| W-L-101/80A | LAMP, INCANDESCENT 50 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| W-L-101/81A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| W-L-101/83A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-30 BULB CLEAR MEDIUM SCREW BASE, ROUGH SERVICE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| W-L-101/84A | LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| W-L-101/85A | LAMP, INCANDESCENT 75 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE [REVIEW: GS] | A 6240 | # | FSS | 18-NOV-77 |
| W-L-101/86C | LAMP, INCANDESCENT 6 WATT, 120 VOLTS, S-6 BULB, CLEAR, CANDELABRA BASE [REVIEW: GS] | A 6240 | % | FSS | 10-JUN-81 |
| W-L-101/87C | LAMP, INCANDESCENT 6 WATT, 130 VOLTS, S-6 BULB CLEAR CANDELABRA BASE [REVIEW: GS] | A 6240 | % | FSS | 10-JUN-81 |
| W-L-101/88C | LAMP, INCANDESCENT 6 WATT, 145 VOLTS, S-6 BULB CLEAR CANDELABRA BASE [REVIEW: GS] | A 6240 | % | FSS | 10-JUN-81 |
| W-L-101/89C | LAMP, INCANDESCENT 6 WATT, 155 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE [REVIEW: GS] | A 6240 | % | FSS | 10-JUN-81 |
| W-L-101/90A | LAMP, INCANDESCENT 10 WATT, 230 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/91A | LAMP, INCANDESCENT 10 WATT, 250 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/92B | LAMP, INCANDESCENT 3 WATT, 120 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/94A | LAMP, INCANDESCENT 25 WATT, 120 VOLTS, T-10 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/95B | LAMP, INCANDESCENT 6 WATT, 120 VOLTS, T-4 1/2 BULB CLEAR, CANDELABRA BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/98A | LAMP, INCANDESCENT 10 WATT, 120 VOLTS, S-14 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/99A | LAMP, INCANDESCENT 25 WATT, 120 VOLTS, T-6 1/2 BULB CLEAR INTERMEDIATE SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/100A | LAMP, INCANDESCENT 40 WATT, 120 VOLTS, T-8 BULB CLEAR MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/101A | LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/102A | LAMP, INCANDESCENT 100 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/103A | LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/104A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/105A | LAMP, INCANDESCENT 150 WATT, 125 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/106A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/107A | LAMP, INCANDESCENT 150 WATT, 115 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/108A | LAMP, INCANDESCENT 150 WATT, 130 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/109A | LAMP, INCANDESCENT 200 WATT, 130 VOLTS, PS-30 BULB CLEAR MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/110A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/111A | LAMP, INCANDESCENT 300 WATT, 125 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/112A | LAMP, INCANDESCENT 300 WATT, 130 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE [REVIEW: 85 GS SH] | A 6240 | % | FSS | 21-NOV-77 |
| W-L-101/113A | LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE, ROUGH SERVICE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/114A | LAMP, INCANDESCENT 500 WATT, 130 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 21-NOV-77 |
| W-L-101/115A | LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-40 BULB INSIDE FROSTED MOGUL SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 22-NOV-77 |
| W-L-101/116A | LAMP, INCANDESCENT 75 WATT, 130 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE [REVIEW: 85 GS SH] | A 6240 | % | FSS | 22-NOV-77 |
| W-L-101/117A | LAMP, INCANDESCENT 750 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 22-NOV-77 |
| W-L-101/118A | LAMP, INCANDESCENT 150 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 22-NOV-77 |
| W-L-101/119A | LAMP, INCANDESCENT TRADE NO. 40 A/W, 40 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE) MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 11-NOV-77 |
| W-L-101/120A | LAMP, INCANDESCENT TRADE NO. 60 A/W, 60 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE) MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 11-NOV-77 |
| W-L-101/121A | LAMP, INCANDESCENT TRADE NO. 75 A/W, 75 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE) MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 11-NOV-77 |
| W-L-101/122A | LAMP, INCANDESCENT TRADE NO. 100 A/W, 100 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE) MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 11-NOV-77 |
| W-L-101/123B | LAMP, INCANDESCENT TRADE NO. 100 A/W, 100 WATT, 125 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE) MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 01-DEC-77 |
| W-L-101/124A | LAMP, INCANDESCENT TRADE NO. 200A/99, 200 WATT, 130 VOLTS, PS-25 BULB, INSIDE FROSTED, MEDIUM SCREW BASE, EXTENDED SERVICE [REVIEW: GS] | A 6240 | # | FSS | 22-NOV-77 |
| W-L-101/125A | LAMP, INCANDESCENT TRADE NO. 300/RS, 300 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE, ROUGH SERVICE [REVIEW: GS] | A 6240 | # | FSS | 22-NOV-77 |
| W-L-101/126A | LAMP, INCANDESCENT TRADE NO. 150 A/W, 150 WATT, 120 VOLTS, A-21 BULB INSIDE COATED (SOFT WHITE) MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 11-NOV-77 |
| W-L-101/127A | LAMP, INCANDESCENT TRADE NO. 200A25, 200 WATT, 120 VOLTS, PS25 BULB INSIDE FROSTED, MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 24-NOV-77 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|-------------|-----------------|---|--------------------------|-----|-------------|-----------|
| | W-L-101/128A | LAMP, INCANDESCENT TRADE NO. 200A25, 200 WATT, 130 VOLTS, PS-25 BULB INSIDE FROSTED, MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 22-NOV-77 |
| | W-L-101/129A | LAMP, INCANDESCENT TRADE NO. 200A25, 200 WATT, 120 VOLTS, PS-25 BULB CLEAR, MEDIUM SCREW BASE [REVIEW: GS] | A 6240 | # | FSS | 22-NOV-77 |
| | W-L-101/130 | LAMP, INCANDESCENT TRADE NO. 6S6DC, 6 WATT, 120 VOLT, S-6 BULB, CLEAR, DOUBLE CONTACT BAYONET BASE [REVIEW: 85 GS SH] | A 6240 | % | FSS | 21-JAN-81 |
| | W-P-115C | PANEL, POWER DISTRIBUTION [CUST: CR4 YD1 99] [REVIEW: 80 GS MC SH] | A 6110 | / | YD1 | 14-MAR-90 |
| | W-L-116A(3) | LAMP, ELECTRIC INCANDESCENT MINIATURE, TUNGSTEN FILAMENT [REVIEW: GS] | A 6240 | # | FSS | 23-JUN-64 |
| | W-L-00116D | LAMP, FLUORESCENT [REVIEW: GS] | A 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/1B | LAMP FLUORESCENT TRADE NO. F6T5/CW, PREHEAT, 6WATT, T-5 BULB COOL WHITE, MINIATURE BIPIN BASE | A 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/3C | LAMP FLUORESCENT TRADE NO. F8T5/CW, PREHEAT, 8 WATT, T-5 BULB COOL WHITE, MINIATURE BIPIN BASE | A 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/5A | LAMP FLUORESCENT TRADE NO. F30T8/CW, PREHEAT, 30 WATT, T-8 BULB COOL WHITE, MEDIUM BIPIN BASE | A 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/6C | LAMP FLUORESCENT TRADE NO. F8T5/D, PREHEAT, 8 WATT, T-5 BULB DAYLIGHT, MINIATURE BIPIN BASE | A 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/7B | LAMP FLUORESCENT TRADE NO. F14T12/CW, PREHEAT, 14 WATT, T-12 BULB (15") COOL WHITE, MEDIUM BIPIN BASE | A 6240 | # | FSS | 26-AUG-77 |
| | W-L-00116/8A | LAMP FLUORESCENT TRADE NO. F14T12/W, PREHEAT, 14 WATT, T-12 BULB WHITE, MEDIUM BIPIN BASE | A 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/9A | LAMP FLUORESCENT TRADE NO. F15T8/CW, PREHEAT, 15 WATT, T-8 COOL WHITE, MEDIUM BIPIN BASE | A 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/10A | LAMP FLUORESCENT TRADE NO. F15T8/W, PREHEAT, 15 WATT, T-8 BULB WHITE, MEDIUM BIPIN BASE | A 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/11A | LAMP FLUORESCENT TRADE NO. F15T8/WW, PREHEAT, 15 WATT, T-8 BULB WARM WHITE, MEDIUM BIPIN BASE | A 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/12A | LAMP FLUORESCENT TRADE NO. F15R8/D, PREHEAT, 15 WATT, T-8 BULB DAYLIGHT, MEDIUM BIPIN BASE | A 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/13A | LAMP FLUORESCENT TRADE NO. F15T12/CW, PREHEAT, 15 WATT, T-12 BULB COOL WHITE, MEDIUM BIPIN BASE | A 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/14A | LAMP FLUORESCENT TRADE NO. F15T12/W, PREHEAT, 15 WATT, T-12 BULB WHITE, MEDIUM BIPIN BASE | A 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/15A | LAMP FLUORESCENT TRADE NO. F15T12/D, PREHEAT, 15 WATT, T-12 BULB DAYLIGHT, MEDIUM BIPIN BASE | A 6240 | # | FSS | 26-MAY-76 |
| | W-L-00116/19A | LAMP FLUORESCENT TRADE NO. F30T8/W, PREHEAT, 30 WATT, T-8 BULB WHITE, MEDIUM BIPIN BASE | A 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/20A | LAMP FLUORESCENT TRADE NO. F30T8/D, PREHEAT, T-8 BULB DAYLIGHT, MEDIUM BIPIN BASE | A 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/21B | LAMP FLUORESCENT TRADE NO. F90T12/CW OR F90T17/CW, PREHEAT, 90 WATT, T-12 OR T-17 BULB (60 IN.) COOL WHITE, MOGUL BIPIN BASE (DETAIL SPECIFICATION) | A 6240 | # | FSS | 04-NOV-77 |
| | W-L-00116/22B | LAMP FLUORESCENT TRADE NO. T90T12/W OR F90T17/W, PREHEAT, 90 WATT, T-12 OR T-17 BULB (60") WHITE, MOGUL BIPIN BASE | A 6240 | # | FSS | 04-NOV-77 |
| | W-L-00116/23B | LAMP FLUORESCENT TRADE NO. F90T12/D OR F90T17/D, PREHEAT, 90 WATT, T-12 OR T-17 BULB (60") DAYLIGHT, MOGUL BIPIN BASE | A 6240 | # | FSS | 04-NOV-77 |
| | W-L-00116/24B | LAMP FLUORESCENT TRADE NO. FC8T9/CW/RS, RAPID START, 22 WATT, T-9 BULB COOL WHITE, 4 PIN BASE, CIRCULAR 8-1/4 IN. DIAMETER (DETAIL SPECIFICATION) | A 6240 | # | FSS | 26-AUG-77 |
| | W-L-00116/25B | LAMP FLUORESCENT TRADE NO. FC12T10/CW/RS, RAPID START, 32 WATT, T-10 BULB COOL WHITE, 4-PIN BASE, CIRCULAR 12" DIAMETER | A 6240 | # | FSS | 26-AUG-77 |
| | W-L-00116/26A | LAMP FLUORESCENT TRADE NO. F30T12/CW/RS, RAPID START, 30 WATT, T-12 BULB (36") COOL WHITE, MEDIUM BASE | A 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/27A | LAMP FLUORESCENT TRADE NO. F30T12/WW/RS, RAPID START, 30 WATT, T-12 BULB (36") WARM WHITE, MEDIUM BIPIN BASE | A 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/29A | LAMP FLUORESCENT TRADE NO. F40W, RAPID START, 40 WATT, T-12 BULB WHITE, MEDIUM BIPIN BASE | A 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/32A | LAMP FLUORESCENT TRADE NO. F48T12/CW/NO, RAPID START, 60 WATT, T-12 BULB COOL WHITE, RECESSED DOUBLE CONTACT BASE, HIGH OUTPUT | A 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/34A | LAMP FLUORESCENT TRADE NO. F96T12/CW/1500, RAPID START, 215 WATT, T-12 BULB (96") COOL WHITE, RECESSED DOUBLE CONTACT BASE, HIGH OUTPUT | A 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/35A | LAMP FLUORESCENT TRADE NO. F40T12/CW/IS, INSTANT START, 40 WATT, T-12 BULB COOL WHITE, MEDIUM BIPIN BASE | A 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/36A | LAMP FLUORESCENT TRADE NO. F48T12/CW, INSTANT START, 40 WATT, T-12 BULB COOL WHITE, SINGLE PIN BASE | A 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/38A | LAMP FLUORESCENT TRADE NO. F48T12/D, INSTANT START, 40 WATT, T-12 BULB DAYLIGHT, SINGLE PIN BASE | A 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/39C | LAMP FLUORESCENT TRADE NO. F40T12/CW/IS OR F40T17/CW/IS, INSTANT START, 40 WATT T-12 OR T-17 BULB (60") COOL WHITE, MOGUL BIPIN BASE | A 6240 | # | FSS | 04-NOV-77 |
| | W-L-00116/40B | LAMP FLUORESCENT TRADE NO. F40T12/WW/IS OR F40T17/WW/IS, 40 WATT, T-12 OR T-17 BULB (60") WARM WHITE, MOGUL BIPIN BASE | A 6240 | # | FSS | 04-NOV-77 |
| | W-L-00116/41A | LAMP FLUORESCENT TRADE NO. F96T8/CW, INSTANT START, 50 WATT, T-8 BULB COOL WHITE, SINGLE PIN BASE | A 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/42A | LAMP FLUORESCENT TRADE NO. F72T12/CW, INSTANT START, 55 WATT, T-12 BULB (72") COOL WHITE, SINGLE PIN BASE | A 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/46A | LAMP FLUORESCENT TRADE NO. F96T12/D, INSTANT START, 75 WATT, T-12 BULB (96 INCH) DAYLIGHT, SINGLE PIN BASE | A 6240 | # | FSS | 27-MAY-76 |
| | W-L-00116/47 | LAMP FLUORESCENT TRADE NO. F40CW, RAPID START, 35 WATT, T-12 BULB, COOL WHITE MEDIUM BIPIN BASE | A 6240 | # | FSS | 23-SEP-77 |
| | W-L-00116/48 | LAMP FLUORESCENT TRADE NO. F40W, RAPID START, 35 WATT, T-12 BULB, WHITE, MEDIUM BIPIN BASE | A 6240 | # | FSS | 23-SEP-77 |
| | W-L-00116/49 | LAMP FLUORESCENT TRADE NO. F40WW, RAPID START, 35 WATT, T-12 BULB, WARM WHITE, MEDIUM BIPIN BASE (DETAIL SPECIFICATION) [REVIEW: GS] | A 6240 | # | FSS | 23-SEP-77 |
| | W-L-00116/50 | LAMP FLUORESCENT TRADE NO. F40D, RAPID START, 35 WATT, T-12 BULB, DAYLIGHT, MEDIUM BIPIN BASE | A 6240 | # | FSS | 23-SEP-77 |
| | W-L-00116/55 | LAMP FLUORESCENT TRADE NO. F96T12/CW/HO, RAPID START, 95/100 WATT, T-12 BULB (96") COOL WHITE, RECESSED DOUBLE CONTACT BASE, HIGH OUTPUT | A 6240 | # | FSS | 13-SEP-78 |
| | W-L-122C | LAMP, PHOTOFLASH [REVIEW: CG] | A 6750 | % | FSS | 18-APR-73 |
| | W-B-137C | BATTERY, STORAGE, (NICKEL-ALKALINE, INDUSTRIAL, FLOATING SERVICE) | A 6140 | # | FSS | 04-APR-73 |
| | W-L-00200C(2) | LANTERN, ELECTRIC [REVIEW: GS] | A 6230 | % | FSS | 08-SEP-71 |
| | W-L-00311B(2) | LIGHT, DESK, INCANDESCENT, FLEXIBLE COLUMN [REVIEW: GS] | A 6230 | # | FSS | 13-NOV-73 |
| | W-L-314/1 | LIGHT, HOUSEHOLD DRESSER, TYPE VII | A 6230 | % | FSS | 06-MAY-80 |
| | W-L-314/2 | LIGHT, HOUSEHOLD, DRESSING TABLE, TYPE IX | A 6230 | % | FSS | 06-MAY-80 |
| | W-L-314/3 | LIGHT, HOUSEHOLD, LARGE FLOOR, TYPE XIII | A 6230 | % | FSS | 06-MAY-80 |
| | W-L-314/4 | LIGHT, HOUSEHOLD, LARGE TABLE, TYPE XV | A 6250 | % | FSS | 06-MAY-80 |
| | W-L-314/5 | LIGHT, HOUSEHOLD, TALL TABLE, TYPE XVI | A 6230 | % | FSS | 06-MAY-80 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | ICA Prep. Acty. | Date |
|-------------|-------------------|--|--------------------------|--------------------|-----------|
| | W-L-314/6 | LIGHT, HOUSEHOLD, EXTRA TALL TABLE, TYPE XVII | A 6230 | % FSS | 06-MAY-80 |
| | W-L-314/7 | LIGHT, HOUSEHOLD, JUNIOR FLOOR, TYPE XVIII | A 6230 | % FSS | 06-MAY-80 |
| | W-L-314/8 | LIGHT, HOUSEHOLD, SWING ARM FLOOR, TYPE XIX | A 6230 | % FSS | 06-MAY-80 |
| | W-L-314/9 | LIGHT, HOUSEHOLD, SMALL TABLE, (STUDY) TYPE XX | A 6230 | % FSS | 06-MAY-80 |
| | W-L-314/10 | LIGHT, HOUSEHOLD, SMALL TABLE, SWING ARM (STUDY), TYPE XXI | A 6230 | % FSS | 06-MAY-80 |
| | W-L-316B | LIGHT, FLOOR [CUST: MD MS 03 MB] | A 6530 | / MB | 22-SEP-76 |
| | W-L-316B(11) | LIGHT, FLOOR [CUST: DM] | A 6530 | / MB | 03-FEB-77 |
| | W-C-375B(1) NOT 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE [CUST: YD1 85 CC] [REVIEW: 80 MC OS] | A 5925 | / CC | 26-APR-93 |
| | W-C-375/1A | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (10 THROUGH 70 AMPERES) [CUST: YD1 85 CC] [REVIEW: 99 MC OS] | A 5925 | / CC | 21-FEB-94 |
| | W-C-375/2A | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (10 THROUGH 125 AMPERES) [CUST: YD1 85 CC] [REVIEW: 99 MC OS] | A 5925 | / CC | 21-FEB-94 |
| | W-C-375/3B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (10 THROUGH 100 AMPERES) [CUST: YD1 85 CC] [REVIEW: 99 MC OS] | A 5925 | / CC | 21-FEB-94 |
| | W-C-375/5A | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (15 THROUGH 50 AMPERES) [CUST: YD1 85 CC] [REVIEW: 99 MC OS SH] | A 5925 | / CC | 29-JAN-91 |
| | W-C-375/6B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (15 THROUGH 125 AMPERES) [CUST: YD1 85 CC] [REVIEW: 99 MC OS SH] | A 5925 | / CC | 13-DEC-91 |
| | W-C-375/7B | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (15 THROUGH 100 AMPERES) [CUST: YD1 85 CC] [REVIEW: 99 MC OS SH] | A 5925 | / CC | 13-DEC-91 |
| | W-C-375/10A NOT 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT & SERVIC, TYPE I, SERIES TRIP, SINGLE POLE (15 THROUGH 100 AMPERES) [CUST: YD1 85 CC] [REVIEW: 99 MC OS] | A 5925 | / CC | 19-NOV-86 |
| | W-C-375/11A NOT 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT & SERVIC, TYPE I, SERIES TRIP, TWO POLE (15 THROUGH 100 AMPERES) [CUST: YD1 85 CC] [REVIEW: 99 MC OS] | A 5925 | / CC | 19-NOV-86 |
| | W-C-375/12A NOT 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT & SERVIC, TYPE I, SERIES TRIP, THREE POLE (15 THROUGH 100 AMPERES) [CUST: YD1 85 CC] [REVIEW: 99 MC OS] | A 5925 | / CC | 19-NOV-86 |
| | W-C-375/13 NOT 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I SERIES TRIP, SINGLE POLE (15 THRU 50 AMPERES) [CUST: YD1 85 CC] [REVIEW: 99 MC OS] | A 5925 | / CC | 19-NOV-86 |
| | W-C-375/14 NOT 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (15 THRU 125 AMPERES) [CUST: YD1 85 CC] [REVIEW: 99 MC OS] | A 5925 | / CC | 19-NOV-86 |
| | W-C-375/15 NOT 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (15 THRU 100 AMPERES) [CUST: YD1 85 CC] [REVIEW: 99 MC OS] | A 5925 | / CC | 19-NOV-86 |
| | W-C-375/16A | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, SINGLE POLE (10 THRU 100 AMPERES) [CUST: YD1 85 CC] [REVIEW: 80 MC OS] | A 5925 | / CC | 11-APR-88 |
| | W-C-375/17A | CIRCUIT BREAKERS, MOLDED CASES, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, TWO POLE (10 THROUGH 100 AMPERES) [CUST: YD1 85 CC] [REVIEW: 80 MC OS] | A 5925 | / CC | 11-APR-88 |
| | W-C-375/18A | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES TRIP, THREE POLE (10 THROUGH 100 AMPERES) [CUST: YD1 85 CC] [REVIEW: 80 MC OS] | A 5925 | / CC | 19-NOV-86 |
| | W-C-375/19A NOT 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE III, SERIES TRIP, SINGLE POLE (10 THRU 100 AMPERES) [CUST: YD1 85] [REVIEW: 99 MC OS] | A 5925 | / CC | 19-NOV-86 |
| | W-C-375/20A NOT 1 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE III, SERIES TRIP, TWO POLE (10 THRU 100 AMPERES) [CUST: YD1 85] [REVIEW: 99 MC OS] | A 5925 | / CC | 19-NOV-86 |
| | W-C-375/21 | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE II, SERIES TRIP, ONE POLE (15 THROUGH 70 AMPERES) [CUST: CR YD1 85 CC] [REVIEW: 99 MC MI NA OS] | A 5925 | / CC | 18-JUL-88 |
| | W-C-375/22 | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE II, SERIES TRIP, TWO POLE (15 THROUGH 125 AMPERES) [CUST: CR YD1 85 CC] | A 5925 | / CC | 18-JUL-88 |
| | W-C-375/23 | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE II, SERIES TRIP, THREE POLE (15 THROUGH 100 AMPERES) [CUST: CR YD1 85 CC] [REVIEW: 99 MC MI NA OS] | A 5925 | / CC | 18-JUL-88 |
| | W-C-375/24 | CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE II, SERIES TRIP, THREE POLE (100 THROUGH 225 AMPERES) [CUST: CR YD1 85 CC] [REVIEW: 99 MC MI NA OS] | A 5925 | / CC | 18-JUL-88 |
| | W-B-411A(1) | BLASTING MACHINE, GALVANOMETER, BLASTING, RESISTOR ASSEMBLY [CUST: AR OS 99] [REVIEW: MC YD1] | A 1375 | / AR | 02-MAY-72 |
| | W-C-440B | CLIP, ELECTRICAL, GENERAL SPECIFICATION FOR [CUST: CR SH 85] [REVIEW: 99 CR4 EA MI] | A 5999 | / CC | 11-AUG-70 |
| | W-G-441A | GLUEPOT, ELECTRIC (PORTABLE, DRY AND WET) [CUST: GL 99] | A 5120 | * GL | 19-NOV-87 |
| | W-A-450C | COMPONENTS FOR INTERIOR ALARM SYSTEMS | A 6350 | # FSS | 28-AUG-90 |
| | W-A-450/1 | COMPONENTS FOR INTERIOR ALARM SYSTEMS, BALANCED MAGNETIC SWITCHES | A 6350 | # FSS | 28-AUG-90 |
| | W-A-450/2 | COMPONENTS FOR INTERIOR ALARM SYSTEMS FOIL | A 5340 | # FSS | 28-AUG-90 |
| | W-A-450/3 | COMPONENTS FOR INTERIOR ALARM SYSTEM BREAKWIRE | A 5340 | # FSS | 10-DEC-90 |
| | W-A-450/5 | DETECTOR, BEAMBREAK, INFRARED | A 6350 | # FSS | 03-JAN-92 |
| | W-A-450/6 | DETECTOR, INFRARED, PASSIVE (PIR) | A 6350 | # FSS | 03-JAN-92 |
| | W-A-450/7 | DETECTOR, VIBRATION | A 6350 | # FSS | 03-JAN-92 |
| | W-A-450/8 | DETECTOR, PROXIMITY/CAPACITANCE | A 6350 | # FSS | 03-JAN-92 |
| | W-A-450/9 | DETECTOR, MOTION, ULTRASONIC | A 6350 | # FSS | 03-JAN-92 |
| | W-A-450/10 | DETECTOR, MICROWAVE, MOTION | A 6350 | # FSS | 03-JAN-92 |
| | W-A-450/11 | DETECTOR, MAT, PRESSURE | A 6350 | # FSS | 03-JAN-92 |
| | W-A-450/12 | DETECTOR, MOTION, VIDEO, INTERIOR (CLOSED CIRCUIT TELEVISION) | A 6350 | # FSS | 03-JAN-92 |
| | W-A-450/14 | DETECTOR, CABLE, FLEXIBLE | A 6350 | # FSS | 03-JAN-92 |
| | W-A-450/16 | DETECTOR, ACOUSTIC, PASSIVE / DISCRIMINATOR, SONIC | A 6350 | # FSS | 03-JAN-92 |
| | W-A-450/17 | DETECTOR, MOTION, DUAL TECHNOLOGY | A 6350 | # FSS | 03-JAN-92 |
| A | W-T-550D NOT 1 | TOASTER, ELECTRIC, POP-UP/POP-DOWN, HEAVY-DUTY, INTERMITTENT [CUST: GL SH 99 IS] [REVIEW: 82 MD YD1] | A 7310 | / IS | 27-MAR-92 |
| | W-S-564C | SOLDERING GUNS, ELECTRIC [CUST: AL 99 GS] | A 3439 | / GS | 10-APR-91 |
| | W-S-570B(1) | SOLDERING IRON ELECTRIC [CUST: AR SH 99 GS] | A 3439 | / GS | 19-OCT-90 |
| | W-C-571C | CONDUIT & FITTINGS, NONMETAL, RIGID, (ASBESTOS CEMENT OR FIRE CLAY CEMENT), (FOR ELECTRICAL PURPOSES) | A 5975 | # FSS | 15-JAN-81 |
| | W-C-575B | CONDUIT & FITTINGS, NONMETALLIC, RIGID, BITUMINIZED FIBER, LAMINATED WALL | A 5975 | # FSS | 16-JAN-81 |
| | W-C-596G | CONNECTOR, ELECTRICAL, POWER, GENERAL SPECIFICATION FOR [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / CC | 28-APR-95 |
| | W-C-596/3B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, 2 POLE, GENERAL GRADE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / CC | 08-JAN-80 |
| | W-C-596/7B | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / CC | 08-JAN-80 |

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|-----------------|--|--------------------------|--------------------|-----------|
| | W-C-596/11C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 / | CC | 05-JUN-92 |
| | W-C-596/12E | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE AND HOSPITAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 / | CC | 05-JUN-92 |
| | W-C-596/13C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, HOSPITAL GRADE GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 / | CC | 06-OCT-80 |
| | W-C-596/14C | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, HOSPITAL GRADE CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HER [CUST: CR YD1 85 CC] [REVIEW: 11 99 AR AS AV EC MC MI SH] | A 5935 / | CC | 06-OCT-80 |
| | W-C-596/15D | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 / | CC | 05-JUN-92 |
| | W-C-596/16C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 / | CC | 05-JUL-92 |
| | W-C-596/17D | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, GENERAL GRADE 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 / | CC | 13-FEB-85 |
| | W-C-596/18B | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS [CUST: CR YD1 85 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 / | CC | 06-OCT-80 |
| | W-C-596/20B | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 99 AR AS AT AV CR4 EC MC MI SH] | A 5935 / | CC | 13-FEB-80 |
| | W-C-596/23B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 RTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 / | CC | 13-FEB-80 |
| | W-C-596/26B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 / | CC | 13-FEB-80 |
| | W-C-596/27C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GENERAL GRADE, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 / | CC | 24-JUN-83 |
| | W-C-596/29B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 / | CC | 13-FEB-80 |
| | W-C-596/34B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, 3 POLE, 3 WIRE, 30 AMPERES, 125/250 VOLTS [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AT AV CR4 EC MC MI SH] | A 5935 / | CC | 23-APR-80 |
| | W-C-596/39B | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 4 POLE, 4 WIRE, 60 AMPERES, 3 PHASE W&YE, 120/208 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AT AV CR4 EC MC MI SH] | A 5935 / | CC | 23-APR-80 |
| | W-C-596/40C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE AND HOSPITAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 / | CC | 05-JUN-92 |
| | W-C-596/41C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, HOSPITAL GRADE GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 / | CC | 05-JUN-92 |
| | W-C-596/42C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, HOSPITAL GRADE, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 / | CC | 05-SEP-81 |
| | W-C-596/46B | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 19 99 AS AV CR4 EC MC MI SH] | A 5935 / | CC | 04-SEP-81 |
| | W-C-596/59C | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 / | CC | 24-JUN-83 |
| | W-C-596/60B | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] | A 5935 / | CC | 04-SEP-81 |
| | W-C-596/61B | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 19 99 AS AV CR4 MC MI SH] | A 5935 / | CC | 04-SEP-81 |
| | W-C-596/64C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 / | CC | 05-JUN-92 |
| | W-C-596/65C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 / | CC | 05-JUN-92 |
| | W-C-596/66C | CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 19 99 AS AV CR4 MC MI SH] | A 5935 / | CC | 07-AUG-81 |
| | W-C-596/67B | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] | A 5935 / | CC | 07-AUG-81 |
| | W-C-596/68B | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 99 AS AV CR4 EC MC MI SH] | A 5935 / | CC | 07-AUG-81 |
| | W-C-596/69B | CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 / | CC | 07-AUG-81 |
| | W-C-596/70B | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS [CUST: CR YD1 85 CC] [REVIEW: 11 99 AR AS AV CR4 EC MC MI SH] | A 5935 / | CC | 24-MAY-76 |
| | W-C-596/73C | CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS AC, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 19 99 AS AV CR4 EC MC MI SH] | A 5935 / | CC | 07-AUG-81 |
| | W-C-596/74B | CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS AC, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 19 99 AS AV CR4 EC MC MI SH] | A 5935 / | CC | 07-AUG-81 |
| | W-C-596/77B | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] | A 5935 / | CC | 07-AUG-81 |
| | W-C-596/78B | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCK, GROUNDING 2 POLE, 3 WIRE, 30 AMPERS, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 19 99 AS AV EC MC MI SH] | A 5935 * | CC | 07-AUG-81 |
| | W-C-596/79B | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, LOCKING, 2 POLE 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 19] | A 5935 * | CC | 07-AUG-81 |
| | W-C-596/80A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 / | CC | 10-MAY-90 |
| | W-C-596/81A | CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 / | CC | 05-JUN-92 |
| | W-C-596/82A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 / | CC | 24-JUN-83 |

DODISS NUMERICAL LISTING FEDERAL SPECIFICATIONS

419

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|-----------------|---|--------------|-----|-------------|--|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | | |
| | W-C-596/123A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 10-MAY-90 |
| | W-C-596/124 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE [CUST: CR YD1 85 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 11-AUG-78 |
| | W-C-596/125 | CONNECTORS, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE [CUST: CR YD1 85] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 11-AUG-78 |
| | W-C-596/126A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ, 3-PHASE [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 24-JUN-83 |
| | W-C-596/127A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 10-MAY-90 |
| | W-C-596/128 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3 PHASE [CUST: CR YD1 85] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 11-AUG-78 |
| | W-C-596/129A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 3 POLE, 4 WIRE, 30 AMPERES 250 VOLTS, 50/60 HERTZ, 3-PHASE [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 24-JUN-83 |
| | W-C-596/130A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 24-JUN-83 |
| | W-C-596/131A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 10-MAY-90 |
| | W-C-596/132 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3 PHASE, Y [CUST: CR YD1 85] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 11-AUG-78 |
| | W-C-596/133 | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3 PHASE, Y [CUST: CR YD1 85 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 11-AUG-78 |
| | W-C-596/134A | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 24-JUN-83 |
| | W-C-596/135A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE Y [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 10-MAY-90 |
| | W-C-596/136 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3 PHASE, Y [CUST: CR YD1 85 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 11-AUG-78 |
| | W-C-596/137 | CONNECTORS, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y [CUST: CR YD1 85] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 11-AUG-78 |
| | W-C-596/138B | CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 10-MAY-90 |
| | W-C-596/139A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 10-MAY-90 |
| | W-C-596/140B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 10-MAY-90 |
| | W-C-596/141B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 10-MAY-90 |
| | W-C-596/142B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 10-MAY-90 |
| | W-C-596/143A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 24-JUN-83 |
| | W-C-596/144B | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 10-MAY-90 |
| | W-C-596/145 | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, HOSPITAL GRADE, ISOLATED GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 24-MAR-82 |
| | W-C-596/148A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING POLE, 3 WIRE, 30 AMPERES, 28 VOLTS, DIRECT CURRENT [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 03-MAY-88 |
| | W-C-596/149A | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 28 VOLTS, DIRECT CURRENT [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 03-MAY-88 |
| | W-C-596/150A | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 28 VOLTS, DIRECT CURRENT [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 03-MAY-88 |
| | W-C-596/151B | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 1 PHASE [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 03-MAY-88 |
| | W-C-596/152A | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 1 PHASE [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 03-MAY-88 |
| | W-C-596/153A | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 1 PHASE [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 31-JUL-79 |
| | W-C-596/154A | CONNECTOR, RECEPTACLE, ELECTRICAL SPECIFIC PURPOSE, SINGLE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 3 PHASE [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 03-MAY-88 |
| | W-C-596/155A | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 3 PHASE A [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 03-MAY-88 |
| | W-C-596/156A | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 3 PHASE [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 03-MAY-88 |
| | W-C-596/157A | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, LOCKING GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 03-MAY-88 |
| | W-C-596/158A | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 31-JUL-79 |
| | W-C-596/159A | CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, LOCKING GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | | 31-JUL-79 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|-------------|---------------------|--|----------------------|-----|-------------|-----------|
| | W-C-596/196 | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 250 VOLTS, 50/60 HERTZ, 3 PHASE [CUST: CR YD1 85 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 28-OCT-80 |
| | W-C-596/200 | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ, 3 PHASE [CUST: CR YD1 85 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 28-OCT-80 |
| | W-C-596/212 | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GROUNDING, HOSPITAL GRADE, GROUND FAULT CIRCUIT INTERRUPTING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 24-MAR-82 |
| | W-T-631C(2) | TRANSFORMER, POWER DISTRIBUTION [CUST: YD1 99] [REVIEW: 11 CE GS MC MI] | A 6120 | * | FSS | 07-OCT-66 |
| A | W-H-640 NOT 2 | HOTPLATES, GAS AND ELECTRIC, COFFEE-MAKER [CUST: GL YD1 99 IS] [REVIEW: CG MC MD MS SH YD1] | A 7310 | / | IS | 26-FEB-93 |
| | W-W-650C | WRENCH, IMPACT, ELECTRIC [CUST: FSS] [REVIEW: 84 AV GL MC OS SH] | A 5130 | % | FSS | 22-JUN-70 |
| | W-W-650C(13) | WRENCH, IMPACT, ELECTRIC | A 5130 | % | FSS | 21-MAR-74 |
| | W-D-661E | DRILLS, ELECTRIC, PORTABLE (EXCLUSIVE OF HIGH FREQUENCY TYPES) AND STAND, PORTABLE ELECTRIC DRILL, VERTICAL [CUST: GL SH 84] [REVIEW: 85 AS CE CG CR4 GS MC OS YD1] | A 5130 | * | GL | 14-JUN-95 |
| | W-E-00661B | ERASER, ELECTRIC | A 7490 | # | FSS | 15-JAN-69 |
| | W-G-663B | GRINDER, ELECTRIC, PORTABLE [CUST: GL 99] [REVIEW: CE MC] | A 5130 | * | GL | 30-OCT-70 |
| | W-P-796B | PULLER, FUSE [CUST: GL 99] [REVIEW: YD1] | A 5120 | * | 84 | 24-APR-74 |
| | W-S-896E(2) NOT 1 | SWITCH, TOGGLE (TOGGLE AND LOCK), FLUSH MOUNTED (GENERAL SPECIFICATION) [CUST: AT YD1 85] [REVIEW: 11 99 CG CR] | A 5930 | / | CC | 01-APR-88 |
| | W-S-896/2D | SWITCHES, TOGGLE AND LOCK, FLUSH MOUNTED (AC) (DETAIL SPECIFICATION) [CUST: CR YD1 85 CC] [REVIEW: 99 CG SH] | A 5930 | / | CC | 02-JUN-93 |
| | W-S-896/3B | SWITCHES, TOGGLE HANDLE, FLUSH MOUNTED, MERCURY (AC) [CUST: CR YD1 85 CC] [REVIEW: 99 CG SH] | A 5930 | / | CC | 02-JUN-93 |
| | W-C-1094A | CONDUIT AND CONDUIT FITTINGS PLASIC, RIGID | A 5975 | # | FSS | 03-JUL-75 |
| | W-D-1114B | DRILLS, ELECTRIC, PORTABLE, DOUBLE-INSULATED (DIELECTRIC HOUSING) [CUST: GL SH 84] [REVIEW: CE CR4 YD1] | A 5130 | * | GL | 14-SEP-95 |
| | W-F-1234A | FIXTURE, LIGHTING (FLUORESCENT LAMP, INDUSTRIAL) [CUST: 99] [REVIEW: GS] | A 6210 | * | FSS | 02-OCT-73 |
| | W-T-1553B | TAPE, INSTRUMENTATION, RECORDING, MAGNETIC OXIDE-COATED, GENERAL SPECIFICATION FOR [CUST: CR EC 99 CC] [REVIEW: 80 AS OM] | A 5835 | / | CC | 12-AUG-96 |
| | W-T-1553/1 | TAPE, INSTRUMENTATION RECORDING, MAGNETIC OXIDE-COATED, 345 OERSTEDS COERCIVITY, 5 DROPOUTS PER 100 FOOT (FT) (30 METERS (M)) OF TAPE, WITH 76.2 MILLIMETERS (3 INCH) CENTER-HOLE DIAMETER REEL [CUST: CR EC 99 CC] [REVIEW: 80 AS OM] | A 5835 | / | CC | 12-AUG-96 |
| | W-T-1553/2 | TAPE, INSTRUMENTATION RECORDING, MAGNETIC OXIDE-COATED, 345 OERSTEDS COERCIVITY, 4 DROPOUTS PER 100 FOOT (FT) (30 METERS (M)) OF TAPE, WITH 76.2 MILLIMETER (MM) (3 INCH) CENTER-HOLE DIAMETER REEL [CUST: CR EC 99 CC] [REVIEW: 80 AS OM] | A 5835 | / | CC | 12-AUG-96 |
| | W-T-1553/3 | TAPE, INSTRUMENTATION RECORDING, MAGNETIC OXIDE-COATED, 700 OERSTEDS COERCIVITY, 4 DROPOUTS PER 100 FOOT (FT) 30 METERS (M) OF TAPE, WITH 76.2 MILLIMETER (MM) (3 INCH) CENTER-HOLE DIAMETER REEL [CUST: CR EC 99 CC] [REVIEW: 80 AS OM] | A 5835 | / | CC | 12-AUG-96 |
| | W-T-1553/4 | TAPE, INSTRUMENTATION RECORDING, MAGNETIC OXIDE-COATED, 800 OERSTEDS COERCIVITY, 2 DROPOUTS PER 100 FOOT (FT) 30 METERS (M) OF TAPE, WITH 76.2 MILLIMETER (MM) (3 INCH) CENTER-HOLE DIAMETER REEL [CUST: CR EC 99 CC] [REVIEW: 80 AS OM] | A 5835 | / | CC | 12-AUG-96 |
| | W-T-001572 | TAPE, RECORDING, AUDIO, 1/4 INCH MAGNETIC OXIDE COATED [CUST: 99] | A 5835 | * | CC | 17-MAY-72 |
| | W-B-001573B(1) | BAND, WRAPAROUND TAPE REEL (FOR COMPUTER TAPE STORAGE) | A 7045 | # | FSS | 05-MAR-80 |
| | W-D-001663(1) | DISK PACK, FOR DATA STORAGE (MAGNETIC RECORDING, 14 INCH, 11 DISKS) | A 7045 | # | FSS | 28-MAY-76 |
| | W-C-1684 | CASSETTES, MAGNETIC TAPE, AUDIO RECORDING (TWIN-HUB, COPLANAR) | A 5835 | % | FSS | 04-APR-77 |
| | W-C-1684(11) | CASSETTES, MAGNETIC TAPE, AUDIO RECORDING (TWIN-HUB, COPLANAR) | A 5835 | # | FSS | 12-JAN-78 |
| | W-F-1814A(1) SUP 1A | FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY [CUST: CR 85 CC] [REVIEW: 99 AL AR CR4 NS OS] | A 5920 | / | CC | 16-AUG-93 |
| | W-F-1814/1 NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 0-15 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AT CR4 NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/2 NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 16-20 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AT CR4 NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/3 NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 21-30 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AT CR4 NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/4 NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 31-60 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AT CR4 NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/5 NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 0-30 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AT CR4 NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/6 NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 31-60 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AT CR4 NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/7 NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 61-100 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AT CR4 NC NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/8 NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 101-200 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AT CR4 NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/9 NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 201-400 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AL AT CR4 NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/10 NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 401-600 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AT CR4 NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/47A NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 601-800 AMPERES [CUST: CR 85 CC] [REVIEW: 99 AL AR AT OS] | A 5920 | / | CC | 19-NOV-86 |
| | W-F-1814/48A | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 801-1200 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AL AR AT NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/49A NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 1201-1600 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AL AR AT NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/50A NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 1601-2000 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AT NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/51A NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 2001-2500 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AT NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/52A NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 2501-3000 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AL AR AT NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/53A | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 3001-4000 AMPERES [CUST: CR YD1 85 CC] [REVIEW: AT NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/54A NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 4001-5000 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AL AR AT NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/55A NOT 1 | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 5001-6000 AMPERES [CUST: CR YD1 85 CC] [REVIEW: 80 AL AR AT NS OS] | A 5920 | / | CC | 29-NOV-88 |
| | W-F-1814/56A | FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 0-30 AMPERES [CUST: CR YD1 85] [REVIEW: 99 AL AR AT CR4 NS OS] | A 5920 | * | CC | 21-OCT-82 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------|---|--------------------------|-----|-------------|-----------|
| | W-F-1814/57A | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 31-60 AMPERES [CUST: CR YD1 99] [REVIEW: AL AR AT CR4 NS OS] | A 5920 | * | CC | 21-OCT-82 |
| | W-F-1814/58A | FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 61-100 AMPERES [CUST: CR YD1 85] [REVIEW: 99 AL AR AT CR4 NS OS] | A 5920 | * | CC | 21-OCT-82 |
| | W-F-1814/59A | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 101-200 AMPERES [CUST: CR YD1 85] [REVIEW: 99 AL AR AT CR4 OS] | A 5920 | * | CC | 21-OCT-82 |
| | W-F-1814/60A | FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 201-400 AMPERES [CUST: CR YD1 85] [REVIEW: 99 AL AR AT CR4 NS OS] | A 5920 | * | CC | 21-OCT-82 |
| | W-F-1814/61A | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 401-600 AMPERES [CUST: CR YD1 85] [REVIEW: 99 AL AR AT CR4 NS OS] | A 5920 | * | CC | 21-OCT-82 |
| | W-F-1814/62A | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 600 VOLTS, 0-30 AMPERES [CUST: CR YD1 85] [REVIEW: 99 AL AR AT CR4 NS OS] | A 5920 | * | CC | 21-OCT-82 |
| | W-F-1814/63B | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 600 VOLTS, 31-60 AMPERE [CUST: CR YD1 85] [REVIEW: 99 AL AR AT CR4 EA NS OS] | A 5920 | * | CC | 15-JUL-85 |
| | W-F-1814/64A | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 600 VOLTS, 61-100 AMPERES [CUST: CR YD1 85] [REVIEW: 99 AL AR AT CR4 NS OS] | A 5920 | * | CC | 21-OCT-82 |
| | W-F-1814/65A | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 600 VOLTS, 101-200 AMPERES [REVIEW: 99 AL AR AT CR4 NS OS] | A 5920 | * | CC | 21-OCT-82 |
| | W-F-1814/66A | FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 600 VOLTS, 201-400 AMPERES [CUST: CR YD1 99] [REVIEW: AL AR AT CR4 NS OS] | A 5920 | * | CC | 21-OCT-82 |
| | W-F-1814/67A | FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 600 VOLTS, 401-600 AMPERES [CUST: CR YD1 85] [REVIEW: 99 AL AR AT CR4 NS OS] | A 5920 | * | CC | 21-OCT-82 |
| | W-G-2857 | GRIDDLES, SELF-HEATING, ELECTRIC; AND STANDS, GRIDDLE [CUST: GL YD1 99] [REVIEW: 50 84 CE GS MC MD SA] | A 7310 | / | YD1 | 15-APR-94 |
| | W-H-2904 | HEATERS, FLUID, DEAERATING (FOR WATER ONLY) 1,000 TO 1,600,000 POUNDS PER HOUR CAPACITY [CUST: CE YD1] | A 4420 | / | YD1 | 02-JUN-97 |
| | AA-R-20A | RACK, DISPLAY, BOOK, (WOOD) [REVIEW: GL] | A 7110 | % | FSS | 01-JUL-59 |
| | AA-R-0020B | RACK, DISPLAY, BOOK, (WOOD) | A 7110 | # | FSS | 07-JAN-72 |
| | AA-C-30D | CABINET, KEY, (BOXES AND RACKS METAL & IDENTIFICATION SYSTEMS) [REVIEW: GL] | A 7125 | % | FSS | 21-JUL-60 |
| | AA-C-31E | CABINET, STORAGE, METAL [CUST: GL YD1 99] | A 7125 | * | GL | 01-JUN-72 |
| | AA-S-81B | SAFES, OFFICE, FIRE RESISTANT, BURGLARY PROTECTION [REVIEW: GL MC SA] | A 7110 | % | FSS | 09-OCT-62 |
| | AA-T-112 | TABLES, WOOD, GENERAL OFFICE [REVIEW: GL] | A 7110 | % | FSS | 25-JUL-55 |
| | AA-T-00112A(1) | TABLE, WOOD, GENERAL OFFICE | A 7110 | # | FSS | 16-AUG-76 |
| | AA-T-112(3) | TABLES, WOOD, GENERAL OFFICE [REVIEW: GL] | A 7110 | % | FSS | 10-JUN-66 |
| | AA-D-191A(3) | DESK, STEEL, GENERAL OFFICE [REVIEW: GL] | A 7110 | % | FSS | 04-AUG-55 |
| | AA-D-195B | DESK, FLAT TOP, STEEL, CONFERENCE-TYPE [REVIEW: GL] | A 7110 | % | FSS | 02-MAR-61 |
| | AA-D-195B(3) | DESK, FLAT TOP, STEEL, CONFERENCE-TYPE | A 7110 | # | FSS | 29-JAN-63 |
| | AA-R-200F | REFRIGERATOR, MECHANICAL, COMMERCIAL, SELF-CONTAINED, REACH-IN AND PASS-THROUGH [CUST: GL YD1 99 IS] [REVIEW: CE CR4 MC MD MS] | A 4110 | / | IS | 19-MAR-87 |
| | AA-R-200F(11) | REFRIGERATOR, MECHANICAL, FOOD: SELF-CONTAINED, REACH-IN AND PASS-THROUGH [CUST: GL] | A 4110 | / | IS | 04-JAN-90 |
| | AA-V-200A | VENETIAN BLINDS [REVIEW: GL MC] | A 7230 | % | FSS | 06-NOV-65 |
| | AA-V-00200B | VENETIAN BLINDS | A 7230 | % | FSS | 05-JUN-73 |
| | AA-O-230E | OFFICE FURNITURE: COSTUMER, EXECUTIVE TYPE, WOOD, TRADITIONAL [CUST: FSS] | A 7195 | # | FSS | 31-DEC-97 |
| | AA-O-230/1A(11) | OFFICE FURNITURE: BOOKCASE, EXECUTIVE TYPE, WOOD, TRADITIONAL | A 7110 | # | FSS | 15-NOV-66 |
| | AA-O-00230/2B | OFFICE FURNITURE, CABINET, TELEPHONE, EXECUTIVE TYPE, WOOD TRADITIONAL (DETAILED SPECIFICATION) | A 7110 | # | FSS | 15-JUN-79 |
| | AA-O-230/4A(16) | OFFICE FURNITURE: DESK, EXECUTIVE TYPE, WOOD, TRADITIONAL | A 7110 | # | FSS | 12-MAY-76 |
| | AA-O-230/6A(13) | OFFICE FURNITURE: CREDENZA, EXECUTIVE OFFICE, WOOD, TRADITIONAL | A 7110 | # | FSS | 15-NOV-66 |
| | AA-O-230/7A(11) | OFFICE FURNITURE: TYPEWRITER STAND, EXECUTIVE OFFICE, WOOD, TRADITIONAL | A 7110 | # | FSS | 15-NOV-66 |
| | AA-O-00245B | OFFICE FURNITURE, TABLE, EXECUTIVE, WOOD AND METAL | A 7110 | # | FSS | 07-SEP-76 |
| | AA-O-00250F | OFFICE FURNITURE, WOOD, UNITIZED (GENERAL SPECIFICATION) | A 7110 | # | FSS | 01-JUL-93 |
| | AA-O-00250/1E | OFFICE FURNITURE, BOOKCASE, WOOD UNITIZED (DETAILED SPECIFICATION) | A 7110 | # | FSS | 01-JUL-93 |
| | AA-O-00250/2E | OFFICE FURNITURE, CREDENZA, WOOD UNITIZED (DETAILED SPECIFICATION) | A 7110 | # | FSS | 01-JUL-93 |
| | AA-O-00250/3C | OFFICE FURNITURE, DESK, DESK ATTACHMENT, WOOD UNITIZED (DETAILED SPECIFICATION) | A 7110 | # | FSS | 02-OCT-78 |
| | AA-O-00250/5C(1) | OFFICE FURNITURE, STORAGE UNIT, WOOD, UNITIZED (DETAILED SPECIFICATION) | A 7110 | # | FSS | 22-JUL-80 |
| | AA-O-00250/6F | OFFICE FURNITURE, TABLES, WOOD, UNITIZED (DETAILED SPECIFICATION) | A 7110 | # | FSS | 01-JUL-93 |
| | AA-S-271D(1) | SHELVING, STORAGE AND DISPLAY, STEEL, INTERCHANGEABLE, NUT AND BOLT TYPE [CUST: GL YD1 99] [REVIEW: AR MC SM] | A 7125 | * | GL | 06-NOV-68 |
| | AA-C-275F | CHAIRS, ROTARY AND STRAIGHT, (ALUMINUM, OFFICE) | A 7110 | # | FSS | 09-APR-93 |
| | AA-C-00288B | CHAIR, FOLDING, WOOD, WITHOUT ARMS | A 7105 | # | FSS | 01-APR-68 |
| | AA-C-291G | CHAIRS, FOLDING, (STEEL) | A 7105 | # | FSS | 08-FEB-89 |
| | AA-C-293C | CHAIRS, ROTARY AND STRAIGHT, (STEEL, GENERAL OFFICE) [REVIEW: GL] | A 7110 | # | FSS | 29-JAN-90 |
| | AA-C-295 | CHAIR, ROTARY, STEEL TUBULAR, SPECIAL PURPOSE [REVIEW: GL MI] | A 7110 | % | FSS | 05-AUG-55 |
| | AA-C-00295A(2) | CHAIR, ROTARY, STEEL, TUBULAR SPECIAL PURPOSE | A 7110 | # | FSS | 07-AUG-69 |
| | AA-C-300A(1) | CHAIR, WOOD, EXECUTIVE OFFICE [REVIEW: GL] | A 7110 | % | FSS | 10-DEC-53 |
| | AA-C-00300F | CHAIRS, WOOD, EXECUTIVE OFFICE, TRADITIONAL | A 7110 | # | FSS | 10-JUL-90 |
| | AA-F-00355B | FILING CABINET STEEL, LEGAL AND LETTER SIZE, INSULATED [REVIEW: GL] | A 7110 | % | FSS | 10-JAN-72 |
| | AA-F-358G | FILING CABINET, LEGAL & LETTER SIZE, UNINSULATED, SECURITY | A 7110 | # | FSS | 07-MAR-89 |
| | AA-F-358G(11) | FILLING CABINETS, STEEL, LEGAL AND LETTER SIZE, UNINSULATED, SECURITY | A 7110 | # | FSS | 01-DEC-90 |
| | AA-F-359H | FILING CABINETS, STEEL, LEGAL AND LETTER SIZE, VERTICAL | A 7110 | # | FSS | 05-DEC-91 |
| | AA-F-00359K | FILLING CABINETS, STEEL, LEGAL AND LETTER SIZE, VERTICAL | A 7110 | # | FSS | 28-MAR-96 |
| | AA-F-360 | FILING CABINETS, STEEL, MAP AND PLAN (SECTIONAL) | A 7110 | # | FSS | 14-MAR-56 |
| | AA-F-00360A | FILING CABINETS, STEEL, MAP AND PLAN, (SECTIONAL) | A 7110 | # | FSS | 05-NOV-71 |
| | AA-F-360(11) | FILING CABINETS, STEEL, MAP AND PLAN (SECTIONAL) | A 7110 | # | FSS | 30-APR-65 |
| | AA-F-363B | FILING CABINET, SECURITY, MAPS AND PLANS, GENERAL FILING, AND STORAGE | A 7110 | # | FSS | 02-JUN-69 |
| | AA-F-00363C | FILING CABINET, SECURITY, MAPS AND PLANS, GENERAL FILING AND STORAGE | A 7110 | # | FSS | 01-DEC-90 |
| | AA-F-367 | FILING CABINET, STEEL, TABULATING MACHINE CARD SIZE [REVIEW: GL] | A 7110 | % | FSS | 20-AUG-56 |
| | AA-B-450B(1) | BLACKBOARD, PORTABLE [REVIEW: GL] | A 7110 | % | FSS | 30-MAY-75 |
| | AA-L-486G(1) | LOCKERS, CLOTHING, STEEL [CUST: GL 84] [REVIEW: YD1] | A 7125 | * | GL | 07-DEC-67 |
| | AA-L-00486J | LOCKERS, CLOTHING, STEEL | A 7125 | # | FSS | 16-MAR-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------|--|-----------------------|-----|-------------|-----------|
| | AA-C-556B | COSTUMER, WOOD, GENERAL OFFICE | A 7195 | # | FSS | 26-MAY-52 |
| | AA-C-00556D | COSTUMER, WOOD, GENERAL OFFICE | A 7195 | # | FSS | 28-FEB-75 |
| | AA-C-571H | COT, FOLDING [CUST: GL YD1 99 GS] [REVIEW: 84 MC MD] | A 7105 | / | GS | 20-SEP-93 |
| | AA-D-600B | DOOR, VAULT, SECURITY | A 7110 | # | FSS | 26-MAR-69 |
| | AA-D-600B(14) | DOOR, VAULT, SECURITY | A 7110 | # | FSS | 13-JUN-73 |
| | AA-B-605A | BOX, FILING, STEEL [REVIEW: GL] | A 7520 | % | FSS | 23-MAY-73 |
| | AA-T-00633A | TRAY, DESK, WOOD, EXECUTIVE OFFICE TYPE | A 7520 | # | FSS | 16-DEC-68 |
| | AA-T-00636B(1) | TRAY, DESK, WOOD, SUPPORT SET, STACKING | A 7520 | # | FSS | 01-MAY-72 |
| | AA-S-683A | STANDS, TYPEWRITER, WOOD [REVIEW: GL] | A 7110 | % | FSS | 29-AUG-52 |
| | AA-S-683A(12) | STANDS, TYPEWRITER, WOOD | A 7110 | # | FSS | 28-MAY-71 |
| | AA-S-00697B | STOOL, STEP, STEEL, FOLDING STEPS | A 7105 | # | FSS | 09-JUN-69 |
| | AA-F-700B | FROZEN FOOD CABINETS, MECHANICALLY REFRIGERATED, HOUSEHOLD [CUST: GL YD1 99 IS] [REVIEW: MD] | A 4110 | / | IS | 31-OCT-75 |
| | AA-S-700A | STOOLS, FILING AND GENERAL PURPOSE, STEEL [REVIEW: GL] | A 7110 | % | FSS | 02-AUG-91 |
| | AA-S-704A | STOOL, STEP, CASTER MOUNTED, SAFETY [REVIEW: GL] | A 7105 | # | FSS | 07-AUG-91 |
| | AA-S-1048 | SHELVING, STORAGE AND DISPLAY STEEL, CLIP TYPE [CUST: GL YD1 99] [REVIEW: CE CR4 MC SA SM] | A 7125 | * | GL | 10-MAR-67 |
| | AA-O-001091C | OFFICE FURNITURE: SOFA; CHAIR, EASY, EXECUTIVE, TRADITIONAL | A 7110 | # | FSS | 10-JUL-90 |
| | AA-B-001596A | BOOKCASE, WOOD, GENERAL OFFICE | A 7110 | # | FSS | 29-MAR-74 |
| | AA-C-001779G | FILING CABINET, STEEL, LATERAL AND FRONT TO BACK FILING, LEGAL AND LETTER SIZE MATERIAL, GENERAL OFFICE | A 7110 | # | FSS | 22-APR-96 |
| | AA-C-1779E | FILING CABINET, STEEL LATERAL AND FRONT TO BACK FILING, LEGAL AND LETTER SIZE MATERIAL, GENERAL OFFICE | A 7110 | # | FSS | 20-NOV-91 |
| | AA-W-001791A | WARDROBE AND JANITOR S CLOSET, WOOD, STEEL FRAME | A 7105 | # | FSS | 07-DEC-73 |
| | AA-T-001794C | TABLE, OFFICE (STEEL, CONTEMPORARY STYLE) | A 7110 | # | FSS | 19-NOV-81 |
| | AA-C-001870 | COSTUMER, METAL, CONTEMPORARY STYLE | A 7110 | # | FSS | 24-JUN-74 |
| | AA-F-001873A(1) | FURNITURE, CONTEMPORARY, OAK (GENERAL SPECIFICATION) | A 7105 | # | FSS | 09-NOV-78 |
| | AA-F-001873/1A(1) | FURNITURE, CONTEMPORARY OAK. SEATING PIECES (DETAILED SPECIFICATIONS) | A 7105 | # | FSS | 09-NOV-78 |
| | AA-F-001873/2A | FURNITURE, CONTEMPORARY OAK. TABLES, OCCASIONAL (DETAILED SPECIFICATION) | A 7105 | # | FSS | 23-AUG-77 |
| | AA-F-001873/3A | FURNITURE, CONTEMPORARY OAK. BED (DETAILED SPECIFICATION) | A 7105 | # | FSS | 23-AUG-77 |
| | AA-F-001873/4A | FURNITURE, CONTEMPORARY OAK. CASE PIECES (DETAILED SPECIFICATION) | A 7105 | # | FSS | 23-AUG-77 |
| | AA-W-001950(1) | WARDROBE WITH ACCESSORY PIECES, WOOD, STEEL FRAME | A 7105 | # | FSS | 06-MAY-76 |
| | AA-V-2737 | MODULAR VAULT SYSTEMS | A 7110 | # | FSS | 25-APR-90 |
| | AA-T-2753 | TABLE, FOLDING, STEEL TUBE (ADVANCE BASE) [CUST: YD1 99] [REVIEW: 84 GL] | A 7105 | / | YD1 | 30-APR-91 |
| | AA-C-2859 | CABINET, SECURITY, WEAPONS STORAGE | A 7110 | # | FSS | 28-NOV-94 |
| | AA-B-2892 | BED, BUNK, STEEL, SINGLE AND DOUBLE-DECK (CONVERTIBLE TYPE) [CUST: GL YD1 99] [REVIEW: 84] | A 7105 | / | YD1 | 14-MAR-97 |
| | AA-C-2929 | CASEWORK, METAL AND WOOD (MEDICAL AND DENTAL) [CUST: CE YD1 03] [REVIEW: 04 99 MB MD MS] | A 6530 | / | YD1 | 23-MAY-97 |
| A | AA-P-2930 | PANEL FOR BUNK BED [CUST: GL YD1] [REVIEW: MC MD] | A 7105 | / | YD1 | 15-JUL-97 |
| A | AA-L-2931 | LOCKER, CLOTHING, STEEL, TWO DOOR [CUST: GL YD1 99] [REVIEW: 84 SA] | A 7125 | / | YD1 | 10-JUN-97 |
| | BB-C-101B | CARBON DIOXIDE (CO2) TECHNICAL AND U.S.P. [CUST: SH 68] [REVIEW: AS MI MS] | A 6830 | / | 68 | 15-APR-71 |
| | BB-C-104B | CARBON DIOXIDE, TECHNICAL, SOLID [CUST: SH 68] | A 6830 | / | 68 | 01-MAR-71 |
| | BB-A-106B | ACETYLENE, TECHNICAL, DISSOLVED [CUST: YD1 68] | A 6830 | / | 68 | 22-APR-71 |
| | BB-C-120C | CHLORINE, TECHNICAL, LIQUID [CUST: 68] [REVIEW: MS YD1] | A 6830 | / | 68 | 23-APR-80 |
| | BB-N-411C | NITROGEN, TECHNICAL [CUST: SH 68] [REVIEW: AR AS DS EA MC MD OS YD1] | A 6830 | / | 68 | 03-JAN-73 |
| | BB-H-886C | HYDROGEN [CUST: CR4] | A 6830 | / | GS | 10-APR-78 |
| | BB-O-925A | OXYGEN, TECHNICAL, GAS AND LIQUID [CUST: SH 68] | A 6830 | / | SH | 22-AUG-61 |
| | BB-A-1034B(1) NOT 1 | COMPRESSED AIR, BREATHING [CUST: CR4 AS 68] [REVIEW: AR CG MD MI MS OS SH] | A 6830 | / | AS | 27-DEC-95 |
| | BB-H-1168B | HELIUM, TECHNICAL [CUST: 68] [REVIEW: 19 DS SH YD1] | A 6830 | * | 68 | 09-MAY-77 |
| | BB-S-1419 | SULFUR HEXAFLUORIDE, TECHNICAL GRADE [CUST: 68] [REVIEW: CR GS MD] | A 6830 | / | 68 | 29-JUN-70 |
| | BB-E-2879 | EXTINGUISHER, FIRE, CARBON DIOXIDE (CO2), PORTABLE, WITH MOUNTING BRACKET, FOR AVIATION USE [CUST: AV AS] [REVIEW: CC] | A 4210 | / | AS | 31-AUG-95 |
| | CC-G-2745 | GENERATOR SETS, DIESEL ENGINE, ALTERNATING CURRENT, FOR FACILITIES CONSTRUCTION; 10 KW THROUGH 1000 KW (NOT STOCKED) [CUST: YD1] | A 6115 | / | YD1 | 26-FEB-93 |
| | DD-M-200A | MEDICINE GLASS [CUST: MD MS 03] | A 6530 | / | MB | 06-AUG-58 |
| | DD-M-00200B | MEDICINE GLASS [CUST: MD MS 03] | A 6520 | / | MB | 13-MAY-70 |
| | DD-G-426A | GLASS, COVER, (FOR) MICROSCOPY | A 6650 | # | FSS | 21-JUL-54 |
| | DD-G-511E | GLASS TUBING, ROUND [CUST: CR4 SH 99] [REVIEW: 84 CE GS YD1] | A 9340 | / | SH | 25-JUL-89 |
| | DD-G-541B(1) | GLASS (LABORATORY) [CUST: MD MS 03] [REVIEW: CR4 EA MI MR] | A 6640 | / | MB | 12-JAN-66 |
| | DD-B-599A | BOTTLE, STOPPER, VACCINE, ROUND AND STOPPER, BOTTLE, RUBBER | A 6530 | # | FSS | 01-DEC-61 |
| | DD-B-601 | BOTTLE, STOPPER, MILK DILUTION, 160 MILLILITERS [CUST: MD MS 03] | A 6640 | * | MB | 29-JUL-59 |
| | DD-S-720A | STOPCOCK, LABORATORY APPARATUS, TAPER-GROUND | A 6640 | # | FSS | 04-APR-60 |
| | DD-C-00791D | CUP, GLASS, PIN, CLIP, AND SPONGE | A 7510 | # | FSS | 24-OCT-63 |
| | DD-G-1403C | GLASS, FLOAT, SHEET, FIGURED, COATED (HEAT-STRENGTHENED AND TEMPERED) | A 5620 | # | FSS | 13-SEP-83 |
| | EE-M-1011(1) NOT 1 | MATCHES, SAFETY AND MATCHES, NONSAFETY (STRIKE ANYWHERE) [CUST: GL 99] [REVIEW: MC MD SS YD1] | A 9920 | / | GL | 12-FEB-88 |
| A | EE-C-1827A | DINING PACKETS (DIETETIC OR NONDIETETIC, TRAY SERVICE) [CUST: GL SA 45 SS] [REVIEW: MC MD MS SS] | A 7360 | / | SS | 31-DEC-84 |
| | FF-T-51D | MAPTACKS [REVIEW: CR4 GL] | A 7510 | % | FSS | 09-JAN-75 |
| | FF-C-77C(1) | CASTERS, RIGID AND SWIVEL (INSTITUTIONAL DUTY) [CUST: GL YD1] [REVIEW: CR MD] | A 5340 | / | IS | 22-AUG-88 |
| | FF-W-84A(4) | WASHERS, LOCK (SPRING) [CUST: AR 99 IS] [REVIEW: 85 AS AT AV CR CR4 EA GL IS OS YD1] | A 5310 | / | IS | 27-MAY-92 |
| | FF-S-85C(3) | SCREW, CAP, SLOTTED AND HEXAGON HEAD [CUST: AR SH 99 IS] [REVIEW: 82 AS AV NS] | A 5305 | / | IS | 28-JUN-96 |
| | FF-S-86E(4) | SCREW, CAP, SOCKET-HEAD [CUST: AR SH 99 IS] [REVIEW: 82 AT AV EA MC MI] | A 5305 | / | IS | 16-JAN-91 |
| | FF-S-88B(1) | SCREW, EYE [CUST: AR 99 IS] [REVIEW: AT AV CR4 EA MC] | A 5305 | / | IS | 14-DEC-94 |
| | FF-S-92B(1) | SCREW, MACHINE, SLOTTED, CROSS RECESSED OR HEXAGON HEAD [CUST: AR 99 IS] [REVIEW: AS AT AV CR4 EA MC MI OS SH] | A 5305 | / | IS | 31-JUL-75 |
| | FF-W-92B | WASHER, FLAT (PLAIN) [CUST: AR OS 99 IS] [REVIEW: 82 AS AT AV CE CR4 IS MC SH YD1] | A 5310 | / | IS | 09-MAY-74 |
| | FF-W-100C(1) | WASHER, LOCK (TOOTH) [CUST: AR AS 99 IS] [REVIEW: AT IS SH] | A 5310 | / | IS | 01-OCT-80 |
| | FF-S-107C(2) | SCREW, TAPPING AND DRIVE [CUST: AR 99 IS] [REVIEW: 82 CR4 EA MI OS] | A 5305 | / | IS | 01-SEP-70 |

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------|---|--------------------------|-----|-------------|-----------|
| | FF-P-110J | PADLOCK, CHANGEABLE COMBINATION (RESISTANT TO OPENING BY MANIPULATION AND SURREPTITIOUS ATTACK) [CUST: GL YD1 99] [REVIEW: 82 AV CE CG IS MC OS] | A 5340 | / | YD1 | 11-FEB-97 |
| | FF-S-111D(1) | SCREW, WOOD [CUST: AR YD1 99 IS] [REVIEW: 82 CE CR4 EA MC MI OS SH] | A 5305 | / | IS | 28-JUL-89 |
| | FF-F-133A | FASTENERS, WOOD JOINT, CORRUGATED (SAW EDGE) [CUST: AR YD1 82 IS] [REVIEW: AT CR4 GL MC SA] | A 5315 | / | IS | 05-OCT-67 |
| A | FF-B-171B(1) SUP 1 | BEARINGS, BALL, ANNULAR (GENERAL PURPOSE), METRIC [CUST: AT GS] [REVIEW: AR CR4 EA GL MI OS SH] | A 3110 | / | GS | 09-MAR-95 |
| A | FF-B-171/1(2) | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 10, 02, 03 UNDER 10 MM BORE, METRIC [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/2(2) | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 19 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/3(2) | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 10 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/4(2) | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 02 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/5(2) | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 03 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/6(2) | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 04 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/7(2) | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 02 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/8(2) | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, FILLING SLOT, ANSI/AFBMA DIMENSION SERIES 03 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/9(2) | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL NON-FILLING SLOT, CARTRIDGE TYPE WITHOUT GREASE PLUG, ANSI/AFBMA DIMENSION SERIES 32 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/10(2) | BEARING, BALL, ANNULAR, SINGLE ROW, RADIAL, NON-FILLING SLOT, CARTRIDGE TYPE WITHOUT GREASE PLUG, ANSI/AFBMA DIMENSION SERIES 33 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/11(2) | BEARING, BALL, ANNULAR, DOUBLE ROW, RADIAL, INTERNAL SELF-ALIGNING, ANSI/AFBMA DIMENSION SERIES 02 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/12(2) | BEARING, BALL, ANNULAR, DOUBLE ROW, RADIAL, INTERNAL SELF-ALIGNING, ANSI/AFBMA DIMENSION SERIES 03 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/13(2) | BEARING, BALL, ANNULAR, DOUBLE ROW, RADIAL, INTERNAL SELF-ALIGNING, ANSI/AFBMA DIMENSION SERIES 22 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/14(2) | BEARING, BALL, ANNULAR, DOUBLE ROW, RADIAL, INTERNAL SELF-ALIGNING, ANSI/AFBMA DIMENSION SERIES 23 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/15(2) | BEARING, BALL, ANNULAR, SINGLE ROW, PRIMARILY RADIAL, COUNTERBORED OUTER RING, CONTACT ANGLE UP TO AND INCLUDING 10 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 19 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/16(2) | BEARING, BALL, ANNULAR, SINGLE ROW, PRIMARILY RADIAL, COUNTERBORED OUTER RING, CONTACT ANGLE UP TO AND INCLUDING 10 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 10 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/17(2) | BEARING, BALL, ANNULAR, SINGLE ROW, PRIMARILY RADIAL, COUNTERBORED OUTER RING, CONTACT ANGLE UP TO AND INCLUDING 10 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 02 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/18(2) | BEARING, BALL, ANNULAR, SINGLE ROW, PRIMARILY RADIAL, COUNTERBORED OUTER RING, CONTACT ANGLE UP TO AND INCLUDING 10 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 03 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/19(2) | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, COUNTERBORED OUTER RING, CONTACT ANGLE ABOVE 10 DEG. UP TO AND INCLUDING 22 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 19 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/20(2) | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, COUNTERBORED OUTER RING, CONTACT ANGLE ABOVE 10 DEG. UP TO AND INCLUDING 22 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 10 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/21(2) | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, COUNTERBORED OUTER RING, CONTACT ANGLE ABOVE 10 DEG. UP TO AND INCLUDING 22 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 02 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/22(2) | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, COUNTERBORED OUTER RING, CONTACT ANGLE ABOVE 10 DEG. UP TO AND INCLUDING 22 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 03 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/23(2) | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, COUNTERBORED OUTER RING, CONTACT ANGLE ABOVE 10 DEG. UP TO AND INCLUDING 22 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 04 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/24(2) | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, COUNTERBORED OUTER RING, CONTACT ANGLE ABOVE 22 DEG. UP TO AND INCLUDING 32 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 10 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/25(2) | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, COUNTERBORED OUTER RING, CONTACT ANGLE ABOVE 22 DEG. UP TO AND INCLUDING 32 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 02 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/26(2) | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, COUNTERBORED OUTER RING, CONTACT ANGLE ABOVE 22 DEG. UP TO AND INCLUDING 32 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 03 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/27(2) | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, COUNTERBORED OUTER RING, CONTACT ANGLE ABOVE 22 DEG. UP TO AND INCLUDING 32 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 04 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/28(2) | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, COUNTERBORED OUTER RING, CONTACT ANGLE ABOVE 32 DEG. UP TO AND INCLUDING 45 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 10 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/29(2) | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, COUNTERBORED OUTER RING, CONTACT ANGLE ABOVE 32 DEG. UP TO AND INCLUDING 45 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 02 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/30(2) | BEARING, BALL, ANNULAR, SINGLE ROW, ANGULAR CONTACT, COUNTERBORED OUTER RING, CONTACT ANGLE ABOVE 32 DEG. UP TO AND INCLUDING 45 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 03 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/31(2) | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, COUNTERBORED OUTER RING, CONTACT ANGLE ABOVE 32 DEG. UP TO AND INCLUDING 45 DEG., NON-SEPARABLE, ANSI/AFBMA DIMENSION SERIES 04 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/32(2) | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, NON-FILLING SLOT, VERTEX OF CONTACT ANGLES OUTSIDE BEARING, ANSI/AFBMA DIMENSION SERIES 32 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/33(2) | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, NON-FILLING SLOT, VERTEX OF CONTACT ANGLES OUTSIDE BEARING, ANSI/AFBMA DIMENSION SERIES 33 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Ave | MCA | Prep. Acty. | Date |
|------------|-----------------|--|----------------------|-----|-------------|-----------|
| A | FF-B-171/34(3) | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, NON-FILLING SLOT, VERTEX OF CONTACT ANGLES INSIDE BEARING, ANSI/AFBMA DIMENSION SERIES 32 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/35(2) | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, FILLING SLOT, VERTEX OF CONTACT ANGLES INSIDE BEARING, ANSI/AFBMA DIMENSION SERIES 33 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/36(2) | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, FILLING SLOT, VERTEX OF CONTACT ANGLES OUTSIDE BEARING, ANSI/AFBMA DIMENSION SERIES 32 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| A | FF-B-171/37(2) | BEARING, BALL, ANNULAR, DOUBLE ROW, ANGULAR CONTACT, FILLING SLOT, VERTEX OF CONTACT ANGLES OUTSIDE BEARING, ANSI/AFBMA DIMENSION SERIES 33 [CUST: AT OS 11 GS] [REVIEW: AR CR4 EA GL MI SH] | A 3110 | / | GS | 27-OCT-97 |
| | FF-N-180A | NEEDLES, EXCEPT SURGICAL, HAND [CUST: SA 03 CT] [REVIEW: MC YD1] | A 8315 | / | CT | 03-FEB-66 |
| | FF-N-180A(11) | NEEDLES, EXCEPT SURGICAL, HAND [CUST: CT] | A 8315 | / | CT | 26-MAR-70 |
| A | FF-B-187B SUP 1 | BEARING, ROLLER, TAPERED [CUST: GS] [REVIEW: 99 AR CR4 GL MC MI OS YD1] | A 3110 | / | GS | 10-SEP-93 |
| A | FF-B-187/1 | BEARING, ROLLER, TAPERED, SINGLE ROW, NORMAL ANGLE (TYPE TS) [CUST: 11 GS] [REVIEW: 99 AR CR4 GL MC MI OS YD1] | A 3110 | / | GS | 10-SEP-93 |
| A | FF-B-187/2 | BEARING, ROLLER, TAPERED, SINGLE ROW, NORMAL ANGLE, FLANGED CUP (TYPE TSF) [CUST: 11 GS] [REVIEW: 99 AR CR4 GL MC MI OS YD1] | A 3110 | / | GS | 10-SEP-93 |
| A | FF-B-187/3 | BEARING, ROLLER, TAPERED, SINGLE ROW, STEEP ANGLE (TYPE TSS) [CUST: 11 GS] [REVIEW: 99 AR CR4 GL MC MI OS YD1] | A 3110 | / | GS | 10-SEP-93 |
| A | FF-B-187/4 | BEARING, ROLLER, TAPERED, SINGLE ROW, STEEP ANGLE, FLANGED CUP (TYPE TSSF) [CUST: 11 GS] [REVIEW: 99 AR CR4 GL MC MI OS YD1] | A 3110 | / | GS | 10-SEP-93 |
| A | FF-B-187/5 | BEARING, ROLLER, TAPERED, DOUBLE ROW, ONE DOUBLE CONE, TWO SINGLE CUPS, (TYPES TDI AND TDS) [CUST: 11 GS] [REVIEW: 99 AR CR4 GL MC MI OS YD1] | A 3110 | / | GS | 10-SEP-93 |
| A | FF-B-187/6 | BEARING, ROLLER, TAPERED, DOUBLE ROW, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, (TYPE TDO) [CUST: 11 GS] [REVIEW: 99 AR CR4 GL MC MI OS YD1] | A 3110 | / | GS | 10-SEP-93 |
| A | FF-B-187/7 | BEARING, ROLLER, TAPERED, DOUBLE ROW, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP (TYPE TDS) [CUST: 11 GS] [REVIEW: 99 AR CR4 GL MC MI OS YD1] | A 3110 | / | GS | 10-SEP-93 |
| A | FF-B-187/8 | BEARING, ROLLER, TAPERED, DOUBLE ROW, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NONADJUSTABLE (TYPE TNA) [CUST: 11 GS] [REVIEW: 99 AR CR4 GL MC MI OS YD1] | A 3110 | / | GS | 10-SEP-93 |
| A | FF-B-187/9 | BEARING, ROLLER, TAPERED, DOUBLE ROW, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NONADJUSTABLE (TYPE TNAS) [CUST: 11 GS] [REVIEW: 99 AR CR4 GL MC MI OS YD1] | A 3110 | / | GS | 10-SEP-93 |
| A | FF-B-187/10 | BEARING, ROLLER, TAPERED, DOUBLE ROW, STRAIGHT BORE, TWO SINGLE CONES WITH CONTACTING FRONT FACES SLOTTED AND CHAMFERED FOR LUBRICATION, ONE DOUBLE CUP WITH LUBRICATION HOLES AND GROOVE (TYPE TNASW) [CUST: 11 GS] [REVIEW: 99 AR CR4 GL MC MI OS YD1] | A 3110 | / | GS | 10-SEP-93 |
| A | FF-B-187/11 | BEARING, ROLLER, TAPERED, DOUBLE ROW, STRAIGHT BORE, TWO SINGLE CONES, CONE BACK FACE RIB GROUND ON THE OUTER DIAMETER FOR SEALING PURPOSES, ONE DOUBLE CUP WITH LUBRICATION HOLES AND GROOVE (TYPE TNASW) [CUST: 11 GS] [REVIEW: 99 AR CR4 GL MC MI OS YD1] | A 3110 | / | GS | 10-SEP-93 |
| | FF-S-200A(3) | SETSCREWS: HEXAGON SOCKET AND SPLINE SOCKET, HEADLESS [CUST: AR 82 IS] [REVIEW: AS AT AV CR4 EA FSS MC MI OS SH YD1] | A 5305 | / | IS | 15-APR-94 |
| | FF-S-210B(1) | SETSCREWS: SQUARE HEAD (INCH) AND SLOTTED HEADLESS (INCH AND METRIC) [CUST: AR 99 IS] [REVIEW: AV CE CR CR4 MC MI] | A 5305 | / | IS | 14-DEC-94 |
| | FF-T-276B(1) | THIMBLES, ROPE [CUST: AR SH 99 IS] [REVIEW: CR4 EA MC MI YD1] | A 4030 | / | IS | 31-MAR-89 |
| | FF-T-305C NOT 2 | THUMBSCREW [CUST: AR YD1 99 IS] [REVIEW: AS AV CR4 EA MC MI OS SH] | A 5305 | / | IS | 24-JUN-94 |
| | FF-P-386D(1) | PIN, COTTER (SPLIT) [CUST: AR OS 99 IS] [REVIEW: 82 EA MI] | A 5315 | / | IS | 16-DEC-71 |
| | FF-P-395/1 | PIN, DRIVE, POWER ACTUATED, TYPE I - FOR USE WITH DIRECT-ACTING (GAS DRIVEN, NO PISTON) HIGH VELOCITY TOOLS CLASS 1 - FASTENER GUIDE BORE DIAMETER 0.251 - 0.261 INCH [CUST: YD1 99] [REVIEW: 82 CG CR4 IS] | A 5315 | * | YD1 | 17-OCT-88 |
| | FF-P-395/2 | PIN, DRIVE, POWER ACTUATED, TYPE I - FOR USE WITH DIRECT-ACTING (GAS DRIVEN, NO PISTON) HIGH VELOCITY TOOLS CLASS 4 - FASTENER GUIDE BORE DIAMETER 0.376 - 0.390 INCH [CUST: YD1 99] [REVIEW: 82 CG CR4 IS] | A 5315 | * | YD1 | 17-OCT-88 |
| | FF-P-395/3 | PIN, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 1 - FASTENER GUIDE BORE DIAMETER 0.251 - 0.261 INCH [CUST: YD1 99] [REVIEW: 82 CG CR4 IS] | A 5315 | * | YD1 | 17-OCT-88 |
| | FF-P-395/4 | PIN, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 2 - FASTENER GUIDE BORE DIAMETER 0.313 - 0.330 INCH [CUST: YD1 99] [REVIEW: 82 CG CR4 IS] | A 5315 | * | YD1 | 17-OCT-88 |
| | FF-P-395/5 | PIN, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 3 - FASTENER GUIDE BORE DIAMETER 0.340 - 0.345 INCH [CUST: YD1 99] [REVIEW: 82 CG CR4 IS] | A 5315 | * | YD1 | 17-OCT-88 |
| | FF-P-395/6 | PIN, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 4 - FASTENER GUIDE BORE DIAMETER 0.376 - 0.390 INCH [CUST: YD1 99] [REVIEW: 82 CG CR4 IS] | A 5315 | * | YD1 | 17-OCT-88 |
| | FF-P-395/7 | PIN, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 5 - FASTENER GUIDE BORE DIAMETER 0.392 - 0.400 INCH [CUST: YD1 99] [REVIEW: 82 CG CR4 IS] | A 5315 | * | YD1 | 17-OCT-88 |
| | FF-P-395/8A | PIN, DRIVE, HAND ACTUATED, TYPE III - FOR USE WITH HAND DRIVEN TOOLS CLASS 1 - FASTENER GUIDE BORE DIAMETER 0.251 - 0.261 INCH [CUST: YD1 99] [REVIEW: 82 CG CR4 IS] | A 5315 | * | YD1 | 14-DEC-88 |
| | FF-P-395/9 | PIN, DRIVE, HAND ACTUATED, TYPE III - FOR USE WITH HAND DRIVEN TOOLS CLASS 1 - FASTENER GUIDE BORE DIAMETER 0.251 - 0.261 INCH [CUST: YD1 99] [REVIEW: 82 CG CR4 IS] | A 5315 | * | YD1 | 17-OCT-88 |
| | FF-C-431A(2) | CLIP, PAPER (BINDER) [REVIEW: GL] | A 7510 | % | FSS | 28-OCT-55 |
| | FF-C-00431B | CLIP, PAPER (BINDER) | A 7510 | # | FSS | 06-OCT-70 |
| | FF-C-450D(1) | CLAMP, WIRE ROPE [CUST: AR SH 99] [REVIEW: AT AV CR4 GL MC YD1] | A 4030 | / | IS | 14-MAY-74 |
| | FF-R-556D(1) | RIVET, SOLID, SMALL; RIVET, SPLIT, SMALL; RIVET, TUBULAR, SMALL FLAT WASHER (BURR); AND CAP, RIVET, GENERAL PNRRPOSE [CUST: AR 99 IS] [REVIEW: 85 AT CR4 GL MC MI NS] | A 5320 | / | IS | 17-JUL-81 |
| | FF-H-571E | HOLDER AND CUTTER, WRAPPING PAPER (9/16 INCH DIAMETER ROLLS) [REVIEW: GL YD1] | A 7290 | % | FSS | 10-MAY-74 |
| | FF-B-575C | BOLT, HEXAGON AND SQUARE [CUST: AR 99 IS] [REVIEW: AT AV CE EA MC MI OS YD1] | A 5306 | / | IS | 26-MAY-70 |
| | FF-S-611A | SPIKE, TRACK, SQUARE SHANK [CUST: AR YD1 99] [REVIEW: CR4 IS] | A 2250 | / | CC | 26-JUN-72 |
| | FF-S-760A(2) | STRAP, RETAINING, (METAL, FOR CONDUIT, PIPE, AND CABLE) [CUST: AR YD1 99] [REVIEW: CR4 EA MI] | A 5340 | * | IS | 26-AUG-66 |
| | FF-N-836E | NUT: SQUARE, HEXAGON, CAP, SLOTTED, CASTLE, KNURLED, WELDING AND SINGLE BALL SEAT [CUST: AR AS 99 IS] [REVIEW: 82 AT AV EA GL MC MI OS YD1] | A 5310 | / | IS | 14-SEP-94 |
| | FF-N-845D | NUT, PLAIN, WING, INCH AND METRIC [CUST: AR 99 IS] [REVIEW: AV CR4 EA IS] | A 5310 | / | IS | 08-MAY-81 |
| | FF-S-1362 | STUD, PLAIN, GENERAL PURPOSE [CUST: AR 99 IS] [REVIEW: AT AV CE CR MC MI OS] | A 5307 | / | IS | 18-MAY-70 |
| | FF-H-1687A | LOCKS, OFFICE MACHINE | A 5340 | # | FSS | 01-MAR-74 |
| | FF-T-1813 | TACK [CUST: AR YD1 99 IS] [REVIEW: 82 AT CR4 MC SA SH] | A 5315 | / | IS | 31-JUL-73 |
| | FF-S-2738(2) | SEALS, ANTIPIRFERAGE [CUST: AR YD1] [REVIEW: 99 CR4 DS IS MC SA SH] | A 5340 | / | YD1 | 03-NOV-93 |
| | FF-L-2740(13) | LOCKS, COMBINATION | A 5340 | # | FSS | 03-DEC-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------|--|-----------------------|-----|-------------|-----------|
| | FF-L-2740 | LOCKS, COMBINATION | A 7110 | # | FSS | 12-OCT-89 |
| | FF-P-2827(2) | PADLOCK, KEY OPERATED, GENERAL FIELD SERVICE [CUST: YD1 99] [REVIEW: 82 AL CE IS MC OS] | A 5340 | / | YD1 | 03-JUN-94 |
| A | FF-B-2844 SUP 1 | BEARINGS, BALL, ANNULAR (GENERAL PURPOSE) [CUST: AT 99 GS] [REVIEW: 11 AR CR4 EA GL MI OS] | A 3110 | / | GS | 15-FEB-94 |
| A | FF-B-2844/1 | BEARING, BALL, ANNULAR: SINGLE ROW, RADIAL, NON-FILLING SLOT, MINIATURE SIZE, INSTRUMENT TYPE (CHROMIUM ALLOY STEEL) [CUST: AT 99 GS] [REVIEW: 11 AR CR4 EA GL MI OS] | A 3110 | / | GS | 15-FEB-94 |
| A | FF-B-2844/2 | BEARING, BALL, ANNULAR: SINGLE ROW, RADIAL, NON-FILLING SLOT, EXTRA LIGHT SERIES (R - SERIES) (CHROMIUM ALLOY STEEL) [CUST: AT 99 GS] [REVIEW: 11 AR CR4 EA GL MI OS] | A 3110 | / | GS | 15-FEB-94 |
| A | FF-B-2844/3 | BEARING, BALL, ANNULAR: SINGLE ROW, RADIAL, NON-FILLING SLOT, EXTRA LIGHT SERIES (R - SERIES) (LARGER THAN 0.7500 BORE) (CHROMIUM ALLOY STEEL) [CUST: AT 99 GS] [REVIEW: 11 AR CR4 EA GL MI OS] | A 3110 | / | GS | 15-FEB-94 |
| A | FF-B-2844/4 | BEARING, BALL, ANNULAR: SINGLE ROW, RADIAL, NON-FILLING SLOT, MINIATURE SIZE, INSTRUMENT TYPE (CORROSION RESISTANT STEEL) [CUST: AT 99 GS] [REVIEW: 11 AR CR4 EA GL MI OS] | A 3110 | / | GS | 15-FEB-94 |
| A | FF-B-2844/5 | BEARING, BALL, ANNULAR: SINGLE ROW, RADIAL, NON-FILLING SLOT, EXTRA LIGHT SERIES (R - SERIES) (0.7500 BORE AND UNDER) (CORROSION RESISTANT STEEL) [CUST: AT 99 GS] [REVIEW: 11 AR CR4 EA GL MI OS] | A 3110 | / | GS | 15-FEB-94 |
| A | FF-B-2844/6 | BEARING, BALL, ANNULAR: SINGLE ROW, RADIAL, NON-FILLING SLOT, EXTRA LIGHT SERIES (XLS - SERIES) (CHROMIUM ALLOY STEEL) [CUST: AT 99 GS] [REVIEW: 11 AR CR4 EA GL MI OS] | A 3110 | / | GS | 15-FEB-94 |
| A | FF-B-2844/7 | BEARING, BALL, ANNULAR: SINGLE ROW, RADIAL, NON-FILLING SLOT, LIGHT SERIES (LS - SERIES) (CHROMIUM ALLOY STEEL) [CUST: AT 99 GS] [REVIEW: 11 AR CR4 EA GL MI OS] | A 3110 | / | GS | 15-FEB-94 |
| A | FF-B-2844/8 | BEARING, BALL, ANNULAR: SINGLE ROW, RADIAL, NON-FILLING SLOT, MEDIUM SERIES (MS - SERIES) (CHROMIUM ALLOY STEEL) [CUST: AT 99 GS] [REVIEW: 11 AR CR4 EA GL MI OS] | A 3110 | / | GS | 15-FEB-94 |
| A | FF-S-2874 | SLINGS, MULTIPLE LEG, VEHICLE (SHIPBOARD LOADING) [CUST: MT YD1] [REVIEW: CG GS MC SH] | A 3920 | / | YD1 | 16-DEC-97 |
| | GG-T-35C | TABLES; DRAWING, TRACING, AND SCRIBING [CUST: CE 99] [REVIEW: MC] | A 6675 | / | GS | 27-APR-89 |
| | GG-R-42B | RACKS, RUBBER STAMP | A 7520 | # | FSS | 08-AUG-74 |
| | GG-C-48 | CABINETS, COMPARTMENTED, METAL; DENTAL, FOR PORCELAIN TEETH [CUST: MD MS 03 MB] | A 6520 | / | MB | 27-JUL-50 |
| | GG-R-60C(11) | RAZORS, SAFETY; AND BLADES, RAZOR | A 8530 | # | FSS | 26-JUL-67 |
| | GG-G-91D NOT 1 | GAGE, TIRE PRESSURE, SELF CONTAINED AND INFLATOR GAGE, PNEUMATIC TIRE [CUST: AL YD1 82 CC] [REVIEW: AT AV CR4 MC SM] | A 4910 | / | CC | 27-SEP-93 |
| | GG-M-95A | MAGNIFIER AND REDUCING GLASS [CUST: AR] [REVIEW: CR4 MI] | A 6650 | * | AR | 19-OCT-89 |
| | GG-P-00146D(2) | PEN SET, DESK | A 7520 | # | FSS | 08-MAR-74 |
| | GG-S-150A(1) | SCALE, AREA (TRANSPARENT PLASTIC) [REVIEW: GS] | A 6675 | # | FSS | 21-SEP-64 |
| | GG-S-161D | SCALES, DRAFTING, AND SCALES, PLOTTING (GENERAL SPECIFICATION) [CUST: CE YD1 99] [REVIEW: 82 GL MC] | A 6675 | / | GS | 01-MAY-85 |
| | GG-S-161/1D | SCALE, DRAFTING, ARCHITECT S [CUST: CE YD1 99] [REVIEW: 82 GL MC] | A 6675 | / | GS | 01-MAY-85 |
| | GG-S-161/2D | SCALE, DRAFTING, ENGINEERS [CUST: CE YD1 99] [REVIEW: 82 GL MC] | A 6675 | / | GS | 01-MAY-85 |
| | GG-S-161/3D | SCALE, DRAFTING, MECHANICAL [CUST: CE YD1 99] [REVIEW: 82 GL MC] | A 6675 | / | GS | 01-MAY-85 |
| | GG-S-161/4D | SCALE, DRAFTING, COMBINATION ENGLISH AND METRIC MEASUREMENT SYSTEM [CUST: CE YD1 99] [REVIEW: 82 GL MC] | A 6675 | / | GS | 01-MAY-85 |
| | GG-S-161/5D | SCALE, DRAFTING SURVEYOR S [CUST: CE YD1 99] [REVIEW: GL MC] | A 6675 | / | GS | 01-MAY-85 |
| | GG-S-161/6D | SCALE, DRAFTING, DECIMAL-INCH DIMENSIONING [CUST: CE YD1 99] [REVIEW: 82 GL] | A 6675 | / | GS | 01-MAY-85 |
| | GG-S-161/7D | SCALE, PLOTTING [CUST: CE YD1 99] [REVIEW: 82 GL MC] | A 6675 | / | GS | 01-MAY-85 |
| | GG-S-161/8D | SCALE, PLOTTING, METRIC [CUST: CE YD1 99] [REVIEW: 82 GL MC] | A 6675 | / | GS | 01-MAY-85 |
| | GG-S-161/9D | SCALE, PLOTTING, FEET AND YARDS [CUST: CE YD1 99] [REVIEW: 82 GL MC] | A 6675 | / | GS | 01-MAY-85 |
| | GG-S-161/10D | SCALE, PLOTTING, METER AND YARD [CUST: CE YD1 99] [REVIEW: 82 MC] | A 6675 | / | GS | 01-MAY-85 |
| | GG-S-161/11D | SCALE, PLOTTING, SOIL SURVEY [CUST: CE YD1 99] [REVIEW: 82 GL MC] | A 6675 | / | GS | 01-MAY-85 |
| | GG-S-161/12B | SCALE, DRAFTING, ENLARGING [CUST: CE YD1 99] [REVIEW: 82 AR CG CR GL MC] | A 6675 | / | GS | 01-MAY-85 |
| | GG-S-161/13 | SCALE, DRAFTING; METRIC PROPORTIONAL [CUST: CE YD1 99] [REVIEW: 82 CR GL MC] | A 6675 | / | GS | 01-MAY-85 |
| | GG-L-180A | LEAD REPOINTER, PENCIL [REVIEW: GL] | A 7520 | % | FSS | 21-SEP-72 |
| | GG-N-211B | NEEDLE, SUTURE, (EYED) [CUST: MD MS 03] | A 6515 | / | MB | 29-AUG-61 |
| | GG-T-258A | TESTER, BATTERY ELECTROLYTE SOLUTION [CUST: MD MS 03] | A 6630 | / | MB | 27-SEP-67 |
| | GG-T-315C | THERMOMETER, SELF INDICATING, LIQUID IN GLASS [CUST: 99] [REVIEW: GS] | A 6685 | # | 99 | 01-OCT-75 |
| | GG-F-340(1) | FILIFORMS; URETHRAL, WOVEN (BRAIDED) [CUST: MD MS 03 MB] | A 6515 | / | MB | 24-FEB-54 |
| | GG-T-353D | THERMOMETER, SELF INDICATING, BIMETALLIC [CUST: 99] | A 6685 | # | 99 | 14-JUL-75 |
| | GG-T-356A | THERMOMETER, SELF INDICATING, LIQUID IN GLASS, MINIMUM, (METEOROLOGICAL) [CUST: CR OS 99 GS] [REVIEW: 01 AS CR4] | A 6660 | / | GS | 25-SEP-67 |
| | GG-C-390 | CLAMP, CIRCUMCISION (NO S/S DOCUMENT) [CUST: MD MS 03 MB] | A 6515 | / | MB | 25-SEP-61 |
| | GG-K-391A(4) | KIT (EMPTY) FIRST-AID, BURN-TREATMENT AND SNAKE BITE, AND KIT CONTENTS (UNIT-TYPE) | A 6545 | # | FSS | 03-MAR-59 |
| | GG-K-392(3) | KIT, FIRST AID (COMMERCIAL TYPES), AND KIT CONTENTS | A 6545 | # | FSS | 25-APR-57 |
| | GG-L-00410 | LINE GUIDE, LETTERING, ADJUSTABLE [REVIEW: GS] | A 6675 | # | FSS | 30-JAN-64 |
| | GG-C-439B(1) | CLIP, SUTURE (METAL) | A 6515 | # | FSS | 22-OCT-57 |
| | GG-A-440C | ALIDADE, SURVEYING, TELESCOPE [CUST: YD1 99] [REVIEW: GS] | A 6675 | # | FSS | 18-NOV-81 |
| | GG-D-00450A(1) | DISPENSER, GUMMED TAPE | A 7520 | # | FSS | 24-FEB-71 |
| | GG-P-455B(3) NOT 2 | PLATES AND FOILS, PHOTOGRAPHIC (PHOTOSENSITIVE ANODIZED ALUMINUM) [CUST: MR AS] [REVIEW: 70 85 CR SH] | A 6750 | / | AS | 18-MAY-95 |
| | GG-D-00458C(2) | DISPENSER, PRESSURE-SENSITIVE ADHESIVE TAPE | A 7520 | % | FSS | 21-MAY-73 |
| | GG-I-460(1) | ILLUMINATORS, MICROSCOPE, 115 VOLT [CUST: MD MS 03] | A 6650 | / | MB | 15-AUG-52 |
| | GG-C-00466E(1) | CLOCKS, WALL (SYNCHRONOUS MOTOR)(S/S BY A-A-1509) | A 6645 | % | FSS | 18-JUN-68 |
| | GG-B-511 | BLOWPIPE OUTFIT, ACETYLENE | A 6520 | # | FSS | 31-JUL-52 |
| | GG-O-00588C(2) | OPENER, LETTER, HAND, METAL | A 7520 | # | FSS | 11-APR-72 |
| | GG-C-00590B | COPYHOLDER, TYPIST S [REVIEW: GL] | A 7520 | % | FSS | 18-MAY-70 |
| | GG-T-621C | TRANSIT, ONE MINUTE, AND TRANSIT TRIPODS | A 6675 | # | FSS | 18-NOV-85 |
| | GG-E-651C | ERASER, BLACKBOARD | A 7510 | # | FSS | 04-JUN-75 |
| | GG-P-00661B(2) | PROJECTOR, STILL PICTURE, OVERHEAD, ATTACHMENTS AND ACCESSORIES [REVIEW: GS] | A 6730 | # | FSS | 30-JAN-73 |
| | GG-E-671B | ERASER, STEEL [REVIEW: GL] | A 7510 | % | FSS | 22-NOV-72 |
| | GG-T-671F | TRIANGLE, DRAFTING, LINE GUIDE, LETTERING, ADJUSTABLE, AND NONADJUSTABLE (GENERAL SPECIFICATION) [CUST: CE 99] [REVIEW: CG GL MC] | A 6675 | / | GS | 10-MAR-81 |
| | GG-T-671/1C | TRIANGLES, DRAFTING, PLASTIC, TRANSPARENT [CUST: CE YD1 99] | A 6675 | / | GS | 10-MAR-81 |
| | GG-T-671/2B | TRIANGLE, LINE GUIDE, LETTERING, NONADJUSTABLE [CUST: CE 99] | A 6675 | / | GS | 10-MAR-81 |
| | GG-T-671/3B | TRIANGLE, DRAFTING, ADJUSTABLE, PLASTIC [CUST: CE YD1 99] | A 6675 | / | GS | 10-MAR-81 |
| | GG-T-671/4B | TRIANGLE, DRAFTING, STEEL, OPEN CENTER [CUST: CE YD1 99] [REVIEW: MC] | A 6675 | / | GS | 10-MAR-81 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|----------------------|---|-----------------------|-------|-------------|-----------|
| | GG-T-671/5B | TRIANGLE, DRAFTING, STEEL, BEAD SUPPORTS AND LIFTING KNOB [CUST: CE YD1 99] | A 6675 | / GS | | 10-MAR-81 |
| | GG-T-671/6D | LINE GUIDE, LETTERING, ADJUSTABLE, PLASTIC [CUST: CE YD1 99] [REVIEW: CG MC] | A 6675 | / GS | | 10-MAR-81 |
| | GG-B-675E | BREATHING APPARATUS, SELF-CONTAINED [CUST: EA] [REVIEW: YD1] | A 4240 | / EA | | 28-JUN-88 |
| | GG-P-725B(1) | PSYCHROMETER [CUST: CR SH] [REVIEW: CR] | A 6685 | * GS | | 29-MAR-91 |
| | GG-S-745A(14) | STAPLERS AND STAPLES, PAPER FASTENING, OFFICE TYPE | A 7510 | # FSS | | 29-AUG-73 |
| | GG-S-747D | STENCIL-CUTTING MACHINE, HAND-OPERATED | A 7490 | # FSS | | 12-JAN-89 |
| | GG-O-770D | OTOSCOPE AND OPHTHALMOSCOPE SET, BATTERY TYPE [CUST: MD MS 03] | A 6515 | / MB | | 18-MAR-86 |
| | GG-S-771C | STRAIGHTEDGE, PARALLEL RULING, GUIDE CORD [CUST: CR4] | A 6675 | # FSS | | 12-FEB-66 |
| | GG-S-773D | STRAIGHTEDGE, PLASTIC AND WOOD [REVIEW: GS] | A 6675 | # FSS | | 09-JUN-78 |
| | GG-R-791D(1) | RULER, WOOD (DESK) [REVIEW: GL] | A 7510 | % FSS | | 20-OCT-59 |
| | GG-S-00792 | STYLUS, DUPLICATING STENCIL | A 7520 | # FSS | | 02-JUL-63 |
| | GG-S-00812C NOT 1 | SUTURES, ABSORBABLE, SURGICAL (GUT) [CUST: MD MS 03] | A 6515 | / MB | | 20-OCT-88 |
| | GG-S-928B | SYRINGE, METAL [CUST: MD MS 03 MB] | A 6515 | / MB | | 02-MAY-58 |
| | GG-S-945A | SYRINGE AND NEEDLE, DISPOSABLE, HYPODERMIC, STERILE, SINGLE INJECTION. | A 6515 | # FSS | | 04-DEC-59 |
| | GG-S-001015A | SYRINGE, FOUNTAIN, DISPOSABLE ENEMA [CUST: MD MS 03] | A 6530 | / MB | | 25-SEP-69 |
| | GG-M-001130(1) | MARKER, TUBE TYPE, FINE TIP | A 7520 | # FSS | | 05-DEC-67 |
| | GG-M-1262A | MARKER, TUBE TYPE WHITE [REVIEW: GL] | A 7520 | % FSS | | 05-DEC-72 |
| | GG-P-001264 | PENPOINTS AND PENHOLDER, CROWQUILL | A 7510 | # FSS | | 19-DEC-67 |
| | GG-M-001371 | MALLET, PLUGGING, DENTAL [CUST: MD MS 03] | A 6520 | / MB | | 08-SEP-67 |
| | GG-H-1488A | HOLDER, DESK TRAY LABEL [REVIEW: GL] | A 7510 | % FSS | | 01-AUG-73 |
| | GG-D-1958 | DISPENSER GUMMED TAPE (ELECTRICALLY OPERATED) | A 7520 | # FSS | | 01-SEP-75 |
| | HH-P-31F | PACKING MATERIAL, ASBESTOS, METALLIC CLOTH AND TAPE [CUST: MR SH 99] [REVIEW: 82 AT AV IS MC] | A 5330 | / SH | | 05-JUN-87 |
| | HH-P-46E(2) NOT 1 | PACKING; ASBESTOS, SHEET, COMPRESSED [CUST: MR SH] [REVIEW: AT IS MC OS] | A 5330 | / SH | | 04-APR-91 |
| | HH-G-101E | GASKET, METALLIC-ENCASED [CUST: MR YD1 99 IS] [REVIEW: 82 CG EA] | A 5330 | / IS | | 23-MAY-90 |
| | HH-P-151F NOT 1 | PACKING; RUBBER-SHEET, CLOTH-INSERT [CUST: AR SH 82] [REVIEW: AT CR4 IS] | A 5330 | / SH | | 27-MAR-91 |
| | HH-G-156E | GASKET MATERIAL, GENERAL PURPOSE; RUBBER SHEETS, STRIPS, AND SPECIAL SHAPES [CUST: MR SH 99] [REVIEW: 82 AR AS AV GL IS MC OS] | A 5330 | / SH | | 05-APR-93 |
| | HH-F-341F(1) | FILLER, EXPANSION JOINT, BITUMINOUS (ASPHALT AND TAR) AND NONBITUMINOUS (PREFORMED FOR CONCRETE) | A 5610 | # FSS | | 06-JUN-77 |
| | HH-I-536 NOT 2 | INSULATION SHEET, ELECTRICAL, NATURAL MUSCOVITE MICA [CUST: CR SH] [REVIEW: MI] | A 5970 | * CR | | 23-JAN-52 |
| | HH-I-00536A | INSULATION, ELECTRICAL, MICA, NATURAL MUSCOVITE | A 5970 | # FSS | | 01-APR-63 |
| | HH-C-576B | CORK SHEET (GASKETS, SHEETS, AND STRIPS) [CUST: OS 99] [REVIEW: 82 AT CC CR4 DS EA MI] | A 5330 | / IS | | 01-AUG-61 |
| | HH-C-576B(11) | CORK SHEET (GASKETS, SHEETS, AND STRIPS) | A 5330 | # FSS | | 05-SEP-62 |
| | HH-T-1782 | TAPE, ASBESTOS | A 5640 | # FSS | | 30-OCT-73 |
| | HH-P-1784(2) | PAPER, ASBESTOS | A 5640 | # FSS | | 19-APR-73 |
| | HH-I-1972(1) NOT 1 | INSULATION BOARD, THERMAL, FACED, POLYURETHANE OR POLYISOCYANURATE [CUST: CR4 YD1 99] | A 5640 | / YD1 | | 07-FEB-91 |
| | HH-I-1972/1(1) NOT 1 | INSULATION BOARD, THERMAL, FACED, POLYURETHANE OR POLYISOCYANURATE [CUST: CR4 YD1 99] [REVIEW: 84 CE] | A 5640 | / YD1 | | 07-FEB-91 |
| | HH-I-1972/2(1) NOT 1 | INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACED WITH ASPHALT/ORGANIC FELT, POLYMER/ORGANIC MAT, ASPHALT/GLASS MAT, OR POLYMER/GLASS MAT ON BOTH SIDES OF THE FOAM [CUST: CR4 YD1 99] [REVIEW: 84 CE] | A 5640 | / YD1 | | 07-FEB-91 |
| | HH-I-1972/3 NOT 1 | INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACED WITH PERLITE INSULATION BOARD ON ONE SIDE AND ASPHALT/ORGANIC FELT OR ASPHALT/GLASS FIBER FELT ON THE OTHER SIDE OF THE FOAM [CUST: CR4 YD1 99] [REVIEW: 84 CE] | A 5640 | / YD1 | | 07-FEB-91 |
| | HH-I-1972/4 NOT 1 | INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACED WITH GYPSUM BOARD ON ONE SIDE AND ALUMINUM FOIL OR ASPHALT/ORGANIC FELT ON THE OTHER SIDE OF THE FOAM [CUST: CR4 YD1 99] [REVIEW: 84 CE] | A 5640 | / YD1 | | 07-FEB-91 |
| | HH-I-1972/5 NOT 1 | INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACED WITH PERLITE BOARD ON BOTH SIDES OF THE FOAM [CUST: CR4 YD1 99] [REVIEW: 84 CE] | A 5640 | / YD1 | | 07-FEB-91 |
| | JJ-W-155H | WEBBING, TEXTILE, (COTTON, ELASTIC) [CUST: GL NU 99 CT] [REVIEW: 11 45 82 AR AS CR CR4 MC MD] | A 8305 | / CT | | 30-JUN-88 |
| | JJ-N-180G NOT 1 | NETS, LAUNDRY [CUST: GL YD1 99 GS] [REVIEW: MC] | A 3510 | / GS | | 31-AUG-89 |
| | JJ-S-566A(1) | SOCKS, COTTON [REVIEW: 45] | A 8440 | # FSS | | 02-DEC-83 |
| | JJ-H-571B(2) | HOSE, FIRE, LINEN, UNLINED (WITH OR WITHOUT COUPLINGS) [CUST: 99] [REVIEW: CC] | A 4210 | * 84 | | 14-JAN-77 |
| | JJ-G-001396(1) | GLOVES, FLANNEL, COTTON, WORK [REVIEW: 45] | A 8415 | # FSS | | 15-MAY-72 |
| | KK-P-91B | PALMS, SEWING (SAILMAKERS AND SADDLERS) [CUST: GL SH 99] [REVIEW: MC YD1] | A 5120 | * GL | | 16-AUG-63 |
| | KK-B-151H(2) | BELT, LINEMAN'S, AND STRAP, POLE LINEMAN'S TYPE | A 4240 | # FSS | | 04-JUN-82 |
| | KK-S-151C | SATCHELS, PHYSICIAN'S [CUST: MD MS 03] | A 6532 | / MB | | 31-JUL-89 |
| | KK-L-154F | LEATHER, CATTLEHIDE, (BAG AND CASE) [CUST: GL NU 99 CT] [REVIEW: CR4 MC MD] | A 8330 | / CT | | 14-APR-76 |
| | KK-L-165C(2) NOT 1 | LEATHER, CATTLEHIDE, VEGETABLE-TANNED AND CHROME RETANNED, IMPREGNATED, AND SOLES [CUST: GL NU 99 CT] [REVIEW: MD] | A 8330 | / CT | | 28-JUN-76 |
| | KK-L-170C(2) NOT 1 | LEATHER, KIDSKIN, OR GOATSKIN, CHROME-TANNED [CUST: GL NU 99 CT] [REVIEW: MD] | A 8330 | / CT | | 23-OCT-87 |
| | KK-L-201F(1) | LEATHER, CATTLEHIDE, LACE AND CUT LACES [CUST: GL NU 99 CT] [REVIEW: MD] | A 8330 | / CT | | 18-FEB-71 |
| | KK-W-231D | WELTING, LEATHER, SHOE [CUST: GL NU 11] [REVIEW: 82 MC MD] | A 8330 | / GL | | 19-SEP-86 |
| | KK-L-241D(3) | LEATHER, CATTLEHIDE, RIGGING [CUST: GL NU CT] [REVIEW: EA MD] | A 8330 | / CT | | 13-MAY-82 |
| | KK-L-254D(1) | LEATHER, SHEEPSKIN, CHROME TANNED [CUST: GL NU 11 CT] [REVIEW: 99 MD] | A 8330 | / CT | | 27-NOV-78 |
| | KK-L-271H NOT 1 | LEATHER, CATTLEHIDE, STRAP, VEGETABLE-TANNED [CUST: GL 99 CT] [REVIEW: 45 AT CR4 EA MD MI] | A 8330 | / CT | | 09-MAR-76 |
| | KK-L-291G(2) NOT 1 | LEATHER, CATTLEHIDE, UPHOLSTERY [CUST: GL 99 CT] [REVIEW: MD YD1] | A 8330 | / CT | | 23-OCT-87 |
| | KK-C-300C(2) NOT 1 | CHAMOIS, LEATHER, SHEEPSKIN, OIL TANNED [CUST: GL NU 99] [REVIEW: AV EA MC MD MI] | A 8330 | / CT | | 22-APR-89 |
| | KK-G-476E(1) | GLOVES, LEATHER, (GAUNTLET, LINEMEN S) [CUST: GL NU 99 CT] [REVIEW: 45 MC MD OS SM YD1] | A 8415 | / CT | | 19-OCT-77 |
| | KK-I-570D | INSOLE, FOOTWEAR, LEATHER, CATTLEHIDE [CUST: GL NU CT] [REVIEW: 45 MC MD] | A 8335 | / CT | | 29-MAY-90 |
| | KK-B-650A(1) | BRIEF CASE (LEATHER) [CUST: 99 CT] [REVIEW: 45 GL MC SA] | A 8460 | / CT | | 23-FEB-71 |
| | KK-S-756D | STROP, MICROTOME KNIFE, AND STROP, RAZOR [CUST: GL 99] [REVIEW: MC MD MS SA] | A 8530 | * GL | | 24-JUN-71 |
| | KK-P-001170A | PORTFOLIO, ENVELOPE, LEATHER, ARTIFICIAL LEATHER, SLIDE FASTENER [REVIEW: 45] | A 8460 | # FSS | | 29-MAR-68 |
| | KK-L-2004 NOT 1 | LEATHER, CATTLEHIDE, DEERSKIN AND HORSEHIDE, CHROME TANNED [CUST: GL NU 99 CT] [REVIEW: MC MD] | A 8330 | / CT | | 22-APR-89 |
| | MM-T-371E | TIE, RAILROAD, WOOD (CROSS AND SWITCH) [CUST: CR4] [REVIEW: CC CE YD1] | A 5510 | / IS | | 31-JUL-75 |
| | MM-L-736C(1) | LUMBER, HARDWOOD [CUST: CR4 YD1 99] [REVIEW: CC CE MC OS SH] | A 5510 | / IS | | 11-MAR-83 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------|---|--------------------------|-----|-------------|-----------|
| | NN-P-71C NOT 1 | PALLETS, MATERIAL HANDLING, WOOD, STRINGER CONSTRUCTION, 2-WAY AND 4-WAY (PARTIAL) [CUST: SA 84] [REVIEW: EA GS OS SM SS] | A 3990 | / | SA | 20-DEC-73 |
| A | NN-H-0085 NOT 1 | HANDLE, FILE (ADJUSTABLE TYPE) (NO S/S DOCUMENT) [CUST: FSS] | A 5110 | # | FSS | 10-NOV-97 |
| | NN-H-93C | HANDLES: HICKORY, STRIKING TOOL | A 5120 | # | FSS | 01-MAR-95 |
| | NN-H-106D | HANDLE, WOOD MISCELLANEOUS (FOR) TOOLS | A 5110 | # | FSS | 29-JAN-96 |
| A | OO-M-38J | MIXING MACHINES, FOOD, ELECTRIC (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) [CUST: GL YD1 99 IS] [REVIEW: CE GS MC MD SA] | A 7320 | / | IS | 23-NOV-77 |
| | OO-M-38J(11) | MIXING MACHINES, FOOD, ELECTRIC (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) [CUST: GL] [REVIEW: GS] | A 7320 | / | IS | 25-FEB-81 |
| | OO-M-59C NOT 1 | MILLING MACHINES, BENCH TYPE, HORIZONTAL, VERTICAL, GENERAL PURPOSE [CUST: SH 99] [REVIEW: MC] | A 3417 | / | GS | 17-FEB-87 |
| | OO-L-125D(1) | LATHE, ENGINE AND TOOLROOM, 10 INCH [CUST: AL SH 99] [REVIEW: AR CR4 MC YD1] | A 3416 | / | GS | 07-MAR-84 |
| | OO-L-131K(1) | LAUNDRY EQUIPMENT, MISCELLANEOUS, COMMERCIAL [CUST: GL YD1 99 GS] [REVIEW: 50 CE MC MD] | A 3510 | / | GS | 04-NOV-76 |
| | OO-L-138C(1) | LAUNDRY PRESSES, COMMERCIAL [CUST: GL YD1 99 GS] [REVIEW: 50 CE CR4 MC MD] | A 3510 | / | GS | 02-NOV-76 |
| | OO-K-220B | KEY, MACHINE [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MC SA] | A 5315 | / | IS | 21-APR-89 |
| A | OO-S-236D NOT 1 | SAW, CIRCULAR, TABLE TYPE, WOODWORKING, SINGLE TILTING ARBOR, FLOOR MOUNTED [CUST: CR4 SH 99 IS] [REVIEW: AS CE MC OS YD1] | A 3220 | / | IS | 10-FEB-89 |
| | OO-S-256H(2) | SEWING MACHINE, INDUSTRIAL, GENERAL SPECIFICATION FOR [CUST: GL 99 GS] [REVIEW: 50 84 MC SA] | A 3530 | / | GS | 10-NOV-92 |
| | OO-S-256/1B | SEWING MACHINES, INDUSTRIAL; FLATBED, SINGLE-NEEDLE, MACHINES [CUST: GL 99 GS] [REVIEW: 84 MC SA] | A 3530 | / | GS | 10-NOV-92 |
| | OO-S-256/2A | SEWING MACHINES, INDUSTRIAL, FLATBED, TWO-NEEDLE [CUST: GL 99 GS] [REVIEW: MC SA] | A 3530 | / | GS | 16-NOV-78 |
| | OO-S-256/3B | SEWING MACHINES, INDUSTRIAL; CYLINDER BED, SINGLE-NEEDLE, MACHINES [CUST: GL 99 GS] [REVIEW: 84 MC SA] | A 3530 | / | GS | 10-NOV-92 |
| | OO-S-256/4A | SEWING MACHINES, INDUSTRIAL, POST BED, SINGLE NEEDLE, MACHINE [CUST: GL GS] [REVIEW: MC SA] | A 3530 | / | GS | 16-NOV-78 |
| | OO-S-256/5A | SEWING MACHINE, INDUSTRIAL, ZIGZAG, SINGLE NEEDLE, MACHINES [CUST: GL 99 GS] [REVIEW: MC SA] | A 3530 | / | GS | 16-NOV-78 |
| | OO-S-256/6A | SEWING MACHINE, INDUSTRIAL, BUTTONHOLE, STRAIGHT, BARRED ENDS, MACHINE [CUST: GL 99 GS] [REVIEW: CR MC] | A 3530 | / | GS | 16-NOV-78 |
| | OO-S-256/7A | SEWING MACHINES, INDUSTRIAL, BUTTONHOLE MACHINE, EYELET END [CUST: GL 99 GS] [REVIEW: CR MC SA] | A 3530 | / | GS | 16-NOV-78 |
| | OO-S-256/8A | SEWING MACHINES, INDUSTRIAL, BUTTON-SEWING MACHINE [CUST: GL 99 GS] [REVIEW: CR MC] | A 3530 | / | GS | 16-NOV-78 |
| | OO-S-256/9A | SEWING MACHINES, INDUSTRIAL, TACKING MACHINE (DETAIL SPECIFICATION) [CUST: GL 99 GS] [REVIEW: MC SA] | A 3530 | / | GS | 16-NOV-78 |
| | OO-S-256/10A | SEWING MACHINES, INDUSTRIAL, OVEREDGE MACHINE (DETAIL SPECIFICATION) [CUST: GL 99 GS] | A 3530 | / | GS | 16-NOV-78 |
| | OO-S-256/11B | SEWING MACHINES, INDUSTRIAL; BLIND STITCH, MACHINES [CUST: GL 99 GS] [REVIEW: 84 MC SA] | A 3530 | / | GS | 25-MAY-93 |
| | OO-S-256/12B | SEWING MACHINES, INDUSTRIAL, SINGLE-NEEDLE MACHINE, HEAVY-LEATHER DUTY [CUST: GL 99 GS] [REVIEW: CR MC SA] | A 3530 | / | GS | 16-NOV-79 |
| | OO-S-256/13D | SEWING MACHINE, INDUSTRIAL; FLATBED, SINGLE NEEDLE, 301 STITCH, PARACHUTE REPAIR [CUST: GL 99 GS] [REVIEW: 84] | A 3530 | / | GS | 16-DEC-92 |
| | OO-S-256/14A | SEWING MACHINE, INDUSTRIAL, FLATBED, SINGLE NEEDLE, 308 STITCH, PARACHUTE REPAIR [CUST: GL 99 GS] [REVIEW: 50] | A 3530 | / | GS | 13-JUN-86 |
| | OO-S-00256/14B | SEWING MACHINE, INDUSTRIAL; FLATBED, SINGLE NEEDLE, 308 STITCH, PARACHUTE REPAIR [CUST: GL] | A 3530 | / | GS | 07-OCT-88 |
| | OO-S-256/15A | SEWING MACHINE, INDUSTRIAL; FLATBED, DOUBLE NEEDLE, 301 STITCH, PARACHUTE REPAIR [CUST: GL 99 GS] | A 3530 | / | GS | 13-JUN-86 |
| | OO-S-00256/15B | SEWING MACHINE, INDUSTRIAL; FLATBED, DOUBLE NEEDLE, 301 STITCH, PARACHUTE REPAIR [CUST: GL] | A 3530 | / | GS | 07-OCT-88 |
| | OO-S-256/16C | SEWING MACHINE, INDUSTRIAL; DARNING, CYLINDER BED, SINGLE NEEDLE, 301 STITCH, PARACHUTE REPAIR [CUST: GL 99 GS] [REVIEW: 84] | A 3530 | / | GS | 15-DEC-92 |
| | OO-S-260A | SEALING AND PACKAGING MACHINE, PLASTIC FILM [CUST: GL SA 99] [REVIEW: MD SM] | A 3540 | * | GL | 04-APR-78 |
| | OO-M-280G(3) | MEAT SLICER, HAND-OPERATED, AND MEAT SLICING MACHINE, ELECTRIC [CUST: SH] [REVIEW: MC MS SA] | A 7320 | / | SH | 18-AUG-80 |
| | OO-M-340E | MILLING, GRINDING, DRILLING, AND SLOTTING ATTACHMENT [CUST: AL SH 99 GS] [REVIEW: AV CE CR4 MC YD1] | A 3460 | / | GS | 25-MAR-91 |
| | OO-A-372F | AIR CONDITIONERS (ELECTRIC MOTOR DRIVEN, SELF CONTAINED FOR SHORE USE) [CUST: CR4 YD1 99] [REVIEW: 82 CE GS MC] | A 4110 | * | FSS | 03-SEP-92 |
| M | OO-A-373D | AIR CONDITIONERS, SINGLE PACKAGE TYPE [CUST: YD1 99] [REVIEW: 82 CC MC] | A 4120 | / | YD1 | 27-MAY-98 |
| | OO-A-374C | AIR CONDITIONERS WITH REMOTE CONDENSING UNITS OR REMOTE AIR-COOLED, AND WATER-COOLED CONDENSER UNITS, UNITARY [CUST: CR4 YD1 99] [REVIEW: 82 CE CR MC] | A 4120 | / | YD1 | 28-MAR-95 |
| | OO-D-450C(2) | DISPENSERS, BULK MILK, MECHANICALLY COOLED; AND DISPOSABLE MILK CONTAINERS [CUST: GL YD1 99] [REVIEW: 84 CE CG GS MC MD MS SA SH] | A 7310 | / | YD1 | 01-DEC-94 |
| A | OO-J-571E | JOINTERS, WOODWORKING [CUST: CR4 SH 99 IS] [REVIEW: 84 CE MC YD1] | A 3220 | / | IS | 20-JUN-86 |
| | OO-D-582D(1) | DOUGHNUT MACHINES, CUTTING AND FRYING [CUST: SH] [REVIEW: CE CG MC MD] | A 7320 | / | SH | 07-JUN-93 |
| | OO-G-630F | GRADER, ROAD, MOTORIZED [CUST: CR4 YD1 IS] [REVIEW: AT CC MC] | A 3805 | / | IS | 22-MAY-85 |
| | OO-P-631D NOT 1 | PRESS BRAKE, POWER OPERATED, MECHANICAL, SHEET AND PLATE [CUST: AL SH 99 GS] [REVIEW: 84 CR4 MC YD1] | A 3441 | / | GS | 14-FEB-90 |
| | OO-G-667F(1) | GRINDERS, MEAT, ELECTRIC, GRINDERS MEAT, HAND, AND MIXER-GRINDER, MEAT, ELECTRIC [CUST: GL YD1 99 IS] [REVIEW: CE MC MD SA SH] | A 7320 | / | IS | 30-NOV-76 |
| | OO-G-669G | GRINDER, PNEUMATIC, HORIZONTAL AND VERTICAL [CUST: GL SH 99] | A 5130 | * | GL | 17-AUG-95 |
| | OO-I-675F(3) | IRONERS, FLATWORK, COMMERCIAL (AND ACCESSORIES) [CUST: GL YD1 99 GS] [REVIEW: CE MC MD MS] | A 3510 | / | GS | 12-SEP-77 |
| | OO-G-686C | GRINDING MACHINE, VALVE FACE [CUST: AL YD1 99 CC] [REVIEW: 82 AT CR4] | A 4910 | / | CC | 22-FEB-85 |
| | OO-D-691F | DRILL, PNEUMATIC, PORTABLE; AND BORER, WOOD, PNEUMATIC [CUST: GL SH 99] [REVIEW: AV CE CR4 MC YD] | A 5130 | * | FSS | 17-AUG-95 |
| | OO-D-735C(1) | DRYCLEANING FINISHING EQUIPMENT, MISCELLANEOUS [CUST: GL 99 GS] [REVIEW: 50 MD SH] | A 3510 | / | GS | 23-FEB-77 |
| | OO-D-738C | DRYCLEANING PRESSES AND PUFF IRONS [CUST: GL YD1 99 GS] [REVIEW: CE MD] | A 3510 | / | GS | 10-FEB-78 |
| A | OO-S-811D(1) | SURFACERS (PLANERS), WOODWORKING [CUST: CR4 SH 99 IS] [REVIEW: 84 CE MC] | A 3220 | / | IS | 31-OCT-89 |
| | OO-W-860D(1) NOT 1 | WASHING MACHINE AND DRYING TUMBLERS, HOUSE HOLD LAUNDRY, POWER OPERATED AND LAUNDRY OMmercial (SELF-SERVICE) [CUST: GL YD1 99] [REVIEW: 50 GS MC MD] | A 3510 | * | GL | 27-MAY-77 |
| | OO-S-870E | SWEEPER, ROTARY, SELF-PROPELLED, INDUSTRIAL TYPE, RIDER OPERATED | A 3825 | # | FSS | 06-JAN-84 |
| | OO-S-873C | SWEEPERS, ROTARY, SELF-PROPELLED, VACUUMIZED; 1.75 CUBIC YARD MINIMUM HOPPER CAPACITY | A 3825 | # | FSS | 23-JAN-84 |
| | OO-S-875G | SWEEPERS, STREET, MECHANICAL (CONVEYOR TYPE), SELF-PROPELLED [CUST: YD1 99 IS] [REVIEW: 84 CR4 MC] | A 3825 | / | IS | 25-MAR-94 |
| | OO-W-891E(1) | WRENCH, IMPACT, PNEUMATIC, PORTABLE [CUST: GL SH 84] | A 5130 | / | SH | 16-OCT-67 |
| | OO-W-891E(17) | WRENCH, IMPACT, PNEUMATIC, PORTABLE [CUST: SH] | A 5120 | / | SH | 02-JAN-76 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | ICA | Prep. Actv. | Date |
|------------|----------------------|--|--------------------------|-----|-------------|-----------|
| | OO-D-1297B | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL, GENERAL SPECIFICATION FOR [CUST: GL YD1 99 GS] [REVIEW: CE CR4 MC] | A 3510 | / | GS | 05-APR-74 |
| | OO-D-1297/3(1) NOT 1 | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL: ONE DOOR TYPE, END LOADING STYLE, REVERSIBLE [CUST: GL 99 GS] [REVIEW: CE CR4 MC] | A 3510 | / | GS | 31-AUG-89 |
| | OO-D-1297/4 NOT 1 | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL, PASS THROUGH TYPE, END LOADING STYLE, REVERSIBLE [CUST: GL YD1 84 GS] [REVIEW: CE CR4 MC] | A 3510 | / | GS | 27-FEB-87 |
| | OO-D-1297/5(1) NOT 1 | DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL: ROLL OVER TYPE, END LOADING STYLE, REVERSIBLE [CUST: GL 99 GS] [REVIEW: CE CR4 MC] | A 3510 | / | GS | 31-AUG-89 |
| | OO-D-1388B(1) | DISHWASHING MACHINES, COMMERCIAL (RACKLESS CONVEYOR) [CUST: GL SA 99] [REVIEW: 84 CE CG MC MD MS] | A 7320 | / | SA | 14-JUL-92 |
| | OO-T-1719A | TYING MACHINES, BUNDLE, INDUSTRIAL [CUST: GL MC 99] [REVIEW: MD SM] | A 3540 | * | GL | 31-JUL-75 |
| | OO-T-1848(2) | TUNNEL, FINISHING, GARMENT, STEAM ELECTRIC [CUST: GL GS] [REVIEW: MC SH YD1] | A 3510 | / | GS | 13-MAR-75 |
| | OO-I-1874B | IRONER, FLATWORK, LARGE ROLL, COMMERCIAL (APRONLESS) [CUST: GL YD1 99 GS] [REVIEW: MC MD] | A 3510 | / | GS | 27-MAR-79 |
| | OO-I-2100 | IRONER, FLATWORK, COMMERCIAL [CUST: GL YD1 99 GS] [REVIEW: MC MD] | A 3510 | / | GS | 30-MAR-79 |
| | OO-R-2741 | REFUSE CONTAINERS, HOISTING UNIT: TILT-OVER, FOR FRONT LOADING COMPACTION TYPE TRUCKS [CUST: CR4 YD1] [REVIEW: GS] | A 3990 | / | YD1 | 21-SEP-92 |
| | OO-S-2762 | SWEEPER, VACUUM OR REGENERATIVE, STREET, SELF PROPELLED, DED [CUST: YD1] | A 3825 | / | YD1 | 10-DEC-92 |
| | OO-C-2774 | CRANES, ROUGH TERRAIN, HYDRAULIC, FULL REVOLVING, WHEEL MOUNTED, 4X4, DED [CUST: YD1] | A 3810 | / | YD1 | 30-AUG-91 |
| | OO-S-2779 | SNOW REMOVAL UNITS, ROTARY BLOWER, TRUCK MOUNTED 2400 TONS PER HOUR CAPACITY [CUST: CR4 YD1 99 IS] [REVIEW: 84 AT CE] | A 3825 | / | IS | 30-JAN-92 |
| | OO-R-2780 | ROLLERS, MOTORIZED, PNEUMATIC-TIRED [CUST: CR4 YD1] | A 3895 | / | YD1 | 05-JUN-92 |
| | OO-R-2783 | ROLLER, TOWED, OPEN-FACE TYPE, TWO DRUM [CUST: YD1 99] [REVIEW: 84 MC] | A 3895 | / | YD1 | 09-MAR-92 |
| | OO-L-2788 | LUBRICATING AND SERVICING UNIT, POWER-OPERATED, PORTABLE, INDUSTRIAL TYPE [CUST: YD1] [REVIEW: CC] | A 4930 | / | YD1 | 12-SEP-91 |
| | OO-S-2796 | SWEEPER, VACUUM OR REGENERATIVE, AIRFIELD RUNWAY, SELF-PROPELLED, DED [CUST: YD1] | A 3825 | / | YD1 | 22-FEB-93 |
| | OO-W-2803 | WINCHES, DRUM, HAND-OPERATED, SAFETY TYPE, FOR PONTOON BARGES [CUST: YD1] [REVIEW: CC] | A 3950 | / | YD1 | 23-NOV-92 |
| | OO-C-2804 | CONVEYOR, BELT, PORTABLE, DED, GED, OR EMD [CUST: CR4 YD1] [REVIEW: CC] | A 3910 | / | YD1 | 29-MAR-93 |
| | OO-D-2813 | DOUGH ROLLING MACHINES, PIE [CUST: YD1 99] [REVIEW: 50 84 GL GS MC] | A 7320 | / | YD1 | 25-JUN-93 |
| | OO-C-2821 | CRANES, TRUCK-MOUNTED, TWO-ENGINE DRIVEN, LATTICE TYPE BOOM, DED [CUST: YD1 99] [REVIEW: 84 MC] | A 3810 | / | YD1 | 26-MAY-94 |
| | OO-S-2822 | SAW, RADIAL OVERARM, WOODWORKING, MOBILE, WHEEL-MOUNTED [CUST: YD1 99] [REVIEW: 84] | A 3220 | / | YD1 | 30-SEP-93 |
| | OO-M-2829 | MIXING PLANT, ASPHALT, DRUM TYPE PORTABLE, DED, 70 TPH (63 500 KG/HR) CAPACITY [CUST: YD1] | A 3895 | / | YD1 | 23-MAY-94 |
| | OO-D-2842 | DISTRIBUTOR, WATER, ARTICULATED TRACTOR-SEMITRAILER, 7,000 GALLONS (26 500 LITERS) TANK CAPACITY, DED [CUST: YD1] | A 3825 | / | YD1 | 29-OCT-93 |
| | OO-R-2852 | ROLLERS, MOTORIZED, TANDEM, 2-AXLE AND 3-AXLE, DED [CUST: YD1] [REVIEW: CC] | A 3895 | / | YD1 | 07-JAN-94 |
| | OO-R-2853 | ROLLER, MOTORIZED, VIBRATING DRUM, ARTICULATED, PNEUMATIC TIRE [CUST: YD1] [REVIEW: CC] | A 3895 | / | YD1 | 31-MAR-94 |
| | OO-D-2854 | DITCHING MACHINE, WHEEL TYPE TRENCHER, CRAWLER-MOUNTED, DIESEL-ENGINE-DRIVEN [CUST: YD1] [REVIEW: CC] | A 3805 | / | YD1 | 18-FEB-94 |
| | OO-D-2855 | DRILL, ROCK, HYDRAULIC DRIFTER, SELF-PROPELLED, TRACK-MOUNTED [CUST: YD1] | A 3820 | / | YD1 | 20-MAY-94 |
| | OO-C-2858 | COOLERS, AIR, EVAPORATIVE [CUST: YD1 99] | A 4120 | / | YD1 | 07-APR-95 |
| | OO-C-2868 | CENTRAL MIX PLANT, CONCRETE, MOBILE 100 CUBIC YARDS (77 CUBIC METERS) PER HOUR CAPACITY [CUST: YD1] | A 3895 | / | YD1 | 10-JUL-95 |
| | OO-R-2872 | ROLLERS, MOTORIZED, VIBRATING, TANDEM [CUST: AT YD1 99] [REVIEW: 84 MC] | A 3895 | / | YD1 | 15-APR-97 |
| | OO-P-2873 | PRESS, HYDRAULIC, PORTABLE, WITH DIES FOR SWAGING, 500-TON, GASOLINE-ENGINE-DRIVEN [CUST: CR4 YD1 99] [REVIEW: 84 GS] | A 3442 | / | YD1 | 02-JUN-94 |
| A | OO-L-2880 | LAUNDRY UNIT, SKID-MOUNTED, 100 POUNDS (DRY WEIGHT) PER HOUR [CUST: GL YD1 99] [REVIEW: GS] | A 3510 | / | YD1 | 17-AUG-97 |
| | OO-M-2888 | MIXERS, CONCRETE, WHEEL MOUNTED, ENGINE DRIVEN [CUST: AT YD1 99] [REVIEW: 84 CC CG MC] | A 3895 | / | YD1 | 02-AUG-96 |
| | OO-C-2894 | CRUSHER, JAW, PORTABLE, PRIMARY AGGREGATE PLANT, MOBILE, 75-TON PER HOUR CAPACITY [CUST: AT YD1] [REVIEW: CC] | A 3820 | / | YD1 | 14-APR-97 |
| | OO-P-2895 | PLANT, AGGREGATE, SECONDARY, WITH CONE CRUSHER, MOBILE, 75 TON PER HOUR CAPACITY [CUST: YD1] | A 3820 | / | YD1 | 17-JAN-97 |
| | OO-S-2896 | SPREADER, MATERIAL, POWER DRIVEN, TRUCK MOUNTED, COMMERCIAL [CUST: AT YD1] | A 3895 | / | YD1 | 14-MAR-97 |
| | OO-M-2897 | MIXER, CONCRETE, TRUCK-MOUNTED [CUST: AT YD1] | A 3895 | / | YD1 | 14-MAR-97 |
| | OO-R-2898 | REFRIGERATORS, MECHANICAL, STORAGE STAND (FOR BULK MILK DISPENSERS) [CUST: GL YD1 99] [REVIEW: 82 GS] | A 4110 | / | YD1 | 14-MAR-97 |
| A | OO-H-2899 | HOOK, DRAWBAR, LOGGING [CUST: AT YD1 99] [REVIEW: 84 GS] | A 3695 | / | YD1 | 02-JUL-97 |
| | OO-D-2912 | DISTILLATION UNITS, WATER, THERMOCOMPRESSION, DIESEL-ENGINE-DRIVEN, SKID- OR TRAILER-MOUNTED (60 TO 1000 GPH) [CUST: YD1 99] [REVIEW: 84 MC] | A 4620 | / | YD1 | 17-JAN-97 |
| | OO-K-2923 | KETTLES, HEATING, BITUMEN [CUST: YD1] | A 3895 | / | YD1 | 17-JAN-97 |
| | OO-B-2925 | BAGHOUSE, REVERSE PULSE JET, FOR PACKAGED BOILERS FIRED ON COAL OR A COMBINATION OF COAL AND GAS, COAL AND OIL, OR COAL-GAS-OIL (2,000,000 TO 125,000,000 BTU/HR THERMAL OUTPUT CAPACITY) [CUST: YD1 99] [REVIEW: 84 MC] | A 4460 | / | YD1 | 16-MAY-97 |
| A | OO-S-2927 | SPRAY OUTFITS, PAINT, PORTABLE [CUST: AL YD1 99] [REVIEW: CC] | A 4940 | / | YD1 | 30-JUN-97 |
| | PP-S-31F(1) | SALMON, CANNED [CUST: GL SA 50] [REVIEW: MC MD SS] | A 8905 | * | GL | 26-OCT-76 |
| | PP-H-91C | HASH, CORNED&BEEF, CANNED [REVIEW: MC] | A 8940 | % | FSS | 02-SEP-58 |
| | PP-O-956G | OYSTERS, FRESH (CHILLED) AND FROZEN: SHUCKED [CUST: GL SA 45] [REVIEW: MC MD MS SS] | A 8905 | * | GL | 23-AUG-73 |
| | PP-O-956G(11) | OYSTERS, FRESH (CHILLED) AND FROZEN: SHUCKED [CUST: GL SA 45] | A 8905 | * | GL | 27-DEC-76 |
| A | QQ-P-35C NOT 2 | PASSIVATION TREATMENTS FOR CORROSION-RESISTANT STEEL [CUST: MR SH 11 IS] [REVIEW: 70 80 99 AR AS AV EA GL GS MI OS] | A MFFP | / | IS | 14-NOV-97 |
| | QQ-C-40(2) NOT 1 | CALKING, LEAD WOOL AND LEAD PIG [CUST: MR SH 99] [REVIEW: 82] | A 5330 | / | SH | 17-NOV-70 |
| | QQ-L-101C | LATH, METAL, (AND OTHER METAL PLASTER BASES) | A 5680 | # | FSS | 27-APR-72 |
| | QQ-L-171E NOT 1 | LEAD PIG [CUST: MR SH 99] [REVIEW: EA IS MI] | A 9650 | / | SH | 01-MAR-88 |
| | QQ-L-201F(2) | LEAD SHEET [CUST: MR SH 84] [REVIEW: AT CR4 OS YD1] | A 9535 | / | SH | 17-NOV-70 |
| | QQ-T-201F | TERNEPLATE, FOR ROOFING AND ROOFING PRODUCTS [CUST: MR YD1 99] [REVIEW: IS] | A 9515 | / | MR | 12-NOV-86 |
| | QQ-A-225/1D(1) NOT 1 | ALUMINUM ALLOY BAR, ROD, AND WIRE; ROLLED, DRAWN OR COLD FINISHED, 1100 [CUST: MR AS 11] [REVIEW: 84 CR EA IS MC MI OS SH] | A 9525 | / | IS | 30-OCT-91 |
| | QQ-A-225/2D NOT 1 | ALUMINUM ALLOY BAR, ROD, AND WIRE; ROLLED, DRAWN, OR COLD FINISHED, 3003 [CUST: MR AS 11] [REVIEW: 84 85 AR EC MC MI OS SH] | A 9525 | / | IS | 30-OCT-91 |
| | QQ-A-225/3D | ALUMINUM ALLOY BAR, ROD, AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 2011 [CUST: MR AS 11] [REVIEW: 85 MC MI OS SH] | A 9530 | / | IS | 09-JUN-71 |
| | QQ-A-225/4E | ALUMINUM ALLOY BAR, ROD, WIRE, AND SPECIAL SHAPES, ROLLED, DRAWN, OR COLD FINISHED, 2014 [CUST: MR AS 11] [REVIEW: 99 AR CR EA IS MC MI OS SH] | A 9525 | / | IS | 15-NOV-82 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|--------------------------|-----|-------------|-----------|
| | QQ-A-225/5E(2) | ALUMINUM ALLOY 2017, BAR, ROD AND WIRE; ROLLED, DRAWN OR COLD FINISHED [CUST: MR AS 11] [REVIEW: 99 AR CR EA IS MC OS SH] | A 9525 | / | IS | 31-JAN-86 |
| | QQ-A-225/6E(1) | ALUMINUM ALLOY BAR, ROD, AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 2024 [CUST: MR AS 11] [REVIEW: AR CR EA IS MC SH YDI] | A 9525 | / | IS | 29-MAR-85 |
| | QQ-A-225/7D NOT 1 | ALUMINUM ALLOY 5052, BAR, ROD, AND WIRE; ROLLED, DRAWN, OR COLD FINISHED [CUST: MR AS 11] [REVIEW: 99 AR CR MC MI OS SH] | A 9525 | / | IS | 30-OCT-91 |
| | QQ-A-225/8E NOT 1 | ALUMINUM ALLOY 6061, BAR, ROD, WIRE AND SPECIAL SHAPES; ROLLED, DRAWN OR COLD FINISHED [CUST: MR AS 11] [REVIEW: 99 AR CR CR4 EA IS MC OS SH] | A 9525 | / | IS | 30-OCT-91 |
| | QQ-A-225/9E NOT 1 | ALUMINUM ALLOY 7075, BAR, ROD, WIRE AND SPECIAL SHAPES; ROLLED, DRAWN OR COLD FINISHED [CUST: MR AS 11] [REVIEW: 85 99 AR CR CR4 EA EC IS MC OS SH YDI] | A 9525 | / | IS | 30-OCT-91 |
| | QQ-A-225/10B NOT 1 | ALUMINUM ALLOY 6262, BAR, ROD AND WIRE; ROLLED, DRAWN, OR COLD FINISHED [CUST: MR AS 11] [REVIEW: AR EA IS] | A 9525 | / | IS | 30-OCT-91 |
| | QQ-A-250/1F NOT 1 | ALUMINUM 1100, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: 85 CR CR4 MI OS SH] | A 9535 | / | IS | 30-OCT-91 |
| | QQ-A-250/2E NOT 1 | ALUMINUM ALLOY 3003, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: 99 CR CR4 EA MC MI OS YDI] | A 9535 | / | IS | 30-OCT-91 |
| | QQ-A-250/3F NOT 1 | ALUMINUM ALLOY ALCLAD 2014, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: AR CR CR4 EA EC IS MC MI OS SH YDI] | A 9535 | / | IS | 30-OCT-91 |
| | QQ-A-250/4E(1) NOT 1 | ALUMINUM ALLOY 2024, PLATE AND SHEET [CUST: MR AS 11 IS] [REVIEW: 84 AR CR CR4 EC MC MI OS SH] | A 9535 | / | IS | 30-OCT-91 |
| | QQ-A-250/4E(12) NOT 2 | ALUMINUM ALLOY 2024, PLATE AND SHEET [CUST: AS] | A 9535 | / | IS | 10-DEC-92 |
| | QQ-A-250/5F(1) NOT 1 | ALUMINUM ALLOY ALCLAD 2024, PLATE AND SHEET [CUST: MR AS 11 IS] [REVIEW: 84 AR CR CR4 EC MC MI OS SH] | A 9535 | / | IS | 30-OCT-91 |
| | QQ-A-250/5F(12) NOT 2 | ALUMINUM ALLOY ALCLAD 2024, PLATE AND SHEET [CUST: AS] | A 9535 | / | IS | 10-DEC-92 |
| | QQ-A-250/6G | ALUMINUM ALLOY 5083, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: 85 AR CR4 EA IS MC MI OS SH YDI] | A 9535 | / | IS | 21-SEP-78 |
| | QQ-A-250/7E NOT 1 | ALUMINUM ALLOY 5086, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: 85 AR CR EC MC MD MI OS SH] | A 9535 | / | IS | 30-OCT-91 |
| | QQ-A-250/8F NOT 1 | ALUMINUM ALLOY 5052, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: AR CR CR4 EA EC IS MC MI OS SH] | A 9535 | / | IS | 05-NOV-91 |
| | QQ-A-250/9F NOT 1 | ALUMINUM ALLOY 5456, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: 85 AR CR EC MC MI OS SH] | A 9535 | / | IS | 05-NOV-91 |
| | QQ-A-250/10E NOT 1 | ALUMINUM ALLOY 5454, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: 84 AR CR CR4 EC IS MC MI OS SH] | A 9535 | / | IS | 05-NOV-91 |
| | QQ-A-250/11F NOT 1 | ALUMINUM ALLOY 6061, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: AR CR CR4 EC IS MC MI OS YDI] | A 9535 | / | IS | 05-NOV-91 |
| | QQ-A-250/12F NOT 1 | ALUMINUM ALLOY 7075, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: AR CR CR4 IS MC MI OS] | A 9535 | / | IS | 05-NOV-91 |
| | QQ-A-250/13E(1) | ALUMINUM ALLOY ALCLAD 7075, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: AR CR4 MC MI OS] | A 9535 | / | IS | 28-DEC-73 |
| | QQ-A-250/14E NOT 1 | ALUMINUM ALLOY 7178, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: 85 AR CR CR4 EC MC MI OS SH YDI] | A 9535 | / | IS | 05-NOV-91 |
| | QQ-A-250/15E NOT 1 | ALUMINUM ALLOY ALCLAD 7178, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: 85 AR CR CR4 EC MC MI OS SH YDI] | A 9535 | / | IS | 05-NOV-91 |
| | QQ-A-250/18F NOT 1 | ALUMINUM ALLOY ALCLAD ONE SIDE 7075, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: AR CR CR4 EC IS MC MI OS SH] | A 9535 | / | IS | 05-NOV-91 |
| | QQ-A-250/21B NOT 1 | ALUMINUM ALLOY, 7178-T76, PLATE AND SHEET (IMPROVED EXFOLIATION RESISTANT) [CUST: MR AS 11] [REVIEW: 99 CR4 IS OS SH] | A 9535 | / | IS | 05-NOV-91 |
| | QQ-A-250/22A | ALUMINUM ALLOY 7178-T76, PLATE AND SHEET, ALCLAD (IMPROVED EXFOLIATION RESISTANT) [CUST: MR AS 11] [REVIEW: 99 AR CR4 GL IS OS SH] | A 9535 | / | IS | 27-JUN-74 |
| | QQ-A-250/24B | ALUMINUM ALLOY, 7075, PLATE AND SHEET (IMPROVED EXFOLIATION RESISTANT) [CUST: MR AS 11] [REVIEW: 99 AR CR4 IS OS SH] | A 9535 | / | IS | 26-JUN-74 |
| | QQ-A-250/25A | ALUMINUM ALLOY ALCLAD 7075, PLATE AND SHEET (IMPROVED EXFOLIATION RESISTANT) [CUST: MR AS 11] | A 9535 | / | IS | 25-JUN-74 |
| | QQ-A-250/26A | ALUMINUM ALLOY, 7011 ALCLAD 7075, PLATE AND SHEET [CUST: MR AS 84] [REVIEW: IS SH] | A 9535 | / | IS | 14-SEP-73 |
| | QQ-A-250/28A | ALUMINUM ALLOY, 7011 ALCLAD 7178, PLATE AND SHEET [CUST: MR AS 11] | A 9535 | / | IS | 14-SEP-73 |
| | QQ-A-250/29A NOT 1 | ALUMINUM ALLOY 2124, PLATE [CUST: MR AS 11] [REVIEW: 99 AR CR CR4 GL IS MI OS] | A 9535 | / | IS | 05-NOV-91 |
| | QQ-A-250/30A(1) NOT 1 | ALUMINUM ALLOY 2219, PLATE AND SHEET [CUST: MR AS 11] [REVIEW: 84 99 IS MC SH] | A 9535 | / | IS | 05-NOV-91 |
| | QQ-N-281D(2) | NICKEL-COPPER ALLOY BAR, ROD, PLATE, SHEET, STRIP, WIRE, FORGINGS, AND STRUCTURAL AND SPECIAL SHAPED SECTIONS [CUST: MR SH 11] [REVIEW: 84 85 99 AR AS CR4 IS MI OS YDI] | A 9535 | / | SH | 23-OCT-85 |
| | QQ-N-286E | NICKEL-COPPER-ALUMINUM ALLOY, WROUGHT (UNS N05500) [CUST: MR SH 11] [REVIEW: 84 99 AR CR CR4 GL IS OS] | A 9535 | / | SH | 02-AUG-85 |
| | QQ-N-00286F | NICKEL-COPPER-ALUMINUM ALLOY, WROUGHT (UNS N05500) [CUST: SH] | A 9525 | / | SH | 29-NOV-90 |
| | QQ-N-286E(12) | NICKEL-COPPER-ALUMINUM ALLOY, WROUGHT (UNS N05500) [CUST: MR SH 11] [REVIEW: 84 99 CR CR4 GL IS OS] | A 9535 | / | SH | 19-SEP-89 |
| | QQ-N-290A | NICKEL PLATING (ELECTRODEPOSITED) [CUST: MR AS 11] [REVIEW: 99 AR EA GL IS MI OS SH] | A MFFP | / | AS | 12-NOV-71 |
| | QQ-C-320B(4) | CHROMIUM PLATING (ELECTRODEPOSITED) [CUST: MR AS 11] [REVIEW: 82 99 GL IS] | A MFFP | / | AS | 10-APR-87 |
| | QQ-W-343G | WIRE, ELECTRICAL, COPPER (UNINSULATED) [CUST: CR YD1 85 CC] [REVIEW: 06 11 99 AR AS CG MC MI SH] | A 6145 | / | CC | 18-APR-97 |
| | QQ-W-345B(2) NOT 1 | WIRE, ELECTRICAL, STEEL, COPPER-COVERED [CUST: CR YD1 17 CC] [REVIEW: AR AT AV CR4 MC MI SH] | A 6145 | / | CC | 20-SEP-91 |
| | QQ-S-365D | SILVER PLATING, ELECTRODEPOSITED, GENERAL REQUIREMENTS FOR [CUST: MR SH GS] [REVIEW: AR AT EC IH IS MI] | A MFFP | / | GS | 03-JUN-85 |
| | QQ-W-390/1 | WIRE NONELECTRICAL, ROUND, NICKEL-CHROMIUM-IRON ALLOY [CUST: MR AS 11] [REVIEW: 84 85 AR CR CR4 GL IS MI SA SH] | A 9525 | / | MR | 27-JUN-89 |
| | QQ-W-414B | WIRE, STEEL, CARBON, BOOKBINDER [CUST: AR 99] [REVIEW: EA] | A 9505 | / | IS | 09-JUN-67 |
| | QQ-P-416F(2) | PLATING, CADMIUM (ELECTRODEPOSITED) [CUST: MR AS 11] [REVIEW: 70 82 84 99 AL AR AT CR CR4 FSS GL IS MC MI SH YDI] | A MFFP | / | AS | 30-MAY-95 |
| | QQ-N-00428A | WIRE, STEEL, CARBON (HIGH CARBON, ROUND, FOR MECHANICAL SPRINGS, GENERAL PURPOSE) | A 9505 | # | FSS | 16-SEP-70 |
| | QQ-W-428B(1) | WIRE, STEEL, CARBON (HIGH CARBON, ROUND, FOR MECHANICAL SPRINGS, GENERAL PURPOSE) [CUST: MR OS IS] [REVIEW: 84 AS AV MI] | A 9505 | * | IS | 09-APR-91 |
| | QQ-W-428/1 | WIRE, STEEL, HIGH CARBON, ROUND, TYPE I [CUST: MR OS] [REVIEW: 99 AR AS AV IS] | A 9505 | / | MR | 09-APR-91 |
| | QQ-W-428/2 | WIRE, STEEL, HIGH CARBON, ROUND, TYPE III [CUST: MR OS] [REVIEW: 99 AR AS AV IS] | A 9505 | / | MR | 09-APR-91 |
| | QQ-A-430C(1) | ALUMINUM ALLOY ROD AND WIRE; FOR RIVETS AND COLD HEADING [CUST: CR4 AS 11] [REVIEW: 99 AR AV EA IS MI MR] | A 9525 | / | AS | 10-JUL-90 |
| | QQ-C-450A NOT 1 | COPPER-ALUMINUM ALLOY (ALUMINUM BRONZE) PLATE, SHEET, STRIP, AND BAR (COPPER ALLOY NUMBERS 606, 610, 613, 614, AND 630) [CUST: MR SH 11 IS] [REVIEW: AR AS MI] | A 9530 | / | IS | 22-FEB-91 |
| | QQ-C-450A(11) | COPPER-ALUMINUM ALLOY (ALUMINUM BRONZE) PLATE, SHEET, STRIP, AND BAR (COPPER ALLOY NUMBERS 606, 610, 613, 614, AND 630) [CUST: SH] | A 9530 | / | SH | 21-JAN-81 |
| | QQ-G-540A(1) | GOLD; CASTING, DENTAL [CUST: MD MS 03] | A 6520 | / | MB | 21-NOV-88 |
| | QQ-G-547B | GOLD LEAF | A 8010 | # | FSS | 14-JUL-75 |
| | QQ-B-575C(1) | BRAID, WIRE (COPPER, TIN-COATED, OR SILVER COATED, TUBULAR, OR FLAT) [CUST: CR AS 85 CC] [REVIEW: AR AT AV CR4 DS MC MI NS OS SH] | A 6145 | / | CC | 01-APR-97 |
| | QQ-S-632C | STEEL BAR, REINFORCING (FOR CONCRETE) | A 5680 | # | FSS | 21-MAR-73 |
| | QQ-B-639B NOT 1 | BRASS, NAVAL: FLAT PRODUCTS (PLATE, BAR, SHEET, AND STRIP) [CUST: MR SH 84 IS] [REVIEW: AS AT CR4 MC MI OS YDI] | A 9530 | / | IS | 05-MAR-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|-------------|--------------------|---|-------------------------|-----|-------------|-----------|
| | QQ-B-654A(1) NOT 1 | BRAZING ALLOYS, SILVER [CUST: AR SH] [REVIEW: 99 CR4 MC MD YD1] | A 3439 | / | SH | 07-FEB-91 |
| | QQ-S-698(3) NOT 4 | STEEL, SHEET AND STRIP, LOW CARBON [CUST: MR AS 11 IS] [REVIEW: CR4 MI OS YD1] | A 9515 | / | IS | 04-MAR-88 |
| | QQ-S-700D NOT 1 | STEEL SHEET AND STRIP, MEDIUM AND HIGH CARBON [CUST: AR 11] [REVIEW: AT CR4 MI MR YD1] | A 9515 | / | IS | 17-JAN-91 |
| | QQ-S-763F | STEEL BARS, WIRE, SHAPES, AND FORGINGS; CORROSION RESISTANT [CUST: MR AS 11] [REVIEW: AR AT CR4 IS MI OS SH YD1] | A 9510 | / | AS | 27-JUN-96 |
| | QQ-A-1876 NOT 1 | ALUMINUM FOIL [CUST: MR AS 84] [REVIEW: 99 EA GS IS MC MD SA SH SM SS YD1] | A 8135 | / | MR | 16-AUG-90 |
| | RR-S-30F | SAFETY CAN, SPRING CLOSING TYPE [CUST: GL YD1 99] [REVIEW: CG MC MI OS] | A 7240 | * | GL | 18-APR-75 |
| | RR-C-00140A | BOX, CASH, STEEL [REVIEW: GL] | A 7520 | % | FSS | 29-DEC-69 |
| | RR-F-191K | FENCING, WIRE AND POST METAL (AND GATES, CHAIN-LINK FENCE FABRIC, AND ACCESSORIES) (GENERAL SPECIFICATION) [CUST: CR4 YD1 99] [REVIEW: 84 CC CE] | A 5660 | / | YD1 | 14-MAY-90 |
| | RR-F-191/1D | FENCING, WIRE AND POST METAL (CHAIN-LINK FENCE FABRIC) [CUST: CR4 YD1 99] [REVIEW: 84 CC CE CG MC] | A 5660 | / | YD1 | 14-MAY-90 |
| | RR-F-191/2D | FENCING, WIRE AND POST, METAL (CHAIN-LINK FENCE GATES) [CUST: CR4 YD1 99] [REVIEW: 84 CC CE CG MC] | A 5660 | / | YD1 | 14-MAY-90 |
| | RR-F-191/3D | FENCING, WIRE AND POST, METAL (CHAIN-LINK FENCE POSTS, TOP RAILS AND BRACES) [CUST: CR4 YD1 99] [REVIEW: 84 CC CE CG MC] | A 5660 | / | YD1 | 14-MAY-90 |
| | RR-F-191/4D | FENCING, WIRE AND POST, METAL (CHAIN-LINK FENCE ACCESSORIES) [CUST: CR4 YD1 99] [REVIEW: CC CE CG MC] | A 5660 | / | YD1 | 14-MAY-90 |
| | RR-C-271D(1) | CHAINS AND ATTACHMENTS, WELDED AND WELDLESS [CUST: SH 99] [REVIEW: 82] | A 4010 | / | SH | 29-NOV-95 |
| | RR-S-331D | SHOES: FOR WOOD PILES [CUST: YD1] | A 5680 | / | YD1 | 12-SEP-89 |
| | RR-W-365A | WIRE FABRIC (INSECT SCREENING) [CUST: AT YD1 99] [REVIEW: 82 DS EA IS MC MD MI MS OS] | A 5335 | / | AT | 05-SEP-80 |
| A | RR-W-365A(11) | WIRE FABRIC (INSECT SCREENING) [CUST: AT] | A 5335 | / | AT | 29-JAN-86 |
| | RR-W-410D(1) | WIRE ROPE AND STRAND [CUST: CR4 SH 99] [REVIEW: 82 IS YD1] | A 4010 | / | SH | 22-APR-88 |
| | RR-C-550D(1) | CONTAINERS, FLUID, FOR PAINT SPRAY EQUIPMENT [CUST: AL YD1 99 CC] [REVIEW: 82 MC] | A 4940 | / | CC | 19-FEB-93 |
| | RR-S-550D(1) | SOCKET, WIRE ROPE [CUST: AR SH IS] [REVIEW: CG MC YD1] | A 4030 | / | IS | 20-FEB-86 |
| | RR-H-571 | HOOK, CHAIN | A 5120 | # | FSS | 04-APR-33 |
| | RR-D-575B | DOOR, METAL, SLIDING AND SWINGING, DOOR FRAME, METAL (FLUSH AND SEMIFLUSH) | A 5670 | # | FSS | 02-DEC-71 |
| | RR-S-615C(1) | SPONGE, METAL [CUST: GL 99] [REVIEW: MD SA] | A 7920 | * | GL | 01-FEB-78 |
| | RR-F-00625A | FRAME, FILE DRAWER | A 7520 | # | FSS | 15-JUN-65 |
| | RR-B-628B(1) | BOX, DOCUMENT, STEEL [CUST: GL SA 99] [REVIEW: MC] | A 7520 | * | GL | 25-APR-77 |
| | RR-T-650E | TREADS, METALLIC AND NONMETALLIC, SKID-RESISTANT [CUST: CR4 YD1 99] [REVIEW: 84 CE] | A 5670 | / | YD1 | 25-FEB-94 |
| | RR-I-660B | IRONING BOARD, PADS AND COVERS, (HOUSEHOLD) [REVIEW: GL] | A 7290 | % | FSS | 23-JUN-70 |
| | RR-G-691B(1) | GRIP, CABLE JAW [CUST: GL 99] [REVIEW: CR4 YD1] | A 5120 | * | GL | 23-AUG-73 |
| | RR-K-795A | KEY CHAIN, REEL (DOOR KEY AND DRILL CHUCK KEYS) | A 5340 | # | FSS | 19-AUG-74 |
| | RR-C-901C(1) | CYLINDERS, COMPRESSED GAS: HIGH PRESSURE, STEEL DOT 3AA, AND ALUMINUM APPLICATIONS, GENERAL SPECIFICATION FOR [CUST: CR4 SH 68] [REVIEW: AS EA GS MC MI MS OS PS YD1] | A 8120 | / | 68 | 01-APR-93 |
| | RR-C-901/1 | CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 3AA AND ALUMINUM APPLICATIONS, FOR INDUSTRIAL SERVICES [CUST: SH 68] [REVIEW: AS EA GS MC MI MS OS PS YD1] | A 8120 | / | 68 | 15-JAN-81 |
| | RR-C-901/2 | CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 3AA AND ALUMINUM APPLICATIONS FOR CARBON DIOXIDE [CUST: SH 68] [REVIEW: AS EA GS MC MI MS OS PS YD1] | A 8120 | / | 68 | 15-JAN-81 |
| | RR-C-901/3 | CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 3AA AND ALUMINUM APPLICATIONS, FOR MEDICAL SERVICES [CUST: SH 68] [REVIEW: AS EA GS MC MI MS OS PS YD1] | A 8120 | / | 68 | 15-JAN-81 |
| | RR-C-910D | CYLINDERS, COMPRESSED GAS, ICC4BA, ICC 4BW, AND ICC 4E [CUST: SH 68] [REVIEW: CE GS MC MS YD1] | A 8120 | / | 68 | 11-DEC-80 |
| | RR-C-910/1 | CYLINDER, COMPRESSED GAS, DOT SPECIFICATIONS 4BA, 4BW, & 4E FOR REFRIGERANTS, FIRE EXTINGUISHING AGENTS & STERILIZATION GASES [CUST: SH 68] | A 8120 | / | 68 | 11-DEC-80 |
| | RR-C-910/2 | CYLINDER, COMPRESSED GAS, DOT SPECIFICATIONS 4BA, 4BW, & 4E LIQUIFIED PETROLEUM GAS & FUEL GAS MIXTURES [CUST: SH 68] [REVIEW: 11 CE CG GS MS YD1] | A 8120 | / | 68 | 11-DEC-80 |
| | RR-D-1131C | DISPENSER, DRINKING WATER, NONMECHANICALLY COOLED (TO BE USED ONLY WHEN PRESSURE TYPE DISPENSERS ARE IMPRACTICABLE) | A 4110 | # | FSS | 02-MAR-79 |
| | RR-A-1147B | ARM, WINDSHIELD WIPER, BLADE, WINDSHIELD WIPER, AND BLADE REFILL, WINDSHIELDED WIPER (VEHICULAR) [CUST: AT 99] [REVIEW: MC] | A 2540 | / | CC | 13-JUN-80 |
| | RR-S-001301 | SAFETY EQUIPMENT, CLIMBING [CUST: SH] | A 4240 | / | SH | 22-JUN-67 |
| | RR-G-1602D | GRATING, METAL, OTHER THAN BAR TYPE (FLOOR, EXCEPT FOR NAVAL VESSELS) [CUST: YD1 99] [REVIEW: 84] | A 5670 | / | YD1 | 29-FEB-96 |
| | RR-S-1862 | SHOES, SAFETY, LADDER AND LEVELING DEVICES, LADDER | A 5440 | # | FSS | 24-MAR-75 |
| | RR-S-1989 | SHERBET CUP, STAINLESS STEEL | A 7350 | # | FSS | 04-MAY-76 |
| | RR-L-2847 | LOAD-TRANSFER DEVICES (FOR CONCRETE SLABS AND PAVEMENTS) [CUST: CR4 YD1 99] [REVIEW: 84 GS] | A 3630 | / | YD1 | 27-MAY-94 |
| | SS-S-71A | SAND, FOR USE IN SHEET-ASPHALT OR BITUMINOUS-CONCRETE PAVEMENTS | A 5610 | # | FSS | 28-AUG-62 |
| | SS-S-0071B | SAND, FINE, AGGREGATE | A 5610 | # | FSS | 08-AUG-68 |
| | SS-C-153C | CEMENT, BITUMINOUS, PLASTIC [CUST: YD1] [REVIEW: CE CR4] | A 5610 | % | FSS | 13-DEC-74 |
| | SS-P-166D(6) | PENCILS, LEAD (S/S BY A-A-2757, A-A-2769, A-A-2770, A-A-2771, A-A-2772, AND A-A-2773) | A 7510 | # | FSS | 02-MAR-92 |
| | SS-P-196E | PENCIL: SPIRAL-PAPER-FORM; WAX, GLASS AND CHINA MARKING | A 7510 | % | FSS | 20-JUL-78 |
| | SS-S-200E(2) | SEALANT, JOINT, TWO COMPONENT, JET BLAST RESISTANT, COLD APPLIED, FOR PORTLAND CEMENT CONCRETE PAVEMENT [CUST: CR4 YD1 99] [REVIEW: 84 CE MC MD MR] | A 8030 | / | YD1 | 16-JUL-93 |
| | SS-S-210A(1) | SEALING COMPOUND, PREFORMED PLASTIC, FOR EXPANSION JOINTS & PIPE JOINTS [REVIEW: YD1] | A 8030 | % | FSS | 31-OCT-78 |
| | SS-C-255 | CHALK, CARPENTERS AND RAILROAD [REVIEW: GL] | A 7510 | % | FSS | 30-AUG-49 |
| | SS-C-00255A | CHALK, CARPENTER S AND RAILROAD | A 7510 | # | FSS | 10-JAN-69 |
| | SS-C-266F | CHALK, MARKING, WHITE AND COLORED [REVIEW: EA GL] | A 7510 | % | FSS | 20-AUG-73 |
| | SS-T-312B(11) | TILE, FLOOR: ASPHALT, RUBBER, VINYL, AND VINYL COMPOSITION [CUST: CE YD1 99] [REVIEW: CG MC] | A 7220 | / | YD1 | 28-MAY-90 |
| | SS-T-315B | TILE, GYPSUM (INTERIOR, FLOOR AND ROOF, PRECAST) | A 5620 | # | FSS | 10-JUL-74 |
| | SS-P-00402B | PLASTER, GYPSUM [CUST: YD1 84] | A 5610 | # | FSS | 22-SEP-70 |
| | SS-C-466E(2) | CLOTH, THREAD, AND TAPE-ASBESTOS | A 5640 | # | FSS | 02-JUL-64 |
| | SS-R-501D(2) | ROOFING FELT, ASPHALT PREPARED, SMOOTH SURFACED | A 5650 | # | FSS | 20-JUN-69 |
| | SS-C-635B | CRAYON ASSORTMENT, DRAWING, COLORED [REVIEW: GL] | A 7510 | % | FSS | 07-DEC-66 |
| | SS-C-646B(2) | CRAYON, MARKING, LUMBER [REVIEW: GL] | A 7510 | % | FSS | 31-OCT-63 |
| | SS-G-659A NOT 1 | GRAPHITE, DRY (LUBRICATING) [CUST: MR OS] [REVIEW: AV CR4 DS MC MI SA YD1] | A 9620 | / | FSS | 11-NOV-93 |
| | SS-C-661A | CRAYON, MARKING [REVIEW: GL] | A 7510 | % | FSS | 11-JAN-74 |
| | SS-A-666D NOT 1 | ASPHALT, PETROLEUM (BUILT-UP ROOFING, WATER-PROOFING AND DAMPROOFING) [CUST: CR4 YD1 84] | A 5610 | % | FSS | 07-MAY-68 |
| | SS-A-671C | ASPHALT, LIQUID, SLOW CURING, MEDIUM CURING, AND RAPID CURING | A 5610 | # | FSS | 08-SEP-66 |
| | SS-A-701B | ASPHALT, PETROLEUM (PRIMER, ROOFING, AND WATERPROOFING) | A 5610 | # | FSS | 15-JUL-74 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/NSA | MCA | Prep. Acty. | Date |
|------------|--------------------|--|-------------------------|-----|-------------|-----------|
| | SS-S-1401C(1) | SEALANT, JOINT, NON-JET-FUEL-RESISTANT, HOT-APPLIED, FOR PORTLAND CEMENT CONCRETE AND ASPHALT CONCRETE PAVEMENTS [CUST: CE YD1 99] [REVIEW: MC MD MR MS] | A 8030 | / | YD1 | 14-MAY-93 |
| | SS-S-1614A(1) | SEALANTS, JOINT, JET-FUEL-RESISTANT, HOT-APPLIED, FOR PORTLAND CEMENT AND TAR CONCRETE PAVEMENTS [CUST: CE YD1 99] [REVIEW: MD MR MS] | A 8030 | / | YD1 | 14-MAY-93 |
| | SS-L-1682 | LAPPING AND GRINDING COMPOUND, VALVE | A 5350 | # | FSS | 28-JAN-71 |
| | SS-C-1960/1A | CEMENT, MASONRY | A 5610 | # | FSS | 24-MAY-77 |
| | TT-P-19D(1) | PAINT, LATEX (ACRYLIC EMULSION, EXTERIOR WOOD & MASONRY) [CUST: CR4 YD1] [REVIEW: CE MC MD MR] | A 8010 | * | YD1 | 07-FEB-85 |
| | TT-L-20A | LACQUER, CAMOUFLAGE [CUST: AV AS 99] [REVIEW: 11 AR DS MC MD MI OS YD1] | A 8010 | * | AV | 25-APR-67 |
| | TT-L-20A(11) | LACQUER, CAMOUFLAGE [CUST: MR] | A 8010 | / | MR | 04-AUG-75 |
| | TT-P-28G | PAINT, ALUMINUM, HEAT RESISTING (1200 DEG. F.) [CUST: CR4 SH 11] [REVIEW: 84 99 AS MD OS YD1] | A 8010 | * | SH | 08-JUL-85 |
| | TT-P-29K | PAINT, LATEX [CUST: YD1 99] [REVIEW: 84 CE] | A 8010 | * | YD1 | 31-OCT-91 |
| | TT-L-32A(1) | LACQUER, CELLULOSE NITRATE, GLOSS, FOR AIRCRAFT USE [CUST: AR AS 84] [REVIEW: 99 AV DS EA MI OS SH] | A 8010 | / | AR | 09-MAR-73 |
| | TT-P-37D | PAINT, ALKYD RESIN, EXTERIOR TRIM, DEEP COLORS [REVIEW: YD1] | A 8010 | # | FSS | 30-MAY-80 |
| | TT-P-38E | PAINT, ALUMINUM, READY-MIXED [CUST: AV] [REVIEW: EA YD1] | A 8010 | * | AV | 15-JAN-85 |
| | TT-P-47G | PAINT, OIL (NONPENETRATING - FLAT, READY-MIXED TINTS AND WHITE) | A 8010 | # | FSS | 17-JUL-84 |
| | TT-L-50G(2) | LACQUER, NITROCELLULOSE, ACRYLIC AND ACRYLIC BUTYRATE, AEROSOL (IN PRESSURIZED DISPENSERS) | A 8010 | # | FSS | 12-AUG-77 |
| | TT-L-50G(13) | LACQUER, NITROCELLULOSE, ACRYLIC AND ACRYLIC-BUTYRATE, AEROSOL (IN PRESSURIZED DISPENSERS) | A 8010 | # | FSS | 20-JUL-94 |
| | TT-P-54C(1) | PAINT, PHOSPHORESCENT, READY&MIXED (NON&RADIOACTIVE) [REVIEW: AS CR4 MC MR OS SA] | A 8010 | # | FSS | 03-FEB-77 |
| | TT-L-58E | LACQUER, SPRAYING, CLEAR AND PIGMENTED, (GENERAL INTERIOR USE) [CUST: AV YD1 99] [REVIEW: AT DS EA MC MI SA] | A 8010 | * | AV | 26-OCT-78 |
| | TT-V-71H | VARNISH, INTERIOR, FLOOR AND TRIM [REVIEW: CR4 MC] | A 8010 | % | FSS | 31-JAN-79 |
| | TT-P-87D NOT 1 | PAINT, TRAFFIC, PREMIXED REFLECTORIZED (S/S BY TT-P-1952 OR A-A-2886) | A 8010 | # | FSS | 05-FEB-97 |
| | TT-P-91D(2) | PAINT, RUBBER BASE, FOR INTERIOR USE (CONCRETE AND MASONRY FLOORS) | A 8010 | # | FSS | 12-JUL-83 |
| | TT-N-95B(1) NOT 1 | NAPHTHA; ALIPHATIC [CUST: AR AS 68] [REVIEW: DS MC OS SH] | A 6810 | / | AS | 05-NOV-91 |
| | TT-N-97C NOT 1 | NAPHTHA; AROMATIC [CUST: AS 68] [REVIEW: GS MC MI OS] | A 6810 | / | AS | 05-NOV-91 |
| | TT-V-109C | VARNISH, INTERIOR, ALKYD-RESIN [CUST: AV SH 99] [REVIEW: YD1] | A 8010 | * | AV | 30-JAN-78 |
| | TT-P-115F | PAINT, TRAFFIC, HIGHWAY, WHITE AND YELLOW [REVIEW: 84 MR YD1] | A 8010 | % | FSS | 05-DEC-84 |
| | TT-W-156B(2) NOT 2 | WATER-REPELLENT COMPOUND, TEXTILE FINISH [CUST: GL SA 11] [REVIEW: 84 EA IS MC MD MR MS YD1] | A 8030 | * | GL | 02-MAY-94 |
| | TT-S-178B(1) | SEALER, SURFACE RENEWER FOR WOOD AND SEALER FOR CONCRETE | A 8010 | # | FSS | 23-JUN-77 |
| | TT-L-190D(1) | LINSEED OIL, BOILED, (FOR USE IN ORGANIC COATING) [REVIEW: OS] | A 8010 | * | AV | 01-JUL-77 |
| | TT-L-201A NOT 4 | LINSEED OIL, HEAT POLYMERIZED [CUST: SH] | A 8010 | / | SH | 23-SEP-96 |
| | TT-L-215D | LINSEED OIL, RAW (FOR USE IN ORGANIC COATINGS) [REVIEW: EA] | A 8010 | * | AV | 06-APR-77 |
| | TT-S-00227E(3) | SEALING COMPOUND, ELASTOMERIC TYPE, MULTI-COMPONENT (FOR CALKING, SEALING, AND GLAZING IN BUILDINGS AND OTHER STRUCTURES) | A 8030 | # | FSS | 09-OCT-70 |
| | TT-S-00230C(2) | SEALING COMPOUND, ELASTOMERIC TYPE, SINGLE COMPONENT (FOR CALKING, SEALING, AND GLAZING IN BUILDINGS AND OTHER STRUCTURES) | A 8030 | # | FSS | 09-OCT-70 |
| | TT-R-248B | REMOVER, PAINT AND LACQUER, SOLVENT TYPE [CUST: MR AS 99] [REVIEW: 11 85 AV MC MI] | A 8010 | / | AS | 29-OCT-81 |
| | TT-R-251J(1) | REMOVER, PAINT (ORGANIC SOLVENT TYPE) [CUST: AV] [REVIEW: 11 CE MC MD YD1] | A 8010 | * | AV | 13-MAY-86 |
| | TT-R-266D | RESIN, ALKYD, SOLUTIONS [CUST: SH 84] [REVIEW: AS AT CR4 MI OS YD1] | A 8010 | / | SH | 17-NOV-71 |
| | TT-F-322D | FILLER TWO-COMPONENT TYPE: FOR DENTS, CRACKS, SMALL-HOLES, AND BLOW HOLES [CUST: MR 85] [REVIEW: 99 MI SH] | A 8010 | * | MR | 24-OCT-73 |
| | TT-F-322D(11) | FILLER, TWO-COMPONENT TYPE: FOR DENTS, CRACKS, SMALL HOLES, AND BLOW HOLES | A 8010 | # | FSS | 16-OCT-75 |
| | TT-F-325A(2) | FILLER, ENGRAVING, STAMPED MARKING [CUST: AV SA 99] [REVIEW: AR EA MC MI MR] | A 8010 | / | AV | 05-JUN-73 |
| | TT-N-350B | NITROCELLULOSE, TECHNICAL (FOR USE IN ORGANIC COATINGS) [CUST: OS 68] [REVIEW: AS SH] | A 6810 | / | OS | 19-SEP-73 |
| | TT-T-390A(2) | TINTING MEDIUM, CONCENTRATE GENERAL PURPOSE | A 8010 | # | FSS | 23-JUN-77 |
| | TT-E-487E(1) | ENAMEL, FLOOR AND DECK [REVIEW: 84 CE] | A 8010 | % | FSS | 22-AUG-84 |
| | TT-E-489J | ENAMEL, ALKYD, GLOSS, LOW VOC CONTENT [CUST: CR4 SH 99] [REVIEW: 11 84 AR AS MC MI OS YD1] | A 8010 | * | FSS | 07-MAR-94 |
| | TT-C-490D | CLEANING METHODS FOR FERROUS SURFACES AND PRETREATMENTS FOR ORGANIC COATINGS [CUST: MR YD1 11] [REVIEW: 80 AL AR AS AT AV CR CR4 EA MC MI OS SH SM] | A MFFP | / | MR | 31-MAR-93 |
| | TT-C-490D(11) | CLEANING METHODS FOR FERROUS SURFACES AND PRETREATMENTS FOR ORGANIC COATINGS [CUST: MR] | A MFFP | / | MR | 14-SEP-94 |
| | TT-C-492C(1) | COATING COMPOUND, PAINT ANTISWEAT [CUST: SH 99] | A 8010 | * | SH | 23-JUN-77 |
| | TT-C-494B NOT 1 | COATING COMPOUND, BITUMINOUS, SOLVENT TYPE ACID-RESISTANT [CUST: MR SH 99] [REVIEW: 11 84 CR4 YD1] | A 8030 | / | MR | 20-MAR-91 |
| | TT-C-498C | COATING COMPOUND, BITUMINOUS, FILLERS, SOLVENT TYPE, ALUMINUM PIGMENTED | A 8030 | # | FSS | 10-MAR-80 |
| | TT-E-506K(1) | ENAMEL, ALKYD, GLOSS, TINTS AND WHITE (FOR INTERIOR USE) | A 8010 | % | FSS | 18-MAY-84 |
| | TT-E-515A(1) | ENAMEL, ALKYD, LUSTERLESS, QUICK-DRYING [CUST: AV 99] [REVIEW: CE DS EA GL MI OS] | A 8010 | / | AV | 14-AUG-72 |
| A | TT-E-516A NOT 2 | ENAMEL, LUSTRELESS, QUICK-DRYING STYRENATED ALKYD TYPE [CUST: FSS] | A 8010 | # | FSS | 02-NOV-93 |
| | TT-I-521(1) | INK, COPYING AND RECORD [REVIEW: GL SA] | A 7510 | % | FSS | 30-JAN-40 |
| | TT-I-00521A(1) | INK, COPYING AND RECORD | A 7510 | # | FSS | 27-DEC-67 |
| | TT-E-527D | ENAMEL, ALKYD, LUSTERLESS, LOW VOC CONTENT [CUST: CR4 AS 99] | A 8010 | * | FSS | 06-JUN-88 |
| | TT-E-529G | ENAMEL, ALKYD, SEMIGLOSS, LOW VOC CONTENT [CUST: YD1 99] [REVIEW: 84 AR AT CR EA MI SA] | A 8010 | * | AV | 06-JUN-88 |
| | TT-C-530C | COATING COMPOUND, RUST INHIBITIVE, FISH OIL BASE | A 8010 | # | FSS | 20-JUN-95 |
| | TT-I-531C(2) | INK, DRAWING, WATERPROOF, COLORED (S/S BY A-A-2331) | A 7510 | % | FSS | 07-SEP-65 |
| | TT-C-542E | COATING, POLYURETHANE, OIL-FREE, MOISTURE-CURING [CUST: MR SH 99] [REVIEW: 84 YD1] | A 8010 | * | FSS | 14-JUL-78 |
| | TT-C-00542F | COATING, POLYURETHANE, OIL-FREE, MOISTURE CURING | A 8010 | # | FSS | 17-OCT-95 |
| | TT-I-00547B | INK, NUMBERING MACHINE, FOR PHOTOGRAPHIC NEGATIVES | A 7510 | # | FSS | 10-FEB-67 |
| | TT-W-550G | WOOD PRESERVATIVE, CHROMATED COPPER ARSENATE MIXTURE | A 8030 | # | FSS | 22-APR-76 |
| | TT-W-551F | WOOD PRESERVATIVE, CHROMATED ZINC CHLORIDE MIXTURE [REVIEW: AT] | A 8030 | % | FSS | 15-APR-76 |
| | TT-I-00554A | INK; STAMP-PAD, RED, FOR PHOTOGRAPHIC PRINTS | A 7510 | # | FSS | 12-JAN-55 |
| | TT-C-555B(1) | COATING, TEXTURED (FOR INTERIOR AND EXTERIOR MASONRY SURFACES) [CUST: YD1] [REVIEW: CG] | A 8010 | / | YD1 | 05-AUG-75 |
| | TT-W-568E | WOOD-PRESERVATIVE, CREOSOTE-PETROLEUM SOLUTION [REVIEW: CC] | A 8030 | % | FSS | 06-JUN-75 |
| | TT-W-572B(2) | FUNGICIDE: PENTACHLOROPHENOL | A 6840 | # | FSS | 04-JUN-90 |
| | TT-P-595A | PRESERVATIVE COATING, CANVAS [CUST: GL SA 99] [REVIEW: CR4 MC OS] | A 8030 | * | GL | 13-APR-72 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|---------------------|--|-----------------------|-----|-------------|-----------|
| TT-C-598B(2) NOT 1 | CALKING COMPOUND, OIL AND RESIN BASE TYPE (FOR MASONRY AND OTHER STRUCTURES) [CUST: MR YD1 99] [REVIEW: EA MI SA] | A 8030 | * | MR | 10-FEB-87 |
| TT-C-00598C(1) | CALKING COMPOUND, OIL AND RESIN BASE TYPE (FOR BUILDING CONSTRUCTION) | A 8030 | # | FSS | 18-MAR-71 |
| TT-I-600C | INKING PAD, RUBBER STAMP [REVIEW: GL] | A 7510 | % | FSS | 25-APR-75 |
| TT-P-620C(3) | PRIMER COATING, CONDITIONER FOR CHALKING EXTERIOR SURFACES | A 8010 | # | FSS | 23-JUN-77 |
| TT-C-621B | CORRECTION FLUID, DUPLICATING MACHINE STENCIL [REVIEW: 99 GL SA] | A 7510 | % | FSS | 31-MAY-73 |
| TT-P-645B | PRIMER, PAINT, ZINC-MOLYBDATE, ALKYD TYPE [CUST: SH] [REVIEW: CR4 EC MS OS SA YD1] | A 8010 | / | SH | 12-MAR-90 |
| TT-P-650D | PRIMER COATING, LATEX BASE, INTERIOR, WHITE (FOR GYPSUM WALLBOARD) [CUST: YD1] [REVIEW: CE] | A 8010 | / | YD1 | 25-FEB-88 |
| TT-T-656C | TRICRESYL PHOSPHATE [CUST: AS 68] [REVIEW: GS OS SH] | A 6810 | / | AS | 05-OCT-92 |
| TT-P-662B(1) | PRIMER SURFACER, SANDING, LACQUER AND ENAMEL TYPE [CUST: AR YD1 84] [REVIEW: AT EA GL MR SH] | A 8010 | / | AR | 20-JUN-72 |
| TT-P-664D | PRIMER COATING, ALKYD, CORROSION-INHIBITING, LEAD AND CHROMATE FREE, VOC-COMPLIANT [CUST: CR4 SH 99] [REVIEW: 85 AR AS GL MR OS YD1] | A 8010 | * | FSS | 01-SEP-88 |
| TT-S-708A(2) | STAIN, OIL, SEMI-TRANSPARENT, WOOD, EXTERIOR | A 8010 | # | FSS | 23-JUN-77 |
| TT-S-711C | STAIN, OIL TYPE, WOOD, INTERIOR [CUST: AV SH] [REVIEW: AR GL MC MD MR YD1] | A 8010 | * | AV | 01-JUN-78 |
| TT-I-735A(3) NOT 1 | ISOPROPYL ALCOHOL [CUST: AS 68] [REVIEW: DS EA GS MI] | A 6810 | / | AS | 05-NOV-91 |
| TT-S-735A | STANDARD TEST FLUIDS, HYDROCARBON [CUST: AT SH 11] [REVIEW: 68 AV EA GS MI OS PS] | A 6810 | / | AT | 31-AUG-88 |
| TT-E-751C | ETHYL ACETATE, TECHNICAL [CUST: GL SH 68] [REVIEW: CR4 EA GS MD MI OS] | A 6810 | * | GL | 13-APR-67 |
| TT-E-781D | ETHYLENE GLYCOL MONOETHYL ETHER, TECHNICAL [CUST: EA 68] [REVIEW: MD SA] | A 6810 | / | GS | 03-DEC-92 |
| TT-P-1181A(1) | PAINT, STYRENE-ACRYLATE SOLVENT TYPE, TINTS AND DEEP TONES (FOR EXTERIOR MASONRY) [CUST: AV YD1 99] | A 8010 | * | AV | 24-JAN-72 |
| TT-B-1325C NOT 1 | BEADS (GLASS SPHERES) RETRO-REFLECTIVE [CUST: YD1 99] [REVIEW: 84] | A 8010 | * | FSS | 09-MAY-95 |
| TT-S-1543B | SEALING COMPOUND: SILICONE RUBBER BASE (FOR CAULKING, SEALING, AND GLAZING IN BUILDINGS AND OTHER STRUCTURES) [CUST: GL 99] [REVIEW: MD] | A 8520 | % | FSS | 24-JUN-96 |
| TT-P-1565B | PAINT, BOOT-TOPPING BLACK | A 8010 | % | FSS | 10-JAN-78 |
| TT-E-1593B NOT 1 | ENAMEL, SILICONE ALKYD COPOLYMER, GLOSS (FOR EXTERIOR AND INTERIOR USE) [CUST: AV SH 84] [REVIEW: YD1] | A 8010 | / | AV | 10-FEB-87 |
| TT-P-1757B | PRIMER COATING, ALKYD BASE, ONE COMPONENT [CUST: AV AS 99] [REVIEW: 84 CG MC MD] | A 8010 | / | AS | 15-MAY-97 |
| TT-P-1952D | PAINT, TRAFFIC AND AIRFIELD MARKING, WATERBORNE [CUST: 99] [REVIEW: 84] | A 8010 | * | FSS | 07-JAN-94 |
| TT-S-001992 | STAIN, LATEX, EXTERIOR FOR WOOD SURFACES | A 8010 | # | FSS | 29-DEC-75 |
| TT-P-2118G | PAINT, TREE MARKING [CUST: FSS] | A 8010 | # | FSS | 25-JUL-97 |
| TT-P-2756A | POLYURETHANE COATING: SELF-PRIMING TOPCOAT, LOW VOLATILE ORGANIC COMPOUNDS (VOC) CONTENT [CUST: MR AS 99] [REVIEW: 11 84 CG CR4 MD] | A 8010 | / | AS | 29-FEB-96 |
| TT-P-2760A | PRIMER COATING: POLYURETHANE, ELASTOMERIC, HIGH-SOLIDS [CUST: MR AS 99] [REVIEW: 11 84 AR CG CR4 MC MD] | A 8010 | / | AS | 30-DEC-94 |
| TT-E-2784A | ENAMEL (ACRYLIC-EMULSION, EXTERIOR) [CUST: 99 FSS] [REVIEW: 11 AR AS DS MC MI OS YD1] | A 8010 | * | FSS | 09-NOV-94 |
| TT-P-2846 | PAINT, LATEX (RECYCLED WITH POST-CONSUMER WASTE) | A 8010 | # | FSS | 23-NOV-93 |
| TT-P-2846(11) | PAINT, LATEX (RECYCLED WITH POST-CONSUMER WASTE) | A 8010 | # | FSS | 06-JAN-94 |
| TT-R-2918 | REMOVER, PAINT, NO HAZARDOUS AIR POLLUTANTS (HAPS) [CUST: AS 11] [REVIEW: 84 99 CG] | A 8010 | / | AS | 30-APR-97 |
| UU-P-0016B(2) | PAD, DESK, BLOTTER | A 7520 | # | FSS | 26-OCT-76 |
| UU-B-36J(3) | BAG, PAPER (GROCERS) [CUST: GL SA 69] [REVIEW: 99 EA MD SM] | A 8105 | * | GL | 08-FEB-74 |
| UU-B-39E | BAG, PAPER, MERCHANDISE [REVIEW: GL] | A 8105 | % | FSS | 21-MAR-76 |
| UU-S-48F | SACKS, SHIPPING, PAPER [CUST: GL SA 69] [REVIEW: 80 82 84 AR AS CR CR4 MC MD OS SH SM YD1] | A 8105 | / | GL | 05-FEB-92 |
| UU-T-81J(1) | TAGS, SHIPPING AND STOCK [CUST: GL SA 69] [REVIEW: 99 AT CR4 DS EA GS MC OS SM YD1] | A 8135 | / | GL | 22-APR-89 |
| UU-T-81J(12) | TAGS, SHIPPING AND STOCK [REVIEW: AR AT CR4 EA GS MC MD MS OS SM YD1] | A 8135 | # | FSS | 22-APR-89 |
| UU-P-200B | PAPER, CREPED, DISPLAY | A 9310 | # | FSS | 15-OCT-76 |
| UU-C-201G(2) | CARDBOARD AND RAILROAD BOARD (MANILA AND WOOD) [REVIEW: GL] | A 9310 | % | FSS | 02-DEC-92 |
| UU-P-221B(11) | PAPER, DIRECT POSITIVE, SENSITIZED (DIAZOTYPE) | A 6750 | # | FSS | 01-JUL-75 |
| UU-P-00232F(1) | PAPER, DUPLICATING, COPY, LIQUID PROCESS | A 7530 | # | FSS | 20-APR-89 |
| UU-C-00250B | CASE, FILING, TRANSFER, COLLAPSIBLE | A 7520 | # | FSS | 12-APR-71 |
| UU-C-282D | CHIPBOARD [REVIEW: AR GL OS] | A 8135 | * | FSS | 24-JUL-74 |
| UU-P-288J(11) | PAPER, LEDGER, UNRULED | A 7530 | # | FSS | 20-APR-89 |
| UU-B-00320D(2) | BINDER, LOOSE-LEAF, POST, SOLID AND TELESCOPIC | A 7510 | # | FSS | 15-OCT-72 |
| UU-P-320D(3) | PAPER, LOOSE-LEAF, RULED AND BLANK [REVIEW: GL MC] | A 7530 | % | FSS | 07-APR-94 |
| UU-P-00328K | PAPER, MANIFOLD | A 7530 | % | FSS | 21-FEB-78 |
| UU-B-336D(11) | BINDERS, LOOSE-LEAF (FOR TABULATING MACHINE PAPER); AND ACCESSORIES | A 7510 | # | FSS | 07-AUG-75 |
| UU-B-342A(1) | BINDER, LOOSE-LEAF, RING, ENGINEER S FIELD BOOK [REVIEW: GL] | A 7510 | % | FSS | 07-SEP-65 |
| UU-B-00342C(1) | BINDER, LOOSE-LEAF, RING, ENGINEER S FIELD BOOK | A 7510 | # | FSS | 31-OCT-75 |
| UU-F-350A | FILE BACKER, PAPER [REVIEW: GL SA] | A 7510 | % | FSS | 14-JUL-59 |
| UU-F-00350B | FILE BACKER, PAPER | A 7510 | # | FSS | 15-JAN-69 |
| UU-B-00366B(2) | BINDER, LOOSE LEAF, SECTIONAL POST TYPE | A 7510 | # | FSS | 15-OCT-72 |
| UU-B-370A | BINDER, LOOSE-LEAF, POST-TYPE, (STORAGE-TYPE) [REVIEW: GL SA] | A 7510 | % | FSS | 11-APR-58 |
| UU-P-381B NOT 1 | PAPER, MASKING, PHOTOLITHOGRAPHIC, (COATED) [CUST: GL SA 99 GS] [REVIEW: CR4 MD] | A 3610 | / | GS | 23-OCT-87 |
| UU-P-388M | PAPER, MIMEOGRAPH [REVIEW: GL] | A 7530 | % | FSS | 05-SEP-80 |
| UU-P-388M(11) | PAPER, MIMEOGRAPH | A 7530 | # | FSS | 20-APR-89 |
| UU-E-525A(11) | ENVELOPE, MAILING (RADIOGRAPHIC FILM) | A 7530 | # | FSS | 25-MAY-72 |
| UU-P-547J(4) | PAPER, TELETYPEWRITER, ROLL [REVIEW: 99 GL MC SA] | A 7530 | % | FSS | 30-APR-77 |
| UU-P-547J(16) | PAPER, TELETYPEWRITER, ROLL | A 7530 | # | FSS | 20-APR-89 |
| UU-P-548B | PAPER, TELETYPEWRITER, ROLL, FOR SPIRIT-PROCESS DUPLICATION [CUST: GL SA] | A 7530 | * | GL | 03-SEP-65 |
| UU-N-600B | NOTEBOOK, STENOGRAPHER S [REVIEW: GL] | A 7530 | % | FSS | 06-SEP-79 |
| UU-P-665B | PLATE, BAKING, PIE (PAPER) | A 7330 | % | FSS | 28-MAR-74 |
| UU-T-770B | TUBE, DRINKING, (PAPER) [REVIEW: GL] | A 7350 | % | FSS | 22-APR-77 |
| UU-B-790A NOT 2 | BUILDING PAPER VEGETABLE FIBER: (KRAFT, WATERPROOFED, WATER REPELLENT AND FIRE RESISTANT) [REVIEW: 85 CE MD] | A 5640 | # | FSS | 24-APR-92 |
| UU-B-790A(11) NOT 2 | BUILDING PAPER, VEGETABLE FIBER: (KRAFT, WATERPROOFED, WATER REPELLENT AND FIRE RESISTANT) | A 5640 | # | FSS | 24-APR-92 |
| UU-F-1206B(1)(1) | FOLDER, FILE [CUST: GL SA 99] [REVIEW: 84 AV] | A 7530 | * | GL | 08-APR-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------|--|--------------------------|-----|-------------|-----------|
| | UU-W-1231(12) | WRAPPER, STENCIL, FILING | A 7530 | # | FSS | 25-MAR-73 |
| | UU-B-001254(2) | BINDER, LOOSE-LEAF, RING. ONE-PIECE COVER | A 7510 | # | FSS | 06-AUG-75 |
| | UU-N-001650B | NAPKINS, TABLE, PAPER [REVIEW: SA] | A 8540 | % | FSS | 09-NOV-89 |
| | UU-B-1780(1) | BUILDING PAPER, VEGETABLE FIBER OR INORGANIC FIBER REINFORCEMENT, REFLECTIVE | A 5640 | # | FSS | 02-NOV-72 |
| | VV-W-95C | WAX, PARAFFIN, TECHNICAL [CUST: EA YD1] [REVIEW: AS GL GS MC MD MI SA] | A 9160 | / | YD1 | 16-JUL-90 |
| | VV-P-236A(2) NOT 1 | PETROLATUM, TECHNICAL [CUST: CR4 AS 11] [REVIEW: AR AT CR GS MI OS PS SA SH YD1] | A 9150 | / | AS | 05-NOV-91 |
| | VV-I-530A | INSULATING OIL ELECTRICAL [CUST: AR SH 68] [REVIEW: CE CR GS MD MI MR OS PS] | A 9160 | / | AR | 20-MAR-67 |
| | VV-G-632B | GREASE, INDUSTRIAL, GENERAL PURPOSE [CUST: AT 68] [REVIEW: AS CD GS MC MI OS SA SH SM TE] | A 9150 | / | AT | 12-OCT-89 |
| | VV-G-671F | GREASE, GRAPHITE [CUST: AT 68] [REVIEW: AL AR AS AV CD GS MC NS SA SH] | A 9150 | / | AT | 12-OCT-89 |
| | VV-L-765A(1) | LUBRICANT, ENCLOSED-GEAR, NONEXTREME-PRESSURE | A 9150 | # | FSS | 27-SEP-68 |
| | VV-L-800C(1) | LUBRICATING OIL, GENERAL PURPOSE, PRESERVATIVE, (WATER-DISPLACING, LOW TEMPERATURE) [CUST: AT AS 11] [REVIEW: 68 AR GS MC MD MI OS PS SA SM YD1] | A 9150 | / | AT | 15-SEP-86 |
| A | VV-L-800C(12) | LUBRICATING OIL, GENERAL PURPOSE, PRESERVATIVE (WATER-DISPLACING, LOW TEMPERATURE) [CUST: AT] [REVIEW: AL AR MD MI SM] | A 9150 | / | AT | 02-DEC-93 |
| | VV-L-825C | LUBRICATING OIL, REFRIGERANT COMPRESSOR, UNINHIBITED [CUST: MR SH 68] [REVIEW: GS MI] | A 9150 | / | SH | 18-MAR-97 |
| | VV-C-846A(1) NOT 1 | CUTTING FLUID, EMULSIFIABLE OILS [CUST: AR AS 68 GS] [REVIEW: MI PS SA SH] | A 9150 | / | GS | 18-SEP-68 |
| | VV-D-1078B NOT 1 | DAMPING FLUID, SILICONE BASE (DIMETHYL POLYSILOXANE) [CUST: CR4 AS 11] [REVIEW: 68 AR EA MC MI OS SH] | A 9150 | / | AS | 05-NOV-91 |
| | VV-I-2117 | INSULATING FLUID, ELECTRICAL, SILICONE [CUST: AR 68] [REVIEW: CE MR MS] | A 9160 | / | AR | 24-JUL-79 |
| | WW-P-325B | PIPE, BENDS, TRAPS, CAPS AND PLUGS, LEAD (FOR INDUSTRIAL PRESSURE, AND SOIL AND WASTE APPLICATIONS) | A 4730 | # | FSS | 09-JUN-76 |
| | WW-P-402C(1) NOT 1 | PIPE, CORRUGATED (ALUMINUM ALLOY) | A 4710 | % | FSS | 22-AUG-72 |
| | WW-P-421D | PIPE, CAST GRAY AND DUCTILE IRON, PRESSURE (FOR WATER AND OTHER LIQUIDS) | A 4710 | # | FSS | 13-SEP-76 |
| | WW-P-460D | PIPE FITTINGS: BRASS OR BRONZE (THREADED), CLASSES 125 AND 250 POUND [CUST: CR4 YD1 99] [REVIEW: 82 AR CC CE CG EA MC] | A 4730 | / | YD1 | 28-FEB-94 |
| | WW-P-471C(1) | PIPE-FITTING, BUSHINGS, LOCKNUTS, AND PLUGS, IRON, STEEL, AND ALUMINUM, (THREADED), 125-150 POUNDS [CUST: CR4 YD1 99] [REVIEW: AR CC EA MC] | A 4730 | / | YD1 | 29-DEC-81 |
| | WW-P-501E | PIPE FITTINGS, CAST IRON, SCREWED 125 & 250 POUND | A 4730 | # | FSS | 27-NOV-74 |
| | WW-U-516B(1) | UNIONS, BRASS OR BRONZE, THREADED PIPE CONNECTIONS AND SOLDER-JOINT TUBE CONNECTIONS [CUST: YD1 99] [REVIEW: 82 CC CE CG CR4 GL MC] | A 4730 | / | YD1 | 16-MAR-95 |
| | WW-P-521G | PIPE FITTINGS, FLANGE FITTINGS, AND FLANGES, STEEL AND MALLEABLE IRON (THREADED AND BUTT WELDING) CLASS 150 | A 4730 | # | FSS | 19-OCT-77 |
| | WW-C-540A | CONDUIT, METAL, RIGID, (ELECTRICAL, ALUMINUM) | A 5975 | % | FSS | 02-NOV-60 |
| | WW-P-541E(1) | PLUMBING FIXTURES (GENERAL SPECIFICATION) [CUST: CR4 YD 99] [REVIEW: CC CE MC MS] | A 4510 | / | IS | 16-APR-90 |
| | WW-P-541/3B(1) | PLUMBING FIXTURES (BATHTUBS) [CUST: CR4 YD 99] [REVIEW: CC CE MC MS] | A 4510 | / | IS | 16-APR-90 |
| | WW-P-541/4B(1) | PLUMBING FIXTURES (LAVATORIES) [CUST: CR4 YD 99] [REVIEW: CC CE MC MS] | A 4510 | / | IS | 16-APR-90 |
| | WW-P-541/5B(1) | PLUMBING FIXTURES (SINKS, KITCHEN, SERVICE, AND LAUNDRY TRAYS) [CUST: CR4 YD 99] [REVIEW: CE MC MS] | A 4510 | / | IS | 16-APR-90 |
| | WW-P-541/8B(1) | PLUMBING FIXTURES (ACCESSORIES, LAND USE) [CUST: CR4 YD 99] [REVIEW: CE MC MS] | A 4510 | / | IS | 16-APR-90 |
| | WW-C-624E | COUPLING ASSEMBLY, HOSE (GARDEN, WATER, AND WATER SUCTION) [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 4730 | / | YD1 | 21-AUG-89 |
| | WW-C-633D | COUPLING HALVES, CAP AND WYE; QUICK DISCONNECT PNEUMATIC HOSE, TWO-LUG UNIVERSAL TYPE [CUST: AT YD1] [REVIEW: AL MC OS SA] | A 4730 | / | CC | 11-MAY-92 |
| | WW-T-700F(1) | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5052 GENERAL SPECIFICATION FOR [CUST: MR AS 11] [REVIEW: 99 AR CC CR4 EA MC MI OS SH] | A 4710 | / | AS | 09-JAN-85 |
| | WW-T-700/1E | TUBE, ALUMINUM, DRAWN, SEAMLESS, 1100 [CUST: MR AS 11] [REVIEW: 99 AR CC MC MI OS SH] | A 4710 | / | AS | 29-DEC-83 |
| | WW-T-700/2E | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 3003 [CUST: MR AS 11] [REVIEW: 99 AR CC EA MC MI OS SH] | A 4710 | / | AS | 29-DEC-83 |
| | WW-T-700/3F(1) | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 2024 [CUST: MR AS 11] [REVIEW: 99 AR CC EA MC MI OS] | A 4710 | / | AS | 29-DEC-83 |
| | WW-T-700/4F(1) | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5052 [CUST: MR AS 11] [REVIEW: 99 AR CC EA MC MI OS SH] | A 4710 | / | AS | 09-JAN-85 |
| | WW-T-700/5E | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5086 [CUST: MR AS 11] [REVIEW: 99 AR CC EA MC MI OS] | A 4710 | / | AS | 29-DEC-83 |
| | WW-T-700/6F(2) | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 6061 [CUST: MR AS 11] [REVIEW: 99 AR CC CR4 DS EA MC OS SH] | A 4710 | / | AS | 09-JAN-85 |
| | WW-T-700/7B | TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 7075 [CUST: MR AS 11] [REVIEW: 99 AR CC CR4 MC MI OS] | A 4710 | / | AS | 29-DEC-83 |
| | WW-N-701B | NOZZLES, HOSE, GARDEN (FOR 5/8 INCH AND 3/4 INCH HOSE) | A 4730 | # | FSS | 20-JUL-77 |
| | WW-T-725A | TUBE FITTING, COPPER AND COPPER ALLOY, WROUGHT OR CAST, SOLDER ENDS [CUST: CR4 99] [REVIEW: AR CC CE CG GL MC MI] | A 4730 | * | 82 | 27-APR-73 |
| | WW-T-799F | TUBE, COPPER, SEAMLESS, WATER (FOR USE WITH SOLDER- FLARED- OR COMPRESSION-TYPE FITTINGS) | A 4710 | # | FSS | 20-AUG-79 |
| | WW-H-1053A NOT 1 | HOSE, METAL (FLEXIBLE, ALUMINUM ALLOY, AND CORROSION-RESISTANT AND HEAT-RESISTANT STEEL) [CUST: MI] [REVIEW: CC] | A 4720 | / | MI | 06-SEP-90 |
| | WW-S-2739 | STRAINERS, SEDIMENT: PIPELINE, WATER, AIR, GAS, OIL, OR STEAM [CUST: CR4 YD1 99] [REVIEW: 82 CC CE CG MC] | A 4730 | / | YD1 | 24-OCT-89 |
| | WW-S-2811 | SINKS, SCULLERY SERVICE AND DRAINBOARDS [CUST: YD1 99] [REVIEW: GS MC] | A 4510 | / | YD1 | 16-APR-93 |
| | WW-W-2845 | WATER PURIFICATION UNIT, FRAME MOUNTED DIATOMITE TYPE [CUST: CR4 YD1] [REVIEW: CC MC] | A 4610 | / | YD1 | 15-APR-94 |
| | WW-C-2928 | CAPS, FUEL STORAGE TANK [CUST: YD1 99] [REVIEW: 84 CC] | A 5430 | / | YD1 | 17-JAN-97 |
| M | WW-H-191E | HEATER, FLUID, INDUSTRIAL (INSTANTANEOUS, STEAM, WATER CONVERTOR TYPE) [CUST: YD1 99] [REVIEW: 84 CC MS] | A 4520 | / | YD1 | 27-MAY-98 |
| M | WW-F-2743A | FURNACES, WARM AIR AND HEATERS, UNIT, FORCED AIR CIRCULATION, OIL - AND GAS - FIRED [CUST: YD1 99] [REVIEW: 84 CC] | A 4520 | / | YD1 | 27-MAY-98 |
| | XX-D-370D | DISPENSING PUMP, HAND DRIVEN, DRUM, 1 QUART OIL, (FOR 15- TO 55 GALLON DRUMS) [CUST: AT 99] [REVIEW: CC CG MC] | A 4930 | / | AT | 24-OCT-83 |
| | XX-D-385E | DISPENSING PUMP, HAND DRIVEN, LIQUID PETROLEUM FUEL [CUST: AT YD1 99] [REVIEW: CC CE CG MC] | A 4930 | / | AT | 28-OCT-82 |
| | XX-P-2801 | PUMP AND HEATER, FUEL OIL [CUST: CR4 YD1] [REVIEW: CC CG MD] | A 4320 | / | YD1 | 28-AUG-92 |
| | XX-C-2812(1) | COMPRESSOR, AIR, DIESEL-ENGINE-DRIVEN, PORTABLE, WHEEL-MOUNTED [CUST: YD1 99] [REVIEW: 82 CR4 GS] | A 4310 | / | YD1 | 25-MAR-94 |
| | XX-C-2816 | COMPRESSOR, AIR, RECIPROCATING OR ROTARY, ELECTRIC MOTOR DRIVEN, STATIONARY, 10 HP AND LARGER [CUST: YD1] [REVIEW: CC] | A 4310 | / | YD1 | 09-AUG-93 |
| | XX-C-2866 | CLEANER, PRESSURE, HOT-WATER, SKID-MOUNTED [CUST: YD1] [REVIEW: CC] | A 4940 | / | YD1 | 05-JAN-95 |
| | XX-C-2867 | CLEANER, STEAM OR HOT WATER, PRESSURE JET TRAILER-MOUNTED, GASOLINE OR DIESEL ENGINE [CUST: YD1] [REVIEW: CC] | A 4940 | / | YD1 | 27-DEC-94 |
| | ZZ-M-0043B(1) | MAT, FLOOR (FOR CHAIRS) | A 7220 | # | FSS | 05-APR-67 |
| A | ZZ-M-71F(1) NOT 1 | MATting, RUBBER AND VINYL (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 16-OCT-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Ver | MCA | Prep. Acty. | Date |
|----------------------|--|-------------------------|-----|-------------|-----------|
| ZZ-G-100A | GLOVES, RUBBER, AUTOPSY [REVIEW: 45] | A 8415 | # | FSS | 04-JAN-61 |
| ZZ-C-101A(1) | CATHETER, URETHRAL, RUBBER [CUST: MD MS 03] | A 6515 | / | MB | 17-APR-57 |
| ZZ-G-381C | GLOVES, RUBBER, INDUSTRIAL [CUST: GL NU 99 CT] [REVIEW: 45 AR AS MC MD OS SH YD1] | A 8415 | / | CT | 20-JUL-77 |
| ZZ-T-391E | TIRE, SOLID RUBBER, AND WHEELS, SOLID RUBBER TIRE, (INDUSTRIAL) [CUST: AT YD1 99] [REVIEW: CC MC MD] | A 2630 | / | AT | 23-JUN-82 |
| ZZ-T-410E | TIRE, PNEUMATIC, INDUSTRIAL [CUST: AT YD1 99] [REVIEW: CC] | A 2610 | / | AT | 23-JUN-84 |
| ZZ-T-441G | TIRE, PNEUMATIC, RETREADED AND REPAIRED [CUST: AT YD1 99] [REVIEW: CC MC] | A 2640 | * | AT | 13-JAN-86 |
| A ZZ-H-500C(1) | HOSE, RUBBER, AND HOSE ASSEMBLIES, RUBBER: PNEUMATIC (YARN OR FABRIC REINFORCED) [CUST: YD1 99] [REVIEW: 82 CC CR4 MC SH] | A 4720 | / | CC | 20-MAR-92 |
| ZZ-H-521F | HOSE AND HOSE ASSEMBLIES, NONMETALLIC, SPRAY [CUST: CR4 YD1 99] [REVIEW: 82 CC CG MC SA] | A 4720 | / | YD1 | 28-MAY-93 |
| ZZ-I-550E(4) | INNER TUBE, PNEUMATIC TIRE [REVIEW: CR4] | A 2610 | # | FSS | 20-JUL-78 |
| A ZZ-H-561K | HOSE, RUBBER, AND HOSE ASSEMBLIES, RUBBER, SMOOTH BORE, WATER SUCTION AND DISCHARGE [CUST: CR4 YD1 99] [REVIEW: 82 CC MC SH] | A 4720 | / | CC | 26-JUL-88 |
| ZZ-F-566B | FORCE CUP, PLUMBER'S [CUST: GL SH 99] [REVIEW: YD1] | A 5120 | * | GL | 03-MAY-63 |
| ZZ-F-566B(11) | FORCE CUP, PLUMBER'S | A 5120 | # | FSS | 16-MAY-66 |
| A ZZ-H-601E | HOSE AND HOSE ASSEMBLIES, RUBBER (YARN OR FABRIC REINFORCED) WATER SERVICE [CUST: CR4 99] [REVIEW: AT CC MC MI OS SH] | A 4720 | / | CC | 11-JUN-90 |
| ZZ-H-617B(1) NOT 1 | HOSE, RUBBER, WINDSHIELD WIPER [CUST: AT YD1 99] [REVIEW: CR4 EA MC] | A 4720 | / | CC | 30-OCT-72 |
| ZZ-R-710A | RUBBER GASKET MATERIAL, 35 DUROMETER HARDNESS [CUST: CR4 SH IS] [REVIEW: EA OS] | A 5330 | / | IS | 11-MAY-67 |
| ZZ-G-710B | GASKET MATERIAL, RUBBER 35 DUROMETER HARDNESS [CUST: CR4 SH] [REVIEW: AS IS OS] | A 5330 | / | SH | 05-APR-93 |
| ZZ-R-765E | RUBBER, SILICONE (GENERAL SPECIFICATION) [CUST: MR AS 11] [REVIEW: 82 99 AR CR CR4 GL MD MI OS SH SM YD1] | A 9320 | / | GS | 20-DEC-91 |
| A ZZ-R-765/1 NOT 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/2 NOT 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/3 NOT 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/4 NOT 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/5 NOT 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/6 NOT 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/7 NOT 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [CUST: MR AS 11 GS] [REVIEW: GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/8 NOT 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/9 NOT 1 | RUBBER, SILICONE; CHANNEL, NONMETALLIC [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/10 NOT 1 | RUBBER, SILICONE; TUBING, NONMETALLIC, ROUND, FLEXIBLE [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/11 NOT 1 | RUBBER, SILICONE; ROUND SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/12 NOT 1 | RUBBER, SILICONE; PACKING MATERIAL [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/13 NOT 1 | RUBBER, SILICONE; PACKING MATERIAL [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/14 NOT 1 | RUBBER, SILICONE; GASKET [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/15C | RUBBER, SILICONE; GASKET [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/16 NOT 1 | RUBBER, SILICONE; RUBBER SHEET SOLID [CUST: MR AS 11 GS] [REVIEW: DS] | A 9320 | / | GS | 08-NOV-88 |
| A ZZ-R-765/17 NOT 1 | RUBBER, SILICONE; RUBBER STRIP [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/18A NOT 1 | RUBBER, SILICONE; RUBBER STRIP [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/19 NOT 1 | RUBBER, SILICONE; RUBBER STRIP [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/20 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/21 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/22 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/23 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/24 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/25 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/26 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/27 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/28 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 11-APR-91 |
| A ZZ-R-765/29 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/30 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/31 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/32 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/33 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/34 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/35 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/36 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/37 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/38 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/39 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/40 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/41 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/42 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/43 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/44 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/45 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/46 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/47 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/48 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/49 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/50 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/51 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/52 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/53 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A ZZ-R-765/54 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|---------------------|--|--------------------------|-----|-------------|-----------|
| A | ZZ-R-765/55 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A | ZZ-R-765/56 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A | ZZ-R-765/57 NOT 1 | RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [CUST: MR AS 11 GS] | A 9320 | / | GS | 19-APR-91 |
| A | ZZ-R-765/58 | RUBBER, SILICONE; PACKING, PREFORMED [CUST: MR AS 11 GS] [REVIEW: 82 99 AR CR CR4 GL GS MD MI OS SH SM YDI] | A 9320 | / | GS | 21-JAN-92 |
| | ZZ-R-768A NOT 1 | RUBBER FOR MOUNTINGS (UNBONDED-SPOOL) AND COMPRESSION TYPES [CUST: MR SH] [REVIEW: AR CR GS MC MI] | A 9320 | / | SH | 05-FEB-91 |
| | ZZ-R-800A | RUBBER STAMP, BAND TYPE [REVIEW: GL] | A 7520 | % | FSS | 31-MAR-71 |
| | ZZ-R-804 | RUBBER STAMP, FIXED TYPE [REVIEW: GL SA] | A 7520 | % | FSS | 07-MAR-66 |
| | ZZ-C-811(1) | CUSHION (UNDERLAY), CARPET AND RUG, SPONGE-RUBBER AND SYNTHETIC-RUBBER | A 7220 | # | FSS | 29-NOV-45 |
| | ZZ-C-00811B | CUSHION, CARPET AND RUG, CELLULAR RUBBER | A 7220 | # | FSS | 02-JAN-63 |
| | ZZ-R-1414 | RUBBER STAMP, FIXED AND REMOVABLE TYPE [REVIEW: GL] | A 7520 | % | FSS | 31-MAR-71 |
| | ZZ-R-1415A(1) | RUBBER BAND | A 7510 | # | FSS | 25-MAR-80 |
| | ZZ-T-1619B(1) NOT 1 | TIRES, PNEUMATIC, AGRICULTURAL | A 2610 | # | FSS | 06-JAN-78 |
| M | ZZ-H-428D(3) | HOSE, NON METALLIC AND HOSE, PREFORMED, (FOR THE COOLANT SYSTEMS OF AUTOMOTIVE AND OTHER LIQUID COOLED ENGINE) [CUST: AT YDI] | A 4720 | / | CC | 19-JUN-98 |
| | BBB-S-1269B(2) | SWEAT PANTS [CUST: GL NU 99 CT] [REVIEW: 45 MC MD] | A 8415 | / | CT | 21-MAR-79 |
| | CCC-C-46D(1) NOT 1 | CLOTH, CLEANING, NONWOVEN FABRIC [CUST: GL AS 99] | A 7920 | / | AS | 23-JUN-95 |
| | CCC-P-86E(1) | PADDING, COTTON, STITCHED ROVING [REVIEW: MD] | A 8320 | # | GL | 21-NOV-72 |
| | CCC-P-91C | PADDING, RUBBERIZED, CURLED HAIR [REVIEW: OS] | A 8320 | % | FSS | 01-OCT-73 |
| | CCC-S-00320 | SHEETING AND TAPE, REFLECTIVE, ADHESIVE BACKING [REVIEW: 45] | A 8305 | # | FSS | 18-NOV-63 |
| | CCC-C-406B | CLOTH, AWNING, COTTON [CUST: CT] [REVIEW: SA] | A 8305 | / | CT | 25-APR-67 |
| | CCC-W-408D | WALL COVERING, VINYL-COATED [CUST: YDI] [REVIEW: CR4 SH] | A 5640 | / | YDI | 14-JAN-94 |
| | CCC-C-419G | CLOTH, DUCK, UNBLEACHED, PLIED-YARNS, ARMY AND NUMBERED [CUST: GL NU 99 CT] [REVIEW: 45 82 AR AT CR4 EA MC MD] | A 8305 | / | CT | 15-DEC-89 |
| | CCC-C-422 | CLOTH, COTTON, MUSLIN (MERCERIZED) | A 8305 | # | FSS | 10-MAY-53 |
| | CCC-C-426D NOT 1 | CLOTH, COTTON, DRILL [CUST: GL NU 11 CT] [REVIEW: 99] | A 8305 | / | CT | 12-NOV-87 |
| | CCC-C-428G | CLOTH, DUCK, COTTON, FIRE, WATER, WEATHER AND MILDEW RESISTANT [CUST: GL NU 99 CT] [REVIEW: 45 82 AR AT CR4 EA MB MC MD SH] | A 8305 | / | CT | 09-MAR-87 |
| | CCC-C-428G(11) | CLOTH, DUCK, COTTON; FIRE, WATER, WEATHER, AND MILDEW RESISTANT [CUST: GL] | A 8305 | / | CT | 31-OCT-90 |
| | CCC-C-429F | CLOTH, OSNABURG, COTTON [CUST: GL SA 99 CT] [REVIEW: 45 82 AR CG CR4 MC MD MI] | A 8305 | / | CT | 18-FEB-88 |
| | CCC-C-430F NOT 1 | CLOTH, SHEETING, COTTON AND POLYESTER AND COTTON [CUST: GL NU 99 CT] [REVIEW: 45 82 EA MD MS SH] | A 8305 | / | CT | 11-AUG-89 |
| | CCC-C-432D NOT 1 | CLOTH, SHEETING, COTTON, (UNBLEACHED, BLEACHED, AND DYED) [CUST: GL SA 99 CT] [REVIEW: 11 MD] | A 8305 | / | CT | 12-NOV-87 |
| | CCC-C-436E | CLOTH, TICKING TWILL, COTTON [CUST: GL NU 99 CT] [REVIEW: 45 82 MB MC MD] | A 8305 | / | CT | 14-FEB-86 |
| | CCC-C-439G | CLOTH, BUNTING, COTTON, MERCERIZED [CUST: GL NU 99 CT] [REVIEW: 11 IH MC MD] | A 8305 | / | CT | 15-MAY-90 |
| | CCC-C-440E NOT 1 | CLOTH, CHEESECLOTH, COTTON, BLEACHED AND UNBLEACHED [CUST: GL NU 99 CT] [REVIEW: 45 AV CG CR4 DS EA MC MD SM YDI] | A 8305 | * | CT | 12-NOV-87 |
| | CCC-C-441C NOT 1 | CLOTH, CORDUROY, COTTON [CUST: GL NU 99 CT] [REVIEW: MD] | A 8305 | / | CT | 12-NOV-87 |
| | CCC-C-443E(2) NOT 1 | CLOTH, DUCK, COTTON (SINGLE AND PLIED FILLING YARNS, FLAT) [CUST: GL NU CT] [REVIEW: MD YDI] | A 8305 | / | CT | 12-NOV-87 |
| | CCC-C-447C | CLOTH, PERCALE, COTTON | A 8305 | # | FSS | 19-FEB-68 |
| | CCC-C-447C(11) | CLOTH, PERCALE, COTTON | A 8305 | % | FSS | 17-JUL-70 |
| | CCC-C-458C NOT 1 | CLOTH, FLANNEL, COTTON [CUST: GL SA 99 CT] [REVIEW: AV CR4 EA MC MD] | A 8305 | / | CT | 07-JUL-76 |
| | CCC-C-461C(1) NOT 1 | CLOTH, TWILL, UNIFORM COTTON [CUST: GL NU 99 CT] [REVIEW: 45 EA MC MD] | A 8305 | / | CT | 12-NOV-87 |
| | CCC-C-467C NOT 1 | CLOTH, BURLAP, JUTE (OR KENAF) [CUST: GL SA 99 CT] [REVIEW: AT MC SM YDI] | A 8305 | / | CT | 08-FEB-72 |
| | CCC-C-476H | CLOTH, BUNTING, NYLON; AND NYLON AND WOOL [CUST: GL NU 99 CT] [REVIEW: 45 82 IH MC OS SH] | A 8305 | / | CT | 29-JAN-90 |
| | CCC-C-531E | CLOTH, TRACING [REVIEW: CR4 GL] | A 7510 | % | FSS | 20-FEB-63 |
| | CCC-C-00531F | CLOTH, TRACING | A 7510 | # | FSS | 06-JAN-71 |
| | CCC-C-700J | CLOTH, COATED, VINYL COATED (ARTIFICIAL LEATHER) [CUST: GL NU 99 CT] [REVIEW: 45 82 CG CR4 MC MD SH] | A 8305 | / | CT | 15-SEP-86 |
| | CCC-D-950F | DYEING AND AFTERTREATING PROCESSES FOR COTTON CLOTHS [CUST: GL NU CT] [REVIEW: CR4 MC MD YDI] | A 8305 | / | CT | 26-JUN-89 |
| | CCC-D-950F(11) | DYEING AND AFTERTREATING PROCESSES FOR COTTON CLOTHS [CUST: GL] | A 8305 | / | CT | 31-OCT-90 |
| | DDD-L-20F(1) | LABEL: FOR CLOTHING, EQUIPAGE, AND TENTAGE, (GENERAL USE) [CUST: GL NU 99 CT] [REVIEW: 45 82 AR AS CG EA MC MD] | A 8315 | / | CT | 23-MAY-91 |
| | DDD-P-52 | PAD, CLOTH, COPPER-SULFATE IMPREGNATED | A 6510 | # | FSS | 22-DEC-59 |
| | DDD-P-0053C | PAD, ABDOMINAL (DRAINAGE DRESSING, COMBINATION) [CUST: MD MS 03] | A 6510 | * | MB | 14-OCT-63 |
| | DDD-P-54(1) | PADS GAUZE, GAUZE AND COTTON, AND GAUZE CELLULOSE AND COTTON [CUST: MD MS 03] | A 6510 | / | MB | 09-AUG-57 |
| | DDD-C-0095A | CARPET AND RUGS, WOOL, NYLON, ACRYLIC, MODACRYLIC POLYESTER, POLYPROPYLENE | A 7220 | # | FSS | 15-MAR-72 |
| | DDD-C-95(12) | CARPETS AND RUGS, WOOL, NYLON, ACRYLIC, MODACRYLIC POLYESTER, POLYPROPYLENE | A 7220 | # | FSS | 09-JUL-70 |
| | DDD-W-101C(2) NOT 1 | WASTE, MATTED YARNS [CUST: GL NU 99 CT] [REVIEW: CE CR4 MC MD] | A 8305 | * | CT | 27-APR-70 |
| | DDD-P-351H(1) | PILLOWCASE, COTTON AND POLYESTER/COTTON [CUST: GL NU 99 CT] [REVIEW: 45 CT MB MC MD SH] | A 7210 | / | CT | 01-OCT-82 |
| | DDD-F-416E NOT 2 | FLAG, NATIONAL, UNITED STATES OF AMERICA AND FLAG, UNION JACK [CUST: IH NU 11] [REVIEW: 45 82 99 CG CT MC] | A 8345 | / | IH | 20-NOV-92 |
| | DDD-C-441C | CLOTH, POLISHING [CUST: GL 99] | A 7920 | * | GL | 07-SEP-72 |
| | DDD-T-511D | TOWELS, DISH AND SISLOTH (CRASH, COTTON, AND COTTON AND LINEN-M IXED), CLOTH, CRASH, COTTON [CUST: GL NU 99] [REVIEW: 45 CG CT MC MD MS] | A 7210 | * | GL | 21-DEC-70 |
| | DDD-I-00520A | INSIGNIA, UNIFORM, GSA [REVIEW: 45] | A 8455 | # | FSS | 28-DEC-67 |
| | DDD-D-00626D(1) | DRAPE, SURGICAL, CLOTH [CUST: MD MS 03] | A 6530 | / | MB | 10-FEB-76 |
| | DDD-C-628F NOT 1 | COVER, MATTRESS [CUST: GL NU 99 CT] [REVIEW: 45 CG DM MB MC MD MS YDI] | A 7210 | / | CT | 31-DEC-87 |
| | DDD-C-641B | CURTAIN, AIR-PORT, CURTAIN, DOORWAY, AND CURTAIN FIXTURES [REVIEW: GL SA] | A 7230 | % | FSS | 30-JUN-64 |
| | DDD-D-00646C | DRAWERS, MEN S, THIGH LENGTH | A 8420 | # | FSS | 30-MAR-72 |
| | DDD-D-00690B | DROPCLOTHS, PAINTER S, PLASTIC, COTTON CLOTH (DUCK) [REVIEW: 45] | A 8340 | % | FSS | 11-FEB-75 |
| | DDD-M-001349(1) | MAT, FLOOR, AND MATTING, PILE SURFACE, ENTRANCE WAY TYPE | A 7220 | # | FSS | 19-OCT-70 |
| | DDD-C-001410(1) | CLOTH, CLEANING, TREATED (RENTAL SERVICE) | A 7920 | # | FSS | 02-NOV-71 |
| | DDD-A-1466C | APRON, CONSTRUCTION WORKER'S [CUST: GL NU 99 CT] [REVIEW: 45 82 MD YDI] | A 8415 | / | CT | 10-JAN-91 |
| | DDD-C-001630 | CARPETS AND RUGS, EXTRA HEAVY PILE WEIGHT, WOVEN, TUFTED AND CUSTOM TUFTED SPECIAL PURPOSE | A 7220 | # | FSS | 20-AUG-73 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Avia | ICA | Prep. Acty. | Date |
|---------------------|--|--------------------------|-------|-------------|-----------|
| FFF-D-191D | DENTIFRICE [REVIEW: GL] | A 8520 | % FSS | | 16-APR-75 |
| FFF-C-641D | CREAM, SHAVING AND SOAP, SHAVING [REVIEW: GL MC] | A 8520 | % FSS | | 17-APR-75 |
| GGG-G-15C(1) | GAGE BLOCKS AND ACCESSORIES (INCH AND METRIC) [CUST: GL SH 99] [REVIEW: AS CE CR4 MC OS YD1] | A 5210 | * GL | | 16-AUG-76 |
| GGG-G-17C | GAGE, GENERAL PURPOSE [REVIEW: MJ] | A 5210 | % FSS | | 26-JUN-87 |
| GGG-H-20A | HAMMER, HAND, (BODY AND FENDER, FORGED STEEL HEAD) [CUST: GL SH 99] [REVIEW: YD1] | A 5120 | * GL | | 06-JUL-61 |
| GGG-T-0030(11) | TACKER, STABLE (COMPRESSION TYPE, MANUALLY OPERATED FOR ROUND CROWNED STAPLES) AND STAPLE, TACKER (ROUND CROWNED) | A 5120 | # FSS | | 01-FEB-94 |
| GGG-G-31A | GAGE, MARKING AND MORTISING | A 5210 | # FSS | | 09-DEC-64 |
| GGG-H-33B | HAMMERS, HAND AND MALLET, SURFACE PROTECTIVE; HOLDERS AND ADAPTERS, INSERTED | A 5120 | * FSS | | 29-JAN-96 |
| GGG-L-36A | HAMMER FACE, AND FACES, HAMMER, INSERTED | | | | |
| GGG-S-51E | LADLES, DECK-PAYING | A 5120 | # FSS | | 14-SEP-53 |
| GGG-S-58F | SAW, CIRCULAR, PORTABLE, ELECTRIC [CUST: GL SH 84] [REVIEW: CE GS MC YD1] | A 5130 | * GL | | 14-JUN-95 |
| GGG-T-60A | SAW, RADIAL OVERARM, WOODWORKING [CUST: AT 99 IS] [REVIEW: 84 CG] | A 3220 | / IS | | 12-AUG-93 |
| | TAPS, THREAD CUTTING, CARBON STEEL, HAND CUT THREAD, AMERICAN NATIONAL AND METRIC | A 5136 | * GL | | 24-NOV-70 |
| | THREAD FORM, SCREW AND BOLT [CUST: GL SH 99] [REVIEW: AR MC] | | | | |
| GGG-G-61 | GAGE, PLUG AND RING, PLAIN AND THREAD | A 5220 | / AR | | 23-AUG-32 |
| GGG-P-61A(2) | PARALLEL, STEEL AND CAST-IRON, PRECISION GROUND [CUST: AR 99] [REVIEW: MC SH] | A 5220 | / GS | | 04-JAN-80 |
| GGG-S-62D | SAW, CHAIN, PORTABLE, POWER [CUST: AT YD1 99] [REVIEW: CR GL MC MD] | A 3695 | / GS | | 24-OCT-86 |
| GGG-S-64(2) | SAWS, CROSSCUT, HAND, ONE-MAN AND TWO-MAN [CUST: GL SH 99] | A 5110 | / GL | | 20-AUG-59 |
| GGG-S-0064A | SAW, BOW AND CROSSCUT, ONE-MAN AND TWO-MAN | A 5110 | # FSS | | 20-JUL-66 |
| GGG-S-64(13) | SAWS, CROSSCUT, ONE-MAN AND TWO-MAN [CUST: GL SH] [REVIEW: MC MD YD1] | A 5110 | / GL | | 31-DEC-63 |
| GGG-J-65A(11) | JOINTER, BRICK | A 5120 | # FSS | | 24-JUL-67 |
| GGG-S-65C | SAWS, HAND [CUST: GL 99] [REVIEW: 84] | A 5110 | * FSS | | 25-NOV-92 |
| GGG-T-70B(1) | TAP, THREAD CUTTING, (STANDARD, AMERICAN NATIONAL FORM AND METRIC SPARK PLUG THREAD, HIGH-SPEED STEEL, GROUND THREAD, HAND) [CUST: GL SH 99] | A 5136 | * GL | | 26-JUN-72 |
| GGG-T-0070C(1) | TAP, THREAD CUTTING (HIGH SPEED STEEL, GROUND THREAD, HAND AND SPARK PLUG) | | | | |
| GGG-R-0080 NOT 1 | RAKE (ASPHALT, ROAD) | A 5136 | # FSS | | 26-JUN-72 |
| GGG-C-95A | CALIPER, GENERAL PURPOSE | A 5120 | # FSS | | 05-MAR-65 |
| GGG-B-00101E | BAR: CHISEL, PINCH, PRY, WRECKING, DIGGING, TAMPING, DIGGING AND TAMPING; AND CROWBARS | A 5210 | % FSS | | 26-JUN-87 |
| GGG-C-105C | CALIPER, MICROMETER (INSIDE, OUTSIDE, TUBE) AND GAGE, DEPTH, MICROMETER [REVIEW: 84 GL YD1] | A 5120 | # FSS | | 19-JAN-68 |
| | TAPE, MEASURING, (GENERAL USE) [CUST: YD1 99] [REVIEW: 84] | A 5210 | % FSS | | 15-MAR-65 |
| GGG-T-106F | CALIPERS AND GAGES, VERNIER [CUST: FSS] [REVIEW: GL MC SH] | A 5210 | * FSS | | 12-APR-93 |
| GGG-C-111C | CALKING GUN, BULK AND CARTRIDGE COMPOUNDS [CUST: GL SH 99] [REVIEW: MC YD1] | A 5210 | % FSS | | 12-FEB-87 |
| GGG-C-120B | BAR, SINE, PLATE SINE (AND FIXTURES) [CUST: AR AS 99] | A 5120 | * GL | | 26-DEC-63 |
| GGG-B-121B | SCREWDRIVER AND SCREW STARTER, HAND | A 5220 | * AR | | 04-JUN-64 |
| GGG-S-121F | RESPIRATOR ASSEMBLIES, AIR LINE, WITH FACE PIECE (SUPPLIED AIR) | A 5120 | % FSS | | 20-JAN-92 |
| GGG-M-125/1B NOT 1 | RESPIRATOR ASSEMBLIES, AIR LINE, WITH HELMET (SUPPLIED AIR) | A 4240 | # FSS | | 17-AUG-87 |
| GGG-M-125/2A NOT 1 | RESPIRATOR ASSEMBLIES, AIR LINE, WITH DISPOSABLE HOOD (SUPPLIED AIR) | A 4240 | # FSS | | 17-AUG-87 |
| GGG-M-125/3A NOT 1 | RESPIRATOR ASSEMBLY: HALF MASK, AIR-PURIFYING, CHEMICAL CARTRIDGE (FOR ORGANIC VAPORS) | A 4240 | # FSS | | 17-AUG-87 |
| GGG-M-125/4C | RESPIRATOR ASSEMBLY, HALF MASK, AIR PURIFYING PARTICULATE FILTER (FOR DUSTS, FUMES, & MISTS) | A 4240 | # FSS | | 14-OCT-85 |
| GGG-M-125/5B | RESPIRATOR ASSEMBLY: HALF MASK, AIR-PURIFYING, COMBINATION CHEMICAL CARTRIDGE & FILTER (FOR PAINT SPRAY & ORGANIC VAPORS) | A 4240 | # FSS | | 14-OCT-85 |
| GGG-M-125/6B | RESPIRATOR ASSEMBLY: HALF MASK, AIR-PURIFYING, COMBINATION CHEMICAL CARTRIDGE AND FILTER (FOR PESTICIDES AND ORGANIC VAPORS) | A 4240 | # FSS | | 14-OCT-85 |
| GGG-M-125/7B | RESPIRATOR ASSEMBLY: HALF MASK, AIR PURIFYING PARTICULATE-FILTER (FOR DUSTS AND MISTS) | A 4240 | # FSS | | 14-OCT-85 |
| GGG-M-125/8B | RESPIRATOR ASSEMBLIES, AIR LINE, HOOD AND HELMET, (FOR ABRASIVE BLASTING OPERATIONS) | A 4240 | # FSS | | 17-AUG-87 |
| GGG-M-125/9A NOT 1 | RESPIRATOR ASSEMBLY, HELMET WITH POWERED AIR PURIFYING UNIT | A 4240 | # FSS | | 17-AUG-87 |
| GGG-M-125/10A NOT 1 | RESPIRATOR ASSEMBLY, HELMET WITH POWERED AIR PURIFYING UNIT (PORTABLE BACK&PACK) | A 4240 | # FSS | | 17-AUG-87 |
| GGG-M-125/11A NOT 1 | HATCHET (CLAW, HALF, LATHING, BROAD AND BARREL) [CUST: GL SH 99] | A 5110 | * GL | | 11-JAN-62 |
| GGG-H-131C(3) | HATCHET (CLAW, HALF, LATHING, BROAD AND BARREL) [CUST: GL SH 99] | A 5110 | * GL | | 31-OCT-66 |
| GGG-H-131C(15) | CALKING TOOL, HAND | A 5120 | # FSS | | 25-OCT-66 |
| GGG-C-135A | ADJUSTING TOOL, BRAKE SHOE (SPOON TYPE) [CUST: GL SH 99] [REVIEW: MC YD1] | A 5120 | * GL | | 06-AUG-65 |
| GGG-A-145A | WEDGES, METAL (MAGNESIUM) [REVIEW: 99 AR GL MC] | A 5120 | % FSS | | 16-JUN-52 |
| GGG-W-171 | BENDER, ELECTRICAL CONDUIT, HAND (PORTABLE) [CUST: GL 99] [REVIEW: AR AS OS YD1] | A 5120 | * GL | | 01-APR-64 |
| GGG-B-175A | WEDGES, TOOL HANDLE [CUST: GL 99] [REVIEW: YD1] | A 5120 | * GL | | 04-APR-91 |
| GGG-W-181B | BENDER, TUBE, HAND, (PORTABLE) [CUST: GL SH 99] [REVIEW: 84 MC YD1] | A 5120 | * GL | | 04-MAY-92 |
| GGG-B-191C | WEDGE, METAL: JOINTING AND BREAKING [CUST: GL 99] [REVIEW: AR] | A 5120 | * GL | | 06-JUN-90 |
| GGG-W-201B | NEEDLE, SAILMAKER S [CUST: GL NU 99 CT] | A 8315 | / CT | | 01-FEB-88 |
| GGG-N-202C NOT 1 | BEVEL, SLIDING T, UNIVERSAL AND SHIP CARPENTERS | A 5210 | % FSS | | 05-APR-67 |
| GGG-B-211B(1) | LEVELS AND PLUMBS, AND LEVELS [CUST: 99] [REVIEW: CR4] | A 5210 | % FSS | | 23-SEP-88 |
| GGG-L-211D(1) | SHEARS AND SCISSORS [CUST: GL 99] [REVIEW: 82 MC] | A 5110 | * GL | | 14-MAR-94 |
| GGG-S-278B | DIES, METAL STAMPING, HAND, STEEL, AND DIE SET, LEATHER STAMPING, HAND (LETTER AND NUMERAL) | A 5110 | # FSS | | 14-JAN-66 |
| GGG-D-280C | CHALK LINE AND REEL (SELF-CHALKING) | A 5210 | % FSS | | 01-MAR-63 |
| GGG-C-291A | DIE, THREADCUTTING AND RETHREADING, COLLET, THREADING DIE, AND DIESTOCK (BOLT AND SCREW THREADING, UNIFIED, AMERICAN NATIONAL AND METRIC FORM THREADS) [CUST: GL 99] [REVIEW: CE MC YD1] | A 5136 | * GL | | 09-AUG-74 |
| GGG-D-296B(1) | CHISELS AND GOUGES, WOODWORKING | | | | |
| GGG-C-311C | CHISEL, HAND, CAPE, DIAMOND POINT, COLD, ROUND NOSE, AND SIDE CUTTING [REVIEW: 99 MC MR SH YD1] | A 5110 | # FSS | | 23-JUL-74 |
| GGG-C-313D | BINDER, LOAD [CUST: AT SA] [REVIEW: GS SH YD1] | A 5110 | % FSS | | 27-SEP-95 |
| GGG-B-325B | BINDER, LOAD | A 3990 | * AT | | 17-JUL-87 |
| GGG-B-00325C | DIGGER, POSTHOLE, HINGED [CUST: GL SH 99] [REVIEW: YD1] | A 3990 | / AT | | 07-JUL-87 |
| GGG-D-326C | SHOVELS, SCOOPS, SPADES, SNOW PUSHERS, AND TELEGRAPH SPOONS [CUST: GL SH 99] [REVIEW: 84] | A 5120 | * GL | | 26-MAR-64 |
| GGG-S-326E | THREADING SET, SCREW [CUST: GL 99] [REVIEW: YD1] | A 5120 | * GL | | 14-AUG-96 |
| GGG-T-330B | PIKE POLE | A 5180 | * GL | | 17-AUG-67 |
| GGG-P-00335A | MIRROR, INSPECTION [CUST: GL SA 99] | A 5120 | # FSS | | 24-APR-70 |
| GGG-M-350B | | A 5120 | * GL | | 16-JUL-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------|---|--------------------------|-----|-------------|-----------|
| | GGG-T-350B | TIRE LOCK RING TOOL, TIRE REMOVING TOOL, AND TIRE IRON | A 5120 | # | FSS | 28-JAN-66 |
| | GGG-B-351B | BIN, STORAGE AND DISPLAY, ROTARY [REVIEW: AR GL MC SA] | A 7125 | % | FSS | 18-OCT-63 |
| | GGG-F-360E | FINGER, MECHANICAL, AND RETRIEVER TOOL, MAGNETIC [CUST: GL] | A 5120 | * | GL | 16-JUL-96 |
| | GGG-B-383C | BITS, WOOD-BORING; AND CHISELS, MORTISING, HOLLOW [CUST: GL 99] [REVIEW: CE CR4 MC YD1] | A 5133 | % | FSS | 07-FEB-96 |
| | GGG-R-400D | RIVET, SET, HAND | A 5120 | # | FSS | 21-JAN-65 |
| | GGG-V-410B | WISE, BENCH, CLAMP BASE; SHEET METAL-WORKER'S; BENCH AND PIPE; JEWELER'S; MACHINIST'S; AND MULTIPOSITION [CUST: GL SH 69] [REVIEW: MC MI YD1] | A 5120 | * | SH | 10-DEC-93 |
| | GGG-V-412B | WISE: HAND; PIN; WIRE ROPE SPLICING; AND SQUARE END SAWING, TUBE [CUST: GL 99] [REVIEW: 82] | A 5120 | * | GL | 07-MAR-94 |
| | GGG-C-414A | CLAMP, WIRE SPLICING | A 5120 | # | FSS | 27-APR-65 |
| | GGG-C-415A | CLAW, TACK | A 5120 | # | FSS | 08-JUN-65 |
| | GGG-R-425B | RIVET SETS, PNEUMATIC TOOL [CUST: GL SH 99] | A 5130 | * | GL | 20-FEB-74 |
| | GGG-C-430A | CLEANER, VALVE, STEM GUIDE | A 5110 | # | FSS | 24-MAR-67 |
| | GGG-B-440B(1) | BLADE, CIRCULAR SAW, WOODCUTTING | A 3230 | % | FSS | 01-NOV-68 |
| | GGG-P-441A | PLATE, ANGLE, ADJUSTABLE AND SOLID | A 5220 | % | FSS | 09-APR-65 |
| | GGG-A-00450 | ALIGNMENT TOOL, ELECTRIC EQUIPMENT | A 5120 | # | FSS | 13-APR-64 |
| | GGG-A-450A | ALIGNMENT TOOL, ELECTRONIC EQUIPMENT [CUST: GL 99] [REVIEW: 84] | A 5120 | * | GL | 10-DEC-93 |
| | GGG-K-450C | KNIFE, CRAFTSMAN'S, MULTIPURPOSE (STENCIL, ETCHING, AND CUTTING, REMOVABLE BLADES) | A 5110 | # | FSS | 05-APR-96 |
| A | GGG-B-451D | BLADE, HAND HACKSAW AND BLADE, POWER HACKSAW [CUST: FSS] [REVIEW: 69 99 GL MI SH] | A 5110 | % | FSS | 31-JAN-68 |
| | GGG-B-451D(11) | BLADE, HAND HACKSAW AND BLADE, POWER HACKSAW | A 5110 | % | FSS | 29-JAN-69 |
| | GGG-F-451D | FLARING TOOL, TUBE HAND [CUST: GL 99] [REVIEW: 84 AT AV CE CR4 MC YD1] | A 5120 | * | FSS | 16-NOV-92 |
| A | GGG-M-451C NOT 1 | MITER BOX, WOODWORKERS (NO S/S DOCUMENT) [CUST: GL SH 99 FSS] | A 5110 | * | FSS | 10-NOV-97 |
| | GGG-P-453A(1) | PLATE, SURFACE, CAST IRON [CUST: AR 99] [REVIEW: MC OS] | A 5220 | / | GS | 23-APR-79 |
| | GGG-B-461A | BLOCK, STEP, MACHINISTS [CUST: AR 99] [REVIEW: GS] | A 5220 | * | AR | 17-AUG-66 |
| | GGG-P-463C(1) | PLATE, SURFACE, (GRANITE) (INCH AND METRIC) [CUST: AR 99] [REVIEW: MI SH] | A 5220 | * | AR | 15-JUN-77 |
| | GGG-B-471B | BLADE, COPING SAW, AND BLADE, JEWELERS SAW [CUST: GL 99] [REVIEW: AR MC YD1] | A 5110 | * | GL | 03-SEP-64 |
| | GGG-K-471C | KNIFE, DRAW | A 5110 | # | FSS | 25-APR-63 |
| | GGG-P-471E | PLIERS, PLIERS, SLIP JOINT [REVIEW: CR4 GL] | A 5120 | % | FSS | 06-APR-76 |
| | GGG-P-00474 | PLIERS, HOG RING STAPLE (UPHOLSTERER S), BRAKE REPAIR (BRAKE SPRING), AND HOSE (WIRE) | A 5120 | # | FSS | 11-MAY-67 |
| | GGG-C-475B | CLIPPER, HAIR, HAND [CUST: GL SA 99 GS] [REVIEW: CG MC MD MS] | A 3590 | / | GS | 23-OCT-73 |
| | GGG-P-00477A | PLIER, SLIP JOINT (LINE CLAMP) | A 5120 | # | FSS | 23-MAY-67 |
| | GGG-K-481D | KNIFES, CRAFTSMAN'S, (HAWKBILL, SHOE, CHIPPING) PUTTY AND SCRAPING [CUST: QM SH 99] | A 5120 | % | FSS | 20-JUL-95 |
| | GGG-B-490F | BLOCKS, TACKLE (MANILA AND NYLON ROPE) [CUST: CR4 99] [REVIEW: 84 IS SH YD1] | A 3940 | / | GS | 13-APR-92 |
| | GGG-B-500C | BLOCK, TACKLE, (WIRE-ROPE) [CUST: CR4 YD1 84] [REVIEW: IS SM] | A 3940 | / | GS | 11-OCT-83 |
| | GGG-P-501F | PLUMB BOB [REVIEW: CR4 MC YD1] | A 5210 | % | FSS | 26-AUG-63 |
| | GGG-T-558D | TOOL BOX, PORTABLE; GENERAL SPECIFICATION FOR [CUST: GL 99] [REVIEW: 84 AT CR4 MC YD1] | A 5140 | * | FSS | 19-OCT-92 |
| | GGG-T-558/2C | TOOL BOX, PORTABLE (GENERAL TYPE) [CUST: GL 99] [REVIEW: AR AT AV MC MD YD1] | A 5140 | * | FSS | 19-OCT-92 |
| | GGG-T-558/3C | TOOL BOX, PORTABLE (SHIPFITTER'S TYPE) [CUST: GL 99] [REVIEW: MC MD YD1] | A 5140 | * | FSS | 19-OCT-92 |
| | GGG-T-558/4C | TOOL BOX, PORTABLE (CARPENTER'S TYPE) [CUST: GL 99] [REVIEW: MC MD] | A 5140 | * | FSS | 19-OCT-92 |
| | GGG-T-558/5B | TOOL BOX, PORTABLE (MECHANICS CHEST TYPE) [CUST: GL 99] [REVIEW: AR AT AV CR4 MC MD YD1] | A 5140 | * | FSS | 19-OCT-92 |
| | GGG-T-558/6B | TOOL BOX, PORTABLE (GENERAL, TWO-HANDLE TYPE) [CUST: GL 99] [REVIEW: AR AT CR4 MC MD YD1] | A 5140 | * | FSS | 19-OCT-92 |
| | GGG-T-558/7C | TOOL BOX, PORTABLE (MACHINISTS', TILL-IN-TOP) [CUST: GL 99] [REVIEW: MC MD YD1] | A 5140 | * | FSS | 19-OCT-92 |
| | GGG-T-558/9C | TOOL BOX, PORTABLE (HELICAL THREAD REPAIR) [CUST: GL 99] [REVIEW: AR AT AV CR4 MC MD] | A 5140 | * | FSS | 19-OCT-92 |
| | GGG-T-00559(2) | TOOL KIT, LEATHERCRAFT | A 5180 | # | FSS | 07-JUN-68 |
| | GGG-T-563A(4) | TOOLS BLACKSMITH'S (CHISELS, FLATTERS, FULLERS, HARDIES, BOLT HEADING TOOLS, PUNCHES AND SWAGES) [CUST: GL 99] | A 5110 | * | GL | 02-APR-64 |
| | GGG-T-00563B(1) | TOOLS, BLACKSMITHS' (CHISELS, FLATTERS, FULLERS, HARDIES, BOLT HEADING TOOLS, PUNCHES, AND SWAGES) | A 5120 | # | FSS | 27-MAY-68 |
| | GGG-H-570A | HOLDER AND GUIDE, DRIVE PIN [CUST: GL SH 99] | A 5120 | # | GL | 19-JAN-65 |
| | GGG-H-575 | HOLDER, SHEET METAL, HOLE AND EDGE GRIP [CUST: AS] [REVIEW: GL] | A 5120 | / | AS | 10-NOV-66 |
| | GGG-A-576C | ANVILS, BLACKSMITHS' | A 5120 | % | FSS | 07-MAR-94 |
| | GGG-T-581B | TAPS, DIES, DIESTOCKS, AND THREADING SET-PIPE THREADING, HAND [CUST: GL 99] [REVIEW: AR CR4 MC YD1] | A 5136 | * | GL | 17-OCT-62 |
| | GGG-T-581B(11) | TAPS, DIES, DIESTOCKS, AND THREADING SET-PIPE THREADING, HAND | A 5136 | # | FSS | 09-SEP-64 |
| | GGG-C-613D | COUNTERSINKS, & COUNTERSINKS & DRILLS | A 5133 | # | FSS | 28-SEP-73 |
| | GGG-D-631C | DRESSER, ABRASIVE WHEEL, HAND, REVOLVING CUTTER TYPE [CUST: GL SH 99] [REVIEW: YD1] | A 5120 | * | GL | 09-JAN-75 |
| | GGG-W-636E | WRENCH, (BOX, OPEN END, AND COMBINATION) [REVIEW: CR4 MC YD1] | A 5120 | % | FSS | 13-JAN-75 |
| | GGG-W-641E | WRENCH, SOCKET (AND SOCKETS, HANDLES, AND ATTACHMENTS FOR SOCKET WRENCHES, HAND) | A 5120 | # | FSS | 16-JAN-75 |
| | GGG-P-643A | PULLER KIT, MECHANICAL [CUST: GL 84] [REVIEW: AR AS AT AV CG CR4 OS YD1] | A 5120 | / | 84 | 17-JUL-68 |
| | GGG-P-643A(11) | PULLER KIT, MECHANICAL [CUST: FSS] | A 5120 | # | FSS | 04-FEB-69 |
| | GGG-W-644C | WRENCH, SOCKET (WHEEL NUT) [CUST: GL YD1] [REVIEW: AR CE MC] | A 5120 | / | YD1 | 30-APR-92 |
| | GGG-W-00645B(1) | WRENCH, OPEN END BOX (AND BOX COMBINATION, CROWFOOT, RATCHET, AND RATCHET CROWFOOT) | A 5120 | # | FSS | 12-SEP-68 |
| | GGG-W-648B | WRENCH, LINEMAN'S [CUST: GL YD1] [REVIEW: AR CE] | A 5120 | / | YD1 | 30-APR-92 |
| | GGG-W-00649 | WRENCH, PLIER, CLAMP, PLIER, AND PLIER, TUBING PINCH | A 5120 | # | FSS | 11-JAN-66 |
| | GGG-D-650B | DRILL, MASONRY, ROTARY DRIVEN (CORELESS) | A 5130 | # | FSS | 31-AUG-67 |
| | GGG-W-651E | WRENCH, PIPE WRENCH AND BASIN WRENCH [CUST: GL SH 99] [REVIEW: MC MI] | A 5120 | * | GL | 20-AUG-62 |
| | GGG-W-653B | WRENCH, RATCHET, REVERSIBLE [CUST: GL SH 99] [REVIEW: AS YD1] | A 5120 | * | GL | 12-MAR-64 |
| | GGG-S-656E | SQUARES, CARPENTERS', DIEMAKERS', AND MACHINISTS' | A 5210 | % | FSS | 29-JAN-96 |
| | GGG-W-657C | WRENCH, SOCKET (SPIN TYPE, SCREWDRIVER GRIP) [REVIEW: AV GL SH] | A 5120 | % | FSS | 12-FEB-76 |
| | GGG-W-660A | SOCKET, SOCKET WRENCH AND ATTACHMENTS (FOR POWER DRIVEN IMPACT WRENCHES) [CUST: GL SH 99] [REVIEW: CR4 MC MI YD1] | A 5130 | * | GL | 19-SEP-73 |
| | GGG-T-661B(1) | TRAMMELS AND TRAMMEL POINTS [REVIEW: AR GL YD1] | A 5210 | % | FSS | 13-OCT-66 |
| | GGG-S-665C | STRIPPER, CABLE, HAND, AND STRIPPER, WIRE, HAND [CUST: GL SH 99] | A 5110 | * | GL | 20-AUG-63 |
| A | GGG-W-665C | WRENCH, SPANNER [CUST: GL SH 99] [REVIEW: CR4 MC MI YD1] | A 5120 | * | GL | 27-MAR-96 |
| | GGG-B-671F | BRACE, BIT, RATCHET, BRACE, CORNER, AND EXTENSIONS, BIT [CUST: GL 99] [REVIEW: AV CR4 YD1] | A 5110 | * | GL | 11-FEB-76 |
| | GGG-F-671B(4) | FRAME, HAND HACKSAW; FRAME, JEWELER'S SAW; AND FRAME, COPING SAW [CUST: GL SH 99] | A 5110 | * | GL | 09-AUG-60 |
| | GGG-F-671B(15) | FRAME, HAND HACKSAW; FRAME, JEWELER'S SAW; AND FRAME, COPING SAW [CUST: GL SH 99] | A 5110 | * | GL | 27-SEP-63 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/NSA | NSA Prep. Acty. | Date |
|------------|-----------------|--|-------------------------|--------------------|-----------|
| | GGG-I-671A | IRON, CALKING, WOOD | A 5120 | # FSS | 21-APR-53 |
| | GGG-T-671C | TROWELS [CUST: GL 99] [REVIEW: 84 AT MC] | A 5120 | * GL | 11-MAY-92 |
| | GGG-W-680A(2) | WRENCH, TAP AND REAMER, ADJUSTABLE [CUST: GL 99] [REVIEW: AR MC MI YD1] | A 5120 | * GL | 18-JUL-73 |
| | GGG-W-686E | WRENCH, TORQUE, UNIDIRECTIONAL [CUST: GL SH 99] [REVIEW: 30 MC] | A 5120 | / 84 | 30-MAY-94 |
| | GGG-D-691B | DRILL, MASONRY, HAND AND HOLDER, MASONRY DRILL HAND [CUST: GL SH 99] | A 5110 | * GL | 27-SEP-62 |
| | GGG-D-694A(2) | DRILL, MASONRY, ROTARY DRIVEN [CUST: GL SH 99] [REVIEW: YD1] | A 5130 | * GL | 18-NOV-63 |
| | GGG-D-694A(13) | DRILL, MASONRY, ROTARY DRIVEN | A 5130 | # FSS | 15-OCT-69 |
| | GGG-S-731 | STAKES, SHEET METALWORKING; AND PLATE, BENCH STAKEHOLDER [CUST: GL SH 99] [REVIEW: YD1] | A 5120 | * GL | 31-MAY-56 |
| | GGG-S-00731A | STAKES, SHEET METALWORKING; AND PLATE, BENCH STAKEHOLDER | A 5120 | # FSS | 03-AUG-67 |
| | GGG-S-731(13) | STAKES, SHEET METALWORKING; AND PLATE, BENCH STAKEHOLDER | A 5120 | # FSS | 20-JUL-61 |
| | GGG-S-740B | STAND, PIPE VISE, AND VISES AND STANDS, PIPE [CUST: GL SH 99] [REVIEW: YD1] | A 5120 | * GL | 05-NOV-87 |
| | GGG-C-744B | CUTTER AND FLARING TOOL KIT, TUBE, HAND; CUTTER, FLARING AND BENDER TOOL KIT, TUBE HAND [CUST: GL SH 99] [REVIEW: YD1] | A 5180 | * GL | 27-MAR-96 |
| | GGG-C-750A | CUTTER, CABLE, HAND OPERATED, LIGHT DUTY | A 5110 | # FSS | 16-NOV-65 |
| | GGG-D-751D | DRILLS, TWIST (TAPER-SQUARE STRAIGHT, AND TAPER-ROUND SHANKS) [CUST: 99] [REVIEW: AR AS MC MI OS YD1] | A 5133 | * FSS | 19-JAN-89 |
| | GGG-G-770B | GUN, AIR BLOW, (BLAST CLEANING) | A 4940 | # FSS | 09-MAY-73 |
| | GGG-G-770B(11) | GUN, AIR BLOW, (BLAST CLEANING) | A 4940 | # FSS | 20-JAN-75 |
| | GGG-C-771D | CUTTERS, PIPE; AND CUTTERS, TUBE [CUST: GL SH 99] [REVIEW: YD1] | A 5110 | * GL | 31-JAN-64 |
| | GGG-C-771D(11) | CUTTERS, PIPE; AND CUTTERS, TUBE | A 5110 | # FSS | 27-AUG-64 |
| | GGG-S-775A(2) | STUD REMOVER AND SETTER [CUST: GL SH 99] [REVIEW: MC YD1] | A 5120 | * GL | 11-JAN-65 |
| | GGG-P-781E | PULLER, MECHANICAL PULLER ATTACHMENT, MECHANICAL, AND PULLER SET, MECHANICAL [CUST: SH 84] [REVIEW: 85 AS MC OS YD1] | A 5120 | * 84 | 31-MAR-96 |
| | GGG-B-785B | BURNISHERS, CONTACT, H AND (AND BLADES) | A 5120 | # FSS | 06-OCT-87 |
| | GGG-R-791H | RULES, MEASURING [CUST: 99] [REVIEW: GL MC MI YD1] | A 5210 | * 84 | 19-JUL-94 |
| | GGG-L-795E | LUBRICATING UNIT, POWER OPERATED, AND PUMPING UNITS, PRESSURE LUBRICATING, DRUM MOUNTING [CUST: AT SH 99] [REVIEW: CC MC] | A 4930 | / AT | 21-FEB-90 |
| | GGG-A-821D | AUGER, PIPE AND SEWER, HAND; AND AUGER, WATER-CLOSET, HAND [CUST: GL 99] [REVIEW: YD1] | A 5120 | * GL | 15-MAY-89 |
| | GGG-S-00825A | SWAGING TOOL, FLEXIBLE CABLE TERMINAL | A 5130 | # FSS | 25-JAN-71 |
| | GGG-P-831F | PUNCHES, CENTER, DRIVE PIN, ALIGNING, AND PRICK | A 5120 | % FSS | 10-APR-95 |
| | GGG-P-833B | PUNCHES, CUTTING | A 5110 | # FSS | 20-JUN-94 |
| | GGG-C-835A | CUTTER, STEEL STRAPPING [CUST: GL SH 99] [REVIEW: AR MC YD1] | A 5110 | * GL | 04-SEP-63 |
| | GGG-C-00835B | CUTTER, STEEL STRAPPING | A 5110 | # FSS | 27-OCT-70 |
| | GGG-C-835A(12) | CUTTER, STEEL STRAPPING | A 5110 | # FSS | 21-JUL-66 |
| | GGG-P-836A | PUNCH AND DIE, KNOCKOUT [CUST: GL 99] [REVIEW: 84] | A 5110 | * GL | 05-APR-95 |
| | GGG-P-840B | PUNCHES AND DIES, AND PUNCH AND DIE SETS: METAL CUTTING, HAND; AND PUNCH, CLIP, SHEET METAL [CUST: GL 99] [REVIEW: 84] | A 5110 | * GL | 07-MAR-94 |
| | GGG-T-870A | TWEEZERS, CRAFTSMAN'S [CUST: GL SH 99] | A 5120 | * GL | 11-JUL-57 |
| | GGG-T-00870B(1) | TWEEZERS, CRAFTSMAN'S | A 5120 | # FSS | 02-MAY-67 |
| | GGG-T-870A(12) | TWEEZERS, CRAFTSMAN'S [CUST: GL SH 99] | A 5120 | * GL | 20-JUN-63 |
| | GGG-A-891B | AWLS [CUST: GL 99] [REVIEW: 84 MC YD1] | A 5120 | * GL | 21-JUN-90 |
| | GGG-A-926C | AX, (SINGLE BIT, DOUBLE BIT, PICK HEAD AND MATTOCK HEAD) [CUST: AV SH 99] [REVIEW: AT GL YD1] | A 5110 | * AV | 13-JUL-61 |
| | GGG-A-926C(12) | AX, (SINGLE BIT, DOUBLE BIT, PICK HEAD AND MATTOCK HEAD) | A 4210 | # FSS | 20-SEP-68 |
| | GGG-E-926B | EXTRACTOR, COTTER-PIN [CUST: GL SH 99] [REVIEW: AR] | A 5120 | * GL | 18-SEP-63 |
| | GGG-E-00926C | EXTRACTOR, COTTER PIN | A 5120 | # FSS | 14-MAR-68 |
| | GGG-E-00930 | EXTRACTOR, ELECTRON TUBE (TONG TYPE) | A 5120 | # FSS | 20-DEC-63 |
| | GGG-E-950A | EXTRACTOR, STUFFING BOX AND PUMP PACKING (AND TAMPER), AND EXTRACTOR, LANTERN GLAND [CUST: GL 99] [REVIEW: AR MC YD1] | A 5120 | * GL | 28-FEB-88 |
| | GGG-B-001222 | BIT, SCREWDRIVER (AND ADAPTER, SCREWDRIVER BIT) | A 5120 | # FSS | 11-OCT-67 |
| | GGG-T-001310 | TAPE, FISH, STEEL | A 5120 | # FSS | 27-DEC-67 |
| | GGG-W-001405(1) | WRENCH, BOX (RATCHETING) | A 5120 | # FSS | 04-MAR-68 |
| A | GGG-S-1408A | SCREWDRIVER, RATCHET, RIGHT ANGLE OFFSET, RIGHT AND LEFT HAND TURNING [CUST: GL SH 84] | A 5120 | * GL | 15-MAR-73 |
| | GGG-S-1408A(12) | SCREWDRIVER, RATCHET, RIGHT ANGLE OFFSET | A 5120 | # FSS | 20-APR-76 |
| | GGG-C-1507A | CROWFOOT ATTACHMENT, SOCKET WRENCH [REVIEW: GL] | A 5120 | % FSS | 05-SEP-73 |
| | GGG-C-001507B | CROWFOOT ATTACHMENT, SOCKET WRENCH | A 5120 | # FSS | 01-OCT-92 |
| | GGG-J-1564C | JACKS, DOLLY TYPE, HYDRAULIC, AUTOMOTIVE [CUST: AL YD1 99 CC] [REVIEW: 82 AT CR4] | A 4910 | / CC | 31-MAR-92 |
| | GGG-L-1763 | LABELING MACHINES [CUST: GL SA 99] [REVIEW: MD SM] | A 3540 | * GL | 15-FEB-74 |
| | GGG-C-2794 | CUPS, OIL, LUBRICATING, AND OILERS, SELF-FEEDING [CUST: CR4 YD1 99] [REVIEW: 82 AR AS CC MC] | A 4730 | / YD1 | 10-APR-92 |
| | GGG-W-2843 | WRENCH, MICROMETER, TORQUE [CUST: GL SH 99] [REVIEW: 30 MC] | A 5120 | * GL | 07-MAY-93 |
| | KKK-W-291F | WHEELBARROW [CUST: AT] [REVIEW: GL MC] | A 3920 | / GS | 15-JAN-85 |
| | KKK-L-370D | LINING, FRICTION, (CLUTCH AND BRAKE, METALLIC, METAL-CERAMIC AND SEMIMETALLIC [CUST: AT YD1] [REVIEW: AR] | A 2520 | * CC | 16-JUN-88 |
| A | KKK-T-631F | TRACTOR, FULL-TRACKED, LOW SPEED (DIESEL-ENGINE-DRIVEN) [CUST: CR4 YD1 99 CC] [REVIEW: AT MC] | A 2410 | / CC | 14-FEB-94 |
| A | KKK-T-642B | TRACTOR, WHEELED, GENERAL PURPOSE INDUSTRIAL (DIESEL-ENGINE-DRIVEN) [CUST: CR4 99] [REVIEW: AT MC] | A 2420 | / CC | 30-DEC-92 |
| | KKK-T-654D | TRUCK, DOLLY (ROLLER) [CUST: AT SA 99] [REVIEW: 84] | A 3920 | / GS | 20-MAY-85 |
| | KKK-T-683E | TRUCK, HAND, TWO WHEELED [CUST: AT SA 99] [REVIEW: CE MC MD SM] | A 3920 | / GS | 06-JAN-87 |
| | KKK-T-728A | TRUCK, HAND, TWO-WHEELED (LIGHT DUTY) 300 POUND CAPACITY [CUST: AT YD1 99] [REVIEW: GL GS SH SM] | A 3920 | * AT | 02-FEB-73 |
| | KKK-L-1542D | LOADER, SCOOP TYPE, ARTICULATED, FOUR-WHEEL DRIVE [CUST: YD1 IS] [REVIEW: CC] | A 3805 | / IS | 01-FEB-96 |
| | KKK-A-1822C | AMBULANCE EMERGENCY MEDICAL CARE SURFACE VEHICLE [CUST: AT 99] | A 2310 | * AT | 01-JAN-90 |
| | KKK-T-001985 | TRUCK, LIGHT, COMMERCIAL, ELECTRIC POWERED, FRONT OR REAR WHEEL DRIVEN (4 X 2, 500 TO 3000 POUNDS MAXIMUM PAYLOAD) | A 2320 | # FSS | 01-SEP-77 |
| | KKK-S-2777 | SNOWPLOWS, TRUCK MOUNTED, DISPLACEMENT TYPE, 36,000 GVWR, 4 BY 4 [CUST: CR4 YD1 IS] [REVIEW: AV] | A 3825 | / IS | 24-FEB-92 |
| | KKK-R-2800 | RAILWAY CAR SPOTTER, SELF-PROPELLED, GED OR DED [CUST: CR4 YD1 99] [REVIEW: 84 MT] | A 2210 | / YD1 | 22-NOV-93 |
| | KKK-A-2809 | AUGER, EARTH, TRUCK-MOUNTED, 4 BY 4, DIESEL ENGINE DRIVEN, 28,000 LB MINIMUM GVW, WITH POLE SETTER AND WIRE REEL [CUST: YD1] | A 3820 | / YD1 | 23-APR-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|----------------------|---|-----------------------|-----|-------------|-----------|
| | KKK-T-2893 | TRUCK, AMMUNITION HANDLING: STAKE AND PLATFORM BODY, 24,000 POUNDS GVW, 4 BY 2 OR 4 BY 4 [CUST: AT YD1] | A 2320 | / | YD1 | 14-MAR-97 |
| | KKK-T-2921 | TRAILER, CABLE REEL [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2330 | / | YD1 | 14-APR-97 |
| | KKK-S-2922 | SEMITRAILER, VAN; COMMERCIAL (FURNITURE, PERSONNEL, REFRIGERATOR, CARGO, AND SIDE CURTAIN) 7 TO 35 TON [CUST: AT YD1] [REVIEW: MC] | A 2330 | / | YD1 | 21-APR-97 |
| | LLL-M-71B NOT 1 | MALLETS AND MAULS, WOOD [CUST: GL SH 99] | A 5120 | * | GL | 19-DEC-63 |
| | LLL-M-71B(11) | MALLETS AND MAULS, WOOD | A 5120 | # | FSS | 03-NOV-67 |
| | LLL-B-211(1) | BELLOWS, HAND; FOUNDRY, SECTION 4 (PART 5) [REVIEW: GL] | A 5120 | % | FSS | 04-DEC-50 |
| | LLL-C-251A | CHARCOAL, WOOD [REVIEW: DS] | A 9110 | # | FSS | 26-AUG-69 |
| | LLL-L-354C | LINOLEUM; DESK TOP | A 7220 | # | FSS | 27-APR-67 |
| | LLL-L-354C(11) | LINOLEUM; DESK TOP | A 7220 | # | FSS | 03-SEP-68 |
| | LLL-B-800B | BUILDING BOARD (WOOD PARTICLEBOARD) HARD PRESSED, VEGETABLE FIBER | A 5640 | # | FSS | 20-AUG-74 |
| | MMM-A-110B(1) NOT 1 | ADHESIVE, ASPHALT, CUT-BACK TYPE (FOR ASPHALT AND VINYL ASBESTOS TILES) [CUST: MR AS 99] [REVIEW: AR] | A 8040 | * | MR | 10-FEB-87 |
| | MMM-A-110B(12) | ADHESIVE, ASPHALT, CUT-BACK TYPE (FOR ASPHALT AND VINYL ASBESTOS TILES) | A 8040 | # | FSS | 12-JAN-76 |
| A | MMM-A-115C | ADHESIVE, ASPHALT, WATER EMULSION TYPE (FOR ASPHALT AND VINYL ASBESTOS TILE) [CUST: MR YD1 FSS] [REVIEW: GL] | A 8040 | % | FSS | 06-AUG-79 |
| | MMM-A-121 | ADHESIVE, BONDING VULCANIZED SYNTHETIC RUBBER TO STEEL [CUST: MR SH] [REVIEW: AR AS DS GL MI OS] | A 8040 | / | SH | 24-JUL-89 |
| | MMM-A-132B | ADHESIVES, HEAT RESISTANT, AIRFRAME STRUCTURAL, METAL TO METAL [CUST: MR AS 11] [REVIEW: 11 99 AR CR4 MC MI NA OS] | A 8040 | / | AS | 01-APR-94 |
| | MMM-A-134 | ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING [CUST: MR AS 11] [REVIEW: AV CG CR4 GL OS] | A 8040 | / | AS | 17-AUG-70 |
| | MMM-A-138B NOT 1 | ADHESIVE, METAL TO WOOD, STRUCTURAL [CUST: MR AS 99] [REVIEW: CR MC] | A 8040 | / | AS | 05-NOV-91 |
| | MMM-A-139B NOT 1 | ADHESIVE, NATURAL OR SYNTHETIC NATURAL RUBBER [CUST: MR AS 11] [REVIEW: 84 AT AV CR4 GL MC OS SH YD1] | A 8040 | / | AS | 05-NOV-91 |
| | MMM-A-181D | ADHESIVES, PHENOL, RESORCINOL OR MELAMINE BASE [CUST: MR YD1 99] [REVIEW: AS CR DS GL MC MD MI OS SH] | A 8040 | / | MR | 02-AUG-89 |
| A | MMM-A-182A NOT 1 | ADHESIVE, RUBBER [CUST: EA FSS] [REVIEW: CR4 MD MI MR SM] | A 8040 | / | FSS | 23-SEP-88 |
| | MMM-A-185B NOT 1 | ADHESIVE, RUBBER (FOR PAPER BONDING) [CUST: MR AS 99] [REVIEW: MC] | A 8040 | * | AS | 30-SEP-92 |
| | MMM-A-185B(12) NOT 1 | ADHESIVE, RUBBER (FOR PAPER BONDING) [CUST: AS] | A 8040 | * | AS | 30-SEP-92 |
| | MMM-A-189C NOT 1 | ADHESIVE, SYNTHETIC-RUBBER, THERMOPLASTIC, GENERAL-PURPOSE [CUST: MR 84] [REVIEW: CR4 MD MI] | A 8040 | / | MR | 29-MAR-91 |
| | MMM-A-250C(1) | ADHESIVE, WATER-RESISTANT (FOR CLOSURE OF FIBERBOARD BOXES) [CUST: MR 99] [REVIEW: CR4 DP GL IS MC MD OS SH SM SS] | A 8040 | / | MR | 02-AUG-89 |
| | MMM-A-260C NOT 1 | ADHESIVE, WATER-RESISTANT, (FOR SEALING WATERPROOFED PAPER) [CUST: MR AS 11] [REVIEW: 69 CR4 DS EA GL MC OS SM SS YD1] | A 8040 | / | MR | 29-MAR-91 |
| | MMM-A-1058A | ADHESIVE, RUBBER BASE, (IN PRESSURIZED DISPENSERS) [CUST: AS 11] [REVIEW: MR SH] | A 8040 | * | AS | 16-JAN-75 |
| | MMM-A-1058A(12) | ADHESIVE, RUBBER (IN PRESSURIZED DISPENSERS) [CUST: AS] | A 8040 | / | AS | 30-JUN-95 |
| | MMM-A-1617B | ADHESIVE, RUBBER BASE, GENERAL PURPOSE [CUST: MR AS 99] [REVIEW: 11 AT CR4 DS EC GL MC MI OS SM YD1] | A 8040 | / | AS | 10-FEB-95 |
| | MMM-A-1754 | ADHESIVE AND SEALING COMPOUND, EPOXY, METAL FILLED [CUST: MR AS 99] [REVIEW: AR AV MC OS] | A 8040 | * | AS | 01-JUL-73 |
| | MMM-A-1931 | ADHESIVE, EPOXY, SILVER FILLED, CONDUCTIVE [CUST: MR AS 99] [REVIEW: AR CR] | A 8040 | * | AS | 19-SEP-75 |
| | MMM-A-2048 | ADHESIVE, FIRE-RESISTANT, THERMAL INSULATION | A 8040 | # | FSS | 01-APR-78 |
| | NNN-B-300A | BLOOD COLLECTING CULTURE UNIT, LABORATORY [CUST: MD MS 03] | A 6630 | / | MB | 19-AUG-77 |
| | NNN-D-345A | DISH, EVAPORATING, PLATINUM [CUST: EA MS 99] | A 6640 | / | EA | 11-JAN-63 |
| | NNN-M-560 | MORTAR AND PESTLE [CUST: EA MS 99] [REVIEW: CE MD] | A 6640 | / | EA | 26-OCT-62 |
| | NNN-C-00680A | CRUCIBLES, FILTERING AND IGNITION, AND COVERS, LABORATORY [CUST: MD MS 03] | A 6640 | / | MB | 24-MAY-72 |
| | NNN-T-001300 | TUBE, BLOOD COLLECTING, VACUUM, STERILE [CUST: MD MS 03] | A 6630 | / | MB | 31-OCT-69 |
| | NNN-C-001482B | PIPET, SEROLOGICAL, SAHLI, DILUTING, HEMOGLOBINOMETER, 0.02 ML. [CUST: MD MS 03] | A 6640 | / | MB | 18-OCT-72 |
| | NNN-C-1494A | CUP, BLOOD SAMPLE | A 6640 | # | FSS | 27-APR-73 |
| | NNN-B-001636(1) | BURNER, ALCOHOL, DENTAL [CUST: MD MS 03] | A 6640 | / | MB | 21-OCT-70 |
| | PPP-P-16D | PACKAGING OF PHOTOGRAPHIC DRY AND LIQUID CHEMICALS [CUST: 99] [REVIEW: AS SM] | A PACK | / | 70 | 12-SEP-89 |
| | PPP-C-0020B | PACKAGING AND PACKING OF FILING CABINETS, STEEL, CARD SIZE (TABULATING, MACHINE AND INDEX) | A PACK | # | FSS | 01-OCT-76 |
| | PPP-P-25F | PRINTING AND STATIONARY PAPER, PACKAGING AND PACKING OF [CUST: GL SA 99] [REVIEW: MC SM] | A PACK | * | GL | 11-SEP-81 |
| | PPP-P-25F(13) | PRINTING AND STATIONARY PAPER, PACKAGING AND PACKING OF | A PACK | # | FSS | 10-DEC-76 |
| A | PPP-B-26E(2) NOT 1 | BAG, PLASTIC, (GENERAL PURPOSE) [CUST: GL SA 69 GS] [REVIEW: 99 AR DS MC MD OS SS] | A 8105 | * | GS | 22-APR-89 |
| | PPP-C-29G | CANNED SUBSISTENCE ITEMS, PACKAGING OF [CUST: GL SA 50] [REVIEW: DP MC MD SM] | A 89GP | / | GL | 03-MAY-89 |
| M | PPP-P-40C | PRESERVATION AND PACKING OF HAND TOOLS; TOOLS AND TOOL ACCESSORIES FOR POWER DRIVEN, METAL AND WOOD WORKING MACHINERY [CUST: SM YD1 69 CC] [REVIEW: 13 AS CG CR3 DH EC GS MT NP TD TM2] | A PACK | / | YD1 | 25-MAY-98 |
| | PPP-P-50A(1) NOT 1 | PACKAGING AND PACKING OF THREAD FOR DOMESTIC AND OVERSEAS SHIPMENT [CUST: GL SA 99 CT] [REVIEW: 11 45 AS MI SM] | A 8310 | / | CT | 12-DEC-87 |
| | PPP-B-51C | PACKAGING, PACKING AND MARKING OF TEXTILE FABRICS (WOOLENS, WORSTEDS, COTTONS, SILKS AND SYNTHETICS)(S/S BY PPP-P-1132 THRU PPP-P-1136) | A PACK | # | FSS | 01-JAN-67 |
| | PPP-C-55B NOT 1 | CAN, COMPOSITE, FOR DRY PRODUCTS [CUST: GL SA 99] [REVIEW: GS] | A 8110 | * | GL | 16-APR-75 |
| | PPP-P-115D | PAD, PAPER, MACERATED [REVIEW: GL] | A 8135 | % | FSS | 09-JUL-73 |
| | PPP-P-115D(11) | PADS, PAPER, MACERATED | A 8135 | # | FSS | 20-APR-89 |
| | PPP-B-140C | BATTERIES, STORAGE, INDUSTRIAL, AUTOMOTIVE, AIRCRAFT AND NAVY PORTABLE: PACKAGING OF [CUST: CR YD1 99] [REVIEW: 80 AS AT CR CR4 EC GS MC SA SH SM] | A PACK | / | YD1 | 01-MAR-93 |
| | PPP-C-186C NOT 1 | CONTAINERS, PACKAGING AND PACKING FOR DRUGS, CHEMICALS, AND PHARMACEUTICALS[CUST: MD MS 03] [REVIEW: SM] | A PACK | / | MB | 15-DEC-88 |
| | PPP-P-291E | PAPERBOARD, WRAPPING AND CUSHIONING [CUST: GL SA 69] [REVIEW: 99 CR EA GS MC MD MI OS SM YD1] | A 8135 | * | GL | 09-FEB-76 |
| | PPP-I-350C | INDIVIDUAL SERVINGS OF SUBSISTENCE, PACKAGING OF [CUST: GL SA 50] [REVIEW: MC MD MS SM SS] | A PACK | / | GL | 30-OCT-81 |
| | PPP-T-360A(1) | TIME MEASURING INSTRUMENTS, PACKAGING OF [CUST: AR SH 99 GS] [REVIEW: SM] | A 6645 | / | GS | 25-OCT-73 |
| A | PPP-T-495B | TUBES, MAILING, AND FILING [CUST: GL SA 69] [REVIEW: 99 AV EA GS MC SH SM YD1] | A 8110 | * | GL | 25-FEB-74 |
| | PPP-T-495B(12) | TUBES, MAILING, AND FILING | A 8110 | # | FSS | 14-OCT-88 |
| | PPP-C-569C(2) | CONTAINER, PLASTIC, MOLDED (FOR LIQUIDS, PASTES AND POWDERS). OVERPACKED [CUST: GL SA 99] [REVIEW: AR EA MD SH SM] | A 8115 | * | GL | 15-MAY-72 |
| | PPP-B-576C | BOXES, WOOD-CLEATED PANELBOARD [CUST: GL SA 69] [REVIEW: 99 AR AS AV EA MS SH SM] | A 8115 | * | GL | 22-DEC-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|-----------------------|--|--------------------------|--------------------|-----------|
| | PPP-B-580D | BOX, HOUSEHOLD GOODS [CUST: MT SA 69] [REVIEW: 99 GL SM] | A 8115 / MT | | 22-MAR-79 |
| | PPP-B-580D(12) | BOX, HOUSEHOLD GOODS | A 8115 # FSS | | 15-MAY-80 |
| | PPP-B-585D | BOXES, WOOD, WIREBOUND [CUST: GL SA 69] [REVIEW: 84 99 AR AS AV CR CR4 MC MD OS SH SM SS YD1] | A 8115 / GL | | 31-DEC-92 |
| A | PPP-B-587B | BOX, WOOD, WIREBOUND PALLET TYPE [CUST: GL SA 69] [REVIEW: 70 71 80 99 CE CR4 EA MB SH SM] | A 8115 / 11 | | 31-MAR-87 |
| | PPP-P-600G | PORCELAIN ENAMEL PRODUCTS AND HOUSEHOLD APPLIANCES, ELECTRICAL AND MECHANICAL - REQUIREMENTS FOR PACKAGING OF [CUST: GL SA 99] [REVIEW: SM] | A PACK / GL | | 31-DEC-92 |
| | PPP-B-601H | BOXES, WOOD, CLEATED-PLYWOOD [CUST: GL SA 69] [REVIEW: 84 99 AR CR4 EA MC MD OS SH SM YD1] | A 8115 / GL | | 22-MAY-89 |
| | PPP-B-601H(12) | BOXES, WOOD, CLEATED-PLYWOOD [CUST: GL] | A 8115 / GL | | 10-SEP-92 |
| | PPP-B-621D(3) | BOX, WOOD, NAILED AND LOCK-CORNER [CUST: GL SA 69] [REVIEW: 69 84 99 AR MD MI MT OS SH YD1] | A 8115 / GL | | 30-DEC-85 |
| | PPP-B-650B(2) | BOXES, CORRUGATED FIBERBOARD, SPECIAL PURPOSE (RECORDS RETIRING) | A 8115 # FSS | | 25-JUN-76 |
| | PPP-B-665D | BOXES, PAPERBOARD, METAL EDGED AND COMPONENTS [REVIEW: AS CR4 DS EA MI OS SA SM SS YD1] | A 8115 % FSS | | 01-NOV-72 |
| | PPP-B-676E | BOXES, SETUP [CUST: GL SA 69] [REVIEW: 71 AR AS CC CR DS EA MC MI MS OS SH SM] | A 8115 * GL | | 31-DEC-92 |
| | PPP-T-680E | TAPE, PRESSURE SENSITIVE ADHESIVE, PACKAGING AND PACKING OF [CUST: GL AS 99] [REVIEW: 69 GS MC MI MR SA SH SM YD1] | A 7510 * GL | | 17-NOV-75 |
| | PPP-T-681D(1) | TAPE, GUMMED, PACKAGING AND PACKING OF [CUST: GL SA 99] [REVIEW: 69 AS GS MC OS SM YD1] | A 8135 * GL | | 18-MAY-76 |
| | PPP-F-690D | FROZEN FRUIT, FROZEN FRUIT JUICES, & FROZEN VEGETABLES, PACKAGING OF [CUST: GL SA 50] [REVIEW: MC MD SM SS] | A PACK / GL | | 20-NOV-81 |
| | PPP-D-723J | DRUM, FIBER [CUST: GL SA 69] [REVIEW: 99 EA GS MD OS SH SM] | A 8110 / GL | | 16-SEP-80 |
| | PPP-C-795C NOT 1 | CUSHIONING MATERIAL, PACKAGING (FLEXIBLE CLOSED CELL PLASTIC FILM FOR LONG SHIPPING CYCLE APPLICATIONS) [CUST: GL AS 69] [REVIEW: 99 AR AV CG MD MI] | A 8135 * GL | | 02-JAN-92 |
| A | PPP-C-850D(5) | CUSHIONING MATERIAL, POLYSTYRENE EXPANDED, RESILIENT (FOR PACKAGING USES) [CUST: 69] [REVIEW: CR4 EA GL MI SM] | A 8135 * 11 | | 03-SEP-76 |
| | PPP-B-1055B(2) NOT 1 | BARRIER MATERIAL, WATERPROOF, FLEXIBLE [CUST: GL SA 69] [REVIEW: 99 AS AV CR4 DS GS SH SM SS] | A 8135 / GL | | 22-APR-89 |
| | PPP-B-1088B | BAG, COTTON DRILL | A 8105 # FSS | | 21-JAN-77 |
| A | PPP-C-1120C | CUSHIONING MATERIAL, UNCOMPRESSED BOUND FIBER FOR PACKAGING [CUST: GL OS 69] [REVIEW: 03 71 80 82 84 99 AR AS AV CR4 DS EA MB MC MD MS SH SM] | A 8135 / 11 | | 20-JUL-93 |
| A | PPP-P-1132C NOT 2 | PACKAGING OF WOOLEN, WORSTED AND WOOL BLEND (SYNTHETIC FIBER; COTTON) FABRICS [CUST: GL SA 99 CT] [REVIEW: AS CG MD NU SM] | A PACK / CT | | 08-MAY-96 |
| | PPP-P-1136D | PACKAGING OF COATED (PLASTIC; RUBBER) AND LAMINATED FABRICS [CUST: GL NU 99 CT] [REVIEW: 82 AS GS MD SA SM] | A PACK / CT | | 30-DEC-86 |
| | PPP-P-1148A(2) | PACKAGING AND PACKING OF TYPEWRITERS [CUST: GL SA 99] [REVIEW: MC SM] | A 7430 * GL | | 15-MAY-69 |
| | PPP-B-1163B(2) | BOX, CORRUGATED FIBERBOARD, HIGH COMPRESSION STRENGTH, WEATHER-RESISTANT, WAX-RESIN IMPREGNATED [CUST: GL SA 69] [REVIEW: 99 AR EA MC OS SM SS YD1] | A 8115 * GL | | 29-JUN-71 |
| | PPP-B-1163B(14) | BOX, CORRUGATED FIBERBOARD, HIGH COMPRESSION STRENGTH, WEATHER-RESISTANT, WAX-RESIN IMPREGNATED | A 8115 # FSS | | 14-OCT-88 |
| | PPP-C-1266B NOT 2 | CONTAINER, THERMAL, SHIPPING, FOR MEDICAL MATERIAL REQUIRING CONTROLLED TEMPERATURE RANGES [CUST: MD MS 03] | A 8115 / MB | | 05-OCT-92 |
| | PPP-C-1266B(11) NOT 2 | CONTAINER, THERMAL, SHIPPING, FOR MEDICAL MATERIAL REQUIRING CONTROLLED TEMPERATURE RANGES | A 8115 / MB | | 05-OCT-92 |
| A | PPP-D-1427A | DUNNAGE, PNEUMATIC, CARGO SHORING [CUST: AT SA IS] [REVIEW: AS MC MT OS] | A 3990 / IS | | 29-JAN-73 |
| | PPP-D-1427A(11) | DUNNAGE, PNEUMATIC, CARGO SHORING | A 3990 # FSS | | 24-MAR-77 |
| | PPP-C-1581A | CAN, COMPOSITE, WITH METAL ENDS, FOR LIQUID ITEMS [CUST: GL SA 99] [REVIEW: AS GS MD SM] | A 8110 / GL | | 08-OCT-71 |
| | PPP-H-1581A NOT 1 | HARDWARE (FASTENERS AND RELATED ITEMS), PACKAGING OF [CUST: AR AS 99] [REVIEW: AT AV CR4 IS MC MI OS SA SH SM YD1] | A PACK / AR | | 24-JAN-89 |
| | PPP-L-1607A | LAGGING, WOOD, WIREBOUND [CUST: GL YD1 69] [REVIEW: SM] | A 8115 / GL | | 19-JAN-71 |
| | PPP-P-1655A | PAIL, PLASTIC, SHIPPING AND STORAGE [CUST: GL AS 69] [REVIEW: 99 GS SA SM YD1] | A 8110 * GL | | 24-AUG-73 |
| | PPP-P-1660A | PALLET, EXPENDABLE [CUST: AT SA 99] [REVIEW: EA GS] | A 3990 * AT | | 12-APR-73 |
| | PPP-P-1660A(11) | PALLET, EXPENDABLE | A 3990 # FSS | | 18-MAR-75 |
| A | PPP-B-1672D(1) | BOXES, SHIPPING, REUSABLE WITH CUSHIONING [CUST: SM AS 69] [REVIEW: 70 71 80 82 84 99 CR GL SA] | A 8115 / 11 | | 05-AUG-96 |
| | PPP-C-1683A | CUSHIONING MATERIAL, EXPANDED POLYSTYRENE LOOSE-FILL BULK (FOR PACKAGING APPLICATION) [CUST: GL SA 69] [REVIEW: 99 AS] | A 8135 * 69 | | 05-DEC-88 |
| | PPP-B-1714(1) | BAGS, SHIPPING, WOVEN POLYPROPYLENE [CUST: GL SA 99] [REVIEW: MC SH YD1] | A 8105 * GL | | 22-JUN-76 |
| | PPP-C-1797A | CUSHIONING MATERIAL, RESILIENT, LOW DENSITY, UNICELLULAR, POLYPROPYLENE FOAM [CUST: SM AS 69] [REVIEW: 99 AR AT CR CR4 GL OS SA SH YD1] | A 8135 / AS | | 01-SEP-82 |
| | PPP-P-1892(12) | PAINT, VARNISH, LACQUER, AND RELATED MATERIALS; PACKAGING, PACKING, AND MARKING OF | A PACK # FSS | | 23-JUN-77 |
| | PPP-C-1924 | DUNNAGE MATERIAL, VERMICULITE AND PERLITE (FOR PACKAGING PURPOSE) [CUST: GL SA 69] [REVIEW: 99 AS CR CR4 MC OS SM YD1] | A 8135 * GL | | 07-JAN-75 |
| | PPP-B-1980 NOT 1 | BOARD, BULLETIN & CONTROL, PACKAGING & PACKING OF [CUST: GL 99] | A 7520 / GL | | 25-JAN-88 |
| | PPP-C-2020A | CHEMICALS, LIQUID, DRY, AND PASTE: PACKAGING OF [CUST: EA SH 68] [REVIEW: 99 AR AS CR4 DH GS MD OS SA SM YD1] | A PACK / EA | | 27-JUN-94 |
| | PPP-G-2919 | GENERATOR SETS, MOBILE ELECTRIC POWER AND SUPPLEMENTAL EQUIPMENT; PACKAGING OF [CUST: GL YD1 69] [REVIEW: 71 80 CC CR4 MC MI OS SA SH SM] | A PACK / YD1 | | 25-MAR-97 |
| | PPP-B-2920 | BOILERS AND RELATED EQUIPMENT; PACKAGING OF [CUST: GL YD1 99] [REVIEW: 84 CC SH SM] | A PACK / YD1 | | 25-MAR-97 |
| D | PPP-B-566E(3) NOT 1 | BOXES, FOLDING, PAPERBOARD [CUST: GL SA 69] [REVIEW: 99 AR CR4 DS EA MC MD SH SM SS] | A 8115 / GL | | 25-JAN-88 |
| D | PPP-P-704E(2) | PAILS, METAL: (SHIPPING, STEEL, 1 THROUGH 12 GALLONS) [CUST: GL AS 69 IS] [REVIEW: 99 EA MD OS PS SA SH YD1] | A 8110 / IS | | 20-FEB-87 |
| D | PPP-D-705E | DRUM, SHIPPING AND STORAGE: STEEL, 16 AND 30 GALLON CAPACITY [CUST: GL SA 69 IS] [REVIEW: 82 AR AS CR EA MC MI SH YD1] | A 8110 / IS | | 03-JAN-94 |
| D | PPP-D-729E(1) | DRUMS, SHIPPING AND STORAGE, STEEL, 55 GALLON (208 LITERS) [CUST: GL SA 69 IS] [REVIEW: 99 AR AS AT EA GS MC MI MS PS SH SS] | A 8110 / IS | | 30-DEC-83 |
| D | PPP-C-96E | CANS, METAL, 28 GAGE AND LIGHTER [CUST: GL SA 69 IS] [REVIEW: 68 70 99 AS AT AV CR CR4 DP MC MI SH YD1] | A 8110 / IS | | 31-DEC-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL STANDARDS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|--------------------------|-----|-------------|-----------|
| | FED-STD-1A | STANDARD FOR LABORATORY ATMOSPHERIC CONDITIONS FOR TESTING | A MISC # FSS | | | 27-APR-72 |
| | FED-STD-3(1) | COLOR, AERONAUTICAL LIGHTING [CUST: AV AS 11] [REVIEW: MC MI MS] | A 7650 * AS | | | 27-AUG-51 |
| | FED-STD-4B(2) NOT 1 | GLOSSARY OF FABRIC IMPERFECTIONS [CUST: GL SA 11 CT] [REVIEW: AT AV MC MD SH YD1] | A 8305 / CT | | | 01-OCT-87 |
| A | FED-STD-5F | STANDARD GUIDES FOR PREPARATION OF PROPOSED ITEM LOGISTICS DATA RECORDS [CUST: SA 99 LS] [REVIEW: EA] | A 7610 * LS | | | 23-APR-82 |
| | FED-STD-H28A | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES [CUST: AR AS 99 IS] | A THDS / IS | | | 28-DEC-94 |
| | FED-STD-H28/1A NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 1 NOMENCLATURE, DEFINITIONS AND LETTER SYMBOLS FOR SCREW THREADS [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 GL] | A THDS / IS | | | 12-SEP-90 |
| | FED-STD-H28/2B | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 2 UNIFIED INCH SCREW THREADS- UN AND UNR THREAD FORMS [CUST: AR AS 99 IS] [REVIEW: 11 19 82 AT CR CR4 EA MI] | A THDS / IS | | | 20-AUG-91 |
| | FED-STD-H28/4 NOT 2 | SCREW THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 4, CONTROLLED RADIUS ROOT SCREW THREADS, UNJ SYMBOL [CUST: AR AS 99] | A THDS / IS | | | 10-AUG-93 |
| | FED-STD-H28/5 NOT 2 | SCREW THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 5, UNIFIED MINIATURE SCREW THREADS [CUST: AR AS 99] | A THDS / IS | | | 10-AUG-93 |
| | FED-STD-H28/6A(1) | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 6 GAGES AND GAGING FOR UNIFIED SCREW THREADS-UN AND UNR THREAD FORMS [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 EC GL OS SH] | A THDS / IS | | | 27-AUG-91 |
| | FED-STD-H28/7A NOT 2 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 7 PIPE THREADS, GENERAL PURPOSE [CUST: AR AS 99 IS] [REVIEW: AT CR4 GL MI YD1] | A THDS / IS | | | 08-FEB-95 |
| | FED-STD-H28/8B | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 8 DRYSEAL PIPE THREADS [CUST: AR AS IS] [REVIEW: AT CR4 MI OS] | A THDS / IS | | | 10-JUN-92 |
| | FED-STD-H28/9A NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 9 GAS CYLINDER VALVE OUTLET AND INLET THREADS [CUST: AR AS 99 IS] [REVIEW: 19 68 GS] | A THDS / IS | | | 08-FEB-95 |
| | FED-STD-H28/10A | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 10 HOSE COUPLING AND FIRE HOSE COUPLING SCREW THREADS [CUST: AR AS 99] [REVIEW: 82 84 AT CC SH YD1] | A THDS / IS | | | 21-JUN-93 |
| | FED-STD-H28/11 NOT 2 | SCREW THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 11, HOSE CONNECTIONS FOR WELDING AND CUTTING EQUIPMENT [CUST: AR AS 99] | A THDS / IS | | | 10-AUG-93 |
| | FED-STD-H28/12A NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 12 ACME THREADS [CUST: AR AS 99 IS] [REVIEW: 19 82 EC] | A THDS / IS | | | 08-FEB-95 |
| | FED-STD-H28/13A NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 13, STUB ACME THREADS [CUST: AR AS 99 IS] [REVIEW: EC] | A THDS / IS | | | 08-FEB-95 |
| | FED-STD-H28/14A NOT 2 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 14 BUTTRESS SCREW THREADS-7 DEG./45 DEG. FLANK ANGLES [CUST: AR AS 99] [REVIEW: 19 80 82 AT AV EC MI] | A THDS / IS | | | 10-AUG-93 |
| | FED-STD-H28/15B | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 15 ROLLED THREADS FOR SCREW-SHELLS FOR ELECTRIC LAMP HOLDERS AND LAMP BASES [CUST: AR AS 99 IS] [REVIEW: 82 CR CR4 EC GS MI OS SH YD1] | A THDS / IS | | | 10-MAR-94 |
| | FED-STD-H28/16 NOT 2 | SCREW THREAD STANDARDS FOR FEDERAL SERVICES SECTION 16 MICROSCOPE OBJECTIVE AND NOISE PIECE, 0.800 - 36AMO [CUST: AR AS 99] | A THDS / IS | | | 10-AUG-93 |
| | FED-STD-H28/17A NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 17 SURVEYING INSTRUMENT MOUNTING THREADS [CUST: AR 99 IS] | A THDS / IS | | | 26-JAN-90 |
| | FED-STD-H28/18B | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 18 PHOTOGRAPHIC EQUIPMENT THREADS [CUST: AR AS 99 IS] | A THDS / IS | | | 20-AUG-91 |
| | FED-STD-H28/19A NOT 1 | SCREW THREAD STANDARDS FOR FEDERAL SERVICES, SECTION 19, MISCELLANEOUS THREADS [CUST: AR AS 99] | A THDS / IS | | | 10-AUG-93 |
| | FED-STD-H28/20B(1) | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 20 INSPECTION METHODS FOR ACCEPTABILITY OF UN, UNR, UNJ, M, AND MJ SCREW THREADS [CUST: AR AS 99 IS] [REVIEW: 82 AT AV CR CR4 EC MI OS YD1] | A THDS / IS | | | 21-DEC-94 |
| | FED-STD-H28/21B NOT 2 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 21 METRIC SCREW-THREADS [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 GL MI OS SH YD1] | A THDS / IS | | | 08-FEB-95 |
| | FED-STD-H28/22A(1) | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 22 GAGES AND GAGING FOR METRIC SCREW THREADS-M AND MJ THREAD FORMS [CUST: AR AS 99 IS] [REVIEW: 82 AT AV CR CR4 OS SH] | A THDS / IS | | | 27-AUG-91 |
| | FED-STD-H28/23 NOT 1 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 23 CLASS 5 INTERFERENCE-FIT SCREW THREADS [CUST: AR AS 99 IS] [REVIEW: 19 AT AV CR CR4 EC MI] | A THDS / IS | | | 08-FEB-95 |
| | FED-STD-49D | FANS, CIRCULATING, COLUMN (ELECTRIC, RIGID-BLADES NON-OSCILLATING, NOT FOR MARINE SERVICE) | A 4140 # FSS | | | 31-MAR-76 |
| | FED-STD-50H | FAN, CIRCULATING, BRACKET AND FAN CIRCULATING, DESK (RIGID BLADES) | A 4140 # FSS | | | 31-MAR-76 |
| | FED-STD-65C | FAN, CIRCULATING, RADIAL DISCHARGE | A 4140 # FSS | | | 29-MAR-76 |
| | FED-STD-66D NOT 1 | STEEL: CHEMICAL COMPOSITION AND HARDENABILITY [CUST: MR SH 11] [REVIEW: AR AS AT CR4 EA IS MI SA YD1] | A 95GP / MR | | | 18-JAN-91 |
| | FED-STD-101C(3) NOT 3 | TEST PROCEDURES FOR PACKAGING MATERIALS [CUST: SM AS 99] [REVIEW: CR4 EA EC GL MI MR OS SA SH YD1] | A PACK * AS | | | 14-OCT-88 |
| | FED-STD-00116 | MATTRESS, BED (FELTED, COTTON) | A MISC # FSS | | | 15-MAY-57 |
| A | FED-STD-122AM | AUTOMOBILES: SEDANS AND STATION WAGONS GASOLINE AND ALTERNATIVE FUEL POWERED [CUST: FSS] [REVIEW: 84 99 AT CE MC YD1] | A 2310 % FSS | | | 01-JUL-97 |
| A | FED-STD-123G | MARKING FOR SHIPMENT (CIVIL AGENCIES) | A PACK # FSS | | | 06-JUN-97 |
| | FED-STD-125D | FILM, PHOTOGRAPHIC AND FILM, PHOTOGRAPHIC, PROCESSED, (FOR PERMANENT RECORD USE) [CUST: CR AS 99] | A 67GP % FSS | | | 24-JAN-77 |
| | FED-STD-131C NOT 1 | DIAZOTYPE PAPER SHEET SIZES [CUST: EA AS 70] [REVIEW: 85 AR CR4 MC] | A 6750 / AS | | | 19-OCT-92 |
| | FED-STD-00131E | DIAZOTYPE PAPER SHEET AND ROLL SIZES | A 6750 # FSS | | | 05-MAR-76 |
| | FED-STD-141C NOT 2 | PAINT, VARNISH, LACQUER AND RELATED MATERIALS: METHODS OF INSPECTION, SAMPLING AND TESTING [CUST: MR SH 99] [REVIEW: AS CC CE CR MI MS YD1] | A 8010 / MR | | | 10-DEC-93 |
| | FED-STD-143A | SPARK PLUG, HEAT RATING OF, METHOD OF CLASSIFYING [CUST: AT 99] [REVIEW: CC] | A 2920 / AT | | | 09-AUG-60 |
| | FED-STD-00143B | SPARK PLUG, HEAT RATING OF, METHOD OF CLASSIFYING | A 2920 # FSS | | | 10-AUG-62 |
| | FED-STD-148A(2) | CLASSIFICATION, IDENTIFICATION AND TESTING OF FEATHER FILLING MATERIAL [CUST: GL CT] | A 8320 / CT | | | 10-DEC-64 |
| | FED-STD-149A | SYRINGE, LUER, INTERCHANGEABLE COMPONENT, DIMENSIONS OF | A MISC # FSS | | | 03-AUG-61 |
| | FED-STD-00160 | RUBBER PRODUCTS, DEFINITIONS AND TERMS FOR VISIBLE DEFECTS OF | A MISC # FSS | | | 05-JAN-62 |
| | FED-STD-162A(1) NOT 2 | HOSE, RUBBER, VISUAL INSPECTION GUIDE FOR [CUST: CR4 SH 69] [REVIEW: YD1] | A 4720 / SH | | | 20-FEB-91 |
| | FED-STD-170B NOT 2 | FILM, PHOTOGRAPHIC, BLACK AND WHITE, CLASSIFICATION AND TESTING METHODS [CUST: CR AS 99] [REVIEW: 11 AR AV GS MI] | A 6750 / 70 | | | 13-AUG-93 |
| | FED-STD-182B | CONTINUOUS IDENTIFICATION MARKING OF NICKEL AND NICKEL-BASE ALLOYS [CUST: MR AS 10] [REVIEW: 11 13 99 AR CR4 IS MI OS SH YD1] | A 95GP / 10 | | | 15-JUN-79 |
| | FED-STD-183C | CONTINUOUS IDENTIFICATION MARKING OF IRON AND STEEL PRODUCTS [CUST: MR SH 10] [REVIEW: AR IS MC MI YD1] | A 4710 / 10 | | | 01-SEP-84 |
| | FED-STD-184B | IDENTIFICATION MARKING OF ALUMINUM, MAGNESIUM, & TITANIUM [CUST: MR AS 10] [REVIEW: 13 99 AR CR4 MI OS SH YD1] | A 95GP / 10 | | | 20-NOV-80 |
| | FED-STD-185A | IDENTIFICATION MARKING OF COPPER AND COPPER BASE ALLOY MILL PRODUCTS [CUST: MR AS 10] [REVIEW: 13 99 AR CR4 MI OS SH YD1] | A 95GP / 10 | | | 20-NOV-80 |
| | FED-STD-187B | IDENTIFICATION OF PRESSED BENDS, FORMS, SEAMS, AND JOINTS, (SHEET METAL) | A MISC # FSS | | | 03-JUN-63 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL STANDARDS

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|--------------------|--|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| | FED-STD-191A(6) | TEXTILE TEST METHODS [CUST: GL NU 11 CT] [REVIEW: 82 99 AR AS CR4 EA MD SH TE] | A 83GP / CT | | | 21-JUN-90 |
| | FED-STD-209E | AIRBORNE PARTICULATE CLEANLINESS CLASSES IN CLEANROOMS AND CLEAN ZONES [REVIEW: 84] | A 3694 % FSS | | | 11-SEP-92 |
| A | FED-STD-228(4) | CABLE AND WIRE, INSULATED; METHODS OF TESTING [CUST: CR AS 85 CC] [REVIEW: 19 80 99 AR AT EC MC YD1] | A 6145 / CC | | | 30-JUN-94 |
| | FED-STD-236A NOT 2 | CLEANING AND RENOVATING OF COTTON FELTED MATTRESSES [CUST: GL YD1 99] [REVIEW: MC MD SM] | A 7210 / CT | | | 04-JAN-93 |
| | FED-STD-245E | TOLERANCE FOR ALUMINUM ALLOY AND MAGNESIUM ALLOY WROUGHT PRODUCTS [CUST: MR AS 11] [REVIEW: 99 AL AR AV IS MI SH] | A 95GP / AS | | | 26-OCT-85 |
| | FED-STD-265 | CARPET AND RUGS | A 7220 # FSS | | | 28-JUN-68 |
| D | FED-STD-297E(1) | RUSTPROOFING OF COMMERCIAL (NONTACTICAL) VEHICLES [CUST: FSS] | A 23GP / FSS | | | 11-JAN-96 |
| A | FED-STD-307AA | TRUCKS, LIGHT COMMERCIAL, TWO AND FOUR WHEEL DRIVEN, 4X2 AND 4X4, 1,800 TO 7,000 KG (4,000 TO 17,500 LBS) GVW [CUST: FSS] [REVIEW: 84 99 AT MC YD1] | A 2320 % FSS | | | 01-JUL-97 |
| | FED-STD-311(3) | LEATHER, METHODS OF SAMPLING AND TESTING [CUST: GL SA 99 CT] [REVIEW: AS MC OS] | A 83GP / CT | | | 15-JAN-69 |
| | FED-STD-313D | MATERIAL SAFETY DATA, TRANSPORTATION DATA AND DISPOSAL DATA FOR HAZARDOUS MATERIALS FURNISHED TO GOVERNMENT ACTIVITIES [CUST: MD SA 07] [REVIEW: 69 AS GS MC MS SH SM] | A MISC * DH | | | 03-APR-96 |
| | FED-STD-358 | SAMPLING PROCEDURES | A MISC # FSS | | | 10-JAN-75 |
| | FED-STD-364 NOT 1 | MOTION PICTURE, SOUND, SUPER 8 MILLIMETER, FORMAT FOR [CUST: CR AS 70] [REVIEW: AV GS MC MI] | A 6730 * AS | | | 20-FEB-89 |
| | FED-STD-365 | FILM SLIDE, PROJECTION, PHOTOGRAPHIC, FORMAT FOR 50 MILLIMETER BY 50 MILLIMETER (2 INCH BY 2 INCH) [REVIEW: GS] | A 6750 % FSS | | | 26-NOV-75 |
| | FED-STD-366 | MOUNT, FILM SLIDE, PHOTOGRAPHIC, FILEABLE (OVERHEAD PROJECTOR) FORMAT FOR [REVIEW: GS] | A 6750 % FSS | | | 25-FEB-77 |
| | FED-STD-368A | QUALITY CONTROL SYSTEM REQUIREMENTS | A MISC # FSS | | | 10-DEC-79 |
| | FED-STD-369 | SANITATION STANDARDS FOR FISH PLANTS [CUST: MD SA 50] [REVIEW: 03 MC MS SS] | A 8905 / MD | | | 02-AUG-77 |
| | FED-STD-370 | INSTRUMENTAL PHOTOMETRIC MEASUREMENTS OF RETROREFLECTIVE MATERIALS AND RETROREFLECTIVE DEVICES | A 8010 # FSS | | | 01-MAR-77 |
| | FED-STD-372 | TEST FOR CRITICAL RADIANT FLUX OF CAPPET FLOORING SYSTEMS (FLOORING RADIANT PANEL TEST) | A 7220 # FSS | | | 31-AUG-77 |
| | FED-STD-373 | INSTRUMENTAL COLOR MEASUREMENTS OF RETROREFLECTIVE MATERIALS AND DEVICES UNDER NIGHTTIME ILLUMINATING & VIEWING CONDITIONS | A 8010 # FSS | | | 01-DEC-79 |
| | FED-STD-376B | PREFERRED METRIC UNITS FOR GENERAL USE BY THE FEDERAL GOVERNMENT | A MISC # FSS | | | 27-JAN-93 |
| | FED-STD-501A(1) | FLOOR COVERING, RESILIENT, NONTILE, SAMPLING AND TESTING [REVIEW: YD1] | A 7220 # FSS | | | 15-JUN-66 |
| | FED-STD-536A(1) | SOAP AND SOAP PRODUCTS (INCLUDING SYNTHETIC DETERGENTS) SAMPLING AND TESTING [CUST: GL SH] [REVIEW: CR4 EA] | A 7930 * GL | | | 29-MAR-94 |
| | FED-STD-595B | COLORS USE IN GOVERNMENT PROCUREMENT [REVIEW: AS AV CR4 EA EC MI OS SS YD1] | A 8010 % FSS | | | 15-DEC-89 |
| | FED-STD-595/10032 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10045 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10049 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10055 | HIGHWAY BROWN | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10075 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10076 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10080 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10091 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10115 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10219 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10233 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10260 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10266 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10324 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/10371 | BROWN, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/11086 | HIGHWAY RED | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/11105 | RED, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/11120 | RED | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/11136 | RED, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/11140 | RED, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/11302 | RED, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/11328 | RED, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/11400 | RED, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/11630 | RED, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/11670 | RED, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/12160 | ORANGE, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/12197 | ORANGE, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/12199 | ORANGE, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/12215 | ORANGE, GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/12243 | HIGHWAY ORANGE | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/12246 | ORANGE GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/12300 | ORANGE | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/12473 | ORANGE GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/12648 | ORANGE GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/13415 | SCHOOL BUS YELLOW | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/13432 | YELLOW GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/13507 | HIGHWAY YELLOW | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/13522 | YELLOW GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/13523 | YELLOW GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/13528 | YELLOW GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/13531 | YELLOW GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/13578 | YELLOW GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/13591 | YELLOW | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/13594 | YELLOW GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/13596 | YELLOW GLOSS | A 8010 % FSS | | | 01-JAN-84 |
| | FED-STD-595/13613 | YELLOW GLOSS | A 8010 % FSS | | | 01-JAN-84 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------|----------------|--------------------------|-------|-------------|-----------|
| | FED-STD-595/13618 | YELLOW GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/13637 | YELLOW GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/13655 | YELLOW GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/13670 | YELLOW GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/13690 | YELLOW GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/13695 | YELLOW GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/13711 | YELLOW GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14036 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14050 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14052 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14056 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14062 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14064 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14066 | HIGHWAY GREEN | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14077 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14079 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14084 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14087 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14090 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14097 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14109 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14110 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14115 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14120 | GREEN | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14158 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14159 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14187 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14223 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14241 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14255 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14257 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14260 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14272 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14277 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14325 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14449 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14491 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14516 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14533 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/14672 | GREEN, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15042 | BLUE GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15044 | BLUE GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15045 | BLUE GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15050 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15056 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15065 | HIGHWAY BLUE | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15080 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15090 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15092 | BLUE | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15102 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15107 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15123 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15125 | BLUE | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15177 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15180 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15182 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15187 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15193 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15200 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15450 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/15526 | BLUE, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16081 | GRAY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16099 | GRAY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16160 | GREY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16165 | GRAY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16187 | GRAY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16251 | GRAY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16307 | GRAY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16314 | GRAY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16350 | GREY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16357 | GRAY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16360 | GREY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16376 | GRAY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16405 | GREY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |
| | FED-STD-595/16440 | GRAY, GLOSS | A 8010 | % FSS | | 01-JAN-84 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prog. Acty. | Date |
|------------|-------------------|----------------------|-------------------------|-------|-------------|------|
| | FED-STD-595/16473 | GRAY, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/16492 | GRAY, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/16515 | GREY | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/16555 | GRAY, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/17038 | MISCELLANEOUS, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/17043 | MISCELLANEOUS, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/17100 | MISCELLANEOUS, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/17142 | MISCELLANEOUS, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/17155 | PURPLE | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/17178 | MISCELLANEOUS, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/17773 | MISCELLANEOUS, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/17778 | MISCELLANEOUS, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/17855 | MISCELLANEOUS, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/17875 | MISCELLANEOUS, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/17886 | MISCELLANEOUS, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/17925 | MISCELLANEOUS, GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20040 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20045 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20059 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20061 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20062 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20095 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20100 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20109 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20117 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20122 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20140 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20152 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20206 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20219 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20227 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20233 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20252 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20260 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20266 | BROWN, SEMI-GLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20313 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20318 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20372 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20400 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/20450 | BROWN, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/21105 | RED, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/21136 | RED, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/21158 | RED, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/21302 | RED, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/21400 | RED, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/21433 | RED, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/21575 | RED, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/21643 | RED, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/21667 | RED, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/21668 | RED, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/21670 | RED, SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/22144 | ORANGE SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/22190 | ORANGE SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/22203 | ORANGE SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/22246 | ORANGE SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/22276 | ORANGE SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/22356 | ORANGE SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/22510 | ORANGE SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/22516 | ORANGE SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/22519 | ORANGE SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/22544 | ORANGE SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/22563 | ORANGE SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/22630 | ORANGE SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/22648 | ORANGE SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/23448 | YELLOW SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/23522 | YELLOW SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/23531 | YELLOW SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/23538 | YELLOW SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/23564 | YELLOW SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/23578 | YELLOW SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/23594 | YELLOW SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/23613 | YELLOW SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/23617 | YELLOW SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/23619 | YELLOW SEMIGLOSS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/23630 | ORANGE LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |

DODISS NUMERICAL LISTING FEDERAL STANDARDS

446

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|-------------------|--------------------------|--------------------------|-----|-------------|-----------|
| FED-STD-595/25526 | BLUE, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/25550 | BLUE, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/25622 | BLUE, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/25630 | BLUE, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26008 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26044 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26081 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26120 | GREY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26122 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26132 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26134 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26152 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26173 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26176 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26187 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26231 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26250 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26251 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26270 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26280 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26293 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26306 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26307 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26314 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26329 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26357 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26360 | GREY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26373 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26400 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26405 | GREY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26408 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26424 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26440 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26492 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26493 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26496 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26521 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26555 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26559 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26586 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26595 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/26622 | GRAY, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27038 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27040 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27043 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27142 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27144 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27722 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27769 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27778 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27780 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27855 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27875 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27880 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27886 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/27925 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/28913 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/28915 | MISCELLANEOUS, SEMIGLOSS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30040 | BROWN, LUSTERLESS (FLAT) | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30045 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30097 | BROWN, LUSTERLESS (FLAT) | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30099 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30108 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30109 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30111 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30117 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30118 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30140 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30145 | BROWN, LUSTERLESS (FLAT) | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30160 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30166 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30206 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30215 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30219 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |
| FED-STD-595/30227 | BROWN, LUSTERLESS | A 8010 | % | FSS | 01-JAN-84 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Wea | MCA | Prep. Acty. | Date |
|------------|-------------------|--------------------------|-------------------------|-------|-------------|------|
| | FED-STD-595/30233 | BROWN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/30252 | BROWN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/30257 | BROWN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/30266 | BROWN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/30277 | BROWN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/30279 | BROWN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/30313 | BROWN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/30315 | BROWN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/30318 | BROWN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/30324 | BROWN, LUSTERLESS | A 2010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/30372 | BROWN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/30450 | BROWN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/31090 | BROWN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/31136 | RED, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/31158 | RED, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/31302 | RED, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/31400 | RED, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/31433 | RED, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/31575 | RED, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/31638 | RED, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/31643 | RED, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/31667 | RED, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/31668 | RED, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/31669 | RED, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/31670 | RED, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/32169 | ORANGE LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/32246 | ORANGE LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/32276 | ORANGE LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/32356 | ORANGE LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/32473 | ORANGE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/32516 | ORANGE LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/32544 | ORANGE LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/32555 | ORANGE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/32630 | ORANGE LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/32648 | ORANGE LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33070 | BROWN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33105 | BROWN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33245 | BROWN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33303 | BROWN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33434 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33440 | BROWN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33448 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33481 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33522 | BROWN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33531 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33538 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33564 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33578 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33617 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33637 | YELLOW, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33655 | YELLOW, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33685 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33690 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33695 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33696 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33711 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33717 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33722 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33727 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33793 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33798 | YELLOW, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/33814 | YELLOW LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/34031 | BROWN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/34052 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/34058 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/34064 | GREY-LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/34079 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/34082 | GREEN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/34083 | GREEN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/34084 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/34086 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/34087 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/34088 | GREEN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/34089 | GREEN LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| | FED-STD-595/34090 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |

DODISS NUMERICAL LISTING FEDERAL STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------------|--------------------------|-----------------------|-------|-------------|------|
| FED-STD-595/34092 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34094 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34095 | GREEN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34096 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34097 | GREEN LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34098 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34102 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34108 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34127 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34128 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34130 | GREEN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34138 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34148 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34151 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-DEC-89 | |
| FED-STD-595/34158 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34159 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34201 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34226 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34227 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34230 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34233 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34241 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34258 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34259 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34272 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34277 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34300 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34325 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34373 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34410 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34414 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34424 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34432 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34441 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34449 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34491 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34504 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34516 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34518 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34524 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34533 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34540 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34552 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34554 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34558 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34583 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34666 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34670 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/34672 | GREEN, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/35042 | BLUE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/35044 | BLUE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/35045 | BLUE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/35056 | BLUE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/35109 | BLUE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/35164 | BLUE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/35177 | BLUE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/35180 | BLUE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/35183 | BLUE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/35189 | BLUE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/35190 | BLUE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/35193 | BLUE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|--------------------|---|--------------------------|-------|-------------|------|
| FED-STD-595/35630 | BLUE, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36076 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36081 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36099 | GRAY-LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36118 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36152 | GRAY-LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36173 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36176 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36231 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36251 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36270 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36280 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36293 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36300 | GRAY-LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36306 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36307 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36314 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36320 | GREY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36357 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36373 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36375 | GREY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36405 | GREY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36415 | BROWN, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36424 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36440 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36463 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36473 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36492 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36495 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36521 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36555 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36559 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36586 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36595 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36622 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36628 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/36642 | GRAY, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37030 | MISCELLANEOUS, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37031 | MISCELLANEOUS, LUSTERLESS (FLAT) | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37038 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37056 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37100 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37142 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37144 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37150 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37200 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37722 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37769 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37778 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37855 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37875 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37886 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/37925 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/38901 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/38903 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/38905 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-595/38907 | MISCELLANEOUS, LUSTERLESS | A 8010 | % FSS | 01-JAN-84 | |
| FED-STD-601(7) | RUBBER, SAMPLING AND TESTING [CUST: MR SH 11] [REVIEW: AT AV CR4 GS MI TE YDI] | A 9320 | / MR | 17-AUG-76 | |
| FED-STD-751A NOT 1 | STITCHES, SEAMS, AND STITCHINGS [CUST: GL NU 99 CT] [REVIEW: 82 CR4 EA MC OS] | A 83GP | / CT | 21-NOV-83 | |
| FED-STD-791C | LUBRICANTS, LIQUID FUELS, AND RELATED PRODUCTS; METHODS OF TESTING [CUST: AT SH 11] | A 91GP | / AT | 30-SEP-86 | |
| FED-STD-793 NOT 1 | DEPOT STORAGE STANDARDS | A MISC | # FSS | 27-JAN-87 | |
| A FED-STD-794P | TRUCKS AND TRUCK TRACTORS: MEDIUM COMMERCIAL 4X2 AND 4X4, 8,600 TO 16,000 KG (19,000 TO 35,000 LBS) GVW [CUST: FSS] [REVIEW: 84 99 AT MC YDI] | A 2320 | % FSS | 01-JUL-97 | |
| FED-STD-795 | UNIFORM FEDERAL ACCESSIBILITY STANDARDS [CUST: CE YDI 04] | A FACR | / HP | 01-APR-88 | |
| FED-STD-800 | TERMS, DEFINITIONS AND SYMBOLS FOR SECURITY EQUIPMENT AND PRACTICES | A MISC | # FSS | 05-JAN-89 | |
| A FED-STD-807D | TRUCKS AND TRUCK TRACTORS: HEAVY COMMERCIAL 6X4 AND 6X6, 19,500 TO 30,000 KG (43,000 TO 66,000 LBS) GVW [CUST: FSS] [REVIEW: 84 99 AT MC YDI] | A 2330 | % FSS | 01-JUL-97 | |
| FED-STD-1001 | TELECOMMUNICATIONS, SYNCHRONOUS HIGH SPEED DATA SIGNALING RATES BETWEEN DATA TERMINAL EQUIPMENT AND DATA COMMUNICATION EQUIPMENT | A TELE | # FSS | 15-JUN-75 | |
| FED-STD-1002 | TIME AND FREQUENCY REFERENCE INFORMATION IN TELECOMMUNICATION SYSTEMS | A TELE | # FSS | 22-APR-74 | |
| FED-STD-1003A | TELECOMMUNICATIONS, SYNCHRONOUS BIT ORIENTATED DATA LINK CONTROL PROCEDURES (ADVANCED DATA COMMUNICATION CONTROL PROCEDURES) [CUST: CR EC 90] | A TELE | * DC | 19-AUG-81 | |
| FED-STD-1005A | TELECOMMUNICATIONS, CODING AND MODULATION REQUIREMENTS FOR NONDIVERSITY 2400 BIT/SECOND MODEMS | A TELE | # FSS | 20-JAN-77 | |
| FED-STD-1006 | TELECOMMUNICATION, CODING AND MODULATION REQUIREMENTS FOR 4800 BIT/SECOND MODEMS | A TELE | # FSS | 22-DEC-77 | |

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|-----------------|--|--------------|-----|-------------|--|-----------|
| | | | FSC/Ass | MCA | Prep. Acty. | | |
| | FED-STD-1007 | TELECOMMUNICATIONS, CODING AND MODULATION REQUIREMENTS FOR DUPLEX 9600BIT SECD MODEMS [CUST: CR EC 90] [REVIEW: 17 CR MC] | A TELE * | DC | | | 24-MAR-81 |
| | FED-STD-1008 | TELECOMMUNICATION, CODING & MODULATION REQUIREMENTS FOR DUPLEX 600 AND 1200 BIT/SECOND MODEMS | A TELE # | FSS | | | 16-JUN-80 |
| | FED-STD-1010 | TELECOMMUNICATIONS, BIT SEQUENCING OF THE AMERICAN NATIONAL STANDARD CODE FOR INFORMATION INTERCHANGE IN SERIAL BY BIT DATA TRANSMISSION | A TELE # | FSS | | | 11-AUG-77 |
| | FED-STD-1011 | TELECOMMUNICATION, CHARACTER STRUCTURE AND CHARACTER PARITY SENSE FOR SERIAL BY BIT DATA COMMUNICATION IN THE AMERICAN NATIONAL STANDARD CODE FOR INFORMATION INTERCHANGE | A TELE # | FSS | | | 11-AUG-77 |
| | FED-STD-1012 | TELECOMMUNICATIONS, CHARACTER STRUCTURE AND CHARACTER PARTY SENSE FOR PARALLEL BY BIT DATA COMMUNICATION IN THE AMERICAN NATIONAL STANDARD CODE FOR INFORMATION INTERCHANGE | A TELE # | FSS | | | 11-AUG-77 |
| | FED-STD-1013 | TELECOMMUNICATIONS, SYNCHRONOUS SIGNALING RATES BETWEEN DATA TERMINAL EQUIPMENT AND DATA CIRCUIT TERMINATING EQUIPMENT UTILIZING 4KHZ CIRCUITS | A TELE # | FSS | | | 11-AUG-77 |
| | FED-STD-1015 | TELECOMMUNICATIONS: ANALOG TO DIGITAL CONVERSION OF VOICE BY 2,400 BIT/SECOND LINEAR PREDICTIVE CODING [CUST: CR EC 90] [REVIEW: AS CR OM] | A TELE * | DC | | | 28-NOV-84 |
| | FED-STD-1016 | TELECOMMUNICATIONS: ANALOG TO DIGITAL CONVERSION OF RADIO VOICE BY 4,800 BIT/SECOND CODE EXCITED LINEAR PREDICTION (CELP) | A TELE # | FSS | | | 14-FEB-91 |
| | FED-STD-1020A | TELECOMMUNICATION, ELECTRICAL CHARACTERISTICS OF BALANCED VOLTAGE DIGITAL INTERFACE CIRCUITS | A TELE # | FSS | | | 01-JAN-80 |
| | FED-STD-1023 | TELECOMMUNICATIONS: INTEROPERABILITY REQUIREMENTS FOR ENCRYPTED, DIGITIZED VOICE UTILIZED WITH 25 KHZ CHANNEL FM RADIOS OPERATING ABOVE 30 MHZ [CUST: CR EC 90] | A TELE * | DC | | | 25-SEP-89 |
| | FED-STD-1026 | INTEROPERABILITY AND SECURITY REQUIREMENTS FOR USE OF THE DATA ENCRYPTION STANDARD IN THE PHYSICAL LAYER OF DATA COMMUNICATIONS [CUST: CR EC 02] [REVIEW: 90 AS CR DC DH MC OM SH] | A TELE * | NS | | | 03-AUG-83 |
| | FED-STD-1027 | GENERAL SECURITY REQUIREMENTS FOR EQUIPMENT USING THE DATA ENCRYPTION STANDARD [CUST: CR EC 02] [REVIEW: 90 AS CR DC DH MC OM SH] | A TELE * | NS | | | 14-APR-82 |
| | FED-STD-1028 | TELECOMMUNICATIONS: INTEROPERABILITY AND SECURITY REQUIREMENTS FOR USE OF THE DATA ENCRYPTION STANDARD WITH CCITT GROUP 3 FACSIMILE EQUIPMENT [CUST: CR EC 02] [REVIEW: 90 AS CR DH MC OM SH] | A TELE * | NS | | | 04-APR-85 |
| | FED-STD-1030A | TELECOMMUNICATION, ELECTRICAL CHARACTERISTICS OF UNBALANCED VOLTAGE DIGITAL INTERFACE CIRCUITS | A TELE # | FSS | | | 31-JAN-80 |
| | FED-STD-001033 | TELECOMMUNICATION, DIGITAL COMMUNICATION PERFORMANCE PARAMETERS | A TELE # | FSS | | | 29-AUG-79 |
| | FED-STD-1035 | TELECOMMUNICATIONS, CODING, MODULATION AND TRANSMISSION REQUIREMENTS FOR SINGLE CHANNEL MEDIUM AND HIGH FREQUENCY RADIOTELEGRAPH SYSTEMS USED IN GOVERNMENT MARITIME MOBILE TELECOMMUNICATIONS | A TELE # | FSS | | | 29-MAR-77 |
| | FED-STD-1037B | TELECOMMUNICATIONS: GLOSSARY OF TELECOMMUNICATION TERMS | A TELE # | DC | | | 03-JUL-91 |
| | FED-STD-1041(1) | INTERFACE BETWEEN DATA TERMINAL EQUIPMENT (DTE) AND DATA CIRCUIT-TERMINATING EQUIPMENT (DCE) FOR OPERATION WITH PACKET-SWITCHED DATA COMMUNICATIONS NETWORKS | A TELE # | FSS | | | 27-AUG-84 |
| | FED-STD-001041 | INTERFACE BETWEEN DATA TERMINAL EQUIPMENT & DATA CIRCUIT-TERMINATIVE EQUIPMENT FOR OPERATION WITH PACKET-SWITCHED DATA TELECOMMUNICATIONS NETWORKS [CUST: CR OM 90 DC] [REVIEW: 11 CR DS NS] | A TELE / | DC | | | 24-MAR-81 |
| | FED-STD-1045 | TELECOMMUNICATIONS: HF RADIO AUTOMATIC LINK ESTABLISHMENT [CUST: CR EC 90] [REVIEW: 02 10 11 13 17 AC AS CG CR MC NC ND OM OS SH TD YD1] | A TELE / | 90 | | | 24-JAN-90 |
| | FED-STD-1061 | TELECOMMUNICATIONS, GROUP 2 FACSIMILE APPARATUS FOR DOCUMENT TRANSMISSION [CUST: CR EC 90] | A TELE * | DC | | | 24-MAR-81 |
| | FED-STD-1062 | TELECOMMUNICATIONS, GROUP 3 FACSIMILE FOR DOCUMENT TRANSMISSION [CUST: CR EC 90] [REVIEW: CR] | A TELE * | DC | | | 19-AUG-81 |
| | FED-STD-1063 | PROCEDURES FOR DOCUMENT FACSIMILE TRANSMISSION [CUST: CR EC 90] [REVIEW: NS] | A TELE / | DC | | | 04-APR-82 |

DODISS NUMERICAL LISTING FEDERAL INFORMATION PROCESSING STANDARDS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | ACA | Prep. Acty. | Date |
|-------------|-------------------|--|--------------------------|-----|-------------|-----------|
| | FIPS-PUB-0 | GENERAL DESCRIPTION OF THE FEDERAL INFORMATION PROCESSING STANDARDS REGISTER [CUST: OM 02] | A IPSC | DC | | 01-NOV-68 |
| | FIPS-PUB-1 SUP 1 | CODE FOR INFORMATION INTERCHANGE (WITH ANSI X3.4-1977) [CUST: OM 02] | A IPSC | DC | | 16-JUN-81 |
| | FIPS-PUB-2 | PERFORATED TAPE CODE FOR INFORMATION INTERCHANGE (USAS X3.6-1965) [CUST: OM 02] | A IPSC | DC | | 01-NOV-68 |
| | FIPS-PUB-3-1 | RECORDED MAGNETIC TAPE FOR INFORMATION INTERCHANGE (800 CPI, NRZI, WITH ANSI X3.22-1983) [CUST: CR OM 02] | A IPSC | 02 | | 30-JUN-73 |
| | FIPS-PUB-11 SUP 3 | GUIDELINE: AMERICAN NATIONAL DICTIONARY FOR INFORMATION PROCESSING SYSTEMS (WITH X3.172-1990) [CUST: AC OM 02 DC] | A IPSC | DC | | 01-FEB-91 |
| | FIPS-PUB-13 | RECTANGULAR HOLES IN TWELVE-ROW PUNCHED CARDS (ANSI X3.21-1967/R1980) [CUST: OM 02] | A IPSC | DC | | 01-OCT-71 |
| | FIPS-PUB-14 SUP 1 | HOLLERITH PUNCHED CARD CODE (ANSI X3.26-1980) [CUST: OM 02] | A IPSC | DC | | 24-DEC-80 |
| | FIPS-PUB-16 SUP 1 | BIT SEQUENCING OF THE CODE FOR INFORMATION INTERCHANGE IN SERIAL BY BIT DATA TRANSMISSION (WITH ANSI X3.15-1976) [CUST: OM 02] | A IPSC | DC | | 01-DEC-76 |
| | FIPS-PUB-17 SUP 1 | CHARACTER STRUCTURE & CHARACTER PARITY SENSE FOR SERIAL BY BIT DATA COMMUNICATION IN THE CODE FOR INFORMATION INTERCHANGE (WITH ANSI X3.16-1976/R1983) [CUST: OM 02] | A IPSC | DC | | 01-SEP-77 |
| | FIPS-PUB-18 SUP 1 | CHARACTER STRUCTURE & CHARACTER PARITY SENSE FOR PARALLEL BY BIT DATA COMMUNICATION IN THE CODE FOR INFORMATION INTERCHANGE (WITH ANSI X3.25-1976/R1983) [CUST: OM 02] | A IPSC | DC | | 01-OCT-71 |
| | FIPS-PUB-20 | GUIDELINES FOR DESCRIBING INFORMATION INTERCHANGE FORMATS [CUST: OM 02] | A IPSC | 02 | | 01-MAR-72 |
| | FIPS-PUB-21-2 | COBOL PROGRAMMING LANGUAGE FOR INFORMATION SYSTEMS WITH ANSI-X3.23-1985 [CUST: OM 02] | A IPSC | DC | | 18-MAR-86 |
| | FIPS-PUB-22 SUP 1 | SYNCHRONOUS SIGNALING RATES BETWEEN DATA TERMINAL & DATA COMMUNICATION EQUIPMENT (WITH ANSI X3.1-1976) [CUST: OM 02] | A IPSC | DC | | 01-SEP-77 |
| | FIPS-PUB-24 | FLOWCHART SYMBOLS AND THEIR USAGE IN FORMATION PROCESSING (WITH ANSI X3.5-1970) [CUST: OM 02] | A IPSC | 02 | | 30-JUN-73 |
| | FIPS-PUB-26 | ONE-INCH PERFORATED PAPER TAPE FOR INFORMATION INTERCHANGE (WITH ANSI X3.18-1967) [CUST: OM 02] | A IPSC | DC | | 30-JUN-73 |
| | FIPS-PUB-27 | TAKE-UP REELS FOR ONE-INCH PERFORATED TAPE FOR INFORMATION INTERCHANGE (WITH ANSI X3.20-1967) [CUST: OM 02] | A IPSC | DC | | 30-JUN-73 |
| | FIPS-PUB-29 SUP 1 | INTERPRETATION PROCEDURES FOR FEDERAL INFORMATION PROCESSING STANDARD PROGRAMMING LANGUAGES [CUST: OM 02] | A IPSC | DC | | 05-APR-82 |
| | FIPS-PUB-30 | SOFTWARE SUMMARY FOR DESCRIBING COMPUTER PROGRAMS AND AUTOMATED DATA SYSTEMS [CUST: OM 02] | A IPSC | DC | | 30-JUN-74 |
| | FIPS-PUB-31 | GUIDELINES FOR AUTOMATIC DATA PROCESSING PHYSICAL SECURITY AND RISK MANAGEMENT [CUST: OM 02] | A IPSC | DC | | 01-JUN-74 |
| | FIPS-PUB-32 SUP 1 | CHARACTER SETS FOR OPTICAL CHARACTER RECOGNITION (OCR) (WITH ANSI X3.2-70R76, ANSI X3.17-81, & ANSI X3.49-75R82) [CUST: OM 02] | A IPSC | DC | | 25-JUN-83 |
| | FIPS-PUB-33 | CHARACTER SET FOR HANDPRINTING (ANSI X3.45-1974) [CUST: OM 02] | A IPSC | DC | | 01-OCT-74 |
| | FIPS-PUB-34 | GUIDE FOR THE USE OF INTERNATIONAL SYSTEM OF UNITS (SI) IN FEDERAL INFORMATION PROCESSING STANDARDS PUBLICATIONS [CUST: OM 02] | A IPSC | DC | | 01-JAN-75 |
| | FIPS-PUB-39 | GLOSSARY FOR COMPUTER SYSTEMS SECURITY [CUST: OM 02] | A IPSC | DC | | 15-FEB-76 |
| | FIPS-PUB-40 | GUIDELINES FOR OPTICAL CHARACTER RECOGNITION FORMS, 1975 [CUST: OM 02] | A IPSC | DC | | 01-MAY-76 |
| | FIPS-PUB-41 | COMPUTER SECURITY GUIDELINES FOR IMPLEMENTING THE PRIVACY ACT OF 1974 [CUST: OM 02] | A IPSC | DC | | 30-MAY-75 |
| | FIPS-PUB-42 SUP 1 | GUIDELINES FOR BENCHMARKING ASDP SYSTEMS IN THE COMPETITIVE PROCUREMENT ENVIRO [CUST: OM 02] | A IPSC | DC | | 15-MAY-77 |
| | FIPS-PUB-46-2 | DATA ENCRYPTION STANDARD (DES) [CUST: CR OM 02] | A IPSC | DC | | 30-DEC-93 |
| | FIPS-PUB-48 | GUIDELINE ON EVALUATION OF TECHNIQUES FOR AUTOMATED PERSONAL IDENTIFICATION [CUST: OM 02] | A IPSC | DC | | 01-APR-77 |
| | FIPS-PUB-49 | GUIDELINES ON COMPUTER PERFORMANCE MANAGEMENT, AN INTRODUCTION [CUST: OM 02] | A IPSC | DC | | 11-MAR-77 |
| | FIPS-PUB-53 | TRANSMITTAL FORM FOR DESCRIBING COMPUTER MAGNETIC TAPE FILE [CUST: OM 02] | A IPSC | DC | | 16-DEC-77 |
| | FIPS-PUB-54 SUP 1 | COMPUTER OUTPUT MICROFORM (COM) FORMATS AND REDUCTION RATIOS, 16MM AND 105MM [CUST: AC OM 02 DC] | A IPSC | DC | | 15-JAN-91 |
| | FIPS-PUB-56 | GUIDELINE FOR MANAGING MULTIVENDOR PLUG COMPATIBLE ASDP SYSTEMS [CUST: 02] | A IPSC | DC | | 15-SEP-78 |
| | FIPS-PUB-57 | GUIDELINES FOR THE MEASUREMENT OF INTERACTIVE COMPUTER SERVICE RESPONSE TIME AND TURNAROUND TIME | A IPSC | DC | | 01-AUG-78 |
| | FIPS-PUB-60 SUP 2 | I/O CHANNEL INTERFACE [CUST: OM 02] | A IPSC | DC | | 22-FEB-84 |
| | FIPS-PUB-61 SUP 1 | CHANNEL LEVEL POWER CONTROL INTERFACE [CUST: OM 02] | A IPSC | DC | | 13-JUL-82 |
| | FIPS-PUB-62 | MAGNETIC TAPE SUBSYSTEM, OPERATIONAL SPECIFICATION FOR [CUST: OM 02] | A IPSC | DC | | 16-FEB-79 |
| | FIPS-PUB-63 SUP 1 | OPERATIONAL SPECIFICATIONS FOR VARIABLE BLOCK ROTATING MASS STORAGE SUBSYSTEMS (W/SUPPL 1 4-14-83) | A IPSC | DC | | 14-APR-83 |
| | FIPS-PUB-65 | GUIDELINE FOR AUTOMATIC DATA PROCESSING RISK ANALYSIS [CUST: OM 02] | A IPSC | DC | | 01-AUG-79 |
| | FIPS-PUB-67 | GUIDELINE FOR SELECTION OF DATA ENTRY EQUIPMENT [CUST: OM 02] | A IPSC | DC | | 30-SEP-79 |
| | FIPS-PUB-68 | MINIMAL BASIC WITH ANS X3.60-1978 [CUST: OM 02] | A IPSC | DC | | 04-SEP-80 |
| | FIPS-PUB-69 | FORTAN (WITH ANSI X3.9-1978) [CUST: OM 02] | A IPSC | DC | | 05-FEB-80 |
| | FIPS-PUB-71 SUP 1 | ADVANCED DATA COMMUNICATION CONTROL PROCEDURES (ADCCP) (WITH ANSI X3.66-1979) [CUST: OM 02] | A IPSC | DC | | 11-JUN-82 |
| | FIPS-PUB-72 | GUIDELINES FOR THE MEASUREMENT OF REMOTE BATCH COMPUTER SERVICE [CUST: OM 02] | A IPSC | DC | | 01-SEP-81 |
| | FIPS-PUB-73 | GUIDELINE FOR SECURITY OF COMPUTER APPLICATIONS [CUST: OM 02] | A IPSC | DC | | 01-DEC-81 |
| | FIPS-PUB-74 | GUIDELINES FOR IMPLEMENTING AND USING THE NBS DATA ENCRYPTION STANDARD [CUST: OM 02] | A IPSC | DC | | 02-DEC-80 |
| | FIPS-PUB-75 | GUIDELINE ON CONSTRUCTING BENCHMARKS FOR ADP SYSTEM ACQUISITIONS [CUST: OM 02] | A IPSC | DC | | 01-SEP-81 |
| | FIPS-PUB-76 | GUIDELINE FOR PLANNING & USING A DATA DICTIONARY SYSTEM [CUST: OM 02] | A IPSC | DC | | 01-DEC-81 |
| | FIPS-PUB-77 | GUIDELINE FOR PLANNING AND MANAGEMENT OF DATABASE APPLICATIONS [CUST: OM 02] | A IPSC | DC | | 01-JAN-81 |
| | FIPS-PUB-81 NOT 1 | DES MODES OF OPERATION [CUST: OM 02] | A IPSC | DC | | 01-JUN-81 |
| | FIPS-PUB-82 | GUIDELINE FOR INSPECTION & QUALITY CONTROL FOR ALPHANUMERIC COMPUTER OUTPUT MICROFORMS [CUST: OM 02] | A IPSC | DC | | 01-APR-81 |
| | FIPS-PUB-83 | GUIDELINE ON USER AUTHENTICATION TECHNIQUES FOR COMPUTER NETWORK ACCESS CONTROL [CUST: OM 02] | A IPSC | DC | | 01-APR-81 |
| | FIPS-PUB-84 | MICROFILM READERS [CUST: OM 02] | A IPSC | DC | | 01-MAY-81 |
| | FIPS-PUB-85 | OPTICAL CHARACTER RECOGNITION (OCR) INKS (WITH ANSI X3.86-1980) [CUST: OM 02] | A IPSC | DC | | 01-FEB-81 |
| | FIPS-PUB-86 SUP 2 | ADDITIONAL CONTROLS FOR USE WITH ASCII (WITH ANSI X3.64-1979) [CUST: OM 02] | A IPSC | DC | | 10-FEB-83 |
| | FIPS-PUB-87 | GUIDELINES FOR ADP CONTINGENCY PLANNING [CUST: OM 02] | A IPSC | DC | | 01-JUL-81 |
| | FIPS-PUB-88 | GUIDELINE ON INTEGRITY ASSURANCE & CONTROL IN DATABASE ADMINISTRATION [CUST: OM 02] | A IPSC | DC | | 14-AUG-81 |
| | FIPS-PUB-89 | OPTICAL CHARACTER RECOGNITION (OCR) CHARACTER POSITIONING [CUST: OM 02] | A IPSC | DC | | 04-SEP-81 |
| | FIPS-PUB-90 | GUIDELINE FOR OPTICAL CHARACTER RECOGNITION (OCR) PRINT QUALITY (ANSI X 3.99-83) [CUST: OM 02] | A IPSC | DC | | 29-SEP-83 |
| | FIPS-PUB-94 | GUIDELINE ON ELECTRICAL POWER FOR ADP INSTALLIONS [CUST: OM 02] | A IPSC | DC | | 21-SEP-83 |

ACTIVE SECTION

DODISS NUMERICAL LISTING FEDERAL INFORMATION PROCESSING STANDARDS

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|-----------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| | FIPS-PUB-96 | GUIDELINE FOR DEVELOPING & IMPLEMENTING A CHARGE SYSTEM FOR DATA PROCESSING SERVICES [CUST: OM 02] | A IPSC | DC | | 06-DEC-82 |
| | FIPS-PUB-97 | OPERATIONAL SPECIFICATIONS FOR FIXED BLOCK ROTATING MASS STORAGE SUBSYSTEMS [CUST: OM 02] | A IPSC | DC | | 04-FEB-83 |
| | FIPS-PUB-98 | MESSAGE FORMAT FOR COMPUTER BASED MESSAGE SYSTEMS [CUST: AC OM 02] [REVIEW: 90 CR DC EC NS] | A IPSC | 02 | | 01-MAR-83 |
| | FIPS-PUB-99 | GUIDELINE, A FRAMEWORK FOR THE EVALUATION & COMPARISON OF SOFTWARE DEVELOPMENT TOOLS [CUST: OM 02] | A IPSC | DC | | 31-MAR-83 |
| | FIPS-PUB-100 | INTERFACE BETWEEN DATA TERMINAL EQUIPMENT (DTE) & DATA CIRCUIT TERMINATING EQUIPMENT (DCE) FOR OPERATION WITH PACKET SWITCHED DATA COMMUNICATIONS NETWORKS (FEDERAL STANDARD 1041) [CUST: CR EC 90 DC] [REVIEW: OM] | A TELE | DC | | 06-JUL-83 |
| | FIPS-PUB-101 | GUIDELINE FOR LIFECYCLE VALIDATION, VERIFICATION, & TESTING OF COMPUTER SOFTWARE [CUST: AC OM 02] | A IPSC | 02 | | 06-JUN-83 |
| A | FIPS-PUB-112 | PASSWORD USAGE [CUST: CR OM 02 DC] | A IPSC | DC | | 30-MAY-85 |
| | FIPS-PUB-121 | VIDEOTEX/TELETEXT PRESENTATION LEVEL PROTOCOL SYNTAX (NORTH AMERICAN PLPS) WITH ANSI X3.110-1983 [CUST: OM 02 DC] | A IPSC | DC | | 06-MAY-86 |
| | FIPS-PUB-122 | INTERFACE BETWEEN DATATERMIAL EQUIPMENT (DTE) AND DATA CIRCUIT-TERMINATING EQUIPMENT (DCE) FOR OPERATION WITH PACKETT-SWITCHED DATA COMMUNICATIONS NETWORKS [CUST: OM 02 DC] | A IPSC | DC | | 28-MAY-86 |
| | FIPS-PUB-127-1 | DATABASE LANGUAGE SQL [CUST: AC OM 02] | A INST | DC | | 02-FEB-90 |
| | FIPS-PUB-140-1 | SECURITY REQUIREMENTS FOR CRYPTOGRAPHIC MODULES [CUST: CR OM 02] | A IPSC | DC | | 11-JAN-94 |
| | FIPS-PUB-146-1 | GOVERNMENT OPEN SYSTEMS INTERCONNECTION PROFILE (GOSIP) [CUST: AC OM 02] | A DCPS | DC | | 03-APR-91 |
| | FIPS-PUB-156 | DATA MANAGEMENT APPLICATIONS, SOFTWARE STANDARD [CUST: CR OM 02] | A IPSC | DC | | 05-APR-90 |
| | FIPS-PUB-173-1 | TOPOLOGICAL VECTOR PROFILE (PART 4) [CUST: OM 02] | A IPSC | DC | | 10-JUN-94 |
| | FIPS-PUB-179 | GOVERNMENT NETWORK MANAGEMENT PROFILE (GNMP) [CUST: AC OM 02] | A DCPS | DC | | 14-DEC-92 |
| | FIPS-PUB-185 | ESCROWED ENCRYPTION STANDARD (EES) [CUST: CR OM 02] | A IPSC | DC | | 09-FEB-94 |
| | FIPS-PUB-186 | DIGITAL SIGNATURE STANDARD (DSS) [CUST: CR OM 02] | A IPSC | DC | | 19-MAY-94 |
| | FIPS-PUB-187 | ADMINISTRATION STANDARD FOR THE TELECOMMUNICATION INFRASTRUCTURE OF FEDERAL BUILDINGS [CUST: CR OM 02] | A DCPS | DC | | 11-AUG-94 |
| | FIPS-PUB-188 | STANDARD SECURITY LABEL FOR INFORMATION TRANSFER [CUST: CR OM 02] | A DCPS | DC | | 06-SEP-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|------|
| A | QPL-1-130 | ELECTRON TUBES, GENERAL SPECIFICATION FOR | A 5960 | CC | 10-OCT-96 | |
| | QPL-2-6 | VALVE, CYLINDER, GAS (FOR COMPRESSED OR LIQUIFIED GASES) | A 8120 | GS | 28-JUL-77 | |
| | QPL-5-109 | CAPACITORS, FIXED, MICA-DIELECTRIC, GENERAL SPECIFICATION FOR | A 5910 | CC | 28-FEB-97 | |
| | QPL-10-111 | INSULATING COMPOUND, ELECTRICAL, CERAMIC, CLASS L, GENERAL SPECIFICATION FOR | A 5970 | CC | 23-OCT-96 | |
| | QPL-11-80 | RESISTOR, FIXED, COMPOSITION (INSULATED) GENERAL SPECIFICATION FOR | A 5905 | CC | 05-OCT-93 | |
| A | QPL-17-161 | CABLE, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR | A 6145 | CC | 03-JUN-97 | |
| | QPL-19-56 | RESISTOR, VARIABLE, WIREWOUND, (LOW OPERATING TEMPERATURE), GENERAL SPECIFICATION FOR | A 5905 | CC | 03-JUL-95 | |
| | QPL-20-129 | CAPACITOR, FIXED, CERAMIC-DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CC | 14-MAR-97 | |
| | QPL-22-65 | RESISTOR, VARIABLE (WIREWOUND, POWER-TYPE) GENERAL SPECIFICATION FOR | A 5905 | CC | 27-JUN-90 | |
| | QPL-25-68 | CAPACITOR, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES), GENERAL SPECIFICATION FOR | A 5910 | CC | 05-NOV-92 | |
| | QPL-26-145 | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), GENERAL SPECIFICATION FOR | A 5905 | CC | 11-NOV-96 | |
| | QPL-27-147 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), GENERAL SPECIFICATION FOR | A 5950 | CC | 19-MAR-97 | |
| | QPL-29-49 | RESISTORS, FIXED, METER MULTIPLIER, EXTERNAL (HIGH VOLTAGE, FERRULE TERMINAL TYPE) | A 5905 | CC | 17-SEP-93 | |
| | QPL-62-83 | CAPACITOR, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED), GENERAL SPECIFICATION FOR | A 5910 | CC | 03-JUL-95 | |
| | QPL-81-36 | CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, GENERAL SPECIFICATION FOR | A 5910 | CC | 19-MAY-93 | |
| | QPL-93-105 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), GENERAL SPECIFICATION FOR | A 5905 | CC | 25-FEB-97 | |
| | QPL-94-95 | RESISTOR, VARIABLE, COMPOSITION, GENERAL SPECIFICATION FOR | A 5905 | CC | 16-AUG-95 | |
| | QPL-122-16 | RESISTOR, FIXED, PRECISION, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | CC | 17-JAN-97 | |
| | QPL-123-24 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE STABLE AND GENERAL PURPOSE) HIGH RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CC | 24-JUL-95 | |
| | QPL-131-44(2) | BARRIER MATERIALS, WATER VAPORPROOF, GREASEPROOF, FLEXIBLE, HEAT-SEALABLE | A 8135 | AS | 27-FEB-96 | |
| | QPL-149-12 | PLASTIC COATING COMPOUND, STRIPPABLE (HOT DIPPING) | A 8030 | MR | 10-JUL-68 | |
| | QPL-172-20 | CASES, BASES, MOUNTING; AND MOUNTS, VIBRATION (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) | A 5340 | AS | 08-AUG-94 | |
| A | QPL-372-21 | CLEANING COMPOUND, SOLVENT (FOR BORE OF SMALL ARMS AND AUTOMATIC AIRCRAFT WEAPONS) | A 6850 | AR | 16-JAN-98 | |
| | QPL-450-19 | COATING COMPOUND, BITUMINOUS SOLVENT TYPE, BLACK (FOR AMMUNITION) | A 8030 | OS | 09-AUG-85 | |
| | QPL-604 | HOSE ASSEMBLY, TETRAFLUORETHYLENE, 400 F 3000 PSI HYDRAULIC HEAVY BRAID | A 4720 | 82 | 24-FEB-89 | |
| | QPL-631-70 | INSULATION, ELECTRICAL, SYNTHETIC-RESIN COMPOSITION, NONRIGID | A 5970 | SH | 08-MAY-96 | |
| | QPL-641-62 | JACK, TELEPHONE GENERAL SPECIFICATION FOR | A 5935 | CC | 19-JUL-90 | |
| | QPL-642-46 | PLUG, TELEPHONE, AND ACCESSORY SCREWS, GENERAL SPECIFICATION FOR | A 5935 | CC | 19-JUL-90 | |
| | QPL-684-18 | CUP, BULLET JACKET, COPPER ALLOY CLAD STEEL, FOR SMALL ARMS AMMUNITION | A 1305 | AR | 04-FEB-83 | |
| | QPL-781-11 | TERMINAL, WIRE ROPE, SWAGING | A 4030 | IS | 10-MAR-83 | |
| | QPL-904-58 | HOISTS, CHAIN, HAND-OPERATED, HOOK AND TROLLEY SUSPENSION | A 3950 | SH | 09-AUG-94 | |
| A | QPL-914-3 | RESISTOR NETWORKS, FIXED, FILM, SURFACE MOUNT, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | CR | 09-MAR-98 | |
| | QPL-915-62 | CABLE AND CORD, ELECTRICAL, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR | A 6145 | SH | 29-MAR-93 | |
| | QPL-960-25 | TRAPS, STEAM, INTERMITTENT DISCHARGE AND CONTINUOUS FLOW, NAVAL SHIPBOARD | A 4730 | SH | 06-MAY-96 | |
| | QPL-2104-38 | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, COMBAT/TACTICAL SERVICE | A 9150 | AT | 03-JUL-96 | |
| | QPL-2105-24 | LUBRICATING OIL, GEAR, MULTIPURPOSE | A 9150 | AT | 22-JUN-95 | |
| | QPL-2212-52 | CONTRACTORS AND CONTROLLERS, ELECTRIC MOTOR AC OR DC, AND ASSOCIATED SWITCHING DEVICES | A 6110 | SH | 29-MAY-96 | |
| | QPL-2678-20 | BRUSHES, WIRE, BOILER TUBE, EXPANDING TYPE FOR USE WITH ELECTRIC AND MOTOR DRIVEN BOILER TUBE CLEANING OUTFITS, AND FIXED SECTIONAL HAND TYPE | A 5130 | SH | 28-NOV-96 | |
| | QPL-2781-61 | INSULATION, PIPE, THERMAL | A 5640 | SH | 06-MAY-96 | |
| | QPL-2819-63 | INSULATION BLOCK, TERMINAL | A 5640 | SH | 06-MAY-96 | |
| | QPL-2863-20 | PACKING, PREFORMED, CONDENSER-TUBE (SYMBOL 1435) | A 5330 | SH | 07-JUN-93 | |
| | QPL-2911-22 | PACKING ASSEMBLY, HYDRAULIC CONICAL AND V TYPES | A 5330 | SH | 26-AUG-91 | |
| | QPL-2939-23 | COOLING COILS, AIR, DUCT TYPE AND GRAVITY TYPE; COOLER UNITS, AIR, NAVAL SHIPBOARD ENVIRONMENTAL CONTROL SYSTEMS | A 4130 | SH | 10-MAY-96 | |
| | QPL-3064-22 | INSULATION, ELECTRICAL, PLASTIC-SEALER | A 5970 | SH | 20-NOV-96 | |
| | QPL-3098-82 | CRYSTAL UNITS, QUARTZ, GENERAL SPECIFICATION FOR | A 5955 | CR | 25-MAY-95 | |
| | QPL-3105-23 | SEALING COMPOUND, INERT (FOR USE IN AMMUNITION) | A 8030 | OS | 30-OCT-75 | |
| | QPL-3117-20 | HEATERS, CONVECTION, STEAM AND HOT WATER | A 4520 | SH | 10-MAY-96 | |
| A | QPL-3134-84 | DECK COVERING MATERIALS | A 5610 | SH | 31-DEC-97 | |
| A | QPL-3135-67 | DECK COVERING UNDERLAY MATERIALS | A 5610 | SH | 31-DEC-97 | |
| | QPL-3150-28 | LUBRICATING OIL, PRESERVATIVE, MEDIUM | A 9150 | AT | 03-JUL-96 | |
| A | QPL-3155-14 | VALVE, TEMPERATURE REGULATING VENTILATION HEATER, STEAM CONTROL, NAVAL SHIPBOARD USE | A 4820 | SH | 29-APR-97 | |
| | QPL-3190-25 | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED | A 5970 | SH | 06-MAY-96 | |
| | QPL-3301-17 | COMPOUND, ASPHALTIC, HOT&MELT (CAVITY LINING) | A 8030 | OS | 30-SEP-76 | |
| | QPL-3316-72 | ADHESIVES, FIRE-RESISTANT, THERMAL INSULATION | A 8040 | SH | 27-JUL-94 | |
| | QPL-3420-26 | PACKAGING MATERIALS, VOLATILE CORROSION INHIBITOR TREATED, OPAQUE | A 8135 | AS | 22-JUN-95 | |
| A | QPL-3464-75 | DESICCANTS, ACTIVATED, BAGGED, PACKAGING USE AND STATIC DEHUMIDIFICATION | A 6850 | SH | 15-SEP-97 | |
| | QPL-3661-24 | LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT, LENSES, GENERAL SPECIFICATION FOR | A 6210 | GS | 31-AUG-93 | |
| | QPL-3702-12 | CABLE, POWER, ELECTRICAL, IGNITION, HIGH-TENSION | A 6145 | AT | 05-APR-91 | |
| | QPL-3785-12 | STARTER, ENGINE, ELECTRICAL: 24-VOLT DIRECT CURRENT | A 2920 | AT | 12-OCT-91 | |
| | QPL-3786-37 | SWITCHES, ROTARY (CIRCUIT SELECTOR, LOW CURRENT CAPACITY), GENERAL SPECIFICATION FOR | A 5930 | CC | 25-JUN-93 | |
| | QPL-3920-11 | ADHESIVES: OPTICAL THERMOSETTING | A 8040 | AR | 10-SEP-92 | |
| | QPL-3926-11(5) | KNOBS, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT) | A 5355 | IS | 30-OCT-91 | |
| | QPL-3928-22 | SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL), GENERAL SPECIFICATION FOR | A 5985 | CC | 26-OCT-93 | |
| | QPL-3933-19 | ATTENUATORS, FIXED, GENERAL SPECIFICATION FOR | A 5985 | CC | 05-MAR-96 | |
| | QPL-3950-19 | SWITCH, TOGGLE, ENVIRONMENTALLY SEALED [REVIEW: 80] | A 5930 | CC | 04-APR-90 | |
| | QPL-3954-18 | DUMMY LOAD, ELECTRICAL, WAVEGUIDE GENERAL SPECIFICATION FOR | A 5985 | CC | 09-FEB-84 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------|---|-----------------------|-----|-------------|-----------|
| | QPL-3965-66 | CAPACITOR, FIXED, ELECTROLYTIC, (NONSOLID ELECTROLYTE), TANTALUM, GENERAL SPECIFICATION FOR | A 5910 | CC | | 30-SEP-93 |
| | QPL-3971-45 | METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL, GENERAL SPECIFICATION FOR | A 6645 | AR | | 20-MAR-95 |
| | QPL-3990-10(1) | BEARINGS, ROLLER, NEEDLE, AIRFRAME, ANTIFRICTION, INCH | A 3110 | AS | | 03-JAN-97 |
| | QPL-3992-15(3) | HOSE AND HOSE ASSEMBLY, RUBBER, AIR AND VACUUM BRAKE AUTOMOTIVE | A 2530 | CC | | 01-NOV-96 |
| | QPL-4343-20 | GREASE, PNEUMATIC-SYSTEMS | A 9150 | AS | | 22-JUN-95 |
| | QPL-4383-12 | SEALING COMPOUND, TOPCOAT, FUEL TANK, BUNA-N TYPE | A 8030 | AS | | 09-NOV-88 |
| | QPL-4556-26 | COATING KIT, EPOXY, FOR INTERIOR OF STEEL FUEL TANKS | A 8010 | MR | | 25-SEP-95 |
| | QPL-4952-9 | CARTRIDGE, OXYGEN PURIFIER, TYPE MA-1 | A 4440 | 84 | | 13-MAR-87 |
| M | QPL-5015-39 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, AN TYPE, GENERAL SPECIFICATION FOR | A 5935 | AS | | 02-APR-98 |
| | QPL-5027-19 | VALVES, CHECK, OXYGEN, HIGH PRESSURE | A 1660 | AS | | 20-DEC-94 |
| | QPL-5041-31 | TIRE, PNEUMATIC, AIRCRAFT | A 2620 | 70 | | 14-APR-80 |
| | QPL-5070-17 | ADAPTER, HOSE TO TUBE, PIPE AND FLANGE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES | A 4730 | CC | | 01-JUL-83 |
| A | QPL-5086-37 | WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, COPPER OR COPPER ALLOY | A 6145 | AS | | 02-SEP-97 |
| | QPL-5091/2-2 | TRANSMISSION, POWER, CONSTANT RATIO SHAFT, FLEXIBLE DRIVE, 47HP | A 1680 | AS | | 14-DEC-73 |
| | QPL-5091/3-2 | TRANSMISSION, POWER, CONSTANT RATIO GEARBOX, ENGINE MOUNTED 47HP | A 1680 | AS | | 14-DEC-73 |
| | QPL-5315-23 | PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT | A 5330 | 11 | | 24-MAR-94 |
| | QPL-5372-7 | FUSE, CURRENT LIMITER TYPE, AIRCRAFT | A 5920 | AS | | 30-JUL-95 |
| | QPL-5373-8 | FUSEHOLDER, BLOCK TYPE, AIRCRAFT | A 5920 | AS | | 30-JUL-95 |
| | QPL-5413-25 | GENERATORS, TACHOMETER, FOUR-POLE | A 6620 | AS | | 15-NOV-94 |
| | QPL-5423-26 | BOOT, DUST AND WATER SEAL (FOR TOGGLE AND PUSHBUTTON SWITCHES, CIRCUIT BREAKERS, AND ROTARY-ACTUATED PARTS) GENERAL SPECIFICATION FOR | A 5930 | CC | | 09-JUL-91 |
| | QPL-5425-20 | PLASTIC SHEET, ACRYLIC, HEAT RESISTANT | A 9330 | AS | | 22-JUL-94 |
| | QPL-5498-24 | ACCUMULATORS, AIRCRAFT HYDRO-PNEUMATIC PRESSURE | A 1650 | AS | | 25-MAY-91 |
| | QPL-5500-16 | CAPS: AIR PRESSURE AIR VALVE | A 1650 | CC | | 08-MAY-92 |
| | QPL-5504-34 | FILTER AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC MICRONIC TYPE | A 1650 | AS | | 12-MAR-90 |
| | QPL-5508-16 | FUSES, AIRCRAFT AUTOMATIC QUANTITY-MEASURING, HYDRAULIC | A 1650 | 71 | | 31-MAY-96 |
| | QPL-5510-17 | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, TYPE I HYDRAULIC (-65 DEG. TO 160 DEG. F) | A 5330 | 11 | | 22-NOV-96 |
| A | QPL-5515-17 | PUMP, HYDRAULIC RAM, HAND DRIVEN | A 4320 | CC | | 17-SEP-97 |
| | QPL-5516-17 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, 160 DEG. F (USE MIL-P-25732 OR MIL-P-83461) | A 5330 | 11 | | 10-SEP-90 |
| | QPL-5521-12 NOT 1 | WASHER, AIRCRAFT HYDRAULIC PACKING BACK-UP | A 5310 | IS | | 01-JUL-94 |
| | QPL-5524-23 | VALVES, CHECK, HYDRAULIC, AIRCRAFT, TYPE I SYSTEMS | A 1650 | AS | | 28-JUN-85 |
| | QPL-5527-17 | VALVES, AIRCRAFT, HYDRAULIC THERMAL EXPANSION RELIEF | A 1650 | AS | | 12-NOV-86 |
| | QPL-5540-24 | ADHESIVE, POLYCHLOROPRENE | A 8040 | AS | | 10-SEP-87 |
| | QPL-5567-37 | LIFE RAFTS, INFLATABLE, 4 AND 7 MAN, FOR AIRCRAFT USE | A 4220 | AS | | 20-AUG-95 |
| | QPL-5591-3(2) | FASTENERS, PANEL | A 5325 | IS | | 09-MAR-60 |
| | QPL-5593-19 | HOSE; AIRCRAFT, LOW-PRESSURE, FLEXIBLE | A 4720 | CC | | 03-APR-92 |
| A | QPL-5594-12 | SWITCHES, TOGGLE, ELECTRICALLY HELD SEALED, GENERAL SPECIFICATION FOR | A 5930 | AS | | 14-JAN-98 |
| | QPL-5606-30 | HYDRAULIC FLUID, PETROLEUM BASE, AIRCRAFT; MISSILE AND ORDNANCE | A 9150 | 11 | | 29-MAR-96 |
| A | QPL-5756-28 | CABLE, POWER, ELECTRICAL, PORTABLE, GENERAL SPECIFICATION FOR | A 6145 | AS | | 02-SEP-97 |
| | QPL-5757-93 | RELAY, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR | A 5945 | CC | | 13-JUN-96 |
| | QPL-5790-16 | TRANSMITTER, PRESSURE, OIL, SYNCHRO, 0-200 PSI 320-DEGREE MOVEMENT, 26V, SINGLE PHASE, 400 CYCLES | A 6620 | 71 | | 15-AUG-94 |
| | QPL-5796-17 | TRANSMITTER, PRESSURE, OIL, 0-100 PSI | A 6620 | 71 | | 15-MAR-96 |
| A | QPL-5809-42 | CIRCUIT BREAKERS, TRIP-FREE, AIRCRAFT, GENERAL SPECIFICATION FOR | A 5925 | AS | | 20-JUL-97 |
| | QPL-5877-13 | NOZZLE, PRESSURE FUEL SERVICING, LOCKING TYPE D-1 AND D-2, NOMINAL 2 1/2 INCH DIAMETER | A 4930 | AS | | 08-JAN-93 |
| | QPL-5882-16 | TRANSMITTER, PRESSURE, MULTIPURPOSE, 0-50 PSI | A 6620 | 71 | | 30-JUN-94 |
| | QPL-5913-7 | TRANSMITTER, RATE OF FLOW, SYNCHRO, TYPE J-5 | A 6620 | 71 | | 15-MAR-96 |
| | QPL-5914-19 | INDICATOR, RATE OF FLOW, FUEL, TYPE EFU-24/A AND TYPE EFU-25/A | A 6620 | 71 | | 15-MAR-96 |
| | QPL-6000-17 | HOSE, RUBBER (FUEL, OIL, COOLANT, WATER AND ALCOHOL) | A 4720 | 82 | | 08-DEC-92 |
| | QPL-6032-17 | GREASE, PLUG VALVE, GASOLINE AND OIL RESISTANT, NATO CODE NUMBER G-363, METRIC | A 9150 | AS | | 30-DEC-94 |
| | QPL-6039-3(1) | BEARING, DOUBLE ROW, BALL, SEALED, ROD END, ANTI-FRICTION, SELF-ALIGNING | A 3110 | 84 | | 28-AUG-88 |
| | QPL-6081-29(2) | LUBRICATING OIL, JET ENGINE | A 9130 | 11 | | 01-JUN-95 |
| | QPL-6083-20 | HYDRAULIC FLUID, PETROLEUM BASE, FOR PRESERVATION AND OPERATION | A 9150 | AT | | 03-JUL-96 |
| | QPL-6085-14 | LUBRICATING OIL, INSTRUMENT, AIRCRAFT, LOW VOLATILITY | A 9150 | 11 | | 16-SEP-92 |
| | QPL-6086-12 | LUBRICATING OIL, GEAR, PETROLEUM BASE | A 9150 | 11 | | 16-SEP-92 |
| A | QPL-6106-47 | RELAYS, ELECTROMAGNETIC (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES), GENERAL SPECIFICATION FOR | A 5945 | 85 | | 15-MAR-98 |
| | QPL-6150-17 | STARTER, ENGINE, ELECTRICAL, DIRECT CRANKING, AIRCRAFT, 28-VOLT DC | A 2925 | 82 | | 22-DEC-81 |
| | QPL-6162-21 | GENERATORS, & STARTER-GENERATORS, ELECTRIC DIRECT CURRENT, NOMINAL 30 VOLTS, AIRCRAFT GENERAL SPECIFICATION FOR | A 6115 | AS | | 01-NOV-88 |
| | QPL-6193-8 | JOINT, UNIVERSAL, PLAIN, LIGHT AND HEAVY DUTY | A 3010 | CC | | 03-FEB-89 |
| | QPL-6301-20 | INDICATOR, PRESURE, FUEL, 0-600 PSI | A 6620 | 71 | | 15-MAR-96 |
| | QPL-6363-4(1) | LAMPS, INCANDESCENT, AIRCRAFT SERVICE, GENERAL SPECIFICATION FOR | A 6240 | AS | | 28-OCT-93 |
| | QPL-6482-8 | MASK ASSEMBLIES, OXYGEN, PRESSURE BREATHING | A 1660 | AS | | 22-FEB-82 |
| | QPL-6484-14 | LIGHT, COCKPIT UTILITY, AIRCRAFT GENERAL SPECIFICATION FOR | A 6220 | GS | | 10-APR-89 |
| | QPL-6529-23 | CORROSION-PREVENTATIVE, AIRCRAFT ENGINE | A 6850 | 11 | | 21-MAY-96 |
| | QPL-6599-19 | INDICATOR, RATE OF FLOW, FUEL, TYPE A-19 | A 6620 | 71 | | 15-MAR-96 |
| | QPL-6645-25 | PARACHUTES, PERSONNEL, GENERAL SPECIFICATION FOR | A 1670 | 82 | | 06-DEC-96 |
| | QPL-6749-10 | RHEOSTATS: AIRCRAFT POWER | A 5905 | CC | | 01-DEC-93 |
| | QPL-6752-18 | AMMETERS, VOLTMETERS, AND LOADMETERS; DIRECT CURRENT | A 6625 | AS | | 27-MAR-92 |
| | QPL-6799-18 | COATINGS, SPRAYABLE, STRIPPLE, PROTECTIVE WATER EMULSION | A 8030 | AS | | 23-FEB-90 |
| | QPL-6807-12 | SWITCH, ROTARY, SELECTOR POWER, GENERAL SPECIFICATION FOR | A 5930 | CC | | 28-FEB-96 |
| | QPL-6839-26 | INDICATOR, SYMBOL INDICATING, LANDING GEAR POSITION | A 6610 | 71 | | 17-JAN-92 |
| | QPL-6856-17 | INDICATOR, PRESSURE, SYNCHRO, 1-1/2 INCH | A 6685 | AS | | 24-MAY-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------|--|-----------------------|-----|-------------|-----------|
| | QPL-6864-14 | CLEANING COMPOUND, SOLVENT, OIL COOLER | A 6850 | GS | | 03-DEC-82 |
| | QPL-6882-12 | WATER REPELLENT, WINDOW AND WINDSHIELD, GLASS AND PLASTIC | A 6850 | AS | | 20-FEB-91 |
| | QPL-7032-34 | INVERTER, AIRCRAFT, GENERAL SPECIFICATION FOR | A 6125 | AS | | 07-JUN-95 |
| | QPL-7034-17 | PULLEY, GROOVE, ANTI-FRICTION BEARING, GREASE-LUBRICATED, AIRCRAFT | A 3020 | 82 | | 24-FEB-84 |
| | QPL-7072-13 | WIRE, ELECTRICAL, 600-VOLT, ALUMINUM, AIRCRAFT, GENERAL SPECIFICATION FOR | A 6145 | AS | | 01-DEC-93 |
| | QPL-7077-12 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, MINUS 70 DEG. TO PLUS 150 DEG. C, 2-INCH SIZE | A 6685 | GS | | 25-MAY-90 |
| | QPL-7079-8 | CIRCUIT BREAKER, NON TRIP-FREE [REVIEW: 80] | A 5925 | CC | | 20-SEP-85 |
| D | QPL-7082-12 | LIGHT, RUNWAY, MARKER, ELEVATED, TYPE M-1 | A 6210 | IS | | 14-MAY-82 |
| A | QPL-7084-16 | INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI | A 6610 | 82 | | 24-NOV-97 |
| | QPL-7085-21 | INDICATOR, PRESSURE, ENGINE, 0-50 PSI | A 6620 | 71 | | 15-MAR-96 |
| | QPL-7086-27 | INDICATOR, PRESSURE, OIL, 0-100 PSI | A 6620 | 71 | | 15-MAR-96 |
| | QPL-7087-26 | INDICATOR, PRESSURE, OIL, 0-200 PSI | A 6620 | 71 | | 15-MAR-96 |
| | QPL-7088-20 | INDICATOR, PRESSURE, OIL, 0-1,000 PSI | A 6620 | 71 | | 15-MAR-96 |
| M | QPL-7099-12 | TERMINAL; LUG AND SPLICE, CRIMP STYLE ALUMINUM FOR ALUMINUM AIRCRAFT WIRE | A 5940 | AS | | 18-MAR-98 |
| | QPL-7101-14 | TRANSMISSION, POWER, CONSTANT SPEED, GENERAL SPECIFICATION (AIRCRAFT USE) | A 1650 | AS | | 04-SEP-85 |
| | QPL-7101/7-3 | TRANSMISSION, CONSTANT SPEED, HYDRAULIC 20KVA, S-2/E-1 AIRCRAFT | A 1650 | AS | | 26-NOV-80 |
| A | QPL-7112-9 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, CYLINDER HEAD | A 6685 | 82 | | 24-NOV-97 |
| A | QPL-7115-29 | CONVERTERS, AIRCRAFT, GENERAL SPECIFICATION FOR | A 6130 | AS | | 31-AUG-97 |
| | QPL-7124-9 | SEALING COMPOUND, POLYSULFIDE, ACCELERATOR REQUIRED, FOR AIRCRAFT STRUCTURES | A 8030 | AS | | 17-JUN-88 |
| | QPL-7605-13 | REGULATOR, OXYGEN, DEMAND, PRESSURE BREATHING, TYPE A-21 | A 1660 | 71 | | 13-JUN-94 |
| | QPL-7703-9 | GUARD, SWITCH [REVIEW: 80] | A 5930 | CC | | 17-APR-90 |
| | QPL-7726-8 | REPAIR AND REBUILDING OF USED AIRCRAFT PNEUMATIC TIRES | A 2620 | 70 | | 12-OCT-83 |
| | QPL-7780-11 | STARTER, ELECTRIC, CONSTANT CURRENT, DC | A 2990 | AS | | 05-SEP-77 |
| A | QPL-7788-76 | PANELS, INFORMATION, INTEGRALLY ILLUMINATED | A 6220 | AS | | 18-AUG-97 |
| | QPL-7790-6 | RESISTOR, THERMOCOUPLE LEAD SPOOL | A 5905 | CC | | 01-FEB-84 |
| | QPL-7793-34 | METER, TIME TOTALIZING | A 6645 | AS | | 12-JAN-95 |
| | QPL-7808-37(2) | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE | A 9150 | 11 | | 16-JAN-96 |
| | QPL-7838-37 | BOLT, INTERNAL WRENCHING, 160 KSI FTU | A 5306 | IS | | 12-DEC-95 |
| | QPL-7870-12 | LUBRICATING OIL: GENERAL PURPOSE, LOW TEMPERATURE | A 9150 | 11 | | 16-SEP-92 |
| | QPL-7873-22 | NUT, SELF-LOCKING, 1200 DEG. F | A 5310 | IS | | 29-JUL-92 |
| | QPL-7874-13 | BOLT, MACHINE, 1200 DEG. F | A 5306 | IS | | 12-DEC-95 |
| | QPL-7885-23 | RIVETS: BLIND, STRUCTURAL, PULL-STEM, AND CHEMICALLY EXPANDED | A 5320 | IS | | 14-OCT-92 |
| | QPL-7886-13 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE MODEL C47/R1830A-90C/D 92/A (5/8 - 24 CONNECTORS) | A 2925 | AS | | 25-MAY-84 |
| | QPL-7899-17(1) | VALVES, CHECK, AIRCRAFT FUEL SYSTEM | A 4820 | 82 | | 08-JAN-96 |
| | QPL-7905-50(3) | CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE SEAMLESS, 1800 PSI AND 2100 PSI | A 1660 | AS | | 30-JUL-96 |
| M | QPL-7928-27 | TERMINALS, LUG: SPLICES, CONDUCTOR: CRIMP STYLE, COPPER, GENERAL SPECIFICATION FOR | A 5940 | AS | | 01-APR-98 |
| M | QPL-7949-22 | BEARINGS, BALL, AIRFRAME, ANTI-FRICTION | A 3110 | AS | | 24-MAR-98 |
| D | QPL-7961-13 | LIGHTS, INDICATORS, PRESS TO TEST | A 6210 | IS | | 29-JUL-94 |
| D | QPL-7968-6 NOT 1 | POSITION INDICATING ASSEMBLIES, ELECTRICAL, WHEELS AND FLAPS | A 6610 | GS | | 30-JUN-65 |
| | QPL-7974-36 | CABLE ASSEMBLIES AND ATTACHABLE PLUGS, EXTERNAL ELECTRICAL POWER, AIRCRAFT, GENERAL SPECIFICATION FOR | A 6150 | AS | | 16-APR-97 |
| | QPL-7990-13 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, -70 DEG. TO +300 DEG. C | A 6685 | GS | | 30-OCT-92 |
| | QPL-8184-19(1) | PLASTIC SHEET, ACRYLIC, MODIFIED | A 9330 | AS | | 22-APR-96 |
| | QPL-8188-18 | CORROSION-PREVENTIVE OIL, GAS TURBINE ENGINE AIRCRAFT SYNTHETIC BASE | A 6850 | 11 | | 15-JUN-95 |
| | QPL-8236-14 | REEL, SHOULDER HARNESS TAKEUP, INERTIA LOCK | A 1680 | 82 | | 19-SEP-96 |
| | QPL-8276-17 | INDICATOR, RATE OF FLOW, FUEL, SYNCHRO STYLE, TYPE MA-2 | A 6620 | 71 | | 15-AUG-94 |
| | QPL-8516-24(1) | SEALING COMPOUND, POLYSULFIDE RUBBER, ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS, CHEMICALLY CURED | A 8030 | AS | | 30-JAN-97 |
| | QPL-8565-26 | BATTERY, STORAGE, AIRCRAFT, GENERAL SPECIFICATION FOR | A 6140 | AS | | 01-MAR-97 |
| | QPL-8605-19 | CAP; PRESSURE FUEL SERVICING | A 1560 | AS | | 17-MAR-94 |
| | QPL-8660-11 | SILICONE COMPOUND, NATO CODE NUMBERS S-736 | A 6850 | AS | | 31-JUL-87 |
| | QPL-8703-4 | CHAIN ASSEMBLY, SINGLE LEG, 10,000-LB CAPACITY, FOR USE WITH TYPE MC-1 CARGO TIE DOWN | A 1670 | 82 | | 02-DEC-81 |
| A | QPL-8777-20 | WIRE, ELECTRICAL, SILICONE-INSULATED, COPPER, 600-VOLT, 200 DEG C | A 6145 | CC | | 29-SEP-95 |
| | QPL-8783-8 | CLAMP, HOSE, FLAT BAND 500 F | A 4730 | CC | | 02-JUN-92 |
| | QPL-8788-13 | HOSE, HYDRAULIC, HIGH PRESSURE | A 4720 | 82 | | 06-DEC-91 |
| | QPL-8789-15 | FITTING END, ATTACHABLE HYDRAULIC HIGH-PRESSURE HOSE | A 4730 | CC | | 04-OCT-93 |
| | QPL-8794-16 | HOSE, RUBBER, HYDRAULIC, FUEL, AND OIL RESISTANT | A 4720 | 82 | | 10-JUN-92 |
| | QPL-8802-23 | SEALING COMPOUND, TEMPERATURE-RESISTANT, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, HIGH-ADHESION | A 8030 | 11 | | 07-OCT-93 |
| | QPL-8805-91 | SWITCHES AND SWITCH ASSEMBLIES, SENSITIVE AND PUSH (SNAP ACTION), GENERAL SPECIFICATION FOR | A 5930 | CC | | 30-APR-96 |
| | QPL-8813-12 | VALVES, AIRCRAFT, HYDRAULIC PRESSURE RELIEF, TYPE II SYSTEMS | A 4820 | AS | | 23-JUN-86 |
| | QPL-8815-34 | FILTER AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC LINE, 15 MICRON ABSOLUTE AND 5 MICRON ABSOLUTE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR | A 1650 | AS | | 09-OCT-92 |
| | QPL-8831-35 | BOLT, 180 KSI FTU AND 108 KSI FSU, 450 DEG. F PROTRUDING AND FLUSH HEAD, GENERAL SPECIFICATION FOR | A 5306 | IS | | 26-AUG-92 |
| | QPL-8834-15 | SWITCH, TOGGLE, POSITIVE BREAK, GENERAL SPECIFICATION FOR | A 5930 | CC | | 05-DEC-89 |
| | QPL-8878-8 | TURNBUCKLES, POSITIVE SAFETYING | A 5340 | IS | | 08-APR-92 |
| | QPL-8903-8 | RESISTOR, VARIABLE, LINER PRECISION, TAPPABLE | A 5905 | CC | | 01-DEC-93 |
| | QPL-8906-13 | BOLT, ALLOY STEEL, SHEAR AND TENSILE, (132 KSI FSU AND 220 KSI FTU, 450 DEG. F), SPLINE DRIVE, GENERAL SPECIFICATION FOR | A 5306 | AS | | 13-DEC-95 |
| | QPL-8907-11 | BOLT, ALLOY STEEL, SHEAR AND TENSILE, 156 KSI FSU AND 260 KSI FTU, EXTERNAL WRENCHING, FLANGED HEAD | A 5306 | IS | | 14-APR-95 |
| | QPL-8914-8 | BEARING, ROLLER, SELF-ALIGNING, AIRFRAME, ANTI-FRICTION | A 3110 | AS | | 01-MAY-94 |
| | QPL-8922-12 | NUT, SELF-LOCKING, STEEL, 220 KSI FTU, 450 DEGREES F | A 5310 | IS | | 16-NOV-88 |
| | QPL-8942-22 | BEARINGS, PLAIN, TSE LINED, SELF-AL ALIGNING | A 3120 | AS | | 10-MAR-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Doc/Action | Document Number | Document Title | Distribution FSC/Spec | MCA | Prep. Acty. | Date |
|------------|--------------------|--|-----------------------|-----|-------------|-----------|
| | QPL-8943-17 | BEARINGS, JOURNAL-PLAIN AND FLANGED, TFE LINED | A 3120 | AS | | 10-MAR-88 |
| | QPL-8948-15 | BEARINGS, PLAIN, ROD END, TFE LINED SELF ALIGNING | A 3120 | AS | | 31-MAR-88 |
| | QPL-8952-6 | BEARING, ROLLER, ROD END, ANTIFRICTION SELF-ALIGNING | A 3110 | AS | | 11-AUG-94 |
| D | QPL-8954-7 | BASE AND ACCESSORIES, AIRPORT MARKER LIGHTS, GENERAL SPECIFICATION FOR | A 6210 | IS | | 22-AUG-83 |
| | QPL-8961-7 | FASTENER, EXTERNALLY THREADED, 450 DEG. F AND 1200 DEG. F, SELF-LOCKING ELEMENT FOR | A 5306 | IS | | 17-JUN-92 |
| A | QPL-8971-8 | ELECTRODE, GRAPHITE, SPECTROMETRIC GRADE | A 5977 | 85 | | 06-FEB-98 |
| | QPL-8974-5 | INDICATOR, EVENT COUNTING | A 6620 | AS | | 15-FEB-95 |
| | QPL-8975-15 | FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CORROSION RESISTANT STEEL, HEAT RESISTANT STEEL AND TITANIUM GENERAL SPECIFICATION FOR | A 5320 | IS | | 25-JAN-89 |
| | QPL-8976-10 | BEARINGS, PLAIN, SELF- ALIGNING, ALL- METAL | A 3120 | AS | | 16-NOV-90 |
| | QPL-8984-13 | NUT, SELF LOCKING, STEEL, 260 KSI FTU 450 DEG F. | A 5310 | IS | | 29-JUN-88 |
| | QPL-8985-10 | NUT, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F | A 5310 | IS | | 14-DEC-95 |
| A | QPL-9000-98 | LUBRICATING OIL, SHIPBOARD INTERNAL COMBUSTION ENGINE, HIGH OUTPUT DIESEL | A 9150 | SH | | 24-SEP-97 |
| | QPL-9050-14 | VALVES, OXYGEN, PRESSURE RELIEF, AIRCRAFT | A 4820 | 71 | | 28-MAY-94 |
| | QPL-9131-26 | LIFE RAFTS, INFLATABLE, TWENTY MAN | A 4220 | AS | | 20-DEC-94 |
| | QPL-9177-9 | CONNECTOR, AUDIO, AIRBORNE | A 5935 | CC | | 09-DEC-88 |
| | QPL-9198-7(1) | REGULATOR, OXYGEN, HIGH PRESSURE, TYPE MA-1 | A 4820 | 82 | | 31-OCT-85 |
| | QPL-9320-15 | SIGNAL, WARNING, AUDIBLE, FOR HEADSET, TYPE MA-1 | A 6340 | GS | | 07-FEB-78 |
| A | QPL-9343-7 | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-1 | A 6685 | 82 | | 24-NOV-97 |
| | QPL-9370-26 | VALVE, AUTOMATIC, PRESSURE REGULATING, ANTI-G SUIT | A 1660 | AS | | 20-DEC-94 |
| | QPL-9395-13 | SWITCHES, PRESSURE, (ABSOLUTE, GAGE AND DIFFERENTIAL) | A 5930 | CC | | 15-NOV-91 |
| D | QPL-9398-13 | GENERATOR, TACHOMETER, HIGH TEMPERATURE, TWO-POLE, AIRCRAFT | A 6610 | GS | | 17-JAN-95 |
| | QPL-9419-13 | SWITCHES, TOGGLE, MOMENTARY, FOUR-POSITION ON, CENTER OFF, GENERAL SPECIFICATION FOR | A 5930 | CC | | 28-FEB-96 |
| A | QPL-9443-10 | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-2 | A 6685 | 82 | | 24-NOV-97 |
| | QPL-10215-15 | SPEEDOMETERS, TACHOMETERS, FLEXIBLE SHAFT ASSEMBLIES FLEXIBLE SHAFT ASSEMBLY CORES, ADAPTERS AND TRANSMITTERS | A 6620 | AT | | 29-NOV-91 |
| | QPL-10304-74 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, GENERAL SPECIFICATION FOR | A 6625 | CC | | 20-MAR-97 |
| | QPL-10509-151 | RESISTOR, FIXED, FILM (HIGH STABILITY), GENERAL SPECIFICATION FOR | A 5905 | CC | | 09-JUN-95 |
| | QPL-10924-34 | GREASE, AUTOMOTIVE AND ARTILLERY | A 9150 | AT | | 20-JUN-96 |
| | QPL-10950-30 | CAPACITOR, FIXED, MICA-DIELECTRIC, BUTTON STYLES GENERAL SPECIFICATION FOR | A 5910 | CC | | 01-OCT-93 |
| | QPL-11015-113 | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) GENERAL SPECIFICATION FOR | A 5910 | CC | | 14-MAR-97 |
| | QPL-11040-12 | BELT, V, ENGINE ACCESSORY DRIVE | A 3030 | AT | | 22-SEP-83 |
| | QPL-11090-18 | CLEANING COMPOUND, DEGREASING AND DEPRESERVING SOLVENT; SELF-EMULSIFYING | A 6850 | MR | | 25-SEP-95 |
| | QPL-11188-18(2) | BATTERY, STORAGE, LEAD ACID (STARTING, LIGHTING & IGNITION-AUTOMOTIVE TYPE) | A 6140 | AT | | 27-JUL-84 |
| M | QPL-11195-23 | ENAMEL, LUSTERLESS, FAST DRY, VOC COMPLIANT | A 8010 | MR | | 09-JUN-98 |
| | QPL-11272-24 | CAPACITOR, FIXED, GLASS-DIELECTRIC GENERAL SPECIFICATION FOR | A 5910 | CC | | 17-JAN-90 |
| M | QPL-11414-19 | PRIMER, ALKYD, FAST DRY, CORROSION INHIBITING LEAD AND CHROMATE FREE, VOC COMPLIANT | A 8010 | MR | | 09-JUN-98 |
| | QPL-11693-47 | CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, AC AND DC (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CC | | 24-FEB-97 |
| | QPL-11796-24 | CORROSION PREVENTIVE, COMPOUND PETROLATUM, HOT APPLICATION | A 8030 | MR | | 15-JUN-92 |
| | QPL-11891-18 | TRACK SHOE SETS, TRACK SHOE ASSEMBLIES, TRACK SHOE PADS AND TRACK SHOE BUSHINGS, VEHICULAR: ELASTOMERIZED | A 2530 | AT | | 03-APR-97 |
| | QPL-12109-11 | SOLENOID, ELECTRICAL, GUN FIRING MECHANISMS | A 5945 | AT | | 22-NOV-93 |
| | QPL-12211-8(1) | SWITCH, PRESSURE | A 5930 | CC | | 02-APR-87 |
| | QPL-12285-10 | SWITCH, THERMOSTATIC | A 5930 | CC | | 08-AUG-85 |
| | QPL-12606-14 | LOUDSPEAKER, PERMANENT MAGNET (UNENCASED, 3-INCH AND 4-INCH DIAMETER CONE, 2-WATT; FUNGUS-, GUNBLAST-, AND IMMERSION-RESISTANT), TYPE LS-445/U, M12606-01, AND M12606-02 | A 5965 | CC | | 02-MAY-94 |
| | QPL-12883-24 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, GENERAL SPECIFICATION FOR | A 5935 | CC | | 30-DEC-96 |
| | QPL-12889-11 | CAPACITORS, BY-PASS, RADIO&INTERFERENCE REDUCTION, PAPER DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES) GENERAL SPECIFICATION FOR | A 5910 | CC | | 29-AUG-80 |
| | QPL-12934-48 | RESISTOR, VARIABLE, WIREWOUND, PRECISION, GENERAL SPECIFICATION FOR | A 5905 | CC | | 09-JUN-95 |
| | QPL-13484-8 | SWITCH SENSITIVE, 30 VOLTS DIRECT CURRENT, MAXIMUM, WATERPROOF | A 5930 | CC | | 15-APR-91 |
| | QPL-13486-18 | CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION HEAVY DUTY SINGLE-CONDUCTOR & MULTICONDUCTOR | A 6145 | AT | | 21-FEB-92 |
| | QPL-13625-15(1) | SWITCHES, PULL; SWITCHES, PUSH; SWITCHES, BEAM SELECTING HEADLIGHT: ELECTRICAL (28 VOLTS MAXIMUM, FOR MILITARY VEHICLES) | A 5930 | CC | | 10-OCT-91 |
| | QPL-13735-8 | SWITCHES, TOGGLE (28 VOLT D.C.) | A 5930 | CC | | 28-JUL-87 |
| A | QPL-13777-34 | CABLE, SPECIAL PURPOSE, ELECTRICAL: GENERAL SPECIFICATION FOR | A 6145 | CC | | 08-MAR-95 |
| | QPL-13791-16 NOT 1 | DISTRIBUTOR IGNITION SYSTEM: INTEGRAL COIL WATERPROOF 24-VOLT | A 2920 | AT | | 19-JAN-93 |
| A | QPL-13811-13 | VARNISH, WATERPROOFING, ELECTRICAL IGNITION | A 8010 | AR | | 13-JUN-97 |
| | QPL-13949-102 | SHEET, PRINTED WIRING BOARD, GENERAL SPECIFICATION FOR | A 5998 | CC | | 31-JAN-97 |
| | QPL-14055-11 | CUP, HYDRAULIC BRAKE ACTUATING CYLINDER. SYNTHETIC RUBBER (GENERAL SPECIFICATION FOR) | A 2530 | AT | | 11-MAR-88 |
| | QPL-14107-25 | LUBRICATING OIL, WEAPONS, LOW TEMPERATURE | A 9150 | AR | | 11-MAY-95 |
| | QPL-14370-3 | COMPRESSOR, RECIPROCATING POWER&DRIVEN, OPEN TYPE FOR USE WITH DICHLORODIFLUOROMETHANE | A 4130 | GL | | 13-MAY-68 |
| | QPL-14409-51 | CAPACITOR, VARIABLE (PISTON-TYPE, TUBULAR TRIMMER), GENERAL SPECIFICATION FOR | A 5910 | CR | | 29-OCT-96 |
| | QPL-15074-37 | CORROSION PREVENTIVE, FINGERPRINT REMOVER | A 8030 | AR | | 12-MAY-95 |
| | QPL-15103-19 | SALINITY INDICATING EQUIPMENT | A 6630 | SH | | 24-FEB-97 |
| | QPL-15108-36 | TRANSFORMERS, POWER, STEP-DOWN, SINGLE-PHASE, 60-HERTZ, 1-KILOVOLTAMPERE APPROXIMATE MINIMUM RATING, DRY TYPE, NAVAL SHIPBOARD | A 6120 | SH | | 27-DEC-96 |
| | QPL-15109-32(1) | RESISTORS AND RHEOSTATS, NAVAL SHIPBOARD | A 5905 | CC | | 12-JUL-94 |
| | QPL-15160-63 | FUSES; INSTRUMENT, POWER, AND TELEPHONE, GENERAL SPECIFICATION FOR | A 5920 | CC | | 31-MAY-96 |
| | QPL-15208-8 | PROPORTIONERS, MECHANICAL FOAM LIQUID | A 4210 | SH | | 14-MAY-87 |
| | QPL-15214-6 | GAGE, DEPTH, WRIST, MARK I, MOD 0, NONMAGNETIC, SELF-LUMINOUS DIAL | A 4220 | SH | | 27-FEB-81 |
| | QPL-15265-13 | INSULATION, ELECTRICAL, PLASTIC (SUBMARINE BUS BAR COVERING) | A 5970 | SH | | 14-JAN-94 |
| | QPL-15280-25 | PLASTIC MATERIAL, UNICELLULAR (SHEETS AND TUBES) | A 5640 | SH | | 10-MAY-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Last Action | Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-------------|--------------------|--|-----------------------|-----|-------------|-----------|
| | QPL-15291-21 | SWITCHES, ROTARY, SNAP ACTION AND DETENT/SPRING RETURN ACTION, GENERAL SPECIFICATION FOR | A 5930 | CC | | 23-JAN-96 |
| A | QPL-15303-43 | AUDIBLE SIGNALS: ALARMS, BELLS, BUZZERS, HORNS, SIRENS, AND ELECTRONIC SHIPBOARD | A 6350 | SH | | 26-SEP-97 |
| | QPL-15305-89 | COILS, ELECTRICAL, FIXED AND VARIABLE, RADIOFREQUENCY, GENERAL SPECIFICATION FOR | A 5950 | CC | | 23-JAN-97 |
| | QPL-15342-19 | GASKETS, METALLIC, SPIRAL WOUND, FOR BOILERS | A 5330 | SH | | 08-JUN-95 |
| | QPL-15465-25 | EJECTOR ASSEMBLIES, AIR | A 4320 | SH | | 24-JUL-92 |
| | QPL-15508-9 | VALVES, REMOTE CONTROL, DIAPHRAGM ACTUATED (FLUID SYSTEMS, 150 AND 250 P.S.I. W.P. 140F MAXIMUM) | A 4810 | SH | | 10-MAR-97 |
| A | QPL-15581-32 | LIFE PRESERVERS, CO2, INFLATABLE, POUCH TYPE | A 4220 | SH | | 13-AUG-97 |
| | QPL-15606-49 | BRICKS, REFRACTORY, AND BURNER TILE, NAVAL BOILER FURNACE LINING QUALITY | A 9350 | SH | | 30-AUG-91 |
| | QPL-15618-41 | FILTER-SEPARATORS AND FILTER-ELEMENTS, FLUID, PRESSURE, AVIATION AND DIESEL FUEL, NAVAL SHIPBOARD | A 4330 | SH | | 09-MAY-95 |
| A | QPL-15719-24 | LUBRICATING GREASE, (HIGH TEMPERATURE, ELECTRIC MOTOR, BALL AND ROLLER BEARINGS) | A 9150 | SH | | 13-AUG-97 |
| A | QPL-15731-49 | PLASTIC MIX, REFRACTORY FIRE-CLAY, SUPERDUTY | A 9350 | SH | | 13-AUG-97 |
| | QPL-15733-95 | FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, GENERAL SPECIFICATION FOR | A 5915 | CC | | 18-SEP-96 |
| | QPL-15805-14 | WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT (TYPE B) | A 6660 | AS | | 18-APR-78 |
| A | QPL-15842-51 | MORTAR, REFRACTORY (HIGH TEMPERATURE, AIR SETTING) | A 9350 | SH | | 13-AUG-97 |
| A | QPL-15931-15 | PAINT, ANTIFOULING, VINYL (FORMULAS NO. 121, 121A, 129 AND 129A) | A 8010 | SH | | 29-AUG-97 |
| | QPL-16032-51 | SWITCHES AND DETECTORS, SHIPBOARD ALARM SYSTEMS | A 5930 | CC | | 30-JAN-96 |
| | QPL-16034-57 | METERS, ELECTRICAL-INDICATING (SWITCHBOARD AND PORTABLE TYPES) | A 6625 | SH | | 29-MAR-93 |
| A | QPL-16173-80 | CORROSION PREVENTIVE COMPOUND, SOLVENT CUTBACK, COLD-APPLICATION | A 8030 | SH | | 27-FEB-98 |
| | QPL-16235-24 | HEATERS, VENTILATION, DUCT TYPE, SHIPBOARD | A 4520 | SH | | 19-JUN-95 |
| | QPL-16305-31 | BRICK, REFRACTORY, INSULATING | A 9350 | SH | | 10-MAR-93 |
| | QPL-16383-24 | LIFE PRESERVER, CO2 INFLATABLE, UNDERWATER DEMOLITION TEAM | A 4220 | SH | | 28-JUL-93 |
| | QPL-16392-40 | BRAKES, MAGNET, NAVAL SHIPBOARD | A 6110 | SH | | 27-SEP-93 |
| M | QPL-16552-22 | FILTERS, AIR ENVIRONMENTAL CONTROL SYSTEM, CLEANABLE, IMPINGEMENT (HIGH VELOCITY TYPE) | A 4130 | SH | | 07-APR-98 |
| M | QPL-16680-29 | DECK COVERING MAGNESIA AGGREGATE MIXTURE | A 5610 | SH | | 07-APR-98 |
| | QPL-16923-58 NOT 1 | INSULATING COMPOUND, ELECTRICAL, EMBEDDING, EPOXY | A 5970 | SH | | 23-DEC-93 |
| | QPL-17000-38 | SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL, AND INTERIOR COMMUNICATION, GENERAL SPECIFICATION FOR | A 1290 | SH | | 09-MAY-96 |
| | QPL-17111-13 | FLUID, POWER TRANSMISSION | A 9150 | GS | | 01-FEB-89 |
| | QPL-17191-37 | MOUNTS, RESILIENT; PORTSMOUTH BONDED SPOOL TYPE | A 5340 | SH | | 22-FEB-94 |
| | QPL-17196-33 | ALARM SWITCHBOARDS, ALARM PANELS, REMOTE SENTRY ALARM SWITCH, SIGNAL UNITS, AND SPECIAL ALARM CONNECTION BOX, NAVAL SWITCHBOARD | A 6320 | SH | | 13-OCT-95 |
| | QPL-17221-33 | TRANSFORMERS, POWER, DISTRIBUTION; SINGLE PHASE, 400 HERTZ, INSULATION SYSTEM CLASS 220C, DRY (AIR COOLED), (NAVAL SHIPBOARD USE) | A 6120 | SH | | 19-JUN-95 |
| M | QPL-17303-46 | PACKING MATERIALS, PLASTIC METALLIC AND PLASTIC NONMETALLIC | A 5330 | SH | | 07-APR-98 |
| | QPL-17331-98 | LUBRICATING OIL, STEAM TURBINE AND GEAR, MODERATE SERVICE | A 9150 | SH | | 29-NOV-95 |
| | QPL-17360-22 | VALVE, CYLINDER, GAS, CARBON DIOXIDE FIRE EXTINGUISHER | A 4210 | SH | | 01-MAY-87 |
| A | QPL-17361-37 | CIRCUIT-BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) | A 5925 | SH | | 22-AUG-97 |
| | QPL-17370-18 | TUBE AND FLUE CLEANER, BOILER, INTERNAL, AIR-MOTOR DRIVEN | A 4940 | SH | | 24-JUL-92 |
| | QPL-17501-12 | VALVES, GLOBE, HYDRAULICALLY OPERATED, PISTON AND DIAPHRAGM TYPE, MAGAZINE AND HANGAR DECK SPRINKLING | A 4810 | SH | | 02-AUG-88 |
| | QPL-17508-37 | MOUNT RESILIENT, TYPES 6E2000, 6E900, 6E900BB, 7E450, 7E450BB, 6E150, AND 6E100 | A 5340 | SH | | 13-NOV-90 |
| | QPL-17563-33 | IMPREGNANTS FOR CAST OR POWDER METAL COMPONENTS | A 6850 | SH | | 20-MAY-96 |
| | QPL-17578-13 | PACKING MATERIAL, PLASTIC (FOR DOGS FOR WATERTIGHT CLOSURES) (SYMBOL 1425) | A 5340 | SH | | 12-AUG-91 |
| A | QPL-17587-32 | CIRCUIT BREAKERS, LOW VOLTAGE, ELECTRIC POWER, AIR OPEN FRAME, REMOVABLE CONSTRUCTION | A 5925 | SH | | 31-OCT-97 |
| | QPL-17588-26 | CIRCUIT BREAKERS (AUTOMATIC - ALB-1) AND SWITCH, TOGGLE (CIRCUIT BREAKER, NON-AUTOMATIC - NLB-1) AIR, INSULATED HOUSING, 125 VOLTS AND BELOW, A.C. AND D.C., (NAVAL SHIPBOARD USE) | A 5925 | SH | | 12-AUG-94 |
| M | QPL-17672-67 | HYDRAULIC FLUID, PETROLEUM, INHIBITED | A 9150 | SH | | 08-APR-98 |
| | QPL-17773-45 | SWITCHES, BUS TRANSFER, ELECTRIC POWER, AUTOMATIC AND MANUAL (METRIC) | A 6110 | SH | | 19-APR-96 |
| | QPL-17775-19 | BOAT, LANDING, INFLATABLE CO2, 7-PERSON CAPACITY | A 1940 | SH | | 04-OCT-90 |
| | QPL-17848-25 | VALVE, PRESSURE REDUCING, STEAM SERVICE | A 4820 | SH | | 29-APR-96 |
| | QPL-17856-4 | ARMOR, FRAGMENT, NON-METALLIC | A 8470 | AS | | 21-FEB-75 |
| | QPL-17869-62 | PUMPS AND MOTORS, POWER, OIL HYDRAULIC (NAVAL SHIPBOARD USE) | A 4320 | SH | | 10-MAY-96 |
| | QPL-17881-19 | PUMPS, CENTRIFUGAL, BOILER FEED, (MULTI-STAGE) | A 4320 | SH | | 22-MAY-96 |
| | QPL-17882-22 | REPAIR KITS, METALLIC PIPE AND GENERAL PURPOSE, DAMAGE CONTROL | A 4730 | SH | | 24-JUL-92 |
| | QPL-17901-32 | BEARING COMPONENTS, BONDED SYNTHETIC RUBBER, WATER LUBRICATED, GENERAL SPECIFICATION FOR | A 3130 | SH | | 26-JAN-95 |
| | QPL-18052-13 | LAMP, MERCURY XENON VAPOR, SEARCHLIGHT | A 6240 | SH | | 24-JUL-92 |
| A | QPL-18110-27 | VALVES, GATE, CAST OR FORGED STEEL AND ALLOY STEEL, OUTSIDE SCREW AND YOKE (SIZES 2-1/2 INCHES AND LARGER) | A 4820 | SH | | 17-JUL-97 |
| | QPL-18140-15 | PUMP, ROTARY, FUEL OIL TRANSFER, POWER DRIVEN | A 4320 | SH | | 22-JUL-85 |
| | QPL-18148-9 | PLUG, ELECTRIC, AIRCRAFT STORAGE BATTERY | A 5935 | AS | | 01-MAR-97 |
| | QPL-18239-10 | EARPHONES, H-87B/U | A 5965 | AS | | 20-APR-79 |
| | QPL-18240-30 | FASTENER, EXTERNALLY THREADED, 250 DEGREES F., SELF-LOCKING ELEMENT FOR | A 53GP | AS | | 21-AUG-91 |
| M | QPL-18255-28 | CALKING COMPOUND, SYNTHETIC RUBBER BASE, WOODEN DECK SEAM APPLICATION | A 8030 | SH | | 27-FEB-98 |
| D | QPL-18266-8 | CORD, P/O H-87A/U | A 5965 | CC | | 16-DEC-77 |
| | QPL-18280-40 | FITTINGS, FLARELESS, TUBE, FLUID CONNECTION | A 4730 | AS | | 09-OCT-92 |
| | QPL-18312-38 | CAPACITOR, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR | A 5910 | CC | | 30-SEP-92 |
| A | QPL-18324-38 | PLASTIC MATERIAL, LAMINATED PHENOLIC, FOR BEARINGS (WATER OR GREASE LUBRICATION) | A 9330 | SH | | 31-OCT-97 |
| | QPL-18375-4 | WIRE, ROPE, FLEXIBLE, CORROSION-RESISTING, NONMAGNETIC, FOR AIRCRAFT CONTROL | A 4010 | IS | | 01-MAY-92 |
| A | QPL-18458-30 | GREASE, WIRE ROPE-EXPOSED GEAR | A 9150 | SH | | 29-AUG-97 |
| | QPL-18494-25 | LIFT RAFT, INFLATABLE, LRU-14/A | A 4220 | AS | | 20-DEC-94 |
| | QPL-18546-64 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), GENERAL SPECIFICATION FOR | A 5905 | CC | | 13-JUN-96 |
| | QPL-18641-37 | DISTILLATION UNITS, WATER: STEAM OR FLASHED VAPOR OPERATED, OR FRESH WATER HEATED, LOW PRESSURE. NAVAL SHIPBOARD, GENERAL SPECIFICATION FOR | A 4620 | SH | | 24-MAY-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | | | | | | |
| | QPL-18804-15 | INDICATOR, VERTICAL SPEED, 0-6000 FPM, 2-INCH | A 6610 | AS | | 17-JAN-95 |
| | QPL-18953-28 | FANS, VANEAXIAL AND TUBEAXIAL, VENTILATION AND AIR CONDITIONING, NAVAL SHIPBOARD | A 4140 | SH | | 21-JUN-94 |
| A | QPL-19004-23 | FANS, CENTRIFUGAL, FIXED AND PORTABLE, VENTILATION, NAVAL SHIPBOARD | A 4140 | SH | | 31-DEC-97 |
| | QPL-19067-6 | VALVES, CHECK, CONTROLLABLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS | A 1650 | AS | | 12-NOV-86 |
| | QPL-19068-11 | VALVE, SHUTTLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS | A 1650 | AS | | 28-FEB-86 |
| | QPL-19069-21 | VALVES, CHECK, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS | A 1650 | AS | | 14-NOV-96 |
| | QPL-19088-15 | WATTMETERS, SWITCHBOARD TYPE, 4-1/2-INCH | A 6625 | SH | | 30-SEP-92 |
| | QPL-19089-6 | HARNESSES, INTEGRATED PARACHUTE | A 1670 | AS | | 25-SEP-85 |
| A | QPL-19140-74 | LUMBER AND PLYWOOD, FIRE-RETARDANT TREATED | A 5510 | SH | | 26-SEP-97 |
| | QPL-19166-29 | INSULATION TAPE, ELECTRICAL, HIGH-TEMPERATURE, GLASS FIBER, PRESSURE-SENSITIVE | A 5970 | SH | | 10-MAR-93 |
| | QPL-19180-41 | REGULATOR, PRESSURE, COMPRESSED GAS | A 4820 | SH | | 07-DEC-88 |
| | QPL-19207-40 | FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING AND NONINDICATING, GENERAL SPECIFICATION FOR | A 5920 | CC | | 25-SEP-96 |
| | QPL-19229-7 | TRANSMITTER, ANGLE OF ATTACK OR SIDESLIP, LOCAL | A 6610 | AS | | 18-SEP-70 |
| | QPL-19246-13 | CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A | A 1660 | AS | | 20-DEC-94 |
| | QPL-19328-16 | CONVERTER, LIQUID OXYGEN, 5 LITER, MB-5A | A 1660 | 71 | | 27-NOV-96 |
| | QPL-19365-22 | RESISTOR, ADJUSTABLE, WIREWOUND POWER | A 5905 | CC | | 17-SEP-93 |
| | QPL-19496-16 | LIFEBOAT, CO2 INFLATABLE, MARK 5 MOD 1, 15-PERSON CAPACITY | A 1940 | SH | | 19-APR-83 |
| | QPL-19500-138 | SEMICONDUCTOR DEVICE, GENERAL SPECIFICATION FOR | A 5961 | CC | | 01-JAN-97 |
| | QPL-19557-30 | STARTER, AIRCRAFT ENGINE, AIR TURBINE | A 2995 | AS | | 25-JUL-88 |
| | QPL-19565-25 | COATING COMPOUND, THERMAL INSULATION, FIRE- AND WATER-RESISTANT, VAPOR-BARRIER | A 8030 | SH | | 27-JAN-95 |
| | QPL-19576-3 | TRANSMITTER, REMOTE COMPASS, THIN WING, ML-1 (UNSTABILIZED) | A 6605 | AS | | 15-DEC-80 |
| | QPL-19701-8 | LUBRICANT, ALL-WEATHER, SEMI-FLUID, FOR AIRCRAFT ORDNANCE | A 9150 | AS | | 10-APR-91 |
| | QPL-19772-39 | VALVES, TEMPERATURE REGULATING, AUTOMATIC, NAVAL SHIPBOARD | A 4820 | SH | | 05-AUG-94 |
| | QPL-19803-20 | CONVERTER, LIQUID OXYGEN, 10 LITER, GCU-24/A | A 1660 | AS | | 20-DEC-94 |
| | QPL-19834-30 | PLATE, IDENTIFICATION, METAL FOIL, ADHESIVE BACKED, GENERAL SPECIFICATION FOR | A 9905 | CC | | 01-JAN-97 |
| | QPL-19844-18 | LEADS, SHIELDED, DETACHABLE IGNITION | A 2925 | AS | | 22-AUG-83 |
| | QPL-19853-15(1) | CARBON REMOVING COMPOUND (FOR USE IN AGITATED TANK) | A 6850 | AS | | 01-AUG-89 |
| | QPL-19863-19 | MOUNT, RESILIENT, TYPE 5B5000H | A 5340 | SH | | 05-MAY-95 |
| | QPL-19933-64 | ELECTRODES AND RODS - WELDING, BARE, CHROMIUM AND CHROMIUM-NICKEL STEELS | A 3439 | SH | | 22-MAR-95 |
| | QPL-19978-59 | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC), DIELECTRIC, HERMETICALLY SEALED IN METAL, CERAMIC, OR GLASS CASES, ESTABLISHED AND NON-ESTABLISHED RELIABILITY, | A 5910 | CC | | 26-FEB-97 |
| | QPL-20213-17 | LITHIUM HYDROXIDE (LHO), TECHNICAL | A 6810 | SH | | 24-JUL-92 |
| | QPL-20222-25 | ANNOUNCING-EQUIPMENT, SHIPBOARD | A 5830 | SH | | 06-MAY-88 |
| | QPL-20553-8 | WAX, DESENSITIZING | A 9160 | AR | | 08-JUL-91 |
| | QPL-20627-28 | FILTER ASSEMBLY AND FILTER ELEMENTS, FLUID, PRESSURE (FOR ENGINES WITH LIQUID FUEL INJECTION SYSTEMS) | A 2910 | SH | | 24-MAR-94 |
| | QPL-20708-14(1) | SYNCHROS, GENERAL SPECIFICATION FOR | A 5990 | AS | | 08-FEB-93 |
| | QPL-21038-50 | TRANSFORMER, PULSE, LOW POWER, GENERAL SPECIFICATION FOR | A 5950 | CC | | 19-MAR-97 |
| | QPL-21049-22 | COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS | A 1660 | AS | | 20-DEC-94 |
| | QPL-21097-43 | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD, GENERAL PURPOSE, GENERAL SPECIFICATION FOR | A 5935 | CC | | 10-SEP-96 |
| | QPL-21099-30 | PACKING ASSEMBLIES, HYDRAULIC CONICAL AND V TYPES FIRE RESISTANT TYPE HYDRAULIC FLUIDS | A 5330 | SH | | 14-JUL-93 |
| | QPL-21164-23 | GREASE, MOLYBDENUM DISULFIDE, FOR LOW & HIGH TEMPERATURE NATO CODE NUMBER G-353 | A 9150 | AS | | 26-APR-91 |
| | QPL-21205-4 | TRANSMITTER, RATE OF FLOW, FUEL, TYPE TRU-12/A (500 TO 15,000 PPH) | A 6620 | AS | | 29-AUG-75 |
| | QPL-21260-26 | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, PRESERVATIVE AND BREAK-IN | A 9150 | AT | | 13-MAR-95 |
| | QPL-21480-15(2) | GENERATOR SYSTEM, 400 HERTZ ALTERNATING CURRENT AIR CRAFT, GENERAL SPECIFICATION FOR | A 6115 | AS | | 02-SEP-88 |
| | QPL-21562-43 | ELECTRODES AND RODS-WELDING, BARE, NICKEL ALLOY | A 3439 | SH | | 14-AUG-95 |
| | QPL-21563-6(3) | PAINT SYSTEM, FLUORESCENT, FOR AIRCRAFT APPLICATIONS | A 8010 | AR | | 07-MAY-76 |
| | QPL-21567-4 | COMPOUND, SILICONE, SOFT FILM | A 6850 | OS | | 25-AUG-75 |
| | QPL-21600-6 | PAINT SYSTEM, FLUORESCENT, REMOVABLE, FOR AIRCRAFT APPLICATION | A 8010 | AS | | 30-NOV-84 |
| | QPL-21604-24 | SWITCHES, ROTARY, MULTIPOLE AND SELECTOR, GENERAL SPECIFICATION FOR | A 5930 | CC | | 16-AUG-95 |
| | QPL-21607-28 | RESINS, POLYESTER, LOW PRESSURE LAMINATING, FIRE-RETARDANT | A 9330 | SH | | 27-JUL-92 |
| | QPL-21608-13 | FERRULE, SHIELD TERMINATING, CRIMP STYLE | A 5940 | AS | | 29-JAN-97 |
| | QPL-21617-8 | CONNECTORS, PLUG AND RECEPTACLE--ELECTRICAL RECTANGULAR, POLARIZED SHELL, MINIATURE TYPE | A 5935 | CC | | 14-JAN-80 |
| A | QPL-21631-35 | DECK COVERING, LATEX CONCRETE | A 5610 | SH | | 31-OCT-97 |
| | QPL-21649-18 | MOUNT, RESILIENT, TYPE 5M10,000-H | A 5340 | SH | | 16-JUL-93 |
| D | QPL-21734-7 | MICROPHONE, DYNAMIC, OXYGEN MASK, M-94B/A | A 5965 | CC | | 05-DEC-77 |
| D | QPL-22001-5 | MICROPHONE, CARBON, OXYGEN MASK, ANB-M-C1 | A 5965 | CC | | 26-AUG-82 |
| | QPL-22019-18 | BARRIER MATERIALS, TRANSPARENT, FLEXIBLE, SEALABLE, VOLATILE CORROSION INHIBITOR TREATED | A 8135 | AS | | 22-MAY-95 |
| | QPL-22030-4 | TRANSMITTER, RATE OF FLOW, FUEL, TRU-26/A (300 TO 10,000 PPH) | A 6620 | AS | | 26-NOV-80 |
| | QPL-22036-13 | BRIDLE AND PENDANT ASSEMBLIES AIRCRAFT LAUNCHING | A 1720 | AS | | 20-DEC-93 |
| | QPL-22052-22 | VALVES, STOP AND STOP CHECK, GLOBE, ANGLE, AND Y PATTERN, CAST OR FORGED CARBON OR ALLOY STEEL, OUTSIDE SCREW AND YOKE (SIZES 2-1/2 INCHES AND LARGER) | A 4820 | SH | | 19-JUN-95 |
| | QPL-22072-11 | HYDRAULIC FLUID, CATAPULT | A 9150 | AS | | 18-JAN-90 |
| | QPL-22075-14 | INDICATOR, BEARING-DISTANCE-HEADING ID663/U | A 6605 | AS | | 30-JAN-91 |
| | QPL-22085-18 | TAPES, PRESSURE-SENSITIVE, ADHESIVE, PRESERVATION AND SEALING | A 7510 | AS | | 28-MAR-97 |
| | QPL-22097-97 | RESISTOR, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE), GENERAL SPECIFICATION FOR | A 5905 | CC | | 16-AUG-95 |
| | QPL-22110-10 | INHIBITORS, CORROSION, VOLATILE, CRYSTALLINE | A 6850 | AS | | 22-NOV-89 |
| | QPL-22126-6 | INDICATOR, TORQUE METER, ENGINE, TURBOPROP | A 6620 | AS | | 05-AUG-86 |
| D | QPL-22179-5 | MICROPHONE, DYNAMIC M-96B/A | A 5965 | CC | | 19-AUG-77 |
| | QPL-22191-31(1) | BARRIER MATERIALS, TRANSPARENT, FLEXIBLE, HEAT SEALABLE | A 8135 | AS | | 27-NOV-95 |
| A | QPL-22200-59 | ELECTRODES, WELDING, COVERED; GENERAL SPECIFICATION FOR | A 3439 | SH | | 09-JUL-97 |
| | QPL-22227-6 | BEARING, BALL, ANNULAR, GENERATOR AND MOTOR-GENERATOR | A 3110 | AS | | 21-JUL-66 |
| | QPL-22262-18 | ABRASIVE BLASTING MEDIA SHIP HULL BLAST CLEANING | A 5350 | SH | | 20-JUN-95 |
| | QPL-22272-11 | VISOR, NEODYMIUM LASER, PROTECTIVE FOR AIRCREWMAN'S HELMET | A 8475 | AS | | 20-JAN-93 |

DODISS NUMERICAL LISTING QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | QPL-22332-6 | PAINT, PRIMING, EXTERIOR AND INTERIOR (FOR AMMUNITION) | A 8010 | OS | | 30-SEP-76 |
| | QPL-22397-23 | ADHESIVE, PHENOL AND RESORCINOL RESIN BASE (FOR MARINE SERVICE USE) | A 8040 | SH | | 21-JUN-94 |
| | QPL-22442-15 | CABLE ASSEMBLIES, RADIO FREQUENCY (AIRCRAFT AUDIO) | A 5995 | AS | | 08-JUL-96 |
| | QPL-22518-8 | STARTER, AIRTURBINE TYPE I DETAIL MODEL, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, SPECIFICATION FOR | A 2995 | AS | | 17-JUL-87 |
| A | QPL-22520-29 | CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION AND TOOL KITS, GENERAL SPECIFICATION FOR | A 5120 | AS | | 21-AUG-97 |
| | QPL-22542-22(1) | CLEANING COMPOUND, HIGH PRESSURE CLEANER, LIQUID | A 6850 | AS | | 05-MAY-90 |
| | QPL-22587-6 | CARTRIDGE, GREASE, 14 OUNCE (FOR CARTRIDGE TYPE GREASE GUN) | A 4930 | AS | | 21-MAY-84 |
| | QPL-22681-15 | ARRESTER, FLASH, MAIN STORAGE BATTERY, (SUBMARINE USE), GENERAL SPECIFICATION FOR | A 6140 | SH | | 06-NOV-92 |
| | QPL-22684-69 | RESISTOR, FIXED, FILM, INSULATED, GENERAL SPECIFICATION FOR | A 5905 | CC | | 07-SEP-95 |
| | QPL-22706-18 | DUCT AND SCUFF COVER, PNEUMATIC, FLEXIBLE | A 4720 | AS | | 19-OCT-93 |
| | QPL-22710-23 | SWITCH, CODE, INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEL AND PUSHBUTTON) GENERAL SPECIFICATION FOR | A 5930 | CC | | 31-MAY-96 |
| A | QPL-22750-5(1) | COATING, EPOXY, HIGH-SOLIDS | A 8010 | AS | | 30-JUL-97 |
| A | QPL-22759-37 | WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, COPPER OR COPPER ALLOY | A 6145 | AS | | 01-MAR-98 |
| | QPL-22858-4 | ATTITUDE INDICATING SYSTEM, REMOTE STANDBY, TWO INCH | A 6610 | AS | | 16-DEC-85 |
| | QPL-22885-77 | SWITCHES, PUSH BUTTON, ILLUMINATED, GENERAL SPECIFICATION FOR | A 5930 | CC | | 20-MAR-97 |
| | QPL-22900-9 | WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE F | A 6660 | AS | | 02-FEB-79 |
| | QPL-22978-8 | FASTENER, ROTARY, QUICK-OPERATING, HIGH STRENGTH | A 5325 | IS | | 25-JAN-89 |
| | QPL-22992-37 | CONNECTORS, PLUGS AND RECEPTACLES, ELECTRICAL, WATERPROOF, QUICK DISCONNECT, HEAVY DUTY TYPE, GENERAL SPECIFICATION FOR | A 5935 | CC | | 28-JUN-95 |
| | QPL-22999-16 | STARTERS, AIRCRAFT ENGINE, HYDRAULIC, GENERAL SPECIFICATION FOR | A 2995 | AS | | 29-JUL-85 |
| | QPL-23001-1 | ELECTRIC GENERATOR SYSTEMS, AIRCRAFT, VSCF, 20KVA, 115/200 VOLT, 3 PHASE, 400 HZ | A 6115 | AS | | 25-JAN-88 |
| | QPL-23001/3-2 | ELECTRIC GENERATOR SYSTEM, AIRCRAFT, VSCF, 20KVA, 115/200 VOLT, 3 PHASE, 400 HZ | A 6115 | AS | | 27-APR-77 |
| | QPL-23003-39 | DECK COVERING COMPOUND, NONSLIP, ROLLABLE | A 5610 | SH | | 16-FEB-95 |
| | QPL-23007-11 | LIFEBOAT, MAN OVERBOARD CO2 INFLATABLE | A 1940 | SH | | 19-APR-83 |
| D | QPL-23071-23 | BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR | A 4140 | IS | | 01-OCT-93 |
| | QPL-23098-11 | REGULATOR, LINE VOLTAGE, SINGLE PHASE, 400 HERTZ A.C. NAVAL SHIPBOARD | A 6110 | SH | | 08-NOV-76 |
| | QPL-23151-23 | VOLTMETER, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SHIPBOARD USE) | A 6625 | SH | | 08-MAR-93 |
| | QPL-23155-20 | ESCAPE APPLIANCE, HOODED, AIR INFLATABLE, WITH POUCH, SUBMARINE PERSONNEL, GENERAL SPECIFICATION FOR | A 4220 | SH | | 28-JUN-93 |
| | QPL-23167-28 | METER FREQUENCY, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SHIPBOARD USE) | A 6625 | SH | | 08-MAR-93 |
| | QPL-23183-9 | CAPACITORS, FIXED OR VARIABLE, VACUUM OR GAS DIELECTRIC, GENERAL SPECIFICATION FOR | A 5910 | CC | | 23-MAR-94 |
| A | QPL-23190-39 | STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC AND METAL FOR CABLE HARNESS TYING AND SUPPORT | A 5975 | AS | | 31-JUL-97 |
| A | QPL-23236-67 | PAINT COATING SYSTEMS, FUEL AND SALT WATER BALLAST TANKS (METRIC) | A 8030 | SH | | 29-AUG-97 |
| | QPL-23269-18 | CAPACITORS, FIXED, GLASS DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CC | | 22-SEP-94 |
| | QPL-23285-15 | RESISTORS, VARIABLE, NONWIRE-WOUND, GENERAL SPECIFICATION FOR | A 5905 | CC | | 28-SEP-92 |
| | QPL-23310-9 | INHIBITORS, CORROSION, VOLATILE, OIL TYPE | A 6850 | AS | | 29-FEB-88 |
| | QPL-23377-17 | PRIMER COATINGS: EPOXY, HIGH-SOLIDS | A 8010 | AS | | 28-MAR-97 |
| | QPL-23398-15 | LUBRICANT, SOLID FILM, AIR - CURED, CORROSION INHIBITING, NATO CODE NUMBER S-749 | A 9150 | AS | | 01-DEC-94 |
| | QPL-23419-37 | FUSE, CARTRIDGE, INSTRUMENT TYPE, GENERAL SPECIFICATION FOR | A 5920 | CC | | 31-MAY-96 |
| A | QPL-23426-15 | TENSION BAR/RELEASE ELEMENT, AIRCRAFT LAUNCHING | A 1720 | AS | | 30-JUN-97 |
| | QPL-23439-4 | TOWLINES, AERIAL TARGET, CONSTANT AND STEPPED DIAMETER WIRE AND STRANDED | A 1680 | AS | | 30-APR-85 |
| | QPL-23460-19 | PIN, QUICK-RELEASE, SELF-RETAINING, POSITIVE-LOCKING | A 5340 | AS | | 07-OCT-92 |
| | QPL-23479-14 | INDICATOR, PRESSURE, 1-1/2-INCH, INTEGRALLY LIGHTED | A 6620 | AS | | 24-MAY-94 |
| | QPL-23549-13 | GREASE, GENERAL PURPOSE | A 9150 | AS | | 11-APR-88 |
| | QPL-23586-13 | SEALING COMPOUND, ELECTRICAL, SILICONE RUBBER, ACCELERATOR REQUIRED | A 8030 | AS | | 21-NOV-88 |
| | QPL-23622-4 | ACTUATOR, ELECTRO-MECHANICAL, LINEAR, DIRECT CURRENT, GENERAL SPECIFICATION FOR | A 1680 | AS | | 15-JUL-93 |
| | QPL-23648-22 | RESISTOR, THERMAL (THERMALLY SENSITIVE RESISTOR), INSULATED GENERAL SPECIFICATION FOR | A 5905 | CC | | 27-SEP-96 |
| | QPL-23653-28 | PLASTIC TILES, VIBRATION DAMPING | A 9330 | SH | | 16-DEC-94 |
| | QPL-23671-4 | INDICATOR, MS17264, AIRSPEED & MACH NUMBER, INTEGRALLY LIGHTED, PITOT STATIC, 80 TO 850 KNOTS | A 6610 | AS | | 30-JAN-91 |
| | QPL-23699-17 | LUBRICATING OIL, AIRCRAFT TURBINE ENGINES, SYNTHETIC BASE NATO CODE NUMBER 0-156 | A 9150 | AS | | 30-JUN-95 |
| | QPL-23761-16 | REGULATORS, VOLTAGE, AND CONTROL PANELS, AIRCRAFT DIRECT CURRENT GENERATOR, GENERAL SPECIFICATION FOR | A 6110 | AS | | 21-DEC-93 |
| A | QPL-23765-44 | ELECTRODES AND RODS - WELDING, BARE, SOLID AND ALLOYED CORED, GENERAL SPECIFICATION FOR | A 3439 | SH | | 03-APR-97 |
| | QPL-23827-21(1) | GREASE, AIRCRAFT AND INSTRUMENT, GEAR AND ACTUATOR SCREW | A 9150 | AS | | 26-JUN-90 |
| | QPL-23864-1 | RADAR TRANSPONDER AN/DPN-77(*) | A 5895 | AS | | 30-MAR-73 |
| | QPL-23899-10 | AURAL PROTECTOR, SOUND | A 4240 | AS | | 20-DEC-94 |
| | QPL-23953-11 | VALVE, COMBINED VENT CHECK FOR SUBMARINE MBT BLOW LINES | A 4820 | SH | | 10-MAY-96 |
| | QPL-23964-21 | BOLT, SELF-RETAINING, POSITIVE LOCK | A 5306 | IS | | 01-AUG-89 |
| | QPL-24021-17 | ELECTRIC POWER MONITORS, EXTERNAL, AIRCRAFT | A 6115 | AS | | 08-SEP-91 |
| | QPL-24041-20 | MOLDING AND POTTING COMPOUND, CHEMICALLY CURED, POLYURETHANE | A 9320 | SH | | 10-MAY-96 |
| | QPL-24092-38 | INSULATING VARNISHES AND SOLVENTLESS RESINS FOR APPLICATION BY THE DIP PROCESS | A 5970 | SH | | 05-MAR-97 |
| | QPL-24095-7 | BATTERY CHARGER, AUTOMATIC, PORTABLE, RECTIFIER TYPE | A 6130 | SH | | 06-MAY-86 |
| | QPL-24109-9 | VALVES, GLOBE, ANGLE, QUICK CHANGE CARTRIDGE TRIM, HIGH PRESSURE (H.P.) HYDRAULIC AND PNEUMATIC (SIZES 1/8 - 1-1/4 INCHES) | A 4820 | SH | | 10-MAY-96 |
| | QPL-24131-9 | LUBRICANT, COLLOIDAL GRAPHITE IN ISOPROPANOL | A 9150 | SH | | 08-OCT-92 |
| | QPL-24135-31 | HOSE, SYNTHETIC RUBBER, WIRE REINFORCED FOR FLEXIBLE HOSE, ASSEMBLIES, GENERAL SPECIFICATION FOR | A 4720 | SH | | 10-MAY-96 |
| | QPL-24136-30 | HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR | A 4730 | SH | | 28-JUN-95 |
| | QPL-24139-18 | GREASE, MULTIPURPOSE, WATER RESISTANT | A 9150 | SH | | 28-JUN-95 |
| | QPL-24144-4 | INDICATOR, FROST POINT DEW POINT, SELF COOLING, SEMI PORTABLE | A 6685 | SH | | 27-APR-88 |
| A | QPL-24176-27 | CEMENT, EPOXY, METAL REPAIR AND HULL SMOOTHING (METRIC) | A 8030 | SH | | 29-APR-97 |
| | QPL-24179-21 | ADHESIVE, FLEXIBLE UNICELLULAR-PLASTIC THERMAL INSULATION | A 8040 | SH | | 03-SEP-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| M | QPL-24187-16 | SWITCH ASSEMBLIES, LINEAR MOVEMENT MANUAL AND REMOTE OPERATION, GENERAL SPECIFICATION FOR | A 5930 | SH | | 09-APR-98 |
| | QPL-24200-14 | BATTERY CELLS & ELEMENTS, LEAD-ACID, LEAD-ANTIMONY, MAIN STORAGE, SUBMARINE, GENERAL SPECIFICATION FOR (METRIC) | A 6140 | SH | | 06-MAY-86 |
| A | QPL-24212-28 | PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) | A 6685 | SH | | 01-APR-97 |
| | QPL-24236-23 | SWITCH, THERMOSTATIC, (METALLIC AND BIMETALLIC), GENERAL SPECIFICATION FOR | A 5930 | CC | | 10-JAN-95 |
| | QPL-24247-20 | LIFE PRESERVER, VEST TYPE, U.S. NAVY, MARK I | A 4220 | SH | | 27-JUN-95 |
| | QPL-24249-4 | PLASTIC MATERIAL, CELLULAR POLYURETHANE, RIGID, VOID FILLER, FOAM-IN-PLACE, LARGE SCALE AND INSTALLATION OF | A 9330 | SH | | 19-APR-90 |
| | QPL-24304-13 | DIFFERENTIAL PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) (NAVAL SHIPBOARD USE) | A 6685 | SH | | 24-MAR-94 |
| | QPL-24308-88 | CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, GENERAL SPECIFICATION FOR | A 5935 | CC | | 17-APR-97 |
| | QPL-24317-10 | SWITCH, MULTISTATION, PUSHBUTTON, (ILLUMINATED AND NON-ILLUMINATED), GENERAL SPECIFICATION FOR | A 5930 | CC | | 17-JUL-91 |
| | QPL-24340-13 | SEALING COMPOUND, DECK, POLYURETHANE (POLYETHER BASE) | A 8030 | SH | | 20-APR-94 |
| | QPL-24355-8 | ELECTRODES, WELDING, BARE, SOLID, NICKEL-MANGANESE-CHROMIUM MOLYBDENUM ALLOY STEEL FOR PRODUCING HY-130 WELDMENTS FOR AS-WELDED APPLICATIONS | A 3439 | SH | | 30-MAY-96 |
| | QPL-24356-15 | COUPLINGS, SEGMENTED, & SPLIT CLAMPS REATTACHABLE, 2-1/2-, 4-, 6- & 7-INCH, FOR REFUELING AT SEA HOSE | A 4730 | SH | | 31-MAY-88 |
| M | QPL-24368-21 | CONNECTOR ASSEMBLIES, PLUGS AND RECEPTACLES, ELECTRIC, POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, GENERAL SPECIFICATION FOR | A 5935 | SH | | 06-APR-98 |
| A | QPL-24385-29 | FIRE EXTINGUISHING AGENT, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE, FOR FRESH AND SEA WATER | A 4210 | SH | | 29-APR-97 |
| | QPL-24387-16 | TEMPERATURE MEASUREMENT EQUIPMENT SIGNAL CONDITIONER AND POWER SUPPLY (ELECTRICAL) (NAVAL SHIPBOARD USE) | A 6685 | SH | | 25-JAN-95 |
| | QPL-24388-16 | THERMOCOUPLES AND RESISTANCE TEMPERATURE DETECTOR ASSEMBLIES, GENERAL SPECIFICATION FOR (NAVAL SHIPBOARD) | A 6685 | SH | | 13-JUL-94 |
| | QPL-24391-14 | INSULATION TAPE, ELECTRICAL, PLASTIC, PRESSURE-SENSITIVE | A 5970 | SH | | 28-MAY-93 |
| | QPL-24402-34 | FILTERS (HYDRAULIC), FILTER ELEMENTS (HIGH EFFICIENCY), AND FILTER DIFFERENTIAL PRESSURE INDICATORS | A 4330 | SH | | 10-MAY-96 |
| A | QPL-24403-28 | ELECTRODES-WELDING, FLUX CORED, GENERAL SPECIFICATION FOR | A 3439 | SH | | 06-OCT-97 |
| | QPL-24439-10 | VALVES, OXYGEN, HELIUM AND HELIUM OXYGEN MIXTURE, HIGH PRESSURE FOR GAS SERVICES | A 4820 | SH | | 27-JUL-92 |
| A | QPL-24441-37 | PAINT, EPOXY-POLYAMIDE | A 8010 | SH | | 13-FEB-98 |
| | QPL-24453-11 | INHIBITOR, CORROSION, SOLUBLE OIL | A 6850 | SH | | 11-FEB-91 |
| | QPL-24456-15 | ADHESIVE FOR PLASTIC VIBRATION-DAMPING TILES | A 8040 | SH | | 30-SEP-92 |
| A | QPL-24483-30 | DECK COVERING, SPRAY-ON, NONSLIP | A 5610 | SH | | 16-SEP-97 |
| | QPL-24489-8 | LIFEBOAT, INFLATABLE MARK 6, 25-PERSON CAPACITY | A 1940 | SH | | 14-JUL-93 |
| A | QPL-24508-13 | GREASE, HIGH PERFORMANCE, MULTI-PURPOSE | A 9150 | SH | | 14-AUG-97 |
| | QPL-24517-4 | VALVE, STEAM PRESSURE REDUCING, QUIET DESIGN | A 4820 | SH | | 07-JAN-88 |
| A | QPL-24519-29 | MOLDING PLASTICS, ELECTRICAL, THERMOPLASTIC | A 5970 | SH | | 20-AUG-97 |
| | QPL-24552-8 | TERMINALS AND SEALS, PLUGS AND SWITCH, CASUALTY POWER SYSTEMS, RECEPTACLE TYPE, GENERAL SPECIFICATION FOR | A 5940 | SH | | 28-MAY-93 |
| | QPL-24572-13 | EXTINGUISHER, FIRE, BROMOTRIFLUOROMETHANE (HALON 1301) SYSTEMS (FIXED, PIPE, PNEUMATICALLY ACTUATED, NAVAL SHIPBOARD USE) | A 4210 | SH | | 25-MAR-91 |
| | QPL-24574-7 | LUBRICATING FLUID FOR LOW AND HIGH PRESSURE OXIDIZING GAS SYSTEMS | A 9150 | SH | | 14-JUL-94 |
| | QPL-24576-6 | LUBRICATING FLUID FOR LOW AND HIGH PRESSURE OXIDIZING GAS SYSTEMS | A 9150 | SH | | 28-MAY-93 |
| A | QPL-24577-11 | DISTILLER SCALE PREVENTIVE TREATMENT FORMULATIONS (METRIC) | A 6850 | SH | | 13-AUG-97 |
| A | QPL-24596-10 | COATING COMPOUNDS, NONFLAMING, FIRE PROTECTIVE (METRIC) | A 8010 | SH | | 29-APR-97 |
| A | QPL-24613-24 | DECK COVERING MATERIALS, INTERIOR, COSMETIC POLYMERIC | A 5610 | SH | | 31-DEC-97 |
| | QPL-24623-2 | SPLICE, FIBER OPTIC CABLE, GENERAL SPECIFICATION FOR (METRIC) | A 6060 | AS | | 31-AUG-95 |
| | QPL-24624-15 | VALVES, BUTTERFLY, WAFER AND LUG STYLE, SHIPBOARD SERVICE | A 4820 | SH | | 06-JAN-95 |
| | QPL-24630-5 | VALVES, CHECK, IN-LINE, FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID | A 4820 | SH | | 10-MAY-96 |
| A | QPL-24635-12 | ENAMEL, SILICONE ALKYD COPOLYMER (METRIC) | A 8010 | SH | | 16-SEP-97 |
| A | QPL-24640-19 | CABLE, ELECTRICAL, LIGHTWEIGHT, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR | A 6145 | SH | | 22-AUG-97 |
| A | QPL-24643-20 | CABLE AND CORD, ELECTRICAL, LOW SMOKE, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR | A 6145 | SH | | 31-DEC-97 |
| A | QPL-24647-4 | PAINT SYSTEM, ANTICORROSIVE AND ANTIFOULING, SHIP HULL | A 8010 | SH | | 16-SEP-97 |
| A | QPL-24648-8 | PRIMER COATING, ZINC DUST PIGMENTED FOR EXTERIOR STEEL SURFACES (METRIC) | A 8010 | SH | | 29-AUG-97 |
| M | QPL-24667-16 | COATING SYSTEM, NON-SKID, FOR ROLL OR SPRAY APPLICATION (METRIC) | A 8010 | SH | | 25-FEB-98 |
| | QPL-24682-2 | ADDITIVE, FUEL OIL STABILIZER | A 6850 | SH | | 04-MAY-92 |
| A | QPL-24685-3 | FINISH, DECK, WATER-EMULSION (FOR USE IN CONTROLLED ATMOSPHERE ENVIRONMENTS) (METRIC) | A 7930 | SH | | 31-DEC-97 |
| | QPL-24695-2 | VALVE AND HOSE ASSEMBLY, VENT AND TEST HYDRAULIC SERVICE | A 4810 | SH | | 10-MAY-96 |
| | QPL-24696-2 | GASKET, SHEET, NON-ASBESTOS | A 5330 | SH | | 06-MAY-96 |
| | QPL-24702-3 | FILTER ELEMENTS, HYDRAULIC, DISPOSABLE, GENERAL SPECIFICATION FOR (METRIC) | A 4330 | SH | | 26-OCT-92 |
| A | QPL-24705-4 | PENETRATORS, MULTIPLE CABLE FOR ELECTRIC CABLES, GENERAL SPECIFICATION FOR | A 5975 | SH | | 31-MAR-97 |
| | QPL-24728-3 | INTERCONNECTION BOX, FIBER OPTIC, METRIC, GENERAL SPECIFICATION FOR | A 6099 | SH | | 30-NOV-95 |
| | QPL-24763-1 | ENAMEL, EMULSION TYPE, FOR SHIPBOARD USE | A 8010 | SH | | 28-JAN-97 |
| N | QPL-24779-1 | ANODES, SACRIFICIAL ALUMINUM ALLOY | A 3426 | SH | | 06-APR-98 |
| M | QPL-24787-4 | FITTINGS, END, REUSABLE FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR | A 4730 | SH | | 25-MAR-98 |
| | QPL-24790-1 | PACKING MATERIAL, BRAIDED, NON-ASBESTOS | A 5330 | SH | | 05-AUG-94 |
| | QPL-25013-25 | GREASE, AIRCRAFT, BALL AND ROLLER BEARING, NATO CODE NUMBER G-372, METRIC | A 9150 | AS | | 10-APR-91 |
| A | QPL-25017-18 | INHIBITOR, CORROSION/LUBRICITY IMPROVER, FUEL SOLUBLE (METRIC) | A 6850 | 11 | | 27-FEB-98 |
| M | QPL-25023-21(1) | VALVE, FUEL DRAIN, SELF-LOCKING | A 4820 | 82 | | 19-JUN-98 |
| | QPL-25027-15 | NUT, SELF LOCKING, 250 DEG. F, 450 DEG. F, AND 800 DEG. F | A 5310 | IS | | 26-JUN-96 |
| | QPL-25038-28 | WIRE, ELECTRICAL, HIGH TEMPERATURE AND FIRE RESISTANT, AND FLIGHT CRITICAL, GENERAL SPECIFICATION FOR | A 6145 | CC | | 15-MAR-97 |
| | QPL-25049-9(1) | KNOB, CONTROL, EQUIPMENT, AIRCRAFT | A 5355 | AS | | 01-JUL-69 |
| | QPL-25161-20 | NOZZLE, AERIAL REFUELING, TYPE MA-2 | A 1680 | 11 | | 30-MAY-89 |
| | QPL-25162-13 | COUPLING, RECEPTION, FLIGHT PRESSURE REFUELING TYPE MA-2 | A 1680 | AS | | 30-DEC-92 |
| | QPL-25427-18 | COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK-DISCONNECT | A 4730 | AS | | 25-JUN-84 |
| | QPL-25438-16 | INDICATOR, PRESSURE, TYPE MO-2 | A 6620 | 71 | | 30-MAR-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|--------------------------|-----|-------------|-----------|
| A | QPL-25446-11 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE | A 6685 | 82 | | 24-NOV-97 |
| | QPL-25463-30(1) | ADHESIVE, FILM FORM, METALLIC STRUCTURAL, SANDWICH CONSTRUCTION | A 8040 | AS | | 05-OCT-87 |
| A | QPL-25469-10 | VALVES, FILLER, LIQUID OXYGEN, AIRCRAFT TYPE | A 4820 | 71 | | 30-OCT-97 |
| | QPL-25482-15 | INDICATOR, ENGINE TESTING | A 6620 | 71 | | 15-AUG-94 |
| | QPL-25516-11 | CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENTAL RESISTANT TYPE | A 5935 | CC | | 30-OCT-95 |
| M | QPL-25531-18 | COUPLING HALF, QUICK DISCONNECT, PNEUMATIC STARTER, EXTERNAL, LOW PRESSURE | A 4730 | 82 | | 08-MAY-98 |
| | QPL-25537-18 | GREASE, AIRCRAFT, HELICOPTER OSCILLATING BEARING, NATO CODE NUMBER G-36 6, METRIC | A 9150 | AS | | 06-MAR-90 |
| | QPL-25579-21 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE | A 4720 | 82 | | 30-MAY-95 |
| | QPL-25623-26 | INDICATOR, ELECTRICAL TACHOMETER, AIRCRAFT TURBO SPEED 0-110 PERCENT RPM, 2-INCH SIZE, TYPE MU-1 | A 6620 | 71 | | 15-MAR-96 |
| | QPL-25624-29 | TRANSMITTER, PRESSURE TRU-80/A, OIL, ENGINE-MOUNTED, 0-100 PSI | A 6620 | 71 | | 15-MAR-96 |
| | QPL-25666-2 | CONVERTER, LIQUID OXYGEN, CAPACITANCE TYPE GAUGING, GENERAL SPECIFICATION | A 1660 | 71 | | 02-SEP-96 |
| A | QPL-25670-13 | EARPHONE ELEMENTS, GENERAL SPECIFICATION FOR | A 5965 | CC | | 01-NOV-96 |
| | QPL-25675-19 | VALVES, CHECK, MINIATURE, HYDRAULIC, AIRCRAFT AND MISSILE | A 4820 | 71 | | 26-JAN-96 |
| A | QPL-25676-10 | ADAPTER, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT | A 4730 | CC | | 14-JUN-84 |
| A | QPL-25690-14 | PLASTIC, SHEETS AND FORMED PARTS, MODIFIED ACRYLIC BASE, MONOLITHIC, CRACK PROPAGATION RESISTANT | A 9330 | AS | | 30-OCT-97 |
| | QPL-25708-7 | ANTENNA, BLADE, L-BAND GENERAL SPECIFICATION FOR | A 5985 | CC | | 22-AUG-89 |
| | QPL-25798-3 | LIFE PRESERVER, UNDERARM, CASUALTY, TYPE MB-1 | A 4220 | 82 | | 16-OCT-81 |
| A | QPL-25861-19 | INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI INTEGRALLY LIGHTED | A 6685 | 82 | | 24-NOV-97 |
| | QPL-25863-22 | INDICATOR, ELECTRICAL TACHOMETER, 0-110 PERCENT RPM 2-INCH SIZE, INTERGRALLY LIGHTED | A 6620 | 71 | | 15-MAR-96 |
| | QPL-25867-11 | GAGE, PRESSURE, DIAL INDICATING, PNEUMATIC | A 6685 | GS | | 15-NOV-94 |
| | QPL-25879-3 | SWITCH, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE TYPE SA-521A/A | A 5985 | CC | | 09-NOV-90 |
| | QPL-25896-19 | ADAPTER, PRESSURE FUEL SERVICING, AIRCRAFT, NOMINAL 2.5- INCH DIAMETER | A 1560 | 84 | | 04-NOV-96 |
| A | QPL-25933-11 | ALTIMETER, PRESSURIZED COMPARTMENT AAU-3/A, INTEGRALLY LIGHTED, 0-50,000 FEET, 1-7/8 INCH DIAL | A 6685 | 82 | | 15-JUL-97 |
| | QPL-25950-25 | INDICATOR, PRESSURE, OIL, 0-100 PSI | A 6620 | 71 | | 15-FEB-97 |
| | QPL-25959-16 | TIE DOWNS, CARGO, AIRCRAFT | A 1670 | 82 | | 14-JUN-93 |
| | QPL-25961-18 | VALVE, FILL-BUILDUP-VENT, LIQUID OXYGEN CONVERTER, CRU-50/A | A 4820 | 71 | | 01-JUL-94 |
| | QPL-25962-12 | VALVES, LIQUID OXYGEN DRAIN | A 4820 | 71 | | 31-JAN-91 |
| | QPL-26026-7 | BATTERY, STORAGE, AIRCRAFT, TYPE MA-2 | A 6140 | 80 | | 16-JAN-87 |
| D | QPL-26202-7 | LIGHT, MARKER, AIRPORT, SEMIFLUSH, GENERAL SPECIFICATION FOR | A 6210 | IS | | 31-AUG-87 |
| A | QPL-26380-9 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-5/A | A 6680 | 82 | | 24-JUL-97 |
| A | QPL-26382-10 | INDICATOR SET, LIQUID OXYGEN QUANTITY A/A24J-4 AND A/A24I-8 | A 6680 | 82 | | 24-JUL-97 |
| | QPL-26482-72 | CONNECTORS, ELECTRICAL, (CIRCULAR, MINIATURE, QUICK DISCONNECT, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR | A 5935 | CC | | 29-JAN-97 |
| | QPL-26499-5 | HOSE ASSEMBLY, METAL, FLEXIBLE, BREATHING OXYGEN | A 4720 | CC | | 14-APR-94 |
| | QPL-26500-58 | CONNECTORS, GENERAL PURPOSE, ELECTRICAL, MINIATURE, CIRCULAR, ENVIRONMENT RESISTING | A 5935 | CC | | 30-SEP-96 |
| | QPL-26517-8 | POWER SUPPLY, TRANSFORMER-RECTIFIER, AIRCRAFT, GENERAL SPECIFICATION FOR | A 6130 | 80 | | 25-AUG-78 |
| | QPL-26518-10 | CONNECTORS, ELECTRICAL, MINIATURE, RACK AND PANEL, ENVIRONMENT RESISTING, 200 DEG. C AMBIENT TEMPERATURE | A 5935 | CC | | 28-FEB-95 |
| A | QPL-26542-7 | MICROPHONE, DYNAMIC, GENERAL SPECIFICATION FOR | A 5965 | CC | | 25-MAY-94 |
| | QPL-26547-7 | STARTER-GENERATOR, ENGINE STU-6/A | A 2925 | 82 | | 27-MAY-83 |
| | QPL-26611-25 | GENERATOR, TACHOMETER GEU-7/A, MINIATURE | A 6620 | 71 | | 07-MAY-93 |
| | QPL-26626-20 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, OXYGEN | A 4720 | 71 | | 30-JUN-94 |
| | QPL-26633-14 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE OXYGEN, GENERAL SPECIFICATION FOR | A 4720 | CC | | 23-JUN-93 |
| | QPL-27188-15 | INDICATOR, PRESSURE EGU-2/A, OIL, 0-100 PSI | A 6620 | 71 | | 15-AUG-94 |
| | QPL-27189-19 | INDICATOR, PRESSURE OIL | A 6620 | 71 | | 30-MAR-92 |
| | QPL-27190-8 | INDICATOR, PRESSURE AGU-3/A, HYDRAULIC, 0-4,000 PSI | A 6685 | CC | | 01-JAN-96 |
| | QPL-27191-18 | INDICATOR, POSITION, VARIABLE NOZZLE | A 6620 | 71 | | 15-MAR-96 |
| | QPL-27197-22 | INDICATOR, AIR SPEED, MACH NUMBER AND MAXIMUM ALLOWABLE SPEED | A 6610 | 71 | | 15-AUG-94 |
| | QPL-27202-20 | INDICATOR, ELECTRICAL TACHOMETER, 0-110 PERCENT RPM, 2-INCH SIZE, INTEGRALLY LIGHTED | A 6620 | 71 | | 30-JUN-94 |
| | QPL-27208-41 | RESISTOR, VARIABLE, WIRE-WOUND, NONPRECISION, GENERAL SPECIFICATION FOR [REVIEW: 80] | A 5905 | CC | | 16-JAN-97 |
| A | QPL-27260-17 | TIE DOWN, CARGO, AIRCRAFT, CGU-1/B | A 1670 | 82 | | 12-JUN-97 |
| | QPL-27267-13(2) | HOSE, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE | A 4720 | 82 | | 05-MAR-92 |
| | QPL-27272-7(1) | FITTING, TETRAFLUOROETHYLENE HOSE, HIGH TEMPERATURE, MEDIUM PRESSURE, GENERAL REQUIREMENTS FOR | A 4730 | 82 | | 26-MAR-85 |
| | QPL-27287-20 | CAPACITORS, FIXED, PLASTIC DIELECTRIC, DIRECT CURRENT (NON-METALLIC CASES) | A 5910 | CC | | 15-APR-97 |
| | QPL-27296-11 | VALVE, OXYGEN MASK, COMBINATION INHALATION AND EXHALATION | A 1660 | 82 | | 08-JUL-96 |
| | QPL-27535-7 | TRANSFORMER, POWER, ISOLATION, SERIES CIRCUIT AIRPORT LIGHTING, GENERAL SPECIFICATION FOR [REVIEW: 80] | A 5950 | CC | | 23-NOV-92 |
| | QPL-27536-6 | COUPLING, CLAMP, GROOVED, V-BAND | A 5340 | IS | | 04-OCT-95 |
| A | QPL-27552-20 | INDICATOR, TEMPERATURE, THERMOCOUPLE EHU-15A/A, POTENTIOMETER TYPE, WHITE LIGHTED | A 6685 | 82 | | 13-AUG-97 |
| | QPL-27599-9 | CONNECTOR, ELECTRICAL, MINIATURE, QUICK DISCONNECT (FOR WEAPONS SYSTEMS) ESTABLISHED RELIABILITY | A 5935 | CC | | 20-MAR-91 |
| | QPL-27601-4 | HYDRAULIC FLUID, PETROLEUM BASE, HIGH TEMPERATURE, FLIGHT VEHICLE | A 9150 | 11 | | 28-JAN-83 |
| | QPL-27617-7 | GREASE, AIRCRAFT, AND INSTRUMENT, FUEL AND OXIDIZER RESISTANT | A 9150 | 11 | | 17-JAN-92 |
| | QPL-27715-3 | CIRCUIT BREAKER, TRIP FREE, HIGH TEMPERATURE, AIRCRAFT GENERAL SPECIFICATION FOR | A 5925 | CC | | 20-MAY-88 |
| | QPL-27725-6 | COATING, CORROSION PREVENTIVE, FOR AIRCRAFT INTEGRAL FUEL TANKS | A 8030 | 11 | | 30-OCT-89 |
| A | QPL-27882-13 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-37/A | A 6680 | 82 | | 24-JUL-97 |
| | QPL-28208-12 | VALVE, DRAIN, HYDROCARBON FUEL SELF LOCKING (THIS QPL APPLIES TO USAF SPEC 28208) | A 2915 | 82 | | 20-JUL-77 |
| | QPL-28731-20 | CONNECTOR, ELECTRICAL, RECTANGULAR, REMOVABLE CONTACT, FORMED BLADE, FORK TYPE (FOR RACK AND PANEL AND OTHER APPLICATIONS), GENERAL SPECIFICATION FOR | A 5935 | CC | | 24-JUN-93 |
| | QPL-28748-57 | CONNECTOR, PLUG AND RECEPTACLE, RECTANGULAR, RACK AND PANEL, SOLDER TYPE AND CRIMP TYPE CONTACTS, GENERAL SPECIFICATION FOR | A 5935 | CC | | 29-MAY-96 |
| | QPL-28750-27 | RELAY, SOLID STATE, GENERAL SPECIFICATION FOR | A 5945 | CC | | 30-JAN-96 |
| | QPL-28754-33 | CONNECTORS, ELECTRICAL, MODULAR, AND COMPONENT PARTS, GENERAL SPECIFICATION FOR | A 5935 | SH | | 13-APR-93 |
| | QML-28770-3 | ASSEMBLIES, ELECTRICAL BACKPLANE, PRINTED-WIRING, GENERAL SPECIFICATION FOR | A 5998 | SH | | 24-FEB-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|--------------------|--|-----------------------|-----|-------------|-----------|
| QPL-28776-27 | RELAY, HYBRID, ESTABLISHED RELIABILITY | A 5945 | CC | | 18-SEP-96 |
| QPL-28787-68 | MODULES, STANDARD ELECTRONIC, GENERAL SPECIFICATION FOR | A 5963 | SH | | 10-JUN-94 |
| QPL-28788-9 | SWITCH, AIR AND LIQUID FLOW, SENSING, GENERAL SPECIFICATION FOR | A 5930 | CC | | 02-APR-96 |
| QPL-28803-7 | DISPLAY, OPTOELECTRONIC, READOUTS, BACKLIGHTED SEGMENTED, GENERAL SPECIFICATION FOR | A 5980 | CC | | 09-JUN-93 |
| QPL-28804-10 | CONNECTORS, PLUG AND RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, GENERAL SPECIFICATION FOR | A 5935 | CC | | 27-JUL-93 |
| QPL-28827-5 | SWITCH, THERMOSTATIC (VOLATILE LIQUID), HERMETICALLY SEALED, GENERAL SPECIFICATION FOR | A 5930 | CC | | 27-FEB-95 |
| QPL-28830-6 | CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, GENERAL SPECIFICATION FOR | A 6145 | CC | | 20-MAR-87 |
| QPL-28837-7 | MIXER STAGES, RADIO FREQUENCY, GENERAL SPECIFICATION FOR | A 5985 | CC | | 11-AUG-94 |
| QPL-28840-26 | CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH DENSITY, HIGH SHOCK SHIPBOARD, CLASS D, GENERAL SPECIFICATION FOR | A 5935 | CC | | 23-OCT-96 |
| QPL-28859-9 | CONNECTOR COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, GENERAL SPECIFICATION FOR | A 5935 | NW | | 20-FEB-96 |
| QPL-28861-28 | FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION | A 59GP | CC | | 26-FEB-97 |
| QML-28870-8 | ASSEMBLIES, ELECTRICAL BACKPLANE, PRINTED-WIRING, GENERAL SPECIFICATION FOR | A 5998 | NW | | 01-JUL-96 |
| QPL-28876-11 | CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLES, MULTIPLE REMOVABLE TERMINI, GENERAL SPECIFICATION FOR | A 6060 | SH | | 28-MAY-96 |
| A QPL-29475-2 | COATING, WATER BORNE POLYURETHANE CAMOUFLAGE | A 8010 | MC | | 15-MAY-97 |
| QPL-29504-8 | TERMINI, FIBER OPTIC CONNECTOR, REMOVABLE, GENERAL SPECIFICATION FOR | A 6060 | SH | | 28-MAY-96 |
| QPL-29576-2 | CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE, WELDED | A 1660 | AS | | 20-DEC-94 |
| QPL-29600-2 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, ASSOCIATED HARDWARE, GENERAL SPECIFICATION FOR | A 5935 | AS | | 01-MAY-94 |
| A QPL-29602-1(2) | CLEANING COMPOUNDS, FOR PARTS WASHERS AND SPRAY CABINETS | A 6850 | AS | | 21-NOV-97 |
| QML-31032-1 | PRINTED CIRCUIT BOARDS/PRINTED WIRING BOARDS, GENERAL SPECIFICATION FOR | A 5998 | CC | | 09-APR-97 |
| QPL-38121-12 | INDICATOR, PRESURE EGU-9/A | A 6620 | 71 | | 15-AUG-92 |
| QPL-38144-10 | TRANSMITTER, RATE OF FLOW, FUEL | A 6620 | 71 | | 15-MAR-96 |
| A QPL-38207-8 | CLOCK, AIRCRAFT, MECHANICAL ABU-11/A | A 6645 | 82 | | 23-DEC-97 |
| QPL-38230-11 | TRANSMITTER, PRESSURE TRU-66/A OIL, VARIABLE RELUCTANCE | A 6620 | 71 | | 30-JUN-94 |
| QPL-38271-10 | CONNECTOR, OXYGEN MASK TO REGULATOR CRU-60/P | A 1660 | 82 | | 24-APR-85 |
| QPL-38334-6 | CORROSION REMOVING COMPOUND, PREPAINT, FOR AIRCRAFT ALUMINUM SURFACES | A 6850 | GS | | 31-JAN-83 |
| A QPL-38359-13 | CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING, CROSS-LINKED, POLYETHYLENE | A 6145 | CC | | 12-JUN-92 |
| QPL-38394-8 | TRANSMITTER, PRESSURE, TRU-81/A, OIL, 0-500 PSI | A 6620 | 71 | | 30-MAY-93 |
| QPL-38510-94 NOT 1 | MICROCIRCUITS, GENERAL SPECIFICATION FOR | A 5962 | CC | | 15-SEP-93 |
| QML-38534-21 | CUSTOM HYBRID MICROCIRCUITS, GENERAL REQUIREMENTS FOR | A 5962 | CC | | 03-APR-95 |
| QPL-38534-11 | CUSTOM HYBRID MICROCIRCUITS GENERAL REQUIREMENTS FOR | A 5962 | CC | | 10-APR-91 |
| QPL-38535-4 | MICROCIRCUITS MANUFACTURING, GENERAL REQUIREMENTS FOR | A 5962 | CC | | 14-MAR-94 |
| QPL-38726-8 | ADAPTER ASSEMBLY, REUSABLE, FLEXIBLE HOSE, LOW PRESSURE | A 4730 | CC | | 08-SEP-93 |
| QPL-38999-73 | CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR | A 5935 | CC | | 05-FEB-97 |
| A QPL-39001-45 | CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CR | | 30-JAN-98 |
| QPL-39002-8 | RESISTORS, VARIABLE, WIREWOUND, SEMI-PRECISION, GENERAL SPECIFICATION FOR | A 5905 | CC | | 28-JUN-94 |
| QPL-39003-80 | CAPACITOR, FIXED, ELECTROLYTIC (SOLID-ELECTROLYTE) TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CC | | 28-FEB-97 |
| QPL-39005-57 | RESISTOR, FIXED, WIREWOUND (ACCURATE) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | CR | | 05-MAY-97 |
| QPL-39006-91 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY | A 5910 | CC | | 12-MAR-97 |
| QPL-39007-82 | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | CC | | 31-OCT-95 |
| QPL-39008-39 | RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | CR | | 28-OCT-96 |
| QPL-39009-35 | RESISTOR, FIXED, WIREWOUND (POWER TYPE, CHASSIS MOUNTED), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | CR | | 31-MAY-95 |
| QPL-39010-42 | COIL, RADIO FREQUENCY, FIXED, MOLDED, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5950 | CR | | 25-OCT-96 |
| QPL-39012-101 | CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR | A 5935 | CC | | 12-FEB-97 |
| A QPL-39014-106 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CR | | 02-MAR-98 |
| A QPL-39015-64 | RESISTOR, VARIABLE, WIREWOUND (LEAD SCREW ACTUATED), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | CR | | 20-OCT-97 |
| QPL-39016-80 | RELAY, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5945 | CC | | 31-MAR-97 |
| A QPL-39017-72 | RESISTOR, FIXED, FILM (INSULATED) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | CR | | 20-OCT-97 |
| QPL-39018-62 | CAPACITOR, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CC | | 27-FEB-97 |
| QPL-39019-21 | CIRCUIT BREAKERS, MAGNETIC, LOW POWER, SEALED, TRIP FREE, GENERAL SPECIFICATION FOR | A 5925 | CR | | 27-JUN-95 |
| QPL-39022-51 | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM, OR PLASTIC FILM DIELECTRIC, DIRECT AND ALTERNATING CURRENT, (HERMETICALLY SEALED IN METAL OR CERAMIC CASES), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CC | | 26-FEB-97 |
| QPL-39023-19 | RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION, GENERAL SPECIFICATION FOR | A 5905 | CC | | 10-APR-95 |
| QPL-39024-29 | CONNECTORS, ELECTRICAL: JACKS, TIP (TEST POINT, PANEL OR PRINTED WIRING TYPE), GENERAL SPECIFICATION FOR | A 5935 | CC | | 30-SEP-96 |
| M QPL-39029-35 | CONTACTS, ELECTRICAL CONNECTOR, GENERAL SPECIFICATION FOR | A 5935 | AS | | 22-APR-98 |
| QPL-39030-18 | DUMMY LOADS, ELECTRICAL, COAXIAL AND STRIPLINE, GENERAL SPECIFICATION FOR | A 5985 | CC | | 05-MAR-96 |
| QPL-39035-72 | RESISTOR, VARIABLE, NON-WIRE-WOUND (ADJUSTMENT TYPE) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | CC | | 25-FEB-97 |
| QPL-43616-15(1) | CLEANING COMPOUND, AIRCRAFT SURFACE | A 6850 | AS | | 22-MAY-97 |
| QPL-45328-10 | PUMP, FUEL, ELECTRICAL, 24 VOLTS, D. C. | A 2910 | AT | | 03-APR-85 |
| QPL-45334-6(1) | COMPRESSORS, RECIPROCATING, POWER-DRIVEN, AIR AND WATER COOLED 7 1/4, 12 AND 24 CFM, COMPRESSORS, ROTATING, POWER-DRIVEN, AIR AND WATER COOLED, 9 AND 12 CFM GOVERNOR ASSEMBLY-AIR BRAKE, ETC. | A 2530 | AT | | 28-MAR-84 |
| QPL-45337-6 | SPOTLIGHT, 24 VOLT DIRECT CURRENT | A 6220 | AT | | 31-MAY-83 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|-----------------------|-----|-------------|-----------|
| A | QPL-46000-16 | LUBRICANT SEMI-FLUID (AUTOMATIC WEAPONS) | A 9150 | AR | | 01-APR-98 |
| | QPL-46003-10 | GREASE, RIFLE | A 9150 | AR | | 02-MAR-92 |
| | QPL-46010-11 | LUBRICANT, SOLID FILM: HEAT CURED, CORROSION INHIBITING | A 9150 | AT | | 03-JUL-96 |
| A | QPL-46058-76 | INSULATING COMPOUND, ELECTRICAL (FOR COATING PRINTED CIRCUIT ASSEMBLIES) GENERAL SPECIFICATION FOR | A 5970 | CR | | 19-MAY-97 |
| | QPL-46081-9 | COATING COMPOUND, THERMAL INSULATING (INTUMESCENT) | A 8010 | SH | | 15-SEP-93 |
| | QPL-46105-8 | PRIMER COATING, WELD THROUGH, ZINC-RICH | A 8010 | MR | | 25-SEP-95 |
| | QPL-46117-5 | ENAMEL, ALKYD, LUSTRELESS, SOLAR HEAT REFLECTING, OLIVE DRAB | A 8010 | AV | | 25-OCT-84 |
| | QPL-46147-5 | LUBRICANT, SOLID FILM; AIR-CURED (CORROSION INHIBITING) | A 9150 | AT | | 15-JUL-96 |
| A | QPL-46150-15 | LUBRICANT, WEAPONS, SEMIFLUID (HIGH LOAD-CARRYING CAPACITY) | A 9150 | AR | | 01-APR-98 |
| | QPL-46167-12 | LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, ARCTIC | A 9150 | AT | | 10-APR-95 |
| | QPL-46168-27 | COATING, ALIPHATIC POLYURETHANE, CHEMICAL AGENT RESISTANT, GENERAL SPECIFICATION FOR | A 8010 | MR | | 25-SEP-95 |
| | QPL-46170-10 | HYDRAULIC FLUID, RUST-INHIBITED, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE | A 9150 | AT | | 03-JUL-96 |
| | QPL-46176-7 | BRAKE FLUID, SILICONE, AUTOMOTIVE, ALL WEATHER, OPERATIONAL AND PRESERVATIVE, METRIC | A 9150 | AT | | 03-JUL-96 |
| | QPL-46320-30 | POWER SUPPLY, 10516158 (TRANSISTORIZED) | A 1240 | AR | | 10-JUN-92 |
| | QPL-46354-13 | HEADREST, OPTICAL INSTRUMENT | A 1240 | AR | | 10-APR-92 |
| | QPL-46369-28 | CONVERTER-REGULATOR: 10553449 | A 1240 | AR | | 22-APR-92 |
| A | QPL-46374-53 | WATCH, WRIST: GENERAL PURPOSE | A 6645 | AR | | 15-DEC-97 |
| | QPL-46676-11 | EXPLOSIVE, FLEXIBLE | A 1375 | AR | | 15-NOV-96 |
| | QPL-48611-7 | ADHESIVE SYSTEM EPOXY - ELASTOMERIC, FOR GLASS TO METAL | A 8040 | AR | | 06-MAR-92 |
| | QPL-49055-18 | CABLES, POWER, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), GENERAL SPECIFICATION FOR | A 6145 | CR | | 29-SEP-93 |
| A | QPL-49137-30 | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, MOLDED, CONFORMAL COATED AND METAL CASE WITH PLASTIC END FILL, NONHERMETICALLY SEALED, GENERAL SPECIFICATION FOR | A 5910 | CR | | 18-AUG-97 |
| | QPL-49142-13 | CONNECTOR, PLUGS AND RECEPTACLES, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR | A 5935 | CC | | 29-NOV-95 |
| | QPL-49291-3 | FIBER, OPTICAL, (METRIC), GENERAL SPECIFICATION FOR | A 6010 | CC | | 16-JAN-97 |
| | QPL-49462-3 | RESISTORS, FIXED, FILM, HIGH VOLTAGE GENERAL SPECIFICATION FOR | A 5905 | CC | | 05-APR-94 |
| | QPL-49464-5 | CAPACITORS, CHIP, SINGLE LAYER, FIXED, PARALLEL PLATE, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CR | | 13-DEC-93 |
| | QPL-49465-13 | RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), (VERY LOW RESISTANCE VALUES), GENERAL SPECIFICATION FOR | A 5905 | CC | | 30-JAN-96 |
| | QPL-50508-8 | MOUNTS, RESILIENT (FOR USE IN AMMUNITION SHIPPING CONTAINERS) | A 8140 | AR | | 15-APR-92 |
| A | QPL-50884-38 | PRINTED-WIRING, FLEXIBLE AND RIGID-FLEX, GENERAL SPECIFICATION FOR | A 5998 | CC | | 31-OCT-96 |
| | QPL-51079-7 | FILTER MEDIUM, FIRE-RESISTANT, HIGH-EFFICIENCY | A 4240 | EA | | 27-OCT-97 |
| | QPL-52471-6 | HOSE AND HOSE ASSEMBLY, RUBBER, HYDRAULIC, PRESSURE TYPE | A 4720 | CC | | 13-JAN-88 |
| | QPL-52525-6 | FITTINGS WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES GENERAL SPECIFICATION FOR | A 4730 | CC | | 13-JAN-88 |
| | QPL-52717-2 | COMPRESSOR, HERMETIC, FOR AIR CONDITIONER APPLICATION | A 4130 | CR4 | | 12-NOV-87 |
| | QPL-52891-15 | ENAMEL, LUSTRELESS, ZINC PHOSPHATE, STYRENATED, ALKYD TYPE | A 8010 | MR | | 25-SEP-95 |
| | QPL-53021-8 | STABILIZER ADDITIVE, DIESEL FUEL | A 6850 | AT | | 03-JUL-96 |
| | QPL-53022-11 | PRIMER, EPOXY COATING, CORROSION INHIBITING, LEAD AND CHROMATE FREE | A 8010 | MR | | 25-SEP-95 |
| | QPL-53030-6 | PRIMER COATING, EPOXY, WATER REDUCIBLE, LEAD AND CHROMATE FREE | A 8010 | MR | | 25-SEP-95 |
| A | QPL-53039-19 | COATING, ALIPHATIC POLYURETHANE, SINGLE COMPONENT, CHEMICAL AGENT RESISTANT | A 8010 | MR | | 25-SEP-95 |
| | QPL-53084-3 | PRIMER, CATHODIC ELECTRODEPOSITION, CHEMICAL AGENT RESISTANT | A 8010 | MR | | 25-SEP-95 |
| | QPL-55041 NOT 1 | SWITCH, WAVEGUIDE | A 5985 | CC | | 24-SEP-79 |
| | QPL-55074-5 | CONNECTOR, PLUG AND RECEPTACLE, TELEPHONE, ELECTRICAL, SUBASSEMBLY AND ACCESSORIES AND CONTACT ASSEMBLY, ELECTRICAL GENERAL SPECIFICATION FOR | A 5935 | CC | | 11-JUN-93 |
| | QPL-55110-46 | PRINTED WIRING BOARD, RIGID, GENERAL SPECIFICATION FOR | A 5998 | CC | | 09-OCT-96 |
| | QPL-55116-10 | CONNECTORS, MINIATURE AUDIO, FIVE-PIN AND SIX-PIN, GENERAL SPECIFICATION FOR | A 5935 | CC | | 01-MAY-95 |
| | QPL-55181-12 | CONNECTOR, PLUG AND RECEPTACLE, INTERMEDIATE POWER (ELECTRICAL, WATERPROOF) TYPE MW, GENERAL SPECIFICATION FOR | A 5935 | CC | | 01-MAY-95 |
| A | QPL-55182-138 | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | CR | | 15-OCT-97 |
| | QPL-55302-89 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, GENERAL SPECIFICATION FOR | A 5935 | CC | | 08-APR-97 |
| M | QPL-55310-59 | OSCILLATORS, CRYSTAL CONTROLLED, GENERAL SPECIFICATION FOR | A 5955 | CR | | 30-MAR-98 |
| | QPL-55339-42 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES AND WITHIN SERIES), GENERAL SPECIFICATION FOR | A 5935 | CC | | 31-OCT-96 |
| A | QPL-55342-73 | RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5905 | CR | | 06-FEB-98 |
| M | QPL-55365-54 | CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CR | | 30-MAR-98 |
| | QPL-55514-37 | CAPACITORS, FIXED, PLASTIC (OR METALLIZED PLASTIC) DIELECTRIC, DC OR DC-AC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CR | | 24-FEB-97 |
| | QPL-55624-7 | PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS, GENERAL SPECIFICATION FOR | A 5920 | CC | | 25-FEB-94 |
| A | QPL-55629-14 | CIRCUIT BREAKER, MAGNETIC, UNSEALED OR PANEL SEAL, TRIP-FREE, GENERAL SPECIFICATION FOR | A 5925 | CR | | 20-OCT-97 |
| A | QPL-55681-100 | CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CR | | 06-FEB-98 |
| | QPL-60091-2 | ADHESIVE FOR BONDING DEMOLITION CHARGES TO STRUCTURAL SURFACES | A 1375 | AR | | 12-MAR-92 |
| | QPL-62346-6 | BATTERIES, STORAGE: LEAD ACID (LOW MAINTENANCE) | A 6140 | AT | | 04-OCT-96 |
| A | QPL-63460-22 | LUBRICANT, CLEANER AND PRESERVATIVE FOR WEAPONS AND WEAPONS SYSTEMS | A 9150 | AR | | 25-MAR-98 |
| | QPL-81002-5 | WIRE ROPE, 1 3/8 INCH DIAMETER, 6 X 30, TYPE G, LANG LAY FLATTENED STRAND, FIBER CORE, HIGH STRENGTH (FOR AIRCRAFT ARRESTING) | A 4010 | AS | | 20-NOV-85 |
| | QPL-81014-7 | HOOK, HELICOPTER EXTERNAL CARGO, 20,000 POUND CAPACITY, TYPE C | A 1670 | AS | | 29-JUL-88 |
| | QPL-81019-8 | HYDRAULIC FLUID, PETROLEUM BASE, ULTRA-LOW TEMPERATURE | A 9150 | AS | | 31-MAY-91 |
| | QPL-81044-14 | WIRE, ELECTRIC, CROSSLINKED POLYALKENE, CROSSLINKED ALKANE-IMIDE POLYMER, OR POLYARYLENE INSULATED, COPPER OR COPPER ALLOY | A 6145 | AS | | 31-JUL-96 |
| A | QPL-81087-7 | SILICONE FLUID, CHLORINATED PHENYL METHYL POLYSILOXANE NATO CODE NUMBER H-536 | A 9150 | AS | | 11-AUG-97 |
| | QPL-81099-10 | ELECTRIC DEVICES, SIMPLE, GENERAL SPECIFICATION FOR | A 6150 | AS | | 01-DEC-86 |
| | QPL-81177-20 | FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL, GENERAL SPECIFICATION FOR | A 5320 | JS | | 25-JAN-89 |
| | QPL-81294-25(1) | REMOVER, PAINT, EPOXY, POLYSULFIDE AND POLYURETHANE SYSTEMS | A 8010 | AS | | 30-JAN-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-------------------|---|-----------------------|-----|-------------|------|
| QPL-81306-9 | TOOL, FORMING, FOR ADJUSTABLE PLASTIC AND METAL CABLE STRAPS | A 5120 | AS | 01-MAR-95 | |
| QPL-81309-22(3) | CORROSION PREVENTIVE COMPOUNDS, WATER DISPLACING, ULTRA-THIN FILM | A 8030 | AS | 22-JUL-95 | |
| QPL-81322-18 | GREASE, AIRCRAFT, GENERAL PURPOSE, WIDE TEMPERATURE RANGE | A 9150 | AS | 16-MAR-93 | |
| QPL-81346-8 | COMPOUND, DECK COVERING, NONSLIP, LIGHTWEIGHT, FOR ALUMINUM ALLOY LANDING MATS | A 8010 | AS | 22-OCT-92 | |
| QPL-81356-11 | VALVE, FUEL SYSTEM PRESSURIZATION AND VENT | A 4820 | AS | 10-SEP-93 | |
| QPL-81380-5 | MONITOR CONTAMINATION, FUEL DISPENSING SYSTEM | A 4330 | AS | 29-AUG-88 | |
| QPL-81381-13 | WIRE, ELECTRIC, POLYIMIDE-INSULATED, COPPER OR COPPER ALLOY | A 6145 | AS | 15-APR-98 | |
| QPL-81387-9 | INDICATORS, LIQUID OXYGEN QUANTITY | A 1660 | AS | 20-DEC-94 | |
| QPL-81388-9 | INDICATOR REPEATERS, LIQUID OXYGEN QUANTITY | A 1660 | AS | 20-DEC-94 | |
| QPL-81454-3 | INDICATOR, GYROSCOPE VERTICAL REFERENCE ID-1481/A | A 6610 | AS | 30-JAN-91 | |
| QPL-81511-8 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, GENERAL SPECIFICATION FOR | A 5935 | AS | 01-AUG-95 | |
| QPL-81542-20 | LIFE RAFT, INFLATABLE, ONE MAN, TYPE LR-1 | A 4220 | AS | 20-DEC-94 | |
| QPL-81550-4 | INSULATING COMPOUND, ELECTRICAL, EMBEDDING, REVERSION RESISTANT SILICONE | A 5970 | AS | 03-FEB-84 | |
| QPL-81551-4 | SWITCH, TOGGLE, HERMETICALLY SEALED, GENERAL SPECIFICATION FOR | A 5930 | CC | 01-DEC-93 | |
| QPL-81553-19 | REGULATOR, CHEST MOUNTED, OXYGEN POSITIVE PRESSURE, CRU-79/P | A 1660 | AS | 20-DEC-94 | |
| QPL-81561/3-1 | LIFE PRESERVER, INFLATABLE, AIRCREWMEN, HEAT SEALED WITH INFLATION DEVICE, TYPE LPU-21D/P | A 4220 | AS | 20-DEC-94 | |
| QPL-81561/4-1 | LIFE PRESERVER, INFLATABLE, AIRCREWMEN, HEAT SEALED WITHOUT, INFLATION DEVICE, TYPE LPU-23C/P | A 4220 | AS | 20-DEC-94 | |
| QPL-81561/6-1 | LIFE PRESERVER, INFLATABLE, YOKE, HEAT SEALED, TYPE LPU-32/P | A 4220 | AS | 20-DEC-94 | |
| QPL-81574-11 | RESCUE HAND TOOL, PNEUMATIC | A 4240 | AS | 20-DEC-94 | |
| QPL-81581/1-12 | HOSE ASSEMBLIES, AIR, LOW PRESSURE, HIGHLY FLEXIBLE | A 1660 | AS | 20-DEC-94 | |
| QPL-81581/2-11 | HOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE, WITH CONNECTIONS FOR AN INTEGRATED COMMUNICATION SYSTEM | A 1660 | AS | 20-DEC-94 | |
| QPL-81581/3-15 | HOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE WITHOUT CONNECTIONS FOR COMMUNICATION SYSTEM | A 1660 | AS | 20-DEC-94 | |
| QPL-81581/4-10 | HOSE ASSEMBLIES, BREATHING OXYGEN, LOW PRESSURE, WITH/WITHOUT CONNECTIONS FOR INTEGRATED COMMUNICATION SYSTEM | A 1660 | AS | 20-DEC-94 | |
| QPL-81581/5-9 | HOSE ASSEMBLIES, BREATHING OXYGEN, LOW PRESSURE CONNECTOR TO REGULATOR | A 1660 | AS | 20-DEC-94 | |
| QPL-81581/6-9 | HOSE ASSEMBLIES, BREATHING OXYGEN AND AIR; HOSE KITS AND MATED ASSEMBLIES | A 1660 | AS | 20-DEC-94 | |
| QPL-81581/7-9 | HOSE ASSEMBLIES, COMBINED ASSEMBLIES, HOSE AND COMMUNICATION CABLE | A 1660 | AS | 20-DEC-94 | |
| QPL-81581/8-11 | HOSE ASSEMBLIES, CABLE ASSEMBLIES, COMMUNICATION, ASSOCIATED | A 1660 | AS | 20-DEC-94 | |
| QPL-81582-3 | CONNECTORS, ELECTRICAL, BAYONET COUPLING, ENVIRONMENTAL RESISTING, UMBILICAL, GENERAL SPECIFICATION FOR | A 5935 | AS | 01-DEC-93 | |
| QPL-81582/1-1 | CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED, UMBILICAL | A 5935 | AS | 27-FEB-70 | |
| QPL-81582/2-1 | CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED, UMBILICAL | A 5935 | AS | 27-FEB-70 | |
| QPL-81582/4-1 | CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED, UMBILICAL | A 5935 | AS | 27-FEB-70 | |
| QPL-81582/5-1 | CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED AND NON SHIELDED, UMBILICAL | A 5935 | AS | 12-AUG-70 | |
| QPL-81582/6-1 | CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED AND NON SHIELDED, UMBILICAL | A 5935 | AS | 12-AUG-70 | |
| QPL-81582/7-1 | CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED AND NON SHIELDED, UMBILICAL | A 5935 | AS | 12-AUG-70 | |
| QPL-81655-4 | PITOT STATIC TUBE, L-SHAPED COMPENSATED GENERAL SPECIFICATION FOR | A 6610 | AS | 20-MAY-79 | |
| QPL-81659-13 | CONNECTORS, ELECTRICAL, RECTANGULAR CRIMP CONTACTS, GENERAL SPECIFICATION FOR | A 5935 | AS | 07-JAN-97 | |
| QPL-81703-10 | CONNECTOR, ELECTRIC, CIRCULAR, MINIATURE, RACK AND PANEL OR PUSH-PULL COUPLING, ENVIRONMENT RESISTING | A 5935 | AS | 27-FEB-98 | |
| QPL-81705-13(2) | BARRIER MATERIALS, FLEXIBLE, ELECTROSTATIC PROTECTIVE, HEAT-SEALABLE | A 8135 | AS | 16-JUN-97 | |
| QPL-81706-15(1) | CHEMICAL CONVERSION MATERIALS FOR COATING ALUMINUM AND ALUMINUM ALLOYS | A MFFP | AS | 31-MAY-93 | |
| QPL-81714-9(1) | TERMINAL JUNCTION SYSTEM (TJS), ENVIRONMENT RESISTANT, GENERAL SPECIFICATION FOR | A 5940 | AS | 16-MAY-97 | |
| QPL-81722-13 | VALVE, INFLATION, LIFE RAFT, FLU-6/P | A 4220 | AS | 20-DEC-94 | |
| QPL-81733-8 | SEALING AND COATING COMPOUND, CORROSION INHIBITIVE | A 8030 | AS | 16-JAN-92 | |
| QPL-81757-16 | BATTERIES AND CELLS, STORAGE NICKEL-CADMIUM, AIRCRAFT, GENERAL SPECIFICATION FOR | A 6140 | AS | 31-JAN-95 | |
| QPL-81790-6 | CONNECTORS, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, GENERAL SPECIFICATION FOR | A 5935 | AS | 01-DEC-93 | |
| QPL-81820-26 | BEARINGS, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LOW SPEED OSCILLATION | A 3120 | AS | 04-JUN-96 | |
| QPL-81824-5 | SPICE, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT | A 5940 | AS | 16-MAY-97 | |
| QPL-81827-10 | GREASE, AIRCRAFT, HIGH LOAD CAPACITY, WIDE TEMPERATURE RANGE | A 9150 | AS | 10-MAY-91 | |
| QPL-81830-6 | GROUT MATERIAL, RAPID SETTING | A 5610 | AS | 30-APR-88 | |
| QPL-81836-6 | FILTER AND DISPOSABLE ELEMENT, FLUID PRESSURE, HYDRAULIC, 3 MICRON ABSOLUTE | A 4920 | AS | 06-MAY-92 | |
| QPL-81851-7 | ALTIMETER ENCODER AAU-31/A | A 6610 | AS | 15-JUN-94 | |
| QPL-81852-8 | ALTIMETER ENCODER AAU-32/A | A 6610 | AS | 15-JUN-94 | |
| QPL-81903-12 | REMOVER, ACID ACTIVATED, FOR AMINE-CURED EPOXY COATING SYSTEMS | A 8010 | AS | 21-APR-92 | |
| QPL-81904-5 | COATING COMPOUND, THERMAL INSULATION, ABLATIVE | A 8010 | AS | 11-JUN-90 | |
| QPL-81905-6 | ANTI-G GARMENT, CUTAWAY, ARAMID, CSU-14/P AND CSU-14P AND CSU15P | A 8475 | AS | 03-JUN-83 | |
| QPL-81934-11 | BEARINGS, SLEEVE, PLAIN AND FLANGED, SELF-LUBRICATING | A 3120 | AS | 21-DEC-92 | |
| QPL-81935-14 | BEARINGS, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING | A 3120 | AS | 01-MAR-96 | |
| QPL-81936-8 | BEARINGS, PLAIN, SELF-ALIGNING (BE-CU BALL, CRES RACE), GENERAL SPECIFICATION FOR | A 3120 | AS | 25-JUN-86 | |
| QPL-81937-5 | GREASE, INSTRUMENT, ULTRA CLEAN | A 9150 | AS | 08-MAR-91 | |
| QPL-81940-11 | VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS | A 1650 | AS | 25-JUL-92 | |
| QPL-81945-7 | COATING COMPOUNDS, WEAPON INSULATION, INTUMESCENT | A 8030 | AS | 26-JUL-93 | |
| QPL-81947-3 NOT 2 | COATING COMPOUND, THERMAL INSULATION THREE COMPONENT, INTUMESCENT | A 8010 | AS | 28-JUN-90 | |
| QPL-81956-2 | DETERGENT, EXTERNAL REMOVABLE FUEL TANKS | A 7930 | AS | 03-FEB-88 | |
| QPL-81969-13 | INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, GENERAL SPECIFICATION FOR | A 5120 | AS | 16-FEB-96 | |
| QPL-81975-5 | COUPLING, REGULATED, AERIAL PRESSURE REFUELING, TYPE MA-3 | A 1680 | AS | 30-DEC-92 | |
| QPL-81991/1-1 | CONVERTER, 4 AMPERE, DC TO DC, BOOST, CLASS A MULTIPURPOSE | A 6130 | AS | 03-MAR-76 | |
| QPL-81995-10 | VALVES, STARTER CONTROL, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR | A 2995 | AS | 05-SEP-88 | |
| QPL-82604-2 | COMPOUND, ASPHALTIC, HIGH MELTING HOT-MELT (CAVITY LINING) | A 8030 | OS | 24-JUL-75 | |
| QPL-82633-2 | COMPOUND, POLYMERIC ELASTOMER, THERMOSETTING (FOR USE AS BOMB TAIL PAD) | A 8030 | OS | 22-JAN-76 | |
| QPL-82646-3 | PLASTIC FILM, CONDUCTIVE, HEAT SEALABLE, FLEXIBLE | A 8135 | OS | 30-SEP-88 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|------------|-------------------|---|-----------------------|-----|-------------|-----------|
| | QPL-83050-13 | BOLT, SELF RETAINING, IMPEDANCE TYPE | A 5306 | IS | | 12-APR-84 |
| | QPL-83147-8 | HELMET SHELL, FLYING HGU-22/P | A 8475 | 82 | | 09-SEP-83 |
| | QPL-83178-10 | REGULATOR, OXYGEN, DILUTER-DEMAND, AUTOMATIC-PRESSURE-BREATHING, GENERAL SPECIFICATION FOR | A 1660 | 71 | | 22-JUN-94 |
| | QPL-83231-7 NOT 2 | COATING, POLYURETHANE, RAIN EROSION RESISTANT FOR EXTERIOR AIRCRAFT AND MISSILE PLASTIC PARTS | A 8010 | 11 | | 20-JUL-95 |
| | QPL-83248-3 | RUBBER, FLUOROCARBON ELASTOMER, HIGH TEMPERATURE, FLUID, AND COMPRESSION SET RESISTANT | A 5330 | 11 | | 05-JUN-95 |
| | QPL-83282-14(1) | HYDRAULIC FLUID, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE, AIRCRAFT NATO CODE NUMBER H-537 | A 9150 | AS | | 30-JAN-95 |
| | QPL-83287-19 | INDICATORS, FAULT LOCATING, GENERAL SPECIFICATION FOR | A 6625 | CC | | 27-NOV-95 |
| | QPL-83296-7 | FITTING, TETRAFLUOROETHYLENE HOSE, HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC | A 4730 | CC | | 08-SEP-93 |
| | QPL-83298-7(1) | HOSE, TETRAFLUOROETHYLENE, HIGH TEMPERATURE HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC | A 4720 | 82 | | 18-JUN-90 |
| | QPL-83318-6 | SEALING COMPOUND, LOW TEMPERATURE CURING, QUICK REPAIR, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES | A 8030 | 11 | | 19-NOV-93 |
| | QPL-83383-9 | CIRCUIT BREAKER, REMOTE CONTROL, THERMAL, TRIP FREE GENERAL SPECIFICATION FOR | A 5925 | CC | | 07-OCT-93 |
| | QPL-83401-76 | RESISTOR NETWORKS, FIXED, FILM AND RESISTOR-CAPACITOR NETWORKS, CERAMIC CAPACITOR AND FIXED FILM RESISTORS, GENERAL SPECIFICATION FOR | A 5905 | CC | | 28-MAR-97 |
| A | QPL-83406-6 | ANTI-G GARMENT, CUTAWAY, CSU-13B/P | A 8475 | 82 | | 01-OCT-97 |
| A | QPL-83413-10 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING, GENERAL SPECIFICATION FOR | A 5935 | AS | | 22-JAN-98 |
| | QPL-83419-9 | ALTIMETER, SERVO CONTROLLED, AUTOMATIC PRESSURE STANDBY | A 6610 | 71 | | 01-AUG-96 |
| A | QPL-83420-9 | WIRE ROPE, FLEXIBLE, FOR AIRCRAFT CONTROL | A 4010 | IS | | 31-OCT-97 |
| | QPL-83421-48 | CAPACITORS, FIXED, METALLIZED, PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL OR CERAMIC CASES, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5910 | CC | | 19-FEB-97 |
| | QPL-83445-2 NOT 2 | COATING SYSTEM, POLYURETHANE, NON-YELLOWING, WHITE, RAIN EROSION RESISTANT, THERMALLY REFLECTIVE | A 8010 | 11 | | 20-JUL-95 |
| | QPL-83446-29 | COILS, RADIO FREQUENCY, CHIP, FIXED OR VARIABLE, GENERAL SPECIFICATION FOR | A 5950 | CC | | 27-NOV-95 |
| | QPL-83461-6 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, IMPROVED PERFORMANCE AT 275 DEG. F (135 DEG. C) | A 5330 | 11 | | 15-MAR-93 |
| | QPL-83500-4 | CAPACITOR, FIXED, ELECTROLYTIC, (NONSOLID ELECTROLYTE), TANTALUM CATHODE, GENERAL SPECIFICATION FOR | A 5910 | CC | | 22-OCT-87 |
| | QPL-83502-3 | SOCKET, PLUG IN ELECTRONIC COMPONENTS, ROUND STYLE, GENERAL SPECIFICATION FOR | A 5935 | CC | | 28-SEP-96 |
| | QPL-83503-31 | CONNECTORS, ELECTRICAL, FLAT CABLE, AND/OR PRINTED WIRING BOARD, NONENVIRONMENTAL, GENERAL SPECIFICATION FOR | A 5935 | CC | | 29-MAY-96 |
| | QPL-83504-12 | SWITCHES, DUAL IN-LINE PACKAGE (DIP), GENERAL SPECIFICATION FOR | A 5930 | CC | | 28-FEB-96 |
| | QPL-83505-21 | SOCKET, (LEAD, ELECTRONIC COMPONENTS) GENERAL SPECIFICATION FOR | A 5935 | CC | | 30-DEC-96 |
| | QPL-83507-8 | TOOL KIT, ELECTRICAL CONNECTORS, CONTACTS AND CONNECTORS AND CABLE ACCESSORIES, GENERAL SPECIFICATION FOR | A 5180 | CC | | 08-MAY-87 |
| A | QPL-83511-10 | HEADSET-MICROPHONE AND HEADSET-ELECTRICAL (MEDIUM NOISE ATTENUATION, HEARING PROTECTIVE), GENERAL SPECIFICATION FOR | A 5965 | CC | | 25-APR-97 |
| | QPL-83513-33 | CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, POLARIZED SHELL, GENERAL SPECIFICATION FOR | A 5935 | CC | | 07-NOV-95 |
| A | QPL-83516-9 | RELAY, REED, DRY, GENERAL SPECIFICATION FOR | A 5945 | CC | | 28-FEB-95 |
| | QPL-83517-11 | CONNECTOR, COAXIAL, RADIO FREQUENCY FOR COAXIAL, STRIP OR MICROSTRIP TRANSMISSION LINE, GENERAL SPECIFICATION FOR | A 5935 | CC | | 27-MAR-95 |
| A | QPL-83519-10 | SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT, GENERAL SPECIFICATION FOR | A 5940 | AS | | 21-NOV-97 |
| | QPL-83522-10 | CONNECTORS, FIBER OPTIC, SINGLE TERMINUS, GENERAL SPECIFICATION FOR | A 6060 | CC | | 28-MAY-96 |
| | QPL-83527-2 | CONNECTORS, PLUG AND RECEPTACLE, ELECTRICAL, RECTANGULAR MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR | A 5935 | CC | | 10-SEP-93 |
| | QPL-83528-30 | GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, GENERAL SPECIFICATION FOR | A 5999 | CC | | 29-MAY-96 |
| | QPL-83530-3 | RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL-OXIDE) GENERAL SPECIFICATION FOR | A 5905 | CC | | 05-APR-94 |
| | QPL-83531-3 | DELAY LINES, PASSIVE, GENERAL SPECIFICATION FOR | A 5999 | CC | | 05-APR-94 |
| | QPL-83532-4 | DELAY LINES, ACTIVE, GENERAL SPECIFICATION FOR | A 5999 | CC | | 27-NOV-96 |
| M | QPL-83536-12 | RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR | A 5945 | 85 | | 20-MAR-98 |
| | QPL-83723-51 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR | A 5935 | CC | | 23-APR-96 |
| | QPL-83725-14 | RELAYS, VACUUM, GENERAL SPECIFICATION FOR | A 5945 | CC | | 20-DEC-96 |
| A | QPL-83726-20 | RELAYS, HYBRID AND SOLID STATE, TIME DELAY, GENERAL SPECIFICATION FOR | A 5945 | CC | | 01-AUG-97 |
| | QPL-83731-12 | SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE, GENERAL SPECIFICATION FOR [REVIEW: 80] | A 5930 | CC | | 21-DEC-93 |
| | QPL-83733-3 | CONNECTOR, ELECTRICAL, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 200 DEGREES C TOTAL CONTINUOUS OPERATING TEMPERATURE | A 5935 | CC | | 15-SEP-89 |
| | QPL-83734-31 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, DUAL-IN-LINE (DIPS) AND SINGLE-IN-LINE PACKAGES (SIPS), GENERAL SPECIFICATION FOR | A 5935 | CC | | 09-DEC-96 |
| | QPL-83739-5 | SWITCH, ANTENNA, RADIO FREQUENCY, SOLID STATE GENERAL SPECIFICATION FOR | A 5985 | CC | | 22-AUG-89 |
| | QPL-83769-5 | BATTERY, STORAGE, LEAD ACID, GENERAL SPECIFICATION FOR | A 6140 | GS | | 04-MAY-85 |
| | QPL-83797-6 | HOSE, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR | A 4720 | CC | | 19-MAR-97 |
| | QPL-83797/1-5 | HOSE, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FUEL AND OIL RESISTANT | A 4720 | CC | | 13-FEB-89 |
| | QPL-83798-2(2) | FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR | A 4730 | 82 | | 10-AUG-82 |
| | QPL-83860-18 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR | A 1650 | 71 | | 01-OCT-94 |
| | QPL-83861-15 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 AND 15 MICRON ABSOLUTE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR | A 1650 | 71 | | 01-OCT-94 |
| A | QPL-83866-4 | RECEIVER, OXYGEN MASK, ASSEMBLY OF | A 1660 | 82 | | 10-OCT-97 |
| | QPL-83867-2 | CONNECTOR, OXYGEN MASK HOSE-NON-EJECTION TYPE | A 1660 | 82 | | 03-SEP-85 |
| | QPL-83870-12 | FILTER ELEMENT, FLUID PRESSURE, TRANSMISSION, AIRCRAFT DISPOSABLE, 20 MICRON ABSOLUTE | A 1650 | 71 | | 01-OCT-94 |
| | QPL-85028-4 | CONNECTOR, ELECTRICAL, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER TACKSCREW, GENERAL SPECIFICATION FOR | A 5935 | AS | | 01-DEC-93 |
| | QPL-85045-2 | CABLES, FIBER OPTICS (METRIC), GENERAL SPECIFICATION FOR | A 6015 | SH | | 28-MAY-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Test Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|-------------|----------------------|--|----------------------|-------|-------------|-----------|
| | QPL-85047-6 | HELMET ASSEMBLY, HGU-34/P | A 8475 | AS | | 20-DEC-94 |
| | QPL-85049-16(1) | CONNECTOR ACCESSORIES, ELECTRICAL, GENERAL SPECIFICATION FOR | A 5935 | AS | | 25-FEB-97 |
| | QPL-85050-1 | CHARGER, BATTERY NICKEL CADMIUM, AIRCRAFT GENERAL SPECIFICATION FOR | A 6130 | AS | | 11-JUN-84 |
| | QPL-85052-7 | CLAMP, LOOP, CUSHION, GENERAL SPECIFICATION FOR | A 5340 | AS | | 30-SEP-92 |
| | QPL-85062-3 | INHIBITOR, CORROSION, VOLATILE, TRANSMISSION AND GEARBOX | A 6850 | AS | | 20-MAR-89 |
| | QPL-85071-3 | INVERTERS, AIRCRAFT, DC TO AC, GENERAL SPECIFICATION FOR | A 6130 | AS | | 07-JUN-95 |
| | QPL-85285-6(1) | COATING: POLYURETHANE, HIGH-SOLIDS | A 8010 | AS | | 30-JUL-96 |
| | QPL-85322-3 | COATING, ELASTOMERIC, POLYURETHANE, RAIN-EROSION | A 8010 | AS | | 17-DEC-93 |
| | QPL-85334-3 | SEALING COMPOUND, NON-CURING, LOW CONSISTENCY, SILICONE, GROOVE INJECTION, FOR INTEGRAL FUEL TANKS | A 8030 | AS | | 08-JAN-93 |
| | QPL-85336-5 | LUBRICANT, ALL WEATHER (AUTOMATIC WEAPONS) | A 9150 | AS | | 10-APR-91 |
| | QPL-85353-5 | NUT (FASTENERS), INTERNALLY THREADED, PRELOAD LOCKING, 450 DEG. F, 800 DEG. F, & 1200 DEG. F, GENERAL SPECIFICATION FOR | A 5310 | IS | | 01-DEC-89 |
| | QPL-85449-2 | CLAMP ASSEMBLY, SADDLE-TYPE, CUSHION, GENERAL SPECIFICATION FOR | A 5340 | AS | | 12-JUN-89 |
| | QPL-85485-5 | CABLE, ELECTRIC, FILTER LINE, RADIO FREQUENCY ABSORPTIVE | A 6145 | AS | | 01-DEC-93 |
| | QPL-85560-2 | BEARINGS, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN AND FLANGED, SELF LUBRICATION, GENERAL SPECIFICATION FOR | A 3120 | AS | | 10-DEC-95 |
| A | QPL-85570-10 | CLEANING COMPOUND, AIRCRAFT, EXTERIOR | A 6850 | AS | | 11-AUG-97 |
| | QPL-85582-4(2) | PRIMER COATINGS: EPOXY, WATERBORNE | A 8010 | AS | | 17-APR-95 |
| | QPL-85584-4 | BATTERY RELAY CONTROL UNIT, AIRCRAFT | A 6140 | AS | | 22-MAY-97 |
| | QPL-85604-5 | BOLT, NICKEL ALLOY 718, TENSION, HIGH STRENGTH, (125 KSI FSU AND 220 KSI FTU) HIGH TEMPERATURE, SPLINE DRIVE | A 5306 | IS | | 17-DEC-90 |
| | QPL-85633-3 | COVERALLS, FLYERS, ANTI-EXPOSURE, CWU-62/P AND CWU-74/P | A 8475 | AS | | 20-DEC-94 |
| | QPL-85667-1 | BOLT, SLEEVE, STRAIGHT SHANK, PROTRUDING AND FLUSH HEAD, GENERAL SPECIFICATION FOR | A 5306 | AS | | 24-MAR-95 |
| | QPL-85670-2 | ANTENNA, BROADBAND, AS-3191/A, AS-3792/A, AND AS-3793/A | A 5821 | AS | | 17-JAN-95 |
| | QPL-85704-6 | CLEANING COMPOUND, TURBINE ENGINE GAS PATH | A 6850 | AS | | 20-JUL-93 |
| | QPL-85705-1 | ADHESIVE, AIRCRAFT, FOR STRUCTURAL REPAIR | A 8040 | AS | | 10-SEP-89 |
| | QPL-85730-4 | NUT, SELF-LOCKING, SPLINE DRIVE, ASSEMBLED WASHER, NICKEL ALLOY 718, 220 KSI FTU, 900 DEG. F, GENERAL SPECIFICATION FOR | A 5310 | AS | | 29-JAN-96 |
| A | QPL-85731-5 | FASTNER, POSITIVE LOCKING, ELECTRONIC EQUIPMENT | A 5340 | AS | | 04-NOV-97 |
| | QPL-85733 | GREASE, HIGH TEMPERATURE, CATAPULT SYSTEM | A 9150 | AS | | 29-JAN-88 |
| | QPL-85734-3 | LUBRICATING OIL, HELICOPTER TRANSMISSION SYSTEM, SYNTHETIC BASE | A 9150 | AS | | 20-MAR-91 |
| | QPL-85824-3 | LIFE RAFT, INFLATABLE, ONE MAN VEE BOTTOM LRU-18/U | A 4220 | AS | | 20-DEC-94 |
| | QPL-87100-3 | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, POLYPHENYL ETHER BASE | A 9150 | II | | 27-JAN-89 |
| | QPL-87104-2 | COAXIAL ASSEMBLIES GENERAL SPECIFICATION FOR | A 5985 | CC | | 16-FEB-90 |
| | QPL-87157-7 | DISPLAY, DIODE, LIGHT EMITTING, SOLID STATE, GENERAL SPECIFICATION FOR | A 5980 | CC | | 22-DEC-92 |
| | QPL-87161-4 | WIRE, STRAND, NONFLEXIBLE, FOR AIRCRAFT APPLICATION | A 4010 | IS | | 01-MAY-92 |
| | QPL-87174-2 | HELMETS, FLYER'S, HGU-55/F | A 8475 | 71 | | 10-JUL-86 |
| | QPL-87217-5 | CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC FILM DIELECTRIC, DIRECT CURRENT FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY | A 5910 | CC | | 07-AUG-91 |
| A | QPL-87218-2 | CABLE, LOCKCLAD, FOR AIRCRAFT CONTROL | A 4010 | IS | | 08-APR-93 |
| | QPL-87252-1 | COOLANT FLUID, HYDROLYTICALLY STABLE, DIELECTRIC | A 9160 | II | | 15-APR-92 |
| | QPL-87257-1 | HYDRAULIC FLUID, FIRE RESISTANT; LOW TEMPERATURE, SYNTHETIC HYDROCARBON BASE, AIRCRAFT AND MISSILE | A 9150 | II | | 12-FEB-96 |
| A | QPL-87819-4 | HEADSET-MICROPHONE, HEADSET-ELECTRICAL, HEADSET-NONELECTRICAL (HEARING PROTECTIVE TYPE, HIGH AMBIENT NOISE LEVELS), GENERAL SPECIFICATION FOR | A 5965 | CC | | 06-JUN-94 |
| | QPL-87893-1 | WORKSTATION ELECTROSTATIC DISCHARGE (ESD) CONTROL | A 4940 | 30 | | 01-MAY-95 |
| A | QPL-87937-5 | CLEANING COMPOUNDS, AEROSPACE EQUIPMENT | A 6850 | 68 | | 02-APR-98 |
| | QPL-87965-2 | INDICATOR, THRUST, ENGINE TESTING, TEST STAND, AIRCRAFT ENGINE, A/M37 SERIES | A 6620 | 82 | | 10-JUN-87 |
| | QPL-F-F-310-3 | FILTER, AIR CONDITIONING, VISCOUS-IMPINGEMENT AND DRY TYPES, REPLACEABLE | A 4130 | # FSS | | 17-AUG-76 |
| | QPL-F-F-351-11 | FILTERS AND FILTER ELEMENTS, FLUID, PRESSURE: LUBRICATING OIL, BYPASS AND FULL FLOW | A 2940 | / AT | | 25-OCT-93 |
| | QPL-P-C-111-26 | CARBON REMOVING COMPOUND | A 6850 | / MR | | 25-SEP-95 |
| | QPL-P-W-155-22 | WAX, FLOOR, WATER EMULSION | A 7930 | # FSS | | 22-SEP-82 |
| | QPL-P-F-430-18 | FINISH, FLOOR, WATER EMULSION | A 7930 | # FSS | | 13-MAR-81 |
| | QPL-P-C-444-13 | CLEANING COMPOUND, SOLVENT, GREASE EMULSIFYING | A 6850 | / AS | | 17-OCT-89 |
| | QPL-P-P-560-11 | POLISH, PLASTIC | A 7930 | / AS | | 26-SEP-85 |
| | QPL-W-F-101-6 | FAN, ELECTRIC, BRACKET AND DESK RIGID BLADES, (FOR SHORE USE) | A 4140 | # FSS | | 27-DEC-66 |
| | QPL-W-L-00111-5 | LAMP, INCANDESCENT (ELECTRIC, MINIATURE AND SUBMINIATURE, TUNGSTEN FILAMENT) | A 6240 | # FSS | | 10-NOV-80 |
| | QPL-W-R-00168 | RECORDER REPRODUCER, SOUND (MAGNETIC TAPE TYPE) | A 5835 | # FSS | | 09-OCT-70 |
| | QPL-W-R-00170 NOT 1 | RECORDER REPRODUCER, SOUND (PORTABLE, BATTERY OPERATED, OPEN REEL TYPE) | A 5835 | # FSS | | 09-OCT-70 |
| | QPL-W-R-175-18(1) | REELS AND HUBS FOR MAGNETIC RECORDING TAPE, GENERAL SPECIFICATION FOR | A 5835 | / CC | | 12-AUG-94 |
| | QPL-W-L-215-1 | LANTERN, ELECTRIC HEAD | A 6230 | # FSS | | 13-NOV-58 |
| | QPL-W-L-314-5 | LIGHTS, HOUSEHOLD | A 6250 | # FSS | | 21-SEP-73 |
| | QPL-W-C-375-18 | CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, GENERAL SPECIFICATION FOR | A 5925 | / CC | | 18-JUL-95 |
| | QPL-W-F-421-5 NOT 1 | FLASHLIGHT, ELECTRIC, HAND | A 6230 | # FSS | | 09-DEC-65 |
| | QPL-W-A-00450-3 | ALARM SYSTEM, INTERIOR, SECURITY, COMPONENTS FOR | A 6350 | # FSS | | 16-JAN-74 |
| | QPL-W-C-596-51 | CONNECTOR, ELECTRICAL, POWER, GENERAL SPECIFICATION FOR | A 5935 | / CC | | 25-MAY-95 |
| | QPL-W-S-896-38 | SWITCHES, TOGGLE (TOGGLE AND LOCK), FLUSH MOUNTED (GENERAL SPECIFICATION) | A 5930 | / CC | | 31-MAR-97 |
| | QPL-W-R-001404 NOT 1 | RECORDER REPRODUCER, SOUND (PORTABLE, BATTERY OPERATED, CASSETTE TYPE) | A 5835 | # FSS | | 09-OCT-70 |
| | QPL-W-T-1553-14(1) | TAPE, RECORDING, INSTRUMENTATION, MAGNETIC OXIDE-COATED | A 5835 | / CC | | 12-AUG-94 |
| | QPL-W-T-001567-2 | TAPE, RECORDING, QUADRUPLEX VIDEO, MAGNETIC OXIDE-COATED | A 5820 | / CR | | 14-MAY-76 |
| | QPL-W-T-001572-3 | TAPE, RECORDING, AUDIO, 1/4 INCH MAGNETIC OXIDE-COATED | A 5835 | # FSS | | 19-FEB-74 |
| | QPL-W-B-001573-4 | BAND, WRAPAROUND TAPE REEL | A 7045 | # FSS | | 02-JUN-75 |
| | QPL-W-T-1604 NOT 1 | TAPE, PERFORATOR TYPE, POLYESTER BASE | A 7045 | * CR | | 29-JUL-74 |
| | QPL-W-T-1633-2 | TAPE, MAGNETIC, AND CARTRIDGE, FOR MAGNETIC TAPE AUTOMATIC TYPEWRITER, MT/ST AND MT/SC | A 7430 | # FSS | | 05-MAR-76 |
| | QPL-W-D-001663-2 | DISK PACK, FOR DATA STORAGE (MAGNETIC RECORDING, 14 INCH, 11 DISKS) | A 6310 | # FSS | | 02-JUN-75 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Doc Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|------------|--------------------------|--|-------------------------|-----|-------------|-----------|
| | QPL-W-C-1684 NOT 1 | CASSETTES, MAGNETIC TAPE, AUDIO RECORDING (TWIN HUB, COPLANAR) | A 5835 | # | FSS | 17-MAY-77 |
| | QPL-W-F-1814-23 | FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY | A 5920 | / | CC | 22-MAY-95 |
| | QPL-W-C-001851-3 | CARD, MAGNETIC, DATA RECORDING (7.375 INCH X 3.25 INCH NOMINAL SIZE) | A 7430 | # | FSS | 01-OCT-78 |
| | QPL-X-C-51-4 | CAP, BLASTING, ELECTRIC AND NON-ELECTRIC | A 1375 | # | FSS | 08-DEC-67 |
| | QPL-AA-F-357-6 | FILING CABINET, STEEL, LEGAL AND LETTER SIZE, INSULATED, SECURITY | A 7110 | # | FSS | 10-MAR-72 |
| | QPL-AA-F-358-5 | FILING CABINET, STEEL, LEGAL AND LETTER SIZE, UNINSULATED, SECURITY | A 7110 | # | FSS | 17-JAN-73 |
| | QPL-AA-F-363-13 | FILING CABINET, SECURITY, STEEL, MAPS PLANS, GENERAL FILING, AND STORAGE | A 7110 | # | FSS | 05-JAN-73 |
| | QPL-AA-D-600-4 | DOOR, VAULT, SECURITY | A 7110 | # | FSS | 23-MAR-70 |
| | QPL-AA-D-00600-6 | DOOR, VAULT, SECURITY | A 7110 | # | FSS | 14-AUG-95 |
| | QPL-AA-V-2737-2 | MODULAR VAULT SYSTEMS | A 7110 | / | FSS | 12-AUG-95 |
| | QPL-AA-C-2859-1 | CABINET, SECURITY, WEAPONS STORAGE | A 7110 | # | FSS | 12-AUG-95 |
| | QPL-FF-B-171-53 | BEARINGS, BALL ANNULAR, (GENERAL PURPOSE) | A 3110 | / | SH | 03-MAR-92 |
| | QPL-FF-B-185-38 | BEARINGS, ROLLER, CYLINDRICAL, AND BEARINGS, ROLLER, SELF-ALIGNING | A 3110 | / | SH | 04-MAY-89 |
| | QPL-FF-B-187-32 | BEARING, ROLLER, TAPERED | A 3110 | / | SH | 04-MAY-89 |
| | QPL-FF-P-001480-1 | PADLOCK, KEY OPERATION (RESISTANT TO OPENING BY FORCE, PICK, & BYPASS TECHNIQUES) | A 5340 | # | FSS | 03-AUG-72 |
| | QPL-FF-L-2740-2 | LOCK, COMBINATION | A 5340 | / | FSS | 12-AUG-95 |
| | QPL-GG-W-113-19 NOT 1 | WATCH, WRIST | A 6645 | / | AR | 25-MAR-87 |
| | QPL-HH-P-46-15 | PACKING, ASBESTOS, SHEET, COMPRESSED | A 5330 | / | SH | 07-JUN-91 |
| | QPL-JJ-B-185-6 | BELT, SEAT, PASSENGER TYPE, AUTOMOTIVE | A 2540 | # | FSS | 11-DEC-63 |
| | QPL-OO-R-421-35 | RIVETER, PNEUMATIC, JAM AND HAMMER, AND HOLDER-ON, PORTABLE | A 5130 | / | SH | 14-MAY-87 |
| | QPL-OO-G-669-61(1) | GRINDER, PNEUMATIC, HORIZONTAL AND VERTICAL | A 5130 | / | SH | 27-DEC-84 |
| A | QPL-OO-D-691-64 | DRILL, PNEUMATIC, PORTABLE, AND BORER, WOOD, PNEUMATIC | A 5130 | | FSS | 23-MAR-88 |
| | QPL-OO-W-891-68(2) | WRENCH, IMPACT, PNEUMATIC, PORTABLE | A 5130 | / | SH | 31-MAY-85 |
| | QPL-TT-P-28-13 | PAINT, ALUMINUM, HEAT RESISTING (1200 DEG. F) | A 8010 | / | FSS | 02-JAN-92 |
| | QPL-TT-R-248-14 | REMOVER, PAINT AND LACQUER, SOLVENT TYPE | A 8010 | / | AS | 27-MAY-97 |
| | QPL-TT-E-485-22 | ENAMEL, SEMI-GLOSS, RUST&INHIBITING | A 8010 | / | AR | 31-MAR-86 |
| A | QPL-TT-E-489-48 | ENAMEL, ALKYD, GLOSS (FOR EXTERIOR AND INTERIOR SURFACES) LOW VOC | A 8010 | # | FSS | 14-JAN-98 |
| | QPL-TT-E-515-11 | ENAMEL, ALKYD, LUSTERLESS, QUICK DRYING | A 8010 | / | OS | 28-APR-87 |
| A | QPL-TT-E-516-10 | ENAMEL, LUSTERLESS, QUICK DRYING, STYRENATED ALKYD TYPE | A 8010 | / | AV | 02-APR-86 |
| | QPL-TT-E-527-28 | ENAMEL, ALKYD, LUSTRELESS, LOW VOC | A 8010 | / | FSS | 07-FEB-96 |
| | QPL-TT-E-529-37 | ENAMEL, ALKYD, SEMI-GLOSS, LOW VOC CONTENT | A 8010 | / | FSS | 27-NOV-95 |
| | QPL-TT-C-530-3 | COATING COMPOUND, RUST INHIBITIVE, FISH OIL BASE | A 8030 | / | SH | 07-MAY-68 |
| | QPL-TT-P-595-2 | PRESERVATIVE COATING, CANVAS | A 8030 | / | SH | 05-FEB-68 |
| | QPL-TT-P-662-10 | PRIMER SURFACER, SANDING, LACQUER AND ENAMEL TYPE | A 8010 | / | AR | 02-APR-86 |
| | QPL-TT-P-664-20(1) | PRIMER COATING, ALKYD, CORROSION-INHIBITING LEAD AND CHROMATE FREE, VOC-COMPLIANT | A 8010 | / | FSS | 16-DEC-95 |
| A | QPL-TT-P-2118-3 | PAINT, TREE MARKING | A 8010 | # | FSS | 26-SEP-97 |
| | QPL-TT-P-2756-1 | POLYURETHANE COATING: SELF-PRIMING TOPCOAT, LOW VOLATILE ORGANIC COMPOUNDS (VOC) | A 8010 | / | AS | 24-FEB-93 |
| | QPL-TT-P-2760-3 | PRIMER COATING: POLYURETHANE, ELASTOMERIC | A 8010 | / | AS | 22-MAR-95 |
| A | QPL-VV-B-680-13 | BRAKE FLUID, AUTOMOTIVE | A 9150 | / | AT | 11-MAR-88 |
| | QPL-VV-L-800-22 | LUBRICATING OIL, GENERAL PURPOSE, PRESERVATIVE (WATER-DISPLACING, LOW TEMPERATURE) | A 9150 | / | AT | 24-JUL-96 |
| | QPL-ZZ-B-190-2 | BELT, V. ENGINE ACCESSORY DRIVE | A 3030 | / | AT | 22-SEP-83 |
| | QPL-ZZ-B-225-6 | BELTS, V. INDUSTRIAL (MULTIPLE DRIVE) | A 3030 | / | AT | 01-OCT-91 |
| | QPL-ZZ-T-381-2 | TIRES, PNEUMATIC, VEHICULAR (HIGHWAY) (SUPL-1 1 MAR 83) | A 2610 | # | FSS | 01-MAR-83 |
| | QPL-ZZ-T-410-1 | TIRES, PNEUMATIC, INDUSTRIAL | A 2610 | % | FSS | 30-NOV-81 |
| | QPL-ZZ-H-428-11(1) | HOSE, NON-METALLIC AND HOSE, PREFORMED: (FOR THE COOLANT SYSTEMS OF AUTOMOTIVE AND OTHER LIQUID-COOLED ENGINES) | A 4720 | / | CC | 18-NOV-93 |
| | QPL-ZZ-H-617-15 | HOSE, RUBBER: WINDSHIELD WIPER | A 4720 | / | CC | 10-OCT-91 |
| | QPL-ZZ-T-1083-2 | TIRES, PNEUMATIC, LOW SPEED, OFF HIGHWAY | A 2610 | | AT | 01-DEC-79 |
| | QPL-ZZ-T-1619-2(2) SUP 1 | TIRES, PNEUMATIC, AGRICULTURAL | A 2610 | # | FSS | 01-MAY-78 |
| A | QPL-GGG-S-63 NOT 1 | SAW, CIRCULAR, PORTABLE, PNEUMATIC | A 5130 | | FSS | 27-OCT-81 |
| | QPL-GGG-F-325-31 | FILE, HAND, (AMERICAN PATTERN) AND RASP, HAND | A 5110 | # | FSS | 05-MAR-82 |
| | QPL-GGG-F-331-28 | FILES, HAND, (SWISS PATTERN) | A 5110 | # | FSS | 02-NOV-81 |
| A | QPL-GGG-D-751-48 | DRILLS, TWIST (TAPER-SQUARE, STRAIGHT, AND TAPER-ROUND SHANKS) | A 5133 | | FSS | 08-JUN-87 |
| | QPL-GGG-D-777-15 | DRIVER, PROJECTILE UNIT, POWER ACTUATED (HIGH VELOCITY) (ABOVE WATER ONLY), PIN, DRIVE, POWER ACTUATED, AND CARTRIDGE, POWER ACTUATED TOOL | A 5130 | # | FSS | 09-JUN-80 |
| | QPL-MMM-A-121-19 | ADHESIVE, BONDING VULCANIZED SYNTHETIC RUBBER TO STEEL | A 8040 | / | SH | 12-AUG-94 |
| | QPL-MMM-A-132-9(4) | ADHESIVES, HEAT RESISTANT, AIRFRAME STRUCTURAL; METAL TO METAL | A 8040 | / | AS | 04-OCT-91 |
| | QPL-MMM-A-134-10 | ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING | A 8040 | / | AS | 28-MAY-97 |
| | QPL-MMM-A-139-5 | ADHESIVE, NATURAL OR SYNTHETIC-NATURAL RUBBER | A 8040 | / | AS | 29-JAN-88 |
| | QPL-MMM-A-1617-4 | ADHESIVE, RUBBER BASE, GENERAL PURPOSE | A 8040 | / | AS | 30-NOV-95 |
| M | QPL-SAE-AMS-2644-1 | INSPECTION MATERIAL, PENETRANT | A 6850 | 11 | | 13-MAR-98 |
| | QPL-SAE-AMS-3276-3 | SEALING COMPOUND, INTEGRAL FUEL TANKS AND GENERAL PURPOSE, INTERMITTENT USE TO 360 DEG. F (182 DEG. C) | A 8030 | 11 | | 14-MAR-96 |
| | QPL-SAE-AMS-3277-1 | SEALING COMPOUND, POLYTHIOETHER INTEGRAL FUEL TANKS AND GENERAL PURPOSE, FAST CURING INTERMITTENT USE TO 360 DEG. F (182 DEG. C) | A 8030 | 11 | | 07-FEB-96 |
| A | QPL-SAE-AMS-3281-2 | SEALING COMPOUND, POLYSULFIDE (T) SYNTHETIC RUBBER FOR INTEGRAL FUEL TANK AND FUEL CELL CAVITIES LOW DENSITY (1.35 SP GR MAX), FOR INTERMITTENT USE TO 360 DEG. F (182 DEG. C) | A 8030 | 11 | | 03-APR-98 |
| | QPL-AS604-2 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH-TEMPERATURE, 3000 PSI, HYDRAULIC AND PNEUMATIC, HEAVYWEIGHT (HEAVY BRAID) | A 4720 | 82 | | 15-FEB-90 |
| | QPL-AS1339-4 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 400 DEG. F, 3000 PSI, HYDRAULIC LIGHTWEIGHT | A 4720 | | CC | 24-FEB-93 |
| | QPL-SAE-J1899-1 | LUBRICATING OIL, AIRCRAFT PISTON ENGINE, (ASHLESS DISPERSANT) | A 9150 | | AS | 01-NOV-95 |
| | QPL-SAE-J1966-1 | LUBRICATING OIL, AIRCRAFT PISTON ENGINE (NON-DISPERSANT MINERAL OIL) | A 9150 | | AS | 01-NOV-95 |

| Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|---------------------|--|--------------------------|-----|-------------|-----------|
| MIL-HDBK-5G(3) | METALLIC MATERIALS AND ELEMENTS FOR AEROSPACE VEHICLE STRUCTURES [CUST: AV AS 11] [REVIEW: 80 82 84 99 CG CR4 MI] | A 1560 | 11 | | 01-MAR-98 |
| MIL-HDBK-7B | LUMBER & ALLIED PRODUCTS [CUST: AV 99] | A 55GP | IS | | 06-AUG-82 |
| MIL-HDBK-17A | PLASTIC FOR AEROSPACE VEHICLES PART 1 REINFORCED PLASTICS [CUST: MR AS 11] | A 15GP | MR | | 01-JAN-71 |
| MIL-HDBK-17/1E | POLYMER MATRIX COMPOSITES VOLUME 1. GUIDELINES FOR CHARACTERIZATION OF STRUCTURAL MATERIALS [CUST: MR AS 11] [REVIEW: 13 ACO AT AV MI NA SE] | A CMPS | MR | | 23-JAN-97 |
| MIL-HDBK-17/2D | POLYMER MATRIX COMPOSITES VOLUME 2. MATERIAL PROPERTIES [CUST: MR AS 11] [REVIEW: 17 ACO AT AV MI NA SE] | A CMPS | MR | | 23-JAN-97 |
| MIL-HDBK-17/3E | POLYMER MATRIX COMPOSITES VOLUME III. MATERIALS USAGE, DESIGN, AND ANALYSIS [CUST: MR AS 11] [REVIEW: 19 ACO AT AV MI NA SE] | A CMPS | MR | | 23-JAN-97 |
| MIL-HDBK-21 | WELDED JOINT DESIGNS, ARMORED-TANK TYPE [CUST: AT SH] | A DRPR | AT | | 29-NOV-95 |
| MIL-HDBK-53/1A | GUIDE FOR ATTRIBUTE LOT SAMPLING INSPECTION AND MIL-STD-105 [CUST: AR SH 10 DH] [REVIEW: 99 AL AS AT AV CR EC GL OS YD1] | A QCIC | AR | | 01-FEB-82 |
| MIL-HDBK-57B | LISTING OF FASTENER MANUFACTURERS' IDENTIFICATION SYMBOLS [CUST: IS] | A 53GP | IS | | 30-NOV-90 |
| MIL-HDBK-60 | THREADED FASTENERS - TIGHTENING TO PROPER TENSION [CUST: AR AS 99 IS] [REVIEW: 11 19 82 AT AV CR CR4 MI] | A THDS | IS | | 12-MAR-90 |
| A MIL-HDBK-61 | CONFIGURATION MANAGEMENT GUIDANCE [CUST: AR AP 10 NS] | A CMAN | DO | | 30-SEP-97 |
| MIL-HDBK-62 | DOCUMENTATION OF DIGITAL ELECTRONIC SYSTEMS WITH VHDL [CUST: CR EC 11 DH] [REVIEW: 17 19] | A 5962 | CC | | 13-SEP-96 |
| A MIL-HDBK-103F | LIST OF STANDARD MICROCIRCUIT DRAWINGS [CUST: CC] | A 5962 | CC | | 22-DEC-97 |
| MIL-HDBK-108 | QUALITY CONTROL AND RELIABILITY - SAMPLING PROCEDURES AND TABLES FOR LIFE AND RELIABILITY TESTING (BASED ON EXPONENTIAL DISTRIBUTION) [CUST: OS CC] | A QCIC | CC | | 29-APR-60 |
| MIL-HDBK-109 | QUALITY CONTROL AND RELIABILITY - STATISTICAL PROCEDURES FOR DETERMINING VALIDITY OF SUPPLIERS ATTRIBUTES INSPECTION OF [CUST: AR] | A QCIC | AR | | 06-MAY-60 |
| MIL-HDBK-113C | GUIDE FOR THE SELECTION OF LUBRICANTS, FUNCTIONAL FLUIDS, PRESERVATIVES AND SPECIALITY PRODUCTS FOR USE IN GROUND EQUIPMENT SYSTEMS [CUST: AT YD1 68] | A 9150 | AT | | 24-APR-89 |
| MIL-HDBK-114A | FUELS, MOBILITY, USER HANDBOOK [CUST: AT 68] [REVIEW: AR AS AV MC YD1] | A 91GP | AT | | 20-JUL-90 |
| MIL-HDBK-115 | U.S. ARMY REVERSE ENGINEERING HDBK (GUIDELINES & PROCEDURES) [REVIEW: AL AM AT CR] | A MISC | AV | | 20-APR-87 |
| MIL-HDBK-116 | ENVIRONMENTAL CONTROL OF SMALL SHELTERS [CUST: CR4 SH GS] | A 4120 | CR4 | | 30-JUN-89 |
| MIL-HDBK-117 | MOTORS, ELECTRIC, SMALL ACQUISITION, OPERATIONS AND SUPPORT FOR PRIMER [CUST: CR4 99] [REVIEW: 70 71 80 AV GS SH] | A 6105 | CR4 | | 01-APR-91 |
| MIL-HDBK-118 | DESIGN GUIDE FOR MILITARY APPLICATIONS OF HYDRAULIC FLUIDS [CUST: AT AS 11] [REVIEW: 10 79 82 84 AL AR AV CG CH MC MI MR OS SA SH TE YD1] | A 9150 | AT | | 22-SEP-93 |
| MIL-HDBK-129 | MILITARY MARKING [CUST: SM SA 69 DH] [REVIEW: 11 13 16 70 71 80 82 84 99 AL AM AR AS AT AV CC CG CR3 CR4 CT DM EA EC GL3 GS IS MC MI MR MS MT OS PS SH SS TD TM2 YD1] | A PACK | SM | | 15-MAY-97 |
| MIL-HDBK-131A | IDENTIFICATION MARKINGS FOR FASTENERS (HANDBOOK H-131) [CUST: AR SH 99 IS] | A 5325 | IS | | 15-SEP-66 |
| MIL-HDBK-134A | TRUCK AND TRUCK TRACTORS, TACTICAL (MILITARY) DESIGN, CHARACTERISTICS OF [CUST: AT MC] [REVIEW: AV] | A 2320 | AT | | 15-OCT-65 |
| MIL-HDBK-138A | CONTAINER INSPECTION HANDBOOK FOR COMMERCIAL AND MILITARY INTERMODAL CONTAINERS [CUST: AR SH 99] [REVIEW: 06 16 69 70 CG CR4 DH IS MC MT OS SA SM YD2] | A 8115 | AR | | 21-JUN-93 |
| MIL-HDBK-139 | PLASTIC, PROCESSING OF [CUST: AR] [REVIEW: GS] | A 9330 | AR | | 30-JAN-67 |
| MIL-HDBK-143A | GLOSSARY OF GUIDED MISSILE TERMINOLOGY [CUST: MI AS 99] [REVIEW: 19 AR MC] | A 1410 | MI | | 10-JAN-96 |
| MIL-HDBK-144 | AIR CLEANING FOR CHEMICAL DEMILITARIZATION, ENGINEERING DESIGN HANDBOOK [CUST: EA 99] | A 4240 | EA | | 15-DEC-78 |
| MIL-HDBK-145A | ACTIVE FUZE CATALOG (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA COMDR. ARMAMENT RESEARCH & DEVELOPMENT CNTR, ATTN: SMCAR-ESC-S, DOVER, N.J. 07801-5001 [CUST: AR OS 99] [REVIEW: 11 AS MI]) | C 1390 | AR | | 01-JAN-87 |
| MIL-HDBK-146(3) | FUZE CATALOG LIMITED STANDARD, OBSOLESCENT, OBSOLETE, TERMINATED, AND CANCELLED FUZES [CUST: AR OS 99] [REVIEW: AS MI] | A 13GP | AR | | 01-AUG-94 |
| MIL-HDBK-149B NOT 1 | RUBBER [CUST: MR SH 99] [REVIEW: 11 AR GS] | A 9320 | MR | | 24-JUL-87 |
| MIL-HDBK-150B | CLOTHING COMPONENTS FOR MILITARY UNIFORMS [CUST: GL SA 99 CT] | A 8315 | CT | | 28-FEB-79 |
| MIL-HDBK-154B | INSPECTION OF FRUIT AND VEGETABLE FARMS AND PACKING SHEDS IN OVERSEA AREAS [CUST: MD SA 45] | A 89GP | MD | | 09-JUL-82 |
| MIL-HDBK-156A | GLOSSARY OF MILITARY CLOTHING FABRICATION TERMS [CUST: GL NU 45 CT] [REVIEW: 32 AS MC MS SH YD1] | A 84GP | CT | | 15-SEP-95 |
| MIL-HDBK-161G | IDENTIFICATION METHODS FOR BULK PETROLEUM PRODUCTS SYSTEMS INCLUDING HYDROCARBON MISSILE FUELS [CUST: MI SA 68] [REVIEW: 11 GS] | A 91GP | 68 | | 11-JUN-96 |
| MIL-HDBK-162/1B | RADAR EQUIPMENT, UNITED STATES CH-1 1 MAR 79 [CUST: CR SH 99] | A 5840 | 99 | | 15-DEC-73 |
| MIL-HDBK-173A NOT 1 | AUDIO EQUIPMENT [CUST: CR SH 85] [REVIEW: 99 AR CC EC MI] | A 5965 | CR | | 23-SEP-86 |
| MIL-HDBK-175 | MICROELECTRONIC DEVICE DATA HANDBOOK [CUST: CR EC 11] [REVIEW: 17 CC CR4 MI SH] | A 5962 | CR | | 01-MAY-68 |
| A MIL-HDBK-176 | GUIDANCE FOR FLEXIBLE FLAT MULTICONDUCTOR CABLE (FLAT CONDUCTORS) [CUST: CR AS 85 CC] [REVIEW: 11 17 AR AT AV EC MC MI OS] | A 6145 | CC | | 17-MAY-72 |
| DOD-HDBK-178 | QUANTITATIVE DESCRIPTION OF OBSCURATION FACTORS FOR ELECTRO-OPTICAL & MILLIMETER WAVE SYSTEMS (METRIC) [CUST: CR] | A MISC | CR | | 25-JUL-86 |
| MIL-HDBK-179A(1) | MICROCIRCUIT ACQUISITION HANDBOOK [CUST: CR EC 17] [REVIEW: 19 85 99 AR CC MI NW SO] | A 5962 | CR | | 20-JUL-95 |
| MIL-HDBK-189 | RELIABILITY GROWTH MANAGEMENT [CUST: CR EC 17] [REVIEW: AS SH] | A RELI | CR | | 13-FEB-81 |
| MIL-HDBK-200G(2) | QUALITY SURVEILLANCE HANDBOOK FOR FUELS, LUBRICANTS, AND RELATED PRODUCTS [CUST: CR4 SA 68 PS] [REVIEW: 10 11 AS OS SH] | E 91GP | PS | | 06-JAN-95 |
| MIL-HDBK-201B(1) | PETROLEUM OPERATIONS [CUST: SA] | A 91GP | SA | | 01-OCT-92 |
| MIL-HDBK-203C | MANUFACTURERS SYMBOLS AND DESIGNATIONS FOR ANTI-FRICTION BEARINGS [CUST: AT SH 99] [REVIEW: 69 84 AS AV CR4 EC IS MC OS SM] | A 3110 | SH | | 05-JAN-77 |
| MIL-HDBK-204A | DESIGN OF INSPECTION EQUIPMENT FOR DIMENSIONAL CHARACTERISTICS [CUST: AR] [REVIEW: AL AT AV CR MR] | A 5220 | AR | | 30-NOV-90 |
| MIL-HDBK-205A | PHOSPHATIZING AND BLACK OXIDE COATING OF FERROUS METALS [CUST: MR SH 11] [REVIEW: 19 70 82 84 99 AS AT CR4 GL OS] | A MFFP | MR | | 15-JUL-85 |
| MIL-HDBK-210A NOT 1 | CONVERSION FACTORS AND LOGISTICS DATA FOR PETROLEUM PLANNING [CUST: MR YD2 68] [REVIEW: CG CR4 EA MC PS SH SM] | A 9130 | YD2 | | 09-MAR-90 |
| MIL-HDBK-212 NOT 1 | GASKET MATERIALS (NONMETALLIC) [CUST: MR AS] | A 5330 | MR | | 19-APR-88 |
| MIL-HDBK-216(10) | RF TRANSMISSION LINES & FITTINGS (NOTICE 10) [CUST: CR EC 85] [REVIEW: 11 99 AR AS CR4 MC MI OS SH] | A MISC | CC | | 11-MAR-82 |
| MIL-HDBK-217F(2) | RELIABILITY PREDICTION OF ELECTRONIC EQUIPMENT [CUST: CR EC 17] [REVIEW: 11 13 19 85 99 AS AT AV CG CR CR4 GL MC MI OS SH TD YD1] | A RELI | 17 | | 28-FEB-95 |
| MIL-HDBK-218 NOT 1 | APPLICATION OF ELECTRICAL RESOLVERS [CUST: AR AS 85] [REVIEW: 18 99] | A 5990 | CC | | 29-APR-87 |
| MIL-HDBK-220B | GLOSSARY OF TRAINING DEVICE TERMS [CUST: CR TD 11] [REVIEW: 99 AR AS MB MC SH] | A 69GP | TD | | 01-APR-86 |
| MIL-HDBK-221(1) | FIRE PROTECTION DESIGN HANDBOOK FOR U.S. NAVY AIRCRAFT POWERED BY TURBINE ENGINES [CUST: AV AS] | A MISC | AS | | 27-DEC-95 |
| MIL-HDBK-223 NOT 2 | CODED LIST OF MATERIALS [CUST: AR SA 11] | A DRPR | SA | | 14-DEC-82 |

| Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|------------------------|--|-------------------------|-----|-------------|-----------|
| MIL-HDBK-225A | SYNCHROS DESCRIPTION AND OPERATION [CUST: AR AS 85] [REVIEW: CC MI OS] | A 5990 | AS | | 25-MAR-91 |
| MIL-HDBK-227A | SELECTION AND INSTALLATION OF REGULATING AND CONTROL VALVES FOR NAVAL SHIPBOARD USE [CUST: SH] | A 4820 | SH | | 31-JAN-69 |
| MIL-HDBK-228A | PRESSURE-SENSITIVE ADHESIVE, SOLVENT ACTIVATED AND MISCELLANEOUS TAPES [CUST: AS] [REVIEW: GS] | A 7690 | AS | | 23-JUL-82 |
| MIL-HDBK-231A | ENCODERS SHAFT ANGLE TO DIGITAL [CUST: AR AS 85] | A 5990 | AS | | 30-SEP-91 |
| MIL-HDBK-232A NOT 1 | RED/BLACK ENGINEERING-INSTALLATION GUIDELINES [CUST: CR EC 90] [REVIEW: 17 89 DC EC JT MC NS] | A TCSS | CR | | 25-JUL-88 |
| MIL-HDBK-235B | ELECTROMAGNETIC (RADIATED) ENVIRONMENT CONSIDERATIONS FOR DESIGN AND PROCUREMENT OF ELECTRICAL AND ELECTRONIC EQUIPMENT, SUBSYSTEMS AND SYSTEMS PART 1B [CUST: CR EC 11] [REVIEW: 10 17 18 19 AR AS AV CR MC MI SH TE] | A EMCS | EC | | 01-MAY-93 |
| MIL-HDBK-235/1B | ELECTROMAGNETIC (RADIATED) ENVIRONMENT CONSIDERATIONS FOR DESIGN AND PROCUREMENT OF ELECTRICAL AND ELECTRONIC EQUIPMENT, SUBSYSTEMS AND SYSTEMS [CUST: CR EC 11] [REVIEW: 10 17 18 19 AR AS AV CR MC MI SH TE] | A EMCS | JS | | 01-MAY-93 |
| MIL-HDBK-236T | INDEX TO STANDARDS FOR PALLETIZING, TRUCK LOADING, RAILCAR LOADING AND CONTAINER LOADING OF HAZARDOUS MATERIALS [CUST: OS] | A 8140 | OS | | 04-APR-83 |
| MIL-HDBK-237B | ELECTROMAGNETIC ENVIRONMENTAL EFFECTS ON PLATFORMS, SYSTEMS, AND EQUIPMENT [CUST: CR EC 11 JS] [REVIEW: 13 17 19 84 99 AS AT AV CE CG CR4 MC MD1 MI OS SH TD TE] | A EMCS | JS | | 01-OCT-97 |
| MIL-HDBK-241B NOT 1 | DESIGN GUIDE FOR EMI REDUCTION IN POWER SUPPLIES [CUST: CR EC 99] [REVIEW: 13 17 70 89 AS CR NA SA SH] | A EMCS | EC | | 29-NOV-84 |
| MIL-HDBK-242 | FUNCTIONALLY ORIENTED MAINTENANCE MANUAL (FOMM) WRITER S GUIDE FOR MIL-M-24100B [CUST: TM SH] | A TMSS | SH | | 25-OCT-74 |
| MIL-HDBK-244A | GUIDE TO AIRCRAFT/STORES COMPATIBILITY [CUST: AV AS 18] | A 15GP | AS | | 06-APR-90 |
| MIL-HDBK-245D | PREPARATION OF STATEMENT OF WORK (SOW) [CUST: CR EC 10] [REVIEW: 11 13 AS AT CR MC SH YD2] | A MISC | EC | | 03-APR-96 |
| MIL-HDBK-246A | PROGRAM MANAGERS GUIDE FOR THE STANDARD ELECTRONIC MODULES PROGRAM [CUST: CR NW 85] [REVIEW: 11 13 17 19 AR AS AT AV CC MC MI] | A 5963 | NW | | 03-SEP-82 |
| MIL-HDBK-248B | ACQUISITION STREAMLINING [CUST: MI AS 11 DH] [REVIEW: SM] | A MISC | AS | | 09-FEB-89 |
| DOD-HDBK-249A NOT 2 | METALS AND ALLOYS, RAPID ON-SITE IDENTIFICATION OF (RECOMMENDED PROCEDURE FOR CHEMICAL SPOT TESTING AND ASSOCIATED PHYSICAL TESTS TO VERIFY METAL ALLOY CLASSIFICATION) (METRIC) [CUST: SH] | A 95GP | SH | | 29-SEP-94 |
| MIL-HDBK-251 | RELIABILITY/DESIGN THERMAL APPLICATIONS [CUST: CR SH 11] [REVIEW: 13 17 19 85 AR AS MC] | A RELI | SH | | 19-JAN-78 |
| MIL-HDBK-252 | CLASSIFICATION OF VISUAL AND MECHANICAL DEFECTS EQUIPMENT, ELECTRONIC, WIRED, AND OTHER DEVICES [CUST: CR] [REVIEW: AR AT AV CR4 MI] | A MISC | CR | | 23-FEB-98 |
| MIL-HDBK-255A(1) | NUCLEAR WEAPONS SYSTEMS, SAFETY, DESIGN, AND EVALUATION CRITERIA FOR [CUST: AS] | A NUOR | AS | | 09-SEP-93 |
| MIL-HDBK-258 NOT 1 | INTERFACE CONTROL DOCUMENT FOR INFRARED DETECTING SET AN/AAS-36 [CUST: AS] | A 5855 | AS | | 24-OCT-91 |
| MIL-HDBK-259 | LIFE CYCLE COST IN NAVY ACQUISITIONS [CUST: AS] [REVIEW: EC OS SA SH] | A MISC | AS | | 01-APR-83 |
| MIL-HDBK-260 | REFERENCE DATA FOR LOGISTICS METRICS [CUST: TM3 AS 11] | A ALSS | AS | | 07-MAR-97 |
| MIL-HDBK-263B | ELECTROSTATIC DISCHARGE CONTROL HANDBOOK FOR PROTECTION OF ELECTRICAL AND ELECTRONIC PARTS, ASSEMBLIES AND EQUIPMENT (EXCLUDING ELECTRICALLY INITIATED EXPLOSIVE DEVICES) (METRIC) [CUST: CR SH 17] [REVIEW: 11 19 69 99 AR AS AT CR EC GL MC MI OS SA SM] | A RELI | SH | | 31-JUL-94 |
| MIL-HDBK-264 NOT 1 | STEEL SHAPES & PLATE BEAM COMBINATION USED IN SHIPBUILDING, PROPERTIES OF [CUST: SH] | A 19GP | SH | | 22-MAY-86 |
| MIL-HDBK-267A | GUIDE FOR SELECTION OF LUBRICANTS & HYDRAULIC FLUIDS FOR USE IN SHIPBOARD EQUIPMENT [CUST: SH] | A 9150 | SH | | 02-MAR-81 |
| MIL-HDBK-268(1) | SURVIVABILITY ENHANCEMENT, AIRCRAFT CONVENTIONAL WEAPON THREATS, DESIGN AND EVALUATION GUIDELINES [CUST: AS] | A 15GP | AS | | 01-DEC-95 |
| MIL-HDBK-270A | METALLIC MATERIALS FOR LOW MAGNETIC APPLICATIONS, MAGNETIC PERMEABILITY AND ELECTRICAL CONDUCTIVITY, CHARACTERISTICS OF (METRIC) [CUST: SH] | A 95GP | SH | | 19-MAR-91 |
| MIL-HDBK-271/102 | AIRCRAFT FASTENERS INSTALLATION & REMOVAL METHODS FOR MS14218 120 DEG. RIVETS [CUST: AS IS] | A 5320 | IS | | 15-AUG-84 |
| MIL-HDBK-271/103 | AIRCRAFT FASTENER INSTALLATION & REMOVAL METHODS FOR ATTACHED RETENTION ELEMENT (A.R.E.) SELF-LOCKING FLOATING NUT ASSEMBLIES [CUST: AV AS 11 IS] | A 53GP | IS | | 14-JAN-86 |
| MIL-HDBK-271/104 | AIRCRAFT FASTENERS INSTALLATION AND REMOVAL METHODS FOR MIL B 8831 & MIL B 85667 EXPANDABLE STRAIGHT SHANK BOLTS (SLEEVEBOLTS) [CUST: AV AS 11 IS] | A 53GP | IS | | 15-NOV-85 |
| MIL-HDBK-271/105 NOT 1 | AIRCRAFT FASTENERS USAGE AND INSTALLATION FOR MIL-S-85069 FASTENER SLEEVES [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 53GP | IS | | 09-OCT-91 |
| MIL-HDBK-271/106 | STRUCTURAL PANEL FASTENERS-INSTALLATION & REMOVAL METHODS FOR MIL-F-85616, MIL-F-85617 & MIL-F-85618 [CUST: AV AS 11 IS] | A 53GP | IS | | 20-JAN-86 |
| MIL-HDBK-272A | NUCLEAR WEAPONS SYSTEMS, SAFETY DESIGN AND EVALUATION CRITERIA FOR [CUST: OS] [REVIEW: SH] | A NUOR | OS | | 02-APR-93 |
| MIL-HDBK-273(1) | SURVIVABILITY ENHANCEMENT, AIRCRAFT, NUCLEAR WEAPON THREAT, DESIGN & EVALUATION GUIDELINES [CUST: AS] | A 15GP | AS | | 01-DEC-95 |
| MIL-HDBK-274(1) | ELECTRICAL GROUNDING FOR AIRCRAFT SAFETY [CUST: AS] | A EMCS | AS | | 29-JUN-90 |
| MIL-HDBK-275A | GUIDE FOR SELECTION OF LUBRICANTS, FLUIDS, AND COMPOUNDS FOR USE IN FLIGHT VEHICLES AND COMPONENTS [CUST: AV AS 11] [REVIEW: 68 CR4 MI MR TE] | A MISC | AS | | 29-JUN-76 |
| MIL-HDBK-276/1 | LIFE CYCLE COST MODEL FOR DEFENSE MATERIEL SYSTEMS DATA COLLECTION WORKBOOK [CUST: MC] | A MISC | MC | | 03-FEB-84 |
| MIL-HDBK-276/2 | LIFE CYCLE COST MODEL FOR DEFENSE MATERIEL SYSTEMS OPERATING INSTRUCTIONS [CUST: MC] | A MISC | MC | | 03-FEB-84 |
| MIL-HDBK-279 | TOTAL DOSE HARDNESS ASSURANCE GUIDELINE FOR SEMICONDUCTOR DEVICE & MICROCIRCUIT [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS CG DS MC MI OS SH SM] | A 59GP | CC | | 25-JAN-85 |
| MIL-HDBK-280 | NEUTRON HARDNESS ASSURANCE GUIDELINES FOR SEMICONDUCTOR DEVICES AND MICROCIRCUITS [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS CG DS MC MI OS SH SM] | A 59GP | CC | | 19-FEB-85 |
| MIL-HDBK-283 NOT 1 | STRUCTURAL SHIPBUILDING DETAILS USING TEE STIFFENERS [CUST: SH] | A 9520 | SH | | 26-MAR-91 |
| MIL-HDBK-284/1 | INTERACTIVE COURSEWARE (ICW) FOR MILITARY TRAINING, MANAGER'S GUIDE FOR DEVELOPMENT, ACQUISITION, AND MANAGEMENT OF (PART 1 OF 3 PARTS) [CUST: AV SH 11] [REVIEW: 13 94 AS EC MC TD TM] | A ALSS | SH | | 22-JUL-92 |
| MIL-HDBK-284/2 | INTERACTIVE COURSEWARE (ICW) FOR MILITARY TRAINING, PORTABILITY PRACTICES FOR (PART 2 OF 3 PARTS) [CUST: AV SH 11] [REVIEW: 13 94 AS EC MC TD TM] | A ALSS | SH | | 22-JUL-92 |
| MIL-HDBK-284/3 | INTERACTIVE COURSEWARE (ICW) FOR MILITARY TRAINING, GLOSSARY FOR (PART 3 OF 3 PARTS) [CUST: AV SH 11] [REVIEW: 13 94 AS EC MC TD TM] | A ALSS | SH | | 22-JUL-92 |
| MIL-HDBK-288B | REVIEW AND ACCEPTANCE OF ENGINEERING DRAWING PACKAGES [CUST: AR MC 16] | A DRPR | MC | | 14-JAN-91 |
| DOD-HDBK-289 | LIGHTING ON NAVAL SHIPS (METRIC) [CUST: SH] | A 62GP | SH | | 26-NOV-86 |
| MIL-HDBK-290 NOT 1 | STANDARD ELECTRICAL SYMBOL LIST [CUST: SH] | A DRPR | SH | | 22-AUG-86 |
| MIL-HDBK-291 | CARGO TANK CLEANING [CUST: SH] | A 5430 | SH | | 26-SEP-86 |
| DOD-HDBK-292/1 | TRAINING MATERIALS DEVELOPMENT PART 1 OF 2 [CUST: SH] | A ALSS | SH | | 31-OCT-86 |
| DOD-HDBK-292/2 | TRAINING MATERIALS DEVELOPMENT PART 2 OF 2 [CUST: SH] | A ALSS | SH | | 31-OCT-86 |
| MIL-HDBK-293 | ELECTRONIC COUNTER-COUNTERMEASURES CONSIDERATIONS IN RADAR SYSTEMS ACQUISITION [REVIEW: AS OS] | A EMCS | EC | | 05-JUN-87 |
| MIL-HDBK-294 | ELECTRONIC COUNTER-COUNTERMEASURES CONSIDERATIONS IN NAVAL COMMUNICATION SYSTEMS [CUST: EC] [REVIEW: OS] | A EMCS | EC | | 31-DEC-86 |

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-HDBK-297 | INTRODUCTION TO WEAPON EFFECTS FOR SHIPS (METRIC) | A 1990 | SH | | 28-DEC-87 |
| | MIL-HDBK-298 | SELECTION, INSTALLATION AND TROUBLESHOOTING OF RESISTANCE THERMOMETERS AND THERMOCOUPLE SENSORS [CUST: SH] | A 6685 | SH | | 30-SEP-88 |
| | MIL-HDBK-299(1) | CABLE COMPARISON HANDBOOK DATA PERTAINING TO ELECTRIC SHIPBOARD CABLE [CUST: SH] | A 6145 | SH | | 15-OCT-91 |
| | MIL-HDBK-300L | TECHNICAL INFORMATION FILE OF SUPPORT EQUIPMENT [CUST: AV AS 99] | A MISC | 99 | | 01-OCT-83 |
| | MIL-HDBK-303 NOT 1 | MICRO-REPRODUCTION OF ENGINEERING DOCUMENTS [CUST: MI SH 10] [REVIEW: AR CG CR MC OS] | A EDRS | 10 | | 15-SEP-64 |
| A | MIL-HDBK-304C | PACKAGE CUSHIONING DESIGN [CUST: AR AS 69] [REVIEW: 10 99 AT CR4 MC OS SA SH SM YD2] | A PACK | 11 | | 01-JUN-97 |
| A | MIL-HDBK-310 | GLOBAL CLIMATIC DATA FOR DEVELOPING MILITARY PRODUCTS [CUST: CE AS 19] [REVIEW: 10 11 17 AT AV EC GL MC MI OS SH SM TE] | A ENVR | 19 | | 23-JUN-97 |
| | MIL-HDBK-331D NOT 1 | DIRECTORY OF DOD ENGINEERING DATA REPOSITORIES [CUST: CR SA 16] [REVIEW: 11 AR AS MI YD1] | A EDRS | 16 | | 31-JAN-90 |
| | MIL-HDBK-332 NOT 1 | EVALUATION OF HIGH FREQUENCY ANTENNAS IN AN OPERATIONAL ENVIRONMENT [CUST: EC 17] [REVIEW: CC] | A 5985 | 17 | | 31-MAR-87 |
| | MIL-HDBK-335 NOT 2 | MANAGEMENT AND DESIGN GUIDANCE ELECTROMAGNETIC RADIATION HARDNESS FOR AIR LAUNCHED ORDNANCE SYSTEMS [CUST: 17] | A EMCS | 17 | | 28-DEC-92 |
| | MIL-HDBK-336/1 | SURVIVABILITY, AIRCRAFT, NONNUCLEAR, GENERAL CRITERIA-VOLUME 1 [CUST: AV AS 11] [REVIEW: 10 CR4 MC MR] | A MISC | 11 | | 30-SEP-88 |
| | MIL-HDBK-336/2 NOT 1 | SURVIVABILITY, AIRCRAFT, NONNUCLEAR, AIRFRAME-VOLUME 2 [CUST: AV AS 11] [REVIEW: 10 CR4 MC MR] | A MISC | 11 | | 30-SEP-88 |
| | MIL-HDBK-336/3 NOT 1 | SURVIVABILITY, AIRCRAFT, NONNUCLEAR, ENGINE-VOLUME 3 [CUST: AV AS 11] [REVIEW: 10 CR4 MC MR] | A MISC | 11 | | 30-SEP-88 |
| | MIL-HDBK-337 | ADHESIVE BONDED AEROSPACE STRUCTURE REPAIR [CUST: AR AS 11] [REVIEW: 99] | A 8040 | 11 | | 01-DEC-82 |
| | MIL-HDBK-338/1A(1) | ELECTRONIC RELIABILITY DESIGN HANDBOOK [CUST: CR EC 17] [REVIEW: 11 13 18 19 99 AS AT AV CG CR4 GL MI OS SH] | A RELI | 17 | | 14-JUN-95 |
| | MIL-HDBK-338/2(1) | ELECTRONIC RELIABILITY DESIGN HANDBOOK VOLUME 2 [CUST: CR EC 17] [REVIEW: 11 13 18 19 99 AS AT AV CG CR4 GL MI OS SH] | A RELI | 17 | | 14-JUN-95 |
| | MIL-HDBK-339 NOT 1 | CUSTOM LARGE SCALE INTEGRATED CIRCUIT DEVELOPMENT & ACQUISITION FOR SPACE VEHICLES [CUST: 19] | A 1820 | 19 | | 04-SEP-92 |
| | MIL-HDBK-340(1) | APPLICATION GUIDELINES FOR MIL-STD-1540B; TEST REQUIREMENTS FOR SPACE VEHICLES [CUST: 19] | A 1810 | 19 | | 31-JUL-89 |
| A | MIL-HDBK-341 NOT 1 | COATING, ALUMINUM AND SILICON DIFFUSION, PROCESS FOR [CUST: AT] | A 8030 | AT | | 27-FEB-98 |
| | DOD-HDBK-343 NOT 1 | DESIGN, CONSTRUCTION, AND TESTING REQUIREMENTS FOR ONE OF A KIND SPACE EQUIPMENT [CUST: 19] | A 1810 | 19 | | 04-SEP-92 |
| | MIL-HDBK-344A | ENVIRONMENTAL STRESS SCREENING (ESS) OF ELECTRONIC EQUIPMENT [CUST: CR EC 17] | A RELI | 17 | | 16-AUG-93 |
| | DOD-HDBK-345 | MIL-STD-1567, WORK MEASUREMENT VERIFICATION AND COMPLIANCE PLAN [CUST: AL AS 10 DH] [REVIEW: 01 11 13 17 19 AR AT AV CE CR EC SH] | A MISC | 10 | | 20-JUN-88 |
| | MIL-HDBK-347 | MISSION-CRITICAL COMPUTER RESOURCES SOFTWARE SUPPORT [CUST: CR EC 70] [REVIEW: 11 71 80 AM AR AS CR DH MC MI SA SH] | A MCCR | 10 | | 22-MAY-90 |
| | MIL-HDBK-348(1) NOT 1 | SATELLITE CONTROL NETWORK HARDWARE AND SOFTWARE OPERATIONAL ACCEPTANCE PROCESS [CUST: 19] | A 1810 | 19 | | 30-JUL-90 |
| | MIL-HDBK-349 | MANUFACTURE AND INSPECTION OF ADHESIVE BONDED, ALUMINUM HONEYCOMB SANDWICH ASSEMBLIES FOR AIRCRAFT [CUST: 99] | A 1560 | 82 | | 30-SEP-94 |
| | MIL-HDBK-350 | A GUIDE FOR MIL-STD-1520C CORRECTIVE ACTION AND DISPOSITION SYSTEM FOR NONCONFORMING MATERIAL [CUST: AR OS 05] [REVIEW: 10 AS AV CR CR4 DH EC GL SA SH TD] | A QCIC | 05 | | 07-JUN-91 |
| | MIL-HDBK-353 | PLANNING AND COMMISSIONING WASTEWATER TREATMENT PLANTS [CUST: 50] | A FACR | 50 | | 20-AUG-96 |
| | MIL-HDBK-400 NOT 1 | CRITERIA FOR PREPARATION OF GEAR AND SPLINE ENGINEERING DRAWINGS [CUST: AT 99] [REVIEW: CR4] | A 3020 | AT | | 04-JUN-85 |
| | MIL-HDBK-401 NOT 1 | HOT ISOSTATIC PROCESSING (CONTROLLED DISTRIBUTION) [CUST: AT] | X CMPS | AT | | 28-FEB-92 |
| | MIL-HDBK-402A | GUIDELINES FOR THE IMPLEMENTATION OF THE DOD PARTS CONTROL PROGRAM [CUST: AT AS 10 CC] [REVIEW: 01 11 13 17 89 99 AL AR AV CC CR CR4 GL GS IS MI OS SH SO YD2] | A SDMP | AT | | 14-MAY-93 |
| | MIL-HDBK-404 | CALCULATION AND DESIGN OF MASTER GEARS [CUST: AT] | A QCIC | AT | | 12-JUN-90 |
| | MIL-HDBK-406(2) | CONTAMINATION CONTROL TECHNOLOGY CLEANING MATERIALS FOR PRECISION PRECLEANING AND USE IN CLEAN ROOMS AND CLEAN WORK STATIONS [CUST: MI AS 84] [REVIEW: 19 AT AV GS OS SH] | A 3694 | MI | | 25-AUG-94 |
| | MIL-HDBK-407 NOT 1 | CONTAMINATION CONTROL TECHNOLOGY PRECISION CLEANING METHODS AND PROCEDURES [CUST: MI AS 99] [REVIEW: GS SH] | A 3694 | MI | | 20-JAN-84 |
| | MIL-HDBK-411B | POWER AND THE ENVIRONMENT FOR SENSITIVE DOD ELECTRONIC EQUIPMENT (GENERAL) (VOLUME 1, 2 AND 3) [CUST: CR EC 90] [REVIEW: 50 CE DC MC MP YD] | A TCSS | CR | | 15-MAY-90 |
| | MIL-HDBK-412 | SITE SURVEY & FACILITY DESIGN HANDBOOK FOR SATELLITE EARTH STATIONS [CUST: CR EC 90] [REVIEW: 13 17 89] | A TCSS | CR | | 20-MAY-81 |
| | MIL-HDBK-413 | DESIGN HANDBOOK FOR HIGH FREQUENCY RADIO COMMUNICATIONS SYSTEMS [CUST: CR EC 90] [REVIEW: 02 10 11 13 17 AC MC NC OM TD YD1] | A TCSS | CR | | 28-MAR-86 |
| | MIL-HDBK-415 | DESIGN HANDBOOK FOR FIBER OPTIC COMMUNICATIONS SYSTEMS [CUST: CR EC 90] [REVIEW: 02 13 NS OM YD1] | A TCSS | CR | | 01-FEB-85 |
| | MIL-HDBK-416 | DESIGN HANDBOOK FOR LINE OF SIGHT MICROWAVE COMMUNICATION SYSTEMS [CUST: CR EC 90] | A TCSS | 90 | | 15-NOV-77 |
| | MIL-HDBK-417 | FACILITY DESIGN FOR TROPOSPHERIC SCATTER (TRANSHORIZON MICROWAVE SYSTEM DESIGN) [CUST: CR EC 90 DC] | A TCSS | 90 | | 25-NOV-77 |
| | MIL-HDBK-419A | GROUNDING, BONDING & SHIELDING FOR ELECTRONIC EQUIPMENTS & FACILITIES, VOLUME 1 & 2 [CUST: CR EC 90] | A TCSS | 90 | | 29-DEC-87 |
| | MIL-HDBK-419/1A | GROUNDING, BONDING, AND SHIELDING FOR ELECTRONIC EQUIPMENTS AND FACILITIES VOLUME I OF 2 VOLUMES BASIC THEORY [CUST: CR EC 90] [REVIEW: 02 04 11 17 19 50 AC AR CR NC OM] | A EMCS | 90 | | 29-DEC-87 |
| | MIL-HDBK-419/2A | GROUNDING, BONDING, AND SHIELDING FOR ELECTRONIC EQUIPMENTS AND FACILITIES VOLUME II OF 2 VOLUMES APPLICATIONS [CUST: CR EC 90] [REVIEW: 02 04 11 17 19 50 AC AR CR NC OM] | A EMCS | 90 | | 29-DEC-87 |
| | MIL-HDBK-420 | SITE SURVEY HANDBOOK FOR COMMUNICATIONS FACILITIES [CUST: CR EC 90] [REVIEW: DC NS OM] | A TCSS | CR | | 20-MAR-87 |
| | MIL-HDBK-421 | COMMUNICATIONS TIMING AND SYNCHRONIZATION SUBSYSTEMS [CUST: CR EC 90] | A TCSS | DC | | 17-MAY-91 |
| | MIL-HDBK-423 | HIGH-ALTITUDE ELECTROMAGNETIC PULSE (HEMP) PROTECTION FOR FIXED AND TRANSPORTABLE GROUND - BASED C4 I FACILITIES - VOLUME I - FIXED FACILITIES [CUST: CR EC 90] [REVIEW: 01 02 13 17 19 93 AC AM DC DH MC MP NC NS OM PT TD] | X TCSS | DS | | 15-MAY-93 |
| | MIL-HDBK-454(1) | GENERAL GUIDELINES FOR ELECTRONIC EQUIPMENT [CUST: CR AS 11 CC] [REVIEW: 17 19 85 AR AV CR4 EC MI OS SH TE] | A GDRQ | CC | | 28-MAY-97 |
| A | MIL-HDBK-470A | DESIGNING AND DEVELOPING MAINTAINABLE PRODUCTS AND SYSTEMS, VOLUME I AND VOLUME II [CUST: SY AS 17 DH] [REVIEW: 08 10 13 19 21 33 AS CG DI EC HS IE MA MC MI NP NS PT SA TD TM2 US] | A MNTY | 17 | | 04-AUG-97 |
| | MIL-HDBK-472(1) | MAINTAINABILITY PREDICTION [CUST: MI AS 17] [REVIEW: 13 19 CR EC OS SH TD] | A MNTY | AS | | 12-JAN-84 |
| | MIL-HDBK-500 | KEY SUPPLIER PROCESSES FOR AERONAUTICAL SECTOR ACQUISITION AND SUSTAINMENT PROGRAMS [CUST: AV AS 11] | A 15GP | 11 | | 20-MAY-97 |
| A | MIL-HDBK-501 | PORTABLE INFORMATION CARRIER [CUST: AC NM 02 DH MP] [REVIEW: 13 16 17 19 29 33 84 90 93 99 AC1 AC2 AM AS CB CG CH CR5 DC1 DI DO EC IR MC NC ND NS OM PT TD TM1 TM3 US] | A IPSC | DC | | 15-APR-97 |
| A | MIL-HDBK-502 | ACQUISITION LOGISTICS [CUST: TM AS 10] [REVIEW: 11 AT AV CR EC GL LS MC MI PT SH] | A ALSS | TM | | 30-MAY-97 |
| A | MIL-HDBK-503 | HAND RECEIPT TECHNICAL MANUALS (-HR) [CUST: AR OS] [REVIEW: AL AT AV CR EA PT] | A TMSS | TM | | 19-SEP-97 |

| Doc Action | Document Number | Document Title | Distribution FSC/Nea | MCA | Prep. Acty. | Date |
|------------|------------------------|--|----------------------|-----|-------------|-----------|
| A | MIL-HDBK-505 NOT 1 | DEFINITIONS OF ITEM LEVELS, ITEM EXCHANGEABILITY, MODELS, AND RELATED TERMS[CUST: CR AS 10] | A MISC | CR | | 12-FEB-98 |
| N | MIL-HDBK-506 | PROCESS FOR COATING, PACK CEMENTATION, CHROME ALUMINIDE [CUST: AT] | A 8030 | AT | | 10-APR-98 |
| A | MIL-HDBK-507 | WELDING, FLASH, STANDARD LOW CARBON STEEL [CUST: AT] | A THJM | AT | | 27-FEB-98 |
| N | MIL-HDBK-508 | WIRING AND WIRING DEVICES FOR COMBAT AND TACTICAL VEHICLES, SELECTION AND INSTALLATION OF [CUST: AT] | A 6150 | AT | | 21-APR-98 |
| A | MIL-HDBK-633 | MOBILE ELECTRIC POWER ENGINE GENERATOR STANDARD FAMILY GENERAL CHARACTERISTICS [CUST: CR4 YD1 99] [REVIEW: 11 AS CE EC GS MC MI] | A 6115 | CR4 | | 20-FEB-98 |
| | MIL-HDBK-660A | FABRICATION OF RIGID WAVEGUIDE ASSEMBLIES (SWEEP BENDS AND TWISTS) [CUST: CR EC 85] [REVIEW: 17] | A 5985 | CC | | 07-JUL-72 |
| A | MIL-HDBK-669 | LOADING ENVIRONMENT AND RELATED REQUIREMENTS FOR PLATFORM RIGGED AIRDROP MATERIEL [CUST: GL 99] [REVIEW: 82 AT MT] | A 1670 | GL | | 03-FEB-97 |
| | MIL-HDBK-682 | TOLERANCING, DIMENSIONING, AND GAGING TECHNIQUES FOR THE DESIGN OF INSPECTION EQUIPMENT [CUST: AT] | A QCIC | AT | | 12-JUL-91 |
| | MIL-HDBK-683(1) | STATISTICAL PROCESS CONTROL (SPC) IMPLEMENTATION AND EVALUATION AID [CUST: AT] | A QCIC | AT | | 23-NOV-93 |
| | MIL-HDBK-684A | DESIGN OF COMBAT VEHICLES FOR FIRE SURVIVABILITY [CUST: AT] | A 12GP | AT | | 15-FEB-95 |
| | MIL-HDBK-691A | ADHESIVE [CUST: MR] [REVIEW: 11 84 AR AS AT CR4 MI SH YD1] | A 8040 | MR | | 12-MAR-87 |
| | MIL-HDBK-692B | A GUIDE TO THE SELECTION OF RUBBER O-RINGS [CUST: MR 99] [REVIEW: 82 AR AV EA GL IS MD] | A 5330 | MR | | 14-OCT-83 |
| | MIL-HDBK-693A NOT 1 | MAGNESIUM AND MAGNESIUM ALLOY [CUST: MR AS 99] [REVIEW: IS] | A 95GP | MR | | 19-APR-88 |
| A | MIL-HDBK-695C(1) NOT 2 | RUBBER PRODUCTS: RECOMMENDED SHELF LIFE [CUST: MR SH 99] [REVIEW: AR AS CR GL GS MI OS] | A 93GP | 11 | | 29-APR-91 |
| | MIL-HDBK-697A NOT 1 | TITANIUM AND TITANIUM ALLOYS [CUST: MR AS 99] [REVIEW: AR GL IS MI OS] | A 95GP | MR | | 20-JUL-90 |
| | MIL-HDBK-698A NOT 1 | COPPER AND COPPER ALLOYS [CUST: MR AS 99] [REVIEW: IS] | A 95GP | MR | | 20-JUL-90 |
| | MIL-HDBK-699B | A GUIDE TO THE SPECIFICATION FOR FLEXIBLE RUBBER PRODUCTS [CUST: MR] [REVIEW: AR GL GS MI] | A 9320 | MR | | 28-FEB-89 |
| | MIL-HDBK-700A | PLASTICS [CUST: MR] [REVIEW: GS] | A 9330 | MR | | 17-MAR-75 |
| | MIL-HDBK-701C | BLOCKING, BRACING AND SKIDDING OF INDUSTRIAL PLANT EQUIPMENT FOR SHIPMENT AND STORAGE [CUST: AL SH 99 GS] [REVIEW: MB MC SA SM YD1] | A PACK | GS | | 30-SEP-89 |
| | MIL-HDBK-702 | ENGINEERING PRACTICES PRODUCTIVITY ENHANCEMENT OF INDUSTRIAL PLANT EQUIPMENT & PRODUCTION SUPPORT SYSTEMS [CUST: AL SH 99] [REVIEW: 84 AS AV SM YD1] | A 34GP | GS | | 01-AUG-85 |
| | MIL-HDBK-705C NOT 1 | GENERATOR SETS, ELECTRICAL, MEASUREMENT AND INSTRUMENTATION METHODS [CUST: CR4 YD1 99] [REVIEW: 11 AS AT CE CR MC TE] | A 6115 | CR4 | | 03-NOV-92 |
| | MIL-HDBK-722 | GLASS [CUST: MR] [REVIEW: GS] | A 9340 | MR | | 01-AUG-69 |
| | MIL-HDBK-723A | STEEL AND IRON WROUGHT PRODUCTS [CUST: MR 99] [REVIEW: AS IS MC OS YD1] | A 95GP | MR | | 30-NOV-70 |
| | MIL-HDBK-725 NOT 1 | ADHESIVES: A GUIDE TO THEIR PROPERTIES AND USES AS DESCRIBED BY FEDERAL AND MILITARY SPECIFICATIONS [CUST: MR AS 84] [REVIEW: 11 AT CR4 GL MC MI OS SA SH YD1] | A 8040 | MR | | 29-MAR-91 |
| | MIL-HDBK-727 NOT 1 | DESIGN GUIDANCE FOR PRODUCIBILITY [CUST: MR AS 11] | A MISC | MR | | 13-FEB-90 |
| | MIL-HDBK-728/1 NOT 1 | NONDESTRUCTIVE TESTING [CUST: MR AS 11] [REVIEW: AR OS] | A NDTI | MR | | 01-JUL-92 |
| | MIL-HDBK-728/2 NOT 1 | EDDY CURRENT TESTING [CUST: MR AS 11] [REVIEW: AR OS] | A NDTI | MR | | 01-JUL-92 |
| | MIL-HDBK-728/3 NOT 1 | LIQUID PENETRANT TESTING [CUST: MR AS 11] [REVIEW: AR OS] | A NDTI | MR | | 01-JUL-92 |
| | MIL-HDBK-728/4A | MAGNETIC PARTICLE TESTING [CUST: MR AS 11] [REVIEW: AR OS] | A NDTI | MR | | 28-DEC-93 |
| | MIL-HDBK-728/5A | RADIOGRAPHIC TESTING [CUST: MR AS 11] [REVIEW: AR OS] | A NDTI | MR | | 03-MAY-94 |
| | MIL-HDBK-728/6 NOT 1 | ULTRASONIC TESTING [CUST: MR AS 11] [REVIEW: AR OS] | A NDTI | MR | | 01-JUL-92 |
| | MIL-HDBK-729 NOT 1 | CORROSION & CORROSION PREVENTION METALS [CUST: MR SH 11] | A MFFP | MR | | 21-NOV-83 |
| | MIL-HDBK-730 NOT 1 | MATERIALS JOINING (NO S/S DOCUMENT) [CUST: MR] | A THJM | MR | | 08-FEB-91 |
| | MIL-HDBK-731 NOT 1 | NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS - THERMOGRAPHY [CUST: MR AS 11] [REVIEW: 80 82 84 99 AT AV MI OS SH] | A NDTI | MR | | 12-JUN-92 |
| | MIL-HDBK-732A | NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS ACOUSTIC EMISSION [CUST: MR AS 11] [REVIEW: 70 71 80 82 99 AR AT AV CR4 MI OS SH YD1] | A NDTI | MR | | 24-APR-91 |
| | MIL-HDBK-733 NOT 1 | NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS - RADIOGRAPHY [CUST: MR AS 11] [REVIEW: 80 82 84 99 AR AT AV CR4 MI OS SH] | A NDTI | MR | | 02-JUL-92 |
| | MIL-HDBK-735 | MATERIAL DETERIORATION PREVENTION AND CONTROL GUIDE FOR ARMY MATERIAL, PART ONE, METALS [CUST: MR] | A MFFP | MR | | 15-JAN-93 |
| | MIL-HDBK-737A | MILITARY STANDARDIZATION HANDBOOK, HANDBOOK FOR TEXTILE LABORATORY PERSONNEL 300667 [CUST: GL SA 11 CT] [REVIEW: 99 AR AS AT AV CG IH MC MI YD1] | A 83GP | CT | | 28-FEB-79 |
| | MIL-HDBK-741 NOT 1 | FABRIC DESIGN [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 27-FEB-87 |
| | DOD-HDBK-743A | ANTHROPOMETRY OF U.S. MILITARY PERSONNEL (METRIC) [CUST: GL AS 11] [REVIEW: 10 AT AV CR MD MI NU] | A HFAC | GL | | 13-FEB-91 |
| | MIL-HDBK-753 | CB COLLECTIVE PROTECTION OF MOBILE VEHICLES, VANS AND SHELTERS [CUST: EA YD1 99] [REVIEW: AS CE GS MC MD MI] | A 4240 | EA | | 31-AUG-71 |
| | MIL-HDBK-754 | PLASTIC MATRIX COMPOSITES WITH CONTINUOUS FIBER REINFORCEMENT [CUST: AR] [REVIEW: MR] | A 9330 | AR | | 19-SEP-91 |
| | MIL-HDBK-755 | PLASTIC MATERIAL PROPERTIES FOR ENGINEERING DESIGN [CUST: AR] [REVIEW: MR] | A 9330 | AR | | 16-SEP-91 |
| | MIL-HDBK-756 | MANUFACTURE OF PROJECTILES, PROJECTILE COMPONENTS, AND CARTRIDGE CASES FOR ARTILLERY, TANK MAIN ARMAMENT, AND MOTORS [CUST: AR] | A 13GP | AR | | 29-APR-91 |
| | MIL-HDBK-757 | FUZES [CUST: AR] [REVIEW: HD] | A 13GP | AR | | 15-APR-94 |
| A | MIL-HDBK-759C(2) | HUMAN ENGINEERING DESIGN GUIDELINES [CUST: MI AS 11 DC] [REVIEW: AL AM AR AT AV CR EA EC GL MC MD NA OS PE PT SH TD TE TM YD2] | A HFAC | MI | | 31-MAR-98 |
| | MIL-HDBK-761A | HUMAN ENGINEERING GUIDELINES FOR MANAGEMENT INFORMATION SYSTEMS [CUST: MI AS 11] [REVIEW: 10 13 19 AT AV CR EC GL MC MR MS OS PE] | A HFAC | MI | | 30-SEP-89 |
| | MIL-HDBK-762 | DESIGN OF AERODYNAMICALLY STABILIZED FREE ROCKETS [CUST: MI] [REVIEW: AR] | A GDRQ | MI | | 17-JUL-90 |
| | DOD-HDBK-763 | HUMAN ENGINEERING PROCEDURES GUIDE [CUST: MI AS 11] [REVIEW: 13 19 24 AL AR AT AV CR CR4 GL MD MR MS OM OS PE SH TD YD1] | A HFAC | MI | | 27-FEB-87 |
| | MIL-HDBK-764 | SYSTEM SAFETY ENGINEERING DESIGN GUIDE FOR ARMY MATERIEL [CUST: MI] [REVIEW: AL AT AV CR] | A SAFT | MI | | 12-JAN-90 |
| | MIL-HDBK-765(1) NOT 1 | GUIDELINES FOR SAFE DESIGN OF POLYPHASE ELECTRICAL SYSTEMS [CUST: MI] | A SAFT | MI | | 27-JAN-89 |
| | MIL-HDBK-766 | DESIGN TO COST [CUST: MI AS 11] [REVIEW: 18 19 AR EA EC GS] | A MISC | MI | | 25-AUG-89 |
| | MIL-HDBK-767 | DESIGN GUIDANCE FOR INTERIOR NOISE REDUCTION IN LIGHT-ARMORED TRACKED VEHICLES [CUST: AT] [REVIEW: MD] | A HFAC | AT | | 17-SEP-93 |
| | MIL-HDBK-773(1) | ELECTROSTATIC DISCHARGE PROTECTIVE PACKAGING [CUST: SM SH 69 CC] [REVIEW: 01 11 70 80 82 AM AS AT CG CR EC MC MI MS] | A PACK | SM | | 24-MAY-90 |
| | MIL-HDBK-774 NOT 1 | PALLETIZED UNIT LOADS [CUST: SM SA 99 DH] [REVIEW: 69 84 AL AR AS AT AV CC CR CR4 DM EA EC GL IS MC MI SH YD3] | A PACK | SM | | 25-MAR-96 |
| | MIL-HDBK-775 | FOAM-IN-PLACE PACKAGING, PROCEDURES FOR [CUST: SM SA 69 DH] [REVIEW: 11 69 70 71 79 AL AS AT CC CR4 EA MD OS] | A PACK | SM | | 19-APR-96 |
| | MIL-HDBK-776 NOT 2 | SHAFTS, ELASTIC TORSIONAL STRESS ANALYSIS OF [CUST: AR] [REVIEW: AV CR4 OS] | A GDRQ | AR | | 07-JAN-93 |

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|---------------------|---|--------------|-----|-------------|--|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | | |
| | MIL-HDBK-777 | FUZE CATALOG PROCUREMENT STANDARD AND DEVELOPMENT FUZE EXPLOSIVE COMPONENTS[CUST: AR OS 99] | C 1390 | AR | | | 01-OCT-85 |
| | DOD-HDBK-778 | RECOIL SYSTEMS METRIC [CUST: AR] | A 10GP | AR | | | 18-JUL-88 |
| A | MIL-HDBK-780C | STANDARDIZED MICROCIRCUIT DRAWINGS [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | | 15-AUG-97 |
| | MIL-HDBK-781A | RELIABILITY TEST METHODS, PLANS, AND ENVIRONMENTS FOR ENGINEERING DEVELOPMENT, QUALIFICATION, AND PRODUCTION [CUST: CR EC 11] [REVIEW: 01 10 13 16 17 19 AR AS AT AV CR4 MI OS SH] | A RELI | EC | | | 01-APR-96 |
| | MIL-HDBK-783 | CHEMICAL AND BIOLOGICAL (CB) CONTAMINATION AVOIDANCE AND DECONTAMINATION [CUST: EA] | A 4230 | EA | | | 15-OCT-90 |
| | MIL-HDBK-784 | GUIDELINES-DESIGN TO MINIMIZE CONTAMINATION AND TO FACILITATE DECONTAMINATION OF MILITARY VEHICLES AND OTHER EQUIPMENT: INTERIORS AND EXTERIORS [CUST: EA YD1 99] [REVIEW: 84 AL AR AT AV MC] | A 4230 | EA | | | 21-DEC-87 |
| | MIL-HDBK-785 | DESIGN OF TOWED ARTILLERY WEAPON SYSTEMS [CUST: AR] | A 10GP | AR | | | 30-MAR-90 |
| | MIL-HDBK-786 NOT 1 | FIELD ASSURANCE OF ACOUSTIC EMISSION SYSTEM OPERATION USING SIMULATED ACOUSTIC EMISSION EVENTS [CUST: MR AS 11] [REVIEW: AT AV] | A NDTI | MR | | | 05-MAY-93 |
| | MIL-HDBK-787 NOT 1 | NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS - ULTRASONIC [CUST: MR AS 11] [REVIEW: 80 82 84 99 AR AT AV CR4 MI OS SH] | A NDTI | MR | | | 05-MAY-93 |
| | MIL-HDBK-788 NOT 1 | SELECTION OF ACOUSTIC EMISSION SENSORS [CUST: MR AS 11] | A NDTI | MR | | | 26-JUL-93 |
| | MIL-HDBK-789 | ARMOR FOR DEFENSE AGAINST KINETIC ENERGY PROJECTILE ATTACK (REQUEST OTHER THAN DOD SUBMIT REQUEST VIA THE PREPARING ACTIVITY) [CUST: AR] [REVIEW: AT] | C MECA | MR | | | 12-SEP-91 |
| | MIL-HDBK-790(1) | FRACTOGRAPHY AND CHARACTERIZATION OF FRACTURE ORIGINS IN ADVANCED STRUCTURAL CERAMICS [CUST: MR AS 99] [REVIEW: 11 84 AT CR CR4 EA GS MI OS SH YD1] | A 9350 | MR | | | 30-OCT-92 |
| | DOD-HDBK-791 | MAINTAINABILITY DESIGN TECHNIQUES METRIC [CUST: SY] | A MISC | SY | | | 17-MAR-88 |
| | MIL-HDBK-792 | PROVE OUT OF PRODUCTION FACILITIES [CUST: AR] | A QCIC | AR | | | 24-MAR-89 |
| | MIL-HDBK-793 | NONDESTRUCTIVE TESTING TECHNIQUES FOR STRUCTURAL COMPOSITES [CUST: AR] [REVIEW: MR] | A NDTI | AR | | | 06-NOV-89 |
| | MIL-HDBK-797 | POLYAMIDE (NYLON) PLASTICS: PROPERTIES, PROCESSING, PERFORMANCE, AND MILITARY APPLICATIONS [CUST: AR] | A 9330 | AR | | | 02-DEC-94 |
| | MIL-HDBK-798 | SYSTEM ENGINEER'S DESIGN FOR DISCARD HANDBOOK [CUST: AR] [REVIEW: AL AM AT AV CR MI TM] | A GDRQ | AR | | | 04-FEB-96 |
| | MIL-HDBK-799 | FIRE CONTROL SYSTEMS-GENERAL [CUST: AR] | A 12GP | AR | | | 05-APR-96 |
| | MIL-HDBK-800 | DOCUMENTATION STREAMLINING [CUST: AS] | A SDMP | AS | | | 30-MAY-89 |
| | MIL-HDBK-801 | LIST OF PRESSURE GAUGES [CUST: SH] | A 6685 | SH | | | 31-OCT-90 |
| | MIL-HDBK-802 | DESIGN OF ELECTRICAL EQUIPMENT WITH SMALL STRAY MAGNETIC FIELDS (METRIC) [CUST: SH] | A 1905 | SH | | | 02-JUL-90 |
| | MIL-HDBK-803 | GLASS REINFORCED PLASTICS PREVENTIVE MAINTENANCE AND REPAIR [CUST: SH] | A 9330 | SH | | | 20-APR-90 |
| | MIL-HDBK-804 | NETWORK USER ID AND PASSWORD PROCEDURES [CUST: OM] | A IPSC | OM | | | 15-FEB-90 |
| | MIL-HDBK-805 | MICROCOMPUTER SOFTWARE AND HARDWARE GUIDELINES [CUST: OM] | A IPSC | OM | | | 26-FEB-90 |
| | MIL-HDBK-806 | INSPECTION AND ACCEPTANCE STANDARDS FOR PROPULSION FLUID CELLS AND FITTINGS[CUST: AV AS 99] [REVIEW: 82 AT MC] | A 4730 | AS | | | 09-OCT-96 |
| | MIL-HDBK-808 | FINISH, PROTECTIVE AND CODES FOR FINISHING SCHEMES FOR GROUND AND GROUND SUPPORT EQUIPMENT [CUST: 11] [REVIEW: 79 99] | A MFFP | 11 | | | 18-JUL-96 |
| | MIL-HDBK-815 | DOSE-RATE HARDNESS ASSURANCE GUIDELINES [CUST: CR EC 19] [REVIEW: 11 17 85 99 AR AS CG DS MC MI NA OS SH SM] | A 59GP | CC | | | 07-NOV-94 |
| | MIL-HDBK-816 | GUIDELINES FOR DEVELOPING RADIATION HARDNESS ASSURANCE DEVICE SPECIFICATIONS [CUST: CR EC 19 CC] [REVIEW: 17 85 99 AR AS CG DS MC MI NA OS SH SM] | A 59GP | CC | | | 09-DEC-94 |
| | MIL-HDBK-818/1 | SURVIVABLE ADAPTABLE FIBER OPTIC EMBEDDED NETWORK (SAFENET) NETWORK DEVELOPMENT GUIDANCE [CUST: CR EC 10] [REVIEW: 02 17 21 AC CG CR IE TD TM] | A MCCR | EC | | | 31-OCT-92 |
| M | MIL-HDBK-826 | DRYDOCKING TIMBERS AND BLOCKS STRENGTH PROPERTIES OF [CUST: SH] | A 1950 | SH | | | 11-OCT-91 |
| | MIL-HDBK-828A | LASER SAFETY IN RANGES AND IN OTHER OUTDOORS AREAS [CUST: EA EC 10] | A 4240 | EC | | | 31-DEC-96 |
| | MIL-HDBK-829A | GUIDELINES FOR DEVELOPMENT DATA COMMUNICATIONS PROTOCOL STANDARDS [CUST: CR OM 90 DH] [REVIEW: 02 13 17 29 AC CG DI DO EC IR MA MC NS SE] | A DCPS | DC | | | 01-SEP-94 |
| A | MIL-HDBK-838 | LUBRICATION OF MILITARY EQUIPMENT [CUST: CR4 AS 11] [REVIEW: 68 AR AT AV GS MI OS SH] | A 9150 | 11 | | | 03-DEC-97 |
| | MIL-HDBK-843 | SHIP METALLIC MATERIAL COMPARISON [CUST: SH] | A 1990 | SH | | | 20-AUG-93 |
| | MIL-HDBK-844 | AIRCRAFT REFUELING HANDBOOK [CUST: AS] | A 9130 | AS | | | 20-OCT-92 |
| | MIL-HDBK-845 | STANDARD POWER SUPPLY APPLICATIONS HANDBOOK [CUST: CR NW 99] [REVIEW: GS] | A 6130 | NW | | | 31-DEC-92 |
| | MIL-HDBK-850 | GLOSSARY OF MAPPING, CHARTING, AND GEODETTIC TERMS [REVIEW: 09 MC NO] | A MCGT | MP | | | 21-JAN-94 |
| A | MIL-HDBK-863 | WIRING DATA AND SYSTEM SCHEMATIC DIAGRAMS PREPARATION OF [CUST: AV 16] | A DRPR | 16 | | | 01-SEP-97 |
| A | MIL-HDBK-881 | WORK BREAKDOWN STRUCTURE [CUST: MI NW 10 WB] [REVIEW: 11 16 19 70 71 80 82 84 AR AS AT AV CR MC OS SH] | A MISC | WB | | | 02-JAN-98 |
| A | MIL-HDBK-910 | MOBILE TACTICAL SYSTEMS OVERLOAD PREVENTION PROCEDURES [CUST: GL] | A GDRQ | GL | | | 04-MAR-98 |
| | MIL-HDBK-965 | ACQUISITION PRACTICES FOR PARTS MANAGEMENT [CUST: MI AS 10 CC] [REVIEW: 11 13 17 19 AL AM AR AV CR CR4 EC GL GS HD IS MC MR OS SA SH TD] | A SDMP | CC | | | 26-SEP-96 |
| | MIL-HDBK-983 | SUBSTITUTION/SUPERSESSION LISTING OF MICROCIRCUITS [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | | 15-APR-96 |
| | MIL-HDBK-1000/1A | ENGINEERING AND DESIGN CRITERIA AND DOCUMENTATION FOR NAVY FACILITIES [CUST: YD1] | A FACR | YD1 | | | 01-JAN-97 |
| A | MIL-HDBK-1001/5A | ROOFING AND WATERPROOFING [CUST: YD2] | A FACR | YD2 | | | 12-AUG-97 |
| | MIL-HDBK-1002 | TIMBER STRUCTURES [CUST: YD2] | A FACR | YD2 | | | 30-MAR-87 |
| | MIL-HDBK-1002/1 | STRUCTURAL ENGINEERING GENERAL REQUIREMENTS [CUST: YD2] | A FACR | YD2 | | | 30-NOV-87 |
| A | MIL-HDBK-1002/2A(1) | LOADS [CUST: YD2] | A FACR | YD2 | | | 05-JUN-97 |
| | MIL-HDBK-1002/3 | STRUCTURAL ENGINEERINGSTEEL STRUCTURES [CUST: YD2] | A MISC | YD2 | | | 30-SEP-87 |
| | MIL-HDBK-1002/5 | TIMBER STRUCTURES [CUST: YD2] | A FACR | YD2 | | | 30-MAR-87 |
| A | MIL-HDBK-1002/6(1) | ALUMINUM STRUCTURES, COMPOSITE STRUCTURES, STRUCTURAL PLASTICS, AND FIBER-REINFORCED COMPOSITES [CUST: YD2] | A FACR | YD2 | | | 08-SEP-97 |
| | MIL-HDBK-1003/6 | CENTRAL HEATING PLANTS [CUST: YD2] | A FACR | YD2 | | | 15-JAN-91 |
| | MIL-HDBK-1003/7 | STEAM POWER PLANTS - FOSSIL FUELED [CUST: YD2] | A FACR | YD2 | | | 15-SEP-90 |
| | MIL-HDBK-1003/8A(2) | EXTERIOR DISTRIBUTION OF STEAM, HIGH TEMPERATURE WATER, CHILLED WATER, NATURAL GAS, AND COMPRESSED AIR [CUST: YD2] | A FACR | YD2 | | | 30-DEC-91 |
| | MIL-HDBK-1003/11 | DIESEL-ELECTRIC GENERATING PLANTS [CUST: YD2] | A FACR | YD2 | | | 13-OCT-87 |
| | MIL-HDBK-1003/12 | BOILER CONTROLS [CUST: YD2] | A FACR | YD2 | | | 31-OCT-89 |
| | MIL-HDBK-1003/13A | SOLAR HEATING OF BUILDINGS & DOMESTIC HOT WATER [CUST: YD2] | A FACR | YD2 | | | 09-NOV-81 |
| | MIL-HDBK-1003/17C | INDUSTRIAL VENTILATION SYSTEMS [CUST: YD2] | A FACR | YD2 | | | 29-FEB-96 |
| | MIL-HDBK-1003/19 | DESIGN PROCEDURES FOR PASSIVE SOLAR BUILDINGS [CUST: CE YD2 04] | A FACR | YD2 | | | 03-MAY-87 |
| | MIL-HDBK-1004 | 400-HERTZ MEDIUM-VOLTAGE CONVERSION/DISTRIBUTION AND LOW-VOLTAGE UTILIZATION SYSTEMS [CUST: YD2] | A FACR | YD2 | | | 15-JUN-93 |

| Doc Action | Document Number | Document Title | Distribution FSC/Use | MCA | Prep. Acty. | Date |
|------------|---------------------|--|-------------------------|-----|-------------|------|
| | MIL-HDBK-1004/1 | ELECTRICAL ENGINEERING PRELIMINARY DESIGN CONSIDERATIONS [CUST: YD2] | A FACR | YD2 | 30-MAY-88 | |
| | MIL-HDBK-1004/2(1) | POWER DISTRIBUTION SYSTEMS [CUST: YD2] | A FACR | YD2 | 15-FEB-91 | |
| | MIL-HDBK-1004/3(1) | SWITCHGEAR AND RELAYING [CUST: YD2] | A FACR | YD2 | 30-DEC-91 | |
| | MIL-HDBK-1004/4(1) | ELECTRICAL UTILIZATION SYSTEMS [CUST: YD2] | A FACR | YD2 | 15-FEB-91 | |
| | MIL-HDBK-1004/5 | 400-HERTZ MEDIUM-VOLTAGE CONVERSION/DISTRIBUTION AND LOW-VOLTAGE UTILIZATION SYSTEMS [CUST: YD2] | A FACR | YD2 | 15-JUN-93 | |
| | MIL-HDBK-1004/6 | LIGHTNING PROTECTION [CUST: YD2] | A FACR | YD2 | 30-MAY-86 | |
| | MIL-HDBK-1004/7 | WIRE COMMUNICATIONS AND SIGNAL SYSTEMS [CUST: YD2] | A FACR | YD2 | 30-SEP-91 | |
| | MIL-HDBK-1004/10 | ELECTRICAL ENGINEERING CATHODIC PROTECTION [CUST: YD2] | A FACR | YD2 | 31-JAN-90 | |
| | MIL-HDBK-1005/6 | TRACKAGE [CUST: YD2] | A FACR | YD2 | 30-APR-92 | |
| | MIL-HDBK-1005/7 | WATER SUPPLY SYSTEMS [CUST: YD2] | A FACR | YD2 | 30-NOV-88 | |
| | MIL-HDBK-1005/8 | DOMESTIC WASTEWATER CONTROL [CUST: YD2] | A FACR | YD2 | 30-SEP-88 | |
| | MIL-HDBK-1005/9 | INDUSTRIAL AND OILY WASTEWATER CONTROL [CUST: YD2] | A FACR | YD2 | 30-SEP-88 | |
| | MIL-HDBK-1005/13(1) | HAZARDOUS WASTE STORAGE FACILITIES [CUST: YD2] | A FACR | YD2 | 31-MAY-96 | |
| | MIL-HDBK-1006/1A | POLICY AND PROCEDURES FOR PROJECT DRAWING AND SPECIFICATION PREPARATION [CUST: YD2] | A FACR | YD2 | 15-JUN-95 | |
| | MIL-HDBK-1006/2A(1) | POLICY AND PROCEDURES FOR GUIDE SPECIFICATION PREPARATION [CUST: YD2] | A FACR | YD2 | 01-MAR-91 | |
| | MIL-HDBK-1006/3C | POLICY AND PROCEDURES FOR ENGINEERING AND DESIGN CRITERIA MANUAL PREPARATION [CUST: YD2] | A FACR | YD2 | 31-AUG-95 | |
| | MIL-HDBK-1006/4 | POLICY AND PROCEDURES FOR DEFINITIVE AND STANDARD DESIGN AND STANDARD SPECIFICATION PREPARATION [CUST: YD2] | A FACR | YD2 | 31-JUL-87 | |
| A | MIL-HDBK-1007/3 | SOIL DYNAMICS AND SPECIAL DESIGN ASPECTS [CUST: YD2] | A FACR | YD2 | 15-NOV-97 | |
| A | MIL-HDBK-1008C | FIRE PROTECTION FOR FACILITIES ENGINEERING, DESIGN, AND CONSTRUCTION [CUST: CE YD2 50 DH MP] [REVIEW: DO MC] | A FACR | YD2 | 10-JUN-97 | |
| | MIL-HDBK-1010A | COST ENGINEERING: POLICY AND PROCEDURES [CUST: YD2] | A FACR | YD2 | 01-AUG-92 | |
| | MIL-HDBK-1011/1 | TROPICAL ENGINEERING [CUST: YD2] | A FACR | YD2 | 31-OCT-91 | |
| | MIL-HDBK-1011/2 | COOLING BUILDINGS BY NATURAL VENTILATION [CUST: YD2] | A FACR | YD2 | 31-JAN-90 | |
| | MIL-HDBK-1012/1 | ELECTRONIC FACILITIES ENGINEERING [CUST: YD2] | A FACR | YD2 | 15-MAY-89 | |
| | MIL-HDBK-1012/3(1) | TELECOMMUNICATIONS PREMISES DISTRIBUTION PLANNING, DESIGN, AND ESTIMATING [CUST: YD2] | A FACR | YD2 | 30-NOV-96 | |
| | MIL-HDBK-1013/1A | DESIGN GUIDELINES FOR PHYSICAL SECURITY OF FACILITIES [CUST: YD2] | A FACR | YD2 | 15-DEC-93 | |
| | MIL-HDBK-1013/8 | COMBINATION LOCKS [CUST: YD2] | A FACR | YD2 | 31-DEC-89 | |
| | MIL-HDBK-1013/10 | DESIGN GUIDELINES FOR SECURITY FENCING, GATES, BARRIERS, AND GUARD FACILITIES [CUST: YD2] | A FACR | YD2 | 14-MAY-93 | |
| | MIL-HDBK-1013/11 | INSTRUCTION FOR PLANNING AND DESIGN OF HIGH SECURITY MAGAZINE DOOR CONSTRUCTION PROJECTS [CUST: YD1] | A FACR | YD1 | 10-FEB-95 | |
| | MIL-HDBK-1013/12 | EVALUATION AND SELECTION ANALYSIS OF SECURITY GLAZING FOR PROTECTION AGAINST BALLISTIC, BOMB, AND FORCED ENTRY TACTICS [CUST: YD2] | A FACR | YD2 | 10-MAR-97 | |
| | MIL-HDBK-1021/1(1) | AIRFIELD GEOMETRIC DESIGN [CUST: YD2] | A FACR | YD2 | 31-AUG-92 | |
| | MIL-HDBK-1021/2 | GENERAL CONCEPTS FOR AIRFIELD PAVEMENT DESIGN [CUST: YD2] | A FACR | YD2 | 30-SEP-88 | |
| | MIL-HDBK-1021/4(2) | RIGID PAVEMENT DESIGN FOR AIRFIELDS [CUST: YD2] | A FACR | YD2 | 31-AUG-92 | |
| A | MIL-HDBK-1022 | PETROLEUM FUEL FACILITIES [CUST: CE YD2 50 PS] | A FACR | YD2 | 30-JUN-97 | |
| | MIL-HDBK-1023/1(1) | AIRFIELD LIGHTING [CUST: YD2] | A FACR | YD2 | 15-OCT-90 | |
| | MIL-HDBK-1024/1 | AVIATION OPERATIONAL AND SUPPORT FACILITIES [CUST: YD2] | A FACR | YD2 | 15-FEB-94 | |
| | MIL-HDBK-1024/3(1) | OXYACETYLENE AND NITROGEN AND BREATHING OXYGEN FACILITIES [CUST: YD2] | A FACR | YD2 | 30-JUN-92 | |
| | MIL-HDBK-1025/1(3) | PIERS AND WHARVES [CUST: YD2] | A FACR | YD2 | 30-JUN-94 | |
| | MIL-HDBK-1025/2 | DOCKSIDE UTILITIES FOR SHIP SERVICE [CUST: YD2] | A FACR | YD2 | 01-MAY-88 | |
| | MIL-HDBK-1025/4 | SEAWALLS, BULKHEADS, AND QUAYWALLS [CUST: YD2] | A FACR | YD2 | 30-SEP-88 | |
| | MIL-HDBK-1025/6 | GENERAL CRITERIA FOR WATERFRONT CONSTRUCTION [CUST: YD2] | A FACR | YD2 | 15-MAY-88 | |
| | MIL-HDBK-1027/1A | FIREFIGHTING SCHOOL FACILITIES [CUST: YD2] | A FACR | YD2 | 31-JUL-94 | |
| | MIL-HDBK-1027/3B | RANGE FACILITIES AND MISCELLANEOUS TRAINING FACILITIES OTHER THAN BUILDINGS [CUST: YD2] | A FACR | YD2 | 30-NOV-92 | |
| | MIL-HDBK-1027/4 | AVIATION TRAINING FACILITIES [CUST: YD2] | A FACR | YD2 | 31-DEC-93 | |
| | MIL-HDBK-1028/1A | AIRCRAFT MAINTENANCE FACILITIES [CUST: YD2] | A FACR | YD2 | 31-OCT-91 | |
| | MIL-HDBK-1028/3 | MAINTENANCE FACILITIES FOR AMMUNITION, EXPLOSIVES, AND TOXINS [CUST: YD2] | A FACR | YD2 | 31-DEC-87 | |
| | MIL-HDBK-1028/5A | ENVIRONMENTAL CONTROL - DESIGN OF CLEAN ROOMS [CUST: YD2] | A FACR | YD2 | 30-SEP-94 | |
| | MIL-HDBK-1028/6A | AIRCRAFT FIXED POINT UTILITY SYSTEMS [CUST: YD2] | A FACR | YD2 | 31-MAY-96 | |
| | MIL-HDBK-1028/8A | DESIGN OF PEST MANAGEMENT FACILITIES [CUST: YD2 04] | A FACR | YD2 | 01-NOV-91 | |
| | MIL-HDBK-1029/1 | GRAVING DRYDOCKS [CUST: YD2] | A FACR | YD2 | 31-JAN-89 | |
| | MIL-HDBK-1029/3 | DRYDOCKING FACILITIES CHARACTERISTICS [CUST: YD2] | A FACR | YD2 | 30-SEP-88 | |
| | MIL-HDBK-1032/2 | COVERED STORAGE [CUST: YD2] | A MISC | YD2 | 30-SEP-87 | |
| | MIL-HDBK-1034 NOT 1 | ADMINISTRATIVE FACILITIES [CUST: YD2] | A FACR | YD2 | 30-OCT-87 | |
| | MIL-HDBK-1035 | FAMILY HOUSING [CUST: CE YD2] | A FACR | YD2 | 15-JUN-89 | |
| A | MIL-HDBK-1036A | BACHELOR HOUSING [CUST: YD2] [REVIEW: MC] | A FACR | YD2 | 06-AUG-97 | |
| | MIL-HDBK-1036/4 | ENLISTED DINING FACILITIES [CUST: YD2] | A FACR | YD2 | 15-AUG-90 | |
| | MIL-HDBK-1037/2 | CHILD DEVELOPMENT CENTERS [CUST: CE YD2 04] | A FACR | YD2 | 31-JAN-89 | |
| | MIL-HDBK-1037/3 | OUTDOOR SPORTS AND RECREATIONAL FACILITIES [CUST: YD2] [REVIEW: AR CR CR4 IS MI] | A FACR | YD2 | 30-JUN-89 | |
| | MIL-HDBK-1037/4 | BRIGS AND DETENTION FACILITIES [CUST: YD2] | A FACR | YD2 | 15-JUL-89 | |
| | MIL-HDBK-1037/7 | OFFICERS, NON-COMMISSIONED OFFICERS DINING FACILITIES: OPEN ENLISTED DINING FACILITIES [CUST: YD2] | A FACR | YD2 | 29-FEB-88 | |
| | MIL-HDBK-1038/3 | YARD CRAFT [CUST: YD2] [REVIEW: MD SS] | A FACR | YD2 | 15-NOV-87 | |
| | MIL-HDBK-1038/5 | TOWING NONSELF-PROPELLED FLOATING STRUCTURES [CUST: YD2] [REVIEW: MD SS] | A FACR | YD2 | 15-NOV-87 | |
| | MIL-HDBK-1040 | BASIC GUIDELINES FOR CHEMICAL WARFARE HARDENING OF NEW MILITARY FACILITIES [CUST: CE YD2 04] | A FACR | YD2 | 28-FEB-89 | |
| | MIL-HDBK-1102/7 | CONCRETE PAVEMENT REPAIR [CUST: YD1] | A FACR | YD1 | 10-NOV-94 | |
| | MIL-HDBK-1110/1 | HANDBOOK FOR PAINTS AND PROTECTIVE COATINGS FOR FACILITIES [CUST: YD2] | A FACR | YD2 | 17-JAN-95 | |
| | MIL-HDBK-1114/2 | MAINTENANCE AND OPERATION OF HEATING SYSTEMS [CUST: YD2] | A FACR | YD2 | 31-DEC-91 | |
| | MIL-HDBK-1119 | FOOD SERVICE EQUIPMENT [CUST: YD2] | A FACR | YD2 | 30-AUG-91 | |
| | MIL-HDBK-1125/1 | MAINTENANCE AND OPERATION OF CENTRAL HEATING PLANTS [CUST: YD2] | A FACR | YD2 | 15-OCT-95 | |
| | MIL-HDBK-1130 | INACTIVATION, CARETAKER MAINTENANCE, REACTIVATION, AND CLOSURE OF SHORE FACILITIES [CUST: YD2] | A FACR | YD2 | 31-DEC-91 | |
| | MIL-HDBK-1151 | HANDBOOK FOR INSPECTION, MAINTENANCE AND OPERATION OF NAVAL RESERVE CENTERS [CUST: YD2] | A FACR | YD2 | 01-JUL-93 | |

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------|---|-----------------------|-----|-------------|------|
| A | MIL-HDBK-1165 | WATER CONSERVATION [CUST: YD2] | A FACR | YD2 | 07-APR-97 | |
| N | MIL-HDBK-1184 | ELECTRICAL COMPONENTS FOR AUTOMOTIVE VEHICLES; WATERPROOFNESS TESTS [CUST: AT] [REVIEW: CC CR4] | A 2920 | AT | 14-APR-98 | |
| | MIL-HDBK-1190 | FACILITY PLANNING AND DESIGN GUIDE [CUST: CE YD2 04] | A FACR | YD2 | 01-SEP-87 | |
| | MIL-HDBK-1191 | DEPARTMENT OF DEFENSE MEDICAL AND DENTAL TREATMENT FACILITIES DESIGN AND CONSTRUCTION CRITERIA [CUST: CE YD2 04] | A FACR | YD2 | 15-OCT-91 | |
| | MIL-HDBK-1195 | RADIO FREQUENCY SHIELDED ENCLOSURES [CUST: YD2] | A FACR | YD2 | 30-SEP-88 | |
| | MIL-HDBK-1197 | AERO-ACOUSTICS TEST PROGRAMS [CUST: YD2] [REVIEW: 82] | A FACR | YD2 | 11-MAR-88 | |
| | MIL-HDBK-1200 | CHEMICAL AND BIOLOGICAL (CB) AGENTS DETECTION AND MONITORING SYSTEMS [CUST: EA] | A 6665 | EA | 16-NOV-92 | |
| | MIL-HDBK-1206 | LIQUID-FILLED PROJECTILE DESIGN [CUST: EA] | C 13GP | EA | 24-MAY-96 | |
| | MIL-HDBK-1211 | MISSILE FLIGHT SIMULATION PART ONE SURFACE-TO-AIR MISSILES [CUST: MI] [REVIEW: HD] | A 14GP | MI | 17-JUL-95 | |
| | MIL-HDBK-1221 | EVALUATION OF COMMERCIAL OFF-THE-SHELF (COTS) MANUALS [CUST: TM OS 16 CC] [REVIEW: 01 10 11 13 19 70 71 80 82 84 AL AR AS AT AV CG CR CR4 CT EC GS MC MD MI OM SA SH TD] | A TMSS | TM | 28-AUG-95 | |
| | MIL-HDBK-1222 | GUIDE TO THE GENERAL STYLE AND FORMAT OF U.S. ARMY WORK PACKAGE TECHNICAL MANUALS [CUST: TM] [REVIEW: AL AR AT AV CR EA MI PCT PT] | A TMSS | TM | 09-APR-97 | |
| N | MIL-HDBK-1223 | NONTACTICAL WHEELED VEHICLES TREATMENT, PAINTING, IDENTIFICATION MARKING AND DATA PLATE STANDARDS [CUST: AT YD1 99] | A 23GP | AT | 17-APR-98 | |
| A | MIL-HDBK-1226 | DESIGN OF PROJECTILES FOR TERMINAL BALLISTIC EFFECTS [CUST: AR] | D 13GP | AR | 31-MAY-97 | |
| N | MIL-HDBK-1241 | OPTICAL TERMS AND DEFINITIONS [CUST: AR SH 99] [REVIEW: AT AV CR4 MC MI] | A 6650 | AR | 15-JAN-98 | |
| A | MIL-HDBK-1250A | CORROSION PREVENTION AND DETERIORATION CONTROL IN ELECTRONIC COMPONENTS AND ASSEMBLIES [CUST: MI AS 11] [REVIEW: 19 AL AV CR4 GL SH TD] | A MFFP | MI | 18-AUG-95 | |
| A | MIL-HDBK-1277 | SPLICES, CHIPS, TERMINALS, TERMINAL BOARDS, BINDING POSTS, ELECTRICAL [CUST: CR SH 85] [REVIEW: 17 AR AS AT EC GS MC MI OS] | A 5940 | CR | 20-FEB-98 | |
| A | MIL-HDBK-1280 | KEYBOARD ARRANGEMENTS [CUST: CR SH 11] [REVIEW: EC GL] | A MISC | CR | 20-FEB-98 | |
| | MIL-HDBK-1300A | NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD (NITFS) [CUST: CR OM 02] [REVIEW: AC AM AR CE DI DO HP IE IR MD MI NA NS PT SO TM] | A INST | MP | 12-OCT-94 | |
| | MIL-HDBK-1331 | PARAMETERS TO BE CONTROLLED FOR THE SPECIFICATION OF MICROCIRCUITS, HANDBOOK FOR [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | 30-OCT-95 | |
| | MIL-HDBK-1350/1 | VALIDATION OF DATA COMMUNICATIONS PROTOCOL STANDARDS FOR MILITARY APPLICATIONS [CUST: CR OM 90 DH] [REVIEW: 02 13 17 29 AC CG DI DO EC IR MA MC SE] | A DCPS | DC | 28-JUL-94 | |
| | MIL-HDBK-1350/2 | DATA COMMUNICATIONS PROTOCOL CONFORMANCE AND INTEROPERABILITY TEST AND REGISTRATION [CUST: CR OM 90 DH] [REVIEW: 02 13 17 29 AC CG DI DO EC IR MA MC SE] | A DCPS | DC | 28-JUL-94 | |
| A | MIL-HDBK-1379/1(1) | GUIDANCE FOR ACQUISITION OF TRAINING DATA PRODUCTS AND SERVICES (PART 1 OF 4 PARTS) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC SH TD TM] | A ALSS | AS | 09-JUN-97 | |
| A | MIL-HDBK-1379/2 | INSTRUCTIONAL SYSTEMS DEVELOPMENT/SYSTEMS APPROACH TO TRAINING AND EDUCATION (PART 2 OF 4 PARTS) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC SH TD TM] | A ALSS | AS | 09-JUN-97 | |
| A | MIL-HDBK-1379/3 | DEVELOPMENT MULTIMEDIA INSTRUCTION (IMI) (PART 3 OF 4 PARTS) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC SH TD TM] | A ALSS | AS | 09-JUN-97 | |
| A | MIL-HDBK-1379/4 | GLOSSARY FOR TRAINING (PART 4 OF 4 PARTS) [CUST: AV AS 94 DH] [REVIEW: 11 CC DP EC GS IS MC SH TD TM] | A ALSS | AS | 09-JUN-97 | |
| N | MIL-HDBK-1461 | AMMUNITION MANUFACTURERS AND THEIR SYMBOLS [CUST: AR OS] [REVIEW: MC] | A 13GP | AR | 15-JAN-98 | |
| A | MIL-HDBK-1467 | ACQUISITION OF SOFTWARE ENVIRONMENTS AND SUPPORT SOFTWARE [CUST: AR EC 10 DC1] [REVIEW: AV CR] | A MCCR | AR | 10-DEC-97 | |
| A | MIL-HDBK-1473A | COLOR AND MARKING OF ARMY MATERIEL [CUST: MI] [REVIEW: AR AT CR GL GS MD MR PT TE TM] | A HFAC | MI | 29-AUG-97 | |
| | MIL-HDBK-1516 | UNIFIED CODE FOR COATINGS AND FINISHES FOR DOD MATERIEL [CUST: MR 11] [REVIEW: 99] | A MFFP | 11 | 24-JAN-96 | |
| | MIL-HDBK-1530 | AIRCRAFT STRUCTURAL INTEGRITY PROGRAM, GENERAL GUIDELINES FOR [CUST: 11] | A 15GP | 11 | 31-OCT-96 | |
| A | MIL-HDBK-1547 | ELECTRONIC PARTS, MATERIALS, AND PROCESSED FOR SPACE AND LAUNCH VEHICLES [CUST: CE AS 19] [REVIEW: 10 11 17 AT AV EC GL MC MI OS SH SM TE] | A 1820 | 19 | 09-NOV-97 | |
| | MIL-HDBK-1553A(2) | MULTIPLEX APPLICATION HANDBOOK [CUST: CR AS 11] | A MCCR | 11 | 23-MAR-95 | |
| A | MIL-HDBK-1568 | MATERIAL AND PROCESSES FOR CORROSION PREVENTION AND CONTROL IN AEROSPACE WEAPONS SYSTEMS [CUST: 11] | A MFFP | 11 | 18-JUL-96 | |
| A | MIL-HDBK-1599A | BEARINGS, CONTROL SYSTEM COMPONENTS, AND ASSOCIATED HARDWARE USED IN THE DESIGN AND CONSTRUCTION OF AEROSPACE MECHANICAL SYSTEMS AND SUBSYSTEMS [CUST: AV AS 99] [REVIEW: IS] | A 31GP | 84 | 02-OCT-97 | |
| | MIL-HDBK-1655 | CLASSIFICATION OF DEFECTS OF FLARELESS AND BEAM SEAL FITTINGS [CUST: AV AS 99] [REVIEW: 82 CC MC] | A 4730 | AS | 17-MAR-97 | |
| A | MIL-HDBK-1784 | MOBILITY, TOWED AND MANUALLY PROPELLED SUPPORT EQUIPMENT [CUST: 11] | A 1740 | 11 | 14-FEB-97 | |
| A | MIL-HDBK-1785 | SYSTEM SECURITY ENGINEERING PROGRAM MANAGEMENT REQUIREMENTS [CUST: AS 10] [REVIEW: 11 19] | A MISC | AS | 01-AUG-95 | |
| A | MIL-HDBK-1799 | SURVIVABILITY, AERONAUTICAL SYSTEMS (FOR COMBAT MISSION EFFECTIVENESS) [CUST: 11] | A 15GP | 11 | 14-FEB-97 | |
| | MIL-HDBK-1812 | TYPE DESIGNATION, ASSIGNMENT AND METHOD FOR OBTAINING [CUST: CR AS 11] [REVIEW: 13 19 68 99 MI] | A MISC | 11 | 14-FEB-97 | |
| | MIL-HDBK-1839 | CALIBRATION AND MEASUREMENT REQUIREMENTS [CUST: MI OS 30] [REVIEW: 11 13 16 17 19 AR AS AT AV CR EC MC SH TD TM] | A QCIC | 30 | 27-AUG-96 | |
| N | MIL-HDBK-1857 | GROUNDING, BONDING AND SHIELDING DESIGN PRACTICES [CUST: CR] | A EMCS | CR | 27-MAR-98 | |
| A | MIL-HDBK-1860 | BATTERIES, NON-RECHARGEABLE SELECTION AND USE OF [CUST: CR SH] [REVIEW: 85 AR AT CR4 EC GS] | A 6135 | CR | 20-FEB-98 | |
| N | MIL-HDBK-1862 | NEBULA INSTRUCTION SET ARCHITECTURE [CUST: CR EC 90] [REVIEW: 85 AR AT CR4 GS] | A IPSC | CR | 20-FEB-98 | |
| A | MIL-HDBK-1884 | COATING, PLASMA SPRAY DEPOSITION [CUST: AT] | A MFFP | AT | 14-MAR-98 | |
| N | MIL-HDBK-1886 | DETONATION PROCESS FOR TUNGSTEN CARBIDE-COBALT COATING [CUST: AT] | A MFFP | AT | 27-MAR-98 | |
| | MIL-HDBK-1890 | INSPECTION OF WELDED JOINTS [CUST: AT] | A NDTI | AT | 10-MAY-96 | |
| | MIL-HDBK-1897 | TOLERANCES FOR INVESTMENT CASTINGS [CUST: AT] | A MECA | AT | 17-MAY-96 | |
| N | MIL-HDBK-1899 | PRESSURE TESTING, 10 PSI THROUGH 200 PSI [CUST: AT] | A NDTI | AT | 27-MAR-98 | |
| | MIL-HDBK-1908A | DEFINITIONS OF HUMAN FACTORS TERMS [CUST: MI AS 11] [REVIEW: 13 19 AL AR AT AV CR CR4 EA EC GL MC MD MR OS PE SH TD TE TM YD] | A HFAC | MI | 25-JUN-96 | |
| | MIL-HDBK-2051 | FIBER OPTIC SHIPBOARD CABLE TOPOLOGY DESIGN GUIDANCE [CUST: SH] | A GDRQ | SH | 22-MAY-96 | |
| | MIL-HDBK-2069 | AIRCRAFT SURVIVABILITY [CUST: AV AS 11] | A 15GP | AS | 10-APR-97 | |
| | MIL-HDBK-2084(2) | GENERAL REQUIREMENTS FOR MAINTAINABILITY OF AVIONIC & ELECTRONIC SYSTEMS & EQUIPMENT [CUST: AS] | A 6610 | AS | 12-JUL-91 | |
| A | MIL-HDBK-2089 | AIRCRAFT SURVIVABILITY TERMS [CUST: AV AS 11] | A 15GP | AS | 30-MAY-97 | |
| | MIL-HDBK-2164A | ENVIRONMENTAL STRESS SCREENING PROCESS FOR ELECTRONIC EQUIPMENT [CUST: SH 17] [REVIEW: 84 AS CC] | A RELI | SH | 19-JUN-96 | |
| A | MIL-HDBK-2165A | TESTABILITY PROGRAM FOR SYSTEMS AND EQUIPMENTS [CUST: CR AS 17] | A ATTS | AS | 31-JUL-95 | |
| | MIL-HDBK-5400 | ELECTRONIC EQUIPMENT, AIRBORNE GENERAL GUIDELINES FOR [CUST: CR AS 11] [REVIEW: 17 99 AR AV CC EC MI] | A GDRQ | AS | 30-NOV-95 | |

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|---------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | Date |
| | MIL-HDBK-6011 NOT 1 | TACTICAL DIGITAL INFORMATION LINK (TADIL) A/B MESSAGE STANDARD [CUST: CR OM 02] [REVIEW: 93 CR MC MI NS] | C INST | DC | | 01-JUL-96 |
| A | MIL-HDBK-6100 | LIST OF CASE OUTLINES AND DIMENSIONS FOR DISCRETE SEMICONDUCTOR DEVICES [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 59GP | CC | | 30-JUL-97 |
| | MIL-HDBK-6870 | INSPECTION PROGRAM REQUIREMENTS, NONDESTRUCTIVE FOR AIRCRAFT AND MISSILE MATERIALS AND PARTS [CUST: MR AS 11] [REVIEW: AV SH] | A NDTI | 11 | | 18-JUL-96 |
| A | MIL-HDBK-9660B | DOD PRODUCED CD-ROM PRODUCTS [CUST: AC NM 02 DH MP] [REVIEW: 13 16 17 19 29 33 90 93 AC1 AM AS CG CH CR5 DC1 DI DO EC IR MC NC ND NS OM OST TD TM1 TM3 US] | A IPSC | DC | | 01-SEP-97 |
| | MIL-HDBK-11991 | DESIGN OF ELECTRICAL, ELECTRONIC, AND ELECTRO-MECHANICAL EQUIPMENT, GUIDED MISSILE AND ASSOCIATED WEAPON SYSTEMS [CUST: MI 11] [REVIEW: AV CC] | A 1430 | MI | | 30-JAN-96 |
| | MIL-HDBK-28001 | DEPARTMENT OF DEFENSE APPLICATION OF MIL-PRF-28001 USING STANDARD GENERALIZED MARKUP LANGUAGE (SGML) [CUST: TM CH 16 DH] [REVIEW: 01 02 11 13 17 19 68 79 99 AC AL AR AS AT AV CC CG CR CR1 CR4 DI DO DOE EC GL GS IR IS MI MR NA NCS NS OS SA SM TE YD2] | A IPSC | DC3 | | 30-JUN-95 |
| A | MIL-HDBK-38790 | PRINTING PRODUCTION OF TECHNICAL MANUALS [CUST: TM SA 16 DH] [REVIEW: 01 10 11 13 19 33 99 AS AT AV CC CE CG CR CT EC GS MC MI OS] | A TMSS | 16 | | 24-FEB-97 |
| | MIL-HDBK-46164 | RUSTPROOFING FOR MILITARY VEHICLES AND TRAILERS [CUST: AT 99] [REVIEW: 84 MR] | A MFFP | AT | | 02-JAN-96 |
| A | MIL-HDBK-46855 | HUMAN ENGINEERING REQUIREMENTS FOR MILITARY SYSTEMS, EQUIPMENT, AND FACILITIES [CUST: MI AS 11] [REVIEW: 13 19 EC MC OS PE SH TD TE TM YD1] | A HFAC | MI | | 31-JAN-96 |
| A | MIL-HDBK-62624 | COBALT BASE ALLOY INVESTMENT CASTINGS [CUST: AT] | A MECA | AT | | 27-JAN-98 |
| | MIL-HDBK-87213 | ELECTRONICALLY/OPTICALLY GENERATED AIRBORNE DISPLAYS [CUST: 11] | A 15GP | 11 | | 18-DEC-96 |
| | MIL-HDBK-87234 | PERSONAL PROTECTIVE EQUIPMENT, AIRCREW [CUST: 11] | A 8475 | 11 | | 14-FEB-97 |
| | MIL-HDBK-87244 | AVIONICS/ELECTRONICS INTEGRITY [CUST: 11] | A 15GP | 11 | | 30-JAN-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
MILITARY AND ANA BULLETINS

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|--------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| | MIL-BUL-147E | SPECIFICATIONS & STANDARDS OF NON-GOVERNMENT ORGANIZATIONS RELEASED FOR FLIGHT VEHICLE DESIGN & CONSTRUCTION [CUST: AV AS 11] [REVIEW: 10 AR CR4] | A MISC | AS | | 14-APR-89 |
| | ANA-BUL-306M | ENGINES, AIRCRAFT TURBINE AND JET, DESIGNATION OF [CUST: AS 11] | A MISC | AS | | 27-DEC-63 |
| | ANA-BUL-418 NOT 1 | DIFFERENTIAL PRESSURES [CUST: NW] | A MISC | NW | | 31-MAR-65 |
| | ANA-BUL-431A NOT 1 | AIR FORCE-NAVY AERONAUTICAL BULLETIN FITTINGS, FLARED, CLASSIFICATION OF DEFECTS OF [CUST: AS 99] | A 4730 | 82 | | 31-OCT-89 |
| | MIL-BUL-544/1F | LIST OF FEDERAL/MILITARY/INDUSTRY SPECIFICATIONS AND STANDARDS, AND NAVAIR SERIES DOCUMENTS APPROVED BY THE NAVAL AIR SYSTEMS COMMAND - PART I ALPHABETICAL LISTING [CUST: AS] | A GDRQ | AS | | 01-MAY-86 |
| | MIL-BUL-544/2F | LIST OF FEDERAL/MILITARY/INDUSTRY SPECIFICATIONS AND STANDARDS, AND NAVAIR SERIES DOCUMENTS APPROVED BY THE NAVAL AIR SYSTEMS COMMAND - PART II NUMERICAL LISTING [CUST: AS] | A GDRQ | AS | | 01-MAY-86 |
| | MIL-BUL-544/3F | LIST OF FEDERAL/MILITARY/INDUSTRY SPECIFICATIONS AND STANDARDS, AND NAVAIR SERIES DOCUMENTS APPROVED BY THE NAVAL AIR SYSTEMS COMMAND - PART III NUMERIC LISTING (CANCELLED DOCUMENTS) [CUST: AS] | A GDRQ | AS | | 01-MAY-86 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
GUIDE SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------|--|-----------------------|-----|-------------|------|
| | AFGS-87139A | LANDING GEAR SYSTEMS [CUST: 11] | D 1620 | 11 | 01-OCT-93 | |
| | AFGS-87141B | PARACHUTES [CUST: GL AS 11] [REVIEW: 99] | D 1670 | 11 | 19-APR-94 | |
| | AFGS-87145A | ENVIRONMENTAL CONTROL, AIRBORNE [CUST: 11] | D 1660 | 11 | 01-OCT-92 | |
| | AFGS-87154A | FUEL SYSTEMS GENERAL DESIGN SPECIFICATION FOR [CUST: 11] | D 2915 | 11 | 01-JUL-92 | |
| | AFGS-87219A NOT 1 | ELECTRICAL POWER SYSTEMS, AIRCRAFT [CUST: 11] | A 61GP | 11 | 31-JUL-96 | |
| | AFGS-87221A | AIRCRAFT STRUCTURES, GENERAL SPECIFICATION FOR [CUST: 11] | D 1510 | 11 | 08-JUN-90 | |
| | AFGS-87226A(1) | OXYGEN SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: 11] | D 1660 | 11 | 01-APR-92 | |
| | AFGS-87233A | SUPPORT SYSTEMS AND EQUIPMENT [CUST: 11] | D GDRQ | 11 | 05-APR-93 | |
| | AFGS-87235B(1) | EMERGENCY ESCAPE, AIRCRAFT [CUST: 11] | D 1510 | 11 | 30-JUL-93 | |
| A | AFGS-87237A NOT 1 | NAVIGATION EQUIPMENT, AIRBORNE [CUST: 11] | A 1510 | 11 | 31-JUL-96 | |
| | AFGS-87238 | SURVIVAL AND FLOTATION SYSTEMS, AIRBORNE [CUST: 11] [REVIEW: GS] | D 1680 | 11 | 12-JAN-88 | |
| | AFGS-87240A | LIGHTING EQUIPMENT, AIRBORNE, INTERIOR AND EXTERIOR [CUST: 11] | D 6220 | 11 | 31-DEC-87 | |
| A | AFGS-87241A NOT 1 | SIMULATORS, FLIGHT [CUST: 11] | A 6930 | 11 | 31-DEC-97 | |
| | AFGS-87242A(1) | FLIGHT CONTROL SYSTEM GENERAL SPECIFICATION FOR [CUST: AV AS 11] | A 6610 | 11 | 25-OCT-96 | |
| | AFGS-87249 | MECHANICAL EQUIPMENT AND SUBSYSTEMS, REQUIREMENTS FOR THE INTEGRITY OF [CUST: 11] | D GDRQ | 11 | 15-MAR-88 | |
| | AFGS-87256 | INTEGRATED DIAGNOSTICS [CUST: 11] | D GDRQ | 11 | 30-APR-91 | |
| | AFGS-87265 | TRAINING SYSTEMS [CUST: 11] | A 69GP | 11 | 30-SEP-92 | |
| | AFGS-87266 | AIRCRAFT COCKPIT TRANSPARENCY SYSTEM [CUST: 11] | D 15GP | 11 | 01-JUL-92 | |
| | AFGS-87267 | SUSTENANCE AND WASTE MANAGEMENT SYSTEMS, AIRBORNE [CUST: 11] | A 15GP | 11 | 13-NOV-92 | |
| | AFGS-87271 | ENGINES, UNMANNED AIR VEHICLE, AIRBREATHING GAS TURBINE, EXPENDABLE [CUST: AV AS 11] | D 2840 | 11 | 18-JUN-93 | |
| | JSGS-87231A | ENGINES, AIRCRAFT, TURBINE [CUST: AV AS 11] | A 2840 | 11 | 11-JAN-95 | |
| | NFGS-00102A | LIST OF DRAWINGS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-00103B | TABLE OF CONTENTS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-00200B | INSTRUCTIONS TO BIDDERS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-00201B | INSTRUCTIONS TO PROPOSERS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-00202A | EVALUATION FACTORS FOR AWARD [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-00451A | REPRESENTATIONS AND CERTIFICATIONS FOR CONTRACTING BY SEALED BIDS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-00452B | REPRESENTATIONS AND CERTIFICATIONS FOR CONTRACTING BY NEGOTIATION [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-00600A | BONDS AND CERTIFICATES [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-00710K | CONTRACT CLAUSES, FAR 52.202 THROUGH 52.228 [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-00711K | CONTRACT CLAUSES, FAR 52.229 THROUGH 52.252 [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-00720K | CONTRACT CLAUSES, FAR 52.202 THROUGH 52.228 (BY REFERENCE) [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-00721H | CONTRACT CLAUSES, FAR 52.229 THROUGH 52.252 (BY REFERENCE) [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-00740E | CONTACT CLAUSES FOR OVERSEAS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-00830C | DAVIS-BACON WAGE DETERMINATION [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-01011G | ADDITIONAL GENERAL PARAGRAPHS [CUST: YD3 04] [REVIEW: NA] | A FACR | YD3 | 31-MAR-93 | |
| | NFGS-01110D | SUMMARY OF WORK [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-01140C | WORK RESTRICTIONS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-01150A | SPECIAL PROJECT PROCEDURES [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-01200C | PRICE AND PAYMENT PROCEDURES [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-01320 | CONSTRUCTION PROGRESS DOCUMENTATION [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-01321A | NETWORK ANALYSIS SCHEDULES [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-01330B | SUBMITTAL PROCEDURES [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| A | NFGS-01420E | REFERENCES [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-01450E | QUALITY CONTROL [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-01500M | TEMPORARY FACILITIES AND CONTROLS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-01525B | SAFETY REQUIREMENTS [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| A | NFGS-01572 | WASTE MANAGEMENT [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-01575A | TEMPORARY ENVIRONMENTAL CONTROLS [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| A | NFGS-01580B | PROJECT IDENTIFICATION [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-01770D | CLOSEOUT PROCEDURES [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-01781B | OPERATION AND MAINTENANCE DATA [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-02115A | REMOVAL AND DISPOSAL OF UNDERGROUND STORAGE TANKS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-02231A | CLEARING AND GRUBBING [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-02301A | EARTHWORK FOR STRUCTURES AND PAVEMENTS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-02302B | EXCAVATION, BACKFILLING, AND COMPACTING FOR UTILITIES [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-02315B | EXCAVATION AND FILL [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-02325B | DREDGING [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-02395 | PRESTRESSED CONCRETE FENDER PILING [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-02396A | RESILIENT FOAM-FILLED MARINE FENDERS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-02397B | ARCH-TYPE RUBBER MARINE FENDERS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| A | NFGS-02398A | PIER TIMBERWORK [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-02441A | TRENCHLESS EXCAVATION USING MICROTUNNELING [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-02456C | PRESTRESSED CONCRETE PILES [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-02457B | STEEL SHEET PILES [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-02458C | TIMBER PILES [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-02459B | CAST-IN-PLACE CONCRETE PILES [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-02460B | STEEL H PILES [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| A | NFGS-02461C | WOOD MARINE PILES [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-02466A | PRESSURE-INJECTED FOOTINGS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-02467A | AUGER CAST GROUT PILES [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-02468A | DRILLED FOUNDATION CAISSONS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-02521A | WATER SUPPLY WELL [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-02530B | SANITARY SEWERAGE [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-02553A | EXTERIOR UNDERGROUND STEAM DISTRIBUTION [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
GUIDE SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-----------------|---|--------------------------|--------------------|-----------|
| NFGS-02556A | EXTERIOR BURIED PUMPED CONDENSATE RETURN [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02557A | EXTERIOR BURIED PREINSULATED WATER PIPING [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02581 | UTILITY POLES [CUST: YD3] | A FACR | YD3 | 30-SEP-96 |
| NFGS-02582 | ELECTRICAL MANHOLE AND HANDHOLE [CUST: YD3] | A FACR | YD3 | 30-SEP-96 |
| NFGS-02588A | CONCRETE POLES [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02630B | STORM DRAINAGE [CUST: YD3] | A FACR | YD3 | 31-MAR-97 |
| NFGS-02711A | BITUMINOUS CONCRETE BASE COURSE [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02712B | LEAN CONCRETE BASE COURSE [CUST: YD3] | A FACR | YD3 | 30-JUN-96 |
| NFGS-02714 | LIME TREATED SUBGRADE [LIME MODIFIED SOILS] [CUST: YD3] | A FACR | YD3 | 31-DEC-95 |
| NFGS-02721A | [BASE COURSE FOR RIGID] [AND SUBBASE COURSE FOR FLEXIBLE] PAVING [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02722A | GRADED CRUSHED AGGREGATE BASE COURSE FOR FLEXIBLE PAVEMENT [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02723A | SAND-CLAY [BASE] [SUBBASE] COURSE [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02741 | BITUMINOUS CONCRETE PAVEMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-95 |
| NFGS-02742A | HOT MIX BITUMINOUS PAVEMENT [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02743A | BITUMINOUS PRIME COAT [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02744A | BITUMINOUS TACK COAT [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02751A | REINFORCED CEMENT CONCRETE PAVEMENT FOR ROADS AND AIRFIELDS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02752B | REINFORCED CEMENT CONCRETE PAVEMENT FOR ROADS AND SITE FACILITIES [CUST: YD3] | A FACR | YD3 | 30-JUN-96 |
| NFGS-02761A | PAVEMENT MARKINGS [CUST: YD3] | A FACR | YD3 | 30-MAR-96 |
| NFGS-02762A | JOINTS, REINFORCEMENT, AND MOORING EYES IN CONCRETE PAVEMENTS [CUST: YD3] | A FACR | YD3 | 31-DEC-96 |
| NFGS-02785A | BITUMINOUS SEAL COAT [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02786 | FOG SEAL [CUST: YD3] | A FACR | YD3 | 31-DEC-95 |
| NFGS-02787A | SLURRY SEAL [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02788A | COAL TAR SEAL COAT WITH UNVULCANIZED RUBBER [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02789A | BITUMINOUS SURFACE TREATMENT [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02808B | REMOVAL AND DISPOSAL OF ASBESTOS MATERIALS [CUST: CE YD3 04] | A FACR | YD3 | 28-FEB-91 |
| NFGS-02811K | IRRIGATION SPRINKLER SYSTEMS [CUST: YD3] | A FACR | YD3 | 30-SEP-96 |
| NFGS-02821B | CHAIN LINK FENCES AND GATES [CUST: YD3] | A FACR | YD3 | 30-JUN-96 |
| NFGS-02841A | TRAFFIC BARRIERS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02870A | SITE AND STREET FURNISHINGS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 |
| NFGS-02921B | TURF [CUST: YD3] | A FACR | YD3 | 30-SEP-96 |
| NFGS-02935 | LANDSCAPE MAINTENANCE [CUST: YD3] | A FACR | YD3 | 30-SEP-96 |
| NFGS-02961A | COLD-MILLING OF BITUMINOUS PAVEMENT [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02976 | STRESS-ABSORBING MEMBRANE INTERLAYER [CUST: YD3] | A FACR | YD3 | 31-DEC-95 |
| NFGS-02981A | RUBBER AND PAINT REMOVAL FROM AIRFIELD PAVEMENTS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-02982 | RESEALING OF JOINTS IN RIGID PAVEMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-95 |
| NFGS-02983A | PARTIAL DEPTH PATCHING OF RIGID PAVEMENT [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-03100 | CONCRETE FORMS AND ACCESSORIES [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-03200A | CONCRETE REINFORCEMENT [CUST: YD3] | A FACR | YD3 | 30-JUN-96 |
| NFGS-03300N | CAST-IN-PLACE CONCRETE [CUST: YD3] | A FACR | YD3 | 31-DEC-96 |
| NFGS-03371A | SHOTCRETE [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-03410L | PLANT-PRECAST STRUCTURAL CONCRETE [CUST: YD3] | A FACR | YD3 | 30-JUN-96 |
| NFGS-03412N | PLANT-PRECAST PRESTRESSED STRUCTURAL CONCRETE [CUST: YD3] | A FACR | YD3 | 30-JUN-96 |
| NFGS-03450A | PLANT-PRECAST ARCHITECTURAL CONCRETE [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-03520A | LIGHTWEIGHT CONCRETE ROOF INSULATION [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-03930A | CONCRETE REHABILITATION [CUST: YD3] | A FACR | YD3 | 30-JUN-96 |
| NFGS-04200R | UNIT MASONRY [CUST: YD3] | A FACR | YD3 | 30-SEP-96 |
| NFGS-04230R | REINFORCED MASONRY [CUST: YD3] | A FACR | YD3 | 31-DEC-96 |
| NFGS-04250J | GLAZED STRUCTURAL CLAY TILE AND PREFACED CONCRETE MASONRY UNITS [CUST: YD3] | A FACR | YD3 | 31-DEC-96 |
| NFGS-04270H | GLASS UNIT MASONRY [CUST: YD3] | A FACR | YD3 | 30-SEP-95 |
| A NFGS-05120V | STRUCTURAL STEEL [CUST: YD3] | A FACR | YD3 | 30-JUN-97 |
| NFGS-05210L | STEEL JOISTS [AND JOISTS GIRDERS] [CUST: YD3] | A FACR | YD3 | 30-JUN-96 |
| NFGS-05310H | STEEL DECKS [CUST: YD3] | A FACR | YD3 | 30-SEP-95 |
| NFGS-05400M | COLD-FORMED METAL FRAMING [CUST: YD3] | A FACR | YD3 | 30-JUN-96 |
| NFGS-05500R | METAL FABRICATIONS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 |
| NFGS-05650A | RAILROAD TRACK AND ACCESSORIES [CUST: YD3] | A FACR | YD3 | 31-MAR-96 |
| NFGS-05652 | WELDING CRANE AND RAILROAD RAIL - THERMITE METHOD [CUST: YD3] | A FACR | YD3 | 31-DEC-95 |
| NFGS-06100W | ROUGH CARPENTRY [CUST: YD3] | A FACR | YD3 | 30-SEP-96 |
| NFGS-06200K | FINISH CARPENTRY [CUST: YD3] | A FACR | YD3 | 30-SEP-96 |
| A NFGS-07112B | BITUMINOUS DAMPROOFING [CUST: YD3] | A FACR | YD3 | 30-JUN-97 |
| NFGS-07119B | MEMBRANE WATERPROOFING [CUST: CE YD3 04] | A FACR | YD3 | 28-FEB-91 |
| NFGS-07121 | BUILT-UP BITUMINOUS WATERPROOFING [CUST: YD3] | A FACR | YD3 | 31-DEC-95 |
| NFGS-07132 | ELASTOMERIC SHEET WATERPROOFING [CUST: YD3] | A FACR | YD3 | 31-DEC-95 |
| NFGS-07141 | FLUID-APPLIED WATERPROOFING [CUST: YD3] | A FACR | YD3 | 31-DEC-95 |
| NFGS-07161 | METALLIC OXIDE WATERPROOFING [CUST: YD3] | A FACR | YD3 | 31-DEC-95 |
| NFGS-07170 | BENTONITE WATERPROOFING [CUST: YD3] | A FACR | YD3 | 31-DEC-95 |
| NFGS-07190 | WATER REPELLENTS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 |
| NFGS-07212E | MINERAL FIBER BLANKET INSULATION [CUST: YD3] | A FACR | YD3 | 31-MAR-97 |
| NFGS-07214D | BOARD AND BLOCK INSULATION [CUST: YD3] | A FACR | YD3 | 31-MAR-97 |
| NFGS-07216J | LOOSE FILL THERMAL INSULATION [CUST: YD3] | A FACR | YD3 | 31-MAR-97 |
| NFGS-07218E | SPRAY APPLIED CELLULOSE INSULATION [CUST: YD3] | A FACR | YD3 | 31-DEC-96 |
| NFGS-07220N | ROOF AND DECK INSULATION [CUST: YD3] | A FACR | YD3 | 31-MAR-97 |
| NFGS-07221C | THERMAL & MOISTURE PROTECTION, SECTION 07221, MASONRY WALL INSULATION [CUST: CE YD3 04] | A FACR | YD3 | 28-FEB-91 |
| NFGS-07230A | THERMAL & MOISTURE PROTECTION, SECTION 07230, PERIMETER AND UNDER-SLAB INSULATION [CUST: CE YD3 04] | A FACR | YD3 | 28-FEB-91 |

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|---|--------------------------|-----|-------------|------|
| NFGS-07232C | THERMAL & MOISTURE PROTECTION, SECTION 07232, CEILING, WALL, AND FLOOR INSULATION [CUST: CE YD3 04] | A FACR | YD3 | 28-FEB-91 | |
| NFGS-07240F | EXTERIOR INSULATION AND FINISH SYSTEMS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-07311D | ASPHALT SHINGLES [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| NFGS-07320D | ROOFING TILES [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-07410K | METAL ROOF AND WALL PANELS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-07511M | BUILT-UP ASPHALT ROOFING (AGGREGATE SURFACED) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-07512M | BUILT-UP ASPHALT ROOFING (SMOOTH SURFACED) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-07513M | BUILT-UP ASPHALT ROOFING (MINERAL SURFACED) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-07531K | CHLOROSULFONATED POLYETHYLENE ROOFING (CSPE) [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-07532L | POLYISOBUTYLENE (PIB) ROOFING [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-07536A | ETHYLENE PROPYLENE DIENE MONOMER (EPDM) ROOFING [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-07541A | POLYVINYL CHLORIDE (PVC) ROOFING [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-07542A | THERMOPLASTIC ALLOY (TPA) ROOFING [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-07550B | MODIFIED BITUMINOUS MEMBRANE ROOFING [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-07571A | FOAMED ROOFING [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-07572A | COATINGS FOR FOAMED ROOFING [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-07580A | ROLL ROOFING [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-07600L | FLASHING AND SHEET METAL [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-07611A | STEEL STANDING SEAM ROOFING [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| NFGS-07612A | ALUMINUM STANDING SEAM ROOFING [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| NFGS-07810A | SPRAY-APPLIED FIREPROOFING [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-07840A | FIRESTOPPING [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-07920G | SEALANTS [CUST: YD3] | A FACR | YD3 | 30-SEP-95 | |
| NFGS-08110K | STEEL DOORS AND FRAMES [CUST: YD3] | A FACR | YD3 | 30-SEP-95 | |
| NFGS-08120E | ALUMINUM DOORS AND FRAMES [CUST: YD3] | A FACR | YD3 | 31-MAR-95 | |
| NFGS-08161A | ALUMINUM SLIDING GLASS DOORS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-08162A | SLIDING FIRE DOORS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-08181A | METAL STORM DOORS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| A NFGS-08210K | WOOD DOORS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-08331G | ROLLING SERVICE (AND FIRE) DOORS [CUST: YD3] | A FACR | YD3 | 30-SEP-95 | |
| NFGS-08342B | STEEL SLIDING HANGAR DOORS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-08361A | SECTIONAL OVERHEAD DOORS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-08370A | VERTICAL LIFT DOORS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-08510H | STEEL WINDOWS [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| A NFGS-08520L | ALUMINUM WINDOWS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| A NFGS-08550A | WOOD WINDOWS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| A NFGS-08560B | PLASTIC WINDOWS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-08581A | BLAST RESISTANT TEMPERED GLASS WINDOWS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-08582A | ALUMINUM STORM WINDOWS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-08710K | FINISH HARDWARE [CUST: YD3] | A FACR | YD3 | 31-MAR-95 | |
| NFGS-08745A | ELECTRICAL LOCKING CONTROL FOR BRIGS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-08800L | GLAZING [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| A NFGS-08900L | GLAZED CURTAIN WALL [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-09100H | METAL SUPPORT ASSEMBLIES [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-09205A | FURRING AND LATHING [CUST: YD3] | A FACR | YD3 | 30-SEP-95 | |
| NFGS-09212G | PLASTER AND STUCCO [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-09215H | VENEER PLASTER [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| A NFGS-09250K | GYPSUM BOARD [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-09310H | CERAMIC TILE, QUARRY TILE, AND PAVER TILE [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| A NFGS-09331J | CHEMICAL-RESISTANT QUARRY TILE [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-09410B | PORTLAND CEMENT TERRAZZO [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-09510A | ACOUSTICAL CEILINGS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-09641A | WOOD ATHLETIC FLOORING [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-09643A | PORTABLE (DEMOUNTABLE) WOOD FLOORING [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-09645 | WOOD PARQUET FLOORING [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| A NFGS-09651A | RESILIENT TILE FLOORING [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| A NFGS-09655A | RESILIENT SHEET FLOORING [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| A NFGS-09656A | RESILIENT SHEET FLOORING (INSTITUTIONAL) [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-09670K | FLUID-APPLIED FLOORING [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| NFGS-09680K | CARPET [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| NFGS-09685B | CARPET TILE [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| NFGS-09721A | VINYL COATED FABRIC WALL COVERING [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-09900J | PAINTS AND COATINGS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-09963A | HIGH-BUILD GLAZE COATINGS [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| NFGS-09965A | METALLIC TYPE CONDUCTIVE/SPARK RESISTANT CONCRETE FLOOR FINISH [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-09967A | COATING OF STEEL WATERFRONT STRUCTURES [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-09970B | INTERIOR COATINGS FOR WELDED STEEL TANKS (FOR PETROLEUM FUELS) [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-09971A | EXTERIOR COATING SYSTEM FOR WELDED STEEL PETROLEUM STORAGE TANKS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-09973A | INTERIOR COATING SYSTEM FOR WELDED STEEL PETROLEUM STORAGE TANKS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-09974A | PROTECTION OF BURIED STEEL PIPING AND STEEL BULKHEAD TIE RODS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-09980A | INTERIOR LINING FOR CONCRETE STORAGE TANKS (FOR PETROLEUM FUELS) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-09981A | LINSEED OIL PROTECTION OF CONCRETE SURFACES [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-10153B | TOILET PARTITIONS [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-10191 | CUBICLE TRACK AND HARDWARE [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
GUIDE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|-----------------|---|--------------------------|-----|-------------|------|
| A | NFGS-10201K | METAL [WALL] [AND] [DOOR] LOUVERS [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-10260H | WALL AND CORNER GUARDS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-10270N | ACCESS FLOORING [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-10400A | IDENTIFICATION DEVICES [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-10505E | STEEL CLOTHING LOCKERS [CUST: YD3] | A FACR | YD3 | 30-SEP-95 | |
| | NFGS-10605F | WIRE MESH PARTITIONS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-10652E | OPERABLE PANEL PARTITIONS [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-10655L | ACCORDION FOLDING PARTITIONS [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-10675D | STEEL SHELVING [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-10800G | TOILET AND BATH ACCESSORIES [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-11020A | SECURITY VAULT DOOR [AND DAY GATE] [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-11161K | DOCK LEVELERS [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| A | NFGS-11171G | PACKAGED INCINERATORS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-11191G | DETENTION AND SECURITY WINDOWS [CUST: YD3] | A FACR | YD3 | 30-SEP-95 | |
| | NFGS-11192G | DETENTION AND SECURITY GLAZING [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-11193H | DETENTION ON HOLLOW METAL FRAMES, DOORS, AND DOOR FRAMES [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-11194G | DETENTION HARDWARE [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-11195F | DETENTION FURNITURE AND ACCESSORIES [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-11311 | PARALLEL PLATE [OR VERTICAL TUBE] OIL-WATER SEPARATOR [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-11312 | PACKAGE LIFT STATIONS [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-11320J | GRIT COLLECTING EQUIPMENT [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-11331 | COMMINUTOR [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-11332A | MECHANICALLY CLEANED BAR RACKS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-11336H | RECTANGULAR CHAIN-AND-FLIGHT CLARIFIER [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-11337H | RECTANGULAR RECIPROCATING TRAVELING-BRIDGE CLARIFIER [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-11338M | CIRCULAR CLARIFIER [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-11365G | TRICKLING FILTER EQUIPMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-11375B | AERATION EQUIPMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-11400L | FOOD SERVICE EQUIPMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-11401J | ELECTRIC KITCHEN EQUIPMENT [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-11475 | RADIOGRAPHIC DARKROOM EQUIPMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-11501 | INDUSTRIAL VENTILATION AND EXHAUST [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-11502 | TESTING INDUSTRIAL VENTILATION SYSTEMS [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-11601L | LABORATORY EQUIPMENT AND FUMEHOODS [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-11613J | STILLS AND ASSOCIATED EQUIPMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-11700H | GENERAL REQUIREMENTS FOR MEDICAL AND DENTAL EQUIPMENT [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-11702H | MEDICAL EQUIPMENT, MISCELLANEOUS [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-11704G | [CASEWORK] [AND] [MATERIAL HANDLING UNITS] IN MEDICAL FACILITIES [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-11706 | HYDROTHERAPY EQUIPMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-11707 | HOSPITAL AND LABORATORY WASHING EQUIPMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-11708 | INSTALLATION OF GOVERNMENT-FURNISHED MEDICAL EQUIPMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-11712 | STERILIZERS AND ASSOCIATED EQUIPMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-11744K | DENTAL EQUIPMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-12301A | MANUFACTURED VANITIES [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-12302A | WARDROBE STORAGE CABINETS (THREE DRAWER) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-12303A | WARDROBES [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-12351 | MEDICAL AND DENTAL CASEWORK [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-12352A | RESIDENTIAL CASEWORK [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-12490 | BLINDS, VENETIANS (AND AUDIO VISUAL) [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-12491A | CURTAINS AND DRAPES [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-12601A | THEATER SEATING [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-13034L | PREFABRICATED AUDIOMETRIC ROOMS [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-13038J | COLD-STORAGE ROOMS (PREFABRICATED PANEL TYPE) [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-13092J | X-RAY SHIELDING [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-13093J | RADIO FREQUENCY SHIELDED ENCLOSURES, DEMOUNTABLE TYPE [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-13094H | RADIO FREQUENCY SHIELDED ENCLOSURES, WELDED TYPE [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-13095F | HEMP SHIELDED DOOR [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-13100A | LIGHTNING PROTECTION SYSTEM [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-13110A | CATHODIC PROTECTION BY GALVANIC ANODES [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-13111A | CATHODIC PROTECTION BY IMPRESSED CURRENT [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-13112 | CATHODIC PROTECTION SYSTEM (STEEL WATER TANKS) [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-13121R | PREENGINEERED METAL BUILDINGS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-13205G | STEEL TANKS WITH FIXED ROOFS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-13208E | WIRE-WOUND CIRCULAR PRESTRESSED-CONCRETE WATER TANK [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-13209T | WATER STORAGE TANKS [CUST: YD3] | A FACR | YD3 | 30-SEP-95 | |
| A | NFGS-13216F | UNDERGROUND PETROLEUM TANKS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-13217M | FIBERGLASS-PLASTIC LINING FOR STEEL TANKS BOTTOMS (FOR PETROLEUM) [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| A | NFGS-13219K | CLEANING PETROLEUM STORAGE TANKS [CUST: YD3] | A FACR | YD3 | 30-JUN-95 | |
| | NFGS-13281C | ENGINEERING CONTROL OF ASBESTOS CONTAINING MATERIALS [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| A | NFGS-13282 | REMOVAL AND DISPOSAL OF MATERIAL CONTAINING LEAD [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-13283A | REMOVAL AND DISPOSAL OF LEAD-CONTAINING PAINT [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-13284B | REMOVAL AND DISPOSAL OF POLYCHLORINATED BIPHENYLS (PCBS) [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-13285 | REMOVAL AND DISPOSAL OF PCB CONTAMINATED SOILS [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-13286A | REMOVAL AND DISPOSAL OF PCB CONTAINING LIGHTING BALLASTS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-13401 | FLOW MEASURING EQUIPMENT [POTABLE WATER] [SEWAGE TREATMENT PLANT] [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|--|--------------------------|-----|-------------|------|
| NFGS-13610L | SOLAR LIQUID FLAT PLATE COLLECTORS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-13702A | BASIC INTRUSION DETECTION SYSTEMS (IDS) [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-13703A | COMMERCIAL INTRUSION DETECTION SYSTEMS (IDS) [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-13798A | DURESS SIGNAL SYSTEM [FOR BRIG FACILITIES] [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-13799A | WATCHTOWER SYSTEM [FOR BRIG FACILITIES] [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-13851A | EXTERIOR FIRE ALARM SYSTEM, CLOSED CIRCUIT TELEGRAPHIC TYPE [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-13852A | INTERIOR FIRE AND ALARM SYSTEM [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-13853A | FIRE ALARM SYSTEM, RADIO TYPE [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-13920A | FIRE PUMPS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-13930A | WE-PIPE FIRE SUPPRESSION SPRINKLERS [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| NFGS-13931 | FIRE EXTINGUISHING SPRINKLER SYSTEMS (RESIDENTIAL) [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-13935A | DRY-PIPE FIRE SUPPRESSION SPRINKLER [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| NFGS-13945A | [DELUGE] [PREACTION] FIRE SUPPRESSION SPRINKLERS [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| NFGS-13956A | FOAM FIRE EXTINGUISHING FOR AIRCRAFT HANGARS [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-13957A | FOAM FIRE EXTINGUISHING FOR FUEL TANK PROTECTION [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-13958A | FOAM FIRE EXTINGUISHING FOR HAZ/FLAM MATERIAL FACILITY [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-13961A | CARBON DIOXIDE FIRE EXTINGUISHING (HIGH PRESSURE) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-13962 | CARBON DIOXIDE FIRE EXTINGUISHING (LOW PRESSURE) [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| NFGS-13966A | HALON 1301 FIRE EXTINGUISHING [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-13971A | DRY CHEMICAL FIRE EXTINGUISHING FOR KITCHEN CABINET [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-14210A | ELECTRIC TRACTION ELEVATORS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-14240A | HYDRAULIC ELEVATORS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-14534 | MONORAILS WITH MANUAL HOIST [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| NFGS-14535 | MONORAILS WITH AIR MOTORED POWERED HOIST [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| NFGS-14606H | PORTAL CRANE TRACK INSTALLATION [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| NFGS-14622C | MONORAILS WITH ELECTRIC POWERED HOISTS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-14636M | CRANES, OVERHEAD ELECTRIC, TOP RUNNING (UNDER 20,000 POUNDS) [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-14637R | CRANES, OVERHEAD ELECTRIC, UNDERRUNNING (UNDER 20,000 POUNDS) [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-15050A | BASIC MECHANICAL MATERIALS AND METHODS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15070B | MECHANICAL SOUND, VIBRATION, AND SEISMIC CONTROL [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-15080C | MECHANICAL INSULATION [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-15081B | EXTERIOR PIPING INSULATION [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-15181D | CHILLED, CONDENSER, OR DUAL SERVICE WATER PIPING [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-15182C | REFRIGERANT PIPING [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-15183A | STEAM SYSTEM AND TERMINAL UNITS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15184A | [HIGH] [MEDIUM] TEMPERATURE WATER SYSTEM WITHIN BUILDINGS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-15185A | LOW TEMPERATURE WATER [LTW] HEATING SYSTEM [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| NFGS-15191A | FIBERGLASS REINFORCED PLASTIC (FRP) PIPING (FOR PETROLEUM) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15192A | FUEL OIL PIPING [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| NFGS-15193C | GASOLINE/DIESEL DISPENSING SYSTEMS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-15194B | AVIATION FUEL DISTRIBUTION AND DISPENSING [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-15195A | NATURAL GAS AND LIQUID PETROLEUM PIPING [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-15211A | LOW PRESSURE COMPRESSED AIR PIPING (NON-BREATHING AIR TYPE) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15212A | HIGH AND MEDIUM PRESSURE COMPRESSED AIR PIPING [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15213A | LARGE CENTRIFUGAL AIR COMPRESSORS (OVER 200 HP) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15214A | LARGE NONLUBRICATED RECIPROCATING AIR COMPRESSORS (OVER 300 HP) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15215A | NONLUBRICATED ROTARY SCREW AIR COMPRESSORS (100 HP AND LARGER) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15216A | WELDING PRESSURE PIPING [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15217A | MEDICAL GAS AND VACUUM PIPING [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| NFGS-15365K | HALON 1301 FIRE EXTINGUISHING SYSTEM [CUST: YD3] | A FACR | YD3 | 31-MAR-95 | |
| NFGS-15400U | PLUMBING SYSTEMS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-15502B | STEAM HEATING PLANT WATERTUBE (FIELD ERECTED) COAL/OIL OR COAL [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-15514A | LOW PRESSURE WATER HEATING BOILERS (UNDER 800,000 BTU/HR OUTPUT) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15515A | LOW PRESSURE WATER HEATING BOILERS (OVER 800,000 BTU/HR OUTPUT) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15516A | STEAM BOILERS AND EQUIPMENT (500,000 - 18,000,000 BTU/HR) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15517A | STEAM BOILERS AND EQUIPMENT (18,000,000 - 60,000,000 BTU/HR) [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15532A | WARM AIR HEATING SYSTEMS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-15601B | CENTRAL REFRIGERATION EQUIPMENT FOR AIR CONDITIONING [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-15602B | REFRIGERATION EQUIPMENT FOR COLD STORAGE [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-15720A | AIR HANDLING UNITS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-15721A | EVAPORATIVE COOLING SYSTEM [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-15730B | UNITARY AIR CONDITIONING EQUIPMENT [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-15760A | TERMINAL HEATING AND COOLING UNITS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| NFGS-15768 | ELECTRIC SPACE HEATING EQUIPMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| NFGS-15801A | INDUSTRIAL VENTILATION AND EXHAUST [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-15810B | DUCTWORK AND DUCTWORK ACCESSORIES [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-15861A | MECHANICAL CYCLONE DUST COLLECTOR OR FLUE GAS PARTICULATES [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15862A | ELECTROSTATIC DUST COLLECTOR OF FLUE GAS PARTICULATES [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15863A | FABRIC FILTER DUST COLLECTOR OF FLYASH PARTICLES IN FLUE GAS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| NFGS-15864A | DUST AND GAS COLLECTOR, DRY SCRUBBER AND FABRIC FILTER TYPE [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-15901B | SPACE TEMPERATURE CONTROL SYSTEMS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-15910C | DIRECT DIGITAL CONTROL SYSTEMS [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| NFGS-15950B | HVAC TESTING/ADJUSTING/BALANCING [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-15951A | TESTING INDUSTRIAL VENTILATION SYSTEM [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| NFGS-16050B | BASIC ELECTRICAL MATERIALS AND METHODS [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
GUIDE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------|---|--------------------------|-----|-------------|------|
| A | NFGS-16060 | GROUNDING AND BONDING [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-16081 | APPARATUS INSPECTION AND TESTING [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-16130 | UNDERFLOOR RACEWAY SYSTEM [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-16145B | 480 V PIER POWER OUTLET ASSEMBLIES [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-16230C | DIESEL-ELECTRIC GENERATORS (DESIGN 1) 500 TO 2,500 KW - PRIME DUTY [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-16231C | DIESEL-ELECTRIC GENERATORS (DESIGN 2) 2,501 KW OR LARGER - PRIME DUTY [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-16232C | STANDBY DIESEL-ELECTRIC GENERATORS (DESIGN 3) 301 TO 1,000 KW [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-16233C | STANDBY DIESEL-ELECTRIC GENERATORS (DESIGN 4) 1,001 KW OR LARGER [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-16234A | DIESEL ENGINE-GENERATOR SETS - PRIME AND STANDBY - 10 TO 500 KW [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-16236 | MOTOR-GENERATOR SETS, 400 HERTZ (HZ) [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-16237 | SINGLE OPERATION GENERATOR SETS [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| A | NFGS-16261 | VARIABLE FREQUENCY DRIVE SYSTEMS UNDER 600 VOLTS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-16268A | 400-HERTZ (HZ) SOLID STATE FREQUENCY CONVERTER [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| A | NFGS-16272D | THREE-PHASE PAD-MOUNTED TRANSFORMERS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| A | NFGS-16273B | SINGLE-PHASE PAD-MOUNTED TRANSFORMERS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-16280A | RADIO FREQUENCY INTERFERENCE POWER LINE FILTERS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-16341 | PAD-MOUNTED SF6 INSULATED INTERRUPTER SWITCHES [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| A | NFGS-16360B | SECONDARY UNIT SUBSTATIONS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-16361 | PRIMARY UNIT SUBSTATION [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-16402R | INTERIOR DISTRIBUTION SYSTEM [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-16407B | MARINA ELECTRICAL WORK [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-16410B | AUTOMATIC TRANSFER [AND BYPASS/ISOLATION] SWITCHES [CUST: YD3] | A FACR | YD3 | 31-DEC-96 | |
| | NFGS-16510M | INTERIOR LIGHTING [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-16520A | EXTERIOR LIGHTING [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-16522B | AIRFIELD LIGHTING [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-16553A | SURGICAL LIGHTING FIXTURES [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-16710C | STRUCTURED TELECOMMUNICATIONS CABLING AND PATHWAY SYSTEM [CUST: YD] | A FACR | YD | 31-MAR-97 | |
| | NFGS-16711 | FIBER OPTICS DATA TRANSMISSION FOR INTERIOR SYSTEM [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-16712 | FIBER OPTICS DATA TRANSMISSION FOR EXTERIOR SYSTEM [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-16720 | TELEPHONE DISTRIBUTION SYSTEM, INSIDE PLANT [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-16725A | NURSE CALL SYSTEM [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-16782K | [MASTER] [COMMUNITY] ANTENNA TELEVISION SYSTEM [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-16822A | INTERCOMMUNICATION SYSTEM [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-M-1119 | WATCHTOWER SYSTEM [FOR BRIG FACILITIES] [CUST: YD3] | A FACR | YD3 | 30-SEP-93 | |
| | NFGS-M-01370 | PROGRESS SCHEDULES [CUST: YD3] | A FACR | YD3 | 31-MAR-93 | |
| | NFGS-M-1555 | LOW PRESSURE WATER HEATING BOILERS (UNDER 800,000 BTU/HR OUTPUT) [CUST: YD3] | A FACR | YD3 | 30-JUN-93 | |
| | NFGS-M-1627 | COMMERCIAL INTRUSION DETECTION SYSTEMS (IDS) [CUST: YD3] | A FACR | YD3 | 30-JUN-93 | |
| | NFGS-M-02261 | EXTERIOR WATER DISTRIBUTION SYSTEM (MINOR CONSTRUCTION) [CUST: YD3] | A FACR | YD3 | 30-SEP-93 | |
| | NFGS-M-09872A | INTERIOR COATINGS FOR WELDED STEEL TANKS (FOR PETROLEUM FUELS) [CUST: YD3] | A FACR | YD3 | 30-JUN-94 | |
| | NFGS-M-15322 | REFRIGERANT PIPING [CUST: YD3] | A FACR | YD3 | 31-MAR-93 | |
| | NFGS-M-15358A NOT 1 | AFFF FIRE EXTINGUISHING SYSTEM FOR HAZ/FLAM MATERIAL FACILITY (S/S BY NFGS-15358) [CUST: YD3] | A FACR | YD3 | 07-JUL-95 | |
| | NFGS-M-15554B | STEAM HEATING PLANT WATERTUBE (FIELD ERECTED) COAL/OIL OR COAL [CUST: YD3] | A FACR | YD3 | 30-SEP-94 | |
| | NFGS-SF-01330 | SUBMITTAL PROCEDURES [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-SF-01420B | REFERENCES [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| | NFGS-SF-01450A | QUALITY CONTROL [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-SF-01781 | OPERATION AND MAINTENANCE DATA [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-SF-02220 | SITE DEMOLITION [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-SF-02231 | CLEARING AND GRUBBING [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-SF-02315 | EXCAVATION AND FILL [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-SF-02530A | SANITARY SEWERAGE [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-SF-02631 | STORM DRAINAGE [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-SF-02741 | BITUMINOUS CONCRETE PAVEMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-SF-02821A | CHAIN LINK FENCES AND GATES [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-SF-03300B | CAST-IN PLACE CONCRETE SHORT FORM [CUST: YD3] | A FACR | YD3 | 30-JUN-95 | |
| | NFGS-SF-03410D | PLANT-PRECAST STRUCTURAL CONCRETE [CUST: YD3] | A FACR | YD3 | 31-MAR-97 | |
| | NFGS-SF-04200C | UNIT MASONRY [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-SF-05210A | STEEL JOISTS [CUST: YD3] | A FACR | YD3 | 30-JUN-95 | |
| | NFGS-SF-05310C | STEEL DECKS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-SF-05400A | COLD-FORMED METAL FRAMING [CUST: YD3] | A FACR | YD3 | 30-JUN-95 | |
| | NFGS-SF-05500D | METAL FABRICATIONS [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-SF-06100E | ROUGH CARPENTRY [CUST: YD3] | A FACR | YD3 | 30-SEP-96 | |
| A | NFGS-SF-06200B | FINISH CARPENTRY [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| A | NFGS-SF-07220C | ROOF AND DECK INSULATION [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| A | NFGS-SF-07511C | BUILT-UP ASPHALT ROOFING (AGGREGATE SURFACED) [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| A | NFGS-SF-07600B | FLASHING AND SHEET METAL [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| A | NFGS-SF-07920C | JOINT SEALANTS [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| A | NFGS-SF-08800C | GLAZING [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| A | NFGS-SF-09250C | GYPSUM BOARD [CUST: YD3] | A FACR | YD3 | 30-JUN-97 | |
| | NFGS-SF-09650A | RESILIENT FLOORING [CUST: YD3] | A FACR | YD3 | 30-JUN-95 | |
| | NFGS-SF-13102 | LIGHTNING PROTECTION SYSTEM [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-SF-13855 | SMOKE ALARM [AND SMOKE DETECTION] SYSTEMS [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-SF-15400B | PLUMBING SYSTEMS [CUST: YD3] | A FACR | YD3 | 31-MAR-96 | |
| | NFGS-SF-15600A | DIRECT EXPANSION REFRIGERATION SYSTEM [CUST: YD3] | A FACR | YD3 | 30-JUN-96 | |
| | NFGS-SF-15710 | HEAT TRANSFER EQUIPMENT [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |
| | NFGS-SF-15720 | AIR HANDLING UNITS [CUST: YD3] | A FACR | YD3 | 31-DEC-95 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
GUIDE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|-----------------|---|--------------|------|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| | NFGS-SF-15810A | DUCTWORK AND DUCTWORK ACCESSORIES [CUST: YD3] | A | FACR | YD3 | 31-MAR-96 |
| | NFGS-SF-15915 | SPACE TEMPERATURE CONTROL SYSTEMS [CUST: YD3] | A | FACR | YD3 | 31-DEC-95 |
| | NFGS-SF-15950 | TESTING/ADJUSTING/BALANCING FOR SMALL HVAC SYSTEM [CUST: YD3] | A | FACR | YD3 | 31-DEC-95 |
| | NFGS-SF-16110 | INTERIOR ELECTRICAL WORK [CUST: YD3] | A | FACR | YD3 | 31-DEC-95 |
| | NFGS-SF-16235 | DIESEL ENGINE-GENERATOR SETS - STANDBY - 10 TO 500 KW [CUST: YD3] | A | FACR | YD3 | 31-DEC-95 |
| | NFGS-SF-16400F | SERVICE AND DISTRIBUTION [CUST: YD3] | A | FACR | YD3 | 30-SEP-96 |
| A | NFGS-SF-16401D | OVERHEAD ELECTRICAL WORK - LOW VOLTAGE [CUST: YD3] | A | FACR | YD3 | 30-JUN-97 |
| A | NFGS-SF-16403C | UNDERGROUND ELECTRICAL WORK - LOW VOLTAGE [CUST: YD3] | A | FACR | YD3 | 30-JUN-97 |
| | NFGS-SF-16512 | INTERIOR LIGHTING [CUST: YD3] | A | FACR | YD3 | 31-DEC-95 |
| | NFGS-SF-16524 | EXTERIOR LIGHTING [CUST: YD3] | A | FACR | YD3 | 31-DEC-95 |
| | NFGS-SF-16723 | INTERIOR TELEPHONE SYSTEM [CUST: YD3] | A | FACR | YD3 | 31-DEC-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
AIR FORCE - NAVY AERONAUTICAL DOCUMENTS

| Last Action | Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-------------|---------------------|---|--------------------------|-----|-------------|-----------|
| | AN3THRUAN20 REV 12 | BOLT - MACHINE, AIRCRAFT [CUST: AV AS 99 IS] [REVIEW: MI] | A 5306 | IS | | 14-JAN-91 |
| | AN21THRUAN37 REV 11 | BOLT - CLEVIS [CUST: AV 99 IS] | A 5306 | IS | | 22-MAR-96 |
| | AN42THRUAN49 REV 6 | BOLT, EYE [CUST: AV AS 99 IS] [REVIEW: CR4 MI] | A 5306 | IS | | 04-AUG-82 |
| | AN229 REV 5 | FASTENER - INTERLOCKING SLIDE [CUST: AV AS 99] [REVIEW: MI] | A 5325 | IS | | 15-AUG-68 |
| | AN231 REV 4 | GROMMET & DRAINAGE, PLASTIC [CUST: AV AS 99 IS] | A 5325 | IS | | 14-JUL-69 |
| | AN256 REV 5 NOT 1 | NUT - SELF LOCKING, PLATE, RIGHT ANGLE, 250 DEG. F [CUST: AV AS 99 IS] [REVIEW: 82 EC MI] | A 5310 | IS | | 10-JUN-94 |
| | AN315 REV J | NUT, PLAIN, AIRFRAME [CUST: AV AS 99] [REVIEW: AT MI] | A 5310 | IS | | 29-DEC-72 |
| | AN316 REV 11 | NUT, JAM, HEXAGON [CUST: AV AS 99] | A 5310 | IS | | 25-FEB-91 |
| | AN320 REV 14 | NUT, PLAIN, CASTELLATED, SHEAR [CUST: AV AS 99 IS] [REVIEW: 82 AR] | A 5310 | IS | | 20-AUG-96 |
| | AN490 REV 8 | ROD END & THREADED, AIRCRAFT [CUST: AV AS 99] [REVIEW: IS] | A 5340 | AS | | 12-OCT-70 |
| | AN500 REV 7 | SCREW, MACHINE, FILLISTER HEAD, COARSE THREAD [CUST: AS 69] | A MISC | IS | | 12-NOV-80 |
| | AN501 REV 6 | SCREW, MACHINE, FILLISTER HEAD, FINE THREAD [CUST: 69 IS] | A 5306 | IS | | 12-AUG-59 |
| A | AN505 REV 7 | SCREW, MACHINE, FLAT HEAD, 82 DEGREE, COARSE THREAD [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5305 | IS | | 11-SEP-97 |
| | AN508 REV A NOT 2 | SCREW, ROUND HEAD MACHINE, (FOR ELECTRICAL USE) [CUST: AV 99 IS] [REVIEW: 82 CR MI] | A 5305 | IS | | 31-OCT-95 |
| A | AN510 REV 6(1) | SCREW, MACHINE, FLAT HEAD, 82 DEGREE, FINE THREAD [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5305 | IS | | 29-SEP-97 |
| | AN525 REV 2(1) | SCREW - WASHER HEAD [CUST: AV AS 99 IS] | A 5305 | IS | | 20-MAY-96 |
| | AN735 REV 5 NOT 1 | CLAMP, LOOP TYPE BONDING [CUST: AS 99] [REVIEW: IS MI] | A 5340 | AS | | 28-MAY-93 |
| | AN743 REV 7 | BRACKET, SUPPORT CLAMP [CUST: AS] | A 5340 | AS | | 16-AUG-82 |
| | AN774 REV 7 | BOLT FLARED TUBE FITTING END UNIVERSAL [CUST: AV AS 99] [REVIEW: 82] | A 4730 | CC | | 04-AUG-83 |
| A | AN775 REV 13 | BOLT, FLUID PASSAGE [CUST: 99 CC] [REVIEW: 82 AS AV] | A 4730 | CC | | 16-MAR-94 |
| | AN776 REV 9 | CONNECTOR, MULTIPLE FLUID PRESSURE LINE 90 DEG. [CUST: AV AS 99] [REVIEW: 82 MI] | A 4730 | CC | | 10-FEB-88 |
| | AN777 REV 10 | CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 75 DEG. [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | | 16-MAR-94 |
| | AN778 REV J | CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 45 DEG. [CUST: AV AS 99] [REVIEW: 82] | A 4730 | CC | | 10-FEB-88 |
| | AN779 REV 6 | CONNECTOR, MULTIPLE FLUID PRESSURE LINE, STRAIGHT [CUST: 99] [REVIEW: 82] | A 4730 | CC | | 10-FEB-88 |
| | AN780 REV 6 | NIPPLE, UNION [CUST: AV AS 99] | A 4730 | CC | | 23-JUL-56 |
| | AN783 REV J | TEE, FLARED TUBE INTERNAL THREAD ON SIDE [CUST: AV AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 10-FEB-88 |
| | AN784 REV L | TEE, FLARED TUBE, INTERNAL THREAD ON RUN [CUST: AV AS 99 CC] [REVIEW: 82 MI] | A 4730 | CC | | 05-OCT-83 |
| A | AN785 REV 6 NOT 1 | COUPLING, UNION, BRAZING [CUST: AV AS 99 CC] | A 4730 | CC | | 08-AUG-96 |
| | AN791 REV 5 | ELBOW - UNION 45 DEG. [CUST: AV AS 99] | A 4730 | CC | | 20-AUG-56 |
| | AN795 REV 4 NOT 1 | TEE, UNION [CUST: AV AS 99] [REVIEW: 82] | A 4730 | CC | | 31-MAR-94 |
| | AN800 REV 5 | CONE AND UNION [CUST: AV AS 99] | A 4730 | CC | | 01-JUN-54 |
| | AN804 REV G | TEE, FLARED TUBE WITH BULKHEAD ON RUN [CUST: AV AS 99] [REVIEW: 82] | A 4730 | CC | | 11-APR-94 |
| | AN805 REV 7 | NUT - UNION [CUST: AV AS 99] | A 4730 | CC | | 14-AUG-56 |
| | AN806 REV 7 | PLUG FLARED TUBE [CUST: AV AS 99] [REVIEW: 82] | A 4730 | CC | | 16-APR-82 |
| | AN807 REV 6 | ADAPTER, STRAIGHT, TUBE TO HOSE [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | | 30-AUG-82 |
| | AN814 REV N | PLUG & BLEEDER - SCREW THREAD [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 17-AUG-83 |
| | AN815 REV 9 | UNION - FLARED TUBE [CUST: AV AS 99] [REVIEW: 82] | A 4730 | CC | | 04-AUG-83 |
| | AN816 REV M | ADAPTER, STRAIGHT, PIPE TO TUBE [CUST: 99] [REVIEW: 82] | A 4730 | CC | | 19-MAR-79 |
| | AN817 REV L | NUT, TUBE COUPLING, LONG [CUST: 99] [REVIEW: 82 AS AV] | A 4730 | CC | | 31-MAR-87 |
| | AN818 REV 19 | NUT, TUBE COUPLING, SHORT [CUST: AS 99] [REVIEW: 82 AV CR4] | A 4730 | CC | | 15-JUN-94 |
| | AN821 REV 8 | ELBOW FLARED TUBE, 90 DEG. [CUST: AV AS 99] | A 4730 | CC | | 05-AUG-83 |
| | AN824 REV 7 | TEE - FLARED TUBE [CUST: AV AS 99] [REVIEW: 82 MI] | A 4730 | CC | | 05-OCT-83 |
| | AN827 REV 7 | CROSS, FLARED TUBE (USE MS 24403) [CUST: AV AS 99] [REVIEW: 82 MI] | A 4730 | CC | | 10-FEB-67 |
| | AN832 REV 8 | UNION, FLARED TUBE, 3/8 BULKHEAD & UNIVERSAL [CUST: AV AS 99] [REVIEW: 82] | A 4730 | CC | | 02-AUG-83 |
| | AN833 REV 8 | ELBOW FLARED TUBE & BULKHEAD UNIVERSAL, 90 DEG [CUST: AV AS 99] [REVIEW: 82] | A 4730 | CC | | 04-AUG-83 |
| | AN834 REV 9 | TEE, BULKHEAD & UNIVERSAL FLARED TUBE [CUST: AV AS 99] [REVIEW: 82] | A 4730 | CC | | 04-AUG-83 |
| | AN837 REV 8 | ELBOW, FLARED TUBE & UNIVERSAL, 45 DEG. [CUST: AV AS 99] [REVIEW: 82] | A 4730 | CC | | 04-AUG-83 |
| | AN838 REV 8 | ELBOW, TUBE TO HOSE, 90 DEG. [CUST: 99] [REVIEW: 82] | A 4730 | CC | | 30-AUG-82 |
| | AN839 REV 7 | ELBOW, TUBE TO HOSE, 45 DEG. [CUST: 99] [REVIEW: 82] | A 4730 | CC | | 30-AUG-82 |
| | AN841 REV 5 | ADAPTER - HOSE TO FLARED TUBE [CUST: AV 99] [REVIEW: 82] | A 4730 | CC | | 19-APR-82 |
| | AN842 REV K | ELBOW, PIPE TO HOSE, 90 DEG. [CUST: AS 99] [REVIEW: 82] | A 4730 | CC | | 02-SEP-82 |
| | AN844 REV K | ELBOW, PIPE TO HOSE, 45 DEG. [CUST: 99 CC] [REVIEW: 82 AV CR4] | A 4730 | CC | | 02-SEP-82 |
| | AN846 REV 7 | ELBOW, HOSE, 45 DEG. [CUST: 99] [REVIEW: 82] | A 4730 | CC | | 20-MAR-79 |
| | AN848 REV K | ELBOW, HOSE, 90 DEG. [CUST: 99] [REVIEW: 82] | A 4730 | CC | | 02-SEP-82 |
| | AN849 REV K | NIPPLE, HOSE [CUST: 99] [REVIEW: 82] | A 4730 | CC | | 02-SEP-82 |
| | AN871 REV 9 | FLANGE AND STRAIGHT THREAD BOSS WELDING [CUST: AV 99] [REVIEW: MI] | A 4730 | CC | | 13-DEC-85 |
| | AN876 REV 2 | COLLAR & TUBING END HOSE CONNECTION [CUST: AS 99 CC] | A 4730 | CC | | 01-JUN-54 |
| | AN893 REV J | BUSHING SCREW THREAD REDUCER (USE MS 24397) [CUST: AV AS 99] [REVIEW: 11 82 MI] | A 4730 | CC | | 05-OCT-83 |
| | AN894 REV 9 | BUSHING, SCREW THREAD, EXPANDER [CUST: AV AS 99] [REVIEW: 11 82 MI] | A 4730 | CC | | 06-APR-84 |
| | AN910 REV J | COUPLING, PIPE [CUST: AV AS 99 CC] [REVIEW: 82 MI] | A 4730 | CC | | 05-OCT-83 |
| | AN912 REV 9 | BUSHING, PIPE [CUST: 99 CC] [REVIEW: 82 AV CR4] | A 4730 | CC | | 10-FEB-67 |
| | AN915 REV K | ELBOW, PIPE, 45 DEG. [CUST: 99 CC] [REVIEW: 82 AV CR4] | A 4730 | CC | | 10-FEB-67 |
| | AN919 REV 9 | REDUCER EXTERNAL THREAD FLARED TUBE [CUST: AV AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 04-AUG-83 |
| | AN924 REV K | NUT, TUBE, BULKHEAD AND UNIVERSAL FITTING [CUST: 99] [REVIEW: 82] | A 4730 | IS | | 21-MAR-79 |
| | AN929 REV K | CAP ASSEMBLY, TUBE, PRESSURE SEAL [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | | 23-MAR-83 |
| A | AN933 REV 6 | PLUG, PIPE, HEX HEAD [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | | 21-MAR-79 |
| | AN937 REV 6 | CROSS, TUBE, INTERNAL THREAD [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | | 21-MAR-79 |
| | AN938 REV 6 NOT 1 | TEE, TUBE, INTERNAL THREAD [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | | 01-SEP-86 |
| | AN939 REV 7 | ELBOW, TUBE, INTERNAL THREAD, 90 DEG. [CUST: 99 CC] [REVIEW: 82 AV CR4 MI] | A 4730 | CC | | 22-MAR-84 |
| | AN941 REV 6 | ELBOW, TUBE, INTERNAL THREAD, 45 DEG. [CUST: AS 99] [REVIEW: 82] | A 4730 | CC | | 21-MAR-79 |
| | AN961 REV 2 | WASHER & FLAT, ELECTRICAL [CUST: AR AS 99 IS] [REVIEW: 82 AV MI] | A 5310 | IS | | 10-AUG-67 |
| | AN2547 REV 5 | LIGHT, MARKER, AIRCRAFT OBSTRUCTION [CUST: CR4 AS 99] [REVIEW: GS] | A 6210 | IS | | 29-APR-68 |
| | AN2555 REV 1 | NOZZLE AND AIRCRAFT FUELING [CUST: AS CC] | A 4730 | CC | | 16-SEP-44 |
| | AN3050 REV 4 | FERRULE AND CONDUIT, FLEXIBLE [CUST: AV AS 85 GS] [REVIEW: 99] | A 5975 | GS | | 08-OCT-53 |
| | AN3060 REV 4 | ELBOW - ELECTRICAL CONDUIT, 45 DEG. [CUST: AS 85] [REVIEW: 99] | A 5975 | GS | | 16-APR-53 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
AIR FORCE - NAVY AERONAUTICAL DOCUMENTS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prog. Acty. | Date |
|------------|----------------------------------|--|--------------------------|-----|-------------|-----------|
| | AN3064 REV 5 | BOX CONNECTOR, ELECTRICAL [CUST: AV AS 85] [REVIEW: MI] | A 5975 | GS | | 21-SEP-56 |
| | AN3068 REV 3 | COUPLING & ELECTRICAL CONDUIT [CUST: AS 85] [REVIEW: 99] | A 5975 | GS | | 16-APR-53 |
| D | AN3091 REV 5 | LIGHT ASSEMBLY & EXTERIOR, EDGE MOUNTING [CUST: AS 11 IS] | A 6220 | IS | | 03-FEB-49 |
| | AN3111 | RING - BONDING, ELECTRICAL CONNECTOR [CUST: AV AS 85] [REVIEW: 99 MI] | A 5975 | GS | | 22-OCT-48 |
| | AN3115 NOT 1 | RECEPTACLE - AIRSPEED TUBE ELECTRICAL [CUST: AV AS 85] | A 5935 | CC | | 25-JAN-93 |
| | AN3116 REV 2 NOT 2 | PLUG ASSEMBLY - INSTRUMENT ELECTRICAL [CUST: AV AS 85] | A 5935 | CC | | 25-JAN-93 |
| | AN3146 REV A | LIGHT ASSEMBLY & PASSING (SUPERSEDES USAF DWG 43B12276) [CUST: 99 IS] [REVIEW: 82 GS] | A 6220 | IS | | 21-NOV-83 |
| D | AN3147 REV A | LIGHT ASSEMBLY & FIXED LANDING (PAR&46 BULB, FLAT) [CUST: 99 IS] [REVIEW: 82] | A 6220 | IS | | 17-NOV-83 |
| D | AN3177 REV 6 | LIGHT ASSEMBLY, TOP AND BOTTOM FUSELAGE (TWO LAMPS) [CUST: AV AS 11 IS] | A 6220 | IS | | 20-DEC-56 |
| | AN3250 REV 1 | COUPLING AND CONDUIT [CUST: AV AS] | A 5975 | GS | | 09-APR-47 |
| A | AN3303 REV 2 NOT 1 | RELAY, 3 AMP, 4 PDT, SEALED, CONNECTOR MOUNTING, CLASS O [CUST: 85 CC] | A 5945 | CC | | 31-MAR-88 |
| A | AN3306 REV 4 NOT 1 | RELAY, 10 AMP, 2PDT, SEALED, CONNECTOR MOUNTING, CLASS O (SUPERSEDES USAF DWG 50B6186) [CUST: AV 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |
| A | AN3310 REV 4 NOT 1 | RELAY, 10 AMP, 4 PDT, SEALED, CONNECTOR MOUNTING, CLASS O (SUPERSEDES USAF DWG 50B6188) [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |
| A | AN3316 REV 6 NOT 1 | RELAY, 10 AMP 3 PDT, UNSEALED, CLASS O [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |
| A | AN3335 REV 3 NOT 1 | RELAY, 5 AMP, 1PST, UNSEALED, CLASS O [CUST: AV 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |
| A | AN3337 REV 3 NOT 1 | RELAY, 25 AMP, 1 PST, UNSEALED, CLASS O [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |
| A | AN3372 REV 4 NOT 1 | RELAY, 200 AMP, 2PST, CLASS O UNSEALED [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |
| | AN4052 REV 7 | COUPLING, SHAFT, RIGID [CUST: AS 99] [REVIEW: 82] | A 3010 | CC | | 10-JUN-87 |
| | AN5537 REV 1 NOT 2 | CONNECTOR ASSEMBLY - THERMOCOUPLE LEAD [CUST: AS 85] | A 5935 | CC | | 26-JAN-93 |
| | AN5540 REV 4 | THERMOCOUPLE & AIRCRAFT ENGINE GASKET TYPE [CUST: AV 99] | A 6685 | GS | | 02-DEC-47 |
| | AN6015 REV 6 NOT 1 | VALVE - HIGH PRESSURE OXYGEN CHECK, STYLE B [CUST: AV 99 CC] [REVIEW: 11] | A 4820 | CC | | 30-SEP-87 |
| A | AN6021 REV 5 NOT 1 | GAGE, PANEL MOUNTING LOW PRESSURE OXYGEN [CUST: 99 GS] [REVIEW: 82] | A 6685 | GS | | 09-DEC-88 |
| A | AN6026 REV 4 | GAGE, PRESSURE, DIAL INDICATING [CUST: AV AS 99 GS] [REVIEW: 82] | A 6685 | GS | | 28-OCT-70 |
| | AN6027 REV 3 NOT 1 | COUPLING HALF, QUICK DISCONNECT [CUST: AV CC] [REVIEW: 11] | A 4730 | CC | | 28-JUN-89 |
| | AN6204 REV H | VALVE, HYDRAULIC BLEEDER [CUST: AV AS 99] [REVIEW: 82] | A 4820 | CC | | 16-JUN-78 |
| | AN6207 REV 4 | VALVE AND 1500 PSI HYDRAULIC CHECK [CUST: AV AS 99 CC] [REVIEW: MI] | A 1650 | CC | | 29-OCT-45 |
| | AN6235 REV 4 | FILTER ELEMENT - HYDRAULIC REPLACEABLE MICRONIC LINE TYPE [CUST: AV AS 99 CC] [REVIEW: MI] | A 1650 | CC | | 04-NOV-52 |
| | AN6236 REV 4 | FILTER ELEMENT AND HYDRAULIC REPLACEABLE MICRONIC RESERVOIR TYPE [CUST: AV AS 99 CC] [REVIEW: MI] | A 1650 | CC | | 27-MAR-51 |
| | AN6237 REV 1 | FILTER ELEMENT AND HYDRAULIC REPLACEABLE MICRONIC VENT TYPE [CUST: AV AS 99 CC] [REVIEW: MI] | A 1650 | CC | | 27-SEP-48 |
| | AN6238 REV 3 | GASKET - HYDRAULIC REPLACEABLE RESERVOIR TYPE FILTER ELEMENT [CUST: AV AS 99] | A 1650 | AS | | 25-NOV-53 |
| | AN6240 REV 1 NOT 1 | FILTER - HYDRAULIC REPLACEABLE ELEMENT VENT TYPE [CUST: AV AS 99 CC] [REVIEW: MI] | A 1650 | CC | | 15-AUG-86 |
| | AN6245 REV 4 | VALVE AND HYDRAULIC THERMAL EXPANSION RELIEF [CUST: AV AS 99 CC] [REVIEW: MI] | A 1650 | CC | | 13-OCT-53 |
| | AN6249 REV 2 | VALVE, 3000 PSI HYDRAULIC CHECK [CUST: AV AS 99 CC] [REVIEW: MI] | A 1650 | CC | | 30-SEP-59 |
| | AN6270 REV 7 | HOSE ASSEMBLY & DETACHABLE SWIVEL FITTING, LOW PRESSURE [CUST: AS 99] [REVIEW: 82 MI] | A 4720 | CC | | 19-AUG-74 |
| | AN6280 REV 2 | VALVE AND 3000 PSI HYDRAULIC CHECK INTERNAL PARTS [CUST: AV AS 99 CC] [REVIEW: MI] | A 1650 | CC | | 01-MAR-78 |
| | AN6285 REV 3 | ADAPTER, AIR PRESSURE GAGE [CUST: 99] [REVIEW: 82] | A 4730 | CC | | 21-MAR-79 |
| | AN6289 REV 7 NOT 1 | NUT, TUBE [CUST: 99] [REVIEW: 82] | A 4730 | CC | | 01-SEP-86 |
| | AN7023 REV 2 NOT 1 | CONNECTOR-VACUUM HOSE [CUST: 99 CC] [REVIEW: 70 82] | A 4730 | CC | | 16-NOV-93 |
| | AN7508 REV 2 | BELT, GUNNER'S SAFETY [CUST: AS] | A 1680 | GS | | 09-APR-52 |
| | AN7516 REV 3 | FITTING & CARGO AIRPLANE TIE DOWN [CUST: AV 99] [REVIEW: 82] | A 1670 | GS | | 13-SEP-82 |
| | AN8019 REV 1 | TEE - FLYER'S RELIEF TUBE [CUST: AV AS 99] [REVIEW: 82] | A 4730 | CC | | 16-JAN-89 |
| | AN100036 REV 2 | COVER & TYPE XI ENGINE ACCESSORY DRIVE [CUST: AV AS 99] [REVIEW: 82] | A 2995 | CC | | 08-JAN-58 |
| | AN105601THRUAN105700 REV 3(1) | BOLT, CRES HEX HEAD, DRILLED SHANK, .250-28 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 29-APR-96 |
| | AN105601THRUAN105650 REV 1 | BOLT - CRES HEX HEAD, DRILLED SHANK, .250-28 (INACTIVE 12-27-66) [CUST: AV AS 99 IS] [REVIEW: IS] | A 5306 | IS | | 27-DEC-66 |
| | AN115401THRUAN115450 REV 2 NOT 1 | SCREW - FLAT FILLISTER HEAD, .190-32 [CUST: AV AS 99] [REVIEW: 82 MI] | A 5305 | IS | | 17-JUN-94 |
| | AN115451THRUAN115500 REV 3 | SCREW & FLAT FILLISTER HEAD, .250&28 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5305 | IS | | 24-JUL-63 |
| | AN115501THRUAN115550 REV 2 NOT 1 | SCREW - FLAT FILLISTER HEAD, .3125-24 [CUST: AS 99] [REVIEW: 82] | A 5305 | IS | | 17-JUN-94 |
| | AN115601THRUAN115650 REV 2 NOT 1 | SCREW & FLAT FILLISTER HEAD, DRILLED SHANK, .190&32 [CUST: AS 99] [REVIEW: 82] | A 5305 | IS | | 10-JUN-94 |
| | AN115651THRUAN115700 REV 3 NOT 1 | SCREW & FLAT FILLISTER HEAD, DRILLED SHANK, .250&28 [CUST: AS 99] [REVIEW: 82] | A 5305 | IS | | 10-JUN-94 |
| | AN115801THRUAN115850 REV 3 | SCREW - FLAT FILLISTER, DRILLED HEAD, .190-32 [CUST: AV AS 11 IS] | A 5305 | IS | | 21-OCT-94 |
| | AN115851THRUAN115900 REV 3 | SCREW - FLAT FILLISTER, DRILLED HEAD, .250-20 [CUST: AV AS 11 IS] | A 5305 | IS | | 21-OCT-94 |
| | AN115901THRUAN115950 REV 3 | SCREW - FLAT FILLISTER, DRILLED HEAD, .250-28 [CUST: AV AS 11 IS] | A 5305 | IS | | 21-OCT-94 |
| | AN115951THRUAN116000 REV 3 | SCREW - FLAT FILLISTER, DRILLED HEAD, .3125-18 [CUST: AV AS 11 IS] | A 5305 | IS | | 21-OCT-94 |
| | AN116001THRUAN116050 REV 3 | SCREW - FLAT FILLISTER, DRILLED HEAD, .3125-24 [CUST: AV AS 11 IS] | A 5305 | IS | | 21-OCT-94 |
| | AN116051THRUAN116100 REV 3 | SCREW - FLAT FILLISTER, DRILLED HEAD, .375-16 [CUST: AV AS 11 IS] | A 5305 | IS | | 21-OCT-94 |
| | AN116101THRUAN116150 REV 4 | SCREW - FLAT FILLISTER, DRILLED HEAD, .375-24 [CUST: AV AS 11 IS] | A 5305 | IS | | 12-JAN-95 |
| | AN116901THRUAN116912 REV 1 NOT 1 | SCREW-OVAL FILLISTER HEAD, .112-40 [CUST: AS 99 IS] [REVIEW: MI] | A 5305 | IS | | 24-JUN-94 |
| | AN116913THRUAN116924 REV 2 NOT 1 | SCREW - OVAL FILLISTER DRILLED HEAD, .112-40 [CUST: AV AS 99] | A 5305 | IS | | 17-JUN-94 |
| | AN116925THRUAN116960 REV 1 NOT 1 | SCREW - OVAL FILLISTER HEAD, .138-32 [CUST: AV AS 99 IS] [REVIEW: MI] | A 5305 | IS | | 17-JUN-94 |
| | AN116961THRUAN117000 REV 2 NOT 1 | SCREW & OVAL FILLISTER DRILLED HEAD, .138&32 [CUST: AV AS 99] [REVIEW: MI] | A 5305 | IS | | 10-JUN-94 |
| | AN117001THRUAN117040 REV 1 NOT 1 | SCREW - OVAL FILLISTER HEAD, .164-32 [CUST: AV AS 99] [REVIEW: MI] | A 5305 | IS | | 17-JUN-94 |
| | AN117041THRUAN117080 REV 1 | SCREW & OVAL FILLISTER DRILLED HEAD, .164&32 [CUST: AV AS 82 IS] | A 5305 | IS | | 14-DEC-54 |
| | AN121501THRUAN121525 REV 2 NOT 1 | NUT AND PLAIN [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5310 | IS | | 30-JUN-94 |
| | AN121601THRUAN121650 REV 3 | PIN, STRAIGHT, HEADED - .125 NOM. [CUST: AR AS 11] [REVIEW: 82] | A 5315 | IS | | 28-AUG-62 |
| | AN121651THRUAN121700 REV 3 | PIN, STRAIGHT, HEADED - .187 NOM. [CUST: AR AS 11] [REVIEW: 82] | A 5315 | IS | | 28-AUG-62 |
| | AN121701THRUAN121750 REV 3 | PIN, STRAIGHT, HEADED - .250 NOM. [CUST: AR AS 99] [REVIEW: 82] | A 5315 | IS | | 28-AUG-62 |
| | AN121751THRUAN121800 REV 3 NOT 1 | PIN, STRAIGHT, HEADED - .312 NOM. [CUST: AR AS 99 IS] [REVIEW: 82] | A 5315 | IS | | 01-JUL-94 |
| | AN121801THRUAN121850 REV 3 NOT 1 | PIN, STRAIGHT, HEADED - .375 NOM. [CUST: AR AS 11 IS] | A 5315 | IS | | 01-JUL-94 |
| | AN121851THRUAN121925 REV 3 NOT 1 | PIN, STRAIGHT, HEADED - .500 NOM. [CUST: AR AS 99] [REVIEW: 82] | A 5315 | IS | | 10-JUN-94 |
| | AN122676THRUAN122775 REV 2 | PIN --DOWEL, STEEL [CUST: AV AS 99 IS] [REVIEW: MI] | A 5315 | IS | | 06-NOV-73 |
| | AN123020THRUAN123119 REV 7 | GASKET-ALUMINUM-NON ASBESTOS, ANNULAR [CUST: AV AS 99] [REVIEW: 11] | A 5330 | IS | | 07-AUG-92 |
| | AN123151THRUAN123300 REV 4 NOT 2 | RIVET & UNIVERSAL HEAD, HIGH TEMPERATURE, AMS7229 [CUST: AV AS 82] [REVIEW: 82] | A 5320 | IS | | 01-JUL-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
AIR FORCE - NAVY AERONAUTICAL DOCUMENTS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|----------------------------------|--|-----------------------|-----|-------------|-----------|
| | | | | | | |
| | AN123301THRUAN123450 REV 4 NOT 2 | RIVET & UNIVERSAL HEAD, HIGH TEMPERATURE, AMS7232 [CUST: AV AS] [REVIEW: 82] | A 5320 | IS | | 01-JUL-94 |
| | AN123451THRUAN123600 REV 4 NOT 1 | RIVET AND COUNTERSUNK HEAD, HIGH TEMPERATURE, AMS 7229 [CUST: AV AS 82 IS] [REVIEW: MI] | A 5320 | IS | | 01-JUL-94 |
| | AN123601THRUAN123750 REV 4 NOT 2 | RIVET & COUNTERSUNK HEAD, HIGH TEMPERATURE, AMS7232 [CUST: AV AS 99] [REVIEW: 82] | A 5320 | IS | | 01-JUL-94 |
| | AN124951THRUAN125100 REV 3 NOT 1 | RIVET - 100 DEG. COUNTERSUNK HEAD CORROSION RESISTANT STEEL [CUST: AV AS 99] [REVIEW: 82 MI] | A 5320 | IS | | 23-APR-90 |
| | AN125401THRUAN125550 REV 3 NOT 2 | RIVET & UNIVERSAL HEAD, CORROSION RESISTANT STEEL [CUST: AV AS 99] [REVIEW: 82 MI] | A 5320 | IS | | 01-JUL-94 |
| | AN125551THRUAN125700 REV 3 NOT 1 | RIVET UNIVERSAL HEAD, MILD STEEL [CUST: AV AS 99 IS] [REVIEW: 82] | A 5320 | IS | | 10-JUN-94 |
| A | AN126275THRUAN126586 REV 2 NOT 2 | STUD-STRAIGHT, .3125-18 X .3125-24 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5307 | IS | | 23-DEC-97 |
| | AN126587THRUAN126652 REV 2 | STUD & STRAIGHT, .375&16 X .375&24 [CUST: AS 99] [REVIEW: 82] | A 5307 | IS | | 23-JUN-58 |
| | AN126881THRUAN127192 REV 2 NOT 1 | STUD & STRAIGHT, NECKED, .375&16 X .375&24 [CUST: AV AS 99] [REVIEW: 82] | A 5307 | IS | | 30-JUN-94 |
| | AN127193THRUAN127492 REV 2 NOT 1 | STUD - STRAIGHT, NECKED, .4375-14 X .4375-20 [CUST: AV AS 11 IS] | A 5307 | IS | | 30-JUN-94 |
| | AN128363THRUAN128686 REV 2 NOT 1 | STUD & STRAIGHT, DRILLED, .250&20 X .250&28 [CUST: AV AS 99] [REVIEW: 82] | A 5307 | IS | | 30-JUN-94 |
| | AN128687THRUAN128998 REV 2 | STUD & STRAIGHT, DRILLED, .3125&18 X .3125&24 [CUST: AS 99] [REVIEW: 82] | A 5307 | IS | | 23-JUN-58 |
| | AN129125THRUAN129178 REV 3 | STUD-STRAIGHT, DRILLED, .500-13 X .500-20 (INACTIVE FOR DESIGN 26 OCT 1972)[CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| | AN129293THRUAN129604 REV 2 | STUD & STRAIGHT, DRILLED, NECKED, .375&16 X .375&24 [CUST: AS 99] [REVIEW: 82] | A 5307 | IS | | 23-JUN-58 |
| | AN149251THRUAN194350 | BOLT-SOCKET HEAD, 6 HOLES DRILLED, .625-18 [CUST: AS 99 IS] | A 5306 | IS | | 01-AUG-58 |
| | AN150301THRUAN150400 NOT 1 | PIN-LOCK, BRASS [CUST: AV AS 99 IS] | A 5315 | IS | | 10-JUN-94 |
| | AN150401THRUAN150425 REV 1 | NUT-HEX, CHECK [CUST: AV AS 82 IS] [REVIEW: 99] | A 5310 | IS | | 01-FEB-94 |
| | AN150426THRUAN150450 REV 1 | NUT-HEX, CHECK [CUST: AV AS 82 IS] [REVIEW: 99] | A 5310 | IS | | 01-FEB-94 |
| | AN150501THRUAN150800 REV 3 NOT 2 | STUD, STEPPED, 1.5 DIA ENGAGEMENT, .250-20 X .190-32 [CUST: AV AS 99] [REVIEW: 82] | A 5307 | IS | | 10-JUN-94 |
| | AN150801THRUAN151100 REV 2 NOT 1 | STUD, STEPPED, 1.5 DIA ENGAGEMENT, .3125-18 X .250-28 [CUST: AV AS 99] [REVIEW: 82] | A 5307 | IS | | 30-JUN-94 |
| | AN151401THRUAN151700 REV 2 NOT 1 | STUD, STEPPED, 1.5 DIA ENGAGEMENT, .4375-14X .375-24 [CUST: AV AS 99] [REVIEW: 82] | A 5307 | IS | | 30-JUN-94 |
| | AN151701THRUAN152000 REV 4 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .500-13 X .4375-20 [CUST: AV AS] [REVIEW: 82] | A 5307 | IS | | 28-FEB-93 |
| | AN152601THRUAN152900 REV 3 NOT 1 | STUD, STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .250-20 X .190-32 [CUST: AV AS 99 IS] | A 5307 | IS | | 30-JUN-94 |
| | AN152901THRUAN153200 REV 2 | STUD & STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .3125&18 X .250&28 [CUST: AS 99] [REVIEW: 82 NS] | A 5307 | IS | | 14-OCT-81 |
| | AN153201THRUAN153500 REV 5 | STUD, STEPPED DRILLED, 1.5 DIA ENGAGEMENT, .375-16 X .3125-24 [CUST: AS IS] [REVIEW: NS] | A 5307 | IS | | 28-FEB-93 |
| | AN154701THRUAN155000 REV 2 NOT 1 | STUD & STEPPED, 2 DIA ENGAGEMENT, .250&20 X .190&32 [CUST: AV AS 99] [REVIEW: NS] | A 5307 | IS | | 30-JUN-94 |
| | AN155001THRUAN155300 REV 3 NOT 1 | STUD, STEPPED, 2 DIA ENGAGEMENT, .3125-18 X .250-28 [CUST: AV AS 99] | A 5307 | IS | | 30-JUN-94 |
| | AN155301THRUAN155600 REV 2 NOT 1 | STUD, STEPPED, 2 DIA ENGAGEMENT, .375-16 X .3125-24 [CUST: AV AS 99 IS] | A 5307 | IS | | 10-JUN-94 |
| | AN155901THRUAN156200 REV 4 | STUD STEPPED, 2 DIA ENGAGEMENT, .500-13 X .4375-20 [REVIEW: 82] | A 5307 | IS | | 28-FEB-93 |
| | AN158901THRUAN159200 REV 3 | STUD-STEPPED, NECKED, 1.5 DIA ENGAGEMENT .4375-14 X .375-24 [CUST: AV AS] [REVIEW: 82] | A 5307 | IS | | 28-FEB-93 |
| | AN162501THRUAN162800 REV 2 NOT 1 | STUD & STEPPED, DRILLED, NECKED, 2 DIA ENGAGEMENT, .4375&14 X .37 [CUST: AV AS 99] | A 5307 | IS | | 30-JUN-94 |
| | AN165801THRUAN166100 REV 3 | STUD STEPPED, DRILLED, NECKED, WRENCH PAD 1.5 DIA. ENGAGEMENT, .375-16 X .3125-24 (INACTIVE 10-26-72) [CUST: AS 11 IS] | A 5307 | IS | | 26-OCT-72 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
AIR FORCE - NAVY AERONAUTICAL DESIGN DOCUMENTS

| Last Action | | | Distribution | | MCA | | Date |
|-------------|----------------------|---|--------------|----|-------------|-----------|------|
| | Document Number | Document Title | FSC/Area | AS | Prep. Acty. | | |
| | AND10051 REV 3 | HUBS, CONDUIT CONNECTION, STANDARD DIMENSIONS [CUST: AV AS 99] | A 5975 | AS | | 30-OCT-90 | |
| | AND10052 REV 2 NOT 1 | BOSSSES - STANDARD DIMENSIONS FOR EXTERNAL PIPE THREAD [CUST: AS 99] [REVIEW: 71 82 GS] | A 4730 | CC | | 18-OCT-93 | |
| | AND10059 REV 3 NOT 1 | FITTING - STYLE OF PIPE THREADED, FLARED TUBE AND HOSE [CUST: AS 99] [REVIEW: 82] | A 4730 | CC | | 31-MAR-94 | |
| | AND10071 REV 5 | BOSS & INSTALLATIONS, AIR CONNECTION (AN 6287) [CUST: AS CC] [REVIEW: CR4 MI] | A 4730 | CC | | 14-DEC-66 | |
| | AND10081 REV 4 | TERMINAL SHANK-SWAGING, DIMENSIONS FOR [CUST: AV AS 99] [REVIEW: 82] | A 4030 | AS | | 15-NOV-93 | |
| | AND10089 REV 6 | FITTING END, STANDARD FOR CONE CONNECTION [CUST: AS 99] [REVIEW: 82] | A 4730 | CC | | 24-FEB-94 | |
| | AND10380 REV 4 | COUPLING INSTALLATIONS, STANDARD CONDUIT, ELECTRICAL [CUST: CR AS 85] | A 5975 | AS | | 06-NOV-95 | |
| | AND10598 | CHAMFER OR RADIUS - VALVE HOLES IN AIRPLANE WHEEL RIMS [CUST: AS 11] | A 1630 | AS | | 08-NOV-49 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
STANDARDIZATION DIRECTORIES

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|-----------------|--|--------------|--------|-------------|-----------|
| | | | FSC/Ver | MCA | Prep. Acty. | |
| A | SD-1 | STANDARDIZATION DIRECTORY [CUST: AM NM 01 DH SO] | A | SDMP | SO | 01-MAY-98 |
| | SD-2 | NONDEVELOPMENTAL ITEM PROGRAM [CUST: AM NM 01 DH] | A | SDMP | SO | 01-APR-96 |
| | SD-3 | PERSONNEL PARTICIPATING IN NATO STANDARDIZATION, A GUIDE FOR DOD [CUST: AM NM 01 DH] | A | SDMP | SO | 01-APR-91 |
| A | SD-4 | STATUS OF STANDARDIZATION PROJECTS [CUST: AM NM 01 DH SO] | A | SDMP | SO | 30-JUN-98 |
| A | SD-5 | MARKET RESEARCH [CUST: AM NM 01 DH SO] | A | SDMP | SO | 01-JUL-97 |
| | SD-6 | PROVISIONS GOVERNING QUALIFICATION [CUST: AM NM 01 DH] | A | SDMP | SO | 02-JUN-86 |
| | SD-8 | AN OVERVIEW OF THE DEFENSE STANDARDIZATION AND SPECIFICATION PROGRAM (DSSP)[CUST: AM NM 01 DH] | A | SDMP | SO | 01-MAY-83 |
| | SD-9 | DOD INTERACTION WITH NONGOVERNMENT STANDARDS BODIES [CUST: AM NM 01 DH] | A | SDMP | SO | 01-APR-84 |
| | SD-10 | GUIDE FOR IDENTIFICATION AND DEVELOPMENT OF METRIC STANDARDS [CUST: AM NM 01 DH] | A | SDMP | SO | 01-MAR-90 |
| | SD-14 | LISTINGS OF TOXIC CHEMICALS HAZARDOUS AND OZONE-DEPLETING CHEMICALS | A | SDMP / | SO | 31-AUG-94 |
| | SD-15 | PERFORMANCE SPECIFICATION GUIDE [CUST: AM NM 01 DH] | A | SDMP | SO | 29-JUN-95 |

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------|---|--------------------------|-----|-------------|------|
| AAP-15 ED.D | GLOSSARY OF ABBREVIATIONS USED IN NATO DOCUMENTS | C ISDN | NI | 01-SEP-90 | |
| AAP-23 ED.2 | NATO GLOSSARY OF PACKAGING TERMS AND DEFINITIONS (ENGLISH AND FRENCH) | C ISDA | SM | 17-JUN-92 | |
| ABC-STD-6F | BOILER WATER TREATMENT CHEMICALS | C ISDN | SH | 22-SEP-83 | |
| ABC-STD-20 | SHOCK AND VIBRATION TERMINOLOGY | C ISDN | SH | 22-AUG-55 | |
| ABC-STD-23B | QUALITY STANDARDS FOR POTABLE WATER | C ISDN | SH | 16-AUG-77 | |
| ABC-STD-37B | REFERENCE VALUES FOR USE IN REPORTING MECHANICAL VIBRATION LEVELS | C ISDN | SH | 10-APR-72 | |
| ABC-STD-38 | METHODS FOR SPECIFYING AND CALIBRATING SHOCK AND VIBRATION INSTRUMENTS | C ISDN | SH | 11-MAY-67 | |
| ABC-STD-41A | INTERCHANGEABILITY/EQUIVALENCY OF CARBON AND ALLOY STEELS IN BAR FORM FOR GENERAL DOCKYARD REPAIRS | C ISDN | SH | 29-MAR-78 | |
| ABC-STD-44 | COMPARATIVE COMPILATION OF ALUMINUM ALLOYS FOR INTERCHANGEABILITY/EQUIVALENCY | C ISDN | SH | 05-JAN-68 | |
| ABC-STD-48 | GENERAL PRINCIPLES OF GAUGING | C ISDN | SH | 29-JAN-70 | |
| ABC-STD-50 | SURFACE TEXTURE | C ISDN | SH | 24-JUN-70 | |
| ABC-STD-51 | COMPARATIVE COMPILATION OF COPPER ALLOYS FOR INTERCHANGEABILITY/EQUIVALENCY | C ISDN | SH | 25-JUN-70 | |
| ABC-STD-54A | STEEL SHIPS PLATES | C ISDN | SH | 09-AUG-79 | |
| ABC-STD-56 | SILICONE INSULATED ELECTRIC POWER AND CONTROL CABLES | C ISDN | SH | 07-NOV-72 | |
| ABCA-STD-18B | FURNACE LINING MATERIAL FOR MARINE BOILERS 011081 | C ISDN | SH | 01-OCT-81 | |
| ABCA-STD-19D | HEAT EXCHANGER TUBES | C ISDN | SH | 15-OCT-82 | |
| ABCA-STD-21A | DEFINITIONS AND BASIC REQUIREMENTS FOR ELECTRIC AND ELECTRONIC EQUIPMENT ENCLOSURES | C ISDN | SH | 09-OCT-74 | |
| ABCA-STD-25B | NAVAL BOILER TUBES SPECIFICATION AND SIZES | C ISDN | SH | 14-DEC-72 | |
| ABCA-STD-30C(1) | SYMBOL FOR NAVAL ARCHITECTURE FOR USE IN TECHNICAL WRITING | C ISDN | SH | 15-OCT-82 | |
| ABCA-STD-32C | COMPARISON OF METHODS OF TESTING FERROUS METALLIC MATERIALS | C ISDN | SH | 23-AUG-73 | |
| ABCA-STD-49A | DISTILLING UNITS CLEANING, FEED TREATMENT | C ISDN | SH | 15-OCT-82 | |
| ABCA-STD-55 | STANDARDS FOR RADIOACTIVE CONTAMINATION LIMITS IN WATER | C ISDN | SH | 28-FEB-74 | |
| ABCA-STD-59 | BASIC ELEMENTS OF A CALIBRATION PROGRAMMI (PREPARED UNDER PROJECT Z-52) | C ISDN | SH | 24-APR-74 | |
| ABCA-STD-60 | NYLON ROPE (3 STRAND HAWSERLAID) (PREPARED UNDER PROJECT Z-16.2.1) | C ISDN | SH | 09-OCT-74 | |
| ABCA-STD-61 | POLYESTER ROPE (3 STRAND HAWSERLAID) (PREPARED UNDER PROJECT Z-16.2.1) | C ISDN | SH | 09-OCT-74 | |
| ABCA-STD-62 | CLASSIFICATION SYSTEM FOR VULCANIZED RUBBER | C ISDN | SH | 24-SEP-76 | |
| N ACMP-1 ED.1 | NATO REQUIREMENTS FOR THE PREPARATION OF CONFIGURATION MANAGEMENT PLANS | A ISDF | 06 | 29-FEB-96 | |
| N ACMP-2 ED.1 | NATO REQUIREMENTS FOR CONFIGURATION IDENTIFICATION | A ISDF | 06 | 29-FEB-96 | |
| N ACMP-3 ED.1 | NATO REQUIREMENTS FOR CONFIGURATION CONTROL - ENGINEERING CHANGES, DEVIATIONS AND WAIVERS | A ISDF | 06 | 29-FEB-96 | |
| AECTP-1001 | ENVIRONMENTAL TESTING GUIDELINES ON MANAGEMENT PLANNING | A ISDA | AI | 16-JUN-93 | |
| AECTP-2001 | ENVIRONMENTAL TESTING DEFINITIONS OF ENVIRONMENTS | A ISDA | AI | 16-JUN-93 | |
| AECTP-3001 | CLIMATIC ENVIRONMENTAL TESTS | A ISDA | AI | 16-JUN-93 | |
| AECTP-4001 | MECHANICAL ENVIRONMENTAL TESTS | A ISDA | AI | 16-JUN-93 | |
| AIR-STD-10/6F | NUMERALS AND LETTERS FOR AIRCREW STATION DISPLAYS | A ISDF | 06 | 22-NOV-85 | |
| AIR-STD-10/12H | OPERATION OF ALL CONTROLS AND SWITCHES AT AIRCREW STATIONS | A ISDF | 06 | 15-NOV-90 | |
| AIR-STD-10/15Q | LOCATION & ACTUATION OF AIRFRAME CONTROLS IN FIXED WING AIRCRAFT | A ISDF | 06 | 15-NOV-90 | |
| AIR-STD-10/19H | ILLUMINATION OF AIRCREW STATIONS | A ISDF | 06 | 15-NOV-90 | |
| AIR-STD-10/20J | LOCATION, ACTUATION & SHAPE OF AIRFRAME CONTROLS FOR ROTARY WING AIRCRAFT | A ISDF | 06 | 22-NOV-85 | |
| AIR-STD-10/22K | SERVICES OPERABLE FROM STICK GRIPS | A ISDF | 06 | 15-NOV-90 | |
| AIR-STD-10/30L | AIRCRAFT STATION WARNING, CAUTIONARY AND ADVISORY SIGNALS | A ISDF | 06 | 15-NOV-90 | |
| AIR-STD-10/38C | PRINCIPLES OF PRESENTATION OF INFORMATION | A ISDF | 06 | 03-APR-79 | |
| AIR-STD-10/43E | COLOURS AND MARKINGS USED TO DENOTE OPERATING RANGES OF AIRCRAFT DISPLAYS | A ISDF | 06 | 22-NOV-85 | |
| AIR-STD-10/44B | CONTROL SHAPES (CHG-2 - 15 OCT 85) | A ISDF | 06 | 15-OCT-80 | |
| AIR-STD-10/50B | GLASS, AIRCRAFT INSTRUMENT, LIGHTING WEDGE AND COVER | A ISDF | 06 | 15-OCT-80 | |
| AIR-STD-10/53F | EXTERNAL VISION FROM AIRCREW STATIONS | A ISDF | 06 | 22-NOV-85 | |
| AIR-STD-10/55D | AIRCRAFT STATION DIMENSIONAL DESIGN FACTORS | A ISDF | 06 | 22-NOV-85 | |
| AIR-STD-10/56D | ELECTRONICALLY AND OPTICALLY GENERATED DISPLAYS FORMATS AND SYMBOLOGY FOR FIXED WING AIRCRAFT | A ISDF | 06 | 15-NOV-91 | |
| AIR-STD-10/58D | AIRCRAFT INTERIOR COLOUR SCHEMES | A ISDF | 06 | 15-NOV-90 | |
| AIR-STD-10/61B | COATING, REFLECTION REDUCING FOR AIRCREW STATION DISPLAYS | A ISDF | 06 | 15-NOV-90 | |
| AIR-STD-10/64A | AIRCRAFT MOCK UP INSPECTION TECHNIQUES | A ISDF | 06 | 15-OCT-80 | |
| AIR-STD-10/66 | EMERGENCY ESCAPE/EVACUATION ILLUMINATION | A ISDF | 06 | 03-APR-79 | |
| AIR-STD-10/68A | ARMOUR PROTECTION FOR AIRCREWS | A ISDF | 06 | 22-NOV-85 | |
| AIR-STD-10/72 | ELECTRONIC COLOUR DISPLAY SYSTEMS | A ISDF | 06 | 15-NOV-90 | |
| AIR-STD-11/1H | AIRCRAFT SERVICING/HAZARD MARKINGS | A ISDF | 06 | 30-JUL-82 | |
| AIR-STD-11/3F | AIRCRAFT FUELLING | A ISDF | 06 | 30-JUL-82 | |
| AIR-STD-12/4F | INTERCHANGEABILITY OF TINNED COPPER TERMINALS (LUGS) | A ISDF | 06 | 06-MAR-84 | |
| AIR-STD-12/23B | ELECTRICAL SAFETY INTERCONNECTIONS BETWEEN AIRCRAFT, SUPPORT EQUIPMENT & EARTH | A ISDF | 06 | 06-MAR-84 | |
| AIR-STD-12/25A | EARTHING/GROUNDING PLUG & SOCKET | A ISDF | 06 | 06-MAR-84 | |
| AIR-STD-14/6G | OIL TOLERANT COMPRESSED NITROGEN CHARACTERISTICS SUPPLY PRESSURE AND HOSES | A ISDF | 06 | 12-JUL-84 | |
| AIR-STD-14/10C | LIQUID NITROGEN CHARACTERISTICS | A ISDF | 06 | 12-JUL-84 | |
| AIR-STD-15 | GLOSSARY OF ABBREVIATIONS USED IN NATO DOCUMENTS | A ISDF | 06 | 01-JAN-86 | |
| AIR-STD-15/1Y | INTERCHANGEABILITY CHART OF STANDARDIZED AVIATION FUELS, LUBRICANTS & ALLIED PRODUCTS | A ISDF | 06 | 10-JUL-85 | |
| AIR-STD-15/3G | PETROLEUM PRODUCTS, MINIMUM QUALITY SURVEILLANCE FOR | A ISDF | 06 | 12-JUN-90 | |
| AIR-STD-15/4J | ALLOWABLE DETERIORATION LIMITS FOR FUELS, LUBRICANTS AND ALLIED PRODUCTS | A ISDF | 06 | 28-APR-92 | |
| AIR-STD-15/6D | GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR AVIATION FUELS: NATO F-34, F-35, F-40, AND F-44 | A ISDF | 06 | 04-SEP-91 | |
| AIR-STD-15/7F | GUIDE SPECIFICATION FOR PETROLEUM BASE AVIATION HYDRAULIC FLUIDS (H-515 AND H-520) | A ISDF | 06 | 28-APR-92 | |
| AIR-STD-15/9C | INTERCHANGEABILITY CHART OF STANDARDIZED AVIATION FUELS, LUBRICANTS AND ALLIED PRODUCTS | A ISDF | 06 | 04-SEP-91 | |
| AIR-STD-15/10(1) | COMPRESSED NITROGEN CHARACTERISTICS FOR OIL TOLERANT USE (INCLUDING SUPPLY PRESSURE AND HOSES) | A ISDF | 06 | 14-FEB-95 | |
| AIR-STD-15/11 | OIL FREE COMPRESSED NITROGEN CHARACTERISTICS, (INCLUDING SUPPLY PRESSURE AND HOSES) | A ISDF | 06 | 28-APR-92 | |
| AIR-STD-15/12 | LIQUID NITROGEN CHARACTERISTICS | A ISDF | 06 | 28-APR-92 | |
| AIR-STD-15/13 | COMPRESSED AIR CHARACTERISTICS (INCLUDING SUPPLY PRESSURE AND HOSES) | A ISDF | 06 | 28-APR-92 | |

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|----------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Act | MCA | Prep. Acty. | Date |
| | AIR-STD-15/14 | BREATHING OXYGEN CHARACTERISTICS (INCLUDING SUPPLY PRESSURE AND HOSES) | A ISDF | 06 | | 28-APR-92 |
| | AIR-STD-17/33B(1) | AIR SUPPLY & TEST CONNECTIONS (CHANGE 1 - 23 MAY 79) | A ISDF | 06 | | 23-MAY-79 |
| | AIR-STD-17/62 | PRESSURE FUELLING REPLENISHMENT CONNECTION | A ISDF | 06 | | 25-MAY-76 |
| | AIR-STD-20/9E(1) | DESIGN SAFETY PRINCIPLES FOR AIRCRAFT STORES FUZING | A ISDF | 06 | | 15-JAN-86 |
| | AIR-STD-20/10L | EJECTOR RELEASE UNITS FOR AIRCRAFT STORES | A ISDF | 06 | | 06-JAN-93 |
| | AIR-STD-20/11A | METHODOLOGY FOR COCKPIT THERMAL ASSESSMENTS | A ISDF | 06 | | 20-SEP-90 |
| | AIR-STD-20/12G(1) | AIRCRAFT STORE EJECTOR CARTRIDGES | A ISDF | 06 | | 07-SEP-93 |
| | AIR-STD-20/13F | SUSPENSION LUG WELLS, REINFORCED AREAS AND DESIGN LOAD CRITERIA FOR DROPPABLE AIRCRAFT STORES | A ISDF | 06 | | 10-OCT-90 |
| | AIR-STD-20/14G | LOCATION OF ELECTRICAL CONNECTORS FOR AIRCRAFT STORES | A ISDF | 06 | | 18-JUL-91 |
| | AIR-STD-20/15J(1) | SUSPENSION LUGS FOR 1,000 LB CLASS AND 2,000 CLASS STORES | A ISDF | 06 | | 04-MAR-95 |
| | AIR-STD-20/17H | MECHANICAL CONNECTORS BETWEEN STORES AND SUSPENSION EQUIPMENT FOR ARMING AND ASSOCIATED FUNCTIONS OF STORES | A ISDF | 06 | | 23-SEP-96 |
| | AIR-STD-20/18C | LABORATORY TESTS FOR STORES SUSPENSION EQUIPMENT | A ISDF | 06 | | 18-JUL-91 |
| | AIR-STD-20/19(1) | NON EJECT RELEASE UNITS FOR AIRCRAFT STORES - CHG 1 DTD 10/18/81 | A ISDF | 06 | | 18-OCT-81 |
| | AIR-STD-20/20B | STANDARDIZED DATA LIST FOR INTEROPERABILITY STUDIES AND CERTIFICATION OF AIRCRAFT STORES | A ISDF | 06 | | 18-JUL-91 |
| | AIR-STD-20/21B | GROUND FIT AND COMPATIBILITY CRITERIA FOR AIRCRAFT STORES | A ISDF | 06 | | 06-JAN-93 |
| | AIR-STD-20/22C NOT 1 | AIRCRAFT STORE ELECTRICAL INTERCONNECTION SYSTEM | A ISDF | 06 | | 20-DEC-93 |
| | AIR-STD-20/23 | DESIGN SAFETY PRINCIPLES & GENERAL DESIGN CRITERIA FOR AIRBORNE DISPENSER WEAPONS, BOTH CAPTIVE & FREE FALL | A ISDF | 06 | | 22-JAN-85 |
| | AIR-STD-20/24C(1) | 20MM X 102 AMMUNITION FOR AIRCRAFT GUNS | A ISDF | 06 | | 05-MAR-97 |
| | AIR-STD-20/25A | INTEROPERABILITY OF AIRCRAFT STORES | A ISDF | 06 | | 18-JUL-91 |
| | AIR-STD-20/26A | AIRCRAFT STORES INTERFACE MANUAL | A ISDF | 06 | | 18-JUL-91 |
| | AIR-STD-20/27 | ELECTRICAL CONNECTOR FOR DISPENSERS AND INTERNAL INTERVALOMETER TYPE ROCKET LAUNCHERS FOR AIRCRAFT | A ISDF | 06 | | 06-JAN-93 |
| | AIR-STD-25/1B(1) | PRESSURE REPLENISHMENT CONNECTIONS FOR ENGINE LUBRICATING OIL | A ISDF | 06 | | 31-AUG-95 |
| | AIR-STD-25/2B(1) | LOW PRESSURE AIR AND ASSOCIATED ELECTRICAL CONNECTIONS FOR AERO ENGINE STARTING | A ISDF | 06 | | 31-AUG-95 |
| | AIR-STD-25/3A(1) | AIRCRAFT SERVICING/HAZARD MARKINGS | A ISDF | 06 | | 24-MAY-91 |
| | AIR-STD-25/5B(1) | LUNETTE EYE OR TOWING RING | A ISDF | 06 | | 31-AUG-95 |
| | AIR-STD-25/6 | AIRCRAFT HYDRAULIC SYSTEM SERVICING | A ISDF | 06 | | 10-SEP-86 |
| | AIR-STD-25/9A | AIRCRAFT TOWING ATTACHMENTS | A ISDF | 06 | | 02-FEB-96 |
| | AIR-STD-25/11B | DIAMETERS FOR AIRCRAFT GRAVITY FILLING ORIFICES | A ISDF | 06 | | 23-JUN-95 |
| | AIR-STD-25/12A(1) | PICKETING OR TIEDOWN FITTINGS FOR SHIPBORNE AIRCRAFT (INCLUDING HELICOPTERS) | A ISDF | 06 | | 31-AUG-95 |
| | AIR-STD-25/13A | IN FLIGHT (AERIAL) REFUELLING EQUIPMENT, DIMENSIONS AND FUNCTIONAL CHARACTERISTICS | A ISDF | 06 | | 24-AUG-91 |
| | AIR-STD-25/15C(1) | AIR SUPPLY AND TEST CONNECTIONS | A ISDF | 06 | | 31-AUG-95 |
| | AIR-STD-25/16A | REPLENISHMENT CONNECTION FOR POTABLE | A ISDF | 06 | | 20-JAN-90 |
| | AIR-STD-25/17B | PRESSURE FUELLING REPLENISHMENT CONNECTION | A ISDF | 06 | | 24-AUG-91 |
| | AIR-STD-25/18A | CONNECTORS FOR 28 VOLTDC SERVICING POWER | A ISDF | 06 | | 20-JAN-90 |
| | AIR-STD-25/19A | CONNECTORS FOR 115/200 VOLT 400HZ 3-PHASE AC SERVICING POWER | A ISDF | 06 | | 02-MAR-92 |
| | AIR-STD-25/20 | AIRCRAFT ELECTRICAL SYSTEMS CHARACTERISTICS, | A ISDF | 06 | | 10-SEP-86 |
| | AIR-STD-25/21B | GROUND ELECTRICAL POWER SUPPLIES FOR AIRCRAFT | A ISDF | 06 | | 02-MAR-92 |
| A | AIR-STD-25/24B NOT 1 | GROUND RECHARGING OF AIRCRAFT MAIN BATTERIES | A ISDF | 06 | | 10-SEP-97 |
| | AIR-STD-25/25 | ELECTRICAL SAFETY INTERCONNECTIONS BETWEEN AIRCRAFT, SUPPORT EQUIPMENT AND EARTH, | A ISDF | 06 | | 10-SEP-86 |
| | AIR-STD-25/26(1) | EARTHING/GROUNDING PLUG AND SOCKET | A ISDF | 06 | | 02-MAY-97 |
| | AIR-STD-25/27A | CHARACTERISTICS OF SUPPLY EQUIPMENT FOR LIQUID OXYGEN | A ISDF | 06 | | 20-JAN-90 |
| | AIR-STD-25/28 | COMPRESSED NITROGEN CHARACTERISTICS, SUPPLY, PRESSURE & HOSES FOR OIL TOLERANT USE | A ISDF | 06 | | 10-SEP-86 |
| | AIR-STD-25/29A | COMPRESSED AIR, CHARACTERISTICS, SUPPLY, PRESSURE & HOSES FOR TECHNICAL PURPOSES | A ISDF | 06 | | 20-JAN-90 |
| | AIR-STD-25/30 | BREATHING OXYGEN CHARACTERISTICS, SUPPLY PRESSURE AND HOSES | A ISDF | 06 | | 10-SEP-86 |
| | AIR-STD-25/31A | LIQUID NITROGEN CHARACTERISTICS | A ISDF | 06 | | 20-JAN-90 |
| | AIR-STD-25/34 | AIRCRAFT GASEOUS OXYGEN REPLENISHMENT CONNECTIONS, | A ISDF | 06 | | 10-SEP-86 |
| | AIR-STD-25/35(1) | AIRCRAFT GASEOUS AIR/NITROGEN REPLENISHMENT CONNECTIONS | A ISDF | 06 | | 22-APR-97 |
| | AIR-STD-25/37 | OIL FREE COMPRESSED NITROGEN CHARACTERISTICS, SUPPLY PRESSURE & HOSES | A ISDF | 06 | | 10-SEP-86 |
| | AIR-STD-25/38 | AIRCRAFT ELECTRICAL SUPPORT | A ISDF | 06 | | 10-SEP-86 |
| | AIR-STD-25/39 | METHODS & AGENTS USED FOR CLEANING OXYGEN SYSTEMS | A ISDF | 06 | | 10-SEP-86 |
| | AIR-STD-25/45 | AIRCRAFT CROSS SERVICING GUIDES | A ISDF | 06 | | 18-JAN-96 |
| | AIR-STD-30/5 | INTERCHANGE OF DIGITAL TEXTUAL DATA | A ISDF | 06 | | 06-APR-93 |
| | AIR-STD-30/6 | INTERCHANGE OF DIGITAL RASTER GRAPHICS | A ISDF | 06 | | 06-APR-93 |
| | AIR-STD-30/7 | INTERCHANGE OF DIGITAL ILLUSTRATION DATA | A ISDF | 06 | | 06-APR-93 |
| | AIR-STD-44/3D | LASHINGS FOR FIXED WING AIRCRAFT | A ISDF | 06 | | 29-SEP-92 |
| | AIR-STD-44/9E | HANDLING AND DOCUMENTATION OF DANGEROUS CARGO FOR AIR TRANSPORTATION | A ISDF | 06 | | 18-JUL-91 |
| | AIR-STD-44/10E | AIR MOVEMENTS, DATA FOR PLANNING | A ISDF | 06 | | 01-FEB-83 |
| | AIR-STD-44/12D(1) | RESTRAINT FACTORS FOR FIXED WING AIRCRAFT (CHG 1 - 12 FEB 1986) | A ISDF | 06 | | 12-FEB-86 |
| | AIR-STD-44/14D | RECOVERY AND RELEASE OF PARACHUTISTS TOWED BEHIND TRANSPORT AIRCRAFT | A ISDF | 06 | | 18-JUL-91 |
| | AIR-STD-44/15G | PARACHUTE EXTRACTION SYSTEMS | A ISDF | 06 | | 12-DEC-85 |
| | AIR-STD-44/16H | EXCHANGE OF INFORMATION - TRANSPORT AIRCRAFT LOADING DATA | A ISDF | 06 | | 18-JUL-91 |
| | AIR-STD-44/17J | FIXED WING CARGO AIRCRAFT TIEDOWN FITTINGS | A ISDF | 06 | | 18-JUL-91 |
| | AIR-STD-44/18H | RESPONSIBILITIES OF AIR TRANSPORT UNITS AND AIR TRANSPORTED (USER) UNITS, FOR AIR MOVEMENT IN COMBINED OPERATIONS | A ISDF | 06 | | 29-SEP-92 |
| | AIR-STD-44/21H | CRITERIA FOR THE DESIGN OF EQUIP REQUIRED TO BE AIR TRANSPORTED ORAIRDROPPED FROM FIXED WING & ROTARY WING TRANSPORT AIRCRAFT | A ISDF | 06 | | 30-APR-91 |
| | AIR-STD-44/22H(1) | EXCHANGE OF INFORMATION GROUND HANDLING CAPABILITIES FOR TRANSPORT AIRCRAFT | A ISDF | 06 | | 29-SEP-92 |
| | AIR-STD-44/23A | DIVISION OF RESPONSIBILITY BETWEEN GROUND & AIR FORCES ON DROP/EXTRACTION ZONES IN TACTICAL OPERATIONS | A ISDF | 06 | | 02-OCT-78 |
| | AIR-STD-44/24C | GENERAL RULES COVERING THE TRANSPORT OF LOADS BY HELICOPTER | A ISDF | 06 | | 18-JUL-91 |
| | AIR-STD-44/25F | TRANSPORT OF TROOPS BYHELICOPTER | A ISDF | 06 | | 12-DEC-85 |
| | AIR-STD-44/26F | ULTRA LOW LEVEL AIRDROP SYSTEM USING PARACHUTE EXTRACTION | A ISDF | 06 | | 29-SEP-92 |

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------------|---|-----------------------|-----|-------------|------|
| | AIR-STD-44/27D | AIRDROP OF DOOR BUNDLE WITH STICKS OF PARACHUTISTS | A ISDF | 06 | 01-FEB-83 | |
| | AIR-STD-44/28A | COLOURS FOR THE IDENTIFICATION OF AIRDROPPED SUPPLIES | A ISDF | 06 | 22-MAY-73 | |
| | AIR-STD-44/29C(1) | READY ACCESS IN FIXED WING TRANSPORT AIRCRAFT | A ISDF | 06 | 29-SEP-92 | |
| | AIR-STD-44/31C | TACTICAL REFUELLING OF HELICOPTERS IN AIR TRANSPORT OPERATIONS | A ISDF | 06 | 12-DEC-85 | |
| | AIR-STD-44/32C | TECHNICAL CRITERIA FOR THE TRANSPORT OF CARGO BY HELICOPTER | A ISDF | 06 | 01-FEB-83 | |
| | AIR-STD-44/33E | HELICOPTER TACTICAL OR NON-PERMANENT LANDING SITES | A ISDF | 06 | 18-JUL-91 | |
| | AIR-STD-44/34C | TACTICAL FORMATION FLYING BY HELICOPTERS IN AIR TRANSPORT OPERATIONS | A ISDF | 06 | 18-JUL-91 | |
| | AIR-STD-44/35G | DROP ZONES AND EXTRACTION ZONES: CRITERIA, MARKINGS AND INFORMATION CHECK LISTS | A ISDF | 06 | 30-APR-91 | |
| | AIR-STD-44/36D | AEROMEDICAL EVACUATION BY HELICOPTER | A ISDF | 06 | 18-JUL-91 | |
| | AIR-STD-44/37B(3) | CRITERIA FOR SELECTION & MARKING FOR FIXED WING AIRCRAFT (CHANGE 3 DTD 2-12-86) | A ISDF | 06 | 12-FEB-86 | |
| | AIR-STD-44/38B | WARTIME AIR MOVEMENT PRIORITIES SYSTEM | A ISDF | 06 | 25-SEP-84 | |
| | AIR-STD-44/39B(1) | DESIGN CRITERIA FOR THE 10,000 LB (4,545 KG) AIR TRANSPORT PALLET | A ISDF | 06 | 29-SEP-92 | |
| | AIR-STD-44/40D(1) | PERFORMANCE CRITERIA FOR HONEYCOMB PAPER USED AS ENERGY DISSIPATING MATERIAL | A ISDF | 06 | 29-SEP-92 | |
| | AIR-STD-44/41B | COMBINED AIR TERMINAL OPERATIONS | A ISDF | 06 | 25-SEP-84 | |
| | AIR-STD-44/42A(1) | MARSHALLING SIGNALS FOR FIXED WING & ROTARY WING AIRCRAFT (CHG 1 - 6 AUG 81) | A ISDF | 06 | 06-AUG-81 | |
| | AIR-STD-44/43C NOT 1 | AIR TRANSPORT BAGGAGE TAGS | A ISDF | 06 | 29-SEP-92 | |
| | AIR-STD-44/45D | PROCEDURES FOR TRACING AIR BAGGAGE AND MISSING AIR CARGO | A ISDF | 06 | 18-JUL-91 | |
| | AIR-STD-44/47C(1) | IDENTIFICATION AND CONTROL OF AIRCRAFT PALLETS AND ASSOCIATED RESTRAINT EQUIPMENT DURING COMBINED AIRLIFT OPERATIONS (SC-M) | A ISDF | 06 | 29-SEP-92 | |
| | AIR-STD-44/48B | GROUND SECURITY PROCEDURES AGAINST HIJACKING OF AIR TRANSPORT AIRCRAFT | A ISDF | 06 | 18-JUL-91 | |
| | AIR-STD-44/49B NOT 1 | MOVEMENT, HANDLING AND IN TRANSIT STORAGE OF CARGO REQUIRING TEMPERATURE CONTROLLED CONDITIONS | A ISDF | 06 | 29-SEP-92 | |
| | AIR-STD-44/50C | EMPLANING AND DEPLANING AT THE HIGH HOVER | A ISDF | 06 | 18-JUL-91 | |
| | AIR-STD-44/51 | FORMATS FOR REQUESTING & ANSWERING REQUESTS FOR AIR TRANSPORT | A ISDF | 06 | 01-FEB-83 | |
| | AIR-STD-44/52 | TRANSPORTATION OF TROOPS ON AIRCRAFT TRANSPORTING HAZARDOUS CARGO | A ISDF | 06 | 01-FEB-83 | |
| | AIR-STD-44/53 | OPERATIONAL CARRIAGE BY HELICOPTER OF AMMUNITION & FUEL | A ISDF | 06 | 01-FEB-83 | |
| | AIR-STD-44/54 | SUPPLY/EQUIPMENT AIRDROP SYSTEMS | A ISDF | 06 | 24-MAY-83 | |
| | AIR-STD-44/55(1) | TROOP TYPE PERSONNEL PARACHUTES (CHG 1 - DTD 2-12-86) | A ISDF | 06 | 12-FEB-86 | |
| | AIR-STD-44/56(1) | DIMENSIONAL FEATURES FOR STRETCHER (LITTER) SUPPORT & RETENTION BY THE HANDLES (CHG-1 - DTD 12 FEB 86) | A ISDF | 06 | 12-FEB-86 | |
| | AIR-STD-44/57B | MULTI-MODAL DOCUMENTATION OF CARGO | A ISDF | 06 | 18-JUL-91 | |
| | AIR-STD-44/58B | PLANNING PROCEDURES FOR TACTICAL AIR TRANSPORT OPERATIONS | A ISDF | 06 | 18-JUL-91 | |
| | AIR-STD-44/59 | FLOOR RAILS & MATING EQUIPMENT ATTACHMENT PINS | A ISDF | 06 | 12-DEC-85 | |
| | AIR-STD-44/60A | CROSS SERVICING OF HELICOPTERS ENGAGED IN LAND OPERATIONS | A ISDF | 06 | 30-APR-91 | |
| | AIR-STD-44/62 | THE USE OF HORSE COLLAR (STROP) TYPE HELICOPTER HOSTING GEAR | A ISDF | 06 | 18-JUL-91 | |
| | AIR-STD-44/64 | LOCATION AIDS FOR SURVIVORS OF AIRCRAFT ACCIDENTS | A ISDF | 06 | 18-JUL-91 | |
| A | AIR-STD-44/70 | AIRCRAFT EMERGENCY ALARM PROCEDURES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX, WASH DC 20330-5058) | A ISDF | 06 | 30-JUL-97 | |
| | AIR-STD-45/3A | TACTICAL AIR DOCTRINE | A ISDF | 06 | 21-SEP-81 | |
| | AIR-STD-45/4B | TACTICAL AIR PROCEDURES COUNTER AIR OPERATIONS | A ISDF | 06 | 16-DEC-86 | |
| | AIR-STD-45/6B | TACTICAL AIR PROCEDURES AIRSPACE CONTROL IN THE COMBAT ZONE | A ISDF | 06 | 16-DEC-86 | |
| | AIR-STD-45/7A | TACTICAL AIR PROCEDURES AIR INTERDICTION OPERATIONS | A ISDF | 06 | 16-DEC-86 | |
| | AIR-STD-45/8A | TACTICAL AIR PROCEDURES, TACTICAL AIR SUPPORT OF AMPHIBIOUS OPERATIONS | A ISDF | 06 | 16-DEC-86 | |
| A | AIR-STD-45/11 | JOINT SUPPRESSION OF ENEMY AIR DEFENCES (J-SEAD) | A ISDF | 06 | 21-APR-97 | |
| A | AIR-STD-45/12 | COMMAND & CONTROL FOR JOINT AIR OPERATIONS | A ISDF | 06 | 12-MAY-97 | |
| | AIR-STD-50/1A | HIGH ORDER LANGUAGES | A ISDF | 06 | 03-OCT-91 | |
| A | AIR-STD-50/2A(1) NOT 2 | DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS | A ISDF | 06 | 12-SEP-97 | |
| A | AIR-STD-50/5A | STANDARDIZATION OF A REAL TIME HIGH ORDER COMPUTER PROGRAMMING LANGUAGE FOR AVIONICS SYSTEMS APPLICATION (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX, WASH DC 20330-5058) | A ISDF | 06 | 21-JUL-97 | |
| A | AIR-STD-50/7A | DISCRETE SIGNAL INTERFACES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX, WASH DC 20330-5058) | A ISDF | 06 | 17-JUN-97 | |
| | AIR-STD-50/8 | COMPUTER RESOURCES HANDBOOK FOR CRITICAL SYSTEMS | A ISDF | 06 | 26-OCT-89 | |
| | AIR-STD-50/9 | MULTIPLEX APPLICATIONS HANDBOOK | A ISDF | 06 | 30-NOV-89 | |
| | AIR-STD-50/10(1) | ANALOGUE VIDEO STANDARD FOR AIRCRAFT SYSTEM APPLICATIONS (CHANGE-1 WITH CORRECT PAGES 1 THRU 7) 30 APRIL 1991) | A ISDF | 06 | 30-APR-91 | |
| | AIR-STD-50/11 | AIRBORNE VIDEO RECORDERS | A ISDF | 06 | 21-FEB-92 | |
| A | AIR-STD-50/13 | WORKING PARTY 50 - GLOSSARY OF TERMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX, WASH DC 20330-5058) | A ISDF | 06 | 21-JUL-97 | |
| A | AIR-STD-50/14 | PI-BUS STANDARD (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX, WASH DC 20330-5058) | A ISDF | 06 | 10-JUL-97 | |
| A | AIR-STD-50/15 | LINEAR TOKEN PASSING MULTIPLEX DATA BUS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX, WASH DC 20330-5058) | A ISDF | 06 | 21-JUL-97 | |
| A | AIR-STD-50/16 | GUIDE TO AVIONICS DATA BUSES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX, WASH DC 20330-5058) | A ISDF | 06 | 21-JUL-97 | |
| A | AIR-STD-50/17 | HIGH SPEED RING BUS (HSRB) STANDARD (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX, WASH DC 20330-5058) | A ISDF | 06 | 21-JUL-97 | |
| A | AIR-STD-50/18 | AVIONICS SOFTWARE ENGINEERING | A ISDF | 06 | 21-JUL-97 | |
| A | AIR-STD-50/19 | VME BUS STANDARD (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX, WASH DC 20330-5058) | A ISDF | 06 | 21-JUL-97 | |
| A | AIR-STD-50/20 | AVIONICS PACKAGING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX, WASH DC 20330-5058) | A ISDF | 06 | 21-JUL-97 | |
| A | AIR-STD-50/21 | SYSTEMS ENGINEERING | A ISDF | 06 | 21-JUL-97 | |
| | AIR-STD-50/23 | LM-230A PROGRAMMABLE AUTOMATIC CAMERA TEST SET | A ISDF | 06 | 31-DEC-88 | |
| | AIR-STD-51/4(2) | STANDARD SEARCH PLANNING DATA | A ISDF | 06 | 29-DEC-75 | |
| | AIR-STD-51/7B | LOCATION AIDS FOR SURVIVORS OF AIRCRAFT ACCIDENTS | A ISDF | 06 | 20-APR-82 | |
| | AIR-STD-52/7F | METHOD OF DETERMINING THE PRINCIPAL SENSITOMETRIC CHARACTERISTICS OF BLACK AND WHITE ROLLED AIR FILM | A ISDF | 06 | 20-JUL-90 | |
| | AIR-STD-52/14E(1) | DIMENSIONS, TOLERANCES AND CHARACTERISTICS OF 70MM, 126MM AND 240MM ROLLED FILM FOR AIR PHOTOGRAPHY | A ISDF | 06 | 12-JUL-90 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
INTERNATIONAL STANDARDIZATION DOCUMENTS

| Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|----------------------|---|-------------------------|-----|-------------|-----------|
| AIR-STD-52/15C | CORES FOR 70 MM AIR FILM | A ISDF | 06 | | 04-NOV-83 |
| AIR-STD-52/17D | SPOOLS FOR 70 MM, 126 MM, AND 240 MM ROLLED AIR FILM | A ISDF | 06 | | 20-JUL-90 |
| AIR-STD-52/21A | TARGET PATTERN FOR DETERMINATION OF AERIAL PHOTOGRAPHIC RESOLUTION | A ISDF | 06 | | 04-NOV-83 |
| AIR-STD-52/22C | RECONNAISSANCE INTEROPERABILITY HANDBOOK | A ISDF | 06 | | 31-AUG-90 |
| AIR-STD-53/5B | MINIMUM OPERATIONAL REQUIREMENT (MC) FOR LIGHTWEIGHT DOPPLER SYSTEMS FOR FIXED WING AIRCRAFT | A ISDF | 06 | | 30-JUN-66 |
| AIR-STD-61/1B | EJECTION ACCELERATION LIMITS | A ISDF | 06 | | 18-AUG-82 |
| AIR-STD-61/2A | RESTRAINT AND PARACHUTE HARNESSES FOR AIRCREW | A ISDF | 06 | | 11-SEP-84 |
| AIR-STD-61/3A | ESCAPE SYSTEM TEST METHODS | A ISDF | 06 | | 30-SEP-76 |
| AIR-STD-61/4 | FLOTATION AND SEA SURVIVAL, TEST METHODS AND REQUIREMENTS | A ISDF | 06 | | 05-SEP-75 |
| AIR-STD-61/5A(1) | ESCAPE PATH CLEARANCE IN EJECTION SEAT AIRCRAFT | A ISDF | 06 | | 07-NOV-91 |
| AIR-STD-61/6 | COLLECTION OF DATA FOR EVALUATION OF HELMETS DAMAGED IN SERVICE | A ISDF | 06 | | 30-SEP-76 |
| AIR-STD-61/7B | MINIMAL PROTECTION FOR AIRCREW EXPOSED TO ALTITUDES ABOVE 50,000 FEET (CH-2) (| A ISDF | 06 | | 14-SEP-81 |
| AIR-STD-61/8A | CRITERIA FOR REPORTING THE NATURE OF CLOTHING MATERIALS ON ASSEMBLIES SUBJECTED TO PHYSICAL & OPERATIONAL TESTING | A ISDF | 06 | | 06-JUL-86 |
| AIR-STD-61/9B | PROTECTION OF PERSONNEL AGAINST THE EFFECTS OF HIGH LEVELS OF SOUND UPON HEARING & OPERATIONAL EFFICIENCY | A ISDF | 06 | | 30-JUL-86 |
| AIR-STD-61/10B | DEVELOPMENTAL TEST & EVALUATION OF AIRCRAFT OXYGEN DELIVERY SYSTEMS | A ISDF | 06 | | 18-AUG-82 |
| AIR-STD-61/11 | METHODOLOGY FOR COCKPIT THERMAL ASSESSMENTS (CH-1 20 SEP 79) | A ISDF | 06 | | 01-NOV-78 |
| AIR-STD-61/13A | MEASUREMENT OF SOUND ATTENUATION OF HEARING PROTECTIVE EQUIPMENT | A ISDF | 06 | | 03-SEP-91 |
| AIR-STD-61/14 | THE MEASUREMENT OF PROTECTION PROVIDED TO THE RESPIRATORY TRACT AND EYES AGAINST NBC AGENTS IN PARTICULATE, AEROSOL AND VAPOR FORM | A ISDF | 06 | | 01-NOV-78 |
| AIR-STD-61/15A | ANTHROPOMETRIC CRITERIA FOR LITTERS STANDARDS | A ISDF | 06 | | 30-JUL-86 |
| AIR-STD-61/16 | AVIATION MEDICINE/PHYSIOLOGICAL TRAINING OF AIRCREW | A ISDF | 06 | | 20-SEP-79 |
| AIR-STD-61/17A | VIBRATION EXPOSURE LIMITS | A ISDF | 06 | | 18-AUG-82 |
| AIR-STD-61/18 | COMPARATIVE ANTHROPOMETRY OF ASCC PERSONNEL FOR PERSONAL PROTECTIVE CLOTHING & DESIGN, FLIGHT GARMENTS (ADVISORY PUBLICATION) | A ISDF | 06 | | 21-SEP-81 |
| AIR-STD-61/20A(1) | METHOD OF PARTIAL PRESSURE SUIT EVALUATION FOR HIGH ALTITUDE PROTECTION | A ISDF | 06 | | 03-SEP-91 |
| AIR-STD-61/21 | PHYSIOLOGICAL REQUIREMENTS FOR AIRCREW OXYGEN MASKS FOR USE AT HIGH BREATHING PRESSURES | A ISDF | 06 | | 20-SEP-90 |
| AIR-STD-61/22(1) | THE MINIMUM PHYSIOLOGICAL DESIGN REQUIREMENTS FOR AIRCREW BREATHING SYSTEMS (CHG 1) | A ISDF | 06 | | 30-JUL-86 |
| AIR-STD-61/23B | MINIMUM PHYSIOLOGICAL REQUIREMENTS FOR AIRCREW NBC PROTECTIVE HEADGEAR | A ISDF | 06 | | 03-SEP-91 |
| AIR-STD-61/24 | FILTER BLOWER PERFORMANCE FOR AIRCREW NBC HEADGEAR - CHG. 2 DTD 30 JULY 86 | A ISDF | 06 | | 18-AUG-82 |
| AIR-STD-61/25 NOT 1 | HUMAN TOLERANCE TO REPEATED SHOCK (CHG 1 DTD 30 JUL 86) | A ISDF | 06 | | 30-JUL-86 |
| AIR-STD-61/26A | STANDARDIZED CENTRIFUGE G-STRESS PROFILES FOR MEDICAL EVALUATION OF AIRCRAFT MEMBERS (W/CHG 1) | A ISDF | 06 | | 25-NOV-85 |
| AIR-STD-61/27 | HIGH SPEED PASSIVE AND ACTIVE RESTRAINT | A ISDF | 06 | | 24-MAY-83 |
| AIR-STD-61/28 | EJECTION SEAT INITIATING DEVICES | A ISDF | 06 | | 24-MAY-83 |
| AIR-STD-61/29 | TERMS & SYMBOLS FOR THERMAL PHYSIOLOGY | A ISDF | 06 | | 24-MAY-83 |
| AIR-STD-61/30 | METHODOLOGY FOR MEASUREMENT OF CORE TEMPERATURE USING RADIO PILLS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | A ISDF | 06 | | 24-MAY-83 |
| AIR-STD-61/31(1) | AIRCREW ENTRY HEARINGS STANDARDS (W/CHG 1) | A ISDF | 06 | | 25-NOV-85 |
| AIR-STD-61/32A | INTERCHANGEABILITY OF AIRCREW MEDICAL CATEGORIES | A ISDF | 06 | | 03-SEP-91 |
| AIR-STD-61/33 | EVALUATION PROCEDURES FOR FLIGHT HELMETS | A ISDF | 06 | | 24-MAY-83 |
| AIR-STD-61/34 | AEROMEDICAL ASPECTS OF AIRCRAFT ACCIDENT/INCIDENT INVESTIGATIONS | A ISDF | 06 | | 11-SEP-84 |
| AIR-STD-61/36 | AIRCREW ANTHROPOMETRIC SCALE MODELS FOR ENGINEERING DESIGN | A ISDF | 06 | | 11-SEP-84 |
| AIR-STD-61/37 | ANTHROPOMETRIC LIMITATIONS FOR THE SELECTION OF AIRCREW AND FOR AIRCRAFT CREW STATIONS IN THE ASCC NATIONS | A ISDF | 06 | | 11-SEP-84 |
| AIR-STD-61/38 | THE SMOOTHING OF PERCENTILES, AN EMPIRICAL EVALUATION OF SEVERAL METHODS | A ISDF | 06 | | 11-SEP-84 |
| AIR-STD-61/39 | MAXIMUM PERMISSIBLE TEMPERATURES OF MATERIALS FOR SAFE CONTACT WITH BARE SKIN | A ISDF | 06 | | 11-SEP-84 |
| AIR-STD-61/41 | PROCEDURES FOR CALIBRATION OF IN-FLIGHT RESPIRATORY DATA ACQUISITION EQUIPMENT | A ISDF | 06 | | 16-AUG-85 |
| AIR-STD-61/42A | HUMAN TOLERANCE TO PARACHUTE OPENING SHOCK | C ISDF | 06 | | 20-SEP-90 |
| AIR-STD-61/43 | ASCC PERSONNEL FOR EQUIPMENT DESIGN: HELMETS | A ISDF | 06 | | 30-JUL-86 |
| AIR-STD-61/44 | PROCEDURE FOR PROTECTING AIRCREW DURING ROUTINE OPERATIONS IN COLDCLIMATE | A ISDF | 06 | | 30-JUL-86 |
| AIR-STD-61/45A NOT 1 | AVIATION MEDICINE/PHYSIOLOGICAL TRAINING OF HIGH ALTITUDE PARACHUTISTS | A ISDF | 06 | | 19-NOV-92 |
| AIR-STD-61/46 | GLOSSARY OF MOLECULAR SIEVE OXYGEN GENERATION SYSTEM (MSOGS) TERMINOLOGY | A ISDF | 06 | | 30-JUL-86 |
| AIR-STD-61/47 | ESCAPE PATH CLEARANCE - METHODS AND PROBLEMS | A ISDF | 06 | | 30-JUL-86 |
| AIR-STD-61/48A | SINGLE NUMBER NOISE REDUCTION OF HEARING PROTECTORS | A ISDF | 06 | | 20-SEP-90 |
| AIR-STD-61/49 | INTELLIGIBILITY OF SPEECH IN NOISE | A ISDF | 06 | | 30-JUL-86 |
| AIR-STD-61/50 | METHODS FOR ASSESSING VISUAL ENDPOINTS FOR ACCELERATION TOLERANCE | A ISDF | 06 | | 30-JUL-86 |
| AIR-STD-61/51 | CENTRIFUGE TRAINING TO INCREASE HIGH-G TOLERANCE | A ISDF | 06 | | 20-SEP-90 |
| AIR-STD-61/52A(2) | THE ANTHROPOMETRY OF ASCC MALE AIRCREW POPULATIONS | A ISDF | 06 | | 19-NOV-92 |
| AIR-STD-61/53 | THE OPTICAL & MATERIAL REQUIREMENTS FOR AIRCREW PLANO SUNGLASSES | A ISDF | 06 | | 30-JUL-86 |
| AIR-STD-61/55 | METHODOLOGY FOR ASSESSMENT OF THE THERMAL PERFORMANCE OF IMMERSION PROTECTIVE CLOTHING | A ISDF | 06 | | 30-JUL-86 |
| AIR-STD-61/56 | MEDICAL EXAMINATION OF AIRCREW FOLLOWING AN AIRCRAFT ACCIDENT/INCIDENT | A ISDF | 06 | | 30-JUL-86 |
| AIR-STD-61/57B | THE MANAGEMENT OF MOTION SICKNESS IN AIRCREW | A ISDF | 06 | | 07-NOV-91 |
| AIR-STD-61/58B | AIRCREW MALARIA PROPHYLAXIS | A ISDF | 06 | | 07-NOV-91 |
| AIR-STD-61/63C | DRUGS WHICH MAY BE USED WHILE MAINTAINING FLYING STATUS | C ISDF | 06 | | 07-NOV-91 |
| AIR-STD-61/72A | AIRCREW ENTRY VISUAL STANDARDS | A ISDF | 06 | | 20-SEP-90 |
| AIR-STD-61/73 | MINIMUM STANDARDS FOR BREATHING EQUIPMENT FOR PARACHUTISTS BETWEEN 13,000 & 25,000 FEET PRESSURE ALTITUDE | A ISDF | 06 | | 14-SEP-90 |
| AIR-STD-61/74A | REPORTING OF HYPERBARIC CHAMBER PHYSIOLOGICAL INCIDENTS | A ISDF | 06 | | 07-NOV-91 |
| AIR-STD-61/75 | DEFINITIONS OF THE VARIOUS CATEGORIES OF CABIN DECOMPRESSION | A ISDF | 06 | | 14-SEP-90 |
| AIR-STD-61/76 | A THREE DIMENSIONAL MAN MODELLING SYSTEM FOR COMPUTER AIDED DESIGN | A ISDF | 06 | | 14-SEP-90 |
| AIR-STD-61/77 | APPLICATION ORIENTED SELECTION OF ANTHROPOMETRIC DIMENSIONS | A ISDF | 06 | | 20-SEP-90 |
| AIR-STD-61/79 NOT 1 | TERMINOLOGY OF AEROMEDICAL EVACUATION | A ISDF | 06 | | 19-NOV-92 |
| AIR-STD-61/80A | DOCUMENTATION OF AEROMEDICAL EVACUATION | A ISDF | 06 | | 03-SEP-91 |

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------|---|--------------------------|-----|-------------|-----------|
| | AIR-STD-61/81 | TESTS FOR PROTECTIVE CAPACITY OF FIRE RESISTANT CLOTHING MATERIALS | A ISDF | 06 | | 20-SEP-90 |
| | AIR-STD-61/82 | INSTRUMENTATION FOR ESCAPE SYSTEM THERMAL HAZARD ANALYSIS | A ISDF | 06 | | 03-SEP-91 |
| | AIR-STD-61/83 | A BASIS FOR COMMON PRACTICES AND GOALS IN THE CONDUCT OF ANTHROPOMETRIC SURVEYS | A ISDF | 06 | | 03-SEP-91 |
| | AIR-STD-61/84A | INITIAL INVESTIGATION AND IMMEDIATE MANAGEMENT OF LASER EYE INJURY IN AIRCREW | A ISDF | 06 | | 19-NOV-92 |
| | AIR-STD-61/89 | ELECTRONIC COLOUR DISPLAY SYSTEMS | A ISDF | 06 | | 07-NOV-91 |
| | AIR-STD-61/90 | TEST METHODOLOGY FOR THE USE OF SLOW RECOVERY FOAM IN SEAT CUSHIONS | A ISDF | 06 | | 08-JUN-93 |
| | AIR-STD-61/91 | DECOMPRESSION SCHEDULES AND PHYSIOLOGICAL CONSIDERATIONS IN FLYING AFTER DIVING | A ISDF | 06 | | 14-DEC-93 |
| | AIR-STD-61/92 | OBSERVER ERRORS IN ANTHROPOMETRIC MEASUREMENTS | A ISDF | 06 | | 08-JUN-93 |
| | AIR-STD-61/93 | SPACE REQUIREMENTS FOR MEDICAL TASKS ON AEROMEDICAL EVACUATION | A ISDF | 06 | | 08-JUN-93 |
| | AIR-STD-61/94 | GUIDELINES FOR THE ASSESSMENT OF THERMAL STRESS IN AIRCRAFT CHEMICAL DEFENSE OPERATIONS | A ISDF | 06 | | 08-JUN-93 |
| | AIR-STD-64/94 | GUIDELINES FOR THE ASSESSMENT OF THERMAL STRESS IN AIRCRAFT CHEMICAL DEFENSE OPERATIONS | A ISDF | 06 | | 08-JUN-93 |
| | AIR-STD-65/1G(1) | LIGHTING OF INSTRUMENT AND NON-INSTRUMENT RUNWAYS | A ISDF | 06 | | 12-FEB-93 |
| | AIR-STD-65/4E | AIRFIELD APPROACH LIGHTING | A ISDF | 06 | | 14-AUG-86 |
| | AIR-STD-65/7A(1) | VISUAL GLIDE SLOPE INDICATOR SYSTEMS - CHG. 1 DTD 14 AUG 86 | A ISDF | 06 | | 14-AUG-86 |
| | AIR-STD-65/8A | AIRFIELD PORTABLE LIGHTING SYSTEMS | A ISDF | 06 | | 18-DEC-80 |
| | AIR-STD-65/9C | TAXIWAY LIGHTING | A ISDF | 06 | | 22-MAY-91 |
| | AIR-STD-65/10A(1) | AIRFIELD LIGHTING CONTROL SYSTEMS - CHG. 1 DTD 14 AUG 86 | A ISDF | 06 | | 14-AUG-86 |
| | AIR-STD-65/11A(1) | ILLUMINATED RUNWAY DISTANCE MARKERS @ ILLUMINATED HOOK CABLE MARKER - CHG 1 DTD 14 AUG 86 | A ISDF | 06 | | 14-AUG-86 |
| | AIR-STD-65/12B | AIRFIELD LIGHTING FOR CATEGORY II OPERATIONS | A ISDF | 06 | | 22-MAY-91 |
| | AIR-STD-65/13A(2) | EXTRANEUS LIGHTING IN VICINITY OF AERODROMES | A ISDF | 06 | | 02-JAN-96 |
| | AIR-STD-65/14B | AIRFIELD MARKING AND LIGHTING COLOR STANDARDS | A ISDF | 06 | | 04-DEC-96 |
| | AIR-STD-65/15C | AIRFIELD LIGHTING CIRCUITRY | A ISDF | 06 | | 22-MAY-91 |
| | AIR-STD-65/17C | AIRFIELD SIGNS | A ISDF | 06 | | 22-MAY-91 |
| | AIR-STD-65/18D | APRON FLOODLIGHTING | A ISDF | 06 | | 31-MAR-97 |
| | AIR-STD-65/19(1) | STANDBY POWER SUPPLY REQUIREMENTS FOR FIXED INSTALLATIONS CHG 1 DTD 14 AUG 1986 | A ISDF | 06 | | 14-AUG-86 |
| | AIR-STD-65/22 | AIRFIELD CLEARANCE PLANES | A ISDF | 06 | | 02-OCT-84 |
| | AIR-STD-65/23A | AIRCRAFT ARRESTING GEARS FOR AIRFIELDS | A ISDF | 06 | | 22-MAY-91 |
| | AIR-STD-65/33 | AIRFIELD DECLARED DISTANCES | A ISDF | 06 | | 22-MAY-91 |
| | AIR-STD-65/34(1) | HELIPORT AND HELIPAD LIGHTING AND MARKING | A ISDF | 06 | | 11-OCT-95 |
| | AIR-STD-65/36 | AERODROME PAVEMENT MARKINGS | A ISDF | 06 | | 16-JAN-97 |
| | AIR-STD-65/37(2) | AIRCRAFT ARRESTING SYSTEMS OPERATING PROCEDURES | A ISDF | 06 | | 24-JAN-96 |
| | AIR-STD-65/38(2) | PULSATING VISUAL APPROACH SLOPE INDICATOR (PVASI) | A ISDF | 06 | | 11-OCT-95 |
| | AIR-STD-70/3 | INTEROPERABILITY OF AIRCRAFT VHF AM AND/OR FM MULTI-FREQUENCY TRANSCEIVE INSTALLATIONS AND COMPATIBLE GROUND RADIO EQUIPMENTS | A ISDF | 06 | | 19-NOV-91 |
| | AIR-STD-70/4 | INTEROPERABILITY OF AIRCRAFT UHF MULTI-FREQUENCY TRANSCEIVER INSTALLATION AND COMPATIBLE GROUND TRANSMITTERS AND RECEIVERS | A ISDF | 06 | | 19-NOV-91 |
| | AIR-STD-70/11 | THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF INERTIAL NAVIGATION SYSTEMS | A ISDF | 06 | | 19-NOV-91 |
| A | AIR-STD-70/12 NOT 1 | THE SPECIFICATIONS AND EVALUATION OF THE ACCURACY OF AIRBORNE DOPPLER GROUND VELOCITY SENSORS | A ISDF | 06 | | 12-SEP-97 |
| | AIR-STD-70/13 | THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF AIRBORNE DOPPLER NAVIGATION SYSTEMS | A ISDF | 06 | | 19-NOV-91 |
| | AIR-STD-70/14 | DEFINITION OF SEA STATE FOR USE IN CONNECTION WITH DOPPLER NAVIGATION | A ISDF | 06 | | 19-NOV-91 |
| | AIR-STD-70/16 | THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF HYBRID NAVIGATION SYSTEMS | A ISDF | 06 | | 19-NOV-91 |
| | AIR-STD-70/17 | DEFINITIONS OF AIRCRAFT ATTITUDE AND HEADING ANGLES | A ISDF | 06 | | 19-NOV-91 |
| | AIR-STD-70/18 | MICROWAVE LANDING SYSTEMS (MLS) | A ISDF | 06 | | 19-SEP-91 |
| | AIR-STD-70/19 | INERTIAL NAVIGATION SYSTEMS STANDARDS IN USE | A ISDF | 06 | | 19-NOV-91 |
| A | AIR-STD-70/27 | TACTICAL DATA LINKS | A ISDF | 06 | | 21-APR-98 |
| | AIR-STD-80/1 | METHOD OF DETERMINING THE PRINCIPAL SENSITOMETRIC CHARACTERISTICS OF BLACK AND WHITE ROLLED AIR FILM | A ISDF | 06 | | 27-MAR-92 |
| | AIR-STD-80/3 | DIMENSIONS, TOLERANCES AND CHARACTERISTICS OF 70MM, 126MM AND 240MM ROLLED FILM FOR AIR PHOTOGRAPHY | A ISDF | 06 | | 27-MAR-92 |
| | AIR-STD-80/5 | TARGET PATTERN FOR DETERMINATION OF AERIAL PHOTOGRAPHIC RESOLUTION | A ISDF | 06 | | 27-MAR-92 |
| | AIR-STD-80/7 | LM-230A/B PROGRAMMABLE AUTOMATIC CAMERA TEST SET | A ISDF | 06 | | 27-MAR-92 |
| | AIR-STD-80/8 | AIR RECONNAISSANCE INTELLIGENCE REPORT FORMS | A ISDF | 06 | | 27-MAR-92 |
| | AIR-STD-80/10 | AIR RECONNAISSANCE REQUEST/TASK FORM | A ISDF | 06 | | 27-MAR-92 |
| | AIR-STD-80/11 | TITLING OF HAND HELD FILM | A ISDF | 06 | | 27-MAR-92 |
| | AIR-STD-80/13 | AIR RECONNAISSANCE INTELLIGENCE REPORTING NOMENCLATURE | A ISDF | 06 | | 27-MAR-92 |
| | AIR-STD-80/14 | POINT DESIGNATION TEMPLATE FOR IMAGERY | A ISDF | 06 | | 27-MAR-92 |
| | AIR-STD-80/15 | MINIMUM RESOLVED OBJECT SIZES FOR IMAGERY INTERPRETATION | A ISDF | 06 | | 27-MAR-92 |
| | AIR-STD-80/18 | REPORTING OF DATA USED FOR DIMENSIONAL ANALYSIS OF IMAGERY | A ISDF | 06 | | 27-MAR-92 |
| | AIR-STD-80/19 | DISSEMINATION OF VIDEO IMAGERY AND ASSOCIATED DOCUMENTATION | A ISDF | 06 | | 29-APR-96 |
| | AIR-STD-84/2A | COMMANDER'S GUIDE ON THE EFFECTS OF PENETRATING IONIZING RADIATION (WITH AMENDMENT 1) | A ISDF | 06 | | 31-JUL-81 |
| | AIR-STD-84/4A | FIRST AID MATERIEL FOR CHEMICAL INJURIES | A ISDF | 06 | | 28-MAR-97 |
| | AIR-STD-84/8A | INITIAL, CONTINUATION, UNIT NBC TRAINING STANDARDS | A ISDF | 06 | | 28-MAR-97 |
| | AIR-STD-84/9 | NBC DEFENSE EVALUATION OF AIR BASES | A ISDF | 06 | | 18-OCT-85 |
| | AIR-STD-84/15 | NBC CONTAMINATION CONTROL POLICY | A ISDF | 06 | | 28-MAR-97 |
| | AIR-STD-85/1K | GLOSSARY OF TERMS AND DEFINITIONS | A ISDF | 06 | | 28-JUN-89 |
| | AIR-STD-90/2 | FLIGHT INFORMATION CRITERIA | A ISDF | 06 | | 06-APR-96 |
| | AIR-STD-90/4 | AIRCRAFT ARRESTING SYSTEMS INFORMATION FOR FLIPS | A ISDF | 06 | | 10-MAR-92 |
| | AIR-STD-90/7 | INSTRUMENT APPROACH AND DEPARTMENT PROCEDURE CRITERIA | A ISDF | 06 | | 19-DEC-96 |
| | AIR-STD-90/8 | NAVAID FLIGHT INSPECTION (CALIBRATION) STANDARDS | A ISDF | 06 | | 19-DEC-96 |
| | AIR-STD-90/9 | OPERATIONAL USAGE CRITERIA | A ISDF | 06 | | 10-MAR-92 |
| A | AIR-STD-90/10 | STANDARDIZED PHRASEOLOGY FOR AIR TRAFFIC CONTROL (ATC) | A ISDF | 06 | | 02-MAY-97 |
| | AIR-STD-101/1J | AIR RECONNAISSANCE INTELLIGENCE REPORT FORMS | A ISDF | 06 | | 01-MAR-90 |
| | AIR-STD-101/2G | TITLING OF AIR RECONNAISSANCE, AIR SURVEY & MAPPING IMAGERY | A ISDF | 06 | | 17-DEC-81 |

DODISS NUMERICAL LISTING INTERNATIONAL STANDARDIZATION DOCUMENTS

| Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|------------------|---|-------------------------|-----|-------------|------|
| AIR-STD-101/3D | AIR RECONNAISSANCE REQUEST/TASK FORM | A ISDF | 06 | 03-SEP-86 | |
| AIR-STD-101/4E | TITLING OF HAND HELD FILM | A ISDF | 06 | 21-MAR-85 | |
| AIR-STD-101/6B | AIR RECONNAISSANCE INTELLIGENCE REPORTING NOMENCLATURE | A ISDF | 06 | 01-MAR-90 | |
| AIR-STD-101/7B | THE POINT DESIGNATION TEMPLATE FOR IMAGERY | A ISDF | 06 | 01-MAR-90 | |
| AIR-STD-101/8A | MINIMUM RESOLVED OBJECT SIZE FOR IMAGERY INTERPRETATION (CH-1 10 JAN 83) | A ISDF | 06 | 24-JAN-80 | |
| AIR-STD-101/9B | REQUEST FORM FOR IMAGERY TO BE USED IN IMAGERY INTERPRETATION KEYS PRODUCTION | A ISDF | 06 | 01-MAR-90 | |
| AIR-STD-101/12 | REPORTING OF DATA USED FOR DIMENSIONAL ANALYSIS OF IMAGERY | A ISDF | 06 | 10-JAN-83 | |
| AIR-STD-104/13C | REVISION OF ENGINEERING DRAWINGS | A ISDF | 06 | 30-JUL-90 | |
| AOP-7 | MANUAL OF TESTS FOR THE QUALIFICATION OF EXPLOSIVE MATERIALS FOR MILITARY USE | A ISDA | AI | 31-AUG-86 | |
| AOP-8 | NATO FUZE CHARACTERISTICS DATA | A ISDA | AI | 31-MAR-90 | |
| AOP-15 ED.1 | GUIDANCE ON THE ASSESSMENT OF THE SAFETY AND SUITABILITY FOR SERVICE OF MUNITIONS FOR NATO ARMED FORCES | A ISDA | AI | 31-MAR-85 | |
| AOP-16 ED.2 | FUZING SYSTEMS: DESIGN GUIDES | A ISDA | AI | 31-MAR-94 | |
| AOP-22 ED.1 | DESIGN CRITERIA AND TEST METHODS FOR INDUCTIVE SETTING OF ELECTRONIC PROJECTILE FUZES | A ISDA | AI | 31-MAR-93 | |
| AOP-26 | NATO CATALOGUE OF EXPLOSIVES | A ISDF | AI | 30-APR-92 | |
| ARMP-1 ED.2 | NATO REQUIREMENTS FOR RELIABILITY AND MAINTAINABILITY | A RELI | CR | 31-OCT-93 | |
| ARMP-2 ED.2 | GENERAL APPLICATION GUIDANCE ON THE USE OF ARMP-1 | A RELI | CR | 31-OCT-93 | |
| ARMP-3 | APPLICATION OF NATIONAL R AND MA DOCUMENTS | A RELI | CR | 31-MAY-88 | |
| ARMP-4 ED.1 | GUIDANCE FOR WRITING NATO R AND M REQUIREMENTS DOCUMENTS | A RELI | CR | 30-APR-91 | |
| ARMP-5 | GUIDANCE ON RELIABILITY AND MAINTAINABILITY TRAINING | A RELI | CR | 31-MAY-88 | |
| ARMP-6 | IN-SERVICE R AND M | A RELI | CR | 31-MAY-88 | |
| ARMP-8 ED.1 | RELIABILITY AND MAINTAINABILITY IN THE PROCUREMENT OF OFF-THE-SHELF EQUIPMENT | A RELI | CR | 31-OCT-91 | |
| AQAP-8 | NATO GUIDE TO THE PREPARATION OF SPECIFICATIONS FOR THE PROCUREMENT OF DEFENCE MATERIAL | C ISDA | SE | 01-SEP-78 | |
| AQAP-11 | NATO GUIDELINE FOR SPECIFICATION OF TECHNICAL PUBLICATION | C ISDA | SE | 01-JAN-79 | |
| AQAP-100 ED.2 | GENERAL GUIDANCE ON NATO QUALITY ASSURANCE | A QCIC | 05 | 31-MAR-95 | |
| AQAP-110 ED.2 | NATO QUALITY ASSURANCE REQUIREMENTS FOR DESIGN, DEVELOPMENT AND PRODUCTION | A QCIC | 05 | 28-FEB-95 | |
| AQAP-119 ED.2 | NATO GUIDE TO AQUAPS-110, -120 AND -130 | A QCIC | 05 | 28-FEB-95 | |
| AQAP-120 ED.2 | NATO QUALITY ASSURANCE REQUIREMENTS FOR PRODUCTION | A QCIC | 05 | 28-FEB-95 | |
| AQAP-130 ED.2 | NATO QUALITY ASSURANCE REQUIREMENTS FOR INSPECTION AND TEST | A QCIC | 05 | 28-FEB-95 | |
| AQAP-131 ED.1 | NATO QUALITY ASSURANCE REQUIREMENTS FOR FINAL INSPECTION | A QCIC | 05 | 01-MAR-93 | |
| AQAP-150 ED.1 | NATO QUALITY ASSURANCE REQUIREMENTS FOR SOFTWARE DEVELOPMENT | A QCIC | 05 | 01-MAR-93 | |
| AQAP-159 ED.1 | GUIDANCE FOR THE USE OF AQAP-150 | A QCIC | 05 | 30-APR-94 | |
| AQAP-170 ED.1 | NATO GUIDE FOR A GOVERNMENT QUALITY ASSURANCE PROGRAMME | A QCIC | 05 | 01-MAR-93 | |
| ASTANP-1 | INTERNATIONAL INDUSTRIAL STANDARDS ADOPTED BY NATO NATIONS FOR DEFENCE PURPOSES (VOLUME 1) | C ISDA | AR | 01-APR-86 | |
| ASTANP-2 | NATO GUIDE TO VARIANCES IN DRAWING PRACTICE VOLUME 1 (EDITION NO. 2 | C ISDA | AR | 01-MAR-82 | |
| ASTANP-5 | NATO QUALITY ASSESSMENT RECOMMENDATION FOR ELECTRONIC/ELECTRICAL PARTS (VOLUME INFO) | C ISDA | AR | 01-APR-86 | |
| QAP-9(1) | ENGINE HEALTH MONITORING FOR ARMY AIRCRAFT, MANUAL (ABCA) (RELEASE TO OTHER THAN DOD REQUIRES PRIOR APPROVAL OF HQ DARCOM DRCIRD) | C ISDA | AM | 31-JAN-84 | |
| QAP-15 | GLOSSARY OF TERMS USED IN PROOF (REL TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY DARCOM, DRCDE) | C ISDA | AM | 15-NOV-82 | |
| QAP-17 | METALLURGICAL TERMS & DEFINITIONS, LISTING OF GLOSSARIES USED BY ARMIES (REQ OTHER THAN DOD REF TO DARCOM, DRCDE-1) | C ISDA | AI | 08-DEC-82 | |
| QAP-22 | MILITARY OPERATIONS IN URBAN TERRAIN - BIBLIOGRAPHY | C ISDA | AI | 20-MAR-82 | |
| QSTAG-2 | MILITARY LOAD CLASSIFICATION OF CIVIL BRIDGES BY THE RECONNAISSANCE AND CORRELATION METHODS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABCA 2 | C ISDA | AM | 08-MAR-79 | |
| QSTAG-5 | ABCA ARMIES LOGISTIC HANDBOOK (ABCA) | C ISDA | AM | 04-MAR-83 | |
| QSTAG-7(1) | FINANCIAL ARRANGEMENTS IN SUPPORT OF OPERATIONS (UP TO THE YEAR 2000) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA | AM | 17-SEP-84 | |
| QSTAG-13(1) | IMMERSION REQUIREMENT FOR GROUND ROLE SERVICE EQUIPMENT (BASED ON NATO STANAG 2842) (ABCA) EDITION 2 | C ISDA | AM | 01-MAY-85 | |
| QSTAG-16 | DESIGNATION OF ARMOR THICKNESS AND OBLIQUITY (ABCA-16), EDITION NO. 2 | C ISDA | AM | 15-DEC-75 | |
| QSTAG-18 | METRIC SYSTEM FOR THE MEASUREMENT OF WEAPON CALIBRES AND AMMUNITION AGREEMENT (ABCA-18) | C ISDA | AM | 24-AUG-73 | |
| QSTAG-19 | MILITARY OPERATIONS IN URBAN TERRAIN COMPUTER MODEL EVALUATION, ARMIES STANDARDIZATION PROGRAM (ABCA QUADRIPARTITE 19) (REL TO OTHER THAN DOD REQ PRIOR APPR OF NAVMAT 09B21) | C ISDA | AM | 07-FEB-83 | |
| QSTAG-21 | TRILATERAL DESIGN & TEST CODE FOR MILITARY BRIDGE & GAP CROSSING EQUIPMENT (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA | AM | 01-MAY-84 | |
| QSTAG-23 | SAFTY & ENVIRONMENTAL TESTS FOR LAND MINES & DEMOLITION STORES (ABCA 23) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA | AM | 16-SEP-83 | |
| QSTAG-26(1) | ARTILLERY FIRE CONTROL MATRIX (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA | AM | 30-MAY-84 | |
| QSTAG-28(2) | SWITCHBOARD SB-22Q/PT | C ISDA | AM | 01-DEC-78 | |
| QSTAG-35(1) | TELETYPEWRITER SET AN/PGC-10 (ABCA-35) | C ISDA | AM | 24-MAR-76 | |
| QSTAG-46 ED.2(1) | RIFLE, RECOILLESS, 106MM: M40A2 WITH AMMUNITION (EDITION NO. 2) | C ISDA | AM | 25-APR-85 | |
| QSTAG-47(1) | BARGE, DECK CARGO, NONPROPELLED, STEEL, SECTIONALIZED, NESTING, 81-FOOT, DESIGN 7001 (ABCA-47) | C ISDA | AM | 20-DEC-79 | |
| QSTAG-56 ED.2(1) | HOWITZER, LIGHT, TOWED, 105MM, M101A1 WITH AMMUNITION AND FIRE CONTROL EQUIPMENT (ABCA-56) (EDITION NO. 2) | C ISDA | AM | 24-SEP-80 | |
| QSTAG-57 ED.2 | HOWITZER, MEDIUM, TOWED, 155MM, M114A1 WITH AMMUNITION AND FIRE CONTROL EQUIPMENT (EDITION NO. 2) | C ISDA | AM | 16-OCT-79 | |
| QSTAG-59 ED.2(1) | MORTAR, 81MM, M29A1, MOUNT, MORTAR, 81MM, M23A1 WITH AMMUNITION AND SIGHTUNIT M53A1, RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVE BY HQ DARCOM (DRCIRD) (EDITION NO. 2) | C ISDA | AM | 24-APR-85 | |
| QSTAG-62(1) | WIRE DISPENSER (MX-306 A/G) (ABCA-62) | C ISDA | AM | 24-MAR-76 | |
| QSTAG-69(2) | TELEPHONE SET TA-430/PT, TELEPHONE SET TA-3120/PT, AND TELEPHONE SET TA-5003/U (ABCA 69) | C ISDA | AM | 01-DEC-78 | |
| QSTAG-84 | DRILL RODS AND BITS FOR HAND-DRIVEN AIR-DRIVEN ROCK DRILLS (ABCA-84), WITH AMEND. NO 1 | C ISDA | AM | 16-NOV-59 | |
| QSTAG-86 | BARREL (TUBE) 105MM TANK GUN L.7 A.1 (EDITION 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | 23-JAN-85 | |
| QSTAG-88(1) | FLOATING FOOTBRIDGE, ALUMINUM (ABCA-88) | C ISDA | AM | 12-AUG-80 | |

DODISS NUMERICAL LISTING INTERNATIONAL STANDARDIZATION DOCUMENTS

| Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-----------------|---|--------------------------|-----|-------------|-----------|
| QSTAG-97 | STANDARDIZATION OF WRENCH OPENING (NCH SERIES (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21)(EDITION NO. 4) | C ISDA | AM | | 12-MAR-82 |
| QSTAG-101 | STANDARDIZATION OF 2 INCH FUZE HOLES AND FUZE CONTOURS FOR ARTILLERY PROJECTILES 75MM AND LARGER IN CALIBER INCLUDING 81MM, 4. 2 INCHES AND 107MM MORTARS | C ISDA | AM | | 05-APR-66 |
| QSTAG-105(1) | SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES (ABCA-105) | C ISDA | AM | | 22-SEP-76 |
| QSTAG-108(1) | LINK, CARTRIDGE, METALLIC BELT 7.62MM, M13 (ABCA-108) | C ISDA | AM | | 06-DEC-77 |
| QSTAG-112 | WATER PURIFICATION UNIT VAN BODY MOUNTED, ELECTRIC MOTOR-DRIVEN, ERDLATOR-TYPE CLARIFIER, DIATOMITE TYPE FILTERS, 1500 GPH (ABCA-112) | C ISDA | AM | | 25-SEP-73 |
| QSTAG-113 | SPECIFICATION FOR CE (TETRYL)-(ABCA-113) | C ISDA | AM | | 25-SEP-73 |
| QSTAG-114 | SPECIFICATION FOR PICRITE (NITROGUANIDINE)-(ABCA-114) | C ISDA | AM | | 25-SEP-73 |
| QSTAG-115 | SPECIFICATION FOR RDX (HEXOGENE)-(ABCA-115) | C ISDA | AM | | 25-SEP-73 |
| QSTAG-116 | SPECIFICATION FOR PETN (PENTHRITE)-(ABCA-116) | C ISDA | AM | | 01-NOV-73 |
| QSTAG-117 | SPECIFICATION FOR AMMONIUM NITRATE (FOR USE IN EXPLOSIVES)-(ABCA-117) | C ISDA | AM | | 25-SEP-73 |
| QSTAG-118 | SPECIFICATION FOR TNT (TOLITE) *ABCA-118(| C ISDA | AM | | 25-SEP-73 |
| QSTAG-123 | SMALL ARMS AMMUNITION (7.62MM) RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD | C ISDA | AM | | 06-MAR-81 |
| QSTAG-125(1) | CHARGER FOR NATO 7.62 MM AMMUNITION (BASED ON NATO STANAG 2318) (EDITION 2) (ABCA 125) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 13-JAN-84 |
| QSTAG-129(1) | STANDARDIZATION OF IMPACT TESTS FOR STEEL FOR GUNS (BASED ON NATO STANAG 4020) (ABCA 129) ED. (2) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) | C ISDA | AM | | 02-MAY-85 |
| QSTAG-134 | SPECIFICATION FOR DNT (DINITROTOLUENE) FOR PROPELLANTS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (EDITION 2) ABCA 134 | C ISDA | AM | | 27-JUL-81 |
| QSTAG-141 | BOAT, BRIDGE ERECTION, INBOARD ENGINE, 27 FT. (ABCA-141) | C ISDA | AM | | 23-JAN-64 |
| QSTAG-145 | INTERCHANGEABILITY OF INFRARED EQUIPMENTS MOUNTED ON PORTABLE INFANTRY WEAPONS-SHAPE AND DIMENSIONS OF INFRARED FILTERS (ABCA-145) | C ISDA | AM | | 14-MAY-64 |
| QSTAG-148 | BORESCOPIES M1 & M3 (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 18-DEC-84 |
| QSTAG-150(1) | GUN, FIELD ARTILLERY, SELF PROPELLED, 175MM, M107 WITH AMMUNITION AND ASSOCIATED STORES (ABCA 150) | C ISDA | AM | | 24-SEP-80 |
| QSTAG-151 | CARRIER, PERSONNEL, FULL TRACKED, ARMORED, M113A1/2 & CARRIER, COMMAND POST, LIGHT TRACKED, M577A1/2 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (EDITION NO. 2) (ABCA 151) | C ISDA | AM | | 12-MAR-82 |
| QSTAG-152 | PLATE, BASE, 81MM MORTAR, CDN, MK1 (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 16-APR-84 |
| QSTAG-157 | GUN, SPOTTING, CAL. 50, M8C AND M8 AND CARTRIDGE, SPOTTER TRACER, CAL. 50, M48A1 (ABCA-157) | C ISDA | AM | | 23-SEP-66 |
| QSTAG-161 | RADIO SETS, AN/VRC-12 SERIES (ABCA 161) W/AMDS 1, 2 AND 3 | C ISDA | AM | | 01-DEC-78 |
| QSTAG-162 | 3 AND 6 HP AIR COOLED GASOLINE ENGINES (EDITION NO. 2) (ABCA-162) | C ISDA | AM | | 22-FEB-77 |
| QSTAG-163 | MILITARY ABBREVIATIONS (EDITION NO. 2) (ABCA 163) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 23-APR-81 |
| QSTAG-165(1) | MOVEMENTS PRINCIPLES, POLICIES, AND DUTIES (EDITION NO. 2) (ABCA-165) | C ISDA | AM | | 16-MAR-78 |
| QSTAG-171 | PROCEDURES FOR REQUESTING REPAIR & RECOVERY OF LAND MILITARY TECHNICAL EQUIPMENT (EDITION 2) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA | AM | | 01-JUN-83 |
| QSTAG-180(1) | MILITARY LOAD CLASSIFICATION OF CIVIL BRIDGES BY THE RECONNAISSANCE AND CORRELATION METHODS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (EDITION NO. 2) | C ISDA | AM | | 21-FEB-80 |
| QSTAG-182 | BATTLEFIELD ILLUMINATION (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 182) (EDITION NO. 2) | C ISDA | AM | | 14-NOV-80 |
| QSTAG-187(1) | REPORTING NUCLEAR DETONATIONS, RADIOACTIVE FALLOUT, & BIOLOGICAL & CHEMICAL ATTACKS & PREDICTING ASSOCIATED HAZARDS (BASED ON NATO STANAG 2103) (EDITION NO. 2) (ABCA 187) | C ISDA | AM | | 31-MAY-83 |
| QSTAG-189 | FRIENDLY NUCLEAR STRIKE WARNING (BASED ON NATO STANAG 2104) (ED. 2) REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21 | C ISDA | AM | | 26-MAR-84 |
| QSTAG-201 | ABCA TABLE OF MEDICAL EQUIVALENTS OF MEDICAL MATERIAL (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ASBCA 201) (EDITION NO. 2) | C ISDA | AM | | 26-MAR-81 |
| QSTAG-203 | CABLES, COAXIAL AND TWIN CONDUCTOR, FOR RADIO FREQUENCY (ABCA-203) | C ISDA | AM | | 12-JAN-68 |
| QSTAG-207(6) | CALCULATOR SET, RADIAC AND NUCLEAR YIELD, ABC-M28A1 (EDITION NO. 2) (ABCA-207) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM, DRCIRD) | C ISDA | AM | | 31-MAY-83 |
| QSTAG-208 | HEADLAMP LIGHT UNIT FOR WHEELED TACTICAL VEHICLES (ABCA 208) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM MAT 09B21, WASH, 20360) | C ISDA | AM | | 09-JUL-84 |
| QSTAG-209(1) | DEFINITION OF WEIGHT OF A STANDARD MANPACK RADIO STATION (ABCA-209) | C ISDA | AM | | 06-OCT-81 |
| QSTAG-212(1) | INFRARED LIGHTING EQUIPEMNT FOR MILITARY VEHICLES (ABCA-212) | C ISDA | AM | | 14-AUG-78 |
| QSTAG-213 | CAMOUFLAGE STANDARDS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH D.C. 20360) (ABCA 213) (EDITION NO. 2) | C ISDA | AM | | 08-MAY-85 |
| QSTAG-214(5) | FILTER, GAS PARTICULATE, CFM S, 600, ABC-M14, 1200, ABC-M15, 2500, ABC-M16, 5000, ABC-M17, 600, ABC-M14A1, 1200, ABC-M15A1, 2500, ABC-M16A1, 5000, ABC-M17A1 (ABCA-214) | C ISDA | AM | | 06-JUN-80 |
| QSTAG-216(4) | CARRIER, (US), FIELD PROTECTIVE MASK, ABC M13A1 (CA) CARRIER, NBCW PROTECTIVE MASK, M14 (CIA1) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 21-NOV-78 |
| QSTAG-217(1) | ARTILLERY, TACTICAL TASKS & RESPONSIBILITIES FOR CONTROL OF (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 217) (EDITION NO. 2) | C ISDA | AM | | 04-MAR-83 |
| QSTAG-218(2) | FILTER UNIT, GAS PARTICULATE, HOSPITAL, SIX MAN, 12 CFM, M7A1 RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 22-NOV-78 |
| QSTAG-220 | ADOPTION OF A STANDARD CANNON ARTILLERY FIRING TABLE FORMAT (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) ABCA 220 (EDITION NO. 2) | C ISDA | AM | | 08-DEC-81 |
| QSTAG-221 | TARGET NUMBERING SYSTEM FOR POST-1970 (ABCA-221) | C ISDA | AM | | 03-SEP-70 |
| QSTAG-222 | STANDARD PROCEDURES PRIOR TO INFANTRY/ARMoured FIGHTING VEHICLE (AFV) OPERATIONS (U), (ABCA-222) | C ISDA | AM | | 03-SEP-70 |
| QSTAG-223(2) | DECONTAMINATION APPARATUS, POWER DRIVEN, SKID MOUNTED, MULTI PURPOSE, NONINTEGRAL, 500 GALLON, M12A1 (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) | C ISDA | AM | | 22-NOV-78 |
| QSTAG-224(1) | MANUAL FIRE DIRECTION EQUIPMENT, TARGET CLASSIFICATION AND METHODS OF ENGAGEMENT (ABCA 224) (EDITION 2) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH D.C. 20360) | C ISDA | AM | | 08-DEC-83 |
| QSTAG-225(1) | CALL FOR FIRE PROCEDURES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (EDITION NO. 2) (ABCA 225) | C ISDA | AM | | 16-DEC-82 |
| QSTAG-226(1) | MORTAR, MEDIUM, GROUND MOUNTED 81MM, & AMMUNITION (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 226)(EDITION NO. 2) | C ISDA | AM | | 10-AUG-82 |
| QSTAG-227 | LUBRICANT FITTINGS (ABCA-227) | C ISDA | AM | | 03-MAR-71 |
| QSTAG-228 | CONNECTORS FOR MULTI-PAIR FIELD TELEPHONE CABLES (ABCA-228) (EDITION 2) | C ISDA | AM | | 30-NOV-82 |

DODISS NUMERICAL LISTING INTERNATIONAL STANDARDIZATION DOCUMENTS

| Document Number | Document Title | Distribution FSC/Area | ICA Prep. Acty. | Date |
|-----------------|---|--------------------------|--------------------|-----------|
| QSTAG-229(3) | ABBREVIATIONS FOR USE ON DRAWINGS (ABCA-229 W/AMENDMENTS 1 AND 2) | C ISDA | AM | 14-AUG-80 |
| QSTAG-230 | MORPHIA DOSAGE AGREEMENT (EDITION NO 2) (ABCA230) | C ISDA | AM | 15-JAN-73 |
| QSTAG-232 | INSECTICIDE POWDER, PERSONAL APPLICATION, 1 PER CENT MALATHION, 25 POUND PAIL (ABCA-232) | C ISDA | AM | 03-MAR-71 |
| QSTAG-233(2) | RADIO SET, AN/GRC-103 (EDITION NO. 2) (ABCA-233) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM, DRCIRD) | C ISDA | AM | 01-DEC-78 |
| QSTAG-234(5) | MASK, CHEMICAL AND BIOLOGICAL AIRCRAFT, ABC-M24 AND HOOD, AIRCRAFT, CHEMICAL AND BIOLOGICAL MASK, ABC-M7 RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | 08-DEC-81 |
| QSTAG-235(1) | DECONTAMINATING APPARATUS, PORTABLE, 1-1/2 QUART WITH DECONTAMINATION AGENTS (ABCA-235) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) | C ISDA | AM | 27-NOV-78 |
| QSTAG-236(2) | MEDICAL GAS CYLINDERS (ABCA-236) | C ISDA | AM | 18-JUN-84 |
| QSTAG-237 | WATER PURIFICATION UNIT CARGO BODY MOUNTED, ELECTRIC MOTOR DRIVEN, ERDLATOR TYPE CLARIFIER, DIATOMITE TYPE FILTER, 600 GPH, TYPE II (ABCA-237) | C ISDA | AM | 08-APR-71 |
| QSTAG-238 | MINIMUM CRITERIA FOR LOWER ECHELON (UNIT) LEVEL 2 - WIRE MAGNETO FIELD TELEPHONE SETS (ABCA-238) | C ISDA | AM | 08-APR-71 |
| QSTAG-239(1) | STANDARD PROCEDURE FOR INFANTRY/ARMORED FIGHTING VEHICLE TARGET INDICATION (ABCA-239) | C ISDA | AM | 04-DEC-74 |
| QSTAG-240 | EQUIPMENT FOR RECEIPT AND DELIVERY OF LIQUID FUELS (ABCA-240) | C ISDA | AM | 14-DEC-73 |
| QSTAG-243 | SURVEILLANCE (INCLUDING NIGHT OBSERVATION) PLAN ANNEX TO AN OPERATION ORDER (ABCA-243) | C ISDA | AM | 27-JUN-78 |
| QSTAG-245(1) | MINIMUM REQUIREMENTS FOR WATER POTABILITY (SHORT AND LONG TERM USE), (ABCA-245) | C ISDA | AM | 28-JAN-75 |
| QSTAG-246(1) | RADIOTELEPHONE PROCEDURES FOR THE CONDUCT OF ARTILLERY FIRE (EDITION NO. 2) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) | C ISDA | AM | 23-FEB-83 |
| QSTAG-247(1) | UNIFIED SCREW THREADS (ABCA-247) | C ISDA | AM | 26-AUG-80 |
| QSTAG-248(1) | IDENTIFICATION OF MEDICAL MATERIEL TO MEET URGENT NEEDS (ABCA-248) | C ISDA | AM | 20-SEP-76 |
| QSTAG-250(1) | HELICOPTER, LIGHT OBSERVATION, OH58 SERIES | C ISDA | AM | 02-SEP-81 |
| QSTAG-251 | ALARM, CHEMICAL AGENT, AUTOMATIC, PORTABLE, M8 & M8A1 WITH ACCESSORIES (EDITION 2) | C ISDA | AM | 31-MAY-84 |
| QSTAG-252(1) | ADOPTION OF A STANDARD ARTILLERY COMPUTER METEOROLOGICAL MESSAGE (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) ABEA 252 | C ISDA | AM | 28-APR-80 |
| QSTAG-253(5) | GENERAL DRAWING PRACTICE (ABCA-253) | C ISDA | AM | 13-AUG-80 |
| QSTAG-255(2) | MINE, ANTIPERSONNEL M16A1, M16A2 AND FUZE MINE COMBINATION M605 (ABCA 255) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) | C ISDA | AM | 27-JAN-79 |
| QSTAG-257(1) | COLOR OF INDICATING SMOKE FOR PRACTICE LAND MINES AND LAND MINE SIMULATORS (ABCA-257) | C ISDA | AM | 04-DEC-74 |
| QSTAG-262 | METHODS OF SPECIFYING STEELS IN MANUFACTURING DATA (ABCA-262) | C ISDA | AM | 29-JAN-73 |
| QSTAG-263/1 | STANDARDS TO ACHIEVE INTEROPERABILITY OF ABCA ARMIES HIGH FREQUENCY COMBAT NET RADIO EQUIPMENTS | C ISDA | AM | 14-JUN-76 |
| QSTAG-263/2 | STANDARDS TO ACHIEVE INTEROPERABILITY OF ABCA ARMIES VERY HIGH FREQUENCY COMBAT NET RADIO EQUIPMENTS (CUST: AM) | A ISDF | AM | 03-MAR-77 |
| QSTAG-263/3 | STANDARD TO ACHIEVE INTEROPERABILITY OF ABCA ARMIES ULTRA HIGH FREQUENCY COMBAT NET RADIO EQUIPMENTS | C ISDA | AM | 14-JUN-76 |
| QSTAG-264 | LUNETTES, PINTLES AND EMERGENCY TOWING FACILITIES (ABCA-264) | C ISDA | AM | 14-DEC-71 |
| QSTAG-265(5) | SAMPLING AND ANALYZING KIT, CBR AGENTS, M19 (ABCA-265) | C ISDA | AM | 31-MAY-83 |
| QSTAG-266 | STANDARDIZATION OF COMBAT IDENTIFICATION MARKINGS FOR ARMORED FIGHTING VEHICLES (AFVS) | C ISDA | AM | 21-MAR-73 |
| QSTAG-267 | STANDARD CHARACTER BY CHARACTER METEOROLOGICAL MESSAGE FORMAT (ABCA) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) | C ISDA | AM | 10-FEB-82 |
| QSTAG-271(1) | PERFORMANCE AND PROTECTIVE PROPERTIES OF COMBAT CLOTHING (ABCA 271) | C ISDA | AM | 28-APR-80 |
| QSTAG-274 | CERTIFICATION OF RADIOGRAPHIC TESTING PERSONNEL (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) ABCA 274 | C ISDA | AM | 27-MAR-81 |
| QSTAG-275 | GRAPHICAL SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS (EDITION NO. 2) | C ISDA | AM | 09-JUN-76 |
| QSTAG-276 | FAMILY OF AERIAL VEHICLES FOR LAND FORCES UP TO THE YEAR 2000 (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | 25-FEB-85 |
| QSTAG-278(1) | STANDARDIZATION OF PROOF PRACTICES FOR PYROTECHNIC STORES (RELEASE OUTSIDE DOD MUST BE APPROVED BY DARCOM/DRCIRD) (ABCA 278) | C ISDA | AM | 02-SEP-80 |
| QSTAG-280 | STATIC PROOF OF DETONATORS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA | AM | 20-SEP-83 |
| QSTAG-281 | STATIC PROOF OF IGNIFEROUS RELIATORS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM, DRCIRD) (ABCA 386) | C ISDA | AM | 24-MAR-80 |
| QSTAG-282 | STATIC PROOF OF CAPS (OTHER THAN SMALL ARMS) (ABCA 282) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, DEPT OF NAVY, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | 21-SEP-83 |
| QSTAG-283(4) | AREA PREDICTOR, RADIOLOGICAL FALLOUT, M5A2 (ABCA 283) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM, DRCIRD) | C ISDA | AM | 31-MAY-83 |
| QSTAG-284(1) | FIFTH WHEEL ATTACHMENTS (ABCA-284) | C ISDA | AM | 01-JUN-72 |
| QSTAG-287(1) | PROCEDURE FOR REPORTING & INITIAL DISPOSITION OF UNSATISFACTORY MEDICAL MATERIEL (EDITION NO. 2) | C ISDA | AM | 29-JUN-84 |
| QSTAG-288(1) | INTRAVENOUS REPLACEMENT FLUIDS (ABCA-288) | C ISDA | AM | 13-AUG-80 |
| QSTAG-289 | MINIMUM ESSENTIAL CHARACTERISTICS OF WHOLE BLOOD SHIPPING CONTAINER (EDITION NO. 2) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) ABCA 289 | C ISDA | AM | 09-MAR-79 |
| QSTAG-290(2) | MINIMUM REQUIREMENTS FOR CONTROLLED TEMPERATURE STORAGE OF MEDICAL MATERIAL (ABCA-290) | C ISDA | AM | 26-SEP-77 |
| QSTAG-291 | INTERFACE OF MEDICAL MATERIAL PROCEDURES | C ISDA | AM | 05-JUN-74 |
| QSTAG-292(2) | VACCINATION OF ARMED FORCES (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT, 09B21, WASH, D.C. 20360) | C ISDA | AM | 05-DEC-84 |
| QSTAG-293 | MATERIEL FOR EMERGENCY MEDICAL CARE OF MASS CASUALTIES (ABCA-293) | C ISDA | AM | 12-FEB-75 |
| QSTAG-296(3) | FILTER UNIT, GAS PARTICULATE, GED OR EMD, 200 CFM, ABCA M6A1 (WITH AMENDMENTS 1 AND 2) ABCA 296 | C ISDA | AM | 03-JUN-80 |
| QSTAG-298(1) | ELECTRICAL CHARACTERISTICS OF ROTATING 28 VOLT D.C. GENERATING SETS FOR FIELD ARMY USE (ABCA-298) | C ISDA | AM | 02-FEB-84 |
| QSTAG-299(1) | ELECTRICAL CHARACTERISTICS OF ROTATING ALTERNATING CURRENT GENERATING SETS FOR FIELD ARMY USE (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM (DRCIRD)) (ABCA-299) | C ISDA | AM | 02-FEB-84 |
| QSTAG-300 | TELEGRAPH AND DATA TRANSMISSION RATES (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 300) | C ISDA | AM | 15-JAN-79 |
| QSTAG-301 | CHARACTERISTICS OF DEMOLITION ACCESSORIES TO DETERMINE THEIR OPERATIONAL INTERCHANGEABILITY (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) ABCA 301 | C ISDA | AM | 05-MAR-79 |

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|--|--------------------------|-----|-------------|-----------|
| QSTAG-304(1) | OPERATIONAL METEOROLOGICAL MESSAGES AND FORECASTS (ABCA 304) (RELEASE TO OTHER THAN DOD ACTIVITIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) | C ISDA | AM | | 25-FEB-80 |
| QSTAG-305 | TENT, FRAME TYPE, MAINTENANCE, MEDIUM, LIGHT MENTAL, EXPANDABLE (ABCA - 305) 150274 | C ISDA | AM | | 15-FEB-74 |
| QSTAG-306 | FORTIFICATION FOR PARKED AIRCRAFT (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM)DRCIRD()ABCA-306(| C ISDA | AM | | 14-JUN-78 |
| QSTAG-307(2) | CHARACTERISTICS OF 28V DC ELECTRICAL SYSTEMS IN MILITARY VEHICLES (ABCA-307) | C ISDA | AM | | 01-DEC-82 |
| QSTAG-309 | DEFINITION OF PRESSURES FOR USE IN THE DESIGN AND PROOF OF GUNS AND AMMUNITION (ABCA-309) | C ISDA | AM | | 12-APR-73 |
| QSTAG-310(1) | BRAKING SYSTEMS BETWEEN TOWING AND TOWED UNITS OF EQUIPMENT COMBINATIONS FOR MILITARY USE (ABCA 310) | C ISDA | AM | | 30-OCT-74 |
| QSTAG-312 | RADIO RECEIVING SET, AN/ARN-82 (ABCA-312) | C ISDA | AM | | 31-JAN-75 |
| QSTAG-313 | DIRECTION FINDER SET, AN/ARN-89 | C ISDA | AM | | 05-DEC-74 |
| QSTAG-314(3) | GENERAL PURPOSE VENTED NICKEL CADMIUM BATTERIES (ABCA-314) | C ISDA | AM | | 13-MAR-84 |
| QSTAG-315(3) | BATTERIES, RECHARGEABLE, NICKEL CADMIUM, SEALED | C ISDA | AM | | 29-APR-84 |
| QSTAG-317(3) | DISPERSER, RIOT CONTROL AGENT, PORTABLE, 3 GALLON, M33A1 AND SERVICE KIT, PORTABLE, RIOT CONTROL AGENT DISPERSER, M254 (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) | C ISDA | AM | | 14-FEB-85 |
| QSTAG-319(4) | GRENAD HAND, RIOT, CS, M47 AND GRENAD, HAND, ROIT, RED SMOKE, M48 | C ISDA | AM | | 14-FEB-85 |
| QSTAG-322 | EMERGENCY WAR SURGERY (ABCA-322) | C ISDA | AM | | 19-NOV-73 |
| QSTAG-323(3) | WELDING SYMBOLS (ABCA-323) (WITH AMENDMENT 1) | C ISDA | AM | | 29-APR-80 |
| QSTAG-324(3) | WELDING TERMS AND DEFINITIONS (ABCA-324) (WITH AMENDMENT 1) | C ISDA | AM | | 25-AUG-80 |
| QSTAG-326(2) | GRAPHICAL SYMBOLS FOR USE IN DIAGRAMS FOR FLUID SYSTEMS IN ARMY VEHICLES (EXCLUDING AERONAUTIC OR GUIDED WEAPON)MISSILE(SYSTEM) | C ISDA | AM | | 26-AUG-80 |
| QSTAG-327 ED.2 | TWELVE POINT ELECTRICAL CONNECTORS BETWEEN MILITARY VEHICLES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD) (EDITION NO. 2) (ABCA 327) | C ISDA | AM | | 23-APR-81 |
| QSTAG-328 | SLINGING & TIEDOWN PROVISIONS FOR LIFTING & TYING DOWN MILITARY EQUIPMENT (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) | C ISDA | AM | | 24-MAR-82 |
| QSTAG-332 | STANDARD BALLISTIC METEOROLOGICAL MESSAGE(ABCA 332) | C ISDA | AM | | 15-DEC-75 |
| QSTAG-334 | PROOF TESTING OF SMALL ARMS (ABCA 334) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, DC, 20360) | C ISDA | AM | | 21-NOV-83 |
| QSTAG-335(1) | CERTIFICATION OF INDUSTRIAL ULTRASONIC TESTING PERSONNEL (ABCA-335) | C ISDA | AM | | 26-AUG-80 |
| QSTAG-337(1) | GLOSSARY OF AIR DEFENSE TERMS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD(| C ISDA | AM | | 31-DEC-81 |
| QSTAG-339 | TEST PROCEDURES FOR BARIUM NITRATE (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD (ABCA 339) | C ISDA | AM | | 19-AUG-81 |
| QSTAG-340(2) | SINGLE & MULTI LEVEL CONTINUOUS SAMPLING PROCEDURES & TABLES FOR INSPECTION BY ATTRIBUTES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 340) | C ISDA | AM | | 03-SEP-82 |
| QSTAG-342 | TEST PROCEDURES FOR MAGNESIUM POWER (RELEASE TO OTHER THAN DDD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DCIRD) (ABCA 342) | C ISDA | AM | | 19-AUG-81 |
| QSTAG-343(1) | BASIC REQUIREMENTS FOR ELECTRONIC SURVEILLANCE OF PATIENTS IN THE FIELD (ABCA 343 | C ISDA | AM | | 09-AUG-76 |
| QSTAG-344 | BASIC VOLTAGE AND CURRENT CHARACTERISTICS OF ELECTRO-MEDICAL EQUIPMENT (ABCA 344) | C ISDA | AM | | 07-MAY-75 |
| QSTAG-345(1) | ESSENTIAL CHARACTERISTICS OF HIGH PRESSURE STEAM STERILIZERS (ABCA 345) | C ISDA | AM | | 20-JUN-84 |
| QSTAG-346(1) | STANDARD LIST OF GAP CROSSING INFORMATION REQUIREMENTS WHEN GATHERING DATA BY MEANS OF AERIAL OR GROUND SURVEY (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD(| C ISDA | AM | | 23-NOV-82 |
| QSTAG-347(1) | BATTERIES, RECHARGEABLE, LEAD ACID, VENTED (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABDA 347) | C ISDA | AM | | 13-MAR-84 |
| QSTAG-348(1) | BATTERIES, NON RECHARGEABLE | C ISDA | AM | | 18-APR-84 |
| QSTAG-351 | 5.56MM AMMUNITION (ABCA-351) | C ISDA | AM | | 13-DEC-76 |
| QSTAG-353 ED.2 | METRIC (ISO) SCREW THREADS COARSE SERIES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 353) (EDITION NO. 2) | C ISDA | AM | | 08-JUN-81 |
| QSTAG-357 | MARKING OF GAS CYLINDERS (EXCLUDING MEDICAL) | C ISDA | AM | | 29-NOV-84 |
| QSTAG-358 | TEST PROCEDURES FOR DEXTRINATED LEAD HZIDE (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD()ABCA 358(| C ISDA | AM | | 14-JUN-78 |
| QSTAG-359 | TEST PROCEDURES FOR BLACK POWER (ABCA-359) | C ISDA | AM | | 14-JUN-78 |
| QSTAG-360 | CLIMATIC ENVIRONMENTAL CONDITIONS AFFECTING THE DESIGN OF MILITARY MATERIEL (ABCA 360) | C ISDA | AM | | 16-OCT-79 |
| QSTAG-361 | FUNGAL CONTAMINANTS AFFECTING THE DESIGN OF MILITARY MATERIEL (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 361) | C ISDA | AM | | 15-JAN-81 |
| QSTAG-362(1) | CHEMICAL ENVIRONMENTAL CONTAMINANTS AFFECTING THE DESIGN OF MILITARY MATERIEL (ABCA 362) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 22-SEP-83 |
| QSTAG-364 | HANDLING & TRANSPORT SHOCK & VIBRATION CONDITIONS AFFECTING DESIGN CRITERIA (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 364) | C ISDA | AM | | 25-MAR-81 |
| QSTAG-365(2) | THE FIRE ENVIRONMENTAL CONDITIONS AFFECTING DESIGN CRITERIA (ABCA 365) | C ISDA | AM | | 19-SEP-84 |
| QSTAG-386 | STANDARD FORMAT OF REQUEST FOR METEOROLOGICAL MESSAGES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 386) | C ISDA | AM | | 18-JAN-80 |
| QSTAG-389 | STANDARD TARGET ACQUISITION METEOROLOGICAL MESSAGE (ABCA) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) | C ISDA | AM | | 10-FEB-82 |
| QSTAG-390 ED.2 | HELICOPTER, CARGO/TROOP CARRIER, CH-47 SERIES (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) EDITION NO. 2 | C ISDA | AM | | 11-DEC-80 |
| QSTAG-393 | ROCKET & LAUNCHER 2.75 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM DRCDE-1) (ABCA 393) | C ISDF | AM | | 15-MAR-82 |
| QSTAG-398 | ADAPTERS FOR GAS CYLINDER VALVES AND REGULATING EQUIPMENT | C ISDA | AM | | 12-NOV-79 |
| QSTAG-399 | AIRCRAFT COMMUNICATIONS RADIO SET, AN/ARC-114 SERIES | C ISDA | AM | | 24-MAR-76 |
| QSTAG-400 | AIRCRAFT COMMUNICATIONS RADIO SET, AN/ARC-115 | C ISDA | AM | | 24-MAR-76 |
| QSTAG-401 | AIRCRAFT COMMUNICATIONS RADIO SET, AN/ARC-116 | C ISDA | AM | | 24-MAR-76 |
| QSTAG-402 | LOW REFLECTIVE ACRYLIC LACQUER FOR ROTARY WING AIRCRAFT (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 402) | C ISDA | AM | | 08-MAR-79 |
| QSTAG-404(1) | M134 MACHINE GUN HIGH RATE 7.62MM, MINIGUN, (GAU-2B/A) | C ISDA | AM | | 09-JUN-76 |
| QSTAG-406(2) | TRANSFUSION EQUIPMENT FOR MEDICAL USE (ABCA-406) | C ISDA | AM | | 26-APR-83 |
| QSTAG-409 | AFV RECOGNITION TRAINING PACK | C ISDA | AM | | 08-NOV-76 |
| QSTAG-413(2) | DESCRIBING PHYSICAL CHARACTERISTICS OF STANO EQUIPMENT (ABCA 413) | C ISDA | AM | | 01-JUN-77 |
| QSTAG-414 | TUBES, UNIFORM STANDARDS FOR SPECIFYING PERFORMANCE PARAMETERS OF IMAGE INTENSIFIER (ABCA) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 02-OCT-80 |

DODISS NUMERICAL LISTING INTERNATIONAL STANDARDIZATION DOCUMENTS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|--|-----------------------|-----|-------------|-----------|
| QSTAG-415(1) | UNIFORM STANDARDS FOR SPECIFYING PERFORMANCE PARAMETERS OF THERMAL IMAGING DEVICES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 415) | C ISDA | AM | | 22-MAY-84 |
| QSTAG-418(1) | MEDIUM GIRDED BRIDGE MEDIUM GRIDER BRIDGE SPAN JUNCTION EQUIPMENT AND MEDIUM GRIDER BRIDGE PORTABLE PIER EQUIPMENT RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 25-AUG-81 |
| QSTAG-423(4) | EQUATION OF MEDICAL FACILITIES IN THE FIELD (ABCA 423) | C ISDA | AM | | 01-JUN-84 |
| QSTAG-425(2) | MASK, CHEMICAL-BIOLOGICAL, FIELD, M17A1 AND RESUSCITATION TUBE, CHEMICAL-BIOLOGICAL MASK, M1 (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 08-DEC-81 |
| QSTAG-427(1) | IRRITANT KIT, (UK), SMOKE, CS AND (US) CAPSULE, CS (FOR RESPIRATOR TESTING) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 28-FEB-85 |
| QSTAG-428 ED.2 | HOWITZER, MEDIUM, SELF PROPELLED, 155MM, M109 WITH AMMUNITION + FIRE CONTROL EQUIPMENT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) EDITION NO. 2 | C ISDA | AM | | 26-MAR-84 |
| QSTAG-431 | STANDARDIZED LIST OF ABCA PREFERRED BATTERIES (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA | AM | | 11-JAN-84 |
| QSTAG-432(1) | DATA TRANSMISSION CODES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM) ABCA 432 | C ISDA | AM | | 04-AUG-83 |
| QSTAG-433(1) | ESSENTIAL PERFORMANCE CHARACTERISTICS OF FIELD SURGICAL LIGHTS (ABCA-433) | C ISDA | AM | | 01-JUN-84 |
| QSTAG-434 | PATIENT & OPERATOR PROTECTION FROM FAILURE OF ELECTROMEDICAL EQUIPMENT (ABCA 434) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, DC 20360) | C ISDA | AM | | 23-JAN-85 |
| QSTAG-435(1) | MEDICAL MATERIEL MANAGEMENT DURING PATIENT EVACUATION (ABCA-435) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 20-JUN-84 |
| QSTAG-436(1) | MINIMUM LABELLING REQUIREMENTS FOR MEDICAL MATERIAL (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABC-436 | C ISDA | AM | | 08-OCT-80 |
| QSTAG-438 | BASIC RANGE OF ELECTRO-MECHANICAL PATHOLOGY EQUIPMENT FOR USE IN THE FIELD (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) | C ISDA | AM | | 16-JAN-81 |
| QSTAG-440 | ESSENTIAL CHARACTERISTICS OF ELECTRO-SURGICAL APPARATUS (ABCA 440) | C ISDA | AM | | 20-AUG-79 |
| QSTAG-441 | ESSENTIAL CHARACTERISTICS OF FIELD X-RAY SYSTEM | C ISDA | AM | | 20-JUL-79 |
| QSTAG-442(1) | ESSENTIAL CHARACTERISTICS OF MOBILE & PORTABLE RESPIRATOR/VENTILATORS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 42) | C ISDA | AM | | 08-NOV-82 |
| QSTAG-444 | ESSENTIAL CHARACTERISTICS OF MECHANICAL LUNG VENTILATORS (ABCA-444) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 22-APR-85 |
| QSTAG-446(2) | SIMULATOR PROJECTILE AIRBURST (LIQUID CHEMICAL AGENT) L1A2 (SPAL) | C ISDA | AM | | 22-APR-85 |
| QSTAG-447(2) | A TEST METHOD FOR METHOD FOR MEASURING ACOUSTICAL NOISE (RELEASE TO OTHER THAN DOD AGENCIES REQUIRE PRIOR APPROVAL OF HQ . ARCOM)DRCIRD()ABCA-447(| C ISDA | AM | | 29-OCT-80 |
| QSTAG-449 ED.2 | A GLOSSARY OF TERMS USED IN SAMPLING INSPECTION (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 25-FEB-85 |
| QSTAG-451(1) | SHELTER SYSTEM, COLLECTIVE PROTECTION, CHEMICAL BIOLOGICAL, INFLATABLE, TRAILER TRANSPORTED, M51 (ABCA-451) | C ISDA | AM | | 08-DEC-81 |
| QSTAG-454 | GRENADE, DISCHARGER, SMOKE SCREENING, L8A1 (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) ABCA 454 | C ISDA | AM | | 23-APR-81 |
| QSTAG-456(1) | GRENADE, HAND, FRAGMENTATION, DELAY, M67 AND GRENADE, HAND, PRACTICE, DELAY M69 (ABCA-456) | C ISDA | AM | | 06-MAY-80 |
| QSTAG-458 | DESIGN CRITERIA FOR CRASHWORTHINESS (LIGHT FIXED WING & ROTARY WING AIRCRAFT) ABCA 458 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD) | C ISDA | AM | | 21-DEC-79 |
| QSTAG-460(1) | GOGGLES, NIGHT VISION AN/PVS-5 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRDE-1 (ABCA 460) | C ISDA | AM | | 28-JUN-85 |
| QSTAG-461 | CLOSED CIRCUIT REFUELING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 26-APR-84 |
| QSTAG-462 | DECONTAMINATING KIT, (US) SKIN, M258 (UK) DECONTAMINATING KIT, PERSONAL (DOKP) (CA) MITT, DECONTAMINATING, CN AGENT (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 12-MAR-79 |
| QSTAG-467 | RADIO SET AN/PRC-77 (ABCA 467) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 31-JAN-79 |
| QSTAG-468 | IMAGE INTENSIFIER TUBE ASSEMBLIES 18 MILLIMETER WAFER & 25 MILLIMETER INVERTER (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM, (DRCIRD)) ABCA 468 | C ISDA | AM | | 27-MAR-81 |
| QSTAG-470(2) | DOCUMENTATION RELATIVE TO MEDICAL EVACUTATION, TREATMENT AND CAUSE OF DEATH OF PATIENTS, RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 01-JUN-84 |
| QSTAG-471 | SUPPLEMENTARY LABELS FOR DISPENSED MEDICINE (ABCA 471) | C ISDA | AM | | 20-JUL-79 |
| QSTAG-480 | INTEROPERABILITY OF TACTICAL DIGITAL FACSIMILE EQUIPMENT (BASED ONNATO STANAG 5000) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D. C. 20360) | C ISDA | AM | | 22-APR-85 |
| QSTAG-481 | COLOR CODE & MARKINGS FOR AMMUNITION & ITS PACKAGING (RELEASE TO OTHER THAN DOD ACTIVITIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 06-MAR-81 |
| QSTAG-495(2) | RIOT CONTROL & TRAINING AGENTS CS & CR | C ISDA | AM | | 14-FEB-85 |
| QSTAG-496(2) | STANDARDS FOR NBC PROTECTIVE MASK & CANISTER SCREW THREADS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRDE-1) | C ISDA | AM | | 25-JUN-84 |
| QSTAG-499 | TEST PROCEDURES FOR POTASSIUM NITRATE (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) ABCA 499 | C ISDA | AM | | 27-JUL-81 |
| QSTAG-500 | TEST PROCEDURES FOR ETHYL CENTRALITE (CARBAMITE) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 500) | C ISDA | AM | | 27-JUL-81 |
| QSTAG-501 ED.2 | CONTAMINATED OR DANGEROUS LAND AREAS, COMPLETE EQUIPMENTS, SUPPLIES & STORES, WARNING SIGNS FOR THE MARKING OF(ABCA EDITION 2) (BASED ON NATO STAG 2002) | C ISDA | AM | | 11-MAY-82 |
| QSTAG-502 | PATROL REPORTS BY ARMY FORCES (ABCA-502) | C ISDA | AM | | 27-JUN-78 |
| QSTAG-503 | BOMBING, SHELLING, MORTARING AND LOCATION REPORTS | C ISDA | AM | | 28-SEP-79 |
| QSTAG-504(1) | BRIDGE CLASSIFICATION MARKINGS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 504) | C ISDA | AM | | 12-AUG-80 |
| QSTAG-505 | TARGET GRID PROCEDURES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRII(| C ISDA | AM | | 27-JUN-78 |
| QSTAG-506(2) | OPERATION ORDERS, WARNING ORDERS & ADMINISTRATIVE LOGISTICS ORDERS (BASED ON STANAG 2014) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRDE-1) (ABCA 506) | C ISDA | AM | | 26-APR-83 |
| QSTAG-507(1) | MILITARY ROUTES & ROUTE ROAD NETWORKS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 507) | C ISDA | AM | | 23-FEB-81 |
| QSTAG-508 ED.2 | ORDERS TO THE DEMOLITION GUARD COMMANDER & DEMOLITION FIRING PARTY COMMANDER (BASED ON NATO STANAG 2017) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DARCDE-1 (EDITION NO. 2) | C ISDA | AM | | 15-MAR-82 |
| QSTAG-509 | MILITARY SYMBOLS RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABCA 509 | C ISDA | AM | | 05-MAR-79 |

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|-----------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| | QSTAG-510 | OPERATIONAL SITUATION REPORTS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) | C ISDA | AM | | 15-JAN-79 |
| | QSTAG-511 | INTELLIGENCE REPORTS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) | C ISDA | AM | | 05-APR-79 |
| | QSTAG-512(2) | MARKING OF MILITARY VEHICLES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) | C ISDA | AM | | 02-MAY-83 |
| | QSTAG-513 | SYSTEM FOR FIELD WIRE LABELLING ABCA 513 | C ISDA | AM | | 23-FEB-79 |
| | QSTAG-514 | METHOD OF DESCRIBING GROUND LOCATIONS, AREAS AND BOUNDARIES | C ISDA | AM | | 05-MAR-79 |
| | QSTAG-515 | PROFORMA FOR ARTILLERY FIRE PLAN (BASED ON NATO STANAG 2031) (RELEASE TO OTHER THAN DOD ACT REQ PRI APPROVAL OF CNM, MAT 09B-21, WASH. D.C. 20390) | C ISDA | AM | | 05-OCT-84 |
| | QSTAG-517 | MARKING OF HEADQUARTERS AND DUMPS RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 13-JAN-79 |
| | QSTAG-520 | OPERATION ORDERS, TABLES & GRAPHS FOR ROAD MOVEMENT (BASED ON NATO STANAG 2041) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 520) | C ISDA | AM | | 25-AUG-81 |
| | QSTAG-523(1) | PROCEDURES FOR DEALING WITH PRISONERS OF WAR (PW) | C ISDA | AM | | 02-JUN-82 |
| | QSTAG-529 | MEDICAL EMPLOYMENT OF AIR TRANSPORT IN THE FORWARD AREA ABCA 529 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD) | C ISDA | AM | | 24-MAR-80 |
| | QSTAG-530 | REPORTING ENGINEERING INFORMATION IN THE FIELD (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 530) | C ISDA | AM | | 21-DEC-79 |
| | QSTAG-532 | MARKINGS FOR UMPIRES AND OTHER PERSONNEL, VEHICLES AND INSTALLATIONS DURING COMBINED EXERCISES | C ISDA | AM | | 12-NOV-79 |
| | QSTAG-533 | PRINCIPLES AND PROCEDURES FOR ESTABLISHING LIAISON ABCA 533 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD) | C ISDA | AM | | 24-MAR-80 |
| | QSTAG-535 | MEDICAL TRAINING IN FIRST AID, BASIC HYGIENE AND EMERGENCY CARE (ABCA 535) | C ISDA | AM | | 12-NOV-79 |
| | QSTAG-536(1) | MEDICAL, SURGICAL AND DENTAL INSTRUMENTS, EQUIPMENT AND SUPPLIES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 536) | C ISDA | AM | | 01-JUN-84 |
| | QSTAG-538 | RECOGNITION & IDENTIFICATION OF FORCES ON THE BATTLEFIELD (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 538) | C ISDA | AM | | 15-JAN-81 |
| | QSTAG-539 | REGULATIONS FOR MILITARY MOTOR VEHICLE MOVEMENT BY ROAD (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) | C ISDA | AM | | 02-OCT-80 |
| | QSTAG-540 | IDENTIFICATION OF MOVEMENT CONTROL & TRAFFIC CONTROL PERSONNEL & AGENCIES ABCA 540 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD) | C ISDA | AM | | 05-FEB-80 |
| | QSTAG-541 | STANDARD UNIT OF VERTICAL MEASURE TO BE SHOWN ON LAND MAPS (BASED ON NATO STANAG 2201) (ABCA 541) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 18-JUN-84 |
| | QSTAG-542 | USE OF IDENTICAL MAPS BY ABCA ARMED FORCES OPERATING ON LAND (BASED ON NATO STANAG 2205 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21)) | C ISDA | AM | | 18-JUN-84 |
| | QSTAG-545 | GAZETTEERS (BASED ON NATO STANAG 2213) (ABCA 545) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 29-NOV-84 |
| | QSTAG-547 | VERTICAL AERIAL CARTOGRAPHIC, PHOTOGRAPHY (BASED ON NATO STANAG 2216) (ABCA 547) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 18-JUN-84 |
| | QSTAG-556(2) | EVALUATION & CONTROL OF LASER HAZARDS (BASED ON NATO STANAG 3606) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 16-MAY-84 |
| | QSTAG-562 | SURFACE TRANSPORTATION REQUEST AND REPLY TO SURFACE TRANSPORT REQUEST | C ISDA | AM | | 12-DEC-79 |
| | QSTAG-567 | COMMAND AND CONTROL OF INFANTRY BATTALION ANTIARMOR WEAPONS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 567) | C ISDA | AM | | 24-MAR-80 |
| | QSTAG-570 | EMPLANING AND DEPLANING AT THE HIGH HOVER (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 570) | C ISDA | AM | | 24-MAR-80 |
| | QSTAG-571(1) | PRINCIPLES GOVERNING THE DESIGN OF THE INDIVIDUAL LOAD CARRYING EQUIPMENT OF THE COMBAT SOLDIER, RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | 07-MAY-80 |
| | QSTAG-572 | LANCE, FIELD ARTILLERY MISSILE SYSTEM W/AMMUNITION & FIRE CONTROL EQUIPMENT ABCA 572 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD) | C ISDA | AM | | 21-DEC-79 |
| | QSTAG-573(1) | TACTICAL HAND & ARM SIGNALS FOR THE CONTROL OF AFVS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES APPROVAL OF CHIEF OF NAVAL MATERIAL, DEPT OF NAVY, MAT 09B21, WASH DC 20360 (ABCA 573) | C ISDA | AM | | 15-MAR-83 |
| | QSTAG-574(2) | HELICOPTER BLADE TRACKING DEVICE (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 574) | C ISDA | AM | | 09-NOV-83 |
| | QSTAG-577 | MACHINE GUN, CAL. .50, BROWNING M2 (ABCA 577) | C ISDA | AM | | 12-NOV-79 |
| | QSTAG-579(1) | PASSIVE VIEWER, DRIVER'S NIGHT VISION (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 579) | C ISDA | AM | | 19-OCT-81 |
| | QSTAG-580 | MEDICAL REQUIREMENT FOR BLOOD & BLOOD DONORS | C ISDA | AM | | 22-OCT-80 |
| | QSTAG-581 | RADAR, GROUND SURVEILLANCE, VERY SHORT RANGE (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) | C ISDA | AM | | 05-APR-79 |
| | QSTAG-582(1) | COMMON ELECTRICAL DEFINITIONS & TERMS ELECTRICAL POWER SUPPLIES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 582) | C ISDA | AM | | 18-MAY-84 |
| | QSTAG-583 | QUALITY ASSURANCE PROCEDURES FOR DEMOLITION STORES, & ACCESSORIES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM (DRCIRD) (ABCA 583) | C ISDA | AM | | 15-JAN-81 |
| | QSTAG-585(2) | PROCEDURES FOR MARSHALLING HELICOPTERS IN AIRMOBILE OPERATIONS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 585) | C ISDA | AM | | 23-NOV-83 |
| | QSTAG-586 | PROCEDURES TO BE EMPLOYED IN THE EVENT OF DOWNED HELICOPTERS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) ABCA 586 | C ISDA | AM | | 29-APR-83 |
| | QSTAG-590(1) | MARKING OF MILITARY CARGO FOR INTERNATIONAL MOVEMENT BY ALL INTERNATIONAL MEANS OF SUPPORT (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) | C ISDA | AM | | 02-MAY-83 |
| | QSTAG-591 | BASIC MILITARY ROAD TRAFFIC REGULATIONS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 591) | C ISDA | AM | | 06-MAR-81 |
| | QSTAG-592 | FORECAST MOVEMENT REQUIREMENTS, RAIL, ROAD AND INLAND WATERWAYS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 592) | C ISDA | AM | | 21-DEC-79 |
| | QSTAG-594 | ELECTRICAL CHARACTERISTICS OF DIGITAL INTERFACE CIRCUITS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 594) | C ISDA | AM | | 25-MAR-81 |
| | QSTAG-595 | GLOSSARY OF TELECOMMUNICATION TERMS (EDITION 2) (RELEASE TO OTHER THAN DOD ACT REQ PRI APPROVAL OF CNM, DEPT OF THE NAVY, NAT 09B21, WASH, DC 20360) ABCA | C ISDA | AM | | 05-OCT-84 |
| | QSTAG-596 | TEST PROCEDURES FOR TNT (TOLITE) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRE PRIOR APPROVAL OF HQ DARCOM, DRCIRD) ABCA 596 | C ISDA | AM | | 08-DEC-81 |
| | QSTAG-597 | HANDHELD, LASER RANGEFINDER AN/GVS-5 (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 597) | C ISDA | AM | | 25-MAR-81 |
| | QSTAG-606 | FUZE, PROXIMITY, ARTILLERY, M732 (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM (DRCIRD) (ABCA 606) | C ISDA | AM | | 11-DEC-80 |

| Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-----------------|---|-----------------------|-----|-------------|-----------|
| QSTAG-608 | DETECTOR KITS, CHEMICAL AGENT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 03-APR-85 |
| QSTAG-611 | TERRAIN DESCRIPTION GLOSSARY (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1 (ABCA 611)) | C ISDA | AM | | 10-FEB-82 |
| QSTAG-612 | CERTIFICATION OF MAGNETIC PARTICLE INSPECTION PERSONNEL (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-U) (ABCA 612) | C ISDA | AM | | 10-FEB-82 |
| QSTAG-622 | ESSENTIAL CHARACTERISTICS OF SURGICAL INSTRUMENTS (ABCA 622) | C ISDA | AM | | 09-AUG-79 |
| QSTAG-623 | STANDARD METHOD OF WRITING PRESCRIPTIONS FOR SPECTACLES (ABCA 623) | C ISDA | AM | | 09-AUG-79 |
| QSTAG-624 | MEDICAL DESIGN REQUIREMENTS FOR MILITARY MOTOR AMBULANCES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 23-AUG-84 |
| QSTAG-626 | ABCA ARMIES FUZE PRODF PRACTICES FOR UNGUIDED TUBE -LAUNCHED PROJECTILES (ABCA 626) (RL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 21-NOV-83 |
| QSTAG-627(1) | MATERIALS HANDLING IN THE FIELD (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 627) | C ISDA | AM | | 15-NOV-82 |
| QSTAG-629(1) | TEST METHODS FOR ELASTOMETER (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 629) | C ISDA | AM | | 01-JUN-82 |
| QSTAG-633 | INSPECTION AND QUALITY CONTROL REQUIREMENTS FOR INDUSTRY (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) (ABCA 633) | C ISDA | AM | | 03-JAN-85 |
| QSTAG-634 | FLUERIC, GRAPHIC SYMBOLS TO BE USED ON ENGINEERING DRAWINGS AND DOCUMENTS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM, DRCIRD) | C ISDA | AM | | 11-DEC-80 |
| QSTAG-637(1) | PRINCIPLES OF MEDICAL POLICY OF MASS CASUALTY SITUATION (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 637) | C ISDA | AM | | 27-JUL-81 |
| QSTAG-639(1) | CONDITIONED DEPHASE MODULATION (ABCA 639) (REL TO OTHER THAN DOD ACT PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 01-FEB-84 |
| QSTAG-642 | CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF ITEM IDENTIFICATION (BASED ON NATO STANAG 3151) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 642) | C ISDA | AM | | 08-JUN-81 |
| QSTAG-644 | RADAR SIGNAL DETECTING SET AN/APR-39(V)1 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 644) | C ISDA | AM | | 08-MAR-82 |
| QSTAG-645(1) | CROSS SERVICING OF HELICOPTERS ENGAGED IN LAND OPERATIONS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 24-OCT-83 |
| QSTAG-646 | PROCEDURES USED IN ESTABLISHING BALLISTIC STANDARD AMMUNITION (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 646) | C ISDA | AM | | 16-JAN-81 |
| QSTAG-647 | PROCEDURE FOR THE TRANSFER OF STANDARD INTERNAL BALLISTIC PERFORMANCE (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 647) | C ISDA | AM | | 31-MAR-82 |
| QSTAG-653 | STANDARDIZATION OF WRENCH OPENINGS (SI METRIC SERIES) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C ISDA | AM | | 20-SEP-83 |
| QSTAG-655(1) | EMERGENCY WAR BURIAL PROCEDURES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 655) | C ISDA | AM | | 02-MAY-83 |
| QSTAG-657(1) | GUIDE SPECIFICATIONS FOR ABCA ARMY FUELS, LUBRICANTS & ASSOCIATED PRODUCTS (BASED ON STANAG 2845) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, DC 20360) | C ISDA | AM | | 17-JAN-84 |
| QSTAG-658 | COMMUNICATION AND NAVIGATIONAL FACILITIES FOR MULTINATIONAL AIRMOBILE OPERATIONS (EDITION 1) (REL TO OTHER THAN DOD ACT REQ PRI APPROVAL OF CNM DEPT OF THE NAVY, NAT 09B21, WASH, DC 20360) ABCA | C ISDA | AM | | 05-OCT-84 |
| QSTAG-660 | MOVEMENT CONTROL (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C ISDA | AM | | 01-FEB-84 |
| QSTAG-665 | AIRMOBILE OPERATIONS (ABCA 665) | C ISDA | AM | | 05-JUN-81 |
| QSTAG-666 | WIRE STRIKE PROTECTION SYSTEM (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C ISDA | AM | | 03-MAY-84 |
| QSTAG-669 | AIRCRAFT RECOGNITION TRAINING (ABCA 699) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 20-JAN-84 |
| QSTAG-670 | STANDARDIZATION OF PROOF PHILOSOPHIES & PRACTICES FOR ABCA GUNS, MORTARS, AMMUNITION & EQUIPMENT UTILIZED AT PROOF RANGES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 26-APR-84 |
| QSTAG-672 | NIGHT VISION SIGHT, INDIVIDUAL SERVED WEAPON AN/PVS-4 (ABCA 672) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 16-SEP-83 |
| QSTAG-674 | MESSAGE TEXT FORMATTING SYSTEM (FORMETS) (BASED ON NATO STANAG 5500) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 674) | C ISDA | AM | | 30-NOV-82 |
| QSTAG-675 | DATA INFORMATION, PRINCIPLES FOR THE AUTOMATED TRANSFER OF, BETWEEN TACTICAL COMMAND & CONTROL SYSTEMS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1 (ABCA 675)) | C ISDA | AM | | 10-FEB-82 |
| QSTAG-676 | RULES FOR ACHIEVING SUB-SYSTEMS INTEROPERABILITY BETWEEN THE AUTOMATED TACTICAL COMMAND & CONTROL SYSTEMS OF ABCA ARMIES (RELEASE TO OTHER THAN DOD ACT. REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 676) | C ISDA | AM | | 14-APR-82 |
| QSTAG-677 | RESUSCITATION MATERIEL FOR FIELD USE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT, WASH, D.C. 20360 (ABCA 677)) | C ISDA | AM | | 23-JAN-85 |
| QSTAG-680 | CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF SUPPLY CLASSIFICATION (BASED ON NATO STANAG 3150) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 680) | C ISDA | AM | | 08-JUN-81 |
| QSTAG-681 | BATTERIES, NON RECHARGEABLE, LITHIUM (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH 20360) | C ISDA | AM | | 11-JAN-84 |
| QSTAG-683 | ELECTRIC POWER CONDITIONERS, GENERAL PURPOSE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C ISDA | AM | | 05-JAN-84 |
| QSTAG-684(1) | BATTERY CHARGERS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF CHIEF OF NAVAL MATERIAL DEPT OF NAVY, MAT 09B21, WASH, D.C. 20360 (ABCA 684) | C ISDA | AM | | 25-FEB-85 |
| QSTAG-691 | HELICOPTER TACTICAL REFUELING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C ISDA | AM | | 05-JAN-84 |
| QSTAG-693 | PRINCIPLES & CHARACTERISTICS OF INTEROPERABILITY SECURITY (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C ISDA | AM | | 14-FEB-84 |
| QSTAG-699 | AIRCRAFT RECOGNITION TRAINING (ABCA 699) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH D.C. 20360) | C ISDA | AM | | 20-JAN-84 |
| QSTAG-701 | AIRCRAFT GENERAL PURPOSE DISPENSER M-130 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C ISDA | AM | | 16-MAR-84 |
| QSTAG-702 | HELICOPTER INFRARED HOT METAL & ENGINE PLUME SUPPRESSOR (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C ISDA | AM | | 09-MAR-84 |
| QSTAG-715 | BATTLEFIELD SPECTRUM MANAGEMENT HF (1.5-30 MHZ BAND) (RELEASE TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 15-APR-85 |
| QSTAG-718 | BATTLEFIELD SPECTRUM MANAGEMENT UHF (225-400 MHZ BAND) (ABCA 718) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 22-APR-85 |
| QSTAG-719 | BATTLEFIELD SPECTRUM MANAGEMENT TACTICAL RADIO RELAY & TROPOSPHERIC SCATTER SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 25-FEB-85 |

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|----------------------|---|--------------|-----|-------------|--|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | | |
| | QSTAG-721 | BATTLEFIELD SPECTRUM MANAGEMENT-RADAR, POSITION NAVIGATION, TACTICAL SENSOR SYSTEMS & MULTIFUNCTION INFORMATION DISTRIBUTION SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, NASH, D.C. 20360) | C ISDA | AM | | | 22-FEB-85 |
| | QSTAG-724 | CALIBRATION OF ULTRASONIC TEST EQUIPMENT WITH STANDARD TEST BLOCKS(REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH. D.C. 20360) | C ISDA | AM | | | 12-JUL-83 |
| | QSTAG-726 | GUN, 105MM FIELD L118 & L119 WITH ASSOCIATED AMMUNITION & FIRE CONTROL EQUIPMENT (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM NAT 09-B21, WASH, | C ISDA | AM | | | 03-JAN-85 |
| | QSTAG-733 | TECHNICAL STANDARDS FOR SINGLE CHANNEL HIGH FREQUENCY RADIO EQUIPMENT (BASED ON NATO STANAG 4203) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, DC 20360) | C ISDA | AM | | | 03-JAN-85 |
| | QSTAG-742 | MARKING OF HAZARDOUS AREAS & ROUTES THROUGH THEM (BASED ON NATO STANAG 2889) REL TO OTHER THAN DOD REQ PRI APR OF CNM, NAT 09B21, WASH. D. C. 20360 | C ISDA | AM | | | 20-SEP-83 |
| | QSTAG-764 | SYSTEME INTERNATIONAL (SI) UNIT FOR COMBAT DOSIMETRY (REL TO OTHER THAN DOD ACTIVITES REQ PRIOR APPROVAL OF CHIEF OF NAVAL MATERIAL DEPT OF NAVY, MAT 09B21, WASH D.C. 20360 | C ISDA | AM | | | 20-MAR-84 |
| | STANAG-4 ED.V | NATO STANDARDIZATION AGREEMENTS & ALLIED PUBLICATIONS | A ISDF | 06 | | | 01-DEC-80 |
| | STANAG-1001 ED.7 | STANDARDIZED SYSTEM OF DESIGNATING DAYS AND HOURS IN RELATION TO AN OPERATION OR EXERCISE | C ISDA | AI | | | 15-JUL-94 |
| | STANAG-1005 ED.5 | STANDARD SYSTEM OF VISUAL MARKINGS FOR NORTH ATLANTIC TREATY NAVAL VESSELS (EDITION NO. 5) | C ISDN | NI | | | 05-NOV-73 |
| | STANAG-1006 ED.4(3) | PREFERRED INCANDESCENT AND FLUORESCENT ELECTRIC LAMPS FOR LIGHTING PURPOSES ON NAVAL VESSELS OF NATO COUNTRIES (EDITION NO. 4) (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA COMNAVSEASYS COM CODE 56222), WASHINGTON DC 20362 | D ISDN | NI | | | 01-AUG-90 |
| | STANAG-1007 ED.4(2) | PREFERRED ELECTRIC LAMPS FOR SIGNALLING PURPOSES ON NAVAL VESSELS OF NATO COUNTRIES (EDITION NO. 4) (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA COMNAVSEASYS COM CODE 56222), WASHINGTON DC 20362 (AMD 2) | D ISDN | NI | | | 01-AUG-90 |
| | STANAG-1008 ED.8(1) | CHARACTERISTICS OF SHIPBOARD ELECTRICAL POWER SYSTEMS IN WARSHIPS OF THE NORTH ATLANTIC TREATY NAVIES | D ISDN | NI | | | 03-AUG-94 |
| | STANAG-1020 ED.5(4) | STANDARDS FOR ITEMS AND ASSOCIATED EQUIPMENT FOR SURFACE MINELAYING | C ISDN | NI | | | 26-JAN-95 |
| | STANAG-1022 ED.5(12) | COMBAT CHARTS, AMPHIBIOUS CHARTS AND COMBAT/LANDING CHARTS | A ISDF | 06 | | | 16-SEP-96 |
| | STANAG-1034 ED.7 | ALLIED SPOTTING PROCEDURES FOR NAVAL GUNFIRE SUPPORT - ATP-4(B) (NAVY) (EDITION 7) | C ISDN | NM | | | 29-JUN-84 |
| | STANAG-1040 ED.13 | ALLIED NAVAL CONTROL OF SHIPPING MANUAL ATP2 VOLUME 1 (EDITION 13) | C ISDN | NM | | | 29-NOV-85 |
| | STANAG-1052 ED.20 | ALLIED SUBMARINE & ANTI SUBMARINE EXERCISE MANUAL (EDITION 20) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDN | NM | | | 07-JUN-84 |
| | STANAG-1057 | STANDARD METHOD OF PASSING DEGAUSSING INFORMATION BETWEEN NATIONAL AUTHORITIES (WITH AMENDMENT 2 THRU 12) | C ISDN | NI | | | 12-DEC-62 |
| | STANAG-1059 ED.6 | DISTINGUISHING LETTERS FOR GEOGRAPHICAL ENTITIES FOR USE IN NATO | C ISDA | AI | | | 07-JUN-95 |
| | STANAG-1063 ED.10 | ALLIED NAVAL COMMUNICATIONS EXERCISES - AXP-3(B) (NAVY/AIR) (EDITION NO. 10) | C ISDN | NM | | | 29-NOV-84 |
| | STANAG-1065 ED.10(1) | REPLENISHMENT AT SEA (EDITION NO. 10) | C ISDN | NM | | | 09-MAY-85 |
| | STANAG-1068 ED.11 | THE ALLIED MARITIME ABOVE WATER WARFARE EXERCISE MANUAL (EDITION NO 11) | C ISDN | NM | | | 30-NOV-84 |
| | STANAG-1074 ED.3 | MINIMUM STANDARD CHARACTERISTICS OF UNDERWATER TELEPHONES FOR USE IN SUBMARINES, SURFACE SHIPS AND HELICOPTERS OF NATO NATIONS | D ISDN | NI | | | 10-DEC-93 |
| | STANAG-1080 ED.2(3) | NORTH ATLANTIC TREATY ORGANIZATION FISHING PERMIT | D ISDN | NI | | | 29-APR-92 |
| | STANAG-1083 ED.4(2) | TETHERED SUBMARINE MARKER BUOYS (EDITION NO. 4) | C ISDN | NM | | | 03-JUN-87 |
| | STANAG-1084 ED.5 | REPLENISHMENT OF FUEL IN HARBOUR; AND REPLENISHMENT OF WATER IN HARBOUR AND AT SEA | C ISDN | NI | | | 27-JUN-96 |
| | STANAG-1095 ED.5(1) | TIE-DOWN FITTINGS ON SHIPBORNE AIRCRAFT | C ISDN | NI | | | 02-APR-93 |
| M | STANAG-1100 ED.5(3) | PROCEDURES FOR VISITS TO NATO AND NON-NATO PORTS BY NAVAL SHIPS OF NATO NATIONS | C ISDN | NI | | | 27-MAY-98 |
| | STANAG-1103 ED.3(3) | EMERGENCY PUBLICATION OF NAUTICAL AND SPECIAL NAVAL CHARTS | A ISDF | 06 | | | 20-DEC-94 |
| A | STANAG-1110 ED.7(1) | ALLOWABLE DETERIORATION LIMITS FOR NATO ARMED FORCES FUELS, LUBRICANTS AND ASSOCIATED PRODUCTS | A ISDF | 06 | | | 13-OCT-97 |
| M | STANAG-1113 ED.3(6) | GENERAL SPECIFICATIONS FOR PROJECTIONS REQUIRED FOR NAUTICAL CHARTS FOR POLAR REGIONS AND THE HIGHER LATITUDES | A ISDF | 06 | | | 12-MAY-98 |
| | STANAG-1116 ED.6(2) | MINE WARFARE PILOTS - AMP-11 (EDITION 6) REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNO-OP-731, WASH, DC 20350-2000 | D ISDN | SH | | | 09-FEB-90 |
| M | STANAG-1120 ED.2(7) | CODE DESIGNATION SYSTEM FOR SPECIAL NAVAL CHARTS | A ISDF | 06 | | | 06-MAY-98 |
| | STANAG-1132 ED.11(1) | TACTICAL INSTRUCTIONS AND PROCEDURES FOR THE CONDUCT OF MINE WARFARE OPERATIONS (EDITION NO. 11) | C ISDN | NM | | | 24-SEP-85 |
| | STANAG-1135 ED.3(7) | INTERCHANGEABILITY OF FUELS, LUBRICANTS AND ASSOCIATED PRODUCTS USED BY THE ARMED FORCES OF THE NORTH ATLANTIC TREATY NATIONS | A ISDF | 06 | | | 29-APR-94 |
| | STANAG-1136 ED.3(1) | STANDARDS FOR USE WHEN MEASURING AND REPORTING RADIATED NOISE CHARACTERISTICS OF SURFACE SHIPS SUBMARINES HELICOPTERS ETC. IN RELATION TO SONAR DETECTION AND TORPEDO ACQUISITION RISK | C ISDN | NI | | | 29-NOV-95 |
| | STANAG-1137 ED.3(1) | HELICOPTER MINE COUNTERMEASURES MANUAL - AMP-7(B)(NAVY/AIR) (EDITION NO. 3) | C ISDN | NM | | | 24-APR-86 |
| | STANAG-1147 ED.3 | INTERCHANGEABILITY OF MINE COUNTERMEASURES SWEEPING GEAR AND EQUIPMENT (EXCEPT MCM AMMUNITION) | C ISDN | NI | | | 07-OCT-93 |
| | STANAG-1149 ED.10(1) | DOCTRINE FOR AMPHIBIONS OPERATIONS - ATP-8 (EDITION 10) | C ISDN | NM | | | 20-MAY-86 |
| | STANAG-1152 ED.11 | ALLIED ANTI-SUBMARINE WARFARE MANUAL - ATP-28 (ED 11) | C ISDN | NM | | | 21-MAY-87 |
| | STANAG-1154 ED.9 | NATO QUALIFICATION FOR HELICOPTER CONTROLLERS AT SEA | C ISDN | NI | | | 03-AUG-95 |
| | STANAG-1162 ED.4 | VERTICAL REPLENISHMENT (VERTREP) OPERATING AREA MARKING, CLEARANCES AND LIGHTING (EDITION 4) | C ISDN | NM | | | 03-MAY-91 |
| | STANAG-1163 | NSATO MARITIME UNIT DATA & EQUIPMENT LIST (EDITION NO. 4) | C ISDN | SH | | | 20-JAN-86 |
| | STANAG-1166 ED.4(6) | STANDARD SHIP DESIGNATOR SYSTEM | D ISDN | NI | | | 09-DEC-93 |
| | STANAG-1167 ED.6 | NATO ABOVE WATER WARFARE MANUAL (EDITION NO. 6) | C ISDN | NM | | | 19-APR-84 |
| | STANAG-1173 ED.8 | ALLIED MARITIME TACTICAL INSTRUCTIONS AND PROCEDURES-ATP-1(C) VOL I (NAVY-AIR) EDITION 8 | C ISDN | NM | | | 20-DEC-85 |
| | STANAG-1174 | ALLIED MARITIME TACTICAL SIGNAL AND MANEUVERING BOOK ATP-1(C) VOL II (NAVY AIR) EDITION 7 | C ISDN | NM | | | 20-DEC-85 |
| | STANAG-1175(1) | ALLIED MARITIME VOICE REPORTING PROCEDURES APP-1(A) (NAVY/AIR) (EDITION 8) | C ISDN | NM | | | 22-JUN-87 |
| | STANAG-1179 ED.2(6) | COMBINED INVESTIGATION OF MARITIME INCIDENTS | A ISDN | NI | | | 11-AUG-93 |
| | STANAG-1180 ED.4 | AMPHIBIOUS OPERATIONS - SHIP-TO-SHORE MOVEMENT - ATP-36 (EDITION NO. 4) | C ISDN | NM | | | 18-APR-86 |
| | STANAG-1181 ED.5 | SUPPORTING ARMS IN AMPHIBIOUS OPERATIONS (EDITION NO. 5) | C ISDN | NM | | | 19-FEB-86 |
| | STANAG-1192(4) | DAMAGE TO MCM EQUIPMENT AS A RESULT OF MINE EXPLOSION (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CNO-OP-731, WASHINGTON DC 20350-2000) (ED 1) | D ISDN | NI | | | 08-NOV-90 |
| | STANAG-1194 ED.4 | HELICOPTER OPERATIONS FROM SHIPS OTHER THAN AIRCRAFT CARRIERS - APP-2(B) (NAVY/AIR) (EDITION 4) | C ISDN | NM | | | 13-AUG-86 |
| | STANAG-1200 ED.4(1) | PROCEDURES FOR LOGISTIC SUPPORT BETWEEN NATO NAVIES & NAVAL PORT INFORMATION - ALP-1 (D) | C ISDN | SH | | | 18-DEC-86 |
| | STANAG-1202 ED.2(3) | NATO MINE COUNTERMEASURES VEHICLES AND EQUIPMENT VOLUME 1, (ED. 2) REQUEST OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON, DC 20350-2000) | D ISDN | NI | | | 08-FEB-90 |

| Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-----------------------|---|--------------------------|-----|-------------|-----------|
| STANAG-1203 ED.3(1) | DEGAUSSING & ACOUSTIC RANGING INFORMATION CONCERNING NORTH ATLANTIC TREATY MINESWEEPERS & MINEHUNTERS (EDITION NO. 3) | C ISDN | NM | | 21-MAR-86 |
| STANAG-1212 ED.5 | NAVAL CONTROL OF SHIPPING - INFORMATION ON PORTS, AUTHORITIES & NCS PUBLICATIONS - AAP-8 (ED 5) | C ISDN | NM | | 22-MAY-87 |
| STANAG-1214 ED.3 | 20 MM OERLIKON GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES | C ISDN | NI | | 19-DEC-95 |
| STANAG-1218 ED.2 | STANDARD RECEPTION STATION ARRANGEMENTS DESIGNED TO SUPPORT UP TO 250 KILOGRAMS (550 POUNDS) TRANSFER LOAD | C ISDN | SH | | 12-NOV-91 |
| STANAG-1233 ED.1(2) | PROCEDURES FOR RADHAZ CONTROL IN PORTS AND TERRITORIAL SEA | C ISDN | NI | | 25-AUG-92 |
| STANAG-1236 ED.2(3) | GLIDE SCOPE INDICATORS FOR HELICOPTER OPERATIONS FROM NATO SHIPS | D ISDN | NI | | 19-MAR-92 |
| STANAG-1237 ED.1(6) | INSPECTION OF AVIATION FACILITIES FOR HELICOPTER OPERATIONS FROM SHIPS OTHER THAN AIRCRAFT CARRIERS | C ISDN | NI | | 15-DEC-93 |
| STANAG-1241 ED.4 | NATO STANDARD IDENTITY DESCRIPTION STRUCTURE FOR TACTICAL USE | C ISDN | NI | | 16-OCT-96 |
| STANAG-1242 ED.4 | ALLIED DOCTRINE OF MINE WARFARE POLICY AND PRINCIPLES - ATP-6(A) VOLUME 1 (EDITION NO 4) | C ISDN | NM | | 29-MAR-85 |
| STANAG-1243 ED.4 | ALLIED DOCTRINE OF MINE WARFARE - PLANNING AND EVALUATION OF MINE WARFARE PRINCIPLES - ATP-6(A) (NAVY/AIR) VOL 2 (EDITION NO. 4) | C ISDN | NM | | 29-MAR-85 |
| STANAG-1245 ED.2(1) | 40 MM/L60 GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES (ED 2) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CNO-OP-731, WASHINGTON DC 20350-2000) | D ISDN | NI | | 14-DEC-90 |
| A STANAG-1250(5) | 100 MM GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES | D ISDN | NI | | 13-JUN-97 |
| STANAG-1250 ED.2(2) | NATO MINE DELIVERY SYSTEMS - AMP-3 (A) VOLUME 11 (EDITION NO. 2) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CNO-OP-731, WASHINGTON DC 20350-2000 | C ISDN | NI | | 13-DEC-90 |
| STANAG-1258 | ALLIED MARITIME MESSAGES - APP-4 (NAVY/AIR) EDITION 2 | C ISDN | NM | | 31-JAN-85 |
| STANAG-1274(3) | SHIPBOARD HAULDOWN CABLE END FITTING FOR HELICOPTER WIRE RECOVERY ASSIST SYSTEMS (EDITION NO. 1) | C ISDN | NM | | 29-SEP-86 |
| STANAG-1277 | VERTREP EQUIPMENT & PROCEDURES (EDITION NO. 1) | C ISDN | NM | | 12-AUG-85 |
| STANAG-1278 ED.1 | STANDARD FOR THE REQUIRED LEVEL OF COEFFICIENT OF FRICTION ON FLIGHT DECKS (W/AMD 1) | C ISDN | NI | | 11-MAR-82 |
| STANAG-1283 ED.2(1) | 76 MM/62 GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES | D ISDN | NI | | 01-DEC-95 |
| STANAG-1289(5) | TOWING LINK (ED 1) OTHER THAN DOD REFER TO COMNAVSEASYS COM CODE 56W24 WASH, DC 20362 | D ISDN | NM | | 14-FEB-89 |
| STANAG-1297 ED.4(3) | REQUIREMENTS FOR A NATO COMMON RESCUE SEAT | C ISDN | NI | | 18-NOV-94 |
| STANAG-1298 ED.3 | MINIMUM REQUIREMENTS FOR THE PROVISION OF DEVICES IN THE DISTRESSED SUBMARINE TO ASSIST LOCATION BY RESCUE FORCES AND CHARACTERISTICS OF SUBMARINE MARKER BUOYS | C ISDN | NI | | 08-MAY-96 |
| STANAG-1301 ED.3(2) | MINIMUM CONDITIONS FOR SURVIVAL IN A DISTRESSED SUBMARINE PRIOR TO ESCAPE OR RESCUE | D ISDN | NI | | 24-JUN-93 |
| STANAG-1307 ED.2 | MAXIMUM NATO NAVAL OPERATIONS ELECTROMAGNETIC ENVIRONMENT PRODUCED BY RADIO AND RADAR | C ISDN | NI | | 04-FEB-97 |
| STANAG-1310 ED.1(2) | DESIGN CRITERIA FOR REPLENISHMENT ASPECTS OF NEW CONSTRUCTION NAVAL VESSELS | D ISDN | NI | | 09-FEB-95 |
| STANAG-1311 ED.2 | NATO MARITIME EQUIPMENT CAPABILITIES & DATA (EDITION NO. 2) | C ISDN | SH | | 22-JAN-86 |
| STANAG-1312 | CHARACTERISTICS OF NATO SEA MINES - AMP-13 VOLUME II (EDITION NO. 1) | C ISDN | SH | | 29-MAY-87 |
| STANAG-1313 ED.2 | ALLIED NAVAL CONTROL OF SHIPPING MANUAL MERCHANT SHIP REPORTING & CONTROL (MERCO) SYSTEM ATP 2 VOLUME 1 SUPP 1 (EDITION 2) | C ISDN | NM | | 29-NOV-85 |
| STANAG-1316(1) | THE MINE WARFARE SUPPLEMENT TO NATO EXPERIMENTAL TACTICS AND AMPLIFYING TACTICAL INSTRUCTIONS (ED. 1) (REQUEST OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON, DC 20350-2000) | D ISDN | NI | | 07-FEB-90 |
| STANAG-1317 ED.1(5) | NATO OCEANOGRAPHIC DATA EXCHANGE FORMAT (NODEF-1) | C ISDN | NI | | 17-JUN-93 |
| STANAG-1318 ED.2 | ALLIED GUIDE TO MASTERS (EDITION NO. 2) | C ISDN | SH | | 19-NOV-86 |
| STANAG-1319 ED.2 | MINIMUM REQUIREMENTS FOR MEDICAL STORES IN SUBMARINE ESCAPE COMPARTMENTS (EDITION NO. 2) | C ISDN | SH | | 08-MAR-89 |
| STANAG-1320 ED.2 | MINIMUM REQUIREMENTS FOR ATMOSPHERIC MONITORING EQUIPMENT LOCATED IN SUBMARINES WITH ESCAPE CAPABILITY (ED 2) OTHER THAN DOD REFER TO CNO-OP-731 WASH, DC20350-2000 | D ISDN | SH | | 06-FEB-89 |
| STANAG-1336(1) | THE NATO MULTI SERVICE ELECTRONIC WARFARE SUPPORT GROUP (MEWSG) SUPPLEMENT TO AXP-2 (EDITION 1) | C ISDN | NM | | 30-NOV-84 |
| STANAG-1340 ED.1(3) | MARK 48 MOD 4 TORPEDO INTERCHANGEABLE WITHIN NATO NAVAL FORCES | C ISDN | NI | | 29-NOV-95 |
| STANAG-1341 ED.1(4) | HARPOON MISSILE INTERCHANGEABLE WITHIN NATO NAVAL FORCES | D ISDN | NI | | 22-FEB-96 |
| STANAG-1342 ED.1(3) | MK-46 TORPEDO INTERCHANGEABLE WITHIN NATO NAVAL FORCES | D ISDN | NI | | 22-MAY-96 |
| STANAG-1343 ED.1(3) | ASROC SYSTEM INTERCHANGEABLE WITHIN NATO NAVAL FORCES | D ISDN | NI | | 10-OCT-95 |
| STANAG-1345 ED.1(3) | 130 MM (5.125 INCH) DECOY AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES | C ISDN | NI | | 18-APR-97 |
| STANAG-1349(1) | STANDARD MISSILE INTERCHANGEABLE WITHIN NATO NAVAL FORCES (EDITION 1) REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA (CNO-OP-731) WASHINGTON DC 20350-2000) | D ISDN | NI | | 09-AUG-90 |
| STANAG-1350 ED.2(2) | 100MM DECOY SYSTEM AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES | D ISDN | SH | | 04-JUN-93 |
| STANAG-1359(2) | 20 MM F2 GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES (ED 1) REQUEST OTHER THAN DOD REFER TO CNO-OP-731 WASHINGTON DC 20350-2000) | D ISDN | NI | | 04-SEP-91 |
| STANAG-1362 ED.1 | PENGUIN MISSILES INTERCHANGEABLE WITHIN NATO NAVAL FORCES | C ISDN | SH | | 04-JUN-93 |
| A STANAG-1368 ED.1(7) | MINE WARFARE UTILITY MATRICES | D ISDN | NI | | 24-OCT-97 |
| STANAG-1382 ED.1(1) | EMERGENCY SONAR BEACONS TO AID THE DETECTION AND LOCALIZATION OF DISTRESSED SUBMARINES AND THE HOMING ONTO THEM OF SUBMERGED RESCUE CRAFT | D ISDN | NI | | 10-DEC-92 |
| STANAG-1384 ED.1(1) | NATO STANDARD REPLENISHMENT AT SEA (RAS) TELEPHONE CONNECTORS | D ISDN | NI | | 04-MAR-94 |
| STANAG-1385 ED.1(2) | GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR FUEL, NAVAL DISTILLATE (F-76) | C ISDN | NI | | 11-JAN-93 |
| STANAG-1391 ED.1(2) | REQUIREMENTS OF A DISTRESSED SUBMARINE FOR THE RECEIPT OF EMERGENCY LIFE SUPPORT STORES (ELSS) BY POD POSTING | D ISDN | NI | | 16-DEC-92 |
| STANAG-1394 ED.1(2) | 20MM CIWS PHALANX GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES | C ISDN | NI | | 20-MAY-96 |
| A STANAG-1397 ED.1 | RADHAZ CLASSIFICATION OF MUNITIONS AND WEAPONS SYSTEMS EMBODYING ELECTRO-EXPLOSIVE DEVICES | A ISDF | 06 | | 05-DEC-97 |
| A STANAG-1402 ED.1 | GUIDELINES FOR THE NTA ASSESSMENT OF NAVAL GUN AMMUNITION INTERCHANGEABILITY | A ISDN | NI | | 09-SEP-97 |
| STANAG-1408 ED.1 | DIVING IN POLLUTED WATERS - GUIDELINES | C ISDN | NI | | 18-OCT-96 |
| STANAG-1410 ED.1 | STANDARD UNMANNED TEST PROCEDURES FOR UNDERWATER BREATHING APPARATUS | C ISDN | NI | | 15-JAN-97 |
| STANAG-1414 ED.1 | GUIDELINES TO ENSURE THAT CONTRACTORS DESIGN AND SUPPLY NEW EQUIPMENT CAPABLE OF USING STANDARDIZED LUBRICANTS | A ISDF | 06 | | 05-JUL-96 |
| STANAG-1417 ED.1 | STING RAY TORPEDO INTERCHANGEABLE WITHIN NATO NAVAL FORCES | C ISDN | NI | | 10-JUL-96 |
| STANAG-1425 ED.1 | GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR LUBRICATING OIL, STEAM TURBINE AND GEAR LIGHT SERVICE (O-240) | A ISDF | 06 | | 18-SEP-95 |
| STANAG-1427 ED.1 | NATO STANDARD SIGNALLING LAMP FOR MERCHANT SHIPS | C ISDN | NI | | 30-DEC-94 |
| STANAG-1436 ED.1 | SEA SKUA MISSILE INTERCHANGEABLE WITHIN NATO NAVAL FORCES | C ISDN | NI | | 10-JUL-96 |
| STANAG-2002 ED.7(4) | WARNING SIGNS FOR THE MARKING OF CONTAMINATED OR DANGEROUS LAND AREAS, COMPLETE EQUIPMENTS SUPPLIES AND STORES | C ISDA | AI | | 01-JUN-92 |
| STANAG-2003 ED.6(5) | PATROL REPORTS | C ISDA | AI | | 17-NOV-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
INTERNATIONAL STANDARDIZATION DOCUMENTS

| Doc Action | Document Number | Document Title | Distribution | FSC/Area | MCA | Prop. Acty. | Date |
|------------|---------------------|---|--------------|----------|-----|-------------|-----------|
| | STANAG-2008 ED.6 | BOMBING, SHELLING, ROCKETING, MORTARING AND LOCATION REPORTS (EDITION 6) | C | ISDA | AM | | 13-MAY-88 |
| | STANAG-2010 ED.5(7) | MILITARY LOAD CLASSIFICATION MARKINGS | C | ISDA | AI | | 15-JUL-94 |
| | STANAG-2011 ED.4 | ADJUSTMENT OF ARTILLERY FIRE (EDITION 4) (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS COMMAND, ATTN: AMSAC-MC/S, 5001 EISENHOWER AVE, ALEXANDRIA VA 22333-0001) | C | ISDA | AM | | 10-JUN-87 |
| | STANAG-2014 ED.7(1) | OPERATION ORDERS, WARNING ORDERS AND ADMINISTRATIVE/LOGISTICS ORDERS | C | ISDA | AI | | 27-APR-94 |
| | STANAG-2017 ED.3(5) | ORDERS TO THE DEMOLITION GUARD COMMANDER & DEMOLITION FIRING PARTY COMMANDER (NON NUCLEAR) (EDITION 3) | C | ISDA | AM | | 29-APR-88 |
| | STANAG-2019 ED.3(1) | MILITARY SYMBOLS FOR LAND BASED SYSTEMS - APP-6 | C | ISDA | AI | | 16-SEP-86 |
| | STANAG-2020 ED.3(8) | OPERATIONAL SITUATION REPORTS | C | ISDA | AI | | 14-JUL-95 |
| | STANAG-2021 ED.5 | MILITARY COMPUTATION OF BRIDGE, FERRY, RAFT AND VEHICLE CLASSIFICATIONS (EDITION 5) (REQ OTHER THAN DOD REFER TO US, AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | AI | | 18-SEP-90 |
| | STANAG-2022 ED.8(1) | INTELLIGENCE REPORTS | C | ISDA | AI | | 22-MAR-94 |
| | STANAG-2023(4) | MARKING OF MILITARY CARGO FOR INTERNATIONAL MOVEMENT BY ALL INTERNATIONAL MEAN RANSPOOT (EDITION NO. 2) RELEASE TO OTHER THN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM | | 03-MAR-83 |
| | STANAG-2025 ED.6 | BASIC MILITARY ROAD TRAFFIC REGULATIONS | C | ISDA | AI | | 02-AUG-95 |
| | STANAG-2026 ED.4(3) | NATO TRAVEL ORDER (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | | 31-AUG-89 |
| | STANAG-2027(7) | MARKING OF MILITARY VEAICLES (EDITION 3) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | | 25-APR-91 |
| | STANAG-2028 ED.4 | SYSTEM FOR FIELD CABLE OR FIELD WIRE LABELLING (EDITION NO. 4) | C | ISDA | AM | | 14-APR-83 |
| | STANAG-2029 ED.7(2) | METHOD OF DESCRIBING GROUND LOCATIONS, AREAS & BOUNDARIES (EDITION 7) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | | 10-JUN-91 |
| | STANAG-2031 ED.3(3) | PROFORMA FOR ARTILLERY FIRE PLAN (EDITION NO. 3) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM | | 17-JUN-88 |
| | STANAG-2033 ED.5 | INTERROGATION OF PRISONERS OF WAR (PW) (EDITION NO. 5) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM | | 07-JUN-82 |
| | STANAG-2034 ED.4(4) | LAND FORCES PROCEDURES FOR ALLIED SUPPLY TRANSACTIONS (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | | 14-NOV-86 |
| | STANAG-2035 ED.6 | SIGNING OF HEADQUARTERS AND INSTALLATIONS | C | ISDA | AI | | 21-OCT-93 |
| | STANAG-2036 ED.4(2) | LAND MINEFIELD LAYING, RECORDING, REPORTING AND REPORTING PROCEDURES (EDITION NO.4) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM | | 29-APR-88 |
| | STANAG-2037 ED.6(1) | VACCINATION OF NATO FORCES | C | ISDA | AI | | 27-MAY-94 |
| | STANAG-2040 ED.5(2) | STRETCHERS, BEARING BRACKETS & ATTACHMENT SUPPORTS (EDITION NO. 5) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM | | 30-MAY-86 |
| | STANAG-2041 ED.4(3) | OPERATION ORDERS, TABLES & GRAPHS FOR ROAD MOVEMENT (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | | 31-AUG-89 |
| | STANAG-2044 ED.5 | PROCEDURES FOR DEALING WITH PRISONERS OF WAR (PW) | C | ISDA | AI | | 28-JUN-94 |
| | STANAG-2047 ED.6(1) | EMERGENCY ALARMS OF HAZARD OR ATTACK (NBC & AIR ATTACK ONLY) (EDITION NO. 6) (REL TO OTHER THAN DOD REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C | ISDA | AM | | 09-APR-86 |
| | STANAG-2048 ED.2(2) | INSECT & RODENT CONTROL, CHEMICAL METHODS OF (A MED P-3) (EDITION 2) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) | C | ISDA | AM | | 10-SEP-86 |
| | STANAG-2050 ED.5(2) | STATISTICAL CLASSIFICATION OF DISEASES, INJURIES AND CAUSES OF DEATH | C | ISDA | AI | | 21-OCT-91 |
| | STANAG-2060 ED.2(3) | IDENTIFICATION OF MEDICAL MATERIAL FOR FIELD MEDICAL INSTALLATIONS | C | ISDA | AI | | 27-MAY-94 |
| | STANAG-2061 ED.4(3) | PROCEDURES FOR DISPOSITION OF ALLIED PATIENTS BY MEDICAL INSTALLATIONS | C | ISDA | AI | | 27-MAY-94 |
| | STANAG-2066 ED.3(3) | FORMAT FOR MILITARY CORRESPONDENCE AND USE OF ABBREVIATIONS (EDITION NO. 3) WITH AMENDMENTS 1 AND 2 | C | ISDA | AM | | 29-MAY-75 |
| | STANAG-2067 ED.5(2) | CONTROL AND RETURN OF STRAGGLERS | C | ISDA | AI | | 26-APR-94 |
| | STANAG-2068 ED.4(3) | EMERGENCY WAR SURGERY (ED. 4) (REQ FOR ISSUE MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS OFFICE, ATTN: AMSAC-MC/S, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-001) | C | ISDA | AM | | 17-OCT-91 |
| | STANAG-2070 ED.3(4) | EMERGENCY WAR BURIAL PROCEDURES | C | ISDA | AI | | 26-APR-94 |
| | STANAG-2074 ED.6(1) | TREATMENT OF EXERCISE PRISONERS OF WAR DURING NATO EXERCISES (EDITION 6) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C | ISDA | AI | | 10-JUN-91 |
| | STANAG-2077 ED.5 | ORDERS OF BATTLE | C | ISDA | AI | | 01-FEB-95 |
| | STANAG-2079 ED.4 | REAR AREA SECURITY (EDITION 4) | C | ISDA | AM | | 17-DEC-79 |
| | STANAG-2082 ED.6(1) | RELIEF OF COMBAT TROOPS (EDITION NO. 6) | C | ISDA | AI | | 24-JUL-91 |
| | STANAG-2083 ED.5(2) | COMMANDERS GUIDE ON NUCLEAR RADIATION EXPOSURE OF GROUPS (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | | 03-OCT-89 |
| | STANAG-2084 ED.5(4) | HANDLING AND REPORTING OF CAPTURED ENEMY EQUIPMENT AND DOCUMENTS | C | ISDA | AI | | 26-APR-94 |
| | STANAG-2085 ED.3(1) | NATO COMBINED MILITARY POLICE (EDITION NO. 3) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD(| C | ISDA | AM | | 06-AUG-85 |
| | STANAG-2087 ED.4(2) | MEDICAL EMPLOYMENT OF AIR TRANSPORT IN THE FORWARD AREA (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | | 08-DEC-89 |
| | STANAG-2088 ED.5(1) | BATTLEFIELD ILLUMINATION (EDITION 5) | C | ISDA | AM | | 25-MAY-83 |
| | STANAG-2096 ED.4(1) | REPORTING ENGINEER INFORMATION IN THE FIELD (EDITION NO. 4) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY DARCOM (DRCIRD) | C | ISDA | AM | | 13-JUN-88 |
| | STANAG-2097 ED.6 | NOMENCLATURE AND CLASSIFICATION OF EQUIPMENT | C | ISDA | AI | | 02-APR-96 |
| | STANAG-2099 ED.3(4) | FIRE COORDINATION IN SUPPORT OF LAND FORCES (EDITION NO. 3) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM | | 15-JUN-78 |
| | STANAG-2100(2) | MARKINGS FOR UMPIRES AND OTHER PERSONNEL, VEHICLES AND INSTALLATIONS DURING COMBINED EXERCISES (EDITION NO. 4) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C | ISDA | AM | | 12-FEB-76 |
| | STANAG-2101 ED.8 | ESTABLISHING LIAISON | C | ISDA | AI | | 28-JUN-94 |
| | STANAG-2103 ED.5 | REPORTING NUCLEAR DETONATIONS, BIOLOGICAL & CHEMICAL ATTACKS & PREDICTING & WARNING OF ASSOCIATED HAZARDS & HAZARD AREAS (ATP-45) (EDITION NO. 5) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM MAT 09B21, WASH, D.C. 20360) | C | ISDA | AM | | 19-JUL-83 |
| | STANAG-2104 ED.7(1) | FRIENDLY NUCLEAR STRIKE WARNINGS | C | ISDA | AI | | 28-JUN-95 |
| | STANAG-2105 ED.5(1) | NATO TABLE OF MILITARY EQUIVALENTS (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C | ISDA | AI | | 21-SEP-89 |
| | STANAG-2109 ED.3(1) | POSTAL ORGANIZATION FOR THE NATO FORCES IN WARTIME (EDITION 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C | ISDA | AM | | 06-AUG-85 |
| | STANAG-2111 ED.3(5) | TARGET ANALYSIS - NUCLEAR WEAPONS | C | ISDA | AI | | 28-SEP-92 |
| | STANAG-2112 ED.3(5) | NBC RECONNAISSANCE | C | ISDA | AI | | 22-MAR-94 |

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|----------------------|---|--------------|-----|-------------|--|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | | |
| | STANAG-2113 ED.6 | DENIAL OF A UNIT'S MILITARY EQUIPMENT AND SUPPLIES TO AN ENEMY | C ISDA | AI | | | 10-OCT-95 |
| | STANAG-2115 ED.4(3) | FUEL CONSUMPTION UNIT | C ISDA | AI | | | 26-APR-94 |
| | STANAG-2116 ED.5(1) | NATO CODES FOR GRADES OF MILITARY PERSONNEL | C ISDA | AI | | | 08-MAY-96 |
| | STANAG-2117 ED.2(1) | METHODS OF ASSESSING ENEMY LOGISTICAL MOVEMENT AND TRANSPORT CAPABILITIES (EDITION NO. 2) W/AMENDMENT 1: (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD(| C ISDA | AM | | | 10-AUG-72 |
| | STANAG-2121 ED.2(5) | CROSS SERVICING OF MEDICAL GAS CYLINDERS (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | | | 21-SEP-89 |
| | STANAG-2122 ED.2(5) | MEDICAL TRAINING IN FIRST AID, BASIC HYGIENE AND EMERGENCY CARE (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC. ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C ISDA | AI | | | 10-JUN-91 |
| | STANAG-2123 ED.2(3) | OBSTACLE FOLDER (EDITION 2) REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21, WASH, D.C. 20360 | C ISDA | AM | | | 25-MAY-88 |
| | STANAG-2126 ED.5(2) | FIRST-AID KITS & EMERGENCY MEDICAL CARE KITS (EDITION 5) (REL TO OTHER THAN DOD ACT REQ PRI APR OF CNM, NAT 09-B21, WASH, DC 20360) | C ISDA | AM | | | 06-JUN-86 |
| | STANAG-2127 ED.3(1) | MEDICAL, SURGICAL AND DENTAL INSTRUMENTS, EQUIPMENT AND SUPPLIES | C ISDA | AI | | | 24-SEP-91 |
| | STANAG-2128 ED.4 | MEDICAL AND DENTAL SUPPLY PROCEDURES | C ISDA | AM | | | 21-NOV-91 |
| | STANAG-2129 ED.5 | IDENTIFICATION OF LAND FORCES ON THE BATTLEFIELD (EDITION 5) (ALL REQUEST REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | | 30-JUN-86 |
| | STANAG-2130(3) | EMPLOYMENT OF ATOMIC DEMOLITION MUNITIONS (ADM), (EDITION NO. 1), (ISSUE CONTROLLED-REQUESTS BY OTHER THAN U.S. GOVT AGENCIES MUST BE APPROVED BY DEPT OF THE ARMY) | C ISDA | AM | | | 22-MAR-76 |
| | STANAG-2131 ED.3(3) | MULTILINGUAL PHASE BOOK FOR USE BY THE NATO MEDICAL SERVICES (EDITION NO. 3) REQ OTHER THAN DOD REF TO USATMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE, ALEXANDRIA, VA 22333-00001) | C ISDA | AM | | | 31-AUG-88 |
| | STANAG-2132 ED.2(2) | DOCUMENTATION RELATIVE TO MEDICAL EVACUATION, TREATMENT AND CAUSE OF DEATH OF PATIENTS (EDITION NO. 2) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | | 17-NOV-78 |
| | STANAG-2133(4) | VULNERABILITY ASSESSMENT OF CHEMICAL AND BIOLOGICAL HAZARDS, RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | | 04-DEC-84 |
| | STANAG-2135 ED.3(4) | TECHNICAL DATA FOR HANDLING CUSTODIAL NUCLEAR WEAPONS (EDITION 3) | C ISDA | AM | | | 05-DEC-86 |
| | STANAG-2136 ED.3(1) | MINIMUM STANDARDS OF WATER POTABILITY IN EMERGENCY SITUATIONS | C ISDA | AI | | | 07-SEP-95 |
| | STANAG-2138 ED.3(1) | TROOP TRIAL PROCEDURES - COMBAT CLOTHING AND EQUIPMENT (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD((EDITION NO. 3) | C ISDA | AM | | | 26-FEB-79 |
| | STANAG-2139 ED.2 | ATOMIC DEMOLITION MUNITIONS (ADM) OPERATIONS ORDER (EDITION NO. 2) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED B HQ DARCOM (DRCIRD) | C ISDA | AM | | | 14-DEC-82 |
| | STANAG-2143 ED.4(2) | EXPLOSIVE ORDNANCE RECONNAISSANCE/EXPLOSIVE ORDNANCE DISPOSAL (EOR/EOD) | C ISDA | AI | | | 31-OCT-94 |
| | STANAG-2144(3) | CALL FOR FIRE PROCEDURES (ISSUE CONTROLLED-RELEASE TO OTHER DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) EDITION NO. 1 | C ISDA | AM | | | 14-OCT-77 |
| | STANAG-2147 ED.4(5) | TARGET NUMBERING SYSTEM (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | | | 02-AUG-89 |
| | STANAG-2149 ED.5 | INTELLIGENCE REQUEST (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | | | 05-FEB-91 |
| | STANAG-2150 | NATO STANDARDS OF PROFICIENCY FOR NBC DEFENCE (EDITION NO 3) | C ISDA | AM | | | 26-FEB-86 |
| | STANAG-2152 ED.5(1) | LOADING RAMPS | C ISDA | AI | | | 17-SEP-91 |
| | STANAG-2154 ED.6 | REGULATIONS FOR MILITARY MOTOR VEHICLE MOVEMENT BY ROAD | C ISDA | AI | | | 19-JUN-92 |
| | STANAG-2155 ED.2(3) | ROAD MOVEMENT BID & CREDIT (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | | | 03-FEB-89 |
| | STANAG-2156 ED.4(2) | SURFACE TRANSPORT REQUEST AND SURFACE TRANSPORT REPLY (ED. 4 (ISSUED CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD(| C ISDA | AM | | | 21-NOV-91 |
| | STANAG-2158 ED.4(3) | IDENTIFICATION OF MILITARY TRAINS | C ISDA | AI | | | 08-MAY-96 |
| | STANAG-2159 ED.4(2) | IDENTIFICATION OF MOVEMENT CONTROL AND TRAFFIC CONTROL, PERSONNEL AND AGENCIES (EDITION 4) (REQ OTHER THAN DOD REF TO US AMC ATTN: AMCICP- AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | | | 29-APR-91 |
| | STANAG-2165 ED.3(4) | FORECAST MOVEMENT REQUIREMENTS - RAIL, ROAD AND INLAND WATERWAYS (EDITION NO. 3) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | | | 10-MAR-86 |
| | STANAG-2166 ED.3(1) | MOVEMENT & TRANSPORT DOCUMENTS USED FOR MOVEMENTS BY SHIP (EDITION 3) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | | | 17-JAN-89 |
| | STANAG-2171 ED.5(4) | PROCEDURES FOR MILITARY TRAINS CROSSING FRONTIERS | C ISDA | AI | | | 20-SEP-93 |
| | STANAG-2173 ED.4 | REGULATIONS FOR THE SECURING OF MILITARY TRACKED AND WHEELED VEHICLES ON RAILWAY WAGONS | C ISDA | AI | | | 02-JUN-95 |
| | STANAG-2174 ED.4 | MILITARY ROUTES AND ROUTE/ROAD NETWORK | C ISDA | AI | | | 25-FEB-94 |
| | STANAG-2175 ED.3(2) | CLASSIFICATION AND DESIGNATION OF FLAT WAGONS SUITABLE FOR TRANSPORTING MILITARY EQUIPMENT (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA., 22333-0001) | C ISDA | AI | | | 29-JUL-91 |
| | STANAG-2176 | PROCEDURES FOR MILITARY ROAD MOVEMENT ACROSS NATIONAL FRONTIERS (ISSUED CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD(| C ISDA | AM | | | 09-AUG-78 |
| | STANAG-2201 ED.3(5) | STANDARD UNIT OF VERTICAL MEASURE TO BE SHOWN ON LAND MAPS | A ISDF | 06 | | | 23-OCT-90 |
| | STANAG-2205 ED.4(3) | USE OF IDENTICAL MAPS & CHARTS (EXCLUDING NAUTICAL CHARTS) | A ISDF | 06 | | | 23-OCT-90 |
| A | STANAG-2210 ED.4 | TRIG LISTS (LISTS OF GEODETIC DATA) | A ISDF | 06 | | | 12-SEP-97 |
| A | STANAG-2211 ED.5(3) | GEODETIC DATUMS, ELLIPSOIDS, GRIDS AND GRID REFERENCES | A ISDF | 06 | | | 13-OCT-97 |
| | STANAG-2213 ED.4 | GAZETTEERS | A ISDF | 06 | | | 03-APR-98 |
| M | STANAG-2215 ED.5(2) | EVALUATION OF LAND MAPS, AERONAUTICAL CHARTS AND DIGITAL TOPOGRAPHIC DATA | A ISDF | 06 | | | 14-MAY-98 |
| | STANAG-2216 ED.4 | VERTICAL AERIAL CARTOGRAPHIC PHOTOGRAPHY | A ISDF | 06 | | | 13-OCT-93 |
| | STANAG-2219(3) | MEDICAL PREVENTIVE AND PROTECTIVE MEASURES ASSOCIATED WITH MISSILE OPERATIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | | | 21-SEP-89 |
| | STANAG-2225 ED.4 | TECHNICAL DATA FOR HANDLING CUSTODIAL NUCLEAR WEAPONS | C ISDA | AI | | | 28-JUN-94 |
| M | STANAG-2251 ED.5(8) | SCOPE AND PRESENTATION OF MILITARY GEOGRAPHIC INFORMATION AND DOCUMENTATION (MGID) | A ISDF | 06 | | | 14-MAY-98 |
| | STANAG-2253 ED.4(5) | MILITARY GEOGRAPHIC DOCUMENTATION ON ROADS AND STRUCTURES (EDITION NO. 4) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C ISDA | AM | | | 25-MAY-92 |
| M | STANAG-2254 ED.4(9) | NAVIGABLE INLAND WATERWAYS | A ISDF | 06 | | | 14-MAY-98 |
| | STANAG-2255 ED.4(10) | MGD - PORTS | A ISDF | 06 | | | 20-DEC-94 |
| | STANAG-2256 ED.4(9) | MGD - INLAND HYDROGRAPHY | A ISDF | 06 | | | 26-MAY-92 |
| M | STANAG-2257 ED.4(2) | RAILWAYS | A ISDF | 06 | | | 14-MAY-98 |
| M | STANAG-2259 ED.4(11) | TERRAIN | A ISDF | 06 | | | 14-MAY-98 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
INTERNATIONAL STANDARDIZATION DOCUMENTS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|---------------------|---|--------------------------|-----|-------------|------|
| M | STANAG-2260 ED.3(3) | ELECTRIC POWER | A ISDF | 06 | 14-MAY-98 | |
| M | STANAG-2263 ED.4(6) | COASTAL AREAS AND LANDING BEACHES | A ISDF | 06 | 14-MAY-98 | |
| M | STANAG-2269 ED.3(4) | MDG - ENGINEER RESOURCES | A ISDF | 06 | 14-MAY-98 | |
| | STANAG-2310 ED.3(6) | SMALL ARMS AMMUNITION (7.62 MM) | C ISDA | AI | 09-JUN-95 | |
| | STANAG-2311 ED.3(1) | PRINCIPLES GOVERNING +HE DESIGN OF THE INDIVIDUAL LOAD CARRING EQUIPMENT OF THE COMBAT SOLDIER (EDITION 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C ISDA | AM | 02-APR-85 | |
| | STANAG-2315 ED.3(4) | SYMBOL TO DENOTE THE OPERATIONAL INTERCHANGE ABILITY OF AMMUNITION & DEMONOLITION ACCESSORIES (SHORT TITLE, NATO SYMBOL OF INTERCHANGEABILITY) (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENSHOWE AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | 21-SEP-89 | |
| | STANAG-2316 ED.4 | MARKING OF AMMUNITION (AND ITS PACKAGING) OF A CALIBRE BELOW 20 MM | C ISDA | AI | 24-JUL-95 | |
| | STANAG-2318 | CHARGER FOR NATO 7.62MM AMMUNITION (EDITION NO. 2) | C ISDA | AM | 12-FEB-70 | |
| | STANAG-2320(4) | MARK NATO DESIGN (REL TO OTHER THAN DOD SEND TO US AMC, ATTN AMCICP-AA-N, 5001 EISENHOWER AVE, ALEXANDRIA, VA 22333-0001) (ED 3) | C ISDA | AM | 20-APR-88 | |
| | STANAG-2321 ED.4(2) | THE NATO CODE OF COLOURS FOR THE IDENTIFICATION OF AMMUNITION (EXCEPT AMMUNITION OF A CALIBRE BELOW 20 MM) | C ISDA | AI | 31-MAR-93 | |
| | STANAG-2322 ED.2(7) | MINIMUM MARKINGS FOR THE IDENTIFICATION OF AMMUNITION (AND ITS PACKAGING) | C ISDA | AI | 10-MAR-93 | |
| | STANAG-2329 ED.2(2) | LINKS FOR DISINTEGRATING BELTS FOR USE WITH NATO 7.62MM CARTRIDGES (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) | C ISDA | AI | 26-AUG-91 | |
| | STANAG-2333 ED.4 | PERFORMANCE AND PROTECTIVE PROPERTIES OF COMBAT CLOTHING | C ISDA | AI | 12-NOV-92 | |
| | STANAG-2335 ED.2(3) | INTERCHANGEABILITY OF COMBAT CLOTHING SIZES (EDITION 2) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) | C ISDA | AM | 03-APR-84 | |
| | STANAG-2339(4) | SIZE MARKING FOR OPERATIONAL FOOTWEAR (ED. 1W/AMDS. 1-4) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21 WASH D.C. 20360) | C ISDA | AM | 17-MAY-84 | |
| | STANAG-2342(1) | MINIMUM ESSENTIAL MEDICAL EQUIPMENT AND SUPPLIES FOR MOTOR AMBULANCES AT ALL LEVELS (ISSUE CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD(| C ISDA | AM | 22-SEP-77 | |
| | STANAG-2345(6) | CONTROL & EVALUATION OF EXPOSURE OF PERSONNEL TO RADIO FREQUENCY RADIATION (RELEASE TO OTHER THAN DOD AGENCIES MUST HAVE PRIOR APPROVAL FROM HQ DARCOM (DRCIRD) | C ISDA | AM | 25-JUN-86 | |
| | STANAG-2346(5) | STANDARD METHOD OF WRITING PRESCRIPTIONS FOR SPECTACLES (ISSUED CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BYHQ DARCOM)DRICIRD(| C ISDA | AM | 30-MAY-86 | |
| | STANAG-2347 ED.1(6) | MEDICAL WARNING TAG | C ISDA | AI | 21-MAY-96 | |
| | STANAG-2348(2) | BASIC MILITARY HOSPITAL (CLINICAL) RECORDS (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | 28-FEB-89 | |
| | STANAG-2350 ED.2 | MORHIA DOSAGE AND CASUALTY MARKING | C ISDA | AI | 27-APR-94 | |
| | STANAG-2351(2) | PROCEDURES FOR MARSHALLING HELICOPTERS IN MULTINATIONAL LAND OPERATIONS (EDITION NO. 2) (REL TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ,DARCOM (DRCIRD) | C ISDA | AM | 09-JUN-86 | |
| | STANAG-2352 ED.3(1) | NBC DEFENCE EQUIPMENT OPERATIONAL GUIDELINES | C ISDA | AI | 28-SEP-92 | |
| | STANAG-2353 ED.4 | EVALUATION OF NBC DEFENCE CAPABILITY | C ISDA | AI | 05-JUL-96 | |
| | STANAG-2355(2) | PROCEDURE FOR THE EMPLOYMENT OF HELICOPTERS IN THE ANTI ARMOUR ROLE (EDITION NO. 3) | C ISDA | AM | 05-AUG-85 | |
| | STANAG-2356 ED.2(2) | COMPARATIVE FORMATION/UNIT DESIGNATIONS | C ISDA | AI | 13-OCT-93 | |
| | STANAG-2357 ED.2 | X-RAY FILM FORMAT, CASSETTES, SCREENS AND HANGERS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM)DRCIRD) EDITION 2 | C ISDA | AM | 15-OCT-76 | |
| | STANAG-2358 ED.3 | FIRST-AID AND HYGIENE TRAINING IN NBC OPERATIONS | C ISDA | AI | 12-JUN-96 | |
| | STANAG-2361(3) | MINIMUM ESSENTIAL MEDICAL SUPPLY ITEMS IN THEATRES OF OPERATIONS (RELEASE TO OTHER THAN DOD AGENCIES MUST HAVE PRIOR APPROVAL BY HQ, DARCEM, (DRCIRD) | C ISDA | AM | 16-SEP-82 | |
| | STANAG-2363 ED.2 | SECURITY DOCTRINE - AINTP-2(A) | C ISDA | AI | 03-JUN-93 | |
| | STANAG-2366 ED.1 | STOPPING POWER OF LAND MINEFIELDS | C ISDA | AI | 15-JUN-93 | |
| | STANAG-2367 ED.2(2) | NATO GLOSSARY OF NBC TERMS AND DEFINITIONS - AAP-21 | C ISDA | AI | 18-DEC-91 | |
| | STANAG-2368 | GUIDE FOR THE RESTORATION OF FACILITIES ON THE LINES OF COMMUNICATIONS, PORTS & OTHER CRITICAL INSTALLATIONS AFTER HOSTILE ACTIONS -(EDITION NO. 1) | C ISDA | AM | 13-DEC-85 | |
| | STANAG-2369 ED.2 | IDENTIFICATION AND DISPOSAL OF SURFACE AND AIR MUNITIONS - AEODP-2 | C ISDA | AI | 16-FEB-94 | |
| | STANAG-2370(1) | PRINCIPLES OF IMPROVED EXPLOSIVE DEVICE DISPOSAL (EDITION 1 (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | 21-SEP-89 | |
| | STANAG-2373 ED.1(2) | SURVEY ACCURACY REQUIREMENTS FOR SURFACE TO SURFACE ARTILLERY | C ISDA | AI | 22-MAR-94 | |
| | STANAG-2374 ED.2 | METHOD OF APPLICATION OF A STANDARD MARKING SYSTEM FOR THE IDENTIFICATION OF PROPELLING CHARGES | C ISDA | AI | 19-MAY-94 | |
| | STANAG-2375 ED.1(1) | VEHICLE BATTLEFIELD RECOVERY DATA - AEP-13 | C ISDA | AI | 21-MAY-96 | |
| | STANAG-2386 ED.1 | CODIFICATION OF EQUIPMENT ESTABLISHING COMMON USER ITEM LISTS AND MATRICES | C ISDA | AI | 14-MAY-92 | |
| | STANAG-2394 ED.1 | LAND FORCE COMBAT ENGINEER DOCTRINE - ATP-52 | C ISDA | AI | 12-JAN-93 | |
| | STANAG-2399 ED.1(2) | BATTLEFIELD RECOVERY/EVACUATION OPERATIONS | C ISDA | AI | 19-JAN-95 | |
| | STANAG-2400 ED.2 | BATTLEFIELD VEHICLE RECOVERY USER HANDBOOK - AEP-17(A) | C ISDA | AI | 16-JUL-96 | |
| | STANAG-2403 ED.1(2) | TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING STROPS/PENDANTS | C ISDA | AI | 19-MAY-93 | |
| | STANAG-2404 | JOINT ANTI-ARMOUR OPERATIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001) | C ISDA | AI | 16-MAY-91 | |
| | STANAG-2406 ED.2 | LAND FORCES LOGISTIC DOCTRINE - ALP-9(A) | C ISDA | AI | 04-NOV-93 | |
| | STANAG-2410 ED.1(2) | LIST OF NATO CIVIL/MILITARY GROUND ENGINE LUBRICATING OIL INTERCHANGEABILITY | A ISDF | 06 | 01-MAR-94 | |
| | STANAG-2411 ED.1 | SHAPE COMMENTS | C ISDA | AM | 19-DEC-91 | |
| | STANAG-2412 ED.1 | THE EFFECTS OF WEARING INDIVIDUAL PROTECTIVE EQUIPMENT ON INDIVIDUAL AND UNIT PERFORMANCE DURING EXERCISES - AXP-8 | C ISDA | AI | 27-APR-94 | |
| A | STANAG-2415 ED.2(1) | PROCEDURES FOR OPERATION OF MECHANICAL GROUND EQUIPMENT TO MINIMIZE DIESEL FUEL PROBLEMS AT LOW AMBIENT TEMPERATURES | A ISDF | 06 | 05-NOV-97 | |
| | STANAG-2418 ED.1(1) | BATTLE DAMAGE REPAIR POLICY | C ISDA | AI | 21-MAR-96 | |
| | STANAG-2426 ED.1 | NBC CONTAMINATION CONTROL POLICY FOR NATO FORCES | C ISDA | AI | 02-AUG-95 | |
| | STANAG-2429 ED.1(1) | PERSONNEL IDENTIFICATION WHILE IN NBC INDIVIDUAL PROTECTIVE EQUIPMENT (IPE) | C ISDA | AI | 10-JUN-96 | |
| | STANAG-2430 ED.1 | LAND FORCES COMBAT ENGINEER MESSAGES, REPORTS AND RETURNS (R2) - AENGRP-2 | C ISDA | AI | 08-FEB-96 | |
| | STANAG-2438 ED.1 | NOMENCLATURE AND CLASSIFICATION OF UNITS | C ISDA | AI | 02-APR-96 | |
| | STANAG-2439 ED.1 | NOMENCLATURE AND CLASSIFICATION OF PLACES | C ISDA | AI | 02-APR-96 | |
| | STANAG-2440 ED.1 | BIOGRAPHIC INFORMATION | C ISDA | AI | 02-APR-96 | |
| | STANAG-2442 ED.1 | NATO STANDARDIZATION OF COLOUR CODING AND MARKING OF EXPERIMENTAL TEST AMMUNITION | C ISDA | AI | 15-JUL-94 | |
| | STANAG-2500 ED.2 | NATO HANDBOOK ON THE MEDICAL ASPECTS OF NBC DEFENSIVE OPERATIONS (AMEDP-6) (EDITION NO. 2) | C ISDA | AM | 10-SEP-82 | |
| | STANAG-2601 ED.2 | STANDARDIZATION OF VOLTAGE OF ELECTRICAL SYSTEMS IN TACTICAL VEHICLES (EDITION NO. 2) | C ISDA | AM | 01-AUG-79 | |

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|---------------------|---|--------------------------|-----|-------------|------|
| STANAG-2602 ED.2 | SPARKING PLUGS | C ISDA | AI | 20-NOV-92 | |
| STANAG-2604 ED.3(1) | BRAKING SYSTEMS BETWEEN TRACTOR, DRAW BAR TRAILER & SEMI-TRAILER EQUIPMENT COMBINATIONS FOR MILITARY USE (EDITION NO. 3) | C ISDA | AM | 27-NOV-86 | |
| STANAG-2754 ED.9(3) | FUELS TO BE INTRODUCED INTO AND DELIVERED BY THE CENTRAL EUROPEAN PIPELINE SYSTEM (CEPS) | C ISDA | AI | 29-OCT-93 | |
| STANAG-2764 ED.4(3) | FUELS TO BE INTRODUCED INTO AND DELIVERED BY THE NORTH EUROPEAN PIPELINE SYSTEM (NEPS) | A ISDF | 06 | 03-MAR-93 | |
| STANAG-2805 ED.4(1) | FORDING AND FLOTATION REQUIREMENTS FOR COMBAT AND SUPPORT GROUND VEHICLES | C ISDA | AI | 31-MAY-94 | |
| STANAG-2818(8) | CHARACTERISTICS OF DEMOLITION ACCESSORIES TO DETERMINE THEIR OPERATIONAL INTERCHANGEABILITY (WITH AMENDMENT 1 AND 2) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM) (DRCIRD) | C ISDA | AM | 20-DEC-79 | |
| STANAG-2827 ED.2(4) | MATERIALS HANDLING IN THE FIELD (EDITION NO. 2) | C ISDA | AM | 13-MAR-87 | |
| STANAG-2828 ED.4(1) | MILITARY PALLETS, PACKAGES AND CONTAINERS | C ISDA | AI | 10-JUN-96 | |
| STANAG-2829 ED.2(6) | MATERIAL HANDLING EQUIPMENT (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) INCLUDES AMENDMENTS 1 THRU 6 | C ISDA | AM | 20-MAR-78 | |
| STANAG-2830 ED.3 | MATERIALS HANDLING AIDS | C ISDA | AI | 05-JUL-96 | |
| STANAG-2831 | CLIMATIC ENVIRONMENTAL CONDITIONS AFFECTING THE DESIGN OF MATERIAL FOR USE BY NATO FOTHER THAN DOD AGENCIES REQUIRES APPROVAL OF ORCES OPERATING IN A GROUND ROLE (RELEASE TO | C ISDA | AM | 28-APR-77 | |
| STANAG-2832(1) | RESTRICTIONS FOR THE TRANSPORT OF MILITARY EQUIPMENT BY RAIL ON EUROPEAN RAILWAYS (EDITION NO. 2) | C ISDA | AM | 31-AUG-82 | |
| STANAG-2834 ED.2(3) | THE OPERATION OF THE EXPLOSIVE ORDNANCE DISPOSAL TECHNICAL INFORMATION CENTRE (EODTIC) | C ISDA | AI | 22-MAR-94 | |
| STANAG-2835 ED.2 | NATO ULTRAVIOLET REFLECTIVE (UVR) WHITE COLOUR FOR THE CAMOUFLAGE OF MILITARY EQUIPMENTS IN SNOW ENVIRONMENTS | C ISDA | AI | 22-SEP-95 | |
| STANAG-2836(3) | REMOVABLE PAINTS FOR CAMOUFLAGE (EDITION 2), (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM) (DRCIRD) | C ISDA | AM | 06-MAY-88 | |
| STANAG-2845 ED.3(2) | GUIDE SPECIFICATIONS FOR NATO ARMED FUELS, LUBRICANTS AND ASSOCIATED PRODUCTS | C ISDA | AI | 10-NOV-93 | |
| STANAG-2861(3) | PROCEDURES IN THE EVENT OF DOWNED HELICOPTERS (EDITION NO. 2 W/AMENDS 1 + 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | 06-AUG-85 | |
| STANAG-2863(4) | NAVIGATIONAL & COMMUNICATION CAPABILITIES FOR HELICOPTERS IN MULTI-NATIONAL LAND OPERATIONS (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | 16-MAR-92 | |
| STANAG-2865 ED.1(6) | RECORDING OF DATA FOR ARTILLERY SURVEY CONTROL POINTS | C ISDA | AM | 30-DEC-91 | |
| STANAG-2866 ED.3(1) | MEDICAL EFFECTS OF IONIZING RADIATION ON PERSONNEL | C ISDA | AI | 27-APR-94 | |
| STANAG-2867 ED.2(2) | RADIOTELEPHONE PROCEDURES FOR THE CONDUCT OF ARTILLERY FIRE (EDITION NO. 2) | C ISDA | AM | 17-JUN-88 | |
| STANAG-2868(8) | LAND FORCE TACTICAL DOCTRINE (EDITION 4) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AM | 05-MAY-92 | |
| STANAG-2871 ED.3(2) | FIRST AID MATERIAL FOR CHEMICAL INJURIES | C ISDA | AI | 24-JUL-95 | |
| STANAG-2872 ED.3 | MEDICAL DESIGN REQUIREMENTS FOR MILITARY MOTOR AMBULANCES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) EDITION NO. 3 | C ISDA | AM | 03-APR-89 | |
| STANAG-2873 ED.2 | CONCEPT OF OPERATIONS OF MEDICAL SUPPORT IN NUCLEAR, BIOLOGICAL & CHEMICAL ENVIRONMENTS - AMEDP-7(A) (EDITION NO. 2) | C ISDA | AM | 31-AUG-82 | |
| STANAG-2874 ED.2(2) | PLANNING GUIDE FOR THE ESTIMATION OF BATTLE CASUALTIES (NUCLEAR) - AMEDP-8 | C ISDA | AI | 26-APR-94 | |
| STANAG-2875 | CALL FOR DESTRUCTION, SMOKE, ILLUMINATION AND DANGER CLOSE MISSIONS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | 27-NOV-81 | |
| STANAG-2879 ED.2(2) | PRINCIPLES OF MEDICAL POLICY IN THE MANAGEMENT OF A MASS CASUALTY SITUATION (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | 29-JAN-90 | |
| STANAG-2884 ED.2(1) | UNDERWATER MUNITION DISPOSAL PROCEDURES (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | 12-FEB-90 | |
| STANAG-2885 ED.3 | EMERGENCY SUPPLY OF WATER IN WAR | C ISDA | AI | 13-MAY-96 | |
| STANAG-2887 | TACTICAL TASKS AND RESPONSIBILITIES FOR CONTROL OF ARTILLERY (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) | C ISDA | AM | 28-OCT-78 | |
| STANAG-2888(4) | OPERATIONAL CARRIAGE OF AMMUNITION & FUEL BY HELICOPTER (EDITION NO. 1) (REL TO OTHER THAN DOD REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | 20-MAY-85 | |
| STANAG-2889 ED.3(3) | MARKING OF HAZARDOUS AREAS & ROUTES THROUGH THEM (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | 08-FEB-90 | |
| STANAG-2890 ED.2(2) | REGULATIONS FOR SAFETY IN THE TRANSPORT OF AMMUNITION & EXPLOSIVES BY MILITARY TRAIN (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | 11-OCT-91 | |
| STANAG-2895 | EXTREME CLIMATIC CONDITIONS AND DERIVED CONDITIONS FOR USE IN DEFINING DESIGN/TEST CRITERIA FOR NATO FORCES MATERIEL (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | 15-FEB-90 | |
| STANAG-2896 | WEAPON DANGER AREAS FOR HAND-HELD WEAPONS FOR USE BY NATO FORCES OPERATING IN A GROUND ROLE (REQUEST OTHER THAN DOD REFER TO U.S. ARMY SECURITY AFFAIRS COMMAND, ATTN: AMSAC-MC/S, 5001 EISENHOWER AVE, ALEXANDRIA, VA 22333-0001) ED-1 | C ISDA | AM | 21-SEP-87 | |
| STANAG-2897 ED.3 | STANDARDIZATION OF EOD EQUIPMENT REQUIREMENTS AND EQUIPMENT | C ISDA | AI | 04-JUL-94 | |
| STANAG-2899(3) | PROTECTION OF HEARING (EDITION NO. 1) | C ISDA | AM | 30-MAY-86 | |
| STANAG-2900 ED.2 | LASER RADIATION MEDICAL SURVEILLANCE AND EVALUATION OF OVER EXPOSURE (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | 30-JUN-88 | |
| STANAG-2902 ED.1(3) | CRITERIA FOR NATO COMBAT HELMET | C ISDA | AI | 04-MAY-93 | |
| STANAG-2905(2) | BASIC VOLTAGE & CURRENT CHARACTERISTICS OF ELECTRO MEDICAL EQUIPMENT (EDITION 1) | C ISDA | AM | 04-JUL-86 | |
| STANAG-2906(2) | ESSENTIAL PHYSICAL REQUIREMENTS & PERFORMANCE CHARACTERISTICS OF FIELD TYPE HIGH PRESSURE STEAM STERILIZERS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) (ED. NO. 2) | C ISDA | AM | 29-APR-88 | |
| STANAG-2907 ED.2(2) | PROCEDURES FOR REPORTING AND FOR INITIAL DISPOSITION OF UNSATISFACTORY MEDICAL MATERIEL AND DRUGS | C ISDA | AI | 19-OCT-94 | |
| STANAG-2908(3) | PREVENTATIVE MEASURES FOR AN OCCUPATIONAL HEALTH PROGRAMME (EDITION NO. 2) | C ISDA | AM | 17-JUN-86 | |
| STANAG-2911 | DESIGN CRITERIA FOR FRAGMENTATION PROTECTIVE BODY ARMOUR (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | 25-AUG-89 | |
| STANAG-2914 | MECHANICAL ENVIRONMENTAL CONDITIONS TO WHICH MATERIEL INTENDED FOR USE BY NATO FORCES COULD BE EXPOSED (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | 12-JAN-90 | |
| STANAG-2916 | NOSE FUZE CONTOURS AND MATCHING PROJECTILE CAVITIES FOR ARTILLERY AND MORTAR PROJECTILES (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | 06-NOV-89 | |
| STANAG-2917 ED.2(1) | CHEMICAL CASUALTY ASSESSMENT EXERCISE PUBLICATION - AXP-7(A) | C ISDA | AI | 27-JAN-94 | |

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|----------------------|--|--------------------------|-----|-------------|-----------|
| STANAG-2918 | MEASUREMENT CRITERIA FOR MILITARY SKIS & SKIPOLES (ED. NO. 1)(REL TO OTHER THAN DOD ACTREQ PRI APPR OF CNM, MAT 09B21) | C ISDA | AM | | 16-JUN-83 |
| STANAG-2926 ED.2 | PROCEDURE FOR THE USE & HANDLING OF FREIGHT CONTAINERS FOR MILITARY SUPPLIES | C ISDA | AI | | 12-MAR-96 |
| STANAG-2927(2) | MARKING OF RESTRAINT EQUIPMENT FOR ROAD MOVEMENT (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | | 19-JUL-89 |
| STANAG-2928 ED.3(1) | LAND FORCES AMMUNITION INTERCHANGEABILITY CATALOGUE IN WARTIME -AOP-6 (L) | C ISDA | AI | | 17-JUL-96 |
| STANAG-2929 ED.4 | AIRFIELD DAMAGE REPAIR (ADR) | A ISDF | 06 | | 01-MAR-94 |
| STANAG-2931 | ORDERS FOR THE CAMOUFLAGE OF THE RED CROSS AND RED CRESCENT ON LAND IN TACTICAL OPERATIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP0AA-N, 5001 EISENHOWER AVE., ALEXANDRIA VA., 22333-0001) | C ISDA | AI | | 11-JUN-91 |
| STANAG-2933 ED.1(1) | LAND FORCES EXPLOSIVES AND DEMOLITION ACCESSORIES INTERCHANGEABILITY CATALOGUE IN WARTIME - AOP-19 | C ISDA | AI | | 08-FEB-96 |
| STANAG-2934 ED.1(4) | ARTILLERY PROCEDURES - AARTYP-1 | C ISDA | AI | | 03-JUL-96 |
| STANAG-2937 ED.2(2) | SURVIVAL, EMERGENCY AND INDIVIDUAL COMBAT RATIONS - NUTRITIONAL VALUES AND PACKAGING | C ISDA | AI | | 11-SEP-95 |
| STANAG-2939 | MEDICAL REQUIREMENTS FOR BLOOD, BLOOD DONORS & ASSOCIATED EQUIPMENT (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AM | | 01-AUG-87 |
| STANAG-2940 ED.3 | REPORTING OF AMMUNITION MALFUNCTIONS | C ISDA | AI | | 30-OCT-95 |
| STANAG-2941 ED.2 | GUIDELINES FOR AIR AND GROUND PERSONNEL USING COLLECTIVE PROTECTIVE STRUCTURES ON PERMANENT AIR FORCE INSTALLATIONS | C ISDA | AI | | 19-JUN-92 |
| STANAG-2943 ED.1(2) | REGULATIONS FOR THE LATERAL OR END-ON LOADING AND UNLOADING OF WHEELED OR TRACKED MILITARY EQUIPMENT TRANSPORTED ON RAILWAY WAGONS | C ISDA | AI | | 10-JUL-92 |
| STANAG-2945 ED.2 | NATO CIVIL/MILITARY GROUND FUELS INTERCHANGEABILITY CATALOGUE - AFLP-1(A) | C ISDA | AI | | 18-NOV-92 |
| STANAG-2946 ED.1(1) | FORWARD AREA REFUELLING EQUIPMENT (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 20-MAY-85 |
| STANAG-2947 ED.2 | TECHNICAL CRITERIA FOR A CLOSED CIRCUIT REFUELLING SYSTEM | C ISDA | AI | | 15-JUL-94 |
| STANAG-2949 ED.2(3) | TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING SLINGS (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP0AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | | 18-FEB-91 |
| STANAG-2950 ED.2 | TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING NETS | C ISDA | AI | | 25-SEP-91 |
| STANAG-2952 ED.1(4) | PROCEDURES FOR PROVIDING RESTRICTED AREAS FOR NATO MILITARY AIRCRAFT WHILE USING MILITARY AIRFIELDS OF OTHER NATO NATIONS | C ISDA | AI | | 26-APR-94 |
| STANAG-2953 ED.1(1) | METHOD OF APPLICATION OF THE NATO CODE OF COLOURS FOR THE IDENTIFICATION OF AMMUNITION (EXCEPT AMMUNITION OF A CALIBRE BELOW 20MM) - AOP-2(A) | C ISDA | AI | | 22-MAR-94 |
| STANAG-2956(1) | HELICOPTER TASKING MESSAGES (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-N, 5001 EISENHOWER AV., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | | 22-SEP-89 |
| STANAG-2957 ED.3 | INTERNATIONAL SYSTEM (SI) UNITS USED BY ARMED FORCES IN THE NUCLEAR FIELD | C ISDA | AI | | 27-APR-94 |
| STANAG-2961 ED.1(6) | CLASSES OF SUPPLY OF NATO LAND FORCES | C ISDA | AI | | 09-JUN-92 |
| STANAG-2962(1) | CALL FOR FIRE PROCEDURE (ED. 1) | C ISDA | AM | | 14-MAY-87 |
| STANAG-2963 ED.1 | COORDINATION OF FIELD ARTILLERY SCATTERABLE MINES | C ISDA | AI | | 28-SEP-92 |
| STANAG-2968 | LAND FORCES CATALOGUE OF BILATERAL AGREEMENTS ON THE INTERCHANGE- ABILITY AND SAFE FIRING OF AMMUNITION DURING PEACETIME TRAINING EXERCISES (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | | 27-MAR-90 |
| STANAG-2970 ED.2 | AERIAL RECOVERY EQUIPMENT AND TECHNIQUES FOR HELICOPTERS | C ISDA | AI | | 29-SEP-92 |
| STANAG-2978 ED.1(2) | ESSENTIAL PERFORMANCE CHARACTERISTICS OF FIELD SURGICAL LIGHTS | C ISDA | AI | | 03-AUG-95 |
| STANAG-2979 ED.1(3) | ESSENTIAL CHARACTERISTICS OF ELECTRO SURGICAL APPARATUS | C ISDA | AI | | 03-AUG-95 |
| STANAG-2980 | TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING NETS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 20-OCT-83 |
| STANAG-2981 ED.1(3) | PREVENTION OF COLD INJURY | C ISDA | AI | | 24-SEP-91 |
| STANAG-2984 ED.4 | GRADUATED LEVELS OF NBC THREAT AND ASSOCIATED PROTECTION | C ISDA | AI | | 24-JUL-94 |
| STANAG-2989(4) | TRANSFER OF BARRIERS (EDITION 1) (REQ TO OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | | 05-JAN-90 |
| STANAG-2990(2) | PRINCIPLES AND PROCEDURES FOR THE EMPLOYMENT IN LAND WARFARE OF SCATTERABLE MINES WITH A LIMITED LAID LIFE (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN; AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) | C ISDA | AI | | 16-MAR-92 |
| STANAG-2991 ED.2 | NATO COMBAT ENGINEER GLOSSARY - AAP-19(B) | C ISDA | AI | | 29-OCT-93 |
| STANAG-2999 ED.2(1) | USE OF HELICOPTERS IN LAND OPERATIONS - ATP-49(A) | C ISDA | AI | | 20-JAN-94 |
| STANAG-3052 ED.4(5) | AERONAUTICAL BRIEFING FACILITIES | A ISDF | 06 | | 31-JAN-92 |
| STANAG-3053 ED.5 | CHARACTERISTICS OF BREATHING OXYGEN, SUPPLY PRESSURE AND HOSES | A ISDF | 06 | | 26-MAY-92 |
| STANAG-3056 ED.6 | MARKING OF AIRBORNE AND GROUND GAS AND CRYOGENIC FLUID CONTAINERS | A ISDF | 06 | | 24-SEP-96 |
| STANAG-3094 ED.1(2) | 16 BIT COMPUTER INSTRUCTION SET ARCHITECTURE | A ISDF | 06 | | 29-JUL-92 |
| STANAG-3098 ED.10(3) | AIRCRAFT JACKING | A ISDF | 06 | | 05-JUN-97 |
| STANAG-3101 ED.9(2) | EXCHANGE OF ACCIDENT/INCIDENT INFORMATION CONCERNING AIRCRAFT AND MISSILES | A ISDF | 06 | | 20-DEC-94 |
| STANAG-3102 ED.4(2) | FLIGHT SAFETY CO-OPERATION IN COMMON GROUND/AIR SPACE | A ISDF | 06 | | 01-JUN-94 |
| STANAG-3104 ED.6(5) | IDENTIFICATION OF AIRCRAFT AND MISSILE PIPELINES AND ELECTRICAL CONDUITS | A ISDF | 06 | | 05-JUN-97 |
| STANAG-3105 ED.5(1) | AIRCRAFT PRESSURE FUELLING CONNECTIONS | A ISDF | 06 | | 22-APR-96 |
| STANAG-3109 ED.5(5) | SYMBOL MARKING OF AIRCRAFT SERVICING AND SAFETY/HAZARD POINTS | A ISDF | 06 | | 02-JUN-94 |
| STANAG-3111 ED.2 | AIRFIELD MARKING TONE- DOWN | A ISDF | 06 | | 20-OCT-97 |
| STANAG-3113 ED.6(3) | PROVISION OF SUPPORT TO VISITING PERSONNEL, AIRCRAFT AND VEHICLES | A ISDF | 06 | | 24-APR-97 |
| STANAG-3114 ED.6(8) | AEROMEDICAL TRAINING OF FLIGHT PERSONNEL | A ISDF | 06 | | 19-MAR-97 |
| STANAG-3117 ED.6(1) | AIRCRAFT MARSHALLING SIGNALS | A ISDF | 06 | | 26-SEP-95 |
| STANAG-3146 ED.1(6) | PLANNING PROCEDURES FOR TACTICAL AIR TRANSPORT OPERATIONS | A ISDF | 06 | | 15-NOV-95 |
| STANAG-3149 ED.7(1) | MINIMUM QUALITY SURVEILLANCE OF PETROLEUM PRODUCTS | A ISDF | 06 | | 08-APR-94 |
| STANAG-3150 ED.7(1) | CODIFICATION - UNIFORM SYSTEM OF SUPPLY CLASSIFICATION | A ISDF | 06 | | 23-NOV-94 |
| STANAG-3151 ED.8(1) | CODIFICATION - UNIFORM SYSTEM OF ITEM IDENTIFICATION | A ISDF | 06 | | 23-NOV-94 |
| STANAG-3153 ED.8(1) | AIRCRAFT NAVIGATION AND ANTI-COLLISION LIGHTS | A ISDF | 06 | | 20-OCT-97 |
| STANAG-3158 ED.5(1) | DAY MARKING OF AIRFIELD RUNWAYS AND TAXIWAYS | A ISDF | 06 | | 09-JUL-97 |
| STANAG-3178 ED.6(1) | ROLLED AIR FILM AND AIR FRAMING CAMERA STANDARD IMAGE FORMAT SIZES | A ISDF | 06 | | 08-APR-98 |
| STANAG-3179 ED.6(1) | 16 MM AND 35 MM ROLL FILM FOR AERIAL CAMERAS | A ISDF | 06 | | 18-NOV-93 |
| STANAG-3189 ED.6(2) | TITLING OF AIR RECONNAISSANCE, AIR SURVEY AND AIR MAPPING IMAGERY | A ISDF | 06 | | 18-NOV-93 |
| STANAG-3198 ED.4(3) | FUNCTIONAL REQUIREMENTS OF AIRCRAFT OXYGEN EQUIPMENT AND PRESSURE SUITS | A ISDF | 06 | | 08-JUL-97 |
| STANAG-3204 ED.5(2) | AEROMEDICAL EVACUATION | A ISDF | 06 | | 21-NOV-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
INTERNATIONAL STANDARDIZATION DOCUMENTS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------|--|-----------------------|-----|-------------|-----------|
| | STANAG-3205 ED.3(3) | POINTS DESIGNATION TEMPLATE FOR AIR PHOTOGRAPHY | A ISDF | 06 | | 11-NOV-82 |
| | STANAG-3208 ED.5(3) | AIR CONDITIONING CONNECTIONS | A ISDF | 06 | | 05-JUN-97 |
| M | STANAG-3209 ED.5(5) | TYRE VALVE COUPLINGS | A ISDF | 06 | | 31-MAR-98 |
| | STANAG-3212 ED.5(4) | DIAMETERS FOR GRAVITY FILLING ORIFICES | A ISDF | 06 | | 16-SEP-96 |
| A | STANAG-3216 ED.5(4) | LAYOUT OF FLIGHT DATA IN PILOTS DISPLAYS | A ISDF | 06 | | 08-JUL-97 |
| | STANAG-3217 ED.5(5) | OPERATION OF CONTROLS AND SWITCHES AT AIRCREW STATIONS | A ISDF | 06 | | 28-NOV-89 |
| | STANAG-3218 ED.6(2) | LOCATION, ACTUATION AND SHAPE OF ENGINE CONTROLS AND SWITCHES | A ISDF | 06 | | 29-NOV-89 |
| A | STANAG-3219 ED.4(1) | LOCATION AND GROUPING OF ELECTRICAL SWITCHES IN AIRCRAFT | A ISDF | 06 | | 08-JUL-97 |
| | STANAG-3220(6) | LOCATION, ACTUATION AND SHAPE OF AIRFRAME CONTROL FOR FIXED WING AIR- CRAFT | A ISDF | 06 | | 22-APR-91 |
| | STANAG-3221 ED.6(7) | AUTOMATIC FLIGHT CONTROL SYSTEM (AFCS) IN AIRCRAFT - DESIGN STANDARDS AND LOCATION OF CONTROLS | A ISDF | 06 | | 29-JUL-92 |
| | STANAG-3224 ED.5(2) | AIRCREW STATION LIGHTING | A ISDF | 06 | | 07-JUN-93 |
| | STANAG-3225 ED.4(7) | LOCATION, ACTUATION & SHAPE OF AIRFRAME CONTROLS FOR ROTARY WING AIRCRAFT (EDITION 4) | A ISDF | 06 | | 22-APR-91 |
| M | STANAG-3230 ED.6 | EMERGENCY MARKINGS ON AIRCRAFT | A ISDF | 06 | | 27-MAR-98 |
| | STANAG-3236 ED.8 | DESIGNATION SYSTEM FOR AIRCRAFT AND DESIGNATION OF ROLE CODES OF AIR- CRAFT (EDITION 8) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA- N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) | C ISDA | AI | | 23-JAN-91 |
| | STANAG-3237 ED.3(5) | APERTURE OF TERMINAL RING OR LINK OF AIRCRAFT LIFTING SLINGS | A ISDF | 06 | | 05-JUN-97 |
| | STANAG-3254 ED.3(3) | LOAN OF MATERIAL FOR TEST PURPOSES IN SUPPORT OF STANDARDIZATION, RESEARCH AND DEVELOPMENT | A ISDF | 06 | | 26-APR-93 |
| | STANAG-3258 ED.6(2) | POSITION OF PILOT OPERATED NAVIGATION AND RADIO CONTROLS | A ISDF | 06 | | 09-MAR-95 |
| | STANAG-3275 ED.2(5) | METHOD OF WARNING OWN AIRCRAFT OF (SUSPECTED) ENEMY FIGHTER ATTACKS | A ISDF | 06 | | 28-JUL-92 |
| | STANAG-3277 ED.7 | AIR RECONNAISSANCE REQUEST/TASK FORM | A ISDF | 06 | | 17-MAR-97 |
| | STANAG-3278 ED.7(1) | HOLLOW AXLE TOWING ATTACHMENTS ON AIRCRAFT | A ISDF | 06 | | 16-SEP-96 |
| | STANAG-3281 ED.5(7) | PERSONAL LOCATOR BEACONS | A ISDF | 06 | | 12-JUN-96 |
| | STANAG-3294 ED.4 | AIRCRAFT FUEL CAPS AND FUEL CAP ACCESS COVERS | A ISDF | 06 | | 24-APR-97 |
| A | STANAG-3295 ED.7(2) | HORSE COLLAR/RESCUE STROP TYPE HELICOPTER HOISTING GEAR | A ISDF | 06 | | 12-DEC-97 |
| A | STANAG-3296 ED.3(5) | AIRCRAFT GASEOUS OXYGEN REPLENISHMENT COUPLINGS | A ISDF | 06 | | 20-OCT-97 |
| | STANAG-3297 ED.5 | FLAME-OUT PROCEDURES | A ISDF | 06 | | 27-FEB-96 |
| | STANAG-3300 ED.2(1) | STANDARDIZED AIRCRAFT ARMAMENT TERMINOLOGY | A ISDF | 06 | | 27-JUN-95 |
| | STANAG-3312 ED.4(6) | PROFILE DIMENSIONS OF FLANGES FOR V-BAND COUPLINGS FOR PIPING AND DUCTING | A ISDF | 06 | | 05-JUN-97 |
| | STANAG-3315 ED.7(5) | AIRCRAFT CABIN PRESSURIZING TEST CONNECTIONS | A ISDF | 06 | | 28-NOV-91 |
| | STANAG-3316 ED.9(1) | AIRFIELD LIGHTING | A ISDF | 06 | | 07-MAY-97 |
| A | STANAG-3318 ED.4(6) | AEROMEDICAL ASPECTS OF AIRCRAFT ACCIDENTS/INCIDENT INVESTIGATION | A ISDF | 06 | | 08-JUL-97 |
| | STANAG-3319 ED.6(6) | DIMENSIONS FOR CASES OF CONTROL BOXES, INSTRUMENTS AND PANEL MOUNTED EQUIPMENT | A ISDF | 06 | | 30-JUN-93 |
| | STANAG-3320 ED.7 | CIRCULAR DIAL TYPE VERTICAL SPEED INDICATORS (BAROMETRIC) | A ISDF | 06 | | 17-JAN-97 |
| | STANAG-3322 ED.7(5) | TURN & SLIP INDICATORS | A ISDF | 06 | | 22-APR-91 |
| | STANAG-3323 ED.5(6) | PIPE (TUBE) CONNECTIONS TO AIRCRAFT INSTRUMENTS (IMPERIAL AND METRIC) | A ISDF | 06 | | 30-JUN-93 |
| | STANAG-3329 ED.6(4) | NUMERALS AND LETTERS IN AIRCREW STATIONS | A ISDF | 06 | | 29-JUL-92 |
| | STANAG-3330 ED.4(1) | INDICATING ACCELEROMETERS | A ISDF | 06 | | 26-SEP-95 |
| | STANAG-3334 ED.4(1) | DEFUELLING OF AIRCRAFT | A ISDF | 06 | | 05-JUN-97 |
| | STANAG-3339 ED.5(1) | FUEL CONTENTS GAUGES | A ISDF | 06 | | 29-JUL-92 |
| | STANAG-3341 ED.3(6) | EMERGENCY CONTROL COLOUR SCHEMES | A ISDF | 06 | | 28-NOV-89 |
| | STANAG-3345 ED.5(4) | DATA/FORMS FOR PLANNING AIR MOVEMENTS | A ISDF | 06 | | 14-NOV-96 |
| | STANAG-3346 ED.5(3) | MARKING AND LIGHTING OF AIRFIELD OBSTRUCTIONS | A ISDF | 06 | | 24-APR-97 |
| | STANAG-3347 ED.5(3) | IDENTIFICATION OF AIRCRAFT ELECTRICAL CIRCUITS | A ISDF | 06 | | 20-DEC-94 |
| M | STANAG-3350 ED.4(1) | ANALOGUE VIDEO STANDARD FOR AIRCRAFT SYSTEM APPLICATIONS | A ISDF | 06 | | 26-MAR-98 |
| | STANAG-3359 ED.5(4) | LOCATION AND ARRANGEMENT OF ENGINE DISPLAYS IN AIRCRAFT | A ISDF | 06 | | 19-AUG-93 |
| | STANAG-3365(5) | SUSPENSION UNITS WITH GRAVITY RELEASE CAPABILITY FOR AIRCRAFT STORES | A ISDF | 06 | | 21-OCT-86 |
| | STANAG-3368 ED.3(1) | INTERNAL AIRCRAFT ENGINE STARTING SYSTEM | A ISDF | 06 | | 05-JUN-97 |
| | STANAG-3370 ED.5(2) | AIRCREW STATION WARNING, CAUTIONARY AND ADVISORY SIGNALS | A ISDF | 06 | | 16-SEP-96 |
| A | STANAG-3372 ED.5(5) | LOW PRESSURE AIR AND ASSOCIATED ELECTRICAL CONNECTIONS FOR AIRCRAFT ENGINE STARTING | A ISDF | 06 | | 12-SEP-97 |
| | STANAG-3374 ED.4 | FLIGHT INSPECTION OF NATO RADIO RADAR NAVIGATION AND APPROACH AIDS - AETP-1(B) | A ISDF | 06 | | 24-SEP-96 |
| | STANAG-3377 ED.5(7) | AIR RECONNAISSANCE INTELLIGENCE REPORT FORMS | A ISDF | 06 | | 21-OCT-93 |
| | STANAG-3379 ED.7(2) | IN-FLIGHT VISUAL SIGNALS | A ISDF | 06 | | 16-DEC-92 |
| | STANAG-3381 ED.1(1) | NATO STANDARD PROCEDURES FOR COMPENSATION AND FORM FOR REQUEST AND RECEIPT OF SUPPORT IN THE FORM OF SUPPLIES AND SERVICES | C ISDA | AI | | 09-JUN-93 |
| A | STANAG-3390 ED.7(1) | INSPECTION STANDARDS FOR FUEL SOLUBLE CORROSION INHIBITORS/LUBRICITY IMPROVERS | A ISDF | 06 | | 11-SEP-97 |
| | STANAG-3400 ED.3(5) | RESTRAINT OF CARGO IN FIXED WING AIRCRAFT | A ISDF | 06 | | 27-JUL-95 |
| | STANAG-3408 ED.3 | POSITION REFERENCE SYSTEM FOR AERONAUTICAL CHARTS | A ISDF | 06 | | 16-SEP-93 |
| | STANAG-3409 ED.4 | PROJECTIONS FOR AERONAUTICAL CHARTS | A ISDF | 06 | | 30-JAN-95 |
| A | STANAG-3412 ED.5 | AERONAUTICAL INFORMATION ON AERONAUTICAL CHARTS | A ISDF | 06 | | 22-OCT-97 |
| A | STANAG-3416 ED.4(8) | METHANOL/WATER AND DEMINERALIZED WATER REPLENISHMENT | A ISDF | 06 | | 13-OCT-97 |
| | STANAG-3418 ED.2(1) | FILM CORES | A ISDF | 06 | | 27-AUG-92 |
| | STANAG-3419 ED.3(2) | FILM SPOOLS FOR AERIAL CAMERAS | A ISDF | 06 | | 14-DEC-93 |
| | STANAG-3428 ED.4(4) | EXCHANGE OF INFORMATION ON AERIAL DELIVERY SYSTEMS | A ISDF | 06 | | 15-MAY-95 |
| A | STANAG-3430 ED.9(3) | RESPONSIBILITIES FOR AIRCRAFT CROSS-SERVICING (ACS) | A ISDF | 06 | | 08-JUL-97 |
| | STANAG-3436 ED.4(4) | COLOURS AND MARKINGS USED TO DENOTE OPERATING RANGES OF AIRCRAFT INSTRUMENTS | A ISDF | 06 | | 30-JUN-93 |
| A | STANAG-3441 ED.7(1) | DESIGN OF AIRCRAFT STORES | A ISDF | 06 | | 12-SEP-97 |
| A | STANAG-3447 ED.3(4) | AERIAL REFUELING EQUIPMENT DIMENSIONAL AND FUNCTIONAL CHARACTERISTICS | A ISDF | 06 | | 12-SEP-97 |
| | STANAG-3451 ED.2(5) | COMBINED SPEED INDICATOR | A ISDF | 06 | | 30-MAY-94 |
| | STANAG-3454 ED.5 | GROUND RECHARGING OF AIRCRAFT MAIN BATTERIES | A ISDF | 06 | | 27-APR-94 |
| | STANAG-3455 ED.3(2) | BASIC SYMBOLS FOR AIRCRAFT ELECTRICAL CIRCUITS | A ISDF | 06 | | 22-FEB-96 |
| A | STANAG-3456 ED.6 | AIRCRAFT ELECTRICAL POWER SYSTEM CHARACTERISTICS | A ISDF | 06 | | 20-OCT-97 |
| A | STANAG-3457 ED.6 | GROUND ELECTRICAL POWER SUPPLIES FOR AIRCRAFT | A ISDF | 06 | | 12-SEP-97 |

DODISS NUMERICAL LISTING INTERNATIONAL STANDARDIZATION DOCUMENTS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|---------------------|--|-----------------------|-----|-------------|-----------|
| | STANAG-3462 ED.4 | AVAILABILITY OF WEIGHT AND BALANCE REQUIREMENTS AND LOADING CRITERIA FOR TRANSPORT AIRCRAFT | A ISDF | 06 | | 11-FEB-97 |
| | STANAG-3464 ED.3(6) | PROCEDURES FOR AIRCREW AND AIR LIFTED PERSONNEL IN TACTICAL AIR TRANSPORT OPERATIONS | A ISDF | 06 | | 12-NOV-96 |
| | STANAG-3465 ED.5(2) | SAFETY, EMERGENCY AND SIGNALLING PROCEDURES FOR MILITARY AIR MOVEMENT - FIXED WING AIRCRAFT | A ISDF | 06 | | 12-NOV-96 |
| | STANAG-3466 ED.2(6) | RESPONSIBILITIES OF AIR TRANSPORT UNITS AND USER UNITS IN THE LOADING AND UNLOADING OF TRANSPORT AIRCRAFT IN TACTICAL AIR TRANSPORT OPERATIONS | A ISDF | 06 | | 20-SEP-93 |
| | STANAG-3467 ED.2(1) | CHARACTERISTICS OF AIR TRANSPORT (AIRLANDED) PALLETS FOR CARRIAGE INTERNALLY | A ISDF | 06 | | 14-NOV-96 |
| | STANAG-3468 ED.3(3) | GENERAL RULES CONCERNING THE TRANSPORT OF LOADS BY HELICOPTER (EDITION 3) | C ISDA | AM | | 05-DEC-77 |
| | STANAG-3469 ED.2(7) | PARACHUTE EXTRACTION ASSEMBLIES AND AIRCRAFT EXTRACTION PARACHUTE EJECTOR INSTALLATIONS | A ISDF | 06 | | 14-NOV-96 |
| | STANAG-3474 ED.4 | TEMPORARY FLYING RESTRICTIONS DUE TO EXOGENOUS FACTORS AFFECTING AIRCREW EFFICIENCY | A ISDF | 06 | | 18-OCT-96 |
| | STANAG-3483 ED.3(1) | AIR RECONNAISSANCE INTELLIGENCE REPORTING NOMENCLATURE - ATP-26(A) | A ISDF | 06 | | 15-DEC-92 |
| | STANAG-3492 ED.5(5) | CLAMPS, MOUNTING (IMPERIAL & METRIC) FOR AIRCRAFT INSTRUMENTS | A ISDF | 06 | | 22-APR-91 |
| A | STANAG-3497 ED.2(1) | AEROMEDICAL TRAINING OF AIRCREW IN AIRCREW NBC EQUIPMENT AND PROCEDURES | A ISDF | 06 | | 08-JUL-97 |
| A | STANAG-3499 ED.2(3) | CHARACTERISTICS OF SUPPLY EQUIPMENT FOR LIQUID OXYGEN | A ISDF | 06 | | 16-OCT-97 |
| | STANAG-3501 ED.2(3) | PERFORMANCE OF PORTABLE FILTER-BLOWERS FOR AIRCREW NBC RESPIRATORS | A ISDF | 06 | | 03-JUL-96 |
| | STANAG-3504 ED.2 | CATHODE RAY TUBE HEAD-DOWN DISPLAYS (MONOCHROME) | A ISDF | 06 | | 18-SEP-96 |
| | STANAG-3510 ED.3(2) | THE PROVISION OF HYDRAULIC POWER FOR SERVICING AIRCRAFT HYDRAULIC SYSTEMS | A ISDF | 06 | | 27-JUL-95 |
| | STANAG-3516 ED.3 | ELECTROMAGNETIC INTERFERENCE AND TEST METHODS FOR AIRCRAFT ELECTRICAL AND ELECTRONIC EQUIPMENT | A ISDF | 06 | | 10-MAY-93 |
| | STANAG-3518 ED.4 | ENVIRONMENTAL TEST METHODS | A ISDF | 06 | | 19-DEC-90 |
| A | STANAG-3525 ED.6(2) | SAFETY DESIGN REQUIREMENTS - AIRBORNE FUZING SYSTEMS | A ISDF | 06 | | 12-SEP-97 |
| | STANAG-3526 ED.5(1) | INTERCHANGEABILITY OF NATO AIRCREW MEDICAL CATEGORIES | A ISDF | 06 | | 03-JUL-96 |
| A | STANAG-3527 ED.2(1) | AIRCRAFT FLYING TIME AND REST PERIODS | A ISDF | 06 | | 08-JUL-97 |
| | STANAG-3530 ED.5(1) | RADIO AND/OR NAVIGATIONAL AID FAILURE PROCEDURES FOR OPERATIONAL AIR TRAFFIC (OAT) FLIGHTS | A ISDF | 06 | | 24-APR-97 |
| | STANAG-3531 ED.6(3) | SAFETY INVESTIGATION AND REPORTING OF ACCIDENTS/INCIDENTS INVOLVING MILITARY AIRCRAFT AND/OR MISSILES | A ISDF | 06 | | 06-JUN-94 |
| | STANAG-3532(5) | TRANSPORT OF TROOPS BY HELICOPTER (EDITION 5) (REL TO OTHER THAN DOD REQ APPR BY HQ DARCOM (DRCIRD)) | C ISDA | AM | | 06-JUN-86 |
| | STANAG-3533 ED.5(5) | FLYING AND STATIC DISPLAYS | A ISDF | 06 | | 11-FEB-97 |
| | STANAG-3534 ED.5 | AIRFIELD PORTABLE LIGHTING | A ISDF | 06 | | 24-SEP-96 |
| | STANAG-3535(3) | HELIPORT MARKING AND LIGHTING | A ISDF | 06 | | 26-FEB-87 |
| | STANAG-3543 ED.3(7) | AIR TRANSPORT CARGO/PASSENGER HANDLING SYSTEMS - REQUEST FOR INFORMATION | A ISDF | 06 | | 14-NOV-96 |
| | STANAG-3545(4) | CHARACTERISTICS OF BREATHABLE LIQUID OXYGEN | A ISDF | 06 | | 10-SEP-86 |
| A | STANAG-3546 ED.4 | LIQUID NITROGEN CHARACTERISTICS | A ISDF | 06 | | 09-JUL-97 |
| | STANAG-3547 ED.3(5) | CHARACTERISTICS OF REPLENISHMENT EQUIPMENT FOR LIQUID NITROGEN | A ISDF | 06 | | 18-SEP-96 |
| | STANAG-3548 ED.2(7) | TIE-DOWN FITTINGS ON AIR TRANSPORTED AND AIR-DROPPED EQUIPMENT AND CARGO CARRIED INTERNALLY BY FIXED WING AIRCRAFT | A ISDF | 06 | | 20-NOV-92 |
| | STANAG-3552 ED.9 | SEARCH AND RESCUE MANUAL - ATP-10(D) | A ISDF | 06 | | 30-JUN-95 |
| A | STANAG-3556 ED.4(2) | AIRCRAFT STORE EJECTOR CARTRIDGES | C ISDF | 06 | | 01-OCT-97 |
| | STANAG-3558 ED.4(1) | LOCATION OF ELECTRICAL CONNECTORS FOR AIRCRAFT STORES | A ISDF | 06 | | 26-SEP-95 |
| | STANAG-3564 ED.3 | RULES FOR LIVE AIR WEAPONS DEMONSTRATIONS | A ISDF | 06 | | 01-JUN-94 |
| M | STANAG-3570 ED.3(6) | DROP ZONES AND EXTRACTION ZONES - CRITERIA AND MARKINGS | A ISDF | 06 | | 27-MAR-98 |
| M | STANAG-3572 ED.2(1) | EXCHANGE OF INFORMATION ON TACTICAL AIR TRANSPORT OPERATIONS | A ISDF | 06 | | 26-MAR-98 |
| A | STANAG-3575 ED.5(1) | AIRCRAFT STORES EJECTOR RACKS | A ISDF | 06 | | 12-SEP-97 |
| A | STANAG-3576 ED.4(3) | ELECTRICAL CONNECTOR FOR DISPENSERS AND INTERNAL INTERVALOMETER TYPE ROCKET LAUNCHERS FOR AIRCRAFT | A ISDF | 06 | | 08-JUL-97 |
| | STANAG-3583 ED.3(4) | STANDARDS OF ACCURACY FOR DIFFERENTIAL PRESSURE GAUGES FOR AVIATION FUEL FILTERS AND FILTER SEPARATOR VESSELS | A ISDF | 06 | | 22-APR-96 |
| A | STANAG-3585 ED.3(1) | 20 MM AMMUNITION FOR AIRCRAFT GUNS | A ISDF | 06 | | 16-OCT-97 |
| A | STANAG-3591 ED.4 | CRITERIA FOR MAXIMUM ELEVATION FIGURE FOR AERONAUTICAL CHARTS | A ISDF | 06 | | 12-NOV-97 |
| | STANAG-3593 ED.4 | NUMBERING OF ENGINES AND THEIR ASSOCIATED CONTROL AND DISPLAYS IN AIRCRAFT | A ISDF | 06 | | 11-FEB-97 |
| | STANAG-3595 ED.3(5) | AIRCRAFT FITTING FOR PRESSURE REPLENISHMENT OF GAS TURBINE ENGINES WITH OIL | A ISDF | 06 | | 31-JAN-92 |
| | STANAG-3596 ED.4(6) | AIR RECONNAISSANCE REQUESTING AND TARGET REPORTING GUIDE | A ISDF | 06 | | 02-APR-92 |
| | STANAG-3597 ED.3(3) | HELICOPTER TACTICAL OR NON PERMANENT LANDING SITES (EDITION 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21) | C ISDA | AM | | 20-FEB-86 |
| | STANAG-3599 ED.2(2) | EDGE NUMBERING OF FILMS USED FOR AIR RECONNAISSANCE | A ISDF | 06 | | 04-JUL-94 |
| M | STANAG-3600 ED.3(7) | TOPOGRAPHICAL LAND MAPS AND AERONAUTICAL CHARTS 1:250,000 FOR JOINT OPERATIONS | A ISDF | 06 | | 08-JUN-98 |
| | STANAG-3601 ED.3(5) | CRITERIA FOR SELECTION AND MARKING OF LANDING ZONES FOR FIXED WING TRANSPORT AIRCRAFT | A ISDF | 06 | | 17-OCT-95 |
| | STANAG-3605 ED.3 | COMPATIBILITY OF ARMING UNITS AND EXPENDABLE AIRCRAFT STORES | A ISDF | 06 | | 27-FEB-92 |
| | STANAG-3606 ED.5 | EVALUATION AND CONTROL OF LASER HAZARDS ON MILITARY RANGES | C ISDA | AM | | 18-NOV-91 |
| | STANAG-3609 ED.3(3) | STANDARDS FOR MAINTENANCE OF FIXED AVIATION FUEL RECEIPT, STORAGE AND DISPENSING SYSTEMS | A ISDF | 06 | | 22-APR-96 |
| A | STANAG-3610 ED.2 | CHARACTERISTICS OF CONDITIONED BREATHABLE AIR SUPPLIED TO AIRCRAFT ON THE GROUND | A ISDF | 06 | | 05-DEC-97 |
| | STANAG-3614 ED.3 | ELECTROMAGNETIC COMPATIBILITY (EMC) OF AIRCRAFT SYSTEMS | A ISDF | 06 | | 27-OCT-83 |
| | STANAG-3616 ED.1(6) | RESPONSIBILITY FOR THE DESIGN AND PROVISION OF ADAPTORS NECESSARY FOR THE COMPATIBILITY OF AIR CARGO LOADING, SECURING, UNLOADING OR DROPPING SYSTEMS IN FIXED WING AIRCRAFT | A ISDF | 06 | | 14-NOV-96 |
| A | STANAG-3619 ED.3(2) | HELIPAD MARKING AND LIGHTING | A ISDF | 06 | | 13-OCT-97 |
| M | STANAG-3624 ED.3 | CHARACTERISTICS OF OIL-FREE COMPRESSED NITROGEN, SUPPLY PRESSURE AND HOSES | A ISDF | 06 | | 11-MAY-98 |
| M | STANAG-3625 ED.4(1) | AIRCRAFT LOCKWIRE | A ISDF | 06 | | 08-JUN-98 |
| | STANAG-3626 ED.4(4) | CIRCULAR DIAL BAROMETRIC ALTIMETERS (IMPERIAL AND METRIC) | A ISDF | 06 | | 30-JUN-93 |
| | STANAG-3627 ED.3 | HELICOPTER DAY AND NIGHT TACTICAL FORMATION FLYING | C ISDA | AM | | 08-OCT-91 |
| | STANAG-3628 ED.5 | HELICOPTER TACTICAL REFUELLING (EDITION NO. 5) (REL TO OTHER THAN DOD REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360) | C ISDA | AM | | 12-JUN-85 |
| | STANAG-3630 | EMPLANING AND DEPLANING AT THE HIGH HOVER (EDITION NO. 2) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY DARCOM (DRCIRD) | C ISDA | AM | | 18-JAN-78 |
| | STANAG-3632 ED.5 | AIRCRAFT AND GROUND SUPPORT EQUIPMENT ELECTRICAL CONNECTIONS FOR STATIC GROUNDING | A ISDF | 06 | | 11-FEB-97 |
| | STANAG-3634 ED.3(1) | RUNWAY FRICTION AND BRAKING CONDITIONS | A ISDF | 06 | | 25-SEP-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
INTERNATIONAL STANDARDIZATION DOCUMENTS

| Last Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|-------------|----------------------|--|-----------------------|-----|-------------|-----------|
| | STANAG-3635 ED.4 | AIRCRAFT STORES SUSPENSION UNITS WITH GRAVITY RELEASE CAPABILITY | A ISDF | 06 | | 22-FEB-96 |
| | STANAG-3636 ED.3(5) | AIRSPD INDICATORS (IMPERIAL AND METRIC) | A ISDF | 06 | | 30-JUN-93 |
| | STANAG-3637 ED.2(10) | ATTITUDE INDICATORS (SELF-CONTAINED AND REMOTE DRIVEN) | A ISDF | 06 | | 27-FEB-92 |
| A | STANAG-3639 ED.4(2) | AIRCREW STATION DIMENSIONAL DESIGN FACTORS | A ISDF | 06 | | 08-JUL-97 |
| | STANAG-3640 ED.4 | ATTITUDE DIRECTOR INDICATORS | A ISDF | 06 | | 17-JAN-97 |
| | STANAG-3643 ED.2(10) | COATING, REFLECTION REDUCING FOR GLASS ELEMENTS USED IN AIRCREW STATION DISPLAYS | A ISDF | 06 | | 19-AUG-93 |
| | STANAG-3647 ED.3(2) | NOMENCLATURE IN AIRCREW STATIONS (EDITION 3)(REQUESTS FOR ISSUE OTHER THAN DOD MUST REFER TO HQ USAF/XOXX (ISO), WASHINGTON, D.C., 20330-5058 | C ISDA | 06 | | 12-MAR-89 |
| | STANAG-3648 ED.2(7) | ELECTRONICALLY AND/OR OPTICALLY GENERATED AIRCRAFT DISPLAYS FOR FIXED WING AIRCRAFT | A ISDF | 06 | | 31-JAN-94 |
| | STANAG-3650 ED.2(3) | ESSENTIAL SAR LOCATION EQUIPMENT AND ASSOCIATED CHARACTERISTICS (AIRCRAFT) | A ISDF | 06 | | 16-SEP-96 |
| A | STANAG-3659 ED.2(1) | ELECTRICAL BONDING REQUIREMENTS FOR METALLIC AIRCRAFT SYSTEMS | A ISDF | 06 | | 12-JUL-97 |
| | STANAG-3660 ED.2(7) | AIRCRAFT MAIN BATTERY ELECTRIC PLUG | A ISDF | 06 | | 31-SEP-92 |
| | STANAG-3666 ED.1(2) | MAXIMUM SIZES FOR MAPS, AERONAUTICAL CHARTS AND OTHER GEOGRAPHIC PRODUCTS (EXCLUDING NAUTICAL CHARTS) | A ISDF | 06 | | 05-JUN-97 |
| A | STANAG-3671 ED.3(4) | EDITION DESIGNATION SYSTEM FOR LAND MAPS, AERONAUTICAL CHARTS AND MILITARY GEOGRAPHIC DOCUMENTATION | A ISDF | 06 | | 12-SEP-97 |
| M | STANAG-3672 ED.2(1) | INDEXES TO SERIES OF LAND MAPS AND AERONAUTICAL CHARTS, DIGITAL GEOGRAPHIC INFORMATION, AND MILITARY GEOGRAPHIC INFORMATION AND DOCUMENTATION (MGID) | A ISDF | 06 | | 06-MAY-98 |
| | STANAG-3673 ED.3(3) | IDENTIFICATION OF SOURCE DATA ON NAUTICAL AND SPECIAL NAVAL CHARTS | A ISDF | 06 | | 20-DEC-94 |
| | STANAG-3675 ED.1(13) | SYMBOLS ON LAND MAPS, AERONAUTICAL CHARTS AND SPECIAL NAVAL CHARTS | A ISDF | 06 | | 05-JUN-97 |
| | STANAG-3676 ED.2(4) | MARGINAL INFORMATION ON LAND MAPS, AERONAUTICAL CHARTS AND PHOTOMAPS | A ISDF | 06 | | 05-JUN-97 |
| | STANAG-3677 ED.2(5) | STANDARD SCALES FOR LAND MAPS AND AERONAUTICAL CHARTS | A ISDF | 06 | | 05-JUN-97 |
| M | STANAG-3678 ED.2(1) | METHOD OF ADDING THE MILITARY GRID TO NAUTICAL CHARTS IN THE NATO AREA | A ISDF | 06 | | 14-MAY-98 |
| | STANAG-3680 ED.4(1) | NATO GLOSSARY OF TERMS AND DEFINITIONS (ENGLISH & FRENCH) - AAP-6 | A ISDF | 06 | | 04-DEC-96 |
| | STANAG-3681 ED.2(3) | CRITERIA FOR PRESSURE FUELLING/DEFUELLING OF AIRCRAFT | A ISDF | 06 | | 12-NOV-90 |
| A | STANAG-3682 ED.5(2) | ELECTROSTATIC SAFETY CONNECTION PROCEDURES FOR AVIATION FUEL HANDLING AND LIQUID FUEL LOADING/UNLOADING OPERATIONS DURING GROUND TRANSFER AND AIRCRAFT FUELLING/DEFUELLING | A ISDF | 06 | | 13-OCT-97 |
| | STANAG-3685 ED.3 | AIRFIELD PORTABLE MARKING | A ISDF | 06 | | 20-MAR-97 |
| A | STANAG-3688 ED.4 | CHARACTERISTICS OF BREATHABLE OXYGEN SUPPLIED BY CHEMICAL SOLID GENERATORS | A ISDF | 06 | | 20-OCT-97 |
| | STANAG-3689 ED.2(5) | PLACE NAME SPELLING ON MAPS AND CHARTS | A ISDF | 06 | | 22-MAY-90 |
| | STANAG-3691 ED.2(6) | CIRCULAR DIAL TACHOMETERS (NON-SERVOED) COMPATIBLE WITH TWO-POLE THREE-PHASE GENERATORS | A ISDF | 06 | | 31-JAN-94 |
| | STANAG-3692 ED.1(4) | LOCATION AND ACTUATION OF THRUST VECTOR CONTROLS FOR VSTOL AIRCRAFT OTHER THAN ROTARY WING AIRCRAFT | A ISDF | 06 | | 21-OCT-91 |
| | STANAG-3697 ED.4 | AIRFIELD AIRCRAFT ARRESTING SYSTEMS | A ISDF | 06 | | 19-OCT-95 |
| A | STANAG-3698 ED.1(1) | CONNECTIONS FOR CHECKING AIRCRAFT HYDRAULIC SYSTEMS BY GROUND APPLICATIONS - THREADED TYPE | A ISDF | 06 | | 12-SEP-97 |
| | STANAG-3700 ED.5(1) | NATO TACTICAL AIR DOCTRINE - ATP-33(B) | A ISDF | 06 | | 11-DEC-96 |
| | STANAG-3701 ED.3(2) | AIRCRAFT INTERIOR COLOUR SCHEMES | A ISDF | 06 | | 31-JAN-94 |
| | STANAG-3703 ED.7(1) | TACTICAL AIR SUPPORT FOR MARITIME OPERATIONS (TASMO) - ATP-34(B) | A ISDF | 06 | | 18-OCT-96 |
| M | STANAG-3704 ED.2(1) | GROUND RESOLUTION TARGETS FOR AERIAL PHOTOGRAPHY | A ISDF | 06 | | 26-MAR-98 |
| A | STANAG-3705 ED.3(2) | HUMAN ENGINEERING DESIGN CRITERIA FOR CONTROLS AND DISPLAYS IN AIRCREW STATIONS | A ISDF | 06 | | 08-JUL-97 |
| | STANAG-3710(7) | MILITARY CITY MAPS | A ISDF | 06 | | 24-MAY-89 |
| | STANAG-3711 ED.3(2) | AIRFIELD MARKING AND LIGHTING COLOUR STANDARDS | A ISDF | 06 | | 16-SEP-96 |
| M | STANAG-3712 ED.3 | AIRFIELD RESCUE AND FIRE-FIGHTING SERVICES IDENTIFICATION CATEGORIES | A ISDF | 06 | | 06-MAY-98 |
| | STANAG-3713 ED.3(2) | DETERMINATION OF PARTICULATE DEFUELLING IN AEROSPACE HYDRAULIC FLUIDS USING A PARTICLE SIZE ANALYSER | A ISDF | 06 | | 25-FEB-92 |
| | STANAG-3714 ED.2(3) | STEAMERS, WARNING | A ISDF | 06 | | 05-JUN-97 |
| M | STANAG-3715 ED.2(1) | SPECIFICATIONS FOR FILING AND CHARTING OF NON-SUB-CONTACTS (NSC) INFORMATION | A ISDF | 06 | | 11-MAY-98 |
| A | STANAG-3716 ED.2 | LAND MAP SERIES NUMBERING | A ISDF | 06 | | 18-NOV-97 |
| A | STANAG-3726 ED.5(2) | BAIL (PORTAL) LUGS FOR THE SUSPENSION OF AIRCRAFT STORES | A ISDF | 06 | | 16-OCT-97 |
| | STANAG-3731 ED.2(3) | BIBLIOGRAPHY ON ELECTROMAGNETIC COMPATIBILITY (EMC) | A ISDF | 06 | | 11-OCT-94 |
| | STANAG-3732 ED.2 | RECOGNITION TRAINING (EDITION 2 (REQ OTHER THAN DOD MUST BE SENT VIA: U.S.ARMY SECURITY AFFAIRS OFFICE, ATTN: AMSAC-MP/S, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001 | C ISDA | AI | | 03-JUN-86 |
| | STANAG-3736 ED.8(1) | OFFENSIVE AIR SUPPORT OPERATIONS - ATP-27(B) | A ISDF | 06 | | 18-NOV-93 |
| | STANAG-3739 ED.4(1) | COMBINED AIR TERMINAL OPERATIONS | A ISDF | 06 | | 14-NOV-96 |
| | STANAG-3740 ED.3(1) | PROCEDURES FOR TRACING AIR TRANSPORTED BAGGAGE AND MISSING AIR TRANSPORTED CARGO | A ISDF | 06 | | 15-MAY-95 |
| | STANAG-3741 ED.4(4) | HORIZONTAL SITUATION INDICATORS (HSI) | A ISDF | 06 | | 30-JUN-93 |
| | STANAG-3742 ED.1(7) | CIRCULAR DIAL ENGINE TEMPERATURE INDICATORS | A ISDF | 06 | | 30-JUN-93 |
| | STANAG-3744 ED.3 | MINIMUM REQUIREMENTS OF MEDICAL EQUIPMENT IN SEARCH AND RESCUE (SAR) AIRCRAFT | A ISDF | 06 | | 26-JAN-94 |
| M | STANAG-3745 ED.3 | MEDICAL TRAINING FOR SEARCH AND RESCUE (SAR) PERSONNEL | A ISDF | 06 | | 27-MAR-98 |
| A | STANAG-3746 ED.2(2) | MINIMUM ESSENTIAL FIRST-AID AND SURVIVAL EQUIPMENT IN AIRCRAFT | A ISDF | 06 | | 20-OCT-97 |
| | STANAG-3747 ED.4(2) | GUIDE SPECIFICATIONS (MINIMUM QUALITY STANDARDS) FOR AVIATION TURBINE FUELS (F-34, F-35, F-40 AND F-44) | A ISDF | 06 | | 26-SEP-95 |
| | STANAG-3748 ED.3 | HYDRAULIC FLUIDS, PETROLEUM (H-515, H-520 AND C-635) AND POLYALPHAOLEFIN (H-537, H-538 AND H-544) | A ISDF | 06 | | 17-OCT-95 |
| | STANAG-3750 ED.5 | REPORTING AND INVESTIGATION OF AIR TRAFFIC INCIDENTS | A ISDF | 06 | | 21-OCT-96 |
| | STANAG-3752 ED.2(4) | WITNESS (BREAKING) WIRE FOR AIRCRAFT EMERGENCY CONTROLS & EQUIPMENT | A ISDF | 06 | | 29-MAR-93 |
| | STANAG-3753 ED.2(2) | THE TRANSPORTATION AND UTILITIES COMPATIBILITY OF MOBILE RECONNAISSANCE SUPPORT SHELTERS | A ISDF | 06 | | 27-AUG-92 |
| | STANAG-3756 ED.3(3) | FACILITIES AND EQUIPMENT FOR RECEIPT AND DELIVERY OF LIQUID FUELS | A ISDF | 06 | | 12-NOV-96 |
| | STANAG-3758 ED.3 | SIGNALS USED BY AIR TRAFFIC SERVICE UNITS FOR CONTROL OF PEDESTRIAN AND VEHICULAR TRAFFIC IN THE MANOEUVRING AREA OF AIRFIELDS | A ISDF | 06 | | 15-NOV-96 |
| | STANAG-3759 ED.5 | CRITERIA FOR THE PREPARATION OF INSTRUMENT APPROACH AND DEPARTURE PROCEDURES - APATC-1(A) | A ISDF | 06 | | 26-MAY-97 |
| M | STANAG-3764 ED.3 | EXCHANGE OF IMAGERY | A ISDF | 06 | | 26-MAR-98 |
| | STANAG-3765 ED.1(5) | PRESSURE REPLENISHMENT OF AIRCRAFT ENGINE OIL | A ISDF | 06 | | 12-NOV-96 |
| A | STANAG-3766 ED.3 | GREASE NIPPLES | A ISDF | 06 | | 08-JUL-97 |
| | STANAG-3767 ED.1(11) | EXCHANGE OF DATA ON LOAD CAPABILITIES OF TRANSPORT AIRCRAFT | A ISDF | 06 | | 27-FEB-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
INTERNATIONAL STANDARDIZATION DOCUMENTS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|---------------------|---|-----------------------|-----|-------------|------|
| | STANAG-3768 ED.2(6) | GUIDE TO SECURITY CLASSIFICATION OF AIR RECONNAISSANCE IMAGERY | C ISDF | 06 | 11-FEB-97 | |
| | STANAG-3769(5) | MINIMUM RESOLVED OBJECT SIZES & SCALES FOR IMAGERY INTERPRETATION | A ISDF | 06 | 07-MAY-90 | |
| | STANAG-3770 ED.2(3) | AIR TRANSPORT BAGGAGE TAGS | A ISDF | 06 | 23-NOV-92 | |
| | STANAG-3771 ED.3(3) | GROUND SECURITY MEASURES AGAINST AIRCRAFT SABOTAGE/HIJACKING | A ISDF | 06 | 16-OCT-96 | |
| | STANAG-3774 ED.3(3) | CONTROL PROCEDURES FOR PALLETS AND ASSOCIATED RESTRAINT EQUIPMENT USED IN COMBINED AIR TRANSPORT OPERATIONS | A ISDF | 06 | 23-NOV-92 | |
| | STANAG-3775 ED.3(4) | AIR MOVEMENT AND IN-TRANSIT STORAGE OF CARGO REQUIRING CONTROLLED TEMPERATURE CONDITIONS | A ISDF | 06 | 15-NOV-96 | |
| | STANAG-3777 ED.2(4) | AIRDROP OF DOOR BUNDLES WITH STICKS OF PARACHUTISTS FROM FIXED WING AIRCRAFT | A ISDF | 06 | 26-FEB-87 | |
| A | STANAG-3778 ED.1(6) | PERFORMANCE CRITERIA FOR HONEYCOMB PAPER USED AS ENERGY DISSIPATING MATERIAL | A ISDF | 06 | 15-OCT-97 | |
| | STANAG-3781 ED.2 | RECONNAISSANCE CROSS-SERVICING | A ISDF | 06 | 19-MAR-97 | |
| | STANAG-3783 ED.3 | AIR WEAPONS RANGES - IDENTIFICATION OF CONTROL INSTALLATIONS AND SPECTATOR SITES DURING DAYLIGHT OPERATIONS | A ISDF | 06 | 01-JUN-94 | |
| | STANAG-3784 ED.3(2) | TECHNICAL GUIDANCE FOR THE DESIGN AND CONSTRUCTION OF AVIATION AND GROUND FUEL INSTALLATIONS ON NATO AIRFIELDS | A ISDF | 06 | 20-DEC-94 | |
| | STANAG-3786 ED.4(1) | SAFETY DESIGN REQUIREMENTS FOR AIRBORNE DISPENSER WEAPONS | A ISDF | 06 | 19-FEB-96 | |
| | STANAG-3791 ED.5 | INTEROPERABILITY OF NATO AIRCRAFT AND STORES - AOP-11(F) | A ISDF | 06 | 11-DEC-96 | |
| M | STANAG-3797 ED.1(4) | MINIMUM QUALIFICATIONS FOR FORWARD AIR CONTROLLERS | A ISDF | 06 | 19-MAY-98 | |
| | STANAG-3800 ED.1(4) | NIGHT VISION GOGGLES LIGHTING COMPATIBILITY DESIGN CRITERIA | A ISDF | 06 | 16-SEP-96 | |
| | STANAG-3802 ED.3(1) | SCREWDRIVER RECESSES (HIGH PERFORMANCE) | A ISDF | 06 | 06-JUN-97 | |
| | STANAG-3805 ED.4(1) | DOCTRINE FOR AIRSPACE CONTROL IN TIMES OF CRISIS AND WAR - ATP-40(A) | A ISDF | 06 | 11-FEB-97 | |
| | STANAG-3806(5) | AIRCRAFT GASEOUS AIR/NITROGEN SYSTEMS REPLENISHMENT CONNECTORS | A ISDF | 06 | 26-APR-91 | |
| A | STANAG-3809 ED.3(1) | DIGITAL TERRAIN ELEVATION DATA EXCHANGE FORMAT | A ISDF | 06 | 20-OCT-97 | |
| | STANAG-3812 ED.6(2) | RESPONSIBILITIES FOR AIRCRAFT CROSS-SERVICING GROUND CREW TRAINING | A ISDF | 06 | 05-JUN-97 | |
| | STANAG-3817 ED.4(5) | STANDARD R/T PHRASEOLOGY TO BE USED FOR AIRCRAFT | A ISDF | 06 | 21-OCT-93 | |
| M | STANAG-3820 ED.2 | 27 MM X 145 AMMUNITION AND LINKS FOR AIRCRAFT GUNS | A ISDF | 06 | 31-MAR-98 | |
| | STANAG-3827 ED.3(1) | RECOMMENDED REQUIREMENTS FOR TRAINING OF AIRCREW IN HIGH SUSTAINED "G" ENVIRONMENT | A ISDF | 06 | 11-FEB-97 | |
| A | STANAG-3828 ED.1(9) | MINIMUM REQUIREMENTS FOR AIRCREW PROTECTION AGAINST THE HAZARDS OF LASER TARGET DESIGNATORS | A ISDF | 06 | 08-JUL-97 | |
| A | STANAG-3830 ED.1(7) | AIRCREW NUCLEAR FLASH BLINDNESS PROTECTION | A ISDF | 06 | 08-JUL-97 | |
| | STANAG-3833 ED.2(2) | SYMBOLS FOR USE ON MAPS OF TRAINING AREAS FOR LAND FORCES | A ISDF | 06 | 15-NOV-95 | |
| | STANAG-3836(3) | MICROFORM | A ISDF | 06 | 26-APR-91 | |
| | STANAG-3837 ED.3 | AIRCRAFT STORES ELECTRICAL INTERCONNECTION SYSTEM | A ISDF | 06 | 01-JUN-94 | |
| | STANAG-3838 ED.1(7) | DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS | A ISDF | 06 | 11-NOV-94 | |
| A | STANAG-3842 ED.2(1) | RAIL LAUNCHED MISSILE/LAUNCHER MECHANICAL INTERFACE | A ISDF | 06 | 12-SEP-97 | |
| | STANAG-3847 ED.1(4) | HELICOPTER IN-FLIGHT REFUELLING (HIFR) EQUIPMENT | A ISDF | 06 | 26-SEP-95 | |
| | STANAG-3854 ED.2(8) | POLICIES AND PROCEDURES GOVERNING THE AIR TRANSPORTATION OF DANGEROUS CARGO | A ISDF | 06 | 22-FEB-96 | |
| A | STANAG-3859 ED.4(1) | STANDARDIZED DATA LIST FOR INTEROPERABILITY STUDIES AND CERTIFICATION OF AIRCRAFT STORES | A ISDF | 06 | 17-OCT-97 | |
| | STANAG-3861 ED.2(4) | HELIPORT RESCUE AND FIRE-FIGHTING SERVICES - IDENTIFICATION CATEGORIES | A ISDF | 06 | 19-DEC-95 | |
| | STANAG-3863 ED.1 | FIRE PROTECTION REQUIREMENTS FOR FIXED WING AIRCRAFT DURING AIRCRAFT TURN-AROUNDS AND HOT REFUELLING | A ISDF | 06 | 18-OCT-96 | |
| | STANAG-3864 ED.1(5) | THE MEASUREMENT OF PROTECTION PROVIDED TO THE RESPIRATORY TRACT AND EYES BY AIRCREW EQUIPMENT ASSEMBLIES AGAINST NBC AGENTS IN PARTICULATE, AEROSOL AND VAPOUR FORM | A ISDF | 06 | 02-OCT-91 | |
| | STANAG-3865 ED.2(4) | PHYSIOLOGICAL REQUIREMENTS FOR AIRCRAFT MOLECULAR SIEVE OXYGEN CONCENTRATING SYSTEMS | A ISDF | 06 | 03-MAR-94 | |
| | STANAG-3869(4) | AIRCREW STATION CONTROL PANELS | A ISDF | 06 | 22-APR-91 | |
| | STANAG-3870(2) | EMERGENCY/ESCAPE EVALUATION LIGHTING | A ISDF | 06 | 21-SEP-89 | |
| | STANAG-3871 ED.2 | NATO GLOSSARY OF AIRCRAFT DISPLAYS AND AIRCREW STATIONS (A1) SPECIALIST TERMINOLOGY AND ABBREVIATIONS | A ISDF | 06 | 18-SEP-96 | |
| | STANAG-3872 ED.2 | RATE OF FUEL FLOW INDICATORS | A ISDF | 06 | 11-FEB-97 | |
| | STANAG-3873 ED.3 | ELECTRONIC WARFARE (EW) IN AIR OPERATIONS - ATP-44(A) | A ISDF | 06 | 20-DEC-90 | |
| A | STANAG-3879 ED.4(1) | BIRDSTRIKE RISK/WARNING PROCEDURES (EUROPE) | A ISDF | 06 | 13-OCT-97 | |
| | STANAG-3880 ED.3(1) | COUNTER AIR OPERATIONS - ATP-42(B) | A ISDF | 06 | 12-JUN-96 | |
| | STANAG-3881 ED.2(2) | FUELS TO BE INTRODUCED INTO AND DELIVERED BY THE NORTH ITALIAN PIPELINE SYSTEM (NIPS) | A ISDF | 06 | 08-APR-92 | |
| | STANAG-3884 ED.1(4) | AIR IMAGERY INTERPRETATION ANNOTATION | A ISDF | 06 | 31-JAN-94 | |
| | STANAG-3887 ED.1(1) | TRIAL REPORTS AND DESIGN CRITERIA FOR IN-SHELTER FUELING AND DAMAGE REPAIR - AFLP-3 | A ISDF | 06 | 14-NOV-96 | |
| | STANAG-3888 ED.1(1) | FUELS TO BE DISTRIBUTED BY THE UK PIPELINE SYSTEM (UKPS) | A ISDF | 06 | 31-JUL-91 | |
| | STANAG-3890 ED.1(3) | ENVIRONMENTAL POLLUTION FROM PHOTOGRAPHIC PROCESSING | A ISDF | 06 | 14-DEC-93 | |
| | STANAG-3896 ED.2(2) | ILLUSTRATED INFORMATION ON FIRE HAZARDS AND RESCUE FEATURES FOR NATO AIRCRAFT - AEP-11 | A ISDF | 06 | 18-NOV-93 | |
| | STANAG-3898 ED.4(1) | AIRCRAFT STORES INTERFACE MANUAL - AOP-12 | A ISDF | 06 | 20-MAR-96 | |
| A | STANAG-3899 ED.2(2) | GROUND FIT AND COMPATIBILITY CRITERIA FOR AIRCRAFT STORES | A ISDF | 06 | 12-SEP-97 | |
| | STANAG-3908 ED.1(2) | STANDARDIZED AVIONICS TERMINOLOGY & ABBREVIATIONS | A ISDF | 06 | 25-OCT-88 | |
| | STANAG-3909 ED.2(1) | DISCRETE SIGNAL INTERFACES | A ISDF | 06 | 23-NOV-90 | |
| M | STANAG-3912 ED.3(1) | ADA - REAL-TIME HIGH ORDER COMPUTER PROGRAMMING LANGUAGE | A ISDF | 06 | 08-MAY-98 | |
| | STANAG-3917 ED.2(4) | AIR CONDITIONING CONNECTIONS, GROUND HALF CONNECTORS | A ISDF | 06 | 05-JUN-97 | |
| | STANAG-3920 ED.2 | HANDBOOK FOR AIR RECONNAISSANCE TASKING AND REPORTING | A ISDF | 06 | 27-SEP-90 | |
| M | STANAG-3922 ED.3(1) | AIRDROP SYSTEMS FOR PERSONNEL AND SUPPLY EQUIPMENT - ATP-46(A) | A ISDF | 06 | 26-MAR-98 | |
| | STANAG-3929 ED.2 | EVALUATION GUIDE FOR NATO CRASH/FIRE/RESCUE SERVICES | A ISDF | 06 | 19-FEB-96 | |
| | STANAG-3932 ED.2(1) | AIR LAUNCHED WEAPONS DESIGNED FOR READY USE STORAGE (ALL-UP-ROUND) | A ISDF | 06 | 19-AUG-93 | |
| A | STANAG-3940 ED.2 | AIRCRAFT CATHODE RAY TUBE SYSTEMS | A ISDF | 06 | 17-DEC-97 | |
| M | STANAG-3943 ED.2 | PHYSIOLOGICAL REQUIREMENTS FOR AIRCREW NBC DEFENCE ASSEMBLIES USED IN FLIGHT | A ISDF | 06 | 30-APR-98 | |
| A | STANAG-3946 ED.1(4) | MAXIMUM DOSAGE OF NERVE AGENT VAPOUR TO THE EYES ACCEPTABLE FOR AIRCREW | A ISDF | 06 | 08-JUL-97 | |
| | STANAG-3947 ED.1(7) | GROUND HALF AIR AND ELECTRICAL CONNECTORS FOR LOW PRESSURE AIR STARTING OF AIRCRAFT ENGINES | A ISDF | 06 | 06-JUN-97 | |
| | STANAG-3950 ED.1(1) | HELICOPTER CREW SEAT DESIGN | A ISDF | 06 | 31-JAN-94 | |
| A | STANAG-3957 ED.3 | C/ATLAS HOL FOR APPLICATION IN AVIONICS TEST SYSTEMS | A ISDF | 06 | 13-OCT-97 | |
| | STANAG-3961 ED.1(1) | APPLICATION FORM FOR OVERFLIGHT & LANDING CLEARANCE | A ISDF | 06 | 06-APR-88 | |

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | | | | | | |
| | STANAG-3967 ED.1(2) | DESIGN AND PERFORMANCE REQUIREMENTS FOR AVIATION FUEL FILTER SEPARATOR VESSELS AND COALESCE AND SEPARATOR ELEMENTS | A ISDF | 06 | | 12-NOV-96 |
| | STANAG-3968 ED.2(1) | NATO GLOSSARY OF ELECTROMAGNETIC TERMINOLOGY | A ISDF | 06 | | 16-DEC-92 |
| A | STANAG-3970 ED.3 | CONTENT AND FORMAT OF FLIGHT INFORMATION PUBLICATION (FLIP) TERMINAL HIGH/LOW INSTRUMENT APPROACH PROCEDURES, INSTRUMENT DEPARTURE PROCEDURES, AND AERODROME DIAGRAMS/LAYOUTS | A ISDF | 06 | | 17-NOV-97 |
| A | STANAG-3971 ED.3(1) | AIR-TO-AIR REFUELLING - ATP-56 | A ISDF | 06 | | 20-OCT-97 |
| | STANAG-3977 ED.1(2) | MANUAL OF TECHNIQUES OF SAMPLING AND ANALYSIS OF GASES AND LIQUEFIED GASES FOR AIRCRAFT SERVICING - AEP-6 | A ISDF | 06 | | 21-OCT-93 |
| | STANAG-3979 ED.1(2) | PARACHUTE EXTRACTION ASSEMBLIES | A ISDF | 06 | | 26-SEP-95 |
| A | STANAG-3981 ED.1(1) | MINIMUM PHYSIOLOGICAL REQUIREMENTS FOR IMMERSION PROTECTION ASSEMBLIES FOR AIRCREW | A ISDF | 06 | | 08-JUL-97 |
| | STANAG-3985 ED.1(6) | PREFERRED MAGNETIC TAPE STANDARDS FOR THE EXCHANGE OF DIGITAL GEOGRAPHIC INFORMATION | A ISDF | 06 | | 20-DEC-94 |
| | STANAG-3990 ED.1(2) | CHARACTERISTICS OF HIGH QUALITY OIL-FREE GASEOUS NITROGEN, SUPPLY PRESSURE AND HOSES, FOR AIRCRAFT WEAPONS AND ELECTRONIC EQUIPMENT SERVICING | A ISDF | 06 | | 08-APR-94 |
| | STANAG-3991 ED.2(1) | DESIGN CRITERIA TO MINIMIZE GENERATION OF STATIC ELECTRICITY WITHIN AIRCRAFT FUEL SYSTEMS | A ISDF | 06 | | 25-JUL-91 |
| M | STANAG-3992 ED.1(4) | MGD - TERRAIN ANALYSIS - AGEOP-1 | A ISDF | 06 | | 14-MAY-98 |
| | STANAG-3993 ED.2(1) | AIR CONTROL TERMS AND DEFINITIONS | A ISDF | 06 | | 17-OCT-96 |
| A | STANAG-3994 ED.1(2) | APPLICATION OF HUMAN ENGINEERING TO ADVANCED AIRCREW SYSTEMS | A ISDF | 06 | | 08-JUL-97 |
| | STANAG-3995 ED.2(2) | MARKING OF PORTABLE FIRE EXTINGUISHERS | A ISDF | 06 | | 28-APR-97 |
| M | STANAG-3998 ED.2(1) | NATO AIR TRANSPORT POLICIES AND PROCEDURES - ATP-53(A) | A ISDF | 06 | | 26-MAR-98 |
| | STANAG-4004 ED.1(1) | PNEUMATIC TYPES FOR TRANSPORT VEHICLES | C ISDN | NM | | 03-NOV-69 |
| | STANAG-4006/1 ED.1(1) | SHIELDED SPARKING PLUGS FOR 5 MM LEAD) FOR WHEELED TACTICAL VEHICLES | C ISDN | NM | | 15-AUG-67 |
| | STANAG-4006/2 ED.1(1) | SHIELDED IGNITION CABLES FOR WHEELED TACTICAL VEHICLES | C ISDN | NM | | 15-AUG-67 |
| | STANAG-4007 ED.1 | ELECTRICAL CONNECTOR BETWEEN TRACTORS & TRAILERS | C ISDN | NM | | 13-SEP-59 |
| | STANAG-4008 ED.1 | LAMPS FOR TACTICAL VEHICLES VALIDATED DEC 1979 | C ISDN | NM | | 22-AUG-58 |
| | STANAG-4009/1 ED.1(4) | FIFTH WHEEL ATTACHMENTS | C ISDN | NM | | 29-AUG-67 |
| | STANAG-4009/2 ED.1(3) | LOCATION AND HEIGHT OF FIFTH WHEEL ATTACHMENTS ON TRACTORS AND SEMI-TRAILERS (CLASS 1) | C ISDN | NM | | 25-AUG-67 |
| | STANAG-4009/3 ED.1(7) | LOCATION AND HEIGHT OF FIFTH WHEEL ATTACHMENTS ON TRACTORS AND SEMI-TRAILERS (CLASS 2) | C ISDN | NM | | 29-AUG-67 |
| | STANAG-4009/4 ED.1(5) | FIFTH WHEEL KINGPIN (FOR SEMI-TRAILERS OF A GROSS WEIGHT FROM 22 TO 72 TONS) | C ISDN | NM | | 29-AUG-67 |
| | STANAG-4012 ED.1 | TYPE DESIGNATION AND MARKING OF ELECTRON VALVES AND TUBES | C ISDA | NM | | 23-SEP-63 |
| | STANAG-4015/1 ED.2 | STARTER BATTERY SPACES FOR WHEELED TACTICAL VEHICLES | C ISDA | AM | | 09-MAR-65 |
| | STANAG-4015/2 ED.1 | SIZES & POSITIONS OF STARTER BATTERY TERMINAL POSTS FOR WHEELED TACTICAL VEHICLES - PART 2 W/AMEND 1 | C ISDA | AM | | 11-MAR-65 |
| | STANAG-4019 ED.2 | EMERGENCY TOWING FACILITIES (EDITION 2) | C ISDN | NM | | 07-DEC-92 |
| M | STANAG-4021 ED.3 | SPECIFICATION FOR CE (TETRYL) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | C ISDA | AI | | 18-APR-83 |
| | STANAG-4022 ED.3(1) | RDY (HEXOGENE) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER, SPECIFICATION FOR | C ISDA | AI | | 29-JUN-92 |
| | STANAG-4023 ED.3 | SPECIFICATION FOR PETN (PENTHRITE) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | C ISDA | AI | | 29-MAY-92 |
| | STANAG-4024 ED.2(2) | SPECIFICATION FOR AMMONIUM NITRATE (FOR USE IN EXPLOSIVES) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | C ISDA | AM | | 03-MAY-76 |
| | STANAG-4025 ED.3 | SPECIFICATION FOR TNT (TOLITE) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | C ISDA | AI | | 20-NOV-91 |
| | STANAG-4026 ED.2(1) | SPECIFICATION FOR PICRITE (NITROGUNIDI NE) FOR DELIVERIES FROM ONE NATO NATION FOR ANOTHER | C ISDA | AM | | 20-DEC-77 |
| | STANAG-4037 ED.2 | SPECIFICATION FOR A 40/70 AMMUNITION | C ISDN | NM | | 23-SEP-63 |
| | STANAG-4038 ED.1(6) | SPECIFICATION FOR A 40/70 AMMUNITION OPERATIONAL BOX (METAL) FOR NAVAL USE | C ISDN | NM | | 25-MAY-66 |
| | STANAG-4040 ED.1(1) | WATER PROOF ELECTRICAL CONNECTORS | C ISDN | NM | | 04-SEP-69 |
| | STANAG-4041 ED.1(4) | SPECIFICATION FOR DNT (DINITROTOLUENE) FOR PROPELLANTS | C ISDN | NM | | 18-SEP-67 |
| | STANAG-4042 ED.1 | RULES FOR THE CONVERSION OF UNITED STATES AERONAUTICAL DRAWINGS (AIR FRAMES) FOR COUNTRIES EMPLOYING THE METRIC SYSTEM | C ISDN | NM | | 07-JUL-58 |
| | STANAG-4044 ED.2 | ADOPTION OF A STANDARD ATMOSPHERE | C ISDN | NM | | 10-APR-69 |
| | STANAG-4050 ED.2 | SYMBOLS DESIGNATING FUNCTION OF CONTROLS IN MILITARY VEHICLES | C ISDA | AI | | 19-JUN-91 |
| | STANAG-4061 ED.3 | ADOPTION OF A STANDARD BALLISTIC METEOROLOGICAL MESSAGE | C ISDN | NM | | 19-MAY-69 |
| | STANAG-4062 ED.3 | SLINGING AND TIE-DOWN FACILITIES FOR LIFTING AND TYING DOWN MILITARY EQUIPMENT FOR MOVEMENT BY LAND AND SEA | C ISDA | AI | | 22-APR-96 |
| | STANAG-4074 ED.1(3) | AUXILIARY POWER UNIT CONNECTIONS FOR STEERING WHEELED TRANSPORT VEHICLES | C ISDA | AM | | 18-MAY-84 |
| | STANAG-4079 ED.1 | DESIGN OF 40/70 AMMUNITION | C ISDN | NM | | 12-DEC-62 |
| | STANAG-4081 ED.1 | SPECIFICATION FOR A LIGHTWEIGHT 40/70 AMMUNITION OPERATIONAL BOX | C ISDN | NM | | 06-NOV-62 |
| | STANAG-4082 ED.1(1) | ADOPTION OF A STANDARD ARTILLERY COMPUTER METEOROLOGICAL MESSAGE | C ISDN | NM | | 12-MAR-70 |
| | STANAG-4090 ED.2(2) | SMALL ARMS AMMUNITION (9MM PARABELLUM) | C ISDA | AI | | 16-FEB-93 |
| | STANAG-4093 ED.4 | MUTUAL ACCEPTANCE BY NATO MEMBER COUNTRIES OF QUALIFICATION OF ELECTRONIC AND ELECTRICAL COMPONENTS FOR MILITARY USE | C ISDA | AI | | 22-JAN-93 |
| | STANAG-4097 ED.1(3) | PROCEDURES WITH RESPECT TO CHANGE ADJUSTMENT FOR VELOCITY FOR STANDARDIZED GUN AMMUNITION | C ISDN | NM | | 20-SEP-67 |
| | STANAG-4098 ED.3(1) | PROCEDURES FOR THE DETERMINATION OF PROPELLANT CHARGE TEMPERATURE CORRECTIONS | C ISDA | AI | | 27-MAY-94 |
| | STANAG-4101 ED.1(2) | TOWING ATTACHMENTS | C ISDN | NM | | 20-SEP-67 |
| | STANAG-4103 ED.2(1) | FORMAT FOR REQUESTS FOR METEOROLOGICAL MESSAGES FOR BALLISTIC & SPECIAL PURPOSES | C ISDN | NM | | 07-DEC-77 |
| | STANAG-4106 ED.2(2) | PROCEDURE FOR THE STATISTICAL COMPARISON OF EXTERNAL BALLISTIC PERFORMANCE OF SHELL | C ISDA | AI | | 27-MAY-94 |
| | STANAG-4107 ED.5(3) | MUTUAL ACCEPTANCE OF GOVERNMENT QUALITY ASSURANCE | A ISDF | 06 | | 31-MAY-95 |
| | STANAG-4108 ED.5 | ALLIED QUALITY ASSURANCE PUBLICATIONS (AQAPS) | C ISDA | AI | | 31-MAR-93 |
| | STANAG-4110 ED.2(1) | DEFINITION OF PRESSURE TERMS AND THEIR INTER-RELATIONSHIP FOR USE IN THE DESIGN AND PROOF OF CANNONS AND AMMUNITION | C ISDA | AI | | 27-MAY-94 |
| | STANAG-4113 ED.3 | PRESSURE MEASUREMENT BY CRUSHER GAUGES | C ISDA | AI | | 04-JUN-93 |
| | STANAG-4114 ED.2(1) | MEASUREMENTS OF PROJECTILE VELOCITIES | C ISDA | AI | | 27-MAY-94 |
| | STANAG-4115 ED.1(1) | DEFINITION AND DETERMINATION OF BALLISTIC PROPERTIES OF GUN PROPELLANTS | C ISDA | AI | | 27-MAY-94 |
| | STANAG-4117 ED.2(2) | STABILITY TEST PROCEDURES AND REQUIREMENTS FOR PROPELLANTS STABILIZED WITH DIPHENYLAMINE OR ETHYL CENTRALITE OR A MIXTURE OF BOTH | C ISDA | AM | | 05-JUL-77 |
| | STANAG-4119 ED.1(3) | ADOPTION OF A STANDARD CANNON ARTILLERY FIRING TABLE FORMAT | C ISDA | AI | | 27-MAY-94 |
| | STANAG-4123 ED.2(4) | METHODS TO DETERMINE AND CLASSIFY THE HAZARDS OF AMMUNITION | C ISDA | AM | | 28-NOV-84 |
| | STANAG-4131 ED.1(1) | ADOPTION OF A STANDARD CHARACTER METEOROLOGICAL MESSAGE FORMAT | C ISDN | NM | | 03-MAY-76 |

| Doc. Action | Document Number | Document Title | Distribution FSC/Aes | MCA | Prep. Acty. | Date |
|-------------|---------------------------|--|-------------------------|-----|-------------|------|
| | STANAG-4133 ED.2 | METHOD OF SPECIFYING ELECTRICAL POWER SUPPLIES: STANDARD TYPES OF ELECTRICAL POWER | C ISDA | AI | 07-JUL-92 | |
| | STANAG-4134 ED.1(1) | ELECTRICAL CHARACTERISTICS OF ROTATING 28-VOLT DC GENERATING SETS | C ISDA | AI | 12-MAR-92 | |
| | STANAG-4135 ED.2 | ELECTRICAL CHARACTERISTICS OF ROTATING ALTERNATING CURRENT GENERATING SETS | C ISDA | AI | 05-NOV-92 | |
| | STANAG-4139 ED.1(5) | CRITERIA FOR BALANCING OF SHIPBOARD ROTATING MACHINERY | D ISDN | SH | 18-APR-90 | |
| | STANAG-4140 ED.6 | STANDARDIZED SYSTEM OF DESIGNATING DAYS & HOURS IN RELATION TO AN OPERATION OR EXERCISE | C ISDA | AI | 29-JAN-91 | |
| | STANAG-4143 ED.1(7) | SHIP/SHORE CONNECTION TERMINALS FOR 3-PHASE AC POWER | D ISDN | NM | 05-AUG-94 | |
| | STANAG-4144 ED.1(2) | DYNAMIC FIRING TECHNIQUES TO DETERMINE BALLISTIC DATA FOR CANNON ARTILLERY FIRING TABLES AND ASSOCIATED FIRE CONTROL EQUIPMENT | C ISDA | AI | 27-MAY-94 | |
| | STANAG-4145 ED.2 | NUCLEAR SURVIVABILITY CRITERIA FOR ARMED FORCES MATERIEL AND INSTALLATIONS | C ISDA | AI | 29-JAN-91 | |
| | STANAG-4147 ED.1 | CHEMICAL COMPATIBILITY OF AMMUNITION COMPONENTS WITH EXPLOSIVES AND PROPELLANTS (NON NUCLEAR APPLICATIONS) | C ISDA | AI | 01-JUN-92 | |
| | STANAG-4150 ED.1(2) | SHOCK TESTING OF HEAVYWEIGHT SHIP EQUIPMENT IN FLOATING SHOCK VEHICLES | C ISDN | SH | 13-MAR-90 | |
| | STANAG-4153 ED.1(3) | STANDARD SPECIFICATION FOR AN ASYNCHRONOUS SERIAL DATA INTERFACE FOR POINT TO POINT CONNECTIONS & FOR CONNECTION TO DATA NETWORKS IN NATO SYSTEMS | C ISDN | NM | 28-JUN-85 | |
| | STANAG-4154 ED.2(2) SUP 1 | GENERAL CRITERIA & COMMON PROCEDURES FOR SEAKEEPING PERFORMANCE ASSESSMENT - | D ISDN | SH | 13-MAR-90 | |
| | STANAG-4155 ED.1 | NBC PROTECTIVE MASK & FILTER CANISTER SCREW THREADS | C ISDA | AM | 16-JUN-81 | |
| | STANAG-4156 ED.1(1) | STANDARD SPECIFICATION FOR A SERIAL DATA INTERFACE FOR SYNCHRONOUS CONNECTIONS TO A DATA NETWORK | C ISDN | NM | 02-SEP-85 | |
| | STANAG-4157 ED.1 | DEVELOPMENT OF SAFETY TEST METHODS AND PROCEDURES FOR FUZES FOR UNGUIDED TUBE LAUNCHED PROJECTILES | C ISDA | AI | 07-AUG-91 | |
| | STANAG-4158 ED.1(2) | GUIDELINES FOR CLASSIFYING INCIDENTS FOR RELIABILITY ESTIMATION OF TRACKED AND WHEELED VEHICLES | C ISDA | AI | 31-MAY-94 | |
| | STANAG-4159 ED.2(1) | NATO MATERIEL CONFIGURATION MANAGEMENT POLICY AND PROCEDURES FOR MULTINATIONAL JOINT PROJECTS | C ISDA | AI | 18-MAR-92 | |
| | STANAG-4161 ED.1(1) | THE OPTICAL TRANSFER FUNCTION OF IMAGING SYSTEMS | A ISDF | 06 | 22-FEB-84 | |
| | STANAG-4164 ED.1(1) | TEST PROCEDURES FOR ARMOUR PERFORATION TESTS OF ARMOUR DEFEATING AMMUNITION | C ISDA | AI | 12-FEB-90 | |
| | STANAG-4168 ED.1(1) | CHARACTERISTICS OF HYDROGEN GENERATING EQUIPMENT | C ISDA | AM | 02-SEP-85 | |
| | STANAG-4170 ED.1 | PRINCIPLES & METHODOLOGY FOR THE QUALIFICATION OF EXPLOSIVE MATERIALS FOR MILITARY USE | C ISDA | AM | 22-OCT-85 | |
| | STANAG-4172 ED.2 | 5.56 MM AMMUNITION (LINKED OR OTHERWISE) | C ISDA | AI | 05-MAY-93 | |
| | STANAG-4173 ED.1(1) | AMMUNITION 25 MM X 137 | C ISDA | AI | 12-FEB-90 | |
| | STANAG-4174 ED.1(1) | ALLIED RELIABILITY AND MAINTAINABILITY PUBLICATIONS | C ISDA | AI | 24-FEB-92 | |
| | STANAG-4177 ED.1(1) | CODIFICATION OF ITEMS OF SUPPLY - UNIFORM SYSTEM OF DATA ACQUISITION | C ISDA | AI | 06-MAR-90 | |
| | STANAG-4178 ED.1 | TEST PROCEDURES FOR ASSESSING THE QUALITY OF DELIVERIES OF NITRO- CELLULOSE FROM ONE NATO NATION TO ANOTHER | C ISDA | AI | 06-AUG-91 | |
| | STANAG-4183 ED.1(1) | NATO METRICATION POLICY | A ISDF | 06 | 29-MAR-84 | |
| | STANAG-4184 ED.2 | MICROWAVE LANDING SYSTEM (MLS) | A ISDF | 06 | 24-JAN-94 | |
| | STANAG-4186 ED.1(1) | INTERIM STANDARD FOR A PARALLEL DIGITAL INTERFACE BETWEEN USER UNITS & A SHIP DISTRIBUTION NETWORK FOR VOICE COMMUNICATION | C ISDN | SH | 19-MAR-90 | |
| M | STANAG-4187 ED.2 | FUZZING SYSTEMS - SAFETY DESIGN REQUIREMENTS | A ISDA | AI | 28-OCT-96 | |
| | STANAG-4190 ED.1 | TEST PROCEDURES FOR MEASURING BEHIND-ARMOUR EFFECTS OF ANTI-ARMOUR AMMUNITION | C ISDA | AI | 28-NOV-89 | |
| | STANAG-4192 ED.2 | DESIGN CRITERIA AND CONSTRUCTION PARAMETERS FOR COLLECTIVE PROTECTION (COLPRO) FACILITIES ON LAND | C ISDA | AI | 25-OCT-93 | |
| | STANAG-4193 ED.2 | TECHNICAL CHARACTERISTICS OF IFF MK XA AND MK XII INTERROGATORS AND TRANSPONDERS - PART I: GENERAL DESCRIPTION OF THE SYSTEM | C ISDA | AI | 12-NOV-90 | |
| | STANAG-4193/1 ED.2 | TECHNICAL CHARACTERISTICS OF IFF MK XA & MK XII INTERROGATORS AND TRANSPONDERS - PART I: GENERAL DESCRIPTION OF THE SYSTEM | C ISDA | AI | 12-NOV-90 | |
| | STANAG-4193/3 ED.1 | TECHNICAL CHARACTERISTICS OF IFF MK XA & MK XII INTERROGATORS AND TRANSPONDERS - PART III: IFF INSTALLED SYSTEM CHARACTERISTICS | C ISDA | AI | 12-NOV-90 | |
| | STANAG-4194 ED.1(5) SUP 1 | STANDARDIZED WAVE AND WIND ENVIRONMENTS AND SHIPBOARD REPORTING OF SEA CONDITIONS | D ISDN | SH | 18-APR-90 | |
| | STANAG-4195 ED.1(1) | NATO STANDARD ENGINE LABORATORY TEST FOR DIESEL AND GASOLINE ENGINES AND GAS TURBINE ENGINE | C ISDA | AI | 26-MAR-90 | |
| | STANAG-4197 ED.1(2) | MODULATION & CODING CHARACTERISTICS THAT MUST BE COMMON TO ASSURE INTEROPERABILITY OF 2400 BPS LINEAR PREDICTIVE ENCODED DIGITAL SPEECH TRANSMITTED OVER HF RADIO FACILITIES | C ISDA | AM | 26-NOV-85 | |
| | STANAG-4198 ED.1(4) | PARAMETERS AND CODING CHARACTERISTICS THAT MUST BE COMMON TO ASSURE INTEROPERABILITY OF 2400 BPS LINEAR PREDICTIVE ENCODED DIGITAL SPEECH | C ISDA | AI | 08-MAR-94 | |
| | STANAG-4199 ED.2 | CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF EXCHANGE OF MATERIEL MANAGEMENT DATA | A ISDF | 06 | 16-SEP-91 | |
| | STANAG-4201 ED.1(1) | MARKING OF RIOT CONTROL & TRAINING CANISTERS | C ISDA | AM | 04-OCT-85 | |
| | STANAG-4202 ED.2 | TRANSMISSION ENVELOPE CHARACTERISTICS FOR HIGH RELIABILITY DATA EXCHANGE BETWEEN LAND TACTICAL DATA PROCESSING EQUIPMENT OVER SINGLE CHANNEL RADIO LINKS (EDITION 2) | C ISDA | AM | 25-MAY-88 | |
| | STANAG-4203 ED.2 | TECHNICAL STANDARDS FOR SINGLE CHANNEL HF RADIO EQUIPMENT | C ISDA | AM | 19-SEP-84 | |
| | STANAG-4204 ED.2 | TECHNICAL STANDARDS FOR SINGLE CHANNEL VHF RADIO EQUIPMENT | C ISDA | AM | 30-MAY-88 | |
| | STANAG-4205 ED.2(1) | TECHNICAL STANDARDS FOR SINGLE CHANNEL UHF RADIO EQUIPMENT | C ISDA | AI | 08-MAR-94 | |
| | STANAG-4206 ED.2 | THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - SYSTEM STANDARDS | C ISDA | AI | 15-NOV-93 | |
| | STANAG-4207 ED.2 | THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - MULTIPLEX GROUP FRAMING STANDARDS | C ISDA | AI | 15-NOV-93 | |
| | STANAG-4208 ED.1(2) | NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY - SIGNALING STANDARDS | C ISDA | AM | 10-DEC-85 | |
| | STANAG-4209 ED.2 | NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - STANDARDS FOR ANALOGUE TO DIGITAL CONVERSION OF SPEECH SIGNALS | C ISDA | AI | 04-AUG-95 | |
| | STANAG-4210 ED.2 | THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - CABLE LINK STANDARDS | C ISDA | AI | 15-NOV-93 | |
| | STANAG-4211 ED.2 | THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - SYSTEM CONTROL STANDARDS | C ISDA | AI | 15-NOV-93 | |
| | STANAG-4212 ED.2 | THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - RADIO RELAY LINK STANDARDS | C ISDA | AI | 15-NOV-93 | |
| | STANAG-4213 ED.2 | THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY - DATA TRANSMISSION STANDARDS | C ISDA | AI | 15-NOV-93 | |
| | STANAG-4214 ED.1(1) | INTERNATIONAL ROUTING AND DIRECTORY FOR TACTICAL COMMUNICATIONS SYSTEMS | C ISDA | AI | 10-DEC-85 | |
| | STANAG-4217 | STANDARD SPECIFICATION FOR DIGITISED VIDEO DATA REPRESENTATION (ED. 1) (REQUEST OTHER THAN DOD REFER TO COMNAVSEASYS COM (SEA 05M3 WASHINGTON DC 20362) | C ISDN | SH | 26-JUN-90 | |
| | STANAG-4222 ED.1 | STANDARD SPECIFICATION FOR DIGITAL REPRESENTATION OF SHIPBOARD DATA PARAMETERS | D ISDN | SH | 14-MAR-90 | |
| A | STANAG-4224 ED.2 | LARGE CALIBRE ARTILLERY AND NAVAL GUN AMMUNITION GREATER THAN 40 MM, SAFETY AND SUITABILITY FOR SERVICE EVALUATION | C ISDA | AI | 04-DEC-96 | |
| N | STANAG-4225 ED.1 | THE SAFETY EVALUATION OF MORTAR BOMBS | A ISDA | AI | 12-NOV-90 | |
| | STANAG-4234 ED.1 | ELECTROMAGNETIC RADIATION (RADIO FREQUENCY) - 200KHZ TO 40 GHZ ENVIRONMENT - AFFECTING THE DESIGN OF MATERIEL FOR USE BY NATO FORCES | C ISDA | AI | 07-JUL-92 | |

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|---------------------|--|-----------------------|-----|-------------|-----------|
| STANAG-4235 ED.1 | ELECTROSTATIC ENVIRONMENT CONDITIONS AFFECTING THE DESIGN OF MATERIEL FOR USE BY NATO FORCES | C ISDN | NM | | 29-JAN-93 |
| STANAG-4240 ED.1 | LIQUID FUEL FIRE TESTS FOR MUNITIONS | C ISDA | AI | | 06-AUG-91 |
| STANAG-4241 ED.1 | BULLET ATTACK TEST FOR MUNITIONS | C ISDA | AI | | 06-AUG-91 |
| STANAG-4244 ED.2 | ALLIED FORACS PUBLICATIONS | A ISDF | 06 | | 18-NOV-91 |
| STANAG-4246 ED.2(1) | COMMUNICATIONS EQUIPMENT HAVE QUICK UHF SECURE & JAM RESISTANT | C ISDA | AM | | 12-APR-88 |
| STANAG-4248 ED.1(3) | PURIFIED WATER FOR MAIN BATTERY SYSTEMS OF SUBMARINES | D ISDN | SH | | 03-AUG-94 |
| STANAG-4249 ED.1 | THE NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY DATA TRANSMISSION (PACKET SWITCHING SERVICE) | C ISDA | AM | | 12-APR-88 |
| STANAG-4250 ED.1 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - OVERVIEW | C ISDA | AM | | 29-APR-86 |
| STANAG-4255 ED.1 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - LAYER 5 (SESSION LAYER) SERVICE DEFINITION | C ISDN | NM | | 22-JAN-93 |
| STANAG-4256 ED.1 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - LAYER 6 (PRESENTATION LAYER) SERVICE DEFINITION | C ISDN | NM | | 22-JAN-93 |
| STANAG-4258 ED.1 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - SPECIFICATION OF ABSTRACT SYNTAX NOTATION 1 (ASN.1) | C ISDN | NM | | 22-JAN-93 |
| STANAG-4259 ED.1 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - ENCODING RULES FOR ASN.1 | C ISDN | NM | | 22-JAN-93 |
| STANAG-4265 ED.1 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - LAYER 5 (SESSION LAYER) PROTOCOL SPECIFICATION | C ISDN | NM | | 22-JAN-93 |
| STANAG-4266 ED.1 | NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - LAYER 6 (PRESENTATION LAYER) PROTOCOL SPECIFICATION | C ISDN | NM | | 22-JAN-93 |
| STANAG-4270 ED.2 | AVIATION FUELS FOR FUTURE NATO LAND BASED TURBINE POWERED MILITARY AIRCRAFT | A ISDF | 06 | | 07-JUL-94 |
| STANAG-4272 ED.1 | NATO STANDARD METHODS PRESERVATION | C ISDA | AI | | 05-SEP-90 |
| STANAG-4278 ED.3 | METHOD OF EXPRESSING NAVIGATION ACCURACIES | D ISDA | NI | | 07-JUN-95 |
| STANAG-4279 ED.1(1) | NATO GLOSSARY PACKAGING TERMS AND DEFINITIONS - AAP-23 | C ISDA | AI | | 06-APR-92 |
| STANAG-4280 ED.1 | NATO LEVELS OF REQUIREMENTS FOR PACKAGING | C ISDA | AI | | 02-FEB-93 |
| STANAG-4281 ED.1 | MARKING FOR SHIPMENT AND STORAGE | C ISDA | AI | | 02-FEB-93 |
| N STANAG-4284 ED.1 | HMX (OCTOGENE), PHYSICAL AND CHEMICAL REQUIREMENTS, SPECIFICATION FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | A ISDA | AI | | 24-OCT-96 |
| STANAG-4286 ED.2 | TRANSDUCER OUTPUT | C ISDN | SH | | 14-MAR-90 |
| STANAG-4287 ED.1(3) | ELECTROLYTE FOR MAIN LEAD ACID BATTERIES OF SUBMARINES | D ISDN | NI | | 03-AUG-94 |
| STANAG-4291 ED.1 | MODULATION & CODING CHAR. THAT MUST BE COMMON TO ASSURE INTEROPERABILITY OF 2400 BPS WIRELINE MOD. FOR USE IN NARROW-BAND SECURE VOICE SYS | C ISDA | AM | | 21-AUG-86 |
| STANAG-4293 ED.1(1) | GUIDELINES FOR THE ACOUSTICAL ENVIRONMENT IN NATO SURFACE SHIPS | D ISDN | NI | | 03-AUG-94 |
| STANAG-4294 ED.1 | NAVSTAR GLOBAL POSITIONING SYSTEM (GPS) SYSTEM CHARACTERISTICS | A ISDF | 06 | | 13-MAY-93 |
| STANAG-4295 ED.1(1) | SIGNIFICANT DATA & TELEGRAPH SIGNALLING CONDITIONS | C ISDA | AM | | 30-MAY-88 |
| STANAG-4297 ED.1(1) | GUIDANCE ON THE ASSESSMENT OF THE SAFETY AND SUITABILITY FOR SERVICE OF MUNITIONS FOR NATO ARMED FORCES - AOP-15 | C ISDA | AI | | 09-JUN-92 |
| N STANAG-4299 ED.1 | SPECIFICATION AMMONIUM PERCHLORATE (NH4C104) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | A ISDA | AI | | 23-MAY-96 |
| N STANAG-4300 ED.1 | TEST PROCEDURES FOR ASSESSING THE QUALITY OF ALUMINIUM POWDER, FOR USE IN EXPLOSIVE FORMULATION, FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER | A ISDA | AI | | 29-JAN-93 |
| STANAG-4316 ED.1(1) | COUNTERSURVEILLANCE REQUIREMENTS FOR FUTURE MAIN BATTLE TANKS (FMBTs) - RADAR ASPECTS | C ISDA | AI | | 31-MAY-94 |
| STANAG-4317 ED.1(1) | SPECIFICATION OF COMMON CHARACTERISTICS FOR FIRE DETECTION AND FIRE FIGHTING SYSTEMS FOR FUTURE MAIN BATTLE TANKS | C ISDA | AI | | 31-MAY-94 |
| STANAG-4318 ED.1(1) | COUNTERSURVEILLANCE REQUIREMENTS FOR MAIN BATTLE TANKS - ACOUSTIC ASPECTS | C ISDA | AI | | 31-MAY-94 |
| STANAG-4319 ED.1(1) | COUNTERSURVEILLANCE REQUIREMENTS FOR FUTURE MAIN BATTLE TANKS - INFRARED/THERMAL ASPECTS | C ISDA | AI | | 31-MAY-94 |
| STANAG-4323 ED.1 | SPECIFICATION OF CALCIUM HYPOCHLORITE USED FOR BIOLOGICAL AND CHEMICAL DECONTAMINATION | C ISDA | AI | | 20-NOV-92 |
| STANAG-4324 ED.1 | ELECTROMAGNETIC RADIATION (RADIOFREQUENCY) TEST INFORMATION TO DETER- MINE THE SAFETY AND SUITABILITY FOR SERVICE OF ELECTRO-EXPLOSIVE DEVICES AND ASSOCIATED ELECTRONIC SYSTEMS IN MUNITIONS AND WEAPON SYSTEMS | C ISDA | AI | | 25-JUN-91 |
| STANAG-4325 ED.1 | ENVIRONMENTAL AND SAFETY TESTS FOR THE APPRAISAL OF AIR-LAUNCHED MUNITIONS | C ISDA | AI | | 18-MAY-92 |
| STANAG-4328 ED.1 | GUIDELINES FOR THE ARMORED FIGHTING VEHICLES DESIGNER TO IMPROVE NUCLEAR RADIATION PROTECTION | C ISDA | AI | | 29-JAN-91 |
| STANAG-4329 ED.1 | NATO STANDARD BAR CODE SYMBOLOGY | C ISDA | AI | | 06-APR-92 |
| STANAG-4330 ED.1(2) | SPHEROID FOR USE IN MARITIME TACTICAL DATA SYSTEMS | D ISDN | SH | | 14-MAR-90 |
| STANAG-4349 ED.1(1) | MEASUREMENT OF THE MINIMUM RESOLVABLE TEMPERATURE DIFFERENCE (MRTD) OF THERMAL CAMERAS | C ISDA | AI | | 19-JUN-96 |
| STANAG-4355 ED.1(1) | THE MODIFIED POINT MASS TRAJECTORY MODEL | C ISDA | AI | | 27-MAY-94 |
| STANAG-4357 ED.1(1) | ALLIED VEHICLE TESTING PUBLICATIONS (AVTPS) | C ISDA | AI | | 31-MAY-94 |
| STANAG-4358 ED.1(1) | MUTUAL ACCEPTANCE OF GOVERNMENT VEHICLES TEST AND EVALUATION | C ISDA | AI | | 31-MAY-94 |
| STANAG-4359 ED.1 | NATO JAMDBPPK FOR SAMPLING AND IDENTIFICATION OF CHEMICAL WARFARE AGENTS | C ISDA | AI | | 29-JAN-91 |
| N STANAG-4363 ED.1 | FUZZY SYSTEMS - DEVELOPMENT TESTING FOR THE ASSESSMENT OF LEAD AND BOOSTER EXPLOSIVE COMPONENTS | A ISDA | AI | | 07-OCT-97 |
| STANAG-4367 ED.1(1) | THERMODYNAMIC INTERIOR BALLISTIC MODEL WITH GLOBAL PARAMETERS | C ISDA | AI | | 27-MAY-94 |
| N STANAG-4368 ED.1 | ELECTRIC AND LASER IGNITION SYSTEMS FOR ROCKETS AND GUIDED MISSILE MOTORS - SAFETY DESIGN REQUIREMENTS | A ISDA | AI | | 16-FEB-98 |
| N STANAG-4369 ED.1 | DESIGN REQUIREMENTS FOR INDUCTIVE SETTING OF ELECTRONIC PROJECTILE FUZES | A ISDA | AI | | 28-OCT-96 |
| N STANAG-4375 ED.1 | SAFETY DROP, MUNITION TEST PROCEDURES | A ISDA | AI | | 05-NOV-97 |
| STANAG-4380 ED.1 | TECHNICAL STANDARDS FOR ANALOGUE-DIGITAL CONVERSION OF VOICE SIGNALS USING CONTINUOUSLY VARIABLE SLOPE DELTA MODULATION (CVSD) | C ISDA | AI | | 04-AUG-95 |
| A STANAG-4382 ED.1 | SLOW HEATING TESTS FOR MUNITIONS | A ISDF | 06 | | 30-OCT-97 |
| STANAG-4385 ED.1(1) | 120 MM X 570 AMMUNITION FOR SMOOTH BORE TANK GUNS | C ISDA | AI | | 31-MAY-94 |
| N STANAG-4387 ED.1 | ARC STANDARD RASTER PRODUCT (ASRP) - AGEOP-5 | A ISDF | 06 | | 12-MAY-98 |
| STANAG-4389 ED.1(1) | TERMS AND DEFINITIONS COVERING SUBMARINE MAIN LEAD ACID BATTERIES | D ISDN | NI | | 03-AUG-94 |
| STANAG-4390 ED.1 | TESTS AND REQUIREMENTS FOR SUBMARINE MAIN LEAD-ACID BATTERIES | D ISDN | SH | | 26-JUL-90 |
| STANAG-4391 ED.1(1) | COOLING WATER FOR SUBMARINE MAIN LEAD ACID BATTERIES | D ISDN | NI | | 03-AUG-94 |
| STANAG-4393 ED.1 | MILITARY CHARACTERISTICS FOR 2-WIRE ANALOGUE RINGDOWN FIELD TELEPHONE SETS | C ISDA | AI | | 08-AUG-95 |
| STANAG-4400 ED.1 | DERIVATION OF THERMOCHEMICAL VALUES FOR INTERIOR BALLISTIC CALCULATION | C ISDA | AI | | 03-JUN-93 |

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|------------|---------------------|---|-----------------------|-----|-------------|------|
| | STANAG-4418 ED.1 | COUNTERSURVEILLANCE REQUIREMENTS | C ISDA | AI | 27-JUL-95 | |
| A | STANAG-4427 ED.1 | INTRODUCTION OF ALLIED CONFIGURATION MANAGEMENT PUBLICATIONS (ACMP'S) | A ISDA | AI | 14-JUL-97 | |
| | STANAG-4435 ED.1 | ELECTROMAGNETIC COMPATIBILITY TESTING PROCEDURE AND REQUIREMENTS FOR NAVAL ELECTRICAL AND ELECTRONIC EQUIPMENT (SURFACE SHIP, METALLIC HULL) | C ISDN | NM | 02-MAR-93 | |
| | STANAG-4436 ED.1 | ELECTRO-MAGNETIC COMPATIBILITY TESTING PROCEDURE AND REQUIREMENTS FOR NAVAL ELECTRICAL AND ELECTRONIC EQUIPMENT (SURFACE SHIP, NON-METALLIC HULL) | C ISDN | NM | 02-MAR-93 | |
| | STANAG-4437 ED.1 | ELECTROMAGNETIC COMPATIBILITY TESTING PROCEDURE AND REQUIREMENTS FOR NAVAL ELECTRICAL AND ELECTRONIC EQUIPMENT (SUBMARINES) | C ISDN | NI | 29-JUN-94 | |
| | STANAG-4438 ED.1(1) | CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF DISSEMINATION OF DATA ASSOCIATED WITH NATO STOCK NUMBERS | C ISDA | AI | 31-MAY-94 | |
| | STANAG-4469 ED.1 | NATO STANDARD ANTI-SHIP MISSILES TEST TARGET FOR PENETRATING AMMUNITION | D ISDN | NI | 03-AUG-94 | |
| | STANAG-4482 ED.1 | STANDARDISED INFORMATION TECHNOLOGY PROTOCOLS FOR DISTRIBUTED INTERACTIVE SIMULATION (DIS) | C ISDA | AI | 28-JUN-95 | |
| | STANAG-5000 ED.2(1) | INTEROPERABILITY OF TACTICAL DIGITAL FACSIMILE EQUIPMENT | C ISDA | AI | 25-AUG-89 | |
| | STANAG-5004 ED.2(4) | MILITARY CHARACTERISTICS FOR FIELD TELEPHONE SETS (MINIMUM STANDARDS) (EDITION 2) | C ISDA | AM | 19-SEP-84 | |
| | STANAG-5018 ED.1(4) | NATO MANUAL INTERFACE BETWEEN THE MANUAL SWITCHED TELECOMMUNICATIONS SYSTEMS OF THE COMBAT ZONE | C ISDA | AM | 19-SEP-84 | |
| | STANAG-5021 ED.3 | MILITARY CHARACTERISTICS FOR GROUND & SURFACE UHF DIRECTION FINDING EQUIPMENT | C ISDA | AM | 18-MAR-85 | |
| | STANAG-5034 ED.2(2) | TACAN POLICY | A ISDF | 06 | 03-APR-81 | |
| | STANAG-5036 ED.3(1) | PARAMETERS & PRACTICES FOR THE USE OF THE NATO 7-BIT CODE | C ISDA | AI | 19-MAR-90 | |
| | STANAG-5037 ED.2(1) | FUTURE REQUIREMENTS FOR NUMBER OF MORSE OPERATORS IN NATO NAVAL SHIPS | C ISDN | NI | 24-MAY-93 | |
| | STANAG-5040 ED.3(3) | NATO AUTOMATIC AND SEMI-AUTOMATIC INTERFACES BETWEEN THE NATIONAL SWITCHED TELECOMMUNICATIONS SYSTEMS OF THE COMBAT ZONE AND BETWEEN THESE SYSTEMS AND THE NATO INTEGRATED COMMUNICATIONS SYSTEMS (NIC) - PERIOD FROM 1979 TO THE 1990S | C ISDA | AI | 03-MAY-94 | |
| | STANAG-5042 ED.1(5) | MILITARY TELECOMMUNICATIONS - DIAGRAM SYMBOLS | C ISDA | AM | 08-OCT-85 | |
| | STANAG-5045 ED.2 | INTEROPERABILITY CHARACTERISTICS FOR TELEPRINTERS USING THE NATO 7-BIT CODE | C ISDA | AM | 15-JUL-86 | |
| | STANAG-5046 ED.2 | THE NATO MILITARY COMMUNICATIONS DIRECTORY SYSTEM | C ISDA | AM | 22-OCT-85 | |
| | STANAG-5048 ED.3 | MINIMUM SCALE OF COMMUNICATIONS FOR THE NATO LAND FORCES-REQUIREMENTS, PRINCIPLES AND PROCEDURES | C ISDA | AI | 28-FEB-91 | |
| | STANAG-5500 ED.3 | NATO MESSAGE TEXT FORMATTING SYSTEM (FORMETS) ADATP-3 (EDITION 3) | C ISDA | AM | 30-DEC-87 | |
| | STANAG-5621 ED.1(1) | STANDARDS FOR THE INTEROPERABILITY OF NATO LAND COMBAT & COMBINED OPERATIONS SYSTEMS | C ISDA | AM | 05-JAN-87 | |
| | STANAG-6001 ED.1 | LANGUAGE PROFICIENCY LEVELS | C ISDA | AM | 21-OCT-76 | |
| | STANAG-6002 ED.2(3) | PRINCIPLES AND PROCEDURES FOR THE CONDUCT AND FINANCING OF TRAINING ASSISTANCE | C ISDN | SH | 22-FEB-89 | |
| | STANAG-6004 ED.3 | MEACONING, INTRUSION JAMMING AND INTERFERENCE REPORT | C ISDA | AI | 13-MAR-92 | |
| | STANAG-6005 ED.5 | MANPOWER POLICIES AND PROCEDURES | C ISDA | AI | 29-JAN-90 | |
| A | STANAG-7005 ED.3(1) | EXCHANGE OF FLIGHT INFORMATION PUBLICATION (FLIP) DATA | A ISDF | 06 | 08-JUL-97 | |
| | STANAG-7007 ED.1(1) | SEARCH & RESCUE AVIONIC SYSTEM (SARAS) | A ISDF | 06 | 24-MAY-89 | |
| | STANAG-7008 ED.1(1) | MILITARY AVIATION RADIO TELEPHONY (R/T) CALLSIGNS | A ISDF | 06 | 19-DEC-95 | |
| N | STANAG-7009 ED.1 | AIRCRAFT ELECTRICAL HAZARDS ON THE FLIGHT LINE - AEP-24 | A ISDF | 06 | 01-APR-98 | |
| A | STANAG-7010 ED.2 | PROVISION OF AIRFIELD MARKING INFORMATION | A ISDF | 06 | 20-OCT-97 | |
| | STANAG-7011 ED.1(1) | AUTOMATED FUEL SYSTEM MONITORING AND CONTROL EQUIPMENT | A ISDF | 06 | 03-MAY-95 | |
| | STANAG-7012 ED.3 | MINIMUM RADIOTELEPHONY (R/T) AERODROME DEPARTURE PROCEDURES | A ISDF | 06 | 09-MAY-95 | |
| | STANAG-7013 ED.1(4) | AIRCRAFT FUELLING HAZARD ZONES | A ISDF | 06 | 14-NOV-96 | |
| | STANAG-7016 ED.2(2) | MAINTENANCE OF GEOGRAPHIC MATERIALS | A ISDF | 06 | 10-JUN-97 | |
| | STANAG-7017 ED.1(1) | SPECTROMETRIC ANALYSIS OF AIRCRAFT ENGINE LUBRICANTS | A ISDF | 06 | 20-MAR-96 | |
| M | STANAG-7021 ED.1(3) | POSITION INFORMATION GRAPHIC (PIG) | A ISDF | 06 | 06-MAY-98 | |
| | STANAG-7023 ED.1(1) | AIR RECONNAISSANCE IMAGERY DATA ARCHITECTURE | A ISDF | 06 | 21-OCT-93 | |
| | STANAG-7024 ED.1 | IMAGERY AIR RECONNAISSANCE TAPE RECORDER STANDARD | A ISDF | 06 | 10-MAY-93 | |
| | STANAG-7025 ED.2 | AIR TRAFFIC MANAGEMENT AND CONTROL OF MINIMUM OPERATING STRIPS (MOS) OPERATIONS | A ISDF | 06 | 05-MAY-95 | |
| | STANAG-7028 ED.2(2) | IDENTICAL AIRCRAFT FOR AIRCRAFT CROSS-SERVICING | A ISDF | 06 | 24-APR-97 | |
| A | STANAG-7030 ED.1(1) | COMBAT SEARCH AND RESCUE (CSAR) | A ISDF | 06 | 12-NOV-97 | |
| | STANAG-7033 ED.1 | ALLIED TACTICAL AIR MESSAGES (FORMATTED AND STRUCTURED) - APP-8 | A ISDF | 06 | 03-APR-92 | |
| A | STANAG-7035 ED.1(1) | MAPPING, CHARTING AND GEODESY (MC&G) VIDEO DISC | A ISDF | 06 | 12-SEP-97 | |
| | STANAG-7036 ED.1(1) | FUELS TO BE INTRODUCED INTO AND DELIVERED BY THE NATO PIPELINE SYSTEM (NPS) | A ISDF | 06 | 20-DEC-94 | |
| A | STANAG-7039 ED.1 | TEST PROCEDURES TO ENSURE COMPATIBILITY OF EQUIPMENT WITH AIRCRAFT ELECTRICAL POWER SYSTEMS | A ISDN | 06 | 10-DEC-97 | |
| | STANAG-7048 ED.2(1) | STATES OF CRASH FIRE READINESS | A ISDF | 06 | 11-DEC-96 | |
| | STANAG-7049 ED.1(1) | PERSONAL PROTECTIVE EQUIPMENT REQUIREMENT TOGETHER WITH STANDARD OPERATING PROCEDURES FOR CFR OPERATIONS IN AN NBC ENVIRONMENT | A ISDF | 06 | 18-NOV-93 | |
| | STANAG-7051 ED.1(2) | MINIMUM REQUIREMENTS FOR CFR OPERATIONS IN SUPPORT OF SORTIE GENERATION IN A POST ATTACK ENVIRONMENT | A ISDF | 06 | 24-APR-97 | |
| | STANAG-7052 ED.1 | MAINTAINING AIRCRAFT CRASH/FIRE/RESCUE SKILLS FOR NATO FIRE-FIGHTERS | A ISDF | 06 | 20-DEC-94 | |
| A | STANAG-7054 ED.1(1) | PROTECTION AREAS MAPPING (PAM) | A ISDF | 06 | 12-SEP-97 | |
| A | STANAG-7056 ED.1 | FUNCTIONAL REQUIREMENTS FOR PHYSIOLOGICAL PROTECTION DURING HIGH ALTITUDE PARACHUTING OPERATIONS | A ISDF | 06 | 20-OCT-97 | |
| M | STANAG-7057 ED.1(2) | EXCHANGE OF DATA ON THE MULTI-MODAL DOCUMENTATION OF CARGO | A ISDF | 06 | 26-MAR-98 | |
| M | STANAG-7067 ED.2(2) | TYPE AND LOCATION OF ELECTRICAL CONNECTORS FOR HELICOPTER ROCKET LAUNCHERS | A ISDF | 06 | 08-JUN-98 | |
| | STANAG-7068 ED.1(1) | AIRCRAFT/STORES CERTIFICATION PROCEDURES | A ISDF | 06 | 16-SEP-96 | |
| N | STANAG-7072 ED.1 | DIGITAL CHARTS OF THE WORLD (DCW) (BACKGROUND DISPLAY DATA SET, LEVEL 0) | A ISDF | 06 | 14-MAY-98 | |
| A | STANAG-7073 ED.1 | CONNECTORS FOR AIRCRAFT ELECTRICAL SERVICING POWER | A ISDF | 06 | 12-SEP-97 | |
| | STANAG-7074 ED.1 | DIGITAL GEOGRAPHIC INFORMATION EXCHANGE STANDARD (DIGEST) - AGEOP-3 | A ISDF | 06 | 19-OCT-94 | |
| N | STANAG-7075 ED.1 | HIGH SPEED RING BUS | A ISDF | 06 | 06-MAY-98 | |
| N | STANAG-7076 ED.1 | LINEAR TOKEN PASSING MULTIPLEX BUS | A ISDF | 06 | 06-MAY-98 | |
| A | STANAG-7078 ED.1 | USE OF HELICOPTER EMERGENCY UNDERWATER BREATHING APPARATUS (HEUBA) | A ISDF | 06 | 12-SEP-97 | |
| A | STANAG-7079 ED.1(1) | LIGHT FITTINGS FOR AIRFIELD VISUAL AIDS (RUNWAY IN-PAVEMENT LIGHTS) - AEP-12 | A ISDF | 06 | 09-JUL-97 | |
| M | STANAG-7081 ED.1(1) | STANDARD RAIL FOR LAUNCH OF 0-68 KILOGRAM (0-150 POUND) MISSILES FROM HELICOPTERS | A ISDF | 06 | 08-JUN-98 | |
| | STANAG-7091 ED.1 | GUIDE SPECIFICATIONS FOR NATO LAND SYSTEM OILS FOR ENGINES AND TRANSMISSIONS | A ISDF | 06 | 10-JUL-96 | |
| | STANAG-7093 ED.1 | GUIDE SPECIFICATIONS FOR NATO LAND SYSTEM AUTOMOTIVE FLUIDS | A ISDF | 06 | 09-JUL-96 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
INTERNATIONAL STANDARDIZATION DOCUMENTS

| Last Action | | | Distribution | | MCA | | Date |
|-------------|---------------------|---|--------------|----|-------------|--|-----------|
| | Document Number | Document Title | FSC/Area | | Prep. Acty. | | |
| | STANAG-7094 ED.1 | GUIDE SPECIFICATION FOR NATO LAND SYSTEM CORROSION PREVENTATIVES AND SPECIALITY PRODUCTS | A ISDF | 06 | | | 10-JUL-96 |
| M | STANAG-7103 ED.1(1) | TACTICS, TECHNIQUES AND PROCEDURES FOR OFFENSIVE AIR SUPPORT OPERATIONS - INTERIM SUPPLEMENT TO ATP-27(B) | A ISDF | 06 | | | 15-MAY-98 |
| A | STANAG-7104 ED.1 | AIRFIELD AIRCRAFT ARRESTING SYSTEM OPERATING PROCEDURES | A ISDN | 06 | | | 10-NOV-97 |

| Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|-----------------|---|--------------------------|-----|-------------|------|
| AA1-90 | ALUMINUM STANDARDS AND DATA [CUST: MR YD1 11] | A MFFP | YD1 | 30-NOV-90 | |
| AA30-86 | ALUMINUM STRUCTURES, SPECIFICATIONS FOR [CUST: MR YD1 99] [REVIEW: 84 IS] | A 9540 | YD1 | 31-DEC-86 | |
| AA35-80 | ALUMINUM SHEET METAL WORK IN BUILDING CONSTRUCTION [CUST: MR YD1 99] [REVIEW: 84 IS] | A 9535 | YD1 | 31-AUG-80 | |
| AA45-80 | SYSTEM DESIGNATION FOR ALUMINUM FINISHES [CUST: MR YD1 11] | A MFFP | YD1 | 30-SEP-80 | |
| AA46-78 | ALUMINUM, ANODIZED ARCHITECTURAL [CUST: MR YD1 11] | A MFFP | YD1 | 31-OCT-78 | |
| AAMA101-93 | ALUMINUM AND POLY (VINYL CHLORIDE) (PVC) PRIME WINDOWS AND GLASS DOORS [CUST: AR YD1 99] [REVIEW: 11 84 CC CR MI] | A 5670 | YD1 | 18-AUG-93 | |
| AAMA501-83 | WALLS, METAL CURTAIN, METHODS OF TEST FOR [CUST: CR4 YD1 99] [REVIEW: 84] | A 5670 | YD1 | 31-DEC-83 | |
| AAMA601.1-79 | ALUMINUM, PAINTED, EXTRUSIONS AND CURTAIN WALL PANELS, VOLUNTARY GUIDE SPECIFICATION FOR CLEANING AND MAINTENANCE OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5670 | YD1 | 31-DEC-79 | |
| AAMA603.8-92 | ALUMINUM, EXTRUDED, PIGMENTED ORGANIC COATINGS ON [CUST: CR4 YD1 99] | A MFFP | YD1 | 1992 | |
| AAMA605.2-92 | ALUMINUM EXTRUSIONS AND PANELS, ARCHITECTURAL, HIGH PERFORMANCE ORGANIC COATINGS ON [CUST: CR4 YD1 99] | A MFFP | YD1 | 1992 | |
| AAMA606.1-76 | ALUMINUM, ARCHITECTURAL, VOLUNTARY GUIDE SPECIFICATIONS AND INSPECTION METHODS FOR INTEGRAL COLOR ANODIC FINISHES FOR [CUST: CR4 YD1 99] | A 8010 | YD1 | 1976 | |
| AAMA607.1-77 | ALUMINUM, ARCHITECTURAL, CLEAR ANODIC FINISHES FOR, INSPECTION METHODS FOR [CUST: CR4 YD1 99] | A 8010 | YD1 | 1977 | |
| AAMA608.1-77 | ALUMINUM, ARCHITECTURAL, ELECTROLYTICALLY DEPOSITED COLOR ANODIC FINISHES FOR, VOLUNTARY GUIDE SPECIFICATION AND INSPECTION METHODS FOR [CUST: CR4 YD1 99] [REVIEW: 84] | A 8010 | YD1 | 1977 | |
| AAMA609.1-85 | ALUMINUM, ARCHITECTURAL ANODIZED, CLEANING AND MAINTENANCE OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5670 | YD1 | 31-DEC-85 | |
| AAMA610.1-79 | ALUMINUM EXTRUSIONS AND CURTAIN WALL PANELS, PAINTED, VOLUNTARY GUIDE SPECIFICATION FOR CLEANING AND MAINTENANCE OF [CUST: MR YD1 11] | A MFFP | YD1 | 1979 | |
| AAMA800-92 | SEALANTS [CUST: CR4 YD1 99] [REVIEW: 84] | A 5680 | YD1 | 1992 | |
| AAMA1002.10-93 | INSULATING STORM PRODUCTS FOR WINDOWS AND SLIDING GLASS DOORS [CUST: YD1 99] [REVIEW: 84 CR4 MC] | A 5670 | YD1 | 03-SEP-93 | |
| AAMA1102.7-89 | ALUMINUM STORM DOORS FOR VOLUNTARY SPECIFICATIONS [CUST: CR4 YD1 99] | A 5670 | YD1 | 03-MAR-89 | |
| AAMA1302.5-76 | ALUMINUM PRIME WINDOWS, FORCED-ENTRY RESISTANT [CUST: CR4 YD1 99] [REVIEW: 84] | A 5670 | YD1 | 31-DEC-76 | |
| AAMA1503.1-88 | DOORS, WINDOWS, THERMAL, TRANSMITTANCE AND CONDENSATION RESISTANCE, OF GLAZED WALLED SECTIONS VOLUNTARY TEST METHOD FOR 1988 [CUST: CR4 YD1 99] [REVIEW: 84] | A 5670 | YD1 | 21-MAR-90 | |
| AAMA-CW10-82 | ALUMINUM, ARCHITECTURAL, FROM SHOP TO SITE, CARE AND HANDLING OF [CUST: CR4 YD1 99] | A 5670 | YD1 | 1982 | |
| AAMI-BP22-86 | BLOOD PRESSURE TRANSDUCERS, GENERAL - 1986 [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-BP23-86 | BLOOD PRESSURE TRANSDUCERS, INTERCHANGEABILITY AND PERFORMANCE OF RESISTIVE BRIDGE TYPE - 1986 [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-BSV-81 | BIER/STEAM VESSELS [CUST: MD MS 03] | A 6530 | MB | 20-JUN-91 | |
| AAMI-DF2-89 | DEFIBRILLATOR, CARDIAC DEVICES [CUST: MD MS 03] | A 6515 | MB | 26-MAY-89 | |
| AAMI-EC11A-84 | ELECTROCARDIOGRAPHIC DEVICES, DIAGNOSTIC - 1984 (W/ANSI/AAMI-EC11 - 1982) [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-EC12-83 | ELECTRODES, PREGELLED ECG DISPOSABLE - 1983 [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-EC13-83 | CARDIAC MONITORS, HEART RATE METERS AND ALARMS - 1983 [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-ECAR-87 | VENTRICULAR ARRHYTHMIA DETECTION ALGORITHMS, TESTING AND REPORTING PERFORMANCE RESULTS OF - 1987 [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-ECGC-83 | CONNECTORS, ECG - 1983 [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-ESI-85 | ELECTROMEDICAL APPARATUS, SAFE CURRENT LIMITS FOR - 1985 [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-HE-88 | MEDICAL DEVICES, HUMAN FACTORS ENGINEERING GUIDELINES AND PREFERRED PRACTICES FOR THE DESIGN OF - 1988 [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-HF18-86 | ELECTROSURGICAL DEVICES - 1986 (W/ERRATUM DTD 10/87) [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-NS4-85 | STIMULATORS, NERVE, TRANSCUTANEOUS ELECTRICAL - 20 MAY 1986 [CUST: MD MS 03] | A 6515 | MB | 28-FEB-91 | |
| AAMI-RD5-81 | HEMODIALYSIS SYSTEMS - 1981 [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-RD16-84 | HEMODIALYZERS, FIRST USE - 1984 (W/ERRATA) [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-RD17-84 | HEMODIALYZER BLOOD TUBING - 1984 [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-ROH-86 | HEMODIALYZERS, REUSE OF - 1986 [CUST: EA MS 99 MB] | A 6515 | MB | 31-AUG-89 | |
| AAMI-SCL-78 | SAFE CURRENT LIMITS FOR ELECTROMEDICAL APPARATUS - 19 JAN 78 [CUST: MD MS 03] | A 6530 | MB | 16-DEC-82 | |
| AAMI-SP10-87 | SPHYGMOMANOMETERS, ELECTRONIC OR AUTOMATED, AMERICAN NATIONAL STANDARD FOR - 27 FEB. 1987 [CUST: MD MS 03] | A 6515 | MB | 28-FEB-91 | |
| AAMI-ST8-88 | STERILIZERS, STEAM, HOSPITAL, AMERICAN NATIONAL STANDARD FOR - 26 SEPT. 1988 [CUST: MD MS 03] | A 6530 | MB | 28-FEB-91 | |
| AAMI-ST19-85 | INDICATORS, BIOLOGICAL, FOR SATURATED STEAM STERILIZATION PROCESSES IN HEALTH CARE FACILITIES, AMERICAN NATIONAL STANDARD FOR - 17 MAR 1986 [CUST: MD MS 03] | A 6530 | MB | 28-FEB-91 | |
| AAMI-ST21-86 | INDICATORS, BIOLOGICAL, FOR ETHYLENE OXIDE STERILIZATION PROCESSES IN HEALTH CARE FACILITIES - AMERICAN NATIONAL STANDARD FOR - 4 SEPT 1986 [CUST: MD MS 03] | A 6530 | MB | 28-FEB-91 | |
| AAMI-ST24-87 | STERILIZERS AND ETHYLENE OXIDE STERILANT SOURCES INTENDED FOR USE IN HEALTH CARE FACILITIES, AUTOMATIC, GENERAL- PURPOSE ETHYLENE OXIDE - 13 JAN 1987 [CUST: MD MS 03] | A 6530 | MB | 20-JUN-91 | |
| AAMI-ST31-90 | ELECTRON BEAM RADIATION STERILIZATION OF MEDICAL DEVICES, GUIDELINE FOR - 15 OCT 1990 [CUST: MD MS 03] | A 6515 | MB | 30-SEP-91 | |
| AAMI-VP20-88 | VASCULAR GRAFT, PROSTHESES, STANDARD FOR - 7 JUL 86 [CUST: MD MS 03] | A 6515 | MB | 07-JUL-86 | |
| AATCC20-90 | FIBER ANALYSIS: QUALITATIVE [CUST: GL NU 99] [REVIEW: 45 82 CG] | A 83GP | CT | 1990 | |
| AATCC70-94 | WATER REPELLENCY: TUMBLE JAR DYNAMIC ABSORPTION TEST [CUST: GL NU 99] [REVIEW: 45 82 CG] | A 83GP | CT | 1994 | |
| AATCC127-89 | WATER RESISTANCE: HYDROSTATIC PRESSURE TEST [CUST: GL NU 99] [REVIEW: 45 82 CG] | A 83GP | CT | 1989 | |
| ABMA12.1-92 | INSTRUMENT BALL BEARINGS, METRIC DESIGN [CUST: AT AS 99 GS] | A 3110 | GS | 15-AUG-95 | |
| ABMA12.2-92 | INSTRUMENT BALL BEARINGS INCH DESIGN [CUST: AT AS 99 GS] | A 3110 | GS | 15-AUG-95 | |
| ABMA16.1-88 | AIRFRAME BALL, ROLLER AND NEEDLE ROLLER BEARINGS, METRIC DESIGN [CUST: AT AS 99 IS] | A 3110 | IS | 17-NOV-88 | |
| ABMA16.2-90 | AIRFRAME BALL, ROLLER AND NEEDLE ROLLER BEARINGS, INCH DESIGN [CUST: AT AS 99 IS] | A 3110 | IS | 20-DEC-90 | |
| ABMA18.1-82R88 | NEEDLE ROLLER BEARINGS RADIAL, METRIC DESIGN [CUST: AT AS 99 GS] | A 3110 | GS | 15-AUG-95 | |
| ABMA18.2-82R88 | BEARINGS, NEEDLE ROLLER RADIAL, INCH DESIGN [CUST: AT AS 99 GS] | A 3110 | GS | 15-AUG-95 | |
| ABMA19.1-87 | BEARINGS, ROLLER, TAPERED RADIAL METRIC DESIGN [CUST: AT AS 99 GS] | A 3110 | GS | 15-AUG-95 | |
| ABMA19.2-94 | BEARINGS, ROLLER, TAPERED - RADIAL INCH DESIGN [CUST: AT AS 99 GS] | A 3110 | GS | 15-AUG-95 | |
| ABMA20-87 | BEARINGS OF BALL, RADIAL, CYLINDRICAL ROLLER AND SPHERICAL ROLLER TYPES, METRIC DESIGN [CUST: AT AS 99 GS] | A 3110 | GS | 15-AUG-95 | |
| ABMA22.1-89 | BEARINGS, SPHERICAL PLAIN RADIAL JOINT TYPE, METRIC DESIGN [CUST: AT AS 99 GS] | A 3110 | GS | 15-AUG-95 | |
| ABMA22.2-88R94 | BEARINGS, SPHERICAL PLAIN RADIAL JOINT TYPE, INCH DESIGN [CUST: AT AS 99 GS] | A 3110 | GS | 15-AUG-95 | |
| ABMA23.2-88 | BEARINGS, THRUST, OF TAPERED ROLLER TYPE - INCH DESIGN [CUST: AT AS 99 GS] | A 3110 | GS | 15-AUG-95 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------|--|-----------------------|-----|-------------|-----------|
| A ABMA24.1-89 | BEARINGS OF BALL, THRUST, CYLINDRICAL ROLLER AND SPHERICAL ROLLER TYPES - METRIC DESIGN [CUST: AT AS 99 GS] | A 3110 | GS | | 15-AUG-95 |
| A ABMA24.2-89 | BEARINGS OF BALL, THRUST AND CYLINDRICAL ROLLER TYPES - INCH DESIGN [CUST: AT AS 99 GS] | A 3110 | GS | | 15-AUG-95 |
| A ABMA25.2-90 | BEARINGS, ROLLING, LINEAR MOTION RECIRCULATING BALL, SLEEVE TYPE INCH SERIES [CUST: AT AS 99 GS] | A 3110 | GS | | 15-AUG-95 |
| A ABMA26.2-94 | BALL BEARINGS, THIN SECTION, INCH DESIGN [CUST: AT AS 99 GS] | A 3110 | GS | | 15-AUG-95 |
| ABS-LAS3-66 | BIODEGRADABILITY ABS & LAS - TEST PROCEDURE & STANDARDS - JAN 66 [CUST: GL SH 99] [REVIEW: AR MD] | A 7930 | GL | | 20-FEB-67 |
| ACI116-90 | CEMENT & CONCRETE TERMINOLOGY - 1990 [CUST: YD1] | A 5610 | YD1 | | 01-FEB-91 |
| ACI201.1R-68R84 | CONCRETE IN SERVICE, GUIDE FOR MAKING A CONDITION SURVEY OF - 1968 [CUST: YD1] | A 5610 | YD1 | | 11-OCT-88 |
| ACI201.2R-77R82 | CONCRETE, DURABLE, GUIDE TO - NOV 1986 [CUST: YD1] | A 5610 | YD1 | | 14-OCT-87 |
| ACI201.2-77R82 NOT 2 | CONCRETE, DURABLE, GUIDE TO [CUST: YD1] | A 5610 | YD1 | | 04-NOV-92 |
| ACI207.1R-87 | CONCRETE, MASS - SEPT 1987 [CUST: YD1] | A 5610 | YD1 | | 22-SEP-88 |
| ACI207.2R-73R86 | CONCRETE, MASSIVE, EFFECT OF RESTRAINT, VOLUME CHANGE, & REINFORCEMENT ON CRACKING OF - 1973 (REAPPROVED 1986) [CUST: YD1] | A 5610 | YD1 | | 11-OCT-88 |
| ACI207.4R-80R86 | CONCRETE, MASS, COOLING & INSULATING SYSTEMS FOR [CUST: YD1] | A 5610 | YD1 | | 11-OCT-88 |
| ACI210R-87 | CONCRETE IN HYDRAULIC STRUCTURES, EROSION OF - 1987 [CUST: YD1] | A 5610 | YD1 | | 11-OCT-88 |
| ACI211.1-89 | CONCRETE, SELECTING PROPORTIONS FOR NORMAL, HEAVYWEIGHT, AND MASS - 1989 [CUST: YD1] | A 5610 | YD1 | | 20-JUL-90 |
| ACI211.2-91 NOT 1 | SELECTING PROPORTIONS FOR STRUCTURAL LIGHTWEIGHT CONCRETE, STANDARD PRACTICE FOR [CUST: YD1] | A 5610 | YD1 | | 24-APR-92 |
| ACI211.3-75R87 | CONCRETE, NO SLUMP, SELECTING PROPORTIONS FOR - 75 (REAPPROVED 87) [CUST: YD1] | A 5610 | YD1 | | 26-APR-88 |
| ACI213R-87 | CONCRETE, STRUCTURAL LIGHTWEIGHT AGGREGATE, GUIDE FOR - MAY 1988 [CUST: YD1] | A 5610 | YD1 | | 28-JAN-91 |
| ACI214-77R89 | CONCRETE, EVALUATION OF STRENGTH TEST RESULTS OF - MAY 1989 [CUST: YD1] | A 5610 | YD1 | | 22-NOV-89 |
| ACI221R-89 | AGGREGATES, NORMAL WEIGHT IN CONCRETE, GUIDE FOR USE OF - 1989 [CUST: YD1] | A 5610 | YD1 | | 05-FEB-91 |
| ACI223-90 | CONCRETE, SHRINKING-COMPENSATING, USE OF - JUL 1990 [CUST: YD1] | A 5610 | YD1 | | 28-JAN-91 |
| ACI224R-89 | CONCRETE STRUCTURES, CRACKING IN, CONTROL OF - MAY 1990 [CUST: YD1] | A 5610 | YD1 | | 28-JAN-91 |
| ACI244-88 | CONCRETE STRUCTURES, CRACKING IN, CONTROL OF - MAY 1990 [CUST: YD1] | A 5610 | YD1 | | 28-JAN-91 |
| ACI301-89 | STRUCTURAL CONCRETE FOR BUILDINGS - OCT 1989 [CUST: YD1] | A 5610 | YD1 | | 22-NOV-89 |
| ACI302.1R-89 | CONCRETE FLOOR AND SLAB CONSTRUCTION - MAR 1990 [CUST: YD1] | A 5610 | YD1 | | 14-AUG-90 |
| ACI303R-74R82 | ARCHITECTURAL CONCRETE PRACTICE, GUIDE TO CAST-IN-PLACE - 1974 [CUST: YD1] | A 5610 | YD1 | | 05-FEB-91 |
| ACI304R-89 | CONCRETE, MEASURING, MIXING, TRANSPORTING AND PLACING - APR 1990 [CUST: YD1] | A 5610 | YD1 | | 14-AUG-90 |
| ACI304.2R-71 | CONCRETE, PLACING BY PUMPING METHODS - 1971 [CUST: YD1] | A 5610 | YD1 | | 01-FEB-91 |
| ACI304.3R-89 | CONCRETE, HEAVYWEIGHT: MEASURING, MIXING, TRANSPORTING, AND PLACING - 1989 [CUST: YD1] | A 5610 | YD1 | | 18-JUL-90 |
| ACI304.4R-89 | CONVEYOR, BELT, PLACING CONCRETE WITH - 89 [CUST: YD1] | A 5610 | YD1 | | 26-OCT-90 |
| ACI304.5R-82 NOT 1 | CONCRETE, LIGHTWEIGHT BATCHING, MIXING & JOB CONTROL OF - 1982 [CUST: YD1] | A 5610 | YD1 | | 30-MAR-89 |
| ACI305R-89 | CONCRETING HOT WEATHER - 5TH PRINTING APR 1989 [CUST: YD1] | A 5610 | YD1 | | 02-OCT-89 |
| ACI306R-88 | CONCRETING, RECOMMENDED PRACTICE FOR COLD WEATHER [CUST: YD1] | A 5610 | YD1 | | 08-JUN-89 |
| ACI306.1-90 | CONCRETING, COLD WEATHER - JUL 1990 [CUST: YD1] | A 5610 | YD1 | | 01-FEB-91 |
| ACI308-81R86 | CONCRETE, STANDARD PRACTICE FOR CURING [CUST: YD1] | A 5610 | YD1 | | 16-OCT-87 |
| ACI309R-87 | CONCRETE, STANDARD PRACTICE FOR CONSOLIDATION [CUST: YD1] | A 5610 | YD1 | | 26-APR-89 |
| ACI311.4R-89 | CONCRETE INSPECTION, GUIDE FOR - 1988 [CUST: YD1] | A 5610 | YD1 | | 06-FEB-91 |
| ACI318/318R-92 | CONCRETE REINFORCED, BUILDING CODE REQUIREMENTS FOR [CUST: CR4 YD1 99] | A 5610 | YD1 | | 1992 |
| ACI336.2R-89 | FOOTINGS AND MATS, COMBINED, SUGGESTED ANALYSIS AND DESIGN PROCEDURES FOR - 1988 [CUST: YD1] | A 5610 | YD1 | | 22-NOV-89 |
| ACI346/346R-90 | PIPE, CONCRETE, CAST-IN-PLACE NONREINFORCED, SPECIFICATION FOR, AND RECOMMENDATIONS FOR CAST-IN-PLACE NONREINFORCED CONCRETE PIPE - 1990 [CUST: YD1] | A 5610 | YD1 | | 06-FEB-91 |
| ACI347R-88 | CONCRETE, GUIDE TO FORMWORK FOR - APR 1989 [CUST: YD1] | A 5610 | YD1 | | 01-NOV-89 |
| ACI503R-89 | EPOXY COMPOUND WITH CONCRETE, USE OF - MAY 1990 [CUST: YD1] | A 5610 | YD1 | | 14-AUG-90 |
| ACI503.1-79R86 | EPOXY RESIN STANDARDS [CUST: YD1] | A 5640 | YD1 | | 26-MAY-89 |
| ACI506R-90 | SHOTCRETE. GUIDE TP - JUN 1990 [CUST: YD1] | A 5610 | YD1 | | 31-JAN-91 |
| ACI506.1R-84R89 NOT 1 | SHOTCRETE, FIBER REINFORCED, STATE-OF-THE-ART REPORT ON [CUST: YD1] | A 5610 | YD1 | | 24-AUG-92 |
| ACI506.2-90 | SHOTCRETE, MATERIALS, PROPORTIONING, AND APPLICATION OF - JUL 1990 [CUST: YD1] | A 5610 | YD1 | | 01-FEB-91 |
| ACI506.3R-82 NOT 2 | GUIDE TO CERTIFICATION OF SHOTCRETE NOZZLEMEN [CUST: YD1] | A 5610 | YD1 | | 09-APR-92 |
| ACI515.1R-79R85 | CONCRETE, A GUIDE TO THE USE OF WATERPROOFING, DAMPPROOFING, PROTECTIVE & DECORATIVE BARRIER SYSTEMS FOR CONCRETE - JUNE 1987 [CUST: YD1] | A 5610 | YD1 | | 21-SEP-88 |
| ACI517.2R-87 | CONCRETE, ACCELERATED CURING OF AT ATMOSPHERIC PRESSURE - STATE OF THE ART - 1987 [CUST: YD1] | A 5610 | YD1 | | 11-NOV-88 |
| ACI530.1-92 | MASONRY STRUCTURES [CUST: CR4 YD1 99] | A 5620 | YD1 | | 1992 |
| ACI544.1R-82R86 | CONCRETE FIBER REINFORCED, STATE OF THE ART REPORT [CUST: YD1] | A 5610 | YD1 | | 11-NOV-88 |
| ACI544.2R-78R83 NOT 1 | CONCRETE, FIBER REINFORCED, PROPERTIES OF, MEASUREMENT OF - 1978 [CUST: YD1] | A 5610 | YD1 | | 30-MAR-89 |
| ACI-SP15-89 | STRUCTURAL CONCRETE FOR BUILDINGS - 1990 [CUST: YD1] | A 5610 | YD1 | | 31-JAN-91 |
| ACI-SP66-88 | ACI DETAILING MANUAL - 1988 [CUST: YD1] | A 5610 | YD1 | | 03-MAR-89 |
| ADA1-77 | ALLOY FOR DENTAL AMALGAM (W/ADDENDUM) [CUST: MD MS 03 MB] | A 6520 | MB | | SEPT 77 |
| ADA4-83 | WAX, DENTAL INLAY CASTING [CUST: MD MS 03 MB] | A 6520 | MB | | 23-SEP-83 |
| ADA5-88 | ALLOYS, CASTING, DENTAL [CUST: MD MS 03 MB] | A 6520 | MB | | 14-DEC-88 |
| ADA8-77 | CEMENT, DENTAL ZINC - PHOSPHATE [CUST: MD MS 03 MB] | A 6520 | MB | | 15-SEP-77 |
| ADA12-73 | DENTURE BASE POLYMERS [CUST: MD MS 03 MB] | A 6520 | MB | | DEC-73 |
| ADA23A-84 | BURS, DENTAL EXCAVATING [CUST: MD MS 03 MB] | A 6520 | MB | | 21-MAR-84 |
| ADA25-89 | PRODUCTS, DENTAL GYPSUM [CUST: MD MS 03 MB] | A 6525 | MB | | 23-JAN-89 |
| ADA28-88 | FILES, ROOT CANAL, AND REAMERS, TYPE K, AND NO. 58 FOR ROOT CANAL FILES, TYPE H (HEDSTROM) [CUST: MD MS 03 MB] | A 6520 | MB | | 30-JUN-88 |
| ADA29-75 | INSTRUMENTS, HAND [CUST: MD MS 03 MB] | A 6520 | MB | | NOV-75 |
| ADA30-90 | DENTAL ZINC OXIDE - EUGENOL CEMENTS AND ZINC OXIDE NON-EUGENOL CEMENTS, AMERICAN NATIONAL STANDARD FOR [CUST: MD MS 03 MB] | A 6520 | MB | | 06-MAR-90 |
| ADA46-82 | CHAIRS, DENTAL [CUST: MD MS 03 MB] | A 6520 | MB | | 06-JUL-82 |
| ADA47-83 | UNITS, DENTAL [CUST: MD MS 03 MB] | A 6520 | MB | | 21-APR-83 |
| ADA57-83 | MATERIALS, FILLING, ENDODONTIC [CUST: MD MS 03 MB] | A 6520 | MB | | 30-MAY-83 |
| AGMA201.02-68R74 | TOOTH PROPORTIONS FOR COARSE-PITCH INVOLUTE SPUR GEARS [CUST: CR4 YD1 99] | A 3020 | YD1 | | JUN-68 |

DODISS NUMERICAL LISTING

DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|----------------------|--|-----------------------|-----|-------------|-----------|
| AGMA218.01-82 | GEAR TEETH, SPUR AND HELICAL INVOLUTE, AGMA STANDARD FOR RATING THE PITTING RESISTANCE AND BENDING STRENGTH OF- DEC 82 [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | | 01-MAR-89 |
| AGMA390.03A-80 | GEAR HANDBOOK - GEAR CLASSIFICATION, MATERIALS AND MEASURING METHODS FOR BEVEL, HYPOID, FINE PITCH WORMGEARING AND RACKS ONLY AS UNASSEMBLED GEARS [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | | MAR-80 |
| AGMA904B-89 | METRIC USAGE [CUST: AL SH 99] | A 4730 | AL | | 16-MAY-89 |
| AGMA908-89 | SPUR, HELICAL AND HERRINGBONE GEAR TEETH, GEOMETRY FACTORS FOR, DETERMINING THE PITTING RESISTANCE AND BENDING STRENGTH [CUST: CR4 YD1 99] | A 3020 | YD1 | | 21-APR-89 |
| AGMA2000A-88 | GEAR CLASSIFICATION AND INSPECTION HANDBOOK-TOLERANCE AND MEASURING METHODS FOR UNASSEMBLED AND HELICAL GEARS (INCLUDING METRIC EQUIVALENTS) MARCH 1988 [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | | 01-MAR-89 |
| AGMA2001B-88 | GEAR TEETH, INVOLUTE SPUR AND HELICAL, FUNDAMENTAL RATING FACTORS AND CALCULATION METHODS FOR - SEP 88 [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | | 21-NOV-89 |
| AGMA2003-88 | RATING THE PITTING RESISTANCE AND BENDING STRENGTH OF GENERATED STRAIGHT BEVEL, ZEROL BEVEL, AND SPIRAL BEVEL GEAR TEETH [CUST: YD1] [REVIEW: CC MC] | A 3020 | YD1 | | 01-JUN-88 |
| AGMA2004B-89 | GEAR MATERIALS AND HEAT TREATMENT MANUAL [CUST: CR4 YD1 99] | A 3020 | CR4 | | FEB-89 |
| AGMA2005B-88 | GEARS, BEVEL, DESIGN MANUAL FOR [CUST: MI YD1 99] | A 3414 | MI | | MAY-88 |
| AGMA6001-88 | DESIGN AND SELECTION OF COMPONENTS FOR ENCLOSED GEAR DRIVES [CUST: CR4 YD1 99] | A 3020 | YD1 | | JUN-88 |
| AGMA6010-88 | SPUR, HELICAL, HERRINGBONE, AND BEVEL ENCLOSED DRIVES [CUST: CR4 YD1 99] | A 3020 | YD1 | | NOV-88 |
| AGMA6019E-89 NOT 1 | GEARMOTORS USING SPUR, HELICAL, HERRINGBONE, STRAIGHT BEVEL, OR SPIRAL BEVEL GEARS, STANDARD FOR [CUST: YD1] | A 34GP | YD1 | | 23-DEC-91 |
| AGMA6021-89R94 | SHAFT MOUNTED AND SCREW CONVEYOR DRIVES USING SPUR, HELICAL, HERRINGBONE GEARS [CUST: CR4 YD1 99] | A 3020 | YD1 | | 07-NOV-89 |
| AGMA6034B-92 | WORMGEAR SPEED REDUCERS AND GEARMOTORS, ENCLOSED CYLINDRICAL [CUST: CR4 YD1 99] | A 3020 | YD1 | | 07-FEB-92 |
| AGMA9000C-90 NOT 1 | FLEXIBLE COUPLINGS - POTENTIAL UNBALANCE CLASSIFICATION [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 3040 | YD1 | | 07-APR-92 |
| AGMA9002A-86 | BORES AND KEYWAYS FOR FLEXIBLE COUPLINGS (INCH SERIES) [CUST: AL YD1 99] | A 3411 | YD1 | | MAR-86 |
| AHA-A135.4-82R88 | STANDARD FOR BASIC HARDBOARD - 10 SEP 82 REAFFIRMED 11 JAN 88 [CUST: YD1] [REVIEW: 84] | A 5640 | YD1 | | 02-OCT-89 |
| AIAA-S017-91 NOT 1 | AERODYNAMIC DECELERATOR AND PARACHUTE DRAWINGS, STANDARD FOR [CUST: GL OS 16] [REVIEW: 11 82 AR AS GS] | A DRPR | GL | | 03-JAN-92 |
| AIAA-R024-93 | SPACE OPERATIONS AND SUPPORT DOCUMENTATION, RECOMMENDED PRACTICE FOR [CUST: 16] [REVIEW: 19 99] | A TMSS | 16 | | 04-JAN-94 |
| AIAA-R100-96 | PARTS MANAGEMENT, RECOMMENDED PRACTICE FOR [CUST: AT AS 19] | A SDMP | SO | | 1996 |
| AIIM-MS1-88 | COMPUTER-OUTPUT MICROFORMS, ALPHANUMERIC, OPERATIONAL PRACTICES FOR INSPECTION AND QUALITY CONTROL, RECOMMENDED PRACTICE FOR - 10 MAY 88 - [CUST: CR AS 16 DH] [REVIEW: 11 13 18 24 CC] | A EDRS | 16 | | 07-AUG-89 |
| AIIM-MS23-83 | SILVER-GELATIN, MICROFILM OF DOCUMENTS, FIRST GENERATION, PRACTICE FOR OPERATIONAL PROCEDURES/INSPECTION & QUALITY CONTROL OF [CUST: CR AS 16] [REVIEW: 11 70 71 79 80 CC DH GS IS MC OS SA SH] | A EDRS | 16 | | 24-JAN-83 |
| AIIM-MS24-80R87 | TEST TARGET FOR USE IN MICRORECORDING ENGINEERING GRAPHICS ON 35MM MICR OFILM - 31 MARCH 1987 [CUST: CR AS 16 DH] [REVIEW: 11 13 18 19 24] | A EDRS | 16 | | 21-AUG-89 |
| AIIM-MS26-90 | CAMERAS, 35MM PLANETARY (TOP LIGHT) - PROCEDURES FOR DETERMINING ILLUMINATION UNIFORMITY OF MICROFILMING ENGINEERING DRAWINGS - 13 APR 90 [CUST: CR AS 16 DH] [REVIEW: 11 18 19 AR AT CC CR GS IS MI SA SH TD] | A EDRS | 16 | | 02-OCT-90 |
| AIIM-MS32-87 | MICROGRAPHICS-MICRORECORDING OF ENGINEERING SOURCE DOCUMENTS ON 35-MM MICROFILM STANDARD FOR - 16 NOV 87 [CUST: CR AS 16] [REVIEW: 11 24 82 84 AR AT CR OS SH] | A EDRS | 16 | | 11-MAY-88 |
| AIIM-MS34-90 | MICROFILM, 16 MM AND 35 MM, DIMENSIONS FOR REELS USED FOR - 16 NOV 1990 [CUST: CR AS 16 DH] [REVIEW: 19 AR AT CC CR GS IS MI SA SH TD] | A EDRS | 16 | | 12-AUG-91 |
| AIIM-MS43-88 | OPERATIONAL PROCEDURES/INSPECTION AND QUALITY CONTROL OF DUPLICATE MICROFORMS OF DOCUMENTS AND FORM COM - 11 AUG 88 [CUST: CR AS 16 DH] [REVIEW: 11 13 18 24 80 CC GS IS] | A EDRS | 16 | | 01-AUG-89 |
| AIIM-MS46-90 | MICROFILM APERTURE CARDS, 35MM DIAZO, TEST PROCEDURE FOR DUPLICATING - 13 APR 90 [CUST: CR AS 16 DH] [REVIEW: 11 18 19 AR AT CC CR GS IS MI SA SH TD] | A EDRS | 16 | | 02-OCT-90 |
| AIIM-TR2-92 NOT 1 | GLOSSARY OF IMAGING TECHNOLOGY [CUST: CR AS 16] [REVIEW: 70 71 80 82 84 AR AT CC CR GS IS MI SA SH TD] | A EDRS | 16 | | 19-JUL-93 |
| AIIM-TR4-89 | SILVER RECOVERY TECHNIQUES [CUST: CR AS 16] [REVIEW: 70 71 80 82 84 AR AT CC CR GS IS MI SA SH TD] | A EDRS | 16 | | 1989 |
| A AIM-BC1-95 | UNIFORM SYMBOLOGY SPECIFICATION CODE 39 [CUST: SM SA 69 DH] [REVIEW: 11 13 70 71 80 82 84 99 AL AR AS AT CC CR CT DM EA EC GS IS MC MI MT OS PS SH SS TM YD1] | A PACK | SM | | 16-AUG-97 |
| AISC-S303-92 | STEEL BUILDINGS AND BRIDGES, CODE OF STANDARD PRACTICE FOR [CUST: CE YD1 04] | A FACR | YD1 | | 10-JUN-92 |
| AISC-S329-85 | DESIGN, STRESS, ALLOWABLE STRUCTURAL JOINTS USING ASTM-A325 OR ASTM-A490 BOLTS [CUST: AR YD1 99 IS] | A 5306 | IS | | 13-NOV-85 |
| AISC-S335-89 | BUILDINGS, STRUCTURAL STEEL, ALLOWABLE STRESS DESIGN AND PLASTIC DESIGN [CUST: CE YD1 04] | A FACR | YD1 | | 01-JUN-89 |
| AITC200-83 | INSPECTION MANUAL [CUST: YD1] [REVIEW: CC CR4 OS SH] | A 55GP | YD1 | | 26-JUN-89 |
| AITC-A190.1-83 NOT 1 | TIMBER, STRUCTURAL GLUED LAMINATED - 3 JUN 83 [CUST: YD1] [REVIEW: CC CR4 OS SH] | A 5510 | YD1 | | 30-MAR-89 |
| AMCA99-86 | STANDARDS HANDBOOK - 1986 [CUST: YD1] | A 4140 | YD1 | | 06-SEP-91 |
| AMCA201-90 | FANS AND SYSTEMS [CUST: CR4 YD1 99] [REVIEW: 82 CE GS] | A 4140 | YD1 | | 1990 |
| AMCA210-85 | LABORATORY METHODS OF TESTING FANS FOR RATING - 23 JUL 1985 [CUST: YD1] | A 4140 | YD1 | | 20-SEP-91 |
| AMCA220-91 | AIR CURTAIN UNITS TEST METHODS FOR [CUST: CR4 YD1] [REVIEW: CE GS] | A 4140 | YD1 | | 22-APR-91 |
| AMCA300-85 | FANS, REVERBERANT ROOM METHOD FOR SOUND TESTING OF [CUST: YD1] | A 4140 | YD1 | | 27-NOV-91 |
| AMCA301-90 | METHODS FOR CALCULATING FAN SOUND RATINGS FROM LABORATORY TEST DATA [CUST: CR4 YD1] [REVIEW: CC CE] | A 4140 | YD1 | | 25-OCT-90 |
| AMCA302-73 | RATINGS, SONE, APPLICATION OF [CUST: CR4 YD1 99] [REVIEW: 82 CE GS] | A 4140 | YD1 | | 01-FEB-73 |
| AMCA303-79 | SOUND POWER LEVEL RATINGS, APPLICATION OF [CUST: CR4 YD1 99] [REVIEW: 82 CE GS] | A 4140 | YD1 | | 01-APR-79 |
| AMCA500-89 | LOUVERS, DAMPERS AND SHUTTERS, TEST METHOD FOR - 22 FEB 1989 [CUST: YD1] | A 4140 | YD1 | | 20-SEP-91 |
| AMCA501-93 | APPLICATION MANUAL FOR AIR LOUVERS [CUST: CR4 YD1] [REVIEW: CE GS] | A 4140 | YD1 | | 03-SEP-93 |
| AMCA511-91 NOT 1 | CERTIFIED RATINGS PROGRAM FOR AIR CONTROL DEVICES [CUST: YD1] | A 4140 | YD1 | | 01-JUN-92 |
| AMCA801-77 | FAN, POWER PLANT, SPECIFICATION GUIDELINES - 1977 [CUST: YD1] | A 4140 | YD1 | | 20-SEP-91 |
| AMCA802-92 | FANS, INDUSTRIAL PROCESS/POWER GENERATION, ESTABLISHING PERFORMANCE USING LABORATORY MODELS [CUST: CR4 YD1 99] | A 4140 | YD1 | | 13-APR-93 |
| ANMC-78 | EDITORIAL GUIDE, METRIC - JAN 78 [CUST: MR SH 11] | A MISC | SH | | 16-JAN-78 |
| ANSI-A5.50-85 | TOOL, V FLANGE SHANKS FOR MACHINING CENTERS WITH AUTOMATIC TOOL CHANGERS - 1985 [CUST: MR AL 11] [REVIEW: 99 AR IS MI] | A 34GP | GS | | 11-AUG-89 |
| ANSI-A10.3-85 | POWDER-ACTUATED FASTENING SYSTEMS, SAFETY REQUIREMENTS, FOR CONSTRUCTION AND DEMOLITION [CUST: GL YD1 99 IS] | A 5325 | IS | | 22-MAR-85 |
| ANSI-A10.6-90 NOT 1 | DEMOLITION, OPERATIONS, SAFETY REQUIREMENTS FOR [CUST: CE YD1 04] | A FACR | YD1 | | 11-SEP-92 |
| ANSI-A14.1-90 | LADDERS, PORTABLE WOOD, SAFETY REQUIREMENTS [CUST: AT YD1 99] | A 5440 | AT | | 16-NOV-90 |
| ANSI-A14.2-90 | LADDERS, PORTABLE METAL, SAFETY REQUIREMENTS [CUST: CR4 AS 99] | A 5440 | AS | | 12-NOV-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|--------------------------|---|--------------------------|-----|-------------|-----------|
| ANSI-A14.3-84 | LADDERS - FIXED-SAFETY REQUIREMENTS ANS FOR 13 JAN 84 [CUST: CR4 YD1 99] | A 5440 | | YD1 | 26-JUL-89 |
| ANSI-A21.14-89 | GAS, DUCTILE-IRON FITTINGS 3-INCH THROUGH 24-INCH, STANDARD FOR - 28 SEPT 89 [CUST: CR4 YD1 99] [REVIEW: CC CE SH] | A 4730 | | YD1 | 09-JUL-90 |
| ANSI-A92.2-90 | DEVICES, AERIAL, VEHICLE MOUNTED ELEVATING AND ROTATING [CUST: AT YD1 99] | A 2590 | | AT | 08-FEB-90 |
| ANSI-A92.5-80 NOT 1 | PLATFORMS, ELEVATING WORK, BOOM, -SUPPORTED, AMERICAN NATIONAL STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: GS] | A 3990 | | YD1 | 11-SEP-92 |
| ANSI-A108.1A-92 | CERAMIC TILE IN THE WET-SET METHOD, WITH PORTLAND CEMENT MORTAR, INSTALLATION OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | | YD1 | 24-AUG-92 |
| ANSI-A108.1C | CERAMIC TILE IN THE WET-SET METHOD WITH PORTLAND CEMENT MORTAR OR INSTALLATION OF CERAMIC TILE ON A CURED PORTLAND CEMENT MORTAR SETTING BED WITH DRY-SET OR LATEX PORTLAND CEMENT MORTAR, INSTALLATION OF, CONTRACTORS OPTION [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | | YD1 | 24-AUG-92 |
| ANSI-A108.1B-92 | CERAMIC TILE ON A CURED PORTLAND CEMENT MORTAR SETTING BED WITH DRY-SET OR LATEX PORTLAND CEMENT MORTAR, INSTALLATION OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | | YD1 | 24-AUG-92 |
| ANSI-A108.4-92 | CERAMIC TILE WITH ORGANIC ADHESIVES OF WATER CLEANABLE TILE SETTING EPOXY ADHESIVE, INSTALLATION OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | | YD1 | 24-AUG-92 |
| ANSI-A108.5-92 | CERAMIC TILE WITH (DRY-SET PORTLAND CEMENT MORTAR OR LATEX-PORTLAND CEMENT MORTAR), INSTALLATION OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | | YD1 | 24-AUG-92 |
| ANSI-A108.6-92 | CERAMIC TILE WITH CHEMICAL RESISTANT, WATER CLEANABLE TILE-SETTING AND GROUTING EPOXY, INSTALLATION OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | | YD1 | 24-AUG-92 |
| ANSI-A108.10-92 | GROUT IN TILEWORK, STANDARD SPECIFICATION FOR INSTALLATION OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | | YD1 | 24-AUG-92 |
| ANSI-A112.6.1M-79 NOT 1 | SUPPORTS FOR OFF THE FLOOR PLUMBING FIXTURES FOR PUBLIC USE - 15 NOV 79 [CUST: CR4 YD1 99] [REVIEW: CC] | A 4510 | | YD1 | 05-JUN-87 |
| ANSI-A112.19.2M-90 | PLUMBING FIXTURES, VITREOUS CHINA - 6 DEC. 1990 [CUST: YD1 99] [REVIEW: 84 CC CE] | A 4510 | | YD1 | 01-MAR-91 |
| ANSI-A112.19.4M-84 | PORCELAIN ENAMELED FORMED STEEL PLUMBING FIXTURES - 16 AUG 84 [CUST: CR YD1 99] [REVIEW: 85 CC CR4 GS] | A 4510 | | YD1 | 29-MAY-87 |
| ANSI-A112.19.5-79 NOT 1 | TRIM FOR WATER CLOSET BOWLS, TANKS, AND URINALS - 30 JUN 79 [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4510 | | YD1 | 15-FEB-91 |
| ANSI-A112.21.1M-80 NOT 1 | DRAIN, FLOOR - 1 DEC 80 [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4510 | | YD1 | 06-NOV-87 |
| ANSI-A112.21.2M-83 NOT 1 | DRAIN, ROOF, AMERICAN NATIONAL STANDARD - 31 JUL 83 [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4510 | | YD1 | 06-NOV-87 |
| ANSI-A112.26.2-82 NOT 1 | PERFORMANCE REQUIREMENTS FOR WATER PRESSURE REDUCING VALVES FOR DOMESTIC WATER SUPPLY SYSTEMS - 21 DEC 82 [CUST: CR4 YD1 99] [REVIEW: CC] | A 4820 | | YD1 | 25-NOV-88 |
| ANSI-A112.36.2M-83 NOT 1 | CLEANOUTS - 5 MAY 83 [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4510 | | YD1 | 05-MAY-89 |
| ANSI-A115.1-82 | STEEL DOOR AND STEEL FRAME PREPARATION FOR MORTISE LOCKS FOR 1-3/8" AND 1-3/4" DOORS STANDARD SPECIFICATION FOR - AUG 82 [CUST: CR YD1 99] [REVIEW: 84 85 CR4 GS] | A 5670 | | YD1 | 17-NOV-88 |
| ANSI-A115.2-80 | STEEL DOOR AND STEEL FRAME PREPARATION FOR BORED OR CYLINDRICAL LOCKS FOR 1-3/8" AND 1-3/4" DOORS STANDARD SPECIFICATION FOR - 6 FEB 80 [CUST: CR YD1 99] [REVIEW: 84 85 CR4 GS] | A 5670 | | YD1 | 17-NOV-88 |
| ANSI-A115.4-82 | STEEL DOOR AND FRAME PREPARATION FOR LEVER EXTENSION FLUSH BOLTS STANDARD SPECIFICATION FOR - AUG 82 [CUST: CR YD1 99] [REVIEW: 84 85 CR4 GS] | A 5670 | | YD1 | 17-NOV-88 |
| ANSI-A115.5-82 | STEEL FRAME PREPARATION FOR 181 SERIES & 190 SERIES DEAD LOCK STRIKES, AMERICAN NATIONAL STANDARD SPECIFICATION FOR - AUG 1982 [CUST: CR4 YD1 99] [REVIEW: 84] | A 5670 | | YD1 | 17-NOV-88 |
| ANSI-A115.6-82 | STEEL DOOR AND FRAME PREPARATION FOR PREASSEMBLED DOOR LOCKS STANDARD SPECIFICATION FOR - AUG 82 [CUST: CR YD1 99] [REVIEW: 84 85 CR4 GS] | A 5670 | | YD1 | 17-NOV-88 |
| ANSI-A115.7-82 | STEEL FRAME & STEEL DOOR PREPARATION FOR FLOOR CLOSERS, LIGHT DUTY, CENTER HUNG, SINGLE OR DOUBLE ACTING CENTER HUNG, SINGLE OR DOUBLE ACTING, OFFSET HUNG, SINGLE ACTING AMERICAN NATIONAL STANDARD SPECIFICATION FOR - AUG 1982 [CUST: CR4 YD1 99] [REVIEW: 82] | A 5670 | | YD1 | 17-NOV-88 |
| ANSI-A115.12-82 | STEEL FRAME & STEEL DOOR PREPARATION FOR OFFSET INTERMEDIATE PIVOT AMERICAN NATIONAL STANDARD SPECIFICATION FOR - AUG 82 [CUST: CR4 YD1 99] [REVIEW: 84] | A 5670 | | YD1 | 17-NOV-88 |
| ANSI-A115.13-82 | STEEL FRAME & STEEL DOOR PREPARATION FOR TUBULAR DEADLOCKS AMERICAN NATIONAL STANDARD SPECIFICATION FOR - AUG 82 [CUST: CR4 YD1 99] [REVIEW: 84] | A 5670 | | YD1 | 17-NOV-88 |
| ANSI-A115.14-82 | STEEL DOORS FOR OPEN BACK STRIKES PREPARATION AMERICAN NATIONAL STANDARD SPECIFICATION - AUG 82 [CUST: CR4 YD1 99] [REVIEW: 84] | A 5670 | | YD1 | 17-NOV-88 |
| ANSI-A115.15-85 | STEEL FRAME & STEEL DOOR PREPARATION FOR BORED OR CYLINDRICAL LOCKS INSTALLED IN PREHUNG INSULATED AMERICAN NATIONAL STANDARD SPECIFICATIONS FOR - OCT 85 [CUST: CR4 YD1 99] [REVIEW: 84] | A 5670 | | YD1 | 17-NOV-88 |
| ANSI-A115.16-80 | DOUBLE TYPE LOCKS IN PREHUNG INSULATED STEEL DOORS AND STEEL FRAMES, PREPARATION FOR, STANDARD SPECIFICATION FOR - 6 FEB 80 [CUST: CR YD1 99] [REVIEW: 84 85 CR4 GS] | A 5670 | | YD1 | 17-NOV-88 |
| ANSI-A115.17-80 | DOUBLE TYPE LOCKS IN STANDARD 1-3/8" AND 1-3/4" STEEL DOORS AND STEEL FRAMES, PREPARATION FOR, STANDARD SPECIFICATION FOR - 9 APR 80 [CUST: CR YD1 99] [REVIEW: 84 85 CR4 GS] | A 5670 | | YD1 | 17-NOV-88 |
| ANSI-A117.1-92 | BUILDINGS AND FACILITIES, ACCESSIBLE AND USABLE [CUST: CE YD1 04] | A FACR | | YD1 | 15-DEC-92 |
| ANSI-A118.1-92 | CEMENT MORTAR, DRY-SET PORTLAND, STANDARD SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | | YD1 | 24-AUG-92 |
| ANSI-A118.3-85 | CHEMICAL RESISTANT, WATER CLEANABLE TIEL SETTING AND GROUTING EPOXY AND WATER CLEANABLE TIEL SETTING EPOXY ADHESIVE - 1985 [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | | YD1 | 26-JUL-90 |
| ANSI-A118.4-85 | CEMENT MORTAR, LATEX-PORTLAND - 1985 [CUST: EA YD1 99] [REVIEW: 84] | A 5610 | | YD1 | 23-AUG-90 |
| ANSI-A118.9-92 | CEMENTITIOUS BACKER UNITS, TEST METHODS AND SPECIFICATIONS [CUST: CR4 YD1 99] | A 5620 | | YD1 | 24-AUG-92 |
| ANSI-A118.11-92 | COMENTITIOUS BACKER UNITS, INTERIOR INSTALLATION OF [CUST: CR4 YD1 99] | A 5620 | | YD1 | 24-AUG-92 |
| ANSI-A136.1-92 | CERAMIC TILE, STANDARD FOR ORGANIC ADHESIVES FOR INSTALLATION OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | | YD1 | 24-AUG-92 |
| ANSI-A137.1-88 | TILE, CERAMIC [CUST: CR4 YD1 99] | A 5620 | | YD1 | 1988 |
| ANSI-A151.1-87 | PHYSICAL ENDURANCE FOR STEEL DOORS AND HARDWARE ENFORCINGS, PROCEDURE AND ACCEPTANCE CRITERIA FOR - 13 NOV 87 [CUST: CR YD1 99] [REVIEW: 84 85 CR4 GS] | A 5670 | | YD1 | 26-JUL-89 |
| ANSI-A161.1-90 NOT 1 | CABINETS, KITCHEN AND VANITY, RECOMMENDED PERFORMANCE & CONSTRUCTION STANDARDS FOR [CUST: CR4 YD1] [REVIEW: CE] | A 7125 | | YD1 | 18-DEC-91 |
| ANSI-A161.2-79R87 NOT 1 | COUNTERTOPS, FABRICATED HIGH PRESSURE DECORATIVE LAMINATE, PERFORMANCE STANDARDS FOR [CUST: CR4 YD1] [REVIEW: CE] | A 7125 | | YD1 | 18-DEC-91 |
| ANSI-A208.1-87 | MAT-FORMED WOOD PARTICLE BOARD, STANDARD FOR - 04 NOV 87 [CUST: CR YD1 99] [REVIEW: 85 CE CR4 GS MC SH] | A 5510 | | YD1 | 08-MAR-89 |
| ANSI-B1.20.3-76 NOT 2 | PIPE THREADS, INCH, DRYSEAL [CUST: AR AS 99 IS] [REVIEW: 71 82 AT AV CR CR4 MI OS SH YD1] | A THDS | IS | | 10-AUG-93 |
| ANSI-B4.1-67 | CYLINDRICAL PARTS, PREFERRED LIMITS AND FITS FOR - 18 SEP 67 [CUST: AR SH 99] | A MISC | GS | | 04-JAN-72 |
| ANSI-B5.1-75 | BOLTS, NUTS & TONGUES, T-SLOT, THEIR - 75 [CUST: AL SH 99] [REVIEW: AR CR4 GL] | A 34GP | GS | | 12-DEC-78 |
| ANSI-B5.8-72 | CHUCKS & CHUCK JAWS - 1972 [CUST: AL SH 99] [REVIEW: AR CR4 GL] | A 34GP | GS | | 12-DEC-78 |
| ANSI-B5.9-67R72 | SPINDLE NOSES FOR TOOL ROOM LATHES, ENGINE LATHES, TURRET LATHES, & AUTOMATIC LATHES - 1967 [CUST: AL SH 99] | A 34GP | GS | | 12-DEC-78 |
| USAS-B5.9-67R72 | SPINDLE NOSES FOR TOOL ROOM LATHES, ENGINE LATHES, TURRET LATHES, AND AUTOMATIC LATHES - 1967 [CUST: AL SH 99] [REVIEW: AR CR4] | A 34GP | GS | | 12-DEC-78 |
| ANSI-B5.10-81R87 | TAPERS, MACHINE, SELF HOLDING AND STEEP TAPER SERIES [CUST: AL SH 99] [REVIEW: 84 AR CR4] | A 34GP | GS | | 22-MAY-81 |

DODISS NUMERICAL LISTING

DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|--------------------------|-----|-------------|-----------|
| | ANSI-B5.16-52R72 | LATHES, ENGINE & TOOL ROOM, ACCURACY OF - 1952 [CUST: AL SH 99] [REVIEW: AR CR4 GL] | A 34GP | GS | | 12-DEC-78 |
| | ANSI-B5.18-72 | MILLING MACHINES, SPINDLE NOSES & TOOL SHANKS FOR - 1972 [CUST: AL SH 99] [REVIEW: AR CR4 GL] | A 34GP | GS | | 12-DEC-78 |
| | ANSI-B5.35-69R75 | DISCS, ABRASIVE & PLATE MOUNTED WHEELS, MACHINE MOUNTING SPECIFICATIONS FOR - 1969 [CUST: AL SH 99] [REVIEW: AR CR4 GL] | A 34GP | GS | | 12-DEC-78 |
| | ANSI-B5.40-77 | MACHINES, HORIZONTAL BORING, SPINDLE NOSES & TOOL SHANKS FOR - 1977 [CUST: AL SH 99] [REVIEW: AR CR4 GL] | A 34GP | GS | | 12-DEC-78 |
| | ANSI-B5.53M-82 | CUTTER & TOOL GRINDING MACHINES - 1982 [CUST: AL SH 99] [REVIEW: 84] | A 3415 | GS | | 06-JAN-84 |
| | ANSI-B7.1-88 | ABRASIVE WHEELS, USE, CARE & PROTECTION OF, SAFETY CODES FOR THE - 18 FEBRUARY 1988 [CUST: AL SH 99] [REVIEW: AR CR4 GL] | A 34GP | GS | | 22-MAY-90 |
| | ANSI-B7.7-90 | MATERIALS, ABRADING WITH COATED ABRASIVES SYSTEMS, SAFETY REQUIREMENTS FOR [CUST: MR YD1 99] | A 5350 | 99 | | 07-FEB-90 |
| | ANSI-B11.1-88 | MACHINE TOOLS-MECHANICAL POWER PRESSES SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE, AND USE - 4 APR 88 [CUST: AL SH 99] [REVIEW: 84 AR CR4] | A 34GP | GS | | 04-APR-88 |
| | ANSI-B11.2-82 | MACHINE TOOLS - HYDRAULIC PRESSES - REQUIREMENTS FOR CONSTRUCTION, CARE, & USE - 1982 [CUST: AL SH 99] [REVIEW: AR CR4] | A 3442 | GS | | 02-AUG-82 |
| | ANSI-B11.3-82 NOT 1 | MACHINE TOOLS - POWER PRESS BRAKES - SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE, USE - 1982 [CUST: AL SH 99] | A 34GP | GS | | 21-MAR-89 |
| | ANSI-B11.4-83 NOT 1 | SHEARS, CONSTRUCTION, CARE & USE OF, SAFETY REQUIREMENTS FOR THE - 1983 [CUST: AL SH 99] [REVIEW: 84 AR CR4] | A 34GP | GS | | 21-MAR-89 |
| | ANSI-B11.5-88 | IRONWORKERS, MACHINE TOOLS, SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE AND USE-AMERICAN NATIONAL STANDARD FOR - 23 AUGUST 1988 [CUST: CR AL 17] [REVIEW: 11 19 84 99 AR CR4 MI SM] | A 3445 | GS | | 27-JAN-89 |
| | ANSI-B11.6-84 NOT 2 | LATHES, SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE & USE - 1984 [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | | 27-OCT-89 |
| | ANSI-B11.7-85 | COLD HEADERS & COLD FORMERS, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF - 1985 [CUST: AL SH 99] [REVIEW: 84] | A 3446 | GS | | 21-MAY-85 |
| | ANSI-B11.8-83 NOT 1 | MACHINES, DRILLING, MILLING & BORING, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF - 1983 [CUST: AL SH 99] [REVIEW: 84 AR CR4] | A 34GP | GS | | 14-JUN-89 |
| | ANSI-B11.9-75R87 | MACHINES, GRINDING, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE, AND USE OF - 12 DEC 78 [CUST: AL SH 99] [REVIEW: AR CR4 GL] | A 34GP | GS | | 22-MAY-90 |
| | ANSI-B11.10-83 NOT 1 | SAWING MACHINES, METAL, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF - 1983 [CUST: AL SH 99] [REVIEW: 84 AR CR4] | A 3405 | GS | | 07-MAR-89 |
| | ANSI-B11.11-85 | CUTTING MACHINES, GEAR, SAFETY REQUIREMENTS FOR THE CONSTRUCTION CARE & USE - 1985 [CUST: AL SH 99] [REVIEW: 84] | A 3414 | GS | | 09-NOV-84 |
| | ANSI-B11.12-83 | ROLL FORMING & ROLL BENDING MACHINES SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE - 1983 [CUST: AL SH 99] [REVIEW: 84 MC] | A 3441 | GS | | 10-NOV-83 |
| | ANSI-B11.13-83 | MACHINE TOOLS, SINGLE & MULTIPLE SPINDLE AUTOMATIC SCREW/BAR & CHUCKING MACHINES SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE, & USE - 1983 [CUST: AL SH 99] [REVIEW: 84 AR CR4] | A 3416 | GS | | 01-MAR-84 |
| | ANSI-B11.15-84 NOT 1 | SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF, TUBE & SHAPE BENDING MACHINES - 1984 [CUST: AL SH 99] [REVIEW: 84 MC] | A 3441 | GS | | 01-MAY-89 |
| | ANSI-B16.1-75 | PIPE FLANGES & FLANGED FITTINGS, CAST IRON, CLASS 25, 125, 250 & 800 - 28 MAY 77 [CUST: CR4 YD1 99] [REVIEW: AL CC CE MC OS] | A 4730 | YD1 | | 24-AUG-81 |
| | ANSI-B16.9-86 | FITTINGS, FACTORY-MADE WROUGHT STEEL BUTTWELDING-15 JUNE 87 [CUST: AR YD1 99] [REVIEW: 82 CC CE CR4 MC OS SH] | A 4730 | YD1 | | 24-AUG-87 |
| | ANSI-B16.12-83 NOT 1 | FITTINGS, DRAINAGE, CAST IRON THREADED - 29 FEB 84 [CUST: CR4 YD1 99] [REVIEW: CC] | A 4730 | YD1 | | 10-JUL-89 |
| | ANSI-B16.14-83 NOT 2 | FERROUS TYPE PLUGS, BUSHINGS, AND LOCK NUTS WITH PIPE THREADS, STANDARD FOR - 29 FEB 84 [CUST: CR YD1 99] [REVIEW: 85 AR CC CR4 EA GS MC] | A 4730 | YD1 | | 20-FEB-91 |
| | ANSI-B16.18-84 | FITTINGS, CAST COPPER ALLOY SOLDER JOINT PRESSURE [CUST: 99 CC] [REVIEW: 82 MC SH] | A 4730 | CC | | 30-JUL-84 |
| | ANSI-B16.20-73 NOT 2 | GASKETS, RING-JOINT, AND GROOVES FOR STEEL PIPE FLANGES, STANDARD FOR [CUST: MR YD1 99] [REVIEW: IS SH] | A 5330 | YD1 | | 10-JAN-92 |
| | ANSI-B16.21-78 NOT 2 | GASKETS, NONMETALLIC FLAT, FOR PIPE FLANGES, STANDARD FOR [CUST: MR YD1 99] [REVIEW: 82 IS OS SH] | A 5330 | YD1 | | 10-JAN-92 |
| | ANSI-B16.23-76 | FITTINGS-DWV DRAINAGE, CAST COPPER ALLOY SOLDER JOINT - 2 FEB 76 [CUST: 99] | A 4730 | CC | | 13-OCT-78 |
| | ANSI-B16.24-79 NOT 2 | PIPE FLANGES, BRONZE & FLANGED FITTINGS, STANDARD FOR - 31 AUG 79 [CUST: CR4 YD1] [REVIEW: CC CG SH] | A 4730 | YD1 | | 20-FEB-91 |
| | ANSI-B17.2-67R78 | KEYS & KEYSEATS, WOODRUFF - 1967 [CUST: AL SH 99] [REVIEW: AR CR4 GL YD1] | A 34GP | GS | | 12-DEC-78 |
| | ANSI-B18.1.1-72 | RIVET, SMALL SOLID - 72 (REAFFIRMED 31 AUG 1989) [CUST: AR 99 IS] | A 5320 | IS | | 20-NOV-72 |
| | ANSI-B18.1.2-72 | RIVET, LARGE - 72 (REAFFIRMED 31 AUG 1989) [CUST: AR 99 IS] | A 5320 | IS | | 20-NOV-72 |
| | ANSI-B18.2.1-81 | BOLT, SQUARE & HEX, & SCREWS INCH SERIES - 24 JUN 81 [CUST: AR YD1 99] [REVIEW: AT AV CR CR4 EA MC NS SH] | A 53GP | IS | | 11-JAN-82 |
| | ANSI-B18.2.2-87 | NUTS, HEX & SQUARE (INCH SERIES) - 27 FEB 1987 [CUST: AR SH 99] | A 5310 | AR | | 28-SEP-87 |
| | ANSI-B18.2.3.1M-79 | SCREW, CAP, HEX HEAD - METRIC -26 APR 79 W/ERRATA (5/81) [CUST: AR AS 99 IS] | A 5305 | IS | | 26-APR-79 |
| | ANSI-B18.2.3.2M-79 | SCREW, CAP, FORMED HEX HEAD-METRIC - 29 MAR 79 (W/ERRATA 12/80) [CUST: AR AS 99 IS] [REVIEW: AV CR MC MI NS] | A 5305 | IS | | 29-MAR-79 |
| | ANSI-B18.2.3.3M-79 | SCREW, HEAVY HEX HEAD - METRIC - 26 MAR 79 [CUST: AR AS 99 IS] | A 5305 | IS | | 26-MAR-79 |
| | ANSI-B18.2.3.4M-79 | SCREW, HEX FLANGE HEAD - METRIC - 17 MAY 79 [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MI] | A 5305 | IS | | 17-MAY-79 |
| | ANSI-B18.2.3.5M-79 | BOLT, HEX - METRIC - 26 APR 79 W/ERRATA (5/81) [CUST: AR AS 99 IS] | A 5306 | IS | | 26-APR-79 |
| | ANSI-B18.2.3.6M-79 | BOLT, HEAVY HEX-METRIC - 26 APR 79 [CUST: AR AS 99 IS] [REVIEW: AV CR CR4 MC MI NS] | A 5305 | IS | | 26-APR-79 |
| | ANSI-B18.2.3.7M-79 | BOLT, STRUCTURAL, HEAVY HEX - METRIC - 26 APR 79 [CUST: AR AS 99 IS] | A 5306 | IS | | 26-APR-79 |
| | ANSI-B18.2.3.8M-81R91 | SCREW, LAG, HEX HEAD - METRIC - 16 JUN 81 [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MC MI NS SH] | A 5306 | IS | | 16-JUN-81 |
| | ANSI-B18.2.4.1M-79 | METRIC HEX NUTS, STYLE 1 - 6 DEC 79 (W/ERRATA) [CUST: AR AS 99 IS] [REVIEW: AV CR MC MI NS] | A 5310 | IS | | 06-DEC-79 |
| | ANSI-B18.2.4.2M-79 | NUT, PLAIN, HEX, STYLE 2 - METRIC - 6 DEC 1979 - W/DOD EXCEPTIONS W/ERRATA - JAN 82 [CUST: AR AS 99] | A 5310 | AR | | 06-DEC-79 |
| | ANSI-B18.2.4.3M-79 | NUT, SLOTTED, HEX METRIC - 6 DEC 79 W/DOD EXCEPTIONS W/ERRATA - MAY 81 [CUST: AR AS 99 IS] [REVIEW: AV CR IS MC MI NS] | A 5310 | IS | | 06-DEC-79 |
| | ANSI-B18.2.4.4M-82 | NUT, FLANGE, HEX METRIC - 21 JUN 82 [CUST: AR AS 99 IS] [REVIEW: AT CR EA IS MC MI NS SH] | A 5310 | IS | | 30-JUN-82 |
| | ANSI-B18.2.4.5M-79 | NUT, JAM, HEX - METRIC - 6 DEC 79 W/ERRATA - MAY 81 [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 IS MC MI NS SH] | A 5310 | IS | | 06-DEC-79 |
| | ANSI-B18.2.4.6M-79 | NUT, HEAVY HEX - METRIC - 6 DEC 79 (ERRATA 4/81) [CUST: AR AS 99 IS] [REVIEW: AV CR IS MC MI NS] | A 5310 | IS | | 06-DEC-79 |
| | ANSI-B18.3.2M-79 | KEYS & BITS, HEXAGON, METRIC SERIES - 17 MAY 79 [CUST: AR AS 99] [REVIEW: AV CR CR4 GL IS MC MI NS SH] | A 5120 | AR | | 30-APR-82 |
| | ANSI-B18.3.3M-79 | SCREW, SHOULDER, HEXAGON SOCKET HEAD-METRIC - 18 JUL 79 [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MC MI NS OS SH] | A 5305 | IS | | 18-JUL-79 |
| | ANSI-B18.3.4M-79 | SCREW, CAP, HEXAGON, SOCKET BUTTON HEAD - METRIC - 9 AUG 1979 [CUST: AR AS 99 IS] [REVIEW: AV CR MC MI NS] | A 5305 | IS | | 09-AUG-79 |

ACTIVE SECTION

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|----------------------|---|-----------------------|-----|-------------|-----------|
| ANSI-B18.3.6M-79 | SETSCREW, HEXAGON SOCKET-METRIC - 14 AUG 79 [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MI NS OS SH] | A 5305 | IS | | 14-AUG-79 |
| ANSI-B18.5-78 | BOLTS, ROUND HEAD (INCH SERIES) - 8 SEP 78 [CUST: AR YD1 99 IS] [REVIEW: AT AV CR] | A 5306 | IS | | 27-AUG-79 |
| ANSI-B18.5.2.1M-81 | BOLT, ROUND HEAD, SHORT SQUARE NECK - METRIC - 14 AUG 81 [CUST: AR AS 99 IS] [REVIEW: AT AV CR EA] | A 5306 | IS | | 11-JAN-82 |
| ANSI-B18.5.2.2M-82 | BOLT, ROUND HEAD, SQUARE NECK - METRIC - 24 AUG 82 [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 EA MC NS SH] | A 5306 | IS | | 03-NOV-82 |
| ANSI-B18.6.1-81R91 | WOOD SCREWS (INCH SERIES) [CUST: AR SH 99 IS] [REVIEW: AT AV CR CR4 EA MC] | A 5305 | IS | | 06-APR-82 |
| ANSI-B18.6.2-72 | SCREW, SLOTTED HEAD CAP, SQUARE SET SCREW & SLOTTED HEADLES SET SCREWS 1972 (REAPPROVED 83) [CUST: AR SH 99 IS] [REVIEW: AT AV MI] | A 5305 | IS | | 22-SEP-72 |
| ANSI-B18.6.3-72 | SCREW, MACHINE, & SCREW NUTS, MACHINE, SLOTTED & RECESSED HEAD - 72 (REAPPROVED 83) [CUST: AR SH 99 IS] [REVIEW: AT AV MI] | A 53GP | IS | | 22-SEP-72 |
| ANSI-B18.6.4-81R91 | THREAD FORMING AND THREAD CUTTING TAPPING SCREWS, AND METALLIC DRIVE SCREWS (INCH SERIES) [CUST: AR 99 IS] [REVIEW: AT AV CR CR4 EA MC SH] | A 5305 | IS | | 11-JAN-82 |
| ANSI-B18.7-72 | RIVETS, GENERAL PURPOSE SEMI TUBULAR RIVETS, FULL TUBULAR SPLIT AND RIVET CAP - 72 [CUST: AR SH 99 IS] [REVIEW: AT AV MI] | A 5320 | IS | | 06-DEC-72 |
| ANSI-B18.8.1-72R77 | CLEVIS PINS & COTTER PINS - 10 MAY 72 (REAPPROVED 83) [CUST: AR OS 99 IS] [REVIEW: 82] | A 5315 | IS | | 10-JUN-81 |
| ANSI-B18.9-71 | BOLTS, PLOW - 71 [CUST: AR SH 99 IS] [REVIEW: AT] | A 5306 | IS | | 07-APR-71 |
| ANSI-B18.11-61 | SCREW, MINIATURE - 61 (REAPPROVED 83) [CUST: AR SH 99 IS] [REVIEW: AT AV] | A 5305 | IS | | 07-APR-71 |
| ANSI-B18.12-62R91 | FASTENERS, MECHANICAL GLOSSARY & TERMS FOR [CUST: AR SH 99 IS] [REVIEW: 82 AT AV] | A 53GP | IS | | 07-APR-71 |
| ANSI-B18.13-65 | SCREW & WASHER ASSEMBLIES - 1 APR 65 (REAPPROVED 83) [CUST: AR SH 99] [REVIEW: AT] | A 53GP | IS | | 01-APR-71 |
| ANSI-B18.15-85 | EYEBOLTS, FORGED - 17 JUL 85 [CUST: AR SH 99 IS] [REVIEW: 82 AT MC] | A 5306 | IS | | 30-SEP-85 |
| ANSI-B18.17-68 | NUT, WING, THUMB SCREWS & WING SCREWS - 68 (REAPPROVED 83) [CUST: AR SH 99] [REVIEW: 82 AT] | A 53GP | IS | | 07-APR-71 |
| ANSI-B18.21.1-72 | WASHER, LOCK - 72 (REAPPROVED 83) [CUST: AR AS 99 IS] [REVIEW: AT AV CR MI OS SH] | A 5310 | IS | | 20-NOV-72 |
| ANSI-B18.22M-81 | WASHER, FLAT, PLAIN - METRIC - 1981 (W/ERRATA 7/83) [CUST: AR SH 99 IS] [REVIEW: AT CR CR4 EA IS MC MI NS YD1] | A 5310 | IS | | 05-APR-82 |
| ANSI-B18.22.1-65R81 | WASHER, PLAIN - 20 SEP65 [CUST: AR SH 99 IS] [REVIEW: AS AV CR EA] | A 5310 | IS | | 20-NOV-81 |
| ANSI-B29.1-75 | ROLLER CHAINS, TRANSMISSION, ATTACHMENTS & SPROCKETS, PRECISION POWER - 30 APR 75 [CUST: AT YD1 99] | A 3020 | AT | | 08-JUN-78 |
| ANSI-B32.3-77 | METAL PRODUCTS, FLAT, PREFERRED METRIC SIZES FOR - 19 APR 77 (W/SUPL. ANSI B32.3A-78) [CUST: MR AS 11] [REVIEW: 99 AL AR CR4 EC GL SH] | A 95GP | IS | | 28-SEP-79 |
| ANSI-B32.4M-80 | METAL PRODUCTS, PREFERRED METRIC SIZES FOR ROUND, SQUARE, RECTANGLE & HEXAGON - 1980 [CUST: MR AS 11] [REVIEW: 99 AL CR4 EC SH] | A 95GP | IS | | 28-DEC-83 |
| ANSI-B32.5-77 | METAL PRODUCTS, TUBULAR, OTHER THAN PIPE, PREFERRED METRIC SIZES FOR - 7 SEP 77 [CUST: MR AS 11] [REVIEW: 99 AL AR EC SH] | A 95GP | IS | | 28-SEP-79 |
| ANSI-B32.6-77 | METAL PRODUCTS, TUBULAR, PREFERRED METRIC EQUIVALENTS OF INCH SIZES FOR, OTHER THAN PIPE - 12 AUG 77 [CUST: MR AS 11] [REVIEW: 99 AL AR CR4 EC GL SH] | A 95GP | IS | | 28-SEP-79 |
| ANSI-B40.1M-79 | GAUGE, PRESSURE INDICATING DIAL TYPE, ELASTIC ELEMENT (METRIC) - 15 JAN 79 [CUST: CR4 YD1 99] [REVIEW: AR AS AT GS MC OS SH] | A 6685 | YD1 | | 28-DEC-81 |
| ANSI-B40.1-85 | GAUGE - PRESSURE, INDICATING DIAL TYPE - ELASTIC ELEMENT [CUST: CR4 YD1 99] [REVIEW: AR AS AT MC OS SH] | A 6685 | YD1 | | 07-JUL-88 |
| ANSI-B47.1-81 | GAGE BLANKS - 23 MAR 81 [CUST: AR AS 99] | A 5220 | AR | | 23-MAR-81 |
| ANSI-B57.1-77 | ORDER CGA-V1-77 [CUST: 02] [REVIEW: YD1] | A IPSC | DC | | 15-NOV-78 |
| ANSI-B71.1-90 | CONSUMER TURF CARE EQUIPMENT - WALK-BEHIND MOWERS AND RIDE-ON MACHINES WITH MOWERS, SAFETY SPECIFICATIONS [CUST: CR4 YD1 99] | A 3750 | CR4 | | 07-DEC-90 |
| ANSI-B74.2-82 | GRINDING WHEELS, SHAPE & SIZES OF, MOUNTED WHEELS, SIZES & IDENTIFICATION OF, SPECIFICATION FOR - 15 APR 82 [CUST: AL SH 99] [REVIEW: AR CR4 GL] | A 34GP | GS | | 22-MAY-90 |
| ANSI-B74.3-74 | DIAMOND GRINDING WHEELS, HAND HONES, & MOUNTED WHEELS, SHAPE & SIZES OF, SPECIFICATIONS FOR - 1974 [CUST: AL SH 99] [REVIEW: AR CR4] | A 34GP | GS | | 12-DEC-78 |
| ANSI-B74.12-76R82 | SPECIFICATIONS FOR THE SIZE OF ABRASIVE GRAIN GRINDING WHEELS, POLISHING & GENERAL INDUSTRIAL USES - 1976 [CUST: AL SH 99] [REVIEW: 84 MC] | A 34GP | GS | | 13-MAR-84 |
| ANSI-B74.13-90 | GRINDING WHEELS & OTHER BONDED ABRASIVES, MARKING FOR IDENTIFYING - 20 MARCH 1990 [CUST: AL SH 99] [REVIEW: AR CR4 GL] | A 34GP | GS | | 24-AUG-90 |
| ANSI-B74.18-84 | GRAIN, GRADING OF CERTAIN ABRASIVE, ON COATED ABRASIVE PRODUCTS, SPECIFICATIONS FOR [CUST: MR YD1 84] [REVIEW: DS] | A 5350 | 84 | | 27-JAN-84 |
| ANSI-B92.1-70 | INVOLUTE SPLINES AND INSPECTION [CUST: AL SH 99] | A 34GP | GS | | 1970 |
| ANSI-B92.2M-80 NOT 2 | SPLINE, METRIC MODULE INVOLUTE - AUG 80 [CUST: AR SA 16] [REVIEW: AS AT AV CR4 DH EA OS SH YD1] | A DRPR | AR | | 13-SEP-88 |
| ANSI-B92.2MA-84 | SPLINE, PART III, METRIC MODULE INVOLUTE INSPECTION - 23 MAR 84 [CUST: AR SA 16] [REVIEW: AS] | A DRPR | AR | | 29-MAR-85 |
| ANSI-B93.114M-87 | MACHINERY, INDUSTRIAL, PNEUMATIC FLUID POWER - SYSTEM STANDARD FOR - 15 DEC 87 [CUST: MR SH 99] [REVIEW: 84] | A 34GP | GS | | 16-MAY-89 |
| ANSI-B94.2-83R88 | REAMER - 30 SEP 1983 (REAPPROVED 1988) [CUST: AL SH 99] [REVIEW: 84 AR CR4] | A 3455 | GS | | 26-JAN-89 |
| ANSI-B94.19-77 | MILLING CUTTERS & END MILLS - 1977 [CUST: AL 99 GS] | A 3455 | GS | | 08-JAN-82 |
| ANSI-B94.25-82 | TOOL, CUTTING, INDEXABLE INSERTS FOR - 5 MAR 1982 [CUST: AL SH 99] [REVIEW: 84 AR CR4] | A 3455 | GS | | 26-JAN-89 |
| ANSI-B107.1-78R85 | WRENCHES, SOCKETS, HAND (INCH SERIES) - 8 NOV 1978 REAFFIRMED 1985 [CUST: AR SH 99] [REVIEW: 84 AS CR4 GL MC YD1] | A 5120 | AR | | 28-AUG-87 |
| ANSI-B107.2-78R85 | WRENCHES, SOCKET, POWER DRIVE (IMPACT) (INCH SERIES) - 1 JAN 1975 REAFFIRMED 1985 [CUST: AR SH 99] [REVIEW: 84 AS CR4 GL MC YD1] | A 5120 | AR | | 28-AUG-87 |
| ANSI-B107.10M-82R88 | WRENCHES, SOCKET, HANDLES AND ATTACHMENTS FOR HAND (INCH AND METRIC SERIES)[CUST: GL SH 84] | A 5120 | 84 | | 07-JUN-82 |
| ANSI-B109.1-86 | GAS, DIAPHRAGM TYPE, DISPLACEMENT METERS (500 CUBIC FEET PER HOUR CAPACITY AND UNDER) - 9 JAN 1987 [CUST: YD1] | A 6680 | YD1 | | 17-SEP-91 |
| ANSI-B109.2-86 | GAS, DIAPHRAGM TYPE, DISPLACEMENT METERS (OVER 500 CUBIC FEET PER HOUR CAPACITY) - 9 JAN 1987 [CUST: YD1] | A 6680 | YD1 | | 17-SEP-91 |
| ANSI-B109.3-86 | GAS, ROTARY TYPE, DISPLACEMENT METERS - 9 JAN 1987 [CUST: YD1] | A 6680 | YD1 | | 17-SEP-91 |
| ANSI-B173.1-90 | NAIL HAMMERS - SAFETY REQUIREMENTS FOR [CUST: GL SH 99] | A 5120 | GL | | 11-OCT-90 |
| ANSI-B173.3-91 | HAND TOOLS - HEAVY STRIKING TOOLS - SAFETY REQUIREMENTS [CUST: GL SH 99] | A 5120 | GL | | 13-FEB-91 |
| ANSI-B173.8-91 | HAMMERS, RIVETING, SCALING, AND TINNERS' SETTING - SAFETY REQUIREMENTS [CUST: GL SH 99] | A 5120 | GL | | 07-FEB-91 |
| ANSI-C2-84 | ELECTRICAL SAFETY CODE, NATIONAL [CUST: CR YD1 85] [REVIEW: 80 99 CR4 GS MC SH] | A 5975 | YD1 | | 15-JUL-83 |
| ANSI-C12.7-93 | METER SOCKETS, WATTHOUR [CUST: YD1] | A 5975 | YD1 | | 08-DEC-93 |
| ANSI-C12.20-81 | TRANSFORMERS, 500 KVA AND SMALLER: HIGH - VOLTAGE, 67,000 VOLTS & BELOW; LOW - VOLTAGE, 15,000 VOLTS & BELOW, REQUIREMENTS FOR OVERHEAD - TYPE DISTRIBUTION - 31 DEC 80 [CUST: YD1 99] [REVIEW: 80 GS SH] | A 6120 | CR4 | | 16-JUL-85 |
| ANSI-C18.1M-92 | BATTERIES AND DRY CELLS SPECIFICATIONS [CUST: EA SA 82 MB] | A 4240 | MB | | 1992 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA Prog. Acty. | Date |
|-------------------------|--|--------------------------|--------------------|-----------|
| ANSI-C29.1-81 | INSULATORS, ELECTRICAL POWER, TEST METHODS FOR - 30 OCT 81 [CUST: CR4 YD1 85] [REVIEW: 99 EC GS MC SH] | A 5970 | CR4 | 09-JAN-84 |
| ANSI-C29.2-83 | INSULATORS-WET-PROCESS PORCELAIN AND TOUGHENED GLASS-SUSPENSION TYPE - 16 JUN 1982 [CUST: CR4 YD1 85] [REVIEW: 99 EC GS MC SH] | A 5970 | CR4 | 25-JUN-85 |
| ANSI-C29.3-80 | INSULATORS-WET-PROCESS PORCELAIN (SPOOL TYPE) AMERICAN NATIONAL STANDARD - 31 DEC 79 [CUST: CR4 YD1 85] [REVIEW: 99 EC GS MC SH] | A 5970 | CR4 | 09-JAN-84 |
| ANSI-C29.4-84 | INSULATORS-STRAIN TYPE, WET PROCESS PORCELAIN - 24 JULY 1984 [CUST: CR4 YD1 85] | A 5970 | CR4 | 25-JUN-85 |
| ANSI-C29.5-84 | INSULATOR, WET PROCESSPORCELAIN, LOW & MEDIUM VOLTAGE TYPES, AMERICAN NATIONAL STANDARD FOR - 7 AUG 84 [CUST: CR4 YD1 85] [REVIEW: 99 EC GS MC SH] | A 5970 | CR4 | 25-JUN-85 |
| ANSI-C29.6-84 | INSULATOR, WET PROCESS PORCELAIN (HIGH VOLTAGE PIN TYPE) - 7 AUG 84 [CUST: CR4 YD1 85] [REVIEW: 99 EC GS MC SH] | A 5970 | CR4 | 25-JUN-85 |
| ANSI-C29.8-84 | INSULATORS, PORCELAIN, WET-PROCESS APPARATUS, CAP AND PIN TYPE [CUST: CR YD1 85] [REVIEW: CE GS] | A 5970 | YD1 | 17-DEC-84 |
| ANSI-C37.6-79 NOT 1 | CIRCUIT BREAKER, AC HIGH VOLTAGE, RATED ON A SYMMETRICAL CURRENT BASIS, PREFERRED RATINGS & RELATED REQUIRED CAPABILITIES FOR - 24 APR 79 [CUST: CR4 YD1 99] [REVIEW: 80 GS] | A 6110 | YD1 | 11-APR-88 |
| ANSI-C37.11-79 NOT 1 | CIRCUIT BREAKERS, HIGH VOLTAGE, RATED ON A SYMMETRICAL CURRENT BASIS OR A TOTAL CURRENT BASIS, REQUIREMENTS FOR - 6 APR 79 [CUST: CR4 YD1 99] [REVIEW: GS SH] | A 6110 | YD1 | 19-APR-88 |
| ANSI-C37.12-91 | CIRCUIT BREAKERS, AC HIGH-VOLTAGE, RATED ON A SYMMETRICAL CURRENT BASIS [CUST: CR4 YD1 99] [REVIEW: GS SH] | A 6110 | YD1 | 22-MAY-91 |
| ANSI-C37.16-80 NOT 1 | CIRCUIT BREAKER, POWER & AC POWER CIRCUIT PROTECTORS, PREFERRED RATINGS & RELATED REQUIREMENTS & APPLICATION RECOMMENDATIONS FOR LOW VOLTAGE - 6 FEB 80 [CUST: CR4 YD1 99] [REVIEW: 80 GS OS SH] | A 6110 | YD1 | 04-MAY-88 |
| ANSI-C37.17-79 NOT 1 | TRIP DEVICE, FOR AC & GENERAL PURPOSE DC LOW VOLTAGE POWER CIRCUIT BREAKER, STANDARD FOR - 9 MAY 79 [CUST: YD1 99] [REVIEW: 80 CR4 GS SH] | A 6110 | YD1 | 27-APR-89 |
| ANSI-C37.32-72 | AIR SWITCHE, BUS SUPPORTS, & SWITCH ACCESSORIES, AMERICAN NATIONAL STANDARD SCHEDULES OF PREFERRED RATINGS, MANUFACTURING SPECIFICATIONS & APPLICATION GUIDE FOR HIGH VOLTAGE - 4 MAY 72 [CUST: CR4 YD1 99] [REVIEW: 80 CR GS] | A 6110 | YD1 | 30-NOV-84 |
| ANSI-C37.42-81 NOT 1 | DISTRIBUTION CUTOUT & FUSE LINK, SPECIFICATIONS FOR - 1981 [CUST: CR4 YD1 85] | A 5920 | YD1 | 04-MAY-88 |
| ANSI-C37.44-81 | DISTRIBUTION OIL CUTOUTS AND FUSE LINKS, STANDARD SPECIFICATION FOR - 22 MAY 80 [CUST: CR YD1 99] [REVIEW: 80 85 CR4 GS] | A 6110 | YD1 | 07-OCT-83 |
| ANSI-C37.46-81 | FUSE, POWER, & FUSE DISCONNECTING SWITCHES - 22 MAY 1980 [CUST: YD1 99] [REVIEW: 80 GS] | A 6110 | YD1 | 29-MAY-87 |
| ANSI-C37.47-80 | DISTRIBUTION FUSE DISCONNECTING SWITCHES, FUSE SUPPORTS, AND CURRENT-LIMITING FUSES [CUST: CR YD1 85 CC] | A 5920 | CC | 22-MAY-80 |
| ANSI-C37.121-89 | SWITCHGEAR - UNIT SUBSTATIONS - REQUIREMENTS FOR [CUST: CR4 YD1 99] | A 6110 | YD1 | 05-JUN-89 |
| ANSI-C39.1-81 NOT 1 | ELECTRICAL ANALOG INDICATING INSTRUMENTS, REQUIREMENTS FOR [CUST: YD1] | A 6625 | YD1 | 21-OCT-91 |
| ANSI-C50.10-90 | MACHINES, SYNCHRONOUS, ROTATING ELECTRICAL FOR [CUST: AR YD1 85] [REVIEW: 80 GS] | A 5990 | YD1 | 05-JUL-90 |
| ANSI-C50.12-81 | SALIENT-POLE SYNCHRONOUS GENERATORS AND GENERATOR/MOTORS FOR HYDRAULIC TURBINE APPLICATIONS, REQUIREMENTS FOR [CUST: CR4 YD1 99] [REVIEW: GS SH] | A 6105 | YD1 | 02-SEP-81 |
| ANSI-C50.13-89 | GENERATOR, CYLINDRICAL ROTOR SYNCHRONOUS, ROTATING ELECTRICAL MACHINERY AMERICAN NATIONAL STANDARD FOR - 23 JAN 89 [CUST: CR4 YD1 99] [REVIEW: 80 GS] | A 6115 | YD1 | 25-JUL-90 |
| ANSI-C50.41-82 NOT 1 | MOTORS, POLYPHASE INDUCTION, FOR POWER GENERATING STATIONS, STANDARDS FOR [CUST: YD1] | A 6105 | YD1 | 23-DEC-91 |
| ANSI-C57.12.10-77 | TRANSFORMER 230 000 VOLTS & BELOW 833/958 THROUGH 8333/10 417 KVA, SINGLE PHASE, & 750/862 THROUGH 60 000/80 000/100 000 KVA, THREE PHASE, AMERICAN NATIONAL STANDARD REQUIREMENTS FOR - 13 SEPT 76 [CUST: CR4 YD1 99] [REVIEW: 80 GS SH] | A 6120 | YD1 | 28-JUN-86 |
| ANSI-C57.12.20-81 | TRANSFORMER, 500 KVA 6 SMALLER; HIGH VOLTAGE, 67,000 VOLTS & BELOW; LOW VOLTAGE, 15,000 VOLTS & BELOW; OVERHEAD TYPE DISTRIBUTION, REQUIREMENTS FOR - 31 DEC 80 [CUST: CR4 YD1 99] [REVIEW: 80 GS SH] | A 6120 | YD1 | 16-JUL-85 |
| ANSI-C57.12.22-80 | TRANSFORMER, WITH HIGH VOLTAGE BUSHINGS; HIGH VOLTAGE 34 500 GRDY/19 920 VOLTS & BELOW, 2500 KVA & SMALLER, PAD MOUNTED, COMPARTMENTAL TYPE, SELF COOLED, THREE PHASE DISTRIBUTION, AMERICAN NATIONAL STANDARD REQUIREMENTS FOR - 22 OCT 79 [CUST: CR4 YD1 99] [REVIEW: GS SH] | A 6120 | YD1 | 21-JUL-85 |
| ANSI-C57.12.25-81 | TRANSFORMER, WITH SEPARABLE INSULATED HIGH VOLTAGE CONNECTORS, HIGH VOLTAGE, 34,500 GRDY/19 920 VOLTS & BELOW, LOW VOLTAGE 240/120 VOLTS, 167 KVA & SMALLER, PAD MOUNTED, COMPARTMENTAL TYPE, SELF COOLED, SINGLE PHASE DISTRIBUTION - 12 JAN 81 [CUST: CR4 YD1 99] [REVIEW: 80 GS SH] | A 6120 | YD1 | 15-AUG-85 |
| ANSI-C57.12.26-87 | PAD-MOUNTED COMPARTMENTAL-TYPE, SELF-COOLED, THREE-PHASE DISTRIBUTION TRANSFORMERS FOR USE WITH SEPARABLE INSULATED HIGH-VOLTAGE CONNECTORS, HIGH-VOLTAGE, 34 500 GRD Y/19 920 VOLTS AND BELOW; 2500 KVA AND SMALLER, FOR TRANSFORMERS [CUST: CR4 YD1 99] [REVIEW: GS] | A 5950 | YD1 | 16-APR-86 |
| ANSI-C73A-80 | PLUGS AND RECEPTACLES, DIMENSIONS OF ATTACHMENT, FOR MARINE SHIP-TO-SHORE USE FOR SMALL CRAFT (SUPPLEMENT FOR ATTACHED ANSI C73-73) - 1980 [CUST: EA MS 99 MB] | A 6525 | MB | 31-AUG-89 |
| ANSI-C78.1-78R84 | LAMP, FLUORESCENT, DIMENSIONAL & ELECTRICAL CHARACTERISTICS OF - RAPID START TYPES, AMERICAN NATIONAL STANDARD FOR THE - 10 APR 78 [CUST: CR4 SH 99] [REVIEW: 82] | A 6240 | CR4 | 25-JUN-85 |
| ANSI-C78.2-78R84 | LAMP, FLUORESCENT - PREHEAT-START TYPES, DIMENSIONAL & ELECTRICAL CHARACTERISTICS OF - 18 JUL 78 [CUST: CR4 SH 99] [REVIEW: 82] | A 6240 | CR4 | 25-JUN-85 |
| ANSI-C78.3-78R84 | LAMP, FLUORESCENT - INSTANT START & COLD-CATHODE TYPES, DIMENSIONAL & ELECTRICAL CHARACTERISTICS OF, AMERICAN NATIONAL STANDARD FOR -10 APR 78 [CUST: CR4 SH 99] [REVIEW: 84 GS] | A 6240 | CR4 | 25-JUN-85 |
| ANSI-C78.40-85 | LAMPS, MERCURY - SPECIFICATIONS, AMERICAN NATIONAL STANDARD FOR - 25 MAY 85[CUST: CR4 99] [REVIEW: 82 GS SH] | A 6240 | CR4 | 15-DEC-86 |
| ANSI-C78.41-87 NOT 2 | ELECTRIC LAMPS - LOW-PRESSURE SODIUM LAMPS, AMERICAN NATIONAL STANDARD FOR [CUST: YD1 99] [REVIEW: 82 GS SH] | A 6240 | YD1 | 02-APR-92 |
| ANSI-C78.180-72 NOT 1 | LAMP STARTERS, FLUORESCENT, STANDARD SPECIFICATION FOR [CUST: CR4 SH 99] | A 6250 | CR4 | 22-JUN-92 |
| ANSI-C78.376-69 | LAMPS, FLUORESCENT, SPECIFICATIONS FOR THE CHROMATICITY OF [CUST: MI AS 99] | A 6240 | AS | 25-NOV-69 |
| D ANSI-C78.390-85 NOT 1 | LAMPS, INCANDESCENT, MINIATURE AND SEALED BEAM, METHOD OF DESIGNATION [CUST: CR4 SH 99 IS] [REVIEW: 82 AS AT AV MI] | A 6240 | IS | 12-FEB-93 |
| ANSI-C78.1341-90 NOT 1 | ELECTRIC LAMPS - 750-WATT, 120-VOLT SELF-BALLASTED MERCURY LAMPS [CUST: CR4 YD1 99] [REVIEW: 82 GS] | A 6240 | YD1 | 01-OCT-91 |
| ANSI-C78.1342-90 NOT 1 | ELECTRIC LAMPS - 160-WATT 120-VOLT B87 SELF-BALLASTED MERCURY LAMPS [CUST: CR4 YD1 99] [REVIEW: 82 GS] | A 6240 | YD1 | 01-OCT-91 |
| ANSI-C78.1350-90 | LAMPS ELECTRIC- 400- WATT 100-VOLT, S51 SINGLE-ENDED HIGH-PRESSURE SODIUM LAMPS - 11 MAY 90 [CUST: CR4 YD1 99] [REVIEW: 82 GS SH] | A 6240 | YD1 | 22-FEB-91 |
| ANSI-C78.1351-89 | LAMPS, SODIUM, HIGH PRESSURE, 250 WATT, 100-VOLT S50 SINGLE-ENDED, STANDARD FOR ELECTRIC LAMPS - 26 JUL 89 [CUST: CR4 SH 99] [REVIEW: 82 YD1] | A 6240 | CR4 | 19-MAR-90 |
| ANSI-C78.1352-90 | LAMPS, ELECTRIC, 1000 WATT, 250-VOLT, S52 SINGLE-ENDED HIGH PRESSURE SODIUM LAMPS, STANDARD FOR - 11 MAY 90 [CUST: CR4 SH 99] [REVIEW: 82] | A 6240 | CR4 | 24-JAN-91 |
| ANSI-C78.1353-90 | LAMP ELECTRIC - 70- WATT S62 HIGH PRESSURE SODIUM LAMPS - 11 MAY 90 [CUST: CR4 YD1 99] [REVIEW: 82 GS SH] | A 6240 | YD1 | 22-FEB-91 |
| ANSI-C78.1354-90 | LAMPS ELECTRIC - 100 WATT, 55 VOLT, S54 SINGLE-ENDED HIGH-PRESSURE SODIUM LAMPS - 11 MAY 90 [CUST: CR4 YD1 99] [REVIEW: 82 GS] | A 6240 | YD1 | 22-FEB-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-------------|------------------------|---|-----------------------|-----|-------------|-----------|
| | | | | | | |
| | ANSI-C78.1355-89 | LAMPS, ELECTRIC, 150-WATT, 55-VOLT, S55 HIGH-PRESSURE SODIUM LAMPS - 20 FEB 89 [CUST: CR4 SH 99] [REVIEW: 82 YD1] | A 6240 | | CR4 | 31-JUL-90 |
| | ANSI-C78.1358-88 NOT 2 | ELECTRIC LAMPS, 35-WATT S76 SINGLE-ENDED HIGH-PRESSURE SODIUM LAMPS, AMERICAN STANDARD FOR [CUST: YD1 99] [REVIEW: 82 GS SH] | A 6240 | | YD1 | 07-APR-92 |
| | ANSI-C78.1359-88 | LAMPS, ELECTRIC, 50-WATT, S68 SINGLE-ENDED, HIGH-PRESSURE SODIUM LAMP - 15 SEP 1988 [CUST: CR4 YD1 99] [REVIEW: 82 GS] | A 6240 | | YD1 | 29-JUL-91 |
| D | ANSI-C78.1376-84 | LAMPS, 1,000-WATT M47 METAL-HALIDE, FOR ELECTRIC LAMPS - 23 MAR 1984 [CUST: CR4 SH 99 IS] | A 6240 | | IS | 07-NOV-85 |
| | ANSI-C78.1403-89 | LAMP, FCS PROJECTION, LAMPS ELECTRIC STANDARD FOR - 26 JUL 89 [CUST: CR4 SH 99] | A 6240 | | CR4 | 19-MAR-90 |
| | ANSI-C78.1404-85 NOT 1 | ELECTRIC LAMPS - DNF PROJECTION LAMP [CUST: CR4 YD1 99] [REVIEW: AS GS] | A 6240 | | YD1 | 01-OCT-91 |
| | ANSI-C78.1405-85 NOT 1 | ELECTRIC LAMPS - ELH PROJECTION LAMP [CUST: CR4 YD1 99] [REVIEW: AS GS MC] | A 6240 | | YD1 | 01-OCT-91 |
| D | ANSI-C78.1408-80 | LAMP CBA PROJECTION - 3 JUL 80 [CUST: SH 99 IS] | A 6240 | | IS | 23-JUN-82 |
| | ANSI-C78.1409-85 NOT 2 | LAMPS, ELECTRIC, ETL PROTECTION LAMPS [CUST: CR4 YD1 99] [REVIEW: GS SH] | A 6240 | | CR4 | 10-NOV-87 |
| D | ANSI-C78.1414-82 | DDM PROJECTION LAMP - 8 MAR 82 [CUST: 99 IS] [REVIEW: AS CR4 MC SH] | A 6240 | | IS | 12-JAN-84 |
| D | ANSI-C78.1415-82 | LAMP, DED PROJECTION - 8 MAR 82 [CUST: SH 99 IS] [REVIEW: AS CR4 MC OS] | A 6240 | | IS | 09-NOV-83 |
| | ANSI-C78.1416-85 NOT 1 | ELECTRIC LAMPS - FHS PROJECTION LAMP [CUST: CR4 YD1 99] [REVIEW: 82 GS] | A 6240 | | YD1 | 01-OCT-91 |
| | ANSI-C80.1-83 | CONDUIT, RIGID STEEL, ZINC COATED, STANDARD FOR MAR 1983 [CUST: CR YD1 85] [REVIEW: 99 GS] | A 5975 | | YD1 | 30-MAY-86 |
| | ANSI-C80.3-83 NOT 2 | TUBING, ELECTRICAL METALLIC - ZINC COATED, STANDARD FOR [CUST: CR YD1 85] [REVIEW: 99 GS] | A 5975 | | YD1 | 09-OCT-91 |
| | ANSI-C80.5-90 NOT 1 | CONDUIT, ALUMINUM, RIGID, AMERICAN NATIONAL STANDARD FOR [CUST: CR4 YD1 85] [REVIEW: 99 CE MC] | A 5975 | | YD1 | 14-JUL-92 |
| | ANSI-C81.61-90 | LAMP, ELECTRICAL BASES [CUST: AT AS 99] | A 6240 | | AS | 27-OCT-89 |
| | ANSI-C82.2-84 NOT 1 | LAMP, FLUORESCENT, BALLASTS - METHODS OF MEASUREMENT, STANDARD FOR [CUST: YD1] | A 6240 | | YD1 | 23-DEC-91 |
| | ANSI-C82.4-85(2) | BALLASTS, FOR HIGH-INTENSITY-DISCHARGE, AND LOW-PRESSURE SODIUM LAMPS (MULTIPLE SUPPLY TYPE), STANDARD FOR [CUST: YD1 99] [REVIEW: 82 GS] | A 6250 | | YD1 | 13-JAN-92 |
| | ANSI-C84.1-89 | ELECTRICAL POWER SYSTEMS AND EQUIPMENT, VOLTAGE RATINGS (60 HERTZ) [CUST: CR4 YD1 99] [REVIEW: GS SH] | A 6110 | | YD1 | 19-OCT-88 |
| | ANSI-C95.3-73 | RADIATION, ELECTROMAGNETIC, POTENTIALLY HAZARDOUS, AT MICROWAVE FREQUENCIES, TECHNIQUES & INSTRUMENTATION FOR THE MEASUREMENT OF - 1973 [CUST: CR EC 11] | A EMCS | | EC | 01-SEP-72 |
| | ANSI-C119.1-86 | ELECTRIC CONNECTORS - SEALED INSULATED UNDERGROUND CONNECTOR SYSTEMS RATED 600 VOLTS [CUST: YD1] | A 5935 | | YD1 | 23-JUN-86 |
| | ANSI-C135.7-87 | ZINC-COATED SPOOL TYPE SECONDARY RACKS, AMERICAN NATIONAL STANDARD FOR - 1987 [CUST: YD1] | A 5970 | | YD1 | 29-AUG-90 |
| | ANSI-C135.30-88 | GROUND RODS, FERROUS, ZINC-COATED, FOR OVERHEAD OR UNDERGROUND LINE CONSTRUCTION [CUST: CR YD1 85] [REVIEW: CE GS SH] | A 5975 | | YD1 | 28-JUL-88 |
| | ANSI-C136.3-89 NOT 1 | ROADWAY LIGHTING EQUIPMENT - LUMINAIRE ATTACHMENTS, STANDARD FOR [CUST: YD1] | A 6240 | | YD1 | 23-DEC-91 |
| | ANSI-C136.10-88 | ROADWAY LIGHTING EQUIPMENT - LOCKING-TYPE PHOTOCONTROL DEVICES AND MATING RECEPTACLES - PHYSICAL AND ELECTRICAL INTERCHANGEABILITY AND TESTING [CUST: CR4 YD1 99] | A 6240 | | YD1 | 03-JUN-88 |
| | ANSI-C136.13-87 NOT 1 | ROADWAY LIGHTING - METAL BRACKETS FOR WOOD POLES, STANDARD FOR [CUST: YD1] | A 6240 | | YD1 | 23-DEC-91 |
| | ANSI-C136.14-88 | ROADWAY LIGHTING EQUIPMENT - ENCLOSED SIDE-MOUNTED LUMINAIRES FOR HORIZONTAL-BURNING HIGH-INTENSITY-DISCHARGE LAMPS [CUST: CR4 YD1 99] | A 6240 | | YD1 | 29-JAN-88 |
| | ANSI-C136.20-90 | ROADWAY LIGHTING EQUIPMENT - FIBER-REINFORCED PLASTIC (FRP) LIGHTING POLES [CUST: YD1] | A 6210 | | YD1 | 13-NOV-89 |
| | ANSI-C136.21-87 | ROADWAY LIGHTING - VERTICAL TENONS USED WITH POST-TOP-MOUNTED LUMINAIRES [CUST: YD1] | A 6210 | | YD1 | 23-DEC-86 |
| | ANSI-H35.1M-85 | ALUMINUM, ALLOY AND TEMPER DESIGNATION SYSTEMAMERICAN NATIONAL STANDARD FOR (METRIC) - 1985 [CUST: MR AS 11] | A 95GP | | AS | 15-MAR-88 |
| | ANSI-H35.1-85 | ALUMINUM, ALLOY AND TEMPER DESIGNATION SYSTEMS FOR ALUMINUM [CUST: MR AS 11] [REVIEW: 84 99 AL AR AV GL IS MI OS SH YD1] | A 95GP | | AS | 22-OCT-85 |
| | ANSI-H35.2-85 | ALUMINUM MILL PRODUCTS, DIMENSIONAL TOLERANCES FOR - 22 OCT 1985 [CUST: MR AS 11] [REVIEW: 84 99 AL IS OS SH YD1] | A 95GP | | AS | 15-MAR-88 |
| | ANSI-H35.2M-85 | ALUMINUM MILL PRODUCTS, DIMENSIONAL TOLERANCES FOR - 22 OCT 1985 (METRIC [CUST: MR AS 11] [REVIEW: 84 99 AL AV IS OS SH YD1] | A 95GP | | AS | 15-MAR-88 |
| | ANSI-IT9.1 NOT 1 | SILVER-GELATIN TYPE - STABILITY, SPECIFICATIONS FOR [CUST: CR AS 16] [REVIEW: 70 71 80 82 84 AR AT CC CR IS MI SA SH TD] | A EDRS | | GS | 06-JUL-93 |
| | ANSI-IT9.10-91 NOT 1 | DETERMINATION OF THE CURL OF PHOTOGRAPHIC FILM [CUST: CR AS 16] [REVIEW: 11 18 19 AR AT CC CR IS MI SA SH TD] | A EDRS | | GS | 16-APR-92 |
| | ANSI-MC96.1-75 | THERMOCOUPLES, TEMPERATURE MEASUREMENT - 1975 [CUST: AL SH 99] [REVIEW: AR CR4] | A 34GP | | GS | 05-APR-79 |
| | ANSI-MH1.1.2-79 | PALLET DEFINITIONS & TERMINOLOGY - 31 JAN 79 [CUST: SM SA 99] [REVIEW: 84 AR AS AT CC CR4 IS MC MI MT SH] | A PACK | | SM | 20-DEC-85 |
| D | ANSI-MH2.1-79 | DRUM, UNIVERSAL STEEL, 55 GALLON (208 LITER) TIGHT HEAD (DOT-17E, UFC-RULE 40, NMFC-ITEM 260) 1979 [CUST: GL SA 69 IS] | A 8110 | | IS | 31-MAR-81 |
| D | ANSI-MH2.3-79 | DRUM, 55 GALLON (208 LITER) TIGHT HEAD UNIVERSAL STEEL (DOT-5B)- 1979 [CUST: GL SA 69 IS] | A 8110 | | IS | 15-APR-81 |
| D | ANSI-MH2.5-79 | DRUM, 55 GALLON (208 LITER) FULL REMOVABLE HEAD UNIVERSAL STEEL, DOT 17H, UFC RULE 40, NMFC TEM 260) - 1979 [CUST: GL SA 69 IS] | A 8110 | | IS | 31-MAR-81 |
| D | ANSI-MH2.8-79 | DRUM, UNIVERSAL STEEL, 16 GALLON (61 LITER) FULL REMOVABLE HEAD LUG COVER (UFC RULE 40, NMFC ITEM 260) - 1979 [CUST: GL SA 69 IS] | A 8110 | | IS | 31-MAR-81 |
| D | ANSI-MH2.9-79 | PAIL, UNIVERSAL STEEL, 5 GALLON (19 LITER) TIGHT HEAD, DOT-17E, DOT-37B60, UFC RULE 40, NMFC-ITEM 260) - 1979 [CUST: GL SA 69 IS] | A 8110 | | IS | 31-MAR-81 |
| D | ANSI-MH2.14-79 | DRUM, UNIVERSAL STEEL, 16 GALLON (61 LITER) FULL REMOVABLE HEAD (UFC RULE 40, NMFC-260) - 1979 [CUST: GL SA 69 IS] | A 8110 | | IS | 31-MAR-81 |
| D | ANSI-MH2.15-79 | PAIL, UNIVERSAL STEEL, 5 GALLON (19 LITER) NESTING LUG-COVER, (DOT-37A80, DOT-37A60, UFC RULE 40, NMFC TTEM 260) - 1979 [CUST: GL SA 69 IS] | A 8110 | | IS | 31-MAR-81 |
| | ANSI-MH3.1-74 | CAN, ROUND METAL MOTOR OIL, REQUIREMENTS FOR - 1974 [CUST: GL SA 69] | A 8110 | | SA | 31-MAR-81 |
| | ANSI-MH3.3-75 | GREASE CARTRIDGE, 201.5 X 904.5 - 1975 [CUST: CR4 SA 99] | A 4930 | | SA | 31-MAR-81 |
| | ANSI-MH3.4-76 | CAN, ROUND COMPOSITE MOTOR OIL - 1976 [CUST: GL SA 69] | A 8110 | | SA | 31-MAR-81 |
| | ANSI-MH10.6M-90 | VEHICLES, FOR SURFACE AND AIR, UNIT-LOAD HEIGHTS FOR PALLETIZED LOADS [CUST: SM OS 69 DH] [REVIEW: AS AT CC CR4 GS MI SA] | A PACK | | SM | 24-JUL-90 |
| | ANSI-MH16.1 | STEEL INDUSTRIAL STORAGE RACKS, DESIGN, TESTING AND UTILIZATION OF [CUST: SM SA 69 DH] [REVIEW: 99 AL AR GS OS] | A PACK | | SM | 15-AUG-96 |
| | ANSI-MH27.1-81 | CRANE, UNDERHUNG AND MONORAIL SYSTEMS - 8 JUN 1981 [CUST: YD1] | A 3950 | | YD1 | 23-NOV-89 |
| | ANSI-N2.1-89 | WARNING SYMBOLS - RADIATION SYMBOL [CUST: MI AS 10] | A EMCS | | AS | 29-DEC-88 |
| | ANSI-O1.1-75 | MACHINERY, WOODWORKING, SAFETY REQUIREMENTS FOR - 1975 [CUST: AL SH 99] [REVIEW: AR CR4] | A 34GP | | GS | 12-DEC-78 |
| | ANSI-O5.1-87 | WOOD POLES, SPECIFICATIONS & DIMENSIONS FOR - 25 AUG 87 [CUST: CR4 YD1] [REVIEW: 99 CC SH] | A 5510 | | CR4 | 10-JUL-90 |
| | ANSI-PH1.10-81 | FILM, PHOTOGRAPHIC, 1 IN ROLLS, INCLUDING LE ADERS & TRAILERS FOR AERIAL & RELATED USES, DIMENSIONS FOR UNPE RFORATED & PERFORATED - 13 JUL 81 [CUST: CR AS 99] | A 6750 | | AS | 04-MAY-83 |
| | ANSI-PH1.13-79 NOT 1 | FILM ROLLS, PHOTOGRAPHIC, (PLASTIC, WOOD, OR METAL) DIMENSIONS FOR CORES FOR - 29 NOV 79 [CUST: CR AS 99] | A 6750 | | AS | 12-MAY-87 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | ICA | Prop. Acty. | Date |
|--------------------------|--|-----------------------|-----|-------------|-----------|
| ANSI-PH1.14-76 | FILM MAGAZINES, 135 SIZE, & FILM FOR 135 SIZE STILL PICTURE CAMERAS, DIMENSIONS FOR - 28 MAY 76 [CUST: CR AS 99] | A 6750 | AS | | 15-MAY-80 |
| ANSI-PH1.16-79 | FILM, GRAPHIC ARTS SHEETS & ROLL, DIMENSIONS FOR - 6 APR 79 [CUST: CR AS 99] | A 6750 | AS | | 04-MAY-83 |
| ANSI-PH1.17-83 | MEDICAL RADIOGRAPHIC SHEET & ROLL FILMS - DIMENSIONS (FILM) AMERICAN NATIONAL STANDARD FOR PHOTOGRAPHY - 1983 [CUST: MD MS 03] | A 6525 | MB | | 31-JUL-86 |
| ANSI-PH1.21-80 | FILM, ROLL, BACKING PAPER, & SPOOLS, DIMENSIONS FOR - 22 OCT 79 [CUST: CR AS 99] | A 6750 | AS | | 04-MAY-83 |
| ANSI-PH1.25-83 | PHOTOGRAPHY (FILM) SAFETY PHOTOGRAPHIC FILM - 2 NOV 82 [CUST: AS 10] | A 6760 | AS | | 31-MAY-83 |
| ANSI-PH1.29-85 | PHOTOGRAPHY (FILM) METHODS FOR DETERMINING CURL - 7 JAN 85 - [CUST: CR AS 16 DH] [REVIEW: 11 13 18 19 24 AL AR AT CC CR EC MI SA SH TD] | A EDRS | GS | | 09-AUG-89 |
| ANSI-PH1.30-80 | FILM, PHOTOGRAPHIC, IN ROLLS FOR RECORDING INSTRUMENTS & MISCELLANEOUS USES, DIMENSIONS FOR - 22 OCT 79 [CUST: CR AS 99] | A 6750 | AS | | 16-JUN-80 |
| ANSI-PH1.31-73R80 NOT 1 | FILM, PHOTOGRAPHIC, METHOD FOR DETERMINING THE BRITTLINESS OF - 27 DEC 1972 (REAFFIRMED 1980 [CUST: CR AS 99]) | A 6750 | AS | | 20-AUG-87 |
| ANSI-PH1.32-73 | FILMS & PAPERS, PHOTOGRAPHIC, METHODS FOR DETERMINING THE DIMENSIONAL CHANGE CHARACTERISTICS OF - 8 JAN 73 [CUST: CR AS 99] | A 6750 | AS | | 16-JUN-80 |
| ANSI-PH1.33-80 | SPOOL, 16 MM 100 FT, 16MM 200 FT, 35MM 100 FT, & 70 MM 100 FT, FOR RECORDING INSTRUMENTS & FOR MICROFILM & STILL PICTURE CAMERAS, DIMENSIONS FOR - 8 FEB 80 [CUST: CR AS 99] | A 6750 | AS | | 04-MAY-83 |
| ANSI-PH1.39-79 NOT 1 | DIMENSIONS FOR 70MM FILM MAGAZINES & FILM FOR STILL PICTURE CAMERAS - 29 NOV 78 [CUST: CR AS 99] | A 6750 | AS | | 12-MAY-87 |
| ANSI-PH1.49-79 | FILM CASSETTES, MEDICAL RADIOGRAPHIC, AMERICAN NATIONAL STANDARD SPECIFICATIONS FOR - 1979 [CUST: MD MS 03] | A 6525 | MB | | 13-JUN-86 |
| ANSI-PH1.50-82 | SCREENS, RADIOGRAPHIC FILM CASSETTE INTENSIFYING, DIMENSIONS FOR, AMERICAN NATIONAL STANDARD FOR - 1982 [CUST: MD MS 03] | A 6530 | MB | | 28-NOV-86 |
| ANSI-PH1.53-78 | PROCESSED PHOTOGRAPHIC FILMS, PLATES, & PAPERS, PHOTOGRAPHIC FILING ENCLOSURES FOR STORING, REQUIREMENTS FOR - 10 APR 78 [CUST: CE AS 10] | A 6760 | AS | | 04-APR-83 |
| ANSI-PH2.2-81 | SENSITOMETRY & GRADING OF BLACK & WHITE SILVER HALIDE PHOTOGRAPHIC PAPERS FOR CONTINUOUS TONE REFLECTION PRINTS - 18 JUN 81 [CUST: CR AS 99] [REVIEW: 70] | A 6750 | AS | | 20-FEB-84 |
| ANSI-PH2.5-79R86 NOT 1 | PHOTOGRAPHIC NEGATIVE MATERIALS (MONOCHROME, CONTINUOUS TONE), METHOD FOR DETERMINING SPEED OF - 26 JUN 1979 (REAFFIRMED 1986 [CUST: CR AS 99]) | A 6760 | AS | | 25-AUG-87 |
| ANSI-PH2.17-85 | REFLECTION DENSITY, GEOMETRIC CONDITIONS FOR, DENSITY MEASUREMENTS - FOR PHOTOGRAPHY (SENSITOMETRY) [CUST: CR AS 99 GS] | A 67GP | AS | | 03-JUL-85 |
| ANSI-PH2.19-86 | DENSITY MEASUREMENTS - GEOMETRIC CONDITIONS FOR TRANSMISSION DENSITY - 9 JAN 86 [CUST: CR AS 16 DH] [REVIEW: 11 13 18 19 24 AL AR AT CC CR EC MI SA SH TD] | A EDRS | GS | | 09-AUG-89 |
| ANSI-PH2.34-69R77 NOT 1 | PHOTOGRAPHY, AERIAL, METHODS FOR DETERMINING THE SPEEDS OF MONOCHROME PHOTOGRAPHIC NEGATIVE FILMS FOR - 21 AUG 69 [CUST: CR AS 99] | A 6750 | AS | | 12-MAY-87 |
| ANSI-PH2.50-83 | PHOTOGRAPHY - DIRECT-EXPOSURE MEDICAL & DENTAL RADIOGRAPHIC FILM/PROCESS COMBINATIONS - DETERMINATION OF ISO SPEED & AVERAGE GRADIENT - 1983 [CUST: MD MS 03] | A 6525 | MB | | 28-NOV-86 |
| D ANSI-PH3.20-75 NOT 1 | LENSES, DISTANCE SCALES FOR FOCUSING CAMERA [CUST: CR AS 70 IS] [REVIEW: 99] | A 6760 | IS | | 14-JUN-93 |
| D ANSI-PH3.22-79 NOT 1 | PHOTOGRAPHIC OBJECTIVE, ILLUMINANCE OVER THE FIELD OF A, METHOD FOR DETERMINING THE DISTRIBUTION OF [CUST: CR AS 70 IS] [REVIEW: 99] | A 6760 | IS | | 14-JUN-93 |
| D ANSI-PH3.29-79 NOT 1 | LENSES, PHOTOGRAPHIC OBJECTIVES AND PROJECTION, METHODS OF DESIGNATING AND MEASURING APERTURES AND RELATED QUANTITIES PERTAINING TO [CUST: CR AS 70 IS] [REVIEW: 99] | A 6760 | IS | | 14-JUN-93 |
| ANSI-PH3.30-78R84 NOT 1 | CAMERA ACCESSORY SHOES WITH & WITHOUT ELECTRICAL CONTACTS FOR PHOTOFLASH UNITS, DIMENSIONS FOR - 5 APR 1978 (REAFFIRMED 1984) [CUST: CR AS 99] | A 6720 | AS | | 25-AUG-87 |
| ANSI-PH3.31-74R87 NOT 1 | ENLARGERS, PHOTOGRAPHIC, METHODS FOR TESTING - 21 MAR 1974 (REAFFIRMED 1987 [CUST: CR AS 99]) | A 6740 | AS | | 25-AUG-87 |
| D ANSI-PH3.35-77 NOT 1 | LENSES, PHOTOGRAPHIC, METHODS OF DESIGNATING AND MEASURING FOCAL LENGTHS AND FOCAL DISTANCES OF [CUST: CR AS 70 IS] [REVIEW: 99] | A 6760 | IS | | 14-JUN-93 |
| ANSI-PH3.48-72 | CAMERAS, STILL-PICTURE, SHUTTER TESTS FOR [CUST: CR AS 99] | A 6720 | AS | | 12-JAN-72 |
| D ANSI-PH3.57-78 NOT 1 | OPTICAL TRANSFER FUNCTION MEASUREMENT AND REPORTING, GUIDE TO [CUST: CR AS 70 IS] [REVIEW: 99] | A 6760 | IS | | 14-JUN-93 |
| D ANSI-PH3.63-74 | LENSES, PHOTOGRAPHIC, METHOD OF DETERMINING THE PHOTOGRAPHIC RESOLVING POWER OF - 24 MAY 74 [CUST: CR AS 70 IS] [REVIEW: 99] | A 6760 | IS | | 03-MAY-85 |
| ANSI-PH3.64-78 NOT 1 | PROJECTOR WITH BUILT IN SMALL SCREENS, METHOD FOR TESTING OPTICAL PERFORMANCE OF SLIDE & FILMSTRIP - 19 MAY 78 [CUST: CR AS 99] | A 6730 | AS | | 12-MAY-87 |
| ANSI-PH3.69-77R82 NOT 1 | EQUIPMENT, PHOTOGRAPHIC, METHOD OF MEASURING TEMPERATURE OF - 15 SEPT 1977 (REAFFIRMED 1982) [CUST: CR AS 99] | A 67GP | AS | | 25-AUG-87 |
| ANSI-PH3.102-83 | TRIPOD CONNECTIONS FOR HEAVY-DUTY OF IMPORTED CAMERAS 3/8-INCH - 16 THREAD WITH ADAPTER FOR 1/4-INCH - 20 SCREW FOR PHOTOGRAPHY (CAMERAS) - 8 JUL 83 [CUST: AS 99] [REVIEW: 70] | A 6760 | AS | | 15-MAY-88 |
| ANSI-PH3.601-81 | LENSES, FOCAL LENGTH MARKINGS OF - 21 SEP 81 [CUST: CR AS 70] [REVIEW: 99] | A 6760 | 70 | | 03-MAY-85 |
| D ANSI-PH3.607-81 NOT 1 | LENSES, PHOTOGRAPHIC, METHOD OF DETERMINING AND SPECIFYING THE COLOR CONTRIBUTION OF [CUST: CR AS 70 IS] [REVIEW: 99] | A 6760 | IS | | 14-JUN-93 |
| D ANSI-PH3.609-80 NOT 1 | OPTICAL, PHOTOGRAPHIC, DIMENSIONS FOR RESOLUTIONS TEST TARGET FOR [CUST: CR AS 70 IS] [REVIEW: 99] | A 6760 | IS | | 14-JUN-93 |
| D ANSI-PH3.615-80 NOT 1 | CAMERA OBJECTIVES, STILL-PICTURE, METHOD OF TESTING VEILING GLARE [CUST: CR AS 70 IS] [REVIEW: 99] | A 6760 | IS | | 14-JUN-93 |
| D ANSI-PH3.617-80 NOT 1 | OPTICAL ELEMENTS AND ASSEMBLIES, DEFINITIONS, METHODS OF TESTING, AND SPECIFICATIONS FOR APPEARANCE IMPERFECTIONS OF [CUST: CR AS 70 IS] [REVIEW: 99] | A 6760 | IS | | 14-JUN-93 |
| ANSI-PH3.704-80R85 NOT 1 | EQUIPMENT, PHOTOGRAPHIC STILL PROJECTION, PROJECTED MEDIA TEMPERATURE TEST FOR - 19 DEC 1979 (REAFFIRMED 1985) [CUST: CR AS 99] | A 6730 | AS | | 25-AUG-87 |
| ANSI-PH3.705-80 | ILLUMINATION TESTS FOR PHOTOGRAPHIC STILL FRONT PROJECTION EQUIPMENT - 19 DEC 79 [CUST: CR AS 99] [REVIEW: 70] | A 6730 | AS | | 20-FEB-84 |
| ANSI-PH4.3-86 | PHOTOGRAPHY PROCESSING TRAYS - 2 DEC 1985 [CUST: CR AS 99] [REVIEW: 70 82 GS MC] | A 6740 | AS | | 30-JUL-87 |
| ANSI-PH4.8-85 | CHEMICALS, RESIDUAL THIOSULFATE AND OTHERS, IN FILMS, PLATES, AND PAPERS - DETERMINATION AND MEASUREMENT - 7 JAN 85 - [CUST: CR AS 16 DH] [REVIEW: 11 13 18 19 24 AL AR AT CC CR EC MI SA SH TD] | A EDRS | GS | | 09-AUG-89 |
| ANSI-PH4.29-75R80 | FILMS, PHOTOGRAPHIC, PLATES & PAPERS, METHODS FOR MANUAL PROCESSING OF BLACK & WHITE - 5 SEP 75 [CUST: CR AS 99] | A 6740 | AS | | 23-SEP-80 |
| ANSI-PH5.8-72 NOT 1 | MICROFILM, UNITIZED, CARRIERS (APERTURE, CAMERA, COPY & IMAGE CARDS), DIMENSION FOR - 24 MAR 1971 [CUST: CR AS 16] [REVIEW: AR AT CR4 MC MI OS SA SH] | A EDRS | CR | | 13-FEB-86 |
| ANSI-PH5.9-75 | MICROFICHE - 16 DEC 69 [CUST: CR AS 16] [REVIEW: AT AV CR4 MC MI OS SA SH] | A EDRS | GS | | 30-APR-75 |
| ANSI-PH5.12-73 NOT 1 | MICROFILM CARRIER, THICKNESS OF BUILDUP AREA ON UNITIZED, (APERTURE, CAMERA, COPY & IMAGE CARDS), METHOD FOR MEASURING - 5 SEP 73 [CUST: CR AS 16] [REVIEW: AR AT CR4 MC MI OS SA SH] | A EDRS | CR | | 13-FEB-86 |
| ANSI-PH5.14-73 | MICROFILM CARRIER, ADHESION OF PROTECTION SHEET TO APERTURE ADHESIVE OF UNITIZED, (APERTURE CARD), METHOD FOR DETERMINING - 5 SEP 73 [CUST: CR AS 16] [REVIEW: AR AT CR4 MC MI OS SA SH] | A EDRS | CR | | 30-APR-75 |
| ANSI-PH5.20-74 | RETRIEVAL SYSTEMS DOCUMENT MARK (BLIP) USED IN IMAGE MARK 1974 [CUST: CR AS 10 DH] [REVIEW: AL AR AT CR4 MC MI OS SA SH YDI] | A EDRS | 10 | | 30-APR-75 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------------|---|-----------------------|-----|-------------|-----------|
| ANSI-PH5.22-75 | CASSETT, DOUBLE CORE (B-1 AXIAL), DIMENSIONS & OPERATIONAL CONSTRAINTS FOR, FOR 16MM PROCESSED MICROFILM - 16 OCT 75 [CUST: CR AS 99] | A 6760 | CR | | 17-AUG-76 |
| ANSI-PH22.8-81 | FILM, 16MM MOTION PICTURE, DIMENSIONS OF PROJECTABLE IMAGE AREA ON - 28 SEP 81 [CUST: CR AS 99] | A 6730 | AS | | 04-MAY-83 |
| ANSI-PH22.37-75 | FILM, MOTION PICTURE, DIMENSIONS OF RAW STOCK CORES FOR - 28 MAY 75 [CUST: CR AS 99] | A 6750 | AS | | 18-AUG-80 |
| ANSI-PH22.93-80 | FILM, 35 MM MOTION PICTURE, PERFORATED BH, DIMENSIONS FOR - 23 SEP 80 [CUST: CR AS 99] | A 6750 | AS | | 04-MAY-83 |
| ANSI-PH22.109-80 | FILM, 16 MM MOTION PICTURE FILM, PERFORATED IR, DIMENSIONS FOR - 6 OCT 80 [CUST: CR AS 99] | A 6750 | AS | | 04-MAY-83 |
| ANSI-PH22.110-80 | FILM, 16MM MOTION PICTURE, PERFORATED 2R, DIMENSIONS FOR - 6 OCT 80 [CUST: CR AS 99] | A 6750 | AS | | 04-MAY-83 |
| ANSI-PH22.139-80 | FILM, 35MM MOTION PICTURE, PERFORATED KS DIMENSIONS FOR - 23 SEP 80 [CUST: CR AS 99] | A 6750 | AS | | 04-MAY-83 |
| ANSI-PH22.154-82 | FILM, 8MM TYPES MOTION PICTURE, DIMENSIONS OF PROJECTABLE IMAGE AREA ON - 11 MAY 82 [CUST: CR AS 99] | A 6730 | AS | | 04-MAY-83 |
| ANSI-PH22.164-82 | FILM, 8MM TYPES MOTION PICTURE, POSITION, DIMENSIONS & REPRODUCING SPEED OF MAGNETIC SOUND RECORD ON - 11 MAY 82 [CUST: CR AS 99] | A 6730 | AS | | 04-MAY-83 |
| ANSI-S1.4-83 | METERS, SOUND LEVEL, SPECIFICATION FOR [CUST: MI AS 11] [REVIEW: AM AT CR4 MD OS TD TE YD1] | A HFAC | MI | | 27-MAY-93 |
| ANSI-S1.6-84R90 | MEASUREMENTS, ACOUSTICAL, PREFERRED FREQUENCIES, FREQUENCY LEVELS, AND BAND NUMBER FOR [CUST: TE SH 82] [REVIEW: 10 13 19 AL AR AT AV CR CR4 EA EC MC MD MS OS PE TD YD1] | A ENVR | SH | | 21-MAY-84 |
| ANSI-S1.8-89 | REFERENCE QUANTITIES FOR ACOUSTICAL LEVELS [CUST: GL AS 11] | A ENVR | AS | | 27-OCT-89 |
| ANSI-S1.10-66 NOT 1 | CALIBRATION OF MICROPHONES, METHOD FOR THE [CUST: MI AS 11] [REVIEW: 19 AL AT MD TE TM] | A QCIC | MI | | 14-DEC-92 |
| ANSI-S1.11-86 NOT 1 | OCTAVE-BAND AND FRACTIONAL-OCTAVE-BAND ANALOG AND DIGITAL FILTERS, SPECIFICATION FOR [CUST: MI AS 11] [REVIEW: AM AT CR4 MD OS TD TE YD1] | A HFAC | MI | | 27-MAY-93 |
| M ANSI-S1.12-67R72 | MICROPHONES, LABORATORY STANDARD [CUST: CR AS 85] | A 5965 | CR | | 05-OCT-67 |
| ANSI-S1.13-71R76 NOT 1 | SOUND PRESSURE LEVELS, METHODS FOR MEASUREMENT OF [CUST: MI AS 11] [REVIEW: AM AT CR4 MD OS TD TE YD1] | A HFAC | MI | | 21-JUN-93 |
| ANSI-S1.40-84 NOT 1 | CALIBRATORS, ACOUSTICAL, SPECIFICATION FOR [CUST: MI AS 11] [REVIEW: AM AT CR4 MD OS TE YD1] | A HFAC | MI | | 27-MAY-93 |
| ANSI-S3.1-91 NOT 1 | TEST ROOMS, AUDIOMETRIC, MAXIMUM PERMISSIBLE AMBIENT NOISE LEVELS FOR [CUST: YD1] | A FACR | YD1 | | 10-MAR-93 |
| ANSI-S3.2-89 NOT 1 | SPEECH OVER COMMUNICATION SYSTEMS, METHOD FOR MEASURING THE INTELLIGIBILITY OF [CUST: MI AS 11] [REVIEW: 10 13 19 AL AR AT AV CR CR4 EA EC MC MD MS OS PE SH TD TE YD1] | A HFAC | MI | | 27-MAY-93 |
| ANSI-S3.5-69 NOT 1 | CALCULATION OF THE ARTICULATION INDEX, METHODS FOR THE [CUST: MI AS 11] [REVIEW: 19 AL AT MD TE TM] | A QCIC | MI | | 14-DEC-92 |
| ANSI-S3.7-73 | EARPHONES, METHOD FOR COUPLER CALIBRATION OF [CUST: CR AS 85] | A 5965 | CR | | 18-JAN-73 |
| A ANSI-S3.13-87 | COUPLER MECHANICAL, BONE VIBRATORS FOR MEASUREMENTS OF [CUST: MD MS 85] | A 6515 | 03 | | 16-NOV-87 |
| ANSI-S3.19-74R91 | MEASUREMENT OF REAL-EAR PROTECTION OF HEARING PROTECTORS AND PHYSICAL ATTENUATION OF EARMUFFS [CUST: AV SH 99 MB] | A 4240 | MB | | 14-AUG-74 |
| ANSI-S12.6-84 | MEASUREMENT OF THE REAL-EAR ATTENUATION OF HEARING PROTECTORS AT HEARING PROTECTORS [CUST: GL AS 84 MB] | A 4240 | MB | | 17-DEC-84 |
| ANSI-S12.33-90 | SOUND POWER LEVELS OF NOISE SOURCES IN A SPECIAL REVERBERATION TEST ROOM, ENGINEERING METHODS FOR THE DETERMINATION OF [CUST: MI YD1 11] | A FACR | YD1 | | 02-AUG-90 |
| ANSI-X3.2-70 | MAGNETIC INK CHARACTER RECOGNITION, PRINT SPECIFICATIONS FOR - 5 OCT 1970 [CUST: CR OM 02] | A IPSC | DC | | 05-OCT-70 |
| ANSI-X3.9-78 | FORTAN, PROGRAMMING LANGUAGE, AMERICAN NATIONAL STANDARD - 3 APR 78 [CUST: CR OM 02] | A IPSC | 02 | | 15-NOV-78 |
| ANSI-X3.11-69 | CARDS FOR INFORMATION PROCESSING - 1 OCT 1969 [CUST: CR OM 02] | A IPSC | DC | | 01-OCT-69 |
| ANSI-X3.19-67 | TAPE FOR INFORMATION INTERCHANGE, ELEVEN-SIXTEENTHS INCH PERFORATED PAPER - 3 APR 1967 [CUST: CR OM 02] | A IPSC | DC | | 03-APR-67 |
| ANSI-X3.34-72 | INFORMATION INTERCHANGE, INTERCHANGE ROLLS OF PERFORATED TAPE FOR - 9 DEC 1971 [CUST: CR OM 02] [REVIEW: MC NM SA] | A IPSC | DC | | 09-DEC-71 |
| ANSI-X3.37-77 | LANGUAGE, PROGRAMMING, ASPT - 5 JAN 77 [CUST: CR 02] | A IPSC | 02 | | 17-MAY-77 |
| ANSI-X3.52-76 | DISK CARTRIDGE, UNRECORDED SINGLE, (FRONT LOADING 2200 BPI) GENERAL, PHYSICAL AND MAGNETIC REQUIREMENTS - 3 FEB 1976 [CUST: CR OM 02] | A IPSC | 02 | | 01-SEP-76 |
| ANSI-X3.53-53R76 | LANGUAGE, PROGRAMMING, PL/I - 9 AUG 76 [CUST: AM OM 02] | A IPSC | 02 | | 14-OCT-76 |
| ANSI-X3.55-77 | TAPE CARTRIDGE, UNRECORDED MAGNETIC, FOR INFORMATION INTERCHANGE, 0.250 IN. (6.30MM), 1600 BPI (63 BPMM) PHASE ENCODED - 27 JUN 77 [CUST: CR OM 02] | A IPSC | 02 | | 27-OCT-77 |
| ANSI-X3.58-77 | DISK PACK, UNRECORDED ELEVEN, GENERAL, PHYSICAL & MAGNETIC REQUIREMENTS - 9 JUN 77 [CUST: CR OM 02] | A IPSC | 02 | | 19-DEC-77 |
| ANSI-X3.127-87 | TAPE CARTRIDGE, UNRECORDED MAGNETIC, FOR INFORMATION INTERCHANGE - 0.250 INCH (630 MM), 6400-10 000 FTP (252-394 FTPMM) [CUST: CC] | A 7045 | CC | | 05-NOV-86 |
| ANSI-X3.203-92 | COMPUTER TAPE CARTRIDGE, HELICAL-SCAN, FOR INFORMATION INTERCHANGE (3.81-MM (0.150-IN) DIGITAL DATA STORAGE (DDS) RECORDED FORMAT) [CUST: CC] | A 7045 | CC | | 20-MAR-92 |
| ANSI-X3.205-92 | COMPUTER TAPE CARTRIDGE FOR INFORMATION INTERCHANGE (3.81-MM (0.150-IN) DATA/DAT RECORDED FORMAT) [CUST: CC] | A 7045 | CC | | 20-MAR-92 |
| ANSI-X3.206-93 | COMPUTER TAPE CARTRIDGE, UNRECORDED HELICAL-SCAN DIGITAL FOR INFORMATION INTERCHANGE - 3.81 MM (0.150 IN) [CUST: CC] | A 7045 | CC | | 03-SEP-93 |
| ANSI-X4.13-83 | FINANCIAL SERVICES - FINANCIAL TRANSACTION CARDS AMERICAN NATIONAL STANDARD FOR - 1983 [CUST: MD MS 03] | A 7530 | MB | | 29-JUL-88 |
| ANSI-Y10.5-68 | LETTER SYMBOLS FOR QUANTITIES USED IN ELECTRICAL SCIENCE & ELECTRICAL ENGINEERING - 15 APR 68 [CUST: AR SH 11] [REVIEW: AV CR4 MC MI OS YD1] | A DRPR | AR | | 15-APR-68 |
| ANSI-Y10.20-75 NOT 2 | MATHEMATICAL SIGNS & SYMBOLS FOR USE IN PHYSICAL SCIENCES & TECHNOLOGY - 75 [CUST: AR SH 11] | A DRPR | AR | | 13-SEP-88 |
| ANSI-Y14.1-80 NOT 1 | DRAWING SHEET SIZE & FORMAT - 22 DEC 80 [CUST: AR SA 16] [REVIEW: 19 AS AT AV CR CR4 MC MI OS SH YD1] | A DRPR | AR | | 13-SEP-88 |
| ANSI-Y14.2M-79 | CONVENTION & LETTERING, LINE - 1979 [CUST: AR OS 16] | A DRPR | AR | | 04-JAN-79 |
| ANSI-Y14.3-75 NOT 2 | MULTI AND SECTIONAL VIEW DRAWINGS - 1975 [CUST: AR SA 16] [REVIEW: AS] | A DRPR | AR | | 23-AUG-88 |
| ANSI-Y14.6-78 | SCREW THREAD REPRESENTATION - 26 JUL 78 [CUST: AR SA 16] [REVIEW: AS] | A DRPR | AR | | 26-JUL-78 |
| ANSI-Y14.7.1-71 NOT 2 | GEAR DRAWING STANDARDS PART 1 FOR SPUR, HELICAL, DOUBLE HELICAL & RACK - 2 FEB 71 [CUST: AR OS 16] | A DRPR | AR | | 23-AUG-88 |
| ANSI-Y14.7.2-78 | GEAR & SPLINE DRAWING STANDARDS - PART 2, BEVEL & HYPOID GEARS - 1978 (REAPPROVED 84) [CUST: AR SA 16] [REVIEW: 11 AT AV CR4 MC OS SA SH YD1] | A DRPR | AR | | 02-FEB-78 |
| ANSI-Y14.13M-81 NOT 2 | MECHANICAL SPRING REPRESENTATION - 30 OCT 81 [CUST: AR OS 16] [REVIEW: AS AT AV CR4 EA IS MC SH YD1] | A DRPR | AR | | 23-AUG-88 |
| ANSI-Y14.15-66R73 | ELECTRICAL & ELECTRONICS DIAGRAMS - 15 MAY 67 (ANSI Y14.15A-71) (ANSI Y14.15B-73 INFO SHTS) [CUST: AR SH 16] | A DRPR | AR | | 15-MAY-67 |
| ANSI-Y14.26M-81 | PRODUCT DEFINITION DATA, DIGITAL REPRESENTATION FOR COMMUNICATION OF - 21 SEP 81 [CUST: AR SH 02] [REVIEW: 16 AT CR CR4 MI OS] | A IPSC | AR | | 15-JAN-82 |
| ANSI-Y14.26.3-75 | PRODUCT DEFINITION DATA, DICTIONARY OF TERMS FOR COMPUTER AIDED PREPARATION OF (INCL ENGINEERING DRAWINGS) - 1975 [CUST: SA 16] [REVIEW: 11 19 99 AS AT AV CR CR4 MI OS SH YD1] | A DRPR | AR | | 15-AUG-75 |
| ANSI-Y14.36-78 | SYMBOL, SURFACE TEXTURE - 1978 [CUST: AR SA 11] [REVIEW: 71 82 AS] | A DRPR | AR | | 27-JAN-78 |
| ANSI-Y32.2-75 | ORDER IEEE 315-75 [CUST: AR SH 16] | A DRPR | AR | | 31-OCT-75 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|----------------------|--|--------------------------|-----|-------------|-----------|
| ANSI-Y32.4-77 | GRAPHIC SYMBOLS FOR PLUMBING FIXTURES FOR DIAGRAMS USED IN ARCHITECTUE & BUILDING CONSTRUCTION -77 [CUST: AR YD1] | A DRPR | AR | | 16-SEP-77 |
| ANSI-Y32.9-72 NOT 1 | GRAPHIC SYMBOLS FOR ELECTRICAL WIRING AND LAYOUT DIAGRAMS USED IN ARCHITECTURL AND BUILDING CONSTRUCTION - 1972 [CUST: AR YD1] [REVIEW: CG EC] | A DRPR | YD1 | | 31-MAR-88 |
| ANSI-Y32.10-67 | DIAGRAMS, FLUID POWER, GRAPHIC SYMBOLS FOR - 21 FEB 67 [CUST: SH] [REVIEW: AT MI] | A DRPR | AR | | 01-AUG-79 |
| ANSI-Y32.16-75 | ORDER IEEE 200-75 [CUST: AR SH 16] | A DRPR | AR | | 31-OCT-75 |
| ANSI-Z1.1.1,2.1.3-85 | GUIDE FOR QUALITY CONTROL CHARTS, CONTROL CHART METHOD OF ANALYZING DATA, CONTROL CHART OF METHOD OF CONTROLLING QUALITY DURING PRODUCTION -31 DEC 85 [CUST: AR 05 DH] [REVIEW: CR] | A QCIC | AR | | 13-MAR-89 |
| ANSI-Z8.1-90 NOT 1 | COMMERCIAL LAUNDRY AND DRYCLEANING OPERATIONS - SAFETY REQUIREMENTS, AMERICAN NATIONAL STANDARD FOR [CUST: YD1] | A 3510 | YD1 | | 19-APR-93 |
| ANSI-Z9.2-79 | SYSTEMS, LOCAL EXHAUST, FUNDAMENTALS GOVERNING THE DESIGN AND OPERATION OF [CUST: CR4 YD1 99] | A 4140 | YD1 | | 29-MAR-79 |
| ANSI-Z17.1-73 | NUMBERS, PREFERRED - 73 [CUST: AR] | A MISC | AR | | 30-SEP-74 |
| ANSI-Z21.10.1-93 | GAS WATER HEATERS - VOLUME I - STORAGE WATER HEATERS WITH INPUT RATINGS OF 75,000 BTU PER HOUR OR LESS [CUST: CR4 YD1 99] | A 4520 | YD1 | | 08-APR-93 |
| ANSI-Z21.13-91 NOT 1 | BOILERS, GAS-FIRED LOW-PRESSURE STEAM AND HOT WATER [CUST: YD1 99] [REVIEW: 84 CE MC] | A 4410 | YD1 | | 26-OCT-92 |
| ANSI-Z21.18-93 | GAS APPLIANCE, PRESSURE REGULATORS [CUST: GL SH 99] | A 4820 | GL | | 13-JAN-93 |
| ANSI-Z21.22-86 NOT 2 | BOILERS, HOT WATER, GAS-FIRED, LOW-PRESSURE STEAM (ALSO INCLUDES ADDENDA ANSI-Z21.13A-72) [CUST: CR4 YD1 99] [REVIEW: 82 CC CE MC SH] | A 4820 | YD1 | | 20-MAR-92 |
| ANSI-Z21.41-89 | GAS FUEL, FOR USE WITH QUICK-DISCONNECT DEVICES [CUST: GL YD1 99] | A 4730 | GL | | 16-JAN-89 |
| ANSI-Z21.45-92 | GAS APPLIANCES, FLEXIBLE CONNECTORS FOR OTHER THAN ALL-METAL CONSTRUCTION FOR [CUST: GL YD1 99] | A 7310 | GL | | 17-JUN-92 |
| ANSI-Z21.47-90 NOT 1 | GAS-FIRED CENTRAL FURNACES [CUST: YD1 99] [REVIEW: 84 CC MC] | A 4430 | YD1 | | 18-SEP-91 |
| ANSI-Z21.64-90 NOT 1 | FURNACES, CENTRAL, DIRECT VENT, AMERICAN NATIONAL STANDARD FOR [CUST: YD1] | A 4520 | YD1 | | 11-SEP-92 |
| ANSI-Z21.66-94 | GAS-FIRED APPLIANCES, FOR USE WITH AUTOMATIC VENT DAMPER DEVICES [CUST: CR4 YD1 99] | A 4520 | YD1 | | 14-FEB-94 |
| ANSI-Z21.69-87 | CONNECTORS FOR MOVABLE GAS APPLIANCES, AMERICAN NATIONAL STANDARD FOR - SECOND EDITION - 10 MARCH 1989 [CUST: CR4 YD1 99] [REVIEW: 82 CC MC SH] | A 4720 | YD1 | | 08-NOV-90 |
| ANSI-Z26.1-90 | SAFETY GLAZING MATERIALS FOR GLAZING MOTOR VEHICLES AND MOTOR VEHICLE EQUIPMENT OPERATING ON LAND HIGHWAYS - SAFETY CODE [CUST: CR4 SA 84] | A 8030 | CR4 | | 14-SEP-90 |
| ANSI-Z34.1-87 | THIRD-PARTY CERTIFICATION PROGRAM - 4 JUN 87 - [CUST: AL DH] [REVIEW: CR GL TM] | A QCIC | AR | | 01-MAR-88 |
| ANSI-Z34.2-87 | SELF-CERTIFICATION BY PRODUCER OR SUPPLIER -2 APRIL 87- [CUST: AR DH] [REVIEW: CR GL TM] | A QCIC | AR | | 01-MAR-88 |
| ANSI-Z39.14-79 | ABSTRACTS, WRITING [CUST: AM NM 01 SO] | A SDMP | SO | | 09-FEB-79 |
| ANSI-Z39.18-95 | SCIENTIFIC AND TECHNICAL REPORTS - ELEMENTS, ORGANIZATION, AND DESIGN [CUST: AM SH 01] [REVIEW: 03 04 11 13 17 99 AI AR AV CE CR CR4 DC GL MI MR NS OM] | A MISC | DD | | 21-MAR-95 |
| ANSI-Z41-91 | FOOTWEAR, PROTECTIVE-PERSONAL PROTECTION [CUST: GL NU 99 CT] | A 8430 | CT | | 04-APR-91 |
| ANSI-Z79.2-76 | TRACHEAL TUBE CONNECTORS AND ADAPTERS, AMERICAN NATIONAL STANDARD FOR - 19 NOV 1976 [CUST: MD MS 03] | A 6515 | MB | | 19-SEP-86 |
| ANSI-Z79.6-75 | TUBES, BREATHING, AMERICAN NATIONAL STANDARD FOR - 11 FEB 1975 [CUST: MD MS 03] | A 6515 | MB | | 25-APR-86 |
| ANSI-Z79.9-79 | HUMIDIFIERS AND NEBULIZERS FOR MEDICAL USE, AMERICAN NATIONAL STANDARD FOR - 1979 [CUST: MD MS 03] | A 6530 | MB | | 30-MAY-86 |
| ANSI-Z79.10-79 | OXYGEN ANALYZERS FOR MONITORING PATIENT BREATHING-MIXTURES, REQUIREMENTS FOR, 19 OCT 87 [CUST: MD MS 03] | A 6515 | MB | | 19-OCT-87 |
| ANSI-Z79.14-83 | TUBES, TRACHEAL, ANESTHETIC EQUIPMENT, STANDARD FOR - 14 DEC 1982 [CUST: MD MS 03] | A 6515 | MB | | 20-NOV-85 |
| ANSI-Z80.1-79 | LENSES, RECOMMENDATIONS FOR PRESCRIPTION OPHTHALMIC - 21 NOV 78 [CUST: MD MS 03 MB] | A 6540 | MB | | 05-NOV-84 |
| ANSI-Z80.3-86 | SUNGLASSES, NONPRESCRIPTION, AND FASHION EYEWEAR - REQUIREMENTS, FOR OPHTHALMICS [CUST: EA NU 99 CT] | A 8465 | CT | | 25-SEP-86 |
| ANSI-Z83.3-71 NOT 1 | GAS-UTILIZATION EQUIPMENT IN LARGE BOILERS (ALSO INCLUDES ADDENDA ANSI-Z83.3A-72 AND ANSI-Z83.3B-76) [CUST: YD1 99] [REVIEW: 84 CC CE MC] | A 4430 | YD1 | | 11-OCT-91 |
| ANSI-Z83.6-90 | HEATERS, GAS-FIRED INFRARED [CUST: CR4 YD1 99] [REVIEW: 84 CC CE] | A 4520 | YD1 | | 04-OCT-90 |
| ANSI-Z83.8-90 | HEATERS, GAS UNIT [CUST: CR4 YD1 99] [REVIEW: 84 CC CE] | A 4520 | YD1 | | 28-SEP-89 |
| ANSI-Z83.9-90 | FURNACES, GAS-FIRED DUCT [CUST: CR4 YD1 99] [REVIEW: 84 CC CE MC] | A 4520 | YD1 | | 30-NOV-90 |
| ANSI-Z83.11-89 | GAS FOOD SERVICE EQUIPMENT, RANGES AND UNIT BROILERS, AMERICAN NATIONAL STANDARD FOR, (ALSO INCLUDES ADDENDA ANSI-Z83.11A-90 AND ANSI-Z83.11B-91) [CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A 7310 | GL | | 27-JUL-89 |
| ANSI-Z83.12-89 | GAS FOOD SERVICE EQUIPMENT, BAKING AND ROASTING OVENS, AMERICAN NATIONAL STANDARD FOR (ALSO INCLUDES ADDENDA ANSI-Z83.12A-90 AND ANSI-Z83.12B-91) [CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A 7310 | GL | | 27-JUL-89 |
| ANSI-Z83.13-89 | GAS FOOD SERVICE EQUIPMENT, DEEP FAT FRYERS, AMERICAN NATIONAL STANDARD FOR, (ALSO INCLUDES ADDENDA ANSI-Z83.13A-90, AND ANSI-Z83.13B-91) [CUST: GL SA 99] [REVIEW: 50 84 MD SA] | A 7310 | GL | | 27-JUL-89 |
| ANSI-Z83.14-89 | GAS FOOD SERVICE EQUIPMENT, COUNTER APPLIANCES (COUNTER OR FLOOR-MOUNTED) (ALSO INCLUDES ADDENDA ANSI-Z83.14A-90 AND ANSI-Z83.14B-91) [CUST: GL SA 99] [REVIEW: 50 84 MC MD] | A 7320 | GL | | 27-JUL-89 |
| ANSI-Z83.15-89 | GAS FOOD SERVICE EQUIPMENT, KETTLES, STEAM COOKERS AND STEAM GENERATORS, AMERICAN NATIONAL STANDARD FOR (ALSO INCLUDES ADDENDA ANSI-Z83.15A-90 AND ANSI-Z83.15B-91) [CUST: GL SA 99] [REVIEW: 50 84 MC MD YD1] | A 7310 | GL | | 27-JUL-89 |
| ANSI-Z87.1-79 | PROTECTION, EYE AND FACE, PRACTICE FOR OCCUPATIONAL AND EDUCATIONAL [CUST: EA SH 99] [REVIEW: AR AS YD1] | A 4240 | GS | | 27-FEB-79 |
| ANSI-Z88.2-92 | RESPIRATORY PROTECTION [CUST: EA SH] [REVIEW: AR MD] | A 4240 | GS | | 06-AUG-92 |
| ANSI-Z89-86 | HEADWEAR, PROTECTIVE, FOR INDUSTRIAL WORKERS - REQUIREMENTS - 31 JULY 1986 [CUST: EA YD1 99] [REVIEW: 84 GS SH] | A 4240 | YD1 | | 26-JUL-90 |
| ANSI-Z89.1-86 | HEADWEAR, PROTECTIVE, FOR INDUSTRIAL WORKERS - REQUIREMENTS [CUST: EA YD1 99] | A 4240 | YD1 | | 31-JUL-86 |
| ANSI-Z90.1-92 | HEADGEAR, PROTECTIVE, FOR MOTOR VEHICULAR USERS, SPECIFICATIONS FOR [CUST: EA SH 11 CT] | A 4240 | CT | | 06-AUG-92 |
| ANSI-Z97.1-84 | SAFETY GLAZING MATERIALS USED IN BUILDINGS - SAFETY PERFORMANCE SPECIFICATIONS AND METHODS OF TEST, STANDARD FOR - 19 JUL 84 [CUST: CR YD1 85] [REVIEW: 84 99 GS] | A 5620 | YD1 | | 03-JUL-89 |
| ANSI-Z124.1-87 NOT 3 | BATHTUB UNITS, PLASTIC, AMERICAN NATIONAL STANDARD FOR - NOV. 3 1987 (ADDENDUMS DTD. 6 MAR. 1990 & 24 JULY 1991) [CUST: YD1 99] [REVIEW: 84 CC MC] | A 4510 | YD1 | | 01-OCT-91 |
| ANSI-Z124.2-87 NOT 2 | SHOWER RECEPTORS AND SHOWER STALLS, PLASTIC, STANDARD FOR -3 NOV 87 (ADDENDUM DTD. 6 MAR. 1990) [CUST: YD1 99] [REVIEW: 84 CC MC] | A 4510 | YD1 | | 01-APR-91 |
| ANSI-Z124.3-86 NOT 2 | PLASTIC LAVATORY, STANDARD FOR - 14 APR 1986 (ADDENDUM DTD. 6 MAR. 1990) [CUST: YD1 99] [REVIEW: CC CE MC] | A 4510 | YD1 | | 01-APR-91 |
| ANSI-Z124.4-86 NOT 2 | TANK, AND PLASTIC WATER CLOSET BOWLS, STANDARD FOR 14 APR 86 (ADDENDUM DTD. 6 MAR. 1990) [CUST: CR4 YD1] [REVIEW: CC MC] | A 4510 | YD1 | | 01-APR-91 |
| ANSI-Z124.5-89 | SEATS, TOILET, PLASTIC (WATER CLOSET) - 24 AUG 1989 [CUST: YD1 99] [REVIEW: 84 CC] | A 4510 | YD1 | | 21-MAY-90 |
| ANSI-Z124.6-90 | SINKS, PLASTIC, AMERICAN NATIONAL STANDAR FOR - 13 DEC 1990 [CUST: YD1 99] [REVIEW: 84 CC] | A 4510 | YD1 | | 15-AUG-91 |
| ANSI-Z124.9-94 | FIXTURES, PLASTIC URINAL, AMERICAN NATIONAL STANDARD FOR [CUST: YD1 99] [REVIEW: 84 CC CE CR4 MC] | A 4510 | YD1 | | 25-JAN-94 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------------|--|--------------------------|-----|-------------|-----------|
| ANSI-Z129.1-82 | CHEMICALS, HAZARDOUS INDUSTRIAL, PRECAUTIONARY LABELING OF - 21 SEP 82 [CUST: SM SA 69] [REVIEW: 99 AR AS CR4 GL MC MI MR OS SH YD1] | A PACK | GS | | 23-SEP-85 |
| ANSI-Z136.1-93 | SAFE USE OF LASERS [CUST: EC] | A SAFT | EC | | 05-FEB-93 |
| ANSI-Z236.1-73 | THERMOMETERS, GLASS GENERAL PURPOSE LABORATORY - 78 SEP 5 [CUST: MS] | A 6685 | MB | | 27-SEP-89 |
| ANSI-Z245.1-92 | EQUIPMENT, MOBILE REFUSE COLLECTION AND COMPACTION, FOR REFUSE COLLECTION, PROCESSING, AND DISPOSAL EQUIPMENT - SAFETY REQUIREMENTS [CUST: AT YD1 99] | A 4540 | AT | | 03-JAN-92 |
| ANSI-Z245.3-94 | WASTE CONTAINERS - SAFETY REQUIREMENTS FOR REFUSE COLLECTION, PROCESSING, AND DISPOSAL EQUIPMENT [CUST: AT YD1 99] | A 4540 | YD1 | | 12-MAY-94 |
| ANSI-Z358.1-90 | EYEWASH AND SHOWER EQUIPMENT, EMERGENCY - 5 OCT. 1989 [CUST: CR4 YD1 99] [REVIEW: 84 CC CE MC MS] | A 4510 | YD1 | | 04-FEB-91 |
| ANSI-Z359.1-92 | SYSTEMS, SUBSYSTEMS AND COMPONENTS, PERSONAL FALL ARREST, AMERICAN NATIONAL STANDARD SAFETY REQUIREMENTS FOR [CUST: EA SH 99] [REVIEW: GS] | A 4240 | SH | | 04-JUN-92 |
| ANSI-Z540.1-94 | LABORATORIES, CALIBRATION, AND MEASURING AND TEST EQUIPMENT [CUST: MI OS 05] [REVIEW: AR AS AV CR4 DH EC SH SS] | A QCIC | MI | | 27-JUL-94 |
| APA-E30N-94 | RESIDENTIAL AND COMMERCIAL [CUST: CR4 YD1 99] | A 5530 | YD1 | | 1994 |
| APA-E445P-94 | PANELS, STRUCTURAL-USE, PERFORMANCE STANDARDS AND POLICIES FOR [CUST: CR4 YD1 99] | A 5530 | YD1 | | 1994 |
| APA-F405-93 | PANELS, PERFORMANCE RATED [CUST: CR4 YD1 99] | A 5530 | YD1 | | 1993 |
| APA-PRP108-91 | STRUCTURAL-USE PANELS [CUST: 99] [REVIEW: 84 CR4 GL MI YD1] | A 5530 | IS | | FEB-91 |
| APA-PSI-83 | PLYWOOD, CONSTRUCTION & INDUSTRIAL - MAY 1984 [CUST: CR4 99] [REVIEW: 84 CC] | A 5530 | CR4 | | 20-MAR-87 |
| API-BULL-1529-89 NOT 1 | HOSE, FUELING, AVIATION [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4720 | YD1 | | 21-AUG-92 |
| API-BULL-2516 NOT 1 | EVAPORATION LOSS FROM LOW-PRESSURE TANKS [CUST: AT SH 68] [REVIEW: AM AS CE MC NM YD1] | A 91GP | AT | | 09-DEC-91 |
| API-BULL-2518 NOT 1 | EVAPORATION LOSS FROM FIXED-ROOF TANKS [CUST: AT SH 68] [REVIEW: AM AS CE MC NM YD1] | A 91GP | AT | | 09-DEC-91 |
| API-PUBL-2015-91 NOT 1 | SAFE ENTRY AND CLEANING OF PETROLEUM STORAGE TANKS (FOURTH EDITION) [CUST: CR4 YD1 99] [REVIEW: 82 CC CE MC] | A 5430 | YD1 | | 22-JAN-93 |
| API-PUBL-2015A-82 | TANK ENTRY & CLEANING, GUIDE FOR CONTROLLING THE LEAD HAZARD ASSOCIATED WITH (SECOND EDITION) - JUNE 1982 [CUST: CR4 YD1 99] [REVIEW: 82 CC CE] | A 5430 | YD1 | | 06-APR-87 |
| API-PUBL-2015B-81 | TANK, FLOATING-ROOF, CLEANING OPEN-TOP & COVERED (FIRST EDITION) - AUG 1981 [CUST: CR4 YD1 99] [REVIEW: 82 CC CE MC] | A 5430 | YD1 | | 06-APR-87 |
| API-PUBL-2517 NOT 1 | EVAPORATION LOSS FROM EXTERNAL FLOATING-ROOF TANKS [CUST: CR4 SH 68] [REVIEW: AM AS CE MC NM YD1] | A 91GP | CR4 | | 09-DEC-91 |
| API-PUBL-2518 NOT 1 | MANUAL OF PETROLEUM MEASUREMENT STANDARDS CHAPTER 19-EVAPORATION LOSS MEASUREMENT, SECTION 1 - EVAPORATIVE LOSS [CUST: CR4 SH 68] [REVIEW: AM AS CE MC NM YD1] | A 91GP | CR4 | | 24-JAN-92 |
| API-PUBL-2519 NOT 1 | EVAPORATION LOSS FROM INTERNAL FLOATING-ROOF TANKS [CUST: CR4 SH 68] [REVIEW: AM AS CE MC NM YD1] | A 91GP | CR4 | | 09-DEC-91 |
| API-RP1004-93 | VEHICLES, MC-306 TANK MOTOR, BOTTOM LOADING AND VAPOR RECOVERY FOR [CUST: AT YD1 99] [REVIEW: 84] | A 2320 | YD1 | | 30-NOV-93 |
| API-RP2003-82 | PROTECTION AGAINST IGNITIONS ARISING OUT OF STATIC, LIGHTENING AND STRAY CURRENTS - MAR 82 [CUST: CR YD1 85] [REVIEW: 99 GS] | A SAFT | YD1 | | 01-JUL-88 |
| API-SPEC-SCT-90 | CASING AND TUBING, SPECIFICATION FOR (THIRD EDITION) - 01 DEC 1990 [CUST: CR4 YD1 99] [REVIEW: GS] | A 4710 | YD1 | | 25-MAY-91 |
| API-SPEC-SL-88 | PIPE, LINE - [CUST: CR4 YD1 99] [REVIEW: CC] | A 4710 | YD1 | | 30-JAN-89 |
| API-SPEC-SD-91 | DRILL PIPE, SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4710 | YD1 | | 01-MAR-91 |
| API-SPEC-6D-91 NOT 1 | VALVES, PIPELINE (GATE, PLUG, BALL, AND CHECK VALVES), SPECIFICATION FOR [CUST: CR4 YD1] [REVIEW: CC SH] | A 4820 | YD1 | | 06-APR-92 |
| API-SPEC-6FA-85 | FIRE TEST FOR VALVES, SPECIFICATION FOR - FIRST EDITION - 01 MAY 85 [CUST: CR YD1 85] [REVIEW: 82 99 CC CE GS MC] | A 4820 | YD1 | | 23-JUN-89 |
| API-SPEC-12D-82 | TANK, FIELD WELDED, FOR STORAGE OF PRODUCTION LIQUIDS, API SPECIFICATION FOR, NINTH EDITION, SUPPLEMENT 1 - JAN 82 [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 5430 | YD1 | | 26-MAY-88 |
| API-STD-5B-88 | CASING, TUBING, & LINE PIPE THREADS, THREADING, GAGING, & THREAD INSPECTION OF - 31 MAY 88 (13TH ED) [CUST: YD1 99] [REVIEW: 82 CC CR4] | A 4710 | YD1 | | 30-JAN-89 |
| API-STD-526-84 | STEEL, FLANGED, SAFETY-RELIEF VALVES - THIRD EDITION - FEB 84 [CUST: YD1 99] [REVIEW: 82 CC CE GS MC] | A 4820 | YD1 | | 21-JUN-89 |
| API-STD-527-91 NOT 1 | SEAT TIGHTNESS OF PRESSURE RELIEF VALVES [CUST: CR4 YD1 99] [REVIEW: 82 CC CE MC] | A 4820 | YD1 | | 06-APR-92 |
| API-STD-594-91 NOT 1 | WAFER AND WAFER-LUG CHECK VALVES [CUST: CR4 YD1 99] [REVIEW: 82 CC CE MC] | A 4820 | YD1 | | 06-APR-92 |
| API-STD-598-90 NOT 1 | VALVE INSPECTION AND TESTING [CUST: CR4 YD1] [REVIEW: CC CE MC] | A 4820 | YD1 | | 06-APR-92 |
| API-STD-599-88 NOT 1 | STEEL AND DUCTILE IRON PLUG VALVES [CUST: YD1 99] [REVIEW: 82 CC CE MC] | A 4820 | YD1 | | 06-APR-92 |
| API-STD-600-91 NOT 1 | STEEL GATE VALVES-FLANGED AND BUTT-WELDING ENDS [CUST: CR4 YD1] [REVIEW: CC CE MC] | A 4820 | YD1 | | 06-APR-92 |
| API-STD-607-85 | VALVE, FIRE TEST FOR SOFT-SEATED QUARTER-TURN - NOV 1985 (THIRD EDITION) [CUST: CR4 YD1] | A 4820 | YD1 | | 04-JAN-90 |
| API-STD-609-91 NOT 1 | LUG- AND WAFER-TYPE BUTTERFLY VALVES [CUST: CR4 YD1 99] [REVIEW: 82 CC CE MC] | A 4820 | YD1 | | 06-APR-92 |
| API-STD-610-89 | PUMP, CENTRIFUGAL, FOR GENERAL REFINERY SERVICE - FEB 1989 [CUST: CR4 YD1 99] [REVIEW: 84 CC SH] | A 4320 | YD1 | | 25-MAY-91 |
| API-STD-614-92 | APPLICATIONS, SPECIAL-PURPOSE FOR LUBRICATION, SHAFT-SEALING, AND CONTROL-OIL SYSTEMS [CUST: CR4 YD1 99] [REVIEW: CC] | A 4930 | YD1 | | 31-AUG-92 |
| API-STD-617-88 | COMPRESSOR, AIR, INTEGRALLY GEARED, FOR GENERAL REFINERY SERVICES - APR 1988 [CUST: YD1] | A 4310 | YD1 | | 01-MAR-91 |
| API-STD-618-86 | COMPRESSOR, RECIPROCATING FOR GENERAL REFINERY SERVICES - FEB 1986 [CUST: YD1] | A 4310 | YD1 | | 01-MAR-91 |
| API-STD-619-85 | COMPRESSOR, DISPLACEMENT, ROTARY-TYPE, FOR GENERAL REFINERY SERVICES - MAY 1985 [CUST: YD1] | A 4310 | YD1 | | 01-MAR-91 |
| API-STD-650-93 | WELDED STEEL TANKS FOR OIL STORAGE [CUST: CR4 YD1 99] [REVIEW: 82 CC CE MC] | A 5430 | YD1 | | 01-JUL-93 |
| API-STD-1104-88 | WELDING PIPELINES AND RELATED FACILITIES, STANDARD FOR - SEVENTENTH EDITION - SEP 88 [CUST: YD1 99] [REVIEW: 82 GS] | A THJM | YD1 | | 18-DEC-88 |
| API-STD-2000-82 | TANK, VENTING ATMOSPHERIC AND LOW-PRESSURE, STANDARD FOR - 1982 JANUARY THIRD EDITION [CUST: CR4 YD1 99] [REVIEW: 82 CC CE MC] | A 5430 | YD1 | | 24-APR-87 |
| API-STD-2550-65R84 | CYLINDRICAL TANK, UPRIGHT, STANDARD METHOD FOR MEASUREMENT & CALIBRATION OF - (REAPPROVED 84) 1980 [CUST: MR YD1 99] | A NDTI | YD1 | | 25-AUG-88 |
| API-STD-2551-65 | TANK, HORIZONTAL, STANDARD METHOD FOR MEASUREMENT & CALIBRATION OF (FIRST EDITION) - OCT 1965 [CUST: CR4 YD1 99] [REVIEW: 82 CC CE MC] | A 5430 | YD1 | | 24-APR-87 |
| API-STD-2555-66 | TANK, METHOD FOR LIQUID CALIBRATION OF-1966 [CUST: CR4 YD1 99] [REVIEW: 82 CC MC] | A 5430 | YD1 | | 24-APR-87 |
| ARI210/240-89 NOT 1 | UNITARY AIR-CONDITIONING AND AIR-SOURCE HEAT, PUMP EQUIPMENT, STANDARD FOR [CUST: YD1 99] [REVIEW: 82 CC GS MC] | A 4120 | YD1 | | 28-JAN-92 |
| ARI270-84 NOT 1 | EQUIPMENT, OUTDOOR UNITARY, SOUND RATING OF, STANDARD FOR - 1984 [CUST: YD1 99] [REVIEW: CE CR4 GS MC MS] | A 4120 | YD1 | | 15-OCT-90 |
| ARI310-90 | AIR CONDITIONER, PACKAGED TERMINAL - 1990 [CUST: CR4 YD1 99] [REVIEW: CE GS] | A 4130 | YD1 | | 09-AUG-91 |
| ARI310/380-93 | AIR-CONDITIONERS AND HEAT PUMPS, PACKAGED TERMINAL [CUST: CR4 YD1 99] | A 4120 | YD1 | | OCT-93 |
| ARI320-86 | PUMPS, HEAT, WATER-SOURCE, STANDARD FOR - 1986 [CUST: CR4 YD1 99] [REVIEW: CE GS] | A 4120 | YD1 | | 13-JUL-90 |
| ARI340-86 | HEAT PUMP EQUIPMENT, UNITARY, COMMERCIAL AND INDUSTRIAL [CUST: CR4 YD1 99] | A 4120 | YD1 | | 1986 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution | | MCA | Prog. Acty. | Date |
|-------------|--------------------------|---|--------------|--|-----|-------------|-----------|
| | | | FSC/Asa | | | | |
| | ARI350-86 | EQUIPMENT, NON-DUCTED INDOOR AIR-CONDITIONING, SOUND RATING OF [CUST: CR4 YD1 99] | A 4120 | | | YD1 | 1986 |
| | ARI360-86 | AIR CONDITIONING EQUIPMENT, COMMERCIAL & INDUSTRIAL UNITARY, STANDARD FOR - 1986 [CUST: CR4 YD1 99] [REVIEW: CE GL GS] | A 4120 | | | YD1 | 13-JUL-90 |
| | ARI365-87 | UNITS, UNITARY AIR-CONDITIONING CONDENSING, COMMERCIAL AND INDUSTRIAL [CUST: CR4 YD1 99] | A 4130 | | | YD1 | 1987 |
| | ARI370-86 | EQUIPMENT, LARGE OUTDOOR REFRIGERATING AND AIR-CONDITIONING, SOUND RATING OF [CUST: GL YD1 99] | A 4120 | | | YD1 | 1986 |
| | ARI410-87 | COIL, AIR COOLING & AIR HEATING, FORCED CIRCULATION - MARCH 1987 [CUST: YD1 99] [REVIEW: CE CR4 GS] | A 4130 | | | YD1 | 15-JUL-91 |
| | ARI420-89 | UNIT COOLERS FOR REFRIGERATION [CUST: CR4 YD1 99] | A 4130 | | | YD1 | 1989 |
| | ARI430-89 | AIR HANDLING UNIT, CENTRAL STATION, STANDARD FOR - 1989 [CUST: CR4 YD1 99] [REVIEW: CE GS] | A 4130 | | | YD1 | 13-JUL-90 |
| | ARI440-89 | AIR CONDITIONING, FAN COIL, ROOM, STANDARD FOR - 1989 [CUST: YD1 99] [REVIEW: CE GS] | A 4130 | | | YD1 | 13-JUL-90 |
| | ARI445-87 NOT 1 | ROOM AIR-INDUCTION UNITS, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 82 CE GS MC MS] | A 4130 | | | YD1 | 05-FEB-93 |
| | ARI450-87 | WATER-COOLED REFRIGERANT CONDENSERS, REMOTE TYPE [CUST: CR4 YD1 99] | A 4130 | | | YD1 | 1987 |
| | ARI460-87 NOT 2 | CONDENSERS, REMOTE MECHANICAL-DRAFT, AIR-COOLED, REFRIGERANT, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 82 CE GS MC MS] | A 4130 | | | YD1 | 06-JUL-92 |
| | ARI495-85 NOT 2 | REFRIGERANT LIQUID RECEIVERS, AIR CONDITIONING AND REFRIGERATION INSTITUTE, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 82 CE MC MS] | A 4130 | | | YD1 | 06-JUL-92 |
| A | ARI520-97 | UNITS, POSITIVE DISPLACEMENT CONDENSING [CUST: CR4 YD1 99] [REVIEW: 82 CE GS MC MS] | A 4130 | | | YD1 | 1997 |
| | ARI550-90 NOT 1 | PACKAGES, CENTRIFUGAL OR ROTARY SCREW WATER-CHILLING, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 82 CE GS MC MS] | A 4130 | | | YD1 | 05-FEB-93 |
| | ARI560-82 NOT 2 | PACKAGES, ABSORPTION WATER-CHILLING, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 82 CE GS MC MS] | A 4130 | | | YD1 | 19-JUN-92 |
| | ARI575-87 | METHOD OF MEASURING MACHINERY SOUND WITHIN AN EQUIPMENT SPACE [CUST: MI YD1 11] | A HFAC | | | YD1 | 1987 |
| | ARI590-86 NOT 2 | PACKAGES, RECIPROCATING WATER-CHILLING, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 82 CE GS MC MS] | A 4130 | | | YD1 | 19-JUN-92 |
| | ARI610-89 | CENTRAL SYSTEM HUMIDIFIERS FOR RESIDENTIAL APPLICATIONS - APR 1989 [CUST: CR4 YD1 99] [REVIEW: GS] | A 4130 | | | YD1 | 11-JUL-91 |
| | ARI710-86 | LIQUID-LINE DRIERS [CUST: GL YD1 68] | A 6810 | | | YD1 | 1986 |
| | ARI750-87 | VALVES, EXPANSION, THERMOSTATIC REFRIGERANT [CUST: GL YD1 99] | A 4820 | | | YD1 | 1987 |
| | ARI760-87 | SOLENOID VALVES FOR USE WITH VOLATILE REFRIGERANTS [CUST: CR4 YD1 99] | A 4810 | | | YD1 | 1987 |
| | ARI810-91 | ICE-MAKERS, COMMERCIAL, AUTOMATIC [CUST: GL YD1 99] | A 4110 | | | GL | 1991 |
| | ARI850-84 | FILTER EQUIPMENT, COMMERCIAL AND INDUSTRIAL AIR, STANDARD FOR - 1984 [CUST: YD1] | A 4460 | | | YD1 | 24-SEP-91 |
| | ARI880-89 | AIR TERMINALS [CUST: CR4 YD1 99] | A 4130 | | | YD1 | 1989 |
| | ARI1010-84 NOT 2 | DRINKING-FOUNTAINS AND SELF-CONTAINED, MECHANICALLY-REFRIGERATED DRINKING-WATER COOLERS, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 82 CE GS MC MS] | A 4110 | | | YD1 | 20-MAR-92 |
| D | ASC-C78.1410-85 | LAMP, ELB PROJECTION - 8 FEB 85 [CUST: SH 99 IS] | A 6240 | | | IS | 15-MAY-86 |
| D | ASC-C78.1411-85 | ELC PROJECTION LAMP - 8 FEB 85 [CUST: SH 99 IS] | A 6240 | | | IS | 04-MAY-86 |
| | ASC-C78.1412-85 | LAMP, EMM PROJECTION - 8 FEB 85 [CUST: CR4 99] [REVIEW: 82 GS MC SH] | A 6240 | | | CR4 | 15-DEC-86 |
| | ASHRAE15-78 | REFRIGERATION MECHANICAL, SAFETY CODE FOR - 1978 [CUST: YD1] [REVIEW: CE GS MC MS] | A 4130 | | | YD1 | 20-JUL-88 |
| | ASHRAE16-88 | METHOD OF TESTING FOR RATING ROOM AIR CONDITIONERS AND PACKAGED TERMINAL AIR CONDITIONERS [CUST: CR4 SH 99] | A 4120 | | | CR4 | 31-JAN-88 |
| | ASHRAE17-86R90 | METHOD OF TESTING FOR CAPACITY RATING OF THERMOSTATIC REFRIGERANT EXPANSION VALVES [CUST: CR4 YD1 99] | A 4820 | | | YD1 | 18-APR-86 |
| | ASHRAE20-70 | CONDENSER, RATING REMOTE MECHANICAL DRAFT AIR COOLED REFRIGENT - 1986 [CUST: YD1] [REVIEW: CE GS MC MS] | A 4130 | | | YD1 | 20-JUL-88 |
| | ASHRAE23-93 | COMPRESSORS AND CONDENSING UNITS, RATING POSITIVE DISPLACEMENT REFRIGERANT, METHODS OF TESTING FOR [CUST: GL SH 82] | A 4130 | | | GL | 27-JAN-93 |
| | ASHRAE25-90 | AIR COOLERS FOR REFRIGERATION, FORCED CONVECTION AND NATURAL CONVECTION, METHODS OF TESTING [CUST: GL SH 99] | A 4110 | | | GL | 09-JUN-90 |
| | ASHRAE29-88 | ICE MAKERS, AUTOMATIC, METHODS OF TESTING [CUST: GL YD1 99] | A 4110 | | | GL | 26-JUN-88 |
| | ASHRAE33-78 | COILS, AIR COOLING AND AIR HEATING, FORCED CIRCULATION, METHODS OF TESTING [CUST: GL YD1 99] | A 41GP | | | YD1 | FEB-78 |
| | ASHRAE37-88 | EQUIPMENT, TESTING FOR RATING UNITARY AIR-CONDITIONING AND HEAT PUMP, METHODS OF [CUST: CR4 SH 82] | A 4120 | | | CR4 | 26-JUN-88 |
| | ASHRAE51-85 | LABORATORY METHODS OF TESTING FANS FOR RATING [CUST: CR4 YD1 99] | A 4140 | | | CR4 | 30-MAR-85 |
| | ASHRAE52-76 | DEVICES, AIR-CLEANING, USED IN GENERAL VENTILATION FOR REMOVING PARTICULATE MATTER, STANDARD FOR METHOD OF TESTING - FEB 76 [CUST: CR4 YD1 99] [REVIEW: CC CE GS] | A 4130 | | | YD1 | 02-JUN-88 |
| | ASHRAE68-86 | FAN, IN-DUCT SOUND POWER MEASUREMENT PROCEDURE FOR - 1986 [CUST: YD1] [REVIEW: CE GS MC MS] | A 4140 | | | YD1 | 20-JUL-88 |
| | ASHRAE90-80 | ENERGY CONSERVATION IN NEW BUILDING DESIGN [CUST: CE YD1 04] | A FACR | | | YD1 | 1980 |
| | ASHRAE116-83 | SEASONAL EFFICIENCY OF UNITARY AIR CONDITIONS & HEAT PUMPS - 1983 [CUST: YD1] [REVIEW: CE GS MC MS] | A 4120 | | | YD1 | 20-JUL-88 |
| | ASME-A13.1-81R85 | PIPING SYSTEMS, SCHEME FOR THE IDENTIFICATION OF [CUST: CR4 YD1 99 CC] [REVIEW: 82] | A 4710 | | | YD1 | 28-FEB-82 |
| | ASME-A17.1-93 | ELEVATORS AND ESCALATORS, SAFETY CODE FOR [CUST: CR4 YD1 99] | A 3960 | | | YD1 | 31-DEC-93 |
| | ASME-A39.1-87 | WINDOWING CLEANING, SAFETY REQUIREMENTS FOR - 4 JUN 1987 WITH ADDENDA A39.1B-89 [CUST: CR4 YD1 99] [REVIEW: 84] | A 5670 | | | YD1 | 29-JUN-90 |
| | ASME-A112.6.1M-88 NOT 1 | SUPPORTS FOR OFF-THE-FLOOR PLUMBING FIXTURES FOR PUBLIC USE [CUST: YD1 99] [REVIEW: CC] | A 4510 | | | YD1 | 16-DEC-91 |
| | ASME-A112.14.1-75R90 | VALVES, BACKWATER [CUST: CR4 YD1 99] | A 48GP | | | YD1 | 11-FEB-75 |
| | ASME-A112.18.1M-89 | FITTINGS, PLUMBING FIXTURE - 15 NOV 1989 [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 4510 | | | YD1 | 20-APR-90 |
| | ASME-A112.19.1M-87 | ENAMELED CAST IRON PLUMBING FIXTURES, AMERICAN NATIONAL STANDARD FOR - 3 APR 87 [CUST: CR4 YD1 99] [REVIEW: 84 CC CE] | A 4510 | | | YD1 | 13-JAN-89 |
| | ASME-A112.19.2M-90 | PLUMBING FIXTURES, VITREOUS CHIA - 6 DEC. 1990, ANTI-BACKFLOW TYPES - MAR 1978 [CUST: YD1 99] [REVIEW: 84 CC CE MC] | A 4510 | | | YD1 | 01-MAR-91 |
| | ASME-A112.19.3M-87 | STAINLESS STEEL PLUMBING FIXTURES (DESIGNED FOR RESIDENTIAL USE) AMERICAN NATIONAL STANDARD FOR 3 APR 87 [CUST: CR4 YD1 99] [REVIEW: 84 CC MC] | A 4510 | | | YD1 | 13-JAN-89 |
| | ASME-A112.19.4M-94 | PORCELAIN ENAMELED FORMED STEEL PLUMBING FIXTURES [CUST: CR4 YD1 99] | A 4510 | | | YD1 | 16-DEC-94 |
| | ASME-A112.19.5-79R90 | WATER-CLOSET BOWLS, TANKS, AND URINALS, TRIM FOR [CUST: CR4 YD1 99] | A 4510 | | | YD1 | 30-JUN-79 |
| | ASME-A112.21.1M-91 NOT 1 | FLOOR DRAINS [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4510 | | | YD1 | 02-JAN-92 |
| | ASME-A112.36.2M-91 NOT 1 | CLEANOUTS [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4510 | | | YD1 | 17-JUL-92 |
| | ASME-B1.1-89 | SCREW THREADS, UNIFIED, (UN AND UNR THREAD FORM) [CUST: AR AS 11] [REVIEW: 19 82 CR CR4 EA MI] | A THDS | | | IS | 29-AUG-89 |
| | ASME-B1.2-83 NOT 1 | GAGES & GAGING FOR UNIFIED INCH SCREW THREADS - 16 MAY 83 [CUST: AR AS 11] [REVIEW: AT AV CR4 EC GL] | A THDS | | | IS | 21-MAR-90 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Acty. | Date |
|-------------------------|---|-----------------------|-----|-------|-----------|
| ASME-B1.3M-92 | SCREW THREAD GAGING SYSTEMS FOR DIMENSIONAL ACCEPTABILITY - INCH AND METRIC SCREW THREADS (UN, UNR, UNJ, M, AND MJ) [CUST: AR AS 99] [REVIEW: 82 AT AV CR CR4 EC MI OS YD1] | A THDS | IS | | 12-OCT-92 |
| ASME-B1.5-88 | GAGES & GAGING FOR UNIFIED INCH SCREW THREADS - 11 JAN 88 [CUST: AR AS 11] [REVIEW: AT AV CR4 EC GL] | A THDS | IS | | 20-SEP-89 |
| ASME-B1.7-84 | SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 1, NOMENCLATURE, DEFINITIONS AND LETTER SYMBOLS FOR SCREW THREADS - 2 NOV 84 [CUST: AR AS 11] [REVIEW: AT AV CR CR4 GL] | A THDS | IS | | 28-AUG-85 |
| ASME-B1.7M-84 NOT 1 | SCREW THREADS, NOMENCLATURE, DEFINITIONS, AND LETTER SYMBOLS FOR - 2 NOV 1984 [CUST: AR AS 99 IS] [REVIEW: 71 82 AT AV CR CR4 GL] | A THDS | IS | | 12-SEP-90 |
| ASME-B1.8-88 | STUB ASME SCREW THREADS - 11 JAN 88 [CUST: AR AS 99] [REVIEW: EC] | A THDS | IS | | 17-FEB-89 |
| ASME-B1.9-73R85 NOT 1 | SCREW THREADS, BUTTRESS INCH - 22 OCT 73, W/ERRATA - FEB 79 (REAPPROVED 31 MAY 85 [CUST: AR AS 11] [REVIEW: 19 80 82 99 AT AV EC MI]) | A THDS | IS | | 31-MAY-90 |
| ASME-B1.12-87 | THREAD CLASS 5 INTERFERENCE-FIT - 13 JUL 87 [CUST: AR AS 99] [REVIEW: 19 AT AV CR CR4 EC MI] | A THDS | AR | | 20-JAN-89 |
| ASME-B1.13M-83 | SCREW THREADS METRIC M PROFILE - 5 AUG 83 [CUST: AR AS 11] [REVIEW: AT AV CR4 GL MI OS SH YD1] | A THDS | IS | | 28-NOV-84 |
| ASME-B1.16M-84R92 NOT 1 | GAGES AND GAGING FOR METRIC M SCREW THREADS [CUST: AR AS 99] [REVIEW: 11 AT AV CR CR4 OS SH] | A THDS | IS | | 10-AUG-93 |
| ASME-B1.20.1-83 | PIPE THREADS, (INCH) GENERAL PURPOSE [CUST: CR4 YD1 CC] [REVIEW: AT GL MI] | A THDS | YD1 | | 31-AUG-83 |
| ASME-B1.20.3-76R91 | THREAD, DRYSEAL PIPE - 18 NOV 76 (W/DOD EXCEPTIONS) (REAPPROVED 1982) [CUST: AR AS 99] [REVIEW: 71 82 AT AV CR CR4 MI OS SH YD1] | A THDS | IS | | 31-OCT-80 |
| ASME-B1.20.5-91 NOT 1 | GAGING FOR DRYSEAL PIPE THREADS (INCH) [CUST: AR AS IS] [REVIEW: AT CR4 MI OS] | A THDS | IS | | 10-JUN-92 |
| ASME-B1.20.7-91 NOT 1 | HOSE COUPLING SCREW THREADS (INCH) [CUST: AR AS 99 IS] [REVIEW: 82 84 AT CC SH YD1] | A THDS | IS | | 21-JUN-93 |
| ASME-B1.21M-78R91 NOT 1 | METRIC SCREW THREADS - MJ PROFILE - 21 NOV 78 W/DOD EXCEPTIONS [CUST: AR AS 99] [REVIEW: 71 82 AT AV CR CR4 MI OS SH YD1] | A THDS | IS | | 22-NOV-89 |
| ASME-B1.22M-85R92 NOT 1 | GAGES AND GAGING FOR M AND J SERIES METRIC SCREW THREADS [CUST: AR AS 99 IS] [REVIEW: 11 AT AV CR CR4 OS SH] | A THDS | IS | | 10-AUG-93 |
| ASME-B5.45-72R91 | MACHINES, MILLING [CUST: AL SH 99 GS] | A 3417 | GS | | 03-APR-72 |
| ASME-B5.54-92 | COMPUTER NUMERICALLY CONTROLLED MACHINING CENTERS, PERFORMANCE EVALUATION OF, METHODS FOR [CUST: AL 99] [REVIEW: 84] | A 3408 | GS | | 22-AUG-92 |
| ASME-B15.1-92 | MECHANICAL POWER TRANSMISSION APPARATUS, SAFETY STANDARD FOR [CUST: YD1 99] [REVIEW: 82 CC CE MC] | A 3020 | YD1 | | 01-JUL-92 |
| ASME-B16.1-89 | PIPE, CAST IRON, FLANGES AND FLANGED FITTINGS - 30 JUNE 1989 [CUST: CR4 YD1 99] [REVIEW: AL CC CE MC OS] | A 4730 | YD1 | | 30-JUN-91 |
| ASME-B16.3-85 | FITTING, MALLEABLE IRON THREADED [CUST: AR YD1 99] [REVIEW: 82 CC CE CR4 MC] | A 4730 | YD1 | | 11-MAR-88 |
| ASME-B16.4-85 | FITTING, CAST IRON THREADED FITTINGS, CLASSES 125, AMERICAN NATIONAL STANDARD [CUST: CR4 YD1 99] [REVIEW: AL CC CE CG MC] | A 4730 | YD1 | | 11-MAR-88 |
| ASME-B16.5-88 | PIPE FLANGE & FLANGED FITTING [CUST: AR YD1 99] [REVIEW: CC CR4 MC OS SH] | A 4730 | YD1 | | 23-JUN-89 |
| ASME-B16.9-93 | FITTINGS, STEEL BUTTWELDING, FACTORY-MADE WROUGHT [CUST: CR4 YD1 99] | A 4730 | YD1 | | 15-MAR-93 |
| ASME-B16.10-86 | VALVES, DIMENSIONS OF FACE-TO-FACE & END-TO-END STANDARD FOR 3-15-87 [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4820 | YD1 | | 06-JUN-89 |
| ASME-B16.11-91 | FITTINGS, FORGED, SOCKET-WELDING AND THREADED [CUST: CR4 YD1 99] [REVIEW: AR CC CE EA MC SH] | A 4730 | YD1 | | 15-APR-91 |
| ASME-B16.15-85 | FITTING, CAST BRONZE THREADED, STANDARD FOR [CUST: CR4 YD1] [REVIEW: CC SH] | A 4730 | YD1 | | 24-MAY-88 |
| ASME-B16.20-93 | GASKETS, METALLIC, FOR PIPE FLANGES - RING-JOINT, SPIRAL-WOUND, AND JACKETED [CUST: MR YD1 99 IS] | A 5330 | IS | | 30-APR-93 |
| ASME-B16.21-92 | GASKETS, FLAT, NONMETALLIC, FOR PIPE FLANGES [CUST: MR YD1 99 IS] | A 5330 | IS | | 30-SEP-92 |
| ASME-B16.22-80 | WROUGHT COPPER AND COPPER ALLOY SOLDER JOINT PRESSURE FITTINGS - 30 0 APR 1989 [CUST: YD1 99] [REVIEW: MC SH] | A 4730 | YD1 | | 15-JUN-91 |
| ASME-B16.23-92 | FITTINGS - DWV, CAST COPPER ALLOY SOLDER JOINT DRAINAGE [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | | 30-JUN-92 |
| ASME-B16.24-91 | FLANGES, CAST COPPER ALLOY PIPE, AND FLANGED FITTINGS CLASS 150, 300, 400, 600, 900, 1500 AND 2500 [CUST: CR4 YD1 99] | A 4730 | YD1 | | 15-APR-91 |
| ASME-B16.25-86 | END, BUTTWELDING [CUST: CR4 YD1] [REVIEW: CC SH] | A 4730 | YD1 | | 30-MAY-89 |
| ASME-B16.26-88 | FITTING, CAST COPPER ALLOY, FOR FLARED COPPER TUBES [CUST: CR4 YD1] [REVIEW: CC] | A 4730 | YD1 | | 30-MAY-89 |
| ASME-B16.29-86 | FITTING - DWV, WROUGHT COPPER & WROUGHT COPPER ALLOY SOLDER JOINT DRAINAGE [CUST: YD1 99] [REVIEW: CC CR4] | A 4730 | YD1 | | 27-APR-88 |
| ASME-B16.32-84 | JOINT FITTINGS, CAST COPPER ALLOY SOLDER, FOR SOVENT DRAINAGE SYSTEMS, STANDARD SPECIFICATION FOR - 02 NOV 84 [CUST: CR4 YD1 99] [REVIEW: CC CE] | A 4730 | YD1 | | 27-APR-88 |
| ASME-B16.33-81 NOT 1 | MANUALLY OPERATED METALLIC GAS VALVES FOR USE IN GAS PIPING SYSTEMS UP TO 125 PSIG [CUST: YD1] | A 4820 | YD1 | | 17-SEP-91 |
| ASME-B16.34-88 | VALVES - FLANGED, THREADED, AND WELDING END (30 NOV 88) [CUST: CR4 YD1 99] [REVIEW: CC] | A 4820 | YD1 | | 12-OCT-89 |
| ASME-B16.36-88 | FLANGES, ORIFICE [CUST: CR4 YD1 99] | A 4730 | YD1 | | 30-SEP-88 |
| ASME-B16.38-85 NOT 1 | LARGE METALLIC VALVES FOR GAS DISTRIBUTION (MANUALLY OPERATED, NPS 2-1/2 TO 12, 125 PSIG MAXIMUM) [CUST: YD1] | A 4820 | YD1 | | 16-SEP-91 |
| ASME-B16.39-86 | PIPE UNION, MALLEABLE IRON THREADED - 31 DEC 1986 [CUST: CR4 YD1 99] [REVIEW: AR CC CE MC OS] | A 4730 | YD1 | | 22-AUG-88 |
| ASME-B16.40-85 NOT 1 | MANUALLY OPERATED THERMOPLASTIC GAS SHUTOFFS AND VALVES IN GAS DISTRIBUTION SYSTEMS [CUST: YD1] | A 4820 | YD1 | | 17-SEP-91 |
| ASME-B17.1-67R89 | KEYS AND KEYSEATS [CUST: AL YD1 99 IS] | A 5340 | IS | | 15-SEP-67 |
| ASME-B17.2-67R78 | WOODRUFF KEYS AND KEYSEATS [CUST: AR YD1 99 IS] | A 5315 | IS | | 18-SEP-67 |
| ASME-B18.1.3M-84 | RIVET, SOLID, SMALL METRIC - 8 SEP 83 [CUST: AR AS 99 IS] [REVIEW: 85 AT AV CR4 GL MC MI NS YD1] | A 5320 | IS | | 09-APR-84 |
| ASME-B18.2.1-81R92 | BOLTS AND SCREWS INCH SERIES, SQUARE AND HEX [CUST: CR4 YD1 99 IS] | A 53GP | IS | | 31-DEC-81 |
| ASME-B18.2.2-87 | NUT, HEX AND SQUARE (INCH SERIES) - 27 FEB 87 [CUST: AR SH 99 IS] [REVIEW: AT AV CR GL IS MC MI] | A 5310 | IS | | 28-SEP-87 |
| ASME-B18.2.3.4M-84 | NUT, HEX FLANGE METRIC - 30 JAN 85 [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 IS MC MI NS SH] | A 5310 | IS | | 28-SEP-87 |
| ASME-B18.2.3.9M-84 | SCREWS, HEX FLANGE HEAVY METRIC - 23 MAR 84 [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MC MI NS SH] | A 5305 | IS | | 30-JAN-85 |
| ASME-B18.2.4M-84 | SCREWS HEX FLANGE METRIC - 23 MAR 84 [CUST: AR AS 99 IS] [REVIEW: AV CR MC MI NS] | A 5305 | IS | | 30-JAN-85 |
| ASME-B18.3-86 | SCREWS SET (INCH SERIES) SOCKET CAP, SHOULDER AND - 7 AUG 86 [CUST: AR 99 IS] [REVIEW: AT AV CR CR4 EA MC SH] | A 5305 | IS | | 27-APR-87 |
| ASME-B18.3.1M-86 | SCREW, CAP, SOCKET HEAD- METRIC SERIES - 29 AUG 1986 [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 EA MC NS OS SH] | A 5305 | IS | | 25-FEB-87 |
| ASME-B18.3.3M-86 | SCREW, SHOULDER, HEXAGON SOCKET HEAD- METRIC SERIES - 19 SEPT 1986 [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MC MI NS OS SH] | A 5305 | IS | | 25-FEB-87 |
| ASME-B18.3.5M-83 | SCREW, HEXAGON SOCKET FLAT COUNTERSUNK HEAD CAP (METRIC SERIES) [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 EA MC OS SH] | A 5305 | IS | | 20-OCT-83 |
| ASME-B18.3.6M-86 | SET SCREWS, METRIC SERIES SOCKET - 16 OCT 86 [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MC MI OS SH] | A 5305 | IS | | 27-FEB-87 |
| ASME-B18.5.2.2M-82 | BOLTS, SQUARE NECK, ROUND HEAD, METRIC [CUST: AR YD1 99 IS] | A 5306 | IS | | 30-NOV-82 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Ave | MCA | Prep. Acty. | Date |
|-------------|------------------------|--|-------------------------|-----|-------------|-----------|
| | ASME-B18.6.5M-86 | SCREWS, TAPPING, THREAD FORMING & THREAD CUTTING-METRIC - 3 FEB 86 [CUST: AR AS 99 IS] [REVIEW: 82 AT AV CR EA MC MI NS OS SH YD1] | A 5305 | IS | | 21-APR-86 |
| | ASME-B18.6.7M-85 | SCREWS, MACHINE-METRIC - 23 JULY 1985 [CUST: AR SH 99 IS] [REVIEW: 82 AT MC] | A 5305 | IS | | 08-NOV-85 |
| | ASME-B18.7.1M-84 | RIVET, SEMI TUBULAR, GENERAL PURPOSE METRIC - 24 JUL 84 [CUST: AR AS 99 IS] [REVIEW: AT AV CR CR4 MC MI NS SH] | A 5320 | IS | | 30-JAN-85 |
| | ASME-B18.10-82 | BOLTS & NUTS, TRACK - 2 NOV 82 [CUST: AR SH 99 IS] [REVIEW: 82 CR4] | A 53GP | IS | | 15-MAY-83 |
| | ASME-B18.13.1M-91 | SCREW AND WASHER ASSEMBLIES - SEMS (METRIC SERIES) [CUST: AR YD1 99 IS] | A 5310 | IS | | 05-SEP-91 |
| | ASME-B18.15-85 | EYEBOLT, FORGED - 17 JUL 85 [CUST: AR SH 99 IS] [REVIEW: 82 AT MC] | A 5306 | IS | | 30-SEP-85 |
| | ASME-B18.16.1MR-79R86 | STEEL METRIC HEX NUTS AND HEX FLANGE NUTS, PREVAILING-TORQUE MECHANICAL AND PERFORMANCE REQUIREMENTS FOR [CUST: AR YD1 99 IS] | A 5310 | IS | | 30-APR-80 |
| | ASME-B18.16.2MR-79R86 | STEEL METRIC HEX NUTS AND HEX FLANGE NUTS, PREVAILING-TORQUE TYPE, TORQUE-TENSION TEST REQUIREMENTS FOR [CUST: AR YD1 99 IS] | A 5310 | IS | | 15-FEB-80 |
| | ASME-B18.16.3MR-82R93 | STEEL METRIC HEX NUTS AND HEX FLANGE NUTS, PREVAILING-TORQUE TYPE, DIMENSIONAL REQUIREMENTS [CUST: AR YD1 99 IS] | A 5310 | IS | | 31-OCT-82 |
| | ASME-B18.18.1M-87 | FASTENERS, GENERAL PURPOSE, INSPECTION & QUALITY ASSURANCE FOR - 16 JAN 1987 [CUST: AR OS 99] [REVIEW: 82 AT AV CR IS MC MI NS SH YD1] | A QCIC | AR | | 21-APR-87 |
| | ASME-B18.18.2M-87 | FASTENERS, HIGH VOLUME MACHINE ASSEMBLY, INSPECTION & QUALITY ASSURANCE FOR - 16 JAN 1987 [CUST: AR OS 99] [REVIEW: 82 AT AV CR IS MC MI NS SH YD1] | A QCIC | AR | | 21-APR-87 |
| | ASME-B18.18.3M-87 | FASTENERS, SPECIAL PURPOSE, INSPECTION & QUALITY ASSURANCE FOR - 16 JAN 1987 [CUST: AR OS 99] [REVIEW: 82 AT AV CR IS MC MI NS SH YD1] | A QCIC | AR | | 21-APR-87 |
| | ASME-B18.18.4M-87 | FASTENERS FOR HIGHLY SPECIALIZED ENGINEERED APPLICATIONS, INSPECTION & QUALITY ASSURANCE FOR - 16 JAN 1987 [CUST: AR OS 99] [REVIEW: 82 AT AV CR IS MC MI NS SH YD1] | A QCIC | AR | | 21-APR-87 |
| | ASME-B18.21.2M-94 | LOCK WASHERS (METRIC SERIES) [CUST: AR YD1 99 IS] | A 5310 | IS | | 02-DEC-94 |
| | ASME-B18.24.1-96 | PART IDENTIFYING NUMBER (PIN) CODE SYSTEM STANDARD FOR B18 EXTERNALLY THREADED PRODUCTS [CUST: AR YD1 99] | A 53GP | AR | | 23-SEP-96 |
| | ASME-B27.6-72R93 | RINGS, SPIRAL RETAINING, UNIFORM CROSS SECTION, GENERAL PURPOSE [CUST: AR YD1 99 IS] | A 5365 | IS | | 11-JUL-72 |
| | ASME-B27.7-77R93 | RINGS, CROSS SECTION RETAINING, TAPERED AND REDUCED, GENERAL PURPOSE [CUST: AR YD1 99 IS] | A 5365 | IS | | 20-OCT-77 |
| | ASME-B27.8M-78R93 | RINGS, CROSS SECTION RETAINING, TAPERED AND REDUCED, GENERAL PURPOSE METRIC [CUST: AR YD1 99 IS] | A 5365 | IS | | 28-NOV-78 |
| | ASME-B29.1M-93 | CHAINS, ATTACHMENTS, AND SPROCKETS, PRECISION POWER TRANSMISSION ROLLER [CUST: CR4 YD1 99 CC] | A 3020 | YD1 | | 30-DEC-93 |
| | ASME-B29.14M-84 | TEETH, SPROCKET AND, "H" TYPE MILL CHAINS, ATTACHMENTS [CUST: YD1 99] [REVIEW: 82 CC MC] | A 3020 | YD1 | | 31-MAR-85 |
| | ASME-B29.21M-81 | STEEL, 700 CLASS WELDED, AND CAST CHAINS, ATTACHMENTS AND SPROCKETS FOR WATER AND SEWAGE TREATMENT PLANTS [CUST: CR4 YD1 99] | A 4010 | YD1 | | 31-DEC-81 |
| | ASME-B30.10-87 NOT 1 | HOOKS (ALSO INCLUDES ADDENDA 10A-90 AND 10B-91) [CUST: CR4 YD1 99] | A 4030 | YD1 | | 06-APR-92 |
| | ASME-B30.11-93 | CRANES, MONORAILS AND UNDERHUNG [CUST: CR4 YD1 99] | A 3950 | YD1 | | 15-FEB-94 |
| | ASME-B30.16-87 NOT 1 | HOISTS, OVERHEAD, (UNDERHUNG) [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 3950 | YD1 | | 16-OCT-92 |
| | ASME-B31.1-92 | PIPING, POWER [CUST: CR4 YD1 99] | A 4710 | YD1 | | 01-JUL-92 |
| | ASME-B31.3-90 NOT 2 | PIPING, CHEMICAL PLANT AND PETROLEUM REFINERY, CODE FOR PRESSURE PIPING - REFINERY PIPING - 15 MARCH 1990 (W/ADDENDA - ASME-B31. 3A-90 DTD 23 AUG 1991) [CUST: CR4 YD1 99] [REVIEW: MC] | A FACR | YD1 | | 26-OCT-90 |
| | ASME-B31.4-92 | LIQUID PETROLEUM GAS, ANHYDROUS AMMONIA, AND ALCOHOLS, LIQUID TRANSPORTATION SYSTEMS FOR HYDROCARBONS [CUST: CR4 YD1 99] | A 4710 | YD1 | | 31-JAN-93 |
| | ASME-B31.5-92 | PIPING, REFRIGERATION [CUST: CR4 YD1 99] | A 4130 | YD1 | | 31-JAN-93 |
| | ASME-B31.8-92 | GAS TRANSMISSION AND DISTRIBUTION PIPING SYSTEMS [CUST: CR4 YD1 99] | A 4710 | YD1 | | 31-JAN-93 |
| | ASME-B31.9-88 NOT 1 | BUILDING SERVICES PIPING (ALSO INCLUDES ADDENDA ASME-B31.9A-1991) [CUST: YD1] | A FACR | YD1 | | 22-JAN-93 |
| | ASME-B36.10M-85 | PIPE, WELDED AND SEAMLESS WROUGHT STEEL - 19 AUG 85 [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | | 27-MAR-90 |
| | ASME-B40.1-91 | GAUGES - PRESSURE INDICATING DIAL TYPE - ELASTIC ELEMENT [CUST: CR4 YD1 11] | A 6685 | YD1 | | 27-SEP-91 |
| | ASME-B46.1-85 | SURFACE TEXTURE - 7 OCT 1985 [CUST: AR SA 11] [REVIEW: AS AT AV CR CR4 EC GL OS SH] | A DRPR | AR | | 05-DEC-85 |
| | ASME-B47.1MA-82 | GAGE BLANKS [CUST: AR AS 99] | A 5220 | AR | | 22-MAR-84 |
| | ASME-B56.1-93 | TRUCKS, LOW LIFT AND HIGH LIFT, SAFETY STANDARD FOR [CUST: CR4 SA 99] | A 3930 | SA | | 07-FEB-94 |
| | ASME-B56.11.3-92 | TRUCKS, INDUSTRIAL, POWERED, LOAD HANDLING SYMBOLS FOR [CUST: CR4 SA 99] | A 3930 | CR4 | | 30-APR-92 |
| | ASME-B56.11.4-92 | TRUCKS, FORKLIFT, INDUSTRIAL, POWERED, HOOK-TYPE FORKS AND FORK CARRIERS FOR [CUST: CR4 SA 99] | A 3930 | CR4 | | 30-APR-92 |
| | ASME-B73.1M-91 NOT 1 | HORIZONTAL END SUCTION CENTRIFUGAL PUMPS FOR CHEMICAL PROCESS [CUST: CR4 YD1 99] [REVIEW: 84 CC SH] | A 4320 | YD1 | | 22-JAN-93 |
| | ASME-B89.3.1-72R88 | MEASUREMENT OF, OUT-OF-ROUNDNESS [CUST: MR AS 11] | A NDTI | AS | | 24-AUG-72 |
| | ASME-B94.6-84 | KNURLING - 28 NOV 84 [CUST: AR OS 16] [REVIEW: AS AT AV CR EA IS MC SH YD1] | A DRPR | AR | | 28-NOV-84 |
| | ASME-B94.51M-84 | BAND SAW BLADES (METAL CUTTING - 28 FEB 1985 [CUST: AL SH 99 GS]) | A 3455 | GS | | 02-SEP-86 |
| | ASME-B94.54-84 | SAWS, HOLE, HOLE SAW ARBORS, & HOLE SAW ACCESSORIES, SPECIFICATION FOR - 15 OCT 85 [CUST: AL SH 99] [REVIEW: 84 CR4 MI SM] | A 3455 | GS | | 31-MAR-86 |
| | ASME-B107.1 | WRENCHES, SOCKET, HAND (INCH SERIES) [CUST: AR SH 99] | A 5120 | AR | | 30-JUL-93 |
| | ASME-B107.2-92 NOT 1 | WRENCHES, SOCKET, EXTENSIONS, ADAPTORS, AND UNIVERSAL JOINTS, POWER DRIVE (IMPACT) (INCH SERIES) [CUST: AR SH 99] [REVIEW: 84 AS CR4 GL MC YD1] | A 5120 | AR | | 16-OCT-92 |
| | ASME-B107.4-82R88 | TOOLS, PORTABLE HAND, AIR, AND ELECTRIC, DRIVING AND SPINDLE ENDS FOR [CUST: GL AS 94] | A 5130 | GL | | 31-OCT-82 |
| | ASME-B107.5M-87 | SOCKET WRENCHES, HAND (METRIC SERIES) - 15 JUN 1987 - [CUST: AR SH 99] [REVIEW: 84 AS CR4 GL MC YD1] | A 5120 | AR | | 21-APR-88 |
| | ASME-B107.8M-91 | WRENCHES, ADJUSTABLE - 5 MAR 1991 [CUST: AR SH 99] [REVIEW: 84 AS CR4 GL MC YD1] | A 5120 | AR | | 15-JUL-91 |
| | ASME-B107.11M-93 NOT 1 | PLIERS, DIAGONAL CUTTING, AND NIPPERS, END CUTTING [CUST: AR 99] | A 5110 | AR | | 01-JUL-93 |
| | ASME-B107.11M NOT 1 | PLIERS, DIAGONAL CUTTING, AND NIPPERS, END CUTTING [CUST: AR 99] | A 5110 | AR | | 01-JUL-93 |
| | ASME-B107.14M-85 | TOOLS, HAND, TORQUE - 24 MAY 1985 [CUST: AR SH 99] [REVIEW: 84 AS CR4 GL MC YD1] | A 5120 | AR | | 28-AUG-87 |
| | ASME-B107.15-93 | SCREWDRIVERS, FLAT TIP AND PHILLIPS [CUST: AR AS 99] | A 5120 | AR | | 11-AUG-93 |
| | ASME-B107.16-92 NOT 1 | SHEARS (METAL CUTTING, BENCH AND HAND) [CUST: AR 99] | A 5130 | AR | | 18-MAR-93 |
| | ASME-B107.17M-91 NOT 1 | GAGES, WRENCH OPENINGS, REFERENCE [CUST: AR 99] [REVIEW: 84 AS AT AV CR MC] | A 5220 | AR | | 12-MAR-92 |
| | ASME-B107.19-93 | PLIERS, RETAINING RING [CUST: AR AS 99] | A 5120 | AR | | 16-AUG-93 |
| | ASME-B107.20M-92 NOT 1 | PLIERS (LINEMAN'S, IRON WORKER'S, GAS, GLASS, AND FENCE) [CUST: AR 99] [REVIEW: 84 CR4 GL] | A 5120 | AR | | 18-DEC-92 |
| | ASME-B107.21-92 NOT 1 | WRENCH, CROWFOOT ATTACHMENTS [CUST: AR 99] [REVIEW: 84 AS AT AV CR GL MC] | A 5120 | AR | | 28-MAY-93 |
| | ASME-B107.23M-91 NOT 1 | PLIERS, MULTIPLE POSITION, ADJUSTABLE (METRIC) [CUST: AR SH] [REVIEW: GL] | A 5120 | AR | | 29-APR-92 |
| | ASME-BPVC1-92 | BOILERS, POWER, RULES FOR CONSTRUCTION OF [CUST: YD1] [REVIEW: CE MC] | A 4410 | YD1 | | 01-JUL-92 |
| | ASME-BPVC4-92 | BOILERS, HEATING, RULES FOR CONSTRUCTION OF [CUST: YD1] [REVIEW: CE MC] | A 4520 | YD1 | | 01-JUL-92 |
| | ASME-CSD1-92 | BOILERS, AUTOMATICALLY FIRED, CONTROLS AND SAFETY DEVICES FOR [CUST: CR4 YD1 99] | A 4410 | YD1 | | 15-JUN-92 |
| | ASME-HST2M-89 | HOIST, CHAIN, HAND CHAIN MANUALLY OPERATED - 31 JAN 1990 [CUST: YD1] [REVIEW: 84 CC MC] | A 3950 | YD1 | | 29-JUN-90 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-------------|------------------------|---|-----------------------|-----|-------------|------|
| | ASME-HST4M-91 NOT 1 | HOISTS, WIRE ROPE, OVERHEAD ELECTRIC, PERFORMANCE STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: IS SH] | A 3950 | YD1 | 16-OCT-92 | |
| | ASME-HST5M-85 | HOIST, AIR CHAIN, PERFORMANCE STANDARD FOR - 15 NOV 1985 [CUST: YD1] | A 3950 | YD1 | 07-NOV-89 | |
| | ASME-HST6M-86 | HOIST, AIR WIRE ROPE, PERFORMANCE STANDATRD FOR - 31 OCT 1986 [CUST: YD1] | A 3950 | YD1 | 29-NOV-89 | |
| | ASME-MH1.2.2M-89 | PALLET SIZES [CUST: SM SA 99 DH] [REVIEW: 69 AL AR AS CC CR4 EA GL GS MI SH YD1] | A PACK | SM | 30-SEP-89 | |
| | ASME-MH1.4.1M-89 | PALLETS, PROCEDURES FOR TESTING [CUST: SM SA 99 DH] [REVIEW: 69 AL AR AS CC CR4 EA GL GS MI SH YD1] | A PACK | SM | 25-SEP-89 | |
| | ASME-MH1.8M-96 | WOOD PALLETS [CUST: SM SA 99 DH] [REVIEW: 69 84 AL AR AS AT CC CR4 EA GL4 GS IS MC MI MT SH YD1] | A 3990 | SM | 30-SEP-96 | |
| | ASME-PTC4.1-64R91 | STEAM GENERATING UNITS, POWER TEST CODE FOR [CUST: YD1] [REVIEW: CE MC] | A 4520 | YD1 | 24-JUN-64 | |
| A | ASME-PTC9-70 | COMPRESSOR, VACUUM PUMPS & BLOWERS, DISPLACEMENT - 1970 [CUST: AV AS 99 GS] [REVIEW: 82 YD1] | A 4920 | GS | 24-MAR-86 | |
| | ASME-PTC10-65R86 | COMPRESSORS AND EXHAUSTERS [CUST: CR4 YD1 99] | A 4310 | CR4 | 04-APR-64 | |
| | ASME-PTC19.5-72 NOT 1 | APPLICATION, PART II OF FLUID METERS: INTERIM SUPPLEMENT ON INSTRUMENTS AND APPARATUS [CUST: YD1] | A 6680 | YD1 | 11-SEP-92 | |
| | ASME-PTC19.11-70 NOT 1 | WATER AND STEAM IN THE POWER CYCLE (PURITY AND QUALITY, LEAK DETECTION AND MEASUREMENT) [CUST: YD1] | A 6695 | YD1 | 11-SEP-92 | |
| | ASME-PTC23-86 | WATER COOLING EQUIPMENT, ATMOSPHERIC [CUST: CR4 YD1 99] | A 4110 | YD1 | 30-NOV-86 | |
| | ASME-PTC25.3-88 NOT 1 | SAFETY AND RELIEF VALVES [CUST: YD1] | A 4820 | YD1 | 25-NOV-91 | |
| | ASME-PTC26-62 NOT 1 | SPEED-GOVERNING SYSTEMS FOR INTERNAL COMBUSTION ENGINE-GENERATOR UNITS [CUST: YD1] | A 28GP | YD1 | 07-AUG-92 | |
| | ASME-QE11-93 | ELEVATOR INSPECTORS, QUALIFICATION OF [CUST: CR4 YD1 99] | A 3960 | YD1 | JUL-93 | |
| | ASME-Y10.11-84 | ACOUSTICS, LETTER SYMBOLS AND ABBREVIATIONS FOR QUANTITIES USED IN - 17 MAY 1984 [CUST: AR SH 11] [REVIEW: AS AV MI OS YD1] | A DRPR | AR | 10-DEC-84 | |
| | ASME-Y14.1M-93 | DRAWING SHEET, SIZE AND FORMAT, METRIC [CUST: AR SA 16 DH] [REVIEW: 11 13 19 68 70 71 80 84 90 99 AS AT AV CC CE CH CR4 EA EC GL GS IS MC MI NS OS SH TD TE YD1] | A DRPR | AR | 15-JUN-93 | |
| | ASME-Y14.1-94 | DRAWING SHEET SIZE AND FORMAT, DECIMAL-INCH [CUST: AR SA 10 DH] [REVIEW: 11 13 19 68 70 71 80 84 90 99 AS AT AV CC CE CH CR4 EA EC GL GS IS MC MI NS OS SH TD TE YD1] | A DRPR | AR | APR-94 | |
| | ASME-Y14.2M-92 | LINE CONVENTIONS AND LETTERING [CUST: AR SA 16 DH] [REVIEW: 11 13 18 19 68 70 71 79 80 84 90 99 AS AT AV CC CE CR CR4 EA EC GL GS IS MC MI OS SH SM TD TE YD1] | A DRPR | AR | 07-JUL-92 | |
| | ASME-Y14.3M-94 | DRAWINGS, MULTIVIEW AND SECTIONAL VIEW [CUST: AR SA 16 DH] [REVIEW: 11 13 18 19 68 70 71 79 80 84 90 99 AS AT AV CC CE CR CR4 EA EC GL GS IS MC MI OS SH SM TD TE YD1] | A DRPR | AR | 03-FEB-94 | |
| | ASME-Y14.4M-89 | DRAWING, PICTORIAL [CUST: AR OS 16] [REVIEW: 11 99 AT AV CR CR4 MI] | A DRPR | AR | 15-SEP-89 | |
| | ASME-Y14.5M-94 | DIMENSIONING AND TOLERANCING [CUST: AR SA 10 DH] [REVIEW: 11 13 19 68 70 71 80 84 90 99 AS AT AV CC CE CH CR4 EA EC GL GS IS MC MI NS OS SH TD TE YD1] | A DRPR | SA | 1994 | |
| | ASME-Y14.5.1M-95 | PRINCIPLES, DIMENSIONING AND TOLERANCING, MATHEMATICAL DEFINITION OF [CUST: AR SA 10 DH] [REVIEW: 11 13 19 68 70 71 80 84 90 99 AS AT AV CC CE CH CR CR4 EA EC GL GS IS MC MI NA OS SH TD TE YD1] | A DRPR | SA | 31-JAN-95 | |
| | ASME-Y14.8M-89 | CASTINGS AND FORGINGS [CUST: AR OS 16] [REVIEW: 11 99 AT AV CR4 GL] | A DRPR | AR | 15-SEP-89 | |
| | ASME-Y14.24M-89 | DRAWING, ENGINEERING, TYPES AND APPLICATIONS OF [CUST: AR OS 16] [REVIEW: 11 13 18 19] | A DRPR | AR | 02-NOV-89 | |
| | ASME-Y14.26M-89 | DATA, PRODUCT DEFINITION, DIGITAL REPRESENTATION FOR COMMUNICATION OF - 27 NOV 1989 [CUST: AR SH 02] [REVIEW: 16 AT CR CR4 EC MI ND NS OM OS] | A IPSC | AR | 22-DEC-89 | |
| | ASME-Y14.32.1M-94 | CHASSIS FRAMES - PASSENGER CAR AND LIGHT TRUCK - GROUND VEHICLE PRACTICES [CUST: AR SA 10] [REVIEW: 99 AT CE MC NS OS] | A DRPR | AR | 1994 | |
| A | ASME-Y14.34M-96 | ASSOCIATED LISTS [CUST: AR SA 16 DH] [REVIEW: 11 13 19 68 70 71 80 84 90 99 AS AT AV CC CE CH CR CR4 EA EC GL GS IS MC MI NS OS SH SM TD TE YD1] | A DRPR | AR | 27-NOV-96 | |
| A | ASME-Y14.35M-97 | DRAWINGS, ENGINEERING, AND ASSOCIATED DOCUMENTS, REVISION OF [CUST: AR SA 16 DH] [REVIEW: 11 13 19 68 70 71 79 80 84 90 99 AS AT AV CC CE CH CR CR4 EA EC GL GS IS MC MI NS OS SH SM TD TE YD1] | A DRPR | AR | 08-DEC-97 | |
| | ASQC-Q9000.1-94 | QUALITY MANAGEMENT AND QUALITY ASSURANCE STANDARDS--GUIDELINES FOR SELECTION AND USE [CUST: AR OS 05] | A QCIC | 05 | 01-AUG-94 | |
| | ASQC-Q9001-94 | QUALITY SYSTEMS--MODEL FOR QUALITY ASSURANCE IN-DEPTH, DEVELOPMENT, PRODUCTION, INSTALLATION, AND SERVICING [CUST: AR OS 05] | A QCIC | 05 | 01-AUG-94 | |
| | ASQC-Q9002-94 | QUALITY SYSTEMS--MODEL FOR QUALITY ASSURANCE IN PRODUCTION, INSTALLATION, AND SERVICING [CUST: AR OS 05] | A QCIC | 05 | 18-JUL-94 | |
| | ASQC-Q9003-94 | QUALITY SYSTEMS--MODEL FOR QUALITY ASSURANCE IN FINAL INSPECTION AND TEST [CUST: AR OS 05] | A QCIC | 05 | 18-JUL-94 | |
| | ASQC-Q9004.1-94 | QUALITY MANAGEMENT AND QUALITY SYSTEM ELEMENTS--GUIDELINES [CUST: AR OS 05] | A QCIC | 05 | 18-JUL-94 | |
| | ASQC-Z1.4-93 | PROCEDURES, SAMPLING AND TABLES FOR INSPECTION BY ATTRIBUTES [CUST: AR OS 11] | A QCIC | AR | 1993 | |
| | ASSE1001-90 | PIPE APPLIED ATMOSPHERIC TYPE VACUUM BREAKERS [CUST: CR4 YD1 99] | A 4510 | YD1 | 1990 | |
| | ASSE1003-81 NOT 1 | PERFORMANCE REQUIREMENTS FOR WATER PRESSURE REDUCING VALVES FOR DOMESTIC WATER SUPPLY SYSTEMS [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 4820 | YD1 | 09-SEP-91 | |
| | ASSE1009-90 | FOOD WASTE GRINDER UNITS, COMMERCIAL [CUST: YD1] [REVIEW: CC MC] | A 4540 | YD1 | 1990 | |
| | ASSE1010-82 | ARRESTERS, WATER HAMMER - OCT. 1982 [CUST: YD1] | A 4510 | YD1 | 01-MAR-91 | |
| | ASSE1019-78 | HYDRANTS, WALL, FROST PROOF AUTOMATIC DRAINING, ANTI- BACKFLOW TYPES - MAR 1978 [CUST: YD1] | A 4510 | YD1 | 01-MAR-91 | |
| | ASSE1020-89 | VACUUM BREAKER ASSEMBLY, PRESSURE, PERFORMANCE STANDARD FOR - FEB. 1989 [CUST: YD1] | A 4510 | YD1 | 12-APR-90 | |
| | ASSE1037-90 | FIXTURES, PLUMBING, PRESSURIZED FLUSHING DEVICES (FLUSHOMETERS) FOR - MARCH 1990 [CUST: YD1 99] [REVIEW: 84 CC] | A 4510 | YD1 | 08-NOV-90 | |
| | ASTM-A1-92 | CARBON STEEL TEE RAILS [CUST: CR4 YD1 99] [REVIEW: CG MC] | A 2250 | YD1 | 15-DEC-92 | |
| | ASTM-A2-90 | CARBON STEEL GIRDER RAILS OF PLAIN, GROOVED, AND GUARD TYPES, STANDARD SPECIFICATION FOR [CUST: MR YD1 99] [REVIEW: AR CR4] | A 2250 | MR | 31-AUG-90 | |
| | ASTM-A3-87 | STEEL JOINT BARS, LOW, MEDIUM, AND HIGH CARBON (NON-HEAT-TREATED), STANDARD SPECIFICATION FOR [CUST: MR YD1 99] [REVIEW: AR CR4] | A 2250 | MR | 31-JUL-87 | |
| | ASTM-A6/A6MB-96 | STEEL BARS, PLATES, SHAPES, AND SHEET PILING, ROLLED STRUCTURAL [CUST: MR SH 99] [REVIEW: AR AT GL IS YD1] | A 9515 | MR | 10-JUN-96 | |
| | ASTM-A20/A20M-96 | PLATES, STEEL, FOR PRESSURE VESSELS, GENERAL REQUIREMENTS FOR [CUST: MR SH] [REVIEW: AT IS YD1] | A 9515 | MR | 10-APR-96 | |
| | ASTM-A27/A27M-87 | STEEL CASTINGS, CARBON, FOR GENERAL APPLICATION, STANDARD SPECIFICATION FOR [CUST: MR 99] [REVIEW: 70 80 82 AT OS YD1] | A MECA | MR | 28-AUG-87 | |
| | ASTM-A29/A29M-93 | STEEL BARS, CARBON AND ALLOY, HOT-WROUGHT AND COLD-FINISHED, GENERAL REQUIREMENTS FOR, STANDARD SPECIFICATION FOR [CUST: MR 11] [REVIEW: IS OS SH] | A 9510 | MR | 15-MAR-93 | |
| | ASTM-A36/A36M-96 | STEEL, STRUCTURAL, CARBON [CUST: MR YD1 99] [REVIEW: AT IS MI OS SH] | A 9520 | YD1 | 10-MAY-96 | |
| | ASTM-A47M-90 | IRON CASTINGS, FERRITIC MALLEABLE (METRIC) [CUST: MR YD1 99] [REVIEW: CG CR4 MC MI] | A MECA | YD1 | 28-SEP-90 | |
| | ASTM-A47-90 | CASTINGS, IRON, FERRITIC MALLEABLE [CUST: MR YD1 99] [REVIEW: CG CR4 MC MI] | A MECA | YD1 | 27-DEC-90 | |
| | ASTM-A48-93 | GRAY IRON CASTINGS, STANDARD SPECIFICATION FOR [CUST: MR YD1 99] [REVIEW: CR4 SH] | A MECA | MR | 15-JAN-93 | |
| | ASTM-A49-95 | HEAT-TREATED CARBON STEEL JOINT BARS, MICROALLOYED JOINT BARS, AND FORGED CARBON STEEL COMPROMISE JOINT BARS [CUST: MR YD1 99] [REVIEW: AR CR4] | A 2250 | MR | 15-JUL-95 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|---------------------|--|-----------------------|-----|-------------|------|
| M | ASTM-A53-97 | PIPE, STEEL, BLACK AND HOT-DIPPED, ZINC-COATED, WELDED AND SEAMLESS [CUST: CR4 YD1 99] [REVIEW: CE CG MC SH] | A 4710 | YD1 | 10-MAR-97 | |
| | ASTM-A66-87 | STEEL SCREW SPIKES, STANDARD SPECIFICATION FOR [CUST: MR YD1 99] [REVIEW: AR CR4] | A 2250 | MR | 27-FEB-87 | |
| | ASTM-A67-92 | STEEL TIE PLATES, LOW-CARBON AND HIGH-CARBON HOT-WORKED [CUST: MR YD1 99] [REVIEW: AR CR4] | A 2250 | MR | 15-DEC-92 | |
| | ASTM-A74-93 | CAST IRON SOIL PIPE AND FITTINGS [CUST: CR4 YD1 99] [REVIEW: CE MC MR] | A 4710 | YD1 | 15-AUG-93 | |
| | ASTM-A82-95 | STEEL WIRE, PLAIN, FOR CONCRETE REINFORCEMENT [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 9505 | YD1 | 10-SEP-95 | |
| | ASTM-A90/A90M-95 | IRON AND STEEL ARTICLES WITH ZINC OR ZINC-ALLOY COATINGS, WEIGHT (MASS) OF COATING ON [CUST: MR SH 11] [REVIEW: YD1] | A MFFP | MR | 15-FEB-95 | |
| A | ASTM-A105/A105M-97 | CARBON STEEL FORGINGS FOR PIPING APPLICATIONS [CUST: MR YD1] [REVIEW: SH] | A FORG | YD1 | 10-MAR-97 | |
| | ASTM-A106-95 | PIPE, SEAMLESS CARBON STEEL, FOR HIGH-TEMPERATURE SERVICE [CUST: CR4 YD1 99] [REVIEW: CE CG EA MC SH] | A 4710 | YD1 | 10-SEP-95 | |
| | ASTM-A108-95 | STEEL BARS, CARBON, COLD FINISHED, STANDARD QUALITY [CUST: MR SH 11 IS] [REVIEW: 99 AR CR4 OS YD1] | A 9510 | IS | 10-SEP-95 | |
| | ASTM-A109-93 | STEEL, STRIP, CARBON, COLD-ROLLED [CUST: MR 11 IS] [REVIEW: 99 MI OS SH YD1] | A 9515 | IS | 15-JUN-93 | |
| D | ASTM-A109M-91 | STEEL, STRIP, CARBON, COLD-ROLLED (METRIC) [CUST: MR 11 IS] [REVIEW: 99 MI OS SH] | A 9515 | IS | 09-DEC-91 | |
| | ASTM-A116-95 | ZINC-COATED (GALVANIZED) STEEL WOVEN WIRE FENCE FABRIC [CUST: CR4 YD1 99] [REVIEW: CC CG MC SH] | A 5660 | YD1 | 10-OCT-95 | |
| | ASTM-A121A-92 | STEEL BARBED WIRE, ZINC-COATED (GALVANIZED) [CUST: CR4 YD1 99] [REVIEW: CC] | A 5660 | YD1 | 15-MAR-92 | |
| A | ASTM-A123/A123MA-97 | ZINC (HOT-DIP GALVANIZED) COATINGS ON IRON AND STEEL PRODUCTS [CUST: MR YD1 11] [REVIEW: SH] | A MFFP | YD1 | 10-JUN-97 | |
| | ASTM-A125-96 | STEEL SPRINGS, HELICAL, HEAT-TREATED [CUST: AR SH 99 IS] | A 5360 | IS | 25-JAN-96 | |
| | ASTM-A126-93 | IRON CASTINGS, GRAY, FOR VALVES, FLANGES, AND PIPE FITTINGS [CUST: MR YD1] [REVIEW: AR AT CR4 IS MI SH] | A MECA | YD1 | 15-AUG-93 | |
| | ASTM-A128/A128M-93 | STEEL CASTINGS, AUSTENITIC MANGANESE [CUST: CR4 SH 11] | A MECA | CR4 | 15-DEC-93 | |
| | ASTM-A131/A131M-94 | STEEL, STRUCTURAL FOR SHIPS [CUST: MR SH 99] | A 9520 | SH | 15-JUN-94 | |
| | ASTM-A134-93 | PIPE, STEEL, ELECTRIC-FUSION (ARC) - WELDED (SIZES NPS16 AND OVER) [CUST: CR4 SH 99] | A 4710 | CR4 | 15-JUL-93 | |
| A | ASTM-A135-97 | PIPE, STEEL, ELECTRIC-RESISTANCE-WELDED [CUST: CR4 YD1] [REVIEW: CC EA MR OS] | A 4710 | YD1 | 10-APR-97 | |
| A | ASTM-A139-96 | PIPE, STEEL, ELECTRIC-FUSION (ARC)-WELDED (NPS 4 AND OVER) [CUST: CR4 YD1] [REVIEW: CC MR] | A 4710 | YD1 | 10-OCT-96 | |
| | ASTM-A143-74 | STEEL, STRUCTURAL, PRODUCTS AND PROCEDURE FOR DETECTING EMBRITTLEMENT, STANDARD PRACTICE FOR SAFEGUARDING AGAINST EMBRITTLEMENT OF HOT-DIP GALVANIZED [CUST: MR YD1 11] [REVIEW: SH] | A MFFP | YD1 | 04-NOV-74 | |
| | ASTM-A148/A148MB-93 | STEEL CASTINGS, HIGH STRENGTH, FOR STRUCTURAL PURPOSES [CUST: MR SH 11] [REVIEW: 99 AT YD1] | A MECA | MR | 15-DEC-93 | |
| | ASTM-A150-91 | ALUMINUM BRONZE, ROD, BAR AND SHAPES - 15 JUN 91 [CUST: MR SH] [REVIEW: AR CR CR4 EA GL] | A 9530 | MR | 04-SEP-91 | |
| | ASTM-A150M-91 | ALUMINUM BRONZE, ROD, BAR AND SHAPES (METRIC) - 15 JUN 91 [CUST: MR SH] [REVIEW: AR CR CR4 EA GL] | A 9530 | MR | 04-SEP-91 | |
| | ASTM-A153-82R87 | ZINC COATING (HOT-DIP) ON IRON AND STEEL HARDWARE [CUST: MR YD1 11] | A MFFP | YD1 | 27-AUG-82 | |
| | ASTM-A159-83R93 | IRON CASTINGS, AUTOMOTIVE GRAY [CUST: MR YD1] [REVIEW: AR] | A 9515 | MR | 29-JUL-83 | |
| | ASTM-A167-94 | STEEL PLATE, SHEET, AND STRIP, STAINLESS AND HEAT-RESISTING CHROMIUM-NICKEL [CUST: MR YD1 11] [REVIEW: AR CE CR CR4 GL IS MI OS SH] | A 9515 | MR | 15-JAN-94 | |
| | ASTM-A176-93 | STEEL PLATE, SHEET, AND STRIP, STAINLESS AND HEAT-RESISTING CHROMIUM [CUST: MR YD1 99] [REVIEW: AR CE CR CR4 GL IS OS SH] | A 9515 | MR | 15-FEB-93 | |
| | ASTM-A177-84 | STEEL SHEET AND STRIP, CHROMIUM-NICKEL, HIGH-STRENGTH STAINLESS AND HEAT RESISTING [CUST: MR] [REVIEW: 99 AR CE CR CR4 IS OS SH] | A 9515 | MR | 27-JUL-84 | |
| | ASTM-A178/A178MA-90 | TUBES, CARBON STEEL AND CARBON MANGANESE ELECTRIC-RESISTANCE-WELDED STEEL BOILER [CUST: MR SH CC] [REVIEW: YD1] | A 4710 | CC | 27-JUL-90 | |
| | ASTM-A181/A181MB-95 | CARBON STEEL FORGINGS, FOR GENERAL-PURPOSE PIPING [CUST: YD1 99] [REVIEW: CC CG CR4 MC SH] | A 4730 | YD1 | 10-SEP-95 | |
| | ASTM-A182/A182M-96 | PIPE FLANGES, FORGED FITTINGS, AND VALVES AND PARTS FOR HIGH-TEMPERATURE SERVICE, FORGED OR ROLLED ALLOY-STEEL [CUST: YD1 99] [REVIEW: CC CG CR4 MC SH] | A 4730 | YD1 | 10-APR-96 | |
| | ASTM-A183-83 | BOLTS AND NUTS, CARBON STEEL TRACK [CUST: CR4 YD1 99 IS] [REVIEW: 82] | A 53GP | IS | 29-JUL-83 | |
| | ASTM-A184/A184M-96 | STEEL BAR MATS, DEFORMED FABRICATED, FOR CONCRETE REINFORCEMENT [CUST: CR4 YD1] | A 9510 | YD1 | 10-JUN-96 | |
| | ASTM-A185A-90 | STEEL WELDED WIRE FABRIC, PLAIN, FOR CONCRETE REINFORCEMENT [CUST: CR4 YD1] [REVIEW: MC] | A 9505 | YD1 | 31-AUG-90 | |
| | ASTM-A192/A192M-91 | TUBES, BOILER, SEAMLESS CARBON STEEL, FOR HIGH-PRESSURE SERVICE [CUST: MR SH CC] [REVIEW: YD1] | A 4710 | CC | 15-DEC-91 | |
| | ASTM-A193/A193MB-96 | ALLOY-STEEL AND STAINLESS STEEL BOLTING MATERIALS FOR HIGH TEMPERATURE SERVICE [CUST: AR YD1] [REVIEW: CE IS] | A 9510 | YD1 | 10-SEP-96 | |
| M | ASTM-A194/A194M-97 | CARBON AND ALLOY STEEL NUTS FOR BOLTS FOR HIGH-PRESSURE AND HIGH-TEMPERATURE SERVICE [CUST: AR YD1 IS] [REVIEW: 99 CE] | A 5310 | IS | 10-JUL-97 | |
| A | ASTM-A197-87R92 | CUPOLA MALLEABLE IRON [CUST: MR YD1 99] | A MECA | YD1 | 31-DEC-87 | |
| | ASTM-A197M-87 | CUPOLA MALLEABLE IRON (METRIC) [CUST: CR4 YD1 99] | A 3424 | YD1 | 31-DEC-87 | |
| | ASTM-A203/A203M-93 | PRESSURE VESSEL PLATES, ALLOY STEEL, NICKEL [CUST: MR YD1 99] | A 9515 | YD1 | 15-JUN-93 | |
| | ASTM-A204/A204M-93 | PLATES, PRESSURE VESSEL, ALLOY STEEL, MOLYBDENUM [CUST: MR SH IS] | A 9515 | IS | 15-JUN-93 | |
| | ASTM-A211-75R85 | STEEL OR IRON PIPE, SPIRAL-WELDED [CUST: MR YD1 99] | A 4710 | MR | 25-JUL-75 | |
| | ASTM-A213/A213MA-95 | BOILER, ALLOY-STEEL, SEAMLESS FERRITIC AND AUSTENITIC, SUPERHEATER, AND HEAT-EXCHANGER TUBES [CUST: SH] | A 4710 | SH | 10-OCT-95 | |
| A | ASTM-A214/A214M-96 | ELECTRIC-RESISTANCE-WELDED CARBON STEEL HEAT-EXCHANGER AND CONDENSER TUBES [CUST: CR4 YD1 99] [REVIEW: CC] | A 4710 | YD1 | 10-OCT-96 | |
| | ASTM-A216/A216M-89 | STEEL, CASTINGS, CARBON, SUITABLE FOR FUSION WELDING, FOR HIGH TEMPERATURE SERVICE [CUST: MR YD1 99] [REVIEW: OS SH] | A MECA | MR | 07-DEC-89 | |
| | ASTM-A217/A217M-95 | STEEL CASTINGS, MARTENSITIC STAINLESS AND ALLOY, FOR PRESSURE-CONTAINING PARTS, SUITABLE FOR HIGH-TEMPERATURE SERVICE [CUST: MR 99] [REVIEW: SH] | A MECA | MR | 10-SEP-95 | |
| | ASTM-A220M-88R93 | IRON, PEARLITIC MALLEABLE (METRIC) [CUST: MR YD1] [REVIEW: AS AT CR4 MI OS SH] | A MECA | MR | 14-MAR-88 | |
| | ASTM-A220-88R93 | IRON, PEARLITIC MALLEABLE [CUST: MR YD1] [REVIEW: AS AT CR4 MI OS SH] | A MECA | MR | 14-MAR-88 | |
| | ASTM-A227/A227M-93 | STEEL WIRE, COLD-DRAWN FOR MECHANICAL SPRINGS [CUST: MR OS 99 IS] [REVIEW: AR AV] | A 9505 | IS | 15-JUL-93 | |
| D | ASTM-A228/A228M-93 | STEEL WIRE, MUSIC SPRING QUALITY [CUST: GL AS 82 GS] [REVIEW: AT CR4 EA] | A 9505 | IS | 15-JUL-93 | |
| | ASTM-A229/A229M-93 | STEEL WIRE, OIL-TEMPERED FOR MECHANICAL SPRINGS [CUST: MR OS 99 IS] [REVIEW: AR AV] | A 9505 | IS | 15-JUL-93 | |
| | ASTM-A230/A230M-96 | STEEL WIRE, OIL-TEMPERED CARBON VALVE SPRING QUALITY [CUST: MR SH 99] | A 9505 | SH | 10-MAR-96 | |
| | ASTM-A231/A231M-96 | CHROMIUM-VANADIUM ALLOY STEEL SPRING WIRE [CUST: MR SH 99 CT] | A 9505 | SH | 10-MAR-96 | |
| | ASTM-A232/A232M-96 | CHROMIUM-VANADIUM ALLOY STEEL VALVE SPRING QUALITY WIRE [CUST: MR SH 99] | A 9505 | SH | 10-MAR-96 | |
| M | ASTM-A234/A234M-97 | STEEL AND ALLOY STEEL, PIPING FITTINGS OF WROUGHT CARBON, FOR MODERATE AND HIGH TEMPERATURE SERVICE [CUST: MR YD1 99] [REVIEW: CC MC SH] | A 4730 | YD1 | 10-MAR-97 | |
| | ASTM-A239-95 | ZINC, LOCATING THE THINNEST SPOT IN A ZINC (GALVANIZED) COATING ON IRON OR STEEL ARTICLES [CUST: MR YD1 99] | A 95GP | YD1 | 10-OCT-95 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|---------------------|--|--------------------------|-----|-------------|-----------|
| A | ASTM-A240/A240MA-97 | STEEL, STAINLESS, PLATE, SHEET, AND STRIP FOR PRESSURE VESSELS, HEAT-RESISTING CHROMIUM AND CHROMIUM-NICKEL [CUST: MR YD1] | A 9515 | MR | | 10-JUN-97 |
| | ASTM-A242/A242MA-93 | STEEL, STRUCTURAL, HIGH-STRENGTH, LOW-ALLOY [CUST: CR4 YD1 84] [REVIEW: IS OS SH] | A 9520 | YD1 | | 15-DEC-93 |
| | ASTM-A247-67R90 | GRAPHITE IN IRON CASTINGS, EVALUATING THE MICROSTRUCTURE OF [CUST: MR YD1 11] [REVIEW: SH] | A MECA | YD1 | | 25-AUG-67 |
| | ASTM-A249/A249MA-96 | STEEL BOILER, WELDED AUSTENITIC, SUPERHEATER, HEAT-EXCHANGER, AND CONDENSER TUBES [CUST: CR4 SH 99] | A 4410 | SH | | 10-AUG-96 |
| A | ASTM-A252-96 | STEEL PIPE PILES, WELDED AND SEAMLESS [CUST: CR4 YD1 99] [REVIEW: CG MC SH] | A 4710 | YD1 | | 10-OCT-96 |
| A | ASTM-A254-97 | COPPER-BRAZED STEEL TUBING [CUST: CR4 99 CC] [REVIEW: 82 AR MC] | A 4710 | CC | | 10-MAR-97 |
| A | ASTM-A255-96 | STEEL, END-QUENCH TEST FOR HARDENABILITY OF [CUST: MR AS 11] | A 95GP | MR | | 10-NOV-96 |
| | ASTM-A262A-93 | STEELS, DETECTING SUSCEPTIBILITY TO INTERGRANULAR ATTACK IN AUSTENITIC STAINLESS [CUST: MR AS 11] [REVIEW: SH] | A 95GP | MR | | 15-DEC-93 |
| | ASTM-A263A-94 | CORROSION-RESISTING CHROMIUM STEEL CLAD PLATE, SHEET, AND STRIP [CUST: GL SH 99] | A 9515 | GL | | 15-DEC-94 |
| | ASTM-A264A-94 | STAINLESS CHROMIUM-NICKEL STEEL-CLAD PLATE, SHEET, AND STRIP [CUST: GL SH 99] | A 9515 | GL | | 15-DEC-94 |
| | ASTM-A265A-94 | NICKEL AND NICKEL-BASE ALLOY-CLAD STEEL PLATE [CUST: MR YD1 99] | A 9515 | YD1 | | 15-DEC-94 |
| | ASTM-A266/A266M-96 | FORGINGS, CARBON STEEL, FOR PRESSURE VESSEL COMPONENTS [CUST: YD1 99] [REVIEW: SH] | A FORG | YD1 | | 10-SEP-96 |
| | ASTM-A268/A268M-96 | STAINLESS STEEL TUBING FOR GENERAL SERVICE, SEAMLESS AND WELDED FERRITIC AND MARTENSITIC [CUST: EA SH 99] | A 4710 | EA | | 10-MAR-96 |
| | ASTM-A269-96 | TUBING FOR GENERAL SERVICE, SEAMLESS AND WELDED AUSTENITIC STAINLESS STEEL [CUST: CR4 YD1 99] [REVIEW: CC CG MC SH] | A 4710 | YD1 | | 10-AUG-96 |
| | ASTM-A270-95 | STEEL, STAINLESS, SEAMLESS AND WELDED AUSTENITIC, SANITARY TUBING [CUST: YD1 99] [REVIEW: CR4 GL SH] | A 4710 | YD1 | | 10-SEP-95 |
| | ASTM-A275/A275M-96 | MAGNETIC PARTICLE EXAMINATION OF STEEL FORGINGS [CUST: MR SH 11 GS] [REVIEW: YD1] | A NDTI | GS | | 10-MAR-96 |
| A | ASTM-A276-97 | STEEL BARS AND SHAPES, STAINLESS [CUST: MR YD1 99] [REVIEW: 84 CE IS SH] | A 9510 | YD1 | | 10-MAR-97 |
| | ASTM-A278M-93 | GRAY IRON CASTINGS FOR PRESSURE-CONTAINING PARTS FOR TEMPERATURES UP TO 350 DEG. C [CUST: CR4 YD1 11] | A MECA | YD1 | | 15-AUG-93 |
| | ASTM-A278-93 | GRAY IRON CASTINGS FOR PRESSURE-CONTAINING PARTS FOR TEMPERATURES UP TO 650 DEG. F. [CUST: CR4 YD1 11] | A MECA | YD1 | | 15-AUG-93 |
| | ASTM-A283/A283MA-93 | PLATES, CARBON STEEL, LOW AND INTERMEDIATE TENSILE STRENGTH [CUST: CR4 YD1 99] [REVIEW: IS OS SH] | A 9520 | YD1 | | 15-DEC-93 |
| | ASTM-A285/A285M-90 | PLATES, PRESSURE VESSEL, CARBON STEEL, LOW- AND INTERMEDIATE- TENSILE STRENGTH [CUST: MR YD1 99] [REVIEW: IS SH] | A 9515 | YD1 | | 28-DEC-90 |
| | ASTM-A295-92 | STEEL, BEARING, HIGH-CARBON ANTIFRICTION [CUST: MR OS] [REVIEW: AT CR4 GL SH YD1] | A 9640 | MR | | 15-AUG-92 |
| | ASTM-A302/A302M-93 | PLATES, PRESSURE VESSEL, ALLOY STEEL, MANGANESE-MOLYBDENUM AND MANGANESE-MOLYBDENUM-NICKEL [CUST: MR SH IS] | A 9515 | IS | | 15-JUN-93 |
| A | ASTM-A304-96 | CARBON AND ALLOY STEEL BARS SUBJECT TO END-QUENCH HARDENABILITY REQUIREMENTS [CUST: MR SH 11] [REVIEW: 99 AL CR4 IS YD1] | A 9510 | MR | | 10-NOV-96 |
| | ASTM-A307-94 | CARBON STEEL BOLTS AND STUDS, 60 000 PSI TENSILE STRENGTH [CUST: AR YD1 IS] | A 53GP | IS | | 15-FEB-94 |
| A | ASTM-A308-97 | STEEL, SHEET, TERNE (LEAD-TIN ALLOY) COATED BY THE HOT-DIP PROCESS [CUST: MR] [REVIEW: IS YD1] | A 9515 | MR | | 10-APR-97 |
| | ASTM-A309A-94 | WEIGHT AND COMPOSITION OF COATING ON TERNE SHEET BY THE TRIPLE-SPOT TEST [CUST: MR YD1 99 GS] [REVIEW: 84 GL IS SA] | A MFFP | GS | | 15-AUG-94 |
| | ASTM-A312/A312MA-95 | PIPES, STAINLESS STEEL, SEAMLESS AND WELDED AUSTENITIC [CUST: CR4 YD1] [REVIEW: CC CE] | A 4710 | YD1 | | 10-OCT-95 |
| | ASTM-A313-92 | CHROMIUM-NICKEL STAINLESS AND HEAT-RESISTING STEEL SPRING WIRE, STANDARD SPECIFICATION FOR [CUST: MR AS 99] [REVIEW: AR CR IS] | A 9505 | MR | | 15-OCT-92 |
| | ASTM-A314C-94 | STAINLESS STEEL BOLLETS AND BARS FOR FORGING [CUST: MR SH 11] | A FORG | SH | | 15-DEC-94 |
| | ASTM-A320/A320MA-94 | STEEL, ALLOY, BILLING MATERIALS FOR LOW-TEMPERATURE SERVICE [CUST: AR YD1 99 IS] | A 5306 | IS | | 15-JUN-94 |
| | ASTM-A322M-90 | STEEL BARS, ALLOY, STANDARD GRADWS - 26 JAN 90 [CUST: MR SH] [REVIEW: IS] | A 9510 | MR | | 09-APR-90 |
| | ASTM-A322-91 | STEEL BARS, ALLOY, STANDARD GRADES, STANDARD SPECIFICATION FOR [CUST: MR SH IS] | A 9510 | IS | | 15-AUG-91 |
| A | ASTM-A325-97 | BOLTS, STEEL, STRUCTURAL, HEAT TREATED, 120/105 KSI MINIMUM TENSILE STRENGTH [CUST: AR YD1 99 IS] [REVIEW: CE] | A 5306 | IS | | 10-APR-97 |
| | ASTM-A325M-93 | BOLTS, HIGH-STRENGTH FOR STRUCTURAL STEEL JOINTS (METRIC) [CUST: AR YD1 IS] [REVIEW: 99 CE] | A 5306 | IS | | 15-FEB-93 |
| | ASTM-A326-67R85 | ZINC-COATED (GALVANIZED) HIGH TENSILE STEEL TELEPHONE AND TELEGRAPH LINE WIRE [CUST: MR AS 99] | A 5805 | 99 | | 24-MAY-67 |
| | ASTM-A327-91 | CAST IRONS, IMPACT TESTING OF [CUST: AR SH 99] | A MECA | 99 | | 15-APR-91 |
| | ASTM-A328/A328MA-93 | STEEL SHEET PILING [CUST: AT YD1] [REVIEW: IS] | A 9520 | AT | | 15-DEC-93 |
| | ASTM-A331-90 | STEEL BARS, ALLOY, COLD-FINISHED [CUST: MR SH 11 IS] [REVIEW: 99 AR CR4 YD1] | A 9510 | IS | | 26-JAN-90 |
| A | ASTM-A333/A333M-94 | PIPE, STEEL, SEAMLESS AND WELDED, FOR LOW-TEMPERATURE SERVICE [CUST: AR YD1 99] [REVIEW: CC] | A 4710 | YD1 | | 15-AUG-94 |
| | ASTM-A335/A335MA-95 | ALLOY-STEEL PIPE, SEAMLESS FERRITIC FOR HIGH-TEMPERATURE SERVICE [CUST: MR SH 99] | A 4710 | SH | | 10-NOV-95 |
| A | ASTM-A336/A336M-97 | STEEL FORGINGS, ALLOY, FOR PRESSURE AND HIGH-TEMPERATURE PARTS [CUST: MR SH 11] [REVIEW: IS] | A FORG | SH | | 10-MAY-97 |
| | ASTM-A341-89 | MAGNETIC PROPERTIES OF DIRECT CURRENT OF MATERIALS USING D-C PERMEAMETERS AND THE BALLISTIC TEST METHODS [CUST: MI AS 11] | A NDTI | MI | | 30-JUN-89 |
| | ASTM-A342-95 | MATERIALS, FEELY MAGNETIC, PERMEABILITY OF [CUST: MI SH 11] | A NDTI | SH | | 15-FEB-95 |
| A | ASTM-A350/A350M-97 | CARBON AND LOW-ALLOY STEEL FORGINGS, REQUIRING NOTCH TOUGHNESS TESTING FOR PIPING COMPONENTS [CUST: AR YD1 11] | A FORG | YD1 | | 10-MAR-97 |
| | ASTM-A351/A351MA-93 | CASTINGS, AUSTENITIC, AUSTENITIC-FERRITIC (DUPLEX), FOR PRESSURE-CONTAINING PARTS [CUST: MR YD1] [REVIEW: SH] | A MECA | YD1 | | 15-DEC-93 |
| | ASTM-A352/A352M-93 | STEEL CASTINGS, FERRITIC AND MARTENSITIC, FOR PRESSURE-CONTAINING PARTS, SUITABLE FOR LOW-TEMPERATURE SERVICE [CUST: AR YD1 99] [REVIEW: IS MR SH] | A MECA | YD1 | | 15-DEC-94 |
| A | ASTM-A354-97 | BOLTS, STUDS, AND OTHER EXTERNALLY THREADED FASTENERS, QUENCHED AND TEMPERED ALLOY STEEL [CUST: AR YD1 99 IS] | A 53GP | IS | | 10-AUG-97 |
| | ASTM-A361/A361M-85 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS FOR ROOFING AND SIDING [CUST: MR YD1 99] [REVIEW: IS MC SH] | A 9515 | YD1 | | 22-FEB-85 |
| | ASTM-A366/A366M-91 | STEEL, SHEET, CARBON, COLD-ROLLED, COMMERCIAL QUALITY [CUST: MR SH 11 IS] [REVIEW: YD1] | A 9515 | IS | | 15-AUG-91 |
| A | ASTM-A370A-97 | STEEL PRODUCTS, MECHANICAL TESTING OF [CUST: MR AS 11] [REVIEW: AT GL IS MI] | A 95GP | MR | | 10-MAR-97 |
| | ASTM-A380-96 | STEEL PARTS, EQUIPMENT AND SYSTEMS, CLEANING DESCALING, AND PASSIVATION OF STAINLESS [CUST: MR SH 11 GS] [REVIEW: 99 AR AS AV GL IS MI OS] | A MFFP | GS | | 10-MAR-96 |
| | ASTM-A385-80R91 | QUALITY-HIGH, PROVIDING ZINC COATINGS (HOT-DIP) [CUST: MR SH 11] | A MFFP | SH | | 29-AUG-80 |
| | ASTM-A387/A387M-92 | PRESSURE VESSEL PLATES, ALLOY STEEL, CHROMIUM-MOLYBDENUM [CUST: MR YD1 99 IS] | A 9515 | IS | | 15-DEC-92 |
| | ASTM-A389/A389M-93 | STEEL CASTINGS, ALLOY, SPECIALLY HEAT-TREATED, FOR PRESSURE-CONTAINING PARTS, SUITABLE FOR HIGH-TEMPERATURE SERVICE [CUST: MR SH 11] | A MECA | SH | | 15-DEC-93 |
| | ASTM-A394-93 | STEEL TRANSMISSION TOWER BOLTS, ZINC-COATED AND BARE [CUST: AR YD1 99 IS] | A 5306 | IS | | 15-FEB-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|---------------------|---|-----------------------|-----|-------------|------|
| | ASTM-A395-88 | IRON PRESSURE-RETAINING, FERRITIC DUCTILE CASTINGS FOR USE AT ELEVATED TEMPERATURES [CUST: MR YD1] [REVIEW: AR AT CR4 IS MI SH] | A MECA | YD1 | 13-JUN-88 | |
| | ASTM-A400-69R88 | STEEL BAR COMPOSITIONS ACCORDING TO SECTION, SELECTION OF [CUST: MR SH 11] [REVIEW: AT AV CR4 GL IS MI OS YD1] | A 9520 | MR | 14-NOV-69 | |
| M | ASTM-A403/A403MA-97 | STEEL, STAINLESS, PIPING FITTINGS, WROUGHT AUSTENITIC [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4730 | YD1 | 10-JUN-97 | |
| | ASTM-A411-86R91 | ZINC-COATED (GALVANIZED) LOW-CARBON STEEL ARMOR WIRE [CUST: CR AS 99 IS] | A 9505 | IS | 27-MAR-86 | |
| | ASTM-A412-87 | STEEL, CHROMIUM-NICKEL-MANGANESE, PLATE, SHEET, AND STRIP, STAINLESS AND HEAT-RESISTING [CUST: MR YD1] [REVIEW: AR CE CR CR4 IS OS SH] | A 9515 | MR | 27-FEB-87 | |
| | ASTM-A413/A413M-93 | CARBON STEEL CHAIN [CUST: CR4 SH 99 IS] | A 4010 | IS | 15-FEB-93 | |
| | ASTM-A416/A416MA-94 | STEEL STRAND, UNCOATED SEVEN-WIRE FOR PRESTRESSED CONCRETE [CUST: YD1 99] [REVIEW: CE MC SH] | A 9505 | YD1 | 15-DEC-94 | |
| | ASTM-A421-91 | WIRE, STEEL, UNCOATED STRESS-RELIEVED, FOR PRESTRESSED CONCRETE [CUST: CR4 YD1 99] [REVIEW: IS MC SH] | A 9505 | YD1 | 15-JUL-91 | |
| | ASTM-A423/A423M-91 | TUBES, STEEL, SEAMLESS AND ELECTRIC-WELDED LOW-ALLOY [CUST: YD1 99] [REVIEW: CR4 SH] | A 4710 | YD1 | 15-DEC-91 | |
| | ASTM-A424-96 | STEEL, SHEET, FOR PORCELAIN ENAMELING [CUST: MR YD1 99] [REVIEW: IS] | A 9515 | YD1 | 10-SEP-96 | |
| | ASTM-A428-89 | IRON OR STEEL ARTICLES, STANDARD TEST METHOD FOR WEIGHT OF COATING ON ALUMINUM-COATED [CUST: MR YD1 99] [REVIEW: 84 IS SH] | A 95GP | YD1 | 29-SEP-89 | |
| | ASTM-A434A-90 | STEEL BARS, ALLOY, HOT-WROUGHT OR COLD-FINISHED, QUENCHED AND TEMPERED [CUST: MR YD1 99] | A 9510 | YD1 | 31-AUG-90 | |
| | ASTM-A436-84R92 | CASTINGS, GRAY IRON, AUSTENITIC [CUST: MR YD1] | A MECA | YD1 | 27-JAN-84 | |
| | ASTM-A438-80R91 | IRON, GRAY CAST, TRANSVERSE TESTING OF [CUST: MR YD1 11] | A MECA | YD1 | 28-MAR-80 | |
| | ASTM-A439-83R94 | IRON CASTINGS, AUSTENITIC DUCTILE [CUST: AT SH 11] | A MECA | SH | 29-JUL-83 | |
| | ASTM-A444/A444M-89 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS FOR CULVERTS AND UNDERDRAINS, STANDARD SPECIFICATION FOR [CUST: MR YD1 99] [REVIEW: IS MC SH] | A 9515 | YD1 | 26-MAY-89 | |
| | ASTM-A446/A446M-93 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, STRUCTURAL (PHYSICAL) QUALITY [CUST: MR YD1 99] [REVIEW: IS SH] | A 9515 | YD1 | 15-MAR-93 | |
| | ASTM-A449-93 | BOLTS AND STUDS, STEEL, QUENCHED AND TEMPERED [CUST: AR YD1 99 IS] | A 53GP | IS | 15-FEB-93 | |
| A | ASTM-A450/A450MA-96 | CARBON, FERRITIC ALLOY, AND AUSTENITIC ALLOY STEEL TUBES [CUST: MR SH CC] [REVIEW: YD1] | A 4710 | CC | 10-OCT-96 | |
| | ASTM-A453/A453M-96 | MATERIALS, BOLTING, HIGH-TEMPERATURE, WITH EXPANSION COEFFICIENTS COMPARABLE TO AUSTENITIC STAINLESS STEEL [CUST: AR AS 99 IS] | A 5306 | IS | 10-SEP-96 | |
| A | ASTM-A463/A463M-97 | STEEL SHEET, ALUMINUM-COATED, BY THE HOT-DIP PROCESS [CUST: MR YD1 99] [REVIEW: 84 IS SH] | A 9515 | YD1 | 10-APR-97 | |
| | ASTM-A466/A466M-93 | CARBON STEEL CHAIN, WELDLESS [CUST: AT SH 99] | A 4010 | SH | 15-FEB-93 | |
| A | ASTM-A470-97 | STEEL FORGINGS, CARBON AND ALLOY, VACUUM-TREATED, FOR TURBINE ROTORS AND SHAFTS [CUST: MR SH 11] [REVIEW: IS MC YD1] | A FORG | SH | 10-MAY-97 | |
| | ASTM-A473-94 | FORGINGS, STEEL, STAINLESS AND HEAT RESISTING [CUST: MR YD1] [REVIEW: SH] | A FORG | YD1 | 15-MAR-94 | |
| | ASTM-A475-95 | STEEL WIRE STRAND, ZINC-COATED [CUST: CR4 YD1 99] [REVIEW: IS SH] | A 9505 | YD1 | 10-SEP-95 | |
| | ASTM-A478-95 | CHROMIUM-NICKEL STAINLESS AND HEAT-RESISTING STEEL WEAVING AND KNITTING WIRE [CUST: CR SH 85 CT] | A MECA | SH | 15-JAN-95 | |
| A | ASTM-A479/A479MA-97 | BARS AND SHAPES, STAINLESS STEEL, FOR USE IN BOILERS AND OTHER PRESSURE VESSELS [CUST: MR YD1] [REVIEW: AT CR4 IS MI OS SH] | A 9510 | YD1 | 10-JUN-97 | |
| | ASTM-A480/A480MA-95 | STEEL PLATE, SHEET, AND STRIP, FLAT-ROLLED STAINLESS AND HEAT-RESISTING, GENERAL REQUIREMENTS FOR [CUST: MR SH 11] | A 9515 | MR | 10-SEP-95 | |
| | ASTM-A484/A484M-96 | STEEL, BARS, BILLETS AND FORGINGS, STAINLESS [CUST: MR YD1 11] [REVIEW: 99 AR AS IS MI OS SH] | A 9510 | MR | 10-DEC-96 | |
| | ASTM-A485-92 | STEEL, BEARING, HIGH HARDENABILITY ANTIFRICTION, STANDARD SPECIFICATION FOR [CUST: MR OS] [REVIEW: AT CR4 GL MC SH] | A 9640 | MR | 15-AUG-92 | |
| | ASTM-A487/A487M-93 | STEEL CASTINGS SUITABLE FOR PRESSURE SERVICE [CUST: MR SH 11] | A MECA | SH | 15-DEC-93 | |
| | ASTM-A488/A488M-95 | STEEL CASTINGS, WELDING, QUALIFICATIONS OF PROCEDURES AND PERSONNEL [CUST: MR SH 11] [REVIEW: AL AR AS AT MI TE] | A THJM | MR | 10-SEP-95 | |
| | ASTM-A489-93 | CARBON STEEL LIFTING EYES [CUST: AR YD1 99 IS] | A 5306 | IS | 15-AUG-93 | |
| A | ASTM-A490-97 | BOLTS, STRUCTURAL, STEEL, HEAT TREATED, 150 KSI MINIMUM TENSILE STRENGTH [CUST: AR YD1 99 IS] | A 5306 | IS | 10-MAY-97 | |
| | ASTM-A490M-93 | BOLTS, STEEL, HIGH-STRENGTH, CLASSES 10.9 AND 10.9.3, FOR STRUCTURAL STEEL JOINTS (METRIC), STANDARD SPECIFICATION FOR [CUST: AR YD1 99 IS] [REVIEW: 99 CE] | A 5306 | IS | 15-FEB-93 | |
| | ASTM-A492-92 | WIRE, STEEL ROPE, STAINLESS AND HEAT-RESISTING [CUST: MR YD1 99] | A 9505 | YD1 | 15-OCT-92 | |
| | ASTM-A493-93 | STEEL WIRE AND WIRE RODS FOR COLD HEADING AND COLD FORGING, STAINLESS AND HEAT-RESISTING [CUST: MR SH] [REVIEW: AR IS] | A 9510 | MR | 22-MAR-93 | |
| | ASTM-A494/A494M-94 | CASTINGS, NICKEL AND NICKEL ALLOY [CUST: MR SH 11] | A MECA | SH | 15-JUN-94 | |
| | ASTM-A496A-95 | STEEL WIRE, DEFORMED, FOR CONCRETE REINFORCEMENT [CUST: CR4 YD1 99] | A 9505 | YD1 | 10-NOV-95 | |
| | ASTM-A497-95 | STEEL WELDED WIRE FABRIC, DEFORMED, FOR CONCRETE REINFORCEMENT [CUST: MR YD1 99] | A 9505 | YD1 | 10-SEP-95 | |
| | ASTM-A499-89 | STEEL BARS AND SHAPES, CARBON ROLLED FROM "T" RAILS [CUST: MR YD1] [REVIEW: CR4 IS] | A 9510 | YD1 | 07-DEC-89 | |
| A | ASTM-A500-96 | STEEL, CARBON, STRUCTURAL TUBING IN ROUNDS AND SHAPES, COLD-FORMED WELDED AND SEAMLESS [CUST: CR4 YD1 99] [REVIEW: SH] | A 4710 | YD1 | 10-OCT-96 | |
| A | ASTM-A501-96 | STEEL STRUCTURAL TUBING, HOT-FORMED WELDED AND SEAMLESS CARBON [CUST: CR4 YD1 99] [REVIEW: CC OS SH] | A 4710 | YD1 | 10-OCT-96 | |
| | ASTM-A502-93 | STEEL STRUCTURAL RIVETS [CUST: AR YD1 99 IS] | A 5320 | IS | 15-FEB-93 | |
| | ASTM-A505-87R93 | STEEL, SHEET AND STRIP, ALLOY, HOT-ROLLED AND COLD-ROLLED, GENERAL REQUIREMENTS FOR [CUST: MR SH 11] [REVIEW: 99 IS] | A 9515 | MR | 31-JUL-87 | |
| | ASTM-A506-93 | STEEL, SHEET AND STRIP, ALLOY, HOT-ROLLED AND COLD-ROLLED, REGULAR QUALITY AND STRUCTURAL QUALITY [CUST: MR SH IS] | A 9515 | IS | 15-JUN-93 | |
| | ASTM-A507-93 | STEEL, SHEET AND STRIP, ALLOY, HOT-ROLLED AND COLD-ROLLED, DRAWING QUALITY [CUST: MR SH 11 IS] | A 9515 | IS | 15-JUN-93 | |
| | ASTM-A508/A508MA-94 | STEEL FORGINGS FOR PRESSURE VESSELS, QUENCHED AND TEMPERED VACUUM-TREATED CARBON AND ALLOY [CUST: MR SH] [REVIEW: IS MC OS] | A FORG | SH | 15-JUN-94 | |
| | ASTM-A510-96 | WIRE RODS AND COARSE ROUND WIRE, CARBON STEEL [CUST: MR SH] | A 9505 | MR | 10-MAR-96 | |
| | ASTM-A510M-96 | WIRE RODS AND COARSE ROUND WIRE, CARBON STEEL (METRIC) [CUST: MR SH 11 IS] | A 9505 | IS | 10-MAR-96 | |
| | ASTM-A511-96 | TUBING, MECHANICAL, SEAMLESS STAINLESS STEEL [CUST: MR CC] [REVIEW: YD1] | A 4710 | CC | 10-JUN-96 | |
| A | ASTM-A512-96 | CARBON STEEL MECHANICAL TUBING, COLD-DRAWN BUTTWELD [CUST: MR SH 11] [REVIEW: AR AT AV CC CR4 GL OS YD1] | A 4710 | MR | 10-OCT-96 | |
| | ASTM-A513-97 | ELECTRIC-RESISTANCE-WELDED CARBON AND ALLOY STEEL MECHANICAL TUBING [CUST: MR 99 CC] [REVIEW: 82 AR AT AV CR4 GL MI OS SH YD1] | A 4710 | CC | 10-APR-97 | |
| | ASTM-A514/A514M-94 | STEEL PLATE, HIGH-YIELD-STRENGTH, QUENCHED AND TEMPERED ALLOY, SUITABLE FOR WELDING [CUST: MR YD1 99] [REVIEW: IS SH] | A 9515 | YD1 | 23-FEB-90 | |
| A | ASTM-A515/A515M-92 | PLATES, PRESSURE VESSEL, CARBON STEEL, FOR INTERMEDIATE- AND HIGHER-TEMPERATURE SERVICE [CUST: MR SH IS] | A 9515 | IS | 15-DEC-92 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Wee | MCA Prep. Acty. | Date |
|----------------------|---|-------------------------|--------------------|-----------|
| ASTM-A516/A516M-90 | PRESSURE VESSEL PLATES, CARBON STEEL, FOR MODERATE - AND LOWER - TEMPERATURE SERVICE [CUST: MR SH IS] [REVIEW: YD1] | A 9515 | IS | 28-DEC-90 |
| ASTM-A517/A517M-93 | PLATES, PRESSURE VESSEL, ALLOY STEEL, HIGH-STRENGTH, QUENCHED AND TEMPERED [CUST: MR YD1 99 IS] [REVIEW: 11 AL AR AT CR4 EA SH] | A 9515 | IS | 15-JUN-93 |
| ASTM-A518-92 | IRON CASTINGS, HIGH-SILICON, CORROSION-RESISTANT [CUST: MR YD1] [REVIEW: SH] | A MECA | YD1 | 15-JUL-92 |
| ASTM-A519-90 | TUBING, SEAMLESS CARBON AND ALLOY STEEL MECHANICAL [CUST: MR CC] [REVIEW: AR AT MI SH] | A 4710 | CC | 23-FEB-90 |
| ASTM-A520-90 | CARBON STEEL TUBULAR PRODUCTS FOR HIGH-TEMPERATURE SERVICE CONFORMING TO ISO RECOMMENDATIONS FOR BOILER CONSTRUCTION SEAMLESS AND ELECTRIC-RESISTANCE, SUPPLEMENTARY REQUIREMENTS FOR [CUST: CR4 YD1 84] [REVIEW: 82 CC SH] | A 4710 | YD1 | 23-FEB-90 |
| ASTM-A525-91 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, GENERAL REQUIREMENTS FOR [CUST: MR YD1 99] [REVIEW: IS SH] | A 9515 | YD1 | 15-AUG-91 |
| ASTM-A525M-91 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS (METRIC) [CUST: MR YD1 99] [REVIEW: IS MC SH] | A 9515 | YD1 | 15-AUG-91 |
| ASTM-A526/A526M-90 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, COMMERCIAL QUALITY [CUST: CE YD1 99] [REVIEW: IS] | A 9515 | YD1 | 28-SEP-90 |
| ASTM-A527/A527M-90 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, LOCK-FORMING QUALITY [CUST: MR YD1 99] [REVIEW: IS SH] | A 9515 | YD1 | 28-SEP-90 |
| ASTM-A528/A528M-90 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, DRAWING QUALITY [CUST: MR YD1 99] [REVIEW: IS MC SH] | A 9515 | YD1 | 28-SEP-90 |
| ASTM-A529/A529MA-93 | STEEL, OF STRUCTURAL QUALITY, HIGH-STRENGTH CARBON-MANGANESE [CUST: MR YD1] [REVIEW: IS] | A 9520 | YD1 | 15-DEC-93 |
| ASTM-A530/A530M-96 | CARBON, AND ALLOY STEEL PIPE, SPECIALIZED [CUST: CR4 SH 99] [REVIEW: 82 MC MR YD1] | A 4710 | SH | 10-MAR-96 |
| ASTM-A532/A532MA-93 | IRONS, CAST, ABRASION-RESISTANT [CUST: CR4 YD1 99] [REVIEW: CC CE SH] | A MECA | YD1 | 15-JAN-93 |
| ASTM-A533/A533M-82 | PRESSURE VESSEL PLATES, ALLOY STEEL, QUENCHED AND TEMPERED, MANGANESE-MOLYBDENUM AND MANGANESE-MOLYBDENUM-NICKEL [CUST: MR SH] [REVIEW: IS MC] | A 9515 | SH | 30-JUL-82 |
| ASTM-A534-94 | STEELS, CARBURIZING FOR ANTI-FRICTION BEARINGS [CUST: MR OS 99] [REVIEW: AR AT CR4 SH YD1] | A 9640 | MR | 15-JUN-94 |
| ASTM-A535-85 | STEEL, BALL AND ROLLER BEARING, SPECIAL-QUALITY [CUST: MR OS 99] [REVIEW: AR AT CR4 SH] | A 9640 | MR | 27-DEC-85 |
| ASTM-A536-84R93 | IRON CASTINGS, DUCTILE [CUST: MR YD1 99] [REVIEW: 80 82 AR] | A MECA | MR | 15-JUN-84 |
| ASTM-A537/A537M-91 | PLATES, PRESSURE VESSEL, HEAT-TREATED, CARBON-MANGANESE-SILICON STEEL [CUST: MR YD1 99] [REVIEW: 84 CE OS SH] | A 9520 | YD1 | 15-DEC-91 |
| ASTM-A554-90 | STEEL TUBING, MECHANICAL, WELDED STAINLESS [CUST: MR SH CC] [REVIEW: GS] | A 4710 | CC | 23-FEB-90 |
| A ASTM-A555/A555M-97 | STEEL WIRE AND WIRE RODS, STAINLESS, GENERAL REQUIREMENTS FOR [CUST: MR SH 11] [REVIEW: AL AS IS OS] | A 9505 | MR | 10-MAR-97 |
| ASTM-A561-71R85 | STEEL BARS, TOOL, MACROTECH TESTING OF [CUST: MR SH 84] [REVIEW: 11 AR IS OS] | A 9510 | MR | 25-OCT-71 |
| A ASTM-A563-96 | NUTS, CARBON AND ALLOY STEEL [CUST: AR AS 99 IS] | A 5310 | IS | 10-OCT-96 |
| A ASTM-A563M-96 | NUTS, CARBON AND ALLOY STEEL (METRIC) [CUST: AR YD1 IS] | A 5310 | IS | 10-OCT-96 |
| ASTM-A564/A564M-94 | HOT-ROLLED AND COLD-FINISHED AGE-HARDENING STAINLESS STEEL BARS AND SHAPES [CUST: MR YD1 99] | A 95GP | YD1 | 15-DEC-94 |
| ASTM-A565-92 | STEEL BARS, FORGINGS, MARTENSITIC STAINLESS, STOCK FOR HIGH-TEMPERATURE SERVICE [CUST: MR SH] [REVIEW: IS MC] | A FORG | SH | 15-OCT-92 |
| ASTM-A568/A568M-96 | STEEL, SHEET, CARBON, AND HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED AND COLD-ROLLED [CUST: MR SH 99 IS] [REVIEW: OS YD1] | A 9515 | IS | 10-SEP-96 |
| ASTM-A569/A569MA-91 | STEEL, CARBON, (0.15 MAXIMUM, PERCENT), HOT-ROLLED SHEET AND STRIP COMMERCIAL QUALITY [CUST: MR SH IS] [REVIEW: MI YD1] | A 9515 | IS | 15-AUG-91 |
| ASTM-A570/A570M-96 | STEEL, SHEET AND STRIP, CARBON, HOT-ROLLED, STRUCTURAL QUALITY [CUST: MR SH] [REVIEW: IS MI YD1] | A 9515 | MR | 10-SEP-96 |
| ASTM-A572/A572MC-94 | STEEL, HIGH-STRENGTH LOW-ALLOY COLUMBIUM-VANADIUM STRUCTURAL [CUST: MR YD1] [REVIEW: AR IS] | A 9520 | MR | 15-DEC-94 |
| ASTM-A574A-92 | SCREW, CAP, SOCKET-HEAD, ALLOY STEEL, STANDARD SPECIFICATION FOR [CUST: AR 99 IS] | A 5305 | IS | 15-AUG-92 |
| ASTM-A574M-93 | ALLOY STEEL SOCKET-HEAD CAP SCREWS (METRIC) [CUST: AR AS 99 IS] | A 5305 | IS | 15-APR-93 |
| ASTM-A575-89 | STEEL BARS, CARBON, MERCHANT QUALITY, M-GRADES, STANDARD SPECIFICATION FOR [CUST: MR SH 11 IS] [REVIEW: AR AT CR4 GL MI YD1] | A 9510 | IS | 07-DEC-89 |
| ASTM-A576B-90 | STEEL BARS, CARBON, HOT-WROUGHT, SPECIAL QUALITY, STANDARD SPECIFICATION FOR [CUST: MR SH 11 IS] [REVIEW: 99 AR AS MI OS YD1] | A 9510 | IS | 31-AUG-90 |
| ASTM-A578/A578M-96 | STRAIGHT-BEAM ULTRASONIC EXAMINATION OF PLAIN AND CLAD STEEL PLATES FOR SPECIAL APPLICATIONS [CUST: MR SH 99] | A 9515 | MR | 10-SEP-96 |
| ASTM-A579-92 | STEEL FORGINGS, SUPERSTRENGTH ALLOY [CUST: MR AS 99 IS] | A 9520 | IS | 15-JUL-92 |
| ASTM-A580/A580M-93 | WIRE, STEEL, STAINLESS AND HEAT RESISTING [CUST: MR YD1 99] [REVIEW: AR AT IS MI OS SH] | A 9505 | YD1 | |
| ASTM-A581/A581M-93 | STEEL WIRE AND WIRE RODS, FREE-MACHINING STAINLESS AND HEAT-RESISTING [CUST: MR SH 11] [REVIEW: AL AR IS] | A 9505 | MR | |
| ASTM-A582/A582M-93 | FREE-MACHINING STAINLESS AND HEAT-RESISTING STEEL BARS [CUST: MR SH 11] [REVIEW: AR IS MI OS] | A 9510 | MR | 16-MAR-93 |
| ASTM-A586-92 | ZINC-COATED PARALLEL AND HELICAL STEEL WIRE STRUCTURAL STRAND [CUST: CR4 YD1] [REVIEW: IS SH] | A 4010 | YD1 | 20-MAY-94 |
| ASTM-A588/A588MA-88 | STEEL, STRUCTURAL, HIGH-STRENGTH LOW-ALLOY WITH 50 KSI (345 MPA) MINIMUM YIELD POINT TO 4 IN (100 MM) THICK [CUST: MR YD1 99] [REVIEW: IS OS SH] | A 9520 | YD1 | 21-JUN-88 |
| A ASTM-A589-96 | CARBON STEEL WATER-WELL PIPE, SEAMLESS AND WELDED [CUST: MR SH 99] | A 4710 | MR | 10-OCT-96 |
| A ASTM-A591/A591M-96 | STEEL SHEET, ELECTROLYTIC ZINC-COATED, FOR LIGHT COATING MASS APPLICATIONS [CUST: MR YD1 99] [REVIEW: 84 IS SH] | A 9515 | YD1 | 10-OCT-96 |
| A ASTM-A595-97 | STEEL TUBES, LOW-CARBON, TAPERED FOR STRUCTURAL USE [CUST: MR SH 99] | A 47GP | MR | 10-OCT-96 |
| ASTM-A597-87 | TOOL STEEL, CAST [CUST: MR OS] [REVIEW: AR EA] | A MECA | MR | 28-AUG-87 |
| ASTM-A600A-92 | TOOL STEEL HIGH SPEED, STANDARD SPECIFICATION FOR [CUST: MR SH 11] [REVIEW: 99 IS MI OS] | A 9510 | MR | 15-AUG-92 |
| ASTM-A603-94 | ZINC-COATED STEEL WIRE ROPE [CUST: CR4 YD1] [REVIEW: IS SH] | A 4010 | YD1 | 15-FEB-94 |
| ASTM-A604-93 | MACROTECH TESTING OF CONSUMABLE ELECTRODE REMELTED STEEL BARS AND BILLETS [CUST: GL AS 99] | A 3439 | AS | 15-JUN-94 |
| ASTM-A606-96 | STEEL, SHEET AND STRIP, HIGH-STRENGTH, LOW ALLOY, HOT ROLLED AND COLD-ROLLED, WITH IMPROVED ATMOSPHERIC CORROSION RESISTANCE [CUST: MR AS] [REVIEW: AR EA IS SH YD1] | A 9515 | MR | 10-SEP-96 |
| ASTM-A607A-92 | STEEL, SHEET AND STRIP, HIGH-STRENGTH, LOW-ALLOY, COLUMBIUM OR VANADIUM, OR BOTH, HOT-ROLLED AND COLD-ROLLED [CUST: MR YD1 99] [REVIEW: IS SH] | A 9515 | MR | 15-OCT-92 |
| ASTM-A609/A609M-91 | CASTINGS, CARBON, LOW-ALLOY, AND MARTENSITIC STAINLESS STEEL, ULTRASONIC EXAMINATION THEREOF [CUST: MR SH 11] | A MECA | MR | 15-DEC-91 |
| A ASTM-A611-97 | STEEL, SHEET, CARBON, COLD-ROLLED, STRUCTURAL (SS) [CUST: MR YD1 11] [REVIEW: 84 99 IS MI SH] | A 9515 | MR | 10-MAR-97 |
| ASTM-A615/A615MA-96 | STEEL BARS FOR CONCRETE REINFORCEMENT, DEFORMED AND PLAIN BILLET [CUST: CR4 YD1 99] [REVIEW: 82] | A 5680 | YD1 | 10-JUL-96 |
| ASTM-A616/A616MA-96 | BARS, RAIL-STEEL DEFORMED AND PLAIN, FOR CONCRETE REINFORCEMENT [CUST: CE YD1 99] [REVIEW: 84] | A 9510 | YD1 | 10-JUL-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------|--|-----------------------|-----|-------------|------|
| ASTM-A617/A617MA-96 | BARS, AXLE-STEEL DEFORMED AND PLAIN, FOR CONCRETE REINFORCEMENT [CUST: CE YD1 99] [REVIEW: 84 IS] | A 9510 | YD1 | 10-MAY-96 | |
| A ASTM-A618-96 | TUBING, HOT-FORMED WELDED AND SEAMLESS HIGH-STRENGTH LOW-ALLOY STRUCTURAL [CUST: CR4 YD1 99] [REVIEW: IS SH] | A 4710 | YD1 | 10-OCT-96 | |
| A ASTM-A619/A619M-97 | STEEL, SHEET, CARBON, COLD-ROLLED, NON-KILLED FORMING, (NKFS) [CUST: MR SH 11 IS] [REVIEW: 99 AR SA] | A 9515 | IS | 10-MAR-97 | |
| ASTM-A620/A620M-96 | STEEL, SHEET, CARBON, DRAWING QUALITY, SPECIAL KILLED, COLD-ROLLED [CUST: MR SH 99] [REVIEW: AR CR4 IS] | A 9515 | MR | 10-SEP-96 | |
| ASTM-A621/A621M-96 | STEEL, SHEET AND STRIP, CARBON, HOT-ROLLED, DRAWING QUALITY [CUST: MR SH 99 IS] [REVIEW: AR CR4] | A 9515 | IS | 10-SEP-96 | |
| ASTM-A622/A622M-96 | STEEL, SHEET AND STRIP, CARBON, DRAWING QUALITY, SPECIAL KILLED, HOT-ROLLED [CUST: MR SH 11 IS] [REVIEW: 99 AR MI] | A 9515 | IS | 10-SEP-96 | |
| ASTM-A623M-92 | TIN MILL PRODUCTS, GENERAL REQUIREMENTS (METRIC) [CUST: MR SH 99] [REVIEW: IS] | A 9515 | MR | 15-DEC-92 | |
| ASTM-A623-92 | TIN MILL PRODUCTS, GENERAL REQUIREMENTS [CUST: MR SA 99] [REVIEW: 11 IS SH] | A 9515 | MR | 15-DEC-92 | |
| ASTM-A624/A624M-95 | TIN MILL PRODUCTS, ELECTROLYTIC TIN PLATE, SINGLE REDUCED [CUST: MR SH 99] | A 9515 | MR | 10-SEP-95 | |
| ASTM-A625/A625M-92 | TIN MILL PRODUCTS, BLACK PLATE, SINGLE-REDUCED [CUST: GL SH 99] | A 9515 | GL | 15-DEC-92 | |
| ASTM-A626-90 | TIN MILL PRODUCTS, ELECTROLYTIC TIN PLATE, DOUBLE REDUCED, STANDARD SPECIFICATION FOR [CUST: MR SH 99] [REVIEW: AR AS GL] | A 9515 | MR | 28-DEC-90 | |
| ASTM-A626M-90 | TIN MILL PRODUCTS, ELECTROLYTIC TIN PLATE, DOUBLE REDUCED (METRIC), STANDARD SPECIFICATION FOR [CUST: MR SH 99] [REVIEW: 84 AS GL] | A 9515 | MR | 28-DEC-90 | |
| ASTM-A627-95 | STEEL BARS, HOMOGENEOUS TOOL-RESISTING FOR SECURITY APPLICATIONS [CUST: GL AS 99] | A 95GP | GL | 10-SEP-95 | |
| ASTM-A630-91 | DETERMINATION OF TIN COATING WEIGHTS FOR HOT-DIP AND ELECTROLYTIC TIN PLATE STANDARD TEST METHODS FOR [CUST: MR SH 99] [REVIEW: AR AS GL IS] | A 95GP | MR | 15-AUG-91 | |
| ASTM-A633/A633M-95 | STEEL PLATES, LOW-ALLOY STRUCTURAL, NORMALIZED HIGH-STRENGTH [CUST: AT SH 99 IS] | A 9520 | IS | 28-JUN-95 | |
| ASTM-A635/A635M-96 | STEEL, SHEET AND STRIP, HEAVY-THICKNESS COILS, CARBON, HOT-ROLLED [CUST: MR SH IS] [REVIEW: 99 AR MI] | A 9515 | IS | 10-SEP-96 | |
| ASTM-A641-92 | STEEL WIRE, ZINC-COATED (GALVANIZED) CARBON [CUST: MR YD1 99] [REVIEW: 84 AR AT CR4 DS IS MC MI] | A 9505 | YD1 | 15-MAR-92 | |
| ASTM-A642/A642M-90 | STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, DRAWING QUALITY, SPECIAL KILLED [CUST: MR YD1 99] [REVIEW: IS MC SH] | A 9515 | YD1 | 28-SEP-90 | |
| ASTM-A644A-95 | IRON CASTINGS [CUST: MR] [REVIEW: 11 AR AS AT CR4 SH YD1] | A MECA | MR | 10-DEC-95 | |
| ASTM-A659/A659M-92 | STEEL, CARBON (0.16 MAXIMUM TO 0.25 MAXIMUM PERCENT) HOT-ROLLED SHEET AND STRIP, COMMERCIAL QUALITY [CUST: MR 11 IS] [REVIEW: YD1] | A 9515 | IS | 03-DEC-92 | |
| ASTM-A663/A663M-89 | STEEL BARS, CARBON, MERCHANT QUALITY, MECHANICAL PROPERTIES [CUST: MR 11 IS] | A 9510 | IS | 07-DEC-89 | |
| ASTM-A666B-96 | STEEL SHEET, STRIP, PLATE, AND FLAT BAR, AUSTENITIC STAINLESS, ANNEALED OR COLD-WOKED [CUST: MR YD1 11] [REVIEW: 99 AR CE CR CR4 GL IS SH] | A 9515 | MR | 10-DEC-96 | |
| ASTM-A667/A667M-87R93 | CYLINDERS, CENTRIFUGALLY CAST DUAL METAL (GRAY AND WHITE CAST IRON) [CUST: CR4 YD1] | A MECA | YD1 | 30-OCT-87 | |
| ASTM-A668/A668MA-95 | STEEL FORGINGS, CARBON AND ALLOY, FOR GENERAL INDUSTRIAL USE [CUST: MR YD1] | A FORG | YD1 | 15-JUL-95 | |
| ASTM-A673/A673M-95 | STEEL, STRUCTURAL, SAMPLING PROCEDURE FOR IMPACT TESTING OF [CUST: MR YD1 99] [REVIEW: IS SH] | A 9520 | YD1 | 15-JUN-95 | |
| D ASTM-A675/A675MA-90 | STEEL BARS, CARBON, HOT-WROUGHT, SPECIAL QUALITY, MECHANICAL PROPERTIES [CUST: CR4 SH 82 IS] | A 9510 | IS | 31-AUG-90 | |
| ASTM-A681-92 | TOOL STEELS ALLOY, STANDARD SPECIFICATION FOR [CUST: MR YD1 11] [REVIEW: 85 AR CR4 GL IS MI OS SH YD1] | A 9510 | MR | 15-JUL-92 | |
| ASTM-A682-93 | STEEL, STRIP, HIGH-CARBON, COLD-ROLLED, SPRING QUALITY, GENERAL REQUIREMENTS FOR [CUST: MR SH 11] [REVIEW: 99 AR CR4 GL IS MI YD1] | A 9515 | MR | 15-JUN-93 | |
| ASTM-A682M-91 | STEEL, STRIP, HIGH-CARBON, COLD-ROLLED, SPRING QUALITY, GENERAL REQUIREMENTS FOR (METRIC), STANDARD SPECIFICATION FOR [CUST: MR SH 11] [REVIEW: AR CR4 GL IS MI YD1] | A 9515 | MR | 15-JUL-91 | |
| ASTM-A684/A684M-86R93 | STEEL, STRIP, HIGH-CARBON, COLD-ROLLED [CUST: MR SH 11] [REVIEW: 99 AR CR4 GL MC MI] | A 9515 | MR | 29-AUG-86 | |
| ASTM-A686-92 | TOOL STEEL, CARBON, STANDARD SPECIFICATION FOR [CUST: MR 99] [REVIEW: 11 84 AR IS OS SH YD1] | A 9510 | MR | 15-JUL-92 | |
| ASTM-A687-93 | STEEL BOLTS AND STUDS, HIGH-STRENGTH NONHEADED [CUST: AR YD1 IS] | A 53GP | IS | 15-FEB-93 | |
| ASTM-A690/A690MA-93 | STEEL H-PILES AND SHEET PILING FOR USE IN MARINE ENVIRONMENTS, HIGH-STRENGTH LOW-ALLOY [CUST: MR YD1 99] [REVIEW: IS SH] | A 9520 | YD1 | 15-DEC-93 | |
| ASTM-A693-93 | PRECIPITATION-HARDENING STAINLESS AND HEAT-RESISTING STEEL PLATE, SHEET, AND STRIP [CUST: MR SH 99] [REVIEW: AR CE CR CR4 GL IS OS] | A 9515 | MR | 15-JUL-93 | |
| ASTM-A695B-90 | STEEL BARS, CARBON, HOT-WROUGHT, SPECIAL QUALITY, FOR FLUID POWER APPLICATIONS [CUST: MR YD1 99 IS] [REVIEW: 84 AS OS SH] | A 9510 | IS | 31-AUG-90 | |
| ASTM-A696A-90 | STEEL BARS, CARBON, HOT-WROUGHT OR COLD-FINISHED, SPECIAL QUALITY, FOR PRESSURE PIPING COMPONENTS [CUST: MR SH 99] | A 9510 | SH | 31-AUG-90 | |
| ASTM-A700-90 | STEEL PRODUCTS FOR DOMESTIC SHIPMENT, PACKAGING, MARKING, AND LOADING METHODS FOR [CUST: MR SA 11] [REVIEW: 99 AR AS IS OS SH YD1] | A 95GP | MR | 26-JAN-90 | |
| ASTM-A702-89 | STEEL FENCE POSTS AND ASSEMBLIES, HOT WROUGHT [CUST: YD1] [REVIEW: CC] | A 5660 | YD1 | 07-DEC-89 | |
| ASTM-A703/A703MA-95 | STEEL CASTINGS, GENERAL REQUIREMENTS, FOR PRESSURE-CONTAINING PARTS [CUST: MR SH 11] | A MECA | SH | 10-OCT-95 | |
| ASTM-A706/A706MA-96 | STEEL, LOW-ALLOY, DEFORMED AND PLAIN BARS FOR CONCRETE REINFORCEMENT [CUST: CR4 YD1 99] [REVIEW: 84] | A 5680 | YD1 | 10-MAR-96 | |
| ASTM-A710/A710M-95 | AGE-HARDENING LOW-CARBON NICKEL-COPPER-CHROMIUM-MOLYBDENUM-COLUMBIUM ALLOY STRUCTURAL STEEL PLATES [CUST: CR4 SH 99] | A 9640 | CR4 | 10-SEP-95 | |
| ASTM-A711-92 | STEEL FORGING STOCK, STANDARD SPECIFICATION FOR [CUST: MR OS 99] [REVIEW: AR AS] | A 9640 | MR | 15-JUL-92 | |
| ASTM-A715-96 | STEEL SHEET AND STRIP, HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED, AND STEEL SHEET, COLD-ROLLED, HIGH-STRENGTH, LOW-ALLOY, WITH IMPROVED FORMABILITY [CUST: MR SH 99] [REVIEW: 11 AR AS GL IS YD1] | A 9515 | MR | 10-SEP-96 | |
| ASTM-A733-89 | STEEL, STAINLESS PIPE NIPPLES, STANDARD SPECIFICATION FOR WELDED AND SEAMLESS CARBON STEEL AND AUSTENITIC [CUST: CR4 YD1 99] [REVIEW: AR CC CG MC] | A 4730 | YD1 | 17-MAY-89 | |
| ASTM-A739A-90 | STEEL BARS, ALLOY, HOT-WROUGHT, FOR ELEVATED TEMPERATURE OR PRESSURE-CONTAINING PARTS, OR BOTH [CUST: MR YD1 99 IS] | A 9510 | IS | 31-AUG-90 | |
| A ASTM-A740-96 | CLOTH, HARDWARE, (WOVEN OR WELDED GALVANIZED STEEL WIRE FABRIC) [CUST: CR4 99] [REVIEW: 84] | A 5335 | CR4 | 10-OCT-96 | |
| ASTM-A742/A742M-95 | STEEL SHEET, METALLIC COATED AND POLYMER PRECOATED FOR CORRUGATED STEEL PIPE [CUST: MR YD1 99] [REVIEW: 84 IS SH] | A 9515 | YD1 | 10-OCT-95 | |
| ASTM-A743/A743M-95 | CASTINGS, IRON-CHROMIUM, IRON-CHROMIUM-NICKEL, CORROSION RESISTANT, FOR GENERAL APPLICATION [CUST: MR YD1] [REVIEW: OS SH] | A MECA | MR | 10-SEP-95 | |
| ASTM-A744/A744M-94 | CASTINGS, IRON-CHROMIUM-NICKEL, CORROSION RESISTANT, FOR SEVERE SERVICE [CUST: MR YD1] [REVIEW: OS SH] | A MECA | MR | 15-JUN-94 | |
| ASTM-A746-95 | PIPE, SEWER, DUCTILE IRON GRAVITY [CUST: CR4 YD1 99] [REVIEW: CC CE MC SH] | A 4710 | YD1 | 15-JUL-95 | |
| ASTM-A749/A749M-95 | STEEL, STRIP, CARBON AND HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED, GENERAL REQUIREMENTS FOR [CUST: MR SH 99 IS] [REVIEW: AR GL MI OS] | A 9515 | IS | 15-JUL-95 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|---|-----------------------|-----|-------------|------|
| A | ASTM-A751-96 | STEEL PRODUCTS, PRACTICES, AND TERMINOLOGY FOR CHEMICAL ANALYSIS OF [CUST: MR YD1 99] [REVIEW: 84 IS SH] | A 95GP | YD1 | 10-SEP-96 | |
| A | ASTM-A755/A755M-96 | STEEL SHEET, METALLIC COATED BY THE HOT DIP PROCESS AND PREPAINTED BY THE COIL-COATING PROCESS FOR EXTERIOR EXPOSED BUILDING PRODUCTS [CUST: MR YD1] [REVIEW: AR CE CR4 IS MC OS] | A 9515 | YD1 | 10-OCT-96 | |
| | ASTM-A757/A757M-90 | STEEL CASTINGS, FERRITIC AND MARTENSITIC, FOR PRESSURE-CONTAINING AND OTHER APPLICATIONS, FOR LOW-TEMPERATURE SERVICE [CUST: MR SH 11] | A MECA | SH | 27-JUL-90 | |
| | ASTM-A759-85 | CARBON STEEL CRANE RAILS, STANDARD SPECIFICATION FOR [CUST: MR YD1 99] [REVIEW: AR CR4] | A 2250 | MR | 30-AUG-85 | |
| A | ASTM-A760/A760M-97 | PIPE, STEEL, CORRUGATED, METALLIC-COATED FOR SEWERS AND DRAINS [CUST: CR4 YD1 99] [REVIEW: 82 CE] | A 4710 | YD1 | 10-MAY-97 | |
| | ASTM-A761/A761M-88 | STEEL, GALVANIZED, CORRUGATED STRUCTURAL PLATES AND FASTENERS FOR PIPE, PIPE-ARCHES, AND ARCHES [CUST: CR4 YD1 99] [REVIEW: 82 CC CE] | A 9520 | YD1 | 28-JAN-89 | |
| A | ASTM-A762/A762M-97 | STEEL PIPE, CORRUGATED, POLYMER PRECOATED FOR SEWERS AND DRAINS [CUST: CR4 YD1 99] [REVIEW: 82 CC CE] | A 4710 | YD1 | 20-MAY-97 | |
| | ASTM-A764-95 | STEEL WIRE, METALLIC COATED CARBON, COATED AT SIZE AND DRAWN TO SIZE FOR MECHANICAL SPRINGS [CUST: CR4 SH 99 IS] | A 9505 | IS | 15-JUN-95 | |
| | ASTM-A767/A767M-90 | BAR, STEEL, ZINC-COATED (GALVANIZED), FOR CONCRETE REINFORCEMENT [CUST: MR YD1 99] | A 9510 | YD1 | 27-APR-90 | |
| | ASTM-A768-93 | STEEL FORGINGS FOR TURBINE ROTORS AND SHAFTS, VACUUM-TREATED 12% CHROMIUM ALLOY [CUST: MR SH] [REVIEW: AR GS MC YD1] | A FORG | SH | 15-JUN-93 | |
| | ASTM-A770/A770M-86R90 | STEEL PLATES FOR SPECIAL APPLICATIONS, THROUGH-THICKNESS TENSION TESTING OF [CUST: MR 11] [REVIEW: IS] | A 95GP | MR | 28-FEB-86 | |
| | ASTM-A775/A775M-96 | STEEL BARS, REINFORCING EPOXY-COATED [CUST: CR4 YD1 99] [REVIEW: 84 CE IS] | A 9515 | YD1 | 10-MAY-96 | |
| | ASTM-A777-91 | WIRE, STEEL TYING, GALVANIZED ROUND [CUST: AR AS 99] | A 9505 | AR | 15-MAR-91 | |
| | ASTM-A780A-93 | COATINGS, GALVANIZED, DAMAGED AND UNCOATED AREAS OF HOT-DIP, REPAIR OF [CUST: MR YD1 11] [REVIEW: SH] | A MFFP | YD1 | 14-JUN-89 | |
| | ASTM-A786/A786M-93 | STEEL FLOOR PLATES, ROLLED [CUST: MR SH] [REVIEW: AT CR4 EA IS MI YD1] | A 9515 | SH | 15-DEC-93 | |
| | ASTM-A788-92 | STEEL FORGINGS, GENERAL REQUIREMENTS, STANDARD SPECIFICATION FOR [CUST: MR SH] [REVIEW: IS OS] | A FORG | MR | 15-MAR-92 | |
| A | ASTM-A792/A792M-97 | STEEL SHEET, 55% ALUMINUM-ZINC ALLOY-COATED BY THE HOT-DIP PROCESS [CUST: MR YD1 99] [REVIEW: 84 AR AS IS MI SH] | A 9515 | YD1 | 10-APR-97 | |
| | ASTM-A793-96 | FLOOR PLATE, STAINLESS STEEL, ROLLED [CUST: MR SH] [REVIEW: CR4 IS MC] | A 9515 | SH | 10-SEP-96 | |
| | ASTM-A794-91 | STEEL SHEET (CARBON 0.16% MAXIMUM TO 0.25% MAXIMUM), COLD-ROLLED, COMMERCIAL QUALITY [CUST: MR SH 99] [REVIEW: AR AS GL YD1] | A 9515 | MR | 25-MAR-92 | |
| A | ASTM-A796-97 | STEEL PIPE, PIPE-ARCHES, AND ARCHES FOR STORM AND SANITARY SEWERS AND OTHER BURIED APPLICATIONS, CORRUGATED, STRUCTURAL DESIGN OF [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 4710 | YD1 | 10-APR-97 | |
| | ASTM-A798/A798M-95 | STEEL PIPE FOR SEWERS AND OTHER APPLICATIONS, INSTALLING FACTORY-MADE CORRUGATED [CUST: MR YD] [REVIEW: CC CE] | A 4710 | MR | 10-OCT-95 | |
| | ASTM-A802/A802M-95 | STEEL CASTINGS, SURFACE ACCEPTANCE STANDARDS, VISUAL EXAMINATION [CUST: MR SH 11] | A MECA | SH | 10-SEP-95 | |
| | ASTM-A805-93 | STEEL, FLAT WIRE, CARBON, COLD-ROLLED [CUST: MR SH 99] [REVIEW: 11 AR YD1] | A 9505 | MR | 15-JUN-93 | |
| | ASTM-A806/A806M-93 | STEEL SHEET, 55 PERCENT ALUMINUM-ZINC ALLOY COATED BY THE HOT-DIP PROCESS FOR STORM SEWER AND DRAINAGE PIPE [CUST: MR YD1 99] [REVIEW: IS SH] | A 9515 | YD1 | 31-OCT-88 | |
| | ASTM-A809-95 | WIRE, STEEL, CARBON, ALUMINUM-COATED (ALUMINIZED) [CUST: MR YD1 99] [REVIEW: AR AT CR4 IS MC MI] | A 9505 | YD1 | 10-OCT-95 | |
| | ASTM-A818-91 | WIRE, STEEL, CARBON, COPPERED [CUST: MR YD1 99] [REVIEW: AR AT CR4 IS MC MI] | A 9505 | YD1 | 15-MAR-91 | |
| | ASTM-A819-90 | STEEL SHEET, ALUMINUM-COATED TYPE 2 FOR STORM SEWER AND DRAINAGE PIPE, STANDARD SPECIFICATION FOR [CUST: MR YD1 99] [REVIEW: IS SH] | A 9515 | YD1 | 24-JUN-92 | |
| | ASTM-A827/A827M-93 | PLATES, CARBON STEEL, FOR FORGING AND SIMILAR APPLICATIONS [CUST: MR OS 11] | A 9515 | MR | 15-JUN-93 | |
| | ASTM-A829/A829M-95 | PLATES, STEEL, ALLOY STRUCTURAL [CUST: MR OS 11] | A 9515 | MR | 10-SEP-95 | |
| A | ASTM-A849-96 | COATINGS, PAVING, AND LININGS, POST-APPLIED, FOR CORRUGATED STEEL SEWER AND DRAINAGE PIPE [CUST: CR4 YD1 99] [REVIEW: 82 CC CE] | A 4710 | YD1 | 10-DEC-96 | |
| | ASTM-A853-93 | STEEL WIRE, CARBON, FOR GENERAL USE [CUST: MR YD1 99] | A 9505 | YD1 | 15-JUL-93 | |
| | ASTM-A857/A857MA-93 | STEEL SHEET PILING, COLD FORMED, LIGHT GAGE [CUST: MR YD1 99] | A 9515 | YD1 | 15-DEC-93 | |
| | ASTM-A861-92 | PIPE AND FITTINGS, IRON, HIGH-SILICON [CUST: CR4 YD1 99] [REVIEW: 82 CC MC SH] | A 4730 | YD1 | 15-JUL-92 | |
| | ASTM-A880-95 | STEEL, STAINLESS STEEL, AND RELATED ALLOYS, CRITERIA FOR USE IN EVALUATION OF TESTING LABORATORIES AND ORGANIZATIONS FOR EXAMINATION AND INSPECTION OF [CUST: MR YD1 99] | A 95GP | YD1 | 15-JUN-95 | |
| | ASTM-A884/A884MA-96 | EPOXY-COATED STEEL WIRE AND WELDED WIRE FABRIC FOR REINFORCEMENT [CUST: YD1] | A 5335 | YD1 | 10-NOV-96 | |
| A | ASTM-A907/A907M-96 | STEEL, SHEET AND STRIP, HEAVY-THICKNESS COILS, CARBON, HOT-ROLLED STRUCTURAL QUALITY [CUST: MR SH 99] [REVIEW: 11 AR AS YD1] | A 9515 | MR | 10-SEP-96 | |
| | ASTM-A908-91 | STAINLESS STEEL NEEDLE TUBING [CUST: MR SH 99] [REVIEW: 11 AS MI] | A 4710 | MR | 25-MAR-92 | |
| | ASTM-A967-96 | CHEMICAL PASSIVATION TREATMENTS FOR STAINLESS STEEL PARTS [CUST: MR SH 99 GS] | A MFFP | GS | 10-SEP-96 | |
| | ASTM-A1965-87 | OILS, DRYING UNSAPONIFIABLE MATTER IN, FATTY ACIDS & POLYMERIZED FATTY ACIDS - 26 JUN 1987 [CUST: MR SH 99] [REVIEW: 84] | A 8010 | MR | 20-SEP-88 | |
| | ASTM-B1-95 | WIRE, COPPER, HARD-DRAWN [CUST: CR YD1 85] [REVIEW: 80 99 AR CG IS MC MI] | A 6145 | YD1 | 15-APR-95 | |
| | ASTM-B2-88 | WIRE, COPPER, MEDIUM-HARD-DRAWN [CUST: CR YD1 85] [REVIEW: 80 99 AR CG MC MI] | A 6145 | YD1 | 25-MAR-88 | |
| A | ASTM-B3-95 | COPPER WIRE, SOFT OR ANNEALED [CUST: CR SH 85 CC] [REVIEW: 11 99 AR AS CG MC MI YD1] | A 6145 | CC | 27-JUL-90 | |
| | ASTM-B5-95 | COPPER REFINERY SHAPES, HIGH CONDUCTIVITY TIGHT-PITCH [CUST: EA SH 99] | A 95GP | EA | 10-SEP-95 | |
| | ASTM-B6A-95 | ZINC [CUST: MR SH 99] [REVIEW: 05 84 CR4 YD1] | A 9650 | SH | 15-MAR-95 | |
| | ASTM-B8-95 | CONDUCTORS, COPPER, CONCENTRIC-LAY-STRANDED, HARD, MEDIUM-HARD, OR SOFT [CUST: CR4 YD1 99] [REVIEW: 80 82 CC CE IS] | A 6145 | YD1 | 15-AUG-95 | |
| | ASTM-B16M-92 | ROD, BRASS, BAR, AND SHAPES FOR USE IN SCREW MACHINES (METRIC), FREE-CUTTING [CUST: MR SH IS] [REVIEW: 99 AR AS CR CR4 EA GL MI] | A 9530 | IS | 15-NOV-92 | |
| | ASTM-B16-92 | ROD, FREE-CUTTING BRASS, BAR, AND SHAPES FOR USE IN SCREW MACHINES [CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL MI] | A 9530 | IS | 14-JUN-92 | |
| | ASTM-B19-95 | CARTRIDGE BRASS SHEET, STRIP, PLATE, BAR, AND DISKS (BLANKS) [CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL] | A 9535 | IS | 15-FEB-95 | |
| | ASTM-B21-90 | ROD, BAR, AND SHAPES, NAVAL BRASS [CUST: MR SH IS] [REVIEW: AV CR CR4 EA GL YD1] | A 9530 | IS | 23-FEB-90 | |
| | ASTM-B21M-90 | ROD, NAVAL BRASS, BAR, AND SHAPES (METRIC), STANDARD SPECIFICATION FOR [CUST: MR SH IS] [REVIEW: AV CR CR4 EA GL] | A 9530 | IS | 23-FEB-90 | |
| | ASTM-B22-95 | CASTINGS, BRONZE, FOR BRIDGES AND TURNABLES [CUST: MR YD1 11] [REVIEW: SH] | A MECA | YD1 | 10-NOV-95 | |
| | ASTM-B23-83R88 | WHITE METAL BEARING ALLOYS, (KNOWN COMMERCIALY AS "BABBITT METAL") [CUST: MR 84] [REVIEW: 99 AR CE EA IS MI SH] | A 9650 | MR | 28-NOV-83 | |
| A | ASTM-B26/B26M-97 | ALUMINUM-ALLOY SAND CASTINGS [CUST: MR 11] [REVIEW: 99 AR CR4 MD MI SH YD1] | A MECA | MR | 10-APR-97 | |
| | ASTM-B29-92 | LEAD, REFINED [CUST: CR4 SH 99] | A 9650 | CR4 | 15-AUG-92 | |
| | ASTM-B30A-93 | COPPER-BASE ALLOYS IN INGOT FORM [CUST: MR YD1 99] [REVIEW: SH] | A MECA | YD1 | 15-DEC-93 | |
| | ASTM-B32-96 | METAL, SOLDER [CUST: CR YD1 11] [REVIEW: 80 84 99 AT EA EC GL GS MC MI OS] | A 3439 | YD1 | 10-MAY-96 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-------------|--------------------|--|-----------------------|-----|-------------|------|
| | ASTM-B33-91 | WIRE, TINNED SOFT OR ANNEALED COPPER, FOR ELECTRICAL PURPOSES [CUST: CR YD1 85] [REVIEW: 80 99 SH] | A 6145 | YD1 | 15-OCT-91 | |
| | ASTM-B36/B36M-95 | PLATE, BRASS, SHEET, STRIP, AND ROLLED BAR [CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL MC MI SA] | A 9535 | IS | 15-FEB-95 | |
| | ASTM-B42-93 | PIPE, SEAMLESS COPPER, STANDARD SIZES [CUST: CR4 YD1 99] [REVIEW: 82 AR CC MC MI] | A 4710 | YD1 | 15-JAN-93 | |
| | ASTM-B43-96 | PIPE, STANDARD SIZES, SEAMLESS RED BRASS [CUST: CR4 YD1] [REVIEW: 99 AR CC MR] | A 4710 | YD1 | 10-APR-96 | |
| A | ASTM-B49-92 | COPPER REDRAW ROD FOR ELECTRICAL PURPOSES [CUST: CR AS 85 CC] [REVIEW: 11 99 AR MC SH] | A 6145 | CC | 15-MAY-92 | |
| | ASTM-B61-93 | CASTINGS, STEAM OR VALVE BRONZE [CUST: MR YD1] | A MECA | YD1 | 15-FEB-93 | |
| | ASTM-B62-93 | METAL CASTINGS, COMPOSITION BRONZE OR OUNCE [CUST: CR4 YD1] | A MECA | YD1 | 15-MAR-93 | |
| | ASTM-B63-90 | MATERIALS, METALLICALLY CONDUCTING RESISTANCE AND CONTACT, RESISTIVITY OF [CUST: AR AS 11] | A NDTI | AR | 25-MAY-90 | |
| | ASTM-B66-95 | CASTINGS, BRONZE, FOR STEAM LOCOMOTIVE WEARING PARTS [CUST: MR YD1 11] [REVIEW: SH] | A MECA | YD1 | 10-NOV-95 | |
| | ASTM-B67A-93 | CAR AND TENDER JOURNAL BEARINGS, LINED [CUST: YD1 99] [REVIEW: SH] | A 3130 | YD1 | 15-FEB-93 | |
| | ASTM-B68-95 | COPPER TUBE, BRIGHT ANNEALED, SEAMLESS [CUST: MC 99] [REVIEW: CC CR4 SH] | A 4710 | MC | 10-DEC-95 | |
| | ASTM-B69A-95 | ZINC, ROLLED [CUST: MR AS 99 IS] [REVIEW: AR AT EA GL] | A 9535 | IS | 15-MAR-95 | |
| | ASTM-B75A-95 | TUBE, SEAMLESS COPPER [CUST: MR YD1 99] [REVIEW: CC CR4 EA MI SH] | A 4710 | YD1 | 10-DEC-95 | |
| A | ASTM-B75M-97 | TUBE, SEAMLESS COPPER (METRIC) [CUST: MR YD1 99] [REVIEW: CC CG CR4 EA MI] | A 4710 | YD1 | 10-FEB-97 | |
| | ASTM-B80-93 | MAGNESIUM-ALLOY SAND CASTINGS [CUST: MR] [REVIEW: 99 AL CR4 GL MD] | A MECA | MR | 15-FEB-93 | |
| | ASTM-B85-96 | ALUMINUM-ALLOY DIE CASTINGS [CUST: MR AS 11] [REVIEW: AL AR AT CR CR4 IS MI SH YD1] | A MECA | MR | 10-AUG-96 | |
| M | ASTM-B86-97 | ZINC-ALLOY DIE CASTINGS [CUST: MR AS 99] [REVIEW: 11 80 AR AT AV CR CR4 MI OS SM] | A MECA | MR | 10-APR-97 | |
| | ASTM-B88-96 | TUBE, WATER, SEAMLESS COPPER [CUST: MR YD1] [REVIEW: AV CC CG] | A 4710 | YD1 | 10-MAY-96 | |
| | ASTM-B88M-96 | COPPER WATER TUBE, SEAMLESS (METRIC) [CUST: MR YD1] [REVIEW: AV CC CG EA GL MC SH] | A 4710 | YD1 | 10-MAY-96 | |
| A | ASTM-B90/B90M-93 | SHEET AND PLATE, MAGNESIUM-ALLOY [CUST: MR AS IS] [REVIEW: 99 AT CR CR4] | A 9535 | IS | 15-JUN-93 | |
| M | ASTM-B91-97 | MAGNESIUM-ALLOY FORGINGS [CUST: MR AS 99] [REVIEW: 11 AT GL MI SH YD1] | A FORG | MR | 10-OCT-97 | |
| | ASTM-B92/B92M-89 | INGOT, MAGNESIUM, AND STICK FOR REMELTING [CUST: MR SH 11] [REVIEW: AL] | A 9650 | MR | 26-MAY-89 | |
| | ASTM-B93/B93M-92 | MAGNESIUM ALLOYS IN INGOT FORM FOR SAND CASTINGS, PERMANENT MOLD CASTINGS, AND DIE CASTINGS [CUST: MR 11] [REVIEW: AL IS] | A 9650 | MR | 12-MAY-92 | |
| | ASTM-B94-94 | MAGNESIUM-ALLOY DIE CASTINGS [CUST: MR AS 84] [REVIEW: 11 99 AL AR AV CR4 GL MI] | A MECA | MR | 15-FEB-94 | |
| | ASTM-B96-93 | COPPER-SILICON ALLOY PLATE, SHEET, STRIP, AND ROLLED BAR FOR GENERAL PURPOSES AND PRESSURE VESSELS [CUST: MR SH] [REVIEW: AR IS MC OS] | A 9535 | SH | 15-MAR-93 | |
| A | ASTM-B98-92 | COPPER-SILICON ALLOY ROD, BAR, AND SHAPES [CUST: MR SH IS] [REVIEW: 99 CR CR4 EA GL MC OS] | A 9530 | IS | 01-DEC-92 | |
| A | ASTM-B98M-92 | COPPER-SILICON ALLOY ROD, BAR, AND SHAPES (METRIC) [CUST: MR SH IS] [REVIEW: 99 AS CR CR4 EA GL MC OS] | A 9530 | IS | 15-JUN-93 | |
| | ASTM-B99-93 | COPPER-SILICON ALLOY WIRE FOR GENERAL APPLICATIONS [CUST: MR SH] [REVIEW: CR CR4 EA GL] | A 9525 | MR | 15-AUG-93 | |
| | ASTM-B99MA-86R92 | WIRE, COPPER-SILICON ALLOY, FOR GENERAL PURPOSES (METRIC) [CUST: MR SH 11] [REVIEW: 99 AS CR CR4 EA GL IS MC OS SA] | A 9525 | MR | 28-NOV-86 | |
| | ASTM-B101-96 | COPPER, LEAD-COATED, SHEET AND STRIP FOR BUILDING CONSTRUCTION [CUST: MR YD1 99] [REVIEW: IS] | A 9535 | YD1 | 10-APR-96 | |
| | ASTM-B103/B103M-93 | PHOSPHOR BRONZE PLATE, SHEET, STRIP, AND ROLLED BAR [CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL MC MI SA YD1] | A 9535 | IS | 15-JUL-93 | |
| | ASTM-B105-88 | COPPER ALLOY WIRES, HARD-DRAWN FOR ELECTRIC CONDUCTORS, STANDARD SPECIFICATION FOR [CUST: MR] | A 9540 | MR | 26-FEB-88 | |
| | ASTM-B107/B107M-92 | MAGNESIUM-ALLOY EXTRUDED BARS, RODS, SHAPES, TUBES, AND WIRE [CUST: MR AS 11] [REVIEW: 69 AR AT CR EA GL IS MI SA] | A 95GP | AS | 15-JAN-92 | |
| A | ASTM-B108-97 | ALUMINUM-ALLOY PERMANENT MOLD CASTINGS [CUST: MR 11] [REVIEW: AR AT CR4 MI OS SH YD1] | A MECA | MR | 10-APR-97 | |
| | ASTM-B111M-93 | COPPER AND COPPER-ALLOY SEAMLESS CONDENSER TUBES AND FERRULE STOCK (METRIC) [CUST: CR4 YD1 99] [REVIEW: CC MC MR SH] | A 4710 | YD1 | 15-JAN-92 | |
| | ASTM-B111-95 | COPPER AND COPPER-ALLOY SEAMLESS CONDENSER TUBES AND FERRULE STOCK [CUST: CR4 YD1 99] [REVIEW: CC MC OS SH] | A 4710 | YD1 | 15-JUN-95 | |
| A | ASTM-B117-97 | SALT SPRAY (FOG) APPARATUS, OPERATING [CUST: MR AS 11] [REVIEW: IS] | A 95GP | MR | 10-APR-97 | |
| | ASTM-B121/B121M-95 | PLATE, LEADED BRASS, SHEET, STRIP, AND ROLLED BAR [CUST: MR SH] [REVIEW: AR CR CR4 EA GL IS MC MI SA] | A 9535 | MR | 10-SEP-95 | |
| | ASTM-B122/B122M-95 | COPPER-NICKEL-TIN ALLOY, COPPER-NICKEL-ZINC ALLOY (NICKEL SILVER), AND COPPER-NICKEL ALLOY PLATE, SHEET, STRIP, AND ROLLED BAR [CUST: MR SH] [REVIEW: 99 AS CR CR4 EA GL IS MC MI OS SA YD1] | A 9535 | MR | 10-NOV-95 | |
| | ASTM-B124-96 | COPPER AND COPPER ALLOY FORGING ROD, BAR, AND SHAPES [CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL MC MI OS SA YD1] | A 9530 | IS | 10-SEP-96 | |
| | ASTM-B127A-93 | NICKEL-COPPER ALLOY (UNS N04400) PLATE, SHEET, AND STRIP [CUST: MR YD1 99] [REVIEW: AR OS SH] | A 9535 | YD1 | 15-AUG-93 | |
| | ASTM-B133A-93 | COPPER ROD, BAR, AND SHAPES [CUST: MR SH 99] [REVIEW: 84 AR CR CR4 EA GL IS MC OS SA] | A 9530 | MR | 15-DEC-93 | |
| | ASTM-B133MA-93 | COPPER ROD, BAR, AND SHAPES (METRIC) [CUST: MR SH 99] [REVIEW: 84 AR CR CR4 EA GL IS MC OS SA] | A 9530 | MR | 15-DEC-93 | |
| | ASTM-B134-88 | BRASS WIRE [CUST: MR SH IS] [REVIEW: AR AV CR CR4 EA GL MI] | A 9525 | IS | 29-JUL-88 | |
| | ASTM-B135-95 | TUBE, SEAMLESS BRASS [CUST: EA YD1 99] [REVIEW: CC CR4 SH] | A 4710 | YD1 | 15-JUN-95 | |
| | ASTM-B135M-96 | TUBE, SEAMLESS BRASS (METRIC) [CUST: EA YD1 99] [REVIEW: CC CR4 SH] | A 4710 | YD1 | 10-APR-96 | |
| | ASTM-B136-84R93 | ALUMINUM, MEASUREMENT OF STAIN RESISTANCE OF ANODIC COATINGS ON [CUST: MR YD1] [REVIEW: CC IS OS SH] | A 9535 | YD1 | 27-APR-84 | |
| | ASTM-B137-95 | ALUMINUM, MEASUREMENT OF COATING MASS PER UNIT AREA ON ANODICALLY COATED ALUMINUM [CUST: MR YD1 11] [REVIEW: SH] | A MFFP | YD1 | 10-OCT-95 | |
| | ASTM-B138M-96 | ROD, BAR, AND SHAPES (METRIC), MANGANESE BRONZE [CUST: MR SH IS] [REVIEW: 99 AR AS CR CR4 EA GL] | A 9530 | IS | 10-APR-96 | |
| A | ASTM-B138-96 | ROD, MANGANESE BRONZE, BAR, AND SHAPES [CUST: MR SH IS] [REVIEW: 99 AR AS CR CR4 EA GL] | A 9530 | IS | 10-APR-96 | |
| | ASTM-B139-95 | ROD, PHOSPHOR BRONZE, BAR, AND SHAPES [CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL GS MC MI OS SA] | A 9530 | IS | 10-SEP-95 | |
| | ASTM-B139M-95 | ROD, PHOSPHOR BRONZE, BAR, AND SHAPES (METRIC) [CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL GS MC MI OS SA] | A 9530 | IS | 10-SEP-95 | |
| | ASTM-B140-92 | COPPER-ZINC-LEAD (LEADED RED BRASS OR HARDWARE BRONZE) ROD, BARS, AND SHAPES [CUST: MR AS 11] [REVIEW: IS] | A 9530 | AS | 15-JUN-92 | |
| | ASTM-B140M-92 | COPPER-ZINC-LEAD (LEADED RED BRASS OR HARDWARE BRONZE) ROD, BAR, AND SHAPES (METRIC) [CUST: MR AS 11] [REVIEW: IS] | A 9530 | AS | 15-NOV-92 | |
| M | ASTM-B148-97 | ALUMINUM-BRONZE SAND CASTINGS [CUST: MR SH 11] | A MECA | SH | 10-MAY-97 | |
| | ASTM-B150A-95 | ALUMINUM BRONZE ROD, BAR, AND SHAPES [CUST: MR SH IS] [REVIEW: 99 AR AS CR CR4 EA GL MI] | A 9530 | IS | 15-JUN-95 | |
| | ASTM-B150MA-95 | ALUMINUM BRONZE, ROD, BAR, AND SHAPES (METRIC) [CUST: MR SH IS] [REVIEW: 99 AR AS CR CR4 EA GL] | A 9530 | IS | 15-JUN-95 | |
| | ASTM-B151M-89 | ROD AND BAR, COPPER-NICKEL-ZINC ALLOY (NICKEL SILVER) AND COPPER-NICKEL (METRIC) [CUST: MR AS 11 IS] | A 9530 | IS | 24-FEB-89 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Ver | MCA | Prep. Acty. | Date |
|------------|-----------------|--|----------------------|-----|-------------|-----------|
| | ASTM-B151-89 | ALLOY, (NICKEL SILVER) COPPER-NICKEL-ZINC AND COPPER-NICKEL ROD AND BAR [CUST: MR SH IS] [REVIEW: CR CR4 EA GL MI] | A 9530 | IS | | 24-FEB-89 |
| M | ASTM-B152A-97 | COPPER SHEET, STRIP, PLATE, AND ROLLED BAR [CUST: MR SH] [REVIEW: AR CR CR4 EA GL IS MC MI OS SA YD1] | A 9535 | MR | | 10-SEP-97 |
| M | ASTM-B152MA-97 | COPPER SHEET, STRIP, PLATE, AND ROLLED BAR (METRIC) [CUST: MR SH] [REVIEW: AR CR CR4 EA GL IS MC MI OS SA YD1] | A 9535 | MR | | 10-SEP-97 |
| | ASTM-B153-91 | PIPE AND TUBING, COPPER AND COPPER-ALLOY, EXPANSION (PIN TEST) OF [CUST: MR SH] [REVIEW: AT CC] | A 4710 | MR | | 15-NOV-91 |
| | ASTM-B154-95 | COPPER AND COPPER ALLOYS, MERCURIOUS NITRATE TEST FOR [CUST: MR AS 99] [REVIEW: 11 IS] | A 95GP | MR | | 10-SEP-95 |
| | ASTM-B159MA-96 | PHOSPHOR BRONZE WIRE (METRIC) [CUST: MR SH IS] [REVIEW: AR CR EA GL MC MI OS SA] | A 9525 | IS | | 10-SEP-96 |
| | ASTM-B159A-96 | PHOSPHOR BRONZE WIRE [CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL MC OS SA] | A 9525 | IS | | 10-SEP-96 |
| | ASTM-B162A-93 | NICKEL PLATE, SHEET, AND STRIP [CUST: MR SH] [REVIEW: AR IS MC OS] | A 9535 | SH | | 15-AUG-91 |
| M | ASTM-B163A-97 | TUBES, SEAMLESS NICKEL AND NICKEL-ALLOY CONDENSER AND HEAT-EXCHANGER [CUST: YD1 99] [REVIEW: CC SH] | A 4710 | YD1 | | 10-DEC-97 |
| | ASTM-B164-93 | ROD, BAR, AND WIRE, NICKEL-COPPER ALLOY [CUST: MR YD1] [REVIEW: EA IS MI SH] | A 9530 | YD1 | | 15-FEB-93 |
| | ASTM-B165-93 | NICKEL-COPPER ALLOY (UNS N04400) SEAMLESS PIPE AND TUBE [CUST: CR4 YD1 99] | A 4710 | YD1 | | 15-FEB-93 |
| M | ASTM-B166A-97 | NICKEL-CHROMIUM-IRON ALLOYS (UNS N06600, N06601, N06603, N06690, N06025, AND N06045)* AND NICKEL-CHROMIUM-COBALT-MOLYBDENUM ALLOY (UNS N06617) ROD, BAR, AND WIRE [CUST: MR YD1] [REVIEW: AT EA IS SH] | A 9530 | YD1 | | 10-DEC-97 |
| M | ASTM-B167A-97 | NICKEL-CHROMIUM-IRON ALLOYS (UNS N06600, N06601, N06603, N06690, N06025 AND N06045*) SEAMLESS PIPE AND TUBE [CUST: CR4 YD1 99] [REVIEW: CC] | A 4710 | YD1 | | 10-DEC-97 |
| M | ASTM-B168A-97 | NICKEL-CHROMIUM-IRON ALLOYS (UNS N06600, N06601, N06690, N06025, AND N06045, AND N06603) AND NICKEL-CHROMIUM-COBALT-MOLYBDENUM ALLOY (UNS N06617) PLATE, SHEET, AND STRIP [CUST: MR YD1] [REVIEW: AT EA IS SH] | A 9535 | YD1 | | 10-DEC-97 |
| | ASTM-B169A-85 | ALUMINUM BRONZE PLATE, SHEET, STRIP AND ROLLED BAR [CUST: MR SH IS] [REVIEW: CR CR4 EA GL MC OS SA] | A 9535 | IS | | 26-JUL-85 |
| | ASTM-B169M-96 | ALUMINUM BRONZE SHEET, STRIP, AND ROLLED BAR (METRIC) [CUST: MR SH 99 IS] [REVIEW: AR CR CR4 EA GL MC OS SA] | A 9535 | IS | | 10-SEP-96 |
| | ASTM-B170-93 | OXYGEN-FREE ELECTROLYTIC COPPER - REFINERY SHAPES [CUST: AR AS 99] [REVIEW: 84] | A 9650 | AS | | 15-JAN-93 |
| | ASTM-B171-93 | PLATE AND SHEET, COPPER-ALLOY, FOR PRESSURE VESSELS, CONDENSERS, AND HEAT EXCHANGERS [CUST: MR YD1 99 IS] | A 9535 | IS | | 15-JUL-93 |
| A | ASTM-B172-90 | ROPE-LAY-STRANDED COPPER CONDUCTORS HAVING BUNCH-STRANDED MEMBERS, FOR ELECTRICAL CONDUCTORS [CUST: CR SH 85 CC] [REVIEW: 11 99 AS CG MC MI] | A 6145 | CC | | 27-JUL-90 |
| A | ASTM-B173-95 | ROPE-LAY-STRANDED COPPER CONDUCTORS HAVING CONCENTRIC-STRANDED MEMBERS, FOR ELECTRICAL CONDUCTORS [CUST: CR SH 85 CC] [REVIEW: 11 99 AR AS CG MC MI] | A 6145 | CC | | 27-JUL-90 |
| A | ASTM-B174-95 | COPPER CONDUCTORS, BUNCH-STRANDED FOR ELECTRICAL CONDUCTORS [CUST: CR SH 85 CC] [REVIEW: 11 99 AR AS CG MC MI] | A 6145 | CC | | 27-JUL-90 |
| | ASTM-B176A-93 | DIE CASTINGS, COPPER-ALLOY [CUST: CR4 YD1 99] | A MECA | YD1 | | 15-FEB-93 |
| | ASTM-B177-93 | STEEL FOR ENGINEERING USE, CHROMIUM ELECTROPLATING ON [CUST: MR YD1 11] | A MFFP | 11 | | 15-FEB-93 |
| | ASTM-B179A-95 | ALUMINUM ALLOYS IN INGOT FORM FOR CASTINGS FROM ALL CASTING PROCESSES [CUST: MR 84] [REVIEW: AR IS OS SH YD1] | A 9650 | MR | | 15-MAY-95 |
| | ASTM-B183-79R90 | STEEL FOR ELECTROPLATING, LOW-CARBON, PREPARATION OF [CUST: GL SH 11] | A MFFP | GL | | 30-MAR-79 |
| | ASTM-B187-97 | COPPER BAR, BUS BAR, ROD AND SHAPES [CUST: CR4 YD1 99] [REVIEW: GS MC SH] | A 6150 | YD1 | | 10-FEB-97 |
| | ASTM-B188-88 | COPPER BUS PIPE AND TUBE, SEAMLESS [CUST: MR GS] [REVIEW: AR CR4 MC MI] | A 6150 | GS | | 26-FEB-88 |
| | ASTM-B189-95 | WIRE FOR ELECTRICAL PURPOSES, LEAD-COATED AND LEAD-ALLOY-COATED SOFT COPPER [CUST: CR YD1 85] [REVIEW: 80 99 SH] | A 6145 | YD1 | | 15-JUL-95 |
| | ASTM-B193-95 | CONDUCTOR MATERIALS, ELECTRICAL, RESISTIVITY OF [CUST: MR AS 11] [REVIEW: IS] | A 95GP | MR | | 15-APR-95 |
| | ASTM-B194-96 | COPPER-BERYLLIUM ALLOY PLATE, SHEET, STRIP, AND ROLLED BAR [CUST: MR SH] [REVIEW: 99 AR AS CR CR4 EA GL IS MC MI OS SA] | A 9535 | MR | | 10-SEP-96 |
| | ASTM-B196-90 | ROD AND BAR, COPPER-BERYLLIUM ALLOY [CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL MI] | A 9530 | IS | | 29-JUN-90 |
| | ASTM-B196M-97 | ROD AND BAR, COPPER-BERYLLIUM ALLOY (METRIC) [CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL MI] | A 9530 | IS | | 10-FEB-97 |
| | ASTM-B197-93 | COPPER-BERYLLIUM ALLOY WIRE [CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL] | A 9525 | IS | | 15-DEC-93 |
| | ASTM-B197M-89 | COPPER-BERYLLIUM ALLOY WIRE (METRIC) [CUST: MR SH IS] [REVIEW: AR CR CR4 EA GL] | A 9525 | IS | | 30-JUN-89 |
| | ASTM-B199-87R93 | MAGNESIUM-ALLOY PERMANENT MOLD CASTINGS [CUST: MR 11] [REVIEW: CR4 IS] | A MECA | MR | | 24-APR-87 |
| | ASTM-B200-85R93 | ALLOYS, STEEL AND FERROUS, LEAD AND LEAD-TIN ALLOYS ON, ELECTRODEPOSITED COATINGS OF [CUST: MR SH 11] | A MFFP | 11 | | 29-MAR-85 |
| | ASTM-B201-80R89 | ZINC AND CADMIUM SURFACES, TESTING CHROMATE COATINGS ON [CUST: AR SH 11] | A MFFP | SH | | 01-AUG-80 |
| | ASTM-B206M-94 | COPPER-NICKEL-ZINC ALLOY (NICKEL SILVER) AND COPPER-NICKEL ALLOY WIRE (METRIC) [CUST: MR SH IS] [REVIEW: AV CR CR4 EA GL MC OS SA] | A 9525 | IS | | 15-JUL-94 |
| | ASTM-B206-93 | COPPER-NICKEL-ZINC ALLOY (NICKEL SILVER) WIRE AND COPPER-NICKEL ALLOY WIRE [CUST: MR SH IS] [REVIEW: AV CR CR4 EA GL MC OS SA] | A 9525 | IS | | 15-AUG-93 |
| | ASTM-B208-96 | COPPER ALLOY SAND, PERMANENT MOLD, CENTRIFUGAL, AND CONTINUOUS CASTINGS, PREPARING TENSION TEST SPECIMENS FOR [CUST: MR SH 11] | A MECA | SH | | 10-APR-96 |
| | ASTM-B209M-95 | ALUMINUM AND ALUMINUM-ALLOY SHEET AND PLATE (METRIC) [CUST: MR YD1 99] [REVIEW: AR IS MC OS SH] | A 9535 | YD1 | | 15-MAY-95 |
| | ASTM-B209-96 | ALUMINUM AND ALUMINUM-ALLOY SHEET AND PLATE [CUST: MR YD1 99] [REVIEW: AR IS MC OS SH] | A 9535 | YD1 | | 10-AUG-96 |
| | ASTM-B210-93 | ALUMINUM AND ALUMINUM-ALLOY DRAWN SEAMLESS TUBES [CUST: MR YD1] [REVIEW: CC SH] | A 4710 | YD1 | | 15-NOV-93 |
| | ASTM-B210M-95 | ALUMINUM AND ALUMINUM-ALLOY DRAWN SEAMLESS TUBES (METRIC) [CUST: MR YD1] [REVIEW: CC SH] | A 4710 | YD1 | | 15-MAY-95 |
| | ASTM-B211M-95 | ALUMINUM AND ALUMINUM-ALLOY BAR, ROD, AND WIRE (METRIC) [CUST: MR YD1 99] [REVIEW: AS IS MC SH] | A 9530 | YD1 | | 15-MAY-95 |
| D | ASTM-B211-95 | ALUMINUM AND ALUMINUM-ALLOY BAR, ROD, AND WIRE [CUST: MR YD1 99] [REVIEW: AL AT MC OS SH] | A 9530 | IS | | 15-MAY-95 |
| A | ASTM-B212-89R95 | POWDERS, METAL, FREE-FLOWING, APPARENT DENSITY OF [CUST: MR SH 99 GS] | A MFFP | GS | | 30-SEP-95 |
| A | ASTM-B213-90 | FLOW RATE OF METAL POWDERS, TEST METHOD FOR [CUST: MR SH 99 GS] | A MFFP | GS | | 23-FEB-90 |
| | ASTM-B214-86 | POWDERS, GRANULAR METAL, SIEVE ANALYSIS OF [CUST: EA 68] [REVIEW: AR CR4 MD SH] | A 6810 | GS | | 02-FEB-86 |
| | ASTM-B215-96 | POWDERS, METAL, SAMPLING FINISHED LOTS OF [CUST: AT AS 99] | A 9630 | AT | | 10-MAR-96 |
| D | ASTM-B221-96 | ALUMINUM AND ALUMINUM-ALLOY EXTRUDED BARS, RODS, WIRE, PROFILES, AND TUBES [CUST: MR YD1 99] | A 9530 | IS | | 10-AUG-96 |
| | ASTM-B221M-96 | ALUMINUM AND ALUMINUM-ALLOY EXTRUDED BARS, RODS, WIRE, PROFILES, AND TUBES (METRIC) [CUST: MR YD1 99] [REVIEW: IS] | A 9530 | YD1 | | 10-AUG-96 |
| | ASTM-B228-93 | CONDUCTORS, CONCENTRIC-LAY-STRANDED COPPER-CLAD STEEL [CUST: CR YD1 85] [REVIEW: 80 99 IS SH] | A 6145 | YD1 | | 15-JUL-93 |
| | ASTM-B229-71R77 | ALUMINUM COPPER-CLAD STEEL COMPOSITE CONDUCTORS, CONCENTRIC-LAY-STRANDED [CUST: CR YD1 85] [REVIEW: 99 SH] | A 6145 | YD1 | | 15-APR-71 |
| A | ASTM-B230-97 | ALUMINUM 1350-H19 WIRE FOR ELECTRICAL PURPOSES [CUST: CR YD1 85] [REVIEW: 99 IS SH] | A 6145 | YD1 | | 10-OCT-97 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/As | MCA | Prog. Acty. | Date |
|------------|---------------------|--|---------------------|-----|-------------|------|
| A | ASTM-B231-90 | CONDUCTORS, ALUMINUM 1350, CONCENTRIC-LAY-STRANDED [CUST: CR YD1 85] [REVIEW: 80 99 SH] | A 6145 | YD1 | 26-JAN-90 | |
| A | ASTM-B232M-97 | CONCENTRIC-LAY-STRANDED ALUMINUM CONDUCTORS, COATED STEEL-REINFORCED (ACSR) (METRIC) [CUST: CR YD1 85] [REVIEW: 80 99 SH] | A 6145 | YD1 | 10-OCT-97 | |
| A | ASTM-B232-92 | ALUMINUM CONDUCTORS, CONCENTRIC-LAY-STRANDED, COATED-STEEL REINFORCED (ACSR) [CUST: CR YD1 85] [REVIEW: 80 99 SH] | A 6145 | YD1 | 15-JAN-92 | |
| | ASTM-B236-95 | ALUMINUM BARS FOR ELECTRICAL PURPOSES (BUS BARS) [CUST: MR OS] [REVIEW: 99 AR AS CR4 IS] | A 9530 | MR | 15-MAY-95 | |
| | ASTM-B236M-95 | ALUMINUM BARS FOR ELECTRICAL PURPOSES (BUS BARS) (METRIC) [CUST: MR OS] [REVIEW: 99 AR AS CR4 IS] | A 9530 | MR | 15-MAY-95 | |
| | ASTM-B240-95 | ZINC ALLOYS IN INGOT FORM FOR DIE CASTINGS [CUST: MR AS 99] | A MECA | MR | 15-FEB-95 | |
| | ASTM-B241/B241MA-95 | ALUMINUM AND ALUMINUM-ALLOY SEAMLESS PIPE AND SEAMLESS EXTRUDED TUBE [CUST: CR4 YD1 99] [REVIEW: CC CE] | A 4710 | YD1 | 15-MAY-95 | |
| A | ASTM-B244-97 | COATINGS, ANODIC, ON ALUMINUM AND OF OTHER NONCONDUCTIVE COATINGS ON NONMAGNETIC BASIS METALS WITH EDDY-CURRENT INSTRUMENTS, MEASUREMENT OF THICKNESS [CUST: MR AS 11 GS] | A MFFP | GS | 10-APR-97 | |
| A | ASTM-B246-88 | COPPER WIRE, TINNED HARD-DRAWN AND MEDIUM-HARD-DRAWN FOR ELECTRICAL PURPOSES [CUST: CR SH 85 CC] [REVIEW: 11 99 AR AS CG MC MI] | A 6145 | CC | 25-MAR-88 | |
| | ASTM-B247MA-95 | ALUMINUM AND ALUMINUM-ALLOY DIE FORGINGS, HAND FORGINGS, AND ROLLED RING FORGINGS (METRIC) [CUST: MR YD1] [REVIEW: AR AT OS SH] | A FORG | MR | 15-MAY-95 | |
| | ASTM-B247A-95 | ALUMINUM AND ALUMINUM-ALLOY DIE FORGINGS, HAND FORGINGS, AND ROLLED RING FORGINGS [CUST: MR YD1] [REVIEW: AR AT OS SH] | A FORG | MR | 15-MAY-95 | |
| | ASTM-B248-96 | COPPER AND COPPER-ALLOY, WROUGHT, PLATE, SHEET, STRIP, AND ROLLED BAR [CUST: MR SH 11] [REVIEW: 99 AS IS OS] | A 9530 | MR | 10-SEP-96 | |
| | ASTM-B248M-96 | PLATE, WROUGHT COPPER AND COPPER-ALLOY, SHEET, STRIP AND ROLLED BAR (METRIC) [CUST: MR SH] [REVIEW: 99 AS IS OS] | A 9530 | MR | 10-SEP-96 | |
| | ASTM-B249MA-94 | COPPER AND COPPER-ALLOY, WROUGHT, ROD, BAR, SHAPES AND FORGINGS, GENERAL REQUIREMENTS FOR (METRIC) [CUST: MR AS 11] [REVIEW: 99 IS OS SH] | A 9530 | MR | 15-AUG-94 | |
| | ASTM-B249A-94 | COPPER AND COPPER-ALLOY, WROUGHT, ROD, BAR SHAPES AND FORGINGS, GENERAL REQUIREMENTS FOR [CUST: MR AS 11] [REVIEW: 84 99 IS OS SH] | A 9530 | MR | 15-AUG-94 | |
| | ASTM-B250-92 | WIRE, WROUGHT COPPER-ALLOY [CUST: MR SH 11] [REVIEW: 99 AS IS OS] | A 9525 | MR | 15-JUL-92 | |
| | ASTM-B250M-92 | WIRE, WROUGHT COPPER-ALLOY (METRIC) [CUST: MR SH 11] [REVIEW: 99 AS IS OS] | A 9525 | MR | 15-DEC-92 | |
| | ASTM-B251M-97 | COPPER AND COPPER-ALLOY TUBE, WROUGHT SEAMLESS (METRIC) [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4710 | YD1 | 10-FEB-97 | |
| | ASTM-B251-97 | TUBE, WROUGHT SEAMLESS, COPPER AND COPPER-ALLOY [CUST: CR4 YD1 99] [REVIEW: 82 CC CG MI MR SH] | A 4710 | YD1 | 10-FEB-97 | |
| | ASTM-B253-87R93 | ALUMINUM ALLOYS FOR ELECTROPLATING, PREPARATION OF [CUST: MI SH 11] | A MFFP | 11 | 29-MAY-87 | |
| | ASTM-B254-92 | STEEL, STAINLESS, PREPARATION OF AND ELECTROPLATING ON [CUST: MR OS 99] | A 9515 | MR | 15-JAN-92 | |
| | ASTM-B258-96 | WIRES, SOLID ROUND, USED AS ELECTRICAL CONDUCTORS, AWG SIZES OF, STANDARD NOMINAL DIAMETERS AND CROSS-SECTIONAL AREAS OF [CUST: CR SH 85] | A 6145 | SH | 10-SEP-96 | |
| | ASTM-B265-95 | TITANIUM AND TITANIUM ALLOY STRIP, SHEET, AND PLATE [CUST: MD MS 03] | A 6515 | MB | 15-FEB-95 | |
| | ASTM-B271-96 | COPPER-BASE ALLOY CENTRIFUGAL CASTINGS [CUST: MR SH 11] [REVIEW: CR4 OS] | A MECA | SH | 10-SEP-96 | |
| | ASTM-B272-96 | COPPER FLAT PRODUCTS WITH FINISHED (ROLLED OR DRAWN) EDGES (FLAT WIRE AND STRIP) [CUST: MR SH] [REVIEW: AR CR CR4 EA GL] | A 9535 | MR | 10-SEP-96 | |
| D | ASTM-B275-96 | METALS AND ALLOYS, CERTAIN NONFERROUS, CAST AND WROUGHT, CODIFICATION OF [CUST: MR SH 11 IS] [REVIEW: AR AT AV CR4 GL MI] | A 95GP | IS | 10-AUG-96 | |
| | ASTM-B276-91 | CARBIDES, CEMENTED, APPARENT POROSITY IN [CUST: GL OS 99] | A 9650 | GL | 15-AUG-91 | |
| A | ASTM-B280-97 | TUBE, COPPER, SEAMLESS, FOR AIR CONDITIONING AND REFRIGERATION FIELD SERVICE [CUST: CR4 YD1 99] [REVIEW: CC GL MC MI OS SH] | A 4710 | YD1 | 10-FEB-97 | |
| | ASTM-B281-88 | COPPER AND COPPER-BASE ALLOYS FOR ELECTROPLATING AND CONVERSION COATINGS, PREPARATION OF [CUST: GL SH 11] | A MFFP | GL | 25-MAR-88 | |
| | ASTM-B283-91 | COPPER AND COPPER-ALLOY DIE FORGINGS (HOT PRESSED) [CUST: MR SH] [REVIEW: AR AT CR4 EA GL IS] | A FORG | MR | 15-NOV-91 | |
| A | ASTM-B286-89 | COPPER CONDUCTORS FOR USE IN HOOKUP WIRE FOR ELECTRONIC EQUIPMENT [CUST: CR SH 85 CC] [REVIEW: 11 99 AR AS CG MC MI] | A 6145 | CC | 28-JUL-89 | |
| A | ASTM-B298-93 | WIRE, COPPER, SILVER-COATED SOFT OR ANNEALED [CUST: CR SH 85 CC] | A 6145 | CC | 15-JUL-93 | |
| | ASTM-B301-93 | ROD AND BAR, COPPER, FREE-CUTTING [CUST: CR SH 85] | A 9530 | SH | 15-DEC-93 | |
| | ASTM-B302-97 | PIPE, COPPER, THREADLESS [CUST: CR4 SA 99] | A 4710 | SA | 10-FEB-97 | |
| | ASTM-B306A-95 | COPPER DRAINAGE TUBE (DWV) [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4710 | YD1 | 10-DEC-95 | |
| | ASTM-B308/B308MA-95 | ALUMINUM-ALLOY 6061-T6 STANDARD STRUCTURAL SHAPES [CUST: OS 99 IS] [REVIEW: 11 84 AR CR4 SH YD1] | A 9540 | IS | 15-MAY-95 | |
| | ASTM-B311-93 | POWDER METALLURGY (P/M) MATERIALS CONTAINING LESS THAN TWO PERCENT POROSITY, DENSITY DETERMINATION FOR [CUST: AR AS GS] | A 9650 | AR | 15-DEC-93 | |
| | ASTM-B313/B313M-95 | ALUMINUM AND ALUMINUM-ALLOY ROUND WELDED TUBES [CUST: CR4 YD1 99] [REVIEW: CC] | A 4710 | YD1 | 15-MAY-95 | |
| | ASTM-B315-91 | PIPE AND TUBE, SEAMLESS COPPER ALLOY [CUST: 99 CC] [REVIEW: 82 CR4 MC SH] | A 4710 | CC | 25-JAN-91 | |
| | ASTM-B316/B316M-95 | ALUMINUM AND ALUMINUM-ALLOY RIVET AND COLD-HEADING WIRE AND RODS [CUST: MR OS 99] [REVIEW: 11 AR AS AT CR4 IS SH] | A 9525 | MR | 15-MAY-95 | |
| | ASTM-B317-96 | ALUMINUM-ALLOY EXTRUDED BAR, ROD, TUBE, PIPE, AND STRUCTURAL PROFILES FOR ELECTRICAL PURPOSES (BUS CONDUCTOR) [CUST: MR OS 99] [REVIEW: AR AS CR4 IS YD1] | A 9530 | MR | 10-APR-96 | |
| | ASTM-B322-85R94 | METALS, CLEANING, PRIOR TO ELECTROPLATING [CUST: GL SH 11] | A MFFP | GL | 29-MAR-85 | |
| | ASTM-B328-96 | DENSITY, OIL CONTENT, AND INTERCONNECTED POROSITY OF SINTERED METAL STRUCTURAL PARTS AND OIL-IMPREGNATED BEARINGS [CUST: AT SH 99] [REVIEW: IS MC MI MR OS] | A 3120 | AT | 10-SEP-96 | |
| | ASTM-B329-95 | METAL POWDERS AND COMPOUNDS USING THE SCOTT VOLUMETER, APPARENT DENSITY OF [CUST: EA GS] [REVIEW: GL MC] | A 6810 | GS | 10-SEP-95 | |
| | ASTM-B330-88R93 | POWDERS OF REFRACTORY METALS AND THEIR COMPOUNDS BY THE FISHER SUB-SIEVE SIZER, AVERAGE PARTICLE SIZE OF [CUST: AR OS 99] | A 9350 | AR | 26-AUG-88 | |
| M | ASTM-B333-97 | ALLOY PLATE, SHEET, AND STRIP, NICKEL-MOLYBDENUM [CUST: MR SH 99] | A 9535 | SH | 10-APR-97 | |
| A | ASTM-B335-97 | ALLOY ROD, NICKEL-MOLYBDENUM [CUST: MR SH 99] | A 9530 | SH | 10-APR-97 | |
| | ASTM-B337-95 | PIPE, TITANIUM AND TITANIUM ALLOY, SEAMLESS AND WELDED [CUST: MR SH CC] [REVIEW: AR AS CR4] | A 4710 | CC | 15-FEB-95 | |
| | ASTM-B338A-94 | TUBES FOR CONDENSERS AND HEAT EXCHANGERS, SEAMLESS AND WELDED TITANIUM AND TITANIUM ALLOY [CUST: MR SH] [REVIEW: AS CR4] | A 4710 | MR | 15-APR-94 | |
| | ASTM-B339-93 | PIG TIN [CUST: MR YD1 99] [REVIEW: 84 CR4 IS MI] | A 9650 | MR | 15-FEB-93 | |
| | ASTM-B344-92 | ALLOYS FOR ELECTRICAL HEATING ELEMENTS, NICKEL-CHROMIUM AND NICKEL-CHROMIUM-IRON, DRAWN OR ROLLED [CUST: GL SH 99] | A 95GP | SH | 15-JAN-92 | |
| | ASTM-B345-96 | ALUMINUM AND ALUMINUM-ALLOY SEAMLESS PIPE AND SEAMLESS EXTRUDED TUBE FOR GAS AND OIL TRANSMISSION AND DISTRIBUTION PIPING SYSTEMS [CUST: 99 CC] [REVIEW: 82 CR4 OS YD1] | A 4710 | CC | 10-APR-96 | |
| | ASTM-B345M-95 | ALUMINUM AND ALUMINUM-ALLOY SEAMLESS PIPE AND SEAMLESS EXTRUDED TUBE FOR GAS AND OIL TRANSMISSION AND DISTRIBUTION PIPING SYSTEMS (METRIC) [CUST: 99 CC] [REVIEW: 82 CR4 OS] | A 4710 | CC | 15-MAY-95 | |
| M | ASTM-B348-97 | BAR AND BILLETS, TITANIUM AND TITANIUM ALLOY [CUST: MR AS 99 IS] | A 9510 | IS | 10-OCT-97 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|------------|--------------------|--|--------------------------|-----|-------------|-----------|
| A | ASTM-B355-95 | NICKEL-COATED SOFT OR ANNEALED COPPER WIRE [CUST: CR SH 85 CC] [REVIEW: 99 AR AS CG MC MI] | A 6145 | CC | | 27-JUL-90 |
| | ASTM-B359-95 | COPPER AND COPPER-ALLOY SEAMLESS CONDENSER AND HEAT EXCHANGER TUBES WITH INTEGRAL FINS [CUST: CR4 SH 99] [REVIEW: CC] | A 4710 | SH | | 15-AUG-95 |
| | ASTM-B361-95 | FACTORY-MADE WROUGHT ALUMINUM AND ALUMINUM-ALLOY WELDING FITTINGS [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4730 | YD1 | | 15-MAY-95 |
| | ASTM-B363-95 | TITANIUM AND TITANIUM ALLOY WELDING FITTINGS, SEAMLESS AND WELDED UNALLOYED [CUST: MR SH CC] [REVIEW: AS CR4] | A 4730 | CC | | 15-FEB-95 |
| | ASTM-B367-93 | CASTINGS, TITANIUM AND TITANIUM ALLOY [CUST: MR SH 11] | A MECA | SH | | 15-AUG-93 |
| A | ASTM-B368-97 | COPPER-ACCELERATED ACETIC ACID-SALT SPRAY (FOG) TESTING (CASS TEST) [CUST: MR 11 GS] [REVIEW: OS] | A MFFP | GS | | 10-OCT-97 |
| | ASTM-B369-96 | COPPER-NICKEL ALLOY CASTINGS [CUST: MR SH 11] | A MECA | SH | | 10-SEP-96 |
| | ASTM-B370-92 | COPPER SHEET AND STRIP FOR BUILDING CONSTRUCTION [CUST: CR4 YD1 99] [REVIEW: IS] | A 9535 | YD1 | | 15-NOV-92 |
| | ASTM-B371-96 | ROD, COPPER-ZINC-SILICON ALLOY [CUST: CR4 SH 99] | A 9530 | SH | | 10-APR-96 |
| | ASTM-B372-93 | COPPER AND COPPER-ALLOY, SEAMLESS, RECTANGULAR WAVEGUIDE TUBE [CUST: CR EC 85 CC] | A 5985 | CC | | 15-JAN-93 |
| | ASTM-B373-95 | ALUMINUM FOIL FOR CAPACITORS [CUST: MR 99] [REVIEW: AS IS MD] | A 9535 | MR | | 15-MAY-95 |
| | ASTM-B395M-95 | COPPER, U-BEND SEAMLESS, AND COPPER ALLOY HEAT EXCHANGER AND CONDENSER TUBES (METRIC) [CUST: CR4 YD1 99] | A 4710 | YD1 | | 15-AUG-95 |
| | ASTM-B395-95 | COPPER AND COPPER ALLOY, U-BEND SEAMLESS, HEAT EXCHANGER AND CONDENSER TUBES [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4710 | YD1 | | 15-AUG-95 |
| | ASTM-B397-85 | CONDUCTORS, CONCENTRIC-LAY-STRANDED ALUMINUM-ALLOY 5005-H19 [CUST: CR YD1 85] [REVIEW: 80 99 IS SH] | A 6145 | YD1 | | 25-JAN-85 |
| | ASTM-B399-97 | ALUMINUM-ALLOY 6201-T81 CONDUCTORS, CONCENTRIC-LAY-STRANDED [CUST: CR4 YD1 85] [REVIEW: 80 99 IS SH] | A 6145 | YD1 | | 10-FEB-97 |
| | ASTM-B403-96 | CASTINGS, MAGNESIUM-ALLOY INVESTMENT [CUST: MR AS 11] [REVIEW: AT CR CR4 IS MD OS] | A MECA | MR | | 10-APR-96 |
| | ASTM-B406-96 | CARBIDES, CEMENTED, TRANSVERSE RUPTURE STRENGTH OF [CUST: AL YD1 99 GS] | A 3455 | GS | | 10-SEP-96 |
| | ASTM-B411-96 | COPPER-NICKEL-SILICON ALLOY ROD AND BAR [CUST: MR SH IS] [REVIEW: 99 CR CR4 EA GL] | A 9530 | IS | | 10-APR-96 |
| | ASTM-B412-95 | COPPER-NICKEL-SILICON ALLOY WIRE [CUST: MR SH] [REVIEW: CR CR4 EA GL IS OS] | A 9525 | MR | | 10-SEP-95 |
| | ASTM-B415-92 | STEEL WIRE, HARD-DRAWN ALUMINUM-CLAD [CUST: MR AS 99] | A 9505 | AS | | 15-FEB-92 |
| | ASTM-B418-95 | ANODES, CAST AND WROUGHT GALVANIC ZINC [CUST: AR YD1 99] [REVIEW: SH] | A 5340 | YD1 | | 15-FEB-95 |
| | ASTM-B422-97 | COPPER-ALUMINUM-SILICON-COBALT ALLOY, COPPER-NICKEL-SILICON-MAGNESIUM ALLOY, COPPER-NICKEL-SILICON ALLOY, AND COPPER-NICKEL-ALUMINUM-MAGNESIUM ALLOY SHEET AND STRIP [CUST: MR] [REVIEW: 99 AS CR CR4 GL IS MC SA] | A 9535 | MR | | 10-FEB-97 |
| | ASTM-B424-93 | PLATE, SHEET, AND STRIP, NI-FE-CR-MO-CU ALLOY (UNS N08825 AND UNS N08821) [CUST: MR SH 99] | A 9535 | SH | | 15-FEB-93 |
| | ASTM-B427A-93 | CASTINGS, GEAR BRONZE ALLOY [CUST: MR YD1 11] | A MECA | YD1 | | 15-FEB-93 |
| | ASTM-B428-87 | COPPER AND COPPER ALLOY TUBE, ANGLE OF TWIST IN RECTANGULAR AND SQUARE [CUST: MR] [REVIEW: AT CC] | A 4710 | MR | | 31-JUL-87 |
| | ASTM-B429-95 | ALUMINUM-ALLOY EXTRUDED STRUCTURAL PIPE AND TUBE [CUST: CR4 YD1 99] [REVIEW: CC] | A 4710 | YD1 | | 15-MAY-95 |
| A | ASTM-B430-97 | METAL POWDERS AND RELATED COMPOUNDS BY TURBIDIMETRY, PARTICLE SIZE DISTRIBUTION OF REFRACTORY [CUST: AR SH 99] | A 9350 | AR | | 10-SEP-97 |
| D | ASTM-B438A-95 | BEARINGS, SINTERED BRONZE (OIL-IMPREGNATED) [CUST: AV AS 11 GS] | A 31GP | GS | | 10-SEP-95 |
| | ASTM-B439-95 | BEARINGS, IRON-BASE SINTERED (OIL-IMPREGNATED) [CUST: AT YD1 99] [REVIEW: 84 IS OS SH] | A 3110 | YD1 | | 15-JAN-95 |
| | ASTM-B441-93 | COPPER-COBALT-BERYLLIUM (UNS NO. C17500) AND COPPER-NICKEL-BERYLLIUM (UNS NO. C17510) ROD AND BAR [CUST: MR AS IS] [REVIEW: AL AT CR MI] | A 9530 | IS | | 15-FEB-93 |
| | ASTM-B443-93 | PLATE, SHEET, AND STRIP, NICKEL-CHROMIUM-MOLYBDENUM-COLUMBIUM ALLOY (UNS N06625) [CUST: MR SH 99] | A 9535 | SH | | 15-FEB-93 |
| | ASTM-B444-94 | PIPE AND TUBE, NICKEL-CHROMIUM-MOLYBDENUM-COLUMBIUM ALLOYS (UNS N06625) [CUST: MR SH 99] | A 4710 | SH | | 15-JAN-94 |
| | ASTM-B446-93 | ROD AND BAR, NICKEL-CHROMIUM-MOLYBDENUM-COLUMBIUM ALLOY (UNS N06625) [CUST: MR SH 99] | A 9530 | SH | | 15-FEB-93 |
| | ASTM-B447-96 | TUBE, COPPER, WELDED [CUST: CR4 YD1 99] [REVIEW: CC OS] | A 4710 | YD1 | | 10-SEP-96 |
| | ASTM-B449-93 | CHROMATES ON ALUMINUM [CUST: MR SH 11 CT] | A MFFP | SH | | 15-SEP-93 |
| | ASTM-B452-93 | WIRE, STEEL, COPPER-CLAD, FOR ELECTRONIC APPLICATION [CUST: CR SH 85] | A 6145 | CT | | 15-JUL-93 |
| | ASTM-B453-96 | COPPER ZINC LEAD ALLOY (LEADED BRASS) ROD [CUST: MR SH] [REVIEW: AR CR CR4 EA GL MC OS SA] | A 9530 | MR | | 10-MAY-96 |
| | ASTM-B453M-88 | COPPER-ZINC-LEAD ALLOY (LEADED BRASS) ROD (METRIC) [CUST: MR SH] [REVIEW: AR CR CR4 EA GL MC OS SA] | A 9530 | MR | | 29-JUL-88 |
| | ASTM-B456-94 | COPPER PLUS NICKEL PLUS CHROMIUM AND NICKEL PLUS CHROMIUM, ELECTRODEPOSITED COATING OF [CUST: GL YD1 11] | A MFFP | YD1 | | 15-MAR-94 |
| | ASTM-B463-93 | PLATE, SHEET, AND STRIP, UNS N08020, UNS N08026, AND UNS N08024 ALLOY [CUST: MR SH 99] | A 9535 | SH | | 15-FEB-93 |
| | ASTM-B465-93 | PLATE, SHEET, STRIP, AND ROLLED BAR, COPPER-IRON ALLOY [CUST: CR SH 85 IS] | A 9515 | IS | | 15-JUL-93 |
| | ASTM-B466A-92 | PIPE AND TUBE, COPPER-NICKEL, SEAMLESS [CUST: MR SH 99] | A 4710 | SH | | 15-NOV-92 |
| | ASTM-B472A-91 | NICKEL ALLOY BILLETS AND BARS FOR REFORGING, UNS N08020, UNS N08026, UNS N08024, UNS N08926, AND UNS N08367 [CUST: MR AS 99 IS] | A 9510 | IS | | 15-SEP-91 |
| | ASTM-B476-90 | METAL, PRECIOUS, WROUGHT, ELECTRICAL CONTACT MATERIALS [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | | 25-MAY-90 |
| | ASTM-B477-92 | ALLOY, ELECTRICAL CONTACT, GOLD-SILVER-NICKEL [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | | 19-MAY-92 |
| | ASTM-B483-92 | ALUMINUM AND ALUMINUM-ALLOY DRAWN TUBES FOR GENERAL PURPOSE APPLICATIONS [CUST: CR4 99 CC] [REVIEW: 82 OS] | A 4710 | CC | | 15-JAN-92 |
| | ASTM-B487-85R90 | METAL AND OXIDE COATING THICKNESS BY MICROSCOPICAL EXAMINATION OF A CROSS SECTION, MEASUREMENT OF [CUST: MR AS 11 GS] [REVIEW: AT GL OS SH] | A MFFP | GS | | 22-FEB-85 |
| | ASTM-B488-95 | GOLD FOR ENGINEERING USES, ELECTRODEPOSITED COATINGS OF [CUST: MR OS 11 GS] | A MFFP | GS | | 15-JAN-95 |
| | ASTM-B491/B491M-95 | ALUMINUM AND ALUMINUM-ALLOY EXTRUDED ROUND TUBES FOR GENERAL-PURPOSE APPLICATIONS [CUST: CR4 SH 99 CC] [REVIEW: 82 OS] | A 4710 | CC | | 15-MAY-95 |
| | ASTM-B499-88 | METALS, MAGNETIC BASIS, MEASUREMENT OF COATING THICKNESSES BY THE MAGNETIC METHOD: NONMAGNETIC COATINGS [CUST: MR AS 11 GS] [REVIEW: AT GL IS OS SH] | A MFFP | GS | | 26-AUG-88 |
| A | ASTM-B501-93 | WIRE, STEEL, FOR ELECTRONIC APPLICATION, SILVER-COATED, COPPER-CLAD [CUST: CR SH 85 CC] | A 6145 | CC | | 03-OCT-94 |
| | ASTM-B504-90 | METALLIC COATINGS BY THE COULOMETRIC METHOD, MEASUREMENT OF THICKNESS OF [CUST: MR AS 11 GS] | A MFFP | GS | | 23-FEB-90 |
| | ASTM-B505-96 | CASTINGS, COPPER-BASE ALLOY, CONTINUOUS [CUST: MR YD1] [REVIEW: SH] | A MECA | YD1 | | 10-SEP-96 |
| | ASTM-B506-81R86 | COPPER-CLAD STAINLESS STEEL SHEET AND STRIP FOR BUILDING CONSTRUCTION [CUST: MR YD1] [REVIEW: 99 AR IS] | A 9515 | YD1 | | 27-FEB-81 |
| | ASTM-B508-86 | COPPER-ALLOY STRIP FOR FLEXIBLE METAL HOSE [CUST: AR AS 99] [REVIEW: IS MR OS SH] | A 9535 | AR | | 31-JAN-86 |
| | ASTM-B522-90 | ALLOY, ELECTRICAL CONTACT, GOLD-SILVER-PLATINUM [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | | 25-MAY-90 |
| | ASTM-B530-88 | SUBSTRATES MAGNETIC AND NONMAGNETIC, ELECTRODEPOSITED NICKEL COATINGS ON, MEASUREMENT OF COATING THICKNESS BY THE MAGNETIC METHOD [CUST: MR AS 11 GS] [REVIEW: AT GL IS OS SH] | A MFFP | GS | | 26-AUG-88 |
| | ASTM-B540-91 | ALLOY, ELECTRICAL CONTACT, PALLADIUM [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | | 15-MAY-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Aves | MCA | Prep. Acty. | Date |
|------------|--------------------|---|-----------------------|-----|-------------|------|
| | ASTM-B541-89 | ALLOY, ELECTRICAL CONTACT, GOLD [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | 29-SEP-89 | |
| | ASTM-B543M-91 | TUBE, HEAT EXCHANGER, WELDED COPPER AND COPPER-ALLOY (METRIC) [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4710 | YD1 | 15-JUL-91 | |
| | ASTM-B543-96 | TUBE, HEAT EXCHANGER, WELDED COPPER AND COPPER-ALLOY [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4710 | YD1 | 10-APR-96 | |
| | ASTM-B545-92 | TIN, ELECTRODEPOSITED COATINGS OF [CUST: MR OS 99 GS] [REVIEW: AR EA EC MI] | A MFFP | GS | 15-JUL-92 | |
| | ASTM-B547/B547M-95 | ALUMINUM AND ALUMINUM-ALLOY FORMED AND ARC-WELDED ROUND TUBE [CUST: CR4 SH 99 CC] [REVIEW: 82 OS] | A 4710 | CC | 15-MAY-95 | |
| | ASTM-B557-84 | ALLOY PRODUCTS, WROUGHT AND CAST ALUMINUM-AND MAGNESIUM-, TENSION TESTING [CUST: MR YD1 99] [REVIEW: IS] | A 95GP | MR | 24-FEB-84 | |
| | ASTM-B557M-84 | ALLOY PRODUCTS (METRIC), WROUGHT AND CAST ALUMINUM-AND MAGNESIUM-, TENSION TESTING [CUST: MR YD1] [REVIEW: IS] | A 95GP | MR | 24-FEB-84 | |
| A | ASTM-B559-93 | WIRE, STEEL, FOR ELECTRONIC APPLICATION, NICKEL-COATED, COPPER-CLAD [CUST: CR SH 85 CC] | A 6145 | CC | 03-OCT-94 | |
| | ASTM-B563-95 | ALLOY, ELECTRICAL CONTACT, PALLADIUM-SILVER-COPPER [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | 15-AUG-95 | |
| M | ASTM-B564A-97 | NICKEL ALLOY FORGINGS [CUST: MR YD1] [REVIEW: SH] | A FORG | YD1 | 10-DEC-97 | |
| | ASTM-B565-87 | ALUMINUM AND ALUMINUM-ALLOY RIVETS AND COLD-HEADING WIRE AND RODS, SHEAR TESTING OF [CUST: MR YD1 99] | A 95GP | YD1 | 30-OCT-87 | |
| | ASTM-B566-93 | WIRE, ALUMINUM, COPPER-CLAD [CUST: CR SH 99 IS] | A 9525 | IS | 15-JUL-93 | |
| | ASTM-B567-91 NOT 1 | MEASUREMENT OF COATING THICKNESS BY THE BETA BACKSCATTER METHOD [CUST: MR AS] [REVIEW: 99 AR AT CR4 GL MI OS SH] | A MFFP | MR | 22-FEB-91 | |
| | ASTM-B568-91 | MEASUREMENT OF COATING THICKNESS BY X-RAY SPECTROMETRY [CUST: MR AS] [REVIEW: 19 AR AT CR4 GL MI OS SH] | A MFFP | MR | 15-NOV-91 | |
| A | ASTM-B571-97 | COATINGS, METALLIC, QUALITATIVE ADHESION TESTING OF [CUST: GL AS 11] | A MFFP | GL | 10-OCT-97 | |
| | ASTM-B574-94 | LOW-CARBON NICKEL-MOLYBDENUM-CHROMIUM, LOW-CARBON NICKEL-CHROMIUM-MOLYBDENUM, AND LOW-CARBON NICKEL-CHROMIUM-MOLYBDENUM-TUNGSTEN ALLOY ROD [CUST: MR AS 99 IS] | A 9510 | IS | 15-JUN-94 | |
| | ASTM-B575-94 | LOW-CARBON NICKEL-MOLYBDENUM-CHROMIUM, LOW-CARBON NICKEL-CHROMIUM-MOLYBDENUM AND LOW-CARBON NICKEL-CHROMIUM-MOLYBDENUM-TUNGSTEN ALLOY PLATE, SHEET, AND STRIP [CUST: MR AS 99 IS] | A 9515 | IS | 15-JUN-94 | |
| | ASTM-B577-93 | OXIDE, CUPROUS, DETECTION OF, (HYDROGEN EMBRITTLEMENT SUSCEPTIBILITY) IN COPPER [CUST: AS 99] [REVIEW: 84 IS] | A 95GP | AS | 15-DEC-93 | |
| | ASTM-B578-87R93 | COATINGS, ELECTROPLATED, MICROHARDNESS OF [CUST: MR AS 11] | A MFFP | 11 | 30-JAN-87 | |
| | ASTM-B579-73R82 | ALLOY, TIN-LEAD (SOLDER PLATE) ELECTRODEPOSITED COATINGS OF [CUST: MR AS 11] | A MFFP | AS | 29-MAR-73 | |
| | ASTM-B580-79R89 | ALUMINUM, ANODIC OXIDE COATINGS ON [CUST: MR 99 GS] [REVIEW: AR AT MI YD1] | A MFFP | GS | 25-MAY-79 | |
| | ASTM-B584B-93 | CASTINGS, COPPER ALLOY SAND, FOR GENERAL APPLICATIONS [CUST: MR YD1] [REVIEW: 99 SH] | A MECA | YD1 | 15-DEC-93 | |
| | ASTM-B591-93 | COPPER-ZINC-TIN ALLOYS PLATE, SHEET, STRIP, AND ROLLED BAR [CUST: AR AS 99] [REVIEW: IS MR OS SH] | A 9535 | AR | 15-JUL-93 | |
| | ASTM-B593-85 | COPPER-ALLOY SPRING MATERIALS, BENDING FATIGUE TESTING FOR [CUST: MR AS] | A 95GP | MR | 25-JAN-85 | |
| | ASTM-B594-95 | ALUMINUM ALLOY WROUGHT PRODUCTS FOR AEROSPACE APPLICATIONS, ULTRASONIC INSPECTION OF [CUST: MR AS 11] [REVIEW: 71 99 AV MI OS SH] | A NDTI | AS | 15-FEB-95 | |
| | ASTM-B596-89 NOT 1 | ALLOY, ELECTRICAL CONTACT MATERIAL, GOLD-COPPER [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | 29-SEP-89 | |
| | ASTM-B597-92 NOT 1 | HEAT TREATMENT OF ALUMINUM ALLOYS [CUST: MR] [REVIEW: AR AT AV CR4 GL] | A 95GP | MR | 15-JAN-92 | |
| | ASTM-B598-86R92 | COPPER ALLOYS, DETERMINING OFFSET YIELD STRENGTH IN TENSION FOR [CUST: MR AS] [REVIEW: IS] | A 95GP | MR | 27-JUN-86 | |
| | ASTM-B600-91 | TITANIUM AND TITANIUM ALLOY SURFACES, DESCALING AND CLEANING [CUST: MR SH 11 GS] [REVIEW: 99 AR CR4] | A MFFP | GS | 15-MAR-91 | |
| A | ASTM-B601A-97 | COPPER AND COPPER ALLOYS - WROUGHT AND CAST, TEMPER DESIGNATIONS FOR [CUST: MR YD1 99] [REVIEW: 84 AS IS SH] | A 95GP | YD1 | 10-SEP-97 | |
| | ASTM-B607-91 | COATINGS, AUTOCATALYTIC NICKEL BORON, FOR ENGINEERING USE [CUST: MR AS 11] [REVIEW: 99] | A MFFP | 11 | 22-FEB-91 | |
| | ASTM-B609-97 | ALUMINUM 1350 ROUND WIRE, ANNEALED AND INTERMEDIATE TEMPER, FOR ELECTRICAL PURPOSES [CUST: CR YD1 85] [REVIEW: 80 99 IS] | A 6145 | YD1 | 10-MAR-97 | |
| D | ASTM-B612-91 | IRON BRONZE SINTERED BEARINGS (OIL-IMPREGNATED) [CUST: AV AS 11 GS] | A 3120 | GS | 25-JAN-91 | |
| | ASTM-B617-83R93 | COIN SILVER ELECTRICAL CONTACT ALLOY [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | 25-MAR-83 | |
| A | ASTM-B618-97 | ALUMINUM-ALLOY INVESTMENT CASTINGS [CUST: MR 11] [REVIEW: AR AT CR4 MI OS SH YD1] | A MECA | MR | 10-APR-97 | |
| | ASTM-B624-77 | WIRE, COPPER ALLOY, HIGH STRENGTH, HIGH CONDUCTIVITY, FOR ELECTRONIC APPLICATION [CUST: CR AS 85] | A 6145 | AS | 27-MAY-77 | |
| | ASTM-B628-83R93 | SILVER-COPPER EUTECTIC ELECTRICAL CONTACT ALLOY [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | 25-MAR-83 | |
| | ASTM-B632/B632M-95 | ALUMINUM-ALLOY ROLLED TREAD PLATE [CUST: MR SH 11] [REVIEW: AR MC] | A 9535 | SH | 15-MAY-95 | |
| | ASTM-B633-85 | ZINC ON IRON AND STEEL, ELECTRODEPOSITED COATINGS OF [CUST: MR SH 99] [REVIEW: AR CR4 EC MI OS YD1] | A MFFP | SH | 27-SEP-85 | |
| | ASTM-B637A-93 | BAR, FORGINGS, AND FORGING STOCK FOR HIGH-TEMPERATURE SERVICE, PRECIPITATION-HARDENING NICKEL ALLOY [CUST: MR SH 11] | A FORG | SH | 15-AUG-93 | |
| | ASTM-B638-92 | COPPER AND COPPER-ALLOY SOLAR HEAT ABSORBER PANELS [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 4710 | YD1 | 15-FEB-92 | |
| | ASTM-B640-93 | TUBE, WELDED COPPER AND COPPER ALLOY, FOR AIR CONDITIONING AND REFRIGERATION SERVICE [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4710 | YD1 | 15-JAN-93 | |
| | ASTM-B643-90 | TUBE, SEAMLESS, COPPER-BERYLLIUM ALLOY, STANDARD SPECIFICATION FOR [CUST: MR 99] [REVIEW: 11 82 AR CC CR CR4 GL MI] | A 4710 | MR | 23-FEB-90 | |
| | ASTM-B644-88 | COPPER ALLOY ADDITION AGENTS [CUST: MR YD1] [REVIEW: IS OS] | A 9630 | YD1 | 29-JUL-88 | |
| | ASTM-B645-95 | ALLOYS, ALUMINUM, PLANE-STRAIN FRACTURE TOUGHNESS TESTING OF [CUST: MR YD1 99] [REVIEW: IS] | A 95GP | YD1 | 15-FEB-95 | |
| | ASTM-B646-87 | ALUMINUM ALLOYS, FRACTURE TOUGHNESS TESTING OF [CUST: MR YD1 99] | A 95GP | YD1 | 27-FEB-87 | |
| | ASTM-B650-95 | SUBSTRATES, FERROUS, ELECTRODEPOSITED ENGINEERING CHROMIUM COATINGS ON [CUST: MR YD1 11] | A MFFP | YD1 | 10-NOV-95 | |
| | ASTM-B656-91 | METALS FOR ENGINEERING USE, AUTOCATALYTIC (ELECTROLESS) NICKEL-PHOSPHORUS DEPOSITION ON [CUST: MR AS 11] [REVIEW: 99] | A MFFP | 11 | 15-MAR-91 | |
| | ASTM-B660-92 | STANDARD PRACTICES FOR PACKAGING OF ALUMINUM AND MAGNESIUM PRODUCTS [CUST: SM AS 84 GS] [REVIEW: 69 AR AT CR4 DH EA EC MC SA SH YD1] | A PACK | GS | 15-MAY-92 | |
| | ASTM-B661-93 NOT 1 | HEAT TREATMENT OF MAGNESIUM ALLOYS [CUST: MR AS 99] [REVIEW: 11 84 AR AV IS MI SH] | A 95GP | MR | 15-FEB-93 | |
| | ASTM-B663-94 | MATERIAL, ELECTRICAL CONTACT, SILVER-TUNGSTEN CARBIDE [CUST: GL AS 85 CC] | A 5935 | CC | 15-APR-94 | |
| | ASTM-B666/B666M-95 | ALUMINUM AND MAGNESIUM PRODUCTS, IDENTIFICATION MARKING OF [CUST: MR YD1 10] [REVIEW: 99 IS MI SH] | A 95GP | YD1 | 15-AUG-95 | |
| | ASTM-B670-95 | PRECIPITATION-HARDENING NICKEL ALLOY (UNS N07718) PLATE, SHEET AND STRIP FOR HIGH-TEMPERATURE SERVICE [CUST: MR AS 99 IS] | A 9515 | IS | 15-AUG-95 | |
| | ASTM-B683-90 NOT 1 | PURE PALLADIUM ELECTRICAL CONTACT MATERIAL [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | 25-MAY-90 | |
| | ASTM-B684-92 NOT 1 | PLATINUM-IRIDIUM ELECTRICAL CONTACT MATERIAL [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | 15-MAY-92 | |
| | ASTM-B685-90 NOT 1 | PALLADIUM-COPPER ELECTRICAL CONTACT MATERIAL [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | 28-DEC-90 | |
| | ASTM-B687-96 | PIPE NIPPLES, BRASS, COPPER, AND CHROMIUM-PLATED [CUST: CR4 YD1 99] [REVIEW: AR CC CG MC] | A 4730 | YD1 | 10-APR-96 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Ave | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-------------------------|-----|-------------|------|
| A | ASTM-B689-97 | NICKEL COATINGS, ELECTROPLATED ENGINEERING [CUST: MR YD1 11] | A MFFP | YD1 | 10-OCT-97 | |
| | ASTM-B695-91 | IRON AND STEEL, COATINGS OF ZINC MECHANICALLY DEPOSITED ON [CUST: YD1 11] [REVIEW: SH] | A MFFP | YD1 | 22-FEB-91 | |
| | ASTM-B696-91 | COATINGS OF CADMIUM MECHANICALLY DEPOSITED [CUST: MR OS 11] | A MFFP | OS | 22-FEB-91 | |
| | ASTM-B731-96 | ELECTRICAL CONTACT MATERIAL, 60 PERCENT PALLADIUM-40 PERCENT SILVER [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | 10-MAY-96 | |
| | ASTM-B732-84R89 NOT 1 | COPPER TUBING SYSTEMS, EVALUATING THE CORROSIVITY OF SOLDER FLUXES FOR - 24 FEB 1984 (REAPPROVED 1989) [CUST: MR AS 11] [REVIEW: 82 AT CC] | A 4710 | MR | 22-FEB-91 | |
| A | ASTM-B733-97 | METAL, AUTOCATALYTIC ELECTROLESS NICKEL - PHOSPHORUS COATINGS ON [CUST: MR AS 11] [REVIEW: 99] | A MFFP | 11 | 10-JUL-97 | |
| | ASTM-B740-91 | COPPER-NICKEL-TIN SPINODAL ALLOY STRIP - 15 JUN 91 [CUST: MR 99 IS] [REVIEW: 84] | A 9535 | IS | 04-SEP-91 | |
| | ASTM-B742-90 NOT 1 | FINE SILVER ELECTRICAL CONTACT FABRICATED MATERIAL [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | 14-JUL-93 | |
| | ASTM-B745/B745M-93 | ALUMINUM PIPE, CORRUGATED, FOR SEWERS AND DRAINS [CUST: CR4 YD1] [REVIEW: CC CE] | A 4710 | YD1 | 15-JUN-93 | |
| | ASTM-B746/B746M-93 | ALUMINUM ALLOY, CORRUGATED, STRUCTURAL PLATE FOR FIELD-BOLTED PIPE, PIPE-ARCHES, AND ARCHES [CUST: YD1 99] [REVIEW: 84 CE IS] | A 9535 | YD1 | 15-FEB-93 | |
| | ASTM-B763-96 | COPPER ALLOY SAND CASTINGS FOR VALVE APPLICATION [CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A MECA | MR | 10-SEP-96 | |
| | ASTM-B766-86 | CADMIUM, ELECTRODEPOSITED COATINGS OF [CUST: MR YD1 11] [REVIEW: OS SH] | A MFFP | YD1 | 26-SEP-86 | |
| | ASTM-B768-94 | COPPER-COBALT-BERYLLIUM ALLOY STRIP AND SHEET [CUST: CR AS 17 IS] | A 9535 | IS | 15-JUL-94 | |
| | ASTM-B770-93 | COPPER-BERYLLIUM ALLOY SAND CASTINGS FOR GENERAL APPLICATIONS [CUST: MR YD1] [REVIEW: SH] | A MECA | YD1 | 15-FEB-93 | |
| | ASTM-B780-93 | ELECTRICAL CONTACT ALLOY, 75 PERCENT SILVER, 24.5 PERCENT COPPER, 0.5 PERCENT NICKEL [CUST: MR] [REVIEW: AR CR IS] | A 9545 | MR | 15-APR-93 | |
| D | ASTM-B782-94 | IRON GRAPHITE SINTERED BEARINGS (OIL IMPREGNATED) [CUST: AV AS 11 GS] | A 3120 | GS | 15-JUL-94 | |
| A | ASTM-B788-88 | ALUMINUM CULVERTS AND STORM SEWER PIPE, CORRUGATED, INSTALLING FACTORY-MADE, STANDARD PRACTICE FOR [CUST: YD1 99] [REVIEW: 84] | A 5630 | YD1 | 29-APR-88 | |
| A | ASTM-B806-93 | COPPER ALLOY PERMANENT MOLD CASTINGS FOR GENERAL APPLICATIONS [CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A MECA | MR | 15-FEB-93 | |
| | ASTM-B824-92 | COPPER ALLOY CASINGS, STANDARD SPECIFICATION FOR GENERAL REQUIREMENTS [CUST: MR SH 11] | A MECA | SH | 15-FEB-92 | |
| | ASTM-B2852-89 NOT 1 | STYRENE-RUBBER (SR) PLASTIC DRAIN PIPE AND FITTINGS, STANDARD SPECIFICATION FOR [CUST: CR4 99 CC] [REVIEW: 82] | A 4710 | CC | 20-SEP-91 | |
| | ASTM-C4-96 | DRAIN, CLAY TILE [CUST: MR YD1 99] [REVIEW: CC CE] | A 5620 | YD1 | 10-AUG-96 | |
| | ASTM-C5-79R92 | QUICKLIME FOR STRUCTURAL PURPOSES [CUST: EA YD1 99] [REVIEW: CE] | A 5610 | YD1 | 30-NOV-79 | |
| A | ASTM-C12-91 | PIPE LINES, INSTALLING, VITRIFIED CLAY [CUST: CE YD1 99] | A 5630 | YD1 | 15-JUL-91 | |
| | ASTM-C14-95 | CONCRETE SEWER, STORM DRAIN AND CULVERT PIPE [CUST: YD1 99] [REVIEW: CE MC] | A 5630 | YD1 | 10-OCT-95 | |
| | ASTM-C14M-95 | CONCRETE SEWER, STORM DRAIN, AND CULVERT PIPE (METRIC) [CUST: YD1 99] [REVIEW: CE MC] | A 5630 | YD1 | 10-OCT-95 | |
| | ASTM-C20-92 | POROSITY, APPARENT, WATER ABSORPTION, APPARENT SPECIFIC GRAVITY, AND BULK DENSITY OF BURNED REFRACTORY BRICK AND SHAPES BY BOILING WATER [CUST: CR4 SH] [REVIEW: CG GS MR] | A 9350 | SH | 15-MAR-92 | |
| | ASTM-C24-89 | PYROMETRIC CONE EQUIVALENT (PCE) OF FIRECLAY AND HIGH ALUMINA REFRACTORY MATERIALS [CUST: CR4 SH] [REVIEW: GS MC] | A 9350 | SH | 28-JUL-89 | |
| | ASTM-C25-96 | CHEMICAL ANALYSIS OF LIMESTONE, QUICKLIME, AND HYDRATED LIME [CUST: EA 99] [REVIEW: 84 CE CR4 MC YD1] | A 5610 | EA | 10-JUN-96 | |
| | ASTM-C27-93 | BRICK FIRECLAY AND HIGH-ALUMINA REFRACTORY [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5620 | YD1 | 15-JUN-93 | |
| | ASTM-C28-92 | GYPSUM PLASTERS [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 15-JAN-92 | |
| A | ASTM-C29/C29M-97 | BULK DENSITY (UNIT WEIGHT) AND VOIDS IN AGGREGATE [CUST: CR4 YD1] | A 5610 | YD1 | 10-JUL-97 | |
| | ASTM-C31-91 NOT 1 | MAKING AND CURING CONCRETE TEST, STANDARD PRACTICE FOR [CUST: CR4 YD1] [REVIEW: CE] | A 5610 | YD1 | 13-JAN-92 | |
| | ASTM-C32-93 | BRICK, SEWER AND MANHOLE (MADE FROM CLAY OR SHALE) [CUST: CR4 YD1 99] | A 5620 | YD1 | 15-NOV-93 | |
| A | ASTM-C33-97 | CONCRETE AGGREGATES [CUST: CR4 YD1] [REVIEW: MC] | A 5610 | YD1 | 10-AUG-97 | |
| | ASTM-C34-96 | TILE, WALL, STRUCTURAL CLAY LOAD-BEARING [CUST: CR4 YD1 99] | A 5620 | YD1 | 10-DEC-96 | |
| | ASTM-C35-89 | PLASTER GYPSUM INORGANIC AGGREGATES FOR USE IN, STANDARD SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 24-NOV-89 | |
| | ASTM-C36A-95 | WALLBOARD, GYPSUM [CUST: CR4 YD1 99] [REVIEW: 84] | A 5640 | YD1 | 15-JUL-95 | |
| | ASTM-C37-95 | GYPSUM LATH [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5680 | YD1 | 10-DEC-95 | |
| | ASTM-C38-89 | PANEL SPALLING TESTING REFRACTORY BRICK [CUST: CR4 SH] [REVIEW: GS MC] | A 9350 | SH | 30-JUN-89 | |
| | ASTM-C39A-93 | CONCRETE SPECIMENS, CYLINDRICAL, COMPRESSIVE STRENGTH OF [CUST: CR4 YD1 99] | A 5620 | YD1 | 15-OCT-93 | |
| | ASTM-C40-84 | CONCRETE ORGANIC IMPURITIES IN FINE AGGREGATES FOR, STANDARD TEST METHOD FOR [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 26-OCT-84 | |
| | ASTM-C42-90 | CONCRETE, OBTAINING AND TESTING, DRILLED CORES AND SAWED BEAMS OF [CUST: CR4 YD1] [REVIEW: SH] | A 5610 | YD1 | 26-OCT-90 | |
| | ASTM-C50-94 | LIME AND LIMESTONE PRODUCTS, SAMPLING, INSPECTION, PACKING AND MARKING OF [CUST: EA YD1 99] [REVIEW: CE MC SM] | A 5610 | YD1 | 15-SEP-94 | |
| | ASTM-C51-95 | LIME AND LIMESTONE (AS USED BY THE INDUSTRY) [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | 15-AUG-95 | |
| A | ASTM-C55A-97 | BRICK, CONCRETE [CUST: CR4 YD1 99] | A 5620 | YD1 | 10-JUL-97 | |
| A | ASTM-C56-91 | TILE, NON-LOAD-BEARING, STRUCTURAL CLAY [CUST: CR4 YD1 84] | A 5620 | YD1 | 15-NOV-91 | |
| | ASTM-C59-95 | GYPSUM CASTING PLASTER AND GYPSUM MOLDING PLASTER [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 10-DEC-95 | |
| | ASTM-C61-93 | CEMENT, GYPSUM KEENE'S [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 15-AUG-93 | |
| M | ASTM-C62A-97 | BRICK, BUILDING (SOLID MASONRY UNITS MADE FROM CLAY OR SHALE) [CUST: CR4 YD1 99] | A 5620 | YD1 | 10-NOV-97 | |
| | ASTM-C64-72R77 | INCINERATORS AND BOILERS, REFRACTORIES FOR [CUST: CR4 YD1] [REVIEW: GS SH] | A 9350 | YD1 | 13-MAR-72 | |
| | ASTM-C67-97 | TILE, BRICK AND STRUCTURAL CLAY, SAMPLING AND TESTING [CUST: CR4 YD1 99] | A 5620 | YD1 | 10-FEB-97 | |
| | ASTM-C70-79R92 | SURFACE MOISTURE IN FINE AGGREGATE [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 27-APR-79 | |
| | ASTM-C73-97 | CALCIUM SILICATE FACE BRICK (SAND-LIME BRICK) [CUST: CR4 YD1] [REVIEW: CE MC] | A 5620 | YD1 | 10-FEB-97 | |
| | ASTM-C76-95 | CULVERT, STORM DRAIN, AND SEWER PIPE, REINFORCED CONCRETE [CUST: YD1 99] [REVIEW: CR4 MC] | A 5630 | YD1 | 15-APR-95 | |
| | ASTM-C76MA-95 | CULVERT, STORM DRAIN, AND SEWER PIPE, REINFORCED CONCRETE (METRIC) [CUST: YD1 99] [REVIEW: CR4 MC] | A 5630 | YD1 | 10-NOV-95 | |
| | ASTM-C78-84 NOT 1 | CONCRETE FLEXURAL STRENGTH OF (USING SIMPLE BEAM WITH THIRD POINT LOADING - 1 MAR 84 [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | 25-NOV-88 | |
| | ASTM-C79-95 | GYPSUM SHEATHING BOARD [CUST: CR4 YD1 99] | A 5640 | YD1 | 10-SEP-95 | |
| | ASTM-C87-83 | AGGREGATE, FINE, EFFECT OF ORGANIC IMPURITIES IN, ON STRENGTH OF MORTAR, STANDARD TEST METHOD FOR [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | 28-OCT-83 | |
| | ASTM-C88-90 | SODIUM SULFATE OR MAGNESIUM SULFATE, SOUNDNESS OF AGGREGATES BY USE OF [CUST: CR4 YD1] [REVIEW: SH] | A 5610 | YD1 | 26-OCT-90 | |
| M | ASTM-C90A-97 | CONCRETE MASONRY UNITS, LOADBEARING [CUST: YD1 99] [REVIEW: CE CG MC] | A 5610 | YD1 | 10-JUL-97 | |
| | ASTM-C91-96 | CEMENT, MASONRY [CUST: CE YD1 99] | A 5610 | YD1 | 10-JUL-96 | |

| Doc. Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prog. Acty. | Date |
|-------------|-----------------------|---|----------------------|-----|-------------|-----------|
| A | ASTM-C92-95 | WATER CONTENT AND SIEVE ANALYSIS, OF REFRACTORY MATERIALS [CUST: AR SH 99] | A 9350 | AR | | 10-OCT-95 |
| | ASTM-C93-84 | FIREBRICK, INSULATING, COLD CRUSHING STRENGTH AND MODULUS OF RUPTURE OF [CUST: CR4 SH 99] | A 9350 | SH | | 27-APR-84 |
| | ASTM-C94-97 | CONCRETE, READY-MIXED [CUST: CR4 YD1 99] | A 5610 | YD1 | | 10-JUL-97 |
| A | ASTM-C97-96 | STONE, SPECIFIC GRAVITY OF DIMENSION, ABSORPTION AND BULK [CUST: YD1] [REVIEW: CE MC] | A 5620 | YD1 | | 10-FEB-96 |
| | ASTM-C99-87R93 | STONE, MODULUS OF RUPTURE OF DIMENSION [CUST: CE YD1 99] [REVIEW: MC] | A 5610 | YD1 | | 25-SEP-87 |
| | ASTM-C109/C109M-95 | CEMENT MORTARS, COMPRESSIVE STRENGTH OF HYDRAULIC (USING 2-IN.) OR (50-MM) CUBE SPECIMENS [CUST: CE YD1 99] | A 5610 | YD1 | | 15-MAR-95 |
| A | ASTM-C109-94 | CEMENT MORTARS, COMPRESSIVE STRENGTH OF HYDRAULIC (USING 2-INCH OR 50-MM CUBE SPECIMENS) [CUST: CE YD1 99] | A 5610 | YD1 | | 15-SEP-94 |
| A | ASTM-C110A-95 | QUICKLIME, HYDRATED LIME, & LIMESTONE, PHYSICAL TESTING OF [CUST: EA YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | | 15-AUG-95 |
| | ASTM-C113-93 | BRICK, REFRACTORY, REHEAT CHANGE OF [CUST: CR4 SH] [REVIEW: GS MC] | A 9350 | SH | | 15-MAR-93 |
| | ASTM-C116-90 | BEAMS, BROKEN IN FLEXURE, COMPRESSIVE STRENGTH OF CONCRETE USING PORTIONS OF [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 26-OCT-90 |
| M | ASTM-C117-95 | MATERIALS FINER THAN 75-UM (NO. 200) SIEVE IN MINERAL AGGREGATES BY WASHING [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | | 15-MAR-95 |
| | ASTM-C119A-97 | STONE, DIMENSION, STANDARD TERMINOLOGY RELATING TO [CUST: CR4 YD1 99] | A 5610 | YD1 | | 10-JUL-97 |
| | ASTM-C120-90 | SLATE, (MODULUS OF RUPTURE, MODULUS OF ELASTICITY), FLEXURE TESTING OF [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 28-SEP-90 |
| A | ASTM-C121-90 | SLATE, WATER ABSORPTION OF [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 27-APR-90 |
| | ASTM-C122-89 | PANEL SPALLING TESTING SUPER DUTY FIRECLAY BRICK [CUST: CR4 SH] [REVIEW: CE MC] | A 9350 | SH | | 28-JUL-89 |
| | ASTM-C123-96 | PARTICLES, LIGHTWEIGHT IN AGGREGATE [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 10-MAY-96 |
| A | ASTM-C125-97 | CONCRETE AND CONCRETE AGGREGATES [CUST: CR4 YD1] [REVIEW: CE MC] | A 5620 | YD1 | | 10-AUG-97 |
| | ASTM-C126-91 | TILE, FACING BRICK, CERAMIC GLAZED STRUCTURAL CLAY FACING, AND SOLID MASONRY UNITS [CUST: CR4 YD1 99] | A 5620 | YD1 | | 15-NOV-91 |
| | ASTM-C127-88 | AGGREGATE, COARSE, SPECIFIC GRAVITY AND ABSORPTION OF [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | | 31-OCT-88 |
| A | ASTM-C128-93 | GRAVITY AND ABSORPTION, SPECIFIC, OF FINE AGGREGATE [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | | 15-APR-93 |
| | ASTM-C129-97 | MASONRY UNITS, CONCRETE, NONLOADBEARING [CUST: YD1 99] [REVIEW: CE CG MC] | A 5610 | YD1 | | 15-JAN-97 |
| | ASTM-C131-89 | AGGREGATE, COARSE, RESISTANCE TO DEGRADATION OF SMALL-SIZE BY ABRASION AND IMPACT IN THE LOS ANGELES MACHINE, STANDARD TEST METHOD FOR [CUST: YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | | 15-JUN-89 |
| A | ASTM-C133-96 | MODULUS OF RUPTURE OF REFRACTORIES AND COLD CRUSHING STRENGTH [CUST: CR4 SH] [REVIEW: GS MC] | A 9350 | SH | | 10-JUL-96 |
| | ASTM-C135-96 | WATER IMMERSION, REFRACTORY MATERIALS BY TRUE SPECIFIC GRAVITY OF [CUST: CR4 SH 99] | A 9350 | CR4 | | 10-AUG-96 |
| | ASTM-C136A-96 | AGGREGATES, FINE AND COARSE, SIEVE ANALYSIS OF [CUST: CE YD1] | A 5610 | YD1 | | 10-NOV-96 |
| A | ASTM-C138-92 | WEIGHT, UNIT, YIELD, AND AIR CONTENT (GRAVIMETRIC) OF CONCRETE [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | | 15-DEC-92 |
| | ASTM-C139-97 | CONCRETE MASONRY UNITS FOR CONSTRUCTION OF CATCH BASINS AND MANHOLES [CUST: CR4 YD1 99] | A 5620 | YD1 | | 10-JAN-97 |
| | ASTM-C140A-96 | MASONRY UNITS, CONCRETE, SAMPLING AND TESTING [CUST: CE YD1 99] | A 5620 | YD1 | | 10-JUN-96 |
| A | ASTM-C141-85R89 | LIME, HYDRAULIC HYDRATED, FOR STRUCTURAL PURPOSES, STANDARD SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | | 29-MAR-85 |
| A | ASTM-C142-78R84 | CLAY LUMPS AND FRIABLE PARTICLES IN AGGREGATES [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 24-FEB-78 |
| M | ASTM-C143/C143M-97 | CONCRETE, CEMENT, HYDRAULIC, SLUMP OF [CUST: CR4 YD1] [REVIEW: SH] | A 5610 | YD1 | | 10-AUG-97 |
| A | ASTM-C144-93 | MORTAR, MASONRY, AGGREGATE FOR [CUST: CR4 YD1] [REVIEW: SH] | A 5610 | YD1 | | 15-APR-93 |
| | ASTM-C148-92 | POLARISCOPIC EXAMINATION OF GLASS CONTAINERS [CUST: SM AS 69] [REVIEW: 84 99 AR CR4 GL GS MI MR OS SA SH YD1] | A PACK | AS | | 15-JUL-92 |
| | ASTM-C149-77 | CONTAINERS, THERMAL SHOCK TEST ON [CUST: GL SA 99] [REVIEW: 84 GS MD] | A 7350 | GL | | 28-JAN-77 |
| A | ASTM-C150A-94 | CEMENT, PORTLAND [CUST: YD1 99] [REVIEW: CE SH] | A 5610 | YD1 | | 15-SEP-94 |
| | ASTM-C156-95 | WATER RETENTION BY CONCRETE CURING MATERIALS [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | | 15-MAR-95 |
| | ASTM-C157-93 | MORTAR AND CONCRETE, HARDENED HYDRAULIC-CEMENT, LENGTH CHANGE OF [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | | 15-JUN-93 |
| A | ASTM-C158-84 | GLASS BY FLEXURE (DETERMINATION OF MODULES OF RUPTURE, STRENGTH OF, STANDARD TEST METHODS FOR [CUST: CR4 YD1 99] [REVIEW: 84] | A 5620 | YD1 | | 28-DEC-84 |
| | ASTM-C159-95 | BLOCKS, VITRIFIED CLAY FILTER [CUST: CR4 YD1 99] [REVIEW: SH] | A 4610 | YD1 | | 10-OCT-95 |
| | ASTM-C162-96 | GLASS AND GLASS PRODUCTS, STANDARD TERMINOLOGY OF [CUST: EA SH 99] | A 9340 | MB | | 10-JUN-96 |
| A | ASTM-C165-95 | INSULATIONS, THERMAL, MEASURING COMPRESSIVE PROPERTIES OF [CUST: CE YD1 99] [REVIEW: MC MI OS SH] | A 5640 | YD1 | | 15-FEB-95 |
| | ASTM-C167-89 | BLANKET OR BATT THERMAL INSULATIONS, THICKNESS AND DENSITY OF, STANDARD TEST METHODS FOR [CUST: CR4 YD1 99] [REVIEW: 84 CE CG MC SH] | A 5640 | YD1 | | 10-JAN-89 |
| | ASTM-C169-92 | CHEMICAL ANALYSIS OF SODA-LIME AND BOROSILICATE GLASS [CUST: EA GS] [REVIEW: CR4 MD SH] | A 6810 | GS | | 15-MAY-92 |
| A | ASTM-C170-90 | DIMENSION STONE, COMPRESSIVE STRENGTH OF [CUST: CE YD1 99] [REVIEW: 84 MC] | A 5610 | CE | | 28-SEP-90 |
| | ASTM-C171-92 | SHEET MATERIALS FOR CURING CONCRETE [CUST: CE YD1 99] | A 5680 | YD1 | | 15-SEP-92 |
| | ASTM-C172-97 | CONCRETE, SAMPLING FRESHLY MIXED [CUST: CR4 YD1] [REVIEW: SH] | A 5610 | YD1 | | 10-AUG-97 |
| A | ASTM-C173-94 | AIR CONTENT OF FRESHLY MIXED CONCRETE BY THE VOLUMETRIC METHOD [CUST: CR4 YD1] | A 5610 | YD1 | | 15-APR-94 |
| | ASTM-C174-87R91 NOT 1 | CONCRETE CORES, MEASURING LENGTH OF DRILLED, STANDARD TEST METHOD FOR [CUST: YD1] [REVIEW: CE MC] | A 5620 | YD1 | | 31-MAR-92 |
| | ASTM-C177-97 | HEAT FLUX MEASUREMENTS AND THERMAL TRANSMISSION PROPERTIES BY MEANS OF THE GUARDED-HOT-PLATE APPARATUS, STEADY-STATE [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD1] | A 5640 | AS | | 10-FEB-97 |
| A | ASTM-C183-95 | CEMENT, HYDRAULIC, SAMPLING AND THE AMOUNT OF TESTING OF [CUST: CR4 YD1 99] [REVIEW: 84 CE MC SH] | A 5610 | YD1 | | 15-MAR-95 |
| | ASTM-C185-95 | MORTAR, HYDRAULIC CEMENT, AIR CONTENT OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | | 15-JUN-95 |
| | ASTM-C188-95 | CEMENT, HYDRAULIC, DENSITY OF [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | | 10-SEP-95 |
| A | ASTM-C192A-90 | CONCRETE, MAKING AND CURING TEST SPECIMENS IN THE LABORATORY [CUST: YD1] [REVIEW: 99 CE MC] | A 5610 | YD1 | | 20-JUN-91 |
| | ASTM-C195-90 | CEMENT, THERMAL INSULATING, MINERAL FIBER [CUST: YD1 99] [REVIEW: EA MI SH] | A 5640 | YD1 | | 26-JAN-90 |
| | ASTM-C196-93 | CEMENT, THERMAL INSULATING, EXPANDED OR EXFOLIATED VERMICULITE [CUST: YD1 99] [REVIEW: MC] | A 5640 | YD1 | | 15-JUL-93 |
| A | ASTM-C199-84 | MORTARS, REFRACTORY, PIER TEST [CUST: AR SH 99] | A 9350 | AR | | 27-JAN-84 |
| | ASTM-C203-85 | INSULATION, THERMAL BLOCK-TYPE, BREAKING LOAD AND FLEXURAL PROPERTIES OF, STANDARD TEST METHODS FOR [CUST: CR4 YD1 99] [REVIEW: 84 CE CG MC SH] | A 5640 | YD1 | | 26-JUL-85 |
| | ASTM-C206-84R92 | LIME, FINISHING HYDRATED [CUST: EA YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | | 25-MAY-84 |
| A | ASTM-C207-91R92 | LIME, HYDRATED, FOR MASONRY PURPOSES [CUST: EA YD1 99] [REVIEW: CE MC SM] | A 5610 | YD1 | | 15-SEP-91 |

| Doc Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|------------|--------------------|--|--------------------------|-----|-------------|------|
| | ASTM-C208-72 | BOARD, INSULATING (CELLULOSIC FIBER), STRUCTURAL AND DECORATIVE [CUST: CR4 YD1] [REVIEW: CE MC] | A 5640 | YD1 | 04-DEC-72 | |
| | ASTM-C209-92 | FIBER INSULATING BOARD, CELLULOSIC [CUST: CR4 YD1] [REVIEW: CE MC SH] | A 5640 | YD1 | 15-JUN-92 | |
| | ASTM-C210-85R90 | FIREBRICK, INSULATING, REHEAT CHANGE OF [CUST: CR4 SH 99] | A 9350 | SH | 26-JUL-85 | |
| | ASTM-C212-96 | TILE, STRUCTURAL CLAY FACING [CUST: YD1 99] | A 5620 | YD1 | 10-JUL-96 | |
| | ASTM-C215-91 | CONCRETE SPECIMENS, FUNDAMENTAL TRANSVERSE, LONGITUDINAL, AND TORSIONAL FREQUENCIES OF [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 15-OCT-91 | |
| | ASTM-C216-97 | BRICK, FACING, (SOLID MASONRY UNITS MADE FROM CLAY OR SHALE) [CUST: CR4 YD1] | A 5620 | YD1 | 10-JAN-97 | |
| | ASTM-C217-85 | SLATE, WEATHER RESISTANCE OF, STANDARD TEST METHODS FOR [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 27-DEC-85 | |
| | ASTM-C225-85R90 | GLASS CONTAINERS TO CHEMICAL ATTACK, RESISTANCE OF [CUST: GL SA 99] [REVIEW: 84 GS MD] | A 7350 | GL | 26-JUL-85 | |
| | ASTM-C226-95 | CEMENT, AIR-ENTRAINING PORTLAND, AIR-ENTRAINING ADDITIONS FOR USE IN THE MANUFACTURE OF [CUST: YD1 99] [REVIEW: CE] | A 5610 | YD1 | 15-JUN-95 | |
| | ASTM-C227-90 | CEMENT, AGGREGATE COMBINATIONS (MORTAR-BAR METHOD), POTENTIAL ALKALI REACTIVITY OF - 21 JUN 1990 [CUST: CR4 YD1 99] [REVIEW: 11 CE MC] | A 5610 | YD1 | 28-JUN-91 | |
| | ASTM-C231B-91 | AIR CONTENT OF FRESHLY MIXED CONCRETE BY THE PRESSURE METHOD [CUST: CR4 YD1] [REVIEW: SH] | A 5610 | YD1 | 15-NOV-91 | |
| | ASTM-C232-87 | CONCRETE, BLEEDING OF, STANDARD TEST METHODS FOR [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 08-JUN-87 | |
| | ASTM-C233-95 | AIR-ENTRAINING ADMIXTURES FOR CONCRETE [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | 10-SEP-95 | |
| | ASTM-C234A-91 | CONCRETES, COMPARING, ON THE BASIS OF THE BOND DEVELOPED WITH REINFORCING STEEL [CUST: CR4 YD1 99] [REVIEW: 84 CE MC SH] | A 5610 | YD1 | 15-APR-91 | |
| | ASTM-C236-89 | BUILDING ASSEMBLIES BY MEANS OF A GUARDED HOT BOX, STEADY-STATE THERMAL PERFORMANCE OF [CUST: CR4 YD1] [REVIEW: CE OS SH] | A 5640 | YD1 | 29-SEP-89 | |
| M | ASTM-C241-90R97 | STONE, SUBJECTED TO FOOT TRAFFIC, ABRASION RESISTANCE OF [CUST: CE YD1 11] | A 56GP | YD1 | 27-APR-90 | |
| | ASTM-C260-95 | CONCRETE, AIR-ENTRAINING ADMIXTURES FOR [CUST: CR4 YD1] [REVIEW: SH] | A 5610 | YD1 | 10-SEP-95 | |
| | ASTM-C267-96 | MORTARS, GROUTS AND MONOLITHIC SURFACINGS AND POLYMER CONCRETES, CHEMICAL RESISTANCE OF [CUST: CR4 YD1] [REVIEW: CG MC] | A 5610 | YD1 | 10-APR-96 | |
| A | ASTM-C270A-97 | MORTAR FOR UNIT MASONRY [CUST: CE YD1 99] | A 5610 | YD1 | 10-AUG-97 | |
| | ASTM-C272-91 | WATER ABSORPTION OF CORE MATERIALS FOR STRUCTURAL SANDWICH CONSTRUCTIONS [CUST: GL AS 99] | A 5680 | GL | 15-DEC-91 | |
| | ASTM-C273-61R88 | PROPERTIES IN FLATWISE PLANE OF FLAT SANDWICH CONSTRUCTIONS OR SANDWICH CORES [CUST: YD1 99] [REVIEW: 82 MC] | A FACR | YD1 | 18-SEP-61 | |
| | ASTM-C282-89R94 | PORCELAIN ENAMELS (CITRIC ACID SPOT TEST), ACID RESISTANCE OF [CUST: GL SH 99] | A 8010 | GL | 24-NOV-89 | |
| | ASTM-C286A-83 | PORCELAIN ENAMEL AND CERAMIC-METAL SYSTEMS [CUST: AT YD1 99] [REVIEW: 84] | A MFFP | AT | 26-AUG-83 | |
| | ASTM-C289-87 | AGGREGATES (CHEMICAL METHOD), POTENTIAL REACTIVITY OF [CUST: CR4 YD1] [REVIEW: 99 CE MC] | A 5610 | YD1 | 27-MAR-87 | |
| | ASTM-C293-79 | CONCRETE (USING SIMPLE BEAM WITH CENTER-POINT LOADING) FLEXURAL STRENGTH OF [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | 27-APR-79 | |
| | ASTM-C294-86R91 | AGGREGATES, NATURAL MINERAL, STANDARD DESCRIPTIVE NOMENCLATURE FOR CONSTITUENTS OF [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 28-NOV-86 | |
| | ASTM-C295-90 | CONCRETE, AGGREGATES FOR, PETROGRAPHIC EXAMINATION OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 26-OCT-90 | |
| | ASTM-C297-61R88 | PLANE, FLATWISE, IN FLAT SANDWICH CONSTRUCTIONS, TENSILE STRENGTH OF [CUST: MR AS 11] | A CMPS | AS | 18-SEP-61 | |
| | ASTM-C301-93 | PIPE, CLAY, VITRIFIED [CUST: YD1 99] [REVIEW: 84 MC] | A 5630 | YD1 | 15-AUG-93 | |
| | ASTM-C302-95 | INSULATION, THERMAL, PREFORMED PIPE-COVERING-TYPE, DENSITY AND DIMENSIONS OF [CUST: CR4 SH 99] | A 5640 | SH | 15-AUG-95 | |
| | ASTM-C303-90 | INSULATION, THERMAL, DENSITY OF PREFORMED BLOCK-TYPE [CUST: CR4 YD1 99] [REVIEW: 84 CE CG MC SH] | A 5640 | YD1 | 10-JAN-89 | |
| | ASTM-C307-94 | MORTAR, CHEMICAL-RESISTANT, GROUTS, AND MONOLITHIC SURFACINGS, TENSILE STRENGTH OF [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | 15-JUL-94 | |
| | ASTM-C309-95 | LIQUID MEMBRANE-FORMING COMPOUNDS FOR CURING CONCRETE [CUST: CR4 YD1 99] | A 5680 | YD1 | 10-SEP-95 | |
| | ASTM-C311B-96 | CEMENT CONCRETE, PORTLAND, SAMPLING AND TESTING FLY ASH OR NATURAL POZZOLANS FOR USE AS A MINERAL ADMIXTURE IN [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 10-JUL-96 | |
| | ASTM-C315-96 | CLAY FLUE LININGS [CUST: CE YD1 99] | A 5610 | YD1 | 10-SEP-96 | |
| | ASTM-C317-91 | GYPSUM CONCRETE [CUST: CR4 YD1 99] [REVIEW: MI] | A 5610 | YD1 | 15-MAR-91 | |
| | ASTM-C318-78 | GYPSUM FORMBOARD [CUST: CR4 YD1] | A 5620 | YD1 | 28-JUL-78 | |
| | ASTM-C321-94 | BOND STRENGTH OF CHEMICAL-RESISTANT MORTARS [CUST: MI 99] | A 5610 | MI | 15-JUL-94 | |
| | ASTM-C330-89 | AGGREGATES, LIGHTWEIGHT, FOR STRUCTURAL CONCRETE, STANDARD SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: SH] | A 5610 | YD1 | 27-OCT-89 | |
| | ASTM-C331-89 | CONCRETE MASONRY UNITS, LIGHTWEIGHT AGGREGATES FOR, STANDARD SPECIFICATION FOR [CUST: CE YD1 99] | A 5610 | YD1 | 27-OCT-89 | |
| | ASTM-C332-87R91 | CONCRETE, INSULATING, FOR LIGHTWEIGHT AGGREGATES [CUST: CE YD1 99] | A 5610 | YD1 | 27-MAR-87 | |
| | ASTM-C335-95 | INSULATION, HORIZONTAL PIPE, STEADY-STATE HEAT TRANSFER PROPERTIES OF [CUST: CR4 SH 99] | A 5640 | SH | 15-JAN-95 | |
| | ASTM-C336-71R91 | GLASS BY FIBER ELONGATION, ANNEALING POINT AND STRAIN POINT OF [CUST: GL SA 99] [REVIEW: 84 GS MD] | A 7350 | GL | 25-OCT-71 | |
| | ASTM-C338-93 | GLASS, SOFTENING POINT OF [CUST: GL SA 99] [REVIEW: 84 GS MD] | A 7350 | GL | 15-NOV-93 | |
| | ASTM-C347-57R78 | ENAMEL, WHITE PORCELAIN, REFLECTIVITY AND COEFFICIENT OF, SCATTER OF [CUST: AV YD1 99] [REVIEW: 84] | A MFFP | AV | 30-SEP-57 | |
| | ASTM-C356-87R92 | INSULATION, THERMAL, LINEAR SHRINKAGE OF PREFORMED HIGH-TEMPERATURE SUBJECTED TO SOAKING HEAT [CUST: CR4 SH 99] | A 5640 | SH | 28-AUG-87 | |
| | ASTM-C360-92 | BALL PENETRATION IN FRESHLY MIXED HYDRAULIC CEMENT CONCRETE [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | 15-DEC-92 | |
| | ASTM-C361-96 | CONCRETE, REINFORCED, LOW-HEAD PRESSURE PIPE [CUST: YD1 99] [REVIEW: MC] | A 5630 | YD1 | 10-JUN-96 | |
| | ASTM-C361M-96 | CONCRETE, REINFORCED, LOW-HEAD PRESSURE PIPE (METRIC) [CUST: YD1 99] [REVIEW: MC] | A 5630 | YD1 | 10-JUN-96 | |
| | ASTM-C365-57R88 | CORES, SANDWICH, FLATWISE COMPRESSIVE STRENGTH OF [CUST: GL YD1] [REVIEW: CE] | A FACR | YD1 | 30-SEP-57 | |
| | ASTM-C366-57R88 | MEASUREMENT OF THICKNESS OF SANDWICH CORES [CUST: AS 11] | A 5680 | AS | 30-SEP-57 | |
| | ASTM-C390-79R89 | INSULATION, PREFORMED THERMAL LOTS, SAMPLING AND ACCEPTANCE OF [CUST: CR4 YD1 99] [REVIEW: 84 CE CG MC SH] | A 5640 | YD1 | 28-DEC-79 | |
| | ASTM-C393-62R88 | PROPERTIES, FLEXURAL OF FLAT SANDWICH CONSTRUCTIONS [CUST: MR AS 99] | A 9530 | AS | 28-SEP-62 | |
| | ASTM-C395-95 | MORTARS, CHEMICAL-RESISTANT RESIN [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | 10-SEP-95 | |
| | ASTM-C401-91 | ALUMINA AND ALUMINO-SILICATE, CASTABLE REFRACTORIES [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | 25-JAN-91 | |
| | ASTM-C403/C403M-95 | MIXTURES, CONCRETE, BY PENETRATION RESISTANCE, TIME OF SETTING OF [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 15-JUN-95 | |
| | ASTM-C404-94 | MASONRY GROUT, AGGREGATES FOR [CUST: CE YD1 99] | A 5610 | YD1 | 15-SEP-94 | |
| | ASTM-C408-88 | CERAMICS, THERMAL CONDUCTIVITY OF WHITEWARE [CUST: CR SH 85] [REVIEW: AR] | A 5970 | GS | 30-SEP-88 | |
| A | ASTM-C411-97 | INSULATION, THERMAL, HOT-SURFACE PERFORMANCE OF HIGH-TEMPERATURE [CUST: CR4 SH 99] | A 5640 | SH | 10-MAY-97 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Aves | MCA | Prep. Acty. | Date |
|------------|--------------------|--|-----------------------|-----|-------------|------|
| | ASTM-C412-90 | CONCRETE DRAIN TILE [CUST: YD1 99] [REVIEW: CE MC] | A 5630 | YD1 | 17-JUL-90 | |
| | ASTM-C412M-90 | CONCRETE DRAIN TILE, (METRIC) [CUST: YD1 99] [REVIEW: CE MC] | A 5630 | YD1 | 29-JUN-90 | |
| | ASTM-C413-83R88 | MORTARS, GROUTS, CHEMICAL-RESISTANT, AND MONOLITHIC SURFACINGS, ABSORPTION OF [CUST: CR4 YD1] [REVIEW: CE MC SH] | A 5610 | YD1 | 28-NOV-83 | |
| | ASTM-C414-83R88 | WORKING, SETTING, AND CURING TIMES OF CHEMICALLY SETTING CHEMICAL-RESISTANT SILICATE AND SILICA MORTARS [CUST: MI SH 99] [REVIEW: 84 GS MR] | A 9350 | MI | 26-AUG-83 | |
| | ASTM-C418-90 | CONCRETE, ABRASION RESISTANCE OF, BY SANDBLASTING [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | 26-OCT-90 | |
| | ASTM-C421-88 | INSULATION, THERMAL, TUMBLING FRIABILITY OF PREFORMED BLOCK-TYPE [CUST: CR4 SH 99] | A 5640 | SH | 30-SEP-88 | |
| | ASTM-C423A-90 | SOUND ABSORPTION AND SOUND ABSORPTION COEFFICIENTS BY THE REVERBERATION ROOM METHOD [CUST: CR4 YD1 99] [REVIEW: 11 CE MC] | A 5640 | YD1 | 30-MAR-90 | |
| | ASTM-C425-96 | CLAY PIPE AND FITTINGS, VITRIFIED, COMPRESSION JOINTS FOR [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5630 | YD1 | 10-SEP-96 | |
| | ASTM-C426-70R93 | BLOCK, CONCRETE, DRYING SHRINKAGE OF [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5620 | YD1 | 27-FEB-70 | |
| | ASTM-C442-95 | GYPSON BACKING BOARD AND COREBOARD [CUST: CR4 YD1 99] [REVIEW: 84] | A 5640 | YD1 | 10-SEP-95 | |
| | ASTM-C443MA-85 | PIPE, JOINTS FOR CIRCULAR CONCRETE SEWER AND CULVERT, USING RUBBER GASKETS, STANDARD SPECIFICATION FOR - 27 DEC 85 [CUST: CR4 YD1] [REVIEW: CE NC] | A 5630 | CR4 | 01-JUN-88 | |
| | ASTM-C443A-85 | JOINTS FOR CIRCULAR CONCRETE SEWER AND CULVERT PIPE, USING RUBBER GASKETS [CUST: YD1 99] [REVIEW: CE MC] | A 5630 | YD1 | 27-DEC-85 | |
| | ASTM-C444-95 | PIPE, PERFORATED CONCRETE [CUST: YD1 99] [REVIEW: CE CR4] | A 5630 | YD1 | 15-JUN-95 | |
| | ASTM-C444M-95 | PIPE, PERFORATED CONCRETE, (METRIC) [CUST: YD1 99] [REVIEW: CE CR4] | A 5630 | YD1 | 15-JUN-95 | |
| | ASTM-C449/C449M-95 | MINERAL FIBER HYDRAULIC-SETTING THERMAL INSULATING AND FINISHING CEMENT [CUST: CR4 YD1 99] | A 5610 | YD1 | 15-AUG-95 | |
| | ASTM-C470-94 | MOLDS FOR FORMING CONCRETE TEST CYLINDERS VERTICALLY [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 15-MAR-94 | |
| | ASTM-C472-93 | GYPSON, GYPSON PLASTERS AND GYPSON CONCRETE, PHYSICAL TESTING OF [CUST: YD1] [REVIEW: CE] | A 5610 | YD1 | 15-AUG-93 | |
| | ASTM-C475-93 | COMPOUND, JOINT, AND JOINT TAPE FOR FINISHING GYPSON BOARD [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 15-SEP-93 | |
| | ASTM-C476-91 | GROUT FOR MASONRY [CUST: CE YD1 99] | A 5610 | YD1 | 23-DEC-91 | |
| | ASTM-C478A-95 | MANHOLE SECTIONS, CONCRETE, PRECAST REINFORCED [CUST: YD1 99] [REVIEW: CE MC] | A 5630 | YD1 | 10-SEP-95 | |
| | ASTM-C478MA-95 | MANHOLE SECTIONS, CONCRETE, PRECAST REINFORCED (METRIC) [CUST: YD1] [REVIEW: CE MC] | A 5630 | YD1 | 10-SEP-95 | |
| | ASTM-C481-94 | CONSTRUCTIONS, SANDWICH, LABORATORY AGING OF [CUST: CR4 YD1 99] [REVIEW: 70 71 MC] | A FACR | YD1 | 15-NOV-94 | |
| | ASTM-C494-92 | CONCRETE, CHEMICAL ADMIXTURES FOR [CUST: CR4 YD1] [REVIEW: GS SH] | A 6850 | YD1 | 15-JUN-92 | |
| | ASTM-C495A-91 | CONCRETE, LIGHTWEIGHT INSULATING, COMPRESSIVE STRENGTH OF [CUST: CE YD1 99] | A 5610 | YD1 | 15-NOV-91 | |
| | ASTM-C496-96 | CONCRETE SPECIMENS, CYLINDRICAL, SPLITTING TENSILE STRENGTH OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 10-JAN-96 | |
| | ASTM-C497A-95 | CONCRETE PIPE, MANHOLE SECTIONS, OR TILE [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5630 | YD1 | 15-APR-95 | |
| | ASTM-C497MA-95 | CONCRETE PIPE, MANHOLE SECTIONS, OR TILE (METRIC) [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5630 | YD1 | 15-APR-95 | |
| | ASTM-C498-95 | DRAIN, PERFORATED CLAY TILE [CUST: YD1 99] | A 5630 | YD1 | 10-OCT-95 | |
| | ASTM-C499-78R94 | CERAMIC WALL AND FLOOR TILE, FLAT, RECTANGULAR, FACIAL DIMENSIONS AND THICKNESS OF [CUST: MR YD1 99] | A 5620 | MR | 29-DEC-78 | |
| | ASTM-C506-95 | CONCRETE ARCH CULVERT, STORM DRAIN, AND SEWER PIPE, REINFORCED [CUST: YD1] [REVIEW: CE MC] | A 5630 | YD1 | 15-APR-95 | |
| | ASTM-C506M-95 | CONCRETE ARCH CULVERT, REINFORCED, STORM DRAIN, AND SEWER PIPE (METRIC) [CUST: YD1] [REVIEW: CE MC] | A 5630 | YD1 | 15-APR-95 | |
| | ASTM-C507-95 | CONCRETE, REINFORCED, ELLIPTICAL CULVERT, STORM DRAIN, AND SEWER PIPE [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5630 | YD1 | 15-APR-95 | |
| | ASTM-C507M-95 | CONCRETE, REINFORCED, ELLIPTICAL CULVERT, STORM DRAIN, AND SEWER PIPE, (METRIC) [CUST: CR4 YD1] [REVIEW: MC] | A 5630 | YD1 | 15-APR-95 | |
| | ASTM-C509-94 | GASKET AND SEALING MATERIAL, PREFORMED, ELASTOMERIC CELLULAR [CUST: MR YD1 99] | A 5330 | YD1 | 15-JUN-94 | |
| A | ASTM-C513-89 | CONCRETE, HARDENED LIGHTWEIGHT INSULATING FOR COMPRESSIVE STRENGTH, OBTAINING AND TESTING SPECIMENS OF [CUST: CE YD1 99] | A 5610 | YD1 | 28-APR-89 | |
| A | ASTM-C514-90 | NAILS FOR THE APPLICATION OF GYPSONBOARD [CUST: EA YD1 99 IS] | A 5315 | IS | 18-MAY-90 | |
| | ASTM-C516-80 | INSULATION, THERMAL, LOOSE FILL, VERMICULITE, STANDARD SPECIFICATION FOR [CUST: YD1 99] [REVIEW: CE CR4 MC OS] | A 5640 | YD1 | 31-OCT-80 | |
| | ASTM-C518-91 | HEAT, STEADY-STATE, FLUX MEASUREMENTS AND THERMAL TRANSMISSION PROPERTIES BY MEANS OF THE HEAT FLOW METER APPARATUS [CUST: CR4 YD1] [REVIEW: 84 CE SH] | A 5640 | YD1 | 15-JUL-91 | |
| | ASTM-C520-91 | INSULATIONS, GRANULAR LOOSE FILL, DENSITY OF [CUST: GL YD1 99] | A 5640 | GL | 15-AUG-91 | |
| | ASTM-C531-95 | CONCRETES, MORTARS, GROUTS, MONOLITHIC SURFACINGS, AND POLYMER, CHEMICAL-RESISTANT, LINEAR SHRINKAGE AND COEFFICIENT OF THERMAL EXPANSION OF [CUST: CR4 YD1 99] [REVIEW: CE MC SH] | A 5610 | YD1 | 15-JAN-95 | |
| | ASTM-C532-66 | FORMBOARD, STRUCTURAL INSULATING, (CELLULOSIC FIBER), STANDARD SPECIFICATION FOR [CUST: CR4 YD1] [REVIEW: CE MC] | A 5640 | YD1 | 20-SEP-66 | |
| | ASTM-C533-95 | CALCIUM SILICATE BLOCK AND PIPE THERMAL INSULATION [CUST: CR4 YD1] [REVIEW: CG MR] | A 5640 | YD1 | 15-SEP-95 | |
| | ASTM-C534-88 | INSULATION, THERMAL, INSULATION IN SHEET AND TUBULAR FORM, PREFORMED FLEXIBLE ELASTOMERIC CELLULAR [CUST: CR4 YD1] [REVIEW: CE MC SH] | A 5640 | YD1 | 29-JAN-88 | |
| | ASTM-C535-89 | AGGREGATE, LARGE SIZE COARSE, RESISTANCE TO DEGRADATION OF, BY ABRASION AND IMPACT IN THE LOS ANGELES MACHINE, STANDARD TEST METHOD FOR [CUST: YD1] [REVIEW: 99 CE MC] | A 5610 | YD1 | 28-APR-89 | |
| | ASTM-C542-94 | GASKETS, LOCK-STRIP [CUST: AL YD1 99] [REVIEW: 84 CE GS OS SH] | A 5330 | YD1 | 15-APR-94 | |
| | ASTM-C547-95 | FIBER, MINERAL, PIPE INSULATION [CUST: CR4 YD1] [REVIEW: CG MC MI] | A 5640 | YD1 | 15-FEB-95 | |
| | ASTM-C549-81R86 | INSULATION, PERLITE LOOSE FILL - 30 OCT 1981 (REAPPROVED 1986) [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5640 | YD1 | 15-MAY-87 | |
| | ASTM-C550-81 | BLOCK, RIGID THERMAL INSULATION, MEASURING TRUENESS AND SQUARENESS OF, STANDARD PRACTICE FOR [CUST: CR4 YD1 99] [REVIEW: 84 CE CG MC SH] | A 5640 | YD1 | 27-MAR-81 | |
| A | ASTM-C552-91 | GLASS, CELLULAR, THERMAL INSULATION [CUST: CR4 YD1] [REVIEW: CE CG SH] | A 5640 | YD1 | 15-JUL-91 | |
| | ASTM-C553-92 | MINERAL FIBER BLANKET THERMAL INSULATION FOR COMMERCIAL AND INDUSTRIAL APPLICATIONS [CUST: CR4 YD1] [REVIEW: CG MC MI] | A 5640 | YD1 | 15-FEB-92 | |
| | ASTM-C557A-93 | ADHESIVES FOR FASTENING GYPSON WALLBOARD TO WOOD FRAMING [CUST: YD1 99] | A 8040 | YD1 | 15-DEC-93 | |
| | ASTM-C561-91 | ASH IN A GRAPHITE SAMPLE [CUST: EA SH 68] | A 6810 | SH | 22-FEB-91 | |
| | ASTM-C562-91 | MOISTURE IN A GRAPHITE SAMPLE [CUST: EA 11] [REVIEW: AS CR4 DS GL MD SH] | A 6810 | GS | 22-FEB-91 | |
| M | ASTM-C564-97 | RUBBER GASKETS FOR CAST IRON SOIL PIPE AND FITTINGS [CUST: CE YD1 99] | A 5330 | YD1 | 10-DEC-97 | |
| | ASTM-C566-89 | AGGREGATE, TOTAL MOISTURE CONTENT OF BY DRYING, STANDARD TEST METHOD FOR [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 27-OCT-89 | |
| A | ASTM-C567-91 | CONCRETE, STRUCTURAL LIGHTWEIGHT, UNIT WEIGHT OF [CUST: CR4 YD1] [REVIEW: SH] | A 5610 | YD1 | 15-MAR-91 | |
| | ASTM-C568-96 | STONE, LIMESTONE DIMENSION [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | 10-DEC-96 | |
| | ASTM-C570-94 | OIL AND RESIN-BASE CAULKING COMPOUND FOR BUILDING CONSTRUCTION [CUST: MR YD1] [REVIEW: CE MC] | A 8030 | YD1 | 15-APR-94 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------|---|--------------------------|-----|-------------|------|
| ASTM-C571-81 | REFRACTORIES, CARBON & CARBON CERAMIC, CHEMICAL ANALYSIS OF - 28 DEC 81 [CUST: CR4 SH] [REVIEW: CG MR] | A 9350 | SH | 23-SEP-85 | |
| ASTM-C573-81R90 | CHEMICAL ANALYSIS OF FIRECLAY AND HIGH-ALUMINA REFRACTORIES [CUST: CR4 SH] [REVIEW: CE MC] | A 9350 | SH | 28-DEC-81 | |
| ASTM-C575-81R90 | CHEMICAL ANALYSIS OF SILICA REFRACTORIES [CUST: CR4 YD1 99] | A 9350 | YD1 | 28-DEC-81 | |
| ASTM-C578-95 | INSULATION, THERMAL, RIGID, CELLULAR POLYSTYRENE [CUST: CR4 YD1] | A 5640 | YD1 | 10-OCT-95 | |
| ASTM-C579-96 | MORTARS, GROUTS, MONOLITHIC SURFACINGS, AND POLYMER CONCRETES, COMPRESSIVE STRENGTH OF CHEMICAL-RESISTANT [CUST: CR4 YD1] [REVIEW: CE MC SH] | A 5610 | YD1 | 10-APR-96 | |
| ASTM-C580-85R90 NOT 1 | FLEXURAL STRENGTH AND MODULUS OF ELASTICITY OF CHEMICAL-RESISTANT MORTARS, GROUTS, AND MONOLITHIC SURFACINGS [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | 28-JUN-85 | |
| ASTM-C581-94 | CHEMICAL RESISTANCE OF THERMOSETTING RESINS USED IN GLASS-FIBER-REINFORCED STRUCTURES INTENDED FOR LIQUID SERVICE [CUST: MI SH 68] | A 9330 | MI | 15-MAR-94 | |
| ASTM-C582-87 | PLASTIC (RTP) LAMINATES FOR CORROSION RESISTANT EQUIPMENT, CONTACT-MOLDED REINFORCED THERMOSETTING [CUST: MR YD1 99] [REVIEW: GS SH] | A 9330 | YD1 | 30-OCT-87 | |
| A ASTM-C586-92 | ROCKS, CARBONATE, FOR CONCRETE AGGREGATES (ROCK CYLINDER METHOD), POTENTIAL ALKALI REACTIVITY OF [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 15-APR-92 | |
| ASTM-C587-91 | GYPSUM VENEER PLASTER [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 5610 | YD1 | 15-MAR-91 | |
| ASTM-C588-95 | GYPSUM BASE FOR VENEER PLASTERS [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 10-SEP-95 | |
| ASTM-C591-85 | INSULATION, UNFACED PREFORMED RIGID CELLULAR POLYURETHANE THERMAL [CUST: YD1] [REVIEW: CE] | A 5640 | YD1 | 25-JAN-85 | |
| ASTM-C592-80 NOT 1 | MINERAL FIBER BLANKET INSULATION & BLANKET TYPE PIPE INSULATION (METAL MESH COVERED) (INDUSTRIAL TYPE) - 25 NOV 80 [CUST: CR4 YD1] [REVIEW: CG MC MI] | A 5640 | YD1 | 01-JUN-87 | |
| ASTM-C595-94 | CEMENTS, BLENDED HYDRAULIC [CUST: CR4 YD1 99] [REVIEW: CE SH] | A 5610 | YD1 | 15-FEB-94 | |
| ASTM-C595M-97 | CEMENTS, BLENDED HYDRAULIC (METRIC) [CUST: CR4 YD1 99] [REVIEW: CE SH] | A 5610 | YD1 | 10-FEB-97 | |
| ASTM-C597-83 | CONCRETE, PULSE VELOCITY THROUGH [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 26-OCT-83 | |
| ASTM-C602A-95 | MATERIALS, AGRICULTURAL LIMING [CUST: YD1 68] [REVIEW: GS] | A 6810 | YD1 | 10-NOV-95 | |
| ASTM-C603-90 | SEALANTS, ELASTOMERIC, EXTRUSION RATE AND APPLICATION LIFE OF [CUST: MR YD1 99] | A 8030 | YD1 | 25-MAY-90 | |
| ASTM-C610-85 | INSULATION, EXPANDED PERLITE BLOCK & PIPE THERMAL - 29 MAR 1985 [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5640 | YD1 | 30-MAR-88 | |
| ASTM-C612-93 | MINERAL FIBER BLOCK AND BOARD THERMAL INSULATION [CUST: CR4 YD1] [REVIEW: CG MC MI] | A 5640 | YD1 | 15-MAY-93 | |
| ASTM-C613-67R90 | RESIN CONTACT OF CARBON AND GRAPHITE PREPREGS BY SOLVENT EXTRACTION [CUST: MR SH 99] [REVIEW: AR AS AV EC GL MD OS] | A CMPS | MR | 12-DEC-67 | |
| ASTM-C615-96 | GRANITE DIMENSION STONE [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | 10-SEP-96 | |
| M ASTM-C616-97 | STONE, QUARTZ-BASED DIMENSION [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | 10-DEC-97 | |
| ASTM-C617-87 | CONCRETE SPECIMENS, STANDARD PRACTICE FOR CAPPING CYLINDRICAL [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 31-DEC-87 | |
| ASTM-C618-95 | COAL FLY ASH AND RAW OR CALCINED NATURAL POZZOLAN FOR USE AS A MINERAL ADMIXTURE IN PORTLAND CEMENT CONCRETE [CUST: CR4 YD1 99] [REVIEW: SH] | A 5610 | YD1 | 10-SEP-95 | |
| M ASTM-C629-97 | STONE, SLATE DIMENSION [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | 10-SEP-97 | |
| ASTM-C630A-95 | WATER-RESISTANT GYPSUM BACKING BOARD [CUST: YD1 99] [REVIEW: 84] | A 5640 | YD1 | 10-DEC-95 | |
| ASTM-C633-79R93 | ADHESION OR COHESIVE STRENGTH OF FLAME-SPRAYED COATINGS [CUST: MR SH] [REVIEW: AS] | A 8040 | SH | 28-DEC-79 | |
| ASTM-C635-91 | CEILINGS, AND ACOUSTICAL TILE AND LAY-IN PANEL, METAL SUSPENSION SYSTEMS FOR [CUST: YD1] [REVIEW: CE CR4] | A 5640 | YD1 | 15-JUL-91 | |
| ASTM-C636-96 | TILE AND LAY-IN PANELS, ACOUSTICAL, INSTALLATION OF METAL CEILING SUSPENSION SYSTEMS FOR [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5640 | YD1 | 10-JUN-96 | |
| ASTM-C637-84 | CONCRETE, RADIATION-SHIELDING, AGGREGATES FOR, STANDARD SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 27-APR-84 | |
| ASTM-C638-92 | CONCRETE, RADIATION-SHIELDING, CONSTITUENTS OF AGGREGATES FOR [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 15-MAR-92 | |
| ASTM-C639-95 | SEALANTS, ELASTOMERIC, RHEOLOGICAL (FLOW) PROPERTIES OF [CUST: MR YD1 99] | A 8030 | YD1 | 15-APR-95 | |
| ASTM-C640-83 | CORK BOARD AND CORK TYPE THERMAL INSULATION, SPECIFICATION FOR ADOPTED 28 JAN 83 [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5640 | 84 | 06-AUG-86 | |
| ASTM-C641-82R91 | MATERIALS, STAINING, IN LIGHTWEIGHT CONCRETE AGGREGATES [CUST: CE YD1 11] | A 5610 | YD1 | 26-NOV-82 | |
| ASTM-C645-96 | STEEL FRAMING MEMBERS, NONSTRUCTURAL [CUST: CR4 YD1 99] | A 5640 | YD1 | 10-JUN-96 | |
| ASTM-C651-91 | CARBON AND GRAPHITE ARTICLES, MANUFACTURED, USING FOUR-POINT LOADING AT ROOM TEMPERATURE, FLEXURAL STRENGTH OF [CUST: MI YD1 99] | A 9390 | YD1 | 15-JUN-91 | |
| ASTM-C652-97 | BRICK, HOLLOW, (HOLLOW MASONRY UNITS MADE FROM CLAY OR SHALE) [CUST: CR4 YD1 99] | A 5620 | YD1 | 10-JAN-97 | |
| ASTM-C654-95 | PIPE, POROUS CONCRETE [CUST: YD1] [REVIEW: CE MC] | A 5630 | YD1 | 10-OCT-95 | |
| ASTM-C654M-95 | PIPE, POROUS CONCRETE (METRIC) [CUST: YD1] [REVIEW: CE MC] | A 5630 | YD1 | 10-OCT-95 | |
| ASTM-C655-95 | CULVERT, STORM DRAIN, AND SEWER PIPE, CONCRETE D-LOAD, REINFORCED [CUST: YD1 99] [REVIEW: 84 CE MC] | A 5630 | YD1 | 10-SEP-95 | |
| ASTM-C655M-95 | CULVERT, STORM DRAIN, AND SEWER PIPE, CONCRETE D-LOAD, REINFORCED (METRIC) [CUST: YD1 99] [REVIEW: 84 CE MC] | A 5630 | YD1 | 10-SEP-95 | |
| ASTM-C658-92 | GROUTS, CHEMICAL-RESISTANT RESIN, FOR BRICK OR TILE [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | 15-JAN-92 | |
| ASTM-C661-91 | SEALANTS BY MEANS OF A DUROMETER, ELASTOMERIC-TYPE, INDENTATION HARDNESS OF [CUST: MR YD1 99] [REVIEW: 84 CE MC SH] | A 8030 | YD1 | 15-APR-91 | |
| ASTM-C663-83 | PIPE, STORM DRAIN, ASBESTOS-CEMENT, STANDARD SPECIFICATION FOR - 22 MAR 83 [CUST: YD1 99] | A 5630 | YD1 | 11-MAY-84 | |
| ASTM-C665-94 | MINERAL-FIBER BLANKET THERMAL INSULATION FOR LIGHT FRAME CONSTRUCTION AND MANUFACTURED HOUSING [CUST: YD1 99] [REVIEW: 84 CE MC] | A 5640 | YD1 | 15-SEP-94 | |
| ASTM-C666-92 | CONCRETE, RESISTANCE OF, TO RAPID FREEZING AND THAWING [CUST: CR4 YD1 11] | A 5610 | YD1 | 15-SEP-92 | |
| ASTM-C669-95 | METAL SASH, GLAZING COMPOUNDS FOR BACK BEDDING AND FACE GLAZING OF [CUST: MR YD1 99] [REVIEW: 84] | A 8030 | YD1 | 15-APR-95 | |
| ASTM-C670-96 | MATERIALS, CONSTRUCTION, PREPARING PRECISION AND BIAS STATEMENTS FOR TEST METHODS FOR [CUST: CR4 YD1 99] [REVIEW: 84 CE SH] | A 5610 | YD1 | 10-MAY-96 | |
| ASTM-C679-87R92 | SEALANTS, ELASTOMERIC, TACK-FREE TIME OF [CUST: MR YD1 99] [REVIEW: 84 CE MC SH] | A 8030 | YD1 | 27-NOV-87 | |
| ASTM-C685-95 | CONCRETE MADE BY VOLUMETRIC BATCHING AND CONTINUOUS MIXING [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 10-SEP-95 | |
| ASTM-C695-91 | CARBON AND GRAPHITE, COMPRESSIVE STRENGTH OF [CUST: MI YD1 99] | A 9390 | MI | 22-FEB-91 | |
| ASTM-C700-96 | PIPE, CLAY, VITRIFIED, EXTRA STRENGTH, STANDARD STRENGTH, AND PERFORATED [CUST: YD1] [REVIEW: CC CE MC] | A 5630 | YD1 | 10-SEP-96 | |
| ASTM-C702-93 | SAMPLES, REDUCING, OF AGGREGATE TO TESTING SIZE [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 15-SEP-93 | |
| ASTM-C719-93 | SEALANTS, ELASTOMERIC JOINT, UNDER CYCLIC MOVEMENT (HOCKMAN CYCLE), ADHESION AND COHESION OF [CUST: MR YD1 99] | A 8030 | YD1 | 15-NOV-93 | |
| ASTM-C721-81R92 | POWDERS, ALUMINA AND SILICA, BY AIR PERMEABILITY, AVERAGE PARTICLE SIZE OF [CUST: EA YD1 68] | A 6810 | YD1 | 28-AUG-81 | |

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|---------------------|--|--------------------------|-----|-------------|------|
| A | ASTM-C725-90 | SIDING, FIBER, SEMIDENSE MINERAL [CUST: YD1] [REVIEW: 99 CE] | A 5640 | YD1 | 26-OCT-90 | |
| | ASTM-C726-93 | MINERAL FIBER ROOF INSULATION BOARD [CUST: CR4 YD1 99] [REVIEW: CE CG] | A 5640 | YD1 | 15-FEB-93 | |
| | ASTM-C728-97 | BOARD, THERMAL INSULATION, PERLITE [CUST: CR4 YD1] | A 5640 | YD1 | 10-MAY-97 | |
| | ASTM-C732-82R87 | SEALANTS, LATEX, ARTIFICIAL WEATHERING ON, AGING EFFECTS OF [CUST: MR YD1 99] [REVIEW: 84 CE MC SH] | A 8030 | YD1 | 28-MAY-82 | |
| A | ASTM-C739-91 | FIBER, CELLULOSIC (WOOD-BASE) LOOSE-FILL THERMAL INSULATION [CUST: YD1 99] [REVIEW: 84] | A 5640 | YD1 | 15-JUL-91 | |
| A | ASTM-C744-97 | MASONRY UNITS, SILICATE, PREFACED CONCRETE AND CALCIUM [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5620 | YD1 | 10-JAN-97 | |
| A | ASTM-C754-97 | STEEL FRAMING MEMBERS TO RECEIVE SCREW-ATTACHED GYPSUM PANEL PRODUCTS, INSTALLATION OF [CUST: YD1] [REVIEW: CE] | A 5640 | YD1 | 10-APR-97 | |
| | ASTM-C764-91 | MINERAL FIBER LOOSE-FILL THERMAL INSULATION [CUST: YD1] | A 5640 | YD1 | 15-JUL-91 | |
| | ASTM-C778A-92 | SAND, STANDARD [CUST: YD1] | A 5610 | YD1 | 15-NOV-92 | |
| | ASTM-C780-96 | MORTARS FOR PLAIN AND REINFORCED UNIT MASONRY, PRECONSTRUCTION AND CONSTRUCTION EVALUATION OF [CUST: CR4 YD1 99] | A 5610 | YD1 | 10-JAN-96 | |
| | ASTM-C792-93 | SEALANTS, ELASTOMERIC, EFFECTS OF HEAT AGING ON WEIGHT LOSS, CRACKING, AND CHALKING OF [CUST: YD1] | A 8030 | YD1 | 15-APR-93 | |
| | ASTM-C793-91 | SEALANTS, ELASTOMERIC JOINT, EFFECTS OF ACCELERATED WEATHERING ON [CUST: MR YD1 99] [REVIEW: 84 MC SH] | A 8030 | YD1 | 15-APR-91 | |
| | ASTM-C794-93 | SEALANTS, JOINT, ELASTOMERIC, ADHESION-IN-PEEL, TEST METHOD FOR [CUST: MR AS 99] | A 8030 | AS | 15-NOV-93 | |
| | ASTM-C795-92 | INSULATION, THERMAL, FOR USE IN CONTACT WITH AUSTENITIC STAINLESS STEEL [CUST: CR4 YD1 99] [REVIEW: 89 CE MC MI] | A 5640 | YD1 | 15-JUN-92 | |
| | ASTM-C796A-87R93 | AGENTS, FOAMING, FOR USE IN PRODUCING CELLULAR CONCRETE USING PREFORMED FOAM [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5680 | YD1 | 27-NOV-87 | |
| | ASTM-C800-94 | GLASS FIBER BLANKET INSULATION (AIRCRAFT TYPE) [CUST: AS 99 CT] | A 8320 | CT | 15-APR-94 | |
| | ASTM-C805-85 | CONCRETE, HARDENED, REBOUND NUMBER OF, STANDARD TEST METHOD FOR [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 27-SEP-85 | |
| | ASTM-C811-96 | CONCRETE, SURFACE PREPARATION OF, FOR APPLICATION OF CHEMICAL-RESISTANT RESIN MONOLITHIC SURFACINGS [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 10-SEP-96 | |
| | ASTM-C816-85R92 | SULFUR IN GRAPHITE BY COMBUSTION-IODOMETRIC TITRATION METHOD [CUST: EA SH 68] | A 6810 | SH | 26-JUL-85 | |
| | ASTM-C822-93 | CONCRETE PIPE AND RELATED PRODUCTS [CUST: YD1 99] [REVIEW: CE MC] | A 5630 | YD1 | 15-AUG-93 | |
| | ASTM-C823-95 | EXAMINATION AND SAMPLING OF HARDENED CONCRETE IN CONSTRUCTIONS [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 10-NOV-95 | |
| | ASTM-C827A-95 | MIXTURES, CYLINDRICAL SPECIMENS FROM CEMENTITIOUS, CHANGE IN HEIGHT AT EARLY AGES OF [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | 15-APR-95 | |
| | ASTM-C828-90 | PIPE LINES, CLAY, VITRIFIED, LOW-PRESSURE AIR TEST OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5630 | YD1 | 05-MAR-90 | |
| | ASTM-C834-91 | LATEX SEALANTS [CUST: YD1] [REVIEW: CE OS SH] | A 8030 | YD1 | 15-OCT-91 | |
| | ASTM-C836-95 | MEMBRANE, COLD LIQUID-APPLIED ELASTOMERIC WATERPROOFING, FOR USE WITH SEPARATE WEARING COURSE, HIGH SOLIDS CONTENT [CUST: CE YD1 99] | A 5680 | YD1 | 10-DEC-95 | |
| | ASTM-C840-96 | APPLICATION AND FINISHING OF GYPSUM BOARD [CUST: YD1] [REVIEW: 99 CE CR4] | A 5640 | YD1 | 10-AUG-96 | |
| | ASTM-C841-90 | INSTALLATION OF INTERIOR LATHING AND FURRING [CUST: CR4 YD1 99] [REVIEW: CE] | A 5640 | YD1 | 31-AUG-90 | |
| | ASTM-C843-92 | APPLICATION OF GYPSUM VENEER PLASTER [CUST: YD1] [REVIEW: CE] | A 5640 | YD1 | 15-JAN-92 | |
| | ASTM-C844-85R90 | APPLICATION OF GYPSUM BASE TO RECEIVE GYPSUM VENEER PLASTER [CUST: YD1] [REVIEW: CE] | A 5640 | YD1 | 30-APR-85 | |
| | ASTM-C847-95 | METAL LATH [CUST: CR4 YD1 99] | A 5680 | YD1 | 10-OCT-95 | |
| | ASTM-C860-91 | CONCRETES, REFRACTORY, DETERMINING AND MEASURING CONSISTENCY OF [CUST: CR4 SH 99] | A 9350 | SH | 25-JAN-91 | |
| | ASTM-C862-91 | CONCRETE SPECIMENS BY CASTING, PREPARING REFRACTORY [CUST: CR4 SH 99] | A 9350 | SH | 15-DEC-91 | |
| | ASTM-C864-93 | GASKETS, SEAL, SETTING BLOCKS, AND SPACERS, DENSE ELASTOMERIC COMPRESSION [CUST: CR4 YD1 99 IS] | A 5330 | IS | 15-SEP-93 | |
| | ASTM-C865-91 | CONCRETE SPECIMENS, FIRING REFRACTORY [CUST: CR4 SH 99] | A 9350 | SH | 15-JUL-91 | |
| | ASTM-C873-94 | CYLINDERS, CONCRETE, CAST IN PLACE IN CYLINDRICAL MOLDS, COMPRESSIVE STRENGTH OF [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 15-MAR-94 | |
| | ASTM-C881-90 | CONCRETE, EPOXY-RESIN-BASE BONDING SYSTEMS - 30 MAR 1990 [CUST: CR4 YD1 99] [REVIEW: CE SH] | A 5610 | YD1 | 12-JUL-91 | |
| | ASTM-C882-91 | BOND STRENGTH OF EPOXY-RESIN SYSTEMS USED WITH CONCRETE BY SLANT SHEAR [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 5610 | YD1 | 08-MAR-93 | |
| | ASTM-C883-89 | CONCRETE, EFFECTIVE SHRINKAGE OF EPOXY-RESIN SYSTEMS USED WITH, STANDARD TEST METHOD FOR [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 15-JUN-89 | |
| | ASTM-C884-92 | CONCRETE AND AN EPOXY-RESIN OVERLAY, THERMAL COMPATIBILITY BETWEEN [CUST: CR4 YD1] [REVIEW: 84] | A 5610 | YD1 | 15-NOV-92 | |
| | ASTM-C889-90 | CHEMICAL AND MASS SPECTROGRAPHIC ANALYSIS OF NUCLEAR-GRADE GADOLINIUM OXIDE (GD203) POWDER [CUST: EA SH 68] | A 6810 | SH | 26-OCT-90 | |
| | ASTM-C901-85 | PANELS, MASONRY, PREFABRICATED, SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: 84] | A 5620 | YD1 | 18-MAR-85 | |
| | ASTM-C913-89 | CONCRETE WATER, PRECAST, AND WASTEWATER STRUCTURES STANDARD SPECIFICATION FOR [CUST: CR4 YD1 99] | A 5180 | YD1 | 30-JUN-89 | |
| | ASTM-C916-85R90 | INSULATION, THERMAL, DUCT, ADHESIVES FOR [CUST: CR4 YD1 99] [REVIEW: CE] | A 5640 | YD1 | 26-JUL-85 | |
| | ASTM-C920-87 | SEALANTS, ELASTOMERIC JOINT [CUST: MR YD1] | A 8030 | YD1 | 19-OCT-87 | |
| | ASTM-C921-89 | INSULATION, THERMAL, JACKETING MATERIALS, STANDARD PRACTICE FOR DETERMINING THE PROPERTIES OF [CUST: CR4 YD1 99] [REVIEW: 89 CE MI] | A 5640 | YD1 | 03-MAY-89 | |
| | ASTM-C923-96 | PIPES AND LATERALS, RESILIENT CONNECTORS BETWEEN REINFORCED CONCRETE MANHOLE STRUCTURES [CUST: YD1] | A 5610 | YD1 | 10-JAN-96 | |
| | ASTM-C924-89 | PIPE SEWER LINES, CONCRETE, BY LOW-PRESSURE AIR TEST METHOD [CUST: YD1] | A 5610 | YD1 | 27-JAN-89 | |
| | ASTM-C930-92 | INSULATION, THERMAL, POTENTIAL HEALTH AND SAFETY CONCERNS ASSOCIATED WITH MATERIALS AND ACCESSORIES [CUST: CR OS 85] | A 5640 | OS | 15-APR-92 | |
| | ASTM-C931-92 | GYPSUM BOARD, SOFFIT, EXTERIOR [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5640 | YD1 | 15-JAN-92 | |
| | ASTM-C931/C931MA-95 | GYPSUM SOFFIT BOARD, EXTERIOR [CUST: CR4 YD1 99] | A 5640 | YD1 | 10-SEP-95 | |
| | ASTM-C932-80R90 | PLASTERING, EXTERIOR, SURFACE-APPLIED BONDING AGENTS FOR [CUST: CR4 YD1 99] | A 5610 | YD1 | 28-MAR-80 | |
| | ASTM-C937-80R91 | GROUT FLUIDIFIER FOR PREPLACED-AGGREGATE CONCRETE [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 30-MAY-80 | |
| | ASTM-C939A-94 | GROUT FOR PREPLACED-AGGREGATE CONCRETE (FLOW CONE METHOD), FLOW OF [CUST: CR4 YD1 99] | A 5610 | YD1 | 15-MAR-94 | |
| | ASTM-C942-86R93 | GROUTS FOR PREPLACED-AGGREGATE CONCRETE IN THE LABORATORY, COMPRESSIVE STRENGTH OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 26-DEC-86 | |
| | ASTM-C952-91 | MORTAR TO MASONRY UNITS, BOND STRENGTH OF [CUST: YD1 99] | A 5610 | YD1 | 15-APR-91 | |
| | ASTM-C954-96 | STEEL DRILL SCREWS FOR THE APPLICATION OF GYPSUM BOARD OR METAL PLASTER BASES TO STEEL STUDS FROM 0.033 IN. (0.84 MM) TO 0.112 IN. (2.84 MM) IN THICKNESS [CUST: AR YD1 99 IS] | A 5305 | IS | 10-MAY-96 | |
| | ASTM-C960/C960M-96 | GYPSUM BOARD, PREDECORATED [CUST: CR4 YD1 99] [REVIEW: 84] | A 5640 | YD1 | 10-AUG-96 | |
| | ASTM-C964-88R92 | GASKET, LOCK-STRIP, GLAZING [CUST: MR YD1] [REVIEW: 82] | A 5330 | YD1 | 08-SEP-88 | |
| | ASTM-C966-92 | ASBESTOS-CEMENT, INSTALLING, NONPRESSURE PIPE [CUST: YD1] | A 5610 | YD1 | 15-OCT-92 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------|---|-----------------------|-----|-------------|------|
| | ASTM-C969-82R90 | PIPE SEWER LINES, CONCRETE, INSTALLED PRECAST, INFILTRATION AND EXFILTRATION, ACCEPTANCE TESTING OF [CUST: YD1 99] [REVIEW: 84] | A 5630 | YD1 | 29-JAN-82 | |
| | ASTM-C977-95 | SOIL STABILIZATION, QUICKLIME AND HYDRATED LIME FOR [CUST: CR4 YD1 99] [REVIEW: 89 CE] | A 5610 | YD1 | 15-AUG-95 | |
| | ASTM-C984-94 | ROOF INSULATION, PERLITE BOARD AND RIGID CELLULAR POLYISOCYANURATE COMPOSITE [CUST: CR4 YD1 99] | A 5640 | YD1 | 15-OCT-94 | |
| A | ASTM-C989-97 | GROUND GRANULATED BLAST-FURNACE SLAG FOR USE IN CONCRETE AND MORTARS [CUST: CR4 YD1 99] [REVIEW: CE] | A 5610 | YD1 | 10-JUL-97 | |
| | ASTM-C995-94 | TIME OF FLOW OF FIBER-REINFORCED CONCRETE THROUGH INVERTED SLUMP CONE [CUST: YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 15-MAR-94 | |
| | ASTM-C1002A-96 | STEEL DRILL SCREWS FOR THE APPLICATION OF GYPSUM PANEL PRODUCTS OR METAL PLASTER BASES [CUST: AR YD1 99 IS] [REVIEW: 82 SH] | A 5305 | IS | 10-NOV-96 | |
| | ASTM-C1015-84R90 | INSULATION, THERMAL, CELLULOSIC AND MINERAL FIBER LOOSE-FILL, INSTALLATION OF [CUST: YD1] | A 5640 | YD1 | 30-MAY-84 | |
| | ASTM-C1017-92 | CONCRETE, FLOWING, CHEMICAL ADMIXTURES FOR USE IN PRODUCING [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 23-AUG-85 | |
| | ASTM-C1018-92 | FIBER-REINFORCED CONCRETE (USING BEAM WITH THIRD-POINT LOADING), FLEXURAL TOUGHNESS AND FIRST-CRACK STRENGTH OF [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 15-MAR-92 | |
| | ASTM-C1019A-89R93 | GROUT, SAMPLING AND TEST [CUST: CR4 YD1 99] | A 5610 | YD1 | 31-MAR-89 | |
| | ASTM-C1029-96 | INSULATION, SPRAY-APPLIED RIGID CELLULAR POLYURETHANE THERMAL [CUST: CR4 YD1 99] [REVIEW: 84] | A 5640 | YD1 | 10-SEP-96 | |
| | ASTM-C1036-91 | GLASS, FLAT [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5620 | YD1 | 15-NOV-91 | |
| | ASTM-C1047-95 | ACCESSORIES FOR GYPSUM WALLBOARD AND GYPSUM VENEER BASE [CUST: YD1] | A 5640 | YD1 | 10-OCT-95 | |
| M | ASTM-C1048B-97 | HEAT-TREATED FLAT GLASS-KIND HS, KIND FT COATED AND UNCOATED GLASS [CUST: YD1 99] [REVIEW: 84 CE MC] | A 5620 | YD1 | 10-OCT-97 | |
| | ASTM-C1053-90 | PIPE, BOROSILICATE GLASS, AND FITTINGS FOR DRAIN, WASTE, AND VENT (DWV) APPLICATIONS [CUST: CR4 YD1] [REVIEW: MC] | A 4710 | YD1 | 17-OCT-90 | |
| | ASTM-C1063A-95 | PLASTER, INSTALLATION OF LATHING AND FURRING TO RECEIVE INTERIOR AND EXTERIOR PORTLAND CEMENT-BASED [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5680 | YD1 | 10-NOV-95 | |
| | ASTM-C1064-86 | CONCRETE, TEMPERATURE OF FRESHLY MIXED PORTLAND CEMENT, STANDARD TEST METHOD FOR [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 17-JUL-86 | |
| | ASTM-C1071-91 | INSULATION, THERMAL AND ACOUSTICAL (GLASS FIBER, DUCT LINING MATERIAL) [CUST: CR4 YD1 99] [REVIEW: 84 CE MC SH] | A 5640 | YD1 | 15-OCT-91 | |
| M | ASTM-C1072A-97 | MASONRY FLEXURAL BOND STRENGTH, MEASUREMENT OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5620 | YD1 | 10-NOV-97 | |
| A | ASTM-C1077-97 | CONCRETE AND CONCRETE AGGREGATES FOR USE IN CONSTRUCTION AND CRITERIA FOR LABORATORY EVALUATION, LABORATORIES TESTING [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 10-JUN-97 | |
| | ASTM-C1085-91 | SEALANTS, BUTYL RUBBER-BASED SOLVENT-RELEASE [CUST: MR YD1 99] [REVIEW: 84 CE MC SH] | A 8030 | YD1 | 15-OCT-91 | |
| | ASTM-C1089-88 | CONCRETE POLES, PRESTRESSED SPUN CAST [CUST: CR4 YD1 99] [REVIEW: 84] | A 5620 | YD1 | 03-MAR-88 | |
| | ASTM-C1107A-91 | CEMENT GROUT (NONSHRINK), HYDRAULIC-PACKAGED DRY [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 15-NOV-91 | |
| | ASTM-C1116-95 | FIBER-REINFORCED CONCRETE AND SHOTCRETE [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 10-DEC-95 | |
| | ASTM-C1136-92 | INSULATION, THERMAL, FLEXIBLE, LOW PERMEANCE VAPOR RETARDERS [CUST: CR4 YD1 99] [REVIEW: 84 AV CE MC SH] | A 5640 | YD1 | 15-MAY-92 | |
| N | ASTM-C1161 | FLEXURAL STRENGTH OF ADVANCED CERAMICS AT AMBIENT TEMPERATURE [CUST: MR AS 11] | A 9390 | MR | 25-JUL-94 | |
| | ASTM-D4-86R93 | BITUMEN CONTENT [CUST: GL SA 99] | A 5610 | GL | 30-MAY-86 | |
| A | ASTM-D5-97 | PENETRATION OF BITUMINOUS MATERIALS [CUST: MR YD1 84] | A 5610 | YD1 | 10-NOV-97 | |
| | ASTM-D6-95 | OIL AND ASPHALTIC COMPOUNDS, LOSS ON HEATING OF [CUST: AR YD1 99] | A 5610 | AR | 10-NOV-95 | |
| | ASTM-D12-88R92 | OIL, RAW TUNG [CUST: CR4 SH 68] | A 9160 | SH | 31-OCT-88 | |
| A | ASTM-D13-97 | TURPENTINE, SPIRITS OF [CUST: EA SH GS] [REVIEW: CR4 GL MD] | A 6810 | GS | 10-JUL-97 | |
| | ASTM-D16-96 | PAINT, VARNISH, LACQUER, AND RELATED PRODUCTS [CUST: CR4 YD1 99] [REVIEW: 82 AR MR OS SH] | A 8010 | YD1 | 10-MAR-96 | |
| | ASTM-D20-91 | TARS, ROAD, DISTILLATION OF [CUST: CR4 YD1 99] [REVIEW: 84 CE] | A 5610 | YD1 | 15-APR-91 | |
| | ASTM-D25-91 | PILES, ROUND TIMBER [CUST: CR4 YD1 99] [REVIEW: CC SM] | A 5510 | YD1 | 22-FEB-91 | |
| | ASTM-D29-81R93 | LAC RESINS, SAMPLING AND TESTING [CUST: MR SH] | A 8010 | MR | 30-OCT-81 | |
| | ASTM-D34-91 | PIGMENTS, WHITE, CHEMICAL ANALYSIS OF [CUST: MR SH 99] [REVIEW: 84 AS] | A 8010 | MR | 15-SEP-91 | |
| | ASTM-D36-86R89 | BITUMEN, (RING-AND-BALL APPARATUS), SOFTENING POINT OF [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | 10-FEB-86 | |
| | ASTM-D41-85 NOT 2 | ASPHALT PRIMER USED IN ROOFING, DAMPROOFING, & WATERPROOFING, STANDARD SPECIFICATION FOR - 21 OCT 85 [CUST: CR4 YD1] [REVIEW: CE] | A 5610 | YD1 | 25-JUL-91 | |
| | ASTM-D43-73R88 | PRIMER, CREOSOTE, USED IN ROOFING, DAMPROOFING, & WATERPROOFING, STANDARD SPECIFICATION FOR - 29 JAN 1973 (REAPPROVED 1988) [CUST: EA YD1] [REVIEW: GS OS SH] | A 6810 | YD1 | 31-JAN-89 | |
| | ASTM-D50-90 | IRON AND MANGANESE, PIGMENTS CONTAINING, YELLOW, ORANGE, RED, AND BROWN, CHEMICAL ANALYSIS OF [CUST: MR SH 11] | A 8010 | MR | 25-MAY-90 | |
| A | ASTM-D56A-97 | TESTER, CLOSED, FLASH POINT BY TAG [CUST: AT SH 11] [REVIEW: OS YD1] | A 9150 | AT | 10-JUL-97 | |
| | ASTM-D69-96 | TAPES, FRICTION [CUST: CR4 YD1 99] [REVIEW: AR AT AV CR GS MC SM] | A 5970 | YD1 | 10-NOV-96 | |
| M | ASTM-D70-97 | MATERIALS, DENSITY OF SEMI-SOLID BITUMINOUS MATERIALS (PYCNOMETER METHOD) [CUST: CR4 AS 11] [REVIEW: AR CE MC MI YD1] | A 5610 | AS | 10-AUG-97 | |
| | ASTM-D71-84 | RELATIVE DENSITY OF SOLID PITCH AND ASPHALT (DISPLACEMENT METHOD) [CUST: EA GS] [REVIEW: MD YD1] | A 6810 | GS | 05-JAN-84 | |
| M | ASTM-D75-97 | AGGREGATES SAMPLING [CUST: YD1 99] | A 5610 | YD1 | 10-OCT-97 | |
| | ASTM-D79-86R93 | PIGMENTS, ZINC OXIDE [CUST: MR SH 68] | A 6810 | SH | 25-APR-86 | |
| | ASTM-D83-84R89 | PIGMENT, RED LEAD [CUST: CR4 SH 68] | A 8010 | MB | 31-AUG-84 | |
| M | ASTM-D86-97 | PETROLEUM PRODUCTS AT ATMOSPHERIC PRESSURE, DISTILLATION OF [CUST: AT AS 68] | A 91GP | AT | 10-NOV-97 | |
| | ASTM-D88-94 | VISCOSITY, SAYBOLT [CUST: EA SH 11] [REVIEW: 68 AR CR4 GS YD1] | A 6810 | SH | 15-SEP-94 | |
| | ASTM-D91-92 | PRECIPITATION NUMBER OF LUBRICATING OILS [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | 15-OCT-92 | |
| A | ASTM-D92-97 | FLASH AND FIRE POINTS BY CLEVELAND OPEN CUP [CUST: AT SH 11] [REVIEW: YD1] | A 9150 | AT | 10-JUL-97 | |
| A | ASTM-D93-97 | CUP TESTER, CLOSED, FLASH POINT BY PENSKY-MARTENS [CUST: AT SH 11] [REVIEW: OS] | A 9150 | AT | 10-JUL-97 | |
| | ASTM-D94-93 | SAPONIFICATION NUMBER OF PETROLEUM PRODUCTS [CUST: AT SH 11] [REVIEW: 68 AS OS] | A 91GP | AT | 15-APR-93 | |
| | ASTM-D95-83R90 | WATER IN PETROLEUM PRODUCTS AND BITUMINOUS MATERIALS BY DISTILLATION [CUST: AT SH 11] [REVIEW: OS YD1] | A 91GP | AT | 25-MAR-83 | |
| | ASTM-D96-88R94 | WATER AND SEDIMENT IN CRUDE OIL BY CENTRIFUGE METHOD (FIELD PROCEDURE) [CUST: AT SH 11] [REVIEW: MR] | A 91GP | AT | 25-MAR-88 | |
| | ASTM-D97-96 | PETROLEUM PRODUCTS, POUR POINT OF [CUST: AT SH 11] | A 91GP | AT | 10-JUN-96 | |
| | ASTM-D98-95 | CALCIUM CHLORIDE [CUST: EA YD1 68] | A 6810 | YD1 | 10-SEP-95 | |
| A | ASTM-D113-86R92 | MATERIALS, BITUMINOUS, DUCTILITY OF [CUST: CR4 SH 99] | A 5610 | 84 | 27-MAR-86 | |
| | ASTM-D116-86R94 | CERAMIC MATERIALS VITRIFIED FOR ELECTRICAL APPLICATIONS [CUST: CR SH 85] | A 5970 | GS | 31-OCT-86 | |
| | ASTM-D117-89 | OILS OF PETROLEUM ORIGIN, TEST METHODS AND SPECIFICATIONS FOR [CUST: GL YD1] [REVIEW: GS SH] | A 9160 | YD1 | 27-JAN-89 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | ASTM-D119-78 | RUBBER INSULATING TAPE, LOW-VOLTAGE [CUST: MR SH 99] [REVIEW: AR AS AT AV CR CR4 GL GS OS YD1] | A 9320 | MR | | 24-NOV-78 |
| | ASTM-D120-95 | GLOVES, RUBBER INSULATING [CUST: GL SH 99 CT] | A 8415 | CT | | 10-DEC-95 |
| | ASTM-D123A-96 | TEXTILES, STANDARD TERMINOLOGY RELATING TO [CUST: MR NU 99 CT] | A 8305 | MR | | 10-DEC-96 |
| | ASTM-D126-87R91 | ANALYSIS OF YELLOW, ORANGE, AND GREEN PIGMENTS CONTAINING LEAD CHROMATE AND CHROMIUM OXIDE GREEN [CUST: MR SH 99] | A 8010 | MR | | 29-MAY-87 |
| | ASTM-D127-87R93 | DROP MELTING POINT OF PETROLATUM WAX INCLUDING PETROLATUM [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 30-OCT-87 |
| | ASTM-D128A-94 | ANALYSIS OF LUBRICATING GREASE [CUST: AT SH 11] [REVIEW: 68 AR AS YD1] | A 91GP | AT | | 15-MAY-94 |
| | ASTM-D129-91 | SULFUR IN PETROLEUM PRODUCTS (GENERAL BOMB METHOD) [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 15-OCT-91 |
| | ASTM-D130-94 | COPPER CORROSION FROM PETROLEUM PRODUCTS BY THE COPPER STRIP TARNISH TEST, DETECTION OF [CUST: AT SH 11] | A 9150 | AT | | 15-FEB-94 |
| | ASTM-D140-93 | MATERIALS, BITUMINOUS SAMPLING [CUST: CE YD1 99] | A 5610 | YD1 | | 15-MAY-93 |
| | ASTM-D143-94 | TIMBER, SMALL CLEAR SPECIMENS OF [CUST: CR4 SH 99 MB] | A 5510 | MB | | 15-MAY-94 |
| A | ASTM-D146-97 | FABRICS, BITUMEN-SATURATED FELTS AND WOVEN, FOR ROOFING AND WATERPROOFING, SAMPLING AND TESTING [CUST: CR4 YD1] [REVIEW: CE] | A 5650 | YD1 | | 10-FEB-97 |
| | ASTM-D149-90 | DIELECTRIC BREAKDOWN VOLTAGE AND DIELECTRIC STRENGTH OF SOLID ELECTRICAL INSULATING MATERIALS AT COMMERCIAL POWER FREQUENCIES [CUST: MR SH 85] [REVIEW: 11 84 99 AS AV CR CR4 GS OS YD1] | A 5970 | MR | | 29-JUN-90 |
| | ASTM-D150-93 | LOSS CHARACTERISTICS (A-C) AND PERMITTIVITY (DIELECTRIC CONSTANT) OF SOLID ELECTRICAL INSULATION [CUST: MR SH 11 GS] [REVIEW: 99 AS AT CR CR4 MI] | A 9330 | GS | | 15-OCT-93 |
| | ASTM-D153-84R89 NOT 1 | PIGMENTS, STANDARD TEST METHODS FOR SPECIFIC GRAVITY OF - 26 OCT 84 (REAPPROVED 1989) [CUST: MR SH 99] | A 8010 | MR | | 22-JUN-90 |
| | ASTM-D156-94 | PETROLEUM PRODUCTS, SAYBOLT COLOR OF (SAYBOLT CHROMOMETER METHOD) [CUST: AT SH 11] [REVIEW: 68 AS] | A 91GP | AT | | 15-FEB-94 |
| | ASTM-D169-85 | PLATE, ALUMINUM BRONZE, SHEET, STRIP AND ROLLED BAR - 22 FEB 1985 [CUST: MR SH] [REVIEW: CR CR4 EA GL IS MC OS SA] | A 9535 | MR | | 13-NOV-85 |
| | ASTM-D173-97 | BITUMEN-SATURATED COTTON FABRICS USED IN ROOFING AND WATERPROOFING [CUST: CR4 YD1 99] [REVIEW: CE] | A 5650 | YD1 | | 10-FEB-97 |
| | ASTM-D178-93 | RUBBER INSULATING MATTING [CUST: CR YD1 85] [REVIEW: 99 GS SH] | A 5970 | YD1 | | 15-DEC-93 |
| | ASTM-D185-84R89 NOT 1 | PIGMENTS, PASTES, & PAINTS, COARSE PARTICLES IN - 26 OCT 84 (REAPPROVED 1989) [CUST: MR 00 99] | A 8010 | MR | | 22-JUN-90 |
| | ASTM-D187-94 | KEROSENE, BURNING QUALITY OF [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 15-FEB-94 |
| A | ASTM-D189-97 | PETROLEUM PRODUCTS, CONRADSON CARBON RESIDUE OF [CUST: AT SH 11] | A 9150 | AT | | 10-JAN-97 |
| | ASTM-D202-92 | INSULATION, ELECTRICAL, UNTREATED PAPER USED FOR SAMPLING AND TESTING [CUST: CR SH 85] | A 5970 | CR | | 15-NOV-92 |
| A | ASTM-D204-97 | SEWING THREADS [CUST: GL NU 99 CT] | A 8310 | CT | | 10-MAR-97 |
| | ASTM-D209-81R90 | PIGMENT, LAMPBLACK [CUST: AR SH 85] | A 8010 | SH | | 31-AUG-81 |
| | ASTM-D217-94 | CONE PENETRATION OF LUBRICATING GREASE [CUST: AT AS 11] | A 91GP | AT | | 15-APR-94 |
| | ASTM-D224-89 | ROOFING, ASPHALT ROLL, SMOOTH SURFACED (ORGANIC FELT) [CUST: YD1 99] [REVIEW: CE] | A 5650 | YD1 | | 21-JUN-89 |
| | ASTM-D225-86 | ASPHALT SHINGLES (ORGANIC FELT) SURFACED WITH MINERAL GRANULES [CUST: CR4 YD1] [REVIEW: CE MC] | A 5650 | YD1 | | 22-MAR-88 |
| | ASTM-D226-97 | ASPHALT-SATURATED ORGANIC FELT USED IN ROOFING AND WATERPROOFING [CUST: YD1 99] | A 5650 | YD1 | | 10-FEB-97 |
| | ASTM-D227-97 | COAL-TAR-SATURATED ORGANIC FELT USED IN ROOFING AND WATERPROOFING [CUST: CR4 YD1 99] [REVIEW: CE] | A 5650 | YD1 | | 10-FEB-97 |
| | ASTM-D229-91 | MATERIALS, RIGID SHEET AND PLATE, USED FOR ELECTRICAL INSULATION [CUST: MR SH GS] [REVIEW: AS AT CR4 GL MD MI OS] | A 9330 | GS | | 15-MAR-91 |
| | ASTM-D233-92 | TURPENTINE, SAMPLING AND TESTING [CUST: MR SH 99] | A 8010 | MR | | 15-MAY-92 |
| | ASTM-D235-95 | MINERAL SPIRITS (PETROLEUM SPIRITS) (HYDROCARBON DRY CLEANING SOLVENT) [CUST: EA SH GS] [REVIEW: AS CR4 DS GL MC MD YD1] | A 6810 | GS | | 15-AUG-95 |
| | ASTM-D240-92 | HEAT OF COMBUSTION OF LIQUID HYDROCARBON FUELS BY BOMB CALORIMETER [CUST: AT SH 11] | A 9150 | AT | | 15-APR-92 |
| | ASTM-D242-95 | PAVING, BITUMINOUS MIXTURES, MINERAL FILLER FOR [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | | 10-SEP-95 |
| | ASTM-D244-95 | ASPHALTS, EMULSIFIED [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | | 15-FEB-95 |
| | ASTM-D245-93 | LUMBER, VISUALLY GRADED, ESTABLISHING STRUCTURAL GRADES AND RELATED ALLOWABLE PROPERTIES FOR [CUST: CR4 SH 99] | A 5510 | SH | | 15-JUN-93 |
| | ASTM-D249-89 | ASPHALT ROLL ROOFING (ORGANIC FELT) SURFACED WITH MINERAL GRANULES [CUST: CR4 YD1 99] | A 5650 | YD1 | | 19-JUN-89 |
| | ASTM-D256B-90 | MATERIALS, PLASTICS AND ELECTRICAL INSULATING, IMPACT RESISTANCE OF [CUST: MR SH 11 GS] [REVIEW: AR AS AT AV CR4 GL MI OS YD1] | A 9330 | GS | | 28-DEC-90 |
| | ASTM-D257-93 | RESISTANCE DC OR CONDUCTANCE OF INSULATING MATERIALS [CUST: MR 11 GS] [REVIEW: 99 AS AV CR CR4 OS SH YD1] | A 9330 | GS | | 15-JUN-93 |
| | ASTM-D260-86R90 | OIL, LINSEED, BOILED [CUST: GL YD1 99] | A 8010 | YD1 | | 27-MAR-86 |
| | ASTM-D261-75R87 | PIGMENT, BLUE, IRON [CUST: CR4 SH 99] | A 8010 | SH | | 31-OCT-75 |
| | ASTM-D263-75R93 | PIGMENT, GREEN, OXIDE, CHROME [CUST: YD1] | A 8010 | YD1 | | 31-OCT-75 |
| A | ASTM-D268-96 | SOLVENTS AND CHEMICAL INTERMEDIATES FOR USE IN PAINT AND RELATED COATINGS AND MATERIAL, SAMPLING AND TESTING [CUST: EA GS] [REVIEW: CR4 MC MD OS SH] | A 6810 | GS | | 12-SEP-90 |
| | ASTM-D276-87R93 | FIBERS IN TEXTILES, IDENTIFICATION OF [CUST: SM AS 99] [REVIEW: CR4 GL IS OS SA SH YD1] | A PACK | AS | | 31-JUL-87 |
| M | ASTM-D279-87R97 | PIGMENTS, BLEEDING OF [CUST: MR SH 99] | A 8010 | MR | | 29-MAY-87 |
| | ASTM-D280-81R87 NOT 1 | HYGROSCOPIC MOISTURE (AND OTHER MATTER VOLATILE UNDER THE TEST CONNDITIONS) IN - 30 OCT 81 REAPPROVED 1987 [CUST: MR SH 99] | A 8010 | MR | | 14-MAR-88 |
| | ASTM-D281-84R89 NOT 1 | OIL ABSORPTION OF PIGMENTS BY SPATULA RUB-OUT, STANDARD TEST METHOD FOR - 31 AUG 84 (REAPPROVED 1989) [CUST: MR SH 99] [REVIEW: 84] | A 8010 | MR | | 22-JUN-90 |
| | ASTM-D283-84R90 | CHEMICAL ANALYSIS OF CUPROUS OXIDE AND COPPER PIGMENTS [CUST: MR SH 84] | A 8010 | MR | | 26-OCT-84 |
| | ASTM-D287-92 | PETROLEUM AND PETROLEUM PRODUCTS, API GRAVITY OF CRUDE (HYDROMETER METHOD) [CUST: AT SH 11] [REVIEW: 68 AR AS OS] | A 91GP | AT | | 15-AUG-92 |
| | ASTM-D295-94 | COTTON FABRICS USED FOR ELECTRICAL INSULATION, VARNISHED [CUST: CR SH 85] | A 2520 | SH | | 15-JAN-94 |
| | ASTM-D297-93 | RUBBER PRODUCTS - CHEMICAL ANALYSIS [CUST: MR SH 99] [REVIEW: AS AV CR CR4 GL MC OS YD1] | A 9320 | GS | | 15-SEP-93 |
| | ASTM-D301-95 | NITRATE, SOLUBLE CELLULOSE [CUST: AR OS 82] | A 8010 | 82 | | 15-SEP-95 |
| | ASTM-D304-90 | ALCOHOL, N-BUTYL (BUTANOL) [CUST: EA 68] [REVIEW: AS CR4 GL MC MD] | A 6810 | GS | | 25-MAY-90 |
| | ASTM-D305-84R90 | MATERIAL, SOLVENT-EXTRACTABLE IN BLACK PIGMENTS [CUST: AR OS 99] | A 8010 | AR | | 03-OCT-94 |
| | ASTM-D312-95 | ASPHALT USED IN ROOFING [CUST: YD1 99] [REVIEW: CE] | A 5610 | YD1 | | 15-MAY-95 |
| | ASTM-D322-92 | GASOLINE DILUENT IN USED GASOLINE ENGINE OILS BY DISTILLATION [CUST: CE AS 99] | A 91GP | CE | | 15-OCT-92 |
| | ASTM-D323-94 | PETROLEUM PRODUCTS, VAPOR PRESSURE OF (REID METHOD) [CUST: AT SH 11] | A 91GP | AT | | 15-SEP-94 |
| | ASTM-D329-90 | ACETONE [CUST: EA SH 68] [REVIEW: AR AS CR4 GL MC MD OS] | A 6810 | GS | | 26-OCT-90 |
| | ASTM-D330-93 | BUTOXYETHANOL-2 [CUST: EA SH 68] | A 6810 | EA | | 15-SEP-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|--------------------|--|--------------------------|--------------------|-----------|
| | ASTM-D331-90 | ETHOXYETHANOL-2 [CUST: EA SH 68] | A 6810 | EA | 25-MAY-90 |
| | ASTM-D341-93 | VISCOSITY-TEMPERATURE CHARTS FOR LIQUID PETROLEUM PRODUCTS [CUST: AT SH 11] | A 9150 | AT | 15-MAR-93 |
| M | ASTM-D345-97 | CALCIUM CHLORIDE FOR ROADS AND STRUCTURAL APPLICATIONS, SAMPLING AND TESTING [CUST: AT] | A 6810 | AT | 10-MAY-97 |
| | ASTM-D348-95 | INSULATION, USED FOR ELECTRICAL RIGID TUBES [CUST: MR YD1 85] | A 5970 | YD1 | 15-JAN-95 |
| | ASTM-D350-96 | SLEEVEING USED FOR ELECTRICAL INSULATION, FLEXIBLE TREATED [CUST: CR SH 85 GS] | A 5970 | GS | 10-MAR-96 |
| M | ASTM-D351-97 | MUSCOVITE BLOCK, NATURAL MICA AND THINS BASED ON VISUAL QUALITY [CUST: CR SH 85] | A 5970 | GS | 10-SEP-97 |
| | ASTM-D358-93 | WOOD TO BE USED AS PANELS IN WEATHERING TESTS OF COATINGS [CUST: MR 11] [REVIEW: 99 AS CR4 SH] | A 8010 | MR | 15-MAY-93 |
| | ASTM-D362-84 | TOLUENE, INDUSTRIAL GRADE - 30 MARCH 1984 [CUST: EA SH 68] [REVIEW: AR AS GL MC MD YD1] | A 6810 | GS | 15-NOV-85 |
| | ASTM-D369-78 | STANDARD PERFORMANCE SPECIFICATION FOR WOVEN, LACE, AND KNIT HOUSEHOLD CURTAIN AND DRAPERY FABRICS [CUST: GL YD1] [REVIEW: CT] | A 8305 | YD1 | 21-SEP-78 |
| | ASTM-D371-89 | ASPHALT ROLL ROOFING (ORGANIC FELT) SURFACED WITH MINERAL GRANULES, WIDE SELVAGE [CUST: CR4 YD1] [REVIEW: SM] | A 5650 | YD1 | 06-JUN-89 |
| | ASTM-D374-94 | INSULATION, SOLID ELECTRICAL, THICKNESS OF [CUST: MR YD1 85] [REVIEW: IS SH] | A 5970 | YD1 | 15-MAR-94 |
| | ASTM-D380-87 | HOSE, RUBBER [CUST: MR YD1 11] [REVIEW: 82 AT AV CR4 GL OS SH] | A 9320 | GS | 30-OCT-87 |
| | ASTM-D381-86 | FUELS BY JET EVAPORATION, EXISTENT GUM IN [CUST: AT SH 11] [REVIEW: OS] | A 91GP | AT | 31-OCT-86 |
| | ASTM-D387-86 | COLOR & STRENGTH OF COLOR PIGMENTS WITH A MECHANICAL MULLER - 26 AUG 86 [CUST: MR SH 99] | A 8010 | MR | 27-OCT-89 |
| | ASTM-D390-92 | COAL-TAR CREOSOTE FOR THE PRESERVATIVE TREATMENT OF PILES, POLES, AND TIMBERS FOR MARINE, LAND, AND FRESHWATER USE [CUST: CR4 YD1 68] [REVIEW: 99 EA GS SH] | A 6810 | YD1 | 15-JUL-92 |
| | ASTM-D391-84 NOT 2 | CREOSOTE-COAL TAR SOLUTION, STANDARD SPECIFICATION FOR [CUST: CR4 YD1 68] [REVIEW: GS] | A 8030 | YD1 | 09-MAR-92 |
| M | ASTM-D395-97 | RUBBER PROPERTY-COMPRESSION SET [CUST: MR 11] [REVIEW: AR AS CR4 GL MC MI OS SH YD1] | A 9320 | GS | 10-MAY-97 |
| | ASTM-D396-96 | FUEL OILS [CUST: AT] | A 9140 | AT | 10-APR-96 |
| | ASTM-D409A-93 | COAL BY THE HARDGROVE-MACHINE METHOD, GRINDABILITY OF [CUST: PS] | A 9110 | PS | 15-MAY-93 |
| M | ASTM-D412A-97 | RUBBER AND THERMOPLASTIC ELASTOMERS - TENSION, VULCANIZED [CUST: MR 99] [REVIEW: 82 SH YD1] | A 9320 | GS | 10-JUL-97 |
| | ASTM-D413-82R93 | RUBBER PROPERTY-ADHESION TO FLEXIBLE SUBSTRATE [CUST: MR SH 99] [REVIEW: YD1] | A 9320 | GS | 29-OCT-82 |
| | ASTM-D418-93 | FLOOR COVERING CONSTRUCTION, PILE YARN [CUST: CR4 YD1 99] [REVIEW: AS SH] | A 7220 | YD1 | 12-MAY-93 |
| | ASTM-D420-93 | SITE CHARACTERIZATION FOR ENGINEERING, DESIGN, AND CONSTRUCTION PURPOSES [CUST: YD1 99] [REVIEW: CG] | A 5610 | YD1 | 15-JUN-93 |
| | ASTM-D421-85 | SOIL, DRY PREPARATION OF SOIL SAMPLES FOR PARTICLE-SIZE ANALYSIS AND DETERMINATION OF SOIL CONSTANTS, STANDARD PRACTICE FOR [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 26-JUL-85 |
| | ASTM-D422-63R90 | SOILS, PARTICLE-SIZE ANALYSIS OF [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | 21-NOV-63 |
| | ASTM-D429-81R93 | RUBBER PROPERTY-ADHESION TO RIGID SUBSTRATES [CUST: MR SH 11] [REVIEW: 99 AS AT AV CR CR4 GL OS] | A 9320 | GS | 27-NOV-81 |
| | ASTM-D430-95 | RUBBER DETERIORATION-DYNAMIC FATIGUE [CUST: MR 99] | A 9320 | GS | 15-FEB-95 |
| | ASTM-D434-95 | YARNS, RESISTANCE TO SLIPPAGE OF, IN OVEN FABRICS USING A STANDARD SEAM [CUST: GL NU CT] [REVIEW: AS CG CR4 MC MD MI SH TE] | A 83GP | CT | 15-APR-95 |
| | ASTM-D444-88 | PIGMENT, ZINC YELLOW (ZINC CHROMATE YELLOW) CHEMICAL ANALYSIS OF, STANDARD TEST METHODS FOR [CUST: MR SH 11] | A 8010 | MR | 31-OCT-88 |
| | ASTM-D445-96 | LIQUIDS, TRANSPARENT AND OPAQUE (THE CALCULATION OF DYNAMIC VISCOSITY) KINEMATIC VISCOSITY OF [CUST: AT SH 11] | A 95GP | AT | 10-NOV-96 |
| | ASTM-D446-74R79 | VISCOMETERS, GLASS CAPILLARY KINEMATIC - 30 AUG 74 [CUST: AT] | A 6630 | AT | 07-NOV-83 |
| | ASTM-D448-86 | ROAD AND BRIDGE CONSTRUCTION, SIZES OF AGGREGATE FOR [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | 27-MAR-86 |
| | ASTM-D449-89 | ASPHALT USED IN DAMPPROOFING AND WATERPROOFING [CUST: YD1 99] [REVIEW: CE] | A 5610 | YD1 | 28-APR-89 |
| | ASTM-D450-96 | COAL-TAR PITCH USED IN ROOFING, DAMPPROOFING AND WATERPROOFING [CUST: YD1] [REVIEW: CE] | A 5610 | YD1 | 10-AUG-96 |
| | ASTM-D453-86 | ACIDS, TAR, IN CRESOTE-COAL TAR SOLUTIONS, STANDARD TEST METHOD FOR - 28 FEB 86 [CUST: CR4 YD1 99] [REVIEW: 84 CC MR SH SM] | A 8030 | YD1 | 09-MAR-89 |
| | ASTM-D454-88 | RUBBER-DETERIORATION BY HEAT & AIR PRESSURE [CUST: MR SH 99] [REVIEW: AT CR4 GL] | A 9320 | GS | 27-MAY-88 |
| | ASTM-D456-85R90 | SODA (ANHYDROUS), CAUSTIC [CUST: EA SH 68] | A 6810 | EA | 31-MAY-85 |
| | ASTM-D460-91 | SOAPS AND SOAP PRODUCTS, SAMPLING AND CHEMICAL ANALYSIS OF [CUST: EA 68] [REVIEW: CR4 GL MD SH] | A 6810 | GS | 15-JUL-91 |
| | ASTM-D461-93 | FELT [CUST: AR NU 99] | A 8305 | AR | 15-FEB-93 |
| | ASTM-D465-92 | ACID NUMBER OF NAVAL STORES PRODUCTS INCLUDING TALL OIL AND OTHER RELATED PRODUCTS [CUST: EA SH 68] | A 6810 | EA | 15-MAY-92 |
| | ASTM-D470-93 | WIRE AND CABLE, CROSSLINKED INSULATIONS AND JACKETS [CUST: CR YD1 85] [REVIEW: IS SH] | A 6145 | YD1 | 15-JUL-93 |
| | ASTM-D471-95 | RUBBER PROPERTY-EFFECT OF LIQUIDS [CUST: MR SH 11 GS] [REVIEW: AT AV CR4 MI TE YD1] | A 9320 | GS | 15-FEB-95 |
| | ASTM-D473-81R87 | SEDIMENT IN CRUDE OILS AND FUEL OILS BY THE EXTRACTION METHOD [CUST: MR YD1] [REVIEW: AT MI OS SH] | A FORG | YD1 | 27-MAR-81 |
| | ASTM-D476-84 | TITANIUM DIOXIDE PIGMENTS [CUST: MR SH 99] [REVIEW: AR CG CR4 OS YD1] | A 8010 | SH | 14-NOV-84 |
| | ASTM-D478-86R91 | PIGMENTS, ZINC YELLOW (ZINC CHROMATE) [CUST: YD1] | A 8010 | YD1 | 25-APR-86 |
| | ASTM-D480-88 | ALUMINUM POWDERS AND PASTES, FLAKED, SAMPLING AND TESTING OF [CUST: MR SH 84] | A 8010 | MR | 29-JUL-88 |
| | ASTM-D482-95 | ASH FROM PETROLEUM PRODUCTS [CUST: CR4 AS 11] | A 91GP | CR4 | 15-APR-95 |
| | ASTM-D490-92 | ROAD TAR [CUST: CE YD1 99] | A 5610 | YD1 | 15-FEB-92 |
| | ASTM-D491-79 | ASPHALT MASTIC USED IN WATERPROOFING [CUST: CR4 YD1] [REVIEW: CE OS SH] | A 5610 | YD1 | 27-APR-79 |
| | ASTM-D494-46R72 | ACETONE EXTRACTION OF PHENOLIC MOLDED OR LAMINATED - 16 SEPTEMBER 1946 [CUST: MR SH 11 GS] [REVIEW: AR AS AV CR GL MI YD1] | A 9330 | GS | 29-SEP-78 |
| | ASTM-D495-89 | INSULATION, SOLID ELECTRICAL, HIGH-VOLTAGE, LOW-CURRENT, DRY ARC RESISTANCE OF [CUST: MR SH 11 GS] [REVIEW: AR AS AV CR CR4 OS YD1] | A 9330 | GS | 25-NOV-89 |
| | ASTM-D496-74R90 | CHIP SOAP [CUST: GL 99] | A 7930 | GL | 28-NOV-74 |
| | ASTM-D498-74R90 | SOAP, POWDERED (NONALKALINE SOAP POWDER) [CUST: GL 99] | A 7930 | GL | 28-NOV-74 |
| | ASTM-D501-89 | DETERGENTS, ALKALINE, SAMPLING AND CHEMICAL ANALYSIS OF [CUST: EA 99 GS] [REVIEW: CR4 MD SH] | A 6810 | GS | 26-MAY-89 |
| | ASTM-D511-93 | CALCIUM AND MAGNESIUM IN WATER [CUST: EA GS] [REVIEW: CR4 MD SH] | A 6810 | GS | 15-APR-93 |
| | ASTM-D512-89R94 | CHLORIDE ION IN WATER [CUST: EA SH] | A 6810 | SH | 02-OCT-89 |
| | ASTM-D515-88 | PHOSPHORUS IN WATER [CUST: EA SH] [REVIEW: CR4 GL GS MD PS] | A 6810 | SH | 19-AUG-88 |
| | ASTM-D516-90 | WATER, IN SULFATE ION [CUST: EA SH 68] | A 6810 | SH | 29-JUN-90 |
| | ASTM-D517-92 | ASPHALT PLANK [CUST: CR4 YD1] | A 5610 | YD1 | 15-JAN-92 |
| M | ASTM-D518-86R97 | RUBBER DETERIORATION-SURFACE CRACKING [CUST: CR SH 85] | A 5970 | GS | 27-MAR-86 |
| | ASTM-D520-84R89 | PIGMENT, DUST, ZINC [CUST: EA SH 68] | A 8010 | SH | 31-AUG-84 |
| | ASTM-D522A-93 | MANDREL BEND TEST OF ATTACHED ORGANIC COATINGS [CUST: MR AS 84] [REVIEW: SH YD1] | A 8010 | MR | 15-SEP-93 |
| | ASTM-D523-89 | GLOSS, SPECULAR [CUST: MR SH 11] [REVIEW: 99 AT CR CR4 GL GS SH YD1] | A 8010 | MR | 31-MAR-89 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| A | ASTM-D524-97 | PETROLEUM PRODUCTS, RAMSBOTTOM CARBON RESIDUE OF [CUST: PS] | A 91GP | PS | | 10-JAN-97 |
| | ASTM-D525-95 | GASOLINE (INDUCTION PERIOD METHOD), OXIDATION STABILITY OF [CUST: AT SH 11] [REVIEW: 68 OS] | A 91GP | AT | | 31-JUL-95 |
| | ASTM-D529-92 | MATERIALS, BITUMINOUS, ACCELERATED WEATHERING TEST CONDITIONS AND PROCEDURES FOR (CARBON-ARC METHOD) [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | | 15-MAR-92 |
| | ASTM-D530-82R85 | TESTING HARD RUBBER PRODUCTS - 26 MAR 82 [CUST: MR SH 99] | A 9320 | GS | | 04-MAR-88 |
| | ASTM-D531-89 | RUBBER PROPERTY-PUSEY AND JONES INDENTATION [CUST: MR 99] [REVIEW: 82 AT AV CR4 GL OS SH] | A 9320 | GS | | 03-MAR-89 |
| | ASTM-D541-87 | YARN, JUTE, SINGLE [CUST: AR NU 99] | A 8310 | AR | | 31-JUL-87 |
| | ASTM-D542-90 | INDEX OF REFRACTION OF TRANSPARENT ORGANIC PLASTICS [CUST: MR SH 11 GS] [REVIEW: 84 AR AS AT AV CR CR4 GL YD1] | A 9330 | GS | | 30-MAR-90 |
| | ASTM-D543-87 | PLASTIC TO CHEMICAL REAGENTS, RESISTANCE OF - 27 FEB 87 [CUST: MR SH 11 GS] [REVIEW: AR AS AV CR GL MI YD1] | A 9330 | GS | | 02-OCT-85 |
| | ASTM-D545-84R93 | CONCRETE CONSTRUCTION (NONEXTRUDING AND RESILIENT TYPES), PREFORMED EXPANSION JOINT FILLERS FOR [CUST: YD1] [REVIEW: CE] | A 5610 | YD1 | | 01-MAR-84 |
| | ASTM-D546-88 | ROAD AND PAVING MATERIALS, SIEVE ANALYSIS OF MINERAL FILLER FOR, STANDARD TEST METHOD FOR [CUST: CE YD1 99] [REVIEW: MC] | A 5610 | YD1 | | 30-SEP-88 |
| | ASTM-D549-88 | PAPER AND PAPERBOARD, ROSIN IN [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH YD1] | A 9310 | AS | | 27-MAY-88 |
| | ASTM-D555-84R92 | OILS, DRYING, TESTING, STANDARD GUIDE FOR [CUST: MR AS] [REVIEW: CR4] | A 8010 | MR | | 15-OCT-92 |
| | ASTM-D558-82R90 | SOIL-CEMENT MIXTURES, MOISTURE-DENSITY RELATIONS OF [CUST: CR4 YD1] [REVIEW: CE CG MC] | A 5610 | YD1 | | 01-OCT-82 |
| | ASTM-D559-96 | SOIL-CEMENT MIXTURES, COMPACTED, WETTING AND DRYING [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | | 10-MAY-96 |
| | ASTM-D560-96 | SOIL-CEMENT MIXTURES, COMPACTED, FREEZING AND THAWING [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | | 10-MAY-96 |
| | ASTM-D562-81R90 | PAINTS, USING THE STORMER VISCOSIMETER, CONSISTENCY OF [CUST: MR SH 99] [REVIEW: YD1] | A 8010 | MR | | 30-OCT-81 |
| | ASTM-D563-88 | PHTHALIC ANHYDRIDE CONTENT OF ALKYD RESIN & RESIN SOLUTION STANDARD TEST METHOD FOR [CUST: MR SH 11] | A 8010 | MR | | 27-MAY-88 |
| | ASTM-D564-87R91 | LIQUID PAINT DRIERS, STANDARD TEST METHODS FOR [CUST: MR SH 99] [REVIEW: 84 AS] | A 8010 | MR | | 05-NOV-91 |
| | ASTM-D565-88R93 | OIL, MINERAL, WHITE, CARBONIZABLE SUBSTANCES IN [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 25-MAR-88 |
| | ASTM-D566-93 | GREASE, LUBRICATING, DROPPING POINT OF [CUST: AT SH 11] | A 9150 | AT | | 15-JUN-93 |
| | ASTM-D569-90 | THERMOPLASTIC MOLDING MATERIALS, MEASURING THE FLOW PROPERTIES OF [CUST: MR SH 11] [REVIEW: 11 99 AS AV CR CR4 GL GS YD1] | A 9330 | MR | | 27-JUL-90 |
| | ASTM-D570-95 | WATER ABSORPTION OF PLASTICS [CUST: MR SH 11 GS] [REVIEW: 99 AR CR CR4 GL MI] | A 9330 | GS | | 15-FEB-95 |
| | ASTM-D572-88 | RUBBER-DETERIORATION BY HEAT AND OXYGEN [CUST: MR SH 99] [REVIEW: AT AV CR4 GL YD1] | A 9320 | GS | | 27-MAY-88 |
| | ASTM-D573-88 | RUBBER-DETERIORATION IN AN AIR OVEN - 29 APR 88 [CUST: MR SH 99] [REVIEW: AT AV CR4 GL YD1] | A 9320 | GS | | 27-MAY-88 |
| | ASTM-D575-91 | RUBBER PROPERTIES IN COMPRESSION [CUST: AT YD1 85] | A 9320 | AT | | 15-MAR-91 |
| | ASTM-D578-96 | GLASS FIBER STRANDS [CUST: AR SH 11 CT] | A CMPS | CT | | 10-OCT-96 |
| | ASTM-D579-90 | GLASS FABRICS, GREIGE WOVEN [CUST: MR GS] | A 9340 | GS | | 28-DEC-90 |
| | ASTM-D585-93 | PAPER, PAPERBOARD, AND FIBERBOARD, SAMPLING AND ACCEPTING A SINGLE LOT OF, AND RELATED PRODUCT [CUST: SM SA 69] | A 8135 | SM | | 15-SEP-93 |
| | ASTM-D590-93 | PETROLEUM WAX IN PAPER [CUST: GL SH 68] | A 9160 | GL | | 15-SEP-93 |
| | ASTM-D595-85R90 | TETRASODIUM SESQUISILICATE [CUST: EA AS 68] | A 6810 | AS | | 31-MAY-85 |
| | ASTM-D600-90 | PAINT, LIQUID DRIERS [CUST: CR4 SH 99] | A 8010 | SH | | 25-MAY-90 |
| | ASTM-D604-81R85 | PIGMENT, DIATOMACEOUS SILICA [CUST: AV SH 99] | A 8010 | SH | | 30-OCT-81 |
| | ASTM-D607-82R87 | GROUND, WET MICA PIGMENTS [CUST: CR4 SH 99] [REVIEW: CG MI MR SA] | A 8010 | SH | | 25-JUN-82 |
| | ASTM-D609-95 | STEEL PANELS FOR TESTING PAINT, VARNISH, CONVERSION COATINGS, AND RELATED COATING PRODUCTS, PREPARATION OF COLD-ROLLED [CUST: CR4 SH 99] | A 8010 | SH | | 15-APR-95 |
| | ASTM-D610-85R89 | DEGREE OF RUSTING ON EVALUATING PAINTED STEEL SURFACES [CUST: MR SH 84] | A 8010 | MR | | 25-OCT-85 |
| | ASTM-D611-82R93 | ANILINE POINT AND MIXED ANILINE POINT OF PETROLEUM PRODUCTS AND HYDROCARBON SOLVENTS [CUST: AT SH 11] [REVIEW: 68 OS] | A 9150 | AT | | 27-AUG-82 |
| | ASTM-D612-88R93 | WAX, PARAFFIN, CARBONIZABLE SUBSTANCES IN [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 31-OCT-88 |
| | ASTM-D613-65 | FUELS, DIESEL, IGNITION QUALITY THE CETANE METHOD [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 31-AUG-65 |
| | ASTM-D617-84R93 | QUALITY PUNCHING OF PHENOLIC LAMINATED SHEETS [CUST: MR GS] [REVIEW: AR AS AT CR MC MD OS YD1] | A 9330 | GS | | 30-NOV-84 |
| | ASTM-D618-95 | PLASTICS CONDITIONING AND ELECTRICAL INSULATING MATERIALS FOR TESTING [CUST: MR AS 99 GS] [REVIEW: AR AT AV MI OS SH YD1] | A 9330 | GS | | 15-FEB-95 |
| A | ASTM-D621-64R88 | PLASTICS UNDER LOAD, DEFORMATION OF [CUST: MR SH 11 GS] [REVIEW: AR AS AV CR CR4 MI YD1] | A 9330 | GS | | 31-AUG-64 |
| | ASTM-D622-86R91 NOT 1 | RUBBER HOSE FOR AUTOMOTIVE AIR & VACUUM BRAKE SYSTEM - 27 MAR 81 [CUST: MR SH 99] [REVIEW: 82 AS AT CR4 GL OS YD1] | A 9320 | GS | | 09-MAY-91 |
| M | ASTM-D624-98 | RUBBER AND THERMOPLASTIC ELASTOMERS, TEAR STRENGTH OF CONVENTIONAL VULCANIZED [CUST: MR SH 99] [REVIEW: AR AS AV CR4 GL YD1] | A 9320 | GS | | 10-MAR-98 |
| | ASTM-D629-95 | TEXTILES, QUANTITATIVE ANALYSIS OF [CUST: AS 69] [REVIEW: SM] | A 83GP | AS | | 15-MAY-95 |
| | ASTM-D633-87R91 | ROAD TAR, STANDARD VOLUME CORRECTION TABLE FOR [CUST: YD1 11] [REVIEW: CE] | A 5610 | YD1 | | 27-MAR-87 |
| M | ASTM-D635-97 | PLASTICS IN A HORIZONTAL POSITION, RATE OF BURNING AND / OR EXTENT AND TIME OF BURNING OF [CUST: MR SH 11 GS] [REVIEW: 70 71 82 84 99 AS CR GL MI OS YD1] | A 9330 | GS | | 10-APR-97 |
| | ASTM-D637-90 | SURFACE IRREGULARITIES OF FLAT TRANSPARENT PLASTIC SHEETS [CUST: MR SH 11 GS] | A 9330 | GS | | 26-OCT-90 |
| M | ASTM-D638-97 | TENSILE PROPERTIES OF PLASTICS [CUST: MR AS 11] [REVIEW: AV EA GS SH] | A 9330 | MR | | 10-OCT-97 |
| | ASTM-D638M-96 | PLASTICS (METRIC), TENSILE PROPERTIES OF [CUST: MR AS 11] [REVIEW: AV EA GS SH] | A 9330 | MR | | 10-MAR-96 |
| | ASTM-D639-81R85 | BATTERY CONTAINERS MADE FROM HARD RUBBER OR EQUIVALENT MATERIALS [CUST: MR SH 11] [REVIEW: AS AV CR4 GL OS] | A 9320 | GS | | 07-MAR-81 |
| | ASTM-D642-94 | CONTAINERS, SHIPPING, COMPONENTS, AND UNIT LOADS, DETERMINING COMPRESSIVE RESISTANCE OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD1] | A PACK | AS | | 15-JUN-94 |
| | ASTM-D644-94 | PAPER AND PAPERBOARD BY OVEN DRYING, MOISTURE CONTENT OF [CUST: SM SA 69] | A 8135 | SM | | 15-APR-94 |
| | ASTM-D646-92 | PAPER AND PAPERBOARD (WEIGHT PER UNIT AREA), GRAMMAGE OF [CUST: EA SH 68] | A 9310 | EA | | 15-SEP-92 |
| | ASTM-D647A-88 | MOLDS FOR TEST SPECIMENS OF PLASTIC MOLDING MATERIALS, DESIGN OF [CUST: CR4 YD1 99] [REVIEW: 84 CC GS SH SM] | A 9530 | YD1 | | 25-NOV-88 |
| M | ASTM-D648-97 | PLASTICS, DEFLECTION TEMPERATURE OF, UNDER FLEXURAL LOAD [CUST: MR SH 11 GS] [REVIEW: AS AT AV CR CR4 GL MI YD1] | A 9330 | GS | | 10-APR-97 |
| | ASTM-D653-90 | SOIL, ROCK, AND CONTAINED FLUIDS, STANDARD TERMINOLOGY RELATING TO [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 01-FEB-90 |
| | ASTM-D659-86 | PAINTS, EXTERIOR, EVALUATING DEGREE OF CHALKING OF, STANDARD METHOD OF - 24 FEB 1986 (S/S BY ASTM-D4214-86R87) [CUST: MR SH 11] [REVIEW: YD1] | A 8010 | MR | | 02-SEP-86 |
| | ASTM-D660-93 | PAINTS, EXTERIOR, EVALUATING DEGREE OF CHECKING OF [CUST: MR SH 99] [REVIEW: 84 YD1] | A 8010 | MR | | 15-MAY-93 |
| | ASTM-D661-93 | PAINTS, EXTERIOR, EVALUATING DEGREE OF CRACKING OF [CUST: MR SH 99] [REVIEW: 11 84 AS CR4 OS] | A 8010 | MR | | 15-MAY-93 |
| | ASTM-D662-93 | PAINTS, EXTERIOR, EVALUATING DEGREE OF EROSION OF [CUST: MR SH 99] | A 8010 | MR | | 15-MAY-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------|--|-----------------------|-----|-------------|-----------|
| ASTM-D664-89 | ACID NUMBER OF PETROLEUM PRODUCTS BY POTENTIOMETRIC TITRATION [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 21-DEC-89 |
| ASTM-D665-83 | OIL IN THE PRESENCE OF WATER, RUST-PREVENTING CHARACTERISTICS OF INHIBITED MINERAL [CUST: AT SH] [REVIEW: 68 AS OS] | A 91GP | AT | | 13-SEP-82 |
| ASTM-D671-87 | PLASTICS, FLEXURAL FATIGUE OF, BY CONSTANT-AMPLITUDE-OF-FORCE, STANDARD TEST METHODS FOR [CUST: MR SH 99 GS] [REVIEW: AR AS AV EC GL MC MD OS YD1] | A 9330 | GS | | 27-NOV-87 |
| ASTM-D673A-93 | PLASTICS, MAR RESISTANCE OF [CUST: MR SH 11 GS] [REVIEW: AR AS AT AV CR CR4 GL YD1] | A 9330 | GS | | 15-OCT-93 |
| ASTM-D685-93 | PAPER AND PAPER PRODUCTS FOR TESTING, CONDITIONING [CUST: MR SH 11] [REVIEW: AS AT AV CR4 GL YD1] | A 9320 | GS | | 15-SEP-93 |
| ASTM-D689A-96 | PAPER, INTERNAL TEARING RESISTANCE OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH YD1] | A 9310 | AS | | 10-MAY-96 |
| ASTM-D692-88 | BITUMINOUS PAVING MIXTURES, COARSE AGGREGATE, STANDARD SPECIFICATION FOR [CUST: YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | | 26-FEB-88 |
| ASTM-D693-84R93 | AGGREGATE, CRUSHED, FOR MACADAM PAVEMENTS [CUST: CR4 YD1 99] | A 5610 | YD1 | | 27-APR-84 |
| ASTM-D695-91 | PLASTICS, PROPERTIES OF COMPRESSIVE RIGID [CUST: MR SH 11] [REVIEW: AR AS AT AV CR CR4 GL GS MI OS YD1] | A 9330 | MR | | 15-NOV-91 |
| ASTM-D695M-91 | PROPERTIES OF COMPRESSIVE RIGID PLASTICS (METRIC) [CUST: MR 11] [REVIEW: AR AS AT AV CR4 GL GS MI OS SH YD1] | A 9330 | MR | | 15-NOV-91 |
| ASTM-D696-91 | LINEAR THERMAL EXPANSION OF PLASTICS, COEFFICIENT OF, BETWEEN -30 DEG. C AND 30 DEG. C1 [CUST: MR SH 11 GS] [REVIEW: AR AS AT AV CR CR4 GL MI YD1] | A 9330 | GS | | 15-MAR-91 |
| ASTM-D698-78 | SOILS AND SOIL-AGGREGATE MIXTURES USING 5.5-LB (2.49-KG) RAMMER AND 12-IN (305-MM) DROP, STANDARD TEST METHODS FOR MOISTURE-DENSITY RELATIONS OF [CUST: CR4 YD1 99] [REVIEW: 71 CE MC] | A 5610 | YD1 | | 27-APR-78 |
| ASTM-D702-81 | CAST METHACRYLATE PLASTIC SHEETS, RODS, TUBES, AND SHAPES [CUST: MR YD1 99] [REVIEW: 84 GS SH] | A 9330 | YD1 | | 26-JUN-81 |
| ASTM-D704-82R88 NOT 1 | MELAMINE FORMALDEHYDE MOLDING COMPOUNDS - 30 JUL 82 (REAPPROVED 1988) [CUST: MR GS] [REVIEW: AL AR EA GL MC SH SM] | A 9330 | GS | | 22-JUN-90 |
| ASTM-D706-96 | COMPOUNDS, CELLULOSE ACETATE MOLDING & EXTRUSION [CUST: MR GS] [REVIEW: AR AS CR4 GL SM] | A 9330 | GS | | 10-JUL-96 |
| ASTM-D707-96 | CELLULOSE ACETATE BUTYRATE MOLDING AND EXTRUSION COMPOUNDS [CUST: MR AS 11 GS] [REVIEW: AV CR EA MD MI OS] | A 9330 | GS | | 10-APR-96 |
| ASTM-D709-92 | MATERIALS, LAMINATED THERMOSETTING [CUST: MR YD1 99] [REVIEW: 84 GS SH] | A 9330 | YD1 | | 15-FEB-92 |
| ASTM-D710-96 | SHEETS, RODS, AND TUBES, VULCANIZED FIBRE, USED FOR ELECTRICAL INSULATION [CUST: MR AS 11 GS] | A 5970 | GS | | 10-OCT-96 |
| ASTM-D711-89R94 | PAINT, NO-PICK-UP TIME OF TRAFFIC [CUST: CR4 YD1 84] | A 8010 | 84 | | 26-MAY-89 |
| ASTM-D714-87 | PAINTS, BLISTERING OF, EVALUATING OF - [CUST: MR SH 99] [REVIEW: 84 AS YD1] | A 8010 | MR | | 28-JUL-88 |
| ASTM-D720-91 | COAL, FREE-SWELLING, INDEX OF [CUST: PS] | A 9110 | PS | | 15-SEP-91 |
| ASTM-D721-87R93 | OIL CONTENT OF PETROLEUM WAXES [CUST: AT SH 11] [REVIEW: 68 AS] | A 91GP | AT | | 30-OCT-87 |
| ASTM-D724-94 | PAPER, SURFACE WETTABILITY OF (ANGLE-OF-CONTACT METHOD) [CUST: SM AS 69] | A 9310 | AS | | 15-APR-94 |
| ASTM-D726-94 | PAPER TO PASSAGE OF AIR, NONPOROUS [CUST: GL SA 99] | A 9310 | MB | | 15-APR-94 |
| ASTM-D729-95 | VINYLDENE CHLORIDE MOLDING COMPOUNDS [CUST: MR GS] [REVIEW: AR CR CR4 GL MD SH SM] | A 9330 | GS | | 10-DEC-95 |
| ASTM-D732-90 | PLASTICS BY PUNCH TOOL, SHEAR STRENGTH OF [CUST: MR SH 11 GS] [REVIEW: AR AS AT AV CR CR4 GL MI SH] | A 9330 | GS | | 30-MAR-90 |
| ASTM-D737-96 | TEXTILE FABRICS, AIR PERMEABILITY OF [CUST: GL YD1 99 CT] | A 83GP | CT | | 10-FEB-96 |
| ASTM-D740-94 | METHYL ETHYL KETONE [CUST: AR SH 68 GS] [REVIEW: EA GL MR] | A 6810 | GS | | 15-MAR-94 |
| ASTM-D746-95 | PLASTICS AND ELASTOMERS BY IMPACT, BRITTLINESS TEMPERATURE OF [CUST: MR SH 11 GS] [REVIEW: AS AT AV CR CR4 MI YD1] | A 9330 | GS | | 10-OCT-95 |
| ASTM-D747-93 | PLASTICS BY MEANS OF A CANTILEVER BEAM, APPARENT BENDING MODULUS OF [CUST: AT GS] [REVIEW: AR AV MR TE] | A NDTI | GS | | 15-OCT-93 |
| ASTM-D749-88 | STEEL, STRIP, CARBON AND HIGH-STRENGTH, LOW ALLOY, HOT ROLLED, GENERAL REQUIREMENT FOR 4 APR 88 [CUST: MR GS] [REVIEW: AR GL IS MI OS] | A 9515 | GS | | 05-APR-88 |
| ASTM-D750-95 | RUBBER DETERIORATION IN CARBON-ARC WEATHERING APPARATUS [CUST: MR SH 99 GS] [REVIEW: AS AT AV CR4 GL YD1] | A 9320 | GS | | 15-APR-95 |
| ASTM-D751-95 | FABRICS, COATED [CUST: MR SH 99] [REVIEW: YD1] | A 9320 | GS | | 15-FEB-95 |
| ASTM-D756-93 | DETERMINATION OF WEIGHT AND SHAPE CHANGES OF PLASTICS UNDER ACCELERATED SERVICE CONDITIONS [CUST: MR SH 11 GS] [REVIEW: AT AV CR GL MI OS YD1] | A 9330 | GS | | 15-FEB-93 |
| ASTM-D757-77 NOT 1 | PLASTICS, RIGID, IN A HORIZONTALION, INCANDESCENCE RESISTANCE OF - 1 JUL 77[CUST: MR SH 11 GS] [REVIEW: 99 AR AS AV CR GL MI] | A 9330 | GS | | 10-FEB-87 |
| A ASTM-D772-86 | PAINTS, EXTERIOR, FLAKING (SCALING), EVALUATING DEGREE OF [CUST: MR SH 99] [REVIEW: 11 84 AS CR4] | A 8010 | MR | | 29-AUG-86 |
| ASTM-D774/D774MA-96 | PAPER, BURSTING STRENGTH OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD1] | A 9310 | AS | | 10-MAY-96 |
| ASTM-D779-89 | WATER RESISTANCE OF PAPER, PAPERBOARD, AND OTHER SHEET MATERIALS BY THE DRY INDICATOR METHOD [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD1] | A 9310 | AS | | 29-SEP-89 |
| ASTM-D781-68R73 | PUNCTURE & STIFFNESS OF PAPERBOARD, & CORRUGATED & SOLID FIBERBOARD - 13 SEP 68 [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH YD1] | A PACK | AS | | 01-MAY-81 |
| ASTM-D782-82R87 | CONTAINERS, SHIPPING, IN REVOLVING HEXAGONALDRUM, STANDARD METHOD OF - 27 AUG 82 [CUST: SM AS 99] [REVIEW: 69 84 AR AT AV MC] | A PACK | SM | | 08-JUN-88 |
| ASTM-D785-89 | PLASTICS AND ELECTRICAL INSULATING MATERIALS, ROCKWELL HARDNESS OF [CUST: MR SH 11 GS] | A 9330 | GS | | 27-JAN-89 |
| ASTM-D787-81R88 NOT 3 | ETHYL CELLULOSE MOLDING & EXTRUSION COMPOUNDS - 26 JUN 1981 (REAPPROVED 1988) [CUST: MR SH 11 GS] [REVIEW: AR CR EA MD] | A 9330 | GS | | 08-FEB-89 |
| ASTM-D788-96 | COMPOUNDS, MOLDING AND EXTRUSION, POLY(METHYL METHACRYLATE) (PMMA) [CUST: MD MS 03] | A 6640 | MB | | 10-APR-96 |
| M ASTM-D790-97 | PLASTICS AND ELECTRICAL INSULATING MATERIALS, FLEXURAL PROPERTIES OF UNREINFORCED AND REINFORCED [CUST: MR SH 11] [REVIEW: AR AS AT AV CR CR4 GL GS MI OS YD1] | A 9330 | MR | | 10-OCT-97 |
| ASTM-D790M-93 | PROPERTIES, FLEXURAL, OF UNREINFORCED AND REINFORCED PLASTICS AND ELECTRICAL INSULATING MATERIALS (METRIC) [CUST: MR AS 11] [REVIEW: AR AT GS MI SH] | A 9330 | MR | | 15-OCT-94 |
| ASTM-D792-91 | DENSITY AND SPECIFIC GRAVITY (RELATIVE DENSITY) OF PLASTICS BY DISPLACEMENT[CUST: MR SH 11 GS] [REVIEW: YD1] | A 9330 | GS | | 15-JUL-91 |
| ASTM-D797-82R89 | RUBBER PROPERTY-YOUNG'S MODULUS AT NORMAL AND SUBNORMAL TEMPERATURES [CUST: MR YD1 99] | A 9320 | YD1 | | 29-JAN-82 |
| ASTM-D800-91 | CHEMICAL ANALYSIS OF INDUSTRIAL METAL CLEANING COMPOSITIONS [CUST: GL SH 68] | A 6850 | GL | | 15-JUL-91 |
| ASTM-D808-91 | CHLORINE IN NEW AND USED PETROLEUM PRODUCTS (BOMB METHOD) [CUST: AT SH 11] [REVIEW: 68] | A 91GP | AT | | 15-SEP-91 |
| ASTM-D811-82 | OIL, LUBRICATING, CHEMICAL ANALYSIS FOR METALS IN NEW & USED - 27 AUG 82 [CUST: AT SH 11] | A 91GP | AT | | 06-APR-83 |
| ASTM-D813-95 | RUBBER DETERIORATION-CRACK GROWTH [CUST: MR AS 99 GS] [REVIEW: 11 82 AR CR CR4 GL MD OS SH YD1] | A 9320 | GS | | 15-FEB-95 |
| ASTM-D816-82R93 | RUBBER CEMENTS [CUST: MR SH 11] [REVIEW: AR CR4 GL MI OS SA] | A 8040 | MR | | 29-OCT-82 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | | | | | | |
| | ASTM-D822-96 | PAINT AND RELATED COATINGS AND MATERIALS USING FILTERED OPEN-FLAME CARBON-ARC EXPOSURE APPARATUS, CONDUCTING TEST ON [CUST: YD1] [REVIEW: CE OS SH] | A 8010 | YD1 | | 10-JAN-96 |
| | ASTM-D823-95 NOT 1 | PRODUCING FILMS OF UNIFORM THICKNESS OF PAINT, VARNISH, AND RELATED PRODUCTS ON TEST PANELS [CUST: MR SH] [REVIEW: 84 AS CR4 YD1] | A 8010 | MR | | 10-NOV-95 |
| | ASTM-D828-87 | PAPER AND PAPERBOARD, STANDARD TEST METHODS FOR TENSILE BREAKING STRENGTH OF [CUST: CR4 YD1 99] [REVIEW: CE] | A 5640 | YD1 | | 30-OCT-87 |
| M | ASTM-D832-92R97 | RUBBER CONDITIONING FOR LOW-TEMPERATURE TESTING [CUST: MR SH 99] [REVIEW: 84 AV GL MI] | A 9320 | MR | | 15 MAR-92 |
| | ASTM-D846-84 | XYLENE, STANDARD SPECIFICATION FOR TEN DEGREE - 30 MAR 84 [CUST: MR SH 68] [REVIEW: AS CR4 GL MC YD1] | A 6810 | GS | | 25-JUN-84 |
| | ASTM-D847-96 | BENZENE, TOLUENE, XYLENES, SOLVENT NAPTHAS, AND SIMILAR INDUSTRIAL AROMATIC HYDROCARBONS, ACIDITY OF [CUST: MR SH 99] | A 8010 | MR | | 10-JUN-96 |
| A | ASTM-D848-93 | ACID WASH COLOR OF INDUSTRIAL AROMATIC HYDROCARBONS [CUST: EA 68] | A 6810 | GS | | 15-APR-93 |
| | ASTM-D849-97 | COPPER STRIP CORROSION BY INDUSTRIAL AROMATIC HYDROCARBONS [CUST: EA 68 GS] [REVIEW: AS CR4 GL MC MD SH] | A 6810 | GS | | 10-JUN-97 |
| | ASTM-D850-93 | DISTILLATION OF INDUSTRIAL AROMATIC HYDROCARBONS AND RELATED MATERIALS [CUST: EA 68] [REVIEW: CR4 GL MD SH] | A 6810 | GS | | 15-APR-93 |
| | ASTM-D853-91 | HYDROGEN SULFIDE AND SULFUR DIOXIDE CONTENT (QUALITATIVE) OF INDUSTRIAL AROMATIC HYDROCARBONS [CUST: MR SH 99] | A 8010 | MR | | 15-OCT-91 |
| | ASTM-D854-92 | SOILS, SPECIFIC GRAVITY OF [CUST: YD1] [REVIEW: 84 CE MC] | A 5610 | YD1 | | 15-NOV-92 |
| | ASTM-D858-95 | MANGANESE IN WATER [CUST: EA 68 GS] [REVIEW: CR4 GL MD SH] | A 6810 | GS | | 15-FEB-95 |
| A | ASTM-D859-88 | SILICA IN WATER [CUST: EA 68 GS] [REVIEW: CR4 GL MD SH] | A 6810 | GS | | 19-AUG-88 |
| | ASTM-D861-95 | FIBERS, YARN INTERMEDIATES, AND YARNS, USE OF THE TEX SYSTEM TO DESIGNATE LINEAR DENSITY OF [CUST: GL NU 99 CT] | A 83GP | CT | | 15-MAY-95 |
| | ASTM-D865-88 | RUBBER-DETERIORATION BY HEATING IN AIR (TEST TUBE ENCLOSURE) - 29 APR 88 [CUST: MR SH 11] [REVIEW: AS AT AV CR4 GL] | A 9320 | GS | | 27-MAY-88 |
| | ASTM-D869-85R93 | PAINT, SETTLING OF, EVALUATING DEGREE OF [CUST: MR SH 11] | A 8010 | MR | | 27-SEP-85 |
| | ASTM-D871-91 | ACETATE, CELLULOSE [CUST: MI OS 68] | A 6810 | MI | | 22-FEB-91 |
| | ASTM-D872-82 NOT 2 | SULFONATION INDEX OF ROAD TAR, STANDARD TEST METHOD FOR [CUST: CE YD1] | A 5610 | YD1 | | 02-MAR-92 |
| | ASTM-D873-88 | OXIDATION STABILITY OF AVIATION FUELS (POTENTIAL RESIDUE METHOD) [CUST: AT SH 11] [REVIEW: OS] | A 91GP | AT | | 31-OCT-88 |
| | ASTM-D874-92 | ASH, SULFATED, FROM LUBRICATING OILS AND ADDITIVES [CUST: AT SH 11] | A 9150 | AT | | 31-JUL-92 |
| | ASTM-D876-90 | TUBING, NONRIGID VINYL CHLORIDE POLYMER, USED FOR ELECTRICAL INSULATION [CUST: MI SH 99] [REVIEW: AR GS MR] | A 5970 | MI | | 26-JUN-90 |
| | ASTM-D877-87R89 | LIQUIDS, INSULATING, USING DISK ELECTRODES, DIELECTRIC BREAKDOWN VOLTAGE OF [CUST: AT SH 11] [REVIEW: YD1] | A 9150 | AT | | 27-FEB-87 |
| | ASTM-D878A-96 | OILS, INSULATING, INORGANIC CHLORIDES AND SULFATES IN [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 10-DEC-96 |
| M | ASTM-D882-97 | PLASTIC SHEETING, TENSILE PROPERTIES OF THIN [CUST: MR 11] [REVIEW: 99 AR AS AV CR CR4 EC GL GS OS SH] | A 9330 | MR | | 10-JUN-97 |
| | ASTM-D883A-95 | PLASTICS [CUST: MR AS 11] [REVIEW: AR AV EA EC GL MI SH YD1] | A 9330 | MR | | 10-DEC-95 |
| | ASTM-D885-85R92 | TIRE CORDS, TIRE CORD FABRICS, AND INDUSTRIAL FILAMENT YARNS MADE FROM MAN-MADE ORGANIC-BASE FIBERS [CUST: MR SH 99 CT] | A 26GP | SH | | 16-JUL-85 |
| | ASTM-D888-92 | OXYGEN, DISSOLVED IN WATER [CUST: CE YD1 11] | A MISC | YD1 | | 15-JUN-92 |
| | ASTM-D891-95 | GRAVITY, SPECIFIC, APPARENT, OF LIQUID INDUSTRIAL CHEMICALS [CUST: MR SH 84] [REVIEW: OS] | A 8010 | MR | | 15-JUN-95 |
| | ASTM-D892-95 | OILS, LUBRICATING, FOAMING CHARACTERISTICS OF [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 15-AUG-95 |
| | ASTM-D893-92 | OILS, LUBRICATING, INSOLUBLES IN USED [CUST: AT SH 11] [REVIEW: OS] | A 9150 | AT | | 15-SEP-92 |
| | ASTM-D895-94 | WATER VAPOR PERMEABILITY OF PACKAGES [CUST: SM AS 69] [REVIEW: 99 AL AR CR CR4 EC MR OS SA SH YD1] | A PACK | AS | | 15-MAY-94 |
| M | ASTM-D896-97 | ADHESIVE BONDS TO CHEMICAL REAGENTS, RESISTANCE OF [CUST: MR AS 11] [REVIEW: AR GL OS] | A 8040 | MR | | 10-MAR-97 |
| | ASTM-D897A-95 | ADHESIVE BONDS, TENSILE PROPERTIES OF [CUST: MR SH 99] [REVIEW: 11 AR CR4 GL] | A 8040 | MR | | 15-AUG-95 |
| | ASTM-D898-96 | ADHESIVE SOLIDS, DRIED, APPLIED WEIGHT PER UNIT, AREA OF [CUST: MR AS 11] [REVIEW: 84 CR4 GL MI SH] | A 8040 | MR | | 10-DEC-96 |
| | ASTM-D899-89 | ADHESIVE, LIQUID, APPLIED WEIGHT PER UNIT, AREA OF [CUST: MR SH 11] [REVIEW: AR AS CR4 GL IS MI OS SA SH YD1] | A 8040 | MR | | 24-FEB-89 |
| A | ASTM-D902-95 | GLASS FABRICS AND GLASS FABRIC TAPES, FLEXIBLE RESIN-COATED, USED FOR ELECTRICAL INSULATION [CUST: MI SH 85 GS] | A 5970 | GS | | 10-SEP-95 |
| | ASTM-D903-49R83 NOT 1 | ADHESIVE BONDS, TEST FOR PEEL OR STRIPPING STRENGTH OF - 01 DEC 65 (REAPPROVED 1983) [CUST: MR SH 11] [REVIEW: 99 AR AS CR4 GL IS MI OS SA] | A 8040 | MR | | 22-JUN-90 |
| | ASTM-D905-89 | ADHESIVE BONDS IN SHEAR BY COMPRESSION LOADING, STRENGTH PROPERTIES OF [CUST: MR AS 11] | A 8040 | MR | | 24-FEB-89 |
| | ASTM-D906A-94 | STRENGTH PROPERTIES OF ADHESIVES IN PLYWOOD TYPE CONSTRUCTION IN SHEAR BY TENSION LOADING [CUST: MR SH 11] [REVIEW: 99 AR AS CR4 GL IS MI OS SA] | A 8040 | MR | | 15-DEC-94 |
| | ASTM-D909-67 | FUELS, AVIATION, KNOCK CHARACTERISTICS OF, BY THE SUPERCHARGE METHOD - 15 NOV 67 [CUST: AT SH 11] | A 91GP | AT | | 20-JUN-68 |
| A | ASTM-D910-97 | GASOLINES, AVIATION [CUST: MR AS 11] [REVIEW: PS] | A 9130 | AS | | 10-JUL-97 |
| | ASTM-D912-81 | PAINTS, ANTIFOULING, CUPROUS OXIDE FOR USE IN [CUST: CR4 SH 99] | A 8010 | SH | | 30-OCT-81 |
| | ASTM-D914-72R89 | ETHYLCELLULOSE [CUST: EA SH] [REVIEW: AR CR4 GL MD] | A 6810 | GS | | 01-MAY-72 |
| | ASTM-D918-81R93 | PAPER AND PAPERBOARD, BLOCKING RESISTANCE OF [CUST: SM SA 69] | A 8135 | SM | | 28-AUG-81 |
| | ASTM-D922-89 | VINYL CHLORIDE, NONRIGID, POLYMER TUBING [CUST: MR SH 99] [REVIEW: 11 82 84 CR CR4 GL GS MD OS SM] | A 5970 | MR | | 30-JUN-89 |
| M | ASTM-D923-97 | LIQUIDS, SAMPLING ELECTRICAL INSULATING [CUST: SH 68] [REVIEW: AS EC GS] | A 9160 | SH | | 10-OCT-97 |
| | ASTM-D924-92 | LIQUIDS, ELECTRICAL INSULATING, DISSIPATION FACTOR (OR POWER FACTOR) AND RELATIVE PERMITTIVITY (DIELECTRIC CONSTANT) OF [CUST: CR4 AS] [REVIEW: AR OS] | A 9150 | AS | | 15-AUG-92 |
| | ASTM-D926-93 | RUBBER PROPERTIES-PLASTICITY AND RECOVERY (PARALLEL PLATE METHOD) [CUST: MR] [REVIEW: AV CR4 GL GS MD] | A 9320 | MR | | 15-SEP-93 |
| | ASTM-D929-85 | BORAX [CUST: AT SH 68] | A 6810 | AT | | 31-MAY-85 |
| | ASTM-D936-89 | GASOLINES, OLEFIN-FREE, BY SILICA GEL ABSORPTION, AROMATIC HYDROCARBONS [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 27-OCT-89 |
| | ASTM-D937-92 | CONE PENETRATION OF PETROLATUM [CUST: AT SH 11] | A 9150 | AT | | 15-AUG-92 |
| | ASTM-D938-92 | PETROLEUM WAXES, INCLUDING PETROLATUM, CONGEALING POINT OF [CUST: AR SH 68] | A 9160 | AR | | 15-AUG-92 |
| | ASTM-D941-88 | DENSITY AND RELATIVE DENSITY (SPECIFIC GRAVITY) OF LIQUIDS BY LIPKIN BICAPILLARY PYCNOMETER [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 31-OCT-88 |
| | ASTM-D942-90 | OXIDATION STABILITY OF LUBRICATING GREASES BY THE OXYGEN BOMB METHOD [CUST: AT SH 11] | A 9150 | AT | | 27-APR-90 |
| | ASTM-D943-81R91 | MINERAL OILS, INHIBITED, OXIDATION CHARACTERISTICS OF [CUST: MD SH 03] | A 6505 | SH | | 28-AUG-81 |
| M | ASTM-D945-92R97 | RUBBER PROPERTIES IN COMPRESSION OR SHEAR (MECHANICAL OSCILLOGRAPH) [CUST: MR SH 99] [REVIEW: 84 AV GL MI] | A 9320 | MR | | 15-MAR-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|-----------------------|---|--------------------------|--------------------|-----------|
| | ASTM-D946-82 | ASPHALT CEMENT FOR USE IN PAVEMENT CONSTRUCTION, PENETRATION-GRADED [CUST: CR4 YD1 99] [REVIEW: CE] | A 5610 | YD1 | 05-FEB-82 |
| | ASTM-D950-94 | BONDS, ADHESIVE, IMPACT STRENGTH OF [CUST: MR SH 99] | A 8040 | MR | 15-DEC-94 |
| | ASTM-D951-94 | WATER RESISTANCE OF SHIPPING CONTAINERS BY SPRAY METHOD [CUST: SM AS 69] | A PACK | SM | 15-MAY-94 |
| | ASTM-D953-93 | PLASTICS, BEARING STRENGTH OF [CUST: MR SH 11 GS] [REVIEW: 99 AR AS AT AV CR CR4 EC GL SH] | A 9330 | GS | 15-OCT-93 |
| | ASTM-D955-89 | MOLD DIMENSIONS OF MOLDED PLASTICS, MEASURING SHRINKAGE FROM [CUST: MR SH 99] | A 9330 | MR | 24-NOV-89 |
| | ASTM-D966-91 NOT 1 | TERMINOLOGY OF PACKAGING AND DISTRIBUTION ENVIRONMENTS [CUST: SM SA 69 DH] [REVIEW: 10 AR AS AT AV CR CT EA GL MB MC MI SS YD1] | A PACK | SM | 25-SEP-91 |
| | ASTM-D968-93 | ABRASION RESISTANCE OF ORGANIC COATINGS BY FALLING ABRASIVE [CUST: MR SH 99] [REVIEW: YD1] | A 8010 | MR | 15-SEP-93 |
| | ASTM-D969-85R93 | PAINT, DEGREE OF BLEEDING OF TRAFFIC, LABORATORY DETERMINATION OF [CUST: CR4 SH 84] | A 8010 | 84 | 29-NOV-85 |
| | ASTM-D971-91 | OIL AGAINST WATER BY THE RING METHOD, INTERFACIAL TENSION OF [CUST: AT SH] [REVIEW: 68 AR AS OS] | A 91GP | AT | 15-SEP-91 |
| | ASTM-D972-91 | EVAPORATION LOSS OF LUBRICATING GREASES AND OILS [CUST: AT SH 11] | A 91GP | AT | 15-SEP-91 |
| | ASTM-D974-95 | ACID AND BASE NUMBER BY COLOR-INDICATOR TITRATION [CUST: AT SH 11] [REVIEW: 68 AR AS OS] | A 91GP | AT | 15-AUG-95 |
| | ASTM-D975-94 | DIESEL FUEL OILS [CUST: AT YD1 68] | A 9140 | YD1 | 15-APR-94 |
| | ASTM-D976-91 | FUELS, DISTILLATE, CALCULATED CETANE INDEX OF [CUST: CR4 SH 11] | A 91GP | 11 | 29-AUG-90 |
| M | ASTM-D977-97 | ASPHALT, EMULSIFIED [CUST: CR4 YD1 99] | A 5610 | YD1 | 10-AUG-97 |
| | ASTM-D979-89 | BITUMINOUS PAVING MIXTURES, STANDARD PRACTICE FOR SAMPLING [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | 24-JUL-89 |
| | ASTM-D991-89 | RUBBER PROPERTY-VOLUME RESISTIVITY OF ELECTRICALLY CONDUCTIVE AND ANTISTATIC PRODUCTS [CUST: MR SH 11] [REVIEW: AR AS AT AV CR CR4 GL OS YD1] | A 9320 | GS | 31-MAR-89 |
| | ASTM-D992-71R78 NOT 1 | NITRATE ION IN WATER - 22 OCT 71 [CUST: EA 68] | A 6810 | GS | 06-MAR-87 |
| | ASTM-D994-71R82 NOT 2 | CONCRETE, PREFORMED EXPANSION JOINT FILLER FOR (BITUMINOUS TYPE) - 22 NOV 1971 [CUST: YD1] | A 5610 | YD1 | 25-JUL-91 |
| | ASTM-D995-88 | MIXTURE, PAVING, STANDARD SPECIFICATION FOR MIXING PLANTS FOR HOT-MIXED, HOT-LAID BITUMINOUS PAVING MIXTURE - 9 FEBRUARY 1988 [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | 31-JAN-89 |
| | ASTM-D996-95 | ENVIRONMENTS, PACKAGING AND DISTRIBUTION [CUST: SM SA 69 DH] [REVIEW: 10 AR AS AT AV CR CT EA MB MC SS YD1] | A PACK | SM | 10-SEP-95 |
| | ASTM-D997-80R86 | CONTAINERS, LOADED CYLINDRICAL, DROP TEST FOR [CUST: SM SH 69] | A PACK | SM | 03-MAR-80 |
| | ASTM-D1000-93 | TAPES, PRESSURE-SENSITIVE ADHESIVE-COATED, USED FOR ELECTRICAL AND ELECTRONIC APPLICATIONS [CUST: MI SH 10] | A 5970 | MI | 15-SEP-93 |
| | ASTM-D1002-72R83 | TENSION LOADING (METAL-TO-METAL), ADHESIVES IN SHEAR BY, STRENGTH PROPERTIES OF [CUST: MR AS 11] [REVIEW: 99 AR CR4 GL IS MI OS SA] | A 8040 | MR | 10-JUL-73 |
| M | ASTM-D1003-97 | PLASTICS, TRANSPARENT, HAZE AND LUMINOUS TRANSMITTANCE OF [CUST: MR SH 11 GS] [REVIEW: AR AS AT AV CR CR4] | A 9330 | GS | 10-NOV-97 |
| | ASTM-D1004-90 | FILM AND SHEETING, PLASTIC, INITIAL TEAR RESISTANCE OF [CUST: MR SH 11 GS] [REVIEW: AR AT AV CR CR4 GL MI YD1] | A 9330 | GS | 30-MAR-90 |
| | ASTM-D1005-84R90 | FILM, DRY, THICKNESS OF ORGANIC COATINGS USING MICROMETERS, MEASUREMENT OF [CUST: MR SH] [REVIEW: 99 CR4 MC MD YD1] | A 8010 | MR | 31-AUG-84 |
| | ASTM-D1006-93 | PAINTS ON WOOD, CONDUCTING EXTERIOR EXPOSURE TESTS OF [CUST: MR SH 84] | A 8010 | MR | 15-JUN-93 |
| | ASTM-D1008-64R77 | WATER VAPOR TRANSMISSION OF SHIPPING CONTAINERS [CUST: SM AS 69] [REVIEW: 99 AL AR CR CR4 EC MR OS SA SH YD1] | A PACK | AS | 01-DEC-64 |
| | ASTM-D1013-93 | TOTAL NITROGEN IN RESINS AND PLASTICS, DETERMINING [CUST: EA GS] [REVIEW: CR4 MD SH] | A 6810 | GS | 15-APR-93 |
| | ASTM-D1014-83R88 | PAINTS ON STEEL, CONDUCTING EXTERIOR EXPOSURE TESTS OF [CUST: MR 84] [REVIEW: AS CR4 OS SH YD1] | A 8010 | MR | 28-NOV-83 |
| | ASTM-D1018-91 | HYDROGEN IN PETROLEUM FRACTIONS [CUST: PS] | A 91GP | PS | 15-MAR-91 |
| | ASTM-D1030-76R90 | PAPER AND PAPERBOARD, FIBER ANALYSIS OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH YD1] | A 9310 | AS | 28-MAY-76 |
| | ASTM-D1031-59R86 | WOOD BLOCK FLOORING FOR INTERIOR USE, CREOSOTED END-GRAIN [CUST: CR4 YD1] [REVIEW: CC] | A 5510 | YD1 | 10-SEP-59 |
| | ASTM-D1037A-96 | FIBER, WOOD-BASE, AND PARTICLE PANEL MATERIALS, EVALUATING PROPERTIES OF [CUST: CR4 AS 99] [REVIEW: GL IS OS SA SH] | A 5530 | AS | 10-APR-96 |
| | ASTM-D1043-92 | PLASTICS AS A FUNCTION OF TEMPERATURE BY MEANS OF A TORSION TEST, STIFFNESS PROPERTIES OF [CUST: MR SH 99 CT] | A 9330 | CT | 15-JUN-92 |
| | ASTM-D1044-90 | SURFACE ABRASION, RESISTANCE OF TRANSPARENT PLASTICS TO [CUST: MR 11 GS] [REVIEW: 99 AS AT CR CR4 GL MI YD1] | A 9330 | GS | 30-MAR-90 |
| | ASTM-D1047-89 | WIRE AND CABLE, POLY(VINYL CHLORIDE) JACKET FOR [CUST: MR YD1] | A 9330 | YD1 | 25-AUG-89 |
| | ASTM-D1048-88 | RUBBER INSULATING BLANKETS, STANDARD SPECIFICATION FOR [CUST: CR YD1 85] [REVIEW: SH] | A 5970 | YD1 | 25-MAR-88 |
| | ASTM-D1049-93 | RUBBER INSULATING COVERS [CUST: CR YD1 85] [REVIEW: 99 GS] | A 5970 | YD1 | 15-DEC-93 |
| | ASTM-D1050-90 | RUBBER INSULATING LINE HOSE [CUST: CR YD1 85] [REVIEW: 80 99 GS] | A 5970 | YD1 | 30-NOV-90 |
| | ASTM-D1052-85 | RUBBER DETERIORATION-CUT GROWTH USING ROSS FLEXING APPARATUS, STANDARD SPECIFICATION FOR MEASURING [CUST: MR YD1 99] [REVIEW: 84 GS] | A 9320 | YD1 | 29-MAR-85 |
| | ASTM-D1053-89 | RUBBER PROPERTY-STIFFENING AT LOW TEMPERATURES: FLEXIBLE POLYMERS AND COATED FABRICS, STANDARD TEST METHODS FOR [CUST: MR SH 99] [REVIEW: 82 AL AR AS AT AV CR GL GS MI OS YD1] | A 9320 | MR | 27-OCT-89 |
| | ASTM-D1054-91 | RUBBER PROPERTY-RESILIENCE USING A REBOUND PENDULUM [CUST: AT SH 99] | A 9320 | AT | 15-MAR-91 |
| M | ASTM-D1055-97 | LATEX FOAM, FLEXIBLE CELLULAR MATERIALS [CUST: MR SH 11] [REVIEW: 82 AR AS AT AV CR4 GL OS YD1] | A 9320 | GS | 10-NOV-97 |
| | ASTM-D1056-91 | SPONGE OR EXPANDED RUBBER, FLEXIBLE CELLULAR MATERIALS [CUST: MR SH 99] [REVIEW: 82 AS AT AV CR4 GL MC MI OS YD1] | A 9320 | GS | 15-OCT-91 |
| | ASTM-D1059-87R92 | YARN NUMBER BASED ON SHORT-LENGTH SPECIMENS [CUST: GL SH 99 CT] | A 8310 | CT | 15-MAY-87 |
| | ASTM-D1062-92 | BONDS, ADHESIVE, CLEAVAGE STRENGTH OF METAL-TO-METAL [CUST: MR AS 11] | A 8040 | MR | 15-JUL-92 |
| A | ASTM-D1064-97 | IRON IN ROSIN TALL OIL FATTY ACIDS AND OTHER RELATED PRODUCTS [CUST: EA OS 68 GS] [REVIEW: GL MD] | A 6810 | GS | 10-JUN-97 |
| | ASTM-D1067-92 | WATER, ACIDITY OR ALKALINITY OF [CUST: EA 68] [REVIEW: 50 CR4 GL MD OS SH] | A 6810 | GS | 15-MAY-92 |
| | ASTM-D1068-90 | IRON IN WATER [CUST: EA GS] [REVIEW: CR4 GL MD OS SH] | A 6810 | GS | 15-MAR-90 |
| | ASTM-D1073-88 | AGGREGATE, FINE, FOR BITUMINOUS PAVING MIXTURES [CUST: YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | 26-FEB-88 |
| | ASTM-D1075-96 | WATER ON COMPRESSIVE STRENGTH OF COMPACTED BITUMINOUS MIXTURES, EFFECT OF [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 10-MAY-96 |
| | ASTM-D1076-88 | RUBBER-CONCENTRATED, AMMONIA PRESERVED, CREAMED, AND CENTRIFUGED NATURAL LATEX [CUST: MR OS 99] | A 9320 | MB | 29-APR-88 |
| A | ASTM-D1078-97 | DISTILLATION RANGE OF VOLATILE ORGANIC LIQUIDS [CUST: MR 11] [REVIEW: 99 AS CR4 EA OS SH] | A 8010 | MR | 10-JUL-97 |
| | ASTM-D1084-88 | ADHESIVES, VISCOSITY OF [CUST: MR SH 11] [REVIEW: 11 AR AS CR4 GL IS MI OS SA SH] | A 8040 | MR | 26-AUG-88 |
| | ASTM-D1085-65R84 | PETROLEUM AND PETROLEUM PRODUCTS, GAGING [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | OCT-65 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------------|--|--------------------------|-----|-------------|-----------|
| | ASTM-D1086-64R82 | PETROLEUM AND PETROLEUM PRODUCTS, MEASURING THE TEMPERATURE OF [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | JUN-68 |
| | ASTM-D1091-91 | PHOSPHORUS IN LUBRICATING OILS AND ADDITIVES [CUST: AT SH 11] | A 91GP | AT | | 15-MAR-91 |
| | ASTM-D1092-93 | VISCOSITY OF LUBRICATING GREASES, MEASURING APPARENT [CUST: AT SH 11] | A 9150 | AT | | 15-FEB-93 |
| | ASTM-D1093-93 | LIQUIDS, HYDROCARBON, AND THEIR DISTILLATION RESIDUES, ACIDITY OF [CUST: AT AS 68] | A 6810 | 68 | | 15-MAY-93 |
| A | ASTM-D1094-97 | WATER REACTION OF AVIATION FUELS [CUST: CR4] | A 6850 | CR4 | | 10-FEB-97 |
| | ASTM-D1098-61R73 | PAPERBOARD, CORRUGATED, STATIC BENDING TEST FOR [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH YD1] | A 9310 | AS | | 18-SEP-61 |
| A | ASTM-D1117-97 | FABRICS, NONWOVEN [CUST: GL SH 84 CT] | A 8305 | CT | | 10-MAR-97 |
| | ASTM-D1119-85 | ASH CONTENT OF ENGINE COOLANTS AND ANTIRUSTS [CUST: CR4 SH 68] | A 6850 | CR4 | | 25-JAN-85 |
| | ASTM-D1120-94 | ENGINE COOLANTS, BOILING POINT OF [CUST: CR4 SH 68] | A 6850 | CR4 | | 15-JUL-94 |
| | ASTM-D1121-93 | RESERVE ALKALINITY OF ENGINE COOLANTS AND ANTIRUSTS [CUST: CR4 SH 68] | A 6850 | CR4 | | 15-SEP-93 |
| A | ASTM-D1122-97 | ENGINE COOLANTS CONCENTRATES AND ENGINE COOLANTS BY THE HYDROMETER, DENSITY OR RELATIVE DENSITY OF [CUST: CR4 SH 68] | A 6850 | CR4 | | 10-APR-97 |
| | ASTM-D1123-93 | WATER IN ENGINE COOLANT CONCENTRATE BY THE KARL FISCHER REAGENT METHOD [CUST: EA AS 11] [REVIEW: AV MC SH] | A 6850 | AS | | 15-JUL-93 |
| | ASTM-D1125-95 | ELECTRICAL CONDUCTIVITY AND RESISTIVITY OF WATER [CUST: EA SH 68] [REVIEW: CR4 GL GS MD PS] | A 6810 | SH | | 10-OCT-95 |
| | ASTM-D1126-96 | WATER, HARDNESS IN [CUST: EA SH] [REVIEW: CR4 GS PS] | A 6810 | SH | | 10-AUG-96 |
| | ASTM-D1133-94 | KAURI-BUTANOL VALUE OF HYDROCARBON SOLVENTS [CUST: MR SH 11] | A 8010 | MR | | 15-APR-94 |
| | ASTM-D1135-86R91 | PIGMENTS, BLUE, CHEMICAL ANALYSIS OF [CUST: MR SH 84] | A 8010 | MR | | 27-MAR-86 |
| | ASTM-D1139-90 | TREATMENTS, SINGLE OR MULTIPLE BITUMINOUS SURFACE, AGGREGATE FOR [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | | 26-OCT-90 |
| | ASTM-D1140-92 | SOILS, AMOUNT OF MATERIAL IN, FINER THAN THE NO. 200 (75-UM) SIEVE [CUST: CR4 YD1 99] | A 5610 | YD1 | | 15-NOV-92 |
| | ASTM-D1141-90R92 | OCEAN WATER, SUBSTITUTE [CUST: EA SH 68] [REVIEW: CR4] | A 6810 | SH | | 02-FEB-90 |
| | ASTM-D1142-90 | WATER VAPOR CONTENT OF GASEOUS FUELS BY MEASUREMENT OF DEW-POINT TEMPERATURE [CUST: AS 68] | A 6830 | GS | | 31-AUG-90 |
| | ASTM-D1143-81 | PILES UNDER STATIC AXIAL COMPRESSIVE LOAD, STANDARD TEST METHOD FOR [CUST: YD1] | A FACR | YD1 | | 02-MAR-81 |
| | ASTM-D1146-88 | LAYERS, POTENTIALLY ADHESIVE, BLOCKING POINT OF [CUST: MR SH 11] [REVIEW: 69 AR AS CR4 GL IS MI OS SA YD1] | A 8040 | MR | | 26-AUG-88 |
| | ASTM-D1149-91 | RUBBER DETERIORATION-SURFACE OZONE CRACKING IN A CHAMBER [CUST: MR YD1 99] [REVIEW: 84 GS SH] | A 9320 | YD1 | | 15-OCT-91 |
| | ASTM-D1151-90 | ADHESIVE BONDS, EFFECT OF MOISTURE AND TEMPERATURE ON [CUST: MR AS 11] [REVIEW: CR4 GL] | A 8040 | MR | | 30-MAR-90 |
| | ASTM-D1153-94 | METHYL ISOBUTYL KETONE [CUST: EA 68] [REVIEW: AR AS CR4 GL MC MD] | A 6810 | GS | | 15-APR-94 |
| | ASTM-D1159-93 | PETROLEUM DISTILLATES AND COMMERCIAL ALIPHATIC OLEFINS BY ELECTROMETRIC TITRATION, BROMINE NUMBER OF [CUST: AT SH 11] [REVIEW: OS] | A 9150 | AT | | 15-AUG-93 |
| | ASTM-D1160-95 | DISTILLATION OF PETROLEUM PRODUCTS AT REDUCED PRESSURE [CUST: EA SH GS] [REVIEW: AR CR4 GL MD] | A 6810 | GS | | 15-APR-95 |
| | ASTM-D1169-89 | LIQUIDS, ELECTRICAL INSULATING, SPECIFIC RESISTANCE (RESISTIVITY) OF [CUST: AR SH 11] | A 5970 | 11 | | 03-OCT-94 |
| | ASTM-D1171-94 | RUBBER DETERIORATION - SURFACE OZONE CRACKING OUTDOORS OR CHAMBER (TRIANGULAR SPECIMENS) [CUST: CR4 YD1 99] | A 9320 | CR4 | | 15-FEB-94 |
| | ASTM-D1172-95 | SOAPS AND DETERGENTS, PH OF AQUEOUS SOLUTIONS OF [CUST: GL AS 99] | A 7930 | GL | | 15-APR-95 |
| | ASTM-D1175-80 | TEXTILE FABRICS, (OSCILLATORY CYLINDER AND UNIFORM ABRASION METHODS), ABRASION RESISTANCE OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD1] | A PACK | AS | | 03-MAR-80 |
| | ASTM-D1176-71R89 | SOLUTIONS OF ENGINE COOLANTS OR ANTIRUSTS FOR TESTING PURPOSES, SAMPLING AND PREPARING AQUEOUS [CUST: CR4 SH 68] | A 6850 | CR4 | | 19-MAY-71 |
| | ASTM-D1177-94 | ENGINE COOLANTS, AQUEOUS, FREEZING POINT OF [CUST: CR4 SH 68] | A 6850 | CR4 | | 15-JUL-94 |
| | ASTM-D1179-93 | FLUORIDE ION IN WATER [CUST: EA 68] [REVIEW: 50 CR4 GL MD] | A 6810 | GS | | 15-SEP-93 |
| | ASTM-D1183-92 | RESISTANCE OF ADHESIVES TO CYCLIC LABORATORY AGING CONDITIONS [CUST: MR AS 11] [REVIEW: 99 CR4 GL MI] | A 8040 | MR | | 15-JUL-92 |
| | ASTM-D1184-93 | ADHESIVE BONDED, FLEXURAL STRENGTH OF LAMINATED ASSEMBLIES [CUST: MR SH 11] [REVIEW: 99 CR4 GL MI] | A 8040 | MR | | 15-JAN-93 |
| | ASTM-D1185-94 | PALLETS AND RELATED STRUCTURES EMPLOYED IN MATERIALS HANDLING AND SHIPPING, TEST METHOD FOR [CUST: SM SH 69] | A PACK | SM | | 15-MAR-94 |
| | ASTM-D1186-87 | FILM, DRY, THICKNESS OF NONMAGNETIC COATINGS APPLIED TO A FERROUS BASE, NONDESTRUCTIVE MEASUREMENT OF [CUST: MR SH 99] [REVIEW: 84 CR4] | A 8010 | MR | | 29-MAY-87 |
| | ASTM-D1188-96 | BITUMINOUS MIXTURES, COMPACTED, BULK SPECIFIC GRAVITY AND DENSITY OF, USING PARAFFIN-COATED SPECIMENS [CUST: CR4 YD1] [REVIEW: MC] | A 5610 | YD1 | | 10-AUG-96 |
| A | ASTM-D1190-97 | SEALER, CONCRETE JOINT, HOT-APPLIED ELASTIC TYPE [CUST: YD1] | A 8030 | YD1 | | 10-MAY-97 |
| | ASTM-D1193-91 | REAGENT WATER [CUST: AT SH 11] [REVIEW: DS] | A 6810 | AT | | 15-SEP-91 |
| | ASTM-D1194-72R87 | SOIL, STATIC LOAD AND SPREAD FOOTINGS, BEARING CAPACITY OF [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 13-MAR-72 |
| | ASTM-D1199-86R91 | CALCIUM CARBONATE PIGMENTS [CUST: CR4 SH 99] | A 8010 | SH | | 27-JUN-86 |
| | ASTM-D1200-88 | CUP, VISCOSITY BY FORD VISCOSITY [CUST: MR SH 99] | A 8010 | MR | | 31-OCT-88 |
| | ASTM-D1203-89 | PLASTICS, USING ACTIVATED CARBON METHODS, VOLATILE LOSS FROM [CUST: MR SH 11 GS] [REVIEW: AS AT AV CR CR4 GL MI OS] | A 9330 | GS | | 24-NOV-89 |
| | ASTM-D1204-84 | THERMOPLASTIC, NONRIGID, SHEETING OR FILM AT ELEVATED TEMPERATURE, LINEAR DIMENSIONAL CHANGES OF [CUST: MR SH 11 GS] [REVIEW: AV SM TE] | A 9330 | GS | | 27-JAN-84 |
| | ASTM-D1208-84R89 | PIGMENTS, COMMON PROPERTIES OF CERTAIN [CUST: MR SH 99] | A 8010 | MR | | 26-OCT-84 |
| | ASTM-D1209-93 | COLOR OF CLEAR LIQUIDS (PLATINUM-COBALT SCALE) [CUST: MR] | A 8010 | MR | | 15-SEP-93 |
| | ASTM-D1210-96 | FINESS OF DISPERSION OF PIGMENT-VEHICLE SYSTEMS BY HEGMAN-TYPE GAGE [CUST: MR SH 11] | A 8010 | MR | | 10-SEP-96 |
| | ASTM-D1214-89R94 | GLASS SPHERES, SIEVE ANALYSIS OF [CUST: GL SH 84] | A 9340 | 84 | | 26-MAY-89 |
| | ASTM-D1217-93 | LIQUIDS BY BINGHAM PYCNOMETER, DENSITY AND RELATIVE DENSITY (SPECIFIC GRAVITY) OF [CUST: AR OS 99] | A 91GP | AR | | 15-FEB-93 |
| M | ASTM-D1218-92R98 | LIQUIDS, HYDROCARBON, REFRACTIVE INDEX AND REFRACTIVE DISPERSION OF [CUST: EA SH 11] | A 6810 | SH | | 15-AUG-92 |
| | ASTM-D1227-87 | EMULSIFIED ASPHALT USED AS A PROTECTIVE COATING FOR ROOFING, STANDARD SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: CE] | A 5650 | YD1 | | 24-APR-87 |
| | ASTM-D1229-87R92 NOT 2 | RUBBER PROPERTY-COMPRESSION SET AT LOW TEMPERATURES, STANDARD TEST METHOD FOR [CUST: MR SH 99] | A 9320 | MR | | 17-APR-92 |
| | ASTM-D1238B-90 | THERMOPLASTICS BY EXTRUSIONS PLASTOMER, FLOW RATES OF [CUST: MR AS 11 GS] | A 9330 | GS | | 26-OCT-90 |
| | ASTM-D1241-68 | SOIL - AGGREGATE SUBBASE, BASE AND SURFACE COURSES, MATERIALS FOR, STANDARD SPECIFICATION FOR [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | | 13-SEP-68 |
| | ASTM-D1242A-95 | RESISTANCE OF PLASTIC MATERIALS TO ABRASION [CUST: MR 11 GS] [REVIEW: AS AV CR GL MI OS SH YD1] | A 9330 | GS | | 10-NOV-95 |
| | ASTM-D1246-88 | BROMINE ION IN WATER [CUST: EA 68] [REVIEW: 50 CR4 GL MD SH] | A 6810 | GS | | 19-AUG-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|------------------------|---|--------------|-----|-------------|------|
| | | | FSC/Area | MCA | Prep. Acty. | Date |
| | ASTM-D1248-84R89 | POLYETHYLENE PLASTICS MOLDING AND EXTRUSION MATERIALS [CUST: MR YD1 99] [REVIEW: 84 GS SH] | A 9330 | YD1 | 30-NOV-84 | |
| | ASTM-D1250-80R90 | PETROLEUM MEASUREMENT TABLES [CUST: CR4 SH 11] | A 91GP | PS | 19-SEP-80 | |
| | ASTM-D1252-95 | WATER, CHEMICAL OXYGEN DEMAND (DICHROMATE OXYGEN DEMAND) OF [CUST: EA GS] [REVIEW: CR4 GL MD SH] | A 6810 | GS | 15-AUG-95 | |
| | ASTM-D1253-86R92 | CHLORINE IN WATER RESIDUAL [CUST: EA 68] [REVIEW: CR4 GL MD OS SH] | A 6810 | GS | 28-FEB-86 | |
| | ASTM-D1259-85 | SOLUTIONS, RESIN, NONVOLATILE CONTENT OF [CUST: CR4 YD1 99] [REVIEW: 84 SH] | A 8010 | YD1 | 29-NOV-85 | |
| | ASTM-D1261-55 | GREASE, EFFECT OF, ON COPPER - 12 SEP 55 (REAPPROVED 77) [CUST: AT SH 11] [REVIEW: 68 AS] | A 91GP | AT | 20-JUN-68 | |
| | ASTM-D1263-94 | WHEEL BEARING GREASES, AUTOMOTIVE, LEAKAGE TENDENCIES OF [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | 15-JAN-94 | |
| | ASTM-D1264-93 | GREASES, LUBRICATING, DETERMINING THE WATER WASHOUT CHARACTERISTICS OF [CUST: AT SH 11] | A 91GP | AT | 15-JUN-93 | |
| | ASTM-D1266-91 | SULFUR IN PETROLEUM PRODUCTS (LAMP METHOD) [CUST: AT SH 11] [REVIEW: OS] | A 91GP | AT | 15-OCT-91 | |
| | ASTM-D1272-56R93 | PENTACHLOROPHENOL [CUST: MR 99] [REVIEW: AR CG CR4 GL MC OS] | A 8030 | MR | 10-SEP-56 | |
| M | ASTM-D1275-96 | SULFUR IN ELECTRICAL INSULATING OILS, CORROSIVE [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | 10-MAR-96 | |
| | ASTM-D1287-91 | ENGINE PH OF COOLANTS AND ANTIRUSTS [CUST: CR4] | A 6850 | CR4 | 15-JUN-91 | |
| | ASTM-D1293-95 | WATER, PH OF [CUST: EA SH 68] [REVIEW: AS CR4 GL GS MD OS PS] | A 6810 | SH | 10-OCT-95 | |
| | ASTM-D1296-84R88 NOT 1 | SOLVENTS AND DILUENTS, VOLATILE, STANDARD TEST METHOD FOR ODOR OF - 14 NOV 1984 (REAPPROVED 1988) [CUST: MR SH 99] [REVIEW: YD1] | A 8010 | MR | 22-JUN-90 | |
| | ASTM-D1298-85R90 | PETROLEUM, CRUDE, AND LIQUID PETROLEUM PRODUCTS BY HYDROMETER METHOD, DENSITY, RELATIVE DENSITY (SPECIFIC GRAVITY), OR API GRAVITY OF [CUST: MR AS 68] [REVIEW: 11 AR AT AV GS PS SA YD1] | A 91GP | 68 | 25-OCT-85 | |
| | ASTM-D1301-91 | CHEMICAL ANALYSIS OF WHITE LEAD PIGMENTS [CUST: MR SH 84] | A 8010 | MR | 22-FEB-91 | |
| | ASTM-D1303-55 | CHLORINE, TOTAL, IN VINYL CHLORIDE POLYMERS AND COPOLYMERS [CUST: MR 11 GS] [REVIEW: CR4 GL MD] | A 9330 | GS | 12-SEP-55 | |
| | ASTM-D1306-88 | RESINS, ALKYD AND ESTERS CONTAINING OTHER DIBASIC ACIDS (GRAVIMETRIC), PHTHALIC ANHYDRIDE CONTENT OF [CUST: MR SH 11] | A 8010 | MR | 27-MAY-88 | |
| | ASTM-D1308-87R93 | HOUSEHOLD CHEMICALS ON CLEAR AND PIGMENTED ORGANIC FINISHES, EFFECT OF [CUST: MR SH 11] [REVIEW: AS CR4 SH YD1] | A 8010 | MR | 29-MAY-87 | |
| | ASTM-D1310-86R90 | LIQUIDS BY TAG OPEN-CUP APPARATUS, FLASH POINT AND FIRE POINT OF [CUST: SM AS 99] [REVIEW: AR GL IS MI OS SA SH YD1] | A PACK | AS | 25-APR-86 | |
| | ASTM-D1313-54 | OIL, MINERAL TRANSFORMER, SLUDGE FORMATION IN, BY PRESSURE OXIDATION BOMB - SEP 54 (REAPPROVED 81) [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | 20-JUN-68 | |
| | ASTM-D1319A-95 | HYDROCARBON TYPES IN LIQUID PETROLEUM PRODUCTS BY FLUORESCENT INDICATOR ADSORPTION [CUST: AT SH 11] | A 9150 | AT | 10-OCT-95 | |
| | ASTM-D1321-95 | NEEDLE PENETRATION OF PETROLEUM WAXES [CUST: AR SH 68] | A 9160 | AR | 10-APR-95 | |
| | ASTM-D1322-90 | SMOKE POINT OF AVIATION TURBINE FUELS [CUST: AT SH 11] | A 9150 | AT | 28-SEP-90 | |
| | ASTM-D1327-95 | BITUMEN-SATURATED WOVEN BURLAP FABRICS USED IN ROOFING AND WATERPROOFING [CUST: YD1 99] [REVIEW: CE] | A 5650 | YD1 | 10-NOV-95 | |
| | ASTM-D1330-85 | RUBBER-SHEET GASKETS [CUST: MR YD1 99] | A 9320 | YD1 | 26-APR-85 | |
| | ASTM-D1335-67R72 | FLOOR COVERINGS, TUFT BIND OF PILE, STANDARD TEST METHOD FOR [CUST: CR4 YD1] [REVIEW: AS SH] | A 7220 | YD1 | 08-SEP-67 | |
| | ASTM-D1338-91 | ADHESIVES, LIQUID OR PASTE BY CONSISTENCY AND BOND STRENGTH, WORKING LIFE OF [CUST: MR OS 11] | A 8040 | 11 | 19-FEB-91 | |
| | ASTM-D1339-84 | SODIUM AND POTASSIUM IN WATER AND WATER-FORMED DEPOSITS BY FLAME PHOTOMETRY, STANDARD TEST METHODS FOR [CUST: EA] [REVIEW: GL MD OS SH] | A 6810 | GS | 27-JAN-84 | |
| | ASTM-D1343-93 | VISCOSITY OF CELLULOSE DERIVATIVES BY BALL-DROP METHOD [CUST: MR SH 84] | A 8010 | MR | 15-APR-93 | |
| | ASTM-D1348-94 | CELLULOSE, MOISTURE IN [CUST: EA OS 68] | A 6810 | OS | 15-OCT-94 | |
| | ASTM-D1349-87R92 | RUBBER-STANDARD TEMPERATURES FOR TESTING [CUST: MR 11] [REVIEW: AL AR CR4 EA MC MI] | A 9320 | GS | 27-MAR-87 | |
| | ASTM-D1353-86 | PAINT, VARNISH, LACQUER AND RELATED PRODUCTS, NONVOLATILE MATTER IN VOLATILE SOLVENTS FOR USE IN [CUST: MR SH 84] [REVIEW: AS CR4 OS] | A 8010 | MR | 22-AUG-86 | |
| | ASTM-D1363-94 | PERMANGANATE TIME OF ACETONE AND METHANOL [CUST: EA 68] [REVIEW: 50 CR4 GL MD OS SH] | A 6810 | GS | 15-APR-94 | |
| | ASTM-D1364-95 | WATER IN VOLATILE SOLVENTS (KARL FISCHER REAGENT TITRATION METHOD) [CUST: MR 11] [REVIEW: AR AS CR4 SH] | A 8010 | MR | 15-APR-95 | |
| M | ASTM-D1366-86R97 | PIGMENTS, REPORTING PARTICLE SIZE, CHARACTERISTICS OF [CUST: CR4 SH 99] | A 8010 | SH | 27-JUN-86 | |
| | ASTM-D1369-84R89 | BITUMINOUS SURFACE TREATMENTS, QUANTITIES OF MATERIALS FOR, STANDARD PRACTICE FOR [CUST: CR4 YD1 99] [REVIEW: MC] | A 5610 | YD1 | 30-MAR-84 | |
| | ASTM-D1385-88R91 | WATER, HYDRAZINE IN [CUST: EA SH 68 CT] | A 6810 | CT | 28-MAR-88 | |
| | ASTM-D1386-83R93 | WAXES, SYNTHETIC AND NATURAL, ACID NUMBER (EMPIRICAL) OF [CUST: AR SH 68] | A 9160 | AR | 28-JAN-83 | |
| | ASTM-D1388-96 | FABRICS, STIFFNESS OF [CUST: GL NU 99 CT] | A 8305 | CT | 10-APR-96 | |
| | ASTM-D1394-76R87 | CHEMICAL ANALYSIS OF WHITE TITANIUM PIGMENTS, STANDARD TEST METHOD FOR [CUST: MR SH] [REVIEW: AS CG CR CR4 OS YD1] | A 8010 | MR | 25-JUN-76 | |
| | ASTM-D1397-93 | ALKYD RESINS AND RESIN SOLUTIONS, UNSAPONIFIABLE MATTER IN [CUST: MR SH 11] | A 8010 | MR | 15-APR-93 | |
| | ASTM-D1398-84 | ALKYD RESINS AND ALKYD RESIN SOLUTIONS, FATTY ACID CONTENT OF [CUST: MR SH 99] | A 8010 | MR | 31-AUG-84 | |
| | ASTM-D1400-94 | COATINGS APPLIED TO A NONFERROUS METAL BASE, DRY FILM THICKNESS OF, NONCONDUCTIVE, NONDESTRUCTIVE MEASUREMENT OF [CUST: AR SH 11] | A NDTI | SH | 15-AUG-94 | |
| | ASTM-D1401-95 | WATER SEPARABILITY OF PETROLEUM OILS AND SYNTHETIC FLUIDS [CUST: CR4 SH 68] [REVIEW: AS GS] | A 9150 | SH | 15-AUG-95 | |
| | ASTM-D1403-91 | CONE PENETRATION OF LUBRICATING GREASE USING ONE-QUARTER AND ONE-HALF SCALE CONE EQUIPMENT [CUST: CR4 AS 68] [REVIEW: 11] | A 9150 | AS | 15-SEP-91 | |
| | ASTM-D1405-90 | ESTIMATION OF NET HEAT OF COMBUSTION OF AVIATION FUELS [CUST: MR SH 11] [REVIEW: 68 AR AS] | A 91GP | MR | 27-APR-90 | |
| | ASTM-D1414-90 | RUBBER O-RINGS [CUST: MR SH 99] [REVIEW: AR] | A 9320 | GS | 27-APR-90 | |
| | ASTM-D1415-88 | RUBBER PROPERTY - INTERNATIONAL HARDNESS [CUST: MR SH 11] [REVIEW: AS AT AV MC MD MI OS SM YD1] | A 9320 | GS | 30-SEP-88 | |
| | ASTM-D1416-89 | RUBBER FROM SYNTHETIC SOURCES-CHEMICAL ANALYSIS [CUST: MR GS] [REVIEW: AT AV CR4 EA MD TE] | A 9320 | GS | 27-OCT-89 | |
| M | ASTM-D1418-97 | RUBBER AND RUBBER LATICES-NOMENCLATURE [CUST: AT AS 99] | A 9320 | AS | 10-DEC-97 | |
| | ASTM-D1423-92 | YARNS, TWIST IN, BY THE DIRECT-COUNTING METHOD [CUST: CR4 YD1] [REVIEW: AS DP OS SH] | A 8310 | YD1 | 15-JAN-92 | |
| | ASTM-D1424-96 | FABRICS BY FALLING-PENDULUM TYPE (ELMENDORF) APPARATUS, TEARING STRENGTH OF [CUST: SM AS 99] | A PACK | AS | 10-MAY-96 | |
| | ASTM-D1426-93 | AMMONIA NITROGEN IN WATER [CUST: EA 68] [REVIEW: 50 CR4 GL MD OS SH] | A 6810 | GS | 15-SEP-93 | |
| | ASTM-D1428-83 | SODIUM AND POTASSIUM IN WATER AND WATER-FORMED DEPOSITS BY FLAME PHOTOMETRY, STANDARD TEST METHODS FOR [CUST: EA] [REVIEW: CR4 GL MD OS SH] | A 6810 | GS | 29-OCT-83 | |
| | ASTM-D1430-95 | POLYCHLOROTRIFLUOROETHYLENE (PCTFE) PLASTICS [CUST: MR SH 11 GS] [REVIEW: AR AS CR CR4 EA GL MD MS OS YD1] | A 9330 | GS | 10-DEC-95 | |
| | ASTM-D1435-85 | PLASTICS, OUTDOOR WEATHERING OF [CUST: MR GS] [REVIEW: AT CR CR4 GL MD] | A 9330 | GS | 29-NOV-85 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Test Action | Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-------------|------------------------|---|-----------------------|-----|-------------|-----------|
| | ASTM-D1448-90 | COTTON FIBERS, MICRONAIRE READING OF [CUST: GL SH 99 CT] | A 8310 | SH | | 04-APR-90 |
| | ASTM-D1452-80R90 | SOIL INVESTIGATION AND SAMPLING BY AUGER BORINGS [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 12-JUN-80 |
| | ASTM-D1456-86R91 NOT 1 | RUBBER PROPERTY-ELONGATION AT SPECIFIC STRESS 16 OCT 87 [CUST: MR SH 11] [REVIEW: AT AV CR GL] | A 9320 | GS | | 09-MAY-91 |
| | ASTM-D1457-92 | POLYTETRAFLUOROETHYLENE (PTFE) MOLDING AND EXTRUSION MATERIALS [CUST: MR 11 GS] [REVIEW: AR AS AV CR4 EC GL MC MD OS SH] | A 9330 | GS | | 30-OCT-92 |
| | ASTM-D1458-96 | GLASS FABRIC AND TAPES FOR ELECTRICAL INSULATION, FULLY CURED SILICONE RUBBER-COATED [CUST: CR SH 85] | A 5970 | SH | | 10-MAR-96 |
| | ASTM-D1461-85 | MIXTURES, BITUMINOUS PAVING, MOISTURE OR VOLATILE DISTILLATES IN, STANDARD TEST METHOD FOR [CUST: CR4 YD1 99] [REVIEW: MC] | A 5610 | YD1 | | 25-OCT-85 |
| | ASTM-D1463-81 | BIAXIALLY ORIENTED STYRENE PLASTICS SHEET, STANDARD SPECIFICATION FOR [CUST: CR SH] [REVIEW: AR MC MR YD1] | A 9330 | GS | | 26-JUN-81 |
| | ASTM-D1468-93 | TRICRESYL PHOSPHATE, VOLATILE MATTER IN [CUST: EA GS] [REVIEW: MC MD OS SH] | A 6810 | GS | | 15-OCT-93 |
| | ASTM-D1474-92 | INDENTATION HARDNESS OR ORGANIC COATINGS [CUST: MR SH 84] | A 8010 | MR | | 15-MAR-92 |
| | ASTM-D1475-90 | DENSITY OF PAINT, VARNISH, LACQUER, AND RELATED PRODUCTS [CUST: MR SH 84] [REVIEW: YD1] | A 8010 | MR | | 26-OCT-90 |
| | ASTM-D1476-88R92 | HEPTANE MISCIBILITY OF LACQUER SOLVENTS [CUST: MR SH 99] | A 8010 | MR | | 15-OCT-92 |
| | ASTM-D1478-80 | BALL BEARING GREASES, LOW TEMPERATURE TORQUE OF, STANDARD TEST METHOD FOR - 29 AUG 1980 [CUST: AT SH 11] [REVIEW: 68 AS OS] | A 91GP | AT | | 17-JUN-85 |
| | ASTM-D1483-84R89 | PIGMENTS BY GARDNER-COLEMAN METHOD, OIL ADSORPTION OF [CUST: AR SH 99] | A 8010 | AR | | 26-OCT-84 |
| | ASTM-D1488-86 NOT 1 | ADHESIVES, AMLACEOUS MATTER IN - 31 JAN 1986 [CUST: MR SH 11] | A 8040 | MR | | 07-JUN-91 |
| M | ASTM-D1489-97 | ADHESIVES, AQUEOUS, NONVOLATILE CONTENT OF [CUST: MR AS 99] | A 8040 | MR | | 10-NOV-97 |
| A | ASTM-D1493-97 | CHEMICALS, INDUSTRIAL ORGANIC, SOLIDIFICATION POINT OF [CUST: EA SH 68 GS] | A 6810 | EA | | 10-FEB-97 |
| A | ASTM-D1494-97 | PANELS, REINFORCED PLASTICS, DIFFUSE LIGHT TRANSMISSION FACTOR OF [CUST: MR SH 99 GS] [REVIEW: AR AS AV EC GL MC MD OS YD1] | A 9330 | GS | | 10-APR-97 |
| | ASTM-D1499A-92 | LIGHT- AND WATER- OPERATING, EXPOSURE APPARATUS (CARBON-ARC TYPE) FOR EXPOSURE OF PLASTICS [CUST: MR 11] [REVIEW: AR AS GL GS YD1] | A 9330 | MR | | 15-OCT-92 |
| | ASTM-D1500-91 | PETROLEUM PRODUCTS (ASTM COLOR SCALE) ASTM COLOR OF [CUST: AT SH 11] [REVIEW: OS] | A 91GP | AT | | 15-MAR-91 |
| | ASTM-D1505-96 | DENSITY OF PLASTICS BY THE DENSITY-GRADIENT TECHNIQUE [CUST: MR SH 11 GS] [REVIEW: AR AS AV CR CR4 OS YD1] | A 9330 | GS | | 10-JUL-96 |
| M | ASTM-D1506-97 | CARBON BLACK - ASH CONTENT [CUST: EA OS 68 GS] [REVIEW: CR4 GL MD] | A 6810 | GS | | 10-NOV-97 |
| | ASTM-D1509-95 | CARBON BLACK-HEATING LOSS [CUST: EA GS] [REVIEW: CR4 GL MD OS] | A 6810 | GS | | 15-SEP-93 |
| A | ASTM-D1510B-96 | CARBON BLACK-IODINE ADSORPTION NUMBER [CUST: AR SH 68] | A 6810 | AR | | 10-OCT-96 |
| | ASTM-D1512-93 | CARBON BLACK - PH VALUE [CUST: EA OS] [REVIEW: GL MD] | A 6810 | GS | | 15-MAR-93 |
| | ASTM-D1513-89R93 | CARBON BLACK, PELLETTED-POUR DENSITY [CUST: AR OS 68] | A 6810 | AR | | 27-OCT-89 |
| | ASTM-D1516-84R91 | LEATHER, WIDTH OF [CUST: GL NU 99 CT] | A 83GP | CT | | 31-AUG-84 |
| M | ASTM-D1525A-97 | PLASTICS, TEMPERATURE OF VISCAT SOFTENING [CUST: MR SH 11] [REVIEW: 84 99 AR AS AT CR CR4 GL GS MI OS YD1] | A 9330 | MR | | 10-JUL-97 |
| | ASTM-D1527-96 | PIPE, PLASTIC, ACRYLONITRILE-BUTADIENE-STYRENE (ABS) SCHEDULES 40 & 80 [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 4710 | YD1 | | 10-MAR-96 |
| | ASTM-D1531-95 | RELATIVE PERMITTIVITY (DIELECTRIC CONSTANT) AND DISSIPATION FACTOR BY FLUID DISPLACEMENT PROCEDURES [CUST: SM AS] [REVIEW: AR MI MR SA] | A PACK | AS | | 15-JUL-95 |
| | ASTM-D1533-96 | WATER IN INSULATING LIQUIDS (KARL FISCHER REACTION METHOD) [CUST: EA 68] [REVIEW: AS CR4 MC MD OS SH] | A 6810 | GS | | 10-OCT-96 |
| | ASTM-D1535A-95 | COLOR, SPECIFYING BY THE MUNSELL SYSTEM [CUST: GL YD1 99] | A 8010 | YD1 | | 10-OCT-95 |
| | ASTM-D1542-60 | VARNISHES, ROSIN IN, QUALITATIVE TESTS FOR [CUST: MR SH 84] [REVIEW: YD1] | A 8010 | MR | | 19-SEP-60 |
| | ASTM-D1544-80 | TRANSPARENT LIQUIDS, COLOR OF (GARDNER COLOR SCALE) [CUST: MR SH 84] | A 8010 | MR | | 10-MAR-80 |
| | ASTM-D1545-89 | VISCOSITY OF TRANSPARENT LIQUIDS BY BUBBLE TIME METHOD, STANDARD TEST METHOD FOR [CUST: MR SH 11] [REVIEW: YD1] | A 8010 | MR | | 27-OCT-89 |
| | ASTM-D1547-81 NOT 1 | EXTRUDED ACRYLIC PLASTIC SHEET - 26 JUN 81 [CUST: MR YD1] | A 9330 | YD1 | | 20-MAR-89 |
| | ASTM-D1548-92 | VANADIUM IN HEAVY FUEL OIL [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 15-MAR-92 |
| | ASTM-D1552-95 | SULFUR IN PETROLEUM PRODUCTS (HIGH-TEMPERATURE METHOD) [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 15-AUG-95 |
| | ASTM-D1555-95 | VOLUME AND WEIGHT OF INDUSTRIAL AROMATIC HYDROCARBONS, CALCULATION OF [CUST: EA SH GS] [REVIEW: AS CR4 GL MD] | A 6810 | GS | | 15-SEP-95 |
| | ASTM-D1556-90 | DENSITY OF SOIL IN PLACE BY THE SAND-CONE METHOD [CUST: CE YD1 99] [REVIEW: 71 82 MC] | A 5610 | YD1 | | 29-JUN-90 |
| | ASTM-D1557-91 | LABORATORY COMPACTION CHARACTERISTICS OF SOIL USING MODIFIED EFFORT (56,000 FT-LBF/FT ³ (2,700 KN-M/M ³)) [CUST: CR4 YD1 99] [REVIEW: 71 82 CE MC] | A 5610 | YD1 | | 18-NOV-91 |
| | ASTM-D1559-89 | RESISTANCE TO PLASTIC FLOW OF BITUMINOUS MIXTURES USING MARSHALL APPARATUS, STANDARD TEST METHOD FOR [CUST: YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | | 18-OCT-89 |
| | ASTM-D1562-82R89 NOT 3 | CELLULOSE PROPIONATE MOLDING & EXTRUSION COMPOUNDS - 30 JUL 82 (REAPPROVED 1989) [CUST: MR 11 GS] [REVIEW: 99 GL MD] | A 9330 | GS | | 20-MAY-91 |
| | ASTM-D1565-81R86 | CELLULAR MATERIALS, FLEXIBLE, VINYL CHLORIDE POLYMERS AND COPOLYMERS (OPEN-CELL FOAM) [CUST: MR SH] | A 9320 | GS | | 27-NOV-81 |
| A | ASTM-D1577-96 | TEXTILE FIBERS, LINEAR DENSITY OF [CUST: GL SH 99 CT] | A 8305 | SH | | 10-SEP-96 |
| | ASTM-D1578-93 | YARN IN SKEIN FORM, BREAKING STRENGTH OF [CUST: GL NU 99] | A 8310 | CT | | 15-JUL-93 |
| M | ASTM-D1579-97 | FILLER CONTENT OF PHENOL, RESORCINOL, AND MELAMINE ADHESIVES [CUST: MR SH 11] | A 8040 | MR | | 10-MAR-97 |
| | ASTM-D1583-96 | FILMS, DRY ADHESIVE, HYDROGEN ION CONCENTRATION OF [CUST: MR SH 11] | A 8040 | MR | | 10-MAR-96 |
| | ASTM-D1586-84R92 | PENETRATION TEST AND SPLIT-BARREL SAMPLING OF SOILS [CUST: YD1 99] [REVIEW: CG] | A 5610 | YD1 | | 11-SEP-84 |
| | ASTM-D1587-83 | SOILS, THIN-WALLED TUBE SAMPLING OF, STANDARD PRACTICE FOR [CUST: YD1 99] [REVIEW: CG] | A 5610 | YD1 | | 17-AUG-83 |
| A | ASTM-D1596-97 | MATERIAL, PACKAGING, DYNAMIC SHOCK CUSHIONING CHARACTERISTICS OF [CUST: SM SA 69] | A PACK | SM | | 10-APR-97 |
| | ASTM-D1598-86R91 | PIPE, PLASTIC, UNDER CONSTANT INTERNAL PRESSURE, TIME-TO-FAILURE OF [CUST: CR4 YD1 99] [REVIEW: CC MR SH] | A 4710 | YD1 | | 28-FEB-86 |
| | ASTM-D1599-88 | PIPE, PLASTIC, TUBING, AND FITTINGS, SHORT-TIME HYDRAULIC FAILURE PRESSURE OF, STANDARD TEST METHOD FOR [CUST: MR YD1 11] [REVIEW: AR AS AT CC CR CR4 GL SH] | A 4710 | YD1 | | 25-MAR-88 |
| M | ASTM-D1600-97 | PLASTICS, ABBREVIATED TERMS RELATING TO [CUST: MR YD1 11] [REVIEW: 19 99 AR AS AT AV CR4 GL GS MC MD MI OS SH] | A 9330 | MR | | 10-SEP-97 |
| | ASTM-D1603-94 | CARBON BLACK IN OLEFIN PLASTICS [CUST: CR SH 68] | A 6810 | CR | | 15-JUN-94 |
| | ASTM-D1607-91 | NITROGEN DIOXIDE CONTENT OF THE ATMOSPHERE (GRIESS-SALTZMAN REACTION) [CUST: EA MS 99] | A 6630 | EA | | 15-AUG-91 |
| | ASTM-D1608-77R85 | OXIDES OF NITROGEN IN GASEOUS COMBUSTION PRODUCTS (PHENOL-DISULFONIC ACID PROCEDURES) [CUST: EA SH 68] [REVIEW: CR4 MD] | A 6810 | GS | | 29-APR-77 |
| | ASTM-D1610-91 | LEATHER AND LEATHER PRODUCTS, CONDITIONING PRACTICE FOR TESTING [CUST: GL NU 99 CT] | A 8330 | CT | | 22-FEB-91 |
| | ASTM-D1611-81R93 | CORROSION PRODUCED BY LEATHER IN CONTACT WITH METAL [CUST: GL NU 99 CT] | A 83GP | CT | | 28-AUG-81 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------------|--|-----------------------|-----|-------------|-----------|
| | ASTM-D1613-96 | ACIDITY IN VOLATILE SOLVENTS AND CHEMICAL INTERMEDIATES USED IN PAINT, VARNISH, LACQUER, AND RELATED PRODUCTS [CUST: MR SH 99] | A 8010 | MR | | 10-MAY-96 |
| | ASTM-D1614-95 | ALKALINITY IN ACETONE [CUST: EA 68] [REVIEW: AS CR4 MD SH] | A 6810 | GS | | 10-NOV-95 |
| | ASTM-D1617-90 | ESTER VALUE OF SOLVENTS AND THINNERS [CUST: EA 68] [REVIEW: CR4 GL MC MD OS SH] | A 6810 | GS | | 25-MAY-90 |
| M | ASTM-D1619-97 | CARBON BLACK - SULFUR CONTENT [CUST: EA GS] [REVIEW: GL MD OS] | A 6810 | GS | | 10-MAY-97 |
| | ASTM-D1621-73R79 NOT 1 | PLASTICS, RIGID CELLULAR, COMPRESSIVE PROPERTIES OF - 29 JAN 73 (REAPPROVED 1979) [CUST: MR SH 11 GS] [REVIEW: AR AS AT CR CR4 GL OS YD1] | A 9330 | GS | | 22-JUN-90 |
| | ASTM-D1622-93 | PLASTICS, RIGID CELLULAR, APPARENT DENSITY OF [CUST: MR 11 GS] [REVIEW: AR AS AT AV CR EC GL OS SH YD1] | A 9330 | GS | | 15-NOV-93 |
| | ASTM-D1623-78 NOT 2 | PLASTICS, RIGID CELLULAR, TENSILE AND TENSILE ADHESION PROPERTIES OF, STANDARD SPECIFICATION FOR [CUST: CE YD1 99] | A 9330 | YD1 | | 13-JAN-92 |
| | ASTM-D1625-71R86 | ARSENATE, CHROMATED COPPER - 24 FEB 71 (REAPPROVED 86) [CUST: CR4 YD1 99] | A 8030 | YD1 | | 17-AUG-87 |
| | ASTM-D1630-83 | RUBBER PROPERTY-ABRASION RESISTANCE (NBS ABRADER) [CUST: MR 99] [REVIEW: 82 AT AV CR4 GL] | A 9320 | GS | | 29-JUL-83 |
| | ASTM-D1631-94 | WATER IN PHENOL AND RELATED MATERIALS BY THE IODINE REAGENT METHOD [CUST: AR OS 68] | A 6810 | AR | | 15-SEP-94 |
| | ASTM-D1632-87 | SOIL-CEMENT COMPRESSION AND FLEXURE TEST SPECIMENS IN THE LABORATORY, MAKING AND CURING, STANDARD PRACTICE FOR [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 22-OCT-87 |
| | ASTM-D1633-84R90 | SOIL-CEMENT CYLINDERS, COMPRESSIVE STRENGTH OF MOLDED [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | | 28-SEP-84 |
| | ASTM-D1639-90 | ACID VALUE OF ORGANIC COATING MATERIALS [CUST: MR 99] [REVIEW: 84 AS CR4 GL OS SH YD1] | A 8010 | MR | | 26-OCT-90 |
| | ASTM-D1640-69R84 | ORGANIC COATING, DRYING, CURING, OR FILM FORMATION OF AT ROOM TEMPERATURE - 3 OCT 69 [CUST: CR4 11] [REVIEW: YD1] | A 8010 | AS | | 07-DEC-82 |
| | ASTM-D1642-70 | VARNISHES, ELASTICITY OR TOUGHNESS OF [CUST: MR SH 84] [REVIEW: YD1] | A 8010 | MR | | 24-DEC-70 |
| | ASTM-D1644-88R93 | VARNISHES, NONVOLATILE CONTENT OF [CUST: MR SH 84] | A 8010 | MR | | 31-OCT-88 |
| | ASTM-D1646B-95 | RUBBER-VISCOSITY, STRESS RELAXATION, AND PRE-VULCANIZATION CHARACTERISTICS (MOONEY VISCOMETER) [CUST: AT GS] [REVIEW: CR4 MC MI SH] | A 9320 | GS | | 10-SEP-95 |
| | ASTM-D1647-89 | RESISTANCE OF DRIED FILMS OF VARNISHES TO WATER AND ALKALI [CUST: CR4 SH 99] | A 8010 | CR4 | | 28-APR-89 |
| A | ASTM-D1652-97 | RESINS, EPOXY CONTENT OF EPOXY [CUST: MR SH 84] | A 8010 | MR | | 10-JUN-97 |
| | ASTM-D1653A-91 | WATER VAPOR TRANSMISSION OF ORGANIC COATING FILMS [CUST: MR SH 84] | A 8010 | MR | | 15-SEP-91 |
| | ASTM-D1654-92 | SPECIMENS, PAINTED OR COATED, SUBJECTED TO CORROSIVE ENVIRONMENTS, EVALUATION OF [CUST: CR4 YD1] [REVIEW: MR OS SH] | A 8010 | YD1 | | 15-OCT-92 |
| A | ASTM-D1655-97 | AVIATION TURBINE FUELS [CUST: CR4 AS 11] | A 9130 | AS | | 10-JUN-97 |
| | ASTM-D1660-87 | FUELS, AVIATION TURBINE, THERMAL STABILITY OF [CUST: AT SH 11] | A 91GP | AT | | 30-OCT-87 |
| | ASTM-D1661-64 | FUEL OIL, THERMAL STABILITY OF U.S. NAVY SPECIAL [CUST: MR SH 11] [REVIEW: 68 AR AS] | A 91GP | SH | | 31-AUG-64 |
| | ASTM-D1664-80R85 NOT 2 | BITUMEN AGGREGATE MIXTURE, COATING & STRIPPING OF - 31 OCT 80 (REAPPROVED 1985) [CUST: CE YD1 11] | A 5610 | YD1 | | 25-JUL-91 |
| M | ASTM-D1667-97 | VINYL CHLORIDE POLYMERS AND COPOLYMERS (CLOSED-CELL FOAM), FLEXIBLE CELLULAR MATERIALS [CUST: CE YD1 99] | A 9320 | YD1 | | 10-JUL-97 |
| A | ASTM-D1668A-97 | GLASS FABRICS (WOVEN AND TREATED) FOR ROOFING AND WATERPROOFING [CUST: CR4 YD1 99] | A 5650 | YD1 | | 10-JUL-97 |
| | ASTM-D1672-66R71 | POLYMERIC MATERIALS TO HIGH ENERGY RADIATION, EXPOSURE OF - 20 SEP 66 [CUST: MR GS] [REVIEW: AS AT CR4 GL MD MI SH] | A 9330 | GS | | 17-MAR-83 |
| | ASTM-D1675-95 | POLYTETRAFLUOROETHYLENE TUBING [CUST: MR 11] [REVIEW: AS AT AV CR4 GL GS MC MD MI] | A 9330 | MR | | 10-SEP-95 |
| | ASTM-D1683A-90 | FAILURE IN SEWN SEAMS OF WOVEN FABRICS [CUST: GL NU 99 CT] | A 8305 | CT | | 27-JUL-90 |
| | ASTM-D1687-92 | CHROMIUM IN WATER [CUST: EA GS] [REVIEW: CR4 MD] | A 6810 | GS | | 15-MAY-92 |
| | ASTM-D1688-95 | COPPER IN WATER [CUST: EA 68] [REVIEW: 50 CR4 GL GS MD OS SH] | A 6810 | EA | | 15-FEB-95 |
| | ASTM-D1691-95 | ZINC IN WATER [CUST: EA GS] [REVIEW: CR4 MD SH] | A 6810 | GS | | 10-SEP-95 |
| M | ASTM-D1693A-97 | ENVIRONMENTAL STRESS-CRACKING OF ETHYLENE PLASTICS [CUST: MR SH 11 GS] [REVIEW: AR AS AT CR4 EA GL YD1] | A 9330 | GS | | 10-APR-97 |
| | ASTM-D1704-94 | PARTICULATE MATTER IN THE ATMOSPHERE BY MEASUREMENT OF THE LIGHT ABSORBANCE OF A FILTER SAMPLE, DETERMINING THE [CUST: EA SH 68] [REVIEW: CR4 GL MD] | A 6810 | GS | | 15-JUN-94 |
| | ASTM-D1708-96 | PLASTICS BY USE OF MICROTENSILE SPECIMENS, TENSILE PROPERTIES OF [CUST: MR AS 99 GS] [REVIEW: AR AT AV CR4 MI OS SH YD1] | A 9330 | GS | | 10-MAY-96 |
| M | ASTM-D1709-97 | IMPACT RESISTANCE OF PLASTIC FILM BY THE FREE-FALLING DART METHOD [CUST: GL SH 99] | A 9330 | GL | | 15-MAR-91 |
| | ASTM-D1710-96 | POLYTETRAFLUOROETHYLENE (PTFE) ROD AND HEAVY-WALLED TUBING [CUST: MR AS GS] [REVIEW: AR AV CR4 MC MI] | A 9330 | GS | | 10-JUL-96 |
| | ASTM-D1718-90R94 | ISOBUTYL ACETATE (95 % GRADE) [CUST: AS] [REVIEW: GS] | A 6810 | AS | | 26-OCT-90 |
| | ASTM-D1719-95 | ISOBUTYL ALCOHOL [CUST: AS] [REVIEW: GS] | A 6810 | AS | | 15-APR-95 |
| | ASTM-D1720-93 | CELLULOSE NITRATE SOLUTIONS, DILUTION RATIO OF ACTIVE SOLVENTS IN [CUST: MR SH 11] | A 8010 | MR | | 15-MAY-93 |
| | ASTM-D1722-90 | WATER MISCIBILITY OF WATER SOLUBLE SOLVENTS [CUST: EA GS] [REVIEW: CR4 MC MD SH] | A 6810 | GS | | 26-OCT-90 |
| | ASTM-D1726-90 | CHLORINE HYDROLYZABLE CONTENT OF LIQUID EPOXY RESINS [CUST: MI OS 68] | A 6810 | MI | | 25-MAY-90 |
| | ASTM-D1729-89 | VISUAL EVALUATION OF COLOR DIFFERENCES OF OPAQUE MATERIALS - 27 OCT 89 [CUST: MR SH 99] [REVIEW: YD1] | A 8010 | EA | | 12-FEB-90 |
| | ASTM-D1730-67R93 | PREPARATION OF ALUMINUM AND ALUMINUM-ALLOY SURFACES FOR PAINTING [CUST: GL YD1 11] | A MFFP | GL | | 08-SEP-67 |
| | ASTM-D1732-67R84 | PAINTING FOR MAGNESIUM ALLOY SURFACES, PREPARATION OF [CUST: MR SH] [REVIEW: AR AS CR CR4 OS YD1] | A 8010 | MR | | 08-SEP-67 |
| | ASTM-D1734-93 | PANELS FOR TESTING COATINGS, MAKING CEMENTITIOUS [CUST: MR SH] [REVIEW: AS CG CR CR4 OS YD1] | A 8010 | MR | | 15-SEP-93 |
| | ASTM-D1735-92 | WATER TESTING RESISTANCE OF COATINGS USING WATER FOG APPARATUS [CUST: MR YD1 11] | A MFFP | YD1 | | 15-MAY-92 |
| | ASTM-D1740-91 | FUELS, AVIATION TURBINE, LUMINOMETER NUMBERS OF [CUST: AT SH 11] | A 9150 | AT | | 15-MAR-91 |
| | ASTM-D1742-94 | OIL SEPARATION FROM LUBRICATING GREASE DURING STORAGE [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 15-JAN-94 |
| | ASTM-D1743-94 | GREASES, LUBRICATING, DETERMINING CORROSION PREVENTIVE PROPERTIES OF [CUST: AT SH 11] | A 91GP | AT | | 15-JAN-94 |
| | ASTM-D1744-92 | WATER IN LIQUID PETROLEUM PRODUCTS BY KARL FISCHER REAGENT [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 15-MAR-92 |
| M | ASTM-D1746-97 | PLASTIC SHEETING, TRANSPARENCY OF [CUST: MR SH 11 GS] [REVIEW: AR AS AT CR CR4 GL YD1] | A 9330 | GS | | 10-JUL-97 |
| | ASTM-D1747-89 | MATERIALS, VISCOUS, REFRACTIVE INDEX OF [CUST: AS] [REVIEW: MC] | A 9150 | AS | | 27-OCT-89 |
| | ASTM-D1748-83R93 | RUST PROTECTION BY METAL PRESERVATIVES IN THE HUMIDITY CABINET [CUST: AT SH 11] [REVIEW: OS] | A 91GP | AT | | 29-JUL-83 |
| M | ASTM-D1751-97 | PAVING, CONCRETE, AND STRUCTURAL CONSTRUCTION (NONEXTRUDING AND RESILIENT BITUMINOUS TYPES), PREFORMED EXPANSION JOINT FILLER FOR [CUST: YD1] [REVIEW: CE] | A 5610 | YD1 | | 10-NOV-97 |
| | ASTM-D1752-84 | SPONGE RUBBER AND CORK EXPANSION, PREFORMED, JOINT FILLERS FOR CONCRETE PAVING AND STRUCTURAL CONSTRUCTION [CUST: YD1] [REVIEW: CE] | A 5610 | YD1 | | 01-MAR-84 |
| | ASTM-D1761-88 | MECHANICAL FASTENERS IN WOOD [CUST: AR AS 99 IS] | A 53GP | IS | | 30-DEC-88 |
| | ASTM-D1763-88 | RESINS, EPOXY, STANDARD SPECIFICATION FOR [CUST: MR YD1 99] [REVIEW: 84 GS SH] | A 9330 | YD1 | | 25-MAR-88 |
| | ASTM-D1765-95 | CARBON BLACKS USED IN RUBBER PRODUCTS [CUST: AT SH 68] | A 6810 | AT | | 15-FEB-95 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Test Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-------------|------------------------|---|-----------------------|-----|-------------|-----------|
| | ASTM-D1776-90 | TEXTILES FOR TESTING, CONDITIONING [CUST: GL NU 99 CT] | A 8305 | CT | | 26-JAN-90 |
| | ASTM-D1779-65R83 | ADHESIVE FOR ACOUSTICAL MATERIALS STANDARD SPECIFICATION FOR - 26 OCT 65 [CUST: MR YD1] [REVIEW: AS CR4 MC] | A 8040 | YD1 | | 26-APR-89 |
| | ASTM-D1780-72R83 NOT 1 | ADHESIVES, METAL TO METAL, CONDUCTING CREEP TESTS OF - 28 JUL 72 (REAPPROVED 1983) [CUST: MR SH 11] [REVIEW: 99 AR AS CR4 GL IS MI OS SA] | A 8040 | MR | | 22-JUN-90 |
| | ASTM-D1781-93 | ADHESIVES, CLIMBING DRUM PEEL FOR [CUST: MR SH 11] | A 8040 | MR | | 15-JAN-93 |
| | ASTM-D1783-91 | PHENOLIC COMPOUNDS IN WATER [CUST: EA 68] [REVIEW: CR4 GL MD] | A 6810 | GS | | 15-SEP-91 |
| M | ASTM-D1784-97 | COMPOUNDS AND CHLORINATED POLY(VINYL CHLORIDE (CPVC) COMPOUNDS, RIGID POLY(VINYL CHLORIDE) (PVC) [CUST: MR YD1] [REVIEW: AS CR4 EA GS MD OS SH] | A 9330 | YD1 | | 10-DEC-97 |
| | ASTM-D1785-96 | PIPE, PLASTIC, POLY(VINYL CHLORIDE) (PVC), SCHEDULES 40, 80, AND 120 [CUST: CR4 YD1 99] [REVIEW: CC] | A 4710 | YD1 | | 10-MAR-96 |
| | ASTM-D1790-90 | SHEETING, PLASTIC, BY IMPACT, BRITTLINESS TEMPERATURE OF [CUST: MR YD1 99] [REVIEW: 84 GS SH] | A 9330 | YD1 | | 30-MAR-90 |
| A | ASTM-D1796-97 | WATER AND SEDIMENT IN FUEL OILS BY THE CENTRIFUGE METHOD (LABORATORY PROCEDURE) [CUST: AT SH 11] [REVIEW: OS] | A 91GP | AT | | 10-JAN-97 |
| | ASTM-D1799-93 | CARBON BLACK-SAMPLING PACKAGED SHIPMENTS [CUST: AR SH 68] | A 6810 | AR | | 15-SEP-93 |
| | ASTM-D1810-94 | GRAVITY OF ASKARELS, SPECIFIC [CUST: MI NU 99 CT] | A 83GP | CT | | 15-JUL-94 |
| | ASTM-D1813-70R83 | LEATHER TEST SPECIMENS, MEASURING THICKNESS OF [CUST: GL NU 99 CT] | A 83GP | CT | | 13-APR-70 |
| | ASTM-D1814-70R94 | LEATHER UNITS, MEASURING THICKNESS OF [CUST: GL NU 99 CT] | A 83GP | CT | | 13-APR-70 |
| | ASTM-D1815-90 | WATER ABSORPTION (STATIC) OF LEATHER [CUST: GL NU 99 CT] | A 83GP | CT | | 26-JAN-90 |
| | ASTM-D1824-95 | PLASTISOLS AND ORGANOSOLS AT LOW SHEAR RATES, APPARENT VISCOSITY OF [CUST: EA] [REVIEW: AR CR4 GS MD SH] | A 6810 | EA | | 15-MAR-95 |
| | ASTM-D1830-94 | THERMAL ENDURANCE OF FLEXIBLE SHEET MATERIALS USED FOR ELECTRICAL INSULATION BY THE CURVED ELECTRODE METHOD [CUST: CR SH 85] | A 5970 | SH | | 15-JAN-94 |
| | ASTM-D1831-64R88 | GREASE, LUBRICATING, ROLL STABILITY - 31 AUG 64 [CUST: AT 68] [REVIEW: AS] | A 9150 | AT | | 07-DEC-83 |
| | ASTM-D1840-96 | NAPHTHALENE HYDROCARBONS IN AVIATION TURBINE FUELS BY ULTRAVIOLET SPECTROPHOTOMETRY [CUST: AT AS 11] [REVIEW: SH] | A 91GP | AT | | 10-APR-96 |
| | ASTM-D1845-86R91 | CHEMICAL ANALYSIS OF STRONTIUM CHROMATE PIGMENT [CUST: MI AS 99] | A 8010 | AS | | 25-APR-86 |
| | ASTM-D1849-95 | PAINT, PACKAGE STABILITY OF [CUST: MR SH 11] | A 8010 | MR | | 15-AUG-95 |
| | ASTM-D1854-74R90 | JET-FUEL-RESISTANT CONCRETE JOINT SEALER, HOT-POURED ELASTIC TYPE [CUST: CR4 YD1 99] | A 5610 | YD1 | | 30-AUG-74 |
| | ASTM-D1857-87 | FUSIBILITY OF COAL AND COKE ASH [CUST: PS] | A 9110 | PS | | 10-FEB-87 |
| | ASTM-D1861-88 | PIPE, FOR GENERAL DRAINAGE, PERFORATED, LAMINATED-WALL BITUMINIZED FIBER, STANDARD SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5630 | YD1 | | 01-FEB-88 |
| A | ASTM-D1862-88 | LAMINATED-WALL BITUMINIZED FIBER DRAIN AND SEWER PIPE, SPECIFICATION FOR [CUST: AV YD1 99] [REVIEW: CE MC] | A 5630 | YD1 | | 17-NOV-88 |
| | ASTM-D1863-86 | MINERAL AGGREGATE USED ON BUILT-UP ROOFS, STANDARD SPECIFICATION FOR [CUST: YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | | 03-OCT-86 |
| | ASTM-D1864-89 | MOISTURE IN MINERAL AGGREGATE USED ON BUILT-UP ROOFS [CUST: CR4 YD1 99] | A 5610 | YD1 | | 24-NOV-89 |
| | ASTM-D1868-93 | DETECTION AND MEASUREMENT OF PARTIAL DISCHARGE (CORONA) PULSES IN EVALUATION OF INSULATION SYSTEMS [CUST: MI AS 10] | A 5970 | MI | | 15-JUN-93 |
| | ASTM-D1869-95 | RINGS, RUBBER, FOR ASBESTOS-CEMENT PIPE [CUST: MR YD1 99] [REVIEW: IS SH] | A 5330 | YD1 | | 10-DEC-95 |
| | ASTM-D1870-68 | OVEN, TUBULAR, ELEVATED TEMPERATURE AGING USING A [CUST: MR 11] [REVIEW: AR AV CR4 EA GL GS MD] | A 9320 | MR | | 12-JAN-68 |
| | ASTM-D1875-95 | ADHESIVES, IN FLUID FORM, DENSITY OF [CUST: MR AS 11] [REVIEW: 99 CR4 GL MI SH] | A 8040 | MR | | 15-JUN-95 |
| | ASTM-D1876-93 | ADHESIVES, PEEL RESISTANCE OF, (T-PEEL TEST) [CUST: MR AS 11] [REVIEW: 84 CR4 GL MI SH] | A 8010 | MR | | 15-JAN-93 |
| | ASTM-D1881-96 | ENGINE COOLANTS IN GLASSWARE, FOAMING TENDENCIES OF [CUST: CR4 SH 68] | A 6850 | CR4 | | 10-MAY-96 |
| | ASTM-D1883-92 | SOILS, LABORATORY-COMPACTED, CBR (CALIFORNIA BEARING RATIO) OF [CUST: YD1 99] [REVIEW: CG] | A 5610 | YD1 | | 15-JUN-92 |
| | ASTM-D1889A-88 | WATER, TURBIDITY OF [CUST: EA 68 GS] [REVIEW: 50 CR4 GL MD OS SH] | A 6810 | GS | | 24-JUN-88 |
| A | ASTM-D1890-96 | BETA PARTICLE RADIOACTIVITY OF WATER [CUST: EA GS] [REVIEW: CR4 MD OS] | A 6810 | GS | | 30-MAR-90 |
| | ASTM-D1892-81 | STYRENE-BUTADIENE MOLDING AND EXTRUSION MATERIALS [CUST: MR] [REVIEW: AR CR4 EA GL GS MC MD MI SM] | A 9330 | MR | | 26-JUN-81 |
| | ASTM-D1894-93 | FILM, PLASTIC, AND SHEETING, STATIC AND KINETIC COEFFICIENTS OF FRICTION OF [CUST: AT 99 GS] [REVIEW: MR] | A 9330 | GS | | 15-OCT-93 |
| | ASTM-D1895-89R90 | MATERIALS, PLASTIC, APPARENT DENSITY, BULK FACTOR, AND POURABILITY OF [CUST: MR SH 11 GS] [REVIEW: AS AT AV CR CR4 GL OS YD1] | A 9330 | GS | | 29-DEC-89 |
| | ASTM-D1897-88 | MATERIALS, THERMOPLASTIC MOLDING AND EXTRUSION, INJECTION MOLDING TEST SPECIMENS OF [CUST: MR 11 GS] [REVIEW: 17 AS AT AV CR4 EA GL MC MI OS] | A 9330 | GS | | 27-MAY-77 |
| | ASTM-D1898-68R89 | PLASTICS, SAMPLING OF [CUST: MR SH GS] [REVIEW: AR AS AT CR4 GL MI OS] | A 9330 | GS | | 10-JAN-68 |
| | ASTM-D1907-89 | YARN NUMBER BY THE SKIN METHOD [CUST: GL SH 99 CT] | A 8310 | CT | | 24-FEB-89 |
| | ASTM-D1917-92 | RUBBER PROPERTY-SHRINKAGE OF RAW AND COMPOUNDED HOT-POLYMERIZE STYRENE-BUTADIENE RUBBER (SBR) [CUST: MR] [REVIEW: AS AT GL SH] | A 9320 | MR | | 15-SEP-92 |
| | ASTM-D1921-89 | MATERIALS, PLASTIC, PARTICLE SIZE (SIEVE ANALYSIS) OF, STANDARD TEST METHODS FOR [CUST: CR4 YD1 99] [REVIEW: 84 GS] | A 9330 | YD1 | | 30-JUN-89 |
| | ASTM-D1922A-94 | PROPAGATION TEAR RESISTANCE FOR PLASTIC FILM AND THIN SHEETING BY PENDULUM METHOD [CUST: GL SH 99] | A 9330 | GL | | 15-OCT-94 |
| | ASTM-D1925-70R88 | YELLOWNESS INDEX OF PLASTICS [CUST: EA AS 99] | A 9330 | EA | | 22-JAN-70 |
| | ASTM-D1927-81 | SHEET, PLASTIC, RIGID POLY (VINYL CHLORIDE), STANDARD SPECIFICATION FOR [CUST: YD1 99] [REVIEW: 84 GS MR SH] | A 4710 | YD1 | | 26-JUN-81 |
| | ASTM-D1928-90 | TEST SHEETS AND TEST SPECIMENS, POLYETHYLENE, COMPRESSION-MOLDED, PREPARATION OF [CUST: MR 11 GS] [REVIEW: AR AT CR4 EA GL] | A 9330 | GS | | 29-JUN-90 |
| | ASTM-D1929-96 | IGNITION TEMPERATURE OF PLASTICS, DETERMINING [CUST: MR SH 11] [REVIEW: 99 AS AT AV CR CR4 GL GS MI OS YD1] | A 9330 | MR | | 10-JUL-96 |
| | ASTM-D1932-96 | THERMAL ENDURANCE OF FLEXIBLE ELECTRICAL INSULATING VARNISHES [CUST: CR SH 85] | A 5970 | SH | | 10-NOV-96 |
| | ASTM-D1943-96 | ALPHA PARTICLE RADIOACTIVITY OF WATER [CUST: EA GS] [REVIEW: CR4 MD OS] | A 6810 | GS | | 30-MAR-90 |
| | ASTM-D1947-93 | LOAD-CARRYING CAPACITY OF PETROLEUM OIL AND SYNTHETIC FLUID GEAR LUBRICANTS [CUST: AT SH 11] | A 9150 | AT | | 15-MAR-93 |
| | ASTM-D1950-86R90 | ACETONE TOLERANCE OF HEAT-BODIED DRYING OILS [CUST: CR4 SH 99] | A 8010 | CR4 | | 27-MAR-86 |
| | ASTM-D1951-86R90 | OIL, DRYING, AND FATTY ACIDS, ASH IN - 26 OCT 1990 [CUST: MR SH 84] [REVIEW: CR4 OS] | A 8010 | MR | | 18-JAN-91 |
| | ASTM-D1952-86R90 | OIL, DRYING, QUANTITATIVE DETERMINATION OF BREAK IN - 26 OCT 1990 [CUST: MR SH 84] [REVIEW: CR4 OS] | A 8010 | MR | | 18-JAN-91 |
| | ASTM-D1954-86R90 | OIL, LINSEED, RAW, FOOTS IN (VOLUMETRIC METHOD) - 26 OCT 1990 [CUST: MR SH 84] [REVIEW: CR4 OS] | A 8010 | MR | | 18-JAN-91 |
| | ASTM-D1957-86R90 | HYDROXYL VALUE OF FATTY OILS AND ACIDS [CUST: AR SH 11] | A 6810 | SH | | 27-MAR-86 |
| A | ASTM-D1959-97 | IODINE VALUE OF DRYING OILS AND FATTY ACIDS [CUST: MR SH 84] [REVIEW: YD1] | A 8010 | MR | | 10-AUG-97 |
| | ASTM-D1960-86R90 | OIL, DRYING, LOSS ON HEATING OF - 26 OCT 1990 [CUST: MR SH 84] [REVIEW: CR4 OS] | A 8010 | MR | | 18-JAN-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------------|---|-----------------------|-----|-------------|-----------|
| ASTM-D1962-85R89 NOT 1 | OILS, DRYING, FATTY ACIDS, AND POLYMERIZED FATTY ACIDS, SAPONIFICATION VALVE OF - 31 MAY 1985 (REAPPROVED 1989) [CUST: MR SH 84] | A 8010 | MR | | 19-FEB-91 |
| ASTM-D1963-85R89 | OILS, VARNISHES, RESINS, AND RELATED MATERIALS AT 25/25 DEG. C, SPECIFIC GRAVITY OF [CUST: CR4 SH 11] | A 8010 | CR4 | | 29-NOV-85 |
| ASTM-D1964-85R89 NOT 1 | TUNG OIL QUALITY, STANDARD TEST METHOD FOR - 31 MAY 85 (REAPPROVED 1989) [CUST: MR SH 84] | A 8010 | MR | | 19-FEB-91 |
| ASTM-D1965-87R91 | UNSAPOINIFIABLE MATTER IN DRYING OILS, FATTY ACIDS, AND POLYMERIZED FATTY ACIDS, STANDARD TEST METHOD FOR [CUST: MR SH 99] [REVIEW: 84] | A 8010 | MR | | 21-JAN-92 |
| ASTM-D1968A-96 | STANDARD TERMINOLOGY RELATING TO PAPER AND PAPER PRODUCTS [CUST: SM SA 69 DH] [REVIEW: 10 AR AS AT AV CR DM EA GL GS MC MI SS YD1] | A PACK | SM | | 10-JUL-96 |
| ASTM-D1974-92 | FIBERBOARD SHIPPING CONTAINERS, METHODS OF CLOSING, SEALING, AND REINFORCING, STANDARD PRACTICE FOR [CUST: SM YD1 69 DH] [REVIEW: 70 71 80 82 84 AR AS CR4 GL MI OS SH] | A 8115 | SM | | 15-MAY-92 |
| ASTM-D1980-87R91 | ACID VALUE OF FATTY ACIDS AND POLYMERIZED FATTY ACIDS [CUST: AR SH 11] | A 6810 | 11 | | 26-JUN-87 |
| ASTM-D1983-90 | ACID, FATTY, COMPOSITION BY GAS-LIQUID CHROMATOGRAPHY OF METHYL ESTERS [CUST: MR SH 99] | A 8010 | MR | | 25-MAY-90 |
| ASTM-D2000-96 | RUBBER PRODUCTS IN AUTOMOTIVE APPLICATIONS [CUST: MR SH 99] [REVIEW: AR AS AT AV CR CR4 GL MC MI OS YD1] | A 9320 | GS | | 10-JUN-96 |
| ASTM-D2009-65R79 | COLLECTION BY FILTRATION AND DETERMINATION OF MASS, NUMBER, AND OPTICAL SIZING OF ATMOSPHERIC PARTICULATES [CUST: EA GS] | A 6810 | GS | | 31-AUG-65 |
| ASTM-D2010/D2010M-93 | EVALUATION OF TOTAL SULFATION ACTIVITY IN THE ATMOSPHERE BY THE LEAD DIOXIDE TECHNIQUE [CUST: EA] | A 6810 | GS | | 15-JUL-93 |
| ASTM-D2013-86 | COAL SAMPLES FOR PREPARING ANALYSIS [CUST: PS] | A 9110 | PS | | 29-AUG-86 |
| ASTM-D2015-96 | COAL AND COKE BY THE ADIABATIC BOMB CALORIMETER, GROSS CALORIFIC VALUE OF [CUST: PS] | A 9110 | PS | | 10-JUL-96 |
| ASTM-D2022-89 | CHEMICAL AND SAMPLING ANALYSIS OF CHLORINE-CONTAINING BLEACHES [CUST: EA 68 GS] [REVIEW: CR4 GL MD SH] | A 6810 | GS | | 26-MAY-89 |
| ASTM-D2024-65R92 | CLOUD POINT OF NONIONIC SURFACTANTS [CUST: GL SH 99] | A 7930 | GL | | 31-AUG-65 |
| ASTM-D2026-97 | ASPHALT, CUTBACK, (SLOW-CURING TYPE) [CUST: CR4 YD1] [REVIEW: CE CG MC] | A 5610 | YD1 | | 10-AUG-97 |
| ASTM-D2027-76R92 | ASPHALT, CUTBACK (MEDIUM-CURING TYPE) [CUST: CR4 YD1] | A 5610 | YD1 | | 09-APR-76 |
| ASTM-D2028-76R92 | ASPHALT, CUTBACK (RAPID-CURING TYPE) [CUST: CR4 YD1] | A 5610 | YD1 | | 09-APR-76 |
| ASTM-D2029-97 | WATER VAPOR CONTENT OF ELECTRICAL INSULATING GASES BY MEASUREMENT OF DEW POINT [CUST: CR4 SH 85] | A 5970 | CR4 | | 10-APR-97 |
| ASTM-D2036-91 | WATER IN CYANIDES [CUST: EA GS] [REVIEW: CR4 MD SH] | A 6810 | GS | | 15-SEP-91 |
| ASTM-D2041-91 | MIXTURES, BITUMINOUS PAVING, THEORETICAL MAXIMUM SPECIFIC GRAVITY AND DENSITY OF [CUST: CR4 YD1 99] [REVIEW: MC] | A 5610 | YD1 | | 15-SEP-91 |
| ASTM-D2042-81R93 | ASPHALT MATERIALS IN TRICHLOROETHYLENE, SOLUBILITY OF [CUST: AR YD1 99] | A 56GP | AR | | 27-NOV-81 |
| ASTM-D2060-90 | MEASURING ZIPPER DIMENSIONS [CUST: GL NU 99] | A 84GP | GL | | 28-DEC-90 |
| ASTM-D2069-91 | FUELS, MARINE [CUST: PS] | A 9140 | PS | | 15-MAY-91 |
| ASTM-D2073-92 | TOTAL, PRIMARY, SECONDARY, AND TERTIARY AMINE VALUES OF FATTY AMINES, AMIDOAMINES, AND DIAMINES BY REFERENCE POTENTIOMETRIC METHOD [CUST: MI SH 68] | A 6810 | SH | | 15-MAR-92 |
| ASTM-D2084-95 | RUBBER PROPERTY-VULCANIZATION USING OSCILLATING DISK CURE METER [CUST: AT SH 99 GS] [REVIEW: 82] | A 9320 | GS | | 10-SEP-95 |
| ASTM-D2091-96 | LACQUERS, PRINT RESISTANCE OF [CUST: MR SH 99] | A 8010 | MR | | 10-MAR-96 |
| ASTM-D2092-95 | STEEL SURFACES FOR PAINTING, ZINC-COATED (GALVANIZED), PREPARATION OF [CUST: MR GS] [REVIEW: AL AR] | A MFFP | GS | | 15-APR-95 |
| ASTM-D2096-93 | COLOR IN THE WASHING OF LEATHER, COLORFASTNESS AND TRANSFER OF [CUST: GL NU 99 CT] | A 83GP | CT | | 15-JAN-93 |
| ASTM-D2098-91 | DYNAMIC WATER RESISTANCE OF SHOE UPPER LEATHER BY THE DOW CORNING LEATHER TESTER [CUST: GL YD1 99 CT] | A 8330 | CT | | 25-JAN-91 |
| ASTM-D2099-91 | DYNAMIC WATER RESISTANCE OF SHOE UPPER LEATHER BY THE MAESER WATER PENETRATION TESTER [CUST: GL NU 99 CT] | A 8330 | CT | | 25-JAN-91 |
| ASTM-D2103-97 | POLYETHYLENE FILM AND SHEETING [CUST: CR4 YD1 11] [REVIEW: AS GL GS MI MR OS SH SM] | A 9330 | YD1 | | 10-APR-97 |
| ASTM-D2104-96 | POLYETHYLENE (PE) PLASTIC PIPE, SCHEDULE 40 [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | | 10-DEC-96 |
| ASTM-D2105-90 | PIPE AND TUBE, LONGITUDINAL TENSILE PROPERTIES OF "FIBERGLASS" (GLASS-FIBER-REINFORCED THERMOSETTING-RESIN) [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | | 30-MAR-90 |
| ASTM-D2106-95 | SOLVENTS, THE DETERMINATION OF AMINE ACID ACCEPTANCE (ALKALINITY) OF HALOGENATED ORGANIC [CUST: EA 68] [REVIEW: GL MD SH] | A 6810 | GS | | 15-MAR-95 |
| ASTM-D2109-92 | SOLVENTS AND THEIR ADMIXTURES, NONVOLATILE MATTER IN HALOGENATED ORGANIC [CUST: EA SH 68] | A 6810 | GS | | 15-OCT-92 |
| ASTM-D2111-95 | SOLVENTS AND THEIR ADMIXTURES, SPECIFIC GRAVITY OF HALOGENATED ORGANIC [CUST: EA SH 68] [REVIEW: CR4 MD] | A 6810 | GS | | 15-MAR-95 |
| ASTM-D2112-95 | OXIDATION STABILITY OF INHIBITED MINERAL INSULATING OIL BY ROTATING BOMB [CUST: AR SH 68] | A 9160 | AR | | 10-SEP-95 |
| ASTM-D2113-83R93 | DIAMOND CORE DRILLING FOR SITE INVESTIGATION [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 24-JUN-83 |
| ASTM-D2115-92 | OVEN HEAT STABILITY OF POLY(VINYL CHLORIDE) COMPOSITIONS [CUST: MR SH 99] | A 9330 | MR | | 15-OCT-94 |
| ASTM-D2116-97 | MOLDING AND EXTRUSION MATERIALS, FEP-FLUOROCARBON [CUST: CR SH] [REVIEW: AR MC MR YD1] | A 9330 | GS | | 10-NOV-97 |
| ASTM-D2117-82R88 | POLYMERS SEMICRYSTALLINE BY THE HOT STAGE MICROSCOPY METHOD, MELTING POINT OF [CUST: EA GS] [REVIEW: CR4 MC MD] | A 6810 | GS | | 26-NOV-82 |
| ASTM-D2122-95 | THERMOPLASTIC PIPE AND FITTINGS, DETERMINING DIMENSIONS OF [CUST: MR GS] [REVIEW: AL AR AS AT AV CE CR CR4 MC SH YD1] | A 9330 | GS | | 10-SEP-95 |
| ASTM-D2126-87 | PLASTICS, RESPONSE OF RIGID CELLULAR, TO THERMAL AND HUMID AGING [CUST: MR SH 11 GS] [REVIEW: AR AS AT CR CR4 GL OS YD1] | A 9330 | GS | | 27-FEB-87 |
| ASTM-D2130-90 | DIAMETER OF WOOL AND OTHER ANIMAL FIBERS BY MICROPROJECTION [CUST: GL NU 99 CT] | A 83GP | CT | | 26-JAN-90 |
| ASTM-D2136-84 | FABRICS, COATED, LOW-TEMPERATURE BEND TEST, STANDARD TEST METHOD FOR [CUST: MR YD1 99] [REVIEW: CC SH] | A 9320 | YD1 | | 24-FEB-84 |
| ASTM-D2137-89 | RUBBER PROPERTY-BRITTLENESS POINT OF FLEXIBLE POLYMERS AND COATED FABRICS [CUST: MR 99] [REVIEW: AL AR AS AT AV CR CR4 GL MC OS] | A 9320 | GS | | 31-MAR-89 |
| ASTM-D2152-95 | PIPE AND MOLDED FITTINGS BY ACETONE IMMERSION, ADEQUACY OF FUSION OF EXTRUDED POLY(VINYL CHLORIDE) (PVC) [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 4710 | YD1 | | 15-MAR-95 |
| ASTM-D2156-94 | SMOKE DENSITY IN FLUE GASES FROM BURNING DISTILLATE FUELS [CUST: AL YD1 99] | A 9140 | YD1 | | 15-FEB-94 |
| ASTM-D2161-82 | VISCOSITY, SAYBOLT UNIVERSAL OR TO SAYBOLT FULRO VISCOSITY, CONVERSION OF KINEMATIC VISCOSITY OF - 27 AUG 82 [CUST: AT SH 11] | A 91GP | AT | | 06-APR-83 |
| ASTM-D2162-93 | BASIC CALIBRATION OF MASTER VISCOMETERS AND VISCOSITY OIL STANDARDS [CUST: EA MS 99] | A 6630 | MB | | 15-MAR-93 |
| ASTM-D2165-90 | PH OF AQUEOUS EXTRACTS OF WOOL AND SIMILAR ANIMAL FIBERS [CUST: GL NU 99 CT] | A 83GP | CT | | 31-AUG-90 |
| ASTM-D2167-94 | SOIL IN PLACE BY THE RUBBER BALLOON METHOD, DENSITY AND UNIT WEIGHT OF [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | | 15-MAR-94 |
| ASTM-D2168-90 | CALIBRATION OF LABORATORY MECHANICAL-RAMMER SOIL COMPACTORS [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 29-JUN-90 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------|---|-----------------------|-----|-------------|------|
| | ASTM-D2170-92 | KINEMATIC VISCOSITY OF ASPHALTS (BITUMENS), STANDARD TEST METHOD FOR [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | 15-SEP-92 | |
| | ASTM-D2171-94 | VISCOSITY OF ASPHALTS BY VACUUM CAPILLARY VISCOMETER [CUST: YD1] | A 5610 | YD1 | 15-FEB-94 | |
| | ASTM-D2172-95 | QUANTITATIVE EXTRACTION OF BITUMEN FROM BITUMINOUS PAVING MIXTURES [CUST: CE YD1 99] [REVIEW: MC] | A 5610 | YD1 | 10-NOV-95 | |
| M | ASTM-D2176-97 | PAPER BY THE M.I.T. TESTER, FOLDING ENDURANCE OF [CUST: GL YD1 99 CT] | A 9310 | CT | 10-MAY-97 | |
| A | ASTM-D2178A-97 | ROOFING AND WATERPROOFING, ASPHALT GLASS FELT USED IN [CUST: YD1 99] [REVIEW: CE] | A 5650 | YD1 | 10-JUL-97 | |
| | ASTM-D2194-93 | CONCENTRATION OF FORMALDEHYDE SOLUTIONS [CUST: GL MS 03] | A 6505 | GL | 15-OCT-93 | |
| | ASTM-D2196-86R91 | VISCOMETER, ROTATIONAL (BROOKFIELD), RHEOLOGICAL PROPERTIES OF NON-NEWTONIAN MATERIALS BY [CUST: MR SH 84] [REVIEW: AS CR4 OS] | A 8010 | MR | 29-AUG-86 | |
| | ASTM-D2197-86R91 | ADHESION OF ORGANIC COATINGS, BY SCRAPE ADHESION, STANDARD TEST METHOD FOR [CUST: MR SH 84] | A 8010 | MR | 21-JAN-92 | |
| A | ASTM-D2200-95 | PICTORIAL SURFACE PREPARATION STANDARDS FOR PAINTING STEEL SURFACES [CUST: MR SH 99] | A 8010 | MR | 03-OCT-94 | |
| | ASTM-D2207-95 | LEATHER BY THE BALL METHOD, BURSTING STRENGTH OF [CUST: GL NU 99 CT] | A 83GP | CT | 15-MAY-95 | |
| | ASTM-D2208-95 | LEATHER BY THE GRAB METHOD, BREAKING STRENGTH OF [CUST: GL NU 99 CT] [REVIEW: AL MC] | A 83GP | CT | 10-OCT-95 | |
| | ASTM-D2209-95 | LEATHER, TENSILE STRENGTH OF [CUST: GL NU 99 CT] [REVIEW: AL AS MC] | A 83GP | CT | 15-MAY-95 | |
| | ASTM-D2210-93 | GRAIN CRACK AND EXTENSION OF LEATHER BY THE MULLEN TEST [CUST: GL NU 99 CT] | A 83GP | CT | 15-JUL-93 | |
| | ASTM-D2212-94 | LEATHER, SLIT TEAR RESISTANCE OF [CUST: GL NU 99 CT] | A 83GP | CT | 15-DEC-94 | |
| | ASTM-D2213-70R93 | LEATHER OF COMPRESSIBILITY [CUST: GL NU 99 CT] | A 83GP | CT | 22-JAN-70 | |
| | ASTM-D2216-92 | LABORATORY DETERMINATION OF WATER (MOISTURE) CONTENT OF SOIL AND ROCK [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | 15-JUN-92 | |
| | ASTM-D2217-85R93 | SOIL SAMPLES FOR PARTICLE-SIZE ANALYSIS AND DETERMINATION OF SOIL CONSTANTS, WET PREPARATION OF [CUST: YD1 99] [REVIEW: CG] | A 5610 | YD1 | 26-JUL-85 | |
| | ASTM-D2221-68R84 | PACKAGE CUSHIONING MATERIALS, CREEP PROPERTIES OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL MI OS SA SH YD1] | A PACK | AS | 18-JUN-68 | |
| | ASTM-D2227-96 | NATURAL RUBBER (NR) TECHNICAL GRADES [CUST: EA SH 99] | A 9320 | EA | 10-NOV-96 | |
| | ASTM-D2228-88 | RUBBER PROPERTY-ABRASION RESISTANCE (PICO ABRADER) [CUST: AT 11 GS] [REVIEW: AS AV GL TE] | A NDTI | GS | 29-APR-88 | |
| | ASTM-D2231-94 | RUBBER PROPERTIES IN FORCED VIBRATION [CUST: MR SH 99] | A 9320 | SH | 15-FEB-94 | |
| | ASTM-D2235A-96 | PIPE AND FITTINGS, PLASTIC, SOLVENT CEMENT FOR ACRYLONITRILE-BUTADIENE-STYRENE (ABS) [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | 10-SEP-96 | |
| | ASTM-D2239A-96 | POLYETHYLENE (PE) PLASTIC PIPE (SIDR-PR) BASED ON CONTROLLED INSIDE DIAMETER [CUST: CR4 YD1 99] [REVIEW: CC MD] | A 4710 | YD1 | 10-SEP-96 | |
| A | ASTM-D2240-97 | RUBBER PROPERTY-DUROMETER HARDNESS [CUST: MR SH 11] [REVIEW: 99 AR AS AT AV CR4 GL GS IH MC OS YD1] | A 9320 | MR | 10-FEB-97 | |
| A | ASTM-D2241B-96 | PIPE, POLY(VINYL CHLORIDE) (PVC) PRESSURE-RATED, (SDR SERIES) [CUST: YD1 99] [REVIEW: 82 CC] | A 4710 | YD1 | 10-DEC-96 | |
| | ASTM-D2243-95 | WATER-BORNE COATINGS, FREEZE-THAW RESISTANCE OF [CUST: MR SH 99] [REVIEW: 11 84 AS CR4] | A 8010 | MR | 15-AUG-95 | |
| | ASTM-D2244-93 | COLOR COORDINATES, CALCULATION OF COLOR DIFFERENCES FROM INSTRUMENTALLY MEASURED [CUST: MR SH 11] [REVIEW: YD1] | A 8010 | MR | 15-SEP-93 | |
| | ASTM-D2245-90 | IDENTIFICATION OF OILS AND OIL ACIDS IN SOLVENT-REDUCIBLE PAINTS [CUST: MR SH 84] | A 8010 | MR | 25-MAY-90 | |
| | ASTM-D2247-92 | WATER RESISTANCE OF TESTING COATINGS IN 100 PERCENT RELATIVE HUMIDITY [CUST: MR SH 99] | A 8010 | MR | 15-MAY-92 | |
| | ASTM-D2248-93 | DETERGENT RESISTANCE OF ORGANIC FINISHES [CUST: CR4 SH 99] | A 8010 | SH | 15-APR-93 | |
| A | ASTM-D2251-96 | METAL CORROSION BY HALOGENATED ORGANIC SOLVENTS AND THEIR ADMIXTURES [CUST: PS] | A 91GP | PS | 10-DEC-96 | |
| A | ASTM-D2256-97 | YARNS BY THE SINGLE-STRAND METHOD, TENSILE PROPERTIES OF [CUST: GL SH 99 MB] | A 8310 | MB | 10-JAN-97 | |
| | ASTM-D2257-89 | TEXTILES, EXTRACTABLE MATTER IN [CUST: CR4 YD1] [REVIEW: AS DP OS SH] | A 8310 | YD1 | 17-MAY-89 | |
| | ASTM-D2258-94 | SAMPLING YARN FOR TESTING [CUST: MR SH 11] | A CMPS | SH | 15-JUN-94 | |
| | ASTM-D2261-83 | FABRICS, WOVEN, BY THE TONGUE (SINGLE RIP) METHOD (CONSTANT-RATE-OF-EXTENSION TENSILE TESTING MACHINE), TEARING STRENGTH OF [CUST: GL NU 11 CT] [REVIEW: 03 82 99 AS CG CR4 MC MD MI SH TE] | A 83GP | CT | 25-FEB-83 | |
| | ASTM-D2262-83 | FABRICS, WOVEN, BY THE TONGUE (SINGLE RIP) METHOD (CONSTANT-RATE-OF-TRAVERSE TENSILE TESTING MACHINE), TEARING STRENGTH OF [CUST: GL NU 11 CT] [REVIEW: 03 82 99 AS CG CR4 MC MD MI SH TE] | A 83GP | CT | 25-FEB-83 | |
| | ASTM-D2265-78 | LUBRICATING GREASE, OVER WIDE TEMPERATURE RANGE, DROPPING POINT OF [CUST: CR4 AS 68] | A 9150 | AS | 25-AUG-78 | |
| | ASTM-D2266-91 | GREASE, LUBRICATING, (FOUR-BALL METHOD), WEAR PREVENTIVE CHARACTERISTICS OF [CUST: AT SH 11] | A 91GP | AT | 15-SEP-91 | |
| | ASTM-D2267-88 | AROMATICS IN LIGHT NAPHTHAS AND AVIATION GASOLINES BY GAS CHROMATOGRAPHY [CUST: MR OS 11] | A 91GP | 11 | 17-NOV-88 | |
| | ASTM-D2268-93 | ANALYSIS OF HIGH-PURITY N-HEPTANE AND ISOCTANE BY CAPILLARY GAS CHROMATOGRAPHY [CUST: AT SH 68] | A 9130 | AT | 15-FEB-93 | |
| | ASTM-D2270-93 | VISCOSITY, CALCULATING, INDEX FROM KINEMATIC VISCOSITY AT 40 AND 100 DEG. C [CUST: AT SH 11] [REVIEW: OS] | A 9150 | AT | 15-MAR-93 | |
| | ASTM-D2272-85 | OXIDATION STABILITY OF STEAM TURBINE OILS BY ROTATING BOMB [CUST: CR4 SH 68] [REVIEW: AS GS] | A 9150 | SH | 25-OCT-85 | |
| | ASTM-D2273-86R92 | OILS, LUBRICATING, TRACE SEDIMENT IN [CUST: AT SH 11] | A 91GP | AT | 31-OCT-86 | |
| | ASTM-D2274-88 | OXIDATION STABILITY OF DISTILLATE FUEL OIL (ACCELERATED METHOD) [CUST: PS] | A 9140 | PS | 31-OCT-88 | |
| A | ASTM-D2276-97 | CONTAMINANT, PARTICULATE, IN AVIATION FUEL BY LINE SAMPLING [CUST: AT SH 11] | A 91GP | AT | 10-JUN-97 | |
| | ASTM-D2277-87 | SHEATHING, FIBERBOARD NAIL-BASE, STANDARD SPECIFICATION FOR [CUST: CR4 YD1] [REVIEW: CE MC] | A 5640 | YD1 | 27-FEB-87 | |
| | ASTM-D2282-96 | PIPE, PLASTIC (SDR-PR), ACRYLONITRILE-BUTADIENE-STYRENE (ABS) [CUST: CE YD1 99] [REVIEW: CC] | A 4710 | YD1 | 10-MAR-96 | |
| | ASTM-D2287-92 | VINYL, NONRIGID, CHLORIDE POLYMER AND COPOLYMER MOLDING AND EXTRUSION COMPOUNDS [CUST: MR YD1 99] [REVIEW: 84 CC CR4 SH] | A 9330 | YD1 | 15-OCT-92 | |
| | ASTM-D2290-92 | PLASTICS AND REINFORCED PLASTICS, RING OR TUBULAR, APPARENT TENSILE STRENGTH OF [CUST: MR AS 11 GS] [REVIEW: AR AV GL SH] | A 9330 | GS | 15-FEB-92 | |
| | ASTM-D2291-83R89 | FABRICATION OF RING TEST SPECIMENS FOR GLASS-RESIN COMPOSITES [CUST: MR AS 11] | A CMPS | MR | 27-MAY-83 | |
| | ASTM-D2303-96 | LIQUID-CONTAMINANT, INCLINED-PLANE TRACKING AND EROSION OF INSULATING MATERIALS [CUST: MR AS 11] | A NDTI | AS | 10-OCT-96 | |
| A | ASTM-D2310-97 | PIPE, MACHINE-MADE "FIBERGLASS" GLASS-FIBER-REINFORCED THERMOSETTING-RESIN [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4710 | YD1 | 10-APR-97 | |
| | ASTM-D2321-89 | PIPE FOR SEWERS AND OTHER GRAVITY-FLOW APPLICATIONS, THERMOPLASTIC, UNDERGROUND INSTALLATION OF [CUST: CE YD1] [REVIEW: MC] | A 5630 | YD1 | 29-DEC-89 | |
| | ASTM-D2322-69R93 | CHROME-TANNED WHITE SHOE UPPER LEATHER TO ARTIFICIAL PERSPIRATION, RESISTANCE OF [CUST: GL NU 99 CT] | A 83GP | CT | 09-MAY-69 | |
| | ASTM-D2330-88 | SUBSTANCES, METHYLENE BLUE ACTIVE, STANDARD TEST METHODS FOR [CUST: EA] [REVIEW: CR4 GL MD OS SH] | A 6810 | GS | 29-JAN-88 | |
| | ASTM-D2343-95 | GLASS FIBER STRANDS, YARNS, AND ROVINGS USED IN REINFORCED PLASTICS, TENSILE PROPERTIES OF [CUST: MR SH 11] | A 9330 | MR | 15-FEB-95 | |

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------|---|--------------------------|-----|-------------|-----------|
| ASTM-D2344-84R89 | FIBER COMPOSITES BY SHORT-BEAM METHOD, PARALLEL, APPARENT INTERLAMINAR SHEAR STRENGTH OF [CUST: MR SH 11 GS] [REVIEW: 99 AS AT AV CR GL MI] | A 9330 | GS | | 25-MAY-84 |
| ASTM-D2346-68R91 | LEATHER, APPARENT DENSITY OF [CUST: GL NU 99 CT] | A 83GP | CT | | 06-NOV-68 |
| ASTM-D2350-90 | ANTIMONY OXIDE IN WHITE PIGMENT SEPARATED FROM SOLVENT-REDUCIBLE PAINTS [CUST: MR SH 84] | A 8010 | MR | | 25-MAY-90 |
| ASTM-D2360-82R87 | MONOCYCLIC AROMATIC HYDROCARBONS BY GAS CHROMATOGRAPHY, TRACE IMPURITIES IN [CUST: EA 68] [REVIEW: AS CR4 GL MC MD SH] | A 6810 | GS | | 29-OCT-82 |
| ASTM-D2369-95 | COATINGS, VOLATILE CONTENT OF [CUST: MR SH 99] [REVIEW: 84 YD1] | A 8010 | MR | | 15-JUN-95 |
| ASTM-D2370-82 | COATINGS, ORGANIC, TENSILE PROPERTIES OF [CUST: MR SH 99] | A 8010 | MR | | 25-JUN-82 |
| ASTM-D2371-85R90 | PIGMENT CONTENT OF SOLVENT-REDUCIBLE PAINTS [CUST: CR4 SH 99] | A 8010 | CR4 | | 31-MAY-85 |
| ASTM-D2372-85R90 | SEPARATION OF VEHICLE FROM SOLVENT-REDUCIBLE PAINTS [CUST: CR4 OS 99] | A 8010 | OS | | 31-MAY-85 |
| ASTM-D2382-88 | HEAT OF COMBUSTION OF HYDROCARBON FUELS BY BOMB CALORIMETER (HIGH-PRECISION METHOD) [CUST: AT SH 11] | A 9150 | AT | | 31-OCT-88 |
| ASTM-D2386-67 | FUELS, AVIATION, FREEZING POINT OF - 8 SEP 67 (REAPPROVED 1977) [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 20-JUN-68 |
| ASTM-D2392-96 | GASOLINES, AVIATION, COLOR OF DYED [CUST: AT] | A 9130 | AT | | 10-JUL-96 |
| ASTM-D2393-86 | EPOXY RESINS AND RELATED COMPONENTS, VISCOSITY OF [CUST: MR AS 11 GS] | A 9330 | GS | | 25-JUL-86 |
| ASTM-D2395-93 | WOOD AND WOOD-BASE MATERIALS, SPECIFIC GRAVITY OF [CUST: MR SH 84] | A 5510 | SH | | 15-AUG-93 |
| A ASTM-D2397-97 | ASPHALT, CATIONIC EMULSIFIED [CUST: CE YD1 99] | A 5610 | YD1 | | 10-AUG-97 |
| ASTM-D2410-82 | GLASS FABRIC, WOVEN, CLEANED AND AFTER-FINISHED WITH CHROME COMPLEXES, FOR PLASTIC LAMINATES, FINISH CONTENT OF [CUST: MR GS] [REVIEW: AR AT CR4 GS MI OS SH] | A 9340 | GS | | 30-JUL-82 |
| ASTM-D2411-89 | CELLULOSE ACETATE BUTYRATE FILM AND SHEETING FOR FABRICATING AND FORMING [CUST: MR SH 11 GS] [REVIEW: AR AS AT EC GL MC MD OS SH SM] | A 9330 | GS | | 27-JAN-89 |
| A ASTM-D2412A-96 | PIPE, PLASTIC, BY PARALLEL-PLATE LOADING, DETERMINATION OF EXTERNAL LOADING CHARACTERISTICS OF [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4710 | YD1 | | 10-OCT-96 |
| ASTM-D2414-96 | CARBON BLACK-N-DIBUTYL PHTHALATE ABSORPTION NUMBER [CUST: AR SH 68] | A 6810 | AR | | 10-JAN-96 |
| ASTM-D2417-88 | PIPE, PERFORATED, LAMINATED-WALL BITUMINIZED FIBER, FOR GENERAL DRAINAGE, STANDARD SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5630 | YD1 | | 01-FEB-88 |
| ASTM-D2419-74 | SAND EQUIVALENT VALUE OF SOILS AND FINE AGGREGATE, STANDARD TEST METHOD FOR [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | | 27-JUN-74 |
| ASTM-D2434-68R94 | SOILS, (CONSTANT HEAD), GRANULAR, PERMEABILITY OF [CUST: YD1] | A FACR | YD1 | | 13-SEP-68 |
| ASTM-D2436-85 | LABORATORY OVENS FOR ELECTRICAL INSULATION, FORCED-CONVECTION [CUST: YD1] | A 5970 | YD1 | | 31-MAY-85 |
| ASTM-D2440-93 | OIL, MINERAL INSULATING, OXIDATION STABILITY OF [CUST: MI SH 68] [REVIEW: 50 GS MR] | A 9160 | MI | | 15-FEB-93 |
| ASTM-D2444-93 | PIPE AND FITTINGS, THERMOPLASTIC, BY MEANS OF A TUP (FALLING WEIGHT), DETERMINATION OF THE IMPACT RESISTANCE OF [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | | 15-JUL-93 |
| ASTM-D2447-95 | POLYETHYLENE (PE) PLASTIC PIPE, SCHEDULES 40 AND 80, BASED ON OUTSIDE DIAMETER [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4710 | YD1 | | 10-SEP-95 |
| ASTM-D2455-89 | ACIDS, CARBOXYLIC, IN ALKYD RESINS, IDENTIFICATION OF [CUST: CR4 SH 99] | A 8010 | CR4 | | 28-APR-89 |
| A ASTM-D2457-97 | FILMS, PLASTIC, AND SOLID PLASTICS, SPECULAR GLOSS OF [CUST: MD MS 03 MB] | A 9330 | MB | | 10-JAN-97 |
| ASTM-D2464A-96 | PIPE FITTINGS, PLASTIC, SCHEDULE 80, THREADED POLY(VINYL CHLORIDE) (PVC) [CUST: CR4 YD1 99] [REVIEW: CC CE MC SH] | A 4730 | YD1 | | 10-SEP-96 |
| ASTM-D2466A-96 | PIPE FITTINGS, PLASTIC, SCHEDULE 40, POLY(VINYL CHLORIDE) (PVC) [CUST: YD1 99] [REVIEW: CC] | A 4730 | YD1 | | 10-SEP-96 |
| ASTM-D2467A-96 | PLASTIC PIPE FITTINGS, SCHEDULE 80, POLY(VINYL CHLORIDE) (PVC) [CUST: YD1 99] [REVIEW: CC SH] | A 4730 | YD1 | | 10-SEP-96 |
| ASTM-D2468-96 | ACRYLONITRILE-BUTADIENE-STYRENE (ABS) PLASTIC PIPE FITTINGS, SCHEDULE 40 [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4730 | YD1 | | 10-MAR-96 |
| ASTM-D2469-76 | PIPE, FITTINGS, PLASTIC, SOCKET TYPE ACRYLONITRILE-BUTADIENE-STYRENE (ABS), SCHEDULE 80 [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4730 | YD1 | | 27-JUL-76 |
| ASTM-D2471-88 | RESINS, REACTING THERMOSETTING, GEL TIME AND PEAK EXOTHERMIC TEMPERATURE OF [CUST: MI AS 99] | A 9330 | AS | | 25-MAR-88 |
| ASTM-D2472-92 | SULFUR HEXAFLUORIDE [CUST: YD1] | A 6830 | YD1 | | 15-FEB-92 |
| ASTM-D2481-81 | WOOD PRESERVATIVES FOR MARINE SERVICES BY MEANS OF SMALL-SIZE SPECIMENS, ACCELERATED EVALUATION OF, STANDARD TEST METHOD FOR [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5510 | IS | | 30-OCT-81 |
| ASTM-D2486-96 | SCRUB RESISTANCE OF WALL PAINTS [CUST: CR4 YD1 99] [REVIEW: 84 CE SH] | A 8010 | YD1 | | 10-JUN-96 |
| ASTM-D2487-93 | SOILS FOR ENGINEERING PURPOSES, CLASSIFICATION OF (UNIFIED SOIL CLASSIFICATION SYSTEM) [CUST: YD1 99] [REVIEW: 80 CE] | A 5610 | YD1 | | 15-SEP-93 |
| ASTM-D2488-93 | SOILS (VISUAL-MANUAL PROCEDURE), DESCRIPTION AND IDENTIFICATION OF [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 15-SEP-93 |
| ASTM-D2492-90 | COAL, FORMS OF SULFUR IN [CUST: CR4 YD1 68] [REVIEW: PS] | A 9110 | YD1 | | 30-MAR-90 |
| ASTM-D2500-91 | CLOUD POINT OF PETROLEUM PRODUCTS [CUST: AT SH 11] [REVIEW: 68] | A 91GP | AT | | 15-OCT-91 |
| ASTM-D2503-92 | HYDROCARBONS BY THERMOELECTRIC MEASUREMENT OF VAPOR PRESSURE, RELATIVE MOLECULAR MASS (MOLECULAR WEIGHT) OF [CUST: CR4 AS 11] [REVIEW: 16 AM AV SH] | A 91GP | AS | | 15-AUG-92 |
| ASTM-D2510-83 | LUBRICANTS, SOLID FILM, ADHESION OF [CUST: AT SH 11] [REVIEW: OS] | A 91GP | AT | | 25-MAR-83 |
| ASTM-D2511-93 | LUBRICANTS, SOLID FILM, THERMAL SHOCK SENSITIVITY OF [CUST: AT SH 11] [REVIEW: OS] | A 91GP | AT | | 15-AUG-93 |
| ASTM-D2512-82R94 | MATERIALS WITH LIQUID OXYGEN (IMPACT SENSITIVITY THRESHOLD AND PASS-FAIL TECHNIQUES), COMPATIBILITY OF [CUST: MR SH 11] | A 6830 | 11 | | 30-JUL-82 |
| ASTM-D2513A-96 | GAS, THERMOPLASTIC, PRESSURE PIPE, TUBING, AND FITTINGS [CUST: MR YD1 99] [REVIEW: CC MD] | A 4710 | YD1 | | 10-SEP-96 |
| ASTM-D2517-81 | EPOXY RESIN, REINFORCED GAS PRESSURE PIPE AND FITTINGS [CUST: CR4 YD1] [REVIEW: CC MR SH] | A 4710 | YD1 | | 26-JUN-81 |
| ASTM-D2519-91 | BOND STRENGTH OF ELECTRICAL INSULATING VARNISHES BY THE HELICAL COIL TEST [CUST: CR SH 85] | A 5970 | SH | | 15-JUL-91 |
| ASTM-D2520-95 | MATERIALS AT MICROWAVE FREQUENCIES AND TEMPERATURES TO 1650 DEG C, COMPLEX PERMITTIVITY (DIELECTRIC CONSTANT) OF SOLID ELECTRICAL INSULATING [CUST: CR SH 85] | A 5970 | GS | | 15-JUL-95 |
| ASTM-D2532-93 | VISCOSITY AND VISCOSITY CHANGE AFTER STANDING AT LOW TEMPERATURE OF AIRCRAFT TURBINE LUBRICANTS [CUST: AT SH 11] | A 91GP | AT | | 15-SEP-93 |
| ASTM-D2533A-93 | VAPOR-LIQUID RATIO OF SPARK-IGNITION ENGINE FUELS [CUST: AT SH 11] [REVIEW: 68 AR AS] | A 91GP | AT | | 15-NOV-93 |
| A ASTM-D2547-82 | LEAD IN GASOLINE, VOLUMETRIC CHROMATE METHOD, TEST METHOD FOR [CUST: AV] | A 91GP | AV | | 27-AUG-82 |
| ASTM-D2550-85 | WATER SEPARATION CHARACTERISTICS OF AVIATION TURBINE FUELS [CUST: MR SH 11] | A 9150 | MR | | 25-OCT-85 |
| ASTM-D2553-89 | DETERGENT, DRYCLEANING, ON A DRYCLEANED GARMENT, DETECTING ODOR OF [CUST: GL SH 99] | A 7930 | GL | | 26-MAY-89 |
| ASTM-D2556A-93 | PROPERTIES, ADHESIVES HAVING SHEAR-RATE-DEPENDENT FLOW, APPARENT VISCOSITY OF [CUST: MI AS 99] | A 8040 | MI | | 15-DEC-93 |
| ASTM-D2559-92 | WOOD PRODUCTS FOR USE UNDER EXTERIOR (WET USE) EXPOSURE CONDITIONS, STRUCTURAL LAMINATED, ADHESIVES FOR [CUST: YD1 99] [REVIEW: 84 CE MC] | A 8040 | YD1 | | 15-JUL-92 |
| ASTM-D2563-94 | PARTS, GLASS-REINFORCED PLASTIC LAMINATE, CLASSIFYING VISUAL DEFECTS IN [CUST: AR YD1 99] | A 5430 | AR | | 15-FEB-94 |
| ASTM-D2564A-96 | CEMENTS, SOLVENT, FOR POLY(VINYL CHLORIDE) (PVC) PLASTIC PIPING SYSTEMS [CUST: MR SH 99] [REVIEW: 84 AS CR4 EA MD MI] | A 8040 | SH | | 10-SEP-96 |
| ASTM-D2565A-92 | PLASTICS, OPERATING XENON ARC-TYPE (WATER-COOLED) LIGHT-EXPOSURE APPARATUS WITH AND WITHOUT WATER FOR EXPOSURE OF [CUST: YD1 99] [REVIEW: 84 GS MR SH] | A 9330 | YD1 | | 15-OCT-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|---------------------|---|--------------------------|-----|-------------|-----------|
| ASTM-D2572-91 NOT 1 | ISOCYANATE GROUPS IN URETHANE MATERIALS OR PREPOLYMERS [CUST: MR SH 11] | A 8010 | MR | | 28-OCT-92 |
| ASTM-D2573-72 | SOIL, COHESIVE, FIELD VANE SHEAR TEST IN, STANDARD METHOD FOR [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 17-JAN-72 |
| ASTM-D2579-85 | CARBON IN WATER, TOTAL AND ORGANIC, STANDARD TEST METHODS FOR [CUST: EA] [REVIEW: CR4 MD] | A 6810 | GS | | 04-FEB-85 |
| ASTM-D2580-89 | PHENOLS IN WATER BY GAS-LIQUID CHROMATOGRAPHY [CUST: EA 68] [REVIEW: CR4 GL MD] | A 6810 | GS | | 25-AUG-89 |
| ASTM-D2582-93 | FILM, PLASTIC, AND THIN SHEETING, PUNCTURE-PROPAGATION TEAR RESISTANCE OF [CUST: MR SH 99 CT] | A 9330 | CT | | 15-OCT-93 |
| ASTM-D2583-93 | PLASTICS, RIGID, BY MEANS OF A BARCOL IMPRESSOR, INDENTATION HARDNESS OF [CUST: MR SH 99] | A 9330 | MR | | 15-OCT-93 |
| ASTM-D2584-68 | RESINS, CURED REINFORCED, IGNITION LOSS OF [CUST: MR SH 11 GS] [REVIEW: 11 AR AS CR CR4 GL MI YD1] | A 9330 | GS | | 09-SEP-68 |
| ASTM-D2586-68R90 | CYLINDERS, GLASS-REINFORCED PLASTIC, HYDROSTATIC COMPRESSIVE STRENGTH OF [CUST: MR YD1 99] [REVIEW: 84 GS SH] | A CMPS | YD1 | | 09-SEP-68 |
| ASTM-D2595-90 | GREASES, LUBRICATING, OVER WIDE-TEMPERATURE RANGE, EVAPORATION LOSS OF [CUST: CR4 AS 69] | A 9150 | AS | | 16-OCT-90 |
| ASTM-D2596-96 | GREASE, LUBRICATING, MEASUREMENT OF EXTREME-PRESSURE PROPERTIES OF, (FOUR-BALL METHOD) [CUST: CR4 AS 68] | A 9150 | AS | | 10-JUN-96 |
| ASTM-D2599-87 | GASOLINE BY X-RAY SPECTROMETRY, LEAD IN [CUST: CR4 SH 68] | A 9140 | CR4 | | 30-OCT-87 |
| ASTM-D2603-91 | OILS, POLYMER-CONTAINING, SONIC SHEAR STABILITY OF [CUST: CR4 AS 11] | A 91GP | AS | | 15-OCT-91 |
| ASTM-D2609-97 | PIPE, PLASTIC, PLASTIC INSERT FITTINGS FOR POLYETHYLENE (PE) [CUST: CR4 SH 99 CC] [REVIEW: AR YD1] | A 4730 | CC | | 10-AUG-97 |
| ASTM-D2617-69R91 | LEATHER, TOTAL ASH IN [CUST: GL NU 99 CT] | A 83GP | CT | | 09-MAY-69 |
| ASTM-D2622-94 | SULFUR IN PETROLEUM PRODUCTS BY X-RAY SPECTROMETRY [CUST: AT SH 11] | A 9150 | AT | | 15-FEB-94 |
| ASTM-D2624-95 | FUELS, AVIATION AND DISTILLATE, ELECTRICAL CONDUCTIVITY OF [CUST: CR4 AS 11] | A 9130 | 11 | | 10-SEP-95 |
| ASTM-D2625-90 | FILM LUBRICANTS, SOLID, (FALEX PIN AND VEE METHOD), ENDURANCE (WEAR) LIFE AND LOAD-CARRYING CAPACITY OF [CUST: CR4 AS 68] [REVIEW: 11] | A 9150 | AS | | 27-APR-90 |
| ASTM-D2626A-97 | ASPHALT-SATURATED AND COATED ORGANIC FELT BASE SHEET USED IN ROOFING [CUST: CR4 YD1 99] [REVIEW: CE EA MC] | A 5650 | YD1 | | 10-JUL-97 |
| ASTM-D2628-81 | SEALS FOR CONCRETE PAVEMENTS, PREFORMED POLYCHLOROPRENE ELASTOMERIC JOINT, STANDARD SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5680 | YD1 | | 27-NOV-81 |
| ASTM-D2632-96 | RUBBER PROPERTY-RESILIENCE BY VERTICAL REBOUND [CUST: MR SH 99] [REVIEW: 11 82 AR AS CR CR4 GL MD OS SM YD1] | A 9320 | GS | | 10-NOV-96 |
| ASTM-D2649-93 | LUBRICANTS, SOLID FILM, CORROSION CHARACTERISTICS OF [CUST: CR4 AS 11] [REVIEW: GS] | A 9150 | AS | | 15-AUG-93 |
| ASTM-D2651-90 | METAL SURFACES FOR ADHESIVE BONDING, PREPARATION OF [CUST: MI AS 99] | A 8040 | AS | | 30-NOV-90 |
| ASTM-D2654A-89 | TEXTILES, MOISTURE IN [CUST: AT NU 99] | A 8305 | AT | | 30-JUN-89 |
| ASTM-D2657-97 | PIPE AND FITTINGS, HEAT FUSION JOINING OF POLYOLEFIN [CUST: CE YD1] [REVIEW: MC] | A 5630 | YD1 | | 10-MAY-97 |
| ASTM-D2661-97 | ACRYLONITRILE-BUTADIENE-STYRENE (ABS) SCHEDULE 40 PLASTIC DRAIN, WASTE, AND VENT PIPE AND FITTINGS [CUST: CR4 YD1] [REVIEW: CC CG] | A 4710 | YD1 | | 10-APR-97 |
| ASTM-D2662-96 | PIPE, POLYBUTYLENE (PB) PLASTIC, (SIDR-PR) BASED ON CONTROLLED INSIDE DIAMETER [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | | 10-MAR-96 |
| ASTM-D2665A-97 | PLASTIC DRAIN, WASTE, AND VENT PIPE AND FITTINGS, POLY(VINYL CHLORIDE) (PVC) [CUST: CR4 YD1] [REVIEW: CC CG] | A 4710 | YD1 | | 10-SEP-97 |
| ASTM-D2666-96 | TUBING, POLYBUTYLENE (PB) PLASTIC [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | | 10-MAR-96 |
| ASTM-D2667-89 | SULFONATES, ALKYL BENZENE, BIODEGRADABILITY OF [CUST: MR AS 68] | A 6810 | AS | | 26-MAY-89 |
| ASTM-D2670-95 | LUBRICANTS, FLUID, (FALEX PIN AND VEE BLOCK METHOD), MEASURING WEAR PROPERTIES OF [CUST: AR AS 68 GS] [REVIEW: AT CR4 OS] | A 9150 | GS | | 10-DEC-95 |
| ASTM-D2671-95 | TUBING, HEAT-SHRINKABLE, FOR ELECTRICAL USE [CUST: MI 99] [REVIEW: 80 AR GS MR] | A 5970 | MI | | 10-NOV-95 |
| ASTM-D2672A-96 | JOINTS FOR IPS PVC PIPE USING SOLVENT CEMENT [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 4710 | YD1 | | 10-SEP-96 |
| ASTM-D2680A-95 | SEWER PIPING, COMPOSITE, ACRYLONITRILE-BUTADIENE-STYRENE (ABS) AND POLY(VINYL CHLORIDE) (PVC) [CUST: CR4 YD1 99] [REVIEW: CC] | A 4710 | YD1 | | 10-SEP-95 |
| ASTM-D2683-93 | SOCKET-TYPE POLYETHYLENE FITTINGS FOR OUTSIDE DIAMETER-CONTROLLED POLYETHYLENE PIPE AND TUBING [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4730 | YD1 | | 15-APR-93 |
| ASTM-D2686-84 | TAPE, ELECTRICAL INSULATING, TETRAFLUORETHYLENE-BACKED PRESSURE-SENSITIVE [CUST: MR AS 11] | A 5970 | 11 | | 31-AUG-84 |
| ASTM-D2697-86R91 | VOLUME NONVOLATILE MATTER IN CLEAR OR PIGMENTED COATINGS [CUST: CR4 YD1] [REVIEW: MR SH] | A 8010 | YD1 | | 25-APR-86 |
| ASTM-D2698-90 | PAINTS BY HIGH-SPEED CENTRIFUGING, DETERMINATION OF THE PIGMENT CONTENT OF SOLVENT-REDUCIBLE [CUST: MR SH 94] [REVIEW: YD1] | A 8010 | MR | | 25-MAY-90 |
| ASTM-D2699-84 | KNOCK CHARACTERISTICS OF MOTOR FUELS BY THE RESEARCH METHOD [CUST: PS] | A 91GP | PS | | 26-OCT-84 |
| ASTM-D2700-84 | KNOCK CHARACTERISTICS OF MOTOR AND AVIATION FUELS BY THE MOTOR METHOD [CUST: PS] | A 91GP | PS | | 26-OCT-84 |
| ASTM-D2702-89 | RUBBER CHEMICALS-DETERMINATION OF INFRARED ABSORPTION CHARACTERISTICS [CUST: AT SH GS] [REVIEW: CR4 MC MI] | A 9320 | GS | | 31-MAR-89 |
| ASTM-D2709-96 | WATER AND SEDIMENT IN MIDDLE DISTILLATE FUELS BY CENTRIFUGE [CUST: AT SH 11] [REVIEW: OS] | A 91GP | AT | | 10-JAN-96 |
| ASTM-D2714-94 | MACHINE, THE FALEX BLOCK-ON-RING FRICTION AND WEAR TESTING, CALIBRATION AND OPERATION OF [CUST: GL AS 99] | A 6635 | AS | | 15-FEB-94 |
| ASTM-D2724-87R95 | FABRICS, APPAREL, BONDED, FUSED, AND LAMINATED [CUST: GL SH 99 CT] | A 8305 | SH | | 31-JUL-87 |
| ASTM-D2726-96 | MIXTURES, COMPACTED BITUMINOUS, BULK SPECIFIC GRAVITY AND DENSITY OF NON-ABSORPTIVE [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | | 10-FEB-96 |
| ASTM-D2729A-96 | PIPE AND FITTINGS, SEWER, POLY(VINYL CHLORIDE) (PVC) [CUST: CR4 YD1 99] [REVIEW: CC] | A 4730 | YD1 | | 10-DEC-96 |
| ASTM-D2732-83R89 | FILM AND SHEETING, PLASTIC, UNRESTRAINED LINEAR THERMAL SHRINKAGE OF [CUST: GL SH 99] | A 9330 | GL | | 29-JUL-83 |
| ASTM-D2734-91 | PLASTICS, REINFORCED, VOID CONTENT OF [CUST: MR GS] [REVIEW: 11 AS AT AV GL MC MI OS SH] | A 9330 | GS | | 15-JUL-91 |
| ASTM-D2737A-96 | POLYETHYLENE (PE) PLASTIC TUBING [CUST: CR4 YD1 99] [REVIEW: CC MD] | A 4710 | YD1 | | 10-SEP-96 |
| ASTM-D2740-89 | TUBING, POLY(VINYL CHLORIDE) (PVC) PLASTIC, STANDARD SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4710 | YD1 | | 24-FEB-89 |
| ASTM-D2751A-96 | ACRYLONITRILE-BUTADIENE-STYRENE (ABS) SEWER PIPE AND FITTINGS [CUST: CR4 YD1 99] [REVIEW: CC] | A 4710 | YD1 | | 10-DEC-96 |
| ASTM-D2766-95 | LIQUIDS AND SOLIDS, SPECIFIC HEAT OF [CUST: GL AS 11] | A 6635 | 11 | | 15-AUG-95 |
| ASTM-D2774-72 | PIPING, THERMOPLASTIC PRESSURE, UNDERGROUND INSTALLATION OF, STANDARD RECOMMENDED PRACTICE FOR [CUST: CR4 YD1] [REVIEW: CC MR] | A 4710 | YD1 | | 20-NOV-72 |
| ASTM-D2794-93 | DEFORMATION, RAPID, RESISTANCE OF ORGANIC COATINGS TO THE EFFECTS OF (IMPACT) [CUST: CR4 YD1 99] | A 8010 | CR4 | | 15-SEP-93 |
| ASTM-D2800-92 NOT 1 | PREPARATION OF METHYL ESTERS FROM OILS FOR DETERMINATION OF FATTY ACID COMPOSITION BY GAS-LIQUID CHROMATOGRAPHY [CUST: MR SH 99] [REVIEW: 84] | A 8010 | MR | | 15-MAR-92 |
| ASTM-D2801-69 | PAINTS BY DRAWN-DOWN METHOD, STANDARD TEST METHOD FOR LEVELING CHARACTERISTICS OF [CUST: MR SH 99] [REVIEW: AS CR4 YD1] | A 8010 | MR | | 03-OCT-69 |
| ASTM-D2803-93 | METAL, ORGANIC COATINGS ON, FILIFORM CORROSION RESISTANCE OF [CUST: MI AS 11] | A MFFP | AS | | 15-MAY-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------------|--|-----------------------|-----|-------------|-----------|
| | ASTM-D2804-93 | PURITY OF METHYL ETHYL KETONE BY GAS CHROMATOGRAPHY [CUST: EA 68] [REVIEW: MC MD SH] | A 6810 | GS | | 15-MAY-93 |
| A | ASTM-D2805-96 | PAINTS BY REFLECTOMETRY, HIDING POWER OF [CUST: MR SH 99] | A 8010 | MR | | 03-OCT-94 |
| | ASTM-D2807-93 | CHROMIC OXIDE IN LEATHER (PERCHLORIC ACID OXIDATION) [CUST: GL NU 99 CT] | A 83GP | CT | | 15-JAN-93 |
| | ASTM-D2810-72R91 | LEATHER, PH OF [CUST: GL NU 99 CT] | A 83GP | CT | | 03-APR-72 |
| A | ASTM-D2813-97 | LEATHER, SAMPLING, FOR PHYSICAL AND CHEMICAL TESTS [CUST: GL NU 99 CT] | A 8330 | CT | | 10-APR-97 |
| | ASTM-D2820-72 | HYDROCARBONS, FOR C1 THROUGH C5, IN THE ATMOSPHERE BY GAS CHROMATOGRAPHY, STANDARD METHOD FOR TEST [CUST: EA SH] [REVIEW: MD] | A 6810 | GS | | 28-JUL-72 |
| | ASTM-D2821-79R93 | LEATHER BY MEANS OF A TORSIONAL WIRE APPARATUS, MEASURING THE RELATIVE STIFFNESS OF [CUST: GL NU 99 CT] | A 83GP | CT | | 31-AUG-79 |
| | ASTM-D2822-91 | ASPHALT ROOF CEMENT [CUST: CR4 YD1 99] [REVIEW: CE] | A 5610 | YD1 | | 08-JAN-91 |
| | ASTM-D2823-90 | ASPHALT ROOF COATINGS [CUST: CR4 YD1] [REVIEW: CE] | A 5610 | YD1 | | 29-JUN-90 |
| | ASTM-D2824-85 | ALUMINUM-PIGMENTED ASPHALT ROOF COATINGS, STANDARD SPECIFICATIONS FOR [CUST: YD1 99] [REVIEW: CE CR4] | A 8030 | YD1 | | 26-APR-85 |
| | ASTM-D2835-89 | LUBRICANT FOR INSTALLATION OF PREFORMED COMPRESSION SEALS IN CONCRETE PAVEMENTS [CUST: CR4 YD1 99] [REVIEW: CE] | A 9150 | YD1 | | 27-OCT-89 |
| | ASTM-D2837-92 | PIPE, THERMOPLASTIC MATERIALS, OBTAINING HYDROSTATIC DESIGN BASIS FOR [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | | 15-JUN-92 |
| M | ASTM-D2842-97 | WATER ABSORPTION OF RIGID CELLULAR PLASTICS [CUST: YD1 99] [REVIEW: 84 GS MR SH] | A 9330 | YD1 | | 10-NOV-97 |
| | ASTM-D2843-88 | PLASTICS, DENSITY OF SMOKE FROM THE BURNING OR DECOMPOSITION OF [CUST: MR SH 11 GS] [REVIEW: 99 AS AT AV CR4 GL MI OS YD1] | A 9330 | GS | | 30-SEP-88 |
| | ASTM-D2846/D2846MA-95 | PLASTIC HOT- AND COLD-WATER DISTRIBUTION SYSTEMS, CHLORINATED POLY(VINYL CHLORIDE) (CPVC) [CUST: MR YD1] [REVIEW: 99 CC CE CR4 GL MD] | A 4710 | YD1 | | 10-SEP-95 |
| | ASTM-D2852-95 | PIPE AND FITTINGS, PLASTIC DRAIN, STYRENE-RUBBER (SR) [CUST: CR4 99] [REVIEW: 82] | A 4710 | CC | | 10-SEP-95 |
| | ASTM-D2854-96 | CARBON, ACTIVATED, APPARENT DENSITY OF [CUST: EA SH 68 CT] | A 6810 | CT | | 10-APR-96 |
| | ASTM-D2855-93 | PIPE AND FITTINGS, MAKING SOLVENT-CEMENTED JOINTS WITH POLY(VINYL CHLORIDE) (PVC) [CUST: YD1 99] [REVIEW: CE CR4 MC] | A 5630 | YD1 | | 15-MAR-93 |
| | ASTM-D2856-87 | PLASTICS BY THE AIR PYCNOMETER, RIGID CELLULAR, OPEN CELL CONTENT OF, STANDARD TEST METHOD FOR [CUST: CR4 YD1] [REVIEW: CE GS OS SH] | A 9330 | YD1 | | 27-FEB-87 |
| | ASTM-D2859A-93 | FLOOR COVERING MATERIALS, FINISHED TEXTILE, FLAMMABILITY OF [CUST: GL YD1 99] | A 7220 | YD1 | | 15-JUN-93 |
| | ASTM-D2860-90 | TAPE, PRESSURE-SENSITIVE, TO FIBERBOARD AT 90 DEG. ANGLE AND CONSTANT STRESS, ADHESION OF [CUST: SM AS 69 IS] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD1] | A 7510 | AS | | 29-JUN-90 |
| | ASTM-D2860M-83 | TAPE, PRESSURE-SENSITIVE, TO FIBERBOARD AT 90 DEG. ANGLE AND CONSTANT STRESS, ADHESION OF (METRIC) [CUST: SM AS 69 IS] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD1] | A 7510 | AS | | 30-AUG-83 |
| | ASTM-D2862-92 | CARBON, GRANULAR ACTIVATED, PARTICLE SIZE DISTRIBUTION OF [CUST: EA SH 68 CT] | A 6810 | CT | | 15-DEC-92 |
| | ASTM-D2863-95 | PLASTICS, MEASURING THE MINIMUM OXYGEN CONCENTRATION TO SUPPORT CANDLE-LIKE COMBUSTION OF (OXYGEN INDEX) [CUST: MR SH 11 GS] [REVIEW: 99 AS AT AV CR CR4 GL MI OS YD1] | A 9330 | GS | | 10-DEC-95 |
| | ASTM-D2867-91 | CARBON, ACTIVATED, MOISTURE IN [CUST: EA SH 68] | A 6810 | EA | | 15-JUN-91 |
| | ASTM-D2868-73R91 | NITROGEN CONTENT (KJELDAHL) AND HIDE SUBSTANCE CONTENT OF LEATHER [CUST: GL NU 99 CT] | A 83GP | CT | | 28-MAY-73 |
| | ASTM-D2880A-96 | GAS TURBINE FUEL OILS [CUST: PS] | A 9140 | PS | | 25-NOV-96 |
| | ASTM-D2885 | RESEARCH AND MOTOR METHOD OCTANE RATINGS USING ON-LINE ANALYZERS, STANDARD TEST METHOD FOR [CUST: PS] | A 91GP | PS | | 20-FEB-90 |
| | ASTM-D2886-86 | KNOCK CHARACTERISTICS OF MOTOR FUELS BY THE DISTRIBUTION OCTANE NUMBER (DON) METHOD [CUST: PS] | A 91GP | PS | | 31-OCT-86 |
| | ASTM-D2887-93 | RANGE BOILING, DISTRIBUTION OF PETROLEUM FRACTIONS BY GAS CHROMATOGRAPHY [CUST: PS] | A 91GP | PS | | 15-AUG-93 |
| | ASTM-D2896-92 | PETROLEUM PRODUCTS BY POTENTIOMETRIC PERCHLORIC ACID TITRATION, BASE NUMBER OF [CUST: CR4 SH 99] | A 91GP | CR4 | | 27-MAY-92 |
| | ASTM-D2905-91 | TEXTILES, STATEMENTS ON NUMBER OF SPECIMENS FOR [CUST: AR NU 99] | A 8305 | AR | | 15-JUL-91 |
| | ASTM-D2914-91 | SULFUR DIOXIDE CONTENT OF THE ATMOSPHERE (WEST-GAEKE METHOD) [CUST: EA SH] [REVIEW: GL MD] | A 6810 | GS | | 15-JUL-91 |
| | ASTM-D2919-95 | JOINTS, ADHESIVE, STRESSED IN SHEAR BY TENSION LOADING, DETERMINING DURABILITY OF [CUST: MR AS 99] [REVIEW: 11 84 GL] | A 8040 | MR | | 15-AUG-95 |
| | ASTM-D2922-91 | SOIL AND SOIL-AGGREGATE IN PLACE BY NUCLEAR METHODS (SHALLOW DEPTH), DENSITY OF [CUST: CR4 YD1 99] [REVIEW: CG] | A 5610 | YD1 | | 23-DEC-91 |
| | ASTM-D2934-89 | SEALS, RUBBER-COMPATIBILITY WITH SERVICE FLUIDS [CUST: MR 11] [REVIEW: AL AS AV GL MC] | A 9320 | GS | | 31-MAR-89 |
| | ASTM-D2935-91 | HYDROCARBONS, INDUSTRIAL AROMATIC, APPARENT DENSITY OF [CUST: EA 68 GS] [REVIEW: AR CR4 GL MC MD SH] | A 6810 | GS | | 15-MAY-91 |
| | ASTM-D2937-94 | SOIL IN PLACE BY THE DRIVE-CYLINDER METHOD, DENSITY OF [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | | 15-JUN-94 |
| | ASTM-D2939-78R90 | BITUMENS, EMULSIFIED, USED AS PROTECTIVE COATINGS [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | | 29-DEC-78 |
| | ASTM-D2940-92 | HIGHWAYS OR AIRPORTS, GRADED AGGREGATE MATERIAL FOR BASES OR SUBBASES FOR [CUST: CR4 YD1 99] [REVIEW: CE] | A 5610 | YD1 | | 15-NOV-92 |
| | ASTM-D2941-73R93 | LEATHER, MEASURING BREAK PATTERN OF (BREAK SCALE) [CUST: GL NU 99 CT] | A 8330 | CT | | 28-MAY-73 |
| A | ASTM-D2942-96 | SOLVENTS, HALOGENATED ORGANIC, TOTAL ACID ACCEPTANCE OF (NONREFLUX METHODS)[CUST: EA AS 68] | A 6810 | AS | | 10-DEC-96 |
| A | ASTM-D2949-97 | DRAIN, PLASTIC, WASTE, AND VENT PIPE AND FITTINGS, 3.25-IN. OUTSIDE DIAMETER POLY(VINYL CHLORIDE) (PVC) [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | | 10-APR-97 |
| | ASTM-D2950-91 | METHODS, NUCLEAR, DENSITY OF BITUMINOUS CONCRETE IN PLACE BY [CUST: YD1] | A 5610 | YD1 | | 25-JAN-91 |
| | ASTM-D2983-87 | LUBRICANTS, AUTOMOTIVE FLUID, MEASURED BY BROOKFIELD VISCOMETER, LOW TEMPERATURE VISCOSITY OF [CUST: AT SH 11] [REVIEW: OS] | A 91GP | AT | | 01-OCT-87 |
| | ASTM-D2989-93 | SOLVENTS, HALOGENATED ORGANIC AND THEIR ADMIXTURES, ACIDITY-ALKALINITY OF [CUST: EA 68] [REVIEW: CR4 MD] | A 6810 | GS | | 15-APR-93 |
| | ASTM-D2990-95 | PLASTICS, TENSILE, COMPRESSIVE, AND FLEXURAL CREEP AND CREEP-RUPTURE OF [CUST: MR SH 11] [REVIEW: AR AS CR CR4 GL GS MI YD1] | A 9330 | MR | | 10-OCT-95 |
| | ASTM-D2992-96 | PIPE AND FITTINGS, OBTAINING HYDROSTATIC OR PRESSURE DESIGN BASIS FOR "FIBERGLASS" (GLASS-FIBER-REINFORCED THERMOSETTING-RESIN) [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 4710 | YD1 | | 10-APR-96 |
| | ASTM-D2995-84 | BITUMINOUS DISTRIBUTORS, DETERMINING APPLICATION RATE OF, STANDARD PRACTICE FOR [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | | 30-MAR-84 |
| | ASTM-D2996-95 | PIPE, FILAMENT-WOUND FIBERGLASS (GLASS-FIBER-REINFORCED THERMOSETTING RESIN) [CUST: YD1 99] [REVIEW: 11 CC CE CR4] | A 4710 | YD1 | | 15-JUN-95 |
| | ASTM-D2997-90 | PIPE, CENTRIFUGALLY CAST "FIBERGLASS" (GLASS-FIBER-REINFORCED THERMOSETTING-RESIN) [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | | 30-MAR-90 |
| | ASTM-D3000A-95 | PIPE, PLASTIC, POLYBUTYLENE (PB), (SDR-PR) BASED ON OUTSIDE DIAMETER [CUST: CR4 YD1 99] [REVIEW: 82 CC MR SH] | A 4710 | YD1 | | 10-SEP-95 |
| | ASTM-D3013-81R88 NOT 1 | COMPOUNDS, EPOXY MOLDING - 26 JUN 81 (REAPPROVED 1988) [CUST: MR SH 11 GS] [REVIEW: AV MD SM] | A 9330 | GS | | 22-JUN-90 |
| | ASTM-D3014-89 | PLASTICS, RIGID THERMOSET CELLULAR, IN A VERTICAL POSITION, FLAME HEIGHT, TIME OF BURNING, AND LOSS OF WEIGHT OF [CUST: MR SH 11 GS] | A 9330 | GS | | 30-JUN-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------------|--|--------------------------|-----|-------------|------|
| ASTM-D3017-88R93 | WATER CONTENT OF SOIL AND ROCK IN PLACE BY NUCLEAR METHODS (SHALLOW DEPTH) [CUST: CR4 YD1 99] [REVIEW: CG] | A 5610 | YD1 | 27-MAY-88 | |
| ASTM-D3018-90 | SHINGLES, CLASS A ASPHALT, SURFACED WITH MINERAL GRANULES [CUST: CR4 YD1 99] [REVIEW: CE] | A 5650 | YD1 | 04-APR-90 | |
| ASTM-D3020-89 | SHEETING, PLASTIC, FOR POND, CANAL, AND RESERVOIR LINING, POLYETHYLENE AND ETHYLENE COPOLYMER, STANDARD SPECIFICATION FOR [CUST: MR YD1 99] [REVIEW: 82 GS] | A 9330 | YD1 | 30-JUN-89 | |
| ASTM-D3029-90 | SPECIMENS, FLAT RIGID PLASTIC, IMPACT RESISTANCE OF, BY MEANS OF A TUP (FALLING WEIGHT) [CUST: MR SH 11 GS] [REVIEW: AR AS CR CR4 GL M1 OS YD1] | A 9330 | GS | 26-OCT-90 | |
| ASTM-D3032-97 | WIRE INSULATION, HOOKUP [CUST: CR AS 85] | A 6145 | AS | 10-DEC-97 | |
| ASTM-D3034-96 | SEWER PIPE AND FITTINGS, TYPE PSM POLY(VINYL CHLORIDE) (PVC) [CUST: MR YD1] [REVIEW: CC CR4 MD] | A 4710 | YD1 | 10-MAR-96 | |
| ASTM-D3035-95 | POLYETHYLENE (PE) PLASTIC PIPE (DR-PR) BASED ON CONTROLLED OUTSIDE DIAMETER [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4710 | YD1 | 10-SEP-95 | |
| ASTM-D3037-93 | CARBON BLACK-SURFACE AREA BY NITROGEN ADSORPTION [CUST: EA GS] [REVIEW: CR4 GL MC MD SH] | A 6810 | GS | 15-MAR-93 | |
| ASTM-D3039/D3039MA-95 | MATERIALS, POLYMER MATRIX COMPOSITE, TENSILE PROPERTIES OF [CUST: MR AS 11] | A CMPS | MR | 15-AUG-95 | |
| ASTM-D3045-92 | PLASTICS WITHOUT LOAD, HEAT AGING OF [CUST: MR YD1 99] | A 9330 | YD1 | 15-NOV-92 | |
| ASTM-D3056-91 | VARNISHES, SOLVENTLESS, GEL TIME OF [CUST: CR4 SH 99] | A 8010 | SH | 15-JUL-91 | |
| ASTM-D3057-80R86 | MOISTURE IN AEROSOL PRODUCTS [CUST: EA SH 68] [REVIEW: CR4 GL MD] | A 6810 | GS | 30-MAY-80 | |
| ASTM-D3058-72 | CAN-PUNCTURING DEVICE, SIMPLE, FOR AEROSOL LABORATORY USE [CUST: EA SH 68] [REVIEW: CR4 GL MD] | A 6810 | GS | 28-JUL-72 | |
| ASTM-D3061-97 | CANS, AEROSOL, THREE-PIECE AND TINPLATE STRAIGHT-WALL AND NECKED-IN [CUST: EA SH 68] [REVIEW: GL MD] | A 6810 | GS | 10-SEP-97 | |
| ASTM-D3064-89 | AEROSOL PRODUCTS [CUST: EA SH 68] [REVIEW: CR4 GL MD] | A 6810 | GS | 24-NOV-89 | |
| ASTM-D3065-72R81 | AEROSOL PRODUCTS, FLAMMABILITY OF [CUST: EA SH 68] [REVIEW: CR4 GL MD] | A 6810 | GS | 04-DEC-72 | |
| ASTM-D3066-91 | AEROSOL PACKAGES, LABELING [CUST: EA SH 68] [REVIEW: AR CR4 GL MD] | A 6810 | GS | 25-JAN-91 | |
| ASTM-D3067-72R91 | AEROSOL CONTAINERS, REPORTING LABORATORY RESULTS WHEN CHECKING [CUST: EA SH 68] [REVIEW: GL MD] | A 6810 | GS | 04-DEC-72 | |
| ASTM-D3068-80R91 | AEROSOL CONTAINERS, SAFE FILL OF [CUST: EA SH 68] [REVIEW: GL MD] | A 6810 | GS | 30-MAY-80 | |
| ASTM-D3069-79R88 | DELIVERY RATE OF AEROSOL PRODUCTS [CUST: EA SH 68] [REVIEW: GL MD] | A 6810 | GS | 23-FEB-79 | |
| ASTM-D3070-79 | PRODUCTS, PRESSURIZED, RAPID PRESSURE DETERMINATION OF [CUST: EA SH 68] [REVIEW: GL MD] | A 6810 | GS | 27-APR-79 | |
| ASTM-D3077-72R91 | AEROSOL PRODUCTS, COMPARISON OF SPRAY PATTERNS OF [CUST: EA SH 68] [REVIEW: CR4 GL MD] | A 6810 | GS | 28-JUL-72 | |
| ASTM-D3078-84 | PACKAGES, HEAT-SEALED, FLEXIBLE, LEAKS IN, STANDARD TEST METHODS FOR [CUST: MD MS 03] | A 6515 | MB | 30-MAR-84 | |
| ASTM-D3083-89 | SHEETING, PLASTIC, FOR POND, CANAL, AND RESERVOIR LINING, FLEXIBLE POLY(VINYL CHLORIDE), STANDARD SPECIFICATION FOR [CUST: MR YD1 99] [REVIEW: 82 GS] | A 9330 | YD1 | 30-JUN-89 | |
| ASTM-D3086-85 | ORGANOCHLORINE PESTICIDES IN WATER [CUST: EA 68] [REVIEW: CR4 GL MD] | A 6810 | GS | 29-NOV-85 | |
| ASTM-D3090-72R91 | STORAGE TESTING OF AEROSOL PRODUCTS [CUST: EA SH 68] [REVIEW: GL MD] | A 6810 | GS | 28-JUL-72 | |
| ASTM-D3091-72R91 | PRODUCTS, SAFE FILLING OF LOW-PRESSURE PRESSURIZED [CUST: EA SH 68] [REVIEW: MD] | A 6810 | GS | 28-JUL-72 | |
| ASTM-D3092-87R93 | AEROSOL, SPACE-INSECTICIDE, PARTICLE-SIZE DISTRIBUTION OF [CUST: EA SH 68 GS] | A 6840 | GS | 27-MAR-87 | |
| ASTM-D3096-84 | PRESSURIZED PRODUCTS, LIQUID DENSITY OF, STANDARD TEST METHOD FOR - 27 JUL 84 [CUST: EA 68] [REVIEW: MD] | A 6810 | GS | 13-NOV-85 | |
| ASTM-D3097-72 | PRODUCTS, AEROSOL, TESTING, FOR DELIVERED MASS [CUST: GL YD1 69] [REVIEW: OS] | A 6810 | YD1 | 28-JUL-72 | |
| ASTM-D3107-75R80 | FABRICS, WOVEN FROM STRETCH YARNS, STRETCH PROPERTIES OF [CUST: GL NU 99 CT] [REVIEW: 45 82 CG] | A 83GP | CT | 30-JUN-75 | |
| ASTM-D3112-77 NOT 1 | LEAD IN THE ATMOSPHERE BY COLORIMETRIC DITHIZONE PROCEDURE - 25 FEB 77 [CUST: EA MS 99] [REVIEW: AR CR4 DP MD] | A 6630 | EA | 06-MAR-87 | |
| ASTM-D3116-89 | GASOLINE, TRACE AMOUNTS OF LEAD IN [CUST: AT SH 11] [REVIEW: OS] | A 91GP | AT | 31-MAR-89 | |
| ASTM-D3120-92 | TRACE QUANTITIES OF SULFUR IN LIGHT LIQUID PETROLEUM HYDROCARBONS BY OXIDATIVE MICROCOULOMETRY [CUST: FS] | A 91GP | PS | 15-AUG-92 | |
| ASTM-D3122-77 | LEAD, STANDARD TEST METHOD FOR, IN THE ATMOSPHERE BY COLORIMETRIC DITHIZONE PROCEDURE - 25 FEB 77 [CUST: EA MS 99] | A 6630 | EA | 31-OCT-79 | |
| ASTM-D3137-81R87 NOT 2 | RUBBER PROPERTY - HYDROLYTIC STABILITY - 27 MAR 88 [CUST: MR SH 11] [REVIEW: AS AT AV CR4 GL OS] | A 9320 | GS | 07-MAR-88 | |
| ASTM-D3138-93 | CEMENTS, SOLVENT, FOR TRANSITION JOINTS BETWEEN ACRYLONITRILE-BUTADIENE-STYRENE (ABS) AND POLY(VINYL CHLORIDE) (PVC) NON-PRESSURE PIPING COMPONENTS [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4710 | YD1 | 15-MAR-93 | |
| ASTM-D3139A-96 | JOINTS FOR PLASTIC PRESSURE PIPES USING FLEXIBLE ELASTOMERIC SEALS [CUST: CR4 YD1 99] [REVIEW: CC CE MC SH] | A 4730 | YD1 | 10-SEP-96 | |
| ASTM-D3145-97 | VARNISHES BY THE HELICAL COIL METHOD, ELECTRICAL INSULATING, THERMAL ENDURANCE OF [CUST: CR SH 85] | A 5970 | SH | 10-SEP-97 | |
| ASTM-D3147-94 | ENGINE COOLANTS, STOP-LEAK ADDITIVES FOR [CUST: CR4] [REVIEW: AT GS MC SH SM] | A 6850 | CR4 | 15-DEC-94 | |
| ASTM-D3159A-95 | MATERIALS, MOLDING AND EXTRUSION, MODIFIED ETFE-FLUOROPOLYMER [CUST: MR AS 11 GS] [REVIEW: AV CR4 OS] | A 9330 | GS | 10-DEC-95 | |
| ASTM-D3161-81 | SHINGLES, ASPHALT, WIND-RESISTANCE OF [CUST: CR4 YD1 99] | A 5650 | YD1 | 27-NOV-81 | |
| ASTM-D3162-94 | CARBON MONOXIDE IN THE ATMOSPHERE (CONTINUOUS MEASUREMENT BY NONDISPERSIVE INFRARED SPECTROMETRY) [CUST: EA 68] [REVIEW: CR4 GS MD OS SH] | A 5810 | EA | 15-JUN-94 | |
| ASTM-D3166-93 | ADHESIVES IN SHEAR BY TENSION LOADING (METAL/METAL), FATIGUE PROPERTIES OF [CUST: MR AS 99] [REVIEW: 11 84 CR4 GL M1 SH] | A 8040 | MR | 15-JUL-93 | |
| ASTM-D3168-85R90 | POLYMERS IN EMULSION PAINTS, QUALITATIVE IDENTIFICATION OF [CUST: CR4 YD1 99] | A 8010 | 99 | 25-OCT-85 | |
| ASTM-D3170-87R91 | COATINGS, CHIPPING RESISTANCE OF [CUST: MR AS 99] [REVIEW: SH YD1] | A 8010 | MR | 29-MAY-87 | |
| ASTM-D3171-76R90 | FIBER CONTENT OF RESIN-MATRIX COMPOSITES BY MATRIX DIGESTION [CUST: MR GS] [REVIEW: AV CR4 EA MD] | A 9320 | GS | 15-OCT-76 | |
| ASTM-D3174-93 | ASH IN THE ANALYSIS SAMPLE OF COAL AND COKE FROM COAL [CUST: PS] | A 9110 | PS | 15-SEP-93 | |
| ASTM-D3175A-89 | COAL AND COKE, VOLATILE MATTER IN THE ANALYSIS SAMPLE OF [CUST: CR4 YD1 68] [REVIEW: PS] | A 9110 | YD1 | 24-NOV-89 | |
| ASTM-D3177-89 | COAL AND COKE, TOTAL SULFUR IN THE ANALYSIS SAMPLE OF [CUST: CR4 YD1 68] [REVIEW: PS] | A 9110 | YD1 | 29-SEP-89 | |
| ASTM-D3182-89 | RUBBER-MATERIALS, EQUIPMENT, AND PROCEDURES FOR MIXING STANDARD COMPOUNDS AND PREPARING STANDARD VULCANIZED SHEETS [CUST: MR SH 99] | A 9320 | GS | 31-MAR-89 | |
| ASTM-D3183-84 | PRODUCTS, PREPARATION OF PIECES FOR TEST PURPOSES FROM [CUST: MR SH 82] [REVIEW: AL AS AV CR CR4 GL GS YD1] | A 9320 | MR | 30-MAR-84 | |
| ASTM-D3212A-96 | JOINTS FOR DRAIN AND SEWER PLASTIC PIPES USING FLEXIBLE ELASTOMERIC SEALS [CUST: CR4 YD1 99] [REVIEW: CC] | A 4710 | YD1 | 10-SEP-96 | |
| ASTM-D3222-97 | MATERIALS, MOLDING EXTRUSION AND COATING, UNMODIFIED POLY(VINYLIDENE FLUORIDE) (PVDF) [CUST: MR AS 99] | A 9330 | AS | 10-APR-97 | |
| ASTM-D3223-86 | TOTAL MERCURY IN WATER, TEST METHOD FOR [CUST: EA] [REVIEW: GL GS MD OS SH] | A 6810 | EA | 28-FEB-86 | |
| ASTM-D3227-92 | GASOLINE, KEROSENE, AVIATION TURBINE, AND DISTILLATE FUELS (POTENTIOMETRIC METHOD), MERCAPTAN SULFUR IN [CUST: AT AS 11] [REVIEW: 68 OS SH] | A 91GP | AT | 15-AUG-92 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|--------------------|--|-----------------------|-----|-------------|-----------|
| ASTM-D3228-92 | OILS AND FUEL OILS BY MODIFIED KJELDAHL METHOD, LUBRICATING, TOTAL NITROGEN IN [CUST: CR4 SH 99] | A 91GP | CR4 | | 31-JUL-92 |
| ASTM-D3229-88 | GASOLINE BY WAVELENGTH DISPERSIVE X-RAY SPECTROMETRY, LOW LEVELS OF LEAD IN [CUST: AT] | A 91GP | AT | | 31-OCT-88 |
| M ASTM-D3230-89R97 | SALTS IN CRUDE OIL (ELECTROMETRIC METHOD) [CUST: PS] | A 91GP | PS | | 27-OCT-89 |
| ASTM-D3231-94 | PHOSPHORUS IN GASOLINE [CUST: PS] | A 9130 | PS | | 15-JAN-94 |
| ASTM-D3240-91 | FUELS, AVIATION TURBINE, UNDISSOLVED WATER IN [CUST: AT] | A 9130 | AT | | 15-MAY-91 |
| ASTM-D3241-94 | OXIDATION, THERMAL, STABILITY OF AVIATION TURBINE FUELS (JFTOT PROCEDURE) [CUST: PS] | A 91GP | PS | | 28-SEP-94 |
| ASTM-D3242-93 | FUEL, AVIATION TURBINE, ACIDITY IN [CUST: PS] | A 91GP | PS | | 15-DEC-93 |
| ASTM-D3249-90 | AIR ANALYZER PROCEDURES, GENERAL AMBIENT [CUST: EA SH 68] [REVIEW: CR4 MD] | A 6810 | GS | | 29-JUN-90 |
| ASTM-D3254-81 | FABRIC-REINFORCED, VULCANIZED RUBBER SHEETING FOR POND, CANAL, AND RESERVOIR LINING [CUST: MR YD1 99] [REVIEW: 82 GS] | A 9320 | YD1 | | 24-APR-81 |
| A ASTM-D3257-97 | GAS CHROMATOGRAPHY, AROMATICS IN MINERAL SPIRITS BY [CUST: EA 68 GS] [REVIEW: AS CR4 GL MC MD OS SH] | A 6810 | GS | | 10-JUN-97 |
| A ASTM-D3261-97 | PLASTIC FITTINGS FOR POLYETHYLENE (PE) PLASTIC PIPE AND TUBING, BUTT HEAT FUSION POLYETHYLENE (PE) [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4730 | YD1 | | 10-AUG-97 |
| ASTM-D3266-91 | SEPARATION AND COLLECTION, AUTOMATED, OF PARTICULATE AND ACIDIC GASEOUS FLUORIDE IN THE ATMOSPHERE (DOUBLE PAPER TAPE SAMPLER METHOD) [CUST: EA SH] | A 6810 | GS | | 15-MAR-91 |
| ASTM-D3268-91 | SEPARATION AND COLLECTION OF PARTICULATE AND GASEOUS FLUORIDES IN THE ATMOSPHERE (SODIUM BICARBONATE-COATED GLASS TUBE AND PARTICULATE FILTER METHOD) [CUST: EA SH] [REVIEW: AS CR4 MD OS] | A 6810 | GS | | 15-JUL-91 |
| ASTM-D3269-96 | ANALYSIS FOR FLUORIDE CONTENT OF ATMOSPHERE AND PLANT TISSUES (MANUAL PROCEDURES) [CUST: EA SH] | A 6810 | GS | | 10-APR-96 |
| ASTM-D3271-87R93 | PAINTS, SOLVENT-REDUCIBLE, INTO A GAS CHROMATOGRAPH FOR SOLVENT ANALYSIS, DIRECT INJECTION OF [CUST: CR4 SH 99] | A 8010 | CR4 | | 26-JUN-87 |
| ASTM-D3272-76R88 | VACUUM DISTILLATION OF SOLVENTS FROM SOLVENT-REDUCIBLE PAINTS FOR ANALYSIS [CUST: MR SH] [REVIEW: AS CG CR CR4 OS YD1] | A 8010 | MR | | 29-OCT-76 |
| ASTM-D3273-86R91 | MOLD, RESISTANCE TO GROWTH OF, ON THE SURFACE OF INTERIOR COATINGS IN AN ENVIRONMENTAL CHAMBER [CUST: CR4 YD1] [REVIEW: MR OS] | A 8010 | YD1 | | 30-MAY-86 |
| ASTM-D3274-95 | DEGREE, EVALUATING, OF SURFACE DISFIGUREMENT OF PAINT FILMS BY MICROBIAL (FUNGAL OF ALGAL) GROWTH OR SOIL AND DIRT ACCUMULATION [CUST: CR4 YD1] [REVIEW: MR SH] | A 8010 | YD1 | | 15-APR-95 |
| M ASTM-D3275-97 | MATERIALS, E-CTFE-FLUOROPLASTIC MOLDING, EXTRUSION, AND COATING [CUST: MR AS 11 GS] [REVIEW: SH] | A 9330 | GS | | 10-APR-97 |
| ASTM-D3278-96 | FLASH POINT OF LIQUIDS BY SMALL SCALE CLOSED-CUP APPARATUS [CUST: EA 68] [REVIEW: AR AS CR4 GL MC MD SH YD1] | A 6810 | GS | | 10-JAN-96 |
| ASTM-D3280-85R90 | ANALYSIS OF WHITE ZINC PIGMENTS [CUST: EA GS] [REVIEW: AS CR4 MC MD OS SH] | A 6810 | GS | | 25-OCT-85 |
| ASTM-D3282-93 | SOILS AND SOIL-AGGREGATE MIXTURES FOR HIGHWAY CONSTRUCTION PURPOSES, CLASSIFICATION OF [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 15-SEP-93 |
| ASTM-D3286-96 | COAL AND COKE BY THE ISOPERIBOL BOMB CALORIMETER, GROSS CALORIFIC VALUE OF [CUST: PS] | A 9110 | PS | | 10-JUL-96 |
| ASTM-D3293A-91 | SHEET, RESIN MOLDED, PTFE [CUST: MR 11 GS] [REVIEW: AL AR AT EC GL MC MD OS YD1] | A 9330 | GS | | 15-JUL-91 |
| M ASTM-D3295-97 | PTFE TUBING [CUST: MR SH 11] [REVIEW: 99 AR AV CR4 GS SM TE] | A 9330 | MR | | 10-NOV-97 |
| ASTM-D3299-88 | TANKS, FILAMENT-WOUND GLASS-FIBER REINFORCED THERMOSET RESIN CHEMICAL-RESISTANT [CUST: CR4 YD1] [REVIEW: MC] | A 5430 | YD1 | | 24-JUN-88 |
| ASTM-D3307-93 | PFA-FLUOROCARBON MOLDING AND EXTRUSION MATERIALS [CUST: MR 11 GS] [REVIEW: AS AT AV CR4 GL] | A 9330 | GS | | 15-FEB-93 |
| M ASTM-D3308-97 | TAPE, RESIN SKIVED, PTFE [CUST: MR 11 GS] [REVIEW: AL AR AT CR MD] | A 9330 | GS | | 10-NOV-97 |
| ASTM-D3309-96 | SYSTEMS, HOT- AND COLD-WATER DISTRIBUTION, POLYBUTYLENE (PB) PLASTIC [CUST: CR4 YD1 99] [REVIEW: CC] | A 4710 | YD1 | | 10-MAR-96 |
| ASTM-D3329A-94 | METHYL ISOBUTYL KETONE BY GAS CHROMATOGRAPHY, PURITY OF [CUST: EA GS] [REVIEW: AS CR4 GL MC MD SH] | A 6810 | GS | | 15-APR-94 |
| ASTM-D3330M-96 | TAPE, PRESSURE SENSITIVE, PEEL ADHESION OF, AT 180 DEG. ANGLE (METRIC) [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD1] | A PACK | AS | | 10-MAR-96 |
| ASTM-D3330-96 | TAPE, PRESSURE SENSITIVE, AT 180 DEG. ANGLE, PEEL ADHESION OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD1] | A 7510 | AS | | 10-MAR-96 |
| ASTM-D3335A-85R91 | LEAD, CADMIUM, AND COBALT IN PAINT BY ATOMIC ABSORPTION SPECTROSCOPY, TEST FOR LOW CONCENTRATIONS OF [CUST: MR AS] | A 8010 | MR | | 05-NOV-91 |
| A ASTM-D3336-97 | GREASES, LUBRICATING, IN BALL BEARINGS AT ELEVATED TEMPERATURES, LIFE OF [CUST: CR4 AS 11] | A 9150 | AS | | 10-JUN-97 |
| ASTM-D3337-91 | GREASES, LUBRICATING, IN SMALL BALL BEARINGS, DETERMINING LIFE AND TORQUE OF [CUST: CR4 AS 68] | A 9150 | AS | | 15-OCT-91 |
| ASTM-D3338-95 | ESTIMATION OF NET HEAT OF COMBUSTION OF AVIATION FUELS [CUST: PS] | A 91GP | PS | | 10-DEC-95 |
| ASTM-D3343-95 | FUELS, AVIATION, ESTIMATION OF HYDROGEN CONTENT OF [CUST: PS] | A 91GP | PS | | 15-AUG-95 |
| ASTM-D3355-74 | FIBER CONTENT OF UNIDIRECTIONAL FIBER RESIN COMPOSITES BY ELECTRICAL RESISTIVITY, STANDARD TEST METHOD FOR - 25 OCT 74 [CUST: MR] [REVIEW: AS AV EC GL GS MI SM] | A CMPS | MR | | 16-OCT-84 |
| ASTM-D3363A-92 | FILM HARDNESS BY PENCIL TEST [CUST: AL SH 84] | A 8010 | SH | | 15-NOV-92 |
| ASTM-D3368A-91 | SHEET AND FILM, RESIN, FEP-FLUOROCARBON [CUST: MR AS 11 GS] [REVIEW: 99 AR CR GL MC MD MI SH SM] | A 9330 | GS | | 15-JUL-91 |
| ASTM-D3369-96 | FILM, RESIN CAST, POLYTETRAFLUOROETHYLENE (PTFE) [CUST: MR] [REVIEW: AR AT CR CR4 EA GS MC MD TE] | A 9330 | MR | | 10-JUL-96 |
| ASTM-D3370-95 | WATER, SAMPLING, FROM CLOSED CONDUITS [CUST: EA SH 68] [REVIEW: CR4 GL GS YD1] | A 6810 | 68 | | 15-FEB-95 |
| ASTM-D3372-92 | MOLYBDENUM IN WATER [CUST: EA 68] [REVIEW: CR4 GL MD] | A 6810 | GS | | 15-JUN-92 |
| ASTM-D3373-93 | VANADIUM IN WATER [CUST: EA 68] [REVIEW: 50 CR4 MD] | A 6810 | GS | | 15-SEP-93 |
| ASTM-D3374-94 | YARNS, GLASS, VINYL-COATED [CUST: CR4 AS 68] | A 9150 | AS | | 15-DEC-94 |
| ASTM-D3379-75R89 | MATERIAL, HIGH MODULUS SINGLE FILAMENT, TENSILE STRENGTH & YOUNG'S MODULUS FOR - 24 FEB 1989 [CUST: MR AS 11] | A CMPS | MR | | 27-APR-89 |
| ASTM-D3381-92 | VISCOSITY-GRADED ASPHALT CEMENT FOR USE IN PAVEMENT CONSTRUCTION [CUST: CR4 YD1 99] [REVIEW: CE] | A 5610 | YD1 | | 15-FEB-92 |
| ASTM-D3385-88 | SOILS, INFILTRATION RATE OF, IN FIELD USING DOUBLE-RING INFILTROMETERS, STANDARD TEST METHODS FOR [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 01-FEB-88 |
| ASTM-D3389-94 | FABRICS, COATED, ABRASION RESISTANCE (ROTARY PLATFORM, DOUBLE-HEAD ABRADER) [CUST: CR4 SH 99] | A 9320 | CR4 | | 15-FEB-94 |
| ASTM-D3391-75 | TAPE, RUBBER INSULATING, FOR HIGH VOLTAGE APPLICATIONS - 18 SEP 75 [CUST: CR SH 85] | A 5970 | GS | | 19-OCT-79 |
| ASTM-D3400-85R90 | LIQUID SODIUM SILICATES [CUST: EA SH 68] | A 6810 | EA | | 31-MAY-85 |
| ASTM-D3401-92 | WATER IN HALOGENATED ORGANIC SOLVENTS AND THEIR ADMIXTURES [CUST: EA AS 68] | A 6810 | AS | | 15-MAY-92 |
| ASTM-D3410-87 | FIBER-RESIN COMPOSITES, COMPRESSIVE PROPERTIES OF UNIDIRECTIONAL OR CROSSPLY, STANDARD TEST METHOD FOR - 29 MAY 1987 [CUST: MR AS 11] | A CMPS | MR | | 17-FEB-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------------|---|-----------------------|-----|-------------|-----------|
| ASTM-D3413-85 | LEAD (INORGANIC) IN WORKPLACE ATMOSPHERES BY ATOMIC ABSORPTION SPECTROMETRY, STANDARD TEST METHOD FOR - 20 MAR 85 [CUST: EA 68] [REVIEW: MD] | A 6810 | GS | | 22-JAN-86 |
| ASTM-D3416-78 NOT 1 | TOTAL HYDROCARBONS, METHANE, & CARBON MONOXIDE IN THE ATMOSPHERE (GAS CHROMATOGRAPHIC METHOD) - 28 JAN 78 [CUST: EA SH 68] [REVIEW: CR4 MD] | A 6810 | GS | | 06-MAR-87 |
| ASTM-D3417-83R88 NOT 1 | POLYMERS BY THERMAL ANALYSIS, STANDARD TEST METHOD FOR HEATS OF FUSION & CRYSTALLIZATION OF - 28 NOV 83 (REAPPROVED 1988) [CUST: MR 11 GS] [REVIEW: 19 AV CR4 GL MC MD] | A 9330 | GS | | 22-JUN-90 |
| ASTM-D3418-82R88 | POLYMERS, BY THERMAL ANALYSIS, TRANSITION TEMPERATURES [CUST: MR SH 11 GS] [REVIEW: 99 CR4 GL MC MD] | A 9330 | GS | | 29-JAN-82 |
| ASTM-D3422-75 | TOLUENE DIISOCYANATE CONCENTRATIONS, TENTATIVE METHOD OF TEST FOR, IN WORKPLACE ATMOSPHERES - 25 APR 75 [CUST: EA MS 99] | A 6630 | EA | | 31-MAR-78 |
| ASTM-D3432-89 | SOLUTIONS BY GAS CHROMATOGRAPHY, UNREACTED TOLUENE DIISOCYANATES IN URETHANE PREPOLYMERS AND COATING [CUST: MR SH 99] | A 8010 | MR | | 28-APR-89 |
| ASTM-D3441-86 | SOIL, DEEP, QUASI-STATIC, CONE AND FRICTION-CONE PENETRATION TESTS OF, STANDARD TEST METHOD FOR [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 31-OCT-86 |
| ASTM-D3443-91 | TRICHLOROTRIFLUOROETHANE, CHLORIDE IN [CUST: 68] | A 9135 | 68 | | 15-MAY-91 |
| ASTM-D3446-79 | TRICHLOROTRIFLUOROETHANE, WATER CONTENT OF, WITH KARL FISCHER REAGENT, TENTATIVE METHOD OF TEST FOR - 1979 [CUST: 68] | A 9135 | 68 | | 01-FEB-79 |
| ASTM-D3447-96 | SOLVENTS, PURITY OF HALOGENATED ORGANIC [CUST: EA AS 68] | A 6850 | AS | | 10-JUN-96 |
| ASTM-D3449-79 | SULFUR DIOXIDE IN WORKPLACE ATMOSPHERES (BARIUM PERCHLORATE METHOD) [CUST: EA MS 99] | A 6630 | EA | | 23-FEB-79 |
| ASTM-D3450-94 | COATINGS, INTERIOR ARCHITECTURAL, WASHABILITY PROPERTIES OF [CUST: CR4 YD1 99] [REVIEW: 84 CE SH] | A 8010 | YD1 | | 15-SEP-94 |
| ASTM-D3452-93 | RUBBER-IDENTIFICATION BY PYROLYSIS-GAS CHROMATOGRAPHY [CUST: MR] [REVIEW: AV CR4 EA MD TE] | A 9320 | GS | | 15-MAR-93 |
| ASTM-D3453-96 | MATERIALS, FLEXIBLE CELLULAR-URETHANE FOR FURNITURE AND AUTOMOTIVE CUSHIONING, BEDDING, AND SIMILAR APPLICATIONS [CUST: MR 99] [REVIEW: 11 AS AT GL GS OS] | A 9320 | MR | | 10-JUL-96 |
| M ASTM-D3462A-97 | ASPHALT SHINGLES MADE FROM GLASS FELT AND SURFACED WITH MINERAL GRANULES [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5650 | YD1 | | 10-JUL-97 |
| ASTM-D3464-91 | DUCT, IN A AVERAGE VELOCITY USING A THERMAL ANEMOMETER [CUST: EA SH 68] [REVIEW: CR4 MD] | A 6810 | GS | | 15-MAR-91 |
| ASTM-D3476-79R85 | BIS (CHLOROMETHYL) ETHER (BIS CME) IN WORKPLACE ATMOSPHERE (GAS CHROMATOGRAPHY - MASS SPECTROMETRY, STANDARD TEST METHOD FOR - 23 FEB 79 [CUST: EA SH] [REVIEW: AS CR4 GL MD] | A 6810 | GS | | 21-JUN-85 |
| ASTM-D3479/D3479M-96 | MATERIALS, TENSION-TENSION FATIGUE OF POLYMER MATRIX COMPOSITE [CUST: MR SH 11] [REVIEW: 99 AR AS AT CR CR4 GL MI OS] | A CMPS | MR | | 10-JUN-96 |
| ASTM-D3482-90 | ADHESIVES, DETERMINING ELECTROLYTIC CORROSION OF COPPER BY [CUST: MR AS 99] [REVIEW: 11 84 CR4 MI SH] | A 8040 | MR | | 30-MAR-90 |
| ASTM-D3487-88 | MINERAL INSULATING OIL USED IN ELECTRICAL APPARATUS [CUST: AR SH 11] | A 9160 | AR | | 12-MAY-88 |
| M ASTM-D3492-97 | CONTRACEPTIVES, RUBBER (MALE CONDOMS) [CUST: MD MS 03] | A 6515 | MB | | 10-AUG-97 |
| ASTM-D3495-83R94 | HEXANE EXTRACTION OF LEATHER [CUST: GL NU 99 CT] | A 83GP | CT | | 28-NOV-83 |
| ASTM-D3499-94 | PANELS, WOOD-BASED STRUCTURAL, TOUGHNESS OF [CUST: SM AS 69] [REVIEW: 99 AL AR CR CR4 EC MR OS SA SH YD1] | A 5530 | AS | | 15-JUL-94 |
| ASTM-D3500-90 | PANELS, STRUCTURAL, IN TENSION [CUST: SM AS 69] [REVIEW: 99 AL AR CR CR4 EC MR OS SA SH YD1] | A 5530 | AS | | 26-OCT-90 |
| ASTM-D3501-94 | WOOD-BASED STRUCTURAL PANELS IN COMPRESSION [CUST: SM AS 69] [REVIEW: 99 AL AR CR CR4 EC MR OS SA SH YD1] | A 5530 | AS | | 15-JUL-94 |
| ASTM-D3502-76 | WOOD PRODUCTS, MOISTURE ABSORPTION OF COMPRESSED - 2 JUL 76 [CUST: SM AS 69] [REVIEW: 99 AL AR AV CG CR EC MC MR OS SH] | A PACK | AS | | 01-OCT-82 |
| ASTM-D3503-76 | WOOD PRODUCTS, COMPRESSED, SWELLING & RECOVERY OF, DUE TO MOISTURE ABSORPTION - 2 JUL 76 [CUST: SM AS 69] [REVIEW: 99 AL AR CR CR4 EC MR OS SA SH YD1] | A PACK | AS | | 01-OCT-82 |
| ASTM-D3505-96 | DENSITY OR RELATIVE DENSITY OF PURE LIQUID CHEMICALS [CUST: EA 68] | A 6810 | GS | | 10-JAN-96 |
| ASTM-D3511-82 | PILLING RESISTANCE AND OTHER RELATED SURFACE CHANGES OF TEXTILE FABRICS BRUSH PILLING TESTER METHOD [CUST: GL NU 99 CT] [REVIEW: 45 82 CG] | A 83GP | CT | | 30-JUL-82 |
| ASTM-D3517-91 | FIBERGLASS (GLASS-FIBER-REINFORCED THERMOSETTING-RESIN) PRESSURE PIPE [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | | 15-MAR-91 |
| ASTM-D3518/D3518M-94 | MATERIALS BY TENSILE TEST OF A PLUS-MINUS 45 DEG. LAMINATE, POLYMER MATRIX COMPOSITE, IN-PLANE SHEAR RESPONSE OF [CUST: MR SH 11] [REVIEW: 99 AR CR CR4 GS] | A CMPS | MR | | 15-NOV-94 |
| ASTM-D3529/D3529M-90 | RESIN SOLIDS CONTENT OF EPOXY-MATRIX PREPREG BY MATRIX DISSOLUTION [CUST: MR SH 11 GS] [REVIEW: 99 AS AT AV CR CR4 MI OS] | A 9330 | GS | | 31-AUG-90 |
| ASTM-D3530/D3530M-90 | EPOXY MATRIX PREPREG, VOLATILES CONTENT OF [CUST: MR SH 11 GS] [REVIEW: 99 AR AS AT CR CR4 GL MI OS] | A 9330 | GS | | 31-AUG-90 |
| ASTM-D3531-76R89 | PREPREG, CARBON FIBER EPOXY, RESIN FLOW OF - 24 FEB 1989 (REAPPROVED 24 FEB 89) [CUST: MR AS 11] | A CMPS | MR | | 27-APR-89 |
| ASTM-D3532-76R89 | PREPREG, CARBON FIBER EPOXY, GEL TIME OF - 1976 (REAPPROVED 24 FEB 89) [CUST: MR AS 11] | A CMPS | MR | | 27-APR-89 |
| ASTM-D3539-87R92 | LIQUIDS, RATES OF VOLATILE EVAPORATION BY SHELL, THIN-FILM EVAPOROMETER [CUST: MR SH 99] [REVIEW: 84 AS] | A 8010 | MR | | 29-MAY-87 |
| ASTM-D3544-76R89 | FIBER, HIGH MODULUS, REPORTING TEST METHODS & RESULTS ON - 1976 (REAPPROVED 24 FEB 89) [CUST: MR AS 11] | A CMPS | MR | | 27-APR-89 |
| ASTM-D3545-90 | ALCOHOL CONTENT AND PURITY OF ACETATE ESTERS BY GAS CHROMATOGRAPHY [CUST: EA 68] [REVIEW: AS CR4 GL MC MD SH] | A 6810 | GS | | 30-NOV-90 |
| ASTM-D3550-84 | SOIL, RING-LINED BARREL SAMPLING OF, STANDARD PRACTICE FOR [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 27-JAN-84 |
| ASTM-D3551-90 | LABORATORY PREPARATION OF SOIL-LIME MIXTURES USING A MECHANICAL MIXER [CUST: CR4 YD1 99] | A 5610 | YD1 | | 26-OCT-90 |
| ASTM-D3552/D3552M-96 | METAL MATRIX COMPOSITES, TENSILE PROPERTIES OF FIBER REINFORCED [CUST: MR SA] [REVIEW: OS] | A CMPS | MR | | 10-OCT-96 |
| ASTM-D3553-76R89 | COMPOSITE, REINFORCED METAL MATRIX, FIBER COUTENT BY DIGESTION OF - 1976 (REAPPROVED 24 FEB 89) [CUST: MR AS 11] | A CMPS | MR | | 27-APR-89 |
| ASTM-D3559-95 | LEAD IN WATER [CUST: 68 GS] [REVIEW: CR4 GL SH] | A 6810 | GS | | 10-SEP-95 |
| ASTM-D3567-91 | PIPE AND FITTINGS, "FIBERGLASS" (GLASS-FIBER-REINFORCED THERMOSETTING RESIN), DETERMINING DIMENSIONS OF [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | | 15-MAR-91 |
| ASTM-D3574-95 | MATERIALS, FLEXIBLE CELLULAR-SLAB, BONDED, AND MOLDED URETHANE FOAMS [CUST: MR 11] [REVIEW: AS AV CR4 GL GS MI] | A 9320 | MR | | 15-FEB-95 |
| ASTM-D3575-93 | MATERIALS, FLEXIBLE CELLULAR, MADE FROM OLEFIN POLYMERS [CUST: MR YD1 69 CT] | A 9330 | CT | | 15-SEP-93 |
| ASTM-D3577-91 | GLOVES, SURGICAL, RUBBER [CUST: MD MS 03] | A 6515 | MB | | 10-OCT-91 |
| ASTM-D3578-95 | GLOVES, RUBBER EXAMINATION [CUST: MD MS 03] | A 6515 | MB | | 15-FEB-95 |
| ASTM-D3579-77R93 | TUBES, DRAINAGE, RUBBER SURGICAL, PENROSE-TYPE [CUST: MD MS 03 MB] | A 6515 | MB | | 25-MAR-77 |
| ASTM-D3586-85 | CHROMIUM IN WORKPLACE ATMOSPHERES (COLORIMETRIC METHOD) STANDARD TEST METHOD FOR - 20 MAR 85 [CUST: EA 68] [REVIEW: MD SH] | A 6810 | GS | | 03-FEB-86 |
| ASTM-D3595-91 NOT 1 | POLYCHLOROTRIFLUOROETHYLENE (PCTFE) EXTRUDED PLASTIC SHEET AND FILM [CUST: MR] [REVIEW: AR CR CR4 GL MI] | A 9330 | MR | | 27-FEB-92 |
| ASTM-D3611-89 | TAPES, PRESSURE SENSITIVE, ACCELERATED AGING OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD1] | A 7510 | AS | | 29-DEC-89 |
| ASTM-D3617-83R94 | ROOF MEMBRANES, NEW BUILT-UP, SAMPLING AND ANALYSIS OF [CUST: CR4 YD1 99] | A 5650 | YD1 | | 09-AUG-83 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------------|---|-----------------------|-----|-------------|-----------|
| ASTM-D3621-84 | ACETATE ESTERS, DETERMINATION OF WATER IN, STANDARD PRACTICE FOR - 27 APR 1984 [CUST: EA] [REVIEW: AS CR4 MC MD OS SH] | A 6810 | GS | | 18-MAR-87 |
| ASTM-D3623A-78R93 | PANELS, ANTIFOULING, IN SHALLOW SUBMERGENCE [CUST: CR4 SH 99] | A 8010 | SH | | 27-OCT-78 |
| ASTM-D3624A-85R91 | MERCURY IN PAINT BY ATOMIC ABSORPTION SPECTROSCOPY, LOW CONCENTRATIONS OF [CUST: CR4 YD1 99] [REVIEW: 84 CE SH] | A 8010 | YD1 | | 29-NOV-85 |
| ASTM-D3634-93 | ENGINE COOLANTS, TRACE CHLORIDE ION IN [CUST: CR4 SH 68] | A 6850 | CR4 | | 15-SEP-93 |
| ASTM-D3652-93 | TAPES, PRESSURE-SENSITIVE AND GUMMED, THICKNESS OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH] | A 7510 | AS | | 15-APR-93 |
| ASTM-D3652M-93 | TAPES, PRESSURE-SENSITIVE AND GUMMED, THICKNESS OF, (METRIC) [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH] | A 7510 | AS | | 15-APR-93 |
| ASTM-D3653-78 | TAPE, PRESSURE SENSITIVE, HOLDING POWER OF LINEAL AND MULTIDIRECTIONAL FILAMENT REINFORCED - 24 FEB 78 [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH YD1] | A 7510 | AS | | 02-OCT-80 |
| ASTM-D3654M-88R93 | TAPES, PRESSURE-SENSITIVE, HOLDING POWER OF, (METRIC) [CUST: SM AS 69 IS] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD1] | A 7510 | AS | | 26-FEB-88 |
| ASTM-D3654-96 | TAPES, PRESSURE-SENSITIVE, HOLDING POWER OF [CUST: SM AS 99] [REVIEW: AR CR4 GL MI MR OS SA SH YD1] | A 7510 | AS | | 10-MAR-96 |
| ASTM-D3656-94 | INSECT SCREENING AND LOUVER CLOTH WOVEN FROM VINYL-COATED GLASS YARNS [CUST: GL YD1 99] | A 8305 | YD1 | | 15-DEC-94 |
| ASTM-D3662M-88R93 | TAPES, PRESSURE-SENSITIVE, BURSTING STRENGTH OF, (METRIC) [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH] | A 7510 | AS | | 26-AUG-88 |
| ASTM-D3662-88R93 | TAPES, PRESSURE-SENSITIVE, BURSTING STRENGTH OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH] | A 7510 | AS | | 26-AUG-88 |
| ASTM-D3666A-96 | MATERIALS, BITUMINOUS PAVING, AGENCIES TESTING AND INSPECTING, MINIMUM REQUIREMENTS FOR [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | | 10-NOV-96 |
| ASTM-D3667-85 | RUBBER SEALS USED IN FLAT-PLATE SOLAR COLLECTORS [CUST: CR4 YD1 99] [REVIEW: 82 MC] | A 9320 | YD1 | | 29-MAR-85 |
| ASTM-D3668-78 | SOIL-LIME MIXTURES, LABORATORY COMPACTED, BEARING RATIO OF, STANDARD TEST METHOD FOR [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | | 21-DEC-78 |
| ASTM-D3672-86 NOT 2 | VENTING ASPHALT-SATURATED AND COATED INORGANIC FELT BASE SHEET USED IN ROOFING, STANDARD SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: MC SM] | A 5650 | YD1 | | 09-MAR-92 |
| ASTM-D3677-90 | RUBBER-IDENTIFICATION BY INFRARED SPECTROPHOTOMETRY [CUST: MR] [REVIEW: AV CR4 EA MD TE] | A 9320 | GS | | 26-OCT-90 |
| ASTM-D3691A-95 | FABRICS, WOVEN, LACE, AND KNIT HOUSEHOLD CURTAIN AND DRAPERY [CUST: GL YD1 99] | A 7230 | YD1 | | 10-DEC-95 |
| ASTM-D3699-96 | KEROSENE [CUST: AT SH 68] | A 9140 | AT | | 10-APR-96 |
| ASTM-D3701-92 | HYDROGEN CONTENT OF AVIATION TURBINE FUELS BY LOW RESOLUTION NUCLEAR MAGNETIC RESONANCE SPECTROMETRY [CUST: PS] | A 91GP | PS | | 15-MAR-92 |
| ASTM-D3703-92 | PEROXIDE NUMBER OF AVIATION TURBINE FUELS [CUST: PS] | A 91GP | PS | | 15-OCT-92 |
| ASTM-D3715-93 | TAPES, PRESSURE-SENSITIVE QUALITY ASSURANCE OF [CUST: SM AS 69] [REVIEW: 18 GL MC OS SA] | A QCIC | SM | | 15-JAN-93 |
| ASTM-D3715M-88 | TAPES, PRESSURE-SENSITIVE, QUALITY ASSURANCE OF (METRIC) [CUST: SM AS 69] [REVIEW: 18 GL MC OS SA] | A QCIC | SM | | 26-FEB-88 |
| ASTM-D3718A-85R91 | PAINT, CHROMIUM IN, BY ATOMIC ABSORPTION SPECTROSCOPY, LOW CONCENTRATIONS OF [CUST: CR4 AS 99] | A 8010 | AS | | 29-NOV-85 |
| ASTM-D3725-78R92 NOT 1 | SEMIQUANTITATIVE DETERMINATION OF FISH OIL IN DRYING OILS AND DRYING OIL FATTY ACIDS BY GAS-LIQUID CHROMATOGRAPHY [CUST: MR SH] [REVIEW: CG CR4 OS] | A 8010 | MR | | 17-NOV-92 |
| ASTM-D3732-82R89 | COATINGS, ULTRAVIOLET-CURED, REPORTING CURE TIMES OF [CUST: YD1] | A 8010 | YD1 | | 29-OCT-82 |
| ASTM-D3734-91 | NAPHTHAS, AROMATIC, HIGH-FLASH [CUST: EA SH 68] | A 6810 | SH | | 15-OCT-91 |
| ASTM-D3738-84R90 NOT 1 | HOSPITAL SHEETING, RUBBER-COATED CLOTH - 28 SEPT 1984 (REAPPROVED 1990) [CUST: MR] [REVIEW: CR4 EA MD] | A 9320 | GS | | 22-JUN-90 |
| A ASTM-D3740-96 | SOIL AND ROCK AS USED IN ENGINEERING DESIGN AND CONSTRUCTION, MINIMUM REQUIREMENTS FOR AGENCIES ENGAGED IN THE TESTING AND/OR INSPECTION OF [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | | 10-NOV-96 |
| ASTM-D3759M-96 | TAPES, PRESSURE-SENSITIVE, TENSILE STRENGTH AND ELONGATION OF (METRIC) [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH] | A 7510 | AS | | 10-MAR-96 |
| ASTM-D3759-96 | TAPES, PRESSURE-SENSITIVE, TENSILE STRENGTH AND ELONGATION OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL MI MR OS SA SH] | A 7510 | AS | | 10-MAR-96 |
| ASTM-D3761-91 | FLUORINE, TOTAL, IN COAL BY THE OXYGEN BOMB COMBUSTION/ION SELECTIVE ELECTRODE METHOD [CUST: CR4 SH 68] | A 9110 | SH | | 15-MAR-91 |
| ASTM-D3767-96 | RUBBER-MEASUREMENT OF DIMENSIONS [CUST: MR SH 99] [REVIEW: 82 AS AT AV CR CR4 GL GS MC OS YD1] | A 9320 | MR | | 10-NOV-96 |
| ASTM-D3772-86R91 | COTS, RUBBER FINGER [CUST: MD MS 03] | A 6515 | MB | | 27-MAR-86 |
| ASTM-D3773-90 | FABRIC, WOVEN, LENGTH OF [CUST: GL SH 99 CT] | A 8305 | CT | | 26-JAN-90 |
| ASTM-D3774-96 | FABRIC, WOVEN, WIDTH OF [CUST: GL SH 99 CT] | A 8305 | CT | | 10-APR-96 |
| ASTM-D3775-96 | FABRIC COUNT OF WOVEN FABRIC [CUST: GL YD1 99 CT] | A 8305 | CT | | 10-APR-96 |
| ASTM-D3776-96 | FABRIC, MASS PER UNIT AREA (WEIGHT) OF [CUST: GL YD1 99 CT] | A 8305 | CT | | 10-APR-96 |
| ASTM-D3786-87 | FABRICS, KNITTED GOODS AND NONWOVEN, DIAPHRAGM BURSTING STRENGTH TESTER METHOD, HYDRAULIC BURSTING STRENGTH OF [CUST: GL NU 99 CT] [REVIEW: 11 82] | A 83GP | CT | | 31-JUL-87 |
| ASTM-D3787-89 | BALL BURST TEST, BURSTING STRENGTH OF KNITTED GOODS-CONSTANT-RATE-OF-TRAVERSE (CRT) [CUST: GL NU 99 CT] [REVIEW: 11 82] | A 83GP | CT | | 29-SEP-89 |
| ASTM-D3790-79R91 | LEATHER BY OVEN DRYING, (VOLATILE MATTER (MOISTURE) OF [CUST: GL NU 99 CT] | A 83GP | CT | | 27-APR-79 |
| ASTM-D3792-91 | WATER CONTENT OF WATER-REDUCIBLE PAINTS BY DIRECT INJECTION INTO A GAS CHROMATOGRAPH [CUST: CR4 AS 99] | A 8010 | AS | | 15-MAY-91 |
| ASTM-D3800-79 | FIBERS, HIGH MODULUS, DENSITY OF, STANDARD TEST METHOD FOR [CUST: MR GS] [REVIEW: CR4 GL MC] | A 9330 | GS | | 29-MAY-79 |
| ASTM-D3811-96 | TAPES, PRESSURE-SENSITIVE, UNWIND FORCE OF [CUST: AS 69] [REVIEW: 99 CR4 GL OS SA SH YD1] | A PACK | AS | | 10-MAR-96 |
| ASTM-D3813-96 | TAPES, PRESSURE-SENSITIVE, CURLING AND TWISTING ON UNWINDING OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL MR MT OS SA SH YD1] | A 7510 | AS | | 10-MAR-96 |
| ASTM-D3815-89 | TAPES, PRESSURE-SENSITIVE, BY CARBON-ARC EXPOSURE APPARATUS, ACCELERATED AGING OF [CUST: SM AS 69] [REVIEW: 99 AR GL MI MR OS SA SH YD1] | A 7510 | AS | | 28-JUL-89 |
| ASTM-D3816-96 | TAPES, PRESSURE-SENSITIVE, WATER PENETRATION RATE OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL MI MR SA] | A 7510 | AS | | 10-MAR-96 |
| ASTM-D3828-93 | TESTER, CLOSED, SMALL SCALE, FLASH POINT BY [CUST: CR4 AS 11] | A 6810 | CR4 | | 15-APR-93 |
| ASTM-D3832-79R87 | RUBBER SEALS CONTACTING LIQUIDS IN SOLAR ENERGY SYSTEMS [CUST: AT] | A 91GP | AT | | 31-AUG-79 |
| ASTM-D3833-96 | WATER VAPOR TRANSMISSION OF PRESSURE-SENSITIVE TAPES [CUST: AR AS 99] | A 8040 | AS | | 10-MAR-96 |
| ASTM-D3839-89 | PIPE, RESIN, FLEXIBLE REINFORCED THERMOSETTING, STANDARD PRACTICE FOR UNDERGROUND INSTALLATION OF - 27 JAN 89 [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 4710 | YD1 | | 12-JUL-89 |
| ASTM-D3841-92 | GLASS-FIBER-REINFORCED POLYESTER PLASTIC PANELS [CUST: MR YD1] [REVIEW: CR GS MI] | A 9330 | YD1 | | 15-JUN-92 |
| ASTM-D3846-79R85 NOT 2 | PLASTICS, REINFORCED, IN PLANE SHEAR STRENGTH OF - 26 OCT 1979 (REAPPROVED 1985) [CUST: MR SH 11 GS] [REVIEW: OS TE YD1] | A 9330 | GS | | 30-MAR-88 |

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------|--|-----------------------|-----|-------------|-----------|
| | ASTM-D3850-94 | MATERIALS BY THERMOGRAVIMETRIC METHOD (TGA), SOLID ELECTRICAL INSULATING, RAPID THERMAL DEGRADATION OF [CUST: CR SH 11 GS] | A 5970 | GS | | 15-JUN-94 |
| | ASTM-D3878C-95 | FIBERS AND THEIR COMPOSITES, HIGH-MODULUS REINFORCING [CUST: MR AS 11] | A CMPS | MR | | 10-NOV-95 |
| | ASTM-D3887-95 | FABRICS, KNITTED, TOLERANCES FOR [CUST: GL YD1 99 CT] | A 8305 | CT | | 15-JAN-95 |
| | ASTM-D3889-96 | TAPE, PRESSURE-SENSITIVE, AT LOW TEMPERATURE, ADHERENCE TO LINERBOARD OF [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD1] | A PACK | AS | | 10-MAR-96 |
| | ASTM-D3892-80 | PLASTICS, PACKAGING/PACKING OF [CUST: MR SH 99 GS] [REVIEW: AR AS AV CR4 EA GL OS SM] | A 9330 | GS | | 24-MAR-80 |
| A | ASTM-D3909B-97 | ASPHALT ROLL ROOFING (GLASS FELT) SURFACED WITH MINERAL GRANULES [CUST: YD1] | A 5650 | YD1 | | 10-NOV-97 |
| | ASTM-D3910-96 | SEAL, SLURRY, DESIGN, TESTING, AND CONSTRUCTION OF [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | | 10-JUL-96 |
| | ASTM-D3916-94 | ROD, PLASTIC, PULTRUDED GLASS-FIBER-REINFORCED, TENSILE PROPERTIES OF [CUST: CR YD1 85] [REVIEW: GS SH] | A 5970 | YD1 | | 15-FEB-94 |
| | ASTM-D3921-85R90 | OIL AND GREASE AND PETROLEUM HYDROCARBONS IN WATER [CUST: CR4 SH 99] | A 91GP | SH | | 25-JAN-85 |
| | ASTM-D3924-80R91 | PAINT, VARNISH, LACQUER, AND RELATED MATERIALS, CONDITIONING AND TESTING, STANDARD ENVIRONMENT FOR [CUST: CR4 YD1 99] [REVIEW: 84 CE SH] | A 8010 | YD1 | | 02-SEP-80 |
| | ASTM-D3925-91 | PAINTS AND RELATED PIGMENTED COATINGS, SAMPLING LIQUID [CUST: CR4 YD1 99] [REVIEW: 84 CE SH] | A 8010 | YD1 | | 15-SEP-91 |
| | ASTM-D3935-87 | MATERIAL, POLYCARBONATE (PC) UNFILLED AND REINFORCED [CUST: AT SH 99 CT] | A 9330 | SH | | 31-DEC-87 |
| | ASTM-D3941-90 | APPARATUS, WITH A CLOSED-CUP, FLASH POINT BY THE EQUILIBRIUM METHOD [CUST: CR4 YD1 71] | A 91GP | 71 | | 25-MAY-90 |
| | ASTM-D3948-93 | FUELS, AVIATION TURBINE, BY PORTABLE SEPAROMETER, DETERMINING WATER SEPARATION CHARACTERISTICS OF [CUST: AT] | A 9130 | AT | | 15-MAR-93 |
| | ASTM-D3950-90 | NONMETALLIC, STRAPPING, (AND JOINING METHODS) [CUST: SM AS 99] [REVIEW: 69 AR GL IS MI OS SA SH YD1] | A PACK | AS | | 27-JUL-90 |
| D | ASTM-D3951-90 | PACKAGING, COMMERCIAL [CUST: AM SA 69 DH] [REVIEW: 10 AR AS AT CR CR4 EA GS MC YD1] | A PACK | SM | | 27-JUL-90 |
| A | ASTM-D3953-97 | STEEL AND SEALS, FLAT, STRAPPING [CUST: SM AS 69] [REVIEW: 70 71 80 82 84 99 AR CR4 DS GL IS MI MR OS SA SH YD1] | A PACK | AS | | 10-APR-97 |
| | ASTM-D3960-96 | PAINTS AND RELATED COATINGS, DETERMINING VOLATILE ORGANIC COMPOUND (VOC) CONTENT OF [CUST: CR4 YD1 99] [REVIEW: 84 CE SH] | A 8010 | YD1 | | 10-JAN-96 |
| | ASTM-D3990-93 | FABRIC DEFECTS [CUST: MR NU 99 CT] | A 8305 | MR | | 15-JUL-93 |
| | ASTM-D4000-93 | PLASTIC, SPECIFYING MATERIALS [CUST: MR 11 GS] [REVIEW: AL AR AS AT AV CR4 EC MC OS SH] | A 9330 | GS | | 15-OCT-93 |
| | ASTM-D4004-93 | RUBBER-DETERMINATION OF METAL CONTENT BY FLAME ATOMIC ABSORPTION (AAS) ANALYSIS [CUST: MR] [REVIEW: 82 AT AV CR4 GL OS SH YD1] | A 9320 | GS | | 15-MAR-93 |
| | ASTM-D4006-81R87 | WATER IN CRUDE OIL BY DISTILLATION [CUST: PS] | A 91GP | PS | | 27-MAR-81 |
| | ASTM-D4017A-96 | WATER IN PAINTS AND PAINT MATERIALS BY KARL FISHER METHOD [CUST: CR4 YD1 99] [REVIEW: 84 CE SH] | A 8010 | YD1 | | 10-JUL-96 |
| | ASTM-D4018-93 | CARBON AND GRAPHITE FIBER TOWS, PROPERTIES OF CONTINUOUS FILAMENT [CUST: MR] [REVIEW: AV GL GS] | A CMPS | MR | | 15-FEB-93 |
| | ASTM-D4019-94 | PLASTICS, MOISTURE IN PHOSPHORUS PENTOXIDE, BY COULOMETRIC REGENERATION OF [CUST: MR 11 GS] [REVIEW: AL AR AS AV GL MC] | A 9330 | GS | | 15-MAR-94 |
| | ASTM-D4020-92 | MATERIALS, ULTRA-HIGH-MOLECULAR-WEIGHT POLYETHYLENE MOLDING AND EXTRUSION [CUST: MR] [REVIEW: GL GS MI SM] | A 9330 | MR | | 15-FEB-92 |
| | ASTM-D4022-81 NOT 2 | CEMENT, COAL TAR ROOF, STANDARD SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: CE EA] | A 5610 | YD1 | | 09-MAR-92 |
| | ASTM-D4047-91 | OILS AND ADDITIVES, LUBRICATING, BY QUINOLINE PHOSPHOMOLYBDATE METHOD, PHOSPHORUS IN [CUST: CR4 AS 68] | A 9150 | CR4 | | 15-SEP-91 |
| | ASTM-D4048-91 | COPPER CORROSION FROM LUBRICATING GREASE, DETECTION OF [CUST: AT 68] [REVIEW: AS] | A 9150 | AT | | 15-SEP-91 |
| | ASTM-D4052-96 | DENSITY AND RELATIVE DENSITY OF LIQUIDS BY DIGITAL DENSITY METER [CUST: PS] | A 91GP | PS | | 10-APR-96 |
| | ASTM-D4057-88 | PETROLEUM AND PETROLEUM PRODUCTS, MANUAL SAMPLING OF [CUST: CR4 AS 68] | A 9150 | AS | | 25-MAR-88 |
| | ASTM-D4060-90 | COATINGS, ORGANIC, BY THE TABER ABRASER, ABRASION RESISTANCE OF [CUST: AT SH 99] | A 8010 | SH | | 25-MAY-90 |
| | ASTM-D4065-93 | PLASTICS, DETERMINING AND REPORTING DYNAMIC MECHANICAL PROPERTIES OF [CUST: MR GS] [REVIEW: AL AR AS AT CR4 EC GL MC OS] | A 9330 | GS | | 15-OCT-93 |
| | ASTM-D4066A-96 | NYLON INJECTION AND EXTRUSION MATERIALS (PA) [CUST: MR AS 99] [REVIEW: 11 84 AR AV CR CR4 EA GL GS MD MI OS SH SM YD1] | A 9330 | MR | | 10-NOV-96 |
| | ASTM-D4067-96 | MATERIALS, MOLDING AND EXTRUSION, REINFORCED AND FILLED POLYPHENYLENE SULFIDE (PPS) INJECTION [CUST: MR SH 85 GS] | A 9330 | GS | | 10-MAR-96 |
| | ASTM-D4075-87 | MATERIALS, COMPOUNDING, FLAME ATOMIC ABSORPTION TECHNIQUE-DETERMINATION OF METALS [CUST: MR] [REVIEW: AT GL GS OS] | A 9320 | MR | | 27-MAR-87 |
| A | ASTM-D4080-96 | TRICHLOROETHYLENE, TECHNICAL AND VAPOR-DEGREASING GRADE [CUST: EA SH 68] [REVIEW: AS GL MC MD MI OS SM] | A 6810 | GS | | 10-DEC-96 |
| | ASTM-D4083-89R94 | SOIL, FROZEN, (VISUAL-MANUAL PROCEDURE), DESCRIPTION OF [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 24-FEB-89 |
| A | ASTM-D4092-90 | PLASTIC, DYNAMIC MECHANICAL MEASUREMENTS ON [CUST: MR 11] | A 9330 | MR | | 29-JUN-90 |
| | ASTM-D4097-88 | TANKS, CONTACT-MOLDED GLASS-FIBER-REINFORCED THERMOSET RESIN CHEMICAL-RESISTANT [CUST: YD1] | A 5430 | YD1 | | 24-JUN-88 |
| | ASTM-D4099-95 | GLASS DOORS, POLY(VINYL CHLORIDE) (PVC) PRIME WINDOWS/SLIDING [CUST: CR4 YD1 99] | A 5670 | YD1 | | 10-DEC-95 |
| A | ASTM-D4101A-96 | MATERIALS, PROPYLENE PLASTIC INJECTION AND EXTRUSION [CUST: MR 11 GS] [REVIEW: 17 84 99 AR AS AV CR CR4 EC GL MD MI SM] | A 9330 | GS | | 10-JUL-96 |
| | ASTM-D4102-82 | FIBERS, CARBON, THERMAL OXIDATIVE RESISTANCE OF [CUST: MR GS] [REVIEW: AS AV EC GL MI SM] | A 9330 | GS | | 23-MAR-82 |
| | ASTM-D4126-84R90 | VAPOR-DEGREASING GRADE AND GENERAL SOLVENT GRADE 1, 1, 1-TRICHLOROETHANE [CUST: EA AS 68] | A 6810 | AS | | 25-MAY-84 |
| | ASTM-D4157-92 | FABRICS, TEXTILE, ABRASION RESISTANCE OF (OSCILLATORY CYLINDER METHOD) [CUST: GL AS 99 CT] | A 8305 | CT | | 15-JUN-92 |
| | ASTM-D4158-92 | FABRICS, TEXTILE, ABRASION RESISTANCE OF (UNIFORM ABRASION METHOD) [CUST: AT AS 99] | A 8305 | AS | | 15-JUN-92 |
| M | ASTM-D4169-96 | CONTAINERS AND SYSTEMS, SHIPPING, PERFORMANCE TESTING OF [CUST: SM AS 69 DH] [REVIEW: 99 AR AT AV CR CR4 EC GS MC MI SA] | A PACK | SM | | 10-FEB-96 |
| | ASTM-D4172-94 | FLUID, LUBRICATING, WEAR PREVENTIVE CHARACTERISTICS OF (FOUR-BALL METHOD) [CUST: CR4 AS 11] | A 9150 | CR4 | | 15-FEB-94 |
| | ASTM-D4175-92 | PETROLEUM, PETROLEUM PRODUCTS, AND LUBRICANTS [CUST: AT AS 68] | A 91GP | AT | | 15-AUG-92 |
| | ASTM-D4176-93 | FUELS, DISTILLATE, FREE WATER AND PARTICULATE CONTAMINATION IN (VISUAL INSPECTION PROCEDURES) [CUST: CR4 AS 11] | A 91GP | CR4 | | 15-AUG-93 |
| | ASTM-D4177-95 | PETROLEUM AND PETROLEUM PRODUCTS, AUTOMATIC SAMPLING OF [CUST: CR4 AS 68] | A 9150 | AS | | 10-NOV-95 |
| | ASTM-D4181-96 | ACETAL (POM) MOLDING AND EXTRUSION MATERIALS [CUST: MR AS 11] [REVIEW: 99 AT AV CR4 EC GL GS MC OS SH] | A 9330 | MR | | 10-JUN-96 |
| | ASTM-D4203-89 | STYRENE ACRYLONITRILE (SAN) INJECTION AND EXTRUSION MATERIALS [CUST: MR 11 GS] [REVIEW: AS AV CR EC GL MC MD SH SM] | A 9330 | GS | | 30-JUN-89 |
| A | ASTM-D4214-97 | PAINT, EXTERIOR, FILMS, EVALUATING THE DEGREE OF CHALKING OF [CUST: MR SH 11] [REVIEW: GL] | A 8040 | MR | | 10-FEB-97 |
| | ASTM-D4216-92 | POLY(VINYL CHLORIDE), RIGID, (PVC) AND RELATED PLASTIC BUILDING PRODUCTS COMPOUNDS [CUST: MR YD1 99] [REVIEW: 84 GS] | A 9330 | YD1 | | 15-OCT-92 |
| | ASTM-D4220-95 | SOIL SAMPLES, PRESERVING AND TRANSPORTING [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | | 15-APR-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------|---|-----------------------|-----|-------------|------|
| | ASTM-D4225-90 | SHEETING, STYRENE-BUTADIENE [CUST: MR AS 11] [REVIEW: GL GS] | A 9330 | MR | 27-JUL-90 | |
| | ASTM-D4239-94 | SULFUR IN THE ANALYSIS SAMPLE OF COAL AND COKE USING HIGH TEMPERATURE TUBE FURNACE COMBUSTION METHODS [CUST: CR4 SH 68] | A 9110 | SH | 15-MAR-94 | |
| | ASTM-D4253-93 | SOILS USING A VIBRATORY TABLE, MAXIMUM INDEX DENSITY AND UNIT WEIGHT OF [CUST: CR4 YD1] [REVIEW: CE MC] | A 5610 | YD1 | 02-FEB-93 | |
| | ASTM-D4254-91 | SOILS AND CALCULATION OF RELATIVE DENSITY, MINIMUM INDEX DENSITY AND UNIT WEIGHT OF [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | 15-AUG-91 | |
| | ASTM-D4255-83 | LAMINATES, COMPOSITE, TESTING INPLANE SHEAR PROPERTIES OF, STANDARD GUIDE FOR [CUST: MR] [REVIEW: AS AV CC EC GL MI SM] | A CMPS | MR | 27-MAY-83 | |
| | ASTM-D4263-83R93 | CONCRETE BY THE PLASTIC SHEET METHOD, INDICATING MOISTURE IN [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 17-AUG-83 | |
| | ASTM-D4268-93 | ROPES, FIBER, TESTING [CUST: AR SH 99] | A 4020 | AR | 15-JUL-93 | |
| | ASTM-D4287-94 | VISCOMETER, HIGH-SHEAR VISCOSITY USING THE ICI CONE/PLATE [CUST: CR4 YD1 99] [REVIEW: 84 CE SH] | A 8010 | YD1 | 15-SEP-94 | |
| A | ASTM-D4289-95 | GREASE WITH ELASTOMERS, LUBRICATING, COMPATIBILITY OF [CUST: AT SH 68] | A 9150 | AT | 03-OCT-94 | |
| | ASTM-D4294-90 | SULFUR IN PETROLEUM PRODUCTS BY ENERGY-DISPERSIVE X-RAY FLUORESCENCE SPECTROSCOPY [CUST: PS] | A 91GP | PS | 25-MAY-90 | |
| M | ASTM-D4300-97 | FILMS, ADHESIVE, ABILITY OF, TO SUPPORT OR RESIST THE GROWTH OF FUNGI [CUST: MR AS 99] [REVIEW: 84 AR GL] | A 8040 | MR | 10-JUL-98 | |
| | ASTM-D4306-91 | AVIATION FUEL SAMPLE CONTAINERS FOR TESTS AFFECTED BY TRACE CONTAMINATION [CUST: GL SA 69] [REVIEW: 11 84 99 AS AT SH] | A 8115 | GL | 15-MAY-91 | |
| | ASTM-D4308-95 | LIQUID HYDROCARBONS BY PRECISION METER, ELECTRICAL CONDUCTIVITY OF [CUST: PS] | A 91GP | PS | 15-FEB-95 | |
| | ASTM-D4317-94 | ADHESIVES, EMULSION, POLYVINYL ACETATE-BASED [CUST: MR AS 99] [REVIEW: 11 84 AR AT CR4 OS YD1] | A 8040 | MR | 15-DEC-94 | |
| | ASTM-D4318-95 | SOILS, LIQUID LIMIT, PLASTIC LIMIT, AND PLASTICITY INDEX OF [CUST: YD1] [REVIEW: CE MC] | A 5610 | YD1 | 15-APR-95 | |
| | ASTM-D4325-91 | RUBBER TAPES, NONMETALLIC SEMI-CONDUCTING AND ELECTRICALLY INSULATING [CUST: MR SH 99] [REVIEW: AR AS AT CR4 GL GS OS YD1] | A 5970 | MR | 22-FEB-91 | |
| M | ASTM-D4338-97 | FLEXIBILITY DETERMINATION OF SUPPORTED ADHESIVE FILMS BY MANDREL BEND [CUST: MR 11] [REVIEW: AR GL SH] | A 8040 | MR | 10-MAY-97 | |
| | ASTM-D4339-95 | ADHESIVES, DETERMINATION OF THE ODOR OF [CUST: MR SH 11] [REVIEW: AS CR4] | A 8040 | MR | 15-MAR-95 | |
| | ASTM-D4350-86 | PLASTICS AND FILLERS CORROSION INDEX OF [CUST: MR SH 11 GS] [REVIEW: AR AS AV CR4 GL MI YD1] | A 9330 | GS | 25-JUL-86 | |
| | ASTM-D4355-92 | GEOTEXTILES FROM EXPOSURE TO ULTRAVIOLET LIGHT AND WATER, DETERIORATION OF (XENON-ARC TYPE APPARATUS) [CUST: GL YD1 99] | A 83GP | YD1 | 15-OCT-92 | |
| | ASTM-D4377-93 | WATER IN CRUDE OILS (KARL FISHER) TITRATION [CUST: PS] | A 91GP | PS | 15-FEB-93 | |
| A | ASTM-D4388-97 | RUBBER TAPES, NONMETALLIC SEMI-CONDUCTING AND ELECTRICALLY INSULATING [CUST: MR SH 99] [REVIEW: AR AS AT CR4 GL GS OS YD1] | A 5970 | MR | 10-APR-97 | |
| | ASTM-D4397-96 | POLYETHYLENE SHEETING FOR CONSTRUCTION, INDUSTRIAL, AND AGRICULTURAL APPLICATIONS [CUST: YD1 99] [REVIEW: 84 GS MR SH] | A 9330 | YD1 | 10-MAR-96 | |
| | ASTM-D4400A-89 | PAINTS USING A MULTINOTCH APPLICATOR, SAG RESISTANCE OF [CUST: CR4 SH 99] | A 8010 | SH | 06-OCT-89 | |
| | ASTM-D4402-87R91 | ASPHALTS, UNFILLED, USING THE BROOKFIELD THERMOSEL APPARATUS, VISCOSITY DETERMINATIONS OF [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5610 | YD1 | 10-FEB-87 | |
| | ASTM-D4417-93 | FIELD MEASUREMENT OF SURFACE PROFILE OF BLAST CLEANED STEEL [CUST: MR SH 99] | A 95GP | SH | 15-MAY-93 | |
| | ASTM-D4427-92 | PEAT SAMPLES BY LABORATORY TESTING [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 15-JUL-92 | |
| | ASTM-D4429-93 | SOILS IN PLACE, CBR (CALIFORNIA BEARING RATIO) OF [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 15-SEP-93 | |
| | ASTM-D4434-96 | POLY(VINYL CHLORIDE) SHEET ROOFING [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5650 | YD1 | 10-NOV-96 | |
| | ASTM-D4442-92 | WOOD AND WOOD-BASE MATERIALS, DIRECT MOISTURE CONTENT MEASUREMENT OF [CUST: SM AS 69] [REVIEW: 70 71 80 82 CC CR4 GL SA] | A 5510 | AS | 15-FEB-92 | |
| | ASTM-D4444-92 | METERS, HAND-HELD MOISTURE, USE AND CALIBRATION OF [CUST: SM AS 69] [REVIEW: 70 71 80 82 84 99 CC CR4 GL SA] | A 5510 | AS | 15-FEB-92 | |
| | ASTM-D4473-95 | RESINS, THERMOSETTING, USING DYNAMIC MECHANICAL PROCEDURES, MEASURING THE CURE BEHAVIOR OF [CUST: MR AS 99] | A 9330 | AS | 10-SEP-95 | |
| | ASTM-D4479-93 | ASPHALT ROOF COATINGS - ASBESTOS-FREE [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 15-JAN-93 | |
| A | ASTM-D4491-96 | WATER PERMEABILITY OF GEOTEXTILES BY PERMITTIVITY [CUST: CR4 YD1 99] [REVIEW: 84] | A 5620 | YD1 | 10-SEP-96 | |
| | ASTM-D4500-95 | ADHESIVES, WATER-BORNE, DETERMINING GRIT, LUMPS, OR UNDISSOLVED MATTER IN [CUST: MR SH 11] [REVIEW: AS AV CR4] | A 8040 | MR | 15-MAR-95 | |
| | ASTM-D4507A-93 | THERMOPLASTIC POLYESTER (TPES) MATERIALS [CUST: MR SH 11 GS] [REVIEW: AR AS CR4 GL MI] | A 9330 | GS | 15-APR-93 | |
| | ASTM-D4530-93 | CARBON RESIDUE, DETERMINATION OF (MICRO METHOD) [CUST: CR4 AS 99] | A 91GP | AS | 15-APR-93 | |
| | ASTM-D4533-91 | TRAPEZOID TEARING STRENGTH OF GEOTEXTILES [CUST: GL YD1 99] | A 83GP | YD1 | 15-APR-91 | |
| | ASTM-D4549-85 | MOLDING, POLYSTYRENE, AND EXTRUSION MATERIALS [CUST: MR AS 11 GS] [REVIEW: AR CR CR4 SH] | A 9330 | GS | 29-NOV-85 | |
| | ASTM-D4562-90 | ADHESIVES USING PIN-AND-COLLAR SPECIMEN, SHEAR STRENGTH OF [CUST: MR AS] [REVIEW: CR4 MD] | A 8030 | MR | 31-AUG-90 | |
| | ASTM-D4586-93 | ASPHALT ROOF CEMENT, ASBESTOS-FREE [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | 15-JAN-93 | |
| A | ASTM-D4591-97 | TEMPERATURES AND HEATS, DETERMINING, OF TRANSITION OF FLUOROPOLYMERS BY DIFFERENTIAL SCANNING CALORIMETRY [CUST: MR AS 99] | A 9330 | AS | 10-SEP-97 | |
| A | ASTM-D4601A-97 | ASPHALT-COATED GLASS FIBER BASE SHEET USED IN ROOFING [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5650 | YD1 | 10-JUL-97 | |
| | ASTM-D4615-90 | ACETATE, N-BUTYL (ALL GRADES) [CUST: EA SH 68] | A 6810 | EA | 26-OCT-90 | |
| | ASTM-D4617-96 | PHENOLIC COMPOUNDS, (PF) [CUST: MR SH 11 GS] [REVIEW: AR AS CR4 GL MI] | A 9330 | GS | 10-MAR-96 | |
| | ASTM-D4624-93 | VISCOSITY, MEASURING APPARENT, BY CAPILLARY VISCOMETER AT HIGH TEMPERATURE AND HIGH-SHEAR RATES [CUST: AT AS 68] | A 9150 | AT | 15-MAR-93 | |
| M | ASTM-D4625-92R98 | DISTILLATE FUEL STORAGE STABILITY AT 43 DEG. C (100 DEG. F) [CUST: CR4 SH 99] | A 91GP | CR4 | 15-AUG-92 | |
| | ASTM-D4628-86 | BARIUM, CALCIUM, MAGNESIUM, AND ZINC IN UNUSED LUBRICATING OILS BY ATOMIC ABSORPTION SPECTROMETRY, ANALYSIS OF [CUST: AT AS 68] | A 9150 | AT | 31-OCT-86 | |
| | ASTM-D4629-91R95 | NITROGEN TRACE IN LIQUID PETROLEUM HYDROCARBONS BY SYRINGE/INLET OXIDATIVE COMBUSTION AND CHEMILUMINESCENCE DETECTION [CUST: AT] [REVIEW: 99 AS CR4 PS] | A 91GP | AT | 15-MAR-91 | |
| | ASTM-D4632-91 | LOAD AND ELONGATION OF GEOTEXTILES, GRAB BREAKING [CUST: GL YD1 99] | A 83GP | YD1 | 31-OCT-86 | |
| | ASTM-D4634-86 | STYRENE-MALEIC ANHYDRIDE MATERIALS (S/MA) [CUST: MR SH 11 GS] [REVIEW: AR AS CR4 GL MI] | A 9330 | GS | 31-OCT-86 | |
| A | ASTM-D4636-97 | OILS, HYDRAULIC, AIRCRAFT TURBINE ENGINE LUBRICANTS, AND OTHER HIGHLY REFINED OILS, CORROSION AND OXIDATION STABILITY OF [CUST: CR4 AS 11] | A 91GP | 11 | 10-JAN-97 | |
| | ASTM-D4637-96 | SHEET, EPDM, USED IN SINGLE-PLY ROOF MEMBRANE [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5650 | YD1 | 10-FEB-96 | |
| | ASTM-D4643-93 | WATER (MOISTURE) CONTENT OF SOIL BY THE MICROWAVE OVEN METHOD, DETERMINATION OF [CUST: CR4 YD1 99] [REVIEW: 84 MC] | A 5610 | YD1 | 15-JUL-93 | |
| | ASTM-D4653-87R93 | LEATHER, TOTAL CHLORIDES IN [CUST: GL NU 99 CT] | A 83GP | CT | 30-JAN-87 | |
| | ASTM-D4655-95 | SULFATES IN LEATHER (TOTAL, NEUTRAL, AND COMBINED ACID) [CUST: GL NU 99 CT] | A 83GP | CT | 15-MAY-95 | |
| | ASTM-D4673-96 | MOLDING AND EXTRUSION MATERIALS, ACRYLONITRILE-BUTADIENE-STYRENE (ABS), PLASTICS AND ALLOYS [CUST: MR SH 11] [REVIEW: GS MD SM] | A 9330 | MR | 10-JUL-96 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/area | MCA Prep. Acty. | Date |
|----------------------|---|-----------------------|-----------------|-----------|
| ASTM-D4675-87 | MATERIALS, FLAT STRAPPING, SELECTION AND USE OF [CUST: SM AS 69] [REVIEW: 70 71 80 82 84 99 AR CR4 GL IS MI MR OS SA SH YD1] | A PACK | AS | 27-MAR-87 |
| ASTM-D4683-96 | MEASURING VISCOSITY AT HIGH SHEAR RATE AND HIGH TEMPERATURE BY TAPERED BEARING SIMULATOR [CUST: AT AS 68] | A 9150 | AT | 10-APR-96 |
| A ASTM-D4684-97 | ENGINE OILS AT LOW TEMPERATURE, DETERMINATION OF YIELD STRESS AND APPARENT VISCOSITY OF [CUST: AT AS 68] | A 9150 | AT | 10-APR-97 |
| ASTM-D4689A-95 | ADHESIVE, CASEIN-TYPE [CUST: MR 99] [REVIEW: 84 AL AR AS GL SH] | A 8040 | MR | 10-SEP-95 |
| ASTM-D4690A-95 | ADHESIVE, UREA-FORMALDEHYDE RESIN [CUST: MR AS 99] [REVIEW: 11 84 GL MI] | A 8040 | MR | 10-SEP-95 |
| ASTM-D4701-95 | METHYLENE CHLORIDE, TECHNICAL GRADE [CUST: EA SH 68 GS] [REVIEW: AS MC MD MI OS] | A 6810 | GS | 15-MAR-95 |
| ASTM-D4704-93 | LEATHER, TEARING STRENGTH, TONGUE TEAR OF [CUST: GL NU 99 CT] | A 83GP | CT | 15-JAN-93 |
| ASTM-D4705-93 | STITCH TEAR STRENGTH OF LEATHER, DOUBLE HOLE [CUST: GL NU 99 CT] | A 83GP | CT | 15-JAN-93 |
| ASTM-D4727/D4727M-96 | FIBERBOARD SHEET STOCK (CONTAINER GRADE) AND CUT SHAPES, CORRUGATED AND SOLID [CUST: GL SA 69] [REVIEW: 99 AS CR4 MC OS SM YD1] | A 8135 | GL | 10-FEB-96 |
| ASTM-D4736-87 | OILS USED IN OIL COOLED BRONZE FACED FRICTION CLUTCHES, EVALUATING FRICTION RETENTION CHARACTERISTICS OF [CUST: CR4 AS 68] | A 9150 | CR4 | 30-OCT-87 |
| ASTM-D4741-96 | VISCOSITY, MEASURING, AT HIGH TEMPERATURE AND HIGH SHEAR RATE BY TAPERED-PLUG VISCOMETER [CUST: AT AS 68] | A 9150 | AT | 10-APR-96 |
| ASTM-D4749-87 | SIEVE ANALYSIS OF COAL AND DESIGNATING COAL SIZE, PERFORMING THE [CUST: PS] | A 9110 | PS | 27-NOV-87 |
| ASTM-D4751-95 | GEOTEXTILE, DETERMINING APPARENT OPENING SIZE OF A [CUST: GL YD1 99] | A 83GP | YD1 | 15-APR-95 |
| ASTM-D4759-88R92 | GEOSYNTHETICS, DETERMINING THE SPECIFICATION CONFORMANCE OF [CUST: GL YD1 99] | A 83GP | YD1 | 11-FEB-88 |
| M ASTM-D4783-97 | ADHESIVE PREPARATIONS IN CONTAINER TO ATTACK BY BACTERIA, YEAST, AND FUNGI, RESISTANCE OF [CUST: MR SH 99] [REVIEW: 84 AR AS GL] | A 8040 | MR | 10-SEP-97 |
| ASTM-D4786-94 | STITCH TEAR STRENGTH SINGLE HOLE [CUST: GL NU 99 CT] | A 83GP | CT | 15-DEC-94 |
| ASTM-D4791-95 | PARTICLES FLAT, ELONGATED PARTICLES, OR FLAT AND ELONGATED PARTICLES IN COARSE AGGREGATE [CUST: CR4 YD1 99] [REVIEW: 84] | A 5610 | YD1 | 15-FEB-95 |
| ASTM-D4802-94 | SHEET, PLASTIC, POLY (METHYL METHACRYLATE) ACRYLIC [CUST: MR SH 11 GS] [REVIEW: AR AS AT AV GL MI YD1] | A 9330 | GS | 15-MAR-95 |
| ASTM-D4807-88 | OIL, CRUDE, BY MEMBRANE FILTRATION, SEDIMENT IN [CUST: PS] | A 91GP | PS | 25-MAR-88 |
| ASTM-D4808-92 | HYDROGEN CONTENT OF LIGHT DISTILLATES, MIDDLE DISTILLATES, GAS OILS, AND RESIDUA BY LOW-RESOLUTION NUCLEAR MAGNETIC RESONANCE SPECTROSCOPY [CUST: PS] | A 91GP | PS | 15-AUG-92 |
| ASTM-D4809-95 | HEAT OF COMBUSTION OF LIQUID HYDROCARBON FUELS BY BOMB CALORIMETER (PRECISION METHOD) [CUST: AT SH 11] | A 91GP | AT | 15-AUG-95 |
| A ASTM-D4814B-97 | FUEL, AUTOMOTIVE SPARK-IGNITION ENGINE [CUST: AT YD1 68] | A 9130 | AT | 10-JUL-97 |
| ASTM-D4815-88 | GAS CHROMATOGRAPHY, C1 TO C4 ALCOHOLS AND MTBE IN GASOLINE BY, DETERMINATION OF [CUST: AT] | A 9130 | AT | 29-APR-88 |
| ASTM-D4831-88R94 | BUCKLE TEAR STRENGTH OF LEATHER [CUST: GL NU 99 CT] | A 83GP | CT | 27-MAY-88 |
| ASTM-D4833-88 | INDEX PUNCTURE RESISTANCE OF GEOTEXTILES, GEOMEMBRANES, AND RELATED PRODUCTS [CUST: GL YD1 99] | A 83GP | YD1 | 19-AUG-88 |
| ASTM-D4857-88 | ENGINES, GASOLINE, TWO-STROKE-CYCLE, OTHER THAN OUTBOARDS, ABILITY OF LUBRICANTS TO MINIMIZE RING STICKING AND PISTON DEPOSITS IN DETERMINATION OF, [CUST: AT AS 68] | A 9150 | AT | 31-OCT-88 |
| ASTM-D4858-88 | ENGINE, GASOLINE, TWO-STROKE-CYCLE, TENDENCY OF LUBRICANTS TO PROMOTE PREIGNITION IN, DETERMINATION OF - 31 OCT 1988 [CUST: AT AS 68] | A 9150 | AT | 06-JUL-90 |
| ASTM-D4859-88 | ENGINES-TC, GASOLINE, TWO-STROKE-CYCLE SPARK-IGNITION, LUBRICANTS FOR [CUST: AT AS 68] | A 9150 | AT | 31-OCT-88 |
| ASTM-D4863-88 | ENGINE LUBRICANTS, GASOLINE, LUBRICITY OF TWO-STROKE-CYCLE, DETERMINATION OF [CUST: AT AS 68] | A 9150 | AT | 31-OCT-88 |
| ASTM-D4892-89 | PITCH, SOLID, (HELIUM PYCNOMETER METHOD), DENSITY OF [CUST: MR SH 11 GS] [REVIEW: AR AS AT AV GL MI YD1] | A 9330 | GS | 27-JAN-89 |
| ASTM-D4897-97 | ASPHALT-COATED GLASS-FIBER VENTING BASE SHEET USED IN ROOFING [CUST: CR4 YD1 99] | A 5660 | YD1 | 10-FEB-97 |
| ASTM-D4898-90 | FLUIDS, HYDRAULIC, BY GRAVIMETRIC ANALYSIS, INSOLUBLE CONTAMINATION OF [CUST: CR4 AS 11] | A 9150 | 11 | 25-MAY-90 |
| ASTM-D4919-89 | PACKAGINGS, HAZARDOUS MATERIALS, TESTING OF [CUST: SM AS 69 DH] [REVIEW: 11 AL AR AT CG CR GS MB MI NM SA YD1] | A PACK | SM | 10-NOV-89 |
| ASTM-D4925-89 | LEATHER, FLEXIBILITY AND ADHESION OF FINISH ON [CUST: GL NU 99 CT] | A 83GP | CT | 31-MAR-89 |
| ASTM-D4927-93 | LUBRICANT AND ADDITIVE COMPONENTS-BARIUM, CALCIUM, PHOSPHORUS, SULFUR, AND ZINC BY WAVELENGTH-DISPERSIVE X-RAY FLUORESCENCE SPECTROSCOPY, ELEMENTAL ANALYSIS OF [CUST: AT AS 68] | A 9150 | AT | 15-FEB-93 |
| ASTM-D4928-89 | WATER IN CRUDE OILS BY COULOMETRIC KARL FISCHER TITRATION [CUST: PS] | A 91GP | PS | 31-MAR-89 |
| ASTM-D4951-92 | ELEMENTS, ADDITIVE, IN LUBRICATING OILS BY INDUCTIVELY COUPLED PLASMA ATOMIC EMISSION SPECTROMETRY, DETERMINATION OF [CUST: AT AS 68] | A 9150 | AT | 28-MAY-92 |
| ASTM-D4952-94 | FUELS AND SOLVENTS (DOCTOR TEST), ACTIVE SULFUR SPECIES IN, QUALITATIVE ANALYSIS FOR [CUST: CR4 AS 11] | A 91GP | 11 | 15-JAN-94 |
| ASTM-D4956-95 | SHEETING, RETROREFLECTIVE, FOR TRAFFIC CONTROL [CUST: GL AS 99] [REVIEW: 84 AT CG GS MC] | A 9390 | GL | 10-SEP-95 |
| ASTM-D4985-94 | ENGINE COOLANT, LOW SILICATE ETHYLENE GLYCOL BASE, FOR HEAVY DUTY ENGINES REQUIRING A PRE-CHARGE OF SUPPLEMENTAL COOLANT ADDITIVE (SCA) [CUST: AT SH 68] | A 6850 | AT | 15-JUL-94 |
| ASTM-D5006-90 | FUEL SYSTEM ICING INHIBITORS (ETHER TYPE) IN AVIATION FUELS, MEASUREMENT OF [CUST: CR4 AS 11] | A 9130 | 11 | 28-SEP-90 |
| ASTM-D5034-95 | FABRICS, TEXTILE (GRAB TEST), BREAKING STRENGTH AND ELONGATION OF [CUST: GL NU 11 CT] [REVIEW: 82 99 AR AS AT CR4 MD SH TE] | A 83GP | CT | 15-MAY-95 |
| ASTM-D5035-95 | TEXTILE FABRICS (STRIP METHOD), BREAKING FORCE AND ELONGATION OF [CUST: GL NU 11 CT] [REVIEW: 82 99 AR AS AT CR4 MD SH TE] | A 83GP | CT | 15-MAY-95 |
| ASTM-D5040-90 | ASH CONTENT OF ADHESIVES [CUST: MR SH 11] [REVIEW: AR AV CR4 GL MI] | A 8040 | MR | 30-MAR-90 |
| ASTM-D5052-90 | LEATHER TO WATER VAPOR, PERMEABILITY OF [CUST: GL NU 99 CT] | A 83GP | CT | 10-OCT-95 |
| ASTM-D5053-95 | LEATHER, COLORFASTNESS OF CROCKING OF [CUST: GL NU 99 CT] | A 83GP | CT | 10-OCT-95 |
| ASTM-D5104-90 | FIBERS, TEXTILE (SINGLE-FIBER TEST), SHRINKAGE OF [CUST: GL NU 99 CT] [REVIEW: 45 82 CG] | A 83GP | CT | 27-JUL-90 |
| ASTM-D5105-90 | TAPES, PRESSURE SENSITIVE, USING CONCENTRATED NATURAL SUNLIGHT, PERFORMING ACCELERATED OUTDOOR WEATHERING OF [CUST: SM AS] [REVIEW: AL MI OS SH] | A PACK | AS | 27-JUL-90 |
| ASTM-D5118/D5118M-95 | BOXES, FIBERBOARD SHIPPING, FABRICATION OF [CUST: SM YD1 69 DH] [REVIEW: 70 71 80 82 84 AR AS CR4 GL MI OS SH] | A 8115 | SM | 10-NOV-95 |
| A ASTM-D5119-97 | ENGINE OILS, AUTOMOTIVE, IN THE CRC L-38 SPARK-IGNITION ENGINE, EVALUATION OF [CUST: CR4 AS 68] | A 9150 | CR4 | 10-APR-97 |
| ASTM-D5151-92 | GLOVES, MEDICAL, DETECTION OF HOLES IN [CUST: MD MS 03 MB] | A 6515 | MB | 15-SEP-92 |
| ASTM-D5168-91 | CONTAINERS, FABRICATION AND CLOSURE OF TRIPLE WALL CORRUGATED FIBERBOARD [CUST: SM YD1 69 DH] [REVIEW: 70 71 80 82 84 AR AS CR4 GL MI OS SH] | A 8115 | SM | 15-SEP-91 |
| A ASTM-D5185-97 | ELEMENTS, DETERMINATION OF ADDITIVE, WEAR METALS, AND CONTAMINANTS IN USED LUBRICATING OILS AND DETERMINATION OF SELECTED ELEMENTS IN BASE OILS BY INDUCTIVELY COUPLED PLASMA ATOMIC EMISSION SPECTROMETRY (ICP-AES) [CUST: AT AS 68] | A 9150 | AT | 10-APR-97 |
| ASTM-D5191 | STANDARD TEST METHOD FOR VAPOR PRESSURE OF PETROLEUM PRODUCTS (MINIT METHOD) [CUST: PS] | A 91GP | PS | 18-NOV-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|----------------------|---|--------------------------|-----|-------------|------|
| | ASTM-D5204-91 | MATERIALS, MOLDING AND EXTRUSION, POLYAMIDE-IMIDE (PAI) [CUST: MR AS] [REVIEW: 11 AR AT GS MI] | A 9330 | MR | 15-NOV-91 | |
| A | ASTM-D5205-96 | SYSTEM FOR POLYETHERIMIDE (PEI) MATERIALS [CUST: MR SH 11] [REVIEW: 84 99 AS CG FSS GS] | A 9330 | MR | 10-MAR-96 | |
| | ASTM-D5229/D5229M-92 | PROPERTIES, MOISTURE ABSORPTION, AND EQUILIBRIUM CONDITIONING OF POLYMER MATRIX COMPOSITE MATERIALS [CUST: MR SH 99] | A 9330 | MR | 15-FEB-92 | |
| | ASTM-D5300-93 | POLYMER MATRIX THERMOSET PREPREG BY COMBINED MECHANICAL AND ULTRASONIC METHODS, MEASUREMENT OF RESIN CONTENT AND OTHER RELATED PROPERTIES OF [CUST: MR AS 11] [REVIEW: AR AT GL GS MI SH] | A CMPS | MR | 15-MAR-93 | |
| | ASTM-D5304-92 | FUEL STORAGE STABILITY BY OXYGEN OVERPRESSURE, ASSESSING DISTILLATE [CUST: PS] | A 91GP | PS | 15-OCT-92 | |
| | ASTM-D5330/D5330M-93 | TAPE, PRESSURE-SENSITIVE, FOR PACKAGING, FILAMENT-REINFORCED [CUST: SM SA 69 DH] [REVIEW: 70 71 80 82 84 AR AS EC GL SH YDI] | A 7510 | SM | 15-NOV-93 | |
| A | ASTM-D5445-95 | PICTORIAL MARKINGS FOR HANDLING GOODS [CUST: YD1 69] [REVIEW: 99 AS DH] | A PACK | YD1 | 15-MAY-95 | |
| A | ASTM-D5448/D5448M-93 | INPLANE SHEAR PROPERTIES OF HOOP WOUND POLYMER MATRIX COMPOSITE CYLINDERS [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | A CMPS | MR | 15-AUG-93 | |
| A | ASTM-D5449/D5449M-93 | TRANSVERSE COMPRESSIVE PROPERTIES OF HOOP WOUND POLYMER MATRIX COMPOSITE CYLINDERS [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | A CMPS | MR | 15-AUG-93 | |
| A | ASTM-D5450/D5450M-93 | TENSILE PROPERTIES, TRANSVERSE OF HOOP WOUND POLYMER MATRIX COMPOSITE CYLINDERS [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | A CMPS | MR | 15-AUG-93 | |
| A | ASTM-D5452-97 | FUELS, AVIATION, PARTICULATE CONTAMINATION IN, BY LABORATORY FILTRATION [CUST: AT AS 11] [REVIEW: 68 CR4 PS] | A 9130 | 11 | 10-JUN-97 | |
| | ASTM-D5470-93 | PROPERTIES, THERMAL TRANSMISSION, OF THIN THERMALLY CONDUCTIVE SOLID ELECTRICAL INSULATION MATERIALS [CUST: CR SH 85 GS] [REVIEW: 03 19 99 CC EC FSS HD] | A 5970 | GS | 15-OCT-93 | |
| A | ASTM-D5486/D5486M-93 | TAPE, PRESSURE-SENSITIVE, FOR PACKAGING, BOX CLOSURE, AND SEALING [CUST: SM AS 69 DH] [REVIEW: 71 80 84 99 AR AV CR CR4 DS FSS GL MC MI OS SA SH YDI] | A 7510 | SM | 15-NOV-93 | |
| A | ASTM-D5632-95 | HALON 1301, BROMOTRIFLUOROMETHANE (CF3BR) [CUST: AT AS 68] [REVIEW: GS MC MS] | A 6830 | AT | 15-APR-95 | |
| | ASTM-D5727-95 | EMULSIFIED REFINED COAL TAR (MINERAL COLLOID TYPE) [CUST: YDI] | A 5610 | YDI | 15-MAY-95 | |
| | ASTM-D5834-95 | SOURCE REDUCTION REUSE, RECYCLING, AND DISPOSAL OF SOLID AND CORRUGATED FIBERBOARD (CARDBOARD) [CUST: SM YDI 69] | A 8135 | SM | 10-SEP-95 | |
| | ASTM-D5948-96 | COMPOUNDS, MOLDING, THERMOSETTING [CUST: CR4 SH 11] | A 9330 | SH | 09-APR-96 | |
| | ASTM-D5960 | TECHNICAL GRADE ETHYLENE DICHLORIDE [CUST: EA SH 68 GS] | A 6810 | GS | 10-JUN-96 | |
| | ASTM-E1-94 | THERMOMETERS, ASTM [CUST: CR4 SH 11] | A 6685 | CR4 | 12-APR-94 | |
| | ASTM-E3-80R86 | METALLOGRAPHIC SPECIMENS, PREPARATION OF [CUST: MR] [REVIEW: AR AS IS SH YDI] | A 95GP | MR | 31-OCT-80 | |
| A | ASTM-E4-98 | MACHINES, TESTING, FORCE VERIFICATION OF [CUST: MR] [REVIEW: AR IS] | A 95GP | MR | 10-JAN-98 | |
| M | ASTM-E6-98 | METHODS OF MECHANICAL TESTING, STANDARD TERMINOLOGY RELATING TO [CUST: MR AS] [REVIEW: 11 SH] | A 95GP | MR | 10-JAN-98 | |
| A | ASTM-E7-97 | METALLOGRAPHY [CUST: MR AS 11] [REVIEW: IS] | A 95GP | MR | 10-JUL-97 | |
| M | ASTM-E8-98 | MATERIALS, METALLIC, TENSION TESTING OF [CUST: MR AS 99] [REVIEW: AT CR4 GL IS SH YDI] | A 95GP | MR | 10-JAN-98 | |
| M | ASTM-E8M-98 | MATERIALS, METALLIC, TENSION TESTING OF (METRIC) [CUST: MR AS 99] [REVIEW: AT CR4 GL SH] | A 95GP | MR | 10-JAN-98 | |
| | ASTM-E9-89 | MATERIALS, METALLICS, AT ROOM TEMPERATURE, COMPRESSION TESTING OF [CUST: MR SH] [REVIEW: AR AS IS OS YDI] | A 95GP | MR | 31-MAR-89 | |
| | ASTM-E10-93 | MATERIALS, METALLIC, BRINELL HARDNESS OF [CUST: MR AS 11] | A 95GP | MR | 15-AUG-93 | |
| | ASTM-E11-87 | SIEVES, WIRE-CLOTH, FOR TESTING PURPOSES [CUST: CR4 YDI 99] [REVIEW: AS EA GL GS IS MC MI SM] | A 6635 | CR4 | 29-MAY-87 | |
| | ASTM-E12-70R91 | DENSITY AND SPECIFIC GRAVITY OF SOLIDS, LIQUIDS, AND GASES [CUST: EA 68] [REVIEW: AR AS CR4 GL MC MD OS SH YDI] | A 6810 | GS | 29-MAY-70 | |
| A | ASTM-E18A-97 | MATERIALS, METALLIC, ROCKWELL HARDNESS AND ROCKWELL SUPERFICIAL HARDNESS OF [CUST: MR AS] [REVIEW: AT CR4] | A 95GP | MR | 10-OCT-97 | |
| | ASTM-E21-92 | MATERIALS, METALLIC, ELEVATED TEMPERATURE TENSION TESTS OF [CUST: MI SH 11] | A 96GP | MI | 15-AUG-92 | |
| | ASTM-E23-96 | BAR, NOTCHED, IMPACT TESTING OF METALLIC MATERIALS [CUST: MR SH 11] [REVIEW: AR AT GL IS YDI] | A 95GP | MR | 10-MAR-96 | |
| | ASTM-E28-67 | RING-AND BALL APPARATUS, SOFTENING POINT BY [CUST: MR SH 84] | A 8010 | MR | 08-SEP-67 | |
| | ASTM-E29A-93 | TEST DATA TO DETERMINE CONFORMANCE WITH SPECIFICATIONS, USING SIGNIFICANT DIGITS IN [CUST: AR AS 68] | A MISC | 68 | 15-MAR-93 | |
| | ASTM-E30-89 | CHEMICAL ANALYSIS OF STEEL, CAST IRON, OPEN-HEARTH IRON, AND WROUGHT IRON [CUST: MR YDI 99] [REVIEW: 84 AS IS OS SH] | A 95GP | YDI | 28-APR-89 | |
| | ASTM-E34-88 | ALLOYS, ALUMINUM AND ALUMINUM BASE, CHEMICAL ANALYSIS OF, STANDARD TEST METHOD FOR [CUST: MR YDI] [REVIEW: CE EA IS OS SH] | A 95GP | YDI | 29-JAN-88 | |
| | ASTM-E40-88 | SLAB ZINC (SPELTER), CHEMICAL ANALYSIS OF, STANDARD TEST METHODS FOR [CUST: EA] [REVIEW: CR4 GS MD] | A 6810 | EA | 29-JAN-88 | |
| | ASTM-E45-97 | STEEL, DETERMINING THE INCLUSION CONTENT OF [CUST: MR AS 99] | A 95GP | MR | 10-APR-97 | |
| | ASTM-E50-90 | APPARATUS, REAGENTS, AND SAFETY PRECAUTIONS FOR CHEMICAL ANALYSIS OF METALS [CUST: EA SH 68] [REVIEW: AR GL MD] | A 6810 | GS | 01-NOV-90 | |
| | ASTM-E53A-86R91 | CHEMICAL ANALYSIS OF COPPER [CUST: MR YDI 99] [REVIEW: 84 AS IS OS SH] | A 95GP | YDI | 25-APR-86 | |
| | ASTM-E55-91 | CHEMICAL COMPOSITION, SAMPLING WROUGHT NONFERROUS METALS AND ALLOYS FOR DETERMINATION OF [CUST: MR YDI 99] [REVIEW: 84 AS IS OS SH] | A 95GP | YDI | 15-SEP-91 | |
| | ASTM-E59-93 | SAMPLING STEEL AND IRON FOR DETERMINATION OF CHEMICAL COMPOSITION [CUST: MR YDI 99] [REVIEW: 84 AS IS] | A 95GP | YDI | 15-JUL-93 | |
| | ASTM-E62-89 | CHEMICAL ANALYSIS OF NICKEL-COPPER ALLOYS (PHOTOMETRIC METHODS), STANDARD METHODS FOR [CUST: MR YDI 99] [REVIEW: 84 AS IS OS SH] | A 95GP | YDI | 27-JAN-89 | |
| | ASTM-E70-90 | ELECTRODE, PH OF AQUEOUS SOLUTIONS WITH THE GLASS [CUST: EA MS 99] [REVIEW: AR CR4 DP MD] | A 6630 | EA | 26-JAN-90 | |
| | ASTM-E72-95 | BUILDING CONSTRUCTION, CONDUCTING STRENGTH TESTS OF PANELS FOR [CUST: YDI 99] [REVIEW: 84 CE MC] | A FACR | YDI | 15-APR-95 | |
| | ASTM-E74-95 | CALIBRATION OF FORCE-MEASURING INSTRUMENTS FOR VERIFYING THE FORCE INDICATION OF TESTING MACHINES [CUST: MR YDI 99 GS] | A 6670 | GS | 10-OCT-95 | |
| | ASTM-E75-76R90 | COPPER-NICKEL AND COPPER-NICKEL-ZINC ALLOYS, CHEMICAL ANALYSIS OF [CUST: MR SH 99] | A 95GP | SH | 27-AUG-76 | |
| | ASTM-E76-88R93 | CHEMICAL ANALYSIS OF NICKEL-COPPER ALLOYS [CUST: MR YDI 99] [REVIEW: 84 AS IS SH] | A 95GP | YDI | 30-DEC-88 | |
| | ASTM-E77-92 | INSPECTION AND VERIFICATION OF THERMOMETERS [CUST: CR4 99 GS] [REVIEW: 30 82 AR AS SH] | A 6685 | GS | 15-JUL-92 | |
| | ASTM-E83-94 | VERIFICATION AND CLASSIFICATION OF EXTENSOMETERS [CUST: MR SH 11] [REVIEW: 82 99 GS MC OS] | A 6635 | SH | 15-FEB-94 | |
| M | ASTM-E84-98 | SURFACE BURNING CHARACTERISTICS OF BUILDING MATERIALS [CUST: CR4 YDI] | A 56GP | YDI | 10-JAN-98 | |
| | ASTM-E88-91 | METALS AND ALLOYS, SAMPLING NONFERROUS IN CAST FORM FOR DETERMINATION OF CHEMICAL COMPOSITION [CUST: MR YDI 99] [REVIEW: 84 AS SH] | A MECA | YDI | 15-SEP-91 | |
| A | ASTM-E90-97 | LABORATORY MEASUREMENT OF AIRBORNE SOUND TRANSMISSION LOSS OF BUILDING PARTITIONS AND ELEMENTS [CUST: YDI 99] [REVIEW: CE] | A 5640 | YDI | 10-MAR-97 | |
| | ASTM-E92-82R92 | MATERIALS, METALLIC, VICKERS HARDNESS OF [CUST: MR 11] [REVIEW: AR AT IS] | A 95GP | MR | 30-JUL-82 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Ave | MCA | Prep. Acty. | Date |
|------------|-----------------|---|----------------------|-----|-------------|-----------|
| | ASTM-E96-95 | WATER VAPOR TRANSMISSION OF MATERIALS [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL GS MI MR OS SA SH YD1] | A PACK | AS | | 06-MAR-95 |
| | ASTM-E97-82 | SPECIMENS, OPAQUE, BY BROAD-BAND FILTER REFLECTOMETRY, DIRECTIONAL REFLECTANCE FACTOR, 45-DEG 0-DEG OF, STANDARD TEST METHOD FOR [CUST: MR SH 11] [REVIEW: CR4] | A 8010 | MR | | 29-OCT-82 |
| | ASTM-E100-93 | HYDROMETERS, ASTM [CUST: EA 99] [REVIEW: CR4 DP MD MS] | A 6630 | EA | | 05-MAY-93 |
| | ASTM-E101-91 | ALUMINUM AND ALUMINUM ALLOYS BY THE POINT-TO-PLANE TECHNIQUE, SPECTROGRAPHIC ANALYSIS OF [CUST: MR OS 99] | A 95GP | MR | | 15-SEP-91 |
| | ASTM-E103-84R89 | MATERIALS, METALLIC, RAPID INDENTATION HARDNESS TESTING OF [CUST: AR AS 99] | A 95GP | AR | | 15-JUN-84 |
| | ASTM-E104-85R91 | SOLUTIONS, AQUEOUS, MAINTAINING CONSTANT RELATIVE HUMIDITY BY MEANS OF [CUST: CR AS 80] | A ENVR | AS | | 22-FEB-85 |
| | ASTM-E108-96 | FIRE TESTS OF ROOF COVERINGS [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5650 | YD1 | | 10-NOV-96 |
| A | ASTM-E110-82R92 | MATERIALS, METALLIC, BY PORTABLE HARDNESS TESTERS, INDENTATION HARDNESS OF [CUST: GL YD1 99] [REVIEW: AS GS] | A 6635 | YD1 | | 30-JUL-82 |
| A | ASTM-E111-97 | MODULUS, YOUNG'S, TANGENT MODULUS, AND CHORD MODULUS [CUST: MI YD1 99] | A 6635 | MI | | 10-APR-97 |
| | ASTM-E112-88 | GRAIN SIZE, DETERMINING AVERAGE [CUST: MR AS 99] [REVIEW: CR4 IS] | A 95GP | MR | | 26-AUG-88 |
| | ASTM-E114-95 | PULSE-ECHO STRAIGHT-BEAM EXAMINATION, ULTRASONIC, BY THE CONTACT METHOD [CUST: MR AS] [REVIEW: AT AV OS SH YD1] | A NDTI | MR | | 15-MAY-95 |
| | ASTM-E117-64R85 | LEAD, PIG, BY THE POINT-TO-PLANE TECHNIQUE, SPECTROGRAPHIC ANALYSIS OF [CUST: AR SH 99] | A 9650 | AR | | 31-AUG-64 |
| | ASTM-E119A-95 | FIRES TEST OF BUILDING CONSTRUCTION AND MATERIALS [CUST: YD1] [REVIEW: CE OS SH] | A FACR | YD1 | | 15-APR-95 |
| | ASTM-E120-96 | CHEMICAL ANALYSIS OF TITANIUM AND TITANIUM ALLOYS [CUST: MR AS] [REVIEW: AT AV MI OS] | A 3439 | AS | | 10-JAN-96 |
| | ASTM-E122-89 | SAMPLE SIZE TO ESTIMATE A MEASURE OF QUALITY FOR A LOT OR PROCESS, CHOICE OF [CUST: MR OS 05] | A QCIC | MR | | 25-AUG-89 |
| | ASTM-E125-63R93 | CASTINGS, MAGNETIC PARTICLE INDICATIONS ON FERROUS [CUST: MR SH 11] [REVIEW: 99 AR AS AT MI] | A NDTI | MR | | 30-SEP-63 |
| | ASTM-E126-92 | INSPECTION AND VERIFICATION OF HYDROMETERS [CUST: EA 99] [REVIEW: 30 CR4 DP MD] | A 6630 | EA | | 15-MAY-92 |
| | ASTM-E127-95 | ALLOY, ALUMINUM, ULTRASONIC STANDARD REFERENCE BLOCKS, FABRICATING AND CHECKING [CUST: AT AS 11] | A NDTI | AS | | 10-SEP-95 |
| A | ASTM-E132-97 | RATIO AT ROOM TEMPERATURE, POISSON'S [CUST: MR AS 99] | A 6635 | MR | | 10-APR-97 |
| | ASTM-E133-92 | EQUIPMENT, DISTILLATION [CUST: MI SH 99 MB] | A 6640 | MI | | 15-AUG-92 |
| | ASTM-E136-95 | BEHAVIOR OF MATERIALS IN A VERTICAL TUBE FURNACE AT 750 DEG. C [CUST: CR4 YD1] [REVIEW: CE OS SH] | A FACR | YD1 | | 10-NOV-95 |
| | ASTM-E139-96 | MATERIALS, METALLIC, CONDUCTING CREEP, CREEP-RUPTURE, AND STRESS-RUPTURE TESTS OF [CUST: AT] | A 95GP | AT | | 10-DEC-96 |
| | ASTM-E140-95 | METALS, STANDARD HARDNESS CONVERSION TABLES FOR [CUST: MR 99] [REVIEW: AR AT GL IS] | A 95GP | MR | | 15-APR-95 |
| | ASTM-E142-92 | RADIOGRAPHIC TESTING, CONTROLLING QUALITY OF [CUST: MR AS 11 GS] [REVIEW: AT GL OS SH] | A NDTI | GS | | 15-MAY-92 |
| | ASTM-E145-94 | OVENS, GRAVITY-CONVECTION AND FORCED-VENTILATION [CUST: CR4 SH 99] | A 7310 | CR4 | | 15-AUG-94 |
| | ASTM-E146-83 | ZIRCONIUM AND ZIRCONIUM ALLOYS, CHEMICAL ANALYSIS OF, STANDARD METHODS FOR [CUST: MR AS] [REVIEW: AT AV MI OS] | A 3439 | AS | | 28-OCT-83 |
| | ASTM-E152-81 | DOOR ASSEMBLIES, FIRE TESTS OF, STANDARD METHODS OF [CUST: CE YD1 11] | A FACR | YD1 | | 10-NOV-81 |
| | ASTM-E154-88R93 | WATER VAPOR RETARDERS USED IN CONTACT WITH EARTH UNDER CONCRETE SLABS, ON WALLS, OR AS GROUND COVER [CUST: YD1 99] | A FACR | YD1 | | 26-AUG-88 |
| | ASTM-E155-91 | RADIOGRAPHS FOR INSPECTION OF ALUMINUM AND MAGNESIUM CASTINGS, STANDARD REFERENCE [CUST: MR AS 11] [REVIEW: CR4] | A NDTI | MR | | 15-OCT-91 |
| | ASTM-E162-90 | SURFACE FLAMMABILITY OF MATERIALS USING A RADIANT HEAT ENERGY SOURCE [CUST: MR SH GS] [REVIEW: AR AS CR GL MI OS YD1] | A 9330 | GS | | 26-OCT-90 |
| | ASTM-E164A-94 | WELDMENTS, ULTRASONIC CONTACT EXAMINATION OF [CUST: MR AS 11 GS] | A NDTI | GS | | 15-SEP-94 |
| | ASTM-E167-96 | GONIOPHOTOMETRY OF OBJECTS AND MATERIALS [CUST: MR SH 11 GS] [REVIEW: 99 AR AS AT AV CR CR4 MI YD1] | A 9330 | GS | | 10-NOV-96 |
| | ASTM-E168-92 | ANALYSIS, INFRARED QUANTITATIVE, GENERAL TECHNIQUES OF [CUST: AR AS 11] | A NDTI | AR | | 15-DEC-92 |
| | ASTM-E171-94 | MATERIALS, FLEXIBLE BARRIER, CONDITIONING AND TESTING, STANDARD ATMOSPHERES FOR [CUST: MR AS 99] | A 6635 | MR | | 15-NOV-94 |
| | ASTM-E175-82R90 | MICROSCOPY [CUST: MR AS 11] [REVIEW: IS] | A 95GP | MR | | 03-MAR-82 |
| | ASTM-E177A-90 | TEST METHODS, ASTM, USE OF THE TERMS PRECISION AND BIAS IN [CUST: MR OS 05] | A QCIC | MR | | 29-JUN-90 |
| | ASTM-E186-93 | STEEL CASTINGS, HEAVY-WALLED (2 TO 4 1/2-IN. (51 TO 114-MM)) [CUST: MR SH 11] [REVIEW: AR AS AT MI] | A NDTI | MR | | 15-SEP-93 |
| | ASTM-E190-92 | WELDS, GUIDED BEND TEST FOR DUCTILITY OF [CUST: AR SH 11] | A THJM | AR | | 15-JAN-92 |
| | ASTM-E191-64R90 | APPARATUS FOR MICRODETERMINATION OF CARBON AND HYDROGEN IN ORGANIC AND ORGANO-METALLIC COMPOUNDS [CUST: EA OS 68] [REVIEW: GL] | A 6810 | GS | | 15-JUN-64 |
| | ASTM-E192-91 | STEEL CASTINGS OF AEROSPACE APPLICATIONS, STANDARD REFERENCE RADIOGRAPHS OF INVESTMENT [CUST: MR AS 11] [REVIEW: AR AT MI SH] | A NDTI | MR | | 15-OCT-91 |
| | ASTM-E193-94 | LABORATORY GLASS MICROPIPETS [CUST: MD MS 03] | A 6640 | MB | | 15-FEB-94 |
| | ASTM-E196-95 | FLOORS AND FLAT ROOFS, GRAVITY LOAD TESTING OF [CUST: GL YD1] [REVIEW: CE] | A 5410 | YD1 | | 15-APR-95 |
| | ASTM-E200-91 | CHEMICAL ANALYSIS, PREPARATION, STANDARDIZATION, AND STORAGE OF STANDARD AND REAGENT SOLUTIONS FOR [CUST: AR OS 68] | A 6810 | AR | | 15-AUG-91 |
| | ASTM-E202A-94 | ETHYLENE GLYCOLS AND PROPYLENE GLYCOLS, ANALYSIS OF [CUST: EA 68 GS] [REVIEW: CR4 GL MD SH] | A 6810 | GS | | 15-DEC-94 |
| | ASTM-E203-96 | WATER USING VOLUMETRIC KARL FISCHER TITRATION [CUST: MR SH 11] | A 9150 | MR | | 10-MAR-96 |
| | ASTM-E208A-95 | STEELS, FERRITIC, CONDUCTING DROP-WEIGHT TEST TO DETERMINE NIL-DUCTILITY TRANSITION TEMPERATURE OF [CUST: MR SH 99] | A 95GP | SH | | 15-AUG-95 |
| | ASTM-E215-87R92 | EQUIPMENT, STANDARDIZING, FOR ELECTROMAGNETIC EXAMINATION OF SEAMLESS ALUMINUM-ALLOY TUBE [CUST: CR4 AS 11] | A 4710 | 11 | | 29-MAY-87 |
| | ASTM-E220-86 | THERMOCOUPLES BY COMPARISON TECHNIQUES, CALIBRATION OF [CUST: CR4 AS 99] | A 6685 | AS | | 27-MAR-86 |
| A | ASTM-E223-96 | ANALYSIS OF SULFURIC ACID [CUST: EA SH 68 GS] [REVIEW: AR CR4 MD] | A 6810 | GS | | 10-DEC-96 |
| A | ASTM-E224-96 | ACID, HYDROCHLORIC, ANALYSIS OF [CUST: EA 68 GS] [REVIEW: AR CR4 GL MD SH] | A 6810 | GS | | 10-DEC-96 |
| | ASTM-E227-90 | ALUMINUM AND ALUMINUM ALLOYS BY THE POINT-TO-PLANE TECHNIQUE, OPTICAL EMISSION SPECTROMETRIC ANALYSIS OF [CUST: MR AS 11] | A NDTI | AS | | 26-JAN-90 |
| | ASTM-E228-71 | DILATOMETER, VITREOUS SILICA, RIGID SOLIDS, WITH A THERMAL EXPANSION OF, STANDARD TEST METHOD FOR [CUST: GL SA 99] [REVIEW: 84 GS MD] | A 7350 | GL | | 19-NOV-71 |
| M | ASTM-E243-97 | COPPER AND COPPER-ALLOY TUBES, ELECTROMAGNETIC (EDDY-CURRENT) EXAMINATION OF, [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | | 10-MAY-97 |
| | ASTM-E248-95 | MANGANESE IN MANGANESE ORE BY THE PYROPHOSPHATE (POTENTIOMETRIC) METHOD [CUST: EA GS] [REVIEW: CR4 GL MC MD SH] | A 6810 | GS | | 13-SEP-68 |
| | ASTM-E251-92 | GAGES, METALLIC BONDED RESISTANCE STRAIN, PERFORMANCE CHARACTERISTICS OF [CUST: MR AS 99] | A 6635 | MR | | 15-JAN-92 |
| | ASTM-E252-84 | FOIL, THIN, AND FILM BY WEIGHING, THICKNESS OF [CUST: MR AS 11] [REVIEW: IS] | A 95GP | AS | | 31-AUG-84 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Ver | MCA | Prep. Acty. | Date |
|------------|-----------------|--|----------------------|-----|-------------|------|
| | ASTM-E256-91 | CHLORINE IN ORGANIC COMPOUNDS BY SODIUM PEROXIDE BOMB IGNITION [CUST: EA 68] [REVIEW: CR4 GL MD] | A 6810 | GS | 15-DEC-91 | |
| | ASTM-E257-93 | SULFUR IN ORGANIC COMPOUNDS BY SODIUM PEROXIDE BOMB IGNITION [CUST: EA 68] [REVIEW: GL MD SH] | A 6810 | GS | 15-JAN-93 | |
| | ASTM-E258-67R87 | TOTAL NITROGEN IN ORGANIC MATERIALS BY MODIFIED KJELDAHL METHOD [CUST: MR SH 11] | A 91GP | MR | 08-SEP-67 | |
| | ASTM-E263-93 | IRON, MEASURING FAST-NEUTRON REACTION RATES BY RADIOACTIVATION OF [CUST: CR EC 17 CC] [REVIEW: 11 19 99 AR AS CG MC MI NA OS SH SM] | A 5962 | CC | 15-SEP-93 | |
| | ASTM-E264-92 | NICKEL, MEASURING FAST-NEUTRON REACTION RATES BY RADIOACTIVATION OF [CUST: CR EC 17 CC] [REVIEW: 11 19 99 AR AS CG MC MI NA OS SH SM] | A 5962 | CC | 15-OCT-92 | |
| | ASTM-E265-93 | SULFUR-32, MEASURING REACTION RATES AND FAST-NEUTRON FLUENCES BY RADIOACTIVATION OF [CUST: CR EC 17 CC] [REVIEW: 11 19 99 AR AS CG MC MI NA OS SH SM] | A 5962 | CC | 15-SEP-93 | |
| | ASTM-E270A-90 | LIQUID PENETRANT EXAMINATION [CUST: MR AS 11] [REVIEW: AT GL SH] | A NDTI | MR | 29-JUN-90 | |
| | ASTM-E272-95 | COPPER-BASE AND NICKEL-COPPER ALLOY CASTINGS, HIGH-STRENGTH [CUST: MR AS 11] | A NDTI | AS | 10-DEC-95 | |
| | ASTM-E273-93 | PIPE AND TUBING, ULTRASONIC EXAMINATION OF LONGITUDINAL WELDED [CUST: MR AS 11 GS] [REVIEW: 82 99 AV MI SH YD1] | A NDTI | GS | 15-SEP-93 | |
| | ASTM-E280-93 | STEEL CASTINGS, HEAVY-WALLED (4 1/2 TO 12- IN. (114 TO 305-MM)) [CUST: MR SH 11] [REVIEW: AR AS AT MI] | A NDTI | MR | 15-SEP-93 | |
| | ASTM-E283-91 | WINDOWS, CURTAIN WALLS, AND DOORS UNDER SPECIFIED PRESSURE DIFFERENCES ACROSS THE SPECIMEN, DETERMINING THE RATE OF AIR LEAKAGE THROUGH EXTERIOR [CUST: YD1 99] | A 5680 | YD1 | 15-AUG-91 | |
| | ASTM-E288-83 | FLASKS, VOLUMETRIC [CUST: MD MS 03] | A 6640 | MB | 26-AUG-83 | |
| D | ASTM-E290A-97 | BEND TESTING OF MATERIAL FOR DUCTILITY [CUST: MR AS 11 IS] | A 95GP | IS | 10-DEC-97 | |
| | ASTM-E291-90 | SODA, CAUSTIC, AND CAUSTIC POTASH (SODIUM HYDROXIDE AND POTASSIUM HYDROXIDE), CHEMICAL ANALYSIS OF [CUST: EA SH 68] | A 6810 | EA | 27-JUL-90 | |
| | ASTM-E300-92 | SAMPLING INDUSTRIAL CHEMICALS [CUST: AR OS 11] | A 6810 | AR | 15-MAY-92 | |
| | ASTM-E308-96 | SYSTEM, CIE, COMPUTING THE COLORS OF OBJECTS BY USING THE [CUST: MR SH] | A 8010 | MR | 10-JUN-96 | |
| | ASTM-E309-95 | EDDY-CURRENT EXAMINATION OF STEEL TUBULAR PRODUCTS USING MAGNETIC SATURATION [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4710 | YD1 | 10-OCT-95 | |
| | ASTM-E310-95 | TIN BRONZE CASTINGS [CUST: MR AS 11] | A NDTI | AS | 10-DEC-95 | |
| | ASTM-E317-94 | INSTRUMENTS, ELECTRONIC MEASUREMENT, EVALUATING PERFORMANCE CHARACTERISTICS OF ULTRASONIC PULSE-ECHO TESTING SYSTEMS WITHOUT THE USE OF [CUST: MR AS GS] [REVIEW: AT AV OS SH YD1] | A NDTI | GS | 15-SEP-94 | |
| | ASTM-E323-80R90 | SIEVES, PERFORATED-PLATE, FOR TESTING PURPOSES [CUST: CR4 YD1 99] [REVIEW: AS EA GL GS IS MC MI SM] | A 6635 | YD1 | 10-DEC-80 | |
| | ASTM-E324-94 | CHEMICALS, ORGANIC, RELATIVE INITIAL AND FINAL MELTING POINTS AND THE MELTING RANGE OF [CUST: EA 99] [REVIEW: CR4 DP MD] | A 6630 | EA | 15-JUN-94 | |
| | ASTM-E329C-95 | MATERIALS USED IN CONSTRUCTION, AGENCIES ENGAGED IN THE TESTING AND/OR INSPECTION OF [CUST: CR4 YD1 99] | A 5610 | YD1 | 10-NOV-95 | |
| | ASTM-E330-90 | WINDOWS, EXTERIOR, CURTAIN WALLS, AND DOORS BY UNIFORM STATIC AIR PRESSURE DIFFERENCE, STRUCTURAL PERFORMANCE OF [CUST: CR4 YD1] [REVIEW: SH] | A 5680 | YD1 | 18-MAY-90 | |
| | ASTM-E331-96 | WATER PENETRATION OF EXTERIOR WINDOWS, CURTAIN WALLS, AND DOORS BY UNIFORM STATIC AIR PRESSURE DIFFERENCE [CUST: YD1 99] | A 5680 | YD1 | 10-SEP-96 | |
| | ASTM-E334-90 | MICROANALYSIS, INFRARED, GENERAL TECHNIQUES OF [CUST: MR AS 19] | A NDTI | 19 | 27-JUL-90 | |
| | ASTM-E335-90 | HYDROXYL GROUPS BY PYROMELLITIC DIANHYDRIDE ESTERIFICATION [CUST: EA GS] [REVIEW: CR4 MC MD SH] | A 6810 | GS | 27-JUL-90 | |
| A | ASTM-E336-97 | INSULATION IN BUILDINGS, MEASUREMENT OF AIRBORNE SOUND [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5640 | YD1 | 10-MAR-97 | |
| | ASTM-E338-91 | SHEET MATERIALS, HIGH-STRENGTH, SHARP-NOTCH TENSION TESTING OF [CUST: MI AS 99] | A 6635 | MI | 15-AUG-91 | |
| | ASTM-E340-87 | METALS AND ALLOYS, MACROETCHING [CUST: MR SH] [REVIEW: AR AS IS YD1] | A 95GP | MR | 28-AUG-87 | |
| | ASTM-E345-93 | FOIL, METALLIC, TENSION TESTING OF [CUST: MR AS 11] [REVIEW: IS] | A 95GP | AS | 15-AUG-93 | |
| | ASTM-E346-94 | METHANOL, ANALYSIS OF [CUST: EA 68] [REVIEW: CR4 GL MD SH] | A 6810 | GS | 15-JUN-94 | |
| | ASTM-E350-94 | CHEMICAL ANALYSIS OF CARBON STEEL, LOW-ALLOY STEEL, SILICON ELECTRICAL STEEL, INGOT IRON, WROUGHT IRON [CUST: MR YD1 99] [REVIEW: 84 AS IS OS SH] | A 95GP | YD1 | 15-JUL-94 | |
| | ASTM-E351-93 | CHEMICAL ANALYSIS OF CAST IRON-ALL TYPES [CUST: MR YD1 99] [REVIEW: 84 AS IS] | A 95GP | YD1 | 15-JUL-93 | |
| | ASTM-E354-93 | CHEMICAL ANALYSIS OF HIGH-TEMPERATURE, ELECTRICAL, MAGNETIC, AND OTHER SIMILAR IRON, NICKEL AND COBALT ALLOYS [CUST: MR YD1 99] [REVIEW: 84 AS IS SH] | A 95GP | YD1 | 15-JUL-93 | |
| | ASTM-E355-96 | GAS CHROMATOGRAPHY TERMS AND RELATIONSHIPS [CUST: CR4 SH 99] | A 6630 | CR4 | 10-APR-96 | |
| | ASTM-E357-91 | PHOSPHORUS IN ORGANIC COMPOUNDS BY SODIUM PEROXIDE BOMB IGNITION [CUST: EA 68] [REVIEW: CR4 GL MD] | A 6810 | GS | 15-DEC-91 | |
| | ASTM-E358-94 | PHOSPHORIC ACID, ANALYSIS OF [CUST: EA 68] [REVIEW: CR4 GL MD SH] | A 6810 | GS | 15-DEC-94 | |
| | ASTM-E359-95 | SODA ASH, ANALYSIS OF, (SODIUM CARBONATE) [CUST: EA 68] [REVIEW: CR4 GL MD OS SH] | A 6810 | GS | 10-SEP-95 | |
| | ASTM-E376-89 | MAGNETIC-FIELD OR EDDY-CURRENT (ELECTROMAGNETIC) MEASURING COATING THICKNESS BY, TEST METHODS [CUST: MR AS 11 GS] [REVIEW: 82 99 AR AV OS SH] | A NDTI | GS | 27-OCT-89 | |
| | ASTM-E381-94 | MACROETCH TESTING STEEL BARS, BILLETS, BLOOMS, AND FORGINGS [CUST: MR SH 11] [REVIEW: 99 AL AR AT OS SA YD1] | A 9640 | MR | 15-JAN-94 | |
| | ASTM-E384-89 | MATERIALS, MICROHARDNESS OF [CUST: MD MS 03] | A 6515 | MB | 17-OCT-89 | |
| | ASTM-E390-95 | STEEL FUSION WELDS [CUST: MR AS 11] [REVIEW: 99 SH] | A NDTI | AS | 10-DEC-95 | |
| | ASTM-E399-83 | PLANE-STRAIN FRACTURE TOUGHNESS OF METALLIC MATERIALS [CUST: MR AS 99] | A 95GP | MR | 24-APR-83 | |
| | ASTM-E407-93 | METALS AND ALLOYS, MICROETCHING [CUST: AT SH 99] | A 95GP | AT | 15-AUG-93 | |
| | ASTM-E413-73 | SOUND TRANSMISSION CLASS, DETERMINATION OF, STANDARD CLASSIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: CE] | A FACR | YD1 | 20-NOV-73 | |
| | ASTM-E424-71R93 | SHEET MATERIALS, SOLAR ENERGY TRANSMITTANCE AND REFLECTANCE (TERRESTRIAL) OF [CUST: CE YD1 99] | A FACR | YD1 | 15-APR-71 | |
| | ASTM-E426-92 | PRODUCTS, TUBULAR, AUSTENITIC STAINLESS STEEL AND SIMILAR ALLOYS, SEAMLESS AND WELDED, ELECTROMAGNETIC (EDDY-CURRENT) EXAMINATION OF [CUST: CR4 SH 11] | A 4710 | 11 | 15-SEP-92 | |
| | ASTM-E428-92 | STEEL REFERENCE BLOCKS USED IN ULTRASONIC INSPECTION, FABRICATION AND CONTROL OF [CUST: AT AS 11] | A NDTI | AS | 15-SEP-92 | |
| | ASTM-E435-77R92 | ACETIC ANHYDRIDE CONTENT (ASSAY) OF ACETIC ANHYDRIDE [CUST: EA SH 68] [REVIEW: GL MD] | A 6810 | GS | 28-OCT-77 | |
| | ASTM-E437-92 | WIRE CLOTH AND SCREENS, (SQUARE OPENING SERIES), INDUSTRIAL [CUST: CR4 YD1] [REVIEW: AT CE IS MC] | A 5335 | YD1 | 15-DEC-92 | |
| | ASTM-E438-92 | GLASSES IN LABORATORY APPARATUS [CUST: CR4 YD1 99] [REVIEW: 03 71 82 MB MC] | A 6640 | YD1 | 15-AUG-93 | |
| | ASTM-E443-91 | SULFUR IN ORGANIC COMPOUNDS BY OXYGEN FLASK COMBUSTION [CUST: MR 11] [REVIEW: AR AV EA MC MD MI OS SH] | A 9320 | GS | 15-DEC-91 | |
| | ASTM-E446-93 | STEEL CASTINGS UP TO 2 IN. (51 MM) IN THICKNESS [CUST: MR SH 11] [REVIEW: AR AS AT MI] | A NDTI | MR | 15-SEP-93 | |
| | ASTM-E447-97 | MASONRY PRISMS, COMPRESSIVE STRENGTH OF LABORATORY CONSTRUCTED [CUST: CR4 YD1 99] [REVIEW: CE] | A 5620 | YD1 | 10-JAN-97 | |
| A | ASTM-E449-96 | CALCIUM CHLORIDE, ANALYSIS OF [CUST: EA 68] [REVIEW: AR AS CR4 MD SH] | A 6810 | GS | 10-DEC-96 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc. Action | Document Number | Document Title | Distribution FSC/Aes | MCA | Prep. Acty. | Date |
|-------------|------------------|---|----------------------|-----|-------------|------|
| | ASTM-E456-96 | QUALITY AND STATISTICS, RELATING TO [CUST: MR OS 05] | A QCIC | MR | 10-JUN-96 | |
| | ASTM-E458-72R90 | HEAT OF ABLATION [CUST: MR AS 11 GS] | A CMPS | GS | 29-AUG-72 | |
| | ASTM-E462-84R89 | ODOR AND TASTE TRANSFER FROM PACKAGING FILM [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH] | A PACK | AS | 30-NOV-84 | |
| | ASTM-E478A-89 | ALLOYS, COPPER, CHEMICAL ANALYSIS OF [CUST: MR SH 99] | A 95GP | SH | 27-OCT-89 | |
| | ASTM-E488-90 | ANCHORS IN CONCRETE AND MASONRY ELEMENTS, STRENGTH OF [CUST: AR YD1 99 IS] | A 56GP | AR | 27-JUL-90 | |
| | ASTM-E490A-73R87 | TABLES, IRRADIANCE, SOLAR CONSTANT AND AIR MASS ZERO SOLAR SPECTRAL [CUST: CR AS 11] | A 6660 | 11 | 27-SEP-73 | |
| M | ASTM-E493-97 | SPECTROMETER, LEAKS USING THE MASS, LEAK DETECTOR IN THE INSIDE-OUT TESTING MODE [CUST: AR AS 11] | A NDTI | AS | 10-MAY-97 | |
| | ASTM-E494-95 | MATERIALS, MEASURING ULTRASONIC VELOCITY IN [CUST: MR AS 11] | A NDTI | MR | 15-JAN-95 | |
| | ASTM-E498-94 | SPECTROMETERS, LEAKS USING THE MASS, LEAK DETECTOR OR RESIDUAL GAS ANALYZER IN THE TRACER PROBE MODE [CUST: AR AS 11] | A NDTI | AS | 15-MAR-94 | |
| | ASTM-E499-95 | SPECTROMETER, LEAKS USING THE MASS, LEAK DETECTOR IN THE DETECTOR PROBE MODE [CUST: MR AS 11] | A NDTI | AS | 10-SEP-95 | |
| | ASTM-E514-90 | WATER PENETRATION AND LEAKAGE THROUGH MASONRY [CUST: CR4 YD1 99] [REVIEW: CE] | A 5620 | YD1 | 27-JUL-90 | |
| | ASTM-E518-80R93 | MASONRY, FLEXURAL BOND, STRENGTH OF [CUST: CR4 YD1 99] [REVIEW: CE] | A 5620 | YD1 | 01-AUG-80 | |
| | ASTM-E519-81R93 | MASONRY ASSEMBLAGES, DIAGONAL TENSION (SHEAR) IN [CUST: CR4 YD1 99] [REVIEW: CE] | A 5620 | YD1 | 20-APR-81 | |
| | ASTM-E527-83 | METALS AND ALLOYS (UNS), NUMBERING [CUST: MR YD1 99] [REVIEW: 84 AS IS OS SH] | A 95GP | YD1 | 10-MAY-83 | |
| | ASTM-E529-83 | TESTS, FLEXURAL, ON BEAMS AND GIRDERS FOR BUILDING CONSTRUCTION [CUST: YD1 99] [REVIEW: CE] | A 95GP | YD1 | 23-SEP-83 | |
| | ASTM-E536-84R93 | ZINC AND ZINC ALLOYS, CHEMICAL ANALYSIS OF [CUST: EA AS 11] | A NDTI | AS | 25-MAY-84 | |
| | ASTM-E537-86 | CHEMICALS BY METHODS OF DIFFERENTIAL THERMAL ANALYSIS, ASSESSING THE THERMAL STABILITY OF [CUST: MR SH 68] | A 6810 | MR | 25-JUL-86 | |
| | ASTM-E542-94 | LABORATORY VOLUMETRIC APPARATUS, CALIBRATION OF [CUST: MD MS 03] | A 6640 | MB | 15-FEB-94 | |
| | ASTM-E543A-95 | AGENCIES, EVALUATING, THAT PERFORM NONDESTRUCTIVE TESTING [CUST: MR YD1 99] | A NDTI | YD1 | 10-DEC-95 | |
| | ASTM-E545-91 | NEUTRON RADIOGRAPHIC EXAMINATION, DIRECT THERMAL, DETERMINING IMAGE QUALITY IN [CUST: MR AS 19] | A NDTI | 19 | 15-MAY-91 | |
| | ASTM-E546-88 | GLASS, SEALED INSULATING UNITS, FROST POINT [CUST: YD1] [REVIEW: CE GS OS SH] | A 5620 | YD1 | 25-MAR-88 | |
| | ASTM-E557-93 | PARTITIONS, OPERABLE, ARCHITECTURAL APPLICATION AND INSTALLATION OF [CUST: CR4 YD1 99] | A 5640 | YD1 | 15-APR-93 | |
| | ASTM-E570-91 | FLUX LEAKAGE EXAMINATION OF FERROMAGNETIC STEEL TUBULAR PRODUCTS [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4710 | YD1 | 15-MAY-91 | |
| | ASTM-E576-88 | GLASS SEALED INSULATING UNITS IN THE VERTICAL POSITION, FROST POINT OF [CUST: YD1] [REVIEW: CE OS SH] | A 5620 | YD1 | 25-MAR-88 | |
| A | ASTM-E577-85R90 | BUILDING PARTS AND SYSTEMS, RECTILINEAR, COORDINATION OF [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A FACR | YD1 | 27-DEC-85 | |
| | ASTM-E580-96 | CEILING SUSPENSION SYSTEMS FOR ACOUSTICAL TILE AND LAY-IN PANELS IN AREAS REQUIRING MODERATE SEISMIC RESTRAINT, APPLICATION OF [CUST: YD1] [REVIEW: CE] | A 5640 | YD1 | 10-JUL-96 | |
| | ASTM-E595-93 | TOTAL MASS LOSS AND COLLECTED VOLATILE CONDENSABLE MATERIALS FROM OUTGASSING IN A VACUUM ENVIRONMENT [CUST: MR GS] [REVIEW: AS GL] | A 9330 | GS | 15-JUN-93 | |
| | ASTM-E596-96 | LABORATORY MEASUREMENT OF THE NOISE REDUCTION OF SOUND-ISOLATING ENCLOSURES [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 5640 | YD1 | 10-JAN-96 | |
| | ASTM-E602-91 | SHARP-NOTCH TENSION TESTING AND CYLINDRICAL SPECIMENS, STANDARD METHOD FOR [CUST: MR AS] [REVIEW: SH] | A 95GP | MR | 15-AUG-91 | |
| | ASTM-E604-83 | MATERIALS, METALLIC, DYNAMIC TEAR TESTING OF [CUST: MR SH] [REVIEW: IS MC OS] | A 95GP | SH | 25-MAR-83 | |
| | ASTM-E605-93 | MATERIAL, THICKNESS AND DENSITY OF SPRAYED FIRE-RESISTIVE, (SFRM) APPLIED TO STRUCTURAL MEMBERS [CUST: CE YD1 11] | A 5640 | YD1 | 15-APR-93 | |
| | ASTM-E607-90 | ALUMINUM AND ALUMINUM ALLOYS BY THE POINT-TO-PLANE TECHNIQUE, NITROGEN ATMOSPHERE, OPTICAL EMISSION SPECTROMETRIC ANALYSIS OF [CUST: MR AS 11] | A NDTI | AS | 26-JAN-90 | |
| | ASTM-E619-84 | ODORS IN PAPER PACKAGING, EVALUATING FOREIGN [CUST: SM AS 69] [REVIEW: 99 AR CR4 GL IS MI MR OS SA SH] | A PACK | AS | 30-NOV-84 | |
| | ASTM-E621-84R91 | METRIC (SI) UNITS IN BUILDING DESIGN AND CONSTRUCTION (COMMITTEE E-6 SUPPLEMENT TO E 380) [CUST: CR4 YD1 99] [REVIEW: 04 CE GL MC MR] | A FACR | YD1 | 05-JAN-84 | |
| | ASTM-E648B-96 | FLOOR-COVERING SYSTEMS USING A RADIANT HEAT ENERGY SOURCE, CRITICAL RADIANT FLUX OF [CUST: YD1] | A 7220 | YD1 | 10-OCT-96 | |
| M | ASTM-E662-97 | SMOKE GENERATED BY SOLID MATERIALS, SPECIFIC OPTICAL DENSITY OF [CUST: GL SH 69] | A NDTI | SH | 10-SEP-97 | |
| | ASTM-E665-78 | MATERIALS EXPOSED TO THE X-RAY OUTPUT OF FLASH X-RAY MACHINES, DETERMINING ABSORBED DOSE VERSUS DEPTH IN [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH] | A 59GP | CC | 24-NOV-78 | |
| | ASTM-E666-91 | RADIATION, GAMMA OR X, CALCULATING ABSORBED DOSE FROM [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA OS SH] | A 59GP | CC | 15-OCT-91 | |
| M | ASTM-E667-97 | THERMOMETERS, MAXIMUM SELF-REGISTERING CLINICAL, MERCURY-IN-GLASS [CUST: MD MS 03] | A 6515 | MB | 10-NOV-97 | |
| | ASTM-E668-93 | APPLICATION OF THERMOLUMINESCENCE-DOSIMETRY (TLD) SYSTEMS FOR DETERMINING ABSORBED DOSE IN RADIATION-HARDNESS TESTING OF ELECTRONIC DEVICES [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA OS SH] | A 59GP | CC | 15-APR-93 | |
| | ASTM-E671-94 | GLASS LABORATORY APPARATUS, ANNEALED, MAXIMUM PERMISSIBLE THERMAL RESIDUAL STRESS IN [CUST: EA MS 99 MB] | A 6640 | MB | 15-FEB-94 | |
| | ASTM-E672-87R92 | MICROPIPETS, GLASS, DISPOSABLE [CUST: MD MS 03] | A 6640 | MB | 27-MAR-87 | |
| | ASTM-E675-94 | STOPCOCKS AND STOPPERS, INTERCHANGEABLE TAPER-GROUND [CUST: EA MS 99 MB] | A 6640 | MB | 15-FEB-94 | |
| | ASTM-E682-92 | LIQUID CHROMATOGRAPHY TERMS AND RELATIONSHIPS [CUST: MR SH 68] | A 6810 | MR | 15-JAN-92 | |
| | ASTM-E691-92 | STUDY, AN INTERLABORATORY, TO DETERMINE THE PRECISION OF CONDUCTING A TEST METHOD [CUST: MR OS 05] | A QCIC | GS | 15-JAN-92 | |
| | ASTM-E694-95 | LABORATORY GLASS VOLUMETRIC APPARATUS [CUST: AR AS 99] | A MISC | AR | 15-AUG-95 | |
| | ASTM-E709-95 | EXAMINATION, MAGNETIC PARTICLE [CUST: MR AS 11] [REVIEW: AR AT AV IS SH] | A NDTI | MR | 15-MAR-95 | |
| | ASTM-E713-88 | SCALES FOR METRIC BUILDING DRAWINGS, SELECTION OF [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A FACR | YD1 | 29-JUL-88 | |
| | ASTM-E720-93 | SELECTION AND USE OF NEUTRON-ACTIVATION FOILS FOR DETERMINING NEUTRON SPECTRA EMPLOYED IN RADIATION-HARDNESS TESTING OF ELECTRONICS [CUST: CR EC 17 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH SM] | A 5962 | CC | 15-APR-93 | |
| | ASTM-E721-93 | ELECTRONICS, DETERMINING NEUTRON ENERGY SPECTRA FROM NEUTRON SENSORS FOR RADIATION-HARDNESS TESTING OF [CUST: CR EC 17 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH SM] | A 5962 | CC | 15-APR-93 | |
| | ASTM-E722-93 | ELECTRONICS, CHARACTERIZING NEUTRON ENERGY FLUENCE SPECTRA IN TERMS OF AN EQUIVALENT MONOENERGETIC NEUTRON FLUENCE FOR RADIATION-HARDNESS TESTING OF [CUST: CR EC 17 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH SM] | A 5962 | CC | 15-MAY-93 | |
| | ASTM-E729-96 | FISHES, MACROINVERTEBRATES, AND AMPHIBIANS, CONDUCTING ACUTE TOXICITY TESTS ON TEST MATERIALS WITH [CUST: SH 50] | A MISC | SH | 10-MAY-96 | |
| | ASTM-E732-80R91 | PIPET, DISPOSABLE PASTEUR-TYPE [CUST: MD MS 03] | A 6640 | MB | 03-MAR-80 | |
| | ASTM-E736-92 | MATERIALS APPLIED TO STRUCTURAL MEMBERS, SPRAYED FIRE-RESISTANT, COHESION/ADHESION OF [CUST: CR4 YD1 99] | A 5640 | YD1 | 15-NOV-92 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Ave | MCA | Proc. Acty. | Date |
|---------------------|---|-------------------------|-----|-------------|-----------|
| ASTM-E737-84 | WINDOWS, STORM, REPLACEMENT WINDOWS, MULTI-GLAZING, STORM DOORS, AND REPLACEMENT DOORS, INSTALLATION OF, STANDARD PRACTICE FOR [CUST: CR4 YD1] [REVIEW: AR CC MC] | A 5520 | YD1 | | 24-FEB-84 |
| ASTM-E756-93 | MATERIALS, MEASURING VIBRATION-DAMPING PROPERTIES OF [CUST: AT YD1 99] | A 95GP | AT | | 15-JAN-93 |
| ASTM-E759-92 | MATERIAL, SPRAYED FIRE-RESISTIVE, APPLIED TO STRUCTURAL MEMBERS, EFFECT OF DEFLECTION ON [CUST: MR YD1 99] [REVIEW: 84 SH] | A 8030 | YD1 | | 22-SEP-92 |
| ASTM-E760-92 | MATERIAL APPLIED TO STRUCTURAL MEMBERS, SPRAYED FIRE-RESISTIVE, EFFECT OF IMPACT ON BONDING OF [CUST: CR4 YD1 99] | A 5640 | YD1 | | 22-SEP-92 |
| ASTM-E761-92 | MATERIAL APPLIED TO STRUCTURAL MEMBERS, SPRAYED FIRE-RESISTIVE, COMPRESSIVE STRENGTH OF [CUST: CR4 YD1 99] | A 5640 | YD1 | | 22-SEP-92 |
| ASTM-E774-92 | GLASS UNITS, SEALED INSULATING [CUST: CR4 YD1 99] | A 5620 | YD1 | | 15-AUG-92 |
| ASTM-E785-81 | METAL, CRUCIBLES, IGNITION, LABORATORY [CUST: EA 99] [REVIEW: DP MB MD] | A 6640 | EA | | 27-FEB-81 |
| ASTM-E787-81 | GLASS, MICRO BLOOD COLLECTION PIPETS, DISPOSABLE [CUST: EA MS 99] [REVIEW: DP MB MD] | A 6640 | EA | | 27-FEB-81 |
| ASTM-E788-97 | PIPET, BLOOD DILUTING [CUST: MD MS 03] | A 6640 | MB | | 10-NOV-97 |
| ASTM-E795-93 | TEST, MOUNTING, SPECIMENS DURING SOUND ABSORPTION TESTS [CUST: CR4 YD1 99] | A 5640 | YD1 | | 15-APR-93 |
| ASTM-E800-88 | GASES PRESENT OR GENERATED DURING FIRES, MEASUREMENT OF [CUST: AR SH 99] | A 4210 | AR | | 27-MAY-88 |
| ASTM-E801-91 | ELECTRONIC DEVICES, CONTROLLING QUALITY OF RADIOLOGICAL EXAMINATION OF [CUST: CR EC 17 CC] [REVIEW: 19 99 AR AS CG MC MI NA OS SH SM] | A 5962 | CC | | 15-OCT-91 |
| ASTM-E812-81 | MATERIALS, METALLIC, CRACK STRENGTH OF SLOW-BEND PRECRACKED CHARPY SPECIMENS OF HIGH STRENGTH, STANDARD TEST METHOD FOR [CUST: MR SH 99] [REVIEW: 11 AT GL IS] | A 95GP | MR | | 26-JUN-81 |
| ASTM-E814-97 | FIRE TESTS OF THROUGH-PENETRATION FIRE STOPS [CUST: CE YD1 04] | A FACR | YD1 | | 10-AUG-97 |
| ASTM-E822-92 | COVERS, SOLAR COLLECTOR, TO HAIL BY IMPACT WITH PROPELLED ICE BALLS, DETERMINING RESISTANCE OF [CUST: YD1] | A FACR | YD1 | | 15-SEP-92 |
| ASTM-E825-87 | FEVER THERMOMETER, DISPOSABLE, FOR INTERMITTENT DETERMINATION OF HUMAN TEMPERATURE, PHASE CHANGE-TYPE [CUST: MD MS 03] | A 6515 | MB | | 27-MAR-87 |
| ASTM-E832-81R93 | LABORATORY FILTER PAPERS [CUST: EA AS 99] | A 6640 | AS | | 20-APR-81 |
| ASTM-E835/E835M-93 | CLAY AND CONCRETE MASONRY UNITS, MODULAR COORDINATION OF [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A FACR | YD1 | | 15-FEB-93 |
| ASTM-E859-93 | MATERIALS (SFRMS) APPLIED TO STRUCTURAL MEMBERS, SPRAYED FIRE-RESISTIVE, AIR EROSION OF [CUST: CR4 YD1 99] | A 5640 | YD1 | | 15-MAR-93 |
| ASTM-E864-96 | ALUMINUM ALLOYS TO BE ADHESIVELY BONDED IN HONEYCOMB SHELTER PANELS, SURFACE PREPARATION OF [CUST: GL 11] [REVIEW: MR] | A MFFP | GL | | 10-DEC-96 |
| ASTM-E865-95 | FILM ADHESIVES, STRUCTURAL, FOR HONEYCOMB SANDWICH PANELS [CUST: GL SA 99] [REVIEW: 84 AS MR] | A 8040 | GL | | 15-APR-95 |
| ASTM-E866-92 | CORROSION-INHIBITING ADHESIVE PRIMER FOR ALUMINUM ALLOYS TO BE ADHESIVELY BONDED IN HONEYCOMB SHELTER PANELS [CUST: GL SA 99] [REVIEW: 84 AS MR] | A 8040 | GL | | 15-JUN-92 |
| ASTM-E874-96 | ALUMINUM FACINGS TO NONMETALLIC HONEYCOMB CORE FOR SHELTER PANELS, ADHESIVE BONDING OF [CUST: GL SA 99] [REVIEW: 84 AS MR] | A 8040 | GL | | 10-SEP-96 |
| ASTM-E883-94 | PHOTOMICROGRAPHY, REFLECTED-LIGHT [CUST: MR SH 16] | A EDRS | MR | | 15-JAN-94 |
| ASTM-E911-93 | GLASS STOPCOCKS WITH POLYTETRAFLUOROETHYLENE (PTFE) PLUGS [CUST: EA MS 99 MB] | A 6640 | MB | | 15-AUG-93 |
| ASTM-E930-83 | GRAIN, ESTIMATING THE LARGEST, OBSERVED IN A METALLOGRAPHIC SECTION (ALA GRAIN SIZE), STANDARD METHOD FOR [CUST: MR SH] [REVIEW: AS IS] | A 95GP | MR | | 25-MAR-83 |
| ASTM-E934-88 | PLASTIC, DISPOSABLE, SEROLOGICAL PIPET, STANDARD PRACTICE FOR - 26 FEB. 1990 [CUST: MD MS 03] | A 6640 | MB | | 01-FEB-90 |
| ASTM-E969-95 | GLASS VOLUMETRIC (TRANSFER) PIPETS [CUST: MD MS 03] | A 6640 | MB | | 10-NOV-95 |
| ASTM-E990A-93 | PANELS, HONEYCOMB SANDWICH SHELTER, CORE-SPICE ADHESIVE FOR [CUST: GL AS 99] | A 8040 | GL | | 15-NOV-93 |
| ASTM-E1001-90 | WAVES, USING LONGITUDINAL, DISCONTINUITIES BY THE IMMERSED PULSE-ECHO ULTRASONIC METHOD, DETECTION AND EVALUATION OF [CUST: MR AS 11] | A NDTI | MR | | 26-OCT-90 |
| ASTM-E1004-91 | CONDUCTIVITY, ELECTRICAL, ELECTROMAGNETIC (EDDY-CURRENT) MEASUREMENTS OF [CUST: AR SH 99] | A EMCS | AR | | 15-MAY-91 |
| ASTM-E1019-88 | CARBON, SULFUR, NITROGEN, OXYGEN, AND HYDROGEN IN STEEL AND IN IRON, NICKEL, AND COBALT ALLOYS, DETERMINATION OF [CUST: MR YD1 99] [REVIEW: IS] | A 9510 | YD1 | | 24-JUN-88 |
| ASTM-E1042-85 | MATERIAL, ACOUSTICALLY ABSORPTIVE, APPLIED BY TROWEL OR SPRAY, STANDARD CLASSIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5610 | YD1 | | 25-JAN-85 |
| ASTM-E1043-85 | PIPETS, MILK AND CREAM EXAMINATION, STANDARD SPECIFICATION FOR [CUST: MD MS 03] | A 6640 | MB | | 25-JAN-85 |
| ASTM-E1044-85 | PIPETS, GLASS SEROLOGICAL (GENERAL PURPOSE AND KAHN), STANDARD SPECIFICATION FOR [CUST: MD MS 03] | A 6640 | MB | | 25-JAN-85 |
| ASTM-E1064-92 | WATER IN ORGANIC LIQUIDS BY COULOMETRIC KARL FISCHER TITRATION [CUST: EA AS 11] | A 6810 | 11 | | 15-MAY-92 |
| ASTM-E1077-85 NOT 1 | STEEL SPECIMENS, ESTIMATING THE DEPTH OF DECARBURIZATION OF - 27 SEPT 85 [CUST: MR] [REVIEW: 11 AT AV GL IS OS SH] | A 9640 | MR | | 16-JAN-91 |
| ASTM-E1091-94 | HONEYCOMB CORE, NONMETALLIC, FOR USE IN SHELTER PANELS [CUST: GL MC 99] | A 5411 | GL | | 15-JAN-94 |
| ASTM-E1094-91 NOT 1 | PHARMACEUTICAL CLASS GRADUATES [CUST: MD MS 03] | A 6640 | MB | | 04-FEB-92 |
| ASTM-E1095-87 | GLASS FUNNEL, COMMON LABORATORY [CUST: MD MS 03 MB] | A 6640 | MB | | 23-SEP-87 |
| ASTM-E1098-86 | LIQUID CAUSTIC SODA, (SODIUM HYDROXIDE SOLUTION), STANDARD SPECIFICATION FOR [CUST: EA SH 68] [REVIEW: MD MI] | A 6810 | GS | | 31-JAN-86 |
| ASTM-E1099A-86 | ASH SODA, ANHYDROUS (SODIUM CARBONATE, ANHYDROUS), STANDARD SPECIFICATION FOR [CUST: EA SH 68] [REVIEW: AR MD MI] | A 6810 | GS | | 30-MAY-86 |
| ASTM-E1119-89 | GLYCOL, INDUSTRIAL GRADE ETHYLENE, STANDARD SPECIFICATION FOR [CUST: EA 68 GS] [REVIEW: MD MI OS SH] | A 6810 | GS | | 27-JAN-89 |
| ASTM-E1146-87 | ACID, MURIATIC, (TECHNICAL GRADE HYDROCHLORIC ACID), STANDARD SPECIFICATION FOR [CUST: EA SH 68] [REVIEW: MD MI] | A 6810 | GS | | 27-FEB-87 |
| ASTM-E1155-96 | FLOOR FLATNESS, F F AND F L FLOOR LEVELNESS NUMBERS, DETERMINING [CUST: YD1 99] | A 7220 | YD1 | | 10-MAR-96 |
| ASTM-E1157-87 | GLASSWARE, LABORATORY SAMPLING AND TESTING OF REUSABLE, STANDARD SPECIFICATION FOR [CUST: EA MS 99] [REVIEW: DP MB MD] | A 6640 | EA | | 27-MAY-87 |
| ASTM-E1182-87 | SURFACE LAYER THICKNESS, BY RADIAL SECTIONING [CUST: MR] [REVIEW: AR AS CR4 MI SH] | A MFFP | MR | | 28-AUG-87 |
| ASTM-E1225-87R93 | HEAT FLOW TECHNIQUE, SOLIDS BY MEANS OF THE GUARDED-COMPARATIVE-LONGITUDINAL, THERMAL CONDUCTIVITY OF [CUST: CR AS 11] | A NDTI | CR | | 31-DEC-87 |
| ASTM-E1237-93 | GAGES, BONDED RESISTANCE STRAIN, INSTALLING [CUST: MR AS 99] | A 6635 | MR | | 15-FEB-93 |
| ASTM-E1251-94 | ALUMINUM AND ALUMINUM ALLOYS BY THE ARGON ATMOSPHERE, POINT-TO-PLANE, UNIPOLAR SELF-INITIATING CAPACITOR DISCHARGE, OPTICAL EMISSION SPECTROMETRIC ANALYSIS OF [CUST: MR AS 11] | A NDTI | AS | | 15-JAN-94 |
| ASTM-E1264-88 | CEILING PRODUCTS, ACOUSTICAL, STANDARD CLASSIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5640 | YD1 | | 29-JUL-88 |
| ASTM-E1320-90 | TITANIUM CASTINGS, STANDARD REFERENCE RADIOGRAPHS FOR [CUST: MR AS 11 GS] | A NDTI | GS | | 10-DEC-90 |
| ASTM-E1392-96 | SPECULAR OR DIFFUSE SURFACES, ANGLE RESOLVED OPTICAL SCATTER MEASUREMENTS ON [CUST: AR SH 17] [REVIEW: 11 99 NA] | A 6650 | AR | | 10-DEC-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | ASTM-E1417A-95 | LIQUID PENETRANT EXAMINATION, STANDARD PRACTICE FOR [CUST: MR AS 11] [REVIEW: 68 82 99 AR EA GS MI OS SH] | A NDTI | 11 | | 15-MAY-95 |
| A | ASTM-E1441-95 | IMAGING, COMPUTED TOMOGRAPHY (CT) [CUST: MR AS 11] | A NDTI | AS | | 15-JAN-95 |
| | ASTM-E1444-93 | PARTICLE EXAMINATION, MAGNETIC [CUST: MR AS 11] [REVIEW: 24 70 71 80 82 84 99 AL AR AT AV CR4 EA MI OS SH TE] | A NDTI | MR | | 15-FEB-93 |
| A | ASTM-E1456-92 | CAUSTIC POTASH; SOLID (POTASSIUM HYDROXIDE; SOLID) [CUST: EA 68] [REVIEW: GS MD] | A 6810 | EA | | 15-MAR-92 |
| A | ASTM-E1570A-95 | EXAMINATION, COMPUTED TOMOGRAPHIC (CT) [CUST: MR AS 11] | A NDTI | AS | | 10-DEC-95 |
| | ASTM-E1626-94 | GUIDE, STANDARD FOR INCLUDING GOVERNMENT PROCUREMENT REQUIREMENTS [CUST: AR SH 11 GS] [REVIEW: 10 16 17 19 68 69 70 79 82 99 AL AS AT AV CC CE CR CT DC DP DS EA EC GL IS LM MB MC MD MP MR OS PS SA SM SS TE YD1] | A SDMP | SO | | 15-OCT-94 |
| A | ASTM-E1672-95 | SYSTEM SELECTION, COMPUTED TOMOGRAPHY (CT) [CUST: MR AS 11] | A NDTI | AS | | 15-JAN-95 |
| A | ASTM-E1695-95 | TOMOGRAPHY (CT), COMPUTED, SYSTEM PERFORMANCE, MEASUREMENT OF [CUST: MR AS 11] | A NDTI | AS | | 15-MAR-95 |
| | ASTM-E1742-95 | RADIOGRAPHIC EXAMINATION [CUST: MR AS 11] | A NDTI | AS | | 10-OCT-95 |
| | ASTM-F36-95 | COMPRESSIBILITY AND RECOVERY OF GASKET MATERIALS [CUST: MR SH 99] [REVIEW: AT AV CR4 GL IS YD1] | A 5330 | MR | | 15-FEB-95 |
| M | ASTM-F37-95 | GASKET MATERIALS, SEALABILITY OF [CUST: MR SH 99 IS] | A 5330 | IS | | 15-JAN-95 |
| | ASTM-F38-93 | GASKET MATERIAL, CREEP RELAXATION OF A [CUST: MR SH 99] [REVIEW: AS AT AV CR CR4 IS OS YD1] | A 5330 | MR | | 15-AUG-93 |
| | ASTM-F55-76 | BAR & WIRE, STAINLESS, FOR SURGICAL IMPLANTS - 26 MAR 76 [CUST: MD MS 03] | A 6515 | MB | | 29-JAN-79 |
| | ASTM-F56-82 | SHEET, STAINLESS STEEL, AND STRIP FOR SURGICAL IMPLANTS, STANDARD SPECIFICATION FOR [CUST: MD MS 03] | A 6515 | MB | | 26-MAR-82 |
| | ASTM-F86-91 | SURFACE PREPARATION AND MARKING OF METALLIC SURGICAL IMPLANTS [CUST: MD MS 03] | A 6515 | MB | | 15-SEP-91 |
| | ASTM-F104-95 | MATERIALS, GASKET, NONMETALLIC [CUST: MR YD1 99 IS] [REVIEW: 82 AR AT CG CR4 EA MI OS SA SH] | A 5330 | IS | | 15-JUN-95 |
| | ASTM-F119-82 | RATE OF GREASE PENETRATION OF FLEXIBLE BARRIER MATERIALS (RAPID METHOD) [CUST: GL AS 69] [REVIEW: 99 AR CR4 MI MR OS SA SH SM YD1] | A 8135 | AS | | 25-JUN-82 |
| | ASTM-F137-71R90 | MATERIALS, FLOORING WITH CYLINDRICAL MANDREL APPARATUS, FLEXIBILITY OF RESILIENT [CUST: GL YD1 99] [REVIEW: CE MC SH] | A 7220 | YD1 | | 08-JAN-71 |
| A | ASTM-F138-97 | STEEL BAR AND WIRE, STAINLESS, FOR SURGICAL IMPLANTS (UNS S31673), WROUGHT 18 CHROMIUM - 14 NICKEL-2.5 MOLYBDENUM [CUST: MD MS 03 MB] | A 6515 | MB | | 10-JUN-97 |
| | ASTM-F141-95 | FLOOR COVERINGS, RESILIENT [CUST: GL YD1 99] [REVIEW: CE MC MD MI SH] | A 7220 | YD1 | | 10-OCT-95 |
| | ASTM-F142-82R87 NOT 2 | TILES FLOOR, STANDARD TEST METHOD FOR IDENTIFICATION OF RESILIENT (MCBURNIE TEST) - 31 DEC 1982 (VALIDATE 2-90) [CUST: GL YD1 99] [REVIEW: CE MC MD SH] | A 7220 | YD1 | | 02-FEB-90 |
| | ASTM-F146A-95 | FLUID RESISTANCE OF GASKET MATERIALS [CUST: MR 11 IS] [REVIEW: AS AT AV CR CR4 OS SH YD1] | A 5330 | IS | | 10-OCT-95 |
| | ASTM-F147-87R93 | FLEXIBILITY OF NON-METALLIC GASKET MATERIALS [CUST: MR SH 99] | A 5330 | MR | | 30-JAN-87 |
| | ASTM-F150-89 | FLOORING, CONDUCTIVE RESILIENT, ELECTRICAL RESISTANCE OF, STANDARD TEST METHODS FOR [CUST: GL YD1 99] [REVIEW: MC MD MI] | A 7220 | YD1 | | 27-JAN-89 |
| | ASTM-F152-93 | TENSION TESTING OF NONMETALLIC GASKET MATERIALS [CUST: MR SH 99] [REVIEW: AT AV CR CR4 EL IS] | A 5330 | MR | | 15-DEC-93 |
| | ASTM-F288-81 | WIRE, TUNGSTEN, FOR ELECTRON DEVICES AND LAMPS [CUST: MR] [REVIEW: GL] | A 6145 | MR | | 30-OCT-81 |
| | ASTM-F306-82 | PINS, FIXATION, AND WIRES - 27 AUG 1982 [CUST: MD MS 03] | A 6515 | MB | | 30-MAY-86 |
| | ASTM-F307-73 | SAMPLING PRESSURIZED GAS FOR GAS ANALYSIS [CUST: 68] | A 6830 | 68 | | 27-NOV-73 |
| | ASTM-F310-70R89 | SAMPLING CRYOGENIC AEROSPACE FLUIDS [CUST: 68] | A 6830 | 68 | | 14-AUG-70 |
| | ASTM-F313-78R83 | HYDRAULIC FLUIDS BY GRAVIMETRIC ANALYSIS, STANDARD TEST METHOD FOR INSOLUBLE CONTAMINATION OF - 25 AUG 78 (REAPPROVED 1983) [CUST: CR4 SH 68] [REVIEW: AS GS] | A 9150 | SH | | 31-AUG-84 |
| | ASTM-F320-89 | ENCLOSURES, AEROSPACE TRANSPARENT, HAIL IMPACT RESISTANCE OF [CUST: MR GS] [REVIEW: 11 MI] | A 9330 | GS | | 24-FEB-89 |
| | ASTM-F330-89 | ENCLOSURES, AEROSPACE TRANSPARENT, BIRD IMPACT TESTING OF [CUST: MR GS] [REVIEW: AV SH] | A 9330 | GS | | 24-FEB-89 |
| | ASTM-F339-71R93 | CLOVERLEAF INTRAMEDULLARY PINS [CUST: MD MS 03] | A 6515 | MB | | 26-NOV-71 |
| | ASTM-F366-82R93 | FIXATION PINS AND WIRES [CUST: MD MS 03] | A 6515 | MB | | 27-AUG-82 |
| | ASTM-F373-82 | FLOOR COVERINGS, RESILIENT, EMBOSSED DEPTH OF, STANDARD TEST METHODS FOR [CUST: GL YD1 99] [REVIEW: MC MD] | A 7220 | YD1 | | 29-JAN-82 |
| | ASTM-F386-87 | THICKNESS OF RESILIENT FLOORING MATERIALS HAVING FLAT SURFACES, STANDARD TEST METHOD FOR - 28 AUG 87 [CUST: GL YD1 99] [REVIEW: MC MD] | A 7220 | YD1 | | 18-FEB-89 |
| | ASTM-F387-93 | FLOOR COVERING, RESILIENT, WITH FOAM LAYER, MEASURING THICKNESS OF [CUST: GL YD1 99] [REVIEW: MC MD] | A 7220 | YD1 | | 15-APR-93 |
| | ASTM-F402-93 | PIPE AND FITTINGS, SAFE HANDLING OF SOLVENT CEMENTS, PRIMERS, AND CLEANERS USED FOR JOINING THERMOPLASTIC [CUST: CR4 YD1 99] [REVIEW: CC] | A 4710 | YD1 | | 15-MAR-93 |
| | ASTM-F405-96 | TUBING AND FITTINGS, CORRUGATED POLYETHYLENE (PE) [CUST: CE YD1 99] [REVIEW: CC] | A 4730 | YD1 | | 10-MAR-96 |
| | ASTM-F409A-96 | TUBE AND TUBULAR FITTINGS, THERMOPLASTIC ACCESSIBLE AND REPLACEABLE PLASTIC [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 4710 | YD1 | | 10-SEP-96 |
| | ASTM-F410-95 | WEAR LAYER THICKNESS OF RESILIENT FLOOR COVERINGS BY OPTICAL MEASUREMENT [CUST: GL YD1 99] [REVIEW: MC MD SH] | A 7220 | YD1 | | 15-JUN-95 |
| | ASTM-F412B-94 | PLASTIC PIPING SYSTEMS [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | | 15-DEC-94 |
| | ASTM-F436-93 | WASHERS, HARDENED STEEL [CUST: AR YD1 99 IS] | A 5310 | IS | | 15-FEB-93 |
| | ASTM-F436M-93 | WASHERS, HARDENED STEEL (METRIC) [CUST: AR YD1 99 IS] | A 5310 | IS | | 15-FEB-93 |
| | ASTM-F437-96 | PIPE, FITTINGS, PLASTIC, THREADED, CHLORINATED POLY(VINYL CHLORIDE) (CPVC), SCHEDULE 80 [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 4710 | YD1 | | 10-MAR-96 |
| A | ASTM-F438-97 | SOCKET-TYPE CHLORINATED POLY(VINYL CHLORIDE) (CPVC) PLASTIC PIPE FITTINGS, SCHEDULE 40 [CUST: CR4 YD1 99] [REVIEW: CC] | A 4730 | YD1 | | 10-JAN-97 |
| A | ASTM-F439-97 | PIPE FITTINGS, PLASTIC, SCHEDULE 80, SOCKET-TYPE CHLORINATED POLY(VINYL CHLORIDE) (CPVC) [CUST: CR4 YD1 99] [REVIEW: CC MD MR] | A 4730 | YD1 | | 10-JAN-97 |
| A | ASTM-F441/F441M-97 | PLASTIC PIPE, SCHEDULES 40 AND 80, CHLORINATED POLY(VINYL CHLORIDE) (CPVC) [CUST: CE YD1 99] [REVIEW: CC] | A 4710 | YD1 | | 10-APR-97 |
| A | ASTM-F442/F442M-97 | PLASTIC PIPE (SDR-PR), CHLORINATED POLY(VINYL CHLORIDE) (CPVC) [CUST: CR4 YD1 99] [REVIEW: CC] | A 4710 | YD1 | | 10-APR-97 |
| | ASTM-F446-85R90 | BAR, GRAB, AND ACCESSORIES INSTALLED IN THE BATHING AREA [CUST: YD1] | A 4510 | YD1 | | 23-AUG-85 |
| | ASTM-F453-76 | PINS, HOOKED INTRAMEDULLARY - 11 JUNE 1976 [CUST: MD MS 03] | A 6515 | MB | | 15-AUG-85 |
| | ASTM-F455-78 | NAILS, SOLID CROSS SECTION INTRAMEDULLARY - 30 JUN 1978 [CUST: MD MS 03] | A 6515 | MB | | 15-AUG-85 |
| | ASTM-F467-93 | NUTS, NONFERROUS, FOR GENERAL USE [CUST: AR AS 99 IS] | A 5310 | IS | | 15-FEB-93 |
| | ASTM-F467M-93 | NUTS, NONFERROUS, FOR GENERAL USE (METRIC) [CUST: AR AS 99 IS] | A 5310 | IS | | 15-FEB-93 |
| | ASTM-F468-93 | BOLTS, NONFERROUS, HEX CAP SCREWS, AND STUDS FOR GENERAL USE [CUST: AR AS 99] | A 53GP | IS | | 15-FEB-93 |
| | ASTM-F468M-93 NOT 1 | BOLTS, HEX CAP SCREW, AND STUDS, NONFERROUS, FOR GENERAL USE (METRIC) [CUST: AR AS 99] | A 53GP | IS | | 09-JUL-93 |
| | ASTM-F476-84R91 | SECURITY OF SWINGING DOOR ASSEMBLIES [CUST: CR4 YD1] [REVIEW: CE IS] | A 5340 | YD1 | | 25-MAY-84 |
| | ASTM-F477A-96 | ELASTOMERIC SEALS (GASKETS) FOR JOINING PLASTIC PIPE [CUST: MR YD1 99] [REVIEW: 82] | A 5330 | YD1 | | 10-SEP-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|------|
| | ASTM-F480A-93 | WELL CASING PIPE AND COUPLINGS, THERMOPLASTIC MADE IN STANDARD DIMENSION RATIOS (SDR), SCH 40 AND SCH 80 [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4710 | YD1 | 15-JUL-93 | |
| | ASTM-F483-90R91 | TOTAL IMMERSION CORROSION TEST FOR AIRCRAFT MAINTENANCE CHEMICALS [CUST: MR AS 11] | A 6850 | AS | 25-MAY-90 | |
| | ASTM-F484-83 NOT 1 | PLASTICS, ACRYLIC, IN CONTACT WITH LIQUID OR SEMI LIQUID COMPOUNDS, STRESS CRAZING OF, STANDARD TEST METHOD FOR - 30 SEP 83 [CUST: MR 11 GS] [REVIEW: AS AT AV CR4 GL] | A 9330 | GS | 22-JUN-90 | |
| A | ASTM-F493-97 | PIPE AND FITTINGS, PLASTIC, SOLVENT CEMENTS FOR CHLORINATED POLY(VINYL CHLORIDE) (CPVC) [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 8040 | YD1 | 10-MAY-97 | |
| | ASTM-F502-93 | AIRCRAFT, PAINTED SURFACES, EFFECTS OF CLEANING AND CHEMICAL MAINTENANCE MATERIALS ON [CUST: MR AS 11] [REVIEW: GS] | A 6850 | AS | 15-JAN-93 | |
| | ASTM-F510-93 | FLOOR COVERINGS, USING AN ABRADER WITH A GRIT FEED METHOD, RESISTANCE TO ABRASION OF RESILIENT [CUST: YD1] | A 7220 | YD1 | 15-JUN-93 | |
| | ASTM-F526-91 | LINEAR ACCELERATOR PULSED RADIATION EFFECTS TESTS, MEASURING DOSE FOR USE IN [CUST: CR EC 17] | A 5962 | CC | 15-MAY-91 | |
| | ASTM-F536-77R95 | FLOOR TILE, RESILIENT, BY DIAL GAGE METHOD, SIZE OF [CUST: GL YD1 99] [REVIEW: 84 CE CG CR4 MC MD SH] | A 7220 | YD1 | 15-AUG-77 | |
| | ASTM-F537-93 | FENCES, CONSTRUCTED OF WOOD AND RELATED MATERIALS, DESIGN, FABRICATION, AND INSTALLATION OF [CUST: YD1] [REVIEW: CC] | A 5660 | YD1 | 15-MAR-93 | |
| | ASTM-F541-90 | EYEBOLTS, ALLOY STEEL [CUST: AR YD1 99 IS] | A 5306 | IS | 23-FEB-90 | |
| | ASTM-F543-92 | BONE SCREWS, CORTICAL [CUST: MD MS 03] | A 6515 | MB | 15-FEB-92 | |
| | ASTM-F544-92 | SCREW, BONE, CLASSIFICATION PICTORIAL CORTICAL [CUST: MD MS 03] | A 6515 | MB | 15-AUG-92 | |
| | ASTM-F552-94 | CHAIN LINK FENCING [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 5660 | YD1 | 15-FEB-94 | |
| | ASTM-F560-92 | TANTALUM, UNALLOYED, FOR SURGICAL IMPLANT APPLICATIONS [CUST: MD MS 03] | A 6515 | MB | 22-SEP-92 | |
| | ASTM-F568A-93 | CARBON AND ALLOY STEEL EXTERNALLY THREADED METRIC FASTENERS [CUST: AR AS 99 IS] [REVIEW: 11 82 AT AV CR CR4 MC OS SH YD1] | A 53GP | IS | 15-AUG-93 | |
| | ASTM-F585-94 | INSERTION OF FLEXIBLE POLYETHYLENE PIPE INTO EXISTING SEWERS [CUST: CR4 YD1 99] | A 5630 | CR4 | 15-JUL-94 | |
| | ASTM-F593-91 | BOLTS, STAINLESS STEEL, HEX CAP SCREWS, AND STUDS [CUST: AR YD1 99 IS] | A 5305 | IS | 22-FEB-91 | |
| | ASTM-F594-91 | NUTS, STAINLESS STEEL [CUST: AR AS 99 IS] | A 5310 | IS | 22-FEB-91 | |
| | ASTM-F606MA-95 | FASTENERS, WASHERS, AND RIVETS, EXTERNALLY AND INTERNALLY THREADED, DETERMINING THE MECHANICAL PROPERTIES OF (METRIC) [CUST: AR YD1 99] | A 53GP | IS | 15-AUG-95 | |
| | ASTM-F606A-95 | FASTENERS, WASHERS, AND RIVETS, EXTERNALLY AND INTERNALLY THREADED, DETERMINING THE MECHANICAL PROPERTIES OF [CUST: AR YD1 99] | A 53GP | IS | 15-AUG-95 | |
| | ASTM-F607-96 | GASKET MATERIALS TO METAL SURFACES, ADHESION OF [CUST: MR SH 99] [REVIEW: AS AT AV CR4 IS OS YD1] | A 5330 | MR | 10-APR-96 | |
| | ASTM-F623-89 | CATHETER, FOLEY [CUST: MD MS 03] | A 6515 | MB | 29-SEP-89 | |
| | ASTM-F640-79R94 | PLASTICS FOR MEDICAL USE, RADIOCAPACITY OF [CUST: MD MS 03] | A 6515 | MB | 26-OCT-79 | |
| | ASTM-F670-87 | TANKS, 5 AND 10 GAL (20 AND 40-L) LUBE OIL DISPENSING [CUST: SH] | A 2010 | SH | 27-MAR-87 | |
| | ASTM-F681-82R93 | BRANCH CONNECTIONS [CUST: SH] | A 4730 | SH | 30-JUL-82 | |
| | ASTM-F682A-82 | COUPLING, SLEEVE TYPE, WROUGHT CARBON STEEL - 30 JUL 82 [CUST: SH] | A 4730 | SH | 06-MAY-83 | |
| | ASTM-F683-94 | INSULATION, THERMAL, FOR PIPING AND MACHINERY, SELECTION AND APPLICATION OF [CUST: CR4 SH 99] | A 5640 | SH | 15-SEP-94 | |
| A | ASTM-F696-97 | LEATHER PROTECTORS FOR RUBBER INSULATING GLOVES AND MITTENS [CUST: GL NU CT] [REVIEW: CR MD OS SH YD1] | A 8415 | CT | 10-MAR-97 | |
| | ASTM-F704-81 | JOINTS, FLANGED, SELECTING BOLTING LENGTHS FOR PIPING SYSTEM [CUST: SH IS] | A 5306 | IS | 30-JAN-81 | |
| | ASTM-F707/F707M-94 | BOARDS, MODULAR GAGE [CUST: SH 99] | A 6685 | SH | 15-AUG-94 | |
| | ASTM-F708-92 | PIPE HANGERS, RIGID, DESIGN AND INSTALLATION OF [CUST: SH] | A 5340 | SH | 15-JUL-92 | |
| | ASTM-F718-93 | SHIPBUILDERS AND MARINE PAINTS AND COATINGS PRODUCT/PROCEDURE DATA SHEET [CUST: CR4 SH 99] [REVIEW: AS CG MC MR YD1] | A 8010 | SH | 15-MAR-93 | |
| | ASTM-F721-81 | GAGE PIPING ASSEMBLIES [CUST: SH] | A 4730 | SH | 24-APR-81 | |
| | ASTM-F726-81 | ADSORBENTS, TESTING SORBENT PERFORMANCE OF, STANDARD METHOD OF [CUST: GL YD1 84] [REVIEW: AS CE GS] | A 9330 | YD1 | 04-NOV-81 | |
| | ASTM-F738-90 | BOLTS, SCREWS, AND STUDS, STAINLESS STEEL METRIC [CUST: AR YD1 99] | A 53GP | IS | 23-FEB-90 | |
| M | ASTM-F738MA-97 | STEEL METRIC BOLTS, SCREWS, AND STUDS, STAINLESS [CUST: AR YD1 99] | A 53GP | IS | 10-OCT-97 | |
| | ASTM-F758-95 | HIGHWAY, AIRPORT, AND SIMILAR DRAINAGE, SMOOTH-WALL POLY(VINYL CHLORIDE) (PVC) PLASTIC UNDERDRAIN SYSTEMS FOR [CUST: CR4 YD1 99] [REVIEW: 84] | A 5630 | YD1 | 10-SEP-95 | |
| | ASTM-F759-88 | DISPENSERS, BEVERAGE, HOT CHOCOLATE [CUST: GL SA 99] | A 7320 | GL | 30-DEC-88 | |
| | ASTM-F765-93 | CHAIN ANCHOR SHIP WILDCATS [CUST: SH] | A 8040 | SH | 15-MAR-93 | |
| | ASTM-F782-95 | DOORS, FURNITURE, MARINE [CUST: SH] | A 2040 | SH | 15-FEB-95 | |
| | ASTM-F783-88R93 | STAPLE, HANDGRAB, HANDLE, AND STIRRUP RUNG [CUST: SH] | A 2090 | SH | 26-FEB-88 | |
| | ASTM-F786-82 | PLATES, METALLIC BONE [CUST: MD MS 03] | A 6515 | MB | 27-AUG-82 | |
| | ASTM-F788/F788M-92 | SURFACE DISCONTINUITIES OF BOLTS, SCREWS, AND STUDS, INCH AND METRIC SERIES [CUST: AR YD1 99] | A 53GP | IS | 15-FEB-92 | |
| | ASTM-F791-82R88 NOT 1 | PLASTICS TRANSPARENT, STANDARD TEST METHOD FOR STRESS CRAZING OF - 27 JU NE 1984 (REAPPROVED 1988) [CUST: MR 11 GS] [REVIEW: AR AV CR4 EA GL] | A 9330 | GS | 22-JUN-90 | |
| | ASTM-F794-95 | SEWER PIPE AND FITTINGS, POLY(VINYL CHLORIDE) (PVC) PROFILE GRAVITY, BASED ON CONTROLLED INSIDE DIAMETER [CUST: CR4 YD1 99] [REVIEW: 84] | A 5630 | YD1 | 15-JUN-95 | |
| | ASTM-F801-96 | OPTICAL ANGULAR DEVIATION OF TRANSPARENT PARTS, MEASURING [CUST: MR 11 GS] [REVIEW: AV] | A 9330 | GS | 10-NOV-96 | |
| | ASTM-F812/F812M-83 | NUTS, SURFACE DISCONTINUITIES OF, INCH AND METRIC SERIES [CUST: AR YD1 99 IS] | A 5310 | IS | 25-MAR-83 | |
| | ASTM-F814B-84 NOT 1 | SMOKE, SPECIFIC OPTICAL DENSITY OF, GENERATED BY SOLID MATERIALS FOR AEROSPACE APPLICATIONS, STANDARD TEST METHOD FOR - 28 DEC 1984 [CUST: MR GS] [REVIEW: AV] | A 9330 | GS | 22-JUN-90 | |
| | ASTM-F835-93 | ALLOY STEEL SOCKET BUTTON AND FLAT COUNTERSUNK HEAD CAP SCREWS [CUST: AR AS 99 IS] [REVIEW: 11 82 AT AV CR CR4 EA MC OS SH] | A 5305 | IS | 15-FEB-93 | |
| | ASTM-F835M-92 NOT 1 | SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, ALLOY STEEL (METRIC) [CUST: AR YD1 99 IS] | A 5305 | IS | 23-OCT-92 | |
| | ASTM-F836-90 | STEEL, STAINLESS, METRIC NUTS [CUST: AR YD1 99 IS] | A 5310 | IS | 23-FEB-90 | |
| | ASTM-F836MA-90 | STEEL, STAINLESS, METRIC NUTS [CUST: AR YD1 99 IS] | A 5310 | IS | 12-SEP-90 | |
| | ASTM-F837-91 | SCREWS, CAP, SOCKET HEAD, STAINLESS STEEL [CUST: AR YD1 99 IS] | A 5305 | IS | 15-MAR-91 | |
| | ASTM-F837M-91 | SCREWS, CAP, SOCKET HEAD, STAINLESS STEEL (METRIC) [CUST: AR YD1 99 IS] | A 5305 | IS | 15-MAR-91 | |
| | ASTM-F841-84R93 | THRUSTERS, TUNNEL, PERMANENTLY INSTALLED IN MARINE VESSELS [CUST: CR4 SH] [REVIEW: MC] | A 2010 | SH | 12-APR-84 | |
| A | ASTM-F842-97 | DOOR, SLIDING, ASSEMBLIES, EXCLUDING GLAZING IMPACT, MEASURING THE FORCED ENTRY RESISTANCE OF [CUST: CR4 YD1 99] [REVIEW: 84] | A 5670 | YD1 | 10-APR-97 | |
| | ASTM-F844-90 | WASHER, STEEL, PLAIN (FLAT), UNHARDENED FOR GENERAL USE [CUST: AR YD1 99 IS] | A 5310 | IS | 23-FEB-90 | |
| | ASTM-F856-88 | SYMBOLS-HEATING, VENTILATION, AND AIR CONDITIONING (HVAC) [CUST: AR SH] [REVIEW: CR TM] | A DRPR | SH | 26-FEB-88 | |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------|---|-----------------------|-----|-------------|------|
| | ASTM-F857-96 | WATER, HOT, SANITIZING COMMERCIAL DISHWASHING MACHINES, STATIONARY RACK TYPE [CUST: GL YD1 99] [REVIEW: 84 CG GS MC MD MS] | A 7320 | YD1 | 10-MAY-96 | |
| | ASTM-F858-96 | HOT WATER SANITIZING COMMERCIAL DISHWASHING MACHINES, SINGLE TANK, CONVEYOR RACK TYPE [CUST: GL YD1 99] [REVIEW: 84 CE CG GS MC MD MS] | A 7320 | YD1 | 10-MAY-96 | |
| | ASTM-F859-95 | HEAT-SANITIZING COMMERCIAL DISHWASHING MACHINES, MULTIPLE TANK, CONVEYOR RACK TYPE [CUST: GL YD1 99] [REVIEW: 84 GS MC MD MS SA] | A 7320 | YD1 | 15-JAN-95 | |
| | ASTM-F860-96 | HOT WATER SANITIZING COMMERCIAL DISHWASHING MACHINES, MULTIPLE TANK, RACKLESS CONVEYOR TYPE [CUST: GL YD1 99] [REVIEW: 84 CE CG GS MC MD MS SA] | A 7320 | YD1 | 10-MAY-96 | |
| | ASTM-F861-84R90 | RACKS, COMMERCIAL DISHWASHING [CUST: GL YD1 99] [REVIEW: GS MC MD MS SA] | A 7320 | YD1 | 27-JAN-84 | |
| | ASTM-F872-84R90 | AIR CONDITIONING: VISCOUS-IMPINGEMENT TYPE, CLEANABLE FILTER UNITS [CUST: YD1 99] [REVIEW: 82 CG CR4 MC SH] | A 4130 | YD1 | 28-FEB-84 | |
| | ASTM-F879-91 | SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, STAINLESS STEEL [CUST: AR YD1 99 IS] | A 5305 | IS | 22-FEB-91 | |
| | ASTM-F879M-91 | SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, STAINLESS STEEL (METRIC) [CUST: AR YD1 99 IS] | A 5305 | IS | 22-FEB-91 | |
| | ASTM-F880-90 | SCREWS, SOCKET-SET, STAINLESS STEEL [CUST: AR YD1 99 IS] | A 5305 | IS | 31-AUG-90 | |
| | ASTM-F880MA-90 | SCREWS, SOCKET-SET, STAINLESS STEEL (METRIC) [CUST: AR YD1 99 IS] | A 5305 | IS | 31-AUG-90 | |
| | ASTM-F882-84R91 | INSTRUMENTS, CRYOSURGICAL MEDICAL [CUST: MD MS 03] | A 6515 | MB | 11-SEP-84 | |
| | ASTM-F883-90 | PADLOCKS, STANDARD PERFORMANCE SPECIFICATION FOR [CUST: AR YD1 99] [REVIEW: IS] | A 5340 | YD1 | 27-JUL-90 | |
| | ASTM-F895-84R90 | AGAR DIFFUSION CELL CULTURE SCREENING FOR CYTOTOXICITY [CUST: MD MS 03] | A 6515 | MB | 28-SEP-84 | |
| | ASTM-F899-95 | STEEL, STAINLESS, BILLET, BAR, AND WIRE FOR SURGICAL INSTRUMENTS [CUST: MD MS 03] | A 6515 | MB | 10-OCT-95 | |
| | ASTM-F906-85R89 | SHIPS, LETTERS AND NUMERALS FOR [CUST: CR4 SH] [REVIEW: YD1] | A 1990 | SH | 26-APR-85 | |
| A | ASTM-F912-97 | ALLOY STEEL SOCKET SET SCREWS [CUST: AR YD1 99 IS] | A 5305 | IS | 10-MAY-97 | |
| A | ASTM-F912M-97 | ALLOY STEEL SOCKET SET SCREWS (METRIC) [CUST: AR YD1 99 IS] | A 5305 | IS | 10-MAY-97 | |
| | ASTM-F917-91 | FOOD WASTE, COMMERCIAL, STANDARD SPECIFICATION FOR [CUST: GL YD1 99] [REVIEW: 50 84 MC MD MS] | A 4540 | GL | 15-NOV-91 | |
| | ASTM-F918-85 | BEVERAGE DISPENSER, (VISIBLE PRODUCT), NONCARBONATED MECHANICALLY REFRIGERATED [CUST: GL YD1 99] [REVIEW: 84 GS] | A 7310 | YD1 | 14-JUN-85 | |
| | ASTM-F919-85 | MACHINES, SLICING, FOOD, ELECTRIC, STANDARD SPECIFICATION FOR [CUST: GL YD1 99] [REVIEW: 50 84 MC MD MS] | A 7320 | GL | 26-APR-85 | |
| | ASTM-F920-93 | MINIMUM PERFORMANCE AND SAFETY REQUIREMENTS FOR RESUSCITATORS INTENDED FOR USE WITH HUMANS [CUST: MD MS 03] | A 6515 | MB | 15-MAR-93 | |
| | ASTM-F921-85 | FORCEPS, HEMOSTATIC, STANDARD DEVIATION OF TERMS [CUST: MD MS 03] | A 6515 | MB | 05-JUN-85 | |
| | ASTM-F925-85R90 | CHEMICALS OF RESILIENT SHEET FLOORING, RESISTANCE TO [CUST: YD1] | A 7220 | YD1 | 31-MAY-85 | |
| | ASTM-F940-85R91 | QUALITY CONTROL RECEIPT INSPECTION PROCEDURES FOR PROTECTIVE COATINGS (PAINT), USED IN MARINE CONSTRUCTION AND SHIPBUILDING [CUST: CR4 SH 99] [REVIEW: AS CG MC MR YD1] | A 8010 | SH | 28-JUN-85 | |
| | ASTM-F941-85R91 | INSPECTION OF MARINE SURFACE PREPARATION AND COATING APPLICATION [CUST: CR4 SH 99] [REVIEW: AS CG MC MR] | A 8010 | SH | 27-SEP-85 | |
| | ASTM-F949A-96 | PIPE, SEWER, CORRUGATED, WITH A SMOOTH INTERIOR AND FITTINGS, POLY(VINYL CHLORIDE) (PVC) [CUST: CR4 YD1 99] [REVIEW: 84] | A 5630 | YD1 | 10-OCT-96 | |
| | ASTM-F952-94 | MACHINES, MIXING, FOOD, ELECTRIC [CUST: GL YD1 99] [REVIEW: 84 GS MC SA SH] | A 7320 | YD1 | 15-JUL-94 | |
| | ASTM-F957-91 | GONG, SOUND SIGNALING [CUST: SH 99] [REVIEW: GS] | A 6350 | SH | 15-MAR-91 | |
| | ASTM-F959M-94 | WASHER-TYPE-COMPRESSIBLE DIRECT TENSION INDICATORS FOR USE WITH STRUCTURAL FASTENERS (METRIC) [CUST: AR YD1 99 IS] | A 5310 | IS | 15-SEP-94 | |
| | ASTM-F960-86R93 | MEDICAL AND SURGICAL SUCTION AND DRAINAGE SYSTEMS [CUST: MD MS 03] | A 6515 | MB | 08-JAN-86 | |
| | ASTM-F965-85R93 | LARYNGOSCOPES, RIGID, FOR TRACHEAL INTUBATION-HOOK-ON FITTINGS FOR LARYNGOSCOPE HANDLES AND BLADES WITH LAMPS [CUST: MD MS 03] | A 6515 | MB | 29-NOV-85 | |
| | ASTM-F993-86 | DEVICES, VALVE LOCKING [CUST: CR4 SH 99] [REVIEW: CC MC] | A 4810 | SH | 27-MAR-86 | |
| | ASTM-F1000-92 | STANDARD PRACTICE FOR PIPING SYSTEM DRAWING SYMBOLS [CUST: AR SH 99] [REVIEW: AS CC CR4 MR YD1] | A DRPR | SH | 15-AUG-93 | |
| D | ASTM-F1014-92 | FLASHLIGHTS ON VESSELS [CUST: CR4 SH 99 IS] | A 6230 | IS | 15-AUG-92 | |
| | ASTM-F1021-91 | FEEDERS, DETERGENT, RINSE AGENT, AND SANITIZING AGENT FOR COMMERCIAL DISHWASHING AND GLASSWASHING MACHINES [CUST: GL YD1 99] [REVIEW: 50 84 MC MD MS] | A 7320 | GL | 15-NOV-91 | |
| | ASTM-F1023-86 | DISPENSERS, POWDERED ICED TEA [CUST: GL YD1 99] [REVIEW: 84 MD] | A 7310 | YD1 | 26-SEP-86 | |
| | ASTM-F1026-86 | FORCEPS, HEMOSTATIC, GENERAL WORKMANSHIP AND PERFORMANCE MEASUREMENTS OF [CUST: MD MS 03] | A 6515 | MB | 26-SEP-86 | |
| | ASTM-F1040-87 | FILTER UNITS, AIR CONDITIONING: VISCOUS-IMPINGEMENT AND DRY TYPES, REPLACEABLE [CUST: MI YD1] [REVIEW: EA GS] | A 4130 | YD1 | 30-JAN-87 | |
| | ASTM-F1047-91 | PANS, FRYING AND BRAISING, TILTING TYPE [CUST: GL YD1 99] [REVIEW: 84] | A 7310 | YD1 | 15-NOV-91 | |
| | ASTM-F1066A-95 | TILE, FLOOR, VINYL COMPOSITION [CUST: YD1 84] [REVIEW: CE CG MC SH] | A 7220 | YD1 | 10-OCT-95 | |
| | ASTM-F1078-87 | SCISSORS, SURGICAL - INSERTED BLADES, STANDARD TERMINOLOGY FOR [CUST: MD MS 03] | A 6515 | MB | 25-SEP-87 | |
| | ASTM-F1079-87 | SCISSORS, SURGICAL, INSERTED AND NONINSERTED [CUST: MD MS 03] | A 6515 | MB | 25-SEP-87 | |
| | ASTM-F1083-96 | PIPE, STEEL, HOT-DIPPED ZINC-COATED (GALVANIZED) WELDED, FOR FENCE STRUCTURES [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 5660 | YD1 | 10-JUN-96 | |
| | ASTM-F1123-87 NOT 1 | JOINTS, EXPANSION, NON-METALLIC, STANDARD SPECIFICATION FOR [CUST: SH] [REVIEW: CC] | A 4730 | SH | 29-OCT-92 | |
| | ASTM-F1138-92 NOT 1 | SPRAY SHIELDS FOR MECHANICAL JOINTS, STANDARD SPECIFICATION FOR [CUST: MR SH 99] [REVIEW: MC] | A 4730 | SH | 27-APR-93 | |
| | ASTM-F1145-92 | TURNBUCKLES, SWAGED, WELDED, FORGED [CUST: SH] | A 5340 | SH | 15-AUG-92 | |
| | ASTM-F1156-91 | PRODUCT COUNTERFEIT PROTECTION SYSTEMS, STANDARD TERMINOLOGY RELATING TO [CUST: SM SH 99] | A MISC | SO | 15-JUL-91 | |
| | ASTM-F1166-94 | MARINE SYSTEMS, EQUIPMENT AND FACILITIES, HUMAN ENGINEERING DESIGN FOR [CUST: MI SH] | A HFAC | SH | 15-AUG-94 | |
| | ASTM-F1182-90 | ANODES, SACRIFICIAL ZINC ALLOY [CUST: AT SH 99 IS] | A 5340 | IS | 29-JUN-90 | |
| | ASTM-F1217-92 | COOKER, STEAM [CUST: GL YD1 99] [REVIEW: 84 AS CG GS MC MD SH] | A 7310 | YD1 | 15-MAR-92 | |
| | ASTM-F1237-89 | MACHINES, COMMERCIAL DISHWASHING, MULTIPLE TANK, CONTINUOUS OVAL-CONVEYOR TYPE, HEAT SANITIZING, STANDARD SPECIFICATION FOR [CUST: GL YD1 99] [REVIEW: 50 84 MC MD MS] | A 7320 | GL | 28-JUL-89 | |
| | ASTM-F1242-96 NOT 1 | TUBES, TRACHEAL, CUFFED AND UNCUFFED [CUST: MD MS 03] | A 6515 | MB | 10-FEB-96 | |
| | ASTM-F1267-91 | METAL, EXPANDED, STEEL [CUST: CR4 SH 99] | A 5680 | SH | 22-FEB-91 | |
| | ASTM-F1275-90 | GRIDDLE, THE PERFORMANCE OF, STANDARD TEST METHODS FOR [CUST: GL YD1 99] [REVIEW: 50 84 MC MD MS] | A 7320 | GL | 26-JAN-90 | |
| | ASTM-F1312-90 | BRICK, INSULATING, HIGH TEMPERATURE, FIRE CLAY [CUST: CR4 SH 99] | A 9350 | SH | 31-AUG-90 | |
| | ASTM-F1325-91 | STEEL, STAINLESS, SUTURE NEEDLE HOLDERS-GENERAL WORKMANSHIP REQUIREMENTS AND CORRESPONDING TEST METHODS [CUST: MD MS 03] | A 6515 | MB | 15-APR-91 | |
| | ASTM-F1332-93 | UNITS (METRIC) USE OF SI, IN MARITIME APPLICATIONS (COMMITTEE F-25 SUPPLEMENT TO E380) [CUST: SH] | A 1990 | SH | 15-AUG-93 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------|--|--------------------------|-----|-------------|------|
| | ASTM-F1344-93 | RUBBER FLOOR TILE [CUST: YD1 99] | A 7220 | YD1 | 15-JUL-93 | |
| | ASTM-F1347-91 | REELS, FUELING HOSE, MANUALLY OPERATED [CUST: CR4 SH 99] [REVIEW: AS CC] | A 4930 | SH | 15-JUL-91 | |
| | ASTM-F1360-93 | OVENS, MICROWAVE, ELECTRIC [CUST: CE YD1 99] [REVIEW: 84 CG GS MC MD MS SA] | A 7310 | YD1 | 15-DEC-93 | |
| | ASTM-F1370-92 | VALVES, PRESSURE-REDUCING, FOR WATER SYSTEMS, SHIPBOARD [CUST: SH] [REVIEW: CG] | A 4820 | SH | | |
| | ASTM-F1448-93 | PROTECTION AGAINST COUNTERFEITING, ALTERATION, DIVERSION, DUPLICATION, SIMULATION, AND SUBSTITUTION (CADDSS) OF PRODUCTS OR DOCUMENTS, SELECTION OF SECURITY TECHNOLOGY, STANDARD GUIDE FOR [CUST: SM SH 99] | A MISC | SO | 15-APR-93 | |
| | ASTM-F1602-95 | KETTLES, STREAM-JACKETED, 20 TO 200 GAL (75.7 TO 757 L), FLOOR OR WALL MOUNTED, DIRECTED CONNECTED, GAS FIRED AND ELECTRIC FIRED [CUST: YD1 99] [REVIEW: GS MC MS SA SH] | A 7310 | YD1 | 15-JUN-95 | |
| | ASTM-F1603-95 | KETTLES, STREAM-JACKETED, 32 OZ TO 20 GAL (1 TO 75.7 L), TILTING, TABLE MOUNTED, DIRECT CONNECTED, GAS FIRED AND ELECTRIC FIRED [CUST: YD1 99] [REVIEW: GS MC MS SA SH] | A 7310 | YD1 | 15-JUN-95 | |
| | ASTM-F1667-95 | DRIVEN FASTENERS: NAIL, SPIKES, AND STAPLES [CUST: AR YD1 82 IS] | A 5315 | IS | 10-NOV-95 | |
| A | ASTM-F1700 | SOLID VINYL FLOOR TILE [CUST: CE YD1 99] [REVIEW: CG FSS MC] | A 7220 | YD1 | JUL-96 | |
| M | ASTM-G7-97 | MATERIALS, NONMETALLIC, ATMOSPHERIC ENVIRONMENTAL EXPOSURE TESTING OF [CUST: MR AS 11] | A 8010 | AS | 10-DEC-97 | |
| | ASTM-G15-97 | CORROSION AND CORROSION TESTING, STANDARD TERMINOLOGY RELATING TO [CUST: MR SH] [REVIEW: AL AR AT CR4 EA GL IS MJ] | A MFFP | MR | 10-MAR-97 | |
| | ASTM-G21-90 | MATERIALS TO FUNGI, SYNTHETIC POLYMERIC, DETERMINING RESISTANCE OF [CUST: MR SH 11] [REVIEW: AS AT CR CR4 GL GS OS YD1] | A 9330 | MI | 26-OCT-90 | |
| | ASTM-G22-76R90 | BACTERIA, DETERMINING RESISTANCE OF PLASTICS TO [CUST: AR AS 99] | A 9330 | AR | 26-NOV-76 | |
| | ASTM-G23-95 | MATERIALS, NONMETALLIC, OPERATING LIGHT-EXPOSURE APPARATUS (CARBON-ARC TYPE) WITH AND WITHOUT WATER FOR EXPOSURE OF [CUST: MR SH 11 GS] [REVIEW: 99 AS AT AV CR CR4 GL OS YD1] | A 9330 | GS | 15-JAN-95 | |
| | ASTM-G26-93 | MATERIALS, NONMETALLIC, OPERATING LIGHT-EXPOSURE APPARATUS (XENON-ARC TYPE) WITH AND WITHOUT WATER FOR EXPOSURE OF [CUST: MR AS 99] | A 9330 | AS | 15-SEP-93 | |
| A | ASTM-G28-97 | ALLOYS, NICKEL-RICH, CHROMIUM-BEARING, DETECTING SUSCEPTIBILITY TO INTERGRANULAR CORROSION IN WROUGHT [CUST: CR4 SH 99] [REVIEW: CC] | A 9530 | SH | 10-APR-97 | |
| | ASTM-G29-90 | FILMS, PLASTIC, DETERMINING ALGAL RESISTANCE OF [CUST: CR4 YD1 99] [REVIEW: 84 CC GS MD MR SH] | A 9330 | YD1 | 26-OCT-90 | |
| | ASTM-G34-97 | ALLOYS, ALUMINUM, EXFOLIATION CORROSION SUSCEPTIBILITY IN 2XXX AND 7XXX SERIES, (EXCO TEST) [CUST: MR AS 11] [REVIEW: IS MI SH] | A 95GP | AS | 10-JAN-97 | |
| | ASTM-G38-73R90 | SPECIMENS, STRESS-CORROSION TEST, MAKING AND USING C-RING [CUST: MR AS 99] [REVIEW: IS] | A 95GP | AS | 27-SEP-73 | |
| | ASTM-G43-75 | ACIDIFIED SYNTHETIC SEA WATER (FOG) TESTING [CUST: MR 11 GS] [REVIEW: AV CR4 GL MC SH SM] | A 9330 | GS | 25-JUL-75 | |
| | ASTM-G44-94 | METALS AND ALLOYS BY ALTERNATE IMMERSION IN 3.5% SODIUM CHLORIDE SOLUTION, EVALUATING STRESS CORROSION CRACKING RESISTANCE OF [CUST: MR AS 99] | A 95GP | AS | 15-FEB-94 | |
| | ASTM-G47-90 | ALUMINUM ALLOY PRODUCTS, HIGH STRENGTH, DETERMINING SUSCEPTIBILITY TO STRESS CORROSION CRACKING OF [CUST: MR AS 11] [REVIEW: IS] | A 95GP | AS | 30-MAR-90 | |
| | ASTM-G53-96 | MATERIALS, NONMETALLIC, OPERATING LIGHT- AND WATER-EXPOSURE APPARATUS (FLUORESCENT UV-CONDENSATION TYPE) FOR EXPOSURE OF [CUST: MR 11 GS] [REVIEW: AS CR4 EC MI] | A 9330 | GS | 10-JAN-96 | |
| | ASTM-G85-94 | SALT SPRAY (FOG) TESTING, MODIFIED [CUST: IE AS 11] | A ENVR | AS | 15-FEB-94 | |
| | ASTM-RS466-81 | TRANSMISSION, DOCUMENT FACSIMILE, PROCEDURES FOR - 3 APR 81 [CUST: CR EC 90] | A TCSS | DC | 03-APR-81 | |
| | ASTM-STP310A | VAPOR DEGREASING HANDBOOK OF, - APR 76 030779 [CUST: EA SH 68] [REVIEW: GL] | A 6810 | GS | 03-JUL-79 | |
| | ASTM-STP315-79 | MULTICYLINDER TEST SEQUENCES FOR EVALUATING AUTOMOTIVE ENGINE OILS [CUST: CR4 AS 68] | A 9150 | CR4 | 15-SEP-79 | |
| | ASTM-STP403A-81 | SOLVENT, HALOGENATED, COLD CLEANING WITH - NOV 81 [CUST: EA SH 68] [REVIEW: AT GL MR OS YD1] | A 6810 | GS | 17-MAR-82 | |
| A | ASTM-STP470B-81 | THERMOCOUPLES IN TEMPERATURE MEASUREMENT, MANUAL ON THE USE OF [CUST: CR4 YD1 99 GS] [REVIEW: AR AS EA] | A 6685 | GS | JUL 81 | |
| | ASTM-STP509 | ENGINE, SINGLE CYLINDER, TEST FOR EVALUATING THE PERFORMANCE OF CRANKCASE LUBRICANTS [CUST: CR4 AS 99] | A 28GP | CR4 | MAR 79 | |
| | AWI-QSGSQCP-93 | ARCHITECTURAL WOODWORK QUALITY STANDARDS [CUST: CR4 YD1 99] [REVIEW: CC] | A 5510 | YD1 | 1993 | |
| | AWPA-A1-80 | CREOSOTE & OIL-TYPE PRESERVATIVES, STANDARD METHODS FOR ANALYSIS 9 DEC 87 [CUST: MR 99] | A 8030 | MR | 09-DEC-87 | |
| | AWPA-A2-86 | PRESERVATIVES, WATERBORNE, & FIRE RETARDANT FORMULATIONS, STANDARD METHODS FOR ANALYSIS OF - 1986 [CUST: MR 99] [REVIEW: SH] | A 8030 | MR | 09-DEC-87 | |
| | AWPA-A3-84 | PENETRATION OF PRESERVATIVES & FIRE RETARDANTS, STANDARD METHODS FOR DETERMINING 9 DEC87 [CUST: MR 99] | A 8030 | MR | 09-DEC-87 | |
| | AWPA-A4-80 | WOOD PRESERVATIVES, STANDARD METHODS FOR - 1980 [CUST: MR 99] [REVIEW: 11 84 CC CR4] | A 8030 | MR | 09-DEC-87 | |
| | AWPA-A5-86 | PRESERVATIVES, OIL-BORNE, ANALYSIS OF, STANDARD METHODS FOR - 1986 [CUST: MR 99] [REVIEW: 11 84 CC CR4] | A 8030 | MR | 09-DEC-87 | |
| | AWPA-A6-83 | WOOD, OIL-TYPE PRESERVATIVES & WATER IN, METHOD FOR THE DETERMINATION OF - 1983 [CUST: MR 99] [REVIEW: 11 84 CC CR4] | A 8030 | MR | 09-DEC-87 | |
| | AWPA-A7-75 | WOOD, PREPARING, FOR CHEMICAL ANALYSIS, STANDARD WET ASHING PROCEDURE FOR - 1975 [CUST: MR 99] | A 8030 | MR | 09-DEC-87 | |
| | AWPA-A8-67 | CREOSOTE OR CREOSOTE-COAL TAR SOLUTION FROM FRESHLY TREATED PILES, POLES, OR TIMBER (SQUEEZE METHOD) QUALITATIVE RECOVERY OF - 1967 [CUST: MR 99] [REVIEW: 84 CC CR4] | A 8030 | MR | 09-DEC-87 | |
| | AWPA-A9-86 | WOOD, TREATED, & TREATING SOLUTIONS BY X-RAY SPECTROSCOPY, STANDARD METHOD FOR ANALYSIS OF - 1986 [CUST: MR 99] [REVIEW: 11 84 CC CR4] | A 8030 | MR | 09-DEC-87 | |
| | AWPA-A11-83 | TREATED WOOD & TREATING SOLUTIONS BY ATOMIC ABSORPTION SPECTROSCOPY 10 DEC 87 [CUST: MR 99] | A 8030 | MR | 10-DEC-87 | |
| | AWPA-C1-92 NOT 1 | TIMBER PRODUCTS-PRESERVATIVE TREATMENT BY PRESSURE PROCESSES, ALL [CUST: CR4 YD1] [REVIEW: AT CC CE SM] | A 5510 | YD1 | 30-APR-93 | |
| | AWPA-C2-93 | LUMBER, TIMBER, BRIDGE TIES AND MINE TIES - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | 31-DEC-93 | |
| | AWPA-C3-92 NOT 1 | PILES-PRESERVATIVE TREATMENT BY PRESSURE PROCESSES, STANDARD FOR [CUST: CR4 YD1] [REVIEW: AT CC CE SM] | A 5510 | YD1 | 07-JUN-93 | |
| | AWPA-C4-93 | POLES - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | 31-DEC-93 | |
| | AWPA-C5-93 | POSTS, FENCE - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | 31-DEC-93 | |
| | AWPA-C6-92 NOT 1 | CROSSTIES AND SWITCH TIES - PRESERVATIVE TREATMENT BY PRESSURE PROCESS [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | 20-JAN-93 | |
| | AWPA-C7-92 NOT 1 | WESTERN RED CEDAR, NORTHERN WHITE CEDAR AND ALASKA YELLOW CEDAR POLES - PRESERVATIVE TREATMENT OF INCISED POLE BUTTS BY THE THERMAL PROCESS [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | 20-JAN-93 | |
| | AWPA-C8-92 NOT 1 | WESTERN RED CEDAR AND ALASKA YELLOW CEDAR POLES - PRESERVATIVE TREATMENT BY THE FULL-LENGTH THERMAL PROCESS [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | 20-JAN-93 | |
| | AWPA-C9-93 | PLYWOOD - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES [CUST: CR4 SH 99] [REVIEW: 84 CE] | A 5530 | IS | 31-DEC-93 | |
| | AWPA-C10-91 NOT 1 | LODGEPOLE PINE POLES - PRESERVATIVE TREATMENT BY THE FULL-LENGTH THERMAL PROCESS [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5510 | IS | 31-JAN-92 | |
| | AWPA-C11-90 | WOOD BLOCKS FOR FLOORS AND PLATFORMS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES (1990) [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5510 | IS | 20-NOV-90 | |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------------|--|--------------------------|-----|-------------|-----------|
| AWPA-C12-90 | POLES, WESTERN LARCH, - FULL LENGTH - PRESERVATIVE TREATMENT BY THERMAL PROCESS (1990) [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5510 | IS | | 20-NOV-90 |
| AWPA-C14-93 | WOOD FOR HIGHWAY CONSTRUCTION - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5510 | IS | | 31-DEC-93 |
| AWPA-C15-93 | WOOD FOR COMMERCIAL - RESIDENTIAL CONSTRUCTION - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5510 | IS | | 31-DEC-93 |
| AWPA-C16-92 NOT 1 | WOOD USED ON FARMS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5510 | IS | | 20-JAN-93 |
| AWPA-C17-93 | PLAYGROUND EQUIPMENT TREATED WITH INORGANIC PRESERVATIVES - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5510 | IS | | 31-DEC-93 |
| AWPA-C18-92 NOT 1 | PRESSURE TESTED MATERIAL IN MARINE CONSTRUCTION, STANDARD FOR [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | | 20-JAN-93 |
| AWPA-C20-93 | LUMBER, STRUCTURAL - FIRE-RETARDANT TREATMENT BY PRESSURE PROCESSES [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5510 | IS | | 31-DEC-93 |
| AWPA-C22-93 | LUMBER AND PLYWOOD FOR PERMANENT WOOD FOUNDATIONS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES [CUST: 99 CC] [REVIEW: 84 CR4 SH] | A 5510 | IS | | 31-DEC-93 |
| AWPA-C23-92 NOT 1 | ROUND POLES AND POSTS USED IN BUILDING CONSTRUCTION - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5510 | IS | | 20-JAN-93 |
| AWPA-C24-93 | TIMBER PILES, SAWN, USED FOR RESIDENTIAL AND COMMERCIAL BUILDING [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5510 | IS | | 31-DEC-93 |
| AWPA-C25-85 | PRESERVATIVE TREATMENT BY PRESSURE PROCESSES - 1985 [CUST: CR4 YD1 99] [REVIEW: 84 CC CE MC SH] | A 5510 | YD1 | | 29-MAY-87 |
| AWPA-C26-57 | STANDARD FOR THE PRESERVATIVE TREATMENT OF CROSSARMS BY NON-PRESSURE PROCESSES, DOUGLAS FIR, WESTERN LARCH & WESTERN HEMLOCK - 1957 [CUST: CR4 SH 99] [REVIEW: 84 CE] | A 5510 | IS | | 31-MAR-88 |
| AWPA-C27-93 | PLYWOOD - FIRE-RETARDANT TREATMENT BY PRESSURE PROCESSES [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5530 | IS | | 1993 |
| AWPA-C28-91 NOT 1 | PRESERVATIVE TREATMENT OF STRUCTURAL GLUED LAMINATED MEMBERS AND LAMINATIONS BEFORE GLUING OF SOUTHERN PINE, PACIFIC COAST DOUGLAS FIR, HEMFIR AND WESTERN HEMLOCK BY THE PRESSURE PROCESSES, STANDARD FOR [CUST: CR4 SH 99 CC] [REVIEW: 84 AS CE YD1] | A 5510 | IS | | 31-JAN-92 |
| AWPA-C29-92 NOT 1 | LUMBER AND PLYWOOD TO BE USED FOR THE HARVESTING, STORAGE AND TRANSPORTATION OF FOOD STUFFS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5510 | IS | | 20-JAN-93 |
| AWPA-C30-91 NOT 1 | LUMBER, TIMBERS AND PLYWOOD FOR COOLING TOWERS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES [CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM] | A 5510 | IS | | 31-JAN-92 |
| AWPA-C31-91 NOT 1 | LUMBER USED OUT OF CONTACT WITH THE GROUND AND CONTINUOUSLY PROTECTED FROM LIQUID WATER - TREATMENT BY PRESSURE PROCESSES [CUST: CR4 99 CC] [REVIEW: 84 CE SH] | A 5510 | IS | | 10-FEB-93 |
| AWPA-E1-72 NOT 1 | LABORATORY EVALUATION TO DETERMINE RESISTANCE TO SUBTERRANEAN TERMITES, STANDARD METHOD FOR [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | | 20-JAN-93 |
| AWPA-E3-83 NOT 1 | THE CALCULATION OF THE "PERFORMANCE INDEX" OF PRESERVATIVES IN STAKE AND POST TESTS, STANDARD PROCEDURE FOR [CUST: CR4 SH 99 CC] [REVIEW: 84 CE] | A 5510 | IS | | 20-JAN-93 |
| AWPA-E4-78 NOT 1 | TESTING WATER REPELLENCY OF PRESSURE TREATED WOOD, STANDARD METHOD OF [CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM] | A 5510 | IS | | 20-JAN-93 |
| AWPA-E6-83 NOT 1 | DETERMINING THE EQUILIBRIUM MOISTURE CONTENT OF FIRE-RETARDANT TREATED WOOD, STANDARD METHOD FOR [CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM] | A 5510 | IS | | 20-JAN-93 |
| AWPA-E7-93 | WOOD PRESERVATIVES, STANDARD METHOD OF EVALUATING, BY FIELD TESTS WITH STAKES [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | | 01-JAN-93 |
| AWPA-E8-56 NOT 1 | FIELD TESTS WITH POSTS, STANDARD METHOD FOR [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | | 20-JAN-93 |
| AWPA-E10-91 NOT 1 | TESTING WOOD PRESERVATIVES BY LABORATORY SOIL-BLOCK CULTURES, STANDARD METHOD OF [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | | 20-JAN-93 |
| AWPA-E11-87 NOT 1 | DETERMINING THE LEACHABILITY OF WOOD PRESERVATIVES, STANDARD METHOD OF [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | | 20-JAN-93 |
| AWPA-F1-51 | CREOSOTE-COAL TAR SOLUTION (UP TO 50% TAR) & COAL TAR (COKE OVEN TAR) VOLUME & SPECIFIC GRAVITY CORRECTION TABLES FOR CREOSOTE 10 DEC 87 [CUST: MR 99] | A 8030 | MR | | 10-DEC-87 |
| AWPA-F3-78 | PRODUCTS, ROUND FOREST, STANDARD VOLUMES OF 1978 [CUST: CR4 SH 99] [REVIEW: 84] | A 5510 | IS | | 31-MAR-88 |
| AWPA-F4-51 | CREOSOTE-PETROLEUM SOLUTIONS, STANDARD VOLUME CORRECTION TABLE FOR - 1951 [CUST: MR 99] [REVIEW: 11 84 CC CR4] | A 8030 | MR | | 10-DEC-87 |
| AWPA-F5-51 | SALT SOLUTIONS, PRESERVATIVE, VOLUME CORRECTION FACTORS FOR - 1951 [CUST: MR 99] [REVIEW: 11 84 CC CR4] | A 8030 | MR | | 10-DEC-87 |
| AWPA-F6-72 | FACTORS & CORRECTION TABLES, MISCELLANEOUS CONVERSION - 1972 [CUST: MR 99] [REVIEW: 11 84 CC CR4] | A 8030 | MR | | 10-DEC-87 |
| AWPA-M1-92 NOT 1 | THE PURCHASE OF TREATED WOOD PRODUCTS, STANDARD FOR [CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM YD1] | A 5510 | IS | | 20-JAN-93 |
| AWPA-M2-91 NOT 1 | TIMBER PRODUCTS, INSPECTION OF TREATED, STANDARD FOR [CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM YD1] | A 5510 | IS | | 31-JAN-92 |
| AWPA-M3-92 NOT 1 | STANDARD QUALITY CONTROL PROCEDURES FOR WOOD PRESERVING PLANTS [CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM YD1] | A 5510 | IS | | 20-JAN-93 |
| AWPA-M4-91 NOT 1 | WOOD PRODUCTS, PRESERVATIVE-TREATED, STANDARD FOR THE CARE OF [CUST: CR4 YD1 99] [REVIEW: CE MC MR SH] | A 8030 | YD1 | | 15-MAY-92 |
| AWPA-M5-92 NOT 1 | GLOSSARY OF TERMS USED IN WOOD PRESERVATION [CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM YD1] | A 5510 | IS | | 20-JAN-93 |
| AWPA-M6-93 | FOREST PRODUCTS, BRANDS USED ON [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | | 31-DEC-93 |
| AWPA-M13-93 | POLES IN SERVICE, A GUIDELINE FOR THE PHYSICAL INSPECTION OF [CUST: CR4 SH 99 CC] [REVIEW: 84 CE YD1] | A 5510 | IS | | 31-DEC-93 |
| AWPA-M14-72 | LABORATORY, CONTROLLED VELOCITY, CORROSION TESTS, STANDARD METHOD OF - 1972 [CUST: CR4 SH 99] [REVIEW: 84 CE SM] | A 5510 | IS | | 31-MAR-88 |
| AWPA-M15-74 | GUIDE TO STANDARDS FOR TESTING PLANT EFFLUENTS - 1974 [CUST: CR4 SH 99] | A 5510 | IS | | 31-MAR-88 |
| AWPA-M17-92 NOT 1 | MISCELLANEOUS METHODS, PROCEDURES AND INFORMATION [CUST: CR4 SH 99 CC] [REVIEW: 84 CE SM] | A 5510 | IS | | 20-JAN-93 |
| AWPA-M20-83 | FIRE RETARDANT TREATED WOOD, STANDARD METHOD FOR DETERMINING THE EQUILIBRIUM MOISTURE CONTENT OF - 1983 [CUST: CR4 SH 99] [REVIEW: 84 CE SM] | A 5510 | IS | | 31-MAR-88 |
| AWPA-P1-78 | LAND & RESH WATER FOR COAL TAR CREOSOTE, STANDARD FOR 10 DEC 87 [CUST: MR 99] | A 8030 | MR | | 10-DEC-87 |
| AWPA-P2-85 | CREOSOTE & CREOSOTE SOLUTIONS, STANDARD FOR 10 DEC 87 [CUST: MR 99] | A 8030 | MR | | 10-DEC-87 |
| AWPA-P3-67 | OIL SOLUTION, CREOSOTE-PETROLEUM, STANDARD FOR 10 DEC 87 [CUST: MR 99] | A 8030 | MR | | 10-DEC-87 |
| AWPA-P4-86 | CREOSOTE, PETROLEUM OIL FOR BLENDING WITH, STANDARD FOR 10 DEC 87 [CUST: MR 99] | A 8030 | MR | | 10-DEC-87 |
| AWPA-P5-92 NOT 1 | PRESERVATIVE, WATERBORNE, STANDARDS FOR [CUST: CR4 YD1 99] [REVIEW: 84 AT CC CE MC MR SH SM] | A 8030 | YD1 | | 04-JUN-93 |
| AWPA-P7-85 | FIELD CUTS, CREOSOTE FOR BRUSH OR SPRAY TREATMENT, STANDARD FOR 10 DEC 87 [CUST: MR 99] | A 8030 | MR | | 10-DEC-87 |
| AWPA-P8-94 | OIL-BORNE PRESERVATIVES [CUST: CR4 SH 99] | A 8030 | CR4 | | 1994 |
| AWPA-P9-84 | SOLVENTS & FORMULATION FOR ORGANIC PRESERVATIVE SYSTEMS, STANDARD FOR - 1984 [CUST: MR 99] [REVIEW: 11 84 CR4] | A 8030 | MR | | 10-DEC-87 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Mea | MCA Prep. Acty. | Date |
|--------------------|---|-------------------------|--------------------|-----------|
| AWPA-P11-70 | CREOSOTE-PENTACHOROPHENOL WOOD PRESERVATIVE SOLUTION, STANDARD FOR - 1970 [CUST: MR 99] [REVIEW: 11 84 CC CR4 SH] | A 8030 | MR | 10-DEC-87 |
| AWPA-P12-85 | CREOSOTE-COAL TAR SOLUTION TO BE USED IN THE TREATMENT OF MARINE (COSTAL WATERS) PILES AND TIMBERS, STANDARD FOR 10 DEC 87 [CUST: MR 99] | A 8030 | MR | 10-DEC-87 |
| AWPA-P13-85 | CREOSOTE COAL TAR TO BE USED IN THE TREATMENT OF MARINE (COASTAL WATERS) PILES & TIMBERS STANDARD FOR - 10 DEC 87 [CUST: MR 99] | A 8030 | MR | 10-DEC-87 |
| AWPB-CFP-88 | SOFTWOOD PILING PRESSURE TREATED FOR FOUNDATION, LAND AND FRESH WATER APPLICATIONS [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-CP-88 | POLE OR POSTS, PRESSURE TREATED ROUND CONSTRUCTION, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-CTP-88 | POLES, PRESSURE TREATED SAWN CONSTRUCTION, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-FDN-88 | LUMBER, SOFTWOOD, TIMBER AND PLYWOOD PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR GROUND CONTACT USE IN RESIDENTIAL AND LIGHT COMMERCIAL FOUNDATIONS, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-FP-88 | POST, FENCE, PRESSURE TREATED ROUND, HALF-ROUND AND QUARTER-ROUND, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-LP2-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-LP3-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH LIGHT HYDROCARBON SOLVENT-PENTA SOLUTION FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-LP4-88 | LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED WITH VOLATILE HYDROCARBON SOLVENT-PENTA SOLUTION FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-LP5-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH CREOSOTE OR CREOSOTE COAL-TAR SOLUTION FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-LP6-88 | SOFTWOOD, LUMBER, AND TIMBER PRESSURE TREATED WITH COPPER NAPHTHENATE FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-LP7-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH HEAVY HYDROCARBON SOLVENT-PENTA SOLUTION FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-LP22-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-LP33-88 | LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED WITH LIGHT HYDROCARBON SOLVENT-PENTA SOLUTION FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-LP44-88 | LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED WITH VOLATILE HYDROCARBON SOLVENT PENTA SOLUTION FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-LP55-88 | LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED WITH CREOSOTE OR CREOSOTE COAL-TAR SOLUTIONS FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-LP66-88 | SOFTWOOD, LUMBER AND TIMBER PRESSURE TREATED WITH COPPER NAPHTHENATE FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-LP77-88 | SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH HEAVY HYDROCARBON SOLVENT-PENTA SOLUTION FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-LST-88 | SOFTWOOD NONSTRUCTURAL LANDSCAPE TIMBER PEELER CORES PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-MLP-88 | LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED FOR MARINE (SALTWATER) EXPOSURE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-MP1-88 | MARINE WATERS, MARINE PILING PRESSURE TREATED WITH WATERBORNE PRESERVATIVES AND CREOSOTE FOR USE IN, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-MP2-88 | MARINE WATERS, MARINE PILING PRESSURE TREATED WITH CREOSOTE FOR USE IN, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-MP4-88 | MARINE WATERS, MARINE PILING PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR, QUALITY CONTROL AND INSPECTION PROCEDURES FOR [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWPB-QCIP-88 | QUALITY CONTROL AND INSPECTION PROCEDURES [CUST: CR4 YD1 99] [REVIEW: AT CC CE MC SM] | A 5510 | YD1 | 1988 |
| AWS-A2.4-86 | WELDING AND BRAZING AND NONDESTRUCTIVE EXAMINATION [CUST: AR SH 11] [REVIEW: 16 AS AT AV CR4 MI OS SA YD1] | A DRPR | SH | 21-NOV-86 |
| AWS-A3.0-89 | WELDING TERMS & DEFINITIONS, STANDARD [CUST: MR SH 11] | A THJM | GS | 09-MAR-89 |
| AWS-A4.2-86 | WELDS, METAL STAINLESS STEEL CALIBRATING MAGNETIC INSTRUMENTS TO MEASURE THE DELTA FERRITE CONTENT OF AUSTENITIC STANDARD PROCEDURES FOR - 17 JUN 85 [CUST: MR SH 11] [REVIEW: 99 AL OS] | A QCIC | SH | 08-AUG-86 |
| AWS-A4.3-93 | STEEL WELD METAL PRODUCED BY ARC WELDING, MARTENSITIC, BAINITIC, AND FERRITIC, DETERMINATION OF THE DIFFUSIBLE HYDROGEN CONTENT OF [CUST: MR SH 11] | A THJM | SH | 12-NOV-92 |
| AWS-A5.1-81 | ELECTRODE, ARC WELDING, COVERED CARBON STEEL [CUST: YD1 99] | A 3439 | YD1 | 05-NOV-82 |
| AWS-A5.01-87 NOT 1 | FILLER METAL PROCUREMENT GUIDELINES [CUST: MR YD1 99] [REVIEW: AR AT GL] | A 3439 | MR | 24-JUL-92 |
| AWS-A5.2-88 | STEEL ROD, CARBON AND LOW ALLOY, FOR OXYFUEL GAS WELDING, SPECIFICATION FOR - 3 DEC 87 [CUST: AL YD1 99] [REVIEW: SH] | A 3439 | YD1 | 18-MAY-89 |
| AWS-A5.3-91 NOT 1 | ALUMINUM AND ALUMINUM ALLOY FOR SHIELDED METAL ARC WELDING [CUST: MR YD1 99] [REVIEW: AR AT GL] | A 3439 | MR | 24-JUL-92 |
| AWS-A5.4-81 NOT 1 | ELECTRODE, STEEL WELDING, CHROMIUM & CHROMIUM NICKEL, CORROSION RESISTING - 8 OCT 81 [CUST: AL YD1 99] [REVIEW: GS SH] | A 3439 | YD1 | 19-JUL-89 |
| AWS-A5.5-81 NOT 1 | ELECTRODE, ARC WELDING, LOW ALLOY STEEL COVERED - 24 JUL 81 [CUST: AL YD1 99] [REVIEW: GS SH] | A 3439 | YD1 | 15-JUN-87 |
| AWS-A5.6-84 | WELDING ELECTRODES, COVERED COPPER & COPPER ALLOY ARC - 21 SEP 83 [CUST: AL YD1 99] [REVIEW: SH] | A 3439 | YD1 | 19-FEB-85 |
| AWS-A5.7-84 | ELECTRODES, COPPER & COPPER ALLOY BARE WELDING RODS & - 20 OCT 83 [CUST: AL YD1 99] [REVIEW: SH] | A 3439 | YD1 | 12-FEB-85 |
| AWS-A5.8-89 | METALS, FILLER, FOR BRAZING, STANDARD SPECIFICATION FOR - 17 MAR 89 [CUST: AL YD1 99] [REVIEW: GS SH] | A 3439 | YD1 | 12-SEP-90 |
| AWS-A5.9-81 NOT 2 | WELDING ELECTRODE & WELDING RODS, CORROSION RESISTING CHROMIUM & CHROMIUM NICKEL STEEL BARE & COMPOSITE METAL CORED & STRANDED - 7 OCT 81 [CUST: YD1 99] [REVIEW: AS CC] | A 3439 | YD1 | 19-JUL-89 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | AWS-A5.10-92 NOT 1 | ALUMINUM AND ALUMINUM, BARE, WELDING ELECTRODES AND RODS, SPECIFICATION FOR[CUST: AL SH 99] [REVIEW: 84 AS MR] | A 3439 | SH | | 10-MAY-93 |
| | AWS-A5.11-90 NOT 1 | NICKEL AND NICKEL ALLOY WELDING ELECTRODES FOR SHIELDED METAL ARC WELDING, SPECIFICATION FOR [CUST: AL YD1 99] | A 3439 | MR | | 31-JUL-92 |
| | AWS-A5.12-92 | TUNGSTEN AND TUNGSTEN ALLOY ELECTRODES FOR ARC WELDING AND CUTTING [CUST: MR 11 GS] [REVIEW: YD1] | A 3439 | GS | | 29-APR-92 |
| | AWS-A5.13-80 NOT 2 | ROD & ELECTRODES, WELDING, SOLID SURFACING - 25 APR 80 [CUST: MR 11 GS] | A 3439 | GS | | 23-FEB-88 |
| | AWS-A5.14-89 | WELDING ROD & ELECTRODE, NICKLE & NICKLE ALLOY BARE - 20 FEB 89 [CUST: AL YD1 99] [REVIEW: AS SH] | A 3439 | YD1 | | 12-SEP-90 |
| | AWS-A5.15-90 | IRON, CAST, WELDING RODS & COVERED ELECTRODES FOR - 14 MAR 90 [CUST: MR 11 GS] | A 3439 | GS | | 08-APR-91 |
| | AWS-A5.16-90 | RODS AND ELECTRODES, TITANIUM AND TITANIUM ALLOY WELDING - 14 MAR 90 [CUST: MR AS 11 GS] | A 3439 | GS | | 08-APR-91 |
| | AWS-A5.17-89 | ELECTRODE & FLUXES, CARBON STEEL, FOR SUBMERGED ARC WELDING - 17 MAR 89 [CUST: MR 11 GS] | A 3439 | GS | | 08-APR-91 |
| | AWS-A5.18-79R80 NOT 2 | WELDING, CARBON STEEL FILLER METALS FOR GAS SHIELDED ARC - 15 JAN 79 [CUST: MR 11 GS] [REVIEW: YD1] | A 3439 | GS | | 25-FEB-88 |
| | AWS-A5.19-80 NOT 2 | WELDING RODS & BARE ELECTRODES, MAGNESIUM ALLOY - 25 JUL 80 [CUST: MR 11 GS] | A 3439 | GS | | 23-FEB-88 |
| | AWS-A5.20-79 NOT 2 | ELECTRODE, CARBON STEEL, FOR FLUX CORED ARC WELDING - 16 NOV 78 [CUST: MR 11 GS] | A 3439 | GS | | 23-FEB-88 |
| | AWS-A5.21-80 NOT 2 | COMPOSITE SURFACING WELDING RODS & ELECTRODES - 25 APR 80 [CUST: MR 11 GS] | A 3439 | GS | | 23-FEB-88 |
| | AWS-A5.22-80 NOT 2 | ELECTRODE, FLUX CORED CORROSION RESISTING CHROMIUM & CHROMIUM NICKEL STEEL - 22 AUG 80 [CUST: MR 11 GS] | A 3439 | GS | | 23-FEB-88 |
| | AWS-A5.23-80 NOT 2 | ELECTRODE, LOW ALLOY STEEL, & FLUXES FOR SUBMERGED ARC WELDING - 7 JUL 80 [CUST: MR 11 GS] | A 3439 | GS | | 25-FEB-88 |
| | AWS-A5.24-79 NOT 1 | ROD & ELECTRODE, ZIRCONIUM & ZIRCONIUM ALLOY BARE WELDING - 27 MAR 79 [CUST: AL YD1 99] [REVIEW: SH] | A 3439 | YD1 | | 12-JUN-87 |
| | AWS-A5.25-78R80 NOT 2 | STEEL, LOW ALLOY, CONSUMABLES USED FOR ELECTROSLAG WELDING OF CARBON & HIGH STRENGTH - 18 FEB 77 [CUST: MR 11 GS] | A 3439 | GS | | 24-JAN-83 |
| | AWS-A5.26-78R80 NOT 2 | STEEL, LOW ALLOY, CONSUMABLES USED FOR ELECTROGAS WELDING OF CARBON & HIGH STRENGTH - 18 FEB 77 [CUST: MR 11 GS] | A 3439 | GS | | 25-FEB-88 |
| | AWS-A5.27-85 | WELDING, OXYFUEL GAS, COPPER & COPPER ALLOY RODS FOR, SPECIFICATION FOR - 4 MAR 85 [CUST: MR 11 GS] [REVIEW: YD1] | A 3439 | GS | | 14-APR-86 |
| | AWS-A5.28-79 NOT 2 | WELDING, GAS SHIELDED ARC, LOW ALLOY STEEL FILLER METALS FOR - 15 JAN 79 [CUST: MR 11 GS] [REVIEW: YD1] | A 3439 | GS | | 25-FEB-88 |
| | AWS-A5.29-80 NOT 2 | ELECTRODE, LOW ALLOY STEEL, FOR FLUX CORED ARC WELDING - 15 AUG 80 [CUST: MR 11 GS] | A 3439 | GS | | 25-FEB-88 |
| | AWS-A5.30-79 | INSERT, CONSUMABLE - 27 MAR 79 [CUST: MR 11 GS] | A 3439 | GS | | 24-JAN-83 |
| | AWS-B2.1-84 | PROCEDURE, WELDING, AND PERFORMANCE QUALIFICATION, STANDARD FOR [CUST: CR4 YD1 84] | A THJM | CR4 | | 01-JAN-84 |
| | AWS-B2.2-91 | PROCEDURE, BRAZING, AND PERFORMANCE QUALIFICATION, STANDARD FOR [CUST: MR YD1 11] | A THJM | YD1 | | 14-FEB-91 |
| | AWS-B4.0-85 | WELDS, MECHANICAL TESTING OF, STANDARD METHODS FOR - 20 FEB 1985 [CUST: MR SH 11] | A THJM | SH | | 19-JUL-91 |
| | AWS-C1.1-66 NOT 1 | WELDING, RESISTANCE - RECOMMENDED PRACTICES FOR - 1966 [CUST: MR AS 11] [REVIEW: AR AT CR4 OS SH] | A THJM | GS | | 08-FEB-91 |
| | AWS-C1.3-70 NOT 1 | WELDING COATED LOW CARBON STEELS, RESISTANCE- RECOMMENDED PRACTICES FOR - 1970 [CUST: MR AS 11] [REVIEW: AT CR4 OS] | A THJM | GS | | 22-FEB-91 |
| | AWS-C2.1-73 | SPRAYING, THERMAL, RECOMMENDED SAFE PRACTICES FOR - 1973 [CUST: MR SH 11] | A MFFP | SH | | 30-JUN-83 |
| | AWS-C2.16-78 | THERMAL SPRAY OPERATOR& EQUIPMENT QUALIFICATION, GUIDE FOR - 7 NOV77 [CUST: MR SH] | A MFFP | SH | | 24-JUN-83 |
| | AWS-C3.2-82 NOT 2 | EVALUATING THE STRENGTH OF BRAZED JOINTS IN SHEAR, STANDARD METHOD FOR [CUST: MR AS 11] | A THJM | GS | | 02-JUL-92 |
| | AWS-C3.4-90 | TORCH BRAZING [CUST: MR AS 11] | A THJM | MR | | 16-MAR-90 |
| | AWS-C3.5 | BRAZING, INDUCTION [CUST: MR AS 11] | A THJM | MR | | 16-MAR-90 |
| | AWS-C3.6-90 | FURNACE BRAZING [CUST: MR AS 11] | A THJM | MR | | 31-JUL-90 |
| | AWS-C3.7-93 NOT 1 | ALUMINUM BRAZING, SPECIFICATION FOR [CUST: MR] [REVIEW: AR AT] | A THJM | MR | | 07-MAY-93 |
| | AWS-C5.4-84 | STUD WELDING, RECOMMENDED PRACTICES FOR - 1984 [CUST: AL SH 99 GS] [REVIEW: 84] | A 3431 | GS | | 08-MAY-90 |
| | AWS-C5.5-80 | GAS TUNGSTEN ARC WELDING, RECOMMENDED PRACTICES FOR [CUST: AR SH 11] | A THJM | AR | | 1980 |
| | AWS-D1.1-94 | STEEL - STRUCTURAL WELDING CODE, STANDARD FOR [CUST: YD1 99] | A THJM | YD1 | | 30-DEC-93 |
| | AWS-D1.2-90 | ALUMINUM - STRUCTURAL WELDING CODE, STANDARD FOR [CUST: CE YD1 04] | A THJM | YD1 | | 08-FEB-90 |
| | AWS-D1.2A-83 NOT 1 | ALUMINUM, COMMENTARY ON STRUCTURAL WELDING CODE - 15 JUL 83 [CUST: AL YD1 99] [REVIEW: GS] | A FACR | YD1 | | 21-OCT-85 |
| | AWS-D1.3-90 | SHEET STEEL - STRUCTURAL WELDING CODE, STANDARD FOR - 20 FEB 1989 [CUST: CE YD1 04] | A THJM | YD1 | | 12-SEP-90 |
| | AWS-D1.4-79 NOT 1 | STEEL REINFORCING STRUCTURAL WELDING CODE - 1 SEP 79 [CUST: AL YD1 99] [REVIEW: 11 CE] | A THJM | YD1 | | 12-JUN-87 |
| | AWS-D3.6-89 | WELDING, UNDERWATER, SPECIFICATION FOR - 31 OCT 89 [CUST: YD1 99] | A THJM | YD1 | | 12-SEP-90 |
| | AWS-D9.1-90 | SHEET METAL WELDING CODE [CUST: CR4 SH 11] | A THJM | CR4 | | 12-JAN-90 |
| | AWS-D10.9-69 | STANDARD QUALIFICATION WELDING PROCESSES & WELDERS (PIPING & TUBING) - 1969[CUST: AR SH 99] [REVIEW: 84 YD1] | A 3431 | GS | | 08-JUN-72 |
| | AWS-D14.1-85R91 | CRANES, WELDING OF INDUSTRIAL AND MILL, AND OTHER MATERIAL HANDLING EQUIPMENT, SPECIFICATION FOR [CUST: YD1] [REVIEW: 11 MR SH] | A THJM | YD1 | | 29-JUL-82 |
| | AWS-D14.3-94 | EQUIPMENT, WELDING EARTHMOVING AND CONSTRUCTION, SPECIFICATION FOR [CUST: CR4 YD1 11] | A THJM | CR4 | | 11-JUN-93 |
| | AWS-D14.6-80 | WELDING OF ROTATING ELEMENTS OF EQUIPMENT, SPECIFICATION FOR [CUST: YD1] [REVIEW: 11 MR SH] | A THJM | YD1 | | 03-NOV-80 |
| | AWS-D15.1-93 | RAILROAD WELDING SPECIFICATION - CARS AND LOCOMOTIVES [CUST: CR4 SH 84] | A THJM | 84 | | 08-DEC-92 |
| | AWS-Z49.1-88 | SAFETY IN WELDING & CUTTING [CUST: AL SH 99] | A 34GP | GS | | 05-APR-88 |
| | AWWA-B300-87 | HYPOCHLORITES, STANDARD FOR - 14 JUN 87 [CUST: AL YD1 99] [REVIEW: CR4 GS MC MD OS] | A 6810 | YD1 | | 11-NOV-88 |
| | AWWA-B301-87 | CHLORINE, LIQUID, STANDARD FOR - 25 JAN 87 [CUST: AL YD1 99] [REVIEW: AR CG CR4 GS MD] | A 6810 | YD1 | | 11-NOV-88 |
| | AWWA-B502-94 | SODIUM POLYPHOSPHATE, GLASSY (SODIUM HEXAMETAPHOSPHATE) [CUST: EA SH 68] [REVIEW: CE MD1] | A 6810 | GS | | 19-JUN-94 |
| A | AWWA-C104-95 | CEMENT, MORTAR LINING FOR DUCTILE IRON PIPE AND FITTINGS FOR WATER [CUST: CR4 YD1 99] [REVIEW: MC] | A 5610 | YD1 | | 22-JAN-95 |
| | AWWA-C105-88 | ENCASEMENT, POLYETHYLENE, FOR DUCTILE-IRON PIPING FOR WATER AND OTHER LIQUIDS - 01 SEP 88 [CUST: AL YD1 99] [REVIEW: 84 AR GS MD SH] | A 9330 | YD1 | | 07-JUL-89 |
| | AWWA-C110-87 | DUCTILE IRON & GRAY IRON FITTINGS, 3 INCH THROUGH 48 INCH FOR WATER & OTHER LIQUIDS - 18 JUN 1987 [CUST: CR4 YD1] [REVIEW: 99 CC CE] | A 4730 | YD1 | | 25-JUL-88 |
| A | AWWA-C111-95 | RUBBER-GASKET JOINTS FOR DUCTILE-IRON PRESSURE PIPE AND FITTINGS [CUST: CR4 YD1] [REVIEW: 99 CC CE MC] | A 4710 | YD1 | | 17-JUN-95 |
| | AWWA-C115-88 | FLANGED DUCTILE IRON PIPE WITH THREADED FLANGES - 1 SEP 1988 AWWA C-115 MUST BE USED IN CONJUNCTION WITH AWWA C-110, C-111 & C-151 [CUST: CR4 YD1] [REVIEW: 99 CC CE MC] | A 4710 | YD1 | | 23-FEB-89 |
| | AWWA-C151-91 NOT 1 | PIPE, DUCTILE-IRON, CENTRIFUGALLY CAST, FOR WATER OR OTHER LIQUIDS [CUST: CR4 YD1] [REVIEW: 99 CC CE MC] | A 4710 | YD1 | | 20-NOV-92 |
| | AWWA-C153-88 NOT 1 | DUCTILE-IRON COMPACT FITTINGS, 3 IN. THROUGH 16 IN., FOR WATER AND OTHER LIQUIDS [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4730 | YD1 | | 12-FEB-93 |
| | AWWA-C200-86 NOT 2 | PIPE, STEEL WATER, 6 INCH AND LARGER, AWWA STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: CC CE] | A 4710 | YD1 | | 26-MAY-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc. Acty. | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | AWWA-C203-89 | PIPELINES, STEEL WATER COAL-TAR PROTECTIVE COATING AND LININGS FOR ENAMEL AND TAPE-- HOT APPLIED - 26 JAN 86 [CUST: CR4 YD1] [REVIEW: 50 CC CE DS EA MC MR MS] | A 8010 | | YD1 | 29-AUG-89 |
| | AWWA-C205-85 | CEMENT MORTAR PROTECTIVE LINING & COATING FOR STEEL WATER PIPE - 4 INCH & LARGER - SHOP APPLIED - 23 JUN 1985 [CUST: YD1 99] [REVIEW: CE MC] | A 5610 | | YD1 | 27-APR-87 |
| | AWWA-C206-88 | PIPE, STEEL, WATER, FIELD WELDING - 1 OCT 88 [CUST: CR4 YD1] [REVIEW: CC] | A 4710 | | YD1 | 15-MAY-89 |
| | AWWA-C207-86 | STEEL PIPE FLANGES FOR WATERWORKS SERVICE-SIZES 4 INCHES THROUGH 144 INCHES - 26 JAN 1986 [CUST: CR4 YD1 99] [REVIEW: CC] | A 4730 | | YD1 | 27-JAN-87 |
| A | AWWA-C208-96 | STEEL WATER PIPE FITTINGS, DIMENSIONS FOR FABRICATED [CUST: CR4 YD1] [REVIEW: CC] | A 4730 | | YD1 | 23-JUN-96 |
| | AWWA-C209-90 | TAPE, COLD-APPLIED, COATINGS FOR THE EXTERIOR OF SPECIAL SECTIONS, CONNECTIONS, AND FITTINGS FOR STEEL WATER PIPELINES [CUST: CR4 YD1 99] | A 4730 | | YD1 | 17-JUN-90 |
| | AWWA-C210-84 | PIPELINES, STEEL WATER EPOXY COATING SYSTEMS FOR THE INTERIOR AND EXTERIOR OF - 10 JUN 84 [CUST: CR4 YD1] [REVIEW: 50 CC CE DS EA MC MR MS] | A 8010 | | YD1 | 29-AUG-89 |
| | AWWA-C213-85 | EPOXY COATING, FUSION-BONDED, FOR THE INTERIOR & EXTERIOR OF STEEL WATER PIPELINES, AWWA STANDARD FOR - 27 JAN 85 [CUST: CR4 YD1 99] [REVIEW: CE MR SH] | A 8010 | | YD1 | 24-DEC-86 |
| | AWWA-C214-89 | TAPE COATING SYSTEMS FOR THE EXTERIOR OF STEEL WATER PIPELINES [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4710 | | YD1 | 22-JUN-89 |
| | AWWA-C300-89 | CONCRETE PRESSURE PIPE, REINFORCED, STEEL CYLINDER TYPE, FOR WATER & OTHER LIQUIDS, - 1 SEP 89 [CUST: YD1] [REVIEW: CE MC] | A 5630 | | YD1 | 21-MAR-90 |
| | AWWA-C301-84 NOT 2 | CONCRETE PRESSURE PIPE, PRESTRESSED, STEEL CYLINDER TYPE, FOR WATER AND OTHER LIQUIDS - 30 JAN 1984 [CUST: YD1] [REVIEW: CE MC] | A 5630 | | YD1 | 29-JAN-90 |
| | AWWA-C302-74 NOT 1 | PIPE PRESSURE FOR WATER & OTHER LIQUID NONCYLINDER TYPE REINFORCED CONCRETE - 28 JAN 74 [CUST: CR4 YD1 99] | A 5630 | | YD1 | 09-JUN-87 |
| | AWWA-C303-87 | REINFORCED CONCRETE PRESSURE PIPE, STEEL CYLINDER TYPE, PRETENSIONED, FOR WATER & OTHER LIQUIDS - 14 JUN 1987 W/ERRATUM 1-88 [CUST: YD1 99] [REVIEW: CE MC] | A 5630 | | YD1 | 05-SEP-88 |
| | AWWA-C400-80R86 | PIPE, DISTRIBUTION, ASBESTOS CEMENT, 4 THROUGH 16 INCH (100 MM THROUGH 400 MM) NPS, FOR WATER & OTHER LIQUIDS - [CUST: CR4 YD1 99] [REVIEW: MC] | A 5630 | | YD1 | 10-APR-88 |
| A | AWWA-C402-95 | ASBESTOS-CEMENT TRANSMISSION PIPE, 18 IN. THROUGH 42 IN. (450 MM THROUGH 1,050 MM), FOR WATER SUPPLY SERVICE [CUST: CR4 YD1 99] [REVIEW: MC] | A 5630 | | YD1 | 01-JAN-95 |
| A | AWWA-C403-95 | ASBESTOS-CEMENT TRANSMISSION PIPE, SIZES 18 IN. THROUGH 42 IN. (450 MM THROUGH 1,050 MM), FOR WATER SUPPLY SERVICE, THE SELECTION OF [CUST: YD1] [REVIEW: MC] | A 5630 | | YD1 | 17-JUN-95 |
| | AWWA-C500-86 | VALVE, GATE, 3 THROUGH 48 IN. NPS, FOR WATER & SEWAGE SYSTEM [CUST: CR4 YD1 99] [REVIEW: CC] | A 4820 | | YD1 | 11-JUL-89 |
| | AWWA-C502-85 | FIRE HYDRANTS, DRY-BARREL [CUST: CR4 YD1 99] | A 4210 | | YD1 | 27-JAN-85 |
| | AWWA-C503-88 | FIRE HYDRANTS, WET-BARREL [CUST: CR4 YD1 99] | A 4210 | | YD1 | 23-JUN-88 |
| | AWWA-C504-87 | VALVES, BUTTERFLY, RUBBER-SEATED, AMERICAN WATER WORKS ASSOCIATION STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: CC] | A 4820 | | YD1 | 18-JUN-87 |
| | AWWA-C508-82 NOT 2 | VALVES, SWING-CHECK, FOR ORDINARY WATERWORKS SERVICE, AWWA STANDARD FOR [CUST: CR4 YD1] [REVIEW: CC MR] | A 4820 | | YD1 | 10-MAR-92 |
| | AWWA-C509-87 | VALVE, GATE, RESILIENT-SEATED FOR WATER & SEWERAGE SYSTEMS - 25 JAN 1987 [CUST: CR4 YD1] [REVIEW: CC CE MC SH] | A 4820 | | YD1 | 14-AUG-89 |
| | AWWA-C510-89 | VALVE, DOUBLE CHECK, BACKFLOW-PREVENTION ASSEMBLY - 22 JUN 89 [CUST: CR4 YD1 99] [REVIEW: CC] | A 4820 | | YD1 | 07-AUG-91 |
| | AWWA-C511-89 | REDUCED-PRESSURE PRINCIPLE BACKFLOW-PREVENTION ASSEMBLY - 22 JUN 89 [CUST: CR4 YD1 99] [REVIEW: CC] | A 4820 | | YD1 | 07-AUG-91 |
| | AWWA-C550-90 NOT 1 | PROTECTIVE EPOXY INTERIOR COATINGS FOR VALVES AND HYDRANTS [CUST: CR4 YD1 99] [REVIEW: 84 SH] | A 8010 | | YD1 | 29-MAR-93 |
| | AWWA-C600-87 | WATER MAIN, DUCTILE IRON, & THEIR APPURTENANCES, INSTALLATION OF [CUST: CE YD1 99] | A 4710 | | YD1 | 20-JUN-89 |
| | AWWA-C603-78 NOT 1 | PIPE, PRESSURE, ASBESTOS CEMENT, INSTALLATION OF - 28 JAN 78 [CUST: CR4 YD1 99] [REVIEW: MC] | A 5630 | | YD1 | 23-NOV-87 |
| | AWWA-C606-81 NOT 1 | JOINT, GROOVED & SHOULDERED TYPE - 25 JAN 81 [CUST: CR4 YD1 99] [REVIEW: MC] | A 5630 | | YD1 | 08-JUN-87 |
| | AWWA-C651-92 | WATER MAINS, DISINFECTING [CUST: YD1] [REVIEW: CR4 GS MC OS] | A 6840 | | YD1 | 18-JUN-92 |
| | AWWA-C652-86 | WATER-STORAGE FACILITIES, DISINFECTION OF, AWWA STANDARD FOR - 26 JAN 1986 [CUST: YD1 68] [REVIEW: CC CR4 GL GS MC] | A 6840 | | YD1 | 31-JUL-87 |
| | AWWA-C700-90 | METERS, COLD-WATER, DISPLACEMENT TYPE, BRONZE MAIN CASE [CUST: CR4 YD1 99] | A 6680 | | YD1 | 28-JAN-90 |
| | AWWA-C701-88 | METERS, COLD-WATER, TURBINE TYPE, FOR CUSTOMER SERVICE [CUST: CR4 YD1 99] | A 6680 | | YD1 | 19-JUN-88 |
| | AWWA-C702-92 | METERS, COLD-WATER, COMPOUND TYPE [CUST: CR4 YD1 99] | A 6680 | | YD1 | 18-JUN-92 |
| | AWWA-C703-86 | METERS, COLD-WATER, FIRE-SERVICE TYPE [CUST: CR4 YD1 99] | A 6680 | | YD1 | 22-JUN-86 |
| | AWWA-C704-92 | METERS, PROPELLER-TYPE, FOR WATERWORKS APPLICATIONS [CUST: CR4 YD1 99] | A 6680 | | YD1 | 26-JAN-92 |
| | AWWA-C800-89 | VALVES AND FITTINGS, UNDERGROUND SERVICE LINE [CUST: CR4 YD1 99] | A 4730 | | YD1 | 22-JUN-89 |
| | AWWA-C900-89 | PIPE, PRESSURE, 4 IN. THROUGH 12 IN., FOR WATER, POLYVINYL CHLORIDE (PVC) - 29 JAN 89 [CUST: CR4 YD1 99] [REVIEW: CC MC] | A 4710 | | YD1 | 10-OCT-89 |
| A | AWWA-D100-96 | TANKS, WELDED STEEL, FOR WATER STORAGE [CUST: CR4 YD1 99] [REVIEW: 84 CC MR] | A 5430 | | YD1 | 23-JUN-96 |
| | AWWA-D102-78 | TANKS, STEEL WATER-STORAGE PAINTING FOR 28 JAN 78 [CUST: CR4 YD1] [REVIEW: 50 CC CE DS EA MC MR MS] | A 8010 | | YD1 | 29-AUG-89 |
| | AWWA-M9-79 NOT 1 | PIPE, PRESSURE CONCRETE - 1979 [CUST: CR4 YD1 99] [REVIEW: MC] | A 5630 | | YD1 | 12-JUN-87 |
| | AWWA-M11-89 NOT 1 | STEEL PIPE - A GUIDE FOR DESIGN AND INSTALLATION [CUST: CR4 YD1 99] [REVIEW: CC CE] | A 4710 | | YD1 | 16-DEC-91 |
| | AWWA-M16-78 NOT 1 | PIPE, ASBESTOS CEMENT, WORK PRACTICES FOR - 1978 [CUST: CR4 YD1 99] [REVIEW: MC] | A 5630 | | YD1 | 12-JUN-87 |
| | AWWA-M23-80 | PIPE, PVC - DESIGN AND INSTALLATION STANDARD MANUAL FOR - 1980 [CUST: CR4 YD1 99] [REVIEW: 82 SH] | A 4710 | | YD1 | 14-AUG-90 |
| | BHMA-A156.1-88 | BUTTS AND HINGES - 22 DEC 88 [CUST: AR YD1 99] [REVIEW: 82 IS MC] | A 5340 | | YD1 | 31-JUL-89 |
| | BHMA-A156.2-89 | LOCKS AND LATCHES, AMERICAN NATIONAL STANDARD FOR - 12 DEC 89 [CUST: AR YD1 99] [REVIEW: 82 CR4 IS MC] | A 5340 | | YD1 | 12-JUL-90 |
| | BHMA-A156.3-89 | DEVICES, EXIT, AMERICAN NATIONAL STANDARD FOR - 28 DEC 89 [CUST: AR YD1 99] [REVIEW: IS] | A 5340 | | YD1 | 12-JUL-90 |
| | BHMA-A156.4-86 NOT 2 | DOOR CONTROLS - CLOSERS, AMERICAN NATIONAL STANDARD FOR [CUST: AR YD1 99] [REVIEW: CE CR4 IS MC SH] | A 5340 | | YD1 | 04-OCT-91 |
| | BHMA-A156.5-84 NOT 2 | LOCK, AUXILIARY, AND ASSOCIATED PRODUCTS, AMERICAN NATIONAL STANDARD FOR - 20 AUG 1984 [CUST: YD1 99] [REVIEW: CR4 IS] | A 5340 | | YD1 | 10-MAY-90 |
| | BHMA-A156.6-86 NOT 2 | DOOR TRIM, ARCHITECTURAL, AMERICAN NATIONAL STANDARD FOR [CUST: AR YD1 99] [REVIEW: CE CR4 IS MC SH] | A 5340 | | YD1 | 04-OCT-91 |
| | BHMA-A156.7-88 | TEMPLATE HINGE DIMENSIONS - 30 SEP 88 [CUST: AR YD1 99] [REVIEW: CR4 IS] | A 5340 | | YD1 | 02-AUG-89 |
| | BHMA-A156.8-89 | DOOR CONTROLS-OVERHEADHOLDERS, STANDARD FOR - 28 OCT 88 [CUST: AR YD1 99] [REVIEW: CE IS] | A 5340 | | YD1 | 31-JUL-89 |
| | BHMA-A156.9-88 | CABINETS HARDWARE, STANDARD FOR 30 JUN 88 [CUST: AR YD1 99] | A 5340 | | YD1 | 31-JUL-90 |
| | BHMA-A156.10-91 NOT 3 | DOORS, PEDESTRIAN, POWER OPERATED, AMERICAN NATIONAL STANDARD FOR [CUST: CR4 YD1] [REVIEW: CC] | A 5670 | | YD1 | 20-MAY-92 |
| | BHMA-A156.11-91 NOT 1 | CABINET LOCKS, AMERICAN NATIONAL STANDARD FOR [CUST: AR YD1 99] [REVIEW: CR4 IS] | A 5340 | | YD1 | 09-OCT-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | BHMA-A156.12-86 NOT 2 | INTERCONNECTED LOCKS AND LATCHES, AMERICAN NATIONAL STANDARD FOR [CUST: AR YD1 99] [REVIEW: CR4 IS] | A 5340 | | YD1 | 04-OCT-91 |
| | BHMA-A156.13-87 | MORTISE LOCKS & LATCHES - 31 DEC 1987 [CUST: AR YD1 99] [REVIEW: CR4 IS] | A 5340 | | YD1 | 21-JUL-88 |
| | BHMA-A156.14-91 NOT 1 | SLIDING AND FOLDING DOOR HARDWARE, AMERICAN NATIONAL STANDARD FOR [CUST: AR YD1 99] [REVIEW: CE CR4 IS] | A 5340 | | YD1 | 09-OCT-91 |
| | BHMA-A156.15-86 NOT 2 | CLOSER HOLDER RELEASE DEVICES, AMERICAN NATIONAL STANDARD FOR [CUST: AR YD1 99] [REVIEW: CE IS MC SH] | A 5340 | | YD1 | 04-OCT-91 |
| | BHMA-A156.16-89 | HARDWARE, AUXILIARY, STANDARD FOR - 25 JAN 89 [CUST: AR YD1 99] [REVIEW: CR4 GL IS] | A 5340 | | YD1 | 31-JUL-89 |
| | BHMA-A156.17-87 | HINGE & PIVOTS, STANDARD FOR SELF CLOSING [CUST: AR YD1 99] [REVIEW: EA IS MI] | A 5340 | | YD1 | 26-MAY-88 |
| | BHMA-A156.18-87 | MATERIAL & FINISHED 25 NOV 1987 [CUST: AR YD1 99] [REVIEW: IS MI] | A 5340 | | YD1 | 20-JUL-89 |
| | BHMA-A156.19-90 NOT 1 | POWER ASSIST AND LOW ENERGY POWER OPERATED DOORS, AMERICAN NATIONAL STANDARD FOR [CUST: AR YD1 99] | A 5340 | | YD1 | 09-OCT-91 |
| | BHMA-A156.20-89 | HINGES AND HASPS, STRAP AND TEE, AMERICAN NATIONAL STANDARD FOR - 28 DEC89 [CUST: AR YD1 99] [REVIEW: 82 IS] | A 5340 | | YD1 | 12-JUL-90 |
| | BHMA-A156.21-89 | THRESHOLDS, STANDARD FOR 1989 [CUST: AR YD1 99 IS] [REVIEW: CE] | A 5340 | | YD1 | 30-OCT-89 |
| | BHMA-A156.23-91 NOT 1 | LOCKS, ELECTROMAGNETIC, AMERICAN NATIONAL STANDARD FOR [CUST: AR YD1] [REVIEW: IS] | A 5340 | | YD1 | 04-NOV-91 |
| | BHMA-A156.24-91 NOT 1 | LOCKS, EGRESS, DELAYED, AMERICAN NATIONAL STANDARD FOR [CUST: AR YD1] [REVIEW: IS] | A 5340 | | YD1 | 04-NOV-92 |
| | BOCA-NPC-90 | THE BOCA NATIONAL PLUMBING CODE/1990 - 1990 (EIGHTH EDITION) [CUST: YD1] | A 45GP | | YD1 | 19-APR-90 |
| | CGA-E1-94 | REGULATOR OUTLETS, TORCHES AND FITTED HOSE FOR WELDING AND CUTTING EQUIPMENT, STANDARD CONNECTIONS FOR [CUST: AL SH 99 GS] | A 34GP | | GS | 1994 |
| | CGA-G7.1-89 | AIR, COMMODITY SPECIFICATION FOR [CUST: CR4 YD1 68] | A 6830 | | YD1 | 1989 |
| | CGA-G8.1-90 | OXIDE, NITROUS, SYSTEMS AT CONSUMER SITES, STANDARD FOR [CUST: GL YD1 68] | A 6830 | | YD1 | 1990 |
| | CGA-G10.1-91 | NITROGEN, COMMODITY SPECIFICATION FOR [CUST: CR4 YD1 68] | A 6830 | | YD1 | 1991 |
| | CGA-V1-87 | GAS, COMPRESSED CYLINDER VALVE OUTLET & INLET CONNECTIONS 27 JAN 87 [CUST: AS 68] [REVIEW: 84 99 AV GS IS SH] | A 8120 | 68 | 21-APR-89 | |
| | CGA-V5-89 | DIAMETER-INDEX SAFETY SYSTEM (NON-INTERCHANGEABLE LOW PRESSURE CONNECTIONS FOR MEDICAL GAS APPLICATIONS [CUST: CR4 YD1 10 MB]) | A SAFT | | MB | 1989 |
| | CGA-V6-93 | LIQUID, STANDARD CRYOGENIC, TRANSFER CONNECTIONS [CUST: CR4 SH 68] | A 4730 | 68 | 1993 | |
| | CI1201 | FIBER ROPES [CUST: GL SH 99 IS] | A 4020 | | IS | SEPT 96 |
| | CI1301 | POLYPROPYLENE FIBER ROPE 3-STRAND AND 8-STRAND CONSTRUCTIONS [CUST: GL SH 99 IS] | A 4020 | | IS | SEPT 96 |
| | CI1302A | POLYESTER/POLYOLEFIN DUAL FIBER ROPE 3-STRAND CONSTRUCTION [CUST: GL SH 99 IS] | A 4020 | | IS | SEPT 96 |
| | CI1303 | NYLON (POLYAMIDE) FIBER ROPE 3-STRAND AND 8-STRAND CONSTRUCTIONS [CUST: GL SH 99 IS] | A 4020 | | IS | SEPT 96 |
| | CI1304 | POLYESTER (PET) FIBER ROPE 3-STRAND AND 8-STRAND CONSTRUCTIONS [CUST: GL SH 99 IS] | A 4020 | | IS | SEPT 96 |
| | CI1305 | SINGLE BRAIDED POLYESTER FIBER ROPE 12-STRAND BRAID CONSTRUCTION [CUST: GL SH 99 IS] | A 4020 | | IS | SEPT 96 |
| | CI1306 | NYLON (POLYAMIDE) FIBER ROPE DOUBLE BRAID CONSTRUCTION [CUST: GL SH 99 IS] | A 4020 | | IS | SEPT 96 |
| | CI1307 | POLYESTER (PET) FIBER ROPE DOUBLE BRAID CONSTRUCTION [CUST: GL SH 99 IS] | A 4020 | | IS | SEPT 96 |
| | CI1308 | MANILA ROPE 3-STRAND CONSTRUCTION [CUST: GL SH 99 IS] | A 4020 | | IS | SEPT 96 |
| A | CI1310 | NYLON (POLYAMIDE) FIBER ROPE HIGH PERFORMANCE DOUBLE BRAIDED CONSTRUCTION [CUST: GL SH 99 IS] | A 4020 | | IS | 31-JUL-97 |
| A | CI1311 | POLYESTER (PET) FIBER ROPE HIGH PERFORMANCE DOUBLE BRAID CONSTRUCTION [CUST: GL SH 99 IS] | A 4020 | | IS | 31-JUL-97 |
| A | CI1500 | TEST METHODS FOR FIBER ROPE [CUST: GL SH 99 IS] | A 4020 | | IS | 31-JUL-97 |
| | CISPI301-90 | PIPE, SOIL, HUBLESS CAST IRON, AND FITTINGS FOR SANITARY AND STORM DRAIN, WASTE, AND VENT PIPING APPLICATIONS - 1990 [CUST: CR4 YD1 99] [REVIEW: CC CE SH] | A 4730 | | YD1 | 04-MAR-91 |
| | CISPI310-90 | COUPLING FOR USE IN CONNECTION WITH HUBLESS CAST IRON SOIL PIPE AND FITTINGS FOR SANITARY AND STORM DRAIN, WASTE, AND VENT PIPING APPLICATIONS, SPECIFICATION FOR - 1990 [CUST: CR4 YD1 99] [REVIEW: CC CE SH] | A 4730 | | YD1 | 04-MAR-91 |
| | CSI-MP2.1-95 | MASTERFORMAT, MASTER LIST OF NUMBERS AND TITLES FOR THE CONSTRUCTION INDUSTRY [CUST: YD1 99] [REVIEW: CE] | A FACR | | YD1 | 1995 |
| | CSI-MP2.2-85 | CONSTRUCTION SPECIFICATION SECTIONS, A RECOMMENDED FORMAT FOR [CUST: CR4 YD1 99] [REVIEW: CE MC] | A FACR | | YD1 | 31-JAN-85 |
| | CSI-MP2.3-92 | CONSTRUCTION SPECIFICATIONS, A RECOMMENDED PAGE FORMAT FOR [CUST: CR4 YD1 99] [REVIEW: CE MC] | A FACR | | YD1 | 31-JAN-92 |
| | CTI-ATC105 | WATER-COOLING TOWERS, ACCEPTANCE TEST CODE FOR [CUST: CR4 YD1 99] [REVIEW: 82 CE GS] | A 4130 | | YD1 | 28-FEB-82 |
| | DFI791-79 NOT 1 | HAMMER, A PILE INSPECTOR S GUIDE TO HAMMERS - 1979 [CUST: CR4 YD1] [REVIEW: CE] | A FACR | | YD1 | 31-JUL-86 |
| | DFI792-79 NOT 1 | FOUNDATION, PILE, INSPECTORS MANUAL FOR - 1979 [CUST: CR4 YD1] [REVIEW: CE] | A FACR | | YD1 | 24-JUL-86 |
| | EIA170-57 | TELEVISION STUDIO FACILITIES, MONOCHROME, [CUST: CR YD1 99] | A 5820 | | YD1 | NOV-57 |
| | EIA310D NOT 1 | CABINETS, RACKS, PANELS, AND ASSOCIATED EQUIPMENT [CUST: CR SH 85] [REVIEW: AS CG EC YD1] | A 5975 | SH | 23-JUN-93 | |
| | EIA359A-88 | COLOR IDENTIFICATION AND CODING, EIA STANDARD COLORS FOR - 21 NOV 1984 [CUST: CR EC 85] | A 59GP | | CR | 10-JAN-89 |
| | EIA364.11-87 | CONNECTORS, ELECTRICAL, RESISTANCE TO SOLVENTS, TEST PROCEDURE FOR [CUST: CR EC 85 CC] | A 5935 | | CC | 25-SEP-87 |
| | EIA364.56A-91 | CONNECTORS, ELECTRICAL, SOLDERING HEAT TEST PROCEDURE FOR, RESISTANCE TO [CUST: CR EC 85 CC] | A 5935 | | CC | 05-APR-91 |
| | EIA440A-88 | FIBER OPTIC TERMINOLOGY [CUST: CR SH 85 CC] | A 60GP | | CC | 07-DEC-88 |
| A | EIA455.2B-90 | OPTIC DEVICES, FIBER, IMPACT TEST MEASUREMENTS FOR [CUST: CR AS 85] [REVIEW: 11 17 19 80 90 CC EC MC SH TE] | A 60GP | | CR | 12-AUG-82 |
| | EIA455.3A-89 | OPTICAL FIBERS, OPTICAL CABLE, AND OTHER PASSIVE FIBER OPTIC COMPONENTS, PROCEDURE TO MEASURE TEMPERATURE CYCLING EFFECTS ON [CUST: CR AS 85 CC] | A 60GP | | CC | 23-MAY-89 |
| | EIA455.4A-85 | FIBER OPTIC CONNECTOR/COMPONENT TEMPERATURE LIFE - 23 JULY 1985 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | | CR | 17-SEP-86 |
| | EIA455.5B | FIBER OPTIC COMPONENTS, HUMIDITY TEST PROCEDURE FOR [CUST: CR AS 85 CC] | A 60GP | | CC | 23-FEB-95 |
| | EIA455.6B-92 | CABLE RETENTION TEST PROCEDURE FOR FIBER OPTIC CABLE INTERCONNECTING DEVICES [CUST: CR AS 85 CC] | A 60GP | | CC | 24-JAN-92 |
| | EIA455.18-84 | OPTIC COMPONENTS & ASSEMBLIES, FIBER, ACCELERATION TESTING OF - 8 NOV 84 [CUST: CR AS 85] [REVIEW: 11 17 19 80 90 CC EC MC SH TE] | A 60GP | | CR | 03-DEC-85 |
| | EIA455.21A-88 | FIBER OPTIC, INTERCONNECTING DEVICES, MATING DURABILITY OF - 8 SEP 88 [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 CC EC MC SH TE] | A 60GP | | CR | 14-FEB-91 |
| | EIA455.22A-88 | FIBER OPTIC COMPONENTS, AMBIENT LIGHT SUSCEPTIBILITY OF - 4 NOV 88 [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 CC EC MC SH TE] | A 60GP | | CR | 14-FEB-91 |
| | EIA455.23A-85 | FIBER OPTIC COMPONENT SEALS, AIR LEAKAGE OF - 7 AUG 85 [CUST: CR AS 85] [REVIEW: 11 17 19 80 90 CC EC MC SH TE] | A 60GP | | CR | 14-FEB-86 |
| | EIA455.26A-85 | FIBER OPTIC CABLE INTERCONNECTING DEVICES, CRUSH RESISTANCE OF - 1 JUL 85 [CUST: CR AS 85] [REVIEW: 11 17 19 80 90 CC EC MC SH TE] | A 60GP | | CR | 14-FEB-86 |
| | EIA455.29A-89 | REFRACTIVE INDEX PROFILE, TRANSVERSE INTERFERENCE METHOD - 28 JUL 89 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC MI SH TE] | A 60GP | | CR | 18-JAN-91 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-------------|------------------|---|-----------------------|-----|-------------|-----------|
| | EIA455.33A-87 | FIBER OPTIC CABLE TENSILE LOADING AND BENDING TEST - 21 AUG 87 [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 CC EC MC SH TE] | A 60GP | CR | | 14-FEB-91 |
| | EIA455.34-85 | INTERCONNECTION DEVICE INSERTION LOSS TEST - 5 APRIL 1985 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | 14-FEB-86 |
| | EIA455.35A-90 | FIBER OPTIC COMPONENT DUST (FINE SAND) TEST [CUST: CR AS 85 CC] | A 60GP | CC | | 27-APR-90 |
| | EIA455.37A-93 | FIBER OPTIC CABLE, LOW OR HIGH TEMPERATURE BEND TEST FOR [CUST: CR AS 85 CC] | A 60GP | CC | | 09-MAR-93 |
| | EIA455.41-85 | FIBER OPTIC CABLES, COMPRESSIVE LOADING RESISTANCE OF - FEB 1985 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | 15-JUL-85 |
| | EIA455.42A-89 | OPTICAL CROSSTALK IN FIBER OPTIC COMPONENTS - 20 OCT 89 [CUST: CR AS 85] [REVIEW: 11 17 19 CC EC MC MI SH TE] | A 60GP | CR | | 18-JAN-91 |
| | EIA455.43-84 | OUTPUT NEAR-FIELD RADIATION PATTERN MEASUREMENT OF OPTICAL WAVEGUIDE FIBERS - 15 DEC 1984 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | 14-FEB-86 |
| | EIA455.50A-87 | FIBER, OPTICAL, SPECTRAL ATTENUATION MEASUREMENTS, LIGHT LAUNCH CONDITIONS FOR LONG-LENGTH GRADED-INDEX - 24 JUL 87 [CUST: MR AS] [REVIEW: 11 17 AR AT CR4 EC IS MC MI SH] | A 60GP | CR | | 15-DEC-88 |
| | EIA455.51A | MULTIMODE GLASS OPTICAL FIBER INFORMATION TRANSMISSION CAPACITY, PULSE DISTORTION MEASUREMENT OF [CUST: CR AS 85] [REVIEW: 13 19 90 99 CC DI FSS MC NA SH TE] | A 60GP | CR | | 02-JUN-93 |
| | EIA455.53-86 | FIBERS, OPTICAL, ATTENUATION BY SUBSTITUTION MEASUREMENT FOR MULTIMODE GRADED-INDEX OR FIBER ASSEMBLIES USED IN LONG HAUL COMMUNICATIONS SYSTEMS - 17 MAR. 1986 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | 15-APR-87 |
| | EIA455.57-86 | FIBER OPTICAL, END PREPARATION AND EXAMINATION - 19 SEP 86 [CUST: MR AS] [REVIEW: 11 17 AR AT CR4 EC IS MC MI SH] | A 60GP | CR | | 15-DEC-88 |
| | EIA455.60-89 | FIBER OR CABLE LENGTH, MEASUREMENT OF, USING AN OTDR - 20 OCT 89 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC MI SH TE] | A 60GP | CR | | 18-JAN-91 |
| | EIA455.62A NOT 1 | OPTICAL FIBER MACROBEND ATTENUATION, MEASUREMENT OF [CUST: CR AS 85] [REVIEW: 13 19 90 99 CC MC SH TE] | A 60GP | CR | | 02-JUN-93 |
| | EIA455.65-87 | OPTICAL FIBER FLEXURE TEST - 10 AUG 87 [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 CC EC MC SH TE] | A 60GP | CR | | 14-FEB-91 |
| | EIA455.76-93 | OPTICAL FIBERS BY TENSION, METHOD FOR MEASURING DYNAMIC FATIGUE OF [CUST: CR AS 85 CC] | A 60GP | CC | | 14-MAY-93 |
| | EIA455.80-88 | FIBER, CUTOFF WAVELENGTH OF UNCABLED SINGLE-MODE, BY TRANSMITTED POWER - 6 JUL 88 [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 CC EC MC SH TE] | A 60GP | CR | | 14-FEB-91 |
| | EIA455.81-85 | OPTIC CABLE, COMPOUND FLOW (DRIP) TEST FOR FILLED FIBER - MAR 1985 [CUST: CR AS 85] [REVIEW: 11 13 17 19 EC MC SH TE] | A 60GP | CR | | 15-JUL-85 |
| | EIA455.82A-87 | FLUID PENETRATION TEST FOR FLUID-BLOCKED FIBER OPTIC CABLE - 24 JUL 87 [CUST: MR AS] [REVIEW: 11 17 AR AT CR4 EC IS MC MI SH] | A 60GP | CR | | 15-DEC-88 |
| | EIA455.83A-87 | CABLE TO INTERCONNECTING DEVICE AXIAL COMPRESSIVE LOADING - 21 AUG 87 [CUST: MR AS] [REVIEW: 11 17 AR AT CR4 EC IS MC MI SH] | A 60GP | CR | | 15-DEC-88 |
| | EIA455.84A-88 | FIBER OPTIC CABLE, JACKET SELF-ADHESION (BLOCKING TEST) FOR - 6 JUL 88 [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 CC EC MC SH TE] | A 60GP | CR | | 14-FEB-91 |
| | EIA455.87A-86 | FIBER OPTIC CABLE KNOT TEST - 12 MAY 1986 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | 15-APR-87 |
| | EIA455.88-87 | FIBER OPTIC CABLE BEND TEST - 10 AUG 87 [CUST: MR AS] [REVIEW: 11 17 AR AT CR4 EC IS MC MI SH] | A 60GP | CR | | 15-DEC-88 |
| | EIA455.91-85 | FIBER OPTIC CABLE TWIST-BEND TEST - 12 JUNE 1985 [CUST: CR AS 85] [REVIEW: 11 13 17 19 90 CC EC MC SH TE] | A 60GP | CR | | 17-SEP-86 |
| | EIA455.94-86 | FIBER OPTIC CABLE STUFFING TUB COMPRESSION - 13 AUG 1986 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC TE] | A 60GP | CR | | 18-DEC-87 |
| | EIA455.100A-89 | GAS LEAKAGE TEST FOR GAS - BLOCKED FIBER OPTIC CABLES - 13 SEP 89 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC MI SH TE] | A 60GP | CR | | 18-JAN-91 |
| | EIA455.107-89 | FIBER OPTIC COMPONENTS, RETURN LOSS FOR - 25 JAN 89 [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 CC EC MC SH TE] | A 60GP | CR | | 14-FEB-91 |
| | EIA455.164-86 | SCANNING FAR-FIELD, FIBER SINGLE-MODE, MEASUREMENT OF MODE FIELD DIAMETER - 18 DEC 1987 - [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | 18-DEC-87 |
| | EIA455.167-87 | MODE FIELD DIAMETER MEASUREMENT - VARIABLE APERTURE METHOD IN THE FARFIELD - 18 MAY 87 [CUST: MR AS] [REVIEW: 11 17 AR AT EC IS MC MI SH] | A 60GP | CR | | 21-DEC-88 |
| | EIA455.168-87 | FIBERS OPTICAL, CHROMATIC DISPERSION MEASUREMENT OF MULTIMODE GRADED-INDEX AND SINGLE-MODE, BY SPECTRAL GROUP DELAY MEASUREMENT IN THE TIME DOMAIN - 18 MAY 87 [CUST: MR AS] [REVIEW: 11 17 AR AT EC IS MC MI SH] | A 60GP | CR | | 21-DEC-88 |
| | EIA455.169A | SINGLE-MODE OPTICAL FIBERS BY THE PHASE-SHIFT METHOD, CHROMATIC DISPERSION MEASUREMENT OF [CUST: CR AS 85] [REVIEW: 13 19 90 99 CC DI FSS MC NA SH TE] | A 60GP | CR | | 02-JUN-93 |
| | EIA455.170-89 | CABLE CUTOFF WAVELENGTH OF SINGLE-MODE FIBER BY TRANSMITTED POWER - 3 OCT 89 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC MI SH TE] | A 60GP | CR | | 18-JAN-91 |
| | EIA455.171-87 | FIBER OPTICAL CABLE ASSEMBLIES, ATTENUATION BY SUBSTITUTION MEASUREMENT - FOR SHORT-LENGTH MULTIMODE GRADED-INDEX AND SINGLE-MODE - 24 JUN 87 [CUST: MR AS] [REVIEW: 11 17 AR AT EC IS MC MI SH] | A 60GP | CR | | 21-DEC-88 |
| | EIA455.174-88 | FIBER OPTICAL, MODE FIELD DIAMETER OF SINGLE-MODE, BY KNIFE-EDGE SCANNING IN THE FAR FIELD - 6 JUL 88 [CUST: MR AS] [REVIEW: 11 17 AR AT EC IS MC MI SH] | A 60GP | CR | | 17-MAR-89 |
| | EIA455.175A | SINGLE-MODE OPTICAL FIBERS BY THE DIFFERENTIAL PHASE SHIFT METHOD, CHROMATIC DISPERSION MEASUREMENT OF [CUST: CR AS 85] [REVIEW: 13 19 90 99 CC DI FSS MC NA SH TE] | A 60GP | CR | | 02-JUN-93 |
| | EIA455.177-89 | OPTICAL FIBERS, GRADED INDEX, NUMERICAL APERTURE MEASUREMENT OF - 16 AUG 89 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC MI SH TE] | A 60GP | CR | | 18-JAN-91 |
| | EIA455.179-88 | FIBER, CLEAVED, END FACES BY INTERFEROMETRY, INSPECTION OF - 4 FEB 88 [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 CC EC MC SH TE] | A 60GP | CR | | 14-FEB-91 |
| | EIA494B-92 NOT 1 | 32 BIT BINARY CL (BCL) AND 7 BIT ASCII CL (ACL) EXCHANGE INPUT FORMAT FOR NUMERICALLY CONTROLLED MACHINES [CUST: AL SH 99 GS] [REVIEW: 84] | A 34GP | GS | | 23-SEP-92 |
| | EIA512-85 | MEASUREMENT OF THE EQUIVALENT ELECTRICAL PARAMETERS OF QUARTZ CRYSTAL UNITS, 1 KHZ TO GHZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI NA OS SH SM] | A 5955 | CC | | 10-APR-85 |
| | EIA512.1-90 | MEASUREMENT OF THE EQUIVALENT ELECTRICAL PARAMETERS OF QUARTZ CRYSTAL UNITS, 1 KHZ TO 1 GHZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI NA OS SH SM] | A 5955 | CC | | 12-NOV-90 |
| | EIA520AAAA-88 | SWITCHES, NON SENSITIVE PUSHBUTTON SINGLE POLE CONTACTS [CUST: CR EC 85 CC] [REVIEW: 99 MI] | A 5930 | CC | | 28-OCT-88 |
| | EIA520AAAB-88 | SWITCHES NON SENSITIVE PUSHBUTTON MOMENTARY CONTACT [CUST: CR EC 85 CC] [REVIEW: 99 MI] | A 5930 | CC | | 05-APR-88 |
| | EIA520CAAA-88 | SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, BASIC SIZE DETAIL SPECIFICATION FOR - 11 AUG 88 [CUST: EC 85] [REVIEW: 99 AS MC SH] | A 5930 | CC | | 17-AUG-90 |
| | EIA520A000-87 | SWITCHES, PUSHBUTTON OF CERTIFIED QUALITY [CUST: CR EC 85 CC] [REVIEW: 99 MI] | A 5930 | CC | | 28-OCT-88 |
| | EIA5200000-86 | SWITCHES, SPECIAL-USE ELECTROMECHANICAL OF CERTIFIED QUALITY - 9 JUN 86 [CUST: CR EC 85] [REVIEW: 99 MI] | A 5930 | CC | | 28-OCT-88 |
| | EIA520C000-87 | SWITCHES, SENSITIVE OF CERTIFIED QUALITY - 15 APR 87 [CUST: EC 85] [REVIEW: 99 AS MC SH] | A 5930 | CC | | 17-AUG-90 |
| | EIA520CA00-87 | SWITCHES, SENSITIVE OF CERTIFIED QUALITY SPECIAL-USE BLANK DETAIL SPECIFICATION FOR - 15 APR 87 [CUST: EC 85] [REVIEW: 99 AS MC SH] | A 5930 | CC | | 17-AUG-90 |
| | EIA520CAAD-88 | SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, SUBMINIATURE SIZE, 7 A. DETAIL SPECIFICATION FOR - 7 OCT 88 [CUST: EC 85] [REVIEW: 99 AS MC SH] | A 5930 | CC | | 17-AUG-90 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|------------|-------------------------|--|----------------------|-----|-------------|-----------|
| | EIA520CAAC-88 | SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, SUBMINIATURE SIZE, 5 A. DETAIL SPECIFICATION FOR - 30 SEP 88 [CUST: EC 85] [REVIEW: 99 AS MC SH] | A 5930 | CC | | 17-AUG-90 |
| | EIA520CAAB-88 | SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, MINIATURE SIZE, DETAIL SPECIFICATION FOR - 31 AUG 88 [CUST: EC 85] [REVIEW: 99 AS MC SH] | A 5930 | CC | | 17-AUG-90 |
| | EIA526.10-93 | SYSTEMS, DISPERSION POWER PENALTY IN DIGITAL SINGLE-MODE, MEASUREMENT OF [CUST: CR AS 85 CC] | A 60GP | CC | | 14-MAY-93 |
| | EIA554-88 | ASSESSMENT OF OUTGOING NONCONFORMING LEVELS IN PARTS PER MILLION (PPM) [CUST: CR EC 85] | A 59GP | CR | | 14-OCT-88 |
| | EIA557A-95 | STATISTICAL PROCESS CONTROL SYSTEMS [CUST: CR EC 85] | A 59GP | CR | | 10-MAY-95 |
| | EIA557.1-91 | COMPONENTS, PASSIVE, GUIDANCE FOR THE SELECTION OF CRITICAL MANUFACTURING OPERATIONS FOR USE IN IMPLEMENTING AN SPC SYSTEM FOR - 14 JAN. 1991 [CUST: CR EC 85] | A 59GP | CR | | 23-APR-91 |
| | EIA584-91 | ZERO ACCEPTANCE NUMBER SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES FOR A CONTINUOUS MANUFACTURING PROCESS - 14 JUNE 1991 [CUST: CR EC 85] | A 59GP | CC | | 19-JUL-91 |
| | EIA585-91 | ZERO ACCEPTANCE NUMBER SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES OF ISOLATED LOTS - 14 JUNE 1991 [CUST: CR EC 85] | A 59GP | CC | | 19-JUL-91 |
| | EIA587 | FIBER OPTIC GRAPHIC SYMBOLS [CUST: CR AS 85] [REVIEW: 13 19 90 99 CC DI FSS MC NA SH TE] | A 60GP | CR | | 02-JUN-93 |
| | EIA598A-94 | OPTICAL FIBER CABLE COLOR CODING [CUST: CR AS 85 CC] | A 6015 | CC | | 05-DEC-94 |
| | EIA604-93 | FIBER OPTIC CONNECTOR INTERMATEABILITY STANDARDS (FOCIS) [CUST: CR AS 85 CC] [REVIEW: 11 13 17 19 80 90 99 EC FSS MC MI SH TE] | A 6060 | CC | | 02-NOV-93 |
| A | EIA738 | GUIDELINE ON THE USE AND APPLICATION OF CPK [CUST: CR EC 85 CC] | A 59GP | CC | | SEP-97 |
| | EIA-1S649-95 | NATIONAL CONSENSUS STANDARD FOR CONFIGURATION MANAGEMENT [CUST: AR AS 10] | A CMAN | DO | | AUG-95 |
| | EIA-RS46-83 | FIBERS, OPTICAL, SPECTRAL ATTENUATION MEASUREMENT FOR LONG LENGTH, GRADED-INDEX - 15 MAY 1983 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | 27-MAR-86 |
| | EIA-RS50-83 | FIBER, OPTICAL, LONG LENGTH GRADED INDEX, SPECTRAL ATTENUATION MEASUREMENTS, LIGHT-LAUNCH CONDITIONS FOR - 15 FEB 1983 [CUST: CR AS 85] | A 60GP | CR | | 27-MAR-86 |
| | EIA-RS170-57 | TELEVISION STUDIO FACILITIES, ELECTRICAL PERFORMANCE STANDARDS MONOCHROME [CUST: CR SH 99] | A 5820 | SH | | 30-NOV-57 |
| | EIA-RS227A-71 | TAPE, PERFORATED, ONE INCH - 1971 [CUST: AL SH 99] [REVIEW: AR AV CR4 MI] | A 34GP | GS | | 09-MAR-79 |
| | EIA-RS232C-69 | DATA TERMINAL EQUIPMENT & DATA COMMUNICATION EQUIPMENT, INTERFACE BETWEEN, EMPLOYING SERIAL BINARY DATA INTERCHANGE - 1969 [CUST: AL SH 99] [REVIEW: AR AV CR4 MI] | A 34GP | DC | | 09-MAR-79 |
| | EIA-RS244B-76 | CHARACTER CODE FOR NUMERICAL MACHINE CONTROL PERFORATED TAPE - 1976 [CUST: AL SH 99] | A 34GP | GS | | 09-MAR-79 |
| | EIA-RS267A-67R73 | MACHINES, NUMERICALLY CONTROLLED, AXIS & MOTION NOMENCLATURE FOR - 1967 R 73 [CUST: AL SH 99] [REVIEW: AR AV CR4 MI] | A 34GP | GS | | 09-MAR-79 |
| | EIA-RS274D-79 | MACHINES, NUMERICALLY CONTROLLED, INTERCHANGEABLE PERFORATED TAPE VARIABLE BLOCK FORMAT FOR CONTOURING & CONTOURING/POSITIONING - FEB 79 [CUST: AL SH 99] [REVIEW: AR AV CR4 MI] | A 34GP | GS | | 09-MAR-79 |
| | EIA-RS278B-75 | MOUNTING DIMENSIONS FOR LOUDSPEAKERS - 6 JAN 75 [CUST: CR SH 85] [REVIEW: 99] | A 5965 | CC | | 23-OCT-89 |
| | EIA-RS297A-70 | CABLE CONNECTORS FOR AUDIO FACILITIES FOR RADIO BROADCASTING [CUST: CR AS 10] | A 5935 | CC | | JUN-70 |
| | EIA-RS310C-77R82 NOT 2 | RACKS, PANELS, & ASSOCIATED EQUIPMENT - 28 NOV 77 [CUST: CR SH 85] [REVIEW: AS EC YD1] | A 5975 | SH | | 08-JUN-90 |
| | EIA-RS343A-69 | TELEVISION CAMERA, HIGH RESOLUTION MONOCHROME CLOSED CIRCUIT, ELECTRICAL PERFORMANCE STANDARDS FOR [CUST: CR SH 99] | A 5820 | SH | | 30-SEP-69 |
| | EIA-RS358B-79 | SUBSET OF USA STANDARD CODE FOR INFORMATION INTERCHANGE FOR NUMERICAL CONTROL PERFORATED TAPE - FEB 79 [CUST: AL SH 99] [REVIEW: AR AV CR4 MI] | A 34GP | GS | | 09-MAR-79 |
| | EIA-RS359A-88 | COLORS FOR COLOR IDENTIFICATION AND CODING EIA STANDARD - 21 NOV 84 - ADDENDUM 10 NMA 88 [CUST: CR EC 85] | A 59GP | CC | | 10-JAN-89 |
| | EIA-RS385-70 NOT 1 | PREFERRED VALUES [CUST: CR EC 11] | A 5905 | CC | | 04-AUG-93 |
| | EIA-RS412A-74 | TELEVISION MONITORS, DIRECT VIEW HIGH RESOLUTION MONOCHROME CLOSED CIRCUIT, ELECTRICAL PERFORMANCE STANDARDS FOR [CUST: CR SH 99] | A 5820 | SH | | 31-OCT-74 |
| | EIA-RS455.3-81 | FIBERS, FIBER OPTIC, CABLES, TRANSDUCERS, CONNECTING & TERMINATING DEVICES - MAY 81 [CUST: CR AS 85] [REVIEW: 11 17 99 CC EC TE] | A 60GP | CR | | 12-AUG-82 |
| | EIA-RS455.13-84 | OPTIC DEVICES, VISUAL & MECHANICAL INSPECTION OF FIBERS, CABLES, CONNECTORS AND/OR OTHER FIBER - MAR 84 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | 29-JAN-85 |
| | EIA-RS455.14-83 | OPTIC SHOCK TEST, FIBER (SPECIFIED PULSE) - OCT 83 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | 19-MAR-85 |
| | EIA-RS455.15-83 | IMMERSION, ALTITUDE - MAY 83 [CUST: CR AS 85] [REVIEW: 11 13 19 EC MC SH TE] | A 60GP | CR | | 15-JUL-85 |
| | EIA-RS455.20-83 | OPTICAL TRANSMITTANCE, CHANGE IN, MEASUREMENT OF - 15 FEB 83 [CUST: CR AS 85] [REVIEW: 11 17 19 80 90 CC EC MC SH TE] | A 60GP | CR | | 14-FEB-86 |
| | EIA-RS455.44-84 | PROFILE, REFRACTIVE INDEX, REFRACTED RAY METHOD - JAN 84 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | 29-JAN-85 |
| | EIA-RS455.66-84 | OPTICAL WAVEGUIDE COATINGS & BUFFERS, TEST METHODS FOR MEASURING RELATIVE ABRASION RESISTANCE OF - APR 84 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | 29-JAN-85 |
| | EIA-RS455.86-83 | OPTIC CABLE, FIBER, JACKET SHRINKAGE - 15 JAN 83 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | 19-MAR-85 |
| | EIA-RS463-79 | CAPACITOR, FIXED ALUMINUM ELECTROLYTIC, FOR ALTERNATING CURRENT MOTOR STARTING, HEAVY DUTY (TYPE 1) & FOR LIGHT DUTY (TYPE 2) - OCT 79 (W/DOD EXCEPTIONS) [CUST: CR EC 11] [REVIEW: 19 99 AS SH] | A 5910 | CC | | 24-NOV-80 |
| | EIA-RS465-81 | DOCUMENT TRANSMISSION, GROUP 3 FACSIMILE APPARATUS FOR - 3 APR 81 (WITH ERRATUM DATED 5 MAY 82 [CUST: CR EC 90] | A TCSS | DC | | 03-APR-81 |
| | EIA-RS466-81 | DOCUMENT FACSIMILE TRANSMISSION - 3 APR 81 [CUST: CR EC 90] [REVIEW: CR NS] | A TCSS | DC | | 03-APR-81 |
| | EIA-RS469-80 | CAPACITOR, CERAMIC MONOLITHIC, DESTRUCTIVE PHYSICAL ANALYSIS OF HIGH RELIABILITY - NOV 80 [CUST: CC NA] [REVIEW: 19 99 AS SH] | A 5910 | CC | | 13-MAR-81 |
| | EIA-RS470-81 | TELEPHONE INSTRUMENTS WITH LOOP SIGNALING FOR VOICEBAND APPLICATIONS - ISSUE 1 WITH ERRATA NO. 1 [CUST: CR EC 90] [REVIEW: CR NS] | A TCSS | DC | | 12-JAN-81 |
| | EIA-RS478-81 | TELEPHONE SYSTEM (KTS) FOR VOICEBAND APPLICATIONS, MULTI-LINE KEY - JULY 81 [CUST: CR EC 90] [REVIEW: CR] | A TCSS | DC | | 09-MAR-81 |
| | EIA-RS483-81 | EFFECTIVE SERIES RESISTANCE (ESR) & CAPACITANCE OF MULTILAYER CERAMIC CAPACITORS AT HIGH FREQUENCIES - DEC 1981 [CUST: CR EC 11] [REVIEW: 19 99 AS MC SH] | A 5910 | CC | | 01-JUN-83 |
| | EIA-RS487-82 | TELEPHONE SYSTEM, LINE CIRCUIT (CARD) FOR 1A2 GENERIC MULTI LINE KEY - AUG 82 [CUST: CR EC 90] [REVIEW: CR] | A TCSS | DC | | 19-AUG-82 |
| | EIA-TIA455A-91 NOT 1 | FIBER OPTIC FIBERS, CABLES, TRANSDUCERS, SENSORS, CONNECTING AND TERMINATING DEVICES, AND OTHER FIBER OPTIC COMPONENTS, STANDARD TEST PROCEDURE FOR [CUST: CR AS 85] [REVIEW: 13 19 90 99 CC MC SH TE] | A 60GP | CR | | 09-NOV-92 |
| | EIA-TIA455.2B | FIBER OPTIC FIBERS, CABLES, TRANSDUCERS, CONNECTING AND TERMINATING DEVICES [CUST: CR AS 85] | A 60GP | CR | | 03-DEC-85 |
| | EIA-TIA455.16A-91 NOT 1 | FIBER OPTIC COMPONENTS, SALT SPRAY (CORROSION), TEST FOR [CUST: CR AS 85] [REVIEW: 13 19 90 99 CC MC SH TE] | A 60GP | CR | | 09-NOV-92 |
| | EIA-TIA455.24-91 NOT 1 | FIBERS, SINGLE-MODE, WATER PEAK ATTENUATION, MEASUREMENT OF [CUST: CR AS 85] [REVIEW: 13 19 90 99 CC MC SH TE] | A 60GP | CR | | 09-NOV-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|-------------------------|--|--------------|-----|-------------|--|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | | |
| | EIA-TIA455.25A-89 | FIBER OPTIC CABLES AND CABLE ASSEMBLIES, REPEATED IMPACT TESTING OF - 24 MAR 89 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | | 27-MAR-91 |
| | EIA-TIA455.28B-91 NOT 1 | FIBER, OPTICAL, MEASURING DYNAMIC TENSILE STRENGTH OF, METHOD FOR [CUST: CR AS 85] [REVIEW: 13 19 90 99 CC MC SH TE] | A 60GP | CR | | | 09-NOV-92 |
| | EIA-TIA455.30B-91 NOT 1 | FREQUENCY DOMAIN MEASUREMENT OF MULTIMODE OPTICAL FIBER INFORMATION TRANSMISSION CAPACITY [CUST: CR AS 85] [REVIEW: 13 19 90 99 CC MC SH TE] | A 60GP | CR | | | 09-NOV-92 |
| | EIA-TIA455.31B-90 NOT 1 | FIBER, TENSILE PROOF TEST METHOD [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 90 99 CC EC MC MI SH TE] | A 60GP | CR | | | 14-MAY-92 |
| | EIA-TIA455.32A-90 NOT 1 | FIBER OPTIC CIRCUIT DISCONTINUITIES [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 90 99 CC EC MC MI SH TE] | A 60GP | CR | | | 14-MAY-92 |
| | EIA-TIA455.39A-89 | FIBER OPTIC CABLE WATER WICKING TEST - 17 MAY 89 [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | | 27-MAR-91 |
| | EIA-TIA455.46A-90 NOT 1 | FIBERS, OPTICAL, SPECTRAL ATTENUATION MEASUREMENT FOR LONG-LENGTH, GRADED-INDEX [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 90 99 CC EC MC MI SH TE] | A 60GP | CR | | | 14-MAY-92 |
| | EIA-TIA455.47B | RADIATION PATTERN MEASUREMENT, OUTPUT FAR FIELD [CUST: CR AS 85] [REVIEW: 11 13 17 19 CC EC MC SH TE] | A 60GP | CR | | | AUG-92 |
| | EIA-TIA455.48B-90 NOT 1 | FIBER, OPTICAL, FIBER CLADDING DIAMETER USING LASER-BASED INSTRUMENTS, MEASUREMENT OF [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 90 99 CC EC MC MI SH TE] | A 60GP | CR | | | 14-MAY-92 |
| | EIA-TIA455.54A-90 NOT 1 | FIBERS, OVERFILLED LAUNCHING CONDITIONS TO MULTIMODE, MODE SCRAMBLER, REQUIREMENTS FOR [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 90 99 CC EC MC MI SH TE] | A 60GP | CR | | | 14-MAY-92 |
| | EIA-TIA455.55B-90 NOT 1 | FIBERS, OPTICAL, MEASURING COATING AND BUFFER GEOMETRY OF, END-VIEW, METHODS FOR [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 90 99 CC EC MC MI SH TE] | A 60GP | CR | | | 14-MAY-92 |
| | EIA-TIA455.56B | TEST METHOD FOR EVALUATING FUNGUS RESISTANCE OF OPTICAL FIBER AND CABLE [CUST: CR AS 85 CC] | A 60GP | CC | | | 12-JAN-95 |
| | EIA-TIA455.58A-90 NOT 1 | FIBERS, OPTICAL, GRADED-INDEX, CORE DIAMETER, MEASUREMENT OF [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 90 99 CC EC MC MI SH TE] | A 60GP | CR | | | 14-MAY-92 |
| | EIA-TIA455.63A-90 NOT 1 | FIBERS, OPTICAL, TORSION TEST FOR [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 90 99 CC EC MC MI SH TE] | A 60GP | CR | | | 14-MAY-92 |
| | EIA-TIA455.67 | OPTICAL CHARACTERISTICS OF OPTICAL FIBERS, PROCEDURE FOR ASSESSING HIGH TEMPERATURE EXPOSURE EFFECTS ON [CUST: CR AS 85 CC] | A 60GP | CC | | | 05-JUN-96 |
| | EIA-TIA455.75A | FLUID IMMERSION AGING PROCEDURE FOR OPTICAL FIBER MECHANICAL PROPERTIES [CUST: CR AS 85 CC] | A 60GP | CC | | | 08-APR-96 |
| | EIA-TIA455.77-91 NOT 1 | PROCEDURES TO QUALIFY A HIGHER-ORDER MODE FILTER FOR MEASUREMENTS ON SINGLE-MODE FIBER [CUST: CR AS 85] [REVIEW: 13 19 90 99 CC MC SH TE] | A 60GP | CR | | | 09-NOV-92 |
| | EIA-TIA455.78A-90 NOT 1 | FIBERS, OPTICAL, SINGLE-MODE, SPECTRAL-ATTENUATION CUTBACK, MEASUREMENT FOR [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 90 99 CC EC MC MI SH TE] | A 60GP | CR | | | 14-MAY-92 |
| | EIA-TIA455.104-93 | FIBER OPTIC CABLE CYCLIC FLEXING TEST [CUST: CR AS 85] [REVIEW: 13 17 19 80 90 99 CC EC FSS MC MI SH TE] | A 60GP | CR | | | 14-MAY-93 |
| | EIA-TIA455.127-91 NOT 1 | SPECTRAL CHARACTERIZATION OF MULTIMODE LASER DIODES [CUST: CR AS 85] [REVIEW: 13 19 90 99 CC MC SH TE] | A 60GP | CR | | | 09-NOV-92 |
| | EIA-TIA455.173-90 NOT 1 | FIBER, OPTICAL, SIDE-VIEW METHOD, COATING GEOMETRY, MEASUREMENT FOR [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 90 99 CC EC MC MI SH TE] | A 60GP | CR | | | 14-MAY-92 |
| | EIA-TIA455.176-93 | FIBER OPTICAL CROSS-SECTIONAL GEOMETRY BY GREY-SCALE ANALYSIS, METHOD FOR MEASURING [CUST: CR AS 85] [REVIEW: 13 17 19 80 90 99 CC EC FSS MC MI SH TE] | A 60GP | CR | | | 26-MAY-93 |
| | EIA-TIA455.178-90 NOT 1 | FIBERS, OPTICAL, MECHANICALLY REMOVING COATINGS FROM, MEASUREMENTS OF STRIP FORCE, REQUIRED FOR [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 90 99 CC EC MC MI SH TE] | A 60GP | CR | | | 14-MAY-92 |
| | EIA-TIA455.184-91 | FIBER OPTIC INTERCONNECTING DEVICES, COUPLING PROOF OVERLOAD TEST FOR [CUST: CR AS 85] [REVIEW: 13 17 19 80 90 99 CC EC FSS MC MI SH TE] | A 60GP | CR | | | 03-MAY-91 |
| | EIA-TIA455.188-91 NOT 1 | LOW TEMPERATURE TESTING OF FIBER OPTIC COMPONENTS [CUST: CR AS 85] [REVIEW: 13 19 90 99 CC MC SH TE] | A 60GP | CR | | | 09-NOV-92 |
| | EIA-TIA526.4 | OPTICAL EYE PATTERN MEASUREMENT PROCEDURE [CUST: CR AS 85 CC] | A 60GP | CC | | | 10-MAR-95 |
| | EIA-TIA526.14-90 NOT 1 | FIBER, OPTICAL POWER LOSS MEASUREMENTS OF INSTALLED MULTIMODE CABLE PLANT [CUST: CR AS 85] [REVIEW: 11 13 17 19 80 90 99 CC EC MC MI SH TE] | A 60GP | CR | | | 14-MAY-92 |
| | GCA101-83 | INFORMATION PROCESSING SYSTEMS, PROGRAMMING LANGUAGES, TEXT INTERCHANGE & PROCESSING - 1 JUN 83 [CUST: MI AS 02] [REVIEW: 16 OM SH] | A IPSC | DC | | | 10-OCT-83 |
| | HFS100-88 | AMERICAN NATIONAL STANDARD FOR HUMAN FACTORS ENGINEERING OF VISUAL DISPLAY TERMINAL WORKSTATIONS [CUST: MI AS 11] [REVIEW: 13 19 AL AR AT AV CR CR4 EA EC GL MC MD MS OS PE SH TD TE TM YDI] | A HFAC | MI | | | 04-FEB-88 |
| | HIMA-MD70.1-83 | MEDICAL MATERIEL - LUER TAPER FITTINGS - PERFORMANCE, STANDARD FOR - 19 AUG 1983 [CUST: MD MS 03] | A 6515 | MB | | | 15-NOV-85 |
| | HPMA-HP-83 | PLYBOARD, HARDWOOD, STANDARD FOR - 28 OCT 83 [CUST: CE YD1 99] [REVIEW: AS AT CC MC MR] | A 5510 | YD1 | | | 09-OCT-84 |
| | HPMA-LHF-87 | FLOORING, LAMINATED, HARDWOOD, STANDARD FOR - 25 AUG 87 [CUST: CR4 YD1 99] [REVIEW: 84 CC CE MC] | A 5510 | YD1 | | | 19-NOV-88 |
| | IAPMO-UPC-88 | UNIFORM PLUMBING CODE [CUST: YD1] | A 45GP | YD1 | | | 1988 |
| | ICAC-EP1-84 | TERMINOLOGY FOR ELECTROSTATIC PRECIPITATORS [CUST: CR4 YD1 99] [REVIEW: CC CE SH] | A 4460 | YD1 | | | JAN-84 |
| | ICAC-EP4-68 | FORM, BID EVALUATION, FOR ELECTROSTATIC PRECIPITATORS [CUST: CR4 YD1 99] [REVIEW: CC CE SH] | A 4460 | YD1 | | | JAN-68 |
| | ICAC-EP5-73 | INFORMATION REQUIRED FOR THE PREPARATION OF BIDDING SPECIFICATIONS FOR ELECTROSTATIC PRECIPITATORS [CUST: CR4 YD1 99] [REVIEW: CC CE SH] | A 4460 | YD1 | | | JAN-73 |
| | ICAC-EP6-68 | PILOT ELECTROSTATIC PRECIPITATORS [CUST: CR4 YD1 99] [REVIEW: CC CE SH] | A 4460 | YD1 | | | NOV-68 |
| | ICAC-EP7-87 | GAS FLOW MODEL STUDIES [CUST: CR4 YD1 99] [REVIEW: CC CE SH] | A 4460 | YD1 | | | JAN-87 |
| | ICEA-S70.547-84 | WIRE AND CABLE, WEATHER-RESISTANT, POLYOLEFIN COVERED, STANDARD FOR - 84 DEC 6 [CUST: CR YD1 85] [REVIEW: 90 99 AR AS GL IS MC] | A 6145 | YD1 | | | 30-NOV-89 |
| | ICEA-S80.576-94 | COMMUNICATIONS WIRE AND CABLE FOR WIRING OF PREMISES [CUST: CR YD1 85] | A 6145 | YD1 | | | 08-JUN-94 |
| | IEC774-1-94 | VIDEO TAPE CASSETTE SYSTEM, HELICAL-SCAN, USING 12.65 MM (0.5 IN) MAGNETIC TAPE ON TYPE VHS - PART 1 VHS AND COMPACT VHS VIDEO CASSETTE SYSTEM [CUST: CC] | A 5836 | CC | | | JAN-94 |
| | IEC843-1-93 | VIDEO TAPE CASSETTE HELICAL-SCAN SYSTEM USING 8 MM MAGNETIC TAPE - 8 MM VIDEO PART 1 GENERAL SPECIFICATIONS [CUST: CC] | A 5836 | CC | | | DEC-93 |
| | IEC843-3-93 | VIDEO TAPE CASSETTE SYSTEM, HELICAL-SCAN USING 8 MM MAGNETIC TAPE - 8 MM VIDEO PART 3 HIGH-BAND SPECIFICATIONS FOR HI 8 [CUST: CC] | A 5836 | CC | | | JUL-93 |
| | IEC1077-91 | VIDEO TAPE CASSETTE SYSTEM HELICAL-SCAN USING 12.65 MM (0.5 IN) MAGNETIC TAPE ON TYPE VHS - COMPACT VHS VIDEO CASSETTE [CUST: CC] | A 5836 | CC | | | SEP-91 |
| | IEC1105-91 | REFERENCE TAPES FOR VIDEO TAPE RECORDER SYSTEMS [CUST: CC] | A 5836 | CC | | | DEC-91 |
| | IEEE1-86R92 | TEMPERATURE LIMITS IN THE RATING OF ELECTRIC EQUIPMENT AND FOR THE EVALUATION OF ELECTRICAL INSULATION [CUST: CR YD1 99 CC] [REVIEW: GS SH] | A 59GP | YD1 | | | 13-MAR-86 |
| | IEEE32-72R78 | DEVICES, NEUTRAL, GROUNDING, REQUIREMENTS FOR TERMINOLOGY, AND TEST PROCEDURE FOR - 21 MAR 72 [CUST: YD1] [REVIEW: CC CE GS] | A 6110 | YD1 | | | 25-MAR-88 |
| | IEEE43-74R91 | INSULATION RESISTANCE OF TESTING ROTATING MACHINERY [CUST: CR4 SH 85 GS] | A 5970 | GS | | | 30-MAY-74 |
| | IEEE45-82R88 | ELECTRIC INSTALLATION ON SHIPBOARD [CUST: CR4 SH 99] | A 91GP | SH | | | 10-JUN-82 |
| | IEEE48-75 | TERMINATION, CABLE, CURRENT, TEST PROCEDURES AND REQUIREMENTS FOR HIGH-VOLTAGE ALTERNATING - 20 DEC 74 [CUST: YD1] [REVIEW: 80 CC CE GS SH] | A 6110 | YD1 | | | 15-APR-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|----------------------|--|-----------------------|-----|-------------|------|
| | IEEE81-81 | EARTH RESISTIVITY, MEASURING, GROUND IMPEDANCE, AND EARTH SURFACE POTENTIALS OF A GROUND SYSTEM [CUST: CR YD1 10] | A EMCS | YD1 | 17-SEP-81 | |
| | IEEE85-72 | AIRBORNE SOUND MEASUREMENTS ON ROTATING ELECTRIC MACHINERY [CUST: CR4 YD1 99] [REVIEW: GS SH] | A HFAC | YD1 | 12-DEC-72 | |
| | IEEE91-84 | GRAPHIC SYMBOLS FOR LOGIC FUNCTIONS - 9 MAY 1984 [CUST: AR SH 13] [REVIEW: 11 17 19 AM AS AT AV CR MC MI OS] | A DRPR | AR | 10-MAY-84 | |
| | IEEE112-91 NOT 1 | MOTORS AND GENERATORS, POLYPHASE INDUCTION, IEEE STANDARD TEST PROCEDURE FOR [CUST: YD1] | A 6105 | YD1 | 22-JUN-92 | |
| | IEEE114-82 | MOTORS, SINGLE-PHASE INDUCTION, TEST PROCEDURE FOR [CUST: CR4 YD1 99] [REVIEW: GS SH] | A 6105 | YD1 | 17-SEP-81 | |
| | IEEE115-83 | TERMINATION, CABLE, [CUST: YD1] [REVIEW: CC CE] | A 6125 | YD1 | 14-OCT-87 | |
| | IEEE145-83 | ANTENNAS, DEFINITIONS OF TERMS - NOV 1983 [CUST: 11 CC] [REVIEW: 17 85 99] | A 5985 | CC | 30-SEP-85 | |
| | IEEE152-91 | AUDIO PROGRAM LEVEL MEASUREMENT [CUST: CR SH 99] | A 5830 | CR | 05-DEC-91 | |
| | IEEE176-78 | PIEZOELECTRICITY, IEEE STANDARD ON - 29 SEPT 1978 [CUST: CR SH 85] | A 5955 | SH | 06-NOV-86 | |
| | IEEE200-75 NOT 2 | ELECTRICAL & ELECTRONICS PARTS AND EQUIPMENT REFERENCE DESIGNATIONS FOR (W/CORRECTION SHEET) [CUST: AR SH 16] [REVIEW: AS AV CR4 EC MC MI OS YD1] | A DRPR | AR | 04-SEP-75 | |
| | IEEE260-78 | ORDER IEEE 260-78 [CUST: AR SH 11] [REVIEW: 13 99 AS EC MC MI YD1] | A MISC | SH | 16-JUN-78 | |
| | IEEE280-85 | ELECTRICAL SCIENCE & ELECTRICAL ENGINEERING, IEEE STANDARD LETTER SYMBOLS FOR QUANTITIES USED IN - 12 DEC 84 [CUST: AR SH 11] [REVIEW: AS AT CR4 MC MI OS YD1] | A DRPR | AR | 12-DEC-84 | |
| A | IEEE299-91 | ENCLOSURES, ELECTROMAGNETIC SHIELDING, MEASURING THE EFFECTIVENESS OF [CUST: CR] | A EMCS | CR | 11-MAR-91 | |
| | IEEE315A-86 | GRAPHIC SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS (12 SEPTEMBER 1986) [CUST: AR SH 16] [REVIEW: AS AV CR CR4 EC MC MI OS YD1] | A DRPR | AR | 24-DEC-86 | |
| | IEEE315-75 | ELECTRICAL AND ELECTRONICS DIAGRAMS, GRAPHIC SYMBOLS FOR [CUST: AR SH 16] [REVIEW: AS AV CR CR4 EC MC MI OS YD1] | A DRPR | AR | 12-SEP-86 | |
| | IEEE383-74R80 | TEST TYPE OF CLASS 1E ELECTRIC CABLES, FIELD SPLICES, AND CONNECTIONS FOR NUCLEAR POWER GENERATING STATIONS [CUST: CR SH 85] | A 6145 | SH | 28-FEB-74 | |
| | IEEE386-85 | CONNECTOR SYSTEM, SEPARABLE INSULATED, FOR POWER DISTRIBUTION SYSTEMS ABOVE 600V - 22 MAR 85 [CUST: CR4 YD1] | A 6150 | YD1 | 23-NOV-87 | |
| | IEEE400-91 | MAKING HIGH-DIRECT-VOLTAGE TESTS ON POWER CABLE SYSTEMS IN THE FIELD, IEEE GUIDE FOR [CUST: CR4 YD1 99] [REVIEW: GS SH] | A NDTI | YD1 | 22-MAY-91 | |
| | IEEE404-93 | CABLE JOINTS FOR USE WITH EXTRUDED DIELECTRIC CABLE RATED 5000-138 000 V AND CABLE JOINTS FOR USE WITH LAMINATED DIELECTRIC CABLE RATED 2500-500 000 V [CUST: CR YD1 85] | A 6145 | YD1 | 02-DEC-93 | |
| | IEEE421.1-85 | EXCITATION SYSTEMS FOR SYNCHRONOUS MACHINES [CUST: CR4 YD1 99] [REVIEW: GS SH] | A 6110 | YD1 | 13-JUN-85 | |
| | IEEE432-92 | INSULATION MAINTENANCE FOR ROTATING ELECTRIC MACHINERY (5 HP TO LESS THAN 10 000 HP) [CUST: CR SH 85] | A 5920 | SH | 18-JUN-92 | |
| | IEEE455-76 | TELEPHONE EQUIPMENT, IEEE STANDARD TEST PROCEDURE FOR MEASURING LONGITUDINAL BALANCE OF, OPERATING IN THE VOICE BAND - 30 SEP 76 [CUST: CR EC 90] | A TCSS | DC | 09-MAR-79 | |
| | IEEE521-76 | RADAR FREQUENCY BANDS, IEEE STANDARD LETTER DESIGNATIONS FOR - 30 NOV 76 [CUST: CR 99] [REVIEW: 11 80 84 AR] | A 58GP | 99 | 13-MAY-83 | |
| | IEEE602-85 | ELECTRIC SYSTEMS IN HEALTH CARE FACILITIES [CUST: TE YD1] [REVIEW: CE] | A FACR | YD1 | 21-MAR-85 | |
| | IEEE686-82 NOT 1 | DEFINITIONS, IEEE STANDARD RADAR - 15 OCT 82 [CUST: CR 99] [REVIEW: 11 80 84 AR] | A 58GP | 99 | 19-MAY-89 | |
| | IEEE812-84 | FIBER OPTICS, IEEE STANDARD DEFINITIONS OF TERMS RELATING TO - 15 DEC 84 [CUST: CR AS 85] [REVIEW: 11 17 19 80 90 CC EC MC SH TE] | A 60GP | CR | 03-DEC-85 | |
| | IEEE945-84 | ELECTRICAL AND ELECTRONICS, SCIENCE AND TECHNOLOGY IEEE RECOMMENDED PRACTICE FOR PREFERRED METRIC UNITS FOR USE IN - 25 SEP 84 [CUST: AR SH 11] | A MISC | AR | 25-SEP-84 | |
| | IEEE991-86 | DIAGRAMS, IEEE STANDARD LOGIC CIRCUIT - JUN 1986 [CUST: AR SH 13] [REVIEW: 11 17 19 AM AS AT AV CR MC MI OS] | A DRPR | AR | 05-JUN-86 | |
| | IEEE1003.1-93 | PORTABLE OPERATING SYSTEM INTERFACE (POSIX) INFORMATION TECHNOLOGY, PART 1: SYSTEM APPLICATION PROGRAM INTERFACE (API) (C LANGUAGE) [CUST: CR OM 02 NS] | A IPSC | DC | 28-SEP-90 | |
| | IEEE1076-93 | MANUAL, VHDL LANGUAGE REFERENCE, IEEE STANDARD [CUST: AR NW 11 CC] | A CDNC | 11 | 15-SEP-93 | |
| N | IEEE12207.0-96 | SOFTWARE LIFE CYCLE PROCESSES [CUST: CR EC 10] [REVIEW: 02 06 11 13 19 AR AS AV CR5 DC3 DO DS IR MC MI MP NA NT OM SA SE SH TD] | A IPSC | EC | MAR-98 | |
| N | IEEE12207.1-97 | SOFTWARE LIFE CYCLE PROCESSES-LIFE CYCLE DATA [CUST: CR EC 10] [REVIEW: 02 06 11 13 19 AR AS AV CR5 DC3 DO DS IR MC MI MP NA NT OM SA SE SH TD] | A IPSC | EC | APR-98 | |
| N | IEEE12207.2-97 | SOFTWARE LIFE CYCLE PROCESSES-IMPLEMENTATION CONSIDERATIONS [CUST: CR EC 10] [REVIEW: 02 06 11 13 19 AR AS AV CR5 DC3 DO DS IR MC MI MP NA NT OM SA SE SH TD] | A IPSC | EC | APR-98 | |
| | IEEE-C12.1-88 | ELECTRICITY METERING [CUST: MI YD1 99] | A 6625 | YD1 | 10-JUN-88 | |
| | IEEE-C12.4-84 | MECHANICAL DEMAND REGISTERS [CUST: MI YD1 99] | A 6625 | YD1 | 12-JUN-84 | |
| | IEEE-C12.10-87 | METERS, ELECTROMECHANICAL WATTHOUR [CUST: MI YD1 99] | A 6625 | YD1 | 02-DEC-87 | |
| | IEEE-C12.11-87 | INSTRUMENT TRANSFORMERS FOR REVENUE METERING, 10KV BIL THROUGH 350 KV (0.6 KV NSV THROUGH 69KV NSV) [CUST: CR YD1 85 CC] | A 5950 | CC | 13-JUN-87 | |
| | IEEE-C37.9-79 | CIRCUIT BREAKER AC HIGH VOLT RATED ON A SYMMETRICAL CURRENT BASIS, STANDARD TEST PROCEDURE FOR - 15 OCT 79 - CHG NOTICE 1 DATED 22 FEB 85 [CUST: CR4 YD1 99] [REVIEW: 80 GS] | A 6110 | YD1 | 04-DEC-84 | |
| | IEEE-C37.13-81 NOT 1 | BREAKER, CIRCUIT, LOW VOLTAGE AC POWER, USED IN ENCLOSURES - 5 FEB 80 [CUST: CR YD1 99] [REVIEW: 85 CC] | A 5925 | YD1 | 29-MAY-87 | |
| | IEEE-C37.20-69R82 | SWITCHGEAR, ASSEMBLIES, INCLUDING METAL ENCLOSED BUS STANDARD FOR [CUST: YD1] | A 6110 | YD1 | 18-JUN-86 | |
| | IEEE-C37.20.1-87 | SWITCHGEAR, CIRCUIT-BREAKER, LOW-VOLTAGE POWER, METAL ENCLOSED STANDARD FOR - 7 AUG 86 [CUST: YD1] [REVIEW: GS] | A 6110 | YD1 | 24-MAY-89 | |
| | IEEE-C37.20.2-87 | SWITCHGEAR, CUBICLE, METAL-CLAD AND STATION TYPE STANDARD FOR - 7 AUG 86 [CUST: YD1] [REVIEW: GS] | A 6110 | YD1 | 24-MAY-89 | |
| | IEEE-C37.20.3-87 | SWITCHGEAR, INTERRUPTER, METAL-ENCLOSED STANDARD FOR - 7 AUG 86 [CUST: YD1] [REVIEW: GS] | A 6110 | YD1 | 24-MAY-89 | |
| | IEEE-C37.30-92 | AIR SWITCHES, HIGH-VOLTAGE [CUST: CR YD1 85] | A 59GP | YD1 | 18-JUN-92 | |
| | IEEE-C37.90-78 | RELAY & RELAY SYSTEMS ASSOCIATED WITH ELECTRIC POWER APPARATUS - 23 JUN 78 [CUST: CR4 YD1 85] [REVIEW: GS SH] | A 6110 | YD1 | 14-MAY-87 | |
| | IEEE-C37.90.1-88 | TESTS FOR PROTECTIVE RELAYS AND RELAY SYSTEMS, SURGE WITHSTAND CAPABILITY (SWC) [CUST: CR YD1 85] | A 5945 | YD1 | 20-OCT-88 | |
| | IEEE-C57.12.00-80 | TRANSFORMER, LIQUID IMMERSER DISTRIBUTION, POWER, & REGULATING - 14 DEC 78 [CUST: CR4 YD1] [REVIEW: GS NI OS SH] | A 6120 | YD1 | 10-JAN-85 | |
| | IEEE-C57.12.01-79 | TRANSFORMER, DRY-TYPE DISTRIBUTION AND POWER - 28 NOV 78 [CUST: CR4 YD1] [REVIEW: GS] | A 6120 | YD1 | 11-FEB-85 | |
| | IEEE-C57.12.90-80 | TRANSFORMERS, LIQUID-IMMERSER DISTRIBUTION, POWER AND REGULATING, STANDARD SPECIFICATION FOR TEST CODE AND GUIDE FOR SHORT-CIRCUIT TESTING OF DISTRIBUTION AND POWER TRANSFORMERS - 30 OCT 79 [CUST: YD1] [REVIEW: 85 GS SH] | A 6120 | YD1 | 07-JUN-85 | |
| | IEEE-C57.12.91-79 | TRANSFORMER, DRY TYPE DISTRIBUTION & POWER, TEST CODE FOR - 29 NOV 78 [CUST: CR4 YD1 99] [REVIEW: 85 GS SH] | A 6120 | YD1 | 07-JUN-85 | |
| | IEEE-C57.13-78 | TRANSFORMER, INSTRUMENT, STANDARD REQUIREMENTS FOR 30 MAR 88 [CUST: YD1] [REVIEW: 99 GS SH] | A 6120 | YD1 | 27-JAN-86 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|---------------------|---|-----------------------|-----|-------------|------|
| IEEE-C57.94-82 | TRANSFORMERS, IEEE RECOMMENDED PRACTICE FOR INSTALLATION, APPLICATION, OPERATION, AND MAINTENANCE OF DRY-TYPE GENERAL PURPOSE DISTRIBUTION AND POWER [CUST: CR4 YD1 99] [REVIEW: GS SH] | A 6120 | YD1 | 15-MAR-79 | |
| IEEE-C62.1-84 | ARRESTER, SURGE, FOR AC POWER CIRCUITS, IEEE STANDARD FOR 17 DEC 84 [CUST: YD1 85] [REVIEW: 99 CC CR4] | A 5920 | YD1 | 16-NOV-87 | |
| IEEE-C62.11-93 | METAL-OXIDE SURGE ARRESTERS FOR ALTERNATING CURRENT POWER CIRCUITS [CUST: CR YD1 85] | A 5920 | CC | 15-SEP-93 | |
| IEEE-C62.41-80 | SURGE VOLTAGE, IN LOW-VOLTAGE AC POWER CIRCUITS - 19 DEC 1979 [CUST: CR4 YD1 85] | A 6110 | YD1 | 16-NOV-87 | |
| IEEE-C63.14-92 | DICTIONARY FOR TECHNOLOGIES OF ELECTROMAGNETIC COMPATIBILITY (EMC), ELECTROMAGNETIC PULSE (EMP), AND ELECTROSTATIC DISCHARGE (ESD) [CUST: CR SH 11] [REVIEW: 13 17 19 AS MC MI OS YD1] | A EMCS | CR | 21-APR-92 | |
| IEEE-C95.1-91 | RADIO FREQUENCY ELECTROMAGNETIC FIELDS, 3 KHZ TO 300 GHZ, SAFETY LEVELS WITH RESPECT TO HUMAN EXPOSURE TO [CUST: CR EC 10] | A EMCS | EC | 26-SEP-91 | |
| A IEEE-SI10-97 | INTERNATIONAL SYSTEM OF UNITS (SI): THE MODERN METRIC SYSTEM [CUST: MR SH 11 SO] [REVIEW: CC IS OS] | A MISC | SO | 01-APR-97 | |
| IPC-A41A | BOARDS, PRINTED, SINGLE SIDED [CUST: CR SA 85 CC] | A 7510 | CC | MAR-89 | |
| IPC-A42A | BOARDS, PRINTED, DOUBLE SIDED [CUST: CR SA 85 CC] | A 7510 | CC | MAR-89 | |
| IPC-A43A | BOARDS, PRINTED, TEN LAYER MULTILAYER [CUST: CR SA 85 CC] | A 7510 | CC | MAR-89 | |
| IPC-A44A | BOARDS, PRINTED, FOUR LAYER MULTILAYER [CUST: CR SA 85 CC] | A 7510 | CC | MAR-89 | |
| IPC-A142 NOT 1 | FINISHED FABRIC WOVEN FROM ARAMID FOR PRINTED BOARDS, SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 19 99 AR AT CR4 EA MI] | A 5998 | CR | 28-MAR-92 | |
| IPC-CF150F-89 | METAL, FOIL FOR PRINTED WIRING APPLICATION - 1 MAR 89 [CUST: CR EC 85] [REVIEW: 17 AR AS CG MC MI OS] | A 5999 | CR | 01-OCT-81 | |
| IPC-D275 NOT 1 | DESIGN STANDARD FOR RIGID PRINTED BOARDS AND RIGID PRINTED BOARD ASSEMBLIES [CUST: CR EC 85] [REVIEW: 19 99 AR AT CR4 EA MI] | A 5998 | CC | 30-SEP-91 | |
| IPC-D322-84R91 | GUIDELINES FOR SELECTING PRINTED WIRING BOARD SIZES USING STANDARD PANEL SIZES [CUST: CR AS 10 CC] | A 5998 | CC | SEP-84 | |
| IPC-D350D | BOARD, PRINTED, DESCRIPTION IN DIGITAL FORM [CUST: CR EC 85 CC] [REVIEW: MI NW] | A 5998 | CC | JUL-92 | |
| IPC-D351-85 | ELECTRONIC DESIGN DATA DESCRIPTION FOR PRINTED WIRING BOARDS IN DIGITAL FORM JUN 85 [CUST: CR EC 17 CC] [REVIEW: 11 85 AR AS MI OS SH] | A 5999 | CC | 18-SEP-85 | |
| IPC-D352-85 | PRINTED BOARD DRAWINGS IN DIGITAL FORM JUN85 [CUST: CR EC 17 CC] [REVIEW: 11 85 AR AS MI OS SH] | A 5999 | CC | 18-SEP-85 | |
| IPC-D356 NOT 1 | BARE BOARD ELECTRICAL TEST INFORMATION IN DIGITAL FORM [CUST: CR EC 85] [REVIEW: 99 MI NW] | A 5998 | CR | 06-AUG-92 | |
| IPC-DW425A | BOARDS, DESIGN AND END PRODUCT REQUIREMENTS FOR DISCRETE WIRING [CUST: CR EC 85] [REVIEW: 11 MI OS SH] | A 5998 | CR | MAY-90 | |
| IPC-EG140-88 | FABRIC, FINISHED, WOVEN FORM "E" GLASS FOR PRINTED BOARDS [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR4 EA] | A 5998 | CR | 30-APR-90 | |
| IPC-FC213B-86 | DIELECTRICS, FLEXIBLE BARE, FOR USE IN FLEXIBLE PRINTED WIRING - FEB 86 [CUST: CR EC 17] [REVIEW: 11 85 AR AS MI OS SH] | A 5999 | CC | 08-MAY-86 | |
| IPC-FC231C | DIELECTRICS, FLEXIBLE BASE, FOR USE IN FLEXIBLE PRINTED WIRING [CUST: CR EC 85 CC] | A 5998 | CC | APR-92 | |
| IPC-FC231/1C | DIELECTRIC (POLYIMIDE), BASE, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | APR-92 | |
| IPC-FC231/2C | DIELECTRIC (FEP), BASE, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | APR-92 | |
| IPC-FC231/3C | DIELECTRIC (POLYESTER), BASE, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | APR-92 | |
| IPC-FC231/5C | DIELECTRIC (EPOXY/POLYESTER FIBERS/POLYESTER FILM), BASE, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | APR-92 | |
| IPC-FC231/6C | DIELECTRIC (EPOXY/GLASS/POLYESTER), BASE, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | APR-92 | |
| IPC-FC231/7C | DIELECTRIC (EPOXY/GLASS), BASE, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | APR-92 | |
| IPC-FC231/8C | DIELECTRIC, BASE, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | APR-92 | |
| IPC-FC231/9C | DIELECTRIC, BASE, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | APR-92 | |
| IPC-FC231/11C | DIELECTRIC (POLYIMIDE) BASE, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | APR-92 | |
| IPC-FC231/12C | DIELECTRIC (POLYIMIDE) FLEXIBLE BASE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | APR-92 | |
| IPC-FC231/13C | DIELECTRIC (PEI) FLEXIBLE, BASE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | APR-92 | |
| IPC-FC231/14C | DIELECTRIC (POLYIMIDE) FLEXIBLE BASE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | APR-92 | |
| IPC-FC232C NOT 1 | DIELECTRIC FILMS, ADHESIVE COATED, FOR USE AS COVER SHEETS FOR FLEXIBLE PRINTED WIRING AND FLEXIBLE BONDING FILMS [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/1C NOT 1 | DIELECTRIC, ADHESIVE COATED, FLEXIBLE AND FILMS (ACRYLIC-POLYIMIDE), ADHESIVE BONDING, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/2C NOT 1 | DIELECTRIC, ADHESIVE COATED, FLEXIBLE AND FILMS (EPOXY-POLYIMIDE), ADHESIVE BONDING, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/3C NOT 1 | DIELECTRIC (FEP-ACRYLIC) ADHESIVE COATED, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/4C NOT 1 | DIELECTRIC (FEP-EPOXY), ADHESIVE COATED, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/5C | DIELECTRIC (POLYIMIDE-FEP), ADHESIVE COATED, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/6C | DIELECTRIC (FEP-POLYESTER), ADHESIVE COATED, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/7C | DIELECTRIC, ADHESIVE COATED, FLEXIBLE & FILMS (POLYESTER-POLYESTER) ADHESIVE BONDING, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/8C NOT 1 | DIELECTRIC (POLYVINYL FLUORIDE-EPOXY), ADHESIVE COATED, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/9C NOT 1 | DIELECTRIC (POLYVINYL FLUORIDE-POLYESTER), ADHESIVE COATED, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/10C NOT 1 | FILMS (ARAMID-ACRYLIC), ADHESIVE BONDING, FLEXIBLE AND FLEXIBLE ADHESIVE, DIELECTRIC COATED [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/11C NOT 1 | DIELECTRIC (POLYIMIDE-BUTYRAL: PHENOLIC), ADHESIVE COATED, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/12C NOT 1 | DIELECTRIC (POLYIMIDE-NITRILE: PHENOLIC), ADHESIVE COATED, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/13C NOT 1 | DIELECTRIC (POLYIMIDE-POLYETHERIMIDE), ADHESIVE COATED, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/14 NOT 1 | DIELECTRIC (POLYIMIDE-ACRYLIC), ADHESIVE COATED, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/15C NOT 1 | DIELECTRIC (POLYIMIDE-BUTYRAL: PHENOLIC), ADHESIVE COATED, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |
| IPC-FC232/16C NOT 1 | FILMS (EPOXY-POLYIMIDE), ADHESIVE BONDING, FLEXIBLE AND FLEXIBLE ADHESIVE, DIELECTRIC COATED [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | 27-MAY-93 | |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Wea | MCA | Prep. Acty. | Date |
|-----------------------|---|----------------------|-----|-------------|-----------|
| IPC-FC232/17C NOT 1 | FILMS (ACRYLIC-GLASS), ADHESIVE BONDING, FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 27-MAY-93 |
| IPC-FC232/18C NOT 1 | FILMS (ACRYLIC), ADHESIVE BONDING, FLEXIBLE, UNSUPPORTED [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 27-MAY-93 |
| IPC-FC232/19C NOT 1 | FILMS (EPOXY), ADHESIVE BOARDING, FLEXIBLE, UNSUPPORTED [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 27-MAY-93 |
| IPC-FC232/20C NOT 1 | FILMS (POLYESTER), ADHESIVE BONDING, FLEXIBLE, UNSUPPORTED [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 27-MAY-93 |
| IPC-FC232/21 NOT 1 | DIELECTRIC (POLYIMIDE-POLYIMIDE), FLEXIBLE BONDING [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 27-MAY-93 |
| IPC-FC233A-86 | FILMS, FLEXIBLE ADHESIVE BONDING - FEB 86 [CUST: CR EC 17] [REVIEW: 11 85 AR AS MI OS SH] | A 5999 | CC | | 08-MAY-86 |
| IPC-FC241C NOT 1 | DIELECTRICS, METAL-CLAD FLEXIBLE, FOR USE IN FABRICATION OF FLEXIBLE PRINTED WIRING [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 09-MAY-93 |
| IPC-FC241/1C NOT 1 | DIELECTRIC (POLYIMIDE-ACRYLIC), METAL-CLAD FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 09-MAY-93 |
| IPC-FC241/2C NOT 1 | DIELECTRIC (POLYIMIDE-EPOXY), METAL-CLAD FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 09-MAY-93 |
| IPC-FC241/3C NOT 1 | DIELECTRIC (FEP-ACRYLIC), METAL-CLAD FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 09-MAY-93 |
| IPC-FC241/4C NOT 1 | DIELECTRIC (FEP-EPOXY), METAL-CLAD FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 09-MAY-93 |
| IPC-FC241/5C NOT 1 | DIELECTRIC (POLYESTER-POLYESTER), METAL-CLAD FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 09-MAY-93 |
| IPC-FC241/7C NOT 1 | DIELECTRIC (EPOXY/POLYESTER FIBERS), METAL-CLAD FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 09-MAY-93 |
| IPC-FC241/8C NOT 1 | DIELECTRIC (EPOXY/GLASS/POLYESTER), METAL-CLAD FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 09-MAY-93 |
| IPC-FC241/9C NOT 1 | DIELECTRIC (EPOXY/GLASS), METAL-CLAD FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 09-MAY-93 |
| IPC-FC241/10 NOT 1 | DIELECTRIC (POLYIMIDE-BUTYRAL PHENOLIC), METAL-CLAD FLEXIBLE [CUST: CR EC 85] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | 09-MAY-93 |
| IPC-FC241/11C | DIELECTRIC (CAST POLYIMIDE-ADHESIVELESS), METAL-CLAD FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | APR-92 |
| IPC-FC241/12C | DIELECTRIC (PHYSICAL VAPOR DEPOSITED METAL-ADHESIVELESS), METAL-CLAD, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | APR-92 |
| IPC-FC241/13C | DIELECTRIC (POLYIMIDE-PERFLUOROPOLYMER), METAL-CLAD, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | APR-92 |
| IPC-FC241/14C | DIELECTRIC (ARAMID-PERFLUOROPOLYMER), METAL-CLAD, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | APR-92 |
| IPC-FC241/15C | DIELECTRIC (POLYIMIDE-ACRYLIC), METAL-CLAD, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | APR-92 |
| IPC-FC241/16C | DIELECTRIC (POLYIMIDE-BUTYRAL PHENOLIC), METAL-CLAD, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | APR-92 |
| IPC-FC241/17C | DIELECTRIC (POLYIMIDE-EPOXY), METAL-CLAD, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | APR-92 |
| IPC-FC241/18C | DIELECTRIC (POLYIMIDE-CHEMICALLY DEPOSITED METAL-ADHESIVELESS), METAL-CLAD, FLEXIBLE [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | APR-92 |
| IPC-FC241/20C | DIELECTRIC (POLYIMIDE-CYANATE ESTER) FLEXIBLE METAL-CLAD [CUST: CR EC 85 CC] [REVIEW: 99 AS MC MI NW OS SH] | A 5998 | CC | | APR-92 |
| IPC-MF150/1F NOT 1 | METAL FOIL: COPPER, STANDARD ELECTRODEPOSITED [CUST: CR EC 85] [REVIEW: 19 99 AR AT CR CR4 EA MI] | A 5998 | CC | | 04-OCT-91 |
| IPC-MF150/2F NOT 1 | METAL FOIL: COPPER, HIGH DUCTILITY ELECTRODEPOSITED [CUST: CR EC 85] [REVIEW: 19 99 AR AT CR CR4 EA MI] | A 5998 | CC | | 04-OCT-91 |
| IPC-MF150/3F NOT 1 | METAL FOIL: COPPER, HIGH TEMPERATURE ELONGATION [CUST: CR EC 85] [REVIEW: 19 99 AR AT CR CR4 EA MI] | A 5998 | CC | | 04-OCT-91 |
| IPC-MF150/4F NOT 1 | METAL FOIL: COPPER, ANNEALED ELECTRODEPOSITED [CUST: CR EC 85] [REVIEW: 19 99 AR AT CR CR4 EA MI] | A 5998 | CC | | 04-OCT-91 |
| IPC-MF150/5F NOT 1 | METAL FOIL: COPPER, AS ROLLED-WROUGHT [CUST: CR EC 85] [REVIEW: 19 99 AR AT CR CR4 EA MI] | A 5998 | CC | | 04-OCT-91 |
| IPC-MF150/6F NOT 1 | METAL FOIL: COPPER, LIGHT COLD ROLLED-WROUGHT [CUST: CR EC 85] [REVIEW: 19 99 AR AT CR CR4 EA MI] | A 5998 | CC | | 04-OCT-91 |
| IPC-MF150/7F NOT 1 | METAL FOIL: COPPER, ANNEALED-WROUGHT [CUST: CR EC 85] [REVIEW: 19 99 AR AT CR CR4 EA MI] | A 5998 | CC | | 04-OCT-91 |
| IPC-MF150/8F NOT 1 | METAL FOIL: COPPER, AS ROLLED-WROUGHT-LOW TEMPERATURE ANNEALABLE [CUST: CR EC 85] [REVIEW: 19 99 AR AT CR CR4 EA MI] | A 5998 | CC | | 04-OCT-91 |
| IPC-MF150/9F NOT 1 | METAL FOIL: NICKEL, STANDARD ELECTRODEPOSITED [CUST: CR EC 85] [REVIEW: 19 99 AR AT CR CR4 EA MI] | A 5998 | CC | | 04-OCT-91 |
| IPC-NC349-85 | DRILLERS & ROUTERS, COMPUTER NUMERICAL CONTROL FORMATTING FOR - AUG 85 [CUST: CR EC 85] [REVIEW: 11 AR AS MI OS SH] | A 5999 | CC | | 24-OCT-85 |
| IPC-PC90 NOT 1 | IMPLEMENTATION OF STATISTICAL PROCESS CONTROL, GENERAL REQUIREMENTS FOR [CUST: CR EC 85] [REVIEW: 13 17 AR IE MC MI TD] | A 5998 | CR | | 18-MAY-92 |
| IPC-QL653-88 | FACILITIES THAT INSPECT/TEST PRINTED BOARDS, COMPONENTS, AND MATERIALS, QUALIFICATION OF - AUG 88 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 21-JUL-89 |
| IPC-SG141 | FABRIC, FINISHED, WOVEN FROM "S" GLASS FOR PRINTED BOARDS [CUST: CR EC 85 CC] [REVIEW: 17 AS MC MI NW OS SH] | A 5998 | CC | | FEB-92 |
| IPC-SM840B | BOARDS, PRINTED, PERMANENT POLYMER COATING (SOLDER MARK) FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR4 EA MI] | A 5999 | CR | | MAY-88 |
| IPC-T50C-85 | CIRCUIT, INTERCONNECTING & PACKAGING ELECTRONIC, TERMS & DEFINITIONS - 29 MAR 85 [CUST: MI AS 11] [REVIEW: 10 17 19 AR AV CR DH MR] | A SOLD | SO | | 29-MAR-85 |
| IPC-TM650 NOT 1 | STRIPLINE TEST FOR PERMITTIVITY AND LOSS TANGENT (DIELECTRIC CONSTANT AND DISSIPATION FACTOR) AT X-BAND [CUST: CR EC 85] [REVIEW: 99 MI] | A 5998 | CR | | 02-JUL-92 |
| IPC-TM650.1.1.10-86 | VISUAL INSPECTION FOR DICYANDIAMIDE CRYSTALS - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| IPC-TM650.2.1.7B-86 | THREAD COUNT, GLASS FIBERS, PREPREG - JUN 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| IPC-TM650.2.1.9-86 | SURFACE SCRATCH EXAMINATION METAL CLAD FOIL - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| IPC-TM650.2.3.1.1B-86 | CHEMICAL CLEANING OF METAL CLAD LAMINATE - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| IPC-TM650.2.3.4.2-86 | CHEMICAL RESISTANCE OF PREPREG MATERIALS TO METHYLENE CHLORIDE - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| IPC-TM650.2.3.4.3-86 | CHEMICAL RESISTANCE OF CORE MATERIALS TO METHYLENE CHLORIDE - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| IPC-TM650.2.3.7.1-86 | CUPRIC CHLORIDE ETCHING METHOD - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------------|--|-----------------------|-----|-------------|-----------|
| | IPC-TM650.2.3.9B-86 | FLAMMABILITY OF PRINTED WIRING MATERIALS - JUNE 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.3.10-86 | FLAMMABILITY OF PRINTED WIRING LAMINATE - OCT 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.3.12A-86 | GLASS FABRIC WEIGHT - OCT 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.3.16A-86 | RESIN CONTENT OF PREPREG MATERIALS - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.3.16.1B-86 | RESIN CONTENT OF PREPREG MATERIAL (TREATED WEIGHT) - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.3.17B-86 | RESIN FLOW OF PREPREG MATERIALS (B-STAGE) - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.3.17.2 | RESIN FLOW/"NO FLOW" RESIN [CUST: CR EC 85] [REVIEW: 17 99 AR AT EA MI] | A 5998 | CR | | MAY 96 |
| | IPC-TM650.2.3.18A-86 | RESIN GEL STROKE TIME FOR PREPREG MATERIALS - APR 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.3.19B-86 | VOLATILE CONTENT OF PREPREG MATERIALS - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.3.32C | CORROSION (COPPER MIRROR METHOD), FLUX INDUCED [CUST: CR EC 11] [REVIEW: 84 99 MI SH] | A 3439 | CR | | MAY-95 |
| | IPC-TM650.2.3.33C | FLUX, SILVER CHROMATE METHOD PRESENCE OF HALIDES [CUST: CR EC] [REVIEW: 84 99 MI SH] | A 3439 | CR | | JAN-95 |
| | IPC-TM650.2.3.34B | FLUX, SOLIDS CONTENT [CUST: CR EC] [REVIEW: 84 99 MI SH] | A 3439 | CR | | JAN-95 |
| | IPC-TM650.2.3.35B | HALIDE CONTENT, QUANTITATIVE (CHLORIDE AND BROMIDE) [CUST: CR EC] [REVIEW: 84 99 MI SH] | A 3439 | CR | | JAN-95 |
| | IPC-TM650.2.4.4A | MATERIALS, FLEXURAL YIELD STRENGTH, RIGID PRINTED LAMINATE (AT AMBIENT ROOM TEMPERATURE) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AT CR CR4 EA MI] | A 5998 | CC | | MAY-86 |
| | IPC-TM650.2.4.4.1-86 | FLEXURAL YIELD STRENGTH, RIGID PRINTED LAMINATE MATERIALS (AT ELEVATED TEMPERATURE) - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.4.8B-86 | PEEL STRENGTH: AS RECEIVED, AFTER THERMAL STRESS, AFTER PROCESS CHEMICALS - JAN 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.4.8.2-86 | PEEL STRENGTH AT ELEVATED TEMPERATURE (HOT FLUID METHOD) - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.4.24B-86 | GLASS TRANSITION TEMPERATURE ANS Z-AXIS EXPANSION BY TMA - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.4.25B-87 | GLASS TRANSITION TEMPERATURE - DEC 87 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.4.38-84 | PREPREG SCALED FLOW TESTING - JUL 84 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.4.39A-86 | DIMENSIONAL STABILITY, GLASS REINFORCED THIN LAMINATES - FEB 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.4.41-86 | COEFFICIENT OF LINEAR THERMAL EXPANSION OF ELECTRICAL INSULATING MATERIALS - MAR 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.4.41.1-86 | COEFFICIENT OF THERMAL EXPANSION BY THE VITREOUS SILICA (QUARTZ) DILATOMETER METHOD - MAR 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.5.1B-86 | ARC RESISTANCE OF PRINTED WIRING MATERIAL - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.5.5.2A-87 | WIRING BOARD MATERIAL - CLIP METHOD DIELECTRIC CONSTANT AND DISSIPATION FACTOR OF RAW PRINTED - DEC 87 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.5.5.3C-87 | PERMITTIVITY (DIELECTRIC CONSTANT) AND LOSS TANGENT (DISSIPATION FACTOR) OF MATERIALS (TWO FLUID CELL METHOD) - DEC 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| M | IPC-TM650.2.5.5.5C | STRIPLINE TEST FOR PERMITTIVITY AND LOSS TANGENT (DIELECTRIC CONSTANT AND DISSIPATION FACTOR) AT X-BAND [CUST: CR EC 85 CC] [REVIEW: 99 MI] | A 5998 | CC | | MAR 98 |
| | IPC-TM650.2.5.6B-86 | DIELECTRIC BREAKDOWN OF RIGID PRINTED WIRING MATERIAL - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| M | IPC-TM650.2.5.6.2A | ELECTRIC STRENGTH OF PRINTED WIRING MATERIAL [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | MAR 98 |
| | IPC-TM650.2.5.17.1-86 | VOLUME RESISTIVITY AND SURFACE RESISTIVITY OF PRINTED WIRING LAMINATE - JUN 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.5.28-82 | FLEXIBLE PRINTED WIRING MATERIALS Q RESONANCE, - DEC 82 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.6.1D | FUNGUS RESISTANCE PRINTED WIRING MATERIALS [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | JAN-95 |
| | IPC-TM650.2.6.2.1A-86 | WATER ABSORPTION, METAL CLAD PLASTIC LAMINATES - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.6.3D-88 | WIRING BOARDS MOISTURE AND INSULATION RESISTANCE, RIGID/FLEX AND PRINTED - NOV 88 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR CR4 EA] | A 5998 | CC | | 23-AUG-89 |
| | IPC-TM650.2.6.3.3A | FLUXES, SURFACE INSULATION RESISTANCE [CUST: CR EC] [REVIEW: 84 99 MI SH] | A 3439 | CR | | JAN-95 |
| | IPC-TM650.2.6.17-86 | RESIN FLOW/NO FLOW RESIN - MAY 86 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CR4 EA] | A 5998 | CR | | 23-AUG-89 |
| | J-STD-002-92 | COMPONENT LEADS, TERMINATIONS, LUGS, TERMINALS AND WIRES, SOLDERABILITY TESTS FOR [CUST: CR EC 85 CC] | A 59GP | CC | | APR-92 |
| | J-STD-004-95 | SOLDERING FLUXES REQUIREMENTS FOR [CUST: CR EC 99] | A 3439 | CR | | JAN-95 |
| | J-STD-005-95 | SOLDERING PASTES REQUIREMENTS FOR [CUST: CR EC 99] | A 3439 | CR | | JAN-95 |
| | J-STD-006-95 | ELECTRONIC GRADE SOLDER ALLOYS AND FLUXED AND NON-FLUXED SOLID SOLDERS FOR ELECTRONIC SOLDERING APPLICATIONS REQUIREMENTS FOR [CUST: CR EC 99] | A 3439 | CR | | JAN-95 |
| | ISO5-4-83 | DENSITY MEASUREMENTS - GEOMETRIC CONDITIONS FOR REFLECTION DENSITY, FOR PHOTOGRAPHY (SENSITOMETRY) [CUST: AS 99] [REVIEW: 70 GS] | A 6750 | AS | | 1983 |
| | ISO46-73 | AIRCRAFT - FUEL NOZZLE GROUNDING PLUGS AND SOCKETS [CUST: AV AS 85] | A 2915 | 85 | | 01-JUN-73 |
| A | ISO54-96 | CYLINDRICAL GEARS FOR GENERAL ENGINEERING AND FOR HEAVY ENGINEERING-MODULES [CUST: AL SH 82 GS] | A 34GP | GS | | 15-DEC-96 |
| | ISO594-1-86 | FITTINGS, CONICAL WITH A 6% (LUER) TAPER FOR SYRINGES, NEEDLES AND CERTAIN OTHER MEDICAL EQUIPMENT - PART 1: GENERAL REQUIREMENTS [CUST: MD MS 03 MB] | A 6515 | MB | | 15-JUN-86 |
| | ISO594-2-91 | FITTINGS, CONICAL WITH A 6% (LUER) TAPER FOR SYRINGES, NEEDLES AND CERTAIN OTHER MEDICAL EQUIPMENT - PART 2: LOCK FITTINGS [CUST: MD MS 03] | A 6515 | MB | | 01-MAY-91 |
| A | ISO668-95 | CONTAINERS, SERIES 1 FREIGHT, CLASSIFICATION, DIMENSIONS AND RATINGS [CUST: CR4 MC 84] | A 8115 | MC | | 15-DEC-95 |
| A | ISO830-81(2) | FREIGHT CONTAINERS - TERMINOLOGY [CUST: CR4 OS 99] | A 8145 | CR4 | | 15-APR-88 |
| | ISO1000-92 | UNITS, SI AND RECOMMENDATIONS FOR THE USE OF THEIR MULTIPLES AND OF CERTAIN OTHER UNITS [CUST: AL SH 01] | A MISC | AL | | 01-NOV-92 |
| | ISO1122-1-83 | GLOSSARY OF GEAR TERMS - PART 1: GEOMETRICAL DEFINITIONS [CUST: AL SH 99] | A 34GP | AL | | 15-FEB-83 |
| M | ISO1161-84 | CONTAINERS, SERIES 1 FREIGHT - CORNER FITTINGS - SPECIFICATION [CUST: CR4 MC 69] | A 8115 | MC | | 15-DEC-84 |
| D | ISO1224-84 | BEARINGS ROLLING - INSTRUMENT PRECISION BEARINGS [CUST: AT AS 99 GS] | A 31GP | GS | | 01-NOV-84 |
| A | ISO1496-1-90(1) | CONTAINERS, SERIES 1 FREIGHT - SPECIFICATION AND TESTING - PART 1: GENERAL CARGO CONTAINERS FOR GENERAL PURPOSES [CUST: CR4 MC 69] | A 8115 | MC | | 01-MAR-93 |

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| A | ISO1496-2-96 | CONTAINERS, SERIES 1 FREIGHT - SPECIFICATION AND TESTING - PART 2: THERMAL CONTAINERS [CUST: CR4 MC 69] | A 8115 | MC | | 01-OCT-96 |
| A | ISO1496-3-95 | CONTAINERS, SERIES 1 FREIGHT - SPECIFICATION AND TESTING - PART 3: TANK CONTAINERS FOR LIQUIDS, GASES AND PRESSURIZED DRY BULK [CUST: SM MC 69] | A 8115 | MC | | 01-MAR-95 |
| D | ISO3290-75 | BEARINGS, ROLLING - BEARING PARTS - BALLS FOR ROLLING BEARINGS [CUST: AT AS 99 GS] | A 31GP | GS | | 01-SEP-75 |
| | ISO3573-86 | STEEL, SHEET, HOT-ROLLED CARBON, OF COMMERCIAL AND DRAWING QUALITIES [CUST: MR SH 99 IS] [REVIEW: 11 84 AR AS GL YDI] | A 9515 | IS | | 01-APR-86 |
| | ISO3574-86 | STEEL, SHEET, COLD-REDUCED CARBON, OF COMMERCIAL AND DRAWING QUALITIES [CUST: MR SH 99 IS] [REVIEW: 11 84 AR AS GL YDI] | A 9515 | IS | | 01-APR-86 |
| A | ISO3575-96 | STEEL SHEET, CARBON, CONTINUOUS HOT-DIP ZINC-COATED, OF COMMERCIAL LOCK FORMING AND DRAWING QUALITIES [CUST: MR SH 99] [REVIEW: 11 AR AS YDI] | A 9515 | MR | | 01-MAR-96 |
| A | ISO3861-95 | RUBBER HOSES FOR SAND AND GRIT BLASTING (SECOND EDITION) [CUST: YD1 99] [REVIEW: CC] | A 4720 | YD1 | | 1-AUG-95 |
| | ISO4960-86 | STEEL STRIP, COLD-REDUCED CARBON, WITH A CARBON CONTENT OVER 0.25 % [CUST: MR SH 99 IS] [REVIEW: 11 84 AR AS GL YDI] | A 9515 | IS | | 15-SEP-86 |
| A | ISO4995-93 | STEEL SHEET, HOT-ROLLED, OF STRUCTURAL QUALITY [CUST: MR SH 99 IS] [REVIEW: 11 AR AS YDI] | A 9515 | IS | | 01-NOV-93 |
| A | ISO4996-91 | STEEL SHEET, HOT-ROLLED, OF HIGH YIELD STRESS STRUCTURAL QUALITY [CUST: MR SH 99 IS] [REVIEW: 11 AR AS YDI] | A 9515 | IS | | 15-APR-91 |
| A | ISO4997-91 | STEEL SHEET, COLD REDUCED OF STRUCTURAL QUALITY [CUST: MR SH 99 IS] [REVIEW: 11 AR AS YDI] | A 9515 | IS | | 15-APR-91 |
| A | ISO4998-96 | STEEL SHEET, CARBON, OF STRUCTURAL QUALITY, CONTINUOUS HOT-DIP ZINC-COATED [CUST: MR SH 99 IS] [REVIEW: 11 AR AS YDI] | A 9515 | IS | | 15-MAY-96 |
| A | ISO4999-91 | STEEL SHEET, CARBON, CONTINUOUS HOT-DIP TERNE (LEAD ALLOY) COATED COLD-REDUCED, OF COMMERCIAL AND DRAWING QUALITIES [CUST: MR SH 99 IS] [REVIEW: 11 AR AS YDI] | A 9515 | IS | | 15-APR-91 |
| A | ISO5000-93 | STEEL SHEET, CONTINUOUS HOT-DIP ALUMINIUM/SILICON-COATED COLD-REDUCED CARBON, OF COMMERCIAL AND DRAWING QUALITIES [CUST: MR SH 99 IS] [REVIEW: 11 AR AS YDI] | A 9515 | IS | | 01-DEC-93 |
| A | ISO5001-93 | STEEL SHEET, COLD REDUCED CARBON FOR VITREOUS ENAMELLING [CUST: MR SH 99 IS] [REVIEW: 11 AR AS YDI] | A 9515 | IS | | 01-DEC-93 |
| | ISO5002-82R87 | STEEL SHEET, HOT-ROLLED AND COLD-REDUCED ELECTROLYTIC ZINC-COATED CARBON, OF COMMERCIAL AND DRAWING QUALITIES [CUST: MR SH 99 IS] [REVIEW: 11 AR AS YDI] | A 9515 | IS | | 15-NOV-82 |
| A | ISO5950-91 | STEEL SHEET, CONTINUOUS ELECTROLYTIC TIN-COATED COLD-REDUCED CARBON OF COMMERCIAL AND DRAWING QUALITIES [CUST: MR SH 99 IS] [REVIEW: 11 AR AS YDI] | A 9515 | IS | | 01-APR-91 |
| A | ISO5951-93 | STEEL SHEET, HOT-ROLLED OF HIGHER YIELD STRENGTH WITH IMPROVED FORMABILITY [CUST: MR SH 99 IS] [REVIEW: 11 AR AS YDI] | A 9515 | IS | | 15-OCT-93 |
| | ISO5952-83 | STEEL SHEET, CONTINUOUSLY HOT-ROLLED OF STRUCTURAL QUALITY WITH IMPROVED ATMOSPHERIC CORROSION RESISTANCE [CUST: MR SH 99 IS] [REVIEW: 11 AR AS YDI] | A 9515 | IS | | 15-JUN-83 |
| | ISO5954-84 | STEEL SHEET TO HARDNESS REQUIREMENTS, COLD-REDUCED CARBON [CUST: MR SH 99 IS] [REVIEW: 11 AR AS YDI] | A 9515 | IS | | 01-APR-84 |
| A | ISO6316-93 | STEEL STRIP, HOT-ROLLED, OF STRUCTURAL QUALITY [CUST: MR SH 99 IS] | A 9515 | IS | | 01-NOV-93 |
| | ISO6317-82R87 | STEEL STRIP, HOT-ROLLED CARBON, OF COMMERCIAL AND DRAWING QUALITIES [CUST: MR SH 99 IS] [REVIEW: 11 AR AS YDI] | A 9515 | IS | | 01-NOV-82 |
| | ISO6328-82 | MATERIALS, PHOTOGRAPHIC - PHOTOGRAPHY - DETERMINATION OF ISO RESOLVING POWER [CUST: AS 99] [REVIEW: 70 GS] | A 6750 | AS | | 01-SEP-82 |
| | ISO6932-86 | STEEL STRIP, COLD REDUCED CARBON, WITH A MAXIMUM CARBON CONTENT OF 0.25 % [CUST: MR SH 99 IS] [REVIEW: 11 84 AR AS GL YDI] | A 9515 | IS | | 15-JUN-86 |
| | ISO7886 NOT 1 | SYRINGES, STERILE, HYPODERMIC, FOR SINGLE USE [CUST: MD MS 03 MB] | A 6515 | MB | | 25-SEP-92 |
| A | ISO7886-1-93 | SYRINGES FOR MANUAL USE STERILE HYPODERMIC SYRINGES FOR SINGLE USE - PART 1 [CUST: MD MS 03 MB] | A 6515 | MB | | 01-OCT-93 |
| A | ISO7886-2-96 | SYRINGES FOR USE WITH POWER-DRIVEN SYRINGE PUMPS, STERILE HYPODERMIC SYRINGES FOR SINGLE USE - PART 2 [CUST: MD MS 03 MB] | A 6515 | MB | | 15-MAY-96 |
| | ISO8402-94 | QUALITY MANAGEMENT AND QUALITY ASSURANCE - VOCABULARY [CUST: AR OS 05] [REVIEW: 10 AS AV CR CR4 DH EC GL MC SA SH TD] | A QCIC | 05 | | 01-APR-94 |
| A | ISO8537-91 | SYRINGES, SINGLE USE, STERILE, WITH OR WITHOUT NEEDLE, FOR INSULIN [CUST: MD MS 03] | A 6515 | MB | | 01-MAY-91 |
| A | ISO8879-86(1) | INFORMATION PROCESSING-TEXT AND OFFICE SYSTEMS-STANDARD GENERALIZED MARKUP LANGUAGE (SGML) [CUST: CR SA 24 DH] [REVIEW: 01 AM DC NA NS] | A MISC | CR | | 01-JUL-88 |
| | ISO9000-1-94 | GUIDELINES FOR SELECTION AND USE, QUALITY MANAGEMENT AND QUALITY ASSURANCE STANDARDS - PART 1 [CUST: AR OS 05] | A QCIC | 05 | | 01-JUL-94 |
| | ISO9000-2-93 | GUIDELINES, GENERIC, FOR THE APPLICATION OF ISO 9001, ISO 9002 AND ISO 9003, QUALITY MANAGEMENT AND QUALITY ASSURANCE PART 2 - [CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 82 84 AS AT AV CR DH EA EC MC MI SH TE] | A QCIC | 05 | | 01-JUN-93 |
| | ISO9000-3-93 | GUIDELINES FOR THE APPLICATION OF ISO 9001 TO THE DEVELOPMENT, SUPPLY AND MAINTENANCE OF SOFTWARE QUALITY MANAGEMENT AND QUALITY ASSURANCE STANDARDS - PART 3 [CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 82 84 AS AT AV CR DH EA EC MC MI SH TE] | A QCIC | 05 | | 1-MAY-93 |
| | ISO9000-4-93 | QUALITY MANAGEMENT AND QUALITY ASSURANCE STANDARDS - PART 4: GUIDE TO DEPENDABILITY PROGRAMME MANAGEMENT [CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 82 84 AS AT AV CR DH EA EC MC MI SH TE] | A QCIC | 05 | | APR-93 |
| | ISO9001-94 | QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN DESIGN, DEVELOPMENT, PRODUCTION, INSTALLATION AND SERVICING [CUST: AR OS 05] [REVIEW: 10 AS AV CR CR4 DH EC GL MC SA SH TD] | A QCIC | 05 | | 01-JUL-94 |
| | ISO9002-94 | QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN PRODUCTION, INSTALLATION AND SERVICING [CUST: AR OS 05] [REVIEW: 10 AS AV CR CR4 DH EC GL MC SA SH TD] | A QCIC | 05 | | 01-JUL-94 |
| | ISO9003-94 | QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN FINAL INSPECTION AND TEST [CUST: AR OS 05] [REVIEW: 10 AS AV CR CR4 DH EC GL MC SA SH TD] | A QCIC | 05 | | 01-JUL-94 |
| | ISO9004-1-94 | ELEMENTS, QUALITY MANAGEMENT AND QUALITY SYSTEM - PART 1: GUIDELINES [CUST: AR OS 05] | A QCIC | 05 | | 01-JUL-94 |
| | ISO9004-2-93 | QUALITY MANAGEMENT AND QUALITY SYSTEM ELEMENTS - PART 2: GUIDELINES FOR SERVICES [CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 82 84 AS AT AV CR DH EA EC MC MI SH TE] | A QCIC | 05 | | 01-MAY-93 |
| | ISO9004-3-93 | QUALITY MANAGEMENT AND QUALITY SYSTEM ELEMENTS - PART 3: GUIDELINES FOR PROCESSED MATERIALS [CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 82 84 AS AT AV CR DH EA EC MC MI SH TE] | A QCIC | 05 | | 01-MAY-93 |
| | ISO9004-4-93 | QUALITY MANAGEMENT AND QUALITY SYSTEM ELEMENTS - PART 4: GUIDELINES FOR QUALITY IMPROVEMENT [CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 82 84 AS AT AV CR DH EA EC MC MI SH TE] | A QCIC | 05 | | 15-JUN-93 |
| | ISO10005-95 | GUIDELINES FOR QUALITY PLANS - QUALITY MANAGEMENT [CUST: AR OS 05] | A QCIC | 05 | | 15-SEP-95 |
| | ISO10011-1-93 | GUIDELINES FOR AUDITING QUALITY SYSTEMS - PART 1: AUDITING [CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 82 84 AS AT AV CR DH EA EC MC MI SH TE] | A QCIC | 05 | | 01-MAY-93 |
| | ISO10011-2-93 | GUIDELINES FOR AUDITING QUALITY SYSTEMS - PART 2: QUALIFICATION CRITERIA FOR QUALITY SYSTEMS AUDITORS [CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 82 84 AS AT AV CR DH EA EC MC MI SH TE] | A QCIC | 05 | | 01-MAY-93 |
| | ISO10011-3-93 | GUIDELINES FOR AUDITING QUALITY SYSTEMS - PART 3: MANAGEMENT OF AUDIT PROGRAMMES [CUST: AR OS 05] [REVIEW: 10 11 13 19 70 71 80 82 84 AS AT AV CR DH EA EC MC MI SH TE] | A QCIC | 05 | | 01-MAY-93 |
| A | ISO10012-1-93 | EQUIPMENT, QUALITY ASSURANCE REQUIREMENTS FOR MEASURING - PART 1: METROLOGICAL CONFIRMATION SYSTEM FOR MEASURING EQUIPMENT [CUST: AR OS 05] [REVIEW: 10 11 13 19 30 AL AT AV CR CR4 DH EA GL MC MI TE] | A QCIC | 05 | | 01-MAY-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Mea | MCA Prep. Acty. | Date |
|---------------------|---|-------------------------|--------------------|-----------|
| ISO11319-93 | TAPE CARTRIDGE, 8 MM WIDE MAGNETIC TAPE CARTRIDGE FOR INFORMATION INTERCHANGE - HELICAL SCAN RECORDING - INFORMATION TECHNOLOGY [CUST: CC] | A 7045 | CC | 15-JUL-93 |
| JIC-EMP-1/EGP-1-67 | ELECTRICAL STANDARDS FOR MASS PRODUCTION EQUIPMENT/ELECTRICAL STANDARDS FOR GENERAL PURPOSE MACHINE TOOLS - 1967 [CUST: AL SH 99] [REVIEW: AR AV CR4 MJ] | A 34GP | GS | 15-JUN-79 |
| MMPA0100-85 | PERMANENT MAGNET MATERIALS - APRIL 1985 [CUST: AR 11] [REVIEW: OS] | A 5999 | AR | 18-SEP-85 |
| MSS-SP6-90 | VALVES AND FITTINGS, CONTACT FACES OF PIPE FLANGES AND CONNECTING-END FLANGES OF [CUST: CR4 YD1 99] [REVIEW: 82 CC CE MC] | A 4820 | YD1 | 1990 |
| MSS-SP25-98 | VALVES, FITTINGS, FLANGES AND UNIONS, STANDARD MARKING SYSTEM FOR [CUST: CR4 YD1 99] [REVIEW: 70 CC] | A 48GP | YD1 | 1998 |
| MSS-SP45-92 | DRAIN, BYPASS AND, CONNECTIONS [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4730 | YD1 | 1992 |
| MSS-SP55-85 | STEEL CASTINGS FOR VALVES, FLANGES & FITTINGS & OTHER PIPING COMPONENTS (VISUAL METHOD) QUALITY STANDARD FOR [CUST: MR] | A 95GP | MR | 1985 |
| MSS-SP58-93 | PIPE HANGERS AND SUPPORTS - MATERIALS, DESIGN AND MANUFACTURE [CUST: YD1] [REVIEW: CE CR4 MC] | A 5340 | YD1 | 31-DEC-93 |
| MSS-SP61-92 | VALVES, STEEL, PRESSURE TESTING OF [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 4820 | YD1 | 31-DEC-92 |
| MSS-SP67-90 | VALVES, BUTTERFLY [CUST: CR4 YD1 99] [REVIEW: 84 CC CE MC] | A 4820 | YD1 | 1990 |
| MSS-SP69-91 | PIPE HANGERS AND SUPPORTS - SELECTION AND APPLICATION [CUST: YD1] [REVIEW: CE CR4 IS MC] | A 5340 | YD1 | 1991 |
| MSS-SP70-90 | GATE VALVES, CAST IRON, FLANGED & THREADED ENDS [CUST: CR4 YD1 99] [REVIEW: CC MC] | A 4820 | YD1 | 1990 |
| MSS-SP71-90 | VALVES, CAST IRON SWING CHECK, FLANGED & THREADED ENDS [CUST: CR4 YD1 99] [REVIEW: 82 CC CE MC] | A 4820 | YD1 | 1990 |
| MSS-SP72-92 | VALVES, BALL, WITH FLANGED OR BUTT-WELDING ENDS FOR GENERAL SERVICE [CUST: CR4 YD1 99] [REVIEW: CC] | A 4820 | YD1 | 31-DEC-92 |
| MSS-SP78-92 | VALVES, CAST IRON PLUG, FLANGED AND THREADED ENDS [CUST: YD1 99] [REVIEW: 82 CC] | A 4820 | YD1 | 31-DEC-92 |
| MSS-SP80-87 | BRONZE GATE, GLOBE, ANGLE AND CHECK VALVES [CUST: CR4 YD1 99] [REVIEW: CC CE EA MC SA] | A 4820 | YD1 | 1987 |
| MSS-SP81-81R86 | VALVE, FLANGED KNIFE GATE, STAINLESS STEEL, BONNETLESS [CUST: CR4 YD1] [REVIEW: CC CE MC] | A 4820 | YD1 | 1981 |
| MSS-SP83-95 | PIPE UNIONS SOCKET WELDING & THREADED, STEEL, CLASS 3000 [CUST: CR4 YD1 99] [REVIEW: AR CC CE OS] | A 4730 | YD1 | 1995 |
| MSS-SP84-90 | VALVES - SOCKET WELDING AND THREADED ENDS [CUST: CR4 YD1 99] [REVIEW: 82 CC CE MC] | A 4820 | YD1 | 1990 |
| MSS-SP85-94 | CAST IRON GLOBE & ANGLE VALVES FLANGED AND THREADED ENDS [CUST: YD1] [REVIEW: CC] | A 4820 | YD1 | 1994 |
| MSS-SP88-93 | VALVE, DIAPHRAGM TYPE [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 4820 | YD1 | 1993 |
| MSS-SP89-98 | PIPE HANGERS AND SUPPORTS - FABRICATION AND INSTALLATION PRACTICES [CUST: CR4 YD1 99] [REVIEW: 82] | A 5340 | YD1 | 1998 |
| MSS-SP104-94 | COPPER, WROUGHT, LW SOLDER JOINT PRESSURE FITTINGS [CUST: 99 CC] [REVIEW: 82 CR4 GL MC SH] | A 4730 | CC | 20-MAY-94 |
| MSS-SP110-96 | BALL VALVES THREADED, SOCKET-WELDING, SOLDER JOINT, GROOVED AND FLARED ENDS [CUST: YD1] | A 4820 | YD1 | MAY-92 |
| NA0001THRUNA0006-78 | RIVET, SOLID - UNIVERSAL HEAD ALUMINUM AND ALUMINUM ALLOY, METRIC [CUST: AV AS 11 IS] | A 5320 | IS | DEC-78 |
| NA0007-78 | FASTENERS, METRIC, TITANIUM ALLOY EXTERNALLY THREADED 1100 MPA TENSILE 660 MPA SHEAR [CUST: AV 11 IS] [REVIEW: 99] | A 53GP | IS | MAR-78 |
| NA7-78 | FASTENERS, METRIC, TITANIUM ALLOY, EXTERNALLY THREADED, 1100 MPA TENSILE, 660 MPA SHEAR, PROCUREMENT SPECIFICATION - MARCH 1978 [CUST: AV 11 IS] [REVIEW: 82 99] | A 53GP | IS | 15-JUL-85 |
| NA8-78 | FASTENERS, METRIC, ALLOY STEEL, EXTERNALLY THREADED, 1100 MPA TENSILE, 660 MPA SHEAR, PROCUREMENT SPECIFICATIONS - MAR 78 [CUST: AR AS 99 IS] [REVIEW: 82 AV CR4] | A 53GP | IS | 21-JAN-85 |
| NA0008-78 | FASTENERS, METRIC ALLOY STEEL EXTERNALLY THREADED 1100 MPA TENSILE 660 MPA SHEAR [CUST: AR AS 11] [REVIEW: AV CR4 IS] | A 53GP | AR | MAR-78 |
| NA0009-80 | NUTS, SELF LOCKING, 235 DEG. C, METRIC [CUST: AV 11 IS] [REVIEW: 82 99] | A 5310 | IS | 12-MAY-80 |
| NA9-80 | NUTS, SELF-LOCKING, 235 DEG. C, METRIC, PROCUREMENT SPECIFICATION FOR - 12 MAY 1980 [CUST: AV 99] [REVIEW: 82] | A 5310 | IS | 09-SEP-85 |
| NA0013THRUNA0018-78 | RIVET, SOLID-COUNTERSUNK 100 DEG. HEAD, ALUMINUM AND ALUMINUM ALLOY, METRIC [CUST: AV AS 11 IS] | A 5320 | IS | DEC-78 |
| NA0019THRUNA0024-78 | RIVET, SOLID-COUNTERSUNK 100 DEG. SHEAR HEAD, ALUMINUM AND ALUMINUM ALLOY, METRIC [CUST: AV AS 11 IS] | A 5320 | IS | DEC-78 |
| NA0025-84 | RECESS - TORQ-SET DIMENSIONS OF RECESS, GAGE AND DRIVER, METRIC [CUST: AR AS 99 IS] [REVIEW: AV] | A 53GP | IS | 04-APR-84 |
| NA25-84 | TORQ-SET, RECESS, DIMENSION OF RECESS, GAGE & DRIVE, METRIC - 4 APR 84 [CUST: AR AS 99] [REVIEW: 82 AV] | A 53GP | IS | 22-MAY-86 |
| NA26-77 | FASTENERS, METRIC, A-286 CRES, EXTERNALLY THREADED, 1100 MPA TENSILE, 660 MPA SHEAR, PROCUREMENT SPECIFICATION - NOV 1977 [CUST: AV 99 IS] [REVIEW: 82] | A 53GP | IS | 15-JUL-85 |
| NA0026-77 | FASTENERS, METRIC, A-286 CRES EXTERNALLY THREADED 1100 MPA TENSILE 660 MPA SHEAR [CUST: AV 11 IS] [REVIEW: 99] | A 53GP | IS | NOV-77 |
| NA0027ANDNA0028-78 | NUT, SELF-LOCKING, FLOATING, PLATE, TWO-LOG, METRIC LOW HEIGHT, C'BORED, 1100 MPA 235 DEG. C, 425 DEG. C [CUST: AR AS 11] [REVIEW: AV CR4 IS] | A 5310 | AR | MAR-78 |
| NA27THRUNA28-78 | NUT, SELF-LOCKING, FLOATING, PLATE, TWO-LUG, METRIC, LOW HEIGHT, C BORED, 1100 MPA, 235 DEG. C, 425 DEG. C - MAR 1978 [CUST: AR AS 99 IS] [REVIEW: 82] | A 5310 | IS | 21-JAN-85 |
| NA29ANDNA30-79 | NUT, SELF LOCKING, SPLINE DRIVE 1250 MPA, 235 DEG. C, 425 DEG. C METRIC [CUST: AV 99] [REVIEW: 82] | A 5310 | IS | 09-SEP-85 |
| NA0029ANDNA0030-79 | NUT, SELF-LOCKING, SPLINE DRIVE 1250 MPA, 235 DEG. C, 425 DEG. C, METRIC [CUST: AV 11 IS] [REVIEW: 82 99] | A 5310 | IS | JUL-79 |
| NA0033ANDNA0034-78 | NUT, SELF-LOCKING, HEXAGON EXTENDED WASHER 1100 MPA, METRIC, 235 DEG. C, 425 DEG. C [CUST: AV 11 IS] [REVIEW: 82 99] | A 5310 | IS | MAR-78 |
| NA33ANDNA34-78 | NUT, SELF LOCKING, HEXAGON EXTENDED WASHER, 1100 MPA, METRIC, 235 DEG. C, 425 DEG. C - MAR 78 [CUST: AV 99] [REVIEW: 82] | A 5310 | IS | 09-SEP-85 |
| NA35-78 | SCREW, CLOSE TOLERANCE, PAN HEAD, TORQ SET, ALLOY STEEL, 660 MPA SHEAR, METRIC - JUN 78 [CUST: AV 99] [REVIEW: 82] | A 5305 | IS | 08-JUL-85 |
| NA0035-78 | SCREW, CLOSE TOLERANCE PAN HEAD TORQ-SET ALLOY STEEL 660 MPA SHEAR METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | JUN-78 |
| NA0036-97 | BOLT, CLOSE TOLERANCE, HEXAGON HEAD ALLOY STEEL 1100 MPA METRIC [CUST: AR AS 11] [REVIEW: AV CR4 IS] | A 5306 | AR | 28-FEB-97 |
| NA36-78 | BOLT, CLOSE TOLERANCE, HEX HEAD, ALLOY STEEL, 1100 MPA METRIC - MAR 1978 [CUST: AR AS 99 IS] [REVIEW: 82 AV CR4] | A 5306 | IS | 21-JAN-85 |
| NA37-78 | BOLT, CLOSE TOLERANCE, HEX HEAD, TITANIUM ALLOY 1100 MPA, METRIC - MARCH 1978 [CUST: AV 99 IS] [REVIEW: 82] | A 5306 | IS | 15-JUL-85 |
| NA0037-96 | BOLT, CLOSE TOLERANCE, HEXAGON HEAD, TITANIUM ALLOY 1100 MPA METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5306 | IS | 29-MAR-96 |
| NA0038-93 | SCREW, CLOSE TOLERANCE, 100 DEG. FLUSH HEAD OFFSET CRUCIFORM RECESS ALLOY STEEL 660 MPA SHEAR METRIC [CUST: AR SH 99 IS] | A 5305 | IS | 31-MAY-96 |
| NA0039-93 | SCREW, CLOSE TOLERANCE, 100 DEG. FLUSH HEAD, OFFSET CRUCIFORM RECESS, TITANIUM ALLOY, 660 MPA, SHEAR METRIC [CUST: AR SH 99 IS] | A 5305 | IS | 30-JUL-93 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Ver | MCA | Prep. Acty. | Date |
|------------|---------------------|--|-------------------------|-----|-------------|-----------|
| | NA0040ANDNA0041-78 | NUT, SELF-LOCKING, PLATE, TWO LUG, FIXED LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C [CUST: AV 11 IS] [REVIEW: 82 99] | A 5310 | IS | | DEC-78 |
| | NA40ANDNA41-78 | NUT, SELF LOCKING, PLATE, TWO LUG, FIXED LOW HEIGHT, C'BORED, 1100 MPA, METRIC, 235 DEG C, 425 DEG C - DEC 78 [CUST: AV 99] [REVIEW: 82] | A 5310 | IS | | 09-SEP-85 |
| | NA0042-96 | SCREW, CLOSE TOLERANCE, 100 DEG. FLUSH HEAD, OFFSET CRUCIFORM RECESS A-286 660 MPA SHEAR METRIC [CUST: AR SH 99 IS] | A 5305 | IS | | 31-MAY-96 |
| | NA0044-79 | NUT, SELF LOCKING, 425 DEG. C, METRIC [CUST: AV 11 IS] [REVIEW: 82 99] | A 5310 | IS | | NOV-79 |
| | NA44-79 | NUT, SELF LOCKING, 425 DEG C, METRIC, PROCUREMENT SPECIFICATION FOR - NOV 79 [CUST: AV 99] [REVIEW: 82] | A 5310 | IS | | 09-SEP-85 |
| | NA45-79 | BOLT, CLOSE TOLERANCE, HEX HEAD, A-286 CRES, 1100 MPA TENSILE, METRIC - 25 APR 79 [CUST: AR AS 99] [REVIEW: AV] | A 5306 | IS | | 22-MAY-86 |
| | NA0045-96 | BOLT, CLOSE TOLERANCE, HEXAGON HEAD, A-286 CRES 1100 MPA METRIC [CUST: AR AS 99 IS] [REVIEW: AV] | A 5306 | IS | | 29-MAR-96 |
| | NA0046-78 | SCREW, CLOSE TOLERANCE PAN HEAD TORQ-SET A-286 CRES 660 MPA SHEAR METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | OCT-78 |
| | NA46-78 | SCREW, CLOSE TOLERANCE, PAN HEAD, TORQ-SET, A-286 CRES, 660 MPA SHEAR, METRIC - OCT 1978 [CUST: AV 99 IS] [REVIEW: 82] | A 5305 | IS | | 08-JUL-85 |
| | NA47-78 | SCREW, CLOSE TOLERANCE, PAN HEAD, TORQ-SET, TITANIUM ALLOY, 660 MPA SHEAR, METRIC - OCT 1978 [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | 08-JUL-85 |
| | NA0047-78 | SCREW, CLOSE TOLERANCE PAN HEAD TORQ-SET TITANIUM ALLOY 660 MPA SHEAR METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | OCT-78 |
| | NA0049-81 | NUT, SELF-LOCKING, CASTELLATED REDUCED HEXAGON, 600 MPA SHEAR, METRIC [CUST: AV 11 IS] [REVIEW: 82 99] | A 5310 | IS | | JAN-81 |
| | NA49-81 | NUT, SELF LOCKING, CASTELLATED, REDUCED HEXAGON, 600 MPA SHEAR, METRIC - JAN 81 [CUST: AV 99] [REVIEW: 82] | A 5310 | IS | | 09-SEP-85 |
| | NA50-81 | NUT, SELF LOCKING, CASTELLATED, REDUCED HEXAGON, 1100 MPA TENSILE, METRIC - JAN 81 [CUST: AV 99] [REVIEW: 82] | A 5310 | IS | | 09-SEP-85 |
| | NA0050-81 | NUT, SELF-LOCKING, CASTELLATED, REDUCED HEXAGON, 1100 MPA TENSILE, METRIC [CUST: AV 11 IS] [REVIEW: 82 99] | A 5310 | IS | | JAN-81 |
| | NA51-79 | STEEL, RIVET SOLID, UNIVERSAL HEAD, A286 CORROSION RESISTANT, METRIC - MAY 79 [CUST: AV 11] [REVIEW: AR] | A 5320 | IS | | 08-NOV-85 |
| | NA52-79 | RIVET-SOLID, UNIVERSAL HEAD, MONEL, METRIC - MAY 79 [CUST: AV 11] [REVIEW: AR] | A 5320 | IS | | 08-NOV-85 |
| | NA0052-79 | RIVET - SOLID, UNIVERSAL HEAD, MONEL, METRIC [CUST: AV 11 IS] [REVIEW: AR] | A 5320 | IS | | MAY-79 |
| | NA0053-79 | RIVET - SOLID, COUNTERSUNK 100 DEG. HEAD, A286 CORROSION RESISTANT STEEL, METRIC [CUST: AV 11 IS] [REVIEW: AR] | A 5320 | IS | | MAY-79 |
| | NA53-79 | RIVET-SOLID, COUNTERSUNK 100 DEG HEAD, A286 CORROSION RESISTANT STEEL, METRIC - MAY 79 [CUST: AV 11] [REVIEW: AR] | A 5320 | IS | | 08-NOV-85 |
| | NA54-79 | RIVET-SOLID, COUNTERSUNK 100 DEG HEAD, MONEL, METRIC - MAY 79 [CUST: AV 11] [REVIEW: AR] | A 5320 | IS | | 08-NOV-85 |
| | NA0054-79 | RIVET - SOLID, COUNTERSUNK 100 DEG. HEAD, MONEL, METRIC [CUST: AV 11 IS] [REVIEW: AR] | A 5320 | IS | | MAY-79 |
| | NA0055-79 | RIVET - SOLID, REDUCED COUNTERSUNK 100 DEG. HEAD, A286 CORROSION RESISTANT STEEL, METRIC [CUST: AV 11 IS] [REVIEW: AR] | A 5320 | IS | | MAY-79 |
| | NA55-79 | RIVET-SOLID, REDUCED COUNTERSUNK 100 DEG HEAD, A286 CORROSION RESISTANT STEEL, METRIC-MAY-79 [CUST: AV 11] [REVIEW: AR] | A 5320 | IS | | 08-NOV-85 |
| | NA56-79 | RIVET-SOLID, REDUCED COUNTERSUNK 100 DEG HEAD, MONEL, METRIC - MAY 79 [CUST: AV 11] [REVIEW: AR] | A 5320 | IS | | 08-NOV-85 |
| | NA0056-79 | RIVET - SOLID, REDUCED COUNTERSUNK 100 DEG. HEAD, MONEL, METRIC [CUST: AV 11 IS] [REVIEW: AR] | A 5320 | IS | | MAY-79 |
| | NA0057-79 | FASTENERS, METRIC, ALLOY STEEL EXTERNALLY THREADED 1250 MPA TENSILE 750 MPA SHEAR [CUST: AV 11 IS] [REVIEW: 99] | A 53GP | IS | | JUL-79 |
| | NA57-79 | FASTENERS, ALLOY STEEL, EXTERNALLY THREADED, 1250 MPA, 750 MPA SHEAR, PROCUREMENT SPECIFICATION, METRIC - JUL 79 [CUST: AV 11] [REVIEW: 82 99] | A 53GP | IS | | 15-JUL-85 |
| | NA58-79 | BOLT, SPLINE DRIVE, CLOSE TOLERANCE, ALLOY STEEL, 1250 MPA, METRIC - JULY 1979 [CUST: AV 99 IS] [REVIEW: 82] | A 5306 | IS | | 15-JUL-85 |
| | NA0058-96 | BOLT, CLOSE TOLERANCE, SPLINE DRIVE, ALLOY STEEL, 1250 MPA, METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5306 | IS | | 29-MAR-96 |
| | NA0059-96 | BOLT, CLOSE TOLERANCE, SPLINE DRIVE, A286 CRES, 1250 MPA METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5306 | IS | | 29-MAR-96 |
| | NA59-79 | BOLT, SPLINE DRIVE, CLOSE TOLERANCE, A-286, 1250 MPA, METRIC - JULY 1979 [CUST: AV 99 IS] [REVIEW: 82] | A 5306 | IS | | 15-JUL-85 |
| | NA60-80 | SCREW, CLOSE TOLERANCE, 100 DEG. FLUSH HEAD, TORQ-SET, ALLOY STEEL, 750 MPA SHEAR, METRIC - JAN 1980 [CUST: AV 99 IS] [REVIEW: 82] | A 5305 | IS | | 08-JUL-85 |
| | NA0060-96 | SCREW, CLOSE TOLERANCE, 100 DEG. FLUSH HEAD, OFFSET CRUCIFORM RECESS ALLOY STEEL 750 MPA SHEAR, METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | 31-MAY-96 |
| | NA0061-93 | NUT, SELF-LOCKING, SPLINE DRIVE, ALLOY STEEL, 1800 MPA, 235 DEG. C, METRIC [CUST: AV 11 IS] [REVIEW: 82 99] | A 5310 | IS | | 22-OCT-93 |
| | NA61-81 | NUT, SELF LOCKING, SPLINE DRIVE, ALLOY STEEL 1800 MPA, 235 DEG. C METRIC - OCT 81 [CUST: AV 11] [REVIEW: 82 99] | A 5310 | IS | | 09-SEP-85 |
| | NA62-80 | BOLT, ALLOY STEEL, 1550 MPA TENSILE, SPLINE DRIVE, METRIC - MAR 80 [CUST: AR AS 99] [REVIEW: AV] | A 5306 | IS | | 22-MAY-86 |
| | NA0062-80 | BOLT, ALLOY STEEL, 1550 MPA TENSILE, SPLINE DRIVE, METRIC [CUST: AR AS 99 IS] [REVIEW: AV] | A 5310 | IS | | MAR-80 |
| | NA0063-80 | BOLT, ALLOY STEEL, 1800 MPA TENSILE, SPLINE DRIVE, METRIC [CUST: AR AS 99 IS] [REVIEW: AV] | A 5306 | IS | | MAR-80 |
| | NA63-80 | BOLT, ALLOY STEEL, 1800 MPA TENSILE, SPLINE DRIVE, METRIC - MAR 80 [CUST: AR AS 99] [REVIEW: AV] | A 5306 | IS | | 22-MAY-86 |
| | NA64THRUNA66-79 | NUT, THIN, WITH OPTIONAL LOCKWIRE HOLE, METRIC - OCT 79 [CUST: AV 11] [REVIEW: 82 99] | A 5310 | IS | | 09-SEP-85 |
| | NA0064THRUNA0066-79 | NUT, THIN, WITH OPTIONAL LOCKWIRE HOLE, METRIC [CUST: AV 11 IS] [REVIEW: 82 99] | A 5310 | IS | | OCT-79 |
| | NA67-79 | SCREW, DUAL WRENCHING, HEX HEAD/TORQ-SET, A-286 CRES, FULL THREAD, 1100 MPA, METRIC - DEC 1979 [CUST: AV 99 IS] [REVIEW: 82] | A 5305 | IS | | 08-JUL-85 |
| | NA0067-96 | SCREW, DUAL, WRENCHING, HEX HEAD/OFFSET CRUCIFORM, A286 CRES, FULL THREAD, 1100 MPA - METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | 29-MAR-96 |
| | NA0068-96 | SCREW, MACHINE, PAN HEAD, OFFSET CRUCIFORM, A286 CRES FULL THREAD 1100 MPA - METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | 29-MAR-96 |
| | NA68-79 | SCREW, PAN HEAD, TORQ-SET, A-286 CRES, FULL THREAD, 1100 MPA, METRIC - DEC 1979 [CUST: AV 99 IS] [REVIEW: 82] | A 5305 | IS | | 08-JUL-85 |
| | NA69-79 | SCREW-SOCKET HEAD CAP, FULL THREAD, A-286 CRES 1100 MPA, METRIC -DEC 1979 [CUST: AV 99 IS] [REVIEW: 82] | A 5305 | IS | | 08-JUL-85 |
| | NA0069-96 | SCREW, CAP, HEXAGON SOCKET HEAD, FULL THREAD, A-286 CRES, 1100 MPA, METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | 31-MAY-96 |
| | NA70-79 | SCREW, 100 DEG. FLUSH HEAD, TORQ-SET, A-286 CRES, FULL THREAD, 1100 MPA, METRIC - DEC 1979 [CUST: AV 99 IS] [REVIEW: 82] | A 5305 | IS | | 08-JUL-85 |
| | NA0070-79 | SCREW, 100 DEG. FLUSH HEAD, TORQ-SET, A286 CRES, FULL THREAD, 1100 MPA, METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | DEC-79 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|--------------------|--|-----------------------|-----|-------------|-----------|
| NA0071-91 | BOLT, ALLOY STEEL 1550 MPA TENSILE, PROCUREMENT SPECIFICATION [CUST: AR AS 99 IS] | A 5306 | IS | | 25-JUN-91 |
| NA0072-91 | BOLT, ALLOY STEEL 1800 MPA TENSILE, PROCUREMENT SPECIFICATION [CUST: AR AS 99 IS] | A 5306 | IS | | 25-JUN-91 |
| NA0073ANDNA0074-80 | NUT, SELF-LOCKING, PLATE, ONE LUG, METRIC, FLOATING LOW HEIGHT, C'BORED, 1100 MPA, 235 DEG. C, 425 DEG. C [CUST: AR AS 11 IS] [REVIEW: AV CR4] | A 5310 | IS | | APR-80 |
| NA73ANDNA74-80 | NUT, SELF-LOCKING, PLATE, ONE LUG, METRIC, FLOATING, LOW HEIGHT, C'BORED, 1100 MPA, 250 DEGREE C, 450 DEGREE C - APR 80 [CUST: AR AS 11 IS] [REVIEW: AV CR4 IS] | A 5310 | IS | | 21-JAN-85 |
| NA77ANDNA78-80 | NUT, SELF-LOCKING, PLATE, FIXED, ONE LUG REDUCED RIVET SPACING, LOW HEIGHT, C BORED 1100 MPA, METRIC 235 DEG. C, 425 DEG. C - JUNE 1980 [CUST: AR 11] [REVIEW: AV] | A 5310 | IS | | 23-MAY-86 |
| NA0077ANDNA0078-80 | NUT, SELF-LOCKING, PLATE, FIXED, ONE LUG REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC, 235 DEG. C, 425 DEG. C [CUST: AR 11 IS] [REVIEW: AV] | A 5310 | IS | | JUN-80 |
| NA0079ANDNA0080-80 | NUT, SELF-LOCKING, PLATE, FIXED, TWO LUG, REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC, 235 DEG. C, 425 DEG. C [CUST: AR 11 IS] [REVIEW: AV] | A 5310 | IS | | JUN-80 |
| NA79ANDNA80-80 | NUT, SELF-LOCKING, PLATE, FIXED, TWO LUG REDUCED RIVET SPACING, LOW HEIGHT, C'BOARD, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C - JUN 80 [CUST: AR 11] [REVIEW: AV] | A 5310 | IS | | 23-MAY-86 |
| NA81ANDNA82-80 | NUT, SELF-LOCKING, PLATE, FIXED, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C - JUN 80 [CUST: AR 11] [REVIEW: AV] | A 5310 | IS | | 23-MAY-86 |
| NA0081ANDNA0082-80 | NUT, SELF-LOCKING, PLATE, FIXED, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C [CUST: AR 11 IS] [REVIEW: AV] | A 5310 | IS | | JUN-80 |
| NA0083ANDNA0084-80 | NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C [CUST: AR 11 IS] [REVIEW: AV] | A 5310 | IS | | JUN-80 |
| NA83ANDNA84-80 | NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, C'BOARD, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C - JUN 80 [CUST: AR 11] [REVIEW: AV] | A 5310 | IS | | 23-MAY-86 |
| NA85ANDNA86-80 | NUT, SELF-LOCKING, PLATE, FLOATING, TWO LUG REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C - JUN 80 [CUST: AR 11] [REVIEW: AV] | A 5310 | IS | | 23-MAY-86 |
| NA0085ANDNA0086-93 | NUT, SELF-LOCKING, PLATE, FLOATING, TWO LUG REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA METRIC 235 DEG. C, 425 DEG. C [CUST: AR 11 IS] [REVIEW: AV] | A 5310 | IS | | 22-OCT-93 |
| NA0087ANDNA0088-93 | NUT, SELF-LOCKING, PLATE, FLOATING, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC, 235 DEG. C, 425 DEG. C [CUST: AR 11 IS] [REVIEW: AV] | A 5310 | IS | | 22-OCT-93 |
| NA87ANDNA88-80 | NUT, SELF-LOCKING, PLATE, FLOATING, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C - JUN 80 [CUST: AR 11] [REVIEW: AV] | A 5310 | IS | | 23-MAY-86 |
| NA89-79 | SCREW, PAN HEAD, TORQ-SET, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC - DEC 1979 [CUST: AV 99 IS] [REVIEW: 82] | A 5305 | IS | | 08-JUL-85 |
| NA0089-79 | SCREW, PAN HEAD, TORQ-SET, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | DEC-79 |
| NA0090-79 | SCREW, PAN HEAD, TORQ-SET, TITANIUM ALLOY, FULL THREAD, 1100 MPA, METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | DEC-79 |
| NA90-79 | SCREW, PAN HEAD, TORQ-SET, TITANIUM ALLOY, FULL THREAD, 1100 MPA, METRIC - DEC 79 [CUST: AV 99 IS] [REVIEW: 82] | A 5305 | IS | | 08-JUL-85 |
| NA91-79 | SCREW, 100 DEG. FLUSH HEAD, TORQ SET, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC-DEC 79 [CUST: AV 99] [REVIEW: 82] | A 5305 | IS | | 08-JUL-85 |
| NA0091-79 | SCREW, 100 DEG. FLUSH HEAD, TORQ-SET, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | DEC-79 |
| NA0092-79 | SCREW, 100 DEG. FLUSH HEAD, TORQ-SET TITANIUM ALLOY, FULL THREAD, 1100 MPA, METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | DEC-79 |
| NA92-79 | SCREW, 100 DEG. FLUSH HEAD, TORQ SET, TITANIUM ALLOY, FULL THREAD, 1100 MPA, METRIC - DEC 79 [CUST: AV 99] [REVIEW: 82] | A 5305 | IS | | 08-JUL-85 |
| NA93ANDNA94-80 | NUT, SELF LOCKING, FLOATING, PLATE, CORNER, LOW HEIGHT, C'BORED, 1100 MPA, METRIC, 235 DEG. C, 425 DEG. C - FEB 80 [CUST: AV 11] [REVIEW: 82 99] | A 5310 | IS | | 09-SEP-85 |
| NA0093ANDNA0094-80 | NUT, SELF-LOCKING, FLOATING, PLATE, CORNER LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C [CUST: AV 11 IS] [REVIEW: 82 99] | A 5310 | IS | | FEB-80 |
| NA0095ANDNA0096-80 | NUT, SELF-LOCKING, PLATE, CORNER LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG. C [CUST: AV 11 IS] [REVIEW: 82 99] | A 5310 | IS | | FEB-80 |
| NA95ANDNA96-80 | NUT, SELF LOCKING, PLATE, CORNER, LOW HEIGHT, C'BORED 1100 MPA, METRIC, 235 DEG. C, 425 DEG. C - FEB 80 [CUST: AV 11] [REVIEW: 82 99] | A 5310 | IS | | 09-SEP-85 |
| NA113-80 | SCREW, HEX HEAD/TORQ SET, TITANIUM, FULL THREAD, 1100 MPA, METRIC - NOV 80 [CUST: AV 99] [REVIEW: 82] | A 5305 | IS | | 08-JUL-85 |
| NA0113-96 | SCREW, HEX HEAD OFFSET CRUCIFORM TITANIUM, FULL THREAD, 1100 MPA, METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | 29-MAR-96 |
| NA114-80 | SCREW, HEX HEAD/TORQ SET, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC - NOV 80 [CUST: AV 11] [REVIEW: 99] | A 5305 | IS | | 08-JUL-85 |
| NA0114-96 | SCREW, HEX HEAD OFFSET CRUCIFORM ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | 29-MAR-96 |
| NA0119ANDNA0120-80 | BRACKET, 90 DEGREE ANGLE, 2-BOLT ATTACH, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | NOV-80 |
| NA0121ANDNA0122-80 | BRACKET, 90 DEGREE ANGLE, 2-RIVET ATTACH, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 30-NOV-80 |
| NA0123-94 | SCREW, CLOSE TOLERANCE, 100 DEG. REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, ALLOY STEEL, 660 MPA SHEAR, METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5305 | IS | | 22-APR-94 |
| NA123-80 | SCREW, CLOSE TOLERANCE, 100 DEG. REDUCED CROWN HEAD, TORQ-SET, ALLOY STEEL, 660 MPA SHEAR, METRIC - JUL 1980 [CUST: AR 11] [REVIEW: AV] | A 5305 | IS | | 27-MAY-86 |
| NA124-80 | SCREW, CLOSE TOLERANCE, 100 DEG REDUCED CROWN HEAD, TORQ-SET, A-286 CRES, 660 MPA SHEAR, METRIC [CUST: AR 11] [REVIEW: AV] | A 5305 | IS | | 27-MAY-86 |
| NA0124-94 | SCREW, CLOSE TOLERANCE, 100 DEG. REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, A-286 CRES, 660 MPA SHEAR, METRIC [CUST: AR 11 IS] [REVIEW: AV] | A 5305 | IS | | 22-APR-94 |
| NA0125-94 | SCREW, CLOSE TOLERANCE, 100 DEG. REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, TITANIUM, 660 MPA SHEAR, METRIC [CUST: AR 11 IS] [REVIEW: AV] | A 5305 | IS | | 22-APR-94 |
| NA125-80 | SCREW, CLOSE TOLERANCE, 100 DEG REDUCED CROWN HEAD, TORQ-SET, TITANIUM, 660 MPA SHEAR, METRIC - JUL 1980 [CUST: AR 11] [REVIEW: AV] | A 5305 | IS | | 27-MAY-86 |
| NA0126-89 | BOLT, ADJUSTING, CROWN HEXAGON HEAD, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC [CUST: AR AS 99 IS] | A 5306 | IS | | MAR-89 |
| NA0127-82 | SCREW, CAPTIVE, 100 DEG. FLUSH HEAD, TORQ-SET ALLOY STEEL, 660 MPA SHEAR, METRIC [CUST: AR 11 IS] [REVIEW: AV] | A 5305 | IS | | MAY-82 |
| NA127-82 | SCREW, CAPTIVE, 100 DEG. FLUSH HEAD, TORQ-SET, ALLOY STEEL, 660 MPA SHEAR, METRIC - 5-82 [CUST: AR 11] [REVIEW: AV] | A 5305 | IS | | 27-MAY-86 |
| NA128-82 | SCREW, CAPTIVE, 100 DEG FLUSH HEAD, TORQ-SET, A-286 CRES, 660 MPASHEAR, METRIC - 5-82 [CUST: AR 11] [REVIEW: AV] | A 5305 | IS | | 27-MAY-86 |
| NA0128-82 | SCREW, CAPTIVE, 100 DEG. FLUSH HEAD, TORQ-SET, A-286 CRES, 660 MPA SHEAR, METRIC [CUST: AR 11 IS] [REVIEW: AV] | A 5305 | IS | | MAY-82 |
| NA129-82 | SCREW, CAPTIVE, 100 DEG FLUSH HEAD, TORQ-SET, TITANIUM, 660 MPA SHEAR, METRIC - MAY 82 [CUST: AR 11] [REVIEW: AV] | A 5305 | IS | | 27-MAY-86 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|---------------------|--|-------------------------|-----|-------------|-----------|
| NA0129-93 | SCREW, CAPTIVE, 100 DEG. FLUSH HEAD, OFFSET CRUCIFORM RECESS, TITANIUM, 660 MPA SHEAR, METRIC [CUST: AR 11 IS] [REVIEW: AV] | A 5305 | IS | | 22-APR-93 |
| NA130-82 | SCREW, CAPTIVE, PAN HEAD, TORQ-SET, ALLOY STEEL, 660 MPA SHEAR, METRIC - MAY 82 [CUST: AR 11] [REVIEW: AV] | A 5305 | IS | | 27-MAY-86 |
| NA0130-82 | SCREW, CAPTIVE, PAN HEAD, TORQ-SET, ALLOY STEEL, 660 MPA SHEAR, METRIC [CUST: AR 11 IS] [REVIEW: AV] | A 5305 | IS | | MAY-82 |
| NA0131-82 | SCREW, CAPTIVE, PAN HEAD, TORQ-SET, A-286 CRES, 660 MPA SHEAR, METRIC [CUST: AR 11 IS] [REVIEW: AV] | A 5305 | IS | | MAY-82 |
| NA131-82 | SCREW, CAPTIVE, PAN HEAD, TORQ-SET, A-286 CRES, 660 MPA SHEAR, METRIC - MAY 1982 [CUST: AR 11 IS] [REVIEW: AV] | A 5305 | IS | | 27-MAY-86 |
| NA132-82 | SCREW, CAPTIVE, PAN HEAD, TORQ-SET, TITANIUM, 660 MPA SHEAR, METRIC - MAY 82 [CUST: AR 11] [REVIEW: AV] | A 5305 | IS | | 27-MAY-86 |
| NA0132-82 | SCREW, CAPTIVE, PAN HEAD, TORQ-SET, TITANIUM, 660 MPA SHEAR, METRIC [CUST: AR 11 IS] [REVIEW: AV] | A 5305 | IS | | MAY-82 |
| NA133-81 | NUT, SELF-LOCKING, BARREL, FLOATING, 1550 MPA, METRIC - JUNE 1981 [CUST: AR 11 IS] [REVIEW: AV] | A 5310 | IS | | 23-MAY-86 |
| NA0133-93 | NUT, SELF-LOCKING, BARREL, FLOATING, 1550 MPA, METRIC [CUST: AR 11 IS] [REVIEW: AV] | A 5310 | IS | | 22-OCT-93 |
| NA134-81 | RETAINER, NUT, FLOATING BARREL, METRIC - JUNE 1981 [CUST: AR 11 IS] [REVIEW: AV] | A 5310 | IS | | 23-MAY-86 |
| NA0134-81 | RETAINER, NUT, FLOATING BARREL, METRIC [CUST: AR 11 IS] [REVIEW: AV] | A 5310 | IS | | JUN-81 |
| NA0140THRUNA0144-81 | WASHER, DIMPLED, 100 DEG., METRIC [CUST: AR 11 IS] [REVIEW: AV] | A 5310 | IS | | JUN-81 |
| NA140THRUNA144-81 | WASHER, DIMPLED, 100 DEG., METRIC - JUNE 1981 [CUST: AR 11 IS] [REVIEW: AV] | A 5310 | IS | | 23-MAY-86 |
| NA145-81 | INSERT, SCREW THREAD, KEY LOCKED, INSTALLATION & REMOVAL PROCEDURE, METRIC - OCT 1981 [CUST: AR 99] [REVIEW: 82 AV] | A 5340 | IS | | 14-FEB-86 |
| NA0145-81 | INSERT, SCREW THREAD, KEY LOCKED, INSTALLATION AND REMOVAL PROCEDURE, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | OCT-81 |
| NA0146-81 | INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, MINIATURE, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | OCT-81 |
| NA146-81 | INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, MINIATURE, METRIC - OCT 81 [CUST: AR 99] [REVIEW: 82 AV] | A 5340 | IS | | 14-FEB-86 |
| NA147-81 | INSERT, SCREW THREAD, KEY LOCKED, A-286 CORROSION RESISTING STEEL, MINIATURE, METRIC - OCT 81 [CUST: AR 99] [REVIEW: 82 AV] | A 5340 | IS | | 14-FEB-86 |
| NA0147-81 | INSERT, SCREW THREAD, KEY LOCKED, A-286, CORROSION RESISTING STEEL, MINIATURE, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | OCT-81 |
| NA0148-81 | INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, LIGHTWEIGHT, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | OCT-81 |
| NA148-81 | INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, LIGHTWEIGHT, METRIC - OCT 1981 [CUST: AR 99] [REVIEW: 82 AV] | A 5340 | IS | | 14-FEB-86 |
| NA149-81 | INSERT, SCREW THREAD, KEY LOCKED, A-286 CORROSION RESISTING STEEL, LIGHT WEIGHT, METRIC - OCT 1981 [CUST: AR 99] [REVIEW: 82 AV] | A 5340 | IS | | 14-FEB-86 |
| NA0149-81 | INSERT, SCREW THREAD, KEY LOCKED, A-286, CORROSION RESISTING STEEL, LIGHTWEIGHT, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | OCT-81 |
| NA0150-81 | INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, HEAVY DUTY, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | OCT-81 |
| NA150-81 | INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, HEAVY DUTY, METRIC - OCT 1981 [CUST: AR 99] [REVIEW: 82 AV] | A 5340 | IS | | 14-FEB-86 |
| NA151-81 | INSERT, SCREW THREAD, KEY LOCKED, A-286 CORROSTON RESISTING STEEL, HEAVY DUTY, METRIC - 1981 [CUST: AR 99] [REVIEW: 82 AV] | A 5340 | IS | | 14-FEB-86 |
| NA0151-81 | INSERT, SCREW THREAD KEY LOCKED, A-286 CORROSION RESISTING STEEL, HEAVY DUTY, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | OCT-81 |
| NA0152-81 | BOLT, EYE, ALLOY STEEL, 1100 MPA, METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5306 | IS | | DEC-81 |
| NA152-81 | BOLT, EYE, ALLOY STEEL, 1100 MPA, METRIC - DEC 1981 [CUST: AV 11 IS] [REVIEW: 99] | A 5306 | IS | | 15-JUL-85 |
| NA153-81 | BOLT, EYE, A-286 CRES, 1100 MPA, METRIC - DEC 81 [CUST: AV 11] [REVIEW: 99] | A 5306 | IS | | 15-JUL-85 |
| NA0153-81 | BOLT, EYE A286 CRES, 1100 MPA, METRIC [CUST: AV 11 IS] [REVIEW: 99] | A 5306 | IS | | DEC-81 |
| NA0155-82 | BOLT, CLEVIS, 660 MPA SHEAR, METRIC [CUST: AR AS 99 IS] [REVIEW: AV] | A 5306 | IS | | MAY-82 |
| NA155-82 | BOLT, CLEVIS, 660 MPA SHEAR, METRIC - MAY 82 [CUST: AR AS 99] [REVIEW: AV] | A 5306 | IS | | 22-MAY-86 |
| NA156-82 | FASTENERS, MALE THREADED, METRIC DESIGN, PARAMETERS FOR - MAY 82 [CUST: AR AS 99] [REVIEW: AV] | A 53GP | IS | | 22-MAY-86 |
| NA0156-82 | MALE THREADED FASTENERS, METRIC DESIGN PARAMETERS FOR [CUST: AR AS 99 IS] [REVIEW: AV] | A 53GP | IS | | MAY-82 |
| NA0157ANDNA0158-83 | PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, "T" HANDLE, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | OCT-83 |
| NA157ANDNA158-83 | PIN, QUICK RELEASE, SELF RETAINING, POSITIVE LOCKING, SINGLE ACTING, (T) HANDLE, METRIC - OCT 83 [CUST: AR 99] [REVIEW: 82 AV] | A 5340 | IS | | 14-FEB-86 |
| NA159-84 | SCREW, FAIRING WASHER, ASSEMBLY, ALLOY STEEL, TORQ-SET, FULL THREAD, 1100MPA, TENSILE, METRIC - JUL 84 [CUST: AR 11] [REVIEW: AV] | A 5305 | IS | | 27-MAY-86 |
| NA0159-93 | SCREW, FAIRING WASHER, ASSEMBLY, ALLOY STEEL, OFFSET CRUCIFORM RECESS FULL THREAD, 1100 MPA TENSILE, METRIC [CUST: AR 11 IS] [REVIEW: AV] | A 5305 | IS | | 15-APR-93 |
| NA160-84 | SCREW, FAIRING WASHER, ASSEMBLY, 6AL-4V TITANIUM ALLOY, TORQ-SET, FULL THREAD, 1100MPA TENSILE, METRIC - JUL 1984 [CUST: AR 11] [REVIEW: AV] | A 5305 | IS | | 27-MAY-86 |
| NA161-83 | PIN, QUICK RELEASE, POSITIVE LOCKING SINGLE ACTING, METRIC, PROCUREMENT SPECIFICATION FOR - OCT 1983 [CUST: AR 99] [REVIEW: 82 AV] | A 5340 | IS | | 14-FEB-86 |
| NA0161-83 | PIN, QUICK RELEASE, POSITIVE LOCKING SINGLE ACTING, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | OCT-83 |
| NA0162-83 | SETSCREW, HEXAGON SOCKET, CUP POINT, A286 CRES, METRIC [CUST: AR 11 IS] [REVIEW: AV] | A 5305 | IS | | APR-83 |
| NA162-83 | SETSCREW, HEXAGON SOCKET, CUP POINT, A286 CRES, METRIC - APR 83 [CUST: AR 11] [REVIEW: AV] | A 5305 | IS | | 27-MAY-86 |
| NA0163-83 | BOLT, BLIND, DESIGN ELEMENTS, METRIC [CUST: AV AS 11 IS] | A 5320 | IS | | SEP-83 |
| NA0165-83 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | JAN-83 |
| NA165-83 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE, METRIC - JAN 1983 [CUST: AR 99] [REVIEW: 82 AV] | A 5340 | IS | | 14-FEB-86 |
| NA0166ANDNA0167-83 | INSERT, MOLDED-IN. CSK CLEARANCE HOLE, SANDWICH PANEL, AL ALLOY AND CRES, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | APR-83 |
| NA0201THRUNA0204-85 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, STUD TYPE, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 31-AUG-85 |
| NA0211THRUNA0213-87 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 19-SEP-87 |
| NA0211THRUNA0212-85 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | AUG-85 |
| NA211THRUNA212-85 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE, METRIC - AUG 1985 [CUST: AR 99] [REVIEW: 82 AV] | A 5340 | IS | | 14-FEB-86 |
| NA221THRUNA224-85 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, INTERNAL THREAD TYPE, METRIC - AUG 1985 [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | 14-FEB-86 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------------|---|-----------------------|-----|-------------|-----------|
| | NA0241-90 | INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, CRES, LIGHTWEIGHT, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | JUN-90 |
| | NA0242-90 | INSERT, SANDWICH PANEL, MOLDED IN, THRU THREADED, SELF-LOCKING, CRES, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | JUN-90 |
| | NA0243-90 | INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, CRES, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | JUN-90 |
| | NA0244-90 | INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, ALUM/STEEL, FLOATING, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | JUN-90 |
| | NA0245-90 | INSERT, SANDWICH PANEL, MOLDED IN, BLIND THREADED, SELF-LOCKING, CRES/CRES, FLOATING, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | JUN-90 |
| D | NA0247-91 | BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, NARROW, GROOVED OUTER RING, -54 DEG. C TO 163 DEG. C METRIC [CUST: AV AS 11 GS] | A 3120 | GS | | 06-DEC-91 |
| D | NA0248-91 | BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, NARROW, CHAMFERED OUTER RING, -54 DEG. C TO 163 DEG. C METRIC [CUST: AV AS 11 GS] | A 3120 | GS | | 06-DEC-91 |
| D | NA0249-90 | BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, WIDE, GROOVED OUTER RING, -54 DEG. C TO 163 DEG. C METRIC [CUST: AV AS 11 GS] | A 3120 | GS | | 16-MAR-90 |
| D | NA0250-90 | BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING LOW SPEED, WIDE, CHAMFERED OUTER RING, -54 DEG. C TO 163 DEG. C METRIC [CUST: AV AS 11 GS] | A 3120 | GS | | 16-MAR-90 |
| | NA0252-89 | BOLT, SHOULDER, HEXAGON HEAD A286 CRES 1100 MPA TENSILE METRIC [CUST: AR AS 99 IS] | A 5306 | IS | | NOV-89 |
| | NA0253-89 | BOLT, SHOULDER, HEXAGON HEAD ALLOY STEEL 1100 MPA TENSILE METRIC [CUST: AR AS 99 IS] | A 5306 | IS | | NOV-89 |
| A | NAM1312-105 | FASTENER TEST METHODS METRIC METHOD 105 STRESS DURABILITY [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NAM1312-107 | FASTENER TEST METHODS, METRIC METHOD 107 VIBRATION [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NAM1312-108 | FASTENER TEST METHODS METRIC METHOD 108 TENSILE STRENGTH [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NAM1312-109 | FASTENER TEST METHODS, METRIC METHOD 109 STRESS CORROSION [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NAM1312-111 | FASTENER TEST METHODS, METRIC METHOD 111 TENSION FATIGUE [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NAM1312-113 | FASTENER TEST METHODS, METRIC METHOD 113 DOUBLE SHEAR TEST [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| | NAS1-78 | PREFERRED METRIC UNITS FOR AEROSPACE - 21 MAR 78 [CUST: AV AS 11] [REVIEW: 01 MI SA] | A MISC | AS | | 22-JUL-80 |
| | NAS5-73 | ROD END, THREADED, ALLOY STEEL, FLASH WELDING TYPE - SEP 73 W/DOD EXCPCTIONS[CUST: AV AS 11] [REVIEW: 10 CR4 IS] | A 5340 | AS | | 15-SEP-78 |
| | NAS42-82 | SPACER, SLEEVE - RIVET - 30 JUN 82 [CUST: AV AS 11] [REVIEW: IS] | A 5365 | AS | | 20-MAY-83 |
| | NAS43-93 | SPACER, SLEEVE - SCREW AND BOLT [CUST: AV AS 11] [REVIEW: IS] | A 5365 | AS | | 17-DEC-93 |
| | NAS47-82 | SPACER, SLEEVE, NON METALLIC, SCREW & BOLT - JUN 82 [CUST: AV AS 11 IS] | A 5365 | AS | | 20-MAY-83 |
| | NAS72-62 | BUSHING, CLAMP UP, STEEL, CHROME PLATED - OCT 62 [CUST: AV AS 11] | A 3120 | AS | | 14-JUN-74 |
| | NAS73-80 | BUSHING, CLAMP-UP, STEEL, CADMIUM PLATED - OCT 1980 [CUST: AS 11] [REVIEW: IS] | A 3120 | AS | | 17-OCT-84 |
| | NAS74-83 | BUSHING, CLAMP UP, BRONZE - 15 FEB 83 W/DODEXCEPTIONS [CUST: AV AS 11] [REVIEW: IS] | A 3120 | AS | | 20-MAY-83 |
| | NAS75-80 | BUSHING, PLAIN, PRESS FIT, STEEL - 16 OCT 1980 [CUST: AS 11] [REVIEW: IS] | A 3120 | AS | | 07-OCT-84 |
| | NAS76-83 | BUSHING, PLAIN, PRESS FIT, COPPER & BRONZE - 7 SEP 83 W/DOD EX. [CUST: AS 11] [REVIEW: IS] | A 3120 | AS | | 30-JAN-84 |
| | NAS77-97 | BUSHING, FLANGED, PRESS FIT, STEEL, BRONZE & COPPER W/DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: IS] | A 3120 | AS | | 28-FEB-97 |
| | NAS120-63 | KNOB, CONTROL, 3/4 SPHERICAL - 31 JAN 63 W/DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: 10 CR4 IS] | A 5355 | AS | | 05-DEC-80 |
| | NAS121-63 | KNOB, CONTROL, 1 INCH SPHERICAL [CUST: AS] [REVIEW: CR4 IS] | A 5355 | AS | | 31-JAN-63 |
| | NAS123-63 | KNOB, CONTROL, 1 INCH DIA. X 5/8 OVAL, PLASTIC - 31 JAN 63 [CUST: AS 99] [REVIEW: 82 CR4 IS] | A 5355 | AS | | 06-MAY-83 |
| | NAS170-80 | CLEVIS ENGINE CONTROL ROD, ADJUSTABLE - 16 OCT 80 [CUST: AS 11] [REVIEW: CR4 IS] | A 5340 | AS | | 06-MAY-83 |
| | NAS183-92 | STUD - COARSE THREAD [CUST: AR AS 99 IS] | A 5307 | IS | | 09-DEC-92 |
| | NAS184-80 | STUD, FINE THREAD - 16 OCT 80 [CUST: AS 99 IS] [REVIEW: 11 82 CR4] | A 5307 | IS | | 06-MAY-83 |
| | NAS186-94 | SPACER, STEPPED, SWAGE TYPE [CUST: AS 11] [REVIEW: IS] | A 5365 | AS | | 30-NOV-94 |
| | NAS198-61 | KNOB CONTROL 1.25 SPHER, PLASTIC - 15 DEC 61 [CUST: AS 11] [REVIEW: CR4 IS] | A 5355 | AS | | 06-MAY-83 |
| | NAS287-79 | TERMINAL, CHAIN TO CABLE (FOR SWAGING) - 30 MAY 79 W/DOD EXCEPT. [CUST: AS 11] [REVIEW: IS] | A 4030 | AS | | 30-JAN-84 |
| | NAS288-61 | TERMINAL, CHAIN TO TURNBUCKLE - DEC 61 W/DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: 10 CR CR4] | A 4330 | AS | | 14-JUN-74 |
| | NAS302THRUNAS310-80 | CABLE ASSEMBLY SWAGED TYPE I TERMINALS - 7 NOV 80 W/DOD EXCEPT. [CUST: AS 11] [REVIEW: IS] | A 4010 | AS | | 30-JAN-84 |
| | NAS312THRUNAS320-82R94 | CABLE ASSEMBLY SWAGED TYPE TYPE I AND TYPE II TERMINALS [CUST: AV AS 11] | A 4010 | AS | | 26-APR-82 |
| | NAS322THRUNAS330-82R94 | CABLE ASSEMBLY SWAGED TYPE TYPE II TERMINALS [CUST: AS 11] [REVIEW: IS] | A 4010 | AS | | 26-APR-82 |
| | NAS333THRUNAS340-81 | BOLT - 100 DEG CLOSE TOLERANCE HIGH STRENGTH - 30 DEC 81 W/DOD EXCEPTIONS [CUST: AS 11 IS] | A 5305 | IS | | 30-JAN-84 |
| | NAS354-94 | ROD - CONTROL, SOLID STEEL [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5307 | IS | | 30-NOV-94 |
| | NAS355-64 | TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY WITH RIVETED THREADED ROD ENDS - DEC 64 W/DOD EXCEPTIONS (REAPPROVED OCT 82) [CUST: AV AS 11] [REVIEW: 10 CR CR4] | A 3040 | AS | | 14-JUN-74 |
| | NAS356-64 | TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY WITH RIVETED CLEVIS & THREADED ROD ENDS - 64 W/DOD EXCEPTIONS (REAPPROVED OCT 82) [CUST: AV AS 11] [REVIEW: 10 CR CR4] | A 3040 | AS | | 14-JUN-74 |
| | NAS357-64 | TUBE, CONTROL, ALUMINUM ALLOY - DEC 64 W/DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: 10 CR CR4] | A 3040 | AS | | 14-JUN-74 |
| | NAS358-73 | TUBE ASSEMBLY, CONTROL, STEEL WITH WELDED THREADED ROD ENDS - JUN 73 W/DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: 10 CC CR4 IS] | A 3040 | AS | | 15-SEP-78 |
| | NAS359-73 | TUBE ASSEMBLY, CONTROL, STEEL WITH WELDED CLEVIS & THREADED ROD ENDS - JUN 73 W/DOD EX. [CUST: AV AS 11] [REVIEW: 10 CC CR4 IS] | A 3040 | AS | | 15-SEP-78 |
| | NAS360-61 | TUBE, CONTROL, STEEL - SEP 61 W/DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: 10 CR CR4] | A 3040 | AS | | 14-JUN-74 |
| | NAS361-73 | TUBE ASSEMBLY, CONTROL, STEEL WITH FLASH WELDED & THREADED ROD ENDS - JUN 73 W/DOD EX. [CUST: AV AS 11] [REVIEW: CC IS] | A 3040 | AS | | 15-SEP-80 |
| | NAS362-73 | TUBE ASSEMBLY, CONTROL, STEEL WITH FLASH WELDED CLEVIS & THREADED ROD ENDS - JUN 73 W/DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: 10 CC CR4 IS] | A 3040 | AS | | 15-SEP-78 |
| | NAS363THRUNAS369-64 | CONTROL, ROD & TUBE ASSEMBLY, 5/16-24 UNF-3A THREAD - JAN 64 [CUST: AS] | A MISC | AS | | 14-JUN-74 |
| | NAS370-64 | 16-24 UNF-3A THREAD, CONTROL ROD & TUBE ASSEMBLY, 5/ - JAN 64 [CUST: AV AS 11] [REVIEW: 10 CR CR4] | A 3040 | AS | | 14-JUN-74 |
| | NAS384-64R92 | SCREW - 100 DEG. OVAL RECESSED HEAD SHEET METAL [CUST: AR SH 99 IS] | A 5305 | IS | | 15-JAN-64 |
| | NAS387-64R92 | SCREW - 100 DEG. OVAL RECESSED HEAD MACHINE (COARSE AND FINE THREAD) [CUST: AR SH 99 IS] | A 5305 | IS | | 15-JAN-64 |
| | NAS388-47R90 | SCREW - 82 DEG. OVAL RECESSED HEAD - MACHINE (COARSE AND FINE THREAD) [CUST: AR SH 99 IS] | A 5305 | IS | | 01-AUG-47 |
| | NAS390-94 | WASHER - FLUSH TYPE FINISHING [CUST: AR YD1 99 IS] | A 5310 | IS | | 28-JAN-94 |
| | NAS395-78R83 | NUT - "U" TYPE SHEET SPRING [CUST: AR YD1 99 IS] | A 5310 | IS | | 29-MAR-78 |
| | NAS396-78R83 | NUT - "U" TYPE COUNTERSUNK SHEET SPRING [CUST: AR YD1 99 IS] | A 5310 | IS | | 29-MAR-78 |
| | NAS397-94 | CLAMP - RATCHET, ONE PIECE [CUST: CR4 SH 99 CC] [REVIEW: MI] | A 4730 | CC | | 25-FEB-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|-------------|---------------------|--|-----------------------|-----|-------------|-----------|
| | | | | | | |
| A | NAS398-94 | CLAMP-RATCHET, THREE PIECE [CUST: AS CC] [REVIEW: 99] | A 4730 | CC | | 25-FEB-94 |
| | NAS399-91 | LATCH, PUSH BUTTON, ADJUSTABLE [CUST: AR YD1 99 IS] | A 5340 | IS | | 25-JUN-91 |
| | NAS410 | NAS CERTIFICATION AND QUALIFICATION OF NONDESTRUCTIVE TEST PERSONNEL [CUST: MR AS 11] [REVIEW: AR] | A NDTI | 11 | | MAY 96 |
| | NAS411-94 | MATERIALS HAZARDOUS MANAGEMENT PROGRAM [CUST: AM 11] [REVIEW: 13 31 CC MC MD OS PT] | A ENVR | 11 | | 29-APR-94 |
| | NAS424-92 | COUPLING - TUBE FLARED FITTING, FEMALE THREAD [CUST: CR4 SH 99] [REVIEW: 82] | A 4730 | CC | | 11-MAR-92 |
| | NAS427-88 | PIN - PULLEY GUARD - 17 NOV 88 [CUST: AR AS 99 IS] | A 5315 | IS | | 09-MAR-89 |
| | NAS428-94 | BOLT, MACHINE - CROWNED HEXAGON HEAD, ADJUSTING [CUST: AS 11 IS] | A 5306 | IS | | 03-JUN-94 |
| | NAS451-91 | PLUG BUTTON [CUST: AR AS 99 IS] | A 5340 | IS | | 06-DEC-91 |
| | NAS463-86 | NUT SPACER, PLATE PLAIN - 14 FEB 1986 [CUST: AV AS 11 IS] | A 5310 | IS | | 11-FEB-87 |
| | NAS464-88 | BOLT SHEAR, CLOSE TOLERANCE - 17 NOV 88 [CUST: AR AS 99 IS] | A 5306 | IS | | 09-MAR-89 |
| M | NAS467-92 | BOLT - HEX HEAD, BRASS, ELECTRICAL [CUST: AR AS 99 IS] | A 5306 | IS | | 30-JUN-92 |
| | NAS487-93 | NUT - INSTRUMENT MOUNT [CUST: AR YD1 99 IS] | A 5310 | IS | | 15-APR-93 |
| | NAS488-79R92 | NUT - "J" TYPE SHEET SPRING [CUST: AR YD1 99 IS] | A 5310 | IS | | 25-APR-79 |
| | NAS498-97 | BOLTS - SHEAR, 95 KSI FSU W/DOD EXCEPTIONS [CUST: AS 11 IS] | A 5306 | IS | | 28-FEB-97 |
| | NAS500-73 | NUT SPACER, PLATE COUNTERSUNK - MAY 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] | A 5310 | IS | | 15-SEP-78 |
| | NAS501-98 | BOLT, STABILIZED NON-MAGNETIC, CRES [CUST: AV AS 11 IS] | A 5306 | IS | | 31-MAR-98 |
| | NAS509-72 | NUT, DRILLED JAM - SEP 72 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] | A 5310 | IS | | 14-JUN-74 |
| | NAS513-61 | WASHER, ROD END LOCKING - DEC 61 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] | A 5310 | IS | | 14-JUN-74 |
| | NAS514-73 | SCREW, MACHINE, 100 DEG. FLAT HEAD, FULL THREADED, ALLOY STEEL - NOV 73 W/DOD EX. [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5305 | IS | | 15-SEP-78 |
| | NAS516-94 | FITTING, LUBRICATION - .1250 INCH DRIVE, FLUSH TYPE [CUST: AV AS 11] [REVIEW: 10 CC] | A 4730 | AS | | 25-MAR-94 |
| | NAS517-73 | SCREW, 100 DEG. CLOSE TOLERANCE FLAT HEAD, 160,000 PSI - NOV 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5305 | IS | | 15-SEP-78 |
| | NAS518-61 | GAGE, 100 DEG., FLAT HEAD FLUSHNESS - DEC 61 W/DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: 10 CR CR4] | A 5220 | AS | | 14-JUN-74 |
| | NAS519-53 | GAGE, 100 DEG., FLAT HEAD STYLUS - MAR 53 W/DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: 10 CR4] | A MISC | AS | | 14-JUN-74 |
| | NAS520 NOT 1 | COUPLING, FLEXIBLE, LOW PRESSURE, 450 DEG. AIR LINE - 16 MAR 53 [CUST: 99 CC] [REVIEW: 82] | A 4720 | CC | | 19-MAY-93 |
| | NAS521 NOT 1 | COUPLING, FLEXIBLE, LOW PRESSURE - 16 MAR 53 [CUST: 99 CC] | A 4720 | CC | | 19-MAY-93 |
| | NAS522-96 | COUPLING, FLEXIBLE, LOW PRESSURE AIR LINE [CUST: 99 CC] | A 4720 | CC | | 05-DEC-96 |
| | NAS525-80 | RIVET - 100 DEG COUNTERSUNK HEAD HIGH-SHEAR CLOSE TOLERANCE HEAD AND SHANK [CUST: AV AS 11] | A 5320 | AS | | 19-MAR-80 |
| | NAS526-62 | GAGE, STYLUS, FLUSHNESS FOR 100 DEGREES COUNTERSUNK FLUSH FASTENERS - MAR 62 W/DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: 10 CR CR4] | A 5220 | AS | | 14-JUN-74 |
| | NAS527-62 | INSPECTION PROCEDURE FOR FLUSH FASTENERS - MAR 62 [CUST: AV AS 11] [REVIEW: 10 CR CR4] | A 5220 | AS | | 14-JUN-74 |
| | NAS528-64 | CONTROL, COLLAR ASSEMBLY, STEEL, WITH FLASH WELDED CLEVIS & THREADED ROD ENDS - JAN 64 [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5320 | IS | | 14-JUN-74 |
| A | NAS529-80 | RIVET - FLAT HEAD, HI-SHEAR, CLOSE TOLERANCE SHANK - MAR 1980 [CUST: AV AS 11 IS] | A 5320 | IS | | 11-FEB-87 |
| | NAS537-82 | BUSHING, SLEEVE, PRESS FIT, UNDERSIZE INSIDE DIAMETER - 30 SEP 82 [CUST: AV AS 11] [REVIEW: IS] | A 3120 | AS | | 20-MAY-83 |
| | NAS538-94 | BUSHING, FLANGED, PRESS FIT, UNDERSIZE INSIDE DIAMETER [CUST: AV AS 11] | A 3120 | AS | | 30-NOV-94 |
| | NAS549-98 | WASHER, NONMETALLIC, INSULATING ELECTRICAL [CUST: AS 11 IS] | A 5970 | IS | | 31 MAR 98 |
| | NAS551-95 | BOLT-UNIVERSAL FITTING [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | | 29-NOV-95 |
| | NAS553-93 | ELBOW-UNIVERSAL 15 DEGREES [CUST: 99] [REVIEW: AT CR4 IS MC OS] | A 4730 | 99 | | 15-APR-93 |
| | NAS557-97 | GROMMET, PLASTIC-SPLIT [CUST: AV AS 11] [REVIEW: 10 CR CR4 MI] | A 5325 | AS | | 29-AUG-97 |
| | NAS558-94 | KEYS - SQUARE AND RECTANGULAR [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5315 | IS | | 28-JAN-94 |
| | NAS559-93 | LOCK - ROD END (KEY TYPE) [CUST: AS 11] [REVIEW: 10 CR CR4 IS] | A 5340 | AS | | 15-OCT-93 |
| | NAS560-61 | SCREW, MACHINE, NON-MAGNETIC HIGH TEMPERATURE, STRUCTURAL, 100 DEG. FLUSH HEAD - AUG 61 [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5305 | IS | | 14-JUN-74 |
| M | NAS561-94 | PINS-SPRING, SLOTTED AND COILED, HEAVY DUTY [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5315 | IS | | 28-JAN-94 |
| | NAS562-97 | CAM FOLLOWER, NEEDLE BEARING, HIGH STRENGTH STUD - [CUST: AV AS 11] [REVIEW: 10 CR4 IS] | A 3110 | AS | | 29-AUG-97 |
| | NAS563THRUNAS572-90 | BOLT - FULL THREADED, 160 KSI STEEL, DRILLED HEAD [CUST: AR AS 99 IS] | A 5306 | IS | | 13-MAR-90 |
| | NAS573-92 | CLAMP ASSEMBLY - ELECTRONIC EQUIPMENT [CUST: AR AS 99 IS] | A 5340 | IS | | 30-JUN-92 |
| | NAS574-92 | PIN, REAR MOUNTING - ELECTRONIC EQUIPMENT [CUST: AR AS 99 IS] | A 5340 | IS | | 30-JUN-92 |
| | NAS577-83 | NUT, SELF LOCKING, BARREL, FLOATING, 108 KSI FTU - 4 MAY 83 W/DOD EXCEPTIONS [CUST: AS 11 IS] | A 5310 | IS | | 30-JAN-84 |
| | NAS578-97 | RETAINER, FLOATING BARREL NUT (W/DOD EXCEPTIONS) [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5340 | IS | | 31-OCT-97 |
| | NAS583THRUNAS590-84 | BOLT, 100 DEG. FLUSH HEAD, ALLOY STEEL, 160,000 PSI - 7 DEC 1984 [CUST: AS 11 IS] | A 5305 | IS | | 29-MAY-86 |
| | NAS591-81 | COUPLING, RIGID TUBE CONNECTOR, ALUMINUM (JAN 81) [CUST: AV AS 99] [REVIEW: 10 AR CR4 IS] | A 4730 | AS | | 05-FEB-88 |
| | NAS592-78 | RING-RIGID TUBE CONNECTOR, ALUMINUM - 5 JUN 78 [CUST: AV AS 11] [REVIEW: CC] | A 4730 | AS | | 03-APR-81 |
| A | NAS593-81 | NUT - RIGID TUBE CONNECTOR, ALUMINUM [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | | 31-JAN-81 |
| | NAS594-81 | COUPLING, RIGID TUBE CONNECTOR, CORROSION RESISTANT STEEL (JAN 81) [CUST: AV AS 99] [REVIEW: 10 AR CR4 IS] | A 4730 | AS | | 05-FEB-88 |
| | NAS595-81 | RING - RIGID TUBE CONNECTOR, CORROSION RESISTANT STEEL [CUST: AS CC] | A 4730 | CC | | 31-JAN-81 |
| | NAS596-81 | NUT, RIGID TUBE CONNECTOR, CORROSION RESISTANT STEEL (JAN-81) [CUST: AV AS 99] [REVIEW: 10 AR CR4 IS] | A 4730 | AS | | 05-FEB-88 |
| | NAS597-81 | FITTING, RIGID TUBE CONNECTOR FLARED TUBE - JAN 81 [CUST: AV AS] [REVIEW: CC CR4 IS] | A 4730 | AS | | 25-MAY-84 |
| | NAS600THRUNAS606-94 | SCREW, MACHINE - AIRCRAFT, PAN HEAD, CRUCIFORM RECESS FULL THREADED, ALLOY STEEL [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5305 | IS | | 25-MAR-94 |
| | NAS607-95 | PIN, STRAIGHT, HEADLESS (DOWEL) [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5315 | IS | | 29-NOV-95 |
| | NAS617-78 | PACKING, PERFORMED, STRAIGHT THREAD TUBE FITTING BOSS, SYNTHETIC LUBRICANT RESISTANT - 20 NOV 78 W/DOD EXCEPTION [CUST: AS 11 IS] | A 5330 | AS | | 30-JAN-84 |
| | NAS618-58 | FASTENER, RECOMMENDED SHANK, HOLE & HEAD TO SHANK FILLET RADIUS LIMITS FOR - JUN 58 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] | A 5325 | IS | | 14-JUN-74 |
| | NAS620-81 | WASHER, FLAT - REDUCED OUTSIDE DIAMETER - 30 JUN 81 W/DOD EXCEPTIONS | A 5310 | IS | | 30-JAN-84 |
| | NAS621-97 | FASTENERS, TITANIUM ALLOY PROCUREMENT SPECIFICATION W/DOD EXCEPTION [CUST: AV 11 IS] [REVIEW: 10 CR4] | A 5306 | IS | | 28-FEB-97 |
| | NAS622-91 | HOOK, SUPPORT - ELECTRONIC EQUIPMENT CLAMP [CUST: AR AS 99 IS] | A 5340 | IS | | 25-APR-91 |
| | NAS623-88 | SCREW, MACHINE, AIRCRAFT, PAN HEAD, CROSS RECESS, SHORT THREAD, 16,000 PSI ALLOY STEEL REV 7 - 8 JUL 88 [CUST: AR AS 99 IS] | A 5305 | IS | | 09-MAR-89 |
| | NAS624THRUNAS644-69 | BOLT - TWELVE POINT EXTERNAL WRENCHING - 180,000 PSI [CUST: AR AS 99 IS] | A 5306 | IS | | 15-MAR-69 |
| | NAS652-81 | COUPLING, RIGID TUBE BULKHEAD CONNECTOR (81) [CUST: AV AS 99] [REVIEW: 10 AR CR4 IS] | A 4730 | AS | | 05-FEB-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------------------|--|-----------------------|-----|-------------|-----------|
| NAS659-71 | BEARING ROD END, EXTERNAL THREAD, SELF ALIGNING, ANTI-FRICTION - 31 MAY 71 W/DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: 10 CR4 IS] | A 3110 | AS | | 05-DEC-80 |
| NAS661-74 | BEARING, BALL AND ROLLER, ROD END, ANTI FRICTION, AIRFRAME W/DOD EXCEPTION - OCT 74 [CUST: AV AS 11] [REVIEW: 10 CR4 IS] | A 3110 | AS | | 05-DEC-80 |
| NAS662-94 | SCREW, MACHINE, FLATHEAD 100 DEG. PLAIN AND SELF-LOCKING [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5305 | IS | | 30-NOV-94 |
| NAS663THRNAS668-70 | BOLT, 100 DEG FLUSH TENSION HEAD (HI-TORQUE) RECESS, LONG THREAD TITANIUM ALLOY - SEP 70 [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5306 | IS | | 14-JUN-74 |
| NAS671-81 | NUT, PLAIN, HEXAGON - SMALL PATTERN, NONSTRUCTURAL - 8 JUN 81 W/DOD EXCEPTIONS [CUST: AS 11 IS] | A 5310 | IS | | 17-OCT-84 |
| NAS673THRNAS678-80 | BOLT, CLOSE TOLERANCE - HEXAGON HEAD, TITANIUM, .190 TO .500 - 25 JUN 80 W/DOD EXCEPTIONS - REV 6 [CUST: AS 11 IS] | A 5306 | IS | | 30-JAN-84 |
| NAS679-74 | NUT, SELF-LOCKING, HEXAGON - LOW HEIGHT [CUST: AR YD1 99 IS] | A 5310 | IS | | 15-FEB-74 |
| NAS696-74 | NUT, SELF LOCKING, PLATE-ON LUG, LOW HEIGHT C BORE, REDUCED REDUCED RIVET SPACING - 16 DEC 74 W/DOD EXCEPTION [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5310 | IS | | 05-DEC-80 |
| NAS699-74 NOT 1 | NUT, CYLINDER LOCK - APR 74 W/DOD EXCEPTION [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5310 | IS | | 06-JUN-88 |
| NAS721-79R92 | SCREW, MINIATURE FILLISTER HEAD [CUST: AR SH 99 IS] | A 5305 | IS | | 25-APR-79 |
| NAS722-79 | SCREW, MINIATURE PAN HEAD [CUST: AR SH 99 IS] | A 5305 | IS | | 25-APR-79 |
| NAS723-79R92 | SCREW, MINIATURE 100 DEG. FLAT HEAD [CUST: AR SH 99 IS] | A 5305 | IS | | 25-APR-79 |
| NAS724-79R92 | SCREW, MINIATURE BINDING HEAD [CUST: AR SH 99 IS] | A 5305 | IS | | 25-APR-79 |
| NAS813-71 | CAP - PROTECTIVE, ELECTRICAL CONNECTOR [CUST: AR AS 99 IS] | A 5340 | IS | | 01-MAR-71 |
| NAS814-69 | CAP - PROTECTIVE, FLARED FITTING [CUST: AR AS 99 IS] | A 5340 | IS | | 16-JUN-69 |
| NAS815-92 | PLUG - PROTECTIVE FLARED HOSE OR TUBE ASSEMBLY [CUST: AR AS 99 IS] | A 5340 | IS | | 30-JUN-92 |
| NAS816-69 | CAP OR PLUG - PROTECTIVE, PLAIN TUBE OR HOLE [CUST: AR AS 99 IS] | A 5340 | IS | | 16-JUN-69 |
| NAS817-78 | CAP - PROTECTIVE, FLARED FITTING [CUST: AR AS 99 IS] | A 5340 | IS | | 17-MAR-78 |
| NAS818-78 | PLUG-PROTECTIVE, FLARED TUBE, HOSE ASSEMBLY OR MS33649 BOSS [CUST: AR AS 99 IS] | A 5340 | IS | | 17-MAR-78 |
| NAS820-69 | PLUG - PROTECTIVE, ELECTRICAL CONNECTOR [CUST: AR AS 99 IS] | A 5340 | IS | | 16-JUN-69 |
| NAS823-80 | CAST SURFACE COMPARISON STANDARD [CUST: AS] [REVIEW: AV] | A 5220 | AS | | 30-APR-83 |
| NAS947 | CAP-PROTECTIVE, BEADED TUBE ASSEMBLY [CUST: AR AS 99 IS] | A 5340 | IS | | JAN-61 |
| NAS1003THRNAS1020-79 | BOLT MACHINE, HEXAGON HEAD, NON MAGNETIC & HEAT RESISTANT - 6 AUG 79 (W/DOD EXCEPTIONS) [CUST: AS 11 IS] | A 5306 | IS | | 30-JAN-84 |
| NAS1023-87 | NUT, SELF-LOCKING, PLATE-TWO LUG, REGULAR HEIGHT, NON-CSK [CUST: IS] | A 5310 | IS | | 06-NOV-87 |
| NAS1024-74R93 | NUT, SELF-LOCKING, PLATE-TWO LUG, REGULAR HEIGHT, CSK [CUST: AR YD1 99 IS] | A 5310 | IS | | 06-DEC-74 |
| NAS1025-87 | NUT, SELF-LOCKING, PLATE-ONE LUG, REGULAR HEIGHT, NON-CSK [CUST: AR AS 99 IS] | A 5310 | IS | | 06-NOV-87 |
| NAS1026-74R93 | NUT, SELF-LOCKING, PLATE - ONE LUG, REGULAR HEIGHT, CSK [CUST: AR YD1 99 IS] | A 5310 | IS | | 16-DEC-74 |
| NAS1027-87 | NUT, SELF-LOCKING, PLATE-CORNER, REGULAR HEIGHT, NON-CSK [CUST: AR AS 99 IS] | A 5310 | IS | | 06-NOV-87 |
| NAS1028-74R93 | NUT, SELF-LOCKING, PLATE - CORNER, REGULAR HEIGHT, CSK [CUST: AR YD1 99 IS] | A 5310 | IS | | 16-DEC-74 |
| NAS1029-74R93 | NUT, SELF-LOCKING, PLATE - TWO LUG, REGULAR HEIGHT, BEVEL SEAT [CUST: AR YD1 99 IS] | A 5310 | IS | | 16-DEC-74 |
| NAS1030-74R93 | NUT, SELF-LOCKING, PLATE - ONE LUG, REGULAR HEIGHT, NON-CSK, BEVEL SEAT [CUST: AR YD1 99 IS] | A 5310 | IS | | 16-DEC-74 |
| NAS1031-87 | NUT, SELF-LOCKING, PLATE-TWO LUG, REGULAR HEIGHT, FLOATING [CUST: AR AS 99 IS] | A 5310 | IS | | 06-NOV-87 |
| NAS1032-87 | NUT, SELF-LOCKING, PLATE-CORNER, REGULAR HEIGHT, NON-CSK, FLOATING [CUST: AR AS 99 IS] | A 5310 | IS | | 06-NOV-87 |
| NAS1033-74R93 | NUT, SELF-LOCKING, PLATE - RIGHT ANGLE, REGULAR HEIGHT, C'BORE, FLOATING [CUST: AR YD1 99 IS] | A 5310 | IS | | 16-DEC-74 |
| NAS1034THRNAS1038-87 | NUT, ASSEMBLY, SELF-LOCKING, GANG CHANNEL - REGULAR HEIGHT, NON-CSK [CUST: AV AS 99 IS] | A 5310 | IS | | 06-NOV-87 |
| NAS1039THRNAS1041-87R92 | NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL-REGULAR HEIGHT, CSK [CUST: AR YD1 99 IS] | A 5310 | IS | | 06-NOV-87 |
| NAS1042-78R94 | STEEL, SHACKLE-ANCHOR, FORGED CARBON, ROUND PIN (FOR GROUND SUPPORT EQUIPMENT) [CUST: AV AS 11] [REVIEW: 10 CR4 IS] | A 4030 | AS | | 20-NOV-78 |
| NAS1043-60R94 | STEEL, SHACKLE-CHAIN, FORGED CARBON, SCREW PIN (FOR GROUND SUPPORT EQUIPMENT) [CUST: CR4 SH 99 IS] | A 4030 | IS | | 30-APR-60 |
| NAS1044-78R94 | STEEL, SHACKLE-CHAIN, FORGED CARBON, ROUND PIN (FOR GROUND SUPPORT EQUIPMENT) [CUST: CR4 SH 99 IS] | A 4030 | IS | | 20-NOV-78 |
| NAS1045-94 | THIMBLE, HEAVY, WROUGHT STEEL, WIRE CABLE (FOR GROUND SUPPORT EQUIPMENT) [CUST: CR4 SH 99 IS] | A 4030 | IS | | 28-JAN-94 |
| NAS1046-56R94 | ROPE, CLIP-WIRE, FORGED CARBON STEEL (FOR GROUND SUPPORT EQUIPMENT) [CUST: CR4 SH 99 IS] | A 4030 | IS | | JUL-56 |
| NAS1047-96 | TURNBUCKLE ASSEMBLY, FORGED CARBON STEEL, JAW AND JAW (FOR GROUND SUPPORT EQUIPMENT) [CUST: AR AS 99 IS] | A 5340 | IS | | 05-DEC-96 |
| NAS1049-94 | LINK, SLING, WELDED, ALLOY STEEL, PEAR SHAPED (FOR GROUND SUPPORT EQUIPMENT) [CUST: CR4 SH 99 IS] | A 4030 | IS | | 28-JAN-94 |
| NAS1050-94 | HOOK, GRAB, FORGED ALLOY STEEL, DIRECT EYE (FOR GROUND SUPPORT EQUIPMENT) [CUST: CR4 SH 99 IS] | A 4030 | IS | | 28-JAN-94 |
| NAS1051-94 | HOOK, SAFETY, FORGED CARBON STEEL, SNAP, DIRECT EYE (FOR GROUND SUPPORT EQUIPMENT) [CUST: CR4 SH 99 IS] | A 4030 | IS | | 28-JAN-94 |
| NAS1052-94 | HOOK, S, ALLOY STEEL (FOR GROUND SUPPORT EQUIPMENT) [CUST: CR4 SH 99 IS] | A 4030 | IS | | 28-JAN-94 |
| NAS1053-94 | BOLT, EYE, ASSEMBLY - FORGED CARBON STEEL [CUST: AR AS 99 IS] | A 5306 | IS | | 28-JAN-94 |
| NAS1054-72 | RIVET, PROTRUDING HEAD, HIGH-SHEER, SUP. NAS178 [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5320 | IS | | DEC-72 |
| NAS1055-72 | RIVET, HI-SHEAR 100 DEG., FLUSH CLOSE TOLERANCE HEAD, SUP. NAS177 [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5320 | IS | | DEC-72 |
| NAS1056-97 | SPACER, SLEEVE - RIVET, HIGH TEMPERATURE, NON MAGNETIC W/DOD EXCEPTIONS [CUST: AV AS 11] | A 5365 | AS | | 28-FEB-97 |
| NAS1057-97 | SPACER, SLEEVE - SCREW AND BOLT, HIGH TEMPERATURE, NON MAGNETIC W/ DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: IS] | A 5365 | AS | | 28-FEB-97 |
| NAS1070-74 | WASHER, PLAIN, OVERSIZE FOR ALUMINUM TERMINALS [CUST: AR YD1 99 IS] | A 5310 | IS | | 15-JUL-74 |
| NAS1080-96 | COLLAR, SWAGE LOCKING, FOR PULL-TYPE AND STUMP-TYPE LOCKBOLTS [CUST: AR AS 99 IS] | A 5320 | IS | | 05-DEC-96 |
| NAS1081-96 | SETSCREW SELF LOCKING W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5305 | IS | | 05-DEC-96 |
| NAS1090-91 | HOOK, CHAIN, S [CUST: CR4 SH 99 IS] | A 4030 | IS | | 09-OCT-91 |
| NAS1091-88 | STREAMER ASSEMBLY, WARNING [CUST: AR AS 99] | A 8345 | AS | | 11-APR-88 |
| NAS1096-96 | SCREW - HEX HEAD, RECESSED, FULL THREAD [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5305 | IS | | 05-DEC-96 |
| NAS1097-88 | RIVET, SOLID, 100 DEGREE FLUSH SHEAR HEAD, ALUMINUM ALLOY, TITANIUM COLUMBIUM ALLOY [CUST: AR AS 99 IS] | A 5320 | IS | | 08-JUL-88 |
| NAS1099-80 | WASHER - BEVEL 9 1/2 DEG. [CUST: AR YD1 99 IS] | A 5310 | IS | | 16-OCT-80 |
| NAS1101-96 | SCREW, MACHINE - FLAT FILLISTER HEAD, FULL THREAD OFFSET CRUCIFORM [CUST: AV AS 11 IS] | A 5305 | IS | | 05-DEC-96 |
| NAS1102-86 | SCREW, MACHINE - FLAT 100 DEGREE HEAD, FULL THREAD TORQ SET [CUST: AV AS 11 IS] | A 5305 | IS | | 15-MAY-86 |
| NAS1121THRNAS1128-88 | SCREW, MACHINE - FLAT FILLISTER HEAD, CLOSE TOL, SHORT THD, TORQUE SET - 22 FEB 88 [CUST: AR AS 99 IS] | A 5305 | IS | | 09-MAR-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|--|--------------------------|-----|-------------|------|
| A | NAS1129-98 | THREADED, SELF-CLINCHING, STANDOFF [CUST: AR AS 99 IS] | A 5340 | IS | 31-MAR-98 | |
| | NAS1130-95 | COIL, HELICAL, INSERT, SCREW THREAD, FREE RUNNING AND SELF LOCKING, TANGLESS [CUST: AV 99] [REVIEW: AR EA IS MI] | A 5340 | 82 | 29-NOV-95 | |
| | NAS1131THRUNAS1138-91 | SCREW, MACHINE-PAN HEAD, CLOSE TOL, SHORT THD, OFFSET CRUCIFORM [CUST: AR SH 99 IS] | A 5305 | IS | 09-OCT-91 | |
| | NAS1141THRUNAS1148-96 | SCREW, MACHINE - PAN HEAD MODIFIED, CLOSE TOLERANCE, SHORT THREAD, OFFSET CRUCIFORM [CUST: AR SH 99 IS] | A 5305 | IS | 05-DEC-96 | |
| | NAS1149-94 | WASHER, FLAT [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5310 | IS | 29-APR-94 | |
| | NAS1151THRUNAS1158-96 | SCREW, MACHINE-FLAT 100 DEG. HEAD, CLOSE TOLERANCE, SHORT THREAD, OFFSET CRUCIFORM, 160 KSI [CUST: AR SH 99 IS] | A 5305 | IS | 29-MAR-96 | |
| M | NAS1160-98 | BOLT, SHOULDER, HEX HEAD, CLOSE TOLERANCE, CRES-A286 [CUST: AR AS 99 IS] | A 5306 | IS | 31-MAR-98 | |
| | NAS1161THRUNAS1168-86 | SCREW, SELF-LOCKING FLAT 100 DEG HEAD, SHEARTORQ SET 15 MAY 86 [CUST: AV AS 11 IS] | A 5305 | IS | 11-FEB-87 | |
| | NAS1169-83 | WASHER, DIMPLED, 100 DEG [CUST: AS 11 IS] | A 5310 | IS | 15-JUN-83 | |
| | NAS1170-62 | FASTENER, CHAIN [CUST: CR4 SH 99 IS] | A 4030 | IS | 01-OCT-62 | |
| | NAS1171THRUNAS1178-96 | SCREW, SELF-LOCKING-PAN HEAD, SHEAR, OFFSET CRUCIFORM [CUST: AV AS 11 IS] | A 5305 | IS | 05-DEC-96 | |
| | NAS1181THRUNAS1188-96 | SCREW, SELF-LOCKING - FLAT FILLISTER HEAD, CLOSE TOLERANCE, OFFSET CRUCIFORM [CUST: AR SH 99 IS] | A 5305 | IS | 05-DEC-96 | |
| | NAS1189-82 | SCREW, SELF LOCKING - FLAT, 100 DEG. HEAD, FULL THREAD [CUST: AV AS 11 IS] | A 5305 | IS | 15-AUG-85 | |
| | NAS1190-97 | SCREW, SELF-LOCKING - PAN HEAD, FULL THREAD (W/ DOD EXCEPTIONS) [CUST: AV AS 11] [REVIEW: 10 CR4] | A 5305 | IS | 28-FEB-97 | |
| | NAS1191-86 | SCREW, SELF-LOCKING - FLAT FILLISTER HEAD, FULL THREAD [CUST: AV AS 11 IS] | A 5305 | IS | 15-MAY-86 | |
| | NAS1193-78 | LOCKING DEVICE, POSITIVE INDEX [CUST: AS 11] [REVIEW: IS] | A 5340 | AS | 17-MAR-78 | |
| | NAS1195-63 | SHIM, MINIATURE ANCHOR NUT [CUST: AV AS 11] [REVIEW: 10 CR CR4] | A 5365 | AS | APR-63 | |
| | NAS1197-78 | WASHER, 5052 ALUMINUM ALLOY - 20 NOV 78 W/DOD EXCEPTIONS [CUST: AS 11 IS] | A 5310 | IS | 30-JAN-84 | |
| | NAS1198-67 | RIVET, SOLID, UNIVERSAL HEAD, A286 CORROSION RESISTANT STEEL - SEP 67 [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5320 | IS | 14-JUN-74 | |
| | NAS1199-67 | RIVET, SOLID, 100 DEG. FLUSH HEAD, A286 CORROSION RESISTANT STEEL - SEP 67 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5320 | IS | 14-JUN-74 | |
| | NAS1200-93 | RIVET, SOLID, 100 DEG. FLUSH SHEAR HEAD, A286 CORROSION RESISTANT STEEL AND MONEL [CUST: AS 11 IS] | A 5320 | IS | 17-DEC-93 | |
| | NAS1201-83 | CHAIN - BEAD COMPONENTS AND ASSEMBLY - 17 JAN 83 W/DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: IS] | A 4010 | AS | 20-MAY-83 | |
| | NAS1202THRUNAS1210-96 | BOLT, 100 DEG. CLOSE TOLERANCE HEAD AND SHANK, 160,000 PSI SHORT THREAD [CUST: AR AS 99 IS] | A 5306 | IS | 29-MAR-96 | |
| | NAS1211-61 | FITTING, TIE DOWN STRAP END [CUST: AV AS 11] [REVIEW: 10 CR4 IS] | A 5340 | AS | JUN-61 | |
| | NAS1212-80 | STRAP ASSEMBLY - TIE DOWN [CUST: AR AS 99 IS] | A 5340 | IS | 07-NOV-80 | |
| | NAS1213-80 | STRAP ASSEMBLY - TIE DOWN BUCKLE [CUST: AR AS 99 IS] | A 5340 | IS | 07-NOV-80 | |
| | NAS1216-96 | SCREW, PAN HEAD SLOTTED DOVETAIL RECESS, FULL THREAD SELF-LOCKING OPTIONAL [CUST: AV AS 11 IS] | A 5305 | IS | 05-DEC-96 | |
| | NAS1218-96 | BOLT, PAN HEAD, SELF-LOCKING OPTIONAL [CUST: AS 11 IS] | A 5305 | IS | 05-DEC-96 | |
| A | NAS1219-98 | SCREW, 100 DEG. FLUSH HEAD DOVETAIL SLOT RECESS, FULL THREAD SELF-LOCKING OPTIONAL [CUST: AV AS 11 IS] | A 5305 | IS | 31-MAR-98 | |
| | NAS1221-96 | BOLT, 100 DEG. FLUSH HEAD, SELF-LOCKING OPTIONAL [CUST: AS 11 IS] | A 5305 | IS | 05-DEC-96 | |
| | NAS1223THRUNAS1235-74 | BOLT, SHEAR, HEXAGON HEAD, SELF LOCKING - MAY 74 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5306 | IS | 15-SEP-78 | |
| | NAS1237-69 | ELBOW - UNIVERSAL 90 DEG. - FLARELESS [CUST: CC] | A 4730 | CC | 30-AUG-69 | |
| | NAS1240-93 | TEE - UNIVERSAL - FLARELESS [CUST: AS CC] | A 4730 | CC | 15-APR-93 | |
| | NAS1241-63 | RIVET-SOLID, 100 DEG. FLUSH HEAD, ALUMINUM ALLOY, MS20426 REPAIR [CUST: AV AS 11 IS] | A 5320 | IS | 30-APR-63 | |
| | NAS1242-63 | RIVET-SOLID, UNIVERSAL HEAD, ALUMINUM ALLOY, MS20470 REPAIR [CUST: AV AS 11 IS] | A 5320 | IS | 30-APR-63 | |
| | NAS1251-72 | BOLT, RING - SWIVEL [CUST: AR AS 99 IS] | A 5306 | IS | 30-SEP-72 | |
| | NAS1252-84 | WASHER - 7075 ALUMINUMALLOY FLAT - 7 DEC 19 84 [CUST: AS 11 IS] | A 5310 | IS | 29-MAY-86 | |
| | NAS1261THRUNAS1265-88 | BOLT, HEX HEAD, CLOSE TOLERANCE, SHORT THREAD, TITANIUM ALLOY [CUST: AV AS 99 IS] | A 5306 | IS | 17-NOV-88 | |
| | NAS1266THRUNAS1270-88 | BOLT, HEX HEAD, CLOSE TOLERANCE, TITANIUM ALLOY [CUST: AR AS 99 IS] | A 5306 | IS | 17-NOV-88 | |
| | NAS1271THRUNAS1280-82 | BOLT, TWELVE POINT, EXTERNAL WRENCHING, TITANIUM ALLOY [CUST: AV AS 11 IS] | A 5306 | IS | 01-MAR-82 | |
| | NAS1281-96 | SNAP HOOK [CUST: AV AS 11] [REVIEW: 10 CR4 IS] | A 5340 | AS | 29-MAR-96 | |
| | NAS1282-66 | HOOK SNAP, BOLT [CUST: AR AS 99 IS] | A 5340 | IS | 30-JUN-66 | |
| | NAS1284-72 | BUCKLE - WEB STRAP, LIGHT DUTY [CUST: AR AS 99 IS] | A 5340 | IS | 30-SEP-72 | |
| | NAS1285-75R82 | HOOK, SAFETY [CUST: AR AS 99 IS] | A 5340 | IS | 15-SEP-75 | |
| | NAS1287-68R85 | NUT, EXTENDED WASHER, HEXAGON - SELF-LOCKING, LOW HEIGHT, C'BORE [CUST: AR YD1 99 IS] | A 5310 | IS | 31-DEC-68 | |
| | NAS1288-66 | NUT, HEX AND WASHER SELF-ALIGNING, SELF-LOCKING - SHEAR PIN [CUST: AR YD1 99 IS] | A 5310 | IS | 30-JUN-66 | |
| | NAS1291-91 | NUT, SELF-LOCKING, HEXAGON-LOW HEIGHT, LIGHT WEIGHT [CUST: AR YD1 99 IS] | A 5310 | IS | 25-JUN-91 | |
| | NAS1292THRUNAS1296-71R82 | PIN - THREADED SHEAR 100 DEG. CSK HEAD [CUST: AV AS 11 IS] | A 5320 | IS | 15-SEP-71 | |
| M | NAS1297-98 | BOLT, SHOULDER - HEXAGON HEAD [CUST: AS 11 IS] | A 5306 | IS | 31-MAR-98 | |
| | NAS1298-91 | SCREW - BRAZIER HEAD, SHOULDER [CUST: AR SH 99 IS] | A 5305 | IS | 09-OCT-91 | |
| A | NAS1299-75 | SCREW - 100 DEG. FLAT HEAD, SHOULDER - 15 SEP 75 W/DOD EXCEPTIONS [CUST: AS 11 IS] | A 5305 | IS | 30-JAN-84 | |
| | NAS1300-75 | THUMBSCREW - 15 SEP 75 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5305 | IS | 05-DEC-80 | |
| | NAS1301-75R82 | SCREW, PAN HEAD, ASSEMBLED WASHERS - 15 SEP 75 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5305 | IS | 20-MAY-83 | |
| | NAS1321-85 | RIVET, SLUG, SLEEVELESS - 31 OCT 1985 [CUST: AV AS 11 IS] | A 5320 | IS | 11-FEB-87 | |
| | NAS1322THRUNAS1326-71R91 | PIN - THREADED SHEAR PROTRUDING HEAD [CUST: AV AS 11 IS] | A 5320 | IS | 15-SEP-71 | |
| | NAS1328-94 | INSERT, SCREW - THREADED SPLINE [CUST: AR AS 99 IS] | A 5340 | IS | 25-FEB-94 | |
| A | NAS1329-88 | NUT, BLIND RIVET FLATHEAD, INTERNAL THREAD, NON LOCKING (FREE RUNNING) OR SELF LOCKING (PREVAILING TORQUE) [CUST: AR AS 99 IS] | A 5310 | IS | 09-MAR-89 | |
| | NAS1330-88 | NUT, BLIND RIVET, COUNTERSUNK HEAD, INTERNAL THREAD, NON LOCKING (FREE RUNNING) OR SELF LOCKING (PREVAILING TORQUE) - 8 JUL 88 W/DOD EXCEPTIONS [CUST: AV AS 99 IS] | A 5310 | IS | 09-MAR-89 | |
| | NAS1332-88 | PIN, QUICK RELEASE, POSITIVE LOCKING SINGLE AND DOUBLE ACTING [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5315 | IS | 22-FEB-88 | |
| | NAS1333THRUNAS1346-75R85 | PIN, QUICK RELEASE, POSITIVE LOCKING, SINGLE, ACTING [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5315 | IS | 15-DEC-75 | |
| A | NAS1347-98 | FASTENERS, IDENTIFICATION OF MALE THREADED [CUST: AV AS 11 IS] | A 53GP | IS | 31-MAR-98 | |
| | NAS1349-97 | CASTER, LIGHT DUTY, RIGID AND SWIVEL [CUST: AR AS 99 IS] | A 5340 | IS | 28-FEB-97 | |
| | NAS1351-96 | SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF LOCKING, ALLOY STEEL AND CORROSION RESISTING STEEL AND HEAT-RESISTANT STEEL, UNRF-3A [CUST: AV AS 11 IS] | A 5305 | IS | 31-MAY-96 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------------|--|-----------------------|-----|-------------|-----------|
| | NASI352-96 | SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF LOCKING, ALLOY STEEL AND CORROSION RESISTANT STEEL AND HEAT-RESISTANT STEEL, UNRC-3A AND UNRC-2A [CUST: AS 11 IS] | A 5305 | IS | | 31-MAY-96 |
| | NASI353THRUNAS1366-75R85 | PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5315 | IS | | 15-DEC-75 |
| A | NASI368-88 | GROMMET, PLASTIC, FLIP TYPE - 17 NOV 1988 W/DOD EXCEPTION [CUST: AR AS 99 IS] | A 5325 | IS | | 09-MAR-89 |
| | NASI369-90 | DUCT, AIR, FLEXIBLE AND SEMI-RIGID [CUST: CC] [REVIEW: AV] | A 4720 | CC | | 15-JUN-90 |
| | NASI370THRUNAS1379-01 NOT 1 | DUCT, AIR, FLEXIBLE, HELIX WIRE SUPPORTED [CUST: CC] [REVIEW: AV] | A 4720 | CC | | 19-MAY-93 |
| | NASI382-77 | FITTING, TIE DOWN STRAP END (LIGHT DUTY - 15 MAR 1977 (REAFFIRMED 4 MAY 1983) [CUST: AS 11] [REVIEW: IS] | A 5340 | AS | | 17-OCT-84 |
| | NASI383-77 | STRAP ASSEMBLY, TWO PART ADJUSTABLE - 15 MAR 77 W/DOD EXCEPTIONS [CUST: AV AS 11] | A 5340 | AS | | 05-DEC-80 |
| | NASI384-89 | STRAP ASSEMBLY, ONE PART [CUST: AR AS 99 IS] | A 5340 | IS | | 23-JUN-89 |
| | NASI385-89 | STRAP ASSEMBLY, LOOP TYPE [CUST: AR AS 99 IS] | A 5340 | IS | | 23-JUN-89 |
| | NASI394-95 | METAL, INSERT-THREADED, LIGHTWEIGHT, SELF-LOCKING, AND NON SELF-LOCKING [CUST: AR AS 99 IS] | A 5340 | IS | | 29-NOV-95 |
| | NASI395-95 | METAL, INSERT-THREADED, HEAVY-DUTY, SELF-LOCKING, AND NON SELF-LOCKING [CUST: AR AS 99 IS] | A 5340 | IS | | 29-NOV-95 |
| | NASI396-61 | CHAIN-WELDED TWIST LINK, SHORT LINK PATTERN [CUST: CR4 SH 99 IS] | A 4010 | IS | | MAY-61 |
| A | NASI397-97 | CLAMP-LOOP, NYLON [CUST: AR AS 99 IS] | A 5340 | IS | | 31-OCT-97 |
| | NASI398-84 | RIVET - BLIND, PROTRUDING HEAD, LOCKED SPINDLE [CUST: AS 11 IS] | A 5320 | IS | | 31-AUG-84 |
| | NASI399-84 | RIVET - BLIND, 100 DEG. FLUSH HEAD, LOCKED SPINDLE [CUST: AS 11 IS] | A 5320 | IS | | 31-AUG-84 |
| | NASI400-72 | RIVET, BLIND, SELF PLUGGING, MECHANICALLY LOCKED SPINDLE - DEC 72 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] | A 5320 | IS | | 15-SEP-78 |
| | NASI401-80 | WASHER, RADIUS - 7 NOV 80 W/DOD EXCEPTIONS [CUST: AS 11 IS] | A 5310 | IS | | 30-JAN-84 |
| | NASI402THRUNAS1406-81 | SCREW, MACHINE, AIRCRAFT, PAN HEAD, PHILLIPS RECESS, 160,000 PSI TENSILE [CUST: AS 11 IS] | A 5305 | IS | | 30-DEC-81 |
| | NASI410-93 | NUT, UNIVERSAL PORT FITTING [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5310 | IS | | 15-OCT-93 |
| | NASI412-88 | GASKET, SEALING, CUSTOM DESIGN [CUST: AR AS 99] | A 5330 | AS | | 11-APR-88 |
| M | NASI413-97 | PINS & COLLARS, SWAGE LOCKING [CUST: AV AS 11 IS] | A 5320 | IS | | 29-AUG-97 |
| | NASI414THRUNAS1422-88 | PIN, SWAGE LOCKING, STEEL 100 DEG. SHEAR HEAD, STUMP TYPE [CUST: AR AS 99 IS] | A 5320 | IS | | 08-JUL-88 |
| | NASI423-72 | NUT, PLAIN, HEXAGON, DRILLED JAM, THIN [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5310 | IS | | SEP-72 |
| | NASI424THRUNAS1432-88 | PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, SHEAR, STUMP TYPE [CUST: AR AS 99 IS] | A 5320 | IS | | 11-JUL-88 |
| | NASI435-97 | TERMINAL, STRAP, CABLE, EYE END AND FORK EYE [CUST: AS 11] [REVIEW: IS] | A 4030 | AS | | 28-FEB-97 |
| | NASI436THRUNAS1442 | PIN, SWAGE LOCKING, STEEL, STANDARD & OVERSIZE, 100 DEG. SHEAR HEAD, PULL TYPE - OCT 73 W/DOD EXCEPTIONS (SEE NAS 7024 THRU 7032) [CUST: AV AS 11 IS] | A 5320 | IS | | 14-JUN-74 |
| D | NASI443-96 | LOCKWASHER, BEARING, RETAINING [CUST: AV AS 11 GS] [REVIEW: 10 CR CR4] | A 3120 | GS | | 31-MAY-96 |
| | NASI446THRUNAS1452 | PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, PROTRUDING HEAD, SHEAR, PULL TYPE (USE NAS 7034 THRU 7042) [CUST: AR SH 11 IS] | A 5320 | IS | | 30-OCT-63 |
| | NASI453-65 | EYELET, METALLIC, ELECTRICAL, PRINTED CIRCUIT BOARD, FUNNEL TYPE - DEC 65 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5325 | IS | | 05-DEC-80 |
| | NASI455-61 | CHAIN, WELDLESS FLAT TYPE LINK [CUST: CR4 SH 99 IS] | A 4010 | IS | | APR-61 |
| | NASI456THRUNAS1462-73 | PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100 DEG. HEAD (MS24694), TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5320 | IS | | 15-SEP-78 |
| | NASI463-93 | CLIP, SPRING TENSION [CUST: AV AS 11] | A 5340 | AS | | 30-JUL-93 |
| | NASI464-82 | CLIP, SPRING TENSION -30 AUG 82 W/DOD EXCEPTIONS [CUST: AS 11] | A 5340 | AS | | 20-MAY-83 |
| | NASI465THRUNAS1472-73 | PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, PROTRUDING HEAD, TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5320 | IS | | 15-SEP-78 |
| | NASI473-81 | NUT, SELF LOCKING, PLATE TWO LUG, CAP, FLOATING - 8 JUN 81 W/DOD EXCEPTIONS [CUST: AS 11 IS] | A 5310 | IS | | 17-OCT-84 |
| | NASI474-81 | NUT, SELF LOCKING, PLATE TWO LUG, CAP, FLOATING, REDUCED RIVET SPACING - 8 JUN 81 W/DOD EXCEPTIONS [CUST: AS 11 IS] | A 5310 | IS | | 17-OCT-84 |
| | NASI475THRUNAS1482-73 | PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100 DEG. HEAD (MS20426), TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5320 | IS | | 15-SEP-78 |
| | NASI486THRUNAS1492-88 | PIN, SWAGE LOCKING, STEEL, 100 DEG. HEAD (MS24694) TENSION, STUMP TYPE - 8 JUL 1988 W/DOD EXCEPTION [CUST: AR AS 99 IS] | A 5320 | IS | | 09-MAR-89 |
| | NASI493-71 | LOCKNUT, BEARING, RETAINING - MAR 71 W/DOD EXCEPTIONS [CUST: AV AS 11] | A 3120 | AS | | 14-JUN-74 |
| | NASI496THRUNAS1502-88 | PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, TENSION, STUMP TYPE - 8 JUL 1988 W/DOD EXCEPTION [CUST: AR AS 99 IS] | A 5320 | IS | | 09-MAR-89 |
| | NASI512ANDNAS1513-68 | NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL - LOW HEIGHT, C'BORE, MINIATURE [CUST: AR YD1 99 IS] | A 5310 | IS | | 31-DEC-68 |
| | NASI514-72 | WELD DISCONTINUITIES, RADIOGRAPHIC STANDARD FOR CLASSIFICATION OF FUSION - 30 JUN 72 [CUST: MR AS 11] [REVIEW: 85 99 AR AT AV MI OS] | A 3439 | AS | | 22-APR-85 |
| | NASI515-83 | WASHERS - PLASTIC AND SYNTHETIC RUBBER - 15 JUN 83 [CUST: AV AS 11 IS] | A 5310 | IS | | 20-MAY-83 |
| | NASI516THRUNAS1522-73 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG. HEAD (MS24694), TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5320 | IS | | 30-JAN-84 |
| | NASI523-77 | PACKING WITH RETAINER - 15 SEP 77 W/DOD EXCEPTIONS [CUST: AS 11] [REVIEW: IS] | A 5330 | AS | | 30-JAN-84 |
| | NASI525THRUNAS1532-73 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, PROTRUDING HEAD, TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5320 | IS | | 15-SEP-78 |
| | NASI535THRUNAS1542-73 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG. HEAD (MS20426) TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5320 | IS | | 15-SEP-78 |
| | NASI546THRUNAS1552-73 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG. HEAD (MS24694), TENSION, STUMP TYPE - DEC 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5320 | IS | | 15-SEP-78 |
| | NASI553-74 | KNOB, HAND, GROUND SUPPORT EQUIPMENT - JUL 74 W/DOD EXCEPTIONS [CUST: AV AS 11] [REVIEW: 10 CR4 IS] | A 5355 | AS | | 05-DEC-80 |
| M | NASI554-97 | GROMMET, PTFE-SPLIT [CUST: AR AS 99 IS] | A 5325 | IS | | 29-AUG-97 |
| | NASI555THRUNAS1562-88 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, PRUTRUDING HEAD, TENSION, STUMP TYPE - 8 JUL 88 [CUST: AR AS 99 IS] | A 5320 | IS | | 09-MAR-89 |
| | NASI563-88 | GAGE, PINS AND COLLAR INSPECTION, SWAGE LOCKING - 8 JUL 1988 [CUST: AR AS 99 IS] | A 5325 | IS | | 09-MAR-89 |
| | NASI564-79 | REDUCER, FLARED TUBE - 6 AUG 79 | A 4730 | CC | | 15-SEP-80 |
| | NASI578-96 | BOLT, FLAT PAN HEAD [CUST: AV AS 11 IS] | A 5306 | IS | | 05-DEC-96 |
| | NASI579-71 | BOLT, FLAT PAN HEAD, FULL THREAD - SEP 71 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5306 | IS | | 14-JUN-74 |
| | NASI580-82 | BOLT, 100 DEG. FLUSH REDUCED HEAD - 28 MAY 82 [CUST: AV AS 11 IS] | A 5306 | IS | | 20-MAY-83 |
| | NASI581-82 | BOLT, 100 DEG. FLUSH REDUCED HEAD - 28 MAY 82 [CUST: AS 11 IS] | A 5306 | IS | | 20-MAY-83 |
| | NASI582-71 | BOLT, 100 DEG. FLUSH TENSION HEAD FULL THREAD - SEP 71 [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5306 | IS | | 14-JUN-74 |
| | NASI583-63 | PIN, 100 DEGREES, COUNTERSUNK HEAD, HI-SHEAR RIVET, CLOSE TOLERANCE, 1200 DEGREES F [CUST: AV AS 11] [REVIEW: 10 CR CR4] | A 5320 | IS | | 14-JUN-74 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|----------------------|---|-----------------------|-----|-------------|-----------|
| | NAS1584-63 | PIN, FLAT HEAD, HI-SHEAR RIVET, CLOSE TOLERANCE, 1200 DEGREES F - FEB 63 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5320 | IS | | 14-JUN-74 |
| | NAS1585-63 | COLLAR, HI-SHEAR RIVET, 1200 DEGREES F - FEB 63 [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5320 | IS | | 14-JUN-74 |
| | NAS1587-73 | WASHER, PLAIN AND COUNTERSUNK 1200 DEG - SEP 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5310 | IS | | 15-SEP-78 |
| | NAS1590-81 | PIN, HI-SHEAR RIVET, 120 DEG F, PROCUREMENT SPECIFICATION FOR W/DOD EXCEPTIONS [CUST: AS 11 IS] | A 5320 | IS | | 06-JUL-83 |
| A | NAS1598-97 | WASHER SEALING (W/DOD EXCEPTIONS) [CUST: AV AS 11 IS] | A 5510 | IS | | 31-OCT-97 |
| | NAS1603THRNAS1610-77 | BOLT, 100 DEG FLUSH HEAS, 0312 OVERSIZE, ALLOY STEEL, 160,000 PSI - 30 MAR 77 [CUST: AS 11 IS] | A 5306 | IS | | 17-OCT-84 |
| | NAS1611-95 | PACKING, ETHYLENE PROPYLENE PREFORMED O-RING PHOSPHATE ESTER RESISTANT (-65 DEG. F TO 250/300 DEG. F) [CUST: AS 11 IS] | A 5330 | IS | | 29-NOV-95 |
| | NAS1612-95 | PACKING, ETHYLENE PROPYLENE PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, PHOSPHATE ESTER RESISTANT -65 DEG. F TO 250/300 DEG. F [CUST: AS 11 IS] | A 5330 | IS | | 29-NOV-95 |
| | NAS1613-95 | PACKING, PREFORMED, ETHYLENE PROPYLENE RUBBER, SEAL ELEMENT [CUST: AS 11 IS] | A 5330 | IS | | 29-NOV-95 |
| | NAS1620THRNAS1628-92 | SCREW, MACHINE - FLAT 100 DEG. HEAD, SHORT THREAD, OFFSET CRUCIFORM [CUST: AR SH 99 IS] | A 5305 | IS | | 18-SEP-92 |
| | NAS1630THRNAS1634-96 | SCREW, MACHINE - PAN HEAD, SHORT THREAD, OFFSET CRUCIFORM [CUST: AR SH 99 IS] | A 5305 | IS | | 05-DEC-96 |
| | NAS1635-71 | SCREW, PAN HEAD, CROSS RECESSED, FULL THREAD - MAY 71 [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5305 | IS | | 14-JUN-74 |
| | NAS1636-63 | WASHER, KEY, DUAL TAB - JUN 63 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5310 | IS | | 14-JUN-74 |
| | NAS1637-72 | HANDLE, LATCHING INTERNAL AND EXTERNAL RELEASE COMPONENTS AND ASSEMBLY [CUST: AR YD1 99 IS] | A 5340 | IS | | 15-APR-72 |
| | NAS1640-74 | WASHER, LOCK, SPRING, NON-MAGNETIC [CUST: AR YD1 99 IS] | A 5310 | IS | | 01-JUL-74 |
| | NAS1669-83 | FASTENER BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD, SELF LOCKING - 7 SEP 83 (W/DOD EXCEPTIONS) [CUST: AS 11 IS] | A 5325 | IS | | 30-JAN-84 |
| | NAS1670-83 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, FLUSH HEAD, SELF LOCKING - 7 SEP 83 [CUST: AS 11 IS] | A 5325 | IS | | 30-JAN-84 |
| | NAS1671-83 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, PROTRUDING HEAD, SELF LOCKING - 7 SEP 83 [CUST: AS 11 IS] | A 5325 | IS | | 30-JAN-84 |
| | NAS1672-83 | FASTENER BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, FLUSH HEAD, SELF LOCKING - 7 SEP 83 (W/DOD EXCEPTIONS) [CUST: AS 11 IS] | A 5325 | IS | | 30-JAN-84 |
| | NAS1673-83 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, PROTRUDING HEAD, SELF LOCKING - 7 SEP 83 [CUST: AS 11 IS] | A 5325 | IS | | 30-JAN-84 |
| | NAS1674-83 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, MILLABLE HEAD, SELF LOCKING - 7 SEP 83 [CUST: AS 11 IS] | A 5325 | IS | | 17-OCT-84 |
| | NAS1675-96 | FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE SELF-LOCKING [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5325 | IS | | 05-DEC-96 |
| | NAS1676-69 | WASHER, LOCK-SPRING, HELICAL, HI-COLLAR [CUST: AR YD1 99 IS] | A 5310 | IS | | 30-AUG-69 |
| M | NAS1677-97 | STRAP, RETAINING-CUSHIONED, RECTANGULAR, TWO-PIECE [CUST: AV AS 11] [REVIEW: 10 CR4 IS] | A 5340 | AS | | 29-AUG-97 |
| | NAS1686-87 | RIVET, BLIND, ALUMINUM SLEEVE, MECHANICALLY LOCKED SPINDLE, BULBED - DEC 87 [CUST: AR 99 IS] [REVIEW: AV MI] | A 5320 | IS | | 26-SEP-89 |
| | NAS1687-87 | RIVET, BLIND, MONEL AND INCONEL SLEEVE, MECHANICALLY LOCKED SPINDLE, BULBED - DEC 87 [CUST: AR 82 IS] [REVIEW: AV MI] | A 5320 | IS | | 26-SEP-89 |
| | NAS1688 NOT 1 | HOSE ASSEMBLY TETRAFLUOROETHYLENE - NOV 64 [CUST: CC] [REVIEW: CR4] | A 4720 | CC | | 19-MAY-93 |
| | NAS1690 NOT 1 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE, FLARED - 1 NOV 64 [CUST: CC] [REVIEW: CR4] | A 4720 | CC | | 19-MAY-93 |
| | NAS1691 NOT 1 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE, FLARELESS - NOV 64 [CUST: CC] [REVIEW: CR4] | A 4720 | CC | | 19-MAY-93 |
| | NAS1699-83 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD, SELF LOCKING [CUST: AS 11 IS] | A 5325 | IS | | 30-JAN-84 |
| | NAS1703THRNAS1710-88 | BOLT, 100 DEG. FLUSH HEAD .0156 OVERSIZE ALLOY STEEL, 160,000 PSI [CUST: AR AS 99 IS] | A 5306 | IS | | 19-SEP-88 |
| M | NAS1711-97 | STRAP, RETAINING - CUSHIONED, RECTANGULAR, OPEN BOTTOM [CUST: AR AS 99 IS] | A 5340 | IS | | 29-AUG-97 |
| M | NAS1712-97 | CLAMP, LOOP-CUSHIONED, RECTANGULAR [CUST: AV AS 11] [REVIEW: 10 CR4 IS] | A 5340 | AS | | 29-AUG-97 |
| M | NAS1713-97 | CLAMP, LOOP-CUSHIONED, CENTER MOUNTING [CUST: AV AS 11] [REVIEW: 10 CR4 IS] | A 5340 | AS | | 29-AUG-97 |
| M | NAS1714-97 | CLAMP, LOOP-CUSHIONED, ELONGATED [CUST: AR AS 99 IS] | A 5340 | IS | | 29-AUG-97 |
| M | NAS1715-97 | CLAMP, LOOP-CUSHIONED [CUST: AR AS 99 IS] | A 5340 | IS | | 29-AUG-97 |
| M | NAS1716-97 | CLAMP, LOOP-CUSHIONED, SADDLE [CUST: AR AS 99 IS] | A 5340 | IS | | 29-AUG-97 |
| | NAS1719-95 | RIVET, BLIND, 100 DEG. REDUCED FLUSH HEAD, (NAS 1097 HEAD) MECHANICALLY LOCKED SPINDLE [CUST: AV AS 11 IS] | A 5320 | IS | | 14-AUG-95 |
| | NAS1720-95 | RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE [CUST: AV AS 11 IS] | A 5320 | IS | | 14-AUG-95 |
| | NAS1721-95 | RIVET - BLIND, 100 DEG. FLUSH HEAD (MS20426 HEAD) MECHANICALLY LOCKED SPINDLE [CUST: AV AS 11 IS] | A 5320 | IS | | 14-AUG-95 |
| | NAS1722-95 | RIVET, BLIND, SELF-PLUGGING, MECHANICALLY LOCKED SPINDLE [CUST: AV AS 11 IS] | A 5320 | IS | | 09-NOV-95 |
| | NAS1724-92 | PIN-RIVET, THREADED, TAPER SHANK, SHEAR TYPE 100 DEG. HEAD [CUST: AV AS 11 IS] | A 5320 | IS | | 18-SEP-92 |
| | NAS1725-92 | PIN-RIVET, THREADED, TAPER SHANK, SHEAR TYPE, 100 DEG. HEAD - OVERSIZE [CUST: AV AS 11 IS] | A 5320 | IS | | 18-SEP-92 |
| | NAS1726-82 | NUT, SELF LOCKING, CAPTIVE WASHER, SHEAR TYPE, 450 DEG. F AND 800 DEG. F - 1 NOV 82 [CUST: AV AS 11 IS] | A 5310 | IS | | 20-MAY-83 |
| | NAS1727-73 | NUT, WASHER, SELF ALIGNING, 450 DEGREES F & 800 DEGREES F - SEP 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5310 | IS | | 15-SEP-78 |
| | NAS1728-92 | PIN-RIVET, THREADED, TAPER SHANK, SHEAR TYPE, PROTRUDING HEAD [CUST: AV AS 11 IS] | A 5320 | IS | | 18-SEP-92 |
| | NAS1729-92 | PIN-RIVET, THREADED, TAPER SHANK, SHEAR TYPE, PROTRUDING HEAD - OVERSIZE [CUST: AV AS 11 IS] | A 5320 | IS | | 18-SEP-92 |
| | NAS1730-92 | FASTENER - TAPER SHANK [CUST: AV AS 11 IS] | A 5320 | IS | | 18-SEP-92 |
| | NAS1731-74 | NUT, BLIND, SERRATED HEAD, SELF LOCKING, 450 DEG. F - JUL 74 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5310 | IS | | 15-SEP-78 |
| | NAS1732-74 | NUT, BLIND, SERRATED HEAD, SELF-LOCKING, CLOSED END, 450 DEG. F [CUST: AR YD1 99 IS] | A 5310 | IS | | 01-JUL-74 |
| | NAS1734-93 | NUT, SELF-LOCKING, BLIND RIVET, ELLIPTICAL HEAD, 450 DEG. F [CUST: AR YD1 99 IS] | A 5310 | IS | | 30-JUL-93 |
| | NAS1735-89 | NUT, BLIND, ELLIPTICAL HEAD, SELF-LOCKING, CLOSED END, 450 DEGREE F - 15 FEB 83 [CUST: AV AS 99 IS] [REVIEW: 10 CR CR4] | A 5310 | IS | | 30-JUN-89 |
| | NAS1736-83 | NUT SELF-LOCKING, BLIND RIVET, ELLIPTICAL HEAD INSTALLATION DATA FOR [CUST: AR YD1 99 IS] | A 5310 | IS | | 15-FEB-83 |
| | NAS1738-78 | RIVET - BLIND PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - 17 APR 78 W/DOD EXCEPTIONS [CUST: AS 11 IS] | A 5320 | IS | | 30-JAN-84 |
| | NAS1739-78 | RIVET - BLIND 100 DEG FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - 17 APR 78 W/DOD EXCEPTIONS [CUST: AS 11 IS] | A 5320 | IS | | 30-JAN-84 |
| | NAS1740-83 | RIVET, BLIND, SELF PLUGGING, MECHANICALLY LOCKED SPINDLE, BULBED - AUG 83 W/DOD EXCEPTIONS [CUST: AS 11 IS] [REVIEW: 10 CR4] | A 5320 | IS | | 15-SEP-78 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Asa | MCA Prep. Acty. | Date |
|------------------------|---|----------------------|-----------------|-----------|
| NASI1750-91 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, FLUSH HEAD, SELF-LOCKING 1/64" OVERSIZE [CUST: AV AS 11 IS] | A 5320 | IS | 25-APR-91 |
| NASI1751-91 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD SELF-LOCKING 1/64" OVERSIZE [CUST: AV AS 11 IS] | A 5320 | IS | 25-APR-91 |
| NASI1752-91 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, FLUSH HEAD SELF-LOCKING 1/64" OVERSIZE [CUST: AV AS 11 IS] | A 5320 | IS | 25-APR-91 |
| NASI1753-91 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, PROTRUDING HEAD SELF-LOCKING 1/64" OVERSIZE [CUST: AV AS 11 IS] | A 5320 | IS | 25-APR-91 |
| NASI1754-91 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE LIGHTWEIGHT, FLUSH HEAD, MILLABLE AND NON-MILLABLE, SELF-LOCKING, 1/64" OVERSIZE [CUST: AV AS 11 IS] | A 5320 | IS | 25-APR-91 |
| NASI1755-91 | FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, PROTRUDING HEAD SELF-LOCKING 1/64" OVERSIZE [CUST: AV AS 11 IS] | A 5320 | IS | 25-APR-91 |
| NASI1757-94 | NUT, SELF-LOCKING, 450 DEG. F, HEXAGON - LOW HEIGHT 80 K.S.I. [CUST: AR YD1 99 IS] | A 5310 | IS | 15-APR-94 |
| NASI1758-94 | NUT, SELF LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, 220 KSI, 450 DEG. F [CUST: AR YD1 99 IS] | A 5310 | IS | 15-APR-94 |
| NASI1759-96 | NUT, SELF-LOCKING, DOUBLE HEXAGON SHEAR 450 DEG. F [CUST: AR YD1 99 IS] | A 5310 | IS | 29-MAR-96 |
| M NASI1760-97 | FITTING END, FLARELESS ACORN, STANDARDS DIMENSIONS FOR [CUST: AV AS 11] [REVIEW: CC] | A 4730 | AS | 29-AUG-97 |
| NASI1761-90 | ELBOW, REDUCER, 45 DEG., FLARELESS TUBE TO SWIVEL [CUST: AV AS CC] | A 4730 | CC | 18-APR-90 |
| NASI1762-81 | ELBOW REDUCER, 90 DEG., FLARELESS TUBE TO SWIVEL - 8 JUN 81 [CUST: AV AS] | A 4730 | AS | 25-MAY-84 |
| NASI1763-81 | TEE, REDUCER, FLARELESS TUBE TO SWIVEL, SWIVEL ON RUN - 8 JUN 81 [CUST: AV AS] [REVIEW: CC CR4 IS] | A 4730 | AS | 25-MAY-84 |
| NASI1764-81 | TEE, REDUCING, FLARELESS TUBE TO SWIVEL, SWIVEL ON RUN - 8 JUN 81 [CUST: AV AS] | A 4730 | AS | 25-MAY-84 |
| NASI1765-73R82 | NUT, SELF ALIGNING, SELF LOCKING, PLATE - TWO LUG, FLOATING, 125 KSI FTU, 450 DEG. F & 800 DEG. F - MAY 73 [CUST: AV AS 11 IS] | A 5310 | IS | 20-MAY-83 |
| NASI1766-73R82 | NUT, SELF LOCKING, PLATE - CORNER, COUNTERBORED, FLOATING, 125 KSI FTU, 450 DEG. F & 800 DEG. F - MAY 73 [CUST: AV AS 11 IS] | A 5310 | IS | 20-MAY-83 |
| NASI1767-77 | BOLT, CLOSE TOLERANCE, 100 DEG. REDUCED HEAD, HI TORQUE, RECESS - W/DOD EXCEPTION - MAR 77 [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5305 | IS | 05-DEC-80 |
| NASI1768-93 | RIVET-BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED [CUST: AS 11 IS] | A 5320 | IS | 30-JUL-93 |
| NASI1769-97 | RIVET-BLIND, 100 DEG. FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED [CUST: AS 11 IS] | A 5320 | IS | 28-FEB-97 |
| NASI1770-76R94 | NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, C'BORED, 160 KSI, 450 DEG F, 800 DEG F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-73 |
| NASI1771-76R82 | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, C'BORED, 160 KSI, 450 DEG F, 800 DEG. F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| NASI1772-76R82 | NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, C'BORED, 160 KSI, 450 DEG F, 800 DEG F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| NASI1773-76R82 | NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, C'BORED, FLOATING, 160 KSI, 450 DEG F, 800 DEG F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| A NASI1774-76R82 | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CBORED, FLOATING, 160 KSI, 450 DEG. F, 800 DEG. F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| A NASI1775-76R89 | NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, C'BORED, REDUCED RIVET SPACING, 160 KSI, 450 DEG F, 800 DEG F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| A NASI1776-76R89 | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CBORED, REDUCED RIVET SPACING, 160 KSI, 450 DEG. F, 800 DEG. F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| A NASI1777-76R89 | NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, C'BORED, REDUCED RIVET SPACING, 160 KSI, 450 DEG F, 800 DEG F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| A NASI1778-76R89 | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, C'BORED, SIDE BY SIDE, 160 KSI, 450 DEG F, 800 DEG F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| NASI1779-76R89 | NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, C'BORED, FLOATING, REDUCED RIVET SPACING, 160 KSI, 450 DEG F, 800 DEG F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| NASI1780-76R89 | NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, 100 DEG CSK, 160 KSI, 450 DEG. F, 800 DEG. F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| NASI1781-76R89 | NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, 100 DEG CSK, 160 KSI, 450 DEG. F, 800 DEG. F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| NASI1782-76R89 | NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, 100 DEG CSK, 160 KSI, 450 DEG F, 800 DEG F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| NASI1783-76R89 | NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, CBORED, 160 KSI, 250 DEG. F, 450 DEG. F, 800 DEG. F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| NASI1784-76R89 | NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, CSK, 160 KSI, 250 DEG. F, 450 DEG. F, 800 DEG. F [CUST: AR YD1 99 IS] | A 5310 | IS | 31-JUL-76 |
| NASI1785-85R91 | BOLT, EXTERNAL WRENCHING, 220 KSI MIN TENSILE, 132 KSI MIN SHEAR H-11 STEEL, 900 DEG. F [CUST: AR AS 99 IS] | A 5306 | IS | 31-OCT-85 |
| NASI1786-96 | POST, ELECTRICAL-MECHANICAL EQUIPMENT [CUST: AV AS 11] | A 5340 | AS | 29-MAR-96 |
| NASI1787-74R94 | CLAMP, TUBE MOUNTING [CUST: AR AS 99 IS] | A 5340 | IS | DEC-74 |
| NASI1789-75 | NUT, SELF LOCKING, PLATE, SIDE BY SIDE, FLOATING, LOW HEIGHT, REDUCED RIVET SPACING, C. BORED, 160 KSI, 450 DEG. F, 800 DEG. F - MAR 75 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5310 | IS | 15-SEP-78 |
| NASI1790-96 | BOLT, 100 DEG. FLUSH HEAD 160,000 PSI UTS [CUST: AR AS 99 IS] | A 5306 | IS | 05-DEC-96 |
| NASI1791-78 | NUT, SELF LOCKING, PLATE TWO LUG, FLOATING VARIABLE, COUNTERBORE, REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 DEG F & 800 DEG F - (NOV 78 [CUST: AS 11 IS] | A 5310 | IS | 17-OCT-84 |
| NASI1792-78 | NUT, SELF - LOCKING, PLATE - ONE LUG, FLOATING, VARIABLE COUNTERBORE, REPLACEMENT NUT ELEMENT, 125 KSI FTU, 450 DEGREES F & 800 DEGREES F - NOV 78 [CUST: AS 11 IS] | A 5310 | IS | 17-OCT-84 |
| NASI1793-78 | NUT, SELF LOCKING, PLATE CORNER, FLOATING, VARIABLE COUNTERBORE, REPLACEABLE NUT ELEMENT, 125 KSI FTU, 450 DEG F & 800 DEG F - NOV 78 [CUST: AS 11 IS] | A 5310 | IS | 17-OCT-84 |
| NASI1794-78 | NUT, SELF LOCKING, COUNTERBORE, REPLACEABLE ELEMENT - NOV 78 [CUST: AS 11 IS] | A 5310 | IS | 17-OCT-84 |
| NASI1795-78 | CLIP RETAINING REPLACEABLE NUT PLATE - NOV 78 [CUST: AS 11 IS] | A 5310 | IS | 17-OCT-84 |
| NASI1801-94 | SCREW, HEX HEAD, CRUCIFORM RECESS, FULL THREAD, ALLOY STEEL, 160,000 PSI TENSILE [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5305 | IS | 15-APR-94 |
| NASI1802-96 | SCREW, HEX HEAD, CRUCIFORM RECESS, FULL THREAD A-286 CRES, 160,000 PSI TENSILE [CUST: AR AS 99 IS] [REVIEW: 10 CR4] | A 5305 | IS | 05-DEC-96 |
| NASI1803-77 | NUT, PLATE, SELF LOCKING, FLOATING, SPRING LOADED W/DOD EXCEPTIONS - MAR 77 [CUST: AV AS 11 IS] | A 5310 | IS | 20-MAY-83 |
| NASI1804-82R89 | NUT, SELF-LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, ALLOY STEEL, 180 KSI, 450 DEG. F [CUST: AR YD1 99 IS] | A 5310 | IS | 01-NOV-82 |
| NASI1805-94 | NUT, SELF-LOCKING, EXTENDED WASHER, DOUBLE HEXAGON, CRES, 180 KSI, 450 DEG. F AND 800 DEG. F [CUST: AR YD1 99 IS] | A 5310 | IS | 25-FEB-94 |
| NASI1806THRUNAS1816-57 | RIVET, HI-SHEAR, FLAT HEAD, INTERFERENCE FIT, TITANIUM ALLOY - SEP 57 W/DOD EXCEPTIONS [CUST: AV AS 11] | A MISC | AS | 14-JUN-74 |
| NASI1829-89 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, STUD TYPE [CUST: AR AS 99 IS] | A 5340 | IS | 23-JUN-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|-------------------------|--|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | Date |
| | NAS1830-89 | POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE [CUST: AR AS 99 IS] | A 5340 | IS | | 23-JUN-89 |
| | NAS1831-89 | POST, ELECTRICAL-MECHANICAL EQUIPMENT [CUST: AR AS 99 IS] | A 5340 | IS | | 23-JUN-89 |
| | NAS1832-94 | PANEL, SANDWICH, INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING [CUST: AR AS 99] | A 5340 | AS | | 25-FEB-94 |
| | NAS1833-94 | PANEL, SANDWICH, INSERT, MOLDED IN, THREADED, SELF-LOCKING, NONSELF-LOCKING [CUST: AR AS 99] | A 5340 | AS | | 25-FEB-94 |
| | NAS1834-94 | PANEL, SANDWICH, INSERT, MOLDED IN, CSK AND THRU CLEARANCE HOLE [CUST: AR AS 99] | A 5340 | AS | | 25-FEB-94 |
| | NAS1835-94 | PANEL, SANDWICH, INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, FLOATING [CUST: AR AS 99] | A 5340 | AS | | 25-FEB-94 |
| | NAS1836-94 | PANEL, SANDWICH, INSERT, MOLDED IN, BLIND THREADED, SELF-LOCKING, NONSELF-LOCKING, LIGHTWEIGHT [CUST: AR AS 99] | A 5340 | AS | | 25-FEB-94 |
| | NAS1837-93 | INSTALLATION TAB AND ALIGNMENT TOOL FOR NAS 1832, NAS 1833, NAS 1834, NAS 1835, AND NAS1836 MOLDED IN INSERTS [CUST: AR AS 99] | A 5120 | AS | | 30-JUL-93 |
| | NAS1841THRNAS1854-82 | STUD ASSEMBLY - THREADED METAL DOUBLE STEP [CUST: AR AS 99 IS] | A 5307 | IS | | 30-SEP-82 |
| | NAS1860THRNAS1863-82 | STUD ASSEMBLY - THREADED METAL SINGLE STEP [CUST: AR AS 99 IS] | A 5307 | IS | | 30-SEP-82 |
| | NAS1870-71 | NUT, SELF LOCKING, PLATE TWO LUG, DEEP COUNTERBORE, FLOATING, 125 KSI FTU, 450 & 800 DEG. F - JUN 71 [CUST: AV AS 11 IS] [REVIEW: 10 CR CR4] | A 5310 | IS | | 14-JUN-74 |
| | NAS1871-94 | NUT ASSEMBLY, TORQUE LIMITING, 600 DEG. F APPLICATION, .2500-28 UNJF-3B THREAD [CUST: AS 11 IS] | A 5310 | IS | | 15-APR-94 |
| | NAS1872-75 | NUT, TORQUE LIMITING 900 DEG. F APPLICATION 1/4-28 UNJF-3B THREAD - NOV 75 [CUST: AS 11 IS] | A 5310 | IS | | 17-OCT-84 |
| | NAS1873-76 | INSERT, SELF-LOCKING, THERMAL, BONDED HONEYCOMB PANEL - JUNE 1976 [CUST: AS 11] [REVIEW: IS] | A 5340 | AS | | 17-OCT-84 |
| A | NAS1900-97 | RIVET, BLIND - GENERAL PURPOSE, BULBED, SELF PLUGGING MECHANICALLY-LOCKED SPINDLE [CUST: AS 99 IS] | A 5320 | IS | | 31-OCT-97 |
| | NAS1906THRNAS1916-57 | RIVET, HI-SHEAR, 100 DEG. HEAD INTERFERENCE FIT, TITANIUM ALLOY - SEP 57 W/DOD EXCEPTIONS [CUST: AV AS 11] | A MISC | AS | | 14-JUN-74 |
| A | NAS1919-97 | RIVET, BLIND - GENERAL PURPOSE, BULBED, PROTRUDING HEAD, MECHANICALLY - LOCKED - SPINDLE [CUST: AV AS 11 IS] | A 5320 | IS | | 31-OCT-97 |
| A | NAS1921-97 | RIVET, BLIND - GENERAL PURPOSE, BULBED, 100 DEG. FLUSH HEAD, MECHANICALLY-LOCKED SPINDLE [CUST: AV AS 11 IS] | A 5320 | IS | | 31-OCT-97 |
| | NAS1922-80 | CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - DEC 80 [CUST: AV AS] | A 4730 | AS | | 25-MAY-84 |
| | NAS1923-80 | CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - DEC 1980 [CUST: AV AS] | A 4730 | AS | | 25-MAY-84 |
| | NAS1925 | CLAMP, HOSE [CUST: AV AS 99] | A 4720 | 82 | | 19-MAY-96 |
| | NAS1972THRNAS1980-86 | BOLT, FLAT, 100 DEG. HEAD, TORQ-SET AND HI-TORQUE, 180 KSI SHEAR [CUST: AR AS 99 IS] | A 5306 | IS | | 30-JUN-86 |
| | NAS1982THRNAS1990-96 | BOLT, BRAZIER HEAD, OFFSET CRUCIFORM AND DOVETAIL SLOT [CUST: AR AS 99 IS] | A 5306 | IS | | 05-DEC-96 |
| | NAS1992THRNAS2000-86 | BOLT, FLAT, 100 DEG. REDUCED HEAD, TORQ-SET AND HI-TORQUE, 108 KSI SHEAR [CUST: AR AS 99 IS] | A 5306 | IS | | 30-JUN-86 |
| | NAS2005THRNAS2012-73 | BOLT, LOCK, TENSION, PROTRUDING HEAD, STANDARD AND OVERSIZED, PULL TYPE, TITANIUM ALLOY - DEC 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] | A 5320 | IS | | 15-SEP-78 |
| | NAS2013-91 | COLLAR, GROOVED, PIN-RIVET, TITANIUM, (COMPOSITE APPLICATIONS) [CUST: AV AS 11 IS] | A 5320 | IS | | JUN-91 |
| | NAS2014-91 | PIN-RIVET, GROOVED; AND COLLAR FOR COMPOSITE MATERIALS [CUST: AV AS 11 IS] | A 5320 | IS | | JUN-91 |
| | NAS2015THRNAS2022-91 | PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) PROTRUDING HEAD, PULL-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | | JUN-91 |
| | NAS2025THRNAS2032-91 | PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) 100 DEG. FLUSH HEAD, PULL-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | | JUN-91 |
| | NAS2035THRNAS2042-91 | PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) 130 DEG. FLUSH HEAD, PULL-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | | JUN-91 |
| | NAS2045THRNAS2052-91 | PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) PROTRUDING HEAD, STUMP-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | | JUN-91 |
| | NAS2055THRNAS2062-91 | PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) 100 DEG. FLUSH HEAD, STUMP TYPE [CUST: AV AS 11 IS] | A 5320 | IS | | JUN-91 |
| | NAS2065THRNAS2072-91 | PIN-RIVET, GROOVED, TITANIUM (COMPOSITE APPLICATIONS) 130 DEG. FLUSH HEAD, STUMP-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | | JUN-91 |
| | NAS2105THRNAS2112-73 | BOLT, LOCK, TENSION, 100 DEG. HEAD (MS24694), PULL TYPE, TITANIUM ALLOY - DEC 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] | A 5320 | IS | | 15-SEP-78 |
| | NAS2115THRNAS2122-73R94 | BOLT-LOCK, TENSION, 100 DEG. HEAD (MS20426), STANDARD AND OVERSIZE, PULL-TYPE TITANIUM ALLOY [CUST: AV AS 11 IS] | A 5320 | IS | | DEC-73 |
| | NAS2125THRNAS2132-73R94 | BOLT - LOCK, TENSION, 100 DEG CROWN HEAD, STANDARD AND OVERSIZE, PULL-TYPE, TITANIUM ALLOY [CUST: AV AS 11 IS] | A 5320 | IS | | DEC-73 |
| | NAS2205THRNAS2212-81 | BOLT- LOCK, TENSION, PROTRUDING HEAD, STRUP TYPE, TITANIUM ALLOY - 29 DEC 1981 [CUST: AV AS 11 IS] | A 5320 | IS | | 11-FEB-87 |
| | NAS2306THRNAS2312-81 | BOLT-LOCK, TENSION, 100 DEG HEAD (MS 24694)STUMP TYPE, TITANIUM ALLOY 29 DEC 81 [CUST: AV AS 11 IS] | A 5306 | IS | | 11-FEB-87 |
| | NAS2406THRNAS2412-73 | BOLT LOCK, SHEAR, PROTRUDING HEAD, STANDARD AND OVERSIZE, PULL TYPE, TITANIUM ALLOY - DEC 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] | A 5320 | IS | | 15-SEP-78 |
| | NAS2506THRNAS2512-73 | BOLT, LOCK, SHEAR, 100 DEG. HEAD, STANDARD & OVER SIZE, PULL TYPE, TITANIUM ALLOY - DEC 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] | A 5320 | IS | | 15-SEP-78 |
| | NAS2605THRNAS2612-88 | BOLT LOCK, SHEAR, PROTRUDING HEAD STUMP-TYPE, TITANIUM ALLOY - 19 SEP 1988 W/DOD EXCEPTION [CUST: AR AS 99 IS] | A 5320 | IS | | 09-MAR-89 |
| | NAS2705THRNAS2712-81 | BOLT - LOCK, SHEAR, 100 DEG. HEAD, STUMP TYPE TITANIUM ALLOY - 29 DEC 1981 [CUST: AV AS 11 IS] | A 5320 | IS | | 11-FEB-87 |
| | NAS2803THRNAS2810-94 | BOLT, 100 DEG. HEAD, OFFSET CRUCIFORM, CLOSE TOLERANCE, 180,000 PSI [CUST: AR AS 99 IS] | A 5306 | IS | | 15-JUL-94 |
| | NAS2832THRNAS2840-93 | BOLT, 100 DEG. FLAT HEAD, OFFSET CRUCIFORM AND SLOTTED DOVETAIL, 180 KSI [CUST: AR AS 99 IS] | A 5306 | IS | | 30-JUL-93 |
| | NAS2842THRNAS2850-96 | BOLT, BRAZIER HEAD, OFFSET CRUCIFORM AND SLOTTED DOVETAIL, 180 KSI [CUST: AR AS 99 IS] | A 5306 | IS | | 05-DEC-96 |
| | NAS2852THRNAS2860-80 | BOLT, 100 DEG CROWN REDUCED HEAD, TORQ SET (R) & HI TORQUE, (R) 108 KSI SHEAR - AUG 80 W/DOD EXCEPTIONS [CUST: AS 11 IS] | A 5306 | IS | | 30-JAN-84 |
| | NAS3103THRNAS3110-91 | BOLT - U [CUST: AR AS 99 IS] | A 5306 | IS | | 25-JUN-91 |
| | NAS3203THRNAS3210-90 | BOLT-HOOK [CUST: AR AS 99 IS] | A 5306 | IS | | 15-JUN-90 |
| | NAS3303THRNAS3305-91 | BOLT - U, STRAP TYPE [CUST: AR AS 99 IS] | A 5306 | IS | | 25-JUN-91 |
| | NAS3417-83 | CABLE-CORD-WIRE, PACKAGING OF ELECTRICAL [CUST: CR EC 99] | A PACK | CR | | 30-NOV-83 |
| | NAS3426-71 | CABLE ASSEMBLIES, ELECTRICAL HARNESS, PACKAGING OF [CUST: CR EC 99] | A PACK | CR | | 01-MAR-71 |
| | NAS4006-76 | ALUMINUM COATING - 15 JUN 76 [CUST: AV AS 11] | A MFFP | AS | | 30-JUL-82 |
| | NAS4117 | HEAT SINK-INSULATOR, WAFER TYPE [CUST: CR EC 85 CC] | A 5999 | CC | | DEC-96 |
| | NAS4118 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, RETAINER CLIP TYPE [CUST: CR EC 85 CC] | A 5999 | CC | | DEC-96 |
| | NAS4119 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, PRESS-ON TYPE [CUST: CR EC 85 CC] | A 5999 | CC | | DEC-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc/ Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|--------------------------|--|-----------------------|-----------------|-----------|
| | NAS4120 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, ENCAPSULATING TYPE, TO-5 [CUST: CR EC 85 CC] | A 5999 | CC | DEC-96 |
| | NAS4121 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, FORMED [CUST: CR EC 85 CC] | A 5999 | CC | DEC-96 |
| | NAS4122 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, EXTRUDED [CUST: CR EC 85 CC] | A 5999 | CC | DEC-96 |
| | NAS4123-95 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, FOR DUAL INLINE PACKAGES (DIP) [CUST: CR EC 85 CC] | A 5999 | CC | JAN-95 |
| | NAS4124 | HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICES, DUAL LINK [CUST: CR EC 85 CC] | A 5999 | CC | DEC-96 |
| | NAS4445-96 | NUT, CRIMP, FOR CRIMLOCK FASTENER SYSTEM [CUST: AR YD1 99 IS] | A 5310 | IS | 05-DEC-96 |
| | NAS4450-92 | PIN, CRIMP - PROTRUDING SHEAR HEAD [CUST: AV AS 11 IS] | A 5320 | IS | 30-JUN-92 |
| | NAS4452-92 | PIN, CRIMP - 100 DEG FLUSH SHEAR HEAD [CUST: AV AS 11 IS] | A 5320 | IS | 30-JUN-92 |
| | NAS4458-92 | PIN, CRIMP, PROTRUDING TENSION HEAD [CUST: AV AS 11 IS] | A 5320 | IS | 30-JUN-92 |
| | NAS4466-92 | PIN, CRIMP, 100 DEG. CROWN SHEAR/TENSION HEAD [CUST: AV AS 11 IS] | A 5320 | IS | 30-JUN-92 |
| | NAS5573-92 | CLAMP ASSEMBLY - ELECTRONIC EQUIPMENT [CUST: AR AS 99 IS] | A 5340 | IS | 30-JUN-92 |
| | NAS6203THRUNAS6220-72 | BOLT, HEX HEAD, CLOSE TOLERANCE ALLOY STEEL, LONG THREAD SELF LOCKING AND NON LOCKING - FEB 72 [CUST: AV AS 11 IS] | A 5306 | IS | 14-JUN-75 |
| | NAS6303THRUNAS6320-77 | BOLT, HEX HEAD, CLOSE TOLERANCE, A-286, SHORT THREAD, SELF LOCKING AND NON LOCKING - W/DOD EXCEPTION - MAR 77 [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5306 | IS | 05-DEC-80 |
| | NAS6403THRUNAS6420-80 | BOLT, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SELF-LOCKING AND NONLOCKING - 7 NOV 80 [CUST: AR AS 99 IS] | A 5305 | IS | 09-MAR-89 |
| | NAS6703THRUNAS6720-96 | BOLT, HEX HEAD, CLOSE TOLERANCE, A286 CRES, LONG THREADS, SELF LOCKING & NONLOCKING [CUST: AV AS 11 IS] | A 5306 | IS | 05-DEC-96 |
| | NAS6704THRUNAS6720-72 | BOLT, HEX HEAD, CLOSE TOLERANCE, A286 CRES, LONG THREADS, SELF-LOCKING AND NON-LOCKING [CUST: AV AS 11] [REVIEW: 10 CR4] | A MISC | AS | 15-FEB-72 |
| | NAS6803THRUNAS6820-96 | BOLT, HEX HEAD, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, LONG THREAD, SELF- LOCKING AND NONLOCKING [CUST: AV AS 11 IS] | A 5306 | IS | 05-DEC-96 |
| | NAS6913-92 | PIN, SWAGE LOCKING, PH13-8MO CRES, 100 DEG. CROWN HEAD, SHEAR, PULL-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | 30-JUN-92 |
| | NAS6914-92 | PIN, SWAGE LOCKING, PH13-8MO CRES, PROTRUDING HEAD, SHEAR, PULL-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | 30-JUN-92 |
| | NAS6915THRUNAS6922-73R89 | PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG HEAD (MS20426), TENSION, STUMP-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | DEC-73 |
| | NAS6925THRUNAS6932-88 | PIN, SWAGE LOCKING, STEEL, 100 DEGREE HEAD (MS-20426) TENSION, STUMP-TYPE - 8 JUL 88 [CUST: AR AS 99 IS] | A 5320 | IS | 09-MAR-89 |
| | NAS6935THRUNAS6942-73R89 | PIN, SWAGE LOCKING, STEEL, 100 DEG CROWN HEAD, TENSION, PULL-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | DEC-73 |
| | NAS6946THRUNAS6952-89 | PIN, SWAGE LOCKING, A-286 CRES, 100 DEG. HEAD (MS24694), TENSION, PULL-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | 27-NOV-89 |
| | NAS6955THRUNAS6962-89 | PIN, SWAGE LOCKING, A-286 CRES, 100 DEG. HEAD (MS20426), TENSION, PULL-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | 27-NOV-89 |
| | NAS6965THRUNAS6972-89 | PIN, SWAGE LOCKING, A-286 CRES, PROTRUDING HEAD, TENSION, PULL-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | 27-NOV-89 |
| | NAS6974THRUNAS6982-88 | PIN, SWAGE LOCKING, A-286 CRES, 100 DEG SHEAR HEAD, STUMP-TYPE REV 2 - 8 JUL 88 [CUST: AR AS 99 IS] | A 5320 | IS | 09-MAR-89 |
| | NAS6984THRUNAS6992-88 | PIN, SWAGE LOCKING, A-286 CRES, PROTRUDING HEAD, SHEAR, STUMP-TYPE - 8 JUL 88 [CUST: AR AS 99 IS] | A 5320 | IS | 09-MAR-90 |
| | NAS7004THRUNAS7012-90 | PIN, SWAGE LOCKING, A-286 CRES, 100 DEG. SHEAR/TENSION HEAD, PULL-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | 01-NOV-90 |
| | NAS7014THRUNAS7022-90 | PIN, SWAGE LOCKING, A-286 CRES, PROTRUDING HEAD, SHEAR/TENSION, PULL-TYPE [CUST: AV AS 11 IS] | A 5320 | IS | 01-NOV-90 |
| | NAS7024THRUNAS7032-84 | PIN SWAGE LOCKING, 108 KSI STEEL, 100 DEG. SEHAR/TENSION HEAD, PULL- TYPE - 4 APR 1984 W/DOD EXCEPTION [CUST: AR AS 99 IS] | A 5320 | IS | 09-MAR-89 |
| | NAS7034THRUNAS7042-73 | PIN, SWAGE LOCKING, 108 KSI STEEL, PROTRUDING HEAD, SHEAR/TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5320 | IS | 15-SEP-78 |
| M | NAS7100-98 | RECESS, RIBBED CRUCIFORM, DIMENSIONS OF RECESS AND GAGES [CUST: AV AS 11 IS] | A 53GP | IS | 13 MAY 98 |
| | NAS7101-77 | BIT, SCREWDRIVER, PHILLIPS, SPECIFICATION FOR - SEP 77 [CUST: AV AS 11] [REVIEW: CR4 IS] | A 5120 | AS | 30-JUL-82 |
| | NAS7103THRUNAS7116-96 | BOLT, 100 DEG HEAD, CRUCIFORM RECESS, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, SELF-LOCKING AND NONLOCKING [CUST: AS 11 IS] | A 5306 | IS | 05-DEC-96 |
| | NAS7203THRUNAS7216-78 | BOLT, 100 DEG HEAD, PHILLIPS RECESS, CLOSE TOLERANCE, A286 CRES, LONG THREAD, SELF-LOCKING & NONLOCKING - 4 SEP 78 [CUST: AS 11 IS] | A 5306 | IS | 17-OCT-84 |
| | NAS7303THRUNAS7316-96 | BOLT, 100 DEG. HEAD, CRUCIFORM RECESS CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, LONG THREAD, SELF-LOCKING AND NONLOCKING [CUST: AR AS 99 IS] | A 5306 | IS | 05-DEC-96 |
| | NAS7400THRUNAS7416-96 | BOLT, 100 DEG. HEAD, CRUCIFORM RECESS CLOSE TOLERANCE, ALLOY STEEL, SHORT THREAD, SELF-LOCKING AND NONLOCKING [CUST: AR AS 99 IS] | A 5306 | IS | 05-DEC-96 |
| | NAS7500THRUNAS7516-96 | BOLT, 100 DEG. HEAD, CRUCIFORM RECESS, CLOSE TOLERANCE, A286 CRES, SHORT THREAD, SELF-LOCKING AND NONLOCKING [CUST: AR AS 99 IS] | A 5306 | IS | 05-DEC-96 |
| | NAS7600THRUNAS7616-96 | BOLT, 100 DEG. HEAD, CRUCIFORM RECESS, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SHORT THREAD, SELF-LOCKING AND NONLOCKING [CUST: AR AS 99 IS] | A 5306 | IS | 05-DEC-96 |
| | NAS7700THRUNAS7706-96 | BOLT, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, CRUCIFORM RECESS, ALLOY STEEL, SELF-LOCKING AND NONLOCKING [CUST: AR AS 99 IS] | A 5306 | IS | 05-DEC-96 |
| | NAS7800THRUNAS7806-96 | BOLT, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, CRUCIFORM RECESS, A286 CRES, SELF-LOCKING AND NONLOCKING [CUST: AR AS 99 IS] | A 5306 | IS | 05-DEC-96 |
| | NAS7900THRUNAS7906-96 | BOLT, PAN HEAD, CLOSE TOLERANCE, SHORT THREAD, CRUCIFORM RECESS, TITANIUM ALLOY 6AL-4V, SELF-LOCKING AND NONLOCKING [CUST: AR AS 99 IS] | A 5306 | IS | 05-DEC-96 |
| | NAS8000THRUNAS8006-83 | SCREW, PAN HEAD, PHILLIPS RECESS, ALLOY STEEL FULL THREAD, SELF-LOCKING AND NON-LOCKING 30 NOV 83 [CUST: AV AS 11 IS] | A 5305 | IS | 11-FEB-87 |
| | NAS8100THRUNAS8106-96 | SCREW, PAN HEAD, CRUCIFORM RECESS, A-286 CRES, FULL THREAD, SELF-LOCKING AND NON LOCKING [CUST: AV AS 11 IS] | A 5305 | IS | 05-DEC-96 |
| | NAS8200THRUNAS8206-90 | SCREW, PAN HEAD, CRUCIFORM RECESS, TITANIUM ALLOY 6AL-4V, FULL THREAD, SELF-LOCKING AND NONLOCKING [CUST: AR SH 99 IS] | A 5305 | IS | 18-APR-90 |
| | NAS8302THRUNAS8304-84 | SCREW, MACHINE, WASHER HEAD, FULL THREAD, PHILLIPS RECESS, ALLOY STEEL - 15 MAY 1984 [CUST: AS 11 IS] | A 5305 | IS | 29-MAY-86 |
| | NAS8602THRUNAS8616-82 | BOLT, 100 DEG. REDUCED HEAD, PHILLIPS RECESS, CLOSE TOLERANCE, ALLOY STEEL, SHORT THREAD [CUST: AR AS 99 IS] | A 5306 | IS | APR-82 |
| | NAS8802THRUNAS8816-82 | BOLT, 100 DEG. REDUCED HEAD, PHILLIPS RECESS, CLOSE TOLERANCE, 6AL-4V TITANIUM ALLOY, SHORT THREAD [CUST: AR AS 99 IS] | A 5306 | IS | APR-82 |
| | NAS9001THRUNAS9006-90 | SCREW, HEX HEAD, OFFSET CRUCIFORM-RIBBED RECESS, FULL THREAD, ALLOY STEEL, 160,000 PSI TENSILE [CUST: AR SH 99 IS] | A 5305 | IS | 01-NOV-90 |
| | NAS9101THRUNAS9106-90 | SCREW, HEX HEAD, OFFSET CRUCIFORM-RIBBED RECESS, FULL THREAD, A-286 CRES, 160,000 PSI TENSILE [CUST: AR SH 99 IS] | A 5305 | IS | 01-NOV-90 |
| | NAS9201THRUNAS9206-90 | SCREW, HEX HEAD, OFFSET CRUCIFORM-RIBBED RECESS, FULL THREAD, TITANIUM ALLOY 6AL-4V 160,000 PSI TENSILE [CUST: AR SH 99 IS] | A 5305 | IS | 01-NOV-90 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | NAS9301-94 | RIVET-BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 1, CODE B AND E [CUST: AR AS 99 IS] [REVIEW: AV MI] | A 5320 | IS | | 25-MAR-94 |
| | NAS9302-94 | RIVET-BLIND, 100 DEG. FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 2, CODE B AND E [CUST: AR AS 99 IS] [REVIEW: AV MI] | A 5320 | IS | | 25-MAR-94 |
| | NAS9303-94 | RIVET, BLIND, 100 DEG. FLUSH SHEAR HEAD MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 3, CODE B AND E [CUST: AR AS 99 IS] [REVIEW: AV MI] | A 5320 | IS | | 25-MAR-94 |
| | NAS9304-94 | RIVET-BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 1, CODE B AND E [CUST: AR AS 99 IS] [REVIEW: AV MI] | A 5320 | IS | | 25-MAR-94 |
| | NAS9305-94 | RIVET, BLIND, 100 DEG. FLUSH HEAD MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 2, CODE B AND E [CUST: AV AS 99 IS] [REVIEW: AV MI] | A 5320 | IS | | 25-MAR-94 |
| | NAS9306-94 | RIVET-BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 4, CODE B AND D [CUST: AR AS 99 IS] [REVIEW: AV MI] | A 5320 | IS | | 25-MAR-94 |
| | NAS9307-94 | RIVET-BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 1, CODE M [CUST: AR AS 99 IS] [REVIEW: AV MI] | A 5320 | IS | | 25-MAR-94 |
| | NAS9308-90 | RIVET, BLIND, 100 DEG. FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 2, CODE M - 13 MAR 90 [CUST: AR AS 99 IS] [REVIEW: AV MI] | A 5320 | IS | | 19-MAR-90 |
| | NAS9309-90 | RIVET, BLIND, 100 DEG. FLUSH SHEAR HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE A, CLASS 3, CODE M - 13 MAR 90 [CUST: AR AS 99 IS] [REVIEW: AV MI] | A 5320 | IS | | 19-MAR-90 |
| | NAS9310-90 | RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 1, CODE C AND M - 13 MAR 90 [CUST: AR AS 99 IS] [REVIEW: AV MI] | A 5320 | IS | | 19-MAR-90 |
| | NAS9311-90 | RIVET, BLIND, 100 DEG. FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 2, CODE C AND M - 13 MAR 90 [CUST: AR AS 99 IS] [REVIEW: AV MI] | A 5320 | IS | | 19-MAR-90 |
| | NAS9312-90 | RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B, CLASS 4, CODE M - 13 MAR 90 [CUST: AR AS 99 IS] [REVIEW: AV MI] | A 5320 | IS | | 13-MAR-90 |
| M | NAS2813THRUNAS2830-98 | BOLT, SHEAR, HEXAGON HEAD, 180 KSI [CUST: AR AS 99 IS] | A 5306 | IS | | 31-MAR-98 |
| M | NAS653THRUNAS658-98 | BOLT, CLOSE TOLERANCE - HEXAGON HEAD, TITANIUM, SHORT THREAD, .190 TO .500 [CUST: AR AS 99 IS] | A 5306 | IS | | 31-MAR-98 |
| A | NASM1312 | FASTENER TEST METHODS [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-1 | FASTENER TEST METHODS METHOD 1 SALT SPRAY [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-2 | FASTENER TEST METHODS METHOD 2 INTERACTION [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-3 | FASTENER TEST METHODS METHOD 3 HUMIDITY [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-4 | FASTENER TEST METHODS METHOD 4 LAP JOINT SHEAR [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-5 | FASTENER TEST METHODS METHOD 5 STRESS DURABILITY [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-6 | FASTENER TEST METHODS METHOD 6 HARDNESS [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-7 | FASTENER TEST METHODS METHOD 7 VIBRATION [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-8 | FASTENER TEST METHODS METHOD 8 TENSILE STRENGTH [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-9 | FASTENER TEST METHODS METHOD 9 STRESS CORROSION [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-10 | FASTENER TEST METHODS METHOD 10 STRESS RUPTURE [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-11 | FASTENER TEST METHODS METHOD 11 TENSION FATIGUE [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-12 | FASTENER TEST METHODS METHOD 12 THICKNESS OF METALLIC COATINGS [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-13 | FASTENER TEST METHODS METHOD 13 DOUBLE SHEAR TEST [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-14 | FASTENER TEST METHODS METHOD 14 STRESS DURABILITY INTERNALLY THREADED FASTENERS [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-15 | FASTENER TEST METHODS METHOD 15 TORQUE - TENSION [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-16 | FASTENER TEST METHODS METHOD 16 CLAMPING FORCE FOR INSTALLATION FORMED FASTENERS [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-17 | FASTENER TEST METHODS METHOD 17 STRESS RELAXATION [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-18 | FASTENER TEST METHODS METHOD 18 ELEVATED TEMPERATURE TENSILE STRENGTH [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-19 | FASTENER TEST METHODS METHOD 19 FASTENER SEALING [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-20 | FASTENER TEST METHODS METHOD 20 SINGLE SHEAR [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-21 | FASTENER TEST METHODS METHOD 21 SHEAR JOINT FATIGUE CONSTANT AMPLITUDE [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-22 | FASTENER TEST METHODS METHOD 22 RECEPTACLE PUSH-OUT, PANEL FASTENERS [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-23 | FASTENER TEST METHODS METHOD 23 TENSILE STRENGTH OF PANEL FASTENERS [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-24 | FASTENER TEST METHODS METHOD 24 RECEPTACLE TORQUE-OUT, PANEL FASTENERS [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-25 | FASTENER TEST METHODS METHOD 25 DRIVING RECESS TORQUE QUALITY CONFORMANCE TEST [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-26 | FASTENER TEST METHODS METHOD 26 STRUCTURAL PANEL FASTENER LAP JOINT SHEAR [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-27 | FASTENER TEST METHODS METHOD 27, PANEL FASTENER SHEET PULL-UP [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-28 | FASTENER TEST METHODS METHOD 28, ELEVATED TEMPERATURE DOUBLE SHEAR [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-29 | FASTENER TEST METHODS METHOD 29 MEASUREMENT TECHNIQUES FOR DETERMINING SHANK EXPANDING CHARACTERISTICS OF DEFORMABLE FASTENERS [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-30 | FASTENER TEST METHODS METHOD 30, SHEET PULL-UP OF BLIND FASTENERS [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| A | NASM1312-31 | FASTENER TEST METHODS METHOD 31, TORQUE [CUST: AV AS 11] [REVIEW: AR IS SH] | A 53GP | AS | | AUG-97 |
| N | NASM3036 | GROMMETS, RUBBER, HOT-OIL AND COOLANT RESISTANT [CUST: AR OS 99 IS] | A 5325 | IS | | MAR-98 |
| N | NASM14198 | LOCK, ROD END, EXTRA STRENGTH, HIGH PROFILE LUG [CUST: AV AS IS] | A 5340 | IS | | APR-98 |
| N | NASM16218 | SCREWS, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, COPPER-SILICON ALLOY, UNC-2A, NONMAGNETIC [CUST: SH IS] | A 5305 | IS | | APR-98 |
| A | NASM16491 | GROMMET, METALLIC, GENERAL SPECIFICATION FOR [CUST: AR YD1 99 IS] | A 5325 | IS | | DEC-97 |
| M | NASM16995 | SCREW, CAP, SOCKET HEAD-HEXAGON, CORROSION RESISTANT STEEL, UNC-3A [CUST: AR OS 82 IS] | A 5305 | IS | | APR-98 |
| N | NASM16996 | SCREW, CAP, SOCKET HEAD-HEXAGON, CORROSION RESISTANT STEEL, UNF-3A [CUST: AR OS 99 IS] | A 5305 | IS | | APR-98 |
| A | NASM17731 | FASTENER, ROTARY, QUICK - OPERATING, FLUSH HEAD, FLOATING TYPE, 2210 LBS MIN TENSILE STRENGTH [CUST: AV AS 11 IS] | A 5325 | IS | | DEC-97 |
| A | NASM17732 | FASTENER, ROTARY, QUICK - OPERATING, PROTRUDING HEAD FLOATING TYPE, 2210 LBS MIN TENSILE STRENGTH [CUST: AV AS 11 IS] | A 5325 | IS | | 31-DEC-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Asa | MCA Prep. Acty. | Date |
|------------------------|---|----------------------|-----------------|-----------|
| N NASM18063 | SETSCREW, HEXAGON SOCKET, CUP POINT, 250 DEG. F SELF LOCKING ELEMENT, ALLOY STEEL, CADMIUM PLATED [CUST: AR AS 99 IS] | A 5305 | IS | APR-98 |
| N NASM18064 | SETSCREW, HEXAGON SOCKET, CUP POINT, 250 DEG. F, SELF LOCKING ELEMENT, CORROSION RESISTING STEEL, PASSIVATED [CUST: AR AS 99 IS] | A 5305 | IS | APR-98 |
| N NASM20995 | WIRE, SAFETY OR LOCK [CUST: AV AS IS] | A 9505 | IS | APR-98 |
| N NASM21093 | SCREW, SELF-LOCKING, 250 DEG. F, STEEL, 55 KSI FTU, 100 DEG FLAT HEAD, CROSS RECESSED [CUST: AV AS 99 IS] | A 5305 | IS | APR-98 |
| N NASM21209 | INSERT, SCREW THREAD, COARSE AND FINE, SCREW LOCKING, HELICAL COIL, CRES [CUST: AV 11 IS] | A 5325 | IS | APR-98 |
| N NASM21323 | STUD - STYLE I SNAPSLIDE FASTENER [CUST: AR AS 99 IS] | A 5325 | IS | MAR-98 |
| A NASM21327 | FASTENER INSTALLATION - SNAPSLIDE [CUST: GL AS 99 IS] | A 5325 | IS | AUG-97 |
| A NASM21332 | FASTENER-SNAPSLIDE [CUST: GL AS 99 IS] | A 5325 | IS | AUG-97 |
| N NASM24374 | CASTERS, RIGID AND SWIVEL - PRECISION SPRING MOUNTED [CUST: CR4 YD1 99 IS] | A 5340 | IS | APR-98 |
| N NASM24625 | SCREW, TAPPING-THREAD CUTTING, TYPE BF OR BT, PAN HEAD, CROSS-RECESSED, CARBON STEEL [CUST: AR 99 IS] | A 5305 | IS | APR-98 |
| N NASM24629 | SCREW, TAPPING-THREAD CUTTING, TYPES D,F,G, OR T, PAN HEAD, CROSS RECESSED, STEEL CARBON CADMIUM PLATED [CUST: AR 99 IS] | A 5305 | IS | APR-98 |
| N NASM24630 | SCREW, TAPPING-THREAD CUTTING TYPES D,F,G, OR T, PAN HEAD, CROSS RECESSED, CORROSION RESISTING STEEL [CUST: AR 99 IS] | A 5305 | IS | APR-98 |
| N NASM24634 | SCREW, TAPPING, THREAD CUTTING-TYPES D,F,G, AND T, APPROXIMATE HOLE SIZES FOR [CUST: AR 82 IS] | A 5305 | IS | APR-98 |
| N NASM24667 | SCREW, CAP, SOCKET HEAD, FLAT COUNTERSUNK, 82 DEG., ALLOY STEEL, UNC-3A [CUST: AR SH 99 IS] | A 5305 | IS | APR-98 |
| N NASM24671 | SCREW, CAP, SOCKET-HEAD-FLAT COUNTERSUNK, 82 DEG, CORROSION-RESISTING STEEL, UNC-3A [CUST: AR SH 99 IS] | A 5305 | IS | APR-98 |
| A NASM25420 | FASTENERS, STRAIGHT, HEADED, SWAGED COLLAR LIMITATIONS FOR USE OF [CUST: GL AS 99 IS] | A 5325 | IS | DEC-97 |
| N NASM27980 | FASTENERS, SNAP, STYLE 2 (REGULAR WIRE SPRING CLAMP TYPE) [CUST: AS 99 IS] | A 5325 | IS | APR-98 |
| A NASM27981 | FASTENERS, SNAP, STYLE 2A (SMALL WIRE SPRING CLAMP TYPE) [CUST: AS 99 IS] | A 5325 | IS | AUG-97 |
| N NASM27983 | FASTENERS, SNAP, STYLE 4 (THREE WAY LOCKING TYPE) [CUST: AS 82 IS] | A 5325 | IS | MAR-98 |
| N NASM28042 | CLAMP, INSTRUMENT MOUNTING, AIRCRAFT [CUST: AV AS 99 IS] | A 5340 | IS | APR-98 |
| A NASM122116THRU122155 | INSERT, CRÈS HELICAL COIL COARSE THREAD 1-1/2 DIA NOMINAL LENGTH [CUST: AV AS 11 IS] | A 5325 | IS | MAR-98 |
| NAAMM-A202.1-81 | GRATING, METAL BAR MANUAL, STANDARD SPECIFICATION FOR - 14 AUG 81 [CUST: CR4 YD1 99] [REVIEW: 82 84 CC CE] | A 5670 | YD1 | 10-MAR-89 |
| NACM5179-79 | TIRE CHAIN SPECIFICATIONS - 1 MAY 79 [CUST: AT YD1] | A 2540 | AT | 30-MAR-90 |
| NAPHCC-NSPC-90 | PLUMBING CODE - ILLUSTRATED [CUST: YD1 99] [REVIEW: CE MC] | A FACR | YD1 | JUL-90 |
| NEMA201-70R76 | SUBSTATIONS, PRIMARY UNIT, STANDARD FOR - 1970 [CUST: CR4 YD1 99] [REVIEW: 80 GS SH] | A 6120 | YD1 | 27-JUN-86 |
| NEMA210-70R82 | SUBSTATION, SECONDARY UNIT - 1982 [CUST: CR4 YD1 99] [REVIEW: 80 GS SH] | A 6120 | YD1 | 24-DEC-85 |
| NEMA250-85 | ENCLOSURES, EQUIPMENT, ELECTRICAL (1000 VOLTS MAXIMUM), STANDARD FOR - 1985 [CUST: CR4 YD1 99] [REVIEW: 82 CC CE GS SH] | A 6110 | YD1 | 23-OCT-87 |
| NEMA-AB1-75R81 | CIRCUIT BREAKER, MOLDED CASE, STANDARD FOR - 1975 (REAPPROVED 81) [CUST: CR YD1 85] [REVIEW: 99 CC SH] | A 5925 | YD1 | 12-JAN-86 |
| NEMA-BU1-88 NOT 1 | BUSWAYS [CUST: YD1] | A 5975 | YD1 | 19-APR-93 |
| NEMA-DC3-89 NOT 1 | RESIDENTIAL CONTROLS - ELECTRICAL WALL-MOUNTED ROOM THERMOSTATS [CUST: YD1] | A 4540 | YD1 | 11-OCT-91 |
| NEMA-EW1-88 | WELDING, ELECTRIC ARC, POWER SOURCES - 1988 [CUST: AL SH 99] [REVIEW: 84] | A 3431 | GS | 26-OCT-89 |
| NEMA-EW6-83 | GUIDELINES FOR PRECAUTIONARY LABEL FOR ARC-WELDING AND CUTTING PRODUCTS - 1983 [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | 28-FEB-89 |
| NEMA-FB1-88 NOT 1 | FITTINGS, CAST METAL BOXES, AND CONDUIT BODIES FOR CONDUIT AND CABLE ASSEMBLIES [CUST: YD1] | A 5975 | YD1 | 1988 |
| NEMA-FU1-86 | FUSES, LOW VOLTAGE, CARTRIDGE [CUST: CR YD1 85] | A 5920 | YD1 | 1986 |
| NEMA-ICS1-88 | INDUSTRIAL CONTROL & SYSTEMS, GENERAL STANDARDS FOR - 1988 [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | 30-MAY-90 |
| NEMA-ICS2-78 | INDUSTRIAL CONTROL DEVICES, CONTROLLERS & ASSEMBLIES - 1988 [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | 30-MAY-90 |
| NEMA-ICS3-88 | INDUSTRIAL SYSTEMS - 1988 [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | 30-MAY-90 |
| NEMA-ICS6-88 | ENCLOSURES FOR INDUSTRIAL CONTROLS AND SYSTEMS - 1988 [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | 30-MAY-90 |
| NEMA-KS1-90 NOT 1 | ENCLOSED SWITCHES [CUST: CR4 YD1 85] [REVIEW: CE MC] | A 5930 | YD1 | 02-DEC-91 |
| NEMA-LA1-76R80 | ARRESTER, SURGE - M1981 [CUST: YD1] [REVIEW: 99 CR4] | A 5920 | YD1 | 24-MAY-82 |
| NEMA-LD3-85 NOT 2 | LAMINATES, HIGH-PRESSURE, DECORATIVE [CUST: MR YD1 99] [REVIEW: 84 GS SH] | A 9330 | YD1 | 14-NOV-85 |
| NEMA-LD3.1-91 | LAMINATES, HIGH-PRESSURE, PERFORMANCE, APPLICATION, FABRICATION, AND INSTALLATION OF [CUST: MR YD1 99] | A 9330 | YD1 | 16-AUG-91 |
| NEMA-LI1-89 | INDUSTRIAL LAMINATED THERMOSETTING PRODUCTS [CUST: MR YD1 99] | A 9330 | YD1 | 1989 |
| NEMA-MG1-93 | MOTORS AND GENERATORS [CUST: AL YD1 99] [REVIEW: 84 GS] | A 34GP | YD1 | 1993 |
| NEMA-MG7-87 | MOTORS, CONTROL, MOTION/POSITION AND CONTROLS - 1987 [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | 28-FEB-89 |
| NEMA-MG10-83R88 | ENERGY MANAGEMENT GUIDE FOR SELECTION AND USE OF POLYPHASE MOTORS [CUST: CR4 YD1 99] | A 6105 | YD1 | 1983 |
| NEMA-MG11-77R87 | GUIDE, ENERGY MANAGEMENT FOR SELECTION AND USE OF SINGLE-PHASE MOTORS [CUST: CR4 YD1 99] | A 6105 | YD1 | 1987 |
| NEMA-MW1000-94 | MAGNET WIRE [CUST: CR SH 85] | A 6145 | SH | AUG-94 |
| NEMA-OS1-89 NOT 1 | SHEET-STEEL OUTLET BOXES, DEVICE BOXES, COVERS, AND BOX SUPPORTS [CUST: YD1] | A 5975 | YD1 | 24-SEP-91 |
| NEMA-PB1-90 | PANELBOARDS [CUST: GL YD1 99] | A 6110 | YD1 | 1990 |
| NEMA-PB2-84 | SWITCHBOARD, DEADFRONT DISTRIBUTION - 1984 [CUST: YD1] [REVIEW: SH] | A 6110 | YD1 | 1984 |
| NEMA-PB2.1-91 | SWITCHBOARDS RATED 600 VOLTS OR LESS, DEADFRONT DISTRIBUTION, PROPER HANDLING, INSTALLATION, OPERATION, AND MAINTENANCE OF [CUST: CR4 YD1 99] | A 6110 | YD1 | 28-AUG-91 |
| NEMA-RN1-89 NOT 1 | STEEL CONDUIT AND INTERMEDIATE METAL CONDUIT GALVANIZED RIGID POLYVINYL-CHLORIDE (PVC) EXTERNALLY COATED [CUST: YD1] | A 5975 | YD1 | 19-APR-93 |
| NEMA-SG2-81 | FUSE, HIGH VOLTAGE, STANDARD FOR - 1981 [CUST: CR4 YD1] [REVIEW: GS SH] | A 6110 | YD1 | 20-OCT-85 |
| NEMA-SG3-81 | CIRCUIT BREAKER, LOW VOLTAGE POWER - 1981 [CUST: CR4 YD1] [REVIEW: GS SH] | A 6110 | YD1 | 1981 |
| NEMA-SM23-79 | TURBINE, STEAM, MECHANICAL DRIVE, COMMERCIAL - 3 DEC 1979 [CUST: YD1] | A 2825 | YD1 | 30-DEC-80 |
| NEMA-ST1-88 | TRANSFORMERS, SPECIALTY, (EXCEPT GENERAL-PURPOSE TYPE) [CUST: CR YD1 85] | A 5950 | CC | 1988 |
| NEMA-ST20-92 | TRANSFORMERS, DRY-TYPE FOR GENERAL APPLICATIONS [CUST: CR YD1 85] | A 5950 | YD1 | JAN-92 |
| NEMA-TC2-90 | TUBING (EPT) & CONDUIT (EPC-40 & EPC-80), ELECTRICAL PLASTIC - 17 JUL 1990 [CUST: YD1 85] [REVIEW: 99 GS] | A 5975 | YD1 | 27-AUG-91 |
| NEMA-TC3-90 | FITTINGS, PVC FOR USE WITH RIGID PVC CONDUIT & TUBING - 5 OCT 1990 [CUST: YD1 85] [REVIEW: 99 GS] | A 5975 | YD1 | 28-JUN-91 |
| NEMA-TC6-90 NOT 1 | PVC AND ABS PLASTIC UTILITIES DUCT FOR UNDERGROUND INSTALLATION [CUST: CR YD1 85] [REVIEW: 99 GS] | A 5975 | YD1 | 31-OCT-91 |
| NEMA-TC9-90 | FITTINGS FOR ABS AND PVC PLASTIC UTILITIES DUCT FOR UNDERGROUND INSTALLATION - 17 JUL 1990 [CUST: CR YD1 85] [REVIEW: 99 AR CR4 GS] | A 5975 | YD1 | 28-JUN-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------|---|--------------------------|-----|-------------|------|
| NEMA-TC13-86 NOT 1 | ELECTRICAL NONMETALLIC TUBING (ENT) [CUST: YD1] | A 5975 | YD1 | 19-APR-93 | |
| NEMA-TC14-84R86 NOT 1 | FITTINGS AND FILAMENT-WOUND REINFORCED THERMOSETTING RESING CONDUIT [CUST: YD1] | A 5975 | YD1 | 19-APR-93 | |
| NEMA-TR1-80 | TRASFORMER, REGULATORS & REACTORS, STANDARD FOR - 1980 [CUST: CR4 YD1 99] [REVIEW: 80 GS SH] | A 6120 | YD1 | 10-JUL-86 | |
| NEMA-VE1-91 NOT 1 | CABLE TRAY SYSTEMS, METALLIC [CUST: YD1] | A 5975 | YD1 | 19-APR-93 | |
| NEMA-WC3-92 | RUBBER-INSULATED WIRE AND CABLE FOR THE TRANSMISSION AND DISTRIBUTION OF ELECTRICAL ENERGY [CUST: AL YD1 85 IS] | A 6145 | AL | FEB 94 | |
| NEMA-WC5-73R87 | WIRE & CABLE FOR THERMOPLASTIC-INSULATED FOR THE TRANSMISSION & DISTRIBUTION OF ELECTRICAL ENERGY (REV 13 JUL 87) [CUST: CR YD1 85] [REVIEW: 99 CR IS SH] | A 6145 | YD1 | JUL-87 | |
| NEMA-WC7-71 NOT 2 | WIRES AND CABLE, CROSS LINKED THERMOSETTING POLYETHYLENE INSULATED WIRE AND CABLE [CUST: CR 85] | A 6145 | IS | 13-AUG-93 | |
| NEMA-WC8-76R87 | WIRE & CABLE, FOR TRANSMISSION & DISTRIBUTION OF ELECTRICAL ENERGY, ETHYLENE-PROPYLENE-RUBBER-INSULATED STANDARD FOR THRU JUL 87 (REVISION 10) (REAPPROVED 1987) [CUST: CR YD1 85] [REVIEW: 99 IS SH] | A 6145 | YD1 | 05-JUN-89 | |
| NEMA-WC26-90 | WIRE AND CABLE PACKAGING [CUST: CR YD1 85] | A 6145 | YD1 | 25-AUG-93 | |
| A NEMA-WC63.1-96 | PERFORMANCE STANDARD FOR TWISTED PAIR PREMISE VOICE AND DATA COMMUNICATIONS CABLES [CUST: CC] | A 6145 | CC | 15-NOV-96 | |
| A NEMA-WC63.2-96 | PERFORMANCE STANDARD FOR COAXIAL PREMISE DATA COMMUNICATIONS CABLE [CUST: CC] | A 6145 | CC | 15-NOV-96 | |
| NEMA-WD1-83R89 NOT 1 | WIRING DEVICES, GENERAL REQUIREMENTS FOR [CUST: YD1] | A 5935 | YD1 | 24-JAN-92 | |
| NEMA-WD6-88 NOT 1 | WIRING DEVICES - DIMENSIONAL REQUIREMENTS [CUST: YD1] | A 5935 | YD1 | 24-JAN-92 | |
| NFPA10-94 | FIRE EXTINGUISHERS, PORTABLE [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 4210 | YD1 | 05-AUG-94 | |
| NFPA11-88 | SYSTEM, COMBINED AGENT & LOW EXPANSION FOAM, STANDARD FOR 22 DEC 87 [CUST: YD1 99] [REVIEW: CE CR4 MC] | A 4210 | YD1 | 24-MAR-89 | |
| NFPA12-85 | SYSTEM, CARBON DIOXIDE EXTINGUISHING, STANDARD ON 27 DEC 84 [CUST: YD1 99] [REVIEW: CE CR4 MC] | A 4210 | YD1 | 24-MAR-89 | |
| NFPA13-87 | SYSTEM, SPRINKLER INSTALLATION OF THE, STANDARD FOR 12 FEB 87 [CUST: YD1] [REVIEW: CE CR4] | A 4210 | YD1 | 24-MAR-89 | |
| NFPA14-86 | SYSTEM, STANDPIPE & HOSE INSTALLATION OF THE, STANDADR FOR 30 DEC 85 [CUST: YD1 99] [REVIEW: CE CR4 MC] | A 4210 | YD1 | 24-MAR-89 | |
| NFPA15-85 | SYSTEM, FIXED WATER SPRAY FOR FIRE PROTECTION STANDARD FOR 27 DEC 1984 [CUST: YD1 99] [REVIEW: CE CR4 MC] | A 4210 | YD1 | 24-MAR-89 | |
| NFPA16-86 | SYSTEM, SPRAY DELUGE FOAM-WATER SPRINKLER &FOAM-WATER, STANDARD ON 1 JUL 86[CUST: YD1] [REVIEW: CE CR4 MC] | A 4210 | YD1 | 24-MAR-89 | |
| NFPA17-85 | SYSTEM, DRY CHEMICAL EXTINGUISHING, STANDARD ON 27 DEC 84 [CUST: YD1] [REVIEW: CE CR4 MC] | A 4210 | YD1 | 24-MAR-89 | |
| NFPA17A-94 | CHEMICAL, WET, EXTINGUISHING SYSTEMS [CUST: CR4 YD1 99] | A 4210 | YD1 | 05-AUG-94 | |
| NFPA20-90 NOT 1 | THE INSTALLATION OF CENTRIFUGAL FIRE PUMPS, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: CC] | A 4210 | YD1 | 26-OCT-92 | |
| NFPA24-92 | FIRE SERVICE, PRIVATE, MAINS AND THEIR APPURTENANCES [CUST: CE YD1 04] | A FACR | YD1 | 10-FEB-90 | |
| NFPA30A-93 | AUTOMOBILE AND MARINE SERVICE STATION CODE [CUST: CE YD1 04] | A FACR | YD1 | 20-AUG-94 | |
| NFPA30-90 NOT 1 | FLAMMABLE AND COMBUSTIBLE LIQUIDS CODE [CUST: YD1] | A FACR | YD1 | 08-MAR-93 | |
| NFPA31-87 | EQUIPMENT, OIL BURNING, THE INSTALLATION OF - 10 DEC 86 [CUST: CR4 YD1] [REVIEW: CE MC] | A 4530 | YD1 | 26-JUL-89 | |
| NFPA32-90 | PLANTS, DRYCLEANING [CUST: GL YD1 04] | A FACR | GL | 05-FEB-90 | |
| NFPA37-90 NOT 1 | STATIONARY COMBUSTION ENGINES AND GAS TURBINES [CUST: YD1] | A 2835 | YD1 | 08-MAR-93 | |
| NFPA50-90 | SYSTEMS, BULK OXYGEN, AT CONSUMER SITES [CUST: CE YD1 04] | A FACR | YD1 | 05-FEB-90 | |
| NFPA54-88 | CODE, NATIONAL FUEL GAS - FOURTH EDITION - 22 AUG 88 [CUST: CR YD1 85] [REVIEW: 99 CE IS MC] | A 4530 | YD1 | 27-JUN-89 | |
| NFPA58-89 | GASES, LIQUEFIED PETROLEUM, STANDARD FOR THE STORAGE AND HANDLING OF - 1989 EDITION - 06 FEB 89 [CUST: YD1] [REVIEW: CE MC] | A 4540 | YD1 | 17-JUL-89 | |
| NFPA70-96 | NATIONAL ELECTRICAL CODE 1996 [CUST: AL SH 99 GS] [REVIEW: 84] | A 34GP | GS | 1996 | |
| NFPA70B-94 | EQUIPMENT, ELECTRICAL, MAINTENANCE [CUST: CR YD1 85] | A 59GP | YD1 | 05-AUG-94 | |
| NFPA72E-90 NOT 1 | FIRE DETECTORS, AUTOMATIC, STANDARD ON [CUST: YD1] | A 6350 | YD1 | 10-APR-92 | |
| NFPA79-87 | MACHINERY, INDUSTRIAL, ELECTRICAL STANDARD FOR - 10 JUN 87 [CUST: CE SH 99] [REVIEW: 84] | A 34GP | GS | 30-DEC-88 | |
| NFPA80-86 | FIRE DOORS AND WINDOWS - 1 JUL 1986 [CUST: YD1] [REVIEW: 84] | A 5680 | YD1 | 28-SEP-89 | |
| NFPA82-90 NOT 1 | INCINERATORS, WASTE AND LINEN HANDLING SYSTEMS AND EQUIPMENT [CUST: YD1] | A 4540 | YD1 | 05-FEB-90 | |
| NFPA85A-87 | FURNACE EXPLOSIONS IN FUEL OIL - & NATURAL GAS-FIRED SINGLE BURNER BOILER-FURNACES, STANDARD FOR THE PREVENTION OF - 30 JUNE 1987 [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 4410 | YD1 | 31-JUL-89 | |
| NFPA85B-89 | FURNACE EXPLOSIONS IN NATURAL GAS- FIRED MULTIPLE BURNER BOILER- FURNACES, PREVENTION OF - 7 AUG. 1989 [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 4430 | YD1 | 10-AUG-90 | |
| NFPA85E-85 | FURNACE, EXPLOSIONS, IN PULVERIZED COAL-FIRED MULTIPLE BURNER BOILER-FURNACES, PREVENTION OF 06 JUN 85 [CUST: YD1] [REVIEW: 84 CE MC] | A 4430 | YD1 | 27-JUN-89 | |
| NFPA85D | FURNACE EXPLOSIONS IN FUEL OIL- FIRED MULTIPLE BURNER BOILER- FURNACES, PREVENTION OF - 7 AUG. 1989 [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 4430 | YD1 | 10-AUG-90 | |
| NFPA86-85 | FURNACES, OVENS, STANDARD FOR - 07 DEC 84 [CUST: YD1] [REVIEW: 84 CE MC] | A 4430 | YD1 | 29-JUN-89 | |
| NFPA86D-79 | FURNACE, INDUSTRIAL, USING VACUUM AS AN ATMOSPHERE - 1979 [CUST: AL SH 99] | A 35GP | GS | 26-NOV-79 | |
| NFPA90B-93 | AIR HEATING AND AIR CONDITIONING SYSTEMS, WARM [CUST: CR4 YD1 99] | A 4120 | YD1 | 12-FEB-93 | |
| NFPA90A-93 | AIR CONDITIONING AND VENTILATING SYSTEMS [CUST: CR4 YD1 99] | A 4120 | YD1 | 12-FEB-93 | |
| NFPA91-92 | AIR CONVEYING OF MATERIALS, EXHAUST SYSTEMS FOR [CUST: GL YD1 99] | A 4140 | YD1 | 10-FEB-92 | |
| NFPA96 NOT 1 | VAPOR REMOVAL FROM COOKING EQUIPMENT [CUST: YD1] | A 4140 | YD1 | 30-SEP-91 | |
| NFPA99-93 | FACILITIES, HEALTH CARE [CUST: CR4 YD1 04] | A FACR | MB | 12-FEB-93 | |
| NFPA101-94 | LIFE SAFETY CODE [CUST: MI YD1 90] | A SAFT | YD1 | 11-FEB-94 | |
| NFPA102-92 | SEATING, ASSEMBLY, TENTS, AND MEMBRANE STRUCTURES [CUST: GL YD1 99] | A 8340 | YD1 | 10-FEB-92 | |
| NFPA211-92 | CHIMNEYS, FIREPLACES, VENTS, AND SOLID FUEL BURNING APPLIANCES [CUST: CR4 YD1 99] | A 4530 | YD1 | 14-AUG-92 | |
| NFPA214-88 | WATER-COOLING TOWERS - 2 DEC 1987 [CUST: YD1] | A 4140 | YD1 | 13-SEP-91 | |
| NFPA252-90 | FIRE TESTS OF DOOR ASSEMBLIES [CUST: CR4 YD1 99] [REVIEW: 84] | A 5670 | YD1 | 17-AUG-90 | |
| NFPA255-90 | SURFACE BURNING CHARACTERISTICS OF BUILDING MATERIALS [CUST: CR YD1 99] [REVIEW: 84 EC] | A 56GP | YD1 | 17-AUG-90 | |
| NFPA261-94 | TEST FOR DETERMINING RESISTANCE OF MOCK-UP UPHOLSTERED FURNITURE MATERIAL ASSEMBLIES TO IGNITION BY SMOLDERING CIGARETTES [CUST: GL YD1 11] | A 7105 | YD1 | 11-FEB-94 | |
| NFPA325A-70 | FIRE PROTECTION GUIDE ON HAZARDOUS MATERIALS (NFPA-325A-68, 325-M-69, 49-69, 491M-68, 704M-69) - 69 [CUST: AR SA 69] | A MISC | SA | 15-MAY-70 | |
| NFPA385-90 | TANK VEHICLES FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS [CUST: AT YD1 99] [REVIEW: 84] | A 2320 | YD1 | 05-FEB-90 | |
| NFPA407-90 | AIRCRAFT FUEL SERVICING [CUST: CR4 YD1 99] [REVIEW: AS CE] | A 4930 | YD1 | 17-AUG-90 | |
| NFPA409-90 | AIRCRAFT HANGARS [CUST: CE YD1 04] | A FACR | YD1 | 17-AUG-90 | |
| NFPA412-87 NOT 1 | EVALUATING AIRCRAFT RESCUE AND FIRE FIGHTING FOAM EQUIPMENT [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 4210 | YD1 | 05-MAR-93 | |
| NFPA414-90 | AIRCRAFT RESCUE AND FIRE FIGHTING VEHICLES [CUST: CR4 YD1 84] | A 4210 | YD1 | 17-AUG-90 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------|---|--------------------------|-----|-------------|------|
| | NFPA701-89 | TEXTILES AND FILMS, FLAME RESISTANT [CUST: GL YD1 99] | A 8305 | YD1 | 07-AUG-89 | |
| | NFPA780-92 | LIGHTNING PROTECTION CODE [CUST: CR YD1 19] | A 62GP | YD1 | 14-AUG-92 | |
| | NFPA1221-94 | FIRE SERVICE COMMUNICATION SYSTEMS, PUBLIC, INSTALLATION, MAINTENANCE, AND USE OF [CUST: CE YD1 04] | A FACR | YD1 | 05-AUG-94 | |
| | NFPA1500-92 | FIRE DEPARTMENT OCCUPATIONAL SAFETY AND HEALTH PROGRAM [CUST: MI AS 84] | A SAFT | 84 | 14-AUG-92 | |
| | NFPA1901-91 NOT 1 | PUMPER FIRE APPARATUS [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 4210 | YD1 | 05-MAR-93 | |
| | NFPA1902-91 NOT 1 | FIRE APPARATUS, INITIAL ATTACK [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 4210 | YD1 | 08-FEB-91 | |
| | NFPA1903-91 | WATER SUPPLY, MOBILE, FIRE APPARATUS [CUST: CR4 YD1 84] | A 4210 | YD1 | 08-FEB-91 | |
| | NFPA1904-91 | LADDER, AERIAL, AND ELEVATING PLATFORM FIRE APPARATUS [CUST: CR4 YD1 84] | A 4210 | YD1 | 08-FEB-91 | |
| | NFPA1914-91 | TESTING FIRE DEPARTMENT AERIAL DEVICES [CUST: CR4 YD1 99] [REVIEW: 84] | A 4940 | YD1 | 16-AUG-91 | |
| | NFPA1931-94 | FIRE DEPARTMENT GROUND LADDERS, DESIGN OF AND DESIGN VERIFICATION TESTS FOR [CUST: CR4 YD1 84] | A 4210 | CR4 | 05-AUG-94 | |
| | NFPA1931.1-89 NOT 1 | DESIGN OF AND DESIGN VERIFICATION TESTS FOR FIRE DEPARTMENT GROUND LADDERS [CUST: AV YD1 84] [REVIEW: 99 CC CE MC] | A 4210 | AV | 21-FEB-92 | |
| | NFPA1961-87 | FIRE HOSE - 12 FEB 1987 [CUST: AT YD1 99] [REVIEW: 84 CG MC] | A 4210 | YD1 | 05-JUL-91 | |
| | NFPA1963-85 NOT 1 | SCREW THREADS AND GASKETS FOR FIRE HOSE CONNECTIONS [CUST: AR AS 99 IS] [REVIEW: 82 84 AT CC SH YD3] | A THDS | IS | 21-JUN-93 | |
| | NFPA-B93.30M-80 | FLUID POWER, HYDRAULIC-CONTAMINATION ANALYSIS DATA-REPORTING METHOD [CUST: CR4 AS 68] | A 9150 | CR4 | 30-JUN-80 | |
| | NFPA-T2.6.1 NOT 1 | METHOD FOR VERIFYING THE FATIGUE AND ESTABLISHING THE BURST PRESSURE RATINGS OF THE PRESSURE CONTAINING ENVELOPE OF A METAL FLUID POWER COMPONENT [CUST: CR4 SH 99] [REVIEW: CC OS YD1] | A RELI | SH | 04-NOV-92 | |
| A | NFPA-T2.7.2 | HYDRAULIC FLUID POWER - PUMPS - DETERMINATION OF FLUID PRESSURE FLUCTUATION CHARACTERISTICS [CUST: MR SH 99] [REVIEW: 10 AS CG MC OS] | A NDTI | SH | 12-SEP-95 | |
| | NFPA-T2.9.16 | INFORMATION REPORT HYDRAULIC POWER - DETERMINATION OF PARTICULATE CONTAMINANT LEVEL USING AUTOMATIC OPTICAL PARTICLE COUNTERS [CUST: SH 99] [REVIEW: 71 82] | A 6695 | SH | 06-DEC-95 | |
| | NFPA-T2.12.1-93 | FLUID POWER, HYDRAULIC - SYSTEMS AND PRODUCTS - METHOD OF MEASURING AVERAGE STEADY - STATE PRESSURE [CUST: MR SH 99] [REVIEW: CC] | A NDTI | SH | 29-MAR-93 | |
| | NFPA-T2.12.10-93 | HYDRAULIC FLUID POWER - SYSTEMS AND PRODUCTS - TESTING GENERAL MEASUREMENT, PRINCIPLES AND TECHNIQUES - RECOMMENDED PRACTICE [CUST: MR SH 99] [REVIEW: CC] | A NDTI | SH | 22-MAR-93 | |
| | NFPA-T2.13.4-94 | FLUIDS, HYDRAULIC, INFORMATION REPORT-RECOMMENDATIONS FOR CONSERVATION, MAINTENANCE, AND DISPOSAL OF [CUST: CR4 SH 99] [REVIEW: CC MC] | A 4330 | SH | 30-AUG-94 | |
| | NFPA-T2.24.1-90 | HYDRAULIC FLUID POWER-SYSTEMS STANDARD FOR STATIONARY INDUSTRIAL MACHINERY - 10 MAY 90 [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | 26-JUL-90 | |
| | NFPA-T3.9.18 NOT 1 | METHOD OF ESTABLISHING THE FLOW DEGRADATION OF FIXED DISPLACEMENT HYDRAULIC FLUID POWER PUMPS WHEN EXPOSED TO PARTICULATE CONTAMINANT [CUST: CR4 SH 99] [REVIEW: CC OS YD1] | A 4320 | SH | 04-NOV-92 | |
| | NFPA-NDSWCS-86 | WOOD CONSTRUCTION, SUPPLEMENT DESIGN VALUES, NATIONAL DESIGN SPECIFICATION FOR - JAN 86 [CUST: YD1] [REVIEW: 84 CC CE MC SH] | A 5510 | YD1 | 11-JUL-88 | |
| | NHLA-RB-86 | RULES FOR THE MEASUREMENT & INSPECTION OF HARDWOOD & CYPRESS - 1 JAN 86 [CUST: CR4 SH 99] [REVIEW: 84 CE YD1] | A 5510 | IS | 31-MAR-88 | |
| | NMA-MS1-71 | QUALITY STANDARDS FOR COMPUTER OUTPUT MICROFILM - 71 [CUST: CR AS 16] [REVIEW: AR CR4 MC MI OS SA SH] | A EDRS | 16 | 30-APR-75 | |
| | NMA-MS104-72 | INSPECTION & QUALITY CONTROL OF FIRST GENERATION SILVER HALIDE MICROFILM - 1972 [CUST: CR AS 16] | A EDRS | 16 | 30-APR-75 | |
| | NSF1-84 | SODA FOUNTAIN AND LUNCHEONETTE EQUIPMENT - JUNE 1984 [CUST: GL YD1 99] [REVIEW: 84 GS MD] | A 73GP | GL | 19-FEB-85 | |
| | NSF2-82 | FOOD SERVICE EQUIPMENT - JUN 82 [CUST: GL YD1 99] [REVIEW: 84 GS MD] | A 73GP | GL | 19-FEB-85 | |
| | NSF3-82 | DISHWASHING MACHINE, COMMERCIAL SPRAY TYPE - JUN 82 [CUST: GL YD1 99] [REVIEW: CG GS MC MD MS SA] | A 7320 | YD1 | 16-AUG-85 | |
| | NSF4-75 | FOOD STORAGE EQUIPMENT, COOKING & HOT - JUN 75 [CUST: GL YD1 99] [REVIEW: 84 GS MD SA] | A 7310 | GL | 19-FEB-85 | |
| | NSF5-83 NOT 2 | HOT WATER GENERATING AND HEAT RECOVERY EQUIPMENT [CUST: GL YD1 99] [REVIEW: 84 CG GS MC MD MS SA] | A 7320 | YD1 | 27-NOV-91 | |
| | NSF6-82 | FREEZER, DISPENSING - NOV 82 [CUST: GL 99] [REVIEW: 82 GS MD] | A 4110 | GL | 19-FEB-85 | |
| | NSF7-83 | REFRIGERATORS AND STORAGE FREEZERS, FOOD SERVICE - NOVEMBER 1983 [CUST: GL YD1 99] [REVIEW: 82 GS MD] | A 4110 | GL | 19-FEB-85 | |
| | NSF8-80 | FOOD PREPARATION EQUIPMENT, COMMERCIAL POWERED - MAY 1980 [CUST: GL YD1 99] [REVIEW: 84 GS MD SA] | A 7320 | GL | 19-FEB-85 | |
| | NSF12-77 | ICE MAKING EQUIPMENT, AUTOMATIC - NOV 1977 [CUST: GL YD1 99] [REVIEW: 82 GS MD SA] | A 4110 | GL | 19-FEB-85 | |
| | NSF14-88 | PIPING, PLASTICS SYSTEM COMPONENTS AND RELATED MATERIALS STANDARD NUMBER 14 FOR - DEC 1988 [CUST: CR4 YD1] [REVIEW: CC SH] | A 4710 | YD1 | 26-JUL-90 | |
| | NSF18-81 | DISPENSING EQUIPMENT, MANUAL, FOOD & BEVERAGE - JUN 81 [CUST: GL YD1 99] [REVIEW: 84 GS MD SA] | A 73GP | GL | 19-FEB-85 | |
| | NSF20-85 NOT 1 | COMMERCIAL BULK MILK DISPENSING EQUIPMENT [CUST: GL YD1 99] [REVIEW: 84 CG GS MC MD MS SA] | A 7310 | YD1 | 27-NOV-91 | |
| | NSF26-80 | POT, PAN & UTENSIL WASHERS - DEC-80 [CUST: GL YD1 99] [REVIEW: 84 GS MD] | A 7320 | GL | 19-FEB-85 | |
| | NSF29-82 NOT 2 | DETERGENT/CHEMICAL FEEDERS FOR COMMERCIAL SPRAY-TYPE DISHWASHING MACHINES [CUST: GL YD1 99] [REVIEW: 84 CG GS MC MD MS SA] | A 7320 | YD1 | 27-NOV-91 | |
| | NSF30-73R92 | LABORATORY AND CABINETRY FURNITURE FOR HOSPITALS [CUST: GL YD1 99] | A 71GP | YD1 | MAR-73 | |
| | NSF35-79 | FOOD SERVICE EQUIPMENT, LAMINATED PLASTICS FOR - NOVEMBER 1979 [CUST: GL YD1 99] [REVIEW: 84 GS MD] | A 73GP | GL | 19-FEB-85 | |
| | NSF36-81 | DINNERWARE [CUST: GL YD1 99] [REVIEW: 84 GS MD] | A 7350 | GL | 19-FEB-85 | |
| | NSF37-70R92 | AIR CURTAINS FOR ENTRANCEWAYS IN FOOD SERVICE ESTABLISHMENTS [CUST: GL YD1 04] | A FACR | GL | JUL-70 | |
| | NSF51-78 | FOOD EQUIPMENT, PLASTIC MATERIALS AND COMPONENTS USED IN - MAY 1978 [CUST: GL YD1 99] [REVIEW: 84 GS MD] | A 73GP | GL | 19-FEB-85 | |
| | NSF60-87R88 | WATER DRINKING - TREATMENT CHEMICALS - HEALTH EFFECTS [CUST: EA SH 68 CT] | A 6810 | CT | DEC-87 | |
| | NSF61-90 | COMPONENTS, DRINKING WATER SYSTEM - HEALTH EFFECT - MAY 1990 [CUST: CE YD1] | A FACR | YD1 | 19-SEP-90 | |
| | NSF-C2-83 | FOOD SERVICE, SPECIAL EQUIPMENT AND/OR DEVICES - NOV 83 [CUST: GL YD1 99] [REVIEW: 84 GS MD] | A 73GP | GL | 19-FEB-85 | |
| | NWWDA-I.S.1-87 | DOORS, WOOD FLUSH, STANDARD FOR [CUST: YD1] [REVIEW: 99 CC CR4 SH] | A 5520 | YD1 | 1987 | |
| | NWWDA-I.S.2-93 | WOOD WINDOW UNITS [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 5520 | YD1 | 1993 | |
| | NWWDA-I.S.4-81 | MILLWORK, WATER-REPELLENT PRESERVATIVE TREATMENT FOR [CUST: CR4 99] [REVIEW: 84 CE SM YD1] | A 5520 | IS | JUL-81 | |
| | NWWDA-I.S.6-91 | WOOD STILE, AND RAIL DOORS [CUST: CR4 YD1 99] [REVIEW: 84] | A 5520 | YD1 | 1991 | |
| | NWWDA-TM5-90 | WOOD DOORS, THE SPLIT RESISTANCE OF STILE EDGES OF, TEST METHOD OF DETERMINE [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 5520 | YD1 | 15-APR-90 | |
| | NWWDA-TM6-88 | DOORS ADHESIVE BONDS ACCELERATED AGING CONDITIONS TEST METHODS FOR DETERMINING THE PERFORMANCE OF THE [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 5520 | YD1 | 1988 | |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|------|
| | | | | | | |
| | NWWDA-TM7-90 | WOOD DOORS & ASSOCIATED HARDWARE CONNECTIONS UNDER ACCELERATED OPERATING CONDITIONS, TEST METHOD TO DETERMINE THE PHYSICAL ENDURANCE OF [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 5520 | YD1 | 15-APR-90 | |
| | NWWDA-TM8-90 | WOOD DOOR STILES, HINGE LOADING RESISTANCE OF, TEST METHOD TO DETERMINE [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 5520 | YD1 | 15-APR-90 | |
| | NWWDA-TM9-88 | FINISHES WOOD DOOR TO DETERMINE THE PERFORMANCE OF [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 5520 | YD1 | 1988 | |
| | NWWDA-TM10-90 | SCREWHOLDING CAPACITY TEST [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 5520 | YD1 | 15-APR-90 | |
| | PDI-G101-81 NOT 1 | TESTING AND RATING PROCEDURES FOR GREASE INTECEPTOR WITH APPENDIX OF SIZING AND INSTALLATION DATA - 1 OCT 81 [CUST: CR4 YD1 99] [REVIEW: CE GS MC MS] | A 4510 | YD1 | 15-APR-88 | |
| | PDI-WH201-77 NOT 1 | HAMMER ARRESTER, WATER - SEP 77 [CUST: CR4 YD1 99] [REVIEW: CC] | A 4510 | YD1 | 18-APR-88 | |
| | PS2-92 | PANELS, WOOD-BASED STRUCTURAL-USE [CUST: 99 CC] [REVIEW: 84 AR AV EA GL MC SM YD1] | A 5530 | CC | 1992 | |
| D | PS20-94 | LUMBER STANDARD, AMERICAN SOFTWOOD [CUST: 99 IS] [REVIEW: 84 AS AV CE MC SH SM] | A 5510 | IS | MAR-94 | |
| | QIC-40-MCM | DISK-CONTROLLER-FLEXIBLE-COMPATIBLE RECORDING FORMAT FOR INFORMATION INTERCHANGE 0.250 IN. (6.35 MM) TAPE 20 TRACKS, DATA DENSITY: 10,000 BPI (394 BPMM) MFM ENCODED FORMATTED CAPACITY: 40 MBYTES (WITH DC2000 OR EQUIVALENT MINICARTRIDGE) [CUST: CC] | A 7045 | CC | 02-SEP-92 | |
| | QIC-80-MCL | DISK-FLEXIBLE-CONTROLLER-COMPATIBLE RECORDING FORMAT FOR INFORMATION INTERCHANGE 0.250 IN. (6.35MM) TAPE 28 TRACKS, DATA DENSITY: 14,700 BPI (579 BPMM) MFM ENCODED FORMATTED CAPACITY: 120 MBYTES (WITH DC2120 OR EQUIVALENT MINICARTRIDGE) 80 MBYTES (WITH DC2080 OR EQUIVALENT MINICARTRIG [CUST: CC] | A 8455 | CC | 02-SEP-92 | |
| | QIC-136F | CARTRIDGE FOR INFORMATION INTERCHANGE, UNRECORDED MAGNETIC TAPE, 025 INCH 6.35 MM) TAPE WIDTH 900 OERSTEDS (72000) AMPERES/METER) FOR 5.25-INCH FORM FACTOR TAPE DRIVES INTENDED FOR USE WITH THE FOLLOWING RECORDING FORMATS: QIC-1000-DC AND QIC-2GB-DC [CUST: CC] | A 7045 | CC | 15-JUN-94 | |
| | QIC-137F | CARTRIDGE FOR INFORMATION INTERCHANGE, UNRECORDED MAGNETIC TAPE, 0.25 INCH 6.35 MM) TAPE WIDTH, 900 OERSEDS (72,000 AMPERES/METER), FOR 5.25-INCH FORM FACTOR TAPE DRIVES, INTENDED FOR USE WITH QIC-1350-DC, QIC-2100-DC, OR QIC-5GB-DC RECORDING FORMATS [CUST: CC] | A 7045 | CC | 15-JUN-94 | |
| | QIC-143E | MINICARTRIDGE FOR INFORMATION INTERCHANGE, UNRECORDED MAGNETIC TAPE, 0.25 INCH (6.35 MM) TAPE WIDTH, 50,800 FTPPI (2000 FTPMM), 900 OERSEDS (72,000 AMPERES/METER), FOR 3.5-INCH FORM FACTOR TAPE DRIVES, INTENDED FOR USE WITH QIC-3010-MC, QIC-3030-MC, QIC-3040-MC, OR QIC-3050-MC RECORDING FORMATS [CUST: CC] | A 7045 | CC | 15-JUN-94 | |
| | QIC-156A | MINICARTRIDGE FOR INFORMATION INTERCHANGE, UNRECORDED MAGNETIC TAPE, 0.25 INCH (6.35 MM) TAPE WIDTH, 45,000 FTPPI (1,772 FTPMM), 900 OERSTEDS (72,000 AMPERES/METER), INTENDED FOR USE WITH THE FOLLOWING QIC-3080-MC/QIC-152 RECORDING FORMAT [CUST: CC] | A 7045 | CC | 15-JUN-94 | |
| | RMA-IP3.3-85 | V-BELT, STATIC CONDUCTIVE - 6 JUN 1985 [CUST: AT] | A 3030 | AT | 15-FEB-90 | |
| A | RMA-IP7-90 | RUBBER WELDING HOSE, SPECIFICATIONS FOR [CUST: AL SH 99 GS] [REVIEW: 84] | A 34GP | GS | 1-JUN-90 | |
| | RMA-IP20-87 | V-BELT AND SHEAVES, CLASSICAL, SPECIFICATION FOR DRIVES USING - 23 DEC 1987[CUST: AT] | A 3030 | AT | 15-OCT-90 | |
| | RMA-IP22-91 | DRIVES USING NARROW V-BELTS AND SHEAVES, SPECIFICATION FOR [CUST: YD1 99] [REVIEW: 82 CC CE MC] | A 3030 | YD1 | 21-SEP-93 | |
| | RWMA16-84 NOT 2 | WELDING EQUIPMENT STANDARDS, RESISTANCE - 30 JUN 84 [CUST: AL SH 99] [REVIEW: 84] | A 3432 | GS | 25-APR-91 | |
| | SACMA-SRM1-88 NOT 1 | COMPRESSIVE PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, RECOMMENDED TEST METHOD FOR [CUST: MR AS] [REVIEW: AV CR4 EC MI TE] | A CMPS | MR | 17-DEC-91 | |
| | SACMA-SRM2-88 NOT 1 | COMPRESSION AFTER IMPACT PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, RECOMMENDED TEST METHOD FOR [CUST: MR AS 11] [REVIEW: AR AV CR4 EC MI TE] | A CMPS | MR | 17-DEC-91 | |
| | SACMA-SRM3-88 NOT 1 | OPEN-HOLE COMPRESSION PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, RECOMMENDED TEST METHOD FOR [CUST: MR AS 11] [REVIEW: AV CR4 EC MI TE] | A CMPS | MR | 17-DEC-91 | |
| | SACMA-SRM4-88 NOT 1 | TENSILE PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, RECOMMENDED TEST METHOD OF [CUST: MR AS] [REVIEW: AR AV CR4 EC MI TE] | A CMPS | MR | 17-DEC-91 | |
| | SACMA-SRM5-88 NOT 1 | OPEN-HOLE TENSILE PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, RECOMMENDED TEST METHOD OF [CUST: MR AS 11] [REVIEW: AV CR4 EC MI SH TE] | A CMPS | MR | 17-DEC-91 | |
| | SACMA-SRM100-88 NOT 1 | COMPOSITE TEST LAMINATES, CALCULATION OF FIBER VOLUME OF, RECOMMENDED METHOD FOR [CUST: MR AS 11] [REVIEW: AV CR4 EC MI SH TE] | A CMPS | MR | 28-JAN-92 | |
| | SACMA-SRM12-90 NOT 1 | LOT ACCEPTANCE OF CARBON FIBERS, RECOMMENDED METHOD FOR [CUST: MR AS] [REVIEW: AR AV CR4 EC MI SH TE] | A CMPS | MR | 01-MAY-92 | |
| | SACMA-SRM13-90 NOT 1 | DETERMINATION OF MASS PER UNIT LENGTH OF CARBON FIBERS, RECOMMENDED TEST METHOD FOR [CUST: MR AS] [REVIEW: AV CR4 EC MI SH TE] | A CMPS | MR | 01-MAY-92 | |
| | SACMA-SRM14-90 NOT 1 | DETERMINATION OF SIZING CONTENT ON CARBON FIBERS, RECOMMENDED TEST METHOD FOR [CUST: MR AS] [REVIEW: AR AV CR4 EC MI SH TE] | A CMPS | MR | 01-MAY-92 | |
| | SACMA-SRM15-90 NOT 1 | DETERMINATION OF DENSITY OF CARBON FIBERS, RECOMMENDED TEST METHOD FOR [CUST: MR AS] [REVIEW: AV CR4 EC MI SH TE] | A CMPS | MR | 01-MAY-92 | |
| | SACMA-SRM16-90 NOT 1 | TOW TENSILE TESTING OF CARBON FIBERS, RECOMMENDED TEST METHOD FOR [CUST: MR AS] [REVIEW: AV CR4 EC MI SH TE] | A CMPS | MR | 01-MAY-92 | |
| | SACMA-SRM17-90 NOT 1 | DETERMINATION OF TWIST IN CARBON FIBERS, RECOMMENDED TEST METHOD FOR [CUST: MR AS] [REVIEW: AV CR4 EC MI TE] | A CMPS | MR | 01-MAY-92 | |
| | SACMA-SRP1-90 NOT 1 | PRINTING AND APPLYING BAR CODE LABELS, RECOMMENDED PRACTICE FOR [CUST: MR AS] [REVIEW: AR AV CR4 EC MI SH TE] | A CMPS | MR | 01-MAY-92 | |
| | SAE-AIR1228 | MACHINE EQUIPMENT AND OPERATION, STANDARD IMPULSE [CUST: AV AS 99] | A 4730 | AS | NOV-72 | |
| | SAE-AIR1351C | AEROSPACE ELECTRICAL AND ELECTRONIC WIRING DEVICES AND ACCESSORIES, MANUFACTURERS' IDENTIFICATION OF [CUST: CR AS 85 CC] | A 7510 | CC | 24-AUG-92 | |
| | SAE-AIR1362 | FLUIDS, HYDRAULIC, PHYSICAL PROPERTIES OF [CUST: AV AS 99] [REVIEW: 11 71] | A 1650 | AS | MAY-75 | |
| | SAE-AIR1377A | FIRE TEST EQUIPMENT FOR FLEXIBLE HOSE AND TUBE ASSEMBLIES [CUST: CR4 AS 99] | A 4720 | AS | JAN-80 | |
| A | SAE-AIR1378B | TUBE FITTINGS AND TUBE ASSEMBLIES, STANDARD WORDS FOR TEST PARAGRAPHS FOR [CUST: AV AS 11] [REVIEW: 82 99 AR CC MI] | A 4730 | AS | MAY-96 | |
| | SAE-AIR1419 | GAS TURBINE ENGINES, INLET TOTAL-PRESSURE-DISTORTION CONSIDERATIONS FOR [CUST: AV AS 11] | A 2840 | 11 | MAY-83 | |
| | SAE-AIR3260-83 | IDENTIFICATION OF STANDARD UTILITY PARTS - BOLTS & NUTS - NOV 83 [CUST: AR AS 99] [REVIEW: 82 AV] | A 53GP | IS | 01-NOV-85 | |
| | SAE-AIR4069 | FUEL TANKS, SEALING INTEGRAL [CUST: MR AS 11] | A 8030 | 11 | 01-OCT-90 | |
| | SAE-AIR4275 | JET REFERENCE FLUID STUDY FOR FUEL TANK SEALANTS [CUST: MR AS 11] | A 9150 | 11 | 01-APR-91 | |
| | SAE-AMS1379A | COMPOUND, ALKALINE RUST REMOVER AIRCRAFT TURBINE ENGINE COMPONENTS [CUST: AV AS] | A 6850 | AS | 01-APR-92 | |
| A | SAE-AMS1380A | SCALE CONDITIONER, ALKALINE AIRCRAFT TURBINE ENGINE COMPONENTS [CUST: AV AS] | A 6850 | AS | APR-92 | |
| | SAE-AMS1382A | OXIDE REMOVER COMPOUND, ACIDIC AIRCRAFT TURBINE ENGINE COMPONENTS [CUST: AV AS] | A 6850 | AS | 01-JUL-91 | |
| | SAE-AMS1383A | OXIDE CONDITIONER, ALKALINE PERMANGANATE AIRCRAFT TURBINE ENGINE COMPONENTS[CUST: EA AS 68] [REVIEW: CR4 GL GS] | A 6850 | AS | MAY-94 | |
| | SAE-AMS1384A | ACID, INHIBITED PHOSPHORIC AIRCRAFT TURBINE ENGINE COMPONENTS ROOM TEMPERATURE APPLICATION [CUST: EA AS 68] [REVIEW: CR4 GL GS] | A 6850 | AS | 01-JUL-91 | |
| | SAE-AMS1385A | COMPOUND, HOT CARBON AND PAINT REMOVER AIRCRAFT TURBINE ENGINE COMPONENTS [CUST: EA AS 68] [REVIEW: CR4 GL GS] | A 6850 | AS | 01-JUL-93 | |
| | SAE-AMS1386A | COMPOUND, SILICONE RUBBER REMOVER AIRCRAFT TURBINE ENGINE COMPONENTS ROOM TEMPERATURE APPLICATION [CUST: EA AS 68] [REVIEW: CR4 GL GS] | A 6850 | AS | 01-OCT-92 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|-----------------|---|----------------------|-----|-------------|-----------|
| SAE-AMS1387A | REMOVER, ANTI-GALLING COMPOUND AIRCRAFT TURBINE ENGINE COMPONENTS ROOM TEMPERATURE APPLICATION [CUST: EA AS 68] [REVIEW: CR4 GL GS] | A 6850 | AS | | 01-OCT-92 |
| SAE-AMS1424 | FLUID, DEICING/ANTI-ICING, AIRCRAFT, NEWTONIAN - SAE TYPE I [CUST: AV AS 11] [REVIEW: 68 GS] | A 6850 | 11 | | 01-JAN-93 |
| A SAE-AMS1426C | FLUID, DEICING/ANTI-ICING, RUNAWAYS AND TAXIWAYS GLYCOL BASE [CUST: EA OS 11] | A 6850 | 11 | | 01-OCT-93 |
| SAE-AMS1428 | FLUID, AIRCRAFT DEICING/ANTI-ICING, NON-NEWTONIAN, PSEUDO-PLASTIC, SAE TYPE II [CUST: AV AS 11] [REVIEW: 68 GS] | A 6850 | 11 | | 01-JAN-93 |
| SAE-AMS1431A-92 | COMPOUND, SOLID DEICING/ANTI-ICING RUNAWAYS AND TAXIWAYS [CUST: EA OS 11] [REVIEW: GS MD] | A 6850 | 11 | | 01-JAN-92 |
| SAE-AMS1435 | FLUID, GENERIC, DEICING/ANTI-ICING RUNAWAYS AND TAXIWAYS [CUST: EA OS 11] [REVIEW: GS MD] | A 6850 | 11 | | APR-95 |
| SAE-AMS1453 | LIQUID, DISINFECTANT CLEANER FOR AIRCRAFT INTERIOR, GENERAL PURPOSE [CUST: AV AS 11] [REVIEW: 68] | A 6850 | 11 | | MAR-95 |
| A SAE-AMS1476B | DEODORANT, AIRCRAFT TOILET [CUST: AS] | A 6850 | AS | | MAR-96 |
| SAE-AMS1526B | CLEANER FOR AIRCRAFT EXTERIOR SURFACES WATER-MISCIBLE, PRESSURE-SPRAYING TYPE [CUST: AV AS 68] [REVIEW: GS] | A 6850 | AS | | 01-APR-90 |
| SAE-AMS1534A | CLEANER, AIRCRAFT, GLASS WINDOW [CUST: MR AS 11] [REVIEW: GS] | A 6850 | AS | | 01-OCT-88 |
| SAE-AMS1535B | CLEANER, TRANSPARENT PLASTIC [CUST: EA AS 68] [REVIEW: CR4 GL GS] | A 6850 | AS | | 01-OCT-92 |
| SAE-AMS1537A | CLEANER, ALKALINE HOT-TANK TYPE [CUST: EA AS 68] [REVIEW: CR4 GL GS] | A 6850 | AS | | 01-OCT-92 |
| SAE-AMS1538A | DEOXIDER, ACIDIC, FOR MAGNESIUM ALLOYS [CUST: EA AS 68] [REVIEW: CR4 GL GS] | A 6850 | AS | | 01-JAN-92 |
| SAE-AMS1547 | STEEL, TANK TYPE, CLEANER, ANODIC, ELECTROLYTIC, ALKALINE FOR [CUST: AV SH 11] [REVIEW: 68 99 AS MR] | A 6850 | 11 | | 01-APR-87 |
| SAE-AMS1625B | DESMUTTER, ALUMINUM, POWDERED [CUST: EA AS 68] [REVIEW: CR4 GL GS] | A 6850 | AS | | 01-JUL-89 |
| SAE-AMS1626B | DESMUTTER, ALUMINUM LIQUID [CUST: EA AS 68] [REVIEW: CR4 GL GS] | A 6850 | AS | | 01-JUL-89 |
| SAE-AMS1631B | CLEANER, CARPET WATER EXTRACTION TYPE [CUST: EA AS 68] [REVIEW: CR4 GL GS] | A 6850 | AS | | 01-JAN-93 |
| A SAE-AMS2241L | STEEL, CORROSION AND HEAT RESISTANT STEEL, IRON ALLOY, TITANIUM, AND TITANIUM ALLOY BARS AND WIRE, TOLERANCES [CUST: MR AS 11] | A 95GP | MR | | JAN-96 |
| SAE-AMS2242E | TOLERANCES CORROSION AND HEAT RESISTANT STEEL, IRON ALLOY, TITANIUM, AND TITANIUM ALLOY SHEET, STRIP, AND PLATE [CUST: MR AS 11] | A 95GP | MR | | 01-JAN-87 |
| SAE-AMS2243G | TOLERANCES CORROSION AND HEAT RESISTANT STEEL TUBING [CUST: MR AS 11] | A 4710 | MR | | 01-JAN-90 |
| SAE-AMS2248E | CHEMICAL CHECK ANALYSIS LIMITS CORROSION AND HEAT RESISTANT STEELS AND ALLOYS, MARAGING AND OTHER HIGHLY-ALLOYED STEELS, AND IRON ALLOYS [CUST: MR AS 11] | A 95GP | MR | | 01-OCT-93 |
| SAE-AMS2249D | CHEMICAL CHECK ANALYSIS LIMITS TITANIUM AND TITANIUM ALLOYS [CUST: MR AS 11] | A 95GP | MR | | 01-APR-92 |
| SAE-AMS2251G | TOLERANCES LOW ALLOY STEEL BARS [CUST: MR AS 11] | A 9515 | MR | | 01-JUL-92 |
| SAE-AMS2252C | TOLERANCES LOW-ALLOY STEEL SHEET, STRIP AND PLATE [CUST: MR AS 11] | A 9515 | MR | | 01-JAN-83 |
| A SAE-AMS2253E | TOLERANCES CARBON AND ALLOY STEEL TUBING [CUST: MR AS 11] | A 4710 | MR | | 01-JAN-83 |
| SAE-AMS2259B | STEELS, CHEMICAL CHECK ANALYSIS LIMITS WROUGHT LOW-ALLOY AND CARBON [CUST: MR AS 11] | A 95GP | MR | | 01-OCT-87 |
| SAE-AMS2262F | TOLERANCES, NICKEL, NICKEL ALLOY, AND COBALT ALLOY, SHEET, STRIP AND PLATE [CUST: AT AS 99 IS] | A 9535 | IS | | 01-JAN-90 |
| SAE-AMS2269E | CHEMICAL CHECK ANALYSIS LIMITS NICKEL, NICKEL ALLOYS, AND COBALT ALLOYS [CUST: MR AS 11] | A 95GP | MR | | AUG-94 |
| A SAE-AMS2300G | AIRCRAFT PREMIUM - QUALITY STEEL CLEANLINESS MAGNETIC PARTICLE INSPECTION PROCEDURE [CUST: MR AS 11 GS] | A NDTI | GS | | 1-APR-91 |
| A SAE-AMS2301H | AIRCRAFT QUALITY STEEL CLEANLINESS MAGNETIC PARTICLE INSPECTION PROCEDURE [CUST: MR AS 11 GS] | A NDTI | GS | | MAR-96 |
| SAE-AMS2303C | AIRCRAFT QUALITY STEEL CLEANLINESS MARTENSITIC CORROSION-RESISTANT STEELS MAGNETIC PARTICLE INSPECTION PROCEDURE [CUST: MR AS 11 GS] | A NDTI | GS | | 01-JAN-93 |
| SAE-AMS2310D | QUALIFICATION SAMPLING AND TESTING OF STEELS TRANSVERSE TENSILE PROPERTIES [CUST: MR AS 11] | A 95GP | MR | | 01-JAN-92 |
| A SAE-AMS2315D | DETERMINATION OF DELTA FERRITE CONTENT [CUST: MR AS 11] | A 95GP | MR | | MAR-95 |
| SAE-AMS2360B | ROOM TEMPERATURE TENSILE PROPERTIES OF CASTINGS [CUST: MR AS 11] | A MECA | MR | | 01-OCT-90 |
| SAE-AMS2361B | ELEVATED TEMPERATURE TENSILE PROPERTIES OF CASTINGS [CUST: MR AS 11] | A MECA | MR | | 01-OCT-90 |
| SAE-AMS2362A | STRESS-RUPTURE PROPERTIES OF CASTINGS [CUST: MR AS 11] | A MECA | MR | | 15-JUL-78 |
| SAE-AMS2368 | TITANIUM, WROUGHT, RAW MATERIAL EXCEPT FORGINGS AND FORGING STOCK, SAMPLING AND TESTING OF [CUST: MR AS 11] [REVIEW: 99] | A 95GP | 11 | | APR-95 |
| SAE-AMS2370E | QUALITY ASSURANCE SAMPLING AND TESTING CARBON AND LOW-ALLOY STEEL WROUGHT PRODUCTS AND FORGING STOCK [CUST: MR AS 11] | A 95GP | MR | | 01-JUL-91 |
| SAE-AMS2371D | QUALITY ASSURANCE SAMPLING AND TESTING, CORROSION AND HEAT RESISTANT STEELS AND ALLOYS, WROUGHT PRODUCTS AND FORGINGS STOCK [CUST: AT OS 05] | A QCIC | AT | | 01-JUL-91 |
| SAE-AMS2375B | CONTROL OF FORGINGS REQUIRING FIRST ARTICLE APPROVAL [CUST: AR SH 11] | A FORG | AR | | 01-JUL-84 |
| SAE-AMS2400S | PLATING, CADMIUM [CUST: AR AS 11 IS] | A MFFP | IS | | 01-JUL-87 |
| SAE-AMS2401D | PLATING, CADMIUM, LOW HYDROGEN CONTENT DEPOSIT [CUST: AR SH 11] | A MFFP | 11 | | 01-JAN-86 |
| SAE-AMS2404C | NICKEL, ELECTROLESS, PLATING [CUST: MR AS 11] | A MFFP | 11 | | 01-JUL-84 |
| SAE-AMS2405B | NICKEL PLATING, ELECTROLESS, LOW PHOSPHORUS [CUST: MR AS 11] [REVIEW: 68 84 99 AR CR4 MI OS SH] | A MFFP | 11 | | 01-OCT-84 |
| A SAE-AMS2406H | CHROMIUM, PLATING HARD DEPOSIT [CUST: AT AS GS] | A MFFP | GS | | DEC-94 |
| SAE-AMS2409F | PLATING, IMMERSION TIN FOR ALUMINUM ALLOYS [CUST: MR AS 11 GS] | A MFFP | GS | | 01-OCT-93 |
| SAE-AMS2410H | PLATING, SILVER NICKEL STRIKE, HIGH BAKE [CUST: MR AS 11 GS] | A MFFP | GS | | JAN-94 |
| SAE-AMS2411D | SILVER PLATING FOR HIGH TEMPERATURE APPLICATIONS [CUST: AR AS 11 IS] | A MFFP | AR | | 01-OCT-84 |
| SAE-AMS2412F | SILVER PLATING COPPER STRIKE, LOW BAKE [CUST: MR AS 11 GS] | A MFFP | GS | | 01-OCT-83 |
| A SAE-AMS2413D | PLATING, SILVER-RHODIUM [CUST: MR AS 11 GS] | A MFFP | GS | | MAR-95 |
| SAE-AMS2415F | LEAD AND INDIUM PLATING [CUST: MR AS 11 GS] | A MFFP | GS | | 01-APR-91 |
| A SAE-AMS2416H | NICKEL-CADMIUM PLATING, DIFFUSED [CUST: MR AS 11 GS] | A MFFP | GS | | MAR-95 |
| SAE-AMS2417E | PLATING, ZINC-NICKEL ALLOY [CUST: MR AS 11 GS] | A MFFP | GS | | 01-JAN-93 |
| A SAE-AMS2418E | COPPER PLATING [CUST: MR 11 GS] | A MFFP | GS | | FEB-95 |
| A SAE-AMS2420C | ALUMINUM FOR SOLDERABILITY, ZINC IMMERSION PRE-TREATMENT PROCESS, PLATING OF [CUST: MR AS 11 GS] | A MFFP | GS | | MAR-96 |
| SAE-AMS2424D | PLATING, NICKEL LOW-STRESSED DEPOSIT [CUST: MR AS 11 GS] | A MFFP | GS | | 01-JUL-93 |
| SAE-AMS2425D | GOLD PLATING - FOR THERMAL CONTROL [CUST: MR AS 11 GS] | A MFFP | GS | | 01-APR-88 |
| SAE-AMS2430L | SHOT PEENING [CUST: AT AS 11 GS] | A MFFP | GS | | 01-JUL-93 |
| A SAE-AMS2433B | NICKEL-THALLIUM-BORON OR NICKEL-BORON ELECTROLESS DESPOSITION, PLATING [CUST: MR AS 11] [REVIEW: 68 84 99 AR CR4 MI OS SH] | A MFFP | 11 | | DEC-94 |
| SAE-AMS2435E | TUNGSTEN CARBIDE-COBALT COATING DETONATION PROCESS [CUST: MR AS 11 GS] | A MFFP | GS | | OCT-94 |
| SAE-AMS2436C | COATING, ALUMINUM OXIDE DETONATION DEPOSITION [CUST: MR AS 11 GS] | A MFFP | GS | | 01-OCT-93 |
| SAE-AMS2465B | MOLYBDENUM AND MOLYBDENUM ALLOYS-PACK CEMENTATION METHOD, DISILICIDE DIFFUSION COATING OF [CUST: MR AS 11] | A MFFP | MR | | 01-OCT-83 |

ACTIVE SECTION

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------|---|-----------------------|-----|-------------|-----------|
| | SAE-AMS2469E | ALUMINUM AND ALUMINUM ALLOYS PROCESSING AND PERFORMANCE REQUIREMENTS, HARD COATING TREATMENT OF [CUST: MR AS 11 GS] | A MFFP | GS | | 01-OCT-93 |
| A | SAE-AMS2470J | ALUMINUM ALLOYS CHROMIC ACID PROCESS, ANODIC TREATMENT OF [CUST: AR AS 11] | A MFFP | AS | | NOV-95 |
| A | SAE-AMS2471E | ALUMINUM ALLOYS SULFURIC ACID PROCESS, UNDYED COATING, ANODIC TREATMENT OF [CUST: MR AS 11] | A MFFP | AS | | NOV-95 |
| A | SAE-AMS2472D | ALUMINUM ALLOYS SULFURIC ACID PROCESS, DYED COATING, ANODIC TREATMENT OF [CUST: MR SH 11] | A MFFP | 11 | | NOV-95 |
| | SAE-AMS2475E | MAGNESIUM ALLOYS, PROTECTIVE TREATMENTS [CUST: MR AS 11] | A MFFP | 11 | | FEB-94 |
| | SAE-AMS2481F | PHOSPHATE TREATMENT ANTI-CHAFING [CUST: CR4 AS 11] | A 8010 | AS | | SEP-94 |
| | SAE-AMS2485H | COATING, BLACK OXIDE [CUST: MR AS 82] | A MFFP | AS | | 01-JAN-92 |
| | SAE-AMS2486B | CONVERSION COATING OF TITANIUM ALLOYS FLUORIDE-PHOSPHATE TYPE [CUST: MR AS 82] | A MFFP | AS | | 01-JUL-86 |
| | SAE-AMS2491D | POLYTETRAFLUOROETHYLENE, PREPARATION FOR BONDING, SURFACE TREATMENT OF [CUST: MR AS 11 GS] [REVIEW: 99 AR AV EA MI OS] | A MFFP | GS | | 01-APR-89 |
| | SAE-AMS2515E | POLYTETRAFLUOROETHYLENE (PTFE) RESIN COATING LOW BUILD, 370 DEG. - 400 DEG. C (698 DEG. - 752 DEG. F) FUSION [CUST: MR AS 11 GS] | A MFFP | GS | | 01-APR-90 |
| | SAE-AMS2516D | POLYTETRAFLUOROETHYLENE (PTFE) RESIN COATING HIGH BUILD, 370 DEG. - 400 DEG. C (698 DEG. - 752 DEG. F) FUSION [CUST: MR AS 11 GS] | A MFFP | GS | | 01-APR-90 |
| A | SAE-AMS2518A | THREAD COMPOUND, ANTI-SEIZE, GRAPHITE-PERTOLATUM [CUST: MR AS 11] | A 8030 | 11 | | 30-APR-94 |
| | SAE-AMS2535A | MICROCIRCUITS COATING, VAPOR DEPOSITED POLY-MONOCHLORO-PARA-XYLYLENE FOR [CUST: MR EC 11] | A 8030 | 11 | | 01-JAN-90 |
| | SAE-AMS2601F | PRESSURE TESTING, GASEOUS MEDIA 10 PSI [CUST: AT GS] | A NDTI | GS | | MAY-94 |
| | SAE-AMS2602D | PRESSURE TESTING 25 PSI [CUST: AT GS] | A NDTI | GS | | 01-JUL-91 |
| | SAE-AMS2604F | PRESSURE TESTING, GASEOUS MEDIA 40 PSI [CUST: AT GS] | A NDTI | GS | | JUL-94 |
| | SAE-AMS2605D | PRESSURE TESTING 55 PSI [CUST: AT GS] [REVIEW: AV GL MR] | A NDTI | GS | | 01-JUL-91 |
| | SAE-AMS2606E | PRESSURE TESTING 70 PSI [CUST: AT GS] [REVIEW: AV MR] | A NDTI | GS | | 01-JUL-91 |
| | SAE-AMS2607D | PRESSURE TESTING 100 PSI [CUST: AT GS] [REVIEW: AV CR4 GL MR] | A NDTI | GS | | 01-JUL-91 |
| | SAE-AMS2616D | PRESSURE TESTING, HYDRAULIC 200 PSI [CUST: AT GS] [REVIEW: CR4] | A NDTI | GS | | 01-OCT-93 |
| | SAE-AMS2620D | PRESSURE TESTING, HYDRAULIC 1000 PSI [CUST: AT GS] [REVIEW: AV GL] | A NDTI | GS | | 01-OCT-93 |
| | SAE-AMS2625D | PRESSURE TESTING, HYDRAULIC 2500 PSI [CUST: AT GS] [REVIEW: AV GL] | A NDTI | GS | | 01-OCT-93 |
| | SAE-AMS2629B | FLUID, JET REFERENCE [CUST: CR4 AS 11] | A 9150 | 11 | | FEB-94 |
| | SAE-AMS2630B | INSPECTION, ULTRASONIC, PRODUCT OVER 0.5 INCH (12.7 MM) THICK [CUST: AV SH 11] [REVIEW: 68 99 AS MR] | A NDTI | 11 | | MAR-95 |
| A | SAE-AMS2631B | TITANIUM AND TITANIUM ALLOY BAR AND BILLET, ULTRASONIC INSPECTION [CUST: MR AS 11 GS] | A NDTI | GS | | MAR-95 |
| | SAE-AMS2632A | INSPECTION, ULTRASONIC, OF THIN MATERIALS 0.50 INCH (12.7 MM) AND UNDER IN CROSS-SECTIONAL THICKNESS [CUST: AV SH 11] [REVIEW: 68 99 AS MR] | A NDTI | 11 | | MAR-95 |
| | SAE-AMS2633B | CYLINDERS, STEEL TUBULAR, CENTRIFUGALLY-CAST, CORROSION-RESISTANT, ULTRASONIC INSPECTION [CUST: AV SH 11] [REVIEW: 68 99 AS MR] | A NDTI | 11 | | APR-95 |
| | SAE-AMS2634A | METAL TUBING, THIN WALL, ULTRASONIC INSPECTION [CUST: AV SH 11] [REVIEW: 68 99 AS MR] | A NDTI | 11 | | FEB-95 |
| | SAE-AMS2640J | MAGNETIC PARTICLE INSPECTION [CUST: MR AS 11 IS] | A NDTI | AS | | 01-OCT-83 |
| | SAE-AMS2643A | TITANIUM ALLOYS, CHEMICAL ETCH INSPECTION PROCEDURE, STRUCTURAL EXAMINATION OF [CUST: MR AS 11] | A NDTI | 11 | | 01-APR-88 |
| A | SAE-AMS2644 | INSPECTION MATERIAL, PENETRANT [CUST: 11] | A 6850 | 11 | | AUG-96 |
| | SAE-AMS2658A | ALUMINUM ALLOY PARTS, WROUGHT, HARDNESS AND CONDUCTIVITY INSPECTION OF [CUST: MR AS 11] | A 95GP | MR | | 01-JAN-91 |
| A | SAE-AMS2672E | ALUMINUM, BRAZING TORCH OR FURNACE [CUST: MR SH 82] | A THJM | 82 | | OCT-95 |
| | SAE-AMS2680B | WELDING, ELECTRON-BEAM, FOR FATIGUE CRITICAL APPLICATIONS [CUST: MR AS 11] | A THJM | MR | | 01-JAN-93 |
| | SAE-AMS2681A | ELECTRON-BEAM WELDING [CUST: MR AS 11] | A THJM | MR | | 01-JAN-92 |
| | SAE-AMS2750C | PYROMETRY [CUST: MR AS 11 GS] | A 6685 | GS | | 01-APR-90 |
| | SAE-AMS2755C | LIQUID SALT BATH NITRIDING [CUST: MR AS 11 GS] | A MFFP | GS | | 01-APR-83 |
| | SAE-AMS2759 | HEAT TREATMENT OF STEEL PARTS, GENERAL REQUIREMENTS [CUST: MR AS 99] | A 95GP | 11 | | 01-OCT-84 |
| | SAE-AMS2759/6-87R92 | STEEL, LOW-ALLOY PARTS, GAS NITRIDING AND HEAT TREATMENT OF [CUST: MR AS 11] [REVIEW: 99] | A MISC | 11 | | 01-APR-87 |
| | SAE-AMS2759/7-91 | GAS AND VACUUM CARBURIZING AND HEAT TREATMENT OF CARBURIZING GRADE STEEL PARTS [CUST: MR AS 11] [REVIEW: 99] | A MISC | 11 | | 01-OCT-91 |
| | SAE-AMS2762A-92 | STEEL, CARBURIZING, CARBON AND LOW-ALLOY PARTS [CUST: MR AS 11] [REVIEW: 99] | A MISC | 11 | | 01-JAN-92 |
| | SAE-AMS2770E | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS [CUST: MR AS 11] [REVIEW: AV NA] | A 95GP | AS | | 01-JAN-89 |
| | SAE-AMS2800C | IDENTIFICATION, FINISHED PARTS [CUST: AS 11 IS] | A MISC | IS | | 01-APR-90 |
| | SAE-AMS2801A | HEAT TREATMENT OF TITANIUM ALLOY PARTS [CUST: MR AS 11] [REVIEW: 84 99 AV MI SH] | A 95GP | AS | | SEP-94 |
| | SAE-AMS2804B | IDENTIFICATION CASTINGS [CUST: MR AS 82 IS] | A MECA | 82 | | 01-OCT-91 |
| | SAE-AMS2808C | IDENTIFICATION FORGINGS [CUST: MR AS 11] | A FORG | MR | | 10-OCT-91 |
| | SAE-AMS2810F | IDENTIFICATION AND PACKAGING ELASTOMERIC PRODUCTS [CUST: MR AS 11] | A 9320 | AS | | 01-APR-88 |
| | SAE-AMS2813E | PACKAGING AND MARKING OF PACKAGES OF WELDING WIRE STANDARD METHOD [CUST: MR AS 11 GS] | A 3439 | GS | | 01-OCT-92 |
| | SAE-AMS2814E | WIRE, WELDING, PREMIUM QUALITY, PACKAGING AND MARKING OF PACKAGES [CUST: MR AS 11 GS] | A 3439 | GS | | 01-JAN-93 |
| | SAE-AMS2816U | IDENTIFICATION WELDING WIRE, TAB MARKING METHOD [CUST: MR AS 11 GS] | A 3439 | GS | | 01-OCT-93 |
| | SAE-AMS2817D | IDENTIFICATION AND PACKAGING, PREFORMED PACKINGS [CUST: SM AS 82 IS] | A PACK | SM | | 01-APR-88 |
| | SAE-AMS2825A | MATERIAL SAFETY DATA SHEETS [CUST: MR YD1 99] | A MISC | MR | | 01-APR-87 |
| | SAE-AMS3021B | FLUID, REFERENCE FOR TESTING DI-ESTER (POLYOL) RESISTANT MATERIAL [CUST: CR4 AS 11] | A 9150 | AS | | JUL-94 |
| | SAE-AMS3025A | POLYALKYLENE GLYCOL HEAT TREAT QUENCHANT [CUST: MR AS 11] | A 6810 | AS | | 01-APR-92 |
| A | SAE-AMS3040B | MAGNETIC PARTICLES, NONFLUORESCENT DRY METHOD [CUST: MR AS 11] [REVIEW: GS] | A 6850 | AS | | DEC-95 |
| | SAE-AMS3041B | MAGNETIC PARTICLES, NONFLUORESCENT WET METHOD, OIL VEHICLE, READY-TO-USE [CUST: MR AS 11] [REVIEW: GS] | A 6850 | AS | | 01-JUL-88 |
| | SAE-AMS3042B | MAGNETIC PARTICLES, NONFLUORESCENT WET METHOD, DRY POWDER [CUST: MR AS 11] [REVIEW: 68 GS] | A 6850 | AS | | 01-JUL-88 |
| | SAE-AMS3043A | MAGNETIC PARTICLES, NONFLUORESCENT WET METHOD, OIL VEHICLE, AEROSOL PACKAGED [CUST: MR AS 11] [REVIEW: GS] | A 6850 | AS | | 01-JUL-88 |
| | SAE-AMS3044C | MAGNETIC PARTICLES, FLUORESCENT WET METHOD, DRY POWDER [CUST: MR AS 11] [REVIEW: GS] | A 6850 | AS | | 01-JUL-89 |
| | SAE-AMS3045B | MAGNETIC PARTICLES, FLUORESCENT WET METHOD, OIL VEHICLE, READY-TO-USE [CUST: MR AS 11] [REVIEW: GS] | A 6850 | AS | | 01-JUL-89 |
| | SAE-AMS3046B | MAGNETIC PARTICLES, FLUORESCENT WET METHOD, OIL VEHICLE, AEROSOL PACKAGED [CUST: MR AS 11] [REVIEW: GS] | A 6850 | AS | | 01-JUL-89 |
| | SAE-AMS3054A | OIL, LUBRICATING, LOW TEMPERATURE FOR -55 DEG. C (-65 DEG. F) SERVICE [CUST: AS 11] [REVIEW: GS] | A 9150 | AS | | 01-JUL-89 |
| | SAE-AMS3055A | LUBRICANT, INSTRUMENT BEARING, PETROLEUM BASE, VISCOSITY 15 [CUST: AS 11] [REVIEW: GS] | A 9150 | AS | | 01-JUL-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA Prep. Acty. | Date |
|------------|-------------------|---|--------------------------|--------------------|-----------|
| | SAE-AMS3056A | LUBRICANT, INSTRUMENT BEARING, PETROLEUM BASE, VISCOSITY 35 [CUST: AS 11] [REVIEW: GS] | A 9150 | AS | 01-JUL-89 |
| | SAE-AMS3100A | ADHESION PROMOTER FOR POLYSULFIDE SEALING COMPOUNDS [CUST: MR SH 11] | A 8030 | 11 | AUG-94 |
| | SAE-AMS3107A | PRIMER, ADHESIVE, CORROSION-INHIBITING FOR HIGH DURABILITY STRUCTURAL ADHESIVE BONDING [CUST: AS 11] [REVIEW: GS] | A 8040 | AS | 01-APR-91 |
| | SAE-AMS3107/1A | PRIMER, ADHESIVE, CORROSION-INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 95 DEG. C (-65 DEG TO PLUS 200 DEG. F) [CUST: AS 11] [REVIEW: GS] | A 8040 | AS | 01-APR-91 |
| | SAE-AMS3107/2A | PRIMER, ADHESIVE, CORROSION INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 120 DEG C (-65 DEG TO PLUS 250 DEG. F) [CUST: AS 11] [REVIEW: GS] | A 8040 | AS | 01-APR-91 |
| | SAE-AMS3107/3A | PRIMER, ADHESIVE, CORROSION INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 175 DEG C (-65 DEG. TO PLUS 350 DEG. F) [CUST: AS 11] [REVIEW: GS] | A 8040 | AS | 01-APR-92 |
| | SAE-AMS3107/4A | PRIMER, ADHESIVE, CORROSION-INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 215 DEG. C (-65 DEG. TO PLUS 420 DEG. F) [CUST: AS 11] [REVIEW: GS] | A 8040 | AS | 01-APR-92 |
| | SAE-AMS3135D | COATING MATERIAL, SILICONE RESIN 205 DEG. C (400 DEG. F) CURE [CUST: MR AS 11] | A 8010 | AS | 01-OCT-84 |
| A | SAE-AMS3136E | COATING MATERIAL, PHENOLIC RESIN, PTFE FILLED PIGMENTED, 150 DEG. C (302 DEG. F) CURE [CUST: MR AS 11] [REVIEW: GS] | A 8030 | AS | APR-95 |
| | SAE-AMS3138B | MATERIALS, COATING, FLUOROCARBON (FKM), ELASTOMERIC [CUST: MR AS 11] | A 8010 | 11 | |
| | SAE-AMS3138/1A-90 | MATERIAL, COATING, FLUOROCARBON (FKM), ELASTOMERIC, RAIN-EROSION RESISTANT BLACK [CUST: MR AS 11] | A 8010 | 11 | 01-JUL-90 |
| | SAE-AMS3138/2A-90 | MATERIAL, COATING, FLUOROCARBON (FKM), ELASTOMERIC, RAIN-EROSION AND THERMAL-FLASH RESISTANT, WHITE [CUST: MR AS 11] | A 8010 | 11 | 01-JUL-90 |
| | SAE-AMS3138/4A-90 | MATERIAL, COATING, FLUOROCARBON (FKM), ELASTOMERIC, ANTI-STATIC TOPCOATING, BLACK [CUST: MR AS 11] | A 8010 | 11 | 01-JUL-90 |
| | SAE-AMS3151A | FLUID, AIRCRAFT COMPASS [CUST: AS 11] [REVIEW: GS] | A 9150 | AS | 01-JUL-90 |
| | SAE-AMS3166-94 | SOLVENTS, CLEANING, CLEANING PRIOR TO APPLICATION OF SEALING COMPOUNDS [CUST: AS] | A 6850 | AS | FEB-94 |
| | SAE-AMS3193C | SILICONE RUBBER SPONGE, CLOSED CELL, MEDIUM, EXTREME LOW TEMPERATURE [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | AUG-94 |
| | SAE-AMS3194C | SILICONE RUBBER SPONGE, CLOSED CELL, FIRM, EXTREME LOW TEMPERATURE [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | AUG-94 |
| | SAE-AMS3195E | SILICONE RUBBER SPONGE, CLOSED CELL, MEDIUM [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-JAN-92 |
| | SAE-AMS3196F | SPONGE, SILICONE RUBBER CLOSED CELL, FIRM [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-JAN-92 |
| | SAE-AMS3197K | SPONGE, CHLOROPRENE (CR) RUBBER SOFT [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-APR-93 |
| | SAE-AMS3198K | SPONGE, CHLOROPRENE (CR) RUBBER MEDIUM STIFFNESS [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-APR-93 |
| | SAE-AMS3199K | SPONGE, CHLOROPRENE (CR) RUBBER FIRM [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-APR-93 |
| | SAE-AMS3200G | NITRILE (NBR) RUBBER PETROLEUM-BASE HYDRAULIC FLUID RESISTANT, 55 - 65 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-APR-90 |
| | SAE-AMS3201J | NITRILE (NBR) RUBBER DRY HEAT RESISTANT, 35-45 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-APR-90 |
| | SAE-AMS3202J | NITRILE (NBR) RUBBER DRY HEAT RESISTANT 55-65 [CUST: MR AS 11 GS] | A 9320 | AS | 01-OCT-91 |
| | SAE-AMS3204J | RUBBER, SYNTHETIC LOW-TEMPERATURE RESISTANT 25-35 [CUST: MR AS 11] | A 9320 | AS | 01-JAN-91 |
| | SAE-AMS3205J | SYNTHETIC RUBBER LOW-TEMPERATURE RESISTANT 45-55 [CUST: MR AS 11] | A 9320 | AS | 01-JAN-93 |
| | SAE-AMS3207K | CHLOROPRENE (CR) RUBBER WEATHER RESISTANT 25-35 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-APR-93 |
| A | SAE-AMS3208K | CHLOROPRENE (CR) RUBBER WEATHER RESISTANT 45-55 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-APR-93 |
| A | SAE-AMS3209J | CHLOROPRENE (CR) RUBBER WEATHER RESISTANT 65-75 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-APR-93 |
| | SAE-AMS3212N | ACRYLONITRILE BUTADIENE (NBR) RUBBER AROMATIC FUEL RESISTANT 55-65 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-APR-93 |
| | SAE-AMS3213L | ACRYLONITRILE BUTADIENE (NBR) RUBBER AROMATIC FUEL RESISTANT 75-85 [CUST: MR AS 11 IS] | A 5330 | IS | 01-JAN-91 |
| | SAE-AMS3214K | ACRYLONITRILE BUTADIENE (NBR) RUBBER AROMATIC FUEL RESISTANT 35-45 [CUST: MR AS 11 IS] | A 5330 | IS | 01-JAN-93 |
| | SAE-AMS3215L | ACRYLONITRILE BUTADIENE (NBR) RUBBER, AROMATIC FUEL RESISTANT, 65-75 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-JAN-91 |
| | SAE-AMS3216C | FLUOROCARBON (FKM) RUBBER FUEL AND OIL RESISTANT 70-80 [CUST: MR AS 11 IS] | A 5330 | IS | 01-OCT-91 |
| | SAE-AMS3217A | TEST SLABS, STANDARD ELASTOMER STOCKS [CUST: AS] [REVIEW: IS] | A 5330 | AS | 01-APR-93 |
| | SAE-AMS3217/1A | TEST SLABS, ACRYLONITRILE BUTADIENE (NBR-H), MEDIUM-HIGH ACRYLONITRILE, 65-75 [CUST: MR AS 11] [REVIEW: IS] | A 5330 | AS | 01-APR-93 |
| | SAE-AMS3217/2A | TEST SLABS, ACRYLONITRILE BUTADIENE (NBR-L), LOW ACRYLONITRILE, 65-75 [CUST: MR AS 11] [REVIEW: IS] | A 5330 | AS | 01-APR-93 |
| | SAE-AMS3217/3A | TEST SLABS, CHLOROPRENE (CR) 65-75 [CUST: MR AS 11] [REVIEW: IS] | A 5330 | AS | 01-APR-93 |
| | SAE-AMS3217/4A | TEST SLABS, FLUOROELASTOMER (FKM), 65-75 [CUST: MR AS 11] [REVIEW: IS] | A 5330 | AS | 01-APR-93 |
| | SAE-AMS3217/5A | TEST SLABS, FLUOROSILICONE (FVMQ), 55-65 [CUST: MR AS 11] [REVIEW: IS] | A 5330 | AS | 01-APR-93 |
| | SAE-AMS3217/6 | TEST SLABS, PHOSPHONITRILIC FLUOROELASTOMER (FZ) 65 - 75 [CUST: MR AS 11 IS] | A 5330 | IS | 01-OCT-93 |
| | SAE-AMS3220F | RUBBER, SYNTHETIC, GENERAL PURPOSE, FLUID RESISTANT, 55-65 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-JAN-91 |
| | SAE-AMS3222G | RUBBER HOT OIL RESISTANT, SYNTHETIC, HIGH SWELL 45-55 [CUST: AS] [REVIEW: MI] | A 9320 | AS | 01-APR-91 |
| | SAE-AMS3226G | ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL AND COOLANT RESISTANT, LOW SWELL, 45-55 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-JAN-91 |
| | SAE-AMS3227G | ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL AND COOLANT RESISTANT, LOW SWELL, 55-65 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-JAN-91 |
| | SAE-AMS3237E | BUTYL (IIR) RUBBER, PHOSPHATE ESTER RESISTANT 34-45 [CUST: MR AS 11] | A 9320 | AS | 01-APR-91 |
| | SAE-AMS3238E | BUTYL (IIR) RUBBER, PHOSPHATE ESTER RESISTANT, 65-75 [CUST: MR AS 11] | A 9320 | AS | 01-OCT-90 |
| | SAE-AMS3239E | BUTYL (IIR) RUBBER, PHOSPHATE ESTER RESISTANT 85-95 [CUST: MR AS 11] | A 9320 | AS | 01-JAN-93 |
| | SAE-AMS3240J | CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT 35-45 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-OCT-93 |
| | SAE-AMS3241H | CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT 55-65 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-OCT-93 |
| | SAE-AMS3243E | CHLOROPRENE (CR) RUBBER, FLAME RESISTANT 55-65 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-APR-91 |
| | SAE-AMS3244E | CHLOROPRENE (CR) RUBBER, FLAME RESISTANT 65-75 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | 01-APR-91 |
| | SAE-AMS3248B | ETHYLENE PROPYLENE (EPM) RUBBER PHOSPHATE ESTER RESISTANT 55 - 65 [CUST: MR AS 11 IS] | A 5330 | IS | 01-OCT-90 |
| | SAE-AMS3249C | ETHYLENE PROPYLENE, (EPDM) RUBBER, HYDRAZINE-BASE-FLUID RESISTANT 75-85 [CUST: MR AS 11] | A 5330 | AS | 01-OCT-93 |
| | SAE-AMS3251G | RUBBER AND CORK COMPOSITION, SYNTHETIC GENERAL PURPOSE MEDIUM [CUST: MR AS 11 IS] | A 5330 | IS | 01-OCT-91 |
| | SAE-AMS3260B | RUBBER, ETHYLENE-PROPYLENE -DIENE (EPDM) RUBBER GENERAL PURPOSE 45-55 [CUST: MR AS 11] | A 5330 | AS | 01-OCT-90 |
| | SAE-AMS3269 | SEALING COMPOUND, POLYSULFIDE (T) SYNTHETIC RUBBER FOR INTEGRAL FUEL TANK AND FUEL CELL CAVITIES HIGH STRENGTH, FOR INTERMITTENT USE TO 360 DEG. F (182 DEG. C) [CUST: MR 11] [REVIEW: 99 AT] | A 8030 | 11 | 01-OCT-93 |
| A | SAE-AMS3270J | CHLOROPRENE (CR) RUBBER SHEET, COTTON FABRIC REINFORCED, WEATHER RESISTANT [CUST: MR AS] [REVIEW: GS] | A 9320 | AS | 01-APR-91 |
| | SAE-AMS3272A | CLOTH, NYLON, POLYURETHANE COATED THERMALLY, RADIO FREQUENCY, OR ULTRASONICALLY SEALABLE [CUST: GL SH 99] | A 8305 | SH | 01-JUL-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | SAE-AMS3273E | CHLOROPRENE (CR) RUBBER SHEET, NYLON CLOTH REINFORCED WEATHER RESISTANT [CUST: MR AS 11] | A 9320 | AS | | 01-APR-91 |
| | SAE-AMS3274G | ACRYLONITRILE BUTADIENE (NBR) RUBBER SHEET AND MOLDED SHAPES NYLON CLOTH REINFORCED FUEL RESISTANT [CUST: MR AS 11 IS] | A 5330 | IS | | 01-APR-91 |
| | SAE-AMS3275A | SHEET, ACRYLONITRILE BUTADIENE (NBR) RUBBER, NON-ASBESTOS FIBER, FUEL AND OIL RESISTANT [CUST: MR AS 11] [REVIEW: 99 IS] | A 5330 | AS | | JUN-94 |
| A | SAE-AMS3276A | SEALING COMPOUND, INTEGRAL FUEL TANKS AND GENERAL PURPOSE, INTERMITTENT USE TO 360 DEG. F (182 DEG. C) [CUST: MR AS 11] | A 8030 | 11 | | OCT-95 |
| | SAE-AMS3277 | POLYTHIOETHER, SEALING COMPOUND, INTEGRAL FUEL TANKS AND GENERAL PURPOSE, FAST CURING INTERMITTENT USE TO 360 DEG F (182 DEG C) [CUST: MR AS 11] | A 8030 | 11 | | APR-95 |
| | SAE-AMS3281 | SEALING COMPOUND, POLYSULFIDE (T) SYNTHETIC RUBBER FOR INTEGRAL FUEL TANK AND FUEL CELL CAVITIES LOW DENSITY (1.35 SP GR MAX), FOR INTERMITTENT USE TO 360 DEG F (182 DEG C) [CUST: MR 11] [REVIEW: 99 AT] | A 8030 | 11 | | NOV-94 |
| | SAE-AMS3301G | SILICONE RUBBER, GENERAL PURPOSE, 40 DUROMETER [CUST: MR AS 11] | A 9320 | AS | | 01-APR-90 |
| | SAE-AMS3302G | SILICONE RUBBER, GENERAL PURPOSE, 50 DUROMETER [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | | 01-APR-90 |
| | SAE-AMS3303J | SILICONE RUBBER, GENERAL PURPOSE, 60 DUROMETER [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | | 01-APR-90 |
| | SAE-AMS3304G | SILICONE RUBBER, GENERAL PURPOSE 70 DUROMETER [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | | 01-JUL-90 |
| | SAE-AMS3305H | SILICONE RUBBER, GENERAL PURPOSE 80 DUROMETER [CUST: MR AS 11] | A 9320 | AS | | 01-APR-90 |
| | SAE-AMS3307C | RUBBER, SILICONE (VQM) LOW COMPRESSION SET, NON-OIL-RESISTANT 65-75 [CUST: MR AS 11 IS] | A 5330 | IS | | 01-JAN-91 |
| | SAE-AMS3315F | RUBBER SHEET, SILICONE (VMQ) GLASS CLOTH REINFORCED [CUST: MR AS 11] | A 9320 | AS | | 01-OCT-91 |
| | SAE-AMS3320G | SILICONE (VMQ) RUBBER SHEET, GLASS CLOTH REINFORCED HEAT AND WEATHER RESISTANT 60-80 [CUST: MR AS 11] [REVIEW: 84] | A 9320 | AS | | 01-JUL-92 |
| | SAE-AMS3323 | SPONGE, FLUROSILICONE (FVM) RUBBER CLOSED CELL [CUST: MR AS 11 IS] | A 5330 | IS | | 01-JAN-90 |
| | SAE-AMS3325D | RUBBER, FLUROSILICONE (FVMQ), FUEL AND OIL RESISTANT 55 - 65 [CUST: AR SH 85 GS] | A 9320 | GS | | JUL-94 |
| | SAE-AMS3327C | FLUROSILICONE (FVMQ) RUBBER HIGH TEMPERATURE FUEL AND OIL RESISTANT 70-80 [CUST: MR AS 11 IS] | A 5330 | IS | | JUL-94 |
| | SAE-AMS3328A | FLUROSILICONE (FVMQ) RUBBER FUEL AND OIL RESISTANT 35-45 [CUST: MR AS 11 IS] | A 5330 | IS | | JUL-94 |
| | SAE-AMS3329A | FLUROSILICONE (FVMQ) RUBBER FUEL AND OIL RESISTANT, HIGH STRENGTH 45-55 [CUST: MR AS 11 IS] | A 5330 | IS | | JUL-94 |
| | SAE-AMS3330A | FLUROSILICONE (FVMQ) RUBBER FUEL AND OIL RESISTANT 45-55 [CUST: MR AS 11 IS] | A 5330 | IS | | JUL-94 |
| | SAE-AMS3331A | FLUROSILICONE (FVMQ) RUBBER FUEL AND OIL RESISTANT 65-75 [CUST: MR AS 11 IS] | A 5330 | IS | | JUL-94 |
| | SAE-AMS3332D | SILICONE RUBBER EXTREME LOW-TEMPERATURE RESISTANT, 15-30 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | | 01-APR-90 |
| | SAE-AMS3334D | SILICONE RUBBER EXTREME LOW-TEMPERATURE RESISTANT 35-45 [CUST: MR AS 11 IS] | A 5330 | IS | | 01-APR-90 |
| | SAE-AMS3335D | SILICONE RUBBER EXTREME LOW-TEMPERATURE RESISTANT 45-55 [CUST: MR AS 11 IS] | A 5330 | IS | | 01-OCT-90 |
| | SAE-AMS3336D | SILICONE (PVMQ) RUBBER EXTREME-LOW-TEMPERATURE RESISTANT 55-65 [CUST: MR AS 11 IS] | A 5330 | IS | | SEP-94 |
| | SAE-AMS3337D | SILICONE (PVQM) RUBBER EXTREME-LOW-TEMPERATURE RESISTANT 65-75 [CUST: MR AS 11 IS] | A 5330 | IS | | 01-APR-91 |
| | SAE-AMS3338F | SILICONE (PVQM) RUBBER EXTREME-LOW-TEMPERATURE RESISTANT 75-85 [CUST: MR AS 11 IS] | A 5330 | IS | | 01-APR-91 |
| | SAE-AMS3345E | SILICONE RUBBER, 1000 PSI (6.90 MPA) TENSILE STRENGTH, 45-55 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | | 01-APR-92 |
| | SAE-AMS3346E | SILICONE RUBBER, 1000 PSI (6.89 MPA) MINIMUM TENSILE STRENGTH 55-65 DUROMETER [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | | 01-JAN-92 |
| | SAE-AMS3347B | RUBBER, SILICONE 1200 PSI (8.27 MPA) HIGH MODULUS 45-55 [CUST: MR AS 11 IS] | A 5330 | IS | | 01-JAN-91 |
| | SAE-AMS3348C | SILICONE (VQM) RUBBER 1150 PSI (7.93 MPA) TENSILE STRENGTH, HIGH RESILIENCY 25-35 [CUST: MR AS 11 IS] | A 5330 | IS | | JAN-94 |
| | SAE-AMS3349C | SILICONE (VQM) RUBBER 1100 PSI (7.58 MPA) TENSILE STRENGTH, HIGH RESILIENCY 65-75 [CUST: MR AS 11 IS] | A 5330 | IS | | 01-OCT-93 |
| | SAE-AMS3356E | SILICONE (VMQ) RUBBER LUBRICATING OIL AND COMPRESSION SET RESISTANT, ELECTRICAL GRADE 55-65 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | | 01-APR-91 |
| | SAE-AMS3357G | RUBBER, SILICONE (VQM) LUBRICATING OIL AND COMPRESSION SET RESISTANT 65-75 [CUST: CR4 YD1 99] | A 5330 | IS | | 01-JAN-91 |
| | SAE-AMS3374 | AIRCRAFT FIREWALL, SEALING COMPOUND, ONE-PART SILICONE [CUST: MR AS 11] | A 8030 | AS | | 01-APR-82 |
| | SAE-AMS3375A | ADHESIVE/SEALANT, FLUROSILICONE, AROMATIC FUEL RESISTANT, ONE-PART ROOM TEMPERATURE VULCANIZING [CUST: MR AS 11] [REVIEW: AT CR4 MI SH SM] | A 8040 | AS | | 01-JUL-93 |
| | SAE-AMS3380D | HOSE, POLYTETRAFLUOROETHYLENE TFE FLUOROCARBON RESIN WIRE BRAID REINFORCED [CUST: 99 CC] [REVIEW: 82 CR4 SH] | A 4720 | CC | | 01-APR-91 |
| A | SAE-AMS3382B | TETRAFLUOROETHYLENE/PROPYLENE RUBBER (FEPM) HYDRAULIC FLUID AND SYNTHETIC OIL RESISTANT 75 TO 90 [CUST: MR AS 99 IS] | A 5330 | IS | | MAR-1996 |
| | SAE-AMS3410H | FLUX, SILVER BRAZING [CUST: MR AS 11] | A 3439 | AS | | 01-OCT-92 |
| | SAE-AMS3411C | FLUX, SILVER BRAZING HIGH TEMPERATURE [CUST: MR AS 11] | A 3439 | AS | | 01-OCT-92 |
| | SAE-AMS3412C | FLUX, ALUMINUM BRAZING [CUST: MR AS 11] | A 3439 | AS | | 01-APR-87 |
| | SAE-AMS3415B | FLUX, ALUMINUM DIP BRAZING 1030 DEG F (555 DEG C) OR LOWER LIQUIDUS [CUST: MR AS] [REVIEW: CR MI] | A 3439 | AS | | 01-APR-92 |
| | SAE-AMS3416A | FLUX, ALUMINUM DIP BRAZING 1090 DEG. F (588 DEG. C) FUSION POINT [CUST: MR AS] [REVIEW: CR] | A 3439 | AS | | 01-JUL-85 |
| | SAE-AMS3529A | PLASTIC SHEET AND FILM, VINYL COPOLYMERS, UNPLASTICIZED [CUST: AV AS 99] [REVIEW: 84 MI] | A 9330 | AS | | 01-JAN-93 |
| | SAE-AMS3568A | SHEET, POLYETHER URETHANE (EU) ELASTOMER FOAM SHOCK ABSORBING [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | | 01-JAN-91 |
| | SAE-AMS3568/1A | FOAM, POLYETHER URETHANE (EU) ELASTOMER, SHOCK ABSORBING, 5 POUNDS/CUBIC FOOT (80 KG/M3) DENSITY [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | | 01-JUL-93 |
| | SAE-AMS3568/2A | FOAM, POLYETHER URETHANE (EU) ELASTOMER, SHOCK ABSORBING 15 POUNDS/CUBIC FOOT (240 KG/M3) DENSITY [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | | 01-JUL-93 |
| | SAE-AMS3568/3A | FOAM, POLYETHER URETHANE (EU) ELASTOMER, SHOCK ABSORBING 20 POUNDS/CUBIC FOOT (320 KG/M3) DENSITY [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | | 01-JUL-93 |
| A | SAE-AMS3570E | FOAM, FLEXIBLE POLYURETHANE OPEN CELL, MEDIUM FLEXIBILITY [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | | 1-OCT-93 |
| | SAE-AMS3571B | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | | 01-APR-91 |
| | SAE-AMS3571/1B | RESIN, POLYETHER URETHANE (EU) CASTING, FLEXIBLE, SOLID, UNFILLED, 45 DUROMETER "A" [CUST: AS 11] [REVIEW: GS] | A 9320 | AS | | 01-APR-91 |
| | SAE-AMS3571/2B | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 55 DUROMETER "A" [CUST: AS 11] [REVIEW: GS] | A 9330 | AS | | 01-APR-91 |
| | SAE-AMS3571/3B | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 65 DUROMETER "A" [CUST: AS 11] [REVIEW: GS] | A 9330 | AS | | 01-APR-91 |
| | SAE-AMS3571/4B | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 75 DUROMETER "A" [CUST: AS 10] [REVIEW: GS] | A 9330 | AS | | 01-APR-91 |
| | SAE-AMS3571/5B | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 85 DUROMETER "A" [CUST: AS] [REVIEW: GS] | A 9330 | AS | | 01-APR-91 |
| | SAE-AMS3571/6B | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 95 DUROMETER "A" [CUST: AS 11] [REVIEW: GS MR] | A 9330 | AS | | 01-APR-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Aes | MCA | Prep. Acty. | Date |
|-----------------|---|----------------------|-----|-------------|------|
| SAE-AMS3571/7B | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 55 DUROMETER "D" [CUST: AS 11] [REVIEW: GS] | A 9330 | AS | 01-APR-91 | |
| SAE-AMS3571/8B | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 65 DUROMETER "D" [CUST: AS 11] | A 9330 | AS | 01-APR-91 | |
| SAE-AMS3571/9B | RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED 75 DUROMETER "D" [CUST: AS 11] [REVIEW: GS] | A 9330 | AS | 01-APR-91 | |
| SAE-AMS3598C | PLASTIC SHEET, COPPER FACED GLASS CLOTH REINFORCED POLYTETRAFLUOROETHYLENE [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | 01-JAN-86 | |
| SAE-AMS3607F | PLASTIC SHEET COTTON FABRIC REINFORCED PHENOL-FORMALDEHYDE [CUST: AS 11 GS] | A 9330 | GS | 01-JUL-93 | |
| SAE-AMS3611D | SHEET, PLASTIC, POLYCARBONATE GENERAL PURPOSE [CUST: MR AS 11] [REVIEW: YD1] | A 9330 | AS | FEB-94 | |
| SAE-AMS3613B | FILM, COPPER CLAD POLYESTER [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | 01-APR-92 | |
| SAE-AMS3615E | TUBING, PLASTIC, COTTON FABRIC REINFORCED PHENOL-FORMALDEHYDE [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | 01-JAN-93 | |
| SAE-AMS3619C | RESIN, POLYIMIDE, LAMINATING, HIGH TEMPERATURE RESISTANT, 315 DEG. C (599 DEG. F) [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | 01-JUL-93 | |
| SAE-AMS3623D | INSULATION, ELECTRICAL, TUBING, IRRADIATED POLYCHLOROPRENE ELASTOMER, FLEXIBLE, HEAT-SHRINKABLE, 1.750 TO 1 SHRINK RATIO [CUST: MR AS 11] [REVIEW: GS] | A 5970 | AS | 01-JUL-93 | |
| SAE-AMS3628D | PLASTIC EXTRUSIONS AND MOLDINGS, POLYCARBONATE, GENERAL PURPOSE [CUST: MR AS 11] | A 9330 | AS | 01-JUL-93 | |
| SAE-AMS3632E | PLASTIC, TUBING, ELECTRICAL INSULATION IRRADIATED POLYVINYLIDENE FLUORIDE, SEMI-RIGID, HEAT SHRINKABLE 2 TO 1 SHRINK RATIO [CUST: MR AS 10] [REVIEW: GS MI] | A 5970 | AS | 01-JAN-91 | |
| SAE-AMS3635C | PLASTIC SHEET AND STRIP, MODIFIED VINYL, FOAMED CLOSED CELL [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | 01-JUL-84 | |
| SAE-AMS3636G | PLASTIC, TUBING, ELECTRICAL INSULATION IRRADIATED POLYOLEFIN, PIGMENTED, FLEXIBLE, HEAT-SHRINKABLE 2 TO 1 SHRINK RATIO [CUST: MR AS 10] [REVIEW: GS] | A 5970 | AS | 01-JAN-91 | |
| SAE-AMS3638F | INSULATION, ELECTRICAL, TUBING, IRRADIATED POLYOLEFIN PLASTIC, PIGMENTED, SEMI-RIGID, HEAT SHRINKABLE, 2 TO 1 SHRINK RATIO [CUST: MR AS 11] [REVIEW: GS] | A 5970 | AS | 01-JUL-93 | |
| SAE-AMS3646C | SHEET, POLYCHLOROTRIFLUOROETHYLENE (PCTFE) MOLDED, UNPLASTICIZED [CUST: MR AS 11] [REVIEW: GS SH] | A 9330 | AS | 01-JUL-91 | |
| SAE-AMS3647C | POLYFLUOROETHYLENEPROPYLENE FILM AND SHEET [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | 01-APR-93 | |
| SAE-AMS3648B | POLYCHLOROTRIFLUOROETHYLENE (PCTFE), TUBING, UNPLASTICIZED [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | 01-JAN-91 | |
| SAE-AMS3649C | FILM, POLYCHLOROTRIFLUOROETHYLENE (PCTFE) UNPLASTICIZED [CUST: MR AS 11] [REVIEW: GS SH] | A 9330 | AS | 01-JAN-91 | |
| SAE-AMS3650C | RODS, SHEETS, AND MOLDED SHAPES, POLYCHLOROTRIFLUOROETHYLENE (PCTFE) UNPLASTICIZED [CUST: MR AS 11] | A 9330 | AS | 01-JAN-91 | |
| SAE-AMS3652C | POLYTETRAFLUOROETHYLENE (PTFE) FILM NON-CRITICAL GRADE [CUST: MR AS 11] | A 9330 | AS | 01-JAN-93 | |
| SAE-AMS3653E | INSULATION, ELECTRICAL, TUBING, STANDARD WALL, EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE) [CUST: MR AS 11] [REVIEW: GS] | A 5970 | AS | 01-JAN-93 | |
| SAE-AMS3654C | INSULATION, ELECTRICAL, TUBING, LIGHT WALL, EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE) [CUST: MR AS 11] [REVIEW: AR GS] | A 5970 | AS | 01-JAN-93 | |
| SAE-AMS3655B | INSULATION, ELECTRICAL, TUBING, THIN WALL, EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE) [CUST: MR AS 11] [REVIEW: GS] | A 5970 | AS | 01-APR-93 | |
| SAE-AMS3656E | POLYTETRAFLUOROETHYLENE EXTRUSIONS, NORMAL STRENGTH, AS SINTERED [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | 01-JUN-93 | |
| SAE-AMS3662C | FILM, POLYTETRAFLUOROETHYLENE, GENERAL PURPOSE GRADE [CUST: MR AS 11] [REVIEW: GS] | A 5970 | AS | 01-JUL-91 | |
| SAE-AMS3666D | SHEET, POLYTETRAFLUOROETHYLENE (PTFE), GLASS CLOTH REINFORCED [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | 01-JUL-93 | |
| SAE-AMS3668C | MOLDINGS, POLYTETRAFLUOROETHYLENE (PTFE), PREMIUM GRADE, AS SINTERED [CUST: MR AS 99] | A 9330 | AS | FEB-94 | |
| SAE-AMS3679B | INSULATION, THERMAL CERAMIC FIBER [CUST: AS 11] | A 5640 | AS | 01-APR-93 | |
| SAE-AMS3680C | INSULATION, THERMAL, SILICA FIBER [CUST: AS 11] [REVIEW: CR4] | A 5640 | AS | 01-JUL-93 | |
| SAE-AMS3686A | ADHESIVE, POLYIMIDE RESIN, FILM AND PASTE HIGH TEMPERATURE RESISTANT, 315 DEG. C (599 DEG. F) [CUST: MR AS 11] | A 8040 | AS | 01-OCT-91 | |
| SAE-AMS3688B | ADHESIVE, FOAMING, HONEYCOMB CORE SPLICE, STRUCTURAL -55 DEG. C TO +82 DEG. C (-65 DEG. F TO +180 DEG. F) [CUST: MR AS 11] | A 8040 | AS | 01-OCT-88 | |
| SAE-AMS3689B | ADHESIVE, FOAMING, HONEYCOMB, CORE SPLICE, STRUCTURAL -54 DEG. TO +177 DEG. C (-65 DEG. TO +350 DEG. F) [CUST: MR AS 10] | A 8040 | AS | 01-OCT-88 | |
| SAE-AMS3710C | SANDWICH STRUCTURES, GLASS FABRIC-RESIN LOW PRESSURE MOLDED HEAT RESISTANT [CUST: MR MR 11] | A CMPS | AS | 01-JUL-93 | |
| SAE-AMS3722A | PAPER HONEYCOMB 125 LB (55 KG) PAPER [CUST: MR AS 11] | A 5640 | AS | 01-JAN-88 | |
| SAE-AMS3726/2A | SHIMS, FILLED RESIN COMPOUND, PRECATALYZED SHEET [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | 01-OCT-91 | |
| SAE-AMS3726/3A | SHIMS, FILLED RESIN COMPOUND, LIQUID PRECATALYZED [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | 01-OCT-91 | |
| SAE-AMS3751B | MICROSPHERES, HOLLOW GLASS [CUST: MR AS 11] [REVIEW: GS] | A 9340 | AS | 01-APR-90 | |
| SAE-AMS3755A | POWDER, FUMED SILICON DIOXIDE [CUST: MI] | A 9620 | MI | 01-JAN-92 | |
| SAE-AMS3756A | MOLDINGS, GLASS FIBER FILLED POLYTETRAFLUOROETHYLENE 75 PTFE RESIN, 25 GLASS, AS SINTERED [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | 01-OCT-89 | |
| SAE-AMS3792B | TAPE, LOW MODULUS ARAMID 300 (1334), 1000 (4448) AND 8000 (13,345) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | OCT-94 | |
| SAE-AMS3792/1A | TAPE, LOW MODULUS ARAMID 2 (51), 300 (1,334) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | 1-JAN-89 | |
| SAE-AMS3792/2A | TAPE, LOW MODULUS ARAMID, 2 (51), 1000 (4448) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | 01-JAN-89 | |
| SAE-AMS3792/3A | TAPE, LOW MODULUS ARAMID, 2 (51), 3000 (13,345) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | 01-JAN-89 | |
| SAE-AMS3797B | WEBBING, NYLON, INTEGRAL LOCKING SLOTS [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | MAR-94 | |
| SAE-AMS3797/1B | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 5/8 (15.9) WIDE, 1000 (4448) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | MAR-94 | |
| SAE-AMS3797/2B | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 5/8 (15.9) WIDE, 2000 (8896) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | MAR-94 | |
| SAE-AMS3797/3B | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1 (25) WIDE, 3,000 (13,345) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | MAR-94 | |
| SAE-AMS3797/4B | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1 (25) WIDE, 4,000 (17,793) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | MAR-94 | |
| SAE-AMS3797/5B | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1 (25) WIDE, 5,000 (22,241) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | MAR-94 | |
| SAE-AMS3797/6B | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/16 (27), WIDE, 6000 (26,689) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | MAR-94 | |
| SAE-AMS3797/7B | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/16 (27) WIDE, 7000 (31,138) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | MAR-94 | |
| SAE-AMS3797/8B | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/16 (27) WIDE, 8,000 (35,586) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | MAR-94 | |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | SAE-AMS3797/9B | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/8 (29) WIDE, 9,000 (40,034) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | MAR-94 |
| | SAE-AMS3797/10B | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/8 (29) WIDE, 10,000 (44,482) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | MAR-94 |
| | SAE-AMS3797/11B | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/8 (29) WIDE, 11,000 (48,930) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | MAR-94 |
| | SAE-AMS3797/12B | WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/8 (29) WIDE, 12,000 (53,379) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | MAR-94 |
| | SAE-AMS3798B | WEBBING, LOW MODULUS ARAMID [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 01-JUL-93 |
| | SAE-AMS3798/1B | WEBBING, LOW MODULUS ARAMID, 9/16 (14) WIDE, 500 (2224) BREAKING STRENGTH, HERRINGBONE TWILL, RESIN TREATED [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 01-JUL-93 |
| A | SAE-AMS3798/2B | WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 600 (2,669) BREAKING STRENGTH, HERRINGBONE TWILL [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/3B | WEBBING, LOW MODULUS ARAMID, 3/4 (19) WIDE, 600 (2,669) BREAKING STRENGTH, HERRINGBONE TWILL [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/4B | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 5,500 (24,465) BREAKING STRENGTH, DOUBLE PLAIN WEAVE WITH BINDER [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/5B | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 3,600 (16,014) BREAKING STRENGTH, HERRINGBONE TWILL, RESIN TREATED [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/6B | WEBBING, LOW MODULUS ARAMID, 3-1/32 (77) WIDE, 9,000 (40,034) BREAKING STRENGTH DOUBLE PLAIN WEAVE WITH BINDER [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/7B | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 8,700 (38,700) BREAKING STRENGTH, DOUBLE PLAIN WEAVE WITH BINDER [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/8B | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 1,200 (5,338) BREAKING STRENGTH, HERRINGBONE TWILL [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/9B | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 6,500 (28,913) BREAKING STRENGTH, HERRINGBONE TWILL RESIN TREATED [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/10B | WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 6,000 (26,689) BREAKING STRENGTH, HERRINGBONE TWILL [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/11B | WEBBING, LOW MODULUS ARAMID, 1-3/4 (44) WIDE, 10,000 (44,482) BREAKING STRENGTH, HERRINGBONE TWILL [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/12B | WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 9,000 (40,034) BREAKING STRENGTH SPECIAL WEAVE [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/13B | WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 7,300 (32,472) BREAKING STRENGTH TWILL, RESIN TREATED [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/14B | WEBBING, LOW MODULUS ARAMID, 1-1/4 (32) WIDE, 800 (3,559) BREAKING STRENGTH, HERRINGBONE TWILL [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/15B | WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 2,500 (11,121) BREAKING STRENGTH, HERRINGBONE TWILL [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3798/16B | WEBBING, LOW MODULUS ARAMID, 1-1/2 (38) WIDE, 1,700 (7,562) BREAKING STRENGTH, SPECIAL WEAVE [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-92 |
| A | SAE-AMS3799B | WEBBING, TUBULAR, LOW MODULUS ARAMID-54 [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3799/1B | WEBBING, TUBULAR, LOW MODULUS ARAMID, 9/16 (14) WIDE, 1400 (6228) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3799/2B | WEBBING, TUBULAR, LOW MODULUS ARAMID, 3/4 (19) WIDE, 2300 (10,230) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 01-JUL-93 |
| A | SAE-AMS3799/3B | WEBBING, TUBULAR, LOW MODULUS ARAMID, 1 (25) WIDE, 4,000 (17,793) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 01-JUL-93 |
| A | SAE-AMS3799/4B | WEBBING, TUBULAR, LOW MODULUS ARAMID, 3 3/16 (81), WIDE, 2250 (10,008N) BREAKING STRENGTH [CUST: MR AS 11] [REVIEW: DP] | A 8305 | AS | | 1-JUL-93 |
| A | SAE-AMS3801A | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS [CUST: GL AS 11] [REVIEW: CT] | A 8305 | AS | | 1-JUL-90 |
| A | SAE-AMS3801/1A | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS, 4.7 (159) WEIGHT, TWILL [CUST: GL AS 11] [REVIEW: CT] | A 8305 | AS | | 1-JUL-90 |
| A | SAE-AMS3801/2A | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS, 6.5 (220) WEIGHT, SPECIAL WEAVE [CUST: GL AS 11] [REVIEW: CT] | A 8305 | AS | | 1-JUL-90 |
| A | SAE-AMS3801/3A | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS 12.0 (407) WEIGHT, SPECIAL WEAVE [CUST: GL AS 11] [REVIEW: CT] | A 8305 | AS | | 01-JUL-90 |
| A | SAE-AMS3801/4A | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS 7.0 (237) WEIGHT, PLAIN WEAVE [CUST: GL AS 11] [REVIEW: CT] | A 8305 | AS | | 01-JUL-90 |
| A | SAE-AMS3801/5A | CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS 18.0 (610) WEIGHT, BASKET WEAVE, RESIN TREATED [CUST: GL AS 11] | A 8305 | AS | | 01-JUL-90 |
| | SAE-AMS3808A | TAPE, ADHESIVE, PRESSURE-SENSITIVE MASKING [CUST: MR AS 11] | A 7510 | AS | | SEP-94 |
| | SAE-AMS3813A | ROPE, ARAMID FIBER, JACKETED FOR ANTENNA-SUPPORT SYSTEMS [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-88 |
| | SAE-AMS3813/1A | ROPE, ARAMID FIBER, JACKETED CABLED STRAND, EXTRUDED JACKET [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-87 |
| | SAE-AMS3813/2A | ROPE, ARAMID FIBER, JACKETED PARALLEL STRAND, EXTRUDED JACKET [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-87 |
| | SAE-AMS3813/3A | ROPE, ARAMID FIBER, JACKETED PARALLEL YARN, BRAIDED JACKET [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-87 |
| | SAE-AMS3814 | CORD, CORELESS, PARA-ARAMID, INTERMEDIATE MODULUS [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/2 | CORD, CORELESS, PARA-ARAMID, INTERMEDIATE MODULUS [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/3 | CORD, CORELESS, PARA-ARAMID, INTERMEDIATE MODULUS [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/4 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 400 LB (1780 N), 1080 FT PER LB (725 M/KG) [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/5 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 600 LB (2670 N), 720 FT PER LB (485 M/KG) [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/6 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 750 LB (3335 N), 425 FT PER LB (285 M/KG) [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/7 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 1000 LB (4450 N), 338 FT PER LB (225 M/KG) [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/8 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 1500 LB (6670 N), 200 FT PER LB (135 M/KG) [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/9 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 2000 LB (8895 N), 135 FT PER LB (90 M/KG) [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/10 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 3500 LB (15 570 N), 67 FT PER LB (45 M/KG) [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/11 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 5000 LB (22 240 N), 58 FT PER LB (40 M/KG) [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/12 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 6500 LB (28 915 N), 50 FT PER LB (35 M/KG) [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|-----------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Asa | MCA | Prep. Acty. | Date |
| | SAE-AMS3814/13 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 250 LB (1110 N), 1800 FT PER LB (1210 M/KG) [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/14 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 2750 LB (12 230 N), 100 FT PER LB (65 M/KG) [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/15 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 300 LB (1335 N), 1500 FT PER LB (1005 M/KG) [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3814/16 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 4000 LB (17 790 N), 75 FT PER LB (50 M/KG) [CUST: GL SH 99 IS] | A 4020 | IS | | 01-JUL-86 |
| | SAE-AMS3817D | NYLON BRAID, FLAT ELECTRICAL TYING RESIN COATED [CUST: GL SH 99 IS] | A 4020 | IS | | 01-OCT-93 |
| | SAE-AMS3819 | CLOTHS, CLEANING, FOR AIRCRAFT PRIMARY AND SECONDARY STRUCTURAL SURFACES [CUST: GL SA 99] | A 7920 | 11 | | 01-JUL-87 |
| A | SAE-AMS3824C | CLOTH, GLASS FINISHED FOR RESIN LAMINATES [CUST: AS 11] [REVIEW: CT] | A CMPS | AS | | SEP 95 |
| | SAE-AMS3827B | CLOTH-TYPE "E" GLASS, "B" STAGE POLYESTER-RESIN IMPREGNATED 7781 STYLE FABRIC, FLAME RESISTANT [CUST: MR YD1 11] | A 8305 | YD1 | | 01-APR-91 |
| | SAE-AMS3832C | GLASS ROVING, TYPE S-2, EPOXY RESIN IMPREGNATED [CUST: MR AS 11] [REVIEW: GS] | A CMPS | AS | | MAY-94 |
| | SAE-AMS3837D | CLOTH, TYPE, "S" GLASS 181 STYLE FABRIC, FINISH NO. HTS-904 [CUST: MR AS 11] | A CMPS | AS | | JUN-94 |
| A | SAE-AMS3846C | CLOTH, QUARTZ, FINISHED FOR RESIN LAMINATES [CUST: MR AS 11] [REVIEW: CT] | A CMPS | AS | | JUL 95 |
| | SAE-AMS3847C | CLOTH, QUARTZ, "B" STAGE POLYIMIDE RESIN IMPREGNATED, STYLE 581 FABRIC, 315 DEG. C (599 DEG. F) [CUST: MR AS 11] [REVIEW: GS] | A CMPS | AS | | JUN-94 |
| | SAE-AMS3865C | FILAMENTS, BORON TUNGSTEN, SUBSTRATE, CONTINUOUS [CUST: 11 GS] [REVIEW: 84 99] | A 9330 | GS | | 09-JUN-93 |
| | SAE-AMS3867B | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED [CUST: 11 GS] [REVIEW: 84 99] | A 9330 | GS | | 11-FEB-93 |
| | SAE-AMS3867/1B | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B4.0-E374 (TYPE BO.102-E191) [CUST: 11 GS] [REVIEW: 84 99] | A 9330 | GS | | 11-FEB-93 |
| | SAE-AMS3867/2B | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B5.6-E374 (TYPE BO.142-E190) [CUST: 11 GS] [REVIEW: 84 99] | A 9330 | GS | | 11-FEB-93 |
| | SAE-AMS3867/3B | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B8.0-E374 (TYPE BO.203-E190) [CUST: 11 GS] [REVIEW: 84 99] | A 9330 | GS | | 11-FEB-93 |
| | SAE-AMS3867/4A | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B4.0-E180 (TYPE BO.102-E82) [CUST: 11 GS] [REVIEW: 84 99] | A 9330 | GS | | 11-FEB-93 |
| | SAE-AMS3867/5A | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B5.6-E180 (TYPE BO.142-E82) [CUST: 11 GS] [REVIEW: 84 99] | A 9330 | GS | | 11-FEB-93 |
| | SAE-AMS3867/6A | BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B8.0-E180 (TYPE BO.203-E82) [CUST: 11 GS] [REVIEW: 84 99] | A 9330 | GS | | 11-FEB-93 |
| | SAE-AMS3890 | GRAPHITE YARN, NON-STRUCTURAL 2 PLY YARN, 720 FILAMENTS [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | | 01-MAY-70 |
| | SAE-AMS3892B | FIBERS, CARBON, TOW AND YARN FOR STRUCTURAL COMPOSITES [CUST: MR AS 11] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3892/1B | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF 400 (2758) TENSILE STRENGTH, 33 (228) TENSILE MODULUS [CUST: MR AS 11] | A CMPS | MR | | 01-OCT-92 |
| | SAE-AMS3892/2B | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF 300 (2068) TENSILE STRENGTH, 50 (345) TENSILE MODULUS [CUST: MR AS 11] | A CMPS | MR | | 01-OCT-92 |
| | SAE-AMS3892/3B | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF 400 (2760) TENSILE STRENGTH, GF 400 (275) TENSILE MODULUS [CUST: MR AS 11] | A CMPS | MR | | 01-OCT-92 |
| | SAE-AMS3892/4B | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF 300 (2068) TENSILE STRENGTH, 75 (517) TENSILE MODULUS [CUST: MR AS 11] | A CMPS | MR | | 01-OCT-92 |
| | SAE-AMS3892/5B | TOW AND YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF 220 (1517) TENSILE STRENGTH, 75 (517) TENSILE MODULUS [CUST: MR AS 11] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3892/6A | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF 325 (2241) TENSILE STRENGTH, 57 (393) TENSILE MODULUS [CUST: MR AS 11] | A CMPS | MR | | 01-OCT-92 |
| | SAE-AMS3892/7A | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF (OX) 400 (2758) TENSILE STRENGTH, 33 (22) TENSILE MODULUS [CUST: MR AS 11] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3892/8A | TOW OR YARN, CARBON FIBERS FOR STRUCTURAL COMPOSITES, GF (OX) 400 (2758) TENSILE STRENGTH, 40 (276) TENSILE MODULUS [CUST: MR AS 11] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3892/9B | TOW, CARBON FIBER FOR STRUCTURAL COMPOSITES, 500 (3447) TENSILE STRENGTH, 32 (221) TENSILE MODULUS [CUST: MR AS 11] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3892/10A | TOW, CARBON FIBER FOR STRUCTURAL COMPOSITES, 550 (3792) TENSILE STRENGTH, 38 (262) TENSILE MODULUS [CUST: MR AS 11] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3894E | CARBON FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED [CUST: MR AS 11] [REVIEW: GS] | A CMPS | AS | | 01-JAN-90 |
| | SAE-AMS3894/1B | CARBON FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 110,000 (758) TENSILE, 27,000,000 (186) MODULUS, 175 (347) [CUST: MR AS 11] | A 9330 | AS | | 01-JAN-89 |
| | SAE-AMS3894/2B | CARBON FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 150,000 (1034) TENSILE, 20,000,000 (138) MODULUS, 175 (347) [CUST: MR AS 11] | A 9330 | AS | | 01-JAN-89 |
| | SAE-AMS3894/3B | CARBON FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 150,000 (1034) TENSILE, 19,000,000 (131) MODULUS, 80 (176) [CUST: MR AS 11] | A 9330 | AS | | 01-JAN-89 |
| | SAE-AMS3894/4B | CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 150,000 (1034) TENSILE, 15,000,000 (103) MODULUS, 80 (176) [CUST: MR AS 11] | A 9330 | AS | | 01-JAN-89 |
| | SAE-AMS3894/5B | CARBON FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 110,000 (758) TENSILE, 27,000,000 (186) MODULUS, 80 (176) [CUST: MR AS 11] | A 9330 | AS | | 01-JAN-89 |
| | SAE-AMS3894/6B | CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 150,000 (1034) TENSILE, 15,000,000 (103) MODULUS, 175 (347) [CUST: MR AS 11] | A 9330 | AS | | 01-JAN-89 |
| | SAE-AMS3894/7B | CARBON FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 90,000 (621) TENSILE, 40,000,000 (276) MODULUS, 80 (176) [CUST: MR AS 11] | A 9330 | AS | | 01-JAN-89 |
| | SAE-AMS3894/8B | CARBON FIBER TAPE AND SHEET EPOXY RESIN IMPREGNATED G 70,000 (483) TENSILE, 36,000,000 (248) MODULUS, 80 (176) [CUST: MR AS 11] | A 9330 | AS | | 01-JAN-89 |
| | SAE-AMS3894/9B | CARBON FIBER TAPE AND SHEET EPOXY RESIN IMPREGNATED G 70,000 (483) TENSILE, 36,000,000 (248) MODULUS, 175 (347) [CUST: MR AS 11] | A 9330 | AS | | 01-JAN-89 |
| | SAE-AMS3894/10A | CARBON FIBER TAPE AND SHEET EPOXY RESIN IMPREGNATED G 210,000 (1448) TENSILE, 20,000,000 (138) MODULUS, 175 (347) [CUST: MR AS 11] [REVIEW: GS] | A CMPS | AS | | 01-JAN-89 |
| | SAE-AMS3894/11A | CARBON FIBER TAPE AND SHEET EPOXY RESIN IMPREGNATED G 200,000 (1379) TENSILE, 18,000,000 (124) MODULUS, 80 (176) [CUST: MR AS 11] [REVIEW: GS] | A CMPS | AS | | 01-JAN-89 |
| | SAE-AMS3898B | PAPER, BROADGOODS, OR COMPOSITE TAPE, INTERLEAF CARRIER MATERIAL, 0.004 INCH (0.10 MM), PERFORATED [CUST: AS 11] | A CMPS | AS | | FEB-94 |
| | SAE-AMS3898/1B | TAPE, COMPOSITE PARCHMENT, INTERLEAF CARRIER MATERIAL, 0.004 INCH (0.10 MM), UNPERFORATED [CUST: AS 11] | A CMPS | AS | | FEB-94 |
| | SAE-AMS3898/2B | TAPE, COMPOSITE, POLYETHYLENE FILM, UNPERFORATED 0.0018 INCH (0.046 MM), INTERLEAF CARRIER MATERIAL [CUST: AS 11] | A CMPS | AS | | FEB-94 |
| | SAE-AMS3898/3B | TAPE, COMPOSITE POLYETHYLENE COATED PAPER, UNPERFORATED, INTERLEAF CARRIER MATERIAL, 0.0035 IN. (0.089 MM) [CUST: AS 11] | A CMPS | AS | | FEB-94 |

ACTIVE SECTION

DODISS NUMERICAL LISTING

DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | SAE-AMS3898/4B | TAPE, COMPOSITE INTERLEAF CARRIER MATERIAL, PAPER, 0.004 INCH (0.10 MM), PERFORATED [CUST: AS 11] | A CMPS | AS | | FEB-94 |
| | SAE-AMS3898/5B | TAPE, COMPOSITE, INTERLEAF CARRIER MATERIAL, POLYETHYLENE COATED PAPER, PERFORATED, 0.0035 INCH (0.089 MM) [CUST: AS 11] | A CMPS | AS | | FEB-94 |
| | SAE-AMS3901B | YARN AND ROVING, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS [CUST: MR AS 11] [REVIEW: CT GL] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3901/1B | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/23.5 TENSILE STRENGTH, 18 (124)/982 TENSILE MODULUS 195 DENIER, 0.6% FINISH [CUST: MR AS 11] [REVIEW: CT GL] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3901/2B | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/24.5 TENSILE STRENGTH, 17.5 (121)/934 TENSILE MODULUS 380 DENIER, 0.6% FINISH [CUST: MR AS 11] [REVIEW: CT GL] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3901/3B | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/25.5 TENSILE STRENGTH, 16.5 (114)/900 TENSILE MODULUS 1140 DENIER, 0.6% FINISH [CUST: MR AS 11] [REVIEW: CT GL] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3901/4B | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/24.3 TENSILE STRENGTH, 16.5 (114)/900 TENSILE MODULUS 1420 DENIER, 0.6% FINISH [CUST: MR AS 11] [REVIEW: CT GL] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3901/5B | FIBER, ROVING, ORGANIC (PARA-ARAMID), HIGH MODULUS OY 450 (3103)/23.0 TENSILE STRENGTH, 17.5 (121)/780 TENSILE MODULUS 7100 DENIER, 0.6% FINISH [CUST: MR AS 11] [REVIEW: CT GL] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3901/6B | FIBER ORGANIC ROVING, (PARA-ARAMID), HIGH MODULUS OY 500 (3447)/23.5 TENSILE STRENGTH, 17.5 (121)/800 TENSILE MODULUS 4560 DENIER, 0.6% FINISH [CUST: MR AS 11] [REVIEW: CT GL] | A 8310 | AS | | 01-OCT-92 |
| A | SAE-AMS3901/7B | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/22.0 TENSILE STRENGTH, 16.5 (114)/825 TENSILE MODULUS 2160 DENIER, 0.6% FINISH [CUST: MR AS 11] [REVIEW: CT GL] | A CMPS | AS | | FEB 96 |
| | SAE-AMS3901/8A | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/23.5 TENSILE STRENGTH, 18 (124)/982 TENSILE MODULUS 195 DENIER, 1.2% FINISH [CUST: MR AS 11] [REVIEW: CT GL] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3901/9A | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/24.5 TENSILE STRENGTH, 17.5 (121)/934 TENSILE MODULUS 380 DENIER, 1.2% FINISH [CUST: MR AS 11] [REVIEW: CT GL] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3901/10A | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/23.6 TENSILE STRENGTH, 16.5 (114)/885 TENSILE MODULUS 1140 DENIER, 1.2% FINISH [CUST: MR AS 11] [REVIEW: CT GL] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3901/11A | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/22.2 TENSILE STRENGTH, 16.5 (114)/870 TENSILE MODULUS 1420 DENIER, 1.2% FINISH [CUST: MR AS 11] [REVIEW: CT GL] | A CMPS | AS | | 01-OCT-92 |
| | SAE-AMS3901/12A | YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390 (2689)/21.5 TENSILE STRENGTH, 16.5 (114)/825 TENSILE MODULUS 2160 DENIER, 1.2% FINISH [CUST: MR AS 11] [REVIEW: CT GL] | A CMPS | AS | | 01-OCT-92 |
| A | SAE-AMS3902C | CLOTH, ORGANIC FIBER, (PARA-ARAMID) HIGH MODULUS FOR STRUCTURAL COMPOSITES [CUST: AS 11] | A CMPS | AS | | MAY 95 |
| | SAE-AMS3903A | CLOTH, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS EPOXY RESIN IMPREGNATED [CUST: MR AS 11] [REVIEW: CT] | A CMPS | AS | | 01-OCT-85 |
| | SAE-AMS3903/1A | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 120, 175 (350) [CUST: MR AS 11] [REVIEW: 45 CT] | A CMPS | AS | | 01-JAN-88 |
| | SAE-AMS3903/2A | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 181, 175 (350) [CUST: MR AS 11] | A CMPS | AS | | 01-JAN-88 |
| | SAE-AMS3903/3A | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 281, 175 (350) [CUST: MR AS] | A CMPS | AS | | 01-JAN-88 |
| | SAE-AMS3903/4A | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 328, 175 (350) [CUST: MR AS] | A CMPS | AS | | 01-JAN-88 |
| | SAE-AMS3903/5A | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 120, 80 (180) [CUST: MR AS] | A CMPS | AS | | 01-JAN-88 |
| | SAE-AMS3903/6A | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 181, 80 (180) [CUST: MR AS 11] [REVIEW: 45 CT] | A CMPS | AS | | 01-JAN-88 |
| | SAE-AMS3903/7A | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 281, 80 (180) [CUST: MR AS] | A CMPS | AS | | 01-JAN-88 |
| | SAE-AMS3903/8A | CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 328, 80 (180) [CUST: MR AS] | A CMPS | AS | | 01-JAN-88 |
| | SAE-AMS3906B | GLASS TAPE AND FLAT SHEET, NON-WOVEN CLOTH EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP [CUST: MR AS 11] | A CMPS | AS | | 01-JUL-92 |
| | SAE-AMS3906/1B | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP, GL-I-36 -120 (248) [CUST: MR AS] | A CMPS | AS | | 01-JUL-92 |
| | SAE-AMS3906/2B | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP GL-III-36 -120 (248) [CUST: MR AS] [REVIEW: GS] | A CMPS | AS | | 01-JUL-92 |
| | SAE-AMS3906/3B | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP GL-I-26 -150 (302) [CUST: MR AS] | A CMPS | AS | | 01-JUL-92 |
| | SAE-AMS3906/4B | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP GL-III-26 -150 (302) [CUST: MR AS] | A CMPS | AS | | 01-JUL-92 |
| | SAE-AMS3906/5B | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP GL-I-36 -150 (302) [CUST: MR AS] | A CMPS | AS | | 01-JUL-92 |
| | SAE-AMS3906/6B | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, HAND AND MACHINE LAYUP, GL-I-36 -95 (203) [CUST: MR AS] | A CMPS | AS | | 01-JUL-92 |
| | SAE-AMS3906/7B | GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP, GL-III-33 -95 (203) [CUST: MR AS] | A CMPS | AS | | 01-JUL-92 |
| | SAE-AMS3912A | RADOMES, FOAM SANDWICH POLYIMIDE/QUARTZ CLOTH CONSTRUCTION [CUST: AS 11] [REVIEW: YD1] | A CMPS | AS | | 01-JUL-85 |
| A | SAE-AMS4003G | ALUMINUM ALLOY, SHEET AND PLATE 0.12 CU (1100-H14) STRAIN HARDENED [CUST: AR AS 99 IS] | A 9535 | IS | | SEP 95 |
| | SAE-AMS4009A | ALUMINUM ALLOY FOIL 1.0MG - 0.6SI - 0.30CU - 0.20CR (6061-0) ANNEALED [CUST: MR AS 11] | A 9535 | AS | | 01-OCT-91 |
| | SAE-AMS4018B-69 | ALUMINUM ALLOY, SHEET AND PLATE 3.5MG - 0.25CR (554-01) [CUST: MR AS 11] | A 9535 | AS | | 1-MAY-69 |
| | SAE-AMS4021F | ALUMINUM ALLOY, ALCLAD SHEET AND PLATE, 1.0MG - 0.60SI - 0.28CU - 0.20CR (ALCLAD 6061-0) ANNEALED [CUST: MR AS 11] | A 9535 | AS | | 01-OCT-93 |
| | SAE-AMS4026J | ALUMINUM ALLOY SHEET AND PLATE 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061; -T4 SHEET, -T451 PLATE) SOLUTION HEAT TREATED AND NATURALLY AGED [CUST: AT AS 99 IS] | A 9535 | IS | | 01-OCT-91 |
| | SAE-AMS4029H | ALUMINUM ALLOY SHEET AND PLATE 4.5CU - 0.85SI - 0.80MN - 0.50MG (2014; -T6 SHEET, -T651 PLATE) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A 9535 | AS | | 01-JAN-92 |
| | SAE-AMS4036H | ALUMINUM ALLOY SHEET AND PLATE, ALCLAD ONE SIDE 4.4CU - 1.5MG - 0.60MN ALCLAD ONE SIDE 2024 AND 1-1/2% ALCLAD ONE SIDE 2024-T3 SHEET; 1-1/2% ALCLAD ONE SIDE 2024-T351 PLATE [CUST: MR AS 11 IS] | A 9535 | IS | | 01-OCT-93 |
| | SAE-AMS4049H | ALUMINUM ALLOY SHEET AND PLATE, ALCLAD 5.6ZN - 2.5MG - 1.6CR - 0.23CR (ALCLAD 7075; -T6 SHEET - T651 PLATE) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9535 | IS | | 01-APR-87 |
| | SAE-AMS4050E | ALUMINUM ALLOY PLATE 6.2ZN - 2.3CU - 0.12ZR - (7050-T7451) SOLUTION HEAT TREATED, STRESS RELIEVED, AND OVERAGED [CUST: MR AS 11] [REVIEW: IS] | A 9535 | AS | | 01-JUL-92 |
| A | SAE-AMS4064D | ALUMINUM ALLOY SHEET, CLAD TWO SIDES 1.25MN - 0.12CU (NO. 12-0 BRAZING SHEET) ANNEALED [CUST: MR AS] | A 9535 | AS | | NOV 95 |
| | SAE-AMS4066B | ALUMINUM ALLOY, DRAWN, ROUND SEAMLESS TUBING 6.3CU - 0.30MN - 0.18ZR - 0.10V - 0.06TI - (2219-T851) SOLUTION HEAT TREATED, STRESS RELIEVED BY STRETCHING, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A 4710 | 11 | | 01-OCT-93 |
| A | SAE-AMS4071K | ALUMINUM ALLOY DRAWN, ROUND, SEAMLESS HYDRAULIC TUBING 2.5MG - 0.25CR (5052-0) ANNEALED [CUST: CR4 AS 99] | A 4710 | AS | | SEP 95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------|--|-----------------------|-----|-------------|-----------|
| SAE-AMS4081G | ALUMINUM ALLOY TUBING, HYDRAULIC, SEAMLESS, DRAWN, ROUND 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061-T4) SOLUTION HEAT TREATED AND NATURALLY AGED [CUST: AV AS 11 CC] [REVIEW: 70 82 99 AV CR4 IS MI] | A 4710 | CC | | 01-JAN-93 |
| SAE-AMS4082M-94 | ALUMINUM ALLOY, SEAMLESS DRAWN TUBING 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A 4710 | 11 | | DEC-94 |
| SAE-AMS4083J | ALUMINUM ALLOY TUBING, HYDRAULIC, SEAMLESS, DRAWN, ROUND 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: AV AS 11 CC] [REVIEW: 70 82 99 AV CR4 IS MI] | A 4710 | CC | | 01-JAN-93 |
| SAE-AMS4084C | ALUMINUM ALLOY SHEET 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7475-T61) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: IS] | A 9535 | AS | | 01-JUL-90 |
| SAE-AMS4085B | ALUMINUM ALLOY SHEET 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7475-T761) SOLUTION HEAT TREATED AND OVERAGED [CUST: MR AS 11] [REVIEW: IS] | A 9535 | AS | | 01-JAN-86 |
| SAE-AMS4089B | ALUMINUM ALLOY PLATE 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7479-T7651) SOLUTION HEAT TREATED, STRESS RELIEVED BY STRETCHING, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A 9535 | AS | | 01-JUL-87 |
| SAE-AMS4090B | ALUMINUM ALLOY PLATE 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7475-T651) SOLUTION HEAT TREATED, STRESS RELIEVED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A 9535 | AS | | 01-APR-86 |
| SAE-AMS4100B | ALUMINUM ALLOY SHEET, ALCLAD 5.7ZN - 2.2MG - 1.6CU - 0.22CR (ALC 7475-T761) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: IS] | A 9535 | AS | | 01-APR-93 |
| SAE-AMS4107D | ALUMINUM ALLOY DIE FORGINGS 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7050-T74) SOLUTION HEAT TREATED AND OVERAGED [CUST: MR AS 11] [REVIEW: SH] | A FORG | AS | | 01-APR-92 |
| A SAE-AMS4108E | ALUMINUM ALLOY HAND FORGINGS 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7050-T7452) SOLUTION HEAT TREATED, COMPRESSION STRESS-RELIEVED, AND OVERAGED [CUST: MR AS 11] [REVIEW: SH] | A FORG | AS | | MAY-96 |
| A SAE-AMS4109A | ALUMINUM ALLOY HAND FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.24CR (7175-T736) [CUST: MR AS 11] | A FORG | AS | | 01-APR-81 |
| SAE-AMS4111B | ALUMINUM ALLOY FORGINGS 7.7ZN - 2.5MG - 1.5CU - 0.16CR (7049-T73) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-JUL-84 |
| A SAE-AMS4120P | ALUMINUM ALLOY, ROLLED OR COLD FINISHED BARS, RODS, AND WIRE 4.4CU - 1.5MG - 0.60MN (2024) SOLUTION HEAT TREATED AND NATURALLY AGED (T4) SOLUTION HEAT TREATED, COLD WORKED, AND NATURALLY AGED (T351) [CUST: MR AS 82 IS] | A 95GP | IS | | APR 95 |
| SAE-AMS4121F | ALUMINUM ALLOY BARS, RODS, AND WIRE, ROLLED OR COLD FINISHED 4.5CU - 0.85SI - 0.80MN - 0.50MG (2014-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 82 IS] | A 95GP | IS | | 01-JAN-90 |
| SAE-AMS4125H | ALUMINUM ALLOY DIE FORGINGS, AND ROLLED OR FORGED RINGS 0.90SI - 0.62MG - 0.25CR (6151-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-APR-91 |
| SAE-AMS4126A | ALUMINUM ALLOY FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-JAN-83 |
| SAE-AMS4127G | ALUMINUM ALLOY FORGINGS AND ROLLED OR FORGED RINGS 1.0MG - 0.6SI - 0.28CU - 0.20CR (6061-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-JUL-91 |
| SAE-AMS4130K | ALUMINUM ALLOY DIE FORGINGS 4.4CR - 0.85SI - 0.80MN (2025-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-APR-91 |
| SAE-AMS4131B | ALUMINUM ALLOY FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T74) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-APR-86 |
| SAE-AMS4132D | ALUMINUM ALLOY DIE AND HAND FORGINGS, ROLLED RINGS, AND FORGING STOCK 2.3CU - 1.6MG - 1.1FE - 1.0NI - 0.18SI - 0.07TI (2618-T61) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-JAN-90 |
| SAE-AMS4133C | ALUMINUM ALLOY FORGINGS AND ROLLED RINGS 4.4CU - 0.85SI - 0.80MN - 0.50MG (2014-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-JUL-90 |
| SAE-AMS4134C | ALUMINUM ALLOY DIE FORGINGS 4.4CU - 0.85SI - 0.80MN - 0.50MG (2014-T4) SOLUTION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-JAN-84 |
| SAE-AMS4140G | ALUMINUM ALLOY DIE FORGINGS 4.0CU - 2.0NI - 0.68MG (2018-T61) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-OCT-91 |
| SAE-AMS4141D | ALUMINUM ALLOY DIE FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T73) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-JUL-90 |
| SAE-AMS4143C | ALUMINUM ALLOY FORGINGS AND ROLLED OR FORGED RINGS 6.3CU - 0.30MN - 0.18ZR - 0.10V - 0.60TI (2219-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-JUL-91 |
| A SAE-AMS4144E | ALUMINUM ALLOY HAND FORGINGS AND ROLLED RINGS 6.3CU - 0.30MN - 0.18ZR - 0.10V - 0.06TI (2219-T852/T851) SOLUTION HEAT TREATED, MECHANICAL STRESS RELIEVED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | JUL 95 |
| SAE-AMS4146D | ALUMINUM ALLOY FORGINGS AND ROLLED OR FORGED RINGS 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061-T4) SOLUTION HEAT TREATED AND NATURALLY AGED [CUST: MR AS 11] | A FORG | AS | | 01-OCT-91 |
| SAE-AMS4147C | ALUMINUM ALLOY FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T7352) SOLUTION HEAT TREATED, STRESS RELIEVED BY COMPRESSION, AND OVERAGED [CUST: MR AS 11] [REVIEW: SH] | A FORG | AS | | 01-JUL-92 |
| SAE-AMS4148C | ALUMINUM ALLOY DIE FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7175-T66) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-JAN-93 |
| SAE-AMS4149B | ALUMINUM ALLOY FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7175-T74 (FORMERLY T736)) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: SH] | A FORG | AS | | 01-OCT-87 |
| SAE-AMS4157C | ALUMINUM ALLOY EXTRUSIONS 7.7ZN - 2.4MG - 1.6CU - 0.16CR (7049-T73511) SOLUTION HEAT TREATED, STRESS RELIEVED, AND OVERAGED [CUST: MR AS 11] [REVIEW: IS] | A 9525 | AS | | MAY-94 |
| SAE-AMS4159B | ALUMINUM ALLOY EXTRUSIONS 7.7ZN - 2.45MG - 1.6CU - 0.16CR (7049-T76511) SOLUTION HEAT TREATED, STRESS RELIEVED, AND OVERAGED [CUST: MR AS 11] [REVIEW: IS] | A 9525 | AS | | 01-APR-89 |
| SAE-AMS4162B | ALUMINUM ALLOY EXTRUSIONS 6.3CU - 0.30MN - 0.18ZR - 0.10V - 0.06TI (2219-T8511), SOLUTION TREATED, STRESS RELIEF STRETCHED, PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A 9540 | AS | | 01-APR-90 |
| SAE-AMS4163B | ALUMINUM ALLOY EXTRUSIONS 6.3CU - 0.30MN - 0.18ZR - 0.10V - 0.60TI (2219-T3511) SOLUTION HEAT TREATED AND STRESS-RELIEVED BY STRETCHING [CUST: MR AS 11] | A 9540 | AS | | 01-APR-90 |
| SAE-AMS4167G | ALUMINUM ALLOY, EXTRUSIONS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T73511) SOLUTION HEAT TREATED, STRESS RELIEVED BY STRETCHING, AND OVERAGED [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | JUL-95 |
| SAE-AMS4174C | ALUMINUM ALLOY, FLASH WELDED RINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T73) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: IS] | A 5365 | AS | | DEC-94 |
| SAE-AMS4179B | ALUMINUM ALLOY FORGINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7175-T7452) SOLUTION HEAT TREATED, STRESS RELIEVED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | | 01-JAN-87 |
| A SAE-AMS4181B | ALUMINUM ALLOY WELDING WIRE 7.0SI - 0.38MG - 0.10TI (4008) [CUST: MR AS 11] [REVIEW: GS] | A 3439 | AS | | JUL 96 |
| SAE-AMS4182E | ALUMINUM ALLOY, WIRE 5.0MG - 0.12MN - 0.12CR (5056-0) ANNEALED [CUST: MI AS] | A 9525 | AS | | 01-OCT-93 |
| SAE-AMS4184D | FILLER METAL, ALUMINUM BRAZING, 10SI - 4.0CU (4145) [CUST: MR AS 99] | A 3439 | AS | | 01-OCT-90 |
| SAE-AMS4185C | FILLER METAL, ALUMINUM BRAZING, 12SI (4047) [CUST: MR AS 99] | A 3439 | AS | | 01-OCT-90 |
| SAE-AMS4186B | ALUMINUM ALLOY BARS, RODS, AND WIRE, ROLLED OR COLD FINISHED 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-F) AS FABRICATED [CUST: MR AS 11] [REVIEW: IS] | A 9530 | AS | | 01-APR-89 |
| SAE-AMS4188A | ALUMINUM ALLOY WELDING WIRE [CUST: MR AS 11] [REVIEW: IS] | A 9525 | AS | | 01-OCT-86 |
| SAE-AMS4188/1-79 | ALUMINUM ALLOY, WELDING, WIRE, 4.5 CU-0.70AG-0.30MN-0.25MG-0.25TI (A201.0) - 15 OCT 79 [CUST: MR AS 11] [REVIEW: GS] | A 3439 | AS | | 28-SEP-83 |
| SAE-AMS4188/2-79 | ALUMINUM ALLOY, WELDING, WIRE, 4.6 CU-0.35MN-0.25MG-0.22TI(A206.0) - 15 OCT 79 [CUST: MR AS 11] [REVIEW: GS] | A 3439 | AS | | 28-SEP-83 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|------------------|---|-----------------------|-----|-------------|------|
| | SAE-AMS4188/3-79 | ALUMINUM ALLOY, WELDING, WIRE, 5.0SI-1.2CU-0.50MG(C355.0) - 15 OCT 79 [CUST: MR AS 11] [REVIEW: GS] | A 3439 | AS | 28-SEP-83 | |
| | SAE-AMS4188/4-79 | ALUMINUM ALLOY, WELDING, WIRE, 7.0SI-0.30 MG(A356.0) - 15 OCT 79 [CUST: MR AS 11] [REVIEW: GS] | A 3439 | AS | 28-SEP-83 | |
| | SAE-AMS4188/5-79 | ALUMINUM ALLOY, WELDING, WIRE, 7.0SI-0.52MG (357.0) - 15 OCT 79 [CUST: MR AS 11] [REVIEW: GS] | A 3439 | AS | 28-SEP-83 | |
| A | SAE-AMS4190F | ALUMINUM ALLOY WELDING WIRE 5.2SI (4043) [CUST: MR AS 11] | A 3439 | AS | JUL-96 | |
| | SAE-AMS4200A | ALUMINUM ALLOY PLATE 7.7ZN - 2.4MG - 1.6CU - 0.16CR (7049-T7351) SOLUTION HEAT TREATED, STRESS RELIEVED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: IS] | A 9535 | AS | 01-OCT-91 | |
| | SAE-AMS4201B | ALUMINUM ALLOY PLATE 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7075-T7651) SOLUTION HEAT TREATED, STRESS RELIEVED, AND OVERAGED [CUST: MR AS 11] [REVIEW: IS] | A 9535 | AS | 01-JUL-92 | |
| | SAE-AMS4202C | ALUMINUM ALLOY PLATE 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7475-T7351) SOLUTION HEAT TREATED, STRESS RELIEVED BY STRETCHING, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: IS] | A 9535 | AS | 01-JUL-89 | |
| | SAE-AMS4203A | ALUMINUM ALLOY PLATE 6.2ZN - 1.8CU - 2.4MG - 0.13ZR (7010-T7351) SOLUTION HEAT TREATED, STRESS RELIEVED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A 9535 | AS | 01-APR-89 | |
| A | SAE-AMS4204B | ALUMINUM ALLOY PLATE 6.2ZN - 1.8CU - 2.4MG - 0.13ZR (7010-T7651) SOLUTION HEAT TREATED, STRESS RELIEVED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: IS] | A 9535 | AS | NOV 95 | |
| A | SAE-AMS4205B | ALUMINUM ALLOY PLATE 6.2ZN - 1.8CU - 2.4MG - 0.13ZR (7010-T7351) OR (7010-T7451) SOLUTION HEAT TREATED, STRESS RELIEVED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: IS] | A 9535 | AS | NOV 95 | |
| | SAE-AMS4207A | ALUMINUM ALLOY SHEET, ALCLAD 5.7ZN - 2.2MG - 1.6CU - 0.22CR (7475-T61) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: IS] | A 9535 | AS | 01-APR-89 | |
| A | SAE-AMS4212H | ALUMINUM ALLOY CASTINGS, SAND 5.0SI - 1.2CU - 0.50MG (355.0-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A MECA | AS | MAR 96 | |
| A | SAE-AMS4215F | ALUMINUM ALLOY, CASTINGS 5.0SI - 1.2CU - 0.5MG (C355.0-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A MECA | 11 | DEC-94 | |
| | SAE-AMS4229C | ALUMINUM ALLOY CASTINGS, HIGH STRENGTH 4.5CU - 0.70AG - 0.30MN - 0.25MG - 0.25TI (A201.0-T7) SOLUTION HEAT TREATED AND OVERAGED [CUST: MR AS 11] | A MECA | AS | 01-JAN-90 | |
| A | SAE-AMS4233B | ALUMINUM ALLOY WELDING WIRE 4.5CU - 0.70AG - 0.30MN - 0.25MG - 0.25TI (201)[CUST: MR AS 11] | A 3439 | AS | JUL-96 | |
| | SAE-AMS4235A | ALUMINUM ALLOY CASTINGS, 4.6CU - 0.35MN - 0.25MG - 0.22TI (A206.0-T71) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A MECA | AS | 01-JAN-87 | |
| | SAE-AMS4236A | ALUMINUM ALLOY CASTINGS 4.6CU - 0.35MN - 0.25MG - 0.22TI (A206.0-T4) SOLUTION HEAT TREATED AND NATURALLY AGED [CUST: MR AS 11] | A MECA | AS | 01-JAN-87 | |
| | SAE-AMS4244 | ALUMINUM ALLOY WELDING WIRE 4.6CU - 0.35MN - 0.25MG - 0.22TI FOR WELDING 206 TYPE ALLOYS [CUST: MR AS 11] | A 3439 | AS | 01-JAN-87 | |
| A | SAE-AMS4245B | ALUMINUM ALLOY WELDING WIRE 5.0SI - 1.2CU - 0.50MG (355) [CUST: MR AS 11] | A 3439 | AS | JUL 96 | |
| A | SAE-AMS4246B | ALUMINUM ALLOY WELDING WIRE 7.0SI - 0.52MG (357) [CUST: MR AS 11 GS] | A 3439 | GS | JUL 96 | |
| | SAE-AMS4247A | ALUMINUM ALLOY, HAND FORGINGS 7.7ZN - 2.4MG - 1.6CU - 0.16CR (7049-T7352) SOLUTION HEAT TREATED, STRESS RELIEVED BY COMPRESSION, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | MAY-94 | |
| | SAE-AMS4248A | ALUMINUM ALLOY HAND FORGINGS AND ROLLED RINGS 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061-T652) SOLUTION HEAT TREATED, STRESS RELIEF COMPRESSED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | 01-APR-93 | |
| | SAE-AMS4259 | ALUMINUM ALLOY SHEET 2.4LI - 1.3CU - 0.95MG - 0.10ZR (8090-T6) SOLUTION AND PRECIPITATION HEAT TREATED (UNRECRYSTALLIZED) [CUST: MR AS 11] [REVIEW: 99] | A 9535 | 11 | 30-APR-94 | |
| | SAE-AMS4261D | ALUMINUM ALLOY CASTINGS, INVESTMENT 7.0SI - 0.32MG (356.0-T51) PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A MECA | AS | 01-JUL-91 | |
| | SAE-AMS4270 | ALUMINUM ALLOY, ALCLAD SHEET 4.1CU - 1.4MG - 0.45MN ALCLAD 2424-T3 FLAT SHEET SOLUTION HEAT TREATED AND COLD WORKED [CUST: MR AS 11] [REVIEW: 99] | A 9535 | 11 | MAY-95 | |
| | SAE-AMS4281E | ALUMINUM ALLOY CASTINGS, PERMANENT MOLD 5.0SI - 1.2CU - 0.50MG (355.0-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A MECA | AS | 01-OCT-89 | |
| | SAE-AMS4300B | ALUMINUM, BORON, COMPOSITE SHEET 50 V/O 5.6B, 6061-0 FOR DIFFUSION BONDING [CUST: MR AS 11] [REVIEW: GS] | A CMPS | AS | 01-JUL-90 | |
| | SAE-AMS4301B | BORON-ALUMINUM COMPOSITE SHEET 50 V/O 5.6B, 2024-0, FOR DIFFUSION BONDING [CUST: MR AS 11] | A CMPS | AS | 01-APR-91 | |
| | SAE-AMS4308 | ALUMINUM ALLOY, SHEET 8.6FE - 1.8SI - 1.3V (8009-H112) POWDER METALLURGY PRODUCT, STRAIN HARDENED [CUST: MR AS 11] [REVIEW: 99] | A 9535 | 11 | 30-APR-94 | |
| | SAE-AMS4309 | ALUMINUM ALLOY EXTRUSIONS 8.6FE - 1.8SI - 1.3V (8009-H112) POWDER METALLURGY PRODUCT, STRAIN-HARDENED [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | APR-94 | |
| | SAE-AMS4310C | ALUMINUM ALLOY, ROLLED OR FORGED RINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T651, 7075-T652) SOLUTION HEAT TREATED, MECHANICALLY STRESS RELIEVED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | JUN-94 | |
| | SAE-AMS4311C | ALUMINUM ALLOY, ROLLED OR FORGED RINGS 5.6ZN - 2.5MG - 1.6CU - 0.23CR (7075-T7351, 7075-T7352) SOLUTION HEAT TREATED, MECHANICALLY STRESS RELIEVED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A 5365 | AS | JUL-94 | |
| | SAE-AMS4312B | ALUMINUM ALLOY, ROLLED OR FORGED RINGS 1.0MG - 0.60SI - 0.28CU - 0.20CR (6061-T651, 6061-T652) SOLUTION HEAT TREATED, MECHANICALLY STRESS RELIEVED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | MAR-94 | |
| | SAE-AMS4313B | ALUMINUM ALLOY, ROLLED OR FORGED RINGS 6.3CU - 0.30MN - 0.18ZR - 0.10V - 0.06TI (2219-T351, 2219-T352) SOLUTION HEAT TREATED AND MECHANICALLY STRESS RELIEVED [CUST: MR AS 11] | A FORG | AS | MAY-94 | |
| | SAE-AMS4314B | ALUMINUM ALLOY RINGS, ROLLED OR FORGED 4.5CU - 0.85SI - 0.80MN - 0.50MG (2014-T651, 2014-T652) SOLUTION HEAT TREATED, MECHANICALLY STRESS RELIEVED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | 01-JAN-87 | |
| | SAE-AMS4320A | ALUMINUM ALLOY FORGINGS 7.7ZN - 2.5MG - 1.5CU - 0.16CR (7149-T73) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | AS | 01-JUL-90 | |
| | SAE-AMS4321A | ALUMINUM ALLOY FORGINGS 7.7ZN - 2.5MG - 1.5CU - 0.16CR (7049-01) HIGH TEMPERATURE ANNEALED [CUST: MR AS 11] | A FORG | AS | 01-JAN-93 | |
| | SAE-AMS4334 | ALUMINUM ALLOY, FORGINGS 7.8ZN - 2.2MG - 1.6CU - 0.15CR (7249-T74 AND T7452) [CUST: MR AS 11] [REVIEW: 99] | A FORG | 11 | JUL-95 | |
| | SAE-AMS4340C | ALUMINUM ALLOY EXTRUSIONS 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7050-T76511) SOLUTION HEAT TREATED, STRESS RELIEVED, AND OVERAGED [CUST: MR AS 11] [REVIEW: IS] | A 9525 | AS | 01-APR-89 | |
| | SAE-AMS4341C | ALUMINUM ALLOY EXTRUSIONS 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7050-T73511) SOLUTION HEAT TREATED, STRESS RELIEVED, AND OVERAGED [CUST: MR AS 11] [REVIEW: IS] | A 9525 | AS | 01-OCT-91 | |
| | SAE-AMS4342B | ALUMINUM ALLOY EXTRUSIONS 6.2ZN - 2.3CU - 2.2MG - 0.12ZR (7050-T74511) FORMERLY -T736511) SOLUTION HEAT TREATED, STRESS RELIEVED, AND OVERAGED [CUST: MR AS 11] [REVIEW: IS] | A 9525 | AS | 01-OCT-91 | |
| A | SAE-AMS4343C | ALUMINUM ALLOY EXTRUSIONS 7.7ZN - 2.4MG - 1.6CU - 0.16CR (7149-T73511) SOLUTION HEAT TREATED, STRESS RELIEVED BY STRETCHING, AND OVERAGED [CUST: MR AS 11] [REVIEW: IS] | A 9525 | AS | MAY 96 | |
| | SAE-AMS4363E | FORGINGS, MAGNESIUM ALLOY 2.0TH - 0.78MN (HM21A - T5) PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: SH] | A FORG | AS | 01-JAN-92 | |
| | SAE-AMS4375J | SHEET AND PLATE, MAGNESIUM ALLOY 3.0AL - 1.0ZN - 0.20MN (AZ31B-0) ANNEALED AND RECRYSTALLIZED [CUST: AS 11] [REVIEW: IS] | A 9535 | AS | 01-OCT-91 | |
| | SAE-AMS4376F | PLATE, MAGNESIUM ALLOY 3.0AL - 1.0ZN - 0.20MN (AZ31B-H26) COLD ROLLED AND PARTIALLY ANNEALED [CUST: AS 11] [REVIEW: IS] | A 9535 | AS | 01-OCT-91 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-----------------|---|-----------------------|-----|-------------|-----------|
| SAE-AMS4377G | SHEET AND PLATE, MAGNESIUM ALLOY 3.0AL - 1.0ZN - 0.20MN (AZ31B-H24) COLD ROLLED, PARTIALLY ANNEALED [CUST: AS 11] [REVIEW: IS] | A 9535 | AS | | 01-OCT-91 |
| SAE-AMS4383D | SHEET AND PLATE, MAGNESIUM ALLOY 2.0TH - 0.78MN (HM21A-T81) SOLUTION HEAT TREATED, COLD WORKED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9535 | IS | | 01-JAN-92 |
| SAE-AMS4395D | MAGNESIUM ALLOY, WELDING WIRE, 9.0AL - 2.0ZN (AZ92A) [CUST: MR AS 11] | A 3439 | AS | | 01-OCT-86 |
| SAE-AMS4418F-94 | MAGNESIUM ALLOY, SAND CASTINGS 2.5AG - 2.1DI - 0.70ZR (QE22A-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A MECA | 11 | | DEC-94 |
| SAE-AMS4424K | MAGNESIUM ALLOY CASTINGS, SAND 6.0A1 - 3.0ZN (AZ63-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 82 IS] | A MECA | 82 | | 01-JAN-93 |
| SAE-AMS4452B | MAGNESIUM ALLOY, INVESTMENT CASTINGS 8.7A1 - 0.70ZN - 0.22MN (AZ91C - T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A MECA | 11 | | |
| SAE-AMS4453C | MAGNESIUM ALLOY, INVESTMENT CASTINGS 9.0A1-2.0ZN(AZ92C-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A MECA | 11 | | |
| SAE-AMS4455D | MAGNESIUM ALLOY, INVESTMENT CASTINGS 10A1 (AM100A-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A MECA | 11 | | |
| SAE-AMS4484J | MAGNESIUM ALLOY CASTINGS, PERMANENT MOLD 9.0A1 - 2.0ZN (AZ92A-T6) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 82 IS] | A MECA | 82 | | 01-APR-92 |
| SAE-AMS4500G | COPPER, SHEET, STRIP, AND PLATE SOFT ANNEALED [CUST: AR SH 99 IS] | A 9535 | IS | | APR-94 |
| SAE-AMS4505H | COPPER ALLOY (BRASS), SHEET, STRIP, AND PLATE 70CU - 30ZN ANNEALED (061) [CUST: MR AS 11] [REVIEW: 99] | A 9535 | 11 | | JUL-95 |
| SAE-AMS4507G | COPPER ALLOY (BRASS), SHEET, STRIP, AND PLATE 70CU - 30ZN HALF HARD (H02) [CUST: MR AS 11] [REVIEW: 99] | A 9535 | 11 | | JUL-95 |
| SAE-AMS4535B | COPPER-BERYLLIUM ALLOY, MECHANICAL TUBING 98CU - 1.9BE SOLUTION AND PRECIPITATION HEAT TREATED (TF00, FORMERLY AT) [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | SEP-95 |
| SAE-AMS4616E | SILICON BRONZE BARS, RODS, FORGINGS, AND TUBING 92CU - 3.2SI - 2.8ZN - 1.5FE STRESS RELIEVED [CUST: CR4 SH 11 IS] | A 9530 | IS | | 01-OCT-90 |
| SAE-AMS4625F | PHOSPHOR BRONZE BARS, RODS, AND TUBING 95CU - 55N HARD TEMPER [CUST: MR AS 11] [REVIEW: 82 85 CR4 OS] | A 4710 | AS | | 01-OCT-89 |
| A SAE-AMS4640F | ALUMINUM BRONZE BARS, RODS, SHAPES, TUBES, AND FORGINGS 81.5CU - 10.0AL - 4.8NI - 3.0FE DRAWN AND STRESS RELIEVED (HRS0) OR TEMPER ANNEALED (TQ50) [CUST: AT AS 84 IS] | A 95GP | IS | | MAR 96 |
| SAE-AMS4651A | COPPER BERYLLIUM ALLOY BARS AND RODS 98CU - 1.9BE (CDA 172) HARD TEMPER [CUST: MR AS 11] [REVIEW: IS] | A 9530 | AS | | 15-APR-78 |
| SAE-AMS4750C | SOLDER, TIN-LEAD, 45SN-55PB [CUST: MR AS 11] [REVIEW: 70 71 79 82 84 AV CR4 EA MC MI SH] | A 3439 | AS | | 01-OCT-88 |
| SAE-AMS4764D | COPPER ALLOY BRAZING FILLER METAL 52.5CU - 38MN - 9.5NI 1615 TO 1700 DEG. F (879 TO 927 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] | A 3439 | AS | | 01-APR-92 |
| SAE-AMS4765D | SILVER ALLOY BRAZING FILLER METAL 56AG - 42CU - 2.0NI 1420 TO 1640 DEG. F (771 TO 893 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] | A 3439 | AS | | 01-APR-92 |
| SAE-AMS4766F | SILVER ALLOY BRAZING FILLER METAL 85AG - 15MN 1760 DEG. TO 1780 DEG. F (960 DEG. TO 971 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] | A 3439 | AS | | 01-APR-92 |
| SAE-AMS4767E | SILVER ALLOY BRAZING FILLER METAL 92.5AG - 7.2CU - 0.22LI 1435 TO 1635 DEG. F (779 TO 891 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] | A 3439 | AS | | 01-APR-92 |
| SAE-AMS4770J | SILVER ALLOY BRAZING FILLER METAL 50AG - 18CD - 16.5ZN - 15.5CU 1160 TO 1175 DEG. F (627 TO 635 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] [REVIEW: GS] | A 3439 | AS | | 01-APR-92 |
| SAE-AMS4771G | SILVER ALLOY BRAZING FILLER METAL 50AG - 16CD - 15.5ZN - 15.5CU - 3.0NI 1170 TO 1270 DEG. F (632 TO 688 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: AL AS 99] | A 3439 | AS | | 01-APR-92 |
| SAE-AMS4772H | SILVER ALLOY BRAZING FILLER METAL 54AG - 40CU - 5.0ZN - 1.0NI 1325 TO 1575 DEG. F (718 TO 857 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] [REVIEW: GS] | A 3439 | AS | | 10-APR-92 |
| SAE-AMS4773E | SILVER ALLOY BRAZING FILLER METAL 60AG - 30CU - 10SN 1115 TO 1325 DEG. F (602 TO 718 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] [REVIEW: GS MI] | A 3439 | AS | | 01-APR-92 |
| SAE-AMS4774E | SILVER ALLOY BRAZING FILLER METAL 63AG - 28.5CU - 6.0SN - 2.5NI 1275 TO 1475 DEG. F (691 TO 802 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] [REVIEW: GS] | A 3439 | AS | | 01-APR-92 |
| SAE-AMS4775G | NICKEL ALLOY, BRAZING FILLER METAL 73NI - 0.75C - 4.5SI - 14CR - 3.1B - 4.5FE 1790 TO 1970 DEG. F (977 TO 1077 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] | A 3439 | AS | | FEB-95 |
| SAE-AMS4776F | NICKEL ALLOY, BRAZING FILLER METAL 73NI - 4.5SI - 14CR - 3.1B - 4.5FE (LOW CARBON) 1790 TO 1970 DEG. F (977 TO 1077 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] [REVIEW: 70 71 79 82 84 AV CR4 EA MC MI SH] | A 3439 | AS | | FEB-95 |
| SAE-AMS4777F | NICKEL ALLOY, BRAZING FILLER METAL 82NI - 4.5SI - 7.0CR - 3.1B - 3.0FE 1780 TO 1830 DEG. F (971 TO 999 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] [REVIEW: 70 71 79 82 84 AV CR4 EA MC MI SH] | A 3439 | AS | | FEB-95 |
| SAE-AMS4778G | NICKEL ALLOY, BRAZING FILLER METAL 92NI - 4.5SI - 3.1B 1800 TO 1900 DEG. F SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] [REVIEW: 70 71 79 82 84 AV CR4 EA MC MI SH] | A 3439 | AS | | FEB-95 |
| SAE-AMS4779F | NICKEL ALLOY, BRAZING FILLER METAL 94NI - 3.5SI - 1.8B 1800 TO 1950 DEG. F (982 TO 1066 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | | FEB-95 |
| SAE-AMS4780D | MANGANESE ALLOY BRAZING FILLER METAL 66MN - 16NI - 16CO - 0.80B 1770 TO 1875 DEG. F (966 TO 1024 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] [REVIEW: GS] | A 3439 | AS | | 01-APR-92 |
| SAE-AMS4782E | NICKEL ALLOY, BRAZING FILLER METAL 71NI - 10SI - 19CR 1975 TO 2075 DEG. F (1080 TO 1135 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] | A 3439 | AS | | MAR-95 |
| A SAE-AMS4783E | COBALT ALLOY HIGH TEMPERATURE BRAZING FILLER METAL 50CO - 8.0SI - 19CR - 17NI - 4.0W - 0.80B 2050 TO 2100 DEG. F (1121 TO 1149 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] | A 3439 | AS | | DEC 95 |
| SAE-AMS4784D | GOLD-PALLADIUM-NICKEL ALLOY BRAZING FILLER METAL, HIGH TEMPERATURE 50AU - 25PD - 25NI 2015 TO 2050 DEG. F (1102 TO 1121 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] | A 3439 | AS | | 01-APR-92 |
| SAE-AMS4785D | GOLD-PALLADIUM-NICKEL ALLOY BRAZING FILLER METAL, HIGH TEMPERATURE 30AU - 34PD - 36NI 2075 TO 2130 DEG. F (1135 TO 1166 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] | A 3439 | AS | | 01-APR-92 |
| SAE-AMS4786D | GOLD-PALLADIUM-NICKEL ALLOY BRAZING FILLER METAL, HIGH TEMPERATURE 70AU - 8.0PD - 22NI 1845 TO 1915 DEG. F (1007 TO 1046 DEG. C) SOLIDUS-LIQUIDUS RANGE [CUST: MR AS 11] | A 3439 | AS | | 01-APR-92 |
| SAE-AMS4787D | GOLD-NICKEL ALLOY BRAZING FILLER METAL, HIGH TEMPERATURE 82AU - 18NI 1740 DEG. F (949 DEG. C) SOLIDUS-LIQUIDUS TEMPERATURE [CUST: MR AS 11] | A 3439 | AS | | 01-APR-92 |
| SAE-AMS4800D | BEARINGS, BABBITT 91SN - 4.5SB - 4.5CU [CUST: AV AS 11 IS] | A 3120 | IS | | 01-APR-92 |
| SAE-AMS4805D | BEARINGS, SINTERED METAL POWDER 89CU - 10SN OIL IMPREGNATED [CUST: AV AS 11 IS] | A 3120 | IS | | 01-OCT-86 |
| SAE-AMS4816B | BEARINGS, SILVER-CLAD STEEL STRIP [CUST: AV AS 11 IS] | A 3120 | IS | | 01-APR-87 |
| SAE-AMS4820D | BEARINGS, LEADED COPPER 70CU - 28.5PB STEEL BACK [CUST: AV AS 11 IS] | A 3120 | IS | | 01-OCT-89 |
| SAE-AMS4827D | BEARINGS, LEADED BRONZE 80CU - 10PB - 10SN STEEL BACK [CUST: AV AS 11 IS] | A 3120 | IS | | 01-JAN-90 |
| SAE-AMS4842D | CASTINGS, LEADED BRONZE, SAND AND CENTRIFUGAL 80CU - 10SN - 9.5PB AS CAST [CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A MECA | MR | | 01-JAN-90 |
| SAE-AMS4845F | TIN BRONZE CASTINGS, SAND AND CENTRIFUGAL 87.5CU - 10SN - 22ZN AS CAST [CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A MECA | MR | | 01-APR-88 |
| SAE-AMS4855E | LEADED RED BRASS, SAND AND CENTRIFUGAL CASTINGS 85CU - 5.0SN - 5.0PB - 5.0ZN AS CAST [CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A MECA | MR | | 01-APR-93 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|-----------------|---|--------------|-----|-------------|--|-----------|
| | | | FSC/Asa | MCA | Prop. Acty. | | |
| | SAE-AMS4860D | MANGANESE BRONZE, SAND AND CENTRIFUGAL CASTINGS 58CU - 39ZN - 1.2FE - 1.0AL - 0.80MN AS CAST [CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A MECA | MR | | | 01-APR-93 |
| | SAE-AMS4862E | MANGANESE BRONZE, SAND AND CENTRIFUGAL CASTINGS 63CU - 24ZN - 6.2AL - 3.8MN - 3.0FE HIGH STRENGTH, AS CAST [CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A MECA | MR | | | 01-APR-93 |
| | SAE-AMS4880C | ALUMINUM BRONZE ALLOY, CENTRIFUGAL AND CONTINUOUS-CAST CASTINGS 81.5CU - 10.3AL - 5.0NI - 2.8FE QUENCH HARDENED AND TEMPER ANNEALED [CUST: MR AS 11] [REVIEW: 99] | A MECA | 11 | | | SEP-95 |
| | SAE-AMS4890B | COPPER-BERYLLIUM ALLOY CASTINGS 97CU - 2.1BE - 0.52CO - 0.28SI SOLUTION HEAT TREATED (TBOO) [CUST: MR SH 99] [REVIEW: 11 AR CR4 EA IS MI OS] | A MECA | MR | | | 01-APR-93 |
| | SAE-AMS4892A | ALLOY CASTINGS, SAND AND CENTRIFUGAL, CORROSION AND HEAT RESISTANT 66NI - 29CU - 4.0SI AS CAST [CUST: MR SH 11] | A MECA | SH | | | 01-JUL-85 |
| | SAE-AMS4908F | TITANIUM ALLOY, SHEET AND STRIP 8MN ANNEALED, 110 KSI (758 MPA) YIELD STRENGTH [CUST: CR4 AS 11 IS] | A 95GP | IS | | | APR-94 |
| | SAE-AMS4911H | TITANIUM ALLOY, SHEET, STRIP, AND PLATE 6AL-4V ANNEALED [CUST: MR AS 11] [REVIEW: 99] | A 9535 | 11 | | | JUL-95 |
| | SAE-AMS4921G | TITANIUM BARS, WIRE, FORGINGS, AND RINGS COMMERCIAL PURE 70.0 KSI (483 MPA) YIELD STRENGTH [CUST: MR AS 11] | A 9530 | AS | | | 01-OCT-91 |
| | SAE-AMS4922A | TUBING, HYDRAULIC, TITANIUM ALLOY, SEAMLESS, 15V-3.0CR-3.0AL-3.0SN, COLD WORKED AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | | MAR-95 |
| A | SAE-AMS4926J | TITANIUM ALLOY, BARS, WIRE, AND RINGS 5A1 - 2.5SN, ANNEALED, 110 KSI (758 MPA) YIELD STRENGTH [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | | AUG 94 |
| | SAE-AMS4928N | TITANIUM ALLOY BARS, WIRE, FORGINGS, AND RINGS 6AL - 4V ANNEALED [CUST: MR AS 11] | A 9530 | AS | | | 01-APR-93 |
| A | SAE-AMS4930D | TITANIUM ALLOY BARS, WIRE, FORGINGS, AND RINGS 6A1 - 4V, EXTRA LOW INTERSTITIAL, ANNEALED [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | | 01-OCT-90 |
| A | SAE-AMS4931A | BARS, TITANIUM ALLOY, FORGINGS, AND RINGS, 6A1 - 4V, EXTRA LOW INTERSTITIAL (ELI), DUPLEX ANNEALED, FRACTURE TOUGHNESS [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | | 01-APR-93 |
| | SAE-AMS4935F | TITANIUM ALLOY EXTRUSIONS AND FLASH WELDED RINGS 6AL - 4V ANNEALED BETA PROCESSED [CUST: MR AS 11] | A 9540 | AS | | | 01 APR 90 |
| | SAE-AMS4941C | TITANIUM TUBING, WELDED ANNEALED, 40,000 PSI (275 MPA) YIELD STRENGTH [CUST: 99] [REVIEW: CR4] | A 4710 | 82 | | | 01-APR-84 |
| | SAE-AMS4942C | TITANIUM TUBING, SEAMLESS ANNEALED, 40,000 PSI (275 MPA) YIELD STRENGTH [CUST: MR AS 11] | A 4710 | AS | | | 01-APR-84 |
| | SAE-AMS4943E | TITANIUM ALLOY, SEAMLESS HYDRAULIC TUBING 3.0AL-2.5V ANNEALED [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | | APR-95 |
| | SAE-AMS4944E | TITANIUM ALLOY, SEAMLESS, HYDRAULIC TUBING 3.0AL - 2.5V COLD WORKED, STRESS RELIEVED [CUST: MR AS 11] | A 4710 | AS | | | MAR-95 |
| | SAE-AMS4951F | TITANIUM WELDING WIRE COMMERCIAL PURE ENVIRONMENT CONTROLLED PACKAGING [CUST: MR AS 11] | A 3439 | AS | | | 01-JUL-90 |
| | SAE-AMS4956C | TITANIUM ALLOY WELDING WIRE 6AL - 4V, EXTRA LOW INTERSTITIAL ENVIRONMENT CONTROLLED PACKAGING [CUST: AL SH 99 GS] [REVIEW: 84] | A 3439 | GS | | | 01-APR-90 |
| | SAE-AMS4957B | WIRE AND BAR, ROUND, TITANIUM ALLOY, 3AL - 8V - 6CR - 4MO - 4ZR CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED AND COLD DRAWN [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | | MAY-95 |
| | SAE-AMS4959C | TITANIUM ALLOY WIRE 13.5V - 11CR - 3A1 SPRING TEMPER [CUST: MR AS 11] | A 9505 | IS | | | 01-OCT-93 |
| | SAE-AMS4963 | TITANIUM ALLOY, BARS, WIRE, FORGINGS, AND RINGS 6.0AL - 4.0V ANNEALED, HEAT TREATABLE, MODIFIED STRENGTH [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | | SEP-95 |
| A | SAE-AMS4965G | TITANIUM ALLOY, BARS, WIRE, FORGINGS, AND RINGS 6.0AL - 4.0V SOLUTION HEAT TREATED AND AGED [CUST: MR AS 11] | A 9530 | AS | | | MAY 96 |
| | SAE-AMS4966K | TITANIUM ALLOY FORGINGS 5AL - 2.5SN ANNEALED, 110 KSI (758 MPA) YIELD STRENGTH [CUST: 11] [REVIEW: AS MR] | A 9530 | 11 | | | JUN-94 |
| | SAE-AMS4967G | TITANIUM ALLOY, BARS, WIRE, FORGINGS, AND RINGS 6.0AL - 4.0V ANNEALED, HEAT TREATABLE [CUST: MR AS 11 IS] | A 9530 | IS | | | 01-OCT-93 |
| | SAE-AMS4970F | TITANIUM ALLOY BARS, WIRE, AND FORGINGS 7AL - 4MO SOLUTION AND PRECIPITATION HEAT TREATED [CUST: 11] [REVIEW: AS MR] | A 9530 | 11 | | | 01-APR-90 |
| A | SAE-AMS4971E | BARS, WIRE, FORGINGS, AND RINGS, TITANIUM ALLOY, 6A1 - 6V - 2SN, ANNEALED HEAT TREATABLE [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | | JUN-96 |
| A | SAE-AMS4972D | BARS, TITANIUM ALLOY, WIRE AND RINGS, 8A1 - 1MO - 1V, SOLUTION HEAT TREATED AND STABILIZED [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | | 01-JAN-90 |
| A | SAE-AMS4975G | BARS, TITANIUM ALLOY, WIRE, AND RINGS, 6.0A1 - 2.0SN - 4.0ZR - 2.0MO - 0.08SI SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | | JUN 94 |
| | SAE-AMS4976E | TITANIUM ALLOY, FORGINGS 6.0AL - 2.0SN - 4.0ZR - 2.0MO SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: OS] | A FORG | AS | | | JUL-94 |
| | SAE-AMS4978C | TITANIUM ALLOY BARS, WIRE, FORGINGS, AND RINGS, 6AL - 6V - 2SN ANNEALED [CUST: 11] [REVIEW: AS MR] | A 9530 | 11 | | | 01-OCT-89 |
| | SAE-AMS4979C | TITANIUM ALLOY BARS, WIRE, FORGINGS AND RINGS, 6AL - 6V - 2SN SOLUTION AND PRECIPITATION HEAT TREATED [CUST: 11] [REVIEW: AS MR] | A 9530 | 11 | | | 01-JAN-92 |
| | SAE-AMS4981C | BARS, TITANIUM ALLOY WIRE AND FORGINGS, 6.0A1 - 2.0SN - 4.0ZR - 6.0MO, SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | | 01-JAN-90 |
| | SAE-AMS4982B | TITANIUM ALLOY WIRE 44.5 CB [CUST: MR AS 11] | A 9530 | AS | | | 01-OCT-93 |
| | SAE-AMS4983B | FORGINGS, TITANIUM ALLOY, 10V - 2FE - 3AL CONSUMABLE ELECTRODE MELTED, SINGLE-STEP SOLUTION HEAT TREATED AND AGED 180 KSI (1241 MPA) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99] | A FORG | 11 | | | FEB-95 |
| | SAE-AMS4984A | FORGINGS, TITANIUM ALLOY, 10V - 2FE - 3AL CONSUMABLE ELECTRODE MELTED, SOLUTION HEAT TREATED AND AGED 173 KSI (1193 MPA) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99] | A FORG | 11 | | | MAY-95 |
| | SAE-AMS5020D | STEEL BARS, FORGINGS, AND TUBING, FREE-CUTTING 1.5MN-0.25PB (0.32 - 0.39C) (11L37) [CUST: AR AS 11 IS] [REVIEW: 99] | A 95GP | IS | | | JAN-94 |
| | SAE-AMS5022L | STEEL BARS, FORGINGS, AND TUBING, FREE CUTTING 0.14 - 0.20C (SAE 1117) [CUST: AR AS 99 IS] | A 9510 | IS | | | 01-OCT-90 |
| | SAE-AMS5024F | STEEL BARS, FORGINGS, AND TUBING, FREE-CUTTING 1.5MN (0.32 - 0.39C) (SAE 1137) [CUST: MR AS 82 IS] | A 95GP | IS | | | 01-OCT-84 |
| | SAE-AMS5027C | WIRE, STEEL WELDING 1.05CR - 0.55NI - 1.0MO - 0.70V (0.26 - 0.32C) VACUUM MELTED, ENVIRONMENT-CONTROLLED PACKAGED [CUST: MR AS 11] | A 3439 | GS | | | 01-OCT-91 |
| | SAE-AMS5028B | STEEL WELDING WIRE 1.05CR - 0.55NI - 1.0MO - 0.07V (0.34 - 0.40C) VACUUM MELTED, ENVIRONMENT-CONTROLLED PACKAGING [CUST: MR AS 11 GS] | A 3439 | GS | | | 01-OCT-87 |
| | SAE-AMS5030G | STEEL, WELDING WIRE, 0.06 CARBON MAXIMUM [CUST: MR AS 11] | A 3439 | 11 | | | NOV-96 |
| | SAE-AMS5036G | SHEET AND STRIP, ALUMINUM COATED, LOW CARBON [CUST: MR YD1 99] | A 9515 | YD1 | | | 01-OCT-85 |
| | SAE-AMS5040K | STEEL, SHEET AND STRIP 0.15 CARBON, MAXIMUM DEEP FORMING GRADE [CUST: CR4 AS 99] | A 9515 | 11 | | | JUL-94 |
| | SAE-AMS5042K | STEEL, SHEET AND STRIP 0.15 CARBON, MAXIMUM FORMING GRADE [CUST: MR AS 11] | A 9515 | 11 | | | 31-JUL-94 |
| | SAE-AMS5044H | STEEL, SHEET AND STRIP 0.15 CARBON, MAXIMUM HALF HARD TEMPER [CUST: MR AS 11] | A 9515 | 11 | | | 31-AUG-94 |
| | SAE-AMS5045G | STEEL, SHEET AND STRIP 0.25 CARBON, MAXIMUM HARD TEMPER [CUST: MR AS 11] | A 9515 | 11 | | | 31-AUG-94 |
| | SAE-AMS5046A-90 | SHEET STRIP AND PLATE, CARBON STEEL (SAE 1020 AND 1025) ANNEALED [CUST: MR AS 11] | A 9515 | 11 | | | 01-JUL-90 |
| | SAE-AMS5047D | STEEL SHEET AND STRIP 0.08 - 0.13C, ALUMINUM KILLED DEEP FORMING GRADE [CUST: MR AS 99 IS] | A 95GP | IS | | | 01-JUL-89 |
| | SAE-AMS5050J | STEEL TUBING, SEAMLESS 0.15 CARBON, MAXIMUM ANNEALED [CUST: MR AS 11] | A 4710 | 11 | | | 01-JUL-89 |
| | SAE-AMS5053G | STEEL TUBING, WELDED 0.13 CARBON, MAXIMUM ANNEALED [CUST: CR4 SH 82] | A 4710 | 82 | | | 01-JAN-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|---|--------------------------|-----|-------------|-----------|
| SAE-AMSS060F | STEEL BARS, FORGINGS, AND TUBING 0.13 - 0.18C (SAE 1015) [CUST: MR AS 11 IS] | A FORG | IS | | 01-OCT-87 |
| SAE-AMSS061E | STEEL, LOW CARBON, BARS AND WIRE 0.08 TO 0.20 C [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | JUL-94 |
| SAE-AMSS062F | STEEL, LOW CARBON, BARS, FORGINGS, TUBING, SHEET, STRIP, AND PLATE 0.25 CARBON, MAXIMUM [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | 31-JUL-94 |
| SAE-AMSS069E | STEEL BARS, FORGINGS, AND TUBING 0.15 - 0.20C (SAE 1018) [CUST: CR AS 99 IS] | A 95GP | IS | | 01-JAN-90 |
| SAE-AMSS075E | STEEL TUBING, SEAMLESS 0.22 - 0.28C (SAE 1025) COLD DRAWN AND STRESS RELIEVED [CUST: MR AS 11 CC] | A 4710 | CC | | 01-OCT-88 |
| SAE-AMSS077E | STEEL TUBING, WELDED (0.22 - 0.28C) (SAE 1025) NORMALIZED OR STRESS RELIEVED [CUST: MR AS 11 CC] | A 4710 | CC | | 01-JUL-89 |
| SAE-AMSS080H | STEEL BARS, FORGINGS, AND TUBING 0.31 - 0.38C (SAE 1035) [CUST: MR AS 99 IS] | A 95GP | IS | | 01-JAN-90 |
| SAE-AMSS085D | STEEL SHEET, STRIP, AND PLATE 0.47 - 0.55C (SAE 1050) ANNEALED [CUST: AR AS 99 IS] | A 95GP | IS | | 01-APR-87 |
| SAE-AMSS110G | STEEL WIRE, CARBON, 0.75-0.88C (SAE 1080) SPRING, TEMPER, COLD DRAWN [CUST: MR AS 11] [REVIEW: 99] | A 9505 | 11 | | FEB-95 |
| SAE-AMSS115G | WIRE, CARBON STEEL 0.60 - 0.75C HARDENED AND TEMPERED [CUST: MR AS 11] | A 9505 | IS | | 01-JAN-90 |
| SAE-AMSS120J | STEEL STRIP 0.68 - 0.80C (SAE 1074) [CUST: AR AS 99 IS] | A 95GP | IS | | 01-JAN-88 |
| SAE-AMSS121G | SHEET AND STRIP, STEEL (0.90 - 1.04C) (SAE 1095) [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JUL-90 |
| SAE-AMSS122G | STEEL STRIP (0.90 - 1.04C) (SAE 1095) HARD TEMPER [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JUL-90 |
| SAE-AMSS132H | STEEL, BARS 0.90 - 1.30C [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JAN-93 |
| SAE-AMSS221D | ALLOY STRIP 49FE - 5.3CR - 42NI - 2.5TI - 0.55AL SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JUL-90 |
| A SAE-AMSS223E | IRON-NICKEL ALLOY, STRIP 49FE - 5.3CR - 42NI - 2.5TI - 0.55A1 SOLUTION HEAT TREATED, COLD ROLLED, 10% REDUCTION [CUST: MR AS 11 IS] | A 9510 | IS | | MAY 95 |
| SAE-AMSS225D | ALLOY STRIP 49FE - 5.3CR - 42NI - 2.5TI - 0.55A1 SOLUTION HEATED TREATED, COLD ROLLED, 50% REDUCTION [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-88 |
| SAE-AMSS328C | STEEL CASTINGS, INVESTMENT, 0.80CR - 1.8NI - 0.35MO (0.28 - 0.36C) (SAE 4330 MODIFIED) ANNEALED [CUST: MR AS 11] | A MECA | 11 | | 01-OCT-87 |
| SAE-AMSS330C | STEEL, CASTINGS, INVESTMENT, 0.80 CR - 1.8NI - 0.35MO (0.38 - 0.46C) (SAE 4340 MODIFIED) ANNEALED [CUST: MR AS 11] | A MECA | 11 | | 01-OCT-87 |
| SAE-AMSS331E | STEEL CASTINGS, SAND 0.82CR - 1.8NI - 0.35MO (0.38 - 0.46C) (SAE 4340) NORMALIZED AND TEMPERED [CUST: MR AS 11] | A MECA | 11 | | 01-OCT-87 |
| SAE-AMSS333D | STEEL, INVESTMENT CASTINGS, 0.50CR-0.55NI-0.25MO (0.11-0.17C) (SAE 8615) NORMALIZED [CUST: MR AS 11] | A MECA | 11 | | OCT-96 |
| A SAE-AMSS334F | STEEL, INVESTMENT CASTINGS 0.50CR - 0.55NI - 0.20MO (0.25 - 0.35C) (SAE 8630 MOD) NORMALIZED AND TEMPERED [CUST: MR AS 11] | A MECA | 11 | | OCT 96 |
| SAE-AMSS336E | STEEL, INVESTMENT CASTINGS 0.95CR - 0.20MO (0.25 - 0.35C) (SAE 4130 MOD) NORMALIZED OR NORMALIZED AND TEMPERED [CUST: MR AS 11] | A MECA | 11 | | FEB-95 |
| SAE-AMSS337B | STEEL, MARAGING, INVESTMENT CASTINGS 18.5NI - 9.0CO - 5.0MO - 0.70TI - 0.12AL VACUUM MELTED HOMOGENIZED, OVERAGED, AND SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A MECA | 11 | | FEB-95 |
| A SAE-AMSS338D | STEEL, INVESTMENT CASTINGS, 0.95CR - 0.20MO (0.35 - 0.45C) (SAE 4140 MOD) NORMALIZED OR NORMALIZED AND TEMPERED [CUST: MR AS 11] | A MECA | 11 | | JAN 95 |
| A SAE-AMSS339D | STEEL, MARAGING, INVESTMENT CASTINGS 17NI - 10CO - 4.6MO - 0.30TI - 0.06A1 HOMOGENIZED, OVERAGED, AND SOLUTION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | FEB 95 |
| A SAE-AMSS340C | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 14CR - 4.25NI - 2.25MO - 0.25CB - 3.25CU HOMOGENIZATION AND SOLUTION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | NOV 96 |
| SAE-AMSS342D | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 16CR - 4.1NI - 0.28CB - 3.2CU HOMOGENIZATION, SOLUTION, AND PRECIPITATION HEAT TREATED (H1100) 130 KSI (896 MPA) TENSILE STRENGTH [CUST: MR AS 11] | A 3439 | GS | | NOV-94 |
| A SAE-AMSS343D | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 16CR - 4.1NI - 0.28CB - 3.2CU HOMOGENIZATION, SOLUTION, AND PRECIPITATION HEAT TREATED (H1000) 150 KSI (1034 MPA) TENSILE STRENGTH [CUST: MR AS 11] | A MECA | 11 | | NOV 94 |
| A SAE-AMSS344D | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 16CR - 4.1NI - 0.28CB - 3.2CU HOMOGENIZATION, SOLUTION AND PRECIPITATION HEAT TREATED (H900 180 KSI (1241 MPA) TENSILE STRENGTH [CUST: MR AS 11] | A MECA | 11 | | NOV 94 |
| A SAE-AMSS347A | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 15CR - 4.6NI - 0.22CB - 2.8CU SOLUTION AND PRECIPITATION HEAT TREATED (H1000) 150 KSI (1034 MPA) TENSILE STRENGTH [CUST: MR AS 11] | A MECA | 11 | | MAY 95 |
| SAE-AMSS349B | STEEL CASTINGS, INVESTMENT, CORROSION RESISTANT 13CR FREE MACHINING, HARDENED AND TEMPERED [CUST: MR AS 11] | A MECA | 11 | | 01-JUL-84 |
| SAE-AMSS350G | STEEL CASTINGS, INVESTMENT, CORROSION AND MODERATE HEAT RESISTANT 12.5CR (SAE 51410) HARDENED AND TEMPERED [CUST: MR AS 11] | A MECA | 11 | | 01-JUL-87 |
| SAE-AMSS352C | STEEL CASTINGS, INVESTMENT, CORROSION RESISTANT 17CR - 0.55MO (0.95 - 1.20C) ANNEALED [CUST: MR AS 11] | A MECA | 11 | | 01-OCT-82 |
| SAE-AMSS353B | STEEL CASTINGS, INVESTMENT, CORROSION RESISTANT 16CR - 1.8NI - 0.08N AS CAST [CUST: MR AS 11] | A MECA | 11 | | 01-JAN-84 |
| SAE-AMSS354D | STEEL CASTINGS, INVESTMENT, CORROSION AND MODERATE HEAT RESISTANT 13CR - 2.0NI - 3.0W HARDENED AND TEMPERED [CUST: MR AS 11] | A MECA | 11 | | 01-OCT-82 |
| A SAE-AMSS355F | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 16CR - 4.1NI - 0.28CB - 3.2CU HOMOGENIZATION AND SOLUTION HEAT TREATED OR HOMOGENIZATION, SOLUTION, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | OCT 95 |
| SAE-AMSS356A | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 15CR - 4.6NI - 0.22CB - 2.8CU SOLUTION AND PRECIPITATION HEAT TREATED (H1100) 130 KSI (896 MPA) TENSILE STRENGTH [CUST: MR AS 11] | A MECA | 11 | | MAY-95 |
| SAE-AMSS357A | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 15CR - 4.6NI - 0.22CB - 2.8CU SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11] | A MECA | 11 | | MAY-95 |
| A SAE-AMSS360E | STEEL, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 17CR - 13NI - 1.9MO SOLUTION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | MAY 96 |
| SAE-AMSS362H | STEEL, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 19CR - 12NI - 1.0(CB + TA) SOLUTION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | 01-APR-93 |
| A SAE-AMSS366D | STEEL, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 25CR - 20NI (CK20) AS CAST [CUST: MR AS 11] | A MECA | 11 | | MAY 96 |
| SAE-AMSS368B | STEEL CASTINGS, INVESTMENT, CORROSION RESISTANT 15CR - 4.0NI - 2.3MO - 0.09N SOLUTION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | 01-OCT-82 |
| A SAE-AMSS370C | STEEL CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 19CR - 9.5 NI SOLUTION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | MAY-96 |
| A SAE-AMSS377E | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 73NI - 12 CR - 4.5MO - 2.0CB - 0.70TI - 0.05C - 6.0AL - 0.010B - 0.102R VACUUM CAST, AS CAST [CUST: MR AS 11] [REVIEW: 99] | A MECA | 11 | | JUN-96 |
| SAE-AMSS380E | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 50.5CO - 26CR - 15NI - 6.0MO AS CAST [CUST: MR AS 11] | A MECA | 11 | | 01-JAN-86 |
| SAE-AMSS382H | COBALT ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 54CO - 25.5CR - 10.5NI - 7.5W AS CAST [CUST: MR AS 11] | A MECA | 11 | | 01-APR-93 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|------------|-----------------|--|----------------------|-----|-------------|-----------|
| | SAE-AMSS5383D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 52.5NI - 19CR - 3.0MO - 5.1(CB+TA) - 0.90TI - 0.60AL - 18FE VACUUM MELTED HOMOGENIZATION AND SOLUTION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | 01-APR-93 |
| | SAE-AMSS5384D | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 53NI - 18CR - 18CO - 4.0MO - 2.9TI - 2.9AL - 0.006B VACUUM-MELTED, VACUUM-CAST, SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | 01-OCT-86 |
| | SAE-AMSS5385F | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 62CO - 27CR - 2.8NI - 5.5MO AS CAST [CUST: MR AS 11] | A MECA | 11 | | 01-JAN-86 |
| | SAE-AMSS5387B | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 60 CO -29CR - 4.5W AS CAST [CUST: MR AS 11] | A MECA | 11 | | 01-OCT-87 |
| | SAE-AMSS5388E | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 53.5NI - 15.5CR - 17MO - 4.5W - 5.8FE - 0.40V AS CAST [CUST: MR AS 11] | A MECA | 11 | | 01-JUL-85 |
| A | SAE-AMSS5390D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 47.5NI - 22CR - 1.5CO - 9MO - 0.60W - 18.5FE AS CAST [CUST: MR AS 11] | A MECA | 11 | | APR 95 |
| A | SAE-AMSS5391E | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 73NI - 13CR - 4.5MO - 2.3CB - 0.75TI - 6.0AL - 0.010B - 0.102R VACUUM CAST, AS CAST [CUST: MR AS 11] | A MECA | 11 | | JUN-96 |
| | SAE-AMSS5396B | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 65NI - 28MO - 5.5FE - 0.40V AS CAST [CUST: MR AS 11] | A MECA | 11 | | 01-JUL-83 |
| | SAE-AMSS5398D | STEEL CASTINGS, SAND AND CENTRIFUGAL, CORROSION RESISTANT 16CR - 4.1NI - 0.22(CB + TA) - 2.8CU SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11] | A MECA | 11 | | 01-OCT-89 |
| | SAE-AMSS5399C | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 52NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.6AL - 0.006B VACUUM-MELTED, VACUUM-CAST, SOLUTION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | 01-APR-93 |
| | SAE-AMSS5400A | STEEL, CORROSION RESISTANT, INVESTMENT CASTINGS 15CR - 4.6NI - 0.22CB - 2.8CU SOLUTION AND PRECIPITATION HEAT TREATED (H935) 170 KSI (1172 MPA) TENSILE STRENGTH [CUST: MR AS 11] | A MECA | 11 | | MAY-95 |
| | SAE-AMSS5401A | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 62NI - 21.5CR - 9.0MO - 3.6(CB+TA) VACUUM MELTED, VACUUM CAST AS CAST [CUST: MR AS 11] | A MECA | 11 | | 01-JUL-86 |
| | SAE-AMSS5412 | STEEL CASTINGS, VACUUM MELTED, VACUUM CAST, INVESTMENT, CORROSION RESISTANT 13CR - 8.0NI - 2.2MO - 1.1AL (195,000 PSI (1344 MPA) TENSILE STRENGTH (CONDITION H1000) HOMOGENIZED, SOLUTION, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | 01-JUL-90 |
| | SAE-AMSS5503D | STEEL, CORROSION RESISTANT, SHEET, STRIP AND PLATE 17CR (SAE51430) ANNEALED [CUST: MR AS 11] | A 9515 | 11 | | 31-JUL-94 |
| | SAE-AMSS5504K | STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 12.5CR (SAE 51410) ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-91 |
| A | SAE-AMSS5505D | STEEL, CORROSION AND HEAT RESISTANT SHEET, STRIP, AND PLATE 12CR (SAE 51410 MODIFIED) FERRITE CONTROLLED, ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | | MAY-95 |
| | SAE-AMSS5506E | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 13CR (0.30 - 0.40C) (SAE 51420) ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-APR-91 |
| | SAE-AMSS5507E | STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT, 17CR - 13NI - 2.5MO (SAE 30316L) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JAN-90 |
| | SAE-AMSS5508E | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 13CR - 2.0NI - 3.0W ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JAN-93 |
| | SAE-AMSS5510N | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 18CR - 10.5NI - 0.40TI (SAE 30321) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-SEP-92 |
| | SAE-AMSS5511F | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 19CR - 9.5NI (304L) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JAN-90 |
| | SAE-AMSS5512J | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 18CR - 10.5NI - 0.80CB (SAE 30347) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-92 |
| | SAE-AMSS5513F | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 19CR - 9.2NI (SAE 30304) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-92 |
| | SAE-AMSS5514F | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 18CR - 11.5NI (SAE 30305) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-92 |
| | SAE-AMSS5516L | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 18CR - 9.0NI (SAE 30302) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-92 |
| | SAE-AMSS5517J | STEEL, CORROSION RESISTANT, SHEET AND STRIP 18CR - 8NI (SAE 30301) COLD ROLLED, 125 KSI (862 MPA) TENSILE STRENGTH [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JUL-92 |
| | SAE-AMSS5518H | STEEL, CORROSION RESISTANT, SHEET AND STRIP 18CR - 8NI (SAE 30301) COLD ROLLED, 150 KSI (1034 MPA) TENSILE STRENGTH [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JUL-92 |
| | SAE-AMSS5519K | STEEL, CORROSION RESISTANT, SHEET AND STRIP 18CR - 8NI (SAE 30301) COLD ROLLED, 185 KSI (1276 MPA) TENSILE STRENGTH [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JUL-92 |
| | SAE-AMSS5520D | STEEL SHEET, STRIP, FOIL, AND PLATE, CORROSION AND MODERATE HEAT RESISTANT 15CR - 7.1NI - 2.5MO - 1.1AL SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JAN-90 |
| | SAE-AMSS5521G | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 25CR - 20NI (SAE 30310S) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | MAY-94 |
| | SAE-AMSS5523E | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 23CR - 13.5NI (SAE 30309S) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | JAN-94 |
| | SAE-AMSS5524H | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 18CR - 13NI - 2.5MO (SAE 30316) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-92 |
| A | SAE-AMSS5525G | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 15CR - 25.5NI - 1.2MO - 2.1TI - 0.006B - 0.30V 1800 DEG. F (982 DEG. C) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | MAY-95 |
| | SAE-AMSS5528F | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 17CR - 7.1N - 1.1A1 SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9515 | IS | | MAR-94 |
| A | SAE-AMSS5529E | STEEL, CORROSION RESISTANT, SHEET AND STRIP 17CR-7.1NI-1.1A1 SOLUTION HEAT TREATED AND COLD ROLLED, PRECIPITATION HARDENABLE 0.0015 TO 0.050 INCH (0.038 TO 1.27MM) NORMAL THICKNESS [CUST: MR AS 11] | A 9515 | AS | | DEC-95 |
| A | SAE-AMSS5532F | IRON ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 30FE - 21CR - 20NI - 20CO - 3.0MO - 2.5W - 1.0CB - 0.15N SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | APR-95 |
| | SAE-AMSS5536L | AMSS536L, NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 47.5NI-22CR-1.5CO-9.0MO-0.60W-18.5FE SOLUTION HEAT TREATED [CUST: 11] [REVIEW: 99 AS MR] | A 9515 | 11 | | 01-JUL-93 |
| | SAE-AMSS5537F | ALLOY SHEET, STRIP, AND FOIL, CORROSION AND HEAT RESISTANT 52CO - 20CR - 10NI - 15W SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-90 |
| A | SAE-AMSS5540L | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 74NI - 15.5CR - 8.0FE ANNEALED [CUST: MR AS 11 IS] | A 9535 | IS | | FEB-95 |
| | SAE-AMSS5542L | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, AND PLATE 72NI - 15.5CR - 0.95CB - 2.5TI - 0.70A1 - 7.0FE ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | | APR-94 |
| | SAE-AMSS5544G | ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 57NI - 19.5CR - 13.5CO - 4.2MO - 3.0TI - 1.4A1 - 0.052R - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED, ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-APR-91 |
| A | SAE-AMSS5545D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 54NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.5A1 - 0.006B VACUUM INDUCTION AND CONSUMABLE ELECTRODE MELTED, SOLUTION HEAT TREATED PRECIPITATION HEAT TREATABLE [CUST: MR AS 11 IS] | A 9515 | IS | | APR-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | SAE-AMS5547F | STEEL, CORROSION AND HEAT RESISTANT, SHEET AND STRIP 15.5 CR - 4.5NI - 2.9MO - 0.10N SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-92 |
| A | SAE-AMS5548K | STEEL, CORROSION AND HEAT RESISTANT, SHEET AND STRIP 16.5CR - 4.5NI - 2.9MO - 0.10N 1850 TO 1975 DEG. F (1010 TO 1079 DEG. C) ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | | DEC-95 |
| A | SAE-AMS5552E | ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 46FE - 20.5CR - 32NI - 1.1TI ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | | APR-95 |
| | SAE-AMS5553E | NICKEL, SHEET AND STRIP LOW (0.02 MAX) CARBON ANNEALED [CUST: MR AS 11] [REVIEW: 99] | A 9535 | 11 | | MAY-95 |
| | SAE-AMS5554C | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 16.5CR - 4.5NI - 2.9MO - 0.10N ANNEALED [CUST: MR AS 11] | A 4710 | 11 | | JUL-94 |
| | SAE-AMS5556F | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS OR WELDED TUBING 18CR - 11NI - 0.70(CB + TA) (SAE 30347) HYDRAULIC, SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | 01-OCT-91 |
| | SAE-AMS5557G | STEEL TUBING, SEAMLESS AND WELDED, CORROSION AND HEAT RESISTANT 18.5CR - 10.5NI - 0.40TI (SAE 30321) HYDRAULIC SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | 01-APR-89 |
| | SAE-AMS5558D | STEEL TUBING, WELDED, CORROSION AND HEAT RESISTANT 18CR - 10.5NI - 0.70 (CB + TA) (SAE 30347) THIN WALL SOLUTION HEAT TREATED [CUST: MR AS 11] | A 4710 | 11 | | 01-JAN-89 |
| A | SAE-AMS5559H | STEEL, CORROSION AND HEAT RESISTANT, WELDED TUBING 18CR - 10.5NI - 0.40TI (SAE 30321) THIN WALL SOLUTION HEAT TREATED [CUST: MR AS 11] | A 4710 | 11 | | MAR-96 |
| A | SAE-AMS5560H | STEEL, CORROSION RESISTANT, SEAMLESS TUBING 19CR - 10NI (SAE 30304) SOLUTION HEAT TREATED [CUST: 11 CC] [REVIEW: 82 99 AS DS MR] | A 4710 | CC | | 06-DEC-93 |
| | SAE-AMS5561C | TUBING, STEEL, WELDED AND DRAWN, CORROSION AND HEAT RESISTANT 9.0MN - 20CR - 6.5NI - 0.28N HIGH PRESSURE HYDRAULIC [CUST: MR AS 11 CC] | A 4710 | CC | | 01-APR-92 |
| A | SAE-AMS5562C | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 9.0MN - 20CR - 6.5NI - 0.28N SOLUTION HEAT TREATED [CUST: MR AS 11] | A 4710 | 11 | | APR-95 |
| | SAE-AMS5563A-91 | STEEL, CORROSION RESISTANT, SEAMLESS AND WELDED TUBING, 19CR - 9.5NI (SAE 30304) COLD DRAWN, QUARTER-HARD TEMPER [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | 01-JUL-91 |
| | SAE-AMS5564B | STEEL, CORROSION RESISTANT, TUBING 19CR - 10NI (SAE 30304) HIGH-PRESSURE HYDRAULIC, WELDED PLUS ULTRASONICALLY TESTED OR SEAMLESS [CUST: 11] [REVIEW: 82 99 AS CC MR] | A 4710 | 11 | | 01-JUL-92 |
| A | SAE-AMS5565J | STEEL, CORROSION RESISTANT, WELDED TUBING 19CR - 9.5NI (SAE 30304) SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | APR-95 |
| A | SAE-AMS5566K | STEEL, CORROSION RESISTANT, SEAMLESS OR WELDED HYDRAULIC TUBING 19CR - 10NI (SAE 30304) HIGH PRESSURE, COLD DRAWN [CUST: 82 CC] | A 4710 | CC | | APR-95 |
| | SAE-AMS5567C | STEEL TUBING, SEAMLESS OR WELDED, CORROSION RESISTANT 19CR - 10NI (SAE 30304) HYDRAULIC, ANNEALED [CUST: 11] [REVIEW: 82 99 AS CC MR] | A 4710 | 11 | | 01-JAN-88 |
| A | SAE-AMS5568E | STEEL, CORROSION AND HEAT RESISTANT, WELDED TUBING 17CR - 7.1 - 1.1AL SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11] | A 4710 | 11 | | APR-95 |
| | SAE-AMS5569 | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS AND WELDED HYDRAULIC TUBING 19CR - 9.5NI - 0.03C MAX COLD DRAWN, ONE EIGHTH-HARD TEMPER [CUST: 11] [REVIEW: 99 AS MR] | A 9515 | 11 | | 01-JUL-93 |
| | SAE-AMS5570M | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 18CR - 11NI - 0.40TI (SAE 30321) SOLUTION HEAT TREATED [CUST: 11] [REVIEW: 82 99 AS CC MR] | A 4710 | 11 | | 01-OCT-92 |
| | SAE-AMS5571G | STEEL CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 18CR - 10.5NI - 0.70CB (SAE 30347) SOLUTION HEAT TREATED [CUST: MR AS 11] | A 4710 | 11 | | 01-OCT-93 |
| A | SAE-AMS5572G | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 25CR - 20NI (SAE 30310S) SOLUTION HEAT TREATED [CUST: MR AS 11] | A 4710 | 11 | | JAN-96 |
| | SAE-AMS5575L | STEEL, CORROSION AND HEAT RESISTANT, WELDED TUBING 18CR - 10.5NI - 0.70CB (SAE 30347) SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | JAN-94 |
| | SAE-AMS5576H | STEEL, CORROSION AND HEAT RESISTANT, WELDED TUBING, 18CR 10.5NI 0.40TI (SAE 30321) SOLUTION HEAT TREATED [CUST: CR4 AS 99] | A 4710 | AS | | 01-OCT-92 |
| | SAE-AMS5577G | STEEL, CORROSION AND HEAT RESISTANT, WELDED TUBING 25CR - 20NI (SAE 30310) SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | APR-95 |
| A | SAE-AMS5578D | STEEL, CORROSION AND HEAT RESISTANT, WELDING TUBING 12CR - 8.5NI - 0.30 CB - 1.1TI - 2.0 CU VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11] | A 4710 | 11 | | MAY-95 |
| A | SAE-AMS5580H | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 74NI - 15.5CR - 8.0FE ANNEALED [CUST: MR AS 11] | A 4710 | 11 | | JAN-95 |
| | SAE-AMS5581C | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SEAMLESS OR WELDED TUBING 62NI - 21.5CR - 9.0MO - 3.7CB ANNEALED [CUST: MR AS 11] | A 4710 | 11 | | 01-OCT-92 |
| A | SAE-AMS5582D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 72NI - 15.5CR - 0.95 CB - 2.5TI - 0.70A1 - 7.0FE ANNEALED [CUST: MR AS 11] | A 4710 | 11 | | DEC-95 |
| A | SAE-AMS5583C | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 72NI - 15.5CR - 0.95 CB - 2.5TI - 0.70AL - 7.0FE SOLUTION HEAT TREATED [CUST: MR AS 11] | A 4710 | 11 | | DEC-95 |
| | SAE-AMS5584 | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS AND WELDED HYDRAULIC TUBING 17CR - 12NI - 1.5MO C MAX COLD DRAWN, ONE EIGHTH-HARD TEMPER [CUST: 11] [REVIEW: 99 AS MR] | A 9515 | 11 | | 01-JUL-93 |
| | SAE-AMS5585E | ALLOY, CORROSION AND HEAT RESISTANT, WELDED TUBING 32FE - 21CR - 20NI - 20CO - 3MO - 2.5W 1.0CB - 0.15N SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | AUG-95 |
| A | SAE-AMS5586E | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDED TUBING 57NI - 19.5CR - 13.5CO - 4.2MO - 2.9TI - 1.4AL - 0.006B 0.082R CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED, ANNEALED [CUST: MR AS 11] | A 4710 | 11 | | MAY-95 |
| | SAE-AMS5587D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 47.5NI - 22CO - 9.0MO - 0.60W - 18.5FE, SOLUTION HEAT TREATED [CUST: MR AS 11] | A 4710 | 11 | | 01-APR-92 |
| A | SAE-AMS5588E | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDED TUBING 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE SOLUTION HEAT TREATED [CUST: MR AS 11] | A 4710 | 11 | | FEB-95 |
| | SAE-AMS5589C | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 52.5NI - 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50A1 - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1775 DEG. F (968 DEG. C) SOLUTION HEAT TREATED [CUST: MR AS 11] | A 4710 | 11 | | AUG-94 |
| A | SAE-AMS5590D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SEAMLESS TUBING 52.5NI - 19CR - 3.0MO - 5.1 CB - 0.90TI - 0.50A1 - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1950 DEG. F (1066 DEG. C) SOLUTION HEAT TREATED [CUST: MR AS 11] | A 4710 | 11 | | APR-95 |
| | SAE-AMS5591H | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS, TUBING 12.5CR (SAE 51410) ANNEALED [CUST: MR AS 11 CC] | A 4710 | CC | | 01-JUL-92 |
| A | SAE-AMS5592D | IRON-NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 44FE - 18.5CR - 35NI - 1.15SI SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | APR-96 |
| | SAE-AMS5593E | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 45.5NI - 25.5CR - 3.2CO - 3.2MO - 3.2W - 18.5FE SOLUTION HEAT TREATED [CUST: MR AS 11] | A 9515 | 11 | | 31-JUL-94 |
| | SAE-AMS5595E | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 9.0MN - 20CR - 6.5NI - 0.28N SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-APR-92 |
| | SAE-AMS5596G | ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 52.5NI - 19CR - 3.0MO - 5.1(CB + TA) - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1750 DEG. F (955 DEG. C) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-APR-87 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/NSA | Prep. Acty. | Date |
|-----------------|--|-------------------------|-------------|-----------|
| SAE-AMS5597D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 52.5NI - 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1950 DEG. F (1067 DEG. C) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | AUG-94 |
| SAE-AMS5598C | AMS5598C, NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 72NI-15.5CR-0.95(CB&TA)-2.5TI-0.70AI-7.0FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: 11] [REVIEW: 99 AS MR] | A 9515 | 11 | 01-JUL-93 |
| SAE-AMS5599E | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 62NI - 21.5CR - 9.0MO - 3.7(CB+TA) ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | 01-APR-93 |
| A SAE-AMS5604D | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 16.5CR - 4.0NI - 4.0CU - 0.30CB SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9515 | IS | MAY-95 |
| A SAE-AMS5608D | COBALT ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 40CO - 22CR - 22NI - 14.5W - 0.07LA SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | DEC-95 |
| SAE-AMS5609C | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 12CR - 0.23CB (SAE 51410 MODIFIED) FERRITE CONTROLLED, ANNEALED [CUST: MR AS 11 IS] | A 9510 | IS | 01-JAN-92 |
| SAE-AMS5610L | STEEL BARS AND FORGINGS, CORROSION AND MODERATE HEAT RESISTANT 12.5CR - LOW CARBON (SAE 51416, 51416SE) FREE-MACHINING [CUST: MR AS 11 IS] | A 9510 | IS | 01-OCT-88 |
| SAE-AMS5612F | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 12CR FERRITE CONTROLLED, ANNEALED [CUST: MR AS 11 IS] | A 9510 | IS | MAY 94 |
| A SAE-AMS5613P | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 12.5CR (SAE 51410) ANNEALED [CUST: MR AS 11 IS] | A 9530 | IS | MAY-95 |
| SAE-AMS5614D | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, AND FORGINGS 12CR - 0.50MO ANNEALED [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | FEB-95 |
| SAE-AMS5616J | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 13CR - 2.0NI - 3.0W ANNEALED [CUST: MR AS 11 IS] | A 9510 | IS | 01-JUL-92 |
| SAE-AMS5617G | STEEL BARS, WIRE, AND FORGINGS, CORROSION RESISTANT 12CR - 8.5NI - 1.2TI - 2.0CU VACUUM INDUCTION PLUG VACUUM CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9510 | IS | 01-APR-90 |
| SAE-AMS5618D | STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS 17CR - 0.52MO (0.95-1.20C) (SAE51440C) CONSUMABLE ELECTRODE VACUUM MELTED [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | 31-JUL-94 |
| SAE-AMS5620E | STEEL BARS AND FORGINGS, CORROSION AND MODERATE HEAT RESISTANT 13CR (0.30 - 0.40C) (SAE 51420F) FREE-MACHINING [CUST: MR AS 11 IS] | A 9510 | IS | 01-APR-89 |
| SAE-AMS5625C | STEEL BARS, HIGH EXPANSION 9.5NI - 5.5MN (0.55 - 0.65C) COLD FINISHED [CUST: MR AS 84 IS] | A 9510 | IS | 01-JAN-90 |
| SAE-AMS5629D | STEEL, CORROSION RESISTANT, BARS, FORGINGS, RINGS, AND EXTRUSIONS 13CR - 8.0NI - 2.2MO - 1.1AI VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9510 | IS | 01-APR-91 |
| SAE-AMS5630G | STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS 17CR - 0.52MO (0.95 - 1.20C) (SAE 51440C) [CUST: MR AS 11 IS] | A 9510 | IS | 01-APR-93 |
| SAE-AMS5632F | STEEL BARS AND FORGINGS, CORROSION RESISTANT 17CR - 0.50MO (0.95 - 1.20C) (SAE 51440F) FREE-MACHINING [CUST: MR AS 11 IS] | A 9510 | IS | 01-APR-89 |
| SAE-AMS5635D | STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS 18CR - 9NI - 0.21PB (303PB) FREE-MACHINING, SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | 01-JUL-92 |
| SAE-AMS5636E | STEEL, CORROSION RESISTANT, BARS AND WIRE 18CR - 9.0NI (SAE 30302) SOLUTION HEAT TREATED AND COLD DRAWN 100 KSI (689 MPa) TENSILE STRENGTH [CUST: MR AS 11 IS] | A 9510 | IS | 01-OCT-93 |
| SAE-AMS5637F | STEEL, CORROSION RESISTANT, BARS AND WIRE 18CR - 9.0NI (SAE 30302) SOLUTION HEAT TREATED AND COLD DRAWN 125 KSI (862 MPa) TENSILE STRENGTH [CUST: MR AS 99 IS] | A 95GP | IS | 01-OCT-93 |
| A SAE-AMS5638E | STEEL, CORROSION RESISTANT, BARS AND FORGINGS 0.14S - 18CR - 9.5NI - 0.50MO - 0.80AI FREE-MACHINING; SWAGING OR UPSETTING SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | MAY-95 |
| A SAE-AMS5639G | STEEL, CORROSION RESISTANT, BARS, WIRE, FORGINGS, TUBING AND RINGS 19CR - 10NI SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | MAY-96 |
| A SAE-AMS5640R | STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS, 18CR - 9.0NI FREE-MACHINING [CUST: MR AS 11 IS] | A 9510 | IS | JUN-96 |
| SAE-AMS5641F | STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS, 18.5CR - 10NI - 0.22SE (SAE 30303SE) FREE-MACHINING; SWAGING OR UPSETTING SOLUTION HEAT TREATED [CUST: MR AS 71 IS] | A 95GP | IS | 01-OCT-92 |
| SAE-AMS5642J | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, AND FORGINGS 18 CR - 10.5NI - 0.60CB FREE-MACHINING, SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | 01-OCT-93 |
| SAE-AMS5643N | STEEL, CORROSION RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 16CR - 4.0NI - 0.30(CB+TA) - 4.0 CU SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 82 IS] | A 95GP | IS | 01-JAN-92 |
| A SAE-AMS5646L | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 18CR - 11NI - 0.60CB (SAE 30347) SOLUTION HEAT TREATED [CUST: MR AS 19 IS] | A 95GP | IS | MAY-96 |
| A SAE-AMS5647G | STEEL, CORROSION RESISTANT, BARS, WIRE, FORGINGS, TUBING AND RINGS 19CR - 9.5NI SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | APR-96 |
| SAE-AMS5649E-94 | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, AND FORGINGS 18CR - 13NI - 2.1MO FREE MACHINING SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | 19-DEC-94 |
| SAE-AMS5650E | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 23CR - 13.5NI (SAE 30309S) SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | MAY-95 |
| A SAE-AMS5653E | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBINGS, AND RINGS 17CR - 12NI - 2.5MO SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | MAY-96 |
| A SAE-AMS5655D | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, AND FORGINGS 12.5CR - 0.75NI - 1.0MO - 1.0W - 0.24V (0.20-0.25C) HARDENED AND TEMPERED [CUST: MR AS 11 IS] | A 9510 | IS | MAY-95 |
| SAE-AMS5656B | STEEL, CORROSION RESISTANT, BARS, WIRE, FORGINGS, EXTRUSIONS, AND RINGS 9.0MN - 20CR - 6.5NI - 0.27N SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | 01-APR-92 |
| A SAE-AMS5659H | STEEL, CORROSION RESISTANT, BARS, WIRE, FORGINGS, RINGS, AND EXTRUSIONS 15CR - 4.5NI - 0.30CB - 3.5CU CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9510 | IS | MAR-95 |
| A SAE-AMS5660H | NICKEL-IRON ALLOY, CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 12.5CR - 42.5NI - 6.0MO - 2.7TI - 0.015B - 34FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | DEC-95 |
| A SAE-AMS5661E | NICKEL-IRON ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 42.5NI - 12.5CR - 5.8MO - 2.9TI - 0.015B - 35FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | DEC-95 |
| SAE-AMS5662J | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 52.5NI - 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1775 DEG. F (968 DEG. C) SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9510 | IS | SEP-94 |
| A SAE-AMS5663H | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 52.5NI - 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50AL - 19FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1775 DEG F (968 DEG C) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | JAN 96 |
| SAE-AMS5664D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 52.5NI - 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1950 DEG. F (1066 DEG. C) SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9510 | IS | JUL-94 |
| SAE-AMS5665L | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 74NI - 15.5CR - 8.0FE [CUST: MR AS 11 IS] | A 9530 | IS | 01-APR-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-----------------|---|-----------------------|-----------------|-----------|
| SAE-AMS5666D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, EXTRUSIONS, AND RINGS 62NI - 21.5CR - 9.0MO - 3.65 (CB+TA) ANNEALED [CUST: MR AS 11 IS] | A 9510 | IS | 01-APR-92 |
| A SAE-AMS5667K | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 72NI - 15.5CR - 0.95CB - 2.5TI - 0.70AL - 7.0FE EQUALIZED, PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9510 | IS | MAY 96 |
| SAE-AMS5668H | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 72NI - 15.5CR - 7.0FE - 2.5TI - 1.0(CB+TA) - 0.70AL 2100 DEG. F (1149 DEG. C) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | 01-APR-93 |
| SAE-AMS5671F | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 72NI - 15.5CR - 0.95CB - 2.5TI - 0.70AL - 7.0FE CONSUMABLE ELECTRODE OR VACUUMINDUCTION MELTED 1800 DEG. F (982 DEG. C) SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11] | A 3439 | 11 | SEP-96 |
| SAE-AMS5672B | STEEL WIRE, CORROSION RESISTANT 11.8CR - 8.5NI - 0.30(CB & TA) - 1.1TI - 2.0CU PRECIPITATION HARDENABLE, SPRING TEMPER [CUST: MR AS 11] | A 9505 | IS | 01-OCT-87 |
| SAE-AMS5674D | STEEL, CORROSION AND HEAT RESISTANT, WIRE, 18CR - 11.5NI - 0.70 (CB+TA) (SAE 30347) SOLUTION HEAT TREATED [CUST: 11] [REVIEW: 84 99 MR SH] | A 9505 | 11 | 01-OCT-91 |
| A SAE-AMS5675D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT WELDING WIRE 70NI - 2.4MN - 15.5CR - 3.0TI - 7.0FE [CUST: MR AS 11 GS] | A 3439 | GS | DEC 95 |
| SAE-AMS5676D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 80NI - 20CR [CUST: MR AS 11 GS] | A 3439 | GS | JUL-94 |
| A SAE-AMS5678D | STEEL, CORROSION RESISTANT, WIRE 17CR - 7.1NI - 1.1A1 COLD DRAWN, PRECIPITATION-HARDENABLE [CUST: MR AS 11 IS] | A 9505 | IS | NOV 95 |
| SAE-AMS5679F | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 73NI - 15.5CR - 2.2CB - 8.0FE [CUST: MR AS 11 GS] | A 3439 | GS | 01-OCT-92 |
| SAE-AMS5680G | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 18.5CR - 11NI - 0.40CB (SAE 30347) [CUST: MR AS 11 GS] | A 3439 | GS | MAY-94 |
| SAE-AMS5682D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT COATING, RODS AND WIRE 78NI - 20CR [CUST: MR AS 11] | A MFFP | IS | 01-OCT-93 |
| SAE-AMS5683E | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT, 75NI - 15.5CR - 8.0FE [CUST: AL SH 99] [REVIEW: 84] | A 3439 | GS | 01-APR-90 |
| SAE-AMS5685J | STEEL, CORROSION RESISTANT, SAFETY WIRE, 18CR - 11.5NI (SAE 30305) SOLUTION HEAT TREATED, COLD FINISHED [CUST: 11] [REVIEW: 84 99 MR SH] | A 9505 | 11 | 01-JUL-92 |
| SAE-AMS5686F | STEEL, CORROSION RESISTANT, RIVET WIRE 18CR - 11.5NI (SAE 30305) SOLUTION HEAT TREATED [CUST: MR AS 99 IS] | A 9525 | IS | 01-JUL-92 |
| SAE-AMS5687K | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WIRE 74NI - 15.5CR - 8.0FE ANNEALED [CUST: MR AS 11] | A 9505 | IS | JUL-94 |
| SAE-AMS5688J | STEEL, CORROSION RESISTANT, WIRE 18CR - 9.0NI (SAE 30302) SPRING TEMPER [CUST: MR AS 99 IS] | A 9505 | IS | 01-OCT-92 |
| A SAE-AMS5689E | STEEL, CORROSION AND HEAT RESISTANT, WIRE 18CR - 10.5NI - 0.40TI (SAE 30321) SOLUTION HEAT TREATED [CUST: 11] [REVIEW: 84 99 MR SH] | A 9505 | 11 | MAY-95 |
| SAE-AMS5690K | STEEL, CORROSION AND HEAT RESISTANT, WIRE 17CR - 12NI - 2.5MO (SAE 30316) SOLUTION HEAT TREATED [CUST: MR AS 11] | A 9505 | IS | 01-OCT-92 |
| SAE-AMS5692B | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 19CR - 12.5NI - 2.5MO [CUST: MR AS 11 GS] | A 3439 | GS | APR-94 |
| A SAE-AMS5694G | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 27CR - 21.5NI [CUST: MR AS 11 GS] | A 3439 | GS | DEC 95 |
| SAE-AMS5697D | STEEL, CORROSION RESISTANT, WIRE 19CR - 9.5NI (SAE 30304) SOLUTION HEAT TREATED [CUST: 11] [REVIEW: 84 99 MR SH] | A 9505 | 11 | 01-OCT-91 |
| SAE-AMS5698F | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WIRE 72NI - 15.5CR - 0.95CB - 2.5TI - 0.70AL - 7.0FE NO. 1 TEMPER, PRECIPITATION HARDENABLE [CUST: MR AS 11] | A 9505 | IS | AUG-94 |
| SAE-AMS5699F | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WIRE 72NI - 15.5CR - 0.95CB - 2.5TI - 0.70AL - 7.0FE SPRING TEMPER, PRECIPITATION HARDENABLE [CUST: MR AS 11] | A 9505 | IS | AUG-94 |
| SAE-AMS5701C | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 41.5NI - 16CR - 37FE - 2.9CB - 1.8TI CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1800 DEG. F (982 DEG. C) SOLUTION HEAT TREATED [CUST: MR 11 IS] | A 9535 | IS | 01-APR-93 |
| SAE-AMS5703C | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 41.5NI - 16CR - 37FE - 2.9CB - 1.8TI CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1750 DEG. F (954 DEG. C) SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED [CUST: 11] [REVIEW: 84 99 MR SH] | A 9515 | 11 | 01-JUL-93 |
| A SAE-AMS5704F | NICKEL ALLOY, CORROSION AND HEAT RESISTANT FORGINGS 57NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4A1 - 0.05ZR - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1825 TO 1900 DEG. F (995 TO 1038 DEG. C) SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A FORG | 11 | APR 95 |
| SAE-AMS5706H | ALLOY BARS, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 57NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AL - 0.006B - 0.05ZR CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1825 DEG. F - 1900 DEG. F SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | 01-JUL-89 |
| SAE-AMS5707H | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 58NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AL - 0.05ZR - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1825 TO 1900 DEG. F (996 TO 1038 DEG. C) SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | AUG-94 |
| A SAE-AMS5708G | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 58NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AL CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1975 DEG F (1079 DEG C) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | DEC 95 |
| SAE-AMS5709F | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 58NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AL - 0.05ZR - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1975 DEG. F (1079 DEG. C) SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | AUG-94 |
| A SAE-AMS5712G | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 53NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.6AL - 0.006B VACUUM MELTED, SOLUTION HEAT TREATED PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9510 | IS | FEB 95 |
| SAE-AMS5713G | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 53NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.6AL - 0.006B VACUUM MELTED, SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | JUL-94 |
| A SAE-AMS5716G | IRON-NICKEL ALLOY, HEAT RESISTANT, BARS, WIRE, FORGINGS, AND RINGS 44FE - 18.5CR - 35.5NI - 1.1SI SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | DEC 95 |
| SAE-AMS5717F | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 45.5NI - 25.5CR - 3.2CO - 3.2MO - 3.2W - 18.5FE SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | 01-OCT-92 |
| SAE-AMS5719B | STEEL BARS, WIRE, FORGINGS, TUBING, RINGS, AND EXTRUSIONS, CORROSION RESISTANT 11.8CR - 2.5NI - 1.8MO - 0.33V (0.08 - 0.15C) ANNEALED, CONSUMABLE ELECTRODE VACUUM MELTED [CUST: MR AS 11 IS] | A 9510 | IS | 01-JUL-90 |
| A SAE-AMS5731J | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 15CR - 25.5NI - 1.2MO - 2.1TI - 0.006B - 0.30V CONSUMABLE ELECTRODE MELTED, 1800 DEG F (982 DEG C) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | MAY 95 |
| A SAE-AMS5732G | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, TUBING, AND RINGS 15 CR - 25.5 NI - 1.2 MO - 2.1 TI - 0.006B - 0.30V CONSUMABLE ELECTRODE MELTED 1800 DEG. F (982 DEG. C) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 GS] | A 3439 | GS | MAY-95 |
| A SAE-AMS5734H | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, AND TUBING 15CR - 25.5NI - 1.2 MO - 2.1 TI - 0.006B - 0.30V CONSUMABLE ELECTRODE MELTED, 1650 DEG. F (899 DEG. C) SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | OCT 95 |

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|--------------------------|-----|-------------|-----------|
| A | SAE-AMS5737M | STEEL, CORROSION AND HEAT RESISTANT, BARS, WIRE, FORGINGS, AND TUBING 15CR - 25.5NI - 1.2MO - 2.1TI - 0.006B - 0.30V CONSUMABLE ELECTRODE MELTED, 1650 DEG. F (899 DEG. C) SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | | MAY 95 |
| | SAE-AMS5738C | STEEL BARS, CORROSION RESISTANT 18CR - 9NI (SAE 30303F) FREE MACHINING, HIGH YIELD STRENGTH SOLUTION HEAT TREATED AND COLD WORKED [CUST: MR AS 99 IS] | A 9530 | IS | | 01-JAN-89 |
| | SAE-AMS5743G | STEEL, CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 15.5CR - 4.5NI - 2.9MO - 0.10N SOLUTION HEAT TREATED, SUB-ZERO COOLED, EQUALIZED, AND OVER-TEMPERED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JUL-92 |
| | SAE-AMS5744D | STEEL, CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 15.5CR - 4.5NI - 2.9MO - 0.10N HEAT TREATED, 170 KSI (1172 MPa) TENSILE STRENGTH [CUST: MR AS 11 IS] | A 9510 | IS | | 01-APR-93 |
| | SAE-AMS5745D | STEEL, CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 16.5CR - 4.5NI - 2.9MO - 0.10N EQUALIZED AND OVER-TEMPERED [CUST: 11 IS] | A 9510 | IS | | 30-OCT-81 |
| | SAE-AMS5746E | ALLOY BARS AND FORGINGS, CORROSION AND HEAT RESISTANT 15CR - 45NI - 4.1MO - 4.1W - 3.0TI - 1.0A1 - 31FE CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JUL-89 |
| | SAE-AMS5749C | STEEL, CORROSION RESISTANT, BARS, WIRE, FORGINGS, AND TUBING 14.5CR - 4.0MO - 1.2V (1.10 - 1.20C) PREMIUM QUALITY FOR BEARING APPLICATIONS, DOUBLE MELTED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JUL-92 |
| A | SAE-AMS5754K | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | | DEC 95 |
| | SAE-AMS5755E | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 64NI - 5.0CR - 24.5MO - 5.5FE SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-APR-93 |
| A | SAE-AMS5758F | ALLOY, CORROSION-RESISTANT, BARS 20CR - 35NI - 35CO - 10 MO VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED FOR WORK STRENGTHENING [CUST: MR AS 11 IS] | A 9530 | IS | | JAN 96 |
| A | SAE-AMS5759J | COBALT ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 52CO - 20CR - 10NI - 15W SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | | APR 96 |
| | SAE-AMS5763B | STEEL BARS, FORGINGS, AND TUBING, AND RINGS, CORROSION RESISTANT 15CR - 6.5NI - 0.75MO - 0.50 (CB + TA) - 1.5 CU SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-OCT-87 |
| | SAE-AMS5764B | STEEL BARS, FORGINGS, EXTRUSIONS, AND RINGS, CORROSION RESISTANT 5MN - 22CR - 12.5NI - 2.2MO - 0.20CB - 0.30N - 0.20V SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JUL-86 |
| | SAE-AMS5766C | ALLOY, CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 21CR - 32.5NI - 0.38TI - 0.38AL - 45FE SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | | AUG-94 |
| | SAE-AMS5768J | ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 21CR - 20NI - 20CO - 3.0MO - 2.5W - 1.0CB - 0.15N - 31FE SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | | JAN-94 |
| | SAE-AMS5769D | ALLOY BARS, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 21CR - 20NI - 20CO - 3.0MO - 2.5W - 1.0CB + TA - 0.15N - 32FE SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-OCT-87 |
| A | SAE-AMS5771D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 74NI - 7.0CR - 16.5MO SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9530 | IS | | APR 96 |
| A | SAE-AMS5772C | COBALT ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 40CO - 22CR - 22NI - 14.5W - 0.07LA SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9530 | IS | | APR 96 |
| A | SAE-AMS5774D | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 16.5CR - 4.5NI - 2.9MO - 0.10N [CUST: MR AS 11 GS] | A 3439 | GS | | JUN 96 |
| | SAE-AMS5775C | ELECTRODES, WELDING, COVERED, CORROSION AND HEAT RESISTANT STEEL 16.5CR - 4.5NI - 2.9MO - 0.10N [CUST: MR AS 11 GS] | A 3439 | GS | | 01-OCT-90 |
| A | SAE-AMS5776D | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 12.5CR (SAE 51410) [CUST: MR AS 11 GS] | A 3439 | GS | | JUN 96 |
| A | SAE-AMS5778D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 72NI - 15.5CR - 1.0CB - 2.4TI - 0.70AL - 7.0FE [CUST: MR AS 11 GS] | A 3439 | GS | | DEC 95 |
| | SAE-AMS5780C | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 15.5CR - 4.5NI - 2.9MO - 0.10N [CUST: MR AS 11] | A 9505 | IS | | 01-JAN-92 |
| | SAE-AMS5782E | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 20.5CR - 9.0NI - 0.50MO - 1.5W - 1.2CB - 0.20TI VACUUM INDUCTION MELTED [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | | JUN-96 |
| | SAE-AMS5784C | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 29CR - 9.5NI [CUST: MR AS 11 GS] | A 3439 | GS | | 01-JAN-92 |
| | SAE-AMS5786D | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 62.5NI - 5.0CR - 24.5MO - 5.5FE [CUST: MR AS 11 GS] | A 3439 | GS | | FEB-94 |
| | SAE-AMS5788D | COBALT ALLOY, CORROSION AND HEAT RESISTANT, HARD FACING RODS AND WIRE 62CO - 29CR - 4.5W [CUST: MR AS 11] | A MFFP | IS | | DEC-94 |
| | SAE-AMS5789B | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 54CO - 25.5CR - 10.5NI - 7.5W [CUST: MR AS 11 GS] | A 3439 | GS | | 01-OCT-87 |
| | SAE-AMS5790A | STEEL WELDING WIRE, CORROSION AND HEAT RESISTANT 20CR - 10NI - 0.75(CB + TA) HIGH FERRITE GRADE [CUST: MR AS 11 GS] | A 3439 | GS | | 01-JAN-90 |
| | SAE-AMS5791A | COBALT ALLOY, POWDER, PLASMA SPRAY 56.5CO - 25.5CR - 10.5NI - 7.5W [CUST: MR AS 11] | A 8030 | 11 | | 01-JUL-92 |
| | SAE-AMS5793A | POWDER, PLASMA SPRAY 95NI - 5AL [CUST: MR AS 11] | A 8030 | 11 | | 01-OCT-92 |
| | SAE-AMS5794C | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 31FE - 21CR - 20NI - 20CO - 3.0MO - 2.5W - 1.0(CB + TA) - 0.15N ANNEALED [CUST: MR AS 11 GS] | A 3439 | GS | | 01-OCT-87 |
| | SAE-AMS5796C | COBALT ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 52CO - 20CR - 10NI - 15W [CUST: MR AS 11 GS] | A 3439 | GS | | 01-JUL-92 |
| | SAE-AMS5798D | ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE [CUST: MR AS 11 GS] | A 3439 | GS | | 01-JAN-91 |
| | SAE-AMS5799C | ALLOY WELDING ELECTRODES, COVERED, CORROSION AND HEAT RESISTANT 48NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE [CUST: MR AS 11 GS] | A 3439 | GS | | 01-JAN-86 |
| | SAE-AMS5800D | ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 54NI - 19CR - 11CO - 10MO 3.2TI - 1.5A1 - 0.006B [CUST: MR AS 11 GS] | A 3439 | GS | | 01-JAN-92 |
| | SAE-AMS5801D | COBALT ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 39CO - 22CR - 22NI 14.5W - 0.07LA [CUST: MR AS 11 GS] | A 3439 | GS | | AUG-94 |
| | SAE-AMS5802A | IRON-NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 41FE - 37.5NI - 14CO - 4.8(CB + TA) - 1.5TI VACUUM MELTED, LOW EXPANSION [CUST: MR AS 11] | A 3439 | MR | | 01-JAN-93 |
| | SAE-AMS5803C | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 16.4CR - 4.8NI - 0.22(CB+TA) - 3.6CU VACUUM MELTED [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | | JUL-96 |
| | SAE-AMS5804E | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 15CR - 25.5NI - 1.3MO - 2.2TI - 0.006B - 0.30V [CUST: MR AS 11 GS] | A 3439 | GS | | 01-JAN-93 |
| A | SAE-AMS5805F | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 15CR - 25.5NI - 1.2MO - 2.1TI - 0.004B - 0.30V VACUUM INDUCTION MELTED, ENVIRONMENT CONTROLLED PACKAGING [CUST: MR AS 11 GS] | A 3439 | GS | | DEC 95 |
| | SAE-AMS5808A | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 19CR - 13NI - 2.5MO HIGH FERRITE GRADE, TRACE ELEMENT CONTROLLED [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | | JUN-96 |
| | SAE-AMS5810 | STEEL, CORROSION AND HEAT RESISTANT, FLAT WIRE 15CR - 25.5NI - 1.2MO - 2.1TI - 0.006B - 0.30V 1800 DEG. F (982 DEG. C) SOLUTION TREATED, COLD DRAWN OR COLD ROLLED AND AGED, CONSUMABLE ELECTRODE MELTED [CUST: MR AS 11] | A 9505 | 11 | | 31-AUG-94 |
| A | SAE-AMS5814A | COBALT ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 52CO - 20CR - 20 NI - 7.5TA VACUUM MELTED [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | | AUG 94 |
| | SAE-AMS5817D | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 13CR - 2.0NI - 3.0W [CUST: MR AS 11 GS] | A 3439 | GS | | 01-JAN-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Sec | MCA | Prep. Acty. | Date |
|------------|-----------------|---|----------------------|-----|-------------|-----------|
| | SAE-AMS5819 | ROD AND WIRE 62CO - 27CR - 2.9NI - 5.5MO, HARDFACING COBALT ALLOY, CORROSION AND HEAT RESISTANT [CUST: MR AS 11] [REVIEW: 99] | A MFFP | 11 | | MAY-95 |
| | SAE-AMS5821E | STEEL, CORROSION RESISTANT, WELDING WIRE 12CR (SAE 51410 MODIFIED) FERRITE CONTROL GRADE [CUST: MR AS 11 GS] | A 3439 | GS | | JUL-94 |
| | SAE-AMS5822B | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 11.8CR - 2.8NI - 1.6CO - 1.8MO - 0.32V VACUUM INDUCTION MELTED [CUST: MR AS 11 GS] | A 3439 | GS | | 01-JAN-93 |
| | SAE-AMS5823D | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 11.8CR - 2.8NI - 1.6CO - 1.8MO - 0.32V [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | | MAY-95 |
| | SAE-AMS5825E | STEEL, CORROSION RESISTANT, WELDING WIRE 16.4CR - 4.8NI - 0.22CB - 3.6CU [CUST: MR AS 11 GS] | A 3439 | GS | | 01-OCT-92 |
| | SAE-AMS5826B | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 15CR - 5.1NI - 0.30CB - 3.2CU [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | | 30-APR-94 |
| | SAE-AMS5827D | STEEL, CORROSION RESISTANT, COVERED WELDING ELECTRODES 16.4CR - 4.8NI - 0.22CB - 3.6CU [CUST: MR AS 11] | A 3439 | MR | | 01-OCT-92 |
| A | SAE-AMS5828F | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 57NI - 19.5CR - 13.5CO - 4.2MO - 3.1TI - 1.4AL - 0.006B VACUUM INDUCTION MELTED, SOLUTION HEAT TREATED [CUST: MR AS 11 GS] | A 3439 | GS | | MAY 95 |
| | SAE-AMS5829C | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 56NI - 19.5CR - 16.5CO - 2.5TI - 1.5AL VACUUM INDUCTION MELTED [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | | 31-JUL-94 |
| A | SAE-AMS5830A | NICKEL-IRON ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 12.5CR - 42.5NI - 6.0MO - 2.7TI - 0.015B - 35FE [CUST: MR AS 11 GS] | A 3439 | GS | | DEC 95 |
| A | SAE-AMS5831A | ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 29FE - 22CR - 21NI - 18.5CO - 3.2MO - 2.8W - 0.78TA 0.30AL - 0.05ZR - 0.05LA - 0.20N [CUST: MR AS 11 GS] | A 3439 | GS | | DEC 95 |
| A | SAE-AMS5832E | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 52.5NI - 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED [CUST: MR SH 99 GS] [REVIEW: 84] | A 3439 | GS | | MAY 95 |
| | SAE-AMS5833B | COBALT ALLOY, CORROSION AND HEAT RESISTANT, ROUND WIRE 20CR - 15NI - 40CO - 7.0MO - 16FE SOLUTION HEAT TREATED AND COLD DRAWN [CUST: MR AS 99 IS] | A 9505 | IS | | 01-APR-93 |
| A | SAE-AMS5836A | NICKEL ALLOY, CORROSION AND HEAT RESISTANT WELDING WIRE 72NI - 3.0MN - 20CR - 2.5CB [CUST: MR AS 11 GS] | A 3439 | GS | | DEC 95 |
| A | SAE-AMS5837E | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIER 62NI - 21.5CR - 9.0MO - 3.7CB [CUST: MR AS 11 GS] | A 3439 | GS | | MAY 95 |
| | SAE-AMS5838C | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 65NI - 16CR - 15MO - 0.30AL - 0.06LA [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | | 31-AUG-94 |
| | SAE-AMS5839 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 59NI - 22CR - 2.0MO - 14W - 0.35AL [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | | DEC-95 |
| | SAE-AMS5840C | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 13CR - 8.0NI - 2.3MO - 1.1AL VACUUM MELTED [CUST: MR AS 11 GS] | A 3439 | GS | | 01-JAN-92 |
| | SAE-AMS5841C | ALLOY, CORROSION AND HEAT RESISTANT, BARS 19CR - 36CO - 25NI - 7.0MO - 0.50CB - 2.9TI - 0.20AL - 9.0FE VACUUM INDUCTION PLUS VACUUM CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED FOR WORK STRENGTHENING [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | 31-JUL-94 |
| | SAE-AMS5842C | COBALT-NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS 19CR - 36CO - 25NI - 7.0MO - 0.50CB - 2.9TI - 0.20AL - 9.0FE VACUUM INDUCTION PLUS VACUUM CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED AND WORK STRENGTHENED [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | 31-AUG-94 |
| | SAE-AMS5843C-95 | ALLOY, CORROSION AND HEAT RESISTANT, BARS 19CR - 36CO - 25NI - 7.0MO - 0.50CB - 2.9TI - 0.20AL - 9.0FE VACUUM INDUCTION PLUS VACUUM CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, WORK STRENGTHENED, AND AGED [CUST: MR AS 11] [REVIEW: 99] | A 9530 | 11 | | JAN-95 |
| A | SAE-AMS5844E | ALLOY, CORROSION RESISTANT, BARS 20CR - 35NI - 35CO - 10MO VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED AND WORK STRENGTHENED [CUST: MR AS 11 IS] | A 9530 | IS | | JAN 96 |
| A | SAE-AMS5845E | ALLOY, CORROSION RESISTANT, BARS 20CR - 35NI - 35CO - 10MO VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED, WORK STRENGTHENED, AND AGED [CUST: MR AS 11 IS] | A 9530 | IS | | JAN 96 |
| | SAE-AMS5846A | ALLOY, CORROSION AND HEAT RESISTANT, BARS AND FORGINGS 53NI - 15CR - 18.5CO - 5.0MO - 3.2TI - 4.2AL - 0.03B DOUBLE VACUUM MELTED SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JUL-91 |
| | SAE-AMS5850C | STEEL, CORROSION AND HEAT RESISTANT, HONEYCOMB CORE RESISTANCE WELDED, SQUARE CELL [CUST: MR AS 11] | A 9520 | IS | | 01-JAN-93 |
| | SAE-AMS5854 | ALLOY BARS, FORGINGS AND RINGS CORROSION AND HEAT RESISTANT 61NI - 20.5 CR - 8.5MO - 3.4CB - 1.3TI - 5.0FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JAN-91 |
| | SAE-AMS5857 | STEEL BARS AND WIRE, CORROSION RESISTANT 19CR - 10NI - (SAE 30304) HIGH YIELD STRENGTH SOLUTION HEAT TREATED AND COLD WORKED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JAN-90 |
| | SAE-AMS5860D | STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 12CR - 8.5NI - 0.30(CB + TA) - 1.1TI - 2.0CU MULTIPLE MELTED, SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JAN-92 |
| | SAE-AMS5862D | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 15CR - 4.5NI - 0.30(CB+TA) - 3.5CU CONSUMABLE ELECTRODE REMELTED, SOLUTION HEAT TREATED PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JAN-91 |
| A | SAE-AMS5863C | STEEL, CORROSION RESISTANT, SHEET, STRIP, AND PLATE 15CR - 6.5NI - 0.75MO - 0.6CB - 1.5CU SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9515 | IS | | FEB 95 |
| | SAE-AMS5864A | STEEL, CORROSION RESISTANT, PLATE 13CR - 8.0NI - 2.2 MO - 1.1AL VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: 11] [REVIEW: 99 AS MR] | A 9515 | 11 | | 01-APR-93 |
| | SAE-AMS5865C | NICKEL, CORROSION AND HEAT RESISTANT, SHEET AND STRIP THORIA DISPERSION STRENGTHENED 2.2THO2 [CUST: MR AS 11] [REVIEW: 99] | A 9535 | 11 | | 31-MAY-94 |
| A | SAE-AMS5866B | STEEL, CORROSION RESISTANT, FLAT WIRE 18CR - 9.0NI (SAE 30302) SPRING TEMPER [CUST: MR AS 11] | A 9505 | 11 | | DEC 95 |
| A | SAE-AMS5869A | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 62NI - 21.5CR - 9.0MO - 3.7CB SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | JAN 96 |
| | SAE-AMS5871C | ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP AND PLATE 21CR - 32.5NI - 0.38TI - 0.38AL - 45FE SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | AUG-94 |
| | SAE-AMS5873B | ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 65NI - 15.8CR - 5.2MO - 0.30A1 - 0.5LA CONSUMABLE ELECTRODE MELTED, SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JAN 88 |
| A | SAE-AMS5878A | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 59NI - 22CR - 2MO - 14W - 0.35A1 - 0.03LA SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | JAN 96 |
| A | SAE-AMS5879B | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND FOIL 62NI - 21.5CR - 9.0MO - 3.7CB COLD ROLLED AND ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | | APR 96 |
| | SAE-AMS5880A | STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS 17CR - 0.52MO (0.95 - 1.20C) (SAE 51440C) FOR BEARING APPLICATIONS [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | AUG-94 |
| | SAE-AMS5884A | IRON-NICKEL ALLOY, BARS, FORGINGS, AND RINGS 42FE - 37.5NI - 14CO - 4.8CB - 1.6TI SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE MULTIPLE MELTED, HIGH TEMPERATURE, LOW EXPANSION [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | 30-APR-94 |

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|-----------------------|-----|-------------|-----------|
| A | SAE-AMS5887A | NICKEL ALLOY CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 54NI - 22CR - 12.5CO - 9.0MO - 1.2A1 CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED ANNEALED [CUST: MR AS 11 IS] | A 9510 | IS | | DEC 95 |
| A | SAE-AMS5888A | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, PLATE 54NI - 22CR - 12.5CO - 9.0MO - 1.2AL ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | | DEC 95 |
| A | SAE-AMS5889A | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET AND STRIP 54NI - 22CR - 12.5CO - 9.0MO - 1.2A1 CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | | DEC 95 |
| | SAE-AMS5890C | NICKEL, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND EXTRUSIONS THORIA DISPERSION STRENGTHENED 2.2TH02 STRESSED-RELIEVED [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | 30-APR-94 |
| | SAE-AMS5896 | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS OR WELDED HYDRAULIC TUBING 18.5CR - 10.5NI - 0.55TI (SAE 30321) SOLUTION HEAT TREATED AND COLD DRAWN, ONE-EIGHTH HARD TEMPER [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | 30-JUN-94 |
| | SAE-AMS5897 | STEEL, CORROSION AND HEAT RESISTANT, SEAMLESS OR WELDED HYDRAULIC TUBING 18.5CR - 11NI - 0.80CB (SAE 30347) SOLUTION HEAT TREATED AND COLD DRAWN, ONE-EIGHTH HARD TEMPER [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | 30-JUN-94 |
| | SAE-AMS5898 | STEEL, CORROSION RESISTANT, BARS, WIRE, AND FORGINGS 15.2CR - 1.0MO - 0.40N - (0.28 - 0.34C) CONSUMABLE ELECTRODE MELTED UNDER PRESSURE [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | FEB-95 |
| | SAE-AMS5900A | STEEL BARS, FORGINGS, AND TUBING, CORROSION RESISTANT 14CR - 2.1MO - 0.30CB - 1.0V (1.05 - 1.15C) PREMIUM AIRCRAFT QUALITY FOR BEARING APPLICATIONS, DOUBLE VACUUM MELTED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JAN-89 |
| | SAE-AMS5901 | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 18CR - 8NI (SAE 30301) SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A 9515 | AS | | 01-JAN-92 |
| | SAE-AMS5902 | STEEL SHEET AND STRIP, CORROSION RESISTANT 18CR - 8NI (SAE 30301) COLD ROLLED, 175 KSI (1207 MPa) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A 9515 | AS | | 01-JAN-92 |
| | SAE-AMS5903 | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 18CR - 9.0NI (SAE 30302) COLD ROLLED, 125 KSI (862 MPa) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A 9515 | AS | | 01-JAN-92 |
| | SAE-AMS5904 | STEEL SHEET AND STRIP, CORROSION RESISTANT 18CR - 9.0NI (SAE 30302) COLD ROLLED, 150 KSI (1034 MPa) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A 9515 | AS | | 01-JAN-92 |
| | SAE-AMS5905 | STEEL SHEET AND STRIP, CORROSION RESISTANT 18CR - 9.0NI (SAE 30302) COLD ROLLED, 175 KSI (1207 MPa) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A 9515 | AS | | 01-JAN-92 |
| | SAE-AMS5906 | STEEL SHEET AND STRIP, CORROSION RESISTANT 18CR - 9.0NI (SAE 30302) COLD ROLLED, 185 KSI (1276 MPa) TENSILE [CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A 9515 | AS | | 01-JAN-92 |
| | SAE-AMS5907 | STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 17CR - 12NI - 2.5MO (SAE 30316) COLD ROLLED, 125 KSI (862 MPa) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A 9515 | AS | | 01-JAN-92 |
| | SAE-AMS5910 | STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 19CR - 9.2NI (SAE 30304) COLD ROLLED, 125 KSI (862 MPa) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A 9515 | AS | | 01-JAN-92 |
| | SAE-AMS5911 | STEEL SHEET AND STRIP, CORROSION RESISTANT 19CR - 9.2NI (SAE 30304) COLD ROLLED, 150 KSI (1034 MPa) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A 9515 | AS | | 01-JAN-92 |
| | SAE-AMS5912 | STEEL SHEET AND STRIP, CORROSION RESISTANT 19CR - 9.2NI (SAE 30304) COLD ROLLED, 175 KSI (1207 MPa) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A 9515 | AS | | 01-JAN-92 |
| | SAE-AMS5913 | STEEL SHEET AND STRIP, CORROSION RESISTANT 19CR - 9.2NI (SAE 30304) COLD ROLLED, 185 KSI (1276 MPa) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99 CC EA IS MI OS] | A 9515 | AS | | 01-JAN-92 |
| | SAE-AMS5914 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND FOIL 52.5NI - 19CR - 3.0MO - 5.0CB - 0.90TI - 0.50AL - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED PRECISION COLD ROLLED, SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 9515 | 11 | | MAY-95 |
| | SAE-AMS5930 | STEEL, CORROSION RESISTANT, BARS AND FORGINGS 13.0CR - 2.5NI - 5.5CO - 2.0MO 0.60V (0.05 - 0.09C) VACUUM INDUCTION PLUS VACUUM CONSUMABLE ELECTRODE MELTED [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | MAY-95 |
| | SAE-AMS5931 | STEEL, BARS, WIRE, FORGINGS, EXTRUSIONS, TUBING, AND RINGS WEAR, GALLING, AND CORROSION RESISTANT 5.0MN - 3.5SI - 16.5CR - 5.0NI - 0.14N SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | MAY-95 |
| | SAE-AMS5940-96 | ALLOY, CORROSION AND HEAT RESISTANT, BARS, FORGINGS, AND RINGS 34CO - 3.0CR - 28NI - 3.0CB - 5.5AL - 0.008B - 25.5FE MULTIPLE MELTED, HIGH TEMPERATURE, OXIDATION RESISTANT, LOW EXPANSION SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11] | A 9510 | 11 | | SEP-96 |
| A | SAE-AMS5962 | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, BARS AND WIRE 52.5NI, 19CR - 3.0MO - 5.1CB - 0.90TI - 0.50AL - 19FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1775 DEG F (968 DEG C) SOLUTION TREATED AND COLD WORKED PRECIPITATION HARDENABLE [CUST: MR AS 11] | A 9530 | 11 | | JUL-97 |
| | SAE-AMS6250H | STEEL BARS, FORGINGS, AND TUBING 1.5CR - 3.5NI (0.07 - 0.13C) (SAE 3310) [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | JUL-88 |
| | SAE-AMS6257 | STEEL BARS, FORGINGS, AND TUBING 1.6SI - 0.82CR - 1.8NI - 0.40MO - 0.08V (0.40 - 0.44C) CONSUMABLE ELECTRODE VACUUM REMELTED NORMALIZED AND TEMPERED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JUL-90 |
| | SAE-AMS6260L | STEEL BARS, FORGINGS, AND TUBING 1.2CR - 3.2NI - 0.12MO - (0.07 - 0.13C) (SAE 9310) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JAN-91 |
| | SAE-AMS6264H | STEEL, CARBURIZING GRADE, BARS, FORGINGS, AND TUBING 1.2CR - 3.2NI - 0.12MO - (0.14-0.20C) (SAE9317) [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | 31-JUL-94 |
| A | SAE-AMS6265J | STEEL BARS, FORGINGS, AND TUBING 1.2CR - 3.25NI - 0.12MO (0.07 - 0.13C) (SAE 9310) VACUUM CONSUMABLE ELECTRODE REMELTED [CUST: MR AS 11 IS] | A 9510 | IS | | JUN 96 |
| A | SAE-AMS6267E | STEEL BARS, FORGINGS, AND TUBING 1.2CR - 3.25NI - 0.12MO (0.07 - 0.13C) (SAE 9310) ELECTROSLAG REMELTED OR CONSUMABLE ELECTRODE VACUUM REMELTED [CUST: MR AS 11 IS] | A 9510 | IS | | MAY 96 |
| | SAE-AMS6270M | STEEL, BARS, FORGINGS, AND TUBING 0.50CR - 0.55NI - 0.20MO (0.11-0.17C) (SAE8615) [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | 31-MAY-94 |
| | SAE-AMS6274L | STEEL BARS, FORGINGS, AND TUBING 0.50CR - 0.55NI - 0.20MO (0.18 - 0.23C) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JAN-91 |
| | SAE-AMS6276F | STEEL BARS, FORGINGS, AND TUBING 0.50CR - 0.55NI - 0.20MO (0.18 - 0.23) (SAE 8620) CONSUMABLE ELECTRODE VACUUM MELTED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JUL-88 |
| A | SAE-AMS6277E | STEEL BARS, FORGINGS, AND TUBING 0.50CR - 0.55NI - 0.20MO (0.18 - 0.23C) (SAE 8620) VACUUM ARC OR ELECTROSLAG REMELTED [CUST: MR AS 11 IS] | A 9510 | IS | | MAY 95 |
| | SAE-AMS6278A | STEEL BARS, FORGINGS, AND TUBING 4.1CR - 3.4NI - 4.2MO - 1.2V (0.11 - 0.15C) PREMIUM AIRCRAFT-QUALITY FOR BEARING APPLICATIONS DOUBLE VACUUM MELTED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JAN-91 |
| | SAE-AMS6280H | STEEL BARS, FORGINGS, AND RINGS 0.50CR - 0.55NI - 0.20MO - (0.28 - 0.33C) (SAE 8630) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JAN-91 |
| | SAE-AMS6282G | STEEL TUBING, MECHANICAL - 0.50CR - 0.55NI - 0.25MO (0.33 - 0.38C) (SAE 8735) [CUST: MR AS 11] | A 4710 | 11 | | 01-OCT-89 |
| | SAE-AMS6290F | STEEL BARS AND FORGINGS, CARBURIZING 1.8NI - 0.25MO (0.11 - 0.17C) (SAE 4615) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-APR-87 |
| | SAE-AMS6292F | STEEL BARS AND FORGINGS, CARBURIZING 1.8NI - 0.25MO (0.15 - 0.20C) (SAE 4617) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-APR-87 |
| | SAE-AMS6294F | STEEL BARS AND FORGINGS, CARBURIZING 1.8NI - 0.25MO (0.17 - 0.22C) (SAE 4620) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-OCT-85 |
| | SAE-AMS6299C | STEEL BARS, FORGINGS AND TUBING 0.50CR - 1.8NI - 0.25MO (0.17 - 0.23C) (SAE 4320H) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JUL-85 |
| | SAE-AMS6300C | STEEL BARS AND FORGINGS 0.25MO (0.35 - 0.40C) (SAE 4037) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JAN-89 |
| | SAE-AMS6302F | STEEL, LOW-ALLOY, HEAT-RESISTANT, BARS, FORGINGS, AND TUBING 0.65SI - 1.25CR - 0.50MO - 0.25V (0.28 - 0.33C) [CUST: MR AS 11 IS] | A 9510 | IS | | JUN-94 |
| | SAE-AMS6303E | STEEL BARS AND FORGINGS, LOW ALLOY, HEAT RESISTANT 0.65SI - 1.25CR - 0.50MO - 0.85V (0.25 - 0.30C) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JUL-91 |
| | SAE-AMS6304H | STEEL, LOW-ALLOY, HEAT-RESISTANT, BARS, FORGINGS, AND TUBING 0.95CR - 0.55MO - 0.30V (0.40 - 0.50C) [CUST: MR AS 11 IS] | A 9510 | IS | | JUL-94 |
| | SAE-AMS6305B | STEEL BARS, FORGINGS, AND TUBING, LOW-ALLOY, HEAT RESISTANT 0.95CR - 0.55MO - 0.30V (0.40 - 0.50C) VACUUM ARC MELTED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JAN-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------|---|-----------------------|-----|-------------|-----------|
| | | | | | | |
| | SAE-AMS6308B | STEEL, BARS AND FORGINGS 0.90SI - 1.0CR - 2.0NI - 3.2MO - 2.0CU - 0.10V (0.07 - 0.13C) VACUUM ARC OR ELECTROSLAG REMELTED [CUST: MR AS 11] | A 9510 | 11 | | APR-97 |
| | SAE-AMS6320K | STEEL BARS, FORGINGS, AND RINGS 0.50CR - 0.55NI - 0.25MO (0.33 - 0.38C) SAE 8735 [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JAN-90 |
| | SAE-AMS6321B | STEEL BARS, FORGINGS, AND TUBING 0.42CR - 0.30NI - 0.12MO - 0.003B (0.38 - 0.43C) (81B40) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JUN-74 |
| | SAE-AMS6322K | STEEL BARS, FORGINGS, AND RINGS 0.50 CR - 0.55 NI - 0.25 MO (0.38 - 0.43C) (SAE 8740) [CUST: MR AS 11 IS] [REVIEW: 84 AR AT AV MI OS] | A 9510 | IS | | 01-JAN-87 |
| | SAE-AMS6323H | STEEL TUBING, MECHANICAL 0.50CR - 0.55NI - 0.25MO (0.38 - 0.43C) (SAE 8740)[CUST: MR AS 11] | A 4710 | 11 | | 01-OCT-91 |
| | SAE-AMS6324F | STEEL BARS, FORGINGS, AND TUBING 0.65CR - 0.70NI - 0.25MO (0.38-0.43C) (SAE 8740 MODIFIED) [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | JUL-94 |
| | SAE-AMS6325G | STEEL, BARS AND FORGINGS 0.50CR - 0.55NI - 0.25MO (0.38 - 0.43C) (SAE 8740) HEAT TREATED, 105 KSI (724 MPA) TENSILE STRENGTH [CUST: MR AS 11 IS] [REVIEW: 84 AR AT AV MI OS] | A 9510 | IS | | MAY-94 |
| | SAE-AMS6327G | STEEL BARS, FORGINGS, 0.50CR - 0.55NI - 0.25MO (0.38 - 0.43C) (SAE 8740) HEAT TREATED, 125,000 PSI (862 MPA) TENSILE STRENGTH [CUST: MR AS 11 IS] [REVIEW: 84 AR AT AV MI OS] | A 9510 | IS | | 01-OCT-88 |
| | SAE-AMS6328J | STEEL, BARS, FORGINGS AND TUBING 0.50CR - 0.55NI - 0.25MO(0.48-0.53C)(SAE8750) [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | 31-AUG-94 |
| A | SAE-AMS6345 | STEEL, SHEET, STRIP AND PLATE 0.95CR-0.20MO (0.28 - 0.33C) (SAE 4130) NORMALIZED OR OTHERWISE HEAT TREATED [CUST: MR AS 11] | A 9515 | AS | | NOV-96 |
| | SAE-AMS6348B | STEEL, BARS 0.95CR - 0.20MO (0.28 TO 0.33C) (SAE 4130) NORMALIZED [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | MAY-94 |
| | SAE-AMS6350H | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-90 |
| | SAE-AMS6351E | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) SPHEROIDIZED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JUL-90 |
| | SAE-AMS6352F | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO (0.33 - 0.38C) (SAE 4135) [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-90 |
| | SAE-AMS6354D | STEEL SHEET, STRIP, AND PLATE 0.75SI - 0.62CR - 0.20MO - 0.10ZR - (0.10 - 0.17C) [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-89 |
| | SAE-AMS6356D | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO - (0.30 - 0.35C) [CUST: AR AS 99 IS] | A 9535 | IS | | 01-OCT-89 |
| | SAE-AMS6358F | STEEL SHEET, STRIP, AND PLATE 0.50CR - 0.55NI - 0.25MO (0.38 - 0.43C) (SAE 8740) [CUST: MR AS 11 IS] | A 9515 | IS | | 01-APR-87 |
| | SAE-AMS6359F | STEEL SHEET, STRIP, AND PLATE 0.80CR - 1.8NI - 0.25MO (0.38 - 0.43C) (SAE 4340) [CUST: MR AS 11 IS] | A 9515 | IS | | 01-APR-93 |
| | SAE-AMS6360J-90R94 | STEEL TUBING, SEAMLESS 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) NORMALIZED OR STRESS RELIEVED [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | 01-JUL-90 |
| | SAE-AMS6361C-90R94 | STEEL TUBING, SEAMLESS ROUND 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) 125,000 PSI (862 MPA) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | 01-OCT-90 |
| | SAE-AMS6362D-90R94 | STEEL TUBING, SEAMLESS, 0.95CR 0.20MO (0.28-0.33C), (SAE 4130) 150,000 PSI (1034 MPA) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | 01-JUL-90 |
| | SAE-AMS6365H | STEEL TUBING, SEAMLESS 0.95 CR - 0.20MO (0.33 - 0.38C) (SAE 4135) NORMALIZED OR STRESS RELIEVED [CUST: MR AS 11] [REVIEW: 69 99 MI] | A 4710 | 11 | | 01-JUL-90 |
| | SAE-AMS6370K | STEEL BARS, FORGINGS, AND RINGS 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-OCT-90 |
| | SAE-AMS6371H | STEEL, MECHANICAL TUBING 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) [CUST: MR AS 11] | A 4710 | 11 | | 01-APR-93 |
| | SAE-AMS6372H | STEEL TUBING, MECHANICAL 0.95CR - 0.20MO (0.33 - 0.380) (SAE 4135) [CUST: MR AS 11] | A 4710 | 11 | | 01-OCT-90 |
| A | SAE-AMS6373E | STEEL, WELDED TUBING 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | AUG 95 |
| | SAE-AMS6374A | STEEL TUBING, SEAM-FREE, ROUND 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) 95,000 PSI (655 MPA) TENSILE STRENGTH [CUST: MR AS 11] | A 4710 | 11 | | 01-JUL-90 |
| | SAE-AMS6375A | STEEL, WELDING WIRE 0.50CR - 0.55NI - 0.20MO (0.18 - 0.23C) (SAE 8620) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | | JUN-96 |
| | SAE-AMS6378E | STEEL BARS 1.0CR - 0.20MO - 0.04SE (0.39 - 0.48C) (4142H MODIFIED) DIE-DRAWN, 130.0 KSI (896 MPA) YIELD STRENGTH FREE MACHINING [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JUL-91 |
| | SAE-AMS6381E | STEEL TUBING, MECHANICAL 0.95CR - 0.20MO (0.38 - 0.43C) (SAE 4140) [CUST: MR AS 11] | A 4710 | 11 | | 01-OCT-90 |
| A | SAE-AMS6382L | STEEL BARS, FORGINGS, AND RINGS 0.95CR - 0.20MO (0.38 - 0.43C) (SAE 4140) ANNEALED [CUST: AR AS 82 IS] | A 9510 | IS | | MAY 95 |
| | SAE-AMS6385E | STEEL SHEET, STRIP, AND PLATE, LOW ALLOY, HEAT RESISTANT 0.65SI - 1.25CR - 0.50MO - 0.25V (0.27 - 0.33C) [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-90 |
| | SAE-AMS6386B | STEEL SHEET AND PLATE LOW ALLOY, HEAT TREATED 90,000 PSI (621 MPA) AND 100,000 PSI (690 MPA) YIELD STRENGTH [CUST: MR AS 11 IS] | A 9515 | IS | | 15-DEC-74 |
| | SAE-AMS6390C | STEEL TUBING, MECHANICAL - 0.95CR - 0.20MO - (0.38 - 0.43C) (SAE 4140) [CUST: MR AS 11] | A 4710 | 11 | | 01-APR-89 |
| | SAE-AMS6395D | STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MO (0.38 - 0.43C) (SAE 4140) [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-90 |
| | SAE-AMS6396B | STEEL SHEET, STRIP, AND PLATE 0.80CR - 1.8NI - 0.25MO (0.49 - 0.55C) ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-JUL-87 |
| | SAE-AMS6407F | STEEL, BARS, FORGINGS, AND TUBING 1.2CR - 2.0NI - 0.45MO (0.27 - 0.33C) [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | FEB-95 |
| | SAE-AMS6408A | STEEL, HOTWORK TOOL, BARS AND FORGINGS 5.25CR - 1.5MO - 1.0V (0.35-0.45C) ELECTROSLAG REMELTED (ESR) OR CONSUMABLE ELECTRODE VACUUM ARC REMELTED (VAR) ANNEALED [CUST: MR AS 11 IS] | A 9510 | IS | | FEB-94 |
| | SAE-AMS6411D | STEEL BARS, FORGINGS, AND TUBING 0.88CR - 1.8NI - 0.42MO - 0.08V (0.28 - 0.33C) CONSUMABLE ELECTRODE REMELTED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-OCT-90 |
| | SAE-AMS6412K-94 | STEEL, BARS AND FORGINGS, 0.80CR - 1.8NI - 0.25MO (0.35 - 0.40C) (4337) [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | | DEC-94 |
| | SAE-AMS6414F | STEEL BARS, FORGINGS, AND TUBING 0.80CR - 1.8NI - 0.25MO (0.38 - 0.43C) (SAE 4340) VACUUM CONSUMABLE ELECTRODE REMELTED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-OCT-91 |
| A | SAE-AMS6415N | STEEL, BARS, FORGINGS, AND TUBING 0.80CR - 1.8NI - 0.25MO (0.38 - 0.43C) (SAE 4340) [CUST: CR AS 84 IS] | A 95GP | IS | | JUN 96 |
| A | SAE-AMS6417E | STEEL BARS, FORGINGS, AND TUBING 1.6SI - 0.82CR - 1.8NI - 0.40MO - 0.08V (0.38 - 0.43C) CONSUMABLE ELECTRODE REMELTED [CUST: MR AS 11 IS] | A 9510 | IS | | JUN 96 |
| A | SAE-AMS6419E | STEEL BARS, FORGINGS, AND TUBING 1.6SI - 0.82CR - 1.8NI - 0.40MO - 0.08V (0.40 - 0.45C) CONSUMABLE ELECTRODE VACUUM REMELTED [CUST: MR AS 11 IS] | A 9510 | IS | | JUN 96 |
| | SAE-AMS6422F | STEEL BARS, FORGINGS, AND TUBING 0.80CR - 0.85NI - 0.20MO - 0.003B - 0.04V (0.38 - 0.43C) MODIFIED 98BV40) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-OCT-89 |
| | SAE-AMS6424B | STEEL BARS, FORGINGS, AND TUBING 0.80CR - 1.8NI - 0.25MO (0.49 - 0.55C) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-APR-87 |
| A | SAE-AMS6425A | STEEL BARS, FORGINGS, AND TUBING 1.4MN - 1.5SI - 0.30CR - 1.8NI - 0.40MO - (0.23 - 0.28C) CONSUMABLE ELECTRODE VACUUM MELTED [CUST: MR AS 11 IS] | A 9510 | IS | | JAN 96 |
| | SAE-AMS6426D | STEEL BARS, FORGINGS, AND TUBING 0.75SI - 1.0CR - 0.58MO (0.80 - 0.90C) CONSUMABLE ELECTRODE VACUUM MELTED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JAN-90 |
| | SAE-AMS6427H | STEEL BARS, FORGINGS, AND TUBING 0.88CR - 1.8NI - 0.42MO - 0.8V (0.25 - 0.33C) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-OCT-93 |
| | SAE-AMS6428D | STEEL BARS, FORGINGS, AND TUBING 0.80CR - 1.8NI - 0.35MO - 0.20V (0.32 - 0.38C) [CUST: MR AS 11 IS] | A 9510 | IS | | 01-APR-87 |
| | SAE-AMS6429D | STEEL BARS, FORGINGS, TUBING, AND RINGS 0.78CR - 1.8NI - 0.35MO - 0.20V (0.33 - 0.38C) CONSUMABLE ELECTRODE VACUUM MELTED [CUST: MR AS 11 IS] | A 9510 | IS | | 20-DEC-91 |
| A | SAE-AMS6430E | STEEL, BARS, FORGINGS, TUBING, AND RINGS 0.75MN - 0.78CR - 1.8NI - 0.35MO - 0.20V (0.32 - 0.38C) (4335 MODIFIED) [CUST: MR AS 11 IS] | A 9510 | IS | | JAN 95 |
| A | SAE-AMS6431K | STEEL BARS, FORGINGS, AND TUBING 1.05CR - 0.55NI - 1.0MO - 0.11V (0.45 - 0.50C) VACUUM CONSUMABLE ELECTRODE MELTED [CUST: MR AS 11 IS] | A 9510 | IS | | JUL 96 |
| | SAE-AMS6433D | STEEL SHEET, STRIP, AND PLATE 0.75MN - 0.80CR - 1.8NI - 0.35MO - 0.20V (0.33 - 0.38C) [CUST: MR AS 11 IS] | A 9515 | IS | | 01-APR-89 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|---|-----------------------|-----|-------------|------|
| SAE-AMS6434D | STEEL SHEET, STRIP, AND PLATE 0.78CR - 1.8NI - 0.35MO - 0.20V (0.33 - 0.38C) [CUST: MR AS 11 IS] | A 9515 | IS | 01-OCT-89 | |
| SAE-AMS6435C | STEEL SHEET, STRIP, AND PLATE 0.78CR - 1.8NI - 0.35MO - 0.20V (0.33 - 0.38C) VACUUM CONSUMABLE ELECTRODE MELTED, ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | 01-OCT-84 | |
| SAE-AMS6437E | STEEL, SHEET, STRIP, AND PLATE 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C) [CUST: MR AS 11] [REVIEW: 99] | A 9515 | 11 | MAY-95 | |
| SAE-AMS6438D | STEEL SHEET, STRIP, AND PLATE 1.05CR - 0.55NI - 1.0MO - 0.12V (0.45 - 0.50C) CONSUMABLE ELECTRODE VACUUM MELTED [CUST: MR AS 11 IS] | A 9515 | IS | 01-OCT-90 | |
| SAE-AMS6439B | SHEET, STRIP, AND PLATE, 1.05CR - 0.55NI - 1.0MO - 0.12V (0.42-0.48C) CONSUMABLE ELECTRODE VACUUM MELTED, ANNEALED [CUST: MR AS 11] | A 9515 | 11 | 01-OCT-88 | |
| SAE-AMS6440K | STEEL, BARS, FORGINGS, AND TUBING 1.45CR (0.98 - 1.10C) (SAE 52100) FOR BEARING APPLICATIONS [CUST: MR AS 11 IS] | A 9510 | IS | JUL-94 | |
| SAE-AMS6442E | STEEL BARS AND FORGINGS, 0.50CR (0.98 - 1.10C) (SAE 50100) FOR BEARING APPLICATIONS [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | 01-APR-87 | |
| SAE-AMS6444H | STEEL BARS, FORGINGS, AND TUBING 1.45CR (0.98 - 1.10C) (SAE 52100) PREMIUM AIRCRAFT-QUALITY, CONSUMABLE ELECTRODE VACUUM MELTED [CUST: MR AS 11 IS] | A 9510 | IS | 01-OCT-91 | |
| SAE-AMS6447D | STEEL BARS, FORGINGS, AND TUBING 1.4CR (0.98 - 1.10C) (SAE 52100) ELECTROSLAG REMELTED [CUST: MR AS 11 IS] | A 9510 | IS | 01-JAN-92 | |
| SAE-AMS6448F | STEEL BARS, FORGINGS, AND TUBING 0.95CR - 0.22V (0.48 - 0.53C) (SAE 6150) [CUST: MR AS 84 IS] | A 95GP | IS | 01-JUL-87 | |
| SAE-AMS6450G | STEEL, SPRING WIRE AND SPRINGS 0.95CR-0.22V (0.48-0.53C) (SAE 6150) ANNEALED AND COLD DRAWN [CUST: MR AS 11] | A 9505 | 11 | APR-97 | |
| SAE-AMS6453A | STEEL, WELDING WIRE 0.30CR - 1.8NI - 0.40MO - (0.23 - 0.28C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING [CUST: MR AS 11 GS] | A 3439 | GS | JUN 96 | |
| SAE-AMS6454B | STEEL SHEET, STRIP, AND PLATE 1.8NI - 0.80CR - 0.25MO (0.38 - 0.43C) (SAE 4340) CONSUMABLE ELECTRODE MELTED [CUST: MR AS 11 IS] | A 9515 | IS | 01-JUL-91 | |
| SAE-AMS6455G | STEEL, SHEET, STRIP, AND PLATE 0.95CR - 0.22V (0.48 - 0.53C) (SAE 6150) [CUST: MR AS 11 IS] | A 9515 | IS | 01-OCT-93 | |
| SAE-AMS6457B | STEEL, WELDING WIRE 0.9CR - 0.20MO - (0.28 - 0.33C) (SAE 4130) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | 31-AUG-94 | |
| SAE-AMS6458G | STEEL, WELDING WIRE 0.65SI - 1.25CR - 0.50MO - 0.30V (0.28 - 0.33C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING [CUST: MR AS 11 GS] | A 3439 | GS | JUL-94 | |
| SAE-AMS6459B | WIRE, STEEL WELDING 1.0CR - 1.0MO - 0.12V (0.18 - 0.23C) VACUUM INDUCTION MELTED [CUST: MR AS 11 GS] | A 3439 | GS | 01-JUL-91 | |
| SAE-AMS6460D | WIRE, STEEL WELDING 0.75SI - 0.62CR - 0.20MO - 0.10ZR (0.10 - 0.17C) [CUST: MR AS 11 GS] | A 3439 | GS | 01-JAN-90 | |
| SAE-AMS6461H | STEEL, WELDING WIRE 0.95CR - 0.20V - (0.28 - 0.33C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | 31-JUL-94 | |
| SAE-AMS6462G | STEEL, WELDING WIRE, 0.95CR-0.20V (0.28-0.33C) (SAE 6130) [CUST: MR AS 11] | A 3439 | 11 | NOV-96 | |
| SAE-AMS6463B-90 | WIRE, STEEL WELDING 18.5NI - 8.5CO - 5.2MO - 0.72TI - 0.10Al VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING - 1 JAN 90 [CUST: MR AS 11 GS] | A 3439 | GS | 15-AUG-90 | |
| SAE-AMS6465B | WIRE, STEEL WELDING 2.0CR - 10NI - 8.0CO - 1.0MO - 0.02Al - 0.06V (0.10 - 0.14C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING [CUST: MR AS 11 GS] | A 3439 | GS | 01-JAN-90 | |
| SAE-AMS6466D | STEEL WELDING WIRE, CORROSION RESISTANT 5.2CR - 0.55MO [CUST: MR AS 11 GS] | A 3439 | GS | 01-OCT-87 | |
| SAE-AMS6469B | STEEL, WELDING WIRE, 1.75MN - 0.78CR - 2.8NI - 0.85MO - (0.09-0.12C) VACUUM MELTED, ENVIRONMENT-CONTROLLED PACKAGING [CUST: MR AS 11] | A 3439 | 11 | 15-JAN-97 | |
| SAE-AMS6470J | BARS, FORGINGS, AND TUBING, NITRIDING STEEL 1.6CR - 0.35MO - 1.1Al (0.38 - 0.43C) [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | 01-APR-90 | |
| SAE-AMS6475F | STEEL BARS, FORGINGS, AND TUBING, NITRIDING 1.1CR - 3.5NI - 0.25MO - 1.2Al (0.21 - 0.26C) [CUST: MR AS 11 IS] | A 9510 | IS | 01-JAN-92 | |
| SAE-AMS6476A | STEEL BARS, FORGINGS, AND TUBING 0.50CR - 0.12MO (0.89 - 1.01C) [CUST: MR AS 11 IS] | A 9510 | IS | MAR 95 | |
| SAE-AMS6477 | STEEL BARS, FORGINGS, AND TUBING, 0.80CR (0.90 - 1.03C) FOR BEARING APPLICATIONS [CUST: MR AS 11 IS] | A 9510 | IS | 01-APR-88 | |
| SAE-AMS6478 | STEEL, BARS AND FORGINGS 3.1CR - 11.5NI - 13.5CO - 1.2MO (0.21 - 0.25C) VACUUM MELTED, ANNEALED HEAT TREATABLE TO 290 KSI (1999 MPA) TENSILE STRENGTH [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | 31-MAY-94 | |
| SAE-AMS6484 | STEEL BARS, FORGINGS, AND TUBING 0.80CR - 1.8NI - 0.25MO (0.38-0.43C) SAE 4340 NORMALIZED AND TEMPERED [CUST: MR AS 11] [REVIEW: 99] | A 9510 | 11 | JUN-95 | |
| SAE-AMS6487G | STEEL BARS AND FORGINGS 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C) (H-11) CONSUMABLE ELECTRODE VACUUM MELTED [CUST: MR AS 11 IS] | A 9510 | IS | 01-JUL-92 | |
| SAE-AMS6488E | STEEL BARS AND FORGINGS 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C) [CUST: MR AS 11 IS] | A 9510 | IS | 01-JAN-92 | |
| SAE-AMS6490D | BARS, STEEL, FORGINGS, AND TUBING 4.0CR - 4.2MO - 1.0V - (0.77 - 0.85C) PREMIUM AIRCRAFT QUALITY FOR BEARING APPLICATIONS CONSUMABLE ELECTRODE VACUUM MELTED [CUST: MR AS 11 IS] | A 9510 | IS | 01-JAN-89 | |
| SAE-AMS6491A | STEEL BARS, FORGINGS, AND TUBING 4.1CR - 4.2MO - 1.0V (0.80 - 0.85C) PREMIUM AIRCRAFT-QUALITY FOR BEARING APPLICATIONS, DOUBLE VACUUM MELTED [CUST: MR AS 11 IS] | A 9510 | IS | 01-OCT-84 | |
| SAE-AMS6501B | STEEL, MARAGING, WELDING WIRE 18NI - 8.0CO - 4.9MO - 0.40TI - 0.10Al VACUUM INDUCTION MELTED, ENVIRONMENT CONTROLLED PACKAGING [CUST: MR AS 11] [REVIEW: 99] | A 3439 | 11 | JUN-96 | |
| SAE-AMS6518A | STEEL SHEET, STRIP, AND PLATE, MARAGING 19NI - 3.0MO - 1.4TI - 0.10Al DOUBLE VACUUM MELTED, SOLUTION HEAT TREATED [CUST: MR AS 11] | A 9515 | MR | 01-APR-87 | |
| SAE-AMS6519A | STEEL BARS, FORGINGS, TUBING, AND RINGS, MARAGING 19NI - 3.0MO - 1.4TI - 0.10Al DOUBLE VACUUM MELTED, ANNEALED [CUST: MR AS 11 IS] | A 9510 | IS | 01-APR-87 | |
| SAE-AMS6520C | STEEL, MARAGING, SHEET, STRIP, AND PLATE 18NI - 7.8CO - 4.9MO - 0.40TI - 0.10Al CONSUMABLE ELECTRODE MELTED, SOLUTION HEAT TREATED [CUST: MR AS 11] [REVIEW: 99] | A 9515 | 11 | JUN-95 | |
| SAE-AMS6522A | PLATE, STEEL 2.0CR - 10NI - 14CO - 1.0MO (0.13 - 0.17C) VACUUM MELTED, NORMALIZED, AND OVERAGED [CUST: MR AS 11 IS] | A 9515 | IS | 01-APR-89 | |
| SAE-AMS6523D | STEEL SHEET, STRIP, AND PLATE 0.75CR - 9.0NI - 4.5CO - 1.0MO - 0.09V (0.17 - 0.23C) VACUUM CONSUMABLE ELECTRODE MELTED, ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | FEB 95 | |
| SAE-AMS6524C | STEEL SHEET, STRIP, AND PLATE 1.0CR - 7.5NI - 4.5CO - 1.0MO - 0.09V (0.29 - 0.34C) CONSUMABLE ELECTRODE VACUUM MELTED, ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | 01-OCT-91 | |
| SAE-AMS6525A | STEEL BARS, FORGINGS, TUBING, AND RINGS 0.75CR - 9.0NI - 4.5CO - 1.0MO - 0.09V (0.17 - 0.23C) CONSUMABLE ELECTRODE VACUUM MELTED [CUST: MR AS 11 IS] | A 9510 | IS | 01-JAN-89 | |
| SAE-AMS6526C | STEEL BARS, FORGINGS, TUBING, AND RINGS 1.0CR - 7.5NI - 4.5CO - 1.0MO - 0.09V - (0.29-0.34C) CONSUMABLE ELECTRODE VACUUM MELTED, ANNEALED [CUST: MR AS 11 IS] | A 9510 | IS | 01-JAN-89 | |
| SAE-AMS6527C | STEEL, BARS AND FORGINGS 2.0CR - 10NI - 14CO - 1.0MO - (0.15 - 0.19C) VACUUM MELTED, NORMALIZED AND OVERAGED [CUST: MR AS 11] | A 9510 | 11 | SEP-96 | |
| SAE-AMS6528A | STEEL BARS, 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) SPECIAL AIRCRAFT QUALITY CLEANLINESS NORMALIZED [CUST: MR AS 11 IS] | A 9510 | IS | JUN 96 | |
| SAE-AMS6529A | STEEL BARS 0.95CR - 0.20MO (0.38 - 0.43C) (SAE 4140) SPECIAL AIRCRAFT QUALITY CLEANLINESS NORMALIZED [CUST: MR AS 11 IS] | A 9510 | IS | JUN 96 | |
| SAE-AMS6532A | STEEL, BARS AND FORGINGS 3.1CR - 11.5NI - 13.5CO - 1.2MO (0.21 - 0.25C) VACUUM MELTED, ANNEALED [CUST: MR AS 11] [REVIEW: 99] | A 9515 | 11 | JUN-95 | |
| SAE-AMS6533A | WIRE, STEEL WELDING 2.0CR - 10NI - 14CO - 1.0MO - (0.13 - 0.17C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING [CUST: MR AS 11 GS] | A 3439 | GS | JUL 96 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | SAE-AMS6543B | STEEL BARS AND FORGINGS, MARAGING 2.0CR - 10NI - 8.0CO - 1.0MO (0.10 - 0.14C) DOUBLE VACUUM MELTED, SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-OCT-91 |
| | SAE-AMS6544B | PLATE, MARAGING STEEL 2.0CR - 10NI - 8.0CO - 1.0MO (0.10 - 0.14C) DOUBLE VACUUM MELTED, SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9515 | IS | | 01-OCT-91 |
| | SAE-AMS7255A | RINGS, SEALING, TETRAFLUOROETHYLENE/PROPYLENE RUBBER HYDRAULIC FLUID AND SYNTHETIC OIL RESISTANT 70 - 80 [CUST: MR AS 99 IS] | A 5330 | IS | | FEB-94 |
| | SAE-AMS7256 | RINGS, SEALING, TETRAFLUOROETHYLENE/PROPYLENE RUBBER HYDRAULIC FLUID AND SYNTHETIC OIL RESISTANT 85 - 95 [CUST: MR AS 99 IS] | A 5330 | IS | | 01-JUL-93 |
| | SAE-AMS7257C | RINGS, SEALING, PERFLUOROCARBON (FFKM) RUBBER HIGH TEMPERATURE FLUID RESISTANT 70 - 80 [CUST: MR AS 11 IS] | A 5330 | IS | | 01-JUL-93 |
| | SAE-AMS7258B | RINGS, SEALING, BUTADIENE-ACRYLONITRILE (NBR) RUBBER FUEL RESISTANT, LOW SHRINKAGE 65 - 75 [CUST: MR AS 11] | A 5330 | IS | | 01-OCT-90 |
| | SAE-AMS7259B | RINGS, SEALING, FLUOROCARBON (FKM) RUBBER HIGH-TEMPERATURE-FLUID RESISTANT VERY-LOW COMPRESSION SET 85 - 95 [CUST: MR AS 11] | A 5330 | IS | | 01-JAN-92 |
| | SAE-AMS7260E | RINGS, BUTADIENE-ACRYLONITRILE (NBR) RUBBER, MOLDED FUEL AND LOW TEMPERATURE RESISTANT 70-80 [CUST: MR AS 11] [REVIEW: 99] | A 5330 | 11 | | OCT-94 |
| | SAE-AMS7264A | RINGS, SEALING, SILICONE RUBBER HIGH TEMPERATURE RESISTANT, LOW COMPRESSION SET 65 - 75 [CUST: MR AS 11 IS] | A 5330 | IS | | 01-APR-88 |
| | SAE-AMS7266B | RINGS, SEALING, FLUOROSILICONE RUBBER GENERAL PURPOSE, HIGH TEMPERATURE, FUEL AND OIL RESISTANT 65 - 75 [CUST: MR AS 11 IS] | A 5330 | IS | | 01-APR-90 |
| | SAE-AMS7267G | RINGS, SEALING, SILICONE (VSI) RUBBER HEAT-RESISTANT, LOW COMPRESSION SET 70 - 80 [CUST: MR AS 11] [REVIEW: 99] | A 5330 | 11 | | MAR-94 |
| | SAE-AMS7268C | RINGS, SEALING, SILICONE RUBBER LOW COMPRESSION SET, NON-OIL RESISTANT 65-75 [CUST: MR AS 11] [REVIEW: 99] | A 5330 | 11 | | OCT-94 |
| | SAE-AMS7269B | RINGS, SEALING, SILICONE (PVMQ) RUBBER LOW OUTGASSING, SPACE AND VACUUM SERVICE 45 - 55 [CUST: MR AS 11 IS] | A 5330 | IS | | 01-APR-91 |
| | SAE-AMS7270J | RINGS, SEALING, BUTADIENE-ACRYLONITRILE (NBR) RUBBER FUEL RESISTANT 65 - 75 [CUST: MR AS 11 IS] | A 5330 | IS | | 01-APR-93 |
| | SAE-AMS7271H | RINGS, SEALING, BUTADIENE-ACRYLONITRILE (NBR) RUBBER FUEL AND LOW TEMPERATURE RESISTANT 60 - 70 [CUST: AR AS 82 IS] | A 5365 | IS | | 01-OCT-92 |
| | SAE-AMS7272F | RINGS, SEALING, BUTADIENE-ACRYLONITRILE (NBR) RUBBER SYNTHETIC LUBRICANT RESISTANT 65 - 75 [CUST: AR YD1 82 IS] | A 5365 | IS | | 01-OCT-91 |
| | SAE-AMS7273C | RINGS, SEALING, FLUOROSILICONE (FVMQ) RUBBER HIGH TEMPERATURE FUEL AND OIL RESISTANT 70 - 80 [CUST: MR AS 99 IS] | A 5330 | IS | | 01-JUL-90 |
| | SAE-AMS7274H | RINGS, SEALING, BUTADIENE-ACRYLONITRILE (NBR) RUBBER, OIL RESISTANT 65 - 75 [CUST: MR AS 11 IS] | A 5330 | IS | | 01-OCT-91 |
| | SAE-AMS7276D | RINGS, SEALING, FLUOROCARBON (FKM) RUBBER HIGH-TEMPERATURE-FLUID RESISTANT VERY-LOW COMPRESSION SET 70 - 80 [CUST: MR AS 11] | A 5330 | IS | | 01-JUL-92 |
| | SAE-AMS7292 | LABELS, ALUMINUM FOIL, ETCHED, ANODIZED, AND DYED [CUST: GL EC 84] | A 7530 | 84 | | 01-OCT-87 |
| | SAE-AMS7301E | STEEL SPRINGS, HIGHLY STRESSED 0.95CR - 0.2V (0.48 - 0.53C) (SAE 6150) [CUST: MR AS 11] | A 5360 | IS | | 01-APR-87 |
| | SAE-AMS7320D | RINGS, SEALING, CAST LEADED-TIN BRONZE 80CU - 16SN - 5PB AS CAST [CUST: MR AS 11 IS] | A 5330 | IS | | 01-OCT-86 |
| | SAE-AMS7322D | RINGS, SEALING, CAST TIN BRONZE 80CU - 19SN AS CAST [CUST: MR AS 11 IS] | A 5330 | IS | | 01-OCT-86 |
| | SAE-AMS7440C | BALLS, LOW-CHROMIUM, HIGH-CARBON STEEL HARDENED AND TEMPERED [CUST: AV AS 11 IS] | A 3120 | IS | | 01-JUL-88 |
| | SAE-AMS7445C | BALLS, STEEL, CORROSION RESISTANT 17CR HARDENED [CUST: AV AS 11 IS] | A 3120 | IS | | 01-JUL-90 |
| | SAE-AMS7488D | RINGS, FLASH WELDED ALUMINUM AND ALUMINUM ALLOYS [CUST: MR AS 11] | A 5365 | IS | | 15-JUL-77 |
| A | SAE-AMS7490N | RINGS, FLASH WELDED CORROSION AND HEAT RESISTANT AUSTENITIC STEELS, AUSTENITIC-TYPE IRON, NICKEL, OR COBALT ALLOYS, OR PRECIPITATION HARDENABLE ALLOYS [CUST: MR AS 11 IS] | A 5330 | IS | | JUN 96 |
| A | SAE-AMS7493K | RINGS, FLASH WELDED FERRITIC AND MARTENSITIC CORROSION- RESISTANT STEELS [CUST: MR AS 11 IS] | A 5365 | IS | | JUN 96 |
| | SAE-AMS7496H | RINGS, FLASH WELDED CARBON AND LOW-ALLOY STEELS [CUST: MR AS 11] | A 5365 | IS | | 01-JAN-91 |
| | SAE-AMS7498K | RINGS, FLASH WELDED TITANIUM AND TITANIUM-ALLOYS [CUST: MR AS 11] | A 5365 | IS | | FEB-94 |
| | SAE-AMS7510A | MAGNETS, RARE-EARTH/COBALT, PERMANENT POWDER-METALLURGY PRODUCT [CUST: MR AS 11 CC] | A 5999 | CC | | 01-JUL-88 |
| | SAE-AMS7510/1A | MAGNETS, RARE-EARTH/COBALT, PERMANENT SAMARIUM-COBALT, 33/67 - 15 (119) 250 [CUST: MR AS 11 CC] | A 5999 | CC | | 01-JUL-88 |
| | SAE-AMS7510/2A | MAGNETS, RATE-EARTH/COBALT, PERMANENT SAMARIUM-COBALT, 33/67 - 18 (143) 250 [CUST: MR AS 11 CC] | A 5999 | CC | | 01-JUL-88 |
| | SAE-AMS7701C | NICKEL-IRON ALLOY, MAGNETIC, SHEET AND STRIP ANNEALED [CUST: MR AS 11 IS] [REVIEW: CE EA] | A 9535 | IS | | MAR-94 |
| | SAE-AMS7702C | NICKEL-IRON ALLOY, MAGNETIC, SHEET AND STRIP COLD ROLLED, HALF-HARD TEMPER [CUST: MR AS 11 IS] [REVIEW: CE EA] | A 9535 | IS | | MAR-94 |
| | SAE-AMS7705C | BARS AND FORGINGS, NICKEL-IRON MAGNETIC ALLOY [CUST: MR AS 11 IS] [REVIEW: CE EA] | A 9535 | IS | | 01-OCT-93 |
| | SAE-AMS7707A | IRON, COMMERCIAL PURE HOT ROLLED, UNANNEALED [CUST: MR AS 11 IS] | A 9510 | IS | | 01-JUL-87 |
| A | SAE-AMS7717C | NICKEL-IRON ALLOY, MAGNETIC, SHEET AND STRIP, 50NI - 50FE ANNEALED, FORMING GRADE [CUST: MR AS 11 IS] | A 9535 | IS | | JAN 96 |
| A | SAE-AMS7718D | NICKEL-IRON ALLOY, MAGNETIC, BARS, RODS, TUBING, AND FORGINGS 50NI - 50FE [CUST: MR AS 11 IS] | A 9535 | IS | | JAN 96 |
| A | SAE-AMS7719C | NICKEL-IRON ALLOY, MAGNETIC, SHEET AND STRIP 50NI - 50FE STAMPING QUALITY [CUST: MR AS 11] | A 9535 | 11 | | DEC 95 |
| | SAE-AMS7721B | LEAD ALLOY SHEET AND EXTRUSIONS 93PB - 6.5SB - 0.50SN AS FABRICATED [CUST: MR AS 11 IS] | A 9535 | IS | | 01-OCT 86 |
| | SAE-AMS7725B | TUNGSTEN ALLOY SHAPES, SINTERED, HIGH DENSITY [CUST: MR AS 11 IS] | A 9540 | IS | | 01-JUL-87 |
| A | SAE-AMS7727C | IRON-NICKEL-COBALT ALLOY, BARS AND FORGINGS 53FE 29NI - 17CO LOW EXPANSION, GLASS SEALING [CUST: MR AS 11 IS] | A 9510 | IS | | FEB 95 |
| | SAE-AMS7728F | IRON-NICKEL-COBALT ALLOY, SHEET, STRIP, AND PLATE 53FE - 29NI - 17CO LOW EXPANSION GLASS SEALING, ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | | MAY-94 |
| | SAE-AMS7730D | DEPLETED URANIUM CASTINGS [CUST: MR AS 11] | A MECA | 11 | | 01-OCT-87 |
| | SAE-AMS7731B | GOLD WIRE AND RIBBON 99.97AU ANNEALED [CUST: MR AS 11] | A 6145 | 11 | | 01-OCT-86 |
| | SAE-AMS7732B | STEEL WIRE, COPPER CLAD 99FE - 0.32MN ANNEALED [CUST: MR AS 11] | A 6145 | 11 | | 01-APR-87 |
| | SAE-AMS7903 | BARS, RODS, TUBING, AND SHAPES, BERYLLIUM, 4.25BE0 - 94BE, HIGH MICRO-YIELD STRENGTH [CUST: MR AS 11 IS] | A 9530 | IS | | 01-APR-91 |
| | SAE-AMS7904A | BERYLLIUM BARS, RODS, TUBING, AND SHAPES HIGH DUCTILITY GRADE [CUST: MR AS 11 IS] | A 9530 | IS | | 01-OCT-91 |
| | SAE-AMS7905 | BARS, RODS, TUBING, AND SHAPES, BERYLLIUM, OPTICAL GRADE [CUST: MR AS 11 IS] | A 9530 | IS | | 01-APR-91 |
| | SAE-AMS7906 | BARS, RODS, TUBING, AND SHAPES, BERYLLIUM, STANDARD GRADE [CUST: MR AS 11 IS] | A 9530 | IS | | 01-APR-91 |
| | SAE-AMS7907 | BARS, RODS, TUBING, AND SHAPES, BERYLLIUM, INSTRUMENT GRADE [CUST: MR AS 11 IS] | A 9530 | IS | | 01-APR-91 |
| A | SAE-AMS7913 | ALUMINUM-BERYLLIUM ALLOY, SHEET AND PLATE 38A1-62BE [CUST: MR AS 11] | A 9535 | 11 | | SEP-97 |
| N | SAE-AMS-M-3171 | MAGNESIUM ALLOY, PROCESSES FOR PRETREATMENT AND PREVENTION OF CORROSION ON [CUST: MR AS 11] | A MFFP | MR | | APR-98 |
| A | SAE-AMS-H-6088 | HEAT TREATMENT OF ALUMINUM ALLOYS [CUST: MR AS 11] | A 95GP | AS | | JUL 97 |
| A | SAE-AMS-S-7720 | STEEL, CORROSION-RESISTANT (18-8) BARS, WIRE AND FORGING STOCK (AIRCRAFT QUALITY) [CUST: MR AS 11] | A 9510 | AS | | SEP-97 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|------|
| A | SAE-AMS-S-7916 | COMPOUND, SEALING, THREAD AND GASKET, FUEL, OIL, AND WATER RESISTANT [CUST: MR AS 99] [REVIEW: 84 AT CR CR4 EA FSS MC SH] | A 8030 | AS | SEP-97 | |
| A | SAE-AMS-A-8576 | ADHESIVE, ACRYLIC BASE, FOR ACRYLIC PLASTIC [CUST: MR AS 99] [REVIEW: 84 AT CR CR4 EA FSS MC SH] | A 8040 | AS | SEP-97 | |
| A | SAE-AMS-S-13165 | SHOT PEENING OF METAL PARTS [CUST: MR AS 11] | A MFFP | MR | NOV-97 | |
| | SAE-ARP24B | HYDRAULIC, PRESSURE DROP, DETERMINATION OF [CUST: AV AS 99] [REVIEW: 11 71] | A 1650 | AS | 31-JAN-68 | |
| | SAE-ARP243B | AIRCRAFT, HYDRAULIC AND PNEUMATIC SYSTEMS, NOMENCLATURE [CUST: AV AS 99] [REVIEW: 11 71] | A 1650 | AS | 10-JUN-65 | |
| | SAE-ARP490E | ELECTROHYDRAULIC SERVOVALVES [CUST: CR4 SH 99] | A 4810 | SH | 16-SEP-93 | |
| | SAE-ARP492C | AIRCRAFT ENGINE FUEL PUMP CAVITATION ENDURANCE TEST [CUST: AV AS 99] | A 2915 | AS | DEC-94 | |
| A | SAE-ARP584B | TUBING, COILED, CORROSION RESISTANT STEEL, HYDRAULIC APPLICATIONS, AEROSPACE [CUST: AV AS 99] [REVIEW: 11 71] | A 1650 | AS | SEP-96 | |
| A | SAE-ARP598B | LIQUIDS, PARTICULATE CONTAMINATION IN, BY THE PARTICLE COUNT METHOD, THE DETERMINATION OF [CUST: AV AS 99] [REVIEW: 11 71] | A 1650 | AS | 01-NOV-91 | |
| | SAE-ARP603F | HOSE, HYDRAULIC, TUBING AND FITTING ASSEMBLIES, IMPULSE TESTING OF [CUST: AV AS 99] | A 4730 | AS | 01-SEP-85 | |
| | SAE-ARP743A | AIR IN DUST CONTROLLED SPACES BY THE PARTICLE COUNT METHOD, PROCEDURE FOR THE DETERMINATION OF PARTICULATE CONTAMINATION OF [CUST: AV AS 99] [REVIEW: 11 71] | A 1650 | AS | 15-JUL-66 | |
| A | SAE-ARP755B | AIRCRAFT PROPULSION SYSTEM PERFORMANCE STATION DESIGNATION AND NOMENCLATURE [CUST: AV AS 11] [REVIEW: 99] | A 2840 | 11 | OCT-94 | |
| | SAE-ARP763 | ACCUMULATORS, GROUND, HYDROPNEUMATIC PRESSURE [CUST: MI] | A 4931 | MI | 15-OCT-62 | |
| | SAE-ARP785 | FLUIDS, HYDRAULIC, BY THE CONTROL FILTER GRAVIMETRIC PROCEDURE, PROCEDURE FOR THE DETERMINATION OF PARTICULATE CONTAMINATION IN [CUST: AV AS 99] [REVIEW: 11 71] | A 1650 | AS | 01-FEB-63 | |
| | SAE-ARP819-66 | FLUID SYSTEM CHARACTERISTICS AFFECTING HYDRAULIC PUMP OPERATION - 15 MAY 66 [CUST: AV AS 99] [REVIEW: 11 71] | A 1650 | AS | 30-APR-84 | |
| A | SAE-ARP868B | FUEL SYSTEM COMPONENTS, PRESSURE DROP TESTS FOR, - METHOD [CUST: AS 99] [REVIEW: AV CC] | A 4810 | 82 | SEP-94 | |
| | SAE-ARP891A | ALUMINUM ALLOY TEMPERS THROUGH ELECTRICAL CONDUCTIVITY MEASUREMENT (EDDY CURRENT), DETERMINATION OF [CUST: AV AS 99] | A 4730 | AS | 15-JUL-76 | |
| | SAE-ARP908C | HOSE AND TUBE FITTING, INSTALLATION AND QUALIFICATION TEST TORQUE REQUIREMENTS [CUST: CR4 SH 82] | A 4730 | 82 | 30-NOV-88 | |
| | SAE-ARP982B | WROUGHT TITANIUM ALLOY PRODUCTS, MINIMIZING STRESS-CORROSION CRACKING IN [CUST: MR AS 11] | A FORG | AS | 01-APR-84 | |
| | SAE-ARP994 | TUBING INSTALLATIONS FOR AEROSPACE FLUID POWER SYSTEMS, THE DESIGN OF, RECOMMENDED PRACTICE FOR [CUST: AV AS 99] [REVIEW: 11 71] | A 1650 | AS | APR-76 | |
| | SAE-ARP1173 | TEST PROCEDURE TO MEASURE THE RF SHIELDING CHARACTERISTICS OF E.M.I. GASKETS [CUST: CR EC 10] | A EMCS | CR | JUL-75 | |
| | SAE-ARP1179B | AIRCRAFT GAS TURBINE ENGINE EXHAUST SMOKE MEASUREMENT [CUST: AV AS 11] | A 2840 | AS | 19-APR-91 | |
| | SAE-ARP1185B | JOINTS AND FITTINGS, FLEXURE TESTING OF HYDRAULIC TUBING [CUST: CR4 AS 99] | A 4730 | AS | 01-SEP-93 | |
| | SAE-ARP1199A | DEVICES, ELECTRIC OVERCURRENT PROTECTIVE, SELECTION, APPLICATION, AND INSPECTION OF [CUST: CR AS 85 CC] [REVIEW: 11 99 AR AT CR4 EC MI] | A 5925 | CC | MAR-84 | |
| A | SAE-ARP1210B | ENGINE, GAS TURBINE, INTERFACE TEST DATA REDUCTION COMPUTER PROGRAMS [CUST: AV AS 11] [REVIEW: 99] | A 2840 | 11 | 20-NOV-90 | |
| | SAE-ARP1211A-74 | ENGINE, GAS TURBINE, STATUS PERFORMANCE PRESENTATION FOR DIGITAL COMPUTER PROGRAMS - 15 APR 74 [CUST: AV AS 11] [REVIEW: 99] | A 2840 | 11 | 09-AUG-77 | |
| | SAE-ARP1247C | SUPPORT EQUIPMENT, AEROSPACE GROUND, MOTORIZED AND NONMOTORIZED, GENERAL REQUIREMENTS FOR [CUST: AV SH 84] | A 1730 | 84 | NCV-93 | |
| | SAE-ARP1256B | PROCEDURE FOR THE CONTINUOUS SAMPLING AND MEASUREMENT OF GASEOUS, EMISSIONS FROM AIRCRAFT TURBINE ENGINES [CUST: AV AS 99] | A 2840 | AS | 01-AUG-90 | |
| | SAE-ARP1257-72 | GAS TURBINE ENGINE TRANSIENT PERFORMANCE PRESENTATION FOR DIGITAL COMPUTER PROGRAMS - JUN 72 [CUST: AV AS 11] [REVIEW: 71 99] | A 2840 | 11 | 29-JAN-88 | |
| | SAE-ARP1317A | ELECTRON BEAM WELDING [CUST: MR AS 11] | A THJM | 11 | 01-OCT-90 | |
| | SAE-ARP1331A | CHEMICAL, THE MILLING PROCESS [CUST: MR AS 11] | A 95GP | 11 | 01-OCT-89 | |
| A | SAE-ARP1383A | ACTUATORS, HYDRAULIC, VALVES, PRESSURE CONTAINERS AND SIMILAR FLUID SYSTEM COMPONENTS, IMPULSE TESTING OF [CUST: AV AS 99] [REVIEW: 11 71] | A 1650 | AS | 28-JAN-92 | |
| | SAE-ARP1420 | GAS TURBINE ENGINE INLET FLOW DISTORTION GUIDELINES [CUST: CR4 AS 11] | A 2840 | 11 | MAR-78 | |
| | SAE-ARP1512B | CORROSION OF ALUMINUM ALLOYS BY AIRCRAFT MAINTENANCE CHEMICALS, SANDWICH TEST [CUST: MR AS 68] | A 95GP | AS | 01-OCT-91 | |
| | SAE-ARP1524A | ALUMINUM ALLOY PARTS FOR HIGH DURABILITY STRUCTURAL ADHESIVE BONDING, SURFACE PREPARATION AND PRIMING OF [CUST: MR AS 11] | A 8040 | 11 | 01-OCT-90 | |
| | SAE-ARP1575A | ALUMINUM ALLOY PARTS FOR HIGH DURABILITY STRUCTURAL ADHESIVE BONDING HAND APPLIED PHOSPHORIC ACID ANODIZING, SURFACE PREPARATION AND PRIMING OF [CUST: MR AS 11] | A 8040 | 11 | 01-JUL-90 | |
| A | SAE-ARP1658A | HOSE ASSEMBLIES, INSTALLED, GUIDE FOR VISUAL INSPECTION [CUST: AS 99] [REVIEW: AV CC] | A 4720 | 82 | DEC-86 | |
| | SAE-ARP1675 | ALUMINUM STRUCTURES, STRUCTURAL WELDBONDING OF [CUST: MR AS 11] | A THJM | 11 | 01-OCT-90 | |
| | SAE-ARP1801 | MEASUREMENT OF EXTERIOR SOUND LEVEL OF SPECIALIZED AIRCRAFT GROUND SUPPORT EQUIPMENT [CUST: AV SH 84] | A 1730 | 84 | 15-FEB-82 | |
| | SAE-ARP1820 | CHORD METHOD OF EVALUATING SURFACE MICROSTRUCTURAL CHARACTERISTICS [CUST: MR AS 11] | A 95GP | 11 | 01-OCT-84 | |
| | SAE-ARP1902 | BOLT, TEE HEAD, INTERFACE SURFACE, DIMENSIONS FOR [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | MAR-85 | |
| | SAE-ARP1923 | INSPECTORS, ETCH, QUALIFICATION AND CERTIFICATION [CUST: MR AS 11] | A NDTI | 11 | 01-JAN-85 | |
| | SAE-ARP1927 | EPOXY AND ADDITION TYPE POLYIMIDES, APPLICATION OF DIRECT PRESSURE TO RESIN IN CURING OF [CUST: MR AS 11] | A CMPS | 11 | 01-JAN-81 | |
| | SAE-ARP1947A | ALUMINUM ALLOY CASTINGS, DENDRITE ARM SPACING OF STRUCTURAL AIRCRAFT QUALITY D357, DETERMINATION AND ACCEPTANCE [CUST: MR AS 11] | A MECA | 11 | 01-OCT-89 | |
| A | SAE-ARP1967 | CONTAINERS, SHIPPING AND STORAGE, AIRCRAFT ENGINES AND MODULES - METAL, REUSABLE [CUST: SM AS 69] [REVIEW: 70 71 80 82 84 99 AR AT MI SA] | A 8145 | 11 | 25-NOV-97 | |
| | SAE-ARP1972 | MEASUREMENT PRACTICES AND PROCEDURES RECOMMENDED FOR EMC TESTING [CUST: CR EC 11] | A EMCS | 11 | JAN-86 | |
| A | SAE-ARP4005A | RELAYS, FOR PROPER PERFORMANCE, SELECTION AND APPLICATION OF [CUST: CR EC 85 CC] [REVIEW: 99 MC MI] | A 5945 | CC | DEC-95 | |
| | SAE-ARP4462 | STEEL PARTS, BARKHAUSEN NOISE INSPECTION FOR DETECTING GRINDING BURNS IN HIGH STRENGTH [CUST: MR AS 11] | A NDTI | 11 | 01-JAN-91 | |
| | SAE-ARP4848 | SHANK NUTS, FLARING (SWAGING) AND REMOVAL OF [CUST: AR SH 99 IS] | A 5310 | IS | AUG-95 | |
| | SAE-AS115B | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARELESS, STRAIGHT TO STRAIGHT, LIGHTWEIGHT [CUST: CR4 AS 99] [REVIEW: AV MI] | A 4720 | CC | MAR-84 | |
| | SAE-AS116B | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARELESS, STRAIGHT TO 45 DEG., LIGHTWEIGHT [CUST: CR4 AS 99] | A 4720 | CC | MAR-84 | |
| | SAE-AS117B | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARELESS, STRAIGHT TO 90 DEG., LIGHTWEIGHT [CUST: CR4 AS 99] [REVIEW: AV MI] | A 4720 | CC | MAR-84 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | SAE-AS118B | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARELESS, 45 DEG. TO 45 DEG., LIGHTWEIGHT [CUST: CR4 AS 99] [REVIEW: AV MI] | A 4720 | CC | | MAR-84 |
| | SAE-AS119B | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARELESS, 45 DEG. TO 90 DEG., LIGHTWEIGHT [CUST: CR4 AS 11] [REVIEW: AV CC MI] | A 4720 | 99 | | MAR-84 |
| | SAE-AS120B | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARELESS, 90 DEG. TO 90 DEG., LIGHTWEIGHT [CUST: CR4 AS 99] [REVIEW: AV MI] | A 4720 | CC | | MAR-84 |
| | SAE-AS153A | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARED, STRAIGHT TO STRAIGHT, LIGHTWEIGHT [CUST: CR4 AS 11 CC] [REVIEW: AV MI] | A 4720 | CC | | MAR-84 |
| | SAE-AS154A | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARED, STRAIGHT TO 45 DEG., LIGHTWEIGHT [CUST: CR4 AS 11 CC] [REVIEW: AV MI] | A 4720 | CC | | MAR-84 |
| | SAE-AS155A | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARED, STRAIGHT TO 90 DEG., LIGHTWEIGHT [CUST: CR4 AS 11 CC] [REVIEW: AV MI] | A 4720 | CC | | MAR-84 |
| | SAE-AS156A | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARED, 45 DEG. TO 45 DEG., LIGHTWEIGHT [CUST: CR4 AS 11 CC] [REVIEW: AV MI] | A 4720 | CC | | MAR-84 |
| | SAE-AS157A | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARED, 45 DEG. TO 90 DEG., LIGHTWEIGHT [CUST: CR4 AS 11 CC] [REVIEW: AV MI] | A 4720 | CC | | MAR-84 |
| | SAE-AS158A | HOSE ASSEMBLY, NONMETALLIC, 3000 PSI, TFE, FLARED, 90 DEG. TO 90 DEG., LIGHTWEIGHT [CUST: CR4 AS 11 CC] [REVIEW: AV MI] | A 4720 | CC | | MAR-84 |
| | SAE-AS269G | IDENTIFICATION OF MATERIAL FOR AN, MS, AND AS ENGINE AND PROPELLER STANDARD UTILITY PARTS AND ALSO FOR COMPANY PARTS [CUST: AT AS 99] | A 29GP | AS | | JUL-91 |
| | SAE-AS478H | IDENTIFICATION MARKING METHODS [CUST: AT AS 19 IS] | A MISC | AS | | 26-JUN-91 |
| D | SAE-AS568A | O-RINGS, AEROSPACE SIZE STANDARD FOR [CUST: MR AS 11] | A 5330 | IS | | 1-JUL-74 |
| | SAE-AS604A-84 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 400 DEG. F, 3000 PSI, HYDRAULIC, HEAVY BRAID - 1 OCT 84 [CUST: CR4 AS 11] [REVIEW: AV CC MI] | A 4720 | 99 | | 20-JUN-86 |
| | SAE-AS611C | TETRAFLUOROETHYLENE HOSE ASSEMBLY, CLEANING METHODS [CUST: CR4 AS 82] | A 4720 | 82 | | 01-JUL-85 |
| | SAE-AS614 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HEAVY DUTY, HIGH TEMPERATURE, HIGH PRESSURE, 4,000 PSI (27,580 KPA) HYDRAULIC AND PNEUMATIC [CUST: CR4 AS 99] [REVIEW: AV CC MI] | A 4720 | 99 | | 01-MAY-84 |
| | SAE-AS621 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, STRAIGHT TO STRAIGHT, HEAVYWEIGHT [CUST: CR4 AS 99] [REVIEW: AV MI] | A 4720 | CC | | JUL-84 |
| | SAE-AS622 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, STRAIGHT TO 45 DEG., HEAVYWEIGHT [CUST: CR4 AS 11 CC] [REVIEW: 99 AV MI] | A 4720 | CC | | JUL-84 |
| | SAE-AS623 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, STRAIGHT TO 90 DEG., HEAVYWEIGHT [CUST: CR4 AS 11 CC] [REVIEW: 99 AV MI] | A 4720 | CC | | JUL-84 |
| | SAE-AS624 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, 45 DEG. TO 45 DEG., HEAVYWEIGHT [CUST: CR4 AS 11 CC] [REVIEW: 99 AV MI] | A 4720 | CC | | JUL-84 |
| | SAE-AS625 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARELESS, 45 DEG. TO 90 DEG., HEAVYWEIGHT [CUST: CR4 AS 11 CC] [REVIEW: 99 AV MI] | A 4720 | CC | | JUL-84 |
| | SAE-AS626 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARELESS, 90 DEG. TO 90 DEG., HEAVYWEIGHT [CUST: CR4 AS 99] [REVIEW: AV MI] | A 4720 | CC | | JUL-84 |
| | SAE-AS627 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARED, STRAIGHT TO STRAIGHT, HEAVYWEIGHT [CUST: CR4 AS 99] [REVIEW: AV MI] | A 4720 | 99 | | JUL-84 |
| | SAE-AS628 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARED, STRAIGHT TO 45 DEG., HEAVYWEIGHT [CUST: CR4 AS 99] [REVIEW: AV MI] | A 4720 | CC | | JUL-84 |
| | SAE-AS629 | HOSE ASSEMBLY, 3,000 PSI, TFE, FLARED, STRAIGHT TO 90 DEG., HEAVYWEIGHT [CUST: CR4 AS 99] [REVIEW: AV MI] | A 4720 | CC | | JUL-84 |
| | SAE-AS630 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARED, 45 DEG. TO 45 DEG., HEAVYWEIGHT [CUST: CR4 AS 11] [REVIEW: AV GS MI] | A 4720 | 99 | | JUL-84 |
| | SAE-AS631 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARED, 45 DEG. TO 90 DEG., HEAVYWEIGHT [CUST: CR4 AS 11] [REVIEW: AV GS MI] | A 4720 | 99 | | JUL-84 |
| | SAE-AS632 | HOSE ASSEMBLY, 3000 PSI, TFE, FLARED, 90 DEG. TO 90 DEG., HEAVYWEIGHT [CUST: CR4 AS 11] [REVIEW: AV CC MI] | A 4720 | 99 | | JUL-84 |
| A | SAE-AS681G | GAS TURBINE ENGINE STEADY-STATE AND TRANSIENT PERFORMANCE PRESENTATION FOR DIGITAL COMPUTER PROGRAMS [CUST: AV AS 11] [REVIEW: 99] | A 2840 | 11 | | SEP-96 |
| | SAE-AS683B | INSTALLATION PROCEDURES AND TORQUES FOR FLUID CONNECTIONS [CUST: AS 99] [REVIEW: CC] | A 4730 | 99 | | 15-JAN-80 |
| | SAE-AS686A | TUBE, PILOTED RING SEAL, SWIVEL CONNECTION ASSEMBLY [CUST: AS 99] [REVIEW: CC] | A 4730 | 99 | | 01-APR-80 |
| | SAE-AS782 | CLAMP, HALF TUBE SUPPORT [CUST: AR AS 99 IS] | A 5340 | IS | | 30-MAR-82 |
| | SAE-AS870C | CONFIGURATION, WRENCHING, DOUBLE HEXAGON (12 POINT), FOR THREADED FASTENERS [CUST: AV AS 99] | A 53GP | IS | | 15-MAY-74 |
| | SAE-AS871A | O-RINGS, MANUFACTURING AND INSPECTION STANDARDS FOR PREFORMED PACKINGS [CUST: AR AS 82 IS] | A 5310 | IS | | 30-SEP-71 |
| A | SAE-AS896B | NIPPLE, FITTING, REDUCER, FLARELESS TUBE TO PIPE, EXTERNAL THREAD [CUST: AV AS 99 CC] [REVIEW: 11 82 AR AT CR4 MI] | A 4730 | CC | | DEC-95 |
| A | SAE-AS897B | ELBOW, FITTING, 90 DEG., STANDARD AND REDUCER, FLARELESS TUBE TO PIPE, EXTERNAL THREAD [CUST: AV AS 99] [REVIEW: 11 AR AT CC CR4 MI] | A 4730 | 82 | | DEC-95 |
| A | SAE-AS954E | WRENCHES, HAND TWELVE POINT HIGH STRENGTH, THIN WALL [CUST: AV] | A 5120 | AV | | JAN-94 |
| | SAE-AS959B | DRIVE - STUDDED, ACCESSORY, 2.653 BC SQUARE, DESIGN STANDARD FOR [CUST: AT AS 99] | A 28GP | AS | | 15-MAY-74 |
| | SAE-AS970B | DRIVE-ACCESSORY, (203.2) 8.000 BC ROUND, QAD, DESIGN STANDARD FOR [CUST: AS] | A 6150 | AS | | 27-AUG-93 |
| A | SAE-AS971B | ACCESSORY - DRIVE, 10,000 BC ROUND, QAD, DESIGN STANDARD FOR [CUST: AS] | A 6150 | AS | | 27-AUG-93 |
| | SAE-AS972B | SPLINE DETAILS, ACCESSORY DRIVES AND FLANGES [CUST: AS] | A 6150 | AS | | 01-JUL-77 |
| | SAE-AS976 | COUPLING - CLAMP, GROOVE V-BAND, 6.400, 9.400, 11.400 FLANGE OD [CUST: AR AS 99 IS] | A 5340 | IS | | 01-FEB-70 |
| | SAE-AS977 | COUPLING - CLAMP, GROOVE V-BAND, FORGED 6.400, 9.400, 11.400 FLANGE OD [CUST: AR AS 99 IS] | A 5340 | IS | | 01-OCT-71 |
| A | SAE-AS1001E | TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON SIDE, FLARELESS TUBE [CUST: AV AS 99] | A 4730 | AS | | 12-AUG-93 |
| A | SAE-AS1002E | TEE, STANDARD AND REDUCER, BULKHEAD AND INTERNAL PORT ON RUN, FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 82 CC] | A 4730 | AS | | 12-AUG-93 |
| A | SAE-AS1003D | TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 82 CC] | A 4730 | AS | | 29-SEP-92 |
| A | SAE-AS1004D | ELBOW, 90 DEG., STANDARD AND REDUCER FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 82 CC] | A 4730 | AS | | 29-SEP-92 |
| A | SAE-AS1005E | TEE, STANDARD AND REDUCER, FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 11 82 CC CR4 MI] | A 4730 | AS | | 12-AUG-93 |
| A | SAE-AS1006D | CROSS, STANDARD AND REDUCER, FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 82 CC] | A 4730 | AS | | 29-SEP-92 |
| A | SAE-AS1007D | UNION, STANDARD AND REDUCER, BULKHEAD, FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 82 CC] | A 4730 | AS | | 30-NOV-92 |
| A | SAE-AS1008E | ELBOW, 90 DEG. STANDARD AND REDUCER, BULKHEAD, FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 82 CC] | A 4730 | AS | | 12-AUG-93 |
| A | SAE-AS1009E | TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 82 CC] | A 4730 | AS | | 29-SEP-92 |
| A | SAE-AS1010D | ELBOW, 45 DEG., STANDARD AND REDUCER, FLARELESS TUBE [CUST: AV AS 99] [REVIEW: 82 CC] | A 4730 | AS | | 29-SEP-92 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|---|-----------------------|-----|-------------|------|
| SAE-AS1031C | TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON SIDE, FLARED TUBE [CUST: AV AS 99] [REVIEW: 11 82 AR IS] | A 4730 | AS | 7-MAY-93 | |
| SAE-AS1032C | TEE, STANDARD AND REDUCER-BULKHEAD AND INTERNAL PORT ON RUN, FLARED TUBE [CUST: AV AS 99] [REVIEW: 11 82 CC CR4] | A 4730 | AS | 7-MAY-93 | |
| SAE-AS1033C | TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, FLARED TUBE [CUST: AV AS 99] [REVIEW: 11 82 CC CR4] | A 4730 | AS | JAN-94 | |
| SAE-AS1034C | ELBOW, 90 DEG., STANDARD AND REDUCER, FLARED TUBE [CUST: AV AS 99] [REVIEW: 11 82 CC CR4] | A 4730 | AS | JAN-94 | |
| SAE-AS1035C | TEE, STANDARD AND REDUCER, FLARED TUBE [CUST: AV AS 99 IS] [REVIEW: 11 82 CC CR4] | A 4730 | AS | 7-MAY-93 | |
| SAE-AS1036D | CROSS, STANDARD AND REDUCER, FLARED TUBE [CUST: AV AS 99 IS] [REVIEW: 11 82 CC CR4] | A 4730 | AS | FEB-94 | |
| SAE-AS1037C | UNION, STANDARD AND REDUCER, BULKHEAD, FLARED TUBE [CUST: AV AS 99] [REVIEW: 11 82 CC CR4] | A 4730 | AS | 7-MAY-93 | |
| SAE-AS1038C | ELBOW, 90 DEG., STANDARD AND REDUCER, BULKHEAD, FLARED TUBE [CUST: AV AS 99] [REVIEW: 11 82 CC CR4] | A 4730 | AS | JAN-94 | |
| SAE-AS1039C | TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARED TUBE [CUST: AV AS 99] [REVIEW: 11 82 CC CR4] | A 4730 | AS | JAN-94 | |
| SAE-AS1040C | ELBOW, 45 DEG. STANDARD AND REDUCER, BULKHEAD, FLARED TUBE [CUST: AV AS 99] [REVIEW: 82 AR IS] | A 4730 | AS | 7-MAY-93 | |
| SAE-AS1043F | WIRE HOLES, SAFETY, HEX, FITTING, LOCATION OF, DESIGN STANDARD [CUST: 99] | A 4730 | 82 | 13-OCT-92 | |
| SAE-AS1055C | HOSE, FLEXIBLE, TUBE ASSEMBLIES, COILS, FITTINGS, AND SIMILAR SYSTEM COMPONENTS, FIRE TESTING OF [CUST: CR4 AS 11] [REVIEW: AV CC MI] | A 4720 | 99 | JUN-94 | |
| SAE-AS1072D | SLEEVE, HOSE ASSEMBLY, FIRE PROTECTION [CUST: CR4 AS 99] [REVIEW: AV CC MI] | A 4720 | 99 | 17-MAY-89 | |
| SAE-AS1073A | SLEEVE, HOSE ASSEMBLY, HEAT SHRINKABLE [CUST: AV AS 11] [REVIEW: 10 CC CR4 IS] | A 4720 | AS | 31-AUG-89 | |
| SAE-AS1132D | BOLTS AND SCREWS - EXTERNAL WRENCHING UNJ THREAD, INCH SERIES - DESIGN PARAMETERS FOR [CUST: AV 99] | A 53GP | IS | 04-DEC-92 | |
| SAE-AS1177A | BOLTS AND SCREWS, NONDESTRUCTIVE INSPECTION STANDARDS FOR [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | 04-JUL-93 | |
| SAE-AS1182A | AIRCRAFT- QUALITY AND PREMIUM AIRCRAFT- QUALITY STEEL BARS AND MECHANICAL TUBING. STANDARD MACHINING ALLOWANCE [CUST: MR AS 11 IS] | A 9510 | IS | 01-OCT-89 | |
| SAE-AS1241B | FIRE RESISTANT PHOSPHATE ESTER HYDRAULIC FLUID FOR AIRCRAFT [CUST: MR AS 11 GS] | A 9150 | GS | 18-FEB-92 | |
| SAE-AS1290A | SYMBOLS, GRAPHIC, FOR AIRCRAFT HYDRAULIC AND PNEUMATIC SYSTEMS [CUST: AV AS 99] [REVIEW: 11 71] | A 1650 | AS | MAY-86 | |
| SAE-AS1291A | SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, TFE OR FEP [CUST: AV AS 11] [REVIEW: 10 CC CR4 IS] | A 4720 | AS | NOV-86 | |
| SAE-AS1292 | SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, BUTYRATE COIL [CUST: AV AS 11] [REVIEW: 10 CC CR4 IS] | A 4720 | AS | MAY-73 | |
| SAE-AS1293 | SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, TFE COIL [CUST: AV AS 11] [REVIEW: 10 CC CR4 IS] | A 4720 | AS | MAY-73 | |
| SAE-AS1294 | SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, NYLON COIL [CUST: AV AS 11] [REVIEW: 10 CC CR4 IS] | A 4720 | AS | MAY-73 | |
| SAE-AS1295 | SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, NEOPRENE RUBBER [CUST: AV AS 11] [REVIEW: 10 CC CR4 IS] | A 4720 | AS | MAY-73 | |
| SAE-AS1298 | SLEEVE, HEAVY WALL, HOSE ASSEMBLY, CHAFE GUARD, TFE [CUST: AV AS 11] [REVIEW: 10 CC CR4 IS] | A 4720 | AS | MAY-73 | |
| SAE-AS1299B | ADAPTER PORT CONNECTION RING LOCKED TO FLARELESS TUBE END [CUST: AV AS 11] [REVIEW: 82 99 CC CR4] | A 4730 | AS | AUG-88 | |
| SAE-AS1300A | PORT - RING LOCKED FLUID CONNECTION TYPE, STANDARD DIMENSIONS FOR [CUST: AV AS 11] [REVIEW: 10 CC CR4 IS] | A 4730 | AS | AUG-88 | |
| SAE-AS1301B | ADAPTERS - PORT CONNECTION, RING LOCKED DESIGN, INSTALLATION AND REMOVAL OF [CUST: AV AS 11] [REVIEW: 10 CC CR4 IS] | A 4730 | AS | APR-91 | |
| SAE-AS1310 | FASTENER TORQUE FOR THREADED APPLICATIONS, DEFINITIONS OF [CUST: AV AS 99] | A 53GP | IS | 15-JAN-75 | |
| SAE-AS1339C | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 400 DEG. F, 3000 PSI HYDRAULIC, LIGHTWEIGHT [CUST: CR4 AS 99 CC] [REVIEW: 82 AV GS MI] | A 4720 | CC | 17-MAY-89 | |
| SAE-AS1376D | ALTERNATE DIMENSIONS, CENTER BODY SECTION, SHAPE FLUID FITTINGS, DESIGN STANDARD [CUST: CR4 AS 99] [REVIEW: OS] | A 4730 | 82 | APR-94 | |
| SAE-AS1708C | FITTING END, INTERNAL FLARE DISIGN STANDARD [CUST: CR4 AS 99] [REVIEW: CC] | A 4730 | 82 | 27-JAN-94 | |
| SAE-AS1710 | COUPLING, FUEL, FLEXIBLE, VARIABLE CAVITY THREADED TYPE WITH FERRULES [CUST: AV AS 99] [REVIEW: AR AT CC CR4 MI] | A 4730 | 82 | 01-JAN-84 | |
| SAE-AS1711B | COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE ENDS, ENVELOPE DIMENSIONS DESIGN STANDARD [CUST: AV AS 99] [REVIEW: 82 AR AT CR4 MI] | A 4730 | CC | 15-JUL-92 | |
| SAE-AS1712B | COUPLING SUBASSEMBLY, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS [CUST: AV AS 99] [REVIEW: AR AT CC CR4] | A 4730 | 82 | 15-JUL-92 | |
| SAE-AS1713B | COUPLING HALF SUBASSEMBLY, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS [CUST: AV AS 99] [REVIEW: AR AT CC CR4 MI] | A 4730 | 82 | 15-JUL-92 | |
| SAE-AS1714C | NUT ASSEMBLY, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS [CUST: AV AS 99] [REVIEW: AR AT CC CR4 MI] | A 4730 | 82 | SEP-95 | |
| SAE-AS1715C | WASHER, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS [CUST: AV AS 99] [REVIEW: AR AT CC CR4 MI] | A 4730 | 82 | SEPT-95 | |
| SAE-AS1716C | FERRULE, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE END [CUST: AV 99 CC] [REVIEW: 82] | A 4730 | CC | SEP-95 | |
| SAE-AS1717C | RETAINER, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS [CUST: AV 99 CC] [REVIEW: 82] | A 4730 | CC | SEP-95 | |
| SAE-AS1718C | BODY COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS [CUST: AV 99] [REVIEW: CC] | A 4730 | 82 | SEP-95 | |
| SAE-AS1719B | END FITTING, HALF-COUPLING, FLEXIBLE VARIABLE CAVITY THREADED, FERRULE TYPE DESIGN STANDARD [CUST: AV 99] [REVIEW: CC] | A 4730 | 82 | 15-JUL-92 | |
| SAE-AS1720B | FERRULE END, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE, DESIGN STANDARD [CUST: AV 99] [REVIEW: CC] | A 4730 | 82 | 15-JUL-92 | |
| SAE-AS1790F | NUT, FITTING, RETAINED, LIGHTWEIGHT [CUST: AV AS 99] | A 4730 | AS | DEC-95 | |
| SAE-AS1791B | WIRE, RETAINER TUBE COUPLING NUT [CUST: AV AS 99] [REVIEW: 71 82 AR AT CC MC MI] | A 4730 | AS | 4-AUG-93 | |
| SAE-AS1792C | NUT FITTING, LIGHTWEIGHT, FLARELESS [CUST: AV AS 99] [REVIEW: 82 CC MI] | A 4730 | AS | DEC-95 | |
| SAE-AS1814B | TITANIUM MICROSTRUCTURES, TERMINOLOGY FOR [CUST: MR AS 11] | A 95GP | 11 | 01-OCT-90 | |
| SAE-AS1895B | ASSEMBLY COUPLING, V-RETAINER, HIGH PRESSURE, HIGH TEMPERATURE, PNEUMATIC TUBE [CUST: AS 99 IS] [REVIEW: 82 NA] | A 5340 | IS | 1-JUN-92 | |
| SAE-AS1895/1D | COUPLING, V-RETAINER, SINGLE LATCH, TYPE I STANDARD PROFILE [CUST: AS 99 IS] [REVIEW: 82 NA] | A 5340 | IS | MAY-96 | |
| SAE-AS1895/2C | FLANGE, MALE, SEAM WELD, TYPE I (STANDARD PROFILE) [CUST: AS 99 IS] [REVIEW: 82 NA] | A 5340 | IS | MAY-96 | |
| SAE-AS1895/3C | FLANGE, FEMALE, SEAM WELD, TYPE I (STANDARD PROFILE) [CUST: AS 99 IS] [REVIEW: 82 NA] | A 5340 | IS | MAY-96 | |
| SAE-AS1895/4C | COUPLING, V-RETAINER, SINGLE LATCH, TYPE II LOW PROFILE [CUST: AS 99 IS] [REVIEW: 82 NA] | A 5340 | IS | MAY-96 | |
| SAE-AS1895/5C | FLANGE, MALE, SEAM WELD, TYPE II (LOW PROFILE) [CUST: AS 99 IS] [REVIEW: 82 NA] | A 5340 | IS | MAY-96 | |
| SAE-AS1895/6C | FLANGE, FEMALE, SEAM WELD, TYPE II (LOW PROFILE) [CUST: AS 99 IS] [REVIEW: 82 NA] | A 5340 | IS | MAY-96 | |
| SAE-AS1895/7C | SEAL, TYPE I AND II (STANDARD AND LOW PROFILE) [CUST: AS 99 IS] [REVIEW: 82] | A 5340 | IS | MAY-96 | |
| SAE-AS1895/8C | FLANGE, MALE, BUTT WELD, TYPE II (LOW PROFILE) [CUST: AS 99 IS] [REVIEW: 82] | A 5340 | IS | MAY-96 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|-----------------------|-----|-------------|-----------|
| A | SAE-AS1895/9C | FLANGE, FEMALE, BUTT WELD, TYPE II (LOW PROFILE) [CUST: AS 99 IS] [REVIEW: 82] | A 5340 | IS | | MAY-96 |
| | SAE-AS1895/10B | FLANGE, MALE, BUTT WELD, TYPE I STANDARD PROFILE [CUST: AS 99] [REVIEW: 82] | A 5340 | IS | | 01-JUN-92 |
| A | SAE-AS1895/11C | FLANGE, FEMALE, BUTT WELD, TYPE I (STANDARD PROFILE) [CUST: AS 99 IS] [REVIEW: 82] | A 5340 | IS | | MAY-96 |
| A | SAE-AS1895/12C | FLANGE END, MALE TYPE I (STANDARD PROFILE) DESIGN STANDARD [CUST: AS 99 IS] [REVIEW: 82] | A 5340 | IS | | MAY-96 |
| A | SAE-AS1895/13C | FLANGE END, FEMALE, TYPE I (STANDARD PROFILE) DESIGN STANDARD [CUST: AS 99 IS] [REVIEW: 82] | A 5340 | IS | | MAY-96 |
| A | SAE-AS1895/14C | FLANGE END, MALE TYPE II (LOW PROFILE) DESIGN STANDARD [CUST: AS 99 IS] [REVIEW: 82] | A 5340 | IS | | MAY-96 |
| A | SAE-AS1895/15D | END, FLANGE, FEMALE, TYPE II (LOW PROFILE) DESIGN STANDARD [CUST: AS 99 IS] [REVIEW: 82] | A 5340 | IS | | MAY-96 |
| | SAE-AS1895/16 | FLANGE, MALE, INTEGRAL, WELD RING, TYPE II LOW PROFILE [CUST: AR AS 99 IS] | A 5340 | IS | | 01-JUN-92 |
| | SAE-AS1895/17 | FLANGE, FEMALE, INTEGRAL, WELD RING, TYPE II, LOW PROFILE [CUST: AR AS 99 IS] | A 5340 | IS | | 01-JUN-92 |
| | SAE-AS1895/18 | FLANGE, MALE, INTEGRAL, WELD RING, TYPE I STANDARD PROFILE [CUST: AR AS 99 IS] | A 5340 | IS | | 01-JUN-92 |
| | SAE-AS1895/19 | FLANGE, FEMALE, INTEGRAL, WELD RING, TYPE I STANDARD PROFILE [CUST: AR AS 99 IS] | A 5340 | IS | | 01-JUN-92 |
| | SAE-AS1895/20 | COUPLING, V-RETAINER, DOUBLE LATCH, TYPE II LOW PROFILE [CUST: AR AS 99 IS] | A 5340 | IS | | 01-JUN-92 |
| | SAE-AS1895/21 | INSTALLATION, JOINT V-RETAINER, COUPLING ASSEMBLY [CUST: AR AS 99 IS] | A 5340 | IS | | 01-JUN-92 |
| | SAE-AS1895/22 | COUPLING, V-RETAINER, DOUBLE LATCH, TYPE I STANDARD PROFILE [CUST: AR AS 99 IS] | A 5340 | IS | | 01-JUN-92 |
| | SAE-AS1909A | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 DEG. F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, STRAIGHT TO STRAIGHT [CUST: CR4 AS 11] [REVIEW: 99 AV CC MI] | A 4720 | 11 | | 09-JAN-92 |
| | SAE-AS1910A | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 DEG. F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, STRAIGHT TO 45 DEG. [CUST: CR4 AS 11] [REVIEW: 99 AV CC MI] | A 4720 | 11 | | 09-JAN-92 |
| | SAE-AS1911A | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 DEG. F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, STRAIGHT TO 90 DEG. [CUST: CR4 AS 11] [REVIEW: 99 AV CC MI] | A 4720 | 11 | | 09-JAN-92 |
| | SAE-AS1912A | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 DEG. F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 45 DEG. TO 45 DEG. [CUST: CR4 AS 11] [REVIEW: 99 AV CC MI] | A 4720 | 11 | | 09-JAN-92 |
| | SAE-AS1913A | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 DEG. F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 45 DEG. TO 90 DEG. [CUST: CR4 AS 11] [REVIEW: 99 AV CC MI] | A 4730 | 11 | | 09-JAN-92 |
| | SAE-AS1914A | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 DEG. F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 90 DEG. TO 90 DEG. [CUST: CR4 AS 11] [REVIEW: 99 AV CC MI] | A 4730 | 11 | | 09-JAN-92 |
| | SAE-AS1933 | HOSE CONTAINING AGE-SENSITIVE ELASTOMERIC MATERIAL, AGE CONTROLS FOR [CUST: AV AS 99] [REVIEW: CC] | A 4720 | AV | | FEB-95 |
| | SAE-AS1946 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, (PTFE), UP TO 450 DEGREE F (232 DEGREE C) AND 1500 PSI (10 500 KPA) [CUST: AV] | A 4720 | AV | | 13-JUL-90 |
| | SAE-AS1960 | COUPLING ASSEMBLY, V-BAND, SHEET METAL FLANGE, PNEUMATIC TUBE [CUST: 99] [REVIEW: IS] | A 5340 | 82 | | 20-JUN-86 |
| | SAE-AS1960/1 | COUPLING, SHEET METAL, 40 DEG. V-BAND, STANDARD LATCH [CUST: 99] [REVIEW: IS] | A 5340 | 82 | | 30-JUN-86 |
| | SAE-AS1960/2 | COUPLING, SHEET METAL, 40 DEG. V-BAND, QUICK RELEASE (OPTIONAL SAFETY) LATCH [CUST: 99] [REVIEW: IS] | A 5340 | 82 | | 30-JUN-86 |
| | SAE-AS1960/3 | FLANGE, SHEET METAL [CUST: 99] [REVIEW: IS] | A 5340 | 82 | | 30-JUN-86 |
| | SAE-AS1960/4 | FLANGE END, DESIGN STANDARD [CUST: 99] [REVIEW: IS] | A 5340 | 82 | | 30-JUN-86 |
| | SAE-AS1960/5 | INSTALLATION, JOINT 40 DEG. V-BAND COUPLING AND NARROW SHEET METAL FLANGES [CUST: AR AS 99 IS] | A 5340 | IS | | 30-JUL-92 |
| A | SAE-AS1986B | ADAPTER, FITTING ASSEMBLY, RING LOCKED PORT CONNECTION TO BEAM SEAL 4000 PSI AND 5000 PSI /9/ [CUST: 99] [REVIEW: CC] | A 4730 | 82 | | JUL-94 |
| | SAE-AS1990 | ALUMINUM ALLOY TEMPERS [CUST: MR AS 11] | A 95GP | 11 | | 01-JAN-90 |
| | SAE-AS3062C | BOLTS, SCREWS AND STUDS, SCREW THREAD REQUIREMENTS [CUST: AR AS 11 IS] | A THDS | IS | | 15-SEP-79 |
| | SAE-AS3066 | NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS 7251 [CUST: AR YD1 99 IS] | A 5310 | IS | | 20-MAY-77 |
| | SAE-AS3067 | NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS 7251 [CUST: AR YD1 99 IS] | A 5310 | IS | | 01-FEB-77 |
| | SAE-AS3068A | NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS 7251 [CUST: AR YD1 99 IS] | A 5310 | IS | | 01-SEP-78 |
| | SAE-AS3069 | NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS 7251 [CUST: AR YD1 99 IS] | A 5310 | IS | | OCT-79 |
| | SAE-AS3070 | NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS 7251 [CUST: AR YD1 99 IS] | A 5310 | IS | | 15-SEP-76 |
| | SAE-AS3071A | ACCEPTANCE CRITERIA - MAGNETIC PARTICLE, FLUORESCENT PENETRANT, AND CONTRAST DYE PENETRANT INSPECTION [CUST: MR AS 82] | A NDTI | AS | | 01-JUN-77 |
| | SAE-AS3078 | INSERT - FLUID CONNECTION BOSS, INTERNAL STRAIGHT THREAD [CUST: AR AS 99 IS] | A 5340 | IS | | 14-NOV-73 |
| | SAE-AS3080 | INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT STUD LOCKING, 1.5 DIA NOM LENGTH [CUST: AR AS 99 IS] | A 5340 | IS | | 16-OCT-73 |
| | SAE-AS3081 | INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT STUD LOCKING, 2 DIA NOM LENGTH [CUST: AR AS 99 IS] | A 5340 | IS | | 16-OCT-73 |
| | SAE-AS3082 | INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT STUD LOCKING, 2.5 DIA NOM LENGTH [CUST: AR AS 99 IS] | A 5340 | IS | | 16-OCT-73 |
| | SAE-AS3083 | INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT STUD LOCKING, 3 DIA NOM LENGTH [CUST: AR AS 99 IS] | A 5340 | IS | | 16-OCT-73 |
| | SAE-AS3086 | STUD - STRAIGHT, KEY LOCKED, STEEL, .190-32 UNIF X .190-32 UNIF [CUST: AR AS 99 IS] | A 5307 | IS | | 15-MAY-75 |
| | SAE-AS3087 | STUD - STRAIGHT, KEY LOCKED, STEEL, .250-28 UNIF X .250-28 UNIF [CUST: AR AS 99 IS] | A 5307 | IS | | 15-MAY-75 |
| | SAE-AS3088 | STUD - STRAIGHT, KEY LOCKED, STEEL, .3125-24 UNIF X .3125-24 UNIF [CUST: AR AS 99 IS] | A 5307 | IS | | 15-MAY-75 |
| | SAE-AS3089 | STUD - STRAIGHT, KEY LOCKED, STEEL, .375-24 UNIF X .375-24 UNIF [CUST: AR AS 99 IS] | A 5307 | IS | | 15-MAY-75 |
| | SAE-AS3090 | STUD - STRAIGHT, KEY LOCKED, CRES AMS5731, .190-32 UNIF X .190-32 UNIF [CUST: AR AS 99 IS] | A 5307 | IS | | 15-MAY-75 |
| | SAE-AS3091 | STUD - STRAIGHT, KEY LOCKED, CRES SAE-AMS5731, .250-28 UNIF X .250-28 UNIF [CUST: AR AS 99 IS] | A 5307 | IS | | 15-MAY-75 |
| | SAE-AS3092 | STUD - STRAIGHT, KEY LOCKED, CRES SAE-AMS5731, .3125-24 UNIF X .3125-24 UNIF [CUST: AR AS 99 IS] | A 5307 | IS | | 15-MAY-75 |
| | SAE-AS3093 | STUD - STRAIGHT, KEY LOCKED, CRES AMS5731 .375-24 UNIF X .375-24 UNIF [CUST: AR AS 99 IS] | A 5307 | IS | | 15-MAY-75 |
| | SAE-AS3094 | INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 1.5 DIA NOM LENGTH [CUST: AR AS 99 IS] | A 5340 | IS | | 15-JUN-74 |
| | SAE-AS3095 | INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 2 DIA NOM LENGTH [CUST: AR AS 99 IS] | A 5340 | IS | | 15-JUN-74 |
| | SAE-AS3096 | INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 2.5 DIA NOM LENGTH [CUST: AR AS 99 IS] | A 5340 | IS | | 15-JUN-74 |
| | SAE-AS3097 | INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW PROFILE SYSTEMS) 3 DIA NOM LENGTH [CUST: AR AS 99 IS] | A 5340 | IS | | 15-JUN-74 |
| | SAE-AS3098 | SCREW, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS 5731, .164-36 UNIF-3A [CUST: AR SH 99 IS] | A 5305 | IS | | JUL-79 |
| | SAE-AS3106 | SCREW, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS 5731, .164-36 UNIF-3A [CUST: AR SH 99 IS] | A 5305 | IS | | JUL-79 |
| | SAE-AS3121 | PLUG, EXPANSION - ALUMINUM, 2024-T4, LONG; STD AND .010 OVERSIZE DIAMETERS [CUST: AR AS 99 IS] | A 5340 | IS | | 16-FEB-81 |
| | SAE-AS3122 | PIN, EXPANSION - ALUMINUM 2024-T4, LONG [CUST: AR AS 99 IS] | A 5340 | IS | | 16-FEB-81 |
| | SAE-AS3123 | PLUG, EXPANSION - ALUMINUM, 2024-T4, SHORT; STD AND .010 OVERSIZE DIAMETERS [CUST: AR AS 99 IS] | A 5340 | IS | | 16-FEB-81 |
| | SAE-AS3124 | PIN, EXPANSION - ALUMINUM, 2024-T4, SHORT [CUST: AR AS 99 IS] | A 5340 | IS | | 16-FEB-81 |
| | SAE-AS3125 | PLUG, EXPANSION - CRES, 416, LONG; STD AND .010 OVERSIZE DIAMETERS [CUST: AR AS 99 IS] | A 5340 | IS | | 16-FEB-81 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|---|--------------------------|-----|-------------|------|
| SAE-AS3126 | PIN, EXPANSION - CRES, 416, LONG [CUST: AR AS 99 IS] | A 5340 | IS | 16-FEB-81 | |
| SAE-AS3127 | PLUG, EXPANSION - CRES, 416, SHORT; STD AND .010 OVERSIZE DIAMETERS [CUST: AR AS 99 IS] | A 5340 | IS | 16-FEB-81 | |
| SAE-AS3128 | PIN, EXPANSION - CRES, 416, SHORT [CUST: AR AS 99 IS] | A 5340 | IS | 16-FEB-81 | |
| SAE-AS3129 | PLUG, EXPANSION - CRES, 303, LONG; STD AND .010 OVERSIZE DIAMETERS [CUST: AR AS 99 IS] | A 5340 | IS | 16-FEB-81 | |
| SAE-AS3130 | PIN, EXPANSION - CRES, 303, LONG [CUST: AR AS 99 IS] | A 5340 | IS | 16-FEB-81 | |
| SAE-AS3131 | PLUG, EXPANSION - CRES, 303, SHORT; STD AND .010 OVERSIZE DIAMETERS [CUST: AR AS 99 IS] | A 5340 | IS | 16-FEB-81 | |
| SAE-AS3132 | PIN, EXPANSION - CRES, 303, SHORT [CUST: AR AS 99 IS] | A 5340 | IS | 16-FEB-81 | |
| SAE-AS3144 | STUD STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, AMS 5731, .5625-18 UNJF-3A X .500-20 UNJF-3A [CUST: AR AS 99 IS] | A 5307 | IS | 01-APR-76 | |
| SAE-AS3163 | NUT, PLAIN - O.D. SLOTS, KEY WASHER LOCKED, AMS 6322, MIL-S-8879 [CUST: AR YD1 99 IS] | A 5310 | IS | 01-DEC-75 | |
| SAE-AS3174 | BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CL TOL SHANK, AMS 5643, .190-32 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | 15-MAR-76 | |
| SAE-AS3175 | BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CL TOL SHANK, AMS 5643, .250-28 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | 15-MAR-76 | |
| SAE-AS3176-76 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 5643, .3125-24 UNJF-3A - 15 MAR 76 [CUST: AV AS 99 IS] | A 5306 | IS | 11-JUL-84 | |
| SAE-AS3177-76 | BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 5643, .375-24 UNJF-3A - 15 MAR 76 [CUST: AV AS 99 IS] | A 5306 | IS | 11-JUL-84 | |
| SAE-AS3208 | PACKING, PREFORMED - AMS 7276 - SEAL [CUST: MR AS 11] | A 5330 | IS | 16-FEB-76 | |
| SAE-AS3209 | PACKING, PREFORMED - AMS 7276, 'O' RING [CUST: MR AS 11] | A 5330 | IS | 16-FEB-76 | |
| SAE-AS3215A | RING, RETAINING-SPIRAL, INTERNAL, HEAVY DUTY, CRES [CUST: AR YD1 99 IS] | A 5365 | IS | 01-FEB-79 | |
| SAE-AS3216A | RING, RETAINING-SPIRAL, EXTERNAL, HEAVY DUTY, CRES [CUST: AR YD1 99 IS] | A 5365 | IS | 01-FEB-79 | |
| SAE-AS3217A | RING, RETAINING-SPIRAL, INTERNAL, LIGHT DUTY, CRES [CUST: AR YD1 99 IS] | A 5365 | IS | 01-FEB-79 | |
| SAE-AS3218A | RING, RETAINING-SPIRAL, EXTERNAL, LIGHT DUTY, CRES [CUST: AR YD1 99 IS] | A 5365 | IS | 01-FEB-79 | |
| SAE-AS3219A | RING, RETAINING, SPIRAL, MINIMUM DISTORTION, DIMENSIONAL AND ACCEPTANCE STANDARD FOR [CUST: AR YD1 99 IS] | A 5365 | IS | 01-FEB-79 | |
| SAE-AS3228 | RIVET - TUBULAR, COUNTERSUNK, AMS 7228 [CUST: AR AS 99 IS] | A 5320 | IS | JUN-79 | |
| SAE-AS3229 | RIVET - TUBULAR, UNIVERSAL - AMS 7228 [CUST: AR AS 99 IS] | A 5320 | IS | JUN-79 | |
| SAE-AS3230 | RIVET - TUBULAR, COUNTERSUNK, AMS 7232 [CUST: AR AS 99 IS] | A 5320 | IS | JUN-79 | |
| SAE-AS3231 | RIVET - TUBULAR, UNIVERSAL - AMS 7232 [CUST: AR AS 99 IS] | A 5320 | IS | JUN-79 | |
| SAE-AS3232 | BOLT, TEE HEAD - AMS 5708, CHAMFERED, .1900-32 UNJF-3A [CUST: AS 11 IS] | A 5306 | IS | 01-JUL-80 | |
| SAE-AS3233-80 | BOLT, TEE HEAD-AMS 5708, CHAMFERED, .2500-28 UNJF-3A - 1 JUL 80 [CUST: AS 99 IS] | A 5306 | IS | 11-JUL-84 | |
| SAE-AS3234-80 | BOLT, TEE HEAD-AMS 5708, CHAMFERED, .3125-24 UNJF-3A - 1 JUL 80 [CUST: AS 99 IS] | A 5306 | IS | 11-JUL-84 | |
| SAE-AS3235A | BOLT, TEE HEAD - AMS 5708, CHAMFERED, .3750-24 UNJF-3A [CUST: AS 99 IS] | A 5306 | IS | 20-MAR-90 | |
| SAE-AS3257 | CLAMP, LOOP-CUSHIONED, CRES, HIGH TEMP., .204 HOLE [CUST: AR AS 99 IS] | A 5340 | IS | 01-SEP-80 | |
| SAE-AS3261 | NUT, SELF-LOCKING, CLIP, FLOATING, AMS 7251 [CUST: AR YD1 99 IS] | A 5310 | IS | 01-OCT-80 | |
| SAE-AS3272 | NUT - SELF-LOCKING, CLINCH, SERRATED SHANK, 700 DEG. F, DRY FILM COATED, UNS S66286, UNJ THREAD [CUST: AR AS 99 IS] | A 5310 | IS | 20-OCT-92 | |
| SAE-AS3273 | NUT - SELF-LOCKING, CLINCH, SERRATED SHANK, 1200 DEG. F, SILVER PLATED, UNS S66286, UNJ THREAD [CUST: AR AS 99 IS] | A 5310 | IS | 20-OCT-92 | |
| SAE-AS3291A | NUT, SELF-LOCKING, DOUBLE HEXAGON, AMS 5709 [CUST: AR AS 99 IS] [REVIEW: 11 AV SH] | A 5310 | IS | 25-JAN-88 | |
| SAE-AS3303 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .190-32 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: AR] | A 5306 | IS | AUG-85 | |
| SAE-AS3307 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .250-28 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: AR] | A 5306 | IS | AUG-85 | |
| SAE-AS3308 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .3125-24 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: AR] | A 5306 | IS | AUG-85 | |
| SAE-AS3309 | BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .375-24 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: AR] | A 5306 | IS | AUG-85 | |
| SAE-AS3319A | STUD - STRAIGHT, RING LOCKED, CRES AMS-5731, 0.190-24UNJC X 0.190-32UNJF [CUST: AR AS 99 IS] | A 5307 | IS | 17-AUG-90 | |
| SAE-AS3320A | STUD - STRAIGHT, RING LOCKED, CRES AMS-5731 0.250-20UNJC X 0.250-28UNJF [CUST: AR AS 99 IS] | A 5307 | IS | 17-SEP-90 | |
| SAE-AS3321A | STUD - STRAIGHT, RING LOCKED, CRES SAE-AMS5731, .3125-18UNJC X .3125-25UNJF [CUST: AR AS 99 IS] | A 5307 | IS | 17-AUG-90 | |
| SAE-AS3322A | STUD - STRAIGHT, RING LOCKED, CRES AMS5731 0.375-16UNJC X 0.375-24UNJF [CUST: AR AS 99 IS] | A 5307 | IS | 17-AUG-90 | |
| SAE-AS3400 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS 5708, .190-32 UNJF-3A [CUST: AV AS 99] [REVIEW: AR IS] | A 5306 | 82 | AUG-85 | |
| SAE-AS3401-85 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS 5708, .250-28 - AUG 1985 [CUST: AV AS 99 IS] | A 5306 | IS | 03-AUG-87 | |
| SAE-AS3402 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS5708, .3125-24 UNJF-3A [CUST: AV AS 82] [REVIEW: AR IS] | A 5306 | 82 | 03-AUG-87 | |
| SAE-AS3403 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS 5708, .375 -24 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: AR] | A 5306 | IS | AUG-85 | |
| SAE-AS3404-85 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS 5708, .190-32 UNJF-3A - AUGUST 1985 [CUST: AV AS 99 IS] | A 5306 | IS | 03-AUG-87 | |
| SAE-AS3405 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS 5708, .250-28 UNJF-3A [CUST: AV AS 99] [REVIEW: AR IS] | A 5306 | 82 | AUG-85 | |
| SAE-AS3406 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS 5708, .3125-24 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: AR] | A 5306 | IS | AUG-85 | |
| SAE-AS3407-87 | BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS 5708, .375-24 UNJF-3A - AUGUST 85 [CUST: AV AS 99 IS] | A 5306 | IS | 03-AUG-87 | |
| SAE-AS3435 | SPACER, SLEEVE - FOR .190 INCH BOLT, AMS4901 OR AMS4921 [CUST: AR YD1 99 IS] | A 5365 | IS | SEP-87 | |
| SAE-AS3436 | SPACER, SLEEVE - FOR .250 INCH BOLT, AMS4901 OR AMS4921 [CUST: AR YD1 99 IS] | A 5365 | IS | SEP-87 | |
| SAE-AS3472 | RING, RETAINING - INTERNAL, SPIRAL WOUND HEAVY AND MEDIUM DUTY, AMS 5525 [CUST: AR YD1 99 IS] | A 5365 | IS | 28-FEB-92 | |
| SAE-AS3477 | NUT, SELF LOCKING - DOUBLE HEXAGON, EXTENDED WASHER, UNS S66286, SILVER PLATED, UNJ THREAD [CUST: AR AS 99 IS] | A 5310 | IS | 30-OCT-91 | |
| SAE-AS3479B | NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI FTU, 800 DEG. F [CUST: AR AS 99 IS] | A 5310 | IS | NOV-94 | |
| SAE-AS3480A | NUT, SELF-LOCKING, PLATE, ONE LUG, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 DEG F. [CUST: AR AS 99 IS] | A 5310 | IS | NOV-94 | |
| SAE-AS3481B | NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286 CLASS 125 KSI/ 800 DEG. F [CUST: AR AS 99 IS] | A 5310 | IS | NOV-94 | |
| SAE-AS3482A | NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 DEG F [CUST: AR AS 99 IS] | A 5310 | IS | NOV-94 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|---|-----------------------|-----|-------------|-----------|
| A SAE-AS3483A | NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, UNS S66286, CLASS: 125 KSI/800 DEG F [CUST: AR AS 99 IS] | A 5310 | IS | | NOV-94 |
| SAE-AS3485 | NUT, SELF-LOCKING, 12 POINT, REDUCED HEIGHT, SILVER PLATE, UNS S66285 [CUST: AR AS 99 IS] | A 5310 | IS | | 24-APR-92 |
| A SAE-AS3486A | NUT, SELF-LOCKING, EXTENDED DOUBLE HEXAGON, REDUCED FLANGE, DRY FILM LUBE, UNS S66286, CLASS: 160 KSI/800 DEG F [CUST: AR AS 99 IS] | A 5310 | IS | | OCT-95 |
| SAE-AS3490 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .375-16 UNJC-3A MOD X .3125-24 UNJC-3A (UNS S66286) [CUST: AR AS 99 IS] | A 5307 | IS | | 02-NOV-92 |
| SAE-AS3491 | GASKET - TYPE X OR XV ENGINE ACCESSORY DRIVE [CUST: AV AS 11 IS] | A 5330 | IS | | 23-MAR-93 |
| SAE-AS3492 | GASKET - TYPE XI ENGINE ACCESSORY DRIVE [CUST: AV AS 11 IS] | A 5330 | IS | | 23-MAR-93 |
| SAE-AS3493 | GASKET - TYPE XII, XIV A AND XIV B ENGINE ACCESSORY DRIVE [CUST: AV AS 11 IS] | A 5330 | IS | | 23-MAR-93 |
| SAE-AS3494 | GASKET - TYPE XIII ENGINE ACCESSORY DRIVE [CUST: AV AS 11 IS] | A 5330 | IS | | 23-MAR-93 |
| SAE-AS3495 | GASKET - TYPE XIV-C ENGINE ACCESSORY DRIVE [CUST: AV AS 11 IS] | A 5330 | IS | | 23-MAR-93 |
| SAE-AS3496 | GASKET - TYPE XVI ENGINE ACCESSORY DRIVE [CUST: AS 11 IS] | A 5330 | IS | | 23-MAR-93 |
| SAE-AS3497 | GASKET-TYPE XIX ENGINE ACCESSORY DRIVE [CUST: AS 11 IS] | A 5330 | IS | | 23-MAR-93 |
| SAE-AS3498 | GASKET - ENGINE ACCESSORY DRIVE [CUST: AV AS 11 IS] | A 5330 | IS | | 23-MAR-93 |
| SAE-AS3504 | INSERT - THIN WALL, SHORT SELF-LOCKING, 1025 DEG. F, SILVER PLATED UNS N07718, UNJ THREAD [CUST: AR AS 99 IS] | A 5340 | IS | | 08-FEB-93 |
| A SAE-AS3505 | INSERT - THIN WALL, LONG SELF-LOCKING, 1025 DEG. F, SILVER PLATED, UNS N07718, UNJ THREAD [CUST: AR AS 99 IS] | A 5340 | IS | | 08-FEB-93 |
| SAE-AS3506 | SCREW THREAD, INSERT, THIN WALL, SELF LOCKING UNS N07718, SILVER PLATED, CLASS: 185 KSI/1025 DEG. F, PROCUREMENT SPECIFICATION [CUST: AR YD1 99 IS] | A 5340 | IS | | DEC-95 |
| A SAE-AS3510A | CABLE, SAFETY, KIT - CORROSION, AND HEAT RESISTANT STEEL, UNS S32100 [CUST: AV 99] [REVIEW: 82 AR AS] | A 5340 | AV | | NOV-95 |
| A SAE-AS3511A | CABLE, SAFETY, KIT - CORROSION RESISTANT STEEL, UNS S30400 [CUST: AV 99] [REVIEW: 82 AR AS] | A 5340 | AV | | NOV-95 |
| SAE-AS3547 | NUT AND CLIP ASSEMBLY, REMOVABLE SELF-LOCKING NUT, UNS S66286 [CUST: AR SH 99 IS] | A 5310 | IS | | MAY-95 |
| SAE-AS3548 | BASKET, REMOVABLE SELF-LOCKING NUT, UNS S66286 [CUST: AR SH 99 IS] | A 5310 | IS | | MAY-95 |
| SAE-AS3549 | SLEEVE, REMOVABLE SELF-LOCKING NUT, UNS S30403 [CUST: AR SH 99 IS] | A 5310 | IS | | MAY-95 |
| SAE-AS3550 | NUT, ASSEMBLY, PLATE REMOVABLE SELF-LOCKING NUT [CUST: AR SH 99 IS] | A 5310 | IS | | MAY-95 |
| SAE-AS3551 | O-RING SEAL AMS 7272, PACKING, PREFORMED [CUST: AV AS 99] | A 5330 | 82 | | NOV-94 |
| SAE-AS3569 | PACKING, PREFORMED - O-RING SEAL AMS 7270 [CUST: MR AS 11 IS] | A 5330 | IS | | NOV-95 |
| SAE-AS3570 | PACKING, PREFORMED - O-RING SEAL AMS 7274 [CUST: AV AS 99 IS] | A 5330 | IS | | NOV-95 |
| SAE-AS3574 | BOLT, SHEAR-DOUBLE HEX HEAD, UNS N07718 - 185 KSI [CUST: AS 99 IS] | A 5306 | IS | | MAY-96 |
| SAE-AS3577 | PIN, SPRING - TUBULAR, COILED STANDARD DUTY, UNS N07718 [CUST: AR AS 99 IS] | A 5315 | IS | | JUN-95 |
| SAE-AS3578 | PACKING, PREFORMED - O-RING SEAL AMS7271 [CUST: AV AS 11 IS] | A 5330 | IS | | MAY-96 |
| SAE-AS3580 | BOLT, MACHINE-DOUBLE HEX HEAD, PD SHANK, UNS N07718 - 185 KSI [CUST: AS 99 IS] | A 5306 | IS | | MAY-96 |
| SAE-AS3581 | PACKING, PREFORMED O-RING SEAL AMS 7259 [CUST: MR AS 11 IS] | A 5330 | IS | | NOV-96 |
| SAE-AS3582 | PACKING, PREFORMED O-RING SEAL AMS 3304 [CUST: MI AS 11 IS] | A 5330 | IS | | SEP-96 |
| SAE-AS3584 | PIN AND PLUG, EXPANSION, KIT CRES, 416, LONG [CUST: AR AS 99 IS] | A 5340 | IS | | JUN 96 |
| SAE-AS3585 | PIN AND PLUG, EXPANSION, KIT CRES, 416, SHORT [CUST: AR AS 99 IS] | A 5340 | IS | | JUN 96 |
| SAE-AS3586 | PIN AND PLUG, EXPANSION, KIT CRES, 303, LONG [CUST: AR AS 99 IS] | A 5340 | IS | | JUN 96 |
| SAE-AS3587 | PIN AND PLUG, EXPANSION, KIT CRES, 303, SHORT [CUST: AR AS 99 IS] | A 5340 | IS | | JUN 96 |
| SAE-AS3588 | PIN AND PLUG, EXPANSION, KIT AL ALLOY 2024, SHORT [CUST: AR AS 99 IS] | A 5340 | IS | | JUN 96 |
| SAE-AS3589 | PIN AND PLUG, EXPANSION, KIT AL ALLOY 2024, LONG [CUST: AR AS 99 IS] | A 5340 | IS | | JUN 96 |
| SAE-AS4059B | FLUIDS, HYDRAULIC, AEROSPACE-CLEANLINESS CLASSIFICATION FOR [CUST: AV AS 99] [REVIEW: 71 CC MC MI] | A 1650 | AS | | MAR-95 |
| A SAE-AS4099A | ADAPTER, ASSEMBLY - PORT CONNECTION RING LOCKED TO FLARELESS TUBE END [CUST: AV AS 99] [REVIEW: 82 AR AT CC MC MI SH] | A 4730 | AS | | JAN-94 |
| SAE-AS4149 | CLAMP, LOOP-CUSHIONED, INTEGRAL LOCK [CUST: AR AS 99 IS] | A 5340 | IS | | 23-SEP-88 |
| A SAE-AS4167A | WRENCHES: FLARE NUT, CROWFOOT, 12-POINT NONDISTORTING [CUST: AV] | A 5120 | AV | | 31-MAR-93 |
| SAE-AS4194 | TITANIUM ALLOY PARTS, SURFACE PREPARATION FOR STRUCTURAL ADHESIVE BONDING [CUST: MR AS 11 IS] | A 9515 | IS | | 01 APR-91 |
| A SAE-AS4283A | HANDLES AND ATTACHMENTS FOR HAND SOCKETS WRENCHES [CUST: AV] | A 5120 | AV | | MAY-94 |
| SAE-AS4299 | RINGS, RETAINING - SPIRAL WOUND, UNIFORM SECTION CORROSION AND HEAT RESISTANT, UNS S66286 [CUST: AR YD1 99 IS] | A 5365 | IS | | 30-OCT-91 |
| A SAE-AS4330 | TUBING, FLARED, STANDARD DIMENSIONS FOR, DESIGN STANDARD [CUST: AV AS 82 CC] | A 4730 | AS | | 24-AUG-93 |
| SAE-AS4389 | NUT, SELF-LOCKING, CLINCH, SERRATED SHANK, HOLE PREPARATION, INSTALLATION AND REMOVAL PROCEDURES [CUST: AR AS 99 IS] | A 5310 | IS | | 19-OCT-92 |
| SAE-AS4393 | NUT, SELF-LOCKING, UNS S66286, 1200 DEG. F, 160 000 PSI, UNJ THREAD [CUST: AR AS 99 IS] | A 5310 | IS | | 16-AUG-91 |
| SAE-AS4395 | TUBE CONNECTION, FITTING END - FLARED, DESIGN STANDARD [CUST: AR AS 99] [REVIEW: CC] | A 4730 | 82 | | 18-OCT-91 |
| SAE-AS4396 | TUBE CONNECTION, BULKHEAD FLARED, FITTING END, DESIGN STANDARD [CUST: AS 99] [REVIEW: AR CC] | A 4730 | 82 | | 18-OCT-91 |
| SAE-AS4417 | NUT, SELF-LOCKING, ALLOY, CORROSION AND HEAT RESISTANT HIGH STRENGTH, ALL METAL, DRY FILM LUBRICATED, 1400 DEG. F (750 DEG. C), PROCUREMENT SPECIFICATION [CUST: AR AS 99 IS] | A 5310 | IS | | 26-AUG-92 |
| SAE-AS4506 | BOLTS AND SCREWS, STEEL, CORROSION AND HEAT RESISTANT, PRECIPITATION HEAT TREATED BEFORE ROLL THREADED 160 000 PSI MINIMUM TENSILE STRENGTH [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 29-DEC-92 |
| SAE-AS4702A | NUT, RETAINED, SHORT FLARELESS [CUST: AR YD1 99 IS] | A 5310 | IS | | DEC-94 |
| SAE-AS4710 | BUS-PI [CUST: AS 11] | A MCCR | 11 | | 10-MAY-93 |
| A SAE-AS4716 | GLAND DESIGN, O-RING AND OTHER ELASTOMERIC SEALS [CUST: AV SH 99] [REVIEW: 71 82 AS MC MI MR] | A 1650 | SH | | 11-JUN-93 |
| SAE-AS4841 | FITTINGS, 37 DEG. FLARED, FLUID CONNECTION [CUST: AR AS 99 CC] [REVIEW: 82 AV EA GL MI] | A 4730 | CC | | MAY-95 |
| SAE-AS4842 | FITTINGS AND BOSSES, PIPE THREADED, FLUID CONNECTION [CUST: AR AS 99 CC] [REVIEW: 82 AV EA GL MI] | A 4730 | CC | | MAY-95 |
| SAE-AS4842/1 | FITTINGS, 37 DEG. FLARED TO PIPE THREADED, FLUID CONNECTION [CUST: AR AS 99 CC] [REVIEW: 82 AV EA GL MI] | A 4730 | CC | | MAY-95 |
| SAE-AS4843 | FITTINGS, BEADED, FLUID CONNECTION [CUST: AR AS 99 CC] [REVIEW: 82 AV EA GL MI] | A 4730 | CC | | MAY-95 |
| SAE-AS4843/1 | FITTINGS, BEADED TO 37 DEG. FLARED, FLUID CONNECTION [CUST: AR AS 99 CC] [REVIEW: 82 AV EA GL MI] | A 4730 | CC | | MAY-95 |
| SAE-AS4843/2 | FITTINGS, BEADED TO PIPE THREADED, FLUID CONNECTION [CUST: AR AS 99 CC] [REVIEW: 82 AV EA GL MI] | A 4730 | CC | | MAY-96 |
| SAE-AS4875 | FITTINGS, STRAIGHT THREADED BOSS OR FLANGED, FLUID CONNECTION [CUST: AR AS 99 CC] [REVIEW: 82 AV EA GL MI] | A 4730 | CC | | MAY-95 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|------------|------------------|--|-----------------------|-----|-------------|-----------|
| | SAE-AS4875/1 | FITTINGS, STRAIGHT THREAD BOSS OR FLANGED TO 37 DEG. FLARED, FLUID CONNECTION [CUST: AR AS 99 CC] [REVIEW: 82 AV EA GL MI] | A 4730 | CC | | MAY-95 |
| | SAE-AS4875/2 | FITTING, FLANGED TO BEADED, FLUID CONNECTION [CUST: AR AS 99 CC] [REVIEW: 82 AV EA GL MI] | A 4730 | CC | | MAY-95 |
| | SAE-AS4877A | BOLTS AND SCREWS, NICKEL ALLOY UNS N07718, CLASSIFICATION: 185 KSI/1200 DEG. F PROCUREMENT SPECIFICATION [CUST: AS 99 IS] | A 5306 | IS | | SEP-96 |
| | SAE-AS4983 | PINS, SPRING, TUBULAR, COILED CORROSION RESISTANT NICKEL BASE ALLOY [CUST: AR AS 99 IS] | A 5315 | IS | | JUN-95 |
| M | SAE-AS5017 | AIR FILLING VALVES [CUST: SM AS 69] [REVIEW: 70 71 80 82 84 99 AR AT MI SA] | A 8145 | 69 | | MAR-97 |
| A | SAE-AS5135 | DESICCANT PORT AND DESICCANT HOLDER [CUST: SM AS 69] [REVIEW: 70 71 80 82 84 99 AR AT MI SA] | A 8145 | 11 | | 25-NOV-97 |
| M | SAE-AS5372 | FUSE, CURRENT LIMITER TYPE, AIRCRAFT [CUST: AS] | A 5920 | AS | | DEC-97 |
| A | SAE-AS5778 | COVERS, AIRCRAFT COMPONENTS [CUST: AV AS 99] | A 1730 | AS | | AUG-97 |
| A | SAE-AS5813 | TUBE - PITOT, ELECTRICALLY HEATED [CUST: AV AS 11] | A 6610 | AS | | FEB-98 |
| A | SAE-AS5823 | CARD-COMPASS CORRECTION [CUST: AV AS 11] | A 6610 | AS | | FEB-98 |
| A | SAE-AS6039 | BEARINGS, BALL, ROD END, DOUBLE ROW, SELF-ALIGNING [CUST: AV AS 99 IS] | A 3110 | IS | | OCT-97 |
| A | SAE-AS6144 | SOUND AND THERMAL INSULATION FOR AIRCRAFT, GENERAL SPECIFICATION FOR THE INSTALLATION OF [CUST: AV AS] | A 1560 | AS | | 30-SEP-97 |
| A | SAE-AS6480 | CARGO, TIE DOWN, AIRCRAFT, TYPE C-2 [CUST: GL AS 99] | A 1670 | AS | | AUG-97 |
| A | SAE-AS6625 | EQUIPMENT, SPRAY, AIRCRAFT WINDSHIELD, ANTI-ICING [CUST: AV AS] | A 6850 | AS | | AUG-97 |
| A | SAE-AS6852 | SPlice, CONDUCTOR, ELECTRIC, DISCONNECT [CUST: CR AS 85] | A 5940 | AS | | AUG-97 |
| | SAE-AS7220 | ALUMINUM RIVETS, UNS A91100, 99AL (1100-H14) [CUST: AR AS 99 IS] | A 5320 | IS | | 10-OCT-91 |
| | SAE-AS7222 | ALUMINUM RIVETS, UNS A92117 2.5CU - 0.3MG (2117-T4) [CUST: AR AS 99 IS] | A 5320 | IS | | 10-SEP-91 |
| | SAE-AS7225 | RIVETS, CARBON STEEL [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5320 | IS | | 06-OCT-92 |
| | SAE-AS7228 | RIVETS, STEEL, CORROSION RESISTANT 18CR-9NI SOLUTION HEAT TREATED PROCUREMENT, SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5320 | IS | | 9-OCT-92 |
| | SAE-AS7229 | RIVETS, STEEL, CORROSION AND HEAT-RESISTANT 18CR-10.5NI-0.70 (CB + TA) SOLUTION HEAT TREATED PROCUREMENT, SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5320 | IS | | 9-OCT-92 |
| | SAE-AS7232 | RIVETS, SOLID AND TUBULAR, NICKEL ALLOY CORROSION AND HEAT RESISTANT 74NI - 15.5CR - 8.0 FE PROCUREMENT SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5320 | IS | | 06-OCT-92 |
| | SAE-AS7233 | RIVETS, SOLID, UNS N04400, CORROSION RESISTANT 67NI - 31CU, PROCUREMENT SPECIFICATION FOR [CUST: AR AS 99 IS] | A 5320 | IS | | 24-APR-92 |
| | SAE-AS7234 NOT 1 | RIVETS, BLIND, CORROSION RESISTANT ALLOY 67NI - 31CU, PROCUREMENT SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5320 | IS | | 13-JUL-93 |
| | SAE-AS7235 | RIVETS, UNS S66286, STEEL, CORROSION AND HEAT RESISTANT, 80 KSI SHEAR STRENGTH, PROCUREMENT SPECIFICATION FOR [CUST: AR AS 99 IS] | A 5320 | IS | | 02-APR-93 |
| | SAE-AS7236 | RIVETS, ALLOY, CORROSION AND HEAT RESISTANT 52CO-20CR-10NI-15W, SOLUTION HEAT TREATED PROCUREMENT SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5320 | IS | | 22-OCT-92 |
| | SAE-AS7237 | RIVETS, NICKEL ALLOY, CORROSION AND HEAT RESISTANT 47.5NI-22CR-1.5CO-9.0MO-0.60W-18.5FE SOLUTION HEAT TREATED PROCUREMENT SPECIFICATION FOR [CUST: AR AS 99 IS] | A 5320 | IS | | 08-OCT-92 |
| | SAE-AS7245 | INSERTS, SCREW THREAD, HELICAL COIL 19CR-9.2NI, CORROSION RESISTANT STEEL, PROCUREMENT SPECIFICATION FOR [CUST: AV 99] [REVIEW: AR AT CR CR4 GL SH] | A 5340 | 82 | | 15 JAN 93 |
| | SAE-AS7246 | INSERTS, SCREW THREAD, HELICAL COIL 72NI-15.5CR-0.05(CB+TA)-2.5TI-0.70AI-7.0FE CORROSION AND HEAT RESISTANT ALLOY, PROCUREMENT SPECIFICATION FOR [CUST: AV 99] [REVIEW: AR AT CR CR4 GL] | A 5340 | 82 | | 29-JAN-93 |
| | SAE-AS7250 | NUTS, SELF-LOCKING, STEEL, CORROSION AND HEAT RESISTANT HIGH STRENGTH, ALL METAL 1200 DEG. F USE, UN THREAD FORM [CUST: AR AS 99 IS] | A 5310 | IS | | 23-DEC-91 |
| | SAE-AS7251 | NUT, SELF-LOCKING, STEEL, CORROSION AND HEAT RESISTANT HIGH STRENGTH, ALL METAL 1200 DEG. F USE, UN THREAD FORM [CUST: AR AS 99 IS] | A 5310 | IS | | 30-OCT-91 |
| | SAE-AS7253 | NUTS, SELF-LOCKING, NICKEL ALLOY, UNS N07001 180 000 PSI, ALL METAL 1400 DEG. F USE, UN THREAD FORM [CUST: AR AS 99 IS] | A 5310 | IS | | 23-DEC-91 |
| A | SAE-AS7283 | GASKETS, TYPE XX ENGINE ACCESSORY DRIVE CORROSION RESISTANT STEEL SCREEN REINFORCED CONTROLLED PERFORMANCE [CUST: AS 11 IS] | A 5330 | IS | | 20-NOV-91 |
| | SAE-AS7325A | GASKET, METAL O-RING CORROSION AND HEAT RESISTANT STEEL PROCUREMENT SPECIFICATION FOR [CUST: MR AS 11 IS] | A 5330 | IS | | DEC-94 |
| | SAE-AS7452 | BOLTS AND SCREWS, STEEL, LOW ALLOY HEAT TREATED, ROLL THREADED [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 15-FEB-91 |
| | SAE-AS7454 | BOLTS AND SCREWS, STEEL, LOW ALLOY, HEAT RESISTANT, 135 000 PSI TENSILE STRENGTH, NORMALIZED AND TEMPERED, ROLL THREADED [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 15-FEB-91 |
| | SAE-AS7455 NOT 1 | BOLTS AND SCREWS, STEEL, LOW ALLOY, HEAT RESISTANT, HARDENED AND TEMPERED, ROLL THREADED [CUST: AR AS 99] [REVIEW: 82 AV] | A 5306 | IS | | 09-AUG-93 |
| | SAE-AS7456 | STUDS, STEEL, LOW ALLOY, HEAT TREATED, ROLL THREADED [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5307 | IS | | 19-FEB-91 |
| | SAE-AS7458 | STUDS, STEEL, LOW ALLOY, HEAT RESISTANT, NORMALIZED AND TEMPERED, ROLL THREADED 135 000 PSI TENSILE STRENGTH [CUST: AR AS 99 IS] | A 5307 | IS | | 19-FEB-91 |
| | SAE-AS7459 | BOLTS AND SCREWS, STEEL, LOW ALLOY, HEAT RESISTANT, 195 000 PSI TENSILE STRENGTH, HARDENED AND TEMPERED, ROLL THREADED [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 19-FEB-91 |
| | SAE-AS7460 | BOLTS AND SCREWS, TITANIUM ALLOY 6AL-4V, PROCUREMENT SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 10-JUN-92 |
| | SAE-AS7461 | BOLTS AND SCREWS, TITANIUM ALLOY 6AL-4V, FATIGUE-RATED, PROCUREMENT SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 15-MAY-92 |
| | SAE-AS7466 | BOLTS AND SCREWS, NICKEL ALLOY, CORROSION HEAT RESISTANT, FORGED HEAD, ROLL THREADED, FATIGUE RATED [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | 22-JAN-91 |
| | SAE-AS7467 | BOLTS AND SCREWS, NICKEL ALLOY, CORROSION AND HEAT RESISTANT, FORGED HEAD, ROLL THREADED, STRESS-RUPTURE RATED [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | 22-JAN-91 |
| | SAE-AS7468 | BOLTS AND SCREWS, COBALT-CHROMIUM-NICKEL ALLOY, CORROSION RESISTANT FORGED HEAD, ROLL THREADED AFTER AGING, FATIGUE RATED [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | 17-JAN-91 |
| | SAE-AS7469 | BOLTS AND SCREWS, UNS N07041 NICKEL ALLOY, CORROSION AND HEAT RESISTANT, 155 KSI, PROCUREMENT SPECIFICATION [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 07-APR-93 |
| | SAE-AS7470 | BOLTS AND SCREWS, STEEL, CORROSION AND MODERATE HEAT RESISTANT, HEAT TREATED, ROLL THREADED [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 28-FEB-91 |
| A | SAE-AS7471A | BOLTS AND SCREWS, NICKEL ALLOY, UNS N07001 CORROSION AND HEAT RESISTANT PROCUREMENT SPECIFICATION [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | SEP-95 |
| | SAE-AS7472 | BOLTS AND SCREWS, STEEL, CORROSION RESISTANT 125 000 PSI TENSILE STRENGTH ROLL THREADED [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | 17-JAN-91 |
| A | SAE-AS7473A | BOLTS AND SCREWS ROLL THREADED [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 18-MAR-93 |
| A | SAE-AS7474B | BOLTS AND SCREWS, STEEL, CORROSION RESISTANT, UNS S17400 TENSILE STRENGTH 140 KSI PROCUREMENT SPECIFICATION [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | DEC-95 |
| | SAE-AS7475 | BOLTS AND SCREWS, WORK-STRENGTHENED ALLOY CORROSION AND HEAT RESISTANT, FORGED HEAD, ROLL THREADED AFTER AGING [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | 17-JAN-91 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|---------------------------|--|-----------------------|-----|-------------|-----------|
| A | SAE-AS7477B | BOLTS AND SCREWS, STEEL, UNS S66286 TENSILE STRENGTH 130 KSI, PROCUREMENT SPECIFICATION [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | NOV-95 |
| A | SAE-AS7478A | BOLTS AND SCREWS, STEEL, UNS S66286 CLASSIFICATION: 130 KSI/1200 DEG F 1800 DEG F SOLUTION HEAT TREATED, AGED AFTER ROLL THREADED [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | JUN-95 |
| | SAE-AS7479 | BOLTS AND SCREWS, STEEL, CORROSION AND HEAT RESISTANT, 1650 DEG. F SOLUTION HEAT TREATED, PRECIPITATION HEAT TREATED BEFORE ROLL THREADED [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | 09-JAN-91 |
| A | SAE-AS7481A | STUDS, STEEL, UNS S66286 AGED AFTER ROLL THREADED PROCUREMENT SPECIFICATION FOR [CUST: MR AS 11 IS] | A 5307 | IS | | OCT 96 |
| | SAE-AS7482 | STUDS, STEEL, CORROSION AND HEAT RESISTANT 1800 DEG. F SOLUTION HEAT TREATED PRECIPITATION HEAT TREATED BEFORE ROLL THREADED [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5307 | IS | | 07-JAN-91 |
| A | SAE-AS8090 | EQUIPMENT, TOWED AEROSPACE GROUND, MOBILITY [CUST: AT AS 99] | A 2420 | AS | | AUG-97 |
| A | SAE-AS8181 | DETECTOR, ICE, AIR INTAKE DUCT, AIRCRAFT ENGINES AND AIRFRAME SYSTEMS [CUST: AV AS 11] | A 6340 | AS | | AUG-97 |
| A | SAE-AS8712 | VALVE; AIR RELIEF, LOW PRESSURE [CUST: AV AS 82] [REVIEW: CC] | A 4820 | AS | | AUG-97 |
| A | SAE-AS8791 | RETAINER, PACKING, HYDRAULIC, AND PNEUMATIC, TETRAFLUOROETHYLENE RESIN [CUST: MR AS 99 IS] | A 5330 | IS | | OCT-97 |
| A | SAE-AS8791/1 | RETAINER, PACKING, HYDRAULIC AND PNEUMATIC, POLYTETRAFLUOROETHYLENE, SINGLE TURN [CUST: MR AS 99 IS] | A 5330 | IS | | JAN-97 |
| A | SAE-AS8796 | HOSE, AIR DUCT, FLEXIBLE, AIRCRAFT [CUST: AV AS 99 CC] | A 4720 | AS | | FEB-98 |
| A | SAE-AS8804 | DEICING SYSTEM, PNEUMATIC BOOT, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: CC] | A 1650 | AS | | 30-SEP-97 |
| N | SAE-AS9353 | CLAMP, LOOP - ALUMINUM, .204 HOLE [CUST: AS IS] | A 5340 | IS | | JAN-98 |
| N | SAE-AS9391 | CLAMP, LOOP - MULTIPLE TUBE, DETACHABLE CUSHION, AMS 5510 [CUST: AV AS 99 IS] | A 5340 | IS | | JAN-98 |
| A | SAE-AS9600 | BRACKET, ANGLE, 90 DEG, CRES. .190 BOLT [CUST: 11 IS] | A 5340 | IS | | JAN-98 |
| A | SAE-AS9603 | BRACKET, ANGLE, 90 DEG, CRES. .190 X .375 BOLT [CUST: 11 IS] | A 5340 | IS | | JAN-98 |
| A | SAE-AS14102 | BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, CHAMFERED OUTER RING, -65 DEGREES F TO 325 DEGREES F [CUST: AV AS 99] | A 3120 | AS | | AUG-97 |
| A | SAE-AS14103 | BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, GROOVED OUTER RING, -65 DEGREES F TO 325 DEGREES F [CUST: AV AS 99] | A 3120 | AS | | AUG-97 |
| A | SAE-AS14104 | BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, NARROW, CHAMFERED OUTER RING, -65 DEGREES F TO 325 DEGREES F [CUST: AV AS 99] | A 3120 | AS | | AUG-97 |
| A | SAE-AS14105 | CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH PULL, 25 THRU 35 AMPS, TYPE I -55 TO +121 DEGREES C [CUST: CR AS 85] | A 5925 | AS | | AUG-97 |
| A | SAE-AS14153 | CIRCUIT BREAKER - AIRCRAFT, TRIP -FREE, PUSH-PULL 3 PHASE, 1 THRU 35 AMP, TYPE I [CUST: CR AS 85] | A 5925 | AS | | AUG-97 |
| A | SAE-AS14154 | CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH-PULL, 3 PHASE, 1 THRU 20 AMP, TYPE I [CUST: CR AS 85] | A 5925 | AS | | AUG-97 |
| A | SAE-AS14227 | LOCK, ROD END, IMPROVED STRENGTH, NAS LUG [CUST: AV AS 99] | A 5340 | AS | | AUG-97 |
| A | SAE-AS14237 | BUSHING, SLEEVE PLAIN, PRESS FIT, REAM TYPE [CUST: AV AS 99] | A 3120 | AS | | AUG-97 |
| A | SAE-AS14238 | BUSHING, SLEEVE FLANGED, PRESS FIT, REAM TYPE [CUST: AV AS 99] | A 3120 | AS | | AUG-97 |
| A | SAE-AS17107 | BALL, BEARING, ANNULAR, PRIMARILY FOR AIRCRAFT MOTOR-GENERATORS TYPE I [CUST: AT AS 99] | A 3110 | AS | | AUG-97 |
| A | SAE-AS17143 | TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, TYPE II, CLASS 1 FOR 105 DEGREES C TOTAL CONDUCTOR TEMPERATURE [CUST: AS] | A 5940 | AS | | AUG-97 |
| A | SAE-AS17184 | SCREW, EXTERNALLY RELEIVED BODY (SYNCHRO) [CUST: AS] | A 5990 | AS | | AUG-97 |
| A | SAE-AS18259 | WINDOW, INSTALLATION OF, ANTI-ICING, DE-GREASING, AND WASHING SYSTEMS [CUST: AV AS 99] | A 15GP | AS | | AUG-97 |
| A | SAE-AS18607 | THERMAL ANTI-ICING EQUIPMENT, WING AND EMPENNAGE [CUST: AV AS 82] [REVIEW: CC] | A 1650 | AS | | AUG-97 |
| A | SAE-AS18802 | FUEL AND OIL LINES, AIRCRAFT, INSTALLATION OF [CUST: AV AS] | A 2915 | AS | | JAN-98 |
| A | SAE-AS21985 | WHEELS - CUSHION TREAD (SEMI-PNEUMATIC) FOR MOBILE GROUND SUPPORT EQUIPMENT [CUST: AS] | A 2530 | AS | | FEB-98 |
| A | SAE-AS25481 | CABLE ASSEMBLIES, ELECTRIC POWER, FOR PORTABLE GROUND SUPPORT TEST EQUIPMENT [CUST: AS] | A 6150 | AS | | AUG-97 |
| A | SAE-AS31091 | BOOTS, HEAT-SHRINKABLE, STRAIN-RELIEF, STRAIGHT [CUST: AS] | A 5970 | AS | | OCT-97 |
| A | SAE-AS31171 | BOOTS, HEAT-SHRINKABLE, STRAIN-RELIEF, RIGHT ANGLE [CUST: AS] | A 5970 | AS | | OCT-97 |
| A | SAE-AS31971 | PIN, GAGE, FOR SOCKET CONTACT ENGAGEMENT TEST [CUST: CR AS 85] | A 5970 | AS | | OCT-97 |
| A | SAE-AS33583 | TUBING END DOUBLE FLARE, STANDARD DIMENSIONS FOR [CUST: AV AS 82] [REVIEW: CC] | A 4730 | AS | | DEC-97 |
| A | SAE-AS33611 | TUBE BEND RADII [CUST: AV AS 99] | A 4710 | AS | | AUG-97 |
| A | SAE-AS33681 | STRAP, TIEDOWN, ELECTRICAL COMPONENTS, IDENTIFICATION, ADJUSTABLE, SELF-CLINCHING, PLASTIC, TYPE II, CLASS I [CUST: CR AS 85] | A 5975 | AS | | AUG-97 |
| A | SAE-AS33731 | STRIP, MOUNTING, NUT INSULATING, FOR MS27212 TERMINAL BOARD [CUST: CR AS 11] | A 5940 | AS | | AUG-97 |
| A | SAE-AS33931 | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, HYDRAULIC, -65 DEGREES F TO +275 DEGREES F [CUST: MR AS 99] | A 5330 | AS | | AUG-97 |
| N | SAE-AS81935 | BEARINGS, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 11 AR AT GS MI SH] | A 3120 | AS | | NOV-97 |
| N | SAE-AS81935/1 | BEARINGS, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, WIDE, EXTERNALLY THREADED, -65 TO +325 DEG F [CUST: AV AS 99] [REVIEW: 11 AR AT GS MI SH] | A 3120 | AS | | MAR-98 |
| N | SAE-AS81935/2 | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, WIDE, INTERNALLY THREADED, -65 DEG F TO +325 DEG F [CUST: AV AS 99] [REVIEW: 11 AR AT GS MI SH] | A 3120 | AS | | MAR-98 |
| N | SAE-AS81935/3 | LOCKING DEVICES (FOR ROD END BEARINGS) [CUST: AV AS 99] [REVIEW: 11 AR AT GS MI SH] | A 5340 | AS | | MAR-98 |
| N | SAE-AS81935/4 | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, NARROW, EXTERNALLY THREADED, -65 DEG F TO +325 DEG F [CUST: AV AS 99] [REVIEW: 11 AR AT GS MI SH] | A 3120 | AS | | MAR-98 |
| N | SAE-AS81935/5 | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, NARROW, INTERNALLY THREADED, -65 DEG F TO +325 DEG F [CUST: AV AS 99] [REVIEW: 11 AR AT GS MI SH] | A 3120 | AS | | MAR-98 |
| | SAE-AS125101THRUAS125250A | RIVET - 100 DEG. COUNTERSUNK HEAD, MILD STEEL [CUST: AR AS 99 IS] | A 5320 | IS | | MAY-74 |
| | SAE-AS125251THRUAS125400A | RIVET - 100 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY [CUST: AR AS 99 IS] | A 5320 | IS | | 01-MAY-74 |
| | SAE-AS125701THRUAS125850A | RIVET - UNIVERSAL HEAD, ALUMINUM ALLOY [CUST: AR AS 99 IS] | A 5320 | IS | | MAY-74 |
| | SAE-J10-90 | AUTOMOTIVE AND OFF-HIGHWAY AIR BRAKE RESERVOIR PERFORMANCE AND IDENTIFICATION REQUIREMENTS [CUST: AT YD1 99] | A 2530 | AT | | 05-OCT-90 |
| | SAE-J20-94 | HOSES, COOLANT SYSTEM [CUST: 99 CC] [REVIEW: 82 CR4 SA SH] | A 4720 | CC | | 13-MAY-94 |
| | SAE-J29-72 | PLASTIC MATERIAL FOR USE IN HOUSINGS OF MOTOR VEHICLE LIGHTING DEVICES [CUST: AT GS] | A 9330 | GS | | JAN 72 |
| | SAE-J30-93 | FUEL AND OIL HOSES [CUST: CR4 SH 99] | A 4720 | CR4 | | 09-DEC-93 |
| A | SAE-J53 | MACHINES, WHEELED EARTHMOVING CONSTRUCTION, MINIMUM PERFORMANCE CRITERIA FOR EMERGENCY STEERING OF [CUST: CR4 YD1 84] | A 3805 | CR4 | | DEC-78 |
| | SAE-J78-78R79 | STEEL SELF-DRILLING TAPPING SCREWS [CUST: AR SH 99 IS] | A 5305 | IS | | JUL-72 |
| | SAE-J81-79 | SCREWS, THREAD ROLLING [CUST: AR SH 99 IS] | A 5305 | IS | | JUN-79 |
| | SAE-J88-95 | MACHINES, OFF-ROAD WORK, -EXTERIOR, SOUND MEASUREMENT - [CUST: AT YD1] [REVIEW: MC MD MI] | A HFAC | AT | | APR-95 |
| | SAE-J89-85R95 | SNOWMOBILE SEATS, DYNAMIC CUSHIONING PERFORMANCE CRITERIA FOR [CUST: AT YD1 99] | A 2340 | AT | | JAN-85 |
| | SAE-J96-73R86 | LAMP, FLASHING WARNING, FOR INDUSTRIAL EQUIPMENT [CUST: CR4 SA 99] | A 6240 | SA | | MAY-73 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | SAE-J98-92 | MACHINES, INDUSTRIAL, PERSONNEL PROTECTION FOR GENERAL PURPOSE [CUST: CR4 AS 84] | A SAFT | 84 | | 25-NOV-92 |
| | SAE-J110-91 | SEALS - TESTING OF RADIAL LIP [CUST: AT 99] | A 5330 | AT | | 05-DEC-91 |
| | SAE-J121M-94 | DECARBURIZATION IN HARDENED AND TEMPERED METRIC THREADED FASTENERS [CUST: AR SH 11] | A THDS | SH | | 26-MAY-94 |
| | SAE-J121-96 | DECARBURIZATION IN HARDENED AND TEMPERED UNIFIED THREADED FASTENERS [CUST: AR SH 11] | A THDS | SH | | AUG-96 |
| | SAE-J122A-75 | NUTS, SURFACE DISCONTINUITIES ON [CUST: AR SH 99] | A 5310 | AR | | JUL-75 |
| | SAE-J123-94 | BOLTS, SCREWS, AND STUDS IN FATIGUE APPLICATIONS, SURFACE DISCONTINUITIES ON [CUST: AR SH 99 IS] | A 53GP | IS | | 22-MAR-94 |
| | SAE-J154-92 | OPERATOR SPACE ENVELOPE DIMENSIONS FOR OFF-ROAD MACHINES [CUST: CR4 SA 84] | A HFAC | CR4 | | 30-JUN-92 |
| | SAE-J159-85R94 | LOAD MOMENT SYSTEM [CUST: CR4 YD1 84] | A 3810 | 84 | | APR-85 |
| | SAE-J160-70R80 | BRAKE LININGS, SWELL, GROWTH, AND DIMENSIONAL STABILITY OF [CUST: AT 99] [REVIEW: YD1] | A 2530 | AT | | JUL-70 |
| A | SAE-J163-74 | WIRING, LOW TENSION, AND CABLE TERMINALS AND SPLICE CLIPS [CUST: AT 99 GS] | A 5940 | GS | | JAN-74 |
| | SAE-J164-91 | RADIATOR CAPS AND FILLER NECKS [CUST: AT CC] | A 2930 | CC | | 12-JUN-91 |
| | SAE-J180-87 | CONSTRUCTION AND INDUSTRIAL MACHINERY, ELECTRICAL CHARGING SYSTEMS FOR [CUST: CR4 SA 99] | A 6115 | SA | | MAY-87 |
| A | SAE-J183-96 | ENGINE OIL PERFORMANCE AND ENGINE SERVICE CLASSIFICATION (OTHER THAN "ENERGY CONSERVING") [CUST: AT AS 68] | A 9150 | AT | | 03-OCT-94 |
| | SAE-J184-70R87 | SYSTEM, ACQUISITION, QUALIFYING A SOUND DATA [CUST: MI AS 11] [REVIEW: 19 AL AT MD TE TM] | A HFAC | MI | | SEP-70 |
| | SAE-J185-88 | CONSTRUCTION AND INDUSTRIAL EQUIPMENT, ACCESS SYSTEMS FOR [CUST: AT 99] | A 6640 | AT | | JUN-88 |
| D | SAE-J186-89 | LAMPS TURN SIGNAL SUPPLEMENTAL HIGH MOUNTED STOP AND REAR FOR USE ON VEHICLE LESS THAN 2032 MM IN OVERALL WIDTH [CUST: AT IS] | A 6220 | IS | | DEC-89 |
| | SAE-J198-93 | WINDSHIELD WIPER SYSTEMS, TRUCKS, BUSES, AND MULTIPURPOSE VEHICLES [CUST: AT YD1 99] | A 2540 | AT | | JUN-93 |
| | SAE-J209-71R87 | CONSTRUCTION AND INDUSTRIAL EQUIPMENT, INSTRUMENT FACE DESIGN AND LOCATION FOR [CUST: CR4 SA 84] | A HFAC | CR4 | | MAR-71 |
| | SAE-J211 | IMPACT TEST, INSTRUMENTATION FOR [CUST: AV AS 99] | A 6635 | AS | | OCT-88 |
| D | SAE-J222-94 | LAMPS PARKING (FRONT POSITION LAMPS) [CUST: AT IS] | A 6220 | IS | | DEC-94 |
| | SAE-J231-81 | OBJECT, FALLING, PROTECTIVE STRUCTURE (FOPS), MINIMUM PERFORMANCE CRITERIA FOR [CUST: CR4 AS 84] | A SAFT | CR4 | | JAN-81 |
| | SAE-J238-73 | NUT AND CONICAL SPRING WASHER ASSEMBLIES [CUST: AR YD1 99 IS] | A 5310 | IS | | AUG-73 |
| | SAE-J246-96 | FITTINGS, TUBE, SPHERICAL AND FLANGED SLEEVE (COMPRESSION) [CUST: AR AS 99] [REVIEW: AT CR CR4 GL MC] | A 4730 | CC | | JAN-96 |
| | SAE-J267-91 | WHEELS/ RIMS- TRUCKS- TEST PROCEDURES AND PERFORMANCE REQUIREMENTS [CUST: AT YD1 99] [REVIEW: 84] | A 2530 | CC | | 08-JAN-91 |
| | SAE-J276-92 | TRACTORS AND LOADERS, STEERING FRAME LOCK FOR ARTICULATED [CUST: AR YD1 99] [REVIEW: IS] | A 5340 | YD1 | | 02-NOV-92 |
| | SAE-J293-95 | VEHICLE GRADE PARKING PERFORMANCE REQUIREMENTS [CUST: AT YD1 84] | A 23GP | 84 | | SEP-95 |
| A | SAE-J296-93 | EXCAVATOR, MINI-EXCAVATOR, AND BACKHOE HOE BUCKET VOLUMETRIC RATING [CUST: CR4 MC 99] | A 8115 | MC | | 04-JUN-93 |
| | SAE-J297-85R94 | OPERATOR CONTROLS ON INDUSTRIAL EQUIPMENT [CUST: CR4 YD1 99] | A 4210 | CR4 | | JUN-85 |
| A | SAE-J300-95 | ENGINE OIL VISCOSITY CLASSIFICATION [CUST: AT YD1 99] | A 9150 | AT | | 03-OCT-94 |
| | SAE-J318-67R80 | AIR BRAKE GLADHAND SERVICE (CONTROL) AND EMERGENCY (SUPPLY) LINE COUPLERS - TRUCKS, TRUCK-TRACTORS, AND TRAILERS [CUST: AT 99] [REVIEW: YD1] | A 2530 | CC | | NOV-67 |
| A | SAE-J321B-78 | TIRE GUARDS FOR PROTECTION OF OPERATOR OF EARTHMOVING HAULAGE MACHINES [CUST: AT YD1 99] | A 3805 | AT | | 03-OCT-94 |
| | SAE-J335-95 | ENGINE, MULTIPOSITION SMALL, EXHAUST SYSTEM FIRE IGNITION SUPPRESSION [CUST: CR4 YD1 99] | A 4210 | CR4 | | JUN-95 |
| | SAE-J336-88 | TRUCK CAB INTERIOR, SOUND LEVEL FOR [CUST: MI SA 84] | A HFAC | 84 | | OCT-88 |
| | SAE-J348-90 | WHEEL CHOCKS [CUST: AT YD1 99] | A 2530 | AT | | 26-JUN-90 |
| | SAE-J350-91 | ENGINES, MEDIUM SIZE, SPARK ARRESTER TEST PROCEDURE FOR [CUST: AT YD1 99] | A 2990 | AT | | 01-SEP-91 |
| | SAE-J356-96 | STEEL TUBING NORMALIZED FOR BENDING, DOUBLE FLARING, AND BEADING, WELDED FLASH CONTROLLED LOW CARBON [CUST: AL SA 99] | A 4710 | AL | | FEB-96 |
| | SAE-J360-95 | TRUCK AND BUS GRADE PARKING PERFORMANCE TEST PROCEDURE [CUST: AT YD1 84] | A 23GP | 84 | | SEP-95 |
| | SAE-J366-69R87 | TRUCKS AND BUSES, HEAVY, EXTERIOR SOUND LEVEL FOR [CUST: AT] | A 6625 | AT | | JUL-69 |
| | SAE-J369-89R94 | FLAMMABILITY OF POLYMERIC INTERIOR MATERIALS-HORIZONTAL TEST METHOD [CUST: AT YD1 99] | A 2510 | AT | | JUN-89 |
| | SAE-J375-68R94 | RADIUS-OF-LOAD OR BOOM ANGLE INDICATING SYSTEMS [CUST: CR4 YD1 84] | A 38GP | 84 | | DEC-68 |
| | SAE-J376-85 | LOAD INDICATING DEVICES IN LIFTING CRANE SERVICE [CUST: CR4 YD1 84] | A 38GP | 84 | | APR-85 |
| | SAE-J379A-72R96 | BRAKE LINING, GOGAN HARDNESS OF [CUST: AT 99] [REVIEW: YD1] | A 2530 | AT | | MAY-72 |
| | SAE-J380-69R93 | BRAKE LINING, SPECIFIC GRAVITY OF [CUST: AT 99] [REVIEW: YD1] | A 2530 | AT | | FEB-69 |
| | SAE-J381-94 | WINDSHIELD DEFROSTING SYSTEMS TEST PROCEDURE-TRUCKS, BUSES, AND MULTIPURPOSE VEHICLES [CUST: AT YD1 99] [REVIEW: CC] | A 2540 | AT | | 26-APR-94 |
| | SAE-J382-94 | WINDSHIELD DEFROSTING SYSTEMS PERFORMANCE REQUIREMENTS-TRUCKS, BUSES, AND MULTIPURPOSE VEHICLES [CUST: AT] [REVIEW: CC] | A 2540 | AT | | JUN-94 |
| A | SAE-J386-93 | MACHINES, OPERATOR RESTRAINT SYSTEM FOR OFF-ROAD WORK [CUST: AT YD1 99] [REVIEW: 84 CC] | A 2540 | YD1 | | 08-JUN-93 |
| | SAE-J403-95 | CHEMICAL COMPOSITIONS OF SAE CARBON STEELS [CUST: MR YD1 99] [REVIEW: IS] | A 95GP | YD1 | | AUG-95 |
| | SAE-J404-94 | CHEMICAL COMPOSITIONS OF SAE ALLOY STEELS [CUST: AT OS 99] [REVIEW: MR] | A 9630 | AT | | 04-APR-94 |
| | SAE-J423-83 | CASE DEPTH, METHODS OF MEASURING [CUST: MR YD1 11] [REVIEW: AS] | A NDTI | YD1 | | DEC-83 |
| | SAE-J429-83 | FASTENERS, EXTERNALLY THREADED, MECHANICAL AND MATERIAL REQUIREMENTS FOR [CUST: CR4 SH 84 IS] | A 53GP | IS | | AUG-83 |
| | SAE-J439A | TOOLS, SINTERED CARBIDE [CUST: MR YD1 99] [REVIEW: IS] | A 9510 | YD1 | | FEB-77 |
| A | SAE-J441-93 | WIRE, CUT, SHOT [CUST: MR YD1 84] | A 3455 | 84 | | 29-JUN-93 |
| | SAE-J492-68 | RIVETS AND RIVETING [CUST: CR4 AS 99 IS] | A 5320 | IS | | MAY-68 |
| | SAE-J506-51R95 | SLEEVE TYPE HALF BEARINGS [CUST: AV AS 11 IS] | A 3120 | IS | | JUN-51 |
| | SAE-J512-96 | AUTOMOTIVE TUBE FITTINGS [CUST: CR4 99 CC] [REVIEW: AT SH YD1] | A 4730 | CC | | JAN-96 |
| | SAE-J513-94 | TUBE FITTINGS, REFRIGERATION-GENERAL SPECIFICATIONS [CUST: 99 CC] [REVIEW: 82 YD1] | A 4730 | CC | | 31-MAY-94 |
| | SAE-J514-96 | TUBE, FITTINGS, HYDRAULIC [CUST: 99 CC] [REVIEW: 82 MC] | A 4730 | CC | | JUN-96 |
| | SAE-J516-94 | HOSE FITTINGS, HYDRAULIC [CUST: AT YD1] | A 4730 | AT | | JUL-94 |
| | SAE-J517-96 | HOSE, HYDRAULIC [CUST: CR4 YD1 99] | A 4720 | CR4 | | JUN-96 |
| | SAE-J518-93 | HYDRAULIC FLANGED TUBE, PIPE AND HOSE CONNECTIONS, FOUR-BOLT SPLIT FLANGE TYPE [CUST: AT 99] [REVIEW: CR4 SH] | A 4730 | CC | | 04-JUN-93 |
| | SAE-J524-96 | STEEL TUBING, SEAMLESS LOW CARBON, ANNEALED FOR BENDING AND FLARING [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4710 | YD1 | | FEB-96 |
| | SAE-J525-96 | STEEL TUBING ANNEALED FOR BENDING AND FLARING, WELDED AND COLD DRAWN LOW-CARBON [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4710 | YD1 | | FEB-96 |
| | SAE-J530-95 | PIPE FITTINGS, AUTOMOTIVE [CUST: CR4 CC] | A 4730 | CC | | MAY-95 |
| | SAE-J531-95 | AUTOMOTIVE PIPE, FILLER, AND DRAIN PLUGS [CUST: AT CC] [REVIEW: MC SH] | A 4730 | CC | | MAY-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|---|-----------------------|-----|-------------|-----------|
| SAE-J532-93 | DRAIN PLUGS AND THREAD FILLER, AUTOMOTIVE STRAIGHT [CUST: AT] | A 5365 | AT | | 04-JUN-93 |
| SAE-J534-93 | FITTINGS, LUBRICATION [CUST: CC] [REVIEW: CR4] | A 4730 | CC | | 04-JUN-93 |
| SAE-J536B-71 | CLAMPS, HOSE - MAR 71 [CUST: CR4 SH 99 CC] | A 4730 | CC | | MAR 71 |
| SAE-J537-94 | STORAGE BATTERIES [CUST: AT AS 99 GS] | A 6140 | GS | | JUN-94 |
| SAE-J538-55R89 | BATTERIES, STORAGE, GROUNDING OF [CUST: CR4 AS 99] | A 6140 | CR4 | | DEC-55 |
| SAE-J541-96 | CIRCUITS, STARTING MOTOR, VOLTAGE DROP FOR [CUST: CR4 SA 99] | A 6105 | CR4 | | OCT-96 |
| SAE-J553-96 | CIRCUIT BREAKERS [CUST: AT 99 CC] [REVIEW: 80 AL YD1] | A 5925 | CC | | APR-96 |
| SAE-J560-93 | CONNECTOR, SEVEN-CONDUCTOR ELECTRICAL, FOR TRUCK-TRAILER JUMPER CABLE [CUST: AT CC] [REVIEW: YD1] | A 2920 | CC | | 10-JUN-93 |
| SAE-J561-93 | TERMINALS, ELECTRICAL-EYELET AND SPADE TYPE [CUST: CR4 SH 85 GS] | A 5940 | GS | | JUN-93 |
| D SAE-J564-90 | HEADLAMP BEAM SWITCHING [CUST: AT IS] | A 6220 | IS | | 20-OCT-89 |
| D SAE-J565-89 | HEADLAMP BEAM SWITCHING DEVICES, SEMIAUTOMATIC [CUST: AT IS] | A 6220 | IS | | JUN 89 |
| D SAE-J573-89 | LAMP, MINIATURE BULBS [CUST: 99 IS] [REVIEW: 82 AS AT GS MI] | A 6240 | IS | | DEC-89 |
| D SAE-J575-92 | EQUIPMENT AND TEST METHODS FOR LIGHTING DEVICES AND COMPONENTS FOR USE ON VEHICLES LESS THAN 2032 MM IN OVERALL WIDTH [CUST: AT YD1 99 IS] [REVIEW: 82] | A 6220 | IS | | JUN-92 |
| D SAE-J576-91 | PLASTIC MATERIALS FOR USE IN OPTICAL PARTS SUCH AS LENSES AND REFLEX REFLECTORS OF MOTOR VEHICLE LIGHTING DEVICES [CUST: AT IS] | A 9330 | IS | | 16-JUL-91 |
| A SAE-J578-95 | COLOR SPECIFICATION [CUST: AT GS] | A 6220 | GS | | 21-JUN-90 |
| D SAE-J579-84 | HEADLAMP UNITS SEALED BEAM MOTOR VEHICLES FOR [CUST: AT IS] | A 6220 | IS | | DEC 84 |
| D SAE-J580-86 | HEADLAMP SEALED BEAM ASSEMBLY [CUST: AT IS] | A 6220 | IS | | DEC 86 |
| SAE-J583-93 | LAMPS, FRONT FOG [CUST: AT YD1 99] | A 6220 | AT | | 14-JUN-93 |
| D SAE-J585-94 | LAMPS, TAIL (REAR POSITION LAMPS) FOR USE ON MOTOR VEHICLES LESS THAN 2032 MM IN OVERALL WIDTH [CUST: AT IS] | A 6220 | IS | | DEC-94 |
| D SAE-J586-95 | LAMPS, STOP, FOR USE ON MOTOR VEHICLES LESS THAN 2032 MM IN OVERALL WIDTH [CUST: AT IS] | A 6220 | IS | | SEP-95 |
| D SAE-J588-94 | LAMPS, TURN SIGNAL, FOR USE ON MOTOR VEHICLES LESS THAN 2032 MM IN OVERALL WIDTH [CUST: AT IS] | A 6220 | IS | | DEC-94 |
| D SAE-J589B | SWITCH, TURN SIGNAL [CUST: AT IS] | A 6220 | IS | | 21-JUN-90 |
| D SAE-J590-86 | FLASHERS, TURN SIGNAL [CUST: AT IS] | A 6220 | IS | | JUL 86 |
| D SAE-J592-94 | LAMPS, CLEARANCE, SIDE MARKER AND IDENTIFICATION [CUST: AT IS] | A 6220 | IS | | DEC-94 |
| D SAE-J593-95 | LAMPS BACKUP (REVERSING LAMPS) [CUST: AT IS] | A 6220 | IS | | 20-OCT-89 |
| D SAE-J594-95 | REFLECTORS, REFLEX [CUST: AT IS] | A 6220 | IS | | JUL-95 |
| D SAE-J595-90 | FLASHING WARNING LAMPS FOR AUTHORIZED EMERGENCY, MAINTENANCE AND SERVICE [CUST: AT 99 IS] | A 6220 | IS | | JAN-90 |
| SAE-J598-87R94 | LIGHTING UNITS, SEALED, FOR CONSTRUCTION, INDUSTRIAL, AND FOREST MACHINERY [CUST: CR4 99] [REVIEW: 82 YD1] | A 6220 | CR4 | | MAY-87 |
| SAE-J607-56R88 | ENGINE TEST CODE, SMALL SPARK IGNITION [CUST: AT YD1 99] | A 2805 | AT | | JAN 56 |
| SAE-J614-77R95 | ENGINE AND TRANSMISSION DIPSTICK MARKING [CUST: CR4 84] | A 29GP | CR4 | | AUG 77 |
| SAE-J636-92 | V-BELTS AND PULLEYS [CUST: AT CC] | A 3030 | CC | | 05-MAY-92 |
| SAE-J638-82R93 | MOTOR VEHICLE HEATER TEST PROCEDURE [CUST: AT YD1 84] | A 2590 | 84 | | 05-APR-93 |
| SAE-J645-92 | TRANSMISSION, AUTOMOTIVE TERMINOLOGY [CUST: AT 99] [REVIEW: YD1] | A 2520 | AT | | OCT-92 |
| SAE-J661-87 | BRAKE LININGS QUALITY, CONTROL TEST PROCEDURE [CUST: AT CC] [REVIEW: 99 YD1] | A 2530 | CC | | AUG-87 |
| SAE-J663-94 | RIVETS FOR BRAKE LININGS AND BOLTS FOR BRAKE BLOCKS [CUST: AT 99] [REVIEW: YD1] | A 2530 | AT | | JUL-94 |
| SAE-J678-84R88 | SPEEDOMETERS AND TACHOMETERS-AUTOMOTIVE [CUST: CR4 AS 99] | A 6620 | CR4 | | DEC-88 |
| SAE-J680-88 | INSTRUMENTS AND CONTROLS IN MOTOR TRUCK CABS, LOCATION AND OPERATION OF [CUST: CR4 SA 84] | A HFAC | 84 | | SEP-88 |
| SAE-J682-84 | WHEEL, REAR, SPLASH AND STONE THROW PROTECTION [CUST: AT 99] | A 2540 | AT | | OCT-84 |
| SAE-J683-85 | TIRE CHAIN CLEARANCE - TRUCKS, BUSES (EXCEPT SUBURBAN, INTERCITY, AND TRANSIT BUSES), AND COMBINATIONS OF VEHICLES [CUST: AT 99] [REVIEW: YD1] | A 2320 | AT | | AUG-85 |
| SAE-J684-94 | TRAILER COUPLINGS, HITCHES, AND SAFETY CHAINS - AUTOMOTIVE TYPE [CUST: AT 99] | A 2540 | AT | | 21-MAR-94 |
| SAE-J688-87 | TRUCK ABILITY PREDICTION PROCEDURE [CUST: AT 99] [REVIEW: YD1] | A 2320 | AT | | AUG-87 |
| SAE-J689-96 | CURBSTONE CLEARANCE, APPROACH, DEPARTURE, AND RAMP BREAKOVER ANGLES - PASSENGER CAR AND LIGHT TRUCK [CUST: AT YD1 99] | A 2510 | AT | | JUN-96 |
| SAE-J690-41R65 | CERTIFICATES OF MAXIMUM NET HORSEPOWER FOR MOTOR TRUCKS AND TRUCK TRACTORS [CUST: AT YD1 84] | A 2320 | 84 | | JAN-41 |
| SAE-J694-88 | DISC WHEEL/HUB OR DRUM INTERFACE DIMENSIONS - COMMERCIAL VEHICLES [CUST: AT YD1 99] [REVIEW: 84 CC] | A 2530 | YD1 | | SEP-88 |
| SAE-J695-89 | MOTOR VEHICLES - TURNING ABILITY AND OFF TRACKING [CUST: AT 99] [REVIEW: YD1] | A 2320 | AT | | DEC-89 |
| SAE-J697-88 | CHAIN, SAFETY, OF FULL TRAILERS OR CONVERTER DOLLIES [CUST: AT 99] [REVIEW: YD1] | A 2330 | AT | | MAY-88 |
| SAE-J700-85R93 | TRAILERS AND SEMITRAILERS, COMMERCIAL, UPPER COUPLER KINGPIN [CUST: AT 99] [REVIEW: YD1] | A 2510 | AT | | 30-JUN-93 |
| SAE-J701-84 | TRUCK TRACTOR SEMITRAILER INTERCHANGE COUPLING DIMENSIONS [CUST: AT 99] | A 2540 | AT | | AUG-84 |
| SAE-J702-85 | TRUCK-TRACTOR AND TRUCK-TRAILER, BRAKE AND ELECTRICAL CONNECTION LOCATIONS [CUST: AT 99] [REVIEW: YD1] | A 2330 | AT | | MAY-85 |
| SAE-J704-83R92 | TRUCK TRANSMISSION MOUNTED POWER TAKE-OFFS, OPENINGS FOR SIX AND EIGHT BOLT [CUST: AT 99] [REVIEW: YD1] | A 2520 | AT | | JUN-83 |
| SAE-J706-85R90 | WINCHES, RATING OF [CUST: AT SH 99] [REVIEW: CR4] | A 3950 | AT | | JUL-85 |
| SAE-J712-49R93 | WHEELS, DISC, INDUSTRIAL AND AGRICULTURAL [CUST: CR4 YD1 99] | A 34GP | YD1 | | JAN-49 |
| SAE-J726-93 | AIR CLEANER TEST CODE [CUST: AT SH 99] | A 2940 | CC | | 14-JUN-93 |
| SAE-J727-54R86 | TRACTOR, CRAWLER - NOMENCLATURE [CUST: CR4 YD1 99] | A 2410 | YD1 | | JAN-54 |
| SAE-J732-92 | LOADERS, SPECIFICATION DEFINITIONS [CUST: CR4 YD1 99] | A 3805 | CR4 | | 18-JUN-92 |
| SAE-J739-91 | GRADER, CURVED, CUTTING EDGE [CUST: CR4 YD1 84] | A 3805 | 84 | | JUN 91 |
| SAE-J740-86 | COUNTERSUNK, SQUARE HOLES FOR CUTTING EDGES AND END BITS [CUST: CR4 YD1 84] | A 3805 | CR4 | | JUL 86 |
| SAE-J741-93 | SCRAPER, OPEN BOWL, CAPACITY RATING [CUST: AT 99] [REVIEW: AT] | A 2330 | YD1 | | 08-JUN-93 |
| SAE-J742-57R85 | BUCKET, LOADER, CAPACITY RATING [CUST: CR4 YD1 99] | A 3805 | YD1 | | MAY-57 |
| A SAE-J744-96 | PUMP, HYDRAULIC AND MOTOR MOUNTING AND DRIVE DIMENSIONS [CUST: AT SH 99] | A 4320 | AT | | 03-OCT-94 |
| SAE-J753-91 | MAINTENANCE INTERVAL CHART [CUST: AT GS] | A 9150 | GS | | 23-MAY-91 |
| SAE-J754A-72 | MACHINERY, CONSTRUCTION AND INDUSTRIAL, LUBRICANT TYPES [CUST: AV AS 84] | A 9150 | 84 | | JAN-72 |
| A SAE-J759-95 | LIGHTNING IDENTIFICATION CODE [CUST: AT SA 68] | A 62GP | AT | | 03-OCT-94 |
| SAE-J760A-74 | LIGHTING UNITS, DIMENSIONAL SPECIFICATIONS FOR GENERAL SERVICE SEALED [CUST: CR4 SA 82] | A 6210 | 82 | | DEC-74 |
| SAE-J765-90 | CRANE LOAD STABILITY TEST CODE [CUST: CR4 YD1 84] | A 3810 | 84 | | 25-OCT-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | SAE-J786A | BRAKE SYSTEM ROAD TEST CODE - TRUCK, BUS, AND COMBINATION OF VEHICLES [CUST: AT 99] [REVIEW: YD1] | A 2530 | AT | | MAY-71 |
| | SAE-J818-87 | LOAD FOR LOADERS, RATING OPERATING [CUST: CR4 YD1 84] | A 3805 | CR4 | | MAY-87 |
| A | SAE-J820-69R80 | CRANE HOIST LINE SPEED AND POWER TEST CODE [CUST: CR4 YD1 84] | A 3810 | 84 | | MAR-69 |
| | SAE-J821-62R94 | MACHINES, AGRICULTURAL, AND OFF-ROAD, ELECTRICAL WIRING SYSTEMS FOR CONSTRUCTION [CUST: CR4 YD1 84] | A 38GP | CR4 | | JUN-62 |
| | SAE-J833-89 | HUMAN PHYSICAL DIMENSIONS [CUST: CR4 YD1 84] | A HFAC | CR4 | | MAY-89 |
| | SAE-J840-82 | BRAKE SHOE AND LINING ADHESIVES AND BONDS, TEST PROCEDURES FOR [CUST: AT YD1 99] | A 2530 | AT | | AUG-82 |
| | SAE-J843R-63R90 | BRAKE SYSTEM ROAD TEST CODE - PASSENGER CAR AND LIGHT-DUTY TRUCK [CUST: AT 99] [REVIEW: YD1] | A 2530 | AT | | JAN-63 |
| | SAE-J844-94 | AIR BRAKE SYSTEM TUBING, NONMETALLIC [CUST: AT 99] [REVIEW: CR4] | A 4720 | CC | | OCT 94 |
| D | SAE-J845-92 | DEVICES, 360 DEGREE WARNING, FOR AUTHORIZED EMERGENCY, MAINTENANCE, AND SERVICE VEHICLES [CUST: AT IS] | A 6220 | IS | | 20-MAR-92 |
| | SAE-J846-93 | FLUID CONDUCTORS AND CONNECTORS, CODING SYSTEMS FOR IDENTIFICATION OF [CUST: AT] | A 4730 | AT | | 16-DEC-93 |
| | SAE-J847-87 | TRAILER TOW BAR EYE AND PINTLE HOOK/COUPLER PERFORMANCE [CUST: AT 99] | A 2540 | AT | | NOV-87 |
| | SAE-J848-84R91 | TRAILERS AND SEMITRAILERS, FIFTH WHEEL KINGPIN, HEAVY-DUTY-COMMERCIAL [CUST: AT 99] [REVIEW: YD1] | A 2510 | AT | | NOV-84 |
| | SAE-J849-85 | TRAILERS, MULTIPLE, CONNECTION AND ACCESSORY LOCATIONS FOR [CUST: AT 99] | A 2540 | AT | | NOV-85 |
| | SAE-J858A-69 | TERMINALS, ELECTRICAL, BLADE TYPE [CUST: AT SH 85 GS] | A 5940 | GS | | AUG-69 |
| | SAE-J872-86 | DRAWBAR TEST PROCEDURE FOR CONSTRUCTION, FORESTRY, AND INDUSTRIAL MACHINES [CUST: AT YD1 99] [REVIEW: 84 CC CR4] | A 2590 | YD1 | | 31-MAY-86 |
| | SAE-J875-85 | TRAILER AXLE ALIGNMENT [CUST: AT 99] [REVIEW: YD1] | A 2510 | AT | | JUN-85 |
| A | SAE-J898-87R94 | MACHINES, OFF-ROAD WORK, CONTROL LOCATIONS FOR [CUST: AT SA 84] | A HFAC | AT | | 03-OCT-94 |
| | SAE-J899-88 | WORK MACHINES, OFF-ROAD SELF-PROPELLED, OPERATOR'S SEAT DIMENSIONS FOR [CUST: CR4 SA 84] | A HFAC | CR4 | | DEC-88 |
| | SAE-J903C | WINDSHIELD WIPER SYSTEMS, PASSENGER CAR [CUST: AT 99] [REVIEW: YD1] | A 2310 | AT | | NOV-73 |
| D | SAE-J910-88 | SWITCH, HAZARD WARNING SIGNAL [CUST: AT IS] | A 6220 | IS | | OCT-88 |
| | SAE-J917-65R80 | CABLES CONTROL, MARINE PUSH-PULL [CUST: AV SA 84] | A 2040 | AV | | AUG-65 |
| A | SAE-J919-95 | MACHINES, OFF-ROAD WORK, - OPERATOR - SINGULAR TYPE - SOUND MEASUREMENT [CUST: MI YD1] [REVIEW: AS] | A HFAC | YD1 | | APR-95 |
| | SAE-J925-87R93 | MACHINES, OFF ROAD, MINIMUM SERVICE ACCESS DIMENSIONS FOR [CUST: AT MC] [REVIEW: GL MD MI YD1] | A HFAC | AT | | DEC-87 |
| | SAE-J928-89 | TERMINALS, ELECTRICAL-PIN AND RECEPTACLE TYPE [CUST: AT SH 85 GS] | A 5940 | GS | | JUL-89 |
| | SAE-J931-65R86 | CIRCUIT FILTRATION, HYDRAULIC POWER [CUST: CR4 YD1 99] [REVIEW: 84 CC SH] | A 4330 | YD1 | | JUL-65 |
| | SAE-J942B(2) | WINDSHIELD WASHER SYSTEM, PASSENGER CAR [CUST: AR YD1 99] [REVIEW: CC] | A 2540 | YD1 | | JUL-72 |
| D | SAE-J945-93 | FLASHERS, VEHICULAR HAZARD WARNING [CUST: AT IS] | A 6220 | IS | | 29-JUN-93 |
| | SAE-J959-91 | CRANE, LIFTING, WIRE-ROPE STRENGTH FACTORS [CUST: CR4 YD1 84] | A 3810 | 84 | | 01-MAY-91 |
| | SAE-J964-92 | MIRRORS, REAR VIEW, DETERMINING REFLECTIVITY OF, TEST PROCEDURE FOR [CUST: CR4 SH 99] | A 4720 | CR4 | | 05-JUN-92 |
| A | SAE-J985-95 | MIRROR, DESIGN, REAR VIEW, VISION FACTORS, CONSIDERATIONS IN [CUST: AT SA 99] | A 2540 | AT | | 03-OCT-94 |
| A | SAE-J986-94 | CARS, PASSENGER, AND LIGHT TRUCKS, SOUND LEVEL FOR [CUST: MI AS 11] [REVIEW: 19 AL AT MD TE TM] | A HFAC | MI | | AUG-94 |
| | SAE-J987 | ROPE SUPPORTED LATTICE-TYPE BOOM CRANE STRUCTURES - METHOD OF TEST [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 3810 | YD1 | | 30-APR-85 |
| | SAE-J992-67R85 | BRAKE SYSTEM PERFORMANCE REQUIREMENTS, TRUCK, BUS, AND COMBINATION OF VEHICLES [CUST: AT 99] [REVIEW: YD1] | A 2530 | AT | | JUL-67 |
| | SAE-J994 | ALARM-BACKUP-ELECTRIC-LABORATORY PERFORMANCE TESTING [CUST: CR4 YD1 84] | A 6350 | 84 | | 03-AUG-93 |
| | SAE-J995 | STEEL NUTS, MECHANICAL AND MATERIAL, REQUIREMENTS FOR [CUST: AR SH 99 IS] | A 5310 | IS | | JUN-79 |
| | SAE-J1024-89 | FUEL-FIRED HEATERS-AIR HEATING-FOR CONSTRUCTION AND INDUSTRIAL MACHINERY [CUST: CR4 MC 99] | A 8115 | MC | | DEC-89 |
| | SAE-J1029-74R86 | MACHINERY, CONSTRUCTION AND INDUSTRIAL, LIGHTING AND MARKING OF [CUST: AV YD1 99] | A 6220 | YD1 | | MAR-74 |
| | SAE-J1040-88R94 | MACHINES, FOR CONSTRUCTION, EARTHMOVING, FORESTRY, AND MINING, PERFORMANCE CRITERIA FOR ROLLOVER PROTECTIVE STRUCTURES (ROPS) [CUST: AT YD1 99] [REVIEW: 84 CC] | A 2510 | YD1 | | APR-88 |
| | SAE-J1050-94 | VIEW, DRIVER'S FIELD OF, DESCRIBING AND MEASURING THE [CUST: CR4 AS 84] | A HFAC | 84 | | AUG-94 |
| A | SAE-J1053-96 | STEEL STAMPED NUTS OF ONE PITCH THREAD DESIGN - INCH SERIES [CUST: CR4 YD1 84] | A 38GP | 84 | | AUG-96 |
| | SAE-J1063-93 | CRANE STRUCTURES, CANTILEVERED BOOM, METHOD OF TEST [CUST: AT 99] | A 3950 | AT | | 18-NOV-93 |
| A | SAE-J1065-95 | TUBING AND FITTINGS, HYDRAULIC, PRESSURE RATINGS FOR [CUST: CR4 YD1 99] [REVIEW: 82 CC SH] | A 4730 | YD1 | | JUL-95 |
| | SAE-J1067-73 | CABLE, SEVEN CONDUCTOR JACKETED, FOR TRUCK TRAILER CONNECTIONS [CUST: AT YD1 99] | A 2520 | YD1 | | OCT-73 |
| | SAE-J1072-77 | TOOL, SINTERED MATERIALS [CUST: MR YD1 99] | A 95GP | YD1 | | FEB-77 |
| | SAE-J1074-74R87 | ENGINE SOUND LEVEL MEASUREMENT PROCEDURE [CUST: MI AS 11] [REVIEW: 19 AL AT MD TE TM] | A HFAC | MI | | JUL-74 |
| A | SAE-J1082-95 | FUEL ECONOMY, MEASUREMENT ROAD TEST PROCEDURE [CUST: AT YD1 84] | A 23GP | 84 | | JUN-95 |
| A | SAE-J1086-95 | METALS AND ALLOYS, NUMBERING [CUST: CR4 SH 99] | A 95GP | IS | | JUL-95 |
| | SAE-J1097-88 | LIFT, HYDRAULIC EXCAVATOR, CAPACITY CALCULATION AND TEST PROCEDURE [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 3805 | YD1 | | NOV-88 |
| A | SAE-J1127-95 | BATTERY CABLE [CUST: AT SA 85] | A 6145 | AT | | 03-OCT-94 |
| A | SAE-J1128-95 | CABLE, PRIMARY, LOW TENSION [CUST: AT SH 84 CT] | A 2520 | AT | | JAN-95 |
| | SAE-J1163-91 | SEAT, DETERMINING INDEX POINT [CUST: CR4 AS 11] | A HFAC | CR4 | | JUN-91 |
| | SAE-J1164-91 | ROPS AND FOPS AND OPS, LABELING OF [CUST: CR4 YD1 99] | A 9905 | CR4 | | 28-JAN-91 |
| | SAE-J1165-79R86 | FLUIDS, HYDRAULIC, REPORTING LEVELS OF CLEANLINESS [CUST: AT AS 68] | A 9150 | AT | | JUL-79 |
| | SAE-J1166-90 | SOUND MEASUREMENT - OFF-ROAD SELF-PROPELLED WORK MACHINES OPERATOR-WORK CYCLE [CUST: MI YD1 11] | A HFAC | YD1 | | MAY-90 |
| A | SAE-J1174-77R85 | ENGINE POWERED EQUIPMENT, SMALL, OPERATOR EAR SOUND LEVEL MEASUREMENT PROCEDURE FOR [CUST: MI AS 84] | A HFAC | 84 | | OCT-77 |
| | SAE-J1177-78R88 | EXCAVATOR, HYDRAULIC, OPERATOR CONTROLS [CUST: CR4 YD1 99] | A 3805 | YD1 | | APR-78 |
| | SAE-J1180-77R80 | SYSTEM, TELESCOPIC BOOM LENGTH INDICATING [CUST: AV YD1 99] [REVIEW: 84 CC] | A 3810 | YD1 | | MAR-77 |
| | SAE-J1193-78R84 | EXCAVATORS, HYDRAULIC, NOMENCLATURE AND DIMENSIONS FOR [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 3805 | YD1 | | APR-78 |
| | SAE-J1234-85 | WORK MACHINES, OFF ROAD, SPECIFICATION DEFINITIONS [CUST: CR4 YD1 99] | A 38GP | CR4 | | JAN-85 |
| A | SAE-J1237-96 | SCREWS, METRIC THREAD ROLLING [CUST: AR SH 99 IS] | A 5305 | IS | | AUG-96 |
| | SAE-J1292-80 | AUTOMOBILE, TRUCK, TRUCK-TRACTOR, TRAILER, AND MOTOR COACH WIRING (EDITORIAL CHANGE 10/81) [CUST: AT] [REVIEW: CC YD1] | A 2920 | AT | | 01-JUN-80 |
| A | SAE-J1349-90R95 | ENGINE POWER TEST CODE - SPARK IGNITION AND COMPRESSION IGNITION - NET POWER RATING [CUST: AT 99] | A 2990 | AT | | 12-JUN-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/NSA | MCA Prop. Acty. | Date |
|------------|-----------------------|---|-------------------------|--------------------|-----------|
| A | SAE-J1362-95 | MACHINES, OPERATOR CONTROLS AND DISPLAYS ON OFF-ROAD SELF-PROPELLED WORK, GRAPHICAL SYMBOLS FOR [CUST: AT YD1 84] | A 38GP | AT | 03-OCT-94 |
| | SAE-J1383-90 | HEADLAMPS, MOTOR VEHICLE, PERFORMANCE REQUIREMENTS FOR [CUST: AT] [REVIEW: 82 GS] | A 6240 | AT | 21-JUN-90 |
| | SAE-J1401-94 | ROAD VEHICLE - HYDRAULIC BRAKE HOSE ASSEMBLIES FOR USE WITH NON-PETROLEUM BASE HYDRAULIC FLUIDS [CUST: AT CC] | A 4720 | CC | JUN-94 |
| A | SAE-J1402-85 | AUTOMOTIVE AIR BRAKE HOSE AND HOSE ASSEMBLIES [CUST: AT 99] | A 4720 | AT | JUN-85 |
| | SAE-J1472-87 | COMPACTORS, ROLLER - BRAKING PERFORMANCE [CUST: AT YD1 99] [REVIEW: 84 CC] | A 2530 | YD1 | JUN-87 |
| | SAE-J1473-90 | BRAKE PERFORMANCE - RUBBER-TIRED EARTHMOVING MACHINES [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 3805 | YD1 | 31-OCT-90 |
| | SAE-J1495-92 | BATTERY FLAME RETARDANT VENTING SYSTEMS, TEST PROCEDURE FOR [CUST: AT AS 99 CT] | A 6140 | AT | 20-MAR-92 |
| A | SAE-J1503-95 | MACHINES, AIR-CONDITIONED, HEATED, AND VENTILATED OFF-ROAD, SELF-PROPELLED WORK, PERFORMANCE TEST FOR [CUST: CR4 YD1 84] | A 38GP | 84 | AUG-95 |
| A | SAE-J1508-96 | HOSE CLAMP [CUST: AT YD1 99] [REVIEW: 11 82 84 85 AR AV CC CG CR4 GL MC OS SH] | A 4730 | AT | AUG-96 |
| | SAE-J1545-86 | FINISHES, EXTERIOR, TEXTILES, AND COLORED TRIM, INSTRUMENTAL COLOR DIFFERENCE MEASUREMENT FOR [CUST: CR4 YD1 99] | A 8010 | YD1 | JUN-86 |
| A | SAE-J1559-95 | MEASUREMENT OF SOLAR HEATING EFFECT [CUST: CR4 SH] | A GDRQ | SH | JUL-95 |
| A | SAE-J1703-95 | BRAKE FLUID, MOTOR VEHICLE (R) [CUST: AT SH 99] | A 2530 | AT | JAN-95 |
| A | SAE-J1783 | SELECTION OF HYDRAULIC DIRECTIONAL CONTROL VALVES FOR MARINE VEHICLE APPLICATIONS [CUST: CR4 SH 99] [REVIEW: AS CC CG MC YD1] | A 4730 | SH | 31-DEC-93 |
| A | SAE-J1899-95 | OIL, LUBRICATING, AIRCRAFT PISTON ENGINE (ASHLESS DISPERSANT) [CUST: MR AS 11] [REVIEW: AV MC PS] | A 9150 | AS | OCT-95 |
| | SAE-J1926-88 NOT 1 | PORT, BOSS, THREAD O-RING, STRAIGHT, SPECIFICATION FOR [CUST: CR4 SH 99] [REVIEW: AS MR YD1] | A 4730 | SH | 20-AUG-92 |
| A | SAE-J1926/1 | CONNECTIONS FOR GENERAL USE AND FLUID - PORTS AND STUD ENDS WITH ISO725 THREADS AND O-RING SEALING - PART 1: THREADED PORT WITH O-RING SEAL IN TRUNCATED HOUSING [CUST: SH 99] [REVIEW: 82 CC] | A 4730 | SH | MAR-93 |
| A | SAE-J1926/2 | CONNECTIONS FOR GENERAL USE AND FLUID POWER - PORTS AND STUD ENDS WITH ISO725 THREADS AND O-RING SEALING - PART 2: HEAVY-DUTY (S SERIES) STUD ENDS [CUST: SH 99] [REVIEW: 82 CC] | A 4730 | SH | AUG-95 |
| A | SAE-J1926/3 | CONNECTIONS FOR GENERAL USE AND FLUID POWER - PORTS AND STUD ENDS WITH ISO725 THREADS AND O-RING SEALING - PART 3: LIGHT-DUTY (L SERIES) STUD ENDS [CUST: SH 99] [REVIEW: 82 CC] | A 4730 | SH | MAR-93 |
| A | SAE-J1966-95 | OIL, LUBRICATING, AIRCRAFT PISTON ENGINE (NONDISPERSANT MINERAL OIL) [CUST: AT AS 11] [REVIEW: AV MC MR PS] | A 9150 | AS | OCT-95 |
| | SAE-J2014 | PNEUMATIC TIRES FOR MILITARY TACTICAL WHEELED VEHICLES [CUST: AT MC 99] [REVIEW: 84 CC] | A 2610 | AT | DEC-95 |
| | SAE-J2244/1 | CONNECTIONS FOR FLUID POWER AND GENERAL USE - PORTS AND STUD ENDS WITH ISO 261 THREADS AND O-RING SEALING PART 1: PORT WITH O-RING SEAL IN TRUNCATED HOUSING [CUST: AV SH 99] | A 4730 | SH | DEC 91 |
| | SAE-J2244/2 | CONNECTIONS FOR FLUID POWER AND GENERAL USE - PORTS AND STUD ENDS WITH ISO 261 THREADS AND O-RING SEALING PART 2: HEAVY-DUTY (S SERIES) STUD ENDS - DIMENSIONS, DESIGN, TEST METHODS, AND REQUIREMENTS [CUST: AV SH 99] | A 4730 | SH | DEC 91 |
| | SAE-HIR1063B-90 NOT 1 | GENERAL ENVIRONMENTAL CONSIDERATIONS FOR MARINE VEHICLES [CUST: CR4 SH] [REVIEW: MC] | A ENVR | SH | 17-JUN-91 |
| | SAE-HIR1149-89 | VEHICLE, MARINE, HYDRAULIC FLUIDS FOR [CUST: CR4 ME 99] [REVIEW: 11 CE GS MC SA] | A 9150 | SH | 02-FEB-89 |
| A | SAE-HIR1415A | SYSTEMS, HYDRAULIC, FOR SUBMERSIBLE VEHICLES, DESIGN GUIDE FOR [CUST: CR4 SH] [REVIEW: GS OS] | A 9150 | SH | SEPT-85 |
| A | SAE-HIR1496A-84 | VEHICLES, ADVANCED MARINE SURFACE, HYDRAULIC SYSTEM DESIGN CRITERIA FOR [CUST: CR4 SH] [REVIEW: MC] | A 1990 | SH | JUL-84 |
| | SAE-HIR1514A-90 | DESIGN AND SPECIFICATION GUIDE FOR HYDRAULIC PUMPS USED ON ADVANCED SURFACE CRAFT AND SUBMERSIBLE VEHICLES [CUST: CR4 SH 84] [REVIEW: 99 CC MC SA] | A 4320 | SH | 16-AUG-89 |
| A | SAE-HIR1559-84 | PNEUMATIC SYSTEMS, BLEED-AIR, FOR SURFACE-EFFECT & HYDROFOIL CRAFT [CUST: CR4 SH] [REVIEW: MC] | A GDRQ | SH | NOV 84 |
| | SAE-HIR1622A | NOISE CONTROL IN FLUID POWER SYSTEMS OF MARINE VEHICLES [CUST: CR4 SH] [REVIEW: MC] | A HFAC | SH | 25-NOV-86 |
| | SAE-HIR1694 | FLUID SYSTEMS OF MARINE VEHICLES, MATERIALS FOR [CUST: MR SH] [REVIEW: CR4 IS MC] | A 95GP | SH | 30-DEC-82 |
| | SAE-HIR4544 | SPECIFICATIONS AND STANDARDS FOR MARINE HYDRAULIC SYSTEMS AND COMPONENTS [CUST: CR4 SH 99] [REVIEW: CC CG MC YD1] | A 4810 | SH | 20-MAY-92 |
| | SAE-HRP4382 | CONCRETE, STRUCTURAL LIGHTWEIGHT, UNIT WEIGHT OF - 15 MAR 1991 [CUST: CR4 SH] | A DRPR | SH | 06-AUG-91 |
| | SAE-HS1086-93 | METALS AND ALLOYS IN THE UNIFIED NUMBERING SYSTEM [CUST: MR 99] [REVIEW: 84 AR IS OS SH] | A 95GP | MR | FEB-93 |
| | SAE-HS1086-86 | METALS & ALLOYS IN THE UNIFIED NUMBERING SYSTEM - APR 1986 (SAE HS 1086-86 - ASTM D556C - A JOINT PUBLICATION) [CUST: MR 99] [REVIEW: 84 AR IS OS SH] | A 95GP | MR | 16-JUL-87 |
| | SAE-MA1520 | FASTENERS, MJ EXTERNALLY THREADED, AREAS FOR CALCULATING STRESS OR LOAD VALUES FOR (METRIC) [CUST: AR 99 IS] [REVIEW: AV] | A 53GP | IS | JUL-87 |
| | SAE-MA1547A | WRENCHES, TWELVE SPLINE, METRIC [CUST: AV] | A 5120 | AV | 06-NOV-89 |
| | SAE-MA1565 | INSERTS, SCREW THREAD, HELICAL COIL, METRIC SERIES, PROCUREMENT SPECIFICATIONS FOR [CUST: AR AS 11] [REVIEW: 82 AV] | A 5340 | IS | 31-AUG-81 |
| | SAE-MA1566A | SCREW THREADS MJ METRIC, GAGING PRACTICE AND GAGE REQUIREMENTS FOR [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | 15-JUL-92 |
| A | SAE-MA1567B | INSERTS, SCREW THREAD, HELICAL COIL, METRIC SERIES, STANDARD ASSEMBLY DIMENSIONS FOR [CUST: AR AS 11] [REVIEW: AV IS] | A 5340 | AR | AUG-96 |
| | SAE-MA1568 | NUT, SELF LOCKING - UNS S66286, 425 DEG. C AND 658 DEG. C, 1100 MPA, MJ THREAD, PROCUREMENT SPECIFICATION FOR, METRIC [CUST: AV 99 IS] | A 5310 | IS | 01-JUL-87 |
| | SAE-MA1573 | NUT, SELF-LOCKING-STEEL, CLASS 1100 MPA/235 DEGREE C, MJ THREAD, PROCUREMENT SPECIFICATION FOR, METRIC [CUST: AR AS 99 IS] [REVIEW: AV SH] | A 5310 | IS | 26-AUG-88 |
| | SAE-MA1784 | SPACER AND WASHERS, PROCUREMENT SPECIFICATION FOR, METRIC [CUST: AV 99 IS] [REVIEW: 82 AR] | A 53GP | IS | JUL-87 |
| | SAE-MA1806 | CLIPS AND SPRING CUSHIONS SELECTION FOR METAL TUBE SUPPORT, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | 15-NOV-90 |
| | SAE-MA1937 | NUT, HEX, FREE RUNNING, PROCUREMENT SPECIFICATION FOR, METRIC [CUST: AV 99 IS] [REVIEW: AR] | A 5310 | IS | DEC-85 |
| | SAE-MA1943A | NUTS, SELF-LOCKING, UNS N07001, 730 DEG. C, 1100 MPA, AND 1210 MPA PROCUREMENT SPECIFICATION FOR, METRIC [CUST: AV 99 IS] | A 5310 | IS | 17-AUG-90 |
| | SAE-MA2007 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, LIGHTWEIGHT, 204 DEG. C 21,000 KPA HYDRAULIC, METRIC [CUST: AV] | A 4720 | AV | JUL-83 |
| | SAE-MA2010 | PACKING, PREFORMED O-RING SEAL, STANDARD SIZES AND SIZE CODES, METRIC [CUST: AV 99 IS] | A 5330 | IS | JUL-87 |
| | SAE-MA2012A | PORT CONNECTION, INTERNAL, STRAIGHT THREAD, METRIC [CUST: CR4 SH 99] | A 4730 | SH | JUN-86 |
| | SAE-MA2025 | UNION, FLARELESS TUBE [CUST: AV] | A 4730 | AV | MAR-86 |
| A | SAE-MA2035A | PLUG, FLARELESS TUBE, METRIC [CUST: AV] | A 4730 | AV | 4-DEC-92 |
| A | SAE-MA2036A | CAP ASSEMBLY, PRESSURE SEAL, FLARELESS TUBE, METRIC [CUST: AV] | A 4730 | AV | 7-DEC-92 |
| A | SAE-MA2037A | BUSHING, SCREW THREAD EXPANDER FLARELESS TUBE METRIC [CUST: AV] | A 4730 | AV | 7-DEC-92 |
| A | SAE-MA2038A | TUBE, FLARELESS, UNION REDUCER, METRIC [CUST: AV] | A 4730 | AV | 7-DEC-92 |
| A | SAE-MA2039A | PLUG, PORT - MJ THREAD, O-RING SEAL, AMS-5640, METRIC [CUST: AV CC] | A 4730 | CC | 12-OCT-90 |
| A | SAE-MA2040B | NUT, FLARELESS, METRIC [CUST: AV] | A 4730 | AV | MAY-96 |

ACTIVE SECTION

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|-----------------|---|--------------|-----|-------------|-----------|
| | | | FSC/area | MCA | Prep. Acty. | Date |
| | SAE-MA2043 | UNION, FLARELESS TUBE BULKHEAD AND UNIVERSAL [CUST: AV] | A 4730 | AV | | MAR-86 |
| A | SAE-MA2046A | ADAPTER FLARELESS METRIC TO INCH [CUST: AV] | A 4730 | AV | | 17-FEB-93 |
| A | SAE-MA2047B | NUT, RETAINED, FLARELESS, METRIC [CUST: AV] | A 4730 | AV | | MAY-96 |
| A | SAE-MA2058A | UNION, REDUCER/EXPANDER BULKHEAD, FLARELESS TUBE, METRIC [CUST: AV] | A 4730 | AV | | 7-DEC-92 |
| | SAE-MA2080 | HOSE ASSEMBLY POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000KPA, 60-DEG CONE, STRAIGHT TO STRAIGHT, LIGHTWEIGHT, METRIC [CUST: AV SH 99] | A 4720 | AV | | 30-JAN-90 |
| | SAE-MA2081 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, STRAIGHT TO 45-DEG, LIGHTWEIGHT, METRIC [CUST: AV] | A 4720 | AV | | 30-JAN-89 |
| | SAE-MA2082 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, STRAIGHT TO 90-DEG, LIGHTWEIGHT, METRIC [CUST: AV] | A 4720 | AV | | 30-JAN-89 |
| | SAE-MA2083 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, 45-DEG TO 45 DEG, LIGHTWEIGHT, METRIC [CUST: AV] | A 4720 | AV | | 30-JAN-89 |
| | SAE-MA2084 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, 45-DEG TO 90 DEG, LIGHTWEIGHT, METRIC [CUST: AV] | A 4720 | AV | | 30-JAN-89 |
| | SAE-MA2085-89 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG CONE, 90-DEG TO 90 DEG, LIGHTWEIGHT, METRIC - 30 JAN 89 [CUST: AV SH 99] [REVIEW: 82 AS] | A 4720 | AV | | 30-JAN-89 |
| | SAE-MA2086 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, STRAIGHT TO STRAIGHT, METRIC [CUST: AV] | A 4720 | AV | | JAN-86 |
| | SAE-MA2087 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21000 KPA, FLARELESS, STRAIGHT TO 45 DEG. METRIC [CUST: AV] | A 4720 | AV | | JAN-86 |
| | SAE-MA2088 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21000 KPA, FLARELESS, STRAIGHT TO 90 DEG. METRIC [CUST: AV] | A 4720 | AV | | JAN-86 |
| | SAE-MA2089 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21000 KPA, FLARELESS, 45 DEG. TO 45 DEG. METRIC [CUST: AV] | A 4720 | AV | | JAN-86 |
| | SAE-MA2090 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21000 KPA, FLARELESS, 45 DEG. TO 90 DEG., METRIC [CUST: AV] | A 4720 | AV | | JAN-86 |
| | SAE-MA2091 | HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21000 KPA, FLARELESS, 90 DEG. TO 90 DEG., METRIC [CUST: AV] | A 4720 | AV | | JAN-86 |
| | SAE-MA2093 | FLUID SYSTEMS PORT CONNECTION, FITTING END, DIMENSIONS, METRIC [CUST: AV] | A 4730 | AV | | 10-FEB-88 |
| | SAE-MA2100 | HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, HIGH TEMPERATURE, METRIC [CUST: AV] | A 4720 | AV | | 20-OCT-89 |
| | SAE-MA2101 | HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, STRAIGHT TO STRAIGHT FITTING ENDS, METRIC [CUST: AV] | A 4720 | AV | | 20-OCT-89 |
| | SAE-MA2102 | HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, STRAIGHT 45 DEG. FITTING ENDS, METRIC [CUST: AV] | A 4720 | AV | | 20-OCT-89 |
| | SAE-MA2103-89 | HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED, STRAIGHT 90 DEG FITTING ENDS, METRIC - 20 OCT 89 [CUST: AV SH 99] [REVIEW: 82 AS] | A 4720 | AV | | 20-OCT-89 |
| | SAE-MA2104 | HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, 45 DEG TO 45 DEG FITTING ENDS, METRIC [CUST: AV] | A 4720 | AV | | 20-OCT-89 |
| | SAE-MA2105 | HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, 45 DEG TO 90 DEG FITTING ENDS, METRIC [CUST: AV] | A 4720 | AV | | 20-OCT-89 |
| A | SAE-MA2106A | HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, 90 DEG. TO 90 DEG. FITTING ENDS, METRIC [CUST: AV] | A 4720 | AV | | MAY-91 |
| | SAE-MA2150 | CLAMPS, LOOP OR P STYLE, SINGLE POINT MOUNT, MULTIPLE SHAPES, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 03-FEB-93 |
| | SAE-MA2150/1 | CLAMP, LOOP STYLE, CUSHIONED, WITH WEDGE, HYDROCARBON FLUID RESISTANT, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2150/2 | CLAMP, LOOP STYLE, CUSHIONED, WITH WEDGE, PHOSPHATE ESTER FLUID RESISTANT, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2150/4 | CLAMP SUPPORT, LOOP CLAMP, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2150/5 | CLAMP, LOOP STYLE, WITH INSERT, HYDROCARBON FLUID RESISTANT, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2150/6 | CLAMP, LOOP STYLE, WITH INSERT, PHOSPHATE ESTER FLUID RESISTANT, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2150/7 | CLAMP, LOOP STYLE, WITH INSERT, HIGH TEMPERATURE, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2151 | CLAMP ASSEMBLIES, SADDLE OR OMEGA STYLE TWO POINT MOUNT, MULTIPLE SHAPES, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | MAR-94 |
| | SAE-MA2151/1 | CLAMP, SADDLE TYPE, CUSHIONED, HYDROCARBON FLUID RESISTANT, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2151/2 | CLAMP, SADDLE TYPE, CUSHIONED, PHOSPHATE ESTER FLUID-RESISTANT, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2151/3 | CLAMP, SADDLE TYPE, CUSHIONED, HIGH TEMPERATURE, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2152/1 | CLAMP, CENTER MOUNT, BARE METAL, ALUMINUM, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2152/2 | CLAMP, CENTER MOUNT, BARE METAL, STAINLESS STEEL, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2153/1 | CLAMP, LOOP TYPE, BARE METAL, ALUMINUM, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2153/2 | CLAMP, LOOP TYPE, BARE METAL, STAINLESS STEEL, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2154/1 | CLAMP, RECTANGULAR, 2 PIECE, CUSHIONED, WITH WEDGES, HYDROCARBON FLUID RESISTANT, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2154/2 | CLAMP, RECTANGULAR, 2 PIECE, CUSHIONED, WITH WEDGES, PHOSPHATE ESTER FLUID RESISTANT, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2154/3 | CLAMP, RECTANGULAR, 2 PIECE, CUSHIONED, WITH WEDGES, HIGH TEMPERATURE, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2155/1 | CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, HYDROCARBON FLUID RESISTANT, ALUMINUM, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2155/2 | CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, HYDROCARBON FLUID RESISTANT, STAINLESS STEEL, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2155/3 | CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, PHOSPHATE ESTER FLUID RESISTANT, ALUMINUM, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2155/4 | CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, PHOSPHATE ESTER, FLUID RESISTANT, STAINLESS STEEL, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2155/5 | CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, HIGH TEMPERATURE, STAINLESS STEEL, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2156/1 | CLAMP, CENTER MOUNT, CUSHIONED, HYDROCARBON FLUID RESISTANT, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2156/2 | CLAMP, CENTER MOUNT, CUSHIONED, PHOSPHATE ESTER FLUID RESISTANT, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2156/3 | CLAMP, CENTER MOUNT, CUSHIONED, HIGH TEMPERATURE, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 01-APR-91 |
| | SAE-MA2170 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, CRES REINFORCED, 204 DEG. C., 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC [CUST: AV] | A 4720 | AV | | OCT-90 |
| | SAE-MA2171 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 204 DEG. C., 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO 45 DEG, METRIC [CUST: AV] | A 4720 | AV | | OCT-90 |
| | SAE-MA2172 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 204 DEG. C., 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO 90 DEG., METRIC [CUST: AV] | A 4720 | AV | | OCT-90 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|---|-----------------------|-----|-------------|-----------|
| | SAE-MA2176 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 DEG C, 10 500 KPA, BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC [CUST: AV] | A 4720 | AV | | 14-FEB-91 |
| | SAE-MA2177 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 DEG. C, 10 500 KPA, BEAM SEAL, STRAIGHT TO 45 DEG., METRIC [CUST: AV] | A 4720 | AV | | 14-FEB-91 |
| | SAE-MA2178 | HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 DEG. C, 10 500 KPA, BEAM SEAL, STRAIGHT TO 90 DEG., METRIC [CUST: AV SH 99] [REVIEW: 82 AS] | A 4720 | AV | | 14-JAN-91 |
| | SAE-MA2515 | RING-BACK-UP, PORT CONNECTION, AMS3660 METRIC [CUST: AV AS 11] [REVIEW: 99 AR] | A 5330 | IS | | SEP-86 |
| | SAE-MA2520 | NUT - HEX, BACK-UP RING, PORT FITTING CONNECTOR, AMS 5639, MJ THREAD, METRIC [CUST: AR YD1 99 IS] | A 5310 | IS | | AUG-86 |
| | SAE-MA2521 | NUT - HEX, PORT FITTING CONNECTOR, AMS 5639, MJ THREAD, METRIC [CUST: AR AS 99 IS] [REVIEW: AV SH] | A 5310 | IS | | 01-AUG-86 |
| | SAE-MA2536 | GASKET, METAL C-RING, FACE SEAL, INTERNAL PRESSURE, UNS N07750 SILVER PLATED, METRIC [CUST: MR SH 99 IS] [REVIEW: 82 AS AV] | A 5330 | IS | | 25-MAR-91 |
| | SAE-MA2537 | GASKET, METAL C-RING, GROOVE DESIGN, FACE TYPE INTERNAL PRESSURE, METRIC [CUST: MR SH IS] [REVIEW: AR OS] | A 5330 | IS | | 08-SEP-90 |
| | SAE-MA3259 | PIN - COTTER, CRES AMS 7211, METRIC SERIES [CUST: AS 11 IS] | A 5315 | IS | | 15-JAN-81 |
| | SAE-MA3266 | NUT, SELF-LOCKING-SPLINE DRIVE, EXTENDED WASHER, UNS S66286, SILVER PLATE, MJ THREAD, METRIC [CUST: AV 99 IS] | A 5310 | IS | | JUL-87 |
| | SAE-MA3274 | NUT - SELF-LOCKING, CLINCH, SERRATED SHANK, 400 DEG. C, DRY FILM COATED, UNS S66286, MJ THREAD, METRIC [CUST: AR AS 99 IS] | A 5310 | IS | | 20-OCT-92 |
| | SAE-MA3275 | NUT - SELF-LOCKING, CLINCH, SERRATED SHANK, 650 DEG. C, SILVER PLATED, UNS S66286, MJ THREAD, METRIC [CUST: AR AS 99 IS] | A 5310 | IS | | 20-OCT-92 |
| A | SAE-MA3279B | INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES FREE RUNNING, CRES, UNCOATED [CUST: AR AS 11] [REVIEW: 82 AV IS] | A 5340 | AR | | DEC-95 |
| A | SAE-MA3286A | BOLT, MACHINE, HEX HEAD - PD SHANK - MJ THREAD, AMS 5731, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AS] | A 5306 | IS | | 5-MAR-90 |
| | SAE-MA3287 | BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK LONG THREAD, AMS 5731, METRIC [CUST: AV 99 IS] [REVIEW: 82 AR] | A 5306 | IS | | AUG-87 |
| | SAE-MA3288 | NUT, PLAIN, HEX - UNS S66286, MJ THREAD, METRIC [CUST: AV AS 11] [REVIEW: 99 AR] | A 5310 | IS | | DEC-85 |
| | SAE-MA3289 | BOLT, MACHINE-HEX HEAD-PD SHANK MJ THREAD, AMS 6322, CADMIUM PLATE, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | DEC-87 |
| | SAE-MA3294 | CLIP - SPRING, TENSION, OUTER 5.5MM BOLT HOLE, AMS 5525, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | 15-NOV-90 |
| | SAE-MA3295 | CLIP - SPRING, TENSION, INNER 5.5 MM BOLT HOLE, AMS 5525, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | 15-NOV-90 |
| | SAE-MA3296 | CUSHION - TUBE CLAMP SUPPORT, PTFE, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | 15-NOV-90 |
| | SAE-MA3302 | NUT, PLAIN HEX - UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC [CUST: AV AS 11] [REVIEW: 99 AR] | A 5310 | IS | | DEC-85 |
| | SAE-MA3304 | BOLT-MACHINE, HEX HEAD, DRILLED, PD SHANK, MJ THREAD, AMS 6322, CADMIUM PLATE, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | DEC-87 |
| A | SAE-MA3329C | INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, SCREW LOCKING, CRES [CUST: AR AS 11 IS] [REVIEW: 82 AV] | A 5340 | IS | | DEC-95 |
| | SAE-MA3338 | BOLT, MACHINE-HEX HEAD, PD SHANK, LONG THREAD, AMS 5662, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | FEB-87 |
| | SAE-MA3339 | BOLT, MACHINE-SPLINE, EXTENDED WASHER, PD SHANK, LONG THREAD, AMS 6322, CADMIUM PLATED, METRIC [CUST: AV 99 IS] [REVIEW: 82 AR] | A 5306 | IS | | AUG-87 |
| | SAE-MA3340B | BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK, LONG THREAD, AMS 5662, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 06-MAR-91 |
| | SAE-MA3341 | BOLT, MACHINE-SPLINE EXTENDED WASHER, FULL SHANK, LONG THREAD, AMS 5731 METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | JUN-87 |
| | SAE-MA3342 | BOLT, MACHINE-SPLINE EXTENDED WASHER, FULL SHANK, DRILLED, LONG THREAD, AMS 5731, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | JUN-87 |
| | SAE-MA3343 | BOLT, MACHINE - SPLINE DRIVE EXTENDED WASHER, FULL SHANK, LONG THREAD, AMS 5662, METRIC [CUST: AR 99 IS] [REVIEW: 82 SH] | A 5306 | IS | | JUL-87 |
| | SAE-MA3344 | NUT, PLAIN, HEX - THIN, UNS S66286, MJ THREAD, METRIC [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5310 | IS | | DEC-85 |
| | SAE-MA3347 | BOLT, MACHINE-HEX HEAD-FULL SHANK, LONG THREAD, AMS 5731, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | DEC-87 |
| | SAE-MA3348 | BOLT, SPLINE DRIVE EXTENDED WASHER HEAD, PD SHANK, LONG THREAD, AMS 5708, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 23-MAY-91 |
| | SAE-MA3349 | NUT, SELF LOCKING - REDUCED HEX DRIVE, UNS S66286, SILVER PLATED MJ THREAD, METRIC [CUST: AV IS] | A 5310 | IS | | MAY-87 |
| | SAE-MA3350 | NUT, CASTELLATED, HEX - UNS S66286 MJ THREAD, METRIC [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5310 | IS | | DEC-85 |
| | SAE-MA3351 | NUT, SPLINE DRIVE - EXTENDED WASHER, CUPWASHER LOCK, UNS S66286, SILVER PLATE, MJ THREAD, METRIC [CUST: AR 99 IS] [REVIEW: 11 SH] | A 5310 | IS | | 01-JUL-87 |
| | SAE-MA3352 | PACKING, PREFORMED - O-RING SEAL, AMS 7276, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5330 | IS | | MAR-87 |
| | SAE-MA3353-87 | NUT, SELF LOCKING-SPLINE DRIVE, EXTENDED WASHER, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC - 1 JULY 87 [CUST: AR AS 99] [REVIEW: 11 AV SH] | A 5310 | IS | | 19-MAY-89 |
| | SAE-MA3354 | NUT, PLAIN HEX - THIN, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5310 | IS | | DEC-85 |
| | SAE-MA3365 | BOLT, MACHINE - HEX HEAD, DRILLED, FULL SHANK, LONG THREAD, AMS 5731, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | DEC-87 |
| | SAE-MA3366 | BOLT, MACHINE - SPLINE DRIVE EXTENDED WASHER, DRILLED HEAD, FULL SHANK, LONG THREAD, AMS 5662, METRIC [CUST: AR AS 99 IS] [REVIEW: AV SH] | A 5306 | IS | | JUL-87 |
| | SAE-MA3368 | BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK, LONG THREAD, DRILLED, AMS5662, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | DEC-87 |
| | SAE-MA3369 | BOLT, MACHINE-HEX HEAD, DRILLED, PD SHANK, LONG THREAD, AMS 5662, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | FEB-87 |
| | SAE-MA3371 | BOLT, SPLINE DRIVE EXTENDED WASHER HEAD, DRILLED, PD SHANK, LONG THREAD, AMS 5708, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 23-MAY-91 |
| A | SAE-MA3374A | BOLTS AND SCREWS, UNS S66286, CORROSION AND HEAT RESISTANT STEEL, PROCUREMENT SPECIFICATION, METRIC [CUST: AV 11 IS] [REVIEW: 82 99 AR] | A 5306 | IS | | OCT-95 |
| | SAE-MA3376A | BOLTS AND SCREWS, UNS G87400 860 MPA, MJ THREAD, PROCUREMENT SPECIFICATION FOR, METRIC [CUST: AV 11 IS] [REVIEW: 82 99 AR] | A 53GP | IS | | FEB-86 |
| A | SAE-MA3377A | BOLTS AND SCREWS, NICKEL ALOY UNS N07718, TENSILE STRENGTH 1275 MPA PROCUREMENT SPECIFICATION, METRIC [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 53GP | IS | | OCT-95 |
| | SAE-MA3378B | BOLTS AND SCREWS, UNS N07001 730 DEG. C, 1210 MPA PROCUREMENT SPECIFICATION FOR, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 07-SEP-90 |
| | SAE-MA3379 | STUD - STRAIGHT - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 6 X 1 - 6 X 1 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |
| | SAE-MA3380 | STUD, STRAIGHT - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 7 X 1 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |
| | SAE-MA3381 | STUD, STRAIGHT - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 8 X 1 - 8 X 1 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------|---|--------------------------|-----|-------------|-----------|
| SAE-MA3382 | STUD, STEPPED - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 10 X 1.25 - 10 X 1.25 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |
| SAE-MA3383 | STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 6 X 1 - 5 X 0.8 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |
| SAE-MA3384 | STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 6 X 1 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |
| SAE-MA3385 | STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 8 X 1 - 7 X 1 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |
| SAE-MA3386 | STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 10 X 1.25 - 8 X 1 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |
| SAE-MA3387 | STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 12 X 1.25 - 10 X 1.25 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |
| SAE-MA3388 | STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 6 X 1 - 5 X 0.8 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |
| SAE-MA3389 | STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 6 X 1 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |
| SAE-MA3390 | STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 8 X 1 - 7 X 1 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |
| SAE-MA3391 | STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 10 X 1.25 - 8 X 1 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |
| SAE-MA3392 | STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 12 X 1.25 - 10 X 1.25 [CUST: AR AS 99 IS] | A 5307 | IS | | JAN-88 |
| SAE-MA3393 NOT 1 | CLIP-SPRING, TENSION, OUTER 6.7MM BOLT HOLE, AMS 5525, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | 11-OCT-91 |
| SAE-MA3394 | CLIP - SPRING, TENSION, INNER 6.7 MM BOLT HOLE, AMS 5525, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | 15-NOV-90 |
| SAE-MA3398 | BOLT, MACHINE-HEX HEAD-DRILLED, PD SHANK, LONG THREAD, AMS 5731, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5306 | IS | | JUL-87 |
| SAE-MA3399 | CLAMP - TUBE SUPPORT, SPRING CLIPS AND PTFE CUSHION PROCUREMENT SPECIFICATION FOR [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5340 | IS | | 09-AUG-90 |
| SAE-MA3421 | NUT, PLAIN HEX - DRLD, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5310 | IS | | DEC-85 |
| SAE-MA3422 | NUT, PLAIN HEX - UNS S66286, SILVER PLATE, MJ THREAD, METRIC [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5310 | IS | | DEC-85 |
| SAE-MA3423 | NUT, PLAIN HEX - DRLD, UNS S66286, SILVER PLATE, MJ THREAD, METRIC [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5310 | IS | | DEC-85 |
| SAE-MA3424 | NUT, PLAIN HEX - THIN, UNS S66286, SILVER PLATE, MJ THREAD, METRIC [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5310 | IS | | DEC-85 |
| SAE-MA3425 | NUT, CASTELLATED, HEX - UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5310 | IS | | DEC-85 |
| SAE-MA3426 | NUT, CASTELLATED, HEX - UNS S66286, SILVER PLATE, MJ THREAD, METRIC [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5310 | IS | | DEC-85 |
| SAE-MA3427 | NUT, CASTELLATED, HEX, THIN UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5310 | IS | | FEB-86 |
| SAE-MA3428 | NUT, CASTELLATED, HEX - THIN, UNS S66286, SILVER PLATE, MJ THREAD, METRIC [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5310 | IS | | DEC-85 |
| SAE-MA3429 | NUT, SELF LOCKING, SPLINE DRIVE, EXTENDED WASHER, UNS N07001, SILVER PLATE, MJ THREAD, METRIC [CUST: AR 99 IS] [REVIEW: 11 SH] | A 5310 | IS | | JUL-87 |
| SAE-MA3433 | NUT, SELF LOCKING-SHANK, UNS N070001, SILVER PLATE, MJ THREAD, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5310 | IS | | 01-NOV-89 |
| SAE-MA3434 | PACKING, PREFORMED O-RING SEAL, AMS 7273, METRIC [CUST: AR 99 IS] | A 5330 | IS | | JUL-87 |
| SAE-MA3437 | SPACER, SLEEVE - FOR 5MM BOLT, AMS4901 OR AMS4921, METRIC [CUST: AR YD1 99 IS] | A 5365 | IS | | AUG-87 |
| SAE-MA3438 | SPACER, SLEEVE - FOR 6MM BOLT, AMS4901 OR AMS4921, METRIC [CUST: AR YD1 99 IS] | A 5365 | IS | | AUG-87 |
| SAE-MA3439-89 | O-RING GROOVE DESIGN FOR PACKING PREFORMED, ELASTOMERIC O-RING SEALS, STATIC, AXIAL COMPRESSION, METRIC - 1 NOV 89 [CUST: AR AS 99] [REVIEW: 82 AV] | A 5310 | IS | | 31-MAY-90 |
| SAE-MA3442 | PACKING, PREFORMED O-RING SEAL, AMS 7267, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5330 | IS | | MAR 87 |
| SAE-MA3444 | NUT, SELF LOCKING - SPLINE DRIVE, CAPTIVE WASHER, UNS S66286, SILVER PLATE, MJ THREAD, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5310 | IS | | 14-FEB-90 |
| SAE-MA3445 | PACKING, PREFORMED O-RING SEAL, FLUOROCARBON (MIL-R-83485, TYPE I), METRIC [CUST: MR SH 11 IS] [REVIEW: 99] | A 5330 | IS | | SEP-88 |
| SAE-MA3446A | BOLT, MACHINE - TEE HEAD, CHAMFERED CLASSIFICATION: 1210 MPA/730 DEG C CLOSE TOL SHANK, UNS N07001, METRIC [CUST: AR AS 99 IS] [REVIEW: AV SH] | A 5306 | IS | | JUL-94 |
| SAE-MA3447 | BOLT, MACHINE - SPLINE DRIVE HD, CLOSE TOL FULL SHANK, AMS 5662, METRIC [CUST: AR AS 99 IS] [REVIEW: AV SH] | A 5306 | IS | | 14-FEB-90 |
| SAE-MA3448 | BOLT, SPLINE DRIVE SPECIAL EXTENDED WASHER HEAD, REDUCED HEAD, PD SHANK, AMS 5708, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 23-MAY-91 |
| SAE-MA3449 | BOLT, SPLINE DRIVE EXTENDED WASHER HEAD, REDUCED HEAD, RETAINER LOCKED, PD SHANK, AMS 5708, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 23-MAY-91 |
| SAE-MA3450 | RETAINER, NUT AND BOLT, CUP LOCK 5 MM AND 6 MM, AMS 5510, METRIC [CUST: AR AS 99 IS] | A 5340 | IS | | 18-SEP-91 |
| SAE-MA3453 | WASHER, FLAT, AMS-5525, METRIC [CUST: AR SH 99 IS] [REVIEW: 82 AV] | A 5310 | IS | | 28-OCT-90 |
| SAE-MA3476 | BOLT, MACHINE-SPLINE EXTENDED WASHER, FULL HEAD, PD SHANK, LONG THREAD, AMS 5662, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | | 06-NOV-91 |
| SAE-MA3477-90 | BOLT, MACHINE - SPLINE DRIVE HD, CLOSE TOL FULL SHANK, AMS-5662, METRIC - 14 FEB 90 [CUST: AR AS 99 IS] [REVIEW: AV SH] | A 5306 | IS | | 19-DEC-90 |
| SAE-MA3574 | RIVET-SOLID, UNIVERSAL HEAD, AS7232 CORROSION AND HEAT RESISTANT NICKEL ALLOY, METRIC [CUST: AS 99 IS] | A 5320 | IS | | FEB-96 |
| SAE-MA4016 | RING, RETAINING-EXTERNAL, SPIRAL WOUND, HEAVY AND MEDIUM DUTY CRES, METRIC [CUST: AR AS 99 IS] [REVIEW: 82] | A 5365 | IS | | 01-SEP-87 |
| SAE-MA4017 | RING, RETAINING - INTERNAL, SPIRAL WOUND, HEAVY AND MEDIUM DUTY CRES, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AS] | A 5365 | IS | | SEP-87 |
| SAE-MA4018 | PIN, STRAIGHT, HEADLESS, AMS 5688, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 OS] | A 5315 | IS | | 01-SEP-87 |
| SAE-MA4019 | PIN, STRAIGHT, HEADLESS, AMS 5732, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 OS] | A 5315 | IS | | 01-SEP-87 |
| SAE-MA4020 | RING, RETAINING, EXTERNAL, TAPERED, TYPE I, CLASS 2, AMS 5520, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AS] | A 5365 | IS | | 01-SEP-87 |
| SAE-MA4021 | RING, RETAINING, INTERNAL, TAPERED, TYPE I, CLASS 1, AMS 5520, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AS] | A 5365 | IS | | 01-SEP-87 |
| SAE-MA4029 | RING, RETAINING - INTERNAL, BEVELED, TAPERED, TYPE II CLASS I AMS 5520, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AS] | A 5365 | IS | | SEP-87 |
| SAE-MA4030 | RING, RETAINING, EXTERNAL, REINFORCED, E-RING, TYPE I, CLASS 3, AMS 5520, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AS] | A 5365 | IS | | 01-SEP-87 |
| SAE-MA4035 | RINGS, RETAINING - SPIRAL WOUND, UNIFORM SECTION, CORROSION RESISTANT, PROCUREMENT SPECIFICATION FOR, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AS] | A 5365 | IS | | 09-JUN-88 |
| SAE-MA4036 | RINGS, RETAINING - TAPERED WIDTH, UNIFORM THICKNESS, CORROSION RESISTANT, PROCUREMENT SPECIFICATION FOR, METRIC [CUST: AR OS 99 IS] [REVIEW: 82 AS] | A 5365 | IS | | 09-JUN-88 |
| SAE-MA4037A | WASHER, KEY - 90 DEG. LOCKING, CRES, UNS S32100, METRIC [CUST: AV 99 IS] [REVIEW: 82] | A 5310 | IS | | SEP-95 |
| SAE-MA4038A | WASHER, KEY - 180 DEG. LOCKING, CRES, UNS S3210, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5310 | IS | | SEP-95 |
| SAE-MA4039A | WASHER, KEY - 270 DEG. LOCKING, CRES, UNS S32100, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5310 | IS | | SEP-95 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|---|-----------------------|-----|-------------|------|
| A | SAE-MA4040A | WASHER, KEY - DUAL LOCKING POSITIONS CRES, UNS S32100, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5310 | IS | SEP-95 | |
| | SAE-MA4044 | NUT, SPANNER-END SLOTS, CUPWASHER LOCKED, UNS S66286, SILVER PLATED, MJ THREAD, METRIC [CUST: AR 99 IS] [REVIEW: 82 AV] | A 5310 | IS | 12-OCT-90 | |
| | SAE-MA4045 | WASHER, CUP, LOCK-SPANNER NUT AMS 5646, METRIC [CUST: AV AS 99 IS] [REVIEW: AR SH] | A 5310 | IS | 22-MAY-89 | |
| | SAE-MA4070 | PINS, PROCUREMENT SPECIFICATION FOR, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 OS] | A 5315 | IS | 20-APR-88 | |
| | SAE-MA4147 | BOLT, SPLINE DRIVE EXTENDED WASHER, REDUCED SHANK, AMS 5662, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | 15-JUN-92 | |
| | SAE-MA4177 | NUT, SELF LOCKING - HEX EXTENDED WASHER UNS N0700L, SILVER PLATE, MJ THREAD, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV SH] | A 5310 | IS | 14-FEB-90 | |
| | SAE-MA4187 | BOLT, MACHINE, SPLINE DRIVE, SPECIAL EXTENDED WASHER, REDUCED HEAD, PD SHANK, AMS 5662, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | 29-JAN-92 | |
| | SAE-MA4189 | SCREW, MACHINE, 100 DEG. CSK, FLAT HEAD, OFFSET CRUCIFORM RECESS, FULL SHANK, UNS S66286, MJ THREAD, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5306 | IS | 16-JAN-92 | |
| | SAE-MA4360 | WRENCHES, NONDISTORTING FLARE NUT, METRIC [CUST: AV] | A 5120 | AV | 31-MAR-93 | |
| | SAE-MA4534 | WRENCHES, SOCKET, HAND (METRIC) [CUST: AV] | A 5120 | AV | 01-SEP-93 | |
| A | SAE-MAM2241B | STEEL, CORROSION AND HEAT RESISTANT, TOLERANCES, METRIC, IRON ALLOY, TITANIUM, AND TITANIUM ALLOY BARS AND WIRE [CUST: MR AS 11] | A 95GP | MR | 03-MAY-89 | |
| | SAE-MAM2242A | STEEL, CORROSION AND HEAT RESISTANT, TOLERANCES, METRIC, IRON ALLOY, TITANIUM, AND TITANIUM ALLOY SHEET, STRIP, AND PLATE [CUST: MR AS 11] | A 95GP | MR | 01-JAN-87 | |
| | SAE-MAM2243B | STEEL, CORROSION AND HEAT RESISTANT TUBING, TOLERANCES, METRIC [CUST: MR AS 11] | A 4710 | MR | 01-JAN-90 | |
| | SAE-MAM2251A | TOLERANCES, METRIC LOW-ALLOY STEEL BARS [CUST: MR AS 11] | A 9515 | MR | 01-JUL-92 | |
| | SAE-MAM2252 | METRIC TOLERANCES, LOW-ALLOY STEEL SHEET, STRIP AND PLATE [CUST: MR AS 11] | A 9515 | MR | 01-JAN-83 | |
| | SAE-MAM2253 | STEEL TUBING, CARBON AND ALLOY, TOLERANCES, METRIC [CUST: MR AS 11] | A 4710 | MR | 01-JAN-83 | |
| | SAE-MAM2300A-92 NOT 1 | PREMIUM AIRCRAFT-QUALITY STEEL CLEANLINESS MAGNETIC PARTICLE INSPECTION PROCEDURE METRIC (S) MEASUREMENT [CUST: MR AS 11] | A NDTI | MR | 12-JUN-92 | |
| | SAE-MAM2303A | AIRCRAFT QUALITY STEEL CLEANLINESS MARTENSITIC CORROSION-RESISTANT STEELS MAGNETIC PARTICLE INSPECTION PROCEDURE METRIC (S) MEASUREMENT [CUST: MR AS 11 GS] | A NDTI | GS | 01-JUL-93 | |
| | SAE-MAM5401A | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, INVESTMENT CASTINGS 62NI - 21.5CR - 9.0MO - 3.6CB VACUUM CAST AS CAST [CUST: MR AS 11] | A MECA | II | SEP-96 | |
| | SAE-MAM5536A | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE SOLUTION HEAT TREATED [CUST: MR AS 11 IS] [REVIEW: 84 GS] | A 9515 | IS | 01-JUL-93 | |
| | SAE-MAM5598A | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 72NI - 15.5CR - 0.95(CB+TA) - 2.5TI - 0.70AL - 7.0FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE [CUST: MR AS 11 IS] | A 9515 | IS | 01-JUL-93 | |
| | SAE-MAM5599A | NICKEL ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 62NI - 21.5CR - 9.0MO - 3.7(CB+TA) ANNEALED [CUST: MR AS 11 IS] | A 9515 | IS | 01-APR-93 | |
| | SAE-MAM5706A | ALLOY BARS, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 57NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4A1 - 0.006B - 0.05ZR CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 995 DEG. - 1040 DEG. C SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A 9510 | IS | 01-JUL-89 | |
| | SAE-MAM5822 | STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 11.8CR - 2.8NI - 1.6CO - 1.8MO - 0.32V VACUUM INDUCTION MELTED [CUST: MR AS 11] | A 3439 | MR | 01-JAN-93 | |
| | SAE-MAM6304A | STEEL, LOW-ALLOY, HEAT-RESISTANT, BARS, FORGINGS, AND TUBING 0.95CR - 0.55MO - 0.30V (0.40 - 0.50C) [CUST: MR AS 11 IS] | A 9510 | IS | JUL-94 | |
| | SAE-MAP1753 | HOLE SIZES, RECOMMENDED FOR METRIC FASTENERS ON PROPULSION EQUIPMENT [CUST: AR AS 99] [REVIEW: 82 AV] | A 53GP | IS | NOV-83 | |
| | SAE-MAP3439 | O-RING GROOVE DESIGN FOR PACKING PERFORMED, ELASTOMERIC O-RING SEALS, STATIC, AXLE COMPRESSION, METRIC [CUST: AR AS 99 IS] [REVIEW: 82 AV] | A 5330 | IS | 01-NOV-89 | |
| | SAE-MAP3440 | O-RING GROOVE DESIGN FOR PACKING PERFORMED, ELASTOMERIC O-RING SEALS, STATIC RADIAL SQUEEZE, METRIC [CUST: AR AS IS] [REVIEW: AV SH] | A 5330 | IS | 05-MAR-90 | |
| | SAMA-A11.1-74 | RECOMMENDED PRACTICE FOR GLASS PH & REFERENCE ELECTRODES - 74 [CUST: EA MS 99] [REVIEW: CR4 MD YD1] | A 6640 | EA | 23-DEC-74 | |
| | SAMA-LA2.1B-78 | SIZES FOR LABORATORY GLASSWARE - 74 [CUST: EA MS 99] | A 6640 | EA | 01-MAY-78 | |
| A | SAWE-RP9 | WEIGHT AND BALANCE CONTROL SYSTEM FOR GUIDED MISSILES AND SPACE LAUNCH VEHICLES [CUST: MI AS 11] | A 1410 | AS | 01-SEP-95 | |
| A | SAWE-RP10 | WEIGHT AND BALANCE DATA REPORTING FORMS FOR GUIDED MISSILES AND SPACE LAUNCH VEHICLES [CUST: MI AS 99] | A 14GP | AS | 01-SEP-95 | |
| | SDI100-85 | STEEL DOOR & FRAME, RECOMMENDED SPECIFICATIONS STANDARD - 7 JAN 1985 [CUST: CR4 YD1] [REVIEW: 99 CE] | A 5670 | YD1 | 20-JUL-87 | |
| | SDI105-87 | FRAMES, STEEL, RECOMMENDED ERECTION INSTRUCTIONS FOR - SEP 1987 [CUST: YD1] [REVIEW: 84] | A 5670 | YD1 | 06-JUL-89 | |
| | SDI107-84 | DOORS, STEEL, HARDWARE ON (REINFORCEMENT-APPLICATION) 1984 [CUST: YD1] [REVIEW: 84] | A 5670 | YD1 | 27-JUN-89 | |
| | SDI111A-86 | DOORS, STEEL, FRAMES, DETAILS, RECOMMENDED STANDARD - SEP 1986 [CUST: YD1] [REVIEW: 99 CE] | A 5670 | YD1 | 31-AUG-88 | |
| | SDI111E-86 | DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED WEATHERSTRIPPING FOR - SEP 1986 [CUST: YD1] [REVIEW: 99 CE] | A 5670 | YD1 | 31-AUG-88 | |
| | SDI111G-87 | DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED STANDARD PREPARATION FOR DOUBLE TYPE (INTERCONNECTED) LOCKS ON - JUL 1987 [CUST: YD1] [REVIEW: 99 CE] | A 5670 | YD1 | 31-AUG-88 | |
| | SDI111F-86 | DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED COMPLETED OPENING ANCHORS - SEP 1986 [CUST: YD1] [REVIEW: 99 CE] | A 5670 | YD1 | 31-AUG-88 | |
| | SDI111D-86 | DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED DOOR, FRAME AND HARDWARE SCHEDULE FOR - SEP 1986 [CUST: YD1] [REVIEW: 99 CE] | A 5670 | YD1 | 31-AUG-88 | |
| | SDI111B-86 | DOORS, DUTCH, RECOMMENDED STANDARD - SEP 1986 [CUST: YD1] [REVIEW: 99 CE] | A 5670 | YD1 | 31-AUG-88 | |
| | SDI111C-86 | DOORS, STEEL, STANDARD, RECOMMENDED LOUVER DETAILS FOR - SEP 1986 [CUST: YD1] [REVIEW: 99 CE] | A 5670 | YD1 | 31-AUG-88 | |
| | SDI113-79 NOT 1 | DOOR, STEEL, & FRAME ASSEMBLIES, APPARENT THERMAL PERFORMANCE OF, TEST PROCEDURE & ACCEPTANCE CRITERIA FOR - 1979 [CUST: CR4 YD1] [REVIEW: CE] | A 5670 | YD1 | 11-APR-88 | |
| | SDI114-79 NOT 1 | DOOR & FRAME ASSEMBLIES, STEEL, TEST PROCEDURE & ACCEPTANCE CRITERIA FOR ACOUSTICAL PERFORMANCE FOR - 1979 [CUST: CR4 YD1] [REVIEW: CE] | A 5670 | YD1 | 11-APR-88 | |
| | SDI116-79 NOT 1 | DOOR & FRAME ASSEMBLIES, STEEL, STANDARD TEST PROCEDURE & ACCEPTANCE CRITERIA FOR RATE OF AIR FLOW THROUGH CLOSED - 1979 [CUST: CR4 YD1] [REVIEW: CE] | A 5670 | YD1 | 11-APR-88 | |
| | SDI119-83 | DOOR FRAME AND FRAME ANCHOR, STEEL, PERFORMANCE TEST PROCEDURES FOR - 18 NOV 83 [CUST: CR4 YD1] [REVIEW: CE] | A 5670 | YD1 | 11-APR-88 | |
| | SES1-95 | STANDARDS DESIGNATION AND ORGANIZATION RECOMMENDED PRACTICE FOR [CUST: AR SH 11 DH] [REVIEW: 16 17 19 22 35 45 50 68 69 70 71 79 82 84 85 90 99 AL AS AT AV CC CE CG CR CR4 CT DC DM DO DP DS EA EC GL GS IS LM MC MD MI MP MR MT OS PS SA SM SS TE TM YD1] | A SDMP | SO | 1995 | |
| | SFSA3-81 NOT 2 | STEEL CASTINGS HANDBOOK, TOLERANCES, SUPPLEMENT 3 - APRIL 81 [CUST: MR] | A MECA | MR | 31-AUG-88 | |
| | SMACNA-KEFG | EQUIPMENT, KITCHEN, FABRICATION GUIDELINES [CUST: GL YD1 99] [REVIEW: 50 84 CE GS] | A 73GP | YD1 | 31-DEC-90 | |
| | SMACNA-SRM-91 | MANUAL SEISMIC RESTRAINT: GUIDELINES FOR MECHANICAL SYSTEMS [CUST: YD1] [REVIEW: 19 CE] | A FACR | YD1 | 31-DEC-91 | |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-------------|------------------------|--|-----------------------|-----|-------------|------|
| | SSPC-PA1-82 NOT 1 | PAINT APPLICATION SPECIFICATION NO. 1, SHOP, FIELD & MAINTENANCE PAINTING - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: AR CE MC MD MR MS OS] | A 8010 | YD1 | 03-AUG-88 | |
| | SSPC-PA2-82 NOT 1 | PAINT APPLICATION SPECIFICATION NO. 2, MEASUREMENT OF DRY PAINT THICKNESS WITH MAGNETIC GAGES - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: CE MD MR MS] | A 8010 | YD1 | 03-AUG-88 | |
| | SSPC-PA3-82 | GUIDE TO SAFETY IN PAINT APPLICATION PAINT APPLICATION GUIDE NO. 3 - 1 NOV 82 [CUST: CR4 YD1] [REVIEW: CC MC OS SH] | A 8010 | YD1 | 30-AUG-89 | |
| | SSPC-PA4-82 | GUIDE TO MAINTENANCE REPAINTING WITH OIL BASED OR ALKYD PAINTING SYSTEMS PAINT APPLICATION GUIDE NO. 4 - 1 NOV 82 [CUST: CR4 YD1] [REVIEW: CC MC OS SH] | A 8010 | YD1 | 30-AUG-89 | |
| | SSPC-PAINT1-82 | OIL PRIMER, RED LEAD AND RAW LINSEED [CUST: YD1] | A 8010 | YD1 | 01-NOV-82 | |
| | SSPC-PAINT2-82 | OIL AND ALKYD PRIMER, RED LEAD, IRON OXIDE, RAW LINSEED [CUST: YD1] | A 8010 | YD1 | 01-NOV-82 | |
| | SSPC-PAINT5-82 | PAINT SPECIFICATION NO. 5, ZINC DUST, ZINC OXIDE, AND PHENOLIC VARNISH PAINT [CUST: CR4 YD1 11] [REVIEW: AR CE MC MD MR MS OS SH] | A 8010 | YD1 | 17-JUL-89 | |
| | SSPC-PAINT8-82 NOT 1 | PAINT SPECIFICATION NO. 8, ALUMINUM VINYL PAINT - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: AR CE MC MD MR MS OS] | A 8010 | YD1 | 17-AUG-88 | |
| | SSPC-PAINT9-82 | PAINT SPECIFICATION NO. 9, WHITE (OR COLORED) VINYL PAINT - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: AR CE MC MD MR MS OS] | A 8010 | YD1 | 21-JUN-83 | |
| | SSPC-PAINT11-82 | PAINT SPECIFICATION NO. 11, RED IRON OXIDE, ZINC CHROMATE, RAW LINSEED OIL & ALKYD PRIMER - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: AR CE MC MD MR MS OS] | A 8010 | YD1 | 17-JUL-89 | |
| | SSPC-PAINT13-82 | PAINT, SHOP, RED OR BROWN ONE-COAT [CUST: YD1] | A 8010 | YD1 | 01-NOV-82 | |
| | SSPC-PAINT15-82 | PAINT SPECIFICATION NO. 15, STEEL JOIST SHOP PAINT TYPE I, RED OXIDE PAINT TYPE II, ASPHALT COATING - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: CE MC MD MR MS OS SH] | A 8010 | YD1 | 17-JUL-89 | |
| | SSPC-PAINT16-82 NOT 2 | PAINT SPECIFICATION NO. 16, COAL TAR EPOXY-POLYAMIDE BLACK (OR DARK RED) PAINT - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: CE MC MD MR MS OS] | A 8010 | YD1 | 21-JUN-89 | |
| | SSPC-PAINT20-82 NOT 1 | PAINT SPECIFICATION NO. 20, ZINC-RICH PRIMERS (TYPE I, INORGANIC & TYPE II ORGANIC) 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: AR CE MC MD MR MS OS] | A 8010 | YD1 | 16-AUG-88 | |
| | SSPC-PAINT22-82 | EPOXY-POLYIMIDE PAINTS (PRIMER, INTERMEDIATE, AND TOPCOATED) PAINT SPECIFICATION NO. 22 - 1 NOV 82 [CUST: CR4 YD1] [REVIEW: CC MC OS SH] | A 8010 | YD1 | 30-AUG-89 | |
| | SSPC-PAINT27-82 | BASIC ZINC CHROMATE-VINYL BUTYRAL WASH PRIMER PAINT SPECIFICATION NO. 27 - 1 NOV 82 [CUST: CR4 YD1] [REVIEW: CC MC OS SH] | A 8010 | YD1 | 30-AUG-89 | |
| | SSPC-PAINT101-82 NOT 1 | PAINT SPECIFICATION NO. 101, ALUMINUM ALKYD PAINT, LEAFING (TYPE I) AND NON-LEAFING (TYPE II) - 01 NOV 82 [CUST: CR4 YD1 11] [REVIEW: AR CE MC MD MR MS OS] | A 8010 | YD1 | 15-AUG-88 | |
| | SSPC-PS1-09-82 NOT 1 | THREE-COAT OIL BASE ZINC OXIDE PAINTING SYSTEM (WITHOUT LEAD OR CHROMATE PIGMENT) [CUST: CR4 YD1 99] [REVIEW: 84 CE MC SH] | A 8010 | YD1 | 29-MAR-93 | |
| | SSPC-PS4-01-82 | PAINTING SYSTEM SPECIFICATION NO. 4.02, FOUR-COAT VINYL PAINTING SYSTEM (FOR FRESH WATER, CHEMICAL, & CORROSIVE ATMOSPHERES) - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: CE MC MD MR MS OS] | A 8010 | YD1 | 21-JUN-83 | |
| | SSPC-PS10-01-82 | PAINTING SYSTEM SPECIFICATION NO. 10.01, HOT APPLIED COAL TAR ENAMEL PAINTING SYSTEM - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: CE MC MD MR MS OS] | A 8010 | YD1 | 21-JUN-83 | |
| | SSPC-PS11-01-82 | PAINTING SYSTEM BLACK (OR DARK RED) COAL TAR EPOXY-POLYAMIDE PAINTING SYSTEM SPECIFICATION NO. 11.01 [CUST: CR4 YD1] [REVIEW: CC MC OS SH] | A 8010 | YD1 | 30-AUG-89 | |
| | SSPC-PS12-01-82 | PAINTING SYSTEM ONE-COAT ZINC-RICH PAINTING SYSTEM SPECIFICATION NO. 12.01 - 1 NOV 82 [CUST: CR4 YD1] [REVIEW: CC MC OS SH] | A 8010 | YD1 | 30-AUG-89 | |
| | SSPC-PS13-01-82 | PAINTING SYSTEM SPECIFICATION NO. 13.01, EPOXY-POLYAMIDE PAINTING SYSTEM - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: AR CE MC MD MR MS OS SH] | A 8010 | YD1 | 17-JUL-89 | |
| | SSPC-PS14-01-82 | PAINTING SYSTEM SPECIFICATION NO. 14.01, STEEL JOIST SHOP PAINTING SYSTEM - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: CE MC MD MR MS OS] | A 8010 | YD1 | 17-JUL-89 | |
| | SSPC-SP1-82 | SOLVENT CLEANING SURFACE PREPARATION SPECIFICATION NO. 1 - 1 NOV 82 [CUST: CR4 YD1] [REVIEW: CC MC OS SH] | A 8010 | YD1 | 30-AUG-89 | |
| | SSPC-SP2-89 | TOOL HAND, CLEANING SURFACE PREPARATION SPECIFICATION NO. 2 - 1 SEP 89 [CUST: CR4 YD1 11] [REVIEW: 50 84 99 AR CE MC MR OS SH] | A 8010 | YD1 | 01-APR-90 | |
| | SSPC-SP3-82 NOT 1 | POWER TOOL CLEANING, SURFACE PREPARATION SPECIFICATION NO. 3 - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: AR CE MC MD MR MS OS SH] | A 8010 | YD1 | 16-AUG-88 | |
| | SSPC-SP5-85 | WHITE METAL BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 5 - 01 MAR 85 [CUST: CR4 YD1 11] [REVIEW: AR CE MC MR MS OS SH] | A 8010 | YD1 | 03-AUG-87 | |
| | SSPC-SP6-85 | COMMERCIAL BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 6 - 01 MAR 85 [CUST: CR4 YD1 11] [REVIEW: CE MC MR MS OS] | A 8010 | YD1 | 03-AUG-87 | |
| | SSPC-SP7-85 | BRUSH-OFF BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 7 - 01 MAR 85 [CUST: CR4 YD1 11] [REVIEW: AR CE MC MR MS OS SH] | A 8010 | YD1 | 03-AUG-87 | |
| | SSPC-SP8-82 NOT 1 | SURFACE PREPARATION SPECIFICATION NO. 8, PICKLING - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: AR CE MC MD MR MS OS SH] | A 8010 | YD1 | 16-AUG-88 | |
| | SSPC-SP10-85 | NEAR-WHITY BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 10 - 1 MAR 1985 [CUST: CR4 YD1 11] [REVIEW: AR CE MC MR MS OS] | A 8010 | YD1 | 03-AUG-87 | |
| | SSPC-SP11-87 | TOOL, POWER, CLEANING TO BARE METAL SURFACE PREPARATION SPECIFICATION NO. 11-87T - 1 SEP 89 (EDITORIAL CHANGES) [CUST: CR4 YD1 91] [REVIEW: 84 99 AS CE MC OS SH] | A 5610 | YD1 | 10-OCT-89 | |
| | SSPC-SPCOM-82 NOT 1 | SURFACE PREPARATION COMMENTARY - 1 NOV 82 [CUST: CR4 YD1 11] [REVIEW: AR CE MC MD MR MS OS] | A 8010 | YD1 | 16-AUG-88 | |
| | SSPC-VIS1-89 | VISUAL STANDARD FOR ABRASIVE BLAST CLEANED STEEL (STANDARD REFERENCE PHOTOGRAPHS) GUIDE TO SSPC-VIS 1-89 - 1 SEP 89 [CUST: YD1] [REVIEW: MC OS SH] | A 8010 | YD1 | 30-AUG-89 | |
| | SSPC-VIS2-82 | GUIDE TO STANDARD METHOD OF EVALUATING DEGREE OF RUSTING ON PAINTED STEEL SURFACES GUIDE TO VISULE STANDARD NO. 2 - 1 NOV 82 [CUST: CR4 YD1] [REVIEW: CC MC OS SH] | A 8010 | YD1 | 30-AUG-89 | |
| | SWI-SW-89 | WINDOW, STEEL - JUN 1989 [CUST: YD1] [REVIEW: 84 CC] | A 5670 | YD1 | 07-AUG-89 | |
| | TRA-YB-72 | TIRE & RIM ASSOCIATION, YEAR BOOK 1972 - 72 [CUST: AT YD1 99] | A 2610 | 84 | 08-AUG-72 | |
| | UL1-85(4) | FLEXIBLE METAL CONDUIT, STANDARD FOR SAFETY, (EIGHTH EDITION) [CUST: CR YD1 99] [REVIEW: 85 CR4 GS] | A 5975 | YD1 | 05-FEB-93 | |
| | UL3-84 | WIRING, ELECTRIC, FLEXIBLE NONMETALLIC TUBING FOR, STANDARD FOR - EIGHTH EDITION - 25 JAN 80 [CUST: CR4 85] [REVIEW: 99 EC GS MC] | A 5975 | CR4 | 25-JUN-85 | |
| | UL4-86 | CABLE ARMORED STANDARD FOR SAFETY, THIRTEENTH EDITION, 09 APR 86 [CUST: YD1 85] [REVIEW: 99 IS] | A 6145 | YD1 | 14-JUN-89 | |
| | UL5-85R90 | METAL, SURFACE, RACEWAYS AND FITTING, STANDARD FOR - 19 JUL 1985 TENTH EDITION (REVISED PAGES 3 MAY 1990 AND 20 SEP 1990) [CUST: CR YD1 85] [REVIEW: 99 CR4 GS SH] | A 5975 | YD1 | 28-JAN-91 | |
| | UL6-81(2) | CONDUIT, RIGID METAL, SAFETY, STANDARD FOR [CUST: CR YD1 85] [REVIEW: 99 CE CR4 GS MC] | A 5975 | YD1 | 18-JUN-92 | |
| | UL9-79R87 | WINDOW ASSEMBLIES, STANDARD FOR FIRE TEST FOR, FOURTH EDITION, 14 MAY 87 [CUST: YD1 85] [REVIEW: 84 99 IS] | A 5670 | YD1 | 27-JUN-89 | |
| A | UL10A-98 | DOORS, FIRE, TIN CLAD [CUST: YD1 99] [REVIEW: 04 84 CE MC] | A 5670 | YD1 | 25-FEB-98 | |
| | UL10B-87 | DOOR ASSEMBLIES, STANDARD FOR SAFETY FIRE TESTS OF, SEVENTH EDITION, 11 AUG 87 [CUST: YD1 85] [REVIEW: 84 99 IS] | A 5670 | YD1 | 06-JUL-89 | |
| | UL14B-84 NOT 1 | DOOR, SLIDING HARDWARE FOR STANDARD HORIZONTALLY MOUNTED TIN - CLAD FIRE - 4 JAN 79 (SIXTH EDITION, SECOND IMPRESSION, AS REVISED TO 10 FEB 84 [CUST: YD1 99] [REVIEW: 04 84 CE MC] | A 5670 | YD1 | 02-AUG-88 | |
| | UL14C-79R84 | DOOR, FIRE, SWINGING HARDWARE FOR STANDARD TIN CLAD, MOUNTED SINGLY & IN PAIRS (FIFTH EDITION - 4 JAN 79 (REAPPROVED 1984) [CUST: YD1 99] [REVIEW: 04 84 CE MC] | A 5670 | YD1 | 03-JUL-89 | |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------------|---|--------------------------|--------------------|-----------|
| UL19-92 NOT 1 | LINED FIRE HOSE AND HOSE ASSEMBLIES, STANDARD FOR (TENTH EDITION) [CUST: CR4 YD1] [REVIEW: CC] | A 4210 | YD1 | 17-FEB-93 |
| UL20-86 | SWITCHES, SNAP, GENERAL USE, STANDARD FOR - TENTH EDITION 12 JUN 86 [CUST: CR4 YD1 11] [REVIEW: 80 AT SH] | A 5930 | YD1 | 23-FEB-89 |
| UL32-81 | CANS, METAL WASTE [CUST: GL YD1 99] | A 7240 | GL | 14-AUG-81 |
| UL33-87 | HEAT RESPONSIVE LINKS, FIRE, PROTECTION SERVICE, STANDARD FOR SAFETY FIFTH EDITION - 18 NOV 87 [CUST: CR4 YD1 99] | A 4210 | YD1 | 03-JUL-89 |
| UL38-87 NOT 1 | BOXES, MANUALLY ACTUATED SIGNALING, FOR USE WITH FIRE-PROTECTIVE SIGNALING SYSTEMS, STANDARD FOR [CUST: YD1] | A 6350 | YD1 | 09-APR-92 |
| UL44-91 NOT 1 | RUBBER-INSULATED WIRES AND CABLES, STANDARD FOR [CUST: YD1 85] [REVIEW: 99 IS SH] | A 6145 | YD1 | 15-NOV-91 |
| UL45-91(2) | TOOLS, PORTABLE ELECTRIC [CUST: GL YD1 99] [REVIEW: 84 SH] | A 5130 | YD1 | 17-JUL-92 |
| UL50-88(2) | CABINETS AND BOXES, SAFETY, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 80 CR GS] | A 5975 | YD1 | 11-JUN-92 |
| UL58-86R90 NOT 1 | STEEL UNDERGROUND TANKS FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS, STANDARD FOR [CUST: CR4 YD1 99] | A 5430 | YD1 | 02-JAN-92 |
| UL62-91 NOT 1 | FLEXIBLE CORD AND FIXTURE WIRE, STANDARD FOR [CUST: YD1 85] [REVIEW: 99 GS IS SH] | A 6145 | YD1 | 02-APR-92 |
| UL67-93 | PANELBOARD [CUST: CR4 YD1 99] [REVIEW: 80 CR GS SH] | A 6110 | YD1 | 08-DEC-93 |
| UL70-93 | SEPTIC TANKS, BITUMINOUS COATED METAL [CUST: CR4 AS 71] | A 4630 | 71 | 25-JUN-93 |
| UL73-93 | APPLIANCES, MOTOR OPERATED [CUST: GL 99] [REVIEW: MD] | A 73GP | GL | 16-APR-93 |
| UL80-91 NOT 1 | TANKS, STEEL INSIDE, FOR OIL-BURNER FUEL, STANDARD FOR [CUST: CR4 YD1 99] | A 5430 | YD1 | 02-JAN-92 |
| UL83-91 | WIRES AND CABLES, THERMOPLASTIC-INSULATED [CUST: CR YD1 85] [REVIEW: 99 CR4 IS] | A 6145 | YD1 | 24-SEP-91 |
| UL87-95 | PETROLEUM PRODUCTS, POWER-OPERATED DISPENSING DEVICES FOR [CUST: CR4 YD1 99] [REVIEW: 82 CC] | A 4930 | YD1 | 24-OCT-95 |
| UL92-93 | FIRE EXTINGUISHER AND BOOSTER HOSE [CUST: CR4 YD1 84] | A 4210 | 84 | 27-JUL-93 |
| UL94-91 | TESTS FOR FLAMMABILITY OF PLASTIC MATERIALS FOR PARTS IN DEVICES AND APPLIANCES [CUST: MR AS GS] | A 9330 | GS | 18-JUN-91 |
| UL96A-94 | INSTALLATION REQUIREMENTS FOR LIGHTING PROTECTION SYSTEMS [CUST: CR YD1 04] | A FACR | YD1 | 24-MAY-94 |
| UL96-94 | LIGHTNING PROTECTION COMPONENTS [CUST: CR YD1 04] | A FACR | YD1 | 16-MAY-94 |
| UL98-94 | SWITCHES, ENCLOSED AND DEAD-FRONT [CUST: CR YD1] [REVIEW: CC EC] | A 5930 | YD1 | 27-APR-94 |
| UL103-95 | CHIMNEYS, FACTORY-BUILT, FOR RESIDENTIAL TYPE AND BUILDING HEATING APPLIANCES [CUST: YD1] | A 4520 | YD1 | 18-DEC-95 |
| UL109-93 | TUBE FITTINGS FOR FLAMMABLE AND COMBUSTIBLE FLUIDS, REFRIGERATION SERVICE, AND MARINE USE [CUST: CR4 YD1 99] [REVIEW: 84] | A 4730 | YD1 | 28-APR-93 |
| UL114-70 | OFFICE APPLIANCES & BUSINESS EQUIPMENT, ELECTRIC - 9 OCT 70 [CUST: GL 99] [REVIEW: MD] | A 74GP | GL | 11-MAY-76 |
| UL123-86 | TORCHES, OXY-FUEL GAS - 14 OCT 1986 [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | 26-SEP-88 |
| UL130-96 | ELECTRIC HEATING PADS [CUST: MD MS 03] | A 6530 | MB | 28-MAR-96 |
| UL142-93 | TANKS, STEEL ABOVEGROUND FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS [CUST: CR YD1 11] [REVIEW: 84 AR GS] | A 5430 | YD1 | 01-APR-93 |
| UL147-92 | TORCHES, HAND-HELD, FOR FUEL GASES [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | 02-OCT-92 |
| UL153-94 | ELECTRIC LAMPS, PORTABLE [CUST: GL AS 99] | A 6230 | MB | 24-MAY-94 |
| UL154-90 | CARBON-DIOXIDE FIRE EXTINGUISHERS [CUST: CR4 SH 99] | A 4210 | CR4 | 02-AUG-90 |
| UL174-89 | HOUSEHOLD ELECTRIC STORAGE TANK WATER HEATERS [CUST: GL YD1 99] | A 4520 | YD1 | 15-NOV-89 |
| UL181-96 | AIR DUCTS AND AIR CONNECTORS, FACTORY-MADE [CUST: YD1 99] [REVIEW: 82 CE GS MC] | A 4130 | YD1 | 04-APR-96 |
| UL187-93 | X-RAY EQUIPMENT [CUST: MD MS 03] | A 6525 | MB | 22-APR-93 |
| UL197-74 | STANDARD FOR COMMERCIAL ELECTRIC COOKING APPLIANCES - 8 NOV 74 [CUST: GL YD1 99] [REVIEW: CE MC MD SA] | A 7310 | GL | 28-JAN-76 |
| UL198C-86 | FUSES, HIGH-INTERRUPTING-CAPACITY, CURRENT-LIMITING TYPES [CUST: CR YD1 85] [REVIEW: 99 AR AT CC] | A 5920 | YD1 | 21-JUL-86 |
| UL198E-88 | CLASS R FUSE [CUST: CR YD1 85] [REVIEW: 99 AR AT CC] | A 5920 | YD1 | 12-JUL-88 |
| UL198H-88 | FUSES, CLASS T [CUST: CR YD1 85] | A 5920 | YD1 | 13-JUL-88 |
| UL207-93 | REFRIGERANT-CONTAINING COMPONENTS & ACCESSORIES, NONELECTRICAL [CUST: GL YD1] | A 4110 | GL | 25-MAR-93 |
| UL209-95 | CELLULAR METAL FLOOR RACEWAYS AND FITTINGS [CUST: CR YD1 85] [REVIEW: 99 GS] | A 5975 | YD1 | 30-NOV-95 |
| UL214-93 | TESTS FOR FLAME-PROPAGATION OF FABRICS AND FILMS [CUST: GL YD1] [REVIEW: CT DP NU] | A 8305 | YD1 | 01-JUN-93 |
| UL228-93 | DOOR CLOSERS-HOLDERS, WITH OR WITHOUT INTEGRAL SMOKE DETECTORS [CUST: CR4 YD1 99] [REVIEW: 82 IS] | A 6350 | YD1 | 29-APR-93 |
| UL236-82 | COUPLINGS FOR FIRE HOSE (SIXTH EDITION) - 30 JULY 82 [CUST: CR4 YD1] [REVIEW: AR CC MC SH] | A 4210 | YD1 | 21-MAY-90 |
| UL246-93 | HYDRANTS FOR FIRE-PROTECTION SERVICE [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 4210 | YD1 | 02-JUN-93 |
| UL250-93 | HOUSEHOLD REFRIGERATORS & FREEZERS [CUST: GL 99] | A 4110 | GL | 01-NOV-93 |
| UL252-96 | REGULATORS, COMPRESSED GAS [CUST: AL SH 99] [REVIEW: 84] | A 34GP | GS | 19-APR-96 |
| UL262-94 | GATE VALVES FOR FIRE PROTECTION SERVICE [CUST: AR YD1 99] [REVIEW: 11 82 CC CE CR MC MI] | A 4820 | YD1 | 27-MAY-94 |
| UL296-89 NOT 1 | OIL BURNERS, STANDARD FOR [CUST: YD1 99] [REVIEW: 84] | A 4530 | YD1 | 27-JAN-92 |
| UL298-91 | LAMPS, PORTABLE ELECTRIC HAND [CUST: CR4 YD1 99] [REVIEW: 82 GS MC MI] | A 6230 | YD1 | 21-NOV-91 |
| UL299-90 NOT 1 | FIRE EXTINGUISHERS, DRY CHEMICAL, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 4210 | YD1 | 30-MAR-92 |
| UL312-88(2) | CHECK VALVES FOR FIRE-PROTECTION SERVICE, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4820 | YD1 | 16-DEC-91 |
| UL325-85R88 NOT 1 | DOOR, DRAPERY, GATE, LOUVER, AND WINDOW OPERATORS AND SYSTEMS [CUST: YD1 99] [REVIEW: 82] | A 5340 | YD1 | 21-JAN-92 |
| UL330-78 | GASOLINE HOSE [CUST: CR4 YD1 99] | A 4720 | YD1 | 21-AUG-78 |
| UL343-93 | PUMPS FOR OIL-BURNING APPLIANCES [CUST: GL SH 99] | A 4320 | GL | 29-APR-93 |
| UL353-94 | LIMIT CONTROLS [CUST: YD1 99] [REVIEW: 84 CE] | A 4530 | YD1 | 23-SEP-94 |
| UL360-86 | CONDUIT, STEEL, LIQUID-TIGHT FLEXIBLE [CUST: CR YD1 85] [REVIEW: 99 CR4 GS] | A 5975 | YD1 | 18-AUG-86 |
| UL372-76 | STANDARD FOR PRIMARY SAFETY CONTROLS FOR GAS & OIL FIRED APPLIANCES - SEP 75 [CUST: GL YD1 99] | A 7310 | GL | 11-MAY-76 |
| UL378-93 | EQUIPMENT, DRAFT [CUST: YD1 99] [REVIEW: 82 CE GS MC] | A 4140 | YD1 | 04-JUN-93 |
| UL399-93 | COOLERS, DRINKING-WATER [CUST: GL SH 99 MB] | A 4110 | MB | 25-JUN-93 |
| UL404-93 | GAUGES, INDICATING PRESSURE, FOR COMPRESSED GAS SERVICE [CUST: AL SH 99 MB] | A 6685 | MB | 25-JUN-93 |
| UL412-80 NOT 1 | COOLERS, REFRIGERATION UNIT, STANDARD FOR [CUST: YD1] | A 4110 | YD1 | 09-APR-92 |
| UL414-94 | METER SOCKETS [CUST: CR YD1 85] | A 5935 | YD1 | 23-MAY-94 |
| UL427-94 | REFRIGERATING UNITS [CUST: YD1] | A 4110 | YD1 | 30-DEC-94 |
| UL429-82 | VALVES, ELECTRICALLY OPERATED, STANDARD FOR, THIRD EDITION - 29 NOV 88 [CUST: YD1] [REVIEW: 82 CC CE MC] | A 4820 | YD1 | 10-AUG-89 |
| UL430-86 | DISPOSERS, WASTE [CUST: YD1 99] [REVIEW: CC MC] | A 4540 | YD1 | 02-DEC-86 |
| UL437-94 | LOCKS, KEY [CUST: YD1 99] [REVIEW: 82 SH] | A 5340 | YD1 | 25-NOV-94 |

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|--|--------------------------|-----|-------------|-----------|
| UL441-86 NOT 1 | GAS VENTS [CUST: YD1] | A 4520 | | YD1 | 16-SEP-91 |
| UL467-84 | GROUNDING & BONDING EQUIPMENT - SIXTH EDITION - 22 NOV 84 [CUST: CR YD1 85] [REVIEW: GS] | A 5975 | | YD1 | 31-MAR-88 |
| UL471-95 | COMMERCIAL REFRIGERATION & FREEZERS [CUST: GL YD1 99] [REVIEW: CE GS MC MD SA] | A 4110 | | GL | 27-NOV-95 |
| UL474-93 | DEHUMIDIFIERS, STANDARD FOR [CUST: CR4 YD1] [REVIEW: CC CE MC] | A 4440 | | YD1 | 03-JUN-93 |
| UL484-93 | AIR CONDITIONERS, ROOM [CUST: CR4 YD1 99] | A 4120 | | YD1 | 27-APR-93 |
| UL486A-91 | WIRE CONNECTORS AND SOLDERING LUGS FOR USE WITH COPPER CONDUCTORS [CUST: CR YD1 85] [REVIEW: 99 CR4 GS] | A 5940 | | YD1 | 07-OCT-91 |
| UL486B-91 | CONNECTORS, WIRE, FOR USE WITH ALUMINUM CONDUCTORS [CUST: CR YD1] [REVIEW: 85 CR4 GS] | A 5940 | | YD1 | 08-OCT-91 |
| UL486C-91 | CONNECTORS, SPLICING WIRE [CUST: YD1 85] [REVIEW: 99 GS] | A 5940 | | YD1 | 09-OCT-91 |
| UL489-91 | MOLDED-CASE CIRCUIT BREAKERS AND CIRCUIT-BREAKER ENCLOSURES [CUST: CR YD1 85] [REVIEW: 99 CC CR4 MC SH] | A 5925 | | YD1 | 09-OCT-91 |
| UL496-87 | LAMP HOLDERS, EDISON-BASE [CUST: CR4 YD1 99] [REVIEW: 85 AR GS MC] | A 6250 | | YD1 | 04-MAR-87 |
| UL497B-93 | FIRE ALARM CIRCUITS, DATA AND COMMUNICATION, SAFETY PROTECTORS FOR [CUST: CR YD1 85 CC] | A 5920 | | CC | 28-DEC-93 |
| UL498-91 NOT 1 | PLUGS AND RECEPTACLES, ATTACHMENT, STANDARD FOR [CUST: YD1 85] [REVIEW: EC] | A 5935 | | YD1 | 09-MAR-92 |
| UL499-87 | APPLIANCES, ELECTRIC HEATING [CUST: AL SH 99] [REVIEW: 84] | A 34GP | | GS | 15-JUN-87 |
| UL506-94 | TRANSFORMERS, SPECIALITY [CUST: YD1] | A 6120 | | YD1 | 28-JUL-94 |
| UL507-94 | FANS, ELECTRIC [CUST: YD1] | A 4140 | | YD1 | 26-OCT-94 |
| UL508-93 | INDUSTRIAL CONTROL EQUIPMENT [CUST: CR YD1 85] [REVIEW: 99 CC] | A 59GP | | YD1 | 23-FEB-93 |
| UL510-94 | TAPE, RUBBER INSULATING, POLYVINYL CHLORIDE, POLYETHYLENE, AND [CUST: CR SH 85] [REVIEW: YD1] | A 5970 | | GS | 27-JUN-94 |
| UL511-79 | CLEAT, KNOBS & TUBES, STANDARD FOR PORCELAIN-FIFTH EDITION - 25 MAY 79 [CUST: CR4 85] [REVIEW: 99 EC GS MC SH] | A 5970 | | CR4 | 25-JUN-85 |
| UL512-93 | FUSE HOLDERS [CUST: YD1] | A 5920 | | YD1 | 24-FEB-93 |
| UL514A-91 | BOXES, METALLIC OUTLET [CUST: CR YD1 85] [REVIEW: CR4 GS MC MI] | A 5975 | | YD1 | 27-DEC-91 |
| UL514C-88 | BOXES, NONMETALLIC OUTLET, FLUSH DEVICE BOXES, & COVERS [CUST: CR YD1 85] [REVIEW: GS MC MI] | A 5975 | | YD1 | 31-OCT-88 |
| UL514B-89(2) | CONDUIT AND OUTLET BOXES, FITTINGS FOR, SAFETY, STANDARD FOR [CUST: CR YD1 85] [REVIEW: 99 GS MC] | A 5975 | | YD1 | 11-JUN-92 |
| UL521-93 | HEAT DETECTORS FOR FIRE PROTECTIVE SIGNALING SYSTEMS [CUST: CR4 SH 99] | A 6350 | | CR4 | 28-DEC-93 |
| UL542-94 | LAMP HOLDERS, STARTERS, AND STARTER HOLDERS FOR FLUORESCENT LAMPS [CUST: CR4 YD1 99] [REVIEW: 82 AR GS MC] | A 6250 | | YD1 | 28-SEP-94 |
| UL544-93 | MEDICAL AND DENTAL EQUIPMENT [CUST: MD YD1 03 MB] | A 65GP | | MB | 31-AUG-93 |
| UL555S-93 | LEAKAGE RATED DAMPERS FOR USE IN SMOKE CONTROL SYSTEMS [CUST: CR4 YD1] [REVIEW: CC CE MC] | A 4520 | | YD1 | 30-NOV-93 |
| UL555-95 | FIRE DAMPERS [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4520 | | YD1 | 31-MAY-95 |
| UL558-91 | INDUSTRIAL TRUCKS, INTERNAL COMBUSTION ENGINE-POWERED [CUST: CR4 SA 84] | A 3930 | | 84 | 06-AUG-91 |
| UL561-93 | MACHINES, FLOOR-FINISHING [CUST: YD1 99] [REVIEW: 84] | A 7910 | | YD1 | 05-MAY-93 |
| UL563-92 | ICE MAKERS [CUST: GL YD1 99] | A 4110 | | GL | 02-JAN-92 |
| UL567-89 | PIPE CONNECTORS FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS AND LP-GAS [CUST: CR4 YD1 99] | A 4730 | | YD1 | 31-MAR-89 |
| UL574-91 | ELECTRIC OIL HEATERS [CUST: CR4 YD1 99] [REVIEW: CC CE MC] | A 4520 | | YD1 | 27-FEB-91 |
| UL580-94 | TESTS FOR UPLIFT RESISTANCE OF ROOF ASSEMBLIES [CUST: YD1] | A 5650 | | YD1 | 31-MAY-94 |
| UL586-90 | HIGH-EFFICIENCY, PARTICULATE, AIR FILTER UNITS [CUST: YD1] | A 4460 | | YD1 | 18-OCT-90 |
| UL621-86 NOT 1 | ICE CREAM MAKERS, STANDARD FOR [CUST: GL YD1 99] [REVIEW: 50 84] | A 7310 | | YD1 | 25-FEB-92 |
| UL634-90 | CONNECTOR AND SWITCHES FOR USE WITH BURGLAR-ALARM SYSTEMS - 16 JUL 1991 SIXTH EDITION [CUST: YD1] | A 6350 | | YD1 | 16-JUL-91 |
| UL636-87 NOT 1 | ALARM UNITS AND SYSTEMS, HOLDUP, STANDARD FOR [CUST: YD1] | A 6350 | | YD1 | 09-APR-92 |
| UL639-93 | DETECTION UNITS, INTRUSION [CUST: CR4 YD1 99] | A 6530 | | YD1 | 29-JUL-93 |
| UL644-86 | CONTAINER ASSEMBLIES FOR LP-GAS [CUST: CR4 YD1 68] [REVIEW: GS SH] | A 8120 | | YD1 | 15-APR-86 |
| UL651-81 | CONDUIT, SCHEDULE 40 & 80 RIGID PVC, FOURTH EDITION [CUST: CR YD1 85] [REVIEW: 99 GS] | A 5975 | | YD1 | 29-OCT-88 |
| UL651A-81 | CONDUIT & HOPE CONDUIT, TYPE EB & A RIGID PVC, STANDARD FOR - FIRST EDITION - 11 MAY 81 [CUST: CR YD1 85] [REVIEW: 99 GS] | A 5975 | | YD1 | 30-SEP-88 |
| UL664-74 NOT 1 | STANDARD FOR SAFETY COMMERCIAL DRY CLEANING MACHINES (CLASS IV) - 1 MAR 74 [CUST: GL 99] [REVIEW: MD SH YD1] | A 3510 | | GL | 10-FEB-76 |
| UL674-89 | MOTOR & GENERATOR, ELECTRIC, FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS - 23 JUN 89 (ED 2) [CUST: CR YD1 11] [REVIEW: AR AS CR4 GS] | A 6105 | | YD1 | 05-SEP-89 |
| UL681-91 NOT 1 | INSTALLATION AND CLASSIFICATION OF MERCANTILE AND BANK BURGLAR-ALARM SYSTEMS, STANDARD FOR [CUST: YD1] | A 6350 | | YD1 | 02-JAN-92 |
| UL687-87 | SAFES, BURGLARY RESISTANT - 4 SEPT. 1987 (TENTH EDITION) [CUST: CR4 YD1 99] [REVIEW: SH] | A 7110 | | YD1 | 10-AUG-89 |
| UL698-91 | INDUSTRIAL CONTROL EQUIPMENT FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS [CUST: GL YD1 04] | A FACR | | YD1 | 23-APR-91 |
| UL705-84 NOT 1 | VENTILATORS, POWER, STANDARD FOR (FOURTH EDITION) [CUST: YD1] | A 4140 | | YD1 | 05-FEB-93 |
| UL710-90 NOT 1 | EXHAUST HOODS FOR COMMERCIAL COOKING EQUIPMENT, STANDARD FOR [CUST: YD1] | A 4140 | | YD1 | 09-OCT-92 |
| UL711-90 NOT 1 | FIRE EXTINGUISHERS, RATING AND FIRE TESTING OF, STANDARD FOR [CUST: CR4 YD1] [REVIEW: CC] | A 4210 | | YD1 | 30-MAR-92 |
| UL719-85 | CABLE, NONMETALLIC SHEATHED, STANDARD FOR - NINTH EDITION - 19 AUG 85 [CUST: CR YD1] [REVIEW: IS SH] | A 6145 | | YD1 | 21-JUL-89 |
| UL723-93 | TEST FOR SURFACE BURNING CHARACTERISTICS OF BUILDING MATERIALS [CUST: EA YD1 99 MB] | A 56GP | | YD1 | 30-APR-93 |
| UL726-90 NOT 1 | OIL-FIRED BOILER ASSEMBLIES, STANDARD FOR [CUST: YD1 99] [REVIEW: 84 CE MC] | A 4410 | | YD1 | 02-APR-92 |
| UL727-86 | OIL-FIRED CENTRAL FURNACES [CUST: YD1 99] [REVIEW: 84 CC CE MC] | A 4520 | | YD1 | 24-NOV-86 |
| UL731-88 | OIL-FIRED UNIT HEATERS [CUST: CR4 YD1 99] | A 4520 | | YD1 | 02-MAR-88 |
| UL732-88 | OIL-FIRED STORAGE TANK WATER HEATERS [CUST: CR4 YD1 99] | A 4530 | | YD1 | 01-FEB-88 |
| UL746A-87 | POLYMERIC MATERIALS - SHORT TERM PROPERTY EVALUATIONS 29- SEPT 19 87 (SECOND EDITION) [CUST: MR AS 11 GS] | A 9330 | | GS | 03-NOV-88 |
| UL746C-87 | POLYMERIC MATERIALS - USE IN ELECTRICAL EQUIPMENT EVALUATIONS - 28 SEPT 1987 (SECOND EDITION) [CUST: MR AS 11 GS] | A 9330 | | GS | 03-NOV-88 |
| UL746D-87 | POLYMERIC MATERIALS - FABRICATED PARTS - 12 MAY 1983 (FOURTH EDITION) [CUST: MR AS 11 GS] | A 9330 | | GS | 03-NOV-88 |
| UL746E-87 | POLYMERIC MATERIALS - INDUSTRIAL LAMINATES, FILAMENT WOUND TUBING, VULCANIZED FIBER, & MATERIALS USED IN PRINTED WIRING BOARDS - 18 NOV 1985 (FIRST ED.) [CUST: MR AS 11 GS] | A 9330 | | GS | 03-NOV-88 |
| UL746B-86 | POLYMERIC MATERIALS - LONG TERM PROPERTY EVALUATIONS - 19 SEPT 1987 (SECOND EDITION) [CUST: MR AS 11 GS] | A 9330 | | GS | 03-NOV-88 |
| UL749-94 | DISHWASHERS, HOUSEHOLD [CUST: GL YD1 99] [REVIEW: 35 84 GS] | A 7320 | | YD1 | 03-JAN-94 |
| UL752-91 | BULLET-RESISTING EQUIPMENT [CUST: AT YD1 04] | A 5670 | | YD1 | 28-JAN-91 |
| UL763-93 | MOTOR-OPERATED COMMERCIAL FOOD PREPARING MACHINES [CUST: GL SH 99] | A 73GP | | GL | 26-OCT-93 |

ACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------|---|-----------------------|-----|-------------|------|
| | UL768-84 NOT 2 | LOCK, COMBINATION, STANDARD FOR - 14 JUN 84 (FIFTH EDITION) [CUST: YD1 99] [REVIEW: 82] | A 5340 | YD1 | 03-JUL-89 | |
| | UL773-87 NOT 2 | PHOTOCONTROLS, PLUG-IN, LOCKING TYPE, STANDARD FOR [CUST: CR YD1 85] [REVIEW: GS] | A 6210 | YD1 | 10-MAR-92 | |
| | UL773A-89 | PHOTOELECTRIC SWITCHES FOR LIGHTING, STANDARD FOR NONINDUSTRIAL - THIRD EDITION [CUST: CR YD1 85] [REVIEW: 99 CC] | A 6210 | YD1 | 13-JUN-89 | |
| | UL778-91 NOT 1 | PUMPS, WATER, MOTOR-OPERATED, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 84 CC SH] | A 4320 | YD1 | 20-JAN-92 | |
| | UL779-90 | FLOORINGS, ELECTRICALLY CONDUCTIVE [CUST: GL YD1 99] | A FACR | YD1 | 24-JAN-90 | |
| | UL781-93 | ELECTRIC LIGHTING UNITS PORTABLE FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS [CUST: CR4 SH 99] | A 6230 | SH | 28-JUL-93 | |
| D | UL783-79 | ELECTRONIC FLASHLIGHTS FOR USE IN HAZARDOUS LOCATIONS, CLASS I, GROUPS C & D - 16 APR 79 [CUST: 99 IS] [REVIEW: CG CR] | A 6230 | IS | 13-DEC-83 | |
| | UL786-83 | SAFE, KEY LOCKED (CLASS KL) STANDARD FOR - FOURTH EDITION - 17 JUN 83 [CUST: YD1 99] | A 7110 | YD1 | 23-JUL-85 | |
| | UL789-87 NOT 1 | INDICATOR POSTS, FOR FIRE PROTECTION SERVICE, STANDARD FOR [CUST: CR4 YD1] [REVIEW: CC] | A 4210 | YD1 | 30-MAR-92 | |
| | UL790-83 NOT 1 | FIRE RESISTANCE OF ROOF COVERING MATERIALS, STANDARD FOR TESTS FOR - 5 OCT 83 (FIFTH EDITION, FIRST IMPRESSION) [CUST: CR4 YD1] [REVIEW: CE MC] | A 5650 | YD1 | 21-MAR-89 | |
| | UL795-73 NOT 1 | GAS HEATING EQUIPMENT, COMMERCIAL-INDUSTRIAL, STANDARD FOR [CUST: YD1 99] [REVIEW: 84] | A 4520 | YD1 | 27-JAN-92 | |
| | UL796-93 | BOARDS, PRINTED-WIRING [CUST: CR YD1 85] [REVIEW: CC] | A 5998 | YD1 | 18-NOV-93 | |
| | UL797-77 NOT 1 | TUBING, ELECTRICAL METALLIC - 19 AUG 77 | A 5975 | GS | 25-MAR-88 | |
| | UL817-86 | CORD SETS AND POWER-SUPPLY CORDS [CUST: GL YD1 85] | A 5995 | YD1 | 22-DEC-86 | |
| | UL842-80 | VALVE, SAFETY FOR FLAMMABLE FLUIDS, STANDARD FOR, SIXTH EDITION - 14 SEP 87 [CUST: YD1] [REVIEW: 82 CC CE MC] | A 4820 | YD1 | 08-AUG-89 | |
| | UL844-84 | LIGHTING FIXTURE, ELECTRIC, FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS, STANDARD FOR - NINTH EDITION - 29 NOV 84 [CUST: CR4 YD1 99] [REVIEW: 82 GS MB MD MS] | A 6210 | YD1 | 16-JUN-89 | |
| | UL845-91 NOT 1 | MOTOR CONTROL CENTERS, STANDARD FOR SAFETY [CUST: YD1] | A 5975 | YD1 | 20-APR-93 | |
| | UL854-87 | CABLES, SERVICE-ENTRANCE STANDARD FOR - 9 FEB 87 SEVENTH EDITION (REVISION PAGES DATED 2 FEB 90) [CUST: YD1 85] [REVIEW: GS] | A 6150 | YD1 | 27-MAR-90 | |
| | UL857-90 NOT 1 | BUSWAYS AND ASSOCIATED FITTINGS, (TENTH EDITION) [CUST: YD1] | A 5975 | YD1 | 20-APR-93 | |
| | UL858-74 | STANDARD FOR HOUSEHOLD ELECTRIC RANGES - 7 AUG 74 [CUST: GL YD1 99] [REVIEW: MD] | A 7310 | GL | 09-NOV-76 | |
| | UL863-93 | TIME-INDICATING AND -RECORDING APPLIANCES [CUST: AR SH 99] | A 6645 | AR | 04-APR-93 | |
| | UL864-91 NOT 1 | CONTROL UNITS FOR FIRE-PROTECTIVE, SIGNALING SYSTEMS, STANDARD FOR [CUST: YD1] | A 6530 | YD1 | 01-APR-92 | |
| | UL867-89(2) | AIR CLEANERS, ELECTROSTATIC, SAFETY, STANDARD FOR [CUST: YD1] | A 4460 | YD1 | 11-JUN-92 | |
| | UL869-89 | EQUIPMENT SERVICE STANDARD FOR - SEVENTH EDITION - 15 JUN 89 (REVISION PAGES DATED 14 MAR 90) [CUST: YD1 85] [REVIEW: 80 GS SH] | A 6110 | YD1 | 12-APR-90 | |
| | UL869A-87(2) | SERVICE EQUIPMENT, REFERENCE STANDARD FOR [CUST: YD1 99] [REVIEW: 80 GS SH] | A 6110 | YD1 | 12-MAR-92 | |
| | UL870-85 | WIREWAY, AUXILIARY GUTTERS, AND ASSOCIATED FITTINGS - FIFTH EDITION - 17 JUN 85 [CUST: CR YD1 85] [REVIEW: 99 GS] | A 5975 | YD1 | 11-JUL-89 | |
| | UL873-88 NOT 1 | TEMPERATURE-INDICATING AND -REGULATING EQUIPMENT, STANDARD FOR [CUST: YD1 99] [REVIEW: 84 CE GS MC] | A 4130 | YD1 | 27-JAN-92 | |
| | UL884-87 | UNDERFLOOR RACEWAYS & FITTINGS - EIGHTH EDITION 24 DEC 1987 (REVISED PAGES DTD 23 MAY 1990) (CHANGE NOTICE 3) [CUST: CR YD1 85] [REVIEW: 99 CR4 GS] | A 5975 | YD1 | 25-JUN-90 | |
| | UL886-91 | OUTLET BOXES AND FITTINGS FOR USE IN HAZARDOUS (CLASSIFIED) LOCATION - 19 JUN 1991 [CUST: YD1] | A 5975 | YD1 | 20-SEP-91 | |
| | UL891-84(5) | SWITCHBOARDS, DEAD-FRONT, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 80 GS SH] | A 6110 | YD1 | 23-DEC-91 | |
| | UL894-86 | SWITCHES FOR USE IN HAZARDOUS LOCATIONS, CLASS I, GROUPS A B C & D & CLASS II, GROUPS E F & G - SIXTH EDITION [CUST: CR4 YD1 11] [REVIEW: AT SH] | A 5930 | YD1 | 18-FEB-89 | |
| | UL900-94 | AIR FILTER UNITS [CUST: CR4 YD1 82] | A 4130 | YD1 | 28-NOV-84 | |
| | UL910-85 | TEST FOR FLAME-PROPAGATION AND SMOKE-DENSITY VALUES FOR ELECTRICAL AND OPTICAL-FIBER CABLES USED IN SPACES TRANSPORTING ENVIRONMENTAL AIR [CUST: CR YD1 85] | A 6145 | YD1 | 04-MAR-85 | |
| | UL916-94 | ENERGY MANAGEMENT EQUIPMENT [CUST: YD1 01] | A MISC | YD1 | 25-APR-94 | |
| | UL921-73 | COMMERCIAL ELECTRIC DISHWASHERS - 19 APR 73 [CUST: GL YD1 99] [REVIEW: CE MC MD SA] | A 7320 | GL | 07-MAY-76 | |
| | UL923-90 NOT 1 | APPLIANCES, MICROWAVE COOKING, SAFETY, STANDARD FOR [CUST: GL YD1 99] [REVIEW: 84] | A 7310 | YD1 | 18-JUN-92 | |
| | UL924-90 NOT 1 | EMERGENCY LIGHTING AND POWER EQUIPMENT, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: GS SH] | A 6210 | YD1 | 31-JAN-92 | |
| | UL935-84(5) | BALLASTS, FLUORESCENT-LAMP, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MD MS] | A 6250 | YD1 | 01-APR-92 | |
| | UL943-85 NOT 2 | INTERRUPTER, GROUND-FAULT CIRCUIT - STANDARD FOR SAFETY - 11 SEP 85 - SECOND EDITION, (REVISED PAGES 23 MAY MAY 1990) [CUST: CR YD1 85] [REVIEW: CC OS] | A 6110 | YD1 | 24-JUL-91 | |
| | UL977-84 NOT 1 | FUSED POWER-CIRCUIT DEVICES, STANDARD FOR [CUST: YD1] | A 5920 | YD1 | 01-APR-92 | |
| | UL984-91 NOT 1 | MOTOR-COMPRESSORS, HERMETIC REFRIGERANT, STANDARD FOR [CUST: YD1] | A 4310 | YD1 | 13-JAN-92 | |
| | UL987-72 | STANDARD FOR STATIONARY & FIXED ELECTRIC TOOLS - 1 AUG 72 [CUST: GL SH 99] | A 5130 | GL | 20-MAY-76 | |
| | UL997-81R85 NOT 2 | ROOF COVERING MATERIALS, WIND RESISTANCE OF PREPARED, STANDARD FOR [CUST: CR4 YD1] [REVIEW: CE MC] | A 5650 | YD1 | 09-MAR-92 | |
| | UL998-91 | HUMIDIFIERS [CUST: MD YD1 03] | A 6515 | YD1 | 22-AUG-91 | |
| | UL1004-94 | ELECTRIC MOTORS [CUST: GL SH 99] | A 6105 | GL | 03-JUN-94 | |
| | UL1008-89 | SWITCHES, SAFETY AUTOMATIC TRANSFER STANDARD FOR -FOURTH EDITION - 15 MAR 89 [CUST: CR4 YD1 99] [REVIEW: 80 GS] | A 6110 | YD1 | 19-JUN-89 | |
| | UL1010-91 | RECEPTACLE-PLUG COMBINATIONS FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS [CUST: CR YD1 85 CC] | A 5935 | CC | 26-FEB-91 | |
| | UL1012-94 | POWER UNITS OTHER THAN CLASS 2 [CUST: CR4 SH 99 MB] | A 61GP | MB | 28-JUN-94 | |
| | UL1017-92 | VACUUM CLEANING MACHINES AND BLOWER CLEANERS [CUST: GL SH 99] | A 7910 | SH | 31-JAN-92 | |
| | UL1025-80 NOT 1 | HEATER, ELECTRIC, AIR, STANDARD FOR [CUST: YD1] [REVIEW: CC CR4] | A 4520 | YD1 | 10-MAR-92 | |
| | UL1029-86(3) | LAMP, BALLASTS, HIGH-INTENSITY-DISCHARGE, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 82 GS SH] | A 6250 | YD1 | 10-APR-92 | |
| | UL1030-91 NOT 1 | SHEATHED HEATING ELEMENTS, STANDARD FOR [CUST: YD1] | A 4540 | YD1 | 02-JAN-92 | |
| | UL1034-87 NOT 1 | LOCKING MECHANISMS, ELECTRIC, BURGLARY RESISTANT, STANDARD FOR [CUST: YD1] | A 6350 | YD1 | 01-JUL-92 | |
| | UL1042-87 NOT 1 | ELECTRIC BASEBOARD HEATING EQUIPMENT, STANDARD FOR [CUST: YD1 99] [REVIEW: 84 CC] | A 4520 | YD1 | 10-MAR-92 | |
| | UL1053-88 NOT 1 | GROUND-FAULT SENSING AND RELAYING EQUIPMENT, STANDARD FOR [CUST: YD1] | A 5925 | YD1 | 10-APR-92 | |
| | UL1067-87 | EQUIPMENT AND MATERIALS, ELECTRICALLY CONDUCTIVE, FOR USE IN FLAMMABLE ANESTHETIZING LOCATIONS [CUST: MD YD1 03] | A 6515 | YD1 | 29-JAN-87 | |
| | UL1076-88 NOT 1 | ALARM UNITS AND SYSTEMS, BURGLAR, PROPRIETARY, STANDARD FOR [CUST: YD1] | A 6350 | YD1 | 09-APR-92 | |
| | UL1077-94 | PROTECTORS FOR USE IN ELECTRICAL EQUIPMENT, SUPPLEMENTARY [CUST: CC] | A 5925 | CC | 29-APR-94 | |
| | UL1082-72 | HOUSEHOLD ELECTRIC COFFEE MAKERS & BREWING TYPE APPLIANCES - 15 DEC 72 [CUST: GL YD1 99] [REVIEW: GS] | A 7320 | GL | 05-FEB-76 | |
| | UL1086-91 | TRASH COMPACTORS, HOUSEHOLD [CUST: CR4 YD1 99] [REVIEW: 35 84 GS] | A 4540 | YD1 | 23-DEC-91 | |
| A | UL1093-90 NOT 1 | HYDRANTS FOR FIRE-PROTECTION SERVICE, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 4210 | YD1 | 30-MAR-92 | |
| | UL1196-85 | FLOATING WATERLIGHTS [CUST: SH 99] [REVIEW: 82 CG GS] | A 6230 | SH | 15-MAY-85 | |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|--------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| | UL1206-79 | WASHING EQUIPMENT, ELECTRIC, COMMERCIAL STANDARD FOR - SECOND EDITION - 30 AUG 79 (REV DEC 88) [CUST: YD1] | A 3510 | | YD1 | 14-JUN-89 |
| | UL1236-92 NOT 1 | BATTERIES, BATTERY CHARGERS FOR CHARGING ENGINE-STARTER, STANDARD FOR [CUST: CR YD1 99] [REVIEW: AT CE SM] | A 6130 | | YD1 | 18-SEP-92 |
| | UL1242-83(4) | CONDUIT, METAL, INTERMEDIATE, SAFETY, STANDARD FOR, (FIRST EDITION) [CUST: CR4 YD1 85] [REVIEW: 99 GS] | A 5975 | | YD1 | 05-FEB-93 |
| | UL1244-93 | ELECTRICAL AND ELECTRONIC MEASURING AND TESTING EQUIPMENT [CUST: MI SH 99 MB] | A 6625 | | MB | 30-NOV-93 |
| | UL1247-89 | DIESEL ENGINES FOR DRIVING CENTRIFUGAL FIRE PUMPS [CUST: CR4 YD1 99] | A 2815 | | CR4 | 02-AUG-89 |
| A | UL1256-98 | FIRE TEST OF ROOF DECK CONSTRUCTIONS [CUST: YD1] [REVIEW: 84 CE MC] | A 56GP | | YD1 | 31-MAR-98 |
| | UL1262-90 | LABORATORY EQUIPMENT [CUST: GL MS 99] | A 6640 | | MB | 28-NOV-90 |
| | UL1283-84(2) | FILTERS, ELECTROMAGNETIC INTERFERENCE, STANDARD FOR [CUST: CR YD1 85] | A 5915 | | YD1 | 22-JUN-92 |
| | UL1316-83R87 NOT 1 | GLASS-FIBER-REINFORCED PLASTIC UNDERGROUND STORAGE TANKS FOR PETROLEUM PRODUCTS, STANDARD FOR [CUST: CR4 YD1 99] | A 5430 | | YD1 | 02-JAN-92 |
| | UL1414-94 | RADIO-AND TELEVISION-TYPE APPLIANCES, ACROSS-THE-LINE, ANTENNA-COUPLING AND LINE-BY-PASS CAPACITORS [CUST: CR SH 11 CC] | A 5910 | | CC | 01-JUN-94 |
| A | UL1437-98 | ANALOG, ELECTRICAL, INSTRUMENTS - PANEL BOARD TYPES [CUST: MI YD1 99] | A 6625 | | YD1 | 29-APR-98 |
| | UL1449-86 | TRANSIENT VOLTAGE SURGE SUPPRESSORS [CUST: CR YD1 85 CC] | A 5915 | | CC | 28-APR-86 |
| | UL1479-94 | FIRE TESTS OF THROUGH-PENETRATION FIRESTOPS [CUST: CE YD1 04] | A FACR | | YD1 | 29-JUN-94 |
| | UL1559-87 | EQUIPMENT, INSECT CONTROL, ELECTROCUTION TYPE (ED. 2) - 3 APR 1987 [CUST: MD 99] [REVIEW: 50 84] | A 3740 | | CC | 25-FEB-89 |
| | UL1569-83 NOT 1 | CABLES, METAL-CLAD, STANDARD FOR [CUST: YD1] | A 6145 | | YD1 | 01-APR-92 |
| | UL1570-88(3) | LIGHTING FIXTURES, FLUORESCENT, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 84 GS SH] | A 6210 | | YD1 | 31-JAN-92 |
| | UL1571-91(2) | LIGHTING FIXTURES, INCANDESCENT, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 84 GS SH] | A 6210 | | YD1 | 01-APR-92 |
| | UL1572-91 NOT 1 | LIGHTING FIXTURES, HIGH INTENSITY DISCHARGE, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 82 GS SH] | A 6210 | | YD1 | 10-FEB-92 |
| M | UL1581-91 | WIRES, CABLES, AND ELECTRICAL FLEXIBLE CORDS [CUST: CR SH 85] | A 6145 | | CR | 16-DEC-91 |
| | UL1610-94 | BURGLAR-ALARM UNITS, CENTRAL STATION [CUST: CR4 YD1 99] | A 6350 | | YD1 | 25-MAY-94 |
| | UL1666-86 | FLAME-PROPAGATION HEIGHT OF ELECTRICAL AND OPTICAL-FIBER CABLES INSTALLED VERTICALLY IN SHAFTS [CUST: CR YD1 85] | A 6145 | | YD1 | 13-NOV-86 |
| | UL1950-93 | EQUIPMENT, SAFETY OF INFORMATION TECHNOLOGY, INCLUDING ELECTRICAL BUSINESS EQUIPMENT [CUST: CC] | A 7025 | | CC | 26-FEB-93 |
| A | UL1995-95 | EQUIPMENT, HEATING AND COOLING [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 4520 | | YD1 | 29-SEP-95 |
| | WWPA-WLGR-91 NOT 1 | WWPA WESTERN LUMBER GRADING RULES - 91, WITH SUPPLEMENT 1 [CUST: CR4 YD1 99 CC] [REVIEW: 84 CE SH] | A 5510 | | IS | 10-FEB-93 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------------------|--|-----------------------|-----|-------------|-----------|
| MIL-PRF-264D(1) NOT 2 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE) STYLES RW55, RW56, RW67, RW68, AND RW69 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AT AV CR4 EA MC OS] | A 5905 | CC | | 04-AUG-93 |
| A MIL-PRF-122A(4) NOT 1 | RESISTORS, FIXED, PRECISION, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 30-SEP-97 |
| A MIL-PRF-122/1C NOT 1 | RESISTORS, FIXED, FILM, PRECISION, ESTABLISHED RELIABILITY, STYLE RFP01 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 30-SEP-97 |
| A MIL-PRF-122/3C NOT 1 | RESISTORS, FIXED, FILM, PRECISION, ESTABLISHED RELIABILITY, STYLE RFP03 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 30-SEP-97 |
| A MIL-PRF-122/10C NOT 1 | RESISTORS, FIXED, FILM, PRECISION, ESTABLISHED RELIABILITY, STYLE RFP10 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 30-SEP-97 |
| MIL-PRF-12883/2D | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, TOP MOUNTING, SADDLE TYPE WITH SHIELD BASE, 7 CONTACT, RADIAL) [CUST: CR EC 11 CC] [REVIEW: 11 17 99 AR AS AT AV CG CR4 EA MC MI SH] | A 5935 | CC | | 28-JUN-96 |
| MIL-PRF-12883/3D | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, TOP MOUNTING, SADDLE TYPE WITH SHIELD BASE, 9 CONTACT, RADIAL) [CUST: CR SH 80 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 EA MI OS SH] | A 5935 | CC | | 28-JUN-96 |
| MIL-PRF-12883/8E | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, TOP MOUNTING, SADDLE TYPE WITHOUT SHIELD BASE, 7 CONTACT, RADIAL) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AT AV CG CR4 MC MI OS] | A 5935 | CC | | 28-JUN-96 |
| MIL-PRF-13830B | OPTICAL COMPONENTS FOR FIRE CONTROL INSTRUMENTS; GENERAL SPECIFICATION GOVERNING THE MANUFACTURE, ASSEMBLY, AND INSPECTION OF [CUST: AR OS] | A 6650 | AR | | 09-JAN-97 |
| MIL-PRF-15160/6C NOT 1 | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F06 [CUST: CR SH 85] [REVIEW: 17 19 99 AR AT CG CR4 EC MC MI] | A 5920 | CC | | 24-DEC-90 |
| A MIL-PRF-15160/7D | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F07 [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 EC MC MI] | A 5920 | CC | | 01-APR-98 |
| A MIL-PRF-15160/22B(1) NOT 1 | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F22 [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CR4 MC MI OS] | A 5920 | CC | | 19-NOV-97 |
| MIL-PRF-15160/27A NOT 1 | FUSES, STYLE F27 [CUST: CR SH 11] [REVIEW: 99] | A 5920 | CC | | 27-DEC-90 |
| MIL-PRF-15160/28A NOT 1 | FUSES, STYLE F28 [CUST: CR SH 85] [REVIEW: 99] | A 5920 | CC | | 27-DEC-90 |
| A MIL-PRF-15160/29(1) NOT 1 | FUSES, STYLE F29 [CUST: CR SH 99 CC] [REVIEW: MI] | A 5920 | CC | | 24-OCT-97 |
| A MIL-PRF-15160/30(1) NOT 1 | FUSES, STYLE F30 [CUST: CR SH 85 CC] [REVIEW: 99 MI] | A 5920 | CC | | 24-OCT-97 |
| A MIL-PRF-15160/36(1) NOT 1 | FUSES, STYLE F36 [CUST: CR SH 85 CC] [REVIEW: 99] | A 5920 | CC | | 24-OCT-97 |
| A MIL-PRF-15160/37(1) NOT 1 | FUSES, STYLE F37 [CUST: CR SH 85 CC] [REVIEW: 99] | A 5920 | CC | | 24-OCT-97 |
| A MIL-PRF-15160/38(1) NOT 1 | FUSES, STYLE F38 [CUST: CR SH 85 CC] [REVIEW: 99] | A 5920 | CC | | 24-OCT-97 |
| A MIL-PRF-15160/39(1) NOT 1 | FUSES, STYLE F39 [CUST: CR SH 85 CC] [REVIEW: 99] | A 5920 | CC | | 24-OCT-97 |
| A MIL-PRF-15160/40A | FUSES, STYLE F40 [CUST: CR SH 85 CC] [REVIEW: 99] | A 5920 | CC | | 16-FEB-98 |
| A MIL-PRF-15160/51A(1) NOT 1 | FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F51 [CUST: CR SH 85 CC] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS] | A 5920 | CC | | 19-NOV-97 |
| MIL-PRF-15733/43D | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL70 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | | 06-MAY-94 |
| A MIL-PRF-18546E(4) | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 99 AR MC MI] | A 5905 | CC | | 13-FEB-98 |
| MIL-PRF-19207/10C NOT 1 | FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHN19G AND FHN19W [CUST: CR SH 85 CC] [REVIEW: 11 17 19 99 AS CE EC MC MI] | A 5920 | CC | | 11-DEC-89 |
| A MIL-PRF-23359H | DETECTOR, MINE, METALLIC, PORTABLE [CUST: CR4 SH] | A 6665 | CR4 | | 19-NOV-97 |
| MIL-PRF-39003/4D | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR91 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC OS SH] | A 5910 | CC | | 08-SEP-93 |
| A MIL-PRF-39007/5H | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR71 [CUST: CR EC 85 NA] [REVIEW: 17 19 80 AR AS CG MC MI OS] | A 5905 | CR | | 03-JUL-97 |
| A MIL-PRF-39007/6G | RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL STYLE RWR74 [CUST: CR EC 85 NA] [REVIEW: 17 19 80 AR AS CG MC MI OS] | A 5905 | CR | | 03-JUL-97 |
| A MIL-PRF-44059E NOT 1 | BEEF STEW, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A MIL-PRF-44063F NOT 1 | HAM SLICE, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8905 | GL | | 26-SEP-97 |
| A MIL-PRF-44469A NOT 1 | CHILI AND MACARONI, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8940 | GL | | 22-AUG-97 |
| A MIL-PRF-44474A NOT 1 | BEEF WITH MUSHROOMS, IN SAUCE, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A MIL-PRF-44486 NOT 1 | CHICKEN, NOODLES AND VEGETABLES IN SAUCE, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A MIL-PRF-44487 NOT 1 | TURKEY BREAST FILLET, CHUNKED AND FORMED, GRILLED, IN GRAVY, WITH POTATOES, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A MIL-PRF-44488 NOT 1 | PORK CHOP, BONELESS, IN JAMAICAN STYLE SAUCE WITH NOODLES, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A MIL-PRF-44489 NOT 1 | BEEF RAVIOLI IN MEAT SAUCE, PACKAGED IN A FLEXIBLE POUCH, SHELF STABLE [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| MIL-PRF-45322G | DOLLY, TRAILER CONVERTERS, M197A1, M198A1, AND M354 [CUST: AT MC] | A 2330 | AT | | 31-JAN-97 |
| MIL-PRF-46756E | SEMITRAILERS, VAN: 10 TON, 4-WHEEL SERIES [CUST: AT] | A 2330 | AT | | 15-APR-97 |
| A MIL-PRF-55182/2J | RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, STYLE RNR57 [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS CC CG MC OS] | A 5905 | CR | | 09-JUN-97 |
| A MIL-PRF-62027J | DOLLY SETS, LIFT, TRANSPORTABLE SHELTER: 2.72-METRIC TON TO 4.76-METRIC TON [CUST: AT YD1] | A 2330 | AT | | 30-JUL-97 |
| MIL-PRF-62049E | SEMITRAILER, VAN: FOR INSTALLATION OF SPECIAL EQUIPMENT, MILITARY DESIGN [CUST: AT 99] [REVIEW: 84] | A 2330 | AT | | 31-JAN-97 |
| MIL-PRF-62267A | CHASSIS, TANK: ARMORED VEHICLE, BRIDGE LAUNCHER, M60A1 [CUST: AT] | A 2350 | AT | | 27-JAN-97 |
| MIL-PRF-62270A | CHASSIS, TANK, ARMORED VEHICLE, BRIDGE LAUNCHER, M48A5 [CUST: AT] | A 2350 | AT | | 30-OCT-96 |
| MIL-PRF-62272C | SEMITRAILER, TACTICAL, DUAL PURPOSE BREAKBULK/CONTAINER TRANSPORTER, 22-1/2 TON, M871A2 [CUST: AT] | A 2330 | AT | | 22-JAN-97 |
| A MIL-PRF-62315C NOT 1 | HEATER ASSEMBLY, COMBUSTION VEHICULAR COMPARTMENT, 60,000 BTU/HR (USE MIL-PRF-62550) [CUST: AT CC] | A 2540 | AT | | 19-DEC-97 |
| MIL-PRF-62321D | TRUCKS, TANK: POTABLE WATER, 1000 AND 2200 GALLON, DIESEL AND GASOLINE ENGINE DRIVEN, 19,000 AND 34,500 POUNDS GVW, 4X2, 4X4, AND 6X4, COMMERCIAL [CUST: AT MC 99] [REVIEW: 84] | A 2320 | AT | | 20-MAR-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-E-1/4H NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5654 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV CG CR4 MC MI OS] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/7H(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5726 [CUST: CR EC 85 CC] [REVIEW: 99 AL AR AS CG MC OS] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/30A NOT 1 | ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 2C36 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG CR4 MC MI OS] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/40D(1) NOT 1 | ELECTRON TUBE, MAGNETRON TYPES 4J57 THROUGH 4J59 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC MI OS SH] | A 5960 | CC | | 07-MAR-97 |
| A | MIL-E-1/49E(2) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6A57G [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC] | A 5960 | CC | | 21-JUL-97 |
| | MIL-E-1/60C NOT 1 | ELECTRON TUBE, RECEIVING TYPES 6SA7, 6SA7WGT, 12SA7, 12SA7GT, & 12SY7 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC OS] | A 5960 | CC | | 07-MAR-97 |
| A | MIL-E-1/61C(1) NOT 3 | ELECTRON TUBE, RECEIVING TYPE 12SK7Y [CUST: CR EC 85 CC] [REVIEW: 11 17 80 99 AR AS CG CR4 MC OS SH] | A 5960 | CC | | 21-JUL-97 |
| A | MIL-E-1/63B(2) NOT 3 | ELECTRON TUBE, RECEIVING TYPE 12SN7GT & 12SX7GT [CUST: CR EC 85 CC] [REVIEW: 11 17 80 99 AR AS CG CR4 MC OS SH] | A 5960 | CC | | 21-JUL-97 |
| | MIL-E-1/83F(1) NOT 1 | ELECTRON TUBE, THYRATRON TYPE 5727 [CUST: CR EC 85 CC] [REVIEW: 17 99 AR AS CG CR4 MC OS] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/85C NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5763 [CUST: CR EC 85 CC] [REVIEW: 17 99 AS CG MC MI] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/95C NOT 1 | ELECTRON TUBE, RECEIVING JAN 5886 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC OS] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/97M NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5899 AND 6206 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC MI OS SH] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/99C(1) NOT 1 | ELECTRON TUBE, TRANSMITTING TYPES 807 AND 1625 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC MI OS] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/126D(2) NOT 1 | ELECTRON TUBES, RECEIVING TYPES 6V6 & 6V6GT 1/2 [CUST: CR EC 85 CC] [REVIEW: 19 99 AL AR AS AV CG MC MI OS SH] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/148C NOT 1 | ELECTRON TUBE, THYRATRON TYPE C6A [CUST: CR EC 85 CC] [REVIEW: 17 99 AR AS CG MC OS SH] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/175H NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5902 [CUST: CR EC 85 CC] [REVIEW: 99 AS CG MC MI OS] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/188G NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6021W 1/ AND 6021WSPL 2/ [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV CG CR4 MC MI OS SH] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/190H NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6112 [CUST: CR EC 85 CC] [REVIEW: 17 99 AR AS CG MC MI OS] | A 5960 | CC | | 07-MAR-97 |
| A | MIL-E-1/191C(1) NOT 3 | ELECTRON TUBE, RECEIVING TYPE 6B4G [CUST: CR EC 85 CC] [REVIEW: 11 17 80 99 AR AS CG CR4 MC OS SH] | A 5960 | CC | | 21-JUL-97 |
| | MIL-E-1/197D(3) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6L6WGB [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CG MC OS] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/262F NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6203 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/263F NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6X4WA [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC MI OS] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/267E NOT 1 | ELECTRON TUBE, CATHODE RAY TYPES 3WP1 AND 3WP2 [CUST: CR EC 85 CC] [REVIEW: 17 99 AR AS CG MC MI] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/290D NOT 1 | ELECTRON TUBE, RECEIVING TYPE 0A2WA [CUST: CR EC 85 CC] [REVIEW: 17 99 AR AS CG MC MI] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/292D(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5829WA [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC MI OS] | A 5960 | CC | | 07-MAR-97 |
| A | MIL-E-1/373C(1) NOT 3 | ELECTRON TUBE, MAGNETRON TYPE 6002 [CUST: CR EC 85 CC] [REVIEW: 11 17 80 99 AR AS CG CR4 MC OS SH] | A 5960 | CC | | 21-JUL-97 |
| | MIL-E-1/384B(1) NOT 1 | ELECTRON TUBE, GAS SWITCHING TYPE 6081 [CUST: CR EC 85 CC] [REVIEW: 17 99 AS CG MC OS] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/466B NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5842 [CUST: CR EC 85 CC] [REVIEW: 17 99 AR AS CG CR4 MC OS] | A 5960 | CC | | 07-MAR-97 |
| A | MIL-E-1/467A NOT 2 | ELECTRON TUBE, RECEIVING TYPE 5847 [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS CG MC MI OS] | A 5960 | CC | | 05-DEC-97 |
| A | MIL-E-1/478E NOT 2 | ELECTRON TUBE, KLYSTRON TYPE 6116 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CG OS] | A 5960 | CC | | 21-JUL-97 |
| | MIL-E-1/484D NOT 1 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 6299 [CUST: CR EC 85 CC] [REVIEW: 17 99 AR AS CG MC OS SH] | A 5960 | CC | | 07-MAR-97 |
| A | MIL-E-1/601D(1) NOT 1 | ELECTRON TUBE, KLYSTRON TYPE 5836 [CUST: CR EC 85 CC] [REVIEW: 80 99 MI] | A 5960 | CC | | 21-JUL-97 |
| A | MIL-E-1/605D NOT 2 | ELECTRON TUBE, KLYSTRON TYPE 6310 [CUST: CR EC 85 CC] [REVIEW: 11 99 CG MC SH] | A 5960 | CC | | 21-JUL-97 |
| A | MIL-E-1/690C(1) NOT 1 | ELECTRON TUBE, GAS TYPE 5517 [CUST: CR EC 85 CC] [REVIEW: 17 99 AR AS CG MC MI OS SH] | A 5960 | CC | | 21-JUL-97 |
| | MIL-E-1/757J(1) NOT 2 | ELECTRON TUBE, THYRATRON TYPE 5643 [CUST: CR EC 85 CC] [REVIEW: 17 99 AR AS CG MC MI OS SH] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/779J NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5687WB [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS CR4 MI OS SH] | A 5960 | CC | | 07-MAR-97 |
| | MIL-E-1/781D NOT 1 | ELECTRON TUBE, THYRATRON TYPE 6D4 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC OS SH] | A 5960 | CC | | 30-APR-97 |
| | MIL-E-1/825D NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5651WA [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC OS SH] | A 5960 | CC | | 30-APR-97 |
| A | MIL-E-1/848B NOT 2 | ELECTRON TUBE, MAGNETRON TYPE 6551 [CUST: 85 CC] [REVIEW: 11] | A 5960 | CC | | 21-JUL-97 |
| | MIL-E-1/852D NOT 1 | ELECTRON TUBE, TRANSMITTING TYPE 5933WA [CUST: CR EC 85 CC] [REVIEW: 11 99 AS MC OS SH] | A 5960 | CC | | 30-APR-97 |
| | MIL-E-1/864E NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6CL6 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CG MC MI OS] | A 5960 | CC | | 30-APR-97 |
| A | MIL-E-1/867B(1) NOT 1 | ELECTRON TUBE, POWER TYPE 4D32 [CUST: CR EC 85 CC] [REVIEW: 17 99 AS MC] | A 5960 | CC | | 21-JUL-97 |
| A | MIL-E-1/868E(1) NOT 2 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C40A [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS CG MC OS] | A 5960 | CC | | 21-JUL-97 |
| | MIL-E-1/894E NOT 1 | ELECTRON TUBE, THYRATRON TYPE 884 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CG MC OS SH] | A 5960 | CC | | 30-APR-97 |
| | MIL-E-1/921C NOT 1 | ELECTRON TUBE, POWER TYPE 805 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS CG MC OS SH] | A 5960 | CC | | 30-APR-97 |
| A | MIL-E-1/924G(2) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 5R4WGB [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS CG MC MI OS SH] | A 5960 | CC | | 21-JUL-97 |
| | MIL-E-1/936C(1) NOT 1 | ELECTRON TUBE, KLYSTRON JAN 5981 [CUST: CR EC 85 CC] [REVIEW: 17 99 AS CG MC] | A 5960 | CC | | 30-APR-97 |
| | MIL-E-1/952G(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6AU6WC [CUST: CR EC 85 CC] [REVIEW: 17 99 AS CG MC] | A 5960 | CC | | 30-APR-97 |
| A | MIL-E-1/982B NOT 2 | ELECTRON TUBE, KLYSTRON TYPE 2K25 [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS CG CR4 MC OS] | A 5960 | CC | | 21-JUL-97 |
| A | MIL-E-1/985B NOT 2 | ELECTRON TUBE, RECEIVING TYPE 5U4GB [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG CR4 MC MI OS SH] | A 5960 | CC | | 21-JUL-97 |
| A | MIL-E-1/1036D(2) NOT 1 | ELECTRON TUBE, MAGNETRON TYPE 7529 [CUST: CR EC 85 CC] [REVIEW: 99 AR AS CG MC MI OS SH] | A 5960 | CC | | 21-JUL-97 |
| A | MIL-E-1/1041A NOT 2 | ELECTRON TUBE, RECEIVING TYPE 6352 [CUST: CR EC 85 CC] [REVIEW: 11 99 MI] | A 5960 | CC | | 05-DEC-97 |
| | MIL-E-1/1047B NOT 2 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C41 [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS CG MC OS] | A 5960 | CC | | 30-APR-97 |
| A | MIL-E-1/1122A NOT 2 | ELECTRON TUBE, CATHODE RAY TYPE 12AKP7 [CUST: 85 CC] [REVIEW: 99] | A 5960 | CC | | 05-DEC-97 |
| | MIL-E-1/1159C(1) NOT 1 | ELECTRON TUBE, POWER TYPE 705WA [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AS CG CR4 MC OS] | A 5960 | CC | | 30-APR-97 |
| A | MIL-E-1/1165E(1) NOT 1 | ELECTRON TUBE, RECEIVING TYPE 6948 [CUST: CR EC 85 CC] [REVIEW: 11 99 AS CG MC OS SH] | A 5960 | CC | | 21-JUL-97 |
| A | MIL-E-1/1294B NOT 2 | ELECTRON TUBE, VIDICON TYPE 7263A [CUST: 85 CC] [REVIEW: 11 17] | A 5960 | CC | | 05-DEC-97 |
| A | MIL-E-1/1315D(1) NOT 2 | ELECTRON TUBE, MAGNETRON TYPE 6517 [CUST: CR EC 85 CC] [REVIEW: 99] | A 5960 | CC | | 21-JUL-97 |
| A | MIL-E-1/1341(1) NOT 2 | ELECTRON TUBE, CATHODE-RAY ELECTROSTATIC DEFLECTION AND FOCUS TYPE 3BGPI [CUST: CR CC] | A 5960 | CC | | 05-DEC-97 |
| A | MIL-E-1/1373C NOT 2 | ELECTRON TUBE, CATHODE RAY 1 TYPE 7AQP7 & 7AQP33 [CUST: EC CC] [REVIEW: CG MC] | A 5960 | CC | | 05-DEC-97 |
| A | MIL-E-1/1386E NOT 1 | ELECTRON TUBE, CATHODE RAY TYPE 4QP2 [CUST: EC CC] [REVIEW: AS CG MC OS] | A 5960 | CC | | 05-DEC-97 |
| A | MIL-E-1/1512B(2) NOT 2 | ELECTRON TUBE, POWER, TYPE 7248 [CUST: 85 CC] [REVIEW: 99] | A 5960 | CC | | 05-DEC-97 |
| | MIL-E-1/1516A NOT 2 | ELECTRON TUBE, RECEIVING TYPE 5963 [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS CG MC MI OS SH] | A 5960 | CC | | 30-APR-97 |
| | MIL-E-1/1519A NOT 2 | ELECTRON TUBE, NUMERICAL INDICATOR TYPE 8422 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CG MC MI OS] | A 5960 | CC | | 30-APR-97 |
| A | MIL-E-1/1572A NOT 2 | ELECTRON TUBE, VIDICON TYPE 7290 [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CG MC] | A 5960 | CC | | 05-DEC-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | WCA | Prep. Acty. | Date |
|-------------|---------------------------|--|-----------------------|-----|-------------|------|
| A | MIL-E-1/1692A NOT 2 | ELECTRON TUBE, TRAVELING WAVE TYPE 8878 [CUST: 85 CC] [REVIEW: 11 99] | A 5960 | CC | 05-DEC-97 | |
| A | MIL-E-1/1695A(2) NOT 2 | ELECTRON TUBE, TRAVELING WAVE TUBE TYPE 8881 [CUST: 85 CC] [REVIEW: 11 99] | A 5960 | CC | 05-DEC-97 | |
| A | MIL-E-1/1696A(1) NOT 1 | ELECTRON TUBE, TRAVELING WAVE TUBE TYPE 8882 [CUST: 85 CC] [REVIEW: 11 99] | A 5960 | CC | 05-DEC-97 | |
| | MIL-E-1/1697A NOT 1 | ELECTRON TUBE, KLYSTRON TYPE DOD 003 [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS CR4 OS] | A 5960 | CC | 30-APR-97 | |
| A | MIL-E-1/1722A NOT 1 | ELECTRON TUBE, MAGNETRON TYPE DOD 015 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR] | A 5960 | CC | 05-DEC-97 | |
| | MIL-E-1/1762 NOT 1 | ELECTRON TUBE, KLYSTRON 1 TYPE 8979 [CUST: CR EC 85 CC] [REVIEW: 11 AS CG MC OS SH] | A 5960 | CC | 30-APR-97 | |
| A | MIL-E-1/1769(1) NOT 1 | ELECTRON TUBE, MAGNETRON TYPE 8982 [CUST: EC CC] [REVIEW: AS CG OS] | A 5960 | CC | 05-DEC-97 | |
| A | MIL-E-1/1771(1) NOT 2 | ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE DOD-041 [CUST: CR CC] | A 5960 | CC | 05-DEC-97 | |
| | MIL-C-5/17F(2) | CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM95 [CUST: CR EC 85] [REVIEW: 11 17 19 AS CG MC OS SH] | A 5910 | CC | 11-SEP-89 | |
| | MIL-C-5/18D(3) | CAPACITORS, FIXED, MICA DIELECTRIC, STYLES CM04, CM05, CM06, CM07, CM08, CM09, CM10, CM11, CM12, AND CM13 [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC OS SH] | A 5910 | CC | 18-OCT-93 | |
| | MIL-C-17/2A(2) NOT 2 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/2-RG6 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/6B(2) NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS M17/6-RG11, UNARMORED, M17/6-RG12, ARMORED [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/15B NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, 95 OHMS, UNARMORED, M17/15-RG022 AND ARMORED, M17/15-RG111 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/24B(3) NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/24-RG34 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 07-OCT-91 | |
| | MIL-C-17/28C NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/28-RG058 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/30D NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 93 OHMS, M17/30-RG062 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/45E NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, 78 OHMS, M17/45-RG108 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/54B NOT 2 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/54-RG122 [CUST: CR SH 85] [REVIEW: 11 17 19 99 AR AS AT CR4 EC IS MC MI OS] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/72C(1) NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/72-RG211 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 MC MD MI OS SH] | A 6145 | CC | 07-OCT-91 | |
| | MIL-C-17/73B NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/73-RG212 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/74C NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, UNARMORED M17/74-RG213, AND ARMORED M17/74-RG215 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/77C NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 75 OHMS, M17/77-RG216 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/79D(1) NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS UNARMORED M17/79-RG218, AND ARMORED M17/79-RG219 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/81C | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/81-00001 AND M17/81-00002 (ARMORED) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS IS MC OS SH TD] | A 6145 | CC | 18-JUL-85 | |
| | MIL-C-17/84B(1) NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/84-RG223 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/92D NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/92-RG115, M17/92-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 30-AUG-91 | |
| | MIL-C-17/119G NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/119-RG174 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/155A NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/155-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/157A NOT 1 | CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/157-00001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC OS SH TD] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/161(1) NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/161-00001 AND M17/161-00002 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH] | A 6145 | CC | 07-OCT-91 | |
| | MIL-C-17/162A NOT 3 | CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/162-00001 (FOR NEW DESIGN USE MIL-17/199) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 13-AUG-93 | |
| | MIL-C-17/167B NOT 1 | CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/167-000001 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CR4 IS MC MI OS SH TD] | A 6145 | CC | 13-AUG-93 | |
| A | MIL-B-18/5C NOT 1 | BATTERY, DRY, BA-23 [CUST: SH 99] [REVIEW: CC CR4 MC MI YD1] | A 6135 | GS | 18-JUL-97 | |
| M | MIL-B-18/15C NOT 1 | BATTERY, DRY, BA-37 [CUST: CR SH 99 GS] [REVIEW: MC YD1] | A 6135 | GS | 07-MAY-98 | |
| A | MIL-B-18/30D NOT 1 | BATTERY, DRY, BA-63 [CUST: SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | 18-JUL-97 | |
| M | MIL-B-18/82D NOT 1 | BATTERY, DRY, BA-404/U [CUST: CR SH 99 GS] [REVIEW: MC MI] | A 6135 | GS | 07-MAY-98 | |
| M | MIL-B-18/97D NOT 1 | BATTERY, DRY, BA-419/U [CUST: CR SH 99 GS] [REVIEW: MC MI] | A 6135 | GS | 07-MAY-98 | |
| A | MIL-B-18/218B NOT 1 | BATTERY, DRY, BA-1288/U [CUST: SH 99] [REVIEW: CR4 MC YD1] | A 6135 | GS | 18-JUL-97 | |
| A | MIL-B-18/226C NOT 1 | BATTERY, DRY, BA-1363/U [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | 18-JUL-97 | |
| A | MIL-B-18/266A NOT 1 | BATTERY, DRY BA-1393A/U [REVIEW: AV CR4] | A 6135 | GS | 18-JUL-97 | |
| | MIL-C-20/1C(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (UNINSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC20 [CUST: CR EC 85] [REVIEW: 99 AS MC SH] | A 5910 | CC | 12-DEC-91 | |
| | MIL-C-20/3B(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC22 [CUST: CR EC 85] [REVIEW: 99 AS MC SH] | A 5910 | CC | 12-DEC-91 | |
| | MIL-C-20/6B(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC27 [CUST: CR EC 85] [REVIEW: 99 AS MC SH] | A 5910 | CC | 12-DEC-91 | |
| | MIL-C-20/7B(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (UNINSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC30 [CUST: CR EC 85] [REVIEW: 99 AS MC SH] | A 5910 | CC | 12-DEC-91 | |
| | MIL-C-20/16D(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY STYLE CC50 [CUST: CR EC 85] [REVIEW: 99 AS MC OS SH] | A 5910 | CC | 10-DEC-91 | |
| | MIL-C-20/17C(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC51 [CUST: CR EC 85] [REVIEW: 99 AS MC OS SH] | A 5910 | CC | 10-DEC-91 | |
| | MIL-C-20/18C(1) | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC52 [CUST: CR EC 85] [REVIEW: 99 AS MC OS SH] | A 5910 | CC | 10-DEC-91 | |
| | MIL-C-20/19B NOT 2 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC53 [CUST: CR EC 85] [REVIEW: 80 AS MC OS SH] | A 5910 | CC | 24-NOV-91 | |
| M | MIL-C-25D(6) SUP 1A NOT 1 | CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS MC MI OS] | A 5910 | CC | 22-MAY-98 | |
| | MIL-C-25/12B(2) | CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLES CP 80 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS] | A 5910 | CC | 17-APR-91 | |
| | MIL-C-25/13B(2) NOT 1 | CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLE CP81 [CUST: CR EC 85] [REVIEW: 17 19 AR AS CR4 MC MI OS] | A 5910 | CC | 17-APR-91 | |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | Date |
|-------------|------------------------|---|--------------|-----|-------------|
| | | | FSC/Area | MCA | Prep. Acty. |
| | MIL-C-25/14B(2) NOT 1 | CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLES CP 82 [CUST: CR EC 85] [REVIEW: 17 19 AR AS CR4 MC MI OS] | A 5910 | CC | 17-APR-91 |
| | MIL-R-26/1A(1) NOT 2 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW10, RW11, RW12, RW13, RW14, RW15, AND RW16 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT AV CC CR4 MC MI OS] | A 5905 | CR | 04-AUG-93 |
| | MIL-R-26/2B(1) NOT 2 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW20, RW21, RW22, RW23 AND RW24 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AT AV CR4 MC MI OS] | A 5905 | CC | 04-AUG-93 |
| | MIL-R-26/5B(1) NOT 2 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW70, RW74, RW78, AND RW79 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT AV CR4 EA MC OS] | A 5905 | CC | 04-AUG-93 |
| | MIL-R-26/6B(1) NOT 2 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW80 AND RW81 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AT AV CR4 EA MC OS] | A 5905 | CC | 04-AUG-93 |
| | MIL-T-27/1E | TRANSFORMERS, AUDIO FREQUENCY, TF4R21YY AND TF4S21YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | 23-JUL-90 |
| | MIL-T-27/2F | TRANSFORMERS, AUDIO FREQUENCY, TF4R21YY AND TF4S21YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | 23-JUL-90 |
| | MIL-T-27/10A(1) NOT 3 | TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC] | A 5950 | CC | 31-MAR-97 |
| | MIL-T-27/19C(1) NOT 2 | TRANSFORMER, POWER 52 VA, 60 HZ, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | 06-JUN-97 |
| | MIL-T-27/25B(1) NOT 1 | TRANSFORMERS, POWER, STEP DOWN, 3-PHASE, TYPE TP4S03YY312 [CUST: CR EC 85 CC] [REVIEW: 17 19 80 AR AS MC MI SH] | A 5950 | CC | 23-MAY-97 |
| | MIL-T-27/33(1) NOT 3 | TRANSFORMER, POWER, STEP-UP, TF5S03ZZ319 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS CR4 MC MI OS SH] | A 5950 | CC | 23-MAY-97 |
| | MIL-T-27/36B | TRANSFORMER, POWER, STEPDOWN AND STEP-UP, TYPE TF4R03HA322 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR CR4 MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/74A | TRANSFORMER, AUDIO FREQUENCY, TF4R21AG891 [CUST: CR EC 85] [REVIEW: 11 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/82B | TRANSFORMER, POWER, STEPDOWN, TF5V03ZZ899 [CUST: CR EC 85] [REVIEW: 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/84B | TRANSFORMER AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TYPE TF5S04ZZ901 [CUST: CR EC 85] [REVIEW: 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/85A(1) NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS CR4 MC MI OS SH] | A 5950 | CC | 31-MAR-97 |
| | MIL-T-27/86(1) NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ903 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 31-MAR-97 |
| | MIL-T-27/89A(1) NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5V04ZZ [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 31-MAR-97 |
| | MIL-T-27/92A | TRANSFORMERS, SATURABLE, TF5S40ZZ909 [CUST: CR EC 85] [REVIEW: 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/99B | TRANSFORMER, POWER, STEP-DOWN, TF5S03ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/117B | TRANSFORMER, POWER, STEPDOWN, TF5S03ZZ936 [CUST: CR EC 85] [REVIEW: 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/118B | TRANSFORMER, POWER, STEPDOWN, TF5S03ZZ937 [CUST: CR EC 85] [REVIEW: 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/119B | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ938 [CUST: CR EC 85] [REVIEW: 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/120B | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ939 [CUST: CR EC 85] [REVIEW: 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/122C | TRANSFORMERS, SATURABLE, TF5S40ZZ909 [CUST: CR EC 85] [REVIEW: 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/124D | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, HIGH Q, TYPE TF5S20ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/126C | TRANSFORMER, AUDIO FREQUENCY, TF5S21ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/127C | TRANSFORMER, POWER, STEP-DOWN TF5S03ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/129A | TRANSFORMER, POWER, STEPDOWN, STEP-UP, TF5S03ZZ948 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/136A | TRANSFORMER, POWER, STEPDOWN AND STEP-UP, TYPE TF5T03ZZ955 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/138A | TRANSFORMER, POWER, STEPDOWN, 3-PHASE, TF4S03YY [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/151B | TRANSFORMER, POWER, STEP-DOWN, TF4S03KB [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC OS] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/158A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE) TRANSFORMER, POWER, STEP-DOWN, TF5S03ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/159A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/163C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC OS] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/170B | TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/174C | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF4S04LB [CUST: CR EC 85] [REVIEW: 19 AR CR4 MC YDI] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/175B | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF4R20YY [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/176A | TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/187B | TRANSFORMER, POWER, STEP-DOWN, AUTOTRANSFORMER, TF5T03ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/190(1) NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 31-MAR-97 |
| | MIL-T-27/191(1) NOT 2 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5S04ZZ [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 31-MAR-97 |
| | MIL-T-27/192(1) NOT 2 | TRANSFORMER, POWER, STEPDOWN, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 31-MAR-97 |
| | MIL-T-27/193A(1) NOT 2 | TRANSFORMERS, POWER, STEPDOWN, TF5S03ZZ AND TF5T03ZZ [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 31-MAR-97 |
| | MIL-T-27/194A(1) NOT 2 | TRANSFORMERS, POWER, STEPDOWN AND STEP-UP, TF5S03ZZ AND TF5T03ZZ [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 31-MAR-97 |
| | MIL-T-27/195(1) NOT 3 | TRANSFORMER, POWER, STEP-DOWN, TF5S03ZZ [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 31-MAR-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|---------------------------|--|-----------------------|-----------------|-----------|
| | MIL-T-27/201A | TRANSFORMER, POWER, STEPDOWN, TF5503ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/202A | TRANSFORMER, POWER, STEP DOWN, TF5503ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/207A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, POWER, TF5V04ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/213B | TRANSFORMER, POWER, STEP-UP, 178 VOLTAMPERES, TF5T03ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/214A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, TF5S20ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/223B | TRANSFORMERS, POWER, STEP-DOWN, TF5T03ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 30-JUN-92 |
| | MIL-T-27/229A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, POWER, TF5T04ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/247C(1) NOT 1 | TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ316 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 31-MAR-97 |
| | MIL-T-27/255A | TRANSFORMER, POWER, STEPDOWN, TF5T03ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/259A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, POWER (60 VA), TF5T04ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/260B | TRANSFORMERS, POWER, TF5T03ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/265A | TRANSFORMER, POWER, STEPDOWN AND STEP-UP, TYPE TF5S03ZZ [CUST: CR EC 85] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/267C | TRANSFORMER, POWER, 7 VOLTAMPERES, TF5S03ZZ, METRIC [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/291B | TRANSFORMERS, POWER, STEP-DOWN, TF5S03ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/295B | TRANSFORMER, POWER, STEP-DOWN, TF5R03ZZ [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS SH] | A 5950 | CC | 20-APR-93 |
| | MIL-T-27/303A | TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER TF5S04ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| | MIL-T-27/306A | TRANSFORMER, SATURABLE, TF5S40ZZ [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CR4 MC MI OS SH] | A 5950 | CC | 13-MAR-91 |
| A | MIL-S-61B(1) NOT 1 | SHUNT, INSTRUMENT, EXTERNAL, 50 MILLIVOLT (LIGHTWEIGHT TYPE) [CUST: CR SH 99] [REVIEW: AR CC MI] | A 6625 | CR | 25-APR-97 |
| | MIL-C-62/1B(2) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE10 AND CE11 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5910 | CC | 16-AUG-93 |
| A | MIL-C-62/2B(2) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE12 AND CE13 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 5910 | CC | 29-AUG-97 |
| A | MIL-C-62/3B(2) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE31 AND CE34 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5910 | CC | 29-AUG-97 |
| A | MIL-C-62/4B(2) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLE CE32 AND CE35 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5910 | CC | 29-AUG-97 |
| A | MIL-C-62/5B(2) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE33 AND CE36 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5910 | CC | 29-AUG-97 |
| A | MIL-C-62/6B(2) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE41 AND CE44 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5910 | CC | 29-AUG-97 |
| A | MIL-C-62/7B(2) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE42 AND CE45 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5910 | CC | 29-AUG-97 |
| A | MIL-C-62/8C(1) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE51 AND CE56 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5910 | CC | 29-AUG-97 |
| A | MIL-C-62/9C(1) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE52 AND CE57 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5910 | CC | 29-AUG-97 |
| A | MIL-C-62/10C(1) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE53 AND CE58 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5910 | CC | 29-AUG-97 |
| A | MIL-C-62/11C(1) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE63 AND CE64 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5910 | CC | 29-AUG-97 |
| A | MIL-C-62/12E(2) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE70 AND CE71 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5910 | CC | 29-AUG-97 |
| A | MIL-W-76D NOT 1 | WIRE AND CABLE, HOOKUP, ELECTRICAL, INSULATED GENERAL SPECIFICATION FOR [CUST: CR SH 85 IS] [REVIEW: 11 CR4 EA MI OS] | A 6145 | IS | 16-JUN-97 |
| | MIL-R-93D(5) SUP 1A NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AV CG CR4 MC MI OS] | A 5905 | CC | 31-MAR-96 |
| A | MIL-R-93/3F(1) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB16 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AV CR4 MC MI] | A 5905 | CC | 24-OCT-97 |
| A | MIL-R-93/4G(1) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB17 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AV CR4 MC MI OS] | A 5905 | CC | 24-OCT-97 |
| A | MIL-R-93/5F(1) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB18 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR CR4 MC MI] | A 5905 | CC | 24-OCT-97 |
| A | MIL-R-93/6F(1) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB19 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AV CR4 MC MI] | A 5905 | CC | 24-OCT-97 |
| A | MIL-R-93/7B(1) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB43 [CUST: CR CC] [REVIEW: MI] | A 5905 | CC | 24-OCT-97 |
| | MIL-R-93/10F NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB52 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AV CR4 MC MI] | A 5905 | CC | 25-OCT-91 |
| | MIL-R-93/11D NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB53 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AV CR4 MC MI] | A 5905 | CC | 25-OCT-91 |
| | MIL-R-93/12D NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB54 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AV CR4 MC MI] | A 5905 | CC | 25-OCT-91 |
| | MIL-R-93/13D NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB55 [CUST: CR EC 85] [REVIEW: 17 99 AR CR4 MC MI] | A 5905 | CC | 25-OCT-91 |
| | MIL-R-93/14D NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB56 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AV CR4 MC MI] | A 5905 | CC | 25-OCT-91 |
| A | MIL-R-93/15B(1) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB08 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS AV CR4 MC MI OS] | A 5905 | CC | 24-OCT-97 |
| | MIL-R-93/16B NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB57 [CUST: CR EC 85] [REVIEW: 17 19 99 AR CR4 MC MI] | A 5905 | CC | 25-OCT-91 |
| A | MIL-R-93/17B(2) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB58 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AV CR4 MC MI] | A 5905 | CC | 24-OCT-97 |
| A | MIL-R-93/18B(2) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB59 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CG CR4 MC MI] | A 5905 | CC | 24-OCT-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|----------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-R-93/19B NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB70 [CUST: CR EC 85] [REVIEW: 17 19 99 AV CR4 MC MI] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-93/20B NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB71 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AV CR4 MC MI] | A 5905 | CC | | 25-OCT-91 |
| A | MIL-R-93/28B(2) NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE), STYLE RB73 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AV CG CR4 MC MI] | A 5905 | CC | | 24-OCT-97 |
| | MIL-D-98A NOT 1 | DIPHENYLAMINE, TECHNICAL [CUST: AR AS] [REVIEW: EA GS MI] | A 6810 | AR | | 14-MAR-97 |
| A | MIL-B-117G NOT 1 | BAGS, SLEEVES AND TUBING [CUST: GL SA 69] [REVIEW: AR AT AV DH EA MC MI OS SH SM YDI] | A 8105 | GL | | 29-DEC-97 |
| A | MIL-B-121F NOT 1 | BARRIER MATERIAL, GREASEPROOFED, WATERPROOFED, FLEXIBLE [CUST: GL SA 69] [REVIEW: 99 AS AT DS EA GS MC MD MI OS SH SM YDI] | A 8135 | GL | | 29-DEC-97 |
| A | MIL-P-130F NOT 1 | PAPER, WRAPPING, LAMINATED AND CREPED [CUST: GL SA 69] [REVIEW: 99 AT DS EA GS MC MD OS SH YDI] | A 8135 | GL | | 29-DEC-97 |
| A | MIL-P-149D NOT 2 | PLASTIC COATING COMPOUND, STRIPPABLE (HOT DIPPING) [CUST: MR 99] [REVIEW: 84 AS CG SH] | A 8030 | MR | | 26-NOV-97 |
| | MIL-P-150D NOT 2 | POTASSIUM CHLORATE, TECHNICAL [CUST: EA OS] [REVIEW: AR AS GS MD] | A 6810 | EA | | 19-APR-96 |
| A | MIL-F-151E NOT 1 | FAN, CIRCULATING, CEILING, REFRIGERATED SPACE [CUST: CR4 SH] [REVIEW: CR] | A 4140 | IS | | 04-APR-98 |
| A | MIL-P-156B NOT 1 | POTASSIUM NITRATE [CUST: AR AS GS] | A 6810 | GS | | 19-FEB-98 |
| | MIL-B-162D NOT 1 | BARIUM NITRATE [CUST: AR AS] [REVIEW: EA GS MD MI OS] | A 6810 | AR | | 14-MAR-97 |
| | MIL-B-162D(13) | BARIUM NITRATE [CUST: AR] | A 6810 | AR | | 16-APR-90 |
| | JAN-T-171(2) NOT 1 | TOLUENE [CUST: AR OS] [REVIEW: EA GS MC MI PS] | A 6810 | AR | | 14-MAR-97 |
| | MIL-C-172C(2) SUP ID NOT 2 | CASES; BASES, MOUNTING; AND MOUNTS, VIBRATION (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) [CUST: CR AS 11] [REVIEW: 99 AR AV GS MI] | A 5975 | AS | | 18-SEP-96 |
| A | MIL-V-173C(2) NOT 2 | VARNISH, MOISTURE AND FUNGUS RESISTANT (FOR TREATMENT OF COMMUNICATIONS, ELECTRONIC, AND ASSOCIATED EQUIPMENT [CUST: CR YDI] | A 8010 | CR | | 03-NOV-97 |
| | JAN-A-179 NOT 1 | ACID, SULFUTIC, AND OLEUM [CUST: EA OS] [REVIEW: GS] | A 6810 | AR | | 14-MAR-97 |
| A | MIL-R-214E NOT 1 | REEL, PHOTOGRAPHIC FILM, AND CAN OR CASE, PHOTOGRAPHIC FILM STORAGE (16MM AND 35MM FILM) [CUST: CR AS 99] [REVIEW: MI] | A 6760 | CR | | 25-APR-97 |
| | MIL-W-215D(2) NOT 1 | WHITE PHOSPHORUS (WP) [CUST: EA OS] [REVIEW: AR AS MC MD] | A 1365 | EA | | 19-APR-96 |
| M | MIL-P-217A(1) NOT 2 | POTASSIUM PERCHLORATE [CUST: AR AS GS] [REVIEW: EA MI OS] | A 6810 | GS | | 29-APR-98 |
| A | MIL-H-226F NOT 2 | HALYARDS, SIGNAL, BRAIDED TREATED [CUST: GL 99 IS] | A 4020 | IS | | 16-JUN-97 |
| | MIL-C-228A NOT 1 | CIRCLES, AZIMUTH; AND CIRCLES, BEARING [CUST: CR4 SH] [REVIEW: AV MI] | A 6605 | SH | | 18-JAN-91 |
| | MIL-S-230C NOT 2 | SILICON, POWDERED, TECHNICAL [CUST: EA OS] [REVIEW: AR AS GS MD] | A 6810 | EA | | 19-APR-96 |
| | MIL-P-231A(2) NOT 1 | PROPELLANT, PYROCELLULOSE [CUST: OS] | A 1376 | OS | | 20-DEC-95 |
| | MIL-H-235C(1) NOT 1 | HEXACHLOROETHANE, TECHNICAL [CUST: EA AS 68] [REVIEW: AR GS MC MD OS] | A 6810 | EA | | 19-APR-96 |
| A | MIL-P-265C NOT 2 | POLYVINYL ALCOHOL, GRANULAR (METRIC) [CUST: EA GS] [REVIEW: MI] | A 6810 | GS | | 17-MAR-98 |
| | MIL-P-288B(1) NOT 1 | PROTRACTORS ONE OR THREE ARM [CUST: CR4 SH 99] | A 6675 | GS | | 15-MAR-91 |
| | MIL-Z-291G NOT 1 | ZINC OXIDE, TECHNICAL [CUST: EA OS] [REVIEW: AR GS MD] | A 6810 | EA | | 19-APR-96 |
| | MIL-P-323A NOT 1 | PROPELLANT, M2 AND M5 [CUST: AR] [REVIEW: CR4] | A 1375 | AR | | 22-APR-96 |
| A | MIL-P-335J NOT 1 | PAVING MACHINE, BITUMINOUS MATERIAL, CRAWLER MOUNTED, DIESEL ENGINE DRIVEN [CUST: AT YDI] | A 3895 | AT | | 09-MAR-98 |
| A | MIL-L-376C(1) NOT 1 | LEAD DIOXIDE, TECHNICAL [CUST: EA AS GS] [REVIEW: AR MD1 OS] | A 6810 | GS | | 23-JAN-98 |
| | MIL-Q-378B NOT 1 | QUICKMATCH [CUST: AR] [REVIEW: EA OS] | A 1370 | AR | | 22-APR-96 |
| | MIL-Q-378B(11) | QUICKMATCH [CUST: AR] | A 1370 | AR | | 20-NOV-75 |
| | MIL-I-394G NOT 2 | IGNITER, TIME, BLASTING FUSE, WEATHERPROOF, M60, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 22-APR-96 |
| | MIL-C-427A NOT 1 | COMPOSITION C-3 [CUST: OS 99] [REVIEW: AS CG] | A 1376 | OS | | 20-DEC-95 |
| A | MIL-D-435F(4) NOT 1 | DISTRIBUTORS, LIQUID BITUMINOUS MATERIAL, TANKLESS-TYPE, TRAILOR-MOUNTED [CUST: AT] | A 3895 | AT | | 09-MAR-98 |
| A | MIL-W-438B NOT 2 | WIRE, PRIMER, ELECTRICAL [CUST: AR OS 85 IS] [REVIEW: CR MC MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-442D(1) NOT 2 | CABLE, (WIRE), TWO CONDUCTOR, PARALLEL [CUST: CR OS 85 IS] [REVIEW: AT CR4 MC MI] | A 6145 | IS | | 16-JUN-97 |
| | MIL-C-450C NOT 1 | COATING-COMPOUND, BITUMINOUS SOLVENT TYPE, BLACK (FOR AMMUNITION) [CUST: AR OS 84] [REVIEW: 69 MC MR SH] | A 8030 | OS | | 09-MAY-96 |
| A | MIL-S-464F(2) NOT 1 | SPREADER, AGGREGATE, TOWED TYPE, TRACTION POWERED [CUST: AT] [REVIEW: CC] | A 3895 | AT | | 09-MAR-98 |
| A | MIL-C-496D NOT 1 | CLIP, END, STRAP [CUST: GL 99 IS] [REVIEW: 82 AR CG CR4 EA MC MD MI] | A 5340 | IS | | 31-JUL-97 |
| A | MIL-A-516J NOT 1 | AUGER, EARTH, SKIDMOUNTED; AND AUGER, EARTH, TURNTABLE BASE MOUNTED, POWER DRIVEN [CUST: AT YDI 99] [REVIEW: CR] | A 3820 | AT | | 09-MAR-98 |
| A | MIL-D-537F NOT 1 | DISKS, COLOR STANDARDS [CUST: AT YDI 99] [REVIEW: MD] | A 6630 | AT | | 09-MAR-98 |
| | MIL-C-539A NOT 1 | CLOTH, SILK, CARTRIDGE-BAG [CUST: OS CT] [REVIEW: CR4] | A 8305 | CT | | 20-MAY-92 |
| A | MIL-B-543G NOT 3 | BUCKLES, TONGUELESS AND WEB STRAP [CUST: GL 99 IS] [REVIEW: 82 AR AV EA MC ME MI SA] | A 5340 | IS | | 04-APR-98 |
| A | MIL-C-555L NOT 1 | COMPRESSORS, AIR, RECIPROCATING AND ROTARY, DIESEL ENGINE DRIVEN [CUST: AT] [REVIEW: CE] | A 4310 | AT | | 09-MAR-98 |
| | JAN-P-567 NOT 1 | PIGMENT, SYNTHETIC, BLACK (OINTMENT TYPE) [CUST: EA MS] [REVIEW: IS] | A 6505 | EA | | 15-MAY-96 |
| A | MIL-C-595E NOT 1 | CHEESE SPREAD, CHEDDAR (OPERATIONAL RATION COMPONENT) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-S-612B(1) NOT 1 | STRONTIUM PEROXIDE [CUST: AR GS] [REVIEW: MD1 TE] | A 6810 | GS | | 28-NOV-97 |
| | JAN-P-637 NOT 1 | POT, SMOKE, FLOATING, HC, M4A2 [CUST: EA OS] | A 1365 | EA | | 19-APR-96 |
| | MIL-P-00637B(2) NOT 1 | POT, SMOKE, FLOATING, HC, M4A2 [CUST: EA] | A 1365 | EA | | 28-SEP-95 |
| A | MIL-H-639D NOT 1 | HOOK (FOR BELTS, STRAPS, AND EQUIPAGE ITEMS) [CUST: GL YDI 99 IS] [REVIEW: 82 CR4 EA MC] | A 5340 | IS | | 31-JUL-97 |
| | MIL-J-641/8D NOT 1 | JACKS, TELEPHONE, TYPE JJ-055 [CUST: CR EC 11 CC] [REVIEW: 17 19 99 AR AS AV CR4 MC MI OS SH YDI] | A 5935 | CC | | 30-OCT-91 |
| | MIL-J-641/17D NOT 1 | JACKS, TELEPHONE, TYPE JJ-133 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS AV CR4 MC MI OS SH YDI] | A 5935 | CC | | 30-OCT-91 |
| | MIL-J-641/18D NOT 1 | JACKS, TELEPHONE, TYPE JJ-134 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS AV CR4 MC MI OS SH YDI] | A 5935 | CC | | 30-OCT-91 |
| A | MIL-C-684D(2) NOT 1 | CUPS; BULLET JACKET, COPPER ALLOY CLAD STEEL; FOR SMALL ARMS AMMUNITION [CUST: AR] | A 1305 | AR | | 01-NOV-95 |
| A | MIL-K-687E(2) NOT 1 | KETTLE, HEATING, BITUMEN, TRAILER MOUNTED [CUST: AT 99] [REVIEW: 84] | A 3895 | AT | | 09-MAR-98 |
| A | JAN-D-709(1) NOT 1 | DIMETHYLPHTHALATE (FOR USE IN EXPLOSIVES) [CUST: AR] [REVIEW: EA] | A 1376 | AR | | 16-JAN-98 |
| | MIL-T-740G NOT 2 | TRUCKS; 5 TON, 6X6, MILITARY DESIGN, M39, M39A1, M39A2 AND M809 SERIES [CUST: AT YDI 99] [REVIEW: 85 CG MC] | A 2320 | AT | | 30-OCT-95 |
| | MIL-C-768A NOT 1 | COPPER, POWDERED (FOR USE IN AMMUNITION) (METRIC) [CUST: OS] [REVIEW: GS] | A 1370 | OS | | 09-MAY-96 |
| A | MIL-S-777B NOT 1 | SIGHT REFLEX M24C [CUST: AR] | A 1240 | AR | | 08-AUG-97 |
| A | MIL-T-780E NOT 1 | TAMPER, PISTON-HAMMER TYPE, PNEUMATIC [CUST: AT YDI] [REVIEW: CC CE MC] | A 3895 | AT | | 09-MAR-98 |
| A | MIL-L-850E NOT 1 | LIFE PRESERVER, YOKE TYPE WITH REPLACEMENT TYPE COVER [CUST: CR4 SH] | A 4220 | SH | | 22-APR-98 |
| A | MIL-S-980B NOT 1 | STEEL, CHROMIUM ALLOY, BARS (FOR TORPEDO GYROSCOPE BEARINGS) [CUST: MR OS IS] | A 9510 | IS | | 16-JUN-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|-----------------------------|--|--------------------------|--------------------|-----------|
| | DOD-D-1000B(4) NOT 1 | DRAWINGS, ENGINEERING AND ASSOCIATED LISTS [CUST: AR OS 16 DH] [REVIEW: 11 AS AT AV CC CR4 EC GL IS MC MI NS SH YD1] | A DRPR | AR | 01-JUL-90 |
| A | MIL-H-1048G NOT 1 | HAMBURGER PATTIES WITH NATURAL JUICES, CANNED [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8905 | GL | 19-SEP-97 |
| | MIL-S-1123E(1) NOT 1 | SHOE REPAIR SHOP, EQUIPMENT [CUST: GL 99] [REVIEW: 84 GS MD1] | A 3520 | GL | 04-MAR-97 |
| M | MIL-C-1145E NOT 1 | CORD, FIBROUS (LINES, LEAD) [CUST: GL SH 99 IS] [REVIEW: CR4 MC MD] | A 4020 | IS | 24-APR-98 |
| | MIL-B-1163A NOT 1 | BARBS, FLINDERS [CUST: SH] [REVIEW: 99 AV] | A 6605 | GS | 26-DEC-90 |
| | MIL-R-1296F NOT 1 | RIFLE, CALIBER .22 LR, COMMERCIAL, FOR MATCH AND TRAINING [CUST: AR OS 84] [REVIEW: MC] | A 1005 | AR | 12-DEC-95 |
| | MIL-P-1299B NOT 4 | PISTOL, PYROTECHNIC, AN-M8 AND MOUNT, M1 [CUST: AR OS 99] | A 1095 | AR | 14-MAR-97 |
| | MIL-C-1311E(2) NOT 1 | CARTRIDGE, CALIBER .45, BALL, M1911 [CUST: AR] [REVIEW: MC] | A 1305 | AR | 05-JUN-96 |
| A | MIL-C-1318B(4) NOT 2 | CARTRIDGE, CALIBER .50, TRACER, M17 [CUST: AR 70] | A 1305 | AR | 29-AUG-97 |
| | MIL-G-1353E NOT 1 | GRENADES, HAND; INERT COMPONENTS FOR [CUST: EA 70] [REVIEW: OS] | A 1330 | EA | 19-APR-96 |
| | MIL-G-001353F(2) NOT 1 | GRENADES, HAND; INERT COMPONENTS FOR [CUST: EA] | A 1330 | EA | 28-SEP-95 |
| | MIL-P-1394F(3) NOT 1 | PRIMER, ELECTRIC, M52A3B1 [CUST: AR 70] | A 1305 | AR | 05-JUN-96 |
| A | MIL-B-1406C NOT 2 | BOTTLE, SCREW CAP, IDENTIFICATION, BURIAL [CUST: GL MS 69] [REVIEW: CC GS MC MD] | A 8125 | GL | 29-DEC-97 |
| A | MIL-L-1497F NOT 1 | LABELING OF METAL CANS FOR SUBSISTENCE ITEMS [CUST: GL SA 50] [REVIEW: MD] | A 89GP | SS | 04-APR-98 |
| | MIL-P-1577D NOT 3 | PANEL MARKER, RED CROSS, 8 FEET, 6 INCHES BY 19 FEET, 6 INCHES [CUST: IH NU 11] [REVIEW: 45 82 99 CG CT MC] | A 8345 | IH | 09-JUN-95 |
| | MIL-S-1733C NOT 1 | SUPPORT, SNAP FASTENER [CUST: GL 99 IS] [REVIEW: MC SM] | A 5325 | IS | 25-JUN-96 |
| | MIL-I-2002C(1) NOT 1 | INDICATORS, BOILER SMOKE, NAVAL SHIPBOARD [CUST: SH] | A 6320 | SH | 24-DEC-90 |
| | MIL-R-2033B NOT 1 | RELAYS-POWER, ELECTRICAL SPECIALITY, INDUCTION TYPE, NAVAL SHIPBOARD USE [CUST: SH] [REVIEW: 99] | A 5945 | SH | 01-SEP-95 |
| A | MIL-L-2045B(1) NOT 1 | LOOP, STRAP FASTENER, (FOR NONEQUIPAGE ITEMS) [CUST: GL YD1 99 IS] [REVIEW: AV CR4 EA MC] | A 5340 | IS | 31-JUL-97 |
| A | MIL-F-2071D(2) NOT 2 | FLAG, NATIONAL, UNITED STATES OF AMERICA, GRAVE DECORATING, PRINT CLOTH [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8345 | IH | 10-FEB-98 |
| | MIL-D-2087C(3) NOT 2 | DEMOLITION KIT, TORPEDO BANGALORE, M1A2, HE LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 22-APR-96 |
| | MIL-D-2088B(2) NOT 2 | DEMOLITION KIT, BANGALORE TORPEDO, M1A2 AND TORPEDO, BANGALORE, M1A1, INERT, PARTS FOR [CUST: AR] | A 1375 | AR | 22-APR-96 |
| A | MIL-E-2186E NOT 1 | EXTINGUISHER, FIRE, CARBON DIOXIDE SYSTEMS (FIXED PIPE, NAVAL SHIPBOARD USE) [CUST: SH] | A 4210 | SH | 22-APR-98 |
| | MIL-S-2335(1) NOT 3 | SYNCHROS, 60 CYCLE, 115 VOLT [CUST: AR AS 85] [REVIEW: 11 17 99 AV CG EC MC MI OS] | A 5990 | CC | 04-MAR-70 |
| A | MIL-C-2440F NOT 1 | CONTAINER, METAL, FOR PROPELLING CHARGE [CUST: AR] | A 8140 | AR | 11-MAR-98 |
| | MIL-T-2452J NOT 1 | TRUCKS, REFUSE COLLECTION: COMPACTION TYPE, REAR HOPPER LOADING, WITH TILT CAB, DIESEL AND GASOLINE ENGINE DRIVEN, 19,000 TO 44,500 POUNDS GVW, 4X2 AND 6X4, 10 TO 25 YARD, COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2320 | AT | 30-OCT-95 |
| A | MIL-C-2486C NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL WM-46/U [CUST: CR SH 85 IS] [REVIEW: MI] | A 6145 | IS | 16-JUN-97 |
| A | MIL-T-2487B NOT 2 | TEST SET TS&27(-)-TSM [CUST: CR] [REVIEW: AT MD] | A 6625 | CR | 25-APR-97 |
| | MIL-P-2496D(1) NOT 2 | PRIMER, PERCUSSION, M29A1 PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] [REVIEW: EA] | A 1375 | AR | 14-MAR-97 |
| | MIL-P-2497B(3) NOT 2 | PRIMER, PERCUSSION, M27 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | 22-APR-96 |
| A | MIL-B-2505G NOT 1 | BUCKLE, CENTER BAR WITH TONGUE [CUST: GL 99 IS] [REVIEW: 82 AR CR4 MC] | A 5340 | IS | 01-OCT-97 |
| A | MIL-H-2514D NOT 1 | HAMMER, PILEDRIVER, DROP, 1,800 AND 3,000 POUNDS [CUST: AT 99] [REVIEW: CC CE] | A 3895 | AT | 09-MAR-98 |
| A | MIL-C-2522E NOT 2 | CORD, FIBROUS LINEN, SHOCK ABSORBER SERVING USE [CUST: GL 99 IS] [REVIEW: AV] | A 4020 | IS | 16-JUN-97 |
| | MIL-A-2550B(1) NOT 1 | AMMUNITION, GENERAL SPECIFICATION FOR [CUST: AR OS 99] [REVIEW: AS MC MI] | A 1395 | AR | 09-FEB-95 |
| | MIL-A-002550C NOT 1 | AMMUNITION, GENERAL SPECIFICATION FOR [CUST: AR] | A 1395 | AR | 09-FEB-95 |
| A | MIL-C-2683A NOT 1 | CHAIN ASSEMBLY, SINGLE LEG, BOAT ANCHOR [CUST: SH 99 IS] [REVIEW: YD1] | A 4010 | IS | 16-JUN-97 |
| A | MIL-L-2710B NOT 1 | LINKS, CHAIN, DETACHABLE, REGULAR AND PEAR-SHAPED [CUST: SH 99 IS] [REVIEW: YD1] | A 4010 | IS | 01-OCT-97 |
| | MIL-R-2726/47A NOT 1 | RECEPTACLE, ELECTRICAL, ENCLOSED, 15-AMPERE, 125-VOLT 2-POLE, GROUNDED (SYMBOL NO. 735.3) [CUST: SH] | A 5935 | CC | 26-DEC-90 |
| | MIL-R-2726/48B NOT 1 | RECEPTACLE AND SWITCH, ELECTRICAL, ENCLOSED, 15-AMPERE, 125-VOLT INTERLOCKING, GROUNDED (SYMBOL NO. 900.1) [CUST: SH] | A 5935 | CC | 26-DEC-90 |
| | MIL-R-2726/50C NOT 1 | RECEPTACLE, PLUG, ELECTRICAL, 15-AMPERE, 125/250-VOLTS, 2-POLE, GROUNDED (SYMBOL NO. 720.3) [CUST: SH CC] | A 5935 | CC | 26-DEC-90 |
| | MIL-F-2763B NOT 1 | FILTER, LIGHT, OPTICAL INSTRUMENT, BINOCULAR [CUST: AR SH 99] [REVIEW: MC MI OS] | A 6650 | AR | 14-MAR-97 |
| A | MIL-W-2902D NOT 1 | WIRE ROPE ASSEMBLIES, SINGLE LEG, OXYGEN BREATHING APPARATUS SAFETY LINE [CUST: SH IS] | A 4010 | IS | 16-JUN-97 |
| A | MIL-V-2962B NOT 1 | VALVE, PRESSURE REGULATING, BOILER FUEL OIL [CUST: CR4 SH 99] [REVIEW: 11 AR CC] | A 4820 | SH | 22-APR-98 |
| A | MIL-F-2980E(1) NOT 1 | FIRING ATTACHMENTS, BLANK AMMUNITION [CUST: AR OS 99] [REVIEW: 84 MC] | A 1005 | AR | 14-DEC-95 |
| | MIL-H-2987B NOT 1 | HIDER, FLASH [CUST: AR OS] [REVIEW: 84 MC] | A 1005 | AR | 14-MAR-97 |
| A | MIL-T-3044E NOT 1 | TRUCK, DUMP, OFF ROAD, DIESEL ENGINE DRIVEN, 15 TO 50 TON PAYLOAD [CUST: AT YD1] [REVIEW: CC CE] | A 3805 | AT | 09-MAR-98 |
| | MIL-D-3052E NOT 2 | DECORATION, FOURRAGERE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 05-JUN-95 |
| A | MIL-C-3066C NOT 1 | CARTRIDGES, CALIBER .50: ARMOR-PIERCING-INCENDIARY, MB; AND ARMOR-PIECING-INCENDIARY-TRACER, M20 [CUST: AR] | A 1305 | AR | 31-JUL-97 |
| A | MIL-B-3067B(1) NOT 2 | BRIDGE, RESISTANCE (RESISTANCE BRIDGE, ZM-4) (1U (ADDENDUM (1)) [CUST: CR SH 99] | A 6625 | CR | 09-JAN-98 |
| A | MIL-R-3080B(2) SUP 1A NOT 2 | RESISTORS, CURRENT-REGULATING (BALLAST TUBES), GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AV MC OS] | A 5905 | CC | 31-JAN-98 |
| | MIL-R-3080/1A NOT 1 | RESISTORS, CURRENT-REGULATING (BALLAST TUBES), TYPE TJ601K01 [CUST: CR EC 85] [REVIEW: 11 17 99 AS AV MC OS] | A 5905 | CC | 26-JUL-93 |
| | MIL-R-3080/11A NOT 1 | RESISTORS, CURRENT-REGULATING (BALLAST TUBES), TYPE TJ102L01 [CUST: CR EC 85] [REVIEW: 11 17 99 AS AV MC OS] | A 5905 | CC | 26-JUL-93 |
| A | MIL-V-3083D NOT 1 | VIBRATOR, CONCRETE: PNEUMATIC [CUST: AT YD1 99] [REVIEW: 84 CC MC] | A 3895 | AT | 09-MAR-98 |
| | MIL-C-3098/49B NOT 3 | CRYSTAL UNITS, QUARTZ, CR-71/U [CUST: CR EC 85] [REVIEW: 17 19 AR AS CG MC MI SH SM] | A 5955 | CR | 09-OCT-97 |
| | MIL-C-3098/50C(1) NOT 1 | CRYSTAL UNIT, QUARTZ, CR-72/U [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC MI OS SH TD] | A 5955 | CR | 21-MAR-96 |
| A | MIL-G-3111C(1) NOT 1 | GENERATOR, ELECTRIC, DIRECT-CURRENT NAVAL SHIPBOARD USE [CUST: SH 99] [REVIEW: GS] | A 6115 | SH | 09-OCT-69 |
| A | MIL-H-3117C(1) NOT 1 | HEATER, CONVECTION, STEAM AND HOT WATER [CUST: SH] [REVIEW: CC CR4 YD1] | A 4520 | SH | 22-APR-98 |
| | MIL-C-3120F NOT 1 | CANISTER, SMOKE, HC, 155MM PROJECTILE, M1 AND M2 [CUST: EA] | A 1320 | EA | 28-SEP-95 |
| A | MIL-G-3124D NOT 1 | GENERATOR, ALTERNATING CURRENT, 60-HERTZ (NAVAL SHIPBOARD USE) [CUST: SH] [REVIEW: GS] | A 6115 | SH | 22-APR-98 |
| | MIL-S-3139(1) NOT 1 | SHELL, FIXED, CHEMICAL, M64 FOR 75-MM GUNS, M312 FOR 76-MM GUNS, M313 FOR 90-MM GUNS, AND SHELL, SEMI-FIXED, CHEMICAL, M64 FOR 75-MM HOWITZERS, M60 FOR 105-MM HOWITZERS, ASSEMBLING, MARKING, AND PACKING [CUST: AR OS 99] [REVIEW: MC] | A 1315 | AR | 14-MAR-97 |
| A | MIL-V-3144B NOT 1 | VIALS, LEVEL [CUST: AR OS 84] [REVIEW: CR4 MC MI] | A 1290 | AR | 01-SEP-97 |
| | MIL-V-3144B(2) | VIALS, LEVEL [CUST: AR] | A 1290 | AR | 23-JUN-69 |
| | MIL-A-3167A NOT 1 | ADHESIVES (FOR PLASTIC INHIBITORS) [CUST: OS] | A 8040 | OS | 06-NOV-91 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|-----------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-F-3192(1) NOT 3 | FIBERBOARD, FLAME-RESISTANT (FOR PROJECTILE GROMMETS) [CUST: OS] | A 8135 | OS | | 08-OCT-91 |
| A | MIL-R-3206B NOT 1 | REELING MACHINE, CABLE, HAND, RL-39 [CUST: CR 99] [REVIEW: CR4 MC SH] | A 3895 | CR | | 25-APR-97 |
| | MIL-R-3211G NOT 3 | RACK, STORAGE, SMALL ARMS [CUST: AR 99] [REVIEW: OS] | A 1095 | AR | | 14-MAR-97 |
| A | MIL-R-3241E(1) NOT 1 | REELS, CABLE (REELS DR-50, DR-70, DR-80, RC-4530/G, RL-1590/U) [CUST: CR YD1 69 IS] [REVIEW: 99 MC MI] | A 8130 | IS | | 25-FEB-98 |
| | MIL-M-3281A NOT 1 | MANGANESE DIOXIDE, TECHNICAL [CUST: EA OS] [REVIEW: AR GS MD] | A 6810 | EA | | 19-APR-96 |
| | MIL-R-3285(1) NOT 2 | RIFLES, U.S., CALIBER .30, MI AND MIC [CUST: AR OS 99] | A 1005 | 84 | | 04-OCT-95 |
| | MIL-C-3301C(2) NOT 1 | COMPOUND, ASPHALTIC, HOT MELT (CAVITY LINING) [CUST: AR OS 99] [REVIEW: 84 AS MR] | A 8030 | OS | | 09-MAY-96 |
| | MIL-R-3308B NOT 1 | RESPIRATOR, AIR FILTERING, DUST, ABC-M4 [CUST: EA MC] [REVIEW: GS] | A 4240 | EA | | 19-APR-96 |
| | MIL-W-3318A NOT 1 | WIRE, COPPER, AND WIRE, STEEL, COPPERCLAD W-154 AND WS-24/U [CUST: CR YD1 99 IS] [REVIEW: OS] | A 9505 | IS | | 16-JUN-97 |
| | MIL-N-3337C NOT 1 | NUT, SHEET SPRING [CUST: AV SH 99 IS] [REVIEW: 82 MI] | A 5310 | IS | | 22-AUG-94 |
| A | MIL-A-3339C(1) NOT 2 | ANCHORS, SEA, LIFE RAFT [CUST: CR4 AS 99] [REVIEW: 82] | A 2040 | AS | | 13-AUG-97 |
| | MIL-C-3367C NOT 1 | CANISTER, SMOKE, FOR CHEMICAL SHELL (BASE EJECTION), COMPONENTS FOR [CUST: EA OS] [REVIEW: 99] | A 1320 | EA | | 19-APR-96 |
| | MIL-C-3383B(1) NOT 1 | CUPS, BULLET JACKET, COPPER ALLOY (FOR SMALL ARMS AMMUNITION) [CUST: AR] | A 1305 | AR | | 29-JAN-96 |
| | MIL-S-3443G NOT 1 | SHOTGUN, 12 GAGE, RIOT-TYPE [CUST: AR OS 84] [REVIEW: MC] | A 1005 | AR | | 12-DEC-95 |
| | MIL-S-3475 NOT 1 | SIGHT, M6 [CUST: AR OS] | A 1240 | AR | | 14-MAR-97 |
| | MIL-C-3498B(1) NOT 1 | CARTRIDGES, DUMMY (FOR SMALL ARMS) [CUST: AR] | A 1305 | AR | | 29-JAN-96 |
| | MIL-T-3595B | TUBING, PHOSPHOR BRONZE: (CDA NO. 510) ROUND, SEAMLESS [CUST: MR AS 11] [REVIEW: 99 CR4 EA OS] | A 4710 | AS | | 01-APR-90 |
| | MIL-C-3643A(3) SUP 1A NOT 1 | CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES HN, AND ASSOCIATED FITTINGS, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 99 AR AS AT MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3643/1A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES HN, TYPE UG-59E/U [CUST: CR EC 80] [REVIEW: 99 AS AT MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3643/2A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES HN, TYPE UG-60E/U [CUST: CR EC 80] [REVIEW: 99 AS AT MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3643/3A NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES HN, TYPE UG-61E/U [CUST: CR EC 80] [REVIEW: 99 AS AT MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3643/4A NOT 1 | CONNECTOR, ADAPTER, SERIES HN, TYPE UG-212C/U [CUST: CR EC 80] [REVIEW: 99 AS AT MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3643/5A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES HN, TYPE UG-333C/U [CUST: CR EC 80] [REVIEW: 99 AS AT MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3643/6A NOT 1 | CONNECTOR, ADAPTER, SERIES HN, TYPE UG-413/U [CUST: CR EC 80] [REVIEW: 99 AS AT MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3643/7A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES HN, TYPE UG-494B/U [CUST: CR EC 80] [REVIEW: 99 AR AS AT MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3643/8A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES HN, TYPE UG-495D/U [CUST: CR EC 80] [REVIEW: 99 AR AS AT MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3643/9A NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES HN, TYPE UG-496/U [CUST: CR EC 80] [REVIEW: 99 AS AT MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3643/11A NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES HN, TYPE UG-427C/U [CUST: CR EC 80] [REVIEW: 99 AS AT MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3643/12A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES HN, TYPE UG-926B/U [CUST: CR EC 80] [REVIEW: 99 AR AS AT MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3643/14A NOT 1 | CLAMP, ARMOR, SERIES HN, TYPE MX-1462/U [CUST: CR EC 80] [REVIEW: 99 AS AT MI] | A 5935 | CC | | 31-AUG-88 |
| | MIL-S-3644B NOT 1 | SHAFT ASSEMBLY, FLEXIBLE [CUST: AS 99] [REVIEW: SH] | A 3040 | 82 | | 30-APR-96 |
| | MIL-C-3655/1B NOT 1 | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-421B/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3655/2B NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-422/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3655/3B NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-423B/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3655/4B(2) NOT 1 | CONNECTOR ADAPTER, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-493A/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | | 30-OCT-91 |
| | MIL-C-3655/5B NOT 1 | CONNECTOR ADAPTER, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-981/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3655/6B NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS II (COAXIAL, SERIES TWIN) TYPE UG-1057/U [CUST: CR EC 85] [REVIEW: 11 17 19 AS AT MC MI OS SH] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3655/7B NOT 1 | CONNECTOR ADAPTER, CLASS II (COAXIAL, SERIES TWIN), TYPE UG-1058/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3655/8B NOT 1 | CONNECTOR ADAPTER, CLASS II (COAXIAL, SERIES TWIN), TYPE UG-1059/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3655/9D NOT 1 | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-1060A/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3655/11B NOT 1 | CONNECTOR SHIELD, ELECTRICAL (COAXIAL, SERIES TWIN), TYPE UG-106/U [CUST: CR EC 85] [REVIEW: 11 17 19 AS AT MC MI OS SH] | A 5935 | CC | | 31-AUG-88 |
| | MIL-C-3655/12B NOT 1 | CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-1253/U [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS AT MC MI OS SH] | A 5935 | CC | | 31-AUG-88 |
| | MIL-A-3664 NOT 1 | AURAMINE HYDROCHLORIDE (FOR COLORED SMOKE MIXTURES) [CUST: OS] | A 1365 | OS | | 20-DEC-95 |
| | MIL-N-3667B NOT 1 | NOZZLE, METEOROLOGICAL, BALLOON INFLATION ML-373/GM [CUST: CR 99] [REVIEW: GS] | A 6660 | CR | | 29-MAR-96 |
| | MIL-D-3691D NOT 1 | DYE MIX, VIOLET (METRIC) [CUST: EA OS] [REVIEW: AS GS MD] | A 6820 | EA | | 29-MAR-96 |
| A | MIL-B-3694C NOT 2 | BRIDGE CAPACITANCE INDUCTANCE RESISTANCE AN/URM-90 [CUST: CR SH] [REVIEW: AR AS AT AV CR4 MC OS] | A 6625 | CR | | 25-APR-97 |
| | MIL-W-3717B NOT 1 | WEIGHT, SOUNDING [CUST: SH] [REVIEW: 99 YD1] | A 6605 | GS | | 18-JAN-91 |
| | MIL-D-3718C NOT 1 | DYE MIX, DISPERSE RED 9-DEXTRIN (METRIC) [CUST: EA AS] [REVIEW: GS MD] | A 6820 | EA | | 19-APR-96 |
| M | MIL-S-3720E NOT 1 | SKETCHING BOARD, WITH WATERPROOF COVER, TRIPOD MOUNTING [CUST: CE 99 GS] [REVIEW: 82 MC] | A 6675 | GS | | 07-MAY-98 |
| A | MIL-B-3753E NOT 1 | BUCKET, CONCRETE, HAND OPERATED 3/4 TO 2 CUBIC YARD CAPACITY [CUST: AT YD1 99] [REVIEW: CC MC] | A 3815 | AT | | 09-MAR-98 |
| A | MIL-C-3776A NOT 1 | CABLE LASHING MACHINE LC-2310 [CUST: CR YD1 99] [REVIEW: CC MI] | A 3895 | CR | | 25-APR-97 |
| | MIL-S-3786/31B | SWITCH, ROTARY, OPEN CONSTRUCTION LEVER ACTUATED, 0.25 AMPERE, STYLE SR31 [CUST: EC] | A 5930 | CC | | 20-JUL-89 |
| | MIL-S-3793B NOT 1 | SMOKE POT, HC, 30-POUND, ABC-M5, COMPONENTS FOR [CUST: EA OS] | A 1365 | EA | | 19-APR-96 |
| | MIL-S-003793C NOT 1 | SMOKE POT, HC, 30-POUND, ABC-M5 COMPONENTS FOR [CUST: EA] | A 1365 | EA | | 28-SEP-95 |
| A | MIL-W-3795B NOT 2 | WIRE, ELECTRICAL (TINSEL) [CUST: CR 85 IS] [REVIEW: AR CR4 MI OS] | A 6145 | IS | | 16-JUN-97 |
| | MIL-I-3848A NOT 1 | INDICATOR, PROPELLANT TEMPERATURE, M13, M15 AND M33 (LESS PROPELLANT) [CUST: AR OS] | A 1315 | AR | | 14-MAR-97 |
| | MIL-C-3849B SUP 1 NOT 1 | CORD, ELECTRICAL (TINSEL) [CUST: CR SH 17 IS] [REVIEW: 80 AR MC MS SA YD1] | A 6145 | IS | | 07-OCT-91 |
| | MIL-C-3849B(11) SUP 1 | CORD, ELECTRICAL (TINSEL) [CUST: CR SH 17] [REVIEW: 80 AR IS MC MS SA YD1] | A 6145 | CR | | 19-JUN-73 |
| | MIL-C-3849/3C NOT 1 | CORD, ELECTRICAL (TINSEL) CLASS SSL, STYRENE BUTADIENE RUBBER (SBR) INSULATED AND JACKETED [CUST: CR SH 17 IS] [REVIEW: 85 MC MS SA] | A 6145 | IS | | 30-AUG-91 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|-------------------------|--|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | Date |
| | MIL-C-3849/6C NOT 1 | CORD, ELECTRICAL (TINSEL) CLASS SPL, STYRENE BUTADIENE RUBBER (SBR) INSULATED, POLYCHLOROPRENE JACKETED [CUST: CR SH 17 IS] [REVIEW: 85 MC MS SA YDI] | A 6145 | IS | | 30-AUG-91 |
| A | MIL-C-3849/11B NOT 4 | CORD, ELECTRICAL (TINSEL), CLASS PSB, POLYAMIDE INSULATED (EXTRUDED), STYRENE BUTADIENE RUBBER (SBR) JACKETED AND POLYAMIDE BRAIDED [CUST: CR] [REVIEW: 85 AR IS MC MS SA] | A 6145 | CR | | 25-APR-97 |
| A | MIL-L-3851E NOT 1 | LOOPS, SLIDE (FOR EQUIPAGE) [CUST: GL YDI 99 IS] [REVIEW: AV CR4 EA MC MD MI] | A 5340 | IS | | 31-JUL-97 |
| A | MIL-C-3883A NOT 1 | CORD, ELECTRICAL, SHIELDED (AUDIO FREQUENCY) [CUST: CR SH 85 IS] [REVIEW: AR AT AV CR4 EC MC OS] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-3884B NOT 1 | CORD, ELECTRICAL (SHORT LAY) [CUST: CR SH 85 IS] [REVIEW: 80 AT AV CR4 MC] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-3903D NOT 1 | WIRE ROPE ASSEMBLY, SINGLE LEG [CUST: AT YDI 99 IS] [REVIEW: 17 19 85 MI OS SH] | A 4010 | IS | | 22-SEP-97 |
| A | MIL-A-3920C NOT 1 | ADHESIVE, OPTICAL, THERMOSETTING [CUST: AR OS] [REVIEW: MI MR] | A 8040 | AR | | 01-SEP-97 |
| | MIL-S-3928/11B | SWITCH, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 7 (INACTIVE FOR NEW DESIGN) [CUST: CR EC 85] [REVIEW: 11 19 99 AS MC MI OS SH] | A 5985 | CC | | 15-JUL-88 |
| | MIL-I-3930/1 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND, TYPE IP-MEDIUM-LOW TEMPERATURE, POLYVINYLCHLORIDE (PVC) AND POLYVINYLCHLORIDE ACETATE (PVCA) [CUST: CR 85] [REVIEW: AR CR4 MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/2 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND TYPE IS-MEDIUM-LOW TEMPERATURE, STYRENE-BUTADIENE RUBBER (SBR) [CUST: CR 85] [REVIEW: AR CR4 MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/3 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND, TYPE IS-L-LOW TEMPERATURE, HEAT RESISTANT, STYRENE BUTADIENE RUBBER (SBR) [CUST: CR 85] [REVIEW: AR CR4 MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/4 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND, TYPE IR-LOW TEMPERATURE, NATURAL RUBBER [CUST: CR 85] [REVIEW: AR CR4 MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/5 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND, TYPE IL-LOW TEMPERATURE, NATURAL RUBBER DEPOSITED FROM A RUBBER LATEX COMPOUND [CUST: CR 85] [REVIEW: AR CR4 MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/6 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND TYPE II-S-MEDIUM-LOW TEMPERATURE INSULATING AND JACKETING, STYRENE-BUTADIENE INSULATING AND JACKETING, STYRENE-BUTADIENE RUBBER (SBR) [CUST: CR 85 CC] [REVIEW: AR CR4 MI] | A 5970 | CC | | 05-OCT-90 |
| | MIL-I-3930/7 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND, TYPE IL-H-LOW TEMPERATURE, HEAT RESISTANT, NATURAL RUBBER DEPOSITED FROM A RUBBER LATEX COMPOUND [CUST: CR 85] [REVIEW: AR CR4 MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/8 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND TYPE IL-RN-LOW TEMPERATURE, LAYER OF NATURAL RUBBER LATEX AND A COLOR-CODED OUTER LAYER OF CHLOROPRENE RUBBER (CR) LATEX BONDED TOGETHER [CUST: CR 85 CC] [REVIEW: AR CR4 MI] | A 5970 | CC | | 05-OCT-90 |
| | MIL-I-3930/9 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND, TYPE IH-LOW TEMPERATURE, HEAT AND OZONE RESISTANT, ETHYLENE-PROPYLENE RUBBER (KPM) OR ETHYLENE-PROPYLENE-DIENE RUBBER (EPDM) [CUST: CR 85 CC] [REVIEW: AR CR4 MI] | A 5970 | CC | | 05-OCT-90 |
| | MIL-I-3930/10 NOT 1 | INSULATING & JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, & WIRES), INSULATING COMPOUND, TYPE II-H-LOW TEMPERATURE, HEAT AND WEATHER RESISTANT, INSULATING & JACKETING, ETHYLENE-PROPYLENE RUBBER (EPM) OR ETHYLENE-PROPYLENE-DIENE RUBBER (EPDM) [CUST: CR 85 CC] [REVIEW: AR CR4 IS MI] | A 5970 | CC | | 05-OCT-90 |
| | MIL-I-3930/11 NOT 1 | INSULATING & JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, & WIRES), INSULATING COMPOUND, TYPE IE-POLYETHYLENE IN ACCORDANCE WITH L-P-390, TYPE II, CLASS L, GRADE 3 OR 4, CATEGORY 5 [CUST: CR 85] [REVIEW: AR CR4 IS MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/12 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING AND JACKETING COMPOUND, TYPE TPE-S-LOW TEMPERATURE, HEAT AND OZONE RESISTANT, STYRENIC THERMOPLASTIC ELASTOMER [CUST: CR 85] [REVIEW: AR CR4 IS MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/13 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING AND JACKETING COMPOUND, TYPE TPE-O-LOW TEMPERATURE, WEATHER RESISTANT, OLEFINIC THERMOPLASTIC ELASTOMER [CUST: CR 85] [REVIEW: AR CR4 IS MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/14 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JP-MEDIUM-LOW TEMPERATURE, POLYVINYLCHLORIDE (PVC) AND POLYVINYLCHLORIDE-ACETATE (PVCA) [CUST: CR 85] [REVIEW: AR CR4 IS MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/15 NOT 1 | INSULATING & JACKETING COMPOUNDS, ELEC (FOR CABLES, CORDS, & WIRES), JACKETING COMPOUND, TYPE JS-MEDIUM-LOW TEMPERATURE STYRENE-BUTADIENE RUBBER (SBR) [CUST: CR 85] [REVIEW: AR CR4 IS MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/16 NOT 1 | INSULATING & JACKETING COMPOUNDS, ELECTRICAL (COMPOUND, TYPE JS-L-LOW TEMPERATURE HEAT-RESISTANT, STYRENE-BUTADIENE RUBBER [CUST: CR 85] [REVIEW: AR CR4 IS MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/17 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JR-LOW TEMPERATURE, NATURAL RUBBER [CUST: CR 85] [REVIEW: AR CR4 IS MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/18 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), JACKETING COMPOUND, TYPE JN-MODERATE-LOW TEMPERATURE, CHLOROPRENE RUBBER (CR) [CUST: CR 85] [REVIEW: AR CR4 IS MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/19 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JN-L-LOW TEMPERATURE, CHLOROPRENE RUBBER (CR) [CUST: CR 85] [REVIEW: AR CR4 IS MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/20 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JH-LOW TEMPERATURE, HEAT RESISTANT, ETHYLENE-PROPYLENE (EPM) OR ETHYLENE-PROPYLENE-DIENE RUBBER (EPDM) [CUST: CR 85] [REVIEW: AR CR4 IS MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-I-3930/21 NOT 1 | INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JU-LOW TEMPERATURE, HEAT AND WEATHER RESISTANT, POLYURETHANE THERMOPLASTIC ELASTOMER [CUST: CR 85] [REVIEW: AR CR4 IS MI] | A 5970 | CR | | 05-OCT-90 |
| | MIL-D-3945B NOT 1 | DETECTOR KIT; CARBON MONOXIDE, COLORIMETRIC [CUST: EA MS 99] [REVIEW: MB MD] | A 6665 | EA | | 19-APR-96 |
| | MIL-D-3945B(12) | DETECTOR KIT; CARBON MONOXIDE, COLORIMETRIC [CUST: EA] | A 6665 | EA | | 11-OCT-88 |
| A | MIL-W-3947B NOT 2 | WEIGHT AND BALANCE CONTROL SYSTEM FOR GUIDED MISSILES AND SPACE LAUNCH VEHICLES (USE SAWE-RP9) [CUST: MI AS 11] [REVIEW: 99] | A 1410 | AS | | 27-NOV-97 |
| A | MIL-I-3948C(2) NOT 1 | INDICATOR TUBE, CARBON MONOXIDE [CUST: EA] [REVIEW: DM MD] | A 6665 | EA | | 07-FEB-97 |
| | MIL-I-3948C(11) | INDICATOR TUBE, CARBON MONOXIDE [CUST: EA] | A 6665 | EA | | 24-JUN-88 |
| | MIL-C-3965/9H(1) NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (POLARIZED, PLAIN FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL51 [CUST: CR EC 85] [REVIEW: 11 19 80 AS MC OS SH] | A 5910 | CC | | 24-AUG-90 |
| | MIL-C-3965/10H(1) NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM (NONPOLARIZED, PLAIN FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL52 [CUST: CR EC 85] [REVIEW: 11 19 80 AR AS MC OS SH] | A 5910 | CC | | 24-AUG-90 |
| | MIL-C-3965/11H(1) NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, ETCHED FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL53 [CUST: CR EC 85] [REVIEW: 11 19 80 AR AS MC OS SH] | A 5910 | CC | | 24-AUG-90 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-C-3965/12H(1) NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, ETCHED FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL54 [CUST: CR EC 85] [REVIEW: 11 19 80 AR AS MC OS SH] | A 5910 | CC | | 24-AUG-90 |
| | MIL-C-3965/15D(1) NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, PLAIN FOIL)-85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL30 AND CL31 [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 AR AS MC OS SH] | A 5910 | CC | | 13-JAN-89 |
| | MIL-C-3965/16D NOT 2 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, PLAIN FOIL) - 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), STYLES CL32 AND CL33 [CUST: CR EC 85] [REVIEW: 17 99 AR MI SH] | A 5910 | CC | | 15-JUN-93 |
| | MIL-C-3965/17E NOT 2 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, ETCHED FOIL) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL20 AND CL21 (USE MIL-C-39006/1) [CUST: CR EC 85 CC] [REVIEW: 17 99 AR MI SH] | A 5910 | CC | | 15-JUN-93 |
| | MIL-C-3965/18E NOT 2 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, ETCHED FOIL) - 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), STYLES CL22 AND CL23 (USE MIL-C-39006/2) [CUST: CR EC 85 CC] [REVIEW: 17 99 AR MI SH] | A 5910 | CC | | 15-JUN-93 |
| | MIL-C-3965/20E(1) NOT 2 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, POLARIZED, SINTERED SLUG (-85 DEG. C) VOLTAGE DERATED TO 125 DEG. C, (STYLES) CL10 AND CL13 (USE MIL-C-39006/18) [CUST: CR EC 85 CC] [REVIEW: 17 99 MI SH] | A 5910 | CC | | 15-JUN-93 |
| | MIL-C-3965/21E(1) | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE CL55 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS] | A 5910 | CC | | 28-AUG-89 |
| | MIL-C-3965/22B(1) NOT 2 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, HIGH ETCHED FOIL) - 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), STYLES CL70 AND CL71 (USE MIL-C-39006/16) [CUST: CR EC 85 CC] [REVIEW: 17 99 MI SH] | A 5910 | CC | | 15-JUN-93 |
| | MIL-C-3965/23B(1) NOT 2 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, HIGH ETCHED FOIL) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLES CL72 AND CL73 (USE MIL-C-39006/17) [CUST: CR EC 85 CC] [REVIEW: 17 99 AR MI SH] | A 5910 | CC | | 15-JUN-93 |
| M | MIL-D-3968F NOT 1 | DRIER MIXERS, BITUMINOUS CONCRETE MATERIALS, WHEEL MOUNTED [CUST: AT 99] | A 3895 | AT | | 18-MAY-98 |
| | MIL-C-3972B(2) NOT 2 | CARTRIDGE, 60MM, ILLUMINATING, M83A3 WITH FUZE, TIME, M65A1 LOADING ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 22-APR-96 |
| | MIL-D-3994C NOT 2 | DEXTRIN, TECHNICAL [CUST: EA AS] [REVIEW: AR GS MD OS] | A 6810 | EA | | 19-APR-96 |
| A | MIL-S-4040E NOT 1 | SOLENOID, ELECTRICAL, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV GL MC MI] | A 5945 | CC | | 28-JUN-96 |
| | MIL-S-4043B NOT 2 | STEEL; CORROSION-RESISTING (EXTRA LOW CARBON TYPE 304), PLATE, SHEET, AND STRIP [CUST: AS 11] [REVIEW: 99 CR4 EA MI] | A 9515 | IS | | 20-JAN-90 |
| A | MIL-T-4053B NOT 2 | TAPE, PRESSURE-SENSITIVE, ADHESIVE (CORROSION-RESISTANT) [CUST: AS 99] [REVIEW: AT CR4 MI MR] | A 8030 | 84 | | 11-AUG-97 |
| A | MIL-T-4097(1) | TUBE, ELECTRON, TYPE USAF 2E32 [CUST: 99 CC] | A 5960 | CC | | 12-APR-50 |
| A | MIL-C-4232D NOT 2 | CORD, RAYON, WITHOUT CORE, BRAIDED [CUST: GL 99 IS] [REVIEW: 45 82 AV CR4 MC] | A 4020 | IS | | 16-JUN-97 |
| A | MIL-C-4339D NOT 1 | CORROSION PREVENTIVE, SOLUBLE OIL FOR WATER INJECTION SYSTEMS, (NATO CODE NUMBER C-630) [CUST: SH 68 GS] [REVIEW: 11] | A 6850 | GS | | 23-FEB-98 |
| A | MIL-D-4540B(1) NOT 1 | DIBROMODIFLUOROMETHANE, TECHNICAL [CUST: 68 GS] [REVIEW: CR4] | A 6830 | GS | | 21-JAN-98 |
| | MIL-H-4607E NOT 1 | HEATER, ENGINE AND SHELTER, GROUND TYPE H-1 [CUST: CR4] [REVIEW: CC] | A 4520 | CR4 | | 09-MAY-97 |
| A | MIL-T-4748B(1) NOT 1 | TESTER, TEMPERATURE INSTRUMENTS, MJ-1 [CUST: 99] | A 6685 | 82 | | 13-AUG-97 |
| A | MIL-B-4792E NOT 1 | BUMPER, RUBBER, DUPLEX ROUND [CUST: 99 IS] [REVIEW: 82] | A 5340 | IS | | 22-AUG-97 |
| | MIL-M-4820E NOT 1 | MOTOR-GENERATOR, SKID MOUNTED, TYPE MD-4 [CUST: 99] | A 6125 | 80 | | 16-JUL-95 |
| | MIL-M-4871C NOT 1 | MAINTENANCE PLATFORM [CUST: 99] | A 1730 | 82 | | 08-AUG-95 |
| | MIL-C-4952E NOT 1 | CARTRIDGES, DESICCANT, DEHYDRATOR [CUST: 84] [REVIEW: 99] | A 4440 | 84 | | 13-SEP-96 |
| | MIL-C-4976C NOT 1 | CABINET, DRYING, PARACHUTE, TYPE MA-1 [CUST: 99] | A 4440 | 84 | | 20-DEC-95 |
| A | MIL-I-4997A(1) NOT 4 | INSULATING AND JACKETING COMPOUNDS FOR USE IN CORDS, CORDAGES, AND CABLES [CUST: 85 IS] | A 6145 | IS | | 31-JUL-97 |
| | MIL-E-5007D(3) NOT 1 | ENGINE, AIRCRAFT, TURBOJET AND TURBOFAN, GENERAL SPECIFICATION FOR [CUST: AV AS] [REVIEW: 99] | A 2840 | AS | | 08-JAN-97 |
| A | MIL-V-5018B NOT 1 | VALVE, FUEL SELECTOR [CUST: AT AS 99] | A 4530 | AT | | 03-MAR-98 |
| | MIL-L-5020C NOT 1 | LIQUID, COMPASS, AIRCRAFT [CUST: AV AS 11 GS] [REVIEW: PS] | A 9150 | GS | | 04-AUG-95 |
| | MIL-D-5025C NOT 2 | DIRECTION FINDER GROUP AN/APA-69A AND AN/APA-69C [CUST: AS] | A 5826 | AS | | 18-SEP-96 |
| | MIL-C-5026F NOT 2 | CUTOUT RELAY, ENGINE GENERATOR [CUST: AV 99] | A 2925 | 82 | | 04-SEP-95 |
| | MIL-V-5027D(2) NOT 2 | VALVES, CHECK, OXYGEN, HIGH PRESSURE [CUST: AV AS] [REVIEW: 11 GL] | A 4820 | AS | | 15-APR-96 |
| A | MIL-C-5040H NOT 1 | CORD, FIBROUS, NYLON [CUST: GL AS 99 IS] [REVIEW: 82 DS MC SH] | A 4020 | IS | | 01-OCT-97 |
| | MIL-R-5049D NOT 1 | RING, WIPER, PISTON ROD [CUST: AV AS 99] [REVIEW: MI] | A 5330 | 71 | | 14-FEB-96 |
| | MIL-C-5056 NOT 2 | COATING, PERMANENT RESIN; PROCESS FOR APPLICATION OF, TO AIRCRAFT PARTS [CUST: AS 11] | A 15GP | AS | | 28-AUG-96 |
| | MIL-T-5066B(1) NOT 2 | TUBING, CARBON STEEL (1025), SEAMLESS AND WELDED (AIRCRAFT QUALITY) [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | 12-NOV-94 |
| | MIL-T-5091 NOT 1 | TRANSMISSION, POWER, CONSTANT RATIO, GENERAL SPECIFICATION (AIRCRAFT USE) [CUST: AV AS] | A 1680 | AS | | 28-AUG-96 |
| | MIL-T-5091/2 NOT 2 | TRANSMISSION, POWER, CONSTANT RATIO SHAFT, FLEXIBLE DRIVE, 47 HP [CUST: AS] | A 1680 | AS | | 28-AUG-96 |
| | MIL-T-5091/3 NOT 1 | TRANSMISSION, POWER, CONSTANT RATIO GEARBOX, ENGINE MOUNTED 47 HP [CUST: AS] | A 1680 | AS | | 11-SEP-96 |
| | MIL-I-5154B(4) NOT 1 | INDICATOR, TRUE AIRSPEED, TYPE-M-5 [CUST: 99] | A 6610 | 71 | | 15-JAN-96 |
| | MIL-I-5170C NOT 1 | INDICATOR, POSITION, HORIZONTAL STABILIZER [CUST: AV AS 99] | A 6610 | 71 | | 01-APR-96 |
| | MIL-I-5184B NOT 1 | INDICATOR, POSITION [CUST: AV AS 99] [REVIEW: 11 MI] | A 6610 | 71 | | 01-APR-96 |
| A | MIL-T-5208B NOT 1 | TANK, REMOVABLE, LIQUID PROPELLANT ROCKET ENGINE, GENERAL SPECIFICATION FOR [CUST: MI AS 19] [REVIEW: 99] | A 2845 | 19 | | 03-APR-98 |
| | MIL-P-5238C NOT 1 | PUMP, CENTRIFUGAL, FUEL BOOSTER, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS] | A 2915 | AS | | 28-AUG-96 |
| A | MIL-P-5315B(1) NOT 3 | PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT [CUST: AV AS 11] [REVIEW: 82 99 AR EA IS MI] | A 5330 | 11 | | 31-DEC-97 |
| A | MIL-H-5364D(3) NOT 2 | HARNESSES, SHOULDER SAFETY, GENERAL SPECIFICATION FOR [CUST: AV AS 99] | A 1680 | 82 | | 20-OCT-97 |
| A | MIL-F-5372D NOT 1 | FUSE, CURRENT LIMITER TYPE, AIRCRAFT [CUST: AV AS 85] | A 5920 | AS | | 31-MAR-98 |
| | MIL-M-5388B(4) NOT 1 | MACHMETER; PITOT STATIC OPERATED, RANGE 0.5 TO 1.5, TYPE A-2B [CUST: AV AS 99] | A 6610 | 71 | | 15-JUL-94 |
| | MIL-T-5396C(1) NOT 1 | TRANSMITTER, PRESSURE, FUEL, 0-1000 PSI [CUST: AV 99] | A 6620 | 71 | | 15-MAR-96 |
| | MIL-E-5400T(3) NOT 1 | ELECTRONIC EQUIPMENT, AEROSPACE, GENERAL SPECIFICATION FOR [CUST: CR AS 11] [REVIEW: 99 AR AV EC MI] | A GDRQ | AS | | 14-AUG-92 |
| | MIL-G-5413D(2) NOT 1 | GENERATOR, TACHOMETER, FOUR POLE [CUST: AV AS 99] | A 6620 | AS | | 04-SEP-96 |
| A | MIL-C-5414G NOT 1 | COMPUTER, AIR NAVIGATION, DEAD RECKONING TYPE MB-4A AND TYPE CPU-26A/P [CUST: AV AS 99] | A 6605 | 71 | | 15-JUL-97 |
| | MIL-I-5416B(1) NOT 1 | INDICATOR, INDICATED AIRSPEED, 10-150 KNOTS [CUST: AV AS 99] | A 6610 | AS | | 04-SEP-96 |
| | MIL-I-5418B NOT 1 | INDICATOR, AIRSPEED, PITOT STATIC, SENSITIVE, 50-650 KNOTS [CUST: AV AS 99] [REVIEW: MI] | A 6610 | AS | | 04-SEP-96 |
| | MIL-I-5419B NOT 2 | INDICATOR, INDICATED AIRSPEED, PITOT STATIC, MAXIMUM ALLOWABLE SPEED, 50-650 KNOTS [CUST: AS 99] | A 6610 | AS | | 04-SEP-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|----------------------------|---|-----------------------|-----|-------------|------|
| MIL-B-5423/3B NOT 1 | BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 4 (THREE-HOLE MOUNTING, THROUGH) [CUST: CR AS 85] [REVIEW: 11 99 AT AV CG CR4 EC MC MI OS] | A 5930 | CC | 02-JUL-87 | |
| A MIL-B-5428B NOT 2 | BELT, SAFETY, SHOULDER, HARNESS, TROOP, TYPE D-2 [CUST: 99] | A 1680 | 82 | 20-OCT-97 | |
| MIL-P-5431A(1) NOT 1 | PLASTIC, PHENOLIC, GRAPHITED, SHEETS, RODS, TUBES AND SHAPES [CUST: AS] [REVIEW: CR4 GS MR YDI] | A 9330 | AS | 29-JAN-97 | |
| A MIL-H-5484C(1) NOT 1 | HEATER, AIRCRAFT, COMBUSTION TYPE [CUST: AV AS 11] | A 1660 | AS | 23-JUL-97 | |
| MIL-T-5486C NOT 2 | TEST SET, MAGNETIC DETECTOR AN/ASM-4 [CUST: AS] | A 6625 | AS | 28-AUG-96 | |
| MIL-A-5498D(1) NOT 1 | ACCUMULATORS, HYDRAULIC, CYLINDRICAL 3000 PSI, AIRCRAFT [CUST: AV AS 99] | A 1650 | 71 | 01-APR-96 | |
| MIL-F-5504B(3) NOT 1 | FILTER AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC MICRONIC TYPE [CUST: AV AS 99] [REVIEW: 11 CR4 EA MI] | A 1650 | AS | 07-AUG-96 | |
| MIL-F-5508B(4) NOT 2 | FUSES, AIRCRAFT AUTOMATIC QUANTITY-MEASURING, HYDRAULIC [CUST: AV AS 99] | A 1650 | 71 | 01-APR-96 | |
| A MIL-P-5510C NOT 3 | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, TYPE 1 HYDRAULIC (-65 DEG. TO 160 DEG. F) [CUST: AR AS 11] [REVIEW: 82 99 IS] | A 5330 | 11 | 31-DEC-97 | |
| MIL-G-5514G NOT 1 | GLAND DESIGN; PACKINGS, HYDRAULIC, GENERAL REQUIREMENTS FOR [CUST: AV AS 99] [REVIEW: 82 AR MI MR SH] | A 1650 | 71 | 01-DEC-96 | |
| MIL-P-5515D NOT 1 | PUMP, HYDRAULIC, RAM, HAND DRIVEN [CUST: AV AS 99] [REVIEW: 71] | A 4320 | CC | 04-APR-96 | |
| MIL-P-5516C(2) NOT 2 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, 160 DEG. F [CUST: MI AS 11] [REVIEW: 71 AT AV CC CG CR4 EA IS MC SH] | A 5330 | 11 | 12-JAN-89 | |
| MIL-P-5518D SUP 1 NOT 1 | PNEUMATIC SYSTEMS, AIRCRAFT, DESIGN AND INSTALLATION, GENERAL REQUIREMENTS FOR [CUST: AV AS 99] [REVIEW: CC MC] | A 1650 | 71 | 21-JUN-96 | |
| MIL-V-5519D(2) NOT 1 | VALVES, REGULATING FLUID PRESSURE [CUST: 99] [REVIEW: 82 CC] | A 4820 | 71 | 05-APR-96 | |
| MIL-W-5521B(1) NOT 1 | WASHER, AIRCRAFT HYDRAULIC PACKING BACK-UP [CUST: AV 99 IS] [REVIEW: AR AT] | A 5330 | IS | 22-AUG-94 | |
| MIL-V-5523D NOT 1 | VALVE, RELIEF, HYDRAULIC PRESSURE [CUST: AV 99] | A 4820 | 71 | 05-APR-96 | |
| MIL-V-5524B(2) NOT 2 | VALVE, CHECK, HYDRAULIC, AIRCRAFT, TYPE 1 SYSTEMS (ASG) [CUST: AS 99] [REVIEW: CC MI] | A 1650 | AS | 07-AUG-96 | |
| A MIL-V-5525C(1) NOT 1 | VALVE, AIRCRAFT POWER BRAKE [CUST: AV AS] [REVIEW: 99 MI] | A 1630 | AS | 10-SEP-97 | |
| MIL-V-5527A NOT 2 | VALVE, AIRCRAFT, HYDRAULIC THERMAL EXPANSION RELIEF [CUST: AS 99] [REVIEW: AV CC MI] | A 1650 | AS | 07-AUG-96 | |
| MIL-V-5529C NOT 1 | VALVES, HYDRAULIC DIRECTIONAL CONTROL, ROTARY SELECTOR [CUST: 99] | A 4820 | 71 | 05-APR-96 | |
| MIL-V-5530D NOT 1 | VALVES, AIRCRAFT HYDRAULIC SHUTTLE [CUST: AV AS 99] | A 4820 | 71 | 11-MAR-96 | |
| A MIL-R-5532E(1) NOT 2 | RADAR RECOGNITION SET AN/APX-7(*) [CUST: AS] | A 5895 | AS | 16-JUL-97 | |
| MIL-C-5537A(1) NOT 2 | CELLULOSE ACETATE BUTYRATE [CUST: AR AS] | A 8030 | AS | 05-MAR-97 | |
| MIL-F-5577B(1) SUP 1 NOT 1 | FITTING, TANK, POWERPLANT FLUID, REMOVABLE, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: MI] | A 1560 | 80 | 19-FEB-95 | |
| MIL-T-5583C(1) NOT 1 | TRANSMITTER, POSITION, 28 VOLT DC [CUST: AV AS 99] | A 6610 | 71 | 01-APR-96 | |
| MIL-S-5594B(1) SUP 1 NOT 1 | SWITCH, TOGGLE, ELECTRICALLY HELD SEALED GENERAL SPECIFICATION FOR [CUST: AS CC] [REVIEW: MI] | A 5930 | AS | 07-MAY-97 | |
| MIL-S-5594/1A NOT 1 | SWITCH, TOGGLE, MAGNETIC HOLD-IN, SPDT [CUST: AS 85] | A 5930 | AS | 07-MAY-97 | |
| MIL-S-5594/2B(1) NOT 2 | SWITCHES, TOGGLE, MAGNETIC HOLD-IN, DPDT [CUST: AS 85] | A 5930 | AS | 07-MAY-97 | |
| MIL-S-5594/3A NOT 2 | SWITCH, TOGGLE, MAGNETIC HOLD-IN, DP3T [CUST: AS 85] | A 5930 | AS | 07-MAY-97 | |
| MIL-S-5594/6 NOT 2 | SWITCH, TOGGLE, MAGNETIC HOLD-IN, DP3T, LEVER LOCK [CUST: AS] | A 5930 | AS | 07-MAY-97 | |
| MIL-H-5606G NOT 1 | HYDRAULIC FLUID, PETROLEUM BASE; AIRCRAFT, MISSILE AND ORDNANCE [CUST: CR4 AS 11] [REVIEW: 68 AR DS GS MI OS SA SH SM] | A 9150 | 11 | 29-MAR-96 | |
| MIL-V-5622A NOT 1 | VOLT-AMMETER, DUAL POINTER DIRECT CURRENT [CUST: AV AS 99] [REVIEW: MC MI] | A 6625 | AS | 28-AUG-96 | |
| A MIL-T-5684B NOT 1 | TIE ROD, ROUND & SQUARE, AIRCRAFT [CUST: AS 99 IS] [REVIEW: AV] | A 5340 | IS | 22-AUG-97 | |
| D MIL-B-5687D(1) NOT 1 | BEARINGS, SLEEVE, WASHERS, THRUST, SINTERED, METAL POWDER, OIL-IMPREGNATED, GENERAL SPECIFICATION FOR [CUST: AT OS 99 GS] [REVIEW: 11 84 AR AS CC MI NS] | A 3120 | GS | 01-OCT-97 | |
| MIL-T-5695D NOT 3 | TUBING, STEEL, CORROSION-RESISTANT (304), COLD DRAWN [CUST: AS 11] [REVIEW: 82 99 EA] | A 4710 | 11 | 13-JAN-95 | |
| MIL-R-5757/7E(1) | RELAYS, ELECTROMAGNETIC, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES [CUST: CR EC 85 CC] [REVIEW: 99 AT AV CR4 MI SH] | A 5945 | CC | 26-OCT-94 | |
| MIL-R-5757/8E | RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, 2 AMPERES [CUST: CR EC 85 CC] [REVIEW: 99 AR AT AV CR4 MI SH] | A 5945 | CC | 18-FEB-86 | |
| MIL-R-5757/23J | RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, 10 AMPERES [CUST: CR EC 85 CC] [REVIEW: 11 99 AR AS AT AV CR4 MC MI OS SH] | A 5945 | CC | 03-MAR-88 | |
| MIL-R-5757/29D(1) | RELAYS, ELECTRICAL, 1 PST TO 4 PDT CONTACTS LOW-LEVEL TO 1/2 AMPERE (DRY REED) [CUST: CR EC 85 CC] [REVIEW: 99 AT AV CR4 MC MI] | A 5945 | CC | 17-MAR-86 | |
| A MIL-DTL-5765G NOT 1 | STRAND, WIRE, ARMORED STEEL [CUST: AS 99 IS] | A 4010 | IS | 16-JUN-97 | |
| MIL-M-5776C NOT 1 | MAINTENANCE PLATFORM, AIRCRAFT ADJUSTABLE, 13 TO 20 FEET TYPE B-2 [CUST: 99] | A 1730 | 82 | 11-AUG-95 | |
| MIL-M-5777C NOT 2 | MAINTENANCE PLATFORM, AIRCRAFT, ADJUSTABLE, 3 TO 10 FEET, TYPE B-1 [CUST: 99] | A 1730 | 82 | 19-MAR-96 | |
| MIL-T-5796D NOT 1 | TRANSMITTER, PRESSURE, OIL, 0-100 PSI [CUST: AV 99] | A 6620 | 71 | 15-MAR-96 | |
| MIL-S-5804C(2) NOT 2 | SEAT, AIRCRAFT, TROOP, WALL-STYLE [CUST: AV 99] | A 1680 | 82 | 12-MAY-97 | |
| MIL-S-5807C(3) NOT 1 | SEXTANT, AIRCRAFT, PERISCOPIC [CUST: AS 99] | A 6605 | AS | 28-AUG-96 | |
| MIL-D-5813B NOT 1 | DOME, NAVIGATOR S OBSERVING, NON-PRESSURIZED AIRCRAFT, TYPE A-3A [CUST: 99] | A 1680 | 82 | 21-FEB-97 | |
| MIL-W-5845C NOT 2 | WIRE, ELECTRICAL, IRON CONSTANTAN, THERMOCOUPLE [CUST: CR AS 85] [REVIEW: EC MI OS] | A 6145 | IS | 29-SEP-90 | |
| MIL-A-5885D(1) NOT 1 | ACCELEROMETER, AIRCRAFT [CUST: AV AS 99] | A 6610 | 71 | 01-APR-96 | |
| MIL-DTL-5886F(1) NOT 1 | CYLINDER, AIRCRAFT OXYGEN, LOW PRESSURE, NONSHATTERABLE [CUST: AV AS 99] [REVIEW: 11] | A 1660 | 71 | 27-NOV-96 | |
| MIL-DTL-5886/1 NOT 1 | CYLINDER, AIRCRAFT OXYGEN, LOW PRESSURE, NONSHATTERABLE [CUST: AV AS 99] | A 1660 | 71 | 27-NOV-96 | |
| MIL-W-5908D NOT 2 | WIRE, ELECTRICAL, COPPER AND CONSTANTAN, THERMOCOUPLE [CUST: CR AS 85] [REVIEW: EC OS] | A 6145 | IS | 29-SEP-90 | |
| MIL-T-5913D(1) NOT 1 | TRANSMITTER, RATE OF FLOW, SYNCHRO, TYPE J-5 [CUST: 99] [REVIEW: 11] | A 6620 | 71 | 15-MAR-96 | |
| MIL-I-5914E NOT 1 | INDICATOR, RATE OF FLOW, FUEL, TYPE EFU-24/A AND TYPE EFU-25/A [CUST: AS 99] [REVIEW: 11] | A 6620 | 71 | 15-MAR-96 | |
| MIL-P-5954A(1) NOT 1 | PUMP UNIT, HYDRAULIC, ELECTRIC MOTOR DRIVEN FIXED DISPLACEMENT [CUST: AS 99] | A 1650 | 71 | 21-JUN-96 | |
| MIL-P-5994D NOT 1 | PUMP UNITS, HYDRAULIC, ELECTRIC MOTOR DRIVEN, VARIABLE DELIVERY, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 82 MC] | A 1650 | 71 | 01-APR-96 | |
| MIL-A-5999B NOT 2 | ANTENNA SUBSYSTEM FOR AIRCRAFT MARKER BEACON EQUIPMENT GENERAL SPECIFICATION FOR [CUST: 99] | A 5826 | 84 | 01-FEB-96 | |
| MIL-R-6018C(1) NOT 1 | REGULATOR, OXYGEN DILUTER DEMAND (ASG) [CUST: AS 99] | A 1660 | AS | 21-AUG-96 | |
| MIL-S-6049A(1) NOT 1 | STEEL, CHROME-NICKEL-MOLYBDENUM (8740) BARS AND REFORGING STOCK (AIRCRAFT QUALITY) [CUST: MR AS 11] [REVIEW: 99 AT AV MI OS] | A 9510 | IS | 22-JAN-91 | |
| MIL-S-6050A(2) NOT 3 | STEEL, CHROME-NICKEL-MOLYBDENUM (8630) BARS AND REFORGING STOCK (AIRCRAFT QUALITY) [CUST: MR AS 11 IS] [REVIEW: 84 99 AV] | A 9510 | IS | 16-JUN-97 | |
| A MIL-T-6053C(1) NOT 2 | TESTS, IMPACT, SHOCK ABSORBER LANDING GEAR, AIRCRAFT [CUST: 99] | A 1620 | 70 | 12-DEC-97 | |
| A MIL-E-6059A NOT 2 | ENGINE, AIRCRAFT, RECIRCULATING PROCESSE FOR CORROSION PROTECTION, PREOLING AND GROUND OPERATIONS OF [CUST: AV AS 11] | A 2810 | AS | 30-JUL-97 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-P-6063B NOT 1 | PACKAGING OF BATTERIES, STORAGE, CHARGED AND DRY UNCHARGED AND MOIST, GENERAL SPECIFICATION FOR [CUST: GL AS 99] [REVIEW: GS] | A 6140 | 80 | | 06-APR-98 |
| | MIL-S-6090A(1) NOT 2 | STEELS USED IN AIRCRAFT CARBURIZING AND NITRIDING, PROCESS FOR (USE AMS2759, AMS2759/6, AMS2759/7, AND AMS2762) [CUST: MR AS 11] [REVIEW: 71 84 OS] | A MISC | 11 | | 13-JAN-95 |
| | MIL-S-6098A NOT 1 | STEEL, CHROME-NICKEL-MOLYBDENUM (8735) BARS AND REFORGING STOCK (AIRCRAFT) [CUST: MR AS 11] [REVIEW: AR AT AV IS OS] | A 9510 | 11 | | 20-JAN-90 |
| A | MIL-R-6106/14B NOT 1 | RELAY, ELECTRIC, PERMANENT DRIVE, 50 AMP, SPDT (DB) DOUBLE MAKE DOUBLE BREAK AUXILIARY CONTACTS (5 AMP), HERMETICALLY SEALED [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 10-MAR-89 |
| A | MIL-C-6122 NOT 2 | COLLIMATOR; SEXTANT, AIRCRAFT [CUST: AS 99] | A 6605 | 71 | | 04-APR-98 |
| M | MIL-G-6162B NOT 1 | GENERATOR AND STARTER GENERATOR, ELECTRIC DIRECT CURRENT, NOMINAL 30 VOLTS, AIRCRAFT GENERAL SPECIFICATION [CUST: CR4 AS 99] | A 6115 | 80 | | 04-APR-98 |
| A | MIL-G-6162/1C NOT 2 | STARTER-GENERATOR, 30 VOLT, DIRECT CURRENT 400 AMPERE, AIRCRAFT ENGINE DRIVEN [CUST: AS] | A 6115 | AS | | 30-JUL-97 |
| A | MIL-G-6162/2A NOT 1 | STARTER-GENERATOR, 30 VOLT, DIRECT CURRENT, 200 AMPERE, AIRCRAFT ENGINE DRIVEN [CUST: AS] | A 6115 | AS | | 30-JUL-97 |
| | MIL-I-6301B NOT 1 | INDICATOR, PRESSURE, FUEL, 0-600 PSI [CUST: AS 99] | A 6620 | 71 | | 15-MAR-96 |
| A | MIL-R-6336D NOT 3 | RECTIFIER, SILICON, DIRECT CURRENT, TRAINER POWER SUPPLY, TYPE F-1 [CUST: 99] [REVIEW: 82 GS] | A 6130 | 80 | | 13-FEB-98 |
| | MIL-A-6348D(2) NOT 2 | AMPLIFIER AM-203C/ARA-19 [CUST: 99] [REVIEW: AS] | A 5825 | 84 | | 23-MAY-96 |
| | MIL-T-6368A NOT 1 | TRANSMITTER, FUEL FLOW, TOTALIZING, TYPE H-1A [CUST: 99] | B 6620 | 71 | | 15-JAN-96 |
| A | MIL-T-6396E NOT 1 | TANKS, AIRCRAFT PROPULSION FLUID SYSTEM, INTERNAL, REMOVABLE, NON-SELF-SEALING [CUST: AV AS] [REVIEW: 71 80 99 CR4] | A 1560 | AS | | 04-APR-98 |
| | MIL-I-6447C(3) NOT 1 | INDICATOR, TRUE AIRSPEED, TYPE M-1A [CUST: AS 99] | A 6610 | 71 | | 01-APR-96 |
| | MIL-M-6482D(1) NOT 1 | MASK ASSEMBLIES, OXYGEN, PRESSURE BREATHING [CUST: AV AS] | A 1660 | AS | | 21-AUG-96 |
| | MIL-L-6503H NOT 2 | LIGHTING EQUIPMENT, AIRCRAFT, GENERAL SPECIFICATION FOR INSTALLATION OF [CUST: AV 11] [REVIEW: 99 GS] | A 6220 | 11 | | 25-MAR-96 |
| | MIL-I-6514B(1) NOT 1 | INDICATOR, OIL PRESSURE, 0-200 PSI, 320 DEGREE, TYPE B-9C [CUST: 99] | A 6620 | 71 | | 15-JAN-96 |
| | MIL-P-6525C NOT 1 | PUMP, FUEL TRANSFER, AERIAL REFUELING, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 11] | A 1680 | 82 | | 22-MAY-97 |
| A | MIL-C-6529C(2) NOT 2 | CORROSION PREVENTIVE, AIRCRAFT ENGINE [CUST: AS 11] | A 6850 | 11 | | 03-DEC-97 |
| A | MIL-I-6533B(3) NOT 2 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE MULTI-FUNCTION, TYPE G-10 [CUST: AV AS 99] [REVIEW: GS] | A 6685 | 82 | | 01-MAR-98 |
| A | MIL-H-6536D NOT 1 | HORN AND VALVE, CREW MEMBERS' RELIEF, PRESSURIZED AIRCRAFT [CUST: AS 99] | A 1680 | 82 | | 26-SEP-97 |
| | MIL-S-6551A NOT 2 | SEAT, CREW, DOWNWARD EJECTION, AIRCRAFT [CUST: 82] [REVIEW: 11] | A 1680 | 82 | | 06-SEP-96 |
| | MIL-C-6591A NOT 1 | COMPRESSOR UNIT, AIRCRAFT, ELECTRIC MOTOR DRIVEN, GENERAL SPECIFICATION FOR [CUST: AS 99] | A 1650 | 71 | | 21-JUN-96 |
| | MIL-T-6598F NOT 1 | TRANSMITTER, RATE OF FLOW, FUEL SYNCHRO STYLE, TYPE J-6A [CUST: AS 99] | A 6620 | 71 | | 15-MAR-96 |
| | MIL-I-6599C NOT 1 | INDICATOR, RATE OF FLOW, FUEL, TYPE A-19 [CUST: AS 99] | A 6620 | 71 | | 15-MAR-96 |
| D | MIL-L-6617C NOT 1 | LIGHT, TRAFFIC, AIRCRAFT TYPE B-2 [CUST: CR4 IS] | A 6210 | IS | | 11-AUG-92 |
| | MIL-V-6618C NOT 1 | VALVE, STOP CHECK, PURGE [CUST: AS 99] | A 4820 | 71 | | 28-APR-96 |
| | MIL-P-6640C(1) NOT 1 | PNEUMATIC BAG, AIRCRAFT, LIFTING, 12 TON CAPACITY, TYPE F-2 [CUST: AV AS 99] | A 1730 | 82 | | 14-MAR-96 |
| A | MIL-P-6645H(1) NOT 2 | PARACHUTES, PERSONNEL, GENERAL SPECIFICATION FOR [CUST: GL AS 99] | A 1670 | 82 | | 15-APR-98 |
| | MIL-S-6709A(2) NOT 2 | STEEL, CHROME-MOLYBDENUM-ALUMINUM; BARS, RODS, BILLETS AND FORGING STOCK (FOR NITRIDING) (AIRCRAFT QUALITY) (USE AMS6470, AMS6472) [CUST: MR AS 11] [REVIEW: 99 AT CR4 MI] | A 9510 | IS | | 12-DEC-94 |
| M | MIL-I-6726B NOT 1 | INCLINOMETER, AIRCRAFT [CUST: AS 99 GS] | A 6610 | GS | | 04-MAY-98 |
| | MIL-T-6735A NOT 2 | TUBING, CHROME-MOLYBDENUM, 4135 STEEL, SEAMLESS AIRCRAFT QUALITY (FOR NEW DESIGN USE SAE-AMS6365) [CUST: MR AS 11] [REVIEW: CC MI] | A 4710 | 11 | | 31-AUG-93 |
| | MIL-T-6736B NOT 2 | TUBING, CHROME-MOLYBDENUM, 4130 STEEL, SEAMLESS AND WELDED, AIRCRAFT QUALITY (USE AMS 6360, SAE 4130, AMS 6361, AMS 6362, AMS 6371, AMS 6373) [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | 13-JAN-95 |
| A | MIL-R-6749(4) NOT 4 | RHEOSTAT, AIRCRAFT POWER [CUST: CR AS 85 CC] [REVIEW: 11 99] | A 5905 | CC | | 31-JAN-98 |
| | MIL-V-6753A(2) NOT 1 | VOLTMETER, 0-150 VOLT, 330 TO 1,200 CYCLE, ALTERNATING CURRENT [CUST: AV AS 99] [REVIEW: MC] | A 6625 | AS | | 28-AUG-96 |
| A | MIL-R-6771B(2) NOT 1 | REFLECTOR, GUNSIGHT GLASS [CUST: AR OS] | A 1270 | AR | | 01-SEP-97 |
| | MIL-R-6771B(13) | REFLECTOR: GUNSIGHT GLASS [CUST: AR] | A 1270 | AR | | 23-APR-90 |
| | MIL-T-6845D NOT 2 | TUBING, STEEL, CORROSION-RESISTANT (S30400), AEROSPACE VEHICLE HYDRAULIC SYSTEM 1/8 HARD CONDITION (USE SAE-AMS5564 AND SAE-AMS5566) [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | | 12-DEC-94 |
| | MIL-R-6855/1 NOT 1 | RUBBER, SYNTHETIC, SHEETS [CUST: MR AS 11] [REVIEW: 82 99 AR AT AV CC CE CR GS IS OS SH YDI] | A 4720 | AS | | 14-AUG-96 |
| | MIL-R-6855/2 NOT 1 | RUBBER, SYNTHETIC, STRIP (OR TAPE) [CUST: MR AS 11] [REVIEW: 82 99 AR AT AV CC CE CR GS IS OS SH YDI] | A 4720 | AS | | 14-AUG-96 |
| | MIL-R-6855/3 NOT 1 | RUBBER, SYNTHETIC, RODS (OR ROUNDS) [CUST: MR AS 11] [REVIEW: 82 99 AR AT AV CC CE CR GS IS OS SH YDI] | A 4720 | AS | | 14-AUG-96 |
| | MIL-R-6855/4 NOT 1 | RUBBER, SYNTHETIC, TUBING [CUST: MR AS 11] [REVIEW: 82 99 AR AT AV CC CE CR GS IS OS SH YDI] | A 4720 | AS | | 14-AUG-96 |
| | MIL-R-6855/5 NOT 1 | RUBBER, SYNTHETIC, CHANNEL, EXTRUDED [CUST: MR AS 11] [REVIEW: 82 99 AR AT AV CC CE CR GS IS OS SH YDI] | A 4720 | AS | | 14-AUG-96 |
| | MIL-R-6855/6 NOT 1 | RUBBER, SYNTHETIC, SPECIAL SHAPE, EXTRUDED [CUST: MR AS 11] [REVIEW: 82 99 AR AT AV CC CE CR GS IS OS SH YDI] | A 4720 | AS | | 14-AUG-96 |
| A | MIL-W-6873C NOT 1 | WELDING; FLASH, CARBON AND ALLOY STEEL [CUST: MR AS 11] [REVIEW: AT CR4 EA GS MI] | A 3432 | 11 | | 29-DEC-97 |
| A | MIL-S-6904B(1) NOT 1 | SIGNAL, EMERGENCY WARNING, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 11 CG MI] | A 6340 | AS | | 23-JUL-97 |
| A | MIL-S-6904/1 NOT 2 | SIGNAL, EMERGENCY WARNING (BELL) [CUST: AV AS 99] [REVIEW: 82 CG OS] | A 6340 | AS | | 23-JUL-97 |
| A | MIL-S-6904/2(1) NOT 1 | SIGNAL, EMERGENCY WARNING (HORN) [CUST: AV AS 99] [REVIEW: CG] | A 6340 | AS | | 23-JUL-97 |
| A | MIL-S-6904/3 NOT 1 | SIGNAL, EMERGENCY WARNING (HORN WITH A PROJECTOR) [CUST: AS 99] [REVIEW: CG] | A 6340 | AS | | 23-JUL-97 |
| | MIL-P-6906B NOT 4 | PLATES, IDENTIFICATION, AIRCRAFT [CUST: CR AS 99] | A 9905 | 84 | | 03-JUL-96 |
| | MIL-A-7021C(1) NOT 1 | ASBESTOS SHEET, COMPRESSED, FOR FUEL, LUBRICANT, COOLANT, WATER AND HIGH TEMPERATURE RESISTANT GASKETS [CUST: AV AS 11 IS] [REVIEW: 99 AR CR4 EA MC MI SA] | A 5330 | IS | | 10-OCT-96 |
| | MIL-I-7032G SUP 1 NOT 1 | INVERTERS, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 80 CR4] | A 6125 | AS | | 04-SEP-96 |
| | MIL-I-7057D NOT 1 | INDICATORS, SYNCHRO, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 11 CG MC SH] | A 6620 | 71 | | 15-MAR-96 |
| | MIL-I-7062C(1) NOT 1 | INDICATOR, POSITION, CONTROL SURFACES, 28 VOLT DC, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: CR4] | A 6610 | 71 | | 01-APR-96 |
| | MIL-I-7065A(1) NOT 2 | INDICATOR, POSITION, AILERON TRIM TAB [CUST: AV AS 99] | A 6610 | 71 | | 01-APR-96 |
| A | MIL-I-7070B(1) NOT 1 | INDICATOR, TEMPERATURE, ELECTRICAL-RESISTANCE, HERMETICALLY SEALED, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: GS] | A 6685 | 82 | | 19-AUG-97 |
| A | MIL-I-7071B(1) NOT 1 | INDICATOR, TEMPERATURE, THERMOCOUPLE HERMETICALLY SEALED, GENERAL SPECIFICATION FOR [CUST: AS 99] [REVIEW: AT MI] | A 6685 | 82 | | 19-AUG-97 |
| | MIL-T-7081D(5) NOT 1 | TUBE, ALUMINUM ALLOY, SEAMLESS, ROUND, DRAWN 6061, AIRCRAFT HYDRAULIC QUALITY [CUST: AV AS 11] [REVIEW: 82 84 OS SH] | A 4710 | 11 | | 29-JAN-93 |
| A | MIL-I-7084A(1) NOT 1 | INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI [CUST: AS 99] | A 6685 | 82 | | 24-NOV-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----------------|-----------|
| | MIL-I-7085C NOT 1 | INDICATOR, PRESSURE, ENGINE, 0-50 PSI [CUST: AV AS 99] | A 6620 | 71 | 15-MAR-96 |
| | MIL-I-7086C NOT 1 | INDICATOR, PRESSURE, OIL 0-100 PSI [CUST: AV AS 99] | A 6620 | 71 | 15-MAR-96 |
| | MIL-I-7087A(3) NOT 1 | INDICATOR, PRESSURE, OIL, 0-200 PSI [CUST: AV AS 99] [REVIEW: 11] | A 6620 | 71 | 15-MAR-96 |
| | MIL-I-7088B NOT 1 | INDICATOR, PRESSURE, FUEL, 0-1,000 PSI [CUST: AS 99] | A 6620 | 71 | 15-MAR-96 |
| | MIL-T-7101A NOT 1 | TRANSMISSION, POWER, CONSTANT SPEED, GENERAL SPECIFICATION (AIRCRAFT USE) [CUST: AV AS 99] | A 1650 | AS | 07-AUG-96 |
| | MIL-T-7101/7 NOT 1 | TRANSMISSION, CONSTANT SPEED, HYDRAULIC 20 KVA, 5-2/EI AIRCRAFT [CUST: AS] | A 1650 | AS | 07-AUG-96 |
| A | MIL-I-7112B NOT 2 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, CYLINDER HEAD, 0 DEG. C TO 300 DEG. C [CUST: AS 99] | A 6685 | 82 | 24-NOV-97 |
| | MIL-C-7135F NOT 2 | COMPRESSOR, PNEUMATIC, 3,000 PSI -- 2 SCFM AERO 2A (*), AERO 2A-1 (*), AERO 2B (*), AND AERO 2B-1 (*) [CUST: AS] | A 4310 | AS | 24-JUL-96 |
| | MIL-G-7170A NOT 1 | GAGE, PRESSURE, MANIFOLD, DIRECT INDICATING, 2 IN. SIZE, 10-75 INCHES MERCURY [CUST: AV AS 99] [REVIEW: GL OS] | A 6620 | 71 | 15-MAR-96 |
| | MIL-R-7172 NOT 1 | REEL, TOW-TARGET, 12,000-FOOT CABLE CAPACITY, AIRBORNE [CUST: AS] | A 1680 | AS | 18-SEP-96 |
| | MIL-C-7188 NOT 3 | COMPASSES, PILOT'S STANDBY, INSTALLATION OF [CUST: AS] | A 6605 | AS | 30-APR-97 |
| A | MIL-T-7258B NOT 2 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, TYPE B-4 [CUST: 99] | A 6685 | 82 | 24-NOV-97 |
| A | MIL-R-7362D(4) NOT 2 | RUBBER, SYNTHETIC, SOLID, SHEET, STRIP AND FABRICATED PARTS, SYNTHETIC OIL RESISTANT [CUST: MR AS 11] [REVIEW: 99 AR IS MI] | A 5330 | 11 | 31-DEC-97 |
| | MIL-S-7393C NOT 2 | STEEL ALLOY CARBURIZING, BARS AND BILLETS, STEEL NICKEL-CHROMIUM (3310, 3316 AND 9310), AIRCRAFT QUALITY [CUST: MR AS 11] [REVIEW: 82 84 99 AR MI] | A 9510 | IS | 22-MAR-94 |
| | MIL-M-7404D(3) NOT 2 | MAINTENANCE PLATFORM, AIRCRAFT, ADJUSTABLE, 3 TO 7 FEET, TYPE B-4A [CUST: AV 99] | A 1730 | 82 | 19-MAR-96 |
| | MIL-M-7405D NOT 1 | MAINTENANCE PLATFORM, AIRCRAFT, TYPE B-5A [CUST: 99] | A 1730 | 82 | 11-AUG-95 |
| | MIL-S-7420B NOT 2 | STEEL BARS, ALLOY, CHROMIUM, HIGH CARBON E52100 (AIRCRAFT QUALITY) (USE AMS 6440, AMS 6444, SAE 52100, AMS 6447) [CUST: MR AS 11] | A 9510 | IS | 13-JAN-95 |
| A | MIL-I-7444D(2) NOT 2 | INSULATION SLEEVING, ELECTRICAL, FLEXIBLE [CUST: AS 11] [REVIEW: 80 85 99 SH] | A 5970 | 11 | 31-DEC-97 |
| A | MIL-S-7470A NOT 2 | SHAFT, POWER TRANSMISSION, AIRCRAFT ACCESSORY, GENERAL SPECIFICATION FOR [CUST: 99] | A 1680 | 82 | 01-SEP-97 |
| | MIL-T-7477D NOT 1 | TRANSMITTER, RATE OF FLOW, FUEL, SYNCHRO, TYPE J-7, INDIVIDUAL AND TOTALING [CUST: 99] | A 6620 | 71 | 15-JAN-96 |
| | MIL-M-7507B(4) NOT 1 | MACHMETER, PITOT STATIC, RANGE .3 TO 1.0, TYPE A-1 [CUST: MI AS 99] | A 6610 | 71 | 01-APR-96 |
| A | MIL-C-7515F NOT 1 | CORD, NYLON, CORELESS [CUST: GL AS 99 IS] [REVIEW: 82 DS MC MD OS] | A 4020 | IS | 01-OCT-97 |
| A | MIL-DTL-7560D NOT 1 | VALVE ASSEMBLY, OXYGEN CYLINDER, BAILOUT [CUST: AV AS 99] [REVIEW: 11 CC] | A 1660 | 71 | 12-JUL-97 |
| A | MIL-DTL-7560/1 NOT 1 | VALVE ASSEMBLY, OXYGEN CYLINDER, BAILOUT [CUST: AV AS 99 CC] | A 1660 | 71 | 12-JUL-97 |
| | MIL-I-7566C(3) NOT 1 | INDICATOR SYSTEM, FUEL FLOWMETER, GENERAL SPECIFICATION FOR [CUST: 99] | A 6620 | 71 | 15-JAN-96 |
| | MIL-R-7575C(2) NOT 2 | RESIN, POLYESTER, LOW-PRESSURE LAMINATING [CUST: CR AS 11] [REVIEW: EA GS MI SH] | A 9330 | AS | 31-JUL-96 |
| | MIL-I-7627F NOT 1 | INDICATOR, TURN AND SLIP, 28V DC [CUST: AV AS 99] | A 6610 | 71 | 01-APR-96 |
| | MIL-D-7713 NOT 2 | DRIFT METER, TYPE B-5 [CUST: AV AS] | A 6605 | AS | 28-AUG-96 |
| | MIL-I-7721D NOT 1 | INDICATOR, VERTICAL SPEED, 3-INCH [CUST: AV AS 99] | A 6610 | 71 | 01-APR-96 |
| | MIL-S-7742D(1) | SCREW THREADS, STANDARD, OPTIMUM SELECTED SERIES: GENERAL SPECIFICATION FOR [CUST: AR AS 11] [REVIEW: AT AV CR4 IS MI SH] | A THDS | 11 | 02-SEP-92 |
| | MIL-M-7752A(2) NOT 1 | METAL CLEANER SILICATE-SOAP [CUST: AS] [REVIEW: GS MR] | A 6850 | AS | 07-AUG-96 |
| | MIL-S-7780B(3) NOT 1 | STARTER, ELECTRIC, CONSTANT CURRENT, DC [CUST: AV AS 99] [REVIEW: CC MI] | A 2990 | AS | 14-AUG-96 |
| | MIL-N-7786C(2) NOT 2 | NICKEL-CHROMIUM ALLOY, SHEET AND STRIP, AGE-HARDENABLE ANNEALED [CUST: MR AS 11] [REVIEW: 99 AR AT MI] | A 9535 | IS | 06-APR-91 |
| | MIL-R-7790(1) NOT 2 | RESISTOR, THERMOCOUPLE LEAD SPOOL [CUST: CR AS 85] [REVIEW: 99] | A 5905 | CC | 24-SEP-93 |
| | MIL-I-7802A NOT 1 | INDICATOR, MS28088, TURN AND SLIP (THREE PHASE) [CUST: AS] | A 6610 | AS | 09-OCT-96 |
| | MIL-S-7804(1) NOT 1 | SHACKLE, BOMB, MARK 8 MOD 2, MARK 8, MOD 3, MARK 8, MOD 4 [CUST: AR AS] | A 1095 | AS | 10-OCT-70 |
| | MIL-L-7806A(1) NOT 1 | LIGHT, PANEL, PLASTIC PLATE, LIGHTING [CUST: CR AS 99] [REVIEW: AT GS MI] | A 6210 | AS | 25-SEP-92 |
| | MIL-G-7818(1) NOT 2 | GAGE, FUEL QUANTITY, CAPACITOR TYPE, COMPENSATED, GENERAL SPECIFICATION FOR [CUST: AV AS] [REVIEW: AT GS] | A 6680 | AS | 15-JUN-71 |
| | MIL-S-7839B(3) NOT 1 | SCREW, STRUCTURAL, AIRCRAFT [CUST: AV AS 99] [REVIEW: AR IS MI] | A 5305 | IS | 31-JUL-92 |
| | MIL-S-7877B NOT 1 | SEAT, PASSENGER, CABIN FOLDING [CUST: AV AS 99] [REVIEW: 11] | A 1680 | AS | 28-AUG-96 |
| A | MIL-S-7886B(1) NOT 1 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, GENERAL SPECIFICATION FOR [CUST: AV AS 99] | A 2925 | 82 | 12-JAN-98 |
| | MIL-S-7886/501C NOT 2 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, DETAILED SPECIFICATION FOR [CUST: 99] | A 2925 | 82 | 29-MAR-96 |
| | MIL-S-7886/503C NOT 2 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE DETAILED SPECIFICATION FOR [CUST: AV AS 99] | A 2925 | 82 | 04-SEP-95 |
| A | MIL-D-7890A(2) NOT 3 | DESIGN AND INSTALLATION OF ANTI-G SUIT PRESSURE SYSTEMS IN JET PROPELLED AIRCRAFT [CUST: AS] | A 1660 | AS | 23-JUL-97 |
| | MIL-V-7899C NOT 1 | VALVE, CHECK, AIRCRAFT FUEL SYSTEM [CUST: AV AS 99] [REVIEW: CC CR4 MI] | A 4820 | 82 | 11-MAR-96 |
| A | MIL-C-7905G(1) NOT 1 | CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE, SEAMLESS, 1800 PSI AND 2100 PSI [CUST: AV AS 11] [REVIEW: 71 99] | A 1660 | AS | 10-SEP-97 |
| | MIL-I-7906A(2) NOT 2 | INDICATOR, GYRO HORIZON, MANUALLY CAGED, ELECTRIC, TYPE MB-1 [CUST: AS] | A 6610 | AS | 09-OCT-96 |
| | MIL-S-7947A NOT 2 | STEEL, SHEET AND STRIP (1095) AIRCRAFT QUALITY (USE AMS5121, SAE1095, AMS5122) [CUST: MR AS 11] [REVIEW: CR4 EA MI MR] | A 9515 | IS | 16-DEC-94 |
| | MIL-S-7952A(1) NOT 2 | STEEL, SHEET AND STRIP, UNCOATED, CARBON (1020 AND 1025) (AIRCRAFT QUALITY) (USE AMS5046, SAE1020, SAE1025) [CUST: MR AS 11] [REVIEW: CR4 MI OS] | A 9515 | IS | 12-DEC-94 |
| | MIL-R-7957B NOT 2 | RADAR SET AN/APS-45A [CUST: AS] | A 5841 | AS | 18-SEP-96 |
| | MIL-M-7969C NOT 1 | MOTOR, ALTERNATING CURRENT, 400-CYCLE, 115/200-VOLT SYSTEM, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AS 99] [REVIEW: AR AV CR4 EA GS MI] | A 6105 | AS | 28-AUG-96 |
| | MIL-L-7976C NOT 1 | LIST AND CARD, TECHNICAL MANUAL DATA, FOR CONTRACTOR FURNISHED EQUIPMENT AND ACCESSORIES [CUST: AS] | A TMSS | AS | 11-JUN-97 |
| | MIL-S-7998A(1) NOT 1 | SANDWICH CONSTRUCTION CORE MATERIAL, Balsa WOOD [CUST: CR4 AS 11] [REVIEW: 99 CC MI] | A 5510 | AS | 07-AUG-96 |
| | MIL-C-8052C(1) NOT 2 | CONTROL, PRESSURIZING SET, C-1173/ASQ [CUST: 99] [REVIEW: 80] | A 5895 | 84 | 20-SEP-96 |
| A | MIL-V-8057F(3) NOT 2 | VALVE, OXYGEN, PRESSURE BUILDUP AND VENT [CUST: 99] [REVIEW: 11 CC] | A 4820 | 71 | 22-JUN-97 |
| A | MIL-K-8144B NOT 1 | KEYER, OVERHEAT WARNING LIGHT, TYPE MA&1 [CUST: 99] [REVIEW: GS] | A 6340 | 82 | 03-OCT-97 |
| | MIL-G-8170D(1) NOT 1 | GAGE, PRESSURE, DIAL INDICATING [CUST: AS 99] [REVIEW: AV] | A 6620 | 71 | 15-MAR-96 |
| | MIL-E-8189H NOT 1 | ELECTRONIC EQUIPMENT, MISSILES, BOOSTERS AND ALLIED VEHICLES [CUST: AS 11] [REVIEW: EC MI] | A GDRQ | AS | 31-OCT-75 |
| | MIL-T-8249B(2) NOT 1 | TRANSMITTER, RATE OF FLOW, FUEL, TYPE MB-2 [CUST: 99] | A 6620 | 71 | 15-JAN-96 |
| A | MIL-P-8258D NOT 2 | PUMP, HAND, AIR [CUST: AS] [REVIEW: CC] | A 4220 | AS | 30-JUL-97 |
| | MIL-T-8275C NOT 1 | TRANSMITTER, RATE OF FLOW, FUEL SYNCHRO STYLE, TYPE MA-1 [CUST: AV AS 99] | A 6620 | 71 | 15-MAR-96 |
| | MIL-C-8412B(3) NOT 1 | COMPASS, MAGNETIC, SLAVED GYRO, TYPE J-4 [CUST: 99] | A 6605 | 71 | 01-FEB-96 |
| | MIL-P-8422C NOT 1 | POWER SUPPLY, 28VDC INPUT, 15VAC 4 HERTZ 3 PHASE OUTPUT, TYPE MC-1 [CUST: 99] | X 6130 | 71 | 22-JAN-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|-------------------------|--|--------------|-----|-------------|------|
| | | | FSC/Area | MCA | Prep. Acty. | Date |
| A | MIL-T-8429B NOT 1 | TESTER, LEAKAGE, DEMAND OXYGEN REGULATOR, TYPE MH-2 [CUST: AV 99] | A 4920 | 82 | 30-JUL-97 | |
| A | MIL-B-8437B NOT 1 | BELT, AIRCRAFT SAFETY, LAP, TROOP TYPE MC-1A [CUST: 99] | A 1680 | 82 | 22-NOV-97 | |
| A | MIL-I-8474C NOT 2 | INSPECTION OF ALUMINUM ALLOY PARTS, ANODIZING PROCESS FOR [CUST: MR SH 11] [REVIEW: 13 AS DH EC PT] | A MFFP | MR | 25-MAR-98 | |
| | MIL-F-8490A(4) NOT 1 | FASTENER, CASE, FOR EQUIPMENT RACK SYSTEM IN AIRCRAFT [CUST: AS 99 IS] [REVIEW: 82] | A 5325 | IS | 25-JUN-96 | |
| | MIL-T-8504B NOT 1 | TUBING, STEEL, CORROSION-RESISTANT (304), AEROSPACE VEHICLE HYDRAULIC SYSTEMS, ANNEALED, SEAMLESS AND WELDED [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | 21-NOV-94 | |
| | MIL-T-8506A NOT 2 | TUBING, STEEL, CORROSION-RESISTANT, (304) ANNEALED, SEAMLESS AND WELDED (USE SAE-AMS5560 AND SAE-AMS5565) [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | 23-JAN-95 | |
| | MIL-C-8507D NOT 1 | COATING, WASH PRIMER (PRETREATMENT) FOR METALS, APPLICATION OF (FOR AERONAUTICAL USE) [CUST: AS 99] | A 8030 | AS | 05-MAR-97 | |
| | MIL-P-8564D NOT 1 | PNEUMATIC SYSTEM COMPONENTS, AERONAUTICAL, GENERAL SPECIFICATION FOR [CUST: AS 99] | A 1650 | 71 | 21-JUN-96 | |
| A | DOD-B-8565/3E NOT 1 | BATTERY, STORAGE, AIRCRAFT, MEDIUM RATE, NO MAINTENANCE, 24-VOLT. 15 AMPERE-HOUR [CUST: AS] | A 6140 | AS | 19-NOV-97 | |
| | MIL-B-8565/11C NOT 1 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 10-AMPERE-HOUR [CUST: AS 99] | A 6140 | 80 | 10-JUL-95 | |
| | MIL-B-8565/15 NOT 2 | BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 35-AMPERE-HOUR [CUST: 99] [REVIEW: 71] | A 6140 | 80 | 24-APR-97 | |
| | MIL-V-8566C NOT 1 | VALVES, AIRCRAFT HYDRAULIC FLOW REGULATOR [CUST: AV AS 99] [REVIEW: CC MI] | A 1650 | 71 | 01-APR-96 | |
| | MIL-I-8580B(1) NOT 1 | INDICATOR, TACHOMETER, HELICOPTER, 0-4000 RPM, TYPE MA-1 [CUST: AV AS] | A 6620 | AS | 04-SEP-96 | |
| | MIL-E-8593A NOT 1 | ENGINES, AIRCRAFT, TURBOSHIFT AND TURBOPROP, GENERAL SPECIFICATION FOR [CUST: AV AS 99] | A 2840 | AS | 08-JAN-97 | |
| A | MIL-T-8598B NOT 1 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, FLUSH-MOUNTED, FREE AIR [CUST: 99] | A 6685 | 82 | 24-NOV-97 | |
| A | MIL-C-8603B(1) NOT 1 | CLAMPS, LOOP TYPE, AND STRAPS, SUPPORT [CUST: AV AS 99 IS] [REVIEW: 11 82] | A 5340 | IS | 16-JUN-97 | |
| | MIL-T-8606C(2) NOT 3 | TUBING, STEEL, CORROSION-RESISTANT (18-8 STABILIZED AND EXTRA LOW CARBON) (USE SAE-AMS5560, SAE-AMS5563, SAE-AMS5564, SAE-AMS5565, SAE-AMS5566, SAE-AMS5567, SAE-AMS5569, SAE-AMS5570, SAE-AMS5571, SAE-AMS5639 AND SAE-AMS5668) [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | 12-APR-95 | |
| | MIL-M-8609B NOT 2 | MOTOR, DC, 28 VOLT SYSTEM, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 11 CR4 EA GS MI] | A 6105 | AS | 28-AUG-96 | |
| A | MIL-V-8612A(2) NOT 2 | VALVE, HIGH PRESSURE OXYGEN LINE [CUST: AV AS 99] [REVIEW: 11 CC CR4] | A 4820 | AS | 13-AUG-97 | |
| | MIL-B-8621A(1) NOT 1 | BOARD, CHART, MARK 6A, MARK 6B AND MARK 6C [CUST: AS] | A 6605 | AS | 30-APR-97 | |
| A | MIL-D-8683C(1) NOT 1 | DESIGN AND INSTALLATION OF GASEOUS OXYGEN SYSTEMS IN AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: 71] | A 1660 | AS | 23-JUL-97 | |
| | MIL-P-8686 NOT 1 | POWER UNITS, AIRCRAFT AUXILIARY, GAS-TURBINE-TYPE, GENERAL SPECIFICATION FOR (ASG) [CUST: AV AS 99] [REVIEW: 82] | A 2835 | AS | 07-AUG-96 | |
| | MIL-I-8691A(1) NOT 1 | INDICATOR, AZIMUTH, ID-307/ARN (ASG) [CUST: AS 99] [REVIEW: 11] | A 6610 | AS | 04-SEP-96 | |
| | MIL-C-8703B NOT 1 | CHAIN ASSEMBLY, SINGLE LEG, 10,000 POUND CAPACITY, TYPE MA-1 [CUST: GL AS 99] [REVIEW: MT] | A 1670 | 82 | 21-APR-97 | |
| | MIL-S-8710B NOT 2 | STRAINER, AIRFRAME FUEL SYSTEM, GENERAL SPECIFICATION FOR [CUST: AV AS 99] | A 2915 | 82 | 04-SEP-95 | |
| M | MIL-W-8777C NOT 1 | WIRE, ELECTRICAL, SILICONE INSULATED, COPPER, 600 VOLT, 200 DEG. C [CUST: AV AS 85 CC] [REVIEW: 17 19 CR4 MI] | A 6145 | CC | 01-JUN-98 | |
| | MIL-S-8784B NOT 1 | SEALING COMPOUND, LOW ADHESION, FOR REMOVABLE PANELS AND FUEL TANK INSPECTION PLATES [CUST: MR AS 99] [REVIEW: MC OS] | A 8030 | 84 | 24-MAR-97 | |
| | MIL-F-8785C NOT 2 | FLYING QUALITIES OF PILOTTED AIRPLANES [CUST: AV AS] | A 15GP | AS | 28-AUG-96 | |
| A | MIL-S-8802F(4) NOT 1 | SEALING COMPOUND, TEMPERATURE-RESISTANT, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, HIGH-ADHESION [CUST: MR AS 11] [REVIEW: 84 99 AR AT MI OS SH] | A 8030 | 11 | 31-DEC-97 | |
| | MIL-S-8805/22C NOT 1 | SWITCHES, SENSITIVE, SPDT, 5 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AV MC MI OS SH] | A 5930 | CC | 20-JUN-90 | |
| | MIL-S-8805/29A | SWITCH, SENSITIVE, SPDT, MOMENTARY, DOUBLE BREAK, 10 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR MC SH] | A 5930 | CC | 19-JUN-92 | |
| | MIL-S-8805/30B NOT 1 | SWITCH, SENSITIVE, SPDT, MOMENTARY, DOUBLE BREAK, DUSTTIGHT [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC MI OS SH] | A 5930 | CC | 20-JUN-90 | |
| | MIL-S-8805/35B | SWITCHES, PUSH, 2 CIRCUIT, ALTERNATE ACTION, 10 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS MC MI OS SH] | A 5930 | CC | 17-SEP-90 | |
| | MIL-S-8805/36B | SWITCHES, PUSH, 2PDT, ALTERNATE ACTION, 10 AMPERES, UNSEALED [CUST: CR EC 85] [REVIEW: 19 99 AR AS MC MI OS SH] | A 5930 | CC | 17-SEP-90 | |
| | MIL-S-8805/50B | SWITCH, SENSITIVE, ROLLER-LEVER, WATERTIGHT [CUST: CR EC 85] [REVIEW: 19 99 AR AS GL MC MI OS SH] | A 5930 | CC | 16-JUN-93 | |
| | MIL-S-8805/51B | SWITCH, SENSITIVE, ROLLER-LEVER, WATERTIGHT [CUST: CR EC 85] [REVIEW: 19 99 AR AS GL MC MI OS SH] | A 5930 | CC | 16-JUN-93 | |
| | MIL-S-8805/53C | SWITCH, SENSITIVE, 4 CIRCUIT, ROLLER-LEVER, WATERTIGHT [CUST: CR EC 85] [REVIEW: 19 99 AR AS MC MI OS SH] | A 5930 | CC | 04-JUN-93 | |
| | MIL-S-8805/57C | SWITCH ACTUATOR, PLUNGER TYPE [CUST: CR EC 85] [REVIEW: 19 99 AR AS MC MI OS SH] | A 5930 | CC | 16-JUN-93 | |
| | MIL-S-8805/58C | SWITCH ACTUATOR, EXTENDED PLUNGER TYPE [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS] | A 5930 | CC | 16-JUN-93 | |
| | MIL-S-8805/59B | SWITCH ACTUATOR, ROLLER LEAF [CUST: CR EC 85] [REVIEW: 19 99 AR AS AV MC MI OS] | A 5930 | CC | 16-JUN-93 | |
| | MIL-S-8805/61B NOT 1 | SWITCH, SENSITIVE, PLUNGER, SPDT, UNSEALED [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS MC MI OS] | A 5930 | CC | 20-JUN-90 | |
| | MIL-S-8805/62C(1) NOT 1 | SWITCH, SENSITIVE, SPOT, MOMENTARY DUSTTIGHT [CUST: EC] | A 5930 | CC | 31-MAR-93 | |
| A | MIL-A-8806A(1) NOT 1 | ACOUSTICAL NOISE LEVEL IN AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: CG CR4 MC TE] | A 15GP | AS | 10-SEP-97 | |
| | MIL-T-8808B NOT 4 | TUBING, STEEL, CORROSION-RESISTANT (18-8 STABILIZED), AIRCRAFT HYDRAULIC QUALITY (USE SAE-AMS5556 AND SAE-AMS5557) [CUST: MR AS 11] [REVIEW: 99] | A 4710 | 11 | 18-JAN-96 | |
| A | MIL-V-8813(2) NOT 1 | VALVE, AIRCRAFT, HYDRAULIC PRESSURE RELIEF, TYPE II SYSTEMS (ASG) [CUST: AV AS 99] [REVIEW: CC] | A 4820 | AS | 17-SEP-97 | |
| | MIL-F-8815/1A NOT 2 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRON, STYLE A, BYPASS, -65 DEG. TO +275 DEG. F [CUST: AV AS 99] [REVIEW: MI SH] | A 1650 | 71 | 21-JUN-96 | |
| | MIL-F-8815/2A NOT 2 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRON, STYLE B, NON BYPASS, -65 DEG. TO +275 DEG. F [CUST: AV AS 99] [REVIEW: SH] | A 1650 | 71 | 21-JUN-96 | |
| | MIL-F-8815/3B NOT 1 | FILTER ELEMENT, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRONS, -65 DEGREES F TO PLUS 275 DEGREES F [CUST: AV AS 99] [REVIEW: MI] | A 1650 | 71 | 21-JUN-96 | |
| | MIL-F-8815/8B NOT 2 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 1.5 GPM [CUST: AS] | A 1650 | AS | 11-SEP-96 | |
| | MIL-F-8815/9A NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC, LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 3.5 GPM [CUST: AS] | A 1650 | AS | 11-SEP-96 | |
| | MIL-F-8815/10B NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 4.5 GPM [CUST: AS] | A 1650 | AS | 11-SEP-96 | |
| | MIL-F-8815/11A NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 4.5 GPM (HIGH CAPACITY) [CUST: AS] | A 1650 | AS | 11-SEP-96 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-F-8815/12B NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 32 GPM [CUST: AS] | A 1650 | AS | | 11-SEP-96 |
| | MIL-F-8815/18A NOT 2 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, AV8 AND A7 AIRCRAFT, 3.5 GPM [CUST: AS] | A 1650 | AS | | 11-SEP-96 |
| | MIL-F-8815/19 NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, A4 AIRCRAFT 2.0 GPM [CUST: AS] | A 1650 | AS | | 11-SEP-96 |
| | MIL-F-8815/20 NOT 1 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, A4 AIRCRAFT, 3.5 GPM [CUST: AS] | A 1650 | AS | | 11-SEP-96 |
| | MIL-F-8815/21A NOT 1 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC, LINE, 15MICRON ABSOLUTE, AV8 AIRCRAFT, 10 GPM [CUST: AS] | A 1650 | AS | | 11-SEP-96 |
| | MIL-F-8815/25 NOT 2 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 15 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, P3 AIRCRAFT, RUDDER, 4 GPM [CUST: AS] | A 1650 | AS | | 11-SEP-96 |
| | MIL-F-8815/26 NOT 2 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 25 MICRON ABSOLUTE. P3 AIRCRAFT, CASE DRAIN, 2 GPM [CUST: AS] | A 1650 | AS | | 11-SEP-96 |
| | MIL-F-8815/27 NOT 2 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, P3 AIRCRAFT, RETURN, 14 GPM [CUST: AS] | A 1650 | AS | | 11-SEP-96 |
| | MIL-F-8815/28(1) NOT 2 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +160 DEG. F, P3 AIRCRAFT, PUMP OUTLET, 8 GPM [CUST: AS] | A 1650 | AS | | 11-SEP-96 |
| A | MIL-B-8831/3 NOT 1 | BOLT, PROTRUDING HEAD, EXTERNAL WRENCHING, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 180 KSI FTU [CUST: AV AS 11] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-8831/4 NOT 1 | BOLT, 100 DEG REDUCED FLUSH HEAD, LOW INTERFERENCE, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 108 KSI FSU [CUST: AV AS 11] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-8831/5 NOT 1 | BOLT, PROTRUDING HEAD, EXTERNAL WRENCHING, STRAIGHT SHANK, LOW INTERFERENCE, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 180 KSI FTU [CUST: AV AS 11] | A 5306 | IS | | 04-APR-98 |
| A | MIL-F-8839A NOT 1 | FITTINGS, LUBRICATION DRIVE TYPE [CUST: AV AS 99] [REVIEW: 82 AR AT CE MC MI OS SH] | A 4730 | AS | | 05-NOV-97 |
| A | MIL-S-8879C(1) NOT 2 | SCREW THREADS, CONTROLLED RADIUS ROOT WITH INCREASED MINOR DIAMETER, GENERAL SPECIFICATION FOR [CUST: AR AS 11 SO] [REVIEW: AT AV CR4 IS MI SH] | A 53GP | SO | | 12-AUG-97 |
| A | MIL-V-8883B(2) NOT 2 | VALVE, INLET, LIFE RAFT [CUST: MD AS 11] | A 4220 | AS | | 30-JUL-97 |
| | MIL-H-8890 NOT 1 | HYDRAULIC COMPONENTS, TYPE III (-65 DEG TO PLUS 450 DEG F) GENERAL SPECIFICATION FOR (ASG) [CUST: AS 99] | A 1650 | 71 | | 21-JUN-96 |
| | MIL-H-8891A NOT 1 | HYDRAULIC SYSTEMS, MANNED FLIGHT VEHICLES, TYPE III DESIGN, INSTALLATION AND DATA REQUIREMENTS FOR, GENERAL SPECIFICATION FOR [CUST: AS 99] [REVIEW: AV] | A 1650 | 71 | | 21-JUN-96 |
| | MIL-B-8942A(2) | BEARINGS, PLAIN, TFE LINED, SELF ALIGNING [CUST: AT AS 99] [REVIEW: 84 IS] | A 3120 | AS | | 10-FEB-78 |
| | MIL-B-8943A(3) | BEARING, JOURNAL PLAIN AND FLANGED, TFE LINED [CUST: AV AS 99] [REVIEW: 84] | A 3120 | AS | | 10-FEB-78 |
| | MIL-B-8948A(1) | BEARING, PLAIN, ROD END, TFE LINED, SELF-ALIGNING [CUST: AV AS 99] [REVIEW: 84 IS] | A 3120 | AS | | 10-FEB-78 |
| A | MIL-W-8957A NOT 3 | WIRE, STEEL, CARBON HIGH STRENGTH [CUST: AR 11 IS] | A 9505 | IS | | 16-JUN-97 |
| A | MIL-S-8959(1) NOT 2 | SPRING, HYDRAULIC: GENERAL SPECIFICATION FOR [CUST: AS 99] | A 1620 | 70 | | 12-DEC-97 |
| A | MIL-V-8965B NOT 1 | VALVE CORE, OXYGEN, HIGH PRESSURE [CUST: AS 11] [REVIEW: 71] | A 1660 | AS | | 23-JUL-97 |
| | MIL-T-8973 NOT 2 | TUBING, STEEL, CORROSION AND HEAT RESISTANT, FOR AEROSPACE VEHICLE HYDRAULIC SYSTEMS ASSEMBLED BY BRAZING (INACTIVE USE SAE-AMS5569, SAE-AMS5584, SAE-AMS5897) [CUST: MR AS 11] | A 4710 | 11 | | 12-DEC-94 |
| A | MIL-N-8985/2 NOT 2 | NUTS, SHEAR, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F [CUST: AV AS 11 IS] [REVIEW: 82] | A 5310 | IS | | 13-FEB-98 |
| A | MIL-N-8985/3 NOT 1 | NUT, CAPTIVE WASHER, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F, (12-SPLINE) WRENCHING ELEMENT [CUST: AV AS 99 IS] | A 5310 | IS | | 19-JAN-98 |
| A | MIL-T-9047G(2) NOT 2 | TITANIUM AND TITANIUM ALLOY BARS (ROLLED OR FORGED) AND REFORGING STOCK, AIRCRAFT QUALITY [CUST: MR AS 11] [REVIEW: 84 99 AR AV IS MI SH] | A 9530 | AS | | 04-APR-98 |
| | MIL-C-9075A(4) NOT 1 | COMPUTER, AND TRANSMITTER, TRUE AIRSPEED, PILOT-STATIC, 150-900 KNOTS, TYPE MA-1 [CUST: 99] | A 6610 | 71 | | 01-NOV-96 |
| A | MIL-R-9126A NOT 2 | REEL, FUELING HOSE, AERIAL, REFUELING, GENERAL SPECIFICATION FOR [CUST: 99] | A 1680 | 82 | | 26-SEP-97 |
| | MIL-R-9198C NOT 1 | REGULATOR, OXYGEN, HIGH PRESSURE, TYPE MA-1 [CUST: AV AS 99] [REVIEW: CC MI] | A 4820 | 82 | | 11-MAR-96 |
| | MIL-I-9229A NOT 1 | INDICATOR, COURSE ID387/ARN [CUST: 99] | A 5826 | 84 | | 01-FEB-96 |
| | MIL-A-9286C(2) NOT 2 | AF AMPLIFIER AM-476(A)IC-10 [CUST: 99] | A 5996 | 84 | | 29-FEB-96 |
| | MIL-R-9300B NOT 2 | RESIN, EPOXY, LOW-PRESSURE LAMINATING [CUST: MR AS 11] [REVIEW: 17 69 CR MI OS SM] | A 9330 | AS | | 31-JUL-96 |
| A | MIL-I-9343C NOT 1 | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-1 [CUST: AS 99] | A 6685 | 82 | | 24-NOV-97 |
| A | MIL-R-9345(1) NOT 1 | REGULATOR AIR PRESSURE, AIRCRAFT CABIN, GENERAL SPECIFICATION FOR [CUST: AS] | A 1660 | AS | | 23-JUL-97 |
| A | MIL-V-9370D(1) NOT 1 | VALVE, AUTOMATIC, PRESSURE REGULATING, ANTI-G SUIT [CUST: AS 11] [REVIEW: 99] | A 1660 | AS | | 10-SEP-97 |
| | MIL-P-9388B(1) NOT 1 | PUMP, PRESSURE, OIL FREE AIR TYPE MA-2 [CUST: 99] | A 4310 | 71 | | 23-JAN-96 |
| | MIL-D-9394B NOT 1 | DEHYDRATOR, DESICCANT, HD-186/ASQ [CUST: 99] [REVIEW: CC] | A 4440 | 84 | | 29-APR-96 |
| | MIL-M-9397E(2) NOT 1 | FREQUENCY CONVERTER, MOBILE, TYPE MC-1A [CUST: 99] | A 6125 | 80 | | 16-JUL-95 |
| | MIL-R-9409B(2) NOT 1 | RACK, BOMB, AIRCRAFT, TYPE MA-4A [CUST: 99] | A 1095 | 84 | | 04-SEP-95 |
| A | MIL-I-9443D(3) NOT 1 | INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-2 [CUST: AV AS 99] | A 6685 | 82 | | 24-NOV-97 |
| M | MIL-DTL-9479D(1) NOT 2 | SEAT SYSTEM, UPWARD EJECTION, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: 99] [REVIEW: 11] | A 1680 | 82 | | 10-APR-98 |
| | MIL-T-9720F NOT 1 | TRUCK, LIFT, AERIAL STORES, 3000 POUNDS CAPACITY MJ-1A AND MJ-1B [CUST: 99] | A 1730 | 82 | | 11-AUG-95 |
| | MIL-DTL-9813B NOT 1 | TARGET SYSTEM, EXTERNAL TOW, GUNNERY A/A3-7-U-15 [CUST: 99] | A 6920 | 70 | | 19-AUG-96 |
| | MIL-DTL-9814C NOT 1 | STAND, CABLE REWIND, REVERSIBLE, THU-4/E [CUST: 99] | A 6920 | 70 | | 19-AUG-96 |
| A | MIL-H-9850C SUP 1 NOT 1 | HINGE, BUTT, CONTINUOUS, PIANO [CUST: CR 99 IS] [REVIEW: AR AS CR4 EA MC MI] | A 5340 | IS | | 01-OCT-97 |
| A | MIL-H-9859A NOT 1 | HANDWHEEL, ORDANCE [CUST: AR OS 99 IS] [REVIEW: AT CR4 MC MI] | A 5340 | IS | | 16-JUN-97 |
| | MIL-M-9868E NOT 1 | MICROFILMING OF ENGINEERING DATA, 35MM, REQUIREMENTS FOR [CUST: CR AS 10] [REVIEW: 11 13 18 19 24 30 69 70 71 79 80 82 84 85 89 99 AM AR AT AV CC CG CH CR4 DH DI DS EA EC GL IE IS MC MI MP NA NM OS SA SH TD YDI] | A EDRS | 10 | | 01-JUN-95 |
| | MIL-M-9868/1B NOT 1 | MICROFILM OF ENGINEERING DOCUMENTS, 35MM, PREPARATION OF ROLL [CUST: SH] [REVIEW: EC] | A EDRS | SH | | 01-JUN-95 |
| | MIL-C-9877B(2) NOT 1 | CARDS, APERTURE [CUST: CR AS 16 GS] [REVIEW: 11 13 18 19 24 30 69 70 71 79 80 82 84 85 89 99 AM AR AT AV CC CG CR4 DH EA EC GL IE IS MC MI NM OM OS SA SH TD YDI] | A EDRS | CR | | 01-JUN-95 |
| A | MIL-H-9890E NOT 1 | HARDWARE, INDIVIDUAL LOAD CARRYING EQUIPMENT: AND HARDWARE, MISCELLANEOUS [CUST: GL IS] [REVIEW: AR AV EA MI] | A 5340 | IS | | 31-JUL-97 |
| A | MIL-C-9897C(1) NOT 2 | CRATES, SLOTTED ANGLE, STEEL OR ALUMINUM, FOR LIGHTWEIGHT AIRFRAME COMPONENTS AND BULKY ITEMS (FOR MAXIMUM LOADS OF 1363 KGS (3000 POUNDS)) [CUST: GL SA 69] [REVIEW: 99 AV CR4 OS SM YDI] | A 8145 | 11 | | 25-NOV-97 |
| | MIL-D-9898C NOT 1 | DRAWING, TUBE BEND [CUST: 99] [REVIEW: 16 AS] | A DRPR | 82 | | 15-NOV-96 |
| M | MIL-T-9918C NOT 1 | TOW TARGET, AERIAL DART, GUNNERY TYPE TDU-10/B AND [CUST: 99 GS] | A 6920 | GS | | 05-MAY-98 |
| | MIL-S-9926A NOT 1 | SIGN, FOLLOW ME, TRUCK MOUNTING [CUST: 99] | A 2540 | 84 | | 27-SEP-95 |
| A | MIL-C-9949(4) NOT 1 | CARDS, COPY [CUST: CR AS 16 GS] [REVIEW: 11 13 18 19 24 30 69 70 71 79 80 82 84 85 89 99 AM AR AT AV CC CG CR4 DH EA EC GL IE IS MC MI NM OM OS SA SH TD YDI] | A EDRS | CR | | 11-SEP-97 |
| | MIL-C-9963F(4) NOT 1 | CARTRIDGE, 5.56MM, BALL M193 [CUST: AR OS 99] [REVIEW: MC] | A 1305 | AR | | 27-AUG-96 |
| | MIL-R-9979A NOT 2 | REVOLVER, CALIBER .38 SPECIAL 2 AND 4 INCH BARREL, 6 SHOT [CUST: 99] | A 1005 | 84 | | 12-OCT-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|--|-----------------------|-----|-------------|-----------|
| A | MIL-M-10008F(1) NOT 3 | MORTAR, 81MM, M29A1 [CUST: AR] [REVIEW: 19 MC] | A 1015 | AR | | 14-MAR-97 |
| | MIL-C-10065B NOT 2 | CABLES, SPECIAL PURPOSE, ELECTRICAL (MULTIPAIR, AUDIO FREQUENCY) [CUST: CR 85 IS] | A 6145 | IS | | 16-JUN-97 |
| | MIL-C-10082C NOT 1 | CANISTER, PARTICULATE, M14 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 05-MAR-96 |
| | MIL-C-10083C(2) NOT 2 | CLAMPS, WIRE, GAS MASK [CUST: EA] | A 4240 | EA | | 20-NOV-95 |
| | MIL-P-10096E NOT 1 | PRINTER, CONTACT, PHOTOGRAPHIC PH-649()/U [CUST: CR AS] [REVIEW: GS MC MI] | A 6740 | CR | | 29-MAR-96 |
| | MIL-S-10104B NOT 1 | SHEET, METAL, COATED (CLEAR OR PIGMENT) [CUST: EA YD1 IS] [REVIEW: GL MR OS SA] | A 9535 | IS | | 16-JUN-97 |
| | MIL-C-10113C(1) NOT 1 | COVER, OUTLET VALVE (FOR C15 OUTLET VALVE) [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 25-MAR-96 |
| | MIL-C-10116C(2) NOT 1 | CANISTER, M11 [CUST: EA] | A 4240 | EA | | 28-SEP-95 |
| | MIL-C-10119C(1) NOT 1 | CANISTER, M11; COMPONENTS FOR [CUST: EA] | A 4240 | EA | | 28-SEP-95 |
| | MIL-B-10122E | BARGE, LIQUID CARGO: NONPROPELLED, STEEL, OFFSHORE, 4,160-BARREL, 120-FOOT, DESIGN 231C [CUST: AV] | A 1930 | AV | | 16-JAN-91 |
| | MIL-D-10131B(3) NOT 1 | DISC, INLET VALVE [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 25-MAR-96 |
| | MIL-D-10132C NOT 1 | DISC, VALVE [CUST: EA SH 99] [REVIEW: 84 GS MC MD] | A 4240 | EA | | 25-MAR-96 |
| | MIL-D-0010132K(3) NOT 1 | DISCS, VALVE [CUST: EA] | A 4240 | EA | | 28-SEP-95 |
| | MIL-S-10133B(1) NOT 1 | SEAT, OUTLET-VALVE, ALUMINUM-BASE-ALLOY DIECASTING FOR OUTLET VALVE, C15 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 25-MAR-96 |
| | MIL-S-0010133D NOT 1 | SEAT, OUTLET-VALVE, ALUMINUM-BASE-ALLOY DIECASTING FOR OUTLET VALVE, C15 [CUST: EA] | A 4240 | EA | | 28-SEP-95 |
| | MIL-V-10134C(1) NOT 1 | VALVE, OUTLET, PROTECTIVE MASK, C15 [CUST: EA SH] [REVIEW: GS MC] | A 4240 | EA | | 11-MAR-96 |
| | MIL-V-0010134E NOT 1 | VALVE, OUTLET, CHEMICAL-BIOLOGICAL MASK, C15 [CUST: EA] [REVIEW: MC] | A 4240 | EA | | 28-SEP-95 |
| | MIL-C-10147D NOT 1 | CABINET, PHOTOGRAPHIC STORAGE, FILM BM-11() [CUST: CR AS 99] [REVIEW: GS MC] | A 6760 | CR | | 29-MAR-96 |
| | MIL-B-10154C(2) | BATTERIES, PRIMARY, WATER-ACTIVATED (DUNK TYPE) [CUST: CR SH 99] | A 6135 | SH | | 03-JUL-63 |
| A | MIL-C-10190D(3) NOT 1 | CARTRIDGE, CALIBER .50, BALL, M33 [CUST: AR 70] | A 1305 | AR | | 29-AUG-97 |
| | MIL-D-10254C NOT 3 | DECORATION, NETHERLANDS ORANGE LANYARD [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 05-JUN-95 |
| A | MIL-M-10304/8B NOT 2 | METERS, ELECTRICAL INDICATING, AMMETERS, RF, PANEL TYPE, RUGGEDIZED (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 AND 28 [CUST: CR SH 99 CC] | A 6625 | CC | | 04-NOV-97 |
| A | MIL-M-10304/10D NOT 2 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, DECIBEL (FLUSH MOUNTING, ROUND FLANGE, 3-1/2 INCH) STYLE 36 [CUST: CR SH 99 CC] [REVIEW: 11 AR AT AV CG CR4 MC MI] | A 6625 | CC | | 04-NOV-97 |
| A | MIL-M-10304/15C NOT 4 | METER, ELECTRICAL INDICATING, AMMETER, RF, PANEL TYPE, RUGGEDIZED (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLES 36 AND 38 [CUST: CR EC 99 CC] [REVIEW: 11 AR AT AV CG CR4] | A 6625 | CC | | 04-NOV-97 |
| A | MIL-M-10304/18A(2) NOT 2 | METERS, MULTISCALE, DC, PANEL TYPE, RUGGEDIZED (ROUND FLANGE, 3-1/2 INCH, STYLE 36) [CUST: SH CC] | A 6625 | CC | | 04-NOV-97 |
| A | MIL-M-10304/19D NOT 2 | METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, SPECIAL DECIBEL, (FLUSH MOUNTING, SQUARE FLANGE, 1-1/2-INCH, STYLE 13) [CUST: CR SH 85 CC] [REVIEW: AR AT AV CG CR4 MC MI] | A 6625 | CC | | 04-NOV-97 |
| | MIL-M-10323A(5) NOT 1 | MOUNT, TELESCOPE: M48 [CUST: AR] | A 1240 | AR | | 27-FEB-97 |
| | MIL-P-10334B NOT 1 | POT, SMOKE, FLOATING, HC, M4A2 COMPONENTS FOR [CUST: EA] | A 1365 | EA | | 28-SEP-95 |
| A | MIL-C-10369D(2) NOT 1 | CABLE, TELEPHONE, FIELD, FOR RAPID PAYOUT (MX-306A/G) (METRIC) [CUST: CR 99 CC] [REVIEW: 17 CR4 IS MI] | A 6145 | CC | | 09-JAN-98 |
| | MIL-C-10375C(1) NOT 1 | CUPS, CASE, COPPER ALLOY (FOR SMALL ARMS AMMUNITION) [CUST: AR] | A 1305 | AR | | 29-JAN-96 |
| A | MIL-C-10382D NOT 2 | CORROSION PREVENTIVE, PETROLATUM, SPRAYING APPLICATION: FOR FOOD HANDLING MACHINERY AND EQUIPMENT [CUST: MR SH 11] [REVIEW: 84 AS CG GL] | A 8030 | MR | | 26-NOV-97 |
| A | MIL-C-10392C(1) NOT 3 | CORD, ELECTRICAL (AUDIO, MINIATURE) [CUST: CR AS 17 IS] [REVIEW: 80 85 AR AT AV CC CR4 EC MC MI OS] | A 6145 | IS | | 16-JUN-97 |
| | MIL-S-10399D NOT 2 | SWITCHBOARD, TELEPHONE MANUAL SB-22()/PT [CUST: CR] [REVIEW: 99 MC MI YD1] | A 5805 | CR | | 29-MAR-96 |
| A | MIL-L-10469B(4) NOT 1 | LIGHT, AIMING POST [CUST: AR] | A 1290 | AR | | 08-AUG-97 |
| A | MIL-L-10470D(2) NOT 2 | LIGHTS, INSTRUMENT: FIRE CONTROL EQUIPMENT [CUST: AR] | A 1290 | AR | | 11-AUG-97 |
| | MIL-P-10476C NOT 1 | PRINT WASHER, PHOTOGRAPHIC, EK-1 [CUST: CR] [REVIEW: GS] | A 6740 | CR | | 29-MAR-96 |
| A | MIL-C-10479B NOT 1 | CRYSTAL IMPEDANCE METER TS 683/TSM [CUST: CR SH 99] [REVIEW: EC] | A 6625 | CR | | 25-APR-97 |
| | MIL-P-10480D(1) NOT 2 | PLUNGER, DELAY, M1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 22-APR-96 |
| A | MIL-R-10509G(3) SUP 1 | RESISTORS, FIXED, FILM (HIGH STABILITY), GENERAL SPECIFICATION FOR (USE MIL-R-55182) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 22-SEP-97 |
| | MIL-R-10509/1L NOT 1 | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN60 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-10509/2H(1) NOT 1 | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN65 [CUST: CR EC 85] [REVIEW: 17 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-10509/3H(2) NOT 2 | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN70 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 27-AUG-92 |
| | MIL-R-10509/5H NOT 1 | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN75 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-10509/6F NOT 2 | RESISTORS, FIXED, FILM, (HIGH STABILITY) STYLE RN80 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT CG CR4 MC MI] | A 5905 | CC | | 04-AUG-93 |
| | MIL-R-10509/7G NOT 1 | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN55 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 25-OCT-91 |
| | MIL-R-10509/8D | RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RN50 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 19-APR-89 |
| | MIL-R-10509/13 NOT 2 | RESISTORS, FIXED, FILM (HIGH STABILITY) STYLE RN75---TX [CUST: 85] [REVIEW: 17] | A 5905 | CC | | 12-APR-93 |
| | MIL-R-10509/14 NOT 2 | RESISTOR, FIXED, FILM (HIGH STABILITY) STYLE RN80---TX [CUST: 85] [REVIEW: 17] | A 5905 | CC | | 12-APR-93 |
| A | MIL-L-10547E NOT 3 | LINERS, CASE, AND SHEET, OVERWRAP: WATER-VAPORPROOF OR WATERPROOF, FLEXIBLE [CUST: GL SA 69] [REVIEW: 99 AS EA GS MC MD OS SS YD1] | A 8135 | GL | | 09-APR-98 |
| M | MIL-C-10578D(3) NOT 3 | CORROSION REMOVING AND METAL CONDITIONING COMPOUND (PHOSPHORIC ACID BASE) [CUST: MI] | A 6850 | MI | | 22-APR-98 |
| | MIL-P-10590B(1) NOT 1 | PROJECTILE, ILLUMINATING, 81MM, M301A2 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | | 22-APR-96 |
| | MIL-I-10634D NOT 2 | IGNITER, ROCKET, M20A1 FOR ROCKET, M28A2, M29A2 AND M30 LOADING, ASSEMBLING AND PACKING [CUST: AR OS] | A 1340 | AR | | 14-MAR-97 |
| A | MIL-T-10646D NOT 1 | TELESCOPES, STRAIGHT: M90 SERIES AND P/N 12599180 [CUST: AR] | A 1240 | AR | | 08-AUG-97 |
| | MIL-B-10743E NOT 1 | BALLOON, PILOT AND CEILING [CUST: CR 99] [REVIEW: 13 AS] | A 6660 | CR | | 29-MAR-96 |
| | MIL-B-10746D NOT 2 | BOMB, SMOKE, 100-LB; AN-M47A4, WP FILLING [CUST: EA 99] [REVIEW: 70] | A 1325 | EA | | 19-APR-96 |
| A | MIL-T-10767F NOT 1 | TOWERS (COMPONENTS OF) [CUST: CR] [REVIEW: CC] | A 5445 | CR | | 25-APR-97 |
| | MIL-T-10767F(1) | TOWERS (COMPONENTS OF) [CUST: CR] | A 5445 | CR | | 29-DEC-71 |
| A | MIL-D-10795F NOT 1 | DRIVER TESTING AND TRAINING DEVICES, PORTABLE AND SIMULATOR [CUST: AT TD 99] [REVIEW: 70 MC MD SA] | A 6930 | AT | | 09-MAR-98 |
| A | MIL-D-10821G NOT 1 | DESKS, FIELD [CUST: GL 99] [REVIEW: 84 AV FSS GS MC] | A 7110 | GL | | 21-AUG-97 |
| | MIL-P-10831B NOT 1 | PAPER, TARGET [CUST: AR MC] [REVIEW: GL] | A 9310 | AR | | 05-JUN-96 |
| | MIL-P-10831B(13) | PAPER, TARGET [CUST: AR] | A 9310 | AR | | 08-DEC-93 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-B-10854 NOT 3 | BINDER, CELLULOSE NITRATE-CAMPHOR (FOR PYROTECHNIC MIXTURES) [CUST: AR] | A 6850 | AR | | 26-FEB-98 |
| | MIL-C-10856D NOT 2 | CHEMICAL AGENT, MUSTARD SIMULATED (MOLASSES RESIDUUM) [CUST: EA OS] [REVIEW: AS MC MD] | A 1365 | EA | | 19-APR-96 |
| | MIL-C-10857D NOT 2 | CLOTH, ANTIFOGGING [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 05-MAR-96 |
| A | DOD-U-10866D(3) NOT 1 | UREA, TECHNICAL (METRIC) [CUST: EA OS 11 GS] [REVIEW: AS AV MD1] | A 6810 | GS | | 23-FEB-98 |
| A | MIL-R-10932N NOT 3 | REFRIGERATORS, PREFABRICATED, PANEL TYPE [CUST: GL YD1 99] [REVIEW: 82 AV CR4 IS MC MD1 SM] | A 4110 | GL | | 11-JUL-97 |
| A | MIL-R-0010932P NOT 1 | REFRIGERATORS, PREFABRICATED, PANEL TYPE [CUST: GL] [REVIEW: AV CR4 IS MD1] | A 4110 | GL | | 03-JUL-97 |
| | MIL-L-10986F(2) NOT 1 | INDICATORS AND TRANSMITTERS: LIQUID, TEMPERATURE AND PRESSURE [CUST: AT YD1 GS] [REVIEW: CR CR4 MC] | A 6620 | GS | | 22-JAN-92 |
| | MIL-B-10997B NOT 1 | BOOSTER M120, PARTS FOR [CUST: AR] | A 1345 | AR | | 27-FEB-97 |
| | MIL-B-11007E NOT 2 | BURSTER, BOMB; AN-M20 [CUST: EA OS 99] | A 1325 | EA | | 19-APR-96 |
| | MIL-C-11015/4C NOT 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK27 [CUST: CR EC 85] [REVIEW: 11 17 19 99 MC MI] | A 5910 | CC | | 02-MAR-87 |
| | MIL-C-11015/20C(2) | CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK12, CK13, CK14, CK15, AND CK16 (USE MIL-C-39014/5) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS MC MI OS SH] | A 5910 | CC | | 14-JUL-83 |
| | MIL-C-11015/25B NOT 2 | CAPACITOR, FIXED, CERAMIC DIELECTRIC, (GENERAL PURPOSE) STYLES CK31 AND CK32 (USE MIL-C-39014/5) [CUST: 85 CC] [REVIEW: 17 99] | A 5910 | CC | | 26-FEB-93 |
| | MIL-C-11015/32A NOT 1 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), (FEED-THRU) STYLE CK99 [CUST: 85] | A 5910 | CC | | 28-OCT-91 |
| A | MIL-R-11019B NOT 2 | REEL UNIT RL&128 (-) G [CUST: CR] [REVIEW: GS] | A 8130 | CR | | 25-APR-97 |
| | MIL-M-11024B NOT 2 | MECHANISM, RECOIL, 155MM HOWITZER [CUST: AR] | A 1025 | AR | | 11-DEC-95 |
| A | MIL-L-11025F NOT 1 | LEAD, PILE-DRIVER, WITH CATWALK [CUST: AT YD1 99] [REVIEW: 84 CC CE MC] | A 3815 | AT | | 09-MAR-98 |
| A | MIL-S-11030F NOT 1 | SEALING COMPOUND, SINGLE-COMPONENT, NON-CURING, POLYSULFIDE BASE [CUST: MR AS 11] [REVIEW: 84 99 AR AT CC CG FSS MI OS SH YD1] | A 8030 | MR | | 23-MAR-98 |
| A | MIL-L-11075G NOT 1 | LOOPS, STRAP FASTENER [CUST: GL 99 IS] [REVIEW: AR CR4 MC MD MI] | A 5340 | IS | | 31-JUL-97 |
| | MIL-C-11080A NOT 1 | COATING, CORROSION-RESISTANT [CUST: EA] | A 8030 | EA | | 28-SEP-95 |
| A | MIL-P-11087G NOT 1 | PIPE, STEEL: GROOVED OR PLAIN ENDS [CUST: AT] [REVIEW: CC] | A 4710 | AT | | 09-MAR-98 |
| | MIL-F-11137C NOT 1 | FILTER, GAS, 150 CFM, M10 [CUST: EA] | A 4240 | EA | | 28-SEP-95 |
| | MIL-F-0011137E(1) NOT 1 | FILTER, GAS, 150 CFM, M10 [CUST: EA] | A 4240 | EA | | 28-SEP-95 |
| | MIL-S-11141F NOT 1 | SMOKE POT, OIL, SGF2, M6 [CUST: EA AS 99] [REVIEW: 70 MC OS] | A 1365 | EA | | 19-APR-96 |
| | MIL-T-11157B(1) NOT 1 | THEODOLITE, DOUBLE CENTER ML-474/GM [CUST: CR 99] | A 6660 | CR | | 08-OCT-65 |
| A | MIL-G-11164A NOT 2 | GRENAD, RIFLE, SMOKE, COLORED, M22A2 METAL PARTS FOR [CUST: AR 99] | A 1330 | AR | | 01-SEP-97 |
| | MIL-B-11188H NOT 1 | BATTERIES, STORAGE: LEAD-ACID, GENERAL SPECIFICATION FOR (METRIC) [CUST: AT YD1 99] [REVIEW: 80 AS CR CR4 GS MC MI] | A 6140 | AT | | 03-JUN-97 |
| | MIL-B-11188/1A NOT 1 | BATTERY, STORAGE, LEAD - ACID, WATERPROOF 12 VOLT (2HN) [CUST: AT YD1 99] | A 6140 | AT | | 03-JUN-97 |
| A | MIL-B-11188/2A NOT 1 | BATTERY, STORAGE, LEAD - ACID, WATERPROOF 24 VOLT (4HN) [CUST: AT] | A 6140 | AT | | 03-JUN-97 |
| M | MIL-C-11218E NOT 3 | CONVEYORS, ROLLER AND WHEEL, GRAVITY AND CONVEYOR SUPPORTS [CUST: AT] [REVIEW: 99 AV IS SA] | A 3910 | AT | | 29-MAY-98 |
| | MIL-A-11221A(2) NOT 2 | ARMING PLUG, MINE, ANTITANK M4 (PRACTICE) AND M4A1 [CUST: AR] | A 1345 | AR | | 27-FEB-97 |
| | MIL-F-11245A NOT 4 | FUZE, MINE, AT, M603 LOADING, ASSEMBLING AND PACKING [CUST: AR] [REVIEW: EA] | A 1390 | AR | | 14-MAR-97 |
| A | MIL-F-11247A NOT 5 | FUZE, MINE, AT, M603 FUZE, MINE, AT, PRACTICE, M604 METAL PARTS FOR [CUST: AR] | A 1390 | AR | | 21-JUL-97 |
| A | MIL-P-11268L NOT 1 | PARTS, MATERIALS, AND PROCESSES USED IN ELECTRONIC EQUIPMENT [CUST: CR] [REVIEW: AT AV CR4 MI] | A GDRQ | CR | | 03-SEP-97 |
| | MIL-P-11268L(1) | PARTS, MATERIALS AND PROCESSES USED IN ELECTRONIC EQUIPMENT [CUST: CR] | A GDRQ | CR | | 20-NOV-85 |
| | MIL-C-11272C(1) SUP 1A | CAPACITORS, FIXED, GLASS DIELECTRIC, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 CG MC MI] | A 5910 | CC | | 11-DEC-91 |
| | MIL-C-11272/1C NOT 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY10 [CUST: CR EC 85] [REVIEW: 17 99 IS MI] | A 5910 | CC | | 29-JAN-93 |
| | MIL-C-11272/2D NOT 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY15 [CUST: CR EC 85] [REVIEW: 17 99 IS MI] | A 5910 | CC | | 29-JAN-93 |
| | MIL-C-11272/3B NOT 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY20 [CUST: CR EC 85] [REVIEW: 17 99 IS MI] | A 5910 | CC | | 29-JAN-93 |
| | MIL-C-11272/4B NOT 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY30 [CUST: CR EC 85] [REVIEW: 17 99 IS MI] | A 5910 | CC | | 29-JAN-93 |
| | MIL-C-11272/12B(1) NOT 1 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY32 [CUST: CR EC 85] [REVIEW: 17 99 MI] | A 5910 | CC | | 30-OCT-89 |
| | MIL-C-11272/13A(3) NOT 1 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY06 [CUST: 85] [REVIEW: 11 19 99] | A 5910 | CC | | 24-AUG-90 |
| | MIL-C-11272/14A(3) NOT 1 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY07 [CUST: 85] [REVIEW: 11 19 99] | A 5910 | CC | | 24-AUG-90 |
| | MIL-C-11272/15A(3) NOT 1 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY08 [CUST: 85] [REVIEW: 11 19 99] | A 5910 | CC | | 24-AUG-90 |
| | MIL-C-11272/16A(1) NOT 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY81 AND CY82 [CUST: CR EC 85] [REVIEW: 17 99 IS MI] | A 5910 | CC | | 29-JAN-93 |
| | MIL-C-11272/17A(1) NOT 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY83 AND CY84 [CUST: CR EC 85] [REVIEW: 17 99 IS MI] | A 5910 | CC | | 29-JAN-93 |
| | MIL-C-11272/18C(2) NOT 2 | CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY85, CY86, CY87, CY88, AND CY89 [CUST: CR EC 85] [REVIEW: 17 99 IS MI] | A 5910 | CC | | 29-JAN-93 |
| A | MIL-D-11309G(1) NOT 1 | DISINFECTANT, FOOD SERVICE [CUST: GL 68] [REVIEW: 03 GS MC MD MS] | A 6840 | SS | | 04-APR-98 |
| A | MIL-S-11310E NOT 2 | STEEL BARS, CARBON, HOT ROLLED, FOR COLD SHAPING INCLUDING COLD EXTRUSION [CUST: AR 84 IS] [REVIEW: MI MR OS] | A 9510 | IS | | 16-JUN-97 |
| | MIL-P-11329E NOT 2 | PRIMER, ELECTRIC, M59, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 22-APR-96 |
| A | MIL-M-11361D(1) NOT 1 | MAGNESIUM CARBONATE [CUST: EA 68 GS] [REVIEW: MD SM] | A 6810 | EA | | 14-OCT-97 |
| | MIL-Z-11410B NOT 2 | ZIRCONIUM-NICKEL ALLOY, POWDERED [CUST: AR OS 99] [REVIEW: MD MR] | A 9630 | AR | | 14-MAR-97 |
| | MIL-C-11460(1) NOT 1 | CLOTH, RAYON (FOR LINERS FOR RECOILLESS CARTRIDGE CASES) [CUST: AR] [REVIEW: CT] | A 1315 | AR | | 14-MAR-97 |
| | MIL-C-11504C NOT 1 | CHARGED, DEMOLITION, BLOCK INERT, 1 POUND PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 22-APR-96 |
| | MIL-B-11507D NOT 2 | BOOSTER, M120, LOADING ASSEMBLING AND PACKING [CUST: AR] [REVIEW: EA] | A 1345 | AR | | 14-MAR-97 |
| A | MIL-H-11511G(3) NOT 1 | HEATER, SPACE, MULTIFUEL, WITH BLOWER 60,000 BTU/HR [CUST: CR4 99] [REVIEW: CC MC MI] | A 4520 | CR4 | | 18-JUL-97 |
| | MIL-F-11522F(1) NOT 1 | FUZE, SMOKE POT, M208 AND FUZE, HAND GRENADE, M226 [CUST: EA OS] [REVIEW: MC] | A 1365 | EA | | 19-APR-96 |
| | MIL-R-11534C(1) NOT 1 | REGULATOR, PRESSURE [CUST: EA MC 99] [REVIEW: 84] | A 1040 | EA | | 19-APR-96 |
| A | MIL-L-11536D(1) NOT 1 | LINK, CARTRIDGE, METALLIC BELT, 20MM: M10 [CUST: AR] | A 1305 | AR | | 01-NOV-95 |
| A | MIL-P-11570C NOT 1 | PYROMETER, INDICATING, THERMOCOUPLES [CUST: AT SH] [REVIEW: GS] | A 6685 | AT | | 09-MAR-98 |
| | MIL-B-11596B NOT 2 | BASE COUPLING, FIRING DEVICE, NON-METALLIC, M2, LOADING, ASSEMBLING AND PACKING [CUST: AR] [REVIEW: CR4] | A 1375 | AR | | 14-MAR-97 |
| A | MIL-C-11605B(1) NOT 1 | CANNON, 155MM GUN M46 [CUST: AR] | A 1025 | AR | | 11-DEC-95 |
| | MIL-A-11610B(1) NOT 1 | ADAPTER, LINE, FILLING, 1-TON CONTAINER, M1 [CUST: EA] [REVIEW: CC] | A 4730 | EA | | 25-MAR-96 |
| | MIL-P-11633D NOT 1 | PROJECTILE, 60-MILLIMETER, MORTAR, M302A1; WP FILLING ASSEMBLY [CUST: EA] | A 1310 | EA | | 28-SEP-95 |
| | MIL-P-11635C NOT 1 | PROJECTILE, 57 MM, SMOKE, WP, M308A1, FILLING ASSEMBLY [CUST: EA] | A 1310 | EA | | 28-SEP-95 |
| | MIL-T-11663K NOT 1 | TRUCK, MATERIALS HANDLING, CONTAINER HOISTING, REAR HOIST, 21,000 TO 32,000 POUNDS GVW, 4X2 [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2320 | AT | | 22-JAN-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-F-11673F NOT 1 | FUZE, SMOKE POT, FLOATING, ELECTRIC, M209 [CUST: EA] [REVIEW: 99] | A 1365 | EA | | 19-APR-96 |
| | MIL-S-11677B NOT 1 | SHELL, HOWITZER, 105-MM, M60, WP, FS, HD, AND H FILING ASSEMBLY [CUST: EA] | A 1315 | EA | | 28-SEP-95 |
| | MIL-C-11693/SB NOT 1 | CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASES), STYLE C220 [CUST: CR EC 85] [REVIEW: 11 CC] | A 5910 | CC | | 17-AUG-88 |
| | MIL-G-11725B(1) NOT 1 | GUN, TWIN 40 MM, SELF-PROPELLED M42A1 [CUST: AT] | A 2350 | AT | | 29-SEP-95 |
| | MIL-C-11762B NOT 2 | CAP, BLASTING, ELECTRIC INERT, ASSEMBLY [CUST: AR] | A 1375 | AR | | 22-APR-96 |
| A | MIL-R-11764A NOT 2 | RESISTOR, DECADE ZM-16 ()/U [CUST: CR 13] [REVIEW: 99 MC MI] | A 6625 | CR | | 25-APR-97 |
| | MIL-P-11807C NOT 1 | PROJECTILE, 155-MM, GUN AND HOWITZER, M104 AND M110, WP, FS, HD AND H FILLING ASSEMBLIES [CUST: EA] [REVIEW: MC] | A 1320 | EA | | 19-APR-96 |
| | MIL-R-11809B NOT 1 | RADAR INTERROGATOR SET AN/TPX-19, 20, 26 AND 27 PACKAGING AND PACKING OF [CUST: CR] | A 5895 | CR | | 11-JAN-89 |
| | MIL-W-11817C NOT 2 | WATTMETER, TS-118()/AP [CUST: CR 99] [REVIEW: 11 MI] | A 6625 | CR | | 29-MAR-96 |
| | MIL-B-11818D NOT 1 | BAROMETER, ANEROID ML-102 [CUST: CR 99] [REVIEW: 80] | A 6660 | CR | | 28-APR-97 |
| | MIL-P-11824C NOT 2 | PRIMER, NO. 1-1/2 [CUST: EA] | A 1375 | EA | | 28-SEP-95 |
| A | MIL-S-11874D NOT 3 | SHOULDER CORD, INFANTRY, BLUE [CUST: IH] | A 8455 | IH | | 02-FEB-98 |
| | MIL-C-11927D NOT 3 | CANNON, 90MM. M41 [CUST: AR] [REVIEW: MC] | A 1015 | AR | | 14-MAR-97 |
| A | MIL-A-11928B NOT 2 | AXLE RL-27() (FOR LAYING FIELD WIRE) [CUST: CR 99] | A 3895 | CR | | 25-APR-97 |
| | MIL-L-11931C NOT 1 | LENS, CAMERA, COPYING LE-50 [CUST: CR 99] [REVIEW: GS] | A 6760 | CR | | 05-OCT-90 |
| A | MIL-M-11982A(1) NOT 2 | MOUNT, A.A., MACHINE GUN, CALIBER .50, M63 (W/SPARE PARTS) [CUST: AR OS] [REVIEW: MC] | A 1005 | AR | | 01-SEP-97 |
| | MIL-S-12030B NOT 1 | SMOKE POT, HC, M1 [CUST: EA OS] [REVIEW: MC] | A 1365 | EA | | 19-APR-96 |
| | MIL-C-12051B NOT 1 | CHEMICAL AGENT, MUSTARD, DISTILLED (HD) [CUST: EA] [REVIEW: MD OS SM] | A 1365 | EA | | 19-APR-96 |
| | MIL-Z-12061B NOT 2 | ZINC CARBONATE, BASIC, TECHNICAL [CUST: EA] [REVIEW: GS MD] | A 6810 | EA | | 19-APR-96 |
| | MIL-W-12062A NOT 2 | WAX, PETROLEUM (METRIC) [CUST: EA] [REVIEW: GS PS] | A 9160 | EA | | 28-SEP-95 |
| | MIL-T-12076A NOT 1 | TIN, STRIP AND SHEET [CUST: EA 99 IS] | A 9535 | IS | | 16-JUN-97 |
| A | MIL-W-12133/5A NOT 1 | WASHER, SPRING TENSION, CURVED, SPRING STEEL [CUST: AR OS 99] [REVIEW: 11 82 AS AT CR4 MC MI YD1] | A 5310 | IS | | 04-APR-98 |
| A | MIL-C-12166 NOT 4 | COPPER ROD FOR CRUSHER CYLINDERS [CUST: AR] | A 1305 | AR | | 21-JUL-97 |
| | MIL-R-12170B NOT 1 | RADIO FREQUENCY TRANSMISSION LINE ASSEMBLY CG-1013()/U (UNITS OF) [CUST: CR] | A 5820 | CR | | 28-APR-97 |
| | MIL-M-12185C NOT 2 | MOTORS, WINDSHIELD WIPER; PNEUMATIC, VACUUM, AND VALVES, CONTROL FOR [CUST: AT YD1] [REVIEW: CC MC] | A 2540 | AT | | 17-MAR-93 |
| | MIL-D-12195D NOT 1 | DRIER, PHOTOGRAPHIC FILM EL-4/U [CUST: CR AS 99] [REVIEW: GS] | A 6740 | CR | | 29-MAR-96 |
| | MIL-S-12211E NOT 1 | SWITCH, PRESSURE [CUST: AT 11 CC] [REVIEW: 85 CR4 MC MI YD1] | A 5930 | CC | | 30-NOV-92 |
| D | MIL-R-12216C NOT 1 | REFLECTOR, LIGHT: ALUMINUM, AND SHIELD, LIGHT: TELESOPING, ALUMINUM [CUST: CR4 99 IS] | A 6210 | IS | | 11-AUG-92 |
| | MIL-T-12236A NOT 2 | TEST SET, ELECTRICAL POWER (TEST SET 1-199) [CUST: CR] | A 6625 | CR | | 29-MAY-96 |
| | MIL-T-12242A NOT 1 | TEST SET, TELEPHONE TS-716()/U [CUST: CR] | A 6625 | CR | | 29-MAR-96 |
| | MIL-B-12264A NOT 1 | BEAM, HOISTING, LIQUID GAS TANK, M1 [CUST: EA] | A 1730 | EA | | 18-JAN-96 |
| | MIL-G-12268(2) NOT 2 | GENERATORS GN-41 AND GN-41B [CUST: CR] [REVIEW: 99] | A 5805 | CR | | 29-MAR-96 |
| A | MIL-N-12279F NOT 1 | NOZZLE, FIRE HOSE, FOAM [CUST: AV YD1] [REVIEW: CC CG SH] | A 4210 | AV | | 31-MAR-98 |
| | MIL-C-12280A NOT 1 | CARTRIDGE, ABSORBENT, M2 [CUST: EA] | A 4240 | EA | | 28-SEP-95 |
| | MIL-W-12307C NOT 1 | WRENCH, VALVE-REMOVING, M1 AND M2 [CUST: EA] [REVIEW: GL] | A 5120 | EA | | 19-APR-96 |
| A | MIL-N-12314E NOT 1 | NOZZLE, FIRE HOSE, WATER, SPRAY AND STEAM [CUST: AV YD1 99] [REVIEW: 84 CC MC] | A 4210 | AV | | 10-APR-98 |
| | MIL-M-12320A(4) NOT 1 | MAST BASE, SECTION AND ADAPTER KIT [CUST: CR] [REVIEW: CC] | A 5985 | CR | | 29-MAY-96 |
| | MIL-G-12326K(3) NOT 1 | GRENADE, HAND, SMOKE M18 [CUST: EA] | A 1330 | EA | | 28-SEP-95 |
| | MIL-G-12327J NOT 1 | GRENADE, HAND, SMOKE, HC, M8 [CUST: EA MC 99] [REVIEW: 70] | A 1330 | EA | | 19-APR-96 |
| A | MIL-T-12333C NOT 2 | TEST SET, CRYSTAL UNIT, QUARTZ TS-710/TSM [CUST: CR 99] | A 6625 | CR | | 25-APR-97 |
| A | MIL-H-12340C(2) NOT 1 | HEATER, SPACE (YUKON, M-1950, WITH ACCESSORIES) [CUST: GL YD1 99] [REVIEW: 84 CR4 IS MD1 MS] | A 4520 | GL | | 19-AUG-97 |
| | MIL-A-12391B NOT 1 | APPARATUS, FILLING, FIELD, LAND MINE, M2 [CUST: EA] | A 1040 | EA | | 28-SEP-95 |
| A | MIL-T-12400A NOT 2 | TEST SET, BATTERY TS-776/U [CUST: CR] | A 6625 | CR | | 25-APR-97 |
| | MIL-W-12404E NOT 1 | WIND MEASURING SET AN/GMQ-11 (UNITS OF) [CUST: CR 99] | A 6660 | CR | | 29-MAR-96 |
| | MIL-R-12405D NOT 2 | RECORDER, WIND DIRECTION AND SPEED RO-20/GMQ [CUST: CR] [REVIEW: 99] | A 6660 | CR | | 29-MAR-96 |
| | MIL-T-12407X NOT 1 | TRUCKS: PATIENT TRANSPORT, VAN CONVERSION, DIESEL OR GASOLINE ENGINE DRIVEN, 4X2 AND 4X4, MODIFIED COMMERCIAL [CUST: AT] | A 2310 | AT | | 13-DEC-96 |
| A | MIL-C-12423C NOT 1 | CABLE, TELEPHONE, WD-33/U [CUST: CR 85 IS] [REVIEW: MC] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-T-12424D NOT 2 | TEST SET, ELECTRON TUBE TV-7 0/U [CUST: CR SH 99] [REVIEW: CC CR4 EC MI] | A 6625 | CR | | 25-APR-97 |
| | MIL-I-12446B NOT 2 | INTERCOMMUNICATION STATION AND LOUDSPEAKER, MAGNETIC INTERCOMMUNICATION STATION LS-130-F1 AND LOUDSPEAKER LS-114/U [CUST: CR 99] | A 5830 | CR | | 29-MAY-96 |
| | MIL-F-12476 NOT 1 | FILLING, METHOD OF, H. SHELL, CHEMICAL, 4.2-INCH, M2, M2 ALTERNATE, M2A1, AND M2A1 ALTERNATE [CUST: EA] | A 1315 | EA | | 25-SEP-95 |
| | MIL-S-12479B(1) NOT 2 | SWITCHBOARD, TELEPHONE, MANUAL SB-993()/GT (UNITS OF) [CUST: CR] | A 5805 | CR | | 29-MAR-96 |
| A | MIL-S-12515C NOT 2 | SURFACE HARDENING: FLAME AND INDUCTION (FOR FERROUS ALLOYS) [CUST: MR SH 11] [REVIEW: 13 AS DH EC PT] | A MFFP | MR | | 25-MAR-98 |
| | MIL-G-12519(2) NOT 2 | GENERATOR, RINGING, HAND GN-38-3 [CUST: CR] [REVIEW: 99] | A 5805 | CR | | 29-MAR-96 |
| | MIL-M-12563 NOT 2 | MANIFOLD, GAS CYLINDER (MANIFOLD ML-344/TMQ-3) [CUST: CR] [REVIEW: CC] | A 3655 | CR | | 29-MAY-96 |
| A | MIL-W-12567C(1) NOT 1 | WIRE STRAND, STEEL (WIRES WS-3/U, WS-4/U, W-90, W-115, AND W-116) [CUST: CR YD1 82 IS] [REVIEW: AR GL MC] | A 4010 | IS | | 16-JUN-97 |
| | MIL-I-12597C(2) NOT 1 | IGNITER, BLASTING FUSE, FRICTION TYPE, M3A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 22-APR-96 |
| A | MIL-G-12604H NOT 1 | GENERATOR, ENGINE ACCESSORY DIRECT CURRENT 28 VOLT, 25 AMPERE [CUST: AT AS 99] [REVIEW: CC MC] | A 2920 | AT | | 20-JAN-98 |
| | MIL-R-12605A NOT 3 | RIFLE, 57MM, M18A1 [CUST: AR] | A 1010 | AR | | 29-NOV-95 |
| | MIL-T-12612 NOT 1 | THEODOLITE MOUNT ML 180 [CUST: CR 99] [REVIEW: GS MI] | A 6675 | CR | | 29-MAY-96 |
| A | MIL-A-12636B NOT 2 | ANALYZER ZM-3/U [CUST: CR AS 99] [REVIEW: CR4 MC MI] | A 6625 | CR | | 25-APR-97 |
| | MIL-I-12637B NOT 2 | INTERCOMMUNICATION STATIONS LS-124()/F1, LS-125()/F1, LS-126()/F1, LS-127()/F1, LS-128()/F1, LS-138()/F1, LS-200()/F1, LS-201()/F1, LS-202()/F1 [CUST: CR] | A 5830 | CR | | 29-MAY-96 |
| A | MIL-S-12653B NOT 1 | SIGHT, LEAD COMPUTING, AUTOMATIC, M38 [CUST: AR] | A 1220 | AR | | 11-DEC-95 |
| | MIL-I-12659A(1) NOT 1 | INVERTER, 350 VOLT AMPERE [CUST: AR] [REVIEW: GS] | A 6125 | AR | | 29-JAN-96 |
| A | MIL-T-12681A NOT 2 | TEST SET, TELEPHONE (TEST SET TS-190)/U [CUST: CR YD1 99] [REVIEW: AR MC] | A 6625 | CR | | 25-APR-97 |
| A | MIL-C-12684D NOT 1 | CANNON, 155MM HOWITZER: M1A1 CANNON, 155MM HOWITZER: M1A2 [CUST: AR] | A 1025 | AR | | 08-AUG-97 |
| A | MIL-M-12696 NOT 1 | MOUNT, QUADRANT, M1 (WITH EQUIPMENT) [CUST: AR] | A 1290 | AR | | 08-AUG-97 |
| A | MIL-M-12697A(1) NOT 1 | MOUNT, TELESCOPE, M21A1 [CUST: AR] | A 1240 | AR | | 08-AUG-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|--------------|----------|-----|-------------|-----------|
| A | MIL-S-12709 NOT 1 | SIGHT, M4 (WITH CARRYING CASE) [CUST: AR] | A | 1240 | AR | | 08-AUG-97 |
| A | MIL-Q-12713D(1) NOT 1 | QUADRANT, FIRE CONTROL, GUNNER S M1A1 [CUST: AR] | A | 1290 | AR | | 08-AUG-97 |
| | MIL-F-12716A NOT 1 | FILTER, LIGHT, TELESCOPIC INSTRUMENTS, LAMINATED [CUST: AR] [REVIEW: AT] | A | 1240 | AR | | 11-DEC-95 |
| | MIL-F-12717 NOT 1 | FILTER, RAY, GLASS, FINISHED, AND BLANKS AND PLATES [CUST: AR] | A | 1240 | AR | | 22-APR-96 |
| | MIL-B-12719C NOT 4 | BAG, CANVAS, CARRYING FOR DEMOLITION EQUIPMENT [CUST: AR] | A | 1375 | AR | | 22-APR-96 |
| | MIL-R-12744A NOT 2 | RELAY, M1, LOADING, ASSEMBLING, AND PACKING [CUST: AR] [REVIEW: MI] | A | 1375 | AR | | 14-MAR-97 |
| | MIL-T-12756A NOT 2 | TEST SET, BATTERY TESTER TS-183()/U [CUST: CR 99] [REVIEW: MI] | A | 6625 | CR | | 29-MAR-96 |
| | MIL-M-12760B(1) NOT 4 | MINE, ANTI-PERSONNEL NON-METALLIC, M14E1 WITH INTEGRAL FUZE PARTS FOR [CUST: AR] | A | 1345 | AR | | 15-NOV-96 |
| | MIL-P-12764G(7) NOT 1 | PROJECTILE, 4.2 INCH, ILLUMINATING, M335A2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A | 1315 | AR | | 29-JAN-96 |
| | MIL-F-12774D(1) NOT 2 | FUZE, MINE, COMBINATION, M605 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A | 1345 | AR | | 22-APR-96 |
| | MIL-F-12777A NOT 2 | FUZE, MINE, AT, PRACTICE: M604 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A | 1345 | AR | | 22-APR-96 |
| | MIL-D-12798C NOT 2 | DETONATOR, FLASH, M49 PARTS FOR LOADING, ASSEMBLING AND PACKING [CUST: AR] | A | 1375 | AR | | 22-APR-96 |
| | MIL-P-12815B(1) NOT 2 | POWER SOURCE, PIEZOID (LUCKY) [CUST: AR] | A | 1315 | AR | | 08-FEB-96 |
| | MIL-I-12822C NOT 2 | IGNITER, ROCKET MOTOR, M26 PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A | 1340 | AR | | 22-APR-96 |
| A | MIL-A-12831D NOT 2 | ACTIVATOR, M2, PARTS FOR [CUST: AR] | A | 1345 | AR | | 08-AUG-97 |
| | MIL-D-12852A(1) NOT 2 | DIAL, TELEPHONE (DIAL TA-45()/GT) [CUST: CR] [REVIEW: 99] | A | 5805 | CR | | 29-MAR-96 |
| | MIL-S-12875B NOT 1 | SHEET, PREFORATED, METAL [CUST: EA SH IS] [REVIEW: AS MI MR OS] | A | 9515 | IS | | 16-JUN-97 |
| | MIL-S-12883/9B NOT 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE, TOP MOUNTING, SADDLE TYPE WITHOUT SHIELD BASE, 9 CONTACT, RADIAL) [CUST: CR SH 11 CC] [REVIEW: 17 19 99 AS AT AV CG CR4 MC MI OS] | A | 5935 | CC | | 06-SEP-88 |
| | MIL-S-12883/22A(1) NOT 1 | SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (SOCKET-RELAY, ELECTRICAL, 20 CONTACT, 5 AMPERES) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AT AV CG CR4 MC MI OS] | A | 5935 | CC | | 31-OCT-91 |
| | MIL-C-12889A(3) NOT 1 | CAPACITORS, BY-PASS, RADIO-INTERFERENCE REDUCTION, PAPER DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES), GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 11 99 AR AS AT CR4 MC MI] | A | 5910 | CC | | 17-AUG-88 |
| | MIL-C-12889/1B NOT 2 | CAPACITORS, BY-PASS, RADIO-INTERFERENCE REDUCTION, PAPER DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES), STYLES CA32, CA33, AND CA34 [CUST: CR EC 85] | A | 5910 | CC | | 16-MAY-94 |
| | MIL-C-12889/2B NOT 2 | CAPACITORS, BY-PASS, RADIO-INTERFERENCE REDUCTION, PAPER DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES), STYLES CA36, CA37, AND CA38 [CUST: CR EC 85] | A | 5910 | CC | | 16-MAY-94 |
| | MIL-C-12918C NOT 2 | CHARGE, DEMOLITION, BLOCK, M5A1, ASSEMBLY PARTS FOR, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A | 1375 | AR | | 22-APR-96 |
| | MIL-C-12926E(5) NOT 1 | CARTRIDGE, 4.2 INCH, ILLUMINATING, M335A2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A | 1315 | AR | | 29-JAN-96 |
| | MIL-C-12927B(1) NOT 1 | CARTRIDGE, IGNITION, M2E1 PARTS FOR, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A | 1315 | AR | | 22-APR-96 |
| | MIL-M-12942F(1) NOT 4 | MOUNT, 106MM RECOILLESS RIFLE, M79 AND M92 WITH TRIPOD: M27 [CUST: AR] [REVIEW: MC] | A | 1015 | AR | | 14-MAR-97 |
| | MIL-P-12951F(1) NOT 3 | PRIMER, PERCUSSION, M39A1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] [REVIEW: EA OS] | A | 1375 | AR | | 29-JAN-96 |
| | MIL-P-12953A(1) NOT 2 | PUBLIC ADDRESS SET (REPRODUCING EQUIPMENT MC-364 AND PUBLIC ADDRESS SET AN/UIH-2 [CUST: CR 99]) | A | 5830 | CR | | 29-MAY-96 |
| | MIL-D-12957C NOT 2 | DESTRUCTOR, HE, UNIVERSAL, M10 ASSEMBLY PARTS, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A | 1375 | AR | | 22-APR-96 |
| | MIL-M-12971B NOT 2 | MECHANISM, VALVE REPLACEMENT, M1 [CUST: EA] [REVIEW: CC] | A | 4940 | EA | | 25-MAR-96 |
| A | MIL-W-12995B NOT 1 | WIRE, ELECTRICAL, ANTENNA (WIRE, W-120) [CUST: CR IS] | A | 6145 | IS | | 16-JUN-97 |
| | MIL-L-12997F NOT 2 | LINK, CARTRIDGE, METALLIC BELT, 20MM: M12 [CUST: AR] | A | 1305 | AR | | 05-JUN-96 |
| | MIL-P-13041E NOT 1 | PROJECTILE, 4.2 INCH, SMOKE, M328A1, WP FILLING [CUST: EA 99] [REVIEW: 70 MC] | A | 1315 | EA | | 19-APR-96 |
| | MIL-D-13060B NOT 4 | DYNAMOTOR-POWER SUPPLY DY-105/GRC-9X [CUST: CR] | A | 5820 | CR | | 29-MAR-96 |
| | MIL-S-13065C(1) NOT 1 | SHELL FOR CARTRIDGE, 4.2-INCH MORTER, M2, M2 ALTERNATE, M2A1 AND M2A1 ALTERNATE HD FILING ASSEMBLY [CUST: EA MC] [REVIEW: OS] | A | 1315 | EA | | 28-MAR-96 |
| A | MIL-W-13074A NOT 1 | WIRE, ELECTRICAL (WIRE W-27 AND WIRE WS-19()/U) [CUST: CR IS] | A | 6145 | IS | | 16-JUN-97 |
| | MIL-W-13075(1) NOT 1 | WIRE, ELECTRICAL (W-124, W-125 AND W-128) [CUST: CR IS] | A | 6145 | IS | | 07-OCT-91 |
| A | MIL-C-13077A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL (CORDAGE CO-212 AND CABLE, SPECIAL PURPOSE, ELECTRICAL WD-32/U) [CUST: CR IS] | A | 6145 | IS | | 16-JUN-97 |
| A | MIL-M-13081F(3) NOT 1 | MIXER, ROTARY TILLER, SOIL STABILIZATION, SELF-PROPELLED [CUST: AT YD1] | A | 3895 | AT | | 09-MAR-98 |
| A | MIL-M-13130C NOT 2 | METER, AUDIO LEVEL TS-585()/U [CUST: CR] | A | 6625 | CR | | 25-APR-97 |
| | MIL-T-13133C NOT 1 | THERMOMETERS, SELF-INDICATING, LIQUID-IN-GLASS ML-4380/PMQ-1, ML-4390/PMQ-1, ML-4400/PMQ-1, AND ML-4880/PM [CUST: CR 99] | A | 6660 | CR | | 29-MAR-96 |
| | MIL-I-13145 NOT 2 | IGNITER, ELECTRIC, T14E2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A | 1340 | AR | | 22-APR-96 |
| A | MIL-W-13154A NOT 2 | WIRE, ELECTRICAL; ANTENNA, HIGH FREQUENCY, (WIRE W-146) [CUST: CR IS] | A | 6145 | IS | | 16-JUN-97 |
| A | MIL-W-13169B NOT 2 | WIRE, ELECTRICAL (FOR INSTRUMENT TEST LEADS) [CUST: CR 85 IS] [REVIEW: DS MI] | A | 6145 | IS | | 16-JUN-97 |
| | MIL-S-13183B(1) NOT 1 | SMOKE POT, HC, 30 POUND, ABC M5 [CUST: EA 99] | A | 1365 | EA | | 19-APR-96 |
| | MIL-S-0013183C(1) NOT 1 | SMOKE POT, HC, 30 POUND, ABC-M5 [CUST: EA] | A | 1365 | EA | | 28-SEP-95 |
| | MIL-B-13207D NOT 2 | BODY, VAN, VEHICLE-MOUNTED, GENERAL SPECIFICATION FOR [CUST: AT] | A | 2510 | AT | | 13-DEC-96 |
| | MIL-B-13207/1 NOT 2 | BODY, VAN, VEHICLE-MOUNTED, ISO SIZE 10 [CUST: AT] [REVIEW: GL] | A | 2510 | AT | | 13-DEC-96 |
| | MIL-B-13207/2 NOT 2 | BODY, VAN, VEHICLE-MOUNTED, ISO SIZE 20 [CUST: AT] [REVIEW: GL] | A | 2510 | AT | | 13-DEC-96 |
| | MIL-B-13207/3 NOT 2 | BODY, VAN, VEHICLE-MOUNTED, ISO SIZE 30 [CUST: AT] [REVIEW: GL] | A | 2510 | AT | | 13-DEC-96 |
| | MIL-B-13207/4 NOT 2 | BODY, VAN, VEHICLE-MOUNTED, ISO SIZE 40 [CUST: AT] | A | 2510 | AT | | 13-DEC-96 |
| | MIL-G-13210 NOT 1 | GASKET, RUBBER [CUST: EA] [REVIEW: GS] | A | 4240 | EA | | 29-MAR-96 |
| A | MIL-H-13220C(1) NOT 1 | HOOK, SLIDING CHOKER (FOR USE WITH WIRE ROPE) [CUST: CR4 SH 99 IS] [REVIEW: CR GL YD1] | A | 4030 | IS | | 01-OCT-97 |
| A | MIL-P-13232B(2) NOT 1 | POST, AIMING, M1A2 [CUST: AR] | A | 1290 | AR | | 08-AUG-97 |
| A | MIL-W-13241A NOT 1 | WIRE, ELECTRICAL, ANTENNA (WIRE WS-12/U AND WIRE WS-13/U) [CUST: CR IS] | A | 6145 | IS | | 16-JUN-97 |
| | MIL-D-13242 NOT 1 | DRUM, PACKING; FOR M4A2 FLOATING SMOKE POT [CUST: EA] | A | 1365 | EA | | 28-SEP-95 |
| A | MIL-C-13251C(1) NOT 2 | CANNON, 8 INCH HOWITZER, M2A2 [CUST: AR] | A | 1030 | AR | | 27-AUG-97 |
| | MIL-H-13253/4A NOT 1 | HANDSET, TYPE H-23()/U [CUST: CR SH CC] [REVIEW: 99 AR AS CG MC MI] | A | 5965 | CC | | 25-MAR-88 |
| A | MIL-C-13273(3) NOT 2 | CORD, ELECTRICAL (RETRACTILE, 2, 3 AND 4 CONDUCTOR, WD-9/U, WT-2/U, WF-4/U) [CUST: CR 85 IS] [REVIEW: MI] | A | 6145 | IS | | 16-JUN-97 |
| A | MIL-W-13276A(1) NOT 1 | WIRE, ELECTRICAL, ANTENNA, (WIRE W-28) [CUST: CR IS] | A | 6145 | IS | | 16-JUN-97 |
| A | MIL-D-13284 NOT 1 | DEVICE, AIMING, M2, (R.H) AND DEVICE, AIMING L.H [CUST: AR] | A | 1240 | AR | | 08-AUG-97 |
| | MIL-T-13285B(2) NOT 1 | TRIPODS: M15 AND M17 [CUST: AR] | A | 6650 | AR | | 22-APR-96 |
| | MIL-T-13300E NOT 1 | TRUCKS, HOPPER: COAL DELIVERY, CONVEYOR TYPE, DIESEL ENGINE DRIVEN, 24,000 GVW, 4X2 AND 39,500 GVW, 6X4, MODIFIED COMMERCIAL [CUST: AT] | A | 2320 | AT | | 21-SEP-95 |
| A | MIL-M-13306A NOT 1 | MOUNT, TELESCOPE, T189 [CUST: AR] | A | 1290 | AR | | 08-AUG-97 |
| | MIL-T-13333B(3) NOT 1 | TELESCOPE, M49 [CUST: AR] | A | 6650 | AR | | 22-APR-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-S-13352A NOT 3 | SIGHT UNIT, M34 SERIES [CUST: AR] [REVIEW: MC] | A 1240 | AR | | 14-MAR-97 |
| | MIL-C-13358F(1) NOT 1 | COBALT-CHROMIUM ALLOY CASTINGS (FOR BARREL TUBE LINERS) [CUST: AR] | A MECA | AR | | 22-APR-96 |
| A | MIL-A-13374E NOT 4 | ADHESIVE, DEXTRIN, FOR USE IN AMMUNITION CONTAINERS [CUST: AR OS 99] [REVIEW: 84 SA] | A 8040 | AR | | 03-MAR-98 |
| | MIL-S-13387(1) NOT 1 | SIGHT, REFLEX, M18 [CUST: AR] | A 1240 | AR | | 27-FEB-97 |
| | MIL-T-13391 NOT 1 | TORPEDO, BANGALORE, M1A1 INERT ASSEMBLY [CUST: AR] | A 1375 | AR | | 22-APR-96 |
| | MIL-P-13392B(3) NOT 1 | PRIMER, PERCUSSION, M54 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 22-APR-96 |
| | MIL-B-13393E NOT 1 | BOMB, SMOKE OR INCENDIARY, AN-M474, 100-LB, INERT COMPONENTS FOR [CUST: EA] | A 1325 | EA | | 28-SEP-95 |
| | MIL-T-13405E(1) NOT 1 | TITANIUM, TECHNICAL, POWDER [CUST: EA] [REVIEW: GS MD] | A 6810 | EA | | 19-APR-96 |
| A | MIL-P-13436A(1) NOT 2 | PLASTIC SHEET, FILLED PHENOLIC, UNCURED (NO S/S DOCUMENT) [CUST: CR SH 11] | A 9330 | CR | | 22-SEP-97 |
| A | MIL-R-13442C NOT 1 | REELING MACHINE, CABLE, HAND, ADJUSTABLE AND COLLAPSIBLE [CUST: CR 99] [REVIEW: CC CE CR4] | A 3895 | CR | | 25-APR-97 |
| | MIL-T-13458B NOT 1 | TELESCOPE PANORAMIC, M12A7 SERIES [CUST: AR] | A 1240 | AR | | 28-NOV-95 |
| | MIL-C-13459B NOT 1 | CASE, BINOCULAR, M62A1 AND M63A1 [CUST: AR] | A 6650 | AR | | 22-APR-96 |
| | MIL-S-13468A(1) NOT 2 | STEEL, COPPER ALLOY CLAD, STRIP (FOR SMALL CALIBER BULLET JACKETS) [CUST: AR] | A 1305 | AR | | 07-DEC-95 |
| | MIL-C-13473C(3) NOT 2 | CARTRIDGE, 106MM, HEAT, M344A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 29-JAN-96 |
| | MIL-S-13498 NOT 1 | SOLENOID, FIRING, D7665749 AND F8208586 [CUST: AR] [REVIEW: CC] | A 5945 | AR | | 14-MAR-97 |
| | MIL-B-13501D NOT 1 | BEARINGS AND BUSHINGS, BRASS AND BRONZE, MACHINED OR FORMED [CUST: MI] [REVIEW: IS SM] | A 3120 | MI | | 28-MAR-96 |
| A | MIL-G-13507 NOT 1 | GEAR, OIL M6A1E1 [CUST: AR] | A 1290 | AR | | 08-AUG-97 |
| | MIL-M-13508C(1) NOT 2 | MIRROR, FRONT SURFACED ALUMINIZED: FOR OPTICAL ELEMENTS [CUST: AR SH 99] [REVIEW: AV CR4 MI OS] | A 6650 | AR | | 14-MAR-97 |
| | MIL-C-13510 NOT 1 | COATED CELLOPHANE FILM FOR INCREMENT CHARGE CONTAINERS. [CUST: AR] | A 8140 | AR | | 27-FEB-97 |
| | MIL-D-13512B NOT 2 | DELAY ELEMENT, NON-DELAY M1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 22-APR-96 |
| A | MIL-H-13514H NOT 1 | HEATERS, SPACE, RADIANT TYPE, PORTABLE, 45,000 BTU/HR, (H-45) [CUST: GL YD1 99] [REVIEW: 84 IS MD1] | A 4520 | GL | | 29-JUL-97 |
| A | MIL-H-13528B NOT 3 | HYDROCHLORIC ACID, INHIBITED, RUST-REMOVING [CUST: MR GS] [REVIEW: AT AV CR4 MD1 MI SM] | A 6850 | GS | | 20-JAN-98 |
| | MIL-F-13549F(5) NOT 1 | FILE DESTROYER, INCENDIARY, ABC-M4 [CUST: AR OS] [REVIEW: MC] | A 1375 | AR | | 05-JUN-96 |
| | MIL-A-13550E(1) NOT 2 | ANTIFOGGING KIT, M1 [CUST: EA] [REVIEW: GS] | A 6850 | EA | | 25-MAR-96 |
| | MIL-T-13558B NOT 2 | TARGET, PAPER AND PAPER ACCESSORIES [CUST: AR TD 99] [REVIEW: MC] | A 6920 | AR | | 05-JUN-96 |
| | MIL-T-13559B NOT 1 | TARGET EQUIPMENT [CUST: AR TD 99] | A 6920 | AR | | 31-JAN-96 |
| | MIL-T-13560D NOT 2 | TARGET, PASTEBOARD AND POLYETHYLENE [CUST: AR TD 99] [REVIEW: MC OS] | A 6920 | AR | | 31-JAN-96 |
| A | MIL-S-13572C(1) NOT 1 | SPRINGS, HELICAL, COMPRESSION AND EXTENSION [CUST: AR OS 99 IS] [REVIEW: AT AV CR4 MI YD1] | A 5360 | IS | | 01-OCT-97 |
| | MIL-R-13577C NOT 4 | ROD, CLEANING, FOR SMALL ARMS [CUST: AR OS 99] [REVIEW: MC] | A 1005 | AR | | 14-MAR-97 |
| | MIL-T-13626B(1) NOT 2 | TELEPHONE SET TA-1()/PT [CUST: CR 99] | A 5805 | CR | | 29-MAR-96 |
| A | MIL-D-13670C NOT 2 | DETONATOR, STAB, M63 PARTS FOR LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 09-JUL-96 |
| | MIL-C-13678B NOT 3 | CANNON, 37MM GUN, SUBCALIBER: M13 (NO S/S DOCUMENT) [CUST: AR] | A 1010 | AR | | 29-NOV-95 |
| A | MIL-M-13685F(1) NOT 2 | MINE, AT, NM, M19 WITH ARMING WRENCH M22 LOADING ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 09-JUL-96 |
| A | MIL-M-13693A(1) NOT 4 | MINE, APERS, NM, M14E1 WITH INTEGRAL FUZE, LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1345 | AR | | 23-JUL-97 |
| | MIL-C-13724A(12) NOT 1 | CHARCOAL, ACTIVATED, IMPREGNATED, ASC [CUST: EA] | A 6810 | EA | | 19-APR-96 |
| | MIL-C-13743A NOT 2 | CORE, STEEL, HARDENER, FOR ARMOR-PIERCING TYPES OF SMALL-ARMS AMMUNITION [CUST: AR] | A 1305 | AR | | 31-JAN-96 |
| | MIL-L-13751C NOT 1 | LACTOSE, TECHNICAL (METRIC) [CUST: EA] [REVIEW: GS MD] | A 6810 | EA | | 25-MAR-96 |
| M | MIL-C-13777G(1) SUP 1 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, CONDUCTORS GENERAL SPECIFICATION FOR [CUST: AR AS 85 CC] [REVIEW: 11 17 AT CR CR4 EC MC MI] | A 6145 | CC | | 01-JUN-98 |
| M | MIL-C-13777J(2B) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL 6, 7, 8, 9, 10, 12, 13, AND 15 CONDUCTORS [CUST: AR SH 17 CC] [REVIEW: 11 AT CR CR4 EC MC MI] | A 6145 | CC | | 01-JUN-98 |
| M | MIL-C-13777J(3A) NOT 1 | CABLE SPECIAL PURPOSE ELECTRICAL 16, 17, 19 AND 20 CONDUCTORS [CUST: AR SH 17 CC] [REVIEW: 11 19 CE CR MC MI] | A 6145 | CC | | 01-JUN-98 |
| M | MIL-C-13777J(4B) NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL 21, 22, 24, 26, 27, 28, AND 32 CONDUCTORS [CUST: AR SH 17 CC] [REVIEW: 11 AT CR CR4 MC MI] | A 6145 | CC | | 01-JUN-98 |
| M | MIL-C-13777J(6B) NOT 2 | CABLE, SPECIAL PURPOSE, ELECTRICAL, 60, 65, AND 78 CONDUCTORS [CUST: AR SH 17 CC] [REVIEW: 11 AT CR CR4 MC MI] | A 6145 | CC | | 01-JUN-98 |
| | MIL-V-13811D NOT 1 | VARNISH, WATERPROOFING, ELECTRICAL, IGNITION [CUST: AR YD1 99] [REVIEW: AT EA IS MC SA SM] | A 8010 | AR | | 14-MAR-97 |
| | MIL-P-13850C(2) NOT 2 | PANEL MARKER, AERIAL LIAISON, COTTON SHEETING PANEL AL-121, WHITE AND PANEL AL-122, BLACK [CUST: IH 11] [REVIEW: 45 82 99 CT] | A 8345 | IH | | 05-JUN-95 |
| | MIL-W-13855D NOT 2 | WEAPON, SMALL ARMS AND AIRCRAFT ARMAMENT SUBSYSTEMS, GENERAL SPECIFICATION FOR [CUST: AR OS 99] [REVIEW: AS AV MC] | A 1005 | AR | | 09-FEB-95 |
| | MIL-W-13855D(14) | WEAPONS: SMALL ARMS AND AIRCRAFT ARMAMENT SUBSYSTEMS, GENERAL SPECIFICATION FOR [CUST: AR] | A 1005 | AR | | 09-OCT-84 |
| A | MIL-I-13857B(1) NOT 2 | IMPREGNATION OF METAL CASTINGS [CUST: MR SH 11] [REVIEW: 13 AR AS DH EC PT] | A MFFP | MR | | 23-MAR-98 |
| | MIL-C-13864B NOT 1 | CANISTER, CHEMICAL-BIOLOGICAL MASK: M10A1 [CUST: EA] | A 4240 | EA | | 28-SEP-95 |
| | MIL-R-13873 NOT 1 | REEL, WIRE, FIRING MODEL 1942 [CUST: AR] | A 1375 | AR | | 10-FEB-97 |
| A | MIL-C-13874K NOT 1 | COMPRESSORS, RECIPROCATING AND ROTARY, AIR, ELECTRIC MOTOR DRIVEN [CUST: AT YD1] [REVIEW: CC MC] | A 4310 | AT | | 09-MAR-98 |
| | MIL-C-13882 NOT 1 | CHARGE, EXPLOSIVE, SPRINGING FOR ROD, EARTH, BLAST-DRIVEN, M13 [CUST: AR] | A 1375 | AR | | 09-JUL-96 |
| | MIL-C-13892A NOT 2 | CABLE, TELEPHONE (FLEXIBLE) (CORDS AND CORDAGE, MULTIPAIR) [CUST: CR IS] | A 6145 | IS | | 24-JAN-91 |
| | MIL-F-13893E(5) NOT 2 | FIRING DEVICE, DEMOLITION, DELAY TYPE, M1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 09-JUL-96 |
| A | MIL-C-13899F NOT 1 | COMPRESSOR UNIT, ROTARY, AIR WHEELBARROW FRAME MOUNTED, TWO PNEUMATIC TIRES, GASOLINE ENGINE DRIVEN, 60 CFM, 6.5 PSIG [CUST: AT] [REVIEW: CC] | A 4310 | AT | | 09-MAR-98 |
| A | MIL-T-13906H NOT 1 | TABLES, WORK, MAINTENANCE [CUST: AL] [REVIEW: CC MI] | A 4910 | AL | | 06-APR-98 |
| | MIL-F-13926B(5) NOT 1 | FIRE CONTROL MATERIEL, MANUFACTURE AND INSPECTION, GENERAL SPECIFICATION FOR [CUST: AR] | A 12GP | AR | | 09-FEB-95 |
| | MIL-C-13931H(1) NOT 1 | CANNON: GENERAL SPECIFICATION FOR [CUST: AR] [REVIEW: MC OS] | A 10GP | AR | | 14-MAR-97 |
| | MIL-R-13947B(7) NOT 2 | RECEIVER, RADIO (RADIO RECEIVER R-390()/URR) [CUST: CR] [REVIEW: 99 MI] | A 5820 | CR | | 29-MAR-96 |
| A | MIL-S-13949H(2) SUP 1 NOT 1 | SHEET, PRINTED WIRING BOARD, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 11 16 19 99 AR AS CG MC MI OS SH] | A 5998 | CC | | 01-AUG-97 |
| | MIL-S-13949/2C | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL GB (WOVEN E-GLASS REINFORCEMENT, MAJORITY POLYFUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, METAL CLAD OR UNCLAD) [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A 5998 | CC | | 06-JUN-94 |
| A | MIL-S-13949/4D(1) NOT 1 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL GF (WOVEN E-GLASS REINFORCEMENT, MAJORITY DIFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI NS OS SH] | A 5998 | CC | | 01-AUG-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-S-13949/5D NOT 1 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL GH (WOVEN E-GLASS REINFORCEMENT, MAJORITY POLYFUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, FLAME RESISTANT, METAL CLAD OR UNCLAD) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI NS OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-P-13949/6D NOT 2 | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD [CUST: CR EC 17] [REVIEW: 19 85 AR AS AT CR4 MC MI OS SH] | A 5999 | CC | | 01-AUG-97 |
| A | MIL-P-13949/7E NOT 2 | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, NONWOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, FOR MICROWAVE APPLICATION, COPPER-CLAD [CUST: CR EC 17] [REVIEW: 11 19 99 AR AS AT CR4 MC MI OS SH] | A 5999 | CC | | 01-AUG-97 |
| A | MIL-P-13949/8D NOT 2 | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GT, GLASS BASE, WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD [CUST: CR EC 17] [REVIEW: 19 85 AR AS AT CR4 MC MI OS SH] | A 5999 | CC | | 01-AUG-97 |
| A | MIL-P-13949/9D NOT 2 | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GX, GLASS BASE, WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, FOR MICROWAVE APPLICATION, COPPER-CLAD [CUST: CR EC 17] [REVIEW: 19 85 AR AS AT CR4 MC MI OS SH] | A 5999 | CC | | 01-AUG-97 |
| A | MIL-S-13949/10C NOT 1 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL GI (WOVEN E-GLASS REINFORCEMENT, POLYIMIDE RESIN, HEAT RESISTANT, METAL CLAD OR UNCLAD) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI NS OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/11B NOT 1 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GE (WOVEN E-GLASS REINFORCEMENT, MAJORITY DIFUNCTIONAL EPOXY RESIN) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/12B NOT 1 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GF (WOVEN E-GLASS REINFORCEMENT, MAJORITY DIFUNCTIONAL EPOXY RESIN, FLAME RESISTANT) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI NS OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/13C NOT 1 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GI (WOVEN E-GLASS REINFORCEMENT, POLYIMIDE RESIN) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI NS OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-P-13949/14A NOT 2 | PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GY, GLASS BASE WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, FOR MICROWAVE APPLICATION, COPPER-CLAD [CUST: CR EC 17] [REVIEW: 19 85 AR AS AT CR4 MC MI OS SH] | A 5999 | CC | | 01-AUG-97 |
| A | MIL-S-13949/15C NOT 1 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL AF (WOVEN ARAMID REINFORCEMENT, EPOXY RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/16B NOT 1 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL AF (WOVEN ARAMID REINFORCEMENT, EPOXY RESIN, FLAME RESISTANT) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/18A NOT 1 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GH (WOVEN E-GLASS REINFORCEMENT, MAJORITY POLYFUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, FLAME RESISTANT) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI NS OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/19A NOT 1 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL QI (WOVEN QUARTZ REINFORCEMENT, POLYIMIDE RESIN, HEAT RESISTANT, METAL CLAD OR UNCLAD) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NS OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/20A NOT 1 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL QI (WOVEN QUARTZ REINFORCEMENT, POLYIMIDE RESIN) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 MC MI NS OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/22B NOT 1 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL BF (NONWOVEN ARAMID REINFORCEMENT, EPOXY RESIN, METAL CLAD OR UNCLAD) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/23B NOT 1 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL BF (NONWOVEN ARAMID REINFORCEMENT, EPOXY RESIN, FLAME RESISTANT) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/24A NOT 1 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL GM (WOVEN E-GLASS REINFORCEMENT, TRIAZINE AND OR BISMALEIMIDE MODIFIED EPOXY RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/26A NOT 1 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GM (WOVEN E-GLASS REINFORCEMENT, TRIAZINE AND OR BISMALEIMIDE MODIFIED EPOXY RESIN) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI NS OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/27A NOT 1 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL SC (WOVEN S-2 GLASS FIBER REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI NS OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/28A NOT 1 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL SC (WOVEN S-2 GLASS FIBER REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI NS OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/29A NOT 1 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL GC (WOVEN E-GLASS REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI NS OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/30A NOT 1 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GC (WOVEN E-GLASS REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AR AS AT CR4 MC MI NS OS SH] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/31 NOT 1 | SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL BI (NONWOVEN ARAMID REINFORCEMENT, POLYIMIDE RESIN, METAL CLAD OR UNCLAD) [CUST: CR EC 85 CC] [REVIEW: 99 MC MI] | A 5998 | CC | | 01-AUG-97 |
| A | MIL-S-13949/32 NOT 1 | SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL BI (NONWOVEN ARAMID REINFORCEMENT, POLYIMIDE RESIN, FLAME RESISTANT) [CUST: CR EC 85 CC] [REVIEW: 99 MC MI] | A 5998 | CC | | 01-AUG-97 |
| | MIL-C-14003A NOT 2 | CAP, BLASTING, SPECIAL [CUST: AR OS] [REVIEW: CR4 MC] | A 1375 | AR | | 14-MAR-97 |
| | MIL-C-14024B NOT 2 | CANISTER, SMOKE, WP, 5-INCH PROJECTILE, M5; COMPONENTS FOR [CUST: EA] | A 1320 | EA | | 28-SEP-95 |
| A | MIL-C-14027A(1) NOT 1 | CANNON, 155MM HOWITZER, M45 [CUST: AR] | A 1025 | AR | | 08-AUG-97 |
| | MIL-C-14041B(4) NOT 1 | CARRIER, HOSPITAL PROTECTOR HEADPIECE, M12 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 05-MAR-96 |
| | MIL-A-14053C NOT 2 | ANTENNA AT-450()/ARC [CUST: CR] [REVIEW: CC] | A 5821 | CR | | 29-MAR-96 |
| A | MIL-P-14067B(3) NOT 2 | POWDERS, METAL (FOR USE IN AMMUNITION) [CUST: AR OS GS] [REVIEW: EA] | A 6810 | GS | | 20-FEB-98 |
| | MIL-P-14100 NOT 2 | PRIMERS, STAB TYPE LOADING, ASSEMBLING AND PACKING [CUST: AR] [REVIEW: EA] | A 1390 | AR | | 14-MAR-97 |
| | MIL-P-14137B NOT 2 | PRIMER, STAB M106 PARTS FOR, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 09-JUL-96 |
| | MIL-P-14139A(1) NOT 2 | PRIMER, STAB M72 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 09-JUL-96 |
| | MIL-D-14140C NOT 2 | DETONATOR, FLASH, M80 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 09-JUL-96 |
| | MIL-T-14147A(2) | TEST FACILITIES KIT, TELEPHONE CARRIER MK-155 Q/TCC [CUST: CR] [REVIEW: CT] | A 6625 | CR | | 22-APR-86 |
| | MIL-F-14187D NOT 1 | FASTENER, REFRIGERATOR PANEL [CUST: GL 99 IS] [REVIEW: MC MD] | A 5325 | IS | | 25-JUN-96 |
| A | MIL-P-14236 NOT 1 | PACKAGING OF GEAR, OIL, M3 SERIES, M6A1 OR M6A1E1 [CUST: AR] [REVIEW: MI SM] | A 1290 | AR | | 01-SEP-97 |
| A | MIL-F-14252(2) NOT 3 | FIRE CONTROL MATERIAL, GENERAL SPECIFICATION GOVERNING THE DESIGN AND INSPECTION OF [CUST: AR] [REVIEW: MI] | A 12GP | AR | | 01-SEP-97 |
| | MIL-D-14258A NOT 2 | DRUM, FIBER, 20-GALLON CAPACITY, FOR CHEMICALS [CUST: EA] [REVIEW: GL GS] | A 8110 | EA | | 19-APR-96 |
| | MIL-C-14264A NOT 1 | CALCIUM PHOSPHATE, TRIBASIC, TECHNICAL [CUST: EA 68] [REVIEW: AR GS] | A 6810 | EA | | 28-SEP-95 |
| | MIL-M-14274A NOT 2 | MULTIPLIER, ELECTRICAL INSTRUMENT TS-265()/UP [CUST: CR] | A 6625 | CR | | 29-MAR-96 |
| | MIL-T-14358C NOT 1 | TELEPHONE SET TA-312()/PT [CUST: CR YD1] [REVIEW: 17 80 MC MI] | A 5805 | CR | | 29-MAR-96 |
| | MIL-T-14358C(11) | TELEPHONE SET TA-312()/PT [CUST: CR] | A 5805 | CR | | 12-DEC-91 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-C-14370D(1) NOT 1 | COMPRESSOR, RECIPROCATING, POWER DRIVEN, OPEN-TYPE, FOR USE WITH REFRIGERANT 12 [CUST: GL YD1 99 IS] [REVIEW: CE CG CR4 MC SH] | A 4130 | IS | | 02-FEB-96 |
| | MIL-S-14374C NOT 2 | SILICA GEL, IRON FREE [CUST: EA] [REVIEW: GS] | A 6810 | EA | | 23-JUN-95 |
| A | MIL-C-14381A(4) NOT 1 | CASES, FIRE DIRECTION SET, ARTILLERY [CUST: AR] | A 1290 | AR | | 08-AUG-97 |
| | MIL-T-14382W NOT 1 | TRUCK, AMBULANCE: DIESEL OR GASOLINE ENGINE DRIVEN, 10,000 POUNDS GVW, 4X4, 4-LITER (COMMERCIAL, FIELD TYPE) [CUST: AT YD1 99] [REVIEW: 84 MC MD] | A 2310 | AT | | 30-OCT-95 |
| | MIL-C-14383D NOT 4 | CANNON, 106MM RECOILLESS RIFLE: M206 AND M206A1 [CUST: AR] [REVIEW: MC] | A 1015 | AR | | 14-MAR-97 |
| A | MIL-C-14384D NOT 1 | CANNON, 105MM HOWITZER: M2A2 [CUST: AR] | A 1015 | AR | | 08-AUG-97 |
| | MIL-C-14385D NOT 1 | CANNON, 40MM DUAL AUTOMATIC GUN: M2A1 AND CLIP, CHARGER: M3 [CUST: AR] | A 1010 | AR | | 29-NOV-95 |
| | MIL-F-14452A NOT 1 | FILTER UNIT, GAS PARTICULATE, HOSPITAL SIX-MAN, 12 CFM, M7A1 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 11-MAR-96 |
| A | MIL-P-14462A(3) NOT 1 | PROTRACTOR, FAN, RANGEDEFLECTION, ALUMINUM, GRADUATED IN MILS AND METERS [CUST: AR MC 99] [REVIEW: CR4] | A 1290 | AR | | 01-SEP-97 |
| | MIL-DTL-14506H | HOSE, AIR DUCT: FOR FILTER UNITS [CUST: EA SH 99] [REVIEW: 84 CC GS MC] | A 4240 | EA | | 18-FEB-97 |
| A | MIL-DTL-14512K | FILTER, GAS, 12 CFM, M12A2 [CUST: EA] | A 4240 | EA | | 22-OCT-97 |
| A | MIL-H-14516F NOT 1 | HEATER, SPACE: OIL FIRED, BARRACKS [CUST: GL YD1 99] [REVIEW: 84 CR4 IS MC] | A 4520 | GL | | 19-AUG-97 |
| A | MIL-L-14519C NOT 1 | LIMESTONE, PULVERIZED [CUST: AT YD1 68] [REVIEW: GS] | A 6810 | AT | | 09-MAR-98 |
| | MIL-C-14583A(1) NOT 2 | CANISTER, SMOKE, WP, 5-INCH PROJECTILE, M5 [CUST: EA] | A 1320 | EA | | 28-SEP-95 |
| A | MIL-R-14593A NOT 1 | WIRE, RESISTANCE, ENAMELED [CUST: AR IS] [REVIEW: AT MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-R-14601F(1) NOT 1 | RANGE AND ACCESSORY OUTFITS, FIELD, GASOLINE [CUST: GL YD1 99] [REVIEW: 84 AV IS MC MD1] | A 7360 | GL | | 29-JUL-97 |
| A | MIL-C-14613A(1) NOT 1 | CHARGER, BOLT, CAL. .50 MACHINE GUN, M10 [CUST: AR] | A 1005 | AR | | 08-AUG-97 |
| | MIL-R-14634A NOT 3 | PANEL MARKER, RED CROSS, 4 FEET BY 4 FEET [CUST: IH NU 11] [REVIEW: 45 82 99 CT MC] | A 8345 | IH | | 05-JUN-95 |
| A | MIL-C-14637A NOT 3 | CASE, FLAG, INTERMENT [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8345 | IH | | 10-FEB-98 |
| | MIL-A-14641B NOT 3 | AIGUILLETTE, AF COMMAND BANDS [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 05-JUN-95 |
| | MIL-T-14643C NOT 1 | TAG, IDENTIFICATION, INDIVIDUAL, PLASTIC, AIR FORCE [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | | 05-JUN-95 |
| A | MIL-D-14644 NOT 2 | DECORATIONS PRESIDENTIAL MEDAL OF FREEDOM WITH DISTINCTION AND PRESIDENTIAL MEDAL OF FREEDOM [CUST: IH] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-I-14646(1) NOT 2 | INSIGNIA, SHOULDER LOOP, COMBAT LEADER IDENTIFICATION [CUST: IH] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649 SUP 1 NOT 2 | ROSETTES, GENERAL SPECIFICATION FOR [CUST: IH] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/1A NOT 1 | ROSETTE, MEDAL OF HONOR [CUST: IH NU 11] [REVIEW: 45 82 99 CG CT MC] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/2 NOT 2 | ROSETTE, DISTINGUISHED CIVILIAN SERVICE, DOD [CUST: IH NU 11] [REVIEW: CT] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/4 NOT 2 | ROSETTE, DISTINGUISHED PUBLIC SERVICE AWARD, DOD [CUST: IH NU 45] [REVIEW: 32 CT] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/5 NOT 2 | ROSETTE, MERITORIOUS CIVILIAN SERVICE AWARD, OSD [CUST: IH NU 45] [REVIEW: 32 CT] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/6 NOT 2 | ROSETTE, DISTINGUISHED CIVILIAN SERVICE, NAVY [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/7 NOT 2 | ROSETTE, DISTINGUISHED PUBLIC SERVICE AWARD, NAVY [CUST: IH NU 11] [REVIEW: CT] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/8 NOT 2 | ROSETTE, OUTSTANDING PUBLIC SERVICE AWARD, OSD [CUST: IH NU 45] [REVIEW: 32 CT] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/10 NOT 2 | ROSETTE, EXCEPTIONAL CIVILIAN SERVICE AWARD, NSA [CUST: IH NU 11] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/11 NOT 2 | ROSETTE, METAL FOR MERIT [CUST: IH NU 45] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/14 NOT 2 | ROSETTE, AWARD OF THE PRESIDENT OF THE UNITED STATES FOR DISTINGUISHED FEDERAL CIVILIAN SERVICE [CUST: IH NU 45] [REVIEW: 32 CT] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/15 NOT 2 | ROSETTE, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE [CUST: IH NU 11] [REVIEW: CT] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/16 NOT 2 | ROSETTE, CIVILIAN AWARD FOR VALOR, AIR FORCE [CUST: IH NU 45] [REVIEW: 32 CT] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/17 NOT 2 | ROSETTE, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE [CUST: IH NU 45] [REVIEW: 32 CT] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/18 NOT 2 | ROSETTE, MERITORIOUS CIVILIAN SERVICE AWARD, AIR FORCE [CUST: IH NU 11] [REVIEW: CC] | A 8455 | IH | | 02-FEB-98 |
| A | MIL-R-14649/19 NOT 2 | ROSETTE, DISTINGUISHED SERVICE MEDAL, AIR FORCE [CUST: IH NU 45] [REVIEW: 32 CC] | A 8455 | IH | | 02-FEB-98 |
| | MIL-B-14656 NOT 1 | BUCKLE AND CATCH, CEREMONIAL, ARMY [CUST: IH] [REVIEW: CT GL] | A 8315 | IH | | 05-JUN-95 |
| | MIL-D-14707(1) NOT 2 | DISCRIMINATOR, ANTI-TANK MINE, M2 AND SPOOL ASSEMBLY [CUST: AR] | A 1345 | AR | | 09-JUL-96 |
| | MIL-W-14743(7) NOT 1 | WARHEAD SECTION, GUIDED MISSILE HE, M207 LESS S AND A DEVICE PARTS FOR [CUST: AR] | A 1336 | AR | | 08-FEB-96 |
| | MIL-C-14747(5) NOT 2 | CARTRIDGE, 105MM, APERS-T, M494 FOR 105MM GUN M68 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 12-DEC-95 |
| A | MIL-S-14760 NOT 4 | SILICA (FOR USE IN AMMUNITION) [CUST: AR] | A 1345 | AR | | 08-AUG-97 |
| | MIL-E-14776A NOT 2 | EXTENSION, FIN [CUST: AR] | A 1310 | AR | | 31-JAN-96 |
| | MIL-P-14785B NOT 2 | PROJECTILE, 60MM METAL PARTS ASSEMBLY [CUST: AR] | A 1310 | AR | | 31-JAN-96 |
| | MIL-C-14806A(2) NOT 2 | COATING, REFLECTION REDUCING, FOR INSTRUMENT COVER GLASSES AND LIGHTING WEDGES [CUST: AR AS 11] [REVIEW: 99 AV MI OS] | A 6650 | AR | | 14-MAR-97 |
| | MIL-P-14824B(2) NOT 3 | PROJECTILE, H.E., 155MM, M107 METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | | 03-FEB-97 |
| | MIL-P-14825A NOT 1 | PROJECTILE, 152MM, HEAT, M409 METAL PARTS, LESS FLUTED LINER [CUST: AR] | A 1320 | AR | | 12-DEC-95 |
| A | MIL-P-14827A NOT 1 | PROJECTILE, 57MM, HE, M306A1, METAL PARTS ASSEMBLY [CUST: AR] | A 1310 | AR | | 09-JUL-96 |
| | MIL-P-14829(1) NOT 2 | PROJECTILE, 4.2 INCH TACTICAL CS, XM633 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | | 31-JAN-96 |
| | MIL-P-14830A(2) NOT 2 | PROJECTILE, 81MM, H.E., M374A1 METAL PARTS ASSEMBLY (ALLOY STEEL) [CUST: AR] | A 1315 | AR | | 15-DEC-95 |
| | MIL-C-14836A NOT 2 | CASE, PROJECTILE, BURSTER, M9A1 [CUST: AR] | A 1310 | AR | | 31-JAN-96 |
| A | MIL-B-14837B(2) NOT 1 | BODY ASSEMBLY: 8619920 [CUST: AR] | A 1240 | AR | | 08-AUG-97 |
| A | MIL-P-14839(2) NOT 2 | PROJECTILE, 105MM, SMOKE, BE, M84E1 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | | 09-JUL-96 |
| A | MIL-B-14843B NOT 1 | BODY ASSEMBLY: 10541950 [CUST: AR] | A 1240 | AR | | 08-AUG-97 |
| A | MIL-H-14844B(3) NOT 1 | HEAD ASSEMBLY: 8619900 [CUST: AR] | A 1240 | AR | | 08-AUG-97 |
| A | MIL-W-14846B(1) NOT 1 | WIPER ASSEMBLY: 10549760, 10538530 AND 10538600 [CUST: AR] | A 1240 | AR | | 08-AUG-97 |
| | MIL-B-14849B NOT 1 | BODY ASSEMBLY: 18619880 [CUST: AR] | A 1240 | AR | | 08-AUG-97 |
| A | MIL-O-14850(1) NOT 1 | OSCILLATOR, HIGH VOLTAGE, 10549785 [CUST: AR] | A 1240 | AR | | 08-AUG-97 |
| | MIL-P-14852B(1) NOT 1 | PROJECTILE, 105MM: ILLUMINATING, M314A3 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | | 09-JUL-96 |
| A | MIL-C-14858A(2) NOT 1 | CARTRIDGE, CALIBER .50. REFERENCE [CUST: AR] | A 1305 | AR | | 29-AUG-97 |
| A | MIL-R-14864(2) NOT 1 | RANGE FINDER, LASER, AN/VVA-1 [CUST: AR] | A 1240 | AR | | 08-AUG-97 |
| A | MIL-R-14865(3) NOT 1 | RECEIVER TRANSMITTER, LASER: 10559281 [CUST: AR] | A 1240 | AR | | 08-AUG-97 |
| A | MIL-C-14866(1) NOT 1 | CONTROL, POWER SUPPLY, 10559261 [CUST: AR] | A 1240 | AR | | 08-AUG-97 |
| A | MIL-C-14867(1) NOT 1 | CONTROL, GUNNERS, LASER RANGING, 10559221 [CUST: AR] | A 1240 | AR | | 11-AUG-97 |
| A | MIL-I-14868(1) NOT 1 | INDICATOR, DIGITAL, DISPLAY, 10559241 [CUST: AR] | A 1240 | AR | | 11-AUG-97 |
| A | MIL-I-14869(1) NOT 1 | INDICATOR, COMMAND, DISPLAY, 10559201 [CUST: AR] | A 1240 | AR | | 11-AUG-97 |
| A | MIL-C-14870(1) NOT 1 | CIRCUIT CARD ASSEMBLY, 10559245 (INDICATOR, DIGITAL, DISPLAY) [CUST: AR] | A 1240 | AR | | 11-AUG-97 |
| A | MIL-C-14871(1) NOT 1 | CIRCUIT CARD ASSEMBLY, 10559205 (INDICATOR, COMMAND, DISPLAY) [CUST: AR] | A 1240 | AR | | 11-AUG-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-C-14872(1) NOT 3 | CIRCUIT CARD ASSEMBLY: 10559315 (LINE DRIVER) [CUST: AR] | A 1240 | AR | | 03-FEB-97 |
| | MIL-C-14873A(2) NOT 4 | CIRCUIT CARD ASSEMBLY: 10559425 TRANSMITTER LOGIC [CUST: AR] | A 1240 | AR | | 03-FEB-97 |
| | MIL-C-14874A(1) NOT 3 | COMPONENT ASSEMBLY: 10559404 TRANSMITTER LOGIC [CUST: AR] | A 1240 | AR | | 03-FEB-97 |
| A | MIL-C-14875B(1) NOT 1 | CHASSIS ASSEMBLY: 10559435 PHOTOMULTIPLIER [CUST: AR] | A 1240 | AR | | 11-AUG-97 |
| A | MIL-C-14876B(1) NOT 1 | CIRCUIT CARD ASSEMBLY: 10559335 AND 11745329 -1600V POWER SUPPLIES [CUST: AR] | A 1240 | AR | | 11-AUG-97 |
| A | MIL-C-14877(1) NOT 1 | CIRCUIT CARD ASSEMBLY, 10559325 (POWER SUPPLY, LOW VOLTAGE) [CUST: AR] | A 1240 | AR | | 11-AUG-97 |
| | MIL-C-14879(1) NOT 3 | CIRCUIT CARD ASSEMBLY, 10559225 (CONTROL, GUNNERS, LASER RANGING) [CUST: AR] | A 1240 | AR | | 03-FEB-97 |
| A | MIL-C-14880B(3) NOT 3 | COMPONENT ASSEMBLY: 10559479 TRANSMITTER [CUST: AR] | A 1240 | AR | | 23-JUL-97 |
| A | MIL-C-14882A(1) NOT 3 | CIRCUIT CARD ASSEMBLY: 10559295 REPLY GATING [CUST: AR] | A 1240 | AR | | 23-JUL-97 |
| A | MIL-C-14883A(1) NOT 1 | CIRCUIT CARD ASSEMBLY: 10559305 COUNTERS [CUST: AR] | A 1240 | AR | | 11-AUG-97 |
| | MIL-C-14887 NOT 2 | CASE, CARTRIDGE, 106MM, M9431 ASSEMBLY [CUST: AR] | A 1315 | AR | | 31-JAN-96 |
| A | MIL-C-14891A(2) NOT 1 | CIRCUIT CARD ASSEMBLY: 10559285 OR 9360493 SELECT LOGIC [CUST: AR] | A 1240 | AR | | 11-AUG-97 |
| A | MIL-C-14892(4) NOT 2 | CASE, CARTRIDGE, 105MM, M150B1 [CUST: AR] | A 1315 | AR | | 11-AUG-97 |
| | MIL-P-14895E(5) NOT 1 | PROJECTILE, 8 INCH, M509A1 METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | | 10-JUL-96 |
| | MIL-P-14901(1) NOT 2 | PROJECTILE, 4.2 INCH: TACTICAL CS, XM633 LOADING, ASSEMBLING AND PACKING (FOR CARTRIDGE, TACTICAL CS, XM630) [CUST: AR] | A 1315 | AR | | 31-JAN-96 |
| | MIL-F-14902A NOT 2 | FIN, ASSEMBLY, 60MM M2 [CUST: AR] | A 1310 | AR | | 31-JAN-96 |
| | MIL-C-14909A(2) NOT 1 | CARTRIDGE, ILLUMINATING, M301A3 WITH FUZE, TIME M84A1 FOR 81MM MORTARS LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 31-JAN-96 |
| A | MIL-I-14925A(2) NOT 2 | IGNITER ASSEMBLY, M76 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1336 | AR | | 10-JUL-96 |
| | MIL-S-14929 NOT 1 | SULFUR, COMMERCIAL GRADE (FOR USE WITH AMMUNITION) [CUST: AR] | A 1375 | AR | | 10-JUL-96 |
| A | MIL-G-14931 NOT 2 | GREASE, SILICONE FOR USE WITH AMMUNITION [CUST: AR] | A 1375 | AR | | 08-AUG-97 |
| | MIL-D-14951A(6) NOT 1 | DELAY ELEMENT M53 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1376 | AR | | 26-JUL-96 |
| | MIL-D-14978A(4) NOT 1 | DETONATOR, STAB, M55 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 10-JUL-96 |
| | MIL-C-14994 NOT 2 | CHARGE PROPELLING, 152MM, XM189 AND XM190, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 10-JUL-96 |
| | MIL-P-14997A NOT 1 | PROJECTILE, 105MM, ILLUMINATING, M314A3 LOADING ACCESSORIES FOR [CUST: AR] | A 1315 | AR | | 08-FEB-96 |
| | MIL-B-15004A NOT 1 | BALLON, AEROLOGICAL [CUST: AS] [REVIEW: GS] | A 6660 | AS | | 16-OCT-96 |
| A | MIL-T-15119A NOT 1 | TUBING, ROUND, SEAMLESS ALLOY STEEL [CUST: OS] | A 4710 | OS | | 22-APR-98 |
| A | MIL-P-15280J NOT 1 | PLASTIC MATERIAL, UNICELLULAR (SHEETS AND TUBES) [CUST: CR SH 11] [REVIEW: CR4 EA GS MC MI OS YD1] | A 5640 | SH | | 22-APR-98 |
| A | MIL-H-15289B NOT 1 | HEATER, SPACE, ELECTRIC, RADIANT, PANEL TYPE [CUST: SH] [REVIEW: CC] | A 4520 | SH | | 22-APR-98 |
| | MIL-S-15291/8A | SWITCHES, ROTARY, SNAP ACTION CLASS 6SR FRONT MOUNTED, BACK CONNECTED [CUST: SH] | A 5930 | CC | | 22-JUL-91 |
| | MIL-S-15291/11A | SWITCHES, ROTARY, SNAP ACTION CLASS 20SR FRONT MOUNTED, BACK CONNECTED [CUST: SH] | A 5930 | CC | | 22-JUL-91 |
| | MIL-H-15362B NOT 2 | HARNESSES; TEST BENCH, AVIONIC EQUIPMENT GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: 99] | A 4920 | AS | | 11-SEP-96 |
| A | MIL-P-15418C NOT 1 | PLOTTING BOARD, TACTICAL DISPLAY (SYNCHRO, 24 INCH) [CUST: SH] | A 6605 | SH | | 22-APR-98 |
| A | MIL-C-15452C(3) NOT 1 | CABLE, SPECIAL PURPOSE (TOW), ELECTRICAL, COAXIAL, LEAD SHEATHED, NYLON COVERED [CUST: EC IS] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-15479C(1) NOT 3 | CABLE, POWER, ELECTRICAL, SUBMARINE, NAVY STANDARD HARBOR DEFENSE [CUST: SH IS] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-P-15554B(2) NOT 1 | PROPELLER REVOLUTION INDICATING EQUIPMENT, SYNCHRO (NAVAL SHIPBOARD USE) [CUST: SH] | A 6320 | SH | | 22-APR-98 |
| | MIL-F-15733/1G NOT 2 | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL22 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MI OS SH] | A 5915 | CC | | 31-JUL-93 |
| | MIL-F-15733/2J NOT 1 | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL24 [CUST: CR EC 85] [REVIEW: 11 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | | 31-JUL-93 |
| | MIL-F-15733/4H | FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL53 [CUST: CR EC 85] [REVIEW: 17 19 99 AM AS AT AV CG CR4 MC MI OS SH] | A 5915 | CC | | 27-DEC-88 |
| | MIL-F-15733/16D NOT 1 | FILTER, RADIO FREQUENCY INTERFERENCE, STYLE FL74 [CUST: CR EC 85] [REVIEW: 19 AR AS AT AV CG CR4 MC MI OS SH] | A 5915 | CC | | 16-SEP-88 |
| | MIL-F-15733/24B(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL12 [CUST: CR EC 85] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | | 15-JAN-93 |
| | MIL-F-15733/30E NOT 1 | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL82 [CUST: EC 85] [REVIEW: 11 19 99 AS MC OS SH] | A 5915 | CC | | 31-JUL-93 |
| | MIL-F-15733/48F(1) | FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL92 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH] | A 5915 | CC | | 15-APR-94 |
| | MIL-F-15733/64(3) | FILTER, RADIO FREQUENCY INTERFERENCE, STYLE FL49 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC MI OS SH] | A 5915 | CC | | 15-AUG-93 |
| A | MIL-P-15736D(4) SUP 1A NOT 1 | POWER SUPPLY, METALLIC RECTIFIER, NAVAL SHIPBOARD [CUST: SH] | A 6130 | SH | | 22-APR-98 |
| A | MIL-P-15736/1D NOT 1 | POWER SUPPLY, METALLIC RECTIFIER, HELICOPTER STARTING AND SERVICING [CUST: SH] [REVIEW: GS] | A 6130 | SH | | 22-APR-98 |
| | MIL-P-15736/5 NOT 1 | POWER SUPPLY, RECTIFIER, INTERIOR COMMUNICATIONS AND FIRE CONTROL NAVAL SHIPBOARD USE [CUST: SH] [REVIEW: GS] | A 6130 | SH | | 03-OCT-89 |
| | MIL-P-15736/8 NOT 1 | POWER SUPPLY, CATHODIC PROTECTION, AUTOMATIC CONSTANT CURRENT TYPE, INACTIVE FLEET [CUST: SH] [REVIEW: GS] | A 6130 | SH | | 01-APR-91 |
| | MIL-P-15736/9 NOT 1 | POWER SUPPLY, CATHODIC PROTECTION, AUTOMATIC HULL POTENTIAL TYPE, INACTIVE FLEET [CUST: SH] [REVIEW: GS] | A 6130 | SH | | 01-APR-91 |
| A | MIL-C-15952G NOT 1 | COMPASS, GYRO, MINIATURE [CUST: SH] | A 6605 | SH | | 22-APR-98 |
| | MIL-M-15991D(1) NOT 1 | MARKING MACHINES, HAND OPERATED [CUST: AS] | A 3695 | AS | | 21-AUG-96 |
| A | MIL-B-16041G NOT 1 | BUILDINGS, PREFABRICATED, READY-CUT, MAGAZINES, STEEL ARCH, 16- AND 25-FOOT SPAN (EXTENSIBLE) [CUST: YD1 99] [REVIEW: 84 CC CE MC] | A 5410 | YD1 | | 22-APR-98 |
| A | MIL-B-16129B NOT 1 | BEARING, BALL, ANNULAR, OPEN TYPE (FOR TORPEDO GYROSCOPES) [CUST: AT OS GS] [REVIEW: AR] | A 3110 | GS | | 16-JUN-97 |
| A | MIL-D-16196E NOT 1 | DISTILLATION UNIT, WATER, THERMOCOMPRESSION [CUST: SH] | A 4620 | SH | | 22-APR-98 |
| A | MIL-G-16265F NOT 1 | GASKETS, METALLIC-FLEXIBLE GRAPHITE AND METALLIC-ASBESTOS, SPIRAL WOUND (FOR NAVY FLANGED JOINTS IN PIPING SYSTEMS) [CUST: MR SH 99] [REVIEW: 82 CR4 IS OS] | A 5330 | SH | | 17-FEB-98 |
| A | MIL-A-16288D NOT 2 | ADAPTERS, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: GENERAL SPECIFICATION FOR [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/1 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO BRITISH OXYGEN VALVE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/2 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO FRENCH OXYGEN VALVE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/3 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO JAPANESE OXYGEN VALVE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/4 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO DUTCH OXYGEN VALVE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-A-16288/5 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U. S. REGULATOR TO GERMAN OXYGEN VALVE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/6 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO BRITISH ACETYLENE VALVE [CUST: AT YD1 68 GS] [REVIEW: AS AV MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/7 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO DUTCH ACETYLENE VALVE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/8 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO GERMAN ACETYLENE VALVE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/9 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO FRENCH ACETYLENE VALVE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/10 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO FRENCH HYDROGEN VALVE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/11 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U. S. REGULATOR TO GERMAN AND DUTCH HYDROGEN VALVE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/12 NOT 2 | ADAPTER YOKE, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. ADAPTERS TO DUTCH, FRENCH OR GERMAN ACETYLENE VALVES [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/13 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 200-510, ACETYLENE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 07-APR-97 |
| A | MIL-A-16288/14 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 510-200, ACETYLENE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/15 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 200-520, ACETYLENE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/16 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 300-510, ACETYLENE [CUST: AT YD1 68 GS] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/17 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 510-300, ACETYLENE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/18 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 300-520, ACETYLENE [CUST: AT YD1 68 GS] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/19 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 520-300, ACETYLENE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/20 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 510-520, ACETYLENE [CUST: AT YD1 68 GS] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/21 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 520-510, ACETYLENE [CUST: AT YD1 68 GS] [REVIEW: AS AV MC MD MS SH] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/22 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 580-000, NITROGEN [CUST: AT YD1 68 GS] [REVIEW: MI] | A 8120 | GS | | 03-APR-97 |
| A | MIL-A-16288/23 NOT 2 | ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 000-580, NITROGEN [CUST: AT YD1 68 GS] | A 8120 | GS | | 03-APR-97 |
| | MIL-F-16377/24(1) | FIXTURES, INCANDESCENT, GENERAL LIGHTING, 330 WATTS, 120 VOLTS, SYMBOL 66.2 [CUST: SH] [REVIEW: GS] | A 6210 | SH | | 02-AUG-96 |
| A | MIL-F-16377/30A(1) NOT 1 | FIXTURES, LIGHTING: INCANDESCENT, GENERAL LIGHTING FOR PSYCHIATRIC WARDS 100 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOL 137 [CUST: SH] [REVIEW: GS] | A 6210 | SH | | 22-APR-98 |
| A | MIL-F-16377/31A(1) NOT 1 | FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR SPOT ILLUMINATION 6-25 WATTS, 120 VOLTS, TOTALLY ENCLOSED, SYMBOL 147.2 [CUST: SH] [REVIEW: GS] | A 6210 | SH | | 22-APR-98 |
| A | MIL-F-16377/67 NOT 1 | FIXTURES, LIGHTING: WINDOW ASSEMBLIES, CLEAR WHITE SHIELDED, TO BE USED FOR REPLACEMENT PARTS ONLY [CUST: SH] | A 6210 | SH | | 22-APR-98 |
| A | MIL-B-16392C(4) NOT 1 | BRAKE, MAGNET, NAVAL SHIPBOARD [CUST: SH] | A 6110 | GS | | 18-JUL-97 |
| | MIL-P-16404B(1) | PACKING, ASBESTOS [CUST: OS] [REVIEW: AV IS] | A 5330 | OS | | 17-OCT-89 |
| | MIL-P-16594A NOT 1 | PROJECTILES, BOMBS, ROCKETS, AND GUIDED MISSILE WARHEADS, INERT PARTS, MANUFACTURE OF [CUST: OS] [REVIEW: EA MI] | A 1336 | OS | | 07-FEB-91 |
| | MIL-S-16598B(1) NOT 1 | STEEL BAR (LOW EXPANSION, FREE CUTTING, 36 PERCENT NICKEL). [CUST: CR4 OS 11 IS] [REVIEW: 84 99 MI MR] | A 9510 | IS | | 20-DEC-95 |
| A | MIL-C-16645A(4) NOT 1 | COMPRESSOR, RECIPROCATING, ELECTRIC MOTOR DRIVEN, NAVAL SHIPBOARD DIESEL ENGINE AIR STARTING SERVICE [CUST: SH] | A 4310 | SH | | 22-APR-98 |
| | MIL-E-16663A(1) NOT 1 | ENAMEL, SEMI-GLOSS (FOR METAL SURFACES OF AMMUNITION AND AMMUNITION CONTAINERS) [CUST: OS] [REVIEW: DS] | A 8010 | OS | | 09-MAY-96 |
| | MIL-S-16788A NOT 1 | STEEL, CARBON, HOT-ROLLED OR FORGED (BLOOMS, BILLETS, & SLABS FOR REFORGING) [CUST: MR OS 99] [REVIEW: AR] | A 9640 | OS | | 01-OCT-86 |
| A | MIL-B-16907G NOT 1 | BOILER, STEAM, HIGH PRESSURE, AUXILIARY FIRE TUBE TYPE, NAVAL SHIPBOARD [CUST: SH] | A 4410 | SH | | 22-APR-98 |
| | MIL-T-16967D NOT 1 | TRANSMITTING SET, INFRARED AN/SAT-2 [CUST: EC] | A 5850 | EC | | 30-APR-95 |
| | MIL-B-17089A(1) NOT 1 | BAROMETER, ANERIOD MI-448 UM [CUST: AS] | A 6685 | AS | | 16-OCT-96 |
| | MIL-C-17124C(2) NOT 1 | CORD, DETONATING [CUST: AR] [REVIEW: 99 CG EA MC YDI] | A 1375 | AR | | 14-MAR-97 |
| M | MIL-C-17208B(1) NOT 4 | CLOTH, PARACHUTE, 240-PERMEABILITY; FOR USE WITH UNDERWATER ORDNANCE [CUST: AR] | A 8305 | AR | | 04-MAY-98 |
| | MIL-W-17247B NOT 1 | WIND MEASURING SET AN/UMQ-5 (COMPONENTS OF) [CUST: AS] [REVIEW: GS] | A 6660 | AS | | 16-OCT-96 |
| A | MIL-F-17280D NOT 2 | FITTINGS, MARINE, MINESWEEPING, NONMAGNETIC [CUST: SH] | A 1075 | SH | | 23-JUL-97 |
| A | MIL-U-17293D NOT 2 | UNIT HEATER, AIR-CIRCULATING, STEAM (SHIPBOARD USE) [CUST: SH] [REVIEW: CC] | A 4520 | SH | | 22-APR-98 |
| | MIL-P-17303D(2) | PACKING MATERIALS, PLASTIC METALLIC AND PLASTIC NONMETALLIC [CUST: SH] | A 5330 | SH | | 24-OCT-91 |
| A | MIL-C-17361/2 NOT 1 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A100 AND NQB - A100 (FOR REPLACEMENT ONLY) [CUST: SH] | A 5925 | SH | | 22-APR-98 |
| A | MIL-C-17361/3 NOT 1 | CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LF100 (FOR REPLACEMENT ONLY) [CUST: SH] | A 5925 | SH | | 22-APR-98 |
| A | MIL-C-17376E NOT 3 | CAPS AND FLANGES, COMPRESSED-GAS CYLINDER, GENERAL SPECIFICATION FOR [CUST: CR4 YD1 68 GS] [REVIEW: MC MD] | A 8120 | GS | | 24-SEP-97 |
| A | MIL-C-17376/1 NOT 2 | CAPS AND FLANGES, COMPRESSED-GAS CYLINDER: CAPS [CUST: CR4 YD1 68 GS] [REVIEW: MC MD] | A 8120 | GS | | 24-SEP-97 |
| A | MIL-C-17376/2 NOT 2 | CAPS AND FLANGES, COMPRESSED-GAS CYLINDER: FLANGES, LOW PRESSURE [CUST: CR4 YD1 68 GS] [REVIEW: MC MD] | A 8120 | GS | | 24-SEP-97 |
| A | MIL-M-17413A NOT 1 | MOTOR, DIRECT CURRENT, INTEGRAL H.P. NAVAL SHIPBOARD (NAVY) [CUST: SH] [REVIEW: AS CR4 GS OS] | A 6105 | SH | | 22-APR-98 |
| A | MIL-T-17442B(1) NOT 1 | TENSIO METER, DIAL INDICATING, HYDRAULIC, REMOTE READING AND MAINTENANCE KIT (MINESWEEPING) [CUST: SH] [REVIEW: GL GS] | A 6635 | SH | | 22-APR-98 |
| | MIL-P-17449(2) NOT 1 | POWDER, PROPELLANT, CORDITE N [CUST: OS] | A 1376 | OS | | 20-DEC-95 |
| | MIL-V-17462B(1) NOT 1 | VALVE, SAFETY: BOILER (SHIPBOARD USE) [CUST: SH] [REVIEW: CC] | A 4820 | SH | | 12-MAR-90 |
| M | MIL-T-17479G(1) NOT 3 | TRAILER, PLATFORM, WAREHOUSE, WOOD OR METAL PLATFORM, 6000 POUND CAPACITY, PNEUMATIC TIRES, FIFTH WHEEL STEER [CUST: AT] [REVIEW: 99 AV GS SA] | A 3920 | AT | | 29-MAY-98 |
| | MIL-M-17556(1) NOT 1 | MOTOR, DIRECT-CURRENT, FRACTIONAL HP (SHIPBOARD USE) [CUST: SH] [REVIEW: CR4 GS MI] | A 6105 | SH | | 20-MAY-91 |
| | MIL-G-17594B NOT 2 | GROMMET, PLASTIC, UNICELLULAR, HIGH DENSITY [CUST: IS] [REVIEW: 99] | A 5325 | IS | | 25-JUN-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| A | MIL-P-17667D NOT 1 | PAPER, WRAPPING, CHEMICALLY NEUTRAL (NON CORROSIVE) [CUST: GL SA 69] [REVIEW: 99 AR AS AV CR DS EA GS MC OS SH YD1] | A 8135 | GI | | 29 DEC-97 |
| | MIL-P-17689 NOT 2 | PROPELLANT, DOUBLE BASE SHEET, TYPE N-5 [CUST: OS] | A 1340 | OS | | 20 DEC-98 |
| | MIL-L-17700 NOT 1 | LEAD SALICYLATE [CUST: OS] [REVIEW: GS] | A 6810 | OS | | 09 MAY-96 |
| A | MIL-B-17748C(1) NOT 2 | BOILERS, HEATING, LOW PRESSURE, HOT WATER NAVAL SHIPBOARD [CUST: SH] [REVIEW: CC CR4] | A 4520 | SH | | 22 APR-98 |
| | MIL-B-17896C NOT 1 | BAROMETER, ANEROID [CUST: SH] | A 6685 | GS | | 07 JUN-91 |
| | MIL-S-17923B(2) NOT 2 | SQUIB, MARK 1 MODS [CUST: OS] | A 1340 | OS | | 20 DEC-95 |
| | MIL-P-17945A NOT 1 | PUMPS, CENTRIFUGAL, PERIPHERAL TYPE, MISCELLANEOUS NAVAL SHIPBOARD USE [CUST: SH] | A 4320 | SH | | 01 APR-91 |
| | MIL-P-17959(1) NOT 1 | POWDER, PROPELLANT, BALLISTICS OF, FOR 3 INCH/50 CALIBER GUN [CUST: OS] | A 1376 | OS | | 20 DEC-95 |
| | MIL-D-17984A(1) NOT 1 | DATA PRESENTATION REQUIREMENTS, INSTALLED PERFORMANCE AND AIR INDUCTION SYSTEMS (ASG) [CUST: AR AS] [REVIEW: 99 AV] | A 2840 | AS | | 28 AUG-96 |
| | MIL-C-18021B(1) | CONVERTER, SPEED, UNDERWATER LOG [CUST: SH] | A 6605 | SH | | 31 AUG-62 |
| A | MIL-C-18106F NOT 1 | COMPASS, GYRO, VEHICLE [CUST: SH] | A 6605 | SH | | 22 APR-98 |
| | MIL-M-18203C NOT 1 | MITTEN SHELLS (MEN'S AND WOMEN'S) [CUST: NU CT] | A 8415 | CT | | 20 JUL-94 |
| | MIL-D-18243B NOT 2 | DEMONSTRATION OF AIRBORNE TARGET AND MISSILE SYSTEMS GENERAL SPECIFICATION FOR [CUST: AS] | A 1420 | AS | | 15 SEP-95 |
| | MIL-R-18265A(2) NOT 1 | RECEIVING SET, RADIO AN/ARR-41 (*) [CUST: AS] | A 5821 | AS | | 17 DEC-90 |
| | MIL-I-18286A NOT 1 | INDICATOR GROUP, AN/APA-122 [CUST: AS] | A 5895 | AS | | 18 SEP-96 |
| | MIL-I-18309C(3) NOT 1 | INTEGRATED ELECTRONIC CENTRALS AN/ASQ-19, AN/ASQ-19A, AN/ASQ-19B, AND AN/ASQ-107 [CUST: AS] | A 5895 | AS | | 18 SEP-96 |
| | MIL-C-18312/2B(1) | CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), (INSULATED), STYLE CH09 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG MC OS] | A 5910 | CC | | 29 FEB-88 |
| | MIL-C-18312/3B(2) | CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), STYLE CH12 [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CG MC OS] | A 5910 | CC | | 29 FEB-88 |
| | MIL-C-18312/4B(2) | CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM), DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), STYLE CH53 [CUST: CR EC 85] [REVIEW: 17 19 AR AS CG MC OS] | A 5910 | CC | | 13 AUG-91 |
| | MIL-C-18312/5B(2) | CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), STYLE CH54 [CUST: CR EC 85] [REVIEW: 17 19 AR AS CG MC OS] | A 5910 | CC | | 13 AUG-91 |
| | MIL-C-18312/7B(2) | CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES) STYLE CH72 [CUST: CR EC 85] [REVIEW: 17 19 AR AS CG MC OS] | A 5910 | CC | | 13 AUG-91 |
| A | MIL-V-18318B(3) NOT 1 | VALVE, PRESSURE REGULATING, OXYGEN SYSTEM [CUST: AV AS 99] [REVIEW: 11] | A 4820 | AS | | 13 AUG-97 |
| A | MIL-M-18371E(2) NOT 1 | MIRROR, EMERGENCY SIGNALING, MARK 3 [CUST: CR4 AS 99] [REVIEW: GS] | A 6350 | AS | | 17 SEP-97 |
| | MIL-F-18372 NOT 1 | FLIGHT CONTROL SYSTEMS, DESIGN, INSTALLATION AND TEST OF, AIRCRAFT (GENERAL SPECIFICATION FOR) [CUST: AS] | A 15GP | AS | | 05 MAR-97 |
| | MIL-W-18418B NOT 1 | WAX, GASKET-SEALING [CUST: OS] [REVIEW: GS] | A 9160 | OS | | 31 JUL-96 |
| A | MIL-C-18419B(2) NOT 1 | COMPRESSORS, RECIPROCATING, MOTOR DRIVEN, NAVAL SHIPBOARD HIGH PRESSURE AIR SERVICE [CUST: SH] [REVIEW: CC] | A 4310 | SH | | 22 APR-98 |
| A | MIL-C-18438B(1) NOT 2 | CHARGERS, BATTERY, GENERATOR TYPE [CUST: SH] [REVIEW: GS] | A 6130 | SH | | 22 APR-98 |
| | MIL-S-18471G NOT 1 | SYSTEM, AIRCREW AUTOMATED ESCAPE, EJECTION SEAT TYPE, GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: AV] | A 1680 | AS | | 18 SEP-96 |
| A | MIL-G-18473B NOT 1 | GENERATOR, MOTOR, AND AUXILIARY EQUIPMENT, DIRECT CURRENT, NAVAL SHIP PROPULSION [CUST: SH] [REVIEW: GS] | A 6115 | SH | | 22 APR-98 |
| A | MIL-C-18491A(1) NOT 2 | CURTAIN, FLAK PROTECTIVE [CUST: AS] | A 1680 | AS | | 23 JUL-97 |
| | MIL-D-18503 NOT 1 | DETONATOR MK 22 MOD 0 [CUST: AS] | A 1375 | AS | | 11 SEP-96 |
| | MIL-D-18504 NOT 1 | DETONATOR MK 27 MOD 0 [CUST: AS] | A 1375 | AS | | 11 SEP-96 |
| A | MIL-D-18506(2) NOT 2 | DETONATOR MK 45 MOD 0 [CUST: OS] | A 1375 | OS | | 22 APR-98 |
| | MIL-D-18616 NOT 1 | DETONATOR MARK 56 MOD 0 [CUST: AS] | A 1375 | AS | | 11 SEP-96 |
| | MIL-L-18618A NOT 1 | LEAD CARBONATE, BASIC, DRY (FOR ORDNANCE USE) [CUST: OS] | A 6810 | OS | | 09 MAY-96 |
| | MIL-D-18665B NOT 1 | DETONATOR MK 59 MOD 0 [CUST: AS 99] [REVIEW: AR] | A 1375 | AS | | 04 SEP-96 |
| | MIL-S-18732D NOT 1 | STEEL BARS, WIRE, FORGING STOCK, FORGINGS TUBING (431), SPECIAL QUALITY [CUST: MR AS 11] [REVIEW: AV EA IS MI] | A 9510 | AS | | 19 MAR-91 |
| | MIL-C-18760 | CARTRIDGE CASE, BRASS 8-INCH MARK 1 MOD 3 (55 CALIBER) [CUST: OS] | A 1320 | OS | | 21 AUG-90 |
| A | MIL-M-18808 NOT 1 | MICROPHONE MARK 10 MOD 0 [CUST: OS CC] [REVIEW: CC] | A 5965 | CC | | 21 AUG-90 |
| A | MIL-A-18850C NOT 2 | AMPLIFIER, SERVO (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [CUST: OS CC] [REVIEW: CC] | A 5990 | CC | | 09 MAY-96 |
| | MIL-G-18853C NOT 1 | GYRO, RATE (FOR TORPEDO MARK 37 MODS 2, AND 3) [CUST: OS] | A 1355 | OS | | 31 JUL-96 |
| | MIL-P-18942A(3) NOT 2 | PROPELLANT FOR 20MM AIRCRAFT GUN MARK 12 [CUST: OS] | A 1376 | OS | | 08 JUL-86 |
| | MIL-A-18977D NOT 1 | AMPLIFIER CHANNEL (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [CUST: OS] | A 1355 | OS | | 31 JUL-96 |
| | MIL-R-18984 NOT 1 | RADAR BOMBING EQUIPMENT AN/APA-16, BENCH, PREFLIGHT, AND FLIGHT TEST, INSTRUCTIONS FOR [CUST: AS] | A 1285 | AS | | 11 SEP-96 |
| | MIL-P-19023D NOT 1 | PENDULUM (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [CUST: OS] | A 1355 | OS | | 31 JUL-96 |
| | MIL-I-19028E NOT 1 | INVERTER (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [CUST: OS] | A 1355 | OS | | 31 JUL-96 |
| | MIL-T-19029E NOT 1 | TIMER (FOR TORPEDO MARK 37 MODS 0 AND 3) [CUST: OS] | A 1355 | OS | | 31 JUL-96 |
| | MIL-R-19046D NOT 1 | RELAY PANEL, FIRING (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [CUST: OS] | A 1355 | OS | | 31 JUL-96 |
| A | MIL-C-19064B(2) NOT 2 | CONNECTORS, OXYGEN HOSE TO REGULATOR [CUST: AV AS 99] | A 1660 | AS | | 10 SEP-97 |
| | MIL-P-19086E NOT 1 | POWER SUPPLY, HIGH VOLTAGE (FOR TORPEDO MARK 37 MODS 2 AND 3) [CUST: OS] | A 1355 | OS | | 31 JUL-96 |
| | MIL-C-19087A NOT 1 | CONTACTOR (FOR TORPEDO MARK 37 MODS 0, 2 AND 3) [CUST: OS] | A 1355 | OS | | 31 JUL-96 |
| | MIL-H-19089B NOT 1 | HARNESS, INTEGRATED PARACHUTE [CUST: AS 11] [REVIEW: 82 99] | A 1670 | AS | | 28 AUG-96 |
| | MIL-M-19097B(3) NOT 1 | MOTOR-GENERATORS, DC TO AC, SHIPBOARD SERVICE [CUST: SH] [REVIEW: GS] | A 6125 | SH | | 03 OCT-89 |
| A | MIL-C-19113A(2) NOT 1 | COMPRESSORS, RECIPROCATING, ELECTRIC MOTOR DRIVEN, NAVAL SHIPBOARD LOW PRESSURE AIR SERVICE [CUST: SH] | A 4310 | SH | | 22 APR-98 |
| A | MIL-P-19152A NOT 2 | PACKINGS, HYDRAULIC, HIGH PRESSURE (FOR HYDROPNEUMATIC SYSTEMS) [CUST: OS] [REVIEW: AR AT IS] | A 5330 | OS | | 22 APR-98 |
| | MIL-P-19158A(1) NOT 1 | PUMPS, RECIPROCATING, DIRECT-ACTING & POWER DRIVEN [CUST: SH] | A 4320 | SH | | 25 MAY-64 |
| | MIL-M-19160C NOT 1 | MOTOR-GENERATOR, 60-HERTZ A.C. TO 400-HERTZ A.C., SHIPBOARD SERVICE [CUST: SH] [REVIEW: GS] | A 6125 | SH | | 20 JUN-91 |
| | MIL-T-19229B NOT 2 | TRANSMITTER, ANGLE OF ATTACK OR SIDESLIP, LOCAL [CUST: AS] | A 6610 | AS | | 09 OCT-96 |
| A | MIL-T-19233J NOT 1 | TRUCK, FIREFIGHTING; BRUSH, GRASS, AND STRUCTURAL, 500 GPM, 4 BY 4, COMMERCIAL CHASSIS [CUST: YD1] [REVIEW: MC] | A 4210 | YD1 | | 30 OCT-97 |
| A | MIL-C-19246C(1) NOT 1 | CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A [CUST: AV AS] | A 1660 | AS | | 23 JUL-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|------------|---------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-M-19249A NOT 1 | MOTOR GENERATORS, 300 KW DC TO AC, AC TODC SUBMARINE SERVICE [CUST: SH] [REVIEW: GS] | A 6125 | SH | | 22-APR-98 |
| | MIL-P-19277B NOT 1 | POSITIONER, STEP (FOR TORPEDO MK 37 MOD 2) [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| A | MIL-R-19309C NOT 1 | RELAY, SENSITIVE (FOR TORPEDO MARK 37 MOD 2) [CUST: OS CC] [REVIEW: CC] | A 5945 | CC | | 31-JUL-96 |
| A | MIL-C-19311B NOT 1 | COPPER CHROMIUM ALLOY FORGINGS, WROUGHT ROD, BAR, AND STRIP (COPPER ALLOY NUMBERS 182, 184, AND 185) [CUST: OS] | A 9530 | OS | | 22-APR-98 |
| | MIL-T-19314A NOT 1 | TRACER, MARK 20 MOD 0 [CUST: AS] | A 1315 | AS | | 11-SEP-96 |
| A | MIL-D-19326H NOT 1 | DESIGN AND INSTALLATION OF LIQUID OXYGEN SYSTEMS IN AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 11] | A 1660 | AS | | 23-JUL-97 |
| | MIL-G-19327B NOT 1 | GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN CONVERTER, TYPE MC-5 [CUST: AS] | A 6685 | AS | | 14-JAN-57 |
| | MIL-DTL-19328F NOT 1 | CONVERTER, LIQUID OXYGEN, 5 LITER, MB-5A [CUST: AS 99] | A 1660 | 71 | | 27-NOV-96 |
| A | MIL-R-19365C(5) | RESISTORS, ADJUSTABLE, WIREWOUND, POWER [CUST: CR EC 85 CC] [REVIEW: 17 19 80 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CC | | 13-FEB-98 |
| | MIL-P-19380J(2) NOT 1 | PONTOONS, STEEL, SECTIONAL, P-SERIES: INCLUDING FITTINGS AND TOOLS (FOR COUPLING INTO FLOATING STRUCTURES) [CUST: CR4 YD1] | A 1945 | YD1 | | 10-MAY-95 |
| | MIL-P-19380/1(2) NOT 1 | PONTOON, STEEL, SECTIONAL, P-SERIES, DETAIL SPECIFICATION FOR [CUST: CR4 YD1] | A 1945 | YD1 | | 10-MAY-95 |
| | MIL-P-19380/2(1) NOT 1 | PONTOON, JOINING FITTINGS, TOOLS, AND CAGES, DETAIL SPECIFICATION FOR [CUST: CR4 YD1] | A 1945 | YD1 | | 10-MAY-95 |
| | MIL-P-19380/3 NOT 1 | PONTOON, DECK FITTINGS AND OUTFITTING ACCESSORIES, DETAIL SPECIFICATION FOR [CUST: CR4 YD1] | A 1945 | YD1 | | 10-MAY-95 |
| | MIL-P-19380/4 NOT 1 | PONTOONS, DRYDOCK EQUIPMENT, MISCELLANEOUS FITTINGS AND ACCESSORIES, DETAIL SPECIFICATION FOR [CUST: CR4 YD1] | A 1945 | YD1 | | 10-MAY-95 |
| | MIL-T-19383A NOT 2 | TEST SET, SYNCHRO TRANSMITTER MARK 312 MOD 0 (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [CUST: OS] | A 6625 | OS | | 09-MAY-96 |
| | MIL-H-19387A NOT 1 | HEADS, SPRINKLER AND WASHDOWN [CUST: SH] [REVIEW: CC] | A 4510 | SH | | 02-JUN-87 |
| | MIL-C-19397 NOT 3 | COMPENSATOR, INERTIA, FOR AS-473/ASB-1 (BUORD DRAWING 790394 INERTIA COMPENSATING UNIT) [CUST: AS] | A 6605 | AS | | 30-APR-97 |
| | MIL-A-19401 NOT 2 | ACTUATOR, ELECTROMECHANICAL, ROTARY, FOR AS-473/ASB-1 (BUORD DRAWING 790459, 1332290, AZIMUTH TORQUE AMPLIFIER) [CUST: AS] | A 1680 | AS | | 18-SEP-96 |
| A | MIL-M-19417D NOT 1 | MASK ASSEMBLIES, OXYGEN AND SMOKE, FULL FACE [CUST: AV AS 99] [REVIEW: 11] | A 1660 | AS | | 23-JUL-97 |
| | MIL-P-19419A NOT 1 | PLATING, CHROMIUM, ELECTRO-DEPOSITED, (ON THE INTERIOR SURFACES OF 20 MM MARK 11 GUN BARRELS) [CUST: AS] | A 1005 | AS | | 21-AUG-89 |
| | MIL-R-19445A NOT 1 | RACK, BOMB, AERO 65A SERIES [CUST: AS] | A 1095 | AS | | 11-SEP-96 |
| | MIL-P-19461A NOT 1 | PLOTTING BOARD, TACTICAL DISPLAY, PT-429/A [CUST: AS] | A 6605 | AS | | 30-APR-97 |
| | MIL-S-19500/11C(1) | SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, GERMANIUM, SWITCHING TYPE 2N167A [CUST: CR EC 17 CC] [REVIEW: 11 13 19 99 AR AS CG MC MI] | A 5961 | CC | | 23-MAY-86 |
| | MIL-S-19500/46B(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N574, 2N575, 2N575A, 2N1574A [CUST: CR] [REVIEW: 19] | A 5961 | CC | | 12-MAR-93 |
| | MIL-S-19500/56B(1) NOT 1 | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N416, AND 2N417 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/70A(2) | TRANSISTOR, TYPE 2N463 [CUST: EC CC] [REVIEW: 19 99 AS CG MC] | A 5961 | CC | | 23-MAY-86 |
| | MIL-S-19500/100A(2) NOT 1 | SEMICONDUCTOR DEVICES TRANSISTOR, PNP, GERMIUM TYPE 2N537 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/119B(1) | SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, TYPE JAN-1N933 [CUST: CR EC 17] [REVIEW: 19 AR MI] | A 5961 | CC | | 15-MAR-83 |
| | MIL-S-19500/163(3) NOT 1 | SEMICONDUCTOR DEVICE TRANSISTOR, NPN, SILICON TYPE 2N1072 [CUST: CR EC 17] [REVIEW: 19] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/183A(3) | SEMICONDUCTOR DEVICE, DIODE, SILICON, RF MIXER TYPE JAN-1N25WA [CUST: CR EC 17] [REVIEW: 13 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 31-AUG-94 |
| | MIL-S-19500/232B(3) | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N21WE, 1N21WEM, AND 1N21WEMR [CUST: CR EC 17 CC] [REVIEW: 13 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 27-JUL-94 |
| | MIL-S-19500/237A(3) | SEMICONDUCTOR DEVICE, DIODE, SILICON, VIDEO DETECTOR TYPE 1N32 [CUST: CR EC 17 CC] [REVIEW: 11 13 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 24-AUG-88 |
| | MIL-S-19500/247(4) NOT 1 | SEMICONDUCTOR DEVICES TRANSISTOR, NPN, SILICON TYPE 2N1493 [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/293A(1) | SEMICONDUCTOR DEVICE, DIODE, TYPE 1N93A [CUST: EC 17 CC] [REVIEW: 19] | A 5961 | CC | | 15-MAR-83 |
| | MIL-S-19500/310(2) | SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N2834 [CUST: EC CC] [REVIEW: CG MC SH] | A 5961 | CC | | 16-MAR-83 |
| | MIL-S-19500/318(7) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, POWER RECTIFIER JAN TYPE - 1N1084 [CUST: CR EC 17] [REVIEW: 11 19 85 AR AS CG MC MI SH] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/321A(5) | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N21WG, 1N21WGM, AND 1N21WGMR [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 28-MAY-94 |
| | MIL-S-19500/322B(4) NOT 1 | SEMICONDUCTOR DEVICE, DIODE, SILICON MIXER TYPES: 1N23WE, 1N23WEM, 1N23WEMR, 1N23WG, 1N23WGM, AND 1N23WGMR [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 30-AUG-94 |
| | MIL-S-19500/334A(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N3655A, 1N3655AM, AND 1N3655AMR [CUST: CR EC 17] [REVIEW: 13 19 70 85 99 AR AS CG MC MI SM] | A 5961 | CC | | 27-JUL-94 |
| | MIL-S-19500/335(2) NOT 1 | SEMICONDUCTOR DEVICE, SILICON, VOLTAGE REFERENCE (TEMPERATURE-STABLE) TYPE 1N430A, 1N430B [CUST: CR EC 17] [REVIEW: 11 19 85 99 AS CG MC MI SH] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/361(1) | TRANSISTOR, PNP, SILICON, DOUBLE-EMITTER TYPE 3N108 [CUST: EC CC] [REVIEW: 19 AS CG MC OS] | A 5961 | CC | | 23-MAY-86 |
| | MIL-S-19500/389(2) | SEMICONDUCTOR DEVICE, DIODE, SILICON, HIGH-VOLTAGE RECTIFIER TYPES 1N5181, 1N5182, 1N5183, 1N5184 AND TX1N5181, TX1N5182, TX1N5183, TX1N5184 [CUST: CR EC 17] [REVIEW: 19] | A 5961 | CC | | 06-JUL-90 |
| | MIL-S-19500/424A | SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER, 1N5186, 1N5187, 1N5188, AND 1N5190, JAN, JANTX, AND JANTXV (USE MIL-S-19500/411) [CUST: CR EC 17 CC] [REVIEW: 19 85 AR AS CG MC MI] | A 5961 | CC | | 29-MAY-95 |
| A | MIL-C-19547B(1) NOT 1 | CABLE, ELECTRICAL, SPECIAL PURPOSE, SHORE USE [CUST: EC IS] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-19553A(2) NOT 1 | COMPRESSORS, CENTRIFUGAL DISPLACEMENT TYPE MOTOR DRIVEN, OIL-FREE AIR FOR NAVAL SHIPBOARD LOW PRESSURE AIR SERVICE [CUST: SH] | A 4310 | SH | | 22-APR-98 |
| | MIL-S-19557/1 NOT 1 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-14-1 [CUST: AS] | A 2995 | AS | | 18-SEP-96 |
| | MIL-S-19557/2 NOT 1 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-19 [CUST: AS] | A 2995 | AS | | 18-SEP-96 |
| | MIL-S-19557/3 NOT 1 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-19-1 [CUST: AS] | A 2995 | AS | | 18-SEP-96 |
| | MIL-S-19557/4 NOT 1 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-21 [CUST: AS] | A 2995 | AS | | 18-SEP-96 |
| | MIL-S-19557/5 NOT 1 | STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-22-3 [CUST: AS] | A 2995 | AS | | 18-SEP-96 |
| | MIL-T-19576A(1) NOT 2 | TRANSMITTER, REMOTE COMPASS, THIN WING TYPE ML-1 (UNSTABILIZED) [CUST: AS] | A 6605 | AS | | 30-APR-97 |
| | MIL-P-19602B NOT 1 | PRIMER, SIZE COATING, BAKING, FOR ROLLER COAT APPLICATION [CUST: MR OS] [REVIEW: EA] | A 8010 | OS | | 09-MAY-96 |
| | MIL-E-19603C NOT 1 | ENAMEL, BAKING, FOR ROLLER COAT APPLICATION [CUST: MR OS] [REVIEW: AT] | A 8010 | OS | | 09-MAY-96 |
| A | MIL-I-19632B NOT 1 | INSULATION, ELECTRICAL, DIELECTRIC BARRIER, LAMINATED, PLASTIC FILM AND RAG PAPER [CUST: SH] [REVIEW: GS] | A 5970 | SH | | 22-APR-98 |
| | MIL-M-19633B(2) NOT 1 | MOTOR-GENERATOR, 60-CYCLE, AC TO 400-CYCLE AC (VOLTAGE AND FREQUENCY REGULATED) SHIPBOARD SERVICE [CUST: SH] [REVIEW: GS] | A 6125 | SH | | 20-JUN-91 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|--|-----------------------|-----|-------------|-----------|
| A | MIL-G-19769B NOT 1 | GASKET, SYNTHETIC RUBBER, OIL RESISTANT, SLIDE VALVE (FOR 21 INCH SUBMERGED TORPEDO TUBES) [CUST: SH] [REVIEW: OS] | A 5330 | SH | | 20-DEC-95 |
| A | MIL-C-19787C(4) NOT 2 | CABLE, ELECTRIC, TORPEDO, 65 CONDUCTOR (FOR TORPEDO CONTROL, ELECTRIC SETTING) [CUST: OS] | A 6145 | OS | | 22-APR-98 |
| A | MIL-C-19803F(5) NOT 1 | CONVERTER, LIQUID OXYGEN, 10-LITER GCU-24A/A [CUST: AS 99] [REVIEW: 71] | A 1660 | AS | | 23-JUL-97 |
| | MIL-G-19804 NOT 1 | GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN CONVERTER, TYPE MC-6(USE MIL-I-81387) [CUST: AS] | A 6685 | AS | | 12-JAN-57 |
| | MIL-G-19807 NOT 1 | GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN QUANTITY INDICATOR REPEATERS, TYPES MC-5R, MC-6R, MC-7R, MC-8R (USE MIL-I-81387) [CUST: AS] | A 6685 | AS | | 14-JAN-57 |
| | MIL-A-19815A(2) NOT 1 | ARMING DEVICE (UNLOADED AND LOADED) MARK 2 MODS 1 AND 3 [CUST: OS] | A 1355 | OS | | 31-OCT-86 |
| | MIL-S-19816A(2) NOT 1 | SWITCH, STERILIZING, MARK 1 MODS 0 AND 1 (FOR EXPLODER MECHANISM MARK 19 SERIES) [CUST: OS] [REVIEW: CC] | A 1355 | OS | | 31-JUL-96 |
| | MIL-S-19819C NOT 1 | SWITCH, FIRING, MARK 8 MOD 0 AND 1 (INERTIA)(FOR EXPLODER MECHANISM MARK 19 SERIES) [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| | MIL-S-19820B(1) NOT 1 | SWITCH, HYDROSTATIC, MARK 24, MODS 0, 1, 2, AND 3 (FOR EXPLODER MECHANISM MARK 19 SERIES) [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| | MIL-O-19838(1) NOT 2 | OIL SYSTEMS: AIRCRAFT, INSTALLATION AND TEST OF [CUST: AS] [REVIEW: AV GS] | A 9150 | AS | | 07-AUG-96 |
| | MIL-L-19844A NOT 1 | LEAD, SHIELDED, DETACHABLE IGNITION [CUST: AS] [REVIEW: 99 AV] | A 2925 | AS | | 07-MAY-97 |
| A | MIL-L-19917A NOT 1 | INSULATION SHEET, ELECTRICAL, MICA PAPER, SILICONE BONDED [CUST: SH] [REVIEW: GS MI] | A 5970 | SH | | 22-APR-98 |
| | MIL-F-19924(1) NOT 1 | FEED, MECHANISMS, 20MM, MARK 7 MODS 0 & 2 [CUST: AS] | A 1005 | AS | | 05-FEB-58 |
| | MIL-C-19978/12(4) NOT 1 | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED), (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR19 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH TD] | A 5910 | CC | | 22-OCT-90 |
| | MIL-C-19978/16A(2) | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED), (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR39 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5910 | CC | | 19-JUN-90 |
| | MIL-C-19978/17A | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED), (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR42 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5910 | CC | | 19-JUN-90 |
| | MIL-C-19978/18A | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, THREADED-STUD RETAINER, TUBULAR (UNINSULATED), (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQR43 [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5910 | CC | | 19-JUN-90 |
| | MIL-C-19978/19B | CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED), (HERMETICALLY SEALED IN METAL CASES), STYLE CQ05 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS SH TD] | A 5910 | CC | | 18-APR-95 |
| | MIL-C-20061D(1) NOT 1 | CLINOMETERS, SHIP, AND ACCESSORIES [CUST: SH 99] | A 6605 | GS | | 18-JAN-91 |
| A | MIL-W-20096D NOT 1 | WEIGHT, BALLAST [CUST: CR4 SH] [REVIEW: 99] | A 2040 | SH | | 22-APR-98 |
| A | MIL-B-20100C(1) NOT 1 | BRUSHES, CLEANING, FOR BORE, CHAMBER AND FIRING PIN HOLE OF SMALL ARMS [CUST: AR] | A 1005 | AR | | 11-AUG-97 |
| A | MIL-B-20278B(1) NOT 1 | BLADDER, FLOTATION [CUST: OS] [REVIEW: CT MC SA] | A 8465 | OS | | 20-DEC-95 |
| A | MIL-P-20293A NOT 2 | PAPER, KRAFT, ASPHALT IMPREGNATED [CUST: AR AS 69] [REVIEW: EA GL] | A 8135 | AR | | 31-JAN-96 |
| | MIL-D-20305 NOT 2 | DIMETHYLANILINE [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 08-FEB-96 |
| | MIL-D-20309 NOT 1 | DINTROMETHYLANLINE [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 01-FEB-96 |
| | MIL-C-20327 NOT 2 | CHARGE, PROPELLING, FOR SEPARATE LOADING AND SEMI-FIXED AMMUNITION [CUST: AR] [REVIEW: MC] | A 1375 | AR | | 10-JUL-96 |
| | MIL-P-20338A(2) NOT 2 | PRIMER, PERCUSSION, MARK 2A4 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 10-JUL-96 |
| A | MIL-C-20353C NOT 2 | CARTRIDGE, 90MM, CANISTER, M336 LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1315 | AR | | 08-AUG-97 |
| A | MIL-C-20354C(2) NOT 1 | CARTRIDGE, 105MM, ILLUMINATING, M314A3, LOADING, ASSEMBLING AND PACKAGING [CUST: AR] | A 1315 | AR | | 12-AUG-97 |
| A | MIL-P-20378D(1) NOT 2 | PLUNGER, DELAY MI, PARTS FOR [CUST: AR] | A 1375 | AR | | 10-JUL-96 |
| A | MIL-S-20399A(1) NOT 2 | SHELL, ILLUMINATING, M314A1 AND M314A1B1 FOR 105MM HOWITZERS, M2 AND M4 LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1315 | AR | | 01-FEB-96 |
| | MIL-F-20412 NOT 2 | FUSE, SAFETY (BICKFORD TYPE) [CUST: AR] | A 1375 | AR | | 10-JUL-96 |
| A | MIL-C-20418C NOT 1 | CARTRIDGE, 105MM, SMOKE HC, BE, M84A1 LOADING, ASSEMBLING, MARKING AND PACKING [CUST: AR] | X 1315 | AR | | 19-AUG-97 |
| | MIL-M-20439A NOT 2 | MINE, ANTIPERSONNEL, PRACTICE, M8 LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1345 | AR | | 13-MAR-97 |
| | MIL-P-20444C NOT 2 | PRIMER, PERCUSSION, M42 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR OS] [REVIEW: EA] | A 1375 | AR | | 14-MAR-97 |
| | MIL-P-20449C(2) NOT 2 | PRIMER, PERCUSSION, M61 PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 10-JUL-96 |
| A | MIL-G-20473B(1) NOT 2 | GRENADE, RIFLE, SMOKE, COLORED, M22A2 LOADING, ASSEMBLING, MARKING, AND PACKING [CUST: AR OS] | A 1330 | AR | | 01-SEP-97 |
| | MIL-F-20481B NOT 4 | FUZE, MINE, COMBINATION M6A1 AND M10A1, PARTS FOR [CUST: AR] | A 1390 | AR | | 03-FEB-97 |
| | MIL-P-20486A(1) NOT 2 | PRIMER ELEMENTS, DETONATORS AND RELAYS METAL PARTS FOR [CUST: AR] [REVIEW: EA] | A 1390 | AR | | 10-JUL-96 |
| | MIL-P-20512D NOT 1 | PROJECTILE, 155 MM, SMOKE, HC BE, M116E2, LOADING, ASSEMBLING AND PACKING [CUST: EA] | A 1320 | EA | | 28-SEP-95 |
| A | MIL-A-20515 NOT 2 | ACTIVATOR, M1 LOADING, ASSEMBLING, AND PACKING [CUST: AR] [REVIEW: EA] | A 1345 | AR | | 01-SEP-97 |
| | MIL-S-20561A NOT 2 | SPRING, ESCAPEMENT, CORROSION-RESISTING [CUST: OS] [REVIEW: GS] | A 5360 | OS | | 09-MAY-96 |
| | MIL-R-20648C NOT 1 | RACK, STORAGE, MOTION PICTURE, FILM [CUST: CR 99] [REVIEW: 70 GS] | A 6760 | CR | | 29-MAR-96 |
| | MIL-F-20670B(2) NOT 1 | FLANGES, PIPE, CARBON STEEL, 150 P.S.I., W.S.P. (FOR NAVAL SHIPBOARD USE) [CUST: SH] [REVIEW: CC] | A 4730 | SH | | 26-MAR-91 |
| A | MIL-P-20689D(3) NOT 1 | PLASTIC PLASTISOL (FOR COATING METALLIC OBJECTS) [CUST: MR SH 84] [REVIEW: 99 AS CG] | A 8030 | MR | | 26-NOV-97 |
| A | MIL-C-20704C NOT 1 | CUTTING EDGES, MOLDBOARD, GRADER [CUST: AT YD1] [REVIEW: CC CE] | A 3805 | AT | | 09-MAR-98 |
| A | MIL-T-20705A NOT 1 | TEETH, SCARIFIER, BACK-RIP [CUST: AT YD1 99] [REVIEW: CC CE MC] | A 3830 | AT | | 09-MAR-98 |
| A | MIL-S-20706A NOT 1 | SCARIFIER ASSEMBLIES, BACK-RIP, EARTH, DOZER MOUNTED [CUST: AT YD1] [REVIEW: CC CE MC] | A 3830 | AT | | 09-MAR-98 |
| | MIL-A-21001A(2) NOT 1 | ARMING DEVICE MARK 6 MOD 0 (TORPEDO PRACTICE) [CUST: OS] | A 1355 | OS | | 31-OCT-86 |
| A | MIL-G-21032D NOT 1 | GASKET, METALLIC ASBESTOS, SPIRAL WOUND (FORASA COMMERCIAL FLANGED JOINTS IN PIPING SYSTEMS) [CUST: SH 99] [REVIEW: 82 AT CR4 MC] | A 5330 | SH | | 22-APR-98 |
| | MIL-T-21038/11F NOT 1 | TRANSFORMERS, PULSE, LOW POWER, TYPE TP7SX4410AZ [CUST: CR EC 85] | A 5950 | CC | | 30-JUN-94 |
| A | MIL-S-21041C NOT 3 | SLOTTED METAL FRAMING, ANGLES AND PANELS [CUST: GL YD1 99] | A 7125 | 84 | | 07-AUG-97 |
| A | MIL-C-21049F(1) NOT 1 | COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS [CUST: AS 11] [REVIEW: 71 99] | A 1660 | AS | | 10-SEP-97 |
| | MIL-C-21067C NOT 1 | COATING COMPOUND, SYNTHETIC RUBBER, FOR EXPOSED STEEL SURFACES [CUST: MI] [REVIEW: AR CR CR4 GL MR] | A 8030 | MI | | 11-MAR-96 |
| | MIL-R-21073A(1) NOT 1 | RECORDER, MAGNETIC DISTORTION, RO-32/ASQ [CUST: AS] | A 6655 | AS | | 21-AUG-96 |
| | MIL-C-21097/2E NOT 1 | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD COMPOSITE, RECEPTACLE, CONTACT SPACING (.200) SINGLE ROW, TYPE CR [CUST: CR EC 17 CC] [REVIEW: AR AS AT AV MC MI OS SH] | A 5935 | CC | | 23-JUL-93 |
| | MIL-C-21097/3E NOT 1 | CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD COMPOSITE, ADAPTER, CONTACT SPACING (.200), INDIVIDUAL CONTACTS, TYPE CS [CUST: CR EC 11 CC] [REVIEW: AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 23-JUL-93 |
| | MIL-M-21124 NOT 1 | MINE CASE MARK 25 MOD 1 [CUST: OS] | A 1350 | OS | | 27-MAR-92 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------------|--|-----------------------|-----|-------------|-----------|
| A | MIL-B-21160(2) NOT 3 | BLADDER, FLOTATION, MK 2 MOD 0 AND MK 2 MOD 1 [CUST: OS] [REVIEW: CT] | A 2050 | OS | | 20-DEC-95 |
| | MIL-A-21165A NOT 1 | ADAPTER, QUICK DISCONNECT, PASSENGER SEAT TO FLOOR [CUST: AV AS 99] [REVIEW: CC] | A 1680 | AS | | 23-JUL-97 |
| | MIL-R-21187C NOT 1 | RELAY, SENSITIVE (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| A | MIL-T-21200L NOT 2 | TEST EQUIPMENT FOR USE WITH ELECTRONIC AND ELECTRICAL EQUIPMENT, GENERAL SPECIFICATION FOR [CUST: CR AS 11] [REVIEW: AV EC MC MI] | A MISC | AS | | 29-MAR-93 |
| | MIL-I-21203A(2) NOT 1 | INDICATOR, ATTITUDE, SPHERICAL, DIRECT READING, FAST ERECTING, ELECTRIC GYRO [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| | MIL-T-21205B(1) NOT 2 | TRANSMITTER, RATE OF FLOW, FUEL; TRU-12/A (300 - 5000 - 15000 PPH) [CUST: AS] | A 6620 | AS | | 03-DEC-90 |
| A | MIL-I-21206B(1) NOT 2 | INDICATOR, RATE OF FLOW, FUEL; EFU-7/A (300-5000-15000 PPH) [CUST: AS] | A 6620 | AS | | 03-DEC-90 |
| | MIL-F-21241 NOT 3 | FILTERS, COLOR FINISHED (FOR OPTICAL INSTRUMENTS) [CUST: OS] [REVIEW: MI] | A 6650 | OS | | 09-MAY-96 |
| | MIL-B-21331C NOT 1 | BOILER, STEAM, HIGH PRESSURE, WATER TUBE, FORCED CIRCULATION TYPE, AUXILIARY, NAVAL SHIPBOARD [CUST: SH] | A 4410 | SH | | 22-APR-98 |
| A | MIL-Z-21353 | ZIRCONIUM HYDRIDE [CUST: AR OS] | A 1375 | AR | | 15-JUN-89 |
| | MIL-P-21386E(1) NOT 1 | PAPER, FILTER MEDIA, ROLL-TYPE [CUST: SH] | A 6640 | SH | | 22-APR-98 |
| | MIL-I-21400 NOT 1 | INTERVALOMETER, ORDNANCE, RELEASE TD-239/A [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| A | MIL-W-21425B NOT 1 | WIRE, STEEL, HIGH CARBON, SQUARE, UNCOATED, FOR MECHANICAL SPRINGS (GENERAL PURPOSE) [CUST: MR OS 99 IS] [REVIEW: AR GL MI] | A 9505 | IS | | 16-JUN-97 |
| | MIL-A-21430B NOT 2 | ACCESSORY SET MARK 1 MOD 1 [CUST: OS] | A 4930 | OS | | 27-MAR-92 |
| | MIL-G-21480/3B NOT 2 | GENERATOR SYSTEM, EMERGENCY, 2.5 KVA, 400 HERTZ, ALTERNATING CURRENT, RAM AIR TURBINE DRIVEN, DETAIL SPECIFICATION FOR [CUST: AS] [REVIEW: GS] | A 6115 | AS | | 21-AUG-96 |
| A | MIL-G-21480/8A NOT 1 | GENERATOR SYSTEM, 34 KVA, 400 CYCLE, AC, INTEGRALLY EXCITED BRUSHLESS TYPE AND 200 AMPS AT 28 VOLTS, DC [CUST: AS] [REVIEW: GS] | A 6115 | AS | | 21-AUG-96 |
| | MIL-G-21480/9B NOT 2 | GENERATOR SYSTEM, EMERGENCY, 1.7 KVA, 400 HZ, AC, RAM AIR TURBINE DRIVEN [CUST: AS] [REVIEW: GS] | A 6115 | AS | | 21-AUG-96 |
| | MIL-G-21480/11A NOT 1 | GENERATOR SYSTEM, 10 KVA, 400 CYCLE, AC, INTERGRALLY EXCITED, BRUSHLESS TYPE [CUST: AS] [REVIEW: GS] | A 6115 | AS | | 21-AUG-96 |
| A | MIL-G-21480/12E NOT 1 | GENERATOR SYSTEM, 40 KVA, 400 HZ AC, INTEGRALLY EXCITED, BRUSHLESS TYPE [CUST: AS] | A 6115 | AS | | 21-AUG-96 |
| | MIL-G-21480/16A NOT 1 | GENERATOR SYSTEM, 20 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE [CUST: AS] [REVIEW: GS] | A 6115 | AS | | 21-AUG-96 |
| | MIL-G-21480/17A(1) NOT 1 | GENERATOR SYSTEM, 20 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE [CUST: AS] [REVIEW: 11] | A 6115 | AS | | 21-AUG-96 |
| M | MIL-G-21480/18 NOT 1 | GENERATOR SYSTEM, 30 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE [CUST: AS] | A 6115 | AS | | 21-AUG-96 |
| | MIL-G-21480/19A NOT 2 | GENERATOR SYSTEM, AIRCRAFT, 400 HZ, 3 PHASE 115/200 VOLT, 50 KVA AND 90 KVA [CUST: AS] | A 6115 | AS | | 21-AUG-96 |
| | MIL-G-21480/21A NOT 1 | GENERATOR SYSTEM, 30 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE [CUST: AS] | A 6115 | AS | | 21-AUG-96 |
| A | MIL-G-21480/23 NOT 1 | GENERATOR SYSTEM, AIRCRAFT 400 HZ, 3 PHASE 115/200 VOLT, 30/45 KVA [CUST: AS] | A 6115 | AS | | 21-AUG-96 |
| | MIL-S-21558A NOT 1 | SEAL, OIL, PLAIN OR PLAIN ENCASED [CUST: OS] [REVIEW: IS MI] | A 5330 | OS | | 20-DEC-95 |
| | MIL-F-21572 NOT 2 | FUZE FUNCTION CONTROL SET AN/AWW-1 [CUST: AS] [REVIEW: 99] | A 1290 | AS | | 11-SEP-96 |
| A | MIL-T-21578A NOT 1 | TEST EQUIPMENT, HAZARDOUS LOCATION, INSTALLED, BASIC REQUIREMENTS FOR [CUST: AS] | A 4920 | AS | | 11-SEP-96 |
| | MIL-C-21583(2) NOT 1 | CS MECHANISM MARK 1 MODS 3, 4, 9, AND 11 [CUST: OS] | A 1350 | OS | | 27-MAR-92 |
| | MIL-H-21594C NOT 1 | HOOKPOINT, AIRCRAFT ARRESTING [CUST: AS] | A 1710 | AS | | 06-JUL-92 |
| A | MIL-S-21604/6A | SWITCH, ASSEMBLIES FOR REMOTE OPERATED SWITCHES, 10 AMPERE, STYLES RJR AND RJRA [CUST: SH] | A 5930 | CC | | 30-MAR-92 |
| | MIL-G-21615(2) NOT 1 | GUN, AIRCRAFT, 20MM MARK 12 MOD 0 & MOD 3 [CUST: AS] | A 1005 | AS | | 25-FEB-63 |
| | MIL-H-21623B NOT 1 | HOLDERS, RADIAC SAMPLE [CUST: SH] | A 6665 | SH | | 22-APR-98 |
| A | MIL-W-21632(1) NOT 1 | WIRE ROPES, STEEL, BARE AND NYLON COVERED, CORROSION-RESISTING, FLEXIBLE, PREFORMED, OCEANOGRAPHIC AND BATHYTHERMOGRAPHIC [CUST: SH] [REVIEW: IS MI] | A 4010 | SH | | 01-APR-91 |
| | MIL-S-21639 NOT 1 | SEXTANT, BUBBLE AQU-1/A [CUST: AS] | A 6605 | AS | | 30-APR-97 |
| | MIL-L-21652A(1) NOT 3 | LIGHT, BEACON, ANTICOLLISION, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: 11 AT GS] | A 6220 | AS | | 29-MAY-92 |
| A | MIL-T-21671 NOT 2 | TEST SET MARK 126 MOD 0 [CUST: OS] | A 6625 | OS | | 27-MAR-92 |
| | MIL-T-21674(3) NOT 1 | TEST SET MARK 177 MOD 0 [CUST: OS] | A 6625 | OS | | 21-AUG-90 |
| | MIL-C-21676(1) NOT 1 | MINE CASE MARK 36 MOD 2 [CUST: OS] | A 1350 | OS | | 28-MAY-86 |
| A | MIL-C-21679(1) NOT 1 | CLOCK DELAY CD-10 MOD 1 MECHANISM [CUST: OS] | A 1350 | OS | | 28-MAY-86 |
| | MIL-T-21684 NOT 2 | TEST SET MARK 96 MOD 1 [CUST: OS] | A 6625 | OS | | 27-MAR-92 |
| | MIL-I-21685(3) NOT 1 | INDICATOR, COMPASS REPEATER, ROTATING DIAL, TYPE MW-2 [CUST: AS] | A 6605 | AS | | 30-APR-97 |
| A | MIL-M-21688A(1) NOT 1 | MEASURING SYSTEM, FLOAT CURRENT, SUBMARINE STORAGE BATTERY [CUST: SH] | A 2090 | SH | | 22-APR-98 |
| | MIL-V-21701B(2) NOT 2 | VALVE, CHECK, OXYGEN MASK, INLET [CUST: AV AS] | A 1660 | AS | | 21-AUG-96 |
| | MIL-I-21718(1) NOT 1 | INDICATOR, AIRSPEED, PITOT STATIC, MAXIMUM ALLOWABLE SPEED, 40-400 KNOTS [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| A | MIL-I-21735A NOT 2 | INDICATOR, AIRSPEED AND MACH NUMBER, PITOT STATIC, 60 TO 650 KNOTS [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| | MIL-L-21910(1) | LAUNCHER, ROCKET LAU-10/A [CUST: AS] | A 1055 | AS | | 15-OCT-63 |
| | MIL-S-21919B NOT 1 | SWITCH, HYDROSTATIC, MARK 42 MOD 0 [CUST: OS] | A 1350 | OS | | 27-MAR-92 |
| A | MIL-S-21920C NOT 2 | SWITCH, HYDROSTATIC, MARK 41 MODS 0 AND 1 [CUST: OS] | A 1350 | OS | | 27-MAR-92 |
| | MIL-S-21944B NOT 2 | SWITCH, THERMOSTATIC, MARK 3 MOD 0 [CUST: OS CC] | A 5930 | CC | | 27-MAR-92 |
| | MIL-N-21945A NOT 1 | NONMAGNETIC REQUIREMENTS FOR PARTS FOR MINES MARK 56 AND MARK 57 [CUST: OS] | A 1350 | OS | | 27-MAR-92 |
| A | MIL-W-21993B NOT 1 | WIRE ROPE ASSEMBLY, MOORING, MARK 1 MOD 1 [CUST: OS] | A 1350 | OS | | 27-MAR-92 |
| | MIL-J-21994B NOT 1 | JUNCTION BOX MARK 43 MOD 0 [CUST: OS] | A 1350 | OS | | 27-MAR-92 |
| | MIL-I-22027 NOT 1 | IGNITER, JET ENGINE, MK 243 MOD 2 [CUST: AS] | A 1375 | AS | | 11-SEP-96 |
| A | MIL-T-22030(1) NOT 3 | TRANSMITTER, RATE OF FLOW, FUEL; TRU-26/A (300 TO 10,000 PPH) [CUST: AS] | A 6620 | AS | | 03-DEC-90 |
| | MIL-B-22036D NOT 1 | BRIDLE AND PENDANT ASSEMBLIES AIRCRAFT LAUNCHING [CUST: AS] | A 1720 | AS | | 17-SEP-97 |
| | MIL-P-22046(1) NOT 1 | POWER SUPPLY MARK 20 MOD 1 [CUST: OS] | A 6625 | OS | | 21-AUG-90 |
| A | MIL-T-22047(1) NOT 1 | TEST SET MARK 27 MOD 1 [CUST: OS] | A 6625 | OS | | 21-AUG-90 |
| | MIL-I-22075C NOT 1 | INDICATOR, BEARING-DISTANCE-HEADING ID-663D/U [CUST: AS] | A 6605 | AS | | 17-SEP-97 |
| | MIL-C-22087B NOT 1 | COPPER ALLOY INVESTMENT CASTINGS [CUST: 11] [REVIEW: 99] | A MECA | 11 | | 01-JUN-95 |
| A | MIL-R-22097/1G NOT 2 | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ11 [CUST: CR EC 85] [REVIEW: 17 19 AR AT AV CR4 MC MI OS] | A 5905 | CC | | 29-APR-93 |
| | MIL-R-22097/3G(1) | RESISTOR, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ22 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 06-JUL-93 |
| | MIL-R-22097/5C(2) | RESISTOR, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ26 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 06-JUL-93 |
| A | MIL-R-22097/6E(2) | RESISTOR, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE, SINGLE TURN), STYLE RJ50 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 06-JUL-93 |
| | MIL-I-22126B(2) NOT 1 | INDICATOR, TORQUEMETER, ENGINE, TURBOPROP [CUST: AS] | A 6620 | AS | | 16-OCT-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-S-22128A(2) NOT 2 | SQUIP, ELECTRIC, MARK 2 MODS [CUST: OS] | A 1340 | OS | | 20-DEC-95 |
| | MIL-S-22135C(1) NOT 1 | SWITCH, FIRING, MARK 9 MOD 0 (FOR EXPLODER MECHANISM MARK 19 SERIES) [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| | MIL-S-22141B(1) NOT 1 | STEEL, INVESTMENT CASTINGS ALLOY AND CARBON [CUST: MR OS] [REVIEW: AR AS EA] | A MECA | OS | | 06-NOV-91 |
| | MIL-A-22165(5) NOT 1 | AMPLIFIER, COMPASS, SERVO (TYPE MF-1 COMPASS) [CUST: AS] | A 6605 | AS | | 30-APR-97 |
| A | MIL-P-22203 NOT 1 | PERFORMANCE DATA REPORT FOR STANDARD AIRCRAFT CHARACTERISTICS CHARTS FOR PILOTTED AIRCRAFT [CUST: AV AS] | A TMSS | AS | | 04-APR-98 |
| | MIL-S-22219 NOT 1 | STAND, BOOSTER TEST, MK 12 MOD 0 [CUST: OS] | A 4935 | OS | | 20-MAY-92 |
| | MIL-S-22220 NOT 1 | STAND, SUSTAINER TEST MK 13 MOD 0 [CUST: OS] | A 4935 | OS | | 20-MAY-92 |
| | MIL-S-22224 NOT 2 | SENSITIVITY SWITCH MARK 5 MOD 1 [CUST: OS CC] | A 5930 | CC | | 27-MAR-92 |
| A | MIL-B-22277A NOT 1 | BEARING, BALL, ANNULAR, GENERATOR AND MOTOR-GENERATOR [CUST: AV AS 99 GS] [REVIEW: 11 MI] | A 3110 | GS | | 01-OCT-97 |
| A | MIL-N-22239C(1) NOT 1 | NAVIGATIONAL SET, TACAN AN/ARN-52 (V) [CUST: AS] | A 5826 | AS | | 16-JUL-97 |
| | MIL-C-22263B NOT 1 | COUPLING FUEL LINE, FLEXIBLE, 125 PSI, GENERAL SPECIFICATION FOR [CUST: AV AS 99] [REVIEW: CC] | A 4730 | AS | | 18-MAR-97 |
| | MIL-C-22263/1 NOT 2 | COUPLING, TYPE I, ROLLED BEAD CONNECTING FLUID LINE, FLEXIBLE, MAXIMUM ENVELOPE AND WEIGHT [CUST: AV AS 11] [REVIEW: CC] | A 4730 | AS | | 18-MAR-97 |
| | MIL-C-22263/2 NOT 2 | COUPLING, TYPE II, SWAGED FERRULE CONNECTING FLUID LINE, FLEXIBLE, MAX. ENVELOPE AND WEIGHT [CUST: AV AS 11] [REVIEW: CC] | A 4730 | AS | | 18-MAR-97 |
| | MIL-C-22263/3 NOT 2 | SWAGE END FERRULE, VARIABLE CAVITY [CUST: AV AS 11] [REVIEW: CC] | A 4730 | AS | | 18-MAR-97 |
| | MIL-P-22264A(1) NOT 1 | POWDER, IGNITION, GASLESS, A-1A [CUST: AS] | A 1375 | AS | | 11-SEP-96 |
| | MIL-V-22272D(1) NOT 2 | VISORS, NEODYMIUM LASER, PROTECTIVE FOR AIRCREWMAN'S HELMET [CUST: AS] | A 8475 | AS | | 18-SEP-96 |
| | MIL-C-22284A(1) NOT 1 | CONTAINER, AIRCRAFT FIRE EXTINGUISHING SYSTEM, BROMOTRIFLUOROMETHANE, CF3BR [CUST: AS] | A 1680 | AS | | 18-SEP-96 |
| | MIL-E-22285(3) NOT 1 | EXTINGUISHING SYSTEM, FIRE, AIRCRAFT, HIGH-RATE DISCHARGE TYPE, INSTALLATION AND TEST OF [CUST: AS] | A 1680 | AS | | 07-MAY-97 |
| | MIL-A-22305C(7) NOT 2 | AMPLIFIER, DISTRIBUTION AM-2123(V)/U [CUST: EC] | A 5820 | EC | | 20-APR-95 |
| A | MIL-R-22307D NOT 1 | RADIAC SET AN/PDR-43() [CUST: SH] | A 6665 | SH | | 22-APR-98 |
| A | MIL-H-22343A(2) NOT 1 | HOSE ASSEMBLIES, METAL, LIQUID OXYGEN [CUST: AS] | A 4720 | AS | | 13-AUG-97 |
| | MIL-I-22352/2 | INTERCOMMUNICATION SETS AN/AIC-14 + AN/AIC-14A AMPLIFIER MODULE [CUST: AS] | A 5831 | AS | | 10-AUG-84 |
| | MIL-I-22352/5 NOT 2 | INTERCOMMUNICATION SETS AN/AIC-14A AND AN/AIC-14A LAMP DRIVER MODULE [CUST: AS] | A 5831 | AS | | 29-JAN-97 |
| | MIL-I-22352/6(1) | INTERCOMMUNICATION SETS, AN/AIC-14 & AN/AIC-14A VOX MODULE [CUST: AS] | A 5831 | AS | | 15-AUG-86 |
| | MIL-I-22352/9 NOT 2 | INTERCOMMUNICATIONS SETS, AN/AIC-14 AND AN/AIC-14A MONITOR AMPLIFIER MODULE [CUST: AS] | A 5831 | AS | | 29-JAN-97 |
| | MIL-I-22352/11 | INTERCOMMUNICATIONS SET, AN/AIC-14 & AN/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2642A/AIC-14 (INACTIVE USE MIL-I-22352/17 OR MIL-I-22352/11) [CUST: AS] | A 5831 | AS | | 10-AUG-84 |
| | MIL-I-22352/12 | INTERCOMMUNICATIONS SET, AN/AIC-14 & AN/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2644/AIC-14 [CUST: AS] | A 5831 | AS | | 10-AUG-84 |
| | MIL-I-22352/14 | INTERCOMMUNICATION SETS AN/AIC-14 AND AN/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2647A/AIC-14 [CUST: AS] | A 5831 | AS | | 10-AUG-84 |
| | MIL-I-22352/16 | PASSIVE INTERPHONE CONTROL PANEL C-2648B/AIC-14 [CUST: AS] | A 5831 | AS | | 10-AUG-84 |
| | MIL-I-22352/18 NOT 2 | INTERCOMMUNICATION SETS, AN/AIC-14 AND AN/AIC-14A R/T INTERPHONE CONTROL PANEL C-4952A/AIC-14A [CUST: AS] | A 5831 | AS | | 29-JAN-97 |
| | MIL-I-22352/21 | INTERCOMMUNICATIONS SET, AN/AIC-14 & AN/AIC-14A MASTER INTERPHONE CONTROL PANEL C-2645C/AIC-14 [CUST: AS] | A 5831 | AS | | 10-AUG-84 |
| | MIL-I-22352/23(2) NOT 1 | INTERCOMMUNICATION SETS, AN/AIC-14 AND AN/AIC-14A STATION INTERPHONE CONTROL PANEL C-4951/AIC-14A [CUST: AS] | A 5831 | AS | | 29-JAN-97 |
| A | MIL-I-22352/25 NOT 2 | INTERCOMMUNICATIONS SETS, AN/AIC-14 AND AN/AIC-14A MOUNTING PLATE MT-2075/AIC-14 [CUST: AS] | A 5831 | AS | | 17-SEP-97 |
| | MIL-I-22352/26 | INTERCOMMUNICATIONS SET, AN/AIC-14 & AN/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2643/AIC-14 (INACTIVE USE MIL-I-22352/17 OR MIL-I-22352/18) [CUST: AS] | A 5831 | AS | | 10-AUG-84 |
| A | MIL-B-22356F NOT 1 | BATHYTHERMOGRAPH TRANSMITTER SET AN/SSQ-36 [CUST: AS] [REVIEW: GS] | A 5845 | AS | | 30-JUL-97 |
| | MIL-T-22393B NOT 1 | TEST SET MARK 292 MOD 1 [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| | MIL-S-22432/34 NOT 2 | SERVOMOTOR, TYPE 18SM4 (7631932) [CUST: AR] [REVIEW: GS] | A 6105 | AR | | 14-MAR-97 |
| A | MIL-P-22438B NOT 1 | PANEL, RECEPTACLE, FOR ELECTRICAL AND ELECTRONICS TEST AND MAINTENANCE TABLE, GENERAL SPECIFICATION FOR [CUST: SH] | A 6110 | GS | | 18-JUL-97 |
| A | MIL-P-22438/1B NOT 2 | PANEL, RECEPTACLE, ELECTRICAL AND ELECTRONIC (SYMBOL NO. 754.2) [CUST: SH] | A 6110 | GS | | 18-JUL-97 |
| A | MIL-P-22438/2B NOT 2 | PANEL, RECEPTACLE, ENCLOSED, ELECTRICAL AND ELECTRONIC (SYMBOL NO. 755.3) [CUST: SH] | A 6110 | GS | | 18-JUL-97 |
| A | MIL-R-22440 NOT 1 | ROLLER, BEARING, NEEDLE, FERROUS, SOLID [CUST: AT OS 99 GS] [REVIEW: 84 CR4] | A 3110 | GS | | 16-JUN-97 |
| | MIL-C-22442/2C | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), MOLDED RUBBER CONNECTOR (QUICK DISCONNECT) [CUST: AS] | A 5995 | AS | | 18-FEB-92 |
| | MIL-C-22442/10D | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4620/AR [CUST: AS] | A 5995 | AS | | 02-SEP-88 |
| | MIL-C-22442/11B | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4621/AR [CUST: AS] | A 5995 | AS | | 02-SEP-88 |
| | MIL-C-22442/13D | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4623/AR [CUST: AS] | A 5995 | AS | | 02-SEP-88 |
| | MIL-C-22442/14B(1) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4831/AR [CUST: AS] | A 5995 | AS | | 24-MAY-91 |
| | MIL-C-22442/15D(2) | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4832A/AR [CUST: AS] | A 5995 | AS | | 17-JUN-94 |
| | MIL-C-22442/16B | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-7888/AIC-22(V) [CUST: AS] | A 5995 | AS | | 02-SEP-88 |
| | MIL-C-22442/17C | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-7889/AIC-22(V), CX-7890/AIC-22(V), AND CX-11754 [CUST: AS] | A 5995 | AS | | 02-SEP-88 |
| | MIL-C-22442/34A | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CABLE [CUST: AS] | A 5995 | AS | | 30-SEP-91 |
| | MIL-C-22442/47 | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), ADAPTER ASSEMBLY [CUST: AS] | A 5995 | AS | | 14-NOV-88 |
| | MIL-C-22442/52 | CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), AH-LW [CUST: AS] | A 5995 | AS | | 14-NOV-88 |
| | MIL-M-22447 NOT 1 | MOTOR-TACHOMETER GENERATOR [CUST: AS] | A 1290 | AS | | 11-SEP-96 |
| | MIL-B-22450C(1) NOT 2 | BOOSTER, GUIDED MISSILE, MARK 12 MOD 0 (LOADED ASSEMBLY) [CUST: OS] | A 1336 | OS | | 20-MAY-92 |
| A | MIL-P-22497C NOT 1 | POWER SUPPLIES, TYPE IV (TORPEDO TESTING) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| | MIL-M-22525B NOT 1 | MINE FIELD MARKER, BFMK 3 MOD 0, WM (HIGH INTENSITY FLASHING BEACON LIGHT) [CUST: SH] [REVIEW: GS] | A 6210 | SH | | 15-MAY-72 |
| | MIL-C-22553(3) NOT 1 | CONVERTER, SIGNAL DATA CV-1053A/ARC [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | MIL-I-22596C NOT 1 | INDICATOR, TACHOMETER, ELECTRIC, 0-120 PERCENT RPM, 2-INCH SIZE [CUST: AS] [REVIEW: GS] | A 6620 | AS | | 16-OCT-98 |
| A | MIL-R-22622A NOT 1 | RACK, BOMB EJECTOR, AIRCRAFT, AERO 7A AND AERO 7B SERIES [CUST: AS] | A 1095 | AS | | 13-FEB-98 |
| A | MIL-H-22663(3) NOT 1 | HEATER, SPACE, ELECTRIC, BLOWER, RADIANT AND TURRET (NAVAL SHIPBOARD) [CUST: SH] [REVIEW: CC] | A 4520 | SH | | 22-APR-98 |
| | MIL-I-22668A(4) NOT 1 | INTEGRATED ELECTRONIC CENTRALS AN/ASQ-57, AN/ASQ-57A, AN/ASQ-57B, AN/ASQ-109, AN/ASQ-58, AN/ASQ-58A, AN/ASQ-58B AND AN/ASQ-110 [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | MIL-A-22669(1) NOT 1 | AMPLIFIER-POWER SUPPLY-RECEIVER AM-2310(*)/ASQ AND ANTENNA AS-909(*)/ARA-48 [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | MIL-C-22672B(2) NOT 1 | CODER-RECEIVER-TRANSMITTER KY-533(*)/ASQ [CUST: AS] | A 5895 | AS | | 18-SEP-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc# | Action | Document Number | Document Title | Distribution FSC/Doc# | MCA | Prep. Acty. | Date |
|------|--------|---------------------------|---|-----------------------|-----|-------------|-----------|
| A | | MIL-M-22673(2) NOT 1 | MOUNTING-PLENUM MT-2243(*)/ASQ-56 AND MT-3946(*)/ASQ-56B [CUST: AS] [REVIEW: IS] | A 5340 | AS | | 30-SEP-97 |
| | | MIL-R-22684/1A(1) | RESISTORS, FIXED, FILM, INSULATED, STYLE RL07 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR MI] | A 5905 | CC | | 08-AUG-89 |
| | | MIL-R-22684/2B(2) | RESISTORS, FIXED, FILM, INSULATED, STYLE RL20 [CUST: CR EC 85] [REVIEW: 11 17 99 AR MI] | A 5905 | CC | | 08-AUG-89 |
| | | MIL-R-22684/3B(1) NOT 1 | RESISTORS, FIXED, FILM, INSULATED, STYLE RL32 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AT AV CG CR4 DH EA MC OS] | A 5905 | CC | | 08-AUG-89 |
| | | MIL-R-22684/4A(2) | RESISTORS, FIXED, FILM, INSULATED, STYLE RL42 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 08-AUG-89 |
| | | MIL-C-22704B NOT 1 | COMPUTER SET, NAVIGATIONAL AN/AYK-2 (*) [CUST: AS] | A 6605 | AS | | 30-APR-97 |
| A | | MIL-T-22755B NOT 2 | TAPE, REPAIR; MAGNETIC MINESWEEPING CABLE SHEATH [CUST: SH] [REVIEW: GS] | A 5970 | SH | | 22-APR-98 |
| | | MIL-R-22763(2) NOT 1 | RECEIVER-TRANSMITTER, RADIO RT-547(*)/ ASQ-19 AND DECODER, PULSE KY-312(*)/ASQ-19 [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | | MIL-C-22764C(2) NOT 1 | CODER RECEIVER TRANSMITTER KY-532A/ASQ [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | | MIL-A-22765(2) NOT 2 | AMPLIFIER-POWER SUPPLY-RECEIVER AM-2349/ASQ-19 AND AM-2349A/ASQ-19 AND ANTENNA AS-909/ARA-48 AND AS-909A/ARA-48 [CUST: AS] | A 5821 | AS | | 18-SEP-96 |
| | | MIL-C-22766(2) NOT 2 | CONTROL, CENTRAL C-3076(*)/ASQ-19 AND C-6248(*)/ASQ-88 [CUST: AS] | A 5841 | AS | | 18-SEP-96 |
| | | MIL-I-22768(2) NOT 1 | INDICATORS, FREQUENCY CHANNEL ID-808(*)/ASQ AND ID-1311(*)/ASQ [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | | MIL-L-22769A(1) NOT 1 | LAUNCHER, WEAPONS, AIRBORNE AND ASSOCIATED EQUIPMENT GENERAL SPECIFICATION FOR [CUST: AS] | A 10GP | AS | | 15-NOV-95 |
| | | MIL-C-22770H NOT 1 | COIL, WIRE [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| A | | MIL-C-22802(2) NOT 1 | CONTROL MONITOR DCU-75/A [CUST: AS] | A 5821 | AS | | 16-JUL-97 |
| | | MIL-I-22814 NOT 2 | AN/APM-132 INCLINOMETER SET [CUST: AS] | A 4931 | AS | | 18-SEP-96 |
| A | | MIL-D-22825C NOT 2 | DEHYDRATORS, DESICCANT, REFRIGERANT 12 [CUST: GL YD1 99 IS] [REVIEW: CE GS MC MD SH] | A 4130 | IS | | 12-FEB-96 |
| A | | MIL-H-22832B NOT 2 | HEAT INTERCHANGERS, REFRIGERANT 12 [CUST: GL YD1 82 IS] [REVIEW: CE CR4 MC] | A 4130 | IS | | 21-NOV-94 |
| A | | MIL-S-22833C NOT 2 | STRAINERS, SEDIMENT, REFRIGERANT 12 [CUST: GL YD1 99 IS] [REVIEW: CR4 GS SM] | A 4130 | IS | | 12-FEB-96 |
| A | | MIL-I-22834A(1) NOT 1 | INSULATION, ELECTRICAL, DIELECTRIC BARRIER, LAMINATED, PLASTIC FILM AND SYNTHETIC FIBER MAT [CUST: SH] [REVIEW: CR4 GS MI] | A 5970 | SH | | 22-APR-98 |
| | | MIL-A-22847(1) NOT 1 | AIR REFUELING STORE SYSTEM, D-704 [CUST: AS] | A 1680 | AS | | 28-AUG-96 |
| | | MIL-A-22858A(5) NOT 1 | ATTITUDE INDICATING SYSTEM, REMOTE, STANDBY, TWO INCH [CUST: AS] [REVIEW: GS] | A 6610 | AS | | 09-OCT-96 |
| | | MIL-H-22868 NOT 1 | HYDROGEN PEROXIDE, E-STABILIZED, 70 PERCENT AND 90 PERCENT (FOR TORPEDO USE) [CUST: OS] | A 6810 | OS | | 31-JUL-96 |
| A | | MIL-S-22885/1G NOT 2 | SWITCH, PUSH BUTTON, ILLUMINATED LENSES (SCREW-IN, T-1-3/4 MFB LAMP) [CUST: CR EC 11] [REVIEW: 17 19 85 AR AS AT AV CR4 MC OS SH] | A 5930 | CC | | 21-JUL-97 |
| A | | MIL-S-22885/8G NOT 1 | SWITCH, PUSH BUTTON, ILLUMINATED, MOMENTARY AND PUSH-PULL, 2 CIRCUIT, 5 AMPERES [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI SH] | A 5930 | CC | | 21-JUL-97 |
| | | MIL-S-22885/19G | SWITCH, PUSH BUTTON, ILLUMINATED, LENSES FOR (SNAP-IN, T-1-3/4 MFB LAMP) (INACTIVE FOR NEW DESIGN) [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CR4 MC OS SH] | A 5930 | CC | | 20-JUL-88 |
| | | MIL-S-22885/22E | SWITCH, PUSH BUTTON, ILLUMINATED, LENSES FOR (SCREW-IN, T-1-3/4 MFB LAMP) (INACTIVE FOR NEW DESIGN) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR AS AT CR4 MC OS SH] | A 5930 | CC | | 20-JUL-88 |
| | | MIL-S-22885/78A | SWITCH, PUSHBUTTON, ILLUMINATED, COLOR FILTER FOR [CUST: EC CC] | A 5930 | CC | | 20-DEC-89 |
| | | MIL-S-22885/83D(1) | SWITCH, PUSH BUTTON, ILLUMINATED, (2.330 LONG X .750 SQUARE) [CUST: 85 CC] [REVIEW: 99] | A 5930 | CC | | 09-JUN-93 |
| A | | MIL-S-22885/100(1) NOT 2 | SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SPDT & DPDT, 7.5 AMPERES, SILVER CONTACTS, 1 AMPERE, GOLD CONTACTS (DRIPPROOF, SUNLIGHT READABLE, RF SHIELDED) [CUST: 85 CC] | A 5930 | CC | | 21-JUL-97 |
| A | | MIL-C-22909B SUP 1 NOT 1 | CRIMPING TOOL, TERMINAL AND CONNECTOR CONTACT, HYDRAULIC OPERATED [CUST: CR AS 11] [REVIEW: 85 EC GL OS] | A 5130 | AS | | 05-NOV-97 |
| | | MIL-E-22911D(2) NOT 1 | ELECTRONIC PANEL (FOR TORPEDO MARK 37 MOD 2) [CUST: OS] | A 1355 | OS | | 31-OCT-86 |
| | | MIL-C-22912B NOT 1 | CONTROLLER, STEERING (FOR TORPEDO MARK 37 MOD 2) [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| | | MIL-T-22913C NOT 1 | TIMER (FOR TORPEDO MARK 37 MOD 2) [CUST: OS] | A 1355 | OS | | 31-OCT-86 |
| A | | MIL-R-22928B NOT 2 | RECEIVER, LIQUID REFRIGERANT-12 [CUST: GL IS] [REVIEW: CR4 GS MC MD SS] | A 4130 | IS | | 12-FEB-96 |
| | | MIL-C-22937 NOT 2 | CONTROL-MONITOR DCU-74/A [CUST: AS] | A 5821 | AS | | 18-SEP-96 |
| | | MIL-T-22939B(1) NOT 1 | TEST SET, TORPEDO, MARK 393 MOD O [CUST: OS] | A 4921 | OS | | 08-SEP-75 |
| | | MIL-C-22954B(1) NOT 1 | CONTROL, RADIO SET C-1138Q/UR [CUST: EC] | A 5820 | EC | | 30-APR-95 |
| A | | MIL-I-22960A NOT 1 | RADAR INDICATORS FOR NAVAL SURFACE SHIPS, SUBMARINES AND SHORE INSTALLATIONS [CUST: SH] [REVIEW: EC] | A 5840 | SH | | 22-APR-98 |
| | | MIL-D-23000(2) NOT 1 | DECODER GROUP OA-3369(*)/APX-7 [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | | MIL-E-23001B NOT 1 | ELECTRIC GENERATING SYSTEM, VARIABLE SPEED CONSTANT FREQUENCY, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AS] | A 6115 | AS | | 01-FEB-94 |
| | | MIL-E-23001/3D(1) NOT 1 | ELECTRIC GENERATING SYSTEM, AIRCRAFT, VSCF, 20 KVA, 115/200 VOLT, 3 PHASE, 400 HZ [CUST: AS] [REVIEW: GS] | A 6115 | AS | | 21-AUG-96 |
| A | | MIL-D-23003A(1) NOT 1 | DECK COVERING COMPOUND, NONSLIP, ROLLABLE [CUST: SH] [REVIEW: YD1] | A 5610 | SH | | 22-APR-98 |
| | | MIL-P-23004A NOT 1 | POD (FOR GUN POD MARK 4 MOD 0) [CUST: AS] | A 1005 | AS | | 13-MAR-64 |
| | | MIL-G-23010A | GUN MECHANISM, 20MM, MARK 11 MOD 5 (ASSEMBLY) [CUST: AS] | A 1005 | AS | | 21-AUG-89 |
| | | MIL-R-23014 NOT 2 | RELAY ASSEMBLY, ARMING, MAGNETIC RYU-7(*)/A24 AND RACK, ELECTRICAL EQUIPMENT MTU-6(*)/A24 [CUST: AS] [REVIEW: GS] | A 5895 | AS | | 18-SEP-96 |
| A | | MIL-C-23020B SUP 1A NOT 1 | CABLE, COAXIAL (FOR SUBMARINE USE) [CUST: EC IS] | A 6145 | IS | | 16-JUN-97 |
| A | | MIL-C-23020/1A NOT 1 | CABLE, COAXIAL (FOR SUBMARINE USE) TYPE RG-293A/U [CUST: EC IS] | A 6145 | IS | | 16-JUN-97 |
| A | | MIL-C-23020/2A NOT 1 | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-294A/U [CUST: EC IS] | A 6145 | IS | | 16-JUN-97 |
| A | | MIL-C-23020/3 NOT 1 | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-295/U [CUST: EC IS] | A 6145 | IS | | 16-JUN-97 |
| A | | MIL-C-23020/4A(1) NOT 1 | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-264C/U [CUST: EC IS] | A 6145 | IS | | 16-JUN-97 |
| A | | MIL-C-23020/5A NOT 1 | CABLE, COAXIAL (FOR SUBMARINE USE) TYPE RG-317/U [CUST: EC IS] | A 6145 | IS | | 16-JUN-97 |
| A | | MIL-C-23020/6 NOT 1 | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-14A/U [CUST: EC IS] | A 6145 | IS | | 16-JUN-97 |
| A | | MIL-C-23020/7B NOT 1 | CABLE, COAXIAL (SUBMARINE USE) TYPE RG-17A/U [CUST: EC IS] | A 6145 | IS | | 16-JUN-97 |
| | | MIL-R-23021B NOT 1 | ROCKET MOTOR, MANUFACTURING INERT PARTS FOR, GENERAL SPECIFICATION FOR [CUST: OS] | A 1336 | OS | | 20-DEC-95 |
| | | MIL-I-23053/2C(1) NOT 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, FLEXIBLE, CROSSLINKED AND NON-CROSSLINKED [CUST: CR AS 85] [REVIEW: 99 EA EC GS MI] | A 5970 | AS | | 01-MAY-86 |
| | | MIL-I-23053/3A(1) NOT 1 | INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, SEMI RIGID, CROSSLINKED AND NON-CROSSLINKED [CUST: CR AS 85] [REVIEW: 99 AR EA EC GS MI] | A 5970 | AS | | 01-MAY-86 |
| | | MIL-R-23057(1) NOT 1 | REGULATOR, COMPRESSED AIR, HIGH PRESSURE (3500 PSI) [CUST: AS] | A 4310 | AS | | 24-JUL-96 |
| | | MIL-B-23071/11B NOT 1 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (9.8 WATTS INPUT POWER) [CUST: CR4 EC 82 GS] [REVIEW: 11 17 AS MI] | A 4140 | GS | | 11-FEB-91 |
| A | | MIL-R-23074C NOT 1 | RUBBER TILE, RUBBER-AIR-LEAD-TYPE (RAL) [CUST: SH] | A 9320 | SH | | 22-APR-98 |
| | | MIL-G-23081C(1) NOT 1 | GYROSCOPE INDICATOR SYSTEM, VERTICAL [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| | | MIL-G-23083C NOT 1 | GYROSCOPE, RATE SWITCHING MS 17399 [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| A | | MIL-C-23092B NOT 2 | CEMENT, NATURAL RUBBER; MAGNETIC MINESWEEPING CABLE REPAIR [CUST: SH] [REVIEW: CR4] | A 8040 | SH | | 22-APR-98 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----|-------------|------|
| A | MIL-C-23122B NOT 2 | CONDENSERS, AIR COOLED, REFRIGERANT-12 [CUST: GL YD1 99 IS] [REVIEW: CR4 GS MC] | A 4130 | IS | 01-APR-96 | |
| A | MIL-T-23132A(1) NOT 2 | TUNGSTEN DELAY COMPOSITION [CUST: OS] | A 1375 | OS | 11-SEP-96 | |
| A | MIL-C-23136B NOT 1 | CONDENSER, REFRIGERATING, WATER COOLED, REFRIGERANT 12 [CUST: GL 99 IS] [REVIEW: CR4 GS MC MD] | A 4130 | IS | 02-FEB-96 | |
| A | MIL-V-23219 NOT 1 | VALVE MANIFOLDS, HIGH PRESSURE AIR REDUCING [CUST: SH] | A 4730 | SH | 22-APR-98 | |
| | MIL-V-23254C(1) NOT 1 | VALVE, CONTROL [CUST: AS] [REVIEW: MI] | A 1055 | AS | 15-SEP-95 | |
| A | MIL-I-23264A SUP 1 NOT 2 | INSULATORS, CERAMIC, ELECTRICAL AND ELECTRONIC, GENERAL SPECIFICATION FOR [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CR4 MC MI SH] | A 5970 | GS | 19-NOV-97 | |
| A | MIL-I-23264/19A NOT 2 | INSULATORS, BOWL (STYLE 58) [CUST: CR EC 85 GS] [REVIEW: 99 AS CC CR4 MC MI] | A 5970 | GS | 19-NOV-97 | |
| | MIL-C-23269/5E | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL-RADIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR13 [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC OS SH] | A 5910 | CC | 04-FEB-93 | |
| | MIL-C-23269/6E | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL-RADIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR17 [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC OS SH] | A 5910 | CC | 04-FEB-93 | |
| | MIL-C-23269/7D | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL-RADIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR22 [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC OS SH] | A 5910 | CC | 04-FEB-93 | |
| | MIL-C-23269/8D | CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL-RADIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLE CYR32 [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC OS SH] | A 5910 | CC | 04-FEB-93 | |
| | MIL-C-23269/9C | CAPACITORS, FIXED, GLASS DIELECTRIC, (RADIAL OR AXIAL WIRE-LEAD TERMINALS), ESTABLISHED RELIABILITY, STYLES CYR41, CYR42, AND CYR43 [CUST: CR EC 85] [REVIEW: 17 19 AS CG MC OS SH] | A 5910 | CC | 04-FEB-93 | |
| | MIL-A-23282B(4) NOT 1 | ACTUATOR [CUST: OS] | A 1355 | OS | 31-JUL-96 | |
| | MIL-B-23297B(3) NOT 1 | BOOSTER, GUIDED MISSILE, MARK 12 MOD 1 (LOADED ASSEMBLY) [CUST: OS] | A 1336 | OS | 20-MAY-92 | |
| A | MIL-T-23326A NOT 1 | THIMBLE, SYNTHETIC ROPE [CUST: SH IS] | A 4030 | IS | 16-JUN-97 | |
| | MIL-C-23331(1) NOT 1 | CORES FOR SEARCH COIL ASSEMBLIES [CUST: OS] | A 1350 | OS | 27-MAR-92 | |
| | MIL-I-23366B NOT 1 | INDICATOR, HORIZONTAL SITUATION ID-1013(*)/A [CUST: AV AS] | A 6610 | AS | 04-SEP-96 | |
| | MIL-C-23367 NOT 1 | COMPUTER, FLIGHT DIRECTOR, AIRCRAFT [CUST: AS] | A 6605 | AS | 30-SEP-97 | |
| A | MIL-P-23408B NOT 2 | PLATING: TIN-CADMIUM (ELECTRODEPOSITED) [CUST: MR AS 11] [REVIEW: IS] | A MFFP | AS | 30-SEP-97 | |
| A | MIL-C-23437E NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL [CUST: EC IS] | A 6145 | IS | 16-JUN-97 | |
| | MIL-R-23444A NOT 1 | RESIN, POLYVINYL CHLORIDE, PLASTISOL GRADE [CUST: OS] | A 9330 | OS | 20-MAY-92 | |
| | MIL-T-23449A(1) NOT 1 | TRANSMITTING SET, RADIO AN/PRT-5(*) [CUST: AS] | A 5820 | AS | 29-JAN-97 | |
| | MIL-V-23450C NOT 3 | VALVE, EXPANSION, THERMOSTATIC, REFRIGERANT 12 AND REFRIGERANT 22 [CUST: GL 99] [REVIEW: CR4 GS MC] | A 4820 | CC | 01-APR-96 | |
| | MIL-R-23481B(1) NOT 1 | ROCKET MOTOR, MARK 30 MODS 1 AND 2 [CUST: OS] | A 1340 | OS | 20-MAY-92 | |
| | MIL-I-23488(1) NOT 2 | IGNITION ELEMENT, ELECTRIC, MARK 10 MQD 0 [CUST: AS] | A 1375 | AS | 11-SEP-96 | |
| | MIL-R-23489A NOT 1 | RECEIVER, INFRARED (VIEWING SET), AN/SAR-7(*) [CUST: EC] | A 5850 | EC | 30-APR-95 | |
| | MIL-P-23504 NOT 1 | PUMP, VACUUM, COMPOUND, ROTARY, MOTOR DRIVEN, 12 CFM [CUST: AS] | A 4310 | AS | 24-JUL-96 | |
| | MIL-I-23524A NOT 1 | INDICATOR, ATTITUDE-DIRECTOR, REMOTE, ID 1329A (V) [CUST: AS] | A 6610 | AS | 09-OCT-96 | |
| A | MIL-C-23525A NOT 1 | CONTAINER, REUSABLE, ALUMINUM, HAND PORTABLE [CUST: OS] [REVIEW: MI] | A 8140 | OS | 22-APR-98 | |
| | MIL-S-23535 NOT 1 | SYSTEM, INTEGRATED FLIGHT INSTRUMENTATION [CUST: AS] | A 6610 | AS | 09-OCT-96 | |
| A | MIL-O-23560C(2) NOT 1 | OSCILLOGRAPHS, GENERAL SPECIFICATION FOR [CUST: OS] | A 1355 | OS | 22-APR-98 | |
| | MIL-O-23560/4A(1) NOT 1 | OSCILLOGRAPH, TYPE IV (FOR TORPEDO MARK 37 MOD 1) [CUST: OS] | A 1355 | OS | 31-JUL-96 | |
| A | MIL-O-23560/5(1) NOT 1 | OSCILLOGRAPH, TYPE V (FOR TORPEDO MARK 46 MOD 0) [CUST: OS] | A 1355 | OS | 22-APR-98 | |
| | MIL-T-23588C NOT 1 | TRANSDUCER, PRESSURE [CUST: OS] | A 1355 | OS | 31-JUL-96 | |
| A | MIL-L-23614B(1) NOT 1 | LIGHT, MARKER, DISTRESS, AIRCREW, DSU-30 [CUST: AS] [REVIEW: CG CR4 SH] | A 6230 | AS | 13-AUG-97 | |
| | MIL-A-23622 NOT 2 | ACTUATOR, AIRCRAFT, ELECTRO-MECHANICAL, LINEAR, DIRECT CURRENT [CUST: AS] | A 1680 | AS | 15-JUL-93 | |
| | MIL-T-23645H NOT 1 | TRANSMITTER T-827(*)/URT [CUST: EC] | A 5820 | EC | 30-APR-95 | |
| | MIL-R-23648/7B | RESISTOR, THERMAL (THERMISTOR), INSULATED NEGATIVE TEMPERATURE COEFFICIENT STYLE RTH18 [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | 04-APR-95 | |
| A | MIL-A-23670A(3) NOT 1 | ATTITUDE HEADING REFERENCE SYSTEM AN/ASN-50(*) [CUST: AS] | A 6605 | AS | 05-NOV-97 | |
| A | MIL-M-23677A NOT 2 | METER, AMPERE-HOUR (NONMERCURY TYPE) [CUST: SH] [REVIEW: GS] | A 6625 | SH | 22-APR-98 | |
| A | MIL-O-23678B(2) NOT 1 | OXYGEN SYSTEMS, PORTABLE, HIGH PRESSURE, AIRCRAFT [CUST: AV AS] | A 1660 | AS | 10-SEP-97 | |
| | MIL-E-23683A NOT 1 | EXPLOSIVE FITTING MARK 19 MOD 1 [CUST: OS] | A 1351 | OS | 27-MAR-92 | |
| | MIL-T-23693 NOT 1 | TEST HARNESS, RADAR SET AN/APM-153(*) [CUST: AS] [REVIEW: CC] | A 4940 | AS | 11-SEP-96 | |
| | MIL-C-23697(2) NOT 1 | COMPUTER SET, NAVIGATIONAL AN/ASN-42(*) [CUST: AS] | A 6605 | AS | 30-APR-97 | |
| | MIL-C-23716A NOT 1 | COMPUTER SET, BOMB RELEASE, LOFT, AN/AJB-3 [CUST: AS] | A 1280 | AS | 11-SEP-96 | |
| | MIL-G-23723(2) NOT 2 | GYROSCOPE, RATE SWITCHING CN-495/AJB-3 [CUST: AS] | A 6615 | AS | 29-JAN-97 | |
| | MIL-C-23727A(2) NOT 1 | COMPUTER SET, LOFT BOMB RELEASE AN/AJB-3A [CUST: AS] | A 1280 | AS | 11-SEP-96 | |
| A | MIL-T-23752E NOT 1 | TRITIUM AIR MONITOR, PORTABLE OR FIXED [CUST: SH] | A 6665 | SH | 22-APR-98 | |
| A | MIL-R-23757C NOT 1 | RADAR IDENTIFICATION TRANSPONDER SET AN/APX-71A [CUST: AS] | A 5895 | AS | 17-SEP-97 | |
| A | MIL-R-23761B NOT 1 | REGULATOR, VOLTAGE, AND CONTROL PANELS AIRCRAFT, DIRECT CURRENT GENERATOR, GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: 80 99 GS] | A 6110 | AS | 13-AUG-97 | |
| A | MIL-R-23761/1A(1) NOT 1 | REGULATOR CONTROL PANEL, AIRCRAFT DIRECT CURRENT GENERATOR, 28 VOLT [CUST: AS] [REVIEW: GS] | A 6110 | AS | 13-AUG-97 | |
| A | MIL-R-23761/2B NOT 1 | REGULATORS, VOLTAGE, AIRCRAFT DIRECT CURRENT GENERATOR, 28-VOLT [CUST: AS] | A 6110 | AS | 13-AUG-97 | |
| | MIL-A-23766B NOT 1 | ANTENNA, AS-1018A/URC [CUST: EC] [REVIEW: CC] | C 5985 | EC | 30-APR-95 | |
| A | MIL-C-23768A(1) NOT 1 | CONTROL, INTEGRATED ELECTRONIC CENTRAL C-4850(*)/ASQ-85 [CUST: AS] | A 5895 | AS | 16-JUL-97 | |
| | MIL-A-23773A(1) NOT 1 | ANCHOR, UNDERWATER MINE, MARK 56 MOD 4 AND MOD 5 [CUST: OS] | A 1350 | OS | 27-MAR-92 | |
| | MIL-S-23809C NOT 1 | SECTION, EXERCISE, TORPEDO, MARK 64 MOD 2 (FOR TORPEDO MARK 37 MODS 2 AND 3) [CUST: OS] | A 1355 | OS | 31-OCT-86 | |
| | MIL-P-23810A(3) NOT 1 | PANEL, COMPONENT, RECORDING (FOR TORPEDO EXERCISE SECTION MARK 64 MOD 2) [CUST: OS] | A 1355 | OS | 31-JUL-96 | |
| | MIL-R-23811(3) NOT 1 | REORDER ASSEMBLY (FOR TORPEDO EXERCISE SECTION MARK 64 MOD 2) [CUST: OS] | A 1355 | OS | 31-JUL-96 | |
| A | MIL-C-23812B NOT 1 | CABLE, ELECTRONIC, TOW, FOR SUBMARINE APPLICATION [CUST: EC IS] | A 6145 | IS | 16-JUN-97 | |
| | MIL-T-23824A(1) NOT 1 | TORPEDO BEACON LIGHT (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [CUST: OS] | A 1355 | OS | 31-JUL-96 | |
| | MIL-I-23832A NOT 1 | INDICATOR, TACHOMETER, TRIPLE POINTER, HELICOPTER [CUST: AS] | A 6620 | AS | 16-OCT-96 | |
| A | MIL-R-23864B NOT 1 | RADAR TRANSPONDER AN/DPN-770 [CUST: AS] | A 5895 | AS | 16-JUL-97 | |
| A | MIL-A-23887A(1) NOT 1 | ALTIMETER SET, ELECTRONIC AN/APN-141(V) [CUST: AS] | A 5841 | AS | 16-JUL-97 | |
| A | MIL-R-24011A NOT 1 | RADAR ALTIMETER WARNING SET AN/APQ-107(*) [CUST: AS] | A 5841 | AS | 16-JUL-97 | |
| A | MIL-T-24015B NOT 1 | TRANSMITTING SET, TELEMETRY DATA AN/AKT-21 [CUST: AS] | A 5821 | AS | 16-JUL-97 | |
| A | MIL-C-24040B NOT 1 | COMPUTER-INDICATOR (SCALER), RADIAC, CP-7920/UD [CUST: SH] | A 6665 | SH | 22-APR-98 | |
| A | MIL-I-24063B(1) NOT 2 | INSERT SETS, SOUND ISOLATION FOR RISIC-1 FLEXIBLE CONNECTORS [CUST: SH] | A 4730 | SH | 17-FEB-98 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Ave | MCA | Prop. Acty. | Date |
|-------------|----------------------------|--|----------------------|-----|-------------|-----------|
| A | MIL-I-24078(1) NOT 1 | INTERCOMMUNICATION STATIONS NAVAL SHIPBOARD [CUST: SH] | A 5835 | SH | | 26-DEC-90 |
| A | MIL-R-24086B NOT 1 | RADIAC SET AN/PDR-45() [CUST: SH] | A 6665 | SH | | 22-APR-98 |
| A | MIL-E-24091C(1) NOT 1 | EXTINGUISHER, FIRE PORTABLE, POTASSIUM BICARBONATE, DRY CHEMICAL, CARTRIDGE-OPERATED TYPE [CUST: SH] [REVIEW: CC] | A 4210 | SH | | 22-APR-98 |
| | MIL-M-24100C NOT 1 | MANUALS, TECHNICAL: FUNCTIONALLY ORIENTED MAINTENANCE MANUALS (FOMM) FOR ELECTRONIC, ELECTROMECHANICAL, AND ORDNANCE EQUIPMENT, SYSTEMS, AND PLATFORMS [CUST: TM SH] [REVIEW: 10 AT AV CE CG CR4 EC MC OS] | A TMSS | SH | | 20-JUL-95 |
| A | MIL-S-24186B NOT 2 | SAMPLER, AIR PARTICLE, HD-732/UD [CUST: SH] | A 6625 | SH | | 22-APR-98 |
| A | MIL-P-24212C(2) NOT 1 | PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) [CUST: SH] | A 6685 | SH | | 21-APR-98 |
| | MIL-C-24230 NOT 1 | CIRCLE, AZIMUTH (MARK 4 MOD 1) AND CIRCLE, BEARING (MARK 2 MOD 1) FOR 6-INCH INDICATORS [CUST: SH] | A 6605 | SH | | 18-JAN-90 |
| | MIL-A-24233B NOT 1 | ANTENNA, AS-1735()/SRC [CUST: EC] | A 5985 | EC | | 30-APR-95 |
| A | MIL-H-24239(2) NOT 1 | HOSE ASSEMBLIES, HYDRAULIC, NONMAGNETIC, FOR MINESWEEPING TENSIO METERS [CUST: SH] | A 1075 | SH | | 22-APR-98 |
| A | MIL-F-24291C NOT 1 | FLOWMETER, FLUID ELECTROMAGNETIC TYPE [CUST: SH] | A 6680 | SH | | 22-APR-98 |
| | MIL-P-24293A NOT 2 | PACKING, HYDRAULIC, LEATHER, CATTLEHIDE, MINERAL-TANNED, IMPREGNATED [CUST: SH] | A 5330 | IS | | 16-JUN-97 |
| A | MIL-C-24301B NOT 1 | CABLE, SPECIAL PURPOSE, RADIO FREQUENCY, BUOYANT, TYPE RG-374/U [CUST: EC IS] | A 6145 | IS | | 16-JUN-97 |
| | MIL-D-24304B(2) NOT 1 | DIFFERENTIAL PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) (NAVAL SHIPBOARD USE) [CUST: SH] [REVIEW: GS] | A 6685 | SH | | 21-AUG-95 |
| | MIL-A-24319B(5) NOT 1 | ANTENNA, WHIP, 10.67 METER (35 F EET), AS-2537 ()/SR [CUST: EC] | A 5985 | EC | | 30-APR-95 |
| A | MIL-I-24330(1) NOT 1 | INSULATION SHEET, ELECTRICAL, LIGNO-CELLULOSIC, HIGH DENSITY, HARDBOARD [CUST: SH] [REVIEW: CR4 GS] | A 5970 | SH | | 22-APR-98 |
| A | MIL-P-24377A NOT 2 | PACKING MATERIAL, ASBESTOS, BRAIDED, IMPREGNATED WITH PTFE (POLYTETRAFLUOROETHYLENE), SURFACE LUBRICATED [CUST: AR SH 99] [REVIEW: CR4] | A 5330 | SH | | 22-APR-98 |
| | MIL-T-24381(1) SUP 1 NOT 1 | TERMINAL, CASUALTY POWER SYSTEMS, GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: GS] | A 5940 | SH | | 20-JUN-80 |
| | MIL-T-24381/1(1) NOT 1 | TERMINAL, CASUALTY POWER, BULKHEAD, 200 AMPERE, 500 VOLT, THREE PHASE, ALTERNATING CURRENT, SYMBOL NUMBER, 1025 [CUST: SH] [REVIEW: GS] | A 5940 | SH | | 20-JUN-80 |
| | MIL-T-24381/2(1) NOT 1 | TERMINALS, CASUALTY POWER, RISER, 200-AMPERE, 500-VOLT, THREE-PHASE, ALTERNATING CURRENT SYMBOL NUMBERS 1032, 1033, AND 1034 [CUST: SH] [REVIEW: GS] | A 5940 | SH | | 15-MAR-91 |
| | MIL-T-24381/3 NOT 1 | TERMINAL, CASUALTY POWER, TERMINAL BLOCK, SINGLE POLE, 200-AMPERE, 120-VOLT, DIRECT CURRENT, SYMBOL NUMBER 1035 [CUST: SH] [REVIEW: GS] | A 5940 | SH | | 31-MAY-88 |
| | MIL-T-24381/4 NOT 1 | TERMINAL, CASUALTY POWER, BULKHEAD, 200-AMPERE, 120-VOLT, DIRECT CURRENT, SYMBOL NUMBER 1024 [CUST: SH] [REVIEW: GS] | A 5940 | SH | | 15-MAR-91 |
| | MIL-T-24381/5 | TERMINAL, CASUALTY POWER, SWITCH, PORTABLE 60-AMPERE, 500-VOLT, THREE-PHASE, ALTERNATING CURRENT, SYMBOL NUMBER 1041 [CUST: SH] [REVIEW: GS] | A 5940 | SH | | 31-MAY-88 |
| | MIL-T-24381/6 NOT 1 | TERMINAL, CASUALTY POWER, CANVAS COVER (FOR RISER TERMINALS, SYMBOL NUMBERS 1032, 1033 & 1034) [CUST: SH] [REVIEW: GS] | A 5940 | SH | | 21-SEP-72 |
| | MIL-T-24381/7 NOT 1 | TERMINAL, CASUALTY POWER, ALTERNATING CURRENT, ENCLOSURE ASSEMBLY FOR, SYMBOL NUMBER 1038 [CUST: SH] | A 5940 | SH | | 21-SEP-72 |
| | MIL-T-24381/8 NOT 1 | TERMINAL, CASUALTY POWER, GUARD, SYMBOL NUMBER 1044 (FOR BULKHEAD TERMINAL, SYMBOL NUMBER 1024) [CUST: SH] [REVIEW: GS] | A 5940 | SH | | 15-MAR-91 |
| | MIL-T-24381/9 NOT 1 | TERMINAL, CASUALTY POWER, TERMINAL GUARD, SYMBOL NUMBER 1037 (FOR TERMINAL BLOCK SYMBOL NUMBER 1035) [CUST: SH] | A 5940 | SH | | 15-MAR-91 |
| | MIL-T-24381/10 NOT 1 | TERMINAL, CASUALTY POWER, CANVAS COVER (FOR BULKHEAD TERMINAL, SYMBOL NUMBER 1025) [CUST: SH] | A 5940 | SH | | 21-SEP-72 |
| A | MIL-P-24395 NOT 1 | PANEL, GROUND DETECTOR, GENERAL SPECIFICATION FOR [CUST: SH] [REVIEW: GS] | A 6110 | SH | | 22-APR-98 |
| A | MIL-P-24395/1B NOT 1 | PANEL, GROUND DETECTOR, 120 VOLTS (SYMBOL 1005.1) AND 450 VOLTS (SYMBOL 1005.2) ALTERNATING CURRENT, THREE PHASE, 60 OR 400 HERTZ, DRIPPROOF [CUST: SH] | A 6110 | SH | | 22-APR-98 |
| A | MIL-P-24395/2 NOT 2 | PANEL, GROUND DETECTOR, 120-VOLT (SYMBOL 1005.3) AND 240 VOLT (SYMBOL 1005.4) DIRECT CURRENT, DRIPPROOF [CUST: SH] [REVIEW: GS] | A 6110 | SH | | 22-APR-98 |
| A | MIL-G-24464A NOT 1 | GENERATOR SET, GAS TURBINE, MAGNETIC MINESWEEPING, 1750 KW [CUST: SH] | A 1075 | SH | | 22-APR-98 |
| A | MIL-G-24477 NOT 1 | GENERATOR SET, DIESEL ENGINE ALTERNATING CURRENT (NAVAL SUBMARINE USE) [CUST: SH] [REVIEW: GS] | A 6115 | SH | | 22-APR-98 |
| A | MIL-D-24483A(3) NOT 3 | DECK COVERING, SPRAY-ON, NONSLIP (USE MIL-PRF-24667) [CUST: SH] | A 5610 | SH | | 31-MAR-97 |
| A | MIL-L-24489C NOT 1 | LIFEBOAT, INFLATABLE, MARK 6, 25-PERSON CAPACITY [CUST: SH] | A 1940 | SH | | 22-APR-98 |
| A | MIL-I-24490B(1) NOT 2 | INFLATION SYSTEM EQUIPMENT, COMPRESSED AIR, FOR MARK 5, MOD 2 (15 PERSON) AND MARK 6 (25-PERSON) INFLATABLE LIFEBOATS [CUST: SH] | A 1940 | SH | | 22-APR-98 |
| A | MIL-C-24491B(1) NOT 1 | CONTAINER, FIBERGLASS REINFORCED PLASTIC, FOR INFLATABLE LIFEBOATS, MARK 5, MOD 2, AND MARK 6 [CUST: SH] | A 1940 | SH | | 22-APR-98 |
| A | DOD-B-24505C NOT 1 | BATTERY, STORAGE, SILVER ZINC ALKALINE TYPE (FOR DSRV) (METRIC) [CUST: SH] | A 6140 | SH | | 22-APR-98 |
| A | DOD-B-24507B(1) NOT 1 | BATTERY CELL, STORAGE, SILVER ZINC ALKALINE TYPE (FOR NR-1) (METRIC) [CUST: SH] [REVIEW: GS] | A 6140 | SH | | 22-APR-98 |
| A | DOD-B-24531(1) SUP 1 NOT 1 | BATTERY, STORAGE, SILVER-ZINC ALKALINE (EMERGENCY), GENERAL SPECIFICATION FOR (METRIC) [CUST: SH] [REVIEW: GS] | A 6140 | SH | | 22-APR-98 |
| A | DOD-B-24531/2(1) NOT 1 | BATTERY, STORAGE, SILVER ZINC ALKALINE (EMERGENCY), FOR DSVR, TYPE 25 V - 70 AH (METRIC) [CUST: SH] [REVIEW: GS] | A 6140 | SH | | 19-DEC-77 |
| A | DOD-B-24541/2A NOT 1 | BATTERY CELLS AND ELEMENTS, LEAD-ACID, LMAIN STORAGE, SUBMARINE, TYPE GUPPY I, MOD C (METRIC) | A 6140 | SH | | 22-APR-98 |
| A | DOD-B-24541/3A NOT 1 | BATTERY CELLS AND ELEMENTS, LEAD-ACID, LMAIN STORAGE, SUBMARINE, TYPE TRIDENT (METRIC) [CUST: SH] | A 6140 | SH | | 22-APR-98 |
| M | DOD-D-24577(2) NOT 1 | DISTILLER SCALE PREVENTIVE TREATMENT FORMULATIONS (METRIC) [CUST: SH GS] | A 6850 | GS | | 29-APR-98 |
| A | DOD-C-24594(1) NOT 1 | CELL, STORAGE, SILVER ZINC ALKALINE TYPE (FOR DEEP SUBMERGENCE APPLICATIONS) (METRIC) [CUST: SH] | A 6140 | SH | | 22-APR-98 |
| A | MIL-S-24603A NOT 1 | SEWAGE COMMINUTOR, AND ASSOCIATED MOTOR, CONTROLLER, AND DRIVE MECHANISM FOR SHIPBOARD USE [CUST: SH] | A 4630 | SH | | 22-APR-98 |
| A | MIL-C-24604 NOT 2 | CYLINDER, HIGH PRESSURE AIR, FIBERGLASS REINFORCED PLASTIC (FRP), METAL LINED [CUST: SH] | A 1940 | SH | | 22-APR-98 |
| A | MIL-H-24616A NOT 1 | HELMET, NAVAL SHIPBOARD (MK 5 MOD 0) [CUST: CT] | A 8470 | CT | | 04-APR-98 |
| | MIL-C-24629 NOT 1 | COMMUNICATIONS SYSTEMS INTEGRATED VOICE [CUST: SH] | A 5830 | SH | | 07-APR-94 |
| A | MIL-C-24633A NOT 1 | CHAIN, STUD LINK, ANCHOR, LOW ALLOY STEEL, FLASH BUTT WELDED [CUST: SH 99] [REVIEW: 82 CG IS YDI] | A 4010 | SH | | 22-APR-98 |
| A | DOD-V-24675 NOT 1 | VALVES, BOILER BLOW SERVICE, MONEL, SHIPBOARD USE [CUST: SH] | A 4820 | SH | | 22-APR-98 |
| A | MIL-F-24713 NOT 1 | FREQUENCY CHANGER, STATIC, AIR COOLED (NAVAL SHIPBOARD) [CUST: SH] | A 6130 | SH | | 22-APR-98 |
| | MIL-G-24717 NOT 1 | GASKET, SHEET, REFRIGERATION, NON-ASBESTOS [CUST: SH] | A 5330 | SH | | 16-APR-96 |
| M | MIL-R-24730 NOT 1 | ROPE, FIBROUS POLYESTER, EIGHT STRAND PLAITED [CUST: GL SH 99 IS] [REVIEW: 82 AS MC] | A 4020 | IS | | 24-APR-98 |
| M | MIL-R-24750 NOT 1 | ROPE, FIBROUS, SINGLE-BRAIDED [CUST: GL SH 99 IS] [REVIEW: 82] | A 4020 | IS | | 24-APR-98 |
| | MIL-A-24914 NOT 1 | ARM SLEEVE, RADIOACTIVE CONTAMINANTS, PROTECTIVE [CUST: NU CT] | A 8415 | CT | | 01-JUL-94 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-V-25023B(2) NOT 1 | VALVE, FUEL DRAIN, SELF-LOCKING [CUST: AV AS 99] [REVIEW: MI] | A 4820 | 82 | | 11-MAR-96 |
| | MIL-R-25042B NOT 1 | RESIN, POLYESTER, HIGH TEMPERATURE RESISTANT, LOW PRESSURE LAMINATING [CUST: MR AS 11] [REVIEW: 17 AT AV CR4 GS OS] | A 9330 | AS | | 31-JUL-96 |
| A | MIL-K-25049C NOT 1 | KNOB, CONTROL, ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR [CUST: CR AS 11] [REVIEW: IS] | A 5355 | AS | | 23-JUL-97 |
| A | MIL-P-25062B(1) NOT 1 | PARACHUTE RECOVERY SYSTEM, MISSILE AND DRONE, GENERAL REQUIREMENT FOR DEVELOPEMENT OF [CUST: MI AS] [REVIEW: 99] | A 1670 | AS | | 12-NOV-97 |
| | MIL-R-25085C(3) NOT 1 | RACK, BOMB AIRCRAFT, ELECTRIC, TYPE MB-3A/A [CUST: 99] | A 1095 | 84 | | 04-SEP-95 |
| A | MIL-I-25091B NOT 1 | INDICATOR, CABIN AIR PRESSURE, PRESSURIZED AIRCRAFT, 1-7/8 INCH DIAL, TYPE MA-2 [CUST: 99] | A 6685 | 82 | | 24-NOV-97 |
| | MIL-I-25120C NOT 1 | INDICATOR, INSTRUMENT LANDING, AIRPORT RUNWAY [CUST: 99] | A 6610 | 71 | | 01-JAN-96 |
| A | MIL-W-25140B NOT 1 | WEIGHT AND BALANCE CONTROL SYSTEM (FOR AIRCRAFT AND ROTORCRAFT) (USE SAWE-RP7) [CUST: AV AS 11] | A 15GP | AS | | 07-APR-97 |
| | MIL-C-25162B(1) NOT 1 | COUPLING, RECEPTION, FLIGHT PRESSURE REFUELING, TYPE MA-2 [CUST: AS 99] [REVIEW: 82] | A 1680 | AS | | 28-AUG-96 |
| A | MIL-R-25170B NOT 2 | RELEASE, AUTOMATIC, AIRCRAFT SAFETY LAP BELT [CUST: 99] | A 1680 | 82 | | 28-NOV-97 |
| | MIL-F-25173A(2) NOT 1 | FASTENER, CONTROL PANEL, AIRCRAFT EQUIPMENT [CUST: AS IS] [REVIEW: 99 MI] | A 5325 | IS | | 22-AUG-94 |
| | MIL-T-25186A(3) NOT 1 | TOILET, AIRCRAFT, CHEMICAL [CUST: AS 84] [REVIEW: 99 CC] | A 4510 | IS | | 16-JUN-97 |
| | MIL-T-25193B NOT 1 | TRANSMITTER, REMOTE COMPASS, TYPE C-2 (UNSTABILIZED) [CUST: AS] [REVIEW: 99] | A 6605 | AS | | 30-APR-97 |
| M | MIL-T-25307D NOT 1 | TRANSMITTER, PRESSURE, HYDRAULIC, TYPE MJ-1 [CUST: AV AS 99] | A 6685 | 82 | | 19-MAY-98 |
| | MIL-I-25324C NOT 1 | INDICATOR, RATE OF FLOW, FUEL, 0-12,000 PPH [CUST: 99] | A 6620 | 71 | | 15-JAN-96 |
| | MIL-I-25325A(1) NOT 3 | INDICATOR, RATE OF FLOW, FUEL, TOTALIZING, 0-100,000 PPH, TYPE MA-8 [CUST: AS] | A 6620 | AS | | 16-OCT-91 |
| | MIL-I-25355B NOT 1 | INDICATOR, INSTRUMENT LANDING, AIRPORT RUNWAY [CUST: 99] | A 6610 | 71 | | 01-JAN-96 |
| | MIL-A-25367B NOT 1 | ANTENNA AT-536-ARN [CUST: 99] | A 5826 | 84 | | 01-FEB-96 |
| | MIL-S-25392B NOT 1 | SANDWICH CONSTRUCTION, PLASTIC RESIN, GLASS FABRIC BASE, LAMINATED FACINGS AND POLYURETHANE FOAMED-IN-PLACE CORE, FOR AIRCRAFT STRUCTURAL APPLICATIONS [CUST: AS 11] [REVIEW: 99 GS] | A 9330 | AS | | 31-JUL-96 |
| | MIL-P-25395B NOT 1 | PLASTIC MATERIAL, HEAT RESISTANT, LOW PRESSURE LAMINATED GLASS FIBER BASE, POLYESTER RESIN [CUST: AS 11] [REVIEW: GS] | A 9330 | AS | | 31-JUL-96 |
| A | MIL-R-25410G NOT 1 | REGULATORS, OXYGEN, DILUTER-DEMAND, AUTOMATIC-PRESSURE BREATHING [CUST: AS] [REVIEW: GS] | A 1660 | AS | | 10-SEP-97 |
| A | MIL-I-25437B(1) NOT 1 | INDICATOR, AIRCRAFT, PRESSURE, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR [CUST: 99] [REVIEW: 11] | A 6685 | 82 | | 24-JUL-97 |
| | MIL-I-25438D(1) NOT 1 | INDICATOR, PRESSURE, TYPE MO-2 [CUST: 99] | A 6620 | 71 | | 15-JAN-96 |
| A | MIL-T-25446D NOT 1 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE [CUST: 99] | A 6685 | 82 | | 24-NOV-97 |
| | MIL-V-25469H NOT 1 | VALVES, FILLER, LIQUID OXYGEN, AIRCRAFT TYPE [CUST: AS 99] | A 4820 | 71 | | 04-NOV-96 |
| | MIL-I-25479A(1) NOT 1 | INDICATOR, MACH NUMBER, SENSITIVE, SERVOED, RANGE .5 TO 1.0, TYPE ME-5 [CUST: 99] | A 6610 | 71 | | 01-JAN-96 |
| | MIL-I-25482D NOT 1 | INDICATOR, ENGINE TESTING [CUST: 99] | A 6620 | 71 | | 15-JAN-96 |
| | MIL-T-25485C(2) NOT 2 | TRANSMITTER, THRUST, SINGLE SYNCHRO STYLE, PRESSURE RATIO, TYPE MK-2 [CUST: 99] | A 6620 | 71 | | 15-JAN-96 |
| | MIL-R-25506C(1) NOT 2 | RESIN SOLUTION, SILICONE, LOW-PRESSURE LAMINATING [CUST: MR AS 11] [REVIEW: 99 AR AV GS MI] | A 9330 | AS | | 31-JUL-96 |
| A | MIL-G-25507B NOT 1 | GAGE, PRESSURE, DIAL INDICATION, OXYGEN 0-2000 PSI, TYPE MF-2 [CUST: AS] | A 6685 | AS | | 13-AUG-97 |
| A | MIL-V-25513F NOT 1 | VALVE, CHECK, FOR 300 PSI LIQUID OXYGEN CONVERTER SYSTEMS, TYPE MH-1 [CUST: 99] [REVIEW: 82 CC] | A 4820 | 71 | | 22-JUN-97 |
| | MIL-P-25515C NOT 2 | PLASTIC MATERIALS, PHENOLIC RESIN, GLASS-FIBER BASE, LAMINATED [CUST: MR AS 11] [REVIEW: 84 AR AV MI] | A 9330 | AS | | 31-JUL-96 |
| A | MIL-C-25516/24 NOT 3 | CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE COAXIAL PRESSURIZED RECEPTACLE, TYPE 25516/24 [CUST: AS 85] | A 5935 | AS | | 30-SEP-97 |
| | MIL-P-25518B NOT 1 | PLASTIC MATERIALS, SILICONE RESIN, GLASS FIBER BASE, LOW PRESSURE LAMINATED [CUST: MR AS 11] [REVIEW: 99 AV GS MC MI OS SH] | A 9330 | AS | | 31-JUL-96 |
| A | MIL-G-25520B NOT 1 | GAGE, PRESSURE, DIAL INDICATION, OXYGEN 0-500 PSI, TYPE MF-3 [CUST: AS] | A 6685 | AS | | 13-AUG-97 |
| M | MIL-DTL-25531E NOT 1 | COUPLING HALF, QUICK DISCONNECT, PNEUMATIC STARTER, EXTERNAL, LOW PRESSURE [CUST: AS 99] | A 4730 | 82 | | 08-MAY-98 |
| | MIL-A-25546C(2) NOT 2 | AMPLIFIER, AUDIO FREQUENCY AM-944/AIC-13 [CUST: 99] | A 5996 | 84 | | 31-JAN-96 |
| | MIL-C-25548C(2) NOT 2 | CONTROL, PUBLIC ADDRESS SET C-1614/AIC-13 [CUST: 99] | A 5831 | 84 | | 15-APR-96 |
| | MIL-R-25565E NOT 1 | RELEASE, PARACHUTE RIPCORD, AUTOMATIC, TYPES F-1B AND FF-1 [CUST: 99] [REVIEW: 11 AV GL] | A 1670 | 82 | | 12-APR-96 |
| | MIL-G-25591E(1) NOT 1 | GYROSCOPE, RATE, SWITCHING, TYPE MC-1 [CUST: 99] | A 6615 | 71 | | 15-JAN-96 |
| | MIL-G-25597D(5) NOT 1 | GYROSCOPE, DISPLACEMENT, ROLL AND PITCH, TYPE MD-1 [CUST: 99] | A 6615 | 71 | | 15-JAN-96 |
| | MIL-C-25601C(2) NOT 1 | COUPLER, ANTENNA CU-308D/U [CUST: 99] | A 5985 | 84 | | 10-JUN-96 |
| | MIL-I-25623B NOT 1 | INDICATOR, ELECTRICAL TACHOMETER [CUST: AS 99] [REVIEW: 80] | X 6620 | 71 | | 15-MAR-96 |
| | MIL-T-25624G NOT 1 | TRANSMITTER, PRESSURE TRU-80/A, OIL, ENGINE-MOUNTED, 0-100 PSI [CUST: AS 99] | X 6620 | 71 | | 15-MAR-96 |
| | MIL-T-25627C(2) NOT 1 | TRANSMITTER, SYNCHRO, ANGLE OF ATTACK OR SIDESLIP [CUST: 99] | A 6610 | 71 | | 15-JAN-96 |
| A | MIL-I-25645D(2) NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY, CAPACITANCE TYPE, GENERAL SPECIFICATION FOR [CUST: 99] [REVIEW: 11] | A 6680 | 82 | | 24-JUL-97 |
| | MIL-DTL-25666F NOT 1 | CONVERTER, LIQUID OXYGEN, CAPACITANCE TYPE GAUGING, GENERAL SPECIFICATION FOR [CUST: 99] [REVIEW: 11] | A 1660 | 71 | | 02-SEP-96 |
| | MIL-DTL-25666/1 NOT 1 | CONVERTER, LIQUID OXYGEN GCU-2A/A [CUST: 99] [REVIEW: 11] | A 1660 | 71 | | 02-SEP-96 |
| | MIL-DTL-25666/2 NOT 1 | CONVERTER, LIQUID OXYGEN GCU-3/A [CUST: 99] [REVIEW: 11] | A 1660 | 71 | | 03-NOV-95 |
| | MIL-DTL-25666/3 NOT 1 | CONVERTER, LIQUID OXYGEN GCU-10/A [CUST: 99] | A 1660 | 71 | | 02-SEP-96 |
| | MIL-DTL-25666/4 NOT 1 | CONVERTER, LIQUID OXYGEN, GCU-12A/A [CUST: 99] [REVIEW: 11] | A 1660 | 71 | | 02-SEP-96 |
| | MIL-DTL-25666/5 NOT 1 | CONVERTER, LIQUID OXYGEN TYPE GCU-17/A [CUST: 99] [REVIEW: 11] | A 1660 | 71 | | 03-NOV-95 |
| | MIL-DTL-25666/6 NOT 1 | CONVERTER, LIQUID OXYGEN GCU-20/A [CUST: 99] | A 1660 | 71 | | 02-SEP-96 |
| | MIL-DTL-25666/7 NOT 1 | CONVERTER, LIQUID OXYGEN TYPE ME-3 [CUST: 99] [REVIEW: 11] | A 1660 | 71 | | 02-SEP-96 |
| A | MIL-G-25667B(1) NOT 2 | GLASS, MONOLITHIC, AIRCRAFT GLAZING [CUST: MR AS 11] [REVIEW: 99 GS] | A 9340 | 11 | | 31-DEC-97 |
| A | MIL-E-25670/1A NOT 2 | EARPHONE ELEMENTS, H-136/AIC [CUST: 85 CC] [REVIEW: 99] | A 5965 | CC | | 30-DEC-96 |
| | MIL-A-25719B NOT 1 | ACCELEROMETER, MECHANICAL, AIRCRAFT, PILOT'S WARNING, TYPE MA-1 [CUST: 99] | X 6610 | 71 | | 15-JAN-96 |
| | MIL-P-25732C(1) NOT 1 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, LIMITED SERVICE AT 275 DEG. F (135 DEG. C) [CUST: AV AS 11] [REVIEW: 82 99 CR4 IS MR OS SH] | A 5330 | 11 | | 15-NOV-89 |
| A | MIL-L-25798D NOT 1 | LIFE PRESERVER, UNDERARM, CASUALTY, TYPE MB-1 [CUST: 99] | A 4220 | 82 | | 12-SEP-97 |
| A | MIL-I-25852B(1) NOT 1 | INDICATOR, TEMPERATURE, THERMOCOUPLE EHU-4/A [CUST: 99] [REVIEW: GS] | A 6685 | 82 | | 19-AUG-97 |
| | MIL-I-25859C NOT 1 | INDICATOR, THRUST AEU-2/A, SYNCHRO STYLE, PRESSURE RATIO 1.2.3.4 UNITS, INTEGRALLY LIGHTED [CUST: 99] | A 6620 | 71 | | 15-JAN-96 |
| A | MIL-I-25861D(3) NOT 1 | INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI, INTEGRALLY LIGHTED [CUST: 99] | A 6685 | 82 | | 24-NOV-97 |
| | MIL-I-25863D NOT 1 | INDICATOR, ELECTRICAL TACHOMETER 0-110 PERCENT RPM, 2 INCH SIZE, INTEGRALLY LIGHTED [CUST: AS 99] | A 6620 | 71 | | 15-MAR-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-------------------------|-----|-------------|------|
| A | MIL-G-25871B(1) NOT 1 | GLASS, LAMINATED, AIRCRAFT GLAZING [CUST: SH 11] [REVIEW: GS] | A 9340 | 11 | 31-DEC-97 | |
| D | MIL-A-25896E NOT 2 | ADAPTER, PRESSURE FUEL SERVICING, NOMINAL 2.5-INCH DIAMETER [CUST: AV AS 99] [REVIEW: 84] | A 1560 | AS | 22-MAR-96 | |
| | MIL-T-25905C NOT 1 | TRANSMITTER, RATE OF FLOW, TRU-7/A FUEL, 0-15,000 PPH [CUST: 99] | A 6620 | 71 | 15-NOV-96 | |
| | MIL-I-25906D NOT 1 | INDICATOR, RATE OF FLOW EFU-3A, FUEL, 0-15,000 PPH [CUST: 99] | A 6620 | 71 | 15-JAN-96 | |
| | MIL-I-25907C NOT 1 | INDICATOR, RATE OF FLOW, EFU-4/A, FUEL TOTALIZING, 500-15,000 PPH [CUST: 99] | A 6620 | 71 | 15-JAN-96 | |
| | MIL-I-25908C(1) NOT 1 | INDICATOR, RATE OF FLOW EFU-45A, FUEL TOTALIZING, 0-120,000 PPH [CUST: 99] | A 6620 | 71 | 15-JAN-96 | |
| | MIL-A-25933B NOT 1 | ALTIMETER, PRESSURIZED COMPARTMENT, INTEGRALLY LIGHTED 0-50,000 FEET, 1-7/8 INCH DIAL [CUST: 99] [REVIEW: GS] | A 6685 | 82 | 01-APR-97 | |
| | MIL-I-25941D(1) NOT 1 | INDICATOR, TURN AND SLIP, 2-INCH SIZE, INTEGRALLY LIGHTED [CUST: AS 99] | A 6610 | 71 | 01-APR-96 | |
| | MIL-DTL-25949F NOT 1 | ACCELEROMETER, AIRCRAFT RANGE -5 TO 10G UNITS, INTEGRALLY LIGHTED [CUST: AS 99] | A 6610 | 71 | 01-JUN-96 | |
| | MIL-I-25950B NOT 1 | INDICATOR, PRESSURE, OIL 0-100 PSI [CUST: 99] [REVIEW: 11] | A 6620 | 71 | 15-MAR-96 | |
| | MIL-S-25980A NOT 1 | SWITCH, FLOAT, AIRCRAFT FUEL LEVEL, GENERAL SPECIFICATION FOR [CUST: 99] | A 2915 | 82 | 04-SEP-95 | |
| A | MIL-R-25988B NOT 3 | RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL-RESISTANT, SHEETS, STRIPS, MOLDED PARTS, AND EXTRUDED SHAPES [CUST: MR AS 11] [REVIEW: 82 99 IS MI OS] | A 5330 | 11 | 31-DEC-97 | |
| A | MIL-R-25988/1A NOT 3 | RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL-RESISTANT, O-RINGS, CLASS 1, GRADE 70 [CUST: 11] [REVIEW: MI OS] | A 5330 | 11 | 31-DEC-97 | |
| A | MIL-R-25988/2(1) NOT 3 | RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL-RESISTANT, O-RINGS, CLASS 3 [CUST: 11] [REVIEW: OS] | A 5330 | 11 | 31-DEC-97 | |
| A | MIL-R-25988/3(1) NOT 3 | RUBBER, FLUOROSILICONE ELASTOMER, OIL- AND FUEL-RESISTANT, O-RINGS, CLASS 1, GRADE 60 [CUST: 11] [REVIEW: OS] | A 5330 | 11 | 31-DEC-97 | |
| A | MIL-R-25988/4(1) NOT 3 | RUBBER, FLUOROSILICONE ELASTOMER, OIL- AND FUEL-RESISTANT, O-RINGS, CLASS 1, GRADE 80 [CUST: 11] [REVIEW: 99 OS] | A 5330 | 11 | 31-DEC-97 | |
| | MIL-T-26025E NOT 1 | TRACTOR, AIRCRAFT TOWING, DIESEL ENGINE DRIVEN (DED), 4X4, 4 WHEEL STEER, 10,300 POUNDS DRAWBAR PULL, PNEUMATIC RUBBER TIRED [CUST: 99] | A 1740 | 84 | 10-APR-96 | |
| A | MIL-B-26026B(1) NOT 1 | BATTERY, STORAGE, AIRCRAFT, TYPE MA-2-1 [CUST: 99] [REVIEW: GS] | A 6140 | 80 | 02-FEB-98 | |
| | MIL-P-26191B(1) NOT 1 | PUMPING UNIT, HYDRAULIC AF/M27M-1 AND AF/M27M-2 [CUST: 99] | A 1730 | 82 | 11-AUG-95 | |
| A | MIL-B-26195C(1) NOT 2 | BOXES, WOOD-CLEATED, SKIDDED, LOAD-BEARING BASE [CUST: GL SA 69] [REVIEW: 70 71 AR AS AT AV CG MC SH YD1] | A 8115 | 11 | 25-NOV-97 | |
| | MIL-W-26217B(1) NOT 4 | WINCH, DRUM, POWER OPERATED AF/E24H-1, CARGO LOADING, 4,000 POUND CAPACITY, VARIABLE SPEED, 28V DC PORTABLE [CUST: 99] [REVIEW: CC] | A 3950 | 84 | 06-MAR-96 | |
| | MIL-T-26219A(1) NOT 1 | TEST SET, INDICATOR-GENERATOR, TACHOMETER TTU-27/E, AIRCRAFT INSTRUMENTS, FIELD [CUST: AV AS] | A 4920 | AS | 04-SEP-96 | |
| | MIL-T-26225B NOT 1 | TRAILER, LIFT, AIRCRAFT - MISSILE ENGINE ETU-8/E [CUST: 99] | A 1730 | 82 | 11-AUG-95 | |
| | MIL-C-26237C NOT 1 | CRADLE, AIRCRAFT-MISSILE COMPONENTS MMU-1/E [CUST: 99] | A 1730 | 82 | 11-AUG-95 | |
| | MIL-T-26298F NOT 1 | TRANSMITTER, RATE OF FLOW TRU-6/A, 0-5000 PPH [CUST: AS 99] | A 6620 | 71 | 15-MAR-96 | |
| | MIL-I-26299C NOT 1 | INDICATOR, RATE OF FLOW, 0-5000 PPH, INTEGRALLY [CUST: AS 99] | X 6620 | 71 | 15-MAR-96 | |
| A | MIL-F-26301E SUP 1 NOT 1 | FLASHER, SOLID STATE, AIRCRAFT NAVIGATIONAL LIGHT, GENERAL SPECIFICATION FOR [CUST: AV AS 85 CC] [REVIEW: 11 99 CR MC] | A 5945 | CC | 28-JUN-96 | |
| | MIL-A-26336(2) NOT 1 | ANTENNA AT-840-ARC [CUST: 99] [REVIEW: CC] | A 5985 | 84 | 10-JUN-96 | |
| | MIL-C-26339C NOT 2 | CARRIER, PASSENGER, CARGO, UTILITY, FULL TRACKED, OVER-THE-SNOW TYPE [CUST: AT YD1 99] | A 2320 | 84 | 22-FEB-96 | |
| A | MIL-I-26380B(1) NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-5/A [CUST: 99] [REVIEW: 11 GS] | A 6680 | 82 | 24-JUL-97 | |
| A | MIL-I-26382C NOT 1 | INDICATOR SET, LIQUID OXYGEN QUANTITY A/A241-4 AND A/A241-8 [CUST: 99] [REVIEW: GS] | A 6680 | 82 | 24-JUL-97 | |
| | MIL-T-26398D(1) NOT 1 | TEST STAND, AIRCRAFT HYDRAULIC SYSTEM, TRAILER-MOUNTED, A/M27T-2, ELECTRIC-MOTOR-DRIVEN, TRIPLE SYSTEM [CUST: 99] [REVIEW: 11] | A 4920 | 82 | 18-AUG-95 | |
| | MIL-C-26500E(5) SUP 1B | CONNECTORS, GENERAL PURPOSE, ELECTRICAL, MINIATURE, CIRCULAR, ENVIRONMENT RESISTING, GENERAL SPECIFICATION FOR [CUST: 85] [REVIEW: 99] | A 5935 | CC | 31-JAN-94 | |
| A | MIL-P-26517A(5) NOT 1 | POWER SUPPLY, TRANSFORMER-RECTIFIER, AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AV 99] | A 6130 | 80 | 10-APR-98 | |
| | MIL-C-26518B(3) | CONNECTOR, ELECTRICAL, MINIATURE, RACK AND PANEL, ENVIRONMENT RESISTING, 200 DEGREES C AMBIENT TEMPERATURE [CUST: 85] [REVIEW: 11 99] | A 5935 | CC | 22-APR-88 | |
| | MIL-S-26547C NOT 1 | STARTER-GENERATOR ENGINE STU-6A [CUST: AV AS 99] | A 2925 | 82 | 04-SEP-95 | |
| | MIL-T-26609C NOT 1 | TRANSMITTER, POSITION [CUST: 99] | A 6610 | 71 | 01-JAN-96 | |
| | MIL-R-26672A NOT 3 | RIFLE, .22 HORNET AND .22 CALIBER LONG RIFLE RIM FIRE, SURVIVAL, TYPE MA-1 [CUST: 99] | A 1005 | 84 | 18-OCT-95 | |
| | MIL-I-26689C(2) NOT 1 | INDICATOR, HORIZONTAL SITUATION, AQU-2/A [CUST: 99] | A 6605 | 71 | 15-JAN-96 | |
| | MIL-P-26767C(1) NOT 2 | PRINTER, CONTACT, PHOTOGRAPHIC CONTINUOUS EN-6B [CUST: CR AS 99] [REVIEW: GS] | A 6740 | CR | 29-MAR-96 | |
| A | MIL-T-26780C(1) NOT 1 | TIE DOWN, CARGO, AIRCRAFT, NYLON WEB NET [CUST: AS 99] | A 1670 | 82 | 28-FEB-98 | |
| | MIL-C-26811C NOT 2 | COMPRESSOR, POWER DRIVEN, AIR, TYPE MB-8 [CUST: 99] | A 4310 | 84 | 08-MAR-96 | |
| A | MIL-H-26827(1) NOT 2 | HANDSET-HEADSET H-108()/H AND CORD CX-1245()/U (7 FT 6 IN) [CUST: 85] | A 5965 | CC | 20-AUG-96 | |
| A | MIL-I-26860B(2) NOT 3 | INDICATOR, HUMIDITY, PLUG, COLOR CHANGE [CUST: AS 99] [REVIEW: AV EA GL GS MI OS SA YD1] | A 6685 | 11 | 25-NOV-97 | |
| | MIL-J-26870C NOT 3 | JOINT, SWIVEL, AIRCRAFT FUEL [CUST: AV AS 99] [REVIEW: CC CR4] | A 4730 | 82 | 31-JAN-97 | |
| A | MIL-C-27029A(1) NOT 3 | CARTRIDGE, BOMB EJECTION MLU-11/C AND CARTRIDGE KIT, BOMB EJECTION MLU-12/C [CUST: 99] | A 1377 | 70 | 04-APR-98 | |
| | MIL-C-27072/37 NOT 5 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SHIELDED; TYPE I, STYLE 1, 19 CONDUCTORS (NO. 22 AWG) [CUST: MI] | A 6145 | MI | 29-JAN-96 | |
| | MIL-C-27072/73B(1) | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR (2 CONDUCTORS) AND SINGLE SHIELDED M27072/73FDDD* [CUST: CR SH 85 IS] [REVIEW: 99 CC] | A 6145 | IS | 15-NOV-96 | |
| | MIL-C-27072/88B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED [CUST: CR SH 85] [REVIEW: CC] | A 6145 | IS | 23-MAR-93 | |
| | MIL-C-27072/89B | CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SINGLE SHIELDED [CUST: CR SH 85] [REVIEW: CC] | A 6145 | IS | 23-MAR-93 | |
| | MIL-C-27072/94B | CABLE, SPECIAL PURPOSE, ELECTRICAL, SINGLE CONDUCTOR, SINGLE SHIELDED MS27072/94*DDE* [CUST: CR SH 85] [REVIEW: 85 CC] | A 6145 | IS | 23-MAR-93 | |
| A | MIL-L-27160C(1) NOT 4 | LIGHTING, INSTRUMENT, INTEGRAL, WHITE, GENERAL SPECIFICATION FOR [CUST: AV 99] | A 6620 | 82 | 01-JUL-96 | |
| A | MIL-V-27166D NOT 1 | VALVE, PRESSURE EQUALIZING, GASEOUS PRODUCTS [CUST: MI AS 69] [REVIEW: 18 82 99 AR AV CC OS] | A 4820 | 11 | 25-NOV-97 | |
| | MIL-S-27174B NOT 1 | SEAT, TROOP, VARIABLE SEATING WIDTH [CUST: 99] | A 1680 | 82 | 31-MAR-97 | |
| | MIL-T-27179B(4) NOT 1 | TRANSMITTER, RATE OF FLOW, TRU-27/A, ENGINE [CUST: 99] | A 6620 | 71 | 15-JAN-96 | |
| | MIL-I-27189D NOT 1 | INDICATOR, PRESSURE, OIL [CUST: 99] | A 6620 | 71 | 15-JAN-96 | |
| | MIL-I-27191C NOT 1 | INDICATOR, POSITION, VARIABLE NOZZLE [CUST: 99] [REVIEW: GS] | A 6620 | 71 | 15-MAR-96 | |
| | MIL-I-27193C NOT 1 | INDICATOR, ATTITUDE ARU-2B/A [CUST: 99] | X 6610 | 71 | 01-FEB-96 | |
| | MIL-A-27195A NOT 1 | ACCELEROMETER, AIRCRAFT, MECHANICAL ABU-6/A [CUST: 99] | A 6610 | 71 | 15-JAN-96 | |
| | MIL-I-27196C NOT 1 | INDICATOR, VERTICAL VELOCITY AAU-9/A, INTEGRALLY LIGHTED [CUST: 99] | A 6610 | 71 | 15-JAN-96 | |
| | MIL-A-27198B(1) NOT 1 | ALTIMETER, PRESSURE AAU-7/A [CUST: 99] | A 6610 | 71 | 01-JAN-96 | |
| | MIL-T-27200C(4) NOT 1 | TRANSMITTER, RATE GYROSCOPE TRU-2A/A [CUST: 99] | A 6615 | 71 | 15-JAN-96 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------------------------|--|--------------------------|--------------------|-----------|
| MIL-I-27202A(1) NOT 1 | INDICATOR, ELECTRICAL TACHOMETER, 0-110 PERCENT RPM INTEGRALLY LIGHTED [CUST: 99] | A 6620 | 71 | 15-JAN-96 |
| MIL-I-27203B NOT 1 | INDICATOR, POSITION, WING FLAP [CUST: 99] | A 6610 | 71 | 15-JAN-96 |
| MIL-R-27208/11B NOT 2 | RESISTORS, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT27 [CUST: 85] [REVIEW: 11 17 80] | A 5905 | CC | 31-MAY-93 |
| A MIL-I-27209C(3) NOT 1 | INDICATOR, TEMPERATURE, THERMOCOUPLE, SELF-BALANCING, POTENTIOMETER TYPE [CUST: AS 99] | A 6685 | 82 | 19-AUG-97 |
| MIL-T-27233C NOT 2 | TEST SET, PRESSURE INDICATING SYSTEM TTU-26-E, VARIABLE RELUCTANCE, FIELD [CUST: 99] | A 6685 | 82 | 15-JUN-97 |
| MIL-I-27247C NOT 1 | INDICATOR, TEMPERATURE, SYNCHRO [CUST: 99] [REVIEW: GS] | A 6685 | 82 | 01-JAN-97 |
| MIL-A-27261A(4) NOT 1 | ACCELEROMETER, AIRCRAFT [CUST: 99] | A 6610 | 71 | 15-JAN-96 |
| A MIL-S-27266A(1) NOT 1 | STARTER, ENGINE, CARTRIDGE/PNEUMATIC SHAFT DRIVE, GENERAL SPECIFICATION FOR [CUST: 99] [REVIEW: AV] | A 2995 | 71 | 27-OCT-97 |
| MIL-I-27273A(3) NOT 1 | INVERTER, POWER, STATIC, GENERAL SPECIFICATION FOR [CUST: AV 99] [REVIEW: CR GS] | A 6130 | 80 | 15-JUN-95 |
| MIL-M-27274E NOT 1 | MASK, OXYGEN MBU-5/P [CUST: 99] | A 1660 | 82 | 12-APR-96 |
| MIL-C-27287(3) NOT 1 | CAPACITORS, FIXED, PLASTIC DIELECTRIC, DC (NONMETALLIC CASES), GENERAL SPECIFICATION FOR [CUST: 85] [REVIEW: 99 MI] | A 5910 | CC | 16-APR-91 |
| MIL-I-27304E(3) NOT 1 | INDICATOR, RATE OF FLOW [CUST: 99] | A 6620 | 71 | 15-JAN-96 |
| MIL-T-27305C(2) NOT 1 | TRANSMITTER, RATE OF FLOW [CUST: 99] [REVIEW: 11] | A 6620 | 71 | 15-MAR-96 |
| MIL-A-27328(6) NOT 1 | AMPLIFIER-INDICATOR GROUP, ALTITUDE-VERTICAL SPEED A/A24G-7 [CUST: 99] | A 6610 | 71 | 20-MAR-92 |
| MIL-A-27330B(1) NOT 1 | ACCELEROMETER, ELECTRICAL, LINEAR TRU-3/A [CUST: 99] | A 6610 | 71 | 01-JAN-96 |
| A MIL-S-27332B NOT 1 | SEAT CUSHION INSERT, POLYURETHANE FOAM, PLASTIC, GENERAL SPECIFICATION FOR [CUST: 99] | A 1660 | 82 | 01-OCT-97 |
| A MIL-P-27405(2) NOT 2 | PROPELLANT, FLUORINE [CUST: 68] [REVIEW: AS MI] | A 9135 | 68 | 13-NOV-97 |
| A MIL-C-27410(1) NOT 1 | COMPONENTS, ROCKET PROPULSION FLUID SYSTEM, GENERAL SPECIFICATION FOR [CUST: 19] [REVIEW: 99] | A 2845 | 19 | 03-APR-98 |
| A MIL-P-27418 NOT 3 | PLATING, SOFT NICKEL (ELECTRODEPOSITED, SULFAMATE BATH) [CUST: 19] [REVIEW: 11 85] | A MFFP | 19 | 03-APR-98 |
| MIL-P-27431B NOT 1 | PURGING KIT, CONVERTER SYSTEM, LIQUID OXYGEN KMU-78/E [CUST: 99] [REVIEW: 82] | A 1730 | 71 | 20-MAR-96 |
| MIL-A-27434A(2) SUP 1D NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES AND WITHIN SERIES, GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT CR4 MC MI OS] | A 5935 | CC | 12-SEP-91 |
| MIL-A-27434/5 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-637/U [CUST: CR EC 85] [REVIEW: 11 99 SH] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/6 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-217A/U [CUST: CR EC 85] [REVIEW: 11 99 SH] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/7 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-218A/U [CUST: CR EC 85] [REVIEW: 11 99 SH] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/8 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-259A/U [CUST: CR EC 85] [REVIEW: 11 99 SH] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/9 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-270A/U [CUST: CR EC 85] [REVIEW: 11 99 SH] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/10 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-271A/U [CUST: CR EC 85] [REVIEW: 11 99 SH] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/11 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-327A/U [CUST: CR EC 85] [REVIEW: 11 99 SH] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/13 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-497A/U [CUST: CR EC 85] [REVIEW: 11 99 SH] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/15 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-559B/U [CUST: CR EC 85] [REVIEW: 11 99 SH] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/16 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-586B/U [CUST: CR EC 85] [REVIEW: 11 99 SH] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/18 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-605/U [CUST: CR EC 85] [REVIEW: 99] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/20 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-690/U [CUST: CR EC 85] [REVIEW: 11 99 SH] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/21 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-691/U [CUST: CR EC 85] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/22A NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-966A/U [CUST: CR EC 85] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/23A NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-970/U [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CR4 MC MI SH] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/24 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-971/U [CUST: CR EC 85] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/25A NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-977C/U [CUST: CR EC 85] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/26 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES TYPE UG-1013A/U [CUST: CR EC 85] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/28 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-1136/U [CUST: CR EC 85] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/30 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-1142/U [CUST: CR EC 85] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/32A NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-1144/U [CUST: CR EC 85] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/33 NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-1146/U [CUST: CR EC 85] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/36A NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-108A/U [CUST: CR EC 85] | A 5935 | CC | 11-SEP-91 |
| MIL-A-27434/38A NOT 2 | ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-213A/U [CUST: CR EC 85] | A 5935 | CC | 11-SEP-91 |
| MIL-N-27444D NOT 1 | NET, CARGO TIEDOWN, PALLETS, HCU-7/E, HCU-15/C, HCU-11/C, AND HCU-16/C [CUST: 99] | A 1670 | 84 | 22-MAR-96 |
| MIL-S-27447A(1) NOT 3 | SURVIVAL KIT, PARACHUTE PACK SRU-16/P [CUST: 99] | A 4240 | 82 | 27-MAY-97 |
| A MIL-H-27467A NOT 2 | HEADSET ELECTRICAL H-154/AIC GENERAL SPECIFICATION FOR [CUST: 85] [REVIEW: 99 CC] | A 5965 | CC | 20-AUG-96 |
| A MIL-R-27521A(1) NOT 2 | RECEPTACLE, FLYING BOOM, AERIAL REFUELING GENERAL SPECIFICATION FOR [CUST: 99] | A 1680 | 82 | 26-SEP-97 |
| A MIL-I-27544C NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY [CUST: 99] [REVIEW: 11 AS GS] | A 6680 | 82 | 24-JUL-97 |
| A MIL-I-27552C NOT 1 | INDICATOR, TEMPERATURE, THERMOCOUPLE EHU-15A/A, POTENTIOMETER TYPE, WHITE LIGHTED [CUST: 99] [REVIEW: 11] | A 6685 | 82 | 13-AUG-97 |
| A MIL-C-27556A NOT 3 | CARTRIDGE KIT, PARACHUTE EJECTION MLU-14/B AND CARTRIDGE KIT, PARACHUTE EJECTION MLU-15/B [CUST: 99] | A 1377 | 70 | 04-APR-98 |
| MIL-I-27619G(3) NOT 1 | INDICATORS, ATTITUDE DIRECTOR [CUST: AV 99] | A 6610 | 71 | 01-APR-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-F-27656C(1) NOT 1 | FILTER UNIT, FLUID, PRESSURE, MXU-408/M, ABSOLUTE, 5 MICRON, HYDRAULIC [CUST: 99] [REVIEW: 82 AV CC] | A 4330 | 84 | | 14-MAR-96 |
| A | MIL-I-27665B NOT 1 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MINUS 50 DEG. TO PLUS 50 DEG. C [CUST: 99] [REVIEW: GS] | A 6685 | 82 | | 19-AUG-97 |
| A | MIL-I-27667C NOT 1 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE [CUST: 99] [REVIEW: GS] | A 6685 | 82 | | 19-AUG-97 |
| | MIL-E-27669C NOT 1 | ENGINE INSTRUMENTATION SYSTEM, AIRCRAFT A/A24J-11 [CUST: 99] | A 6620 | 71 | | 15-JAN-96 |
| | MIL-A-27670D NOT 1 | AMPLIFIER-INDICATOR GROUP INDICATED AIRSPEED A/A24G-10 [CUST: 99] | A 6610 | 71 | | 01-JAN-96 |
| | MIL-A-27671B(3) NOT 1 | AMPLIFIER-INDICATOR GROUP, ALTITUDE-VERTICAL SPEED A/A24G-11 [CUST: 99] | A 6610 | 71 | | 01-JAN-96 |
| | MIL-I-27672B(1) NOT 1 | INDICATOR, POSITION ALU-4/A, HORIZONTAL STABILIZER [CUST: 99] | A 6610 | 71 | | 01-JAN-96 |
| | MIL-I-27673C NOT 1 | INDICATOR, TRUE AIRSPEED AVU-15/A [CUST: 99] | A 6610 | 71 | | 01-JAN-96 |
| | MIL-E-27675B(2) NOT 2 | ENGINE PRESSURE RATIO SYSTEM, TURBOFAN ENGINE A/A24J-13 [CUST: 99] [REVIEW: 11] | A 6620 | 71 | | 15-MAR-96 |
| | MIL-F-27707H(2) NOT 1 | FILTER ELEMENT, FLUID, PRESSURE FFU-5/E [CUST: 99] [REVIEW: CC] | A 4330 | 84 | | 14-MAR-96 |
| | MIL-I-27710D NOT 1 | INDICATOR, ATTITUDE, REMOTE [CUST: AV 99] | X 6610 | 71 | | 01-APR-96 |
| | MIL-I-27848B NOT 1 | INDICATOR, HORIZONTAL SITUATION AQU-4/A [CUST: AV AS 99] | A 6605 | 71 | | 01-APR-96 |
| A | MIL-I-27882A(1) NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-37/A [CUST: 99] [REVIEW: GS] | A 6680 | 82 | | 24-JUL-97 |
| A | MIL-B-28536C NOT 1 | BUILDING, PREFABRICATED, READY CUT, METAL, RIGID FRAME 40 X 100 FEET [CUST: GL YD1 99] [REVIEW: 84 CC MC] | A 5410 | YD1 | | 22-APR-98 |
| A | MIL-T-28571G NOT 1 | TRUCK, FIREFIGHTING, STRUCTURAL, 1,000 GPM, 4 BY 2 [CUST: YD1] [REVIEW: MC] | A 4210 | YD1 | | 30-OCT-97 |
| A | MIL-R-28633C NOT 1 | REVTMENT KIT, PREFABRICATED MODULAR TYPE; CORRUGATED STEEL PANELS [CUST: YD1 99] | A 5450 | YD1 | | 22-APR-98 |
| A | MIL-B-28658E NOT 1 | BUILDING COMPONENTS, PANELIZED, PREFABRICATED, READY-CUT, RELOCATABLE [CUST: GL YD1] [REVIEW: CE] | A 5410 | YD1 | | 22-APR-98 |
| A | MIL-T-28690 NOT 1 | TRUCK, FIREFIGHTING, STRUCTURAL, 1,000 GPM, 4 BY 2 WITH 50 FOOT TELESOPING BOOM ESCAPE LADDER AND WATER TOWER [CUST: YD1] | A 4210 | YD1 | | 08-JUL-97 |
| A | MIL-T-28691 NOT 1 | TRUCK, FIREFIGHTING, STRUCTURAL, 1,000 GPM, 4 BY 2 WITH 65 FOOT TELESOPING BOOM ESCAPE LADDER AND WATER TOWER [CUST: YD1] | A 4210 | YD1 | | 16-OCT-97 |
| | MIL-T-28706F NOT 1 | TRANSMITTER, RADIO AN/URT-23(V) [CUST: EC] | A 5820 | EC | | 30-APR-95 |
| | MIL-R-28713A NOT 1 | RADIO SET, PORTABLE, SEARCH AND RESCUE OPERATION AN/PRC-96() [CUST: EC] | A 5820 | EC | | 30-APR-95 |
| | MIL-A-28716(1) NOT 1 | AMPLIFIER, AUDIO FREQUENCY, AM-3729()/SR [CUST: EC] | A 5820 | EC | | 30-APR-95 |
| | MIL-C-28724A(1) NOT 2 | CONTROL, REMOTE SWITCHING, C-7594()/U AND C-7595()/U GENERAL SPECIFICATION FOR [CUST: EC] | A 5840 | EC | | 30-APR-95 |
| | MIL-A-28729B(2) NOT 1 | ANTENNA COUPLER GROUP, CU-1382() (HF BROADBAND, WIDE DYNAMIC RANGE) [CUST: EC] | A 5985 | EC | | 30-APR-95 |
| | MIL-D-28736B(5) NOT 1 | DECODER GROUP, AN/UPA-59(V) IFF MK XII (SIF), WITH ACTIVE READOUT AND ASSOCIATED MODIFICATION TO INDICATORS (PP1) [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | MIL-P-28739(2) NOT 1 | PEDESTAL GROUP, ANTENNA, FOR IFF ANTENNAS AN/UPA-57 [CUST: AS] [REVIEW: CC] | A 5985 | AS | | 18-SEP-96 |
| | MIL-C-28741A NOT 1 | CONTROL MONITOR, C-8430/UPX [CUST: AS] [REVIEW: CC] | A 5985 | AS | | 18-SEP-96 |
| | MIL-C-28742A NOT 2 | CONTROL ENCLOSURE CY-6816/APX-72 FOR TRANSPONDER SET CONTROL C-6280() (P)/APX [CUST: AS] | A 5840 | AS | | 18-SEP-96 |
| | MIL-M-28743A NOT 1 | MIXER, TRANSPONDER SUPPRESSION TD-937()/SPX [CUST: AS] | A 5825 | AS | | 18-SEP-96 |
| | MIL-G-28744A NOT 1 | GENERATOR, AIMS PRETRIGGER SG-841()/UPX [CUST: AS] | A 5840 | AS | | 18-SEP-96 |
| A | MIL-C-28751(1) NOT 1 | CABLE, RADIO FREQUENCY RG-373/U [CUST: EC IS] | A 6145 | IS | | 16-JUN-97 |
| | MIL-C-28754/13C(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, SINGLE SPAN (WITHOUT GUIDE RIBS) [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI] | A 5935 | NW | | 19-FEB-91 |
| | MIL-C-28754/25A NOT 2 | CONNECTORS, ELECTRICAL, MODULAR, GUIDE, RETAINING [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI] | A 5935 | NW | | 19-FEB-91 |
| | MIL-C-28754/44B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, 100 PIN, STRAIGHT, CONTACT TAILS ON .100 CENTERS [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI] | A 5935 | NW | | 19-FEB-91 |
| | MIL-C-28754/45A(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI] | A 5935 | NW | | 19-FEB-91 |
| | MIL-C-28754/46B(1) NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 PIN, DOUBLE SPAN [CUST: CR NW 85] [REVIEW: 11 17 99 AR AS CC MC MI] | A 5935 | NW | | 19-FEB-91 |
| | MIL-C-28754/57 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS (MODIFIED FRAME, CERAMIC COMPATIBLE) [CUST: NW] [REVIEW: AS] | A 5935 | NW | | 19-FEB-91 |
| | MIL-C-28754/58 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS (MODIFIED FRAME) [CUST: NW] [REVIEW: AS] | A 5935 | NW | | 19-FEB-91 |
| | MIL-C-28754/60 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER CONTACT TAILS ON .100 CENTERS [CUST: NW] [REVIEW: AS] | A 5935 | NW | | 19-FEB-91 |
| | MIL-C-28754/62 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER CROSSOVER, CONTACT TAILS ON .050 CENTERS [CUST: NW] [REVIEW: AS] | A 5935 | NW | | 19-FEB-91 |
| | MIL-C-28754/63 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, OFFSET, CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE) [CUST: NW] [REVIEW: AS] | A 5935 | NW | | 19-FEB-91 |
| | MIL-C-28754/64 NOT 1 | CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, OFFSET, CONTACT TAILS ON .050 CENTERS (MODIFIED FRAME, CERAMIC COMPATIBLE) [CUST: NW] [REVIEW: AS] | A 5935 | NW | | 19-FEB-91 |
| A | MIL-M-28762C NOT 1 | MONITOR, PUMP NOISE, AN/WSQ-3 (METRIC) [CUST: SH] | A 6665 | SH | | 22-APR-98 |
| | MIL-I-28763C(2) NOT 1 | INTERROGATOR SET, AN/UPX-27 [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | MIL-P-28766(1) NOT 1 | POLE, STRUCTURAL WOODEN, FOR HIGH FREQUENCY (HF) ANTENNAS [CUST: EC] [REVIEW: CC] | A 5510 | EC | | 30-APR-95 |
| | MIL-A-28768B(2) NOT 1 | ANTENNA, FIXED HIGH FREQUENCY GENERAL SPECIFICATION FOR [CUST: EC] [REVIEW: CC] | A 5985 | EC | | 30-APR-95 |
| | MIL-A-28768/1B NOT 1 | ANTENNA, FIXED, HIGH FREQUENCY, VERTICAL OMNIDIRECTIONAL BROADBAND [CUST: EC] [REVIEW: CC] | A 5985 | EC | | 30-APR-95 |
| | MIL-A-28768/2A NOT 1 | ANTENNA, FIXED HIGH FREQUENCY, HIGH TAKE-OFF ANGLE [CUST: EC] [REVIEW: CC] | A 5985 | EC | | 30-APR-95 |
| | MIL-A-28768/3 NOT 2 | ANTENNA, FIXED HIGH FREQUENCY, VERTICAL LOG PERIODIC (DIPOLE) [CUST: EC] | A 5985 | EC | | 30-APR-95 |
| | MIL-A-28768/4(2) NOT 1 | ANTENNA, FIXED, HIGH FREQUENCY, HORIZONTAL OMNIDIRECTIONAL BROADBAND [CUST: EC] | A 5985 | EC | | 30-APR-95 |
| | MIL-A-28768/5 NOT 1 | ANTENNA, FIXED, HIGH FREQUENCY, VERTICAL POLARIZATION, OMNIDIRECTIONAL, BROADBAND [CUST: EC] | A 5985 | EC | | 30-APR-95 |
| | MIL-C-28771B NOT 1 | COMMUNICATIONS CONTROL MONITOR GROUP, AIR TRAFFIC CONTROL AN/FSA-58(V) [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | MIL-A-28772C NOT 1 | ANTENNA, HIGH FREQUENCY (HF) FIXED ROTATABLE LOG PERIODIC [CUST: EC] [REVIEW: CC] | A 5985 | EC | | 30-APR-95 |
| | MIL-C-28777/12A | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 125 VOLTS, 13 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND TYPE I EQUIPMENT CONNECTOR [CUST: CR EC 99] [REVIEW: CC] | A 6150 | GS | | 17-JUL-85 |
| | MIL-C-28779B NOT 1 | COMBINER, EXTENDED FREQUENCY RANGE CU-2007()/SRR [CUST: EC] [REVIEW: CC] | A 5985 | EC | | 30-APR-95 |
| | MIL-P-28785(2) NOT 1 | POWER SUPPLY, VARIABLE OUTPUT (0 TO 50 VOLTS, 0 TO 5 AMPERES) [CUST: EC] | A 5820 | EC | | 30-APR-95 |
| A | MIL-M-28787D SUP 1 NOT 1 | MODULES, STANDARD ELECTRONIC GENERAL SPECIFICATION FOR [CUST: NW] [REVIEW: 13 17 19 AS AT AV CC MC] | A 5963 | NW | | 04-APR-98 |
| A | MIL-M-28787/1C(3) NOT 1 | MODULES, STANDARD ELECTRONIC LATCH, DIGITAL, KEY CODE GDJ [CUST: NW] | A 5963 | NW | | 04-APR-98 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|--------------------------|--|--------------------------|--------------------|-----------|
| | MIL-M-28787/2B(1) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE GDE [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 31-DEC-92 |
| | MIL-M-28787/3B(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE GDA [CUST: NW] | A 5963 | NW | 29-MAR-91 |
| A | MIL-M-28787/4C NOT 1 | MODULES, STANDARD ELECTRONIC GATE, EXCLUSIVE-OR, DIGITAL, KEY CODE GDK [CUST: NW] | A 5963 | NW | 04-APR-98 |
| A | MIL-M-28787/5C NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE BDL [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 04-APR-98 |
| A | MIL-M-28787/6C(2) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, SYNCHRONOUS, DIGITAL, KEY CODE FDA [CUST: CR SH 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 04-APR-98 |
| A | MIL-M-28787/7C(4) NOT 1 | MODULES, STANDARD ELECTRONIC DECODER, BINARY, DIGITAL, KEY CODE GDN [CUST: NW] | A 5963 | NW | 04-APR-98 |
| | MIL-M-28787/8B(1) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE GDC [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 31-MAR-93 |
| A | MIL-M-28787/9B(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LDP [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 04-APR-98 |
| | MIL-M-28787/10B(1) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE GDB [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 31-MAR-93 |
| A | MIL-M-28787/11A(3) NOT 1 | MODULES, STANDARD ELECTRONIC ADDER, DIGITAL, KEY CODE KDL [CUST: NW] | A 5963 | NW | 04-APR-98 |
| A | MIL-M-28787/12B(1) NOT 1 | MODULES, STANDARD ELECTRONIC ARITHMETIC LOGIC UNIT, DIGITAL, KEY CODE KDJ [CUST: NW] | A 5963 | NW | 04-APR-98 |
| A | MIL-M-28787/14B(1) NOT 1 | MODULES, STANDARD ELECTRONIC TERMINATOR, RESISTER-CAPACITOR, LINEAR, KEY CODE JBD [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 04-APR-98 |
| A | MIL-M-28787/16A(1) NOT 1 | MODULE, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE JDK [CUST: NW] | A 5963 | NW | 04-APR-98 |
| A | MIL-M-28787/17A(2) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, AND OR INVERT, DIGITAL, KEY CODE LDJ [CUST: NW] | A 5963 | NW | 04-APR-98 |
| A | MIL-M-28787/18B(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LDQ [CUST: NW] | A 5963 | NW | 04-APR-98 |
| A | MIL-M-28787/19B(1) NOT 2 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LDN [CUST: NW] | A 5963 | NW | 04-APR-98 |
| A | MIL-M-28787/20A(3) NOT 1 | MODULE, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE LDC [CUST: CR NW 85] | A 5963 | NW | 20-APR-98 |
| | MIL-M-28787/21B(1) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE WDU [CUST: NW] | A 5963 | NW | 30-MAR-92 |
| A | MIL-M-28787/22C(2) NOT 1 | MODULES, STANDARD ELECTRONIC DIODE, PROGRAMMABLE, DIGITAL, KEY CODE ABE [CUST: NW] | A 5963 | NW | 20-APR-98 |
| A | MIL-M-28787/27A(3) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, UP & DOWN, DIGITAL, KEY CODE GDM [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| | MIL-M-28787/28A(2) | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE PDM [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 31-MAR-93 |
| | MIL-M-28787/29B NOT 1 | MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE FDH [CUST: NW] | A 5963 | NW | 30-SEP-92 |
| A | MIL-M-28787/30B(1) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BINARY, KEY CODE BBA [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/31B(2) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BCD, PRESSETTABLE, KEY CODE JDD [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/32B(1) NOT 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM FLIP-FLOP, D-TYPE, DIGITAL, KEY CODE KBR [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/33B(3) NOT 1 | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE JDJ [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/34B(2) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE JBN [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/38B(2) NOT 1 | MODULES, STANDARD ELECTRONIC RELAY, DPDT, POWER, KEY CODE NPM [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/39B(1) NOT 1 | MODULE, STANDARD ELECTRONIC ADDER, DIGITAL, KEY CODE KBC [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| | MIL-M-28787/40B(1) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KBL [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 28-APR-93 |
| A | MIL-M-28787/41B(2) NOT 1 | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE EBL [CUST: NW] | A 5963 | NW | 22-APR-98 |
| | MIL-M-28787/42B(2) | MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE JBK [CUST: NW] | A 5963 | NW | 19-MAR-92 |
| A | MIL-M-28787/44B(2) NOT 1 | MODULE, STANDARD ELECTRONIC LATCH, DIGITAL, KEY CODE GBL [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| | MIL-M-28787/45B(2) | MODULES, STANDARD ELECTRONIC COUNTER, BINARY CODED DECIMAL, DIGITAL, KEY CODE ZBZ [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 28-APR-93 |
| | MIL-M-28787/46C(2) | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE ZBY [CUST: NW] | A 5963 | NW | 07-JAN-92 |
| A | MIL-M-28787/47B(3) NOT 1 | MODULES, STANDARD ELECTRONIC BUFFER, THREE-STATE, DIGITAL, KEY CODE BBB [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/48A(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, TRANSLATE, DIGITAL, KEY CODE MDP [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/49A(2) NOT 1 | MODULE, STANDARD ELECTRONIC DIODE, PAIRS, DIGITAL, KEY CODE KDF [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/51B(1) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, TRANSLATE, DIGITAL, KEY CODE MDQ [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/53B(3) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, DIFFERENTIAL LINE, DIGITAL, KEY CODE KDN [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/54B(1) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE QDH [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/55B(3) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, DIFFERENTIAL LINE, DIGITAL, KEY CODE KDM [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/57A(4) NOT 1 | MODULES, STANDARD ELECTRONIC SWITCH, ANALOG, ANALOG, KEY CODE TTY [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/58C(1) NOT 1 | MODULE, STANDARD ELECTRONIC COUNTER, BINARY CODED DECIMAL, DIGITAL, KEY CODE ADK [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/59B(2) NOT 1 | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE KDP [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/60B(2) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KDQ [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/61B(2) NOT 1 | MODULES, STANDARD ELECTRONIC FLIP-FLOP, D TYPE, DIGITAL, KEY CODE KDR [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/62C(3) NOT 2 | MODULES, STANDARD ELECTRONIC COMPARATOR, ANALOG, KEY CODE CFA [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/64A(3) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, AND-OR-INVERT, DIGITAL, KEY CODE LHJ [CUST: CR SH 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/65A(2) NOT 1 | MODULE, STANDARD ELECTRONIC DECODER, DIGITAL, KEY CODE AHA [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/66B(2) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE BHL [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/67B(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE JHD [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/68A(1) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LHH [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/70B(1) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE FHA [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/71C(5) NOT 1 | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE CHF [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/72B(2) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KHQ [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/73A(1) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE JHK [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/74(4) NOT 1 | MEMORY, READ ONLY, DIGITAL [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/75A(1) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LHP [CUST: CR SH 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/NSA | Prep. Acty. | Date |
|------------|---------------------------|--|----------------------|-------------|-----------|
| A | MIL-M-28787/76A(1) NOT 1 | MODULES, STANDARD ELECTRONIC ENCODER, PRIORITY, DIGITAL, KEY CODE MHL [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/77A(2) NOT 1 | MODULE, STANDARD ELECTRONIC ENCODER, PARITY, DIGITAL, KEY CODE MHK [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/78A(2) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE AHD [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/79A(3) NOT 1 | MODULES, STANDARD ELECTRONIC LOGIC UNIT, ARITHMETIC, DIGITAL, KEY CODE RDH [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/80A(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE BYF [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/81A(2) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KHL [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/82A(2) NOT 1 | MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE RBG [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/83B(1) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE RBF [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/84A(1) NOT 1 | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE CBF [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| | MIL-M-28787/85A(1) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE BDN [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 28-APR-93 |
| A | MIL-M-28787/86B NOT 1 | MODULES, STANDARD ELECTRONIC RELAY, POWER, KEY CODE ERN [CUST: CR NW 85] [REVIEW: 13 19 AS AT AV CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/87B(2) NOT 2 | MODULES, STANDARD ELECTRONIC REGULATOR, POSITIVE, POWER, KEY CODE ARM [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/88A(3) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE SEX [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/109B(1) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, DIGITAL, KEY CODE MDL [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/110B NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE MDM [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/111A(3) NOT 1 | MODULES, STANDARD ELECTRONIC TERMINATOR, INTERFACE, DIGITAL, KEY CODE MDN [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/112C(1) NOT 1 | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, SERIAL AND PARALLEL, DIGITAL, KEY CODE PDL [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/113A(2) NOT 2 | MODULES, STANDARD ELECTRONIC SWITCH, ANALOG, KEY CODE FAG [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/114A(3) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BDA [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| | MIL-M-28787/115A(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BDB [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 31-DEC-92 |
| | MIL-M-28787/116A(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BDC [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 31-DEC-92 |
| | MIL-M-28787/117A(1) | MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE BDD [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 28-APR-93 |
| | MIL-M-28787/118B(1) | MODULE, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE BDE [INACTIVE] [CUST: NW] | A 5963 | NW | 19-JUN-91 |
| | MIL-M-28787/119A(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, POWER, DIGITAL, KEY CODE BDH [CUST: NW] | A 5963 | NW | 30-MAR-92 |
| | MIL-M-28787/120B(2) | MODULES, STANDARD ELECTRONIC GATE, NAND, POWER, DIGITAL, KEY CODE CDB [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 31-MAR-93 |
| | MIL-M-28787/121B(1) | MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE CDD [CUST: NW] | A 5963 | NW | 08-MAR-91 |
| | MIL-M-28787/122B(2) | MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE CDE [CUST: NW] | A 5963 | NW | 07-JUN-91 |
| | MIL-M-28787/123A(2) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE ADH [CUST: NW] | A 5963 | NW | 24-AUG-90 |
| A | MIL-M-28787/124A(1) NOT 2 | MODULES, STANDARD ELECTRONIC TEST POINT, DIGITAL, KEY CODE CMH [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/125A(1) NOT 2 | MODULE, STANDARD ELECTRONIC EXTENDER, TEST POINT, & RESISTOR, MISCELLANEOUS, KEY CODE FLA [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/126A(2) NOT 1 | MODULES, STANDARD ELECTRONIC LOAD, RESISTOR, STANDARD, ANALOG, KEY CODE FLB [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/127D(1) NOT 2 | MODULE, STANDARD ELECTRONIC CAPCITOR, DIGITAL, KEY CODE FLE [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/128B(1) NOT 2 | MODULE, STANDARD ELECTRONIC TRANSFORMER, ANALOG, KEY CODE CTR [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/129A(1) NOT 2 | MODULES, STANDARD ELECTRONIC ISOLATION MODULE, DIGITAL, KEY CODE EMF [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/130A(2) NOT 1 | MODULE, STANDARD ELECTRONIC NETWORK, MISCELLANEOUS, POWER, KEY CODE QPL [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| | MIL-M-28787/132A(1) NOT 1 | MODULES, STANDARD ELECTRONIC OSCILLATOR, SQUARE WAVE, ANALOG, KEY CODE MVJ [CUST: NW] | A 5963 | NW | 31-MAR-93 |
| A | MIL-M-28787/133B(2) NOT 2 | MODULES, STANDARD ELECTRONIC RELAY, 4PDT, ANALOG, KEY CODE NRN [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/135A(2) NOT 1 | MODULES, STANDARD ELECTRONIC INDUCTOR, 1.5 AMPERE, POWER, KEY CODE QPM [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/136A(1) NOT 2 | MODULES, STANDARD ELECTRIC TRANSFORMER, POWER, KEY CODE RPN [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/137A NOT 2 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM INDUCTOR, POWER, KEY CODE VPX [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/140B(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE AGD [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/141B(2) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE GYB [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/142B(1) NOT 1 | MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE JDB [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/143B(1) NOT 1 | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE GBB [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/147A(1) NOT 1 | MODULE, STANDARD ELECTRONIC OSCILLATOR, DIGITAL, KEY CODE HVA [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/152A(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, LAMP/RELAY, DIGITAL, KEY CODE ABF [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/153B(2) NOT 1 | MODULES, STANDARD ELECTRONIC RELAY, RELAY, KEY CODE HRF [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/154A(1) NOT 2 | MODULES, STANDARD ELECTRONIC LOGIC CONVERTER, ANALOG TO DIGITAL, KEY CODE DBA [CUST: NW] | A 5963 | NW | 22-APR-98 |
| | MIL-M-28787/155A(1) | MODULES, STANDARD ELECTRONIC LOGIC CONVERTER, DIGITAL TO ANALOG, KEY CODE DBC [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 16-DEC-92 |
| A | MIL-M-28787/156A(1) NOT 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM GATE, INVERTER, DIGITAL, KEY CODE DBE [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/157A(1) NOT 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM GATE, NAND, DIGITAL, KEY CODE DBF [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/158A(2) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE DBG [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/159A(1) NOT 1 | MODULE, STANDARD ELECTRIC GATE, NAND, DIGITAL, KEY CODE DBH [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 |
| | MIL-M-28787/160A(2) | MODULES, STANDARD ELECTRONIC REGISTER, SHIFT, DIGITAL, KEY CODE EBH [CUST: NW] | A 5963 | NW | 19-MAR-92 |
| A | MIL-M-28787/161A(1) NOT 1 | MODULES, STANDARD ELECTRONIC TERMINATOR, NETWORK, LINEAR, KEY CODE AKE [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/162(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, DIGITAL, KEY CODE EKB [CUST: NW] | A 5963 | NW | 22-APR-98 |
| A | MIL-M-28787/163A(1) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, DIGITAL, KEY CODE EKC [CUST: NW] | A 5963 | NW | 22-APR-98 |
| | MIL-M-28787/166B(2) | MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BINARY, DIGITAL, KEY CODE BBJ [CUST: NW] | A 5963 | NW | 24-SEP-90 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------------|--|-----------------------|-----|-------------|------|
| A | MIL-M-28787/168A(3) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, PROGRAMMABLE, DIGITAL, KEY CODE GYC [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/169B(2) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, PROGRAMMABLE, DIGITAL, KEY CODE GYF [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/170A(1) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, AND OR INVERT, DIGITAL, KEY CODE EBA [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 | |
| | MIL-M-28787/171A(1) | MODULES, STANDARD ELECTRONIC GATE, EXCLUSIVE OR, DIGITAL, KEY CODE EBB [CUST: NW] | A 5963 | NW | 29-MAR-91 | |
| | MIL-M-28787/172A(1) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE EBC [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 28-APR-93 | |
| | MIL-M-28787/173A(1) | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE EBE [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 28-APR-93 | |
| | MIL-M-28787/174A(3) | MODULES, STANDARD ELECTRONIC ARITHMETIC LOGIC UNIT, DIGITAL, KEY CODE FBA [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 31-MAR-93 | |
| A | MIL-M-28787/175A(1) NOT 1 | MODULES, STANDARD ELECTRONIC ADDER, DISCRETE SUM, DIGITAL, KEY CODE FBG [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| | MIL-M-28787/176B(1) | MODULES, STANDARD ELECTRONIC REGISTER, PROGRAMMABLE, DIGITAL, KEY CODE FBH [CUST: CR SH 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 31-DEC-92 | |
| A | MIL-M-28787/177C(1) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, OPERATIONAL, ANALOG, KEY CODE FGC [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/178B(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, FET, SWITCH, DIGITAL, KEY CODE GDP [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/179B NOT 2 | MODULE, STANDARD ELECTRONIC CAPACITOR, PROGRAMMABLE, ANALOG, KEY CODE GGD [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/180A(1) NOT 2 | MODULES, STANDARD ELECTRONIC NETWORK, RESISTOR, PROGRAMMABLE, ANALOG, KEY CODE GGG [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/182A(1) NOT 1 | MODULES, STANDARD ELECTRONIC DEMULTIPLEXER, ANALOG, KEY CODE VGS [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/183A(1) NOT 2 | MODULE, STANDARD ELECTRONIC SWITCH, ANALOG, ANALOG, KEY CODE ZSW [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/184B(1) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, POWER, ANALOG, KEY CODE SES [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/185B(1) NOT 2 | MODULES, STANDARD ELECTRONIC TRANSFORMER, SCOTT-T, ANALOG, KEY CODE STT [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/186B(2) NOT 1 | MODULES, STANDARD ELECTRONIC GENERATOR, FUNCTION, MSB, ANALOG, KEY CODE SHY [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/187B(1) NOT 2 | MODULES, STANDARD ELECTRONIC GENERATOR, FUNCTION, LSB, ANALOG, KEY CODE SHU [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/188B(1) NOT 1 | MODULES, STANDARD ELECTRONIC OCTANT/QUADRANT, ANALOG, KEY CODE SHV [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/189C NOT 1 | MODULE, STANDARD ELECTRONIC PROCESSOR, ERROR, S/D, ANALOG, KEY CODE SHX [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/190A(1) NOT 1 | MODULES, STANDARD ELECTRONIC BUFFER LIMITER, ANALOG, KEY CODE BAC [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/191B(1) NOT 1 | MODULES, STANDARD ELECTRONIC SAMPLE AND HOLD, ANALOG, KEY CODE PEE [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/192B(2) NOT 2 | MODULES, STANDARD ELECTRONIC REGULATOR, NEGATIVE, POWER, KEY CODE ARN [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/193A(5) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE SYT [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/194A(2) NOT 1 | MODULES, STANDARD ELECTRONIC GENERATOR, FUNCTION, DIGITAL, KEY CODE UHX [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/196A(2) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, LINE, DIGITAL, KEY CODE BDM [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/197A(3) NOT 1 | MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE EBD [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/200(1) NOT 1 | MODULES, STANDARD ELECTRONIC REGISTER, MULTIPORT, KEY CODE QQA [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/202B(1) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, ANALOG, KEY CODE MAD [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/204A NOT 2 | MODULE, STANDARD ELECTRONIC NETWORK, RESISTOR, POWER, KEY CODE RUM [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/205A(3) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, SUMMING, ANALOG, KEY CODE BED [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/206A(1) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, LAMP/RELAY, DIGITAL, KEY CODE FQB [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/208(4) NOT 1 | MODULES, STANDARD ELECTRONIC PROGRAMMABLE TIMER, DIGITAL, KEY CODE HQE [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/209B NOT 2 | MODULES, STANDARD ELECTRONIC FUSE, KEY CODE GZC [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/210A(1) NOT 1 | MODULES, STANDARD ELECTRONIC TEST POINT, KEY CODE CZH [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/211A(2) NOT 1 | MODULES, STANDARD ELECTRONIC TEST POINT, ISOLATED, MISCELLANEOUS, KEY CODE FZJ [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/212A(1) NOT 1 | MODULES, STANDARD ELECTRONIC STANDARD SERIAL OUTPUT, DIGITAL, KEY CODE DQD [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/213A(1) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, PARALLEL/SERIAL, KEY CODE EQG [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/214(3) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, SERIAL/PARALLEL, DIGITAL, KEY CODE EQF [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/215A(1) NOT 1 | MODULES, STANDARD ELECTRONIC STANDARD SERIAL INPUT, DIGITAL, KEY CODE EQJ [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/216B(1) NOT 1 | MODULE, STANDARD ELECTRONIC RESISTOR, PULLUP, POWER, KEY CODE ADL [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/218A(1) NOT 1 | MODULES, STANDARD ELECTRONIC FILTER, LOW PASS, ACTIVE, ANALOG, KEY CODE EEE [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/219B(1) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, POWER, ANALOG, KEY CODE HEE [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/220A NOT 2 | MODULES, STANDARD ELECTRONIC MODULATOR, SYNCHRONOUS, ANALOG, KEY CODE KAD [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/221A(1) NOT 1 | MODULE, STANDARD ELECTRONIC AMPLIFIER, PHASE SHIFT, ANALOG, KEY CODE LEE [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/222A(1) NOT 1 | MODULES, STANDARD ELECTRONIC NAND/SCHMITT, DIGITAL, KEY CODE JQM [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/223A(2) NOT 1 | MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM MULTIPLEXER, DIGITAL, KEY CODE KDC [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| | MIL-M-28787/224A(4) | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE JDF [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 28-APR-93 | |
| A | MIL-M-28787/225B(1) NOT 1 | MODULES, STANDARD ELECTRONIC SWITCH, S/D, MULTISPEED, ANALOG, KEY CODE HUH [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/226A(1) NOT 2 | MODULES, STANDARD ELECTRONIC TRANSFORMER, SCOTT-T, ANALOG, KEY CODE PTE [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/227A(2) NOT 2 | MODULES, STANDARD ELECTRONIC TRANSFORMER, RESOLVER, ANALOG, KEY CODE PTF [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| | MIL-M-28787/228A(3) NOT 1 | MODULES, STANDARD ELECTRONIC INTEGRATOR, S/D, ANALOG, KEY CODE PEG [CUST: NW] | A 5963 | NW | 31-MAR-93 | |
| | MIL-M-28787/229A NOT 2 | MODULES, STANDARD ELECTRONIC AMPLIFIER, SUMMING, ANALOG, KEY CODE BEE [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| | MIL-M-28787/231A(1) NOT 1 | MODULES, STANDARD ELECTRONIC COMPARATOR, ANALOG, KEY CODE GEE [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/232A(2) NOT 2 | MODULES, STANDARD ELECTRONIC CONVERTER, ANALOG/DIGITAL, KEY CODE QQQ [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/233B(2) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, CLIPPER, ANALOG, KEY CODE FBE [CUST: NW] | A 5963 | NW | 22-APR-98 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------------|---|-----------------------|-----|-------------|------|
| A | MIL-M-28787/234A(2) NOT 1 | MODULES, STANDARD ELECTRONICS OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE GVQ [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/235A NOT 2 | MODULES, STANDARD ELECTRONIC OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE QVG [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/236A NOT 2 | MODULES, STANDARD ELECTRONIC OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE QVQ [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/237A(1) NOT 2 | MODULE, STANDARD ELECTRIC MICROPROCESSOR, DIGITAL KEY CODE HRH [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/238A(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, KEY CODE GHM [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/239A(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, NTDS SLOW, DIGITAL, KEY CODE QBQ [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/240A(2) NOT 2 | MODULES, STANDARD ELECTRONIC TRANSFORMER, SIGNAL, ANALOG, KEY CODE CGR [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/241(1) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, NTDS (ANEW), KEY CODE QDR [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/242A(1) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, NTDS (ANEW), DIGITAL, KEY CODE QDF [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/243A(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, AND DIGITAL, KEY CODE DQK [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/244A(1) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, AND, DIGITAL, KEY CODE DQJ [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/245A(1) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, AGC, ANALOG, KEY CODE DPA [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/246B(1) NOT 1 | MODULES, STANDARD ELECTRONIC OPTICAL ISOLATOR, DIGITAL, KEY CODE MUM [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/248A(2) NOT 1 | MODULES, STANDARD ELECTRONIC BUFFER, NON-INVERTING, DIGITAL, KEY CODE AMC [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/249A NOT 1 | MODULE, STANDARD ELECTRONIC GATE, NOR, KEY CODE AME [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/250(2) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE AMF [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/251(3) NOT 1 | MODULE, STANDARD ELECTRONIC LATCH, DIGITAL, KEY CODE AMG [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/252(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, AND-OR-INVERT, DIGITAL, KEY CODE AMH [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/253(2) NOT 1 | MODULES, STANDARD, ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BMA [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/254(1) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BMB [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/255(1) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, EXCLUSIVE OR, DIGITAL, KEY CODE BMC [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/256(2) NOT 1 | MODULES, STANDARD ELECTRONIC FLIP-FLOP, D-TYPE, DIGITAL, KEY CODE BMD [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/257(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE BME [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/258A(1) NOT 1 | MODULE, STANDARD ELECTRONIC DECODER, BCD TO DECIMAL, DIGITAL, KEY CODE BMH [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/259(2) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, NOR, DIGITAL, KEY CODE EMJ [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/260A NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE EMK [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/261(1) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, INVERTER, DIGITAL, KEY CODE EMM [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/262A NOT 1 | MODULES, STANDARD ELECTRONIC INVERTER, BUFFER, DIGITAL, KEY CODE EMN [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/263(1) NOT 1 | MODULE, STANDARD ELECTRONIC GATE, NOR, DIGITAL, KEY CODE EMP [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/264B NOT 1 | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE EMQ [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/265A(3) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, DIGITAL [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/266B(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, BUS, DIGITAL, KEY CODE GQB [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/267B(1) NOT 1 | MODULES, STANDARD ELECTRONIC BUFFER, THREE-STATE, DIGITAL, KEY CODE YBZ [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/268A(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLIER, DIGITAL, KEY CODE AGA [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/269A NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, DIFFERENTIAL, ANALOG, KEY CODE FGH [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/270(2) NOT 2 | MODULES, STANDARD ELECTRONIC RELAY, ANALOG, KEY CODE ZRX [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/271A(1) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, BINARY/BCD, DIGITAL, KEY CODE RQB [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/272A(2) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, BCD/BINARY, DIGITAL, KEY CODE ZEZ [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/273A(1) NOT 2 | MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE SJS [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/274B(1) NOT 1 | MODULES, STANDARD ELECTRONIC TIMER, DIGITAL, KEY CODE YKV [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/275A NOT 1 | MODULE, STANDARD ELECTRONIC COUNTER, BINARY/BCD, DIGITAL, KEY CODE BMG [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/277(1) NOT 1 | MODULE, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE EML [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/278A(1) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, LAMP/RELAY, DIGITAL, KEY CODE FQD [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/279(2) NOT 1 | MODULES, STANDARD ELECTRONIC RELAY, ANALOG, KEY CODE RRF [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/286(3) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE KYF [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/287A(3) NOT 1 | MODULES, STANDARD ELECTRONIC BUFFER, BIDIRECTIONAL, DIGITAL, KEY CODE HRL [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/288A(3) NOT 1 | MODULE, STANDARD ELECTRONIC CLOCK, MICROPROCESSOR, DIGITAL, KEY CODE JRH [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/291A(1) NOT 1 | MODULE, STANDARD ELECTRONIC DECODER, DIGITAL, KEY CODE AFA [CUST: CR NW 85] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/292A(3) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BINARY, DIGITAL, KEY CODE BHA [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/293(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE CHH [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/294B NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE CHP [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/295A(2) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE FEA [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/296A(4) NOT 1 | MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE GHK [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/297A(2) NOT 1 | MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE RHF [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/298A(2) NOT 1 | MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE RHG [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/300A(2) NOT 1 | MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE HFB [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|------------|---------------------------|---|-----------------------|-----|-------------|------|
| A | MIL-M-28787/301A(4) NOT 1 | MODULE, STANDARD ELECTRONIC MICROPROCESSOR, KEY CODE ERD [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/302A(4) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, KEY CODE ZJS [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/303A(2) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, KEY CODE ZJT [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/304A(4) NOT 1 | MODULES, STANDARD ELECTRONIC MICROPROGRAM CONTROLLER, KEY CODE ZJU [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/305A(3) NOT 1 | MODULES, STANDARD ELECTRONIC CONTROLLER, INTERRUPT, DIGITAL, KEY CODE ZJX [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/306A(2) NOT 1 | MODULE, STANDARD ELECTRONIC MICROPROCESSOR, KEY CODE MJA [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/307A NOT 2 | MODULES, STANDARD ELECTRONIC REGULATOR, CURRENT, PROGRAMMABLE, ANALOG, KEY CODE MJB [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/308A(3) NOT 1 | MODULES, STANDARD ELECTRONIC PROGRAM CONTROL UNIT, KEY CODE MJC [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/309A NOT 2 | MODULES, STANDARD ELECTRONIC AMPLIFIER, OPERATIONAL, ANALOG, KEY CODE DAA [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/310B(2) NOT 1 | MODULES, STANDARD ELECTRONIC COMPONENTS, MISCELLANEOUS, KEY CODE FMD [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/311A NOT 2 | MODULES, STANDARD ELECTRONIC RELAY, SIGNAL, KEY CODE HRQ [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/312(2) NOT 1 | MODULES, STANDARD ELECTRONIC DRIVER, TRANSLATOR, DIGITAL, KEY CODE DLB [CUST: NW] | A 5963 | NW | 22-APR-98 | |
| A | MIL-M-28787/313A(1) NOT 1 | MODULES, STANDARD ELECTRONIC RECEIVER, TRANSLATOR, DIGITAL, KEY CODE DLC [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/314(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE FRC [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/315(1) NOT 1 | MODULES, STANDARD ELECTRONIC FLIP FLOP, JK, DIGITAL, KEY CODE FRE [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/316A(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, DIGITAL [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/317A(1) NOT 1 | MODULES, STANDARD ELECTRONIC REGISTER, DIGITAL, KEY CODE PJB [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/318A(2) NOT 1 | MODULES, STANDARD ELECTRONIC RESISTOR, ANALOG, KEY CODE GRB [CUST: CR NW 85] [REVIEW: 13 17 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/319A(2) NOT 1 | MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE NZC [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/320B(1) NOT 2 | MODULES, STANDARD ELECTRONIC SWITCH, CROSSPOINT, KEY CODE LZN [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/321A NOT 2 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE RRB [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/322B NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, D/A, KEY CODE DBK [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/323(1) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, VIDEO, ANALOG, KEY CODE MFR [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/324(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE NGP [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/325(1) NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE NQD [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/327(1) NOT 1 | MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE JHB [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/328(2) NOT 1 | MODULES, STANDARD ELECTRONIC INTERFACE, MICROPROCESSOR, KEY CODE NGK [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/329(1) NOT 1 | MODULE, STANDARD ELECTRONIC FLIP FLOP, JK, DIGITAL, KEY CODE QHK [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/330 NOT 2 | MODULES, STANDARD ELECTRONIC CONTROLLER, MICROPROCESSOR, KEY CODE RRA [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/331A(1) NOT 1 | MODULES, STANDARD ELECTRONIC OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE YBS [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/332(1) NOT 1 | MODULE, STANDARD ELECTRONIC DECODER, DIGITAL, KEY CODE MFP [CUST: CR NW 85] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/333(2) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, D/A, KEY CODE MKR [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/335 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC DIRECT MEMORY ACCESS MODULE, KEY CODE NBP [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/336A NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE, MICROPROCESSOR MODULE, KEY CODE NBQ [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/337A(1) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, S/D, KEY CODE JWP [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/338(2) NOT 1 | MODULES, STANDARD ELECTRONIC ENCODER, PRIORITY, KEY CODE NTA [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/340(1) NOT 1 | MODULES, STANDARD ELECTRONIC AMPLIFIER, ANALOG, KEY CODE EAP [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/341(1) NOT 1 | MODULES, STANDARD ELECTRONIC INTERFACE BUS, KEY CODE PHP [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/343(2) NOT 2 | MODULES, STANDARD ELECTRONIC RELAY, LATCHING, KEY CODE MFD [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/344(2) NOT 1 | MODULES, STANDARD ELECTRONIC ENCODER, FAULT ISOLATION, KEY CODE MFG [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/345(1) NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, S/D, KEY CODE JAP [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/346 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERRUPT CONTROL UNIT MODULE, KEY CODE SQY [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/347 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC CLOCK, MICROPROCESSOR MODULE, KEY CODE TRU [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/348 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 DUMB RTU MODULE, KEY CODE UKT [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/349 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 RTU PROTOCOL MODULE, KEY CODE UKU [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/350 NOT 1 | MODULES, STANDARD ELECTRONIC BUFFER, THREE-STATE, DIGITAL, MODULE, KEY CODE YEZ [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/351(1) NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC 68000 SUPPORT MODULE, KEY CODE ASC [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/352 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC 68000 CONTROL/MAINTENANCE MODULE, KEY CODE ADP [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/353 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC MICROPROCESSOR, 68000 MODULE, KEY CODE NAH [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/354 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE, BUS MODULE, KEY CODE AFG [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/355 NOT 1 | MODULES, STANDARD ELECTRONIC PROGRAMMABLE READ ONLY MEMORY MODULE [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/356 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC SUPPORT, MPU COMMUNICATIONS MODULE, KEY CODE AHH [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------------|---|-----------------------|-----|-------------|------|
| A | MIL-M-28787/357 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC CONTROLLER, DMA MODULE, KEY CODE FUM [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/358 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC DMA SUPPORT MODULE, KEY CODE FUN [CUST: CR NW 85] [REVIEW: 13 17 19 AS AT AV CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/359 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC FLIP/FLOP, D TYPE MODULE, KEY CODE KLR [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/360 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC CONTROLLER, DATA MODULE, KEY CODE DFH [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/361 NOT 1 | MODULES, STANDARD ELECTRONIC DYNAMIC RANDOM ACCESS MEMORY MODULE, KEY CODE CJK [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/362 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC DRIVER/RECEIVER DIFFERENTIAL MODULE, KEY CODE HJN [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/363 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC CONTROLLER/TIMING MODULE, KEY CODE CEM [CUST: CR NW 85] [REVIEW: 13 17 19 AS AT AV CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/364 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC REGISTER MODULE, KEY CODE DGJ [CUST: CR NW 85] [REVIEW: 13 17 19 AS AT AV CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/365A NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE MODULE, KEY CODE DGP [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/366 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC STATIC RANDOM ACCESS MEMORY MODULE, KEY CODE DGG [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/367 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 BUS CONTROLLER MODULE, KEY CODE UKS [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/368 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC DYNAMIC RAM CONTROLLER MODULE, KEY CODE FER [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/369 NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, ANALOG/DIGITAL, KEY CODE CKA [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/370 NOT 1 | MODULE, STANDARD ELECTRONIC NETWORK, SPECIAL, KEYCODE HJL [CUST: CR NW 85] [REVIEW: 13 17 19 AS AT AV CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/371 NOT 1 | MODULES, ANALOG, STANDARD ELECTRONIC INTERFACE, DISCRETE MODULE, KEY CODE TAV [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/393 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE, BUS MODULE, KEY CODE AMJ [CUST: CR NW 85] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/394 NOT 1 | MODULE, STANDARD ELECTRONIC MICROPROCESSOR MODULE, KEY CODE MHA [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/414(1) NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 TYPE E SERIAL INTERFACE ADAPTER MODULE, KEY CODE ATC [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/419 NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, A/D MODULE, KEY CODE JFJ [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/420 NOT 1 | MODULES, STANDARD ELECTRONIC CONVERTER, D/A MODULE, KEY CODE JFK [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/421(1) NOT 1 | MODULES, STANDARD ELECTRONIC NATO-STD-4156 (MODIFIED) CHANNEL CONTROL MODULE KEY CODE ATK [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/428 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 SUBSYSTEM ADAPTER CARD MODULE KEY CODE GWA [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/429 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1553 COMMON BUS INTERFACE MODULE, KEY CODE GWB [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/432(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY ARRAY, 128K DYNAMIC RANDOM ACCESS MODULE KEY CODE JEJ [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/433(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY TIMING MODULE, KEY CODE JEQ [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/434(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY DATA MODULE, KEY CODE JML [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/435 NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY ADDRESS MODULE, KEY CODE JMM [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/436(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY CONTROL MODULE, KEY CODE JMN [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/437A NOT 1 | MODULES, STANDARD ELECTRONIC MAINTENANCE PROCESSOR SERIAL INTERFACE MODULE, KEY CODE HRAA [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/438 NOT 1 | MODULES, STANDARD ELECTRONIC BREAKPOINT, RCMI MODULE, KEY CODE GTC [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/458 NOT 1 | MODULES, DIGITAL, STANDARD ELECTRONIC ULTRAVIOLET LIGHT ERASABLE PROGRAMMABLE READ ONLY MEMORY (UV EPROM) MODULE [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/459 NOT 1 | MODULES, STANDARD ELECTRONIC ENCODER, PARITY, DIGITAL, MODULE, KEY CODE JPJ [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/462 NOT 1 | MODULES, STANDARD ELECTRONIC SEMICONDUCTOR MEMORY ARRAY, DYNAMIC RAM, 1M MODULE, KEY CODE JKJ [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/463 NOT 1 | MODULES, STANDARD ELECTRONIC SEMICONDUCTOR MEMORY ARRAY, STATIC RAM, 256K MODULE, KEY CODE JMJ [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/500 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 PARALLEL CHANNEL CONTROL MODULE, KEY CODE AWB [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/501 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 INTERFACE, TYPE A/PIC MODULE, KEY CODE AWC [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/502 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 INTERFACE, TYPE B/PIC MODULE, KEY CODE AGL [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/503 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 INTERFACE, TYPE C/PIC, MODULE, KEY CODE AHL [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/504 NOT 1 | MODULES, STANDARD ELECTRONIC IOC CONTROL MEMORY MODULE, KEY CODE AWF [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/505(1) NOT 1 | MODULES, STANDARD ELECTRONIC IOC DATA BUS LOWER MODULE, KEY CODE AWG [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/506 NOT 1 | MODULES, STANDARD ELECTRONIC IOC CHANNEL CONTROL MODULE, KEY CODE AWH [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/507 NOT 1 | MODULES, STANDARD ELECTRONIC IOC SEQUENCER MODULE, KEY CODE BWAA [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/508A(1) NOT 1 | MODULES, STANDARD ELECTRONIC CENTRAL PROCESSOR SEQUENCER MODULE, KEY CODE BWAC [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/509 NOT 1 | MODULES, STANDARD ELECTRONIC BUS ARBITRATOR MODULE, KEY CODE BWD [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/510 NOT 1 | MODULES, STANDARD ELECTRONIC ARITHMETIC-LOGIC UNIT MODULE, KEY CODE BWE [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/511 NOT 1 | MODULES, STANDARD ELECTRONIC IOC COMMON BUS CONTROL MODULE, KEY CODE BWF [CUST: NW] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/512(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY MAPPED I/O MODULE, KEY CODE BWG [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/514 NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY MAPPED I/O BUS INTERFACE MODULE, KEY CODE CWA [CUST: CR NW 85] [REVIEW: 13 17 19 AS AT AV CC MC] | A 5963 | NW | 20-APR-98 | |
| A | MIL-M-28787/517 NOT 1 | MODULES, STANDARD ELECTRONIC SHIFT MATRIX AND GENERAL REGISTER MODULE, KEY CODE CWE [CUST: NW] | A 5963 | NW | 20-APR-98 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-M-28787/518 NOT 1 | MODULES, STANDARD ELECTRONIC BOOTSTRAP MEMORY/RTC MODULE, KEY CODE CWAF [CUST: NW] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/519 NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY INTERFACE I MODULE, KEY CODE CWG [CUST: NW] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/520 NOT 1 | MODULES, STANDARD ELECTRONIC BIT ELECTRONICS MODULE, KEY CODE CWN [CUST: NW] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/521(1) NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-188C/RS232C ASYNCHRONOUS SERIAL CONTROL MODULE, KEY CODE AEK [CUST: NW] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/522 NOT 1 | MODULES, STANDARD ELECTRONIC SYNCHRONOUS SERIAL CONTROL MODULE, KEY CODE AFK [CUST: NW] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/523 NOT 1 | MODULES, STANDARD ELECTRONIC MULTIPLY/MATH PACKAGE MODULE, KEY CODE DWAE [CUST: NW] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/524(1) NOT 1 | MODULES, STANDARD ELECTRONIC NATO-STD-4156 (MODIFIED) CHANNEL ADAPTER MODULE, KEY CODE ATL [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/525 NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY ADDRESS EXPANSION MODULE, KEY CODE DWF [CUST: NW] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/526(1) NOT 1 | MODULES, STANDARD ELECTRONIC DIRECT MEMORY INTERFACE I MODULE, KEY CODE DWG [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/527 NOT 1 | MODULES, STANDARD ELECTRONIC DIRECT MEMORY ACCESS II MODULE, KEY CODE DWH [CUST: CR NW 85] [REVIEW: 13 17 19 AS AT AV CC MC] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/528 NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 TYPE D/E SERIAL CONTROL MODULE, KEY CODE AJK [CUST: CR NW 85] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/529A NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-1397 TYPE D SERIAL INTERFACE ADAPTER MODULE, KEY CODE AJL [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/534 NOT 1 | MODULES, STANDARD ELECTRONIC TEMPERATURE SENSOR MODULE, KEY CODE EWB [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/535 NOT 1 | MODULES, STANDARD ELECTRONIC IOC DATA BUS UPPER MODULE, KEY CODE EWC [CUST: NW] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/536(1) NOT 1 | MODULES, STANDARD ELECTRONIC MEMORY INTERFACE II MODULE, KEY CODE EWD [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/537(1) NOT 1 | MODULES, STANDARD ELECTRONIC RS 232C INTERFACE ADAPTER MODULE, KEY CODE AML [CUST: NW] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/538(1) NOT 1 | MODULES, STANDARD ELECTRONIC MIL-STD-188C/VACALEX INTERFACE ADAPTER MODULE, KEY CODE APC [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/539(1) NOT 1 | MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE ADDRESS GENERATION MODULE, KEY CODE CWK [CUST: NW] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/540(2) NOT 1 | MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE EMULATION CONTROL I, KEY CODE EWAH [CUST: CR NW 85] [REVIEW: 13 19 AS AT CC MC] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/541(1) NOT 1 | MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE EMULATION CONTROL II MODULE, KEY CODE FWA [CUST: NW] | A 5963 | NW | | 20-APR-98 |
| A | MIL-M-28787/542(1) NOT 1 | MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE EMULATION CONTROL III MODULE, KEY CODE FWB [CUST: NW] | A 5963 | NW | | 20-APR-98 |
| A | MIL-C-28793 NOT 1 | CABLE, ELECTRICAL, SPECIAL PURPOSE, SHIP AND SHORE USE [CUST: EC IS] | A 6145 | IS | | 16-JUN-97 |
| | MIL-C-28794 NOT 3 | CABINET, ELECTRONIC EQUIPMENT (SINGLE BAY) [CUST: EC] [REVIEW: GS] | A 5975 | EC | | 30-APR-95 |
| | MIL-D-28795(1) NOT 1 | DIGITIZER, VOICE, FULL AND HALF DUPLEX SPEECH COMPRESSION AND DIGITAL ENCODING [CUST: EC] | A 5895 | EC | | 30-APR-95 |
| | MIL-B-28799(1) NOT 1 | BUOY, RADIO TRANSMITTING T-616()/SRT [CUST: EC] | A 5820 | EC | | 30-APR-95 |
| | MIL-P-28808A NOT 1 | PRINTER, HIGH SPEED, DIGITAL DATA, TT624(V)/UG [CUST: EC] | A 5815 | EC | | 30-APR-95 |
| | MIL-F-28811A NOT 1 | FREQUENCY STANDARD, CESIUM BEAM TUBE [CUST: EC] | A 6625 | EC | | 30-APR-95 |
| | MIL-A-28813 NOT 1 | ANTENNA COUPLER GROUP AN/SRA-34A(V) [CUST: EC] | A 5985 | EC | | 30-APR-95 |
| A | MIL-T-28816(1) NOT 1 | TIME-FREQUENCY STANDARD, DISCIPLINED, AN/URQ-23, GENERAL SPECIFICATION FOR [CUST: EC] | A 6625 | EC | | 04-APR-98 |
| A | MIL-R-28819(1) NOT 1 | RADIO NAVIGATION RECEIVING SET, OMEGA, AN/BRN-7, AN/SRN-17 [CUST: AS] | A 5825 | AS | | 16-JUL-97 |
| | MIL-A-28826 NOT 1 | ANTENNA SYSTEM, BROADBAND IDENTIFICATION FRIEND OR FOE [CUST: AS] | A 5985 | AS | | 18-SEP-96 |
| | MIL-T-28842A(2) NOT 1 | TELEPHONE SETS, TA-970/U, TA-980/U, & TA-990/U [CUST: EC] | A 5805 | EC | | 30-APR-95 |
| | MIL-C-28843A NOT 2 | CONTROL UNITS, REMOTE SWITCHING, C-10315/U AND C-10979/U [CUST: EC] | A 5840 | EC | | 30-APR-95 |
| | MIL-R-28848(2) NOT 1 | RADIO SET AN/URC-94(V) [CUST: EC] | A 5820 | EC | | 30-APR-95 |
| | MIL-S-28851B NOT 1 | SWITCHBOARD, TELETYPEWRITER SIGNAL, SECURE SB-3917/BGC AND RECEIVER AUDIO SB-3918/BRR [CUST: EC] | A 5895 | EC | | 30-APR-95 |
| | MIL-S-28854(2) NOT 1 | SWITCHING GROUP, TRANSMITTER ANTENNA OK-261/BRC [CUST: EC] | A 5820 | EC | | 30-APR-95 |
| | MIL-C-28855 NOT 2 | CU-2113()/SRC COUPLER ISOLATOR [CUST: EC] | A 5825 | EC | | 30-APR-95 |
| | MIL-S-28856A NOT 1 | SYNCHRONIZER, VIDEO, SN-501/UPX [CUST: AS] | A 5840 | AS | | 18-SEP-96 |
| A | MIL-C-28858A(2) NOT 1 | COUPLER GROUP, ANTENNA, OA-9123/SRC [CUST: EC] | A 5985 | EC | | 04-APR-98 |
| | MIL-F-28874(1) NOT 1 | FIELD CHANGE KIT FOR VARIABLE OUTPUT POWER CAPABILITY FOR TRANSMITTER AN/URT-23(C) [CUST: EC] | A 5820 | EC | | 30-APR-95 |
| | MIL-A-28880(1) NOT 1 | ANTENNA COUPLER GROUP, AN/SRA-49() [CUST: EC] | A 5985 | EC | | 30-APR-95 |
| A | MIL-R-28881(2) NOT 1 | RADIACMETER, IM-239/WDQ [CUST: SH] | A 6665 | SH | | 22-APR-98 |
| | MIL-T-28885 NOT 1 | TRANSMITTER, RADIO, AN/FRT-83(B) 1000 WATTS PEAK ENVELOPE POWER & AVERAGE, HIGH FREQUENCY, INDEPENDENT SIDEBAND [CUST: EC] | A 5820 | EC | | 30-APR-95 |
| A | MIL-R-28886A NOT 1 | RECEIVER, LOW FREQUENCY, MEDIUM FREQUENCY, AND HIGH FREQUENCY COMMUNICATIONS [CUST: EC] | A 5820 | EC | | 04-APR-98 |
| | MIL-R-28887 NOT 1 | RADIO GROUP, VLF, LF, MF, AND HF [CUST: EC] | A 5820 | EC | | 30-APR-95 |
| A | MIL-A-28890 NOT 1 | ANTENNA GROUP, OE-207/BR | A 5985 | EC | | 04-APR-98 |
| | MIL-I-28892A NOT 1 | INTERFACE ADAPTER UNIT [CUST: EC] | A 5810 | EC | | 30-APR-95 |
| | MIL-A-28893 NOT 1 | ANTENNA COUPLER GROUP, AN/SRA-56, AN/SRA-57, AND AN/SRA-58 [CUST: EC] | A 5985 | EC | | 30-APR-95 |
| | MIL-A-28895(1) NOT 1 | ANTENNA ELEMENTS, AS-3435/BRC AND AS-3436/BRC [CUST: EC] | A 5985 | EC | | 30-APR-95 |
| | MIL-A-28897(2) NOT 1 | AMPLIFIER, RADIO FREQUENCY, AM-7074/BRC [CUST: EC] | A 5985 | EC | | 30-APR-95 |
| | MIL-A-28898 NOT 1 | ADAPTER, RADIO FREQUENCY, MX-10158/BRC [CUST: EC] | A 5985 | EC | | 30-APR-95 |
| A | MIL-C-28989B NOT 2 | COUPLER, ANTENNA: CU-2064/GRC-193 [CUST: MC] | A 5820 | MC | | 04-APR-98 |
| A | MIL-P-29183/17 NOT 1 | PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 100 KILOWATT [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6110 | YD1 | | 22-APR-98 |
| A | MIL-B-29194B NOT 1 | BUILDING ADDITION, PREFABRICATED, READY-CUT, METAL RIGID FRAME, FOR 40-BY 100-FOOT BUILDING [CUST: GL YD1 99] [REVIEW: 84 CC CE CR4 MC] | A 5410 | YD1 | | 22-APR-98 |
| A | MIL-S-29398C(2) NOT 1 | SLING SYSTEM, HELICOPTER: EXTERNAL CARGO, 40,000 POUND CAPACITY [CUST: MC] | A 1670 | MC | | 04-APR-98 |
| A | MIL-M-29399 NOT 1 | MINE CLEARANCE SYSTEM KIT (MCSK) FOR LANDING VEHICLE TRACKED PERSONNEL, MODEL 7201 (LVTP7A1) [CUST: AR OS 99] | A 1055 | MC | | 04-APR-98 |
| A | MIL-L-29400B NOT 1 | LAUNCHER, MINE CLEARANCE, MARK 155 [CUST: MC] | A 1055 | MC | | 04-APR-98 |
| A | MIL-R-29401B NOT 1 | RADIO SET: AN/PRC-68A [CUST: MC] | A 5820 | MC | | 04-APR-98 |
| A | MIL-T-29402 NOT 1 | TEST SET TS-3354/PRC-68 [CUST: MC] | A 6625 | MC | | 04-APR-98 |
| A | MIL-S-29409B NOT 1 | SHELTER ASSEMBLY, KNOCKDOWN [CUST: MC] | A 5411 | MC | | 04-APR-98 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|----------------------------|---|--------------------------|-----|-------------|------|
| A MIL-S-29410B NOT 1 | SHELTER ASSEMBLY, RIGID, GENERAL PURPOSE [CUST: MC] [REVIEW: CC] | A 5411 | MC | 04-APR-98 | |
| A MIL-S-29411B NOT 1 | SHELTER ASSEMBLIES, 10 FOOT & 20 FOOT, ELECTROMAGNETIC INTERFERENCE [CUST: MC] [REVIEW: CC] | A 5411 | MC | 04-APR-98 | |
| A MIL-S-29412C NOT 1 | SHELTER, COMPLEXING KIT FOR [CUST: MC] | A 5411 | MC | 04-APR-98 | |
| A MIL-S-29413B NOT 1 | SHELTER, JOINING CORRIDOR FOR [CUST: MC] [REVIEW: CC] | A 5411 | MC | 04-APR-98 | |
| A MIL-M-29416(1) NOT 1 | MODULE, FULE TANK (SIXCON) [CUST: MC] | A 2910 | MC | 04-APR-98 | |
| A MIL-R-29418(1) NOT 2 | RADIO SET: AN/PRC-104(V) [CUST: MC] | A 5820 | MC | 04-APR-98 | |
| A MIL-F-29419 NOT 1 | FRAME, SHIPPING (SIXCON) [CUST: MC] | A 8145 | MC | 04-APR-98 | |
| A MIL-A-29420 NOT 2 | AMPLIFIER-CONVERTER: AM-6879/URC [CUST: MC] | A 5820 | MC | 04-APR-98 | |
| A MIL-R-29421 NOT 2 | RECEIVER-TRANSMITTER: RT-1209/URC [CUST: MC] | A 5820 | MC | 04-APR-98 | |
| A MIL-S-29429A NOT 1 | SKIRTS, WOMEN'S [CUST: MC CT] | A 8410 | CT | 04-APR-98 | |
| A MIL-S-29434 NOT 1 | SHELTER ASSEMBLY, 10 FOOT RIGID, GENERAL PURPOSE [CUST: MC] [REVIEW: CC] | A 5411 | MC | 04-APR-98 | |
| A MIL-S-29435B NOT 1 | SHELTER, ELECTRONICS MAINTENANCE COMPLEX (EMC): 10 FOOT, ELECTROMAGNETIC INTERFERENCE, 20 FOOT, ELECTROMAGNETIC INTERFERENCE, 10 FOOT, RIGID 20 FOOT, RIGID [CUST: MC] | A 5411 | MC | 04-APR-98 | |
| A MIL-M-29436 NOT 1 | MODULE ASSEMBLY, PALLET TYPE, STORAGE [CUST: MC] | A 7125 | MC | 04-APR-98 | |
| A MIL-M-29437 NOT 1 | MODULE ASSEMBLY, UNIVERSAL STORAGE [CUST: MC] | A 7125 | MC | 04-APR-98 | |
| A MIL-M-29438 NOT 1 | MODULE ASSEMBLY, STORAGE, SHELF TYPE [CUST: MC] | A 7125 | MC | 04-APR-98 | |
| A MIL-M-29439 NOT 1 | MODULE ASSEMBLY, STORAGE, DUAL SHELF [CUST: MC] | A 7125 | MC | 04-APR-98 | |
| A MIL-M-29440 NOT 1 | MODULE ASSEMBLY, WORKBENCH [CUST: MC] | A 7125 | MC | 04-APR-98 | |
| A MIL-M-29441 NOT 1 | MODULE ASSEMBLY, DESK [CUST: MC] | A 7110 | MC | 04-APR-98 | |
| A MIL-M-29442 NOT 1 | MODULE ASSEMBLY, PERSONNEL STORAGE [CUST: MC] | A 7125 | MC | 04-APR-98 | |
| A MIL-M-29443 NOT 1 | MODULE ASSEMBLY, SECURITY [CUST: MC] | A 7125 | MC | 04-APR-98 | |
| MIL-A-29505 NOT 1 | ANTENNA GROUP, TACAN, OE-273(V)/URN [CUST: AS] | A 5985 | AS | 18-SEP-96 | |
| MIL-B-29511 NOT 1 | BUOY INTERFACE UNIT (BIU), J-3958/BRT-6 [CUST: EC] | A 5820 | EC | 30-APR-95 | |
| MIL-C-29512 NOT 1 | CHARGER, BATTERY, PP-7806/BRT-6 [CUST: EC] | A 5820 | EC | 30-APR-95 | |
| MIL-A-29517 | ANTENNA, GROUP, OE-417(V)/SRC 2-MHZ TO 30-MHZ TRANSMITTING WHIP (TILTING) [CUST: EC] | A 5985 | EC | 30-APR-95 | |
| MIL-A-29518 NOT 1 | ANTENNA GROUP, OE-418(V)/SRC 10-MHZ TO 30-MHZ TRANSMITTING TWIN WHIP [CUST: EC] | A 5985 | EC | 30-APR-95 | |
| MIL-A-29519 NOT 1 | ANTENNA GROUP, OE-415(V)/SRC 4-MHZ TO 12-MHZ TRANSMITTING TWIN WHIP [CUST: EC] | A 5985 | EC | 30-APR-95 | |
| MIL-A-29520 NOT 1 | ANTENNA GROUP, OE-416(V)/SRC, 4-MHZ TO 30-MHZ RECEIVING TWIN WHIP [CUST: EC] | A 5985 | EC | 30-APR-95 | |
| MIL-A-29521(2) NOT 1 | ANTENNA GROUP, AN/BRA-34(V), AN/BRA(V), AN/BRA-34B(V) [CUST: EC] | A 5985 | EC | 30-APR-95 | |
| MIL-R-29533 NOT 1 | RADIO SET, AN/URC-0 [CUST: EC] | A 5820 | EC | 30-APR-95 | |
| A MIL-S-29566 NOT 1 | SOCKS, FLYER'S ANTI-EXPOSURE, CWU-75/P [CUST: AS] | A 8475 | AS | 16-JUL-97 | |
| A MIL-C-29576A(1) NOT 1 | CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE, WELDED [CUST: AV AS 99] [REVIEW: 11 71 GS] | A 8120 | AS | 13-AUG-97 | |
| A MIL-R-29585 NOT 1 | REGULATOR, OXYGEN, CHEST MOUNTED, DILUTER-DEMAND, AUTOMATIC-PRESSURE BREATHING [CUST: AS] | A 1660 | AS | 27-AUG-97 | |
| A MIL-V-29591 NOT 1 | VISOR ASSEMBLY, AVIATOR'S SEVEN WAVELENGTH LASER PROTECTIVE, GENERAL SPECIFICATION FOR [CUST: AS] | A 8475 | AS | 16-JUL-97 | |
| A MIL-V-29591/1 NOT 1 | VISOR ASSEMBLY, AVIATOR'S, SEVEN WAVELENGTH LASER PROTECTIVE, EEU-8/P [CUST: AS] | A 8475 | AS | 16-JUL-97 | |
| A MIL-V-29591/2 NOT 1 | VISOR ASSEMBLY, AVIATOR'S, SEVEN WAVELENGTH LASER PROTECTIVE, EEU-9/P [CUST: AS] | A 8475 | AS | 16-JUL-97 | |
| A MIL-S-29593 NOT 1 | SONOBUOY, AN/SSQ-110 (XJ-1) GENERAL SPECIFICATION FOR [CUST: AS] | C 5845 | AS | 30-JUL-97 | |
| A MIL-S-29594(1) NOT 1 | SPECTACLES, AVIATOR'S, SEVEN WAVELENGTH LASER EYE PROTECTIVE [CUST: AS] | A 8465 | AS | 27-AUG-97 | |
| A MIL-V-29601 NOT 1 | VEST, SURVIVAL, CMU-30/P22P-15 [CUST: AS] | A 8415 | AS | 27-AUG-97 | |
| A MIL-B-29604(1) NOT 1 | BODY ARMOR, HARD, SMALL ARMS PROTECTIVE, PRU-61/P22P-15 [CUST: GL AS] [REVIEW: CT] | A 8470 | AS | 27-AUG-97 | |
| A MIL-B-29605(1) NOT 1 | BODY ARMOR, SOFT, SMALL ARMS PROTECTIVE, PRU-60/P22P-15 [CUST: GL AS] [REVIEW: CT] | A 8470 | AS | 27-AUG-97 | |
| A MIL-R-30500B(2) NOT 2 | ROPE, POLYESTER [CUST: GL SH 82 IS] [REVIEW: CR4] | A 4020 | IS | 16-JUN-97 | |
| A MIL-B-35023H NOT 1 | BEVERAGE BASE, POWDERED - (OPERATIONAL RATIONS COMPONENT) [CUST: GL SA 50] [REVIEW: MC MD SS] | A 8960 | GL | 29-DEC-97 | |
| A MIL-J-35049E NOT 1 | JUICE, ORANGE, INSTANT [CUST: GL SA 50] [REVIEW: MC MD] | A 8915 | GL | 26-SEP-97 | |
| A MIL-J-35050C NOT 1 | JUICE, GRAPEFRUIT, INSTANT [CUST: GL SA 50] [REVIEW: MC MD SS] | A 8915 | GL | 26-SEP-97 | |
| A MIL-C-35053D NOT 1 | CHEESE, AMERICAN, PROCESSED, DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8910 | GL | 26-SEP-97 | |
| A MIL-L-35078M SUP 1 NOT 1 | LOADS, UNIT: PREPARATION OF SEMIPERISHABLE SUBSISTENCE ITEMS; CLOTHING, PERSONAL EQUIPMENT AND EQUIPAGE; GENERAL SPECIFICATION FOR [CUST: GL SA 50] [REVIEW: 45 MC MD MS] | A PACK | SS | 04-APR-98 | |
| A MIL-L-35078/1C NOT 1 | LOADS, UNIT: TYPE I, CLASS A - PALLETIZED, STRAPPED OR FILM BONDED LOAD [CUST: GL SA 50] [REVIEW: 45 MC MD MS] | A PACK | SS | 04-APR-98 | |
| A MIL-L-35078/2C NOT 1 | LOADS, UNIT: TYPE I, CLASS B - PALLETIZED, STRAPPED LOAD WITH CAP [CUST: GL SA 50] [REVIEW: 45 MC MD MS] | A PACK | SS | 04-APR-98 | |
| A MIL-L-35078/3C NOT 1 | LOADS, UNIT: TYPE I, CLASS C - PALLETIZED, STRAPPED LOAD WITH SHEATHING AND CAP [CUST: GL SA 50] [REVIEW: 45 MC MD MS] | A PACK | SS | 04-APR-98 | |
| A MIL-L-35078/4C NOT 1 | LOADS, UNIT: TYPE I, CLASS D - PALLETIZED, STRAPPED LOAD WITH SHROUD, SHEATHING AND CAP [CUST: GL SA 50] [REVIEW: 45 MC MD MS] | A PACK | SS | 04-APR-98 | |
| A MIL-L-35078/5C NOT 1 | LOADS, UNIT: TYPE II, CLASS E - CONTAINERIZED UNIT LOAD, FIBERBOARD BOX ON PALLET WITH CAP, AND NONMETALLIC STRAPPING ONLY [CUST: GL SA 50] [REVIEW: MC MD MS] | A PACK | SS | 04-APR-98 | |
| A MIL-L-35078/6C NOT 1 | LOADS, UNIT: TYPE II, CLASS F - CONTAINERIZED UNIT LOAD, WOOD CLEATED OR WIREBOUND PLYWOOD BOXES WITH METALLIC STRAPPING ONLY [CUST: GL SA 50] [REVIEW: 45 MC MD MS] | A PACK | SS | 04-APR-98 | |
| A MIL-L-35078/7D NOT 1 | LOADS, UNIT: TYPE III, CLASSES G AND H - COMMERCIAL LOADS, CLASS G, PALLETIZED: CLASS H, LOAD BASE [CUST: GL SA 50] [REVIEW: 45 MC MD MS] | A PACK | SS | 04-APR-98 | |
| A MIL-F-35081E NOT 1 | FAT, HYDROGENATED, VEGETABLE [CUST: GL SA 50] [REVIEW: MC MD MS] | A 8945 | GL | 22-AUG-97 | |
| MIL-F-38007D(2) NOT 1 | FILTER ELEMENT, FLUID, PRESSURE MXU-233/E [CUST: 99] [REVIEW: CC] | A 4330 | 84 | 14-MAR-96 | |
| D MIL-F-38009F(1) NOT 1 | FILTER/SEPARATOR ELEMENT KIT, LIQUID FUEL FFU-11/E [CUST: CR4 99] [REVIEW: 84] | A 4330 | CC | 12-MAR-96 | |
| A MIL-L-38021A NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-39/A [CUST: 99] [REVIEW: GS] | A 6680 | 82 | 24-JUL-97 | |
| MIL-P-38026A(4) NOT 2 | POWER SUPPLY ECU-23/A [CUST: 99] [REVIEW: GS] | A 6130 | 80 | 08-JUN-95 | |
| A MIL-S-38043A NOT 1 | STARTER, ENGINE, AIR TURBINE STU-16/A [CUST: 99] | A 2995 | 71 | 22-JUL-97 | |
| MIL-I-38121C NOT 1 | INDICATOR, RATIO, ENGINE PRESSURE, EGU-9A [CUST: 99] | B 6620 | 71 | 15-JAN-96 | |
| MIL-I-38133A NOT 1 | INDICATOR, PRESSURE, OIL [CUST: AS] [REVIEW: GS] | A 6620 | AS | 16-OCT-96 | |
| MIL-I-38139C(4) NOT 1 | INDICATOR, VERTICAL VELOCITY AAU-18/A, INTEGRALLY LIGHTED [CUST: 99] | A 6610 | 71 | 15-JAN-96 | |
| MIL-I-38143D NOT 1 | INDICATOR, RATE OF FLOW, FUEL [CUST: 99] [REVIEW: 11] | A 6620 | 71 | 15-MAR-96 | |
| MIL-T-38144D NOT 1 | TRANSMITTER, RATE OF FLOW, FUEL [CUST: 99] [REVIEW: 11] | A 6620 | 71 | 15-MAR-96 | |
| MIL-S-38160B(3) NOT 1 | SELECTOR, ANTENNA C-4808/ARC [CUST: 99] | A 5985 | 84 | 01-FEB-96 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| M | MIL-G-38195C(2) NOT 1 | GENERATOR SET, GAS TURBINE ENGINE, 60 KW 400 HERTZ, GENERAL PURPOSE [CUST: YD1 99] | A 6115 | 80 | | 04-APR-98 |
| | MIL-A-38202C(1) NOT 2 | AIRCRAFT ARRESTING SYSTEM BAK-12A/E32A, PORTABLE, ROTARY FRICTION [CUST: 99] [REVIEW: 11] | A 1710 | 82 | | 20-JUL-95 |
| A | MIL-C-38207A(2) NOT 2 | CLOCK AIRCRAFT, MECHANICAL ABU-11/A [CUST: 99] | A 6645 | 82 | | 29-OCT-97 |
| | MIL-C-38214B(4) NOT 1 | COMPASS, MAGNETIC, MOUNTED [CUST: 99] | A 6605 | 71 | | 15-JAN-96 |
| | MIL-S-38228(2) NOT 2 | SEALING COMPOUND, ENVIRONMENTAL, FOR AIRCRAFT SURFACES [CUST: 11] [REVIEW: 99] | A 8030 | 11 | | 19-SEP-94 |
| | MIL-C-38286B NOT 1 | COMPUTER, FLIGHT DIRECTOR CPU-65/A [CUST: 99] | X 6610 | 71 | | 15-JAN-96 |
| | MIL-A-38307A(1) NOT 1 | ACCELEROMETER, AIRCRAFT MX-6663/AJB-7 [CUST: 99] | A 6610 | 71 | | 15-JAN-96 |
| A | MIL-P-38336A NOT 1 | PRIMER COATING, INORGANIC, ZINC DUST PIGMENTED, SELF-CURING, FOR STEEL SURFACES [CUST: 11] [REVIEW: 69 99] | A 8010 | 11 | | 29-DEC-97 |
| A | MIL-I-38338D NOT 1 | INDICATOR, OIL QUANTITY, CONTINUOUS TRANSMISSION, NUCLEONIC [CUST: AV 99] [REVIEW: GS] | A 6680 | 82 | | 24-JUL-97 |
| | MIL-I-38357A(3) NOT 2 | INDICATOR, BEARING-DISTANCE-HEADING ID-1103/ARN [CUST: 99] [REVIEW: 11] | A 5826 | 84 | | 01-FEB-96 |
| A | MIL-C-38373B(2) NOT 3 | CAP, FLUID TANK FILLER [CUST: AV AS 99] [REVIEW: 11] | A 1560 | 70 | | 31-JAN-98 |
| | MIL-S-38380B NOT 1 | SURVIVAL KIT CONTAINER, CNU-68B/P AND CNU-155/P [CUST: 99] | A 4220 | 82 | | 26-MAY-97 |
| | MIL-I-38391(4) NOT 1 | INDICATOR, ELECTRICAL TACHOMETER, ERU-12/A 0-350 RPM (ROTOR), 0-7000 RPM (ENGINE) [CUST: 99] | A 6620 | 71 | | 15-JAN-96 |
| A | MIL-V-38398A(2) NOT 1 | VALVE, STARTER CONTROL, PNEUMATIC, AIRCRAFT ENGINE GENERAL SPECIFICATION FOR [CUST: 99] | A 2995 | 71 | | 27-OCT-97 |
| A | MIL-S-38399A(2) NOT 1 | STARTER, PNEUMATIC, AIRCRAFT ENGINE GENERAL SPECIFICATION FOR [CUST: 99] | A 2995 | 71 | | 27-OCT-97 |
| | MIL-B-38401A NOT 1 | BEACON SET, RADIO AN/URT-33 [CUST: 99] | A 5821 | 82 | | 07-JUL-92 |
| | MIL-D-38402A NOT 1 | DIRECTION FINDER GROUP AN/ARA-50 [CUST: 99] | A 5826 | 84 | | 01-FEB-96 |
| | MIL-T-38403A NOT 1 | TRAILER, RAIL TYPE, LIFT ETU-77/E, 3,000 POUND CAPACITY [CUST: 99] | A 1730 | 82 | | 11-AUG-95 |
| A | MIL-C-38418E(2) NOT 1 | CONTROL ASSEMBLY, GYROSCOPE, ATTITUDE A/A24G-39 [CUST: AS] [REVIEW: 99] | A 6610 | AS | | 31-MAR-98 |
| | MIL-S-38449C NOT 3 | SIGNAL AND SIGNAL/INTERCOMMUNICATION AMPLIFIERS, UNIVERSAL, AERIAL REFUELING [CUST: 99] | A 5821 | 84 | | 01-FEB-96 |
| | MIL-T-38457B NOT 1 | TRAILER, PALLETIZED CARGO A/M32H-6, 10,000-POUND [CUST: 99] [REVIEW: 85] | A 3920 | 84 | | 03-MAY-96 |
| A | MIL-W-38461C(1) NOT 3 | WEBBING, NYLON, AIRCRAFT ARRESTING [CUST: 99] | A 1710 | 82 | | 22-JAN-98 |
| A | MIL-I-38468A NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY GMU-59/A [CUST: 99] [REVIEW: GS] | A 6680 | 82 | | 15-JUN-97 |
| A | MIL-L-38484(5) NOT 2 | LIFE PRESERVERS, UNDERARM, PNEUMATIC [CUST: 99] [REVIEW: 11 84] | A 4220 | 82 | | 12-SEP-97 |
| A | MIL-M-38510J(1) NOT 1 | MICROCIRCUITS, GENERAL SPECIFICATION FOR [CUST: CR EC 17] [REVIEW: 13 19 85 99 AR AS CG MC MI NA OS SH SM TD] | A 5962 | CC | | 27-AUG-93 |
| | MIL-M-38510/1E(3) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, NAND GATES, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 06-OCT-95 |
| | MIL-M-38510/2E(7) NOT 1 | MICROCIRCUIT, DIGITAL, TTL, FLIP-FLOPS MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 99 AR AS AV CG MC MI NA SH] | A 5962 | CC | | 07-SEP-95 |
| A | MIL-M-38510/3F(3) NOT 1 | MICROCIRCUITS, DIGITAL, TTL, NAND BUFFERS MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 19-JUN-97 |
| | MIL-M-38510/4C(2) NOT 1 | MICROCIRCUIT, DIGITAL, TTL, MULTIPLE NOR GATES MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 MI] | A 5962 | CC | | 12-MAR-96 |
| | MIL-M-38510/5C(1) NOT 1 | MICROCIRCUIT, DIGITAL, TTL, AND-OR-INVERT GATES MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/6C(2) NOT 2 | MICROCIRCUITS, DIGITAL, TTL, BINARY FULL ADDERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 99 AR AS CG MC MI SH] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/7B(2) NOT 2 | MICROCIRCUIT, DIGITAL, TTL, EXCLUSIVE-OR GATES MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/8D(1) NOT 1 | MICROCIRCUIT, DIGITAL, TTL, BUFFERS/DRIVERS, OPEN COLLECTOR OUTPUT, HIGH VOLTAGE, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/9D(6) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, SHIFT REGISTERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/10C NOT 1 | MICROCIRCUIT, DIGITAL, BIPOLAR, TTL, DECODERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/11C NOT 1 | MICROCIRCUIT, DIGITAL, TTL, ARITHMETIC LOGIC UNITS/FUNCTION GENERATORS MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI NA SH] | A 5962 | CC | | 06-SEP-96 |
| | MIL-M-38510/12G(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, MONOSTABLE MULTIVIBRATORS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/13F(7) NOT 1 | MICROCIRCUITS, DIGITAL, TTL, COUNTERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR MI OS SH TD] | A 5962 | CC | | 08-SEP-95 |
| | MIL-M-38510/14D(2) NOT 1 | MICROCIRCUITS, DIGITAL, TTL, DATA SELECTORS/MULTIPLEXERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/15A(1) NOT 2 | MICROCIRCUITS, DIGITAL, TTL, BISTABLE LATCHES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 06-SEP-96 |
| | MIL-M-38510/16(2) NOT 1 | MICROCIRCUIT, DIGITAL, TTL, AND GATES, MONOLITHIC SILICON [CUST: 17] [REVIEW: 11 19 85 99 AV] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/17A(4) NOT 1 | MICROCIRCUIT, DIGITAL, TTL, FLIP-FLOPS, MONOLITHIC SILICON [CUST: 17] [REVIEW: 11 19 85 99 AV] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/18A NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, HIGH-SPEED, TTL, FLIP-FLOPS MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SM] | A 5962 | CC | | 30-NOV-88 |
| | MIL-M-38510/19(3) NOT 1 | MICROCIRCUIT, DIGITAL, TTL, PARTY GENERATORS/CHECKERS, MONOLITHIC SILICON [CUST: 17] [REVIEW: 11 19 99] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/20A(2) NOT 1 | MICROCIRCUIT, DIGITAL, TTL, LOW POWER, NAND GATES MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 13 19 85 AS CG MC MI] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/21D(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, LOW POWER, FLIP-FLOPS MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/22C NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, HIGH-SPEED, TTL, FLIP-FLOPS MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5962 | CC | | 06-SEP-96 |
| | MIL-M-38510/23A(4) NOT 1 | MICROCIRCUIT, DIGITAL, TTL, HIGH SPEED, NAND GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5962 | CC | | 06-SEP-96 |
| | MIL-M-38510/24A | MICROCIRCUIT, DIGITAL, TTL, NAND BUFFERS, HIGH SPEED, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AS CG MI] | A 5962 | CC | | 05-APR-84 |
| | MIL-M-38510/25D NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, LOW POWER, COUNTERS, MONOLITHIC SILICON [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SM] | A 5962 | CC | | 07-SEP-95 |
| | MIL-M-38510/26(6) NOT 1 | MICROCIRCUIT, DIGITAL, TTL, LOW POWER EXCLUSIVE-OR GATES, MONOLITHIC SILICON [CUST: 17 CC] [REVIEW: 11 17 85] | A 5962 | CC | | 12-MAR-96 |
| | MIL-M-38510/27(3) NOT 1 | MICROCIRCUIT, DIGITAL, TTL, LOW-POWER, MULTIPLE NOR GATES, MONOLITHIC SILICON [CUST: 17] [REVIEW: 11 19 99] | A 5962 | CC | | 06-OCT-95 |
| | MIL-M-38510/28B(2) NOT 1 | MICROCIRCUIT, DIGITAL, TTL, LOW POWER SHIFT REGISTERS MONOLITHIC SILICON [CUST: 17] | A 5962 | CC | | 06-OCT-95 |
| | MIL-M-38510/29C | MICROCIRCUIT, DIGITAL, TTL, LOW POWER DECODERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 16-APR-84 |
| | MIL-M-38510/30A(1) NOT 1 | MICROCIRCUIT, DIGITAL, DTL NAND GATES, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 AS CG MI] | A 5962 | CC | | 06-OCT-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|---------------------------|---|-----------------------|-----------------|-----------|
| | | | | | |
| | MIL-M-38510/32A NOT 1 | MICROCIRCUITS, DIGITAL, DTL, MONOSTABLE MULTIVIBRATOR, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | 30-NOV-88 |
| | MIL-M-38510/33A NOT 1 | MICROCIRCUITS, DIGITAL, DTL, FLIP FLOPS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 85 99 AS CG MI] | A 5962 | CC | 30-NOV-88 |
| | MIL-M-38510/35B NOT 1 | MICROCIRCUITS, DIGITAL, CLOCK DRIVERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 70 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | 31-JUL-89 |
| | MIL-M-38510/40A | MICROCIRCUITS, DIGITAL, TTL, HIGH SPEED, & OR INVERT GATES, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | 13-APR-84 |
| | MIL-M-38510/41C NOT 1 | MICROCIRCUITS, DIGITAL, TTL, LOW-POWER, AND-OR-INVERT GATES, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AS CG MC SH SM] | A 5962 | CC | 30-NOV-88 |
| | MIL-M-38510/43B NOT 1 | MICROCIRCUITS, DIGITAL, TTL, LOW POWER, PRIORITY ENCODERS, MONLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC SH SM] | A 5962 | CC | 31-JUL-89 |
| | MIL-M-38510/44B NOT 1 | MICROCIRCUITS, DIGITAL, TTL, LOW POWER, COMPARATORS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | 31-JUL-89 |
| | MIL-M-38510/45B | MICROCIRCUITS, DIGITAL, TTL, LOW POWER, BISTABLE LATCHES, MONOLITHIC SILICON [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | 05-APR-84 |
| | MIL-M-38510/46B NOT 1 | MICROCIRCUITS, DIGITAL, TTL, LOW POWER, DATA SELECTORS/MULTIPLEXERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | 31-JUL-89 |
| | MIL-M-38510/50E(2) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, NAND GATES MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | 06-OCT-95 |
| | MIL-M-38510/51E(2) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, FLIP-FLOPS & LATCHETS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | 06-OCT-95 |
| | MIL-M-38510/52D(2) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, NOR GATES, MONLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | 06-OCT-95 |
| | MIL-M-38510/53E(1) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, COMPLEMENTARY PAIR PLUS INVERTER, AND OR SELECT EXCLUSIVE OR GATES, EXPANDABLE 8-INPUT GATE, MONOLITHIC SILICON [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | 06-OCT-95 |
| | MIL-M-38510/54D(2) | MICROCIRCUITS, DIGITAL, CMOS, POSITIVE LOGIC, FOUR-BIT FULL ADDER, MONOLITHIC SILICON [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | 06-OCT-95 |
| | MIL-M-38510/55F(2) NOT 1 | MICROCIRCUIT, DIGITAL, CMOS, BUFFER/CONVERTER, TRUE/COMPLEMENT BUFFER, MONOLITHIC SILICON [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS AV CG MC MI SH SM] | A 5962 | CC | 06-OCT-95 |
| | MIL-M-38510/56F NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, COUNTERS/DIVIDERS, MONOLITHIC SILICON [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SM] | A 5962 | CC | 06-OCT-95 |
| | MIL-M-38510/57E(1) NOT 1 | MICROCIRCUITS, DIGITAL, POSITIVE LOGIC CMOS, STATIC SHIFT REGISTER, MONOLITHIC SILICON [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | 06-OCT-95 |
| | MIL-M-38510/58C(3) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, SWITCHES, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | 06-OCT-95 |
| | MIL-M-38510/59C(2) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, DECODER, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | 09-AUG-96 |
| A | MIL-M-38510/60A(1) NOT 1 | MICROCIRCUIT, DIGITAL, ECL, MULTIPLE NOR GATES, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | 08-JUL-97 |
| | MIL-M-38510/61B(1) NOT 1 | MICROCIRCUITS, DIGITAL, ECL, FLIP-FLOPS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | 15-MAY-97 |
| A | MIL-M-38510/62A NOT 1 | MICROCIRCUIT, DIGITAL, ECL, AND/NAND GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | 08-JUL-97 |
| A | MIL-M-38510/63A NOT 1 | MICROCIRCUIT, DIGITAL, ECL, QUAD TRANSLATOR, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99] | A 5962 | CC | 08-JUL-97 |
| | MIL-M-38510/70B(3) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, NAND GATES, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | 23-AUG-96 |
| A | MIL-M-38510/71C(6) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | 15-JUN-97 |
| | MIL-M-38510/72B(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, NAND BUFFERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | 23-AUG-96 |
| | MIL-M-38510/73A(3) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, MULTIPLE NOR GATES, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | 23-AUG-96 |
| | MIL-M-38510/74B(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, AND-OR-INVERT GATES MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | 23-AUG-96 |
| | MIL-M-38510/75B(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, EXCLUSIVE-OR GATES, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | 23-AUG-96 |
| | MIL-M-38510/76B NOT 1 | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, SHIFT REGISTERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | 23-AUG-96 |
| | MIL-M-38510/77A(5) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | 23-AUG-96 |
| | MIL-M-38510/78A(5) NOT 1 | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, ARITHMETIC LOGIC UNIT/FUNCTION GENERATORS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | 23-AUG-96 |
| | MIL-M-38510/79C(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, DATA SELECTORS/MULTIPLEXERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | 23-AUG-96 |
| | MIL-M-38510/80D(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | 23-AUG-96 |
| | MIL-M-38510/81C(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, LINE DRIVERS MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | 23-AUG-96 |
| A | MIL-M-38510/82B(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, MAGNITUDE COMPARATORS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | 08-JUL-97 |
| | MIL-M-38510/101G(2) NOT 1 | MICROCIRCUITS, LINEAR, OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS CG MI NA OS SH SM TD] | A 5962 | CC | 13-JUL-95 |
| | MIL-M-38510/102B(1) NOT 1 | MICROCIRCUITS, LINEAR, VOLTAGE REGULATOR, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 99 AV MI] | A 5962 | CC | 13-JUL-95 |
| | MIL-M-38510/103E(1) NOT 1 | MICROCIRCUITS, LINEAR, VOLTAGE COMPARATORS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR MC MI NA] | A 5962 | CC | 13-JUL-95 |
| | MIL-M-38510/104B(1) NOT 1 | MICROCIRCUIT, LINEAR, LINE DRIVERS AND RECEIVERS MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG DS HD MC MI OS SH SM] | A 5962 | CC | 10-JUL-95 |
| | MIL-M-38510/105(3) NOT 1 | MICROCIRCUIT, LINEAR, CMOS, HIGH LEVEL ANALOG SWITCH WITH DRIVER, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | 10-JUL-95 |
| | MIL-M-38510/106A(4) NOT 1 | MICROCIRCUITS, LINEAR, VOLTAGE FOLLOWER OPERATIONAL AMPLIFIERS MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS AV CG MC MI] | A 5962 | CC | 13-JUL-95 |
| | MIL-M-38510/107C NOT 1 | MICROCIRCUITS, LINEAR, POSITIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | 13-JUL-95 |
| | MIL-M-38510/108(2) NOT 1 | MICROCIRCUITS, LINEAR, TRANSISTOR ARRAYS, MONOLITHIC SILICON [CUST: 17 CC] [REVIEW: 11 19 80 85] | A 5962 | CC | 10-JUL-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------------|---|-----------------------|-----|-------------|-----------|
| MIL-M-38510/109A(3) NOT 1 | MICROCIRCUIT, LINEAR, PRECISION TIMERS, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS AV CG MC MI SM] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/110B(1) NOT 1 | MICROCIRCUITS, LINEAR, QUAD OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI NA OS SH SM] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/111(7) NOT 1 | MICROCIRCUITS, ANALOG SWITCH WITH DRIVER, MONOLITHIC AND MULTI-CHIP SILICON [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/112A(3) NOT 1 | MICROCIRCUIT, LINEAR, VOLTAGE COMPARATORS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA OS SH SM TD] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/113(6) NOT 1 | MICROCIRCUITS, LINEAR, 8 BIT, DIGITAL TO ANALOG CONVERTERS, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/114A(6) NOT 2 | MICROCIRCUITS, LINEAR, BI-FET OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 99 AR AS AV CG MC MI NS SH SM] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/115A(1) NOT 1 | MICROCIRCUITS, LINEAR, NEGATIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR MI OS SH] | A 5962 | CC | | 05-SEP-95 |
| MIL-M-38510/116(5) NOT 2 | MICROCIRCUITS, CMOS, ANALOG SWITCH WITH DRIVER, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/117A(3) NOT 1 | MICROCIRCUIT, LINEAR, ADJUSTABLE, POSITIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI NS SH SM] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/118(4) NOT 1 | MICROCIRCUIT, LINEAR, ADJUSTABLE, NEGATIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI NS OS SH SM] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/119A(1) NOT 1 | MICROCIRCUIT, LINEAR, LOW POWER, LOW NOISE, BI-FET OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA OS SH SM TD] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/120B | MICROCIRCUITS, LINEAR, HYBRID, 12 BIT ANALOG-TO-DIGITAL CONVERTERS [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 18-APR-90 |
| MIL-M-38510/121A(3) NOT 1 | MICROCIRCUIT, LINEAR MONOLITHIC AND MULTICHIP, SILICON, 12 BIT DIGITAL-TO-ANALOG CONVERTERS [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/122A(1) NOT 1 | MICROCIRCUITS, LINEAR, HIGH SLEW RATE OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/123A(2) NOT 1 | MICROCIRCUIT, LINEAR, CMOS NEGATIVE LOGIC, ANALOG SWITCH, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/124C NOT 1 | MICROCIRCUITS, LINEAR, PRECISION VOLTAGE REFERENCES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/125(1) NOT 1 | MICROCIRCUIT, LINEAR, SAMPLE AND HOLD CIRCUITS, MONOLITHIC SILICON [CUST: CR EC 17 CC] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/126B NOT 1 | MICROCIRCUITS, LINEAR, REGULATING, PULSE-WIDTH MODULATOR, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC SM] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/127A(1) NOT 1 | MICROCIRCUITS, LINEAR, CMOS MULTIPLYING D/A CONVERTERS, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/128(3) NOT 1 | MICROCIRCUITS, LINEAR, PROGRAMMABLE VOLTAGE REFERENCES, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/129A(3) NOT 1 | MICROCIRCUITS, MONOLITHIC SILICON INTERFACE, DUAL PERIPHERAL DRIVERS [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI NA OS SH SM TD] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/130B(2) NOT 1 | MICROCIRCUIT, MONOLITHIC SILICON, BIPOLAR, INTERFACE, MEMORY CORE DRIVERS [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/131(1) NOT 1 | MICROCIRCUIT, LINEAR, LOW NOISE OPERATIONAL AMPLIFIERS MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/133A(1) NOT 1 | MICROCIRCUIT, LINEAR, 10-BIT DIGITAL-TO-ANALOG CONVERTER, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/134(1) NOT 1 | MICROCIRCUITS, LINEAR, ANALOG-TO-DIGITAL CONVERTERS WITH 3-STATE BUFFERED 10 BIT OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/135B(2) NOT 1 | MICROCIRCUITS, LINEAR, LOW OFFSET OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA OS SH SM TD] | A 5962 | CC | | 18-AUG-95 |
| MIL-M-38510/136A NOT 1 | MICROCIRCUITS, LINEAR, PRECISION VOLTAGE REFERENCES, HYBRID SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/137A NOT 1 | MICROCIRCUIT, LINEAR, VOLTAGE OUTPUT 12-BIT DIGITAL-TO-ANALOG CONVERTERS, HYBRID AND MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS MC MI OS SH SM] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/138 NOT 1 | MICROCIRCUITS, LINEAR, VOLTAGE-TO-FREQUENCY CONVERTERS, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/139B(2) NOT 1 | MICROCIRCUITS, LINEAR, INTERNALLY TRIMMED ANALOG MULTIPLIER, HYBRID AND MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/140 NOT 1 | MICROCIRCUITS, LINEAR, MONOLITHIC AND HYBRID SILICON, MICROPROCESSOR COMPATIBLE, 12 BIT ANALOG-TO-DIGITAL CONVERTERS [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI NA OS SH SM] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/141A NOT 1 | MICROCIRCUITS, DARLINGTON TRANSISTOR ARRAY, SEVEN AND EIGHT GATE, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 80 85 99 AR AS CG MI OS SH SM TD] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/142 NOT 1 | MICROCIRCUITS, LINEAR, HIGH SPEED TRACK AND HOLD AMPLIFIER, HYBRID, SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MI OS SH SM TD] | A 5962 | CC | | 07-SEP-95 |
| MIL-M-38510/143 NOT 1 | MICROCIRCUITS, LINEAR, INSTRUMENTATION AMPLIFIERS, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/144 NOT 1 | MICROCIRCUITS, LINEAR, MICROPROCESSOR COMPATIBLE 8-BIT DIGITAL-TO-ANALOG CONVERTER, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 80 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 10-JUL-95 |
| MIL-M-38510/148A(1) NOT 1 | MICROCIRCUITS, LINEAR, ADJUSTABLE, PRECISION VOLTAGE REFERENCE, SHUNT REGULATOR, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA OS SH SM TD] | A 5962 | CC | | 13-JUL-95 |
| MIL-M-38510/149 NOT 1 | MICROCIRCUITS, LINEAR, PRECISION TIMERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 13-JUL-95 |
| A MIL-M-38510/150C(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, MAGNITUDE COMPARATORS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 08-JUL-97 |
| A MIL-M-38510/151A(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, SCHMITT-TRIGGER NAND GATES, NONLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 08-JUL-97 |
| MIL-M-38510/152B | MICROCIRCUITS, DIGITAL, TTL, DATA DECODERS/DEMULPLEXERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 21-JUL-86 |
| MIL-M-38510/153A NOT 1 | MICROCIRCUIT, DIGITAL, TTL, QUADRUPEL BUS BUFFER GATES WITH THREE STATE OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SM] | A 5962 | CC | | 06-SEP-96 |
| MIL-M-38510/155B NOT 1 | MICROCIRCUITS, DIGITAL, TTL, HIGH SPEED, AND GATES MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC SM] | A 5962 | CC | | 31-JUL-89 |
| MIL-M-38510/156B | MICROCIRCUITS, DIGITAL, TLL, DATA ENCODERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MI SH TD] | A 5962 | CC | | 01-MAR-85 |
| MIL-M-38510/157A NOT 1 | MICROCIRCUITS, DIGITAL, TTL, MULTIPLE PORT REGISTERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH] | A 5962 | CC | | 30-NOV-88 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|---------------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | Date |
| | MIL-M-38510/158A | MICROCIRCUIT, DIGITAL, TTL, DECODERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 70 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 23-APR-84 |
| M | MIL-M-38510/159B | MICROCIRCUITS, DIGITAL, TTL, SHIFT REGISTERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI NA SH SM] | A 5962 | CC | | 21-JUL-86 |
| | MIL-M-38510/160A NOT 1 | MICROCIRCUITS, DIGITAL, TTL, ADDRESSABLE LATCHES, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 30-NOV-88 |
| A | MIL-M-38510/161(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, COMMON OR GATES, MONOLITHIC SILICON [CUST: 17] [REVIEW: 19 85 99] | A 5962 | CC | | 08-JUL-97 |
| | MIL-M-38510/162A | MICROCIRCUIT, DIGITAL, SCHOTTKY, CLOCK GENERATOR & DRIVER, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 09-AUG-83 |
| A | MIL-M-38510/163A(3) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, HEX BUS DRIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 08-JUL-97 |
| | MIL-M-38510/170B(1) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, AND GATES, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/171B(1) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, OR GATES, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/172B(1) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, AND-OR-INVERT, EXCLUSIVE-OR, EXCLUSIVE-NOR GATES, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/173B NOT 1 | MICROCIRCUIT, DIGITAL, CMOS, DECODERS, ENCODER, AND DEENCODERS/DEMULTIPLEXERS MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/174A(3) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, INVERTER, NAND BUFFER DRIVER, STROBED HEX INVERTER/BUFFER, VOLTAGE LEVEL SHIFTER MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/175B(3) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, POSITIVE LOGIC, FLIP-FLOPS AND MONOSTABLE MULTIVIBRATOR, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/176A(1) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, LATCHES, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/177B NOT 1 | MICROCIRCUIT, DIGITAL, CMOS, SCHMITT TRIGGERS, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/178A NOT 1 | MICROCIRCUIT, DIGITAL, CMOS MULTIPLEXERS DEMULTIPLEXERS MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/190C NOT 1 | MICROCIRCUITS, LINEAR, CMOS/ANALOG MULTIPLEXERS/DEMULTIPLEXERS WITH OVERVOLTAGE PROTECTION, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 10-JUL-95 |
| | MIL-M-38510/202B | MICROCIRCUIT, DIGITAL, 1024 BIT BIPOLAR PROGRAMMABLE READ ONLY MEMORY (P-ROM), MONOLITHIC SILICON [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 25-MAY-84 |
| | MIL-M-38510/203C NOT 1 | MICROCIRCUITS, DIGITAL, 1024 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM) MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/204D NOT 1 | MICROCIRCUIT, DIGITAL, 2048 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ ONLY MEMORY (PROM) MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM TD] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/206C NOT 1 | MICROCIRCUIT, DIGITAL, 4096 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/207B(1) NOT 1 | MICROCIRCUITS, DIGITAL, 256 BIT, SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/208C NOT 2 | MICROCIRCUITS, DIGITAL, 4096-BIT SCHOTTKY BIPOLAR PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/209D(1) NOT 1 | MICROCIRCUITS, DIGITAL, 8192-BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/210D NOT 1 | MICROCIRCUIT, DIGITAL, 16,384 BIT SCHOTTKY BIPOLAR PROGRAMMABLE READY ONLY MEMORY (PROM) MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/211 NOT 1 | MICROCIRCUITS, DIGITAL, 32,768 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 AR MI OS SH TD] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/212 NOT 1 | MICROCIRCUITS, DIGITAL, 65,536 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/221A NOT 2 | MICROCIRCUITS, DIGITAL, 16,384 BIT, MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM), MONOLITHIC SILICON [CUST: 17 CC] [REVIEW: 11 19 85 99] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/222A NOT 2 | MICROCIRCUIT, DIGITAL, 32,768 BIT MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM) MONOLITHIC SILICON [CUST: 17 CC] [REVIEW: 11 19 85 99] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/224(2) NOT 1 | MICROCIRCUIT, DIGITAL, 262,144 BIT, MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM) MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/227 NOT 1 | MICROCIRCUITS, DIGITAL, NMOS, 16,384 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: AS CG MC SM] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/228 NOT 1 | MICROCIRCUITS, DIGITAL, NMOS 8K X 8 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM) MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/230A NOT 1 | MICROCIRCUIT, DIGITAL, BIPOLAR 256 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON [CUST: 17 CC] [REVIEW: 11 19 85 99 NA] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/231B(3) NOT 1 | MICROCIRCUIT, DIGITAL, SCHOTTKY TTL, 1024 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/238A(3) NOT 1 | MICROCIRCUITS, DIGITAL, MOS, 4096 BIT STATIC RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/240A NOT 1 | MICROCIRCUITS, MEMORY, DIGITAL, NMOS, 16,384 BIT DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/244B(2) NOT 1 | MICROCIRCUITS, DIGITAL, NMOS, 65,536 BIT, DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON [CUST: 17 CC] [REVIEW: 11 19 85 99] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/245A(2) NOT 1 | MICROCIRCUITS MEMORY, DIGITAL, CMOS, 4096 BIT, STATIC RANDOM ACCESS MEMORY (SRAM), BULK SILICON AND SILICON ON SAPPHIRE [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/246(1) NOT 1 | MICROCIRCUITS, DIGITAL, NMOS, 246,144-BIT DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/249A NOT 1 | MICROCIRCUITS, MEMORY, DIGITAL, CMOS, 1,048,576/1-BIT DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/250 NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, 512 X 9 BIT, FIRST IN - FIRST OUT DUAL PORT MEMORY (FIFO), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 24-JUL-95 |
| | MIL-M-38510/260 NOT 1 | MICROCIRCUITS, MEMORY, DIGITAL, CMOS 8K X 8 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM) MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH TD] | A 5962 | CC | | 24-JUL-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------------|---|-----------------------|-----|-------------|-----------|
| MIL-M-38510/261 NOT 1 | MICROCIRCUITS, MEMORY, DIGITAL, CMOS 32K X 8-BIT, ELECTRICALLY ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EEPROM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MI OS SH SM TD] | A 5962 | CC | | 24-JUL-95 |
| MIL-M-38510/265 NOT 1 | MICROCIRCUITS, MEMORY, DIGITAL, CMOS 524,288 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MI OS SH SM TD] | A 5962 | CC | | 24-JUL-95 |
| MIL-M-38510/289(2) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS 4096 BIT STATIC RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 24-JUL-95 |
| MIL-M-38510/291A NOT 1 | MICROCIRCUITS, DIGITAL, CMOS 16,384-BIT STATIC RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SM] | A 5962 | CC | | 28-JUL-95 |
| MIL-M-38510/292 NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, 65,536-BIT STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MI OS SH SM TD] | A 5962 | CC | | 28-JUL-95 |
| MIL-M-38510/293A(1) NOT 1 | MICROCIRCUITS, MEMORY, DIGITAL, CMOS, 262,144-BIT STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 28-JUL-95 |
| MIL-M-38510/300D(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, HAND GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/301D NOT 1 | MICROCIRCUIT, DIGITAL, BIPOLAR, LOW-POWER-SCHOTTKY TTL, FLIP FLOPS, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/302C(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, S CHOTTKY TTL, LOW POWER BUFFERS MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AV] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/303C(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, NOR GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/304B(2) NOT 1 | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, AND OR INVERT GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/305B(2) NOT 1 | MICROCIRCUITS, DIGITAL BIPOLAR, LOW POWER SCHOTTKY TTL, OR GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM TD] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/306D(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, SHIFT REGISTERS, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | 17 | | 18-APR-97 |
| MIL-M-38510/307C NOT 1 | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 18-APR-97 |
| A MIL-M-38510/308A(3) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, ARITHMETIC LOGIC UNITS/FUNCTION GENERATORS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 28-NOV-97 |
| MIL-M-38510/309D(4) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, DATA SELECTOR/MULTIPLEXER WITH THREE-STATE OUTPUTS, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/310C(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/311B(3) NOT 1 | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, MAGNITUDE COMPARATORS MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/312B(1) NOT 1 | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, 4 BIT BINARY FULL ADDERS WITH FAST CARRY MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/313A(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, SCHMITT-TRIGGER POSITIVE-NAND GATES AND INVERTERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/314B(1) NOT 1 | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, MONOSTABLE MULTIVIBRATORS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/315C(3) NOT 1 | MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, COUNTERS, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/316D(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY CASCADABLE, TTL, LATCHES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/318A(1) NOT 1 | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, BINARY MULTIPLIER, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/319B(2) NOT 1 | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, 4 BY 4 REGISTER FILE, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/320C(1) NOT 1 | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, COUNTERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/321B NOT 2 | MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, BUFFERS/DRIVERS, OPEN COLLECTOR OUTPUT, HIGH VOLTAGE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/322B(5) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, HEX BUS DRIVERS WITH 3-STATE OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/323C(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, QUADRUPLE BUS BUFFER GATES WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/324C(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, OCTAL BUFFER GATES WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/325C(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/326B(2) NOT 1 | MICROCIRCUITS, DIGITAL, LOW POWER SCHOTTKY TTL, DEMULTIPLEXERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MI SH SM TD] | A 5962 | CC | | 06-SEP-96 |
| MIL-M-38510/327A(4) NOT 1 | MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, COUNTERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/328B(4) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/329A(1) NOT 1 | MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, PARITY CHECKER, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 18-APR-97 |
| A MIL-M-38510/330B(3) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, NAND GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 14-AUG-97 |
| MIL-M-38510/331A(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MI OS SH SM TD] | A 5962 | CC | | 06-SEP-96 |
| MIL-M-38510/332B(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, OCTAL BUFFERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/333B(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, NOR GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/334B(4) NOT 1 | MICROCIRCUIT, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, AND-OR-INVERTGATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 AR AS CG MC MI SH SM] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/335B(1) NOT 1 | MICROCIRCUIT, DIGITAL, ADVANCED SCHOTTKY TTL, QUADRUPLE, 2 INPUT OR GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR MI SH SM TD] | A 5962 | CC | | 18-APR-97 |
| MIL-M-38510/336A(4) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED SCHOTTKY TTL, SHIFT REGISTERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|-------------|---------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-M-38510/337A(2) NOT 1 | MICROCIRCUIT, DIGITAL, ADVANCED SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| | MIL-M-38510/338A(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, ARITHMETIC LOGIC UNITS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| | MIL-M-38510/339C(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, DATA SELECTORS/MULTIPLEXERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| | MIL-M-38510/340C(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| | MIL-M-38510/341E(3) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| | MIL-M-38510/342(2) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED SCHOTTKY TTL, 4-BIT BINARY FULL ADDERS WITH FAST CARRY, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR MI OS SH SM] | A 5962 | CC | | 18-APR-97 |
| | MIL-M-38510/343A(3) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, BINARY COUNTERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| | MIL-M-38510/344(3) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, DECADE COUNTERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| | MIL-M-38510/345B NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, EXCLUSIVE OR GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 18-APR-97 |
| | MIL-M-38510/346B(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, TRANSPARENT AND OCTAL D TYPE LATCHES, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| | MIL-M-38510/347(2) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED SCHOTTKY TTL, 8-BIT IDENTITY COMPARATOR MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 18-APR-97 |
| | MIL-M-38510/348B NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, BUS TRANSCEIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 18-APR-97 |
| | MIL-M-38510/349A(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, PARITY CHECKER, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR CG MC MI OS SH SM TD] | A 5962 | CC | | 18-APR-97 |
| A | MIL-M-38510/350(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, QUAD 2-PORT REGISTERS, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 08-JUL-97 |
| A | MIL-M-38510/351 NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, HEX BUS DRIVERS WITH 3-STATE OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 08-JUL-97 |
| A | MIL-M-38510/352 NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, NAND BUFFERS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 08-JUL-97 |
| A | MIL-M-38510/360A(4) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, PRIORITY ENCODERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 09-JAN-98 |
| A | MIL-M-38510/361A NOT 1 | MICROCIRCUITS, DIGITAL, LOW POWER SCHOTTKY TTL, REGISTERS, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 08-JUL-97 |
| A | MIL-M-38510/370(4) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, NAND GATES, MONOLITHIC SILICON [CUST: 17 CC] [REVIEW: 19 85 99] | A 5962 | CC | | 08-JUL-97 |
| A | MIL-M-38510/371A(3) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED, LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 08-JUL-97 |
| A | MIL-M-38510/372A(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 01-DEC-97 |
| A | MIL-M-38510/373(1) NOT 2 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, NOR GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 08-JUL-97 |
| A | MIL-M-38510/374(2) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED LOW POWER SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON [CUST: 17] [REVIEW: 19 85 99] | A 5962 | CC | | 08-JUL-97 |
| A | MIL-M-38510/375(1) NOT 2 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, OR GATES, MONOLITHIC SILICON [CUST: 17 CC] [REVIEW: 19 85 99] | A 5962 | CC | | 08-JUL-97 |
| | MIL-M-38510/376(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, SHIFT REGISTERS, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 07-NOV-96 |
| A | MIL-M-38510/377(2) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED LOW-POWER SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON [CUST: 17] [REVIEW: 19 85 99] | A 5962 | CC | | 08-JUL-97 |
| | MIL-M-38510/379A NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED LOW POWER SCHOTTKY TTL, UNIVERSAL MULTIPLEXER WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 07-NOV-96 |
| | MIL-M-38510/381(2) NOT 1 | MICROCIRCUITS, DIGITAL BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, CASCADABLE, DECADE COUNTERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 07-NOV-96 |
| A | MIL-M-38510/382A(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, D-TYPE LATCHES, CASCADABLE, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 08-JUL-97 |
| | MIL-M-38510/383A(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, OCTAL BUFFER GATES WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR MI OS SH TD] | A 5962 | CC | | 09-JAN-96 |
| A | MIL-M-38510/384(1) NOT 2 | MICROCIRCUITS, DIGITAL, BIPOLAR ADVANCED LOW POWER SCHOTTKY TTL, AND, OR, NAND, AND NOR GATES, MONOLITHIC SILICON [CUST: 17] [REVIEW: 19 85 99] | A 5962 | CC | | 08-JUL-97 |
| | MIL-M-38510/385A(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, BUS TRANSCEIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 07-NOV-96 |
| | MIL-M-38510/400A NOT 1 | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON-GATE MONOLITHIC 8 BIT MICROPROCESSOR (FIXED INSTRUCTION) [CUST: CR EC 17] [REVIEW: 11 19 85 99] | A 5962 | CC | | 30-NOV-88 |
| | MIL-M-38510/401A NOT 1 | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON-GATE, MONOLITHIC PERIPHERAL INTERFACE ADAPTER [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 30-NOV-88 |
| | MIL-M-38510/420A(2) NOT 1 | MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 8 BIT MICROPROCESSOR (FIXED INSTRUCTION) [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 07-NOV-96 |
| | MIL-M-38510/421A NOT 1 | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, INPUT/OUTPUT PORT WITH THREE-STATE OUTPUT, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 30-NOV-88 |
| | MIL-M-38510/423A NOT 1 | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, SYSTEM CONTROLLER AND BUS DRIVER, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 30-NOV-88 |
| | MIL-M-38510/440C NOT 1 | MICROCIRCUIT, DIGITAL, FOUR BIT MICROPROCESSOR SLICE MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 07-NOV-96 |
| | MIL-M-38510/442A NOT 1 | MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, D-TYPE REGISTER, WITH THREE-STATE OUTPUT, MONOLITHIC SILICON [CUST: CR EC 17] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 30-NOV-88 |
| A | MIL-M-38510/465A NOT 1 | MICROCIRCUIT, DIGITAL, INTEGRATED INJECTION LOGIC (I2L), PARALLEL 16-BIT MICROPROCESSOR, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99] | A 5962 | CC | | 08-JUL-97 |
| | MIL-M-38510/470A | MICROCIRCUITS, DIGITAL, CMOS MONOLITHIC 8-BIT MICROPROCESSOR (FIXED INSTRUCTION) [CUST: CC NA] | A 5962 | CC | | 30-SEP-83 |
| | MIL-M-38510/471A | MICROCIRCUITS, DIGITAL, CMOS/SOS 1024 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 30-SEP-83 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-M-38510/472A | MICROCIRCUIT, DIGITAL, CMOS, 512 WORD X 8-BIT STATIC READ ONLY MEMORY (ROM) MONOLITHIC SILICON [CUST: CC NA] | A 5962 | CC | | 09-AUG-83 |
| | MIL-M-38510/473A | MICROCIRCUITS, DIGITAL, CMOS, MONOLITHIC 8-BIT INPUT/OUTPUT PORT [CUST: CC NA] | A 5962 | CC | | 30-SEP-83 |
| | MIL-M-38510/474A | MICROCIRCUIT, DIGITAL, CMOS, MONOLITHIC N-BIT ONE OF EIGHT DECODER [CUST: CC NA] | A 5962 | CC | | 30-SEP-83 |
| | MIL-M-38510/481A | MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC DUAL SERIAL INPUT/OUTPUT CONTROLLER [CUST: 17 CC] [REVIEW: 11 19 85 99] | A 5962 | CC | | 18-JUN-84 |
| | MIL-M-38510/483A | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC COUNTER/TIMER UNIT [CUST: 17 CC] [REVIEW: 11 19 85 99] | A 5962 | CC | | 15-JUN-84 |
| | MIL-M-38510/484A | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE, MONOLITHIC, PARALLEL INPUT/OUTPUT CONTROLLER [CUST: 17] [REVIEW: 11 19 85 99] | A 5962 | CC | | 29-JUN-84 |
| | MIL-M-38510/485 NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, SILICON GATE, MONOLITHIC, 8-BIT MICROPROCESSOR [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 07-NOV-96 |
| | MIL-M-38510/486 NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, SERIAL COMMUNICATIONS CONTROLLER, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 07-NOV-96 |
| | MIL-M-38510/490A | MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE, MONOLITHIC, 8-BIT MICROCOMPUTER [CUST: 17 CC] [REVIEW: 11 19 85 99] | A 5962 | CC | | 11-SEP-86 |
| | MIL-M-38510/500B NOT 1 | MICROCIRCUIT, DIGITAL TTL, MULTIPLIER ACCUMULATORS/MULTIPLIERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 07-NOV-96 |
| | MIL-M-38510/502 NOT 2 | MICROCIRCUITS, DIGITAL, BIPOLAR FIELD PROGRAMMABLE LOGIC ARRAY (FPLA) 16 X 48 X 8, MONOLITHIC SILICON [CUST: 17 CC] [REVIEW: 11 19 85 99 MI] | A 5962 | CC | | 28-JUL-95 |
| | MIL-M-38510/503B NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, PROGRAMMABLE LOGIC, MONOLITHIC SILICON [CUST: 17 CC] [REVIEW: 11 19 85 99] | A 5962 | CC | | 28-JUL-95 |
| A | MIL-M-38510/504A(3) NOT 1 | MICROCIRCUIT, DIGITAL BIPOLAR PROGRAMMABLE LOGIC, MONOLITHIC SILICON [CUST: 17 CC] | A 5962 | CC | | 10-NOV-96 |
| | MIL-M-38510/505A(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR PROGRAMMABLE LOGIC, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99] | A 5962 | CC | | 28-JUL-95 |
| | MIL-M-38510/506D(1) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, PROGRAMMABLE LOGIC, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 28-JUL-95 |
| | MIL-M-38510/507A NOT 1 | MICROCIRCUITS, MEMORY, DIGITAL, CMOS ULTRAVIOLET ERASABLE PROGRAMMABLE ARRAY LOGIC, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 28-JUL-95 |
| | MIL-M-38510/508(1) NOT 1 | MICROCIRCUITS, MEMORY, DIGITAL, CMOS ONE-TIME PROGRAMMABLE ARRAY LOGIC, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 28-JUL-95 |
| | MIL-M-38510/520B(2) NOT 1 | MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 16 BIT MICROPROCESSOR [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 07-NOV-96 |
| | MIL-M-38510/530A NOT 1 | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 16-BIT MICROPROCESSOR (FIXED INSTRUCTION) [CUST: 17 CC] [REVIEW: 11 19 85 99] | A 5962 | CC | | 08-APR-97 |
| | MIL-M-38510/540B NOT 1 | MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 16-BIT MICROPROCESSOR [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 07-NOV-96 |
| | MIL-M-38510/552 NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, TIMING CONTROL UNIT, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM TD] | A 5962 | CC | | 07-NOV-96 |
| | MIL-M-38510/555A NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, REMOTE TERMINAL INTERFACE MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MI OS SH SM TD] | A 5962 | CC | | 08-APR-97 |
| | MIL-M-38510/600(2) NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MI OS SH SM TD] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/606B(1) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/607A(1) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/608A(1) NOT 1 | MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/610A NOT 1 | MICROCIRCUITS, DIGITAL, VHSIC, CMOS, 65,536-BIT SELECTABLE MODE, STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MI OS SH SM TD] | C 5962 | CC | | 28-JUL-95 |
| | MIL-M-38510/613 NOT 1 | MICROCIRCUITS, DIGITAL, VHSIC, CMOS, 65,536-BIT SELECTABLE MODE, STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 28-JUL-95 |
| | MIL-M-38510/615 NOT 1 | MICROCIRCUITS, DIGITAL, VHSIC, CMOS, 4096-BIT, 4-PORT STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MI OS SH SM TD] | C 5962 | CC | | 28-JUL-95 |
| | MIL-M-38510/616 NOT 1 | MICROCIRCUITS, DIGITAL, BIPOLAR, VHSIC, ADDRESS GENERATOR, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MI OS SH SM TD] | C 5962 | CC | | 20-NOV-95 |
| | MIL-M-38510/620 NOT 1 | MICROCIRCUITS, DIGITAL, VHSIC, CMOS, SIGNAL PROCESSING ELEMENT, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MI OS SH SM TD] | C 5962 | CC | | 20-NOV-95 |
| | MIL-M-38510/630 NOT 1 | MICROCIRCUITS, DIGITAL, CMOS, FFT PROCESSOR MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MI OS SH SM TD] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/650A NOT 1 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, NAND GATES MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/651A NOT 1 | MICROCIRCUIT, DIGITAL, HIGH SPEED, CMOS, NOR GATES, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/652A NOT 1 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, AND GATES, OR GATES, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 09-AUG-96 |
| M | MIL-M-38510/653A(2) NOT 1 | MICROCIRCUIT, DIGITAL, HIGH SPEED, CMOS FLIP-FLOPS, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 20-APR-98 |
| M | MIL-M-38510/654(1) NOT 1 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS LATCHES, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 26-MAR-98 |
| M | MIL-M-38510/655(2) NOT 1 | MICROCIRCUITS DIGITAL, HIGH SPEED, CMOS BUS TRANSCEIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 27-MAR-98 |
| | MIL-M-38510/656(2) NOT 1 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, FLIP-FLOPS MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI SH SM] | A 5962 | CC | | 09-AUG-96 |
| M | MIL-M-38510/657(6) NOT 1 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, BUFFER GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 17-MAR-98 |
| M | MIL-M-38510/658(1) NOT 1 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, DECODERS, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 17-MAR-98 |
| | MIL-M-38510/662 NOT 1 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS DATA SELECTORS/MULTIPLEXERS, MONOLITHIC SILICON [CUST: CR EC 17 CC NA] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/663 NOT 1 | MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, COUNTERS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/702 NOT 1 | MICROCIRCUITS, LINEAR, REGULATING PULSE-WIDTH, MODULATORS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 11 19 99 AS AV CG MC MI OS SH] | A 5962 | CC | | 13-JUL-95 |
| | MIL-M-38510/706A | MICROCIRCUITS, LINEAR, BIPOLAR, SEMICUSTOM (CELL ARRAY) DEVICES, MONOLITHIC SILICON [CUST: CR EC 17 NA] [REVIEW: 11 19 85 99 AR AS CC CG MC MI OS SH SM TD] | A 5962 | 17 | | 29-OCT-91 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Lat Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------------|---|--------------------------|-----|-------------|-----------|
| | MIL-M-38510/750A(1) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED, CMOS, NAND GATES, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/751A(1) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, NOR GATES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/752B NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, AND GATES, OR GATES, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA OS SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/753A NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, FLIP-FLOPS, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA OS SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/754A(1) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED, CMOS, LATCHES, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 09-AUG-96 |
| | MIL-M-38510/755A(1) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, TRANSCEIVERS, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM] | A 5962 | CC | | 09-AUG-96 |
| A | MIL-M-38510/756A(1) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, FLIP-FLOPS, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 24-NOV-97 |
| A | MIL-M-38510/757A(2) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED, CMOS, BUFFER GATES, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 24-NOV-97 |
| | MIL-M-38510/758A NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, DECODER/DEMULTIPLEXER, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI NA OS SH SM] | A 5962 | CC | | 09-AUG-96 |
| A | MIL-M-38510/762A | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, MULTIPLEXERS, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 14-OCT-97 |
| A | MIL-M-38510/763A(1) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, COUNTERS, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 24-NOV-97 |
| A | MIL-M-38510/765(1) NOT 1 | MICROCIRCUITS, DIGITAL, ADVANCED CMOS, SHIFT REGISTERS, MONOLITHIC SILICON, POSITIVE LOGIC [CUST: CR EC 17 CC NA] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM TD] | A 5962 | CC | | 26-MAR-98 |
| | MIL-M-38527D NOT 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, GENERAL SPECIFICATION FOR (REPLACED BY A-A-55485/2) [CUST: CR EC 85] [REVIEW: 19 99 AS CG MC SH] | A 5999 | CC | | 19-NOV-93 |
| | MIL-M-38527/1B(1) NOT 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .100 DIAMETER PIN CENTER (REPLACED BY A-A-55485/1) [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 19-NOV-93 |
| | MIL-M-38527/2B NOT 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .200 OR .230 DIAMETER PIN CENTER (REPLACED BY A-A-55485/2) [CUST: CR EC 85] [REVIEW: 19 99 AS CG MC SH] | A 5999 | CC | | 19-NOV-93 |
| | MIL-M-38527/3B NOT 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .100 DIAMETER PIN CENTER TO A LARGER DIAMETER (REPLACED BY A-A-55485/3) [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 19-NOV-93 |
| | MIL-M-38527/4B NOT 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 OR .230 DIAMETER PIN CENTER TO A LARGER DIAMETER (REPLACED BY A-A-55485/4) [CUST: CR EC 85] [REVIEW: 19 99 AS CG MC SH] | A 5999 | CC | | 19-NOV-93 |
| | MIL-M-38527/5D NOT 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 OR .230 DIAMETER PIN CENTER TO A GRID PATTERN (REPLACED BY A-A-55485/5) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AS CG MC SH] | A 5999 | CC | | 19-NOV-93 |
| | MIL-M-38527/6D NOT 1 | MOUNTING PAD, ELECTRICAL-ELECTRONIC COMPONENT, RELAY AND DISCRETE COMPONENT (REPLACED BY A-A-55485/6) [CUST: CR EC 85] [REVIEW: 19 99 AS CG MC SH] | A 5999 | CC | | 19-NOV-93 |
| | MIL-M-38527/7A NOT 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, MULTIPLE APPLICATIONS (REPLACED BY A-A-55485/7) [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 19-NOV-93 |
| | MIL-M-38527/8B NOT 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .002, .005, AND .010 INCH THICK [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 25-SEP-92 |
| | MIL-M-38527/9A NOT 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, HARDWARE FOR MOUNTING [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 29-SEP-92 |
| | MIL-M-38527/10B NOT 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 DIAMETER PIN CENTER (REPLACED BY A-A-55485/10) [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 19-NOV-93 |
| | MIL-M-38527/11 NOT 1 | MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, VERTICLE TYPE (REPLACED BY A-A-55484/11) [CUST: CR EC 85] [REVIEW: 11 19 99 AS CG MC SH] | A 5999 | CC | | 19-NOV-93 |
| | MIL-C-38612A NOT 1 | CONTAINER, SHIPPING AND STORAGE, CNU-77/E23 [CUST: EA] [REVIEW: 11 SM] | A 1040 | EA | | 19-APR-96 |
| | MIL-D-38636A(2) NOT 1 | DISPENSER, BOMB AND ROCKET, SUU-20B/A, TRAINING TYPE AND GUN ASSEMBLY, BOMB EJECTOR, SUU-20B/A [CUST: 99] | A 1095 | 84 | | 04-OCT-95 |
| | MIL-T-38646B NOT 1 | TRUCK, LIFT, AERIAL STORES, 7000 POUND CAPACITY MHU-83A/E [CUST: 11] [REVIEW: 82 99] | A 1730 | 11 | | 31-MAR-97 |
| | MIL-T-38676(1) NOT 2 | TRAILER, MUNITION'S HANDLING MHU-110/M [CUST: 99] | A 1740 | 82 | | 11-AUG-95 |
| | MIL-S-38714B NOT 1 | SEALING CARTRIDGE FOR TWO COMPONENT MATERIALS [CUST: 99] | A 8030 | 84 | | 24-DEC-96 |
| A | MIL-C-38747A NOT 1 | COVERING, FLOOR, MILITARY AIRCRAFT, GENERAL SPECIFICATION FOR [CUST: AR AS 99] | A 1680 | 82 | | 30-SEP-97 |
| | MIL-M-38761B NOT 1 | MICROFILMING AND PHOTOGRAPHING OF ENGINEERING/TECHNICAL DATA AND RELATED DOCUMENTS. REQUIREMENTS FOR [CUST: CR AS 10 GS] [REVIEW: 11 13 18 19 24 30 69 70 71 79 80 82 84 85 89 99 AM AR AT AV CC CG CH CR CR4 DH EA EC GL IE IS MC MI NM OM OS SA SH TD YD] | A EDRS | 10 | | 01-JUN-95 |
| | MIL-M-38761/1B NOT 1 | MICROFILM, IMAGE CARDS, AND TABULATING CARDS USED FOR RECORDING ENGINEERING DRAWINGS AND ASSOCIATED DATA [CUST: AS] | A EDRS | AS | | 01-JUN-95 |
| | MIL-M-38761/2A NOT 1 | MICROFILM APERTURE, TABULATING CARDS AND SHIPS DRAWING INDEXES FOR NAVAL SEA SYSTEMS COMMAND SHIPS, SYSTEMS, AND EQUIPMENT, PREPARATION OF [CUST: SH] | A EDRS | SH | | 01-JUN-95 |
| | MIL-R-38953C(1) NOT 1 | RACK, BOMB EJECTOR, AIRCRAFT MAU-12B/A AND RACK, BOMB EJECTOR, AIRCRAFT MAU-12C/A [CUST: 99] | A 1095 | 84 | | 04-SEP-95 |
| | MIL-R-38956C(2) NOT 1 | RACK, BOMB EJECTOR, AIRCRAFT MAU-50/A [CUST: 99] | A 1095 | 84 | | 04-SEP-95 |
| | MIL-R-38957C(2) NOT 1 | RACK, BOMB EJECTOR, AIRCRAFT MAU-40/A [CUST: 99] | A 1095 | 84 | | 04-SEP-95 |
| | MIL-C-38972 NOT 1 | CARTRIDGE, BOMB EJECTION CCU-9/B [CUST: 11] [REVIEW: 70 99] | A 1377 | 11 | | 31-MAR-97 |
| | MIL-C-38973 NOT 1 | CARTRIDGE, BOMB EJECTION CCU-10/B [CUST: 11] [REVIEW: 70 99] | A 1377 | 11 | | 31-MAR-97 |
| | MIL-B-38977(3) NOT 1 | BOMB, PRACTICE BDU-38/B [CUST: 79] [REVIEW: 19] | A 1105 | 79 | | 12-JUL-95 |
| | MIL-R-38980A NOT 1 | RACK, BOMB EJECTOR, AIRCRAFT BRU-4/A AND RACK, BOMB EJECTOR, AIRCRAFT BRU-4A/A [CUST: 11] [REVIEW: 84 99] | A 1095 | 11 | | 31-MAR-97 |
| | MIL-R-39005/11A NOT 1 | RESISTORS, FIXED, WIRE-WOUND (ACCURATE) ESTABLISHED RELIABILITY STYLES RBR80 AND RBR81 [CUST: EC CC] | A 5905 | CC | | 15-SEP-94 |
| | MIL-C-39006/18(2) NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR10 [CUST: CR EC 11] [REVIEW: 17 19 85 AS MC OS] | A 5910 | CC | | 11-JUN-82 |
| | MIL-R-39008C(2) SUP 1 NOT 1 | RESISTORS, FIXED, COMPOSITION (INSULATED) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CR | | 11-APR-97 |
| | MIL-R-39008/1F NOT 1 | RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR07 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CC CR4 MC MI OS TD] | A 5905 | CR | | 11-APR-97 |
| | MIL-R-39008/2F(1) NOT 1 | RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR20 [CUST: CR EC 85] [REVIEW: 11 19 80 AR AS AT AV CC CR4 MC MI OS] | A 5905 | CR | | 11-APR-97 |
| | MIL-R-39008/3D NOT 1 | RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR32 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CC CR4 MC MI OS TD] | A 5905 | CR | | 11-APR-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-R-39008/4F NOT 1 | RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR05 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CC CR4 MC MI OS TD] | A 5905 | CR | | 11-APR-97 |
| | MIL-R-39008/5B NOT 1 | RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR42 [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS AT CC CR4 EA MC MI OS] | A 5905 | CR | | 11-APR-97 |
| | MIL-C-39012/65B | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QNC, (CABLED, PIN CONTACT, CLASS 2) [CUST: CR EC 85] [REVIEW: 11 17 19 80 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 03-OCT-86 |
| | MIL-C-39012/66B | CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QNC (CABLED, SOCKET CONTACT, CLASS 2) [CUST: CR EC] [REVIEW: 11 17 19 99 AS AT AV EA MC MI OS SH] | A 5935 | CC | | 03-OCT-86 |
| | MIL-R-39016/32E | RELAYS, ELECTROMAGNETIC, DPDT, LOW LEVEL TO 2 AMPERES (LATCHING) [CUST: CR EC 85 CC] [REVIEW: 99 AR AT AV CR4 MI OS SH] | A 5945 | CC | | 04-AUG-94 |
| | MIL-R-39016/34E(2) | RELAYS, ELECTROMAGNETIC, DPDT, LOW LEVEL TO 1.0 AMPERE, (0.100-INCH TERMINAL SPACING) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 MI OS SH] | A 5945 | CC | | 29-MAR-93 |
| | MIL-R-39016/39E(1) | RELAYS, ELECTROMAGNETIC, HERMETICALLY SEALED, 4PDT, LOW-LEVEL TO 3 AMPERES (400 MILLIWATTS) [CUST: CR EC 85 CC] [REVIEW: 99 AR AT AV CR4 MI SH] | A 5945 | CC | | 03-MAY-95 |
| | MIL-R-39016/40F(1) | RELAYS, ELECTROMAGNETIC, 4PDT, LOW LEVEL TO 2.0 AMPERES (0.100-INCH TERMINAL SPACING) [CUST: CR EC 85 CC] [REVIEW: AS AT AV CR4 OS SH] | A 5945 | CC | | 29-MAR-93 |
| | MIL-C-39022/4A(4) NOT 1 | CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CHR29 (INSULATED) [CUST: 85] | A 5910 | CC | | 06-MAY-91 |
| | MIL-C-39022/9C(7) | CAPACITORS, FIXED METALLIZED PLASTIC FILM DIELECTRIC, DIRECT AND ALTERNATING CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLES CHR01A, CHR01B, CHR01C, CHR01D, CHR01E, CHR01F, CHR01G, CHR01H, CHR01I, CHR01J, CHR01K, CHR01L, CHR01M, CHR01N, CHR01P, AND CHR01R (INSULATED) [CUST: 85] | A 5910 | CC | | 17-MAR-89 |
| | MIL-C-39029/16C NOT 2 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 4 CONNECTORS) [CUST: AS] [REVIEW: CC EC MC OS SH] | A 5935 | AS | | 17-OCT-91 |
| | MIL-C-39029/18C NOT 2 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 3 AND 4 CONNECTORS) [CUST: AS] [REVIEW: CC EC MC OS SH] | A 5935 | AS | | 17-OCT-91 |
| | MIL-C-39029/25C NOT 2 | CONTACTS, ELECTRICAL CONNECTOR PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 17-OCT-91 |
| | MIL-C-39029/26C NOT 2 | CONTACTS, ELECTRICAL CONNECTORS, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 17 99 AR CC EC MC MI OS SH] | A 5935 | AS | | 17-OCT-91 |
| | MIL-C-39029/46C(1) NOT 1 | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 2 CONNECTORS) [CUST: CR AS 85] [REVIEW: 99 CC EC MC OS SH TD] | A 5935 | AS | | 17-OCT-91 |
| | MIL-C-39029/47C(1) NOT 1 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 1 AND 2 CONNECTORS) [CUST: CR AS 85] [REVIEW: 99 CC EC MC OS SH TD] | A 5935 | AS | | 17-OCT-91 |
| A | MIL-C-39029/54B(1) NOT 1 | CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26500(USAF) AND MIL-C-26518(USAF) CONNECTORS) [CUST: 85] [REVIEW: 11 17 99] | A 5935 | CC | | 14-SEP-93 |
| A | MIL-C-39029/55B(1) | CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26500(USAF) AND MIL-C-26518(USAF) CONNECTORS) [CUST: 85] [REVIEW: 11 17 99] | A 5935 | CC | | 14-SEP-93 |
| | MIL-R-39035/5B NOT 1 | RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RJR28 [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS AT AV CR4 MC MI OS] | A 5905 | CC | | 15-OCT-93 |
| | MIL-B-4006D NOT 1 | BUCKLE, GENERAL OFFICERS' BELT, GOLD PLATED [CUST: IH] [REVIEW: CT GL] | A 8315 | IH | | 05-JUN-95 |
| | MIL-F-40045C NOT 2 | FLAG SET, SIGNAL, M-238 (TANK) [CUST: IH] [REVIEW: CT MC] | A 8345 | IH | | 09-JUN-95 |
| | MIL-F-40047C NOT 1 | FLAG, SIGNAL, RED, VEHICLE, DANGER [CUST: IH NU] [REVIEW: CT MC] | A 8345 | IH | | 05-JUN-95 |
| | MIL-F-40054B NOT 2 | FLAG SET, M-133 [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8345 | IH | | 09-JUN-95 |
| | MIL-F-40055A NOT 2 | FLAG SET M-113 [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8345 | IH | | 05-JUN-95 |
| | MIL-P-40061B(1) NOT 2 | PANEL MARKER, AERIAL LIAISON, VS-17/GVX [CUST: IH MC 11] [REVIEW: 45 82 99 CT] | A 8345 | IH | | 09-JUN-95 |
| | MIL-H-40082B NOT 1 | HUBS AND DIES FOR HERALDIC ITEMS [CUST: IH NU 45] [REVIEW: 32 82 99 CT MC] | A 8455 | IH | | 05-JUN-95 |
| A | MIL-B-40098H NOT 1 | BURNER UNIT, GASOLINE, FIELD RANGE OUTFIT, M2A [CUST: GL YD1] [REVIEW: IS MC MD1] | A 7310 | GL | | 29-JUL-97 |
| | MIL-C-40153L(1) NOT 1 | CLOTHING REPAIR SHOP, TRAILER MOUNTED [CUST: GL 99] [REVIEW: 84 AV GS MC] | A 3530 | GL | | 24-MAR-97 |
| | MIL-S-40615D(1) NOT 1 | SHOE REPAIR SHOP, TRAILER MOUNTED [CUST: GL 99] [REVIEW: 84 GS] | A 3520 | GL | | 10-MAR-97 |
| | MIL-B-43049D NOT 1 | BACKING PLATES, INSIGNIA, BRANCH OF SERVICE AND CAP, INFANTRY, ARMY [CUST: IH] [REVIEW: CT] | A 8455 | IH | | 05-JUN-95 |
| A | MIL-C-43135J NOT 1 | CHICKEN AND CHICKEN PRODUCTS, COOKED, DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8905 | GL | | 15-AUG-97 |
| A | MIL-F-43142G NOT 1 | FISH SQUARES, RAW, DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD SS] | A 8905 | GL | | 22-AUG-97 |
| A | MIL-B-43143E NOT 2 | BEEF PATTIES, DEHYDRATED, UNCOOKED [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8905 | GL | | 19-SEP-97 |
| A | MIL-P-43144E NOT 1 | PORK CHOPS, DEHYDRATED, UNCOOKED [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8905 | GL | | 26-SEP-97 |
| A | MIL-S-43145E NOT 1 | SHRIMP, DEHYDRATED, COOKED [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8905 | GL | | 26-SEP-97 |
| | MIL-P-43155F(1) NOT 1 | PRINTING PLANT, SPECIAL WARFARE, TRANSPORTABLE, (LIGHTWEIGHT) MODEL 800 [CUST: GL] [REVIEW: MD] | A 3610 | GL | | 15-SEP-95 |
| A | MIL-R-43161C NOT 1 | ROPE, NYLON (SPUN YARN) [CUST: GL 99 IS] [REVIEW: 82 CR4 MD SH] | A 4020 | IS | | 16-JUN-97 |
| A | MIL-B-43188F NOT 1 | BEEFSTEAK, DEHYDRATED, UNCOOKED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8905 | GL | | 15-AUG-97 |
| A | MIL-C-43205G NOT 1 | COOKIE MIX, DRY [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8920 | GL | | 22-AUG-97 |
| A | MIL-F-43231D NOT 1 | FOOD PACKET, SURVIVAL, GENERAL PURPOSE, PACKAGING AND ASSEMBLY OF [CUST: GL 50] [REVIEW: MC MD QM SA SS] | A 8970 | GL | | 22-AUG-97 |
| A | MIL-C-43256D NOT 1 | CORD, FIBROUS, POLYESTER, SOLID BRAID [CUST: GL IS] [REVIEW: CR4 MC MD MI] | A 4020 | IS | | 16-JUN-97 |
| A | MIL-C-43274D NOT 1 | CHEESE, COTTAGE, DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8910 | GL | | 15-AUG-97 |
| A | MIL-S-43275H NOT 1 | SPAGHETTI WITH MEAT SAUCE, COOKED, DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-C-43287H NOT 1 | CHILI CON CARNE WITH BEANS, COOKED, DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 22-AUG-97 |
| A | MIL-C-43289F NOT 1 | CHICKEN WITH RICE, COOKED, DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 22-AUG-97 |
| A | MIL-C-43307B NOT 2 | CORD, NYLON, SOLID BRAID, GENERAL PURPOSE [CUST: GL SH IS] [REVIEW: AR CR4 EA MC MD MI] | A 4020 | IS | | 16-JUN-97 |
| A | MIL-B-43311E NOT 1 | BEEF, DICED, DEHYDRATED, UNCOOKED [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8905 | GL | | 15-AUG-97 |
| A | MIL-B-43404F NOT 1 | BEEF STEW, COOKED, DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| | MIL-P-43477A NOT 2 | PRINTING PRESS, OFFSET, WEB-FED, FOR SPECIAL WARFARE [CUST: GL] [REVIEW: GS] | A 3610 | GL | | 15-SEP-95 |
| A | MIL-H-43540C NOT 1 | HEATER, IMMERSION, M67, LIQUID FUEL FIRED, FOR CORRUGATED CANS [CUST: GL YD1] [REVIEW: IS MC MD1] | A 4540 | GL | | 07-NOV-97 |
| | MIL-F-43573A NOT 1 | FASTENER, SNAP, PLASTIC [CUST: GL IS] [REVIEW: AT CR CR4] | A 5325 | IS | | 24-JAN-95 |
| A | MIL-B-43666D(1) NOT 1 | BOXES, SHIPPING, CONSOLIDATION [CUST: GL SA 69] [REVIEW: AR AS AT CR GS MC MD OS SH] | A 8115 | GL | | 26-SEP-97 |
| A | MIL-E-43749G NOT 1 | ESCALLOPED POTATOES WITH PORK, COOKED, DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 22-AUG-97 |
| A | MIL-B-43750H NOT 1 | BEEF WITH RICE, COOKED, DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-J-43904A NOT 1 | JUICE, GRAPE, INSTANT, SWEETENED [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8915 | GL | | 26-SEP-97 |
| A | MIL-K-43911B NOT 1 | KITCHEN, FIELD, TRAILER MOUNTED [CUST: GL 99] [REVIEW: AV IS MD1 QM1] | A 7360 | GL | | 03-JUL-97 |
| A | MIL-B-43930B NOT 1 | BEANS, GREEN, DEHYDRATED, COMPRESSED [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8915 | GL | | 15-AUG-97 |
| A | MIL-R-43942 NOT 1 | ROPE, FIBROUS, POLYESTER/POLYPROPYLENE DUAL FIBER [CUST: GL 99 IS] [REVIEW: AR CR4] | A 4020 | IS | | 16-JUN-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Use Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-R-43952 NOT 2 | ROPE, FIBROUS, PLAIED, POLYESTER/POLYPROPYLENE DUAL FIBER [CUST: GL 99 IS] [REVIEW: AR CR4] | A 4020 | IS | | 16-JUN-97 |
| A | MIL-P-43988C NOT 1 | PAPER, TOILET TISSUE (MRE-PACKET) [CUST: GL 99 SS] [REVIEW: 84 MD] | A 8540 | SS | | 29-DEC-97 |
| | MIL-B-43998D NOT 1 | BATH UNIT, AUTOMATED, MULTI-HEAD [CUST: GL 99] [REVIEW: 84 CC CR4 MC MD] | A 4510 | GL | | 21-NOV-96 |
| | MIL-R-44023A(3) NOT 1 | REPRODUCTION SET, DIAZO PROCESS, FOR FIELD USE [CUST: GL] [REVIEW: CR4] | A 3610 | GL | | 15-SEP-95 |
| | MIL-F-44062B NOT 1 | FRANKFURTERS, BEEF, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT [CUST: GL SA 50] | A 8905 | GL | | 31-MAR-97 |
| | MIL-F-44067D NOT 1 | FRUITS, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT [CUST: GL SA 50] | A 8915 | GL | | 31-MAR-97 |
| A | MIL-C-44068B NOT 1 | CHEESE SPREAD, CHEDDAR; PEANUT BUTTER; AND JELLY, FOR MEAL READY-TO-EAT [CUST: GL SA 50] [REVIEW: MC MD SS] | A 8930 | GL | | 29-DEC-97 |
| | MIL-C-44071D NOT 1 | CAKES, SHELF STABLE, FOR MEAL, READY-TO-EAT [CUST: GL SA 35] | A 8920 | GL | | 31-MAR-97 |
| | MIL-C-44072C NOT 1 | COOKIES, OATMEAL; AND BROWNIES, CHOCOLATE COVERED [CUST: GL SA 50] | A 8920 | GL | | 31-MAR-97 |
| | MIL-M-44074E NOT 1 | MEAL, READY-TO-EAT, INDIVIDUAL, ASSEMBLY OF [CUST: GL SA 50] | A 8970 | GL | | 31-MAR-97 |
| A | MIL-H-44086B NOT 1 | HEATER, WATER, LIQUID FUEL [CUST: GL 99] [REVIEW: 82 IS MDI] | A 4520 | GL | | 07-NOV-97 |
| | MIL-C-44112D NOT 1 | CRACKERS, FOR MEAL, READY-TO-EAT [CUST: GL SA 50] | A 8920 | GL | | 31-MAR-97 |
| A | MIL-C-44116 NOT 1 | CARROTS, DEHYDRATED, COMPRESSED, DICED OR SHREDDED [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8915 | GL | | 15-AUG-97 |
| | MIL-O-44136C NOT 1 | OATMEAL COOKIE AND GRANOLA BARS, (OPERATIONAL RATION COMPONENT) [CUST: GL SA 50] | A 8920 | GL | | 31-MAR-97 |
| A | MIL-C-44137A NOT 1 | CHICKEN A LA KING, COOKED, DEHYDRATED [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| | MIL-L-44142A(2) NOT 1 | LAUNDRY UNIT, TRAILER MOUNTED [CUST: GL] [REVIEW: AV] | A 3510 | GL | | 15-SEP-95 |
| | MIL-D-44144A(1) NOT 1 | DRYING TUMBLER, LAUNDRY [CUST: GL] [REVIEW: AV] | A 3510 | GL | | 15-SEP-95 |
| A | MIL-P-44151A NOT 1 | PACKAGING INTO POUCHES AND MEAL ASSEMBLY OF ORAL LIQUID FEEDING POWDERS [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8970 | GL | | 29-DEC-97 |
| | MIL-E-44166A NOT 1 | EXTRACTOR, LAUNDRY: HEAVY DUTY, TOP LOADING, TRAILER MOUNTED [CUST: GL] | A 3510 | GL | | 15-SEP-95 |
| | MIL-W-44167B(1) NOT 1 | WASHING MACHINE, LAUNDRY: OPEN END TYPE, TRAILER MOUNTED [CUST: GL] [REVIEW: AV] | A 3510 | GL | | 15-SEP-95 |
| A | MIL-S-44170A NOT 1 | SPAGHETTI AND MEAT, WITH SAUCE, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-C-44174A NOT 1 | CHILI CON CARNE, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 22-AUG-97 |
| A | MIL-C-44175A NOT 1 | CORN, BUTTERED, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-H-44176A NOT 1 | HOMINY GRITS WITH CHEESE, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 19-SEP-97 |
| A | MIL-P-44182A NOT 1 | POTATOES, MASHED, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| M | MIL-S-44195A NOT 1 | SHELTER, TACTICAL, EXPANDABLE, TWO-SIDE [CUST: GL MC 99] [REVIEW: 13 80 CC] | A 5411 | GL | | 22-APR-98 |
| M | MIL-S-44196A NOT 1 | SHELTER, TACTICAL, NON-EXPANDABLE [CUST: GL MC 99] [REVIEW: 80 CC] | A 5411 | GL | | 22-APR-98 |
| M | MIL-S-44197A NOT 1 | SHELTER, TACTICAL, EXPANDABLE, ONE-SIDE [CUST: GL MC 99] [REVIEW: 80 CC] | A 5411 | GL | | 22-APR-98 |
| A | MIL-P-44201B NOT 1 | PORK WITH RICE IN BARBEQUE SAUCE - SMOKE FLAVORING ADDED, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 27-FEB-98 |
| | MIL-S-44205B NOT 1 | SPAGHETTI WITH MEAT AND SAUCE, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 31-MAR-97 |
| A | MIL-T-44208A NOT 1 | TUNA WITH NOODLES, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT [CUST: GL SA 50] [REVIEW: MC MD SS] | A 8940 | GL | | 27-FEB-98 |
| | MIL-C-44209A NOT 1 | CHICKEN STEW, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT [CUST: GL SA 50] | A 8940 | GL | | 31-MAR-97 |
| A | MIL-C-44210A NOT 1 | CHICKEN AND RICE, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT [CUST: GL SA 50] [REVIEW: MC MD SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-B-44228B NOT 1 | BEEF STRIPS WITH GREEN PEPPERS AND GRAVY, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-P-44234A NOT 1 | POTATOES, DICED IN BUTTER SAUCE, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-C-44235B NOT 1 | CAKES, CANNED, THERMOHYDROSTABILIZED, TRAY PACK [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8920 | GL | | 15-AUG-97 |
| A | MIL-T-44237B NOT 1 | TURKEY SLICES WITH GRAVY, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-P-44239B NOT 1 | POTATOES WITH BACON PIECES IN SAUCE, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-P-44241B NOT 1 | POTATOES, SWEET, GLAZED, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-P-44242C NOT 1 | PORK AND BEANS, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-C-44244B NOT 1 | CHILI CON CARNE, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 22-AUG-97 |
| A | MIL-C-44253A NOT 1 | CORNEED BEEF HASH, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8940 | GL | | 22-AUG-97 |
| A | MIL-A-44255B NOT 1 | APPLE DESSERT, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-B-44256C NOT 1 | BLUEBERRY DESSERT, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-C-44268A NOT 1 | CARROTS, GLAZED, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-C-44269B NOT 1 | CHERRY DESSERT, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-R-44274B NOT 1 | RICE, WHITE, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8920 | GL | | 26-SEP-97 |
| A | MIL-B-44275A NOT 1 | BAKERY MIXES, PREPARED [CUST: GL SA 50] [REVIEW: MC MD MS QM SS] | A 8920 | GL | | 15-AUG-97 |
| A | MIL-P-44276 NOT 3 | PACKAGING OF RATION COLD WEATHER COMPONENTS (IN POUCHES) [CUST: GL] | A 89GP | GL | | 29-DEC-97 |
| A | MIL-R-44277A NOT 1 | RATION, COLD WEATHER, ASSEMBLY OF [CUST: GL] [REVIEW: 50 MC MD QM SA SS] | A 8970 | GL | | 29-DEC-97 |
| A | MIL-O-44278A NOT 1 | OATMEAL, INSTANT (OPERATIONAL RATION COMPONENT) [CUST: GL SA 50] | A 8920 | GL | | 29-DEC-97 |
| A | MIL-N-44280 NOT 1 | NUT RAISIN MIX (OPERATIONAL RATION COMPONENT) [CUST: GL] | A 8925 | GL | | 26-SEP-97 |
| A | MIL-B-44294A NOT 1 | BEEF STEW, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-C-44295A NOT 1 | CHICKEN BREAST MEAT IN GRAVY, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-F-44297 NOT 1 | FRANKFURTERS IN BRINE, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD SS] | A 8905 | GL | | 19-SEP-97 |
| A | MIL-H-44298C NOT 1 | HAM SLICES, CHUNKED AND FORMED, SMOKE FLAVORING ADDED, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8905 | GL | | 19-SEP-97 |
| A | MIL-P-44311B NOT 1 | PORK SAUSAGE LINKS IN BRINE, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8905 | GL | | 26-SEP-97 |
| A | MIL-P-44326A NOT 1 | PORK IN BARBECUE SAUCE, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-B-44332 NOT 1 | BAG, CARRYING, PROTECTIVE SUIT, EXPLOSIVE ORDINANCE DEVICE (EOD) [CUST: CT] | A 8465 | CT | | 04-APR-98 |
| A | MIL-L-44333A NOT 1 | LASAGNA, WITH MEAT SAUCE, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 19-SEP-97 |
| A | MIL-B-44337A NOT 1 | BEEF, GROUND, CREAMED, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-C-44340A NOT 1 | CAN, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8110 | GL | | 15-AUG-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| A | MIL-S-44341 NOT 1 | SPAGHETTI WITH MEATBALLS IN SAUCE, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-M-44343A NOT 1 | MEAL MODULE, TRAY PACK, 18-SOLDIER, ASSEMBLY OF [CUST: GL] [REVIEW: 50 MC MD QM SA SS] | A 8970 | GL | | 29-DEC-97 |
| A | MIL-B-44353A NOT 1 | BEEF PATTIES IN BROTH, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-B-44359A NOT 1 | BUNS, HAMBURGER, SHELF STABLE [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8920 | GL | | 15-AUG-97 |
| A | MIL-B-44360A NOT 1 | BREAD, SHELF STABLE, FOR MEAL, READY-TO-EAT [CUST: GL SA 50] | A 8920 | GL | | 31-MAR-97 |
| A | MIL-P-44365 NOT 1 | PUDDING, CHOCOLATE, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-B-44388 NOT 1 | BREAD CRISP BARS, RATION LIGHTWEIGHT, 30-DAY [CUST: GL] [REVIEW: 50 MC MD SA SS] | A 8920 | GL | | 15-AUG-97 |
| A | MIL-C-44389A NOT 1 | CEREAL BARS, (OPERATIONAL RATION COMPONENT) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8920 | GL | | 15-AUG-97 |
| A | MIL-R-44398B NOT 1 | RATION SUPPLEMENT, FLAMELESS HEATER, FOR MEAL, READY-TO-EAT [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8970 | GL | | 26-SEP-97 |
| | MIL-P-44401 NOT 1 | PRESS SECTION, MODULAR PRINTING SYSTEM [CUST: GL] | A 3610 | GL | | 15-SEP-95 |
| | MIL-F-44402 NOT 1 | FINISHING SECTION, MODULAR PRINTING SYSTEM [CUST: GL] | A 3610 | GL | | 15-SEP-95 |
| A | MIL-D-44414A NOT 1 | DAIRYSHAKE POWDER [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8910 | GL | | 22-AUG-97 |
| A | MIL-F-44422(1) NOT 1 | FIBER ROPE ASSEMBLY, INSERTION/EXTRACTION [CUST: GL IS] [REVIEW: MC SH] | A 4020 | IS | | 01-OCT-97 |
| A | MIL-B-44430 NOT 1 | BREAD STUFFING, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| | MIL-P-44432 NOT 1 | PORK CHOW MEIN, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 31-MAR-97 |
| A | MIL-C-44437 NOT 1 | CHEESECAKE, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-C-44438 NOT 3 | CORN AND POTATOES, CREAMED, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] | A 8940 | GL | | 22-AUG-97 |
| A | MIL-G-44439 NOT 1 | GINGERBREAD, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 19-SEP-97 |
| A | MIL-P-44440 NOT 1 | POTATOES, DELMONICO, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-S-44441 NOT 1 | SQUASH, BUTTERED, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-C-44442 NOT 1 | CAKE, BLUEBERRY UPSIDE-DOWN, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-B-44443 NOT 1 | BEANS, BAKED, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-S-44444 NOT 1 | STRAWBERRY SHORTCAKE POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-A-44445 NOT 1 | APPLE BROWN BETTY, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-B-44446 NOT 1 | BANANA-STRAWBERRY BREAKFAST DRINK, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-C-44447 NOT 1 | CAULIFLOWER AND CHEESE, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-E-44448 NOT 1 | ESCALLOPED POTATOES AND HAM, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 22-AUG-97 |
| A | MIL-H-44449 NOT 1 | HAM AND CHEESE SOUFFLE, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 19-SEP-97 |
| A | MIL-O-44450 NOT 1 | OATMEAL WITH MAPLE AND BROWN SUGAR, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-P-44451 NOT 1 | PEA CASSEROLE, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-T-44452 NOT 1 | TACO GRANDE, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-O-44453 NOT 1 | OMELET, GREEN PEPPER AND HAM, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-C-44454 NOT 1 | CHICKEN BARBECUE, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-H-44455 NOT 1 | HAM AND CHEESE FONDUE, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 19-SEP-97 |
| A | MIL-P-44456 NOT 1 | PORK, ORIENTAL AND VEGETABLES, WITH NOODLES, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-R-44457 NOT 1 | RICE, FRIED, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-M-44458 NOT 1 | MEAL MODULE, 10-PATIENT, PACKAGING OF ORAL LIQUID FEEDING POWDERS INTO CANS AND ASSEMBLY OF [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8970 | GL | | 29-DEC-97 |
| A | MIL-F-44459 NOT 1 | FARINA WITH PEACHES AND CREAM, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 22-AUG-97 |
| A | MIL-G-44460 NOT 1 | GREEN BEAN CASSEROLE, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 19-SEP-97 |
| A | MIL-P-44461 NOT 1 | POTATOES, LYONNAISE, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-C-44462 NOT 1 | CAKE, CHOCOLATE MOCHA, POWDER (FOR ORAL LIQUID FEEDING) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-S-44463 NOT 1 | SHORTBREAD BAR, FOOD PACKET, SURVIVAL, GENERAL PURPOSE [CUST: GL 50] [REVIEW: MC MD QM SA SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-W-44464 NOT 1 | WINTERGREEN BAR, FOOD PACKET, SURVIVAL, GENERAL PURPOSE [CUST: GL 50] [REVIEW: MC MD QM SA SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-P-44465 NOT 1 | PORK RIBS, BONELESS, IMITATION, FLAKED AND FORMED, IN BARBECUE SAUCE, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-C-44467 NOT 1 | CHICKEN CHOW MEIN, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 22-AUG-97 |
| A | MIL-C-44468 NOT 1 | CHILI CON CARNE, WITHOUT BEANS, CANNED [CUST: GL SA 50] | A 8940 | GL | | 22-AUG-97 |
| A | MIL-E-44470 NOT 1 | EGGS, SCRAMBLED, COOKED, DEHYDRATED, (OPERATIONAL RATION COMPONENT) [CUST: GL MC] [REVIEW: 50 MD QM SA SS] | A 8940 | GL | | 22-AUG-97 |
| A | MIL-R-44473 NOT 1 | RICE, ORIENTAL STYLE, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8940 | GL | | 26-SEP-97 |
| A | MIL-B-44478 NOT 1 | BEANS WITH RICE AND BACON, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8940 | GL | | 15-AUG-97 |
| A | MIL-M-44479 NOT 1 | MEATBALLS IN BROWN GRAVY, THERMOSTABILIZED, TRAY PACK [CUST: GL SA 35] [REVIEW: MC MD QM SS] | A 8940 | GL | | 19-SEP-97 |
| A | MIL-R-44482 NOT 3 | RICE, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT [CUST: GL SA 35] | A 8940 | GL | | 27-FEB-98 |
| | MIL-T-45011A NOT 2 | TELESCOPE, ELBOW M17C [CUST: AR] | A 6650 | AR | | 10-JUL-96 |
| | MIL-R-45012E NOT 2 | RIFLE, 7.62MM, M14 [CUST: AR OS 99] [REVIEW: MC] | A 1005 | AR | | 14-MAR-97 |
| | MIL-M-45013E NOT 1 | MACHINE GUN, 7.62MM: M60 [CUST: AR MC 84] | A 1005 | AR | | 01-DEC-95 |
| | MIL-F-45060D(1) NOT 2 | FUZE, MINE, COMBINATION M605, PARTS FOR [CUST: AR] | A 1345 | AR | | 10-JUL-96 |
| A | MIL-F-45061E(2) NOT 2 | FUZE, MINE, AT, NM, M606 PARTS FOR [CUST: AR] | A 1345 | AR | | 11-JUL-96 |
| | MIL-P-45069B(1) NOT 2 | PLOTTING BOARD, INDIRECT FIRE: M16 W/E [CUST: AR] | A 1220 | AR | | 11-DEC-95 |
| A | MIL-C-45096D(1) NOT 2 | CARTRIDGE, 90MM, TP-T, M353A1 ASSEMBLING, MARKING AND PACKING [CUST: AR] | A 1315 | AR | | 12-AUG-97 |
| A | MIL-C-45110B NOT 1 | CARTRIDGE, 90MM, AP-T, M318A1 ASSEMBLING, MARKING AND PACKING [CUST: AR] | A 1315 | AR | | 12-AUG-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------------|---|--------------------------|-----|-------------|-----------|
| A | MIL-P-45117E(2) NOT 2 | PROJECTILE, 20MM, TARGET PRACTICE, M55A2 [CUST: AR] | A 1305 | AR | | 01-NOV-95 |
| | MIL-F-45144D(2) NOT 1 | FUSE, BLASTING, TIME, M700, AND FUSE, BLASTING, TIME, INERT, LOADING, ASSEMBLING AND PACKING [CUST: AR] [REVIEW: EA] | A 1375 | AR | | 14-MAR-97 |
| | MIL-M-45151C(2) NOT 1 | MOUNT, TRIPOD, MACHINE GUN, CAL .50: M3 [CUST: AR] | A 1005 | AR | | 11-DEC-95 |
| | MIL-S-45152H NOT 1 | SEMITRAILERS, LOWBED: COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84] | A 2330 | AT | | 25-JAN-96 |
| A | MIL-P-45172F(2) NOT 2 | PROJECTILE, 20MM, API, M53, METAL PARTS [CUST: AR] | A 1305 | AR | | 01-NOV-95 |
| A | MIL-M-45174B NOT 2 | MINE, ANTIPERSONNEL, M16A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 16-JUL-96 |
| A | MIL-S-45180D NOT 2 | SEALING COMPOUND, GASKET, HYDROCARBON FLUID AND WATER RESISTANT [CUST: MR SH 99] [REVIEW: 03 11 70 84 AR AS AT CC CG M1 OS YD1] | A 8030 | MR | | 23-MAR-98 |
| | MIL-L-45194G(1) NOT 1 | LINK, CARTRIDGE, METALLIC BELT, 20MM: M14A2 [CUST: AR] | A 1305 | AR | | 01-FEB-96 |
| | MIL-C-45195E(3) NOT 1 | CARTRIDGE, 105MM, HE, M1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 08-FEB-96 |
| | MIL-M-45196A(2) NOT 3 | MINE, ANTIPERSONNEL, M16A1 PARTS FOR [CUST: AR] | A 1345 | AR | | 16-JUL-96 |
| | MIL-G-45279 NOT 2 | GYRO, DIRECTIONAL CN-998()/ASN-43 [CUST: CR] | A 6615 | CR | | 29-MAY-96 |
| A | MIL-G-45280 NOT 2 | GYROMAGNETIC COMPASS SET AN/ASN-430 [CUST: CR] | A 6605 | CR | | 25-APR-97 |
| | MIL-T-45305C NOT 1 | TRUCK, BOOKMOBILE: DIESEL OR GASOLINE ENGINE DRIVEN, 16,000 POUNDS GVW, 4X2, MODIFIED COMMERCIAL [CUST: AT] | A 2320 | AT | | 28-SEP-95 |
| | MIL-T-45308A(4) NOT 2 | TANK, MAIN BATTLE, 105MM GUN, M60 [CUST: AT] | A 2350 | AT | | 13-DEC-96 |
| | MIL-P-45328D NOT 1 | PUMP, FUEL, ELECTRICAL: 12 AND 24 VOLT DC [CUST: AT 99] [REVIEW: 82 CR4] | A 2910 | CC | | 22-JAN-93 |
| A | MIL-E-45332C(1) NOT 2 | ENGINE, GASOLINE, 4 CYLINDER, IN LINE, LIQUID COOLED, 65 HP, M151-2 [CUST: AT] | A 2805 | AT | | 20-MAR-98 |
| | MIL-S-0045344H NOT 1 | SEMITRAILERS, VAN: MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2330 | AT | | 30-OCT-95 |
| A | MIL-S-45352F NOT 1 | SEMITRAILER, LOWBED: TACTICAL, 12- AND 25- TON [CUST: AT MC] | A 2330 | AT | | 05-JAN-98 |
| | MIL-B-45367AA NOT 1 | BUSES, MOTOR: TRANSIT, AMBULANCE CONVERSION, FORWARD CONTROL, WITH HIGH HEADROOM, 30 AND 44 PASSENGER, 2 WHEEL DRIVE [CUST: AT YD1 99] [REVIEW: CR MC MD] | A 2310 | AT | | 02-JAN-96 |
| | MIL-B-45371R NOT 1 | BUSES, MOTOR: SUBURBAN AND INTERCITY, 41 TO 53 ADULT PASSENGER, 4X2, 6X2 AND 6X4, COMMERCIAL [CUST: AT YD1] [REVIEW: MC] | A 2310 | AT | | 25-JAN-96 |
| | MIL-T-45379D(2) NOT 1 | TANK, COMBAT, FULL-TRACKED, 105 MM GUN, M60A3-TTS [CUST: AT] | A 2350 | AT | | 13-DEC-96 |
| | MIL-T-45380E NOT 1 | TRUCKS, MAINTENANCE: EARTH AUGER, TURNTABLE BASE, DIESEL ENGINE DRIVEN, 28,000 POUNDS GVW, 4X4, MODIFIED COMMERCIAL [CUST: AT] | A 2320 | AT | | 21-SEP-95 |
| A | MIL-T-45382A(2) NOT 2 | TRAILER, LOWBED, 4 WHEEL 2 TO 7 TON [CUST: AT YD1] [REVIEW: MC] | A 2330 | AT | | 05-JAN-98 |
| A | MIL-S-45387B(2) NOT 1 | SPRINGS, TORSION BAR, SUSPENSION [CUST: AT] | A 2530 | AT | | 14-JAN-98 |
| A | MIL-B-45390A NOT 1 | BULLDOZER KIT, EARTH MOVING, TANK MOUNTING, M9 [CUST: AT] [REVIEW: CC] | A 2590 | AT | | 09-FEB-98 |
| | MIL-D-45394D NOT 1 | DOLLIES, TRAILER CONVERTER: 9 TO 35 TONS PAYLOAD, COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 CR MC] | A 2330 | AT | | 15-DEC-95 |
| | MIL-G-45397D(2) NOT 1 | GUN, FIELD ARTILLERY, SELF PROPELLED, 175MM, M107, HOWITZER, HEAVY, SELF PROPELLED, 8 INCH, M110 AND M110A1 [CUST: AR] [REVIEW: MC] | A 2350 | AR | | 08-FEB-96 |
| | MIL-L-45403D(2) NOT 2 | LINK, CARTRIDGE, METALLIC BELT, 7.62MM, M13 [CUST: AR] [REVIEW: 99 MC] | A 1305 | AR | | 01-FEB-96 |
| A | MIL-C-45404A(1) NOT 2 | CLIP, CARTRIDGE: 7.62MM, 5-ROUND [CUST: AR] [REVIEW: MI] | A 1305 | AR | | 01-FEB-97 |
| | MIL-M-45405C NOT 1 | MINE, AT, M21 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 01-FEB-96 |
| | MIL-M-45406C NOT 1 | MINE, AT, M21 PARTS FOR [CUST: AR] | A 1345 | AR | | 01-FEB-96 |
| | MIL-D-45411B NOT 2 | DEMOLITION KIT, PROJECTED CHARGE, M1E1 LOADING, ASSEMBLING AND PACKING [CUST: AR 99] | A 1375 | AR | | 14-MAR-97 |
| | MIL-D-45412B NOT 2 | DEMOLITION KIT, M1E1, CONTAINER AND ACCESSORIES [CUST: AR 99] | A 1375 | AR | | 14-MAR-97 |
| | MIL-D-45413B NOT 1 | DYNAMITE, MILITARY, M1 [CUST: AR OS 99] | A 1375 | AR | | 01-FEB-96 |
| | MIL-B-45417C NOT 2 | BANDOLEER, APERS, MINE, M7, ASSEMBLY [CUST: AR] | A 1345 | AR | | 16-JUL-96 |
| | MIL-C-45420G(1) NOT 2 | CAP, BLASTING, ELECTRIC, M4, ASSEMBLY, OR CAP ASSEMBLY, BLASTING, CONNECTOR AND ELECTRIC [CUST: AR] | A 1375 | AR | | 16-JUL-96 |
| | MIL-F-45421D(6) NOT 2 | FIRING DEVICE, ELECTRICAL, M57 PARTS FOR, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 16-JUL-96 |
| A | MIL-M-45423C NOT 2 | MINE, APERS, M18A1 (WITH ACCESSORIES) LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 27-AUG-97 |
| | MIL-M-45424D(3) NOT 2 | MINE, ANTI-PERSONNEL, M18A1 PARTS FOR [CUST: AR] | A 1345 | AR | | 16-JUL-96 |
| | MIL-S-45428D(2) NOT 2 | SQUIB, ELECTRIC, M2, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] [REVIEW: EA] | A 1375 | AR | | 16-JUL-96 |
| | MIL-F-45429C(1) NOT 1 | FUZE, MINE, AT: M607 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 05-FEB-97 |
| | MIL-F-45430C(3) NOT 1 | FUZE, MINE, AT: M607, PARTS FOR [CUST: AR] | A 1345 | AR | | 05-FEB-97 |
| | MIL-D-45441D(3) NOT 2 | DETONATOR, STAB, M61 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 27-FEB-97 |
| | MIL-P-45455E NOT 1 | PROJECTILE, 175MM, HE, M437 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 27-FEB-97 |
| | MIL-L-45456E NOT 1 | LINK, CARTRIDGE, METALLIC BELT, 20MM, M17A2 [CUST: AR 99] | A 1305 | AR | | 05-JUN-96 |
| | MIL-C-45459C(4) NOT 1 | CARTRIDGE, 75MM, BLANK, M337A2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 16-MAY-96 |
| | MIL-C-45467D(7) NOT 1 | CARTRIDGE, 165MM, HEP, M123A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | B 1320 | AR | | 27-FEB-97 |
| A | MIL-D-45470 NOT 1 | DETONATOR, ELECTRIC, T76, METAL PARTS FOR [CUST: AR] | A 1375 | AR | | 12 AUG 97 |
| | MIL-D-45472C NOT 1 | DEMOLITION KIT, PROJECTED CHARGE, M157 PARTS, ASSEMBLY AND PACKING [CUST: AR] | A 1375 | AR | | 18 JUL 96 |
| | MIL-D-45482B NOT 1 | DETONATOR, STAB M46, PARTS FOR [CUST: AR] | A 1375 | AR | | 05 JUL 97 |
| | MIL-D-45483B(1) NOT 2 | DETONATOR, STAB, M46 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 18 JUL 96 |
| A | MIL-C-45491B(1) NOT 1 | CARTRIDGE, 90MM, HEAT-T, M431A2 LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1315 | AR | | 12-AUG-97 |
| | MIL-D-45495A(1) NOT 2 | DETONATOR, ELECTRIC, M84 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1330 | AR | | 18 JUL 96 |
| A | MIL-G-45500/3(2) NOT 1 | GUN, AUTOMATIC, 20MM: M168 [CUST: AR OS 99] [REVIEW: MC] | A 1005 | AR | | 01-SEP-97 |
| | MIL-G-45500/4(2) NOT 1 | GUN, AUTOMATIC, 20MM: M195 [CUST: AR OS 99] [REVIEW: MC] | A 1005 | AR | | 14-MAR-97 |
| | MIL-D-45502B NOT 4 | DRIVE, ELECTRIC, M7 [CUST: AR 99] [REVIEW: 84] | A 1005 | AR | | 10-FEB-97 |
| | MIL-C-45504E NOT 1 | CANNON, 105MM GUN: M68 CANNON, 105MM GUN: M68A1 [CUST: AR] | A 1015 | AR | | 28-NOV-95 |
| A | MIL-T-45508B(2) NOT 1 | TARGET HOLDING, MECHANISM, TRAINFIRE, M31A1 [CUST: AR] | A 6920 | AR | | 02-FEB-96 |
| | MIL-R-45511D NOT 3 | RIFLE, RECOILLESS, 90MM: M67 [CUST: AR] | A 1015 | AR | | 03-FEB-97 |
| | MIL-L-45522A NOT 2 | LINKER-DELINKER, HAND, 7.62MM, M21A1 [CUST: AR OS 70] [REVIEW: AS MC] | A 4925 | AR | | 14-MAR-97 |
| A | MIL-C-45524D NOT 1 | CANNON, 175MM GUN: M113A1 [CUST: AR] | A 1025 | AR | | 12-AUG-97 |
| A | MIL-C-45525B NOT 3 | CANNON, 155MM HOWITZER: M126A1 [CUST: AR] | A 1025 | AR | | 12-AUG-97 |
| A | MIL-C-45526B(1) NOT 1 | CANNON, 105MM HOWITZER, M103 [CUST: AR] | A 1015 | AR | | 12-AUG-97 |
| | MIL-M-45532B(2) NOT 1 | MOUNT, TRIPOD, MACHINE GUN: M122 [CUST: AR] | A 1005 | AR | | 01-DEC-95 |
| | MIL-T-45540B NOT 1 | TARGET HOLDING MECHANISMS, TRAINFIRE, M30 AND M30A1 [CUST: AR TD 99] [REVIEW: MC] | A 6920 | AR | | 02-FEB-96 |
| | MIL-L-45550A(4) NOT 2 | LINK, CARTRIDGE, METALLIC BELT, CALIBER .50, M15A2 [CUST: AR] | A 1305 | AR | | 02-FEB-96 |
| A | MIL-F-45556A NOT 2 | FEEDER, AUTOMATIC GUN, M2A1 [CUST: AR OS 99] [REVIEW: 84 MC] | A 1005 | AR | | 01-SEP-97 |
| | MIL-T-45572A(2) NOT 1 | TRAINER, MORTAR: M32A1 [CUST: AR] | A 6920 | AR | | 18-JUL-96 |
| | MIL-C-45573C NOT 1 | CANNON, 165MM GUN: M135 [CUST: AR] | A 1025 | AR | | 11-DEC-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-C-45574B NOT 1 | CANNON, 152MM GUN-LAUNCHER: M81E1 AND M162 (INCLUDING BREECH MECHANISMS) [CUST: AR] | A 1025 | AR | | 18-JUL-96 |
| | MIL-P-45575 NOT 2 | PISTOL, CALIBER .22 AUTOMATIC, GENERAL TRAINING GRADE [CUST: AR OS 99] [REVIEW: MC] | A 1005 | AR | | 12-DEC-95 |
| | MIL-C-45579C NOT 1 | CANNON, 105MM HOWITZER: M137A1 [CUST: AR] | A 1015 | AR | | 18-JUL-96 |
| | MIL-L-45585D NOT 2 | LINK CARTRIDGE: METALLIC BELT, 40MM, M16A2 [CUST: AR] | A 1310 | AR | | 02-FEB-96 |
| | MIL-H-45586A(3) NOT 1 | HOWITZER, LIGHT, TOWED, 105MM, M102 [CUST: AR] | A 1015 | AR | | 29-NOV-95 |
| | MIL-R-45587A(4) NOT 2 | RIFLE, 5.56MM: M16 AND M16A1 [CUST: AR MC 99] [REVIEW: OS] | F 1005 | AR | | 14-MAR-97 |
| A | MIL-L-45589 NOT 1 | LAUNCHER, GRENADE, 40MM, M79 [CUST: AR OS 99] [REVIEW: MC] | A 1010 | AR | | 01-SEP-97 |
| | MIL-M-45590A(1) NOT 1 | MACHINE GUN, CALIBER .50: FIXED, M85 [CUST: AR OS 99] [REVIEW: 84 MC] | A 1005 | AR | | 02-FEB-96 |
| | MIL-M-45590A(13) NOT 1 | MACHINE GUN, CALIBER .50: FIXED, M85 [CUST: AR] | A 1005 | AR | | 02-FEB-96 |
| | MIL-P-45592 NOT 2 | PISTOL, CALIBER .22, AUTOMATIC, MATCH GRADE [CUST: AR] | A 1005 | AR | | 11-DEC-95 |
| A | MIL-W-45595/9 NOT 1 | WASHER, SHOULDERED, GLASS FILLED NYLON [CUST: AR SH 99 IS] [REVIEW: 11 82 84 90 AV CR EC MC MI] | A 5310 | IS | | 01-OCT-97 |
| | MIL-P-45602B(4) NOT 1 | PERISCOPE, BATTERY COMMAND: M65 [CUST: AR] | A 6650 | AR | | 18-JUL-96 |
| | MIL-P-45605A(2) NOT 2 | PLOTTING BOARDS, FLASH RANGING, FIRE CONTROL: M5A2E2 AND M18 [CUST: AR] | A 1220 | AR | | 28-NOV-95 |
| A | MIL-L-45607C NOT 3 | INSPECTION EQUIPMENT, ACQUISITION, MAINTENANCE AND DISPOSITION OF [CUST: AR] [REVIEW: AT MI] | A QCIC | AR | | 11-MAR-98 |
| | MIL-Q-45618F NOT 1 | QUADRANT, FIRE CONTROL, ELEVATION: M13 SERIES [CUST: AR] | A 1290 | AR | | 18-JUL-96 |
| A | MIL-M-45628E NOT 1 | MOUNT, PERISCOPE: M115 [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| | MIL-P-45637B(2) NOT 2 | PERISCOPE, TANK, M19 AND M24 [CUST: AR] [REVIEW: AT MC] | A 6650 | AR | | 14-MAR-97 |
| A | MIL-M-45659C(2) NOT 1 | MOUNT, TELESCOPE, M110 [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| A | MIL-M-45664E NOT 1 | MOUNT, PERISCOPE: M118 AND M118E1 [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| A | MIL-S-45669A NOT 1 | SIGHT, BORE, OPTICAL M45 [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| | MIL-M-45671E(2) NOT 1 | MOUNT, PERISCOPE, M119 [CUST: AR] | A 1240 | AR | | 16-JAN-98 |
| A | MIL-F-45687 NOT 1 | FIRE CONTROL ELECTRONIC CALIBRATION STANDARDS, PACKAGING OF [CUST: AR] [REVIEW: SM] | A 1290 | AR | | 01-SEP-97 |
| | MIL-T-45688D(2) NOT 1 | TELESCOPES, ARTICULATED: M105 SERIES [CUST: AR] [REVIEW: AT] | A 1240 | AR | | 28-NOV-95 |
| A | MIL-M-45690A(4) NOT 1 | MOUNT, TELESCOPE, M114 [CUST: AR] [REVIEW: AT MC] | A 1240 | AR | | 01-SEP-97 |
| | MIL-P-45694 NOT 1 | PLOTTING BOARD, M17 [CUST: AR] | A 1220 | AR | | 11-DEC-95 |
| | MIL-R-45774A NOT 1 | RADIOGRAPHIC INSPECTION, SOUNDNESS REQUIREMENTS FOR FUSION WELDS IN ALUMINUM AND MAGNESIUM MISSILE COMPONENTS [CUST: MI] | A NDTI | MI | | 27-MAR-96 |
| | MIL-B-45852A(3) NOT 1 | BORESCOPIES M1 AND M2 [CUST: AR] [REVIEW: MC MI] | A 6650 | AR | | 14-MAR-97 |
| | MIL-T-45886A(1) NOT 1 | TIMER, SEQUENTIAL: M42E2 [CUST: AR] | A 1135 | AR | | 21-JUN-95 |
| | MIL-T-45917A NOT 2 | TARGET MECHANISM, NIGHT FIRING, SMALL ARMS, M40 [CUST: AR TD 99] | A 6920 | AR | | 14-MAR-97 |
| | MIL-T-45919 NOT 1 | TARGET, SILHOUETTE, STANDING MAN HOLDING PISTOL AND 1000 INCH [CUST: AR] | A 6920 | AR | | 02-FEB-96 |
| | MIL-S-45921A NOT 1 | STOCK, GUN, SHOULDER: ASSEMBLY W/O BUTT PLATE, FIBERGLASS REINFORCED, PLASTIC (PREMIX) (FOR RIFLE, 7.62MM: M14) [CUST: AR OS 84] [REVIEW: MC] | A 1005 | AR | | 14-MAR-97 |
| | MIL-L-45923B(1) NOT 1 | LINK, CARTRIDGES: METALLIC BELT, CALIBER .50, M9 [CUST: AR] | A 1305 | AR | | 23-APR-97 |
| | MIL-C-45931A(2) NOT 1 | CLIP, CARTRIDGE, 5.56MM, 10 ROUND [CUST: AR] | A 1305 | AR | | 02-FEB-96 |
| A | MIL-L-45935A(3) NOT 1 | LAUNCHER, GRENADE, 40MM: DETACHABLE, M203 [CUST: AR] [REVIEW: MC] | A 1010 | AR | | 16-DEC-96 |
| A | MIL-F-45939 NOT 2 | FEEDER, AUTOMATIC GUN, MAU-57A/A [CUST: AR OS 99] [REVIEW: 84] | A 1005 | AR | | 01-SEP-97 |
| A | MIL-A-45940 NOT 1 | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62MM MACHINE GUN. DOOR MOUNTED, LIGHT WEIGHT, M24 (LESS M60D MACHINE GUN) [CUST: AR] | A 1005 | AR | | 12-AUG-97 |
| A | MIL-A-45941 NOT 1 | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62MM MACHINE GUN. DOOR MOUNTED, LIGHT WEIGHT, M23 (LESS M60D MACHINE GUN) [CUST: AR] | A 1005 | AR | | 12-AUG-97 |
| | MIL-L-45946A(2) NOT 2 | LINK, CARTRIDGE, METALLIC BELT, 20MM: M22 [CUST: AR 99] | A 1305 | AR | | 05-JUN-96 |
| A | MIL-A-45947 NOT 1 | ARMAMENT SUBSYSTEM, HELICOPTER, 7.62MM MACHINE GUN. RAMP MOUNTED. LIGHT WEIGHT, M41 (LESS M60D MACHINE GUN) [CUST: AR] | A 1005 | AR | | 12-AUG-97 |
| | MIL-C-45956(2) NOT 3 | CONTROLLER, WEAPONS-GUN SPEED AND LAUNCHER BRAKE, LH [CUST: AR] | A 1090 | AR | | 03-FEB-97 |
| | MIL-E-45962(1) NOT 3 | ELECTRONIC COMPONENTS ASSEMBLY (11691622) [CUST: AR] | A 1090 | AR | | 03-FEB-97 |
| A | MIL-L-45963 NOT 2 | LOADER, DELINKING, AIRCRAFT MACHINE GUN, MAU-69A/A [CUST: AR OS 99] [REVIEW: 84 AS] | A 1005 | AR | | 01-SEP-97 |
| A | MIL-C-45964B(1) NOT 1 | CANNON, 155MM HOWITZER: M185 [CUST: AR] | A 1025 | AR | | 12-AUG-97 |
| | MIL-L-45965(1) NOT 2 | MORTAR, 60MM: M19 [CUST: AR] | A 1010 | AR | | 29-NOV-95 |
| | MIL-F-45966(1) NOT 1 | FEEDER, AUTOMATIC GUN, M89 AND M89E1 [CUST: AR OS] | A 1005 | AR | | 14-MAR-97 |
| | MIL-M-45974(2) NOT 2 | MACHINE GUN, 7.62MM: M60E2 (FIXED) [CUST: AR] | A 1005 | AR | | 01-DEC-95 |
| A | MIL-C-45975B(1) NOT 1 | CANNON, 155MM HOWITZER: M199 [CUST: AR] | A 1025 | AR | | 12-AUG-97 |
| A | MIL-M-45976(1) NOT 1 | MOUNT, GUN, M140, M140A1, M150 AND M150A1 [CUST: AR] | A 1015 | AR | | 11-DEC-95 |
| | MIL-C-45978A NOT 1 | CANNON, 105MM HOWITZER: M205 [CUST: AR] | A 1015 | AR | | 22-JUL-96 |
| | MIL-G-45980(1) NOT 1 | GUN, AIR DEFENSE ARTILLERY, 20MM, SELF-PROPELLED, M163A1 [CUST: AR] | A 2350 | AR | | 22-JUL-96 |
| A | MIL-G-45981(1) NOT 1 | GUN, AIR DEFENSE ARTILLERY, 20MM, TOWED, M167A1 [CUST: AR] | A 1005 | AR | | 11-DEC-95 |
| | MIL-H-45984B(2) NOT 1 | HOWITZER, MEDIUM, TOWED, 155MM: M198 [CUST: AR] | A 1025 | AR | | 28-NOV-95 |
| A | MIL-M-45986(3) NOT 2 | MECHANISM, RECOIL, 155MM HOWITZER, M45 [CUST: AR] | A 1025 | AR | | 11-DEC-95 |
| | MIL-C-45987A(1) NOT 1 | CARRIAGE, 155MM HOWITZER, M39 [CUST: AR] | A 1025 | AR | | 11-DEC-95 |
| | MIL-L-46000C NOT 1 | LUBRICANT, SEMI-FLUID (AUTOMATIC WEAPONS) [CUST: AR AS 68] [REVIEW: MD OS PS SA] | A 9150 | AR | | 14-MAR-97 |
| A | MIL-L-46014 NOT 2 | LUBRICATING OIL, SPINDLE [CUST: AR 68 GS] | A 9150 | GS | | 16-DEC-97 |
| M | MIL-N-46025B NOT 4 | NICKEL BAR, FLAT WIRE (RIBBON) AND STRIP (FOR ELECTRONIC USE) [CUST: MI] | A 9525 | MI | | 06-MAY-98 |
| | MIL-B-46066B NOT 3 | BANDS, ROTATING, COPPER ALLOY, CENTRIFUGAL CAST (FOR CRITICAL APPLICATIONS) [CUST: AR] | A MECA | AR | | 05-FEB-96 |
| A | MIL-S-46070(2) NOT 2 | STEEL BAR FOR PROJECTILE STOCK [CUST: AR] | A 9510 | IS | | 04-APR-98 |
| A | MIL-R-46082B(6) NOT 1 | RETAINING COMPOUNDS, SINGLE COMPONENT, ANAEROBIC [CUST: MR AS 99] [REVIEW: AT CC CG FSS MI OS SH YDI] | A 8030 | MR | | 23-MAR-98 |
| A | MIL-R-46085B NOT 2 | RHODIUM PLATING, ELECTRODEPOSITED [CUST: MR AS 11] [REVIEW: 70 99 AR MI SH] | A MFFP | MR | | 18-DEC-97 |
| A | MIL-C-46110B NOT 2 | COATING COMPOUND, OXIDE BLACK [CUST: AR SH 68 GS] [REVIEW: CR MC OS SM] | A 6850 | GS | | 23-JAN-98 |
| A | MIL-S-46119C NOT 1 | STEEL FORGINGS, TUBULAR PARTS FOR CANNON [CUST: MR] [REVIEW: CR4] | A FORG | AR | | 19-MAR-98 |
| A | MIL-S-46163A(2) NOT 2 | SEALING, LUBRICATING, AND WICKING COMPOUNDS: THREAD-LOCKING, ANAEROBIC, SINGLE-COMPONENT [CUST: MR AS 11] [REVIEW: 84 99 CG SH] | A 8030 | MR | | 26-NOV-97 |
| A | MIL-S-46172A(2) NOT 1 | STEEL FORGINGS [CUST: MR] [REVIEW: AT CR4] | A FORG | AR | | 19-MAR-98 |
| | MIL-I-46182 NOT 2 | IRON CASTINGS, SPHEROIDAL GRAPHITE (EXTRA TOUGH) [CUST: AR] [REVIEW: SM] | A MECA | AR | | 14-MAR-97 |
| A | MIL-P-46185 NOT 3 | PLASTIC MOLDING AND EXTRUSION MATERIALS, POLYETHERSULFONE [CUST: MR EC 11] [REVIEW: 03 84 99 AS CG GL GS SH SM] | A 9330 | MR | | 22-APR-98 |
| A | MIL-D-46208A NOT 1 | DETONATOR, M35, PARTS FOR [CUST: AR] | A 1375 | AR | | 12-AUG-97 |
| | MIL-D-46209C NOT 2 | DETONATOR, STAB, M44E1, PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 12-FEB-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Nea | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-------------------------|-----|-------------|-----------|
| | MIL-B-46211D NOT 2 | BURSTER, INCENDIARY, FIELD, M4 (W/O FUZE) [CUST: AR] | A 1345 | AR | | 05-FEB-96 |
| | MIL-E-46215C(3) NOT 2 | ELEMENT, IGNITION, ELECTRIC METAL PARTS ASSEMBLY, FOR ELECTRIC PRIMERS, M80A1, M83 AND M120 [CUST: AR] | A 1390 | AR | | 22-JUL-96 |
| A | MIL-C-46216B(3) NOT 2 | CARTRIDGE, 105MM, APDS-T, M392A2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 12-AUG-97 |
| | MIL-D-46219B NOT 2 | DETONATOR, STAB, M22 PARTS FOR LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 22-JUL-96 |
| | MIL-I-46224E NOT 1 | IGNITER, ELECTRIC, PRIMER, M63, PARTS FOR, AND LOADING ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 22-JUL-96 |
| A | MIL-C-46226 NOT 2 | CARTRIDGE, 90MM, HE-T, M71E1, AND 90MM SMOKE, WP-T, M313E1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 12-AUG-97 |
| | MIL-C-46229C(2) NOT 2 | CARTRIDGE, 105MM, BLANK, M395 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 12-FEB-97 |
| | MIL-I-46231B(1) NOT 2 | IGNITER, ROCKET MOTOR, T21E2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1340 | AR | | 22-JUL-96 |
| | MIL-P-46235A(2) NOT 1 | PROPELLANT, M26 (T28) FOR USE IN CARTRIDGES M344 AND M346, IN 106MM RIFLES [CUST: AR] | A 1375 | AR | | 22-JUL-96 |
| | MIL-T-46245F(1) NOT 2 | TRACER, PROJECTILE M12 ASSEMBLY, PARTS FOR AND LOADING, ASSEMBLING AND PACKAGING [CUST: AR] | A 1315 | AR | | 05-FEB-96 |
| | MIL-C-46246F NOT 2 | CHARGES, DEMOLITION, TNT, BLOCK, 1/4 POUND, 1/2 POUND, AND 1 POUND [CUST: AR] | A 1375 | AR | | 22-JUL-96 |
| A | MIL-P-46252C NOT 2 | PROPELLANT, M1 FOR USE IN 105MM CARTRIDGE, HEP-T, M393A2, WP-T, M416, AND TP-T, M467 [CUST: AR] | A 1376 | AR | | 12-AUG-97 |
| | MIL-D-46253B NOT 1 | DETONATOR, ELECTRIC, T20E1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1336 | AR | | 22-JUL-96 |
| | MIL-D-46256B NOT 3 | DETONATOR STAB M24 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 22-JUL-96 |
| | MIL-P-46258C(3) NOT 1 | PROJECTILE, 8 INCH, HE, M106 LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1320 | AR | | 05-FEB-96 |
| | MIL-C-46261 NOT 2 | CARTRIDGE, 81MM, TP, M362A1, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 05-FEB-96 |
| | MIL-D-46262A(1) NOT 2 | DETONATOR, STAB, M20, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 22-JUL-96 |
| | MIL-C-46272A(1) NOT 1 | CARTRIDGE, INITIATOR, DELAY, M46 [CUST: OS 99] [REVIEW: 11] | A 1377 | OS | | 25-JUN-96 |
| | MIL-C-46275A(1) NOT 1 | CASE, CARTRIDGE, 105MM, M150 [CUST: AR] | A 1315 | AR | | 12-DEC-95 |
| | MIL-C-46276 NOT 1 | CASE, CARTRIDGE, 105MM, XM115 [CUST: AR] | A 1315 | AR | | 22-JUL-96 |
| | MIL-C-46277B(2) NOT 2 | CARTRIDGE, 7.62MM: NATO, BALL, M59 [CUST: AR] | A 1305 | AR | | 05-FEB-96 |
| | MIL-P-46279 NOT 2 | PRIMER, PERCUSSION, ELECTRIC, M75 LOADING, ASSEMBLING AND PACKING (INCLUDING LOADING OF PERCUSSION-ELECTRIC IGNITION ELEMENT T21E1) [CUST: AR] | A 1390 | AR | | 12-FEB-97 |
| | MIL-C-46281F(2) NOT 1 | CARTRIDGE, 7.62MM: NATO, TRACER, M62 [CUST: AR] | A 1305 | AR | | 05-FEB-96 |
| | MIL-D-46282 NOT 2 | DETONATOR, STAB, M23 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 22-JUL-96 |
| | MIL-F-46283 NOT 1 | FIRING DEVICE, NON-METALLIC, PULL TYPE, T35E1, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 22-JUL-96 |
| | MIL-D-46284 NOT 2 | DETONATOR, STAB, M45 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-D-46285 NOT 1 | DETONATOR, STAB, M45 PARTS FOR [CUST: AR] | A 1375 | AR | | 22-JUL-96 |
| | MIL-D-46286 NOT 2 | DETONATOR, FLASH, M21 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-P-46292C(1) NOT 2 | PRIMER, PERCUSSION, M1B1A2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 12-FEB-97 |
| | MIL-P-46294B NOT 2 | PRIMER, PERCUSSION, M58, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 12-FEB-97 |
| | MIL-P-46296C(6) NOT 2 | PRIMER, PERCUSSION, M82 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 12-FEB-97 |
| | MIL-F-46298C(1) NOT 1 | FIRING DEVICE, PULL RELEASE TYPE, M3 PARTS, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| A | MIL-D-46299 NOT 1 | DETONATOR, STAB, M13, PARTS FOR [CUST: AR] | A 1375 | AR | | 13-AUG-97 |
| A | MIL-M-46309B(1) NOT 1 | MOUNT, TELESCOPE: M138 [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| A | MIL-M-46310A(1) NOT 2 | MOUNT, TELESCOPE: M137 [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| A | MIL-T-46311B(2) NOT 1 | TELESCOPE, PANORAMIC: M115 [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| A | MIL-M-46312B NOT 1 | MOUNT, TELESCOPE, M146 [CUST: AR] [REVIEW: AT] | A 1240 | AR | | 01-SEP-97 |
| | MIL-T-46313B(4) NOT 2 | TELESCOPE, PANORAMIC: M117 [CUST: AR] | A 1240 | AR | | 29-NOV-95 |
| | MIL-M-46314B(3) NOT 2 | MOUNT, TELESCOPE, M145 [CUST: AR] | A 1240 | AR | | 12-FEB-97 |
| A | MIL-Q-46315C(2) NOT 1 | QUADRANT, FIRE CONTROL-M15 [CUST: AR] | A 1290 | AR | | 16-JAN-98 |
| | MIL-T-46316B(3) NOT 1 | TELESCOPE, ELBOW, M118 SERIES AND T176E4 [CUST: AR] | A 1240 | AR | | 29-NOV-95 |
| A | MIL-P-46320C(4) NOT 1 | POWER SUPPLY, 10516158 (TRANSISTORIZED) [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| | MIL-P-46322B(1) NOT 1 | PERISCOPE, TANK. XM42 [CUST: AR] [REVIEW: MC] | A 1240 | AR | | 29-NOV-95 |
| | MIL-T-46324D NOT 1 | TELESCOPE, ELBOW, M109 AND 10548042 [CUST: AR] | A 1240 | AR | | 28-NOV-95 |
| | MIL-P-46329A(4) NOT 1 | PERISCOPE, TANK: M13, M14A1, M17, M17C, M26, M27, M37 AND M45, PERISCOPE, 15 DEG. UPLOOK AND PERISCOPE, 20 DEG. UPLOOK [CUST: AR] | A 1240 | AR | | 29-NOV-95 |
| | MIL-C-46344A(3) NOT 1 | COMPUTERS, BALLISTICS: M13A2, M13A1DE1, AND M13A4 [CUST: AR] | A 1220 | AR | | 12-FEB-97 |
| | MIL-S-46347B(1) NOT 3 | SIGHUNIT, M53 [CUST: AR] | A 1240 | AR | | 27-FEB-97 |
| A | MIL-H-46354A(2) NOT 1 | HEADREST, OPTICAL INSTRUMENT [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| A | MIL-M-46363A NOT 1 | MOUNT, PERISCOPE, M113 [CUST: AR] | A 1240 | AR | | 13-AUG-97 |
| A | MIL-T-46365(4) NOT 1 | TELESCOPE, ELBOW: M92D AND M92F [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| | MIL-B-46367A NOT 2 | BANDOLEER, M2 [CUST: AR] | A 1305 | AR | | 05-FEB-96 |
| A | MIL-C-46369(4) NOT 1 | CONVERTER - REGULATOR, 10553449 [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| | MIL-C-46372A(4) NOT 3 | COLLIMATOR, INFINITY AIMING REFERENCE, M1 [CUST: AR] | A 1240 | AR | | 10-FEB-97 |
| A | MIL-F-46375A(2) NOT 1 | FUZE SETTER SET: M63 [CUST: AR] | A 1290 | AR | | 12-AUG-97 |
| | MIL-T-46385A(2) NOT 1 | TELESCOPE, ELBOW, M114 [CUST: AR] | A 1240 | AR | | 28-NOV-95 |
| | MIL-T-46386A(5) NOT 1 | TELESCOPE, PANORAMIC, M113 [CUST: AR] | A 1240 | AR | | 28-NOV-95 |
| A | MIL-I-46390 NOT 1 | INTERCONNECTING BOX, 8932942 [CUST: AR] | A 1270 | AR | | 13-AUG-97 |
| A | MIL-C-46397C(3) NOT 1 | CARTRIDGE, 5.56MM, REFERENCE [CUST: AR] | A 1305 | AR | | 06-DEC-95 |
| A | MIL-T-46398(1) NOT 1 | TOOLS FOR THE PRODUCTION OF FIRE CONTROL MATERIEL, GENERAL SPECIFICATION FOR [CUST: AR] | A 1290 | AR | | 12-AUG-97 |
| A | MIL-D-46404 NOT 2 | DETONATOR, STAB, M13 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 12-AUG-97 |
| | MIL-D-46405B NOT 1 | DETONATOR, STAB, M18, PARTS FOR [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-D-46406B(1) NOT 2 | DETONATOR, FLASH, M17 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 10-FEB-97 |
| | MIL-C-46409D NOT 1 | CARTRIDGE, CALIBER .38, SPECIAL, BALL, M41 [CUST: AR] | A 1305 | AR | | 05-FEB-96 |
| | MIL-C-46411B(1) NOT 2 | CARTRIDGE, 4.2 INCH, SMOKE, WP, M328A1 W/FUZE, PD, M521, LOADING, ASSEMBLING AND PACKING [CUST: EA] | A 1315 | EA | | 25-SEP-95 |
| | MIL-B-46415B NOT 3 | BURSTER, PROJECTILE, M35, PARTS FOR LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 12-FEB-97 |
| | MIL-P-46420B(2) NOT 1 | PRIMER, PERCUSSION, M57, LOADING, ASSEMBLING, AND PACKING. [CUST: AR] | A 1390 | AR | | 12-FEB-97 |
| | MIL-P-46425A NOT 2 | PRIMER, PERCUSSION, M35 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-D-46432B(1) NOT 2 | DETONATOR, STAB, M18, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-B-46433A NOT 2 | BOMB, GAS, 500-POUND, MARK 94 MOD O, GB-FILLED, WITHOUT FUZE AND BURSTER [CUST: EA AS 99] [REVIEW: 70] | A 1325 | EA | | 28-MAR-96 |
| | MIL-I-46434C(1) NOT 2 | IGNITER, ELECTRIC, M59, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 05-FEB-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-P-46438A NOT 2 | PLUG, CLOSING, FOR ARTILLERY AND MORTAR PROJECTILES [CUST: AR] | A 1315 | AR | | 12-FEB-97 |
| | MIL-P-46439C NOT 2 | PRIMER, ELECTRIC, M86 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 12-FEB-97 |
| A | MIL-E-46440D NOT 1 | ELEMENT, IGNITION, ELECTRIC, M18, PARTS. [CUST: AR] | A 1390 | AR | | 13-AUG-97 |
| | MIL-R-46448 NOT 2 | RELAY, M2, LOADING, ASSEMBLING, & PACKING. [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-R-46449 NOT 2 | RELAY, M3, LOADING, ASSEMBLING, & PACKING. [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-R-46450 NOT 2 | RELAY, M4, LOADING, ASSEMBLING, & PACKING. [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-R-46451 NOT 2 | RELAY, M5, LOADING, ASSEMBLING, & PACKING. [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-R-46453D NOT 2 | RELAY, M7, PARTS FOR LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| A | MIL-P-46458F(3) NOT 1 | PROPELLANT M30 FOR USE IN CARTRIDGE, 105MM, HEAT-T, M456A1 HEAT-T-MP, M456A1E2 (M456A2) AND TP-T, M490 [CUST: AR] | A 1376 | AR | | 12-AUG-97 |
| A | MIL-D-46462B(1) NOT 2 | DETONATOR, STAB, M19A2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 31-JUL-97 |
| | MIL-P-46465A NOT 1 | PRIMER, PERCUSSION, M35, PARTS FOR [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-C-46477B(3) NOT 2 | CARTRIDGE, 7.62MM, NATO, TEST, HIGH PRESSURE, M60 [CUST: AR] | A 1305 | AR | | 05-FEB-96 |
| | MIL-C-46482B(2) NOT 1 | CARTRIDGE, CALIBER .45, BALL, M1911, MATCH GRADE [CUST: AR] | A 1305 | AR | | 05-FEB-96 |
| | MIL-D-46486F NOT 2 | DELAY ELEMENT, M2, PARTS FOR, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| A | MIL-P-46490F(1) NOT 1 | PROJECTILE, HEAT-FS, 90MM, M431E1, METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | | 12-AUG-97 |
| A | MIL-P-46499(1) NOT 1 | PRIMER, PERCUSSION, M78 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 12-AUG-97 |
| | MIL-P-46512A(1) NOT 1 | PROJECTILE FOR CARTRIDGE, 81&MILLIMETER MORTAR, SMOKE, M370, WP FILLING ASSEMBLY [CUST: EA OS] [REVIEW: MC] | A 1315 | EA | | 19-APR-96 |
| | MIL-C-46513B NOT 1 | CARTRIDGE, 81MM SMOKE, WP, M370, WITH FUZE, PD, M524, ASSEMBLING, MARKING AND PACKING [CUST: AR] | A 1315 | AR | | 06-FEB-96 |
| | MIL-B-46514B(1) NOT 2 | BURSTER, PROJECTILE, M47 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 12-FEB-97 |
| | MIL-T-46515 NOT 3 | TUBE, BURSTER, FOR BURSTER, PROJECTILE, T46E3, INERT [CUST: AR] | A 1315 | AR | | 12-FEB-97 |
| | MIL-P-46519D NOT 1 | PRIMER, ELECTRIC, M73, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 12-FEB-97 |
| A | MIL-I-46520D NOT 1 | IGNITER, PRIMER, ELECTRIC, M74 PARTS FOR [CUST: AR] | A 1390 | AR | | 13-AUG-97 |
| | MIL-I-46521D(1) NOT 1 | IGNITER, PRIMER, ELECTRIC, M74 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 12-FEB-97 |
| A | MIL-P-46530D(1) NOT 1 | PROJECTILE, 20MM, TARGET PRACTICE, M99A1 [CUST: AR] | A 1305 | AR | | 31-JUL-97 |
| | MIL-C-46535(1) NOT 1 | CASING, BURSTER, T21, ASSEMBLY [CUST: AR] | A 1315 | AR | | 06-FEB-96 |
| | MIL-C-46540B(1) NOT 2 | CASE, CARTRIDGE: 20MM, M103 [CUST: AR] | A 1305 | AR | | 12-FEB-96 |
| | MIL-P-46541 NOT 1 | PROJECTILE FOR CARTRIDGE, 105-MILLIMETER, M360, GB-FILLED, WITHOUT FUZE AND BURSTER [CUST: EA] | A 1315 | EA | | 16-AUG-95 |
| | MIL-P-46542A(3) NOT 2 | PRIMER, PERCUSSION, M27, PARTS FOR [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-P-46544A NOT 1 | PRIMER, PERCUSSION, M29A1, PARTS FOR [CUST: AR] [REVIEW: EA] | A 1375 | AR | | 14-MAR-97 |
| | MIL-A-46545B NOT 1 | ACTUATOR EXPLOSIVE, LINEAR, M2 PARTS FOR [CUST: AR] | A 1375 | AR | | 06-FEB-96 |
| | MIL-C-46552C(1) NOT 2 | CARTRIDGE, 20MM, TARGET PRACTICE, M55A2 [CUST: AR] [REVIEW: 70] | A 1305 | AR | | 31-OCT-96 |
| A | MIL-C-46553B NOT 2 | CARTRIDGE, 20MM, TARGET PRACTICE, M99A1 [CUST: AR] | A 1305 | AR | | 12-FEB-96 |
| | MIL-T-46555B NOT 2 | TRACER, XM10, PARTS FOR, AND LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1315 | AR | | 16-JAN-98 |
| | MIL-A-46556B NOT 2 | ACTUATOR, EXPLOSIVE, LINEAR, M2 LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1375 | AR | | 06-FEB-96 |
| | MIL-C-46558C NOT 2 | CHARGE, DEMOLITION, HE, LINEAR, M58, W/FUZE AND CHARGE, DEMOLITION, INERT, LINEAR, M68, W/INERT FUZE LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 06-FEB-96 |
| | MIL-F-46561D NOT 2 | FUZE, DEMOLITION KIT, TRAINING, M1147 PARTS, ASSEMBLING, AND PACKING [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-P-46565C(3) NOT 2 | PRIMERS, PERCUSSION, M28A2 AND M28B2 LOADING, ASSEMBLING AND PACKING [CUST: AR] [REVIEW: EA] | A 1390 | AR | | 14-MAR-97 |
| | MIL-P-46568D(2) NOT 2 | PRIMER, PERCUSSION, M71A1E1 LOADING, ASSEMBLING & PACKING [CUST: AR] | A 1390 | AR | | 12-FEB-97 |
| | MIL-F-46570D NOT 2 | FUZE, DEMOLITION KIT, M1134 WITH DETONATORS PARTS FOR [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-F-46571E NOT 2 | FUZE, DEMOLITION KIT, M1134 LOADING, ASSEMBLING AND PACKING [CUST: AR 99] | A 1375 | AR | | 12-FEB-97 |
| | MIL-C-46577D(2) NOT 2 | CARTRIDGE, 20MM, ARMOR PIERCING INCENDIARY, M53 [CUST: AR] [REVIEW: 70] | A 1305 | AR | | 31-OCT-96 |
| | MIL-F-46579D NOT 2 | FUZE, POINT DETONATING, M505A3; PARTS FOR [CUST: AR] | A 1305 | AR | | 12-FEB-97 |
| | MIL-F-46580C(2) NOT 1 | FUZE, POINT DETONATION, M505A3 [CUST: AR 70] | A 1305 | AR | | 14-MAR-97 |
| | MIL-D-46582C NOT 4 | DETONATORS, STAB, M57A1 AND M57A2 [CUST: AR] | A 1305 | AR | | 12-FEB-97 |
| | MIL-D-46592 NOT 1 | DETONATOR, STAB, M58 PARTS FOR [CUST: AR] | A 1375 | AR | | 12-FEB-97 |
| | MIL-P-46601B(3) NOT 1 | PRIMER, PERCUSSION, M36A2 [CUST: AR] | A 1305 | AR | | 07-DEC-95 |
| | MIL-P-46610E(4) NOT 2 | PRIMERS, PERCUSSION, STYPHATE AND CHLORATE TYPES, FOR SMALL ARMS AMMUNITION [CUST: AR] | A 1305 | AR | | 12-FEB-97 |
| | MIL-W-46611B NOT 2 | WARHEAD SECTION, 762 MILLIMETER ROCKET, EMPTY, C4 [CUST: EA] | A 1340 | EA | | 28-SEP-95 |
| A | MIL-C-46621C NOT 2 | CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, M97A2 [CUST: AR] | A 1305 | AR | | 06-DEC-97 |
| A | MIL-P-46636C NOT 2 | PROJECTILE, 20MM, HIGH PRESSURE TEST, M54A1 [CUST: AR] | A 1305 | AR | | 01-NOV-95 |
| | MIL-P-46642C NOT 2 | PRIMER, PERCUSSION, M92E1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 13-FEB-97 |
| | MIL-W-46646C NOT 1 | WARHEAD SECTION, 762-MILLIMETER ROCKET, CHEMICAL AGENT, M190, WITHOUT FUZE [CUST: EA] | A 1340 | EA | | 28-SEP-95 |
| | MIL-D-46647B(1) NOT 2 | DETONATOR, STAB, XM58, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 13-FEB-97 |
| | MIL-D-46653B NOT 2 | DETONATOR, M31A1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 13-FEB-97 |
| | MIL-A-46655B(2) NOT 2 | ATTACHMENTS, TOW AND PUSH FOR DEMOLITION KIT, PROJECTED CHARGE, M157 PARTS FOR AND PACKING [CUST: AR] | A 1375 | AR | | 06-FEB-96 |
| A | MIL-F-46657D(1) NOT 2 | FIRING DEVICE, DEMOLITION, PULL TYPE, M1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 12-AUG-97 |
| A | MIL-C-46665A(1) NOT 2 | CARTRIDGE, 105MM, TP-T, M467 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 12-AUG-97 |
| | MIL-B-46667A(3) NOT 2 | BURSTER, PROJECTILE, M83 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 15-DEC-95 |
| A | MIL-P-46678B NOT 1 | PROJECTILE, 8 INCH, GAS, M426 ASSEMBLING, MARKING AND PACKING [CUST: AR] | A 1320 | AR | | 13-AUG-97 |
| | MIL-S-46681C(2) NOT 1 | SKID, LAUNCHING, DEMOLITION CHARGE, M3 PARTS AND ASSEMBLY [CUST: AR] | A 1375 | AR | | 13-FEB-97 |
| | MIL-T-46682A(1) NOT 1 | THRUSTER, PROPELLANT ACTUATED, XM24 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 13-FEB-97 |
| | MIL-D-46688A(2) NOT 2 | DEMOLITION KIT, PROJECTED CHARGE, M173, AND PRACTICE, M174 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 13-FEB-97 |
| | MIL-C-46689A(3) NOT 2 | CHARGE PROPELLING, M82 [CUST: AR] | A 1315 | AR | | 13-FEB-97 |
| | MIL-M-46696D(4) NOT 4 | MINE, ANTIPERSONNEL, M16A1, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 13-FEB-97 |
| | MIL-T-46701F NOT 1 | TRUCK, TILT-FRAME: CONTAINER HANDLING, WITH TILT CAB, DIESEL ENGINE DRIVEN, 51,000 POUNDS GVW, 6X4, COMMERCIAL; INCLUDING DETACHABLE BODIES AND STATIONARY COMPACTORS [CUST: AT YD1 99] [REVIEW: MC] | A 2320 | AT | | 30-OCT-95 |
| | MIL-T-46705E NOT 1 | TRAILERS, STAKE: WAGON TYPE, 2270 AND 4540 KILOGRAM (5,000 AND 10,000 POUND) CAPACITY, 4-WHEEL, MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2330 | AT | | 12-DEC-95 |
| | MIL-R-46711D(1) NOT 2 | RECOVERY VEHICLE, FULL-TRACKED; LIGHT, ARMORED, M578 [CUST: AR] [REVIEW: AT] | A 2350 | AR | | 08-FEB-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|------|
| | MIL-C-46722A NOT 1 | CHASSIS, TRAILER, 1 TO 5 TON, 4 WHEEL GENERAL PURPOSE [CUST: 99] | A 2330 | 84 | 23-MAR-96 | |
| | MIL-V-46727C NOT 1 | VALVE, THREE POSITION, FOUR WAY, HYDRAULIC, MANUAL (USE MIL-PRF-46725C) [CUST: AT] [REVIEW: CC CR4 MI] | A 2590 | AT | 01-NOV-95 | |
| | MIL-T-46744E NOT 1 | TRAILERS, MAINTENANCE: 454 AND 910 KILOGRAM (1000 AND 2000 POUND) PAYLOAD, TWO WHEEL, MODIFIED COMMERCIAL [CUST: AT] | A 2330 | AT | 13-DEC-96 | |
| | MIL-T-46748H NOT 1 | TRUCKS, REFUSE COLLECTION: WITH FRONT CONTAINER HOIST; 20 200 TO 25 400 KILOGRAMS (44,500 TO 56,000 POUNDS) GVW, 6X4, WITH TILT CAB, MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2320 | AT | 29-SEP-95 | |
| | MIL-T-46765D NOT 1 | TRUCKS, TANK: SEWAGE AND WASTE, DUMP TYPE, 4550 AND 7570 LITER (1200 AND 2000 GALLON), MODIFIED COMMERCIAL [CUST: AT] | A 2320 | AT | 28-SEP-95 | |
| | MIL-T-46768D NOT 1 | TRAILERS, LIVING QUARTERS: SELF-CONTAINED, MODIFIED COMMERCIAL [CUST: AT] | A 2330 | AT | 21-NOV-95 | |
| | MIL-S-46777C NOT 2 | SEMITRAILERS, DUMP, COMMERCIAL, GENERAL SPECIFICATION FOR [CUST: AT] [REVIEW: CE MC YD1] | A 2330 | AT | 30-OCT-95 | |
| | MIL-S-46777/1 NOT 2 | SEMITRAILER, DUMP, COMMERCIAL SIZE 10, REFUSE SPECIAL [CUST: AT] [REVIEW: CE MC YD1] | A 2330 | AT | 30-OCT-95 | |
| | MIL-S-46777/2 NOT 2 | SEMITRAILER, DUMP, COMMERCIAL SIZE 12 [CUST: AT] [REVIEW: CE MC YD1] | A 2330 | AT | 30-OCT-95 | |
| | MIL-S-46777/3 NOT 2 | SEMITRAILER, DUMP, COMMERCIAL SIZE 20 [CUST: AT] [REVIEW: CE MC YD1] | A 2330 | AT | 30-OCT-95 | |
| | MIL-S-46777/4 NOT 2 | SEMITRAILER, DUMP, COMMERCIAL SIZE 25 [CUST: AT] [REVIEW: CE MC YD1] | A 2330 | AT | 30-OCT-95 | |
| | MIL-S-46777/5 NOT 2 | SEMITRAILER, HOPPER BOTTOM DUMP, COMMERCIAL SIZE 30 [CUST: AT] [REVIEW: CE MC YD1] | A 2330 | AT | 30-OCT-95 | |
| | MIL-T-46780D(3) NOT 1 | TRUCK, 2 1/2 TON, 6 X 6, MILITARY DESIGN, M44A2 MULTI-FUEL ENGINE SERIES [CUST: AT] [REVIEW: CR4 MC] | A 2320 | AT | 21-SEP-95 | |
| | MIL-T-46791D NOT 1 | TRAILERS, CARGO: 500, 2,000 AND 3,000 POUND PAYLOAD, 2 WHEEL, MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2330 | AT | 13-DEC-96 | |
| M | MIL-C-46793C NOT 3 | CUPOLA BODY ASSEMBLY FOR ARMORED VEHICLE BRIDGE LAUNCHER, M60A1 AND M48A5 TANK CHASSIS [CUST: AT] [REVIEW: 99 CC MC] | A 5420 | AT | 22-MAY-98 | |
| | MIL-T-46797B NOT 2 | TRUCK, WITH HIGH LIFT DUMP MECHANISM: DUMP, CARGO AND STAKE BODY TYPES, DIESEL AND GASOLINE ENGINE DRIVEN, 24,000 GVW, 4X2, COMMERCIAL [CUST: AT] | A 2320 | AT | 21-NOV-95 | |
| | MIL-L-46811B NOT 1 | LUBRICATION OF GROUND HANDLING, LAUNCHING AND CONTROL EQUIPMENT FOR GUIDED MISSILES [CUST: MI] | A 1440 | MI | 30-APR-96 | |
| | MIL-R-46837B NOT 1 | RACEWAYS, STEEL, RIGID [CUST: MI] [REVIEW: GS] | A 5975 | MI | 02-APR-96 | |
| A | MIL-S-46850D(1) NOT 1 | STEEL: BAR, PLATE, SHEET, STRIP, FORGINGS, AND EXTRUSIONS, 18 PERCENT NICKEL ALLOY, MARAGING, 200 KSI, 250 KSI, 300 KSI, AND 350 KSI, HIGH QUALITY [CUST: MI AS IS] [REVIEW: AR MR OS] | A 9515 | IS | 16-JUN-97 | |
| | MIL-G-46858A NOT 2 | GUIDANCE AND CONTROL SYSTEMS, MISSILEBORNE, REMOTE CONTROL (COMMAND) GUIDED MISSILES, GENERAL SPECIFICATION FOR [CUST: MI AS IS] [REVIEW: 19 70 MC OS] | A 1420 | MI | 25-APR-96 | |
| | MIL-M-46861B NOT 1 | MOLDING MATERIAL, GLASS MAT, EPOXY COATED [CUST: MI] [REVIEW: GS MR] | A 9330 | MI | 17-MAY-96 | |
| | MIL-M-46862B NOT 1 | MOLDING MATERIAL, GLASS, EPOXY IMPREGNATED [CUST: MI] [REVIEW: GS] | A 9330 | MI | 17-MAY-96 | |
| | MIL-P-46872A NOT 1 | POTTING AND MOLDING OF CABLE ASSEMBLIES, PROCESS FOR [CUST: MI] [REVIEW: AR] | A 14GP | MI | 20-MAY-96 | |
| | MIL-P-46901A NOT 2 | PRIMER, PERCUSSION, M49 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | 13-FEB-97 | |
| | MIL-R-46903B NOT 2 | RELAY, EXPLOSIVE, XM10 LOADING, ASSEMBLING AND PACKING [CUST: AR] [REVIEW: MI] | A 1375 | AR | 14-MAR-97 | |
| | MIL-R-46904B NOT 1 | RELAY, EXPLOSIVE, XM10 PARTS FOR [CUST: AR] [REVIEW: MI] | A 1375 | AR | 14-MAR-97 | |
| | MIL-H-46906B NOT 4 | HOLDERS, INCREMENT M1A1, M2A1 AND M3 PARTS FOR [CUST: AR] | A 1315 | AR | 06-FEB-96 | |
| | MIL-C-46907B(8) NOT 1 | CHARGE, PROPELLING, M36A1, BAG LOADING ASSEMBLY FOR [CUST: AR] | A 1315 | AR | 13-FEB-97 | |
| | MIL-C-46908(3) NOT 2 | CHARGE, PROPELLING, 155MM, M3, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 13-FEB-97 | |
| | MIL-C-46909D NOT 1 | CHARGE, EXPELLING, FOR PROJECTILE, HC SMOKE, 155 MM, M116A1 [CUST: EA] | A 1320 | EA | 28-SEP-95 | |
| | MIL-O-46910C(2) NOT 2 | OBTURATING MECHANISM, PARTS FOR [CUST: AR] | A 1315 | AR | 06-FEB-96 | |
| | MIL-C-46915 NOT 2 | CAP, BLASTING, ELECTRIC, M6 INERT ASSEMBLY [CUST: AR] | A 1375 | AR | 13-FEB-97 | |
| | MIL-C-46916C(2) NOT 1 | CAP, BLASTING, NON-ELECTRIC INERT [CUST: AR] | A 1375 | AR | 13-FEB-97 | |
| | MIL-P-46917B NOT 2 | PRIMER, PERCUSSION, M34 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | 13-FEB-97 | |
| | MIL-C-46919A(1) NOT 2 | CARTRIDGE, ILLUMINATION, M301A2 WITH FUZE, TIME, M84 FOR 81MM MORTARS LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 06-FEB-96 | |
| | MIL-C-46920B(2) NOT 2 | CHARGE, EXPELLING, FOR CARTRIDGE ILLUMINATING, 4.2 INCH, M335A2 [CUST: AR] | A 1315 | AR | 06-FEB-96 | |
| | MIL-C-46921 NOT 2 | CHARGE, PROPELLING DUMMY, M3 FOR CARTRIDGE TRAINING: 105MM, M14 [CUST: AR] | A 1315 | AR | 13-FEB-97 | |
| | MIL-C-46923A NOT 2 | CHARGE, PROPELLING, FOR 75MM HOWITZER M2A1 AND M3 [CUST: AR] | A 1315 | AR | 13-FEB-97 | |
| | MIL-C-46927A NOT 2 | CARTRIDGE, 90MM, PRACTICE, M371 WITH FUZE, PIBD, M530A1 AND MOX-2B PELLET LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 06-FEB-96 | |
| | MIL-C-46931F(1) NOT 1 | CARTRIDGE, 7.62MM, NATO, BALL, M80 [CUST: AR] | A 1305 | AR | 06-FEB-96 | |
| | MIL-C-46933A(9) NOT 1 | CARTRIDGE, 7.62MM, NATO, BLANK, M82 [CUST: AR] | A 1305 | AR | 06-FEB-96 | |
| | MIL-C-46934B(6) NOT 2 | CARTRIDGE, 7.62MM, NATO, MATCH, M118 [CUST: AR] | A 1305 | AR | 06-FEB-96 | |
| A | MIL-C-46935B(1) NOT 1 | CARTRIDGES, COMMERCIAL [CUST: AR] | A 1305 | AR | 31-JUL-97 | |
| | MIL-C-46936B(3) NOT 1 | CARTRIDGE, 5.56MM, TEST, HIGH PRESSURE, M197 [CUST: AR] | A 1305 | AR | 06-FEB-96 | |
| | MIL-C-46937B(1) NOT 1 | CARTRIDGE, CALIBER .45, BLANK, M9 [CUST: AR] | A 1305 | AR | 06-FEB-96 | |
| | MIL-C-46939 NOT 4 | CASE, CARTRIDGE, 90MM, M19 [CUST: AR] | A 1315 | AR | 13-FEB-97 | |
| | MIL-C-46940(4) NOT 1 | CASE, CARTRIDGE, 105MM, M14 [CUST: AR] | A 1315 | AR | 12-DEC-95 | |
| | MIL-C-46944 | CUTTER, POWDER ACTUATED, REEFING LINE, XM23 METAL PARTS ASSEMBLY (INACTIVE FOR NEW DESIGN) [CUST: OS] | A 1377 | OS | 15-JUL-88 | |
| | MIL-C-46945(1) | CUTTER, POWER ACTUATED, REEFING LINE, XM23 ASSEMBLY [CUST: OS] | A 1375 | OS | 26-SEP-88 | |
| | MIL-C-46956B NOT 2 | CARTRIDGE, 105MM, WP-T, XM416, LOADING, ASSEMBLING AND PACKING [CUST: EA] | A 1315 | EA | 28-SEP-95 | |
| A | MIL-B-46957B NOT 2 | BURSTER, PROJECTILE, M48 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 12-AUG-97 | |
| | MIL-L-46959B(2) NOT 2 | LUCKY ASSEMBLY, INSULATED, FOR CARTRIDGES 105MM, HEAT-T, M456A1 AND 90MM, HEAT-T, M431A2 PARTS FOR, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 13-FEB-97 | |
| | MIL-M-46960D NOT 4 | MINE, ANTIPERSONNEL, M16A2 PARTS FOR [CUST: AR] | A 1345 | AR | 13-FEB-97 | |
| | MIL-P-46964A NOT 1 | PROJECTILE, 8 INCH, CHEMICAL AGENT GB, M426, WITHOUT FUZE AND BURSTER, FILLING OF [CUST: EA] | A 1320 | EA | 28-SEP-95 | |
| | MIL-F-46965 NOT 1 | FUZE, BOMB, XM912 [CUST: EA] | A 1325 | EA | 28-SEP-95 | |
| | MIL-B-46966 NOT 2 | BURSTER, BOMB, M32 [CUST: EA] | A 1325 | EA | 28-SEP-95 | |
| | MIL-B-46967 NOT 1 | BOMB, GAS, NONPERSISTENT, GB, 750-POUND MC-1, INERT COMPONENTS FOR [CUST: EA] | A 1325 | EA | 28-SEP-95 | |
| | MIL-B-46968 NOT 2 | BOMB, GAS, NONPERSISTENT, GB, 750-POUND, (WITHOUT FUZE AND BURSTER) MC-1, FILLING ASSEMBLY AND MARKING [CUST: EA] | A 1325 | EA | 28-SEP-95 | |
| | MIL-C-46982B(2) NOT 2 | CARTRIDGE, 4.2 INCH, HE, M329A1 WITH SUPPLEMENTARY CHARGE, WITH FUZE PD, M557, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 06-FEB-96 | |
| | MIL-M-46984D NOT 1 | MINE, CHEMICAL AGENT, VX, M23 [CUST: EA] | A 1345 | EA | 28-SEP-95 | |
| | MIL-M-46985D NOT 1 | MINE, CHEMICAL AGENT, VX, M23, INERT COMPONENTS [CUST: EA] | A 1345 | EA | 28-SEP-95 | |
| | MIL-P-46987B NOT 1 | PROJECTILE, 8-INCH, CHEMICAL AGENT VX, M426, WITHOUT FUZE AND BURSTER, FILLING OF [CUST: EA] | A 1320 | EA | 28-SEP-95 | |
| A | MIL-C-46988C(4) NOT 1 | CARTRIDGE, 105MM, TP-T, M490 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 12-AUG-97 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-S-46989A NOT 1 | SLEEVE, ENCASMENT, NYLON, KNITTED [CUST: AR] | A 1375 | AR | | 13-FEB-97 |
| | MIL-P-46990 NOT 2 | PROPELLANT, M1 FOR USE IN CHARGE PROPELLING FOR 75MM HOWITZER M1A1 AND M3 [CUST: AR] | A 1376 | AR | | 13-FEB-97 |
| | MIL-C-46995C(3) NOT 2 | CARTRIDGE, 8MM, HE, M374 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 06-FEB-96 |
| | MIL-R-47025A NOT 1 | RESIN, CASTING, FIRE RETARDANT, EPOXY BASE [CUST: MI] [REVIEW: GS] | A 9330 | MI | | 28-MAY-96 |
| | MIL-T-47052(1) NOT 2 | TAPE, EPOXY-GLASS CLOTH, THERMOSETTING, PRESSURE SENSITIVE ADHESIVE [CUST: MI] | A 5970 | MI | | 31-OCT-95 |
| | MIL-T-47063A NOT 1 | TRIETHYL CITRATE [CUST: MI] [REVIEW: GS] | A 6810 | MI | | 22-JAN-96 |
| | MIL-P-47067 NOT 4 | 2, 4 - PENTANEDIONE [CUST: MI] | A 6810 | MI | | 15-AUG-95 |
| | MIL-A-47073(1) NOT 3 | ADHESIVE, PLASTIC RESIN [CUST: OS] | A 8040 | OS | | 20-MAY-92 |
| | MIL-W-47091A NOT 1 | WELDING, ARC AND GAS; FOR FABRICATING GROUND EQUIPMENT FOR ROCKETS AND GUIDED MISSILES [CUST: MI] | A THJM | MI | | 28-MAY-96 |
| | MIL-P-47099A(1) NOT 2 | POLYURETHANE FOAM, POLYETHER TYPE, RIGID, FOR PACKAGING AND ENCAPSULATION OF ELECTRICAL COMPONENTS [CUST: MI] | A 5970 | MI | | 20-MAY-96 |
| | MIL-I-47100 NOT 4 | INSULATION SLEEVING, FLEXIBLE, BRAIDED, 200 DEGREES CELSIUS (HIGH TEMPERATURE POLYAMIDE) [CUST: MI] | A 5970 | MI | | 12-JUN-95 |
| | MIL-C-47175A(1) NOT 2 | COMPOUND, POLYURETHANE, FOR CONFORMAL COATING OF ELECTRONIC CIRCUITRY [CUST: MI] [REVIEW: GS] | A 9330 | MI | | 18-APR-96 |
| | MIL-R-47211A(1) NOT 1 | RUBBER, SILICONE, ROOM TEMPERATURE CURING [CUST: MI] [REVIEW: GS] | A 9320 | MI | | 28-APR-97 |
| | MIL-P-47215B NOT 1 | PRIMER, ABLATIVE RESISTANT COATING [CUST: MI] | A 8030 | MI | | 28-MAY-96 |
| | MIL-C-47224B NOT 1 | COMPOUND, MOLDING, TRANSFER, EPOXY RESIN, SINGLE-COMPONENT [CUST: MI] [REVIEW: GS] | A 9330 | MI | | 17-APR-96 |
| A | MIL-C-47238A NOT 1 | CABLE, ELECTRICAL, SHIELDED AND JACKETED, SPECIAL PURPOSE [CUST: MI IS] [REVIEW: AR] | A 6145 | IS | | 16 JUN-97 |
| | MIL-C-47244A NOT 1 | COATING, ABLATIVE RESISTANT [CUST: MI] | A 8030 | MI | | 23 JAN-96 |
| | MIL-C-47246A NOT 1 | COATINGS, ABLATIVE, APPLICATION OF [CUST: MI] | A 8030 | MI | | 23 JAN-96 |
| | MIL-V-47308A NOT 1 | VALVE, SERVO, HYDRAULIC FLOW CONTROL [CUST: MI] | A 4810 | MI | | 02-APR-96 |
| | MIL-G-47316A NOT 1 | GRAPHITE, MOLDED, FOR HIGH TEMPERATURE APPLICATIONS [CUST: MI] | A 9390 | MI | | 30-APR-96 |
| | MIL-S-47319A NOT 1 | STEEL, BAR, BILLET AND FORGINGS COBALT-FREE MARAGING [CUST: MI] | A 9515 | MI | | 27 JUN-95 |
| | MIL-T-47326 NOT 1 | TAPE, PRESSURE-SENSITIVE ADHESIVE, ALUMINUM-BACKED, ELECTRICALLY CONDUCTIVE [CUST: MI] | A 5999 | MI | | 11-MAY-95 |
| | MIL-T-47500 SUP 1 NOT 1 | TECHNICAL DATA PACKAGE, GENERAL SPECIFICATION FOR [CUST: MI] [REVIEW: AR AT AV CE CR GL MR SM] | A CMAN | MI | | 23-OCT-91 |
| | MIL-T-47500/1 NOT 1 | TECHNICAL DATA PACKAGES, DRAWINGS, DESIGN [CUST: MI] [REVIEW: AR AT AV CE CR CR4 GL SM] | A CMAN | MI | | 23-OCT-91 |
| | MIL-T-47500/2 NOT 1 | TECHNICAL DATA PACKAGES DRAWINGS, PRODUCT [CUST: MI] [REVIEW: AR AT AV CE CR CR4 GL SM] | A CMAN | MI | | 23-OCT-91 |
| | MIL-T-47500/3 NOT 1 | TECHNICAL DATA PACKAGES DRAWINGS, COMMERCIAL [CUST: MI] [REVIEW: AR AT AV CE CR CR4 GL SM] | A CMAN | MI | | 23-OCT-91 |
| | MIL-T-47500/4 NOT 1 | TECHNICAL DATA PACKAGES DRAWINGS, SPECIAL TEST EQUIPMENT (STE), SPECIAL INSPECTION EQUIPMENT (SIE), AND SPECIAL TOOLING [CUST: MI] [REVIEW: AR AT AV CE CR CR4 GL SM] | A CMAN | MI | | 23-OCT-91 |
| | MIL-T-47500/5 NOT 1 | TECHNICAL DATA PACKAGES SPECIFICATION, TYPES AND FORMS [CUST: MI] [REVIEW: AR AT AV CE CR CR4 GL SM] | A CMAN | MI | | 23-OCT-91 |
| | MIL-T-47500/6 NOT 1 | TECHNICAL DATA PACKAGES QUALITY ASSURANCE PROVISIONS [CUST: MI] [REVIEW: AR AT AV CE CR CR4 GL] | A CMAN | MI | | 23-OCT-91 |
| | MIL-C-48018 NOT 3 | CONNECTOR, ELECTRICAL [CUST: AR] | A 1110 | AR | | 21-JUN-95 |
| | MIL-C-48019 NOT 3 | CONNECTOR, ELECTRICAL [CUST: AR] | A 1110 | AR | | 21-JUN-95 |
| | MIL-B-48024(5) NOT 1 | BOXES, AMMUNITION PACKING: WOOD, (W/PLYWOOD TOP AND BOTTOM) NAILED [CUST: AR] | A 8140 | AR | | 06-FEB-96 |
| | MIL-D-48025A(2) NOT 1 | DETONATOR, STAB, M99 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 13-FEB-97 |
| | MIL-R-48032 NOT 2 | RING LUCKY AND INSULATOR ASSEMBLY FOR CARTRIDGE, 105MM, HEAT-T: M456A1E1 [CUST: AR] | A 1315 | AR | | 12-DEC-95 |
| | MIL-P-48043A(4) NOT 1 | PROJECTILE, 155MM, ILLUMINATING M485A2, METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | | 13-FEB-97 |
| | MIL-C-48044 NOT 1 | CARTRIDGE, 40MM, PROOF, XM387E4 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 06-FEB-96 |
| | MIL-C-48045 NOT 2 | CARTRIDGE, 40MM, PROOF, XM387E4; BODY ASSEMBLY AND OGIVE FOR METAL PARTS [CUST: AR] | A 1310 | AR | | 06-FEB-96 |
| A | MIL-D-48046A NOT 1 | DETONATOR, STAB, XM91 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 13-AUG-97 |
| A | MIL-G-48047B(3) NOT 1 | GRENAD, GP, M46 BODY ASSEMBLY, TYPE CA, FOR [CUST: AR] | A 1330 | AR | | 12-AUG-97 |
| | MIL-B-48056(1) NOT 1 | BARRIER MATERIAL, FLEXIBLE, WATERVAPORPROOF, PUNCTURE-RESISTANT, HEAT SEALABLE FOR PACKAGING AMMUNITION [CUST: AR] [REVIEW: GL] | A 8135 | AR | | 06-FEB-96 |
| | MIL-F-48057B(7) NOT 1 | FUZE, ROCKET, PIBD, M438 SUB-ASSEMBLY WITH DETONATOR [CUST: AR] | A 1340 | AR | | 13-FEB-97 |
| | MIL-C-48060 NOT 4 | CARTRIDGE, 105MM, HE, M444E1, FUSIBLE PLUG ASSEMBLY FOR [CUST: AR] | A 1315 | AR | | 13-FEB-97 |
| | MIL-G-48062C(5) NOT 1 | GRENAD, HE, G.P., M46 LOADING AND ASSEMBLING [CUST: AR] | A 1330 | AR | | 13-FEB-97 |
| | MIL-L-48066B NOT 1 | LEAD, MULTI-PURPOSE PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 13-FEB-97 |
| | MIL-C-48069A NOT 1 | CARTRIDGE, 40MM, HIGH VELOCITY, DUMMY, M922A1 ASSEMBLING AND PACKAGING [CUST: AR] | A 1310 | AR | | 06-FEB-96 |
| | MIL-C-48070(1) NOT 2 | CASE, CARTRIDGE ASSEMBLY, 40MM, M169, INERT METAL PARTS FOR [CUST: AR] | A 1310 | AR | | 06-FEB-96 |
| | MIL-C-48072 NOT 2 | CAP, WINDSHIELD ASSEMBLY, METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | | 13-FEB-97 |
| | MIL-P-48077 NOT 2 | PRIMER: M104, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 13-FEB-97 |
| | MIL-A-48078A NOT 1 | AMMUNITION, STANDARD QUALITY ASSURANCE PROVISIONS, GENERAL SPECIFICATION FOR [CUST: AR] | A 1395 | AR | | 09-FEB-95 |
| | MIL-C-48082B(2) NOT 1 | CARTRIDGE, 40MM, HEDP, M433; SPITBACK ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKAGING [CUST: AR] | A 1310 | AR | | 06-FEB-96 |
| | MIL-C-48083A NOT 2 | CONTAINER, CARTRIDGE FOR 4.2 INCH AMMUNITION [CUST: AR] | A 1315 | AR | | 06-FEB-96 |
| | MIL-S-48084A NOT 2 | STRIKER NUT ASSEMBLY FOR 4.2 INCH AMMUNITION [CUST: AR] | A 1315 | AR | | 09-FEB-96 |
| | MIL-H-48085A NOT 2 | HOLDER, PROPELLANT FOR 4.2 INCH AMMUNITION [CUST: AR] | A 1315 | AR | | 06-FEB-96 |
| | MIL-I-48086(4) NOT 1 | INCREMENTS, PROPELLANT FOR CHARGE, PROPELLING, M36A2 (MADE FROM PROPELLANT M8) [CUST: AR] | A 1376 | AR | | 13-FEB-97 |
| | MIL-C-48087A(6) NOT 1 | CARTRIDGE, 4.2 INCH, HE, M329A2 W/SUPPLEMENTARY CHARGE LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 06-FEB-96 |
| | MIL-B-48088A(3) NOT 1 | BAG LOADING ASSEMBLY FOR M36A2 PROPELLING CHARGE [CUST: AR] | A 1315 | AR | | 13-FEB-97 |
| | MIL-P-48091G(1) NOT 1 | PROJECTILE, 8 INCH: HE: M509A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 14-DEC-95 |
| | MIL-P-48092B NOT 2 | PROJECTILE, 8 INCH, HE M509A1; HARDWARE METALLIC FOR [CUST: AR] | A 1320 | AR | | 07-FEB-96 |
| | MIL-P-48093A(3) NOT 1 | PROJECTILE, 8 INCH, HE: M509A1 HARDWARE NON-METALLIC FOR [CUST: AR] | A 1320 | AR | | 14-FEB-97 |
| | MIL-P-48094B NOT 2 | PROJECTILE, 8 INCH, HE, M509A1 HARDWARE NON METALLIC [CUST: AR] | A 1320 | AR | | 07-FEB-96 |
| | MIL-I-48110B(2) NOT 2 | IGNITER ASSEMBLY, ROCKET, FOR DEMOLITION KIT, CRATERING, M180 [CUST: AR] | A 1375 | AR | | 14-FEB-97 |
| | MIL-D-48111A(2) NOT 2 | DETONATOR, STAB, M94 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 14-FEB-97 |
| | MIL-C-48115A(5) NOT 1 | CARTRIDGE, 40MM, HEDP, M430; SPITBACK ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 07-FEB-96 |
| | MIL-D-48116 NOT 1 | DELAY ELEMENT M2, FOR FUZES M557 AND M524 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 14-FEB-97 |
| | MIL-D-48120A(2) NOT 1 | DETONATOR, ELECTRIC, M100 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 14-FEB-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-P-48127 NOT 1 | PROPELLANT, M9 FOR USE IN CHARGE, PROPELLING, M36A2 [CUST: AR] | A 1375 | AR | | 14-FEB-97 |
| | MIL-C-48132 NOT 1 | CARTRIDGE, 106MM, PRACTICE, M344A1, W/INERT PROJECTILE, W/O FUZE LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 07-FEB-96 |
| A | MIL-C-48135(2) NOT 1 | CARTRIDGE, 105MM, HE M1, (MOD) LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 12-AUG-97 |
| | MIL-C-48136(2) NOT 2 | CHARGE, PROPELLING ASSEMBLY (SINGLE BAG) 105MM, HOWITZER M137 (MOD) [CUST: AR] | A 1315 | AR | | 14-FEB-97 |
| | MIL-F-48137A NOT 2 | FUZE, GM, ET, LANCE, XM819 PARTS, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1336 | AR | | 14-FEB-97 |
| A | MIL-C-48139B(4) NOT 1 | CARTRIDGE, 105MM, TPDS-T, M724A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 12-AUG-97 |
| | MIL-T-48140(1) NOT 4 | TUNGSTEN POWDER (FOR PYROTECHNICS) [CUST: AR] | A 1376 | AR | | 05-MAR-97 |
| | MIL-C-48152 NOT 2 | CAP, SPIKE, FOR CARTRIDGE, 105MM, HEAT-T, M456A1E1 [CUST: AR] | A 1315 | AR | | 12-DEC-95 |
| | MIL-N-48153 NOT 2 | NOSE LUCKY AND INSULATOR ASSEMBLY FOR CARTRIDGE 105MM, HEAT-T, M456A1E1 PARTS FOR, ASSEMBLY AND PACKING [CUST: AR] | A 1315 | AR | | 12-DEC-95 |
| | MIL-P-48154B(3) NOT 1 | PROPELLANT M1 FOR USE IN CARTRIDGE, 105MM, TPDS-T, M724A1 [CUST: AR] | A 1376 | AR | | 14-FEB-97 |
| | MIL-C-48161B(2) NOT 1 | CARTRIDGE, IGNITION, 702 PARTS FOR [CUST: AR] | A 1310 | AR | | 14-FEB-97 |
| | MIL-C-48162B(2) NOT 1 | CARTRIDGE, IGNITION, M702 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 14-FEB-97 |
| A | MIL-G-48165 NOT 2 | GRENADE, G.P.: M43A1 AND BOMB, BLU-18 CONTAINER ASSEMBLY FOR [CUST: AR] | A 1330 | AR | | 12-AUG-97 |
| | MIL-P-48166 NOT 2 | PRIMER, PERCUSSION, M98 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 14-FEB-97 |
| | MIL-F-48167 NOT 4 | FLECHETTE, EIGHT GRAIN [CUST: AR] | A 1315 | AR | | 14-FEB-97 |
| | MIL-F-48168 NOT 2 | FLECHETTE, THIRTEEN GRAIN [CUST: AR] | A 1315 | AR | | 12-DEC-95 |
| | MIL-C-48171(7) NOT 1 | CARTRIDGE, 81MM, HE, M374A3 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 07-FEB-96 |
| | MIL-F-48172(6) NOT 1 | FUZE, PD, M935 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 14-FEB-97 |
| | MIL-D-48175B NOT 1 | DETONATOR, ELECTRIC, PATRIOT PARTS, ASSEMBLING, LOADING AND PACKING FOR [CUST: AR] | A 1336 | AR | | 14-FEB-97 |
| | MIL-B-48177 NOT 2 | BARIUM SULFATE [CUST: AR] | A 1376 | AR | | 14-FEB-97 |
| | MIL-C-48180 NOT 2 | CARTRIDGE, HE, 60MM, M49A4E1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 14-FEB-97 |
| | MIL-M-48183B NOT 1 | MUNITION FOR PROJECTILE, 155MM, M692/M731, DELAY DETONATOR FOR [CUST: AR] | A 1375 | AR | | 27-FEB-97 |
| | MIL-M-48184A NOT 2 | MUNITION FOR PROJECTILE, 155MM, M692/M731; LEAD CUP ASSEMBLY FOR [CUST: AR] | A 1345 | AR | | 14-FEB-97 |
| | MIL-M-48185B NOT 1 | MUNITION FOR PROJECTILE, 155MM, HE, M692/M731, DETONATING CORD ASSEMBLY FOR [CUST: AR] | A 1375 | AR | | 14-FEB-97 |
| | MIL-P-48187C NOT 3 | PROJECTILE, 155MM, HE: M692 AND M731, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 14-FEB-97 |
| | MIL-P-48188A NOT 3 | PROJECTILES, 155MM, HE, M692 AND M731 METALLIC HARDWARE FOR [CUST: AR] | A 1320 | AR | | 14-FEB-97 |
| | MIL-P-48189D NOT 1 | PROJECTILE, 155MM, HE, M692 AND M731 HOUSING, TIMING AND FUZING FOR [CUST: AR] | A 1345 | AR | | 14-FEB-97 |
| | MIL-V-48190(1) NOT 3 | VENT ASSEMBLY [CUST: AR] | A 1190 | AR | | 21-JUN-95 |
| | MIL-K-48196 NOT 3 | KEY [CUST: AR] | A 1135 | AR | | 21-JUN-95 |
| | MIL-G-48204 NOT 3 | GROMMET ASSEMBLY [CUST: AR] | A 1110 | AR | | 21-JUN-95 |
| | MIL-R-48211 NOT 2 | RING, EXTERNAL THREADED (SCREW, RETAINING) [CUST: AR] [REVIEW: MI] | A NUOR | AR | | 21-JUN-95 |
| | MIL-R-48212 NOT 2 | RESTRICTOR, FLUID FLOW [CUST: AR] [REVIEW: MI] | A NUOR | AR | | 21-JUN-95 |
| | MIL-H-48215 NOT 3 | HOOK (MODIFIED) [CUST: AR] | A 1190 | AR | | 21-JUN-95 |
| | MIL-D-48221 NOT 1 | DETONATOR ELECTRIC M95 (T61) PARTS FOR LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1375 | AR | | 14-FEB-97 |
| | MIL-G-48226B(2) NOT 1 | GRENADES, GP: M42 AND M46 LEAD CUP ASSEMBLY FOR [CUST: AR] | A 1330 | AR | | 05-MAR-97 |
| | MIL-B-48227A NOT 2 | BANDOLEER, 40MM AMMUNITION, SUPPORT, PLASTIC FOR [CUST: AR] | A 1310 | AR | | 07-FEB-96 |
| | MIL-B-48228A NOT 2 | BANDOLEERS FOR CARTRIDGES, 40MM AMMUNITION [CUST: AR] | A 1310 | AR | | 07-FEB-96 |
| | MIL-P-48231 NOT 1 | PROPELLANT M6 FOR USE IN CARTRIDGE, 105MM APERS-T, M494 [CUST: AR] | A 1375 | AR | | 14-FEB-97 |
| A | MIL-F-48235(2) NOT 2 | FIRING DEVICE, ANTI-PERSONNEL MINE, ELECTRICAL M57E1 PARTS FOR, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 12-AUG-97 |
| | MIL-C-48237(3) NOT 1 | CARTRIDGE, 105MM, APDS-T, M728 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 07-FEB-96 |
| | MIL-C-48243D NOT 2 | CHARGE PROPELLING, 155MM, M203, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 14-FEB-97 |
| | MIL-M-48245B NOT 1 | MOLDING COMPOUND, HOUSING [CUST: AR] | A 1345 | AR | | 14-FEB-97 |
| A | MIL-G-48246 NOT 4 | GLYCERYL ESTER OF 12 HYDROXY STEARIC ACID [CUST: AR] [REVIEW: GS] | A 6810 | AR | | 02-FEB-98 |
| | MIL-P-48249A(2) NOT 2 | PROJECTILE, 155MM, ILLUMINATING, M485A2 ACCESSORIES FOR, AND ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 07-FEB-96 |
| | MIL-P-48250 NOT 2 | PRIMER, STAB, M55 PARTS AND LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1375 | AR | | 14-FEB-97 |
| | MIL-M-48261(6) NOT 3 | MINES, M718/M741 SYSTEM, METAL PARTS [CUST: AR] | A 1345 | AR | | 14-FEB-97 |
| | MIL-B-48265 NOT 2 | BAND, OBTURATING, FOR 175MM, PROJECTILE [CUST: AR] | A 1320 | AR | | 14-FEB-97 |
| | MIL-P-48266A NOT 2 | PROPELLANT M30 FOR USE IN CARTRIDGE, 105MM, APDS-T, M728 [CUST: AR] | A 1375 | AR | | 14-FEB-97 |
| | MIL-F-48267(2) NOT 2 | FUZE TIMER, MINE (INTEGRATED CIRCUIT) [CUST: AR] | A 1345 | AR | | 14-FEB-97 |
| | MIL-F-48277B(4) NOT 1 | FUZE, POINT DETONATING, M739 LESS BOOSTER PELLET [CUST: AR] | A 1390 | AR | | 14-FEB-97 |
| A | MIL-P-48283 NOT 2 | CALIBRATION PLUG [CUST: AR] | A 1345 | AR | | 30-OCT-97 |
| | MIL-L-48288(1) NOT 2 | LEAD ASSEMBLY (FOR MINE, M56 SUBSYSTEM) PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 07-FEB-96 |
| | MIL-T-48297(1) NOT 2 | TEST SET ASSEMBLY, DISPENSER CONTROL PANEL FOR M56 AIRCRAFT SUBSYSTEM [CUST: AR] | A 1345 | AR | | 14-FEB-97 |
| | MIL-W-48299 NOT 1 | WARHEAD, 2.75 INCH ROCKET, FLECHETTE, XM255 WITH AND WITHOUT FUZE, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1340 | AR | | 03-OCT-91 |
| | MIL-T-48321(1) NOT 2 | TEST SET, BATTERY, FOR M56 MINE [CUST: AR] | A 1345 | AR | | 14-FEB-97 |
| | MIL-P-48322B(8) NOT 1 | PROJECTILE, 8 INCH HE, RA, M650 AFT WARHEAD SECTION AND STRIPPABLE COATING ASSEMBLY [CUST: AR] | A 1320 | AR | | 07-FEB-96 |
| | MIL-P-48323C(5) NOT 1 | PROJECTILE, 8 INCH, HE, RA, M650 ROCKET MOTOR BODY ASSEMBLY [CUST: AR] | A 1320 | AR | | 07-FEB-96 |
| A | MIL-I-48331A(2) NOT 2 | INTEGRATED CIRCUIT, DIGITAL, CMOS, TIME BASE AND SPECIAL PURPOSE FUNCTION GENERATOR, MONOLITHIC, SILICON [CUST: AR] | A 1345 | AR | | 12-AUG-97 |
| | MIL-D-48345 NOT 1 | DISPENSER, BOMB, SUU-13-D/A [CUST: AR] | A 1345 | AR | | 07-FEB-96 |
| | MIL-C-48353 NOT 2 | CARTRIDGE, 105MM, SMOKE WP, M60A2, (MOD) W/FUZE, M557 FOR HOWITZER, M137 LOADING ASSEMBLING AND PACKING [CUST: AR] | A 1315 | EA | | 28-SEP-95 |
| | MIL-C-48354 NOT 2 | CARTRIDGE, IGNITION, XM702E2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 14-FEB-97 |
| | MIL-S-48363 NOT 2 | STAND, MAINTENANCE, FOR MINE DISPERSING SUBSYSTEM AIRCRAFT, M56 [CUST: AR] | A 1345 | AR | | 07-FEB-96 |
| | MIL-P-48367B NOT 2 | PROPELLANT M30A1 FOR USE IN CHARGE PROPELLING M203 [CUST: AR] | A 1375 | AR | | 14-FEB-97 |
| | MIL-P-48376 NOT 4 | PROJECTILE, 155MM, HE, M692 AND M731, NON-METALLIC HARDWARE FOR [CUST: AR] | A 1320 | AR | | 14-FEB-97 |
| | MIL-M-48379 NOT 2 | MINE, APERS, M18A1E1 (WITH ACCESSORIES) LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 14-FEB-97 |
| | MIL-S-48380 NOT 2 | SUPPORT, PROPELLING CHARGE (FOR USE IN AMMUNITION PACKING) [CUST: AR] | A 1315 | AR | | 07-FEB-96 |
| A | MIL-L-48385(1) NOT 2 | LINE, EXTENSION AND SPOOL ASSEMBLY FOR MINE, APERS, M18A1E1 [CUST: AR] | A 1345 | AR | | 12-AUG-97 |
| A | MIL-M-48386 NOT 2 | MINE, APERS, PRACTICE, M68E1 (WITH ACCESSORIES) ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 12-AUG-97 |
| | MIL-C-48393 NOT 2 | CARTRIDGE, IGNITION, XM702E2 PARTS FOR [CUST: AR] | A 1310 | AR | | 14-FEB-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-C-48394(3) NOT 1 | CARTRIDGE, 81MM, SMOKE, WP, M375A3 ASSEMBLING, MARKING AND PACKING [CUST: AR] | A 1315 | AR | | 07-FEB-96 |
| | MIL-H-48398 NOT 2 | HOLDER, BLASTING CAP, M8 [CUST: AR] | A 1375 | AR | | 14-FEB-97 |
| A | MIL-S-48403 NOT 1 | STEEL SHEET, HOT-DIP, ZINC-COATED (GALVANIZED), MINIMIZED SPANGLE, FOR AUTOMOTIVE VEHICLE BODY USE [CUST: AR] [REVIEW: 99 AT] | A 9515 | IS | | 05-JUN-96 |
| | MIL-L-48407B NOT 2 | LASER, TANK GUNNERY TRAINER: M55 [CUST: AR] | A 1240 | AR | | 29-NOV-95 |
| | MIL-H-48408A NOT 1 | HIGH VOLTAGE POWER SUPPLY, 11739861 [CUST: AR] | A 1240 | AR | | 14-FEB-97 |
| A | MIL-T-48409A NOT 1 | TIMING MODULE - 11737703 [CUST: AR] | A 1240 | AR | | 13-AUG-97 |
| A | MIL-T-48415(1) NOT 4 | TRACER, PROJECTILE, M3A1, ASSEMBLY PARTS FOR, AND LOADING, ASSEMBLING AND PACKAGING [CUST: AR] | A 1315 | AR | | 12-AUG-97 |
| | MIL-C-48423A(3) NOT 1 | CASE, CARTRIDGE, 105MM, M14B4 [CUST: AR] | A 1315 | AR | | 12-DEC-95 |
| | MIL-F-48425A(3) NOT 2 | FIN ASSEMBLY, M24 [CUST: AR] | A 1310 | AR | | 14-FEB-97 |
| A | MIL-D-48437A NOT 1 | DISPLAY, IMAGE 11744684 [CUST: AR] | A 1240 | AR | | 13-AUG-97 |
| | MIL-G-48438A NOT 1 | GENERATOR, TARGET, SIMULATED 11741100 [CUST: AR] | A 1240 | AR | | 14-FEB-97 |
| A | MIL-E-48441A(2) NOT 1 | ELBOW ASSEMBLY, PASSIVE: 11733401 [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| A | MIL-R-48442 NOT 1 | REGULATOR: 11733468 [CUST: AR] | A 1240 | AR | | 13-AUG-97 |
| | MIL-P-48446 NOT 2 | PENETRATOR, CODE AND NOSE COMPONENTS FOR PROJECTILE, 105MM, APDS-T, M392A1 [CUST: AR] | A 1315 | AR | | 12-DEC-95 |
| | MIL-B-48447A(2) NOT 1 | BODY ASSEMBLY: 11744900 (PERISCOPE: M35E1) [CUST: AR] | A 1240 | AR | | 28-NOV-95 |
| | MIL-A-48449A(3) NOT 1 | ALIGNMENT DEVICE, OPTICAL, GUN BORE [CUST: AR] | A 4931 | AR | | 11-JUL-96 |
| | MIL-P-48450A(1) NOT 1 | PERISCOPE, TANK, M35E1 [CUST: AR] | A 1240 | AR | | 29-NOV-95 |
| | MIL-P-48451A(1) NOT 1 | PERISCOPE, TANK, M36E1 [CUST: AR] | A 1240 | AR | | 28-NOV-95 |
| | MIL-C-48456B(2) NOT 2 | COMPUTER UNIT, FIRE CONTROL: 11732400 [CUST: AR] | A 1220 | AR | | 28-NOV-95 |
| | MIL-C-48457B(1) NOT 2 | CONTROL, GUNNER'S, COMPUTER: 11732500 [CUST: AR] | A 1220 | AR | | 11-DEC-95 |
| | MIL-C-48458B NOT 2 | CIRCUIT CARD ASSEMBLY, 11732392 GCU ELECTRONICS [CUST: AR] | A 1220 | AR | | 11-JUL-96 |
| | MIL-S-48459B(1) NOT 2 | SELECT UNIT, AMMUNITION: 11732600 [CUST: AR] | A 1220 | AR | | 11-DEC-95 |
| A | MIL-T-48460B(1) NOT 2 | TACHOMETER, RATE, COMPUTER, 11732700 [CUST: AR] | A 1220 | AR | | 13-FEB-97 |
| | MIL-S-48461B(2) NOT 4 | SENSOR, CANT ANGLE: 11732800 [CUST: AR] | A 1220 | AR | | 03-FEB-97 |
| | MIL-S-48464B(1) NOT 2 | SENSOR, CROSSWIND: 11733251 [CUST: AR] | A 1220 | AR | | 28-NOV-95 |
| | MIL-O-48465B(2) NOT 3 | OUTPUT UNIT: 11733100 [CUST: AR] | A 1220 | AR | | 03-FEB-97 |
| | MIL-T-48466B NOT 1 | TEST SET, CABLE, XM21 COMPUTER - AN/VVG-2 RANGEFINDER - AN/VSG-2 TANK THERMAL SIGHT - 11733300 [CUST: AR] | A 4931 | AR | | 11-JUL-96 |
| | MIL-T-48467C NOT 3 | TEST SET, FIELD [CUST: AR] | A 1240 | AR | | 03-FEB-97 |
| A | MIL-C-48468B(1) NOT 2 | CIRCUIT CARD ASSEMBLY: 11732332 INVERTER AND PLUS 15 VOLT REGULATOR [CUST: AR] | A 1220 | AR | | 12-AUG-97 |
| | MIL-C-48469B NOT 2 | CIRCUIT CARD ASSEMBLY 11732344 SWITCHING REGULATOR [CUST: AR] | A 1220 | AR | | 11-JUL-96 |
| | MIL-C-48470B(2) NOT 2 | CIRCUIT CARD ASSEMBLY: 11732350 RETICLE PROJECTOR AND ELEVATION SERVO DRIVE [CUST: AR] | A 1220 | AR | | 11-DEC-95 |
| | MIL-C-48471B(1) NOT 4 | CIRCUIT CARD ASSEMBLY: 11732354 LEAD, WINDAGE AND REFERENCE [CUST: AR] | A 1220 | AR | | 03-FEB-97 |
| | MIL-C-48472B(1) NOT 4 | CIRCUIT CARD ASSEMBLY: 11732360, SUPERELEVATION AND DRIFT [CUST: AR] | A 1220 | AR | | 27-FEB-97 |
| | MIL-C-48474B(1) NOT 2 | CIRCUIT CARD ASSEMBLY: 11834803 AMMO SELECT [CUST: AR] | A 1220 | AR | | 11-DEC-95 |
| | MIL-C-48475B(3) NOT 1 | CIRCUIT CARD ASSEMBLY: 11732369 SELF TEST [CUST: AR] | A 1220 | AR | | 11-DEC-95 |
| | MIL-C-48482C NOT 3 | CIRCUIT CARD ASSEMBLY - LASER CARD TEST LOAD SIMULATOR [CUST: AR] | A 1240 | AR | | 03-FEB-97 |
| | MIL-C-48484C NOT 3 | CIRCUIT CARD ASSEMBLY, COMPARATOR, TYPE 2 [CUST: AR] | A 1240 | AR | | 03-FEB-97 |
| | MIL-C-48487C NOT 3 | CIRCUIT CARD ASSEMBLY - LAMP DIODES [CUST: AR] | A 1240 | AR | | 03-FEB-97 |
| | MIL-C-48490B(2) NOT 1 | CONTROL, COMMANDER S SIGHT AND RECEIVER TRANSMITTER, LASER RANGING, 11743121 [CUST: AR] | A 1240 | AR | | 11-JUL-96 |
| A | MIL-E-48491B(1) NOT 2 | ELECTRONIC UNIT: 11743131 [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| | MIL-C-48497A(3) NOT 1 | COATING, SINGLE OR MULTILAYER, INTERFERENCE: DURABILITY REQUIREMENTS FOR [CUST: AR AS] [REVIEW: OS] | A 6650 | AR | | 14-MAR-97 |
| A | MIL-C-48550(3) NOT 1 | COLLIMATOR, INFINITY AIMING REFERENCE, MIAI [CUST: AR] | A 1240 | AR | | 12-AUG-97 |
| | MIL-B-48553(3) NOT 2 | BANDOLEER, XM8 [CUST: AR] | A 1305 | AR | | 08-FEB-96 |
| A | MIL-Q-48555A NOT 1 | QUADRANT, FIRE CONTROL: M17 [CUST: AR] | A 1290 | AR | | 13-AUG-97 |
| A | MIL-Q-48556A NOT 1 | QUADRANT, FIRE CONTROL: M18 [CUST: AR] | A 1290 | AR | | 19-AUG-97 |
| | MIL-C-48565(1) NOT 4 | CASE, CARTRIDGE, 90MM M108B1 [CUST: AR] | A 1315 | AR | | 03-FEB-97 |
| | MIL-P-48566(1) NOT 2 | PERISCOPES, TANK: 11747126 AND 11747127 [CUST: AR] | A 1330 | AR | | 05-FEB-97 |
| | MIL-B-48570A(3) NOT 2 | BAND, CENTERING FOR PROJECTILE 105MM DISCARDING SABOT [CUST: AR] | A 1315 | AR | | 11-JUL-96 |
| A | MIL-P-48571(1) NOT 1 | PERISCOPE, TANK, M32E1 [CUST: AR] | A 1240 | AR | | 13-AUG-97 |
| | MIL-M-48575(1) NOT 3 | MOUNT, TELESCOPE: 11741796 [CUST: AR] | A 1240 | AR | | 27-FEB-97 |
| A | MIL-R-48577(1) NOT 1 | REGULATOR ASSEMBLY, 11747171 [CUST: AR] | A 1240 | AR | | 13-AUG-97 |
| A | MIL-T-48578(1) NOT 1 | TRAINER, FIELD ARTILLERY: DIRECT FIRE (LASER): 11746409 [CUST: AR] | A 1240 | AR | | 13-AUG-97 |
| A | MIL-F-48580B(1) NOT 1 | FIN, M27 [CUST: AR] | A 1310 | AR | | 19-AUG-97 |
| | MIL-B-48589(3) NOT 4 | BODY ASSEMBLY: 11747350 (DAYLIGHT) [CUST: AR] | A 1240 | AR | | 03-FEB-97 |
| | MIL-R-48595A(2) NOT 2 | RANGEFINDER, FIRE CONTROL, LASER: 11743101 [CUST: AR] | A 1240 | AR | | 11-DEC-95 |
| | MIL-C-48596A(2) NOT 2 | COMPUTER SYSTEM, BALLISTIC, M21: 11732979 [CUST: AR] | A 1220 | AR | | 11-DEC-95 |
| A | MIL-P-48602(1) NOT 2 | PLOTTING BOARD, XM19, (M19) W/E [CUST: AR] | A 1220 | AR | | 27-AUG-97 |
| | MIL-S-48603 NOT 3 | SIGHT, BORE, REFLECTING, XM115E1 [CUST: AR] | A 1240 | AR | | 27-FEB-97 |
| A | MIL-T-48604(3) NOT 1 | TUBE, LASER, PLASMA, HELIUM NEON: 11746797 [CUST: AR] | A 1240 | AR | | 13-AUG-97 |
| A | MIL-C-48605A(1) NOT 1 | CONTROL ASSEMBLY R.F. (UNIT 1): 11748205 [CUST: AR] | A 1240 | AR | | 13-AUG-97 |
| | MIL-P-48606B(1) NOT 1 | POWER SUPPLY ASSEMBLY (UNIT 2): 11748133 [CUST: AR] | A 1240 | AR | | 11-JUL-96 |
| A | MIL-P-48609 NOT 1 | POWER SUPPLY ASSEMBLY, NIXIE [CUST: AR] | A 1240 | AR | | 19-AUG-97 |
| | MIL-C-48610B(1) NOT 2 | CIRCUIT CARD ASSEMBLY: 11746908 LOW VOLTAGE POWER SUPPLY CONTROL LOGIC [CUST: AR] | A 1240 | AR | | 11-JUL-96 |
| A | MIL-A-48611A(3) NOT 2 | ADHESIVE SYSTEM, EPOXY-ELASTOMERIC, FOR GLASS TO METAL [CUST: AR 99] [REVIEW: 11 69 MD] | A 8040 | AR | | 01-SEP-97 |
| A | MIL-B-48612A NOT 1 | BONDING WITH EPOXY-ELASTOMERIC ADHESIVE SYSTEM, GLASS TO METAL [CUST: AR] [REVIEW: AV] | A 12GP | AR | | 01-SEP-97 |
| | MIL-C-48615B NOT 3 | CIRCUIT CARD ASSEMBLY - CONTINUITY TEST CARD [CUST: AR] | A 1240 | AR | | 03-FEB-97 |
| | MIL-F-48616(2) NOT 1 | FILTER (COATINGS), INFRARED INTERFERENCE, GENERAL SPECIFICATION FOR [CUST: AR 99] [REVIEW: EA] | A 6650 | AR | | 14-MAR-97 |
| A | MIL-F-48616/100 NOT 2 | COATING, LOW REFLECTANCE, ORDINARY REQUIREMENTS FOR [CUST: AR] | A 6650 | AR | | 08-AUG-97 |
| A | MIL-F-48616/101 NOT 2 | COATING, LOW REFLECTANCE ON GERMANIUM, 8.0 TO 11.5, MICROMETERS, HIGH DURABILITY, SPECIAL REQUIREMENTS FOR [CUST: AR] | A 6650 | AR | | 08-AUG-97 |
| A | MIL-F-48616/102 NOT 2 | COATING, ULTRA LOW REFLECTANCE ON GERMANIUM, 7.5 TO 12.3 MICROMETERS, SPECIAL REQUIREMENTS FOR [CUST: AR] | A 6650 | AR | | 08-AUG-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc# | Action | Document Number | Document Title | Distribution FSC/Aves | MCA | Prep. Acty. | Date |
|------|--------|-----------------------------|---|-----------------------|-----|-------------|------|
| A | | MIL-F-48616/200 NOT 2 | COATING, HIGH REFLECTANCE, FIRST SURFACE, ORDINARY REQUIREMENTS FOR [CUST: AR] | A 6650 | AR | 08-AUG-97 | |
| A | | MIL-F-48616/301 NOT 2 | FILTER, WIDE BANDPASS, 7.7 TO 11.7 MICROMETERS, SPECIAL REQUIREMENTS FOR [CUST: AR] | A 6650 | AR | 08-AUG-97 | |
| A | | MIL-F-48616/500 NOT 2 | COATING, LONG WAVELENGTH PASS FILTER, ORDINARY REQUIREMENTS FOR [CUST: AR] | A 6650 | AR | 08-AUG-97 | |
| A | | MIL-F-48616/600 NOT 2 | COATING, SHORT WAVELENGTH PASS FILTER, ORDINARY REQUIREMENTS FOR [CUST: AR] | A 6650 | AR | 08-AUG-97 | |
| A | | MIL-C-48617A(2) NOT 1 | CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, M56A4 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1305 | AR | 31-OCT-95 | |
| A | | MIL-P-48618A(1) NOT 1 | PROJECTILE, 20MM, HEI, M56A5; METAL PARTS [CUST: AR] | A 1305 | AR | 01-NOV-95 | |
| A | | MIL-P-48619 NOT 1 | PERISCOPE, TANK, M32CE1 [CUST: AR] | A 1240 | AR | 19-AUG-97 | |
| A | | MIL-H-48620(2) NOT 1 | HEAD ASSEMBLY: 11747439 (PERISCOPE M32CE1) [CUST: AR] | A 1240 | AR | 13-AUG-97 | |
| A | | MIL-T-48621A(1) NOT 1 | TESTER, NOISE, X-BAND, AN/PSM-44: 11822700 [CUST: AR] | A 1290 | AR | 13-AUG-97 | |
| A | | MIL-C-48623(3) NOT 2 | CARTRIDGE, BLANK, CALIBER .50, M1A1 [CUST: AR] | A 1305 | AR | 08-FEB-96 | |
| A | | MIL-R-48628A NOT 3 | RACK, STORAGE, SMALL ARMS: M14 [CUST: AR] | A 1095 | AR | 03-FEB-97 | |
| A | | MIL-M-48629(1) NOT 1 | MINE, ANTITANK, PRACTICE: M79 ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | 11-JUL-96 | |
| A | | MIL-E-48630(3) NOT 1 | ELECTRONIC ASSEMBLY, FOR MINES, M718A1/M741A1, SYSTEM [CUST: AR] | A 1345 | AR | 13-AUG-97 | |
| A | | MIL-I-48632(2) NOT 1 | INTEGRATED CIRCUIT, DIGITAL, CMOS CONTROL AND TIMING BASE, MONOLITHIC, SILICON [CUST: AR] | A 1375 | AR | 11-JUL-96 | |
| A | | MIL-C-48633 NOT 1 | CONTAINER, AMMUNITION, FIBERBOARD [CUST: AR] | A 1345 | AR | 11-JUL-96 | |
| A | | MIL-I-48634(3) NOT 1 | INTEGRATED CIRCUIT, DIGITAL, CMOS LOGIC ARRAY MONOLITHIC SILICON [CUST: AR] | A 1375 | AR | 11-JUL-96 | |
| A | | MIL-C-48635(3) NOT 1 | CARTRIDGE, 81MM, PRACTICE M879 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 12-NOV-97 | |
| A | | MIL-T-48643A(3) NOT 1 | TILE, ARMOR: XM1 AND XM2, PARTS FOR [CUST: AR] | A 2350 | AR | 08-FEB-96 | |
| A | | MIL-M-48645A NOT 1 | MINE, ANTI-PERSONNEL, METAL PARTS FOR M131 SYSTEM [CUST: AR] | D 1345 | AR | 27-AUG-97 | |
| A | | MIL-M-48646 NOT 1 | MICROCIRCUIT, DIGITAL, SCO/DLA MULTICHIP CMOS [CUST: AR] | A 1345 | AR | 19-AUG-97 | |
| A | | MIL-M-48647 NOT 1 | MICROCIRCUIT, DIGITAL, DECODER, LOGIC ARRAY [CUST: AR] | A 1345 | AR | 19-AUG-97 | |
| A | | MIL-P-48648(2) NOT 3 | PROJECTILE, 155MM, TEST, NON-HAZARDOUS, M718A1/M741A1 TYPES LOADING, ASSEMBLING AND PACKING OF [CUST: AR] | A 1320 | AR | 03-FEB-97 | |
| A | | MIL-P-48649(3) NOT 3 | PROJECTILE, 155MM, M718A1/M741A1 TYPES, LOADING, ASSEMBLING AND PACKING OF [CUST: AR] | A 1320 | AR | 03-FEB-97 | |
| A | | MIL-C-48653 NOT 1 | CARTRIDGE, IGNITION, M702A1 PARTS FOR [CUST: AR] | A 1310 | AR | 16-JAN-98 | |
| A | | MIL-C-48654 NOT 1 | CARTRIDGE, IGNITION, M702A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | 19-AUG-97 | |
| A | | MIL-P-48655(3) NOT 1 | PISTOL, SEMIAUTOMATIC, 9MM: M9 [CUST: AR] | A 1005 | AR | 13-AUG-97 | |
| A | | MIL-C-48656A(2) NOT 1 | CARTRIDGES, SHOTSHELL [CUST: AR] | A 1305 | AR | 01-NOV-95 | |
| A | | MIL-C-48665 NOT 1 | CORE, TOROID [CUST: AR] | A 1345 | AR | 19-AUG-97 | |
| A | | MIL-C-48666B(2) NOT 1 | CANISTER ASSEMBLY, M87 LOADING, ASSEMBLING AND PACKING OF [CUST: AR] | D 8140 | AR | 12-JUL-96 | |
| A | | MIL-F-48673 NOT 1 | FIRE CONTROL COMPUTER, FIELD TEST SET (FCC-FTS) [CUST: AR] | A 1270 | AR | 19-AUG-97 | |
| A | | MIL-C-48683A(3) NOT 1 | CARTRIDGE, 40MM, M918 TP; PROJECTILE ASSEMBLY [CUST: AR] | A 1310 | AR | 08-FEB-96 | |
| A | | MIL-C-48684A(1) NOT 1 | CARTRIDGE, 40MM, M918 TP LOADING, ASSEMBLING AND PACKAGING [CUST: AR] | A 1310 | AR | 08-FEB-96 | |
| A | | MIL-S-48685(2) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143E1 ELECTRICAL PARTS AND ASSEMBLIES FOR [CUST: AR] | A 1336 | AR | 11-MAR-98 | |
| A | | MIL-S-48686(2) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143E1 MECHANICAL PARTS AND ASSEMBLY FOR [CUST: AR] | A 1336 | AR | 11-MAR-98 | |
| A | | MIL-S-48687(2) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143E1 LOADING, ASSEMBLING AND PACKING FOR [CUST: AR] | A 1336 | AR | 11-MAR-98 | |
| A | | MIL-D-48688A(1) NOT 1 | DISPENSER, GROUND: HE, M131 MINE SYSTEM LOADING, ASSEMBLING AND PACKING INCLUDING HE MINE, ANTI-PERSONNEL AND ANTITANK [CUST: AR] | A 1345 | AR | 13-AUG-97 | |
| A | | MIL-C-48697(4) NOT 1 | CARTRIDGE 60MM, TP, M50A3 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | 13-AUG-97 | |
| A | | MIL-F-48706A(1) NOT 1 | FUZE, PROXIMITY: ARTILLERY, M732(U) (LOADING, ASSEMBLING, AND PACKING) [CUST: AR] | A 1390 | AR | 08-FEB-96 | |
| A | | MIL-S-48735A(5) NOT 1 | SAFE AND ARMING DEVICE FOR MINES, M718/M741 SYSTEMS METAL PARTS FOR [CUST: AR] | A 1345 | AR | 11-JUL-96 | |
| A | | MIL-S-48747B(5) NOT 1 | SAFE AND ARMING DEVICE FOR MINES, M718/M741 SYSTEM [CUST: AR] | A 1345 | AR | 13-AUG-97 | |
| A | | MIL-P-48749D(3) NOT 1 | PROJECTILE, 155MM, HE: M483A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 08-FEB-96 | |
| A | | MIL-C-48758(3) NOT 4 | CARTRIDGE, 90MM, TP-T, M764 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 03-FEB-97 | |
| A | | MIL-P-48759 NOT 2 | PROPELLANT M1 FOR USE IN 90MM CARTRIDGES [CUST: AR] | A 1375 | AR | 11-JUL-96 | |
| A | | MIL-P-48760 NOT 2 | PRIMER, STAB, M56 PARTS FOR AND LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1375 | AR | 11-JUL-96 | |
| A | | MIL-P-48762(1) NOT 2 | PROJECTILE, 155MM, HE, ROCKET ASSISTED, M549, INERT, SIMULATED PARTS AND LOADING [CUST: AR] | A 1320 | AR | 08-FEB-96 | |
| A | | MIL-W-48763 NOT 2 | WRENCH, FUZING, ANTI-PERSONNEL MINE, M25 [CUST: AR] | A 1345 | AR | 11-JUL-96 | |
| A | | MIL-P-48764A(4) NOT 1 | PROJECTILE, 155MM, HE, ROCKET ASSISTED, M549 AND M549A1, AFT (AHH) PROPELLANT GRAIN FOR [CUST: AR] | A 1320 | AR | 13-AUG-97 | |
| A | | MIL-P-48850 NOT 2 | PIN AND LANYARD ASSEMBLY [CUST: AR] | A 1345 | AR | 13-AUG-97 | |
| A | | MIL-W-48866A NOT 2 | WARHEAD SECTION, GM, PRACTICE LIGHTWEIGHT, M252 AND SHIPPING AND STORAGE CONTAINER, XM612, SPARE PARTS FOR [CUST: AR] | A 1336 | AR | 15-DEC-95 | |
| A | | MIL-M-48869 NOT 4 | MINE, DUMMY [CUST: AR] | A 1320 | AR | 03-FEB-97 | |
| A | | MIL-F-48877A(1) NOT 4 | FUZE, ROCKET: M439 PARTS AND ASSEMBLY WITH DETONATOR [CUST: AR] | A 1340 | AR | 12-MAR-98 | |
| A | | MIL-M-48883 NOT 2 | MINE DISPERSING SUBSYSTEM AIRCRAFT, PRACTICE, M132 [CUST: AR] | A 1345 | AR | 11-JUL-96 | |
| A | | MIL-C-48884 NOT 2 | CASE, CARTRIDGE, M205E1, 152MM, PARTS FOR [CUST: AR] | A 1320 | AR | 12-DEC-95 | |
| A | | MIL-M-48885(1) NOT 2 | MINE DISPERSING SUBSYSTEM AIRCRAFT, TRAINING M133 [CUST: AR] | A 1345 | AR | 11-JUL-96 | |
| A | | MIL-D-48888 NOT 2 | DETONATOR, FLASH, PA504 FOR MINE, ANTI-PERSONNEL, M16A2 [CUST: AR] | A 1345 | AR | 11-JUL-96 | |
| A | | MIL-D-48889 NOT 2 | DELAY ELEMENT, PA 500, FOR MINE M16 [CUST: AR] | A 1345 | AR | 12-JUL-96 | |
| A | | MIL-C-48890B(2) NOT 1 | CONTROL PANEL ASSEMBLY FOR M130 DISPENSER SYSTEM [CUST: AR] | A 1345 | AR | 13-AUG-97 | |
| A | | MIL-R-49016A(1) NOT 1 | RECORDER, CODE MATRIX BLOCK LA-4340 [CUST: CR] [REVIEW: GS] | A 6720 | CR | 25-APR-97 | |
| A | | MIL-R-49023 NOT 1 | RADIO SET AN/GRC-103 (V) 1 [CUST: CR 99] | A 5820 | CR | 29-MAR-96 | |
| A | | MIL-R-49024 NOT 1 | RADIO SET AN/GRC-103 (V) 2 [CUST: CR 99] | A 5820 | CR | 29-MAR-96 | |
| A | | MIL-D-49031A NOT 1 | DARKROOM, PHOTOGRAPHIC, TRANSPORTABLE ES-82() [CUST: CR] | A 6780 | CR | 29-MAY-96 | |
| A | | MIL-G-49032A NOT 1 | GENERATOR, INTERFERENCE SG-886()-T/UR [CUST: CR] | A 6940 | CR | 29-MAY-96 | |
| A | | MIL-S-49036 NOT 2 | SUPPRESSOR, ELECTRICAL TRANSIENT [CUST: CR] | A 5915 | CR | 29-MAY-96 | |
| A | | MIL-S-49038 NOT 2 | SHELTER, ELECTRICAL EQUIPMENT S-541()/TTC-38(V) [CUST: CR] | A 5410 | CR | 10-OCT-90 | |
| A | | MIL-I-49040E NOT 1 | IMAGE INTENSIFIER ASSEMBLY 25 MILLIMETER, MICROCHANNEL INVERTER MX-9644/UV [CUST: CR EC] | A 5855 | CR | 25-SEP-97 | |
| A | | MIL-I-49052F NOT 1 | IMAGE INTENSIFIER ASSEMBLY 18 MM, MICROCHANNEL WAFER MX-9916/UV [CUST: CR AS] | A 5855 | CR | 25-SEP-97 | |
| A | | MIL-T-49053 NOT 2 | TEST SET, RELAY TS-1775()/U [CUST: CR] | A 6625 | CR | 25-APR-97 | |
| A | | MIL-C-49055B(2) SUP 1 NOT 1 | CABLES, POWER, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), GENERAL SPECIFICATION FOR [CUST: CR AS 85 IS] [REVIEW: 99 AR AT AV CR4 EC MI OS SH] | A 6145 | IS | 16-JUN-97 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Let Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------------|--|-----------------------|-----|-------------|-----------|
| A | MIL-C-49055/1C NOT 1 | CABLES, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), (WIRE SIZE 26, 7/34 OR 28, 7/36 STRANDING) [CUST: CR AS 85 IS] [REVIEW: 11 17 99 AR AT AV CR4 EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49055/11B NOT 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, 150 DEG. C [CUST: CR AS 85 IS] [REVIEW: 11 17 99 AR AT AV CR4 EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49055/12B NOT 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, 200 DEG. C [CUST: CR AS 85 IS] [REVIEW: 11 17 99 AR AT AV CR4 EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49055/13B NOT 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, 260 DEG. C [CUST: CR AS 85 IS] [REVIEW: 11 17 99 AR AT AV CR4 EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49055/14A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, COLOR CODED, STRANDED, 105 DEG. C, MULTIPLE TWISTED PAIRS [CUST: CR AS 85 IS] [REVIEW: 17 99 AR AT AV CR4 EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49055/15A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, COLOR CODED, STRANDED, 150 DEG. C, MULTIPLE TWISTED PAIRS [CUST: CR AS 85 IS] [REVIEW: 17 99 AR AT AV CR4 EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49055/16A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, COLOR CODED, STRANDED, 200 DEG. C, MULTIPLE TWISTED PAIRS [CUST: CR AS 85 IS] [REVIEW: 17 99 AR AT AV CR4 EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49055/17A NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, COLOR CODED, STRANDED, 260 DEG. C, MULTIPLE TWISTED PAIRS [CUST: CR AS 85 IS] [REVIEW: 17 99 AR AT AV CR4 EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| | MIL-T-49057A NOT 1 | TEST SET, IFF INTERROGATOR AN/OTPM-25A [CUST: CR] | A 6625 | CR | | 28-APR-97 |
| A | MIL-N-49063D NOT 1 | NIGHT VISION SIGHT, INDIVIDUAL SERVED WEAPON AN/PVS-4 [CUST: CR 99] [REVIEW: AR] | A 5855 | CR | | 25-SEP-97 |
| A | MIL-N-49064D NOT 1 | NIGHT VISION SIGHT, CREW SERVED WEAPON AN/TVS-5 [CUST: CR 99] | A 5855 | CR | | 25-SEP-97 |
| | MIL-N-49065E NOT 2 | NIGHT VISION GOGGLES AN/PVS-5A [CUST: CR 11] [REVIEW: 99 AS AT] | A 5855 | CR | | 29-MAR-96 |
| A | MIL-V-49082D NOT 1 | VIEWER, DRIVER'S, NIGHT VISION, AN/VVS-2(V) [CUST: CR] | A 5855 | CR | | 25-SEP-97 |
| A | MIL-C-49085 NOT 2 | CHARGER, BATTERY PP-7311 /PAS-7 [CUST: CR] [REVIEW: AR] | A 6130 | CR | | 25-APR-97 |
| A | MIL-P-49090D NOT 1 | POWER SUPPLY 25 MILLIMETER, MICROCHANNEL INVERTER [CUST: CR] [REVIEW: AR] | A 5855 | CR | | 25-SEP-97 |
| | MIL-N-49098A(1) NOT 1 | NAVIGATIONAL SET, DOPPLER AN/ASN-128() (XE-2) [CUST: CR] | A 5841 | CR | | 29-MAR-96 |
| A | MIL-B-49101A(1) NOT 2 | BUFFER, DATA TD-1065()/G [CUST: CR] | A 5805 | CR | | 25-APR-97 |
| | MIL-M-49103 NOT 2 | MULTIPLEXER, ASYNCHRONOUS DIGITAL COMBINER TD-976()/G, RESTORER, PULSE FORM TD-982()/G AND ANCILLARY ITEMS [CUST: CR] | A 5805 | CR | | 29-MAR-96 |
| A | MIL-C-49104 NOT 2 | CABLE, TELEPHONE WD-1A/TT (FIELD WIRE, PARALLEL PAIR) [CUST: CR IS] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49109 NOT 1 | COUNTER, ELECTRONIC, DIGITAL READOUT, TS-3662()/V1/U [CUST: CR] | A 6625 | CR | | 25-APR-97 |
| | MIL-T-49110(1) NOT 1 | TELEPHONE SET TA-8380/TT [CUST: CR] | A 5805 | CR | | 29-MAR-96 |
| A | MIL-T-49117 NOT 1 | TEST SET, RECEIVER TS-3565()/TRS-2 [CUST: CR] | A 6625 | CR | | 25-APR-97 |
| A | MIL-T-49124 NOT 1 | TEST SET, LASER RANGEFINDER, TS-3620()/GVS-5 [CUST: CR] | A 6625 | CR | | 25-APR-97 |
| | MIL-R-49126A NOT 2 | RADAR SET AN/PPS-150 [CUST: CR] | A 5840 | CR | | 29-MAR-96 |
| | MIL-M-49143 NOT 2 | MULTIPLEXER, TIME DIVISION DIGITAL TD-1069()/G [CUST: CR] | A 5805 | CR | | 29-MAR-96 |
| | MIL-C-49144(3) NOT 1 | CHARGER, BATTERY, PP 7286/U [CUST: CR] | A 6130 | CR | | 29-MAY-96 |
| A | MIL-L-49147C NOT 1 | LENS ASSEMBLY, EYEPIECE VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) [CUST: CR] | A 5855 | CR | | 25-SEP-97 |
| A | MIL-L-49148C NOT 1 | LENS ASSEMBLY, OBJECTIVE VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) [CUST: CR] | A 5855 | CR | | 25-SEP-97 |
| A | MIL-E-49149C NOT 1 | ELECTRONIC CONTROL ASSEMBLY VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) [CUST: CR] | A 5855 | CR | | 25-SEP-97 |
| A | MIL-E-49150C NOT 1 | ENTRANCE HOUSING ASSEMBLY VIEWER, DRIVER'S, NIGHT VISION, AN/VVS-2(V) [CUST: CR] | A 5855 | CR | | 25-SEP-97 |
| A | MIL-P-49151C NOT 1 | POWER ADAPTER ASSEMBLY VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) [CUST: CR] | A 5855 | CR | | 25-SEP-97 |
| A | MIL-G-49155 NOT 1 | GENERATOR, SIGNAL [CUST: CR] [REVIEW: MD] | A 6625 | CR | | 25-APR-97 |
| | MIL-L-49156A(1) NOT 2 | LENS ASSEMBLY, EYEPIECE, FOR NIGHT VISION GOGGLES, AN/PVS-5A [CUST: CR 11] [REVIEW: 99 AS AT] | A 5855 | CR | | 29-MAR-96 |
| | MIL-L-49157A(1) NOT 2 | LENS ASSEMBLY, OBJECTIVE FOR NIGHT VISION GOGGLES, AN/PVS-5A [CUST: CR 11] | A 5855 | CR | | 29-MAR-96 |
| A | MIL-M-49158 NOT 2 | MEASURING SET, RADIO INTERFERENCE, GENERAL SPECIFICATION FOR [CUST: CR] [REVIEW: AR AT AV MD] | A 6625 | CR | | 17-SEP-97 |
| A | MIL-M-49158/3 NOT 1 | MEASURING SET, RADIO INTERFERENCE AN/URM-199 [CUST: CR] [REVIEW: AR AT AV MD] | A 6625 | CR | | 25-APR-97 |
| | MIL-S-49160A NOT 1 | SHELTER, ELECTRICAL EQUIPMENT S-561() (V)/TCC-41(V) [CUST: CR] | A 5805 | CR | | 29-MAR-96 |
| | MIL-H-49161 NOT 1 | HEADSET-MICROPHONE KIT MK-1697()/G [CUST: CR] | A 5965 | CR | | 29-MAR-96 |
| A | MIL-S-49166/2 NOT 2 | SCANNER, MECHANICAL MX-9872(V)2/UA [CUST: CR] | A 5855 | CR | | 30-SEP-97 |
| A | MIL-S-49166/3 NOT 2 | SCANNER, MECHANICAL MX-9872(V)3/UA [CUST: CR] | A 5855 | CR | | 30-SEP-97 |
| A | MIL-S-49166/4 NOT 2 | SCANNER, MECHANICAL MX-9872(V)4/UA [CUST: CR] | A 5855 | CR | | 30-SEP-97 |
| A | MIL-S-49166/5 NOT 2 | SCANNER, MECHANICAL MX-9872(V)5/UA [CUST: CR] | A 5855 | CR | | 30-SEP-97 |
| A | MIL-S-49166/6(1) NOT 1 | SCANNER, MECHANICAL MX-9872(V)6/UA [CUST: CR] | A 5855 | CR | | 30-SEP-97 |
| A | MIL-S-49166/7 NOT 1 | SCANNER, MECHANICAL, MX-9872(V)7/UA [CUST: CR] | A 5855 | CR | | 30-SEP-97 |
| A | MIL-L-49169A(1) NOT 2 | LIGHT EMITTING DIODE ARRAY [CUST: CR] | A 5855 | CR | | 03-SEP-97 |
| A | MIL-C-49171A NOT 2 | COLLIMATOR, VISUAL SU-98/UA [CUST: CR] | A 5855 | CR | | 03-SEP-97 |
| A | MIL-C-49174A NOT 2 | COLLIMATOR, VISUAL SU-102/UA [CUST: CR] | A 5855 | CR | | 25-SEP-97 |
| | MIL-S-49181(1) NOT 1 | SHELTER, ELECTRICAL EQUIPMENT S-5830/TRC-151(V) [CUST: CR] | A 5410 | CR | | 10-OCT-90 |
| | MIL-S-49182(1) NOT 1 | SHELTER, ELECTRICAL EQUIPMENT S-584 0/TRC-152(V) [CUST: CR] | A 5410 | CR | | 10-OCT-90 |
| | MIL-F-49183 NOT 1 | FILTER, DIRECT CURRENT, POWER F-14610/VRC [CUST: CR CC] | A 5915 | CC | | 05-OCT-90 |
| A | MIL-G-49193 NOT 2 | GENERATOR, SIGNAL SG-1171/U [CUST: CR] [REVIEW: AL MD] | A 6625 | CR | | 25-APR-97 |
| A | MIL-B-49194 NOT 1 | BRIDGE, IMPEDANCE ZM-78/U [CUST: CR] [REVIEW: AL MD] | A 6625 | CR | | 25-APR-97 |
| A | MIL-S-49196 NOT 2 | STROBOSCOPE, TEST SET TS-805()/U [CUST: CR] [REVIEW: AL MD] | A 6625 | CR | | 25-APR-97 |
| | MIL-C-49197 NOT 1 | COUNTER, ELECTRONIC, DIGITAL READOUT 18 GIGAHERTZ (GHZ) CONTINUOUS WAVE (CW) TD-1225 () U [CUST: CR] | A 6625 | CR | | 17-FEB-81 |
| | MIL-H-49198A NOT 1 | HEADSET-MICROPHONE KIT, MK-1564()/AIC [CUST: CR EC 85 CC] | A 5965 | CC | | 09-JAN-91 |
| | MIL-M-49199A NOT 1 | MICROPHONE, LINEAR M-162/AIC GENERAL SPECIFICATION FOR [CUST: CR] | A 5965 | CR | | 09-JAN-91 |
| A | MIL-T-49200 NOT 2 | TEST SET, RADIO, AN/USM-306() [CUST: CR] [REVIEW: MD] | A 6625 | CR | | 25-APR-97 |
| | MIL-R-49203(2) NOT 1 | RECORDER-REPRODUCER SET, SOUND AN/TNH-23() [CUST: CR] | A 5835 | CR | | 29-MAR-96 |
| | MIL-C-49206 NOT 2 | CONTROL, COMMUNICATIONS MODE SELECTOR, CMSC, C-103770/GTC [CUST: CR] | A 5810 | CR | | 29-MAR-96 |
| | MIL-C-49208 NOT 2 | CONTROL, RADIO SET C-6709()/G [CUST: CR 99] | A 5820 | CR | | 29-MAR-96 |
| | MIL-R-49209A(1) NOT 1 | RADIO TERMINAL SET AN/TRC-173() (V) [CUST: CR] | A 5820 | CR | | 29-MAR-96 |
| | MIL-R-49210A(1) NOT 1 | RADIO REPEATER SET AN/TRC-1740 (V) [CUST: CR] | A 5820 | CR | | 29-MAR-96 |
| | MIL-C-49228 NOT 1 | COMMUNICATION CENTRAL AN/ASC-150(V)1,2 [CUST: CR] | A 5895 | CR | | 29-MAR-96 |
| | MIL-R-49229B NOT 1 | RADIO TERMINAL ASSEMBLY AN/TRC-175 [CUST: CR] | A 5820 | CR | | 29-MAR-96 |
| | MIL-C-49230 NOT 1 | COUNTER PULSE, ELECTRONIC, 18 GIGAHERTZ (GHZ) TD-1338 0/USM [CUST: CR] | A 6625 | CR | | 16-JAN-81 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/vea | MCA | Prep. Acty. | Date |
|------------|-------------------------|---|-------------------------|-----|-------------|-----------|
| A | MIL-M-49231A NOT 1 | MODEM, CABLE, DRIVER, MD-1023()/G [CUST: CR] | A 5805 | CR | | 23-FEB-98 |
| A | MIL-M-49232A NOT 1 | MODEM, CABLE, DRIVER, MD-1024 ()/G [CUST: CR] | A 5805 | CR | | 23-FEB-98 |
| A | MIL-M-49233A NOT 1 | MODEM, CABLE DRIVER MD-1025()/G [CUST: CR] | A 5805 | CR | | 23-FEB-98 |
| A | MIL-M-49234A NOT 1 | MODEM, DIGITAL DATA, MD-1026()/P/G [CUST: CR] | A 5820 | CR | | 25-APR-97 |
| | MIL-M-49235A NOT 1 | MODEM, DIGITAL DATA MD-1065()/P/G [CUST: CR 99] [REVIEW: 80] | A 5805 | CR | | 11-APR-97 |
| A | MIL-R-49236A(1) NOT 1 | RESTORER, PULSE FORM, TD-1218/G (NO S/S DOCUMENT) [CUST: CR] | A 5820 | CR | | 01-JUN-97 |
| A | MIL-R-49237A NOT 1 | RESTORER, PULSE FORM, TD-1219()/G [CUST: CR] | A 5820 | CR | | 23-FEB-98 |
| A | MIL-M-49238A NOT 1 | MULTIPLEXER, TD-1233()/TTC [CUST: CR] | A 5805 | CR | | 23-FEB-98 |
| | MIL-M-49240A(1) NOT 1 | MULTIPLEXER, TD-1235()/TTC [CUST: CR] | A 5820 | CR | | 11-APR-97 |
| | MIL-M-49241A(1) NOT 1 | MULTIPLEXER, TD-1236/G [CUST: CR] | A 5820 | CR | | 11-APR-97 |
| A | MIL-T-49243A NOT 1 | TEST SET, TELEPHONE TS-3647()/G [CUST: CR] | A 6625 | CR | | 25-APR-97 |
| A | MIL-C-49244A NOT 1 | CONTROL, ORDERWIRE C-10716()/TRC [CUST: CR] | A 5820 | CR | | 25-APR-97 |
| | MIL-C-49245 NOT 1 | CONTROL, ORDERWIRE C-10717()/TRC [CUST: CR 99] [REVIEW: 80] | A 5805 | CR | | 11-APR-97 |
| | MIL-C-49246 NOT 2 | CODER-DECODER GROUP OX-54/TYC-39(V) [CUST: CR] | A 5895 | CR | | 29-MAR-96 |
| | MIL-T-49247(2) NOT 1 | TRANSCEIVER MULTIPLEXERS TD-1288 ()/GRC AND TD-1289 () (V)/GRC [CUST: CR] | A 5805 | CR | | 28-APR-97 |
| | MIL-S-49248B NOT 1 | SHELTER, ELECTRONIC EQUIPMENT S-639/G AND S-640/G [CUST: CR] [REVIEW: CC] | A 5411 | CR | | 29-MAY-96 |
| A | MIL-M-49258 NOT 2 | MULTIPLEXER TD-202()/U [CUST: CR] | A 5805 | CR | | 23-FEB-98 |
| | MIL-T-49260A NOT 1 | TERMINAL, COMMUNICATIONS AN/UGC-74B(V) AND AN/UGC-74C(V) [CUST: CR] | A 5815 | CR | | 29-MAR-96 |
| A | MIL-T-49269 NOT 1 | TEST SET, RADIO, AN/PRM-34 [CUST: CR] | A 6625 | CR | | 25-APR-97 |
| | MIL-M-49272 NOT 1 | MOUNTING MT-6232/GRC-193A AND MOUNTING MT-6233/GRC-193A [CUST: CR] | A 5820 | CR | | 29-MAR-96 |
| | MIL-A-49273 NOT 1 | AMPLIFIER, POWER SUPPLY AM-7152/GRC-213 AND ADAPTER KIT, VEHICLE MK-2154/GRC-213 [CUST: CR] | A 5820 | CR | | 29-MAR-96 |
| | MIL-G-49274 NOT 1 | GENERATOR, DIGITAL DATA SG-1139 (V)/G [CUST: CR] [REVIEW: 13 MC] | A 6625 | CR | | 29-MAR-96 |
| | MIL-M-49275 NOT 1 | MASTS, QUICK ERECT, EXPANDABLE AB-1309(V)/TRC [CUST: CR] | A 5985 | CR | | 29-MAY-96 |
| | MIL-M-49275/1 NOT 1 | MAST, AB-1309(V)/TRC [CUST: CR] | A 5985 | CR | | 29-MAY-96 |
| | MIL-R-49276A NOT 1 | RADIO REPEATER SET AN/TRC-138A [CUST: CR] | A 5820 | CR | | 29-MAR-96 |
| A | MIL-C-49285 SUP 1 NOT 1 | CABLES, SPECIAL PURPOSE, ELECTRICAL, ALUMINUM FOIL SHIELDED PAIRS, TRIPLETS, OR QUADS GENERAL SPECIFICATION FOR [CUST: CR SH 85 IS] [REVIEW: MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/1 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 18 (16 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/2 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/3 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/4 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SIX INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/5 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINETEEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/6 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 18 (16 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/7 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 22 AWG SOLID WIRE [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/8 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ELEVEN INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/9 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ELEVEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/10 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/11 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 18 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/12 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/13 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/14 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 20 (7 X 28) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/15 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWENTY-SEVEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/16 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/17 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/18 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SIX INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/19 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO PAIRS OF 20 (7 X 28) AWG, ONE PAIR INDIVIDUALLY SHIELDED [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/20 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/21 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED CONDUCTORS OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/22 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWELVE INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/23 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/24 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FOUR INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 28) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/25 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 20 (10 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/26 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 16 (19 X 29) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/27 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 24 (7 X 32) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-C-49285/28 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO PAIRS OF 25 (7 X 33) AWG, ONE PAIR INDIVIDUALLY SHIELDED [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | | 16-JUN-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Mea | MCA Prep. Acty. | Date |
|------------|-----------------------------|---|----------------------|-----------------|-----------|
| A | MIL-C-49285/29 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SEVEN QUADS CONSISTING OF TWO SHIELDED PAIRS OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | 16-JUN-97 |
| A | MIL-C-49285/30 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 20 (7 X 28) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | 16-JUN-97 |
| A | MIL-C-49285/31 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 22 (7 X 30) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | 16-JUN-97 |
| A | MIL-C-49285/32 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, (LOW NOISE) ONE INDIVIDUALLY SHIELDED PAIR OF 24 (19 X 36) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | 16-JUN-97 |
| A | MIL-C-49285/33 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, TWENTY-SEVEN INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | 16-JUN-97 |
| A | MIL-C-49285/34 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINETEEN INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | 16-JUN-97 |
| A | MIL-C-49285/35 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | 16-JUN-97 |
| A | MIL-C-49285/36 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | 16-JUN-97 |
| A | MIL-C-49285/37 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | 16-JUN-97 |
| A | MIL-C-49285/38 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, SIX INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG WIRE [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | 16-JUN-97 |
| A | MIL-C-49285/45 NOT 1 | CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 24 AWG SOLID WIRE [CUST: CR SH 85 IS] [REVIEW: 71 MI] | A 6145 | IS | 16-JUN-97 |
| A | MIL-F-49291/2A NOT 1 | FIBER, OPTICAL, 100/140 MICROMETERS, RADIATION HARDENED (METRIC) [CUST: CR SH 85] [REVIEW: 17 AS CC MI] | A 6010 | CR | 25-APR-97 |
| A | MIL-F-49291/3A NOT 1 | FIBER, OPTICAL, 50/125 MICROMETERS (METRIC) [CUST: CR SH 85] [REVIEW: 17 AS CC MI] | A 6010 | CR | 25-APR-97 |
| A | MIL-F-49291/4A NOT 1 | FIBER, OPTICAL, 100/140 MICROMETERS, (METRIC) [CUST: CR SH 85] [REVIEW: 17 AS CC MI] | A 6010 | CR | 25-APR-97 |
| A | MIL-T-49303(1) NOT 1 | TRANSPONDER SET AN/PPN-19 (V) [CUST: CR] | A 5895 | CR | 29-MAR-96 |
| A | MIL-R-49304 NOT 1 | RADIO SET AN/PRC-126 [CUST: CR] | A 5820 | CR | 29-MAR-96 |
| A | MIL-T-49305 NOT 1 | TEST SET, COUNTERMEASURE SET TS-3609()/ALQ-156(V) [CUST: CR] | A 6625 | CR | 25-APR-97 |
| A | MIL-C-49309 NOT 1 | COOLER-DEWAR GROUP, OR-336/A, OR-337/A [CUST: CR] | A 5855 | CR | 03-SEP-97 |
| A | MIL-C-49310 NOT 1 | COOLER-DEWAR GROUP, OR-338/V, OR-339/V [CUST: CR] | A 5855 | CR | 03-SEP-97 |
| A | MIL-T-49311 NOT 1 | TEST FACILITIES SET AN/TPM-24 Q (V) 4 [CUST: CR] [REVIEW: 80] | A 6625 | CR | 25-APR-97 |
| A | MIL-R-49315 NOT 1 | RADIOSONDE SET ML-659(V), FAMILY OF (NO S/S DOCUMENT) [CUST: CR] | A 6660 | CR | 01-JUN-97 |
| A | MIL-D-49317 NOT 1 | DETECTOR-DEWAR DT-635A/U [CUST: CR] | A 5855 | CR | 03-SEP-97 |
| A | MIL-M-49361C NOT 1 | MAGNIFIER, TAPERED FIBER OPTIC VIEWER, DRIVER'S NIGHT VISION, AN/VVS-2(V) [CUST: CR] [REVIEW: AR AT CR4 TE] | A 5855 | CR | 17-SEP-97 |
| A | MIL-L-49366B NOT 1 | LENS ASSEMBLY, OBJECTIVE, 95MM AN/PVS-4 [CUST: CR] | A 5855 | CR | 25-SEP-97 |
| A | MIL-L-49367B NOT 1 | LENS ASSEMBLY, OBJECTIVE, 155MM AN/TVS-5 [CUST: CR] | A 5855 | CR | 25-SEP-97 |
| A | MIL-L-49368B NOT 1 | LENS ASSEMBLY, EYEPIECE, AN/PVS-4 AND AN/TVS-5 [CUST: CR] [REVIEW: AR] | A 5855 | CR | 25-SEP-97 |
| M | MIL-G-49377 NOT 1 | GUNNER S DISPLAY FOR AN/VSG-2 [CUST: AR] [REVIEW: CR] | A 5855 | AR | 11-MAR-98 |
| A | MIL-A-49382 NOT 2 | AFOCAL ASSEMBLY, AN/VSG-2 [CUST: CR] | A 5855 | CR | 03-SEP-97 |
| A | MIL-T-49386 NOT 1 | TEST SET GROUP, RADIO OQ-2730/ARC-164(V) [CUST: CR] | A 5821 | CR | 29-MAR-96 |
| A | MIL-E-49387 NOT 1 | ENCODER, VIDEO KY-8650/AKT-18B, CONTROL, DATA LINK C-105460/AKT-18B AND MOUNTING BASE MT-6016/AKT-18B [CUST: CR] | A 5841 | CR | 23-AUG-89 |
| A | MIL-I-49394A(1) NOT 1 | INTERROGATOR SET AN/TPX-46A(V)7 [CUST: CR] | A 5895 | CR | 01-JUN-97 |
| A | MIL-R-49421A NOT 1 | RADIAC DETECTOR DT-236()/PDR-75 [CUST: CR] | A 6665 | CR | 17-SEP-97 |
| A | MIL-B-49430C(3) SUP 1 NOT 1 | BATTERIES, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE [CUST: CR] | A 6135 | CR | 25-APR-97 |
| A | MIL-B-49430/1F NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5599/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| A | MIL-B-49430/2E NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5598/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| A | MIL-B-49430/3G NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5590/U [CUST: CR] | A 6135 | CR | 25-APR-97 |
| A | MIL-B-49430/4C NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5567/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| A | MIL-B-49430/5G NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5577/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| A | MIL-B-49430/6F NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5588/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| A | MIL-B-49430/7G NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5600/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| A | MIL-B-49430/8D NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5600/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| A | MIL-B-49430/10C NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5112/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| A | MIL-B-49430/11F NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE, BA-5800/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| A | MIL-B-49430/12C NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5093/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| A | MIL-B-49436B SUP 1 NOT 1 | BATTERIES, RECHARGEABLE, NICKEL CADMIUM SEALED [CUST: CR 99] [REVIEW: 80 AV GL] | A 6140 | CR | 06-MAY-97 |
| A | MIL-B-49436/1B(1) NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM, BB-590/U [CUST: CR] [REVIEW: AV GL] | A 6140 | CR | 06-MAY-97 |
| A | MIL-B-49436/2B NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM, BB-588/U [CUST: CR] [REVIEW: AV GL] | A 6140 | CR | 06-MAY-97 |
| A | MIL-B-49436/3B NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM, BB-586/U [CUST: CR] [REVIEW: AV GL] | A 6140 | CR | 06-MAY-97 |
| A | MIL-B-49436/4B NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-557/U [CUST: CR] [REVIEW: AV GL] | A 6140 | CR | 06-MAY-97 |
| A | MIL-B-49436/5(1) NOT 2 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-541/U [CUST: CR] [REVIEW: AV GL] | A 6140 | CR | 06-MAY-97 |
| A | MIL-B-49436/6C NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM, BB-516/U [CUST: CR] [REVIEW: AV GL] | A 6140 | CR | 06-MAY-97 |
| A | MIL-B-49436/7A NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-507/U [CUST: CR] [REVIEW: AV GL] | A 6140 | CR | 06-MAY-97 |
| A | MIL-B-49436/8A NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-506/U [CUST: CR] [REVIEW: AV GL] | A 6140 | CR | 06-MAY-97 |
| A | MIL-B-49436/9A NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-505/U [CUST: CR] [REVIEW: AV GL] | A 6140 | CR | 06-MAY-97 |
| A | MIL-B-49436/10A NOT 1 | BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-503/TAS [CUST: CR] [REVIEW: AV GL] | A 6140 | CR | 06-MAY-97 |
| A | MIL-T-49438 NOT 2 | TRANSMITTING SET, RADAR DATA AN/AKT-18B AND RECEIVING SET, RADAR DATA AN/TQ-2B (SYSTEM OF) [CUST: CR] | A 5841 | CR | 29-MAR-96 |
| A | MIL-S-49442 NOT 1 | SHOP EQUIPMENT, BATTERY SERVICING, SHELTER MOUNTED AN/TSM-133 [CUST: CR] [REVIEW: CC] | A 4940 | CR | 25-APR-97 |
| A | MIL-R-49444 NOT 1 | RECORDER-PROCESSOR-VIEWER, RADAR MAPPING RO-4950/U [CUST: CR] | A 5841 | CR | 23-SEP-89 |
| A | MIL-H-49448 NOT 1 | HUMIDITY SENSOR, RESISTANCE [CUST: CR] | A 6685 | CR | 17-SEP-97 |
| A | MIL-I-49456A NOT 1 | INSULATION SHEET, ELECTRICAL, SILICONE RUBBER THERMALLY CONDUCTIVE, FIBERGLASS REINFORCED [CUST: CR] | A 5970 | CR | 22-SEP-97 |
| A | MIL-D-49457A NOT 1 | DETECTOR DEWAR DT-617A/UA [CUST: CR] | A 5855 | CR | 03-SEP-97 |
| A | MIL-B-49458A(1) NOT 1 | BATTERIES, NON-RECHARGEABLE, LITHIUM MANGANESE DIOXIDE [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| A | MIL-B-49458/1B NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM MANGANESE DIOXIDE, BA-5372/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| A | MIL-B-49461B(1) NOT 1 | BATTERIES, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE [CUST: CR] | A 6135 | CR | 31-JUL-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/NSA | Prep. Acty. | Date |
|--------------------------|--|-------------------------|-------------|-----------|
| MIL-B-49461/1C NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE, BA-6516/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| MIL-B-49461/2B NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE, BA-6598/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| MIL-B-49461/3(1) NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE BA-6704/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| MIL-B-49461/4 NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE BA-6590/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| MIL-B-49461/5 NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE BA-6557/U [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| MIL-B-49461/6B NOT 1 | BATTERY, NON-RECHARGEABLE, LITHIUM THIONYL CHLORIDE, BA-6847/U, WITH DUAL CONNECTOR [CUST: CR] | A 6135 | CR | 31-JUL-95 |
| A MIL-I-49466 NOT 1 | INSULATOR; DISKS, PLATES, AND WASHERS GENERAL SPECIFICATION FOR [CUST: CR] | A 5970 | CR | 22-SEP-97 |
| A MIL-I-49466/1(1) NOT 1 | INSULATOR; DISKS, PLATES, AND WASHERS POLYIMIDE .002 OR .005 INCH THICK [CUST: CR] | A 5970 | CR | 22-SEP-97 |
| A MIL-I-49466/2(1) NOT 1 | INSULATOR; DISKS, PLATES, AND WASHERS SILICON RUBBER, FIBERGLASS REINFORCED .010 AND .015 INCH THICK [CUST: CR] | A 5970 | CR | 22-SEP-97 |
| A MIL-I-49466/3(1) NOT 1 | INSULATOR; DISKS, PLATES, AND WASHERS INSULATORS FOR MOUNTING [CUST: CR] | A 5970 | CR | 22-SEP-97 |
| MIL-T-50009A NOT 1 | THICKENER, INCENDIARY OIL, M4 [CUST: AR AS] [REVIEW: MC] | A 1365 | AR | 05-JUN-96 |
| MIL-P-50014C(3) NOT 1 | PACKET, SODIUM PYROPHOSPHATE PEROXIDE [CUST: EA] | A 6665 | EA | 26-OCT-95 |
| MIL-B-50015B NOT 1 | BULB, ASPIRATOR [CUST: EA 99] [REVIEW: 82] | A 6640 | EA | 19-APR-96 |
| MIL-D-50028A(1) NOT 2 | DB3 [CUST: EA] [REVIEW: GS] | A 6810 | EA | 29-MAR-96 |
| MIL-C-50072B NOT 1 | COVER, VOICEMITTER-OUTLET VALVE, C13 [CUST: EA SH 99] [REVIEW: 84 GS MC MD] | A 4240 | EA | 19-APR-96 |
| MIL-C-0050072C NOT 1 | COVER, VOICEMITTER-OUTLET VALVE, C13 (USE IN LIEU OF MIL-C-50072B) [CUST: EA] | A 4240 | EA | 28-SEP-95 |
| MIL-F-50084A(1) NOT 1 | FAN, CENTRIFUGAL, 12CFM [CUST: EA MC] [REVIEW: 99 GS] | A 4240 | EA | 19-APR-96 |
| MIL-F-0050084F NOT 1 | FAN, CENTRIFUGAL, 12 CFM [CUST: EA] | A 4240 | EA | 28-SEP-95 |
| MIL-P-50085B NOT 1 | PRECLEANER, AIR PURIFIER, M1A1 [CUST: EA 99] [REVIEW: 84 GS] | A 4240 | EA | 11-MAR-96 |
| MIL-P-0050085D(1) NOT 1 | PRECLEANER, AIR PURIFIER, M1A1 [CUST: EA] | A 4240 | EA | 28-SEP-95 |
| MIL-S-50087C NOT 1 | SEPARATOR, DUST [CUST: EA MC 99] [REVIEW: GS SH YD1] | A 4240 | EA | 19-APR-96 |
| MIL-S-0050087D NOT 1 | SEPARATOR, DUST [CUST: EA] | A 4240 | EA | 28-SEP-95 |
| MIL-R-50090D(2) NOT 1 | RIOT CONTROL AGENT, CS1 [CUST: EA] | A 1365 | EA | 29-MAR-95 |
| MIL-A-50093A(1) NOT 2 | ADAPTER, COMPRESSED AIR BREATHING APPARATUS, M4 [CUST: EA] [REVIEW: GS] | A 4240 | EA | 05-MAR-96 |
| MIL-F-50220A(1) NOT 2 | FUZE, ROCKET, BASE DETONATING, XM434E1 ASSEMBLING AND PACKING [CUST: AR] [REVIEW: CC] | A 1340 | AR | 08-FEB-96 |
| MIL-C-50242 NOT 2 | CARTRIDGE, 40MM, HE, M383, BODY ASSEMBLY FOR METAL PARTS [CUST: AR] | A 1310 | AR | 08-FEB-96 |
| MIL-C-50243(7) NOT 2 | CARTRIDGE, 40MM, HE, M383 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | 08-FEB-96 |
| MIL-C-50252(1) NOT 2 | CARTRIDGE, SEMI-FIXED, 105MM, APERS-T XM546E2, LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1315 | AR | 27-FEB-97 |
| MIL-F-50253A(4) NOT 2 | FUZES, ROCKET, M423, M427 AND M433 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1340 | AR | 01-OCT-96 |
| MIL-P-50257(3) NOT 2 | PROJECTILE, 8 INCH, HE, M404, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 08-FEB-96 |
| MIL-B-50262(1) NOT 2 | BURSTER, PROJECTILE, M21, LOADING ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | 08-FEB-96 |
| MIL-P-50265 NOT 1 | PRIMER, ELECTRIC, XM114 PARTS FOR, AND LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1375 | AR | 12-JUL-96 |
| MIL-P-50308B NOT 2 | PROJECTILE, HEAT, 106MM, M344A1 WITH FIN M8 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | 08-FEB-96 |
| MIL-P-50357(3) NOT 4 | PROJECTILE, 60MM, H.E., M49A3 METAL PARTS ASSEMBLY (ALLOY STEEL) [CUST: AR] | A 1310 | AR | 05-FEB-97 |
| A MIL-P-50363 NOT 2 | PLOTTING BOARD, FLASH RANGING, FIRE CONTROL: M18 [CUST: AR] | A 1220 | AR | 13-AUG-97 |
| A MIL-B-50366A(3) NOT 1 | BODY ASSEMBLY, 10516210 (PERISCOPE M32) [CUST: AR] | A 1240 | AR | 13-AUG-97 |
| MIL-P-50369A NOT 2 | PROJECTILE, 152MM, TP-T, M411A1 METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | 12-DEC-95 |
| MIL-B-50378(1) NOT 2 | BARRELS, TEST, SMALL ARMS AMMUNITION GENERAL SPECIFICATION FOR [CUST: AR] | A 1305 | AR | 01-DEC-95 |
| A MIL-S-50379(1) NOT 1 | SIGHTUNIT, M53A1 [CUST: AR] | A 1240 | AR | 13-AUG-97 |
| A MIL-M-50380(2) NOT 1 | MOUNT, TELESCOPE. M128A1 [CUST: AR] | A 1240 | AR | 14-AUG-97 |
| A MIL-T-50382(4) NOT 1 | TELESCOPE, PANORAMIC: M113A1 [CUST: AR] | A 1240 | AR | 14-AUG-97 |
| A MIL-M-50383A(2) NOT 1 | MOUNT, TELESCOPE: M134A1 [CUST: AR] | A 1240 | AR | 14-AUG-97 |
| A MIL-T-50384(2) NOT 1 | TELESCOPE, ELBOW: M114A1 [CUST: AR] | A 1240 | AR | 14-AUG-97 |
| A MIL-Q-50385(2) NOT 1 | QUADRANT, FIRE CONTROL: ELEVATION M14A1 [CUST: AR] | A 1240 | AR | 14-AUG-97 |
| A MIL-Q-50386 NOT 1 | QUADRANT, GUNNER S, M1A1E1 [CUST: AR] | A 1290 | AR | 19-AUG-97 |
| A MIL-C-50388A(1) NOT 1 | CARTRIDGE, 20MM, HIGH EXPLOSIVE INCENDIARY, M210 [CUST: AR] | A 1305 | AR | 06-DEC-95 |
| A MIL-P-50398(5) NOT 1 | PROJECTILE, 165MM, TP M624, METAL PARTS [CUST: AR] | A 1320 | AR | 14-AUG-97 |
| MIL-I-50406 NOT 2 | INITIATOR ASSEMBLY FOR PRIMER, ELECTRIC XM91E1 AND XM117 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 12-JUL-96 |
| MIL-I-50412 NOT 2 | INITIATOR ASSEMBLY FOR PRIMER, ELECTRIC, XM91E1, AND XM117, PARTS FOR [CUST: AR] | A 1345 | AR | 15-JUL-96 |
| A MIL-C-50413A(5) NOT 1 | CARTRIDGE, 165MM, TP, M623 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 14-AUG-97 |
| MIL-D-50420A(2) NOT 1 | DETONATOR, STAB, M98 (T83E1) PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 15-JUL-96 |
| MIL-V-50433 NOT 2 | VINYL ALCOHOL - ACETATE RESIN SOLUTION (VAAR) (FOR USE IN AMMUNITION) [CUST: AR] | A 1376 | AR | 15-JUL-96 |
| A MIL-C-50443 NOT 3 | CARTRIDGE, 105MM, HE, M444E1, BODY ASSEMBLY AND BASE PLUG FOR [CUST: AR] | A 1315 | AR | 13-AUG-97 |
| MIL-C-50446A(3) NOT 2 | CASE, CARTRIDGE, 40MM, M118 PARTS FOR [CUST: AR] | A 1310 | AR | 17-OCT-96 |
| MIL-C-50447A(2) NOT 2 | CASE CARTRIDGE, 40MM, M118 AND M195; PLUG, BASE FOR [CUST: AR] | A 1310 | AR | 08-FEB-96 |
| MIL-C-50448A(1) NOT 2 | CASE, CARTRIDGE, 40MM, M118 AND M195, CUP, POWER CHARGE FOR [CUST: AR] | A 1310 | AR | 08-FEB-96 |
| MIL-B-50451B NOT 1 | BLASTING MACHINE, M32 PARTS AND ASSEMBLY [CUST: AR] | A 1375 | AR | 15-JUL-96 |
| MIL-C-50469(2) NOT 1 | CHARGE, SUPPLEMENTARY FOR DEEP CAVITY LOADED PROJECTILE, PARTS FOR [CUST: AR] | A 1315 | AR | 08-FEB-96 |
| MIL-L-50470(1) NOT 1 | LINER, FOR DEEP CAVITY LOADED PROJECTILE [CUST: AR] | A 1315 | AR | 08-FEB-96 |
| A MIL-C-50471(5) NOT 1 | CHARGE, SUPPLEMENTARY ASSEMBLY WITH SPACER FOR DEEP CAVITY LOADED PROJECTILE, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 14-AUG-97 |
| MIL-P-50472A NOT 2 | PROPELLANT M26A1, FOR USE IN CHANGE PROPELLING M189 [CUST: AR] | A 1376 | AR | 15-JUL-96 |
| MIL-B-50485A NOT 2 | BANDOLEER ASSEMBLY FOR CARTRIDGE, 40MM, M397, M397E1 & M433 [CUST: AR] | A 1310 | AR | 08-FEB-96 |
| MIL-P-50486 NOT 2 | POTASSIUM DINITROHYDROXY HYDROBENZOFUROXAN (FOR USE IN AMMUNITION) [CUST: AR] | A 1376 | AR | 15-JUL-96 |
| A MIL-B-50506 NOT 1 | BODY, ANTIPERSONNEL MINE, PRACTICE, M33 PARTS FOR LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1345 | AR | 27-AUG-97 |
| MIL-C-50509A(1) NOT 1 | CARTRIDGE, 40MM, WHITE STAR, CLUSTER, M585 METAL PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | 08-FEB-96 |
| A MIL-M-50512 NOT 1 | MINE, APERS, PRACTICE, M68 ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | 19-AUG-97 |
| MIL-C-50513B(6) NOT 2 | CARTRIDGE, IGNITION, M2A2 PARTS FOR, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 15-JUL-96 |
| MIL-C-50527(2) NOT 2 | CASE, CARTRIDGE, 40MM, XM195, PART FOR [CUST: AR] | A 1310 | AR | 08-FEB-96 |
| A MIL-F-50532A NOT 2 | FUSE, ROCKET, BASE DETONATING XM434 ASSEMBLING AND PACKING [CUST: AR] | A 1340 | AR | 13-AUG-97 |
| MIL-C-50534A(2) NOT 2 | CASE, CARTRIDGE, M205, 152MM, PARTS FOR [CUST: AR] | A 1320 | AR | 15-JUL-96 |
| MIL-P-50535 NOT 4 | PROJECTILE, 155MM, HE, M449A1, BODY ASSEMBLY FOR [CUST: AR] | A 1320 | AR | 03-FEB-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|---|-----------------------|-----|-------------|------|
| | MIL-P-50536 NOT 4 | PROJECTILE, 155MM, HE, M449A1, BASE PLUG FOR [CUST: AR] | A 1320 | AR | 03-FEB-97 | |
| | MIL-P-50537 NOT 4 | PROJECTILE, 155MM, HE: M449A1, HARDWARE FOR [CUST: AR] | A 1320 | AR | 03-FEB-97 | |
| | MIL-P-50538 NOT 3 | PROJECTILE, 155MM, HE, M449A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 03-FEB-97 | |
| A | MIL-D-50540 NOT 1 | DETONATOR, FLASH, XM97 PARTS FOR, AND LOADING ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 19-AUG-97 | |
| A | MIL-P-50541A(6) NOT 1 | FUZE FOR FLECHETTE WARHEAD, WDU-4A/A (LESS EXPULSION CHARGE) [CUST: AR] | A 1340 | AR | 11-MAR-98 | |
| A | MIL-F-50542A NOT 2 | FUZE FOR FLECHETTE WARHEAD, WDU-4A/A (WITH EXPULSION CHARGE) [CUST: AR] | A 1340 | AR | 11-MAR-98 | |
| | MIL-G-50546B(3) NOT 1 | GRENADE, G.P., M42 BODY ASSEMBLY, TYPE PH, FOR [CUST: AR] | A 1330 | AR | 15-JUL-96 | |
| | MIL-W-50549A NOT 2 | WARHEAD, 2.75 INCH ROCKET, FLECHETTE, WDU-4A/A, WDU-13/A, PARTS FOR [CUST: AR] | A 1340 | AR | 12-DEC-95 | |
| | MIL-W-50550A NOT 2 | WARHEAD, 2.75 INCH ROCKET, FLECHETTE, WITH FUZE WDU-4A/A, WDU-13/A LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1340 | AR | 12-DEC-95 | |
| | MIL-P-50569C(3) NOT 3 | PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 SERIES, MOTOR BODY BONDING ASSEMBLING FOR [CUST: AR] | A 1320 | AR | 03-FEB-97 | |
| | MIL-P-50570A(7) NOT 3 | PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 AND M549A1, DELAY ASSEMBLY FOR [CUST: AR] | A 1320 | AR | 03-FEB-97 | |
| | MIL-P-50571A(1) NOT 2 | PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 AND M549A1, DELAY ASSEMBLY PARTS FOR [CUST: AR] | A 1320 | AR | 15-JUL-96 | |
| | MIL-P-50573C(4) NOT 3 | PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 AND M549A1 FORWARD (AHH) PROPELLANT GRAIN FOR [CUST: AR] | A 1320 | AR | 03-FEB-97 | |
| | MIL-P-50574B(7) NOT 1 | PROJECTILE, 155MM, HE ROCKET ASSISTED, M549 & M549A1, ACCESSORIES FOR [CUST: AR] | A 1320 | AR | 08-FEB-96 | |
| | MIL-W-50577C(7) NOT 1 | WARHEAD, 155MM, M549A1 BONDING ASSEMBLY [CUST: AR] | A 1320 | AR | 08-FEB-96 | |
| | MIL-P-50578D(4) NOT 1 | PROJECTILE, 155MM, HE, RA, M549 AND M549A1 (WITH WARHEAD AND MOTOR BODY) LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 08-FEB-96 | |
| | MIL-D-50584(1) NOT 1 | DELAY DETONATOR ASSEMBLY (DWG. C-9207798) [CUST: AR] | A 1375 | AR | 15-JUL-96 | |
| A | MIL-P-50585 NOT 2 | PROJECTILE, 8 INCH, HE: M404, HARDWARE FOR [CUST: AR] | A 1320 | AR | 15-AUG-97 | |
| | MIL-P-50603B(1) NOT 1 | PRIMER, PERCUSSION, M115 [CUST: AR] | A 1305 | AR | 07-DEC-95 | |
| A | MIL-B-50645B(1) NOT 1 | BODY ASSEMBLY: 10516576 (PERISCOPE: M32C AND M32CE1) [CUST: AR] | A 1240 | AR | 14-AUG-97 | |
| | MIL-C-50697 NOT 1 | CORD, DETONATING [CUST: AR AS 11] | A 1377 | AR | 14-MAR-97 | |
| | MIL-C-50701A(2) NOT 2 | CARTRIDGE, 7.62X39MM, BALL [CUST: AR] | A 1305 | AR | 08-FEB-96 | |
| A | MIL-C-50703(2) NOT 2 | CARTRIDGE, 7.62X39MM, BLANK [CUST: AR] | A 1305 | AR | 06-DEC-95 | |
| | MIL-C-50704A(1) NOT 3 | CARTRIDGE, 7.62MM: DIM TRACER, XM276 [CUST: AR] | A 1305 | AR | 03-FEB-97 | |
| | MIL-C-50705(3) NOT 2 | CHEST, 10548700 [CUST: AR] | A 1220 | AR | 28-NOV-95 | |
| A | MIL-C-50712(2) NOT 2 | CASE, CARTRIDGE, 57MM, M30A1B3 [CUST: AR] | A 1310 | AR | 19-AUG-97 | |
| A | MIL-P-50718B(6) NOT 1 | PROJECTILE, 4.2 INCH, HE, M329A2 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | 14-AUG-97 | |
| A | MIL-S-50725 NOT 1 | SIGHT, BORE, OPTICAL, M45E1 [CUST: AR] | A 1240 | AR | 19-AUG-97 | |
| | MIL-C-50728 NOT 4 | CASE, PROJECTILE, BURSTER, M8 [CUST: AR] | A 1315 | AR | 12-DEC-95 | |
| A | MIL-C-50734(1) NOT 1 | CONTROL, COMMANDERS, LASER RANGING C-9134()/VVG-1, 11738811 [CUST: AR] | A 1240 | AR | 14-AUG-97 | |
| | MIL-C-50735 NOT 1 | CIRCUIT CARD ASSEMBLY, 11737334 (LOGIC) [CUST: AR] | A 1240 | AR | 15-JUL-96 | |
| | MIL-C-50736 NOT 1 | CIRCUIT ASSEMBLY, 11737350 (READOUT) [CUST: AR] | A 1240 | AR | 15-JUL-96 | |
| | MIL-B-50737(1) NOT 1 | BATTERY POWER SUPPLY PP-6607()/VVG-1, 11738841 [CUST: AR] | A 1240 | AR | 15-JUL-96 | |
| A | MIL-E-50738 NOT 1 | ELECTRONIC COMPONENT ASSEMBLY, 11738850 (POWER CONTROL) [CUST: AR] | A 1240 | AR | 19-AUG-97 | |
| A | MIL-E-50739 NOT 1 | ELECTRONIC COMPONENT ASSEMBLY, 11738818 (CHARGE CONTROL) [CUST: AR] | A 1240 | AR | 19-AUG-97 | |
| | MIL-C-50740 NOT 1 | CIRCUIT CARD ASSEMBLY, 11738808 (BATTERY CHARGE SENSOR) [CUST: AR] | A 1240 | AR | 15-JUL-96 | |
| | MIL-C-50742(1) NOT 1 | CONTROL, RECEIVER TRANSMITTER C8728()/VVG-1, 11738851 [CUST: AR] | A 1240 | AR | 28-NOV-95 | |
| | MIL-C-50743(3) NOT 1 | CONTROL, POWER SUPPLY, LASER: C-9135()/VVG-1: 11738831 [CUST: AR] | A 1240 | AR | 15-JUL-96 | |
| | MIL-C-50744A(2) NOT 2 | CIRCUIT CARD ASSEMBLY: 11737802 INTERFACE [CUST: AR] | A 1240 | AR | 15-JUL-96 | |
| | MIL-E-50745 NOT 1 | ELECTRONIC COMPONENT ASSEMBLY, 11737807 (PRE REGULATOR) [CUST: AR] | A 1240 | AR | 15-JUL-96 | |
| A | MIL-R-50746(1) NOT 1 | RECEIVER TRANSMITTER, LASER, RT-1021()/VVG-1, 11738821 [CUST: AR] | A 1240 | AR | 14-AUG-97 | |
| A | MIL-M-50747 NOT 1 | MALF 3 BUFFER LOGIC, 11738803 [CUST: AR] | A 1240 | AR | 19-AUG-97 | |
| A | MIL-E-50748 NOT 1 | ELECTRONIC COMPONENT ASSEMBLY, 11737477 (A, TRIGGER) [CUST: AR] | A 1240 | AR | 19-AUG-97 | |
| A | MIL-R-50749(1) NOT 1 | RANGEFINDER, FIRE CONTROL, AN/VVG-1() 11738801 [CUST: AR] | A 1240 | AR | 14-AUG-97 | |
| A | MIL-T-50760 NOT 1 | TELESCOPE, ELBOW, 11737695 [CUST: AR] | A 1240 | AR | 19-AUG-97 | |
| A | MIL-B-50762 NOT 1 | BODY ASSEMBLY IR, 11743800 [CUST: AR] | A 1240 | AR | 19-AUG-97 | |
| | MIL-B-50772(1) NOT 4 | BONDING OF PRECISION MIRRORS (GLASS-TO-METAL) [CUST: AR] | A 12GP | AR | 03-FEB-97 | |
| A | MIL-P-50774A(2) NOT 2 | PROJECTILE, 20MM, TARGET PRACTICE, M55A3 AND M55A3B1 [CUST: AR] | A 1305 | AR | 24-JUL-97 | |
| A | MIL-P-50775B(1) NOT 2 | PROJECTOR, RETICLE IMAGE: 11744800 M21 [CUST: AR] | A 1240 | AR | 19-AUG-97 | |
| | MIL-R-50776 NOT 3 | REMOVER, AIRCRAFT CANOPY: M8A2 ASSEMBLY [CUST: OS] | A 1377 | OS | 25-JUN-96 | |
| | MIL-C-50779A NOT 2 | CASING, BURSTER M158 [CUST: AR] | A 1310 | AR | 27-FEB-97 | |
| A | MIL-T-50782(2) NOT 1 | TELESCOPE, PANORAMIC: M117A2 [CUST: AR] | A 1240 | AR | 14-AUG-97 | |
| A | MIL-P-50791C(6) NOT 1 | PROJECTILE, 105MM, TPDS-T, M737 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | 14-AUG-97 | |
| | MIL-R-50792A NOT 2 | ROTATING BAND TUBING, VULCANIZED FIBER [CUST: AR] | A 1315 | AR | 12-DEC-95 | |
| | MIL-P-50793(1) NOT 2 | PROJECTILE, TP-T, 105MM, M468 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | 12-DEC-95 | |
| A | MIL-C-50797(1) NOT 2 | CASE, CARTRIDGE, 20MM, M103A1 [CUST: AR] | A 1305 | AR | 06-DEC-97 | |
| | MIL-D-50837 NOT 2 | DISC, SOLID, PLAIN AND DISC, SOLID, PLAIN, TRAINING [CUST: AR] | A 1110 | AR | 21-JUN-95 | |
| | MIL-I-50860(1) NOT 2 | IGNITION ELEMENT, ELECTRICAL, PARTS FOR [CUST: AR] | A 1320 | AR | 15-JUL-96 | |
| | MIL-C-50861A(5) NOT 2 | CARTRIDGE, 40MM, HEDP, M430; BODY ASSEMBLY FOR METAL PARTS [CUST: AR] | A 1310 | AR | 08-FEB-96 | |
| | MIL-C-50862A(2) NOT 2 | CARTRIDGE, 40MM, HEDP, M430; LINER FOR METAL PARTS [CUST: AR] | A 1310 | AR | 08-FEB-96 | |
| | MIL-C-50863C NOT 1 | CARTRIDGE, 40MM, HEDP, M430A1 LOADING, ASSEMBLING AND PACKAGING [CUST: AR] | A 1310 | AR | 08-FEB-96 | |
| | MIL-D-50865A(3) NOT 1 | DETONATOR, STAB, M59 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 15-JUL-96 | |
| | MIL-I-50867B(1) NOT 1 | IGNITION ELEMENT ELECTRICAL LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 15-JUL-96 | |
| | MIL-D-50868A(2) NOT 2 | DETONATOR, FLASH, M85 PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 15-JUL-96 | |
| | MIL-C-50870C(1) NOT 2 | CARTRIDGE, 40MM, HEDP, M433; LINER FOR METAL PART [CUST: AR] | A 1310 | AR | 08-FEB-96 | |
| | MIL-C-50871C(1) NOT 2 | CARTRIDGE, 40MM, HEDP, M433 PROJECTILE METAL PARTS FOR [CUST: AR] | A 1310 | AR | 17-OCT-96 | |
| | MIL-C-50872C(2) NOT 2 | CARTRIDGE, 40MM, HEDP, M433 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | 08-FEB-96 | |
| | MIL-B-50873A(3) NOT 2 | BAG, BARRIER, ELASTOMERIC [CUST: AR] | A 1320 | AR | 15-JUL-96 | |
| A | MIL-C-50903 NOT 1 | CONNECTOR, MALE, ASSEMBLY FOR M18A1 APERS MINE [CUST: AR] | A 1345 | AR | 11-MAR-98 | |
| | MIL-D-50908B(1) NOT 2 | DEMOLITION KIT, CRATERING: M180 ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 15-JUL-96 | |
| | MIL-P-50911A NOT 2 | PRIMING ASSEMBLY FOR DEMOLITION CHARGE ASSEMBLY: M183; PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 15-JUL-96 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-C-50912(1) NOT 2 | CARTRIDGE, 152MM, CANISTER, M625A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 12-DEC-95 |
| | MIL-C-50919B NOT 2 | CLIP, CORD, DETONATING: M1 [CUST: AR] | A 1375 | AR | | 15-JUL-96 |
| | MIL-G-50935B(1) NOT 2 | GRENADES, GP, CONE FOR [CUST: AR] | A 1330 | AR | | 05-MAR-97 |
| A | MIL-P-50936A(2) NOT 1 | PROJECTILE, 155MM, HE, M483A1 METALLIC HARDWARE FOR [CUST: AR] | A 1320 | AR | | 14-AUG-97 |
| A | MIL-F-50950C(1) NOT 3 | FUZE, GRENADE, GP: M223 [CUST: AR] | A 1330 | AR | | 17-JUL-97 |
| | MIL-G-50960 NOT 3 | GASKET [CUST: AR] | A 1195 | AR | | 21-JUN-95 |
| | MIL-G-50962 NOT 3 | GAGE, DEPTH, DIAL INDICATING: T4191A [CUST: AR] | A 1190 | AR | | 21-JUN-95 |
| A | MIL-G-50973B(1) NOT 1 | GRENADES, GP, M42 AND M46, TAPE STIFFENER ASSEMBLY FOR [CUST: AR] | A 1330 | AR | | 14-AUG-97 |
| | MIL-G-50975C(5) NOT 1 | GRENADE, HE, G.P., M42 LOADING AND ASSEMBLING [CUST: AR] | A 1330 | AR | | 15-JUL-96 |
| A | MIL-D-50978A NOT 1 | DETONATOR, FLASH M86 PARTS FOR, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 19-AUG-97 |
| | MIL-C-50980A NOT 2 | CHARGE, PROPELLING, FOR USE WITH 105MM CARTRIDGES, M393A2, HEP-T, M393A1, TP-T, M416, WP-T, M467, TP-T LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 15-JUL-96 |
| | MIL-B-50984 NOT 1 | BAG, PROPELLING, CHARGE, M67, EMPTY [CUST: AR] | A 1315 | AR | | 08-FEB-96 |
| | MIL-W-50985A NOT 2 | WARHEAD, 2.75 INCH ROCKET, HE, DUAL PURPOSE, XM247, PARTS FOR [CUST: AR] | A 1340 | AR | | 12-DEC-95 |
| | MIL-W-50986A(1) NOT 1 | WARHEAD, 2.75 INCH ROCKET, HE DUAL PURPOSE M247 WITH OR WITHOUT FUZE, LOADING [CUST: AR] | A 1340 | AR | | 12-DEC-95 |
| | MIL-W-50987(1) NOT 2 | WARHEAD, 2.75 INCH ROCKET, HE, M151 WITH FUZE OR WITHOUT FUZE, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1340 | AR | | 16-JUL-96 |
| | MIL-D-50998(2) NOT 1 | DETONATOR, STAB, M76 [CUST: AR] | A 1330 | AR | | 16-JUL-96 |
| | MIL-B-50999(3) NOT 1 | BOOSTER, AUXILIARY, M122, METAL PARTS FOR, AND ASSEMBLY AND LOADING OF [CUST: AR] | A 1310 | AR | | 02-AUG-96 |
| | MIL-R-51015C NOT 1 | RIOT CONTROL AGENT, CS CAPSULE (METRIC) [CUST: EA] | A 1365 | EA | | 16-AUG-95 |
| | MIL-T-51023D(4) NOT 1 | TABLETS, COMPOUND 34 [CUST: EA 99] [REVIEW: 82 MC OS] | A 6665 | EA | | 19-APR-96 |
| | MIL-G-51025H NOT 2 | GUN, PORTABLE RIOT CONTROL AGENT DISPENSER, M9 [CUST: EA MC 99] | A 1040 | EA | | 19-APR-96 |
| A | MIL-A-51027A NOT 2 | ANTISETTING COMPOUND, DECONTAMINATING SLURRY, M2 [CUST: EA GS] [REVIEW: MC MD SM YD1] | A 6850 | GS | | 24-NOV-97 |
| | MIL-R-51029C(1) NOT 1 | RIOT CONTROL AGENT, CS [CUST: EA 70] [REVIEW: CR4 MD] | A 1365 | EA | | 19-APR-96 |
| | MIL-D-51031C NOT 2 | DISPENSER, RIOT CONTROL AGENT, PORTABLE, M3 [CUST: EA MC 84] | A 1040 | EA | | 19-APR-96 |
| | MIL-D-51048F(4) NOT 1 | DECONTAMINATING APPARATUS, PORTABLE, DS2, 1-1/2 QUART, M11 [CUST: EA] | A 4230 | EA | | 28-SEP-95 |
| | MIL-P-51062B(1) NOT 1 | PUMP, FOG OIL, SMOKE GENERATOR, M4 [CUST: EA 99] [REVIEW: 84 MC SM] | A 1040 | EA | | 19-APR-96 |
| | MIL-P-0051062D NOT 1 | PUMP, FOG OIL, SMOKE GENERATOR, M4 [CUST: EA] | A 1040 | EA | | 28-SEP-95 |
| | MIL-G-51066C NOT 1 | GENERATOR, SMOKE, MECHANICAL, PULSE JET, ABC M3A3 [CUST: EA MC 99] | A 1040 | EA | | 19-APR-96 |
| | MIL-G-0051066D(1) NOT 1 | GENERATOR, SMOKE, MECHANICAL PULSE JET, M3A3 [CUST: EA] | A 1040 | EA | | 28-SEP-95 |
| | MIL-F-51069C(1) NOT 1 | FILTER UNIT, GAS-PARTICULATE, FOUR MAN, 12 CFM, M8A3 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 05-MAR-96 |
| | MIL-P-51070D NOT 1 | PURIFIER, AIR, M2A2 [CUST: EA 99] [REVIEW: 84 GS MC MD] | A 4240 | EA | | 19-APR-96 |
| | MIL-P-0051070F(1) NOT 1 | PURIFIER, AIR, M2A2 [CUST: EA] | X 4240 | EA | | 28-SEP-95 |
| | MIL-I-51072C NOT 1 | INSTALLATION KIT, GAS PARTICULATE FILTER UNIT, ARMORED VEHICLE, M20A1 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 05-MAR-96 |
| | MIL-C-51073D(1) NOT 1 | COUPLING HALF, QUICK DISCONNECT [CUST: EA] [REVIEW: CC] | A 4730 | EA | | 28-SEP-95 |
| | MIL-F-51079D NOT 1 | FILTER MEDIUM, FIRE-RESISTANT, HIGH-EFFICIENCY [CUST: EA YD1] [REVIEW: AS CR4 GS MC SH] | A 4240 | EA | | 21-MAY-96 |
| | MIL-F-51079D(11) | FILTER, MEDIUM, FIRE-RESISTANT, HIGH-EFFICIENCY [CUST: EA] | A 4240 | EA | | 17-FEB-88 |
| A | MIL-R-51080A(1) NOT 1 | RADIOACTIVE SOURCE SET, M3A1 [CUST: CR] [REVIEW: EA] | A 6665 | CR | | 25-APR-97 |
| A | MIL-R-51081A(1) NOT 1 | RADIOACTIVE SOURCE, COBALT 60, GAMMA, M1A1 [CUST: CR] | A 6665 | CR | | 25-APR-97 |
| A | MIL-D-51082E(5) NOT 1 | DETECTOR TUBES, CHEMICAL AGENT [CUST: EA 99] [REVIEW: 82] | A 6665 | EA | | 07-FEB-97 |
| | MIL-D-51082E(14) NOT 1 | DETECTOR TUBES, CHEMICAL AGENT [CUST: EA] | A 6665 | EA | | 19-APR-96 |
| | MIL-D-51083C(4) NOT 1 | DETECTOR TICKET, ANTICHOLINESTERASE AGENT [CUST: EA SH 99] [REVIEW: 82 MC OS] | A 6665 | EA | | 19-APR-96 |
| | MIL-D-51083C(15) NOT 1 | DETECTOR TICKET, ANTICHOLINESTERASE AGENT [CUST: EA] | A 6665 | EA | | 19-APR-96 |
| A | MIL-D-51091J(4) NOT 1 | DECONTAMINATING APPARATUS, POWER DRIVEN, SKID-MOUNTED, MULTIPURPOSE, NONINTEGRAL, 500-GALLON, M12A1 [CUST: EA] [REVIEW: GS MC YD1] | A 4230 | EA | | 11-MAR-96 |
| | MIL-B-51092(1) NOT 1 | BORON, AMORPHOUS, POWDER [CUST: AR] [REVIEW: EA GS MI OS] | A 6810 | AR | | 14-MAR-97 |
| | MIL-C-51098E(7) NOT 1 | CYLINDER, NITROGEN-FILLED, PUNCTURABLE SEAL [CUST: EA] | A 4230 | EA | | 28-SEP-95 |
| | MIL-C-51108B(1) NOT 1 | CARRIER, AIRCRAFT CHEMICAL-BIOLOGICAL MASK, M17 [CUST: EA] | A 4240 | EA | | 28-SEP-95 |
| | MIL-F-51109A(2) NOT 1 | FACEBLANK, CHEMICAL-BIOLOGICAL MASK, C12R4 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 25-MAR-96 |
| | MIL-F-51110A(2) NOT 1 | FACEBLANK-LENS, C14R3 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 25-MAR-96 |
| | MIL-H-51111B(2) NOT 1 | HARNESS, HEAD, C15 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 25-MAR-96 |
| | MIL-N-51112A(2) NOT 1 | NOSECUP-DEFLECTOR, C11 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 25-MAR-96 |
| | MIL-M-51113D(1) NOT 1 | MASK, CHEMICAL-BIOLOGICAL, AIRCRAFT, ABC-M24 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 25-MAR-96 |
| | MIL-O-51142C NOT 1 | OUTSERT, EYELENS ANTIGLARE, CHEMICAL-BIOLOGICAL MASK, ABC-M2 [CUST: EA] | A 4240 | EA | | 28-SEP-95 |
| | MIL-F-51163A(1) NOT 1 | FILTER UNIT, GAS-PARTICULATE, GED OR EMD, 300 CFM, ABCA-M6A1 [CUST: EA] | A 4240 | EA | | 28-SEP-95 |
| | MIL-F-51165B NOT 1 | FILTER, PARTICULATE, 150 CFM, M9A1 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 05-MAR-96 |
| | MIL-B-51170F(1) NOT 1 | BAG, WATERPROOF, CHEMICAL BIOLOGICAL MASK, MI [CUST: EA] [REVIEW: GS YD1] | A 4240 | EA | | 21-MAY-96 |
| | MIL-H-51171F NOT 1 | HEATER, WATER, LIQUID FUEL, SKID MOUNTED, 600 GPH, M2 [CUST: EA] | A 4410 | EA | | 28-SEP-95 |
| | MIL-S-51173A(1) NOT 1 | SERVICE UNIT, FLAME THROWER, TRUCK MOUNTED, M4A2 [CUST: EA] | A 1040 | EA | | 28-SEP-95 |
| | MIL-F-51174A NOT 1 | FILTER UNIT, GAS-PARTICULATE, 12 CFM, ARMORED AMBULANCE, M14 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 05-MAR-96 |
| | MIL-I-51175 NOT 1 | INSTALLATION KIT, GAS-PARTICULATE FILTER UNIT, ARMORED VEHICLE, AMBULANCE, M37 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 05-MAR-96 |
| | MIL-C-51177B(1) NOT 1 | COUPLING, CANISTER, ABC-M1 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 11-MAR-96 |
| | MIL-C-51179C(1) NOT 1 | CARRIER, CHEMICAL-BIOLOGICAL MASK, ABC-M13A1 [CUST: EA] | A 4240 | EA | | 27-JUN-95 |
| | MIL-H-51182A NOT 1 | HEADPIECE, HOSPITAL COLLECTIVE PROTECTOR, M13A1 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 11-MAR-96 |
| | MIL-D-51188C NOT 1 | DISPENSER, RIOT CONTROL AGENT, HELICOPTER OR VEHICLE MOUNTED, M5 [CUST: EA] | A 1040 | EA | | 28-SEP-95 |
| A | MIL-S-51189B(5) NOT 1 | SUBSTRATE SOLUTION AND DISPENSER [CUST: EA SH 99] [REVIEW: 82 MC OS] | A 6665 | EA | | 07-FEB-97 |
| | MIL-S-51189B(14) NOT 1 | SUBSTRATE SOLUTION AND DISPENSER [CUST: EA] | A 6665 | EA | | 19-APR-96 |
| | MIL-F-51190C(1) NOT 1 | FILTER UNIT, GAS-PARTICULATE, TANK, 20 CFM, M13A1 [CUST: EA] | X 4240 | EA | | 28-SEP-95 |
| | MIL-I-51192B NOT 1 | INSTALLATION KIT, ARMORED VEHICLE, GAS PARTICULATE FILTER UNIT, M29A1 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 05-MAR-96 |
| A | MIL-DTL-51193D | FILTER, GAS, 10 CFM, M18A1 [CUST: EA] | A 4240 | EA | | 30-DEC-96 |
| | MIL-F-51194C(1) NOT 1 | FILTER, PARTICULATE, 20 CFM, M19 [CUST: EA] | A 4240 | EA | | 28-SEP-95 |
| | MIL-V-51195B(1) NOT 1 | VALVE, OUTLET, C19 [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 05-MAR-96 |
| | MIL-S-51200B NOT 1 | SAMPLING KIT, CBR AGENT, M34 [CUST: EA] | X 6665 | EA | | 28-SEP-95 |
| | MIL-F-51206 NOT 2 | FILTER, COTTON [CUST: EA] [REVIEW: GS] | A 4240 | EA | | 11-MAR-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|------------------------|--|--------------------------|--------------------|-----------|
| | MIL-F-51208(1) NOT 2 | FILTER ELEMENT AND RING ASSEMBLY [CUST: EA] [REVIEW: GS] | A 4240 | EA | 05-MAR-96 |
| | MIL-S-51210A(1) NOT 1 | SOIL SAMPLING KIT [CUST: EA] | A 6665 | EA | 28-SEP-95 |
| | MIL-C-51211B(1) NOT 1 | CALCULATOR, DOWNWIND TOXIC VAPOR HAZARD, POINT SOURCE, ABC-M2 [CUST: EA 99] | A 6665 | EA | 19-APR-96 |
| | MIL-C-51212B(1) NOT 1 | CALCULATOR, DOWNWIND TOXIC VAPOR HAZARD, LINE SOURCE, ABC-M3 [CUST: EA 82] | A 6665 | EA | 19-APR-96 |
| | MIL-C-51212B(12) NOT 1 | CALCULATOR, DOWNWIND TOXIC VAPOR HAZARD, LINE SOURCE, ABCA-M3 [CUST: EA] | A 6665 | EA | 19-APR-96 |
| | MIL-F-51215C(4) NOT 1 | FILTERS, PARTICULATE, 600, 1200, 2500 AND 5000 CFM; C18R1, C19R1, C30R1 AND C20R1 [CUST: EA] | A 4240 | EA | 28-SEP-95 |
| | MIL-F-51220A(1) NOT 1 | FILTER UNIT, GAS-PARTICULATE, MISSILE VAN, EMD, 300 CFM, M18 [CUST: EA] | X 4240 | EA | 28-SEP-95 |
| | MIL-F-51221A NOT 1 | FILTER, PARTICULATE, 150 CFM, M24 [CUST: EA] [REVIEW: GS] | A 4240 | EA | 05-MAR-96 |
| A | MIL-DTL-51222D | FILTER, GAS, 150 CFM, M23A1 [CUST: EA] | A 4240 | EA | 22-OCT-97 |
| | MIL-B-51223 NOT 1 | ENTRANCE, PROTECTIVE, PRESSURIZED, MISSILE VAN, COLLAPSIBLE, M7 [CUST: EA] [REVIEW: GS] | A 4240 | EA | 05-MAR-96 |
| | MIL-P-51227B(2) NOT 1 | PUMP, CENTRIFUGAL, DECONTAMINATING APPARATUS [CUST: EA] [REVIEW: GS] | A 4230 | EA | 11-MAR-96 |
| | MIL-F-51228(1) NOT 1 | FAN, VANEAXIAL, 300 CFM, 400 CYCLE, 416 VOLTS, 0.7 HP [CUST: EA] | A 4240 | EA | 28-SEP-95 |
| | MIL-C-51232C NOT 1 | CLOTH, MARQUISSETTE, POLYESTER [CUST: EA] [REVIEW: 45] | A 8305 | EA | 25-MAR-96 |
| | MIL-C-51234(3) NOT 1 | COUPLING ASSEMBLY, QUICK DISCONNECT, PLAIN AND SELF-SEALING [CUST: EA] | A 4730 | EA | 28-SEP-95 |
| | MIL-S-51235C NOT 1 | SMOKE POT, FLOATING, SGF2, AN-M7A1 [CUST: EA OS] | A 1365 | EA | 28-SEP-95 |
| | MIL-R-51237A(2) NOT 1 | REFILL KIT, CHEMICAL AGENT DETECTOR, V-G COMPONENTS, ABC-M30A1 [CUST: EA] | A 6665 | EA | 28-SEP-95 |
| | MIL-S-51244A NOT 1 | SERVICE KIT, PORTABLE FLAME THROWER, RIOT CONTROL AGENT DISPERSER, M27 [CUST: EA] | A 1040 | EA | 28-SEP-95 |
| | MIL-T-51252A(2) NOT 1 | TESTING KIT, IMPREGNITE IN CLOTHING, ABC-M2 [CUST: EA] | A 6630 | EA | 28-SEP-95 |
| | MIL-B-51254(5) NOT 1 | BREATHING APPARATUS, OXYGEN GENERATING, M20 [CUST: EA] [REVIEW: GS] | A 4240 | EA | 05-MAR-96 |
| | MIL-D-51256B NOT 1 | DETECTOR KIT, CHEMICAL AGENT, ABC-M18A2 [CUST: EA SH 99] [REVIEW: 82 CR4 OS] | A 6665 | EA | 19-APR-96 |
| | MIL-D-0051256C NOT 1 | DETECTOR KIT, CHEMICAL AGENT, ABC-M18A2 [CUST: EA] | A 6665 | EA | 28-SEP-95 |
| | MIL-C-51280B NOT 1 | COVER, VOICEMITTER OUTLET VALVE, C13R1 [CUST: EA] [REVIEW: GS] | A 4240 | EA | 05-MAR-96 |
| | MIL-R-51283C(1) NOT 1 | RUBBER FABRICATED PRODUCTS FOR M17A1/M17A2 MASKS [CUST: EA] | A 4240 | EA | 28-SEP-95 |
| | MIL-T-51289B NOT 1 | TEST SET, FLAME THROWER - RIOT CONTROL AGENT DISPERSER, HYDROSTATIC - VOLUMETRIC, 6000 PSI, M5 [CUST: EA] | A 1040 | EA | 28-SEP-95 |
| | MIL-L-51292C NOT 1 | LAUNCHER AND GRENADES, SMOKE, HC AND WP, XM176 [CUST: EA] | A 1330 | EA | 28-SEP-95 |
| | MIL-L-51293B(1) NOT 1 | LAUNCHER AND GRENADES, SMOKE, HC AND WP, XM176, COMPONENTS FOR [CUST: EA] | A 1330 | EA | 28-SEP-95 |
| | MIL-C-51297B NOT 1 | CARTRIDGE, 40MM, RED SMOKE, RS, XM675 [CUST: EA] | A 1310 | EA | 28-SEP-95 |
| | MIL-B-51298A NOT 2 | BODY ASSEMBLY, M674 AND M675 CARTRIDGES [CUST: EA] | A 1310 | EA | 28-SEP-95 |
| | MIL-P-51303B NOT 1 | PROJECTILE, 81-MILLIMETER, SMOKE, M375A3; WP FILLING [CUST: EA] | A 1315 | EA | 18-JAN-96 |
| | MIL-A-51306B(1) NOT 1 | ADAPTER, OXYGEN SUPPLY, CHEMICAL-BIOLOGICAL MASK, M8 [CUST: EA] | A 4240 | EA | 28-SEP-95 |
| | MIL-F-51318A NOT 1 | FILTER UNIT, GAS PARTICULATE, EMD, 300 CFM, M6A2 [CUST: EA] [REVIEW: GS] | A 4240 | EA | 05-MAR-96 |
| | MIL-C-51326(2) NOT 1 | CALCULATOR, NUCLEAR YIELD, M4A1 [CUST: EA] | A 6665 | EA | 28-SEP-95 |
| | MIL-C-51327(2) NOT 1 | CALCULATOR SET, NUCLEAR, M28A1 [CUST: EA] | A 6665 | EA | 28-SEP-95 |
| | MIL-P-51338(1) NOT 1 | PROJECTILE, 105MM, SMOKE, WP, M60E1, FILLING ASSEMBLY [CUST: EA] [REVIEW: 99] | A 1315 | EA | 19-APR-96 |
| | MIL-R-51341(1) NOT 1 | RIOT CONTROL AGENT, CS2 [CUST: EA] | A 1365 | EA | 18-JAN-96 |
| | MIL-G-51349E NOT 1 | GRENADE BODY [CUST: EA] | A 1330 | EA | 28-SEP-95 |
| | MIL-F-51353A(2) NOT 1 | FUZE, HAND GRENADE, M201A1 [CUST: EA] | X 1330 | EA | 28-SEP-95 |
| | MIL-C-51355A NOT 1 | CARTRIDGE, 40MM, CS, M651 [CUST: EA 99] | A 1310 | EA | 19-APR-96 |
| | MIL-A-51356A(2) NOT 1 | AREA PREDICTOR, RADIOLOGICAL FALLOUT, ABC-M5A2 [CUST: EA] | A 6665 | EA | 28-SEP-95 |
| | MIL-C-51358A(1) NOT 1 | CANISTER, SMOKE, HC, 155MM, PROJECTILE, M1 AND M2, COMPONENTS FOR [CUST: EA] | A 1320 | EA | 28-SEP-95 |
| | MIL-C-51360B NOT 1 | CANISTER, SMOKE, HC, 105MM, PROJECTILE, M1 [CUST: EA] | A 1315 | EA | 28-SEP-95 |
| | MIL-C-51361B(1) NOT 1 | CANISTER, SMOKE, HC, 105MM, PROJECTILE, M1, COMPONENTS FOR [CUST: EA] | A 1315 | EA | 28-SEP-95 |
| | MIL-F-51366A(2) NOT 1 | FILTERS, PARTICULATE, RECIRCULATION (550 CFM AND 1200 CFM) [CUST: EA] [REVIEW: GS] | A 4240 | EA | 11-MAR-96 |
| | MIL-S-51368B(2) NOT 1 | SHELTER SYSTEM, COLLECTIVE PROTECTION, CHEMICAL-BIOLOGICAL: INFLATABLE, 10-MAN, TRAILER TRANSPORTED, M51 [CUST: EA] [REVIEW: GS] | A 4240 | EA | 11-MAR-96 |
| | MIL-D-51370A(1) NOT 1 | DISPERSER, RIOT CONTROL AGENT, PORTABLE, 3 GALLON, XM33 [CUST: EA] | A 1040 | EA | 28-SEP-95 |
| | MIL-S-51371C NOT 1 | SERVICE KIT, PORTABLE RIOT CONTROL AGENT DISPERSER, M254 [CUST: EA] | A 1040 | EA | 28-SEP-95 |
| | MIL-A-51372 NOT 1 | ADAPTER, BOMB CLUSTER, 750 POUND, M30E2 [CUST: AR] | A 1325 | AR | 16-JUL-96 |
| | MIL-B-51373 NOT 1 | BOMB CLUSTER, INCENDIARY, TH3, 750 POUND M36E2 (WITHOUT FUZE, FIN & WIRE) [CUST: AR] | A 1325 | AR | 16-JUL-96 |
| | MIL-G-51374(1) NOT 1 | GRENADE, HAND, RED SMOKE, RS, M4B [CUST: EA] | A 1330 | EA | 28-SEP-95 |
| | MIL-G-51375(1) NOT 1 | GRENADE, HAND, RIOT, CS, M47 [CUST: EA] | A 1330 | EA | 28-SEP-95 |
| | MIL-F-51376(1) NOT 1 | FUZE, HAND GRENADE, M227 [CUST: EA] | A 1330 | EA | 28-SEP-95 |
| | MIL-A-51384B NOT 1 | ALARM UNIT, CHEMICAL AGENT AUTOMATIC ALARM: ABCA-M42 [CUST: EA] | A 6665 | EA | 28-SEP-95 |
| | MIL-C-51385B NOT 1 | CABLE ASSEMBLY, POWER, ELECTRIC: ABCA-M168 [CUST: EA] | A 6665 | EA | 28-SEP-95 |
| | MIL-H-51391B(1) NOT 1 | HORN, ELECTRICAL [CUST: EA] | X 6350 | EA | 23-JUL-96 |
| | MIL-M-51393B NOT 1 | MOUNTING KIT, CHEMICAL AGENT AUTOMATIC ALARM: HIGH PROFILE, ABCA-M228 [CUST: EA] | A 6665 | EA | 28-SEP-95 |
| | MIL-M-51394B NOT 1 | MOUNTING KIT, CHEMICAL AGENT AUTOMATIC ALARM: LOW PROFILE, ABCA-M182 [CUST: EA] | A 6665 | EA | 28-SEP-95 |
| | MIL-B-51400(2) NOT 1 | BAG, WATERPROOF, CHEMICAL BIOLOGICAL MASK, M1A1 [CUST: EA] [REVIEW: GS] | A 4240 | EA | 23-JUN-95 |
| | MIL-C-51404A NOT 1 | CRIMPING OUTFIT, HYDRAULIC, VOICEMITTER-OUTLET VALVE ASSEMBLY, M1 [CUST: EA 99] [REVIEW: GS] | A 5180 | EA | 29-MAR-96 |
| | MIL-P-51406A(1) NOT 1 | PLASTIC SHEETS, VINYL CHLORIDE POLYMER AND COPOLYMER, FLEXIBLE [CUST: EA] [REVIEW: GS] | A 9330 | EA | 25-MAR-96 |
| | MIL-P-51408(2) NOT 1 | PAPER, CHEMICAL AGENT DETECTOR, VGH, ABC-M8 [CUST: EA] | A 6665 | EA | 28-SEP-95 |
| | MIL-P-51409A NOT 1 | PAPER, CHEMICAL AGENT DETECTOR, VGH, ABC-M8; BOOKLET OF [CUST: EA] | X 6665 | EA | 28-SEP-95 |
| | MIL-D-51410(1) NOT 1 | DYE, GREEN, ETHYL-BIS(2,4-DINITROPHENYL) ACETATE [CUST: EA] [REVIEW: GS] | A 6820 | EA | 25-MAR-96 |
| | MIL-D-51411(1) NOT 1 | DYE, YELLOW, THIODIPHENYL-4,4'-DIAZO-BIS-SALICYLIC ACID [CUST: EA] [REVIEW: GS] | A 6820 | EA | 25-MAR-96 |
| | MIL-D-51412(1) NOT 1 | DYE, RED, 2,5,2':5'-TETRAMETHYLTRIPHENYLMETHANE-4,4'-DIAZO-BIS-BETAHYDROXYNAPHTHOIC ANILIDE [CUST: EA] [REVIEW: GS] | A 6820 | EA | 25-MAR-96 |
| | MIL-D-51413A(2) NOT 1 | DISPENSER AND RIOT CONTROL AGENT, MANUALLY CARRIED, CR, M36 [CUST: EA] | A 1040 | EA | 08-NOV-95 |
| | MIL-S-51416 NOT 1 | SAFETY EQUIPMENT SET, RESPIRATORY, 2-MAN [CUST: EA] [REVIEW: GS] | A 4240 | EA | 05-MAR-96 |
| | MIL-E-51420A(1) NOT 2 | EDGESEAL MATERIALS, CHEMICAL-BIOLOGICAL FILTER [CUST: EA] [REVIEW: GS] | A 4240 | EA | 11-MAR-96 |
| | MIL-S-51422B(5) NOT 1 | SHELTER AND ENTRANCE ASSEMBLY - CHEMICAL-BIOLOGICAL SHELTER SYSTEM: INFLATABLE [CUST: EA] | A 4240 | EA | 08-NOV-95 |
| | MIL-F-51425A(1) NOT 1 | FILTER ELEMENT SET, CHEMICAL BIOLOGICAL MASK, M13A2 [CUST: EA] | A 4240 | EA | 08-NOV-95 |
| | MIL-F-51440A NOT 2 | FILTER, AIR, CHEMICAL - BIOLOGICAL, M46 [CUST: EA] | A 4240 | EA | 08-NOV-95 |
| | MIL-R-51446(1) NOT 2 | RIOT CONTROL AGENT, CR [CUST: EA] | A 1365 | EA | 08-NOV-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|------|
| | MIL-R-51447(1) NOT 2 | RIOT CONTROL AGENT, CR SOLUTION [CUST: EA] | A 1365 | EA | 08-NOV-95 | |
| | MIL-C-51448 NOT 1 | CANISTER [CUST: EA] | A 1340 | EA | 08-NOV-95 | |
| | MIL-C-51449(1) NOT 1 | CANISTER, 2.75 WP [CUST: EA] | A 1340 | EA | 08-NOV-95 | |
| | MIL-L-51450A NOT 1 | LAUNCHER, PROJECTILE, 64 MM - M234 [CUST: EA] | A 1330 | EA | 08-NOV-95 | |
| | MIL-F-51451(1) NOT 1 | FILTER, GAS-PARTICULATE, 18 CFM, M41 [CUST: EA] | A 4240 | EA | 08-NOV-95 | |
| | MIL-D-51453A(1) NOT 1 | DISPERSER, RIOT CONTROL AGENT, PORTABLE, 3 GALLON, M33A1 [CUST: EA] | A 1040 | EA | 08-NOV-95 | |
| | MIL-E-51454A NOT 1 | ETHYL ALCOHOL (ETHANOL) [CUST: EA SH 68] [REVIEW: CR4 GS OS SM] | A 6810 | EA | 19-APR-96 | |
| | MIL-T-51461(1) NOT 1 | TESTER, AIRFLOW-GAS PARTICULATE FILTER UNIT, M39 [CUST: EA] | A 6680 | EA | 08-NOV-95 | |
| | MIL-F-51465A NOT 1 | FUZE, FLOATING SMOKE POT, M207A1 [CUST: EA] | A 1365 | EA | 08-NOV-95 | |
| | MIL-I-51466(2) NOT 1 | IGNITER [CUST: EA] | A 1365 | EA | 08-NOV-95 | |
| | DOD-B-51470 NOT 2 | N BUTYL MERCAPTAN, TECHNICAL (METRIC) [CUST: EA] | A 6810 | EA | 08-NOV-95 | |
| | MIL-P-51474A(2) NOT 1 | PROJECTILE, 64MM, RIOT CONTROL, KE M743 [CUST: EA] | A 1310 | EA | 08-NOV-95 | |
| | MIL-C-51475 NOT 2 | CARRIER ASSEMBLY [CUST: EA] | A 1040 | EA | 08-NOV-95 | |
| | MIL-G-51478B(1) NOT 1 | GRENADE, LAUNCHER, SMOKE: SCREENING, RP, UK, L8A3 [CUST: EA] | A 1330 | EA | 27-DEC-95 | |
| | MIL-B-51480B(1) NOT 1 | BOMB, BINARY CHEMICAL, (WITHOUT BALLONET) BLU-80/B [CUST: EA] | D 1325 | EA | 27-DEC-95 | |
| | MIL-F-51481 NOT 2 | FILTER MATERIAL, LAMINATED PAPER, TEN PLY [CUST: EA] | A 4240 | EA | 08-NOV-95 | |
| | MIL-E-51482 NOT 2 | EDGESEAL MATERIAL, SELF ADHERING [CUST: EA] | A 4240 | EA | 27-DEC-95 | |
| | DOD-D-51485A NOT 1 | DYE, SOLVENT YELLOW 33 (METRIC) [CUST: EA] | A 6820 | EA | 27-DEC-95 | |
| | MIL-A-51487A NOT 1 | ARMING/FIRING UNIT [CUST: EA] | A 1040 | EA | 27-DEC-95 | |
| | MIL-P-51489 NOT 2 | PROJECTILE, 155MM, SMOKE, WP, M110A2 FILLING ASSEMBLY [CUST: EA] | A 1320 | EA | 27-DEC-95 | |
| | MIL-D-51490A(4) NOT 1 | DETECTOR KIT, CHEMICAL AGENT: M256A1 [CUST: EA] | A 6665 | EA | 27-DEC-95 | |
| | MIL-G-51491A NOT 1 | GENERATOR, SMOKE, MECHANICAL PULSE JET, M3A4 [CUST: EA] | A 1040 | EA | 27-DEC-95 | |
| | MIL-T-51497(1) NOT 1 | TRAINING SET, CHEMICAL AGENT IDENTIFICATION, SIMULANTS, M72A1 [CUST: EA] | A 6910 | EA | 27-DEC-95 | |
| | MIL-L-51501A NOT 1 | LAUNCHERS, GRENADE, SMOKE: SCREENING, RP, M243, M257, AND M259 [CUST: EA] | A 1040 | EA | 27-DEC-95 | |
| | MIL-W-51502A(1) NOT 1 | WATER TESTING KIT, CHEMICAL AGENTS, M272 [CUST: EA] | X 6665 | EA | 27-DEC-95 | |
| | MIL-D-51503 NOT 1 | DETECTOR TICKET, ANTICHOLINESTERASE AGENT, EEL ENZYME [CUST: EA] | A 6665 | EA | 27-DEC-95 | |
| A | MIL-C-51507C(2) NOT 2 | CANISTER AND COMPONENTS, M825 [CUST: EA] | X 1320 | EA | 27-DEC-95 | |
| | MIL-C-51508A(3) NOT 1 | CANISTER, 155MM, WP (FOR THE M825 PROJECTILE) [CUST: EA] | X 1320 | EA | 27-DEC-95 | |
| | MIL-P-51509B NOT 1 | PROJECTILE, 155 MM, SMOKE, WP, M825 AND M825E1, PARTS FOR [CUST: EA] | X 1320 | EA | 27-DEC-95 | |
| | MIL-L-51513 NOT 1 | LAUNCHERS, GRENADE, SMOKE: SCREEN, RP, M239 AND M250 [CUST: EA] | A 1040 | EA | 27-DEC-95 | |
| | MIL-C-51515 | CARTRIDGE, 5.56 MM: BLANK, M755 [CUST: EA] | A 1330 | EA | 08-NOV-95 | |
| | MIL-R-51516(1) NOT 1 | REGULATOR, PRESSURE, RIOT CONTROL AGENT DISPERSER [CUST: EA] | A 1040 | EA | 27-DEC-95 | |
| A | DOD-S-51517 NOT 1 | SODIUM PYROPHOSPHATE, ANHYDROUS, TECHNICAL (METRIC) [CUST: GL1 GS] | A 6810 | GS | 21-JAN-98 | |
| | MIL-P-51518B NOT 1 | PAPER, CHEMICAL AGENT DETECTOR: M9 (SR119 DYE) [CUST: EA] | X 6665 | EA | 27-DEC-95 | |
| | DOD-T-51521 NOT 1 | TEREPHTHALIC ACID, TECHNICAL (METRIC) [CUST: EA] | A 6810 | EA | 14-MAY-96 | |
| | DOD-D-51522 NOT 1 | DYE, DISPERSE RED 11 (METRIC) [CUST: EA] | A 6820 | EA | 27-DEC-95 | |
| | DOD-D-51523 NOT 1 | DYE, SOLVENT RED 1 (METRIC) [CUST: EA] | A 6820 | EA | 11-JAN-96 | |
| | DOD-D-51524 NOT 1 | DYE, DISPERSE BLUE 3 (METRIC) [CUST: EA] | A 6820 | EA | 11-JAN-96 | |
| | MIL-F-51525A(8) NOT 1 | FILTER, GAS, 200 CFM [CUST: EA] | A 4240 | EA | 15-JUL-96 | |
| | MIL-F-51526(2) NOT 1 | FILTER PARTICULATE, 200 CFM (MODULAR COLLECTIVE PROTECTION EQUIPMENT (MCPE)/SIMPLIFIED COLLECTIVE PROTECTION EQUIPMENT (SCPE) APPLICATIONS) [CUST: EA] | A 4240 | EA | 27-DEC-95 | |
| | MIL-F-51527(2) NOT 1 | FILTER SET, GAS-PARTICULATE: 200 CFM (MODULAR COLLECTIVE PROTECTION EQUIPMENT (MCPE)/SIMPLIFIED COLLECTIVE PROTECTION EQUIPMENT (SCPE) APPLICATIONS) [CUST: EA] [REVIEW: SH] | A 4240 | EA | 19-APR-96 | |
| | MIL-S-51528 NOT 1 | SIMULATOR, PROJECTILE, AIRBURST, LIQUID (SPAL) M11 [CUST: EA] | A 1370 | EA | 27-DEC-95 | |
| | MIL-F-51531A NOT 1 | FLUID CONTAINER, FILLED (FOR M13 DECONTAMINATING APPARATUS) [CUST: EA] | A 4230 | EA | 27-DEC-95 | |
| | MIL-D-51533A(1) NOT 1 | DECONTAMINATING APPARATUS: PORTABLE, 14 LITER, M13 [CUST: EA] | A 4230 | EA | 27-DEC-95 | |
| | MIL-S-51534 NOT 1 | SIMULATOR, DETECTOR TICKETS, CHEMICAL AGENT: TRAINING, M256A1 [CUST: EA] | A 6910 | EA | 27-DEC-95 | |
| | MIL-F-51536(1) NOT 1 | FILTER UNIT, GAS-PARTICULATE, 200 CFM, 208V, 400 HZ, M56 [CUST: EA] | X 4240 | EA | 27-DEC-95 | |
| | MIL-S-51537(1) NOT 1 | SMOKE POT, FLOATING, SGF2, AN-M7A1; COMPONENTS FOR [CUST: EA] | A 1365 | EA | 18-JAN-96 | |
| | MIL-F-51539A(1) NOT 1 | FILTER UNIT, GAS-PARTICULATE: 400 CFM, 208 V, 400 HZ, M59 [CUST: EA] | A 4240 | EA | 27-DEC-95 | |
| | MIL-C-51540A NOT 1 | CONTROL MODULE (FOR THE M84 FILTER UNIT) [CUST: EA] | A 4240 | EA | 27-DEC-95 | |
| | MIL-F-51541 NOT 1 | FILTER, GAS, FFU-17/E, 600 CFM [CUST: EA] | A 4240 | EA | 27-JUN-95 | |
| | MIL-C-51542 NOT 1 | CONVERTER, FREQUENCY, STATIC, XM5 (FOR M56, XM59, OR XM62 FILTER UNITS) [CUST: EA] | A 4240 | EA | 27-DEC-95 | |
| | MIL-L-51543 NOT 1 | LAUNCHER, PROJECTILE, LIQUID AIRBURST: M267 [CUST: EA] | A 6920 | EA | 27-DEC-95 | |
| | MIL-F-51544A NOT 1 | FILTER UNIT, GAS-PARTICULATE, 200 CFM, 208 VAC, M84 [CUST: EA] | X 4240 | EA | 27-DEC-95 | |
| | MIL-T-51546A(1) NOT 1 | TRAINER, PLASTIC FLUID CONTAINER ASSEMBLY [CUST: EA] | A 6910 | EA | 27-DEC-95 | |
| | MIL-S-51547 NOT 1 | SMOKE POT, HC, M1, COMPONENTS FOR [CUST: EA] | A 1365 | EA | 27-DEC-95 | |
| | MIL-D-51548 NOT 1 | DISCHARGER, GRENADE, SMOKE COUNTERMEASURE: XM6 [CUST: EA] | X 1040 | EA | 27-DEC-95 | |
| | MIL-D-51559(1) NOT 1 | DECONTAMINATING APPARATUS: PORTABLE, 14 LITER, M13 (PRACTICE) [CUST: EA] | A 4230 | EA | 27-DEC-95 | |
| | MIL-S-51561 NOT 1 | SIMULATOR, DETECTOR TICKETS, CHEMICAL AGENT: NERVE AGENT, TRAINING, M28 [CUST: EA] | X 6910 | EA | 27-DEC-95 | |
| | MIL-S-51562 NOT 1 | SIMULATOR, DETECTOR TICKETS, CHEMICAL AGENT: BLISTER AGENT, TRAINING, M29 [CUST: EA] | X 6910 | EA | 27-DEC-95 | |
| | MIL-D-51563(1) NOT 1 | DECONTAMINATING KITS, SKIN, M291: BOX OF TWENTY [CUST: EA] | X 6850 | EA | 12-NOV-96 | |
| | MIL-S-52001B NOT 2 | STAKES: ANCHOR AND GUY, ELECTRIC LIGHTING SET, AIRPORT AND HELIPORT [CUST: CR4] | A 6210 | CR4 | 11-AUG-92 | |
| D | MIL-M-52007C NOT 1 | MOUNTING ADAPTER ASSEMBLY, AIRPORT MARKER LIGHT [CUST: CR4 IS] | A 6210 | IS | 11-AUG-92 | |
| D | MIL-L-52008C NOT 2 | LIGHT HOODS, AIRPORT AND HELIPORT MARKER [CUST: CR4 IS] [REVIEW: AV] | A 6210 | IS | 11-AUG-92 | |
| | MIL-F-52011F(1) NOT 1 | FILTER, PARTICULATE, 12 CFM, M13 [CUST: EA] [REVIEW: MC] | A 4240 | EA | 19-APR-96 | |
| | MIL-A-52019C(1) NOT 1 | ADAPTER ASSEMBLY, GLIDE ANGLE LIGHT TO STAKE OR CONE [CUST: CR4] | A 6210 | CR4 | 18-APR-97 | |
| A | MIL-E-52031D NOT 1 | EXTINGUISHER, FIRE, VAPORIZING LIQUID, CF3BR, 2-3/4 POUND, WITH BRACKET [CUST: AV] [REVIEW: AT CC M] | A 4210 | AV | 10-APR-98 | |
| A | MIL-C-52037F NOT 1 | COMPRESSOR UNIT, RECIPROCATING, POWER-DRIVEN, AIR, 15 CFM, 3,500-PSI [CUST: AT] | A 4310 | AT | 09-MAR-98 | |
| D | MIL-L-52039D NOT 1 | LIGHT, GLIDE-ANGLE, AIRPORT APPROACH [CUST: CR4 IS] [REVIEW: AV] | A 6210 | IS | 11-AUG-92 | |
| | MIL-B-52075G NOT 1 | BATH UNIT, PORTABLE, 8-SHOWER HEAD, M-1958 [CUST: GL 99] [REVIEW: 84 CC CR4 MD] | A 4510 | GL | 21-NOV-96 | |
| M | MIL-B-52088F NOT 3 | BRIDGE, ARMORED-VEHICLE-LAUNCHED, SCISSORING-TYPE: CLASS 60, ALUMINUM, 60-FOOT SPAN [CUST: AT] [REVIEW: CC] | A 5420 | AT | 24-APR-98 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|--------------------------|--|-----------------------|-----|-------------|-----------|
| A | MIL-S-52124B NOT 1 | SCREENING UNIT, AGGREGATE, ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY [CUST: AT] [REVIEW: CE] | A 3820 | AT | | 09-MAR-98 |
| A | MIL-W-52125B NOT 1 | WASHING AND SCREENING UNIT, AGGREGATE, ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY [CUST: AT YD1 99] [REVIEW: MC] | A 3820 | AT | | 09-MAR-98 |
| A | MIL-C-52128C(2) NOT 1 | CRUSHER, JAW, DIESEL ENGINE AND ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY [CUST: AT MC] [REVIEW: CC] | A 3820 | AT | | 09-MAR-98 |
| A | MIL-C-52153B NOT 1 | COMPRESSOR UNIT, RECIPROCATING, POWER DRIVEN, AIR, 5 CFM, 175 PSI, FOR TESTING MISSILE PLUMBING SYSTEM [CUST: AT] | A 4310 | AT | | 09-MAR-98 |
| M | MIL-S-52159C NOT 3 | SLING, MULTIPLE LEG, .625 INCH BY 6-FOOT CHAIN, WITH SPECIAL HOOKS AND RING [CUST: AT] [REVIEW: 99 CC MC] | A 5420 | AT | | 22-MAY-98 |
| A | MIL-T-52176B NOT 1 | TEETH, SURFACE RIPPING, (POINTS, SHANKS, KEEPERS AND KEEPER LOCKS), BUCKET AND DIPPER, CRANE SHOVEL [CUST: AT YD1] [REVIEW: CC CE MC] | A 3815 | AT | | 09-MAR-98 |
| A | MIL-M-52182E(1) NOT 1 | MELTER, ASPHALT [CUST: AT YD1] | A 3895 | AT | | 09-MAR-98 |
| A | MIL-H-52204E NOT 1 | HEATERS, SPACE: MULTI FUEL, WITH BLOWER, 15,000 BTU/HR [CUST: CR4 YD1 99] [REVIEW: 84 AT CC CR MC M1] | A 4520 | CR4 | | 11-AUG-97 |
| A | MIL-S-52212G NOT 1 | SAW, ABRASIVE DISK, CONCRETE, GASOLINE ENGINE DRIVEN, SELF PROPELLED, 12 TO 18 INCH BLADE [CUST: AT YD1] [REVIEW: CE] | A 3895 | AT | | 09-MAR-98 |
| A | MIL-H-52213F NOT 1 | HEATERS, HOT OIL [CUST: AT] | A 3895 | AT | | 09-MAR-98 |
| | MIL-D-52277A NOT 1 | DRIER, INFRARED [CUST: CR4] | A 4440 | CR4 | | 23-JAN-97 |
| M | MIL-L-52325D NOT 4 | LAUNCHER, TRANSPORTER, BRIDGE, M48A5 OR M60A1 TANK CHASSIS [CUST: AT] | A 5420 | AT | | 22-MAY-98 |
| A | MIL-M-52329C NOT 1 | MIXING PLANT, ASPHALT, CONTINUOUS MIX, DIESEL ENGINE DRIVEN, PORTABLE, 100-150 TONS PER HOUR CAPACITY [CUST: AT YD1 84] [REVIEW: CR4] | A 3895 | AT | | 09-MAR-98 |
| A | MIL-S-52339E(3) NOT 1 | SHOP EQUIPMENT, WOODWORKING TRAILER MOUNTED [CUST: AT] | A 3220 | AT | | 09-MAR-98 |
| | MIL-R-52343C NOT 1 | REPAIR KIT, HOSELINE [CUST: AT] [REVIEW: CC SM] | A 3835 | AT | | 27-JUN-94 |
| | MIL-A-52363C NOT 1 | AIR CLEANERS, INTAKE: DRY-TYPE (FOR INTERNAL-COMBUSTION ENGINE) [CUST: CR4 AS] [REVIEW: AT CC MC] | A 2940 | CR4 | | 01-APR-97 |
| A | MIL-L-52366C NOT 1 | LOAD BANK, AC, 0-33KW, RESISTIVE [CUST: CR] [REVIEW: GS] | A 6115 | CR | | 25-APR-97 |
| | MIL-O-52374C NOT 1 | OSCILLATOR: HIGH VOLTAGE [CUST: CR CC] [REVIEW: OS] | A 5855 | CC | | 05-OCT-90 |
| A | MIL-L-52385D NOT 1 | LOADER, SCOOP TYPE, DED, 4 X 4 ARTICULATED FRAME STEER, 2-1/2 CUBIC YARD, COMMERCIAL CONSTRUCTION EQUIPMENT [CUST: AT] [REVIEW: CC CE] | A 3805 | AT | | 09-MAR-98 |
| A | MIL-B-52390A NOT 1 | BIT, AUGER, SHIP, WITH SCREW POINT [CUST: AT MC 99] [REVIEW: CR GL] | A 5133 | AT | | 09-MAR-98 |
| A | MIL-E-52395A NOT 1 | ENGINE, DIESEL, 6 CYLINDER, V TYPE, 300 HP TURBO-CHARGED [CUST: AT] [REVIEW: CC] | A 2815 | AT | | 30-DEC-97 |
| A | MIL-T-52402D NOT 1 | TOOL OUTFIT, PIONEER, PORTABLE ELECTRIC AND HYDRAULIC POWERED TOOLS, TRAILER MOUNTED [CUST: AT] [REVIEW: GL] | A 5180 | AT | | 09-MAR-98 |
| M | MIL-S-52408C NOT 3 | SPREADER, SLING: TELESCOPIC, VEHICLE LIFTING, 10 TON CAPACITY [CUST: AT] [REVIEW: 99 AV GS SH] | A 3940 | AT | | 05-JUN-98 |
| | MIL-C-52437C SUP 1 NOT 1 | CHASSIS, TRAILER, SINGLE- AND MULTI-AXLE, GENERAL SPECIFICATION FOR [CUST: AT 99] [REVIEW: 84] | A 2330 | AT | | 15-DEC-95 |
| | MIL-C-52437/1 NOT 1 | CHASSIS, TRAILER, SIZE 1 CCE [CUST: AT 99] | A 2330 | AT | | 15-DEC-95 |
| | MIL-C-52437/2 NOT 1 | CHASSIS, TRAILER, SIZE 3, CCE [CUST: AT 99] | A 2330 | AT | | 15-DEC-95 |
| | MIL-C-52437/3 NOT 1 | CHASSIS, TRAILER, SIZE 4, CCE [CUST: AT 99] | A 2330 | AT | | 15-DEC-95 |
| | MIL-C-52437/4 NOT 1 | CHASSIS, TRAILER, SIZE 6, CCE [CUST: AT 99] | A 2330 | AT | | 15-DEC-95 |
| | MIL-C-52437/5 NOT 1 | CHASSIS, TRAILER, SIZE 8, CCE [CUST: AT 99] | A 2330 | AT | | 15-DEC-95 |
| | MIL-C-52437/6 NOT 1 | CHASSIS, TRAILER, SIZE 9, MILITARY DESIGN [CUST: AT 99] | A 2330 | AT | | 15-DEC-95 |
| | MIL-C-52437/7 NOT 1 | CHASSIS, TRAILER, SIZE 11, CCE [CUST: AT 99] | A 2330 | AT | | 15-DEC-95 |
| | MIL-C-52437/8 NOT 1 | CHASSIS, TRAILER, SIZE 14, CCE [CUST: AT 99] | A 2330 | AT | | 15-DEC-95 |
| | MIL-C-52437/9 NOT 1 | CHASSIS, TRAILER, SIZE 32, CCE [CUST: AT 99] [REVIEW: 84] | A 2330 | AT | | 15-DEC-95 |
| A | MIL-R-52446E NOT 1 | RADIATION SOURCE, INFRARED, 2.2 KW SEARCHLIGHT, INFRARED, 28 VOLT, 110 AMPERE [CUST: CR EC 99] [REVIEW: GS MC] | A 6230 | CR | | 25-APR-97 |
| A | MIL-R-52447C NOT 1 | REFLECTOR, PARABOLIC, 22-1/2 INCH, FOR SEARCHLIGHT, INFRARED, 28 VOLT, 110 AMPERE [CUST: CR EC] [REVIEW: GS MC] | A 6230 | CR | | 25-APR-97 |
| A | MIL-R-52453C NOT 1 | ROLLER, MOTORIZED, PNEUMATIC TIRED, AIRMOBILE, 9 WHEEL [CUST: AT] | A 3895 | AT | | 09-MAR-98 |
| | MIL-P-52457B(1) NOT 1 | PANEL, DISTRIBUTION, BATTERY CHARGING [CUST: CR4] [REVIEW: GS] | A 6130 | CR4 | | 10-APR-97 |
| | MIL-D-52462A NOT 1 | DRIVER, DECK PIN [CUST: AT] | A 5420 | AT | | 08-OCT-91 |
| M | MIL-C-52464C NOT 3 | CYLINDER ASSEMBLIES, ACTUATING, LINEAR: HYDRAULIC, FOR BRIDGE AND BRIDGE LAUNCHER [CUST: AT] [REVIEW: 99 CC MC] | A 5420 | AT | | 22-MAY-98 |
| | MIL-H-52471/6A | HOSE, RUBBER: HYDRAULIC PRESSURE TYPE: TYPE 100R10 FOUR SPIRAL WRAP REINFORCEMENT HOSE [CUST: AT 99] [REVIEW: 82 AR GL] | A 4720 | CC | | 31-JUL-87 |
| A | MIL-C-52477D NOT 1 | COMPRESSOR UNIT, RECIPROCATING, GASOLINE ENGINE DRIVEN, AIR, 4 CFM, 0 TO 3,500 PSIG, WHEEL MOUNTED [CUST: AT] [REVIEW: AV] | A 4310 | AT | | 09-MAR-98 |
| A | MIL-G-52484B NOT 1 | GRADER, ROAD, MOTORIZED, DIESEL-ENGINE-DRIVEN, SECTIONALIZED AND NON-SECTIONALIZED [CUST: AT] [REVIEW: CC] | A 3805 | AT | | 09-MAR-98 |
| A | MIL-L-52496B NOT 1 | LOADER, SCOOP TYPE, RUBBER TIRED, DIESEL-ENGINE-DRIVEN, SECTIONALIZED AND NON-SECTIONALIZED [CUST: AT] [REVIEW: CC] | A 3805 | AT | | 09-MAR-98 |
| A | MIL-R-52499C NOT 1 | ROLLER, TOWED, SMOOTH DRUM, VIBRATORY, AIRMOBILE, SINGLE DRUM [CUST: AT] [REVIEW: CR] | A 3895 | AT | | 09-MAR-98 |
| A | MIL-T-52509C NOT 1 | TRACTOR, FULL TRACKED, LOW SPEED, DIESEL ENGINE DRIVEN, SECTIONALIZED AND NON SECTIONALIZED [CUST: AT] | A 2410 | AT | | 09-MAR-98 |
| | MIL-E-52649B NOT 1 | ENGINE COLD STARTING AIDS, ETHER FUEL PRIMERS [CUST: CR4 99] [REVIEW: 82 AT CC] | A 2910 | CR4 | | 31-MAR-97 |
| M | MIL-I-52701B NOT 1 | INDICATOR SOLUTION, PH DETERMINATION (RANGE 3.0 TO 11.0) [CUST: AT GS] [REVIEW: MD1] | A 6810 | GS | | 28-MAY-98 |
| M | MIL-C-52712B NOT 3 | CONVEYOR, BELT, PORTABLE, ELECTRIC CASTER MOUNTED [CUST: AT] [REVIEW: 99 AV IS SA] | A 3910 | AT | | 29-MAY-98 |
| M | MIL-S-52713B(1) NOT 3 | SPREADER, LIFTING, ISO AND INTERMODAL FREIGHT CONTAINERS [CUST: AT] [REVIEW: 99 AV GS IS SA] | A 3990 | AT | | 29-MAY-98 |
| | MIL-C-52717D NOT 1 | COMPRESSOR, HERMETIC, FOR AIR CONDITIONER APPLICATION [CUST: CR4 99] [REVIEW: 82 GS] | A 4130 | CR4 | | 12-NOV-97 |
| | MIL-G-52732B SUP 1 NOT 1 | GENERATOR SETS, GASOLINE ENGINE DRIVEN, 0.5KW THRU 10KW, 60 HERTZ, 400 HERTZ AND 28 VOLT DIRECT CURRENT, TYPE 1 (TACTICAL), CLASS 2 (UTILITY) GENERAL SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: 80 CR GL GS] | A 6115 | CR4 | | 27-DEC-96 |
| | MIL-G-52732/1 NOT 2 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, 60 HERTZ, TYPE 1 (TACTICAL), CLASS 2 (UTILITY) [CUST: CR4 YD1] [REVIEW: CR GL] | A 6115 | CR4 | | 27-DEC-96 |
| | MIL-G-52732/2 NOT 2 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, 400 HERTZ TYPE 1 (TACTICAL), CLASS 2 (UTILITY) [CUST: CR4 YD1] [REVIEW: CR GL] | A 6115 | CR4 | | 27-DEC-96 |
| | MIL-G-52732/3 NOT 2 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, 28 VOLT DIRECT CURRENT, TYPE 1 (TACTICAL), CLASS 2 (UTILITY) [CUST: CR4 YD1] [REVIEW: 80 CR GL] | A 6115 | CR4 | | 27-DEC-96 |
| | MIL-G-52732/4A NOT 2 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 1.5 KW, 60 HERTZ TYPE 1 (TACTICAL), CLASS 2 (UTILITY) [CUST: CR4 YD1 99] [REVIEW: 80 CR GL] | A 6115 | CR4 | | 27-DEC-96 |
| | MIL-G-52732/5 NOT 2 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 1.5 KW, 28 VOLT DIRECT CURRENT, TYPE 1 (TACTICAL), CLASS 2 (UTILITY) [CUST: CR4 80] [REVIEW: CR GL] | A 6115 | CR4 | | 27-DEC-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|-------------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | Date |
| | MIL-G-52732/6A NOT 2 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 3 KW, 60 HERTZ, TYPE I (TACTICAL), CLASS 2 (UTILITY) [CUST: CR4 YD1 99] [REVIEW: 80 CR GL GS] | A 6115 | CR4 | | 27-DEC-96 |
| | MIL-G-52732/7 NOT 2 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 3 KW, 400 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) [CUST: CR4 YD1 99] [REVIEW: 80 CR GL] | A 6115 | CR4 | | 27-DEC-96 |
| | MIL-G-52732/8 NOT 2 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 3 KW, 28 VOLT DIRECT CURRENT, TYPE I (TACTICAL), CLASS 2 (UTILITY) [CUST: CR4 YD1 99] [REVIEW: 80 CR GL] | A 6115 | CR4 | | 27-DEC-96 |
| | MIL-G-52732/9 NOT 2 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 5 KW, 60 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) [CUST: CR4 YD1 99] [REVIEW: 80 CR GL] | A 6115 | CR4 | | 27-DEC-96 |
| | MIL-G-52732/10 NOT 2 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 5 KW, 400 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) [CUST: CR4 YD1 99] [REVIEW: 80 CR GL] | A 6115 | CR4 | | 27-DEC-96 |
| | MIL-G-52732/11 NOT 2 | GENERATOR SET, GASOLINE ENGINE DRIVEN, 10 KW, 60 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) [CUST: CR4 YD1 99] [REVIEW: 80 CR GL] | A 6115 | CR4 | | 27-DEC-96 |
| | MIL-G-52732/12A NOT 2 | GENERATOR SET, GASOLINE ENGINE DRIVEN 10 KW, 400 HERTZ TYPE I (TACTICAL), CLASS 2 (UTILITY) [CUST: CR4 YD1 99] [REVIEW: 80 CR GL] | A 6115 | CR4 | | 27-DEC-96 |
| M | MIL-B-52734C NOT 3 | BRIDGE, FLOATING: RIBBON, INTERIOR BAY AND RAMP BAY [CUST: AT] [REVIEW: 99 CC MC] | A 5420 | AT | | 22-MAY-98 |
| M | MIL-T-52735B NOT 3 | TRANSPORTER: M812 CHASSIS, FOR RIBBON FLOATING BRIDGE [CUST: AT] [REVIEW: 99 CC MC] | A 5420 | AT | | 22-MAY-98 |
| | MIL-C-52765E NOT 1 | CAMOUFLAGE SCREENING SUPPORT SYSTEMS [CUST: CR4] | A 1080 | CR4 | | 09-MAY-97 |
| A | MIL-A-52767D NOT 1 | AIR CONDITIONERS: VERTICAL AND HORIZONTAL, COMPACT [CUST: CR4 99] [REVIEW: 82 GS] | A 4120 | CR4 | | 18-JUL-97 |
| M | MIL-C-52788B NOT 3 | CONTAINER, REFRIGERATED: 8 FEET X 8 FEET X 20 FEET, INSULATED [CUST: AT] [REVIEW: 69 SA SM] | A 8115 | AT | | 29-MAY-98 |
| A | MIL-M-52793 NOT 1 | MULTIMETER, BATTERY TESTING, 0 TO 35 AMP, 0 TO 10 VOLT [CUST: CR] | A 6625 | CR | | 25-APR-97 |
| | MIL-W-52815 NOT 2 | WASHER: INSULATING, FOR SPLIT-KNOB TYPE ELECTRICAL INSULATOR [CUST: CR4] | A 5970 | CR4 | | 18-APR-97 |
| | MIL-T-52820A NOT 1 | TABLE, DRAWING, STEEL [CUST: CE] | A 6675 | GS | | 27-JUN-94 |
| M | MIL-T-52831E NOT 1 | TAMPER, RAM TYPE, GENERAL BACKFILL, GASOLINE ENGINE POWERED, HAND OPERATED COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [CUST: AT YDI] | A 3895 | AT | | 18-MAY-98 |
| | MIL-C-52853D NOT 1 | CONTROL UNIT, ALARM SET C-9412/FSS-9(V) [CUST: CR4 EC 99] [REVIEW: GS MC] | A 6350 | CR4 | | 20-MAR-97 |
| A | MIL-S-52860D NOT 3 | SWITCH, ALARM, LATCHING, SA-1954/FSS-9(V) [CUST: CR4 SH 99] [REVIEW: CC CR] | A 6350 | CR4 | | 03-JUL-97 |
| A | MIL-S-52861C NOT 1 | SENSOR, GRID WIRE, DT-545/FSS-9(V) [CUST: CR4 99] [REVIEW: GS] | A 6350 | CR4 | | 03-JUL-97 |
| | MIL-S-52867B NOT 1 | SWITCH, BALANCED MAGNETIC, SA-1955/FSS-9(V) [CUST: CR4 99] [REVIEW: GS] | A 6350 | CR4 | | 10-APR-97 |
| A | MIL-S-52868D NOT 1 | SENSOR, CAPACITANCE PROXIMITY DT-548/FSS-9 (V) [CUST: CR4 EC 99] [REVIEW: 82 CR] | A 6350 | CR4 | | 03-JUL-97 |
| A | MIL-DTL-52869C | SENSOR GROUP, PASSIVE ULTRASONIC: RECEIVER R-1860/FSS-9(V) AND PROCESSOR MX-9443/FSS-9(V) [CUST: CR4 SH 99] [REVIEW: CG CR GS MC] | A 6350 | CR4 | | 04-AUG-97 |
| | MIL-S-52871B(1) NOT 1 | SENSOR GROUP, VIBRATION: DETECTOR DT-546/FSS-9(V) AND PROCESSOR MX-9442/FSS-9(V) [CUST: CR4 EC 99] [REVIEW: CG CR MC SH] | A 6350 | CR4 | | 10-APR-97 |
| | MIL-S-52871B(12) | SENSOR GROUP, VIBRATION: DETECTOR DT-546/FSS-9(V) AND PROCESSOR MX-9442/FSS-9(V) [CUST: CR4] | A 6350 | CR4 | | 20-MAR-84 |
| A | MIL-S-52872B NOT 1 | SENSOR GROUP, ULTRASONIC MOTION: TRANSCIEVER RT-1161/FSS-9(V) AND PROCESSOR MX-9444/FSS-9(V) [CUST: CR4 SH 99] [REVIEW: GS MC] | A 6350 | CR4 | | 11-AUG-97 |
| A | MIL-S-0052872C NOT 1 | SENSOR GROUP, ULTRASONIC MOTION: TRANSCIEVER RT-1161/FSS-9(V) AND PROCESSOR MX-9444/FSS-9(V) [CUST: CR4] | A 6350 | CR4 | | 11-AUG-97 |
| | MIL-S-52872B(11) | SENSOR GROUP, ULTRASONIC MOTION: TRANSCIEVER RT-1161/FSS-9(V) AND PROCESSOR MX-9444/FSS-9(V) [CUST: CR4] [REVIEW: GS MC SH] | A 6350 | CR4 | | 26-MAR-84 |
| A | MIL-DTL-52876D | CABINETS, MONITOR, CY-7359/FSS-9(V), CY-7360/FSS-9(V) AND CY-7361/FSS-9(V) [CUST: CR4 SH 99] [REVIEW: CG CR GS MC] | A 6350 | CR4 | | 04-AUG-97 |
| | MIL-T-52877B NOT 1 | TRANSMISSION GROUP DATA: TRANSMITTER, DATA: T-1257/FSS-9(V) AND RECEIVER, DATA: R-1861/FSS-9(V) [CUST: CR4 99] [REVIEW: GS] | A 6350 | CR4 | | 10-APR-97 |
| | MIL-T-52877B(12) | TRANSMISSION GROUP DATA: TRANSMITTER, DATA: T-1257/FSS-9(V) AND RECEIVER, DATA: R-1861/FSS-9(V) [CUST: CR4] [REVIEW: GS] | A 6350 | CR4 | | 18-NOV-86 |
| | MIL-M-52878C NOT 1 | MONITOR MODULE, STATUS, ID-1921/FSS-9(V) AND MONITOR MODULE, ALARM, ID-1922/FSS-9(V) [CUST: CR4 EC 99] [REVIEW: 82 CG GS MC SH] | A 6350 | CR4 | | 20-MAR-97 |
| | MIL-A-52879C NOT 1 | ALARM, AUDIBLE, BZ-204/FSS-9(V) [CUST: CR4 EC 99] [REVIEW: GS MC] | A 6350 | CR4 | | 20-MAR-97 |
| | MIL-G-52880A NOT 2 | GENERATOR SET, DIESEL ENGINE, 500 KW 50/60 HERTZ, TACTICAL UTILITY [CUST: CR4 99] [REVIEW: 80 GS] | A 6115 | CR4 | | 23-DEC-96 |
| | MIL-G-52884A(2) NOT 2 | GENERATOR SETS, DIESEL ENGINE DRIVEN, 15 THRU 200 KILOWATTS 50/60 AND 400 HERTZ, (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 10-APR-97 |
| | MIL-G-52884A(13) NOT 2 | GENERATOR SETS, DIESEL ENGINE DRIVEN, 15 THRU 200 KILOWATTS 50/60 AND 400 HERTZ, (TACTICAL) GENERAL SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: 80 GS MC] | A 6115 | CR4 | | 10-APR-97 |
| | MIL-G-52884/1A(1) NOT 1 | GENERATOR SET, DIESEL ENGINE DRIVEN, 15 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-52884/2A(1) NOT 1 | GENERATOR SET, DIESEL ENGINE DRIVEN, 15 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-52884/3A(1) NOT 1 | GENERATOR SET, DIESEL ENGINE DRIVEN, 15 KILOWATT, 400 HERTZ, PRECISE, (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-52884/4A(1) NOT 1 | GENERATOR SET, DIESEL ENGINE DRIVEN, 30 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-52884/5A(1) NOT 1 | GENERATOR SET, DIESEL ENGINE DRIVEN 30 KILOWATT, 50/60 HERTZ, UTILITY, (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-52884/6A(1) NOT 1 | GENERATOR SET, DIESEL ENGINE DRIVEN, 30 KILOWATT, 400 HERTZ, PRECISE, (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-52884/7A NOT 2 | GENERATOR SET, DIESEL ENGINE DRIVEN, 60 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-52884/8A NOT 3 | GENERATOR SET, DIESEL ENGINE DRIVEN, 60 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-52884/9A(1) NOT 2 | GENERATOR SET, DIESEL ENGINE DRIVEN, 60 KILOWATT, 400 HERTZ, PRECISE (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-52884/10 NOT 2 | GENERATOR SET, DIESEL ENGINE DRIVEN, 100 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-52884/11 NOT 2 | GENERATOR SET, DIESEL ENGINE DRIVEN, 100 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: 80] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-52884/13(1) NOT 2 | GENERATOR SET, DIESEL ENGINE DRIVEN, 200 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: 80 GS] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-52884/14(1) NOT 2 | GENERATOR SET, DIESEL ENGINE DRIVEN, 200 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) [CUST: CR4 YD1 99] [REVIEW: 80 GS] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-52889C NOT 2 | GENERATOR SETS, DIESEL ENGINE DRIVEN, 5 KW, 60 HERTZ AND 10 KW, 60 AND 400 HERTZ TACTICAL, UTILITY, GENERAL SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: CG GS MC] | A 6115 | CR4 | | 27-DEC-96 |
| | MIL-G-52889/1C NOT 3 | GENERATOR SETS, DIESEL ENGINE DRIVEN, 5 KW, 60 HERTZ; TACTICAL, UTILITY [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 27-DEC-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-G-52889/2C NOT 3 | GENERATOR SETS, DIESEL ENGINE DRIVEN, 10 KW, 60 HERTZ: TACTICAL. UTILITY [CUST: CR4 YD1 99] [REVIEW: CG GS MC] | A 6115 | CR4 | | 27-DEC-96 |
| | MIL-G-52889/3(1) NOT 3 | GENERATOR SETS, DIESEL ENGINE DRIVEN, 10 KW, 400 HERTZ: TACTICAL. UTILITY [CUST: CR4 YD1 99] [REVIEW: CG GS MC] | A 6115 | CR4 | | 10-APR-97 |
| | MIL-G-52889/3(11) NOT 3 | GENERATOR SETS, DIESEL ENGINE DRIVEN, 10 KW, 400 HERTZ: TACTICAL. UTILITY [CUST: CR4] | A 6115 | CR4 | | 10-APR-97 |
| A | MIL-T-52896B NOT 1 | TRUCK, CONCRETE, MOBILE MIXER, 8 CUBIC YARD, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [CUST: AT] | A 3895 | AT | | 09-MAR-98 |
| A | MIL-L-52906 NOT 1 | LOADER, SCOOP TYPE, DED, 4X4, ARTICULATED FRAME STEER, 4 1/2 TO 5 CU YD, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [CUST: AT] [REVIEW: CC] | A 3805 | AT | | 09-MAR-98 |
| M | MIL-P-52910B NOT 3 | PALLET, CARGO, FOR RIBBON BRIDGE TRANSPORTER [CUST: AT] [REVIEW: 99 CC MC] | A 5420 | AT | | 22-MAY-98 |
| A | MIL-C-52911 NOT 1 | CRANE, TRUCK MOUNTED, HYDRAULIC, 25 TON COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [CUST: AT] [REVIEW: CC] | A 3810 | AT | | 09-MAR-98 |
| A | MIL-T-52914B NOT 1 | TOOL OUTFIT, HYDRAULIC SYSTEMS TEST AND REPAIR, MOBILE [CUST: AL] [REVIEW: AV CC CR4] | A 4940 | AL | | 06-APR-98 |
| A | MIL-D-52916A NOT 1 | DISTRIBUTOR, BITUMINOUS MATERIAL, TRUCK MOUNTED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [CUST: AT] | A 3895 | AT | | 09-MAR-98 |
| A | MIL-F-52920D(2) NOT 1 | FLOODLIGHT SET, TRAILER-MOUNTED [CUST: CR4] [REVIEW: 99 GS MC] | A 6210 | CR4 | | 18-JUL-97 |
| A | MIL-D-52923B NOT 1 | DISTRIBUTOR, WATER, SEMITRAILER MOUNTED, 6000 GALLON [CUST: AT] | A 3825 | AT | | 09-MAR-98 |
| | MIL-G-52927A NOT 1 | GENERATOR SETS, GASOLINE ENGINE, TRAILER MOUNTED 3 KW, 28 VOLT DC, PU-666/G [CUST: CR4] | A 6115 | CR4 | | 23-DEC-96 |
| | MIL-R-52939 NOT 1 | REGULATOR, CURRENT, RUNWAY LIGHTING, 120 VOLT, 2 1/4 KW, AC [CUST: CR4] | A 6110 | CR4 | | 18-APR-97 |
| | MIL-A-52963B NOT 1 | AIR CONDITIONER, SPLIT PACKAGE 208 VOLT, 3 PHASE, 400 HERTZ, AC, 18,000 BTU/HR COOLING, 30,000 BTU/HR HEATING [CUST: CR4] | A 4120 | CR4 | | 09-MAY-97 |
| M | MIL-C-52967 NOT 3 | CRANE, TRUCK MOUNTED, CONTAINER HANDLING [CUST: AT] [REVIEW: 99 AV CC SH] | A 3950 | AT | | 29-MAY-98 |
| A | MIL-C-52972A NOT 1 | COMPRESSOR UNIT, 5 CFM, 3200 PSI, GASOLINE-ENGINE-DRIVEN, DIVING AIR [CUST: AT] | A 4310 | AT | | 09-MAR-98 |
| A | MIL-C-52973A NOT 1 | COMPRESSOR UNIT, 20 CFM, 3200 PSI, DIESEL-ENGINE-DRIVEN DIVING AIR [CUST: AT] | A 4310 | AT | | 09-MAR-98 |
| A | MIL-C-52980B NOT 1 | COMPRESSORS, RECIPROCATING AND ROTARY GASOLINE-ENGINE-DRIVEN, AIR [CUST: AT YD1] [REVIEW: CC] | A 4310 | AT | | 09-MAR-98 |
| A | MIL-S-52986 NOT 1 | SCRAPER, ELEVATING, SELF PROPELLED, 9 CUBIC YARD MINIMUM HEAPED CAPACITY, SECTIONALIZED AND NON SECTIONALIZED [CUST: AT] [REVIEW: CC CE] | A 3805 | AT | | 09-MAR-98 |
| A | MIL-D-52987A NOT 1 | DISTRIBUTOR, WATER, SELF-PROPELLED; MINIMUM 2500 GALLON, SECTIONALIZED AND NON-SECTIONALIZED [CUST: AT] [REVIEW: CE] | A 3825 | AT | | 09-MAR-98 |
| M | MIL-C-52989 NOT 3 | CRANE, TRUCK MOUNTED, HYDRAULIC [CUST: AT] [REVIEW: 99 AV CC SH] | A 3950 | AT | | 29-MAY-98 |
| A | MIL-G-52996A(1) NOT 1 | GRADER, HEAVY, ROAD, MOTORIZED, DED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [CUST: AT] [REVIEW: CC] | A 3805 | AT | | 09-MAR-98 |
| A | MIL-S-53000 NOT 1 | SCRAPER, 14-18 CUBIC YARD MINIMUM STRUCK CAPACITY, OPEN BOWL, SINGLE DIESEL ENGINE DRIVEN COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [CUST: AT] [REVIEW: CC] | A 3805 | AT | | 09-MAR-98 |
| A | MIL-C-53004B NOT 1 | CAMOUFLAGE SCREENING SYSTEMS, MODULAR, LIGHTWEIGHT, SYNTHETIC, WOODLAND, DESERT AND SNOW [CUST: CR4 MC 99] [REVIEW: YD1] | A 1080 | CR4 | | 18-JUL-97 |
| | MIL-G-53010(1) NOT 1 | GENERATOR SET, DIESEL ENGINE, TR5B/G [CUST: CR4] [REVIEW: GS] | A 6115 | CR4 | | 23-DEC-96 |
| | MIL-I-53011A NOT 1 | INTERFACE UNIT, ALARM J-4025/FSS-9(V) [CUST: CR4] | A 6350 | CR4 | | 03-JAN-97 |
| A | MIL-C-53024B NOT 1 | COMPACTOR, HIGH SPEED, SELF-PROPELLED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) [CUST: AT] | A 3895 | AT | | 09-MAR-98 |
| M | MIL-T-53031A NOT 3 | TRANSPORTER: M945 CHASSIS, FOR RIBBON FLOATING BRIDGE [CUST: AT] [REVIEW: 99 CC MC] | A 5420 | AT | | 22-MAY-98 |
| A | MIL-T-53033A NOT 1 | TRACTOR, WHEELED, ALL WHEEL DRIVE WITH ATTACHMENTS [CUST: AT MC 99] [REVIEW: 84] | A 2420 | AT | | 09-MAR-98 |
| | MIL-C-53052(1) NOT 1 | CONNECTOR, ELECTRICAL, POWER [CUST: CR4] | A 6115 | CR4 | | 09-MAY-97 |
| | MIL-P-53069 NOT 1 | POWER PLANT, DIESEL ENGINE, TRAILER MOUNTED 200 KW, 60 HERTZ, AN/MJQ-11A [CUST: CR4] | A 6115 | CR4 | | 24-DEC-96 |
| | MIL-G-53082 NOT 1 | GENERATOR SETS, DIESEL ENGINE DRIVEN 3KW, 60 HERTZ, 400 HERTZ, AND 28 VOLT DIRECT CURRENT [CUST: CR4] | A 6115 | CR4 | | 26-DEC-96 |
| | MIL-G-53082/1 NOT 1 | GENERATOR SETS, DIESEL ENGINE DRIVEN 3KW, 400 HERTZ [CUST: CR4] | A 6115 | CR4 | | 26-DEC-96 |
| | MIL-G-53082/2 NOT 1 | GENERATOR SETS, DIESEL ENGINE DRIVEN 3KW, 60 HERTZ [CUST: CR4] | A 6115 | CR4 | | 26-DEC-96 |
| | MIL-G-53082/3 NOT 1 | GENERATOR SETS, DIESEL ENGINE DRIVEN 3KW 28 VOLT, DIRECT CURRENT [CUST: CR4] | A 6115 | CR4 | | 26-DEC-96 |
| A | MIL-A-53089A(1) NOT 1 | AIR CONDITIONERS: VERTICAL AND HORIZONTAL, COMPACT, MULTIPLE POWER INPUT [CUST: CR4 99] [REVIEW: 82 GS MC] | A 4120 | CR4 | | 18-JUL-97 |
| | MIL-P-53123 NOT 1 | POWER UNITS/POWER PLANTS, ELECTRIC, DIESEL ENGINE, TRAILER MOUNTED, GENERAL SPECIFICATION FOR [CUST: CR4] | A 6115 | CR4 | | 26-DEC-96 |
| | MIL-P-53123/1 NOT 1 | POWER UNIT, ELECTRIC, 5 KW, 60 HERTZ, PU-751/M [CUST: CR4] | A 6115 | CR4 | | 26-DEC-96 |
| | MIL-P-53123/2 NOT 1 | POWER UNIT, ELECTRIC, 10 KW, 60 HERTZ, PU-753/M [CUST: CR4] | A 6115 | CR4 | | 26-DEC-96 |
| | MIL-P-53123/3 NOT 1 | POWER PLANT, ELECTRIC, 3 KW, 60 HERTZ, AN/MJQ-32 [CUST: CR4] | A 6115 | CR4 | | 26-DEC-96 |
| | MIL-P-53123/4 NOT 1 | POWER PLANT, ELECTRIC, 3 KW, 60 HERTZ, AN/MJQ-33 [CUST: CR4] | A 6115 | CR4 | | 26-DEC-96 |
| | MIL-P-53124 SUP 1 NOT 1 | POWER UNITS/POWER PLANTS, ELECTRIC, DIESEL ENGINE, TRAILER MOUNTED, GENERAL SPECIFICATION FOR [CUST: CR4] | A 6115 | CR4 | | 30-DEC-96 |
| | MIL-P-53124/1 | POWER UNIT, ELECTRIC, 15 KW, 50/60 HERTZ, PU-405 A/M [CUST: CR4] | A 6115 | CR4 | | 30-DEC-96 |
| | MIL-P-53124/2 NOT 1 | POWER UNIT, ELECTRIC, 15 KW, 400 HERTZ, PU-732/M [CUST: CR4] | A 6115 | CR4 | | 30-DEC-96 |
| | MIL-P-53124/3 NOT 1 | POWER UNIT, ELECTRIC, 30 KW, 50/60 HERTZ, PU-406 B/M [CUST: CR4] | A 6115 | CR4 | | 30-DEC-96 |
| | MIL-P-53124/4 NOT 1 | POWER UNIT, ELECTRIC, 30 KW, 400 HERTZ, PU-760/M [CUST: CR4] | A 6115 | CR4 | | 30-DEC-96 |
| | MIL-P-53124/5 NOT 1 | POWER UNIT, ELECTRIC, 60 KW, 50/60 HERTZ, PU-650 B/G [CUST: CR4] | A 6115 | CR4 | | 30-DEC-96 |
| | MIL-P-53124/6 NOT 1 | POWER UNIT, ELECTRIC, 60 KW, 400 HERTZ, PU-707 A/M [CUST: CR4] | A 6115 | CR4 | | 30-DEC-96 |
| | MIL-P-53124/7 NOT 1 | POWER PLANT, ELECTRIC, 15 KW, 400 HERTZ, AN/MJQ-15 [CUST: CR4] | A 6115 | CR4 | | 30-DEC-96 |
| | MIL-P-53124/8 NOT 1 | POWER PLANT, ELECTRIC, 30 KW, 50/60 HERTZ, AN/MJQ-10A [CUST: CR4] | A 6115 | CR4 | | 30-DEC-96 |
| | MIL-P-53124/9 NOT 1 | POWER PLANT, ELECTRIC, 60 KW, 50/60 HERTZ, AN/MJQ-12A [CUST: CR4] | A 6115 | CR4 | | 30-DEC-96 |
| | MIL-P-53125 NOT 1 | POWER PLANTS, ELECTRIC, DIESEL ENGINE, TRAILER MOUNTED, GENERAL SPECIFICATION FOR [CUST: CR4] | A 6115 | CR4 | | 30-DEC-96 |
| | MIL-P-53125/2 NOT 1 | POWER PLANT, ELECTRIC, 10 KW, 60 HERTZ, AN/MJQ-18 [CUST: CR4] | A 6115 | CR4 | | 30-DEC-96 |
| | MIL-P-53125/3 NOT 1 | POWER PLANT, ELECTRIC, 10 KW, 400 HERTZ, AN/MJQ-25 [CUST: CR4] | A 6115 | CR4 | | 30-DEC-96 |
| | MIL-E-53126 NOT 1 | ELECTRICAL DISTRIBUTION EQUIPMENT [CUST: CR4] | A 6150 | CR4 | | 09-MAY-97 |
| | MIL-A-53129 NOT 1 | ALARM-MONITOR GROUP OA-9431/FSS-9(V) [CUST: CR4 99] [REVIEW: GS MC] | A 6350 | CR4 | | 20-MAR-97 |
| A | MIL-P-53132 SUP 1 NOT 1 | POWER PLANT/POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER-MOUNTED 3KW THROUGH 60KW, GENERAL SPECIFICATION FOR [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/1 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 3, 3KW, MODE III (60 HERTZ) AN/MJQ-43 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/2 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 3, 3KW, MODE III (60 HERTZ) AN/MJQ-42 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Ver | MCA | Prep. Acty. | Date |
|-------------|-------------------------|---|----------------------|-----|-------------|-----------|
| A | MIL-P-53132/3 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 5, 5KW, MODE III (60 HERTZ) AN/MJQ-35 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/4 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 5, 5KW, MODE III (60 HERTZ) AN/MJQ-36 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/5 NOT 1 | POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 5, 5KW, MODE III (60 HERTZ) PU-797 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/6 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 10, 10KW, MODE III (60 HERTZ) AN/MJQ-37 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/7 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 10, 10KW, MODE II (400 HERTZ) AN/MJQ-38 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/8 NOT 1 | POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 10, 10KW, MODE III (60 HERTZ) PU-798 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/9 NOT 1 | POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 10, 10KW, MODE II (400 HERTZ) PU-799 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/10 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 15, 15KW, MODE II (400 HERTZ) AN/MJQ-39 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/11 NOT 1 | POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 15, 15KW, MODE II (400 HERTZ) PU-800 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/12 NOT 1 | POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 15, 15KW, MODE I (50/60 HERTZ) PU-801 (LIGHT WEIGHT) [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/13 NOT 1 | TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 15, 15KW, MODE I (50/60 HERTZ) PU-802 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/14 NOT 1 | TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 30, 30KW, MODE I (50/60 HERTZ) AN/MJQ-40 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/15 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 30, 30KW, MODE I (50/60 HERTZ) PU-803 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/16 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 30, 30KW, MODE II (400 HERTZ) PU-804 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/17 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 60, 60KW, MODE I (50/60 HERTZ) AN/MJQ-41 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/18 NOT 1 | POWER PLANT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 60, 60KW, MODE I (50/60 HERTZ) PU-805 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-P-53132/19 NOT 1 | POWER UNIT, TACTICAL QUIET GENERATOR SET, TRAILER MOUNTED SIZE 60, 60KW, MODE II (400 HERTZ) PU-806 [CUST: CR4] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-G-53133 SUP 1 NOT 1 | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 5 THROUGH 60 KILOWATTS, GENERAL SPECIFICATION FOR [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-G-53133/1 NOT 1 | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT KILOWATTS, 60 HERTZ [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-G-53133/2 NOT 1 | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 5 KILOWATTS, 400 HERTZ [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-G-53133/3 NOT 1 | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 10 KILOWATTS, 60 HERTZ [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-G-53133/4 NOT 1 | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 10 KILOWATTS, 400 HERTZ [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-G-53133/5 NOT 1 | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 15 KILOWATTS 50/60 HERTZ [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-G-53133/6 NOT 1 | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 15 KILOWATTS, 400 HERTZ [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-G-53133/7 NOT 1 | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 30 KILOWATTS, 50/60 HERTZ [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-G-53133/8 NOT 1 | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 30 KILOWATTS, 400 HERTZ [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-G-53133/9 NOT 1 | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 60 KILOWATTS, 50/60 HERTZ [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 11-AUG-97 |
| A | MIL-G-53133/10 NOT 1 | GENERATOR SETS, SKID MOUNTED, TACTICAL, QUIET, DIESEL ENGINE DRIVEN, ALTERNATING CURRENT 60 KILOWATTS, 400 HERTZ [CUST: CR4 YD1 99] [REVIEW: GS MC] | A 6115 | CR4 | | 11-AUG-97 |
| | MIL-R-55002B(3) NOT 2 | RADIO SETS AN/VRC-24() (UNITS OF) AND CONTROL, RADIO SET C-1439()/U [CUST: CR 99] | A 5820 | CR | | 29-MAR-96 |
| | MIL-C-55021/3A NOT 1 | CABLES: TWISTED PAIR, INTERNAL HOOKUP, SHIELDED AND JACKETED, HIGH TEMPERATURE [CUST: MI 85] [REVIEW: CR CR4] | A 6145 | IS | | 16-APR-91 |
| A | MIL-C-55038A(1) NOT 1 | CHARGER, RADIAC DETECTOR, PP 1578()/PD [CUST: CR] [REVIEW: 99] | A 6665 | CR | | 25-APR-97 |
| | MIL-R-55054A(3) NOT 2 | RECEIVER, RADIO R-3920/URR [CUST: CR] [REVIEW: MI] | A 5820 | CR | | 29-MAR-96 |
| | MIL-W-55056C NOT 1 | WIND MEASURING SET AN/PMQ-6() (UNITS OF) [CUST: CR] [REVIEW: 99] | A 6660 | CR | | 10-AUG-89 |
| A | MIL-B-55087B(1) NOT 1 | BALLOON, METEOROLOGICAL, ML-5370/UM [CUST: CR 99] | A 6660 | CR | | 09-JAN-98 |
| | MIL-R-55099E(1) NOT 1 | RECEIVER, RADIO R-4420/VRC [CUST: CR] [REVIEW: MC] | A 5820 | CR | | 29-MAR-96 |
| A | MIL-R-55100E NOT 1 | RECEIVER-TRANSMITTER, RADIO RT-2460/VRC AND RECEIVER-TRANSMITTER, RADIO RT-5240/VRC [CUST: CR 99] [REVIEW: 80 MC] | A 5820 | CR | | 22-APR-97 |
| A | MIL-C-55134A(3) NOT 2 | CABLES, TELEPHONE (INSIDE) [CUST: CR IS] | A 6145 | IS | | 16-JUN-97 |
| | MIL-A-55147B(1) NOT 2 | AMPLIFIER-POWER SUPPLY GROUP OA-3633()/GRC [CUST: CR] [REVIEW: 99 MC] | A 5820 | CR | | 29-MAR-96 |
| | MIL-P-55151B(1) NOT 1 | POWER SUPPLY PP-1104()/G [CUST: CR] [REVIEW: GS] | A 6130 | CR | | 29-MAY-96 |
| | MIL-P-55157A NOT 1 | PRINTER, PROJECTION, PHOTOGRAPHIC, EN-36 [CUST: CR] [REVIEW: GS] | A 6740 | CR | | 29-MAR-96 |
| | MIL-C-55158B(1) NOT 1 | CHARGER, BATTERY, PP-1659()/G [CUST: CR] [REVIEW: EA GS] | A 6130 | CR | | 29-MAY-96 |
| | MIL-D-55162B NOT 1 | DARKROOM, PHOTOGRAPHIC, PORTABLE, ES-38() [CUST: CR] | A 6780 | CR | | 29-MAY-96 |
| | MIL-R-55182/11C | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RNR51 [CUST: EC] | A 5905 | CC | | 09-MAR-90 |
| | MIL-R-55182/12C | RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RNR56 [CUST: EC] | A 5905 | CC | | 09-MAR-90 |
| A | MIL-G-55210 NOT 1 | GENERATOR, THERMAL NOISE SG-419()/U [CUST: CR] | A 6625 | CR | | 25-APR-97 |
| | MIL-R-55219B NOT 2 | RADIO SET AN/GRC-50(V) (UNITS OF) [CUST: CR] | A 5820 | CR | | 29-MAR-96 |
| | MIL-M-55220A NOT 1 | MAST AB-577()/IGRC [CUST: CR] [REVIEW: CC] | A 5985 | CR | | 29-MAY-96 |
| | MIL-R-55223B NOT 1 | REGULATOR, VOLTAGE CN-514()/GRC [CUST: CR] [REVIEW: GS] | A 6110 | CR | | 26-JAN-90 |
| | MIL-S-55234 NOT 3 | STANDING WAVE RATIO-POWER METER, ME-165()/G [CUST: CR] | A 6625 | CR | | 29-MAR-96 |
| | MIL-R-55238C NOT 2 | RADIO SET AN/GRC-106() (UNITS OF) [CUST: CR] [REVIEW: MC] | A 5820 | CR | | 29-MAR-96 |
| | MIL-R-55242(4) NOT 2 | RADIO SET AN/GRC-109() (UNITS OF) [CUST: CR] [REVIEW: 99] | A 5820 | CR | | 29-MAR-96 |
| A | MIL-B-55252B NOT 1 | BATTERIES, NON-RECHARGEABLE, MAGNESIUM [CUST: CR] | A 6135 | CR | | 03-SEP-97 |
| A | MIL-B-55252/1 NOT 1 | BATTERY MAGNESIUM, DRY BA-4386/PRC-25 [CUST: CR] | A 6135 | CR | | 03-SEP-97 |
| | MIL-T-55255A(1) NOT 1 | TERMINAL, TELEGRAPH-TELEPHONE AN/TCC-29() AND UNITS OF [CUST: CR] [REVIEW: 99] | A 5805 | CR | | 29-MAR-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----------------|-----------|
| M | MIL-S-55257C NOT 1 | SHOP, ELECTRONIC, SHELTER MOUNTED AN/ASM-146() AND AN/ASM-147() [CUST: CR] [REVIEW: CC] | A 4940 | CR | 29-MAY-96 |
| | MIL-S-55286E(1) NOT 1 | SHELTER, ELECTRICAL EQUIPMENT S-280(G) [CUST: GL 99] [REVIEW: 80 CC CR] | A 5411 | GL | 22-APR-98 |
| | MIL-M-55289A NOT 1 | MODIFICATION KIT MK-710()/TMQ (UNITS OF) [CUST: CR] [REVIEW: 99] | A 6660 | CR | 29-MAR-96 |
| | MIL-C-55302/67C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.090 SPACING) [CUST: 17] [REVIEW: 11 19 85] | A 5935 | CC | 14-OCT-92 |
| | MIL-C-55302/68C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET RECEPTACLE, ELECTRICAL, POLARIZED (.090 SPACING), REMOVABLE CRIMP CONTACTS [CUST: 17] [REVIEW: 11 19 85] | A 5935 | CC | 14-OCT-92 |
| | MIL-C-55302/69C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN PLUG, ELECTRICAL POLARIZED (.090 SPACING), REMOVABLE CRIMP CONTACTS [CUST: 17] [REVIEW: 11 19 85] | A 5935 | CC | 14-OCT-92 |
| | MIL-C-55302/70C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: 17] [REVIEW: 11 19 85] | A 5935 | CC | 14-OCT-92 |
| | MIL-C-55302/71C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET RECEPTACLE, ELECTRICAL, POLARIZED COMPOSITE CONTACT (.100 SPACING) [CUST: 17] [REVIEW: 11 19 85] | A 5935 | CC | 14-OCT-92 |
| | MIL-C-55302/72C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET ENVIRONMENTAL RESISTANT, RECEPTACLE, ELECTRICAL, POLARIZED (.150 SPACING), REMOVABLE CRIMP CONTACTS [CUST: 17] [REVIEW: 11 19 85] | A 5935 | CC | 14-OCT-92 |
| | MIL-C-55302/73C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE, ENVIRONMENTAL RESISTANT, PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.150 SPACING) [CUST: 17] [REVIEW: 11 19 85] | A 5935 | CC | 14-OCT-92 |
| | MIL-C-55302/74C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE, PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.100 SPACING) [CUST: 17] [REVIEW: 11 19 85] | A 5935 | CC | 14-OCT-92 |
| | MIL-C-55302/75C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET, RECEPTACLE, ELECTRICAL, POLARIZED (.100 SPACING), REMOVABLE CRIMP CONTACTS [CUST: 17] [REVIEW: 11 19 85] | A 5935 | CC | 14-OCT-92 |
| | MIL-C-55302/76C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET, STRAIGHT-THRU, POLARIZED FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [CUST: 17] [REVIEW: 11 19 85] | A 5935 | CC | 14-OCT-92 |
| | MIL-C-55302/77C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN RIGHT-ANGLE FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [CUST: 17] [REVIEW: 11 19 85] | A 5935 | CC | 14-OCT-92 |
| | MIL-C-55302/82B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, 41, 66, 114 CONTACT POSITIONS: FOR PRINTED WIRING BOARDS (.100 X .050 OFFSET GRID) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | 02-MAR-89 |
| | MIL-C-55302/83B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 41, 66, 114 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 X .050 OFFSET GRID) [CUST: 17] [REVIEW: 11 19 85 99] | A 5935 | CC | 02-MAR-89 |
| | MIL-C-55302/84B | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACTS - CRIMP, DIP SOLDER TAIL, SOLDER TURRET, AND WIREWRAP [CUST: 17] [REVIEW: 11 19] | A 5935 | CC | 02-MAR-89 |
| | MIL-C-55302/85A | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEYING PLUG [CUST: 17] [REVIEW: 11 19 85] | A 5935 | CC | 02-MAR-89 |
| | MIL-C-55302/99C NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU, HERMAPHRODITIC CONTACT, WRAPPOST REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR CC] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | 24-OCT-91 |
| | MIL-C-55302/102D NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU, HERMAPHRODITIC CONTACT, CRIMP REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | 24-OCT-91 |
| | MIL-C-55302/103D NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, HERMAPHRODITIC CONTACT, CRIMP REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | 24-OCT-91 |
| | MIL-C-55302/104D NOT 1 | CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG STRAIGHT-THRU, HERMAPHRODITIC CONTACT, CRIMP REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR] [REVIEW: AR AT AV CR4 MI] | A 5935 | CC | 24-OCT-91 |
| | MIL-O-55310/4E | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 3 (TEMPERATURE COMPENSATED (TCXO)), 750 KHZ THROUGH 10 MHZ, SOLDER SEAL, SQUARE WAVE, CMOS [CUST: CR EC 85] [REVIEW: 19 99 AR AS CC CG MC MI NA SM] | A 5955 | CR | 15-MAR-94 |
| | MIL-O-55310/5E | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 3 (TEMPERATURE COMPENSATED (TCXO)), 1 THROUGH 10 MHZ, SOLDER SEAL, SQUARE WAVE, TTL [CUST: CR EC 85] [REVIEW: 19 99 AR AS CC CG MC MI NA SM] | A 5955 | CR | 15-MAR-94 |
| | MIL-O-55310/6D | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 15.7 KHZ THROUGH 10.0 MHZ, SOLDER SEAL, SQUARE WAVE, TTL [CUST: CR EC 85] [REVIEW: 19 99 AR AS CC CG MC MI NA SM] | A 5955 | CR | 15-MAR-94 |
| | MIL-O-55310/7E | OSCILLATOR, CRYSTAL CONTROLLED, TYPE 3 (TEMPERATURE COMPENSATED (TCXO)), 10 THROUGH 90 MHZ, SOLDER SEAL, SINE WAVE [CUST: CR EC 85] [REVIEW: 19 99 AR AS CC CG MC MI NA SM] | A 5955 | CR | 15-MAR-94 |
| | MIL-S-55316A NOT 1 | SHELTER, ELECTRICAL, EQUIPMENT S-4870()/TSM-55(V) [CUST: CR] [REVIEW: CC] | A 4940 | CR | 29-MAY-96 |
| | MIL-M-55325(2) NOT 1 | MOUNTING MT-38020/ARC [CUST: CR] | A 5810 | CR | 10-OCT-90 |
| A | MIL-T-55335(2) NOT 2 | TEST FACILITIES KIT, MK-1191()/AR (UNITS OF) [CUST: CR] | A 6625 | CR | 25-APR-97 |
| A | MIL-M-55336(2) NOT 2 | MAINTENANCE ACCESSORY KIT, MK-1192()/ARM (UNITS OF) [CUST: CR] | A 6625 | CR | 25-APR-97 |
| | MIL-A-55339/42A(3) NOT 1 | ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (FEMALE) TO SERIES TNC (MALE)), CLASS 2, STRAIGHT PLUG [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT EA MC MI OS SH] | A 5935 | CC | 17-JAN-97 |
| | MIL-R-55347B(1) NOT 1 | RADIO TELETYPEWRITER SET AN/GRC-142()/AN/GRC-122() [CUST: CR] | A 5815 | CR | 29-MAR-96 |
| | MIL-R-55348A NOT 2 | RADAR SET AN/PFS-5B (UNITS OF) [CUST: CR] | A 5840 | CR | 29-MAR-96 |
| | MIL-R-55350A NOT 1 | RADIAC CALIBRATOR AN/UDM-2() [CUST: CR] | A 6665 | CR | 14-APR-97 |
| | MIL-F-55356 NOT 1 | FLIGHT COORDINATION CENTRAL AN/TSC-61() [CUST: CR] | A 5895 | CR | 20-DEC-89 |
| A | MIL-C-55357(1) NOT 1 | CABLE, TELEPHONE, SHIELDED (INSIDE WIRING) [CUST: CR IS] | A 6145 | IS | 16-JUN-97 |
| | MIL-B-55366 NOT 1 | BEACON SET, RADIO AN/TRN-30() (UNITS OF) [CUST: CR] | A 5825 | CR | 20-DEC-89 |
| | MIL-D-55367 NOT 2 | DISCRIMINATOR, DISCRETE SIGNAL MD-736()/A [CUST: CR] | A 5821 | CR | 29-MAR-96 |
| | MIL-T-55369 NOT 2 | TEST SET, RADIO TS-1588()/AIC [CUST: CR] | A 6625 | CR | 29-MAR-96 |
| | MIL-S-55389(2) NOT 1 | SUPPRESSOR, ELECTRICAL TRANSIENT, MX-7778A/GRC [CUST: CR] | A 5915 | CR | 29-MAY-96 |
| A | MIL-T-55401 NOT 2 | TRANSMITTER GROUP, SIMULATED RADIAC OT-51()/T [CUST: CR] | A 6665 | CR | 25-APR-97 |
| A | MIL-T-55402 NOT 2 | TRANSMITTER GROUP, SIMULATED RADIAC, HOT SPOT OT-520/T [CUST: CR] | A 6665 | CR | 25-APR-97 |
| A | MIL-R-55403 NOT 2 | RECEIVER GROUP, SIMULATED RADIAC, OR-114()/T [CUST: CR] | A 6665 | CR | 25-APR-97 |
| A | MIL-C-55412(1) NOT 2 | CENTER, MESSAGE AN/GSQ-800 [CUST: CR] [REVIEW: GS] | A 9999 | CR | 25-APR-97 |
| | MIL-T-55420A NOT 1 | TACTICAL IMAGERY INTERPRETATION FACILITY AN/TSQ-43() [CUST: CR] | A 5895 | CR | 28-NOV-89 |
| A | MIL-T-55441(1) NOT 2 | TOWER AB-585()/G [CUST: CR] | A 5445 | CR | 25-APR-97 |
| A | MIL-C-55446A(2) NOT 2 | CABLES, TELEPHONE, SWITCHBOARD: PLASTIC INSULATED, PLASTIC JACKETED [CUST: CR 85 IS] [REVIEW: 17 99] | A 6145 | IS | 16-JUN-97 |
| | MIL-D-55456B NOT 2 | DISTRIBUTION BOX, J-1077()/U DISTRIBUTION BOX, J-2317()/U [CUST: CR] [REVIEW: GS MC] | A 6110 | CR | 29-MAY-96 |
| | MIL-A-55468A NOT 1 | ANTENNA GROUP OE-4()/GR [CUST: CR] | A 5895 | CR | 26-OCT-89 |
| | MIL-C-55481B NOT 2 | CABLE ASSEMBLY, POWER ELECTRICAL CX-7453()/U CABLE ASSEMBLY, POWER ELECTRICAL CX-7705()/U [CUST: CR] [REVIEW: CR4 GS] | A 5995 | CR | 29-MAR-96 |
| | MIL-S-55498A NOT 1 | SHELTER FACILITY, ELECTRICAL EQUIPMENT S-371()/MSC-31A [CUST: CR] | A 5895 | CR | 20-OCT-89 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|--------------------------|-----|-------------|-----------|
| | MIL-R-55499B(1) NOT 1 | RADIO SET AN/PRC-77() (UNITS OF) [CUST: CR] [REVIEW: MC MI] | A 5820 | CR | | 29-MAR-96 |
| | MIL-S-55511A NOT 1 | SHELTER FACILITY, ELECTRICAL EQUIPMENT S-3720/MS-32A [CUST: CR] | A 5895 | CR | | 20-OCT-89 |
| | MIL-D-55518 | DIRECTION FINDER SET AN/TRD-23() (UNIT OF) [CUST: CR] | A 5825 | CR | | 03-APR-89 |
| | MIL-M-55520A NOT 1 | MULTIPLIER: HIGH VOLTAGE, DIRECT CURRENT [CUST: CR EC 99] [REVIEW: AV MI] | A 5855 | CR | | 05-OCT-90 |
| A | MIL-T-55523(1) NOT 2 | TEST FIXTURE SETS, ELECTRONIC [CUST: CR] | A 6625 | CR | | 25-APR-97 |
| | MIL-M-55529A NOT 2 | MODEM, RADIO TELETYPEWRITER SET MD-522()/GRC [CUST: CR] | A 5815 | CR | | 29-MAR-96 |
| | MIL-I-55538(1) NOT 2 | INFLATION LAUNCHING DEVICE, BALLOON, METEOROLOGICAL ML-594()/U [CUST: CR] [REVIEW: 99 GS] | A 6660 | CR | | 29-MAR-96 |
| M | MIL-S-55541G NOT 1 | SHELTER, ELECTRICAL EQUIPMENT S-250()/G [CUST: GL 99] [REVIEW: 80 CC CR] | A 5411 | GL | | 22-APR-98 |
| M | MIL-S-0055541H NOT 1 | SHELTER, ELECTRICAL EQUIPMENT S-250()/G [CUST: GL] [REVIEW: CC CR] | A 5411 | GL | | 22-APR-98 |
| A | MIL-M-55554A NOT 4 | MODULE, IMAGE INTENSIFIER 25 MILLIMETER, TYPE 8585 [CUST: MI] | A 5855 | MI | | 25-MAR-98 |
| | MIL-S-55562C NOT 2 | SHOP, ELECTRONIC, SEMITRAILER MOUNTED AN/ARM-189() AND AN/ASM-190() [CUST: CR] [REVIEW: CC] | A 4940 | CR | | 29-MAY-96 |
| A | MIL-R-55566C NOT 1 | REEL, CABLE RC-435()/U [CUST: CR IS] [REVIEW: CR4] | A 8130 | IS | | 25-FEB-98 |
| | MIL-C-55571A NOT 2 | CASE, MERCURIAL BAROMETER ML-48 () [CUST: CR 99] [REVIEW: AS] | A 6660 | CR | | 29-MAR-96 |
| | MIL-S-55578A NOT 1 | SHELTER, ELECTRICAL EQUIPMENT S-3480/TSC-58 [CUST: CR] | A 5895 | CR | | 15-JAN-91 |
| | MIL-S-55588B(2) NOT 1 | SHELTER, ELECTRICAL EQUIPMENT S-333()/TCC-65 [CUST: CR] | A 5805 | CR | | 29-MAR-96 |
| | MIL-S-55590C(2) NOT 1 | SHELTER, ELECTRICAL EQUIPMENT S-390()/TRC-145() [CUST: CR] | A 5820 | CR | | 29-MAR-96 |
| | MIL-P-55594A NOT 1 | PRINTER, CONTACT, PHOTOGRAPHIC EN-100() [CUST: CR] [REVIEW: GS] | A 6740 | CR | | 29-MAR-96 |
| | MIL-R-55602A(2) NOT 1 | RESTORER, PULSE FORM TD-206B/G [CUST: CR] | A 5805 | CR | | 29-MAR-96 |
| | MIL-T-55603A(1) NOT 1 | TEST SET, TELEPHONE AN/SPTM-7 [CUST: CR] | A 6625 | CR | | 22-MAR-76 |
| | MIL-S-55606C(2) NOT 1 | SHELTER, ELECTRICAL EQUIPMENT S-412()/TCC-72 [CUST: CR] | A 5805 | CR | | 29-MAR-96 |
| | MIL-C-55607A(3) NOT 2 | CONVERTER, TELEPHONE SIGNAL CV-1548()/G [CUST: CR] | A 5805 | CR | | 29-MAR-96 |
| A | MIL-R-55615B NOT 1 | RADIACMETER IM-174()/PD [CUST: CR] | A 6665 | CR | | 25-APR-97 |
| | MIL-S-55616A NOT 2 | SHELTER, ELECTRICAL EQUIPMENT S-392()/TTC-29 [CUST: CR] | A 5805 | CR | | 29-MAR-96 |
| | MIL-M-55623A NOT 2 | METER, VOLUME, HYDROGEN-HELIUM ML-605()/U [CUST: CR] | A 6660 | CR | | 29-MAR-96 |
| A | MIL-C-55629/13B NOT 1 | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP FREE, SINGLE POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS] | A 5925 | CR | | 30-SEP-97 |
| A | MIL-C-55629/14B NOT 1 | CIRCUIT BREAKER, MAGNETIC, UNSEALED, TRIP FREE, SINGLE POLE, BACK MOUNTED (1 TO 100 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS] | A 5925 | CR | | 30-SEP-97 |
| A | MIL-C-55629/15B NOT 1 | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP FREE, TWO POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS] | A 5925 | CR | | 30-SEP-97 |
| A | MIL-C-55629/16B NOT 1 | CIRCUIT BREAKER, MAGNETIC, UNSEALED, TRIP FREE, TWO POLE, BACK MOUNTED (1 TO 100 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS] | A 5925 | CR | | 30-SEP-97 |
| A | MIL-C-55629/17B NOT 1 | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP FREE, THREE POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS] | A 5925 | CR | | 30-SEP-97 |
| A | MIL-C-55629/18B NOT 1 | CIRCUIT BREAKER, MAGNETIC, UNSEALED, TRIP FREE, THREE POLE, BACK MOUNTED (1 TO 100 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS] | A 5925 | CR | | 30-SEP-97 |
| A | MIL-C-55629/19C NOT 1 | CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, FOUR POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES) [CUST: CR EC 85] [REVIEW: 17 19 99 AS AV CC CR4 MC MI OS] | A 5925 | CR | | 30-SEP-97 |
| A | MIL-I-55633 NOT 1 | INDICATOR, PANORAMIC IP-173()/U [CUST: CR] | A 6625 | CR | | 25-APR-97 |
| | MIL-D-55647(2) NOT 1 | DIRECTION FINDER SET AN/ARN-89() [CUST: CR] | A 5826 | CR | | 29-MAY-96 |
| | MIL-M-55649A(1) NOT 2 | MULTIPLEXER TD-754()/G [CUST: CR] | A 5805 | CR | | 29-MAR-96 |
| | MIL-M-55650B(1) NOT 2 | MULTIPLEXER TD-660()/G [CUST: CR] | A 5805 | CR | | 29-MAR-96 |
| | MIL-T-55652 NOT 1 | TRAILER, COMMUNICATION EQUIPMENT V-4150/TRC-145(V) [CUST: CR] | A 5895 | CR | | 20-OCT-89 |
| | MIL-C-55653A NOT 2 | CONTROL, COMMUNICATION SYSTEM C-6533()/ARC [CUST: CR] | A 5821 | CR | | 29-MAR-96 |
| | MIL-R-55656(2) NOT 2 | RADIO SET, AN/GRC-103() (V) BASIC [CUST: CR] | A 5820 | CR | | 29-MAR-96 |
| | MIL-L-55658(1) NOT 2 | LOW LEVEL SIGNALING DEVICE TT-523()/GGC [CUST: CR] | A 5815 | CR | | 29-MAR-96 |
| A | MIL-T-55659 NOT 2 | TEST FACILITIES KIT, MK-994()/AR (UNITS OF) [CUST: CR] | A 6625 | CR | | 25-APR-97 |
| | MIL-M-55660 NOT 1 | MODULE, IMAGE INTENSIFIER, 18 MILLIMETER, TYPE 8857 [CUST: CR] | A 5855 | CR | | 05-OCT-90 |
| | MIL-R-55662 NOT 1 | RADIO SET AN/ARC-114() [CUST: CR] | A 5821 | CR | | 29-MAR-96 |
| | MIL-M-55670A NOT 1 | MAST AB-621()/G [CUST: CR] [REVIEW: CC] | A 5985 | CR | | 29-MAY-96 |
| | MIL-A-55671A(1) NOT 1 | ANTENNA AS-1425 ()/GRC [CUST: CR] [REVIEW: CC] | A 5985 | CR | | 29-MAY-96 |
| A | MIL-B-55679(1) NOT 2 | BATTERY, DRY (SPECIAL PURPOSE) [CUST: CR] | A 6135 | CR | | 25-APR-97 |
| | MIL-A-55680B NOT 1 | ANTENNA AT-1108()/ARC [CUST: CR] | A 5821 | CR | | 29-MAR-96 |
| | MIL-C-55688(1) NOT 2 | CONTROL INDICATOR C-8157()/ARC [CUST: CR] | A 5821 | CR | | 29-MAR-96 |
| | MIL-T-55691 NOT 2 | TEST SET, BATTERY AN/USM-63()/U [CUST: CR 99] [REVIEW: AR CR4 MC OS] | A 6625 | CR | | 29-MAR-96 |
| | MIL-C-55693(3) NOT 1 | COUPLERS, ANTENNA CU-942()/AR, CU-1894()/AR AND ANTENNA AS-1703()/AR [CUST: CR] | A 5821 | CR | | 29-MAR-96 |
| | MIL-P-55695(2) NOT 1 | POWER SUPPLY PP-4763()/GRC [CUST: CR] | A 5820 | CR | | 29-MAR-96 |
| A | MIL-G-58083A(2) NOT 1 | GENERATOR, TACHOMETER, FOUR POLE, SCREW MOUNTED [CUST: AV 99] [REVIEW: CG] | A 6620 | AV | | 18-MAR-98 |
| | MIL-T-58097(3) NOT 3 | TRANSMITTERS, PRESSURE, HELICOPTER, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR [CUST: AV] | A 6620 | AV | | 14-JUL-95 |
| | MIL-I-58098A NOT 1 | INDICATOR, PRESSURE, HELICOPTER, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR [CUST: AV] | A 6620 | AV | | 14-JUL-95 |
| | MIL-I-58099(1) NOT 2 | INDICATOR, PRESSURE, HELICOPTER, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR [CUST: AV] | A 6620 | AV | | 14-JUL-95 |
| | MIL-T-58100 NOT 2 | TRANSMITTER, PRESSURE, OIL, HELICOPTER [CUST: AV] | A 6620 | AV | | 14-JUL-95 |
| | MIL-G-58103 NOT 1 | GRIP ASSEMBLY, CYCLIC CONTROLLER, HELICOPTER [CUST: AV AS 11] | A 6620 | AV | | 14-JUL-95 |
| | MIL-N-58107(1) NOT 1 | NAVIGATIONAL SET, DOPPLER AN/ASN-137 () [CUST: CR] | A 5841 | CR | | 29-MAR-96 |
| | MIL-W-60002A NOT 2 | WARHEAD, HE, M18, PARTS FOR [CUST: AR] | A 1340 | AR | | 12-DEC-95 |
| | MIL-D-60014B NOT 1 | DETONATOR, STAB M47 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 16-JUL-96 |
| | MIL-P-60015A NOT 2 | PRIMER, PERCUSSION, M60A1 LOADING, ASSEMBLING & PACKING [CUST: AR] | A 1390 | AR | | 16-JUL-96 |
| | MIL-I-60016A(5) NOT 2 | INCREMENTS, PROPELLANT FOR CHARGE, PROPELLING, M36A1 (MADE FROM PROPELLANT, M8) [CUST: AR] | A 1376 | AR | | 16-JUL-96 |
| | MIL-P-60019A(3) NOT 2 | PROPELLANT, M9 FOR USE WITH CHARGE, PROPELLING M36A1 FOR 4.2 INCH MORTAR [CUST: AR] | A 1376 | AR | | 16-JUL-96 |
| | MIL-F-60020 NOT 2 | FUZE, MINE, COMBINATION M10A2, PARTS FOR [CUST: AR] | A 1345 | AR | | 08-FEB-96 |
| | MIL-L-60024(2) NOT 2 | LUCKY ASSEMBLY, FOR CARTRIDGE 90MM, HEAT, M371E1, (M371A1) AND 106MM, HEAT, M344A1 PARTS FOR ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 16-JUL-96 |
| | MIL-P-60025 NOT 1 | PRIMER, STAB, M97 PARTS FOR [CUST: AR] | A 1375 | AR | | 16-JUL-96 |
| | MIL-P-60026(1) NOT 2 | PRIMER, STAB, M97 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 16-JUL-96 |
| | MIL-D-60027A NOT 2 | DETONATOR, ELECTRIC, M69 PARTS FOR [CUST: AR] | A 1390 | AR | | 16-JUL-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | WCA | Prep. Acty. | Date |
|-------------|-----------------------|--|--------------------------|-----|-------------|------|
| | MIL-C-60028C(1) NOT 2 | CARTRIDGE, 81MM, SMOKE, WP, M375 AND M375A2 ASSEMBLING, MARKING AND PACKING [CUST: AR] [REVIEW: EA] | A 1315 | AR | 08-FEB-96 | |
| | MIL-D-60031A(1) NOT 1 | DETONATOR, ELECTRIC, M69 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | 16-JUL-96 | |
| | MIL-C-60032(1) NOT 2 | CHARGE ASSEMBLY, DEMOLITION KIT, M37 FOR BLOCK DEMOLITION, M5A1 PARTS FOR LOADING, ASSEMBLY AND PACKING [CUST: AR] | A 1375 | AR | 16-JUL-96 | |
| | MIL-P-60034(1) NOT 2 | PRIMING ASSEMBLY DEMOLITION, M15 PARTS, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 16-JUL-96 | |
| | MIL-P-60049A NOT 2 | PRIMER, STAB M26 PARTS FOR, LOADING, ASSEMBLING AND PACKING [CUST: AR] [REVIEW: EA] | A 1375 | AR | 14-MAR-97 | |
| | MIL-P-60053(1) NOT 1 | PRIMER, PERCUSSION, M1A2 LOADING, ASSEMBLING & PACKING [CUST: AR] | A 1390 | AR | 16-JUL-96 | |
| | MIL-B-60073A NOT 2 | BOMB, NONPERSISTENT GAS, SPHERICAL, 4.5 INCH, M139, FILLING AND ASSEMBLY [CUST: EA] | A 1325 | EA | 27-DEC-95 | |
| | MIL-B-60075A NOT 2 | BOMB, NONPERSISTENT GAS, SPHERICAL, 4.5-INCH, M139, METAL PARTS [CUST: EA] | A 1325 | EA | 27-DEC-95 | |
| | MIL-W-60080 NOT 2 | WARHEAD, GUIDED MISSILE, EMPTY, E6 [CUST: EA] | A 1336 | EA | 16-AUG-95 | |
| | MIL-W-60081 NOT 2 | WARHEAD, GUIDED MISSILE, CHEMICAL AGENT, 1500 LB, E9 [CUST: EA] | A 1336 | EA | 16-AUG-95 | |
| | MIL-G-60087F(3) NOT 1 | GRENADE, HAND, RIOT, CS, M7A3 [CUST: EA] | X 1330 | EA | 27-DEC-95 | |
| | MIL-B-60089B NOT 2 | BURSTER, CHEMICAL AGENT MINE, M38, INITIATOR, MINE BURSTER, M48 [CUST: EA] | A 1345 | EA | 27-DEC-95 | |
| | MIL-P-60090B NOT 2 | PROJECTILE, 105MM, WP-T, M416, FILLING ASSEMBLY [CUST: EA] | A 1315 | EA | 27-DEC-95 | |
| | MIL-D-60093A(1) NOT 2 | DETONATOR, STAB, M50 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 16-JUL-96 | |
| A | MIL-D-60094 NOT 1 | DETONATOR, ELECTRIC, XM65 PARTS FOR [CUST: AR] | A 1375 | AR | 19-AUG-97 | |
| | MIL-D-60095(1) NOT 1 | DETONATOR, ELECTRIC, XM65 LOADING, ASSEMBLING & PACKING [CUST: AR] | A 1375 | AR | 16-JUL-96 | |
| | MIL-P-60097(1) NOT 1 | PRIMER, PERCUSSION, M62 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | 16-JUL-96 | |
| | MIL-B-60107B(2) NOT 1 | BANDOLEER, M4 [CUST: AR] | A 1305 | AR | 08-FEB-96 | |
| | MIL-C-60111C(5) NOT 1 | CARTRIDGE, 5.56MM, TRACER, M196 [CUST: AR] [REVIEW: MC OS] | A 1305 | AR | 12-FEB-96 | |
| | MIL-T-60116 NOT 1 | THRUSTER, CARTRIDGE ACTUATED, M20A1 METAL PARTS ASSEMBLY (INACTIVE FOR NEW DESIGN) [CUST: OS] | A 1377 | OS | 15-JUL-88 | |
| | MIL-B-60128A(1) NOT 2 | BANDOLEER, M3 [CUST: AR] | A 1305 | AR | 09-FEB-96 | |
| | MIL-H-60132(3) NOT 2 | HEAD ASSEMBLY, TANK PERISCOPE, 10513625 [CUST: AR] | A 6650 | AR | 16-JUL-96 | |
| | MIL-B-60133(5) NOT 1 | BODY ASSEMBLY, TANK PERISCOPE, 10513620 [CUST: AR] | A 6650 | AR | 16-JUL-96 | |
| | MIL-B-60135(8) NOT 1 | BODY ASSEMBLY, TANK PERISCOPE, 10513599 [CUST: AR] | A 6650 | AR | 16-JUL-96 | |
| A | MIL-M-60157C(3) NOT 1 | MOUNT, TELESCOPE, M149 [CUST: AR] | A 1240 | AR | 14-AUG-97 | |
| | MIL-C-60162 NOT 2 | CARTRIDGE, CALIBER .50, TEST, HIGH PRESSURE, M1 [CUST: AR] | A 1305 | AR | 09-FEB-96 | |
| | MIL-C-60163(1) NOT 1 | CARTRIDGE, CALIBER .45, TEST, HIGH PRESSURE, M1 [CUST: AR] | A 1305 | AR | 09-FEB-96 | |
| | MIL-I-60166(8) NOT 2 | INVERTER, POWER, STATIC: 10516412 [CUST: AR] | A 1220 | AR | 11-DEC-95 | |
| | MIL-C-60168 NOT 2 | CARTRIDGE, CALIBER .50, PRACTICE, T249E2 [CUST: AR] | A 1305 | AR | 09-FEB-96 | |
| A | MIL-P-60169B NOT 4 | PAPER, SEALING [CUST: AR OS 70] [REVIEW: MI] | A 1305 | AR | 09-APR-98 | |
| A | MIL-M-60170A(3) NOT 2 | MOUNT, PERISCOPE: 10513360 [CUST: AR] | A 1240 | AR | 19-AUG-97 | |
| A | MIL-T-60193(2) NOT 1 | TRANSFORMER, POWER, STEP DOWN, 10525915 [CUST: AR] [REVIEW: CC MI] | A 5950 | AR | 15-AUG-97 | |
| A | MIL-T-60206(2) NOT 1 | TRANSFORMER, POWER, STEP DOWN, 10525900 [CUST: AR] [REVIEW: CC MI] | A 5950 | AR | 01-SEP-97 | |
| A | MIL-T-60207(2) NOT 1 | TRANSFORMER, POWER, STEP DOWN, 10525910 [CUST: AR] [REVIEW: CC MI] | A 5950 | AR | 01-SEP-97 | |
| A | MIL-L-60244A NOT 1 | LINKAGE ASSEMBLY, 8287301 [CUST: AR] | A 1240 | AR | 19-AUG-97 | |
| A | MIL-C-60250A NOT 1 | CASE, CARRYING, 10541026 AND 10541038 [CUST: AR] | A 1240 | AR | 19-AUG-97 | |
| A | MIL-C-60251A(4) NOT 2 | CARTRIDGE, 7.62MM, NATO, BALL, M80 OVERHEAD FIRE APPLICATION [CUST: AR] | A 1305 | AR | 06-DEC-95 | |
| A | MIL-C-60252A(4) NOT 2 | CARTRIDGE, 7.62MM, NATO, TRACER, M62 OVERHEAD FIRE APPLICATION [CUST: AR] | A 1305 | AR | 06-DEC-95 | |
| A | MIL-C-60255(2) NOT 1 | CASE, TELESCOPE: M164 [CUST: AR] | A 1290 | AR | 14-AUG-97 | |
| A | MIL-C-60259 NOT 1 | CASE, OPTICAL BORE SIGHT, 8587581 [CUST: AR] | A 1270 | AR | 19-AUG-97 | |
| A | MIL-C-60261 NOT 1 | CASE, FUZE SETTER SET, M178 [CUST: AR] | A 1290 | AR | 19-AUG-97 | |
| A | MIL-C-60275B(1) NOT 1 | CARTRIDGE, 20MM, TARGET PRACTICE, M204 [CUST: AR] | A 1305 | AR | 06-DEC-95 | |
| | MIL-B-60301A(3) NOT 2 | BOMB, SUBASSEMBLIES, METAL (BLU-17/B) [CUST: EA] | A 1325 | EA | 27-DEC-95 | |
| | MIL-W-60302 NOT 1 | WARHEAD, GUIDED MISSILE, CHEMICAL AGENT SMOKE, MK 69 MOD 0 WP FILLING [CUST: EA] | A 1336 | EA | 27-DEC-95 | |
| | MIL-C-60303B NOT 1 | CARTRIDGE, 40MM, RIOT CONTROL, CS, M674 [CUST: EA] | A 1310 | EA | 27-DEC-95 | |
| | MIL-B-60304(1) NOT 2 | BOMB, SMOKE, BLU-17/B [CUST: EA] | A 1325 | EA | 27-DEC-95 | |
| | MIL-W-60305A(2) NOT 2 | WARHEAD, 2.75 INCH ROCKET, SMOKE, WP, M156 (WITH BURSTER & FUZE) [CUST: EA] | A 1340 | EA | 25-MAR-96 | |
| | MIL-W-60306A(1) NOT 2 | WARHEAD, 2.75 INCH ROCKET, SMOKE, M156; WP FILLING [CUST: EA 99] [REVIEW: 70] | A 1340 | EA | 25-MAR-96 | |
| | MIL-W-60307C(2) NOT 1 | WARHEAD, 2.75 INCH ROCKET, SMOKE, WP, M156 (METAL PARTS) [CUST: EA 99] [REVIEW: 84] | A 1340 | EA | 25-MAR-96 | |
| A | MIL-P-60312C(2) NOT 1 | PART, MOLDED, PLASTIC FOAM, POLYSTYRENE (FOR USE WITH AMMUNITION) [CUST: AR] | A 8140 | AR | 11-MAR-98 | |
| | MIL-P-60314(1) NOT 1 | PRIMER, PERCUSSION, M32, PARTS FOR [CUST: AR] | A 1375 | AR | 16-JUL-96 | |
| | MIL-P-60316A(1) NOT 2 | PRIMER, PERCUSSION M32 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 05-FEB-97 | |
| A | MIL-B-60319(1) NOT 2 | BURSTER, PROJECTILE, M19 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | 16-JAN-98 | |
| | MIL-P-60321(1) NOT 2 | PRIMER, STAB, T103E1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 16-JUL-96 | |
| | MIL-D-60329(1) NOT 2 | DETONATOR, STAB, T37 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 16-JUL-96 | |
| | MIL-D-60332 NOT 1 | DETONATOR, STAB, M41 PARTS FOR [CUST: AR] | A 1375 | AR | 16-JUL-96 | |
| | MIL-P-60335C NOT 2 | PROJECTILE, 60MM, ILLUMINATING M83A3 PARTS, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | 09-FEB-96 | |
| | MIL-P-60337 NOT 2 | PRIMER, PERCUSSION, M47 AND M47B2 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | 16-JUL-96 | |
| | MIL-L-60339 NOT 2 | LINER ASSEMBLY OUTER, FOR CARTRIDGE 106MM, M346A1 [CUST: AR] | A 1315 | AR | 16-JUL-96 | |
| | MIL-P-60340A(1) NOT 1 | PROJECTILE, 155MM, SMOKE, HC, BE, M116E2, PARTS FOR [CUST: EA] | A 1320 | EA | 27-DEC-95 | |
| | MIL-P-60345(1) NOT 2 | PRIMER, STAB, M45 LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1375 | AR | 16-JUL-96 | |
| | MIL-I-60347(1) NOT 2 | IGNITER ASSEMBLY FOR CARTRIDGES, 90MM, AP-T, M318A1 AND 90MM, TP-T, M353E1 [CUST: AR] | A 1315 | AR | 16-JUL-96 | |
| | MIL-D-60362A NOT 2 | DETONATOR, STAB, M42 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 16-JUL-96 | |
| | MIL-P-60363A NOT 2 | PROPELLANT, M9 (FOR USE IN BASE CHARGE ASSEMBLIES) [CUST: AR] | A 1376 | AR | 16-JUL-96 | |
| | MIL-P-60375 NOT 2 | PROPELLANT M26 FOR USE IN CARTRIDGE, ANTI PERSONNEL XM581 FOR 106MM RIFLE M40A1 [CUST: AR] | A 1376 | AR | 16-JUL-96 | |
| | MIL-P-60377B(1) NOT 3 | PROJECTILE, 155MM, HE, M107 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 03-FEB-97 | |
| A | MIL-C-60380A(1) NOT 2 | CARTRIDGE, 105MM, SEMI FIXED, SMOKE, WP, M60 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 27-AUG-97 | |
| | MIL-S-60386B NOT 2 | SHIPPING AND STORAGE CONTAINER, FUZE, XM573 [CUST: AR] | A 8140 | AR | 09-FEB-96 | |
| | MIL-D-60388B NOT 2 | DETONATOR, FLASH, M87 PARTS FOR LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 16-JUL-96 | |
| | MIL-C-60393A NOT 2 | CARTRIDGE, DELAY: 20 SECOND DELAY, XM252 PARTS, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 16-JUL-96 | |
| | MIL-B-60410(2) NOT 2 | BLASTING MACHINE, HANDLE OPERATED, METAL CASE 10 CAP CAPACITY [CUST: AR] | A 1375 | AR | 16-JUL-96 | |
| | MIL-D-60414A NOT 1 | DETONATOR HOLDER ASSEMBLY FOR FUZE, AT, NM, M606 [CUST: AR] | A 1345 | AR | 16-JUL-96 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-----------------------|--|-----------------------|-----|-------------|-----------|
| MIL-W-60425 NOT 2 | WARHEAD, 2.75 INCH ROCKET, PRACTICE XM230, WITH OR WITHOUT FUZE LOADING, ASSEMBLING & PACKING [CUST: AR] | A 1340 | AR | | 12-DEC-95 |
| MIL-R-60443(1) NOT 2 | RELAY, EXPLOSIVE, XM11 [CUST: AR] [REVIEW: MJ] | A 1375 | AR | | 14-MAR-97 |
| MIL-P-60447A(6) NOT 1 | PROJECTILE, 81MM, ILLUMINATING, M301A3 PARTS LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 15-DEC-95 |
| MIL-D-60448 NOT 1 | DETONATOR, ELECTRIC M78, PARTS AND LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1345 | AR | | 16-JUL-96 |
| MIL-C-60452A(2) NOT 2 | CARTRIDGE CASE LOADING ASSEMBLY, M195 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 09-FEB-96 |
| MIL-C-60457(1) NOT 2 | CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548, BODY, MOTOR FOR [CUST: AR] | A 1315 | AR | | 18-AUG-97 |
| MIL-C-60458(1) NOT 2 | CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548, DELAY ASSEMBLY FOR [CUST: AR] | A 1315 | AR | | 18-AUG-97 |
| MIL-C-60459 NOT 1 | CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548, ROCKET PROPELLANT GRAIN FOR [CUST: AR] | A 1315 | AR | | 09-FEB-96 |
| MIL-P-60477A NOT 2 | PROJECTILE, 155MM, SMOKE, WP, M110, LOADING, ASSEMBLING AND PACKING [CUST: AR] [REVIEW: EA] | A 1320 | AR | | 14-MAR-97 |
| MIL-P-60479(2) NOT 3 | PRIMER AND BASE, IGNITER, XM 110, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 16-JUL-96 |
| MIL-P-60521(5) NOT 2 | PROJECTILE, HEP-T, 106MM, M346A1 METAL PARTS [CUST: AR] | A 1315 | AR | | 09-FEB-96 |
| MIL-P-60523A(3) NOT 2 | PROJECTILE, 165MM, HEP, M123A1 METAL PARTS [CUST: AR] | A 1320 | AR | | 16-JUL-96 |
| MIL-C-60537A(2) NOT 1 | CARTRIDGE, GRENADE: 5.56MM, M195 [CUST: AR] | A 1330 | AR | | 09-FEB-96 |
| MIL-O-60540(2) NOT 1 | OBTURATING BANDS, PLASTIC, RIGID, HIGH IMPACT, POLYVINYL CHLORIDE (MOLDED) [CUST: AR] | A 1395 | AR | | 15-AUG-97 |
| MIL-P-60547F(2) NOT 1 | PROJECTILE, 105MM, HE, M1 AND M760 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | | 09-FEB-96 |
| MIL-P-60548A(1) NOT 2 | PROJECTILE, 105MM, SMOKE, WP, M60 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | | 09-FEB-96 |
| MIL-C-60549A(1) NOT 2 | CASE, PROJECTILE, BURSTER, M5 [CUST: AR] | A 1315 | AR | | 09-FEB-96 |
| MIL-M-60557G(2) NOT 1 | MICRO-REPRODUCTION SYSTEM FOR ENGINEERING DOCUMENTS AND ENGINEERING RELEASE RECORDS [CUST: AR] | A EDRS | AR | | 09-FEB-96 |
| MIL-D-60573(2) NOT 1 | DUMMY CARTRIDGE, 7.62MM, M172, INERT LOADED [CUST: AR] | A 1305 | AR | | 09-FEB-96 |
| MIL-P-60574B(2) NOT 1 | PROJECTILE, HEP-T, 105MM, M393A2 METAL PARTS [CUST: AR] | A 1315 | AR | | 15-AUG-97 |
| MIL-P-60584A NOT 2 | PROJECTILE, 155MM, SMOKE, WP, M110 METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | | 16-JUL-96 |
| MIL-C-60585A NOT 1 | CASE, PROJECTILE, BURSTER, M1E1 ASSEMBLY [CUST: AR] | A 1315 | AR | | 09-FEB-96 |
| MIL-P-60592(1) NOT 3 | PROJECTILE, 90MM, TP-T, M353 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | | 03-FEB-97 |
| MIL-I-60595(1) NOT 1 | INITIATOR, CARTRIDGE ACTUATED, XM107 METAL PARTS ASSEMBLY (INACTIVE FOR NEW DESIGN) [CUST: OS] | A 1377 | OS | | 15-JUL-88 |
| MIL-P-60596B NOT 1 | PROJECTILE, HE, 8 INCH M106 METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | | 09-FEB-96 |
| MIL-C-60602B NOT 2 | CASE IMPELLER, PROJECTILE BURSTER, M175 [CUST: AR] | A 1315 | AR | | 16-JUL-96 |
| MIL-P-60605B(1) NOT 1 | PROJECTILE, 60MM, HE, M49A2 METAL PARTS ASSEMBLY (CARBON STEEL) [CUST: AR] | A 1310 | AR | | 09-FEB-96 |
| MIL-P-60608A(3) NOT 1 | PROJECTILE, 20MM, TARGET PRACTICE TRACER, M221, METAL PARTS [CUST: AR 99] | A 1305 | AR | | 01-NOV-95 |
| MIL-C-60609A(1) NOT 1 | CARTRIDGE, 20MM, TARGET PRACTICE TRACER, M220 [CUST: AR] [REVIEW: 70] | A 1305 | AR | | 31-OCT-96 |
| MIL-C-60616C(3) NOT 1 | CARTRIDGE, 5.56MM, BLANK: M200 [CUST: AR] | A 1305 | AR | | 31-OCT-96 |
| MIL-C-60618C NOT 1 | COUNTER, ROTATING, MECHANICAL, DIRECT DRIVE: 8587543 (3200 MIL RESET) [CUST: AR] [REVIEW: GS] | A 1290 | AR | | 01-SEP-97 |
| MIL-P-60622B(4) NOT 2 | PROJECTILE, 175MM, HE, M437 METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | | 09-FEB-96 |
| MIL-P-60628(1) NOT 2 | PROJECTILE, 152MM, SLUG, PROOFING, METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | | 16-JUL-96 |
| MIL-P-60646B(2) NOT 1 | PROJECTILE, 105MM, HEAT-T, M456A1 METAL PARTS [CUST: AR] | A 1315 | AR | | 16-JUL-96 |
| MIL-C-60651A NOT 3 | CASE, CARRYING: 10543310 [CUST: AR] | A 1290 | AR | | 19-AUG-97 |
| MIL-R-60671 NOT 4 | RUBBER, CHLORINATED, NATURAL, POWER [CUST: AR] | A 1370 | AR | | 03-MAR-98 |
| MIL-C-60678B(3) NOT 2 | CARTRIDGE, 20MM, HIGH EXPLOSIVE INCENDIARY TRACE SELF-DESTRUCT, M246 [CUST: AR] | A 1305 | AR | | 06-DEC-95 |
| MIL-P-60679A(5) NOT 2 | PROJECTILE, 20MM, HEIT-SD, M246; METAL PARTS [CUST: AR] | A 1305 | AR | | 01-NOV-95 |
| MIL-C-60808A NOT 1 | CARTRIDGE, CALIBER .45 REFERENCE [CUST: AR] | A 1305 | AR | | 06-DEC-95 |
| MIL-P-60811B(1) NOT 1 | PROJECTILE, 105MM, TP-T, M489 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | | 15-AUG-97 |
| MIL-P-60812(2) NOT 2 | PROJECTILE, 4.2 INCH, WP, SMOKE, M328A1 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | | 09-FEB-96 |
| MIL-C-60813(2) NOT 1 | CARTRIDGE, CALIBER .50, SPOTTER TRACER, M48A2 [CUST: AR] | A 1305 | AR | | 31-JUL-97 |
| MIL-P-60814 NOT 3 | PROJECTILE, AP-T, 90MM, M318A1 METAL PARTS [CUST: AR OS] | A 1315 | AR | | 03-FEB-97 |
| MIL-P-60815A(3) NOT 2 | PROJECTILE, TP-T, 152MM, XM411E1 METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | | 17-JUL-96 |
| MIL-P-60818C(3) NOT 2 | PROJECTILE, 4.2 INCH, ILLUMINATING, M335A2 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | | 12-FEB-96 |
| MIL-T-60826B NOT 1 | TELESCOPE, M127A1 [CUST: AR] | A 1240 | AR | | 19-AUG-97 |
| MIL-P-60835A(1) NOT 2 | PROJECTILE, 20MM, HE1-T, M242, METAL PARTS [CUST: AR] | A 1305 | AR | | 06-DEC-95 |
| MIL-C-60836A(2) NOT 2 | CARTRIDGE, 20MM, HIGH EXPLOSIVE INCENDIARY WITH TRACER, M242 [CUST: AR] | A 1305 | AR | | 06-DEC-95 |
| MIL-R-60862(1) NOT 2 | REMOVER, AIRCRAFT CANOPY OVERHAUL, MODIFICATION AND CONVERSION OF P/N 2218-17 TO P/N 2218-18 [CUST: OS] | A 1377 | OS | | 25-JUN-96 |
| MIL-R-60875(1) NOT 1 | REMOVER, AIRCRAFT CANOPY, M8A2 METAL PARTS ASSEMBLY [CUST: OS] | A 1377 | OS | | 25-JUN-96 |
| MIL-B-60884C(2) NOT 1 | BINOCULAR M19 [CUST: AR] | A 6650 | AR | | 17-JUL-96 |
| MIL-T-60895(5) NOT 1 | TELESCOPE, PANORAMIC, M117A1 [CUST: AR] | A 1240 | AR | | 27-FEB-97 |
| MIL-C-60896A(3) NOT 2 | CARTRIDGE, 7.62MM, NATO, REFERENCE [CUST: AR] | A 1305 | AR | | 06-DEC-95 |
| MIL-M-60903A NOT 3 | MARKING OF ELECTRICAL WIRES AND CABLES [CUST: AR] | A 1195 | AR | | 21-JUN-95 |
| MIL-C-60932(1) NOT 2 | CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 11-DEC-95 |
| MIL-P-60938 NOT 1 | PELLET, SMOKE MARKER FOR CARTRIDGE, 105MM, APERS-T [CUST: AR] | A 1315 | AR | | 12-FEB-96 |
| MIL-C-60940(1) NOT 2 | CUP, LEAD ASSEMBLY FOR FUZES, PD, M551 AND M533 [CUST: AR] | A 1375 | AR | | 18-AUG-97 |
| MIL-C-60944A(2) NOT 2 | CARTRIDGE, 40MM, PRACTICE, M385A1 LOADING, ASSEMBLING AND PACKAGING [CUST: AR] | A 1310 | AR | | 29-OCT-96 |
| MIL-C-60945B NOT 1 | CARTRIDGE, 40MM, PRACTICE, M385A1 DUMMY CARTRIDGE, 40MM HIGH VELOCITY, M922 PROJECTILE PARTS FOR [CUST: AR] | A 1310 | AR | | 12-FEB-96 |
| MIL-C-60982B(6) NOT 1 | CASE CARTRIDGE, 40MM, M169 PART FOR [CUST: AR] | A 1310 | AR | | 12-FEB-96 |
| MIL-C-60985A(2) NOT 2 | CASE, CARTRIDGE, 40MM, M118 METAL PARTS FOR [CUST: AR] | A 1310 | AR | | 12-FEB-96 |
| MIL-V-62008B(1) NOT 1 | VEHICLE, COMBAT ENGINEER, FULL TRACKED, 165 MM GUN, M728 [CUST: AT] | A 2350 | AT | | 27-SEP-95 |
| MIL-T-62021E NOT 1 | TRUCKS, PIPE AND SEWER CLEANER: HIGH PRESSURE WATER JET TYPE, 5680 LITER (1,500 GALLON), 12 700 KILOGRAMS (28,000 POUNDS) GVW, 4X2, MODIFIED COMMERCIAL [CUST: AT] | A 2320 | AT | | 21-SEP-95 |
| MIL-T-62032H NOT 1 | TRUCKS, TANK: FUEL SERVICING AND AIRCRAFT FUEL SERVICING, 1,000 TO 4,000 GALLON, DIESEL AND GASOLINE ENGINE DRIVEN, 16,000 TO 50,000 POUNDS GVW, 4X2, 4X4, 6X4, AND 6X6, MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 AV] | A 2320 | AT | | 02-JAN-96 |
| MIL-S-62052D NOT 1 | SEMITRAILER, VAN; AIR TRANSPORTABLE, 4990 KILOGRAMS (5.5 TON), AIR CONDITIONED, MODIFIED COMMERCIAL [CUST: AT 99] [REVIEW: 84] | A 2330 | AT | | 29-JAN-96 |
| MIL-T-62058E NOT 1 | TRUCKS, FLATBED: AND TRUCKS, MAINTENANCE: WITH TELESCOPIC BOOM MOUNTED AERIAL PLATFORM, 8.5 TO 18.3 METERS (28 TO 60 FOOT), MODIFIED COMMERCIAL [CUST: AT] | A 2320 | AT | | 28-SEP-95 |
| MIL-T-62059B NOT 1 | TRAILER, CARGO: WITH HYDRAULIC LIFT BODY, 2,000 POUND PAYLOAD, 2 WHEEL, COMMERCIAL [CUST: AT] | A 2330 | AT | | 21-SEP-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----------------|-----------|
| | MIL-T-62068C NOT 1 | TRUCKS, TANK: SPRINKLER, FLUSHER, AND DISTRIBUTOR TYPES, 1,000 TO 2,000 GALLON, DIESEL AND GASOLINE ENGINE DRIVEN, 16,000 TO 43,000 POUNDS GVW, 4X2, 6X4 AND 6X6, MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84] | A 2320 | AT | 30-OCT-95 |
| | MIL-T-62072C NOT 1 | TRAILER, CABLE REEL: HYDRAULICALLY DRIVEN, MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2330 | AT | 30-OCT-95 |
| | MIL-S-62076B NOT 2 | SEMITRAILER CHASSIS: INTERMODAL CARGO CONTAINER CARRYING, COMMERCIAL AND CONTAINER, CARGO: INTERMODAL, DEMOUNTABLE, COMMERCIAL [CUST: AT] | A 2330 | AT | 13-NOV-95 |
| | MIL-T-62079E NOT 1 | TRUCK, PANEL: POLICE PATROL CONVERSION, 8,000 POUNDS GVW, 4X2, COMMERCIAL [CUST: AT YD1] [REVIEW: CR MC] | A 2320 | AT | 07-DEC-95 |
| | MIL-S-62080D NOT 1 | SEMITRAILERS, TANK: POTABLE WATER, 2,000 TO 5,500 GALLON, COMMERCIAL [CUST: AT YD1] [REVIEW: CR4] | A 2330 | AT | 13-DEC-96 |
| | MIL-T-62087E NOT 1 | TRUCK: COMPACT FORWARD CONTROL VAN, RECRUITER, 5,400 POUNDS GVW, 4X2, COMMERCIAL [CUST: AT 99] [REVIEW: 84 MC] | A 2320 | AT | 29-SEP-95 |
| | MIL-T-62088B NOT 1 | TRUCKS, ARMORED: PAYROLL DISTRIBUTION, 8600 KILOGRAMS (19,000 POUNDS) GVW, 4X2, MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84] | A 2320 | AT | 30-OCT-95 |
| | MIL-T-62089E NOT 1 | TRUCK, MAINTENANCE, WITH ROTATING HYDRAULIC DERRICK, AIR TRANSPORTABLE, 39,500 POUNDS GVW, 6X4, COMMERCIAL [CUST: AT 99] [REVIEW: 84] | A 2320 | AT | 15-DEC-95 |
| | MIL-S-62095C NOT 1 | SEMITRAILERS, TANK: GENERAL PURPOSE WATER, 7580 AND 15 160 LITERS (2,000 AND 4,000 GALLON), MODIFIED COMMERCIAL [CUST: AT] | A 2330 | AT | 30-OCT-95 |
| | MIL-T-62097C NOT 1 | TRUCK, MOTOR HOME SHELL, FOR CUSTOMIZATION INTO MOBILE LABORATORY, ELECTRONICS VAN, WORK AREA, ETC., 14,000 POUNDS GVW, 4X2, MODIFIED COMMERCIAL [CUST: AT 99] [REVIEW: 84] | A 2320 | AT | 30-OCT-95 |
| | MIL-S-62101C NOT 1 | SEMITRAILERS, LOWBED: TILT DECK, 15 TO 30 TON, 4 WHEEL, MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84] | A 2330 | AT | 05-FEB-96 |
| | MIL-T-62102F NOT 1 | TRUCK TRACTORS, SEMITRAILER SPOTTER, WITH HALF CAB, DIESEL AND GASOLINE ENGINE DRIVEN, 32,000 GVW, 55,000 GCW AND 44,000 GVW, 90,000 GCW, 4X2, MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2320 | AT | 29-SEP-95 |
| | MIL-T-62109C NOT 1 | TRAILERS, LOWBED: FORKLIFT TRANSPORTER, 5450 AND 8150 KILOGRAM (6 AND 9 TON), MODIFIED COMMERCIAL [CUST: AT 99] | A 2330 | AT | 13-DEC-96 |
| | MIL-T-62110G NOT 1 | TRUCKS, MAINTENANCE: WITH ROTATING HYDRAULIC DERRICK, 32,000 TO 44,500 GVW, 4X2, 4X4, 6X4, AND 6X6, COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84] | A 2320 | AT | 30-OCT-95 |
| | MIL-T-62126C NOT 1 | TRUCK, EQUIPMENT TRANSPORT, TILT PLATFORM, DIESEL AND GASOLINE ENGINE DRIVEN, 24,000 GVW, 4X2, AND 44,500 GVW, 6X4, COMMERCIAL [CUST: AT] | A 2320 | AT | 27-SEP-95 |
| | MIL-S-62127A NOT 2 | SEMITRAILER, COMPRESSED GAS CYLINDER: HELIUM, COMMERCIAL [CUST: AT] | A 2330 | AT | 28-SEP-95 |
| | MIL-C-62135A(2) NOT 1 | CRANE: MATERIAL HANDLING [CUST: AT] | A 3950 | AT | 13-DEC-96 |
| | MIL-T-62145E NOT 1 | TRUCKS: ELEVATING BODY, DIESEL AND GASOLINE ENGINE DRIVEN, 21,000 TO 39,500 POUNDS GVW, 4X2 AND 6X4, COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2320 | AT | 15-DEC-95 |
| | MIL-B-62152A NOT 2 | BUS, MOTOR: AMBULANCE, INTERCITY, 40 PASSENGER, 6X2 OR 6X4 [CUST: AT] [REVIEW: MD] | A 2310 | AT | 15-DEC-95 |
| | MIL-S-62183C NOT 1 | SEMITRAILERS, TANK: WASTE AND SLUDGE ACID, 3,000 TO 5,000 GALLON, MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84] | A 2330 | AT | 13-DEC-96 |
| | MIL-H-62185 NOT 1 | HOWITZER, MEDIUM, SELF PROPELLED, M109 (FRG) [CUST: AT] | A 2350 | AT | 21-SEP-95 |
| | MIL-S-62190B NOT 1 | SEMITRAILER, FLATBED: BREAKBULK/CONTAINER TRANSPORTER, 34 TON, M872A4 [CUST: AT] | A 2330 | AT | 27-SEP-95 |
| | MIL-C-62191(2) NOT 1 | CONTROL ASSEMBLY, PUSH-PULL, GENERAL SPECIFICATION FOR [CUST: AT YD1 99] [REVIEW: 82] | A 2990 | CC | 29-OCT-93 |
| A | MIL-R-62197A NOT 1 | RELAY, ARMATURE [CUST: AT] | A 1250 | AT | 18-FEB-98 |
| A | MIL-C-62202B(1) NOT 1 | CIRCUIT CARD ASSEMBLY: 11743439 COMMANDERS CONTROL [CUST: AR] | A 1240 | AR | 18-AUG-97 |
| A | MIL-C-62204B(2) NOT 2 | CIRCUIT CARD ASSEMBLY: 11743281 DISPLAY DRIVER [CUST: AR] | A 1240 | AR | 11-DEC-95 |
| A | MIL-C-62205B(1) NOT 2 | CIRCUIT CARD ASSEMBLY: 11743417 MIRROR/A-TRIGGER AND BUFFER [CUST: AR] | A 1240 | AR | 11-DEC-95 |
| A | MIL-C-62207B(2) NOT 1 | CIRCUIT CARD ASSEMBLY: 11743667 DIGITAL TO ANALOG CONVERTER [CUST: AR] | A 1240 | AR | 17-JUL-96 |
| A | MIL-P-62210B(1) NOT 1 | PANEL, COMMANDERS CONTROL: 11743140 [CUST: AR] | A 1240 | AR | 15-AUG-97 |
| A | MIL-P-62211B(2) NOT 1 | POWER SUPPLY, LOW VOLTAGE: 11746916 [CUST: AR] | A 1240 | AR | 15-AUG-97 |
| | MIL-T-62222 NOT 1 | TANK, COMBAT, FULL-TRACKED: 105MM GUN, M48A5 [CUST: AT] | A 2350 | AT | 29-SEP-95 |
| | MIL-T-62223B NOT 2 | TRUCK, MOBILE BLOOD DONOR AND COMPONENT LABORATORY, TILT CAB, DIESEL OR GASOLINE ENGINE DRIVEN, 24,000 POUNDS GVW, 4X2, COMMERCIAL [CUST: AT] | A 2320 | AT | 28-SEP-95 |
| | MIL-T-62246B NOT 1 | TRUCK, DUMP, STREET MAINTENANCE, DIESEL AND GASOLINE ENGINE DRIVEN, 21,000 POUNDS GVW, 4X2, COMMERCIAL [CUST: AT] | A 2320 | AT | 02-JAN-96 |
| | MIL-T-62255C NOT 1 | TRUCK TRACTOR, YARD TYPE, 4 X 2, XM878 [CUST: AT] | A 2320 | AT | 28-SEP-95 |
| | MIL-T-62276C NOT 1 | TRUCK TRACTOR: DIESEL ENGINE DRIVEN, 80,000 POUNDS GVW, 145,000 POUNDS GCW, 8X4, MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84] | A 2320 | AT | 30-OCT-95 |
| | MIL-S-62294B NOT 1 | SEMITRAILER, STAKE: TWO LEVEL DECKS, WITH HYDRAULIC LOADING RAMP, 20 TON, MODIFIED COMMERCIAL [CUST: AT 99] [REVIEW: 84] | A 2330 | AT | 05-FEB-96 |
| | MIL-T-62297A NOT 2 | TRUCK, VAN: FORWARD CONTROL, HIGH VOLUME, CRIME SCENE LABORATORY, GASOLINE ENGINE DRIVEN, 10,000 POUNDS GVW, 4X2, COMMERCIAL [CUST: AT] | A 2320 | AT | 28-SEP-95 |
| | MIL-T-62299B NOT 2 | TRUCK, MOBILE BLOOD DONOR, WITH COMPONENT AND PROCESSING LABORATORY, 4-BED, DIESEL ENGINE DRIVEN, 33,000 POUNDS GVW, 4X2, COMMERCIAL [CUST: AT] | A 2320 | AT | 21-SEP-95 |
| | MIL-C-62310A NOT 1 | CARRIER, ARMORED, FULL TRACKED, M113A2, M106A2, M125A2, AND M577A2, AND CHASSIS, WEAPON, FULL TRACKED, M741A1, AND M901 [CUST: AT] | A 2320 | AT | 25-SEP-95 |
| | MIL-T-62316B NOT 1 | TRUCK, VAN, PANEL: CALIBRATION AND REPAIR: 3900 KILOGRAMS (8,600 POUNDS) GVW, 4X2, MODIFIED COMMERCIAL [CUST: AT] | A 2320 | AT | 29-SEP-95 |
| | MIL-S-62317A NOT 2 | SEMITRAILER, TANK: AIRCRAFT REFUELING, 5,000 GALLON, TURBINE FUEL AND AVIATION GASOLINE, COMMERCIAL [CUST: AT] [REVIEW: YD1] | A 2330 | AT | 27-SEP-95 |
| | MIL-T-62318C NOT 1 | TRUCK, MULTISTOP DELIVERY: FORWARD CONTROL AND CHASSIS, TRUCK: FORWARD CONTROL, DIESEL AND GASOLINE ENGINE DRIVEN, 13,000 TO 21,000 POUNDS GVW, 4X2, COMMERCIAL [CUST: AT YD1 99] | A 2320 | AT | 15-DEC-95 |
| | MIL-T-62319C NOT 1 | TRUCKS, CARGO: DIESEL OR GASOLINE ENGINE DRIVEN, 19,000 TO 24,000 POUNDS GVW, 4X2 AND 4X4, COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84] | A 2320 | AT | 13-DEC-96 |
| | MIL-T-62320C NOT 1 | TRUCKS, VAN: SHOP, DIESEL AND GASOLINE ENGINE DRIVEN, 19,000 POUNDS GVW, 4X2 AND 4X4, COMMERCIAL [CUST: AT 99] | A 2320 | AT | 13-DEC-96 |
| | MIL-C-62326B NOT 1 | CARRIER, CARGO AND PASSENGER, FULL TRACKED, ALL-TERRAIN, GASOLINE ENGINE DRIVEN, COMMERCIAL [CUST: AT YD1] | A 2350 | AT | 30-OCT-95 |
| A | MIL-P-62341A NOT 1 | PRINTED CIRCUIT CARD, M1 AND M1E1 TANK, GENERAL SPECIFICATION FOR [CUST: AT] | A 1240 | AT | 23-DEC-07 |
| A | MIL-P-62341/1A NOT 1 | PRINTED CIRCUIT CARD, M1 AND M1E1 TANK DRIVER S INSTRUMENT PANEL, DIP A3 [CUST: AT] | A 1240 | AT | 23-DEC-97 |
| A | MIL-P-62341/2A NOT 1 | PRINTED CIRCUIT CARD, M1 AND M1E1 TANK DRIVER S INSTRUMENT PANEL, DIP A1 [CUST: AT] | A 1240 | AT | 23-DEC-97 |
| A | MIL-P-62341/3A NOT 1 | PRINTED CIRCUIT CARD, M1 AND M1E1 TANK TURRET NETWORK BOX, TNB A4 [CUST: AT] | A 1240 | AT | 23-DEC-97 |
| M | MIL-B-62346D NOT 1 | BATTERIES, STORAGE: LEAD-ACID (LOW MAINTENANCE) (METRIC) [CUST: AT] | A 6140 | AT | 20-MAY-98 |
| | MIL-V-62347 NOT 1 | VEHICLE, COMBAT, ANTI TANK, IMPROVED TOW VEHICLE (ITV) (LESS TOW WEAPON), M901 [CUST: AT] | A 2320 | AT | 29-SEP-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------------------|--|-----------------------|-----|-------------|-----------|
| MIL-T-62355B NOT 1 | TRUCK, MAINTENANCE: TRUCK, VAN: AND TRUCK, FLATBED: WITH TELESCOPIC OR ARTICULATING BOOM ONE-MAN AERIAL BASKET, 7600 TO 9140 MILLIMETER (25 TO 30 FOOT), MODIFIED COMMERCIAL [CUST: AT YD1] | A 2320 | AT | | 30-OCT-95 |
| A MIL-T-62356 NOT 1 | TRAINER, TURRET, IMPROVED TOW VEHICLE [CUST: AT] | A 6920 | AT | | 04-FEB-98 |
| MIL-T-62357A NOT 1 | TRAILERS, TANK: POTABLE WATER AND GENERAL PURPOSE, 500 GALLON, TWO AND FOUR-WHEEL, MODIFIED COMMERCIAL [CUST: AT YD1 84] [REVIEW: 99 MC] | A 2330 | AT | | 30-OCT-95 |
| A MIL-V-62358 NOT 1 | VALVE, SOLENOID [CUST: AT] | A 2520 | AT | | 03-MAR-98 |
| MIL-S-62359 NOT 2 | SEMITRAILER, BOTTOM DUMP: 18 TO 22 CUBIC YARD CAPACITY, COMMERCIAL [CUST: AT] | A 2330 | AT | | 02-JAN-96 |
| A MIL-A-62463B NOT 1 | ACTUATOR ASSEMBLY, ROTARY [CUST: AT] | A 2530 | AT | | 20-JAN-98 |
| MIL-V-62468D NOT 1 | VEHICLE, ARMORED COMBAT EARTHMOVER, M9 ACE [CUST: AT] | A 2350 | AT | | 13-DEC-96 |
| MIL-S-62469 NOT 1 | SEMITRAILER, LOWBED, 15 TON, 4 WHEEL, PATRIOT, M974 SERIES [CUST: AT] | A 2330 | AT | | 13-DEC-96 |
| MIL-S-62472A NOT 1 | SEMITRAILER, VAN: EXPANSIBLE, EXHIBITION, 12-TON, COMMERCIAL [CUST: AT] | A 2330 | AT | | 21-SEP-95 |
| A MIL-A-62473B NOT 1 | ARMOR: ALUMINUM-ARAMID, LAMINATE COMPOSITE [CUST: AT] | A 9535 | AT | | 09-MAR-98 |
| MIL-V-62475 NOT 1 | VEHICLE, FIRE SUPPORT TEAM, M981 (FISTV) [CUST: AT] | A 2350 | AT | | 13-DEC-96 |
| A MIL-C-62479A NOT 1 | CONTROL AND DISPLAY, TARGETING STATION, M981 (FISTV) [CUST: AT] | A 1260 | AT | | 26-MAR-98 |
| MIL-T-62491C NOT 1 | TRUCKS, WRECKER: 4540 TO 40 820 KILOGRAMS (5-TON TO 45-TON) LIFTING CAPACITY, MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84] | A 2320 | AT | | 13-DEC-96 |
| MIL-T-62497 NOT 2 | TRUCK, REFUSE COLLECTION: COMPACTION TYPE, ONE-PERSON OPERATION, AUTOMATED SIDE-LOADING, 20 YARD, DUAL RIGHT AND LEFT HAND DRIVE, DIESEL ENGINE DRIVEN, 32,000 POUNDS GVW, 4X2, WITH TILT CAB, COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2320 | AT | | 30-OCT-95 |
| MIL-T-62498 NOT 2 | TRUCK, REFUSE COLLECTION: COMPACTION TYPE, ONE PERSON OPERATION, MANUAL SIDE-LOADING, 17, 29 AND 39 YARD, DUAL RIGHT AND LEFT HAND DRIVE, LOW ENTRY CAB, DIESEL ENGINE DRIVEN, 32,000, 35,000 AND 50,000 POUNDS GVW, 4X2 AND 6X4, COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2320 | AT | | 02-JAN-96 |
| MIL-C-62500(2) NOT 1 | CARRIER, ELECTRONIC WARFARE SYSTEM, FULL-TRACKED: M1015A1 [CUST: AT] | A 2350 | AT | | 13-DEC-96 |
| MIL-T-62501 NOT 2 | TRUCK, MAINTENANCE: WITH VERTICAL LIFT PLATFORM, GASOLINE ENGINE DRIVEN, 11,000 POUNDS GVW, 4X2, COMMERCIAL [CUST: AT] | A 2320 | AT | | 27-SEP-95 |
| A MIL-M-62515 NOT 2 | MAINTENANCE REPAIR KIT, ELECTRICAL, FOR M901A2 AND M981 WEAPONS SYSTEMS [CUST: AT] | A 4910 | AT | | 27-FEB-98 |
| MIL-T-62518A NOT 1 | TRUCKS, MAINTENANCE: WITH 9 TO 37 METERS (30 TO 120 FOOT) MULTI-POSITION AERIAL PLATFORM, MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2320 | AT | | 07-DEC-95 |
| MIL-T-62531 NOT 1 | TRUCKS, MILITARY, UP TO 5 METRIC TON PAYLOAD, GENERAL SPECIFICATION FOR [CUST: AT] | A 2320 | AT | | 02-JAN-96 |
| MIL-S-62549 NOT 1 | SEMITRAILER, LOW BED, 40 TON NOMINAL PAYLOAD FOR TRANSPORTATION OF HEAVY ENGINEER CONSTRUCTION EQUIPMENT, M870A2 [CUST: AT] | A 2330 | AT | | 21-SEP-95 |
| A MIL-F-62564 NOT 1 | FAN, VANEAXIAL, ENGINE COOLING [CUST: AT] | A 4140 | AT | | 27-FEB-98 |
| MIL-T-62674 NOT 1 | TRUCK, LIVING QUARTERS: SELF-CONTAINED, FORWARD CONTROL DIESEL OR GASOLINE DRIVEN, 14,500 TO 16,500 POUNDS GVW, 4X2, COMMERCIAL [CUST: AT] | A 2320 | AT | | 28-SEP-95 |
| MIL-T-62735 NOT 1 | TRUCKS AND TRUCK TRACTORS: MODIFIED COMMERCIAL, GENERAL SPECIFICATION FOR [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2320 | AT | | 13-DEC-96 |
| A MIL-S-62742 NOT 1 | SWITCH, PRESSURE (METRIC) [CUST: AT] [REVIEW: 85 CC CR4 MC MI YD1] | A 5930 | AT | | 26-FEB-98 |
| MIL-C-62746A NOT 1 | CARRIER, ARMORED, FULL-TRACKED: M113A3 [CUST: AT] | A 2350 | AT | | 13-DEC-96 |
| A MIL-C-62747 NOT 1 | CARRIER-CARGO, TRACKED, 6 TON-M548A3 [CUST: AT] | A 2350 | AT | | 05-JAN-98 |
| A MIL-C-62748 NOT 1 | CARRIER, 120 MM MORTAR: M1064A3 [CUST: AT] | A 2350 | AT | | 05-JAN-98 |
| MIL-P-63052 NOT 2 | PANEL, FIRING FAE CBU-55 UH-1 ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 12-FEB-96 |
| MIL-D-63057 NOT 2 | DETONATOR, STAB, PA501 PARTS FOR LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 17-JUL-96 |
| MIL-D-63058 NOT 2 | DETONATOR, FLASH, PA502 PARTS FOR, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 17-JUL-96 |
| MIL-D-63059 NOT 2 | DETONATOR, STAB, PA503 PARTS FOR LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 17-JUL-96 |
| MIL-C-63062(1) NOT 2 | CASE, CARTRIDGE, 40MM, M169, CUP, CLOSING FOR [CUST: AR] | A 1310 | AR | | 12-FEB-96 |
| MIL-C-63063(2) NOT 2 | CASE, CARTRIDGE, 40MM, M169; PLUG, BASE FOR [CUST: AR] | A 1310 | AR | | 12-FEB-96 |
| MIL-F-63068(1) NOT 2 | FUZE, M539, IMPACT SWITCH ASSEMBLY FOR, PARTS FOR, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 12-FEB-96 |
| MIL-P-63074A(5) NOT 1 | PRIMER, ELECTRIC, M120 LOADING ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 17-JUL-96 |
| MIL-C-63085 NOT 4 | CABLE ASSEMBLY, ROCKET FOR DEMOLITION KIT, CRATERING, M180 ASSEMBLING AND PACKING [CUST: AR] | A 1340 | AR | | 03-FEB-97 |
| MIL-B-63086(3) NOT 4 | BOOSTER ASSEMBLY FOR DEMOLITION KIT CRATERING, M180 PARTS FOR, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1340 | AR | | 03-FEB-97 |
| MIL-C-63092A NOT 1 | CARTRIDGES, 40MM, WHITE STAR, PARACHUTE, M583A1 GREEN STAR, PARACHUTE, M661 RED STAR, PARACHUTE, M662 METAL PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 12-FEB-96 |
| MIL-B-63094B(4) NOT 2 | BLASTING MACHINE, 50 CAP, M34 [CUST: AR] | A 1375 | AR | | 17-JUL-96 |
| MIL-P-63105B(1) NOT 2 | PROPELLANT M30 FOR USE IN CARTRIDGE 105MM, APFSDS-T, M735, M735A1, AND XM774 [CUST: AR] | A 1376 | AR | | 17-JUL-96 |
| MIL-C-63106A(3) NOT 1 | COUNTERMEASURE, CHAFF: M-1 [CUST: AR] | A 5865 | AR | | 17-JUL-96 |
| MIL-A-63109A(1) NOT 1 | ANTENNA FOR XM122 FIRING DEVICE TRANSMITTER [CUST: AR] | A 1375 | AR | | 17-JUL-96 |
| MIL-S-63110A NOT 1 | SABOT, 81MM PRACTICE, M1 ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 17-JUL-96 |
| MIL-C-63113 NOT 2 | CARTRIDGE, 40MM, YELLOW SMOKE, CANOPY, M676 METAL PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 12-FEB-96 |
| MIL-C-63114 NOT 2 | CARTRIDGE, 40MM, WHITE SMOKE, CANOPY, M680 METAL PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 12-FEB-96 |
| MIL-C-63115 NOT 2 | CARTRIDGE, 40MM, RED SMOKE, CANOPY, M682 METAL PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 12-FEB-96 |
| MIL-B-63116B NOT 2 | BATTERY, DRY FOR XM122 FIRING DEVICE [CUST: AR] | A 1375 | AR | | 13-FEB-96 |
| MIL-A-63117 NOT 2 | AMPLIFIER, HYBRID, RADIO FREQUENCY FOR XM122 FIRING DEVICE RECEIVER [CUST: AR] | A 1375 | AR | | 17-JUL-96 |
| MIL-V-63118A(1) NOT 1 | VULCANIZED RUBBER OBTURATOR [CUST: AR] | A 1315 | AR | | 12-DEC-95 |
| MIL-I-63120A NOT 2 | INTERMEDIATE FREQUENCY/DISCRIMINATOR/SQUARE AMPLIFIER HYBRID FOR XM122 FIRING DEVICE RECEIVER [CUST: AR] | A 1375 | AR | | 12-FEB-96 |
| A MIL-D-63122B(2) NOT 1 | DISPENSER, GENERAL PURPOSE, AIRCRAFT: M130 [CUST: AR] | A 1095 | AR | | 15-AUG-97 |
| A MIL-D-63123B(2) NOT 1 | DISPENSER ASSEMBLY [CUST: AR] | A 1095 | AR | | 15-AUG-97 |
| MIL-E-63124B(2) NOT 1 | ELECTRONICS MODULE ASSEMBLY [CUST: AR] | A 1095 | AR | | 11-DEC-95 |
| MIL-C-63125 NOT 2 | CHARGE, PROPELLING, 8 INCH, M188A1 LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1320 | AR | | 17-JUL-96 |
| MIL-C-63127(1) NOT 2 | CARTRIDGES: 40MM, GROUND, SMOKE MARKERS, M713, M715 AND M716, BASE PARTS FOR [CUST: AR] | A 1310 | AR | | 12-FEB-96 |
| MIL-C-63128(3) NOT 2 | CARTRIDGES: 40MM, GROUND SMOKE MARKERS, M713, M715 AND M716; BODY PART FOR [CUST: AR] | A 1310 | AR | | 12-FEB-96 |
| MIL-C-63133(2) NOT 2 | CARTRIDGE CASE LOADING ASSEMBLY, M118 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | | 12-FEB-96 |
| MIL-P-63137B(2) NOT 3 | PROJECTILE, 8-INCH, HE, RA, M650 WARHEAD SECTION, FORWARD [CUST: AR] | A 1320 | AR | | 03-FEB-97 |
| MIL-P-63138(7) NOT 3 | PROJECTILE, 8-INCH HE, RA, M650 PROPELLANT GRAIN FOR [CUST: AR] | A 1320 | AR | | 03-FEB-97 |
| MIL-P-63139A(2) NOT 3 | PROJECTILE, 8-INCH, HE, RA, M650 DELAY ASSEMBLY, PARTS FOR [CUST: AR] | A 1320 | AR | | 03-FEB-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----------------|-----------|
| | MIL-P-63141B(1) NOT 3 | PROJECTILE, 8-INCH, HE, RA, M650 BOOSTER AUXILIARY PA-500 AND BOOSTER ASSEMBLY PA-524 FOR [CUST: AR] | A 1320 | AR | 03-FEB-97 |
| | MIL-P-63142B NOT 3 | PROJECTILE, 8 INCH, HE, RA, M650 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 03-FEB-97 |
| | MIL-P-63143A(3) NOT 3 | PROJECTILE, 8 INCH, HE, RA, M650 ACCESSORIES FOR [CUST: AR] | A 1320 | AR | 03-FEB-97 |
| | MIL-D-63144A(1) NOT 2 | DC TO DC INVERTER, ELECTRONIC TIMER MODULE [CUST: AR] | A 1375 | AR | 12-FEB-96 |
| | MIL-M-63146(2) NOT 1 | MINE, AT, PRACTICE M19, INERT AND FUZE, MINE, AT, PRACTICE, M606, INERT PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | 17-JUL-96 |
| | MIL-D-63147 NOT 1 | DISPENSER TEST ADAPTER ASSEMBLY [CUST: AR] | A 4925 | AR | 17-JUL-96 |
| | MIL-S-63148 NOT 1 | STRAY VOLTAGE MONITOR ASSEMBLY [CUST: AR] | A 4925 | AR | 17-JUL-96 |
| | MIL-W-63150(3) NOT 1 | WEAPONS AND SUPPORT MATERIEL STANDARD QUALITY ASSURANCE PROVISIONS FOR [CUST: AR] | A 10GP | AR | 09-FEB-95 |
| | MIL-S-63175(1) NOT 1 | SWITCH, COMBINED OPTION SELECTOR: M167E1 [CUST: AR] | A 1135 | AR | 21-JUN-95 |
| | MIL-H-63192 NOT 1 | HOWITZER, LIGHT, TOWED, 105MM, M204 [CUST: AR] | A 1015 | AR | 29-NOV-95 |
| | MIL-P-63194A NOT 2 | PROPELLANT, M10 FOR 60MM MORTAR M204 PROPELLING CHARGE [CUST: AR] | A 1376 | AR | 17-JUL-96 |
| | MIL-D-63197(2) NOT 2 | DETONATOR, DELAY, ELECTRIC: PA506; PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 17-JUL-96 |
| | MIL-P-63198 NOT 2 | PRIMER, STAB: PA505 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 17-JUL-96 |
| | MIL-D-63199A(2) NOT 1 | DISPENSER, GENERAL PURPOSE, AIRCRAFT: M130; REPAIR PARTS FOR [CUST: AR] | A 1095 | AR | 11-DEC-95 |
| | MIL-P-63202(2) NOT 1 | PROJECTILE, 155MM, HE, RA, M549A1 FORWARD (M37 EXTRUDED) PROPELLANT GRAIN FOR [CUST: AR] | A 1320 | AR | 12-FEB-96 |
| | MIL-P-63203(2) NOT 1 | PROJECTILE, 155MM, HE, RA, M549A1 AFT (M37 EXTRUDED) PROPELLANT GRAIN FOR [CUST: AR] | A 1320 | AR | 13-FEB-96 |
| | MIL-P-63208B NOT 1 | PROJECTILE, 105MM, HEAT-T, M622 METAL PARTS [CUST: AR] | A 1315 | AR | 13-FEB-96 |
| | MIL-P-63210 NOT 2 | PRIMER, PERCUSSION, M100 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | 17-JUL-96 |
| | MIL-P-63215 NOT 2 | PRIMER, PERCUSSION, M100 METAL PARTS FOR [CUST: AR] | A 1390 | AR | 17-JUL-96 |
| | MIL-M-63216 NOT 3 | MINE, INERT, ANTIPERSONNEL M16A1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | 03-FEB-97 |
| | MIL-M-63221A NOT 1 | MORTAR, 60MM: M224 (WITHOUT M64 SIGHT UNIT) [CUST: AR] | A 1010 | AR | 29-NOV-95 |
| | MIL-T-63222(1) NOT 2 | TRAINER, FIELD ARTILLERY, 14.5MM, M31 [CUST: AR] | A 6920 | AR | 17-JUL-96 |
| | MIL-P-63223A(3) NOT 1 | PROJECTILE, GUIDED, 155MM, M712 [CUST: AR] | A 1320 | AR | 13-FEB-96 |
| | MIL-P-63224A(2) NOT 1 | PROJECTILE, GUIDED, 155MM, M712 GUIDANCE SECTION FOR [CUST: AR] | A 1320 | AR | 17-JUL-96 |
| | MIL-P-63225A(4) NOT 1 | PROJECTILE, GUIDED, 155MM, M712 CONTROL SECTION FOR [CUST: AR] | A 1320 | AR | 13-FEB-96 |
| | MIL-P-63226(3) NOT 1 | PROJECTILE, GUIDED, 155MM, XM712, WARHEAD FOR [CUST: AR] | A 1320 | AR | 13-FEB-96 |
| | MIL-C-63227A(3) NOT 1 | CONTAINER, AMMUNITION, METAL, PA101 FOR PROJECTILE, 155MM, HE, GUIDED CANNON LAUNCHED, M712 AND TRAINING M823 [CUST: AR] | A 8140 | AR | 13-FEB-96 |
| | MIL-F-63229(2) NOT 2 | FUZE, PIBD, XM740, (M740) SHOCK WAVE SENSOR FOR [CUST: AR] | A 1390 | AR | 17-JUL-96 |
| | MIL-F-63230(3) NOT 2 | FUZE, PIBD, XM740, (M740) SECOND ENVIRONMENT SENSOR FOR [CUST: AR] | A 1390 | AR | 17-JUL-96 |
| | MIL-F-63231(2) NOT 2 | FUZE, PIBD, XM740, (M740) SECOND ENVIRONMENT SENSOR ELECTRONIC MODULE FOR [CUST: AR] | A 1390 | AR | 17-JUL-96 |
| | MIL-F-63232A(2) NOT 1 | FUZE, PIBD, M740, FUZE MODULE FOR [CUST: AR] | A 1390 | AR | 17-JUL-96 |
| | MIL-P-63233A(1) NOT 1 | PROJECTILE, GUIDED, 155MM, M712 CONTROL ACTUATOR ASSEMBLY FOR [CUST: AR] | A 1320 | AR | 17-JUL-96 |
| | MIL-P-63234(3) NOT 1 | PROJECTILE, GUIDED, 155MM, XM712, M712 ROLL RATE SENSOR FOR [CUST: AR] | A 1320 | AR | 17-JUL-96 |
| | MIL-P-63235(5) NOT 1 | PROJECTILE, GUIDED, 155 MM, XM712, THERMAL BATTERY FOR [CUST: AR] | A 1320 | AR | 17-JUL-96 |
| | MIL-P-63238B(2) NOT 3 | PROJECTILE, 155MM, AT M718/M741 LOADING, ASSEMBLING AND PACKING OF [CUST: AR] | A 1320 | AR | 03-FEB-97 |
| | MIL-C-63239B(5) NOT 1 | CARTRIDGE, 40MM, PRACTICE, M781 METAL PARTS AND LOADING, ASSEMBLING AND PACKAGING [CUST: AR] | A 1310 | AR | 13-FEB-96 |
| A | MIL-C-63240(4) NOT 2 | CASE, CARTRIDGE, PRACTICE, M212 PART FOR [CUST: AR] | A 1310 | AR | 01-NOV-95 |
| | MIL-E-63241B(6) NOT 1 | ELECTRONICS ASSEMBLY, FOR MINES, M718/M741, SYSTEM [CUST: AR] | A 1345 | AR | 13-FEB-96 |
| | MIL-A-63242A(4) NOT 1 | AMPLIFIER, OPERATIONAL TRIPLE PROGRAMMABLE MICROPOWER [CUST: AR] | A 1345 | AR | 17-JUL-96 |
| | MIL-L-63246B(4) NOT 1 | LEADS, EXPLOSIVE, PA509, PA512, PA513, PA514, PA516, PA517 AND PA521; PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 17-JUL-96 |
| | MIL-M-63248 NOT 2 | MICRODETONTATOR CLIP ASSEMBLY PARTS FOR [CUST: AR] | A 1375 | AR | 13-FEB-96 |
| A | MIL-S-63255C(1) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143 MECHANICAL PARTS AND ASSEMBLY FOR [CUST: AR] | A 1336 | AR | 11-MAR-98 |
| A | MIL-S-63256C(1) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143 (M143E1) LOGIC CIRCUIT HYBRID FOR [CUST: AR] | A 1336 | AR | 11-MAR-98 |
| A | MIL-S-63257B(1) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143 LOADING, ASSEMBLING AND PACKING FOR [CUST: AR] | A 1336 | AR | 11-MAR-98 |
| | MIL-I-63259A NOT 2 | INTERFACE MODULE FOR SAFETY AND ARMING DEVICE [CUST: AR] | A 1336 | AR | 17-JUL-96 |
| | MIL-C-63261(2) NOT 2 | CARTRIDGE, 105MM, TNT, HE, M760 LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1315 | AR | 11-DEC-95 |
| | MIL-T-63262 NOT 4 | TEST MODE ASSEMBLY, ROCKET: M180 CRATERING DEVICE PROPELLANT TESTING [CUST: AR] | A 1340 | AR | 03-FEB-97 |
| | MIL-D-63266(3) NOT 2 | DOCUMENT DESTROYER, EMERGENCY INCENDIARY: M4 [CUST: AR] | A 1375 | AR | 13-FEB-96 |
| | MIL-F-63270(2) NOT 1 | FUZE, POINT INITIATING, BASE DETONATING, M509A1E1, LOADING ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | 27-FEB-97 |
| | MIL-F-63271A(2) NOT 1 | FUZE, POINT INITIATING BASE DETONATING M509A2/METAL PARTS, WITH DETONATOR [CUST: AR] | A 1390 | AR | 27-FEB-97 |
| A | MIL-F-63281A(3) NOT 4 | FUZE, ROCKET: M433 LESS BOOSTER AND BOOSTER LEAD [CUST: AR] | A 1340 | AR | 23-MAR-98 |
| A | MIL-M-63283A(2) NOT 1 | MOUNT ASSEMBLY, SUB-CALIBER, UNIVERSAL: M179 (INCLUDING MANTLET ADAPTER ASSEMBLY) [CUST: AR] | A 1005 | AR | 18-AUG-97 |
| | MIL-C-63284A NOT 2 | CASE ASSEMBLY, CARRYING, FOR FIRING DEVICE, DEMOLITION, M122 [CUST: AR] | A 1375 | AR | 17-JUL-96 |
| | MIL-M-63287(3) NOT 1 | MINE, ANTIPERSONNEL, XM74 (M74) METAL PARTS FOR [CUST: AR] | A 1345 | AR | 17-JUL-96 |
| A | MIL-C-63292(9) NOT 1 | CASE, CARTRIDGE, 105MM, M148A1B1 [CUST: AR] | A 1315 | AR | 27-AUG-97 |
| A | MIL-P-63293B(6) NOT 1 | PROJECTILE 105MM HEAT T MP, M456A2 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | 15-AUG-97 |
| A | MIL-C-63296(7) NOT 1 | CASE, CARTRIDGE, 105MM, M115B1 [CUST: AR] | A 1315 | AR | 15-AUG-97 |
| A | MIL-P-63297 NOT 1 | PRIMER, STAB, PA515 [CUST: AR] | A 1375 | AR | 19-AUG-97 |
| | MIL-B-63299A(9) NOT 1 | BODY ASSEMBLY FOR MINE, ANTI-PERSONNEL: HE, M74 [CUST: AR] | A 1345 | AR | 17-JUL-96 |
| A | MIL-E-63300A(4) NOT 1 | ELECTRONIC ASSEMBLY FOR MINE, ANTIPERSONNEL, HE, M74 [CUST: AR] | A 1345 | AR | 15-AUG-97 |
| | MIL-S-63302(6) NOT 1 | SAFETY AND ARMING ASSEMBLIES FOR MINES: M74 AND M75 [CUST: AR] | A 1345 | AR | 17-JUL-96 |
| A | MIL-D-63303B NOT 1 | DISPENSER, MINE, GROUND VEHICLE, M128 [CUST: AR] | A 1095 | AR | 19-AUG-97 |
| A | MIL-M-63304A(2) NOT 1 | MINE, ANTI-PERSONNEL: HE, M74 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | 15-AUG-97 |
| A | MIL-M-63305B(3) NOT 1 | MINE, ANTITANK: HE, M75 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | 15-AUG-97 |
| | MIL-P-63306(4) NOT 2 | PRIMER ELECTRIC, M83 METAL PARTS FOR [CUST: AR] | A 1390 | AR | 17-JUL-96 |
| | MIL-P-63311(5) NOT 1 | PRIMER, ELECTRIC, M83 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | 20-FEB-97 |
| | MIL-P-63312(4) NOT 1 | PRIMER ELECTRIC, M80A1 METAL PARTS FOR [CUST: AR] | A 1390 | AR | 20-FEB-97 |
| | MIL-P-63313(7) NOT 1 | PRIMER, ELECTRIC, M80A1 (ALTERNATE) LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | 20-FEB-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------|--------------------------|---|-----------------------|-----------------|-----------|
| | MIL-M-63314D(1) NOT 1 | MACHINE GUN, 7.62MM: M240 (LH FEED) MACHINE GUN, 7.62MM: M240C (RH FEED) MACHINE GUN, 7.62MM: M240EL (LH FEED, SPADE GRIP) [CUST: AR] | F 1005 | AR | 27-FEB-97 |
| A | MIL-P-63315(2) NOT 2 | PRESSURE CARTRIDGE PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | 18-AUG-97 |
| A | MIL-C-63318(2) NOT 2 | CASE, CARTRIDGE, 165MM, M104 METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | 18-AUG-97 |
| A | MIL-R-63319(2) NOT 2 | RESISTOR NETWORK, FIXED, FILM (EXTERNALLY TRIMMABLE) [CUST: AR] | A 1345 | AR | 18-AUG-97 |
| A | MIL-M-63320A(4) NOT 1 | MICROCIRCUIT, DIGITAL, CMOS (INITIAL LOGIC) [CUST: AR] | A 1345 | AR | 15-AUG-97 |
| A | MIL-M-63321A(4) NOT 1 | MICROCIRCUIT, DIGITAL, CMOS (FINAL LOGIC) [CUST: AR] | A 1345 | AR | 15-AUG-97 |
| A | MIL-R-63322A(1) NOT 2 | RESISTOR NETWORK, FIXED, FILM (EXTERNALLY TRIMMABLE) [CUST: AR] | A 1345 | AR | 18-AUG-97 |
| A | MIL-M-63323A(4) NOT 1 | MICROCIRCUIT, LINEAR, VOLTAGE COMPARATORS [CUST: AR] | A 1345 | AR | 15-AUG-97 |
| | MIL-M-63324A(1) NOT 2 | MICROCIRCUIT, DIGITAL, CMOS, SPECIAL PURPOSE NOR GATE [CUST: AR] | A 1345 | AR | 20-FEB-97 |
| | MIL-C-63325 NOT 3 | COUPLING, FLUSH-LATCH ASSEMBLY AND METAL PARTS FOR [CUST: AR] | A 1375 | AR | 20-FEB-97 |
| A | MIL-S-63326(6) NOT 1 | SAFETY AND ARMING ASSEMBLIES FOR MINES: BLU-91/B AND BLU-92/B [CUST: AR] | A 1345 | AR | 15-AUG-97 |
| A | MIL-M-63330(1) NOT 1 | MOUNT, TELESCOPE, M149E1 [CUST: AR] | A 1240 | AR | 15-AUG-97 |
| A | MIL-P-63331 NOT 1 | PERISCOPE, TANK, M44A1E1 AND M44A2E1 WITH ASSOCIATED EQUIPMENT [CUST: AR] | A 1240 | AR | 19-AUG-97 |
| A | MIL-P-63332 NOT 1 | PERISCOPES, TANK: M44A1E1 AND M44A2E1, 11834842 [CUST: AR] | A 1240 | AR | 19-AUG-97 |
| A | MIL-M-63333 NOT 1 | MOUNT PERISCOPE ASSEMBLY 11834833 [CUST: AR] | A 1240 | AR | 19-AUG-97 |
| A | MIL-P-63334 NOT 1 | PANEL ASSEMBLY 11834831 [CUST: AR] | A 1240 | AR | 19-AUG-97 |
| A | MIL-S-63335C(1) NOT 1 | SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143 ELECTRICAL PARTS AND ASSEMBLIES FOR [CUST: AR] | A 1336 | AR | 11-MAR-98 |
| | MIL-F-63337(4) NOT 1 | FIRING ATTACHMENT, BLANK AMMUNITION: M19 [CUST: AR] | A 1005 | AR | 11-DEC-95 |
| M | MIL-C-63338A(1) NOT 3 | CARTRIDGE, 25.4MM, DECOY, M839 [CUST: AR] | A 1305 | AR | 29-APR-98 |
| | MIL-G-63343(3) NOT 2 | GRENADE XM74, HEMISPHERES FOR [CUST: AR] | A 1330 | AR | 13-FEB-96 |
| | MIL-C-63344 NOT 2 | CARTRIDGE, 105MM, CLEARING LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 13-FEB-96 |
| | MIL-P-63345A(4) NOT 1 | PROJECTILE, PRACTICE, 155MM, M804 METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | 20-FEB-97 |
| | MIL-C-63346 NOT 2 | CHARGE, PROPELLING, 155MM, XM211 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 20-FEB-97 |
| A | MIL-S-63348A(4) NOT 1 | SUBMACHINE GUN, 5.56MM, PORT FIRING, M231 [CUST: AR] | A 1005 | AR | 18-AUG-97 |
| | MIL-B-63354A NOT 1 | BORESCOPE M3 [CUST: AR] [REVIEW: MC] | A 6650 | AR | 14-MAR-97 |
| | MIL-C-63358(1) NOT 2 | CIRCUIT CARD ASSEMBLY: 11834811 OUTPUT [CUST: AR] | A 1220 | AR | 28-NOV-95 |
| A | MIL-T-63359(2) NOT 1 | TELESCOPE, ELBOW: M118A2 [CUST: AR] | A 1240 | AR | 11-DEC-95 |
| | MIL-B-63369 NOT 2 | BOOSTER ASSEMBLY, INERT FOR DEMOLITION KIT CRATERING, TRAINING, XM270 PARTS FOR. LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 13-FEB-96 |
| | MIL-D-63370(1) NOT 1 | DISPENSER, MINE GROUND VEHICLE, M128 PREPARATION FOR SHIPMENT AND STORAGE OF [CUST: AR] | A 1345 | AR | 20-FEB-97 |
| A | MIL-C-63371B(1) NOT 1 | CIRCUIT CARD ASSEMBLIES, MINE DISPENSER, M128, GENERAL SPECIFICATION FOR [CUST: AR] | A 1095 | AR | 15-AUG-97 |
| A | MIL-C-63371/1B(1) NOT 1 | CIRCUIT CARD ASSEMBLY, 9290227 [CUST: AR] | A 1095 | AR | 15-AUG-97 |
| A | MIL-C-63371/2A(1) NOT 2 | CIRCUIT CARD ASSEMBLY, 9291352 (INPUT BUFFER "B") [CUST: AR] | A 1095 | AR | 18-AUG-97 |
| A | MIL-C-63371/3B(2) NOT 1 | CIRCUIT CARD ASSEMBLY, 9291224 (OPERATOR CONTROL BOX INTERFACE) [CUST: AR] | A 1095 | AR | 15-AUG-97 |
| | MIL-C-63371/4B(1) NOT 1 | CIRCUIT CARD ASSEMBLY, 9290623 (OPERATOR CONTROL PANEL INTERFACE) [CUST: AR] | A 1095 | AR | 11-DEC-95 |
| | MIL-C-63371/5B NOT 1 | CIRCUIT CARD ASSEMBLY, 9290647 (MAGAZINE LOGIC "A": LEFT, RIGHT) [CUST: AR] | A 1095 | AR | 11-DEC-95 |
| | MIL-C-63371/6A(2) NOT 1 | CIRCUIT CARD ASSEMBLY, 9290651 (MAGAZINE LOGIC "B": LEFT, RIGHT) [CUST: AR] | A 1095 | AR | 11-DEC-95 |
| | MIL-C-63371/7A(1) NOT 2 | P.C. BOARD 9335623 (LOAD AND UNLOAD LEFT & RIGHT) [CUST: AR] | A 1095 | AR | 11-DEC-95 |
| | MIL-C-63371/8B NOT 1 | CIRCUIT CARD ASSEMBLY, 9290656 (SERVO LOGIC, LEFT, RIGHT) [CUST: AR] | A 1095 | AR | 11-DEC-95 |
| | MIL-C-63371/9A NOT 2 | CIRCUIT CARD ASSEMBLY, 9290661 (BITE "A") [CUST: AR] | A 1095 | AR | 11-DEC-95 |
| | MIL-C-63371/10A(2) NOT 1 | CIRCUIT CARD ASSEMBLY, 9290665 (BITE "B") [CUST: AR] | A 1095 | AR | 11-DEC-95 |
| | MIL-C-63371/11B NOT 1 | CIRCUIT CARD ASSEMBLY, 9290793 (BITE "C") [CUST: AR] | A 1095 | AR | 11-DEC-95 |
| | MIL-C-63371/12B(2) NOT 1 | CIRCUIT CARD ASSEMBLY, 9290669, (BITE "D") [CUST: AR] | A 1095 | AR | 11-DEC-95 |
| | MIL-C-63371/13(1) NOT 1 | CIRCUIT CARD ASSEMBLY, 9291348 (BITE "C") [CUST: AR] | A 1095 | AR | 11-DEC-95 |
| | MIL-C-63372(2) NOT 2 | CHARGE PROOF, 155MM, PXP-6297 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 20-FEB-97 |
| | MIL-C-63373 NOT 2 | CIRCUIT, DEMOLITION INERT, FOR DEMOLITION KIT, CRATERING, TRAINING, XM270 ASSEMBLY AND PACKING [CUST: AR] | A 1375 | AR | 20-FEB-97 |
| | MIL-M-63375 NOT 2 | MOTOR-DETONATOR ASSEMBLY, ROCKET, INERT, FOR DEMOLITION KIT, CRATERING, TRAINING, XM270, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 20-FEB-97 |
| | MIL-D-63376 NOT 2 | DEMOLITION KIT, CRATERING, TRAINING, XM270 INERT ASSEMBLY & PACKING [CUST: AR] | A 1375 | AR | 13-FEB-96 |
| A | MIL-F-63378A NOT 1 | FIRING ATTACHMENT, BLANK AMMO, M20 [CUST: AR] | A 1005 | AR | 11-DEC-95 |
| | MIL-S-63383(6) NOT 1 | SAFE AND ARMING (NON-HAZARDOUS) ASSEMBLY M718/M741 [CUST: AR] | A 1345 | AR | 20-FEB-97 |
| | MIL-S-63385A(1) NOT 2 | SABOT, 60MM PRACTICE: M3 ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 13-FEB-96 |
| | MIL-G-63393(4) NOT 1 | GRENADE, GP, HE, M74 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1330 | AR | 13-FEB-96 |
| | MIL-P-63395(3) NOT 4 | PROJECTILE, 155MM: INERT, PXR 6325 (M549 AND SIM) LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 27-FEB-97 |
| | MIL-P-63397A(3) NOT 1 | PROJECTILE, 155MM: INERT PXR 6325 (M549 SIM) METAL PARTS, ASSEMBLY [CUST: AR] | A 1320 | AR | 13-FEB-96 |
| A | MIL-E-63399B(7) NOT 1 | ELECTRONICS-MCD ASSEMBLY FOR MINE, ANTITANK: HE, M75 [CUST: AR] | A 1345 | AR | 15-AUG-97 |
| A | MIL-N-63400(2) NOT 1 | NETWORKS, CAPACITOR-RESISTOR [CUST: AR] | A 1345 | AR | 15-AUG-97 |
| | MIL-P-63409 NOT 2 | PROJECTILE, 8 INCH: DUMMY, M845 [CUST: AR] | A 1320 | AR | 13-FEB-96 |
| A | MIL-C-63415B NOT 2 | CARTRIDGE, 105MM, TP-T, M490 (CONVERSION OF CARTRIDGE) 105MM, HEAT-T, M456 PROJECTILE ONLY [CUST: AR] | A 1315 | AR | 19-AUG-97 |
| | MIL-C-63418(2) NOT 2 | CANISTER SMOKE, ASSEMBLY PARTS FOR ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | 13-FEB-96 |
| A | MIL-A-63425 NOT 2 | ADAPTER, RECOIL MECHANISM ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2 [CUST: AR] | A 1015 | AR | 19-AUG-97 |
| | MIL-F-63428 NOT 2 | FEED ASSEMBLY, AMMO FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2 [CUST: AR] | A 1005 | AR | 20-FEB-97 |
| A | MIL-S-63429 NOT 2 | SLIDER ASSEMBLY FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2 [CUST: AR] | A 1005 | AR | 16-DEC-95 |
| | MIL-P-63430(5) NOT 4 | PROJECTILE, 155MM, TEST, NON-HAZ, M718/M741 TYPES LOADING, ASSEMBLING AND PACKING OF [CUST: AR] | A 1320 | AR | 27-FEB-97 |
| | MIL-M-63440 NOT 4 | MINE, ANTI PERSONNEL, TRAINING, M81 [CUST: AR] | A 1345 | AR | 14-MAR-97 |
| A | MIL-C-63442A(1) NOT 2 | CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, TRACER, M242A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1305 | AR | 29-JUL-97 |
| | MIL-P-63448A NOT 2 | PROJECTILE, 105MM, HEAT-T-MP, M456A2 SPIKE AND CAP ASSEMBLY [CUST: AR] | A 1315 | AR | 20-FEB-97 |
| A | MIL-M-63449 NOT 2 | MINE, ANTI-TANK, TRAINING: M85 WITH FUZE, MINE, ANTI-TANK, TRAINING; PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | 19-AUG-97 |
| | MIL-C-63450(3) NOT 2 | CARTRIDGE, 7.62MM, MATCH, XM852 [CUST: AR] | A 1305 | AR | 13-FEB-96 |
| | MIL-B-63454(1) NOT 1 | BAND, ROTATING, NYLON GLASS FILLED PROJECTILE, 105MM, M737 TPDS-T [CUST: AR] | A 1315 | AR | 20-FEB-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-M-63456A(3) NOT 1 | MINE, ANTI-PERSONNEL: HE, BLU-92/B LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 15-AUG-97 |
| | MIL-M-63457A(2) NOT 1 | MINE, ANTITANK: HE, BLU-91/B LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 20-FEB-97 |
| | MIL-B-63469(8) NOT 1 | BODY ASSEMBLIES, GENERAL PURPOSE GRENADE: M73 AND M75 (PRACTICE) [CUST: AR] | A 1330 | AR | | 13-FEB-96 |
| | MIL-F-63499(5) NOT 1 | FUZE, POINT INITIATING BASE DETONATING, XM764 [CUST: AR] | A 1390 | AR | | 27-FEB-97 |
| A | MIL-M-63508(1) NOT 1 | MINE, METAL PARTS FOR MINES: BLU-91/B AND BLU-92/B [CUST: AR] | A 1345 | AR | | 18-AUG-97 |
| A | MIL-E-63511(9) NOT 1 | ELECTRONICS-MCD ASSEMBLY FOR MINE, ANTI-TANK: BLU 91/B [CUST: AR] | A 1345 | AR | | 18-AUG-97 |
| | MIL-B-63512(9) NOT 1 | BODY ASSEMBLY FOR MINE, ANTI-PERSONNEL: BLU 92/B [CUST: AR] | A 1345 | AR | | 20-FEB-97 |
| A | MIL-C-63513A(9) NOT 1 | CARTRIDGE, 105MM, TP-T, M490A1, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 18-AUG-97 |
| A | MIL-P-63514A(8) NOT 1 | PROJECTILE, 105MM, TP-T, M489A1 METAL PARTS ASSEMBLY [CUST: AR] | A 1315 | AR | | 18-AUG-97 |
| | MIL-D-63516(1) NOT 2 | DRIVE ASSEMBLY, GUN FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM: M97E1 AND M97E2 [CUST: AR] | A 1005 | AR | | 27-FEB-97 |
| | MIL-F-63518A(6) NOT 1 | FUZE, POINT DETONATING, M739A1 LESS BOOSTER PELLET [CUST: AR] | A 1390 | AR | | 20-FEB-97 |
| | MIL-F-63519(5) NOT 1 | FUZE, POINT DETONATING, M739A1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 20-FEB-97 |
| A | MIL-T-63520 NOT 2 | TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2, GUN CONTROL ASSEMBLY FOR [CUST: AR] | A 1005 | AR | | 19-AUG-97 |
| | MIL-C-63521(8) NOT 1 | CONTAINER, AMMUNITION, METAL, FOR CARTRIDGE 105MM, TANK AMMUNITION [CUST: AR] | A 8140 | AR | | 20-FEB-97 |
| | MIL-C-63526 NOT 1 | CARTRIDGE, 105MM, TANK GUN FLASH SIMULATOR, XM23 [CUST: AR] | A 1315 | AR | | 13-FEB-96 |
| A | MIL-C-63527 NOT 1 | CARTRIDGE, 105MM, TP-T, M393A1 CONVERSION [CUST: AR] | A 1315 | AR | | 19-AUG-97 |
| A | MIL-R-63528 NOT 2 | RESISTOR NETWORK, FIXED, FILM (EXTERNALLY TRIMMABLE) [CUST: AR] | A 1345 | AR | | 19-AUG-97 |
| A | MIL-A-63529(2) NOT 2 | ACTIVATOR, ANTITANK MINE: PRACTICE, M1; PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 18-AUG-97 |
| A | MIL-M-63530(1) NOT 1 | MICROCIRCUIT, DIGITAL, CMOS (LOGIC) [CUST: AR] | A 1345 | AR | | 18-AUG-97 |
| A | MIL-T-63531 NOT 2 | TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2, UNIVERSAL BORESIGHT KIT FOR [CUST: AR] | A 1005 | AR | | 19-AUG-97 |
| | MIL-L-63532C(2) NOT 1 | LINK, CARTRIDGE, METALLIC BELT, 5.56MM, M27 [CUST: AR] | A 1305 | AR | | 13-FEB-96 |
| A | MIL-T-63533 NOT 2 | TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2 [CUST: AR] | A 1005 | AR | | 20-AUG-97 |
| A | MIL-T-63534 NOT 2 | TURRET SUBSYSTEM, UNIVERSAL (UTS), FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND M97E2, TURRET CONTROL UNIT FOR [CUST: AR] | A 1005 | AR | | 20-AUG-97 |
| A | MIL-T-63535 NOT 1 | TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20 MM, M97E1 AND M97E2, ELECTRIC DRIVE MOTOR FOR [CUST: AR] | A 1005 | AR | | 16-DEC-95 |
| A | MIL-S-63540/6 NOT 1 | STUD, SELF-LOCKING, NON-FLUSH, RIBBED CLINCH TYPE [CUST: AR MC 99 IS] [REVIEW: 82 AT MI NS] | A 5307 | IS | | 13-FEB-98 |
| | MIL-C-63541 NOT 2 | CANNON 8 INCH HOWITZER, M201/M201A1 [CUST: AR] | A 1030 | AR | | 20-FEB-97 |
| A | MIL-C-63550E NOT 1 | CABLE ASSEMBLIES, ELECTRICAL, FABRICATION SPECIFICATION FOR [CUST: AR] | A 1010 | AR | | 16-DEC-95 |
| A | MIL-B-63954 NOT 1 | BOLT ASSEMBLY, DOOR FOR WADS [CUST: IS] | A 5340 | IS | | 16-JUN-97 |
| A | MIL-C-63955 NOT 1 | CONTAINER, WEAPON SECURITY: XH4289 [CUST: AR] | A 8140 | AR | | 17-JUL-97 |
| | MIL-C-63959 NOT 1 | CONCERTINA SUBASSEMBLY FOR WADS [CUST: AR] | A 8140 | AR | | 20-FEB-97 |
| A | MIL-T-63960 NOT 1 | TIEDOWN, WEB, SPECIAL PURPOSE [CUST: AR IS] | A 5340 | IS | | 01-OCT-97 |
| A | DOD-P-63975(7) NOT 1 | PRIMER, ELECTRIC, PA520 [CUST: AR] | A 1305 | AR | | 20-FEB-97 |
| A | DOD-C-63976(5) NOT 1 | CASE, CARTRIDGE, 30MM AMMUNITION FOR M788 M789 AND M799 SERIES OF 30MM AMMUNITION [CUST: AR] | A 1305 | AR | | 07-DEC-95 |
| | DOD-P-63977A(3) NOT 1 | PROJECTILE 30MM, TARGET PRACTICE AND TARGET PRACTICE ALTERNATE DESIGN FOR CARTRIDGE, 30MM, M788 [CUST: AR] | A 1305 | AR | | 24-JUL-96 |
| | DOD-C-63980(9) NOT 1 | CARTRIDGE, 30MM, TARGET PRACTICE, M788 [CUST: AR] | A 1305 | AR | | 07-AUG-96 |
| | DOD-P-63981(10) NOT 1 | PROJECTILE 30MM, HIGH EXPLOSIVE DUAL PURPOSE, M789, METAL PARTS [CUST: AR] | A 1305 | AR | | 24-JUL-96 |
| A | MIL-C-63982A(1) NOT 1 | CARTRIDGE, 30MM HIGH EXPLOSIVE DUAL PURPOSE, M789 [CUST: AR] | A 1305 | AR | | 06-DEC-95 |
| | DOD-L-63983 NOT 2 | LINK, CARTRIDGE, METALLIC BELT, 30MM, M29 [CUST: AR] | A 1305 | AR | | 07-DEC-95 |
| | MIL-M-63984(1) NOT 1 | MINE, AT, PRACTICE, HEAVY: M20, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 20-FEB-97 |
| | MIL-P-63985(1) NOT 4 | PROJECTILE, 155MM, M718/M741 METALLIC HARDWARE FOR [CUST: AR] | A 1320 | AR | | 27-FEB-97 |
| A | DOD-P-63986(6) NOT 1 | PELLET, FLASH TUBE, IB52 [CUST: AR] | A 1305 | AR | | 06-DEC-95 |
| | MIL-F-63987 NOT 2 | FUZE, MINE, AT PRACTICE: M604 METAL PARTS FOR [CUST: AR] | A 1345 | AR | | 20-FEB-97 |
| A | MIL-M-63988 NOT 1 | MOUNT, HOWITZER, M178 [CUST: AR] | A 1025 | AR | | 11-DEC-95 |
| | MIL-C-63989C(2) NOT 1 | CARTRIDGE, 5.56MM, BALL, M855 [CUST: AR] | A 1305 | AR | | 15-SEP-96 |
| | MIL-C-63990C(3) NOT 1 | CARTRIDGE; 5.56MM TRACER, M856 [CUST: AR] | A 1305 | AR | | 15-SEP-96 |
| | MIL-B-63992A(3) NOT 2 | BANDOLEER, 200 ROUND MAGAZINE (M249 M.G.) [CUST: AR] | A 1305 | AR | | 15-DEC-95 |
| A | MIL-R-63993A(1) NOT 1 | RESISTOR NETWORK, THICK FILM, FIXED AND TRIMMABLE [CUST: AR] | A 1345 | AR | | 18-AUG-97 |
| A | MIL-M-63995 NOT 1 | MOUNT, HOWITZER AND GUN, M158 AND M174 [CUST: AR] | A 1025 | AR | | 11-DEC-95 |
| | MIL-R-63997B(4) NOT 1 | RIFLE, 5.56MM: M16A2 [CUST: AR] | A 1005 | AR | | 20-FEB-97 |
| | MIL-B-64000C(1) NOT 1 | BURSTER, PROJECTILE, 155MM, SMOKE: M825 AND M825A1, PARTS FOR LOADING, ASSEMBLING, AND PACKAGING [CUST: EA] | X 1320 | EA | | 22-OCT-96 |
| A | MIL-D-64002A(2) NOT 1 | DELAY DETONATOR FOR PROJECTILE, 155MM, SMOKE, M825 [CUST: EA] | X 1320 | EA | | 27-DEC-95 |
| A | MIL-C-64003A(2) NOT 1 | CHARGE ASSEMBLY, EXPULSION FOR PROJECTILE, 15MM, SMOKE, M825 [CUST: EA] | X 1320 | EA | | 27-DEC-95 |
| A | MIL-P-64005(1) NOT 1 | PROJECTILE, 155MM, GB2, M687, METAL PARTS ASSEMBLY WITH LOADED OGIVE [CUST: AR] | A 1320 | AR | | 31-JUL-97 |
| | MIL-C-64006B NOT 1 | CANISTER LOADING ASSEMBLY FOR, PROJECTILE, 155MM, SMOKE, M825 [CUST: EA] | A 1320 | EA | | 27-DEC-95 |
| | MIL-P-64007E NOT 1 | PROJECTILE, 155MM, SMOKE WP: M825, M825A1, LOADING, ASSEMBLING, AND PACKAGING [CUST: EA] | X 1320 | EA | | 27-DEC-95 |
| | MIL-P-64008(5) NOT 3 | PROJECTILE, 155MM: XM825 METAL PARTS ASSEMBLY [CUST: AR] | A 1320 | AR | | 27-FEB-97 |
| | DOD-C-64018(6) NOT 1 | CARTRIDGE, 30MM, HIGH PRESSURE TEST, HP-T, M883 [CUST: AR] | A 1305 | AR | | 07-DEC-95 |
| | DOD-C-64019(3) NOT 1 | CARTRIDGE, 30MM, DUMMY, M848 [CUST: AR] | A 1305 | AR | | 06-DEC-95 |
| | MIL-D-64021B(1) NOT 1 | DISPENSER, GROUND: M131/M136 SYSTEM COMPONENT PARTS FOR [CUST: AR] | A 1345 | AR | | 20-FEB-97 |
| | MIL-D-64022 NOT 1 | DISTRIBUTION BOX ASSEMBLY: 8438325 [CUST: AR] | A 6110 | AR | | 14-FEB-96 |
| A | MIL-M-64023A(1) NOT 1 | MINE, GROUND: ANTIPERSONNEL, HE LOADING, ASSEMBLING AND PACKING FOR M131 SYSTEM [CUST: AR] | A 1345 | AR | | 18-AUG-97 |
| A | MIL-M-64024A NOT 1 | MINE, GROUND, ANTITANK HE LOADING, ASSEMBLING AND PACKING FOR M131 SYSTEM [CUST: AR] | B 1345 | AR | | 30-OCT-97 |
| A | MIL-C-64025 NOT 1 | CONTROL, REMOTE, M71, LAND MINE SYSTEM [CUST: AR] | A 1290 | AR | | 19-AUG-97 |
| A | MIL-D-64026A(1) NOT 1 | DISPENSER AND MINE, GROUND PRACTICE FOR M136 SYSTEM [CUST: AR] | A 1345 | AR | | 18-AUG-97 |
| A | MIL-E-64028A NOT 1 | ELECTRONICS ASSEMBLY FOR, ANTI-PERSONNEL MINE M131 SYSTEM [CUST: AR] | D 1345 | AR | | 19-AUG-97 |
| A | MIL-E-64029A NOT 1 | ELECTRONICS ASSEMBLY FOR, ANTI-TANK MINE M131 SYSTEM [CUST: AR] | D 1345 | AR | | 19-AUG-97 |
| | MIL-C-64030 NOT 1 | CONTROL, INDICATOR, FOR DISPENSER AND MINES: GROUND M131 [CUST: AR] | A 1345 | AR | | 20-FEB-97 |
| A | MIL-C-64031 NOT 1 | CARTRIDGE ASSEMBLY, 12GAGE LOADING, ASSEMBLING AND PACKING [CUST: AR] | F 1345 | AR | | 19-AUG-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|-------------------------|--|--------------------------|--------------------|-----------|
| A | MIL-M-64032 NOT 1 | MINE, ANTI-TANK, METALPARTS FOR, M131 SYSTEM [CUST: AR] | D 1345 | AR | 19-AUG-97 |
| A | MIL-H-64033A NOT 1 | HOUSING, MOLDED, FOR ANTI-PERSONNEL MINE M131 SYSTEM [CUST: AR] | A 1345 | AR | 19-AUG-97 |
| A | MIL-M-64034 NOT 1 | MICROCIRCUIT, SYNCHRONIZER, COMMAND OUTPUT (SCO), CLASS B, MONOLITHIC, CMOS, INTEGRATED CIRCUIT [CUST: AR] | A 1345 | AR | 19-AUG-97 |
| | MIL-B-64043(4) NOT 1 | BODY, LOADED ASSEMBLY, GENERAL PURPOSE GRENADE, M73 [CUST: AR] | A 1330 | AR | 17-SEP-96 |
| A | MIL-S-64045 SUP 1 NOT 1 | SCALES, GRAPHICAL FIRING, GENERAL SPECIFICATION FOR [CUST: AR] | A 1220 | AR | 16-JAN-98 |
| | MIL-S-64045/1 NOT 2 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-H-7) CHGS 1 + 3, (P/N 11785434-1) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/2 NOT 2 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-H-7) CHGS 4 + 5, (P/N 11785434-2) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/3 NOT 2 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-H-7) CHGS 6 + 7, (P/N 11785434-3) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/4 NOT 2 | SCALE, GRAPHICAL FIRING, HE M1, HIGH ANGLE, (105-H-7), (P/N 11785434-4) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/5 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-H-7) CHGS 3 + 4, (P/N 11785434-5) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/6 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-H-7) CHGS 5 + 7, (P/N 11785434-6) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/7 NOT 2 | SCALE, GRAPHICAL SITE, HE M1, (105-H-6), (P/N 11785434-7) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/8 NOT 2 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE W/ICM, (105-AS-2) CHGS 1 + 3, (P/N 11785434-8) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/9 NOT 2 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-AS-2) CHGS 4 + 5, (P/N 11785434-9) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/10 NOT 2 | SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICM, (105-AS-2) CHGS 6 + 7, (P/N 11785434-10) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/11 NOT 2 | SCALE, GRAPHICAL FIRING, HE M1, HIGH ANGLE, (105-AS-2), (P/N 11785434-11) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/12 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-AS-2) CHGS 4 + 5, (P/N 11785434-12) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/13 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-AS-2) CHGS 6 + 7, (P/N 11785434-13) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/14 NOT 2 | SCALE, GRAPHICAL SITE, HE M1, (105-AS-1), (P/N 11785434-14) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/15 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE W/ICM, (155-Q-4) CHGS 1 + 3, (P/N 11785434-15) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/16 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-Q-4) CHGS 4 + 5, (P/N 11785434-16) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/17 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-Q-4) CHGS 6 + 7, (P/N 11785434-17) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/18 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-Q-4), (P/N 11785434-18) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/19 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-Q-4) CHGS 1 + 3, (P/N 11785434-19) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/20 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-Q-4) CHGS 5 + 7, (P/N 11785434-20) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/21 NOT 2 | SCALE, GRAPHICAL SITE, HE M107, (155-Q-3), (P/N 11785434-21) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/22 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-3) CHGS 1 + 3, (P/N 11785434-22) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/23 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-3), CHGS 4 + 5, (P/N 11785434-23) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/24 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AH-3) CHGS 6 + 7, (P/N 11785434-24) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/25 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AH-3), (P/N 11785434-25) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/26 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AH-3) CHGS 1 + 3, (P/N 11785434-26) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/27 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AH-3) CHGS 5 + 7, (P/N 11785434-27) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/28 NOT 2 | SCALE, GRAPHICAL SITE, HE M107, (155-AH-3), (P/N 11785434-28) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/29 NOT 2 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2) CHGS 1 + 3, (P/N 11785434-29) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/30 NOT 2 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2) CHGS 4 + 5, (P/N 11785434-30) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/31 NOT 2 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2) CHGS 6 + 7, (P/N 11785434-31) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/32 NOT 2 | SCALE, GRAPHICAL FIRING, HE M483A1, HIGH ANGLE, (155-AK-2), (P/N 11785434-32) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/33 NOT 2 | SCALE, GRAPHICAL SITE, HE M483A1, (155-AK-2), (P/N 11785434-33) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/34 NOT 2 | SCALE, GRAPHICAL FIRING, M549A1, LOW ANGLE, (155-AL-1) CHG 7R, (P/N 11785434-34) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/35 NOT 2 | SCALE, GRAPHICAL FIRING, M549A1, HIGH ANGLE, (155-AL-1) CHG 7R, (P/N 11785434-35) [CUST: AR] | A 1220 | AR | 29-NOV-95 |
| | MIL-S-64045/36 NOT 2 | SCALE, GRAPHICAL SITE, M549A1, (155-AL-1) CHG 7R, (P/N 11785434-36) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/37 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AM-1) CHGS 2 + 4, (P/N 11785434-37) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/38 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AM-1) CHGS 5 + 6, (P/N 11785434-38) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/39 NOT 2 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICM, (155-AM-1) CHGS 7 + 8, (P/N 11785434-39) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| A | MIL-S-64045/40 NOT 3 | SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AM-1), (P/N 11785434-40) [CUST: AR] | A 1220 | AR | 20-AUG-97 |
| | MIL-S-64045/41 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AM-1) CHGS 2 + 3, (P/N 11785434-41) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/42 NOT 2 | SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AM-1) CHGS 5 + 7, (P/N 11785434-42) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/43 NOT 2 | SCALE, GRAPHICAL SITE, HE M107, (155-AM-1), (P/N 11785434-43) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/44 NOT 2 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AN-1) CHGS 3 + 4, (P/N 11785434-44) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/45 NOT 2 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AN-1) CHGS 5 + 6, (P/N 11785434-45) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/46 NOT 2 | SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AN-1) CHGS 7 + 8, (P/N 11785434-46) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/47 NOT 2 | SCALE, GRAPHICAL FIRING, HE M483A1, HIGH ANGLE, (155-AN-1), (P/N 11785434-47) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/48 NOT 2 | SCALE, GRAPHICAL SITE, HE M483A1, (155-AN-1), (P/N 11785434-48) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/49A NOT 1 | SCALE, GRAPHICAL FIRING, HE M549A1, LOW ANGLE, (155-AO-0) CHGS 7R & 8R, (P/N 11785434-49) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/50A NOT 1 | SCALE, GRAPHICAL FIRING, HE M549A1, LOW ANGLE, (155-AO-0) CHG 8R, (P/N 11785434-50) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/51 NOT 2 | SCALE, GRAPHICAL FIRING, HE M549A1, HIGH ANGLE, (155-AO-0), (P/N 11785434-51) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/52 NOT 2 | SCALE, GRAPHICAL SITE, HE M549A1, (155-AO-0), (P/N 11785434-52) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/53 NOT 2 | SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0) CHGS 4G & 5G, (P/N 11785434-53) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/54 NOT 2 | SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0) CHGS 4W & 5W, (P/N 11785434-54) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/55 NOT 2 | SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0) CHGS 6W & 7W, (P/N 11785434-55) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/56 NOT 2 | SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0), CHGS 6WG & 7WG, (P/N 11785434-56) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/57A NOT 1 | SCALE, GRAPHICAL FIRING, M712 GLGP, LOW ANGLE, (155-AS-0) CHGS 7WGAND 8, (P/N 11785434-57) [CUST: AR] | A 1220 | AR | 30-NOV-95 |
| | MIL-S-64045/59 NOT 2 | SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0) CHG 8G, (P/N 11785434-59) [CUST: AR] | A 1220 | AR | 30-NOV-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-S-64045/60 NOT 2 | SCALE, GRAPHICAL SITE, M172 CLGP, (155-AS-0), (P/N 11785434-60) [CUST: AR] | A 1220 | AR | | 30-NOV-95 |
| | MIL-S-64045/61 NOT 2 | SCALE, GRAPHICAL FIRING, M172 CLGP, HIGH ANGLE, (155-AS-0), (P/N 11785434-61) [CUST: AR] | A 1220 | AR | | 30-NOV-95 |
| | MIL-S-64045/62 NOT 2 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-J-4) CHGS 1 + 3, (P/N 11785434-62) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/63 NOT 2 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-J-4) CHGS 4 + 5, (P/N 11785434-63) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/64 NOT 2 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-J-4) CHGS 6 + 7, (P/N 11785434-64) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/65 NOT 2 | SCALE, GRAPHICAL FIRING, HE M106, HIGH ANGLE, (8-J-4), (P/N 11785434-65) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/66 NOT 2 | SCALE, GRAPHICAL SITE, HE M106, (8-J-3), (P/N 11785434-66) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/70 NOT 2 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 1 + 3, (P/N 11785434-70) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/71 NOT 2 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 4 + 5, (P/N 11785434-71) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/72 NOT 2 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 6 + 7, (P/N 11785434-72) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/73 NOT 2 | SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/ICM, (8-Q-1) CHGS 8 + 9, (P/N 11785434-73) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/74 NOT 2 | SCALE, GRAPHICAL FIRING, HE M106, HIGH ANGLE, (8-Q-1), (P/N 11785434-74) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/75 NOT 2 | SCALE, GRAPHICAL SITE, HE M106, (8-Q-1), (P/N 11785434-75) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/79 NOT 2 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 1G + 2G, (P/N 11785434-79) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/80 NOT 2 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 3G & 4G, (P/N 11785434-80) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/81 NOT 2 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 5G + 5W, (P/N 11785434-81) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/82 NOT 2 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 6W + 7W, (P/N 11785434-82) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/83 NOT 2 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 8 + 9, (P/N 11785434-83) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/84 NOT 2 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 7WR & 8R, (P/N 11785434-84) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/85 NOT 2 | SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHG 9R, (P/N 11785434-85) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/86 NOT 2 | SCALE, GRAPHICAL FIRING, HE M650, HIGH ANGLE, (8-S-1) CHGS 1 TO 9 (P/N 11785434-86) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/87 NOT 2 | SCALE, GRAPHICAL FIRING, HE M650, HIGH ANGLE, (8-S-1), CHGS 7WR, 8R & 9R (P/N 11785434-87) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/88 NOT 2 | SCALE, GRAPHICAL SITE, HE M650, (8-S-1), (P/N 11785434-88) (INACTIVE) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/89 NOT 2 | SCALE, GRAPHICAL FIRING, HE M437, LOW ANGLE, (175-A-1) CHG 1 & 2, (P/N 11785434-89) (INACTIVE) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/90 NOT 2 | SCALE, GRAPHICAL FIRING, HE M437, LOW ANGLE & HIGH ANGLE, (175-A-1) CHG 3, (P/N 11785434-90) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/91 NOT 2 | SCALE, GRAPHICAL SITE, HE M437, (175-A-1), (P/N 11785434-91) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/92 NOT 2 | SCALE, GRAPHICAL FIRING, LOW ANGLE & HIGH ANGLE, (14.5-A-1) CHG 1, (P/N 11785434-92) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/93 NOT 2 | SCALE, GRAPHICAL SITE, (14.5-A-1) CHG 1, (P/N 11785434-93) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/94 NOT 1 | SCALE, GRAPHICAL FIRING, HE M329A2, HIGH ANGLE, (4.2-K-2), (P/N 11785434-102) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/95 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2) CHG 2 AND 4, (P/N 11785434-103) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/96 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2) CHG 5 AND 6, (P/N 11785434-104) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/97 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, N155-AM-2) CHG 7 AND 8, (P/N 11785434-105) [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-S-64045/98 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AM-2), (P/N 11785434-106) [CUST: AR] | A 1220 | AR | | 30-NOV-95 |
| | MIL-S-64045/99 NOT 1 | SCALE, GRAPHICAL SITE, HE M107, (155-AM-2), (P/N 11785434-107) [CUST: AR] | A 1220 | AR | | 30-NOV-95 |
| | MIL-S-64045/100 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, ILLUMINATION, (155-AM-2) CHG 2 AND 3, (P/N 11785434-108) [CUST: AR] | A 1220 | AR | | 30-NOV-95 |
| | MIL-S-64045/101 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, ILLUMINATION, (155-AM-2) CHG 5 AND 7, (P/N 11785434-109) [CUST: AR] | A 1220 | AR | | 30-NOV-95 |
| | MIL-S-64045/102 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2) CHG 3, (P/N 11785434-110) [CUST: AR] | A 1220 | AR | | 30-NOV-95 |
| | MIL-S-64045/103 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), CHARGES 3&4, (P/N 11785434-112) [CUST: AR] | A 1220 | AR | | 30-NOV-95 |
| | MIL-S-64045/104 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), CHARGES 5&6, (P/N 11785434-113) [CUST: AR] | A 1220 | AR | | 30-NOV-95 |
| | MIL-S-64045/105 NOT 1 | SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), CHARGES 7&8, (P/N 11785434-114) [CUST: AR] | A 1220 | AR | | 30-NOV-95 |
| | MIL-S-64045/106 NOT 1 | SCALE, GRAPHICAL FIRING, HE M760, LOW ANGLE (105-AS-2), CHARGE 8, (P/N 11785434-115) [CUST: AR] | A 1220 | AR | | 30-NOV-95 |
| | MIL-S-64045/107 NOT 1 | SCALE, GRAPHICAL SITE, HE M760, (105-AS-2), (P/N 11785434-116) [CUST: AR] | A 1220 | AR | | 30-NOV-95 |
| A | MIL-F-64156 NOT 1 | FABRIC, CARBON (GRAPHITE) FIBER, NICKEL-COATED [CUST: AR AS 11] [REVIEW: 13 DH IE SH] | A CMPS | MR | | 02-APR-98 |
| A | MIL-W-70336/5 NOT 1 | WASHER, LOCK, EXTERNAL TOOTH (METRIC) [CUST: AR OS 99 IS] [REVIEW: 82 AT AV CR MC MI SH] | A 5310 | IS | | 01-OCT-97 |
| | DOD-S-70338 NOT 1 | SEAL RING, METAL, METRIC GENERAL SPECIFICATION FOR [CUST: AR SH 99] [REVIEW: 68 82 AS AT AV CR4 GL MI MR OS YDI] | A 5330 | IS | | 16-JUN-97 |
| | DOD-S-70338/1 NOT 1 | SEAL RING, COPPER, METRIC [CUST: AR SH 99] [REVIEW: 68 82 AS AT AV CR4 GL MI MR OS YDI] | A 5330 | IS | | 16-JUN-97 |
| | DOD-S-70338/2 NOT 1 | SEAL RING, ALUMINUM, METRIC [CUST: AR SH 99] [REVIEW: 68 82 AS AT AV CR4 GL MI MR OS YDI] | A 5330 | IS | | 16-JUN-97 |
| | DOD-S-70338/3 NOT 1 | SEAL RING, STEEL, METRIC [CUST: AR SH 99] [REVIEW: 68 82 AS AT AV CR4 GL MI MR OS YDI] | A 5330 | IS | | 16-JUN-97 |
| | DOD-S-70339 SUP 1 NOT 1 | SEAL RING, METAL AND NON-METAL, FLAT, METRIC GENERAL SPECIFICATION FOR [CUST: AR SH 99] [REVIEW: 68 82 AS AT AV CR4 GL MI MR OS YDI] | A 5330 | IS | | 16-JUN-97 |
| | DOD-S-70339/1 NOT 1 | SEAL RING, ALUMINUM, FLAT, METRIC [CUST: AR SH 99] [REVIEW: 68 82 AS AT AV GL MI MR OS YDI] | A 5330 | IS | | 16-JUN-97 |
| | DOD-S-70339/2 NOT 1 | SEAL RING, COPPER, FLAT, METRIC [CUST: AR SH 99] [REVIEW: 68 82 AS AT CR4 GL MI MR OS YDI] | A 5330 | IS | | 16-JUN-97 |
| | DOD-S-70339/3 NOT 1 | SEAL RING, STEEL, FLAT, METRIC [CUST: AR SH 99] [REVIEW: 68 82 AS AT CR4 GL MI OS YDI] | A 5330 | IS | | 16-JUN-97 |
| | DOD-S-70339/4 NOT 1 | SEAL RING, VULCANIZED FIBER, FLAT, METRIC [CUST: AR SH 99] [REVIEW: 68 82 AS AT CR4 GL MI MR OS YDI] | A 5330 | IS | | 16-JUN-97 |
| | DOD-S-70339/5 NOT 1 | SEAL RING, PAPER, NON-IMPREGNATED, FLAT, METRIC [CUST: AR SH 99] [REVIEW: 68 82 AS AT AV CR4 GL MI MR OS YDI] | A 5330 | IS | | 16-JUN-97 |
| | DOD-S-70339/6 NOT 1 | SEAL RING, PAPER, IMPREGNATED, FLAT, METRIC [CUST: AR SH 99] [REVIEW: 68 82 AS AT AV CR4 GL MI MR OS YDI] | A 5330 | IS | | 16-JUN-97 |
| | DOD-S-70339/7 NOT 1 | SEAL RING, PRESSBOARD, FLAT, METRIC [CUST: AR SH 99] [REVIEW: 68 AS AT AV CR4 GL YDI] | A 5330 | IS | | 16-JUN-97 |
| | DOD-S-70339/8 NOT 1 | SEAL RING, RUBBER, FLAT, METRIC [CUST: AR SH 99] [REVIEW: 68 82 AS AT AV CR4 GL MI MR OS YDI] | A 5330 | IS | | 16-JUN-97 |
| | MIL-P-70341 NOT 1 | PACKING, PREFORMED, PTFE (POLYTETRAFLUOROETHYLENE) GENERAL SPECIFICATION FOR [CUST: AR SH 99] | A 5330 | IS | | 16-JUN-97 |
| | MIL-P-70341/1 NOT 1 | PACKING, PREFORMED, PTFE (POLYTETRAFLUOROETHYLENE), NON-FILLED [CUST: AR SH 99] | A 5330 | IS | | 16-JUN-97 |
| A | DOD-C-70429A(2) NOT 4 | CANNON, 120MM GUN: M256 [CUST: AR] | B 1015 | AR | | 27-FEB-98 |
| | MIL-T-70431 NOT 2 | TEST SET, ELECTRONIC SYSTEM: M137 [CUST: AR] | A 1310 | AR | | 14-FEB-96 |
| | MIL-D-70432 NOT 2 | DETONATOR, ELECTRIC, PA526 (XM70) LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1390 | AR | | 20-FEB-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-P-70433 NOT 2 | PRIMER PERCUSSION, MODIFIED 209, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | | 20-FEB-97 |
| | MIL-P-70439(1) NOT 2 | PROJECTILE, 105MM, M456A1 AND M622 SPIKE AND CAP ASSEMBLY [CUST: AR] | A 1315 | AR | | 14-FEB-96 |
| | MIL-S-70440(2) NOT 1 | SUPPORT, COVER [CUST: AR] | A 1320 | AR | | 27-FEB-97 |
| A | MIL-C-70441(1) NOT 1 | CASE, BRASS, CAL .30, NATIONAL MATCH [CUST: AR] | A 1305 | AR | | 01-NOV-95 |
| | MIL-P-70444 NOT 4 | PROCESSOR, SIGNAL, SIGHT, HELICOPTER HEAD UP SUBSYSTEM: M76 [CUST: AR] | A 1270 | AR | | 27-FEB-97 |
| | MIL-B-70445(3) NOT 1 | BULLET, CAL .30 [CUST: AR] | A 1305 | AR | | 01-DEC-95 |
| | MIL-M-70446A NOT 1 | MACHINE GUN, 5.56MM: M249 [CUST: AR] | A 1005 | AR | | 14-FEB-96 |
| | MIL-P-70447(2) NOT 1 | PROJECTILE, PRACTICE, 155MM, M804 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 27-FEB-97 |
| A | MIL-B-70448 NOT 1 | BARREL, MACHINE GUN, CAL .50, RECOIL AMPLIFIER, PRACTICE, M3 [CUST: AR] | A 1005 | AR | | 19-AUG-97 |
| | MIL-P-70449 NOT 2 | POWER MODULE ASSEMBLY FOR TEST SET, ELECTRONIC SYSTEM: M137 [CUST: AR] | A 1310 | AR | | 14-FEB-96 |
| A | MIL-M-70453A NOT 1 | MOUNT, TELESCOPE: 9360169 [CUST: AR] | A 1240 | AR | | 11-MAR-98 |
| A | MIL-S-70454 NOT 1 | SIGHTUNIT: M64A1 [CUST: AR] | A 1240 | AR | | 19-AUG-97 |
| | MIL-C-70455(1) NOT 2 | CASE CARTRIDGE, BLANK 75MM, M9A1B1 [CUST: AR] | A 1315 | AR | | 21-MAR-97 |
| | DOD-F-70459 NOT 2 | FIBER, SHREDDED WOOD [CUST: AR] | A 1320 | AR | | 14-FEB-96 |
| A | MIL-C-70460A(1) NOT 2 | CARTRIDGE, 5.56MM, BALL, (HEAVY BULLET) REFERENCE [CUST: AR] | A 1305 | AR | | 06-DEC-95 |
| | MIL-G-70464(1) NOT 1 | GRENADE (GP), LINER FOR [CUST: AR] | A 1330 | AR | | 20-FEB-97 |
| | MIL-P-70465(2) NOT 1 | PLUG AND DISC ASSEMBLY, 8597489 [CUST: AR] | A 1315 | AR | | 12-DEC-95 |
| A | MIL-C-70468A(1) NOT 4 | CARTRIDGE, DUMMY, 5.56MM INERT LOADED, M857 [CUST: AR] | A 1305 | AR | | 30-JUL-97 |
| | MIL-S-70471(1) NOT 3 | SAW, M249 BLANK AMMUNITION MAGAZINE ASSEMBLY AND FEEDSTRAP [CUST: AR] | A 1005 | AR | | 27-FEB-97 |
| | MIL-C-70474(3) NOT 1 | CHARGE, PROPELLING, M205, PAPER PREFORM PROCESS PARTS AND CONTAINER ASSEMBLY [CUST: AR] | A 1315 | AR | | 03-JAN-97 |
| | MIL-G-70477(2) NOT 2 | GRENADES, GP: M42 AND M46, INERT LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1330 | AR | | 03-JAN-97 |
| | MIL-C-70483A NOT 1 | OPERATION UNIT, FOR ROCKET MANAGEMENT SUBSYSTEM, M138 [CUST: AR] | A 1310 | AR | | 14-FEB-96 |
| | MIL-D-70484 NOT 2 | DISPLAY UNIT, FOR ROCKET MANAGEMENT SUBSYSTEM M138 [CUST: AR] | A 1310 | AR | | 14-FEB-96 |
| A | MIL-I-70485(1) NOT 3 | INDICATOR, AIRSPEED, AND DIRECTION FIRE AND FLIGHT AIR DATA SUBSYSTEM, HELICOPTER ARMAMENT: M143 [CUST: AR] | A 1270 | AR | | 19-AUG-97 |
| | MIL-C-70489(1) NOT 1 | COMPUTER, BALLISTICS, MORTAR [CUST: AR] | A 1220 | AR | | 28-NOV-95 |
| | MIL-C-70490(1) NOT 1 | CIRCUIT CARD ASSEMBLY, MEMORY [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-C-70491(2) NOT 1 | CIRCUIT CARD ASSEMBLY, DISPLAY/PROCESSOR [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-C-70492(2) NOT 1 | CIRCUIT CARD ASSEMBLY, MODEM [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-K-70493(1) NOT 1 | KEYBOARD, DATA ENTRY [CUST: AR] | A 1220 | AR | | 03-JAN-97 |
| | MIL-C-70494(1) NOT 1 | CIRCUIT CARD ASSEMBLY, AUDIO INTERFACE [CUST: AR] | A 1220 | AR | | 29-NOV-95 |
| | MIL-C-70495(2) NOT 1 | CIRCUIT CARD ASSEMBLY, DISPLAY POWER SUPPLY [CUST: AR] | A 1220 | AR | | 03-JAN-97 |
| A | MIL-C-70496(1) NOT 1 | CIRCUIT CARD ASSEMBLY, LOGIC POWER SUPPLY [CUST: AR] | A 1220 | AR | | 18-AUG-97 |
| A | MIL-C-70497(1) NOT 1 | CIRCUIT CARD ASSEMBLY, CASE INTERCONNECT [CUST: AR] | A 1220 | AR | | 18-AUG-97 |
| A | MIL-C-70498(1) NOT 1 | CIRCUIT CARD ASSEMBLY, INTERCONNECT [CUST: AR] | A 1220 | AR | | 18-AUG-97 |
| | MIL-M-70500B NOT 1 | MICRO-REPRODUCTION SYSTEM FOR ENGINEERING CHANGE PROPOSALS, REQUESTS FOR DEVIATIONS, AND REQUESTS FOR WAIVERS [CUST: AR] | A EDRS | AR | | 03-JAN-97 |
| | MIL-C-70501(3) NOT 1 | CHARGE, PROPELLING, M204, PAPER PREFORM PROCESS PARTS AND CONTAINER ASSEMBLY [CUST: AR] | A 1310 | AR | | 03-JAN-97 |
| | MIL-R-70502(2) NOT 3 | RACK, STORAGE SMALL SAW (M13) [CUST: AR] | A 1095 | AR | | 27-FEB-97 |
| | MIL-R-70503A NOT 1 | ROCKET MANAGEMENT SUBSYSTEM M138 [CUST: AR] | A 1310 | AR | | 14-FEB-96 |
| | MIL-P-70505(4) NOT 1 | PROJECTILE, 155MM: XM864 PROPELLANT GRAIN [CUST: AR] | A 1320 | AR | | 14-DEC-95 |
| A | MIL-P-70507(5) NOT 1 | PROJECTILE, 155MM, HE: XM864 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 18-AUG-97 |
| A | MIL-C-70508(8) NOT 1 | CARTRIDGE, 9MM, BALL, NATO, XM882 (M882) [CUST: AR] | A 1305 | AR | | 14-JAN-98 |
| | MIL-C-70509(5) NOT 1 | CARTRIDGE, 9MM, TEST, HIGH PRESSURE, XM905 [CUST: AR] | A 1305 | AR | | 14-FEB-96 |
| | MIL-B-70511B(2) NOT 1 | BOLT, AUTOMATIC WEAPON: (PRACTICE) M2 [CUST: AR] | A 1005 | AR | | 29-NOV-95 |
| A | MIL-T-70521A NOT 1 | TELESCOPE, ELBOW: 9360257 [CUST: AR] | A 1240 | AR | | 19-AUG-97 |
| | MIL-I-70534(2) NOT 1 | IGNITER, ELECTRIC MATCH PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1370 | AR | | 03-JAN-97 |
| A | MIL-S-70538A(1) NOT 1 | SAW, M249 AMMUNITION MAGAZINE ASSEMBLY AND FEEDSTRAP [CUST: AR] | A 1005 | AR | | 14-DEC-95 |
| | MIL-P-70539(1) NOT 1 | PROPELLANT M30 FOR USE IN CHARGE, PROPELLING, 105MM, M200 [CUST: AR] | A 1376 | AR | | 03-JAN-97 |
| | MIL-P-70543B(1) NOT 1 | PROJECTILE, 81MM, ILLUMINATING, M853A1 PROJECTILE, 81MM, INFRARED ILLUMINATING, XM816 METAL PARTS [CUST: AR] | A 1315 | AR | | 03-JAN-97 |
| | MIL-C-70544A(5) NOT 1 | CARTRIDGE, 81MM, ILLUMINATING, M853A1, LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1315 | AR | | 14-FEB-96 |
| | MIL-F-70546(1) NOT 1 | FIN ASSEMBLIES, MORTAR CARTRIDGE, 81MM, M28, M29 [CUST: AR] | A 1315 | AR | | 04-JAN-97 |
| | MIL-C-70549(5) NOT 1 | CARTRIDGE, 81MM SMOKE, RED PHOSPHORUS M819, WITH FUZE MTSQ M772 LOADING ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | | 22-JUL-96 |
| | MIL-P-70551(1) NOT 1 | PROJECTILE, 81MM SMOKE, RP, M819 METAL PARTS [CUST: AR] | A 1315 | AR | | 04-JAN-97 |
| | MIL-C-70552 NOT 1 | CARTRIDGE CASE, 20MM, EMPTY, PRIMED [CUST: AR] | A 1305 | AR | | 14-FEB-96 |
| | MIL-R-70553 NOT 3 | RACK, STORAGE MK19 (XM15) [CUST: AR] | A 1095 | AR | | 04-JAN-97 |
| | MIL-C-70599A(1) NOT 1 | CARBINE, 5.56MM: M4 [CUST: AR] | A 1005 | AR | | 27-FEB-97 |
| | MIL-C-70600(5) NOT 1 | CARTRIDGES, CALIBER .22 [CUST: AR] | A 1305 | AR | | 05-AUG-96 |
| | MIL-D-70602(1) NOT 1 | DETONATOR, STAB, PA523 PARTS FOR [CUST: AR] | A 1345 | AR | | 04-JAN-97 |
| | MIL-D-70603(2) NOT 1 | DETONATOR, STAB, PA 523 LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1345 | AR | | 04-JAN-97 |
| | MIL-K-70606(2) NOT 1 | KNIFE, BAYONET, MULTIPURPOSE, M9 WITH SCABBARD [CUST: AR] | A 1005 | AR | | 29-NOV-95 |
| | MIL-A-70608A NOT 1 | ADAPTER AND FUZE, ASSEMBLY: M624, LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 04-JAN-97 |
| | MIL-A-70609A NOT 1 | ADAPTER AND FUZE, ASSEMBLY: M624, PARTS FOR [CUST: AR] | A 1345 | AR | | 07-JAN-97 |
| | MIL-E-70610 NOT 1 | EIMITE IGNITER [CUST: AR] | A 1345 | AR | | 07-FEB-96 |
| | MIL-P-70612A NOT 1 | PROJECTILE, 155MM: M864 BASE ASSEMBLY FOR [CUST: AR] | A 1320 | AR | | 07-FEB-96 |
| A | MIL-C-70621 NOT 1 | CARTRIDGE, 9MM, BALL, REFERENCE [CUST: AR] | A 1305 | AR | | 06-DEC-95 |
| | MIL-P-70624A(3) NOT 1 | POWER BOX COMPONENTS ASSEMBLY, ELECTRONICS BOX COMPONENTS ASSEMBLY, CABLE ASSEMBLIES AND TRANSMITTER ASSEMBLY FOR MINE DISPENSER: M138 (FLIPPER) [CUST: AR] | A 1345 | AR | | 07-JAN-97 |
| | MIL-D-70631A(2) NOT 1 | DISPENSER, MINE: M138 (FLIPPER) [CUST: AR] | A 1345 | AR | | 07-JAN-97 |
| A | MIL-C-70636(1) NOT 1 | CARTRIDGE, 20MM, ARMOR PIERCING-TRACER, M95 (PERCUSSION PRIMER) [CUST: AR] | A 1305 | AR | | 06-DEC-95 |
| A | MIL-P-70637(1) NOT 1 | PROJECTILE, 20MM, ARMOR PIERCING-TRACER, M95, METAL PARTS [CUST: AR] | A 1305 | AR | | 01-NOV-96 |
| A | MIL-C-70660B(1) NOT 1 | CANISTER ASSEMBLY, M88 LOADING, ASSEMBLING AND PACKING OF [CUST: AR] | D 1345 | AR | | 19-AUG-97 |
| A | MIL-P-70668(3) NOT 1 | PRESSURE CARTRIDGE ASSEMBLY LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1345 | AR | | 18-AUG-97 |
| A | MIL-B-70670B NOT 1 | BORERIDER TIMER, LOADING, ASSEMBLING AND PACKING [CUST: AR] | D 1345 | AR | | 19-AUG-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|---|--------------------------|-----|-------------|------|
| | MIL-P-70674(2) NOT 1 | PROJECTILE 155MM: M864 METAL PARTS FOR BASE BURNER ASSEMBLY [CUST: AR] | A 1320 | AR | 07-FEB-96 | |
| A | MIL-P-70675(1) NOT 1 | POWER SUPPLY ASSEMBLY, FOR MINES, M718A1/M741A1, SYSTEM [CUST: AR] | A 1345 | AR | 18-AUG-97 | |
| | MIL-B-70677(1) NOT 1 | BURSTER, PROJECTILE, XM85 (M85) LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | 07-FEB-96 | |
| | MIL-C-70678(4) NOT 1 | CASE, PROJECTILE BURSTER, XM216 [CUST: AR] | A 1310 | AR | 07-JAN-97 | |
| A | MIL-S-70685 NOT 1 | SLIP RING ASSEMBLY [CUST: AR] | A 1005 | AR | 14-DEC-95 | |
| | MIL-C-70690 NOT 1 | CARTRIDGE, FUZELESS, 25MM, HIGH EXPLOSIVE INCENDIARY TRACER, (HEI-T), M792 [CUST: AR] | A 1305 | AR | 29-NOV-95 | |
| | MIL-E-70694A(1) NOT 1 | ELECTRONIC CONTROL UNIT: 11784504 [CUST: AR] | A 6920 | AR | 07-JAN-97 | |
| | MIL-M-70696A NOT 1 | MINE ASSEMBLY, ANTI-PERSONNEL, M86 LOADING AND ASSEMBLING OF [CUST: AR] | A 1345 | AR | 07-JAN-97 | |
| | MIL-P-70697A NOT 1 | PURSUIT DETERRENT MUNITION, HAND EMPLACED MINE (PDM), M86 MOLDED ASSEMBLY FOR [CUST: AR] | A 1320 | AR | 07-JAN-97 | |
| A | MIL-I-70698(2) NOT 1 | IMPROVED LIFTING TARGET ELEVATING MECHANISM: 9375512 [CUST: AR] | A 6920 | AR | 27-AUG-97 | |
| A | MIL-T-70699 NOT 1 | TEST SET, FIRE CONTROL SUBSYSTEM: M143 [CUST: AR] | A 1270 | AR | 11-MAR-98 | |
| A | MIL-M-70719A(3) NOT 1 | MINE, ANTITANK: HE VOLCANO LOADING, ASSEMBLING AND PACKING [CUST: AR] | D 1345 | AR | 19-AUG-97 | |
| A | MIL-M-70720A(2) NOT 1 | MINE, ANTI-PERSONNEL: HE, VOLCANO LOADING, ASSEMBLING AND PACKING [CUST: AR] | D 1345 | AR | 19-AUG-97 | |
| | MIL-S-70745(3) NOT 1 | STRIP, AMMUNITION, METALLIC, 30MM [CUST: AR] | A 1305 | AR | 07-DEC-95 | |
| | MIL-L-70751A NOT 1 | LEAD, PARTS, ASSEMBLY AND PACKAGING FOR [CUST: AR] | A 1305 | AR | 07-JAN-97 | |
| | MIL-D-70752B NOT 1 | DETONATOR, STAB, PARTS ASSEMBLY AND PACKAGING FOR [CUST: AR] | A 1305 | AR | 09-JAN-97 | |
| | MIL-T-70755 NOT 1 | TEST VEHICLE PROJECTILE METAL PARTS AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1310 | AR | 07-FEB-96 | |
| | MIL-M-70763 NOT 1 | MINE ANTI-PERSONNEL M86: CLASSROOM MODEL FOR [CUST: AR] | A 1345 | AR | 09-JAN-97 | |
| | MIL-M-70765 NOT 1 | MINE ANTI-PERSONNEL, M86, SPECIAL TEST MINE LOADING AND ASSEMBLY OF [CUST: AR] | A 1345 | AR | 07-FEB-96 | |
| | MIL-M-70771(2) NOT 1 | MOUNTING KIT, MINE DISPENSER: AIR SYSTEM FOR M139 DISPENSERS [CUST: AR] | D 1095 | AR | 01-JUL-96 | |
| | MIL-C-70775A(1) NOT 1 | CARTRIDGE, 25MM, TARGET PRACTICE DISCARDING SABOT WITH TRACER (TPDS-T), M910 [CUST: AR] | A 1305 | AR | 29-NOV-95 | |
| | MIL-B-70776 NOT 1 | BANDOLEER FOR MINE, ANTIPERSONNEL M86 [CUST: AR] | A 1345 | AR | 09-JAN-97 | |
| | MIL-M-70777 NOT 1 | MUNITION FOR MINE, ANTI-PERSONNEL: M86 TRANSFER LEAD ASSEMBLY [CUST: AR] | A 1345 | AR | 09-JAN-97 | |
| | MIL-M-70778 NOT 1 | MINE, ANTI-PERSONNEL, M86 ACCEPTOR LEAD ASSEMBLY FOR [CUST: AR] | A 1345 | AR | 09-JAN-97 | |
| | MIL-M-70779 NOT 1 | MINE, ANTIPERSONNEL M86, DEMONSTRATION MINE [CUST: AR] | A 1345 | AR | 09-JAN-97 | |
| | MIL-M-70780 NOT 1 | MINE, ANTI-PERSONNEL: M86 ARMING ASSEMBLY FOR [CUST: AR] | A 1345 | AR | 09-JAN-97 | |
| | MIL-C-70784 NOT 1 | CARTRIDGE, 25MM, ARMOR PIERCING DISCARDING SABOT TRACER (APDS-T), M791, REFERENCE [CUST: AR] | A 1305 | AR | 29-NOV-95 | |
| | MIL-C-70785 NOT 1 | CARTRIDGE, 25MM, TARGET PRACTICE TRACER (TP-T), M793 REFERENCE [CUST: AR] | A 1305 | AR | 29-NOV-95 | |
| A | MIL-P-70786(3) NOT 3 | PALLET, STANDARD METAL [CUST: AR] | A 8140 | AR | 17-JUL-97 | |
| A | MIL-D-70789A(2) NOT 1 | DYNAMIC REFERENCE UNIT (DRU) [CUST: AR] | A 1220 | AR | 18-AUG-97 | |
| A | MIL-G-70790 NOT 1 | GUN, MACHINE, 40MM MK19 MOD 3 [CUST: AR] | A 1010 | AR | 19-AUG-97 | |
| A | MIL-C-70793(2) NOT 1 | CARTRIDGE, 20MM, MULTIPURPOSE, TRACE SELF-DESTRUCT, M940 [CUST: AR] | A 1305 | AR | 06-DEC-95 | |
| A | MIL-P-70794(1) NOT 1 | PROJECTILE, 20 MILLIMETER, MULTIPURPOSE TRACE SELF-DESTRUCT, M940 METAL PARTS [CUST: AR] | A 1305 | AR | 01-NOV-96 | |
| A | MIL-C-70796 NOT 3 | CANNON, 105MM HOWITZER: M20 [CUST: AR] | B 1015 | AR | 31-JUL-97 | |
| | MIL-M-70806 NOT 1 | MOTOR ASSEMBLY [CUST: AR] | A 6105 | AR | 10-JAN-97 | |
| | MIL-P-70819(1) NOT 1 | PRIMER, ELECTRIC, M128 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 09-JAN-97 | |
| | MIL-P-70820 NOT 1 | PRIMER, ELECTRIC, M128 METAL PARTS [CUST: AR] | A 1390 | AR | 10-JAN-97 | |
| A | MIL-M-70821 NOT 1 | MOUNT, HOWITZER, M182 [CUST: AR] | A 1025 | AR | 31-JUL-97 | |
| | MIL-C-70822(1) NOT 1 | CANNON, 155MM HOWITZER: M284 [CUST: AR] | A 1025 | AR | 10-JAN-97 | |
| | MIL-P-70825A NOT 1 | PRIMER, BATTERY, STAB/ELECTRIC PA536 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 10-JAN-97 | |
| | MIL-D-70826A NOT 1 | DETONATOR, ELECTRIC, PA537 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 10-JAN-97 | |
| | MIL-A-70827A NOT 1 | ACTUATOR, PISTON, PA535 PARTS FOR AND LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1375 | AR | 10-JAN-97 | |
| | MIL-L-70828A NOT 1 | LEAD, EXPLOSIVE, PA534 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 13-JAN-97 | |
| A | MIL-R-70834A NOT 1 | RECEIVER, CHANNEL X: 11784801 [CUST: AR] | A 5895 | AR | 17-JUL-97 | |
| A | MIL-T-70835A NOT 1 | TRANSMITTER, ASSEMBLY: 11784701 [CUST: AR] | A 5895 | AR | 17-JUL-97 | |
| | MIL-M-70836A(1) NOT 1 | METAL PARTS FOR M87 AND M88 CANISTER ASSEMBLY [CUST: AR] | D 1345 | AR | 13-FEB-96 | |
| A | MIL-S-70843 NOT 1 | SOLENOID (FOR MACHINE GUN, 7.62MM: M240) [CUST: AR] | A 1005 | AR | 11-FEB-95 | |
| | MIL-C-70845A NOT 1 | CARTRIDGE, 9MM, PRACTICE, TRACER, M939 [CUST: AR] | A 1305 | AR | 13-JAN-97 | |
| A | MIL-S-70941A(1) NOT 1 | SYSTEM TEST UNIT: 12922091 [CUST: AR] | A 1290 | AR | 18-AUG-97 | |
| A | MIL-C-70942(1) NOT 1 | CIRCUIT CARD ASSEMBLY, POWER SUPPLY: 12922115 [CUST: AR] | A 1290 | AR | 18-AUG-97 | |
| A | MIL-C-70943(1) NOT 1 | CIRCUIT CARD ASSEMBLY, MICROPROCESSOR: 12922117 [CUST: AR] | A 1290 | AR | 18-AUG-97 | |
| A | MIL-P-70944(1) NOT 1 | PANEL ASSEMBLY, FRONT: 12922129 [CUST: AR] | A 1290 | AR | 18-AUG-97 | |
| A | MIL-A-70945(2) NOT 1 | ANTENNA ASSEMBLY: 12922146 [CUST: AR] | A 1290 | AR | 18-AUG-97 | |
| A | MIL-C-70949(3) NOT 1 | CASE, CARTRIDGE, 105MM, M115B1A1 [CUST: AR] | A 1315 | AR | 18-AUG-97 | |
| | MIL-C-70950(2) NOT 1 | CASE, CARTRIDGE, 105MM, M148A2B1 [CUST: AR] | A 1315 | AR | 12-DEC-95 | |
| A | MIL-B-70953(1) NOT 1 | BUFFER, RECOIL MECHANISM ASSEMBLY, 105MM HOWITZER, F12591210 [CUST: AR] | B 1015 | AR | 19-AUG-97 | |
| | MIL-C-70954 NOT 1 | CABLE ASSEMBLY, FLEXIBLE, REPAIRABLE, BRAIDED: 11829967 [CUST: AR] | A 6145 | AR | 13-JAN-97 | |
| | MIL-M-70969(1) NOT 3 | MORTAR, 81MM: M252 [CUST: AR] | B 1015 | AR | 13-JAN-97 | |
| | MIL-T-70989(1) NOT 3 | TRAINING CANISTER, M89 FOR USE ON THE M139 VOLCANO DISPENSER SYSTEM [CUST: AR] | D 6920 | AR | 13-JAN-97 | |
| A | MIL-P-70995 NOT 1 | PANEL, CONTROL, ARMAMENT SUBSYSTEM: M21 [CUST: AR] | A 1005 | AR | 14-DEC-95 | |
| A | MIL-C-70996(3) NOT 1 | CARTRIDGE, HE, 81MM, M821E1/M889E1 W/FUZE M734/M935 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1315 | AR | 19-SEP-97 | |
| | MIL-P-70997(1) NOT 1 | PROJECTILE, 81MM, HE, M821E1/M889E1 BODY ASSEMBLY [CUST: AR] | A 1315 | AR | 07-FEB-96 | |
| | MIL-F-71007 NOT 1 | FIBERSCOPE, EXPLOSIVE ORDNANCE DISPOSAL (EOD) [CUST: AR] | A 6650 | AR | 13-JAN-97 | |
| A | MIL-P-71012A NOT 1 | PISTOL, SEMIAUTOMATIC, COMPACT, 9MM: M11 [CUST: AR] | A 1005 | AR | 19-AUG-97 | |
| | MIL-C-71013(1) NOT 1 | CHARGE, DEMOLITION: CLIPPED, M221 PARTS FOR, ASSEMBLING AND PACKING [CUST: AR] | A 1375 | AR | 13-JAN-97 | |
| | MIL-B-71014(1) NOT 1 | BODY ASSEMBLY FOR MINE, ANTI-PERSONNEL: M87 CANISTER [CUST: AR] | D 1345 | AR | 06-JUN-96 | |
| | MIL-K-71015A(1) NOT 1 | KIT, COMPONENTS FOR, GROUND VEHICLE MOUNTING HARDWARE, M548A1 FOR M139 DISPENSERS [CUST: AR] | D 1095 | AR | 13-JAN-97 | |
| | MIL-M-71026(1) NOT 1 | MAGAZINE, CARTRIDGE, SOFT PACK, REUSABLE, M249, 5.56MM MACHINE GUN (METRIC), GENERAL SPECIFICATION FOR [CUST: AR] | A 1005 | AR | 08-FEB-96 | |
| | MIL-S-71027 NOT 3 | SIGHTUNIT: M67 [CUST: AR] | A 1240 | AR | 27-FEB-97 | |
| | MIL-T-71029A NOT 1 | TELESCOPE, ELBOW: 9356181 [CUST: AR] | A 1240 | AR | 27-FEB-97 | |
| | MIL-C-71030(2) NOT 1 | CARTRIDGE, IGNITION, M981 LOADING, ASSEMBLING AND PACKING [CUST: AR] | D 1315 | AR | 13-JAN-97 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-M-71074A NOT 3 | MODEM, VEHICLE MOTION SENSOR: 12561737 [CUST: AR] | A 1290 | AR | | 27-FEB-97 |
| A | MIL-P-71089(4) NOT 1 | PROJECTILE, PRACTICE, 155MM, M804E1 LOADING, ASSEMBLING AND PACKING [CUST: AR] | A 1320 | AR | | 18-AUG-97 |
| | MIL-R-71126 NOT 1 | RIFLE, 7.62MM, SNIPER W/ DAY OPTICAL SIGHT AND CARRYING CASES, M24 [CUST: AR] | A 1005 | AR | | 29-NOV-95 |
| | MIL-R-71135(2) NOT 1 | RIFLE, 5.56MM: M16A2E3 [CUST: AR] | A 1005 | AR | | 27-FEB-97 |
| | MIL-C-71138(1) NOT 1 | CARTRIDGE, 25MM, ARMOR PIERCING DISCARDING SABOT TRACER, M791 [CUST: AR] | A 1305 | AR | | 29-NOV-95 |
| | MIL-C-71139(1) NOT 1 | CARTRIDGE, 25MM, HIGH EXPLOSIVE INCENDIARY TRACER, SELF-DESTRUCT, M792 [CUST: AR] | A 1305 | AR | | 29-NOV-95 |
| | MIL-C-71140(1) NOT 1 | CARTRIDGE, 25MM, TARGET PRACTICE TRACER, M793 [CUST: AR] | A 1305 | AR | | 29-NOV-95 |
| | MIL-C-71164(1) NOT 1 | CARTRIDGE, 25MM, DUMMY, M794 PERFORMANCE SPECIFICATION FOR [CUST: AR] | A 1305 | AR | | 29-JUL-96 |
| A | MIL-C-71170 NOT 1 | CONTAINER, AMMUNITION, LIGHTWEIGHT METAL FOR STINGER WEAPON SYSTEM [CUST: AR] | A 8140 | AR | | 17-JUL-97 |
| A | MIL-P-71171 NOT 1 | PALLET, SPECIAL METAL FOR STINGER WEAPON SYSTEM [CUST: AR] | A 8140 | AR | | 17-JUL-97 |
| A | MIL-C-71172A NOT 1 | CYLINDER, RECUPERATOR, RECOIL, 105MM HOWITZER [CUST: AR] | A 1015 | AR | | 27-AUG-97 |
| | MIL-C-71178 NOT 1 | CARTRIDGE, 40MM, HIGH VELOCITY, DUMMY, M922A1 METAL PART FOR [CUST: AR] | A 1310 | AR | | 08-FEB-96 |
| A | MIL-A-71179 NOT 1 | ADAPTER, METAL PALLET FOR STINGER WEAPON SYSTEM [CUST: AR] | A 8140 | AR | | 17-JUL-97 |
| A | MIL-C-71186(1) NOT 1 | CARBINE, 5.56MM: M4A1 [CUST: AR] | A 1005 | AR | | 18-AUG-97 |
| A | MIL-C-71189(2) NOT 1 | CARTRIDGE, 81MM, INFRARED ILLUMINATING, XM816, LOADING, ASSEMBLING, AND PACKING [CUST: AR] | A 1315 | AR | | 20-FEB-97 |
| | MIL-S-71191(1) NOT 3 | SELECTABLE LIGHT WEIGHT ATTACK MUNITION: M2 [CUST: AR] | D 1375 | AR | | 06-DEC-96 |
| A | MIL-D-71199 NOT 3 | DEMOLITION ATTACK MUNITION: M3 [CUST: AR] | F 1375 | AR | | 31-JUL-97 |
| | MIL-S-71207(1) NOT 3 | SELECTABLE LIGHTWEIGHT ATTACK MUNITION TRAINING KIT: M299 [CUST: AR] | F 1375 | AR | | 27-FEB-97 |
| | MIL-M-71213 NOT 3 | MOUNT, MACHINE GUN: MK93 MOD1 (DUAL MOUNT) [CUST: AR] | A 1095 | AR | | 27-FEB-97 |
| | MIL-R-81000 NOT 1 | REPRODUCER-SET, VOICE WARNING AN/ASH-19(*) [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | MIL-C-81003 NOT 1 | CLINOMETER, ELEVATION ML-591/U [CUST: AS] [REVIEW: GS] | A 6660 | AS | | 16-OCT-96 |
| | MIL-I-81007(1) NOT 1 | INTEGRATED ELECTRONIC CENTRALS AN/ASQ-56A AND AN/ASQ-56B [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| A | MIL-C-81009 NOT 2 | CONTROL, RADIO SET C-4684(*)/ASQ-56A [CUST: AS] | A 5821 | AS | | 16-JUL-97 |
| | MIL-H-81014A(1) NOT 1 | HOOK, HELICOPTER EXTERNAL CARGO, 20,000 POUND CAPACITY, TYPE C [CUST: AV AS] | A 1670 | AS | | 28-AUG-96 |
| | MIL-S-81018C(1) NOT 2 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITH OXYGEN, GENERAL SPECIFICATION FOR [CUST: AS] | A 1660 | AS | | 18-SEP-96 |
| | MIL-S-81018/1 NOT 2 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITH OXYGEN-RSSK-6 [CUST: AS] | A 1660 | AS | | 18-SEP-96 |
| | MIL-S-81018/2D NOT 3 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITH OXYGEN, RSSK-8D [CUST: AS] | A 1660 | AS | | 18-SEP-96 |
| | MIL-S-81018/3 NOT 2 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT WITH OXYGEN - RSSK-1A [CUST: AS] | A 1660 | AS | | 18-SEP-96 |
| A | MIL-S-81031B(4) NOT 1 | SWITCH, INERTIA, MARK 104 MOD 1 (FOR TORPEDOMARK 46 MODS 0 THRU 5) [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| | MIL-I-81036(2) NOT 1 | INTEGRATED ELECTRONIC CENTRALS AN/ASQ-88, AN/ASQ-88A, AN/ASQ-88B AND AN/ASQ-108 [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | MIL-S-81040C NOT 2 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITHOUT OXYGEN, GENERAL SPECIFICATION FOR [CUST: AS] | A 1660 | AS | | 18-SEP-96 |
| | MIL-S-81040/2B NOT 2 | SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITHOUT OXYGEN, RSSK-9A [CUST: AS] | A 1660 | AS | | 18-SEP-96 |
| | MIL-W-81044/5C(1) | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 DEG. C [CUST: 85] [REVIEW: CC] | A 6145 | IS | | 13-JUL-93 |
| | MIL-W-81044/8C(1) | WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 DEG. C [CUST: 85] [REVIEW: CC] | A 6145 | IS | | 13-JUL-93 |
| | MIL-I-81049A(2) NOT 1 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, VOLTAGE COMPENSATED, MULTIFUNCTION [CUST: AV AS 99] [REVIEW: 71 CG GS MC] | A 6685 | AS | | 04-SEP-96 |
| A | MIL-S-81054A NOT 1 | STEEL, BARS AND FORGINGS, CHROMIUM-NICKEL-MOLYBDENUM-VANADIUM (FOR TORPEDO MK 46 MOD 0) [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-C-81064(7) NOT 1 | COURSE GYROSCOPE (FOR TORPEDO MK 46 MODS 0 AND 1) [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-G-81065A(2) NOT 1 | GYRO-PENDULUM ASSEMBLY (FOR TORPEDO MK 46 MOD 0 AND MK 46 MOD 1) [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-D-81068(1) NOT 1 | DEVICE, HIT AND LOCATING (FOR TORPEDO MK 46 MOD 0) [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-T-81077A(2) NOT 1 | TEST SET, ELECTRICAL CABLE MARK 444 MOD 0 (FOR TORPEDO MK 46 MODS 0 AND 1) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-T-81078(6) NOT 1 | TEST SET, AFTERBODY, TORPEDO, MARK 442 MOD 0 (FOR TORPEDO MK 46 MOD 0) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| | MIL-C-81089 NOT 1 | COORDINATE CONVERTER MARK 54 MOD 0 [CUST: AS] | A 1270 | AS | | 31-OCT-95 |
| | MIL-R-81090 NOT 3 | RUBBER, ELECTRICALLY CONDUCTIVE, FUEL RESISTANT [CUST: OS] [REVIEW: GS MI MR] | A 9320 | OS | | 20-DEC-95 |
| | MIL-F-81100A NOT 1 | FLOAT, DRILL MINE, MARK 17 MOD 0 [CUST: OS] | A 1350 | OS | | 27-MAR-92 |
| | MIL-R-81105 NOT 1 | RECEIVER-TRANSMITTER, RADIO RT-736(*)/ASQ-88 AND DECODER, PULSE KY-531(*)/ASQ-88 [CUST: AS] | A 5826 | AS | | 18-SEP-96 |
| | MIL-B-81119A NOT 1 | BANDS, HANDLING, MISSILE AND BOOSTER MK 79 MOD 1 AND MK 81 MOD 0 [CUST: OS] | A 1450 | OS | | 20-DEC-95 |
| | MIL-O-81144B NOT 1 | OSCILLATOR SUBASSEMBLY (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| | MIL-T-81148B NOT 1 | TRANSFORMER, DISCRIMINATOR (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [CUST: OS] [REVIEW: MI] | A 1355 | OS | | 31-JUL-96 |
| | MIL-F-81150A NOT 1 | FILTER, BANDPASS (NAVORD DWG 1563728) (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| | MIL-O-81151A NOT 1 | OSCILLATOR SUBASSEMBLY (NAVORD DWG 1563736) (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| | MIL-F-81154A NOT 1 | FILTER, LOWPASS (NAVORD DWG 1563732) (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| | MIL-R-81158A NOT 1 | REAR COVER ASSEMBLED UNIT (FOR TORPEDO MARK 37 MODS 0 AND 1) [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| | MIL-C-81169 NOT 1 | COMPUTER SET, NAVIGATIONAL AN/ASN-39 (*) [CUST: AS] | A 5826 | AS | | 18-SEP-96 |
| | MIL-I-81186 NOT 1 | INDICATOR, RATE OF FUEL FLOW SYNCHRO TYPE, M590360 [CUST: AS] | A 6620 | AS | | 16-OCT-96 |
| | MIL-T-81187 NOT 1 | TRANSMITTER, RATE OF FUEL FLOW, SYNCHRO TYPE M590361 [CUST: AS] | A 6620 | AS | | 16-OCT-96 |
| | MIL-N-81191A NOT 1 | NICKEL-TITANIUM ALLOYS, LOW MAGNETIC EFFECTS; BARS, PLATES, SHEETS, STRIPS, AND SHAPES (FOR SPECIAL PURPOSE TOOLS AND EQUIPMENT) [CUST: OS] [REVIEW: AR] | A 1450 | OS | | 20-MAY-92 |
| | MIL-R-81202D(1) NOT 1 | RECEIVER ASSEMBLY, NITROGEN, FOR LAU-7 SERIES LAUNCHERS [CUST: AS] | A 1055 | AS | | 15-SEP-95 |
| | MIL-W-81235(3) NOT 1 | WIRE, SILVER-ALLOY [CUST: OS] | A 9545 | OS | | 20-MAY-92 |
| | MIL-A-81236(2) NOT 1 | ADHESIVE, EPOXY RESIN WITH POLYAMIDE CURING AGENT [CUST: OS] | A 8040 | OS | | 10-APR-91 |
| | MIL-P-81237 NOT 1 | PENTAERYTHRITOL DIOLEATE [CUST: OS] | A 6810 | OS | | 09-MAY-96 |
| | MIL-S-81238 NOT 1 | SODIUM DIOCTYL SULFOSUCCINATE [CUST: OS] | A 6810 | OS | | 20-MAY-92 |
| | MIL-G-81239(1) NOT 1 | GLYCEROL MONOOLEATE [CUST: OS] | A 6810 | OS | | 20-MAY-92 |
| | MIL-N-81240(1) NOT 1 | NOZZLE INSERT, SILICON CARBIDE-GRAPHITE [CUST: OS] | A 1336 | OS | | 20-MAY-92 |
| | MIL-S-81245 | SHIELD, RAD HAZ L/20MM CARTRIDGES HOLDER, RAD HAZ SHIELD [CUST: AS] | A 1005 | AS | | 21-AUG-89 |
| | MIL-S-81246A NOT 1 | STABILIZER, ORGANIC-TIN-SULFUR [CUST: OS] | A 6810 | OS | | 20-MAY-92 |
| | MIL-C-81251 NOT 1 | CLOTH, SILICA, PHENOLIC IMPREGNATED [CUST: OS] | A 1338 | OS | | 20-MAY-92 |
| | MIL-A-81253(1) NOT 1 | ADHESIVE, EPOXY RESIN WITH POLYAMINE CURING AGENT [CUST: OS] | A 8040 | OS | | 10-APR-91 |
| | MIL-F-81254 NOT 1 | FOAM, URETHANE [CUST: OS] | A 1338 | OS | | 20-MAY-92 |
| | MIL-S-81256(1) NOT 1 | SILICA FABRIC, PHENOLIC IMPREGNATED [CUST: OS] | A 1338 | OS | | 20-MAY-92 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| A | MIL-M-81260A(1) NOT 1 | MANUAL, TECHNICAL, AIRCRAFT/SYSTEM/EQUIPMENT MAINTENANCE [CUST: AS] | A TMSS | AS | | 17-SEP-97 |
| | MIL-A-81264(1) | ASBESTOS FELT OR MAT, RESIN IMPREGNATED [CUST: OS] [REVIEW: IS] | A 5330 | OS | | 07-FEB-90 |
| | MIL-F-81265(1) | FIBER, ASBESTOS [CUST: OS] [REVIEW: IS] | A 5330 | OS | | 07-FEB-90 |
| | MIL-C-81268A NOT 1 | CLOTH, NYLON [CUST: OS] | A 8305 | OS | | 20-MAY-92 |
| | MIL-M-81288(1) NOT 2 | MOUNTING BASES, FLEXIBLE PLASTIC FOAM [CUST: AS] | A 5340 | AS | | 07-AUG-96 |
| | MIL-T-81290 NOT 1 | TEST SET, MISSILE ELECTRICAL SYSTEM MARK 363 MOD 3 [CUST: OS] [REVIEW: 99] | A 4935 | OS | | 20-DEC-95 |
| | MIL-L-81293A NOT 1 | LIGHTWEIGHT SANDWICH-CONSTRUCTED PANELS (FOR ASROC LAUNCHER MK 112) [CUST: OS] | A 5640 | OS | | 20-DEC-95 |
| A | MIL-D-81298D NOT 1 | DYE, LIQUID, FOR THE DETECTION OF LEAKS IN AIRCRAFT FUEL SYSTEMS [CUST: AV AS 68] [REVIEW: 19 99 CG GS MR SM] | A 6820 | 68 | | 12-DEC-97 |
| | MIL-T-81308 NOT 1 | TEST SET GROUP, MAGNETIC DETECTOR HEAD, OA-7366/ASM-3, OA-7366A/ASM-3, AND OA-7366B/ASM-3 [CUST: AS] | A 6625 | AS | | 28-AUG-96 |
| A | MIL-A-81327A NOT 1 | ACOUSTIC LOCATING DEVICE (FOR TORPEDO MK 46 MOD 0) [CUST: OS] | A 1355 | OS | | 13-MAR-85 |
| | MIL-F-81334B NOT 1 | FOAM, PLASTIC, FLEXIBLE, OPEN CELL, POLYESTER TYPE POLYURETHANE [CUST: AS] | A 5340 | AS | | 07-AUG-96 |
| | MIL-F-81334B(1) NOT 1 | FOAM, PLASTIC, FLEXIBLE, OPEN CELL POLYESTER TYPE, POLYURETHANE [CUST: AS] | A 5340 | AS | | 07-AUG-96 |
| | MIL-C-81344(1) NOT 1 | CONVERTER, SIGNAL DATA CV-2461(*)/A [CUST: AS] [REVIEW: GS] | A 6125 | AS | | 11-SEP-96 |
| | MIL-S-81353 | SWAGING MACHINE, AIRCRAFT CABLE, PORTABLE, POWER OPERATED, MODEL NSM-1 [CUST: AS] [REVIEW: GS] | A 3450 | AS | | 17-DEC-90 |
| | MIL-R-81355B NOT 1 | RECORDER, BATHYTHERMOGRAPH DATA RO-308(A)/SSQ-36 [CUST: AS] [REVIEW: GS] | A 6655 | AS | | 21-AUG-96 |
| | MIL-D-81357A(1) NOT 1 | DISPLAY GROUP, TACTICAL DATA AN/ASA-70 [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | MIL-D-81358B NOT 1 | DISPLAY GROUP, TACTICAL DATA AN/ASA-66 [CUST: AS] | A 6605 | AS | | 30-APR-97 |
| | MIL-A-81359 NOT 1 | AIRCRAFT WEAPONS RELEASE SET AN/AWE-1 [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| | MIL-C-81360 NOT 1 | CONTROL, AIRCRAFT WEAPONS RELEASE SET C-6682 (*)/AWE-1 [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| | MIL-P-81361 NOT 1 | PROGRAMMER, AIRCRAFT WEAPONS RELEASE SET MX-7016(*)/AWE-1 [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| A | MIL-B-81365 NOT 1 | BLEED AIR SYSTEMS, GENERAL SPECIFICATION FOR [CUST: AV AS] | A 16GP | AS | | 10-SEP-97 |
| | MIL-A-81369 NOT 1 | ASSEMBLY, LEFT-RIGHT STATION 65A132F5 [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| | MIL-A-81370 NOT 1 | ASSEMBLY, CENTER STATION 65A132F6 [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| | MIL-A-81371 NOT 1 | ASSEMBLY, STATION TRANSFER 65A132F7 [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| | MIL-A-81372 NOT 1 | ASSEMBLY, PRIORITY LOGIC 65A132F8 [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| | MIL-A-81373 NOT 1 | ASSEMBLY, QUANTITY SELECT 65A132F9 [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| A | MIL-O-81375B NOT 2 | ORAL INFLATION ASSEMBLIES, SURVIVAL EQUIPMENT, INFLATABLE [CUST: AS 99] | A 4220 | AS | | 30-JUL-97 |
| A | MIL-W-81381/7E NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 5.8 MIL WALL [CUST: CR AS 85 IS] [REVIEW: 11 AR AT AV EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-81381/8D NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 5.8 MIL WALL [CUST: CR AS 85 IS] [REVIEW: 11 AR AT AV EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-81381/9D NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, 200 DEGREES C, NOMINAL 5.8 MIL WALL [CUST: CR AS 85 IS] [REVIEW: 11 AR AT AV EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-81381/10E NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, NOMINAL 5.8 MIL WALL [CUST: CR AS 85 IS] [REVIEW: 11 AR AT AV EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-81381/11C NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, SILVER COATED COPPER CONDUCTOR, 600 VOLTS, 200 DEG C, NOMINAL 8.4 OR 15.4 MIL WALL [CUST: CR AS 85 IS] [REVIEW: 11 AR AT AV EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-81381/12C NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, NICKEL COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 8.4 OR 15.4 MIL WALL [CUST: CR AS 85 IS] [REVIEW: 11 AR AT EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-81381/13D NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, SILVER COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, NOMINAL 8.4 MIL WALL [CUST: CR AS 85 IS] [REVIEW: 11 AR AT AV EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-81381/14D NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, NICKEL COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, NOMINAL 8.4 MIL WALL [CUST: CR AS 85 IS] [REVIEW: 11 AR AT AV EC MC MI OS SH] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-81381/17 NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED LIGHT WEIGHT, SILVER COATED COPPER, 600 VOLTS, NOMINAL 4.6 MIL WALL [CUST: AS IS] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-81381/18 NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED LIGHT WEIGHT, NICKEL COATED COPPER, 600 VOLTS NOMINAL 4.6 MIL WALL [CUST: AS IS] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-81381/19 NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED LIGHT WEIGHT, SILVER COATED HIGH STRENGTH COPPER ALLOY, 600 VOLTS, NOMINAL 4.6 MIL WALL [CUST: AS IS] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-81381/20 NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED LIGHT WEIGHT NICKEL COATED HIGH STRENGTH COPPER ALLOY, 600 VOLTS, NOMINAL 4.6 MIL WALL [CUST: AS IS] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-81381/21A NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, TIN COATED COPPER CONDUCTOR, 600 VOLTS, 150 DEGREES C, NOMINAL 5.8 MIL WALL [CUST: AS IS] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-W-81381/22 NOT 1 | WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, TIN COATED COPPER CONDUCTOR, 600 VOLTS, 150 DEGREES C NOMINAL 8.4 OR 15.4 MIL WALL [CUST: AS IS] | A 6145 | IS | | 16-JUN-97 |
| A | MIL-M-81385A NOT 2 | MANIFOLD STEM ASSEMBLIES, LIFE PRESERVER [CUST: CR4 AS 11] | A 4220 | AS | | 30-JUL-97 |
| A | MIL-I-81387A(2) NOT 1 | INDICATOR, LIQUID OXYGEN QUANTITY [CUST: AS] | A 1660 | AS | | 27-AUG-97 |
| A | MIL-I-81388A(1) NOT 1 | INDICATOR REPEATERS, LIQUID OXYGEN QUANTITY [CUST: AS] | A 1660 | AS | | 27-AUG-97 |
| | MIL-P-81390 NOT 2 | PLASTIC, MOLDING MATERIAL, POLYCARBONATE, GLASS FIBER REINFORCED [CUST: MR AS] [REVIEW: CR CR4 MI SH] | A 9330 | AS | | 31-JUL-96 |
| | MIL-R-81394 NOT 1 | REFUELING UNIT, AIRCRAFT, 2000 GALLON TYPE MC-1A [CUST: AS] | A 2320 | AS | | 24-JUL-96 |
| | MIL-A-81403(3) NOT 1 | ALTIMETER-ENCODER, AAU-21/A [CUST: 99] | A 6610 | 71 | | 01-JAN-96 |
| | MIL-T-81404B(1) NOT 1 | TEST SET, ELECTRICAL CIRCUIT, GUIDED MISSILE LAUNCHER AND AIRCRAFT, AN/ASM-149C [CUST: AS] | A 4935 | AS | | 11-SEP-96 |
| | MIL-C-81412(2) NOT 2 | COMPASS SET, GYROSCOPE REFERENCE, NAVIGATIONAL AN/ASN-75(*) [CUST: AS] | A 6605 | AS | | 30-APR-97 |
| | MIL-I-81454(2) NOT 1 | INDICATOR, GYROSCOPE, VERTICAL REFERENCE ID-1481(*)/A [CUST: AS] [REVIEW: 99] | A 6610 | AS | | 09-OCT-96 |
| A | MIL-N-81460B NOT 1 | NAVIGATION SET, RADAR AN/APN-182(V) [CUST: AS] | A 5841 | AS | | 12-NOV-97 |
| A | MIL-R-81462 NOT 2 | RADIO SET AN/SRC-40 DIGITAL DATA TRANSMITTER TERMINAL [CUST: AS] | A 5821 | AS | | 30-MAR-98 |
| A | MIL-D-81465A NOT 2 | DETECTING GROUP, SUBMARINE ANOMALY (SAD) AN/ASA-64A [CUST: AS] | A 5895 | AS | | 30-MAR-98 |
| | MIL-I-81496(1) NOT 1 | INDICATOR, ATTITUDE, 2-INCH ID-1602/A [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| A | MIL-H-81500A NOT 2 | HOOD, ANTI-EXPOSURE COVERALL [CUST: AS] [REVIEW: CT] | A 8475 | AS | | 16-JUL-97 |
| | MIL-I-81508(1) NOT 1 | INDICATOR PLUG, FOR MISSILE PROPELLANTS [CUST: AS] [REVIEW: GS] | A 6685 | AS | | 16-OCT-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty | Date |
|------------|--------------------------|--|-----------------------|-----|------------|-----------|
| | MIL-C-81511F | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: CC EC MC OS] | A 5935 | AS | | 30-SEP-92 |
| | MIL-C-81511/1E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, RECEPTACLE, FLANGE MOUNT, CRIMP TYPE CONTACTS, CLASS A, F AND E (SERIES 2) [CUST: CR AS 85] [REVIEW: 11 AR AV CC CR4 EC MC MI OS] | A 5935 | AS | | 30-APR-76 |
| | MIL-C-81511/3E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, RECEPTACLE, JAM NUT MOUNT, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 2) [CUST: CR AS 85] [REVIEW: 11 99 AV CC CR4 EC MC MI] | A 5935 | AS | | 30-APR-76 |
| | MIL-C-81511/5E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, PLUG, CABLE CONNECTING, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 2) [CUST: CR AS 85] [REVIEW: 11 99 AR AT AV CC CR4 EC MC MI OS] | A 5935 | AS | | 30-APR-76 |
| | MIL-C-81511/6E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, PLUG, CRIMP TYPE CONTACTS, CLASS A, F AND E (SERIES 2) [CUST: CR AS 85] [REVIEW: 11 99 AR AV CC CR4 EC MC MI] | A 5935 | AS | | 30-APR-76 |
| | MIL-C-81511/13E | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, F ADAPTER, ROTABLE, TYPE I (SERIES 1 OR 2) [CUST: CR AS 85] [REVIEW: 11 99 AR AT AV CC CR4 EC MC MI SH] | A 5935 | AS | | 19-MAR-76 |
| | MIL-C-81511/14D(1) | CONNECTOR, ADAPTER, STRAIGHT, ELECTRIC [CUST: CR AS 85] [REVIEW: 11 AR AV CC CR4 EC MC MI] | A 5935 | AS | | 30-APR-76 |
| | MIL-C-81511/15F | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: PLUG, SEALING CONTACT (SERIES 1 OR 2) [CUST: CR AS 85] [REVIEW: AR AT AV CC CR4 EC MC MI OS SH] | A 5935 | AS | | 15-NOV-92 |
| | MIL-C-81511/16E(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, CAP, PROTECTIVE LOCKING [CUST: CR AS 85] [REVIEW: 11 AR AT CC CR4 EC MC MI] | A 5935 | AS | | 30-APR-76 |
| | MIL-C-81511/17C(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, COVER, PROTECTIVE, PLUG (SERIES 2) [CUST: CR AS 85] [REVIEW: 11 80 AR AV CC CR4 EC MC MI SH] | A 5935 | AS | | 30-APR-76 |
| | MIL-C-81511/18C(1) | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, COVER, PROTECTIVE, RECEPTACLE (SERIES 1 OR 2) [CUST: CR AS 85] [REVIEW: 11 AR AT AV CC CR4 EC MC MI] | A 5935 | AS | | 30-APR-76 |
| | MIL-C-81511/19D(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, DUMMY STOWAGE, FOR SERIES 2 CONNECTORS [CUST: CR AS 85] [REVIEW: 11 99 AR AV CC CR4 EC MC MI OS] | A 5935 | AS | | 31-MAR-89 |
| | MIL-C-81511/20D(1) NOT 2 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: NUT, SLOTTED HEXAGON, CONNECTOR MOUNTING, FOR SERIES 1 AND 2 CONNECTORS [CUST: CR AS 85] [REVIEW: 11 99 AR AT AV CC CR4 EC MC MI] | A 5935 | AS | | 15-SEP-82 |
| | MIL-C-81511/21C(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, FLANGE MOUNT, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1) [CUST: CR AS 85] [REVIEW: 11 99 AR AV CC CR4 EC MC MI OS SH] | A 5935 | AS | | 31-MAR-89 |
| | MIL-C-81511/23C(1) | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, JAM NUT MOUNT, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1) [CUST: CR AS 85] [REVIEW: 11 99 AR AV CC CR4 EC MC MI OS] | A 5935 | AS | | 31-MAR-89 |
| | MIL-C-81511/25C(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, CABLE CONNECTING, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1) [CUST: CR AS 85] [REVIEW: 11 99 AR AT AV CC CR4 EC MC MI OS SH] | A 5935 | AS | | 31-MAR-89 |
| | MIL-C-81511/26C(1) NOT 1 | CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: PLUG, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1) [CUST: CR AS 85] [REVIEW: 11 99 AR AV CC CR4 EC MC MI SH] | A 5935 | AS | | 31-MAR-89 |
| | MIL-C-81511/41A | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, FLANGE MOUNT, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS, CLASS A, F AND W (SERIES 3) [CUST: AS] [REVIEW: CC EC MC OS SH] | A 5935 | AS | | 07-JAN-77 |
| | MIL-C-81511/45B | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, CABLE CONNECTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS, CLASS A, F AND W (SERIES 3) [CUST: AS] [REVIEW: CC EC MC OS SH] | A 5935 | AS | | 07-JAN-77 |
| | MIL-C-81511/49A NOT 2 | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, JAM NUT MOUNT, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS CLASS A, F AND W (SERIES 3) [CUST: AS] [REVIEW: CC EC MC OS SH] | A 5935 | AS | | 07-JAN-77 |
| | MIL-C-81511/51A | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, FLANGE MOUNT, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS CLASS A, F AND W (SERIES 4) [CUST: AS] | A 5935 | AS | | 07-JAN-77 |
| | MIL-C-81511/53A | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, JAM NUT MOUNT, INDIVIDUAL RELEASE, CRIMP-TYPE CONTACTS, CLASS A, F AND W (SERIES 4) [CUST: AS] [REVIEW: CC EC MC OS SH] | A 5935 | AS | | 07-JAN-77 |
| | MIL-C-81511/55B | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCOUNT, ENVIRONMENT RESISTING, RECEPTACLE, CABLE CONNECTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS, CLASS A, F AND W (SERIES 4) [CUST: AS] | A 5935 | AS | | 07-JAN-77 |
| | MIL-C-81511/56A | CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, PLUG, INDIVIDUAL RELEASE, CRIMP-TYPE CONTACTS, CLASS A, F AND W (SERIES 4) [CUST: AS] [REVIEW: CC EC MC OS SH] | A 5935 | AS | | 07-JAN-77 |
| | MIL-E-81512(1) NOT 1 | ENCODER, SHAFT POSITION TO DIGITAL, CONTACT TYPE, ALTITUDE REPORTING; GENERAL SPECIFICATION FOR [CUST: AR AS 85] [REVIEW: CC] | A 5990 | AS | | 16-NOV-92 |
| | MIL-E-81512/1(1) NOT 1 | ENCODER, SHAFT POSITION TO DIGITAL, CONTACT TYPE, ALTITUDE REPORTING TYPE 11CC1267180A [CUST: AR AS 85] [REVIEW: CC] | A 5990 | AS | | 16-NOV-92 |
| | MIL-P-81513 NOT 1 | POWER UNIT, AIRCRAFT AUXILIARY GAS TURBINE, TYPE I, NAVY MODEL NO. P-7 [CUST: AS] | A 2835 | AS | | 07-AUG-96 |
| | MIL-D-81514B(5) NOT 1 | DEVICE, RESTRAINT HARNESS TAKE-UP, INERTIA-LOCKING, POWERED-RETRACTING, GENERAL SPECIFICATION FOR [CUST: AS] | A 1680 | AS | | 18-SEP-96 |
| | MIL-D-81514/1A NOT 2 | DEVICE, RESTRAINT HARNESS TAKE-UP, INERTIA-LOCKING POWERED-RETRACTING: FOR USE IN SIII-3 EJECTION SEAT [CUST: AS] | A 1680 | AS | | 18-SEP-96 |
| | MIL-F-81526B NOT 1 | FILM-TAPE, SEMIAUTOMATIC TEST [CUST: AS] | A 1270 | AS | | 31-OCT-95 |
| | MIL-T-81527B NOT 1 | TEST SET, MISSILE CONTROL SYSTEM, AWG-10 SIDE BENCH [CUST: AS] | A 1270 | AS | | 15-NOV-95 |
| | MIL-L-81542A(3) NOT 2 | LIFE RAFT, INFLATABLE, ONE MAN, TYPE LR-1 [CUST: AS] | A 4220 | AS | | 18-SEP-96 |
| | MIL-T-81546A NOT 1 | TEST STAND, ACTUATOR, LINEAR, LOAD [CUST: AS] | A 4920 | AS | | 11-SEP-96 |
| | MIL-V-81552A(2) NOT 2 | VALVE, EXHALATION, OXYGEN MASK, PRESSURE COMPENSATING, WITH SAFETY RELIEF [CUST: AV AS] | A 4820 | AS | | 15-APR-96 |
| A | MIL-R-81553B NOT 1 | REGULATOR, CHEST MOUNTED, OXYGEN, POSITIVE PRESSURE, CRU-79/P [CUST: AS] | A 1660 | AS | | 27-AUG-97 |
| | MIL-G-81559C NOT 1 | GYROSCOPE ASSEMBLIES + ATTITUDE + DIRECTIONAL REFERENCE INSTRUMENTS FOR AIRCRAFT, PACKAGING OF [CUST: AV AS 69] [REVIEW: 71 99 SM] | A 6610 | AS | | 04-SEP-96 |
| A | MIL-L-81561G SUP 1 NOT 1 | LIFE PRESERVER ASSEMBLIES, INFLATABLE, AIRCREWMEN AND PASSENGER, CEMENTED AND HEAT SEALED [CUST: AS] | A 4220 | AS | | 30-JUL-97 |
| A | MIL-L-81561/I NOT 1 | LIFE PRESERVER, INFLATABLE, AIRCREWMEN, CEMENTED, WITH INFLATION DEVICE, TYPE LPU-21C/P [CUST: AS] | A 4220 | AS | | 30-JUL-97 |
| A | MIL-L-81561/2 NOT 1 | LIFE PRESERVER, INFLATABLE, AIRCREWMEN, CEMENTED, WITHOUT INFLATION DEVICE, TYPE LPU-23B/P [CUST: AS] | A 4220 | AS | | 30-JUL-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Aee | MCA | Prep. Acty. | Date |
|------------|-----------------------------|---|----------------------|-----|-------------|-----------|
| A | MIL-L-81561/3 NOT 1 | LIFE PRESERVER, INFLATABLE, AIRCREWMEN, HEAT SEALED, WITH INFLATION DEVICE. TYPE LPU-21D/P [CUST: AS] | A 4220 | AS | | 30-JUL-97 |
| A | MIL-L-81561/4 NOT 1 | LIFE PRESERVER, INFLATABLE, AIRCREWMEN, HEAT SEALED, WITHOUT INFLATION DEVICE. TYPE LPU-23C/P [CUST: AS] | A 4220 | AS | | 30-JUL-97 |
| A | MIL-L-81561/5 NOT 1 | LIFE PRESERVER, INFLATABLE, CEMENTED, UTILITY, TYPE LPP-1A [CUST: AS] | A 4220 | AS | | 30-JUL-97 |
| A | MIL-L-81561/6 NOT 1 | LIFE PRESERVER, INFLATABLE, YOKE, HEAT SEALED, TYPE LPU-32/P [CUST: AS] | A 4220 | AS | | 30-JUL-97 |
| | MIL-Z-81572 NOT 2 | ZIRCONIUM OXIDE, LINE-STABILIZED, POWDER AND ROD, FOR FLAME SPRAYING [CUST: AS] | A 6810 | AS | | 07-AUG-96 |
| A | MIL-R-81574(1) NOT 2 | RESCUE HAND TOOL, PNEUMATIC [CUST: AS] [REVIEW: GS] | A 4240 | AS | | 30-JUL-97 |
| A | MIL-C-81575(1) NOT 2 | CYLINDER, NITROGEN, FOR RESCUE HAND TOOL [CUST: AS GS] | A 8120 | GS | | 09-SEP-97 |
| A | MIL-H-81581A(2) SUP 1 NOT 1 | HOSE ASSEMBLIES, BREATHING OXYGEN AND AIR, GENERAL SPECIFICATION FOR [CUST: AV AS 11] [REVIEW: 99] | A 4720 | AS | | 13-AUG-97 |
| A | MIL-H-81581/1A(1) NOT 2 | HOSE ASSEMBLIES, AIR, LOW PRESSURE, HIGHLY FLEXIBLE [CUST: AV AS 11] | A 1660 | AS | | 30-JUL-97 |
| A | MIL-H-81581/2A(2) NOT 1 | HOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE WITH CONNECTIONS FOR AN INTEGRATED COMMUNICATION SYSTEM [CUST: AS] [REVIEW: 11] | A 4720 | AS | | 13-AUG-97 |
| A | MIL-H-81581/3A(1) NOT 2 | HOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE, WITHOUT CONNECTIONS FOR COMMUNICATION SYSTEM [CUST: AV AS 11] | A 1660 | AS | | 30-JUL-97 |
| A | MIL-H-81581/4A NOT 2 | HOSE ASSEMBLIES, BREATHING OXYGEN, LOW PRESSURE, WITH/WITHOUT CONNECTIONS FOR AN INTEGRATED COMMUNICATION SYSTEM [CUST: AS 99] | A 1660 | AS | | 30-JUL-97 |
| A | MIL-H-81581/5A NOT 2 | HOSE ASSEMBLIES, BREATHING OXYGEN, LOW PRESSURE CONNECTOR TO REGULATOR [CUST: AS 99] | A 1660 | AS | | 30-JUL-97 |
| A | MIL-H-81581/6A NOT 2 | HOSE ASSEMBLIES, BREATHING OXYGEN AND AIR; HOSE KITS AND MATED ASSEMBLIES [CUST: AS 99] | A 1660 | AS | | 30-JUL-97 |
| A | MIL-H-81581/7 NOT 2 | HOSE ASSEMBLIES, COMBINED ASSEMBLIES, HOSE AND COMMUNICATION CABLE [CUST: AS 99] | A 1660 | AS | | 30-JUL-97 |
| A | MIL-H-81581/8 NOT 2 | HOSE ASSEMBLIES, CABLE ASSEMBLIES, COMMUNICATION, ASSOCIATED [CUST: AS 99] | A 1660 | AS | | 30-JUL-97 |
| | MIL-S-81591(3) NOT 1 | STEEL, INVESTMENT CASTINGS, CARBON AND CORROSION - RESISTING [CUST: AR AS 99] [REVIEW: AV CR4 MC MI OS] | A MECA | AS | | 23-FEB-93 |
| A | MIL-N-81604C NOT 1 | NAVIGATION SET, INERTIAL AN/ASN-92(V) [CUST: AS] | A 5826 | AS | | 16-JUL-97 |
| | MIL-R-81614(1) NOT 2 | RECEIVER, RADAR AUGMENTOR R-1623/APN MODULATOR, X-BAND BEACON MD-817/APN AND ANTENNA, KA-BAND RADAR AS-2406/APR [CUST: AS] | A 5841 | AS | | 18-SEP-96 |
| | MIL-I-81616 NOT 1 | INITIATOR, DESTRUCT IGNITER MX-8278 (*)/ASQ [CUST: AS] | A 5810 | AS | | 18-SEP-96 |
| | MIL-A-81621 NOT 1 | ACCELEROMETER, ELECTRICAL, LINEAR ABU-13/A [CUST: AS] | A 1290 | AS | | 11-SEP-96 |
| | MIL-D-81641 NOT 2 | DISPLAY, HEAD-UP, GENERAL SPECIFICATION FOR [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| | MIL-P-81653/1 NOT 1 | POWER CONTROLLER, DC LOAD SWITCHING, SPST, NORMAL OPEN, 1 AMPERE [CUST: AS] [REVIEW: GS] | A 6110 | AS | | 04-SEP-96 |
| | MIL-P-81653/8 NOT 1 | POWER CONTROLLER, INDICATOR DRIVER SPST, NORMAL OPEN, 500 MILLIAMPERES [CUST: AS] [REVIEW: GS] | A 6110 | AS | | 04-SEP-96 |
| | MIL-P-81653/9 NOT 1 | POWER CONTROLLER, DC LOAD SWITCHING SPST, NORMAL OPEN, 10 AMPERES [CUST: AS] [REVIEW: GS] | A 6110 | AS | | 04-SEP-96 |
| | MIL-P-81655 NOT 1 | PITOT STATIC TUBE, L-SHAPED, COMPENSATED, ELECTRICALLY HEATED, GENERAL SPECIFICATION FOR [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| A | MIL-I-81683A NOT 2 | INDICATOR, ATTITUDE REFERENCE SELF-CONTAINED, 3-INCH, ID-1791/A [CUST: AS] | A 6610 | AS | | 04-APR-98 |
| | MIL-D-81688A NOT 1 | DISPLAY SET, MISSION RECORDER AN/UPQ-5B [CUST: AS] | A 5840 | AS | | 18-SEP-96 |
| | MIL-P-81716 NOT 1 | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, TYPE II HYDRAULIC (MINUS 65 DEG F TO PLUS 275 DEG F) [CUST: MR AS 11] [REVIEW: MJ] | A 5330 | IS | | 16-JUN-97 |
| A | MIL-V-81722A(1) NOT 1 | VALVE, INFLATION, LIFE RAFT, FLU-6/P [CUST: AS] [REVIEW: CC] | A 4220 | AS | | 30-JUL-97 |
| | MIL-A-81724 NOT 1 | ADAPTER, LAUNCHER, AIRCRAFT, ADU-299/E [CUST: AS] [REVIEW: GS] | A 1055 | AS | | 31-OCT-95 |
| A | MIL-T-81734D NOT 1 | TEST SET, AIRBORNE WEAPON CONTROL SYSTEM AN/AWM-23(V) [CUST: AS] | A 4935 | AS | | 23-JUL-97 |
| | MIL-G-81737A NOT 1 | GELLING UNITS, FUEL MARK 1, MOD 0 AND MOD 1 [CUST: AS] | A 1040 | AS | | 15-NOV-95 |
| | MIL-C-81751B(1) NOT 1 | COATING, METALLIC-CERAMIC [CUST: MR AS 11] [REVIEW: AR CR CR4 OS SH YD1] | A MFFP | AS | | 28-AUG-96 |
| A | MIL-M-81754A NOT 2 | MANUAL, TECHNICAL, WEAPON SYSTEMS TECHNICAL DOCUMENTATION LIST PREPARATION OF [CUST: AS] | A TMSS | AS | | 04-APR-98 |
| A | MIL-B-81757/7C NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM, 24 VOLTS, 10 AMPERE HOURS (BB-432/A) [CUST: CR AS 11] | A 6140 | AS | | 30-JUL-97 |
| A | MIL-B-81757/8D NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, 24 VOLTS, 20 AMPERE-HOUR (BB-434/A) [CUST: CR AS 11] | A 6140 | AS | | 30-JUL-97 |
| A | MIL-B-81757/9C NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM, 24 VOLTS, 30 AMPERE HOUR (BB-433A/A) [CUST: CR AS 11] | A 6140 | AS | | 30-JUL-97 |
| A | MIL-B-81757/10B NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM 23 VOLTS, 6 AMPERE HOUR [CUST: AS] | A 6140 | AS | | 30-JUL-97 |
| A | MIL-B-81757/12A NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM FORCED-AIR COOLED, CHARGE CONTROLLED, 24-VOLT, 30 AMPERE-HOUR [CUST: AS] | A 6140 | AS | | 30-JUL-97 |
| A | MIL-B-81757/13A NOT 1 | BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM 24 VOLT, 30 AMPERE HOUR [CUST: AS] | A 6140 | AS | | 30-JUL-97 |
| | MIL-R-81766 NOT 1 | RELAY PANEL RYK-13/A24B-4(V) [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | MIL-C-81767 NOT 1 | CONTROL MONITOR DCK-143/A24B-4(V) [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | MIL-T-81768 NOT 1 | TRANSFORMER RECTIFIER TEK-9/A24B-4(V) [CUST: AS] | A 5895 | AS | | 18-SEP-96 |
| | MIL-C-81770 NOT 1 | CONTROL, AIRCRAFT WEAPONS RELEASE SET C-8014(*)/AWE-1 [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| | MIL-S-81771A(1) NOT 1 | SEAT SYSTEM; AIRCREW, CRASH RESISTANT; GENERAL SPECIFICATION FOR [CUST: AS] | A 1680 | AS | | 18-SEP-96 |
| | MIL-S-81775B NOT 1 | SERVICE SET, HYDRAULIC SYSTEM MX-9043()/AWM-23 (V) [CUST: AS] | A 4935 | AS | | 30-APR-97 |
| | MIL-T-81776C NOT 2 | TEST STATION, MODULE OJ-217()/AWM-23(V) AND OJ-378()/AWM-23(V) [CUST: AS] | A 4935 | AS | | 21-MAY-97 |
| A | MIL-C-81777B(1) NOT 1 | COOLER, LIQUID, ELECTRONIC EQUIPMENT HD-9080/AWM-23(V) [CUST: AS] | A 4935 | AS | | 23-JUL-97 |
| | MIL-T-81778C NOT 1 | TEST STATION, LOW FREQUENCY OJ-215 ()/AWM-23(V) AND OJ-379()/AWM-23(V) [CUST: AS] | A 4935 | AS | | 21-MAY-97 |
| | MIL-K-81779C NOT 2 | KIT, TOOL, SPECIAL TK-222()/AWM-23(V) [CUST: AS] | A 4935 | AS | | 30-APR-97 |
| | MIL-S-81780C NOT 2 | SPECIAL HANDLING EQUIPMENT [CUST: AS] | A 4935 | AS | | 30-APR-97 |
| | MIL-T-81782C NOT 2 | TEST STATION, COMPUTER OJ-216()/AWM-23(V) [CUST: AS] | A 4935 | AS | | 21-MAY-97 |
| | MIL-T-81783C NOT 2 | TEST STATION, CONTROLS-DISPLAYS-DOPPLER FILTER OJ-214()/AWM-23(V) [CUST: AS] | A 4935 | AS | | 21-MAY-97 |
| | MIL-T-81785C NOT 2 | TEST STATION, RADIO FREQUENCY OJ-213()/AWM-23(V) [CUST: AS] | A 4935 | AS | | 21-MAY-97 |
| | MIL-L-81787B NOT 2 | LIFE PRESERVER, INFLATABLE, UTILITY, TYPE LPP-1A [CUST: AS] | A 4220 | AS | | 18-SEP-96 |
| | MIL-L-81795(1) NOT 1 | LAUNCHER, ROCKET, AIRBORNE, LAU 61 A/A [CUST: AS] | A 1055 | AS | | 11-SEP-96 |
| | MIL-T-81802 NOT 2 | TEST SET, ARMAMENT WIRING AN/AWM-38 [CUST: AS] | A 1190 | AS | | 15-SEP-95 |
| | MIL-T-81809 NOT 1 | TEST SET, GUIDED WEAPON AN/DSM-77B [CUST: AS] | A 4935 | AS | | 11-SEP-96 |
| | MIL-W-81822/7A(1) | WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYAMIDE JACKET OVER EXTRUDED POLYVINYL CHLORIDE (PVC) INSULATION, TIN COATED SOLID CONDUCTOR [CUST: CR AS 85] [REVIEW: 17 99 CC EC IS MC SH] | A 6145 | AS | | 15-MAR-94 |
| | MIL-T-81838(1) NOT 1 | TANK, FUEL, AIRCRAFT, AUXILIARY EXTERNAL 300 GALLON, TYPE AERO-1D [CUST: AS] | A 1560 | AS | | 18-SEP-96 |
| A | MIL-H-81843C NOT 1 | HOOD, FLYER'S, ANTI-EXPOSURE, INFLATABLE, HGU-32/P [CUST: GL AS] [REVIEW: AV] | A 8475 | AS | | 16-JUL-97 |
| A | MIL-M-81844C NOT 1 | MITTENS, FLYER'S, ANTI-EXPOSURE, INFLATABLE, HAU-12/P [CUST: GL AS] [REVIEW: AV] | A 8475 | AS | | 16-JUL-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-R-81858(1) NOT 1 | RADAR SETS AN/APS-115B AND AN/APS-122 [CUST: AS] | A 5841 | AS | | 18-SEP-96 |
| | MIL-F-81898A(1) NOT 1 | FORWARD LOOKING RADAR SET, AN/APQ-126(V) [CUST: AS] | A 5841 | AS | | 18-SEP-96 |
| A | MIL-A-81905D(1) NOT 1 | ANTI-G GARMENT, CUTAWAY, ARAMID CSU-15/P [CUST: AS] | A 8475 | AS | | 16-JUL-97 |
| | MIL-P-81911 NOT 1 | PARALLEL, FREQUENCY-CODED FIRING SYSTEMS [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| | MIL-F-81912(3) NOT 1 | FUEL, EXPENDABLE TURBINE ENGINE [CUST: AS] | A 9130 | AS | | 09-OCT-96 |
| | MIL-A-81917 NOT 1 | AIRCRAFT FIRING CIRCUIT TEST SET AN/AWM-54 [CUST: AS] | A 4925 | AS | | 31-OCT-95 |
| A | MIL-S-81941A(1) NOT 1 | SURVIVAL KIT, INDIVIDUAL, AIRMAN'S [CUST: AS] [REVIEW: GS] | A 4240 | AS | | 30-JUL-97 |
| | MIL-C-81952B NOT 1 | COOLER, LIQUID, ELECTRONIC EQUIPMENT (D-957) (AWM-23)V [CUST: AS] | A 4935 | AS | | 30-APR-97 |
| A | MIL-P-81958(2) NOT 1 | PRESSURE RELIEF DEVICES, OVERPRESSURIZATION PREVENTION, WHEEL/TIRE, AIRCRAFT [CUST: AS] | A 1630 | AS | | 10-SEP-97 |
| A | MIL-F-81966 NOT 1 | FUZE FUNCTION CONTROL SET AN/AWW-4(V) [CUST: AS] | A 1290 | AS | | 04-APR-98 |
| | MIL-I-81971A NOT 1 | INK, REACTANT [CUST: AS] | A 6630 | AS | | 09-OCT-96 |
| A | MIL-C-81972 NOT 1 | CABINET, EQUIPMENT STOWAGE - BATTERY CHARGING BCU-13/E [CUST: AS] | A 5825 | AS | | 16-JUL-97 |
| | MIL-S-81977 NOT 2 | SIMULATOR, RADAR SIGNAL SM-697/UPQ-5 [CUST: AS] | A 6625 | AS | | 18-SEP-96 |
| | MIL-T-81978(2) NOT 1 | TEST SET, MISSION RECORDER AN/USM-387 [CUST: AS] | A 4920 | AS | | 11-SEP-96 |
| | MIL-C-81991 NOT 1 | CONVERTER, AIRCRAFT DC TO DC, BOOST GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: GS MI] | A 6130 | AS | | 04-SEP-96 |
| | MIL-C-81991/1A(1) NOT 1 | CONVERTER, 4 AMPERE DC TO DC, BOOST CLASS A, MULTIPURPOSE [CUST: AS] [REVIEW: GS] | A 6130 | AS | | 04-SEP-96 |
| | MIL-M-81999A NOT 1 | MOLDING COMPOUND, REVERSION RESISTANT, NON CARCINOGEN CURING POLYURETHANE, AIRCRAFT STRUCTURE [CUST: MR AS] | A 8030 | AS | | 05-MAR-97 |
| | MIL-G-82058D NOT 2 | GENERATOR SET, DIESEL, 750 KW, 50/60 HERTZ, PRIME, UTILITY [CUST: CR4 99] [REVIEW: 11 50 CE GS] | A 6115 | CR4 | | 30-DEC-96 |
| A | MIL-P-82427C NOT 1 | POWER UNIT (FOR TORPEDO MK 46 MOD 1) [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-I-82431A(4) NOT 1 | INSTRUMENTATION ASSEMBLY (FOR EXERCISE HEAD MK 85 MOD 0, MOD 1, MOD 2, MOD 3, & MOD 4) [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-M-82433A NOT 1 | MOTOR, DIRECT CURRENT (FOR TORPEDO MK 46 MOD 1) [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-P-82436(3) NOT 2 | PUMP, FUEL [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-I-82437(3) NOT 1 | IGNITER [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-G-82438C NOT 1 | GRAIN, IGNITER, PROPELLANT [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-V-82440(3) NOT 1 | VALVE, FUEL INTERLOCK [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-R-82441A(2) NOT 1 | REGULATOR ASSEMBLY, CARBON DIOXIDE PRESSURE [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-P-82442(6) NOT 1 | PUMP, SEA WATER [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-V-82443(1) NOT 1 | VALVE, FUEL SHUT-OFF [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-V-82444A NOT 1 | VALVE FUEL TANK PRESSURIZATION [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-G-82445(4) NOT 1 | GUIDANCE CONTROL TEST SET MARK 443 MOD 1 (FOR TORPEDO MK 46 MOD 0 AND MOD 1) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-A-82446A(5) NOT 1 | AFTERBODY TEST SET MK 486 MOD 0 (FOR TORPEDO MK 46 MOD 0/1) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-T-82447B NOT 1 | TEST SET, EXERCISE HEAD, MARK 485 MOD 0 (FOR TORPEDO MK 46 MOD 0 THROUGH 5) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-P-82448A NOT 1 | POWER UNIT TEST SET (FOR TORPEDO MK 46 MOD 1) [CUST: OS] | A 4921 | OS | | 29-APR-69 |
| A | MIL-C-82449A NOT 1 | COMPUTER TEST SET (FOR TORPEDO MK 46) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-A-82451(2) NOT 1 | ACTUATOR ASSEMBLY TEST SET, (FOR TORPEDO MK 46 MOD 1) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-L-82452A NOT 1 | LOGIC ASSEMBLY (FOR EXERCISE HEAD MK 85) [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-G-82455(2) NOT 1 | GENERATOR, GAS [CUST: OS] | A 1350 | OS | | 22-APR-98 |
| A | MIL-T-82456A NOT 1 | TEST SET, GYROSCOPE, MARK 484 MOD 1 (FOR TORPEDO MK 46 MOD 0 THROUGH 5) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-P-82459(1) NOT 2 | PRESSURE TRANSDUCER (FOR TORPEDO MK46 MOD 0 AND MOD 1) [CUST: OS] [REVIEW: MI] | A 1355 | OS | | 22-APR-98 |
| | MIL-C-82461(1) NOT 2 | CONTAINER, TORPEDO, MK197 MOD 1 AND 2 [CUST: OS] | A 8140 | OS | | 30-SEP-88 |
| A | MIL-V-82466(1) NOT 1 | VACUUM-AIR-NITROGEN DISTRIBUTION SYSTEM [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| | MIL-A-82484 NOT 1 | ADHESIVE AND SEALING COMPOUNDS, CELLULOSE NITRATE BASE, SOLVENT TYPE (FOR ORDNANCE USE) [CUST: AR OS] | A 8040 | AR | | 10-FEB-92 |
| | MIL-P-82500A NOT 1 | POWER SUPPLY, RECTIFIER (FOR TORPEDO MARK 37 MODS 2 AND 3) [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| | MIL-R-82507A NOT 1 | REAR COVER (FOR TORPEDO MARK 37 MOD 2 AND MOD 3) [CUST: OS] | A 1355 | OS | | 31-OCT-86 |
| | MIL-S-82529(1) NOT 1 | SWITCH, THERMAL MARK 56 MOD 1 [CUST: OS] | A 1340 | OS | | 20-DEC-95 |
| | MIL-I-82532(1) | IGNITER, ROCKET MOTOR MARK 251 MOD 0 [CUST: OS] | A 1340 | OS | | 23-FEB-89 |
| | MIL-P-82534(2) NOT 1 | PROGRAMMER, RANGE & AIRFRAME SEPARATION MARK 3 MOD 1 [CUST: OS] | A 1340 | OS | | 02-MAY-69 |
| | MIL-T-82535(1) | TIMER, INTERVAL, MARK 11 MOD 2 (ASSEMBLY) [CUST: OS] | A 1340 | OS | | 28-JAN-69 |
| | MIL-C-82541B NOT 2 | CRATE, UNDERWATER MINE MK 56 MOD 0 GENERAL SPECIFICATION FOR [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| A | MIL-S-82562 NOT 1 | SENSING CIRCUIT ASSEMBLY LD546972 (FOR AFTERBODY TEST SET MK 442 MOD 0 AND ELECTRICAL CABLE TEST SET MK 444 MOD 0) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-P-82563 NOT 1 | POWER SUPPLY ASSEMBLY LD546974 (FOR AFTERBODY TEST SET MK 442 MOD 0 AND ELECTRICAL CABLE TEST SET MK 444 MOD 0) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-B-82564(3) NOT 1 | BISTABLE MULTIVIBRATOR ASSEMBLY LD 546989 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-L-82565(2) NOT 1 | LIGHT CIRCUIT ASSEMBLY LD546991 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-F-82566(2) NOT 1 | FIRE CONTROL ASSEMBLY LD546992 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-S-82567(1) NOT 1 | SPEED CONTROL ASSEMBLY LD546993 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-V-82568(2) NOT 1 | VOLTAGE REGULATOR ASSEMBLY DL 2540850 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| | MIL-C-82594 NOT 1 | CORROSION PREVENTIVE COMPOUND AND SURFACE SEALER FOR NONFERROUS METALS [CUST: AR OS] | A 8030 | OS | | 09-MAY-96 |
| | MIL-C-82604(1) NOT 1 | COMPOUND, ASPHALTIC, HIGH MELTING HOT-MELT (CAVITY LINING) [CUST: OS] | A 8030 | OS | | 09-MAY-96 |
| | MIL-C-82620A NOT 1 | CONNECTOR, TORPEDO TUBE CABLE, MK 47 MOD 0 AND MK 48 MOD 0 [CUST: OS] | A 1355 | OS | | 31-JUL-96 |
| A | MIL-C-82629 NOT 1 | CABLE, TORPEDO CONTROL, TYPE (B), MK 7 MODS 0, 1, AND 2 [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-C-82630 NOT 1 | CABLE, ELECTRIC, 65-CONDUCTOR [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-C-82631 NOT 1 | CONNECTOR, CABLE, TUBE DOOR, MK 42 MOD 1 [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-C-82632A NOT 1 | CONNECTOR KIT, SPLICE, SINGLE WIRE [CUST: OS] | A 1355 | OS | | 22-APR-98 |
| A | MIL-T-82641 NOT 1 | TEST SET, ELECTRICAL, TORPEDO CONTROL CABLE, MARK 519 MOD 0 [CUST: OS] | A 4921 | OS | | 22-APR-98 |
| A | MIL-P-82646A NOT 1 | PLASTIC FILM, CONDUCTIVE, HEAT-SEALABLE, FLEXIBLE [CUST: OS] | A 8135 | OS | | 22-APR-98 |
| | MIL-B-82647A NOT 1 | BAG, CONDUCTIVE PLASTIC, HEAT-SEALABLE, FLEXIBLE [CUST: OS] | A 8105 | OS | | 20-DEC-95 |
| | MIL-P-82650(1) NOT 1 | PLASTIC MOLDING MATERIAL, GLASS PHENOLIC [CUST: OS] [REVIEW: AS] | A 9330 | OS | | 20-MAY-92 |
| | MIL-E-82668 NOT 1 | EXPLOSIVES, CYCLOTOL, 25/75 AND 29/71, RDX/TNT [CUST: OS 99] | A 1376 | OS | | 20-DEC-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-G-82682 NOT 1 | GRAPHITE BILLETS, EXTRUDED (FOR HIGH TEMPERATURE APPLICATION) [CUST: OS] | A 9620 | OS | | 20-MAY-92 |
| | MIL-A-82690 NOT 2 | ARMING-FIRING DEVICE, ROCKET MOTOR, MARK 28 MOD 0 [CUST: OS] | A 1377 | OS | | 20-MAY-92 |
| | MIL-P-82691A NOT 1 | PROPELLANT GRAIN, IGNITER [CUST: OS] | A 1340 | OS | | 20-MAY-92 |
| | MIL-F-82700 NOT 1 | FILM, POLYESTER [CUST: OS] | A 9330 | OS | | 20-MAY-92 |
| | DOD-S-82708 NOT 1 | SEALING COMPOUND, PREFORMED (METRIC) [CUST: OS] | A 8030 | OS | | 20-MAY-92 |
| | DOD-A-82720(1) NOT 2 | ADHESIVE, MODIFIED-EPOXY, FLEXIBLE, TWO-PART (METRIC) [CUST: OS] | A 8040 | OS | | 09-MAY-96 |
| A | MIL-T-82726 NOT 1 | TORPEDO TUBE, SURFACE VESSEL, MARK 32 MOD 14 [CUST: OS] | A 1045 | OS | | 22-APR-98 |
| | MIL-E-82732 NOT 1 | EXPLOSIVES, DESTEX (CONTROLLED DISTRIBUTION) [CUST: OS] | D 1376 | OS | | 20-DEC-95 |
| | MIL-C-82747 NOT 1 | COATING POLYURETHANE CLEAR, SAFFLOWER OIL MODIFIED ALKYD [CUST: OS] | A 8010 | OS | | 09-MAY-96 |
| | MIL-C-82807 NOT 1 | COATING, FLAMEPROOF [CUST: OS] | A 8010 | OS | | 09-MAY-96 |
| A | MIL-L-82893A NOT 1 | LEAD FOIL [CUST: OS] | A 9535 | OS | | 22-APR-98 |
| | MIL-E-82898 NOT 1 | EXPLOSIVE, PLASTIC-BONDED, CAST, PBX(AF)-108 [CUST: OS] [REVIEW: AS] | A 1376 | OS | | 20-DEC-95 |
| A | MIL-C-83019(3) NOT 2 | COATING, POLYURETHANE, FOR PROTECTION OF INTEGRAL FUEL TANK SEALING COMPOUND [CUST: 11] [REVIEW: 84 99] | A 8030 | 11 | | 17-OCT-97 |
| | MIL-I-83026D NOT 1 | INDICATORS, RATE OF FLOW, FUEL [CUST: AS 99] [REVIEW: 01] | X 6620 | 71 | | 15-MAR-96 |
| | MIL-T-83027C(1) NOT 1 | TRANSMITTER, RATE OF FLOW, FUEL TRU-98/A [CUST: AS 99] | A 6620 | 71 | | 15-MAR-96 |
| | MIL-S-83030A NOT 2 | STEEL ALLOY, CARBURIZING, BARS AND BILLETS, STEEL NICKEL-CHROMIUM (3310, 3316, AND 9310), PREMIUM QUALITY (USE SAE-AMS6250, SAE-AMS6260, SAE-AMS6265, SAE-AMS6267) [CUST: MR AS 11] [REVIEW: 99 AV MI] | A 9510 | 11 | | 05-MAY-95 |
| | MIL-I-83034B NOT 1 | INDICATOR, HORIZONTAL SITUATION AQU-6/A [CUST: AV 99] [REVIEW: 01] | X 6605 | 71 | | 01-APR-96 |
| A | MIL-P-83037A(1) NOT 1 | PLATFORM, CARGO, AERIAL DELIVERY A/E29H-1 [CUST: 99] [REVIEW: 11] | A 1670 | 82 | | 17-OCT-97 |
| A | MIL-S-83047B NOT 1 | SURVIVAL KIT CONTAINER, CNU-111/P [CUST: 99] | A 1660 | 82 | | 01-OCT-97 |
| A | MIL-B-83054B(2) NOT 2 | BAFFLE AND INERTING MATERIAL, AIRCRAFT FUEL TANK [CUST: 99] [REVIEW: AV] | A 9330 | 84 | | 15-OCT-96 |
| | MIL-S-83135 NOT 3 | STEEL BARS, REFORGING STOCK, AND MECHANICAL TUBING, 4340M, HIGH QUALITY (USE SAE-AMS6414) [CUST: 11] | A 9510 | 11 | | 05-MAY-95 |
| | MIL-F-83142A NOT 3 | FORGING, TITANIUM ALLOYS, PREMIUM QUALITY [CUST: 11] [REVIEW: 84 99] | A 9530 | 11 | | 24-MAR-95 |
| A | MIL-H-83147(3) NOT 1 | HELMET SHELL, FLYING, HGU-22/P [CUST: 99] | A 8475 | 82 | | 18-JUL-97 |
| | MIL-I-83152B(1) NOT 1 | INDICATOR, INDICATED-AIR SPEED AVU-22/A (INDICATOR-TRANSDUCER) [CUST: 99] | A 6610 | 71 | | 15-JAN-96 |
| | MIL-G-83172B(6) NOT 1 | GYROSCOPE ASSEMBLY, RATE SBU-13/A [CUST: 99] | A 6615 | 71 | | 15-JAN-96 |
| | MIL-B-83183B NOT 1 | BARRIER AIRCRAFT ARRESTING [CUST: 99] | A 1710 | 82 | | 21-JUL-95 |
| M | MIL-DTL-83197B NOT 1 | LINER, ANTI-EXPOSURE, FLYING COVERALLS CWU-23/P [CUST: GL AS 99] | A 8475 | 82 | | 22-JUN-98 |
| | MIL-A-83212A(2) NOT 1 | ALTIMETER, PRESSURE AAU-27/A [CUST: 99] | A 6610 | 71 | | 15-JAN-96 |
| | MIL-T-83229B NOT 1 | TRAILER, AIRCRAFT ENGINE ETU-91/E [CUST: 99] | A 1740 | 82 | | 11-AUG-95 |
| A | MIL-R-83248C NOT 1 | RUBBER, FLUOROCARBON ELASTOMER, HIGH TEMPERATURE, FLUID, AND COMPRESSION SET RESISTANT [CUST: MR AS 11] [REVIEW: 82 99 SH] | A 5330 | 11 | | 31-DEC-97 |
| A | MIL-R-83248/1A NOT 3 | RUBBER, FLUOROCARBON ELASTOMER, HIGH TEMPERATURE, FLUID, AND COMPRESSION SET RESISTANT, O-RINGS, CLASS 1, 75 HARDNESS [CUST: 11] [REVIEW: AV] | A 5330 | 11 | | 31-DEC-97 |
| A | MIL-R-83248/2(1) NOT 3 | RUBBER, FLUOROCARBON ELASTOMER, HIGH TEMPERATURE, FLUID, AND COMPRESSION SET RESISTANT, O-RINGS, CLASS 2, 90 HARDNESS [CUST: 11] | A 5330 | 11 | | 31-DEC-97 |
| | MIL-C-83260A NOT 1 | COUPLER, HYDRANT VALVE GRU-16/E [CUST: 99] | A 4930 | 82 | | 08-OCT-96 |
| A | MIL-R-83283A NOT 3 | RUBBER SILICONE, HIGH STRENGTH, CABIN PRESSURE SEAL MATERIAL, DIAPHRAGM TYPE [CUST: 11] [REVIEW: 71] | A 9320 | 11 | | 17-OCT-97 |
| A | MIL-R-83285 NOT 3 | RUBBER, ETHYLENE-PROPYLENE, GENERAL PURPOSE [CUST: 11] [REVIEW: 82 99] | A 5330 | 11 | | 31-DEC-97 |
| A | MIL-P-83310 NOT 1 | PLASTIC SHEET, POLYCARBONATE, TRANSPARENT [CUST: 11] [REVIEW: 99 GS] | A 9330 | 11 | | 31-DEC-97 |
| | MIL-S-83311 NOT 2 | STEEL BAR, AND WIRE, (455) CORROSION RESISTANT, PRECIPITATION HARDENING [CUST: 11] [REVIEW: 99] | A 9510 | 11 | | 10-11-95 |
| A | MIL-S-83318A NOT 1 | SEALING COMPOUND, LOW TEMPERATURE CURING, QUICK REPAIR INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES [CUST: 11] [REVIEW: 84] | A 8030 | 11 | | 31-DEC-97 |
| | MIL-DTL-83361A | INDICATOR, PRESSURE OIL, DUAL, 0-100 PSI, EGU-18/A [CUST: 99 GS] [REVIEW: 71] | A 6620 | GS | | 23-FEB-96 |
| A | MIL-Y-83370A NOT 2 | YARN, ROVING, AND CLOTH: HIGH MODULUS, ORGANIC FIBER [CUST: 11] [REVIEW: 45] | A CMPS | 11 | | 15-DEC-97 |
| A | MIL-A-83376A NOT 2 | ADHESIVE BONDED METAL FACED SANDWICH STRUCTURES, ACCEPTANCE CRITERIA [CUST: 11] [REVIEW: OS] | A 8040 | 11 | | 31-DEC-97 |
| A | MIL-C-83390(2) NOT 1 | CONNECTOR, HOSE, QUICK ACTING, MALE, ANTI-G GARMENT [CUST: 99] | A 4730 | 82 | | 23-DEC-97 |
| A | MIL-R-83397A NOT 3 | RUBBER, POLYURETHANE, CASTABLE, HUMIDITY RESISTANT [CUST: MR SH 11 IS] [REVIEW: 99 AS] | A 5330 | IS | | 09-FEB-98 |
| A | MIL-A-83406B(3) NOT 1 | ANTI-G GARMENT, CUTAWAY, CSU-13B/P [CUST: 99] | A 8475 | 82 | | 01-OCT-97 |
| A | MIL-R-83407A NOT 1 | RELAYS, REED (MERCURY WETTED), GENERAL SPECIFICATION FOR [CUST: 85] | A 5945 | CC | | 28-JUN-96 |
| A | MIL-R-83407/3B(1) NOT 2 | RELAYS, REED (MERCURY WETTED), ALL WELDED, 0 TO 7.5 VOLT AMPERES [CUST: CR EC 85] | A 5945 | CC | | 28-JUN-96 |
| A | MIL-G-83410 NOT 2 | GRAPHITE FIBER RESIN IMPREGNATED TAPE AND SHEET, FOR HAND LAYUP [CUST: 11] [REVIEW: GS] | A 9330 | 11 | | 31-DEC-97 |
| A | MIL-R-83412A NOT 3 | RUBBER, ETHYLENE-PROPYLENE, HYDRAZINE RESISTANT [CUST: OS 11] [REVIEW: 82 99 IS] | A 5330 | 11 | | 31-DEC-97 |
| A | MIL-R-83412/1 NOT 3 | RUBBER, ETHYLENE-PROPYLENE, HYDRAZINE RESISTANT, O-RINGS SIZES AND TOLERANCES [CUST: 11] | A 5330 | 11 | | 31-DEC-97 |
| | MIL-C-83413/5 NOT 1 | CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: RECEPTACLES, ONE PIECE [CUST: AV AS 11] [REVIEW: 18 82 85 90 99 AR CC CR CR4 MC MI] | A 5935 | AS | | 17-OCT-91 |
| | MIL-A-83419C(3) NOT 1 | ALTIMETER, SERVO CONTROLLED, AUTOMATIC PRESSURE STANDBY [CUST: 99] | A 6610 | 71 | | 01-AUG-96 |
| | MIL-S-83427(1) NOT 2 | SURVIVAL KIT CONTAINERS, CNU-129(V)/P AND CNU-130/P [CUST: 11] [REVIEW: 99] | A 1660 | 82 | | 09-MAY-97 |
| | MIL-I-83449 NOT 1 | INDICATOR SET, LIQUID OXYGEN QUANTITY, A/A24J-21 [CUST: 99] | A 6680 | 82 | | 26-JUL-96 |
| A | MIL-P-83461B(3) NOT 2 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, IMPROVED PERFORMANCE AT 275 DEG. F (135 DEG. C) [CUST: AS 11] [REVIEW: 99 IS] | A 5330 | 11 | | 31-DEC-97 |
| A | MIL-P-83461/1B NOT 1 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT IMPROVED PERFORMANCE AT 275 DEGREE F (135 DEGREE C) SIZES AND TOLERANCES [CUST: AV AS 11] [REVIEW: 82 99 IS] | A 5330 | 11 | | 31-DEC-97 |
| A | MIL-P-83461/2 NOT 1 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT IMPROVED PERFORMANCE AT 275 DEG. F (135 DEG. C) FOR USE IN BOSS FITTINGS, SIZES AND TOLERANCES [CUST: AV AS 11] [REVIEW: 82 99 IS SH] | A 5330 | 11 | | 31-DEC-97 |
| A | MIL-S-83474 NOT 1 | SHIMS, MOLDED, FILLED RESIN COMPOUND AND SHEET PREPREG [CUST: 11] [REVIEW: GS] | A 9330 | 11 | | 31-DEC-97 |
| A | MIL-R-83485(3) NOT 2 | RUBBER, FLUOROCARBON ELASTOMER, IMPROVED PERFORMANCE AT LOW TEMPERATURES [CUST: 11] [REVIEW: 82 99 IS] | A 5330 | 11 | | 31-DEC-97 |
| A | MIL-R-83485/1 NOT 3 | RUBBER, FLUOROCARBON ELASTOMER, IMPROVED PERFORMANCE AT LOW TEMPERATURES, O-RINGS, SIZES AND TOLERANCES [CUST: 11] | A 5330 | 11 | | 31-DEC-97 |
| A | MIL-L-83491A NOT 1 | LIFE RAFTS, INFLATABLE, LRU-16/P AND LRU-17/P [CUST: 99] | A 4220 | 82 | | 31-JUL-97 |
| | MIL-B-83665B NOT 1 | BAG, PILOT RELIEF (MALE) [CUST: 99] | A 8475 | 82 | | 22-OCT-96 |
| A | MIL-C-83669A NOT 1 | CONTAINERS, NESTABLE OR COLLAPSIBLE, REUSABLE, SHIPPING AND STORAGE, ASSEMBLED EXTERNAL AIRCRAFT FUEL TANKS [CUST: 69] [REVIEW: 11 71 80 82 84 99] | A 8145 | 69 | | 04-APR-98 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-C-83723/17B(1) | CONNECTORS ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (CABLE CONNECTING, THREADED COUPLING, CRIMP SOCKET CONTACTS), (SERIES II, CLASSES A, G, AND R) [CUST: 85] [REVIEW: 11 17 19 99] | A 5935 | CC | | 14-SEP-93 |
| | MIL-C-83723/18B(1) | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (CABLE CONNECTING, THREADED COUPLING, CRIMP PIN CONTACTS), (SERIES II, CLASSES A, G, AND R) [CUST: 85] [REVIEW: 11 17 19 99] | A 5935 | CC | | 14-SEP-93 |
| | MIL-C-83723/19C(1) | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (WALL MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACTS), (SERIES II, CLASSES A, G, K, AND R) [CUST: 85] [REVIEW: 11 17 19 99] | A 5935 | CC | | 14-SEP-93 |
| | MIL-C-83723/20C(1) | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (WALL MOUNT, THREADED COUPLING, CRIMP PIN CONTACTS), (SERIES II, CLASSES A, G, K, AND R) [CUST: 85] [REVIEW: 11 17 19 99] | A 5935 | CC | | 14-SEP-93 |
| | MIL-C-83723/21B(1) | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (BOX MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACTS), (SERIES II, CLASSES A, G, AND R) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99] | A 5935 | CC | | 14-SEP-93 |
| | MIL-C-83723/22B(1) | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (BOX MOUNT, THREADED COUPLING, CRIMP PIN CONTACTS), (SERIES II, CLASSES A, G, AND R) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99] | A 5935 | CC | | 14-SEP-93 |
| | MIL-C-83723/23C(1) | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP SOCKET CONTACTS), (SERIES II, CLASSES A, G, G, AND R) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99] | A 5935 | CC | | 14-SEP-93 |
| | MIL-C-83723/24C(1) | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP PIN CONTACTS), (SERIES II, CLASSES A, G, K, AND R) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99] | A 5935 | CC | | 14-SEP-93 |
| | MIL-C-83723/27A(2) | CONNECTOR, ELECTRIC, BACKSHELL, WITH HEAT-SHRINKABLE STRAIN-RELIEF BOOT (STRAIGHT OR RIGHT ANGLE), THREADED-COUPLING SERIES II [CUST: CR AS 85 CC] [REVIEW: 99] | A 5935 | CC | | 14-SEP-93 |
| | MIL-C-83723/35E | CONNECTOR, ELECTRIC, BACKSHELL, STRAIGHT W/O STRAIN RELIEF, AND WITH MECHANICAL STRAIN RELIEF, STRAIGHT OR RIGHT ANGLE THREADED COUPLING SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99] | A 5935 | CC | | 10-NOV-88 |
| | MIL-C-83723/37A NOT 2 | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (BAYONET COUPLING, PREWIRED, SOCKET CONTACT), (SERIES I, CLASSES A, G, AND R) SHELL SIZE 8 FOR INSERTS 8-2, 8-3, AND 8-4 ONLY [CUST: CR AS 85 CC] [REVIEW: 11 17 70 80 84 99] | A 5935 | CC | | 25-MAY-93 |
| | MIL-C-83723/50C(2) | CONNECTOR, ELECTRICAL, CIRCULAR, ENVIRONMENT RESISTING, BACKSHELL, STRAIGHT, 90 DEG., AND 45 DEG. WITH DIELECTRIC STRAIN RELIEF, FOR SERIES 2 CONNECTORS [CUST: CR AS 85 CC] [REVIEW: 99] | A 5935 | CC | | 14-SEP-93 |
| | MIL-C-83723/53B | CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, CRIMP SOCKET CONTACTS), (SERIES II, CLASS K) [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99] | A 5935 | CC | | 09-JUN-89 |
| A | MIL-R-83726/7C(1) | RELAYS, HYBRID, TIME DELAY, ON PICKUP, TYPE I, CLASS A, 2 AMPERES, 2PDT, FIXED TIME, 0.06 TO 300 SECONDS [CUST: EC 85 CC] [REVIEW: 99] | A 5945 | CC | | 15-APR-94 |
| A | MIL-R-83726/8C(1) | RELAYS, HYBRID, TIME DELAY (ON RELEASE), TYPE IIA, CLASS A, 2 AMPERES, 2PDT, FIXED TIME, 0.100 TO 300 SECONDS [CUST: EC 85 CC] [REVIEW: 99] | A 5945 | CC | | 15-APR-94 |
| A | MIL-R-83726/12D | RELAYS, HYBRID, TIME DELAY (ON RELEASE), TYPE IIA, CLASS B, 10 AMPERES, 4PDT, HERMETICALLY SEALED, FIXED TIME, 0.100 TO 300 SECONDS (USE MIL-R-83726/29) [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 27-MAR-95 |
| A | MIL-R-83726/14C | RELAYS, HYBRID, TIME DELAY (ON OPERATE), TYPE I, CLASS B, 10 AMPERES, 4PDT, HERMETICALLY SEALED, FIXED TIME, 0.100 TO 300 SECONDS [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 25-JUN-93 |
| A | MIL-R-83726/18F | RELAYS, HYBRID, TIME DELAY (ON RELEASE), TRACK MOUNTED, TYPE IIA, CLASS B, 10 AMPERES, 2PDT, HERMETICALLY SEALED, FIXED TIME, 0.1 TO 300 SECONDS [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 23-JUN-95 |
| A | MIL-R-83726/19F | RELAYS, HYBRID, TIME DELAY (ON OPERATE), TRACK MOUNTED, TYPE I, CLASS B, 10 AMPERES, 2PDT, HERMETICALLY SEALED, FIXED TIME, 0.1 TO 300 SECONDS [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 23-JUN-95 |
| A | MIL-R-83726/22D | RELAYS, SOLID STATE, REPEAT CYCLE TIMER, TYPE IV, CLASS C, SPST, 250 MILLIAMPERES [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-AUG-94 |
| A | MIL-R-83726/23C | RELAYS, HYBRID, TIME DELAY (ON RELEASE), TYPE II B, CLASS B, 10 AMPERES, 4PDT, HERMETICALLY SEALED [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 22-DEC-94 |
| A | MIL-R-83726/24K | RELAYS, SOLID STATE, TIME DELAY (ON OPERATE), TRACK MOUNTED, TYPE I, CLASS C, SPST, 150 MILLIAMPERES, FIXED TIME, 50 MILLISECONDS TO 500 SECONDS [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 23-JUN-95 |
| A | MIL-R-83726/25G | RELAYS, SOLID STATE, TIME DELAY (ON RELEASE) TRACK MOUNTED, TYPE IIA, CLASS C, SPST, 150 MILLIAMPERES, FIXED TIME, .050 TO 500 SECONDS [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 23-JUN-95 |
| A | MIL-R-83726/27J | RELAYS, HYBRID, TIME DELAY, VOLTAGE SENSITIVE, DELAY ON DROP-OUT, CLASS A, TYPE V, HERMETICALLY SEALED (POTTED), SPDT, 2 AMPERE, TRACK MOUNTED [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 23-JUN-95 |
| A | MIL-W-83779B NOT 2 | WATER INDICATING PASTE, METRIC [CUST: SH 68] [REVIEW: AS GS MC SA YDI] | A 6850 | 68 | | 13-NOV-97 |
| | MIL-A-83783 NOT 3 | ADAPTER, TEST, MX-9042/G [CUST: 79] [REVIEW: 19] | A 1190 | 79 | | 12-JUL-95 |
| M | MIL-P-83800A(2) NOT 1 | PROPANEDIOL (METRIC) 1,2 [CUST: OS 68 GS] [REVIEW: 80] | A 6810 | GS | | 17-MAR-98 |
| | MIL-T-83808 NOT 1 | TRACTOR, COMMERCIAL, 4X2, DIESEL ENGINE DRIVEN (DED), SUPPORT EQUIPMENT (SE) TOWING 40,000 POUNDS, AIRCRAFT (AC) TOWING 70,000 POUNDS, 4,500 POUNDS DRAWBAR PULL (DBP) [CUST: 99] | A 1740 | 84 | | 22-MAR-96 |
| | MIL-C-83811 NOT 1 | CRANE, FLOOR, PORTABLE, TRESTLE TYPE 8,000 POUND CAPACITY [CUST: 99] | A 3950 | 84 | | 06-MAR-96 |
| | MIL-G-83824 NOT 1 | GYROSCOPE, RATE, TYPE I, TYPE II, AND TYPE III [CUST: 99] | A 6615 | 70 | | 15-MAY-97 |
| | MIL-T-83830 NOT 1 | TRUCK, LIFT, FORK, ROUGH TERRAIN, DIESEL ENGINE DRIVEN, 25,000 POUND CAPACITY AT A 48 INCH LOAD CENTER [CUST: 99] | A 3930 | 84 | | 06-MAR-96 |
| | MIL-C-83856(5) NOT 1 | COMPUTER, ATTACK TYPE CPU-73 A/P [CUST: 99] | A 6605 | 71 | | 01-APR-97 |
| | MIL-S-83862A NOT 1 | STRAP, RETENTION, SURVIVAL KIT [CUST: 99] | A 1680 | 82 | | 20-NOV-96 |
| | MIL-S-83863B NOT 1 | SPACER ASSEMBLY, SURVIVAL CONTAINER PARACHUTE SUPPORT [CUST: 99] | A 1660 | 82 | | 31-JUL-96 |
| A | MIL-R-83866 NOT 1 | RECEIVER, OXYGEN MASK, ASSEMBLY OF [CUST: 99] [REVIEW: 11] | A 1660 | 82 | | 10-OCT-97 |
| | MIL-T-83871B NOT 1 | TRANSDUCER, MOTIONAL PICKUP, VIBRATION, VELOCITY [CUST: 99] | A 6695 | 71 | | 15-JAN-96 |
| | MIL-G-83872A(2) NOT 1 | GYROSCOPE, DISPLACEMENT, TYPE SBU-23/A [CUST: 99] | A 6615 | 71 | | 15-JUL-94 |
| | MIL-P-83927B NOT 1 | POWER SUPPLY, GUIDED MISSILE LAUNCHERS, SINGLE TYPES PP-2401B/A, PP-2401C/A, PP-2401D/A, PP-4285/A, PP-4286/A, AND COMPOSITE TYPE PP-4506/A AND PS-1037C [CUST: 99] | A 1440 | 84 | | 12-OCT-95 |
| | MIL-T-83928A NOT 3 | TEST SET, GUIDED MISSILE LAUNCHERS, SM-419/A [CUST: 99] | A 4935 | 84 | | 15-APR-96 |
| | MIL-T-83944 NOT 3 | TEST SET, GUIDED MISSILE A/E 24T-82 [CUST: 99] | A 4935 | 84 | | 29-DEC-95 |
| | MIL-C-83959 NOT 2 | CYLINDER, AIR PURIFIER [CUST: CR4 SH 99] [REVIEW: CC] | A 4330 | 84 | | 11-MAR-96 |
| | MIL-C-83960A NOT 1 | CYLINDER, DEHYDRATOR [CUST: 84] [REVIEW: 99] | A 4440 | 84 | | 13-SEP-96 |
| | MIL-W-83970B NOT 1 | WING AND ROLLERON ASSEMBLY, AIM-9 [CUST: 99] | A 1420 | 84 | | 04-SEP-95 |
| | MIL-C-83996A NOT 1 | CARTRIDGE, DESICCANT [CUST: 84] [REVIEW: 99] | A 4440 | 84 | | 13-SEP-96 |
| | MIL-C-85002B NOT 1 | CHAFF PACKAGE (TYPE RR-Q/AL) GENERAL SPECIFICATION FOR [CUST: AS] | A 5865 | AS | | 30-APR-97 |
| | MIL-C-85002/1A NOT 2 | CHAFF PACKAGE (TYPE RR-153A/AL) [CUST: AS] | A 5865 | AS | | 30-APR-97 |
| | MIL-C-85002/2A NOT 2 | CHAFF PACKAGE (TYPE RR-152A/AL) [CUST: AS] | A 5865 | AS | | 30-APR-97 |
| | MIL-C-85002/3A NOT 2 | CHAFF PACKAGE (TYPE RR-173/AL) [CUST: AS] | A 5865 | AS | | 30-APR-97 |
| | MIL-C-85002/4 NOT 2 | CHAFF PACKAGE (TYPE RR-177/AL) [CUST: AS] | A 5865 | AS | | 30-APR-97 |
| | MIL-S-85018A NOT 1 | SECOND ORDER ATTITUDE REFERENCE SYSTEM (SOARS) AN/ASN-116 [CUST: AS 11] | A 6605 | AS | | 28-AUG-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|--------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-C-85019 NOT 1 | COMPUTER, AIR NAVIGATION, TRUE AIRSPEED, MACH NUMBER, WIND COMPONENTS, SUPERSONIC, TYPE MB-9 [CUST: AS] | A 6605 | AS | | 30-APR-97 |
| | MIL-T-85027 NOT 1 | TEST SET, ANTENNA, BORESIGHT TS-3568 ()/AWM-23(V) [CUST: AS] | A 4935 | AS | | 30-APR-97 |
| | MIL-T-85032A NOT 2 | TEST SET, GUIDED WEAPON AN/DSM-92C [CUST: AS] | A 4935 | AS | | 11-SEP-96 |
| | MIL-V-85033A NOT 1 | VALVE, CHARGING [CUST: AS] | A 1055 | AS | | 15-SEP-95 |
| | MIL-T-85039 NOT 1 | TEST SET, MISSILE INTERFACE (MITS) TS-3561 ()/AWM-23(V) [CUST: AS] | A 4935 | AS | | 30-APR-97 |
| | MIL-H-85047A(2) NOT 1 | HELMET ASSEMBLY, HGU-34/P [CUST: AS] | A 8475 | AS | | 18-SEP-96 |
| | MIL-C-85049/34A | CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, THREADED ADAPTER, CATEGORY 3C (FOR MIL-C-26482 SERIES I JAM NUT RECEPTACLE CONNECTOR) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/41 | CONNECTOR ACCESSORIES, ELECTRICAL, NONENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/53A | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, STRAIGHT, CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/54A | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 45 DEG., CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| | MIL-C-85049/55B | CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90 DEG., SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) [CUST: CR AS 85] [REVIEW: 11 99 AR CC EC MI] | A 5935 | AS | | 30-NOV-90 |
| A | DOD-C-85050(2) NOT 1 | CHARGER, BATTERY, NICKEL CADMIUM, AIRCRAFT [CUST: AS] | A 6130 | AS | | 13-AUG-97 |
| A | DOD-C-85050/1A NOT 1 | CHARGER, BATTERY, NICKEL CADMIUM AIRCRAFT 30 AMPERE CHARGER, DC INPUT [CUST: AS] | A 6130 | AS | | 13-AUG-97 |
| | MIL-E-85051 NOT 1 | ENCODERS, SHAFT POSITION TO DIGITAL, NON-CONTACT TYPE, ALTITUDE REPORTING [CUST: AS] | A 5990 | AS | | 16-NOV-92 |
| | MIL-T-85053 NOT 1 | TEST SET AN/AWM-80 FOR THE AN/AVG-10A MISSILE CONTROL SYSTEM [CUST: AS] | A 4935 | AS | | 11-SEP-96 |
| | MIL-A-85055 NOT 2 | AVIONICS SYSTEM PERFORMANCE SPECIFICATION FOR A-4M/AV-8 BOMBING SET, ANGLE RATE AN/ASB-19(V) [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| | MIL-D-85056A NOT 2 | DUAL MODE TRACKER FOR BOMBING SET, ANGLE RATE AN/ASB-19(V) [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| | MIL-W-85057 NOT 2 | WEAPONS DELIVERY COMPUTER FOR THE BOMBING SET, ANGLE RATE AN/ASB-19(V) [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| | MIL-C-85058 NOT 2 | CONTROL UNIT SUBSYSTEM FOR THE BOMBING SET, ANGLE RATE AN/ASB-19(V) [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| | MIL-T-85068 NOT 1 | TEST SET, FIRE CONTROL SYSTEM AN/AWM-87 [CUST: AS] | A 1270 | AS | | 15-NOV-95 |
| A | MIL-S-85069B SUP 1 NOT 2 | SLEEVES, FASTENER, GENERAL SPECIFICATION FOR [CUST: AV AS 99 IS] [REVIEW: 82] | A 5365 | IS | | 18-JUL-97 |
| A | MIL-S-85069/1A NOT 2 | SLEEVES, FASTENER, GROOVED, RELIABILITY AND MAINTAINABILITY (REPAIR AND MAINTENANCE) REQUIREMENTS FOR [CUST: AR AS 99 IS] [REVIEW: 82] | A 5365 | IS | | 18-JUL-97 |
| A | MIL-S-85069/2A NOT 3 | SLEEVES, FASTENER, GROOVED, PROTRUDING HEAD, SHEAR AND TENSION, 1/64 OVERSIZE [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5365 | IS | | 18-JUL-97 |
| A | MIL-S-85069/3A NOT 3 | SLEEVES, FASTENER, GROOVED, 100 DEG. FLUSH REDUCED HEAD, SHEAR, 1/64 OVERSIZE [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5365 | IS | | 18-JUL-97 |
| A | MIL-S-85069/5A NOT 2 | SLEEVES, FASTENER, GROOVED, 100 DEGREE FLUSH FULL HEAD, TENSION, 1/64 OVERSIZE [CUST: AV AS 99 IS] [REVIEW: 82 AR] | A 5365 | IS | | 18-JUL-97 |
| A | MIL-S-85069/6A NOT 3 | SLEEVES, FASTENER, GROOVED, PROTRUDING HEAD SHEAR AND TENSION, 1/32 OVERSIZE [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5365 | IS | | 18-JUL-97 |
| A | MIL-S-85069/7A NOT 3 | SLEEVES, FASTENER, GROOVED, 100 DEG. FLUSH REDUCED HEAD, SHEAR, 1/32 OVERSIZE [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5365 | IS | | 18-JUL-97 |
| A | MIL-S-85069/9A NOT 3 | SLEEVES, FASTENER, GROOVED, 100 DEG. FLUSH FULL HEAD, TENSION, 1/32 OVERSIZE [CUST: AV AS 11 IS] [REVIEW: 99 AR] | A 5365 | IS | | 18-JUL-97 |
| A | MIL-S-85069/10 NOT 1 | SLEEVE (GROMMET), HARD SEAT, REDUCED HEAD, SWAGED, COUNTERSUNK, PANEL FASTENER [CUST: AV AS 99 IS] [REVIEW: 82 AR] | A 5365 | IS | | 18-JUL-97 |
| A | MIL-S-85069/11 NOT 1 | SLEEVE (GROMMET), HARD SEAT, TENSION HEAD, SWAGED, COUNTERSUNK, PANEL FASTENER [CUST: AV AS 99 IS] [REVIEW: 82 AR] | A 5365 | IS | | 18-JUL-97 |
| | MIL-T-85075/1A NOT 2 | TIE DOWN ASSEMBLY, HELICOPTER BLADE CH-46 HELICOPTER [CUST: AS] | A 1730 | AS | | 29-JAN-97 |
| | MIL-T-85075/2A NOT 2 | TIE DOWN ASSEMBLY, HELICOPTER BLADE CH-53 HELICOPTER [CUST: AS] | A 1730 | AS | | 29-JAN-97 |
| | MIL-C-85077 NOT 2 | CAPS, BLASTING, SPECIAL [CUST: AS] | A 1375 | AS | | 11-SEP-96 |
| | MIL-I-85080(1) NOT 2 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, GENERAL SPECIFICATION FOR [CUST: AS] | A 5970 | AS | | 09-OCT-96 |
| | MIL-I-85080/1A NOT 1 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYVINYL CHLORIDE, FLEXIBLE NON CROSSLINKED [CUST: AS] | A 5970 | AS | | 09-OCT-96 |
| | MIL-I-85080/2 NOT 1 | INSULATION SLEEVING, ELECTRICAL, NON HEAT SHRINK, SILICONE RUBBER, FLEXIBLE [CUST: AS] | A 5970 | AS | | 09-OCT-96 |
| | MIL-I-85080/3 NOT 1 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYURETHANE FLEXIBLE [CUST: AS] | A 5970 | AS | | 09-OCT-96 |
| | MIL-I-85080/4 NOT 1 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, CHLOROSULFONATED POLYETHYLENE FLEXIBLE [CUST: AS] | A 5970 | AS | | 09-OCT-96 |
| | MIL-I-85080/5 NOT 1 | INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYCHLOROPRENE [CUST: AS] | A 5970 | AS | | 09-OCT-96 |
| A | MIL-I-85083A NOT 1 | INDICATOR, ANALOG DISPLAY IP-722F/AVA-1 [CUST: AS] | A 5895 | AS | | 16-JUL-97 |
| | MIL-W-85091(1) NOT 1 | WHEEL AND CARBON BRAKE ASSEMBLY, F-14A [CUST: AS] | A 1630 | AS | | 18-SEP-96 |
| | MIL-I-85112 NOT 1 | INDICATOR SET, VERTICAL SCALE [CUST: AS] | A 6695 | AS | | 16-OCT-96 |
| | MIL-A-85116 NOT 1 | ACTUATOR, PISTON, MINIATURE [CUST: AS] | A 1370 | AS | | 11-SEP-96 |
| A | MIL-G-85231(1) NOT 2 | GUIDED WEAPON CONTROL GROUP OK-293A/AWW [CUST: AS] | A 1430 | AS | | 04-APR-98 |
| | MIL-T-85236 NOT 1 | TEST SET, SWITCHING UNIT TS-3634/ARM [CUST: AS] | A 4920 | AS | | 11-SEP-96 |
| | MIL-C-85247 NOT 2 | COMPUTER, AIR DATA CP-1005A/A [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| A | MIL-T-85284 NOT 1 | TEST SET, ADAPTER GROUP, OF-65/ASM [CUST: AS] | A 7035 | AS | | 31-MAR-98 |
| A | MIL-T-85288 NOT 2 | TACTICAL NAVIGATION SET AN/ASN-123, GROUND SUPPORT EQUIPMENT ELECTRONIC SYSTEMS TEST SET, AN/ASM-614 [CUST: AS] | A 5825 | AS | | 16-JUL-97 |
| | MIL-D-85294(1) NOT 1 | DETONATOR, ELECTRIC, MARK 71 MOD 1 [CUST: AS] | A 1375 | AS | | 11-SEP-96 |
| | MIL-G-85299 NOT 1 | GUIDED MISSILE LAUNCHER TEST SET, AN/ASM-464A [CUST: AS] | A 4935 | AS | | 11-SEP-96 |
| | MIL-P-85315(1) NOT 1 | PUMP, EJECTOR, AIR VEHICLE FUEL, GENERAL SPECIFICATIONS FOR [CUST: AV AS 11] | A 2915 | AS | | 28-AUG-96 |
| | MIL-S-85318 NOT 1 | SEALING COMPOUND, NON-CARCINOGEN CURING POLYURETHANE (POLYETHER BASED), ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS [CUST: AS] | A 8030 | AS | | 05-MAR-97 |
| | MIL-F-85328 NOT 1 | FIRING DEVICE, EXPLOSIVE ACTUATOR (CCU-64/B) [CUST: OS] | A 1377 | OS | | 30-OCT-96 |
| | MIL-H-85330A NOT 2 | HYBRID TEST SYSTEM [CUST: AS] | A 6625 | AS | | 28-AUG-96 |
| | MIL-D-85331 NOT 2 | DIGITAL WORD GENERATOR PERFORMANCE AND INTERFACE [CUST: AS] | A 6625 | AS | | 28-AUG-96 |
| A | MIL-C-85358 NOT 3 | CHECKLIST, AIRCRAFT GUMS JAM CLEARING [CUST: AS] | A TMSS | AS | | 30-SEP-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | MIL-C-85373A NOT 1 | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AWW-12A [CUST: AS] | A 1095 | AS | | 11-SEP-96 |
| | MIL-V-85374(1) NOT 1 | VISOR, SHATTER RESISTANT [CUST: AS] | A 8475 | AS | | 18-SEP-96 |
| | MIL-T-85378 NOT 1 | TEST SET, DATA LINK CONTROLLER TS-3531/ASM [CUST: AS] | A 4935 | AS | | 11-SEP-96 |
| | MIL-C-85388 NOT 1 | COMPUTER, WEAPON AIMING CP-1444/A [CUST: AS] | A 1280 | AS | | 11-SEP-96 |
| A | MIL-C-85392 NOT 2 | CONTROL-MONITOR SET, GUIDED WEAPON, AN/AWW-7D, GENERAL SPECIFICATION FOR [CUST: AS] | A 1095 | AS | | 04-APR-98 |
| | MIL-T-85395 NOT 1 | TEST SET, GUIDED WEAPON AN/DSM-139A [CUST: AS] | A 4935 | AS | | 11-SEP-96 |
| | MIL-T-85396A NOT 1 | TEST SET, GUIDED WEAPON AN/DSM-139B [CUST: AS] | A 4935 | AS | | 11-SEP-96 |
| | MIL-T-85413/1A NOT 1 | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 1 [CUST: AS] | A 4920 | AS | | 11-SEP-96 |
| | MIL-T-85413/2A NOT 1 | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 2 [CUST: AS] | A 4920 | AS | | 11-SEP-96 |
| | MIL-T-85413/3A NOT 1 | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 3 [CUST: AS] | A 4920 | AS | | 11-SEP-96 |
| | MIL-T-85413/6A NOT 1 | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM-607(V)-6 [CUST: AS] | A 4920 | AS | | 11-SEP-96 |
| | MIL-T-85413/8A NOT 1 | TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 8 [CUST: AS] | A 4920 | AS | | 11-SEP-96 |
| | MIL-T-85413/10A NOT 1 | TEST SET, COMPUTER MEMORY LOADER-VERIFIER AN/ASM-607A(V)1 [CUST: AS] | A 4920 | AS | | 11-SEP-96 |
| | MIL-O-85432B NOT 1 | OSCILLATOR, VOLTAGE CONTROLLED [CUST: AS] | A 5865 | AS | | 18-SEP-96 |
| | MIL-C-85441(1) NOT 1 | CABINET, ELECTRICAL EQUIPMENT C&Y-7887/U&PQ-5 [CUST: AS] | A 4920 | AS | | 11-SEP-96 |
| | MIL-C-85456 NOT 1 | CONVERTER GROUP, "ENHANCED" DIGITAL SCAN OD-()/APQ-126(V) [CUST: AS] | A 5841 | AS | | 18-SEP-96 |
| | MIL-T-85471 NOT 2 | TEST SET, INERTIAL MEASURING UNIT II, TS 3846/ASM-608V [CUST: AS] | A 6625 | AS | | 28-AUG-96 |
| A | MIL-T-85476 NOT 1 | TEST STAND, OXYGEN SYSTEM COMPONENTS [CUST: AS] | A 4920 | AS | | 23-JUL-97 |
| A | MIL-H-85478A NOT 2 | HANDLE, BEADED, INFLATION ASSEMBLY [CUST: AS] | A 4220 | AS | | 30-JUL-97 |
| A | MIL-S-85508(3) NOT 1 | SPECTACLE, AVIATOR S, NEODYMIUM LASER PROTECTIVE, EDU-1/P (WITH CASE) [CUST: AS] | A 8465 | AS | | 27-AUG-97 |
| A | MIL-R-85509 NOT 1 | RECORDING GROUP, VIDEO SIGNAL OA-8962/ASH [CUST: AS] | A 5821 | AS | | 30-MAR-98 |
| | MIL-S-85510 NOT 1 | SEATS, HELICOPTER CABIN, CRASHWORTHY, GENERAL SPECIFICATION FOR [CUST: AS] [REVIEW: AV] | A 1680 | AS | | 18-SEP-96 |
| A | MIL-C-85521(1) NOT 1 | CONCENTRATOR, OXYGEN, GGU-7/A [CUST: AS] | A 1660 | AS | | 23-JUL-97 |
| A | MIL-M-85522A NOT 1 | MONITOR, OXYGEN, CRU-91/A [CUST: AS] | A 1660 | AS | | 23-JUL-97 |
| A | MIL-R-85523A NOT 1 | REGULATOR, CHEST MOUNTED, POSITIVE PRESSURE, CRU-82/P [CUST: AS] | A 1660 | AS | | 23-JUL-97 |
| | MIL-T-85549 NOT 2 | TEST PROGRAM SET (TPS) - OPERATIONAL TEST PROGRAM SETS (OTPS) FOR F/A-18 UNITS UNDER TEST (UUT), GENERAL SPECIFICATION FOR [CUST: AS 99] | A 6625 | AS | | 28-AUG-96 |
| | MIL-T-85552A(1) NOT 1 | TEST SET, TARGET DETECTOR AN/DSM-132A [CUST: AS] | C 4935 | AS | | 16-APR-96 |
| | MIL-T-85563 NOT 2 | TEMPERATURE LIMITER AMPLIFIER (TLA)-TRIM TEST SET TTK-383/E24M-30 AND CABLE CASE CNK-320/E24M-30 [CUST: AS] | A 6685 | AS | | 16-OCT-96 |
| A | MIL-I-85569A NOT 1 | INDICATOR, CONTROL C-10250A/ALR-67 (V) [CUST: AS] | A 5865 | AS | | 16-JUL-97 |
| A | MIL-P-85585 NOT 1 | PROBES, EDDY CURRENT, UNSHIELDED, SINGLE COIL, ABSOLUTE [CUST: AS] | A 6695 | AS | | 13-AUG-97 |
| | MIL-T-85587 NOT 2 | TEST SET, VIBRATION TTK-402/E24T-148 AND CABLE CASE CNK-357/E24T-148 [CUST: AS] | A 4920 | AS | | 11-SEP-96 |
| | MIL-B-85598 | BEARINGS, ELASTOMERIC GENERAL SPECIFICATION FOR [CUST: AR AS 99] [REVIEW: 84 AV IS] | A 3120 | AS | | 04-JAN-88 |
| | MIL-C-85614A(1) NOT 1 | COATING, FASTENER (TITANIUM AND CRES ALLOYS), ALUMINUM PIGMENTED, ORGANICALLY BONDED (FOR ALL THREADED AND UNTHREADED FASTENERS) [CUST: AV AS 11] [REVIEW: 99 MR OS SH] | A MFFP | AS | | 28-AUG-96 |
| A | MIL-C-85638 NOT 1 | CONVERTER, RADAR DATA CV-1607D/AVA-1 [CUST: AS] | A 5841 | AS | | 16-JUL-97 |
| | MIL-T-85641 NOT 1 | TEST SET, GUIDED MISSILE LAUNCHER AN/AWN-90A [CUST: AS] | A 4935 | AS | | 11-SEP-96 |
| A | MIL-A-85648 NOT 1 | AMPLIFIER, TRAVELING WAVE TUBE [CUST: AS] | A 5865 | AS | | 16-JUL-97 |
| A | MIL-B-85667/1A NOT 1 | BOLT, SLEEVE, STRAIGHT SHANK, PROTRUDING AND FLUSH HEAD, RELIABILITY AND MAINTAINABILITY REQUIREMENTS FOR [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-85667/2A NOT 1 | BOLT, SLEEVE, 100 DEG. REDUCED FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES PH 13-8MO PIN, 125 KSI FSU [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-85667/3A NOT 1 | BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES PH 13-8MO PIN, 220 KSI FTU [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-85667/4A NOT 1 | BOLT, SLEEVE, 100 DEG. REDUCED FLUSH HEAD, STRAIGHT SHANK, TITANIUM ALLOY PIN, 95 KSI FSU [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-85667/5A NOT 1 | BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, TITANIUM ALLOY PIN, 160 KSI FTU [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-85667/6A NOT 1 | BOLT, SLEEVE, 100 DEG. REDUCED FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, NICKEL ALLOY 718 PIN, 125 KSI FSU, 450 DEG. F [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-85667/7A NOT 1 | BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, NICKEL ALLOY 718 PIN, 125 KSI FSU, 220 KSI FTU, 450 DEG. F [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-85667/8 NOT 1 | BOLT, SLEEVE, 100 DEG. REDUCED FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES A-286 PIN, 95 KSI FSU, 450 DEG. F [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-85667/9 NOT 1 | BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES A-286 PIN, 95 KSI FSU, 160 KSI FTU, 450 DEG. F [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-85667/10 NOT 1 | BOLT, SLEEVE, 100 DEG. TENSION FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES A-286 PIN, 160 KSI FTU, 450 DEG. F [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-85667/11 NOT 1 | BOLT, SLEEVE, 100 DEG. TENSION FLUSH HEAD, STRAIGHT SHANK, NICKEL-CRES 304 SLEEVE, NICKEL-ALLOY 718 PIN, 220 KSI FTU, 450 DEG. F [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-85667/12 NOT 1 | BOLT, SLEEVE, 100 DEG. TENSION FLUSH HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, TITANIUM ALLOY PIN, 95 KSI FSU, 160 KSI FTU [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-APR-98 |
| A | MIL-B-85667/13 NOT 1 | BOLT, 100 DEG. TENSION FLUSH HEAD, STRAIGHT SHANK, ALUMINUM ALLOY SLEEVE, TITANIUM ALLOY PIN, 95 KSI FSU, 160 KSI FTU [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 04-APR-98 |
| | MIL-F-85668 NOT 1 | FIRE SYSTEM, 20-MILLIMETER POINT AND SUPPRESSIVE HELICOPTER, AH-1T (TOW), A/A49E-7(V4) [CUST: AS] | A 1230 | AS | | 15-NOV-95 |
| A | MIL-R-85669 NOT 2 | REPEATER SET, RADIO, POD AN/ARQ-49 [CUST: AS] | A 1430 | AS | | 04-APR-98 |
| A | MIL-B-85684 NOT 3 | BEARING, SPIN (SIDEWINDER) [CUST: AS GS] | A 3110 | GS | | 16-JUN-97 |
| A | MIL-S-85688A NOT 2 | SCORING SET, MISSILE, NON-COOPERATIVE SYSTEM AN/DSQ-37(V) [CUST: AS] | A 5821 | AS | | 04-APR-98 |
| A | MIL-C-85717(2) NOT 1 | CARTRIDGE, 20 MILLIMETER, SEMI-ARMOR PIERCING HIGH EXPLOSIVE INCENDIARY, PGU-28/B [CUST: AS] | A 1305 | AS | | 30-SEP-97 |
| A | MIL-P-85723(1) NOT 1 | PROJECTILE, 20 MILLIMETER, SEMI-ARMOR PIERCING, HIGH EXPLOSIVE INCENDIARY, PGU-28/B [CUST: AS] | A 1305 | AS | | 30-SEP-97 |
| A | MIL-N-85729 NOT 1 | NUT, SELF-LOCKING, A-286, 160 KSI FTU, 450 DEG. F, GENERAL SPECIFICATION FOR [CUST: AV AS 99 IS] [REVIEW: 82] | A 5310 | IS | | 01-OCT-97 |
| A | MIL-N-85729/1 NOT 1 | NUT, SELF-LOCKING, ASSEMBLED WASHER, A-286, 160 KSI FTU 450 DEG. F, SPLINE WRENCHING ELEMENT [CUST: AV AS 99 IS] [REVIEW: 82] | A 5310 | IS | | 01-OCT-97 |
| A | MIL-C-85764(2) NOT 1 | CARTRIDGE, 20 MILLIMETER TARGET PRACTICE, PGU-27/B AND CARTRIDGE, 20 MILLIMETER TARGET PRACTICE-TRACER, PGU-30/B [CUST: AS] | A 1305 | AS | | 30-SEP-97 |
| A | MIL-P-85766(1) NOT 1 | PROJECTILE, 20 MILLIMETER, TARGET PRACTICE-TRACER, PGU-30/B [CUST: AS] | A 1305 | AS | | 30-SEP-97 |
| A | MIL-P-85767(1) NOT 1 | PROJECTILE, 20 MILLIMETER, TARGET PRACTICE PGU-27/B [CUST: AS] | A 1305 | AS | | 30-SEP-97 |
| A | MIL-I-85850 NOT 1 | INTEGRATED VOICE COMMUNICATIONS SWITCHING SYSTEM [CUST: AS] | A 5895 | AS | | 16-JUL-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|------------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-D-85859 NOT 1 | DISTRIBUTION BOX J-3425C/AWW [CUST: AS] | A 4935 | AS | | 11-SEP-96 |
| | MIL-B-87018A NOT 1 | BAG, MONEY (USE A-A-55179) [CUST: NU CT] | A 8460 | CT | | 30-NOV-94 |
| | MIL-S-87021B NOT 1 | SHIRT, DISPOSABLE [CUST: NU CT] [REVIEW: 45 OS SH] | A 8415 | CT | | 20-JUL-94 |
| | MIL-H-87111A(3) SUP 1C NOT 1 | HEAT SINKS, SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AV CG MC MI SH] | A 5999 | CC | | 09-MAY-97 |
| | MIL-H-87111/1D NOT 1 | HEAT SINKS-INSULATORS, CLASS 1, 4, 6, AND 7 (WAFER TYPE) (REPLACED BY NAS-4117) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS CG MC SH TD] | A 5999 | CC | | 09-MAY-97 |
| | MIL-H-87111/2E NOT 1 | HEAT SINKS, SEMICONDUCTOR DEVICES, MATERIAL CLASSES 2, 3, AND 5 (RETAINER CLIP TYPE) (REPLACED BY NAS-4118) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC SH TD] | A 5999 | CC | | 09-MAY-97 |
| | MIL-H-87111/3C NOT 1 | HEAT SINKS, ELECTRICAL-ELECTRONIC COMPONENT CLASS 1 AND CLASS 2 (PRESS-ON TYPE) (REPLACED BY NAS-4119) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS CG MC SH TD] | A 5999 | CC | | 09-MAY-97 |
| | MIL-H-87111/4D NOT 1 | HEAT SINK, SEMICONDUCTOR DEVICES, CLASS 1 (ENCAPSULATING TYPE) (REPLACED BY NAS-4120) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC SH TD] | A 5999 | CC | | 09-MAY-97 |
| | MIL-H-87111/5C NOT 1 | HEAT SINKS, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICE, CLASS 1 (FORMED) (REPLACED BY NAS-4121) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 AS CG MC SH TD] | A 5999 | CC | | 09-MAY-97 |
| | MIL-H-87111/6B(1) NOT 1 | HEAT SINKS, SEMICONDUCTOR DEVICES, CLASS 1 (EXTRUDED) (REPLACED BY NAS-4122) [CUST: CR EC 85 CC] [REVIEW: 11 19 99 TD] | A 5999 | CC | | 09-MAY-97 |
| | MIL-H-87111/7A NOT 1 | HEAT SINKS, SEMICONDUCTOR DEVICES, CLASS 1, (FOR DUAL-IN-LINE PACKAGES) (USE NAS 4123) [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CG MC SH TD] | A 5999 | CC | | 27-MAR-95 |
| | MIL-H-87111/8 NOT 2 | HEAT SINKS, SEMICONDUCTOR DEVICES, CLASS 2 (DUAL-LINK) (REPLACED BY NAS-4124) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AS CG MC SH] | A 5999 | CC | | 09-MAY-97 |
| A | MIL-M-87113A NOT 1 | MASK, OXYGEN, MBU-10/P [CUST: 99] | A 1660 | 82 | | 01-JUL-97 |
| A | MIL-C-87115A NOT 2 | COATING, IMMERSION ZINC FLAKE/CHROMATE DISPERSION [CUST: MR 11] [REVIEW: 70 99 CR] | A MFFP | MR | | 18-DEC-97 |
| A | MIL-P-87116A NOT 3 | PREFORM, GRAPHITE FIBER, 3D ORTHOGONAL, 2-2-3, FINEWEAVE (CONTROLLED DISTRIBUTION) [CUST: 11] | E 9390 | 11 | | 17-OCT-97 |
| A | MIL-P-87117A NOT 3 | PREFORM, RIGIDIZED, GRAPHITE FIBER, 3D ORTHOGONAL 2-2-3, FINEWEAVE, CVD INFILTRATED (CONTROLLED DISTRIBUTION) [CUST: 11] | E 9390 | 11 | | 17-OCT-97 |
| A | MIL-P-87118A(1) NOT 3 | PREFORM, RIGIDIZATION OF, GRAPHITE FIBER, 3D ORTHOGONAL, 2-2-3, FINEWEAVE, CVD PROCESSING OF (CONTROLLED DISTRIBUTION) [CUST: 11] | E 9390 | 11 | | 17-OCT-97 |
| A | MIL-P-87119A(1) NOT 3 | PREFORM, DENSIFICATION, HIGH PRESSURE RIGIDIZED, GRAPHITE FIBER, 3D FINE WEAVE ORTHOGONAL, PROCESSING OF (CONTROLLED DISTRIBUTION) [CUST: 11] | E 9390 | 11 | | 17-OCT-97 |
| A | MIL-F-87121A NOT 3 | FABRIC, GRAPHITE FABRIC [CUST: 11] [REVIEW: 45] | A CMPS | 11 | | 15-DEC-97 |
| A | MIL-P-87122A NOT 3 | PREFORM RIGIDIZATION OF GRAPHITE FIBER, 3D FINEWEAVE PIERCED FABRIC, PROCESSING OF (CONTROLLED DISTRIBUTION) [CUST: 11] | E 9390 | 11 | | 17-OCT-97 |
| A | MIL-P-87123A NOT 3 | PREFORM, RIGIDIZED, GRAPHITE FIBER, 3D FINEWEAVE PIERCED FABRIC, PROCESSING OF (CONTROLLED DISTRIBUTION) [CUST: 11] [REVIEW: GS] | E CMPS | 11 | | 17-OCT-97 |
| A | MIL-P-87124A(1) NOT 3 | PITCH, COAL TAR [CUST: 11] | A CMPS | 11 | | 15-DEC-97 |
| A | MIL-Y-87125A(1) NOT 3 | YARN, GRAPHITE, 1000/3000 FILAMENTS [CUST: 11] | A CMPS | 11 | | 15-DEC-97 |
| A | MIL-C-87129A NOT 1 | CORD, FIBROUS, ARAMID BRAIDED [CUST: GL AS 11 IS] [REVIEW: 45 82 99 MC SH] | A 4020 | IS | | 01-OCT-97 |
| | MIL-L-87132B NOT 1 | LUBRICANT, CETYL ALCOHOL, 1-HEXADECANOL, APPLICATION TO FASTENERS [CUST: AT AS 11 GS] [REVIEW: 68 AR AV] | A 9150 | 11 | | 29-SEP-95 |
| | MIL-P-87133(2) NOT 1 | PLOTTER COMBAT MISSION, PLU-6/C (AIR NAVIGATION) [CUST: 99] | A 6605 | 71 | | 01-MAR-96 |
| A | MIL-A-87135 NOT 2 | ADHESIVES, NON-CONDUCTIVE, FOR ELECTRONICS APPLICATION [CUST: 11] | A 8040 | 11 | | 31-DEC-97 |
| | MIL-H-87140A NOT 1 | HELMET, FLYER'S HGU-36/P [CUST: 11] [REVIEW: 82 99] | A 8475 | 11 | | 31-MAR-97 |
| | MIL-Q-87152A NOT 1 | QUICK RELEASE, PERSONNEL PARACHUTE HARNESS MX-683(V) 1P [CUST: 99] [REVIEW: 11] | A 1670 | 82 | | 21-APR-97 |
| A | MIL-M-87163A NOT 1 | MASK, OXYGEN MBU 12/P [CUST: 99] | A 1660 | 82 | | 01-SEP-97 |
| A | MIL-DTL-87173B NOT 1 | PROPELLANT, PRIMING FLUID, ALCM ENGINE, GRADE PF-1 [CUST: 11] [REVIEW: 68] | A 9135 | 11 | | 13-FEB-98 |
| | MIL-V-87223 NOT 1 | VALVES, PRESSURE, ANTI-G SUIT, MXU-804/A AND MXU-805/A [CUST: 11] [REVIEW: 71 99] | A 1660 | 11 | | 31-MAR-97 |
| | MIL-V-87255 NOT 1 | VALVES, PRESSURE, ANTI-G SUIT, HIGH FLOW [CUST: 11] [REVIEW: 71 99] | A 1660 | 11 | | 31-MAR-97 |
| | MIL-C-87264 NOT 1 | COVERALLS, CHEMICAL DEFENSE CWU-66/P [CUST: 99] [REVIEW: 11 31 45 CT] | A 8475 | 82 | | 25-APR-97 |
| A | MIL-P-87896 NOT 1 | PROPELLANT, NITROGEN TRIFLUORIDE [CUST: MI AS 68] [REVIEW: 19] | A 9135 | 68 | | 05-DEC-97 |
| A | MIL-P-87897 NOT 2 | PROPELLANT, DEUTERIUM [CUST: MI 68] [REVIEW: 19] | A 9135 | 68 | | 13-NOV-97 |
| | MIL-I-87923A NOT 1 | INDICATOR, TORQUEMETER, AEU-13/A [CUST: AS 99] [REVIEW: 01] | X 6620 | 71 | | 15-MAR-96 |
| | MIL-I-87928(2) NOT 1 | INDICATOR, ATTITUDE, TYPE ARU-51/A [CUST: 99] | A 6610 | 71 | | 01-JAN-96 |
| A | MIL-P-87931 NOT 1 | PROPELLANT, ISOPROPYL ALCOHOL [CUST: 68] [REVIEW: 19] | A 9135 | 68 | | 13-NOV-97 |
| A | MIL-P-87932 NOT 1 | PROPELLANT, LIQUID NEON [CUST: 68] | A 9135 | 68 | | 18-NOV-97 |
| | MIL-I-87965 NOT 2 | INDICATOR, THRUST, ENGINE TESTING, TEST STAND, AIRCRAFT ENGINE, A/M37 SERIES [CUST: 99] | A 6620 | 82 | | 15-APR-97 |
| A | MIL-C-87972A NOT 1 | CASTERS, RIGID AND SWIVEL, GENERAL SPECIFICATION FOR [CUST: AR AS 99 IS] [REVIEW: 82 AT AV CR 4 GL] | A 5340 | IS | | 31-MAR-97 |
| | MIL-M-87973 NOT 1 | MAINTENANCE PLATFORM SELF-PROPELLED, BOOM, LIFT, 40, 60 AND 80 FOOT [CUST: AV AS 99] | A 4940 | 82 | | 11-AUG-95 |
| | MIL-M-87977 NOT 1 | MAINTENANCE PLATFORM, AIRCRAFT [CUST: 99] | A 1730 | 82 | | 11-AUG-95 |
| A | MIL-D-89009 NOT 1 | DIGITAL CHART OF THE WORLD (DCW) [CUST: TI NO 09 DC2] [REVIEW: MC] | A MCGT | MP | | 01-DEC-97 |
| A | MIL-D-89011 NOT 1 | DIGITAL CITIES DATA BASE (DCDB) [CUST: TI NO 09 DC2] [REVIEW: MC] | A MCGT | MP | | 01-DEC-97 |
| A | MIL-F-89018 NOT 1 | FIREFINDER ELEVATION DATA (FFED) [CUST: TI NO 09 DC2] [REVIEW: MC] | A MCGT | MP | | 01-DEC-97 |
| A | MIL-D-89021 NOT 1 | DIGITAL LANDMASS BLANKING (DLMB) DATA PROGRAM [CUST: TI NO 09 DC2] [REVIEW: MC] | A MCGT | MP | | 01-DEC-97 |
| A | MIL-N-89404 NOT 1 | NON-STOP OPTION (NSO) SUPPORT | A MCGT | MP | | 22-APR-98 |
| A | MIL-W-89500 NOT 1 | WORLD MAGNETIC MODEL (WMM) [CUST: MP] [REVIEW: 09 MC NO] | A MCGT | MP | | 22-APR-98 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | MS3113H | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES I, SOLDER TYPE, SOLDER MOUNTING, BAYONET COUPLING, CLASS H [CUST: CR AS 85 CC] [REVIEW: 17 99 AR AV EC SH] | A 5935 | CC | | 10-JUN-93 |
| | MS3114J | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES I, SOLDER TYPE, JAM NUT MOUNTING, BAYONET COUPLING, CLASSES E, F, H, AND P [CUST: CR AS 85 CC] [REVIEW: 17 99 AR AV EC SH] | A 5935 | CC | | 10-JUN-93 |
| | MS3120E NOT 1 | CONNECTORS, RECEPTACLE, ELECTRIC CRIMP-TYPE, WALL MOUNTING, FLANGE, NO. 4 HOLES, BAYONET COUPLING [CUST: CR 11 CC] [REVIEW: CR4 MI] | A 5935 | CC | | 06-SEP-88 |
| | MS3121B NOT 1 | CONNECTORS, PLUG, ELECTRIC, CRIMP TYPE, CABLE-CONNECTING, BAYONET COUPLING [CUST: CR 11 CC] [REVIEW: CR4 MI] | A 5935 | CC | | 06-SEP-88 |
| | MS3124D NOT 1 | CONNECTORS, RECEPTACLE ELECTRIC, CRIMP-TYPE, REAR MOUNTING JAM NUT, BAYONET COUPLING [CUST: CR 11 CC] [REVIEW: 17 AR MI] | A 5935 | CC | | 06-SEP-88 |
| | MS3126E NOT 1 | CONNECTORS, PLUG, ELECTRIC, CRIMP TYPE, STRAIGHT, BAYONET COUPLING [CUST: CR 11 CC] [REVIEW: 17 AR AV SH] | A 5935 | CC | | 06-SEP-88 |
| | MS3127J | CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES I, CRIMP TYPE, BOX MOUNTING, FLANGE, NO. 416 HOLES, BAYONET COUPLING [CUST: CR AS 85 CC] [REVIEW: 17 99 AV EC MI SH] | A 5935 | CC | | 10-JUN-93 |
| | MS3128I | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING, NO. 4/6 HOLES, BAYONET COUPLING [CUST: CR AS 85 CC] [REVIEW: 11 17 99 MI] | A 5935 | CC | | 05-SEP-75 |
| | MS3142D | CONNECTOR, RECEPTACLE, ELECTRICAL, BOX MOUNTING, SOLDER CONTACT, HERMETIC, AN TYPE [CUST: AS CC] [REVIEW: EC] | A 5935 | CC | | 23-JAN-78 |
| | MS3151 NOT 1 | GAGE-IN-SERVICE INSPECTION, FOR MS3150 CRIMPING DIES [CUST: AS] | A 5220 | AS | | 11-SEP-96 |
| | MS3188B | BACKSHELL, 9/DEG. CABLE SEALING & TERMINATION CONNECTOR, ELECTRIC [CUST: AS CC] [REVIEW: EC MI] | A 5935 | CC | | 10-MAY-82 |
| A | DS3225 NOT 1 | BEARING, ROLLER, TAPERED, SINGLE ROW OF ROLLERS (METRIC SERIES) [CUST: AT OS 99 GS] [REVIEW: 84 AV MC NS SH] | A 3110 | GS | | 16-JUN-97 |
| | MS3312C NOT 1 | PROTECTOR, UNDERFREQUENCY F-4 AIRCRAFT [CUST: AS] | A 6115 | AS | | 21-AUG-96 |
| A | MS3318A NOT 2 | CASE, INSTRUMENT, 5 X 4-1/4 SIZE, STANDARD DIMENSIONS FOR [CUST: AV AS 99] | A 6610 | 71 | | 04-APR-98 |
| | MS3330 NOT 1 | FLANGE ACCESSORY, 2.653 BC SQUARE, DESIGN STANDARD FOR [CUST: AS] | A 2995 | AS | | 18-SEP-96 |
| | MS3331 NOT 1 | FLANGE ACCESSORY, 5,000 BC SQUARE, DESIGN STANDARD FOR [CUST: AS] | A 2995 | AS | | 18-SEP-96 |
| | MS3332 NOT 1 | FLANGE ACCESSORY, 5,000 BC ROUND, DESIGN STANDARD FOR [CUST: AS] | A 2995 | AS | | 18-SEP-96 |
| | MS3333 NOT 1 | FLANGE ACCESSORY, 8,000 BC ROUND, DESIGN STANDARD FOR [CUST: AS] | A 2995 | AS | | 18-SEP-96 |
| | MS3334 NOT 1 | FLANGE ACCESSORY, 10,000 BC ROUND, DESIGN STANDARD FOR [CUST: AS] | A 2995 | AS | | 18-SEP-96 |
| | MS3335 NOT 1 | SPLINE DETAILS-DRIVE PADS AND ACCESSORY FLANGES, DESIGN STANDARD FOR [CUST: AS] | A 2995 | AS | | 18-SEP-96 |
| | MS3338 NOT 1 | LAMP INCANDESCENT, T-1 BULB, BASED, 28 VOLT, INTEGRAL LIGHTING [CUST: AS] [REVIEW: GS] | A 6240 | AS | | 18-SEP-96 |
| | MS3340B NOT 1 | BULKHEAD BRACKET, FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS [CUST: AS] | A 5975 | AS | | 02-OCT-96 |
| A | MS3341B NOT 1 | BRACKET, MOUNTING, PLASTIC FOR USE WITH MS 3367 PLASTIC TIE DOWN STRAPS [CUST: MI AS 99 GS] | A 5975 | GS | | 17-MAR-98 |
| | MS3350 NOT 1 | INERTIAL SET MOUNT GENERAL ASSEMBLY [CUST: AS] | A 6615 | AS | | 29-JAN-97 |
| | MS3351 NOT 1 | WASHER, SPECIAL [CUST: AS] | A 6615 | AS | | 29-JAN-97 |
| | MS3357B NOT 1 | SLEEVE BOLT [CUST: AS] | A 6615 | AS | | 29-JAN-97 |
| | MS3364A NOT 1 | GENERATOR, DIRECT CURRENT, 400 AMPERE CLASS A, BLAST COOLED, 3000-8000 RPM [CUST: AS] | A 6115 | AS | | 21-AUG-96 |
| A | MS3370B NOT 1 | CONVERTER, 100 AMPERE CLASS C, NONREGULATED AIRCRAFT, BLAST COOLED [CUST: AS] | A 6130 | AS | | 13-AUG-97 |
| | MS3374A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 20 X 5.5, TYPE VII (NAVY) [CUST: AS] | A 2620 | AS | | 09-OCT-96 |
| | MS3376B NOT 1 | NUT, SELF LOCKING, REDUCED HEIGHT, STEEL, 450 DEG. F, 12 POINT, CAPTIVE WASHER [CUST: AS IS] [REVIEW: EC] | A 5310 | IS | | 19-MAY-97 |
| | MS3379A NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT 18X5.7 (247 MPH) TYPE VII (NAVY) [CUST: AS] [REVIEW: CC] | A 2620 | AS | | 09-OCT-96 |
| | MS3380A NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 20 X 5.5, TYPE VII (NAVY) [CUST: AS] [REVIEW: CC] | A 2620 | AS | | 09-OCT-96 |
| | MS3381A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT 24X5.5 (200 MPH) TYPE VII (NAVY) [CUST: AS] | A 2620 | AS | | 09-OCT-96 |
| | MS3384A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 28 X 7.7 (200 MPH) TYPE VII (NAVY) [CUST: AS] | A 2620 | AS | | 09-OCT-96 |
| | MS3385A NOT 1 | RETREAD TIRE - AIRCRAFT 28 X 9.0 (173 MPH) TYPE VII (NAVY) [CUST: AS] [REVIEW: CC] | A 2620 | AS | | 09-OCT-96 |
| | MS3387A NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 40 X 14, TYPE VII (NAVY) [CUST: AS] [REVIEW: CC] | A 2620 | AS | | 09-OCT-96 |
| | MS3396 NOT 2 | PLUG, DEHYDRATOR, HUMIDITY INDICATING, ENGINE CYLINDER, 14MM THREAD [CUST: CR4 AS 99] | A 6685 | AS | | 04-SEP-96 |
| | MS3398 NOT 1 | CARD-HUMIDITY-INDICATING COLOR COMPARISON [CUST: CR4 AS 99] [REVIEW: GS] | A 6685 | AS | | 04-SEP-96 |
| | MS3401G NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, CABLE CONNECTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE [CUST: AS] | A 5935 | AS | | 25-SEP-96 |
| | MS3404G NOT 2 | CONNECTORS, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE [CUST: AS] | A 5935 | AS | | 25-SEP-96 |
| | MS3406H NOT 2 | CONNECTORS, PLUG, ELECTRIC, FRONT RELEASE, CRIMP CONTACT, AN TYPE [CUST: AS] | A 5935 | AS | | 25-SEP-96 |
| | MS3434 NOT 1 | TEST GAGE, CONTACT LOCATION AND RETENTION FEATURE, MIL-C-0081511 SERIES 1 AND 2 CONNECTORS [CUST: AS] | A 5220 | AS | | 02-OCT-96 |
| | MS3435 NOT 1 | TEST GAGE, CONTACT LOCATION AND RETENTION FEATURE, MIL-C-0081511 SERIES 3 AND 4 CONNECTORS [CUST: AS] | A 5220 | AS | | 02-OCT-96 |
| | MS3436A NOT 1 | CONNECTOR, PLUG, ELECTRIC, SOLDER CONTACT, UTILITY [CUST: AS] | A 5935 | AS | | 25-SEP-96 |
| | MS3441 NOT 1 | CONNECTOR, PLUG, ELECTRIC, UTILITY [CUST: AS] | A 5935 | AS | | 02-OCT-96 |
| | MS3445 NOT 2 | CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, RACK AND PANEL, SERIES 2 (CLASS E) [CUST: AS] | A 5935 | AS | | 25-SEP-96 |
| | MS3446 NOT 2 | CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, RACK AND PANEL, SERIES 3 (CLASS L AND E) [CUST: AS] | A 5935 | AS | | 25-SEP-96 |
| | MS3450E | CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING, REAR RELEASE, CRIMP CONTACT, AN TYPE [CUST: CR AS 85] [REVIEW: 17 99 AR AT AV CC CR4 EC MI] | A 5935 | AS | | 23-MAR-76 |
| | MS3451C NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, CABLE CONNECTING, REAR RELEASE, CRIMP CONTACT, AN TYPE [CUST: CR AS 85] [REVIEW: 11 17 80 EC] | A 5935 | AS | | 25-SEP-96 |
| | MS3460A NOT 1 | TEST GAGE, MIL-C-0026482 SERIES 1 OR MIL-C-81703 SERIES 2 CONTACT RETENTION FEATURE [CUST: CR AS 85] [REVIEW: 11 AR AV EC MI SH] | A 5220 | AS | | 04-SEP-96 |
| | MS3461A NOT 1 | TEST GAGE, MIL-C-0026482 SERIES 2 OR MIL-C-81703 SERIES 3 CONTACT RETENTION FEATURE [CUST: CR AS 85] [REVIEW: 11 17 AR AV EC MI SH] | A 5220 | AS | | 04-SEP-96 |
| | MS3462B NOT 1 | TEST GAGE, MIL-C-26482 SERIES 2 (CLASS N), MIL-C-81703 SERIES 3 (CLASS N) AND MIL-C-0081511 SERIES 3 AND 4 (CLASS L) CONTACT RETENTION FEATURE [CUST: CR AS 85] [REVIEW: 11 17 AR AV EC MI SH] | A 5220 | AS | | 04-SEP-96 |
| A | MS3488B NOT 1 | LATCH, LAP BELT, AIRCRAFT SAFETY, QUICK RELEASE [CUST: AV AS 99] | A 1680 | AS | | 10-SEP-97 |
| | MS3502 NOT 2 | TIRE - AIRCRAFT, 7.50-10 CHANNEL TREAD/APPLICATION: OV-10 NOSE LANDING GEAR ONLY [CUST: AS] | A 2620 | AS | | 09-OCT-96 |
| | MS3504A NOT 1 | GYROSCOPE ASSEMBLY, DISPLACEMENT CN-1359/AJB-3 [CUST: AS] | A 6615 | AS | | 29-JAN-97 |
| A | MS5007A NOT 1 | CONE, PROPELLER HUB, FRONT [CUST: AV AS 99 CC] [REVIEW: 84] | A 1610 | CC | | 01-MAR-96 |
| | MS5008D NOT 1 | CONE, PROPELLER HUB, REAR [CUST: AV AS 99] | A 1610 | 84 | | 01-APR-96 |
| A | MS5009A NOT 1 | RING, RETAINING - PROPELLER HUB, SNAP [CUST: AV AS 99 CC] [REVIEW: 84] | A 1610 | CC | | 19-JUN-95 |
| | MS9012A | PER (ASG) [CUST: AS] [REVIEW: IS MI] | A 5340 | AS | | 13-JUN-60 |
| | MS9013B | RING-RETAINING, EXTERNAL, STEEL (ASG) [CUST: AS] [REVIEW: AR IS MI] | A 5340 | AS | | 13-JUN-60 |
| | MS9014A | RING RETAINING, INTERNAL, STEEL (ASG) [CUST: AS] [REVIEW: IS MI] | A 5340 | AS | | 13-JUN-60 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|--------------------------|-----|-------------|-----------|
| | MS9015B | PLUG, MACHINE THREADED - "O" RING SEAL [CUST: AV AS 11] [REVIEW: CC CR4 IS MC MI SH] | A 5365 | AS | | 26-JUL-74 |
| | MS9017A | BUSHING - SCREW, SLOTTED [CUST: AS] [REVIEW: IS] | A 5340 | AS | | 01-OCT-65 |
| | MS9018B NOT 1 | INSERT - 18-1.5 MM AVIATION SPARK PLUG HELICAL COIL [CUST: AV AS] [REVIEW: MI] | A 2810 | AS | | 21-AUG-96 |
| | MS9033B NOT 1 | BOLT-MACHINE, 12 POINT HEAD HEAT RESISTANT, .190 (NO. 10)-32, AMS 5735 (ASG) [CUST: AS 99 IS] | A 5305 | IS | | 10-JUN-94 |
| | MS9034B | BOLT-MACHINE, 12 POINT HEAD HEAT RESISTANT, .250-28, AMS 5735 (ASG) [CUST: AS 11 IS] | A 5305 | IS | | 29-AUG-86 |
| | MS9036B NOT 2 | BOLT-MACHINE, 12 POINT HEAD HEAT RESISTANT STEEL, .375-24 NS [CUST: AS IS] | A 5305 | IS | | 29-AUG-94 |
| | MS9061A NOT 1 | BOLT, MACHINE - CRES AMS 5735, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .250-28 [CUST: AS IS] | A 5306 | IS | | 03-OCT-91 |
| | MS9062C | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, DRILLED, .3125-24 NS [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 27-SEP-94 |
| | MS9071A NOT 1 | BOSS, 18-1.50 MM SPARK PLUG THREAD HELICAL INSERT, STANDARD DIMENSIONS FOR. (ASG) [CUST: AS 11] [REVIEW: 99 IS] | A 5340 | AS | | 07-AUG-96 |
| | MS9081B NOT 1 | WASHER, KEY-DOUBLE, BEARING RETAINING, AMS 6350 [CUST: AS 11] | A 5310 | IS | | 04-OCT-91 |
| | MS9083A NOT 1 | COLLAR, SWIVEL-PILOTED O-RING, TUBE CONNECTION, 3 BOLT, AMS 6322 (ASG) [CUST: AS 11] [REVIEW: CC] | A 4730 | AS | | 14-AUG-96 |
| | MS9084A NOT 1 | COLLAR, SWIVEL-PILOTED O-RING, TUBE CONNECTION, 4 BOLT, AMS 6322 (ASG) [CUST: AS 11] [REVIEW: CC] | A 4730 | AS | | 14-AUG-96 |
| | MS9085B | COLLAR, SWIVEL PIDLETED O-RING, TUBE CONNECTION, 6 BOLT, AMS 6322 [CUST: AS 11] | A 4730 | AS | | 26-OCT-72 |
| | MS9088A NOT 1 | BOLT, MACHINE, STEEL, DRILLED 12 POINT HEAD, .190 (NO. 10)-32 (CADMIUM PLATE) [CUST: AS IS] [REVIEW: MI] | A 5306 | IS | | 04-OCT-91 |
| | MS9096B | ELBOW, TUBE - AMS 4135, BOSS, 90 DEG. [CUST: AS] [REVIEW: CC] | A 4730 | AS | | 26-OCT-72 |
| | MS9097A NOT 1 | ELBOW, TUBE - AMS 4135, BOSS, 45 DEG. [CUST: AS 11] [REVIEW: CC] | A 4730 | AS | | 14-AUG-96 |
| | MS9101C | BRACKET, ANGLE, 90 DEG. .190 BOLT [CUST: AR AS 99] [REVIEW: IS] | A 5340 | AS | | 18-JUN-87 |
| | MS9102C | BRACKET, ANGLE, 90 DEG. .190 X .250 BOLT [CUST: AR AS 99] [REVIEW: IS] | A 5340 | AS | | 18-JUN-87 |
| | MS9104C | BRACKET, ANGLE, .0 DEG. .190 X 375 BOLT [CUST: AR AS 82] [REVIEW: IS] | A 5340 | AS | | 18-JUN-87 |
| | MS9113 NOT 2 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS 5731, .375-24 UNF-3A [CUST: 11 IS] | A 5306 | IS | | 22-SEP-94 |
| | MS9122A NOT 2 | SCREW, MACHINE, SLOTTED HEX HEAD, .190-32 [CUST: 11 IS] [REVIEW: MI] | A 5305 | IS | | 22-SEP-94 |
| | MS9123A | SCREW, MACHINE, SLOTTED HEX HEAD, .250-28 [CUST: AS IS] [REVIEW: MI] | A 5305 | IS | | 28-FEB-84 |
| | MS9147B NOT 1 | BOLT, MACHINE, 12 POINT HEAD, STEEL, .250-28 UNF-3A [CUST: AS 11] [REVIEW: CR4] | A 5306 | IS | | 03-OCT-91 |
| | MS9152B | BOLT MACHINE, STEEL, 12 POINT HEAD, .5625-18, CADMIUM PLATE [CUST: AS IS] [REVIEW: MI] | A 5306 | IS | | 22-JUN-87 |
| | MS9165B | BRACKET-90 DEG. ANGLE, AMS 6350, .190 BOLT [CUST: AS 11] [REVIEW: IS] | A 5340 | AS | | 22-NOV-66 |
| | MS9166B | BRACKET-90 DEG. ANGLE, AMS 6350, .190 X .250 BOLT [CUST: AS 11] [REVIEW: IS] | A 5340 | AS | | 22-NOV-66 |
| | MS9167B | BRACKET-90 DEG. ANGLE, AMS 6350, .190 X .312 BOLT [CUST: AS 11] [REVIEW: IS] | A 5340 | AS | | 22-NOV-66 |
| | MS9168B | BRACKET-90 DEG. ANGLE, AMS 6350, .190 X .375 BOLT [CUST: AS 11] [REVIEW: IS] | A 5340 | AS | | 22-NOV-66 |
| | MS9206A NOT 2 | SCREW, MACHINE-STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .138-40 UNF-3A [CUST: AS IS] | A 5305 | IS | | 29-AUG-94 |
| | MS9207A NOT 2 | SCREW, MACHINE-STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .164-36 UNF-3A [CUST: AS IS] | A 5305 | IS | | 29-AUG-94 |
| | MS9211A NOT 2 | BOLT, MACHINE-STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .375-24 UNF-3A [CUST: AS IS] | A 5306 | IS | | 29-AUG-94 |
| | MS9213A NOT 2 | BOLT, MACHINE-STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .500-20 UNF-3A [CUST: AS IS] | A 5306 | IS | | 29-AUG-94 |
| | MS9214C NOT 2 | BOLT, MACHINE, DOUBLE HEXAGON EXTENDED WASHER HEAD, STEEL, .5625-18 UNF-3A [CUST: AS IS] | A 5306 | IS | | 29-AUG-94 |
| | MS9215A NOT 2 | SCREW, MACHINE-STEEL DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .138 40 UNF 3A [CUST: AS IS] | A 5305 | IS | | 29-AUG-94 |
| | MS9220A NOT 2 | BOLT, MACHINE-STEEL DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .375-24 UNF-3A [CUST: AS IS] [REVIEW: 11] | A 5306 | IS | | 29-AUG-94 |
| | MS9221A NOT 2 | BOLT, MACHINE-STEEL DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .4375-20 UNF-3A [CUST: AS IS] | A 5306 | IS | | 29-AUG-94 |
| | MS9222A NOT 2 | BOLT, MACHINE-STEEL DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .500-20 UNF-3A [CUST: AS IS] [REVIEW: 11] | A 5306 | IS | | 29-AUG-94 |
| | MS9223A NOT 2 | BOLT, MACHINE-STEEL DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .5625-18 UNF-3A [CUST: AS IS] | A 5306 | IS | | 29-AUG-94 |
| | MS9225B | FERRULE, BRAZING, TUBE FITTING - CRES, AMS 5646 [CUST: AS 11] [REVIEW: IS] | A 4730 | AS | | 15-MAY-68 |
| | MS9226A NOT 2 | WIRE - STEEL, CORROSION AND HEAT RESISTANT, SAFETY, 1800 DEG. F [CUST: AS 99 IS] [REVIEW: CR4 MI] | A 9505 | IS | | 16-JUN-97 |
| | MS9227A NOT 1 | ADAPTER-CONTROL LEVER CONNECTION [CUST: AS 11] | A 5355 | AS | | 23-OCT-91 |
| | MS9228C | BRACKET, ANGLE, 90 DEG. .190 BOLT [CUST: AR AS 82] [REVIEW: IS] | A 5340 | AS | | 18-JUN-87 |
| | MS9229B | BRACKET-90 DEG. ANGLE, AMS 5504, .190 X .250 BOLT [CUST: AS 11] [REVIEW: IS] | A 5340 | AS | | 22-NOV-66 |
| | MS9230C | BRACKET, ANGLE, 90 DEG. .190 X 312 BOLT [CUST: AR AS 82] [REVIEW: IS] | A 5340 | AS | | 18-JUN-87 |
| | MS9231C | BRACKET, ANGLE, 90 DEG. .190 X 375 BOLT [CUST: AR AS 82] [REVIEW: IS] | A 5340 | AS | | 18-JUN-87 |
| | MS9243 NOT 1 | COVER - ENGINE ACCESSORY DRIVE [CUST: AS 11] | A 2840 | AS | | 28-AUG-96 |
| | MS9274B NOT 1 | WASHER, KEY-DOUBLE, BEARING RETAINING, AMS 5510 [CUST: AS 11] | A 5310 | IS | | 03-OCT-91 |
| | MS9281B | SCREW, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .138-40 UNF-3A [CUST: AS 11 IS] | A 5305 | IS | | 27-OCT-95 |
| | MS9282A | SCREW, MACHINE STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .164-36 UNF-3A [CUST: AS IS] | A 5305 | IS | | 26-OCT-72 |
| | MS9287A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE HEXAGON HEAD, .4375-20 UNF-3A [CUST: AS IS] | A 5306 | IS | | 08-FEB-96 |
| | MS9288A | BOLT, MACHINE STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .500-20 UNF-3A [CUST: AS] [REVIEW: IS] | A 5306 | AS | | 26-OCT-72 |
| | MS9289A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .5625-18 UNF-3A [CUST: AS IS] | A 5306 | IS | | 08-FEB-96 |
| | MS9290A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .624-18 UNF-3A [CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9291A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .750-16 UNF-3A [CUST: AS IS] | A 5306 | IS | | 08-FEB-96 |
| | MS9293A | SCREW, MACHINE STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .164-36 UNF-3A [CUST: AS IS] | A 5305 | IS | | 26-OCT-72 |
| | MS9295 NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .250-28 UNF-3A [CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9298A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .4375-20 UNF-3A [CUST: AS IS] | A 5306 | IS | | 08-FEB-96 |
| | MS9299A NOT 1 | BOLT, MACHINE STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .500-20 UNF-3A [CUST: AS IS] | A 5306 | IS | | 08-FEB-96 |
| | MS9300A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .5625-18 UNF-3A [CUST: AS IS] | A 5306 | IS | | 08-FEB-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|------------------|--|--------------------------|-----|-------------|-----------|
| | MS9301A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON, .625-18 UNJF-3A [CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9302A NOT 1 | BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, DRILLED, 1 HOLE, HEXAGON HEAD, .750-16 UNJF-3A [CUST: AS IS] | A 5306 | IS | | 08-FEB-96 |
| | MS9365A | BRACKET-FLAT, CRES AMS 5510, .190 BOLT [CUST: AS 11] [REVIEW: 99 IS] | A 5340 | AS | | 22-NOV-66 |
| | MS9366A | BRACKET-FLAT, CRES AMS 5510, .190 X .250 BOLT (INACTIVE) (USE MS9552) [CUST: AS 11] [REVIEW: 99 IS] | A 5340 | AS | | 22-NOV-66 |
| | MS9367A | BRACKET-FLAT, CRES AMS 5510, .250 BOLT [CUST: AS 11] [REVIEW: 99 IS MC] | A 5340 | AS | | 22-NOV-66 |
| A | MS9374A(1) NOT 1 | GASKET - METAL O-RING, .094 TUBE X .006 WALL, SILVER PLATED [CUST: AS 11 IS] | A 5330 | IS | | 04-APR-98 |
| | MS9381 NOT 1 | COUPLING, TUBE-BRAZING, AMS 5646 [CUST: AS 11] [REVIEW: CC] | A 4730 | AS | | 14-AUG-96 |
| | MS9382 NOT 1 | TEE, TUBE-BRAZING, AMS 5646 [CUST: AS 11] [REVIEW: CC] | A 4730 | AS | | 14-AUG-96 |
| | MS9399 NOT 1 | BOLT, TEE HEAD - AMS 6322, CHAMFERED, .3125-24 UNJF-3A, CADMIUM PLATE (ASG)[CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9400 NOT 1 | BOLT, TEE HEAD - AMS 6322, CHAMFERED, .375-24 UNJF-3A, CADMIUM PLATE (ASG) [CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9401 NOT 1 | BOLT, TEE HEAD - AMS 6322, CHAMFERED, .4375-20 UNJF-3A, CADMIUM PLATE (ASG)[CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9402 NOT 1 | BOLT, TEE HEAD - AMS 6322, CHAMFERED, .500-20 UNJF-3A, CADMIUM PLATE (ASG) [CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9404A | PLUG, MACHINE THREAD - AMS 5646, PREFORMED PACKING [CUST: AS 11] [REVIEW: CC CR4] | A 5365 | AS | | 09-JUN-72 |
| | MS9405 NOT 1 | PLUG, MACHINE THREAD-AMS 5646, METAL GASKET, SILVER PLATED, MIL-S-8879 THREAD [CUST: AS] [REVIEW: CC] | A 4730 | AS | | 14-AUG-96 |
| | MS9435 NOT 1 | BOLT, TEE HEAD AND AMS 5735, CHAMFERED, .375-24 UNJF-3A (ASG) [CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9436 NOT 1 | BOLT, TEE HEAD AND AMS 5735, CHAMFERED, .4375-20 UNJF-3A (ASG) [CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9437 NOT 1 | BOLT, TEE HEAD AND AMS 5735, CHAMFERED, .500-20 UNJF-3A (ASG) [CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9438B | SCREW, MACHINE-STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .138-40 UNJF-3A [CUST: AS 82 IS] [REVIEW: 11] | A 5305 | IS | | 27-OCT-95 |
| | MS9439A | SCREW, MACHINE-STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .164-36 UNJF-3A [CUST: AS 11] | A 5305 | IS | | 13-DEC-72 |
| | MS9443 NOT 1 | BOLT, MACHINE AND STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .375-24 UNJF-3A [CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9445 NOT 1 | BOLT, MACHINE AND STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .500-20 UNJF-3A (ASG) [CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9446 NOT 1 | BOLT, MACHINE AND STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .5625-18 UNJF-3A (ASG) [CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9447 NOT 1 | BOLT, MACHINE AND STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM, PLATED, HEXAGON HEAD, DRILLED, .625-18 UNJF-3A (ASG) [CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9448 NOT 1 | BOLT, MACHINE AND STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .750-16 UNJF-3A (ASG) [CUST: AS IS] | A 5306 | IS | | 31-JAN-96 |
| | MS9487A NOT 2 | SCREW, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .136-40 UNJF-3A [CUST: 11 IS] [REVIEW: 82 85 AR MI] | A 5305 | IS | | 22-SEP-94 |
| | MS9488A NOT 2 | SCREW, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .164-36 UNJF-3A [CUST: 11 IS] [REVIEW: 82 85 AR MI] | A 5305 | IS | | 22-SEP-94 |
| | MS9560G(2) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .4375-24 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9561E(2) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .500-20 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9578D(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .4375-20 UNJF-3A [CUST: AV AS IS] [REVIEW: 99] | A 5306 | IS | | 29-APR-96 |
| | MS9580D(1) NOT 1 | BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .5625-18 UNJF-3A [CUST: AV AS IS] [REVIEW: 99] | A 5306 | IS | | 29-APR-96 |
| | MS9688A NOT 2 | BOLT, MACHINE-HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL, DIFFUSED NICKEL CADMIUM, .375-24 UNJF-3A [CUST: AS IS] | A 5306 | IS | | 29-AUG-94 |
| | MS9700A NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .4375-20 UNJF-3A [CUST: AS IS] [REVIEW: 82] | A 5306 | IS | | 29-AUG-94 |
| | MS9704A NOT 2 | SCREW, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .164-36 UNJF-3A [CUST: AS IS] [REVIEW: 82] | A 5305 | IS | | 29-AUG-94 |
| | MS9706A NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .250-28 UNJF-3A [CUST: AS IS] [REVIEW: 82] | A 5306 | IS | | 29-AUG-94 |
| | MS9707C NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .3125-24 UNJF-3A [CUST: AS IS] [REVIEW: 82] | A 5306 | IS | | 29-AUG-94 |
| | MS9708A(1) NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .375-24 UNJF-3A [CUST: AV AS 99 IS] | A 5306 | IS | | 29-APR-96 |
| | MS9709A NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .4375-20 UNJF-3A [CUST: AS IS] [REVIEW: 82] | A 5306 | IS | | 29-AUG-94 |
| | MS9717A NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, .375-24 UNJF-3A [CUST: AS IS] [REVIEW: 82] | A 5306 | IS | | 29-AUG-94 |
| | MS9718A NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, .4375-20 UNJF-3A [CUST: AS IS] [REVIEW: 82] | A 5306 | IS | | 29-AUG-94 |
| | MS9723D NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANCE STEEL, .190-32 UNJF-3A [CUST: AS IS] [REVIEW: 82] | A 5306 | IS | | 29-AUG-94 |
| | MS9725C NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANT STEEL, .3125-24 UNJF-3A [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 29-AUG-94 |
| | MS9727C NOT 2 | BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANT STEEL, .4375-20 UNJF-3A [CUST: AS IS] [REVIEW: 82] | A 5306 | IS | | 29-AUG-94 |
| | MS9766B NOT 1 | NUT, DOUBLE HEXAGON, CUPWASHER LOCKED, AMS 5737, CRES [CUST: AS 99 IS] [REVIEW: MC] | A 5310 | IS | | 10-JUN-94 |
| | MS9767B NOT 1 | NUT, DOUBLE HEXAGON - CUPWASHER LOCKED, AMS 6322, CADMIUM PLATED MIL-S-8879 [CUST: AS 11 IS] | A 5310 | IS | | 01-JUL-94 |
| | MS9768B NOT 1 | WASHER, FLAT-CRES AMS 5525 OR AMS 5737, COUNTERSUNK [CUST: AS 99 IS] | A 5310 | IS | | 10-JUN-94 |
| | MS9826A NOT 1 | CLAMP, LOOP-CUSHIONED, JOGGLED, CORROSION RESISTING STEEL, .265 HOLE [CUST: AS 99] [REVIEW: 11] | A 5340 | AS | | 04-OCT-91 |
| | MS9896 NOT 2 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, AMS 5616, .3125-24 UNJF-3A [CUST: 11 IS] | A 5306 | IS | | 22-SEP-94 |
| | MS9901 NOT 1 | PLUG, MACHINE THREAD - AMS 5646, PREFORMED PACKING, MIL-S-8879 THREAD [CUST: AS 11] | A 4730 | AS | | 14-AUG-96 |
| | MS9915 NOT 2 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .250-28 UNJF-3A [CUST: 11 IS] | A 5306 | IS | | 22-SEP-94 |
| | MS9932 NOT 2 | BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, FULL SHANK, STEEL AMS 6322, CADMIUM PLATED, .190-32 UNJF-3A [CUST: 11 IS] [REVIEW: 82 AS CG MC] | A 5306 | IS | | 22-SEP-94 |
| | MS9951 NOT 1 | NUT, SPANNER END SLOTS, CUPWASHER LOCKED, STEEL AMS 6322 MIL-S-8879 [CUST: AS 99 IS] [REVIEW: 11] | A 5310 | IS | | 01-FEB-96 |
| | MS9952A NOT 2 | WASHER, CUP, LOCK - EXPANDER NUT CRES, AMS 5846 [CUST: 11 IS] | A 5310 | IS | | 22-SEP-94 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Document Number | Document Title | Distribution FSC/Aes | MCA Prep. Acty. | Date |
|------------------|---|-------------------------|--------------------|-----------|
| MS9953 NOT 1 | PLUG, MACHINE THREAD-AMS 4121, PREFORMED PACKING, MIL-S-8879 THREAD [CUST: AS 11] [REVIEW: 99 CC CG MC] | A 4730 | AS | 14-AUG-96 |
| MS9954 NOT 1 | PLUG, MACHINE THREAD-DRILLED, AMS 4121, PREFORMED PACKING, MIL-S-8879 THREAD [CUST: AS 11] [REVIEW: CC CG MC] | A 4730 | AS | 14-AUG-96 |
| MS9971 NOT 1 | COVER, ACCESSORY DRIVE, 5 INCHES (127 MM) BC ROUND, ALUMINUM [CUST: AS 11] | A 2995 | AS | 28-AUG-96 |
| MS14012C NOT 1 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 4 SIZE 22 SOLDER PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AS AT MT SH] | A 5935 | CC | 27-JUL-92 |
| MS14013C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 4 SIZE 22 SOLDER SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14014C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 7 SIZE 22 SOLDER PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14015C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 7 SIZE 22 SOLDER SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14016C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 22 SOLDER PIN CONTACTS [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14017C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 22 SOLDER SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14018C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 22 SOLDER PIN CONTACTS [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14019C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 22 SOLDER SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14020C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 26 SIZE 22 SOLDER PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MT] | A 5935 | CC | 27-JUL-92 |
| MS14021C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 26 SIZE 22 SOLDER SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14022C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 22 SOLDER PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14023C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 22 SOLDER SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14024C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 44 SIZE 22 SOLDER PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14025C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 44 SIZE 22 SOLDER SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14026C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 22 SOLDER PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14027C NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 22 SOLDER SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MT OS SH] | A 5935 | CC | 27-JUL-92 |
| MS14040A NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K097 TO LT10K107 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 31-JAN-92 |
| MS14041A | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K108 TO LT10K112 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 25-JUL-83 |
| MS14042A | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K113 TO LT10K117 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 25-JUL-83 |
| MS14043A | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K118 TO LT10K122 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 25-JUL-83 |
| MS14044A | COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K123 TO LT10K127 INCL. [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | 25-JUL-83 |
| MS14046B | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICROMINIATURE, (IRON CORE) TYPES LT10K128 TO LT10K137 (USE MIL-C-39010/7) [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS CR4 MC MI OS SH] | A 5950 | CC | 18-JAN-95 |
| MS14071A NOT 2 | SHIELD, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20, 26, 34, 44, AND 50 CONTACT CONNECTORS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MT] | A 5935 | CC | 27-JUL-92 |
| MS14072 NOT 1 | SHELL, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20, 26, 34, 42, AND 50 CONTACT CONNECTORS [CUST: CR EC 85] [REVIEW: 11 99 AM AR AS AT CR4 MC MT] | A 5935 | CC | 27-JUL-92 |
| MS14108F | FASTENER, POSITIVE SELF-LOCKING CASE MOUNTING, ELECTRONIC EQUIPMENT [CUST: CR AS 11] [REVIEW: 85 AR AT AV IS] | A 5340 | AS | 07-DEC-87 |
| A MS14109A NOT 2 | FASTENER, POSITIVE SELF-LOCKING CASE MOUNTING, ELECTRONIC EQUIPMENT (WITH HOLDING CLAMP) [CUST: AS] | A 5340 | AS | 17-SEP-97 |
| MS14116 NOT 2 | FLANGE, HYDRAULIC STARTER MOUNTING [CUST: AS] | A 2995 | AS | 18-SEP-96 |
| MS14117 NOT 1 | ADAPTER, AIR TURBINE STARTER TO ENGINE, MOUNTING [CUST: AS] | A 2995 | AS | 18-SEP-96 |
| MS14119 NOT 1 | FLANGE, AIR TURBINE STARTER MOUNTING [CUST: AS] | A 2995 | AS | 18-SEP-96 |
| MS14125F NOT 3 | RACK, VERTICAL [CUST: AS] [REVIEW: GS] | A 5975 | AS | 25-SEP-96 |
| MS14127E NOT 2 | DOOR, FACE MOUNTED [CUST: AS] | A 5975 | AS | 25-SEP-96 |
| MS14128F NOT 2 | DOOR, FLUSH MOUNTED [CUST: AS] | A 5975 | AS | 25-SEP-96 |
| MS14129D NOT 2 | PANEL, FLUSH MOUNTED [CUST: AS] | A 5975 | AS | 25-SEP-96 |
| MS14130B NOT 2 | WRITING DESK [CUST: AS] [REVIEW: GS] | A 5975 | AS | 25-SEP-96 |
| MS14131C NOT 2 | WRITING DESK COMPONENTS [CUST: AS] [REVIEW: GS] | A 5975 | AS | 25-SEP-96 |
| MS14132A NOT 2 | PANEL TEXTOLITE [CUST: AS] [REVIEW: GS] | A 5975 | AS | 25-SEP-96 |
| MS14133C NOT 2 | DRAWER, SLIDING [CUST: AS] [REVIEW: GS] | A 5975 | AS | 25-SEP-96 |
| MS14134C NOT 2 | SLIDE ASSEMBLY, EQUIPMENT [CUST: AS] | A 5975 | AS | 30-AUG-90 |
| MS14135C NOT 1 | DRAWER ASSEMBLY, RACK MOUNTING [CUST: AS] [REVIEW: GS] | A 5975 | AS | 25-SEP-96 |
| MS14136C NOT 2 | HANDLE [CUST: AS] | A 5975 | AS | 25-SEP-96 |
| A MS14137F NOT 3 | ANGLE, MOUNTING [CUST: AS] | A 5975 | AS | 13-AUG-97 |
| A MS14138B NOT 3 | SHELF [CUST: AS] | A 5975 | AS | 13-FEB-98 |
| A MS14139A NOT 3 | KNEE PROTECTOR [CUST: AS] | A 5975 | AS | 28-JAN-98 |
| MS14140H NOT 1 | PLATE-RACK [CUST: AS] [REVIEW: GS] | A 5975 | AS | 25-SEP-96 |
| MS14142A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT 22X5.5 (200 MPH) TYPE VII (NAVY) [CUST: AS] [REVIEW: CC] | A 2620 | AS | 09-OCT-96 |
| MS14152A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 37 X 11.5 - 16, TYPE VIII (NAVY) [CUST: AS] | A 2620 | AS | 09-OCT-96 |
| MS14161A NOT 1 | TIRE, PNEUMATIC, AIRCRAFT 22 X 6.75-10 (NAVY) [CUST: AS] [REVIEW: CC] | A 2620 | AS | 09-OCT-96 |
| MS14163B NOT 2 | BOLT, WHEEL, TENSION, FLANGED, STEEL 220 KSI, FTU, 450 DEG. F EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD (USE MS14181) [CUST: AV AS 11 IS] | A 5306 | IS | 20-NOV-95 |
| A MS14166 NOT 1 | T-WRENCH, URT-33 RADIO BEACON [CUST: AS] | A 5120 | AS | 13-AUG-97 |
| MS14170A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 37 X 11.5 - 16, TYPE VII (NAVY) [CUST: AS] | A 2620 | AS | 09-OCT-96 |
| MS14174 NOT 2 | DROPLINE, RIGID SEAT SURVIVAL KIT [CUST: AS] | A 1680 | AS | 18-SEP-96 |
| MS14175A NOT 3 | DROPLINE/BOOT ASSY, RIGID SEAT SURVIVAL KIT [CUST: AS] | A 1680 | AS | 18-SEP-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|-----------------------|-----|-------------|------|
| | MS14178A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 24X6.5-14, FABRIC REINFORCED TREAD (200 KNOTS) [CUST: AS] | A 2620 | AS | 09-OCT-96 | |
| | MS14180 NOT 1 | NUT REPLACEMENT FOR SELF-LOCKING PLATE, FLOATING, TWO LUG, STEEL, (VESPEL*INSERT) 500 CYCLES REUSE 160 KSI FTU, 450 DEG. F. [CUST: AV AS 99 IS] [REVIEW: 82 AR] | A 5310 | IS | 22-AUG-94 | |
| | MS14185 NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 22X6.75-10 [CUST: AS] | A 2620 | AS | 09-OCT-96 | |
| | MS14186B NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 36 X 11 [CUST: AS] [REVIEW: CC] | A 2620 | AS | 09-OCT-96 | |
| A | MS14188 NOT 2 | SCREW, CAP, SOCKET HEAD, SQUARE 160 KSI, UTS [CUST: AV AS 99 IS] | A 5305 | IS | 01-OCT-97 | |
| | MS14193 NOT 2 | AIRCRAFT TIRE LIFE CYCLE COSTING (LCC), PROCEDURES FOR [CUST: AS] [REVIEW: CC] | A 2620 | AS | 29-JAN-97 | |
| A | MS14194 NOT 2 | NUTS (FASTENERS), INTERNALLY THREADED, PRELOAD LOCKING, 450 DEG. F, 800 DEG. F, 1200 DEG. F, RELIABILITY AND MAINTAINABILITY DESIGN REQUIREMENTS FOR [CUST: AV AS 99 IS] [REVIEW: 82] | A 5310 | IS | 01-OCT-97 | |
| | MS14196 NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 18 X 5.7 - 8.00 (NAVY), FABRIC REINFORCED TREAD [CUST: AS] [REVIEW: CC] | A 2620 | AS | 09-OCT-96 | |
| A | MS14199 NOT 2 | NUT ASSEMBLY, FLOATING, SELF-LOCKING, RIVETLESS, ATTACHED RETENTION ELEMENT, (A.R.E.), MAINTAINABILITY AND RELIABILITY DESIGN AND USAGE LIMITATIONS FOR [CUST: AR AS 11 IS] [REVIEW: 99 AV MC MI SH] | A 5310 | IS | 01-OCT-97 | |
| A | MS14211A NOT 1 | NUT, FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F, CRES (ASTM A-286), KSI FTU, REPLACEABLE NUT ELEMENT, 1/64 OVERSIZE REPAIR [CUST: AS IS] | A 5310 | IS | 01-OCT-97 | |
| | MS14223 NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, 26.0 X 8.75 - 11 (NAVY (AV-8B NLG) [CUST: AS] [REVIEW: CC] | A 2620 | AS | 09-OCT-96 | |
| | MS14224 NOT 1 | TIRE, PNEUMATIC, AIRCRAFT 13.5 X 6.00-4 (NAVY) (AV-8B WLG) [CUST: AS] [REVIEW: CC] | A 2620 | AS | 09-OCT-96 | |
| | MS14225 NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, 26 X 7.75-13 (NAVY) (AV-8B MLG) [CUST: AS] [REVIEW: CC] | A 2620 | AS | 09-OCT-96 | |
| A | MS14226 NOT 1 | WASHER, FLAT, FOR OVERSIZE FASTENERS AND FASTENER SLEEVE [CUST: AV AS 11 IS] | A 5310 | IS | 01-OCT-97 | |
| A | DS14269 NOT 2 | HINGE, CONTINUOUS, METRIC [CUST: AS] [REVIEW: IS] | A 5340 | AS | 17-SEP-97 | |
| A | DS14270 NOT 1 | PIN HINGE, METRIC [CUST: AS] [REVIEW: IS] | A 5340 | AS | 17-SEP-97 | |
| A | MS14271C NOT 1 | HANDLE, COUPLING, PNEUMATIC STARTER [CUST: AS IS] | A 5340 | IS | 16-JUN-97 | |
| A | DS14273 NOT 2 | STRAP, RETAINING, CUSHIONED, RECTANGULAR, METRIC [CUST: AR AS 99] [REVIEW: IS] | A 5340 | AS | 17-SEP-97 | |
| | MS14482A NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, 36 X 11, 24 PR [CUST: AS] [REVIEW: CC] | A 2620 | AS | 09-OCT-96 | |
| | MS15000C NOT 1 | FITTINGS, LUBRICATION-HYDRAULIC, ACCEPTABLE TIP DESIGNS [CUST: AV AS 99] [REVIEW: AT CR4 MC MI OS SA SH] | A 4730 | AS | 14-AUG-96 | |
| | MS15001A NOT 2 | FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, 1/4-28 TAPER THREADS, STEEL, TYPE I [CUST: CR4 AS 99] | A 4730 | AS | 14-AUG-96 | |
| | MS15002A NOT 2 | FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, STRAIGHT THREADS, STEEL, TYPE II [CUST: CR4 AS 99] | A 4730 | AS | 14-AUG-96 | |
| | MS15003 NOT 2 | FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, 1/8 PIPE THREADS, STEEL TYPE III [CUST: CR4 AS 99] | A 4730 | AS | 14-AUG-96 | |
| | MS15004B NOT 1 | FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, 1/4-28 TAPER THREADS, NICKEL-COPPER ALLOY, TYPE IV [CUST: AV AS 99] [REVIEW: 71 82 AR AT CC MI] | A 4730 | AS | 14-AUG-96 | |
| | MS15005E NOT 2 | FITTINGS, LUBRICATION, THROAT OR SURFACE CHECK, 1/8 PIPE THREADS, NICKEL-COPPER ALLOY, TYPE V [CUST: AR AS 11] | A 4730 | AS | 14-AUG-96 | |
| | MS15006 NOT 2 | FITTINGS, LUBRICATION (HYDRAULIC) LEAKPROOF, 1/8 PIPE THREADS, STEEL, TYPE VI [CUST: CR4 AS 99] | A 4730 | AS | 14-AUG-96 | |
| | MS15720 NOT 2 | FITTING, LUBRICATION (HYDRAULIC) THROAT OR SURFACE CHECK, 1/4-28 TAPER THREADS, CORROSION RESISTANT STEEL, TYPE VII [CUST: AS 99] [REVIEW: CC CR4 MC] | A 4730 | AS | 14-AUG-96 | |
| | MS15721 NOT 2 | FITTING, LUBRICATION (HYDRAULIC) THROAT OR SURFACE CHECK, 1/8 PIPE THREADS, CORROSION RESISTANT STEEL, TYPE VIII [CUST: AS 99] [REVIEW: AR CC MC] | A 4730 | AS | 14-AUG-96 | |
| | MS16036C NOT 1 | BELT, AIRCRAFT SAFETY, PILOT'S AUTOMATIC RELEASE, CARTRIDGE OPERATED [CUST: AS] | A 1680 | AS | 18-SEP-96 | |
| A | MS16052B NOT 2 | AIR INLET, COMBAT AIRCRAFT, GROUND COOLING [CUST: AS] | A 1660 | AS | 23-JUL-97 | |
| | MS16057F NOT 2 | INVERTER, 100/60 VA, 3/1 PHASE TO 100 VA, 1 PHASE, CLASS B, MULTIPURPOSE [CUST: CR4 AS 99] [REVIEW: 80 AV CG CR GS MC MI] | A 6125 | AS | 04-SEP-96 | |
| | MS16062C NOT 2 | INVERTER, 2500 VA, 3/1 PHASE, CLASS B [CUST: AS] [REVIEW: GS] | A 6125 | AS | 11-SEP-96 | |
| | MS16201A NOT 3 | BOLTS, LAG, CONE POINT, COUNTERSUNK FLATHEAD, SLOTTED, COPPER-SILICON ALLOY, NONMAGNETIC [CUST: SH 99 IS] | A 5306 | IS | 16-JUN-97 | |
| | MS16403D NOT 1 | TRANSFORMER, POWER, STEP-DOWN AND STEP-UP, TYPE TF4RX03JB221 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR CG MC MI SH] | A 5950 | CC | 04-AUG-88 | |
| | MS16450F | TRANSFORMER, POWER, STEP-DOWN, TYPE TF4RX02HA203 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR CG MC MI SH] | A 5950 | CC | 20-MAR-86 | |
| | MS16465B NOT 1 | INDUCTOR, POWER, TYPE TF4RX04FA207 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR CG MC SH] | A 5950 | CC | 04-AUG-88 | |
| | MS16469C NOT 1 | INDUCTOR, POWER, TYPE TF4RX04KB211 [CUST: EC 85 CC] [REVIEW: 11 17 19 AR CG MC MI SH] | A 5950 | CC | 04-AUG-88 | |
| | MS16471E NOT 1 | TRANSFORMER, POWER, STEP-DOWN, TYPE TF4SX01GA209 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR CG MC MI SH] | A 5950 | CC | 04-AUG-88 | |
| | MS16472C NOT 1 | TRANSFORMER, POWER, STEP-DOWN TYPE TF4SX01FA208 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR CG MC MI] | A 5950 | CC | 04-AUG-88 | |
| | MS16473C NOT 1 | TRANSFORMER, POWER, STEP-DOWN TYPE TF4SX01EA207 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 AR CG MC MI] | A 5950 | CC | 04-AUG-88 | |
| | MS16474D | TRANSFORMER, POWER, STEP-DOWN TYPE TF4SX01EB206 [CUST: CR EC 85 CC] [REVIEW: 17 19 AR CG MC MI] | A 5950 | CC | 15-JUL-93 | |
| | MS16476A NOT 1 | INDUCTOR, (REACTOR) TYPE TF4SX04EB214 [CUST: EC CC] [REVIEW: MI] | A 5950 | CC | 04-AUG-88 | |
| A | MS16842E NOT 1 | CLAMP, WIRE ROPE, SADDLED, SINGLE GRIP STEEL [CUST: AR SH 99 IS] [REVIEW: 82 AT AV CR4 GL MC YDI] | A 4030 | IS | 01-OCT-97 | |
| A | MS16843E NOT 1 | CLAMP, WIRE ROPE (DOUBLE GRIP) THREADED, STEEL [CUST: AR SH 99 IS] [REVIEW: AT CR CR4 GL MC YDI] | A 4030 | IS | 01-OCT-97 | |
| | MS16993B NOT 1 | PLUG, FUSIBLE, REFRIGERANT-12 [CUST: GL YDI 99] [REVIEW: MD MI] | A 5340 | IS | 01-APR-96 | |
| A | MS17102A NOT 1 | BEARING, BALL, THRUST, METRIC, SELF-ALIGNING [CUST: GS] [REVIEW: MC MI] | A 3110 | GS | 02-FEB-96 | |
| A | MS17188B NOT 1 | WASHER, FLAT (ROUND), CRES [CUST: 99 IS] [REVIEW: CC CR4 IS MI] | A 5310 | IS | 01-OCT-97 | |
| A | MS17241B NOT 2 | HEAT INTERCHANGER, REFRIGERANT-12 [CUST: GL YDI 82 IS] [REVIEW: CE GS MC MD SH] | A 4130 | IS | 21-NOV-94 | |
| A | MS17242B NOT 2 | STRAINER, SEDIMENT REFRIGERANT-12 [CUST: GL YDI 82 IS] [REVIEW: CR4 GS] | A 4130 | IS | 06-FEB-96 | |
| A | MS17243C NOT 1 | VALVE, ANGLE, SHUT-OFF, PACKED, RECEIVER, REFRIGERANT-12 [CUST: GL YDI 99 IS] [REVIEW: CR4 GS MC] | A 4130 | IS | 06-FEB-96 | |
| A | MS17248C NOT 1 | VALVE, COMPRESSOR SERVICE, REFRIGERANT-12 [CUST: GL 99 IS] [REVIEW: CR4 GS] | A 4130 | IS | 02-FEB-96 | |
| A | MS17291C NOT 2 | RECEIVER, LIQUID REFRIGERANT 12 [CUST: GL 99 IS] [REVIEW: CE CR4 GS MC] | A 4130 | IS | 02-FEB-96 | |
| | MS17294 NOT 1 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .3125-18 X 250-28 (MIL-S-8879 THREAD) [CUST: AS IS] | A 5307 | IS | 12-SEP-94 | |
| | MS17295 NOT 1 | STUD STEPPED, 1.5 DIA ENGAGEMENT, .375-16 X .3125-24 (MIL-S-8879 THREAD) [CUST: AS IS] [REVIEW: MI] | A 5307 | IS | 12-SEP-94 | |
| | MS17296 NOT 1 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .4375-14 X .375-24 (MIL-S-8879 THREAD) [CUST: AS IS] | A 5307 | IS | 12-SEP-94 | |
| | MS17299 NOT 1 | STUD-STRAIGHT .190-24 X .190-32 (MIL-S-8879 THREAD) [CUST: AS IS] | A 5307 | IS | 12-SEP-94 | |
| | MS17300 NOT 1 | STUD-STRAIGHT, .250-20 X .250-28 (MIL-S-8879 THREAD) [CUST: AS IS] [REVIEW: CR4] | A 5307 | IS | 12-SEP-94 | |
| | MS17301 NOT 1 | STUD-STRAIGHT, .3125-18X .3125-24 (MIL-S-8879 THREAD) [CUST: AS IS] | A 5307 | IS | 12-SEP-94 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------|--|-----------------------|-----|-------------|-----------|
| | MS17312 NOT 1 | RIVET FOR SAFETY CHAIN TYPE II, CLASS 6, NO. 0 [CUST: IS] | A 5320 | IS | | 22 AUG-94 |
| | MS17319 NOT 1 | BUSHING - SCREW, PLAIN (MIL-S-8879 THREAD) [CUST: AS 99] | A 4730 | AS | | 14-AUG-96 |
| | MS17333D NOT 2 | TRANSMISSION, POWER, CONSTANT SPEED 17 HP AND 21.7 HP [CUST: AS] [REVIEW: GS] | A 6115 | AS | | 21-AUG-96 |
| A | MS17334P NOT 1 | BATTERY, STORAGE, AIRCRAFT, 24 VOLT, HEAVY DUTY, 1/3 AMPERE HOUR [CUST: AS] [REVIEW: GS] | A 6140 | AS | | 04-APR-98 |
| | MS17335G NOT 1 | CONVERTER, 100 AMPERE, CLASS B NONREGULATED, AIRCRAFT, FAN COOLED [CUST: AS] | A 6130 | AS | | 04-SEP-96 |
| | MS17394 NOT 1 | TRANSMITTER, RATE GYROSCOPE T-751/AJB-3A [CUST: AS] | A 6615 | AS | | 29-JAN-97 |
| | MS17398B NOT 1 | GYROSCOPE, DISPLACEMENT, ROLL AND PITCH [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| | MS17399C NOT 2 | GYROSCOPE, RATE SWITCHING [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| | MS17400B NOT 1 | INDICATOR, ATTITUDE, REMOTE - 3 INCH CASE [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| | MS17401C NOT 2 | INDICATOR, ATTITUDE, REMOTE - 5 INCH CASE [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| | MS17404B NOT 2 | INVERTER, AIRCRAFT, 2500 VA, 3/1 PHASE, 400 CYCLE, CLASS B, MULTI-PURPOSE [CUST: CR4 AS 99] [REVIEW: GS] | A 6125 | AS | | 04-SEP-96 |
| | MS17406C NOT 2 | INVERTER, 750 VA 3/1 PHASE, 750 VA 3 PHASE, AND 1000 VA 1 PHASE CLSS B, MULTI-PURPOSE [CUST: CR4 AS 99] [REVIEW: 80 AV CR GS] | A 6125 | AS | | 21-FEB-95 |
| | MS17794 NOT 1 | CRITERIA, JET ELECTRICAL STARTING SYSTEM, DC [CUST: AS] | A MISC | AS | | 07-MAY-97 |
| D | MS17795A NOT 1 | BEARING, SLEEVE, PLAIN TYPE, SINTERED BRONZE, OIL IMPREGNATED [CUST: AT OS 99 GS] [REVIEW: 84 AR AV MI] | A 3120 | GS | | 16-JUN-97 |
| D | MS17796A(1) NOT 1 | BEARING, SLEEVE, FLANGE TYPE, SINTERED BRONZE, OIL IMPREGNATED [CUST: AT OS 99 GS] [REVIEW: 84] | A 3120 | GS | | 16-JUN-97 |
| A | MS17810A NOT 2 | VALVES, CHECK, REFRIGERANT-12 [CUST: GL 99 IS] [REVIEW: CE CR4 GS MC] | A 4130 | IS | | 02-FEB-96 |
| A | MS17820 NOT 2 | INSERT, HELICAL COIL INSTALLATION THREAD; DESIGN STANDARD FOR [CUST: AV IS] | A 5340 | IS | | 16-JUN-97 |
| | MS17833E NOT 1 | CONNECTOR, PNEUMATIC STARTER, DUCT-FLANGED, MALE [CUST: AV AS 99] [REVIEW: 82 CC] | A 4730 | AS | | 14-AUG-96 |
| | MS17834A NOT 1 | ADAPTER, PNEUMATIC STARTER DUCT NIPPLE AND FLANGE (MALE) [CUST: AV AS 99] [REVIEW: 82 CC] | A 4730 | AS | | 14-AUG-96 |
| | MS17835E NOT 1 | CONNECTOR, PNEUMATIC STARTER, DUCT-FLANGED, FEMALE [CUST: AV AS 99] [REVIEW: 82 CC] | A 4730 | AS | | 14-AUG-96 |
| | MS17836E NOT 1 | CONNECTOR, PNEUMATIC STARTER, DUCT, DOUBLE ENDED [CUST: AV AS 99] [REVIEW: 82 CC] | A 4730 | AS | | 14-AUG-96 |
| | MS17838A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 28X7.7 - TYPE VII (NAVY) [CUST: AS] | A 2620 | AS | | 09-OCT-96 |
| | MS17840B NOT 1 | GASKET-SPARK PLUG [CUST: AV AS] | A 2925 | AS | | 28-AUG-96 |
| | MS17841C NOT 2 | VALVES, SOLENOID, REFRIGERANT-12 [CUST: GL 99] [REVIEW: CE GS MD MI SH] | A 4810 | CC | | 01-APR-96 |
| | MS17869A NOT 1 | INDICATOR, HORIZONTAL SITUATION, ID-1013/A [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| | MS17976F NOT 1 | CONVERTER, 100 AMPERE, CLASS C NONREGULATED, AIRCRAFT, FAN COOLED [CUST: AS] [REVIEW: GS] | A 6130 | AS | | 04-SEP-96 |
| | MS17982C NOT 2 | VALVES, EXPANSION, THERMOSTATIC, REFRIGERANT-12 AND REFRIGERANT-22 [CUST: GL 99] [REVIEW: CC CR4 MC SH] | A 4820 | CC | | 01-APR-96 |
| | MS17996B NOT 2 | INDICATOR, PRESSURE, 1-1/2-INCH, INTEGRALLY LIGHTED [CUST: AV AS 99] | A 6620 | AS | | 04-SEP-96 |
| | MS18002B NOT 1 | LAMP, INCANDESCENT - SEALED BEAM, PAR 36 FOG LAMP, 2 SCREW TERMINAL TYPE [CUST: AT SH] [REVIEW: GS YDI] | A 6240 | AT | | 03-NOV-92 |
| | MS18003A NOT 2 | LAMP, INCANDESCENT-SEALED BEAM, PAR 36 HEADLAMP, 3 CONTACT LUG TYPE [CUST: AT SH 85] | A 6240 | AT | | 03-NOV-92 |
| A | MS18011A NOT 1 | CONTAINER, REUSABLE, ALUMINUM, HAND PORTABLE-ASSEMBLY FOR SHIPPING [CUST: OS] [REVIEW: MI] | A 8140 | OS | | 22-APR-98 |
| A | MS18012A NOT 1 | HANDLE, METAL, SPRING BAIL TYPE [CUST: OS] [REVIEW: CR4 IS MI] | A 5340 | OS | | 22-APR-98 |
| A | MS18015B NOT 1 | CATCH, CLAMPING AND STRIKE (CONCEALED SPRING TYPE) [CUST: AR OS IS] [REVIEW: AS CR CR4 MI] | A 5340 | IS | | 31-JUL-97 |
| A | MS18016B NOT 1 | PLATE, CONTAINER IDENT [CUST: OS] | A 9905 | OS | | 22-APR-98 |
| | MS18020B NOT 1 | LABEL, INSTRUCTION [CUST: OS] | A 7530 | OS | | 09-MAY-96 |
| A | MS18023A NOT 1 | BOX, FIBERBOARD, FOR CONTAINERS, REUSABLE, ALUMINUM, HAND PORTABLE [CUST: OS] [REVIEW: GL] | A 8115 | OS | | 22-APR-98 |
| A | MS18026A NOT 1 | CONTAINER, REUSABLE ALUMINUM, HAND PORTABLE [CUST: OS] [REVIEW: MI] | A 8140 | OS | | 22-APR-98 |
| | MS18028A NOT 1 | INDICATOR, ATTITUDE - DIRECTOR, REMOTE (IFIS) [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| A | MS18037C NOT 1 | ACTUATOR, AIRCRAFT, ELECTRO-MECHANICAL, LINEAR, DIRECT CURRENT [CUST: AS] | A 1680 | AS | | 23-JUL-97 |
| | MS18040B | ADAPTER - FOR CONNECTION OF COUPLING PER MIL-C-25531 TO MS17833 [CUST: AV AS 99] [REVIEW: CC] | A 4730 | AS | | 27-JAN-89 |
| | MS18054B NOT 2 | DRIVE PAD FOR AIRCRAFT ELECTRIC EQUIPMENT, CIRCULAR, 5-, 8-, AND 10-INCH [CUST: AS] [REVIEW: GS] | A 6150 | AS | | 07-AUG-96 |
| | MS18056E NOT 2 | MOUNTING FLANGES FOR AIRCRAFT ELECTRIC EQUIPMENT, CIRCULAR, 5-, 8-, AND 10-INCH [CUST: AS] [REVIEW: GS] | A 6150 | AS | | 07-AUG-96 |
| | MS18060B NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 24X5.5(200 MPH) FABRIC TREAD TYPE VII (NAVY) [CUST: AS] | A 2620 | AS | | 09-OCT-96 |
| | MS18069B NOT 3 | COMPOUNDS, ADHESIVE, AIRCRAFT DESIGN AND USE LIMITATIONS FOR THREADED COMPONENTS RETAINED, SEALED OR LOCKED BY [CUST: AV AS 11] | A 8030 | AS | | 05-MAR-97 |
| | MS18071H NOT 1 | REGULATOR VOLTAGE, DIRECT CURRENT GENERATOR, 28 VOLTS, SOLID STATE [CUST: AV AS 99] | A 6110 | AV | | 12-OCT-82 |
| | MS18088 NOT 1 | FITTING END- TETRAFLUOROETHYLENE HOSE MEDIUM PRESSURE, SWIVEL FLANGE CORROSION RESISTANT STEEL [CUST: AS] | A 4730 | AS | | 14-AUG-96 |
| | MS18098 NOT 2 | VOLT-AMMETER, DUAL POINTER, DIRECT CURRENT [CUST: AV AS 99] [REVIEW: CC MC] | A 6625 | AS | | 29-AUG-96 |
| | MS18099A | INDICATOR, TACHOMETER, TRIPLE POINTER, HELICOPTER [CUST: AS] | A 6620 | AS | | 19-MAR-79 |
| | MS18100D NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K200 TO LT4K208 INCL. LT4K220 AND LT4K221 [CUST: CR EC 85 CC] [REVIEW: 11 17 19 80 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 31-JAN-92 |
| | MS18103D NOT 1 | CONVERTER, 50 AMPERE, CLASS C NONREGULATED, AIRCRAFT, FAN COOLED [CUST: AS] [REVIEW: GS] | A 6125 | AS | | 11-SEP-96 |
| | MS18108B NOT 2 | STARTER GENERATOR, DIRECT CURRENT, 300 AMPERE, 30 VOLT, WIDE SPEED RANGE, CLASS A, TYPE 3 [CUST: AS] [REVIEW: GS] | A 6115 | AS | | 21-AUG-96 |
| | MS18130D | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICROMINIATURE (IRON CORE) TYPES LT4K074 TO LT4K089 (USE MIL-C-39010/6) [CUST: CR EC 85 CC] [REVIEW: 17 19 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 18-JAN-95 |
| | MS18233C | CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED FOR RG-178B/U AND RG-196A/U CABLE [CUST: EC CC] | A 5935 | CC | | 30-MAR-90 |
| | MS18256B NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 9, SIZE 20 SOLDER SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| | MS18257B NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 9, SIZE 20 SOLDER PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| | MS18258B NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 42, SIZE 20 SOLDER PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| | MS18259B NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 75, SIZE 20 SOLDER SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| | MS18260B NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 42, SIZE 20 SOLDER SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| | MS18261B NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 75, SIZE 20 SOLDER PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| | MS18262B NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 104, SIZE 20 SOLDER SOCKET CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| | MS18263B NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 104, SIZE 20 SOLDER PIN CONTACTS [CUST: CR EC 85] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| A | MS19065A NOT 1 | ROLLER, BEARING, FERROUS, SOLID, SPHERICAL END [CUST: AT OS 99 GS] [REVIEW: 84 MC] | A 3110 | GS | | 16-JUN-97 |
| A | MS19073 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING SNAP RINGS ON OUTER RING, NON-LOCATING [CUST: AT OS] [REVIEW: CR4 IS MC SH] | A 3110 | OS | | 22-APR-98 |
| A | MS19074 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, CYLINDRICAL OUTER RING, NON-LOCATING [CUST: AT OS] [REVIEW: IS MC SH] | A 3110 | OS | | 22-APR-98 |
| A | MS19075 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, CYLINDRICAL INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, ONE DIRECTION LOCATING [CUST: AT OS] [REVIEW: IS MC SH] | A 3110 | OS | | 22-APR-98 |
| A | MS19076 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, CYLINDRICAL INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, NON-LOCATING [CUST: AT OS] [REVIEW: CR4 IS MC SH] | A 3110 | OS | | 22-APR-98 |
| A | MS19077 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, ONE ROLLER RETAINING RIB ON OUTER RING, ONE DIRECTION LOCATING [CUST: AT OS] [REVIEW: IS MC SH] | A 3110 | OS | | 22-APR-98 |
| A | MS19078 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, ONE ROLLER RETAINING RIB ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, ONE DIRECTION LOCATING [CUST: AT OS] [REVIEW: IS MC SH] | A 3110 | OS | | 22-APR-98 |
| A | MS19079 NOT 1 | BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, TWO DIRECTION LOCATING [CUST: AT OS] [REVIEW: IS MC SH] | A 3110 | OS | | 22-APR-98 |
| A | MS19081B NOT 1 | BEARING, ROLLER, TAPERED SINGLE ROW OF ROLLERS, NORMAL ANGLE [CUST: AT OS 99] [REVIEW: 84 AR AV CR4 IS MC MI SH YD1] | A 3110 | OS | | 22-APR-98 |
| A | MS19082A NOT 2 | BEARING, ROLLER, TAPERED, SINGLE ROW OF ROLLERS, NORMAL ANGLE, FLANGED CUP, TYPE 755 (TSF) [CUST: AT OS 99] [REVIEW: 84 AV IS MC MI NS SA] | A 3110 | OS | | 22-APR-98 |
| A | MS19083A NOT 1 | BEARING, ROLLER, TAPERED, SINGLE ROW OF ROLLERS, STEEP ANGLE, TYPE 753 (TSS) [CUST: AT OS 99] [REVIEW: 84 AV IS MC MI NS SA] | A 3110 | OS | | 22-APR-98 |
| A | MS19084A NOT 2 | BEARING, ROLLER, TAPERED, SINGLE ROW OF ROLLERS, STEEP ANGLE, FLANGED CUP, TYPE 759 (TSSF) [CUST: AT OS 99] [REVIEW: AV IS MC MI NS SA] | A 3110 | OS | | 22-APR-98 |
| A | MS19085A NOT 1 | BEARING, ROLLER, TAPERED, TWO ROWS OF ROLLERS, TYPE 757 (TDI) & 770 (TDIS) [CUST: OS 99] [REVIEW: 84 AV IS MC NS SH] | A 3110 | OS | | 13-JAN-82 |
| A | MS19086A NOT 1 | BEARING, ROLLER, TAPERED, DOUBLE ROW OF ROLLERS, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, ADJUSTABLE, TYPE 761 (TDO) [CUST: OS 99] [REVIEW: 84 AV IS MC SH] | A 3110 | OS | | 22-APR-98 |
| A | MS19087A NOT 1 | BEARING, ROLLER, TAPERED DOUBLE ROW OF ROLLERS, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, ADJUSTABLE, TYPE 763 (TDOS) [CUST: OS 99] [REVIEW: 84 AV IS MC NS SH] | A 3110 | OS | | 22-APR-98 |
| A | MS19088A NOT 1 | BEARING, ROLLER, TAPERED, DOUBLE ROW OF ROLLERS, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NON ADJUSTABLE, TYPE 764 (TNA) [CUST: OS] [REVIEW: 84 99 AV IS MC NS SH] | A 3110 | OS | | 22-APR-98 |
| A | MS19089A NOT 1 | BEARING, ROLLER, TAPERED, DOUBLE ROW OF ROLLERS, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NON ADJUSTABLE, TYPE 767 (TNA) [CUST: OS 99] [REVIEW: 84 AV IS MC NS SH] | A 3110 | OS | | 22-APR-98 |
| | MS20500E NOT 1 | NUT, SELF LOCKING, HEXAGON, 1200 DEG. F, 125 KSI FTU [CUST: AV AS 99 IS] [REVIEW: CR4] | A 5310 | IS | | 10-JUN-94 |
| | MS20813E NOT 1 | CAP, HIGH-PRESSURE AIR VALVE [CUST: AV AS 99] | A 4820 | CC | | 05-APR-96 |
| A | MS21000 NOT 1 | PIN - FLATHEAD, HI - SHEAR, OVERSIZE, 160,000 PSI [CUST: 99 IS] | A 5320 | IS | | 01-OCT-97 |
| | MS21001 NOT 1 | PIN, 100 DEG. COUNTERSUNK HEAD, HI-SHEAR, OVERSIZE, 160,000 PSI [CUST: 99 IS] | A 5320 | IS | | 10-JUN-94 |
| A | MS21106A NOT 1 | CLAMP, LOOP, CUSHIONED, 1200 DEG. F, CRES TYPE IV, CLASS B [CUST: AV AS 99 IS] | A 5340 | IS | | 16-JUN-97 |
| A | MS21150D NOT 1 | BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, SOLID SHANK, SELF-ALIGNING, AIRFRAME, TYPE I, -65 DEG. TO 350 DEG. F [CUST: AV AS 99 GS] [REVIEW: 84 AR AT CR4 MI] | A 3110 | GS | | 01-OCT-97 |
| A | MS21151D NOT 1 | BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, EXTERNAL THREAD, SELF-ALIGNING, AIRFRAME, TYPE II, -65 DEG. TO 300 DEG. F [CUST: AV AS 99 GS] [REVIEW: 84 AR AT CR4 MI] | A 3110 | GS | | 22-SEP-97 |
| A | MS21152D NOT 1 | BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, HOLLOW SHANK, SELF-ALIGNING, AIRFRAME, TYPE III, -65 DEG. TO 300 DEG. F [CUST: AV AS 99 GS] [REVIEW: 84 AR AT CR4 MI] | A 3110 | GS | | 22-SEP-97 |
| A | MS21153E NOT 1 | BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, INTERNAL THREAD, SELF-ALIGNING, AIRFRAME, TYPE IV, -65 DEG. F TO 300 DEG. F [CUST: AV AS 99 GS] [REVIEW: 84 AR AT CR4 MI] | A 3110 | GS | | 22-SEP-97 |
| A | MS21208B NOT 1 | INSERT, SCREW THREAD, COARSE AND FINE, FREE RUNNING, HELICAL COIL, CRES [CUST: AV AS 99 IS] [REVIEW: AR AS AV CR GL MC MI SH] | A 5325 | IS | | 02-FEB-94 |
| | MS21211B NOT 2 | VALVE, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS ARMY [CUST: AV AS 99] | A 4820 | 71 | | 01-DEC-95 |
| D | MS21240D | BEARING, SLEEVE, PLAIN, TFE LINED (USE MIL-B-81934/1) [CUST: AV AS 99 GS] [REVIEW: 84 AR] | A 3120 | GS | | 08-MAY-80 |
| | MS21241D | BEARING, SLEEVE, FLANGED, TFE LINED (USE MIL-B-81934/2) [CUST: AS 99 GS] [REVIEW: 84 MI] | A 3120 | GS | | 16-AUG-77 |
| | MS21242D | BEARING, PLAIN, ROD END, SELF-ALIGNING, TFE LINED, EXTERNALLY THREADED [CUST: AV AS 11] [REVIEW: 84 99] | A 3120 | AS | | 19-JUL-89 |
| D | MS21243C | BEARING, PLAIN, ROD END, SELF ALIGNING, TFE LINED, INTERNALLY THREADED (USE MIL-B-81935/2) [CUST: AV AS 99 GS] | A 3120 | GS | | 04-JUN-82 |
| A | MS21264 NOT 2 | NUT DRILLED JAM [CUST: AS IS] | A 5310 | IS | | 01-OCT-97 |
| | MS21267A NOT 1 | TERMINAL ASSEMBLY, SPARK PLUG, DETACHABLE IGNITION LEAD [CUST: AV AS 99] [REVIEW: MC] | A 2925 | AS | | 28-AUG-96 |
| | MS21280B NOT 1 | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .250-28 (MIL-S-8879 THREAD) [CUST: AS IS] | A 5306 | IS | | 21-OCT-91 |
| | MS21281B NOT 1 | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .3125-24 (MIL-S-8879 THREAD) [CUST: AS IS] | A 5306 | IS | | 21-OCT-91 |
| | MS21282B NOT 1 | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .375-24 (MIL-S-8879 THREAD) [CUST: AS IS] | A 5306 | IS | | 21-OCT-91 |
| | MS21284B NOT 1 | BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .500-20 (MIL-S-8879 THREAD) [CUST: AS IS] | A 5306 | IS | | 21-OCT-91 |
| | MS21288B NOT 1 | BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .190-32 (MIL-S-8879 THREAD) [CUST: AS IS] | A 5306 | IS | | 21-OCT-91 |
| | MS21290B NOT 1 | BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .3125-24 (MIL-S-8879 THREAD) [CUST: AS IS] | A 5306 | IS | | 21-OCT-91 |
| | MS21291B NOT 1 | BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .375-24 (MIL-S-8879 THREAD) [CUST: AS IS] | A 5306 | IS | | 01 APR 92 |
| A | MS21292B NOT 2 | BOLT, MACHINE - STEEL, DRILLED, DOUBLE HEXAGON, EXTENDED WASHER, .4375-20 (MIL-S-8879 THREAD) [CUST: AV AS 99 IS] | A 5306 | IS | | 01-OCT-97 |
| | MS21293B NOT 1 | BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .500-20 (MIL-S-8879 THREAD) [CUST: AS IS] | A 5306 | IS | | 21-OCT-91 |
| A | MS21294B NOT 2 | BOLT, MACHINE - STEEL, DRILLED, DOUBLE HEXAGON, EXTENDED WASHER, .5625-18 (MIL-S-8879 THREAD) [CUST: AV AS 99 IS] | A 5306 | IS | | 01-OCT-97 |
| A | MS21312A NOT 1 | HANDWHEEL-REVOLVING HANDLE, WITH KEYWAY [CUST: AR OS 99 IS] [REVIEW: AT CR4 MC MI] | A 5340 | IS | | 31-JUL-97 |
| | MS21349 NOT 3 | CASE, INSTRUMENTS, VERTICAL SCALE, STANDARD DIMENSIONS FOR [CUST: 99] | A 6610 | 71 | | 01-NOV-95 |
| A | MS21383F NOT 1 | KNOB RADIAL INDICATOR, ILLUMINATED AND NON ILLUMINATED [CUST: 99 IS] [REVIEW: 82] | A 5355 | IS | | 31-JUL-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|---|-----------------------|-----|-------------|-----------|
| A | MS21384E NOT 1 | KNOB ROUND, ILLUMINATED AND NON ILLUMINATED, SMALL [CUST: 99 IS] [REVIEW: 82] | A 5355 | IS | | 31-JUL-97 |
| A | MS21386E NOT 1 | KNOB, ROUND, CONCENTRIC ILLUMINATED AND NON-ILLUMINATED [CUST: 99 IS] [REVIEW: 82] | A 5355 | IS | | 31-JUL-97 |
| A | MS21432B NOT 1 | BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL STUD, TYPE VII, ANTIFRICTION, INCH [CUST: AT AS 99 GS] [REVIEW: 84] | A 3110 | GS | | 16-JUN-97 |
| A | MS21448 NOT 3 | NUT, SELF-LOCKING, PLATE, SPACER, LIGHT TO MEDIUM DUTY [CUST: AV AS 99 IS] [REVIEW: 11 82 AT CR CR4 MI] | A 5310 | IS | | 19-JAN-98 |
| A | MS21449 NOT 3 | NUT, SELF-LOCKING, PLATE, SPACER, LIGHT DUTY [CUST: AV AS 99 IS] [REVIEW: 11 82 AT CR CR4 MI] | A 5310 | IS | | 19-JAN-98 |
| D | MS21783 NOT 1 | BEARING, WASHER, THRUST, SINTERED BROZE, OIL IMPREGNATED [CUST: AT OS 99 GS] [REVIEW: 11 84 AR AS CC MI] | A 3120 | GS | | 01-OCT-97 |
| | MS21903C | UNION, FLARELESS TUBE, 3/8 BULKHEAD AND UNIVERSAL (USE MS21924) [CUST: AV AS 99] [REVIEW: 11 AR CC CR4 MI OS] | A 4730 | AS | | 27-JUN-69 |
| A | MS21919E NOT 2 | CLAMP, LOOP TYPE, CUSHIONED, SUPPORT [CUST: AS 99 IS] [REVIEW: 11 AR EA] | A 5340 | IS | | 16-JUN-97 |
| | MS21932C | FIFFINT END, BOLT CLUSTER FITTING, SINGLE PORT [CUST: AV AS 99] [REVIEW: 82 AT CC CR4] | A 4730 | AS | | 27-JUL-87 |
| | MS21933C | FITTING END, BOLT CLUSTER FITTING, SINGLE PORT THROUGH, FLARELESS [CUST: AV AS 99] [REVIEW: 11 AR CC CR4 GL MI] | A 4730 | AS | | 28-AUG-87 |
| | MS21934C | FITTING END, BOLT CLUSTER FITTING, DOUBLE PORT [CUST: AV AS 99] [REVIEW: 82 AT CC CR4] | A 4730 | AS | | 27-JUL-87 |
| | MS21939D | BOLT, CLUSTER FITTING, SINGLE PORT, THROUGH, FLARELESS [CUST: AV AS 99] [REVIEW: 11 AR CC CR CR4 GL] | A 4730 | AS | | 21-JUN-88 |
| | MS21940D | BOLT, CLUSTER FITTING, DOUBLE PORT, FLARELESS [CUST: AS 99] [REVIEW: 71 82 CC GL] | A 4730 | AS | | 10-AUG-88 |
| | MS21941D | BOLT, CLUSTER FITTING, DOUBLE PORT, THROUGH, FLARELESS [CUST: AV AS 99] [REVIEW: 11 AR CC CR CR4 GL] | A 4730 | AS | | 16-JUN-88 |
| | MS21944C | BODY, CLUSTER FITTING, TWO WAY, 180 DEG., FLARELESS [CUST: AV AS 99] [REVIEW: 11 AR CC CR CR4 MI] | A 4730 | AS | | 28-AUG-87 |
| | MS21970B NOT 2 | GENERATOR SYSTEM, 10 KVA, 400 HERTZ, ALTERNATING CURRENT, INTEGRALLY EXCITED, BRUSHLESS TYPE, A-4 AIRCRAFT [CUST: AS] | A 6115 | AS | | 21-AUG-96 |
| | MS21971 NOT 1 | INDICATOR, TACHOMETER, ELECTRIC, 0-120 PERCENT RPM, 2 INCH SIZE [CUST: AS 11] [REVIEW: 99 GS] | A 6620 | AS | | 04-SEP-96 |
| | MS21972B NOT 1 | LIGHT, AIRCRAFT, ANTI-COLLISION, TANDEM OSCILLATING [CUST: AS] [REVIEW: GS] | A 6220 | AS | | 29-MAY-92 |
| | MS21983E NOT 2 | INVERTER, 250 VA, 3/1 PHASE AND 1 PHASE, CLASS B, MULTIPURPOSE [CUST: CR4 AS 11] | A 6125 | AS | | 04-SEP-96 |
| A | MS22002F NOT 2 | LINK, REMOVABLE CONNECTOR PARACHUTE & BARRICADE [CUST: GL AS 99] | A 1670 | AS | | 16-JUL-97 |
| A | MS22003 NOT 1 | LINK - LAP SAFETY BELT (ASG) [CUST: AS 11] [REVIEW: 99] | A 1680 | AS | | 23-JUL-97 |
| A | MS22004C NOT 1 | ADJUSTER, LAP, AIRCRAFT SAFETY BELT [CUST: AS 99] | A 1680 | 82 | | 12-SEP-97 |
| A | MS22005E NOT 1 | BAR, ADJUSTER, LAP AIRCRAFT SAFETY BELT [CUST: AS 99] | A 1680 | 82 | | 28-FEB-98 |
| A | MS22007K NOT 1 | ADJUSTER ASSEMBLY, SAFETY SHOULDER HARNESS BELT [CUST: AV AS 99] | A 1670 | 82 | | 01-SEP-97 |
| A | MS22008 NOT 2 | RELEASE - PARACHUTE CANOPY QUICK DISCONNECT [CUST: AS] | A 1670 | AS | | 16-JUL-97 |
| A | MS22010 NOT 1 | ANCHOR - LAP SAFETY BELT [CUST: AV AS 99] [REVIEW: 82 MI] | A 1680 | AS | | 23-JUL-97 |
| A | MS22014A NOT 1 | ADAPTER, PARACHUTE HARNESS ADJUSTING STRAP [CUST: GL AS 99] | A 1670 | 82 | | 01-SEP-97 |
| A | MS22016E NOT 1 | CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A [CUST: AV AS] | A 1660 | AS | | 21-AUG-96 |
| A | MS22017E NOT 1 | SNAP, PARACHUTE HARNESS QUICK-FIT EJECTOR [CUST: GL AS 82] [REVIEW: 11 99] | A 1670 | AS | | 16-JUL-97 |
| A | MS22018E NOT 1 | SNAP, PARACHUTE HARNESS QUICK-FIT EJECTOR [CUST: GL AS 82] [REVIEW: 11 99] | A 1670 | AS | | 16-JUL-97 |
| A | MS22019C NOT 1 | ADAPTER, PARACHUTE HARNESS REVERSIBLE QUICK FIT [CUST: GL AS 99] [REVIEW: 11] | A 1670 | AS | | 16-JUL-97 |
| A | MS22020B NOT 2 | LINK, PARACHUTE HARNESS TRIANGLE [CUST: AS] | A 1670 | AS | | 16-JUL-97 |
| A | MS22021F NOT 1 | LINK, PARACHUTE REMOVABLE CONNECTER, SPEED [CUST: AS 11] | A 1670 | AS | | 16-JUL-97 |
| A | MS22022 NOT 2 | SLIDE BAR, PARACHUTE HARNESS QUICK FIT EJECTOR SNAP [CUST: AS 99] | A 1680 | AS | | 23-JUL-97 |
| A | MS22025 NOT 2 | BRACKET, FLYERS RELIEF TUBE, VERTICAL [CUST: AS 99] | A 1680 | 82 | | 01-OCT-97 |
| A | MS22032B NOT 2 | RECHARGER ASSEMBLY, PORTABLE OXYGEN (ASG) [CUST: AS 99] [REVIEW: 11] | A 1660 | AS | | 21-AUG-96 |
| A | MS22033E NOT 2 | BELT, AIRCRAFT SAFETY, LAP [CUST: AS] | A 1680 | AS | | 30-SEP-97 |
| A | MS22034A NOT 2 | ADAPTER, QUICK DISCONNECT, PASSENGER SEAT TO FLOOR [CUST: AS 99] [REVIEW: 11 82 AV CG] | A 1680 | AS | | 23-JUL-97 |
| A | MS22035B NOT 2 | VALVE, CHECK, OXYGEN, HIGH PRESSURE, FILLER CONNECTION [CUST: AV AS 71] | A 4820 | AS | | 31-JAN-96 |
| A | MS22040C NOT 2 | ADAPTER, PARACHUTE, HARNESS, QUICK FIT [CUST: GL AS 99] [REVIEW: 11 AV] | A 1670 | 82 | | 01-SEP-97 |
| A | MS22042A NOT 1 | SNAP HOOK - QUICK CONNECTOR, PARACHUTE HARNESS [CUST: GL AS 99] [REVIEW: 11 MC] | A 1670 | 82 | | 30-SEP-97 |
| A | MS22043A NOT 1 | SNAP HOOK - COILED SPRING, PARACHUTE QUICK FIT [CUST: GL AS 99] [REVIEW: 11 AV MC] | A 1670 | 82 | | 30-SEP-97 |
| A | MS22045B NOT 1 | RING-PARACHUTE HARNESS (V) [CUST: GL AS 99] [REVIEW: 11 AV] | A 1670 | 82 | | 30-SEP-97 |
| A | MS22046C NOT 1 | RING-PARACHUTE HARNESS (D) [CUST: GL AS 99] [REVIEW: 11 AV] | A 1670 | 82 | | 30-SEP-97 |
| A | MS22047C NOT 1 | ADAPTER - PARACHUTE HARNESS STRAP [CUST: GL AS 99] [REVIEW: 11 AV MC] | A 1670 | 82 | | 30-SEP-97 |
| A | MS22054A NOT 3 | VALVE, LIFE RAFTS FLUSH TYPE, TOPPING OFF (FOR MULTIPLE LIFE RAFTS) [CUST: AS 99] [REVIEW: CC] | A 4220 | AS | | 30-JUL-97 |
| A | MS22055F NOT 1 | HOSE ASSEMBLIES-OXYGEN BREATHING, CONNECTOR TO REGULATOR [CUST: AV AS 99] [REVIEW: 71] | A 4720 | AS | | 13-AUG-97 |
| A | MS22056B NOT 1 | VALVE, CHECK, OXYGEN MASK, INLET [CUST: AV AS] | A 4820 | AS | | 31-JAN-96 |
| A | MS22058C NOT 1 | CONNECTOR, OXYGEN HOSE TO REGULATOR [CUST: AV AS 99] [REVIEW: 11 71 GL] | A 1660 | AS | | 27-AUG-97 |
| A | MS22059D NOT 1 | OXYGEN SYSTEM, PORTABLE, 295 CU IN. HIGH PRESSURE, AIRCRAFT [CUST: AV AS 99] [REVIEW: 11] | A 1660 | AS | | 27-AUG-97 |
| A | MS22061D NOT 2 | OXYGEN SYSTEM, PORTABLE, 96 CU IN. HIGH PRESSURE, AIRCRAFT [CUST: AV AS 99] [REVIEW: 11] | A 1660 | AS | | 27-AUG-97 |
| A | MS22062F NOT 1 | REGULATOR, OXYGEN, DILUTER DEMAND, AUTOMATIC, PRESSURE BREATHING [CUST: AV AS] | A 1660 | AS | | 27-AUG-97 |
| A | MS22066C NOT 1 | VALVE, CHECK, OXYGEN CHARGING [CUST: AS 99] [REVIEW: 11] | A 1660 | 71 | | 04-APR-98 |
| A | MS22068E NOT 1 | COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS [CUST: AS 99] [REVIEW: CC] | A 1660 | AS | | 27-AUG-97 |
| A | MS22069F NOT 1 | CYLINDER ASSEMBLY, EMERGENCY OXYGEN [CUST: AV AS 99] | A 1660 | 71 | | 20-AUG-97 |
| A | MS22074C NOT 1 | CIRCUIT BREAKER, RECYCLING TRIP-FREE, PUSH-PULL, 1/2 THRU 5 AMPERE, TYPE I [CUST: AS 85] | A 5925 | AS | | 24-OCT-91 |
| A | MS23002D NOT 1 | DIE, CRIMPING TOOL - FOR USE WITH MS25036, SIZE 8 THROUGH 4/0 TERMINALS [CUST: CR AS 99] [REVIEW: AR EC GL MC] | A 5136 | AS | | 13-AUG-97 |
| | MS23005E NOT 1 | TUBE-OIL COOLER [CUST: AV AS 99] [REVIEW: 71] | A 2935 | AS | | 28-AUG-96 |
| | MS23009E NOT 3 | ACCELEROMETER-AIRCRAFT, INTEGRALLY LIGHTED ABU-4A/A AND ABU-4B/A [CUST: 99] | A 6610 | 71 | | 15-NOV-95 |
| | MS24003G NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 7, SIZE 20 SOLDER SOCKET CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| | MS24004G NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 7, SIZE 20 SOLDER PIN CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| | MS24009G NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 14, SIZE 20 SOLDER SOCKET CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| | MS24010F NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 14, SIZE 20 SOLDER PIN CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------|---|--------------------------|-----|-------------|-----------|
| MS24011E NOT 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 18, SIZE 20 SOCKET CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 31-AUG-93 |
| MS24012D NOT 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 18, SIZE 20 PIN CONTACTS [CUST: CR EC 80 CC] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 15-DEC-89 |
| MS24013F NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 20, SIZE 20 SOLDER SOCKET CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| MS24014F NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 20, SIZE 20 SOLDER PIN CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| MS24017C(1) | NUT PLAIN, HEXAGON, MOUNTING [CUST: AR EC 80 IS] | A 5310 | IS | | 20-FEB-96 |
| MS24018C NOT 1 | HOOD-ELECTRICAL CONNECTOR, MINIATURE [CUST: CR EC 85 CC] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 31-AUG-93 |
| MS24019F NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 26, SIZE 20 SOLDER SOCKET CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| MS24020G NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 26, SIZE 20 SOLDER PIN CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| MS24021E NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 34, SIZE 20 SOLDER SOCKET CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| MS24022F NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 34, SIZE 20 SOLDER PIN CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| MS24025G NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 50, SIZE 20 SOLDER SOCKET CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| MS24026E NOT 2 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 50, SIZE 20 SOLDER PIN CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AR AS AT AV CR4 MC MI OS SH] | A 5935 | CC | | 22-JUL-93 |
| MS24029D NOT 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 10, SIZE 16 SOCKET CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 31-AUG-93 |
| MS24030D NOT 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 10, SIZE 16 PIN CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 31-AUG-93 |
| MS24033D NOT 1 | CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 14, SIZE 16 SOCKET CONTACTS [CUST: CR EC 85 CC] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 31-AUG-93 |
| MS24055D NOT 1 | CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, HEXAGONAL, 9 CONTACTS, FEMALE, 7.5 AMPS [CUST: CR EC 85 CC] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 31-AUG-93 |
| MS24057C NOT 1 | COUPLING-EAR [CUST: CR EC 85 CC] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 31-AUG-93 |
| MS24128C NOT 1 | RING-COUPLING, FIXED [CUST: CR EC 85 CC] [REVIEW: 11 AM AR AS AT CR4 MC MI OS SH] | A 5935 | CC | | 31-AUG-93 |
| A MS24152H | RELAY, ELECTROMAGNETIC, 25 AMPERES, 3 PDT, N.O. TYPE II, NON-HERMETICALLY SEALED (MECHANICALLY INTERLOCKED) [CUST: AS 85 CC] | A 5945 | CC | | 27-MAY-94 |
| MS24264N | CONNECTORS, RECEPTACLE, ELECTRICAL, FLANGE MOUNT, MINIATURE [CUST: 85 CC] [REVIEW: 11 17 99] | A 5935 | CC | | 07-SEP-90 |
| MS24265N | CONNECTOR, RECEPTACLE, ELECTRICAL, SINGLE HOLE MOUNT MINIATURE [CUST: 85 CC] [REVIEW: 11 17 99] | A 5935 | CC | | 07-SEP-90 |
| MS24266L | CONNECTOR, PLUG, ELECTRICAL STRAIGHT, MINIATURE [CUST: 85 CC] [REVIEW: 11 17 99] | A 5935 | CC | | 07-SEP-90 |
| D MS24315 NOT 2 | COUPLING FLANGE, ROUND HUB [CUST: CR4 99 GS] | A 3120 | GS | | 16-JUN-97 |
| A MS24350J NOT 2 | VALVE, AUTOMATIC PRESSURE REGULATING, ANTI-G SUIT [CUST: AS 11] [REVIEW: 99] | A 1660 | AS | | 27-AUG-97 |
| A MS24354A NOT 1 | DROGUE CONE, NOZZLE AND RECEPTION COUPLING - TYPE MA-2 FLIGHT-PRESSURE-REFUELING SYSTEM, ASSEMBLY OF [CUST: AS 99] | A 1680 | 82 | | 20-OCT-97 |
| A MS24355B NOT 1 | COUPLING, RECEPTION - TYPE MA-2, FLIGHT-PRESSURE-REFUELING, ASSEMBLY OF (ASG) [CUST: AS 99] | A 1680 | 82 | | 26-SEP-97 |
| A MS24356D NOT 1 | NOZZLE - TYPE MA-2, FLIGHT PRESSURE REFUELING (ASG) [CUST: AS 99] | A 1680 | 82 | | 26-SEP-97 |
| A MS24357A NOT 2 | FLANGE, DROGUE CONE - TYPE MA-2 RECEPTION COUPLING, FLIGHT PRESSURE REFUELING, OUTLINE DIMENSIONS FOR [CUST: AS 99] | A 1680 | 82 | | 26-SEP-97 |
| A MS24358A NOT 2 | FITTING, HOSE END - TYPE MA-2, FLIGHT PRESSURE REFUELING, RECEPTION COUPLING, OUTLINE DIMENSIONS FOR [CUST: AS 99] | A 1680 | 82 | | 26-SEP-97 |
| A MS24359A NOT 1 | NOSE, PROBE MAST - TYPE MA-2, FLIGHT PRESSURE REFUELING NOZZLE, OUTLINE DIMENSIONS FOR (ASG) [CUST: AS 99] | A 1680 | 82 | | 26-SEP-97 |
| A MS24360B NOT 1 | RING, LOCK FLIGHT PRESSURE REFUELING NOZZLE [CUST: 99] | A 1680 | 82 | | 26-SEP-97 |
| A MS24361B NOT 2 | RING, SPLIT - TYPE MA-2, FLIGHT PRESSURE REFUELING, RECEPTION COUPLING [CUST: AS 99] | A 1680 | 82 | | 26-SEP-97 |
| A MS24362A NOT 2 | SLEEVE - TYPE MA-2, FLIGHT PRESSURE REFUELING, RECEPTION COUPLING [CUST: AS 99] | A 1680 | 82 | | 26-SEP-97 |
| A MS24368A NOT 2 | RIM CONTOURS, 56 X 1 AND 49 X 17, TYPE VII, EXTRA HIGH PRESSURE, MLG WHEEL [CUST: 99] | A 1630 | 70 | | 12-DEC-97 |
| A MS24369A NOT 2 | RIM CONTOUR - 30X8.8, TYPE VII, EXTRA HIGH PRESSURE, MAIN LANDING GEAR WHEEL [CUST: 99] | A 1630 | 70 | | 12-DEC-97 |
| A MS24370B NOT 2 | RIM CONTOURS-24 X 5.5, 22 X 5.5, 20 X 5.5 AND 18 X 5.5, TYPE VII, EXTRA HIGH PRESSURE, LANDING GEAR WHEEL [CUST: AV AS 99] [REVIEW: MC] | A 1630 | 70 | | 12-DEC-97 |
| MS24378F NOT 1 | TRANSMITTER, SYNCHRO, ANGLE OF ATTACK OR SIDESLIP [CUST: 85 CC] | A 5990 | CC | | 18-MAR-92 |
| MS24423C NOT 2 | VALVE, CHECK, MINIATURE HYDRAULIC, AIRCRAFT AND MISSILE, -65 DEG. F TO +450 DEG. F, 3,000 PSI, FLARELESS TUBE [CUST: AV AS 99] | A 4820 | 71 | | 01-DEC-95 |
| MS24462H | BEARING, ROLLER, NEEDLE-SINGLE ROW, THIN SHELL, TYPE II, ANTIFRICTION [CUST: AT AS 99] [REVIEW: 84 IS] | A 3110 | AS | | 05-DEC-94 |
| MS24465J | BEARING, ROLLER, NEEDLE-SINGLE ROW, HEAVY DUTY, TRACK ROLLER, TYPE V, ANTIFRICTION, INCH (USE MS 21438) [CUST: AT AS 99] [REVIEW: 84 IS MI] | A 3110 | AS | | 05-DEC-94 |
| MS24466J | BEARING, ROLLER, NEEDLE-DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, TYPE VI ANTIFRICTION, INCH (USE MS21439) [CUST: AT AS 99] [REVIEW: 84 IS] | A 3110 | AS | | 05-DEC-94 |
| A MS24484J NOT 1 | ADAPTER, PRESSURE FUEL SERVICING, NOMINAL 2.5 INCH DIAMETER [CUST: AV AS 99] [REVIEW: 84 CR4] | A 1560 | AS | | 22-MAR-96 |
| A MS24535A NOT 1 | FASTENER-CONTAINER CLOSURE [CUST: GL AS 99 IS] [REVIEW: MI] | A 5340 | IS | | 22-AUG-97 |
| MS24537C NOT 2 | TRANSMITTER, TEMPERATURE ELECTRICAL RESISTANCE - 24 VOLT DC [CUST: AT 99] [REVIEW: 82 CR CR4 GL GS YDI] | A 6685 | AT | | 28-SEP-93 |
| MS24538D NOT 1 | TRANSMITTER, PRESSURE - 24 VOLT DC 60 PSI [CUST: AT YDI 99] [REVIEW: AV CR MC] | A 6620 | AT | | 28-SEP-93 |
| MS24539D NOT 1 | TRANSMITTER, PRESSURE - 24 VOLT DC 120 PSI [CUST: AT YDI 99] [REVIEW: AV CR CR4 MC] | A 6620 | AT | | 28-SEP-93 |
| MS24540H NOT 2 | INDICATOR, PRESSURE 24 VOLT, DC, RANGE 0-120 PSI [CUST: AT 99] [REVIEW: CR CR4 GS MC YDI] | A 6685 | AT | | 28-SEP-93 |
| MS24541G NOT 2 | INDICATOR, PRESSURE: 24 VOLT, DC, RANGE 0-60 PSI [CUST: AT 99] [REVIEW: CR CR4 GS MC YDI] | A 6685 | AT | | 28-SEP-93 |
| MS24542H NOT 1 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE: 24 VOLT DC, RANGE 160-320 DEG. F [CUST: AT 99] [REVIEW: 82 CR CR4 GS MC YDI] | A 6685 | AT | | 28-SEP-93 |
| MS24543H NOT 1 | INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE: 24 VOLT DC, 120 DEG.-240 DEG. F [CUST: AT 99] [REVIEW: CR CR4 GS MC YDI] | A 6685 | AT | | 28-SEP-93 |
| MS24544H NOT 1 | INDICATOR, LIQUID QUANTITY: 24 VOLT DC, ENGINE FUEL [CUST: AT 99] [REVIEW: CR CR4 GS MC YDI] | A 6680 | AT | | 28-SEP-93 |
| MS24548J NOT 1 | HOSE ASSEMBLY - TETRAFLUOROETHYLENE, OXYGEN [CUST: AV AS 99] [REVIEW: 11 CC] | A 4720 | 71 | | 23-NOV-95 |
| MS24550D NOT 1 | TRANSMITTER, POSITION [CUST: 99] | A 6610 | 71 | | 01-NOV-95 |
| A MS24553A NOT 1 | LINK, CONNECTOR, PARACHUTE - SEPARABLE, HEAVY DUTY, ASSEMBLY OF [CUST: 99] | A 1670 | 82 | | 01-SEP-97 |
| A MS24569D NOT 2 | INDICATOR, TEMPERATURE - THERMOCOUPLE, SELF BALANCING POTENTIOMETER TYPE [CUST: 99] | A 6685 | 82 | | 19-AUG-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Lat Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|-------------------|---|-----------------------|-----------------|-----------|
| | MS24576B NOT 3 | INDICATOR, PRESSURE, OIL [CUST: 99] [REVIEW: GS] | A 6620 | 71 | 01-NOV-95 |
| A | MS24577E NOT 1 | FLASHER, SOLID STATE, AIRCRAFT NAVIGATIONAL LIGHT [CUST: AV AS 85 CC] [REVIEW: 99 MC] | A 5945 | CC | 28-JUN-96 |
| A | MS24585D NOT 2 | SPRING, HELICAL, COMPRESSION, FOR LOADS BELOW 20 POUNDS [CUST: AR OS 99 IS] [REVIEW: 82 AT AV CR4 MC MI] | A 5360 | IS | 01-OCT-97 |
| | MS24593D NOT 2 | VALVE, CHECK, MINIATURE HYDRAULIC, AIRCRAFT AND MISSILE, -65 DEG. F TO +450 DEG. F, 3,000 PSI, FLARED TUBE [CUST: AV AS 99] | A 4820 | 71 | 01-DEC-95 |
| | MS24626D(1) NOT 1 | SCREW, TAPPING-THREAD CUTTING, TYPE BF OR BT, PAN HEAD, CROSS-RECESSED, CORROSION-RESISTING STEEL [CUST: AR 99 IS] | A 5305 | IS | 19-APR-96 |
| | MS25010F | LIGHT, PANEL - PLASTIC PLATE LIGHTING [CUST: CR4 AS 99] [REVIEW: AT AV GS] | A 6220 | AS | 13-SEP-74 |
| | MS25023C NOT 2 | LIGHT, INDICATOR [CUST: AS 99] | A 6210 | AS | 24-JUL-96 |
| | MS25025B NOT 2 | LOADMETER, DIRECT CURRENT, AIRCRAFT [CUST: AS] | A 6625 | AS | 28-AUG-96 |
| A | MS25030M | RELAY, 50 AMP, 2PDT, N.O. II, NON-HERMETICALLY SEALED, MECHANICALLY INTERLOCKED [CUST: AS 85 CC] | A 5945 | CC | 28-APR-95 |
| A | MS25031L | RELAY, ELECTROMAGNETIC, 100 AMPERES, 2PDT, N.O. TYPE II, NONHERMETICALLY SEALED, MECHANICALLY INTERLOCKED [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5945 | CC | 28-SEP-90 |
| A | MS25032K | RELAY, ELECTROMAGNETIC, 200 AMPERES, 2 PDT, (N.O.) TYPE II, NONHERMETICALLY SEALED, MECHANICALLY INTERLOCKED [CUST: AS 85 CC] | A 5945 | CC | 06-FEB-96 |
| A | MS25035C | RELAYS, ELECTROMAGNETIC, TYPE I, 25 AMPERES, 1PST, SEALED, CLASS 0 [CUST: AS 85 CC] | A 5945 | CC | 17 JAN-92 |
| | MS25038E NOT 1 | GENERATOR, TACHOMETER AND SYNCHRONIZING, PISTON ENGINE (ASG) [CUST: AV AS 99] [REVIEW: CC GS] | A 6620 | AS | 04 SEP-96 |
| A | MS25045A NOT 1 | BLOCK TERMINAL, 2 STUD [CUST: CR4 AS 85] [REVIEW: GS] | A 5940 | AS | 27-AUG-97 |
| | MS25068J NOT 1 | SWITCH, TOGGLE, FOUR POLE, SEALED TOGGLE [CUST: CR AS 85 CC] [REVIEW: 11 99 AV EC] | A 5930 | CC | 30-SEP-88 |
| A | MS25077D NOT 1 | TERMINAL BOARD, FIVE-STUD, TWO 3/8-INCH AND THREE NUMBER 10 STUDS (ASG) [CUST: CR4 AS 85] [REVIEW: GS] | A 5940 | AS | 27-AUG-97 |
| | MS25086C NOT 1 | RING, RETAINING [CUST: AS] [REVIEW: IS] | A 5365 | AS | 29-JAN-97 |
| | MS25098J | SWITCH, TOGGLE, ONE POLE, SEALED TOGGLE [CUST: CR AS 85 CC] [REVIEW: 99 AV EC] | A 5930 | CC | 26-JUN-95 |
| | MS25100J | SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE [CUST: CR AS 85 CC] [REVIEW: 99 AV EC] | A 5930 | CC | 26-JUN-95 |
| | MS25121A NOT 2 | TOOL, PRETENSIONING, FOR ANTENNA TENSION TAKEUP [CUST: AS] | A 5120 | AS | 29-JAN-97 |
| A | MS25164E NOT 1 | SKIRT, CONTROL KNOB (ASG) [CUST: AS 11] [REVIEW: MC] | A 5355 | AS | 23-JUL-97 |
| A | MS25165E NOT 1 | KNOB, POINTER, ILLUMINATED, SMALL (ASG) [CUST: CR AS 11] [REVIEW: CR4 MC] | A 5355 | AS | 23-JUL-97 |
| A | MS25166E NOT 1 | KNOB, POINTER, ILLUMINATED [CUST: CR AS 11] [REVIEW: IS] | A 5355 | AS | 23-JUL-97 |
| A | MS25167F NOT 1 | KNOB, ROUND, SMALL (ASG) [CUST: AS 11] [REVIEW: IS] | A 5355 | AS | 23-JUL-97 |
| A | MS25168F NOT 1 | KNOB, ROUND (ASG) [CUST: AS 11] [REVIEW: IS] | A 5355 | AS | 23-JUL-97 |
| A | MS25169G NOT 1 | KNOB, BAR, SMALL (ASG) [CUST: AS 11] [REVIEW: IS] | A 5355 | AS | 23-JUL-97 |
| | MS25203B NOT 1 | LIGHT ASSEMBLY, TAXI (PAR-46 BULB) [CUST: AS] | A 6220 | AS | 18-SEP-96 |
| | MS25221F NOT 1 | GUARD, SWITCH, 2 OR 3 POSITION [CUST: CR AS 85 CC] [REVIEW: 99] | A 5930 | CC | 30-SEP-88 |
| | MS25239A NOT 1 | LAMP, INCANDESCENT - PAR-36 BULB, SCREW TERMINAL BASE, SIGNALING (ASG) [CUST: AS 99] [REVIEW: GS] | A 6240 | AS | 24-JUL-96 |
| | MS25241E NOT 1 | LAMP, INCANDESCENT, PAR-46 BULB, SCREW TERMINAL BASE, LANDING [CUST: AV AS 99] [REVIEW: 11 GS] | A 6240 | AS | 24-JUL-96 |
| | MS25243A NOT 1 | LAMP, INCANDESCENT, PAR-36 BULB, SCREW TERMINAL BASE [CUST: AS 99] [REVIEW: AV GS] | A 6240 | AS | 24-JUL-96 |
| A | MS25268J | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, POTTED LEAD, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5945 | CC | 20-JAN-89 |
| A | MS25270J | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 6 PDT, TYPE I, POTTED LEAD, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5945 | CC | 20-JAN-89 |
| A | MS25272H | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, POTTED LEAD, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5945 | CC | 20-JAN-89 |
| | MS25277D NOT 1 | LIGHT, BEACON, ANTI-COLLISION, AIRCRAFT [CUST: AS 99] | A 6220 | AS | 29-MAY-92 |
| | MS25303A | CONVERTER - CONSTANT VOLTAGE 300 AMP, 30 VOLTS DC (FOR GROUND USE) [CUST: AS] [REVIEW: GS] | A 6125 | AS | 17-JUN-71 |
| | MS25317F NOT 2 | INDEXER, APPROACH [CUST: AS 99] [REVIEW: GS] | A 6220 | AS | 24-JUL-96 |
| A | MS25321M | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 2 PDT, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 99 EC] | A 5945 | CC | 31-AUG-93 |
| A | MS25323L | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED [CUST: AS 85 CC] | A 5945 | CC | 21-SEP-94 |
| A | MS25325N | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5945 | CC | 20-JAN-89 |
| A | MS25327M | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, SOCKET MOUNTED, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 11 99 AV EC] | A 5945 | CC | 20-JAN-89 |
| | MS25333B NOT 2 | INDICATOR, INDICATED AIRSPEED, PITOT STATIC MAXIMUM ALLOWABLE SPEED, 40-400 KNOTS [CUST: AS] | A 6610 | AS | 09-OCT-96 |
| | MS25337C | CIRCUIT BREAKER, AIRCRAFT TRIP-FREE TOGGLE, 5-50 AMP [CUST: CR AS 85] [REVIEW: CC CR4 MI] | A 5925 | AS | 07-DEC-83 |
| | MS25368H NOT 1 | GENERATOR SYSTEM, 60 KVA, 400 HERTZ ALTERNATING CURRENT, INTEGRALLY EXCITED BRUSHLESS TYPE [CUST: AS] | A 6115 | AS | 21-AUG-96 |
| | MS25381F | GROMMETS, MOUNTING, INTEGRALLY ILLUMINATED INFORMATION PLATE [CUST: AS 99] | A 6220 | AS | 28-FEB-78 |
| | MS25390 NOT 1 | RACK, BATTERY CHARGING [CUST: AS] [REVIEW: GS] | A 6140 | AS | 11-SEP-96 |
| A | MS25441C NOT 1 | CRIMPING TOOL, TERMINAL, HYDRAULIC OPERATED, WIRE SIZE 8 THRU 4/0 [CUST: CR AS 11] [REVIEW: 85 GL] | A 5130 | AS | 13-AUG-97 |
| A | MS25442C NOT 1 | DIE, FOR MS 25441, ELECTRIC, HYDRAULIC CRIMPING TOOL (FOR USE WITH ALUMINUM WIRE TERMINALS) [CUST: AS] [REVIEW: 85 GL] | A 5120 | AS | 13-AUG-97 |
| | MS25447G NOT 2 | TRANSDUCER, COUNTING ACCELEROMETER [CUST: AS] | A 6610 | AS | 09-OCT-96 |
| | MS25453A | LIGHT, PANEL INFORMATION PLATE, PLATE SUPPORTING TYPE [CUST: AV AS 99] [REVIEW: CR4 GS] | A 6220 | AS | 01-JUN-68 |
| A | MS25455G | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 2 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5945 | CC | 20-JAN-89 |
| A | MS25457G | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5945 | CC | 20-JAN-89 |
| A | MS25459G | RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5945 | CC | 20-JAN-89 |
| A | MS25461H | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5945 | CC | 20-JAN-89 |
| A | MS25463H | RELAYS, ELECTROMAGNETIC, 6PDT, 5 AMPERES, TYPE I, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: EC] | A 5945 | CC | 07-DEC-93 |
| A | MS25465E | RELAYS, ELECTROMAGNETIC, 2 PDT, 5 AMPERES, TYPE I, MAGNETIC LATCH, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 11 17 99 EC] | A 5945 | CC | 20-JAN-89 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------|---|--------------------------|-----|-------------|-----------|
| A MS25466E | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE I, MAGNETIC LATCH, STUD MOUNTED, SOLDER HOOKS, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5945 | CC | | 20-JAN-89 |
| MS25470A NOT 2 | INDICATOR, PRESSURE, SYNCHRO, AIRCRAFT, 165-DEGREE SCALE [CUST: AS] | A 6620 | AS | | 16-OCT-96 |
| M MS25471C NOT 1 | WIRE, ELECTRICAL-SILICONE-INSULATED, COPPER, 600 VOLT, 200 DEG. C, POLYESTER JACKET [CUST: AV AS 85 CC] [REVIEW: 11] | A 6145 | CC | | 01-JUN-98 |
| MS25490D | PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2643/AIC-14 [CUST: AS] [REVIEW: CC] | A 5831 | AS | | 10-AUG-84 |
| MS25491K | CONTROL, INTERPHONE C-2644/AIC-14 PLASTIC LIGHTING PLATE, CONFIGURATION OF [CUST: AS] | A 5831 | AS | | 10-AUG-84 |
| MS25492J NOT 1 | PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 [CUST: AS] | A 5831 | AS | | 10-AUG-84 |
| MS25493L | PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2648B/AIC-14 [CUST: AS] [REVIEW: CC] | A 5831 | AS | | 10-AUG-84 |
| A MS25917D | RELAYS, ELECTROMAGNETIC, TYPE I, 3 AMPERES, 4 PDT [CUST: AS 85 CC] [REVIEW: 99] | A 5945 | CC | | 28-APR-89 |
| A MS25918G | RELAYS, ELECTROMAGNETIC, TYPE I, 3 AMPERES, 6 PDT [CUST: AS 85 CC] [REVIEW: 99] | A 5945 | CC | | 28-APR-89 |
| A MS25919C | RELAYS, ELECTROMAGNETIC, TYPE I, 10 AMPERES, 4 PDT [CUST: AS 85 CC] [REVIEW: 99] | A 5945 | CC | | 28-APR-89 |
| MS26514C NOT 3 | COMPUTER, AIR NAVIGATION, DEAD RECKONING TYPE MB-4A AND, TYPE CPU-26A/P [CUST: AV AS 99] | A 6605 | 71 | | 15-MAR-96 |
| MS26526C NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 24 X 5.5 TYPE VII (NAVY) [CUST: AS] [REVIEW: CC] | A 2620 | AS | | 09-OCT-96 |
| MS26538B NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 20 X 4.4 TYPE VII (NAVY) [CUST: AS] [REVIEW: CC] | A 2620 | AS | | 09-OCT-96 |
| MS26539C NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 22 X 5.5, TYPE VII (NAVY) [CUST: AV AS 99] | A 2620 | AS | | 28-AUG-96 |
| MS26540B NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 20X5.5 TYPE VII (NAVY) [CUST: AS] | A 2620 | AS | | 09-OCT-96 |
| MS26543A NOT 2 | TIRE, PNEUMATIC - AIRCRAFT, 25 X 6.0 TYPE VII (NAVY) [CUST: AS] [REVIEW: CC] | A 2620 | AS | | 09-OCT-96 |
| A MS26545R NOT 1 | CYLINDERS; STEEL; COMPRESSED GAS; NON-SHATTERABLE; SEAMLESS; 1800 PSI, AND 2100 PSI [CUST: AV AS 99] [REVIEW: 71 SH] | A 1660 | AS | | 27-AUG-97 |
| MS26549A NOT 1 | NIPPLE, QUICK DISCONNECT, 2-1/2 INCH, PRESSURE FUEL SERVICING, FLANGE TYPE [CUST: AS] [REVIEW: CC] | A 4730 | AS | | 12-MAY-97 |
| MS26552A NOT 1 | NIPPLE, QUICK DISCONNECT, 2-1/2 INCH, PRESSURE FUEL SERVICING, OPEN FLOW, WRENCH TYPE [CUST: AS] [REVIEW: CC] | A 4730 | AS | | 12-MAY-97 |
| MS26557A NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 44 X 13 HIGH SPEED - TYPE VII [CUST: AS 99] | A 2620 | AS | | 28-AUG-96 |
| MS26563C NOT 1 | TIRE, PNEUMATIC, AIRCRAFT, 40 X 14, (200 MPH), TYPE VII (NAVY) [CUST: AS] [REVIEW: CC] | A 2620 | AS | | 09-OCT-96 |
| MS26577B NOT 1 | GASKET - AIRPORT MARKER LIGHT BASE [CUST: CR 4 AS 99 IS] | A 5330 | IS | | 28-JAN-97 |
| MS27034H | CONNECTOR, RECEPTACLE, ELECTRICAL, PIN INSERT, CYLINDRICAL, MINIATURE, HERMETIC, SOLDER MOUNT [CUST: 85 CC] [REVIEW: 11 17 99] | A 5935 | CC | | 07-SEP-90 |
| M MS27110C NOT 1 | WIRE, ELECTRICAL - SILICONE INSULATED, COPPER, 600 VOLT, 200 DEG. C. FEP JACKET [CUST: AV AS 85 CC] | A 6145 | CC | | 01-JUN-98 |
| A MS27127D NOT 1 | NUT, WELDING - WITHOUT PILOT [CUST: AR SH IS] [REVIEW: AS AT AV EA GL MC MI OS] | A 5310 | IS | | 01-OCT-97 |
| A MS27128D NOT 1 | NUT, WELDING-PILOT [CUST: AR 99 IS] [REVIEW: AS AT AV CR 4 GL MC MI OS SH] | A 5310 | IS | | 01-OCT-97 |
| A MS27131C NOT 1 | NUT, PLAIN, BLIND RIVET-FLAT HEAD, CLOSED END [CUST: AR AS 99 IS] [REVIEW: AT CR 4 MC MI OS] | A 5310 | IS | | 01-FEB-96 |
| MS27138A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES LC, UG-1179/U [CUST: CR EC 85 CC] [REVIEW: 17 99 MC] | A 5935 | CC | | 09-AUG-91 |
| MS27140A NOT 1 | CONNECTOR, PLUG, ELECTRICAL, SERIES LC, UG-1258/U [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS MC] | A 5935 | CC | | 06-AUG-91 |
| A MS27215C NOT 2 | PLUG, DEHYDRATOR, HUMIDITY INDICATING, ENGINE CYLINDER, 18 MM THREAD [CUST: CR 4 AS 99] [REVIEW: AR AV OS] | A 6685 | AS | | 17-SEP-97 |
| A MS27245N | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2PDT, TYPE I, HERMETICALLY SEALED [CUST: EC 85 CC] [REVIEW: 99 AS] | A 5945 | CC | | 22-JUL-92 |
| A MS27247L | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2PDT, TYPE I, HERMETICALLY SEALED [CUST: EC 85 CC] [REVIEW: 99 AS] | A 5945 | CC | | 22-JUL-92 |
| MS27253B NOT 1 | PLATE, IDENTIFICATION [CUST: GL AS 99] [REVIEW: AV] | A 9905 | 84 | | 09-APR-96 |
| A MS27254G | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4PDT, TYPE I, PLUG-IN, HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5945 | CC | | 10-FEB-89 |
| A MS27255J | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4PDT, TYPE I, SOLDER HOOKS HERMETICALLY SEALED [CUST: AS 85 CC] [REVIEW: 11 99 EC] | A 5945 | CC | | 10-FEB-89 |
| MS27291E | SUPPORT, CABLE, ELECTRICAL CONNECTOR [CUST: 85 CC] [REVIEW: 17 19 99] | A 5935 | CC | | 31-JAN-94 |
| MS27307E NOT 1 | CELL, BATTERY, AIRCRAFT STORAGE, NICKEL CADMIUM [CUST: 99] [REVIEW: GS] | A 6140 | 80 | | 02-JUN-95 |
| A MS27308B NOT 1 | CONNECTOR, BATTERY CELL, OFFSET [CUST: 99 GS] [REVIEW: 80] | A 6140 | GS | | 02-JUN-95 |
| A MS27309A NOT 1 | CONNECTOR, BATTERY CELL, STRAIGHT [CUST: 99 GS] [REVIEW: 80] | A 6140 | GS | | 02-JUN-95 |
| MS27310A NOT 1 | CONNECTOR, BATTERY CELL, CURVED [CUST: 99] [REVIEW: GS] | A 6140 | 80 | | 02-JUN-95 |
| A MS27405A NOT 2 | CLAMP-TUBE [CUST: AV AS 99 IS] | A 5340 | IS | | 22-AUG-97 |
| A MS27417 NOT 2 | CAP-PROPELLER SHAFT THREAD, SHIPPING [CUST: 99 IS] | A 5340 | IS | | 22-AUG-97 |
| MS27433 NOT 3 | CUTOFF RELAY, ENGINE GENERATOR, 28 VOLT DC SYSTEM [CUST: 99] [REVIEW: AS] | A 2925 | 82 | | 25-MAR-96 |
| A MS27472G NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 27-JUN-97 |
| A MS27473L NOT 1 | CONNECTOR, PLUG, ELECTRICAL STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR MC MI OS] | A 5935 | CC | | 27-JUN-97 |
| A MS27474F NOT 3 | CONNECTOR, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 27-JUN-97 |
| A MS27475E NOT 3 | CONNECTOR, RECEPTACLE, ELECTRICAL WALL MOUNTING FLANGE, SOLDER TYPE, HERMETIC SEAL, SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 EC IS MC MI OS] | A 5935 | CC | | 27-JUN-97 |
| A MS27476E NOT 3 | CONNECTOR, RECEPTACLE, ELECTRICAL BOX MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 EC MC MI OS] | A 5935 | CC | | 27-JUN-97 |
| A MS27477G NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL JAM NUT MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 17 19 80 99 EC MC MI OS] | A 5935 | CC | | 27-JUN-97 |
| A MS27478E NOT 3 | CONNECTOR, RECEPTACLE, ELECTRICAL SOLDER MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 17 19 80 99 EC MC MI OS] | A 5935 | CC | | 27-JUN-97 |
| A MS27484L NOT 1 | CONNECTOR, PLUG ELECTRICAL STRAIGHT, CRIMP TYPE BAYONET COUPLING, EMI, SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 19 99 AR EC MI] | A 5935 | CC | | 27-JUN-97 |
| A MS27497M NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, BACK PANEL WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 27-JUN-97 |
| A MS27499G NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 27-JUN-97 |
| A MS27508F NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL, BACK PANEL BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 27-JUN-97 |
| A MS27510F NOT 2 | COVER, PROTECTIVE, ELECTRICAL CONNECTOR PLUG, BAYONET COUPLING, SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 27-JUN-97 |
| A MS27511J NOT 1 | COVER, ELECTRICAL CONNECTOR, PROTECTIVE, RECEPTACLE, BAYONET COUPLINGS, SERIES II [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS] | A 5935 | CC | | 27-JUN-97 |
| MS27512F | NUT, HEXAGON, CONNECTOR MOUNTING, SERIES II [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC MC MI OS] | A 5935 | CC | | 26-JUL-90 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------|--|-----------------------|-----|-------------|-----------|
| A | MS27513D NOT 2 | CONNECTOR, RECEPTACLE, ELECTRICAL BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES II [CUST: CR AS 85 CC] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 27-JUN-97 |
| | MS27515B NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, BACK PANEL WALL MOUNTING FLANGE SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 25-MAY-93 |
| | MS27546 NOT 1 | BATTERY, AIRCRAFT, STORAGE, NICKEL-CADMIUM, 24V, 5 AMP HOUR (1 HR RATE) 25 DEG. C [CUST: 99] [REVIEW: 11 GS] | A 6140 | 80 | | 02-JUN-95 |
| | MS27558C | SUPPORT, CABLE RIGHT ANGLE, CLOSED [CUST: 85 CC] [REVIEW: 17 99] | A 5935 | CC | | 31-JAN-94 |
| | MS27559C | SUPPORT, CABLE, RIGHT ANGLED [CUST: 85 CC] [REVIEW: 17 99] | A 5935 | CC | | 31-JAN-94 |
| | MS27560A NOT 3 | 2-3/8 SQUARE INSTRUMENT CASE STANDARD DIMENSIONS FOR [CUST: AV AS 99] | A 66GP | 71 | | 15-JAN-96 |
| | MS27566F NOT 2 | CAP ASSEMBLY, LIQUID OXYGEN FILL VALVE [CUST: AS 99] [REVIEW: 11] | A 1660 | 71 | | 24-MAR-96 |
| | MS27572B NOT 1 | CASES, INSTRUMENT, FLANGE-MOUNTED, AIRCRAFT [CUST: AV 99] [REVIEW: CR4] | A 66GP | 71 | | 15-JAN-96 |
| | MS27573A NOT 3 | CASE, INSTRUMENT, 2-3/4 INCH DIAL, WITH SUMP, FLANGE MOUNTED, AIRCRAFT [CUST: AV 99] | A 66GP | 71 | | 15-JAN-96 |
| A | MS27595D NOT 1 | RETAINER, PACKING BACKUP, CONTINUOUS RING, TETRAFLUOROETHYLENE [CUST: MR AS 99 IS] [REVIEW: AV MI SH] | A 5330 | IS | | 18-JUL-97 |
| | MS27600D NOT 1 | FASTENER, SELF LOCKING CASE MOUNTING, ELECTRONIC EQUIPMENT [CUST: 99 IS] [REVIEW: 85 GS] | A 5325 | IS | | 10-APR-96 |
| A | MS27601C | FASTENER, SELF LOCKING, CASE MOUNTING, ELECTRONIC EQUIPMENT (WITH HOLDING CLAMP) [CUST: 99 IS] [REVIEW: 82 GS] | A 5340 | IS | | 26-JUL-78 |
| A | MS27604 NOT 2 | NOZZLE-UNIVERSAL AERIAL REFUELING TANKER BOOM [CUST: 99] | A 1680 | 82 | | 26-SEP-97 |
| | MS27613D | CONNECTOR, ELECTRICAL, RECEPTACLE PANEL MOUNT, FIREWALL SERIES [CUST: 85 CC] [REVIEW: 11 17 99] | A 5935 | CC | | 07-SEP-90 |
| | MS27614D | CONNECTOR, ELECTRICAL, RECEPTACLE "D" HOLE MOUNT, FIREWALL SERIES [CUST: 85 CC] [REVIEW: 11 19 99] | A 5935 | CC | | 07-SEP-90 |
| | MS27615D | CONNECTOR, ELECTRICAL, PLUG, RATCHET LOCK COUPLING, FIREWALL SERIES [CUST: 85 CC] [REVIEW: 11 17 99] | A 5935 | CC | | 07-SEP-90 |
| | MS27652A NOT 2 | CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 25-MAY-93 |
| | MS27653A NOT 2 | CONNECTOR, PLUG, ELECTRIC, STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES I [CUST: CR AS 85] [REVIEW: 11 17 19 99 AR EC IS MC MI OS] | A 5935 | CC | | 25-MAY-93 |
| | MS27657B NOT 2 | SHORT SUPPORT, CABLE, ELECTRICAL CONNECTOR, (FOR CLASS E AND K CONNECTORS) [CUST: 85 CC] [REVIEW: 11 17 99] | A 5935 | CC | | 25-MAY-93 |
| A | MS27706G(1) | RELAYS, ELECTROMAGNETIC, 20 AMPERES, 3 PST, MECHANICAL INTERLOCK, (CENTER OFF) LOAD TRANSFER, TYPE I, HERMETICALLY SEALED [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 12-MAR-96 |
| A | MS27709G | RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE I, HERMETICALLY SEALED [CUST: AS 85 CC] | A 5945 | CC | | 06-FEB-96 |
| A | MS27710C NOT 1 | FLASHER, SOLID STATE, AIRCRAFT NAVIGATIONAL LIGHT, 28 VDC [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 28-JUN-96 |
| A | MS27714D | RELAYS, 75 AMPERE, 3PST, N.O. TYPE I, COIL AND CONTACTS INDIVIDUALLY SEALED [CUST: 85 CC] | A 5945 | CC | | 27-MAR-95 |
| A | MS27715B | RELAY, 150 AMP, 3PST, N.O., TYPE I, COIL AND CONTACTS INDIVIDUALLY SEALED [CUST: 85 CC] | A 5945 | CC | | 27-MAR-95 |
| A | MS27756A NOT 1 | SNAP HOOK, PARACHUTE LANYARD [CUST: AS 99] | A 1670 | 82 | | 12-SEP-97 |
| A | MS27759A NOT 1 | CLIP PARACHUTE HARNESS QUICK RELEASE, SAFETY [CUST: GL AS 99] [REVIEW: AV] | A 1670 | 82 | | 31-DEC-97 |
| A | MS27760A NOT 1 | BUCKLE-PARACHUTE HARNESS QUICK RELEASE CONNECTING [CUST: GL AS 99] [REVIEW: AV] | A 1670 | 82 | | 31-DEC-97 |
| A | MS27761A NOT 1 | KNIFE, RELEASE, CARGO PLATFORM [CUST: GL AS 99] [REVIEW: AV] | A 1670 | 82 | | 31-DEC-97 |
| A | MS27762C NOT 1 | RING-REEFING PARACHUTE [CUST: GL AS 99] [REVIEW: AV] | A 1670 | 82 | | 31-DEC-97 |
| A | MS27763 NOT 1 | CONE-RELEASING, PARACHUTE PACK [CUST: GL AS 99] [REVIEW: AV] | A 1670 | 82 | | 26-SEP-97 |
| A | MS27764A NOT 1 | LINK CONNECTOR, HARNESS AND PACK [CUST: GL AS 99] [REVIEW: AV MC] | A 1670 | 82 | | 26-SEP-97 |
| A | MS27765C NOT 1 | RING ,V, QUICK FIT, PARACHUTE HARNESS [CUST: GL AS 99] [REVIEW: AV MC] | A 1670 | 82 | | 26-SEP-97 |
| A | MS27767 NOT 1 | RETAINER-SNAP PARACHUTE LANYARD [CUST: AS 99] | A 1670 | 82 | | 26-SEP-97 |
| | MS27768A | TERMINAL, WIRE ROPE, SPLICE [CUST: CE AS 99] [REVIEW: 11 IS] | A 4030 | 82 | | 23-JAN-85 |
| | MS27797C NOT 2 | HOSE, OXYGEN AND PRESSURIZATION OZONE RESISTANT [CUST: AT 99] [REVIEW: 11 82 CC] | A 4720 | 71 | | 20-NOV-95 |
| | MS27798A NOT 2 | METAL SEAL STRIP (TEAR BAND) [CUST: AS IS] | A 9535 | IS | | 15-JAN-96 |
| | MS27833 NOT 2 | PAD - TANK STRAP [CUST: AS 99] | A 9390 | 84 | | 20-DEC-95 |
| A | MS27951A NOT 2 | STUB (STUD), WELDING-TURNBUCKLE (GENERAL PURPOSE, MANUAL WELD APPLICATION) [CUST: AR SH 99 IS] [REVIEW: 82 AT CR4 MC MI OS] | A 5307 | IS | | 18-JUL-97 |
| | MS27956B | HINGE, BUTT, NARROW AND BROAD, TEMPLATE, STEEL [CUST: AR YD1 99] [REVIEW: AV CR4 IS MI SH] | A 5340 | AR | | 30-OCT-75 |
| | MS27958B | HINGE, BUTT, NARROW AND BROAD, TEMPLATE, BRASS [CUST: AR YD1 99] [REVIEW: AV CR4 EA GL IS MC MI SH] | A 5340 | AR | | 01-NOV-77 |
| A | MS27960B NOT 1 | HINGE, BUTT, NARROW LIGHT, NON-TEMPLATE [CUST: AR YD1 99 IS] [REVIEW: CR4 EA GL MC SH] | A 5340 | IS | | 22-AUG-97 |
| A | MS27964B NOT 1 | HINGE, STRAP, CABINET [CUST: AR YD1 99 IS] | A 5340 | IS | | 22-AUG-97 |
| | MS27979C NOT 2 | FASTENER, SNAP, STYLE IB (MUD-PROOF CURTAIN TYPE) [CUST: GL AS 99 IS] [REVIEW: AR AT AV CR CR4 MC MS] | A 5325 | IS | | 25-JUN-96 |
| | MS27985B NOT 2 | FASTENERS, SNAP, STYLE 6 (FUNNEL NECK BUTTON HEAD TYPE) [CUST: GL AS 99 IS] [REVIEW: AR AT CR4 SM] | A 5325 | IS | | 25-JUN-96 |
| A | MS28004B NOT 2 | INDICATOR-TEMPERATURE, ELECTRICAL RESISTANCE, CYLINDER HEAD, 0-300 DEG. C [CUST: CR AS 99] | A 6685 | 82 | | 24-NOV-97 |
| | MS28005J NOT 1 | TRANSMITTERS, PRESSURE, SYNCHRO, AIRCRAFT [CUST: AV AS 99] | A 6620 | 71 | | 15-JAN-96 |
| | MS28010D NOT 1 | INDICATORS, PRESSURE - SYNCHRO, SINGLE, 2-INCH SIZE [CUST: CR AS 99] | A 6620 | 71 | | 01-MAR-96 |
| | MS28013A NOT 3 | INDICATOR - POSITION, HORIZONTAL STABILIZER [CUST: AV AS 99] | A 6610 | 71 | | 15-JAN-96 |
| | MS28016B NOT 1 | VALVE - HYDRAULIC DUAL THERMAL EXPANSION RELIEF [CUST: AS 99] [REVIEW: CC] | A 4820 | AS | | 05-MAR-97 |
| | MS28018C NOT 2 | GAGE-PRESSURE, MANIFOLD, DIRECT INDICATING, 2 IN. SIZE, 10 -75 IN. MERCURY [CUST: AV AS 99] | A 6620 | GS | | 15-AUG-91 |
| | MS28023A NOT 3 | INDICATOR - POSITION, WING FLAPS, PERCENT MARKING [CUST: AV AS 99] [REVIEW: 11] | A 6610 | 71 | | 15-JAN-96 |
| | MS28024H NOT 2 | INDICATOR, TURN AND SLIP, 4 MINUTE TURN, 2 3/4 INCH DIAL [CUST: AV AS 99] | A 6610 | 71 | | 15-JAN-96 |
| | MS28025D NOT 1 | ACCELEROMETER - AIRCRAFT [CUST: AS 99] | A 5826 | 71 | | 15-JAN-96 |
| | MS28027A NOT 1 | INDICATOR - COURSE, ID-250A/ARN [CUST: 99] | A 5826 | 84 | | 01-FEB-96 |
| | MS28036D NOT 2 | INDICATOR-TRUE AIRSPEED, TYPE M-1A [CUST: AS 99] | A 6610 | 71 | | 15-JAN-96 |
| A | MS28038A NOT 1 | TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE [CUST: AS 99] | A 6685 | 82 | | 24-NOV-97 |
| | MS28041G NOT 2 | INDICATOR, TURN AND SLIP, 28V DC, 1-7/8 INCH DIAL [CUST: AV AS 99] | A 6610 | 71 | | 15-JAN-96 |
| | MS28045E NOT 1 | INDICATOR, INDICATED AIRSPEED PITOT STATIC, 10-150 KNOTS [CUST: CR4 AS 99] | A 6610 | AS | | 04-SEP-96 |
| | MS28049B NOT 2 | INDICATOR, VERTICAL SPEED, 3 INCH [CUST: 99] | A 6610 | 71 | | 01-NOV-95 |
| | MS28061D NOT 1 | GAGE, PRESSURE, ENGINE AND UTILITY, 2-INCH, FLANGE-MOUNTED, BACK PORTS [CUST: AV AS 99] [REVIEW: GS MC MI] | A 6620 | AS | | 04-SEP-96 |
| | MS28063A NOT 2 | GAGES, PRESSURE, ENGINE AND UTILITY, 2-INCH, FLANGE- OR PORT-MOUNTED, BOTTOM PORT [CUST: AS] | A 6620 | AS | | 16-OCT-96 |
| | MS28064B NOT 2 | GAGE, PRESSURE, ENGINE AND UTILITY, 3- INCH, FLANGE-MOUNTED, BACK PORTS [CUST: AV AS 99] [REVIEW: MC] | A 6620 | AS | | 04-SEP-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|---------------------------|--|--------------------------|-----|-------------|-----------|
| | MS28067C NOT 2 | INDICATOR, ANGLE OF ATTACK, 1-7/8 DIAL, 28 VOLT D. C. [CUST: AS 99] | A 6610 | AS | | 04-SEP-96 |
| | MS28075C NOT 1 | INDICATOR, VERTICAL SPEED, 0-6000 FPM, 2-INCH [CUST: AV AS 11] | A 6610 | AS | | 04-SEP-96 |
| | MS28077D NOT 1 | GAGE-PRESSURE, DIAL INDICATING, MANIFOLD PRESSURE [CUST: AV AS] | A 6620 | AS | | 11-DEC-87 |
| | MS28086B NOT 1 | INDICATOR, ATTITUDE, SPHERICAL, DIRECT READING, FAST ERECTING, ELECTRIC GYRO [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| | MS28088A NOT 1 | INDICATOR, TURN AND SLIP (THREE PHASE) [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| | MS28089B NOT 2 | INDICATOR, AIRSPEED AND MACH NUMBER, PITOT STATIC, 60 TO 650 KNOTS [CUST: AS] | A 6610 | AS | | 09-OCT-96 |
| | MS28126F(1) NOT 1 | CONVERTER, 200 AMPERE CLASS A, NONREGULATED AIRCRAFT, FAN COOLED [CUST: AS] | A 6130 | AS | | 04-SEP-96 |
| | MS28130B NOT 2 | TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT, 165 DEGREE MOVEMENT [CUST: AS] | A 6620 | AS | | 16-OCT-96 |
| A | MS28132J(1) NOT 1 | CONVERTER, 200 AMPERE, CLASS B NONREGULATED, AIRCRAFT, FAN COOLED [CUST: AS] | A 6130 | AS | | 13-AUG-97 |
| | MS28133D NOT 1 | CONVERTER, 50 AMPERE, CLASS B [CUST: CR 4 AS] [REVIEW: CR GS] | A 6130 | AS | | 28-AUG-96 |
| | MS28700B NOT 2 | ACCUMULATOR CYLINDER, 3000 PSI [CUST: AV AS 99] [REVIEW: 11 MI] | A 1650 | 71 | | 06-SEP-96 |
| | MS28720A NOT 2 | FILTER, AIRCRAFT HYDRAULIC LINE TYPE, 3,000 PSI [CUST: AV AS 11] [REVIEW: 99 CR 4 MI] | A 1650 | AS | | 07-AUG-96 |
| | MS28744B NOT 1 | FITTING END - HOSE, SWIVEL, DETACHABLE, FLANGED, 3 BOLT, 90 DEG [CUST: AS 99] [REVIEW: AR CC] | A 4730 | AS | | 14-AUG-96 |
| A | MS28773 NOT 1 | RETAINER, PACKING BACKUP, TETRAFLUOROETHYLENE, STRAIGHT THREAD TUBE FITTING BOSS [CUST: AV AS 99 IS] [REVIEW: MI] | A 5330 | IS | | 05-SEP-97 |
| | MS28774L | RETAINER, PACKING BACKUP, SINGLE TURN, TETRAFLUOROETHYLENE [CUST: MR AS 99] [REVIEW: 11 AR AV CR 4 MI SH] | A 5330 | IS | | 19-NOV-90 |
| | MS28775E NOT 1 | PACKING, PREFORMED, HYDRAULIC, +275 DEG. F ("O" RING) [CUST: AV AS 99 IS] [REVIEW: AR AT CC MI OS] | A 5330 | IS | | 15-NOV-89 |
| | MS28776D NOT 1 | SCRAPER, PISTON ROD [CUST: AV AS 99] [REVIEW: CR 4 MI] | A 1650 | 71 | | 01-APR-96 |
| | MS28777C(1) NOT 1 | WASHER, FLAT, AIRCRAFT HYDRAULIC BACKUP [CUST: AV AS 82 IS] | A 5330 | IS | | 17-APR-97 |
| A | MS28782D NOT 1 | RETAINER, PACKING, BACK-UP, TEFLON [CUST: AV AS 99 IS] [REVIEW: AR CR 4 MI] | A 5330 | IS | | 18-JUL-97 |
| A | MS28783E NOT 2 | RING, GASKET, BACK-UP, TEFLON [CUST: AV AS 99 IS] [REVIEW: AR MI] | A 5330 | IS | | 18-JUL-97 |
| | MS28799B NOT 1 | LIGHT, COCKPIT, AIRCRAFT, INSTRUMENT, POST TYPE, UNIVERSAL [CUST: CR 4 AS 99] [REVIEW: GS] | A 6220 | AS | | 24-JUL-96 |
| | MS28886C NOT 2 | VALVE, AIRCRAFT HYDRAULIC FLOW REGULATOR [CUST: AS] [REVIEW: CC] | A 4820 | AS | | 14-MAY-97 |
| | MS28887D NOT 2 | VALVE, RELIEF, CYLINDRICAL, TYPE II SYSTEM [CUST: 99] | A 4820 | 71 | | 27-NOV-95 |
| | MS28889L NOT 1 | VALVE, AIR, HIGH PRESSURE CHARGING, 5000 PSI [CUST: AV AS 99] | A 4820 | 71 | | 01-DEC-95 |
| | MS28890B NOT 2 | VALVE, HYDRAULIC CHECK, 3,000 PSI, FLARELESS, TYPE I SYSTEMS [CUST: AS 99] [REVIEW: MI] | A 1650 | AS | | 21-AUG-96 |
| | MS28892A NOT 1 | VALVE, 3,000 PSI HYDRAULIC CHECK, FLARELESS, TYPE II SYSTEMS [CUST: AS 99] [REVIEW: CC] | A 1650 | AS | | 11-JUN-97 |
| | MS28893A NOT 1 | VALVE, HYDRAULIC RELIEF, CYLINDRICAL, TYPE II SYSTEMS (ASG) [CUST: AS 99] [REVIEW: CC] | A 1650 | AS | | 11-JUN-97 |
| | MS28896B NOT 2 | FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI ABSOLUTE 15 MICRON, STYLE B, NON BY PASS, -65 DEG. TO +275 DEG. F [CUST: AV AS 99] [REVIEW: 11 MI] | A 1650 | 71 | | 21-JUN-96 |
| A | MS28900A NOT 1 | PACKING, PREFORMED, FOR ELECTRICAL USE [CUST: CR AS 11 IS] [REVIEW: AT AV CR 4 MC MI NU SH] | A 5330 | IS | | 16-MAR-98 |
| | MS28916 NOT 1 | LIGHT, CABIN DOME, AIRCRAFT [CUST: AS 99] [REVIEW: GS] | A 6220 | AS | | 24-JUL-96 |
| | MS28926A NOT 1 | LAMP, INCANDESCENT, PAR-46 BULB, SCREW TERMINAL BASE, TAXIING [CUST: AV AS 99] [REVIEW: 11 GS MC] | A 6240 | AS | | 24-JUL-96 |
| | MS28932A NOT 2 | FELT STRIP, PACKING GLAND (ASG) [CUST: AS 99] | A 5330 | IS | | 16-JUN-97 |
| | MS28938B | FUSE, LIMITER TYPE, ENCLOSED LINK, INTERMEDIATE RATING, AIRCRAFT [CUST: AS 85] [REVIEW: 99 CC MC] | A 5920 | AS | | 18-APR-67 |
| A | MS29514C NOT 1 | FLANGE, ADAPTER LOCKING, PRESSURE FUEL SERVICING (ASG) [CUST: AS 99] | A 2915 | AS | | 10-SEP-97 |
| | MS29515B NOT 1 | ADAPTER, PRESSURE FUEL SERVICING, TYPES A-1 AND A-6 [CUST: 99] | A 4730 | 71 | | 08-NOV-94 |
| | MS29519C NOT 2 | ADAPTER, PRESSURE FUEL SERVICING VARIABLE CONFIGURATION, TYPE A-5 [CUST: AS 99] | A 2915 | AS | | 28-AUG-96 |
| | MS29522B NOT 1 | PLUG, HEXAGON HEAD, OIL COOLER [CUST: AV AS 99] | A 4730 | AS | | 14-AUG-96 |
| | MS29524 NOT 2 | GASKET - ADAPTER LOCKING FLANGE, PRESSURE FUEL SERVICING (ASG) [CUST: 99 IS] [REVIEW: 82 AR] | A 5330 | IS | | 17-JAN-97 |
| | MS29528A NOT 2 | VALVE-FUEL DRAIN, SELF-LOCKING, POPPET [CUST: AV AS 99] [REVIEW: CC MC MI] | A 4820 | 82 | | 02-OCT-96 |
| | MS29530D NOT 1 | VALVE - FUEL DRAIN, SELF-LOCKING, LINE MOUNTED [CUST: AV AS 99] [REVIEW: CC MC] | A 4820 | 82 | | 02-OCT-96 |
| | MS29531 NOT 1 | PLUG - EXHAUST PORT CLOSURE, AIRCRAFT ENGINE (ASG) [CUST: AS 99] | A 2810 | AS | | 21-AUG-96 |
| A | MS29537 NOT 2 | GASKET, CAP, OUTLET FITTING, BOOSTER PUMP [CUST: AS 99 IS] [REVIEW: AR] | A 5330 | IS | | 18-JUL-97 |
| | MS29558C NOT 2 | FITTING, (O) RING, CIRCULAR, COMPRESSION TYPE, SINGLE GROOVE, TANK [CUST: AS 99] [REVIEW: 80 82] | A 1560 | 84 | | 15-MAR-96 |
| | MS29559C NOT 2 | FITTING, (O) RING, CIRCULAR, THRU BOLT TYPE, SINGLE GROOVE, TANK [CUST: AS 99] [REVIEW: 80 82] | A 1560 | 84 | | 15-MAR-96 |
| | MS29560C NOT 2 | FITTING, (O) RING, CIRCULAR, THREADED INSERT TYPE, SINGLE GROOVE, TANK [CUST: AS 99] [REVIEW: 80 82] | A 1560 | 84 | | 15-MAR-96 |
| | MS29562B NOT 2 | FITTING, ATTACHMENT, MOLDED, TANK, THRU HOLE, FLUSH, (O) RING, RECTANGULAR, 10 X 16 [CUST: AS 99] [REVIEW: 80 82] | A 1560 | 84 | | 15-MAR-96 |
| | MS29564B NOT 2 | FITTING, ATTACHMENT, MOLDED TANK, THRU HOLE, FLUSH (O) RING, RECTANGULAR, 12 X 18 [CUST: AS 99] [REVIEW: 80 82] | A 1560 | 84 | | 15-MAR-96 |
| | MS29584THRUMS29587C NOT 1 | PUMP, ROTARY, POWER-DRIVEN, FUEL, AIRCRAFT (TAPER THREADED PORTS) [CUST: AV AS 99] | A 2915 | 82 | | 04-SEP-95 |
| | MS29590A NOT 2 | COOLER - LUBRICATING OIL, AIRCRAFT ENGINE, PETROLEUM BASE, TUBULAR, ROUND [CUST: 99] | A 2935 | 71 | | 27-OCT-95 |
| | MS29593A NOT 2 | VALVE - OIL COOLER TEMPERATURE REGULATING WITH SURGE PROTECTION [CUST: 99] | A 2935 | 71 | | 27-OCT-95 |
| A | MS29599 NOT 2 | VALVE, CHECK, INLET, ONE-MAN LIFE RAFT, TYPE I [CUST: CR 4 AS 99] | A 4220 | AS | | 30-JUL-97 |
| A | MS29600 NOT 2 | VALVE, INLET, 20 MAN LIFE RAFT, TYPE II [CUST: CR 4 AS 99] | A 4220 | AS | | 30-JUL-97 |
| | MS33509A NOT 2 | ADAPTER INSTALLATION - TYPE XII OR XVI DRIVE STARTER JAW [CUST: AV AS 99] | A 2925 | AS | | 28-AUG-96 |
| | MS33538A NOT 1 | NUT, SHEET SPRING, LIMITATIONS FOR USAGE ON AIRCRAFT [CUST: AS 99 IS] | A 5310 | IS | | 12-SEP-94 |
| | MS33545 NOT 3 | CASE INSTRUMENT, 5 X 5-1/4, STANDARD DIMENSIONS FOR [CUST: AV AS 99] [REVIEW: CC] | A 6610 | 71 | | 15-JAN-96 |
| | MS33551 NOT 1 | FITTING INSTALLATION, FLARED TUBE, EXTERNAL AND INTERNAL DISCHARGE PORTS, BOOSTER PUMP [CUST: AS 99] [REVIEW: 71 82] | A 2915 | AS | | 28-AUG-96 |
| | MS33552 NOT 1 | FITTING, VARIABLE CONFIGURATION, LOW PRESSURE, EXTERNAL OUTLET, BOOSTER PUMP (ASG) [CUST: AS 99] [REVIEW: 71 82] | A 2915 | AS | | 28-AUG-96 |
| | MS33556B NOT 1 | HOUSING, INDICATOR [CUST: AS 99] | A 66GP | 82 | | 15-NOV-96 |
| A | MS33564 NOT 3 | STANDARD LENGTHS AND WIDTHS, METAL SHEETS AND STRIPS [CUST: AS 11 IS] | A 9515 | IS | | 18-JUL-97 |
| | MS33565C NOT 2 | CONNECTIONS, GROUND LEAKAGE TEST, PRESSURIZED CABIN, AIRCRAFT [CUST: AS 11] | A 4730 | AS | | 14-AUG-96 |
| | MS33568A | DRIVE, SQUARE MOUNTING FLANGE WITH INVOLUTE SPLINE-PINION [CUST: AS] [REVIEW: AV] | A 15GP | AS | | 26-NOV-76 |
| | MS33569A | DRIVE, ROUND MOUNTING FLANGE WITH INVOLUTE SPLINE-PINION [CUST: AS] | A 15GP | AS | | 26-NOV-76 |
| | MS33570A | DRIVE, SQUARE MOUNTING FLANGE WITH ROUND SHAFT AND KEY [CUST: AS] | A 15GP | AS | | 26-NOV-76 |
| | MS33571A | DRIVE, ROUND MOUNTING FLANGE WITH ROUND SHAFT AND KEY (INACTIVE FOR DESIGN 1 JAN 77) [CUST: AS] | A 15GP | AS | | 26-NOV-76 |
| | MS33572C NOT 2 | INSTRUMENT, PILOT, FLIGHT, BASIC, STANDARD ARRANGEMENT FOR HELICOPTERS [CUST: AS] [REVIEW: AV] | A 1520 | AS | | 07-MAY-97 |
| | MS33574B NOT 2 | DIMENSION, BASIC, COCKPIT, STICK-CONTROLLED, FIXED WING AIRCRAFT [CUST: AV AS] [REVIEW: MC] | A 1510 | AS | | 07-MAY-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------|--|-----------------------|-----|-------------|------|
| A | MS33587B NOT 1 | TRANSMITTER INSTALLATION CLEARANCE, FUEL AND OIL PRESSURE [CUST: AV AS 99] [REVIEW: GS] | A 6685 | 82 | 01-OCT-97 | |
| | MS33591B NOT 2 | TURNBUCKLE, LOCK WIRING OF [CUST: AS] | A 5340 | AS | 15-SEP-94 | |
| | MS33600 NOT 1 | DRIVE, MINIATURE, POWER MOTOR WITH INVOLUTE SPLINE - PINION (ASG) [CUST: AS 99] | A 29GP | AS | 28-AUG-96 | |
| A | MS33601B NOT 1 | TRACK AND STUD FITTING FOR CARGO TRANSPORT AIRCRAFT, STANDARD DIMENSIONS FOR [CUST: AV AS 99] [REVIEW: 11] | A 1560 | AS | 23-JUL-97 | |
| | MS33632 NOT 1 | WIRING DIAGRAM TWO POLE TACHOMETER GENERATOR AND PERCENT RPM TACHOMETER INDICATOR [CUST: AV AS 99] [REVIEW: GS] | A 6680 | AS | 07-MAY-97 | |
| A | MS33636B NOT 2 | MEASUREMENT, UNITS OF, FOR AIRCRAFT INSTRUMENTS [CUST: AV AS 99] [REVIEW: MI] | A 66GP | 71 | 04-APR-98 | |
| A | MS33638C NOT 1 | CASE, INSTRUMENT, FLANGE MOUNTED, AIRCRAFT [CUST: AS 11] [REVIEW: 99 MI] | A 66GP | 71 | 04-APR-98 | |
| A | MS33669B NOT 2 | COUPLING, REPLENISHMENT, 1-1/2 INCH, FOR METHANOL-WATER, (DETAILS OF SERVICING NOZZLE) [CUST: AS 99] | A 1680 | 82 | 01-OCT-97 | |
| | MS33675C NOT 3 | SCRAPER, INSTALLATION, PACKING, GLAND RING [CUST: AV AS 99] | A 5330 | 71 | 08-MAR-96 | |
| | MS33741 NOT 2 | WIRING DIAGRAM - SENSITIVE INSTRUMENT SYSTEM WITH SEPARATE AMPLIFIER, 26 VOLTS, 400 CYCLES, SCHEMATIC [CUST: AS 11] | A 6620 | AS | 04-SEP-96 | |
| | MS33742A NOT 2 | SHAFTS, CONTROL KNOB [CUST: AS] | A 5355 | AS | 18-SEP-96 | |
| | MS33743A NOT 2 | HOLES, CONTROL KNOB SHAFT [CUST: AS] | A 5355 | AS | 18-SEP-96 | |
| | MS33751 NOT 1 | FLANGE, ACCESSORY MOUNTING [CUST: AV AS 99] [REVIEW: 71 82] | A 2915 | AS | 28-AUG-96 | |
| A | MS33784 NOT 2 | WRENCHING FEATURES FOR CYLINDRICAL NUTS, DESIGN STANDARD FOR [CUST: AV AS 99 IS] [REVIEW: 11 AR CR MI] | A 5310 | IS | 09-MAR-98 | |
| | MS35059J | SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE [CUST: CR AS 85 CC] [REVIEW: 11 99 AV EC MI] | A 5930 | CC | 25-FEB-87 | |
| | MS35102B NOT 4 | VIAL, LEVEL CYLINDRICAL, TYPE DA [CUST: AR OS] [REVIEW: MC MI] | A 1290 | AR | 14-MAR-97 | |
| | MS35103C NOT 4 | VIAL, LEVEL CYLINDRICAL, TYPE DB [CUST: AR OS] [REVIEW: MC MI] | A 1290 | AR | 14-MAR-97 | |
| | MS35104B NOT 4 | VIAL, LEVEL CYLINDRICAL, TYPE DC [CUST: AR OS] [REVIEW: MC MI] | A 1290 | AR | 14-MAR-97 | |
| | MS35105B NOT 4 | VIAL, LEVEL CYLINDRICAL, TYPE DR [CUST: AR OS 99] [REVIEW: MC MI] | A 1290 | AR | 14-MAR-97 | |
| | MS35106B NOT 4 | VIAL, LEVEL CIRCULAR, TYPE CA [CUST: AR OS 99] [REVIEW: MC MI] | A 1290 | AR | 14-MAR-97 | |
| | MS35115A NOT 1 | PLUG, CONNECTOR (TYPE S-M) UG-692/U [CUST: CR CC] | A 5935 | CC | 06-AUG-91 | |
| | MS35116A NOT 1 | PLUG, CONNECTOR (TYPE SM) UG-693/U [CUST: CR CC] | A 5935 | CC | 15-AUG-91 | |
| | MS35120D NOT 1 | RECEPTACLE, CONNECTOR (TYPE SM) UG-697/U [CUST: CR CC] | A 5935 | CC | 15-AUG-91 | |
| A | MS35223B(1) NOT 1 | SCREW, MACHINE, PAN HEAD, SLOTTED, CARBON STEEL, CADMIUM PLATED, NC-2A AND UNC-2A [CUST: AR SH 99 IS] | A 5305 | IS | 01-OCT-97 | |
| | MS35252A | RING, CONNECTING, RECTANGULAR [CUST: AR IS] | A 4010 | IS | 24-MAY-71 | |
| A | MS35254B NOT 1 | BRACE, CORNER, BOX 3 QUARTER-ROUND FLANGES, 3-MOUNTING HOLES [CUST: CR YD1 99 IS] [REVIEW: 82 85 CE] | A 5340 | IS | 31-JUL-97 | |
| A | MS35257B NOT 1 | BRACE, CORNER, BOX, LARGE, 2 QUARTER-ELLIPSE FLANGES, 2 MOUNTING HOLES [CUST: CR YD1 99 IS] [REVIEW: 82 85 CE] | A 5340 | IS | 31-JUL-97 | |
| A | MS35295B NOT 1 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), MEDIUM CARBON STEEL, PLAIN FINISH UNC-2A [CUST: AR SH 99 IS] [REVIEW: AT MC OS SA] | A 5305 | IS | 01-OCT-97 | |
| A | MS35302C NOT 1 | SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), ALLOY STEEL, PLAIN FINISH, UNF-2A [CUST: AR SH IS] [REVIEW: AT MC MI OS] | A 5305 | IS | 01-OCT-97 | |
| | MS35425E | NUT PLAIN, WING, UNC-2B [CUST: AR 99 IS] [REVIEW: AT AV CR4 IS MC MI YD1] | A 5310 | IS | 14-MAR-77 | |
| | MS35455B(1) | SCREW, CAP, SOCKET HEAD-HEXAGON, ALLOY STEEL, UNCOATED, UNC-3A [CUST: AR SH 99 IS] | A 5305 | IS | 26-JUN-96 | |
| | MS35456B(1) | SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, UNCOATED, UNF-3A [CUST: AR SH IS] | A 5305 | IS | 26-JUN-96 | |
| | MS35457B(1) | SCREW, CAP, SOCKET HEAD HEXAGON, ALLOY STEEL, CADMIUM OR ZINC, UNC-3A [CUST: AR SH IS] | A 5305 | IS | 26-JUN-96 | |
| | MS35458B(1) | SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, CADMIUM OR ZINC, UNF-3A [CUST: AR SH 99 IS] | A 5305 | IS | 26-JUN-96 | |
| | MS35459B | SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, PHOSPHATE, UNC-3A [CUST: AR SH] [REVIEW: 99 CR4 MC MI] | A 5305 | IS | 21-SEP-64 | |
| | MS35460B | SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, PHOSPHATE, UNF-3A [CUST: AR SH] [REVIEW: MC MI] | A 5305 | IS | 21-SEP-64 | |
| | MS35461B | SCREW, CAP, SOCKET HEAD - HEXAGON, STEEL, CORROSION RESISTING, PASSIVATED, UNC-3A [CUST: AR SH 99] [REVIEW: 82 AS CR4 MC MI] | A 5305 | IS | 21-SEP-64 | |
| A | MS35684A NOT 1 | RIVET, SPLIT, OVAL HEAD, STEEL [CUST: AR OS 99 IS] [REVIEW: AT CR MC MI] | A 5320 | IS | 01-OCT-97 | |
| A | MS35685A NOT 1 | RIVET, SPLIT, OVAL HEAD, BRASS [CUST: AR OS 99 IS] [REVIEW: AT CR CR4 MC MI] | A 5320 | IS | 01-OCT-97 | |
| D | MS35688A NOT 1 | V - BEARING (SPRING, LOADED THROW OUT TYPE) [CUST: AR MC GS] [REVIEW: AT] | A 3120 | GS | 16-JUN-97 | |
| A | MS35743A NOT 1 | RIVET, SOLID, SMALL, PAN HEAD, STEEL, ANNEALED [CUST: AR YD1 99 IS] [REVIEW: AT CE MC MI] | A 5320 | IS | 01-OCT-97 | |
| A | MS35744B NOT 1 | RIVET, SOLID-SMALL COUNTERSUNK HEAD, STEEL, ANNEALED [CUST: AR YD1 99 IS] [REVIEW: AT CC CE MC MI] | A 5320 | IS | 01-OCT-97 | |
| A | MS35745A NOT 1 | RIVET, SOLID, BELT [CUST: AR YD1 99 IS] [REVIEW: AT CE GL MC MI] | A 5320 | IS | 01-OCT-97 | |
| | MS35763E NOT 1 | BOLT, SELF-LOCKING, HEXAGON HEAD, STEEL, GRADE 5, UNC-2A AND UNF-2A [CUST: AR 99 IS] [REVIEW: AT CR4 MC MI OS] | A 5306 | IS | 08-FEB-96 | |
| A | MS35790E(1) NOT 1 | WASHER, LOCK-COUNTERSUNK, 100 DEG., EXTERNAL TOOTH (IN./MM) [CUST: AR 99 IS] [REVIEW: 70 AT AV CR4 GL IS MC MI OS YD1] | A 5310 | IS | 01-OCT-97 | |
| D | MS35794A NOT 1 | BEARING, SLEEVE, STEEL-BACKED BIMETAL, SPLIT TYPE, ONE PIECE [CUST: OS GS] [REVIEW: AS AT SH] | A 3120 | GS | 16-JUN-97 | |
| | MS35803A(1) NOT 1 | WASHER, AIRCRAFT HYDRAULIC PACKING BACKUP [CUST: AV AS 82 IS] [REVIEW: AR AT CR4 MI] | A 5330 | IS | 18-APR-97 | |
| A | MS35813D NOT 1 | CONNECTOR, ROD END & STEEL [CUST: AR AS 99 IS] [REVIEW: CR4 GL MC MI OS SH YD1] | A 5340 | IS | 16-JUN-97 | |
| | MS35824D | HINGE, CONTINUOUS (PIANO) .050 THICKNESS .187 PIN DIA [CUST: AR AS 99] [REVIEW: 82 AT AV GL MC MI] | A 5340 | IS | 06-JAN-89 | |
| | MS35827D | HINGE, CONTINUOUS (PIANO) .060 THICKNESS .250 PIN DIA [CUST: AR AS 99] [REVIEW: 82 AT GL MC MI] | A 5340 | IS | 06-JAN-89 | |
| | MS35828D | HINGE, CONTINUOUS (PIANO) .60 THICKNESS .312 & .375 PIN DIA [CUST: AR AS 99] [REVIEW: 82 AT AV GL MC MI] | A 5340 | IS | 06-JAN-89 | |
| | MS35844D NOT 3 | PLUG, MACHINE THREAD, MAGNETIC: DRAIN [CUST: AT YD1 99 IS] [REVIEW: CC CR4 MC OS] | A 5365 | IS | 28-JAN-97 | |
| A | MS35845E NOT 2 | DEHYDRATORS, DESICCANT, REFRIGERANT-12 [CUST: GL 99 IS] [REVIEW: CE CR4 SH] | A 4130 | IS | 06-FEB-96 | |
| A | MS35880C NOT 1 | VALVE, PACKLESS STOP, SOLDER-JOINT CONNECTION ENDS [CUST: GL SH 99 IS] [REVIEW: GS MC] | A 4130 | IS | 07-FEB-96 | |
| A | MS35881C NOT 1 | VALVE, PACKLESS, STOP, FLARE CONNECTION ENDS [CUST: GL SH 99 IS] [REVIEW: CR4 GS MC] | A 4130 | IS | 12-FEB-96 | |
| A | MS35882C NOT 1 | VALVE, PACKLESS, STOP, THREE-WAY, SOLDER-JOINT CONNECTION ENDS [CUST: GL SH 99 IS] [REVIEW: 11 GS MC MI] | A 4130 | IS | 12-FEB-96 | |
| A | MS35883C NOT 1 | VALVE, PACKLESS, STOP, THREE-WAY FLARE CONNECTION ENDS [CUST: GL SH 99 IS] [REVIEW: CR4 GS MC] | A 4130 | IS | 12-FEB-96 | |
| | MS35897A | PACKING, PREFORMED [CUST: AR CC] [REVIEW: CR QM] | A 5985 | CC | 25-FEB-63 | |
| A | MS39026A NOT 1 | HANGER, CABLE (POLE LINE) [CUST: CR 85] [REVIEW: 99 GS MC] | A 5975 | CR | 11-SEP-97 | |
| A | MS39030A NOT 1 | BRACE, CROSSARM, FLAT (POLE LINE) [CUST: CR YD1 85] [REVIEW: 99 GS MC] | A 5975 | CR | 11-SEP-97 | |
| A | MS39046A NOT 1 | CLAMP, ELECTRICAL, LASHING (POLE LINE) [CUST: CR YD1 85] [REVIEW: 99 GS MC] | A 5975 | CR | 11-SEP-97 | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------|--|--------------------------|-----|-------------|-----------|
| A | MS39049A NOT 1 | STEP, POLE, STEEL, DRIVE [CUST: CR YD1 85] [REVIEW: 99 GS MC] | A 5975 | CR | | 11-SEP-97 |
| | MS39085A | BRACKET, ANGLE, CABLE CLAMP SUPPORT [CUST: AR IS] | A 5340 | IS | | 25-MAY-93 |
| | MS39119 NOT 1 | LEAD, ELECTRICAL, BRAIDED WIRE [CUST: MI 84] | A 6150 | MI | | 22-MAY-95 |
| | MS39198E NOT 1 | TEES, TUBE SAFETY SLEEVE COMPRESSION TYPE | A 4730 | AT | | 14-SEP-87 |
| | MS39199E NOT 1 | NIPPLES, TUBE SAFETY SLEEVE COMPRESSION TYPE BULKHEAD MOUNTING [CUST: AT CC] | A 4730 | CC | | 14-SEP-87 |
| | MS39201E NOT 1 | NIPPLES, TUBE SAFETY SLEEVE COMPRESSION TYPE (INACTIVE USE MS 51814) [CUST: AT CC] | A 4730 | CC | | 16-SEP-87 |
| | MS39202E NOT 1 | ELBOWS, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, 90 DEGREE, MALE PIPE END [CUST: AT CC] | A 4730 | CC | | 16-SEP-87 |
| | MS39203E NOT 1 | ADAPTERS, STRAIGHT, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, FEMALE PIPE END | A 4730 | AT | | 16-SEP-87 |
| | MS39205F NOT 1 | TEES, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, MALE PIPE SIDE [CUST: AT] [REVIEW: CC CR4] | A 4730 | AT | | 17-SEP-87 |
| | MS39206E NOT 1 | ADAPTERS, STRAIGHT, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, MALE PIPE END [CUST: AT CC] | A 4730 | CC | | 17-SEP-87 |
| | MS39207E NOT 1 | ELBOWS, TUBE SAFETY SLEEVE COMPRESSION TYPE 90 DEGREE [CUST: AT CC] | A 4730 | CC | | 17-SEP-87 |
| | MS39208E NOT 1 | TEES, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, FEMALE PIPE SIDE | A 4730 | AT | | 17-SEP-87 |
| | MS39209E NOT 1 | TEES, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE FEMALE PIPE END | A 4730 | AT | | 18-SEP-87 |
| | MS39211E NOT 1 | TEES, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, MALE PIPE END | A 4730 | AT | | 26-FEB-82 |
| | MS39212E NOT 1 | SLEEVES, COMPRESSION, TUBE HOSE FITTING SAFETY SLEEVE TYPE [CUST: AT CC] | A 4730 | CC | | 18-SEP-87 |
| A | MS39347A NOT 2 | TERMINAL, POST, SERVICE AND GROUND [CUST: CR4 MC GS] [REVIEW: AS SH] | A 5940 | GS | | 17-OCT-97 |
| | MS51023C | SETSCREW-HEXAGON SOCKET, CUP POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNF-3A, PLAIN AND SELF-LOCKING [CUST: AR 99] [REVIEW: AT AV MC MI OS] | A 5305 | IS | | 29-DEC-72 |
| | MS51029B | SETSCREW-HEXAGON SOCKET, FLAT POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A, PLAIN AND SELF-LOCKING [CUST: AR 99] [REVIEW: AV MC MI OS] | A 5305 | IS | | 29-DEC-72 |
| | MS51031B | SETSCREW-HEXAGON SOCKET, FLAT POINT, CORROSION-RESISTING, PASSIVATED, UNF-3A, PLAIN AND SELF-LOCKING [CUST: AR 99] [REVIEW: AV MC MI OS] | A 5305 | IS | | 29-DEC-72 |
| | MS51038B | SETSCREW-HEXAGON SOCKET, CONE POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A AND UNF-3A, PLAIN AND SELF-LOCKING [CUST: AR 99] [REVIEW: CR4 MC MI OS] | A 5305 | IS | | 29-DEC-72 |
| | MS51047B | SETSCREW-HEXAGON SOCKET, HALF-DOG POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNF-3A [CUST: AR 99] [REVIEW: AT AV GL MC MI OS] | A 5305 | IS | | 29-DEC-72 |
| | MS51053A | SETSCREW, FLUTED SOCKET, ALLOY STEEL, CADMIUM PLATED, NC-3A [CUST: AR SH 99] [REVIEW: MC MI] | A 5305 | IS | | 10-SEP-69 |
| D | MS51302B NOT 1 | STOPLIGHT, VEHICULAR-BLACKOUT, 24 VOLT [CUST: AT MC 99 IS] | A 6220 | IS | | 15-MAR-93 |
| | MS51303B NOT 1 | LIGHT, MARKER, CLEARANCE-BLACK [CUST: AT MC 99 GS] | A 6220 | GS | | 20-SEP-91 |
| | MS51314B | ENGINE, GASOLINE AIR COOLED, 895 CU IN DISPL, 4 STROKE CYCLE, RECIPROCATING, AUTOMOTIVE [CUST: AT MC 99] [REVIEW: AV] | A 2805 | AT | | 04-FEB-88 |
| A | MS51330A NOT 1 | STOP LIGHT-TAILLIGHT, BLACKOUT; VEHICULAR-24 VOLT [CUST: AT YD1 99] [REVIEW: GS MI] | A 6220 | AT | | 27-FEB-98 |
| A | MS51334B NOT 1 | CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL - GENERATOR TO REGULATOR, 25 AND 40 AMP SYSTEM [CUST: AT] [REVIEW: CC] | A 2920 | AT | | 06-FEB-98 |
| A | MS51352A NOT 1 | WINCH, DRUM, VEHICLE, MOUNTING BASIC, MECHANICALLY DRIVEN, 10,000 LBS CAPACITY [CUST: AT] [REVIEW: CR4] | A 2590 | AT | | 23-DEC-97 |
| A | MS51353B NOT 1 | WINCH, DRUM, VEHICLE MOUNTING: BASIC, MECHANICALLY DRIVEN, 20,000 POUNDS CAPACITY [CUST: AT] [REVIEW: CR4 MI] | A 2590 | AT | | 23-DEC-97 |
| A | MS51354C NOT 1 | WINCH, DRUM, VEHICLE MOUNTING: BASIC, MECHANICALLY DRIVEN, 45,000 POUNDS CAPACITY [CUST: AT] [REVIEW: CR4] | A 2590 | AT | | 23-DEC-97 |
| | MS51395C NOT 2 | CHASSIS, TRUCK, 5 TON, 6X6, M40 [CUST: AT] | A 2320 | AT | | 22-SEP-89 |
| A | MS51401 NOT 1 | RIVET, SOLID, TINNERS [CUST: AR 99 IS] [REVIEW: AT CR4 GL MC MI NS OS] | A 5320 | IS | | 01-OCT-97 |
| A | DS51403 NOT 1 | RIVET, TUBULAR, ROUND AND FLAT TYPE HEAD, METRIC [CUST: AR 99 IS] [REVIEW: AS AT CR4 GL MC MI NS] | A 5320 | IS | | 01-OCT-97 |
| A | DS51404 NOT 1 | RIVET, SOLID, UNIVERSAL HEAD, BRASS, METRIC [CUST: AR 99 IS] [REVIEW: AS AT CR4 GL MC MI NS] | A 5320 | IS | | 01-OCT-97 |
| A | DS51405 NOT 1 | RIVET, SOLID, UNIVERSAL HEAD, CARBON STEEL, METRIC [CUST: AR 99 IS] [REVIEW: AS AT CR4 GL MC MI NS] | A 5320 | IS | | 01-OCT-97 |
| A | DS51406 NOT 1 | RIVET, SOLID, COUNTERSUNK 100 DEGREE PRECISION HEAD, CARBON STEEL, METRIC [CUST: AR 99 IS] [REVIEW: AS AT CR4 MC MI NS] | A 5320 | IS | | 01-OCT-97 |
| A | DS51407 NOT 2 | RIVET, SOLID, UNIVERSAL HEAD, COPPER, METRIC [CUST: AR 99 IS] | A 5320 | IS | | 01-OCT-97 |
| A | DS51408 NOT 1 | RIVET, SOLID, COUNTERSUNK 100 DEG. PRECISION HEAD, COPPER, METRIC [CUST: AR YD1 99 IS] [REVIEW: AS AT GL MC MI NS OS] | A 5320 | IS | | 01-OCT-97 |
| A | DS51409 NOT 3 | SETSCREW, SLOTTED HEADLESS, CONE POINT CARBON STEEL, CADMIUM PLATED, METRIC [CUST: AR 99 IS] [REVIEW: AV CE MI NS] | A 5305 | IS | | 01-OCT-97 |
| A | DS51410 NOT 3 | SETSCREW, SLOTTED HEADLESS, CUP POINT, CARBON STEEL, CADMIUM PLATED, METRIC [CUST: AR 99 IS] [REVIEW: AV CE CR CR4 MC MI NS OS SH] | A 5305 | IS | | 01-OCT-97 |
| A | DS51411 NOT 3 | SETSCREW, SLOTTED HEADLESS, FLAT POINT, CARBON STEEL, CADMIUM PLATED, METRIC [CUST: AR 99 IS] [REVIEW: AV CE CR CR4 MC MI NS OS SH] | A 5305 | IS | | 01-OCT-97 |
| A | MS51416A NOT 1 | WASHER, LOCK-HELICAL SPRING, HEAVY DUTY [CUST: AR SH IS] [REVIEW: AV CR4 EA GL MC NS YD1] | A 5310 | IS | | 01-OCT-97 |
| A | MS51475A NOT 1 | SCREW, MACHINE, BOOM SUPPORT ASSEMBLY [CUST: AR EC IS] [REVIEW: CR] | A 5305 | IS | | 01-OCT-97 |
| A | MS51478 NOT 1 | SCREW, CAP, HEXAGON (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE ALLOY STEEL, GRADE 8, UNF-2A [CUST: AR SH 99 IS] [REVIEW: 82 AV CR4 EA MC MI NS OS] | A 5305 | IS | | 01-OCT-97 |
| A | MS51482 NOT 1 | SETSCREW, HEXAGON SOCKET, CONE POINT, ALLOY STEEL, UNC-3A [CUST: AR SH 99 IS] [REVIEW: 82 AV CR CR4 EA MI NS] | A 5305 | IS | | 01-OCT-97 |
| A | MS51483 NOT 1 | SCREW, MACHINE, DRILLED FILLISTER HEAD, SLOTTED, CARBON STEEL, UNC-2A [CUST: AR SH 99 IS] [REVIEW: 82 AV CR CR4 EA NS OS] | A 5305 | IS | | 01-OCT-97 |
| A | MS51486 NOT 1 | SCREW, TAPPING, THREAD FORMING, TYPE AB, PAN HEAD, CROSS-RECESSED [CUST: AR SH 99 IS] [REVIEW: 82 CR CR4 EA MC MI NS OS] | A 5305 | IS | | 01-OCT-97 |
| A | MS51487 NOT 1 | SETSCREW, SQUARE HEAD, CUP POINT, CARBON STEEL, UNC-2A [CUST: AR SH 99 IS] [REVIEW: CR4 EA MC MI NS OS] | A 5305 | IS | | 01-OCT-97 |
| A | MS51489 NOT 1 | SETSCREW, HEXAGON SOCKET, OVAL POINT, ALLOY STEEL [CUST: AR SH 99 IS] [REVIEW: 82 AV CR4 EA MC MI NS OS] | A 5305 | IS | | 01-OCT-97 |
| A | MS51494 NOT 1 | SCREW, EXTERNALLY RELIEVED BODY, FLAT COUNTERSUNK HEAD, 100 DEGREE, CROSS-RECESSED [CUST: AR 99 IS] [REVIEW: 82 AT AV EA-MC MI] | A 5305 | IS | | 01-OCT-97 |
| A | MS51497 NOT 1 | STUD, LOCKED IN-RING LOCKED, SERRATED, HIGH STRENGTH, OVERSIZE REPLACER [CUST: AR AS 99 IS] [REVIEW: 11 82 AT AV CR4 GL MC MI NS OS] | A 5307 | IS | | 18-JUL-97 |
| A | MS51499A NOT 1 | RIVET, TUBULAR, 100 DEGREE, COUNTERSUNK HEAD [CUST: AR OS 99 IS] [REVIEW: 82 CR CR4 EA GL MC MI NS] | A 5320 | IS | | 01-OCT-97 |
| A | MS51551 NOT 1 | STUD, LOCKED IN - RING LOCKED, SERRATED, UNIF THREAD NUT END, INCREASED STUD END LENGTH [CUST: AR AS 99 IS] [REVIEW: 11 82 AT AV CR GL MC MI NS OS] | A 5307 | IS | | 19-JAN-98 |
| A | MS51553 NOT 1 | NUT, SELF-LOCKING, WING [CUST: AR 99 IS] [REVIEW: AV CR4 MC MI] | A 5310 | IS | | 01-OCT-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Last Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prop. Acty. | Date |
|-------------|-------------------|--|----------------------|-----|-------------|-----------|
| | MS51600A NOT 4 | FILTER, LIGHT, OPTICAL INSTRUMENT (VARIABLE DENSITY) BINOCULAR TYPE [CUST: AR SH 99] [REVIEW: MC] | A 6650 | AR | | 14-MAR-97 |
| | MS51829A | RIVET, SOLID, BUTTON HEAD, STEEL [CUST: AR 99 IS] [REVIEW: AT AV CR4 EA] | A 5320 | IS | | 20-MAR-74 |
| | MS51840C NOT 2 | PLUG, MACHINE THREAD, O-RING [CUST: AR OS IS] [REVIEW: CR CR4 EA GL MC] | A 5365 | IS | | 28-JAN-97 |
| | MS51865A NOT 1 | NUT, SELF-LOCKING, CAP-GENERAL PURPOSE, 250 DEG., F [CUST: AR 99] [REVIEW: AS AT AV EA GL IS MC OS SH] | A 5310 | AR | | 01-JUN-88 |
| A | MS51868B NOT 1 | CLAMP, WIRE ROPE, DOUBLE SADDLE, DOUBLE GRIP, STEEL [CUST: AR SH 99 IS] [REVIEW: AT AV CR4 GL MC YD1] | A 4030 | IS | | 16-JUN-97 |
| A | MS51924A NOT 1 | CAP, RIVET [CUST: AR YD1 IS] [REVIEW: CR GL MC MI] | A 5320 | IS | | 01-OCT-97 |
| A | MS51927A NOT 2 | BUCKLE, TONGUELESS, I-BAR [CUST: AR 99 IS] [REVIEW: AT CR4 GL MC MI] | A 5340 | IS | | 16-JUN-97 |
| A | MS51928B NOT 1 | CLIP, SPRING TENSION [CUST: AR YD1 99 IS] [REVIEW: 82 AT CG CR CR4 SA] | A 5340 | IS | | 16-JUN-97 |
| A | MS51930A NOT 2 | PAD EYE WELDING [CUST: AR YD1 99 IS] [REVIEW: CR4 MC MI OS] | A 5340 | IS | | 31-JUL-97 |
| A | MS51931A NOT 1 | RIVET, SOLID - TINNER S [CUST: AR YD1 IS] [REVIEW: CR CR4 MC MI] | A 5320 | IS | | 01-OCT-97 |
| A | MS51939A NOT 2 | LOOP, STRAP FASTENER (FOOTMAN'S LOOP) [CUST: AR IS] | A 5340 | IS | | 31-JUL-97 |
| A | MS51942A NOT 1 | RIVET, TUBULAR - FLAT HEAD [CUST: AR YD1 IS] [REVIEW: CR CR4 GL MC MI] | A 5320 | IS | | 01-OCT-97 |
| A | MS51944A NOT 1 | BUCKLE, TONGUELESS&2&BAR [CUST: AR 99 IS] [REVIEW: AT AV CR4 EA GL] | A 5340 | IS | | 16-JUN-97 |
| A | MS51945A NOT 1 | RIVET, SOLID COUNTERSUNK HEAD BRASS OR COPPER [CUST: AR YD1 IS] [REVIEW: CR CR4 GL MC MI] | A 5320 | IS | | 01-OCT-97 |
| | MS51950C NOT 1 | STUD, SHOULDERED: WHEEL MOUNTING [CUST: AT 99 IS] [REVIEW: 82 AR CR4 MI] | A 5307 | IS | | 18-DEC-95 |
| | MS51951C NOT 1 | STUD, SHOULDERED AND STEPPED: WHEEL MOUNTING [CUST: AT 99 IS] [REVIEW: 82 AR CR4 MI] | A 5307 | IS | | 18-DEC-95 |
| | MS51957D | SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, CORROSION-RESISTANT STEEL, UNC-2A [CUST: AR YD1 99 IS] [REVIEW: AT AV CR4 GL MC MI NS SH] | A 5305 | IS | | 25-APR-97 |
| | MS51960C | SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEGREE, CROSS-RECESSED, CORROSION RESISTANT STEEL, UNF-2A [CUST: 99] [REVIEW: AT AV EA MC MI OS SH] | A 5305 | IS | | 29-MAR-91 |
| | MS51965D | SETSCREW-HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING [CUST: AR AS 99 IS] [REVIEW: AT AV CR4 MC MI OS] | A 5305 | IS | | 29-DEC-72 |
| | MS51966A | SETSCREW - HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING [CUST: AR AS 99] [REVIEW: AT AV CR4 MC MI OS] | A 5305 | IS | | 29-DEC-72 |
| | MS51973B | SETSCREW - HEXAGON SOCKET, CONE POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING [CUST: AR AS 99] [REVIEW: AV CR4 MC MI OS] | A 5305 | IS | | 29-DEC-72 |
| | MS51982A | SETSCREW-HEXAGON SOCKET, OVAL POINT, ALLOY, CADMIUM PLATED, UNC-3A [CUST: AR AS 99] [REVIEW: AV CR4 MC MI NS OS] | A 5305 | IS | | 31-MAR-72 |
| A | MS52142A NOT 2 | BEARING, ROLLER, NEEDLE, DRAWN OUTER RING, FULL COMPLEMENT, WITHOUT INNER RING, OPEN END, EXTRA PRECISION TYPE [CUST: AT OS 99 GS] [REVIEW: AR AV CR4 GL MC MI SH] | A 3110 | GS | | 02-FEB-96 |
| M | MS52149G NOT 1 | BATTERY, STORAGE, LEAD-ACID (LOW-MAINTENANCE) TYPE 6TL [CUST: AT] | A 6140 | AT | | 20-MAY-98 |
| A | MS52270 NOT 1 | HOWITZER, SELF - PROPELLED 8 INCH, M110A2 [CUST: AR] | A 2350 | AR | | 16-JAN-98 |
| A | MS53044C NOT 3 | WHEEL, PNEUMATIC TIRE-DISK TYPE, WITH RING, FOR TACTICAL WHEELED VEHICLES [CUST: AT MC 99] [REVIEW: CC] | A 2530 | AT | | 09-APR-98 |
| D | MS53047A NOT 2 | LIGHT, MARKER-SERVICE PARK, SERVICE SIGNAL AND BLACKOUT MARKER, 24 VOLT [CUST: AT IS] | A 6220 | IS | | 21-FEB-94 |
| | MS53069E NOT 1 | NUT, PLAIN, ASSEMBLED WASHER: 7/16 INCH (FLOATING TYPE) [CUST: AT IS] [REVIEW: AR CR] | A 5310 | IS | | 23-JUN-94 |
| | MS75001D | INDUCTOR, POWER, TYPE TF4RX04MA010 [CUST: CR EC 85] [REVIEW: SH] | A 5950 | CC | | 20-MAY-82 |
| | MS75008E NOT 1 | COILS, RADIOFREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K027 TO LT4K039 INCL [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 11-NOV-91 |
| A | MS75014 NOT 1 | STAKE, GUY, ANTENNA (STAKE GP-2) [CUST: CR SH] [REVIEW: GS] | A 5975 | CR | | 11-SEP-97 |
| A | MS75015 NOT 2 | STAKE, GUY, ANTENNA (STAKE GP-101/U) [CUST: CR SH 85] [REVIEW: GS MI] | A 5975 | CR | | 11-SEP-97 |
| A | MS75016 NOT 1 | STAKE, GUY, ANTENNA (GUY STAKE GP-108/U) [CUST: CR SH 85] [REVIEW: GS] | A 5975 | CR | | 11-SEP-97 |
| A | MS75018A NOT 2 | STAKE, WOOD, ANTENNA [CUST: CR] [REVIEW: CC] | A 5510 | CR | | 06-OCT-97 |
| | MS75057A NOT 1 | CONNECTOR, PLUG, ELECTRICAL-SLAVE, 2 CONTACT, 24 VOLT, WATERPROOF [CUST: AT 85 CC] [REVIEW: 99 CR4] | A 5935 | CC | | 13-MAY-91 |
| | MS75058B NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL - SLAVE, 2 CONTACT, 24 VOLT, WATERPROOF [CUST: AT 85 CC] [REVIEW: 99 MI] | A 5935 | CC | | 28-JUL-93 |
| A | MS75076 NOT 1 | INSULATOR, STRAIN, WITH CLEVIS [CUST: CR] | A 5970 | CR | | 22-SEP-97 |
| A | MS75077 NOT 1 | INSULATOR, STRAIN, WITH CLEVIS [CUST: CR] | A 5970 | CR | | 22-SEP-97 |
| | MS75083D | COILS, RADIO FREQUENCY, MOLDED, FIXED (PHENOLIC CORE), TYPES LT4K339 TO LT4K351, INCLUSIVE (USE MIL-C-39010/8) [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG CR4 MC MI OS SH] | A 5950 | CC | | 16-FEB-95 |
| | MS75084D | COILS, RADIO FREQUENCY, MOLDED, FIXED (IRON CORE), TYPES LT10K061 TO LT10K077, INCLUSIVE (USE MIL-C-39010/9) [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG CR4 MC MI OS SH] | A 5950 | CC | | 16-FEB-95 |
| | MS75085D | COILS, RADIO FREQUENCY, MOLDED, FIXED (FERRITE CORE), TYPES LT10K078 TO LT10K096, INCLUSIVE (USE MIL-C-39010/10) [CUST: CR EC 85] [REVIEW: 17 19 99 AR AS CG CR4 MC MI OS SH] | A 5950 | CC | | 16-FEB-95 |
| | MS75087C | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (PHENOLIC CORE-IRON SLEEVE) TYPES LT10K191 TO LT10K202, INCLUSIVE (USE MIL-C-39010/1) [CUST: CR EC 85] [REVIEW: 17 19 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 16-FEB-95 |
| | MS75088C | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (IRON CORE-IRON SLEEVE) TYPES LT10K203 TO LT10K216, INCLUSIVE (USE MIL-C-39010/2) [CUST: CR EC 85] [REVIEW: 17 19 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 16-FEB-95 |
| | MS75089B NOT 1 | COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (FERRITE CORE-FERRITE SLEEVE) TYPES, LT10K217 TO LT10K263 INCL. [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 11-NOV-91 |
| | MS75101B | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K169 TO LT10K180, INCLUSIVE (USE MIL-C-39010/5) [CUST: CR EC 85] [REVIEW: 17 19 AR AS CR4 MC MI OS SH] | A 5950 | CC | | 16-FEB-95 |
| | MS75132A | COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE TYPES LT4K [CUST: CR EC 85] [REVIEW: 19 AR AS CG CR4 MC MI OS SH] | A 5950 | CC | | 17-NOV-92 |
| A | MS87006 NOT 1 | HOOK, CHAIN AND S [CUST: AR IS] [REVIEW: CR4 GL MC MI] | A 4030 | IS | | 01-OCT-97 |
| A | MS87007B NOT 1 | SWIVEL, CHAIN [CUST: AR IS] | A 4030 | IS | | 01-OCT-97 |
| A | MS87008A NOT 1 | LINK, CHAIN AND CONNECTING OR REPAIR [CUST: AR SH 99 IS] [REVIEW: AT AV GL MI] | A 4010 | IS | | 01-OCT-97 |
| A | MS87015A NOT 2 | GENERATOR, TACHOMETER, FOUR-POLE, SCREW-MOUNTED [CUST: AV 99] [REVIEW: CG] | A 6620 | AV | | 18-MAR-98 |
| A | MS87968 NOT 1 | CASTERS, RIGID AND SWIVEL INDUSTRIAL DUTY [CUST: AR YD1 99 IS] [REVIEW: 82 CE CR4 GL] | A 5340 | IS | | 19-DEC-97 |
| | MS90120C NOT 1 | KNOBS, CONTROL, BAR, PLASTIC [CUST: CR 11] [REVIEW: CC MI] | A 5355 | IS | | 25-FEB-91 |
| | MS90133E NOT 1 | CASKETS, V-GROOVE; PART OF RF COAXIAL CONNECTORS [CUST: CR EC 80 CC] | A 5935 | CC | | 20-AUG-91 |
| | MS90134D NOT 1 | GASKETS; PART OF RF COAXIAL CONNECTORS [CUST: CR EC 85 CC] [REVIEW: 99 AR MC MI] | A 5935 | CC | | 20-AUG-91 |
| | MS90217A(1) NOT 1 | WASHER, SPRING, PART OF RF COAXIAL CONNECTORS [CUST: AR SH IS] [REVIEW: AV SA] | A 5310 | IS | | 16-JUN-97 |
| | MS90297 NOT 2 | BUCKLE, PARACHUTE CONTAINER [CUST: AS] | A 5340 | AS | | 30-APR-97 |
| | MS90301B NOT 2 | TRANSMISSION, POWER, CONSTANT SPEED 30 KW F-4 AIRCRAFT [CUST: AS] | A 2995 | AS | | 18-SEP-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|--------------------------|-----|-------------|-----------|
| | MS90302B NOT 1 | GENERATOR SYSTEM, ALTERNATING CURRENT, BRUSHLESS 30 KVA F-4 AIRCRAFT [CUST: AS] [REVIEW: GS] | A 6115 | AS | | 21-AUG-96 |
| | MS90304E NOT 2 | GENERATOR SYSTEM, 20 KVA, 400 HERTZ, ALTERNATING CURRENT, INTEGRALLY EXCITED, BRUSHLESS TYPE, AIRCRAFT, SELF COOLED [CUST: AS] [REVIEW: GS] | A 6115 | AS | | 21-AUG-96 |
| | MS90313E NOT 1 | GENERATOR SYSTEM, 20 KVA, 400 HERTZ, ALTERNATING CURRENT, INTEGRALLY EXCITED, BRUSHLESS TYPE, AIRCRAFT, BLAST COOLED [CUST: AS] | A 6115 | AS | | 21-AUG-96 |
| | MS90323A NOT 2 | INDICATOR, TORQUEMETER, ENGINE, TURBOPROP [CUST: AS] | A 6620 | AS | | 16-OCT-96 |
| | MS90324A NOT 2 | THERMOCOUPLE, ENGINE CYLINDER, BAYONET TYPE [CUST: AS] | A 6620 | AS | | 16-OCT-96 |
| | MS90325G NOT 1 | GENERATOR SYSTEM, ALTERNATING CURRENT, INTEGRALLY EXCITED, 60 KVA BRUSHLESS (P-3 AIRCRAFT) [CUST: AS] [REVIEW: GS] | A 6115 | AS | | 21-AUG-96 |
| A | MS90327A NOT 2 | AIRCRAFT MARKINGS, ACCESS NUMBERING SYSTEM [CUST: AS 11] | A 15GP | AS | | 05-NOV-97 |
| A | MS90330 NOT 1 | SERVICING ADAPTER LOW PRESSURE OXYGEN [CUST: AS] | A 1660 | AS | | 23-JUL-97 |
| A | MS90331A NOT 2 | SERVICING ADAPTER HIGH PRESSURE OXYGEN [CUST: AS] | A 1660 | AS | | 23-JUL-97 |
| | MS90332D NOT 2 | GENERATOR, DIRECT CURRENT, 300 AMPERE, CLASS A, BLAST COOLED, 3000-8000 RPM [CUST: AS 99] [REVIEW: GS] | A 6115 | AS | | 21-AUG-96 |
| A | MS90339E NOT 2 | HOSE ASSEMBLY, OXYGEN MASK TO CONNECTOR [CUST: AV AS 99] [REVIEW: 11] | A 1660 | AS | | 27-AUG-97 |
| A | MS90340 NOT 2 | INSERT, INSTALLATION AND DETAIL, FULL FACE OXYGEN AND SMOKE MASKS [CUST: AV AS 99] [REVIEW: 11 71] | A 1660 | AS | | 23-JUL-97 |
| | MS90341B NOT 1 | MOUNTING BRACKET, CONFIGURATION, MATING PORTION FOR 5 AND 10 LITER LIQUID OXYGEN CONVERTERS [CUST: AS 11] [REVIEW: 71] | A 1660 | AS | | 21-AUG-96 |
| A | MS90342 NOT 2 | NUT ASSEMBLY (GROOVED WASHER AND DETENTED WING) [CUST: AS 11] [REVIEW: 71 AV] | A 1660 | AS | | 23-JUL-97 |
| M | MS9035B NOT 1 | BOLT-MACHINE, 12 POINT HEAD HEAT RESISTANT STEEL, .3125-24 NS [CUST: AS 11] | A 5305 | IS | | 20-MAY-98 |
| | MS90361 NOT 1 | TRANSMITTER, RATE OF FUEL FLOW, SYNCHRO TYPE [CUST: AS] | A 6620 | AS | | 16-OCT-96 |
| A | MS90373A NOT 1 | INDICATOR, ELAPSED TIME, ELECTROCHEMICAL (COPPER) HSV 50/2400 HZ AC OR 28V DC [CUST: AS] [REVIEW: GS] | A 6645 | AS | | 23-JUL-97 |
| A | MS90384D NOT 2 | CABLE ASSEMBLIES, ELECTRIC POWER, PERMANENTLY WIRED, FOR PORTABLE GROUND SUPPORT TEST EQUIPMENT [CUST: AS GS] | A 6150 | GS | | 30-MAR-98 |
| A | MS90386C NOT 1 | INDICATOR TIME, ELECTROCHEMICAL, (MERCURY) 115 VOLT AC, 50/2400 HERTZ 28 VOLT DC OR 5 VOLT DC [CUST: AS] [REVIEW: GS] | A 6645 | AS | | 23-JUL-97 |
| A | MS90389C NOT 1 | CYLINDER, OXYGEN, NON SHATTERABLE, WELDED, 1800 PSI (STRAIGHT, U, AND SPIRAL TYPES) [CUST: AV AS 99] | A 1660 | AS | | 30-SEP-97 |
| | MS90412E NOT 1 | PROTECTOR, UNDERFREQUENCY A4-E, A4-F AIRCRAFT [CUST: AS] [REVIEW: GS] | A 6115 | AS | | 21-AUG-96 |
| | MS90443E NOT 2 | TIRE, PNEUMATIC, AIRCRAFT, 28 X 9.0, TYPE VII (NAVY) [CUST: AS] | A 2620 | AS | | 09-OCT-96 |
| | MS90451 NOT 1 | LAMP, INCANDESCENT, T-1 BULB, SHORT, INTEGRAL LIGHTING [CUST: AS] [REVIEW: GS] | A 6240 | AS | | 18-SEP-96 |
| | MS90452A NOT 1 | LAMP, INCANDESCENT, T-3/4 BULB, INTEGRAL LIGHTING [CUST: AS] [REVIEW: GS] | A 6240 | AS | | 18-SEP-96 |
| A | MS90489B NOT 1 | WRENCH, PLUG, ELECTROLYTE ACCESS HOLE, CELL, AIRCRAFT ALKALINE STORAGE BATTERY [CUST: AS] [REVIEW: GS] | A 6140 | AS | | 24-FEB-98 |
| | MS90537A NOT 1 | COILS, RADIO FREQUENCY, MOLDED, SUBMINIATURE, SHIELDED, MAGNETIC TYPE LT4K242 TO LT4K314 INCL. [CUST: CR EC 85] [REVIEW: 99 MI] | A 5950 | CC | | 11-NOV-91 |
| | MS90723 NOT 1 | NUT, SHEET SPRING AND J TYPE [CUST: AR AS 99 IS] [REVIEW: MI] | A 5310 | IS | | 01-FEB-96 |
| | MS90724 NOT 1 | NUT, SHEET SPRING AND U TYPE [CUST: AR AS 99 IS] [REVIEW: MI] | A 5310 | IS | | 01-FEB-96 |
| A | MS90729A NOT 2 | BOLT, TEE HEAD [CUST: AR YD1 99 IS] [REVIEW: AS AV CR4 MC OS] | A 5306 | IS | | 01-OCT-97 |
| | MS91404D NOT 1 | BASE, MOUNTING, SMALL-SIZE (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) [CUST: CR AS 85] [REVIEW: 11 99 CG GS MC MI] | A 5975 | AS | | 24-JUL-96 |
| | MS91405E NOT 1 | BASE, MOUNTING, LARGE-SIZE (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) [CUST: CR AS 85] [REVIEW: 11 99 GS] | A 5975 | AS | | 24-JUL-96 |
| A | MS91522A NOT 1 | KNOB, CONTROL, CRANK, METAL [CUST: CR 11 IS] | A 5355 | IS | | 19-DEC-97 |
| | MS91523B NOT 1 | KNOB, CONTROL, LEVER, METAL [CUST: CR 11] [REVIEW: AV MC] | A 5355 | IS | | 25-FEB-91 |
| A | MS91524E NOT 1 | KNOBS CONTROL, SHORT BAR, METAL AND PLASTIC [CUST: CR 11 IS] [REVIEW: AR AS AT AV CG CR4 MI NS OS SH] | A 5355 | IS | | 19-DEC-97 |
| A | MS91525F NOT 1 | KNOBS, CONTROL, BAR, METAL AND PLASTIC [CUST: CR 11 IS] [REVIEW: AR AS AT AV CG CR4 EA NS OS SH] | A 5355 | IS | | 19-DEC-97 |
| A | MS91527B NOT 2 | MOUNT, VIBRATION, CUP-TYPE, CLASSES A-B (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) [CUST: AV AS 99 IS] [REVIEW: 11 AR MI] | A 5340 | IS | | 16-JUN-97 |
| A | MS91528J NOT 2 | KNOBS-CONTROL, PLASTIC (ROUND, CONCENTRIC, POINTER, SPINNER, SPINNER SLIP-CLUTCH, BAR, TACTILE, KNOB LOCK POINTER, SLIP-CLUTCH, AND KNOB LOCKS) [CUST: CR 11 IS] [REVIEW: AT AV CR4 EA MI] | A 5355 | IS | | 25-FEB-98 |
| | MS91531E NOT 1 | KNOBS, CONTROL, ROUND, PLASTIC (WITH FLUTED GRIP) [CUST: CR 11] [REVIEW: AR AT AV CG CR4 MC MI OS] | A 5355 | IS | | 25-FEB-91 |
| | MS91820 NOT 1 | WASHER, SPLIT, PART OF SERIES C CONNECTORS [CUST: CR SH 99 IS] [REVIEW: AR SA] | A 5310 | IS | | 07-FEB-96 |
| | MS123120THRUMS123150C | PLUG - STRAIGHT THREAD, (O) RING SEAL, ALUMINUM [CUST: AV AS 82] [REVIEW: 82 MI] | A 4730 | CC | | 07-JUN-72 |
| | MS500040J NOT 1 | TRANSMITTER, LIQUID QUANTITY, FLOAT TYPE, ENGINE FUEL [CUST: AT GS] [REVIEW: 80 CR4] | A 6680 | GS | | 28-SEP-93 |
| | MS500043B NOT 2 | CONTROL ASSEMBLY, PUSH-PULL: THROTTLE, ENGINE, RATCHET LOCK TYPE [CUST: AT CC] [REVIEW: CR4 MC YDI] | A 2990 | CC | | 29-OCT-93 |
| A | MS500048A NOT 1 | TOWBAR, MOTOR VEHICLE: LIGHT, MEDIUM AND HEAVY DUTY (FOR VEHICLES 2 1/2 TO 50 TONS AND HEAVIER) [CUST: AT YD1 99] [REVIEW: 84 AR CC MC] | A 2540 | AT | | 20-FEB-98 |
| | MS500073B NOT 2 | CONTROL ASSEMBLY, PUSH-PULL: FRICTION LOCK TYPE GENERAL PURPOSE [CUST: AT 84] [REVIEW: MC] | A 2990 | CC | | 29-OCT-93 |
| | MS500074B NOT 2 | CONTROL ASSEMBLY, PUSH-PULL: RATCHET LOCK TYPE GENERAL PURPOSE [CUST: AT 84] [REVIEW: MC] | A 2990 | CC | | 29-OCT-93 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|----------------------|--|-----------------------|-----|-------------|-----------|
| | | | | | | |
| A | MIL-STD-35E NOT 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BASIC [CUST: MI SH 11] [REVIEW: AR AT CC CR EA IS TD TM] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/5E NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM WASHERS, SPACERS, AND SHIMS [CUST: MI] [REVIEW: AR AT AV CR MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/6B NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, ROTARY [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/7C NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TRANSFORMERS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/8B NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RELAYS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/9C NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TERMINAL BOARDS [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/10C NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FUSES [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/11C NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FUSEHOLDERS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/12A NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM METERS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/14A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RIVETS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/17A NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SCREWS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/18 NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, PIPE AND TUBING, RIGIS [CUST: MI] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/19A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TERMINALS AND TERMINAL STRIPS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/20C NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FITTINGS AND COUPLINGS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/21A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM HOSE AND TUBING FLEXIBLE [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/22A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM NUTS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 30-JUN-92 |
| | DOD-STD-35/23A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FASTENERS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/24A NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BEARINGS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/25A NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FILTERS, ELECTRONIC [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/27A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SPRINGS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/28 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, COILS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/30A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CIRCUIT BREAKERS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/31A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BOLTS AND STUDS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/32B NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM PINS AND KEYS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/34A NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, INSERTS [CUST: MI] [REVIEW: AT AV CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/35 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM NETWORKS [CUST: MI] [REVIEW: AT AV CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/36B NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SEALS, GASKETS, AND PACKING [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/37A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INDUCTORS [CUST: MI] [REVIEW: AR AT AV CE CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/38A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CRYSTAL UNITS (QUARTZ) [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/39A NOT 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BATTERIES [CUST: MI] [REVIEW: AR AT CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/40A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RETAINING RINGS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/41A NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FILTERS, MECHANICAL, LIQUID, GAS/AIR [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/42A NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM WAVEGUIDES [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/43 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, ANTENNAS [CUST: MI] [REVIEW: AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/46B NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM VALVES (POWERED) [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/48A NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TRANSDUCERS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/49A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM GEARS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/50A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM PULLEYS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/51 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SPROCKETS [CUST: MI] [REVIEW: AT AV CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/52A NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LAMPS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/53A NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ADAPTERS, ELECTRICAL [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/54A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SEMICONDUCTOR DEVICE [CUST: MI] [REVIEW: AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/56A NOT 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SEMICONDUCTOR DEVICES, VOLTAGE VARIABLE CAPACITOR DIODES (SEE DOD STD 35-54A) [CUST: MI OS] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/65A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL, CIRCULAR [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/66A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL PRINTED WIRING BOARD [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 13-NOV-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | | | | | | |
| | DOD-STD-35/67A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CORD, ELECTRICAL [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/68A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLES, COAXIAL [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/69A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, CONNECTORS, ELECTRICAL, RECTANGULAR [CUST: MI] [REVIEW: AT AV CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/70A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, TOGGLE [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/71A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES (THERMAL) [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/72 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, ACTUATORS, ELECTRO-MECHANICAL, ROTARY [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/73 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ACTUATORS, ELECTROMECHANICAL, LINEAR [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/74 NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ACTUATORS, EXPLOSIVE [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/75 NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM MICROWAVE/WAVEGUIDE COMPONENTS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/76A NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, THERMISTORS [CUST: MI] [REVIEW: AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/78A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ADHESIVES [CUST: MI] [REVIEW: AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/79A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ATTENUATORS, FIXED AND VARIABLE [CUST: MI] [REVIEW: AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/80 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, BELTS, TRANSMISSION AND CONVEYOR [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/81A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONTAINERS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/82A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONVERTERS AND INVERTERS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/83 NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, MOTOR-GENERATOR SETS AND DYNAMOTORS [CUST: MI] [REVIEW: AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/84A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM DUMMY LOADS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/85A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FANS AND IMPELLERS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/86A NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LAMP HOLDERS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/87 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, HOLDERS, SUPPORTS, AND BRACKETS (CRYSTAL) [CUST: MI] [REVIEW: AT AV CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/88A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM KNOBS, DIALS, AND POINTERS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/89A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM MOTORS, AC AND DC [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/90 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM PAINT, VARNISH, LACQUER, AND ENAMEL [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/91A NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTOR ACCESSORIES [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 20-NOV-95 |
| | MIL-STD-35/93 NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM GAGES - HYDRAULIC, PNEUMATIC, AND VACUUM [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/94A NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM OSCILLATORS [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/95 NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, PUMPS - HYDRAULIC, PNEUMATIC, AND VACUUM [CUST: MI] [REVIEW: AT AV CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/96 NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, REGULATORS, CURRENT AND VOLTAGE, AC AND DC [CUST: MI] [REVIEW: AT AV CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/97B NOT 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RESISTER NETWORKS [CUST: MI] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/98A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CAPACITORS, VARIABLE [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/100A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM REGULATORS AND NONPOWERED VALUES (HYDRAULIC, PNEUMATIC, AND VACUUM) [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/101 NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, RELAYS, SOLID STATE [CUST: MI] [REVIEW: AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/102 NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, PRINTED WIRING, FLEXIBLE [CUST: MI] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/103 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, AMPLIFIERS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/104A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM UNIVERSAL JOINTS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/105 NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, THERMOCOUPLES [CUST: MI] [REVIEW: CR4] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/106 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM COUNTERS, RECIPROCATING AND ROTATING [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/107A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS-JACKS, PLUG AND TEST POINTS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/108A NOT 1 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TRANSMITTERS [CUST: MI] [REVIEW: AR AT CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/109 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, INDICATORS, POINTER [CUST: MI] [REVIEW: AT AV CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | MIL-STD-35/110A NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BANDS, DECALS, MARKERS AND PLATES [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/111B NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INSULATION, ELECTRICAL [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/112 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LUBRICANTS, OIL AND GREASE [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/114 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CLAMPS, HARDWARE [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/115 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM HEAT SINKS [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 13-NOV-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------------|---|-----------------------|-----|-------------|-----------|
| | DOD-STD-35/116 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM POTTING COMPOUNDS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/117 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, PRESSURE [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/118 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INSULATION, THERMAL AND ACOUSTIC [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/119 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLES, FIBER OPTIC [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/120 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LENSES, FILTERS, AND MIRRORS (OPTICAL) [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/121 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM EYELETS, FERRULES, AND GROMMETS [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/122 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INSULATORS, ELECTRICAL [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/123 NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SOCKET, ELECTRICAL [CUST: MI] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/125 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM DISPLAYS, ELECTRO-OPTICAL [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/126 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, CYLINDERS, ACTUATING, LINEAR [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/127 NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES, TRANSDUCER OR SOLID STATE [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/128 NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES, REED [CUST: MI] [REVIEW: AR AT AV CR CR4] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/129 NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES, FLOW, AIR AND LIQUID [CUST: MI] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/130 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, METERS, FLOW [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/131 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, TIMERS, INTERVAL, SEQUENTIAL, STOP [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/132 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, DELAY LINES, ELECTRONIC AND NETWORK PULSE [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/133 NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SHIELDING, RFI, EMI [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/134 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL, COAXIAL [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/135 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL, POWER [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/136 NOT 2 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, RESISTORS, VARIABLE [CUST: MI] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/137 NOT 3 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, ILLUMINATED [CUST: MI] [REVIEW: AR AT AV CR CR4 MD MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/138 NOT 5 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, SENSITIVE [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/139 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, WIRE, ELECTRICAL [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| | DOD-STD-35/141 NOT 4 | AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLES, SPECIAL PURPOSE [CUST: MI] [REVIEW: AR AT AV CR CR4 MR] | A EGDS | MI | | 13-NOV-95 |
| A | MIL-STD-150A NOT 4 | PHOTOGRAPHIC LENSES [CUST: 99] | A 6760 | 70 | | 06-JAN-98 |
| A | MIL-STD-176A NOT 1 | GUIDED MISSILES AND SPACE LAUNCH VEHICLES, WEIGHT AND BALANCE DATA REPORTING FORMS FOR [CUST: MI AS 99] [REVIEW: 70] | A 14GP | AS | | 27-NOV-97 |
| A | MIL-STD-176/1 NOT 1 | GUIDED MISSILES AND SPACE LAUNCH VEHICLES, SUMMARY WEIGHT STATEMENT GUIDED MISSILES SPACE VEHICAL (PART 1) [CUST: MI AS 99] [REVIEW: 11] | A 14GP | AS | | 27-NOV-97 |
| A | MIL-STD-176/2 NOT 1 | GUIDED MISSILES AND SPACE LAUNCH VEHICLES, WEIGHT EMPTY DETAIL WEIGHT STATEMENT GUIDED MISSILES SPACE VEHICAL (PART 2) [CUST: MI AS 99] [REVIEW: 11 71] | A 14GP | AS | | 27-NOV-97 |
| A | MIL-STD-176/3 NOT 1 | GUIDED MISSILES AND SPACE LAUNCH VEHICLES, WEIGHT AND BALANCE STATUS GUIDED MISSILES SPACE VEHICAL (PARTS 3A AND 3B) [CUST: MI AS 99] [REVIEW: 11] | A 14GP | AS | | 27-NOV-97 |
| A | MIL-STD-188/146 NOT 1 | INTEROPERABILITY AND PERFORMANCE STANDARDS FOR SATELLITE COMMUNICATIONS [CUST: CR EC 90] [REVIEW: DC MC NS] | A TCSS | CR | | 27-JAN-98 |
| A | MIL-STD-188/190 NOT 1 | METHODS FOR COMMUNICATIONS SYSTEMS MEASUREMENTS [CUST: CR SH 11] [REVIEW: 01 02 17 CC DC MC NS SH] | A TCSS | CR | | 31-MAR-98 |
| | MIL-STD-287A NOT 2 | TEST SIGNALS FOR ELECTRONIC TACTICAL AIR NAVIGATION EQUIPMENT (TACAN) [CUST: AS] | A 58GP | AS | | 05-MAR-97 |
| M | MIL-STD-628D NOT 2 | TRACTORS, FULL-TRACKED, LOW-SPEED [CUST: AT YD1 99] [REVIEW: 84 CE MC] | A 2410 | AT | | 18-MAY-98 |
| | MIL-STD-804C(1) NOT 2 | FORMATS AND CODING OF APERTURE, CAMERA, COPY, AND TABULATING CARDS [CUST: CR AS 16] [REVIEW: 99 AR AT EC GS MI SH] | A EDRS | CR | | 01-JUN-95 |
| | MIL-STD-865C NOT 1 | SELECTIVE (BRUSH PLATING), ELECTRODEPOSITION [CUST: 99] | A MFFP | 70 | | 09-DEC-96 |
| | MIL-STD-866B NOT 2 | GRINDING OF CHROME PLATED STEEL AND STEEL PARTS HEAT TREATED TO 180,000 PSI OR OVER [CUST: 99] | A MFFP | 70 | | 09-DEC-96 |
| | MIL-STD-867A NOT 1 | TEMPER ETCH INSPECTION [CUST: 99] | A NDTI | 70 | | 09-DEC-96 |
| | MIL-STD-868A NOT 2 | NICKEL PLATING, LOW EMBRITTLEMENT, ELECTRODEPOSITION [CUST: 99] | A MFFP | 70 | | 09-DEC-96 |
| | MIL-STD-869C NOT 1 | FLAME SPRAYING [CUST: 99] | A MFFP | 70 | | 09-DEC-96 |
| | MIL-STD-870B NOT 1 | CADMIUM PLATING, LOW EMBRITTLEMENT, ELECTRODEPOSITION [CUST: 99] | A MFFP | 70 | | 09-DEC-96 |
| | MIL-STD-871A NOT 3 | ELECTRO-CHEMICAL STRIPPING OF INORGANIC FINISHES [CUST: 99] | A MFFP | 70 | | 09-DEC-96 |
| A | MIL-STD-1252 NOT 1 | INERTIA FRICTION WELDING PROCESS, PROCEDURE AND PERFORMANCE QUALIFICATION [CUST: AR SH] [REVIEW: AT EA MI MR] | A THJM | AR | | 11-MAR-98 |
| M | MIL-STD-1261C NOT 4 | ARC WELDING PROCEDURES FOR CONSTRUCTIONAL STEELS [CUST: MR CC] [REVIEW: AR AT CR4 DH MI] | A THJM | CC | | 14-MAY-98 |
| | MIL-STD-1320/49A NOT 2 | TRUCKLOADING MINE, UNDERWATER MK 55 AND MODS IN CRATE UNDERWATER MINE MK 55 MOD 1 DOMESTIC UNIT LOAD WR-53714 [CUST: OS] | A 8140 | OS | | 27-MAR-92 |
| | MIL-STD-1320/55 NOT 2 | TRUCKLOADING TRAILER-ON-FLAT-CAR (TOFC) OR CONTAINER-ON-FLAT-CAR (COFC) MINE, UNDERWATER MK 52 AND MODS IN CRATE, UNDERWATER MINE MK 52 MOD 0 DOMESTIC AND UNDERWAY REPLENISHMENT UNIT LOADS [CUST: OS] | A 8140 | OS | | 27-MAR-92 |
| | MIL-STD-1320/104 NOT 2 | TRUCKLOADING BOMB, 500 LB. MK 82 MOD 2 (THERMALLY PROTECTED) ON BOMB PALLET MK 9 MOD 0 WITH SADDLES FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| | MIL-STD-1320/112A NOT 3 | TRUCKLOADING BOMB 500 LB. MK 82 MOD 2 (THERMALLY PROTECTED) ON PALLET, MHU-122/E FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| | MIL-STD-1320/166 NOT 3 | TRUCKLOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 56 MOD 0 IN CRATE MK 56 "CONFIGURATION B" SUB ASSEMBLY WITH ASSOCIATED FLIGHT GEAR [CUST: OS] | A 8140 | OS | | 27-MAR-92 |
| | MIL-STD-1320/168(2) NOT 4 | TRUCKLOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 52 IN CRATE MK 52 MOD 0 "CONFIGURATION B" SUB ASSEMBLY WITH ASSOCIATED FLIGHT GEAR [CUST: OS] | A 8140 | OS | | 25-FEB-93 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------------------|--|--------------------------|-----|-------------|-----------|
| MIL-STD-1320/183A NOT 3 | TRUCKLOADING MINE, UNDERWATER MK 65 MOD 0 SERVICE AND EXERCISE AND TRAINING IN SKID MK 25 MOD 2 [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| MIL-STD-1320/186A NOT 3 | TRUCKLOADING MINE, UNDERWATER MK 57 MOD 0 "CONFIGURATION A" IN CRATE MK 109 MOD 0 [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| MIL-STD-1320/187B NOT 2 | TRUCKLOADING MINE, UNDERWATER MK 52 AND MODS CONFIGURATION B, C AND D IN CRATE, UNDERWATER MINE MK 52 AND MODS DOMESTIC AND UNDERWAY REPLENISHMENT UNIT LOADS [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| MIL-STD-1320/206A NOT 2 | TRUCKLOADING MINE UNDERWATER, MK 55 AND MODS CONFIGURATION B & C IN CRATE MK 55 MOD 1 WITH ADAPTERS MK 112 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 27-MAR-92 |
| MIL-STD-1320/215 NOT 3 | TRUCKLOADING MINE, UNDERWATER MK 67 MOD 2 (SLMM) BODY, MAIN ASSEMBLY, MK 4 MOD 0 IN CONTAINER MK 258 MOD 0 [CUST: OS] | A 8140 | OS | | 27-MAR-92 |
| MIL-STD-1320/216 NOT 1 | TRUCKLOADING MINE, UNDERWATER MK 67 MOD 2 (SLMM) BODY, MAIN ASSEMBLY, MK 4 MOD 0 IN CONTAINER MK 318 MOD 0 [CUST: OS] | A 8140 | OS | | 27-MAR-92 |
| MIL-STD-1320/217 NOT 2 | TRUCKLOADING MINE, UNDERWATER MK 52 "CONFIGURATION A" IN CRATE MK 110 MOD 0 [CUST: OS] | A 8140 | OS | | 14-APR-92 |
| MIL-STD-1320/218 NOT 2 | TRUCKLOADING AIRBOC IN PALLET CRATE, CNU-313/E [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 27-MAR-92 |
| MIL-STD-1320/219 NOT 2 | TRUCKLOADING MINE, UNDERWATER MK 67, SERVICE OR EXERCISE AND TRAINING IN CONTAINER MK 704 MOD 0 [CUST: OS] | A 8140 | OS | | 27-MAR-92 |
| MIL-STD-1320/220 NOT 2 | TRUCKLOADING MINE UNDERWATER MK 67 MOD 2 (SLMM) BODY, MAIN ASSEMBLY, MK 4 MOD 0 IN CONTAINER MK 640 MOD 0 [CUST: OS] | A 8140 | OS | | 27-MAR-92 |
| MIL-STD-1322/44 NOT 3 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SAFETY DEVICE ARMING GROUP, MK 45 TYPE IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| MIL-STD-1322/58 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROPELLANT, FOR MK 57 UNDERWATER MINE IN CONTAINER DL 5166866 [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| MIL-STD-1322/61 NOT 4 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SLMM EXPLOSIVE SECTION MK 13 MOD 0 IN CONTAINER MK 639 MOD 0 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 25-FEB-93 |
| MIL-STD-1322/62 NOT 3 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SLMM EXERCISE HEAD MK 91 MOD 0 IN CONTAINER MK 639 MOD 0 [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| MIL-STD-1322/65 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ADAPTER, TARGET DETECTING DEVICE MK 141 IN CONTAINER DWG. 5003172 FOR MK 67 UNDERWATER MINE [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| MIL-STD-1322/78 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT TAIL SECTION MK 7 TYPE IN CONTAINER DWG 5363565 [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| MIL-STD-1322/93 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PACK, PARACHUTE, UMN, MK 36 OR PACK PARACHUTE, SUBASSEMBLY FOR MINE MK 55 IN CONTAINER, SHIPPING, DL 5990532 [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1322/94 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PACK, PARACHUTE, UMN, MK 35 OR PACK PARACHUTE, SUBASSEMBLY FOR MINE MK 52 IN CONTAINER, SHIPPING, DL 5990531 [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1322/714 NOT 2 | PALLETIZING DOMESTIC UNIT LOAD MINE, UNDERWATER, MK 55 AND MODS IN CRATE, UNDERWATER MINE, MK 55 MOD 1 (LD 538045) (LOADED) [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1322/715B NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MINE, UNDERWATER MK 52 AND MODS IN CRATE, UNDERWATER MINE MK 52 AND MODS (LOADED) [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1322/815 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CUTTER, POWDER ACTUATED MK 23 MOD 0 OR CUTTER, POWDER ACTUATED MK 24 MOD 0 IN AMMUNITION BOX M2A1 [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1322/865 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FAIRING, UNDERWATER MINE, MK 19 TYPE WITH FINS AND HARDWARE, F/MINE MK 52 [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1323/208A NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MINE, UNDERWATER MK 52 AND MODS IN CRATE MK 52 AND MODS [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1323/209 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT MINE, UNDERWATER: MK 55 AND MODS, CONFIGURATIONS "B", "C" AND "D" IN CRATE MK 55 MOD 1 WITH CRATE ADAPTERS MK 112 MOD 0 (LOADED) [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1323/227 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FAIRING, UNDERWATER MINE, MK 20 TYPE FOR MINE MK 55 [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1323/244 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR, UNDERWATER MINE MK 56 IN CONTAINER MK 587 MOD 0 [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1323/245 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR, UNDERWATER MINE MK 55 IN CONTAINER MK 586 MOD 0 [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1323/246 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR, UNDERWATER MINE MK 52 IN CONTAINER MK 585 MOD 0 [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1323/316 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT FAIRING, UNDERWATER MINE, MK 19 TYPE WITH FINS AND HARDWARE, F/MINE MK 52 [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1323/341 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT PACK, PARACHUTE, UMN, MK 35 OR PACK PARACHUTE, SUBASSEMBLY FOR MINE MK 52 IN CONTAINER, SHIPPING, DL 5990531 [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1325/84 NOT 2 | RAILCAR LOADING MINE, UNDERWATER: MK 55 AND MODS, CONFIGURATION "B" "C" AND "D" IN CRATE MK 55 MOD 1 [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| MIL-STD-1325/85 NOT 3 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, MK 84 MODS 0, 1, & 2 (2000 LB.) IN UNIT LOAD ADAPTER MK 79 MOD 0 [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 25-FEB-93 |
| MIL-STD-1325/97 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS EXPLOSIVE SECTION MK 1 MOD 1 IN CRATE MK 101 MOD 1 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1325/157A NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, 500 LB. MK 82 MOD 2 (THERMALLY PROTECTED) ON PALLET, MHU-122/E FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1325/166 NOT 2 | CARLOADING FIN ASSEMBLY, BOMB, MK15 AND MODS (SNAKEYE) IN PALLET ADAPTER ADU-383/E FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1325/167 NOT 2 | CARLOADING FIN ASSEMBLY, BOMB FOR 2000 LB G.P. BOMB MK 84 IN CRATE MK 13 MOD 1 FLEET UNIT LOAD [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1325/175 NOT 4 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, 2000 LB MK 84 MOD 3 (THERMALLY PROTECTED) IN UNIT LOAD ADAPTER MK 79 MOD 0 WITH SADDLES FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 25-FEB-93 |
| MIL-STD-1325/186 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 60 MOD 0 IN SKID MK 24 MOD 0 [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1325/189 NOT 2 | RAILCAR LOADING MINE, UNDERWATER: MK 55 AND MODS, CONFIGURATION "C" AND "D" IN CRATE MK 55 MOD 1 WITH CRATE ADAPTERS MK 112 MOD 0 [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1325/191 NOT 3 | RAILCAR LOADING MINE, UNDERWATER MK 65 MOD 0 AND MODS IN SKID MK 25 MOD 2 [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| MIL-STD-1374A NOT 2 | WEIGHT AND BALANCE DATA REPORTING FORMS FOR AIRCRAFT (INCLUDING ROTORCRAFT)[CUST: AV AS 11] | A 15GP | AS | | 30-JUN-97 |
| MIL-STD-1386/2A NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE MK 83 AND MODS (1000 LB) IN PALLET, BOMB MK 11 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1386/4(1) NOT 3 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE, MK 82 & MODS (500 LBS) FLEET ISSUE UNIT LOAD (WITH PLASTIC NOSE PLUGS) [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| MIL-STD-1386/6 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSY MAU-93/B FOR MK 82 BOMB AIR FORCE UNIT LOAD [CUST: OS] | A 8140 | OS | | 15-OCT-92 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|------------------------|--|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| | MIL-STD-1386/7 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB, FOR 500 LB. L.D. BOMB (UNCRATED) FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| | MIL-STD-1386/14 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, 500 LB. MK 82 MOD 2 (THERMALLY PROTECTED) ON BOMB PALLET MK 9 MOD 0 WITH SADDLES FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| | MIL-STD-1386/16 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN, BOMB TAIL MK 15 MOD 0 AND 1 IN CRATE MK 28 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| | MIL-STD-1386/21A NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, 500 LB MK 82 MOD 2 (THERMALLY PROTECTED) ON PALLET, MHU-122/E FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 25-FEB-93 |
| | MIL-STD-1386/34 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB, MK 15 AND MODS (SNAKEYE) IN PALLET ADAPTER ADU-383/E FLEET ISSUE UNIT LOAD [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 25-FEB-93 |
| | MIL-STD-1386/47 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS MINE, UNDERWATER MK 52 AND MODS IN CRATE MK 52 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| | MIL-STD-1386/48 NOT 3 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS MINE, UNDERWATER MK 55 AND MODS, CONFIGURATION "C" IN CRATE MK 55 MOD 1 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| | MIL-STD-1386/53 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN, TAIL, UNDERWATER MINE, MK 18 TYPE FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| | MIL-STD-1386/54A NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FAIRING, UNDERWATER MINE, MK 20 TYPE FLEET ISSUE UNIT LOAD DOMESTIC UNIT LOAD [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| | MIL-STD-1386/56 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS EXPLOSIVE SECTION MK 1 MOD 0 FOR MINE MK 56 MOD 0 IN CRATE MK 101 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| | MIL-STD-1386/62 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PARAPAC ASSEMBLY MK 36 MOD 0 FOR UNDERWATER MINE MK 55 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| | MIL-STD-1386/63 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLIGHT GEAR, UNDERWATER MINE MK 55 IN CONTAINER MK 586 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 25-FEB-93 |
| | MIL-STD-1386/64 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLIGHT GEAR, UNDERWATER MINE MK 52 IN CONTAINER MK 585 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| A | MIL-STD-1389D NOT 1 | DESIGN REQUIREMENTS FOR STANDARD ELECTRONIC MODULES [CUST: CR SH 85] [REVIEW: 13 17 19 AS AT AV CC MC] | A 5963 | NW | | 22-APR-98 |
| A | MIL-STD-1397C NOT 1 | INPUT/OUTPUT INTERFACES, STANDARD DIGITAL DATA, NAVY SYSTEMS [CUST: SH] | A MCCR | SH | | 22-APR-98 |
| A | MIL-STD-1412A NOT 1 | MOTOR, ELECTRIC, FOR AIR CONDITIONER APPLICATIONS METHODS OF TEST & INSTRUCTIONS [CUST: CR4] | A 6105 | CR4 | | 22-JUL-97 |
| A | MIL-STD-1450 NOT 2 | LUBRICATION OF FIRE CONTROL INSTRUMENTS [CUST: AR] [REVIEW: CR4 EA MD MI] | A 12GP | AR | | 11-MAR-98 |
| A | MIL-STD-1454 NOT 1 | CALORIMETRY FOR THERMAL BATTERY HEAT SOURCES TEST AND CALIBRATION PROCEDURES [CUST: AR] [REVIEW: NM] | A MISC | AR | | 11-MAR-98 |
| | MIL-STD-1500B NOT 1 | CADMIUM-TITANIUM PLATING, LOW EMBRITTLEMENT, ELECTRODEPOSITION [CUST: 99] | A MFFP | 70 | | 09-DEC-96 |
| | MIL-STD-1501C NOT 2 | CHROMIUM PLATING, LOW EMBRITTLEMENT, ELECTRODEPOSITION [CUST: 99] | A MFFP | 70 | | 09-DEC-96 |
| | MIL-STD-1503B NOT 2 | PREPARATION OF ALUMINUM ALLOYS FOR SURFACE TREATMENTS AND INORGANIC COATING [CUST: 99] | A MFFP | 70 | | 09-DEC-96 |
| A | MIL-STD-1504B NOT 1 | ABRASIVE BLASTING [CUST: AR 99] | A MFFP | 70 | | 08-SEP-97 |
| A | MIL-STD-1518B NOT 1 | STORAGE, HANDLING, AND SERVICING OF AVIATION FUELS, LUBRICATING OILS AND HYDRAULIC FLUIDS AT CONTRACTOR FACILITIES [CUST: AR AS 68] [REVIEW: AV] | A 9130 | 68 | | 16-DEC-97 |
| A | MIL-STD-1539 NOT 2 | ELECTRICAL POWER, DIRECT CURRENT, SPACE VEHICLE DESIGN REQUIREMENTS [CUST: 19] [REVIEW: 11] | A 1810 | 19 | | 03-APR-98 |
| A | MIL-STD-1548C NOT 1 | INTO-PLANE SERVICING OF FUELS AT COMMERCIAL AIRPORTS [CUST: 68] [REVIEW: AS AV CD PS SA] | A 91GP | 68 | | 04-APR-98 |
| | MIL-STD-1589C NOT 2 | JOVIAL (J73) [CUST: 11] | A IPSC | 11 | | 31-JUL-96 |
| | MIL-STD-1663/1 NOT 2 | COMMERCIAL CONTAINER LOADING EXPLOSIVE SECTION MK 1 MOD 0 FOR MINE MK 56 MOD 0 IN CRATE MK 101 MOD 0 FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| | MIL-STD-1663/2 NOT 2 | COMMERCIAL CONTAINER LOADING MINE, UNDERWATER MK 52 AND MODS IN CRATE MK 52 AND MODS FLEET ISSUE UNIT LOAD [CUST: OS] | A 8140 | OS | | 15-OCT-92 |
| | MIL-STD-1750A NOT 4 | SIXTEEN-BIT COMPUTER INSTRUCTION SET ARCHITECTURE [CUST: 11] [REVIEW: 02 90 99] | A IPSC | 11 | | 31-JUL-96 |
| A | MIL-STD-1770A NOT 2 | QUALITY CONTROL PROCEDURES FOR HIGH DENSITY FUELS GRADES JP-9, JP-10, PF-1 AND RJ-4 AT CONTRACTOR FACILITIES [CUST: 68] | A 9135 | 68 | | 09-JAN-98 |
| | MIL-STD-1792 NOT 1 | FASTENING SYSTEMS, MECHANICAL, AIR VEHICLE [CUST: 99 IS] | A 5325 | IS | | 25-JUN-96 |
| A | MIL-STD-91621 NOT 1 | PRINCIPLES OF INSPECT, REPAIR ONLY AS NECESSARY (IROAN) PROCEDURES AND PREPARATION OF IROAN PUBLICATIONS [CUST: MC] | A SDMP | MC | | 04-APR-98 |
| A | MIL-STD-600006 NOT 1 | VECTOR PRODUCT FORMAT [CUST: TI NO 09 DC2] [REVIEW: MC] | A MCGT | MP | | 01-DEC-97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|---------------------|---|-----------------------|-----|-------------|-----------|
| | D-R-1187C(1) NOT 2 | REVOLVER, CALIBER .38 SPECIAL, DOUBLE ACTION, 5 SHOT AND 6 SHOT, COMMERCIAL AND MILITARY; GENERAL SPECIFICATION FOR [CUST: AR OS 84] [REVIEW: 11] | A 1005 | / | AR | 12-DEC-95 |
| | D-R-1187/1 NOT 3 | REVOLVER, CALIBER .38 SPECIAL, DOUBLE ACTION, 5 SHOT AND 6 SHOT, COMMERCIAL [CUST: AR OS 99] [REVIEW: 11 CR4] | A 1005 | / | AR | 12-DEC-95 |
| | D-R-1187/2 NOT 3 | REVOLVER, CALIBER .38 SPECIAL, DOUBLE ACTION, 5 SHOT AND 6 SHOT, MILITARY [CUST: AR OS 99] [REVIEW: 11] | A 1005 | / | AR | 12-DEC-95 |
| | W-C-596/4C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, CABLE OUTLET, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 24-JUN-83 |
| | W-C-596/8C | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, CABLE OUTLET, GENERAL GRADE, LOCKING, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 24-JUN-83 |
| | W-C-596/30C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GENERAL GRADE, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 24-JUN-83 |
| | W-C-596/33C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 3 POLE, 3 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 24-JUN-83 |
| | W-C-596/35C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, 3 POLE, 3 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 24-JUN-83 |
| | W-C-596/36C | CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, 3 POLE, 3 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 24-JUN-83 |
| | W-C-596/37C | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, 3 POLE, 3 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AT AV CR4 EC MC MI SH] | A 5935 | / | CC | 24-JUN-83 |
| | W-C-596/43C | CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 24-JUN-83 |
| | W-C-596/44C | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 24-JUN-83 |
| | W-C-596/45C | CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, CABLE OUTLET, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 99 AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 24-JUN-83 |
| | W-C-596/161A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 125 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | W-C-596/163A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 277 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | W-C-596/165A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | W-C-596/167A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | W-C-596/169A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | W-C-596/171A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | W-C-596/173A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 277 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | W-C-596/175A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 277 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | W-C-596/177A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | W-C-596/179A | CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | W-C-596/181A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | W-C-596/185A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | W-C-596/189A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | W-C-596/205A | CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE [CUST: CR YD1 85 CC] [REVIEW: 11 19 99 AR AS AV CR4 EC MC MI SH] | A 5935 | / | CC | 30-APR-92 |
| | QQ-A-367H(2) NOT 1 | ALUMINUM ALLOY FORGINGS [CUST: MR AS 11] [REVIEW: 99 AR AT GL OS SH] | A FORG | / | 11 | 19-OCT-94 |
| A | TT-E-485F(1) NOT 1 | ENAMEL, SEMIGLOSS, RUST-INHIBITING [CUST: AR SH 84 FSS] [REVIEW: 85 AT CR CR4 IS MC MI YD1] | A 8010 | / | FSS | 25-FEB-91 |
| A | ZZ-T-381Q NOT 1 | TIRES, PNEUMATIC, VEHICULAR (HIGHWAY) [CUST: AT YD1 99] [REVIEW: CE CS] | A 2610 | / | AT | 09-FEB-98 |
| A | ZZ-T-1083F NOT 1 | TIRE, PNEUMATIC, LOW SPEED, OFF HIGHWAY [CUST: AT] | A 2610 | / | AT | 09-FEB-98 |
| | KKK-B-1579B NOT 1 | BUSES, MOTOR; SCHOOL, WITH HIGH HEADROOM, 20-, 28-, 36-, 44-, 58-PASSENGER, TWO-WHEEL DRIVE [CUST: AT YD1 84] | A 2310 | / | AT | 13-DEC-96 |
| | KKK-S-002769A NOT 1 | SEMITRAILERS, STAKE: MODIFIED COMMERCIAL [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2330 | / | AT | 13-DEC-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Test Action | Document Number | Document Title | Distribution FSC/Nea | MCA | Prep. Acty. | Date |
|-------------|----------------------|--|-------------------------|-----|-------------|-----------|
| | QPL-5049-30 | RING, WIPER, PISTON ROD | A 5330 | 71 | | 08-MAR-96 |
| | QPL-5184-22 | INDICATOR, POSITION | A 6610 | 71 | | 01-APR-96 |
| | QPL-5519-24 NOT 1 | VALVES, REGULATING FLUID PRESSURE | A 4820 | 71 | | 22-NOV-96 |
| | QPL-5530-27 NOT 1 | VALVE, AIRCRAFT HYDRAULIC SHUTTLE | A 4820 | 71 | | 22-NOV-96 |
| | QPL-5583-24 | TRANSMITTER, POSITION, 28 VOLTS DC | A 6610 | 71 | | 01-APR-96 |
| | QPL-7065-15 | INDICATOR, POSITION, AILERON TRIM TAB | A 6610 | 71 | | 01-APR-96 |
| A | QPL-7560-17 | VALVE ASSEMBLY, OXYGEN CYLINDER, BAILOUT | A 1660 | 71 | | 12-JUL-97 |
| A | QPL-7886/501-6 NOT 1 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE DETAILED SPECIFICATI ON FOR | A 2925 | 82 | | 12-JAN-98 |
| A | QPL-7886/503-5 NOT 1 | SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE DETAILED SPECIFICATI ON FOR | A 2925 | 82 | | 12-JAN-98 |
| | QPL-25597-21 | GYROSCOPE, DISPLACEMENT, ROLL AND PITCH, TYPE MD-1 | A 6615 | 71 | | 01-APR-96 |
| | QPL-25627-17 | TRANSMITTER, SYNCHRO, ANGLE OF ATTACK OF SIDESLIP | A 6610 | 71 | | 01-APR-96 |
| | QPL-25732-17 | PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, LIMITED SERVICE AT 275 DEG. F (135 DEG. C) | A 5330 | 11 | | 31-MAR-94 |
| | QPL-25955-4 | CONNECTORS, ELECTRICAL, ENVIRONMENTAL RESISTING, MINIATURE, WITH SNAP-IN CONTACTS | A 5935 | CC | | 26-AUG-92 |
| | QPL-27193-18 | INDICATOR, ATTITUDE, ARU-2B/A | A 6610 | 71 | | 01-APR-96 |
| | QPL-27200-21 | TRANSMITTER, RATE GYROSCOPE TRU-2A/A | A 6615 | 71 | | 01-APR-96 |
| | QPL-27203-18 | INDICATOR, POSITION, WING FLAP | A 6610 | 71 | | 01-APR-96 |
| A | QPL-27209-15 | INDICATOR, TEMPERATURE, THERMOCOUPLE SELF-BALANCING, POTENTIOMETER TYPE | A 6685 | 82 | | 19-AUG-97 |
| | QPL-27619-18 | INDICATORS, ATTITUDE DIRECTOR | A 6610 | 71 | | 01-APR-96 |
| | QPL-27710-13 | INDICATOR, ATTITUDE REMOTE | A 6610 | 71 | | 01-APR-96 |
| | QPL-27848-16 | INDICATOR, HORIZONTAL SITUATION AQU-4/A | A 6605 | 71 | | 01-APR-96 |
| | QPL-38026-10 NOT 1 | POWER SUPPLY ECU-23/A | A 6130 | 80 | | 21-FEB-96 |
| | QPL-83034-9 | INDICATOR, HORIZONTAL SITUATION AQU-6A/A | A 6605 | 71 | | 01-APR-96 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
MILITARY HANDBOOKS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|-----------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Wea | MCA | Prep. Acty. | Date |
| A | MIL-HDBK-739 NOT 2 | FIELD REFRIGERATION EQUIPMENT [CUST: GL YD2 99 IS] [REVIEW: CE CR4 GS] | A 4130 | IS | | 01-APR-96 |
| A | MIL-HDBK-1001/1 NOT 1 | BASIC ARCHITECTURAL REQUIREMENTS AND DESIGN CONSIDERATIONS [CUST: YD2] | A FACR | YD2 | | 27-AUG-97 |
| A | MIL-HDBK-1001/2 NOT 1 | MATERIALS AND BUILDING COMPONENTS [CUST: YD2] | A FACR | YD2 | | 09-MAY-97 |
| A | MIL-HDBK-1003/2 NOT 1 | INCINERATORS [CUST: YD2] | A FACR | YD2 | | 09-MAY-97 |
| A | MIL-HDBK-1005/2 NOT 1 | HYDROLOGY [CUST: YD2] | A FACR | YD2 | | 09-MAY-97 |
| A | MIL-HDBK-1005/3 NOT 1 | DRAINAGE SYSTEMS [CUST: YD2] | A FACR | YD2 | | 09-MAY-97 |
| A | MIL-HDBK-1013/4 NOT 1 | INSTRUCTION FOR DESIGN, FABRICATION, AND CONSTRUCTION/INSTALLATION OF SECURE ENCLOSURES [CUST: YD2] | A FACR | YD2 | | 09-MAY-97 |
| A | MIL-HDBK-1013/5 NOT 1 | STEEL-PLY WALL HARDENING SELECTION AND INSTALLATION GUIDE [CUST: YD2] | A FACR | YD2 | | 09-MAY-97 |
| A | MIL-HDBK-1013/7 NOT 1 | SECURITY HARDWARE INSTALLATION, OPERATION, AND MAINTENANCE [CUST: YD2] | A FACR | YD2 | | 09-MAY-97 |
| A | MIL-HDBK-1015/1 NOT 1 | ELECTROPLATING FACILITIES [CUST: YD2] | A FACR | YD2 | | 27 AUG 97 |
| A | MIL-HDBK-1015/2 NOT 1 | CHEMICAL ENGINEERING ELECTROPLATING TECHNICAL SYNOPSIS [CUST: YD2] | A FACR | YD2 | | 27 AUG 97 |
| A | MIL-HDBK-1029/2 NOT 1 | MARINE RAILWAYS [CUST: YD2] | A FACR | YD2 | | 09-MAY 97 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
AIR FORCE - NAVY AERONAUTICAL DOCUMENTS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|--|-----------------------|-----|-------------|-----------|
| | AN100 REV 3 | THIMBLE - WIRE CABLE [CUST: AV AS 99] [REVIEW: 82] | A 4030 | AS | | 08-MAR-93 |
| A | AN116 REV 2 NOT 1 | SHACKLE, ANCHOR, FORGED CARBON STEEL SCREW PIN [CUST: AV 99 IS] [REVIEW: MI] | A 4030 | IS | | 16-JUN-97 |
| | AN173THRUAN186 REV 7(1) | BOLT-MACHINE, CLOSE TOLERANCE, AIRCRAFT [CUST: AV AS 99 IS] [REVIEW: CR4 MI] | A 5306 | IS | | 25-MAR-96 |
| | AN226 NOT 1 | FASTENER-COWL, POST TYPE [CUST: AS 99] | A 5325 | IS | | 22-AUG-94 |
| | AN227 REV 9 NOT 1 | FASTENERS - SNAP AND CURTAIN [CUST: AV AS 99 IS] [REVIEW: MI] | A 5325 | IS | | 10-JUN-94 |
| | AN240 REV 1 NOT 2 | EYELET AND LACING [CUST: MI 99 IS] [REVIEW: OS] | A 5325 | IS | | 16-JUN-97 |
| A | AN254 REV 3 NOT 1 | SCREW & THUMB, NECKED (SUPERSEDES USAF DWG. 36A4486 IN PART) [CUST: 99 IS] [REVIEW: 82] | A 5305 | IS | | 04-APR-98 |
| | AN255 REV 5(1) | SCREW - EXTERNALLY RELIEVED BODY [CUST: AV AS 99 IS] | A 5305 | IS | | 20-MAY-96 |
| | AN302 NOT 1 | PIN ESCRUTCHEON [CUST: AV AS 99 IS] [REVIEW: 82] | A 5315 | IS | | 16-JUN-97 |
| A | AN310 REV 10 NOT 1 | NUT, PLAIN, CASTELLATED, AIRFRAME [CUST: AV AS 99] [REVIEW: MI] | A 5310 | IS | | 04-APR-98 |
| | AN340 REV 5 NOT 1 | NUT, PLAIN, HEXAGON, NON-STRUCTURAL, COARSE THREAD [CUST: AV AS] [REVIEW: 99 MI] | A 5310 | IS | | 01-NOV-89 |
| | AN345 REV 6 NOT 1 | NUT, PLAIN, HEXAGON, NON-STRUCTURAL, FINE THREAD [CUST: AV AS 99] [REVIEW: MI] | A 5310 | IS | | 01-NOV-89 |
| | AN367 REV 2 NOT 1 | NUT-PLATE, COUNTERSUNK, 82 DEG. [CUST: AS 99] [REVIEW: 82] | A 5310 | IS | | 01-OCT-89 |
| | AN386 REV 3 NOT 2 | PIN - THREADED TAPER [CUST: AV AS 99 IS] [REVIEW: 82] | A 5315 | IS | | 16-JUN-97 |
| A | AN502 REV 6 NOT 2 | SCREW - MACHINE, DRILLED FILLISTER HEAD, FINE THREAD [CUST: AV AS 99 IS] | A 5305 | IS | | 04-APR-98 |
| | AN503 REV 5 NOT 2 | SCREW - MACHINE, DRILLED FILLISTER HEAD, COARSE THREAD [CUST: AV AS 99 IS] [REVIEW: MI] | A 5305 | IS | | 16-JUN-97 |
| | AN504 REV 6 | SCREW, TAPPING, THREAD CUTTING, ROUND HEAD, MACHINE SCREW THREAD [CUST: IS] | A MISC | IS | | 04-MAR-82 |
| | AN531 REV 5(1) NOT 1 | SCREW, TAPPING, THREAD FORMING OR THREAD CUTTING, 82 DEG., FLAT HEAD, SPACED THREAD [CUST: AS 99 IS] | A 5305 | IS | | 16-JUN-97 |
| A | AN565 REV 7 NOT 2 | SETSCREW-HEXAGON AND FLUTED SOCKET, HEADLESS [CUST: IS] | A 5305 | IS | | 04-APR-98 |
| A | AN665 REV 4 NOT 3 | TERMINAL-THREADED CLEVIS TYPE TIE ROD [CUST: AS 99] [REVIEW: IS MI] | A 5340 | AS | | 04-APR-98 |
| A | AN706 REV 3 NOT 2 | TIE ROD AND INTERNAL 8000 LB (3-8 AND 24) [CUST: AS 99 IS] [REVIEW: 82] | A 5340 | IS | | 16-JUN-97 |
| | AN742 REV 12 | CLAMP, LOOP, PLAIN, SUPPORT, AIRCRAFT [CUST: AV AS 99] [REVIEW: 82 MC MI] | A 5340 | IS | | 13-APR-95 |
| | AN840 REV 9 NOT 2 | ADAPTER, STRAIGHT, PIPE TO HOSE [CUST: CR4 99] [REVIEW: 82 AV] | A 4730 | CC | | 28-SEP-95 |
| A | AN887 REV 1 NOT 1 | GASKET AND CIRCULAR FORMATION LIGHT COVER [CUST: AS 99 IS] [REVIEW: 82 GS] | A 5330 | IS | | 18-JUL-97 |
| | AN901 REV 8 NOT 1 | GASKET & METAL TUBE CONNECTION SEAL [CUST: AV AS 99] [REVIEW: MI] | A 5330 | IS | | 16-JUN-97 |
| | AN904 REV 1 NOT 1 | GASKET & UPWARD RECOGNITION LIGHT COVER [CUST: AV AS 99] [REVIEW: GS] | A 5330 | IS | | 16-JUN-97 |
| | AN911 REV 9 | NIPPLE, PIPE [CUST: 99] [REVIEW: 82] | A 4730 | CC | | 20-MAR-79 |
| A | AN914 REV 9 | ELBOW, PIPE, INTERNAL AND EXTERNAL THREAD, 90 DEG. [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | | 20-MAR-79 |
| A | AN916 REV 10 | ELBOW, PIPE, INTERNAL THREAD, 90 DEGREE [CUST: 99 CC] [REVIEW: 82] | A 4730 | CC | | 20-OCT-92 |
| | AN917 REV 8 | TEE, PIPE [CUST: 99] [REVIEW: 82 MI] | A 4730 | CC | | 21-MAR-79 |
| A | AN918 REV 8 | CROSS, PIPE [CUST: 99 CC] [REVIEW: 82 AV CR4] | A 4730 | CC | | 21-MAR-79 |
| | AN936 REV 7 | WASHER, TOOTH LOCK [CUST: AV AS 99] [REVIEW: AR MI] | A 5310 | IS | | 28-SEP-70 |
| D | AN943 REV A | BEARING - ROD END, INTERNAL THREAD, SELF - ALIGNING, PLAIN, AIRFRAME [CUST: AT 99 GS] [REVIEW: 84] | A 3120 | GS | | 28-FEB-50 |
| D | AN947 REV A | BEARING-ROD END, EXTERNAL THREAD, SELF-ALIGNING, PLAIN, AIRFRAME [CUST: AT 99 GS] [REVIEW: 84] | A 3120 | GS | | 14-MAY-71 |
| | AN960 REV 21 | WASHER, FLAT [CUST: AV AS 99 IS] [REVIEW: 82 EA] | A 5310 | IS | | 06-AUG-92 |
| A | AN970 REV 6 NOT 2 | WASHER, FLAT [CUST: AR AS 99 IS] [REVIEW: 82 AV GL MI] | A 5310 | IS | | 04-APR-98 |
| | AN975 REV 3 NOT 1 | WASHER & TAPER PIN [CUST: AS 99] [REVIEW: AV] | A 5310 | IS | | 16-JUN-97 |
| | AN996 REV 2 | RING - LOCK [CUST: 99] [REVIEW: AV] | A 5340 | IS | | 15-APR-74 |
| A | AN2541 REV 3 NOT 2 | LENS, AIRCRAFT OBSTRUCTION MARKER LIGHT [CUST: AS 99] [REVIEW: 11 GS YD] | A 6210 | IS | | 04-APR-98 |
| | AN3030 REV 8 NOT 1 | LIGHT ASSEMBLY - CIRCULAR FORMATION [CUST: AV AS 11] [REVIEW: GS] | A 6220 | AS | | 24-JUL-96 |
| | AN3032 REV 10 | LIGHT ASSEMBLY - WING POSITION RECESSED [CUST: AS 11] [REVIEW: GS] | A 6220 | AS | | 03-JAN-67 |
| | AN3033 REV 12 NOT 1 | LIGHT ASSEMBLY, WING POSITION, WING TIP [CUST: AS 11] [REVIEW: GS] | A 6220 | AS | | 24-JUL-96 |
| | AN3036 REV 4 | LIGHT ASSEMBLY, BERTH (INACTIVE 1-3-67) [CUST: AS 11] [REVIEW: GS] | A 6220 | AS | | 03-JAN-67 |
| A | AN3037 REV 6 NOT 1 | LIGHT ASSEMBLY, CABIN DOME [CUST: AV AS 11] [REVIEW: GS] | A 6220 | AS | | 05-NOV-97 |
| | AN3040 REV 5 NOT 1 | COVER - CIRCULAR FORMATION LIGHT [CUST: AV AS 99] [REVIEW: GS] | A 6220 | AS | | 25-SEP-96 |
| | AN3042 REV 7 NOT 1 | COVER-POSITION LIGHT [CUST: AV AS 99] | A 6220 | AS | | 24-JUL-96 |
| A | AN3048 REV 4 NOT 1 | FERRULE- CONDUIT, FLEXIBLE, ONE STEP, SYNTHETIC COVERED [CUST: AV AS 85 GS] [REVIEW: 11 99 AR MC MI] | A 5975 | GS | | 15-APR-98 |
| | AN3049 REV 2 | LIGHT ASSEMBLY - OPEN CABIN DOME [CUST: AS 11] [REVIEW: GS] | A 6220 | AS | | 03-JAN-67 |
| A | AN3051 REV 5 NOT 1 | FERRULE AND CONDUIT, FLEXIBLE, ONE STEP [CUST: AV AS 85 GS] [REVIEW: 11 99 AR MC MI] | A 5975 | GS | | 15-APR-98 |
| A | AN3052 REV 5 NOT 1 | FERRULE AND CONDUIT, FLEXIBLE, TWO STEP [CUST: AV AS 85 GS] [REVIEW: 11 99 AR MC MI] | A 5975 | GS | | 15-APR-98 |
| A | AN3053 REV 3 NOT 1 | FERRULE AND RIGID CONDUIT [CUST: AV AS 85 GS] [REVIEW: 11 99 AR MC MI] | A 5975 | GS | | 15-APR-98 |
| A | AN3054 REV 8 NOT 2 | NUT, COUPLING, ELECTRICAL CONDUIT [CUST: AV AS 85 GS] [REVIEW: 11 99 AR MC MI] | A 5975 | GS | | 15-APR-98 |
| A | AN3055 REV 6 NOT 2 | BOX CONNECTOR, ELECTRICAL [CUST: AV AS 85 GS] [REVIEW: 11 99 AR MC MI] | A 5975 | GS | | 15-APR-98 |
| A | AN3056 REV 6 NOT 1 | ADAPTER, ELECTRICAL CONDUIT, RIGID TO FLEXIBLE [CUST: AV AS 85 GS] [REVIEW: 11 99 AR AV MC] | A 5975 | GS | | 15-APR-98 |
| A | AN3058 REV 6 NOT 1 | COUPLING, ELECTRICAL CONDUIT, RIGID [CUST: AV AS 85 GS] [REVIEW: 11 99 AR AV MC] | A 5975 | GS | | 15-APR-98 |
| A | AN3061 REV 3 NOT 1 | ELBOW - ELECTRICAL CONDUIT, 45 DEG. JUNCTION BOX [CUST: AV AS 85 GS] [REVIEW: 11 99 AR MC MI] | A 5975 | GS | | 15-APR-98 |
| A | AN3062 REV 3 NOT 1 | ELBOW - ELECTRICAL CONDUIT, 90 DEG. [CUST: AV AS 85 GS] [REVIEW: 11 99 AR MC MI] | A 5975 | GS | | 15-APR-98 |
| A | AN3063 REV 3 NOT 1 | ELBOW - ELECTRICAL CONDUIT, 90 DEG. JUNCTION BOX [CUST: AV AS 85 GS] [REVIEW: 11 99 AR MC MI] | A 5975 | GS | | 15-APR-98 |
| | AN3066 REV 3 NOT 1 | NUT, PLAIN, HEXAGON, CONDUIT COUPLING [CUST: AS] | A 6625 | AS | | 28-AUG-96 |
| A | AN3067 REV 3(3) NOT 1 | SEAL ASSEMBLY - 3/8 INCH CONDUIT BOSS [CUST: 99 IS] [REVIEW: 82] | A 5330 | IS | | 25-MAR-98 |
| | AN3069 REV 1 NOT 1 | ADAPTER ASSEMBLY - 3/16 INCH CONDUIT [CUST: AS 85] [REVIEW: 99 GS] | A 5975 | AS | | 24-JUL-96 |
| | AN3083 REV 2 NOT 1 | FERRULE - CONDUIT, FLEXIBLE, TWO STEP, SYNTHETIC COVERED [CUST: AS 85] [REVIEW: 99 GS] | A 5975 | AS | | 24-JUL-96 |
| | AN3092 REV 7 NOT 1 | LIGHT ASSEMBLY - EXTERIOR, SURFACE MOUNTING [CUST: AS 11] [REVIEW: GS] | A 6220 | AS | | 24-JUL-96 |
| | AN3093 REV 5 NOT 1 | COVER - EXTERIOR LIGHT ASSEMBLY [CUST: AV AS 99] [REVIEW: GS] | A 6220 | AS | | 24-JUL-96 |
| | AN3105 REV 4 NOT 1 | TERMINAL-GROUND [CUST: AV AS 85 GS] [REVIEW: 99] | A 5940 | GS | | 29-APR-96 |
| | AN3119 REV 2 NOT 1 | GASKET & COMMON, TAIL POSITION LIGHT [CUST: 99] [REVIEW: 82 GS] | A 5330 | IS | | 16-JUN-97 |
| A | AN3155 REV 5 NOT 2 | RHEOSTAT & AIRCRAFT POWER [CUST: AV AS CC] [REVIEW: 99] | A 5905 | CC | | 31-JAN-98 |
| | AN3156 REV 5 NOT 3 | CLAMP - BATTERY HOLD-DOWN [CUST: AV AS 99] [REVIEW: 85 CR GS] | A 6140 | 80 | | 02-JUN-95 |
| A | AN3304 REV 5 NOT 1 | RELAY, 3 AMP, 4PDT, SEALED, PANEL MOUNTING, CLASS O [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |
| A | AN3307 REV 4 NOT 1 | RELAY, 10 AMP, 2PDT, SEALED, PANEL MOUNTING, CLASS O [CUST: AV 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |
| A | AN3308 REV 4 NOT 1 | RELAY, 10 AMP, 3PDT, SEALED, CONNECTOR MOUNTING, CLASS O [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |
| A | AN3312 REV 3 NOT 1 | RELAY, 10 AMP, 3PDT, SEALED, CLASS O [CUST: 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
AIR FORCE - NAVY AERONAUTICAL DOCUMENTS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|----------------------------------|--|-----------------------|-----|-------------|-----------|
| A | AN3314 REV 2 NOT 1 | RELAY, 10 AMP, 1PDT, UNSEALED, CLASS O [CUST: AV 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |
| A | AN3320 REV 2 NOT 1 | RELAY, 25 AMP, 1PST, UNSEALED, CLASS O [CUST: AV 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |
| A | AN3324 REV 2 NOT 1 | RELAY, 25 AMP, 1PDT, UNSEALED, CLASS O [CUST: AV 85 CC] [REVIEW: 99] | A 5945 | CC | | 31-MAR-88 |
| A | AN3362 REV 5 NOT 1 | RELAY, 100 AMP, 2PST, UNSEALED, CLASS O [CUST: AV 85 CC] | A 5945 | CC | | 31-MAR-88 |
| | AN4116 REV 6 NOT 1 | STARTER - AIRCRAFT, DIRECT CRANKING, 28 VDC [CUST: AV AS 99] | A 2925 | AS | | 28-AUG-96 |
| | AN4182 NOT 1 | ADAPTER - TYPE XVII DRIVE SPLINE [CUST: AV AS 99] | A 3040 | AS | | 07-AUG-96 |
| | AN5025 REV 4 NOT 1 | COVER - PROPELLER GOVERNOR DRIVE [CUST: AV 99] | A 2995 | 71 | | 16-OCT-95 |
| | AN5532 REV 3 NOT 1 | INDICATOR, ENGINE SYNCHROSCOPE [CUST: AS] | A MISC | AS | | 07-APR-59 |
| | AN5534 REV 2 | RESISTOR - THERMOCOUPLE LEAD SPOOL [CUST: CR EC 85] | A 5905 | CC | | 24-SEP-93 |
| | AN5538 REV 2 NOT 1 | TERMINAL - THERMOCOUPLE LEAD SOLDERING [CUST: AV AS 85 GS] [REVIEW: 99 MI] | A 5940 | GS | | 29-APR-96 |
| | AN5539 REV 4 NOT 1 | TERMINAL-THERMOCOUPLE, BRASS [CUST: AV AS 85 GS] [REVIEW: 99 MI] | A 5940 | GS | | 29-APR-96 |
| | AN5548 REV 2 NOT 1 | TERMINAL - LUG, THERMOCOUPLE, CHROME AND ALUMEL [CUST: AS 85 GS] [REVIEW: 99] | A 5940 | GS | | 29-APR-96 |
| | AN5743 REV 3 NOT 2 | CLOCK - AIRCRAFT, 1-7/8 INCH DIAL [CUST: AS] [REVIEW: GS] | A 6645 | AS | | 16-OCT-96 |
| | AN5744 REV 2 NOT 1 | INCLINATOR & AIRCRAFT, BALL STYLE [CUST: AV AS] | A 6610 | AS | | 04-SEP-96 |
| | AN5786 REV 2 NOT 2 | TRANSMITTER - POSITION, 28 VOLT DC [CUST: AV AS 99] | A 6610 | 71 | | 15-JAN-96 |
| | AN5787 REV 1 NOT 3 | TRANSMITTER - POSITION, GEARLESS [CUST: AV AS 99] [REVIEW: 11] | A 6610 | 71 | | 15-JAN-96 |
| | AN5816 REV 6 | TUBE PITOT STATIC, STRAIGHT, ELECTRICALLY HEATED [CUST: AV AS] [REVIEW: 11] | A 6610 | AS | | 17-SEP-53 |
| A | AN5853 NOT 1 | COLLIMATOR & SEXTANT [CUST: AS 99] | A 6605 | 71 | | 04-APR-98 |
| | AN6004 REV 4 | REGULATOR - DILUTER DEMAND OXYGEN [CUST: AS 99] | A 1660 | AS | | 07-DEC-71 |
| | AN6011 REV 3 NOT 1 | GAGE AND PANEL MOUNTING HIGH PRESSURE OXYGEN [CUST: AV AS] | A MISC | AS | | 05-MAR-97 |
| | AN6012 REV 3 NOT 1 | VALVE, HIGH PRESSURE OXYGEN LINE [CUST: AV AS 99] | A 4820 | AS | | 31-JAN-96 |
| | AN6014 REV 2 NOT 2 | VALVE - HIGH PRESSURE OXYGEN CHECK, STYLE A [CUST: AS 99] [REVIEW: 11] | A 4820 | AS | | 31-JAN-96 |
| | AN6017 REV 2 NOT 1 | VALVE - HIGH PRESSURE OXYGEN CHECK, STYLE D [CUST: AS] [REVIEW: 11] | A 4820 | AS | | 31-JAN-96 |
| | AN6024 REV 8 NOT 2 | VALVE, FILLER LOW PRESSURE OXYGEN [CUST: AV AS 99] | A 4820 | 71 | | 01-DEC-95 |
| | AN6043 REV 3 | CONNECTION ASSEMBLY - DEMAND MASK TO REGULATOR TUBE INTERNAL [CUST: 99] | A 1660 | 99 | | 15-MAY-53 |
| | AN6044 REV 5 NOT 1 | ADAPTER - PORTABLE OXYGEN RECHARGER ORIFICE [CUST: AV AS 99] | A 1660 | 71 | | 24-MAR-96 |
| | AN6046 NOT 1 | BRACKET - MOUNTING, EXTINGUISHER, FIRE [CUST: AS] | A 5975 | AS | | 25-SEP-96 |
| | AN6201 REV A NOT 3 | PUMP - HYDRAULIC HAND [CUST: 99] [REVIEW: CC MI] | A 4320 | 71 | | 19-JAN-96 |
| | AN6211 REV 3 NOT 3 | VALVE - IN LINE TYPE 6 GPM HYDRAULIC DIRECTIONAL CONTROL [CUST: 99] | A 4820 | 71 | | 02-NOV-93 |
| | AN6213 REV 3 NOT 2 | VALVE - RADIAL TYPE 3-1/2 G.P.M. HYDRAULIC DIRECTIONAL CONTROL [CUST: 99] | A 4820 | 71 | | 04-AUG-92 |
| | AN6214 REV 3 NOT 2 | VALVE - RADIAL TYPE 6 GPM HYDRAULIC DIRECTIONAL CONTROL [CUST: 99] | A 4820 | 71 | | 15-MAY-92 |
| | AN6225 REV 7 | PACKING, PREFORMED [CUST: AV 99] [REVIEW: 82] | A 5330 | IS | | 22-JUL-93 |
| A | AN6226 REV 6 NOT 1 | PACKING "U" CUP HYDRAULIC [CUST: 99 IS] [REVIEW: 82 MI] | A 5330 | IS | | 25-MAR-98 |
| | AN6234 REV 3 NOT 1 | FILTER - HYDRAULIC REPLACEABLE ELEMENT LINE TYPE [CUST: AV AS 99] | A 1650 | AS | | 07-AUG-96 |
| | AN6248 REV 2 NOT 2 | PUMP - HYDRAULIC HAND, TYPE 3000 [CUST: AV 99] [REVIEW: MI] | A 4320 | CC | | 24-JAN-96 |
| | AN6278 REV 3 | VALVE HYDRAULIC-SHUTTLE, 3,000 PSI (UNIVERSAL AND INTERNAL THREAD FITTING OUTLET) [CUST: 71] | A 4820 | 71 | | 15-MAR-91 |
| | AN6279 REV 6 NOT 1 | VALVE-HYDRAULIC PRESSURE RELIEF TWO PORT [CUST: AV AS 99] | A 4820 | 71 | | 18-SEP-92 |
| | AN6281 REV 3 NOT 2 | FUSE - HYDRAULIC QUANTITY MEASURING CLASS 3000 TYPE I [CUST: 99] | A 1650 | 71 | | 12-FEB-96 |
| | AN6282 REV 4 NOT 3 | FUSE - HYDRAULIC QUANTITY MEASURING CLASS 3000 TYPE II [CUST: AS 99] | A 1650 | 71 | | 12-FEB-96 |
| | AN6287 REV 5 NOT 1 | VALVE - AIR HIGH PRESSURE 3/4 HEX [CUST: AV 99] | A 4820 | 71 | | 15-NOV-93 |
| | AN6293 REV 3 NOT 3 | VALVE, 4-WAY ROTARY SELECTOR, 3,000 PSI, NON-INTERFLOW [CUST: 99] | A 4820 | 71 | | 01-DEC-95 |
| | AN6295 REV 1 NOT 2 | REGULATOR - 10 GPM HYDRAULIC PRESSURE [CUST: 99] | A 1650 | 71 | | 30-SEP-95 |
| A | AN6506 REV 5 NOT 3 | BELT ASSEMBLY - TROOP AND TURRET GUNNER'S SAFETY [CUST: 99] | A 1680 | 82 | | 20-OCT-97 |
| | AN8011 REV 3 | CASE - FLIGHT REPORT HOLDER AND MAP [CUST: AV AS 99] | A 1680 | AS | | 05-JUN-58 |
| A | AN8018 REV 1 NOT 2 | HORN, FLYER'S RELIEF TUBE [CUST: AV AS 99 GS] | A 1680 | GS | | 01-JUL-96 |
| | AN8020 REV 3 NOT 2 | BRACKET-FLYERS RELIEF TUBE HORIZONTAL [CUST: 99] [REVIEW: AS AV] | A 1680 | 82 | | 22-MAR-96 |
| A | AN100039 REV 2 | COVER-TYPE XIII ENGINE ACCESSORY DRIVE [CUST: AV AS 99 IS] [REVIEW: 82] | A 5340 | IS | | 26-OCT-72 |
| | AN101001THRUAN101100 REV 3 NOT 1 | BOLT - HEX HEAD, .190-32 [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5306 | IS | | 17-JUN-94 |
| | AN101010THRUAN101200 REV 3 NOT 1 | BOLT - HEX HEAD .250-28 [CUST: AV AS 99 IS] [REVIEW: 82 CR4] | A 5306 | IS | | 17-JUN-94 |
| | AN101201THRUAN101300 REV 3 NOT 1 | BOLT - HEX HEAD .3125-24 [CUST: AV AS 11] [REVIEW: 82 CR4 MI] | A 5306 | IS | | 30-JUN-94 |
| | AN101301THRUAN101400 REV 3 NOT 1 | BOLT - HEX HEAD .375-24 [CUST: AV AS 99 IS] [REVIEW: 82 CR4] | A 5306 | IS | | 17-JUN-94 |
| | AN101401THRUAN101500 REV 3 NOT 1 | BOLT - HEX HEAD .4375-20 [CUST: AS 11] | A 5306 | IS | | 17-JUN-94 |
| | AN101501THRUAN101600 REV 3 NOT 1 | BOLT - HEX HEAD .500-20 [CUST: AV AS 11] | A 5306 | IS | | 17-JUN-94 |
| | AN101601THRUAN101700 REV 3 NOT 1 | BOLT - HEX HEAD .5625-18 [CUST: AS 99] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| | AN101701THRUAN101800 REV 3 NOT 1 | BOLT - HEX HEAD .625-18 (INACTIVE AFTER 3 MAR 1969) [CUST: AV AS 11] | A 5306 | IS | | 30-JUN-94 |
| | AN101901THRUAN102000 REV 3 NOT 1 | BOLT - HEX HEAD, DRILLED SHANK, .190-32 [CUST: AV AS 99 IS] | A 5306 | IS | | 17-JUN-94 |
| | AN102001THRUAN102100 REV 3 NOT 1 | BOLT - HEX HEAD, DRILLED SHANK, .250-28 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| | AN102101THRUAN102200 REV 3 NOT 1 | BOLT - HEX HEAD, DRILLED SHANK, .3125-24 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| | AN102201THRUAN102300 REV 3 NOT 1 | BOLT - HEX HEAD, DRILLED SHANK, .375-24 [CUST: AS 99] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| | AN102301THRUAN102400 REV 3 NOT 1 | BOLT - HEX HEAD, DRILLED SHANK, .4375-20 [CUST: AS 99] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| | AN102401THRUAN102500 REV 3 NOT 1 | BOLT - HEX HEAD, DRILLED SHANK, .500-20 [CUST: AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| | AN102501THRUAN102600 REV 3 NOT 1 | BOLT - HEX HEAD, DRILLED SHANK, .5625-18 [CUST: AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| | AN102601THRUAN102700 REV 3 NOT 1 | BOLT - HEX HEAD, DRILLED SHANK, .625-18 [CUST: AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| | AN102701THRUAN102800 REV 3 NOT 1 | BOLT - HEX HEAD, DRILLED SHANK, .750-16 [CUST: AV AS 11] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| | AN102801THRUAN102900 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 1 HOLE, .190-32 [CUST: AV AS 99 IS] [REVIEW: 82 CR4] | A 5306 | IS | | 17-JUN-94 |
| | AN102901THRUAN103000 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 1 HOLE, .250-28 [CUST: AV AS 99 IS] [REVIEW: 82 CR4] | A 5306 | IS | | 17-JUN-94 |
| | AN103001THRUAN103100 REV 5 NOT 1 | BOLT - DRILLED HEX HEAD, 1 HOLE, .3125-24 [CUST: AV AS IS] | A 5306 | IS | | 17-JUN-94 |
| | AN103101THRUAN103200 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 1 HOLE, .375-24 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| | AN103201THRUAN103300 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 1 HOLE, .4375-20 [CUST: AV AS 11] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| | AN103301THRUAN103400 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 1 HOLE, .500-20 [CUST: AS 99] [REVIEW: 82 MI] | A 5306 | IS | | 17-JUN-94 |
| | AN103401THRUAN103500 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 1 HOLE, .5625-18 [CUST: AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 08-FEB-96 |
| | AN103501THRUAN103600 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 1 HOLE, .625-18 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| | AN103601THRUAN103700 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 1 HOLE, .750-16 [CUST: AS 99] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| | AN103701THRUAN103800 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 6 HOLES, .190-32 [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5306 | IS | | 17-JUN-94 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
AIR FORCE - NAVY AERONAUTICAL DOCUMENTS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|----------------------------------|--|-----------------------|-----|-------------|-----------|
| AN103801THRUAN103900 REV 2 NOT 1 | BOLT - DRILLED HEX HEAD, 6 HOLES, .250-28 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| AN103901THRUAN104000 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 6 HOLES, .3125-24 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| AN104001THRUAN104100 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 6 HOLES, .375-24 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN104101THRUAN104200 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 6 HOLES, .4375-20 [CUST: AV AS 99 IS] | A 5306 | IS | | 17-JUN-94 |
| AN104201THRUAN104300 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 6 HOLES, .500-20 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN104301THRUAN104400 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 6 HOLES, .5625-18 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| AN104401THRUAN104500 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 6 HOLES, .625-18 [CUST: AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN104501THRUAN104600 REV 3 NOT 1 | BOLT - DRILLED HEX HEAD, 6 HOLES, .750-16 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN104601THRUAN104700 REV 2 NOT 1 | BOLT - CRES HEX HEAD, .190-32 [CUST: AV AS 99 IS] [REVIEW: CR4 MI] | A 5306 | IS | | 17-JUN-94 |
| AN104701THRUAN104800 REV 3 NOT 1 | BOLT - CRES HEX HEAD, .250-28 [CUST: AV AS 99 IS] [REVIEW: MI] | A 5306 | IS | | 17-JUN-94 |
| AN104801THRUAN104900 REV 3 NOT 1 | BOLT - CRES HEX HEAD, .3125-24 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN104901THRUAN105000 REV 3 NOT 1 | BOLT - CRES HEX HEAD, .375-24 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| AN105001THRUAN105100 REV 3 NOT 1 | BOLT - CRES HEX HEAD, .4375-20 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN105101THRUAN105200 REV 3 NOT 1 | BOLT - CRES HEX HEAD, .5000-20 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN105201THRUAN105300 REV 3 NOT 1 | BOLT - CRES HEX HEAD, .5625-18 (INACTIVE 12-27-66) [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN105301THRUAN105400 REV 3 NOT 1 | BOLT - CRES HEX HEAD, .625-18 (INACTIVE 12-27-66) [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN105401THRUAN105500 REV 3 NOT 1 | BOLT - CRES HEX HEAD, .750-15 [CUST: AV AS 11] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN105501THRUAN105600 REV 3 NOT 1 | BOLT - CRES HEX HEAD, DRILLED SHANK, .190-32 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| AN105601THRUAN105700 REV 4 NOT 1 | BOLT - CRES HEX HEAD, DRILLED SHANK, .3125-24 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| AN105701THRUAN105800 REV 3 NOT 1 | BOLT - CRES HEX HEAD, DRILLED SHANK, .375-24 [CUST: AV AS 11] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN105801THRUAN105900 REV 3 NOT 1 | BOLT - CRES HEX HEAD, DRILLED SHANK, .4375-20 [CUST: AV AS 11 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN105901THRUAN106000 REV 3 NOT 1 | BOLT - CRES HEX HEAD, DRILLED SHANK, .500-20 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN106001THRUAN106100 REV 3 NOT 1 | BOLT - CRES HEX HEAD, DRILLED SHANK, .5625-18 (INACTIVE 12-27-66) [CUST: AV AS 99] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN106101THRUAN106200 REV 3 NOT 1 | BOLT - CRES HEX HEAD, DRILLED SHANK, .625-18 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN106201THRUAN106300 REV 3 NOT 1 | BOLT - CRES HEX HEAD, DRILLED SHANK, .750-16 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN106301THRUAN106400 REV 3 NOT 1 | BOLT - CRES HEX HEAD, DRILLED SHANK, .190-32 [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5306 | IS | | 30-JUN-94 |
| AN106401THRUAN106500 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .250-28 [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5306 | IS | | 17-JUN-94 |
| AN106501THRUAN106600 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .3125-24 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| AN106601THRUAN106700 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .375-24 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| AN106701THRUAN106800 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .4375-20 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN106801THRUAN106900 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .500-20 (INACTIVE AFTER 27 DEC 1966) [CUST: AV AS 11] | A 5306 | IS | | 30-JUN-94 |
| AN106901THRUAN107000 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .5625-18 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN107001THRUAN107100 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .625-18 (INACTIVE AFTER 27 DEC 1966) [CUST: AV AS 99] | A 5306 | IS | | 30-JUN-94 |
| AN107101THRUAN107200 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .750-16 [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5306 | IS | | 30-JUN-94 |
| AN107201THRUAN107300 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .190-32 [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5306 | IS | | 17-JUN-94 |
| AN107301THRUAN107400 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .250-28 [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5306 | IS | | 17-JUN-94 |
| AN107401THRUAN107500 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .3125-24 [CUST: AV AS 99 IS] [REVIEW: 82 MI] | A 5306 | IS | | 30-JUN-94 |
| AN107501THRUAN107600 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .375-24 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| AN107601THRUAN107700 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .4375-20 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN107701THRUAN107800 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .500-20 (INACTIVE AFTER 27 DEC 1966) [CUST: AV AS 99] | A 5306 | IS | | 30-JUN-94 |
| AN107801THRUAN107900 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .5625-18 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 27-DEC-66 |
| AN107901THRUAN108000 REV 3 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .625-18 (INACTIVE AFTER 27 DEC 1966) [CUST: AV AS 99] | A 5306 | IS | | 30-JUN-94 |
| AN108001THRUAN108100 REV 3 NOT 1 | BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .750-16 (INACTIVE AFTER 27 DEC 1966) [CUST: AV AS 99] | A 5306 | IS | | 30-JUN-94 |
| AN108101THRUAN108200 REV 3 NOT 1 | SCREW - FLAT FILLISTER HEAD, .375-24 [CUST: AS 99 IS] | A 5305 | IS | | 24-JUN-94 |
| AN115551THRUAN115600 REV 3 NOT 1 | SCREW - FLAT FILLISTER HEAD, DRILLED SHANK, .3125-24 [CUST: AS 99 IS] [REVIEW: 82] | A 5305 | IS | | 24-JUN-94 |
| AN115701THRUAN115750 REV 3 NOT 1 | NUT, PLAIN, CASTELLATED HEXAGON [CUST: AV AS 99 IS] [REVIEW: 82] | A 5310 | IS | | 10-JUN-94 |
| AN121551THRUAN121575 REV 2 NOT 1 | KEY-CHAMFERED WOODRUFF [CUST: AV 99 IS] | A 5315 | IS | | 29-JUL-59 |
| AN12276THRUAN122802 REV 2 | STUD-STRAIGHT, .250-20 X .250-28 (INACTIVE FOR NEW DESIGN) [CUST: AV AS 99] [REVIEW: 82] | A 5307 | IS | | 30-JUN-94 |
| AN125951THRUAN126274 REV 2 NOT 1 | STUD-STRAIGHT, .4375-14 X .4375-20 [CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| AN126653THRUAN126712 REV 3 | STUD STRAIGHT, .500-13 X .500-20 [CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| AN126713THRUAN126766 REV 3 | STUD - STRAIGHT, .5625-12 X .5625-18 [CUST: AV AS 11 IS] | A 5307 | IS | | 30-JUN-94 |
| AN126767THRUAN126820 REV 3 NOT 1 | STUD-STRAIGHT, .625-11 X .625-18 [CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| AN126821THRUAN126880 REV 3 | STUD STRAIGHT, NECKED, .500-13 X .500-20 [CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| AN127493THRUAN127786 REV 3 | STUD-STRAIGHT, NECKED, .5625-12 X .5625-18 [CUST: AS 11 IS] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| AN127787THRUAN128086 REV 3 | STUD STRAIGHT, NECKED, .625-11 X .625-18 [CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| AN128087THRUAN128362 REV 3 | STUD, STRAIGHT, DRILLED, .375-16 X .375-24 [CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| AN128999THRUAN129064 REV 3 | STUD STRAIGHT, DRILLED, .4375-14 X .4375-20 [CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| AN129065THRUAN129124 REV 3 | STUD STRAIGHT, DRILLED, .5625-12 X .5625-18 [CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| AN129179THRUAN129232 REV 3 | STUD-STRAIGHT, DRILLED, .625-11 X .625-18 (INACTIVE FOR DESIGN 26 OCT 1972) [CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 10-JUN-94 |
| AN129233THRUAN129292 REV 3 NOT 1 | STUD STRAIGHT, DRILLED, NECKED, .4375-14 X .4375-20 [CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| AN129605THRUAN129904 REV 3 | STUD-STRAIGHT, DRILLED, NECKED, .500-13 X .500-20 [CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| AN129905THRUAN130198 REV 3 | STUD STRAIGHT, DRILLED, NECKED, .5625-12 X .5625-18 [CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| AN130199THRUAN130498 REV 3 | STUD-STRAIGHT, DRILLED, NECKED, .625-11 X .625-18 [CUST: AS 11] [REVIEW: 82] | A 5307 | IS | | 26-OCT-72 |
| AN130499THRUAN130774 REV 3 | BOLT - SOCKET HEAD, 6-HOLE DRILLED, .190-32 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| AN148551THRUAN148650 REV 3 NOT 1 | BOLT - SOCKET HEAD, 6 HOLES DRILLED, .250-28 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| AN148651THRUAN148750 REV 3 NOT 1 | BOLT - SOCKET HEAD, 6 HOLES DRILLED, .3125-24 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| AN148751THRUAN148850 REV 3 NOT 1 | BOLT - SOCKET HEAD, 6 HOLES DRILLED, .375-24 [CUST: AV AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 17-JUN-94 |
| AN148851THRUAN148950 REV 3 NOT 1 | BOLT - SOCKET HEAD, 6 HOLES DRILLED, .4375-20 [CUST: AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN148951THRUAN149050 REV 3 NOT 1 | BOLT - SOCKET HEAD, 6 HOLES DRILLED, .500-20 [CUST: AS 99 IS] [REVIEW: 82] | A 5306 | IS | | 30-JUN-94 |
| AN149051THRUAN149150 REV 3 NOT 1 | BOLT-SOCKET HEAD, 6 HOLES DRILLED, .5625-18 [CUST: AS 99 IS] | A 5306 | IS | | 08-FEB-96 |
| AN149151THRUAN149250 REV 2 NOT 1 | BOLT-SOCKET HEAD, 6 HOLES DRILLED, .625-18 [CUST: AS 99 IS] | A 5306 | IS | | 10-JUN-94 |
| AN149251THRUAN149350 REV 2 NOT 1 | STUD-STEPPED, 1.5 DIA ENGAGEMENT, .375-16 X .3125-24 (INACTIVE FOR DESIGN) [CUST: AV AS 11] | A 5307 | IS | | 30-JUN-94 |
| AN151101THRUAN151400 REV 2 NOT 1 | STUD STEPPED, 1.5 DIA. ENGAGEMENT, .5625-12 X .500-20 [CUST: AS 11 IS] | A 5307 | IS | | 14-OCT-81 |
| AN152001THRUAN152300 REV 4 | | | | | |

INACTIVE SECTION

DODISS NUMERICAL LISTING
AIR FORCE - NAVY AERONAUTICAL DOCUMENTS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|----------------------------|---|--------------------------|-----|-------------|-----------|
| | | | | | | |
| | AN154401THRUAN154700 REV 4 | STUD STEPPED, DRILLED, 1.5 DIA. ENGAGEMENT, .625-11 X .5625-18 [CUST: AS 11 IS] [REVIEW: NS] | A 5307 | IS | | 09-AUG-87 |
| | AN157101THRUAN157400 REV 4 | STUD-STEPPED, DRILLED, 2 DIA ENGAGEMENT, .3125-18 X .250-28 [CUST: AV AS 11 IS] | A 5307 | IS | | 14-OCT-81 |
| | AN158601THRUAN158900 REV 4 | STUD, STEPPED, DRILLED, 2 DIA. ENGAGEMENT, .625-11 X .5625-18 [CUST: AS 11 IS] | A 5307 | IS | | 14-OCT-81 |
| | AN159201THRUAN159500 REV 3 | STUD-STEPPED, NECKED, 1.5 DIA ENGAGEMENT, .500-13 X .4375-20 [CUST: AS 11 IS] | A 5307 | IS | | 26-OCT-72 |
| | AN159801THRUAN160100 REV 3 | STUD-STEPPED, NECKED, 1.5 DIA ENGAGEMENT, .625-11 X .5625-18 [CUST: AS 11 IS] | A 5307 | IS | | 26-OCT-72 |
| | AN160101THRUAN160400 REV 3 | STUD STEPPED, DRILLED, NECKED, 1.5 DIA. ENGAGEMENT, .4375-14 X .375-24 [CUST: AS 11 IS] | A 5307 | IS | | 25-OCT-72 |
| | AN160401THRUAN160700 REV 2 | STUD-STEPPED, DRILLED, NECKED, 1.5 DIA ENGAGEMENT, .500-13 X .4375-20 [CUST: AS 11 IS] | A 5307 | IS | | 26-OCT-72 |
| | AN160701THRUAN161000 REV 3 | STUD STEPPED, DRILLED, NECKED, 1.5 DIA. ENGAGEMENT, .5625-12 X .500-20 [CUST: AS 11 IS] | A 5307 | IS | | 26-OCT-72 |
| | AN162201THRUAN162500 REV 3 | STUD-STEPPED, NECKED, 2 DIA ENGAGEMENT, .625-11 X .5625-18 [CUST: AS 11 IS] | A 5307 | IS | | 30-JUN-86 |
| | AN163101THRUAN163400 REV 3 | STUD-STEPPED, DRILLED, NECKED, 2 DIA ENGAGEMENT, .5625-12 X .500-20 [CUST: AS 11 IS] | A 5307 | IS | | 30-JUN-86 |
| | AN164601THRUAN164900 REV 3 | STUD STEPPED, NECKED, WRENCH PAD, 1.5 DIA. ENLARGEMENT, .500-13 X .4375-20 [CUST: 11 IS] | A 5307 | IS | | 26-OCT-72 |
| | AN164901THRUAN165200 REV 3 | STUD-STEPPED, NECKED, WRENCH PAD, 1.5 DIA ENGAGEMENT, .5625-12 X .500-20 [CUST: 11 IS] | A 5307 | IS | | 26-OCT-72 |
| | AN165501THRUAN165800 REV 3 | STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA ENGAGEMENT, .3125-18 X .250-28 [CUST: AS 11 IS] | A 5307 | IS | | 26-OCT-72 |
| | AN166101THRUAN166400 REV 3 | STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA ENGAGEMENT, .4375-14 X .375-24 [CUST: AS 11 IS] | A 5307 | IS | | 26-OCT-72 |
| | AN166401THRUAN166700 REV 3 | STUD STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA. ENGAGEMENT, .500-13 X .4375-20 [CUST: AS 11 IS] | A 5307 | IS | | 26-OCT-72 |
| | AN167901THRUAN168200 REV 3 | STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .4375-14 X .375-24 [CUST: AS 11 IS] | A 5307 | IS | | 26-OCT-72 |
| | AN168501THRUAN168800 REV 3 | STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .5625-12 X .500-20 [CUST: AS 11 IS] | A 5307 | IS | | 26-OCT-72 |
| | AN169401THRUAN169700 REV 3 | STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .375-16 X .3125-24 [CUST: AS 11 IS] | A 5307 | IS | | 26-OCT-72 |
| | AN170301THRUAN170600 REV 3 | STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .5625-12 X .5000-20 [CUST: AS 11 IS] | A 5307 | IS | | 26-OCT-72 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
AIR FORCE - NAVY AERONAUTICAL DESIGN DOCUMENTS

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|----------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| | AND10002 REV 2 | MOUNTING PAD AND DRIVE - AIRCRAFT ENGINE GENERATOR AND POWER TAKE-OFF [CUST: AS] | A 2925 | AS | | 24-OCT-49 |
| | AND10133 REV 2 NOT 2 | ANGLE - EQUAL LEG EXTRUDED [CUST: 99] | A 9540 | 84 | | 19-FEB-96 |
| | AND10134 REV 3 NOT 2 | ANGLE - UNEQUAL LEG EXTRUDED [CUST: 99] | A 9540 | 84 | | 19-FEB-96 |
| | AND10135 REV 3 NOT 2 | ANGLE - BULB SECTION EXTRUDED [CUST: 99] | A 9540 | 84 | | 19-FEB-96 |
| | AND10136 REV 3 NOT 2 | TEE - EXTRUDED [CUST: AV IS] | A 9540 | IS | | 19-FEB-96 |
| | AND10137 REV 2 NOT 2 | CHANNEL - EXTRUDED [CUST: 99] | A 9540 | 84 | | 19-FEB-96 |
| | AND10138 REV 2 NOT 2 | ZEE - EQUAL LEG EXTRUDED [CUST: AV IS] [REVIEW: MI] | A 9540 | IS | | 21-FEB-96 |
| | AND10139 REV 3 NOT 2 | ZEE - UNEQUAL LEG EXTRUDED [CUST: 99] [REVIEW: MI] | A 9540 | 84 | | 20-FEB-96 |
| | AND10141 REV 4 NOT 2 | TEE - BULB SECTION EXTRUDED [CUST: 99] [REVIEW: MI] | A 9540 | 84 | | 20-FEB-96 |
| | AND10303 REV 5 | INSTALLATION CLEARANCE-TYPE XIV DRIVE [CUST: AS 11] | A 2995 | AS | | 04-MAR-53 |
| | AND10320 REV 4 | INSTALLATION CLEARANCE-TYPE XII DRIVE [CUST: AS] | A 2995 | AS | | 04-MAR-53 |
| | AND10325 REV 1 NOT 1 | SELF TAPPING SCREWS-COARSE THREAD (HOLE SIZES FOR) [CUST: AS 99 IS] | A 5305 | IS | | 16-JUN-97 |
| | AND10326 REV 1 NOT 1 | SELF TAPPING SCREWS-MACHINE SCREW THREAD (HOLE SIZES FOR) [CUST: AS 99 IS] | A 5305 | IS | | 16-JUN-97 |
| | AND10341 REV 2 | TRANSMITTER INSTALLATION CLEARANCE FUEL AND OIL PRESSURE [CUST: AS] | A 6620 | AS | | 24-APR-57 |
| | AND10387 REV 6 NOT 1 | DRILL SIZES AND DRILLED HOLE TOLERANCES TWIST [CUST: AS] | A MISC | AS | | 05-MAR-97 |
| A | AND10573 REV E NOT 3 | RIM CONTOURS-26X6.6, 30X7.7, 32X8.8, 34X9.9, 36X11, 38X11, 40X12, 44X13, TYPE VII, EXTRA HIGH PRESSURE MAIN LANDING GEAR WHEELS [CUST: AV AS 99] [REVIEW: MC] | A 1630 | 70 | | 12-DEC-97 |
| A | AND10576 REV C NOT 2 | RIM CONTOUR-24 X 7.7, TYPE VII, EXTRA HIGH PRESSURE, MAIN LANDING GEAR WHEEL [CUST: AV AS 99] [REVIEW: MC] | A 1630 | 70 | | 12-DEC-97 |
| A | AND10578 REV B NOT 2 | RIM CONTOUR-5.00-5, TYPE III, LOW PRESSURE, HELICOPTER LANDING GEAR WHEEL [CUST: AV AS 99] [REVIEW: MC] | A 1630 | 70 | | 12-DEC-97 |
| A | AND10581 REV C NOT 2 | RIM CONTOUR-20 X 4.4, TYPE VII, EXTRA HIGH PRESSURE, LANDING GEAR WHEEL [CUST: AV AS 99] [REVIEW: MC] | A 1630 | 70 | | 12-DEC-97 |
| | AND10582 NOT 1 | RIM CONTOURS - 22 X 5.5 AND 5.5 TYPE VII, EXTRA HIGH PRESSURE, LANDING GEAR WHEEL [CUST: AS 11] | A 1630 | AS | | 28-AUG-96 |
| A | AND10583 REV B NOT 2 | RIM CONTOUR-25.00-28, TYPE III, LOW PRESSURE, MAIN LANDING GEAR WHEEL [CUST: AV AS 99] | A 1630 | 70 | | 12-DEC-97 |
| | AND20001 REV 2 NOT 3 | DRIVE - TYPE XI ENGINE ACCESSORY [CUST: MI] | A 2995 | MI | | 05-JUN-95 |
| | AND20006 REV 7 | DRIVE-TYPE XVI ENGINE ACCESSORY [CUST: AV AS] | A 2995 | AS | | 22-MAY-89 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-----------------------|---|-----------------------|-----|-------------|-----------|
| | NAS496-97 | BOLTS - INTERNAL WRENCHING [CUST: AR AS 99 IS] | A 5306 | IS | | 28-FEB-97 |
| | NAS819-79 | CAP - PROTECTIVE, FLANGED FITTING [CUST: AR AS 99 IS] | A 5340 | IS | | 31-DEC-79 |
| A | NAS1303THRUNAS1320-96 | BOLT, SHEAR, HEXAGON HEAD [CUST: AS 11 IS] | A 5306 | IS | | 05-DEC-96 |
| | NAS6603THRUNAS6620-96 | BOLT, HEX HEAD, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, SELF LOCKING & NONLOCKING W/DOD EXCEPTIONS [CUST: AV AS 11 IS] [REVIEW: 10 CR4] | A 5306 | IS | | 05-DEC-96 |
| | SAE-AMS1546A | COMPOUND, CARBON REMOVING, ORTHODICHLOROBENZENE, FOR ENGINE PARTS [CUST: AV AS 68] [REVIEW: GS] | A 6850 | AS | | APR-94 |
| A | SAE-AMS1725B | SKIN PROTECTIVE COMPOUND, CHEMICAL BARRIER [CUST: EA AS 68] [REVIEW: CR4 GL GS] | A 6850 | AS | | JAN-95 |
| | SAE-AMS2419B | PLATING, CADMIUM-TITANIUM [CUST: MR 11 GS] | A MFFP | GS | | MAR-94 |
| | SAE-AMS2421B | PLATING MAGNESIUM FOR SOLDERABILITY ZINC IMMERSION PROCESS [CUST: MR AS 11 GS] | A MFFP | GS | | 01-OCT-85 |
| A | SAE-AMS2510E | ENGINE GRAY FINISHING LOW BAKING [CUST: MR AS 82 IS] | A MFFP | AS | | MAR-96 |
| A | SAE-AMS2550E | TREATMENT OF SHEET METAL PARTS CORROSION RESISTANT STEEL [CUST: MR AS 11] | A MFFP | AS | | MAR-94 |
| A | SAE-AMS2815V | WIRE, WELDING, IDENTIFICATION LINE CODE SYSTEM [CUST: MR AS 11 GS] | A 3439 | GS | | 1-OCT-91 |
| | SAE-AMS3228G | ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL AND COOLANT RESISTANT, LOW SWELL 65 - 75 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | | 01-JAN-92 |
| | SAE-AMS3229G | ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL RESISTANT, LOW SWELL, 75 - 85 [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | | 01-JAN-92 |
| | SAE-AMS3232M | ASBESTOS AND SYNTHETIC RUBBER SHEET HOT OIL RESISTANT [CUST: MR AS 11] [REVIEW: GS] | A 9320 | AS | | 01-JUL-91 |
| A | SAE-AMS3250H | RUBBER, SYNTHETIC, AND CORK COMPOSITION, GENERAL PURPOSE, SOFT [CUST: MR AS 11] | A 9320 | AS | | AUG-95 |
| | SAE-AMS3252H | RUBBER AND CORK COMPOSITION, SYNTHETIC GENERAL PURPOSE, FIRM [CUST: MR AS 11 IS] | A 5330 | IS | | AUG-95 |
| | SAE-AMS3616B | RESIN, POLYIMIDE, LAMINATING AND MOLDING HIGH TEMPERATURE RESISTANT, 370 DEG. C (700 DEG. F) UNFILLED, ADDITION POLYMER [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | | 01-OCT-92 |
| | SAE-AMS3618 | RESIN, POLYIMIDE, THERMOSETTING HIGH HEAT (290 DEG. C (554 DEG. F)) RESISTANT [CUST: AS 11] [REVIEW: GS] | A 9330 | AS | | 01-APR-85 |
| | SAE-AMS3630E | PLASTIC EXTRUSIONS, FLEXIBLE, POLYVINYL CHLORIDE [CUST: CR4 AS] | A 4710 | AS | | 01-OCT-92 |
| | SAE-AMS3671B | PLASTIC MOLDING COMPOUND, NOVOLAC EPOXY RESIN, SHORT GLASS FIBER REINFORCED, STRUCTURAL [CUST: AS 11] | A 9330 | AS | | 01-OCT-92 |
| | SAE-AMS3676C | INSULATION, SOUND AND THERMAL RESIN-BONDED GLASS FIBER, MEDIUM FILAMENT [CUST: MR AS 11] [REVIEW: GS] | A 5970 | AS | | 01-JAN-93 |
| | SAE-AMS3684B | RESIN, POLYIMIDE, SEALING, HIGH TEMPERATURE RESISTANT, 315 DEG. C (600 DEG. F), UNFILLED [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | | 01-JAN-93 |
| | SAE-AMS3696B | AERODYNAMIC FAIRING COMPOUND -55 DEG. TO +85 DEG. C (-65 DEG. TO +185 DEG. F) [CUST: AS 11] | A 8010 | AS | | 01-JUL-91 |
| | SAE-AMS3697B | AERODYNAMIC FAIRING COMPOUND -55 DEG. TO +150 DEG. C (-65 DEG. TO +300 DEG. F) [CUST: AS 11] | A 8010 | AS | | 01-JUL-91 |
| | SAE-AMS3709C | TILES, SYNTACTIC FOAM [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | | 01-JAN-93 |
| | SAE-AMS3720B | PAPER HONEYCOMB, 60 LB (25 KG) PAPER [CUST: MR AS 11] | A 5640 | AS | | APR-94 |
| | SAE-AMS3726B | SHIMS, FILLED RESIN COMPOUND [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | | 01-JAN-93 |
| | SAE-AMS37261B | SHIMS, FILLED RESIN COMPOUND LIQUID [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | | 01-JAN-93 |
| | SAE-AMS3815D | BRAID, FLAT, NYLON, ELECTRICAL TYING SYNTHETIC RUBBER COATED [CUST: MI SH 99] | A 9330 | MI | | 01-JAN-93 |
| | SAE-AMS3821B | CLOTH, TYPE "E" GLASS, "B" STAGE EPOXY-RESIN-IMPREGNATED 7781 STYLE FABRIC, FLAME RESISTANT [CUST: AS 11] [REVIEW: CT] | A 8305 | AS | | 01-OCT-91 |
| | SAE-AMS3823D | CLOTH, GLASS, STYLE 7781, CHROME-SILANE FINISH [CUST: MR AS] | A CMPS | AS | | APR-94 |
| | SAE-AMS3870D | MOLDINGS AND EXTRUSIONS, CERAMIC, DENSE, ULTRA-HIGH ALUMINA (99% A1203) [CUST: MR AS 11] [REVIEW: CR4] | A 5680 | AS | | 01-JAN-93 |
| | SAE-AMS3880C | GLASS CERAMIC, CRYSTALLIZED [CUST: MR AS 11] [REVIEW: GS] | A 9340 | AS | | 01-JAN-93 |
| | SAE-AMS3911B | PANELS, SANDWICH, FOR LIGHT WEIGHT PORTABLE SHELTERS, FABRICATION OF [CUST: MR AS 11] [REVIEW: GS] | A 9330 | AS | | 01-APR-92 |
| | SAE-AMS4000E | ALUMINUM SHEET AND PLATE (1060-0) [CUST: MR AS 11] | A 9535 | AS | | 01-JAN-87 |
| | SAE-AMS4010B | ALUMINUM ALLOY FOIL 1.2MN - 0.12CU (3003-H18) [CUST: MR AS 11] | A 9535 | AS | | AUG-94 |
| | SAE-AMS4012F | ALUMINUM SHEET, LAMINATED EDGE BONDED [CUST: MR AS 11] [REVIEW: IS] | A 9535 | AS | | 01-JAN-93 |
| | SAE-AMS4022E | ALUMINUM ALLOY SHEET AND PLATE, ALCLAD 1.0MG - 0.60SI - 0.28CU - 0.20CR (ALCLAD 6061; -T4 SHEET, -T451 PLATE) [CUST: MR AS 11] [REVIEW: IS] | A 9535 | AS | | 01-APR-85 |
| | SAE-AMS4023E | ALUMINUM ALLOY SHEET AND PLATE, ALCLAD 1.0MG - 0.60SI - 0.28CU - 0.20CR (ALCLAD 6061; -T6 SHEET, -T651 PLATE) [CUST: MR AS 11] [REVIEW: IS] | A 9535 | AS | | 01-APR-85 |
| | SAE-AMS4386A | MAGNESIUM ALLOY SHEET AND PLATE 14L1 - 1.25AL (LA 141A-T7) [CUST: MR AS 11] | A 9535 | AS | | 01-OCT-82 |
| A | SAE-AMS4388E | MAGNESIUM ALLOY EXTRUSIONS 3.0TH - 1.5MN (HM31A-F) AS EXTRUDED [CUST: MR AS 11] | A 9540 | AS | | FEB 96 |
| | SAE-AMS4389F | MAGNESIUM ALLOY EXTRUSIONS 3.0TH - 1.5MN (HM31A-T5) PRECIPITATION HEAT TREATED [CUST: AS 11 IS] | A 9530 | IS | | 01-JAN-92 |
| A | SAE-AMS4390J | SHEET AND PLATE, MAGNESIUM ALLOY 2.0TH - 0.78MN (HM21A-T8) SOLUTION HEAT TREATED, COLD WORKED, AND PRECIPITATION HEAT TREATED [CUST: MR AS 11 IS] | A 9535 | IS | | FEB 96 |
| A | SAE-AMS4740C | COPPER POWDER 99.0 CU, MINIMUM AS FABRICATED [CUST: MR AS 11] | A 3439 | AS | | FEB 96 |
| | SAE-AMS4755A | SOLDER, LEAD-SILVER 94PB - 5.5AG [CUST: MR AS 11] | A 3439 | AS | | 01-JAN-87 |
| | SAE-AMS4756 | SOLDER 97.5PB - 1.5AG - 1SN [CUST: AS 11] | A 3439 | AS | | 01-JAN-87 |
| | SAE-AMS4815F | BEARINGS, SILVER PLATED STEEL BACK [CUST: AV AS 11 IS] | A 3120 | IS | | 01-JAN-92 |
| | SAE-AMS4822E | BEARINGS, LEADED BRONZE 71.5CU - 25PB - 3.0SN STEEL BACK [CUST: AV AS 11 IS] | A 3120 | IS | | 01-APR-91 |
| | SAE-AMS4824D | BEARINGS, BABBITT-COATED LEADED-BRONZE STEEL BACK [CUST: AV AS 11 IS] | A 3120 | IS | | 01-JAN-92 |
| | SAE-AMS4825C | BEARINGS, LEADED BRONZE 74CU - 15.5PB - 10SN STEEL BACK [CUST: AV AS 11 IS] | A 3120 | IS | | 01-OCT-89 |
| A | SAE-AMS5329E | STEEL CASTINGS, SAND 0.80CR - 1.8NI - 0.35MO (0.28 - 0.36C) (SAE 4330 MODIFIED) ANNEALED [CUST: MR AS 11] | A MECA | 11 | | JAN 95 |
| | SAE-AMS5335E | STEEL CASTINGS, SAND 0.65CR - 0.75NI - 0.20MO (0.25 - 0.33C) (SAE 8630 MODIFIED) NORMALIZED AND TEMPERED [CUST: MR AS 11] | A MECA | 11 | | JAN-95 |
| | SAE-AMS5351F | STEEL CASTINGS, SAND, CORROSION AND MODERATE HEAT RESISTANT 13CR NORMALIZED AND TEMPERED [CUST: MR AS 11] | A MECA | 11 | | JAN-95 |
| | SAE-AMS5359D | STEEL CASTINGS, SAND, CORROSION AND HEAT RESISTANT 15CR - 4.0NI - 2.3MO - 0.08N SOLUTION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | JAN-95 |
| A | SAE-AMS5363E | STEEL CASTINGS, SAND AND CENTRIFUGAL, CORROSION AND HEAT RESISTANT 18.5CR - 10.5NI - 0.90(CB+TA) SOLUTION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | NOV 95 |
| A | SAE-AMS5365D | STEEL CASTINGS, SAND, CORROSION AND HEAT RESISTANT 24.5CR - 20.5NI - SOLUTION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | JAN 95 |
| A | SAE-AMS5375E | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 65.5CO - 25CR - 1.8NI - 5.0W AS CAST [CUST: MR AS 11] | A MECA | 11 | | NOV-95 |
| | SAE-AMS5395C | ALLOY IRON CASTINGS, DUCTILE, SAND, CORROSION RESISTANT 22NI (2.5 - 3.0C) AS CAST [CUST: MR AS 11] | A MECA | 11 | | JAN-95 |

INACTIVE SECTION

DODISS NUMERICAL LISTING
DOD ADOPTED NON-GOVERNMENT STANDARDS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|-----------------|--|--------------|------|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | Date |
| A | SAE-AMS5397C | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 50NI - 9.5CR - 15CO - 3.0MO - 4.8TI - 5.5AI - 0.015B - 0.95V - 0.06ZR VACUUM-MELTED, VACUUM-CAST AS CAST [CUST: MR AS 11] | A MECA | 11 | | NOV-95 |
| A | SAE-AMS5403A | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 60NI - 14CR - 9.5CO - 4.0MO - 4.0W - 5.0TI - 3.0AL - 0.015B - 0.06ZR VACUUM MELTED, VACUUM CAST [CUST: MR AS 11] | A MECA | 11 | | NOV-95 |
| A | SAE-AMS5404A | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 59NI - 12.6CR - 9.0CO - 1.9MO - 4.2W - 4.0TI - 4.2TA - 3.4AL - 0.015B - 0.10ZR - 0.90HF VACUUM MELTED, VACUUM CAST SOLUTION AND PRECIPITATION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | NOV-95 |
| A | SAE-AMS5405A | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 6.4NI - 8.0CR - 10CO - 6.0MO - 1.0TI - 4.2TA - 6.0AL - 0.015B - 0.08ZR VACUUM MELTED, VACUUM CAST AS CAST [CUST: MR AS 11] | A MECA | 11 | | NOV-95 |
| A | SAE-AMS5406A | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 63NI - 8.0CR - 10CO - 6.0MO - 1.0TI - 4.2TA - 6.0AL - 0.015B - 0.03ZR - 1.2HF VACUUM MELTED, VACUUM CAST AS CAST [CUST: MR AS 11] | A MECA | 11 | | NOV-95 |
| A | SAE-AMS5407A | ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 60NI - 9.0CR - 10CO - 12.5W - 1.0CB - 2.0TI - 5.0AL - 0.015B - 0.06ZR VACUUM MELTED, VACUUM CAST AS CAST [CUST: MR AS 11] | A MECA | 11 | | NOV-95 |
| A | SAE-AMS5408A | ALLOY CASTINGS, CENTRIFUGAL, CORROSION & HEAT RESISTANT 64NI - 16CR - 15MO - 0.30AI - 0.05LA SOLUTION HEAT TREATED [CUST: MR AS 11] | A MECA | 11 | | NOV-95 |
| | SAE-AMS5526H | STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 19.5CR - 9.5NI - 1.4MO - 1.4W - 0.42(CB+TA) - 0.22TI SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A | 9515 | IS | SEP-94 |
| A | SAE-AMS5530G | ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 58NI - 15.5CR - 16MO - 3.8W - 5.5FE SOLUTION HEAT TREATED [CUST: MR AS 11 IS] | A | 9515 | IS | MAR-94 |
| A | SAE-AMS5546D | STEEL SHEET AND STRIP, CORROSION AND MODERATE HEAT RESISTANT 16.5CR - 4.5NI - 2.9MO - 0.10N COLD ROLLED, TEMPERED [CUST: MR AS 11 IS] | A | 9515 | IS | OCT-95 |
| A | SAE-AMS5779C | ALLOY WELDING ELECTRODES, COVERED, CORROSION AND HEAT RESISTANT 75NI - 15CR - 1.5 (CB + TA) - 1.9TI - 0.55AL - 5.5FE [CUST: MR AS 11 GS] | A | 3439 | GS | MAY 96 |
| | SAE-AMS6379A | STEEL BARS 0.95CR - 0.20MO - 0.05TE (0.40 - 0.53C) (SAE 4140 MODIFIED) DIE DRAWN AND TEMPERED, 165,000 PSI (1138 MPA) YIELD STRENGTH [CUST: MR AS 11 IS] | A | 9510 | IS | 01-JUL-81 |
| | SAE-AMS6436B | STEEL SHEET, STRIP, AND PLATE, LOW-ALLOY, HEAT RESISTANT 0.65SI - 1.25CR - 0.50MO - 0.85V (0.25 - 0.30C) ANNEALED [CUST: MR AS 11 IS] | A | 9515 | IS | 01-OCT-88 |
| A | SAE-AMS6473A | WIRE, STEEL WELDING 0.88CR - 1.8NI - 1.6CO - 0.42MO - 0.08V - (0.28 - 0.33C) (SAE 4330V) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING [CUST: MR AS 11 GS] | A | 3439 | GS | MAY 96 |
| A | SAE-AMS6485G | BAR, STEEL, AND FORGINGS, 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C) [CUST: MR AS 11 IS] | A | 9510 | IS | 1 APR 92 |
| | SAE-AMS7261C | RINGS, SEALING, PHOSPHONITRILIC (FZ) FLUOROELASTOMER HIGH-TEMPERATURE-FLUID RESISTANT [CUST: MR AS 11] | A | 5330 | IS | FEB-95 |
| | SAE-AMS7261/1E | RINGS, SEALING, PHOSPHONITRILIC (FZ) FLUOROELASTOMER HIGH-TEMPERATURE-FLUID RESISTANT 65-75 [CUST: MR AS 11] | A | 5330 | IS | FEB-95 |
| | SAE-AMS7261/2E | RINGS, SEALING, PHOSPHONITRILIC (FZ) FLUOROELASTOMER HIGH-TEMPERATURE-FLUID RESISTANT 75-85 [CUST: MR AS 11] | A | 5330 | IS | FEB-95 |
| | SAE-AMS7261/3D | RINGS, SEALING, PHOSPHONITRILIC (FZ) FLUOROELASTOMER HIGH-TEMPERATURE-FLUID RESISTANT 85-95 [CUST: MR AS 11] | A | 5330 | IS | FEB-95 |
| | SAE-AMS7262B | RINGS, SEALING, ETHYLENE PROPYLENE (EPM) RUBBER PHOSPHATE ESTER HYDRAULIC FLUID RESISTANT 58 - 95 [CUST: MR AS 11 IS] | A | 5330 | IS | AUG-94 |
| | SAE-AMS7265B | RINGS, SEALING, ETHYLENE PROPYLENE (EPM) RUBBER PHOSPHATE ESTER HYDRAULIC FLUID RESISTANT 75 - 85 [CUST: MR AS 11 IS] | A | 5330 | IS | AUG-94 |
| | SAE-AMS7711C | STEEL SHEET AND STRIP, FLAT-ROLLED, ELECTRICAL, NON-ORIENTED 2.65(SI + AL) TYPE 47S188 OR TYPE 64S213, SEMI-PROCESSED [CUST: MR AS 11 IS] | A | 9515 | IS | 01-APR-92 |
| | SAE-AMS7712C | STEEL SHEET AND STRIP, FLAT-ROLLED, ELECTRICAL, NON-ORIENTED 3.0(SI + AL) TYPE 47S178 OR TYPE 64S194, SEMI-PROCESSED [CUST: MR AS 11 IS] | A | 9515 | IS | 01-APR-92 |

DODISS NUMERICAL LISTING
PERFORMANCE SPECIFICATIONS

| Last Action | | | Distribution | | Date |
|-------------|----------------------|--|--------------|-----------------|-----------|
| | Document Number | Document Title | FSC/Area | MCA Prep. Acty. | |
| | MIL-PRF-914/1A NOT 1 | RESISTOR NETWORK, FIXED, FILM, SURFACE MOUNT, 14-PIN, SMALL OUTLINE, NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE RNS010 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CR | 12-JAN-98 |
| | MIL-PRF-914/2A NOT 1 | RESISTOR NETWORK, FIXED, FILM, SURFACE MOUNT, 16-PIN, SMALL OUTLINE, NONESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE RNS020 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 19 AR AS AT AV CG CR4 MC MI OS] | A 5905 | CR | 12-JAN-98 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|-----------------------|--|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | Date |
| | MIL-E-1/181E NOT 3 | ELECTRON TUBE, RECEIVING TYPE 5644 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 80 99 AR AS CC CG CR4 EC MC OS] | A 5960 | 85 | | 26-FEB-96 |
| | MIL-E-1/245D(2) NOT 3 | ELECTRON TUBE, RECEIVING TYPE 6188 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 80 99 AR AS CC CG CR4 MC OS SH] | A 5960 | 85 | | 26-FEB-96 |
| | MIL-B-18/2D NOT 1 | BATTERY, DRY, BA-8 (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/14D NOT 1 | BATTERY, DRY, BA-36 (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/18D NOT 1 | BATTERY, DRY, BA-40 (NO S/S DOCUMENT) [CUST: CR SH 99 GS] [REVIEW: MC MI] | A 6135 | GS | | 28-MAY-98 |
| | MIL-B-18/25D NOT 1 | BATTERY, DRY, BA-51 (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: MC MI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/41D NOT 1 | BATTERY, DRY, BA-208/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: AR MC MI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/43D NOT 1 | BATTERY, DRY, BA-210/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: AR MC MI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/57C NOT 1 | BATTERY, DRY, BA-231/U (NO S/S DOCUMENT) [CUST: CR SH 99 GS] [REVIEW: AR MC MI YDI] | A 6135 | GS | | 07-MAY-98 |
| | MIL-B-18/58D NOT 1 | BATTERY, DRY, BA-232/U (NO S/S DOCUMENT) [CUST: CR SH 99 GS] [REVIEW: AR MC MI YDI] | A 6135 | GS | | 07-MAY-98 |
| | MIL-B-18/60D NOT 1 | BATTERY, DRY, BA-234/U (NO S/S DOCUMENT) [CUST: CR SH 99] [REVIEW: AR MC MI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/77D NOT 1 | BATTERY, DRY, BA-279/U (NO S/S DOCUMENT) [CUST: CR SH 99 GS] [REVIEW: AR MC MI YDI] | A 6135 | GS | | 07-MAY-98 |
| | MIL-B-18/80D NOT 1 | BATTERY, DRY, BA-402/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/81D NOT 1 | BATTERY, DRY, BA-403/U (NO S/S DOCUMENT) [CUST: CR SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/83D NOT 1 | BATTERY, DRY, BA-405/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/84D NOT 1 | BATTERY, DRY, BA-406/U (NO S/S DOCUMENT) [CUST: CR SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/89D NOT 1 | BATTERY, DRY, BA-411/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: CR4 MI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/96D NOT 1 | BATTERY, DRY, BA-418/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: MC MI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/102D NOT 1 | BATTERY, DRY, BA-424/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/106C NOT 1 | BATTERY, DRY, BA-1030/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: AS AV CC CR4 MC MI SA YDI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/125D NOT 1 | BATTERY, DRY, BA-1232/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: CR4 MC MI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/127D NOT 1 | BATTERY, DRY, BA-1234/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: CR4 MC MI YDI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/198C NOT 1 | BATTERY, DRY, BA-266/U (NO S/S DOCUMENT) [CUST: CR SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/211C NOT 1 | BATTERY, DRY, BA-358/U (NO S/S DOCUMENT) [CUST: SH] [REVIEW: CR4 MC YDI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/215C NOT 1 | BATTERY, DRY, BA-471/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/222C NOT 1 | BATTERY, DRY, BA-1315/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/225B NOT 1 | BATTERY, DRY, BA-1330/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: CR4 MC YDI] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/245C NOT 1 | BATTERY, DRY, BA-1264/U (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: CR4 MC] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/248B NOT 1 | BATTERY, DRY, BA-1387/URC-10 (NO S/S DOCUMENT) [CUST: SH] [REVIEW: CR4 MC] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/254 NOT 1 | BATTERY, DRY, BA-1110/U (NO S/S DOCUMENT) [REVIEW: CR4] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/255A NOT 1 | BATTERY, DRY, BA-1509/PRC-64 (NO S/S DOCUMENT) [REVIEW: CR4] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/257A NOT 1 | BATTERY, DRY, BA-1086/U (NO S/S DOCUMENT) [REVIEW: AV CR4] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/260A NOT 1 | BATTERY, NON-RECHARGEABLE, BA-1391/U (NO S/S DOCUMENT) | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/261A NOT 1 | BATTERY, DRY, BA-1396/U (NO S/S DOCUMENT) [REVIEW: CR4] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/262A NOT 1 | BATTERY, DRY, BA-802/U (NO S/S DOCUMENT) [REVIEW: AV CR4] | A 6135 | GS | | 12-MAY-98 |
| | MIL-B-18/276A NOT 1 | TECHNICAL REQUIREMENT, BATTERY, DRY, BA-1082/U (NO S/S DOCUMENT) [REVIEW: SH] | A 6135 | GS | | 12-MAY-98 |
| | MIL-D-204A(1) NOT 1 | DINITROTOLUENE FOR USE IN EXPLOSIVES (S/S BY A-A-59256) [CUST: AR OS] [REVIEW: MC] | A 1375 | AR | | 11-MAY-98 |
| | MIL-I-275D NOT 1 | IRON OXIDE, BLACK, TECHNICAL (S/S BY A-A-59179) [CUST: EA OS GS] [REVIEW: AR AS MDI MI] | A 6810 | GS | | 02-APR-98 |
| | MIL-F-279C NOT 2 | FEROUS SULFIDE, TECHNICAL (NO S/S DOCUMENT) [CUST: EA OS 68 GS] [REVIEW: MD] | A 6810 | GS | | 30-JUN-97 |
| | MIL-C-429D NOT 2 | CHLORINATED PARAFFIN, TECHNICAL (NO S/S DOCUMENT) [CUST: EA SH 68 GS] [REVIEW: AS MD OS] | A 6810 | GS | | 30-JUN-97 |
| | MIL-C-557G NOT 2 | CLOTH, WIND RESISTANT SATEEN, COTTON (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 45 EA MD MS] | A 8305 | CT | | 22-JUL-97 |
| | MIL-D-575H NOT 1 | DISTRIBUTORS, BITUMINOUS MATERIAL, TANK TYPE (NO S/S DOCUMENT) [CUST: YDI] | A 3895 | YDI | | 11-SEP-97 |
| | MIL-T-704K NOT 1 | TREATMENT AND PAINTING OF MATERIEL (NO S/S DOCUMENT) [CUST: MR YDI] [REVIEW: AR AT EA GL MC MD MI MS OS SH] | A 8010 | YDI | | 05-MAY-98 |
| | MIL-P-747D NOT 2 | PILE DRIVING RIG, SKID MOUNTED, STEEL, W/MOONBEAM ASSEMBLY (NO S/S DOCUMENT) [CUST: AT YDI 99] [REVIEW: 84 CC MC] | A 3895 | AT | | 18-MAY-98 |
| | MIL-C-793B(2) NOT 1 | CONTROLLER, DRIVE, M12A1 & M12E2 (NO S/S DOCUMENT) [CUST: AR] | A 1290 | AR | | 27-SEP-97 |
| | MIL-S-851D(1) NOT 3 | STEEL GRIT, SHOT, AND CUT WIRE SHOT; AND IRON GRIT AND SHOT-BLAST CLEANING AND PEENING (S/S BY SAE-J1993, SAE-J827, SAE-J444, AND SAE-J441) [CUST: MR SH 99] [REVIEW: AS OS] | A 5350 | 84 | | 15-OCT-97 |
| | MIL-R-1167A NOT 2 | RIFLE, AUTOMATIC, BROWNING, CALIBER .30, M1918A2 (NO S/S DOCUMENT) [CUST: AR OS 99] [REVIEW: MC] | A 1005 | AR | | 27-SEP-97 |
| | MIL-G-1175B NOT 2 | GUN, SUBMACHINE, CALIBER .45, M3A1 (NO S/S DOCUMENT) [CUST: AR 99] [REVIEW: 84 MC] | A 1005 | AR | | 27-SEP-97 |
| | MIL-D-1427C NOT 1 | DAMPER, FLUE, 4-INCH (NO S/S DOCUMENT) [CUST: GL YDI 99] [REVIEW: CC MC MDI] | A 4520 | GL | | 31-JUL-97 |
| | MIL-C-1429C NOT 2 | CLEANER, BURNER SLOT, FOR RANGE, FIELD, M-1937 (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: FSS] | A 5120 | GL | | 31-JUL-97 |
| | MIL-P-1601E NOT 1 | PROTECTOR, ARM, GASOLINE FIELD RANGE OUTFIT (NO S/S DOCUMENT) [CUST: GL YDI 99] [REVIEW: IS MC MDI] | A 7360 | GL | | 31-JUL-97 |
| | MIL-B-1667F(1) NOT 1 | BRAID, TEXTILE, CORD EDGE (S/S BY A-A-55264) [CUST: GL 45 CT] | A 8315 | CT | | 14-NOV-97 |
| | MIL-I-1821J NOT 1 | INSOLE, FOOTWEAR (VENTILATING TYPE) (NO S/S DOCUMENT) [CUST: GL 11 CT] [REVIEW: MD] | A 8335 | CT | | 20-MAY-98 |
| | MIL-R-1832D NOT 1 | RUBBER BAND, PARACHUTE SUSPENSION LINE (NO S/S DOCUMENT) [CUST: GL AS 99] [REVIEW: 82 MC] | A 1670 | GL | | 07-OCT-97 |
| | MIL-H-1988G NOT 1 | HELMET, GROUND TROOPS: PARACHUTISTS, STEEL, M-1 (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD YDI] | A 8470 | CT | | 04-MAR-98 |
| | MIL-C-2015B NOT 1 | CARRIAGE, HOWITZER, 105 MM, M2A2 (W/REPAIR PARTS AND W/O EQUIPMENT OR ACCESSORIES) (NO S/S DOCUMENT) [CUST: AR MC] | A 1015 | AR | | 27-SEP-97 |
| | MIL-C-2015B(11) NOT 1 | CARRIAGE, HOWITZER, 105 MM, M2A2 (W/REPAIR PARTS AND W/O EQUIPMENT OR ACCESSORIES) (NO S/S DOCUMENT) [CUST: AR] | A 1015 | AR | | 27-SEP-97 |
| | MIL-B-2054E NOT 3 | BOWLS, FOOD MIXING, CORROSION-RESISTING STEEL (S/S BY A-A-52089) [CUST: GL SA 85 IS] [REVIEW: CG MC MD MS] | A 7330 | IS | | 29-SEP-97 |
| | MIL-S-2063J NOT 2 | SCARF, NECKWEAR, WOOL (S/S BY A-A-55226) [CUST: GL NU 99 CT] [REVIEW: 45 82 MC] | A 8440 | CT | | 19-MAY-98 |
| | MIL-C-2070E NOT 1 | CHAIN ASSEMBLY, SINGLE LEG, FOR CABINET, GASOLINE, FIELD RANGE OUTFIT (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: 82 IS MC MDI] | A 4010 | GL | | 19-NOV-97 |
| | MIL-S-2143B(1) NOT 1 | SINK, SERVICE, NAVAL SHIPBOARD (NO S/S DOCUMENT) [CUST: SH] [REVIEW: CC] | A 4510 | SH | | 05-MAY-98 |
| | MIL-B-2316E NOT 1 | BAKERY EQUIPMENT, INCLUDING UNITS ASSEMBLIES REPAIR PARTS AND TOOLS, PREPARATION FOR DELIVERY OF (NO S/S DOCUMENT) [CUST: GL YDI 99] [REVIEW: 35 84 IS MC MD SA SM] | A 7310 | GL | | 10-SEP-96 |
| | MIL-G-2338L(12) NOT 2 | GRIDDLES, SELF-HEATING, ELECTRIC, AND STANDS, GRIDDLE (NO S/S DOCUMENT) [CUST: SH] | A 7310 | SH | | 17-SEP-97 |
| | MIL-C-2399B(2) NOT 3 | CEMENT, LIQUID, TENT PATCHING (NO S/S DOCUMENT) [CUST: GL AS 84 FSS] [REVIEW: EA MC MD MR SM] | A 8040 | FSS | | 05-MAY-98 |
| | MIL-D-2525D NOT 1 | DRAWERS, MENS, COTTON, ANKLE LENGTH (NO S/S DOCUMENT) [CUST: GL MC] [REVIEW: 45 CT MD] | A 8420 | MC | | 04-MAY-98 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Avia | MCA | Prep. Acty. | Date |
|-------------------------|---|--------------------------|-----|-------------|------|
| MIL-U-2526D NOT 1 | UNDERSHIRT, MAN S. COTTON, FULL LENGTH SLEEVES (NO S/S DOCUMENT) [CUST: MC] [REVIEW: 45 CT] | A 8420 | MC | 04-MAY-98 | |
| MIL-B-2619A NOT 1 | BAG, PATIENT S EFFECTS (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6530 | MB | 05-MAY-98 | |
| MIL-B-2678C NOT 1 | BRUSHES, WIRE, BOILER TUBE, EXPANDING TYPE FOR USE WITH ELECTRIC AND AIR MOTOR DRIVEN BOILER TUBE CLEANING OUTFITS, AND FIXED SECTIONAL HAND TYPE (S/S BY A-A-59193) [CUST: GL SH 99] [REVIEW: AR CE] | A 5120 | SH | 20-MAY-98 | |
| MIL-B-2680 NOT 1 | BUOY, ANCHOR, SPAR (NO S/S DOCUMENT) [CUST: CR4 SH] | A 2050 | SH | 05-MAY-98 | |
| MIL-I-002703C(1) NOT 2 | INDICATOR, COMBUSTIBLE GAS, PORTABLE (NO S/S DOCUMENT) [CUST: SH] | A 6665 | SH | 17-SEP-97 | |
| MIL-L-2898D(1) NOT 1 | LOCKS, FLUSH, METAL AND WOOD DOOR AND DRAWER, NAVAL SHIPBOARD (NO S/S DOCUMENT) [CUST: SH] [REVIEW: IS MI] | A 5340 | SH | 05-MAY-98 | |
| MIL-L-2898/1 NOT 1 | LOCK, FLUSH, TYPE A, DEAD BOLT (NO S/S DOCUMENT) [CUST: SH] | A 5340 | SH | 05-MAY-98 | |
| MIL-L-2898/2 NOT 1 | LOCK, FLUSH, TYPE B, DEAD BOLT (NO S/S DOCUMENT) [CUST: SH] | A 5340 | SH | 05-MAY-98 | |
| MIL-S-3007J(1) NOT 2 | SWEATER, MAN'S, OLIVE DRAB (S/S BY A-A-52115) [CUST: GL NU 99 CT] [REVIEW: 45 82 MD] | A 8405 | CT | 09-FEB-98 | |
| MIL-A-3029A NOT 1 | ASPHALT, WATERPROOFING (FOR USE IN MANUFACTURE OF FIBER AMMUNITION CONTAINERS) (S/S BY ASTM-D449) [CUST: AR OS 99] [REVIEW: 84 CR4 EA] | A 5610 | AR | 31-MAR-98 | |
| MIL-C-3098/74D NOT 3 | CRYSTALS UNITS, QUARTZ GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 99] | A 5955 | 85 | 10-JAN-97 | |
| MIL-C-3098/112B NOT 3 | CRYSTALS UNITS, QUARTZ GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 99] | A 5955 | 85 | 10-JAN-97 | |
| MIL-C-3098/117B NOT 3 | CRYSTALS UNITS, QUARTZ GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 99] | A 5955 | 85 | 10-JAN-97 | |
| MIL-C-3098/143A NOT 3 | CRYSTAL UNIT, QUARTZ, CR-162/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 99] | A 5955 | 85 | 10-JAN-97 | |
| MIL-B-3106 NOT 1 | BOARD, COMPOSITION, WATER-RESISTANT, SOLID (FOR FILLER OR CUSHIONING PADS) (S/S BY MIL-PRF-50449) [CUST: AR OS] [REVIEW: EA MC MS SM] | A 8140 | AR | 06 APR 98 | |
| MIL-E-3118C(1) NOT 2 | ETCHERS, ELECTRIC, PORTABLE, 120-VOLT A.C. (S/S BY A-A-59252) [CUST: GL YD1 99] [REVIEW: AS SH] | A 5130 | YD1 | 16-JUN-98 | |
| MIL-L-3153D NOT 1 | LAUNDRY & DRY CLEANING MACHINERY & EQUIPMENT, PACKAGING OF (NO S/S DOCUMENT) [CUST: GL YD1] [REVIEW: EA GS MD SM] | A 3510 | YD1 | 05-MAY-98 | |
| MIL-M-3171C(1) NOT 1 | MAGNESIUM ALLOY, PROCESSES FOR PRETREATMENT AND PREVENTION OF CORROSION ON (S/S BY SAE-AMS-M-3171) [CUST: MR AS 11] [REVIEW: 99 AR AV CC CR MI OS] | A MFFP | MR | 07-MAY-98 | |
| MIL-F-3268E NOT 1 | FITTINGS; PIPE, STEEL, SPECIAL (FOR TANKER UNLOADING INSTALLATIONS) (S/S BY A-A-50581) [CUST: YD1 99] [REVIEW: 82 CC CE] | A 4730 | YD1 | 12-JUN-97 | |
| MIL-S-3276H NOT 3 | SEWING KITS (S/S BY A-A-55190) [CUST: GL 99 CT] [REVIEW: 82] | A 8315 | CT | 01-FEB-98 | |
| MIL-C-3363D NOT 1 | CHEST, MEDICAL EQUIPMENT MAINTENANCE AND REPAIR TOOL KIT (S/S BY A-A-59151) [CUST: GL] [REVIEW: MD] | A 5140 | GL | 15-JAN-98 | |
| MIL-T-3510E NOT 1 | TARGET, SURVEYING, BEACON (WITH CARRYING BAG) (S/S BY A-A-52571) [CUST: CE3] [REVIEW: GS] | A 6675 | CE3 | 30-JAN-98 | |
| MIL-L-3516D NOT 1 | LEAK DETECTOR, REFRIGERANT GAS, ACETYLENE BURNING, WITH SEARCH HOSE (FOR NONCOMBUSTIBLE REFRIGERANTS) (NO S/S DOCUMENT) [CUST: MC] [REVIEW: CC MI] | A 4940 | MC | 04-MAY-98 | |
| MIL-L-3661/3A | LAMPHOLDERS, STYLE LH71 (NO S/S DOCUMENT) [CUST: CR 11 IS] [REVIEW: AS MC ME] | A 6250 | IS | 24-JUL-91 | |
| MIL-L-3661/49 | ADAPTER, MOUNTING, INDICATOR LIGHT (NO S/S DOCUMENT) [CUST: IS] [REVIEW: ME] | A 6210 | IS | 23-MAY-91 | |
| MIL-W-3688C NOT 1 | WAX EMULSION (RUST INHIBITING) (NO S/S DOCUMENT) [CUST: MR YD1 99] [REVIEW: 84 AS CG SH] | A 8030 | MR | 17-NOV-97 | |
| MIL-B-3743D NOT 1 | BRUSH, ELECTRICAL CONTACT (S/S BY NEMA-CB1) [CUST: CR4 SH 85 GS] [REVIEW: 99 AR AS CR MC MI] | A 5977 | GS | 07-MAY-98 | |
| MIL-F-3747E(1) NOT 1 | FLASHLIGHTS: PLASTIC CASE, TUBULAR (REGULAR, EXPLOSION-PROOF, EXPLOSION-PROOF HEAT RESISTANT, TRAFFIC DIRECTING, AND INSPECTION-LIGHT) (NO S/S DOCUMENT) [CUST: GL SH 99 IS] [REVIEW: 82 AS CR EA] | A 6230 | IS | 09-MAY-96 | |
| MIL-S-3786/15F(1) NOT 1 | SWITCH, ROTARY, OPEN CONSTRUCTION, .5 AMPERE, LOW LEVEL, POSITIVE SHAFT GROUNDING, EMI/RFI, STYLE SR15 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 19 99 AS AT AV CG CR4 MC MI OS SM] | A 5930 | CC | 23-MAR-98 | |
| MIL-S-3786/18B(1) NOT 1 | SWITCH, ROTARY, ELECTRO-MECHANICAL, ACTUATED (SOLENOID TYPE), OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR18 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 19 AR AS AT AV CG CR4 MC MI OS] | A 5930 | CC | 23-MAR-98 | |
| MIL-S-3786/19C(1) NOT 1 | SWITCH, ROTARY, CLOSED CONSTRUCTION, 1/10 AMPERE, STYLE SR19 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 19 99 AS AT AV CG CR4 MC MI OS SM] | A 5930 | CC | 23-MAR-98 | |
| MIL-I-3825B(3) NOT 1 | INSULATING TAPE, ELECTRICAL, SELF FUSING, FOR USE IN ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT (S/S BY ASTM-D4388) [CUST: CR YD1 85 GS] [REVIEW: AR CG GL SH] | A 5970 | GS | 01-NOV-97 | |
| MIL-T-3901E NOT 1 | TROUSERS, FOREMAN' S (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 45 82] | A 8415 | YD1 | 11-DEC-97 | |
| MIL-A-3908C(1) NOT 2 | AUGER, POSTHOLE, HAND (S/S BY A-A-59219) [CUST: GL YD1 84] [REVIEW: CE MC SH] | A 5120 | YD1 | 18-MAY-98 | |
| MIL-M-3946/1C NOT 1 | MEDAL, AMERICAN CAMPAIGN (S/S BY MIL-DTL-3943/227) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/2C NOT 1 | MEDAL, AMERICAN DEFENSE SERVICE (S/S BY MIL-DTL-3943/228) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/3D NOT 1 | MEDAL, ANTARCTICA SERVICE (S/S BY MIL-DTL-3943/229) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/4C NOT 1 | MEDAL, ARMED FORCES EXPEDITIONARY (S/S BY MIL-DTL-3943/230) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/5D NOT 1 | MEDAL, ARMED FORCES RESERVE (S/S BY MIL-DTL-3943/231) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/6C NOT 1 | MEDAL, ARMY OF CUBAN OCCUPATION (S/S BY MIL-DTL-3943/186) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/7C NOT 1 | MEDAL, ARMY OF CUBAN PACIFICATION (S/S BY MIL-DTL-3943/187) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/8C NOT 1 | MEDAL, ARMY OF OCCUPATION OF GERMANY (1918 - 1923) (S/S BY MIL-DTL-3943/245) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/9C NOT 1 | MEDAL, ARMY OF OCCUPATION (S/S BY MIL-DTL-3943/246) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/10C NOT 1 | MEDAL, ARMY OF PUERTO RICAN OCCUPATION (S/S BY MIL-DTL-3943/188) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/11C NOT 1 | MEDAL, ASIATIC - PACIFIC CAMPAIGN (S/S BY MIL-DTL-3943/247) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/12C NOT 1 | MEDAL, CHINA CAMPAIGN (S/S BY MIL-DTL-3943/189) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/13C NOT 1 | MEDAL, CHINA SERVICE (S/S BY MIL-DTL-3943/223) [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/14C NOT 1 | MEDAL, CIVIL WAR CAMPAIGN (S/S BY MIL-DTL-3943/190) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/15C NOT 1 | MEDAL, EUROPEAN - AFRICAN - MIDDLE EASTERN CAMPAIGN (S/S BY MIL-DTL-3943/248) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/18C NOT 1 | MEDAL, GOOD CONDUCT, AIR FORCE (S/S BY MIL-DTL-3943/202) [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/19C NOT 1 | MEDAL, GOOD CONDUCT, ARMY (S/S BY MIL-DTL-3943/191) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/20C NOT 1 | MEDAL, GOOD CONDUCT, COAST GUARD (S/S BY MIL-DTL-3943/212) [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/21C NOT 1 | MEDAL, GOOD CONDUCT, MARINE CORPS (S/S BY MIL-DTL-3943/209) [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/22E NOT 1 | MEDAL, GOOD CONDUCT, NAVY (S/S BY MIL-DTL-3943/205) [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/23C NOT 1 | MEDAL, MEDAL FOR HUMANE ACTION (S/S BY MIL-DTL-3943/232) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/24C NOT 1 | MEDAL, INDIAN CAMPAIGN, ARMY (S/S BY MIL-DTL-3943/192) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------|--|--------------------------|-----|-------------|------|
| MIL-M-3946/25C NOT 1 | MEDAL, KOREAN SERVICE (S/S BY MIL-DTL-3943/233) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/26D NOT 1 | MEDAL, MARINE CORPS EXPEDITIONARY (S/S BY MIL-DTL-3943/210) [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/27D NOT 1 | MEDAL, MEXICAN BORDER SERVICE (S/S BY MIL-DTL-3943/193) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/28C NOT 1 | MEDAL, MEXICAN SERVICE, ARMY (S/S BY MIL-DTL-3943/194) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/29C NOT 1 | MEDAL, NATIONAL DEFENSE SERVICE (S/S BY MIL-DTL-3943/234) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/30E NOT 1 | MEDAL, NAVY EXPEDITIONARY (S/S BY MIL-DTL-3943/206) [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/31D NOT 1 | MEDAL, NAVY OCCUPATION SERVICE (S/S BY MIL-DTL-3943/224) [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/32D NOT 1 | MEDAL, NAVAL RESERVE MERITORIOUS SERVICE (S/S BY MIL-DTL-3943/208) [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/33D NOT 1 | MEDAL, NAVAL RESERVE (S/S BY MIL-DTL-3943/207) [CUST: IH NU] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/34D NOT 1 | MEDAL, SELECTED MARINE CORPS RESERVE (S/S BY MIL-DTL-3943/211) [CUST: IH NU] [REVIEW: CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/35C NOT 1 | MEDAL, PHILIPPINE CAMPAIGN (ARMY) (S/S BY MIL-DTL-3943/195) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/36C NOT 1 | MEDAL, PHILIPPINE CONGRESSIONAL (S/S BY MIL-DTL-3943/196) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/37C NOT 1 | MEDAL, SECOND NICARAGUAN CAMPAIGN (S/S BY MIL-DTL-3943/225) [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/38C NOT 1 | MEDAL, SPANISH CAMPAIGN (S/S BY MIL-DTL-3943/197) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/39D NOT 1 | MEDAL, SPANISH WAR SERVICE (S/S BY MIL-DTL-3943/198) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/40C NOT 1 | MEDAL, UNITED NATIONS SERVICE (S/S BY MIL-DTL-3943/235) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/41C NOT 1 | MEDAL, WORLD WAR I VICTORY (S/S BY MIL-DTL-3943/236) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/42C NOT 1 | MEDAL, WORLD WAR II VICTORY (S/S BY MIL-DTL-3943/237) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/43C NOT 1 | MEDAL, ARMY WOMEN'S ARMY CORPS SERVICE (S/S BY MIL-DTL-3943/199) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/44D NOT 1 | MEDAL, YANGTZE SERVICE (S/S BY MIL-DTL-3943/226) [CUST: IH NU] [REVIEW: CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/45D NOT 1 | MEDAL, VIETNAM SERVICE (S/S BY MIL-DTL-3943/238) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/46C NOT 1 | MEDAL, COMBAT READINESS, AIR FORCE (S/S BY MIL-DTL-3943/203) [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/47D NOT 1 | MEDAL, CIVILIAN SERVICE IN VIETNAM (S/S BY MIL-DTL-3943/239) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/48C NOT 1 | MEDAL, ARMY RESERVE COMPONENTS ACHIEVEMENT (S/S BY MIL-DTL-3943/200) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/49C NOT 1 | MEDAL, AIR RESERVE FORCES MERITORIOUS SERVICE (S/S BY MIL-DTL-3943/204) [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/50B NOT 1 | MEDAL, HUMANITARIAN SERVICE (S/S BY MIL-DTL-3943/240) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/51C NOT 1 | MEDAL, ARCTIC SERVICE, COAST GUARD (S/S BY MIL-DTL-3943/213) [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/52C NOT 1 | MEDAL, GOOD CONDUCT, COAST GUARD RESERVE (S/S BY MIL-DTL-3943/214) [CUST: IH NU] [REVIEW: CG CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/53B NOT 1 | MEDAL, PRISONER OF WAR (POW) (S/S BY MIL-DTL-3943/241) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/54B NOT 1 | MEDAL, CIVILIAN AWARD FOR HUMANITARIAN SERVICE, ARMY (S/S BY MIL-DTL-3943/201) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/56B NOT 1 | MEDAL, MULTINATIONAL FORCE AND OBSERVERS (S/S BY MIL-DTL-3943/242) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/57A NOT 1 | MEDAL, SOUTHWEST ASIA SERVICE (S/S BY MIL-DTL-3943/243) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/58A NOT 1 | MEDAL, VIETNAM SERVICE, MERCHANT MARINE (S/S BY MIL-DTL-3943/215) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/59B NOT 1 | MEDAL, CIVILIAN SERVICE IN SOUTHWEST ASIA, DOD (S/S BY MIL-DTL-3943/249) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/60A NOT 1 | MEDAL, EXPEDITIONARY, MERCHANT MARINE (S/S BY MIL-DTL-3943/216) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/61A NOT 1 | MEDAL, DEFENSE, MERCHANT MARINE (S/S BY MIL-DTL-3943/217) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/62A NOT 1 | MEDAL, ATLANTIC WAR ZONE, MERCHANT MARINE (S/S BY MIL-DTL-3943/218) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/63A NOT 1 | MEDAL, PACIFIC WAR ZONE, MERCHANT MARINE (S/S BY MIL-DTL-3943/219) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/64A NOT 1 | MEDAL, KOREAN SERVICE, MERCHANT MARINE (S/S BY MIL-DTL-3943/220) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/65A NOT 1 | MEDAL, MEDITERRANEAN - MIDDLE EAST WAR ZONE, MERCHANT MARINE (S/S BY MIL-DTL-3943/221) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/66A NOT 1 | MEDAL, KUWAIT LIBERATION, KINGDOM OF SAUDI ARABIA (S/S BY MIL-DTL-3943/244) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-M-3946/67A NOT 1 | MEDAL, WORLD WAR II VICTORY, MERCHANT MARINE (S/S BY MIL-DTL-3943/222) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 30-JUL-97 | |
| MIL-DTL-3946/68 NOT 1 | MEDAL, KUWAIT LIBERATION MEDAL, GOVERNMENT OF KUWAIT (S/S BY MIL-DTL-3943/250) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-DTL-3946/69 NOT 1 | MEDAL, ARMED FORCES SERVICE (S/S BY MIL-DTL-3943/251) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-DTL-3946/70 NOT 1 | MEDAL, NORTH ATLANTIC TREATY ORGANIZATION (NATO) (S/S BY MIL-DTL-3943/252) [CUST: IH NU 45] [REVIEW: 32 82 99 CG CT MC] | A 8455 | IH | 30-JUL-97 | |
| MIL-T-3977D NOT 1 | TRUCK, FIXED PLATFORM, INTERNAL COMBUSTION ENGINE POWERED, PNEUMATIC RUBBER TIRES, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: SA 84] [REVIEW: 85 CC] | A 3930 | SA | 05-MAY-98 | |
| MIL-T-3997E NOT 1 | TRUCK, FIXED PLATFORM, ELECTRIC POWERED, PNEUMATIC RUBBER TIRES (NO S/S DOCUMENT) [CUST: CR4 SA 99] [REVIEW: 84 AS CC CR MC OS SH SM] | A 3930 | SA | 05-MAY-98 | |
| MIL-C-3998E NOT 1 | CRANE TRUCKS, WAREHOUSE, DIESEL ENGINE, PNEUMATIC RUBBER TIRES (NO S/S DOCUMENT) [CUST: CR4 SA 99] [REVIEW: 84 CR4 DH OS] | A 3950 | SA | 05-MAY-98 | |
| MIL-C-4150J NOT 1 | CASES, TRANSIT AND STORAGE, WATERPROOF AND WATER-VAPORPROOF (NO S/S DOCUMENT) [CUST: GL AS 69] [REVIEW: 13 18 99 CR CR4 MC MI OS SA SM] | A 8115 | 69 | 25-NOV-97 | |
| MIL-S-4473F NOT 2 | SHIELDING OF MAGNETRON TUBES & MAGNETS FOR AIR SHIPMENT (NO S/S DOCUMENT) [CUST: CR EC 69] [REVIEW: 99 AR AV CC CR4 SH SM] | A PACK | 69 | 04-MAY-98 | |
| MIL-D-4824D(2) NOT 2 | DEVELOPERS, PHOTOGRAPHIC, ARMED FORCES (NO S/S DOCUMENT) [CUST: CR] [REVIEW: AV GS SS] | A 6750 | CR | 09-JAN-98 | |
| MIL-W-5044C(1) NOT 1 | WALKWAY COMPOUND, NONSLIP AND WALKWAY MATTING, NONSLIP (S/S BY A-A-59166 AND A-A-59124) [CUST: CR4 AS 99] [REVIEW: MI YDI] | A 5610 | 84 | 24-MAR-98 | |
| MIL-I-5488A(2) NOT 1 | INDICATOR, TURN AND SLIP, 2BV., DC, 2-3/4 SIZE, TYPE MD-10 (NO S/S DOCUMENT) [CUST: AV AS 99] | A 6610 | 71 | 04-MAY-98 | |
| MIL-T-5544C NOT 1 | THREAD COMPOUND, ANTISEIZE, GRAPHITE-PETROLATUM (NO S/S DOCUMENT) [CUST: MR 11] [REVIEW: AV CR4 MC MI SH YDI] | A 8030 | 11 | 29-DEC-97 | |
| MIL-C-5545C NOT 2 | CORROSION PREVENTIVE, AIRCRAFT ENGINE, HEAVY OIL TYPE (NO S/S DOCUMENT) [CUST: SM AS 11 GS] [REVIEW: 68 PS] | A 6850 | GS | 30-JUN-97 | |
| MIL-C-5637B(2) NOT 1 | COOLER, LUBRICATING OIL, PETROLEUM BASE, AIRCRAFT ENGINE, TUBULAR (S/S BY MIL-PRF-25478) [CUST: 99] | A 2935 | 71 | 28-NOV-97 | |
| MIL-C-5778D NOT 1 | COVERS, AIRCRAFT COMPONENTS, GENERAL REQUIREMENTS FOR (S/S BY SAE-AS5778) [CUST: AV AS 99] [REVIEW: 82 IS MC] | A 1730 | AS | 17-SEP-97 | |
| MIL-B-6039E NOT 1 | BEARINGS, BALL, ROD END, DOUBLE ROW, SELF-ALIGNING (S/S BY SAE-AS6039) [CUST: AV AS 99 IS] [REVIEW: 84 AT] | A 3110 | IS | 24-APR-98 | |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|-------------------------|---|--------------|-----|-------------|--|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | | |
| | MIL-E-6060/2A NOT 2 | ENVELOPE, PACKAGING, WATER-VAPORPROOF, FLEXIBLE (R-1820, R-1830 AND R-2000 ENGINES) (NO S/S DOCUMENT) [CUST: 69] [REVIEW: 70 71 80 82 99] | A 8105 | 69 | | | 04-MAY-98 |
| | MIL-E-6060/3A NOT 2 | ENVELOPE, PACKAGING, WATER-VAPORPROOF, FLEXIBLE (R-2800 ENGINE) (NO S/S DOCUMENT) [CUST: 69] [REVIEW: 70 71 80 82 99] | A 8105 | 69 | | | 04-MAY-98 |
| | MIL-E-6060/4A NOT 2 | ENVELOPE, PACKAGING, WATER-VAPORPROOF, FLEXIBLE (5 KW AIRCRAFT POWER PLANT) (NO S/S DOCUMENT) [CUST: 69] [REVIEW: 70 71 80 82 99] | A 8105 | 69 | | | 04-MAY-98 |
| | MIL-E-6060/5A NOT 2 | ENVELOPE, PACKAGING, WATER-VAPORPROOF, FLEXIBLE (J-33 ENGINE) (NO S/S DOCUMENT) [CUST: 69] [REVIEW: 70 71 80 82 99] | A 8105 | 69 | | | 04-MAY-98 |
| | MIL-H-6088G(1) NOT 1 | HEAT TREATMENT OF ALUMINUM ALLOYS (S/S BY SAE-AMS-H-6088) [CUST: MR AS 11] [REVIEW: 99 AR AV CR4 IS MS OS SH] | A 95GP | AS | | | 26-SEP-97 |
| | MIL-R-6106/8D(2) NOT 1 | RELAYS, ELECTROMAGNETIC, TYPE I, PERMANENT MAGNET DRIVE, 10 AMPERES, 6 PDT, HERMETICALLY SEALED (S/S BY MIL-PRF-83536/25 AND MIL-PRF-83536/26) [CUST: 85] [REVIEW: 99] | A 5945 | 85 | | | 11-AUG-97 |
| | MIL-R-6106/50B(1) NOT 1 | RELAYS, ELECTROMAGNETIC, TYPE I, MAGNETIC LATCH, LOW LEVEL TO 10 AMPERES, 2 PDT, HERMETICALLY SEALED (S/S BY MIL-R-83536/18, MIL-R-83536/19 AND MIL-R-83536/20) [CUST: CR AS 85] [REVIEW: 99 CC EC] | A 5945 | 85 | | | 27-DEC-96 |
| | MIL-R-6106/51B(1) NOT 1 | RELAYS, ELECTROMAGNETIC, TYPE I, MAGNETIC LATCH, LOW LEVEL TO 10 AMPERES, 4 PDT, HERMETICALLY SEALED (S/S BY MIL-R-83536/18, MIL-R-83536/19 AND MIL-R-83536/20) [CUST: CR AS 85] [REVIEW: 99 CC] | A 5945 | 85 | | | 27-DEC-96 |
| | MIL-R-6130C(1) NOT 1 | RUBBER, CELLULAR, CHEMICALLY BLOWN (NO S/S DOCUMENT) [CUST: SA] | A 9320 | SA | | | 17-SEP-97 |
| | MIL-S-6144A NOT 1 | SOUND AND THERMAL INSULATION FOR AIRCRAFT GENERAL SPECIFICATION FOR THE INSTALLATION OF (S/S BY SAE-AS6144) [CUST: AV AS] | A 1560 | AS | | | 15-OCT-97 |
| | MIL-T-6480A NOT 1 | TIE DOWN, CARGO, AIRCRAFT, TYPE C-2 (S/S BY SAE-AS6480) [CUST: GL AS] [REVIEW: AV MI] | A 1670 | AS | | | 17-SEP-97 |
| | MIL-S-6625A NOT 1 | SPRAY EQUIPMENT, AIRCRAFT WINDSHIELD, ANTI-ICING (S/S BY SAE-AS6625) [CUST: AV AS] [REVIEW: GS] | A 6850 | AS | | | 30-SEP-97 |
| | MIL-S-6852B NOT 1 | SPICE, CONDUCTOR, ELECTRIC, DISCONNECT (S/S BY SAE-AS6852) [CUST: CR AS 85] [REVIEW: 99 CG EC GS MC] | A 5940 | AS | | | 29-AUG-97 |
| | MIL-E-7125A NOT 2 | ETHYLENE GLYCOL MONOETHYL ETHER ACETATE, TECHNICAL (S/S BY A-A-59161) [CUST: EA AS 68 GS] [REVIEW: AR MDI] | A 6810 | GS | | | 08-MAY-98 |
| | MIL-F-7179G NOT 1 | FINISHES, COATINGS, AND SEALANTS FOR THE PROTECTION OF AEROSPACE WEAPONS SYSTEMS (S/S BY MIL-STD-7179) [CUST: MR AS 11] [REVIEW: 19 84 99 AR AV CG CR4 MI] | A MFFP | AS | | | 15-NOV-97 |
| | MIL-C-7488A(3) NOT 1 | COOLER, OIL, PLATE, AIRCRAFT (S/S BY MIL-PRF-25478) [CUST: 99] | A 2935 | 71 | | | 28-NOV-97 |
| | MIL-L-7569A(1) NOT 2 | LIGHT, SIGNAL, HAND HELD, AIRCRAFT, TYPE MA-1 (NO S/S DOCUMENT) [CUST: 99] | A 5850 | 80 | | | 22-SEP-97 |
| | MIL-S-7720A(2) NOT 1 | STEEL, CORROSION RESISTANT (18-8) BARS, WIRE AND FORGING STOCK (AIRCRAFT QUALITY) (S/S BY SAE-AMS-S-7720) [CUST: MR AS 11] [REVIEW: 85 99 CR4 EA MI SH] | A 9510 | AS | | | 12-DEC-97 |
| | MIL-R-7871A NOT 3 | ROPE, EXTRA-HIGH-STRENGTH WIRE, 6 BY 19 WIDTH 7 BY 7 INDEPENDENT WIRE ROPE CENTER (FOR AIRCRAFT LAUNCHING AND RELATED APPLICATIONS) (NO S/S DOCUMENT) [CUST: AS] | A 4010 | AS | | | 03-FEB-98 |
| | MIL-S-7916D NOT 1 | SEALING COMPOUND, THREAD AND GASKET, FUEL, OIL, AND WATER RESISTANT (S/S BY SAE-AS-S-7916) [CUST: MR AS 99] [REVIEW: 84 AT CR CR4 EA FSS MC SH] | A 8030 | AS | | | 15-NOV-97 |
| | MIL-G-7940C NOT 2 | GAGES, LIQUID QUANTITY, CAPACITOR TYPE, INSTALLATION AND CALIBRATION OF (NO S/S DOCUMENT) [CUST: AV AS] [REVIEW: GS] | A 6680 | AS | | | 04-MAY-98 |
| | MIL-M-8090F NOT 1 | MOBILITY, TOWED AEROSPACE GROUND EQUIPMENT, GENERAL REQUIREMENTS FOR (S/S BY SAE-AS8090) [CUST: AT AS] [REVIEW: 99 AR CR4] | A MISC | AS | | | 17-SEP-97 |
| | MIL-B-8111F NOT 1 | BOX SET, WOOD, NESTED, ORGANIZATION EQUIPMENT TYPE MG-1A (NO S/S DOCUMENT) [CUST: 69] [REVIEW: 84 99] | A 8115 | 69 | | | 25-NOV-97 |
| | MIL-C-8135A NOT 3 | CLOTH, COATED, NYLON, BUNA N COATED, 1 SIDE (NO S/S DOCUMENT) [CUST: 99 CT] | A 8305 | CT | | | 22-JUL-97 |
| | MIL-D-8181B NOT 1 | DETECTOR, ICE, AIR INTAKE DUCT, AIRCRAFT ENGINES AND AIRFRAME SYSTEMS, GENERAL SPECIFICATION FOR (S/S BY SAE-AS8181) [CUST: AV AS] [REVIEW: 99] | A 6340 | AS | | | 01-OCT-97 |
| | MIL-F-8209B NOT 1 | FLASHLIGHT, HAND GENERATED, TYPE A-9 (LAMP ASSEMBLY, FLASHLIGHT, TYPE A-9) (S/S BY A-A-55447) [CUST: ME AS 99 IS] | A 6230 | IS | | | 14-JUN-95 |
| | MIL-A-8576C NOT 1 | ADHESIVE, ACRYLIC BASE, FOR ACRYLIC PLASTIC (S/S BY SAE-AMS-A-8576) [CUST: MR AS 99] [REVIEW: CR CR4 MC MD MI] | A 8040 | AS | | | 15-NOV-97 |
| | MIL-P-8587B NOT 1 | PLASTIC, SHEET, COLORED, INSTRUMENT FLYING TRAINING (NO S/S DOCUMENT) [CUST: AS 11 GS] [REVIEW: 99] | A 9330 | GS | | | 30-JUN-97 |
| | MIL-I-8651C NOT 1 | IDENTIFICATION AND MODIFICATION PLATES (FOR AIRCRAFT) INSTALLATION OF (S/S BY MIL-STD-8651) [CUST: AV AS 99] [REVIEW: 84] | A 9905 | AS | | | 10-NOV-97 |
| | MIL-V-8712A NOT 1 | VALVE, AIR RELIEF, LOW PRESSURE(ASG) (S/S BY SAE-AS8712) [CUST: AS] [REVIEW: CC MI] | A 4820 | AS | | | 25-AUG-97 |
| | MIL-R-8791D(1) NOT 1 | RETAINER, PACKING, HYDRAULIC, AND PNEUMATIC, TETRAFLUOROETHYLENE RESIN (S/S BY SAE-AS8791) [CUST: MR AS 99 IS] | A 5330 | IS | | | 09-MAR-98 |
| | MIL-R-8791/1 NOT 1 | RETAINER, PACKING, HYDRAULIC AND PNEUMATIC, POLYTETRAFLUOROETHYLENE RESIN, (SINGLE TURN) (S/S BY SAE-AS8791/1) [CUST: MR AS 99 IS] [REVIEW: AR AV CR4 MI SH] | A 5330 | IS | | | 09-MAR-98 |
| | MIL-D-8804B NOT 1 | DEICING SYSTEM, PNEUMATIC BOOT, AIRCRAFT, GENERAL SPECIFICATION FOR (S/S BY SAE-AS8804) [CUST: AV AS 99] [REVIEW: 71 CC MC] | A 1650 | AS | | | 10-OCT-97 |
| | MIL-A-8868B(1) NOT 1 | AIRPLANE STRENGTH AND RIGIDITY DATA AND REPORTS (NO S/S DOCUMENT) [CUST: AS] | A 1510 | AS | | | 04-MAY-98 |
| | MIL-A-9067C(1) NOT 2 | ADHESIVE BONDING, PROCESS AND INSPECTION REQUIREMENTS FOR (NO S/S DOCUMENT) [CUST: MI AS] [REVIEW: AR AV CR4] | A 8040 | AS | | | 04-MAY-98 |
| | MIL-F-9329B(1) NOT 1 | FILTERS, LIGHT PHOTOGRAPHIC, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: AS 99] [REVIEW: CR4 MI] | A 6760 | 70 | | | 05-JUN-89 |
| | MIL-B-9972B NOT 1 | BRAZING, NICKEL ALLOY, GENERAL SPECIFICATION FOR (S/S BY AWS-C3.6) [CUST: 99] [REVIEW: 11] | A THJM | 82 | | | 20-OCT-97 |
| | MIL-T-10010J NOT 1 | TRACTOR, FOUR WHEELED, SIT DOWN, WAREHOUSE, ELECTRIC-MOTOR DRIVEN (NO S/S DOCUMENT) [CUST: CR4 SA 99] [REVIEW: 84 CC MC MT OS YDI] | A 3930 | SA | | | 05-MAY-98 |
| | MIL-R-10036E NOT 1 | RUST ARRESTING COATING (FOR TREATMENT OF RUSTED METAL) (NO S/S DOCUMENT) [CUST: MR SH 84] [REVIEW: 03 11 70 99 AS AT CC CG FSS MI OS YDI] | A 8030 | MR | | | 24-APR-98 |
| | MIL-H-10056F NOT 1 | HOLDERS (ENCLOSURES), CRYSTAL, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 17 19 80 AR AS CC MC MI OS SH] | A 5955 | CR | | | 09-OCT-97 |
| | MIL-H-10056/2D NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-6/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH] | A 5955 | CR | | | 09-OCT-97 |
| | MIL-H-10056/3D NOT 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-10/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 80 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | | 09-OCT-97 |
| | MIL-H-10056/4D NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-13/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH] | A 5955 | CR | | | 09-OCT-97 |
| | MIL-H-10056/5C NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-14/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH] | A 5955 | CR | | | 09-OCT-97 |
| | MIL-H-10056/6C NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-15/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH] | A 5955 | CR | | | 09-OCT-97 |
| | MIL-H-10056/7C NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-16/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS] | A 5955 | CR | | | 09-OCT-97 |
| | MIL-H-10056/8B NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-17/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH] | A 5955 | CR | | | 09-OCT-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|--------------------------|---|-----------------------|-----|-------------|-----------|
| MIL-H-10056/9C NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-18/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/10E NOT 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-21/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/11E NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-25/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 19 AS CC CG MC MI] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/12B NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-30/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/14E NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-27/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/15D NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-28/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/16C NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-29/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/17A NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-11A/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/18C NOT 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-32/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CG MC MI OS SH SM] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/19 NOT 3 | HOLDER, CRYSTAL, TYPE HC-1A/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 AR MI SM] | A 5955 | CC | | 03-JUL-97 |
| MIL-H-10056/20A NOT 3 | HOLDER, CRYSTAL, TYPE HC-33/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR CC CG MC MI SM] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/21C NOT 1 | HOLDER, CRYSTAL, TYPE HC-35/U (NO S/S DOCUMENT) [CUST: CR SH 85] [REVIEW: 17 19 AR CC CG MC MI SM] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/22A NOT 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-34/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/23C NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-36/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/24B NOT 1 | HOLDER, CRYSTAL, TYPE HC-37/U (NO S/S DOCUMENT) [CUST: CR SH 85] [REVIEW: 17 19 AR CC CG MC MI SM] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/25 NOT 3 | HOLDER, CRYSTAL, TYPE HC-38/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/26A NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-39/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 17 19 AR AS CC CG MC MI OS] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/27 NOT 3 | HOLDER, CRYSTAL, TYPE HC-40/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CC CG MC MI OS SM] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/28 NOT 3 | HOLDER, CRYSTAL, TYPE HC-41/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 17 19 AR AS CC CG MC MI OS] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/29C NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-42/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS SH] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/30B NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-43/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/31 NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-44/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/32 NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-45/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/33 NOT 2 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-46/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS CC CG MC MI OS] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/34 NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-47/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/35 NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-48/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/36 NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-49/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CC CG MC MI OS SH] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/37 NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-50/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 99 AR AS CC CG MC MI SH] | A 5955 | CR | | 09-OCT-97 |
| MIL-H-10056/38 NOT 3 | HOLDER (ENCLOSURE), CRYSTAL, TYPE HC-51/U (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 99 AR AS CC CG MC MI OS SH SM] | A 5955 | CR | | 09-OCT-97 |
| MIL-E-10062E(3) NOT 2 | ENGINES: PREPARATION FOR SHIPMENT AND STORAGE OF (NO S/S DOCUMENT) [CUST: AT YD1 99] [REVIEW: 82 AV CR4 GL MC MI SM] | A 1400 | AT | | 09-JAN-97 |
| MIL-C-10101F(1) NOT 1 | CASE, FIELD, OFFICE MACHINE (PLYWOOD) (NO S/S DOCUMENT) [CUST: GL 99 GS] [REVIEW: 84] | A 7490 | GS | | 28-MAY-98 |
| MIL-T-10163E NOT 1 | TERRAIN MODELING KIT, TRAINING AID (NO S/S DOCUMENT) [CUST: CE3] | A 6910 | CE3 | | 07-JUL-97 |
| MIL-M-10452C NOT 1 | MONOCHLOROACETIC ACID, TECHNICAL (NO S/S DOCUMENT) [CUST: EA GS] | A 6810 | GS | | 30-JUN-97 |
| MIL-S-10520D NOT 2 | STEEL, FORGING, FOR PROJECTILE STOCK (S/S BY ASTM-A711 OR ASTM-A575) [CUST: AR] | A 6810 | AR | | 03-DEC-97 |
| MIL-T-10579H NOT 2 | TRAILER, CARGO, 2 WHEEL, 1/4 TON TO 1 1/2 TON (NO S/S DOCUMENT) [CUST: AT] | A 2330 | AT | | 11-JUL-97 |
| MIL-W-10698C(1) NOT 2 | WRENCH, OPEN END, AND WRENCH ASSEMBLY, STAMPED STEEL (S/S BY A-A-59220) [CUST: GL YD1 99] [REVIEW: 84 MC] | A 5120 | YD1 | | 18-MAY-98 |
| DOD-A-10825A(1) NOT 1 | ALUMINUM OXIDE, ANHYDROUS, ANALYZED REAGENT (METRIC) (NO S/S DOCUMENT) [CUST: EA 68 GS] [REVIEW: MD] | A 6810 | GS | | 30-JUN-97 |
| MIL-L-10867E NOT 1 | LEATHER, CATTLEHIDE, GUSSET, CHROME TANNED, FATLIQUORED (S/S BY MIL-PRF-3122) [CUST: GL NU 99 CT] [REVIEW: 45 82 MC] | A 8330 | CT | | 04-MAR-98 |
| MIL-V-10908C NOT 1 | VALVE, DRIP, ADJUSTABLE FEED (NO S/S DOCUMENT) [CUST: GL YD1 99] [REVIEW: CC MC] | A 4520 | GL | | 31-JUL-97 |
| MIL-A-10957G NOT 1 | ADAPTER KIT, GRAVITY FEED, FOR 5 GALLON MILITARY GASOLINE CAN AND 55 GALLON DRUM (NO S/S DOCUMENT) [CUST: GL YD1 99] [REVIEW: FSS MC] | A 7240 | GL | | 31-JUL-97 |
| MIL-C-11029D NOT 1 | CITRIC ACID, TECHNICAL (S/S BY A-A-59147) [CUST: 68 GS] [REVIEW: MD1] | A 6810 | GS | | 17-DEC-97 |
| MIL-R-11050B SUP 1 NOT 1 | RECTIFIER, METALLIC, SELENIUM (NO S/S DOCUMENT) [CUST: CR SH 99] [REVIEW: AR AS CC CR4 MC] | A 6130 | GS | | 18-JUL-97 |
| MIL-R-11050/1 NOT 1 | RECTIFIER, METALLIC, SELENIUM, SINGLE PHASE, HALF WAVE, STYLE RS-10 (NO S/S DOCUMENT) [CUST: CR SH] | A 6130 | GS | | 18-JUL-97 |
| MIL-R-11050/3 NOT 1 | RECTIFIER, METALLIC, SELENIUM, SINGLE PHASE, BRIDGE, STYLE RS10 (NO S/S DOCUMENT) [CUST: CR SH] [REVIEW: MC] | A 6130 | GS | | 18-JUL-97 |
| MIL-R-11050/6 NOT 1 | RECTIFIER, METALLIC, SELENIUM, SINGLE PHASE, BRIDGE, STYLE RS20 (NO S/S DOCUMENT) [CUST: CR SH] [REVIEW: MC] | A 6130 | GS | | 18-JUL-97 |
| MIL-P-11082C NOT 2 | PLOTTING SHEET, PLANE TABLE (UNMOUNTED, WHITE, SMOOTH SURFACE, HEAVY, GRIDDED) (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: CR4 MC] | A 7530 | GL | | 19-SEP-97 |
| MIL-S-11153F NOT 1 | SLED, SCOW - TYPE, PLASTIC (NO S/S DOCUMENT) [CUST: AT SA 99 GS] [REVIEW: MD] | A 3920 | GS | | 08-APR-98 |
| MIL-U-11224E(1) NOT 1 | UMBRELLA, SURVEYOR S (SIX RIB) (NO S/S DOCUMENT) [CUST: GL YD1 99 CT] [REVIEW: 45 CR4 MC] | A 8340 | CT | | 04-MAR-98 |
| MIL-A-11267C NOT 2 | ALUMINUM ALLOY SHEET, 8280 (NO S/S DOCUMENT) [CUST: MR] [REVIEW: AR AT] | A 9535 | MR | | 07-JUN-97 |
| MIL-D-11637A NOT 2 | DRIVES, BALLISTIC, M4 (T23), M3 (T23E1 AND)T23E2((NO S/S DOCUMENT) [CUST: AR] | A 1270 | AR | | 27-SEP-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------------------|--|--------------------------|-----|-------------|-----------|
| MIL-T-11776E NOT 1 | TABLE, LITHOGRAPHIC LAYOUT: TILT TOP, 24-INCH BY 30-INCH, NOMINAL ILLUMINATED AREA (S/S BY A-A-52568) [CUST: CE3] [REVIEW: GS] | A 3610 | CE3 | | 29-AUG-97 |
| MIL-T-11865A(1) NOT 1 | TELESCOPE, M84 (NO S/S DOCUMENT) [CUST: AR OS] | A 1240 | AR | | 27-SEP-97 |
| MIL-C-11866C NOT 3 | CASTINGS, PRECISION, NONFERROUS (NO S/S DOCUMENT) [CUST: AR] [REVIEW: AL EA ME MI] | A MECA | AR | | 04-JUN-96 |
| MIL-C-12038C NOT 2 | CHLOROBENZENE, TECHNICAL (NO S/S DOCUMENT) [CUST: EA 68 GS] [REVIEW: MD MR] | A 6810 | GS | | 30-JUN-97 |
| MIL-C-12056C NOT 2 | CALCIUM OXIDE, TECHNICAL (METRIC) (NO S/S DOCUMENT) [CUST: EA 68 GS] [REVIEW: MD] | A 6810 | GS | | 30-JUN-97 |
| MIL-F-12075D NOT 1 | FORGING MACHINE, HAMMER, VERTICAL, ELECTRIC -PNEUMATIC, SELF CONTAINED (NO S/S DOCUMENT) [CUST: AL 99 GS] [REVIEW: 84] | A 3446 | GS | | 25-NOV-97 |
| MIL-T-12167E NOT 1 | TIP, NOZZLE, FIRE HOSE (NO S/S DOCUMENT) [CUST: AV YD1 99] [REVIEW: 84 AS CC MC] | A 4210 | AV | | 31-MAR-98 |
| MIL-M-12218C(1) NOT 2 | MONOBROMOTORFLUORETHANE (LIQUIFIED) TECHNICAL GRADE FOR FIRE EXTINGUISHER (S/S BY ASTM-D5632) [CUST: AT AS 68] [REVIEW: GS MC MS] | A 6830 | AT | | 03-OCT-97 |
| MIL-T-12474D NOT 1 | TABLE, DINING, 4-SEAT CAPACITY (S/S BY A-A-59128) [CUST: GL 99] [REVIEW: 84 MC] | A 7105 | GL | | 17-OCT-97 |
| MIL-C-12517A NOT 2 | CASE, HYDROGEN GENERATOR SET (CASE CY-2190/TMQ-3) (NO S/S DOCUMENT) [CUST: CR GS] | A 3655 | GS | | 28-MAY-98 |
| MIL-R-12551D NOT 1 | RECHARGING UNIT, CARBON DIOXIDE, PUMPING METHOD (NO S/S DOCUMENT) [CUST: SH 99 GS] [REVIEW: MC YD1] | A 3655 | 82 | | 15-JUL-97 |
| MIL-T-12664B NOT 3 | TREATMENT, FUNGUS RESISTANT, PARANITROPHENOL, FOR CORK PRODUCTS (S/S BY MIL-PRF-52924) [CUST: MI] [REVIEW: GS] | A 9390 | MI | | 26-NOV-97 |
| MIL-B-12672(1) NOT 1 | BRAZE-WELDING, OXYACETYLENE, OF BUILT-UP METAL STRUCTURES (S/S BY ANSI/AWS-C3.4) [CUST: AR] | A THJM | AR | | 14-JUL-97 |
| MIL-M-12698B(1) NOT 2 | MOUNT, TELESCOPE, M23 (NO S/S DOCUMENT) [CUST: AR] | A 1290 | AR | | 27-SEP-97 |
| MIL-M-12699B NOT 1 | MOUNT, TELESCOPE, M25 AND M25E1 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-P-12706 NOT 1 | PERISCOPE, M15 (NO S/S DOCUMENT) [CUST: AR] [REVIEW: MC] | A 1240 | AR | | 27-SEP-97 |
| MIL-T-12711A(3) NOT 1 | TELESCOPE, PANORAMIC, M1 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-S-12730E NOT 2 | SIGNALS, ILLUMINATION, RED STAR, DISTRESS, PARACHUTE, M131 PARTS AND LOADING, ASSEMBLING AND PACKING (NO S/S DOCUMENT) [CUST: AR] | A 1370 | AR | | 27-SEP-97 |
| MIL-T-0012756B(1) NOT 2 | TEST SET, BATTERY (BATTERY TESTER TS-183 O/U) (NO S/S DOCUMENT) [CUST: CR] | A 6625 | CR | | 09-JAN-98 |
| MIL-S-12781C NOT 1 | SINK, PHOTOGRAPHIC PROCESSING, AND SINK, LITHOGRAPHIC PROCESSING (S/S BY A-A-52569) [CUST: CE3 SA 99] [REVIEW: 84 GL GS MC] | A 3610 | CE3 | | 24-OCT-97 |
| MIL-Q-12793A(1) NOT 1 | QUADRANT, RANGE: M4A1 (NO S/S DOCUMENT) [CUST: AR] | A 1290 | AR | | 27-SEP-97 |
| MIL-G-12803C NOT 1 | GASKET MATERIAL, NON-METALIC (S/S BY ASTM-F104) [CUST: MR] | A 5330 | MR | | 19-DEC-97 |
| MIL-C-12813B NOT 1 | CRYSTAL UNITS, QUARTZ, WIRE-MOUNTED, METAL PLATED (NO S/S DOCUMENT) [CUST: CR] | A 5955 | ES | | 25-NOV-96 |
| MIL-T-13020C NOT 1 | TAPE, RUBBER UNVULCANIZED, SPLICING AND MOLDING (TAPES TL-317/U AND TL-318/U) (NO S/S DOCUMENT) [CUST: AL GS] [REVIEW: AR AT AV CR4 MI] | A 5970 | GS | | 16-DEC-97 |
| MIL-R-13029C(1) NOT 1 | RADIACMETER IM-93 O/UD RADIACMETER IM-147 O/PD (NO S/S DOCUMENT) [CUST: CR] | A 6665 | CR | | 03-SEP-97 |
| MIL-C-13125C NOT 2 | COMPOUND: MOUNTING FOR OPTICAL LENS BLANKS (NO S/S DOCUMENT) [CUST: MR] [REVIEW: 84 AS CG SH] | A 8030 | MR | | 17-NOV-97 |
| MIL-S-13165C(1) NOT 1 | SHOT PEENING OF METAL PARTS (S/S BY SAE-AMS-S-13165) [CUST: MR AS 11] [REVIEW: 18 84 99 AR AT AV CR4 EA MI OS SH] | A MFFP | MR | | 19-FEB-98 |
| MIL-C-13246B NOT 1 | CRESYLIC ACID, TECHNICAL (NO S/S DOCUMENT) [CUST: EA AS 68 GS] [REVIEW: OS] | A 6810 | GS | | 25-NOV-97 |
| MIL-P-13269A(5) NOT 1 | PERISCOPE, TANK, M20 SERIES (NO S/S DOCUMENT) [CUST: AR] [REVIEW: AT] | A 1240 | AR | | 27-SEP-97 |
| MIL-S-13282B NOT 2 | SILVER AND SILVER ALLOYS (NO S/S DOCUMENT) [CUST: MR AS 99] [REVIEW: 11 AR CR4 EA MI] | A 9545 | MR | | 07-JUN-97 |
| MIL-M-13318B NOT 1 | MOUNT, TELESCOPE, M79 (NO S/S DOCUMENT) [CUST: AR] [REVIEW: MC] | A 1240 | AR | | 27-SEP-97 |
| MIL-T-13321B NOT 1 | TELESCOPE, ELBOW, M62 SERIES (NO S/S DOCUMENT) [CUST: AR] [REVIEW: GS MI] | A 1240 | AR | | 27-SEP-97 |
| MIL-A-13325A(2) NOT 1 | ADAPTER, TELESCOPE, M9A1 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-M-13347A NOT 1 | MOUNT, TELESCOPE: M71 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-M-13348(1) NOT 1 | MOUNT, PERISCOPE, M89 (T177) AND M94 (T177A2) (NO S/S DOCUMENT) [CUST: AR] | A 1290 | AR | | 27-SEP-97 |
| MIL-M-13368 NOT 1 | MOUNT, SIGHT, M74C (NO S/S DOCUMENT) [CUST: AR] | A 1290 | AR | | 27-SEP-97 |
| MIL-S-13448A NOT 2 | SIGHT, RIFLE GRENADE LAUNCHER, M15 (NO S/S DOCUMENT) [CUST: AR] | A 1005 | AR | | 27-SEP-97 |
| MIL-G-13451B NOT 1 | GAGE, DIMENSIONAL CONTROL, MECHANICAL (FOR SIGNAL CORPS EQUIPMENT) (NO S/S DOCUMENT) [CUST: CR ES] [REVIEW: AR] | A 5999 | ES | | 01-JUL-96 |
| MIL-C-13453A(1) NOT 1 | CLOTH, COTTON, SHEETING (FOR BANDOLEERS) (NO S/S DOCUMENT) [CUST: AR CT] | A 8305 | CT | | 02-JUN-97 |
| MIL-R-13562A NOT 1 | ROTATING BAND, WELDED OVERLAY, FERROUS AND NONFERROUS, FOR PROJECTILE VALIDATED APR 1966 (NO S/S DOCUMENT) [CUST: AR] | A 1395 | AR | | 27-SEP-97 |
| MIL-S-13571 NOT 1 | SYSTEM, LOCAL CONTROL M16A1E1 (NO S/S DOCUMENT) [CUST: AR] | A 1290 | AR | | 27-SEP-97 |
| MIL-P-13607B(2) NOT 1 | PADDING MATERIALS, RESILIENT (FOR PACKAGING OF AMMUNITION) (S/S BY A-A-59203) [CUST: AR] | A 8140 | AR | | 06-APR-98 |
| MIL-T-13658 NOT 1 | TELESCOPE, ELBOW, M26A1 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-G-13665 NOT 1 | GUN, MACHINE, BROWNING, CALIBER .30, M1919A6 (WITH SPARE PARTS) (NO S/S DOCUMENT) [CUST: AR 99] [REVIEW: 84 MC] | A 1005 | AR | | 27-SEP-97 |
| MIL-M-13667B NOT 2 | MANGANESE CARBONATE, TECHNICAL (NO S/S DOCUMENT) [CUST: EA GS] [REVIEW: MD1] | A 6810 | GS | | 19-FEB-98 |
| MIL-C-13724A NOT 2 | CHARCOAL, ACTIVATED, IMPREGNATED, ASC (NO S/S DOCUMENT) [CUST: EA SH 68] [REVIEW: YD1] | A 6810 | EA | | 23-SEP-97 |
| MIL-C-0013724D(2) NOT 2 | CHARCOAL, ACTIVATED, IMPREGNATED, ASC (NO S/S DOCUMENT) [CUST: EA] | X 6810 | EA | | 23-SEP-97 |
| MIL-S-13727B NOT 2 | SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS, TECHNICAL (S/S BY AWWA-B504) [CUST: EA 68 GS] [REVIEW: MD1] | A 6810 | GS | | 29-AUG-97 |
| MIL-C-13753A NOT 3 | CHARGER, MANUAL, M6 (NO S/S DOCUMENT) [CUST: AR] | A 1005 | AR | | 27-SEP-97 |
| MIL-L-13762B NOT 2 | LEAD ALLOY COATING, HOT DIP (FOR IRON AND STEEL PARTS) (S/S BY ASTM-A308) [CUST: MR SH 11] | A MFFP | MR | | 07-APR-98 |
| MIL-F-13785A(2) NOT 2 | FILTER MATERIAL (NO S/S DOCUMENT) [CUST: EA SH] [REVIEW: GS] | A 4240 | EA | | 23-SEP-97 |
| MIL-F-0013785B(6) NOT 2 | FILTER MATERIAL (NO S/S DOCUMENT) [CUST: EA] | A 4240 | EA | | 23-SEP-97 |
| MIL-T-13867C NOT 2 | TREATMENT, MOISTURE AND FUNGUS RESISTANT FOR FIRE CONTROL ELECTRICAL AND ELECTRONIC INSTRUMENTS AND EQUIPMENT (NO S/S DOCUMENT) [CUST: MR] [REVIEW: 84 AS CG SH] | A 8030 | MR | | 17-NOV-97 |
| MIL-A-13881C NOT 2 | ANTI-SEIZE COMPOUND, MICA-BASE (FOR THREADED FITTINGS) (NO S/S DOCUMENT) [CUST: MR 99] [REVIEW: 11 84 AS CG SH] | A 8030 | MR | | 17-NOV-97 |
| MIL-B-13900D NOT 3 | COMPRESSOR UNIT, ROTARY, AIR, WHEELBARROW FRAME MOUNTED, TWO PNEUMATIC TIRES, GASOLINE ENGINE DRIVEN, 60 CFM, 6.5 PSIG (NO S/S DOCUMENT) [CUST: AR] [REVIEW: MC] | A 1040 | AR | | 27-SEP-97 |
| MIL-S-13985C NOT 2 | SODIUM HYDROSULFITE, ANHYDROUS, TECHNICAL (NO S/S DOCUMENT) [CUST: EA 68 GS] [REVIEW: MD1] | A 6810 | GS | | 03-NOV-97 |
| MIL-S-14022A(2) NOT 1 | SODIUM PERBORATE, TETRAHYDRATE (NO S/S DOCUMENT) [CUST: EA GS] [REVIEW: MD1] | A 6810 | GS | | 25-MAY-98 |
| MIL-G-14106B NOT 2 | GENERATOR, DIRECT CURRENT, G-43 (J/G (HAND CRANKED) (NO S/S DOCUMENT) [CUST: CR] [REVIEW: GS] | A 6115 | CR | | 09-JAN-98 |
| MIL-T-14132G NOT 1 | THEODOLITES, SURVEYING, DIRECTION: SECOND ORDER (S/S BY A-A-52574) [CUST: CE3 MC 99] [REVIEW: 82 GS] | A 6675 | CE3 | | 15-MAY-98 |
| MIL-S-14210G NOT 1 | SOCKS, MEN S, NYLON AND COTTON, KNEE-LENGTH, STRETCH-TYPE (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: CG] | A 8440 | CT | | 07-JUN-97 |
| MIL-P-14232E(2) NOT 3 | PARTS, EQUIPMENT AND TOOLS FOR ARMY MATERIEL, PACKAGING OF (S/S BY MIL-STD-2073/1) [CUST: AT MC GS] [REVIEW: AR CR4 EA MI SM] | A PACK | GS | | 20-AUG-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------------|---|-----------------------|-----|-------------|------|
| | MIL-I-14303E NOT 2 | IGNITER, BOMB, WP, AN-M23A1; COMPONENTS FOR (NO S/S DOCUMENT) [CUST: AR AS] [REVIEW: SM] | A 1325 | AS | 17-APR-98 | |
| | MIL-C-14550B(3) NOT 1 | COPPER PLATING (ELECTRODEPOSITED) (S/S BY SAE-AMS2418) [CUST: MR AS 11] | A MFFP | MR | 07-APR-98 | |
| | MIL-F-14552 NOT 1 | FIRE CONTROL SYSTEM REQUIREMENTS FOR GUN, 155-MM, SELF-PROPELLED, M53 AND HOWITZER, 8-INCH, SELF PROPELLED M55. (NO S/S DOCUMENT) [CUST: AR] | A 1230 | AR | 27-SEP-97 | |
| | MIL-B-14632/1C NOT 1 | BADGE, QUALIFICATION, ACADEMIC ACHIEVEMENT WREATH, ROTC, ARMY (S/S BY MIL-DTL-11132/43) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 21-JUL-97 | |
| | MIL-B-14632/2E NOT 1 | BADGE, QUALIFICATION, STAR, HONOR UNITS, ROTC AND NDCC, ARMY (S/S BY MIL-DTL-11132/44) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 21-JUL-97 | |
| | MIL-B-14632/3C NOT 1 | BADGE, QUALIFICATION, DISTINGUISHED MILITARY STUDENT, ROTC, ARMY AND AIR FORCE (S/S BY MIL-DTL-11132/50) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 21-JUL-97 | |
| | MIL-B-14632/4D NOT 1 | BADGE, QUALIFICATION, RECONDO, ROTC, ARMY (S/S BY MIL-DTL-11132/45) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 21-JUL-97 | |
| | MIL-B-14632/5C NOT 1 | BADGE, QUALIFICATION, AVIATION, FLIGHT TRAINING GRADUATE, ROTC, ARMY (S/S BY MIL-DTL-11132/46) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 21-JUL-97 | |
| | MIL-B-14632/6C NOT 1 | BADGE, QUALIFICATION, AVIATION, FLIGHT TRAINING STUDENT, ROTC, ARMY (S/S BY MIL-DTL-11132/47) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 21-JUL-97 | |
| | MIL-B-14632/7C NOT 1 | BADGE, QUALIFICATION, ACADEMIC ACHIEVEMENT WREATH, ADDITIONAL AWARDS, ROTC, ARMY (S/S BY MIL-DTL-11132/48) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 21-JUL-97 | |
| | MIL-B-14632/8C NOT 1 | BADGE, QUALIFICATION, MODEL ROCKETRY, JROTC, AIR FORCE (S/S BY MIL-DTL-11132/51) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 21-JUL-97 | |
| | MIL-B-14632/9C NOT 1 | BADGE, QUALIFICATION, MISSILEMAN, ROTC, AIR FORCE (S/S BY MIL-DTL-11132/49) [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 21-JUL-97 | |
| | MIL-B-14632/10C NOT 1 | BADGE, QUALIFICATION, PRE-HEALTH, AFROTC (S/S BY MIL-DTL-11132/52) [CUST: IH] [REVIEW: CT] | A 8455 | IH | 21-JUL-97 | |
| | MIL-B-14632/11C NOT 1 | BADGE, QUALIFICATION, NURSE, AFROTC (S/S BY MIL-DTL-11132/53) [CUST: IH 45] [REVIEW: 32 82 99 CT] | A 8455 | IH | 21-JUL-97 | |
| | MIL-C-14800 NOT 2 | COMPUTER, BALLISTICS, M13A1C (NO S/S DOCUMENT) [CUST: AR] | A 1220 | AR | 27-SEP-97 | |
| | MIL-I-14811(2) NOT 1 | INDICATOR, DIGITAL DISPLAY, 8215501 (NO S/S DOCUMENT) [CUST: AR] | A 1290 | AR | 27-SEP-97 | |
| | MIL-S-14823A NOT 1 | STOP WATCH, MILITARY (S/S BY A-A-55811) [CUST: AR SH 99 GS] [REVIEW: 82 AS CR MC OS] | A 6645 | GS | 03-NOV-97 | |
| | MIL-A-14878A(1) NOT 1 | AMPLIFIER, VIDEO: 10559445 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 27-SEP-97 | |
| | MIL-C-14894(2) NOT 1 | COMPUTER, BALLISTICS, M13B1C (NO S/S DOCUMENT) [CUST: AR] | A 1220 | AR | 27-SEP-97 | |
| | MIL-A-14995(1) NOT 1 | ADAPTER, BOOSTER, BOMB, TAIL, XM150, PARTS FOR (NO S/S DOCUMENT) [CUST: AS] | A 1325 | AS | 17-APR-98 | |
| | MIL-P-15024/6A NOT 1 | PLATE, IDENTIFICATION (NO S/S DOCUMENT) [CUST: CR] | A 9905 | CR | 25-SEP-97 | |
| | MIL-P-15024/7 NOT 2 | PLATE, TAGS AND BANDS, BAND, IDENTIFICATION, CABLE ASSEMBLY, TYPE K1, ALUMINUM (NO S/S DOCUMENT) [CUST: CR] | A 9905 | CR | 25-SEP-97 | |
| | MIL-P-15024/8 NOT 2 | BAND, IDENTIFICATION, CABLE ASSEMBLY, TYPE K2 HEAT SHRINKABLE TUBING (NO S/S DOCUMENT) [CUST: CR] | A 9905 | CR | 25-SEP-97 | |
| | MIL-P-15024/8(11) NOT 1 | BAND, IDENTIFICATION, CABLE ASSEMBLY, TYPE K2 HEAT SHRINKABLE TUBING (NO S/S DOCUMENT) [CUST: CR] | A 9905 | CR | 25-SEP-97 | |
| | MIL-P-15024/9 NOT 2 | PLATE, TAGS AND BANDS, AIRCRAFT LOADING DATAPLATE (NO S/S DOCUMENT) [CUST: CR] | A 9905 | CR | 25-SEP-97 | |
| | MIL-H-0015100F(4) NOT 1 | HOSE, RUBBER, WIRE REINFORCED (OIL AND GASOLINE, SUCTION AND DISCHARGE SMOOTH BORE) (NO S/S DOCUMENT) [CUST: SH] [REVIEW: CC] | A 4720 | SH | 17-SEP-97 | |
| | MIL-C-15203D NOT 2 | COATING COMPOUND, BITUMINOUS, EMULSION TYPE, COAL TAR BASE (NO S/S DOCUMENT) [CUST: MR YD1 99] [REVIEW: CE SH] | A 8030 | YD1 | 05-MAY-98 | |
| | MIL-H-15217E NOT 2 | HOSE, RUBBER, SANDBLAST (S/S BY ISO3861) [CUST: YD1 99] [REVIEW: CC] | A 4720 | YD1 | 08-AUG-97 | |
| | MIL-S-15297H NOT 1 | SPRAY OUTFITS, PAINT, PORTABLE (S/S BY OO-S-2927) [CUST: AL YD1 99] [REVIEW: CC] | A 4940 | YD1 | 30-JUN-97 | |
| | MIL-T-15672D NOT 3 | TABLES, LINE-UP AND REGISTER, PRINTING, LITHOGRAPHIC (S/S BY A-A-52570) [CUST: CE3 SA] [REVIEW: MC] | A 3610 | CE3 | 24-OCT-97 | |
| | MIL-T-16101E NOT 1 | TRUCKS, STRADDLE-CARRY, DIESEL, 30,000 POUNDS (13,605 KG) CAPACITY, PNEUMATIC RUBBER TIRES, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR4 SA 99] [REVIEW: 84 CC MC MT SH SM] | A 3930 | SA | 05-MAY-98 | |
| | MIL-S-16165E NOT 2 | SHIELDING HARNESES, SHIELDING ITEMS AND SHIELDING ENCLOSURES FOR USE IN THE REDUCTION OF INTERFERENCE FROM ENGINE ELECTRICAL SYSTEMS (NO S/S DOCUMENT) [CUST: SH] [REVIEW: CC YD1] | A 2920 | SH | 07-JUN-97 | |
| | MIL-C-16291G NOT 1 | CLOTH, FLANNEL, WOOL (NO S/S DOCUMENT) [CUST: NU CT] | A 8305 | CT | 20-MAY-98 | |
| | MIL-R-16417I NOT 2 | REPAIR KITS, CO2, INFLATABLE LIFE PRESERVERS (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: 84 CC CR4] | A 4220 | SH | 29-OCT-97 | |
| | MIL-D-16475/1A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) CRAFTMASTER (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/2A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) COMMAND AT SEA (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/3B NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) DIVER (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/4A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) SMALL CRAFT (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/5A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) SPECIAL WARFARE (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/6A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) SUBMARINE COMBAT PATROL (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/7B NOT 1 | DEVICE, METAL (BREAST AND COLLAR) SUBMARINE ENGINEERING DUTY (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/8B NOT 1 | DEVICE, METAL (BREAST AND COLLAR) SUBMARINE INSIGNIA (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/9A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) SUBMARINE MEDICAL (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/10A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) SUBMARINE SUPPLY CORPS (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/11B NOT 1 | DEVICES, METAL (BREAST AND COLLAR) BADGE, QUALIFICATION, SUBMARINE; SSBN DETERRENT PATROL (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/12A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) AVIATION ANTISUBMARINE WARFARE OPERATOR (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/13A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) AVIATION BOATSWAIN (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/14A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) AVIATION CONTROL TECHNICIAN (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/15A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) AVIATION ELECTRONICS TECHNICIAN (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/16A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) AVIATION MAINTENANCE TECHNICIAN (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/17A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) AVIATION ORDNANCE TECHNICIAN (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/18A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) AEROGRAPHER (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/19A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) AIR INTELLIGENCE TECHNICIAN (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/20A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) BOATSWAIN (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | 07-JUL-97 | |
| | MIL-D-16475/21B NOT 1 | DEVICE, METAL (BREAST AND COLLAR) CHAPLAIN CORPS - JEWISH (CHC-J) (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: 45 CG] | A 8455 | CT | 07-JUL-97 | |

DODISS NUMERICAL LISTING DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-D-16475/22A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) CHAPLAIN CORPS - CHRISTIAN (CHC-C) (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/23D NOT 1 | DEVICE, METAL (BREAST AND COLLAR) CHIEF PETTY OFFICER -E-10, E-9, E-8, E-7 - NAVY (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/24A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) CIVIL ENGINEER CORPS (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/25A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) COMMUNICATIONS TECHNICIAN (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/26A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) DATA PROCESSING TECHNICIAN (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/27A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) DENTAL CORPS (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/28A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) ELECTRICIAN (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/29A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) ELECTRONICS TECHNICIAN (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/30A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) EXPLOSIVE ORDNANCE DISPOSAL (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/31A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) JUDGE ADVOCATE GENERAL S CORPS (JAG) (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/32A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) LEADER, U. S. NAVY BAND, BANDMASTER (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/34A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) MEDICAL CORPS (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/35A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) MEDICAL SERVICE CORPS (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/36A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) MEDICAL SERVICE/DENTAL SERVICE (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/37B NOT 1 | DEVICE, METAL (BREAST & COLLAR) COMMUNICATION TECHNICIAN COMMUNITY (NAVY) COMMUNICATION (COAST GUARD) (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/38A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) NURSE CORPS (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/39A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) OPERATIONS TECHNICIAN (NO S/S DOCUMENT) [CUST: NU] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/40A NOT 1 | DEVICE, METAL (BREAST AND COLLAR) PHOTOGRAPHER (NO S/S DOCUMENT) [CUST: NU] [REVIEW: 45 CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/41A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) SHIP'S CLERK (NO S/S DOCUMENT) [CUST: NU] [REVIEW: CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/42A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) SHIP REPAIR TECHNICIAN (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/43A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) SUPPLY CLERK (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/44B NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) SUPPLY CORPS (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/45A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) SURFACE ORDNANCE/ORDNANCE CONTROL TECHNICIAN (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/46A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) UNDERWATER ORDNANCE TECHNICIAN (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/47A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) DIVER, MEDICAL CORPS/MEDICAL SERVICE CORPS (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/52A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) COMMAND ASHORE/PROJECT MANAGER (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/57A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) ENLISTED WOMEN, HOSPITAL CORPSMAN, NAVY (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/58A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) ENLISTED WOMEN, DENTAL TECHNICIAN, NAVY (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/59A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) AVIATION OPERATIONS TECHNICIAN (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: 45] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/60B NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) SENIOR ENLISTED ADVISOR IDENTIFICATION BREAST BADGE (NO S/S DOCUMENT) [CUST: NU] [REVIEW: CG] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/62A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) ENLISTED SURFACE WARFARE SPECIALIST (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/65A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) INTELLIGENCE TECHNICIAN (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/66A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) PHYSICAL SECURITY TECHNICIAN (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/69A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) AVIATION WARFARE SPECIALIST (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/71A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) DEEP SUBMERGENCE (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/72A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) LIMITED DUTY OFFICER (LDO) LAW (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/73A NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) AVIATION SUPPLY CORPS (NO S/S DOCUMENT)[CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/74A NOT 1 | DEVICES, METAL (BREAST AND COLLAR) SURFACE SUPPLY CORPS OFFICER (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/80 NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) NAVY FAMILY OMBUDSMAN (NO S/S DOCUMENT)[CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/81 NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) INTEGRATED UNDERSEA SURVEILLANCE SYSTEM (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/82 NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE NURSE (NO S/S DOCUMENT)[CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/83 NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE DENTAL (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/84 NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE MEDICAL SERVICE (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/85 NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE MEDICAL (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-D-16475/86 NOT 1 | DEVICES, METAL, (BREAST AND COLLAR) SEABEE COMBAT WARFARE SPECIALIST (NO S/S DOCUMENT) [CUST: NU CT] | A 8455 | CT | | 07-JUL-97 |
| | MIL-G-16491F NOT 1 | GROMMET, METALLIC, GENERAL SPECIFICATION FOR (S/S BY NASM16491) [CUST: AR YD1 99 IS] [REVIEW: AS DS GL MC MI SA SH] | A 5325 | IS | | 25-MAR-98 |
| | MIL-T-16644D NOT 1 | TAPE, MEASURING, TANK GAGING TYPE, WITH REEL AND PLUMB BOB (S/S BY A-A-52216) [CUST: GL 99] [REVIEW: 84 AV FSS MC] | A 5210 | GL | | 29-JUL-97 |
| | MIL-L-16785A NOT 3 | LUBRICATING OIL, BREECH BLOCK (FOR NAVAL ORDNANCE) (S/S BY A-A-59137) [CUST: AT OS GS] [REVIEW: SA] | A 9150 | GS | | 30-JAN-98 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------------|--|--------------------------|-----|-------------|-----------|
| | MIL-C-16809A NOT 1 | CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NONRIGID, NO. 4, EMPTY (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6545 | MB | | 05-MAY-98 |
| | MIL-B-17228F NOT 1 | BOILERS, STEAM AND HOT WATER, WATERTUBE (COIL AND SERPENTINE), PACKAGED TYPE (40,000 TO 10,000,000 BTU/HR THERMAL OUTPUT CAPACITY) (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: CE MC] | A 4410 | YD1 | | 30-JUN-98 |
| | MIL-M-17321F NOT 1 | MARKER, TRAFFIC (S/S BY A-A-60002) [CUST: GL YD1 99] [REVIEW: 84 CE MC] | A 9905 | YD1 | | 11-NOV-97 |
| | MIL-T-17370C NOT 1 | TUBE AND FLUE CLEANER, BOILER, INTERNAL, AIR MOTOR DRIVEN (S/S BY A-A-59192) [CUST: SH 99] [REVIEW: CC] | A 4940 | SH | | 20-MAY-98 |
| | MIL-P-17552F NOT 1 | PUMP UNITS, CENTRIFUGAL, WATER, HORIZONTAL; GENERAL SERVICE AND BOILER-FEED: ELECTRIC-MOTOR - OR STEAM-TURBINE-DRIVEN (S/S BY A-A-50562) [CUST: YD1] | A 4320 | YD1 | | 19-JUN-97 |
| | MIL-P-17749E NOT 1 | PUMPING UNITS, CONDENSATE, RETURN; AND BOILER FEED PACKAGE (S/S BY F-P-2908) [CUST: YD1] [REVIEW: CC CG] | A 4520 | YD1 | | 02-JUN-97 |
| | MIL-B-17757E(2) NOT 2 | BOXES, SHIPPING, FIBERBOARD (MODULAR SIZES) (NO S/S DOCUMENT) [CUST: GL SA 69] | A 8115 | GL | | 30-APR-98 |
| | MIL-P-17861F NOT 1 | PUMP UNIT, CENTRIFUGAL: PORTABLE, SELF-PRIMING, ENGINE-DRIVEN (DEWATERING; CONTRACTOR AND TRASH TYPE) (S/S BY A-A-50572) [CUST: CE YD1 99] [REVIEW: AT GS MC] | A 4320 | YD1 | | 02-JUL-97 |
| | MIL-P-17863C(1) NOT 2 | POCKET, AMMUNITION MAGAZINE: MILITARY POLICE (NO S/S DOCUMENT) [CUST: MC CT] | A 8465 | CT | | 06-APR-98 |
| | MIL-L-17948F NOT 1 | LOCKER, CLOTHING, STEEL, TWO DOOR (S/S BY AA-L-2931) [CUST: GL YD1 99] [REVIEW: 84 SA] | A 7125 | YD1 | | 10-JUN-97 |
| | MIL-L-18052B(1) NOT 2 | LAMP, MERCURY XENON VAPOR, SEARCHLIGHT (NO S/S DOCUMENT) [CUST: SH IS] | A 6240 | IS | | 07-JUN-97 |
| | MIL-I-18259 NOT 1 | INSTALLATION OF WINDOW ANTI-ICING, DE-GREASING, AND WASHING SYSTEMS (GENERAL SPECIFICATION FOR) (S/S BY SAE-AS18259) [CUST: AV AS] | A 15GP | AS | | 17-SEP-97 |
| | MIL-V-18499E NOT 2 | VALVES, AIR VENTING, STEAM (S/S BY F-V-2906) [CUST: YD1 99] [REVIEW: CC] | A 4520 | YD1 | | 12-JUN-97 |
| | MIL-T-18607A NOT 1 | THERMAL ANTI-ICING EQUIPMENT, WING AND EMPENNAGE (S/S BY SAE-AS18607) [CUST: AV AS 99] [REVIEW: 71 CC] | A 1650 | AS | | 10-SEP-97 |
| | MIL-V-18634B NOT 2 | VALVES: SAFETY, RELIEF, AND SAFETY-RELIEF (S/S BY ASME-B16.34 AND ASTM-F1508) [CUST: CR4 YD1 99] [REVIEW: CC CE CG MC] | A 4820 | YD1 | | 30-JUN-98 |
| | MIL-B-18796F NOT 1 | BURNERS, SINGLE: OIL, GAS, AND GAS-OIL COMBINATION FOR PACKAGED BOILERS (320,001 TO 125,000,000 BTU/HR THERMAL OUTPUT CAPACITY) (S/S BY F-B-2910) [CUST: AT YD1 99] [REVIEW: 84 CC CE MC] | A 4530 | YD1 | | 31-MAR-98 |
| | MIL-B-18797G NOT 1 | BURNERS, SINGLE: LIGHT OIL, GAS, AND LIGHT OIL-GAS COMBINATION FOR PACKAGED HEATING BOILERS (UP TO 320,000 BTU/HR THERMAL OUTPUT CAPACITY) (S/S BY F-B-2909) [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 4530 | YD1 | | 18-AUG-97 |
| | MIL-I-18802A(1) NOT 1 | INSTALLATION OF FUEL AND OIL LINES, AIRCRAFT (S/S BY SAE-AS18802) [CUST: AV AS] | A 2915 | AS | | 18-MAR-98 |
| | MIL-T-18803D(1) NOT 1 | TORCH OUTFIT, CUTTING AND WELDING (S/S BY A-A-50582) [CUST: YD1] | A 3433 | YD1 | | 02-JUL-97 |
| | MIL-R-18895A NOT 1 | RADAR BOMBING EQUIPMENT, AN/APA-16 (NO S/S DOCUMENT) [CUST: AS] | A 1325 | AS | | 03-MAR-98 |
| | MIL-L-18947B(1) NOT 3 | LAPPERS, POPPET VALVE, HAND POWERED (S/S BY A-A-59221) [CUST: AT YD1] [REVIEW: MD SH SM] | A 5120 | YD1 | | 18-MAY-98 |
| | MIL-P-19644C(1) NOT 1 | PLASTIC MOLDING MATERIAL (POLYSTYRENE FOAM, EXPANDED BEAD) (NO S/S DOCUMENT) [CUST: SA] | A 9330 | SA | | 17-SEP-97 |
| | MIL-H-19793C NOT 1 | HAVELOCK, PLASTIC (NO S/S DOCUMENT) [CUST: MC] | A 8410 | MC | | 04-MAY-98 |
| | MIL-N-19857C(1) NOT 2 | NECKTIE, WOMANS, POLYESTER/WOOL (NO S/S DOCUMENT) [CUST: MC] [REVIEW: 45 CT] | A 8445 | MC | | 04-MAY-98 |
| | MIL-W-19882A(1) NOT 2 | WINCHES, DRUM, POWER OPERATED, BATHYTHERMOGRAPH (NO S/S DOCUMENT) [CUST: SH] [REVIEW: CC] | A 3950 | SH | | 07-JUN-97 |
| | MIL-C-19902C NOT 2 | CAPS, VENT, FUEL STORAGE TANK (S/S BY F-C-2916) [CUST: YD1 99] [REVIEW: 82 84 ACO CC YD] | A 5430 | YD1 | | 12-JUN-97 |
| | MIL-C-20006F NOT 1 | CLOTHES STOP (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: 45] | A 8465 | CT | | 07-JUN-97 |
| | MIL-T-0020155B(1) NOT 1 | TUBE AND PIPE, CARBON-MOLYBDENUM ALLOY STEEL, SEAMLESS (ASTM A-335-55R, GRADE P-1) (NO S/S DOCUMENT) [CUST: SH] [REVIEW: 11 CC] | A 4710 | SH | | 17-SEP-97 |
| | MIL-F-20236D(2) NOT 1 | FITTINGS, TUBE AND PIPE, BUTT WELDING, 300 PSI AND 775 DEG F MAXIMUM (S/S BY ANSI/ASME-B16.9) [CUST: SH] [REVIEW: CC CR4] | A 4730 | SH | | 17-FEB-98 |
| | MIL-B-20292A(2) NOT 1 | BLANK, ROTATING BAND, FOR PROJECTILES (S/S BY ASTM-B135) [CUST: AR] | A 1395 | AR | | 03-DEC-97 |
| | MIL-B-20390B(2) NOT 1 | BOARD, AMMUNITION CONTAINER S/S BY A-A-59209 [CUST: AR] | A 8140 | AR | | 15-APR-98 |
| | MIL-T-20616A(1) NOT 1 | TELESCOPE, M86C AND M86F (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| | MIL-P-20636F NOT 2 | POSTS, FENCE, METAL: DRIVE-TYPE, SPADELESS (S/S BY A-A-55523) [CUST: AT YD1 99 IS] [REVIEW: 84 CE MC] | A 5660 | IS | | 28-APR-97 |
| | MIL-G-0021032E(2) NOT 1 | GASKET, METALLIC ASBESTOS, SPIRAL WOUND (S/S BY MIL-G-24716) [CUST: SH] [REVIEW: YD1] | A 5330 | SH | | 17-FEB-98 |
| | MIL-P-21035B NOT 1 | PAINT HIGH ZINC DUST CONTENT, GALVANIZING REPAIR (METRIC) (NO S/S DOCUMENT) [CUST: SH] [REVIEW: YD1] | A 8010 | SH | | 05-MAY-98 |
| | MIL-C-21048D NOT 1 | CARTRIDGE, DELAY, MARK 3 MOD 0 AND MARK 86 MOD 0 (NO S/S DOCUMENT) [CUST: CR4 OS] | A 1377 | OS | | 05-MAY-98 |
| | MIL-H-21103E NOT 1 | HAMMER, PILEDRIVER, SELF-POWERED, DIESEL (S/S BY A-A-59182) [CUST: AV YD1] [REVIEW: AT MC] | A 3895 | YD1 | | 15-APR-98 |
| | MIL-P-21143/1A NOT 1 | PIN, STRAIGHT, HEADLESS (DOWEL) (.0002 OVER SIZE) CRES 303 (NO S/S DOCUMENT) [CUST: AR OS 99 IS] [REVIEW: 82 CE CR EA GL MC MI YD1] | A 5315 | IS | | 18-APR-97 |
| | MIL-P-21143/2 NOT 1 | PIN, STRAIGHT, HEADLESS, (DOWEL) (.0002 UNDER SIZE), CRES 303 (NO S/S DOCUMENT) [CUST: AR OS 99 IS] [REVIEW: 82 CE CR EA GL IS MC MI YD1] | A 5315 | IS | | 18-APR-97 |
| | MIL-R-21211A NOT 1 | RANGE, ELECTRIC, NAVAL SHIPBOARD (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS] | A 7310 | SH | | 05-MAY-98 |
| | MIL-S-21257C NOT 2 | SHOES, BASKETBALL, FOR RECONNAISSANCE (NO S/S DOCUMENT) [CUST: MC] [REVIEW: 45 CT] | A 8430 | MC | | 04-MAY-98 |
| | MIL-T-21309E NOT 2 | TOOLS FOR INSERTING AND EXTRACTING HELICAL COIL WIRE SCREW THREAD INSERTS (S/S BY A-A-59158) [CUST: GL SH 99] [REVIEW: 84 AS CG MC] | A 5120 | GL | | 13-FEB-98 |
| | MIL-B-21418 NOT 1 | BELTING SYSTEM, AMMUNITION, MARK 2 MOD 0 (FOR 20MM MARK 100 SERIES AMMUNITION) (NO S/S DOCUMENT) [CUST: AS] | A 1305 | AS | | 03-MAR-98 |
| | MIL-M-21431 NOT 1 | MANROPE, COMPOSITION, COVERED (NO S/S DOCUMENT) [CUST: SH] | A 2090 | SH | | 05-MAY-98 |
| | MIL-C-21709E NOT 1 | CAP, COLD WEATHER, PERMEABLE (NO S/S DOCUMENT) [CUST: NU CT] | A 8415 | CT | | 07-JUN-97 |
| | MIL-W-21714A NOT 1 | WATER, DRINKING, NONMAGNETIC CANNED, EMERGENCY (NO S/S DOCUMENT) [CUST: SH] | A 8960 | SH | | 07-JUN-97 |
| | MIL-P-21755C NOT 1 | PLOTTING SHEET, POLYESTER FILM, 1,000 METER GRID, 1.25,000 SCALE (NO S/S DOCUMENT) [CUST: GL] [REVIEW: CR4] | A 7530 | GL | | 19-SEP-97 |
| | MIL-G-21854 NOT 1 | GLOVES, PROTECTIVE, FUEL AND OXIDIZER RESISTANT (RESIN MODIFIED BUTYL) (NO S/S DOCUMENT) [CUST: NU CT] | A 8415 | CT | | 22-JAN-98 |
| | MIL-M-21861B NOT 1 | MANUAL, TECHNICAL, MATERIALS HANDLING EQUIPMENT (NO S/S DOCUMENT) [CUST: SA 99] [REVIEW: 84 SH TM] | A TMSS | SA | | 05-MAY-98 |
| | MIL-B-21880D NOT 1 | BELT, MILITARY POLICE (WHITE) (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: 45] | A 8465 | CT | | 07-JUN-97 |
| | MIL-C-21883D NOT 1 | CLOTH, SATIN OR CLOTH TWILL, RAYON WARP AND COTTON FILLING (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: 45] | A 8305 | CT | | 22-JUL-97 |
| | MIL-C-22079C NOT 1 | CARTRIDGE, IMPULSE, MARK 17 MOD 1 (NO S/S DOCUMENT) [CUST: OS] | A 1377 | OS | | 05-MAY-98 |
| | MIL-D-22233D NOT 1 | DRILL RODS, COUPLING, SHANKS, ROCK BITS, AND EXTRACTOR, FOR DRIFTER DRILLS (NO S/S DOCUMENT) [CUST: AT YD1] [REVIEW: CC MC] | A 3820 | YD1 | | 30-OCT-97 |
| | MIL-C-22328A(2) NOT 2 | CARTRIDGE, DELAY, MK 31 MOD 0 (NO S/S DOCUMENT) [CUST: OS] | A 1377 | OS | | 05-MAY-98 |
| | MIL-L-22620D(3) NOT 1 | LAUNCHER, GUIDED MISSILE, LAU-7 SERIES (NO S/S DOCUMENT) [CUST: AS 99] [REVIEW: 84] | A 1055 | AS | | 13-AUG-97 |
| | MIL-M-22674A NOT 1 | MOUNTING-PLENUMS MT-2244(*)/ASQ AND MT-3659(*)/ASQ (NO S/S DOCUMENT) [CUST: AS] [REVIEW: IS] | A 5340 | AS | | 13-AUG-97 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prog. Acty. | Date |
|------------|--------------------------|---|--------------------------|-----|-------------|-----------|
| | MIL-C-22785B NOT 1 | CAN, BEVERAGE, DISPENSER (NO S/S DOCUMENT) [CUST: SH 99] [REVIEW: GS MC YD1] | A 7310 | SH | | 05-MAY-98 |
| | MIL-S-22824E NOT 1 | SLINGS, MULTIPLE LEG, VEHICLE (SHIPBOARD LOADING) (S/S BY FF-S-2874) [CUST: MT YD1] [REVIEW: CG GS MC SH] | A 3940 | YD1 | | 16-DEC-97 |
| | MIL-R-22827E NOT 1 | REFUSE CONTAINER, HOISTING UNITS (NO S/S DOCUMENT) [CUST: CR4 YD1] [REVIEW: GS] | A 3990 | YD1 | | 30-OCT-97 |
| | MIL-C-22848B NOT 1 | CARTRIDGE, IMPULSE, MARK 37 MOD 0 (NO S/S DOCUMENT) [CUST: OS] | A 1377 | OS | | 05-MAY-98 |
| | MIL-C-22894F NOT 1 | CLEANER, STEAM, PRESSURE JET, WHEEL-MOUNTED (NO S/S DOCUMENT) [CUST: AL AS] [REVIEW: AR CC] | A 4940 | YD1 | | 05-MAY-98 |
| | MIL-C-23044A(2) NOT 2 | CHEST, COLLAPSIBLE TANK (NO S/S DOCUMENT) [CUST: MC] [REVIEW: CR4] | A 4930 | MC | | 04-MAY-98 |
| | MIL-B-23071/12 NOT 2 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT VANEAXIAL, (9.2 WATTS INPUT POWER) (NO S/S DOCUMENT) [CUST: CR4 EC 82] [REVIEW: 11 13 17 AS AT MC OS SH] | A 4140 | IS | | 04-MAY-98 |
| | MIL-B-23071/26 NOT 2 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (6.5, 18, 8.2, 30, 9/15, 14, 9, AND 26 WATTS INPUT POWER) (NO S/S DOCUMENT) [CUST: CR4 EC 99] [REVIEW: 11 17 AS CR OS] | A 4140 | IS | | 04-MAY-98 |
| | MIL-B-23071/29(1) NOT 2 | BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (30 WATTS INPUT POWER) (NO S/S DOCUMENT) [CUST: CR4 EC 99] [REVIEW: AS SH] | A 4140 | IS | | 04-MAY-98 |
| | MIL-D-23143A NOT 1 | DATA, TECHNICAL AIRCRAFT, FOR DESIGN OF AVIATION TRAINING DEVICES (NO S/S DOCUMENT) [CUST: TD] [REVIEW: AS] | A 69GP | TD | | 05-MAY-98 |
| | MIL-C-23217B(1) NOT 1 | COATING, ALUMINUM, VACUUM DEPOSITED (ASG) (NO S/S DOCUMENT) [CUST: MI AS 11] [REVIEW: MR] | A MFFP | AS | | 05-DEC-97 |
| | MIL-I-23264/1A NOT 2 | INSULATORS, STANDOFF (STYLES 01, 02, 03, 04, AND 06) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/2A NOT 2 | INSULATORS, STANDOFF (STYLES 10, 11, 12, 13, AND 14) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/3A NOT 2 | INSULATORS, STANDOFF (STYLE 19 AND 20) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/6A NOT 2 | INSULATORS, STANDOFF (STYLE 27) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/7A NOT 2 | INSULATORS, STANDOFF (STYLE 28) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/12A NOT 2 | INSULATORS, FEEDTHRU (STYLE 33) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/13A NOT 2 | INSULATORS, FEEDTHRU (STYLE 34) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/14A NOT 2 | INSULATORS, FEEDTHRU (STYLES 35 AND 36) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/15A NOT 2 | INSULATORS, FEEDTHRU (STYLE 37) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/16A NOT 2 | INSULATORS, BUSHING (STYLES 40, 41, AND 42) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/17A NOT 2 | INSULATORS, BUSHING (STYLE 43) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/18A NOT 2 | INSULATORS, BOWL (STYLES 55, 56, AND 57) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/20A NOT 2 | INSULATORS, STRAIN (STYLES 64, 65, 66, AND 67) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/21B(1) NOT 1 | INSULATORS, STRAIN (STYLES 68, 69, 70, AND 71) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/22A NOT 2 | INSULATORS, STRAIN (STYLES 60, 61, 73, 74, AND 75) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/23A NOT 2 | INSULATORS, SPREADER (STYLE 76) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/24B NOT 1 | INSULATOR, PIN, STYLE 82 (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-I-23264/25A NOT 2 | INSULATORS, PIN (STYLE 81) (NO S/S DOCUMENT) [CUST: CR EC 85 GS] [REVIEW: 99 AR AS CC CR4 MC MI SH] | A 5970 | GS | | 19-NOV-97 |
| | MIL-D-23296A NOT 1 | DIETHYLENE GLYCOL (NO S/S DOCUMENT) [CUST: OS GS] | A 6810 | GS | | 30-JUN-97 |
| | MIL-M-23305(1) NOT 1 | MANUAL, TECHNICAL OPERATION, MAINTENANCE, AND OVERHAUL INSTR WITH ILL PARTS BREAKDOWN (FOR AIRCRAFT LAUNCHING AND RECOVERY EQUIPMENT), PREPARATION OF (NO S/S DOCUMENT) [CUST: AS] | A TMSS | AS | | 04-MAY-98 |
| | MIL-C-23333B NOT 1 | CARTRIDGE, IMPULSE, MARK 38 MOD 0 (NO S/S DOCUMENT) [CUST: OS 99] | A 1377 | OS | | 05-MAY-98 |
| | MIL-C-23590A NOT 1 | CARTRIDGE, IMPULSE MARK 40 MOD 0 (NO S/S DOCUMENT) [CUST: OS] | A 1377 | OS | | 05-MAY-98 |
| | MIL-T-23759D NOT 1 | TANK, ASPHALT STORAGE, WHEEL MOUNTED (NO S/S DOCUMENT) [CUST: CR4 YD1] | A 5430 | YD1 | | 10-OCT-97 |
| | MIL-T-23991E(12) NOT 1 | TRAINING DEVICES, MILITARY; GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: TD] | A 69GP | TD | | 17-SEP-97 |
| | MIL-E-24021J NOT 1 | ELECTRIC POWER MONITOR, EXTERNAL, AIRCRAFT (NO S/S DOCUMENT) [CUST: AV AS 99] [REVIEW: 11 80 GS] | A 6110 | AS | | 07-JUL-97 |
| | MIL-E-24021J(11) NOT 1 | ELECTRIC POWER MONITORS, EXTERNAL, AIRCRAFT (NO S/S DOCUMENT) [CUST: AS] | A 6110 | AS | | 07-JUL-97 |
| | MIL-C-24066C(1) NOT 2 | CLIP, COMPONENT, NON-ELECTRICAL, GENERAL SPECIFICATION FOR (S/S BY NAS1463)[CUST: EC] [REVIEW: AS] | A 5340 | IS | | 29-MAY-98 |
| | MIL-C-24105D SUP 1 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED), GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| | MIL-C-24105/1 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPE AOA (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| | MIL-C-24105/2 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPE AOB (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| | MIL-C-24105/3 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPE AOE (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| | MIL-C-24105/4 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPE AOF (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| | MIL-C-24105/5 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPE AOH (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| | MIL-C-24105/6 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPE AOJ (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| | MIL-C-24105/7 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPE AOM (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| | MIL-C-24105/8 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPE AON (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| | MIL-C-24105/9 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPE AOP (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| | MIL-C-24105/10 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPE BOA (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |

DODISS NUMERICAL LISTING DETAIL SPECIFICATIONS

801

DODISS NUMERICAL LISTING DETAIL SPECIFICATIONS

802

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------|---|-----------------------|-----|-------------|-----------|
| MIL-C-24105/100 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPES N1A AND N2A (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| MIL-C-24105/101 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPES N1B AND N2B (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| MIL-C-24105/102 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPES N1E AND N2E (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| MIL-C-24105/103 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPES N1F AND N2F (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| MIL-C-24105/104 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPES N1H AND N2H (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| MIL-C-24105/105 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPES N1J AND N2J (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| MIL-C-24105/106 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPES N1M AND N2M (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| MIL-C-24105/107 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPES N1N AND N2N (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| MIL-C-24105/108 NOT 1 | CONVERTERS, SYNCHRO SIGNAL (PANEL MOUNTED) TYPES N1P AND N2P (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS OS] | A 6125 | SH | | 05-MAY-98 |
| MIL-C-24111B NOT 1 | CHROMIUM-NICKEL ALLOY STEEL BARS, RODS AND FORGINGS, CORROSION RESISTANT (NO S/S DOCUMENT) [CUST: SH] [REVIEW: IS MI] | B 9530 | SH | | 03-JUL-97 |
| MIL-D-24542A NOT 1 | DIVING OUTFIT, LIGHTWEIGHT (NO S/S DOCUMENT) [CUST: SH] | A 4220 | SH | | 07-JUN-97 |
| MIL-C-24593A(1) NOT 1 | CLEANER, VACUUM, ASBESTOS REMOVAL (NO S/S DOCUMENT) [CUST: SH] | A 7910 | SH | | 05-MAY-98 |
| DOD-C-24654 NOT 1 | COATINGS, EPOXY, PORTABLE WATER TANKS (METRIC) (S/S BY MIL-PRF-23236) [CUST: SH 99] [REVIEW: 50 84 CG CR4 MC MS YD1] | A 8010 | SH | | 17-FEB-98 |
| DOD-L-24681 NOT 2 | LOUDSPEAKER, CONTROL OF VOLUME, AUTOMATIC (METRIC) (NO S/S DOCUMENT) [CUST: SH] | A 5830 | SH | | 05-MAY-98 |
| MIL-W-24754 NOT 1 | WASHER, HIGH PRESSURE, ELECTRIC (NO S/S DOCUMENT) [CUST: SH] | A 4940 | SH | | 05-MAY-98 |
| MIL-L-24942A NOT 1 | LINER, FIREMAN'S, TROUSER (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 45 82] | A 8415 | CT | | 11-DEC-97 |
| MIL-I-25135E NOT 1 | INSPECTION MATERIALS, PENETRANTS (S/S BY SAE-AMS2644) [CUST: AS 11] [REVIEW: 68 99 GS IS SH] | A 6850 | 11 | | 13-MAR-98 |
| MIL-T-25456B(1) NOT 2 | TESTER, HOSE ASSEMBLIES, HYDRAULIC, PNEUMATIC, HYDROCARBON FUEL AND OIL, AIRCRAFT AND MISSILE (S/S BY A-A-52687) [CUST: AV] [REVIEW: CC] | A 4940 | AV | | 30-SEP-97 |
| MIL-C-25613D(1) NOT 1 | CONTROL, ALARM, AIRSPEED AND LANDING GEAR WARNING, TYPE MJ-3 (NO S/S DOCUMENT) [CUST: AS 99] | A 6340 | 82 | | 13-FEB-98 |
| MIL-J-25718B(4) NOT 1 | JUG, INSULATED, TYPE CNU-2/C (NO S/S DOCUMENT) [CUST: 84] | A 7330 | 84 | | 06-MAY-98 |
| MIL-C-26094F NOT 1 | CAN, HERMETIC SEALING, ALUMINUM, TWO-PIECE (NO S/S DOCUMENT) [CUST: GL SA 69] [REVIEW: 70 71 80 82 99 EA GS MI OS SH SM] | A 8110 | 69 | | 04-MAY-98 |
| MIL-T-26141D NOT 1 | TESTER, PRESSURIZED CABIN LEAKAGE, AIRCRAFT AF/M32T-1 (S/S BY MIL-PRF-26139) [CUST: 99] | A 4920 | 82 | | 05-NOV-97 |
| MIL-P-26292C(3) NOT 2 | PITOT AND STATIC PRESSURE SYSTEMS, INSTALLATION AND INSPECTION OF (NO S/S DOCUMENT) [CUST: AS] [REVIEW: 99] | A 6610 | AS | | 04-MAY-98 |
| MIL-M-26542/5B NOT 2 | MICROPHONE, DYNAMIC M-102/AIC (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A 5965 | 85 | | 30-MAY-97 |
| MIL-M-26542/6B NOT 2 | MICROPHONE, M-103/AIC (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AT AV CR4 OS] | A 5965 | 85 | | 30-MAY-97 |
| MIL-A-27471C NOT 1 | ADAPTER, PRESSURE-REDUCER, IN-LINE CRU-43/A (NO S/S DOCUMENT) [CUST: 99] | A 1660 | 82 | | 15-DEC-97 |
| MIL-L-27502(1) NOT 2 | LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, ESTER BASE (NO S/S DOCUMENT) [CUST: MR AS 11] [REVIEW: 68 MI] | A 9150 | 11 | | 03-DEC-97 |
| MIL-F-27532A(1) NOT 1 | FOOTWEAR COVERS, EXTREME COLD WEATHER SURVIVAL SRU-13/P (NO S/S DOCUMENT) [CUST: 99 CT] [REVIEW: 45 82] | A 8430 | CT | | 02-OCT-97 |
| MIL-I-27677E NOT 1 | INDICATOR, LIQUID QUANTITY OXYGEN (NO S/S DOCUMENT) [CUST: 99] | A 6680 | 82 | | 30-MAR-98 |
| MIL-I-27680C(2) NOT 1 | INDICATOR, ALTITUDE ARU-12/A, REMOTE (NO S/S DOCUMENT) [CUST: AV] | A 6610 | AV | | 13-FEB-98 |
| MIL-T-27730A NOT 2 | TAPE, ANTISEIZE, TETRAFLUOROETHYLENE, WITH DISPENSER (S/S BY A-A-58092) [CUST: MI OS 99] [REVIEW: 11 71 CR4 DS YD1] | A 8030 | 84 | | 09-FEB-97 |
| MIL-P-28501C NOT 1 | PUMP ASSEMBLIES, DEEP-WELL, ELECTRIC-MOTOR-DRIVEN (S/S BY A-A-50586) [CUST: YD1] | A 4320 | YD1 | | 15-JUN-97 |
| MIL-S-2850D NOT 1 | SEMITRAILER, STAKE: COMMERCIAL, DROP FRAME, TANDEM AXLE, 20 TON (NO S/S DOCUMENT) [CUST: YD1] | A 2330 | YD1 | | 15-SEP-97 |
| MIL-H-28596B(2) NOT 1 | HOSE AND HOSE ASSEMBLY, RUBBER, STEAM (S/S BY A-A-59159) [CUST: CR4 YD1 99] [REVIEW: CC SH] | A 4720 | YD1 | | 27-MAR-98 |
| MIL-H-28604B NOT 1 | HOOK, DRAWBAR LOGGING (S/S BY OO-H-2899) [CUST: AT YD1 99] [REVIEW: 84 APS BLM GS] | A 3695 | YD1 | | 02-JUL-97 |
| MIL-T-28612E NOT 2 | TRUCK, TANK; AIRCRAFT REFUELING, 5,000 GALLON, AVGAS OR JET FUEL, 6 BY 4, DED (NO S/S DOCUMENT) [CUST: YD1] | A 2320 | YD1 | | 22-AUG-97 |
| MIL-B-28635D NOT 1 | BOOKSHELF FOR BUNK BED (NO S/S DOCUMENT) [CUST: GL4 YD1 99] [REVIEW: 84 GL] | A 7105 | YD1 | | 24-MAR-98 |
| MIL-P-28636B NOT 2 | PANEL FOR BUNK BED (S/S BY AA-P-2930) [CUST: GL YD1] [REVIEW: MC MD] | A 7105 | YD1 | | 15-JUL-97 |
| MIL-L-28654C NOT 1 | LIFTING, LAUNCHING, AND SIDE CARRYING EQUIPMENT FOR PONTOONS ON 1179 CLASS LST VESSELS (S/S BY A-L-2924) [CUST: YD1] | A 4010 | YD1 | | 12-JUN-97 |
| MIL-B-28684 NOT 1 | BOILERS, STEAM AND HOT WATER, VERTICAL FIRETUBE AND VERTICAL TUBELESS, PACKAGED TYPE (40,000 TO 10,000,000 BTU/HR THERMAL OUTPUT CAPACITY) (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 84 CE MC SA] | A 4410 | YD1 | | 30-JUN-98 |
| MIL-B-28686 NOT 1 | BOILERS, HOT WATER, WATERTUBE, (BENT TUBE, MULTI-DRUM AND CROSS DRUM) PACKAGED TYPE (320,001 TO 125,000,000 BTU/HR THERMAL OUTPUT CAPACITY) (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 84 MC MD] | A 4410 | YD1 | | 30-JUN-98 |
| MIL-F-28687 NOT 1 | FRAME, MOBILE, HOSPITAL LABORATORIES AND PHARMACIES (FOR MOVEABLE AND MODULAR CASE WORK) (NO S/S DOCUMENT) [CUST: MD YD1 03] [REVIEW: 82 CC] | A 6530 | YD1 | | 05-MAY-98 |
| MIL-C-28688 NOT 1 | CABLE, FIBER OPTIC; PACKAGING OF (NO S/S DOCUMENT) [CUST: CR YD1 85] [REVIEW: 99 AR AS AT CC CR4 MC MI OS SA SH SM] | A PACK | YD1 | | 05-MAY-98 |
| MIL-T-28721B(2) NOT 1 | TELEPHONE SET, TA-840/U (NO S/S DOCUMENT) [CUST: EC] | A 5805 | EC | | 04-MAY-98 |
| MIL-C-28777/5B NOT 1 | CABLE ASSEMBLY, (TYPE I), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUND, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR (NO S/S DOCUMENT) [CUST: CR EC 99 GS] [REVIEW: 11 85 AS MC] | A 6150 | GS | | 23-SEP-97 |
| MIL-C-28777/6A NOT 1 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND LEFT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR (NO S/S DOCUMENT) [CUST: CR EC 99 GS] [REVIEW: 11 85 AS MC] | A 6150 | GS | | 23-SEP-97 |
| MIL-C-28777/7A NOT 1 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND RIGHT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR (NO S/S DOCUMENT) [CUST: CR EC 99 GS] [REVIEW: 11 85 AS MC] | A 6150 | GS | | 23-SEP-97 |
| MIL-C-28777/8A NOT 1 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND STRAIGHT MOLDED TYPE II EQUIPMENT CONNECTOR (NO S/S DOCUMENT) [CUST: CR EC 99 GS] [REVIEW: 11 85 AS MC] | A 6150 | GS | | 23-SEP-97 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Doc. Action | Document Number | Document Title | Distribution FSC/Aes | MCA | Prep. Acty. | Date |
|-------------|--------------------------|--|-------------------------|-----|-------------|-----------|
| | MIL-C-28777/9A NOT 1 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND LEFT HAND ACCESS MOLDED TYPE II EQUIPMENT CONNECTOR (NO S/S DOCUMENT) [CUST: CR EC 99 GS] [REVIEW: 11 85 AS MC] | A 6150 | GS | | 23-SEP-97 |
| | MIL-C-28777/11A NOT 1 | CABLE ASSEMBLY, (TYPE II), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDED, 250 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND STRAIGHT MOLDED TYPE II EQUIPMENT CONNECTOR (NO S/S DOCUMENT) [CUST: CR EC 99 GS] [REVIEW: 11 85 AS MC] | A 6150 | GS | | 23-SEP-97 |
| | MIL-T-28815 NOT 1 | TEST SET, ELECTRONIC CIRCUIT PLUG-IN UNIT (NO S/S DOCUMENT) [CUST: EC] | A 6625 | EC | | 04-MAY-98 |
| | MIL-S-28853A NOT 2 | SWITCHBOARD, TRANSMITTER CONTROL, SB-3916/BRT (NO S/S DOCUMENT) [CUST: EC] | A 5820 | EC | | 04-MAY-98 |
| | MIL-C-28901 SUP 1 NOT 2 | CONNECTOR, ELECTRICAL, PLUGS, TIP (TEST POINT PLUG, BANANA PLUG) GENERAL SPECIFICATION FOR (S/S BY A-A-55469) [CUST: CR EC 85 CC] [REVIEW: 17 99 ME] | A 5935 | CC | | 30-JUN-97 |
| | MIL-C-28901/1 NOT 2 | CONNECTOR, ELECTRICAL, PLUGS, TIP SINGLE (BANANA PLUG) (S/S BY A-A-55469/1) [CUST: CR EC 85 CC] [REVIEW: 17 99 ME] | A 5935 | CC | | 30-JUN-97 |
| | MIL-C-28901/2 NOT 2 | CONNECTOR, ELECTRICAL, PLUGS, TIP, DUAL (BANANA PLUG) (S/S BY A-A-55469/2) [CUST: CR EC 85 CC] [REVIEW: 17 99 ME] | A 5935 | CC | | 30-JUN-97 |
| | MIL-C-28901/3 NOT 2 | CONNECTOR, ELECTRICAL, PLUGS, TIP, DUAL (BANANA PLUG) (S/S BY A-A-55469/3) [CUST: CR EC 85 CC] [REVIEW: 17 99 ME] | A 5935 | CC | | 30-JUN-97 |
| | MIL-C-28901/4 NOT 2 | CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, RIGHT ANGLE (BANANA PLUG) (S/S BY A-A-55469/4) [CUST: CR EC 85 CC] [REVIEW: 17 99 ME] | A 5935 | CC | | 30-JUN-97 |
| | MIL-C-28901/5 NOT 2 | CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, MINIATURE, (TEST POINT PLUG), .080 (S/S BY A-A-55469/5) [CUST: CR EC 85 CC] [REVIEW: 17 99 ME] | A 5935 | CC | | 30-JUN-97 |
| | MIL-C-28901/6 NOT 2 | CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, RIGHT ANGLE, (TEST POINT PLUG), .080 (S/S BY A-A-55469/6) [CUST: CR EC 85 CC] [REVIEW: 17 99 ME] | A 5935 | CC | | 30-JUN-97 |
| | MIL-C-28901/7 NOT 2 | CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, (TEST POINT PLUG), .080, SOLDERLESS (S/S BY A-A-55469/7) [CUST: CR EC 85 CC] [REVIEW: 17 99 ME] | A 5935 | CC | | 30-JUN-97 |
| | MIL-C-28901/10 NOT 2 | CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, (BANANA PLUG TO TEST POINT PLUG) (S/S BY A-A-55469/10) [CUST: CR EC 85 CC] [REVIEW: 17 99 ME] | A 5935 | CC | | 30-JUN-97 |
| | MIL-L-28948A NOT 1 | LANTERN, ELECTRIC, FLUORESCENT, HAND (NO S/S DOCUMENT) [CUST: MC] [REVIEW: GS] | A 6230 | MC | | 04-MAY-98 |
| | MIL-A-28988B NOT 1 | AMPLIFIER, RADIO FREQUENCY, AM-6545/GRC-193 (NO S/S DOCUMENT) [CUST: MC] | A 5820 | MC | | 04-MAY-98 |
| | MIL-P-28991 NOT 1 | PUBLIC ADDRESS SET, AN/UIQ-10 (NO S/S DOCUMENT) [CUST: MC] | A 5830 | MC | | 04-MAY-98 |
| | MIL-C-28998A NOT 1 | CLEANER-DRYER, ELECTRONIC TEST INSTRUMENT, PORTABLE (NO S/S DOCUMENT) [CUST: MC] [REVIEW: CC] | A 4940 | MC | | 04-MAY-98 |
| | MIL-G-29011(I) NOT 3 | GUIDE, OPERATION AND MAINTENANCE, FOR TRAINING AIDS, FOR PREPARATION OF (NO S/S DOCUMENT) [CUST: TD] | A TMSS | TD | | 05-MAY-98 |
| | MIL-C-29025A NOT 1 | COMMUNICATION SYSTEMS FOR TRAINING DEVICES, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: TD] | A 69GP | TD | | 05-MAY-98 |
| | MIL-F-29046(2) NOT 1 | FLOORING, RAISED, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: TD] [REVIEW: YD1] | A 69GP | TD | | 05-MAY-98 |
| | MIL-M-29049(I) NOT 1 | MANUAL, TECHNICAL: FUNCTIONALLY ORIENTED FOR TRAINING DEVICES (FOTM) (NO S/S DOCUMENT) [CUST: TD] | A TMSS | TD | | 05-MAY-98 |
| | DOD-T-29055 NOT 2 | TRAINING DEVICES PHOTOGRAPHY REQUIREMENTS; GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: TD] | A 6910 | TD | | 05-MAY-98 |
| | MIL-W-29158B NOT 1 | WINCHES, DRUMS, POWER-OPERATED, DIESEL-ENGINE-DRIVEN (S/S BY A-A-59212) [CUST: AV YD1 99] [REVIEW: 84 SA SH SM] | A 3950 | YD1 | | 18-MAY-98 |
| | MIL-B-29171B NOT 1 | BUILDINGS, RELOCATABLE, INSULATED, METAL, FOLDING FRAME (NO S/S DOCUMENT) [CUST: YD1] | A 5410 | YD1 | | 17-NOV-97 |
| | MIL-B-29172B NOT 1 | BUILDING, PORTABLE, SKID MOUNTED, KNOCKDOWN (NO S/S DOCUMENT) [CUST: GL YD1] [REVIEW: CE] | A 5410 | YD1 | | 24-MAR-98 |
| | MIL-B-29176B NOT 1 | BUILDING, PREFABRICATED, STEEL ARCH, DECONTAMINATION CENTER (NO S/S DOCUMENT) [CUST: YD1] | A 5410 | YD1 | | 05-MAY-98 |
| | MIL-C-29184B SUP 1 NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6150 | YD1 | | 05-MAY-98 |
| | MIL-C-29184/1B NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE I, CLASS 1, 350 AMPERE (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6150 | YD1 | | 05-MAY-98 |
| | MIL-C-29184/2B NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 100 AMPERE (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6150 | YD1 | | 05-MAY-98 |
| | MIL-C-29184/3B NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 60 AMPERE (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6150 | YD1 | | 05-MAY-98 |
| | MIL-C-29184/4B NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 30 AMPERE (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6150 | YD1 | | 05-MAY-98 |
| | MIL-C-29184/5B NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE II, CLASS 1, 20 AMPERE (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6150 | YD1 | | 05-MAY-98 |
| | MIL-C-29184/7B NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 100 AMPERE (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6150 | YD1 | | 05-MAY-98 |
| | MIL-C-29184/8B NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 60 AMPERE (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6150 | YD1 | | 05-MAY-98 |
| | MIL-C-29184/9B NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 100 AMPERE (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6150 | YD1 | | 05-MAY-98 |
| | MIL-C-29184/10B NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 60 AMPERE (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6150 | YD1 | | 05-MAY-98 |
| | MIL-C-29184/11B NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 30 AMPERE (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6150 | YD1 | | 05-MAY-98 |
| | MIL-C-29184/12B NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 20 AMPERE (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6150 | YD1 | | 05-MAY-98 |
| | MIL-C-29184/16A NOT 1 | CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 40 AMPERE (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 80 GS MC MS] | A 6150 | YD1 | | 05-MAY-98 |
| | MIL-M-29190A NOT 2 | MONITORING DEVICES, EMISSION; STACK RELATED (S/S BY A-A-50566) [CUST: EA YD1 99] [REVIEW: 82 DM MB MS] | A 6630 | YD1 | | 25-MAY-98 |
| | MIL-C-29202B NOT 1 | COACH RECRUITER, FORWARD CONTROL, 4 BY 2 (NO S/S DOCUMENT) [CUST: YD1] | A 2320 | YD1 | | 04-SEP-97 |
| | MIL-B-29205A NOT 1 | BOILERS, FLUIDIZED BED, STEAM AND HOT WATER, PACKAGED TYPE (330 TO 51,500 POUNDS PER HOUR THERMAL OUTPUT CAPACITY) (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 4410 | YD1 | | 30-JUN-98 |
| | MIL-C-29216B NOT 1 | COMPRESSOR, AIR, HIGH PRESSURE (S/S BY A-A-50587) [CUST: YD1] | A 4310 | YD1 | | 24-JUN-97 |
| | MIL-T-29218A NOT 1 | TRUCK, LIFT, PLATFORM, GASOLINE-ENGINE-DRIVEN, TELESCOPING BOOM (S/S BY A-A-60004) [CUST: AT YD1 99] [REVIEW: 84 CC SH] | A 3930 | YD1 | | 27-AUG-97 |
| | MIL-L-29223A NOT 1 | LAUNDRY UNIT, SKID-MOUNTED, 100 POUNDS (DRY WEIGHT) PER HOUR (S/S BY OO-L-2880) [CUST: YD1] | A 3510 | YD1 | | 17-AUG-97 |
| | MIL-P-29228A NOT 1 | PILE EXTRACTOR, AIR OPERATED (NO S/S DOCUMENT) [CUST: YD1] | A 3895 | YD1 | | 05-MAY-98 |
| | MIL-C-29244A NOT 1 | CRANE, CONTAINER HANDLING, AIR TRANSPORTABLE (NO S/S DOCUMENT) [CUST: YD1] | A 3810 | YD1 | | 08-AUG-97 |
| | MIL-T-29357(I) NOT 1 | TRANSPONDER SET, FORWARD AIR CONTROL, AN/PPN-18 (NO S/S DOCUMENT) [CUST: MC] [REVIEW: CR] | A 5895 | MC | | 04-MAY-98 |
| | MIL-O-29359 NOT 2 | OVERHAUL OF RADAR SET AN/TPS-32 (NO S/S DOCUMENT) [CUST: MC] | A 5840 | MC | | 04-MAY-98 |
| | MIL-C-29365A NOT 1 | CLOTH, NONWOVEN, INTERLINING, FUSIBLE, NYLON AND POLYESTER, POLYAMID (NO S/S DOCUMENT) [CUST: GL MC 11] [REVIEW: SA YD1] | A 8305 | MC | | 04-MAY-98 |

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|--------------------------|---|--------------------------|-----|-------------|-----------|
| MIL-E-29372(3) NOT 2 | EXCAVATOR, MULTIPURPOSE, WHEEL MOUNTED, FOUR WHEEL DRIVE, UNIVERSAL BOOM (NO S/S DOCUMENT) [CUST: MC] [REVIEW: CC YDI] | A 3805 | MC | | 04-MAY-98 |
| MIL-R-29385A NOT 1 | ROLLER, MOTORIZED, COMPACTOR, VIBRATORY, ARTICULATED, DIESEL ENGINE DRIVEN (NO S/S DOCUMENT) [CUST: MC] | A 3895 | MC | | 04-MAY-98 |
| MIL-C-29403A(1) NOT 1 | COMPASS UNIT, GYRO MX-18204/GSQ (NO S/S DOCUMENT) [CUST: MC] | A 1270 | MC | | 04-MAY-98 |
| MIL-E-29406(2) NOT 2 | EXTINGUISHER, FIRE, DRY CHEMICAL AND AQUEOUS FILM FORMING FOAM: SELF-CONTAINED (NO S/S DOCUMENT) [CUST: MC] | A 4210 | MC | | 04-MAY-98 |
| MIL-C-29425 NOT 2 | CRANE: HIGH-SPEED, HIGH-MOBILITY (NO S/S DOCUMENT) [CUST: MC] | A 3810 | MC | | 04-MAY-98 |
| MIL-C-29444 NOT 1 | CONTAINER, PALLET (PALCON) (NO S/S DOCUMENT) [CUST: MC] | A 8145 | MC | | 04-MAY-98 |
| MIL-C-29445 NOT 1 | CONTAINER, QUADRUPLE (QUADCON) (NO S/S DOCUMENT) [CUST: MC] | A 8145 | MC | | 04-MAY-98 |
| MIL-C-29446 NOT 1 | CONTAINER, INSERT (INSERT) (NO S/S DOCUMENT) [CUST: MC] | A 8145 | MC | | 04-MAY-98 |
| MIL-C-29447 NOT 1 | CONTAINER RACK, PALLET (PALCON RACK) (NO S/S DOCUMENT) [CUST: MC] | A 7125 | MC | | 04-MAY-98 |
| MIL-C-29448 NOT 1 | CONTAINER RACK, QUADRUPLE (QUADCON RACK) (NO S/S DOCUMENT) [CUST: MC] | A 7125 | MC | | 04-MAY-98 |
| MIL-C-29449 NOT 1 | CONTAINER CONNECTOR, HORIZONTAL (CONNECTOR) (NO S/S DOCUMENT) [CUST: MC] | A 8145 | MC | | 04-MAY-98 |
| MIL-C-29456 NOT 1 | CONTROL, INTERCOMMUNICATION SET C-11134/VIC-2 (V) (NO S/S DOCUMENT) | A 5830 | MC | | 04-MAY-98 |
| MIL-A-29457 NOT 1 | AMPLIFIER, AUDIO FREQUENCY AM-7162/VIC-2(V) (NO S/S DOCUMENT) [CUST: MC] | A 5830 | MC | | 04-MAY-98 |
| DOD-C-29501 NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC, DOUBLE LAYER, CARBON (METRIC) GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 19 AS AV CG MC MI OS SH] | A 5910 | CC | | 08-MAY-98 |
| DOD-C-29501/1 NOT 1 | CAPACITOR, FIXED, ELECTROLYTIC, DOUBLE LAYER, CARBON, (NONPOLARIZED), STYLE DL01 (METRIC) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 17 19 AS AV CG MC MI OS SH] | A 5910 | CC | | 08-MAY-98 |
| DOD-C-29501/2 NOT 1 | CAPACITOR, FIXED, ELECTROLYTIC, DOUBLE LAYER, CARBON, (POLARIZED), STYLE DL02 (METRIC) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 17 19 AS AV CG MC MI OS SH] | A 5910 | CC | | 08-MAY-98 |
| DOD-C-29501/3 NOT 1 | CAPACITOR, FIXED, ELECTROLYTIC, DOUBLE LAYER, CARBON, (POLARIZED) STYLE DL03 (METRIC) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 17 19 AS AV CG MC MI OS SH] | A 5910 | CC | | 08-MAY-98 |
| MIL-E-29581/1 NOT 1 | EARCUP, UNIT ACTIVE NOISE REDUCTION SYSTEM, MH-53E AIRCRAFT (NO S/S DOCUMENT) [CUST: AS 85] | A 5965 | 85 | | 20-AUG-96 |
| MIL-J-29634 NOT 1 | JERSEY, FLIGHT DECK CREWMAN'S (FLAME-RESISTANT) (S/S BY A-A-55068) [CUST: NU CT] [REVIEW: AS SH] | A 8415 | CT | | 23-SEP-97 |
| MIL-G-3036C(1) NOT 1 | GROMMET, ELASTIC, HOT OIL AND COOLANT RESISTANT (S/S BY NASM3036) [CUST: AR OS 99 IS] [REVIEW: AS CR EA EC GL MC MI NS SA] | A 5325 | IS | | 31-MAR-98 |
| MIL-M-36249 NOT 2 | MOUNTING BOARD, ELECTROCARDIOGRAPH RECORDS (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6515 | MB | | 05-MAY-98 |
| MIL-P-37599 NOT 1 | PLAGUE VACCINE, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | MB | | 05-MAY-98 |
| MIL-L-37745 NOT 1 | LIGHT, SURGICAL, CEILING (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6530 | MB | | 05-MAY-98 |
| MIL-S-0037951 NOT 1 | SMOCK, MEDICAL ASSISTANT S, MAN S, WHITE, COTTON-POLYESTER, DURABLE PRESS (S/S BY A-A-55288) [CUST: MD MS 03 MB] | A 6532 | MB | | 24-SEP-97 |
| MIL-P-38027A NOT 2 | PRESSURE INDICATING SYSTEM, HYDRAULIC A/A27J-1 (S/S BY MIL-I-27190 AND MS28005) [CUST: 99] | A 6685 | 82 | | 24-NOV-97 |
| MIL-D-0038134B NOT 1 | DETECTOR, MAGNETIC AZIMUTH DSU-4A/A, HIGH TEMPERATURE (NO S/S DOCUMENT) [CUST: AS] | A 6605 | AS | | 30-JUN-97 |
| MIL-C-38149C NOT 2 | CLOTH, COATED, CHLOROBUTYL, ARAMID, FUEL AND OXIDIZER RESISTANT (NO S/S DOCUMENT) [CUST: 11] [REVIEW: 70] | A 8305 | CT | | 24-JUL-97 |
| MIL-R-38522B(2) NOT 1 | RADOME CW-860/GPS() (NO S/S DOCUMENT) [CUST: 99] [REVIEW: 85 ES] | A 5985 | CC | | 10-JUN-96 |
| MIL-P-38790B NOT 1 | PRINTING PRODUCTION OF TECHNICAL MANUALS: GENERAL REQUIREMENTS FOR (S/S BY MIL-HDBK-38790) [CUST: TM SA 16 DH] [REVIEW: 01 10 11 13 19 33 99 AS AT AV CC CE CG CR CT EC GS MC MI OS] | A TMSS | 16 | | 09-JUL-97 |
| MIL-C-39006/1C(8) NOT 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, ETCHED FOIL), 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), ESTABLISHED RELIABILITY, STYLE CLR25 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS MC OS] | A 5910 | EC | | 06-JAN-98 |
| MIL-C-39006/2C(5) NOT 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, ETCHED FOIL), 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), ESTABLISHED RELIABILITY STYLE CLR27 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 11 17 19 AR AS MC OS SH] | A 5910 | EC | | 06-JAN-98 |
| MIL-C-39006/3D NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, PLAIN FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR35 (NO S/S DOCUMENT) [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS MC OS SH] | A 5910 | EC | | 06-JAN-98 |
| MIL-C-39006/4D NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, PLAIN FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR37 (NO S/S DOCUMENT) [CUST: CR EC 85 NA] [REVIEW: 17 19 99 AR AS MC OS] | A 5910 | EC | | 06-JAN-98 |
| MIL-C-39006/16A(7) NOT 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, HIGH ETCHED FOIL), 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), ESTABLISHED RELIABILITY, STYLE CLR71 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC OS SH] | A 5910 | EC | | 06-JAN-98 |
| MIL-C-39006/17A(5) NOT 1 | CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, HIGH ETCHED FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR73 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 17 19 AR AS MC OS] | A 5910 | EC | | 06-JAN-98 |
| MIL-C-39012/122A NOT 1 | CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES EIA FLANGE (SEMIRIGID CABLE, CLASS 2) (FOR USE WITH MIL-C-28830/3) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 19 90 99 AM AS AT MC MI OS SH] | A 5935 | CC | | 17-SEP-97 |
| MIL-C-39012/123A NOT 1 | CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES EIA FLANGE (SEMIRIGID CABLE, CLASS 2) (FOR USE WITH MIL-C-28830/4) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 19 90 99 AM AS AT MC MI OS SH] | A 5935 | CC | | 17-SEP-97 |
| MIL-C-39012/124A NOT 1 | CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES EIA FLANGE (SEMIRIGID CABLE, CLASS 2) (FOR USE WITH MIL-C-28830/5) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 19 90 99 AM AS AT MC MI OS SH] | A 5935 | CC | | 17-SEP-97 |
| MIL-C-39014/13B(1) NOT 2 | CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLES CKR20, CKR17, AND CKR18 (NO S/S DOCUMENT) [CUST: CR EC 85 NA] [REVIEW: 19 99 AR AT AV CC CR4 MC MI] | A 5910 | CR | | 16-SEP-97 |
| MIL-R-39016/56 NOT 1 | RELAY, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2.0 AMPERE (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: NA] | A 5945 | CC | | 09-JAN-95 |
| MIL-R-39016/57 NOT 1 | RELAY, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT LOW LEVEL TO 2.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: NA] | A 5945 | CC | | 09-JAN-95 |
| MIL-R-39016/58 NOT 1 | RELAY, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2.0 AMPERE (LATCHING) (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: NA] | A 5945 | CC | | 09-JAN-95 |
| MIL-R-39016/59 NOT 1 | RELAY, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT LOW LEVEL TO 2.0 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: NA] | A 5945 | CC | | 09-JAN-95 |
| MIL-S-40059E(1) NOT 1 | SEPARATORS, SUSPENSION LINE, PARACHUTE (NO S/S DOCUMENT) [CUST: GL AS 99] [REVIEW: 11 MC] | A 1670 | GL | | 15-APR-98 |
| MIL-C-40084C NOT 1 | CORROSION PREVENTIVE COMPOUND, WATER-EMULSIFIABLE, OIL TYPE (NO S/S DOCUMENT) [CUST: MR AS 11] [REVIEW: 84 CG SH] | A 8030 | MR | | 17-NOV-97 |
| MIL-L-40085F NOT 1 | LINK ASSEMBLY, TYPE IV, AIR DELIVERY (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: 11 AV MC] | A 1670 | GL | | 31-JUL-97 |
| MIL-C-40126F NOT 1 | CUP, WATER CANTEEN (FOR INSULATED CANTEEN) (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8465 | CT | | 04-MAR-98 |
| MIL-L-40138D NOT 1 | LOAD COUPLERS-8 AND 12 SPOOL (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: 11 82 AV] | A 1670 | GL | | 25-JUL-97 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|-------------|------------------------|--|-----------------------|-----|-------------|-----------|
| | MIL-S-40601D(3) NOT 1 | SAW, BAND, MEAT-CUTTING (NO S/S DOCUMENT) [CUST: GL SH 99] [REVIEW: GS MC] | A 7320 | SH | | 05-MAY-98 |
| | MIL-S-40601D(4) NOT 1 | SAWS, BAND, MEAT-CUTTING (NO S/S DOCUMENT) [CUST: SH] | A 7320 | SH | | 17-SEP-97 |
| | MIL-D-40631G NOT 1 | DISPENSER, TABLEWARE, SELF LEVELING (NO S/S DOCUMENT) [CUST: GL SH 99] [REVIEW: 82 GS MC MD SA YDI] | A 7320 | SH | | 05-MAY-98 |
| | MIL-H-41802E NOT 1 | HEADBAND AND NECKBAND, GROUND TROOPS, PARACHUTISTS, HELMET LINER (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: MC MD] | A 8470 | CT | | 04-MAR-98 |
| | MIL-R-42301 NOT 1 | RETRACTOR, RIB (TUFFIER) (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6515 | MB | | 05-MAY-98 |
| | MIL-C-43033(2) NOT 1 | CLOTH, COTTON, WATER REPELLANT (NO S/S DOCUMENT) [CUST: AR CT] | A 8305 | CT | | 02-JUN-97 |
| | MIL-B-43119B(1) NOT 2 | BRACKET, M21 REEFING LINE CUTTER, CARGO PARACHUTE CANOPY (NO S/S DOCUMENT) [CUST: GL AS] [REVIEW: AV] | A 1670 | GL | | 25-JUL-97 |
| | MIL-P-43134C NOT 1 | PLATE, TENSION, PARACHUTE PACKING (NO S/S DOCUMENT) [CUST: GL AS 99] [REVIEW: 82] | A 1670 | GL | | 25-JUL-97 |
| | MIL-C-43141E NOT 1 | CUTTERS; PAPER, GUILLOTINE: FLOOR MODEL, ELECTRIC-MOTOR-DRIVEN (S/S BY A-A-52572) [CUST: CE3] [REVIEW: GL GS] | A 3610 | CE3 | | 30-JAN-98 |
| | MIL-H-43178D NOT 1 | HARDWARE: FOR HELMETS, HELMET LINERS, AND BANDS (NO S/S DOCUMENT) [CUST: GL 99 CT] | A 8470 | CT | | 04-MAR-98 |
| | MIL-T-43238C NOT 2 | TABLE, SHADOW, PARACHUTE CANOPY INSPECTION (S/S BY A-A-59143) [CUST: GL AS 99] [REVIEW: 82 AV MC] | A 1670 | GL | | 04-DEC-97 |
| | MIL-T-43260B(1) NOT 1 | TRUNK, LOCKER, BAND (NO S/S DOCUMENT) [CUST: GL 99 CT] [REVIEW: 45] | A 8460 | CT | | 04-MAR-98 |
| | MIL-U-43263E NOT 1 | URN, COFFEE, TWIN AND SINGLE, AUTOMATIC (ELECTRIC, STEAM, AND GAS) (S/S BY A-A-59191) [CUST: SH] [REVIEW: CE CG GS MC MS SA] | A 7310 | SH | | 12-MAY-98 |
| | MIL-C-43300G NOT 1 | COLD FOOD COUNTER, MECHANICALLY REFRIGERATED (S/S BY A-A-59190) [CUST: GL SH 99] [REVIEW: 84 CE GS MC MD MS SA YDI] | A 7310 | SH | | 12-MAY-98 |
| | MIL-C-43343E NOT 1 | CONTROL, FUEL FLOW, OIL BURNER (NO S/S DOCUMENT) [CUST: GL YDI 99] [REVIEW: 84 CC MC MD] | A 4530 | GL | | 15-OCT-97 |
| | MIL-C-43347D NOT 2 | CLOTH, PLAIN WEAVE, POLYESTER, LOW AIR PERMEABILITY (NO S/S DOCUMENT) [CUST: GL 99 CT] [REVIEW: 45 82] | A 8305 | CT | | 06-AUG-97 |
| | MIL-D-43362B NOT 2 | DETERGENT, LAUNDRY (ANIONIC, A STANDARD FOR TESTING) (NO S/S DOCUMENT) [CUST: GL] [REVIEW: MD MI] | A 7930 | GL | | 17-SEP-97 |
| | MIL-F-43402D(13) NOT 1 | FOOD CUTTER, ELECTRIC (NO S/S DOCUMENT) [CUST: SA] | A 7320 | SA | | 17-SEP-97 |
| | MIL-T-43435B(1) NOT 2 | TAPE, LACING AND TYING (S/S BY A-A-52080 THRU A-A-52084) [CUST: GL SH 99 IS] [REVIEW: 82 AR AS CR CR4 EA MC MD MI OS] | A 4020 | IS | | 02-FEB-98 |
| | MIL-B-43436/2 NOT 2 | BAND MARKER, BLANK, TWO-PRONG CRIMP STYLE BAND (NO S/S DOCUMENT) [CUST: GL YDI 99 GS] [REVIEW: AR AT AV CR4 MC MI OS] | A 9905 | GS | | 03-APR-98 |
| | MIL-C-43487A NOT 2 | CLOTH, TAFFETA, POLYESTER (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 82 MD] | A 8305 | CT | | 03-MAR-98 |
| | MIL-C-43588 NOT 1 | CORD, POLYESTER, WAXED, CORELESS (NO S/S DOCUMENT) [CUST: GL] [REVIEW: AR MD ME] | A 4020 | IS | | 08-JUL-96 |
| | MIL-O-43633E NOT 1 | OVEN, BAKING AND ROASTING, FORCED CONVECTION, ELECTRIC (S/S BY A-A-59189) [CUST: SH 99] [REVIEW: CE GS MC MD SA YDI] | A 7310 | SH | | 12-MAY-98 |
| | MIL-A-43657(1) NOT 1 | ABSORBER, VAPOR, SYNTHETIC SOLVENT DRY CLEANING UNITS (NO S/S DOCUMENT) [CUST: GL YDI 99 GS] [REVIEW: CR MDI] | A 3510 | GS | | 07-JUL-97 |
| | MIL-R-43658A NOT 1 | RACK SET, BAKING FOR CABINETS, GASOLINE, FIELD RANGE M1937 AND M1959 (NO S/S DOCUMENT) [CUST: GL YDI 99] [REVIEW: IS MC MDI] | A 7360 | GL | | 31-JUL-97 |
| | MIL-C-43675A NOT 3 | CLOTH, INTERLINING, COTTON WARP AND RAYON FILLING (S/S BY A-A-52086) [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 04-FEB-98 |
| | MIL-C-43678A NOT 1 | CORD, FIBROUS, POLYESTER, DIAMOND BRAID (NO S/S DOCUMENT) [CUST: GL] [REVIEW: MD ME] | A 4020 | IS | | 17-AUG-95 |
| | MIL-I-43705D NOT 1 | ICE CREAM MAKER, SHAKE MAKERS, AND COMBINATION ICE CREAM AND SHAKE MAKERS - SOFT-SERVE (S/S BY ASTM-F1604) [CUST: SH] [REVIEW: GS MC SA] | A 4110 | SH | | 17-FEB-98 |
| | MIL-I-43705D(11) NOT 1 | ICE CREAM MAKERS; SHAKE MAKERS; AND COMBINATION ICE CREAM AND SHAKE MAKERS - SOFT SERVE (NO S/S DOCUMENT) [CUST: SA] | A 4110 | SA | | 17-SEP-97 |
| | MIL-B-43706A NOT 1 | BAG, PLASTIC, BREAD (S/S BY A-A-1728) [CUST: GL 69] [REVIEW: 99 MD] | A 8105 | GL | | 29-SEP-97 |
| | MIL-C-43718C NOT 2 | CLOTH, POLYESTER: POLYESTER AND COTTON; POLYESTER AND RAYON POCKETS (S/S BY A-A-52106) [CUST: GL NU 11 CT] [REVIEW: 45 82 99 MD] | A 8305 | CT | | 05-FEB-98 |
| | MIL-C-43763(1) NOT 2 | CLOTH, TROPICAL, POLYESTER/RAYON (DURABLE PRESS) (NO S/S DOCUMENT) [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 14-AUG-97 |
| | MIL-T-43779C NOT 1 | TIMER, DELAY, RELEASES, CARGO PARACHUTE, M1 AND M2 (NO S/S DOCUMENT) [CUST: GL AS 99] [REVIEW: 11 MC] | A 1670 | GL | | 15-APR-98 |
| | MIL-D-43783F NOT 2 | DRAWERS, MEN'S, BRIEF TYPE (S/S BY A-A-50003) [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 8420 | CT | | 06-APR-98 |
| | MIL-R-43870B NOT 1 | RACK, STORAGE, MIXER BOWLS AND ATTACHMENTS, MOBILE (NO S/S DOCUMENT) [CUST: GL 99 IS] [REVIEW: 84 MDI YDI] | A 7320 | IS | | 07-JUL-97 |
| | MIL-P-43873A NOT 1 | PEAS, DEHYDRATED, COMPRESSED (NO S/S DOCUMENT) [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8915 | GL | | 29-SEP-97 |
| | MIL-H-43895B(12) NOT 2 | HEATERS, HOT WATER BOOSTER, ELECTRIC; SINK, SANITIZING (NO S/S DOCUMENT) [CUST: SA] | A 7320 | SA | | 17-SEP-97 |
| | MIL-O-43901A NOT 1 | ONIONS, DEHYDRATED, COMPRESSED (NO S/S DOCUMENT) [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8915 | GL | | 29-SEP-97 |
| | MIL-S-43929B(1) NOT 2 | SHIRT, UTILITY (DURABLE PRESS) (NO S/S DOCUMENT) [CUST: NU CT] [REVIEW: MC] | A 8405 | CT | | 07-JUN-97 |
| | MIL-C-43983 NOT 2 | CLOTH, KNITTED, POLYESTER, RIB KNIT (NO S/S DOCUMENT) [CUST: GL CT] [REVIEW: MD] | A 8305 | CT | | 14-AUG-97 |
| | MIL-F-43986A(1) NOT 1 | FOLDER FILE, EQUIPMENT RECORD (NO S/S DOCUMENT) [CUST: GL] [REVIEW: MD] | A 7510 | GL | | 19-SEP-97 |
| | MIL-W-44027A NOT 1 | WEDGE KIT, RAMP BUNDLE DELIVERY SYSTEM, C-130 AIRCRAFT (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: AV] | A 1670 | GL | | 25-JUL-97 |
| | MIL-B-44037A NOT 1 | BLENDER, POWERED MIX, MECHANICALLY REFRIGERATED (NO S/S DOCUMENT) [CUST: SH] [REVIEW: MC SA] | A 7310 | SH | | 05-MAY-98 |
| | MIL-B-44037A(11) NOT 1 | BLENDER, POWDERED MIX, MECHANICALLY REFRIGERATED (NO S/S DOCUMENT) [CUST: SA] | A 7310 | SA | | 17-SEP-97 |
| | MIL-S-44041C NOT 2 | SHIRT, MAN'S, SHORT SLEEVE, POLYESTER/COTTON, ARMY GREEN 415, DURABLE PRESS (S/S BY A-A-52112) [CUST: GL CT] [REVIEW: MD] | A 8405 | CT | | 12-FEB-98 |
| | MIL-C-44044 NOT 1 | CABINET, STORAGE, MILK SHAKE, MECHANICALLY REFRIGERATED (NO S/S DOCUMENT) [CUST: SH] | A 7320 | SH | | 05-MAY-98 |
| | MIL-F-44070C NOT 1 | FRUITS, FREEZE-DEHYDRATED, FOR MEAL, READY-TO-EAT (NO S/S DOCUMENT) [CUST: GL SA 50] [REVIEW: MC MD QM SS] | A 8915 | GL | | 29-DEC-97 |
| | MIL-P-44081A NOT 1 | PAD, PARACHUTISTS, HELMET (S/S BY A-A-55253) [CUST: GL NU 99 CT] [REVIEW: 45 82 MD] | A 8470 | CT | | 04-MAR-98 |
| | MIL-C-44122 NOT 1 | CABBAGE, DEHYDRATED, COMPRESSED (NO S/S DOCUMENT) [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8915 | GL | | 29-SEP-97 |
| | MIL-V-44125A NOT 1 | VEAL STEAK, FROZEN, FLAKED, FORMED, BREADED (NO S/S DOCUMENT) [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8905 | GL | | 03-OCT-97 |
| | MIL-V-44145 NOT 1 | VEGETABLE, MIXED, DEHYDRATED, COMPRESSED (NO S/S DOCUMENT) [CUST: GL SA 50] [REVIEW: MC MD MS SS] | A 8915 | GL | | 29-SEP-97 |
| | MIL-H-0044159B NOT 1 | HAM CHUNKS, WITH JUICES, CANNED (NO S/S DOCUMENT) [CUST: GL SA 50] [REVIEW: MC MD] | A 8905 | SS | | 04-MAY-98 |
| | MIL-C-44192A NOT 1 | CONTAINER, SHIPPING AND STORAGE, COAT (HANGER PACK) (NO S/S DOCUMENT) [CUST: GL SA 69] [REVIEW: 84 99 CT] | A 8115 | GL | | 30-APR-98 |
| | MIL-S-44292A NOT 2 | SLACKS, WOMAN'S, HOSPITAL DUTY UNIFORM (HDI) (S/S BY A-A-55230) [CUST: GL 99 CT] [REVIEW: 82 MD] | A 8410 | CT | | 12-FEB-98 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Ave | MCA | Prep. Acty. | Date |
|-----------------------|--|-------------------------|-----|-------------|-----------|
| MIL-H-44357 NOT 1 | HEATER, RATION, INDIVIDUAL MOUNTED TROOPS (S/S BY MIL-PRF-44466) [CUST: GL] [REVIEW: AV IS MDI QM1] | A 7310 | GL | | 29-JUL-97 |
| MIL-C-44383 NOT 1 | CRADLE, MILITARY FUEL CAN, FIVE GALLON / TWENTY LITER (S/S BY NATICK DWG 5-4-5868 AND 5-4-6931) [CUST: GL YDI 99] [REVIEW: CC FSS MC MD] | A 7240 | GL | | 07-AUG-97 |
| MIL-S-44385 NOT 1 | SUIT, PARACHUTISTS, ROUGH TERRAIN (NO S/S DOCUMENT) [CUST: GL NU 99 CT] | A 8415 | CT | | 22-JAN-98 |
| MIL-R-44386 NOT 1 | RATION LIGHTWEIGHT, 30-DAY, ASSEMBLY OF (NO S/S DOCUMENT) [CUST: GL] [REVIEW: 50 MC MD QM SA SS] | A 8970 | GL | | 27-FEB-98 |
| MIL-E-44387A NOT 1 | ENTREE BARS, RATION LIGHTWEIGHT, 30-DAY (NO S/S DOCUMENT) [CUST: GL] [REVIEW: 50 MC MD QM SA SS] | A 8940 | GL | | 29-SEP-97 |
| MIL-B-44390 NOT 1 | BEVERAGE BAR, RATION LIGHTWEIGHT, 30-DAY (NO S/S DOCUMENT) [CUST: GL] [REVIEW: 50 MC MD SA SS] | A 8960 | GL | | 29-SEP-97 |
| MIL-D-44391 NOT 1 | DESSERT BARS, RATION LIGHTWEIGHT, 30-DAY (NO S/S DOCUMENT) [CUST: GL] [REVIEW: 50 MC MD SA SS] | A 8940 | GL | | 29-SEP-97 |
| MIL-C-44392 NOT 1 | COCOA BEVERAGE BAR, RATION LIGHTWEIGHT, 30-DAY (NO S/S DOCUMENT) [CUST: GL] [REVIEW: 50 MC MD SA SS] | A 8940 | GL | | 29-SEP-97 |
| MIL-D-44393 NOT 1 | DAIRY BARS, RATION LIGHTWEIGHT, 30-DAY (NO S/S DOCUMENT) [CUST: GL] [REVIEW: 50 MC MD SA SS] | A 8940 | GL | | 29-SEP-97 |
| MIL-B-44395 NOT 1 | BAG, PLASTIC (FOR HEATING WATER IN COMBAT VEHICLES) (NO S/S DOCUMENT) [CUST: GL] | A 8905 | GL | | 30-APR-98 |
| MIL-P-44412 NOT 1 | PACK, PARACHUTIST'S, STINGER MISSILE (NO S/S DOCUMENT) [CUST: GL CT] [REVIEW: AV] | A 8465 | CT | | 07-APR-98 |
| MIL-C-44424 NOT 1 | CLOTH, CHEMICAL PROTECTIVE (NO S/S DOCUMENT) [CUST: GL CT] | A 8305 | CT | | 14-AUG-97 |
| MIL-R-44471 NOT 1 | RANCHERO SAUCE, FREEZE-DEHYDRATED, (OPERATIONAL RATION COMPONENT) (NO S/S DOCUMENT) [CUST: GL MC] [REVIEW: 50 MD QM SA SS] | A 8950 | GL | | 29-DEC-97 |
| MIL-D-45089A NOT 1 | DRIVE-MOUNT, PERISCOPE, M9 (NO S/S DOCUMENT) [CUST: AR] | A 1290 | AR | | 27-SEP-97 |
| MIL-M-45105D NOT 1 | MOUNT, PERISCOPE, M104, M104A1 AND M104A2 (NO S/S DOCUMENT) [CUST: AR] [REVIEW: MC] | A 1240 | AR | | 27-SEP-97 |
| MIL-S-45108C(1) NOT 1 | SIGHT, INFINITY M44 AND M44C (NO S/S DOCUMENT) [CUST: AR] [REVIEW: MC] | A 1240 | AR | | 27-SEP-97 |
| MIL-M-45122 NOT 1 | MOUNT, TELESCOPE, M30 (NO S/S DOCUMENT) [CUST: AR] [REVIEW: MC] | A 1290 | AR | | 27-SEP-97 |
| MIL-D-45146A NOT 1 | DRIVE, BALLISTICS, M5A2 (NO S/S DOCUMENT) [CUST: AR] | A 1220 | AR | | 27-SEP-97 |
| MIL-G-45178A NOT 2 | GUN, SELF-PROPELLED, FULL TRACKED, TWIN 40MM, M42 AND M42A1, PREPARATION FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] [REVIEW: MD SM] | A 2350 | AT | | 05-JAN-98 |
| MIL-P-45184D(3) NOT 1 | PERISCOPE, TANK, M28 SERIES (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-G-45185 NOT 1 | GUN, 20MM, AUTOMATIC, M39A2 AND M39A3 (WITH REPAIR PARTS AND WITHOUT EQUIPMENT OR ACCESSORIES) (NO S/S DOCUMENT) [CUST: AR 99] [REVIEW: 84] | A 1005 | AR | | 27-SEP-97 |
| MIL-G-45185(14) NOT 1 | GUN, 20MM, AUTOMATIC, M39A2 AND M39A3 (WITH REPAIR PARTS AND WITHOUT EQUIPMENT OR ACCESSORIES) (NO S/S DOCUMENT) [CUST: AR] | A 1005 | AR | | 27-SEP-97 |
| MIL-G-45204C(3) NOT 1 | GOLD PLATING, ELECTRODEPOSITED (S/S BY SAE-AMS2422) [CUST: MR AS 11] | A MFFP | MR | | 07-APR-98 |
| MIL-P-45209B NOT 2 | PALLADIUM PLATING, (ELECTRODEPOSITED) (S/S BY ASTM-B679) [CUST: MR AS 11] | A MFFP | MR | | 07-APR-98 |
| MIL-M-45212A(1) NOT 2 | MOUNT, GUN; MOUNT, HOWITZER (NO S/S DOCUMENT) [CUST: AR] [REVIEW: AT] | A 1010 | AR | | 27-SEP-97 |
| MIL-P-45213E NOT 2 | PRESERVATION AND PACKING OF ROCKET AND MISSILE SYSTEMS EQUIPMENT FOR SHIPMENT (S/S BY MIL-STD-40076) [CUST: MI] [REVIEW: SM] | A PACK | MI | | 23-JAN-98 |
| MIL-T-45329B NOT 1 | TRANSMISSION, CROSS DRIVE, COMPLETE ASSEMBLY, CENTER SECTION, GEAR ASSEMBLIES, OUTPUT REDUCTION (NO S/S DOCUMENT) [CUST: AT] | A 2520 | AT | | 25-JUL-97 |
| MIL-B-45389A NOT 1 | BULLDOZER, EARTH MOVING, TANK MOUNTING, M9, PREPARATION FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] [REVIEW: SM] | A 2590 | AT | | 09-JAN-98 |
| MIL-S-45527A NOT 2 | SPRING, STANDARD WIRE, HELICAL COMPRESSION (FOR SMALL ARMS APPLICATION) (NO S/S DOCUMENT) [CUST: AR 99] | A 1005 | AR | | 27-SEP-97 |
| MIL-T-45539 NOT 2 | TRIGGER, WINTER (FOR SMALL ARMS) (NO S/S DOCUMENT) [CUST: AR] | A 1005 | AR | | 27-SEP-97 |
| MIL-T-45555(1) NOT 2 | TRAINERS, TANK TURRET: GUNNERY, M26 (M48A2) AND M30A1 (M60A1); PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] | A PACK | AT | | 09-JAN-98 |
| MIL-A-45559B(1) NOT 3 | ARMORED RECONNAISSANCE/AIRBORNE ASSAULT VEHICLE, FULL TRACKED, 152MM, XM551 (NO S/S DOCUMENT) [CUST: AT] | A 2350 | AT | | 03-JUL-97 |
| MIL-R-45633 NOT 1 | RING ASSEMBLY, ELECTRICAL CONTACT 7665497 (NO S/S DOCUMENT) [CUST: AR] | A 1290 | AR | | 27-SEP-97 |
| MIL-P-45651B NOT 1 | PERISCOPE, TANK, M31 AND M31C (NO S/S DOCUMENT) [CUST: AR] [REVIEW: MC] | A 1240 | AR | | 27-SEP-97 |
| MIL-H-45655A NOT 1 | HOLDER, TELESCOPE MOUNT, XM7 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-D-45657A NOT 2 | DRIVE, BALLISTIC, M5A1 (NO S/S DOCUMENT) [CUST: AR] | A 1220 | AR | | 27-SEP-97 |
| MIL-C-45675A(2) NOT 2 | COMPUTER, BALLISTICS, M13A1D (NO S/S DOCUMENT) [CUST: AR] | A 1220 | AR | | 27-SEP-97 |
| MIL-P-45682D(1) NOT 1 | PERISCOPE, TANK, M34 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-P-45685A NOT 1 | PERISCOPE, M23 (NO S/S DOCUMENT) [CUST: AR] [REVIEW: AT] | A 1240 | AR | | 27-SEP-97 |
| MIL-L-45779C(1) NOT 1 | LOADER - TRANSPORTER, GUIDED MISSILE: XM501E2 AND XM501E3; PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] | A PACK | AT | | 09-JAN-98 |
| MIL-M-45928 NOT 2 | MACHINE GUN, 7.62MM, FIXED, M219 (NO S/S DOCUMENT) [CUST: AR] | A 1005 | AR | | 27-SEP-97 |
| MIL-O-46016 NOT 2 | OIL, QUENCHING (NO S/S DOCUMENT) [CUST: AR GS] [REVIEW: AV] | A 9150 | GS | | 24-NOV-97 |
| MIL-L-46017(1) NOT 2 | LUBRICATING OIL, MACHINE TOOL SLIDEWAYS (S/S BY A-A-59113) [CUST: AR 68 GS] [REVIEW: AT] | A 9150 | GS | | 30-DEC-97 |
| MIL-F-46032A NOT 3 | FUNGUS-RESISTANT TREATMENT FOR SANDBAGS; COPPER PROCESSES (NO S/S DOCUMENT) [CUST: GL] [REVIEW: 99 CR4 EA IS MI MR SH] | A 8030 | GL | | 17-SEP-97 |
| MIL-F-46048A NOT 2 | FLOOR PLATE, RAISED PATTERN, MAGNESIUM ALLOY (AZ31B), ROLLED (NO S/S DOCUMENT) [CUST: MR] [REVIEW: CR4 IS MI] | A 9535 | MR | | 07-JUN-97 |
| MIL-A-46050C(3) NOT 1 | ADHESIVES, CYANOACRYLATE, RAPID ROOM TEMPERATURE CURING, SOLVENTLESS (S/S BY A-A-3097) [CUST: MR YDI 11] [REVIEW: 84 AR AS CR 84 DS GL MC MD MI] | A 8040 | MR | | 27-FEB-98 |
| MIL-L-46064A NOT 2 | LEAD-TIN ALLOY COATING (ELECTRODEPOSITED) (S/S BY ASTM-B200) [CUST: MR SH 11] | A MFFP | MR | | 07-APR-98 |
| MIL-C-46113B NOT 1 | CUTTING-FLUID CONCENTRATES, TRANSPARENT (NO S/S DOCUMENT) [CUST: AR GS] [REVIEW: MD PS] | A 9150 | GS | | 28-JAN-98 |
| MIL-S-46128B(1) NOT 2 | STEEL, ALLOY, BARS (V-MODIFIED 4330) FOR CRITICAL APPLICATION (NO S/S DOCUMENT) [CUST: MR] [REVIEW: IS] | A 9510 | MR | | 07-JUN-97 |
| MIL-F-46148 NOT 1 | FATTY OIL (FOR METAL WORKING LUBRICANTS) (S/S BY A-A-59197) [CUST: AR GS] [REVIEW: AV MI] | A 9150 | GS | | 27-MAR-98 |
| MIL-C-46149 NOT 1 | CUTTING FLUID, SULFUR-AND CHLORINE-ADDITIVE (NO S/S DOCUMENT) [CUST: AR YDI 68 GS] | A 9150 | GS | | 24-NOV-97 |
| MIL-C-46157A NOT 2 | COATING COMPOUND, TEMPORARY PROTECTIVE FOR RETROGRADE MATERIALS (NO S/S DOCUMENT) [CUST: MR] [REVIEW: 84 AS CG SH] | A 8030 | MR | | 17-NOV-97 |
| MIL-A-46158 NOT 2 | ALUMINUM ALLOY STRIP, STAINLESS STEEL CLAD (NO S/S DOCUMENT) [CUST: MR] | A 9535 | MR | | 07-JUN-97 |
| MIL-A-46165 NOT 2 | ARMOR: WOVEN GLASS ROVING FABRICS (S/S BY ASTM-D579 AND ASTM-D2343) [CUST: MR] | A 9340 | MR | | 12-JAN-98 |
| MIL-A-46166(2) NOT 2 | ARMOR: GLASS REINFORCED PLASTIC LAMINATES (S/S BY MIL-PRF-46103) [CUST: MR] | A 9330 | MR | | 12-JAN-97 |
| MIL-P-46184 NOT 1 | PLASTIC MOLDING AND EXTRUSION MATERIAL, POLYETHERIMIDE (PEI) (S/S BY ASTM-D5205) [CUST: MR] | A 9330 | MR | | 15-OCT-97 |
| MIL-M-46196A(1) NOT 1 | METAL MATRIX COMPOSITES (MMC): ALUMINUM REINFORCED WITH SILICON CARBIDE PARTICLES OR WHISKERS (NO S/S DOCUMENT) [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | A CMPS | MR | | 16-OCT-97 |
| MIL-P-46199 NOT 1 | PLATE: ALUMINUM OXIDE CERAMIC (FOR USE IN ARMOR COMPOSITES) (S/S BY MIL-PRF-46103) [CUST: MR] | A 9350 | MR | | 12-JAN-98 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------------|---|-----------------------|-----|-------------|-----------|
| MIL-C-46236 NOT 1 | CASE, CARTRIDGE, 37MM, MK1A2 (NO S/S DOCUMENT) [CUST: AR] | A 1310 | AR | | 27-SEP-97 |
| MIL-T-46335A NOT 1 | TELESCOPE, PANORAMIC, M100, M100C AND M100D (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-P-46338B(3) NOT 1 | PERISCOPE TANK, M32 (NO S/S DOCUMENT) [CUST: AR] [REVIEW: MC] | A 1240 | AR | | 27-SEP-97 |
| MIL-T-46342A(1) NOT 1 | TELESCOPE, ELBOW, M101C AND M101D (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-T-46353(1) NOT 1 | TRANSMITTER, SUPERELEVATION, -22 (NO S/S DOCUMENT) [CUST: AR] | A 1265 | AR | | 27-SEP-97 |
| MIL-P-46356 NOT 1 | PERISCOPE, XM30 AND XM30C (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-M-46368B(3) NOT 1 | MOUNT, TELESCOPE, M134 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-S-46371(3) NOT 1 | SIGHT, INFINITY, 8635466 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-M-46377 NOT 1 | MOUNT, ANTIOSCILLATION SIGHT, 10511004 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-R-46391 NOT 1 | RANGE FINDER, FIRE CONTROL, M17B1C (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-C-46546C(2) NOT 2 | CARTRIDGE, 20MM, DUMMY: M51A2 (NO S/S DOCUMENT) [CUST: AR 70] | A 1305 | AR | | 27-SEP-97 |
| MIL-DTL-46709F NOT 1 | HOWITZER, MEDIUM, SELF-PROPELLED: 155-MM, M109A2, M109A3, M109A4, AND M109A5; PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] [REVIEW: AR MT SM] | A PACK | AT | | 09-JAN-98 |
| MIL-R-46710B NOT 2 | RECOVERY VEHICLE, FULL-TRACKED: LIGHT, ARMORED, M578; PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] | A PACK | AT | | 09-JAN-98 |
| MIL-G-46723C NOT 3 | GUN, SELF-PROPELLED, FULL-TRACKED, 175MM, M107 AND HOWITZER, SELF-PROPELLED, FULL TRACKED, 8-INCH, M110, M110A1, AND M110A2, PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT MC] [REVIEW: AR SM] | A PACK | AT | | 29-SEP-97 |
| MIL-DTL-46746E NOT 1 | CARRIERS, COMMAND POST, LIGHT TRACKED: M577, M577A1, M577A2, AND M577A3; AND CARRIERS, COMMAND POST SYSTEM, STANDARDIZED INTEGRATED: M1068 AND M1068A3; PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] | A PACK | AT | | 09-JAN-98 |
| MIL-I-46852C(1) NOT 1 | INSULATION TAPE, ELECTRICAL, SELF ADHERING UNSUPPORTED SILICONE RUBBER (S/S BY A-A-59163) [CUST: MI 85 GS] [REVIEW: 99 DS] | A 5970 | GS | | 13-FEB-98 |
| MIL-I-46865B NOT 3 | INSULATING COMPOUND, ELECTRICAL, EPOXY, COLLOIDAL SILICA FILLED FOR POTTING AND ENCAPSULATION (S/S BY A-A-59134) [CUST: MI] | A 5970 | MI | | 24-NOV-97 |
| MIL-G-46886B NOT 1 | GREASE, SILICONE (S/S BY A-A-59173) [CUST: MI OS GS] [REVIEW: CD PS] | A 9150 | GS | | 03-MAR-98 |
| MIL-M-46888A NOT 2 | MAGNET MATERIALS, PERMANENT (S/S BY A-A-59167) [CUST: MI] | A 9535 | MI | | 24-FEB-98 |
| MIL-C-46971 NOT 2 | CASTING, PEARLITIC MALLEABLE IRON FOR ARTILLERY AND MORTAR AMMUNITION (S/S BY ASTM-B220) [CUST: AR] | A 1395 | AR | | 03-DEC-97 |
| MIL-T-47014(1) NOT 3 | TAPE, ALUMINUM FOIL, PRESSURE-SENSITIVE, HEAT REFLECTIVE (S/S BY A-A-59258) [CUST: AR] | A 8030 | AR | | 20-MAY-98 |
| MIL-I-47049 NOT 2 | INSULATION TUBING, SILICONE RUBBER, HEAT SHRINKABLE (NO S/S DOCUMENT) [CUST: MI GS] | A 5970 | GS | | 31-MAR-98 |
| MIL-P-47170A NOT 1 | PRIMER, SILICONE RUBBER SEALANT (S/S BY A-A-59116) [CUST: MI] | A 8040 | MI | | 04-SEP-97 |
| MIL-A-47284A NOT 1 | ADHESIVE, EPOXY RESIN BASE (S/S BY A-A-59109) [CUST: MI] | A 8040 | MI | | 03-JUL-97 |
| MIL-E-48223A NOT 1 | ELECTROCOULOMETER, DUAL ANODE, TWO MICROAMPERE HOURS AND NINE HUNDRED AND SIXTY MICROAMPERE HOURS CAPACITY (NO S/S DOCUMENT) [CUST: AR] | A 5999 | CC | | 18-APR-97 |
| MIL-I-48279(1) NOT 2 | INTERVALOMETER ADAPTER FOR M56 AIRCRAFT SUBSYSTEM (NO S/S DOCUMENT) [CUST: AR] | A 1345 | AR | | 27-SEP-97 |
| MIL-P-48280 NOT 2 | POLARITY TEST PLUG (NO S/S DOCUMENT) [CUST: AR] | A 1345 | AR | | 27-SEP-97 |
| MIL-A-48284(2) NOT 2 | AIRCRAFT CABLE ASSEMBLY (NO S/S DOCUMENT) [CUST: AR] | A 1345 | AR | | 27-SEP-97 |
| MIL-C-48286A(2) NOT 2 | CHARGE, MINE EJECTION ASSEMBLY, M198 (NO S/S DOCUMENT) [CUST: AR] | A 1345 | AR | | 27-SEP-97 |
| MIL-C-48287(1) NOT 2 | CYLINDER FOR M56 MINES (NO S/S DOCUMENT) [CUST: AR] | A 1345 | AR | | 27-SEP-97 |
| MIL-M-48292(9) NOT 2 | MINE, ANTI-TANK, METAL PARTS ASSEMBLY FOR M56 MINE (NO S/S DOCUMENT) [CUST: AR] | A 1345 | AR | | 27-SEP-97 |
| MIL-F-48293A NOT 2 | FUZE ASSEMBLY FOR M56 ANTI-TANK MINE (NO S/S DOCUMENT) [CUST: AR] | A 1345 | AR | | 27-SEP-97 |
| MIL-G-48344(1) NOT 2 | GYPSPUM, DEAD BURNED (NO S/S DOCUMENT) [CUST: AR GS] | A 6810 | GS | | 23-JAN-98 |
| MIL-T-48419A NOT 1 | TESTER, SYSTEM, 10549290 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-S-48426A NOT 1 | SERVO ELECTRONICS, 10548193 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-R-48427C NOT 1 | REFLECTOR AND FEED ASSEMBLY: 10556313 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-M-48428A(2) NOT 1 | MICROWAVE CHASSIS ASSEMBLY: 10549047 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-S-48431B(1) NOT 1 | SOLID STATE X-BAND SOURCE: 10548182 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-M-48432B NOT 1 | MIXER PREAMPLIFIER: 10548160 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-B-48433A(1) NOT 1 | BOARD ASSEMBLY, GENERATOR: 10548611 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-D-48435A(1) NOT 1 | DISTRIBUTION BOX: 10548533 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-48436A(1) NOT 1 | TEST SET SUBASSEMBLY: 11726378 (7.5 MHZ CLOCK) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-T-48445A NOT 1 | TARGET GENERATOR, SIMULATED, SUBSYSTEM OF TARGET SELECTOR GROUP, XM10 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-T-48574 NOT 1 | TELESCOPE, ELBOW, 11733780 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-C-48584B(1) NOT 1 | CIRCUIT CARD ASSEMBLY, 11747101 (RANGE AND RANGE RATE GENERATOR) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-48585(2) NOT 1 | CIRCUIT CARD ASSEMBLY 11748240 (SIGHT CURRENT GENERATOR ADAPTER) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-T-48588B NOT 1 | TEST SET, INVERTER, CONVERTER PANEL ASSEMBLY: 11747097 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-A-48607B(1) NOT 1 | AMPLIFIER, DOPPLER ASSEMBLY: 11740261 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-48740(3) NOT 2 | CANISTER, MINE PRACTICE, M56 SUBSYSTEM (NO S/S DOCUMENT) [CUST: AR] | A 1345 | AR | | 27-SEP-97 |
| MIL-C-48742(1) NOT 2 | CANISTER, MINE, TRAINING DEVICES FOR M56 TRAINING (NO S/S DOCUMENT) [CUST: AR] | A 1345 | AR | | 27-SEP-97 |
| MIL-C-48743A NOT 2 | CHARGE, EJECTION ASSEMBLY - TRAINING (NO S/S DOCUMENT) [CUST: AR] | A 1345 | AR | | 27-SEP-97 |
| MIL-B-48852 NOT 2 | BASE ASSEMBLY FOR M56 TRAINING MINE CANISTER (NO S/S DOCUMENT) [CUST: AR] | A 1345 | AR | | 27-SEP-97 |
| MIL-A-49079A NOT 1 | ALTIMETER SET, ELECTRONIC AN/APN-209(V) (UNITS OF) (NO S/S DOCUMENT) [CUST: CR] | A 5841 | CR | | 17-SEP-97 |
| MIL-M-49089 NOT 2 | MAST AB-864()/G AND MAST EXTENSION KIT MK-1624()/G (NO S/S DOCUMENT) [CUST: CR] | A 5985 | CR | | 01-JUN-97 |
| MIL-N-49094 NOT 2 | NAVIGATION SET, POSITION FIXING, LORAN AN/PSN-6() AND (UNITS OF) (NO S/S DOCUMENT) [CUST: CR] | A 5825 | CR | | 09-JAN-98 |
| MIL-C-49137/3B NOT 1 | CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE) TANTALUM, POLAR, INSULATED, METAL CASE, WITH PLASTIC END-FILL NONHERMETICALLY SEALED, STYLE-CX03 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 19 99 AS CC CG MC OS SH] | A 5910 | CR | | 30-SEP-97 |
| MIL-C-49137/4B NOT 2 | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, MOLDED, DUAL-IN-LINE PACKAGE, STYLE CX04 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 17 19 99 AS CG MC OS SH] | A 5910 | CR | | 09-OCT-97 |
| MIL-C-49137/7A NOT 1 | CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, NON-POLAR, NONHERMETICALLY SEALED STYLES CX07 AND CX17 (NO S/S DOCUMENT) [CUST: CR] | A 5910 | CR | | 30-SEP-97 |
| MIL-P-49146B NOT 1 | POWER SUPPLY, 18 MILLIMETER, MICROCHANNEL WAFER (NO S/S DOCUMENT) [CUST: CR EC 99] | A 5855 | CR | | 17-SEP-97 |
| MIL-A-49201(1) NOT 1 | ARRESTER, ELECTRICAL SURGE, F-1483()/G AND F-1495()/G (NO S/S DOCUMENT) [CUST: CR CC] | A 5920 | CC | | 20-FEB-98 |
| MIL-E-49294 NOT 2 | ELECTRONIC SHOP, SHELTER MOUNTED AN/MSM-108() (NO S/S DOCUMENT) [CUST: CR] | A 5410 | CR | | 17-SEP-97 |
| MIL-G-49312 NOT 1 | GOGGLES, NIGHT VISION AN/PVS-7A (NO S/S DOCUMENT) [CUST: CR] | A 5855 | CR | | 17-SEP-97 |
| MIL-G-49313 NOT 1 | GOGGLES, NIGHT VISION AN/PVS-7B (NO S/S DOCUMENT) [CUST: CR] | A 5855 | CR | | 11-SEP-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Wea | MCA | Prep. Acty. | Date |
|-------------------------|---|----------------------|-----|-------------|-----------|
| MIL-T-49363 NOT 2 | TEST SET, COUNTERMEASURES SET TS-3614 (J)/ALQ-136(V)1 (NO S/S DOCUMENT) [CUST: CR] | A 5865 | CR | | 01-JUN-97 |
| MIL-T-49364 NOT 1 | TEST SET, COUNTERMEASURES SET TS 3615 (J)/ALQ 136(V)1 (NO S/S DOCUMENT) [CUST: CR] | A 5865 | CR | | 01-JUN-97 |
| MIL-A-49425 NOT 1 | AVIATOR'S NIGHT VISION IMAGING SYSTEM AN/AVS-6(V)1, AN/AVS-6(V)2 (NO S/S DOCUMENT) [CUST: CR] | A 5855 | CR | | 16-SEP-97 |
| MIL-L-49426 NOT 1 | LENS ASSEMBLY, OBJECTIVE FOR AVIATOR'S NIGHT VISION IMAGING SYSTEM AN/AVS-6(V)1, AN/AVS-6(V)2 (NO S/S DOCUMENT) [CUST: CR] | A 5855 | CR | | 16-SEP-97 |
| MIL-L-49427 NOT 1 | LENS ASSEMBLY, EYEPiece FOR AVIATOR'S NIGHT VISION IMAGING SYSTEM, AN/AVS-6(V)1, AN/AVS-6(V)2 (NO S/S DOCUMENT) [CUST: CR] | A 5855 | CR | | 16-SEP-97 |
| MIL-I-49428 NOT 1 | IMAGE INTENSIFIER ASSEMBLY, 18 MM, MICROCHANNEL WAFER MX-10160/AVS-6 (NO S/S DOCUMENT) [CUST: CR] | A 5855 | CR | | 11-SEP-97 |
| MIL-P-49429 NOT 1 | POWER SUPPLY FOR ANVIS 18 MM MICROCHANNEL WAFER (NO S/S DOCUMENT) [CUST: CR] | A 5855 | CR | | 11-SEP-97 |
| MIL-P-49452 NOT 1 | POWER SUPPLY 18 MM, MICROCHANNEL WAFER, GEN III, MX-101300/UV (NO S/S DOCUMENT) [CUST: CR] | A 5855 | CR | | 17-SEP-97 |
| MIL-I-49453 NOT 1 | IMAGE INTENSIFIER ASSEMBLY, 18 MM MICROCHANNEL WAFER MX-101300/UV (NO S/S DOCUMENT) [CUST: CR] | A 5855 | CR | | 16-SEP-97 |
| MIL-C-49464(A) NOT 1 | CAPACITORS, CHIP, SINGLE LAYER, FIXED, PARALLEL PLATE, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 17 19 99 AS CC MC SH] | A 5910 | CR | | 30-SEP-97 |
| MIL-C-49464/1A(1) NOT 1 | CAPACITORS, CHIP, SINGLE LAYER, FIXED UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CPC01 (HIGH FREQUENCY) (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 17 19 99 AS CC MC SH] | A 5910 | CR | | 30-SEP-97 |
| MIL-C-49467/6 NOT 1 | CAPACITORS, CERAMIC, MULTILAYER, HIGH VOLTAGE, 10,000 V DC, ESTABLISHED RELIABILITY, STYLE HVR10 (NO S/S DOCUMENT) [CUST: CR EC 85 NA] [REVIEW: 11 19 AT AV CC CR4 MC MI] | A 5910 | CR | | 19-MAY-97 |
| MIL-V-50081F NOT 2 | VALVE INLET, CHEMICAL-BIOLOGICAL MASK, C20R1 (NO S/S DOCUMENT) [CUST: EA SH 99] [REVIEW: 84 GS MC MD] | A 4240 | EA | | 02-DEC-96 |
| MIL-D-50082D NOT 2 | DISKS, INLET AND NOSECUP VALVE (NO S/S DOCUMENT) [CUST: EA SH 99] [REVIEW: 84 GS MC MD] | A 4240 | EA | | 02-DEC-97 |
| MIL-D-0050082K(1) NOT 2 | DISKS, INLET AND NOSECUP VALVE (NO S/S DOCUMENT) [CUST: EA] | A 4240 | EA | | 02-DEC-97 |
| MIL-C-50269B NOT 1 | CELLULOSE, WOODPULP (SULFATE) FOR NON-METALLIC CARTRIDGE CASES, KRAFT (S/S BY A-A-59225) [CUST: AR] | A 1320 | AR | | 22-APR-98 |
| MIL-C-50306A NOT 1 | CASE, SHIPPING, REUSABLE, 10559875, 11730881 AND 11730882 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-P-50317B(1) NOT 1 | PROTECTOR, OVERVOLTAGE: 10548031 (+5 VOLT FILTER) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-R-50318B(1) NOT 1 | REGULATOR, VOLTAGE: 10548034 AND 11727766 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-R-50319B(1) NOT 1 | REGULATOR, VOLTAGE: 10548043 AND 11727763 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-T-50320C(1) NOT 1 | TRANSMIT GATE: 10549202 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-P-50321B(1) NOT 1 | POWER SUPPLY: 9342815 (KLYSTRON) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-G-50322B(1) NOT 1 | GENERATOR, DIGITAL: 10548613 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-P-50323C(1) NOT 1 | POWER SUPPLY: 11834450 (KLYSTRON BEAM) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-P-50324B NOT 1 | PULSE SHAPER: 10548801 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-R-50325B(1) NOT 1 | REGULATOR, VOLTAGE: 10548986 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-R-50326B(1) NOT 2 | REGULATOR, VOLTAGE: 10548987 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-R-50327C(1) NOT 1 | REGULATOR, VOLTAGE: 10548988 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-R-50328B(1) NOT 1 | REGULATOR, VOLTAGE: 10549008 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50329C(1) NOT 1 | CONVERTER, ELECTRONIC: 10549013 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50330C(1) NOT 1 | CONVERTER, DC/DC: 10549021 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-T-50336(1) NOT 1 | TEST SET SUBASSEMBLY: 10554898 (PULSE GENERATOR) (NO S/S DOCUMENT) [CUST: AR] | A 4931 | AR | | 27-SEP-97 |
| MIL-T-50341(1) NOT 1 | TEST SET SUBASSEMBLY: 11726335 (LINE DRIVER B/C) (NO S/S DOCUMENT) [CUST: AR] | A 4931 | AR | | 27-SEP-97 |
| MIL-C-50344B(1) NOT 1 | COUNTER, ELECTRONIC: 10548009 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-S-50347(2) NOT 1 | SIMULATOR, TARGET 10558244 (NO S/S DOCUMENT) [CUST: AR] | A 4931 | AR | | 27-SEP-97 |
| MIL-H-50368C(1) NOT 1 | HEAD ASSEMBLY, 10514220 (PERISCOPE, M32 & M35 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-C-50600A NOT 1 | CARTRIDGE, 20MM, TARGET PRACTICE TRACER, M206A1 (NO S/S DOCUMENT) [CUST: AR] | A 1305 | AR | | 27-SEP-97 |
| MIL-P-50601A(1) NOT 2 | PROJECTILE, 20MM, TP-T, M212A1; METAL PARTS (NO S/S DOCUMENT) [CUST: AR] | A 1305 | AR | | 27-SEP-97 |
| MIL-P-50607(3) NOT 1 | PERISCOPE, TANK, XM44E1 AND XM44E2 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-H-50646A(1) NOT 1 | HEAD ASSEMBLY, 10541990 (PERISCOPE, M32C) (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | | 27-SEP-97 |
| MIL-R-50651B(2) NOT 1 | RADAR SET AN/VPS-2: 10549058 (RANGE ONLY RADAR) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50652/2A NOT 1 | CIRCUIT CARD ASSEMBLY: 10548007 (GENERATOR, COMPUTER TIMING) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50652/3A NOT 1 | CIRCUIT CARD ASSEMBLY: 10548119 (DECODER, RCFD) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50652/6A NOT 1 | CIRCUIT CARD ASSEMBLY: 10548122 (REGISTER A, RANGE) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50652/8B NOT 1 | CIRCUIT CARD ASSEMBLY: 10548148 (CONTROL, SEARCH/TRACK, AND GAIN) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50652/9A NOT 1 | CIRCUIT CARD ASSEMBLY: 10548125 (COUNTER A, RANGE RATE) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50652/11(2) NOT 1 | CIRCUIT CARD ASSEMBLY: 10548049 (SCALER, RATE) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50652/12(3) NOT 1 | CIRCUIT CARD ASSEMBLY: 10548086 (INTERGATOR, RATE) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50652/13(1) NOT 1 | CIRCUIT CARD ASSEMBLY: 10548133 (DETECTOR, PHASE) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50652/14(4) NOT 1 | CIRCUIT CARD ASSEMBLY: 10548359 (CONVERTER, RANGE D/A, 4A16) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50652/15C NOT 1 | CIRCUIT CARD ASSEMBLY: 10548330 (CONVERTER, RANGE RATE D/A 4A17) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50652/16(1) NOT 2 | CIRCUIT CARD ASSEMBLY: 10548450 (AMPLIFIER, CONTROL) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50652/17A NOT 1 | CIRCUIT CARD ASSEMBLY: 10548638 (DELAY, FINE/FINE) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-C-50652/18(1) NOT 1 | CIRCUIT CARD ASSEMBLY: 10549234 (BOARD, UNIVERSAL) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 27-SEP-97 |
| MIL-B-50653B(1) NOT 1 | BOARD, COMPONENT: 10548362 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-N-50654A(1) NOT 1 | NETWORK, PULSE FORMING: 11740288 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-A-50655A(1) NOT 1 | ASSEMBLY, BOARD, KLYSTRON POWER SUPPLY: 10548905 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-D-50656A(1) NOT 1 | DIODE BOARD ASSEMBLY: 10549017 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-R-50657B(2) NOT 1 | REGULATOR, 15-VOLT, BOARD ASSEMBLY: 10548959 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-R-50658C(1) NOT 1 | REGULATOR, 15 VOLT, BOARD ASSEMBLY: 10548958 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-R-50659B(1) NOT 1 | REGULATOR, 23-VOLT, BOARD ASSEMBLY: 10549014 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-R-50660B(2) NOT 1 | REGULATOR, 23 VOLT, BOARD ASSEMBLY: 10548960 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-R-50662B(1) NOT 1 | REGULATOR, 33 VOLT, BOARD ASSEMBLY: 10549015 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-R-50663C(1) NOT 1 | REGULATOR, 6 VOLT, BOARD ASSEMBLY: 10548953 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-R-50664B(1) NOT 1 | REGULATOR, 29 VOLT, BOARD ASSEMBLY: 10548961 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-O-50665(2) NOT 1 | OSCILLATOR DOPPLER: 10548833 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-S-50666A(1) NOT 1 | SERVO DRIVE, TRAVERSE: 10548052 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|----------------------------|---|--------------------------|-----|-------------|------|
| MIL-S-50667A(1) NOT 1 | SERVO DRIVE, ELEVATION: 10548062 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-R-50668A(2) NOT 1 | RECEIVER-TRANSMITTER, RADAR RT-860/VPS-2: 10548089 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-D-50669A(1) NOT 1 | DRIVER, SWITCH: 10548602 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-B-50670A(1) NOT 1 | BOARD ASSEMBLY: 10548604 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-G-50671 NOT 1 | GATE TRANSMIT, BOARD B. 10549207 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-S-50673A(1) NOT 1 | SHAPER PULSE: 10548806 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-R-50674A(1) NOT 1 | RECEIVER, RADAR R-1475/VPS-2: 10548338 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-C-50675B(1) NOT 1 | CIRCUIT ASSEMBLY: AGC: 10549228 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-G-50676A(1) NOT 1 | GATE I-F: 10548649 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-D-50677B(1) NOT 1 | DETECTOR, DOPPLER: 10548509 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-G-50678C(2) NOT 1 | GATE, MULTIPLE, CIRCUITS: 9342754 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-G-50680C(2) NOT 1 | GATE CIRCUIT, MULTIPLE BOARD ASSEMBLY - UPPER: 9342753 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-G-50681D(2) NOT 1 | GATE CIRCUIT, MULTIPLE, BOARD ASSEMBLY - LOWER: 10548550 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-G-50683A(1) NOT 1 | GATE, I-F BOARD ASSEMBLY - UPPER: 10548656 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-G-50684A(1) NOT 1 | GATE, I-F BOARD ASSEMBLY - LOWER: 10548654 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-C-50685B(1) NOT 1 | COMPUTER, RANGE CP-888/VPS-2: 10548339 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-P-50686A(1) NOT 2 | POWER SUPPLY, PP-4812/VPS-2: 10548440 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-A-50687B NOT 1 | ANTENNA ASSEMBLY AS-2049/VPS-2: 10556312 AND AS-2049A/VPS-2A: 12563321 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-S-50716 NOT 1 | SIGHT, INFINITY, M44C (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-D-50720(2) NOT 1 | DUMMY CARTRIDGE, 20 MILLIMETER, PLASTIC, XM254 (NO S/S DOCUMENT) [CUST: AR] | A 1305 | AR | 03-OCT-97 | |
| MIL-S-50750 NOT 1 | TEST SET, LASER RANGEFINDER, TS-3375/VVG-1, DS LEVEL 11738861 (NO S/S DOCUMENT) [CUST: AR] | A 4931 | AR | 03-OCT-97 | |
| MIL-R-50761 NOT 1 | RANGE POT ASSEMBLY. 10553423 (NO S/S DOCUMENT) [CUST: AR] | A 1270 | AR | 03-OCT-97 | |
| MIL-R-50781(1) NOT 1 | RESOLVER, ELECTRICAL, LINEAR, GENERAL SPECIFICATION FOR (S/S BY MIL-R-23417) [CUST: AR AS 85 CC] [REVIEW: 11 17 99 AV CR4 EC MI] | A 5990 | CC | 19-DEC-97 | |
| MIL-R-50781/1 NOT 2 | RESOLVER, ELECTRICAL, LINEAR, TYPE 26V OBL3554A (S/S BY MIL-R-23417 AND MIL-R-23417/1) [CUST: AR AS 85 CC] [REVIEW: 80 AV CR EC TD] | A 5990 | CC | 19-DEC-97 | |
| MIL-C-50785/2 NOT 1 | CIRCUIT CARD, 10545483 (FIRING INDICATOR) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-C-50785/4 NOT 1 | CIRCUIT CARD ASSEMBLY, 10545670 (BALLISTIC CORRECTION M220/M246E3) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-C-50785/6(1) NOT 2 | CIRCUIT CARD ASSEMBLY, 10545703 (BUFFER AMPLIFIER) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-C-50785/7(1) NOT 2 | CIRCUIT CARD ASSEMBLY, 10545704 (ACQUISITION TIME DELAY) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-C-50785/8(1) NOT 2 | CIRCUIT CARD ASSEMBLY, 10545705 (SIGHT CORRECTION) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-C-50785/9(2) NOT 1 | CIRCUIT CARD ASSEMBLY, 10545706 (PULSE WIDTH MULTIPLIER) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-C-50785/10 NOT 1 | CIRCUIT CARD ASSEMBLY, 10545707 (TIME DELAY) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-C-50785/12A NOT 1 | CIRCUIT CARD ASSEMBLY: 12000012 (COMPUTATION CONTROL) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-C-50785/14(1) NOT 1 | CIRCUIT CARD ASSEMBLY: 12000010 (BALLISTIC CONSTANT) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-C-50785/15A NOT 1 | CIRCUIT CARD ASSEMBLY: 12000015 (RATE SERIES) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-C-50785/16A NOT 1 | CIRCUIT CARD ASSEMBLY: 12000016 (RANGE SERIES) (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-C-50785/17 NOT 1 | CIRCUIT CARD ASSEMBLY 12000252 TIME DELAY (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-P-50875B(1) NOT 1 | PLUG, LIFTING, ASSEMBLING, FUSIBLE FOR 155MM & 8 INCH PROJECTILES (NO S/S DOCUMENT) [CUST: AR] | A 1320 | MB | 07-JUN-97 | |
| MIL-C-50880(1) SUP 1 NOT 1 | CONNECTOR, ELECTRICAL, MINIATURE, QUICK DISCONNECT (FOR WEAPONS SYSTEMS) ESTABLISHED RELIABILITY (NO S/S DOCUMENT) [CUST: AR] | A 5935 | CC | 18-APR-97 | |
| MIL-M-51038 NOT 1 | MIXING AND TRANSFER UNIT, INCENDIARY OIL, M5 (NO S/S DOCUMENT) [CUST: AR MC] | A 1040 | AR | 03-OCT-97 | |
| MIL-L-51050B(2) NOT 1 | LABORATORY, PETROLEUM, SEMITRAILER MOUNTED (NO S/S DOCUMENT) [CUST: AT] [REVIEW: AR EA MD] | A 6640 | AT | 18-MAY-98 | |
| MIL-H-51059A(1) NOT 2 | HOSE, FUEL, FLAME THROWER, M8 (NO S/S DOCUMENT) [CUST: EA MC] [REVIEW: OS] | A 4720 | EA | 02-DEC-96 | |
| MIL-F-51095B NOT 2 | FILTER MATERIAL, GAS-AEROSOL, C18R1 (NO S/S DOCUMENT) [CUST: EA SH 99] [REVIEW: 84 MC MD] | A 4240 | EA | 02-DEC-96 | |
| MIL-F-0051095F(1) NOT 2 | FILTER MATERIAL, GAS-AEROSOL, C18R1 (NO S/S DOCUMENT) [CUST: EA] | A 4240 | EA | 02-DEC-96 | |
| MIL-C-51096B NOT 2 | CORE MATERIAL, C18 (NO S/S DOCUMENT) [CUST: EA SH 99] [REVIEW: 84 MC MD] | A 4240 | EA | 02-DEC-96 | |
| MIL-C-0051096E(1) NOT 2 | CORE MATERIAL, C18 (NO S/S DOCUMENT) [CUST: EA] | A 4240 | EA | 02-DEC-96 | |
| MIL-B-51097B NOT 2 | BACKING MATERIAL, C18 (NO S/S DOCUMENT) [CUST: EA SH 99] [REVIEW: 84 MC MD] | A 4240 | EA | 02-DEC-96 | |
| MIL-B-0051097D(1) NOT 2 | BACKING MATERIAL, C18 (NO S/S DOCUMENT) [CUST: EA] | A 4240 | EA | 02-DEC-96 | |
| MIL-C-51130B NOT 2 | CHEMICALS, REAGENT GRADE; GENERAL SPECIFICATION FOR (METRIC) (NO S/S DOCUMENT) [CUST: EA 68 GS] [REVIEW: AR CR4 MD] | A 6810 | GS | 04-APR-89 | |
| MIL-S-51141A(1) NOT 2 | SUIT, PROTECTIVE, IMPERMEABLE, SUPPLIED AIR (NO S/S DOCUMENT) [CUST: NU CT] | A 8415 | CT | 24-SEP-97 | |
| MIL-F-51213D NOT 2 | FILTER, GAS (60, 120 AND 250 CFM MODULES), C10, C31 AND C21 (NO S/S DOCUMENT) [CUST: EA] [REVIEW: GS] | A 4240 | EA | 23-SEP-97 | |
| MIL-F-51214D NOT 2 | FILTERS, GAS, 600, 1200, 2500, AND 5000 CFM; C22R1, C32R1, C29R1 AND C23R1 (NO S/S DOCUMENT) [CUST: EA] [REVIEW: GS] | A 4240 | EA | 23-SEP-97 | |
| MIL-M-51231 NOT 2 | MASK, GAS, ROCKET PROPELLANT, M26A1 (NO S/S DOCUMENT) [CUST: EA 99] [REVIEW: 84 GS MD] | A 4240 | EA | 02-DEC-96 | |
| MIL-S-51309 NOT 1 | SODIUM CHLORATE, ANALYZED REAGENT (NO S/S DOCUMENT) [CUST: 68 GS] [REVIEW: MDI MI] | A 6810 | GS | 28-AUG-97 | |
| MIL-A-51312 NOT 1 | ANTIMONY TRIOXIDE, ANALYZED REAGENT (NO S/S DOCUMENT) [CUST: EA GS] [REVIEW: MDI] | A 6810 | GS | 16-DEC-97 | |
| MIL-A-51313 NOT 1 | ARSENIC PENTOXIDE, ANALYZED REAGENT (NO S/S DOCUMENT) [CUST: EA 68 GS] [REVIEW: MDI MI] | A 6810 | GS | 08-DEC-97 | |
| MIL-N-51314 NOT 1 | NICKEL NITRATE, HEXAHYDRATE, ANALYZED REAGENT (NO S/S DOCUMENT) [CUST: EA SH 68 GS] [REVIEW: MDI MI] | A 6810 | GS | 08-DEC-97 | |
| MIL-P-51315A NOT 2 | POTASSIUM BIFLUORIDE, TECHNICAL (NO S/S DOCUMENT) [CUST: MDI 68 GS] | A 6810 | GS | 09-FEB-98 | |
| MIL-V-51316 NOT 1 | VANADIUM PENTOXIDE, ANALYZED REAGENT (NO S/S DOCUMENT) [CUST: EA GS] [REVIEW: MD MI] | A 6810 | GS | 09-FEB-98 | |
| DOD-I-51323C NOT 1 | INSECTICIDE, DICHLORVOS, IMPREGNATED STRIP (METRIC) (S/S BY A-A-59172) [CUST: EA GS] [REVIEW: GL MDI PM] | A 6840 | GS | 02-MAR-98 | |
| MIL-I-51325C NOT 1 | INSECTICIDE, CHLORPYRIFOS, EMULSIFIABLE CONCENTRATE (NO S/S DOCUMENT) [CUST: EA YD1 68 GS] [REVIEW: GL1 MDI MS SH] | A 6840 | GS | 12-SEP-97 | |
| MIL-B-51333 NOT 1 | BARIUM PERCHLORATE, ANHYDROUS, ANALYZED REAGENT (NO S/S DOCUMENT) [CUST: EA 68 GS] [REVIEW: MDI] | A 6810 | GS | 08-DEC-97 | |
| MIL-L-51336 NOT 1 | LEAD OXIDE, RED, ANALYZED REAGENT (NO S/S DOCUMENT) [CUST: EA 68 GS] [REVIEW: MDI MI SM] | A 6810 | GS | 30-JAN-98 | |
| MIL-F-51367B(1) NOT 2 | FILTER AND UTILITIES UNIT, CHEMICAL-BIOLOGICAL SHELTER SYSTEM, TRAILER MOUNTED: M68 (NO S/S DOCUMENT) [CUST: EA] [REVIEW: GS] | A 4240 | EA | 23-SEP-97 | |
| MIL-F-51369B(2) NOT 2 | FILTERS GAS: RECIRCULATION (550 CFM AND 1200 CFM) (NO S/S DOCUMENT) [CUST: EA] [REVIEW: GS] | A 4240 | EA | 23-SEP-97 | |
| MIL-C-51407A NOT 2 | CHLORINATED LIME, TECHNICAL (S/S BY AWWA-B300) [CUST: EA GS] | A 6810 | GS | 22-JAN-98 | |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Ata | MCA | Prep. Acty. | Date |
|------------------------------|--|----------------------|-----|-------------|-----------|
| MIL-S-51430D(1) NOT 1 | SLEEVE ASSEMBLY (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA CMDR, U.S. ARMY CHEMICAL RESEARCH, DEVELOPMENT AND ENGINEERING CENTER, ATTN: SMCCR-SPT-S, ABERDEEN PROVING GROUND, MD 21010-5423 (NO S/S DOCUMENT) [CUST: EA] | X 1320 | EA | | 23-JUN-95 |
| MIL-C-52053A NOT 1 | CYLINDER, CARBON DIOXIDE, 2 OZ, CAPACITY (NO S/S DOCUMENT) [CUST: AT 68] [REVIEW: CC CE GS] | A 8120 | 68 | | 12-MAR-98 |
| MIL-T-52114G NOT 1 | THEODOLITES, SURVEYING, DIRECTIONAL; THIRD ORDER (S/S BY A-A-52573) [CUST: CE3] [REVIEW: GS] | A 6675 | CE3 | | 15-MAY-98 |
| MIL-C-52127C(2) NOT 2 | CRUSHER, ROLL, DIESEL ENGINE AND ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY (NO S/S DOCUMENT) [CUST: AT MC] [REVIEW: CC] | A 3820 | AT | | 18-MAY-98 |
| MIL-B-52203D NOT 2 | BOOM CRANE, 20 TON, ROUGH TERRAIN, 20 TON, TRUCK MOUNTED, 12 1/2 TON, CRAWLER MOUNTED (NO S/S DOCUMENT) [CUST: AT 99] [REVIEW: CC CE] | A 3815 | AT | | 18-MAY-98 |
| MIL-B-52207B NOT 2 | BOOM, JIB, CRANE, 15 FOOT LONG, FOR 3/4 CUBIC YARD (12 1/2 TON CRAWLER MOUNTED, 20 TON WHEEL MOUNTED) CRANES (NO S/S DOCUMENT) [CUST: AT YD1 99] [REVIEW: CC CE MC] | A 3815 | AT | | 18-MAY-98 |
| MIL-T-0052270D NOT 1 | TRACTOR, FULL TRACKED, LOW SPEED, DIESEL ENGINE DRIVEN MEDIUM DRAWBAR PULL (NO S/S DOCUMENT) [CUST: AT] | A 2410 | AT | | 18-MAY-98 |
| MIL-C-52326B NOT 2 | CRANE, CRAWLER MOUNTED, 60 TON AT 25 FOOT RADIUS, DIESEL ENGINE DRIVEN (NO S/S DOCUMENT) [CUST: AT] [REVIEW: CC] | A 3810 | AT | | 18-MAY-98 |
| MIL-L-52413B NOT 1 | LIFE PRESERVER, YOKE: ORAL INFLATION, TRAPPED AIR TYPE, DESIGN 9008 (NO S/S DOCUMENT) [CUST: AV] [REVIEW: AT CC] | A 4220 | AV | | 03-APR-98 |
| MIL-T-52438B NOT 1 | TRAINING AID, GRIDS, LARGE AND SMALL, MAP READING (NO S/S DOCUMENT) [CUST: CE3 MC NS] | A 6910 | CE3 | | 07-DEC-97 |
| MIL-T-52439B NOT 1 | TRAINING AID, ELEVATION INDICATOR, MAP READING (NO S/S DOCUMENT) [CUST: CE3 MC] | A 6910 | CE3 | | 07-DEC-97 |
| MIL-T-52440B NOT 1 | TRAINING AID COORDINATE INDICATOR, MAP READING (NO S/S DOCUMENT) [CUST: CE3 NS] | A 6910 | CE3 | | 07-DEC-97 |
| MIL-T-52452B NOT 1 | TRAINING AID, MODEL COMPASSES, PLANE SURFACE AND LENSATIC (NO S/S DOCUMENT) [CUST: CE3] | A 6910 | CE3 | | 13-FEB-98 |
| MIL-T-52465B NOT 1 | TRAINING AID, MAP ASSEMBLY, FOLDING PANEL (NO S/S DOCUMENT) [CUST: CE3] [REVIEW: MC] | A 6910 | CE3 | | 13-FEB-98 |
| MIL-T-52485B NOT 1 | TRAINING AID, MODEL, TERRAIN, CONTOUR HILL, ELONGATED MAP READING (NO S/S DOCUMENT) [CUST: CE3] | A 6910 | CE3 | | 13-FEB-98 |
| MIL-T-52486B NOT 1 | TRAINING AID, PANEL SETS, GRID NUMERAL, LARGE AND SMALL, MAP READING (NO S/S DOCUMENT) [CUST: CE3] [REVIEW: 99 MC] | A 6910 | CE3 | | 13-FEB-98 |
| MIL-B-52489E(1) NOT 1 | BARBED TAPE, CONCERTINA (S/S BY A-A-55522) [CUST: AT YD1 99 IS] [REVIEW: 84] | A 5660 | IS | | 28-APR-97 |
| MIL-T-52497A NOT 1 | TRANSFORMER, POWER, ISOLATION, SERIES-CIRCUIT, AIRPORT-LIGHTING, 6.6/6.6 AMPERES (S/S BY MIL-T-27535, MS27289 AND MS27288) [CUST: CC] [REVIEW: MI] | A 5950 | CC | | 06-MAR-98 |
| MIL-T-52501B NOT 1 | TRAINING AID, SCALE, COORDINATE (NO S/S DOCUMENT) [CUST: CE3 MC] | A 6910 | CE3 | | 07-DEC-97 |
| MIL-T-52502B NOT 1 | TRAINING AID, PANELS, DECLINATION DIAGRAM AND GRAPHIC SCALE, MAP READING (NO S/S DOCUMENT) [CUST: CE3 MC] | A 6910 | CE3 | | 07-DEC-97 |
| MIL-T-52503B NOT 1 | TRAINING AID, CONE, COLLAPSIBLE, FIBER (NO S/S DOCUMENT) [CUST: CE3] [REVIEW: MC] | A 6910 | CE3 | | 13-FEB-98 |
| MIL-T-52504B NOT 1 | TRAINING AID, PANEL, GRID REFERENCE BOX (NO S/S DOCUMENT) [CUST: CE3] | A 6910 | CE3 | | 07-DEC-97 |
| MIL-T-52518B NOT 1 | TRAINING AID, SCALE, DECLINATION, MAP READING (NO S/S DOCUMENT) [CUST: CE3 MC] | A 6910 | CE3 | | 07-DEC-97 |
| MIL-T-52530B NOT 1 | TRAINING AID, TAPE, MAGNETIC NORTH LINE (NO S/S DOCUMENT) [CUST: CE3] [REVIEW: MC] | A 6910 | CE3 | | 13-FEB-98 |
| MIL-T-52532B NOT 1 | TRAINING AID, PROTRACTORS, CIRCULAR (LARGE AND SMALL) MAP READING (NO S/S DOCUMENT) [CUST: CE3] [REVIEW: NS] | A 6910 | CE3 | | 13-FEB-98 |
| MIL-T-52534B NOT 1 | TRAINING AID, FLASH CARD SET, MAP READING (NO S/S DOCUMENT) [CUST: CE3] [REVIEW: MC] | A 6910 | CE3 | | 13-FEB-98 |
| MIL-B-52598B(11) | BAGS, SAND: ACRYLIC (S/S BY A-A-52140) [CUST: GL] | A 8105 | GL | | 05-JAN-96 |
| MIL-C-52640B NOT 2 | CRANE-SHOVEL, CRAWLER MOUNTED, 12-1/2-TON AT 12-FOOT RADIUS, 3/4 CUBIC YARD, DIESEL-ENGINE-DRIVEN, FOR MILITARY OPERATIONS (NO S/S DOCUMENT) [CUST: AT] [REVIEW: CC] | A 3810 | AT | | 18-MAY-98 |
| MIL-C-52648D NOT 2 | CRANE, CRAWLER MOUNTED, 40 TON AT 12 FOOT RADIUS, 2 CUBIC YARD, DIESEL-ENGINE-DRIVEN (NO S/S DOCUMENT) [CUST: AT] [REVIEW: CC] | A 3810 | AT | | 18-MAY-98 |
| MIL-L-52733A NOT 1 | LABORATORY, AIRMOBILE, AVIATION FUEL (NO S/S DOCUMENT) [CUST: AT 99] | A 6640 | AT | | 18-MAY-98 |
| MIL-S-52846 NOT 1 | SEPARATOR, OIL WATER, COALESCER TYPE, FILTER ELEMENTS, FLUID PRESSURE, COALESCER, OILY WASTEWATER, EXPENDABLE, & PREFILTER ELEMENTS, OILY WASTEWATER, EXPENDABLE (NO S/S DOCUMENT) [CUST: AT CG] [REVIEW: SH TM] | A 4330 | AT | | 20-JAN-98 |
| MIL-C-52913A NOT 1 | CONTROL, ELECTRONIC ACCESS (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: MC SH] | A 6350 | YD1 | | 05-MAY-98 |
| MIL-R-52915B NOT 1 | RECHARGE/RECOVERY UNIT, FIRE EXTINGUISHER, MONOBROMOTRIFLUOROMETHANE (CF3BR), PNEUMATIC POWERED (NO S/S DOCUMENT) [CUST: AV] | A 4210 | AV | | 20-MAR-98 |
| MIL-C-52974 NOT 2 | CRANE, WHEEL MOUNTED, HYDRAULIC, LIGHT, 7-1/2 TON (NO S/S DOCUMENT) [CUST: AT] [REVIEW: CC] | A 3810 | AT | | 18-MAY-98 |
| MIL-C-52988A NOT 1 | CHAMBER, RECOMPRESSION, DIVERS, 100 PSI (NO S/S DOCUMENT) [CUST: AV] | A 4220 | AV | | 13-FEB-98 |
| MIL-L-52998A(1) NOT 1 | LIGHT, MARKER, BLINKING (S/S BY A-A-52614) [CUST: AT] [REVIEW: CR] | A 6230 | AT | | 23-SEP-97 |
| MIL-P-53054A NOT 1 | PUMPING ASSEMBLY, WATER, WHEEL MOUNTED, DIESEL-ENGINE-DRIVEN, SELF-PRIMING CENTRIFUGAL, 6-INCH, 600 GPM AT 350 FEET TOTAL HEAD (S/S BY MIL-P-53051) [CUST: AT] | A 4320 | AT | | 23-SEP-94 |
| MIL-B-53083 NOT 1 | BAG, WATERPROOF, LOAD CARRYING; SPECIAL OPERATIONS WATERPROOF BAG (SOWB) (NO S/S DOCUMENT) [CUST: AV] | A 4220 | AV | | 13-FEB-98 |
| MIL-S-53085 NOT 1 | SURVEY INSTRUMENT AUTOMATED, INTEGRATED (S/S BY A-A-52567) [CUST: CE3 YD1] [REVIEW: GS] | A 6675 | CE3 | | 05-AUG-97 |
| MIL-S-0053085A(1) NOT 1 | SURVEY INSTRUMENT AUTOMATED, INTEGRATED (AIS1) (S/S BY A-A-52567) [CUST: CE3 YD1] [REVIEW: GS] | A 6675 | CE3 | | 05-AUG-97 |
| MIL-S-53120 NOT 1 | SUPPORT SYSTEM, SPECIAL DIVER'S AIR (SDASS) (NO S/S DOCUMENT) [CUST: AV SH] | A 4220 | AV | | 10-APR-98 |
| MIL-M-53687 NOT 1 | METHYLDOPATE HYDROCHLORIDE INJECTION, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | MB | | 05-MAY-98 |
| MIL-L-0054002C NOT 1 | LADDER, ALUMINUM, THREE-WAY COMBINATION: STEP, STRAIGHT, EXTENSION, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: AS] | A 5440 | AS | | 04-MAY-98 |
| MIL-A-54003B NOT 1 | ARRESTER, SPARK, M 1941 (NO S/S DOCUMENT) [CUST: GL YD1 99] [REVIEW: CC MC MD1] | A 4520 | GL | | 31-JUL-97 |
| MIL-B-55118A(2) SUP ID NOT 1 | BATTERIES, STORAGE, (CELLS), VENTED, NICKEL CADMIUM (NO S/S DOCUMENT) [CUST: CR GS] [REVIEW: MC] | A 6140 | GS | | 07-MAY-98 |
| MIL-B-55118/3 NOT 1 | BATTERY, STORAGE BB-436/U (NO S/S DOCUMENT) [CUST: CR GS] [REVIEW: MC] | A 6140 | GS | | 07-MAY-98 |
| MIL-B-55118/6 NOT 1 | BATTERY, STORAGE BB-613/U (NO S/S DOCUMENT) [CUST: CR GS] [REVIEW: MC] | A 6140 | GS | | 07-MAY-98 |
| MIL-T-55155C NOT 1 | TERMINALS, FEEDTHRU (INSULATED) AND TERMINALS, STUD (INSULATED AND NONINSULATED), GENERAL SPECIFICATION FOR (S/S BY A-A-59126) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | | 26-SEP-97 |
| MIL-T-55155/1B NOT 1 | TERMINALS, STUD (INSULATED), STYLE FT01 (S/S BY A-A-59126/1) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | | 26-SEP-97 |
| MIL-T-55155/2B NOT 1 | TERMINALS, FEEDTHRU (INSULATED), STYLE FT02 (S/S BY A-A-59126/2) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | | 26-SEP-97 |
| MIL-T-55155/3D NOT 1 | TERMINALS, FEEDTHRU (INSULATED), STYLE FT03 (S/S BY A-A-59126/3) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | | 26-SEP-97 |
| MIL-T-55155/4D NOT 1 | TERMINALS, FEEDTHRU (INSULATED), STYLE FT04 (S/S BY A-A-59126/4) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | | 26-SEP-97 |
| MIL-T-55155/5C NOT 1 | TERMINALS, FEEDTHRU (INSULATED), STYLE FT05 (S/S BY A-A-59126/5) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | | 26-SEP-97 |
| MIL-T-55155/6C NOT 1 | TERMINALS, FEEDTHRU (INSULATED), STYLE FT06 (S/S BY A-A-59126/6) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | | 26-SEP-97 |
| MIL-T-55155/7C NOT 1 | TERMINALS, STUD (INSULATED), STYLE SE07 (S/S BY A-A-59126/7) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | | 26-SEP-97 |
| MIL-T-55155/8D NOT 1 | TERMINALS, STUD (INSULATED), STYLE SE08 (S/S BY A-A-59126/8) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | | 26-SEP-97 |
| MIL-T-55155/9B NOT 1 | TERMINALS, STUD (INSULATED), STYLE SE09 (S/S BY A-A-59126/9) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | | 26-SEP-97 |
| MIL-T-55155/10B NOT 1 | TERMINALS, STUD (INSULATED), STYLE SE10 (S/S BY A-A-59126/10) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | | 26-SEP-97 |
| MIL-T-55155/11F NOT 1 | TERMINALS, STUD (NONINSULATED), STYLE SE11 (S/S BY A-A-59126/11) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | | 26-SEP-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Wea | MCA | Prep. Acty. | Date |
|--------------------------|---|-------------------------|-----|-------------|------|
| MIL-T-55155/12E NOT 1 | TERMINALS, STUD (NONINSULATED), STYLE SE12 (S/S BY A-A-59126/12) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/13D NOT 1 | TERMINALS, STUD (NONINSULATED), STYLE SE13 (S/S BY A-A-59126/13) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/14D NOT 1 | TERMINALS, STUD (NONINSULATED), STYLE SE14 (S/S BY A-A-59126/14) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/15D NOT 1 | TERMINALS, STUD (NONINSULATED), STYLE SE15 (S/S BY A-A-59126/15) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/16C NOT 1 | TERMINALS, STUD (NONINSULATED), STYLE SE16 (S/S BY A-A-59126/16) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/17C NOT 1 | TERMINALS, STUD (NONINSULATED), STYLE SE17 (S/S BY A-A-59126/17) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/18B NOT 1 | TERMINALS, STUD (INSULATED), STYLE SE18 (S/S BY A-A-59126/18) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/19C NOT 1 | TERMINALS, STUD (INSULATED), STYLE SE19 (S/S BY A-A-59126/19) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/20C NOT 1 | TERMINALS, STUD (INSULATED), STYLE SE20 (S/S BY A-A-59126/20) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/21B NOT 1 | TERMINALS, STUD (INSULATED), STYLE SE21 (S/S BY A-A-59126/21) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/22B NOT 1 | TERMINALS, STUD (INSULATED), STYLE SE22 (S/S BY A-A-59126/22) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/23C NOT 1 | TERMINALS, STUD (NONINSULATED), STYLE SE23 (S/S BY A-A-59126/23) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/24C NOT 1 | TERMINALS, STUD (NONINSULATED), STYLE SE24 (S/S BY A-A-59126/24) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/25C NOT 1 | TERMINALS, STUD (NONINSULATED), STYLE SE25 (S/S BY A-A-59126/25) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/26B NOT 1 | TERMINALS, STUD (NONINSULATED), (CIRCULAR, GROUND), STYLE SE26 (S/S BY A-A-59126/26) [CUST: CR EC 85] [REVIEW: GS] | A 5940 | CR | 26-SEP-97 | |
| MIL-T-55155/27C NOT 1 | TERMINALS, STUD (INSULATED) STYLE SE27 (S/S BY A-A-59126/27) [CUST: CR AS 85 GS] | A 5940 | GS | 26-SEP-97 | |
| MIL-T-55155/29A NOT 1 | TERMINAL, STUD, SINGLE TURRET (NONINSULATED, SWAGE MOUNTED) STYLE SE-29 (S/S BY A-A-59126/29) [CUST: CR AS 85 GS] | A 5940 | GS | 26-SEP-97 | |
| MIL-T-55155/30A NOT 1 | TERMINAL, STUD, DOUBLE TURRET (NONINSULATED, SWAGE MOUNTED) STYLE SE-30 (S/S BY A-A-59126/30) [CUST: CR AS 85 GS] | A 5940 | GS | 26-SEP-97 | |
| MIL-T-55155/31A NOT 1 | TERMINAL, STUD, TRIPLE TURRET (NONINSULATED, SWAGE MOUNTED) STYLE SE-31 (S/S BY A-A-59126/31) [CUST: CR AS 85 GS] | A 5940 | GS | 26-SEP-97 | |
| MIL-T-55155/32A(1) NOT 1 | TERMINAL, STUD, FORK TYPE (NONINSULATED, SWAGE MOUNTED) (S/S BY A-A-59126/32) [CUST: CR AS 85 GS] | A 5940 | GS | 26-SEP-97 | |
| MIL-M-55167B NOT 2 | MOUNTING MT-1029 ()/VRC AND MT-1898 ()/VRC (NO S/S DOCUMENT) [CUST: CR] | A 5820 | CR | 01-JUN-97 | |
| MIL-D-55176C NOT 1 | DATA, ELECTRONICS COMMAND ENGINEERING DOCUMENT CONTROL (NO S/S DOCUMENT) [CUST: CR] | A MISC | CR | 01-JUN-97 | |
| MIL-R-55333A NOT 1 | RADIO SET AN/GRC-144 () (UNITS OF) AND INDICATOR, ANTENNA ALIGNMENT ID-1708 ()/GRC (NO S/S DOCUMENT) [CUST: CR] | A 5820 | CR | 16-SEP-97 | |
| MIL-C-55365/9 NOT 1 | CAPACITORS, CHIP, FIXED, TANTALUM, ESTABLISHED RELIABILITY, STYLE CWR12 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 17 19 AR AS CG MC MI NA OS SH] | A 5910 | CR | 09-OCT-97 | |
| MIL-C-55365/10 NOT 1 | CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, ESTABLISHED RELIABILITY, STYLES CWR13 AND CWR14 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 17 19 AR AS CG MC MI NA OS SH] | A 5910 | CR | 09-OCT-97 | |
| MIL-C-55514/3C(3) NOT 1 | CAPACITOR, FIXED, PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CFR04 (NO S/S DOCUMENT) [CUST: CR EC 85] [REVIEW: 17 19 99 AS MC OS] | A 5910 | CR | 30-SEP-97 | |
| MIL-I-58067A(2) NOT 1 | INDICATOR, VERTICAL VELOCITY, RAPID RESPONSE, ACCELERATION SENSITIVE GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: AV] | A 6610 | AV | 24-DEC-97 | |
| MIL-C-58104A NOT 1 | COVER, PROTECTIVE, FOR PARTS & EQUIPMENT (NO S/S DOCUMENT) [CUST: AV AS 69] [REVIEW: AR SM] | A 8145 | AS | 04-MAY-98 | |
| MIL-I-58110 NOT 1 | INDICATOR, REMOTE ID-2403/ARC (NO S/S DOCUMENT) [CUST: CR] | A 5895 | CR | 09-JAN-98 | |
| MIL-D-60109(1) NOT 2 | DRIVE, BALLISTICS, XM15 (NO S/S DOCUMENT) [CUST: AR] | A 1220 | AR | 03-OCT-97 | |
| MIL-C-60118(5) NOT 3 | COMPUTER, BALLISTICS: M16 (NO S/S DOCUMENT) [CUST: AR] | A 1220 | AR | 03-OCT-97 | |
| MIL-P-60139B(1) NOT 1 | PERISCOPE, TANK, M32C (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-S-60140A NOT 1 | SIGHTING SYSTEM ANTIOSSCILLATION XM58 (NO S/S DOCUMENT) [CUST: AR] | A 1270 | AR | 03-OCT-97 | |
| MIL-C-60142A NOT 1 | CONTROL, GIMBAL POSITION, 10527253 (NO S/S DOCUMENT) [CUST: AR] | A 1270 | AR | 03-OCT-97 | |
| MIL-M-60144A NOT 1 | MOTOR, CONTROL, 10527238 (YAW TORQUER) (NO S/S DOCUMENT) [CUST: AR] | A 1270 | AR | 03-OCT-97 | |
| MIL-H-60153(2) NOT 1 | HEAD ASSEMBLY, TANK PERISCOPE, 10513392 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-C-60159(1) NOT 1 | COLLIMATOR, INFINITY AIMING REFERENCE, XM2 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-R-60239 NOT 1 | REGULATOR, VOLTAGE, 10539715 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-P-60241(2) NOT 1 | PERISCOPE, TANK, XM50 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-P-60242(3) NOT 1 | PERISCOPE, TANK, XM51 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-P-60243C(4) NOT 2 | PANEL ASSEMBLIES: 10548439 AND 10549788 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-E-60245(1) NOT 1 | ELECTRON TUBE, 7688738 (INFRARED, IMAGE CONVERTER) (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-L-60326(1) NOT 1 | LUBRICANT, FLUOROCARBON TELOMER DISPERSION (FOR USE WITH AMMUNITION) (NO S/S DOCUMENT) [CUST: AR GS] [REVIEW: EA MI] | A 9150 | GS | 31-MAR-98 | |
| MIL-R-60346C NOT 2 | ROVING, GLASS, FIBROUS (FOR PREPREG TAPE & ROVING, FILAMENT WINDING, & PULTRUSION APPLICATIONS) (NO S/S DOCUMENT) [CUST: MR 11] | A 8310 | MR | 07-JUN-97 | |
| MIL-I-60526(1) NOT 1 | INITIATOR, CARTRIDGE ACTUATED, DELAY, XM64 METAL PARTS ASSEMBLY (NO S/S DOCUMENT) [CUST: AR OS] | A 1377 | OS | 15-OCT-96 | |
| MIL-M-60544B(1) NOT 1 | MOUNT TELESCOPE, M148 & XM164 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-T-60545C NOT 1 | TELESCOPE, STRAIGHT, M120 & XM134 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-T-60566A NOT 1 | TELESCOPE, ARTICULATED, M125 AND M135 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-B-60597(1) NOT 2 | BALLISTICS COMPUTER, SUBASSEMBLY, 10543800 (COMPUTER UNIT) (NO S/S DOCUMENT) [CUST: AR] | A 1220 | AR | 03-OCT-97 | |
| MIL-C-60607(1) NOT 3 | CHIPBOARD, WAD MATERIAL (S/S BY A-A-59202) [CUST: AR] | A 8140 | AR | 31-MAR-98 | |
| MIL-S-60619A NOT 1 | SIGHT, REFLEX, M18 & XM75 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-C-60625 NOT 1 | CASTING, DUCTILE (NODULAR) IRON FOR ARTILLERY, WARHEAD AND MORTAR AMMUNITION COMPONENTS (NO S/S DOCUMENT) [CUST: AR] | A 1395 | AR | 14-JUL-97 | |
| MIL-P-60627 NOT 1 | PERISCOPE XM33 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-P-60649B(5) NOT 1 | PERISCOPE, TANK, XM44E1 & XM44E2 WITH ASSOCIATED EQUIPMENT (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-H-60650A(1) NOT 1 | HEAD ASSEMBLY, TANK PERISCOPE, 10542204 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-S-60661A(1) NOT 1 | SIGHT, LEAD COMPUTING, M61, 11747062 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-G-60662B(2) NOT 1 | GENERATOR, SIGHT CURRENT 12000239 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-T-60834 NOT 2 | TELESCOPE, ELBOW, M99 AND M99C (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-T-60860A(1) NOT 1 | TEST SET, ANTENNA AN/VPM-1 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-B-60871(2) NOT 2 | BALLISTICS COMPUTER SUBASSEMBLY, 10552928 (CANT UNIT) (NO S/S DOCUMENT) [CUST: AR] | A 1220 | AR | 03-OCT-97 | |
| MIL-T-60879A NOT 1 | TEST SET, POWER PANEL, TS-2661/TSM-100A (NO S/S DOCUMENT) [CUST: AR] | A 4931 | AR | 03-OCT-97 | |
| MIL-T-60883 NOT 1 | TELESCOPE, XM129 (NO S/S DOCUMENT) [CUST: AR] | A 1240 | AR | 03-OCT-97 | |
| MIL-T-60887A(1) NOT 1 | TEST SET, ORGANIZATIONAL MAINTENANCE AN/TPM-23 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | 03-OCT-97 | |
| MIL-DTL-62015G NOT 1 | CARRIER, CARGO, FULL-TRACKED, M548A1 AND M548A3: PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] | A PACK | AT | 09-JAN-98 | |

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Asa | MCA | Prep. Acly. | Date |
|-------------|-----------------------|--|-------------------------|------|-------------|-----------|
| | MIL-A-62019B(2) NOT 2 | ARMORED RECONNAISSANCE/AIRBORNE ASSAULT VEHICLE: FULL TRACKED, 152MM, M551; PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] | A | PACK | AT | 09-JAN-98 |
| | MIL-V-62038E(1) NOT 1 | VEHICLES, WHEELED: PREPARATION FOR SHIPMENT AND STORAGE OF (NO S/S DOCUMENT) [CUST: AT] | A | PACK | AT | 09-JAN-98 |
| | MIL-T-62050B NOT 1 | TANK, COMBAT, FULL TRACKED, 105MM GUN, M48A5, PROCESSING FOR STORAGE & SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] [REVIEW: SM] | A | PACK | AT | 30-SEP-97 |
| | MIL-C-62053D NOT 2 | CARRIER, GUIDED MISSILE EQUIPMENT, M730 AND M730A1; PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] | A | PACK | AT | 08-AUG-97 |
| | MIL-V-62060B(1) NOT 2 | VEHICLE, COMBAT ENGINEER, FULL TRACKED: 165 MM GUN, M728; PROCESSING FOR SHIPMENT AND STORAGE OF (NO S/S DOCUMENT) [CUST: AT] [REVIEW: SM] | A | PACK | AT | 09-JAN-98 |
| | MIL-C-62074C NOT 2 | CHASSIS, WEAPON, FULL-TRACKED, M741 AND M741A1; PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] | A | PACK | AT | 08-AUG-97 |
| | MIL-C-62084B(1) NOT 2 | CARRIER, GUIDED MISSILE EQUIPMENT, M667; PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] [REVIEW: SM] | A | PACK | AT | 29-DEC-97 |
| | MIL-E-62133B(2) NOT 2 | ENGINE, DIESEL: 6 CYLINDER, IN-LINE, 213 H.P. TURBOCHARGED (BASIC AND REBUILD) (NO S/S DOCUMENT) [CUST: AT] [REVIEW: CC] | A | 2815 | AT | 10-JAN-97 |
| | MIL-W-62160 NOT 1 | WELDING, FLASH, STANDARD LOW CARBON STEEL (S/S BY MIL-STD-336) [CUST: AT] | A | THJM | AT | 11-AUG-97 |
| | MIL-G-62176(1) NOT 1 | GUN, TWIN 40MM, SELF PROPELLED M42 AND M42A1 (OVERHAUL) (NO S/S DOCUMENT) [CUST: AT] | A | 2350 | AT | 05-JAN-98 |
| | MIL-DTL-62220C NOT 1 | RECOVERY VEHICLE, FULL-TRACKED, HEAVY, M88A2 PREPARATION FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] [REVIEW: AR MT SM] | A | PACK | AT | 09-JAN-98 |
| | MIL-C-62291A NOT 1 | CHASSIS, WEAPON, FULL TRACKED, F12253500 PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] [REVIEW: SM] | A | PACK | AT | 09-JAN-98 |
| | MIL-DTL-62327B NOT 1 | CARRIERS, ARMORED, FULL TRACKED, M901A1, AND M901A3 TOW VEHICLE (LESS TOW WEAPON) AND M981, AND M981A3 FISTV; PROCESSING FOR STORAGE AND SHIPMENT OF (METRIC) (NO S/S DOCUMENT) [CUST: AT] | A | PACK | AT | 09-JAN-98 |
| | MIL-M-62338A NOT 1 | MULTIPLE LAUNCH ROCKET SYSTEM (MLRS) M993, PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT 99] | A | PACK | AT | 09-JAN-98 |
| | MIL-V-62381A NOT 1 | VALVE, SOLENOID OPERATED (S/S BY A-A-52429) [CUST: AT SH] | A | 4810 | AT | 04-MAR-98 |
| | MIL-E-62484C(3) NOT 1 | EARTHMOVER, ARMORED COMBAT, M9 PROCESSING FOR SHIPMENT AND STORAGE OF (NO S/S DOCUMENT) [CUST: AT] | A | PACK | AT | 09-JAN-98 |
| | MIL-G-62487 NOT 1 | GYROCOMPASS, NORTH SEEKING, FIRE SUPPORT TEAM VEHICLE (FISTV), M981 (NO S/S DOCUMENT) [CUST: AT] | A | 1290 | AT | 26-MAR-98 |
| | MIL-G-62496B NOT 1 | GENERATOR, ENGINE ACCESSORY, 220 AMP (NO S/S DOCUMENT) [CUST: AT] | A | 2920 | AT | 05-FEB-98 |
| | MIL-S-62530 NOT 1 | SERVO, ANTI-ICE (NO S/S DOCUMENT) [CUST: AT] | A | 4130 | AT | 01-APR-98 |
| | MIL-DTL-62533A NOT 1 | CARRIER, CARGO, TRACKED, 22-TON, AMMUNITION MEDIUM: M992/A1/A2; PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] | A | PACK | AT | 09-JAN-98 |
| | MIL-C-62624 NOT 1 | CASTINGS, INVESTMENT, COBALT BASE ALLOY (NO S/S DOCUMENT) [CUST: AT] | A | MECA | AT | 27-JAN-98 |
| | MIL-F-62668 NOT 1 | FIGHTING VEHICLE, INFANTRY, M2, M2A1, M2A2, AND FIGHTING VEHICLE, CAVALRY, M3, M3A1, M3A2; PROCESSING FOR STORAGE AND SHIPMENT OF (NO S/S DOCUMENT) [CUST: AT] [REVIEW: SM] | A | PACK | AT | 09-JAN-98 |
| | MIL-M-63014A NOT 2 | MANUALS, TECHNICAL: FOR PHASED MAINTENANCE CHECKLIST (S/S BY MIL-STD-40051) [CUST: AV] [REVIEW: CR] | A | TMSS | AV | 13-NOV-97 |
| | MIL-C-63093 NOT 1 | CYLINDER ASSEMBLY (NO S/S DOCUMENT) [CUST: AR] | A | 1345 | AR | 03-OCT-97 |
| | MIL-F-63253(1) NOT 2 | FUZE, BASE DETONATING, M578 LOADING, ASSEMBLING AND PACKING FOR RENOVATION (NO S/S DOCUMENT) [CUST: AR] | A | 1390 | AR | 03-OCT-97 |
| | MIL-C-63277(1) NOT 1 | COOLANT, GUIDED BORING, SULFURIZED FATTY AND MINERAL OIL (NO S/S DOCUMENT) [CUST: CR4 OS 68 GS] [REVIEW: SH] | A | 9150 | GS | 23-SEP-97 |
| | MIL-M-63356A NOT 2 | MACHINE GUN, 7.62MM, M240C (NO S/S DOCUMENT) [CUST: AR] | A | 1005 | AR | 03-OCT-97 |
| | MIL-S-63382 NOT 1 | SAFE AND ARMING (PARTIAL LOADING) ASSEMBLY FOR MINES, M718/M741 SYSTEM (NO S/S DOCUMENT) [CUST: AR] | A | 1345 | AR | 03-OCT-97 |
| | MIL-P-63438(3) NOT 1 | PROJECTILE, 20MM, TARGET PRACTICE, M55A4B1 (NO S/S DOCUMENT) [CUST: AR] | A | 1305 | AR | 03-OCT-97 |
| | MIL-P-64151 NOT 1 | PLATE: SILICON CARBIDE CERAMIC (FOR USE IN ARMOR COMPOSITES) (S/S BY MIL-PRF-46103) [CUST: MR] | A | 9350 | MR | 12-JAN-98 |
| | MIL-P-64152 NOT 1 | PLATE: TITANIUM DIBORIDE CERAMIC (FOR USE IN ARMOR COMPOSITES) (S/S BY MIL-PRF-46103) [CUST: MR] | A | 9350 | MR | 12-JAN-98 |
| | MIL-P-64153 NOT 1 | PLATE: BORON CARBIDE CERAMIC (FOR USE IN ARMOR COMPOSITES) (S/S BY MIL-PRF-46103) [CUST: MR] | A | 9350 | MR | 12-JAN-98 |
| | MIL-M-64157 NOT 1 | METAL MATRIX COMPOSITES (MMC): CARBON (GRAPHITE) FIBER REINFORCED/ALUMINUM, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | X | CMPS | MR | 16-OCT-97 |
| | MIL-M-64157/1 NOT 1 | METAL MATRIX COMPOSITES (GR/AL): STANDARD ELECTRONIC MODULE (SEM) FORMAT E HEATSINK (NO S/S DOCUMENT) [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | X | CMPS | MR | 16-OCT-97 |
| | MIL-M-64157/2 NOT 1 | METAL MATRIX COMPOSITES (GR/AL): SPACE RADIATOR PANELS (NO S/S DOCUMENT) [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | X | CMPS | MR | 16-OCT-97 |
| | MIL-M-64157/3 NOT 1 | METAL MATRIX COMPOSITES (GR/AL): TUBES FOR TRUSS STRUCTURES (NO S/S DOCUMENT) [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | X | CMPS | MR | 16-OCT-97 |
| | MIL-M-64158 NOT 1 | METAL MATRIX COMPOSITES (MMC): CONTINUOUS SILICON CARBIDE FIBER REINFORCED/6061 ALUMINUM (NO S/S DOCUMENT) [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | X | CMPS | MR | 16-OCT-97 |
| | MIL-R-70561B NOT 1 | RECEIVER-TRANSMITTER, RADAR SET RT-860A/VPS-2A: 9361152 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-P-70565B NOT 1 | PROCESSOR, FIRE CONTROL: 9360890 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-D-70566B NOT 1 | DISTRIBUTION BOX ASSEMBLY: 9361136 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-C-70567B NOT 1 | CIRCUIT BOARD, COMPUTER AND MEMORY: 9360878 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-C-70568B(1) NOT 1 | CIRCUIT BOARD, INPUT/OUTPUT: 9360881 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-C-70569B NOT 1 | CIRCUIT BOARD, SYNCHRO INTERFACE (PIVADS): 9360871 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-C-70570C NOT 1 | CIRCUIT BOARD, SERVO CONTROLLER: 9360875 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-C-70571B NOT 1 | CIRCUIT BOARD, BUILT-IN-TEST BOARD NO. 1, UNIT 4: 9360949 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-C-70572B(1) NOT 1 | CIRCUIT BOARD, BUILT IN TEST #2, UNIT 4: 9360952 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-C-70573B NOT 1 | CIRCUIT ASSEMBLY, BUILT IN TEST, 5A3A3, U/S: 9360998 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-C-70574B(1) NOT 1 | CIRCUIT BOARD ASSEMBLY, BUILT IN TEST 2A8 UNIT 2: 9361010 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-C-70575B NOT 1 | CIRCUIT BOARD, DISPLAY CONTROL PANEL: 9360884 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-V-70579B(2) NOT 1 | VOLTAGE CONVERTER: 9360839 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-C-70580B(2) NOT 1 | CIRCUIT BOARD, 400 HZ INVERTER, VOLTAGE CONVERTER (PIVADS): 9397386 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-C-70581B(2) NOT 1 | CIRCUIT BOARD, +5.2 VOLT CONVERTER, VOLTAGE CONVERTER (PIVADS): 9397383 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-C-70582B(2) NOT 1 | CIRCUIT BOARD, +24 VOLT CONVERTER, VOLTAGE CONVERTER (PIVADS): 9397385 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |
| | MIL-C-70583B(1) NOT 1 | CIRCUIT BOARD, +15 VOLT CONVERTER, VOLTAGE CONVERTER (PIVADS): 9397384 (NO S/S DOCUMENT) [CUST: AR] | A | 1285 | AR | 03-OCT-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------------------|---|-----------------------|-----|-------------|-----------|
| MIL-C-70584B(2) NOT 1 | CIRCUIT BOARD, CONTROL AND SYNCHRONIZER, VOLTAGE CONVERTER (PIVADS): 9397382 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-C-70585B(1) NOT 1 | CIRCUIT BOARD, DATA TRANSMISSION (PIVADS): 9397510 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-C-70586B(1) NOT 1 | CONTROL ASSEMBLY, M163A2 (SP): 9361150 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-S-70587B(1) NOT 1 | SERVO AMPLIFIER: 9361156 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-G-70595B NOT 1 | GYRO CONTROL BOARD: 9361069 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-C-70598B NOT 1 | CONTROL ASSEMBLY, M167A2 (TOWED): 9378473 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-C-70701B NOT 1 | CABLE ASSEMBLY W8, FIRE CONTROL PROCESSOR: 9397464 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-A-70702B NOT 1 | AZIMUTH DRIVE ASSEMBLY: 9360802 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-D-70704B NOT 1 | DISTRIBUTION BOX: 9397370 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-C-71086 NOT 1 | COMPONENT ASSEMBLY, A2, POWER SUPPLY AND DRIVER: 12000021 (NO S/S DOCUMENT) [CUST: AR] | A 1285 | AR | | 03-OCT-97 |
| MIL-E-80022C NOT 1 | ELECTRO EROSION MACHINE, ELECTROLYTIC, CARBIDE TOOL BIT AND CHIP BREAKER GRINDER (NO S/S DOCUMENT) [CUST: AL 99 GS] [REVIEW: 84] | A 3410 | GS | | 14-OCT-97 |
| MIL-W-80024D NOT 1 | WELDING MACHINE, ARC, AC, TRANSFORMER, CONSTANT CURRENT (S/S BY A-A-59148) [CUST: AL 99 GS] [REVIEW: 84] | A 3431 | GS | | 12-MAR-98 |
| MIL-G-80025C NOT 2 | GRINDING MACHINES, CARBIDE TOOL BIT AND CARBIDE TOOL BIT AND CHIP BREAKER COMBINATION, ELECTRIC MOTOR DRIVEN (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AS OS] | A 3415 | GS | | 17-MAR-98 |
| MIL-W-80027D(2) NOT 1 | WELDING MACHINE, ARC, AC/DC, TRANSFORMER-RECTIFIER, CONSTANT CURRENT (S/S BY A-A-59148) [CUST: AL 99 GS] [REVIEW: 84] | A 3431 | GS | | 16-MAR-98 |
| MIL-E-80030C NOT 1 | MILLING MACHINE, TWO AND THREE DIMENSIONAL ENGRAVING (S/S BY A-A-661) [CUST: AL SH 84 GS] [REVIEW: OS] | A 3417 | GS | | 28-JAN-98 |
| MIL-M-80051D NOT 1 | MILLING MACHINES, VERTICAL SPINDLE, KNEE TYPE, SIZE NUMBERS 2, 3, 4, AND 5 (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3417 | GS | | 08-APR-98 |
| MIL-W-80075C NOT 1 | WELDING POWER SOURCE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT CURRENT, WITH EIGHT CONTROL MODULES (NO S/S DOCUMENT) [CUST: AL 99 GS] [REVIEW: 84] | A 3431 | GS | | 14-OCT-97 |
| MIL-D-80150B NOT 2 | DRILLING MACHINE, UPRIGHT, TURRET HEAD, SLIDING CARRIER, SIX SPINDLES, BENCH MOUNTED (NO S/S DOCUMENT) [CUST: AL SH 99] [REVIEW: 84 AS MC SM] | A 3413 | GS | | 12-MAY-98 |
| MIL-G-80189A NOT 1 | GRINDING MACHINES, WOOD-CUTTING, CIRCULAR SAW BLADE, AUTOMATIC (NO S/S DOCUMENT) [CUST: AR 99 GS] [REVIEW: 84 AS CR4 MC SM] | A 3415 | GS | | 12-MAY-98 |
| MIL-M-80204B NOT 1 | MILLING MACHINE, HORIZONTAL PROFILERS, TRAVELING TABLE TYPE, THREE AXES, NUMERICALLY CONTROLLED, SINGLE AND MULTI-SPINDLE MACHINE (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 MC] | A 3417 | GS | | 08-APR-98 |
| MIL-T-80218A NOT 1 | TABLES, ROTARY, HORIZONTAL, MANUAL AND POWER FEED (NO S/S DOCUMENT) [CUST: AL 99 GS] [REVIEW: 84] | A 3460 | GS | | 14-OCT-97 |
| MIL-E-80238B NOT 1 | ELECTRO-EROSION MACHINE, ELECTRO-CHEMICAL, HORIZONTAL RAM TYPE, CAVITY SINKING (NO S/S DOCUMENT) [CUST: AL 99 GS] [REVIEW: 84] | A 3410 | GS | | 15-SEP-97 |
| MIL-B-80247C NOT 1 | BENDING MACHINES, SHEET AND PLATE, CYLINDRICAL, RESILIENT ROLLER (NO S/S DOCUMENT) [CUST: AL 99 GS] [REVIEW: 84] | A 3441 | GS | | 03-DEC-97 |
| MIL-M-80263A NOT 1 | MACHINING CENTERS, HORIZONTAL, SINGLE SPINDLE 4- AND 5-AXIS, COMPUTER NUMERICAL CONTROL (CNC) (S/S BY A-A-59118) [CUST: AL SH 99 GS] [REVIEW: 84] | A 3408 | GS | | 23-SEP-97 |
| MIL-M-80264(3) NOT 1 | MACHINING CENTERS, HORIZONTAL, SINGLE SPINDLE 3 AXIS, SOFTWARED NUMERICAL CONTROL WITH POSITIONING ROTARY TABLE (S/S BY A-A-59118) [CUST: AL SH 99 GS] [REVIEW: 84] | A 3408 | GS | | 23-SEP-97 |
| MIL-G-80275 NOT 1 | GRINDING MACHINES, CIRCULAR SAW BLADE, METAL-CUTTING (NO S/S DOCUMENT) [CUST: AL SH 99 GS] [REVIEW: 84 AR AS CR CR4 MC SM] | A 3415 | GS | | 31-MAR-98 |
| MIL-C-81084A NOT 1 | CONTAINER, SHIPPING AND STORAGE, MK 300 MOD 0 AND MOD 1 (FOR TORPEDO MK 46 MOD 0 THROUGH MOD 5) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| MIL-C-81280C NOT 1 | CLOTH, TWILL, POLYAMIDE, AROMATIC, STAPLE, HIGH TEMPERATURE RESISTANT (NO S/S DOCUMENT) [CUST: AS 99 CT] [REVIEW: 45 82] | A 8305 | CT | | 15-SEP-97 |
| MIL-C-81317(2) NOT 1 | CARTRIDGE, IMPULSE, MARK 97 MOD 0 (NO S/S DOCUMENT) [CUST: OS] | A 1377 | OS | | 05-MAY-98 |
| MIL-T-81364(1) NOT 1 | T-BOLT, 180,000 PSI, TYPE 431 STAINLESS STEEL, MANUFACTURING PROCESS REQUIREMENTS (NO S/S DOCUMENT) [CUST: AS] [REVIEW: IS] | A 5340 | AS | | 15-APR-98 |
| MIL-C-81395A NOT 2 | CLOTH, COATED, DUCK, NYLON (NO S/S DOCUMENT) [CUST: AS CT] | A 8305 | CT | | 03-MAR-98 |
| MIL-T-81571(1) NOT 1 | THERMAL PROTECTIVE SYSTEM, AIRCRAFT COCKPIT, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: AS] | A 1560 | AS | | 06-AUG-97 |
| MIL-P-0081653C NOT 1 | POWER CONTROLLER, SOLID STATE, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR4 AS 11] [REVIEW: 99] | A 6110 | AS | | 07-JUL-97 |
| MIL-M-81700A NOT 2 | MANUALS, TECHNICAL: AIRBORNE ARMAMENT EQUIPMENT, REQUIREMENTS FOR (S/S BY MIL-DTL-81919) [CUST: AS] | A TMSS | AS | | 13-FEB-98 |
| MIL-M-81701C NOT 1 | MANUALS, TECHNICAL: AIRBORNE MISSILES AND GUIDED WEAPONS, PREPARATION OF (S/S BY MIL-DTL-81919) [CUST: AS] | A TMSS | AS | | 13-FEB-98 |
| MIL-M-81702B(1) NOT 1 | MANUAL, TECHNICAL: AIRBORNE WEAPONS (CONVENTIONAL), REQUIREMENTS FOR (S/S BY MIL-DTL-81919) [CUST: AS] | A TMSS | AS | | 13-FEB-98 |
| MIL-K-81786B NOT 1 | KIT, MAINTENANCE, ELECTRICAL-ELECTRONIC, CABLE AND CABLE HARNESS (NO S/S DOCUMENT) [CUST: AS] [REVIEW: CC] | A 4940 | AS | | 13-AUG-97 |
| MIL-C-81818 NOT 2 | CLOTH, SATEEN, COTTON, FIRE-RETARDANT TREATED (NO S/S DOCUMENT) [CUST: AS CT] | A 8305 | CT | | 15-SEP-97 |
| MIL-B-81935A(1) NOT 1 | BEARINGS, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, GENERAL SPECIFICATION FOR (S/S BY SAE-AS81935) [CUST: AV AS 11] [REVIEW: 99 AR AT IS MI SH] | A 3120 | AS | | 23-APR-98 |
| MIL-B-81935/1B(1) NOT 1 | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, WIDE, EXTERNALLY THREADED, -65 DEG. F TO +325 DEG. F (S/S BY SAE-AS81935/1) [CUST: AV AS 11] [REVIEW: 99 AR AT IS MI SH] | A 3120 | AS | | 23-APR-98 |
| MIL-B-81935/2D(1) NOT 1 | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, WIDE, INTERNALLY THREADED, -65 DEG. F TO +325 DEG. F (S/S BY SAE-AS81935/2) [CUST: AV AS 11] [REVIEW: 99 AR AT IS SH] | A 3120 | AS | | 23-APR-98 |
| MIL-B-81935/3(1) NOT 2 | LOCKING DEVICES (FOR ROD END BEARINGS) (SAE-AS81935/3) [CUST: AV AS 11] | A 3120 | AS | | 23-APR-98 |
| MIL-B-81935/4A(1) NOT 1 | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, NARROW, EXTERNALLY THREADED, -65 DEG. F TO +325 DEG. F (S/S BY SAE-AS81935/4) [CUST: AV AS 11] [REVIEW: 84 99 AR AT IS MI SH] | A 3120 | AS | | 23-APR-98 |
| MIL-B-81935/5B(1) NOT 1 | BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, NARROW, INTERNALLY THREADED, -65 DEG. F TO +325 DEG. F (S/S BY SAE-AS81935/5) [CUST: AV AS 11] [REVIEW: 99 AR AT IS MI SH] | A 3120 | AS | | 23-APR-98 |
| MIL-T-81961 NOT 1 | TEST SET, ADAPTER GROUP, OF-31(V)1/APM (NO S/S DOCUMENT) [CUST: AS] | A 4920 | AS | | 14-JUL-97 |
| MIL-I-81967 NOT 2 | INITIATOR, CARTRIDGE ACTUATED JAU-1A/B (NO S/S DOCUMENT) [CUST: OS] | A 1377 | OS | | 05-MAY-98 |
| MIL-C-81975B NOT 1 | COUPLING, REGULATED, AERIAL PRESSURE REFUELING TYPE MA-3 (NO S/S DOCUMENT) [CUST: AS 99] [REVIEW: 82] | A 1680 | AS | | 07-JUL-97 |
| MIL-C-81975B(11) NOT 1 | COUPLING, REGULATED, AERIAL PRESSURE REFUELING TYPE MA-3 (NO S/S DOCUMENT) [CUST: AS] | A 1680 | AS | | 07-JUL-97 |
| MIL-H-82000C NOT 1 | HEATERS, HOT OIL, 1.5, 3, AND 5 MILLION BTU/H OUTPUT, SKID MOUNTED (NO S/S DOCUMENT) [CUST: YD1] | A 3895 | YD1 | | 30-OCT-97 |
| MIL-R-82047B(1) NOT 1 | REFRIGERATORS, MECHANICAL, STORAGE STAND (FOR BULK MILK DISPENSERS) (S/S BY OO-R-2898) [CUST: GL YD1 99] [REVIEW: 82 GS] | A 4110 | YD1 | | 14-MAR-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|--------------------------|---|-----------------------|-----|-------------|------|
| MIL-B-82117D NOT 3 | BATTERY, STORAGE: SILVER-ZINC, RECHARGEABLE; GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: AT MC] [REVIEW: AS CG SH] | A 6140 | MC | 04-MAY-98 | |
| MIL-C-82128(2) NOT 2 | CLOTH, SATIN, RAYON, CUPRAMMONIUM, SCARLET (NO S/S DOCUMENT) [CUST: MC] [REVIEW: 45 CT] | A 8305 | MC | 04-MAY-98 | |
| MIL-D-82134B(1) NOT 1 | DUMMY LOAD, ELECTRICAL, 60/100 KW, 55/90 KVAR 3 PHASE, 60/400 HERTZ, AC (NO S/S DOCUMENT) [CUST: MC] [REVIEW: GS] | A 6115 | MC | 04-MAY-98 | |
| MIL-R-82173D NOT 2 | REPAIR AND REHABILITATION OF RADAR SETS: GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: MC] | A 5840 | MC | 04-MAY-98 | |
| MIL-A-82175(1) NOT 1 | ARMOR, BODY, FRAGMENTATION, PROTECTIVE, FOOTWEAR (NO S/S DOCUMENT) [CUST: MC] [REVIEW: CT] | A 8470 | MC | 04-MAY-98 | |
| MIL-C-82283C NOT 1 | CLOTH, TWILL, COTTON, LIGHTWEIGHT (NO S/S DOCUMENT) [CUST: NU] [REVIEW: SH] | A 8305 | CT | 24-JUL-97 | |
| MIL-C-82287B NOT 1 | CLOTH, MOMIE, COTTON OR COTTON/POLYESTER BLEND (S/S BY ASTM-D4111) [CUST: GL NU CT FSS] [REVIEW: MC MD] | A 7210 | FSS | 28-OCT-97 | |
| MIL-T-82291B NOT 1 | TABLECLOTH, NAPKIN, TABLE, TEXTILE AND DOILY, TEXTILE - MOMIE CLOTH (S/S BY ASTM-D4111) [CUST: GL SA 99 CT FSS] [REVIEW: 45 MC MD] | A 7210 | FSS | 28-OCT-97 | |
| MIL-J-82293D NOT 2 | JACKET, UTILITY, MAN'S, BLUE (S/S BY A-A-55291) [CUST: NU CT] | A 8405 | CT | 24-NOV-97 | |
| MIL-T-82298A NOT 2 | TAPE, MEASURING, CLOTH, COTTON (S/S BY A-A-1666) [CUST: 99 CT] [REVIEW: 32 45 82] | A 8315 | CT | 05-NOV-97 | |
| MIL-T-82300/4 NOT 1 | TRANSPARENCY, ANIMATED, RECEIVER COMPONENTS M-85 TANK MACHINE GUN, 50 CAL. (NO S/S DOCUMENT) [CUST: TD] | A 6910 | TD | 05-MAY-98 | |
| MIL-T-82314C NOT 1 | TRAINING AID, PLOTTING BOARD (NO S/S DOCUMENT) [CUST: TD] | A 6910 | TD | 05-MAY-98 | |
| MIL-T-82378C NOT 1 | TRAINING AID, RIFLE, M16A1, TWO TO ONE SCALE DEVICE 3F68B (NO S/S DOCUMENT) [CUST: TD] | A 6910 | TD | 05-MAY-98 | |
| MIL-T-82394 NOT 1 | TRAINING AID, TURBINE PRINCIPLE DEMONSTRATOR (NO S/S DOCUMENT) [CUST: TD] | A 6910 | TD | 05-MAY-98 | |
| MIL-C-82580 NOT 2 | CONTAINER, MOTOR, 11." 65 ROCKET, MK 178 MOD 0 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-C-82611(1) NOT 2 | CONTAINER, MISSILE MK 183 MOD 2 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-T-83018E NOT 1 | TRUCK, TANK A/S32A-24 (S/S BY A-A-59103) [CUST: 99] | A 2320 | 84 | 09-SEP-97 | |
| MIL-C-83195A NOT 2 | COVERALLS, FLYER'S, ANTI-EXPOSURE CWU-21A/P (NO S/S DOCUMENT) [CUST: AS 99] [REVIEW: 45] | A 8475 | 82 | 27-SEP-96 | |
| MIL-H-83230(1) NOT 1 | HOOD, ANTI-EXPOSURE CMU-10/P (NO S/S DOCUMENT) [CUST: 99] [REVIEW: 31 45] | A 8475 | 82 | 26-SEP-97 | |
| MIL-F-83236(3) NOT 1 | FILTER, SIGNAL LIGHT MXU-507/E (NO S/S DOCUMENT) [CUST: 99 IS] [REVIEW: 82] | A 6230 | IS | 04-NOV-94 | |
| MIL-C-83291B NOT 1 | COVER, SELF-SEALING, FUEL LINE, AIRCRAFT (NO S/S DOCUMENT) [CUST: AS 99] | A 4720 | 82 | 07-NOV-97 | |
| MIL-A-83377B NOT 2 | ADHESIVE BONDING (STRUCTURAL) FOR AEROSPACE AND OTHER SYSTEMS, REQUIREMENTS FOR (NO S/S DOCUMENT) [CUST: MR AS 11] [REVIEW: OS] | A 8040 | 11 | 31-DEC-97 | |
| MIL-A-83462(1) NOT 2 | ARCTIC CUSHIONS - CLOTHING, CHU-10/P AND CHU-11/P (NO S/S DOCUMENT) [CUST: 99] [REVIEW: 11 71] | A 1680 | 82 | 30-JUN-97 | |
| MIL-C-83473A NOT 2 | CAP, EXTREME COLD WEATHER, HGU-38/P (NO S/S DOCUMENT) [CUST: 99] [REVIEW: 11 45 82] | A 8415 | CT | 13-AUG-96 | |
| MIL-S-83502/6B NOT 2 | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (TO18) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | 03-JUL-97 | |
| MIL-S-83502/7A NOT 3 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (TO10, OFFSET) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | 03-JUL-97 | |
| MIL-S-83502/8C NOT 2 | SOCKET, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (TO60) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | 03-JUL-97 | |
| MIL-S-83502/9A NOT 3 | SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (TO5, WITH RETAINING RING) (NO S/S DOCUMENT) [CUST: CR EC 85 CC] [REVIEW: 11 17 19 99 AR AS AT AV CR4 MC MI SH] | A 5935 | CC | 03-JUL-97 | |
| MIL-C-83515A SUP 1 NOT 2 | CONNECTORS, TELECOMMUNICATION, POLARIZED SHELL, GENERAL SPECIFICATION FOR (S/S BY A-A-55528, A-A-55529, A-A-55530, A-A-55531, A-A-55532, AND A-A-55533) [CUST: CR EC 85 CC] [REVIEW: 17 99] | A 5935 | CC | 13-FEB-98 | |
| MIL-C-83515/1A NOT 2 | CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE RACK AND PANEL, SOLDER CONTACT, SCREWLOCK (S/S BY A-A-55528) [CUST: CR EC 85 CC] [REVIEW: 17 99] | A 5935 | CC | 13-FEB-98 | |
| MIL-C-83515/2 NOT 3 | CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, RECEPTACLE, FEMALE RACK AND PANEL, SOLDER CONTACTS, SCREWLOCK (S/S BY A-A-55529) [CUST: 85 CC] [REVIEW: 17 99] | A 5935 | CC | 13-FEB-98 | |
| MIL-C-83515/3A NOT 2 | CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE RACK AND PANEL, SOLDER CONTACT, SIDE ENTRY SHIELD, SCREWLOCK (S/S BY A-A-55530) [CUST: CR EC 85 CC] [REVIEW: 17 99] | A 5935 | CC | 13-FEB-98 | |
| MIL-C-83515/4A NOT 2 | CONNECTOR, TELECOMMUNICATIONS, POLARIZED SHELL, RECEPTACLE, FEMALE RACK AND PANEL, SOLDER CONTACT, SIDE ENTRY COVER, SCREWLOCK (S/S BY A-A-55531) [CUST: CR EC 85 CC] [REVIEW: 17 99] | A 5935 | CC | 13-FEB-98 | |
| MIL-C-83515/5A NOT 3 | CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE, PRINTED CIRCUIT BOARD, SOLDER CONTACT, SCREWLOCK (S/S BY A-A-55532) [CUST: CR EC 85 CC] [REVIEW: 17 99] | A 5935 | CC | 13-FEB-98 | |
| MIL-C-83515/6 NOT 3 | CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, RECEPTACLE, FEMALE, PRINTED CIRCUIT BOARD, SOLDER CONTACT, SCREWLOCK (S/S BY A-A-55533) [CUST: CR EC 85 CC] [REVIEW: 17 99] | A 5935 | CC | 13-FEB-98 | |
| MIL-R-83579 NOT 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), HIGH RELIABILITY, GENERAL SPECIFICATION FOR (S/S BY MIL-PRF-39007) [CUST: CR EC 19 CC NA] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83579/1 NOT 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), HIGH RELIABILITY, STYLE RWS81 (S/S BY MIL-PRF-39007/9) [CUST: CR EC 19 CC NA] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83579/2 NOT 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), HIGH RELIABILITY, STYLE RWS84 (S/S BY MIL-PRF-39007/10) [CUST: CR EC 19 CC NA] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83579/3 NOT 1 | RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), HIGH RELIABILITY, STYLE RWS89 (S/S BY MIL-PRF-39007/11) [CUST: CR EC 19 CC NA] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83580 SUP 1 NOT 1 | RESISTOR, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR (S/S BY MIL-PRF-55342) [CUST: CR EC 19 CC] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83580/1 | RESISTOR, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, STYLE RSM0502 (S/S BY MIL-PRF-55342/1) [CUST: CR EC 19 CC] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83580/2 NOT 1 | RESISTOR, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, STYLE RSM0505 (S/S BY MIL-PRF-55342/2) [CUST: CR EC 19 CC] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83580/3 NOT 1 | RESISTOR, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, STYLE RSM1005 (S/S BY MIL-PRF-55342/3) [CUST: CR EC 19 CC] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83580/4 NOT 1 | RESISTOR, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, STYLE RSM1505 (S/S BY MIL-PRF-55342/4) [CUST: CR EC 19 CC] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83580/5 NOT 1 | RESISTOR, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, STYLE RSM2208 (S/S BY MIL-PRF-55342/5) [CUST: CR EC 19 CC] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83580/6 NOT 1 | RESISTOR, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, STYLE RSM0705 (S/S BY MIL-PRF-55342/6) [CUST: CR EC 19 CC] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83580/7 NOT 1 | RESISTOR, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, STYLE RSM1206 (S/S BY MIL-PRF-55342/7) [CUST: CR EC 19 CC] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83580/8 NOT 1 | RESISTOR, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, STYLE RSM2010 (S/S BY MIL-PRF-55342/8) [CUST: CR EC 19 CC] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83580/9 NOT 1 | RESISTOR, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, STYLE RSM2512 (S/S BY MIL-PRF-55342/9) [CUST: CR EC 19 CC] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 11-OCT-97 | |
| MIL-R-83580/10 NOT 1 | RESISTOR, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, STYLE RSM1010 (S/S BY MIL-PRF-55342/10) [CUST: CR EC 19 CC] [REVIEW: 17 85 99 AR AS AT AV CG CR4 MC NA OS] | A 5905 | CC | 11-OCT-97 | |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------------------|--|--------------------------|-----|-------------|-----------|
| MIL-C-83733/16A NOT 1 | CONNECTOR, ELECTRICAL, MINIATURE, RECTANGULAR TYPE, STRAIN RELIEF, STRAIGHT (S/S BY MIL-C-85049/44) [CUST: 85] [REVIEW: 11 80 82] | A 5935 | CC | | 30-DEC-93 |
| MIL-P-83770B(1) NOT 2 | POTASSIUM DICHROMATE - SULFURIC ACID TEST SOLUTION (METRIC) (NO S/S DOCUMENT) [CUST: AV AS 68 GS] | A 6850 | GS | | 23-FEB-98 |
| MIL-L-83774A NOT 1 | LEAK DETECTOR, FUEL SYSTEM (S/S BY A-A-59110) [CUST: 99] | A 4940 | 82 | | 01-AUG-97 |
| MIL-G-83794(1) NOT 2 | GASES, CALIBRATING, AND MIXTURES, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: 68] [REVIEW: GS] | A 6830 | 68 | | 13-NOV-97 |
| MIL-G-83794/4 NOT 3 | GASES, CALIBRATING, AND MIXTURES; OXYGEN (5%) IN NITROGEN MIXTURE (NO S/S DOCUMENT) [CUST: 68] [REVIEW: GS] | A 6830 | 68 | | 13-NOV-97 |
| MIL-G-83794/5 NOT 1 | GASES, CALIBRATING, AND MIXTURES, 80% NITROGEN, 10% HELIUM, 10% OXYGEN (NO S/S DOCUMENT) [CUST: 68] [REVIEW: GS] | A 6830 | 68 | | 13-NOV-97 |
| MIL-F-83860/1A(1) NOT 2 | FILTER ELEMENT, FLUID PRESSURE, HYDRAULIC, AIRCRAFT, DISPOSABLE, 5 MICRON ABSOLUTE (NO S/S DOCUMENT) [CUST: 99] | A 1650 | 71 | | 02-FEB-98 |
| MIL-F-83860/2A(2) NOT 2 | FILTER ELEMENT, FLUID PRESSURE, HYDRAULIC, AIRCRAFT, DISPOSABLE, 5 MICRON ABSOLUTE (NO S/S DOCUMENT) [CUST: 99] | A 1650 | 71 | | 02-FEB-98 |
| MIL-F-83860/3(2) NOT 2 | FILTER ELEMENT, FLUID PRESSURE, HYDRAULIC, AIRCRAFT, DISPOSABLE, 5 MICRON ABSOLUTE (NO S/S DOCUMENT) [CUST: 99] | A 1650 | 71 | | 02-FEB-97 |
| MIL-F-83860/4(3) NOT 1 | FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, TYPE II SYSTEMS (NO S/S DOCUMENT) [CUST: 99] | A 1650 | 71 | | 02-FEB-98 |
| MIL-F-83861/1A(2) NOT 2 | FILTER ELEMENT, FLUID PRESSURE, HYDRAULIC, AIRCRAFT, DISPOSABLE, 5 MICRON ABSOLUTE (NO S/S DOCUMENT) [CUST: 99] | A 1650 | 71 | | 02-FEB-98 |
| MIL-F-83861/2A NOT 2 | FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 15 MICRON ABSOLUTE, TYPE II SYSTEMS (NO S/S DOCUMENT) [CUST: 99] | A 1650 | 71 | | 02-FEB-98 |
| MIL-F-83861/3(1) NOT 2 | FILTER ELEMENT, FLUID PRESSURE, HYDRAULIC, AIRCRAFT, DISPOSABLE 5 MICRON ABSOLUTE (NO S/S DOCUMENT) [CUST: 99] | A 1650 | 71 | | 02-FEB-98 |
| MIL-G-83984 NOT 1 | GAGE, SURFACE PLATE FLATNESS CHECKING (S/S BY A-A-59120) [CUST: AR 99] [REVIEW: AT] | A 5220 | 84 | | 01-DEC-97 |
| MIL-L-85347A NOT 1 | LIFE PRESERVER, INFLATABLE, CEMENTED, AIRCREWMAN (WITH ARAMID CASTING), TYPE LPU-23B/P [CUST: AS] | A 4220 | AS | | 30-JUL-96 |
| MIL-T-85380A NOT 1 | TRANSMITTING SET, RADAR AN/DPT-2A(V) (NO S/S DOCUMENT) [CUST: AS] | A 5821 | AS | | 25-MAR-98 |
| MIL-T-85397A NOT 1 | TRANSPONDER SET AN/DKW-2A(V) (NO S/S DOCUMENT) [CUST: AS] | A 5821 | AS | | 06-AUG-97 |
| MIL-T-85398C(2) NOT 1 | TRANSPONDER SET AN/DKW-3A(V) (NO S/S DOCUMENT) [CUST: AS] | A 5821 | AS | | 06-AUG-97 |
| MIL-C-85447A(1) NOT 1 | CLEANING COMPOUNDS, ELECTRICAL & ELECTRONIC COMPONENTS (NO S/S DOCUMENT) [CUST: AS GS] | A 6850 | GS | | 24-NOV-97 |
| MIL-N-85450(1) NOT 1 | NAVIGATION SET, TACAN AN/DRN-13 (NO S/S DOCUMENT) [CUST: AS] | A 5826 | AS | | 06-AUG-97 |
| MIL-T-85469(2) NOT 1 | TRANSPONDER, MISS DISTANCE AN/DRQ-4B (CONTROLLED DISTRIBUTION) (NO S/S DOCUMENT) [CUST: AS] | B 5895 | AS | | 06-AUG-97 |
| MIL-I-85487 NOT 1 | IGNITER, ROCKET MOTOR, MARK 297 MOD 1 (NO S/S DOCUMENT) [CUST: AS] | A 1340 | AS | | 13-MAY-98 |
| MIL-P-85489 NOT 2 | PROPELLANT, IGNITER, X-62 (NO S/S DOCUMENT) [CUST: AS] | A 1420 | AS | | 13-AUG-97 |
| MIL-T-85595 NOT 2 | TRANSMITTING SET, TELEMETRIC DATA AN/DKT-61(V) (NO S/S DOCUMENT) [CUST: AS] | A 5821 | AS | | 06-AUG-97 |
| MIL-T-85650 NOT 2 | TRANSMITTING SET, TELEMETRIC DATA AN/DKT-59 (NO S/S DOCUMENT) [CUST: AS] | A 5815 | AS | | 06-AUG-97 |
| MIL-C-85651 NOT 2 | CONVERTER, VOLTAGE TO FREQUENCY CV-3746/DKT-59 (NO S/S DOCUMENT) [CUST: AS] | A 5815 | AS | | 06-AUG-97 |
| MIL-A-85652 NOT 2 | AMPLIFIER-MIXER AM-7157/DKT-59 (NO S/S DOCUMENT) [CUST: AS] | A 5815 | AS | | 06-AUG-97 |
| MIL-T-85653 NOT 2 | TRANSMITTER, RADIO T-1458/DKT-59 (NO S/S DOCUMENT) [CUST: AS] | A 5815 | AS | | 06-AUG-97 |
| MIL-P-85654 NOT 2 | POWER SUPPLY PP-7816/DKT-59 (NO S/S DOCUMENT) [CUST: AS] | A 5815 | AS | | 06-AUG-97 |
| MIL-M-85657 NOT 2 | MOTOR, ROCKET, 2.75 INCH, MARK 66 MODS (NO S/S DOCUMENT) [CUST: AS] | A 1340 | AS | | 06-AUG-97 |
| MIL-C-87000B(1) NOT 2 | COVERALLS, MEN'S (S/S BY A-A-55095) [CUST: NU CT] [REVIEW: SH] | A 8415 | CT | | 24-NOV-97 |
| MIL-S-87006A NOT 1 | SKIRT, WOMAN S POLYESTER/COTTON (CG) (NO S/S DOCUMENT) [CUST: NU CT] | A 8410 | CT | | 07-JUN-97 |
| MIL-T-87020B NOT 1 | TROUSERS, DISPOSABLE (S/S BY A-A-55201) [CUST: NU CT] [REVIEW: OS] | A 8415 | CT | | 12-MAR-97 |
| MIL-J-87058B NOT 2 | JACKET, UTILITY, WOMAN'S (S/S BY A-A-55291) [CUST: NU CT] | A 8410 | CT | | 26-NOV-97 |
| MIL-T-87067C NOT 1 | TROUSERS, MEN'S, (ENLISTED, WHITE) (S/S BY A-A-55219) [CUST: NU CT] | A 8405 | CT | | 12-NOV-97 |
| MIL-C-87069A NOT 2 | COVERALLS, DISPOSABLE (S/S BY A-A-55196) [CUST: NU CT] [REVIEW: SH] | A 8415 | CT | | 05-FEB-98 |
| MIL-F-87090 NOT 1 | FOAM, COMBUSTION RETARDANT, FOR CUSHIONING SUPPLY ITEMS ABOARD NAVY SHIPS (NO S/S DOCUMENT) [CUST: SA] | A 9330 | SA | | 05-MAY-98 |
| MIL-C-87143(1) NOT 1 | CLOTH, BROADCLOTH, POLYESTER/COTTON, POLYESTER FILAMENT, END TO END, (DURABLE PRESS) (NO S/S DOCUMENT) [CUST: GL 11] [REVIEW: DP] | A 8305 | CT | | 24-JUL-97 |
| MIL-M-87228(1) NOT 2 | MAINTENANCE TRAINING SIMULATOR GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: 11] | D 69GP | 11 | | 31-DEC-97 |
| MIL-E-87236(2) NOT 1 | ENGINE, AIR VEHICLE, RAMJET (CONTROLLED DISTRIBUTION) (NO S/S DOCUMENT) [CUST: 11] | D 2840 | 11 | | 04-MAY-98 |
| MIL-R-87254(1) NOT 1 | RESISTOR, FIXED, FILM, HIGH RELIABILITY GENERAL SPECIFICATION FOR (S/S BY MIL-PRF-55182) [CUST: CR EC 19 CC NA] [REVIEW: 11 17 80 85 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 11-OCT-97 |
| MIL-R-87254/1 NOT 1 | RESISTORS, FIXED, FILM, HIGH RELIABILITY, STYLE RSC50 (S/S BY MIL-PRF-55182/7) [CUST: CR EC 19 CC NA] [REVIEW: 11 17 80 85 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 11-OCT-97 |
| MIL-R-87254/2 NOT 1 | RESISTOR, FIXED, FILM, HIGH RELIABILITY, STYLE RSC55 (S/S BY MIL-PRF-55182/1) [CUST: CR EC 19 CC NA] [REVIEW: 11 17 80 85 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 11-OCT-97 |
| MIL-R-87254/3 NOT 1 | RESISTOR, FIXED, FILM, HIGH RELIABILITY, STYLE RSC60 (S/S BY MIL-PRF-55182/3) [CUST: CR EC 19 CC NA] [REVIEW: 11 17 80 85 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 11-OCT-97 |
| MIL-R-87254/4 NOT 1 | RESISTOR, FIXED, FILM, HIGH RELIABILITY, STYLE RSC65 (S/S BY MIL-PRF-55182/5) [CUST: CR EC 19 CC NA] [REVIEW: 11 17 80 85 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 11-OCT-97 |
| MIL-R-87254/5 NOT 1 | RESISTOR, FIXED, FILM, HIGH RELIABILITY, STYLE RSC90 (S/S BY MIL-PRF-55182/9) [CUST: CR EC 19 CC NA] [REVIEW: 11 17 80 85 AR AS AT AV CG CR4 MC OS] | A 5905 | CC | | 11-OCT-97 |
| MIL-H-87961/1(1) NOT 2 | HOSE, AIR DUCT, AIR BREATHING, TYPE I (S/S BY MIL-PRF-87961) [CUST: 99] | A 4720 | 71 | | 13-DEC-97 |
| MIL-H-87961/2A(1) NOT 1 | HOSE ASSEMBLY, AIR DUCT, AIR BREATHING, TYPE II (S/S BY MIL-PRF-87961) [CUST: 99] | A 4720 | 71 | | 13-DEC-97 |
| MIL-H-87961/3(1) NOT 2 | HOSE ASSEMBLY, AIR DUCT, AIR BREATHING, TYPE III (S/S BY MIL-PRF-87961) [CUST: 99] | A 4720 | 71 | | 13-DEC-97 |

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------|-----------------|--|--------------------------|--------------------|-----------|
| | MS2548C NOT 2 | CABLE ASSEMBLIES, ELECTRIC POWER, FOR PORTABLE GROUND SUPPORT TEST EQUIPMENT (S/S BY SAE-AS25481) [CUST: AS] | A 6150 | AS | 29-SEP-97 |
| | MS3109E NOT 2 | BOOTS, HEAT-SHRINKABLE, STRAIN-RELIEF, RIGHT ANGLE (S/S BY SAE-AS31091) [CUST: AS] [REVIEW: EC] | A 5970 | AS | 31-DEC-97 |
| | MS3117E NOT 2 | BOOTS, HEAT-SHRINKABLE, STRAIN-RELIEF, RIGHT ANGLE (S/S BY SAE-AS31171) [CUST: AS] [REVIEW: EC] | A 5970 | AS | 31-DEC-97 |
| | MS3197G NOT 1 | GAGE PIN FOR SOCKET CONTACT ENGAGEMENT TEST (S/S BY SAE-AS31971) [CUST: CR AS 85] [REVIEW: 17 99 CR 4 MI SH] | A 5220 | AS | 31-DEC-97 |
| | MS3347 NOT 1 | CONNECTOR, INTERCELL AND CELL-TO-RECEPTACLE, BATTERY, STORAGE, HEAVY DUTY, AIRCRAFT (NO S/S DOCUMENT) [CUST: GS] | A 6140 | GS | 07-MAY-98 |
| | MS3368F NOT 1 | STRAP, TIEDOWN, ELECTRICAL COMPONENTS, IDENTIFICATION, ADJUSTABLE, SELF CLINCHING, PLASTIC, TYPE II, CLASS 1 (S/S BY SAE-AS33681) [CUST: CR AS 85] [REVIEW: 17 99 AV EC GS MI OS SH] | A 5975 | AS | 29-SEP-97 |
| | MS3373C NOT 1 | STRIP, MOUNTING, NUT INSULATING, FOR MS 27212 TERMINAL BOARD (S/S BY SAE-AS33731) [CUST: CR AS 11] [REVIEW: 85 AV EC GS MC MI OS] | A 5970 | AS | 29-SEP-97 |
| | MS3393 NOT 1 | PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, HYDRAULIC, MINUS 65 DEG. F. TO PLUS 275 DEG. F. (S/S BY SAE-AS33931) [CUST: MR AS 99] [REVIEW: 82] | A 5330 | AS | 31-AUG-97 |
| | MS3510A NOT 1 | PLUG, VENTING, ELECTROLYTE ACCESS HOLE, CELL, AIRCRAFT ALKALINE STORAGE BATTERY (S/S BY MIL-B-81757/2) [CUST: AS] | A 6140 | GS | 12 MAY 98 |
| | MS9068 NOT 1 | PACKING, PREFORMED - AMS 3304, O RING (ASG) (S/S BY SAE-AS33582) [CUST: AS 11 IS] | A 5330 | IS | 09-MAR-98 |
| | MS9134 NOT 1 | GASKET - TYPE X OR XV ENGINE ACCESSORY DRIVE (S/S BY AS3491) [CUST: AV AS 11 IS] | A 5330 | IS | 20-AUG-97 |
| | MS9135 NOT 1 | GASKET, TYPE XI ENGINE ACCESSORY DRIVE (S/S BY AS3492) [CUST: AV AS 11 IS] | A 5330 | IS | 20-AUG-97 |
| | MS9136 NOT 1 | GASKET - TYPE XII, XIV-A, XIV-B, XIV-E, XVII-A AND XVII-B ENGINE ACCESSORY DRIVE (S/S BY AS3493) [CUST: AV AS 11 IS] [REVIEW: MI] | A 5330 | IS | 20-AUG-97 |
| | MS9137 NOT 1 | GASKET - TYPE XIII ENGINE ACCESSORY DRIVE (S/S BY AS3494) [CUST: AV AS 11 IS] | A 5330 | IS | 20-AUG-97 |
| | MS9138 NOT 1 | GASKET - TYPE XIV-C AND XIV-D ENGINE ACCESSORY DRIVE (S/S BY AS3495) [CUST: AV AS 11 IS] | A 5330 | IS | 20-AUG-97 |
| | MS9139 NOT 1 | GASKET - TYPE XVI, XVII-C, -D, -E AND -F ENGINE ACCESSORY DRIVE (S/S BY AS3496) [CUST: AS 11 IS] [REVIEW: MI] | A 5330 | IS | 20-AUG-97 |
| | MS9140A NOT 1 | GASKET - TYPE XIX ENGINE ACCESSORY DRIVE (S/S BY SAE-AS3497) [CUST: AS 11 IS] [REVIEW: 99] | A 5330 | IS | 20-AUG-97 |
| | MS9350B NOT 1 | CLAMP, LOOP, CUSHIONED, JOGGLED, CRES., .265 HOLE (S/S BY NAS1715) [CUST: AS 11] [REVIEW: 99 CR 4 MI] | A 5340 | IS | 29-MAY-98 |
| | MS9351B NOT 1 | CLAMP, LOOP-CUSHIONED, JOGGLED, ALUMINUM, .204 HOLE (S/S BY NAS1715) [CUST: AS 11] [REVIEW: 99] | A 5340 | IS | 29-MAY-98 |
| | MS9352B NOT 1 | CLAMP, LOOP-CUSHIONED, JOGGLED, ALUMINUM, .265 HOLE (S/S BY NAS1715) [CUST: AS 11] [REVIEW: 99 CR 4] | A 5340 | IS | 29-MAY-98 |
| | MS9353A NOT 2 | CLAMP, LOOP-ALUMINUM, .204 HOLE (S/S BY SAE-AS9353) [CUST: AS IS] [REVIEW: 11 85] | A 5340 | IS | 24-APR-98 |
| | MS9377A NOT 1 | GASKET - ENGINE ACCESSORY DRIVE (S/S BY SAE-AS3498) [CUST: AS 11 IS] [REVIEW: MC] | A 5330 | IS | 20-AUG-97 |
| | MS9391B NOT 1 | CLAMP, LOOP-MULTIPLE TUBE, DETACHABLE CUSHION, AMS 5510 (S/S BY SAE-AS9391) [CUST: AV AS 99 IS] [REVIEW: SH] | A 5340 | IS | 24-APR-98 |
| | MS9600B NOT 1 | BRACKET, ANGLE, 90 DEG., CRES., .190 BOLT (S/S BY SAE-AS9600) [CUST: 11 IS] | A 5340 | IS | 24-APR-98 |
| | MS9603B NOT 1 | BRACKET, ANGLE, 90 DEG., CRES., .190 X .375 BOLT (S/S BY SAE-AS9603) [CUST: 11 IS] | A 5340 | IS | 24-APR-98 |
| | MS9970 NOT 1 | PACKING, PREFORMED - AMS 7279, O RING (S/S BY SAE-AS3381) [CUST: AS 11 IS] | A 5330 | IS | 09-MAR-98 |
| | MS13836D NOT 2 | BEARING, SLEEVE: ENGINE, PLAIN, 1-1/2" X 3/4" (NO S/S DOCUMENT) [CUST: CR 4] [REVIEW: 69 AT CC YDI] | A 2805 | CR 4 | 03-JUL-97 |
| | MS14102J NOT 1 | BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, CHAMFERED OUTER RING, -65 DEG. F TO 325 DEG. F (S/S BY SAE-AS14102) [CUST: AV AS 99] [REVIEW: IS] | A 3120 | AS | 25-AUG-97 |
| | MS14103J NOT 1 | (BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, GROOVED OUTER RING, -65 DEG. TO 325 DEG. F (S/S BY SAE-AS14103) [CUST: AV AS 99] [REVIEW: IS] | A 3120 | AS | 25-AUG-97 |
| | MS14104J NOT 1 | BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, NARROW, CHAMFERED OUTER RING, -65 DEG. F TO 325 DEG. F (S/S BY SAE-AS14104) [CUST: AV AS 99] [REVIEW: IS] | A 3120 | AS | 25-AUG-97 |
| | MS14105E NOT 2 | CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH PULL, 25 THRU 35 AMPS., TYPE I -55 TO +121 DEG. C (S/S BY SAE-AS14105) [CUST: CR AS 85] [REVIEW: 11 CC] | A 5925 | AS | 27-AUG-97 |
| | MS14153C NOT 1 | CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE, PUSH-PULL 3 PHASE, 1 THRU 35 AMP. TYPE I (S/S BY SAE-AS14153) [CUST: CR AS 85] | A 5925 | AS | 27-AUG-97 |
| | MS14154D NOT 1 | CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE PUSH-PULL, 3 PHASE, 1 THRU 20 AMP. TYPE I (S/S BY SAE-AS14154) [CUST: CR AS 85] | A 5925 | AS | 27 AUG 97 |
| | MS14227 NOT 1 | LOCK, ROD END, IMPROVED STRENGTH, NAS LUG (S/S BY SAE-AS14227) [CUST: AV AS 11] [REVIEW: IS MI] | A 5340 | AS | 25-AUG-97 |
| | MS14237A NOT 1 | BUSHING, SLEEVE PLAIN, PRESS FIT, REAM TYPE (S/S BY SAE-AS14237) [CUST: AV AS 99] [REVIEW: IS] | A 3120 | AS | 25-AUG-97 |
| | MS14238A NOT 1 | BUSHING, SLEEVE FLANGED, PRESS FIT, REAM TYPE (S/S BY SAE-AS14238) [CUST: AV AS 99] [REVIEW: IS] | A 3120 | AS | 25-AUG-97 |
| | MS14303A NOT 2 | PIPE FITTINGS, STEEL, THREADED, PRESSURE CLASS 2000, 3000, AND 6000 POUND WOG (NO S/S DOCUMENT) [CUST: CR 4 YDI 99] [REVIEW: AR CC CE EA MC] | A 4730 | YDI | 05-MAY-98 |
| | MS14304A NOT 2 | COUPLING, CAPS, PLUGS, & BUSHINGS, PIPE THREADED, PRESSURE CLASS 3000 & 6000 (NO S/S DOCUMENT) [CUST: CR 4 YDI 99] | A 4730 | YDI | 05-MAY-98 |
| | MS14305B NOT 1 | FITTINGS, PIPE, BRASS OR BRONZE, THREADED (TEES, CROSSES, 45-DEG. ELBOWS, AND COUPLINGS), CLASS 125 (NO S/S DOCUMENT) [CUST: CR 4 YDI 99] [REVIEW: 82 AR CC CE MC] | A 4730 | YDI | 05-MAY-98 |
| | MS14306B NOT 1 | FITTINGS, PIPE, BRASS OR BRONZE, THREADED (REDUCERS, CLOSE AND OPEN RETURN BENDS, AND 45-DEG. Y-BRANCHES), CLASS 125 (NO S/S DOCUMENT) [CUST: CR 4 YDI 99] [REVIEW: 82 AR CC CE MC] | A 4730 | YDI | 05-MAY-98 |
| | MS14307B NOT 1 | ELBOWS, PIPE, BRASS OR BRONZE, THREADED, 45-DEG., STREET, CLASS 125 (NO S/S DOCUMENT) [CUST: CR 4 YDI 99] [REVIEW: 82 AR CC CE MC] | A 4730 | YDI | 05-MAY-98 |
| | MS14308B NOT 1 | ELBOWS, PIPE, BRASS OR BRONZE, THREADED, 90-DEG., REDUCING, CLASS 125 (NO S/S DOCUMENT) [CUST: CR 4 YDI 99] [REVIEW: 82 AR CC CE MC] | A 4730 | YDI | 05-MAY-98 |
| | MS14309C NOT 1 | TEES, PIPE, BRASS OR BRONZE, THREADED, REDUCING, CLASS 125 (NO S/S DOCUMENT) [CUST: CR 4 YDI 99] [REVIEW: 82 AR CC CE MC] | A 4730 | YDI | 05-MAY-98 |
| | MS14310B NOT 1 | CAPS, PIPE, BRASS OR BRONZE, THREADED, CLASS 125 (NO S/S DOCUMENT) [CUST: CR 4 YDI 99] [REVIEW: 82 AR CC CE MC] | A 4730 | YDI | 05-MAY-98 |
| | MS14311B NOT 1 | FITTINGS, PIPE, BRASS OR BRONZE, THREADED (90-DEG. ELBOWS, TEES, CROSSES, 45-DEG. ELBOWS, AND COUPLING), CLASS 250 (NO S/S DOCUMENT) [CUST: CR 4 YDI 99] [REVIEW: 82 AR CC CE MC] | A 4730 | YDI | 05-MAY-98 |
| | MS14312B NOT 1 | ELBOWS, PIPE, BRASS OR BRONZE, THREADED, 90-DEG., REDUCING, CLASS 250 (NO S/S DOCUMENT) [CUST: CR 4 YDI 99] [REVIEW: 82 AR CC CE MC] | A 4730 | YDI | 05-MAY-98 |
| | MS14313B NOT 1 | TEES, PIPE, BRASS OR BRONZE, THREADED, REDUCING, CLASS 250 (NO S/S DOCUMENT) [CUST: CR 4 YDI 99] [REVIEW: 82 AR CC CE MC] | A 4730 | YDI | 05-MAY-98 |
| | MS14314C NOT 1 | PLUGS, PIPE, BRASS OR BRONZE, THREADED (SQUARE HEAD AND SQUARE SOCKET), CLASSES 250 AND 125 (NO S/S DOCUMENT) [CUST: CR 4 YDI 99] [REVIEW: 82 AR CC CE MC] | A 4730 | YDI | 05-MAY-98 |
| | MS14315B NOT 1 | BUSHINGS, PIPE, BRASS OR BRONZE, THREADED (OUTSIDE HEAD, INSIDE HEAD, AND FACE), CLASSES 250 AND 125 (NO S/S DOCUMENT) [CUST: CR 4 YDI 99] [REVIEW: 82 AR CC CE MC] | A 4730 | YDI | 05-MAY-98 |
| | MS15367D NOT 1 | BATTERY, STORAGE, LEAD ACID, FOR ELECTRIC POWERED INDUSTRIAL TRUCKS AND TRACTORS (NO S/S DOCUMENT) [CUST: CR SA 99] [REVIEW: AS AT CR 4 GS MC SH] | A 6140 | SA | 05-MAY-98 |
| | MS15805 | CHALICE, COMMUNION SET, SHIPBOARD SET [CUST: GL SH] | A 9925 | GL | 19-AUG-94 |
| | MS16711 NOT 2 | SHACKLE, OFFSET PLATE (NO S/S DOCUMENT) [CUST: SH] [REVIEW: IS] | A 4030 | SH | 20-OCT-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-------------------|--|--------------------------|-----|-------------|-----------|
| | MS16974A NOT 1 | BATTERY, STORAGE, TYPE(EX) FOR 4,000 (71800KG)& 6,000 (2700KG) POUND CAPACITY, FORK LIFT TRUCKS (NO S/S DOCUMENT) [CUST: CR SA 99] [REVIEW: GS] | A 6140 | SA | | 05-MAY-98 |
| | MS16992F NOT 2 | SCREW, LAG (BOLT), HEX HEAD, GIMLET POINT (NO S/S DOCUMENT) [CUST: AR YD1 99] [REVIEW: 82 AV CR4 EA MC] | A 5306 | YD1 | | 05-MAY-98 |
| | MS17107A NOT 1 | BEARING, BALL, ANNULAR, PRIMARILY FOR AIRCRAFT MOTOR-GENERATORS, TYPE I (S/S BY SAE-AS17107) [CUST: AT AS] [REVIEW: IS MI] | A 3110 | AS | | 17-SEP-97 |
| | MS17134 NOT 2 | CONTACT ASSEMBLY, ELECTRICAL, DRY REED TYPE, S.P.S.T. (NO S/S DOCUMENT) [CUST: SH] [REVIEW: CC] | A 5930 | SH | | 05-MAY-98 |
| | MS17135A NOT 2 | SWITCH, TILT, MAGNETIC (NO S/S DOCUMENT) [CUST: SH] [REVIEW: CC] | A 5930 | SH | | 05-MAY-98 |
| | MS17140B NOT 2 | LENSES, INDICATOR LIGHT (INCANDESCENT) PLASTIC FLUSH TYPE (NO S/S DOCUMENT) [CUST: SH IS] | A 6210 | IS | | 07-JUN-97 |
| | MS17143F NOT 1 | TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, TYPE II, CLASS 1 FOR 105 DEG. C. TOTAL CONDUCTOR TEMPERATURE (S/S BY SAE-AS17143) [CUST: CR AS 85] [REVIEW: 99 AT CR4 EC MC MI OS SH] | A 5940 | AS | | 29-SEP-97 |
| | MS17153A NOT 1 | WINDOW, LIGHTING FIXTURE, INCANDESCENT, PLASTIC, DISC SHAPED (NO S/S DOCUMENT) [CUST: SH IS] | A 6210 | IS | | 07-JUN-97 |
| | MS17184 NOT 1 | SCREW, EXTERNALLY RELIEVED BODY (SYNCHRO) (S/S BY SAE-AS17184) [CUST: AS] [REVIEW: CC MI] | A 5990 | AS | | 27-AUG-97 |
| | MS17731C NOT 2 | FASTENER, ROTARY, QUICK-OPERATING, FLUSH HEAD, FLOATING TYPE, 2210 LBS MIN TENSILE STRENGTH (S/S BY NASM17731) [CUST: AV AS 11 IS] | A 5325 | IS | | 25-MAR-98 |
| | MS17732C NOT 2 | FASTENER, ROTARY, QUICK-OPERATING, PROTRUDING HEAD, FLOATING TYPE, 2210 LBS MIN TENSILE STRENGTH (S/S BY NASM17732) [CUST: AV AS 11 IS] | A 5325 | IS | | 25-MAR-98 |
| | MS18047B NOT 2 | PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-4949/AIC-14A (NO S/S DOCUMENT) [CUST: AS] | A 5831 | AS | | 02-OCT-96 |
| | MS18211B NOT 1 | SCREW, MACHINE, 82 DEG. AND 100 DEG., FLAT COUNTERSUNK HEAD, SLOTTED, PLASTIC (NYLON), UNC-2A AND UNF-2A (S/S BY A-A-55623) [CUST: AR SH 99] [REVIEW: 85 AS AT AV CR4 MC MI OS] | A 5305 | IS | | 30-APR-97 |
| | MS18212D NOT 2 | SCREW, MACHINE, PAN HEAD, SLOTTED, PLASTIC (NYLON), UNC-2A (S/S BY A-A-55624) [CUST: AR SH 99 IS] [REVIEW: 11 AS AT AV CR4 MC MI SH] | A 5305 | IS | | 02-MAY-97 |
| | MS18298 NOT 2 | SHIP WHISTLE SOUND OUTPUT (NO S/S DOCUMENT) [CUST: SH] [REVIEW: GS] | A 6350 | SH | | 17-FEB-98 |
| | MS20003C NOT 1 | INDICATOR, HUMIDITY, CARD, THREE SPOT, IMPREGNATED AREAS (COBALTOUS CHLORIDE) (NO S/S DOCUMENT) [CUST: AR AS 99] [REVIEW: CR EC GL GS MC MD MI SA] | A 6685 | AR | | 27-SEP-97 |
| | MS20219F NOT 2 | PULLEY, GROOVE, SECONDARY CONTROL, AIRCRAFT (S/S BY MIL-DTL-7034/1) [CUST: AT AS 99 CC] [REVIEW: 82] | A 3020 | CC | | 05-MAY-98 |
| | MS20220C NOT 2 | PULLEY, GROOVE, FLIGHT CONTROL, AIRCRAFT (S/S BY MIL-DTL-7034/2) [CUST: AV AS 99 CC] [REVIEW: 82] | A 3020 | CC | | 05-MAY-98 |
| | MS20221E NOT 1 | PULLEY, GROOVE, HEAVY DUTY, CONTROL, AIRCRAFT (S/S BY MIL-DTL-7034/3) [CUST: AV AS 99 CC] [REVIEW: 82] | A 3020 | CC | | 05-MAY-98 |
| | MS20995E NOT 4 | WIRE, SAFETY OR LOCK (S/S BY NASM20995) [CUST: AV AS IS] | A 9505 | IS | | 12-JUN-98 |
| | MS20997 NOT 2 | BARRIER MATERIEL, WATERPROOF, FLEXIBLE (NO S/S DOCUMENT) [CUST: GL SA 85] | A 8135 | 69 | | 07-JUN-97 |
| | MS21122C NOT 2 | CLAMP, LOOP, CUSHIONED WEDGE, POLYTETRAFLUORO-ETHYLENE (S/S BY NAS1715) [CUST: AS 99] [REVIEW: CR4 MI] | A 5340 | IS | | 29-MAY-98 |
| | MS21209E NOT 1 | INSERT, SCREW THREAD, COARSE AND FINE, SCREW LOCKING, HELICAL COIL, CRES (S/S BY NASM21209) [CUST: AV 11 IS] [REVIEW: 99 AR AS CR MI OS] | A 5325 | IS | | 12-JUN-98 |
| | MS21313G NOT 1 | PADLOCK SETS - INDIVIDUALLY KEYED AND KEYED ALIKE (NO S/S DOCUMENT) [CUST: AR YD1 99] [REVIEW: 82 AT CE CR4 IS MC SA] | A 5340 | YD1 | | 05-MAY-98 |
| | MS21323A NOT 3 | STUD, STYLE I SNAPSLIDE FASTENER (S/S BY NASM21323) [CUST: AR AS 99 IS] | A 5325 | IS | | 24-APR-98 |
| | MS21327E NOT 1 | FASTENER INSTALLATION-SNAPSLIDE (S/S BY NASM21327) [CUST: GL AS 99 IS] [REVIEW: 82] | A 5325 | IS | | 29-AUG-97 |
| | MS21332B NOT 1 | FASTENER - SNAPSLIDE (S/S BY NASM21332) [CUST: GL AS 99 IS] [REVIEW: 85] | A 5325 | IS | | 29-AUG-97 |
| | MS21397B NOT 2 | COIL, RADIO FREQUENCY, MOLDED FIXED, MICRO MINIATURE, MAGNETICALLY SHIELDED, (FERRITE CORE FERRITE SLEEVE) TYPES LT10K433 TO LT10K456 INCL. (NO S/S DOCUMENT) [CUST: 85 CC] | A 5950 | CC | | 14-APR-98 |
| | MS21964H NOT 1 | VALVE ASSEMBLY EMERGENCY OXYGEN CYLINDER (S/S BY MIL-DTL-7560/1) [CUST: AV AS 99] [REVIEW: 11 GL MI] | A 1660 | 71 | | 20-JUN-97 |
| | MS21965C NOT 2 | NIPPLE, BREAK OFF, EMERGENCY OXYGEN CYLINDER VALVE (S/S BY MIL-DTL-7560/1) [CUST: AV AS 99] [REVIEW: GL] | A 1660 | 71 | | 20-JUN-97 |
| | MS21968C NOT 1 | GENERATOR SYSTEM, AC INTEGRALLY EXCITED 10 KVA-AIRCRAFT (NO S/S DOCUMENT) [CUST: 99] [REVIEW: GS] | A 6115 | 80 | | 20-OCT-97 |
| | MS22064B NOT 2 | CLAMP, HOSE (NO S/S DOCUMENT) [CUST: AV AS 99] | A 4730 | 82 | | 10-OCT-97 |
| | MS24220B NOT 2 | BRUSH, ELECTRICAL CONTACT, DYNAMOTOR LOW VOLTAGE, AIRCRAFT (NO S/S DOCUMENT) [CUST: 85 GS] [REVIEW: 99] | A 5977 | GS | | 08-APR-98 |
| | MS24281A NOT 3 | CONNECTOR, PLUG, ELECTRICAL, LT SERIES UG-1305/U (NO S/S DOCUMENT) [CUST: 85] | A 5935 | 85 | | 14-NOV-97 |
| | MS24282A NOT 2 | CONNECTOR, PLUG, ELECTRICAL - 90 DEG. ADAPTER, LT SERIES UG-1264/U (NO S/S DOCUMENT) [CUST: 85] | A 5935 | 85 | | 14-NOV-97 |
| | MS24283 NOT 3 | CONNECTOR, PLUG, ELECTRICAL, 45 DEG. ADAPTER, LT SERIES (NO S/S DOCUMENT) [CUST: 85] | A 5935 | 85 | | 14-NOV-97 |
| | MS24566E NOT 1 | PULLEY - CONTROL, ANTI-FRICTION BEARING (S/S BY MIL-DTL-7034/4) [CUST: AV AS 99 CC] [REVIEW: 82] | A 3020 | CC | | 05-MAY-98 |
| | MS24595B NOT 1 | BEARING, JEWEL, CUP (INDUSTRIAL TYPE) (INACTIVE 9-11-69) (NO S/S DOCUMENT) [CUST: AR SH] [REVIEW: GS] | A 6695 | AR | | 27-SEP-97 |
| | MS24598B NOT 1 | BEARING, JEWEL, VEE (INDUSTRIAL TYPE) INACTIVE (NO S/S DOCUMENT) [CUST: AR SH] [REVIEW: 17 99 GS] | A 6695 | AR | | 27-SEP-97 |
| | MS24679E(1) NOT 1 | NUT, PLAIN, CAP, LOW CROWN, UNC-2B AND UNF-2B (S/S BY A-A-55629) [CUST: AR 99 IS] [REVIEW: AV] | A 5310 | IS | | 31-JUL-97 |
| | MS24680F(1) NOT 1 | NUT, PLAIN, CAP, HIGH CROWN UNC-2B AND UNF-2B (S/S BY A-A-55628) [CUST: AR 82 IS] [REVIEW: AS AT AV CR4 IS MC OS SH] | A 5310 | IS | | 25-JUL-97 |
| | MS25079E NOT 1 | COVER, TERMINAL BOARD, 5 STUD (ASG) (NO S/S DOCUMENT) [CUST: CR4 AS 85 GS] [REVIEW: 99] | A 5940 | GS | | 17-OCT-97 |
| | MS25080F NOT 1 | TERMINAL, STUD (NO S/S DOCUMENT) [CUST: CR AS 85 GS] [REVIEW: 99 CR4] | A 5940 | GS | | 17-OCT-97 |
| | MS25132C NOT 1 | COVER, TERMINAL BLOCK (NO S/S DOCUMENT) [CUST: AS 85 GS] [REVIEW: 99] | A 5940 | GS | | 17-OCT-97 |
| | MS25171C NOT 1 | NIPPLE, ELECTRICAL TERMINAL (ASG) (S/S BY A-A-59178) [CUST: AS 85 GS] [REVIEW: 99 MC] | A 5975 | GS | | 09-APR-98 |
| | MS25420B NOT 1 | FASTENERS, STRAIGHT, HEADED, SWAGED COLLAR LIMITATIONS FOR USE OF (S/S BY NASM25420) [CUST: GL AS 99 IS] [REVIEW: 82] | A 5325 | IS | | 25-MAR-98 |
| | MS25437C NOT 1 | TERMINAL, LUG CRIMP STYLE LEFT ANGLE TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1 (NO S/S DOCUMENT) [CUST: AS 85 CC] [REVIEW: 99] | A 5940 | GS | | 01-DEC-97 |
| | MS27209B NOT 2 | POWER SUPPLY ECU-45/A (NO S/S DOCUMENT) [CUST: 99] | A 6130 | 80 | | 17-NOV-97 |
| | MS27249E NOT 1 | TERMINAL BOARDS, SECTIONAL (NO S/S DOCUMENT) [CUST: MI 85 GS] [REVIEW: 17 70 71 79 80 99] | A 5940 | GS | | 17-OCT-97 |
| | MS27461A NOT 2 | CORE FOR 70MM AIR FILM (NO S/S DOCUMENT) [CUST: 99] [REVIEW: GS] | A 6760 | 70 | | 04-MAY-98 |
| | MS27503C | CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES II (S/S BY MS27478) [CUST: 85 CC] | A 5935 | CC | | 04-MAY-90 |
| | MS27541A NOT 2 | SPOOL, FILM, DIFFUSION TRANSFER, PHOTOGRAPHIC (NO S/S DOCUMENT) [CUST: 99] [REVIEW: GS] | A 6760 | 70 | | 04-MAY-98 |
| | MS27584B NOT 1 | ADAPTER, 1/4 INCH, PNEUMATIC SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT (NO S/S DOCUMENT) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 29-MAY-98 |
| | MS27585B NOT 1 | ADAPTER, WATER METHANOL SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT (NO S/S DOCUMENT) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 29-MAY-98 |

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-----------------|--|-----------------------|-----|-------------|-----------|
| MS27586B NOT 1 | ADAPTER, DEMINERALIZED WATER SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT (NO S/S DOCUMENT) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 29-MAY-98 |
| MS27587B NOT 1 | ADAPTER, ENGINE OIL SERVICING, US GROUND EQUIPMENT TO RAF AIRCRAFT (NO S/S DOCUMENT) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 29-MAY-98 |
| MS27588B NOT 1 | ADAPTER, NITROGEN SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT (NO S/S DOCUMENT) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 29-MAY-98 |
| MS27589B NOT 1 | ADAPTER, OXYGEN SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT (NO S/S DOCUMENT) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 25-MAY-98 |
| MS27590B NOT 1 | ADAPTER, 3/8 INCH, HYDRAULIC SERVICING, US GROUND EQUIPMENT TO RAF AIRCRAFT (NO S/S DOCUMENT) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 29-MAY-98 |
| MS27594A NOT 1 | ADAPTER, TIRE INFLATING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT (NO S/S DOCUMENT) [CUST: AS 99 CC] [REVIEW: 82] | A 4730 | CC | | 29-MAY-98 |
| MS27969A NOT 1 | HASP, HINGED, OPEN WITH FIXED STAPLE, STEEL (S/S BY BHMA-A156.20) [CUST: AR YD1 99 IS] [REVIEW: 82 AV CR4 EA GL MC MI SH] | A 5340 | IS | | 31-OCT-97 |
| MS27980F NOT 2 | FASTENERS, SNAP, STYLE 2 (REGULAR WIRE SPRING CLAMP TYPE) (S/S BY NASM27980) [CUST: AS 99 IS] [REVIEW: AT AV CR MC OS] | A 5325 | IS | | 30-APR-98 |
| MS27981C NOT 2 | FASTENERS, SNAP, STYLE 2A (SMALL WIRE SPRING CLAMP TYPE) (S/S BY NASM27981) [CUST: AS 99 IS] [REVIEW: AR AT AV CR CR4 MC MS SM] | A 5325 | IS | | 29-AUG-97 |
| MS27983B NOT 3 | FASTENERS, SNAP, STYLE 4 (THREE WAY LOCKING TYPE) (S/S BY NASM27983) [CUST: AS 82 IS] [REVIEW: AR AT CR CR4 MI SA] | A 5325 | IS | | 31-MAR-98 |
| MS27990B NOT 1 | PIN, STRAIGHT, HINGE, PIANO (S/S BY A-A-55589, A-A-55590, A-A-55592, A-A-55594, AND A-A-55596) [CUST: AR AS 99 IS] [REVIEW: 82 AT AV MC MI] | A 5340 | IS | | 31-OCT-97 |
| MS29597D NOT 1 | CONTROLLER, OXYGEN FLOW EMERGENCY CYLINDER VALVE (S/S BY MIL-DTL-7560/1) [CUST: AV AS 99] | A 1660 | 71 | | 20-JUN-97 |
| MS33530 NOT 1 | TOLERANCE-WELDED CARBON AND ALLOY STEEL TUBING (ASG) (S/S BY SAE-AMS2253) [CUST: AS] | A 4710 | AS | | 30-JUN-97 |
| MS33531A NOT 1 | TOLERANCE, WELDED CORROSION-RESISTANT STEEL TUBING (ASG) (S/S BY SAE-AMS2243) [CUST: AS] | A 4710 | AS | | 30-JUN-97 |
| MS33542A NOT 1 | CRITERIA-TEMPERATURE AND ALTITUDE RANGE BLAST COOLED ELECTRIC EQUIPMENT (NO S/S DOCUMENT) [CUST: AS] | A 15GP | AS | | 06-AUG-97 |
| MS33543A NOT 1 | CRITERIA TEMPERATURE AND ALTITUDE RANGE SELF COOLED ELECTRIC EQUIPMENT (NO S/S DOCUMENT) [CUST: AS] [REVIEW: 99 MI] | A 1500 | AS | | 06-AUG-97 |
| MS33558C NOT 2 | NUMERAL AND LETTER, AIRCRAFT INSTRUMENT DIAL, STANDARD FORM OF (NO S/S DOCUMENT) [CUST: AV AS] [REVIEW: CR4 MI] | A 6610 | AS | | 04-MAY-98 |
| MS33583C NOT 1 | TUBING END DOUBLE FLARE, STANDARD DIMENSIONS FOR (S/S BY SAE-AS33583) [CUST: AT AS 99] | A 4730 | AS | | 14-JAN-98 |
| MS33611A NOT 1 | TUBE BEND RADII (S/S BY SAE-AS33611) [CUST: AV AS 99] [REVIEW: 11] | A 4710 | AS | | 21-AUG-97 |
| MS33739G NOT 2 | AIRCRAFT MARKINGS, SERVICING AND PRECAUTIONING (ASG) (S/S BY MIL-STD-2161) [CUST: AV AS 99] | A 15GP | AS | | 20-SEP-97 |
| MS35000R NOT 1 | BATTERY, STORAGE, LEAD-ACID, WATERPROOF (S/S BY MIL-B-11188/1) [CUST: AT YD1 99] [REVIEW: 80 CR CR4 GL GS MC MI OS SH] | A 6140 | AT | | 03-JAN-91 |
| MS35647E NOT 1 | PADLOCKS, KEY OPERATED (NO S/S DOCUMENT) [CUST: AR YD1 99] [REVIEW: 82 AV CR IS MC MI SA] | A 5340 | YD1 | | 05-MAY-98 |
| MS35842E NOT 2 | CLAMP, HOSE (LOW-PRESSURE) TYPE "F" (S/S BY A-A-52506) [CUST: AT GS] | A 4730 | GS | | 04-OCT-96 |
| MS35907C NOT 2 | SPARK PLUG: THREAD FORMS AND DATA (60 DEGREE THREAD FORM) (OTHER THAN AIRCRAFT) (NO S/S DOCUMENT) [CUST: AT MC 11] [REVIEW: 84 99 IS] | A 4730 | AT | | 04-MAR-98 |
| MS39200E NOT 1 | ELBOWS, TUBE - SAFETY SLEEVE COMPRESSION TYPE, 90 DEGREE, FEMALE PIPE END (USER MAY CONSULT MSS1813 AS A POSSIBLE REPLACEMENT) [CUST: AT] [REVIEW: CC CR CR4] | A 4730 | AT | | 04-MAR-98 |
| MS39204E NOT 2 | ELBOWS, PIPE TO TUBE - SAFETY SLEEVE COMPRESSION TYPE, 45 DEGREE, MALE PIPE END (USERS MAY CONSULT MSS1817 AS A POSSIBLE REPLACEMENT) [CUST: AT] [REVIEW: CC CR CR4] | A 4730 | AT | | 04-MAR-98 |
| MS39230B NOT 2 | ELBOW, PIPE-STREET, 90 DEG (150 & 300 LBS) (NO S/S DOCUMENT) [CUST: AR YD1 99] [REVIEW: 82 AT AV CC CR4 GL MC] | A 4730 | YD1 | | 05-MAY-98 |
| MS39231B NOT 2 | ELBOW, PIPE STREET, 45 DEG., (150 & 300 POUNDS) (NO S/S DOCUMENT) [CUST: AR YD1 99] [REVIEW: 82 AT AV CC CR4 GL MC] | A 4730 | YD1 | | 05-MAY-98 |
| MS39232B NOT 2 | REDUCER, PIPE RIGHT HAND THREAD (150 & 300 POUNDS) (NO S/S DOCUMENT) [CUST: AR YD1 99] | A 4730 | YD1 | | 05-MAY-98 |
| MS39233C NOT 1 | COUPLING, PIPE STRAIGHT (150 & 300 POUNDS) (NO S/S DOCUMENT) [CUST: AR YD1 99] [REVIEW: AT AV CC CR4 GL MC] | A 4730 | YD1 | | 05-MAY-98 |
| MS39297 NOT 3 | ENGINE, GASOLINE, AIR-COOLED, INDUSTRIAL-TYPE, 4 CYCLE, 1-1/2 NET CONTINUOUS HP (NO S/S DOCUMENT) [CUST: CR4 99] | A 2805 | CR4 | | 03-JUL-97 |
| MS39298 NOT 3 | ENGINE, GASOLINE, AIR-COOLED, INDUSTRIAL-TYPE 4-CYCLE, 3 NET CONTINUOUS HP (NO S/S DOCUMENT) [CUST: CR4 MC 99] | A 2805 | CR4 | | 03-JUL-97 |
| MS39299 NOT 2 | ENGINE, GASOLINE, AIR-COOLED, INDUSTRIAL-TYPE, 4 CYCLE, 6 NET CONTINUOUS H.P. (NO S/S DOCUMENT) [CUST: CR4 MC 99] [REVIEW: CR YD1] | A 2805 | CR4 | | 03-JUL-97 |
| MS39300 NOT 2 | ENGINE, GASOLINE, AIR COOLED, INDUSTRIAL TYPE, 4-CYCLE, 10 NET CONTINUOUS H P (NO S/S DOCUMENT) [CUST: CR4 MC 99] [REVIEW: YD1] | A 2805 | CR4 | | 03-JUL-97 |
| MS39301 NOT 3 | ENGINE, GASOLINE, 2 CYLINDER, HORIZONTAL OPPOSED AIR COOLED, 14 HP (NO S/S DOCUMENT) [CUST: CR4 MC 99] [REVIEW: YD1] | A 2805 | CR4 | | 03-JUL-97 |
| MS39302 NOT 2 | ENGINE, GASOLINE, AIR COOLED, INDUSTRIAL-TYPE, 4-CYCLE, 20 NET CONTINUOUS H P (NO S/S DOCUMENT) [CUST: CR4 MC 99] [REVIEW: YD1] | A 2805 | CR4 | | 03-JUL-97 |
| MS51004C NOT 1 | GENERATOR, ENGINE ACCESSORY, 28 VOLTS, DC, 300 AMPERE (S/S BY MIL-PRF-62061) [CUST: AT MC 99] | A 2920 | AT | | 20-DEC-97 |
| MS51014A NOT 1 | SPRING, HELICAL, COMPRESSION, SPARK PLUG CABLE TERMINAL (OTHER THAN AIRCRAFT) (NO S/S DOCUMENT) [CUST: AT MC 99] [REVIEW: CC CR4] | A 2920 | AT | | 04-MAR-98 |
| MS51320B NOT 1 | FLOODLIGHT, ELECTRIC-24 VOLT (S/S BY A-A-52498) [CUST: AT 99 IS] | A 6220 | IS | | 01-AUG-94 |
| MS51322D NOT 2 | COMPRESSOR, RECIPROCATING POWER DRIVEN, AIR COOLED, 7-1/4 C.F.M., W/UNLOADER (S/S BY MIL-PRF-45334) [CUST: AT MC 99] [REVIEW: CC MI] | A 2530 | AT | | 23-JUL-97 |
| MS51845C NOT 1 | ELBOWS, PIPE, BRASS OR BRONZE, THREADED, 90-DEG., STRAIGHT, CLASS 125 (NO S/S DOCUMENT) [CUST: AR YD1 99] [REVIEW: 82 CC CR4 MC] | A 4730 | YD1 | | 05-MAY-98 |
| MS51941B NOT 1 | NUT, PLAIN, PLATE (S/S BY A-A-55625) [CUST: AR IS] [REVIEW: CR4 MI] | A 5310 | IS | | 19-APR-97 |
| MS51952C NOT 1 | ELBOWS, PIPE, STREET, BRASS OR BRONZE, THREADED, 90-DEG., STREET, CLASS 125 (NO S/S DOCUMENT) [CUST: AR YD1 99] [REVIEW: 82 AV CC CR4 MC] | A 4730 | YD1 | | 05-MAY-98 |
| MS51954C NOT 2 | TEE, PIPE-REDUCING (150 POUNDS) (NO S/S DOCUMENT) [CUST: AR YD1 99] [REVIEW: AT AV CC CR4 MC MI] | A 4730 | YD1 | | 05-MAY-98 |
| MS52131 NOT 1 | CONNECTOR, PLUG, ELECTRICAL INTERVEHICLE POWER CABLE (NO S/S DOCUMENT) [CUST: AT] | A 2920 | AT | | 17-JUL-97 |
| MS52287 NOT 1 | HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 60,000 BTU/HR, SINGLE AIR TYPE (S/S BY MIL-PRF-62315) [CUST: AT] | A 2540 | AT | | 25-JUL-97 |
| MS52288 NOT 1 | HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 60,000 BTU/HR, DUAL AIR TYPE (S/S BY MIL-PRF-62315) [CUST: AT] | A 2540 | AT | | 25-JUL-97 |

DODISS NUMERICAL LISTING
DETAIL MS DRAWINGS

| Doc Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------|-----------------------------|---|--------------------------|-----|-------------|-----------|
| | MS53005C NOT 2 | AIR CLEANER, INTAKE: COMPRESSOR (S/S BY MIL-PRF-45334) [CUST: AT MC 99] [REVIEW: CC MI] | A 2530 | AT | | 23-JUL-97 |
| | MS53006B NOT 1 | GOVERNOR ASSEMBLY: AIR BRAKE FOR TACTICAL VEHICLES (S/S BY MIL-PRF-45334)[CUST: AT MC 99] [REVIEW: CC MI] | A 2530 | AT | | 23-JUL-97 |
| | MS53022B NOT 1 | LIGHT, COMPOSITE, VEHICULAR-BLACKOUT DRIVING, BLACKOUT MARKER, SERVICE, INFRARED-24 VOLT (S/S BY MIL-PRF-14465) [CUST: MC IS] | A 6220 | IS | | 22-FEB-96 |
| | MS53032B NOT 2 | COMPRESSOR, RECIPROCATING, POWER DRIVEN: AIR COOLED, 12 C.F.M. W/UNLOADER (S/S BY MIL-PRF-45334) [CUST: AT MC 99] [REVIEW: CC MI] | A 2530 | AT | | 23-JUL-97 |
| | MS53045A NOT 3 | RING, SIDE, AUTOMOTIVE WHEEL FOR TACTICAL WHEELED VEHICLES (S/S BY A-A-59157) [CUST: AT MC 99] [REVIEW: 84 CC] | A 2530 | AT | | 27-FEB-98 |
| | MS63044A NOT 2 | STRAP, RETAINING, RECTANGULAR, CUSHIONED (S/S BY NAS-1711) [CUST: AR YD1 99 IS] [REVIEW: CR OS SH] | A 5340 | IS | | 21-OCT-97 |
| | MS75022A NOT 2 | BENDS, ELECTRICAL CONDUIT 90 DEGREE AND 45 DEGREE ZINC-COATED STD THK-WALL STEEL (S/S BY UL6) [CUST: CR4 80 GS] [REVIEW: 99 AT CR] | A 5975 | GS | | 09-FEB-98 |
| | MS75023A NOT 2 | BEND, ELECTRICAL CONDUIT, 90 DEG. AND 45 DEG. ZINC COATED THIN-WALL STEEL (EMT) (S/S BY UL797) [CUST: CR4 85 GS] [REVIEW: 99 AT CR] | A 5975 | GS | | 23-JAN-98 |
| | MS87017A NOT 2 | SWITCHES (ARRANGEMENT AND FUNCTIONS) GRIP ASSEMBLY, CYCLIC CONTROLLER, FOR INSTALLATION IN HELICOPTERS (NO S/S DOCUMENT) [CUST: AV AS 11] | A 1520 | AV | | 13-FEB-98 |
| | MS90321S NOT 1 | CELL, BATTERY, STORAGE, LIGHT AND HEAVY DUTY, AIRCRAFT (NO S/S DOCUMENT) [CUST: AS] [REVIEW: GS] | A 6140 | AS | | 06-AUG-97 |
| | MS90522A NOT 2 | ELBOW, CAST-IRON THREADED DRAINAGE (NO S/S DOCUMENT) [CUST: CR4 YD1] [REVIEW: 99 CC CE MC] | A 4730 | YD1 | | 05-MAY-98 |
| | MS90523A NOT 2 | TEES, Y-BRANCHES, CROSSES, CAST IRON THREADED DRAINAGE (NO S/S DOCUMENT) [CUST: CR4 YD1] [REVIEW: 99 CC CE EC MC] | A 4730 | YD1 | | 05-MAY-98 |
| | MS90524A NOT 2 | Y-BRANCHES, 90 DEG. REDUCING, CAST IRON THREADED DRAINAGE (NO S/S DOCUMENT)[CUST: CR4 YD1] [REVIEW: 99 CC CE MC] | A 4730 | YD1 | | 05-MAY-98 |
| | MS90525A NOT 2 | Y BRANCHES, 45 DEG., STRAIGHT & REDUCING, CAST IRON THREADED DRAINAGE (NO S/S DOCUMENT) [CUST: CR4 YD1] [REVIEW: 99 CC CE MC] | A 4730 | YD1 | | 05-MAY-98 |
| | MS90526A NOT 2 | COUPLING, INCREASERS, OFFSETS, CAST-IRON THREADED DRAINAGE (NO S/S DOCUMENT) [CUST: CR4 YD1] [REVIEW: 99 CC CE MC] | A 4730 | YD1 | | 05-MAY-98 |
| | MS90527A NOT 2 | Y-BRANCH, TUCKER AND ROOF CONNECTIONS, CAST-IRON THREADED DRAINAGE (NO S/S DOCUMENT) [CUST: CR4 YD1] [REVIEW: 99 CC CE MC] | A 4730 | YD1 | | 05-MAY-98 |
| | MS90528A NOT 2 | TRAP, P-BATH AND RUNNING, CAST IRON THREADED DRAINAGE (NO S/S DOCUMENT) [CUST: CR4 YD1] [REVIEW: 99 CC CE MC] | A 4730 | YD1 | | 05-MAY-98 |
| | MS122116THRUMS122155D NOT 1 | INSERT CRES HELICAL COIL COARSE THREAD 1 1/2 DIA. NOMINAL LENGTH (S/S BY NASM122116THRU122155) [CUST: AV AS 11 IS] [REVIEW: 82 AR] | A 5325 | IS | | 31-MAR-98 |
| | MS500004A NOT 1 | PAD EYE VEHICULAR TOWING LUG (NO S/S DOCUMENT) [CUST: AT MC 99] [REVIEW: CC] | A 2540 | AT | | 04-MAR-98 |
| | MS500044C NOT 3 | CONTROL ASSEMBLY, PUSH-PULL: THROTTLE, ENGINE, VERNIER ADJUSTMENT TYPE (S/S BY A-A-52480) [CUST: AT MC 99] [REVIEW: CC YD1] | A 2990 | AT | | 28-NOV-97 |
| | MS500045C NOT 3 | CONTROL ASSEMBLY, PUSH PULL: CHOKE, ENGINE (S/S BY A-A-52480) [CUST: AT MC 11] [REVIEW: CC] | A 2990 | AT | | 28-NOV-97 |

DODISS NUMERICAL LISTING
DOD STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------------------|---|-----------------------|-----|-------------|------|
| MIL-STD-14A NOT 1 | ARCHITECTURAL SYMBOLS (NO S/S DOCUMENT) [CUST: AR YD1 16] [REVIEW: AS CR MI OS] | A DRPR | AR | 27-SEP-97 | |
| MIL-STD-171B(1) NOT 1 | MECHANICAL SYMBOLS (S/S BY ASTM-F1000, ASTM-F856, OR ASME-Y32.2.6) [CUST: AR SH 11] [REVIEW: 16 CC MI] | A DRPR | AR | 30-JAN-98 | |
| MIL-STD-29A NOT 1 | SPRING, MECHANICAL, DRAWING REQUIREMENTS FOR (S/S BY ASME-Y14.13M) [CUST: AR OS 11] [REVIEW: 16 CR4 MI] | A DRPR | AR | 30-JAN-98 | |
| MIL-STD-129/1 NOT 1 | MARKING FOR SHIPMENT AND STORAGE-AMMUNITION AND EXPLOSIVES (PART 2 OF 4 PARTS) (NO S/S DOCUMENT) [CUST: SM SA 69 DH] [REVIEW: 18 70 99 AM AR AS CG EA EC MC MT OS SH] | A PACK | SM | 20-MAR-98 | |
| MIL-STD-129/2 NOT 1 | MARKING FOR SHIPMENT AND STORAGE-MEDICAL MATERIAL (PART 3 OF 4 PARTS) (NO S/S DOCUMENT) [CUST: SM SA 69 DH] [REVIEW: 99 AM AS CG GL MB MC MS MT SH] | A PACK | SM | 20-MAR-98 | |
| MIL-STD-129/3 NOT 1 | MARKING FOR SHIPMENT AND STORAGE-SEMIPERISHABLE AND PERISHABLE SUBSISTENCE (PART 4 OF 4 PARTS) (NO S/S DOCUMENT) [CUST: SM SA 69 DH] [REVIEW: 99 AM AS CG GL GS MC MT SH SS] | A PACK | SM | 20-MAR-98 | |
| MIL-STD-163C(2) NOT 3 | STEEL MILL PRODUCTS PREPARATION FOR SHIPMENT AND STORAGE (NO S/S DOCUMENT) [CUST: CR4 SA 99] [REVIEW: AS IS MI OS SH SM YD1] | A PACK | SA | 05-MAY-98 | |
| MIL-STD-188-116-2 NOT 1 | INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE 11 (NO S/S DOCUMENT) [CUST: CR EC 90] [REVIEW: 02 13 17 AC CR MC NC OM TD] | A TCSS | DC | 05-MAY-98 | |
| MIL-STD-210C NOT 1 | CLIMATIC INFORMATION TO DETERMINE DESIGN AND TEST REQUIREMENTS FOR MILITARY SYSTEMS AND EQUIPMENT (S/S BY MIL-HDBK-310) [CUST: CE AS 19] [REVIEW: 11 AR AT AV EC GL MC MI OS SH YD1] | A ENVR | 19 | 23-JUN-97 | |
| MIL-STD-248D NOT 1 | WELDING AND BRAZING PROCEDURE AND PERFORMANCE QUALIFICATION (REPLACEMENT DOCUMENT NAVSEA TECH PUB S9074-AQ-GIB-010/248) [CUST: MR SH] [REVIEW: AT AV GS MC MI OS] | A THJM | SH | 28-AUG-97 | |
| MIL-STD-278F NOT 2 | WELDING AND CASTING STANDARD (REPLACEMENT DOCUMENT NAVSEA TECH PUB S9074-AQ-GIB-010/278) [CUST: SH] | A THJM | SH | 28-AUG-97 | |
| MIL-STD-280A NOT 2 | DEFINITIONS OF ITEM LEVELS, ITEM EXCHANGEABILITY, MODELS, AND RELATED TERMS (S/S BY MIL-HDBK-505) [CUST: CR AS 10] [REVIEW: 17 22 85 99 AR CR4 DH EC GL GS MI OS] | A MISC | CR | 12-FEB-98 | |
| MIL-STD-285 NOT 1 | ATTENUATION MEASUREMENTS FOR ENCLOSURES, ELECTROMAGNETIC SHIELDING, FOR ELECTRONIC TEST PURPOSES, METHOD OF (S/S BY IEEE299) [CUST: CR EC] [REVIEW: AR MI TE YD1] | A EMCS | CR | 24-OCT-97 | |
| MIL-STD-336 NOT 1 | WELDING, FLASH, STANDARD LOW CARBON STEEL (S/S BY MIL-HDBK-507) [CUST: AT AS] [REVIEW: AR SH] | A THJM | AT | 27-FEB-98 | |
| MIL-STD-339 | WIRING & WIRING DEVICES FOR COMBAT & TACTICAL VEHICLES, SELECTION 8 INSTALLATION (S/S BY MIL-HDBK-508) [CUST: AT] | A 6150 | AT | 21-APR-98 | |
| MIL-STD-340 NOT 2 | COATING, PACK CEMENTATION, CHROME ALUMINIDE, PROCESS FOR [CUST: AT] | A 8030 | AT | 10-APR-98 | |
| MIL-STD-341 NOT 2 | COATING, ALUMINUM AND SILICON DIFFUSION, PROCESS FOR (S/S BY MIL-HDBK-341) [CUST: AT] | A 8030 | AT | 27-FEB-98 | |
| MIL-STD-373 NOT 1 | TRANSVERSE TENSILE PROPERTIES OF UNIDIRECTIONAL FIBER/RESIN COMPOSITE CYLINDERS (S/S BY ASTM-D5450/D5450M) [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | A CMPS | MR | 21-NOV-97 | |
| MIL-STD-374 NOT 1 | TRANSVERSE COMPRESSIVE PROPERTIES OF UNIDIRECTIONAL FIBER/RESIN COMPOSITE CYLINDERS (S/S BY ASTM-D5449/D5449M) [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | A CMPS | MR | 21-NOV-97 | |
| MIL-STD-375 NOT 1 | IN-PLANE SHEAR PROPERTIES OF UNIDIRECTIONAL FIBER/RESIN COMPOSITE CYLINDERS (S/S BY ASTM-D5448/D5448M) [CUST: MR AS 11] [REVIEW: 13 AT AV DH IE SH] | A CMPS | MR | 21-NOV-97 | |
| MIL-STD-410E NOT 1 | NONDESTRUCTIVE TESTING PERSONNEL QUALIFICATION AND CERTIFICATION (S/S BY NAS410) [CUST: MR AS 11] [REVIEW: AR] | A NDTI | 11 | 31-DEC-97 | |
| MIL-STD-498 NOT 1 | SOFTWARE DEVELOPMENT AND DOCUMENTATION (S/S BY IEEE/EIA 12207, IEEE/EIA 12207.1 AND IEEE/EIA 12207.2) [CUST: CR EC 10] [REVIEW: 02 06 11 13 17 19 AR AS AV CR DC DS IR MC MI MP NA NT OM SA SH SO TD] | A IPSC | EC | 27-MAY-98 | |
| MIL-STD-633E NOT 1 | MOBILE ELECTRIC POWER ENGINE GENERATOR STANDARD FAMILY CHARACTERISTICS DATA SHEET (S/S BY MIL-HDBK-633) [CUST: CR4 YD1 99] [REVIEW: 11 AS CE EC GS MC MI] | A 6115 | CR4 | 20-FEB-98 | |
| MIL-STD-669B NOT 2 | LOADING ENVIRONMENT AND RELATED REQUIREMENTS FOR PLATFORM RIGGED AIRDROP MATERIEL (S/S BY MIL-HDBK-669) [CUST: GL 99] [REVIEW: 82 AS AT CR MT] | A 1670 | GL | 03-FEB-97 | |
| MIL-STD-756B NOT 2 | RELIABILITY MODELING & PREDICTION (NO S/S DOCUMENT) [CUST: AS 17] [REVIEW: AM AR AV EA EC NS OS SH TD] | A RELI | 17 | 04-MAY-98 | |
| MIL-STD-780G NOT 1 | WORK UNIT CODES FOR AERONAUTICAL EQUIPMENT; UNIFORM NUMBERING SYSTEM (NO S/S DOCUMENT) [CUST: AS] | A ALSS | AS | 01-JUL-97 | |
| MIL-STD-838C NOT 1 | LUBRICATION OF MILITARY EQUIPMENT (S/S BY MIL-HDBK-838) [CUST: CR4 AS 11] [REVIEW: 68 AR AT CE MI OS PS SH] | A 9150 | 11 | 03-DEC-97 | |
| DOD-STD-863B(2) | WIRING DATA AND SYSTEM SCHEMATIC DIAGRAMS PREPARATION OF (SEE MIL-HDBK-863 FOR GUIDANCE) [CUST: AV 16] [REVIEW: 11 13 19 85 99 AR] | A DRPR | 16 | 01-JAN-98 | |
| MIL-STD-881B NOT 1 | WORK BREAKDOWN STRUCTURES FOR DEFENSE MATERIAL ITEMS (S/S BY MIL-HDBK-881) [CUST: MI NW 10] [REVIEW: 11 16 19 70 71 80 82 84 AR AS AT AV CR MC OS SH] | A MISC | 10 | 02-JAN-98 | |
| MIL-STD-910 NOT 1 | MOBILE TACTICAL SYSTEMS OVERLOAD PREVENTION PROCEDURES (S/S BY MIL-HDBK-910) [CUST: GL] | A GDRQ | GL | 11-MAR-98 | |
| MIL-STD-975M(2) NOT 3 | NASA STANDARD ELECTRICAL, ELECTRONIC, AND ELECTROMECHANICAL (EEE) PARTS LIST (NO S/S DOCUMENT) | A 59GP | NA | 05-MAY-98 | |
| MIL-STD-979 NOT 1 | ATTACHMENTS AND ACCESSORIES FOR INDUSTRIAL PLANT EQUIPMENT (NO S/S DOCUMENT) [CUST: AL SH 99 IS] [REVIEW: AR AT AV MC ME MI OS YD1] | A 3220 | IS | 18-JAN-89 | |
| MIL-STD-982 NOT 2 | CEMENTED CARBIDES, METAL CUTTING TOOL GRADES (GOVERNMENT GRADING SYSTEM, INTENDED USES AND PHYSICAL PROPERTIES) (NO S/S DOCUMENT) [CUST: AL 99 GS] [REVIEW: 84 MC] | A 3455 | GS | 30-APR-98 | |
| MIL-STD-1169B NOT 2 | PACKAGING, PACKING AND MARKING FOR SHIPMENT OF INERT AMMUNITION COMPONENTS (NO S/S DOCUMENT) [CUST: AR] [REVIEW: EA] | A 8140 | AR | 13-MAR-98 | |
| MIL-STD-1184 NOT 2 | ELECTRICAL COMPONENTS FOR AUTOMOTIVE VEHICLES, WATERPROOFNESS TESTS [CUST: AT YD1] [REVIEW: CC CR4] | A 2920 | AT | 14-APR-98 | |
| MIL-STD-1186A NOT 2 | CUSHIONING, ANCHORING, BRACING, BLOCKING AND WATERPROOFING; WITH APPROPRIATE TEST METHODS (NO S/S DOCUMENT) [CUST: AT SA 69] [REVIEW: 99 EA EC GS IS MC MI MT SH SM] | A PACK | YD1 | 05-MAY-98 | |
| MIL-STD-1203B NOT 1 | INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (ALUMINUM CHLORIDE THROUGH BORON NITRIDE) (NO S/S DOCUMENT) [CUST: EA OS 68 GS] [REVIEW: AR AS CR4 GL1 MD1 YD1] | A 6810 | GS | 09-FEB-98 | |
| MIL-STD-1204C NOT 1 | INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (CADMIUM CARBONATE THROUGH CUPRIC SULFATE) (NO S/S DOCUMENT) [CUST: EA 68 GS] [REVIEW: CR4 GL1 MD SM] | A 6810 | GS | 09-FEB-98 | |
| MIL-STD-1205B NOT 1 | INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (FERRIC CHLORIDE THROUGH LITHIUM TETRAFLUOROBORATE) (NO S/S DOCUMENT) [CUST: EA SH 68 GS] [REVIEW: AR CR4 DP MD1 MS OS SM YD1] | A 6810 | GS | 09-FEB-98 | |
| MIL-STD-1206B NOT 1 | INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (MAGNESIUM CARBONATE THROUGH PHOSPHORUS TRICHLORIDE) (NO S/S DOCUMENT) [CUST: EA SH 68 GS] [REVIEW: AR CR4 DP MD1 MS OS SM] | A 6810 | GS | 09-FEB-98 | |
| MIL-STD-1207B NOT 1 | INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (POTASSIUM BICARBONATE THROUGH SILVER CYANIDE) (NO S/S DOCUMENT) [CUST: EA SH 68 GS] [REVIEW: AR GL1 MC MD1 MI OS SA] | A 6810 | GS | 09-FEB-98 | |
| MIL-STD-1208B NOT 1 | INORGANIC SODIUM SALTS AND COMPOUNDS, TECHNICAL GRADE (SODIUM BICARBONATE THROUGH SODIUM TRIPOLYPHOSPHATE) (NO S/S DOCUMENT) [CUST: EA SH 68 GS] [REVIEW: AR CG CR4 GL1 MD1 OS SM] | A 6810 | GS | 09-FEB-98 | |
| MIL-STD-1209B NOT 1 | INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (STRONTIUM CARBONATE THROUGH ZIRCONIUM CARBIDE) (NO S/S DOCUMENT) [CUST: EA SH 68 GS] [REVIEW: AR CR4 DP MD1 MS OS SM] | A 6810 | GS | 10-FEB-98 | |
| MIL-STD-1213A NOT 1 | ORGANIC LABORATORY REAGENTS (INCLUDING ACS AND USP/NF) (NO S/S DOCUMENT) [CUST: EA YD1 68 GS] [REVIEW: AS CR4 MD1 MI] | A 6810 | GS | 10-FEB-98 | |
| MIL-STD-1214A NOT 1 | ESTERS AND METAL ORGANICS, TECHNICAL GRADE (NO S/S DOCUMENT) [CUST: EA YD1 68 GS] [REVIEW: AS CG MC MI] | A 6810 | GS | 10-FEB-98 | |

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|------------------------|---|--------------------------|-----|-------------|-----------|
| MIL-STD-1217C NOT 1 | ORGANIC ACIDS AND ACID ANHYDRIDES TECHNICAL GRADE (NO S/S DOCUMENT) [CUST: EA SH 68 GS] [REVIEW: AR AS MC MI YD1] | A 6810 | GS | | 10-FEB-98 |
| MIL-STD-1220B NOT 1 | ALCOHOLS AND AMINES, TECHNICAL GRADE (NO S/S DOCUMENT) [CUST: EA OS 68 GS] [REVIEW: 11 AR AS CR4 GL1 MC MD1 SA SM] | A 6810 | GS | | 09-FEB-98 |
| MIL-STD-1223AC | NONTACTICAL WHEELED VEHICLES TREATMENT, PAINTING, IDENTIFICATION MARKING AND DATA PLATE STANDARDS (S/S BY MIL-HDBK-1223) [CUST: AT YD1 99] [REVIEW: 84 MC] | A 23GP | AT | | 17-APR-98 |
| MIL-STD-1233 NOT 2 | PROCEDURE FOR DETERMINING PARTICLE SIZE, PARTICLE SIZE DISTRIBUTION, AND PACKED DENSITY OF POWDERED MATERIALS (NO S/S DOCUMENT) [CUST: AR OS 11] [REVIEW: EA MC] | A 1370 | AR | | 13-MAR-98 |
| MIL-STD-1235C NOT 1 | SINGLE AND MULTILEVEL CONTINUOUS SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES (NO S/S DOCUMENT) [CUST: AR OS 10] [REVIEW: AS CC EA MC ME MI SH YD1] | A QCIC | AR | | 16-APR-97 |
| MIL-STD-1250A NOT 1 | CORROSION PREVENTION AND DETERIORATION CONTROL IN ELECTRONIC COMPONENTS AND ASSEMBLIES (S/S BY MIL-HDBK-1250) [CUST: MI AS 11] [REVIEW: 18 19 AL AV CR4 GL SH TD] | A MFFP | MI | | 18-AUG-95 |
| MIL-STD-1277B NOT 1 | SPLICES, TERMINALS, TERMINAL BOARDS, BINDING POSTS, TERMINAL JUNCTION SYSTEMS, WIRE CAPS, ELECTRICAL (S/S BY MIL-HDBK-1277) [CUST: CR SH 85] [REVIEW: 17 AR AS AT EC GS MC MI OS] | A 5940 | CR | | 20-FEB-98 |
| MIL-STD-1280 NOT 2 | KEYBOARD ARRANGEMENTS (S/S BY MIL-HDBK-1280) [CUST: CR SH 11] [REVIEW: EC GL] | A MISC | CR | | 20-FEB-98 |
| MIL-STD-1286D NOT 2 | TRANSFORMERS, INDUCTORS, AND COILS, SELECTION AND USE OF (S/S BY MIL-T-27) [CUST: CR EC 85 CC] [REVIEW: 11 17 99 AS CG CR4 MC MI OS] | A 5950 | CC | | 27-MAR-98 |
| MIL-STD-1312B NOT 1 | FASTENERS, TEST METHODS (S/S BY NASM 1312) [CUST: AR AS 99] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/1 NOT 1 | FASTENER TEST METHODS - METHOD 1, SALT SPRAY (S/S BY NASM1312-1) [CUST: AV AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/2 NOT 1 | FASTENER TEST METHODS - METHOD 2, INTERACTION (S/S BY NASM1312-2) [CUST: AV AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/3 NOT 1 | FASTENER TEST METHODS - METHOD 3, HUMIDITY (S/S BY NASM1312-3) [CUST: AV AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/4 NOT 1 | FASTENER TEST METHODS, METHOD 4, LAP JOINT SHEAR (S/S BY NASM1312-4) [CUST: AV AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/5A NOT 1 | FASTENER TEST METHODS METHOD 5, STRESS DURABILITY (S/S BY NASM1312-5) [CUST: AV AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/6 NOT 1 | FASTENER TEST METHODS, METHOD 6, HARDNESS (S/S BY NASM1312-6) [CUST: AV AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/7A NOT 1 | FASTENER TEST METHODS, METRIC, METHOD 7, VIBRATION (S/S BY NASM1312-7) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/8A NOT 1 | FASTENER TEST METHODS METHOD 8, TENSILE STRENGTH (S/S BY NASM1312-8) [CUST: AV AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/9A NOT 1 | FASTENER TEST METHODS METHOD 9, STRESS CORROSION (S/S BY NASM1312-9) [CUST: AV AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/10 NOT 1 | FASTENER TEST METHODS, METHOD 10, STRESS RUPTURE (S/S BY NASM1312-10) [CUST: AV AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/11A NOT 1 | FASTENER TEST METHODS METHOD 11, TENSION FATIGUE (S/S BY NASM1312-11) [CUST: AV AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/12 NOT 1 | FASTENER TEST METHODS, METHOD 12, THICKNESS OF METALLIC COATINGS (S/S BY NASM1312-12) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/13A NOT 1 | FASTENER TEST METHODS METHOD 13 DOUBLE SHEAR TEST (S/S BY NASM1312-13) [CUST: AR AS 99] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/14 NOT 1 | FASTNER TEST METHODS METHOD 14 STRESS DUPABILITY INTERNALLY THREADED FASTENERS (S/S BY NASM1312-14) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/15 NOT 1 | FASTENER TEST METHODS, METHOD 15, TORQUE - TENSION (S/S BY NASM1312-15) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/16A NOT 1 | FASTENER TEST METHODS METHOD 16, CLAMPING FORCE FOR INSTALLATION FORMED FASTENERS (S/S BY NASM1312-16) [CUST: AV AS 99] [REVIEW: IS] | A 53GP | AS | | 29-NOV-97 |
| MIL-STD-1312/17 NOT 1 | FASTENER TEST METHODS, METHOD 17, STRESS RELATION (S/S BY NASM1312-17) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/18 NOT 1 | FASTENER TEST METHODS, METHOD 18, ELEVATED TEMPERATURE TENSILE STRENGTH (S/S BY NASM1312-18) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/19A NOT 1 | FASTENER TEST METHODS METHOD 19 FASTENER SEALING (S/S BY NASM1312-19) [CUST: AV AS 99] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/20 NOT 1 | FASTENER TEST METHODS, METHOD 20, SINGLE SHEAR (S/S BY NASM1312-20) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/21 NOT 1 | FASTENER TEST METHODS, METHOD 21, SHEAR JOINT FATIGUE CONSTANT AMPLITUDE (S/S BY NASM1312-21) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/22 NOT 1 | FASTENER TEST METHODS, METHOD 22, RECEPTACLE PUSH OUT, PANEL FASTENERS (S/S BY NASM1312-22) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/23 NOT 1 | FASTENER TEST METHODS, METHOD 23, TENSILE STRENGTH OF PANEL FASTENERS (S/S BY NASM1312-23) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/24 NOT 1 | FASTENER TEST METHODS, METHOD 24, RECEPTACLE TORQUE OUT, PANEL FASTENERS (S/S BY NASM1312-24) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/25 NOT 1 | FASTENER TEST METHODS, METHOD 25, DRIVING RECESS TORQUE QUALITY CONFORMANCE TEST (S/S BY NASM1312-25) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/26 NOT 1 | FASTENER TEST METHODS, METHOD 26, STRUCTURAL PANEL FASTENER LAP JOINT SHEAR (S/S BY NASM1312-26) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/27 NOT 1 | FASTENER TEST METHODS, METHOD 27, PANEL FASTENER SHEET PULL UP (S/S BY NASM1312-27) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/28 NOT 1 | FASTENER TEST METHODS, METHOD 28, ELEVATED TEMPERATURE DOUBLE SHEAR (S/S BY NASM1312-28) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/29 NOT 1 | FASTENER TEST METHODS, METHOD 29, MEASUREMENT TECHNIQUES FOR DETERMINING SHANK EXPANDING CHARACTERISTICS OF DEFORMABLE FASTENERS (S/S BY NASM1312-29) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/30 NOT 1 | FASTENER TEST METHODS, METHOD 30, SHEET PULL-UP OF BLIND FASTENERS (S/S BY NASM1312-30) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| MIL-STD-1312/31 NOT 1 | FASTENER TEST METHODS, METHOD 31, TORQUE (S/S BY NASM1312-31) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| DOD-STD-1312/105 NOT 1 | FASTENER TEST METHODS, METRIC METHOD 105 STRESS DURABILITY (S/S BY NAM1312-105) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| DOD-STD-1312/107 NOT 1 | FASTENER TEST METHODS, METRIC METHOD 107, VIBRATION (S/S BY NAM1312-107) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| DOD-STD-1312/108 NOT 1 | FASTENER TEST METHODS, METRIC METHOD 108 TENSILE STRENGTH (S/S BY NAM1312-108) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| DOD-STD-1312/109 NOT 1 | FASTENER TEST METHODS, METRIC METHOD 109 STRESS CORROSION (S/S BY NAM1312-109) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| DOD-STD-1312/111 NOT 1 | FASTENER TEST METHODS, METRIC METHOD 111 TENSION FATIGUE (S/S BY NAM1312-111) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |
| DOD-STD-1312/113 NOT 1 | FASTENER TEST METHODS, METRIC METHOD 113 DOUBLE SHEAR TEST (S/S BY NAM1312-113) [CUST: AR AS 11] [REVIEW: IS] | A 53GP | AS | | 29-AUG-97 |

| Last Action | Document Number | Document Title | Distribution | | | |
|-------------|---------------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | Date |
| | MIL-STD-1320/5 NOT 2 | TRUCKLOADING BOMBS, GENERAL PURPOSE MK 81 & MODS (250 LB) (WITH PLASTIC NOSE PLUGS) IN PALLET, BOMB MK 8 MOD 0 FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1320/8 NOT 2 | TRUCKLOADING, TALOS MISSILE WARHEAD ASSEMBLIES IN CONTAINER MK 286 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1320/101 NOT 3 | TRUCKLOADING OF HAZARDOUS MATERIALS BOOSTER MK 11 MODS 2 & 5 (TALOS) IN CONTAINER MK 576 MOD 0 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1320/102 NOT 2 | TRUCKLOADING SMOKELESS POWDER FOR CANNON IN PACKING BOX MK 7 AND MODS DOMESTIC UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1320/153(1) NOT 3 | TRUCKLOADING OF HAZARDOUS MATERIALS BOMB, CLUSTER, CBU-55/B, CBU-55A/B OR CBU-72/B (FUEL AIR EXPLOSIVE) IN CONTAINER CNU-208/E FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1320/170 NOT 4 | TRUCKLOADING BOMB, MK 82 AND MODS (500 LBS) IN MHU-149/E AIR FORCE UNIT LOAD TPO 01-006-5657 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1320/172(1) NOT 3 | TRUCKLOADING DISPENSER AND BOMB, AIRCRAFT, CBU-59/B, COMPLETE (APAM) DISPENSER AND BOMB, AIRCRAFT, CBU-59(T-1)/B, TRAINING IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1320/198A NOT 2 | TRUCKLOADING CASE, UNDERWATER MINE MK 25 AND MODS IN CRATE MK 25 FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1320/204 NOT 2 | TRUCKLOADING ROCKET MOTOR MK 45 IN CONTAINER OS 11130 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1320/208 NOT 1 | TRUCKLOADING HARM MISSILE AGM-88A IN CONTAINER CNU-295/E (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1320/214 NOT 1 | TRUCKLOADING MINE, UNDERWATER MK 55 CONFIGURATION A IN CRATE MK 111 MOD 0 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1320/225 NOT 1 | TRUCKLOADING, AMRAAM, AIM-120A IN CONTAINER, CNU-415/E (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1320/231 NOT 1 | TRUCKLOADING GUIDED MISSILE, AGM-136A (TACIT RAINBOW) IN SHIPPING AND STORAGE CONTAINER, CNU-432/E UNIT LOAD FOR UNDERWAY REPLENISHMENT (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/3 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD BULLPUP 7-BOMB FUZE WITH TWO BOOSTERS (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/4 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD BULLPUP 7A TRANSMITTER CRYSTAL (IN FIBERBOARD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/5 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD BULLPUP IGNITER (IN ROCKET CONTAINER MK 2 MOD 0) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/6 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD HAWK-INITIATOR, ROCKET MOTOR (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/7 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD HAWK-BOOSTER CHARGE, ROCKET MOTOR-INERT (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/8 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD BULLPUP, 7, 7A, TRACKING OR PARASITIC FLARES (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/11 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD ADAPTER, CLUSTER, BOMB M16 & 16A1 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/12 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, AN-M-102A2-INERT (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/13 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD PISTOL, DEPTH CHARGE MK 6 MOD 0-W/O DETONATOR-INERT (IN CONTAINER MK 1) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/14 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD CONTROL UNIT, PARACHUTE, MK 66 MOD 0 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/15 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD EXTENDER MECHANISM, UNDERWATER MINE, MK 14 MOD 2 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/16 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD BATTERY, PROPULSION, MK 41 MOD 1 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/17 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FLARE, TRACKING, GUIDED MISSILE, MK 21 MOD 0, F/SIDEWINDER (IN AMMO COMPONENT BOX MK 2) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/18 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD GENERATOR, GAS, MK 1 MOD 1, F/SIDEWINDER (IN CONTAINER MK 2 MOD 0) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/19 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD IGNITER, GAS GENERATOR MK 244 MOD 0, F/SIDEWINDER-INERT (IN METAL CONTAINER) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/21 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD CALIBER .223 CENTER FIRE CARTRIDGES, BOXED OR IN MAGAZINES (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/22 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD COLOR BURST UNIT MK 1 MOD 0 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/25 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/32 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD DRIFT SIGNAL MK 5 MOD 4 (IN CONTAINER MK 7 MOD 0) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/35 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD NAPALM THICKENER (IN METAL DRUMS) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/36 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD AIR BURST KIT FOR T-66 PRACTICE UNIT (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/37 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD 12.75 ROCKET HEAD MK1, 2, 3 AND MODS - INERT (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/38 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD TORPEDO MK 44 WARHEAD OR EXERCISE HEAD (IN CONTAINER MK 188) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/39 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/40 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD 250 LB GP BOMB AN-M57A1 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/42 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD 220 LB FRAG BOMB AN-M88 OR 260 LB FRAG BOMB AN-M81, WITH & WITHOUT RETROFIT (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/56 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEAD, MK 118 MOD 0 IN AMMO. COMPONENT BOX MK 2 MOD 0 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/74 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT TARGET DETECTING DEVICE MK71 IN CONTAINER DWG 5479491 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/95 NOT 2 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CHARGE, DEMOLITION, MK 36 MOD 0 IN CONTAINER, DRAWING 10001-2511106 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/110 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CABLE ASSEMBLY MK 57 MOD 0 IN CONTAINER DWG 5622662 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/116 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FIN ASSEMBLY, BOMB, AN-M103A1 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |
| | MIL-STD-1322/127 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD ADAPTER-BOOSTER, BOMB, M115A1, TAIL TYPE (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | | 08-AUG-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|------------------------|--|--------------------------|--------------------|-----------|
| MIL-STD-1322/128 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FIN ASSEMBLY, BOMB, AN-M113A1, F/1000 LB BOMB (IN METAL CRATE) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/146 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, M117 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/171 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, MT, MK 25 MOD 1 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/172 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD 100 LB GP BOMB AN-M30 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/173 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD 350 LB AD BOMB AN MK 54 MOD 0 OR 1 (IN BOMB CRATE MK 9 MOD 0) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/174 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, AN-M146E1, M147A1, M147E3, M128, OR M145 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/175 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD 500 LB GP BOMB AN-M64A1 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/185 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD CLUSTER, FRAG, BOMB, 100 LB, M28 OR M28A2 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/186 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD BOMB, PRACTICE, 3-LB MINIATURE, MK 23 MODS 0 & 1 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/190 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, NOSE, PROXIMITY TYPE: AN-M168E1, AN-M168 T50E1, T50E4, T89, T90, T91, T92 OR T93 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/193 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL M185, T740 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/195 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, M124A1 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/196 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, M125A1 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/199 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M 164 AND 165, NOS (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/200 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, AN-MK 230 MODS, TAIL, HYDROSTATIC TYPE (IN FUZE CONTAINER MK 65 MOD 3) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/208 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M115, TAIL (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/210 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, AN-M158, T 70 NOSE (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/212 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M152A1(T152E3), TAIL (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/213 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M151(T79E1), TAIL (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/214 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M151(T79E1), TAIL (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/216 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, AN-M100A2, TAIL (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/218 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M164 & M165, NOSE (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/223 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, T791 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/231 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD BOOSTERS, DEPTH CHARGE MK 6 MODS 0, 2, & 4; AND/OR EXTENDER, BOOSTER, DEPTH CHARGE MK6 MODS (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/235 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD PISTOL, DEPTH CHARGE MK 12-0 W/DETONATOR (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/236 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD EXPLOSIVE SECTION ASSEMBLY, PRACTICE DEPTH CHARGE, EXPL LOADED, DWG 602984 & 1273588, F/PRACTICE DEPTH CHARGE MK 15-1 (IN AMMO COMPONENT BOX MK 2 MOD 0) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/237 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD EXPLOSIVE SECTION ASSEMBLY, PRACTICE DEPTH CHARGE, EXPL LOADED, DWG 1440249, F/PRACTICE DEPTH CHARGE MK 15-5 (IN AMMO COMPONENT BOX MK 2 MOD 0) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/239 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FIRING & ARMING MECHANISM, PRACTICE DEPTH CHARGE, F/PRACTICE DEPTH CHARGE MK 15 MODS - INERT (IN AMMO COMPONENT BOX MK 2 MOD 0) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/246 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD DEMOLITION KIT, BANGALORE TORPEDO, M1A1 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/247 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD DEMOLITION KIT, BANGALORE TORPEDO, M1A1, BOX 76-1-485 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/309 NOT 2 | FOR UNDERWAY REPLENISHMENT CHARG, PROPELLING 16 INCH/50, REDUCED, IN POWER TANK MK 8 MOD 0 ON WOODEN PALLET ADAPTER (NO S/S DOCUMENT) | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/702 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD 500 LB LOW DRAG BOMB (G.P.) MK 82 & MODS, WITH METAL OR PLASTIC NOSE PLUGS (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/703 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD 1000 LB, LOW DRAG BOMB (G.P.) MK 83 & MODS, WITH METAL OR PLASTIC NOSE PLUGS (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/705 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD 750 LB DEMOLITION BOMB M117A1 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/706 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FINS, BOMB M131A1 FOR 750 LB DEMOLITION BOMB M117A1 (IN METAL CRATE) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/709 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD PROPELLANT GRAIN MK 43 MOD 0 (IN CONTAINER MK 10 & MODS) (PACKED IN PALLET CRATE MK 2 MOD 0) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/711 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE, BASE (FOR BOMB FUZING SYSTEM MK 1 MOD 0) (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/713 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD COUNTER WEIGHTS (UPPER AND LOWER) LD 624589 (IN PLASTIC CONTAINER) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/716 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD PROBE, PRESSURE MK 1 MOD 0 (IN AMMO COMPONENT BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/717 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD FUZE MECHANISM FOR GUIDED MISSILE FUZE, MK 328 MOD 0 (IN METAL BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/718 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD TRIGGERING DEVICE, FUZE MK 10 MOD 0 (IN METAL BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/719 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD GRENADE, H.I., MK 1 MOD 0 (IN FLARE CONTAINER MK 4 MOD 0) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/725 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD IGNITER MK 178 FOR BULLPUP A ROCKET MOTOR MK 8 (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |
| MIL-STD-1322/727 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD STANDARD MR STEERING CONTROL UNIT AND ROCKET MOTOR SPACER (IN CONTAINER MK 460 MOD 1) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|--------------------------|--|--------------------------|-----|-------------|------|
| MIL-STD-1322/731 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD STANDARD MR OR ER GUIDANCE SECTION (IN CONTAINER MK 461 MOD 0) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1322/733 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD SUBMARINE WIRE DISPENSER - LD162459 FOR TORPEDOS MK 37 AND MK 45 (IN STEEL DRUM) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1322/737 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD DISPENSER, FLARE, PARACHUTE SUU-44/A (EMPTY) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1322/738 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD SOLUTION A FOR FIRE BOMB MIX (IN STEEL DRUM) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1322/739 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD SOLUTION B FOR FIRE BOMB MIX (IN STEEL DRUM) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1322/740 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD CARTRIDGE, PHOTOFLASH MK 54 MOD 0 OR SIMULATOR, ARTILLERY AIR BURST MK 18 MOD 0 (IN CONTAINER LD615231) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1322/743 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD BATTERY, DRY, BA-1359/U (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1322/744 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD BATTERY, DRY BA-326/U (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1322/745 NOT 1 | PALLETIZING DOMESTIC UNIT LOAD BATTERY, DRY, BA-310/U (IN WOOD BOX) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1322/899 NOT 1 | UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CONTROL SECTION, GUIDED MISSILE WCU-11/B IN SHIPPING AND STORAGE CONTAINER CNU-546/E (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1323/157 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WING ASSEMBLIES, GUIDED MISSILE: MK 1 MOD 0 F/AIM-9D, 9G, 9H (SIDEWINDER) IN CONTAINER, MK 418 MOD 0 OR WING ASSEMBLIES, GUIDED MISSILE: MK 1 MOD 0 AND FINS, GUIDED MISSILE: BSU-14/B, F/AIM-9D, 9G, 9H (SIDEWINDER) IN CONTAINER, MK 418 MOD 1 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1323/182 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE MK 106 MOD 5 (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1323/259 NOT 2 | UNIT LOAD FOR UNDERWAY REPLENISHMENT IGNITER ASSEMBLY FZU-408 (FIREBRAND) IN AMMUNITION COMPONENT BOX MK 1 MOD 0 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1323/318 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT BATTERY, MERCURY, MK 143 TYPE IN AMMUNITION BOX M2A1 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1323/329 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AMRAAM, AIM-120A IN CONTAINER, CNU-415/E (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1323/330 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT AMRAAM MISSILE, AIM-120 WINGS AND CONTROL SURFACES IN CONTAINER, CNU-424/E (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1323/342 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AGM-136A (TACIT RAINBOW) IN CONTAINER CNU-432/E (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1323/371 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT WARM MISSILE, AGM-88 WINGS AND FINS IN CONTAINER, CNU-296/E (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1323/373 NOT 1 | UNIT LOAD FOR UNDERWAY REPLENISHMENT DECOY, TRANSPONDER, COUNTERMEASURES RT-1489/ALE GENERIC EXPENDABLE DECOY (GEN-X) IN CONTAINER, CNU-487/E (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/9 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, MK 81 MOD 0 (250 LB) IN PALLET, BOMB, MK 8 MOD 0 FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/55(1) NOT 3 | RAILCAR LOADING OF HAZARDOUS MATERIALS ADAPTION KIT MK 28 MOD 1 IN CONTAINER MK 182 MOD 1 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/56 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS TORPEDO MK 44 MOD 0, ASROC IN CONTAINER MK 187 MOD 1 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/59 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR MK 1 MOD 0 OR MK 37 MOD 0 (ASROC) IN CONTAINER MK 178 MOD 0 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/144 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-59/B, COMPLETE (APAM) OR DISPENSER AND BOMB, AIRCRAFT CBU-59(T-1)/B TRAINING IN CONTAINER MK 427 MOD 0 FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/150 NOT 3 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, MK 82 & MODS (500 LB) AIR FORCE UNIT LOAD TPO 1325-294-4152 REVISION R THROUGH A-A (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/156 NOT 3 | CARLOADING FIN ASSEMBLY, BOMB FOR 1000 LB MK 83 BOMB (UNCRATED) FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/169 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, CLUSTER, CBU-55/B, CBU-55A/B OR CBU-72/B (FUEL AIR EXPLOSIVE) IN CONTAINER CNU-208/E FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/170 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS PROPELLANT GRAIN MK 88 MOD 0 IN PALLET CRATE MK 107 MOD 0 DOMESTIC UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/171 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, M117 (750 LB) AIR FORCE UNIT LOAD TPO 1325-232-6331 REVISION F (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/172 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS WING ASSEMBLY MK 7 MOD 2 AND FIN ASSEMBLY MK 32 MOD 2 FOR GUIDED WEAPON MK 5 MOD 4 (WALLEYE II) IN CONTAINER CNU-150/E FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/178 NOT 3 | RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB MK 82 & MODS (500 LB.) ON BOM PALLET MHU-149/E AIR FORCE UNIT LOAD TPO-01-006-5657 (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/180 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-59/B, COMPLETE (APAM) OR DISPENSER AND BOMB, AIRCRAFT CBU-59(T-1)/B TRAINING IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/184 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS SMOKELESS POWER FOR CANNON IN PACKING BOX MK 7 AND MODS (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/185 NOT 2 | RAILCAR LOADING OF HAZARDOUS MATERIALS AIRFRAME MK 4 MOD 0, MK 5 MOD 0, OR MK 8 MOD 0 OR 1 (ASROC) IN CONTAINER MK 321 MOD 0 OR 1 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1325/192 NOT 3 | RAILCAR LOADING CASE, UNDERWATER MINE MK 25 AND MODS IN CRATE MK 25 (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/1 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE MK 81 AND MODS (250 LB) FLEET ISSUE UNIT LOAD (WITH PLASTIC NOSE PLUGS) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/3 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE MK 82 AND MODS (500 LBS) AIR FORCE UNIT LOAD (WITH PLASTIC NOSE PLUGS) (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/15 NOT 3 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FUZE, BOMB MK 344 OR MK 376 MOD 0 FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/18 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB FOR 1000 LB BOMB MK 83 UNCRATED FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/23 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS AIRCRAFT FLARE MLU 32/B99 (BRITNEY) FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |

CANCELED SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Document Number | Document Title | Distribution FSC/Mea | MCA | Prep. Acty. | Date |
|----------------------------|---|----------------------|-----|-------------|------|
| MIL-STD-1386/28 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLARE, AIRCRAFT PARACHUTE MK 24 AND MODS FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/44 NOT 4 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, G.P., MK 82 AND MODS (500LB.) EMPTY (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/45 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS (BOMB, G.P., MK 81 MOD 1) 250 LBS. (EMPTY (NO S/S DOCUMENT) [CUST: OS] [REVIEW: AS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/49 NOT 3 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIRE BOMB, MK 77 MODS 2 AND 4 (EMPTY) FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/50 NOT 4 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS, PACK ASSEMBLY, PARACHUTE, UNDERWATER MINE; MK 35 TYPE FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/51 NOT 3 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS RELEASE, PARACHUTE, UNDERWATER MINE; MK 20 FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/52 NOT 2 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS, RELEASE, PARACHUTE, UNDERWATER MINE, MK 33 TYPE FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/57 NOT 4 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS EXPLOSIVE SECTION MK 2 MOD 2 IN CRATE MK 103 MOD 0 FLEET ISSUE UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/58 NOT 4 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ANCHOR, UNDERWATER MINE MK 57 TYPE FOR UNDERWATER MINE MK 57 DOMESTIC UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/59 NOT 3 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS EXPLOSIVE SECTION MK 2 MOD 2 (EMPTY) FOR MK 57 UNDERWATER MINE IN CRATE MK 103 MOD 0 DOMESTIC UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1386/60 NOT 3 | LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS MECHANISM COMPARTMENT MK 2 MOD 3 FOR MK 57 UNDERWATER MINE IN CRATE MK 104 DOMESTIC UNIT LOAD (NO S/S DOCUMENT) [CUST: OS] | A 8140 | OS | 08-AUG-97 | |
| MIL-STD-1399/105 NOT 2 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 105 SEA WATER SERVICE FOR SURFACE SHIPS (NO S/S DOCUMENT) [CUST: SH] [REVIEW: AS CG EC OS] | A MISC | SH | 05-MAY-98 | |
| MIL-STD-1399/106B NOT 1 | INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 106 COMPRESSED AIR SERVICE FOR SURFACE SHIPS (NO S/S DOCUMENT) [CUST: SH] [REVIEW: AS CG EC OS] | A MISC | SH | 05-MAY-98 | |
| MIL-STD-1411(1) NOT 1 | INSPECTION AND MAINTENANCE OF COMPRESSED GAS CYLINDERS (NO S/S DOCUMENT) [CUST: SH 68] [REVIEW: CE EA GS] | A 8120 | 68 | 04-MAY-98 | |
| MIL-STD-1451A(1) NOT 2 | RESOLVER, ELECTRICAL, SELECTION OF (NO S/S DOCUMENT) [CUST: AR AS 85 CC] [REVIEW: 14 17 AT EC MC ME MI OS] | A 5990 | CC | 03-APR-95 | |
| DOD-STD-1467(2) NOT 4 | SOFTWARE SUPPORT ENVIRONMENT (S/S BY MIL-HDBK-1467) [CUST: AR] [REVIEW: AV CR] | A MCCR | AR | 09-JAN-98 | |
| MIL-STD-1515A(3) NOT 4 | FASTENER SYSTEMS FOR AEROSPACE APPLICATIONS (NO S/S DOCUMENT) [CUST: AV AS 11] [REVIEW: 10 82 99 AR IS MI] | A 53GP | AS | 04-MAY-98 | |
| MIL-STD-1543B NOT 1 | RELIABILITY PROGRAM REQUIREMENTS FOR SPACE AND LAUNCH VEHICLES (NO S/S DOCUMENT) [CUST: 19] | A RELI | 19 | 04-MAY-98 | |
| MIL-STD-1546B NOT 1 | PARTS, MATERIALS, AND PROCESSES CONTROL PROGRAM FOR SPACE AND LAUNCH VEHICLES (NO S/S DOCUMENT) [CUST: 19] | A 1820 | 19 | 04-MAY-98 | |
| MIL-STD-1551C NOT 1 | QUALITY CONTROL OF GASEOUS AND LIQUID AVIATOR'S BREATHING OXYGEN AT AIRCRAFT CONTRACTOR FACILITIES (NO S/S DOCUMENT) [CUST: 68] [REVIEW: GS] | A 6830 | 68 | 28-OCT-97 | |
| MIL-STD-1597A NOT 2 | QUALITY CONTROL OF LIQUID MISSILE PROPELLANTS AT CONTROL STORAGE POINTS (NO S/S DOCUMENT) [CUST: 68] [REVIEW: 19 AS] | A 9135 | 68 | 25-AUG-97 | |
| MIL-STD-1633 NOT 3 | INTERFACE STANDARD FOR SHIPBOARD EMISSION MONITOR-CONTROL SET, AN/SSQ-82 (V) MUTE SYSTEM (NO S/S DOCUMENT) [CUST: SH] | A 5895 | NW | 05-MAY-98 | |
| MIL-STD-1653B NOT 1 | POWER CABLE ASSEMBLIES (NO S/S DOCUMENT) [CUST: AS] [REVIEW: EC] | A 6150 | AS | 04-MAY-98 | |
| MIL-STD-1681 NOT 1 | FABRICATION, WELDING, AND INSPECTION OF HY-130 SUBMARINE HULL (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTY MUST BE SUBMITTED VIA THE PREPARING ACTY OF THE STANDARD) (NO S/S DOCUMENT) [CUST: SH] | A MISC | SH | 05-MAY-98 | |
| MIL-STD-1688A NOT 1 | FABRICATION, WELDING AND INSPECTION OF HY-80/100 SUBMARINE APPLICATIONS (NO S/S DOCUMENT) [CUST: SH] | A THJM | SH | 05-MAY-98 | |
| DOD-STD-1700 NOT 2 | DATA MANAGEMENT PROGRAM (NO S/S DOCUMENT) | A MISC | NS | 05-MAY-98 | |
| DOD-STD-1701 NOT 1 | HARDWARE DIAGNOSTIC TEST SYSTEM REQUIREMENTS (NO S/S DOCUMENT) [CUST: NS] | A ATTS | NS | 05-MAY-98 | |
| DOD-STD-1702 NOT 1 | INTEGRATED LOGISTICS SUPPORT PROGRAMS FOR EQUIPMENT, SUBSYSTEMS, & SYSTEMS (METRIC) (NO S/S DOCUMENT) [CUST: NS] | A MISC | NS | 05-MAY-98 | |
| MIL-STD-1771(2) | VALUE ENGINEERING PROGRAM REQUIREMENTS (NO S/S DOCUMENT) [CUST: AM SA 11] | A MISC | AM | 25-JUN-97 | |
| MIL-STD-1791 NOT 3 | DESIGNING FOR INTERNAL AERIAL DELIVERY IN FIXED WING AIRCRAFT (S/S BY MIL-HDBK-1791) [CUST: 11] | A 1510 | 11 | 14-FEB-97 | |
| MIL-STD-1795A NOT 2 | LIGHTING PROTECTION OF AEROSPACE VEHICLES AND HARDWARE (NO S/S DOCUMENT) [CUST: 11] [REVIEW: 10 AS CR MI NM] | D EMCS | 11 | 31-DEC-97 | |
| MIL-STD-1814 | INTEGRATED DIAGNOSTICS (REQUESTS OTHER THAN DOD REFER TO (S/S BY MIL-HDBK-1814) [CUST: 11] | D GDRQ | 11 | 14-FEB-97 | |
| MIL-STD-1833 NOT 1 | TEST REQUIREMENTS FOR GROUND EQUIPMENT AND ASSOCIATED COMPUTER SOFTWARE SUPPORTING VEHICLES (NO S/S DOCUMENT) [CUST: 19] | A 1810 | 19 | 04-MAY-98 | |
| MIL-STD-1857 NOT 2 | GROUNDING, BONDING AND SHIELDING DESIGN PRACTICES (S/S BY MIL-HDBK-1857) [CUST: CR] | A EMCS | CR | 27-MAR-98 | |
| MIL-STD-1858 NOT 2 | IMAGE INTENSIFIER ASSEMBLIES, PERFORMANCE PARAMETERS OF (NO S/S DOCUMENT) [CUST: CR] | A 5855 | CR | 27-MAR-98 | |
| MIL-STD-1859 NOT 2 | THERMAL IMAGING DEVICES, PERFORMANCE PARAMETERS OF (NO S/S DOCUMENT) [CUST: CR] | A 5855 | CR | 27-MAR-98 | |
| MIL-STD-1860 NOT 1 | BATTERIES, NON-RECHARGEABLE SELECTION AND USE OF (S/S BY MIL-HDBK-1860) [CUST: CR SH] [REVIEW: 85 AR AT CR4 EC GS] | A 6135 | CR | 20-FEB-98 | |
| MIL-STD-1862B NOT 1 | NEBULA INSTRUCTION SET ARCHITECTURE (S/S BY MIL-HDBK-1862) [CUST: CR EC 90] [REVIEW: 85 AR AT CR4 GS] | A IPSC | CR | 20-JAN-98 | |
| MIL-STD-1884A NOT 1 | COATING, PLASMA SPRAY DEPOSITION (S/S BY MIL-HDBK-1884) [CUST: AT] | A MFFP | AT | 14-MAR-98 | |
| MIL-STD-1886 | TUNGSTEN CARBIDE-COBALT COATING, DETONATION PROCESS FOR (S/S BY MIL-HDBK-1886) [CUST: AT] | A MFFP | AT | 27-MAR-98 | |
| MIL-STD-1942A NOT 1 | FLEXURAL STRENGTH OF HIGH PERFORMANCE CERAMICS AT AMBIENT TEMPERATURE (S/S BY ASTM-C1161) [CUST: MR AS 11] [REVIEW: 99 GL GS SH] | A 9390 | MR | 29-MAY-98 | |
| MIL-STD-2045/13501 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILE INTERNET ROUTING BETWEEN AUTONOMOUS SYSTEMS BORDER GATEWAY PROTOCOL (NO S/S DOCUMENT) [CUST: CR OM 90 DH DC1] [REVIEW: 02 13 17 29 CG DI DO EC IR MA MC MP ND SE] | A DCPS | DC1 | 20-DEC-96 | |
| MIL-STD-2045-14500-1 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED TRANSPORT PROFILE TAZ1N(D) COTS OVER CLNS PART 1: TRANSPORT AND NETWORK LAYERS (NO S/S DOCUMENT) [CUST: CR OM 90 DH DC1] [REVIEW: 02 13 17 29 CG CH DI DO EC IR MA MC MP ND SE TD] | A DCPS | DC1 | 20-DEC-96 | |
| MIL-STD-2045-14500-2 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED TRANSPORT PROFILE TAZ1N(D) COTS OVER CLNS PART 2: BALANCED POINT-TO-POINT DIGITAL DATA CIRCUIT (NO S/S DOCUMENT) [CUST: CR OM 90 DH DC1] [REVIEW: 13 17 29 CG CH DI DO EC IR MC MP ND PT SE TD] | A DCPS | DC1 | 20-DEC-96 | |
| MIL-STD-2045-14500-3 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED TRANSPORT PROFILE TAZ1N(D) COTS OVER CLNS PART 3: SUBNETWORK FOR AN UNBALANCED LINK (NO S/S DOCUMENT) [CUST: CR OM 90 DH DC1] [REVIEW: 13 17 29 AC CG CH DI DO EC IR MC MP ND PT SE TD] | A DCPS | DC1 | 20-DEC-96 | |

CANCELED SECTION

DODISS NUMERICAL LISTING
DOD STANDARDS

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|-----------------------------|--|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| | MIL-STD-2045/14501 NOT 1 | INFORMATION TECHNOLOGY, DOD STANDARDIZED PROFILE, SIMPLEX (NO S/S DOCUMENT)[CUST: CR OM 90 DH DCI] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-14502-1A NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILE INTERNET TRANSPORT PROFILE FOR DOD COMMUNICATIONS PART 1: TRANSPORT AND INTERNET SERVICES (NO S/S DOCUMENT) [CUST: CR OM 90 DH NS] [REVIEW: 13 17 29 33 CG CH DI DO EC IR MA MC MP ND OST PT SE TD] | A DCPS | DC1 | | 20-MAY-97 |
| | MIL-STD-2045-14502-2 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED TRANSPORT PROFILE INTERNET TRANSPORT PROFILE FOR DOD COMMUNICATIONS PART 2: POINT-TO-POINT LINKS (NO S/S DOCUMENT) [CUST: CR OM 90 DH NS] [REVIEW: 13 17 29 33 CG CH DI DO EC IR MA MC MP ND OST PT SE TD] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-14502-3 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED TRANSPORT PROFILE FOR DOD COMMUNICATIONS, PART 3: WIDE AREA NETWORK ACCESS (NO S/S DOCUMENT) [CUST: CR OM 90 DH NS] [REVIEW: 13 17 29 33 CG CH DI DO IR MC MP ND OST PT TD] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-14502-4 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED TRANSPORT PROFILE INTERNET TRANSPORT PROFILE FOR DOD COMMUNICATIONS PART 4: LOCAL AREA NETWORK (LAN) MEDIA INDEPENDENT REQUIREMENTS (NO S/S DOCUMENT) [CUST: CR OM 90 DH NS] [REVIEW: 13 17 29 33 CG CH DI DO EC IR MA MC MP ND OST PT SE TD] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-14502-5 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED TRANSPORT PROFILE INTERNET TRANSPORT PROFILE FOR DOD COMMUNICATIONS PART 5: LOCAL AREA NETWORK (LAN) MEDIA DEPENDENT REQUIREMENTS (NO S/S DOCUMENT) [CUST: CR OM 90 DH NS] [REVIEW: 13 17 29 33 CG CH DI DO IR MC MP ND OST PT TD] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-14502-6A NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILE INTERNET TRANSPORT PROFILE FOR DOD COMMUNICATIONS PART 6: COMBAT NET RADIO (NO S/S DOCUMENT) [CUST: CR OM 90 DH NS] [REVIEW: 13 17 29 33 CG CH DI DO EC IR MA MC MP ND OST PT SE TD] | A DCPS | DC1 | | 20-MAY-97 |
| | MIL-STD-2045/14503 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED TRANSPORT PROFILE INTERNET TRANSPORT SERVICE SUPPORTING OSI APPLICATIONS (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-17501-1 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AMH1(D) MESSAGE HANDLING SYSTEMS (MHS) COMMON DOD MESSAGING, PART 1: MHS SERVICE SUPPORT (NO S/S DOCUMENT) | A DCPS | DC1 | | 19-APR-96 |
| | MIL-STD-2045-17501-2 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AMH1(D) MESSAGE HANDLING SYSTEMS (MHS) COMMON DOD MESSAGING CONTROL AND STATUS, PART 2: SPECIFICATION OF ROSE, RTSE, ACSE, PRESENTATION AND SESSION PROTOCOLS FOR USE BY DOD MHS (NO S/S DOCUMENT) | A DCPS | DC1 | | 19-APR-96 |
| | MIL-STD-2045-17501-3 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AMH1(D) MESSAGE HANDLING SYSTEMS (MHS) COMMON DOD MESSAGING, PART 3: AMH1(D) REQUIREMENTS FOR MESSAGE TRANSFER (PI) (NO S/S DOCUMENT) | A DCPS | DC1 | | 19-APR-96 |
| | MIL-STD-2045-17501-4 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AMH1(D) MESSAGE HANDLING SYSTEMS (MHS) COMMON DOD MESSAGING, PART 4: AMH1(D) REQUIREMENTS MESSAGING REQUIREMENTS FOR MTS ACCESS (P3) (NO S/S DOCUMENT) | A DCPS | DC1 | | 19-APR-96 |
| | MIL-STD-2045-17501-5 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AMH1(D) MESSAGE HANDLING SYSTEMS (MHS) COMMON DOD MESSAGING, PART 5: AMH1(D) MESSAGING REQUIREMENTS FOR MS ACCESS (P7) (NO S/S DOCUMENT) | A DCPS | DC1 | | 19-APR-96 |
| | MIL-STD-2045-17502-1A NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AMH2(D) MESSAGE HANDLING SYSTEMS (MHS) MILITARY MESSAGING (P772) PART 1: MM MHS SERVICE SUPPORT (NO S/S DOCUMENT) [CUST: CR OM 90 DH] [REVIEW: 02 13 17 29 CG CH DI DO EC IR MA MC MP ND SE TD] | A DCPS | DC1 | | 19-APR-96 |
| | MIL-STD-2045-17502-2A NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AMH2(D) MESSAGE HANDLING SYSTEMS (MHS) MILITARY MESSAGING (P772) PART 2: AMH2(D) - MM CONTENT (NO S/S DOCUMENT) [CUST: CR OM 90 DH] [REVIEW: 02 13 17 29 CG CH DI DO EC IR MA MC MP ND SE TD] | A DCPS | DC1 | | 19-APR-96 |
| | MIL-STD-2045-17502-3A NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AMH2(D) MESSAGE HANDLING SYSTEMS (MHS) MILITARY MESSAGING (P772) PART 3: AMH2(D) MM REQUIREMENTS FOR MESSAGE TRANSFER (PI) (NO S/S DOCUMENT) [CUST: CR OM 90 DH] [REVIEW: 02 13 17 29 CG CH DI DO EC IR MA MC MP ND SE TD] | A DCPS | DC1 | | 19-APR-96 |
| | MIL-STD-2045-17502-4A NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AMH2(D) MESSAGE HANDLING SYSTEMS (MHS) MILITARY MESSAGING (P772) PART 4: AMH2(D) MM REQUIREMENTS FOR MTS ACCESS (P3) (NO S/S DOCUMENT) [CUST: CR OM 90 DH] [REVIEW: 02 13 17 29 CG CH DI DO EC IR MA MC MP ND SE TD] | A DCPS | DC1 | | 19-APR-96 |
| | MIL-STD-2045-17502-5A NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AMH2(D) MESSAGE HANDLING SYSTEMS (MHS) MILITARY MESSAGING (P772) PART 5: MM REQUIREMENTS FOR MS ACCESS (P7) (NO S/S DOCUMENT) [CUST: CR OM 90 DH] [REVIEW: 02 13 17 29 CG CH DI DO EC IR MA MC MP ND OM SE TD] | A DCPS | DC1 | | 19-APR-96 |
| | MIL-STD-2045-17503-1 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILE INTERNET MESSAGE TRANSFER PROFILE FOR DOD COMMUNICATIONS PART 1: SIMPLE MAIL TRANSFER PROTOCOL (SMTP) (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] [REVIEW: 13 17 29 33 CG DI DO IR MC MP ND NS OM PT SE] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-17503-2 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILE INTERNET MESSAGE TRANSFER PROFILE FOR DOD COMMUNICATIONS PART 2: FORMAT OF TEXT MESSAGES (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] [REVIEW: 13 17 29 33 CG DI DO IR MA MC MP ND NS OM PT SE] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045/17504 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILE INTERNET FILE TRANSFER PROFILE FOR DOD COMMUNICATIONS (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] [REVIEW: 13 17 29 33 CG DI DO EC IR MC MP ND NS PT SE] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045/17505 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILE INTERNET DOMAIN NAME SYSTEM (DNS) (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] [REVIEW: 13 17 29 33 AC CG CH DI DO EC IR MA MC MP ND NS OST PT SE TD] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045/17506 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILE INTERNET REMOTE LOGIN PROFILE FOR DOD COMMUNICATIONS (TELNET) (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] [REVIEW: 13 17 29 33 AC CG CH DI DO EC IR MC MP ND NS OST PT SE TD] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-17507-1 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILE INTERNET NETWORK MANAGEMENT PROFILE FOR DOD COMMUNICATIONS PART 1: SIMPLE NETWORK MANAGEMENT PROTOCOL (SNMPV1) (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] [REVIEW: 13 17 29 33 AC CG CH DI DO EC IR MC MP ND NS OST PT SE TD] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-17507-2 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILE INTERNET NETWORK MANAGEMENT PROFILE FOR DOD COMMUNICATIONS PART 2: MANAGEMENT INFORMATION BASE (MIB) (SNMPV1) (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] [REVIEW: 13 17 29 33 CG CH DI EC MC ND NS PT TD] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-17507-3 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILE INTERNET NETWORK MANAGEMENT PROFILE FOR DOD COMMUNICATIONS PART 3: STRUCTURE AND IDENTIFICATION OF MANAGEMENT INFORMATION (SNMPV1) (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] [REVIEW: 13 17 29 33 AC CG CH DI DO EC IR MC MP ND NS OST PT SE TD] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-17508-1 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AFT1(D) FILE TRANSFER, ACCESS, AND MANAGEMENT PART 1: SPECIFICATION OF ACSE, PRESENTATION, AND SESSION PROTOCOLS FOR THE USE BY FTAM (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] [REVIEW: 13 17 29 33 CG DI DO EC IR MC MP ND NS PT SE] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-17508-2 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AFT1(D) FILE TRANSFER, ACCESS, AND MANAGEMENT PART 2: DEFINITION OF DOCUMENT TYPES, CONSTRAINT SETS, AND SYNTAXES (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] [REVIEW: 13 17 29 33 CG DI DO EC IR MC ND PT SE] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-17508-3 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AFT1(D) FILE TRANSFER, ACCESS, AND MANAGEMENT PART 3: AFT 11 - FTAM SIMPLE FILE TRANSFER SERVICE (UNSTRUCTURED) (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] [REVIEW: 13 17 29 33 CG DI DO EC IR MC MP ND PT SE] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-17508-4 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AFT22(D) FILE TRANSFER, ACCESS, AND MANAGEMENT PART 4: POSITIONAL FILE ACCESS SERVICE (FLAT) (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] | A DCPS | DC1 | | 20-DEC-96 |
| | MIL-STD-2045-17508-5 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILE AFT1 (D) FILE TRANSFER, ACCESS, AND MANAGEMENT, PART 5: POSITIONAL FILE ACCESS SERVICE (FLAT) (NO S/S DOCUMENT) [CUST: CR OM 90 DH DCI] | A DCPS | DC1 | | 20-DEC-96 |

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|----------------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| | MIL-STD-2045-17508-6 NOT 1 | INFORMATION TECHNOLOGY DOD STANDARDIZED PROFILES AFT1(D) FILE TRANSFER, ACCESS, AND MANAGEMENT PART 6: AFT3 - FILE MANAGEMENT SERVICE (NO S/S DOCUMENT) [CUST: CR OM 90 DH DC1] [REVIEW: 13 17 29 33 CG DO EC IR MC MP ND NS PT SE] | A DCPS | DCI | | 20-DEC-96 |
| | MIL-STD-2046 NOT 1 | MARKING SYSTEM, PHOTOLUMINESCENT (NO S/S DOCUMENT) [CUST: SH] | A 4240 | SH | | 05-MAY-98 |
| | MIL-STD-2097A NOT 1 | ACQUISITION OF SUPPORT EQUIPMENT AND ASSOCIATED INTEGRATED LOGISTICS SUPPORT (S/S BY MIL-HDBK-2097) [CUST: TM AS 10] [REVIEW: CL CR DH EC MC MP SA SE TD] | A ALSS | AS | | 31-JUL-97 |
| | MIL-STD-2189-200-1 NOT 1 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 200-1 CALCULATION OF SURFACE SHIP ENDURANCE FUEL REQUIREMENTS (NO S/S DOCUMENT) [CUST: SH] | A 1990 | SH | | 05-MAY-98 |
| | MIL-STD-2189-314-4 NOT 1 | DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 314-4 400 HERTZ POWER SYSTEM TEST PROCEDURE (NO S/S DOCUMENT) [CUST: SH] | A 1990 | SH | | 05-MAY-98 |
| | MIL-STD-2204 NOT 1 | SURVIVABLE ADAPTABLE FIBER OPTIC EMBEDDED NETWORK (SAFENET) (NO S/S DOCUMENT) [CUST: CR EC 10] [REVIEW: 02 17 21 AC CG CR IE TD TM] | A MCCR | EC | | 04-MAY-98 |
| | MIL-STD-2222 NOT 1 | INTERFACE CONTROL DOCUMENTATION FOR AVIONIC SYSTEMS (S/S BY MIL-HDBK-2222) [CUST: AS] | A GDRQ | AS | | 29-SEP-97 |
| | MIL-STD-1167C NOT 2 | AMMUNITION DATA CARD (S/S BY MIL-STD-1168) [CUST: AR OS 99] [REVIEW: 70 MC MI] | A 1395 | AR | | 10-JUN-98 |
| | MIL-STD-1595A NOT 2 | QUALIFICATION OF AIRCRAFT, MISSILE & AEROSPACE FUSION WELDERS (SAE-AMS-STD-1595) [CUST: MR AS 11] [REVIEW: 84 99 AR AV EA MI] | A THJM | 11 | | 16-JUN-98 |
| | MIL-STD-271F(1) NOT 2 | REQUIREMENTS FOR NONDESTRUCTIVE TESTING METHODS (REPLACEMENT DOCUMENT NAVSEA TECH PUB T9074-AS-GIB-010/271) [CUST: SH] | A NDTI | SH | | 27-MAY-98 |
| | MIL-STD-40007 NOT 1 | RIVETS, SOLID, INSTALLATION OF (NO S/S DOCUMENT) [CUST: AT IS] | A 5320 | IS | | 24-APR-98 |
| | MIL-STD-600005 NOT 1 | MAPPING, CHARTING AND GEODESY REPRODUCTION AND PRINTING (S/S BY MIL-STD-2410) [CUST: TI NO 09 DC2] [REVIEW: MC] | A MCGT | MP | | 01-DEC-97 |
| | MIL-STD-600010 NOT 1 | DEPARTMENT OF DEFENSE DMA STOCK NUMBER BAR CODING (S/S BY MIL-STD-2414) [CUST: TI NO 09 DC2] [REVIEW: MC] | A MCGT | MP | | 01-DEC-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Area | ICA | Prep. Acty. | Date |
|-----------------|---|--------------------------|-----|-------------|-----------|
| A-A-7B NOT 1 | CLEANING COMPOUND, SOLVENT-DETERGENT (ALKALINE CLEANER-DEGREASER FOR OVENS, GRILLS AND WASHABLE SURFACES) (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 08-JAN-98 |
| A-A-12 NOT 1 | FLOOR CLEANING AND POLISHING COMPOUND (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 13-DEC-97 |
| A-A-15 NOT 1 | POLISH, AUTOMOBILE (LIQUID & PASTE) (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 29-JAN-98 |
| A-A-21A NOT 2 | STAIN REMOVER, TABLEWARE (OXYGEN RELEASING TYPE) (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 08-JAN-98 |
| A-A-43A NOT 1 | SOAP, GRIT (PASTE WITH MINERAL SCRUBBER) (S/S BY ASTM-D2955) [CUST: FSS] | A 8520 | # | FSS | 14-JAN-98 |
| A-A-44 NOT 1 | SOAP, SCRUBBING, ALKALINE (POWDER) (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 05-JAN-98 |
| A-A-45 NOT 1 | SOAP, SCOURING (CAKE) (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 23-DEC-97 |
| A-A-47 NOT 1 | SCOURING POWDER (S/S BY ASTM-D2356) [CUST: FSS] | A 7930 | # | FSS | 16-JAN-98 |
| A-A-48 NOT 1 | SOAP, TOILET (MILLED CAKE) (S/S BY ASTM-D455) [CUST: FSS] | A 8520 | # | FSS | 13-DEC-97 |
| A-A-49 NOT 1 | SOAP, TOILET (WHITE FLOATING CAKE) (S/S BY ASTM-D499) [CUST: FSS] | A 8520 | # | FSS | 14-DEC-97 |
| A-A-50 NOT 1 | SOAP, TOILET (POWDERED) (S/S BY ASTM-D2958) [CUST: FSS] | A 8520 | # | FSS | 14-DEC-97 |
| A-A-93 NOT 1 | CLEANER AND POLISH, HARD SURFACES (NO S/S DOCUMENT) [CUST: FSS] [REVIEW: GS] | A 7930 | % | FSS | 25-DEC-97 |
| A-A-94B NOT 1 | STARCH, LAUNDRY (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | * | FSS | 08-JAN-98 |
| A-A-105A NOT 1 | POLISH, METAL, BRASS (NO S/S DOCUMENT) [CUST: GL SH 69 FSS] | A 7930 | * | FSS | 23-DEC-97 |
| A-A-201A NOT 1 | CLEANING COMPOUND, HARD SURFACE-FLOOR (AEROSOL FOAM FLOOR CLEANER) (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 13-DEC-97 |
| A-A-269 NOT 1 | SCOURING POWDER (WITH CHLORINE BLEACH) (S/S BY ASTM-D2356) [CUST: FSS] | A 7930 | # | FSS | 16-JAN-98 |
| A-A-283 NOT 1 | EXTRACTOR, SCREW AND PIPE, TAPERED, SPIRAL FLUTES OR RIDGES, DRILL STYLE (S/S BY A-A-3021) | A 5120 | # | FSS | 25-MAR-98 |
| A-A-331A | TRUCK, WHEELED, WITH LINER AND LID, PLASTIC (NO S/S DOCUMENT) [CUST: FSS] | A 7240 | # | FSS | 24-JUL-97 |
| A-A-373A NOT 1 | GLAZING COMPOUND, SASH (METAL) FOR BACK BEDDING AND FACE GLAZING (NOT FOR CHANNEL OR STOP GLAZING) (S/S BY ASTM-C669) [CUST: FSS] | A 8030 | # | FSS | 13-DEC-97 |
| A-A-374A NOT 1 | SODIUM BICARBONATE, TECHNICAL (S/S BY ASTM-D928) [CUST: FSS] | A 6810 | # | FSS | 14-JAN-98 |
| A-A-383 NOT 1 | POLISH, METAL (SILVER) (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 05-JAN-98 |
| A-A-392A NOT 1 | EXTINGUISHER, FIRE, WATER-TYPE (2 1/2 GALLON STORED PRESSURE) (S/S BY UL626) | A 4210 | # | FSS | 16-JUN-97 |
| A-A-527 NOT 1 | DRILL, GASOLINE ENGINE DRIVEN (NO S/S DOCUMENT) [CUST: FSS] | A 5130 | # | FSS | 10-FEB-98 |
| A-A-532 NOT 1 | WAXING AND CLEANING COMPOUND, IRONER (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 14-JAN-98 |
| A-A-876 NOT 2 | ALKALI, LAUNDRY (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 05-JAN-98 |
| A-A-877A NOT 1 | HERBICIDE, DIURON (NO S/S DOCUMENT) [CUST: FSS] | A 6840 | # | FSS | 12-DEC-97 |
| A-A-895 NOT 1 | SODIUM HYDROXIDE, TECHNICAL (S/S BY ASTM-D456) [CUST: FSS] | A 6810 | # | FSS | 05-JAN-98 |
| A-A-907 NOT 1 | CANDLE, ILLUMINATING 8 HOUR (NO S/S DOCUMENT) [CUST: FSS] | A 6260 | # | FSS | 06-JAN-98 |
| A-A-982 NOT 1 | WHEELBARROW, CONTRACTORS (S/S BY A-A-3135) | A 3920 | # | FSS | 26-MAR-98 |
| A-A-983 NOT 1 | WHEELBARROW, GENERAL UTILITY (S/S BY A-A-3135) | A 3920 | # | FSS | 26-MAR-98 |
| A-A-1063 NOT 1 | BASKET, FRAME MOUNTED (NO S/S DOCUMENT) [CUST: FSS] | A 7240 | # | FSS | 19-FEB-98 |
| A-A-1109 NOT 1 | CLIMBER SET TREE AND POLE, STEEL, INTERCHANGEABLE GAFF, W/NYLON NEOPRENE COATED STRAPS (S/S BY ASTM-F887) | A 4240 | # | FSS | 05-JUN-97 |
| A-A-1112 NOT 1 | BREATHING APPARATUS, SELF CONTAINED (NO S/S DOCUMENT) [CUST: FSS] | A 4240 | # | FSS | 10-DEC-97 |
| A-A-1194A NOT 1 | GLIDE, FURNITURE (NO S/S DOCUMENT) [CUST: FSS] | A 5340 | # | FSS | 19-SEP-96 |
| A-A-1210 NOT 1 | TOWEL, MACHINERY WIPING (RENTAL) (NO S/S DOCUMENT) [CUST: FSS] | A 7920 | # | FSS | 10-DEC-97 |
| A-A-1225A NOT 1 | PAPER, CARBON, DUPLICATING MACHINE (NO S/S DOCUMENT) | A 7530 | # | FSS | 04-FEB-98 |
| A-A-1376 NOT 1 | DETERGENT, GENERAL PURPOSE (POWDERED, LIGHT TO MEDIUM DUTY) (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 05-JAN-98 |
| A-A-1498 NOT 1 | SODIUM OR THOSILICATE, TECHNICAL (NO S/S DOCUMENT) [CUST: EA AS 68 GS] [REVIEW: GL MD1 SM] | A 6810 | / | GS | 28-MAY-98 |
| A-A-1550 NOT 1 | WAX, GENERAL PURPOSE, SOLVENT TYPE (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 28-JAN-98 |
| A-A-1633 NOT 1 | RESPIRATOR, AIR FILTERING (DUST AND MIST) (NO S/S DOCUMENT) [CUST: EA YD1 99 GS] [REVIEW: CG MC MD SH] | A 4240 | / | GS | 30-JUN-97 |
| A-A-1646 NOT 1 | HOUSEHOLD RANGES, GAS (DOMESTIC) (NO S/S DOCUMENT) [CUST: FSS] | A 7310 | # | FSS | 13-FEB-98 |
| A-A-1712 NOT 1 | MASK, AIR LINE (TYPE CE) (NO S/S DOCUMENT) [CUST: CR4 YD1 99 GS] [REVIEW: CG MC MD SH] | A 4240 | * | GS | 30-JUN-97 |
| A-A-1729 NOT 1 | MASK, AIR LINE (TYPE C) (NO S/S DOCUMENT) [CUST: CR4 YD1 99 GS] [REVIEW: CG MC MD SH] | A 4240 | * | GS | 30-JUN-97 |
| A-A-1730 NOT 1 | MASK, AIR LINE (NO S/S DOCUMENT) [CUST: CR4 YD1 99 GS] [REVIEW: CG MC MD SH] | A 4240 | * | GS | 30-JUN-97 |
| A-A-1748 NOT 1 | PADS, KNEE, INDUSTRIAL (NO S/S DOCUMENT) [CUST: EA 99 GS] [REVIEW: CR4] | A 4240 | * | GS | 30-JUN-97 |
| A-A-1774 NOT 1 | CHARGE, FIRE EXTINGUISHER, ANTI-FREEZE (NO S/S DOCUMENT) [CUST: 99 FSS] [REVIEW: AT CC CE GL MC YD1] | A 4210 | # | FSS | 06-FEB-98 |
| A-A-1776 NOT 1 | STRAP, SAFTY, INDUSTRIAL (POLE) (NO S/S DOCUMENT) [CUST: EA YD1 99 GS] [REVIEW: 11 CG CR CR4 MC] | A 4240 | * | GS | 30-JUN-97 |
| A-A-1818 NOT 1 | SODIUM METASILICATE, TECHNICAL (S/S BY ASTM-D5370) [CUST: GS FSS] | A 6810 | / | GS | 08-JAN-98 |
| A-A-1821 NOT 1 | CLEANING COMPOUND, MASONRY SURFACES (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 20-APR-98 |
| A-A-1827 NOT 1 | PLASTIC SHEET, (POLYETHYLENE, HEAT SHRINKABLE) (S/S BY L-P-378) [CUST: GL SA 69] [REVIEW: 99 AR CR MC MD] | A 8135 | * | GL | 10-FEB-93 |
| A-A-1887 NOT 1 | HOSE, NON METALLIC (FIRE, SINGLE JACKET) (NO S/S DOCUMENT) [CUST: YD1 99 FSS] [REVIEW: CC CG MC SH] | A 4210 | # | FSS | 10-DEC-97 |
| A-A-1911 NOT 1 | CLEANING COMPOUND, ALKALI, PIPELINE (NO S/S DOCUMENT) [CUST: FSS] | A 6850 | # | FSS | 28-NOV-97 |
| A-A-1992 NOT 1 | CLEANING COMPOUND, HARD SURFACE-FLOOR (POWDERED, HEAVY DUTY) (NO S/S DOCUMENT) [CUST: FSS] | A 7930 | # | FSS | 08-JAN-98 |
| A-A-2011A NOT 1 | REFRIGERATORS, MECHANICAL, HOUSEHOLD (ELECTRIC, SELF-CONTAINED) (NO S/S DOCUMENT) [CUST: FSS] | A 4110 | # | FSS | 13-FEB-98 |
| A-A-2125 NOT 1 | CLEANING COMPOUND, SOLVENT-DETERGENT (CONCENTRATED ALKALINE BUTYL CLEANER) (NO S/S DOCUMENT) [CUST: GL SH 99 FSS] [REVIEW: MD YD1] | A 7930 | * | FSS | 05-JAN-98 |
| A-A-2162 NOT 1 | BREATHING APPARATUS, SELF-CONTAINED (NO S/S DOCUMENT) [CUST: FSS] | A 4240 | # | FSS | 11-DEC-97 |
| A-A-2163 NOT 1 | BREATHING APPARATUS, SELF-CONTAINED (60 MINUTE) (NO S/S DOCUMENT) [CUST: FSS] | A 4240 | # | FSS | 11-DEC-97 |
| A-A-2244 NOT 1 | SHIELD, ARC VIEWING, HAND HELD (S/S BY A-A-1994) [CUST: EA 99 GS] | A 4240 | / | GS | 06-JAN-98 |
| A-A-2245 NOT 1 | HOSE ASSEMBLY, NONMETALLIC (STANDPIPES; RACK AND REEL) (NO S/S DOCUMENT) [CUST: 99 FSS] [REVIEW: MI] | A 4210 | # | FSS | 11-DEC-97 |
| A-A-2278A NOT 1 | LEVELING DEVICE, LADDER (NO S/S DOCUMENT) [CUST: FSS] | A 5440 | # | FSS | 16-DEC-97 |
| A-A-2283 NOT 1 | SIAMESE CONNECTION, FIRE HOSE (WYES PLAIN, TWO AND THREE WAY HYDRANT) (NO S/S DOCUMENT) [CUST: FSS] [REVIEW: CR4] | A 4210 | % | FSS | 11-JAN-98 |
| A-A-2297 NOT 1 | BALL VALVE (DROP-OUT TYPE: LINE; INLINE; SUCTION; DISCHARGE) (NO S/S DOCUMENT) [CUST: FSS] [REVIEW: CR4] | A 4210 | # | FSS | 22-DEC-97 |
| A-A-2298 NOT 1 | SIAMESE CONNECTION, FIRE HOSE (PLAIN; CLAPPERED; PUMPER SUCTION; WATER THIEF) (NO S/S DOCUMENT) [CUST: FSS] | A 4210 | # | FSS | 22-DEC-97 |
| A-A-2355 NOT 1 | CASE, FILING, TRANSFER, (WOOD OR FIBER) (NO S/S DOCUMENT) [CUST: FSS] | A 7520 | # | FSS | 29-SEP-97 |
| A-A-2375 NOT 1 | MASK, GAS (INDUSTRIAL) (NO S/S DOCUMENT) [CUST: FSS] | A 4240 | # | FSS | 31-DEC-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|-------------------|---|--------------------------|--------------------|-----------|
| A-A-2376 NOT 1 | NOZZLE, FIRE HOSE, WATER (PLASTIC) (NO S/S DOCUMENT) [CUST: FSS] [REVIEW: CR4] | A 4210 | % FSS | 10-FEB-98 |
| A-A-2377 NOT 1 | VALVE, BALL (SINGLE LINE) (NO S/S DOCUMENT) [CUST: FSS] [REVIEW: CR4] | A 4210 | % FSS | 18-FEB-98 |
| A-A-2559 NOT 1 | DISHWASHING MACHINE, HOUSEHOLD (ELECTRIC) (NO S/S DOCUMENT) [CUST: FSS] | A 7320 | # FSS | 19-FEB-98 |
| A-A-2588 NOT 1 | HERBICIDE, BROMACIL (NO S/S DOCUMENT) [CUST: FSS] [REVIEW: 68 EA GS YD1] | A 6840 | % FSS | 12-DEC-97 |
| A-A-2589 NOT 1 | HERBICIDE, HEXAZINONE (NO S/S DOCUMENT) [CUST: FSS] [REVIEW: 68 EA GS YD1] | A 6840 | % FSS | 12-DEC-97 |
| A-A-2636 NOT 1 | ALGICIDE (NO S/S DOCUMENT) [CUST: FSS] | A 6840 | % FSS | 26-DEC-97 |
| A-A-50017B NOT 1 | CASE PRODUCE DISPLAY, NON REFRIGERATED (NO S/S DOCUMENT) [CUST: GL 99 GS] [REVIEW: 84 MD] | A 7195 | / GS | 30-JUN-97 |
| A-A-50059 NOT 1 | SCALES, PERSON WEIGHING (NO S/S DOCUMENT) [CUST: GL MS GS] [REVIEW: MD] | A 6670 | / GS | 30-JUN-97 |
| A-A-50087 NOT 1 | WEIGHT, COMMERCIAL SCALE TESTING, 50 POUNDS (NO S/S DOCUMENT) [CUST: GL GS] | A 6670 | / GS | 30-JUN-97 |
| A-A-50089 NOT 1 | SHELVING, COMMISSARY, GONDOLA TYPE (NO S/S DOCUMENT) [CUST: GL 99 GS] [REVIEW: 84 MD] | A 7125 | / GS | 30-JUN-97 |
| A-A-50099 NOT 1 | SHELVING UNIT, THREE STEP, DISPLAY (NO S/S DOCUMENT) [CUST: GL GS] | A 7125 | / GS | 30-JUN-97 |
| A-A-50103A NOT 1 | RACK, STORAGE, LOADED PALLET, GALVANIZED (NO S/S DOCUMENT) [CUST: GL GS] | A 7125 | / GS | 30-JUN-97 |
| A-A-50123 NOT 1 | TRUCKS, HAND, 4 SHELVES, STAINLESS STEEL (NO S/S DOCUMENT) [CUST: GL 99 GS] [REVIEW: 84 MD] | A 3920 | / GS | 30-JUN-97 |
| A-A-50141 NOT 1 | BAKERY ISLAND MERCHANDISER (NO S/S DOCUMENT) [CUST: GL GS] | A 7195 | / GS | 30-JUN-97 |
| A-A-50142 NOT 1 | TABLE, SPECIALTY ITEM, DISPLAY, PEDESTAL MOUNTED (NO S/S DOCUMENT) [CUST: GL GS] | A 7195 | / GS | 30-JUN-97 |
| A-A-50146 NOT 1 | CASE, ITEM DISPLAY, FRAMED (NO S/S DOCUMENT) [CUST: GL GS] | A 7195 | / GS | 30-JUN-97 |
| A-A-50160 NOT 1 | CLOTH, BROADCLOTH, COTTON MERCERIZED (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 82 CR4 MC MD] | A 8305 | / CT | 20-MAY-98 |
| A-A-50305 NOT 1 | DIOCTYL-P-PHENYLENEDIAMINE (ANTIOZONANT) (NO S/S DOCUMENT) [CUST: AL GS] [REVIEW: EA] | A 6810 | / GS | 30-JUN-97 |
| A-A-50385 NOT 1 | ARM SLEEVE, RADIOACTIVE CONTAMINANTS, PROTECTIVE (S/S BY MIL-A-24914) [CUST: NU CT] [REVIEW: SH] | A 8415 | / CT | 08-SEP-97 |
| A-A-50503 NOT 1 | SCALE, BALANCE, BEAM INDICATING: METRIC, 2610 GRAM CAPACITY (NO S/S DOCUMENT) [CUST: GL YD1 99] [REVIEW: CR4 GS MS] | A 6670 | / YD1 | 27-MAY-98 |
| A-A-50546 NOT 1 | PAVING BREAKER SETS, PORTABLE (NO S/S DOCUMENT) [CUST: CR4 YD1 99] | A 3820 | / YD1 | 30-OCT-97 |
| A-A-50689 NOT 1 | CRANE, RAILWAY, DIESEL, 25-TON CAPACITY (NO S/S DOCUMENT) [CUST: 99] | A 2230 | / 84 | 17-FEB-98 |
| A-A-50720 NOT 1 | VACUUM GAGE, PORTABLE (NO S/S DOCUMENT) [CUST: CR AS GS] | A 6685 | / GS | 30-JUN-97 |
| A-A-50733 NOT 1 | HYGROTHERMOGRAPH (NO S/S DOCUMENT) [CUST: GS] | A 6680 | / GS | 30-JUN-97 |
| A-A-50745 NOT 1 | RADIACMETER, POCKET-SIZED, DIGITAL ALARM, DOSIMETER (NO S/S DOCUMENT) [CUST: EA SH 99 GS] [REVIEW: 82] | A 6665 | / GS | 30-JUN-97 |
| A-A-50759 NOT 1 | SIX-OUTPUT SWITCHING POWER SUPPLY (NO S/S DOCUMENT) [CUST: CR AS 99 GS] [REVIEW: 82 SH] | A 6130 | / GS | 30-JUN-97 |
| A-A-50764 NOT 1 | QUAD-OUTPUT SWITCHING POWER SUPPLY (NO S/S DOCUMENT) [CUST: CR SH 99 GS] | A 6130 | / GS | 30-JUN-97 |
| A-A-50796 NOT 1 | SIREN, ELECTRONIC (NO S/S DOCUMENT) [CUST: 99 GS] [REVIEW: 82] | A 6350 | / GS | 30-JUN-97 |
| A-A-50971A NOT 1 | SOLDERING IRON, NON-ELECTRIC (SOLDERING COPPERS) (NO S/S DOCUMENT) [CUST: SH 99 GS] [REVIEW: 84] | A 3439 | / GS | 30-MAR-98 |
| A-A-51125B NOT 1 | BLADES, BAND SAW, CARBON STEEL, METAL CUTTING (S/S BY ASME-B94.51) [CUST: AL 99 GS] [REVIEW: 84 MC YD1] | A 3455 | / GS | 01-OCT-97 |
| A-A-51134B NOT 1 | BLADES, BAND SAW, COMPOSITE STEEL, METAL CUTTING, M2 HIGH SPEED STEEL (S/S BY ASME-B94.51) [CUST: AL 99 GS] [REVIEW: 84 MC SH YD1] | A 3455 | / GS | 01-OCT-97 |
| A-A-51135A NOT 2 | HOLE SAWS, HOLE SAW ARBORS, AND HOLE SAW DRIED PLATES (S/S BY ASME-B94.54) [CUST: AL 99 GS] [REVIEW: 84 MC SH] | A 3455 | / GS | 01-OCT-97 |
| A-A-51147A NOT 1 | BLADES, BAND SAW, CARBON STEEL, WOOD CUTTING (S/S BY ASME-B94.51) [CUST: CR4 SH 99 GS] [REVIEW: 84 AL MC YD1] | A 3455 | / GS | 01-OCT-97 |
| A-A-51184 NOT 1 | BLADES, BAND SAW, COMPOSITE STEEL, METAL CUTTING, M42 HIGH SPEED STEEL (S/S BY ASME-B94.51) [CUST: AL 99 GS] [REVIEW: 84 MC SH YD1] | A 3455 | / GS | 01-OCT-97 |
| A-A-51185 NOT 1 | BLADES, BAND SAW, COMPOSITE STEEL, METAL CUTTING, MATRIX HIGH SPEED STEEL (S/S BY ASME-B94.51) [CUST: AL 99 GS] [REVIEW: 84 MC SH YD1] | A 3455 | / GS | 01-OCT-97 |
| A-A-51196 NOT 1 | PRESS, ARBOR, MECHANICAL, HAND OPERATED, ELEVATING KNEE (S/S BY A-A-59174) [CUST: GL SH 99 GS] [REVIEW: 84 YD1] | A 3444 | / GS | 04-JUN-98 |
| A-A-51197 NOT 1 | PRESS, ARBOR, MECHANICAL, HAND OPERATED, RATCHET LEVERAGE (S/S BY A-A-59174) [CUST: GL SH 99 GS] [REVIEW: 84 YD1] | A 3444 | / GS | 04-JUN-98 |
| A-A-51198 NOT 1 | PRESS, ARBOR, MECHANICAL, HAND OPERATED, COMPOUND LEVERAGE (S/S BY A-A-59174) [CUST: AL SH 99 GS] [REVIEW: 84 YD1] | A 3444 | / GS | 04-JUN-98 |
| A-A-51199 NOT 1 | PRESS, ARBOR, MECHANICAL, HAND OPERATED, SINGLE LEVERAGE (S/S BY A-A-59174) [CUST: AL SH 99 GS] [REVIEW: 84 YD1] | A 3444 | / GS | 03-JUN-98 |
| A-A-51378A NOT 1 | CEFTRIAZONE SODIUM FOR INJECTION (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / MB | 30-APR-97 |
| A-A-51419A NOT 1 | CEFTIZOXIME SODIUM, STERILE, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / MB | 30-APR-97 |
| A-A-51422A NOT 1 | CALCITONIN-SALMON INJECTION (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / MB | 30-APR-97 |
| A-A-51665A NOT 1 | CANTHARIDIN COLLODION TOPICAL SOLUTION (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / MB | 30-APR-97 |
| A-A-51696A NOT 1 | CEFADROXIL CAPSULES, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / MB | 30-APR-97 |
| A-A-51894C NOT 1 | CEFOXITIN SODIUM, STERILE, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / MB | 30-APR-97 |
| A-A-52007A NOT 1 | THERMOMETER, SELF-INDICATING LIQUID-IN-GLASS (NO S/S DOCUMENT) [CUST: CE GS] [REVIEW: CR] | A 6685 | / GS | 30-JUN-97 |
| A-A-52010 NOT 1 | CLAMP, HANDLE, STEEL TAPE (NO S/S DOCUMENT) [CUST: CE YD1 GS] [REVIEW: GL MC] | A 5210 | / GS | 30-JUN-97 |
| A-A-52011A NOT 1 | RULES, STEEL, MACHINIST'S ENGLISH AND ENGLISH-METRIC GRADUATION (NO S/S DOCUMENT) [CUST: CE 84 GS] [REVIEW: GL] | A 5210 | / GS | 30-JUN-97 |
| A-A-52099 NOT 1 | CLOTH, BIRDSEYE AND GAUZE, COTTON (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: MD MS] | A 8305 | / CT | 20-MAY-98 |
| A-A-52103 NOT 1 | CLOTH, FLANNEL, WOOL AND COTTON, WOOL AND NYLON (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8305 | / CT | 20-MAY-98 |
| A-A-52104 NOT 1 | CLOTH, BURLAP, JUTE (OR KENAF) (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 82 MC MD] | A 8305 | / CT | 20-MAY-98 |
| A-A-52113 NOT 1 | HANDCUFFS AND LEG IRONS (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 11 45 82 84 MC SA YD1] | A 8465 | / CT | 04-MAR-98 |
| A-A-52416 NOT 1 | TERMINALS, LUG, AND SPLICES, CONDUCTOR (ELECTRICAL, SOLDERLESS, FOR AUTOMOTIVE USE) (NO S/S DOCUMENT) [CUST: AT 99 GS] [REVIEW: AR EA MI] | A 5940 | / GS | 08-DEC-97 |
| A-A-52548/1 NOT 1 | HOSE ASSEMBLY, RUBBER: HYDRAULIC AND PNEUMATIC, MEDIUM PRESSURE, FLARED TUBE (S/S BY MS500077) [CUST: AT MC 99 CC] [REVIEW: 82 AR AV ME MI] | A 4720 | / CC | 11-MAR-96 |
| A-A-53083A NOT 1 | CALCIUM CARBONATE AND VITAMIN D TABLETS (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / MB | 30-APR-97 |
| A-A-0053115 NOT 1 | CEFUROXIME SODIUM, STERILE (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / MB | 30-JUL-97 |
| A-A-0053213 NOT 1 | CEFOPERAZONE SODIUM, STERILE, USP (NO S/S DOCUMENT) | A 6505 | / MB | 30-APR-97 |
| A-A-0053241 NOT 1 | CEFTAZIDIME FOR INJECTION (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / MB | 30-APR-97 |
| A-A-0053242 NOT 1 | CALCIUM CARBONATE TABLETS, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / MB | 30-APR-97 |
| A-A-53258A NOT 1 | CEFAZOLIN SODIUM, STERILE, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / MB | 30-APR-97 |
| A-A-53280A NOT 1 | CAPTAPRIL TABLETS (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / MB | 30-APR-97 |
| A-A-0053286 NOT 1 | CEFOTETAN DISODIUM, STERILE (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / MB | 30-APR-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
COMMERCIAL ITEM DESCRIPTIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------|---|-----------------------|-----|-------------|-----------|
| | A-A-53287A NOT 1 | CARBINOXAMINE MALEATE, DEXTROMETHORPHAN HYDROBROMIDE, AND PSEUDOEPHEDRINE HYDROCHLORIDE ORAL SOLUTION (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-97 |
| | A-A-53554 NOT 1 | BUTORPHANOL TARTRATE INJECTION, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-97 |
| | A-A-53558 NOT 1 | CEPHALEXIN CAPSULES, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-97 |
| | A-A-0053620 NOT 1 | CEFTAZIDIME FOR INJECTION (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-97 |
| | A-A-53982 NOT 1 | CALCIUM LACTATE TABLETS, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-97 |
| | A-A-54021 NOT 1 | CEPHALEXIN FOR ORAL SUSPENSION, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-97 |
| | A-A-54048 NOT 1 | CARBIDOPA AND LEVODOPA TABLETS, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-97 |
| | A-A-54112 NOT 1 | CALCIUM GLUCEPTATE INJECTION, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-97 |
| | A-A-54183 NOT 1 | CEPHAPIRIN SODIUM, STERILE, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-97 |
| | A-A-54186 NOT 1 | CALCIUM GLUCONATE INJECTION, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-97 |
| | A-A-54358 NOT 1 | CALAMINE LOTION, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-97 |
| | A-A-54500 NOT 1 | CALCIUM CHLORIDE INJECTION, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-97 |
| | A-A-54594 NOT 1 | CEPHRADINE CAPSULES, USP (NO S/S DOCUMENT) [CUST: MD MS 03] | A 6505 | / | MB | 30-APR-97 |
| | A-A-55101 NOT 1 | CLOTH, KNITTED; COTTON (NO S/S DOCUMENT) [CUST: GL CT] | A 8305 | / | CT | 14-NOV-97 |
| | A-A-55116 NOT 1 | SLEEPING BAG, INTERMEDIATE COLD, SYNTHETIC FILLED (S/S BY A-A-55262) [CUST: GL NU CT] [REVIEW: MC MD] | A 8465 | / | CT | 12-NOV-97 |
| | A-A-55118 NOT 1 | FOOTWEAR COVERS, RADIOACTIVE CONTAMINANTS PROTECTIVE (S/S BY MIL-F-82240) [CUST: NU 99 CT] [REVIEW: 45 82 SH] | A 8430 | / | CT | 11-SEP-97 |
| | A-A-55129 NOT 1 | RODENTICIDE, ANTICOAGULANT, PELLETS/BLOCKS AND UNIVERSAL CONCENTRATE (NO S/S DOCUMENT) [CUST: GL SH 68 GS] [REVIEW: AR CE CR4 MC MD1 MS PM YD1] | A 6840 | / | GS | 09-FEB-98 |
| | A-A-55252 NOT 1 | CLOTH, COATED, POLYESTER OR NYLON, WATERPROOF (S/S BY MIL-PRF-20696) [CUST: GL NU 99 CT] [REVIEW: 45 82 AT MC MI] | A 8305 | / | CT | 21-NOV-97 |
| | A-A-55257 NOT 1 | CLOTH, TROPICAL, POLYESTER, SPUN AND TEXTURED (NO S/S DOCUMENT) [CUST: 45 CT] [REVIEW: 01 32 82 99 SO] | A 8305 | / | CT | 24-JUL-97 |
| | A-A-55271 NOT 1 | CLOTH, WIND RESISTANT, POPLIN, COTTON (NO S/S DOCUMENT) [CUST: GL SA 99 CT] [REVIEW: 45 82 MD] | A 8305 | / | CT | 24-JUL-97 |
| | A-A-55296 NOT 1 | CLOTH, TWILL, COTTON, 10.0 OUNCES (339 G) (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 45 82] | A 8305 | / | CT | 20-MAY-98 |
| | A-A-56017 NOT 1 | CELLULOSE ACETATE (NO S/S DOCUMENT) [CUST: MI GS] | A 6810 | / | GS | 30-JUN-97 |
| | A-A-56036 NOT 1 | TOTE TRAY, ELECTROSTATIC DISCHARGE PROTECTIVE (NO S/S DOCUMENT) [CUST: SM 69 GS] [REVIEW: 16 18 19 84 99 AM AT CC CR GL MI] | A 8145 | / | GS | 30-JUN-97 |
| | A-A-58010 NOT 1 | RAILWAY CAR SPOTTER, SELF-PROPELLED 30,000 POUND DRAW BAR PULL (NO S/S DOCUMENT) [CUST: 99] | A 2210 | / | 84 | 17-FEB-98 |

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/area | MCA | Prep. Acty. | Date |
|-----------------------|---|-----------------------|-----|-------------|-----------|
| F-F-2790 NOT 1 | FILTER, AIR-EXTENDED AREA, INITIAL INSTALLATION (S/S BY A-A-50554) [CUST: YD1 99] [REVIEW: CR4 GS] | A 4130 | / | YD1 | 09-OCT-97 |
| F-C-2791 NOT 1 | COOLING TOWERS, LIQUID (S/S BY A-A-59223) [CUST: YD1] | A 4130 | / | YD1 | 18-MAY-98 |
| H-B-141K NOT 1 | BRUSH, CALCIMINE, WALL COATING (NO S/S DOCUMENT) | A 8020 | # | FSS | 02-APR-98 |
| H-R-550B(1) NOT 1 | ROLLER, KIT, PAINT (S/S BY A-A-2851) [CUST: SH 99] [REVIEW: CE CG CR4 MC YD1] | A 8020 | * | SH | 30-SEP-97 |
| H-B-681B(2) NOT 1 | BRUSH, TYPEWRITER (S/S BY A-A-3077) [CUST: FSS] [REVIEW: GL] | A 7510 | % | FSS | 20-AUG-97 |
| H-B-00681D NOT 1 | BRUSH, TYPEWRITER (S/S BY A-A-3077) [CUST: FSS] | A 7510 | # | FSS | 20-AUG-97 |
| H-B-711K NOT 1 | BRUSHES, VARNISH, OVAL (NO S/S DOCUMENT) | A 8020 | # | FSS | 02-APR-98 |
| J-L-231C NOT 1 | LEADS, STORAGE-BATTERY (S/S BY A-A-59215) [CUST: CR YD1 99] | A 6140 | / | YD1 | 18-MAY-98 |
| J-W-1177B SUP 1 NOT 1 | WIRE, MAGNET, ELECTRICAL, GENERAL SPECIFICATION (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-11771A NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE E OLEORESINOUS-ENAMEL-COATED, ROUND (NO S/S DOCUMENT) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-11772B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SU, SOLDERABLE POLYURETHANE COATED, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-11773B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SN, SOLDERABLE POLYAMIDE COATED, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-11774B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE T, POLYVINYL-FORMAL-COATED, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-11775B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE TN, POLYVINYL FORMAL OVERCOATED WITH POLYAMIDE, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-11776B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE TB, POLYVINYL FORMAL WITH SELF-BONDING THERMOPLASTIC OVERCOAT, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-11779B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 130, TYPE SUN, SOLDERABLE POLYURETHANE OVERCOATED WITH POLYAMIDE, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117710B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE L, POLYESTER-COATED, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117711B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE LN, POLYESTER OR POLYESTER-IMIDE OVERCOATED WITH POLYAMIDE, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117712B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE H, POLYESTER-IMIDE OR POLYESTER-AMIDE-IMIDE-COATED, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117713B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE K, POLYESTER, POLYESTER-IMIDE OR POLYESTER-AMIDE-IMIDE OVERCOATED WITH POLYAMIDE-IMIDE, RECTANGULAR (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117714B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE K, POLYESTER, POLYESTER-IMIDE OR POLYESTER-AMIDE-IMIDE OVERCOATED WITH POLYAMIDE-IMIDE, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117715B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 220, TYPE M, AROMATIC POLYIMIDE COATED, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117716B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE T, POLYVINYL FORMAL COATED, RECTANGULAR (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117718B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 220, TYPE M, POLYIMIDE-COATED, RECTANGULAR (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117719B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE GV, GLASS-FIBER-COVERED, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117720B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE DGV, POLYESTER-GLASS-FIBER-COVERED, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117721B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE GK, GLASS-FIBER-COVERED, SILICONE TREATED, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117722B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE GV, GLASS-FIBER-COVERED, RECTANGULAR (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117723B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE GK, GLASS-FIBER-COVERED, SILICONE TREATED, RECTANGULAR (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117724B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE DGH, POLYESTER-GLASS-FIBER-COVERED, SILICONE TREATED, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117725B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE DGV, POLYESTER-GLASS-FIBER-COVERED, RECTANGULAR (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117726B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE DGH, POLYESTER-GLASS-FIBER, SILICONE TREATED, RECTANGULAR (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117727B NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 220, TYPE M2DGGM, POLYESTER-GLASS AND GLASS-FIBER, POLYIMIDE TREATED, RECTANGULAR (NO S/S DOCUMENT) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| J-W-117728 NOT 1 | WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE SPE, SOLDERABLE POLYESTER-IMIDE, ROUND (S/S BY NEMA-MW1000) [CUST: CR SH 85 CC] [REVIEW: AR AS CG MC ME MI OS] | A 6145 | / | CC | 16-OCT-96 |
| L-F-36C(3) NOT 1 | FACESHIELD, INDUSTRIAL (S/S BY ANSI-Z87.1) [CUST: EA 99 GS] [REVIEW: CR4 MC MD1 SH YD1] | A 4240 | * | GS | 08-AUG-97 |
| L-P-65C NOT 1 | PAIS, UTILITY, PLASTIC (S/S BY A-A-59253) [CUST: GL YD1 99] [REVIEW: CG CR4 MB MD] | A 7240 | / | YD1 | 16-JUN-98 |
| L-F-475A(1) NOT 1 | FLOOR COVERING VINYL, SURFACE (TILE AND ROLL), WITH BACKING (NO S/S DOCUMENT) [CUST: 99] [REVIEW: CR4] | A 7220 | * | 99 | 05-MAR-98 |
| L-C-001369 NOT 1 | CUSHION, CARPET AND RUG, BONDED URETHANE (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 05-MAR-98 |
| L-F-001641(2) NOT 1 | FLOOR COVERING, TRANSLUCENT OR TRANSPARENT VINYL SURFACE WITH BACKING (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 09-OCT-97 |
| L-C-001676(1) NOT 1 | CUSHION, CARPET AND RUG, VIRGIN URETHANE (NO S/S DOCUMENT) [CUST: FSS] [REVIEW: YD1] | A 7220 | # | FSS | 05-MAR-98 |
| O-L-160A NOT 1 | LEAK PREVENTIVE COMPOUND, RADIATOR (NO S/S DOCUMENT) [CUST: MR YD1 68 FSS] | A 6850 | / | FSS | 28-NOV-97 |
| O-D-210A(1) NOT 1 | DESICCANT, ACTIVATED, CALCIUM SULFATE, ANHYDROUS (NO S/S DOCUMENT) [CUST: EA 68 GS] [REVIEW: SM] | A 6850 | / | GS | 23-SEP-97 |
| O-L-298B NOT 1 | LITHOGRAPHIC BLANKET-ROLLER WASH (NO S/S DOCUMENT) | A 6850 | # | FSS | 10-JUL-97 |
| O-N-350C NOT 1 | NITRIC ACID, TECHNICAL (S/S BY A-A-59105) [CUST: EA SH 68 GS] [REVIEW: AR MD1 MI OS] | A 6810 | / | GS | 01-SEP-97 |
| O-G-491D NOT 1 | GLYCEROL, TECHNICAL (HIGH GRAVITY) (NO S/S DOCUMENT) [CUST: EA OS 68 GS] [REVIEW: MD1 MI] | A 6810 | / | GS | 11-MAY-98 |
| O-I-503F NOT 1 | INSECT REPELLENT, CLOTHING AND PERSONAL APPLICATION (S/S BY A-A-59104) [CUST: GL1 SH 68 GS] [REVIEW: MC MD1 MS PM YD1] | A 6840 | / | GS | 01-SEP-97 |
| O-A-549A NOT 1 | ANTI-FOGGING COMPOUND (NO S/S DOCUMENT) [CUST: FSS] | A 6850 | # | FSS | 28-JUL-97 |
| O-A-549A(11) NOT 1 | ANTI-FOGGING COMPOUND (NO S/S DOCUMENT) [CUST: FSS] | A 6850 | # | FSS | 28-JUL-97 |
| O-I-565C NOT 2 | INSECTICIDE, MALATHION, EMULSIFIABLE CONCENTRATE (S/S BY A-A-59117) [CUST: EA YD1 68 GS] [REVIEW: AS GL1 MC MD1 PM] | A 6840 | / | GS | 01-SEP-97 |
| O-S-598B NOT 2 | SODIUM HYDROXIDE, TECHNICAL (S/S BY ASTM-D456) [CUST: EA SH 68 FSS] [REVIEW: AS MD OS] | A 6810 | / | FSS | 24-DEC-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA Prep. Acty. | Date |
|----------------------|--|--------------------------|--------------------|-----------|
| O-S-604D NOT 3 | SODIUM METASILICATE, TECHNICAL (S/S BY ASTM-D537) [CUST: MI OS 68 GS] [REVIEW: GL MD] | A 6810 / GS | | 08-DEC-97 |
| O-O-690C NOT 1 | OXALIC ACID, DIHYDRATE, TECHNICAL (S/S BY A-A-59121) [CUST: 68 GS] [REVIEW: MDI] | A 6810 / GS | | 12-SEP-97 |
| O-S-809E(1) NOT 1 | SULFURIC ACID, TECHNICAL (S/S BY A-A-55828) [CUST: EA 68 GS] [REVIEW: MDI MI] | A 6810 / GS | | 28-OCT-97 |
| O-C-828C NOT 2 | CUPRIC SULFATE, PENTAHYDRATE, TECHNICAL (S/S BY AWWA-B602) [CUST: EA OS 68 GS] [REVIEW: AR MDI] | A 6810 / GS | | 28-NOV-97 |
| O-P-1731 NOT 1 | PENETRATING FLUID (S/S BY A-A-3149) [CUST: MR AS 68] [REVIEW: MC OS SH YDI] | A 6850 * MR | | 09-MAR-98 |
| O-C-1824 NOT 1 | CLEANING COMPOUND, SOLVENT, HEAVY DUTY, LIQUID (NO S/S DOCUMENT) | A 6850 # FSS | | 10-JUL-97 |
| O-C-1889 NOT 2 | CLEANING COMPOUND, SOLVENT (NO S/S DOCUMENT) [CUST: GL AS] [REVIEW: MD MI] | A 6850 / GL | | 01-DEC-97 |
| P-H-31E(2) NOT 1 | HAND CLEANER, WATERLESS (DUPLICATING INK AND GREASE) (NO S/S DOCUMENT) | A 8520 % FSS | | 10-JUL-97 |
| P-S-120B NOT 2 | SCALE REMOVING COMPOUND (SOLID AND LIQUID FORM) (S/S BY A-A-19 AND A-A-33) [CUST: GS] [REVIEW: 11] | A 6850 * GS | | 17-OCT-97 |
| P-L-130C(1) NOT 1 | LAUNDRY SOUR (BLUING AND BRIGHTENER) (NO S/S DOCUMENT) [CUST: GL 99 FSS] | A 7930 * FSS | | 23-DEC-97 |
| P-C-436E NOT 2 | CLEANING COMPOUND, ALKALI, BOILING VAT (SOAK) OR HYDROSTEAM (S/S BY A-A-59146) [CUST: MR 68 GS] [REVIEW: CR4 MC MI SH] | A 6850 / GS | | 16-DEC-97 |
| P-C-437B(1) NOT 2 | CLEANING COMPOUND, HIGH PRESSURE (STEAM) CLEANER (S/S BY A-A-59133) [CUST: MR SH 68 GS] [REVIEW: AR AS MC OS YDI] | A 6850 / GS | | 03-NOV-97 |
| P-S-560B NOT 1 | SOAP, FLOOR, LIQUID AND PASTE (NO S/S DOCUMENT) [CUST: FSS] [REVIEW: GL] | A 7930 % FSS | | 14-JUL-97 |
| P-S-609C(1) NOT 1 | SOAP, SADDLE (LEATHER GOODS) (NO S/S DOCUMENT) [CUST: GL 99 FSS] [REVIEW: MC MD] | A 7930 * FSS | | 23-DEC-97 |
| S-R-44D NOT 1 | RANGE, GAS, DOMESTIC (S/S BY A-A-1646) [CUST: FSS] | A 7310 # FSS | | 13-FEB-98 |
| S-R-0044E NOT 1 | RANGES, GAS (DOMESTIC) (S/S BY A-A-1646) [CUST: FSS] | A 7310 # FSS | | 13-FEB-98 |
| U-T-30C NOT 1 | TALCUM POWDER (S/S BY A-A-42) [CUST: FSS] [REVIEW: GL MC] | A 8510 % FSS | | 23-DEC-97 |
| V-M-96K NOT 1 | BED, MATTRESS, INNERSPRING (S/S BY ASTM-F1085) [CUST: GL CT] [REVIEW: CT MD SH] | A 7210 * CT | | 31-DEC-96 |
| W-R-101H NOT 1 | RANGES, ELECTRIC (DOMESTIC) (NO S/S DOCUMENT) [CUST: FSS] | A 7310 # FSS | | 19-FEB-98 |
| W-R-175D(1) NOT 1 | REEL AND HUB FOR MAGNETIC RECORDING TAPE, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR 99 CC] [REVIEW: 80 AS OM] | A 5835 / CC | | 13-FEB-98 |
| W-R-175ID(1) NOT 1 | REELS, PLASTIC & FIBERGLASS, WITH 5/16-INCH CENTER HOLE (NO S/S DOCUMENT) [CUST: CR 99 CC] [REVIEW: 80 AS OM] | A 5835 / CC | | 13-FEB-98 |
| W-R-1752D(1) NOT 1 | REEL, HUBS, FIBERGLASS & METALLIC, WITH 3-INCH CENTER HOLE (NO S/S DOCUMENT) [CUST: CR 99 CC] [REVIEW: 80 AS OM] | A 5835 / CC | | 13-FEB-98 |
| W-R-1753D(1) NOT 1 | REELS, PLASTIC, FIBERGLASS, METALLIC, & METALLIC FLANGE PHENOLIC HUB, WITH 3-INCH CENTER HOLE (NO S/S DOCUMENT) [CUST: CR 99 CC] [REVIEW: 80 AS OM] | A 5835 / CC | | 13-FEB-98 |
| W-R-1754D(1) NOT 1 | REELS, PRECISION, ALUMINUM, WITH 3-INCH CENTER HOLE (NO S/S DOCUMENT) [CUST: CR 99 CC] [REVIEW: 80 AS OM] | A 5835 / CC | | 13-FEB-98 |
| W-R-1756A(1) NOT 1 | REELS, PRECISION, GLASS FLANGE WITH ALUMINUM HUB, 3-INCH CENTER HOLE (NO S/S DOCUMENT) [CUST: CR 99 CC] [REVIEW: 80 OM] | A 5835 / CC | | 13-FEB-98 |
| W-L-200(2) NOT 1 | LANTERN, ELECTRIC (NO S/S DOCUMENT) [CUST: IS] | A 6230 # IS | | 27-APR-95 |
| W-F-412E | FIXTURE, LIGHTING, INCANDESCENT LAMP, INDUSTRIAL [CUST: ME 99 IS] [REVIEW: CE MC] | A 6210 * IS | | 21-JUL-76 |
| W-S-610E NOT 1 | SPICE CONNECTORS (S/S BY A-A-59213) [CUST: YDI 85] [REVIEW: 99 GS] | A 5940 / YDI | | 18-MAY-98 |
| W-L-661E NOT 1 | LIGHT, EXTENSION, ELECTRICAL (S/S BY A-A-60006) [CUST: MI YDI 99] [REVIEW: 82 GS MC] | A 6230 / YDI | | 05-JAN-98 |
| W-S-755C NOT 1 | STARTER, FLUORESCENT LAMP (S/S BY ANSI-C78.180) [CUST: IS] [REVIEW: MC ME MI SH] | A 6250 * IS | | 15-APR-95 |
| W-J-800F NOT 1 | JUNCTION BOX: EXTENSION, JUNCTION BOX; COVER, JUNCTION BOX (STEEL, CADMIUM, OR ZINC-COATED) (S/S BY A-A-59214) [CUST: CR4 YDI 85] [REVIEW: 99 CE CR GS SH] | A 5975 / YDI | | 18-MAY-98 |
| W-F-2793 NOT 1 | FANS, CENTRIFUGAL, DRAFT, FORCED AND INDUCED (S/S BY A-A-59222) [CUST: YDI] [REVIEW: GS] | A 4140 * YDI | | 18-MAY-98 |
| AA-R-211G(3) NOT 1 | REFRIGERATOR, MECHANICAL, HOUSEHOLD, (ELECTRICAL, SELF CONTAINED) (S/S BY A-A-2011) [CUST: GL YDI 99] | A 4110 * GL | | 12-FEB-98 |
| AA-R-00211H NOT 1 | REFRIGERATORS, MECHANICAL, HOUSEHOLD (ELECTRICAL, SELF-CONTAINED) (S/S BY A-A-2011) [CUST: GL] | A 4110 * GL | | 12-FEB-98 |
| AA-O-230/1A NOT 1 | OFFICE FURNITURE: BOOKCASE, EXECUTIVE TYPE, WOOD, TRADITIONAL (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-O-00230/1B NOT 1 | OFFICE FURNITURE: BOOKCASES EXECUTIVE TYPE, WOOD, TRADITIONAL (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-O-230/2A NOT 1 | OFFICE FURNITURE, CABINET, TELEPHONE, EXECUTIVE TYPE, WOOD, TRADITIONAL, (DETAILED SPECIFICATION) (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-O-230/3A(1) NOT 1 | OFFICE FURNITURE, COSTUMER, EXECUTIVE TYPE, WOOD, TRADITIONAL, (DETAILED SPECIFICATION) (S/S BY AA-O-230) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-O-00230/3C NOT 1 | OFFICE FURNITURE: CUSTOMER, EXECUTIVE TYPE, WOOD, TRADITIONAL (DETAILED SPECIFICATION) (S/S BY AA-O-230) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-O-230/4A NOT 1 | OFFICE FURNITURE: DESK, EXECUTIVE TYPE, WOOD, TRADITIONAL (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-O-00230/4B NOT 1 | OFFICE FURNITURE: DESKS, DESK ATTACHMENTS, EXECUTIVE TYPE, WOOD TRADITIONAL (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-O-230/5A NOT 1 | OFFICE FURNITURE, TABLE, EXECUTIVE TYPE, WOOD, TRADITIONAL (DETAILED SPECIFICATION (NO S/S DOCUMENT)) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-O-00230/5B NOT 1 | OFFICE FURNITURE, TABLES, EXECUTIVE TYPE, WOOD, TRADITIONAL (DETAILED SPECIFICATION) (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-O-230/6A NOT 1 | OFFICE FURNITURE: CREDENZA, EXECUTIVE OFFICE, WOOD, TRADITIONAL (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-O-00230/6B NOT 1 | OFFICE FURNITURE: CREDENZA, EXECUTIVE OFFICE, WOOD, TRADITIONAL (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-O-230/7A NOT 1 | OFFICE FURNITURE: TYPEWRITER STAND, EXECUTIVE OFFICE, WOOD, TRADITIONAL (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-O-00230/7B NOT 1 | OFFICE FURNITURE: TYPEWRITER STAND, EXECUTIVE OFFICE, WOOD, TRADITIONAL (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-O-00250/7B NOT 1 | OFFICE FURNITURE, TYPEWRITER STAND, WOOD, UNITIZED (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-B-260F NOT 1 | BEDSPRING, BOX TYPE (S/S BY ASTM-F1085) [CUST: GL YDI 99 CT] [REVIEW: 45 CT MD] | A 7210 * CT | | 28-OCT-97 |
| AA-S-00275 NOT 1 | SHELVING, STORAGE AND DISPLAY, STEEL, BOLTLESS (NO S/S DOCUMENT) [CUST: FSS] | A 7125 # FSS | | 31-OCT-97 |
| AA-C-00400F NOT 1 | CHAIRS, ROTARY AND STRAIGHT, WOOD OFFICE (UNITIZED FURNITURE STYLE) (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| AA-F-001165B NOT 2 | FURNITURE, METAL FRAME, LAMINATED PLASTIC SURFACED PANELS, CASE GOODS AND TABLES (NO S/S DOCUMENT) | A 7105 # FSS | | 31-OCT-97 |
| AA-S-1518A NOT 1 | SAFE, TOOL-RESISTANT, UNINSULATED, SECURITY (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 23-AUG-89 |
| AA-S-1518A(12) NOT 1 | SAFE, TOOL-RESISTANT, UNINSULATED, SECURITY (NO S/S DOCUMENT) [CUST: GL] | A 7110 * GL | | 23-AUG-89 |
| AA-D-001949 NOT 1 | DORMITORY FURNITURE MODULAR COMPOSITE METAL AND WOOD (NO S/S DOCUMENT) [CUST: FSS] | A 7105 # FSS | | 31-OCT-97 |
| AA-D-2757 NOT 1 | DOOR, VAULT, SECURITY (NO S/S DOCUMENT) [CUST: FSS] | A 7110 # FSS | | 31-OCT-97 |
| DD-M-411C NOT 1 | MIRRORS, GLASS (S/S BY A-A-3002) | A 7105 % FSS | | 12-MAR-98 |

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|----------------------|---|--------------------------|-----|-------------|-----------|
| GG-G-60C NOT 1 | RAZORS, SAFETY; AND BLADES, RAZOR (S/S BY A-A-2744) [REVIEW: GL] | A 8530 | % | FSS | 21-JAN-98 |
| GG-G-86C NOT 1 | GAGE, SHEET AND PLATE, TWIST DRILL, DRILL ROD, AND WIRE (NO S/S DOCUMENT) [CUST: FSS] | A 5210 | # | FSS | 10-FEB-98 |
| GG-S-86D NOT 1 | SAFELIGHT, DARKROOM, PHOTOGRAPHIC (NO S/S DOCUMENT) [CUST: CR AS 99] | A 6740 | / | CR | 17-SEP-97 |
| GG-T-355B NOT 1 | THERMOMETER, SELF-INDICATING, LIQUID IN GLASS, MAXIMUM (METEOROLOGICAL) (NO S/S DOCUMENT) [CUST: CR OS 11] | A 6660 | / | CR | 17-SEP-97 |
| GG-S-745A NOT 1 | STAPLERS AND STAPLES, PAPER FASTENING, OFFICE TYPE (S/S BY A-A-360, A-A-873, A-A-2543, A-A-2836, A-A-2707 AND A-A-1019) [CUST: FSS] [REVIEW: CR4 GL MI] | A 7510 | % | FSS | 09-MAR-98 |
| GG-S-00745C NOT 1 | STAPLERS AND STAPLES PAPER FASTENING, OFFICE TYPE (S/S BY A-A-360, A-A-873, A-A-2543, A-A-2836, A-A-2707 AND A-A-1019) [CUST: FSS] | A 7510 | # | FSS | 09-MAR-98 |
| GG-M-2742 NOT 1 | METER, VOLUMETRIC, POSITIVE DISPLACEMENT, LIQUID, AIRCRAFT FUEL, 600 GPM (S/S BY A-A-59248) [CUST: CR4 YD1 99] [REVIEW: 82 GS] | A 6680 | / | YD1 | 16-JUN-98 |
| GG-M-2802 NOT 1 | METERS, FLUID QUANTITY VOLUMETRIC (S/S BY A-A-59224) [CUST: CE YD1] [REVIEW: GS] | A 6680 | / | YD1 | 01-JUN-98 |
| HH-T-0025(2) NOT 1 | TAPE, PRESSURE-SENSITIVE ADHESIVE, PLASTIC (FOR ELECTROPLATING) (NO S/S DOCUMENT) [CUST: FSS] | A 7510 | % | FSS | 27-AUG-97 |
| HH-T-29A NOT 1 | TAPE, ADHESIVE, LEAD FOIL (NO S/S DOCUMENT) [CUST: FSS] [REVIEW: GL] | A 7510 | % | FSS | 30-SEP-97 |
| HH-I-435B NOT 1 | INSULATOR, ELECTRIC, PORCELAIN AND GLASS (S/S BY ANSI-C29.1-C29.6) [CUST: CR4 YD1 85 GS] [REVIEW: 99 CR EC MC SH] | A 5970 | / | GS | 16-DEC-97 |
| HH-I-515E NOT 1 | INSULATION, THERMAL (LOOSE-FILL FOR PNEUMATIC OR POURED APPLICATION): CELLULOSIC OR WOOD FIBER (S/S BY ASTM-C739) [CUST: YD1 84] [REVIEW: CR4] | A 5640 | . | YD1 | 31-MAR-98 |
| HH-M-622D NOT 1 | MORTAR, REFRACTORY, HEAT SETTING, BONDING (WET AND DRY TYPES) (S/S BY A-A-59177) [CUST: SH 99 GS] [REVIEW: MC OS] | A 9350 | / | GS | 26-FEB-98 |
| NN-P-71C(12) NOT 2 | PALLETS, MATERIAL HANDLING, WOOD, STRINGER CONSTRUCTION, 2-WAY AND 4-WAY (PARTIAL) (NO S/S DOCUMENT) [CUST: SA] | A 3990 | / | SA | 17-SEP-97 |
| NN-H-81C NOT 1 | HANDLES, ASH (NO S/S DOCUMENT) [CUST: FSS] | A 5120 | # | FSS | 12-FEB-98 |
| OO-M-0038K(1) NOT 1 | MIXING MACHINES, FOOD, ELECTRIC (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) (NO S/S DOCUMENT) [CUST: GL YD1 99 IS] [REVIEW: 84 CE MC MD SA SH] | A 7320 | / | IS | 17-SEP-97 |
| OO-M-0038K(12) NOT 1 | MIXING MACHINES, FOOD, ELECTRIC (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) (NO S/S DOCUMENT) [CUST: SH] | A 7320 | / | SH | 17-SEP-97 |
| OO-M-280G(14) NOT 1 | MEAT SLICER, HAND-OPERATED, AND MEAT SLICING MACHINES, ELECTRIC (NO S/S DOCUMENT) [CUST: SA] | A 7320 | / | SA | 17-SEP-97 |
| OO-T-290F NOT 1 | THREADING MACHINES: PIPE AND BOLT, POWER DRIVEN (BENCH AND FLOOR TYPE) (NO S/S DOCUMENT) [CUST: AL YD1 GS] [REVIEW: MC SH] | A 3419 | / | GS | 08-APR-98 |
| OO-D-1390B(3) NOT 1 | DISHWASHING MACHINES, SINGLE TANK (RACK, MANUAL AND CONVEYOR) AND DOUBLE TANK (RACK, CONVEYOR), COMMERCIAL (NO S/S DOCUMENT) [CUST: GL YD1 99] [REVIEW: 84 GS MC MD MS SA SH] | A 7320 | / | YD1 | 16-MAR-98 |
| OO-D-2747 NOT 1 | DITCHING MACHINES, BOOM TYPE; CRAWLER-MOUNTED, GED AND DED (S/S BY A-A-59216) [CUST: YD1] [REVIEW: 99 CE CR4] | A 3895 | / | YD1 | 18-MAY-98 |
| OO-C-2763 NOT 1 | CRANES, HYDRAULIC, CARRIER MOUNTED (S/S BY A-A-59218) [CUST: YD1] [REVIEW: MC] | A 3810 | / | YD1 | 18-MAY-98 |
| OO-C-2764(1) NOT 1 | CRANES, CRAWLER MOUNTED, COMMERCIAL, DED (NO S/S DOCUMENT) [CUST: YD1 99] [REVIEW: 84 CC MC] | A 3810 | / | YD1 | 30-OCT-97 |
| OO-D-2765 NOT 1 | DITCHING MACHINES; LADDER-TYPE, LIGHT DUTY, 4-WHEEL-DRIVE, PNEUMATIC-TIRED, GED OR DED (S/S BY A-A-59217) [CUST: YD1] | A 3805 | / | YD1 | 18-MAY-98 |
| OO-A-2775 NOT 1 | AUGER, EARTH, PORTABLE; HAND-HELD TWO-MAN GASOLINE ENGINE DRIVEN (S/S BY A-A-59144) [CUST: YD1] | A 3820 | / | YD1 | 12-JAN-98 |
| OO-I-2795 NOT 1 | ICE CREAM PLANT (NO S/S DOCUMENT) [CUST: YD1] [REVIEW: GS MC MS] | A 4120 | / | YD1 | 15-APR-98 |
| OO-S-2797 NOT 1 | SWEEPER, PERMANENT MAGNET, ROAD, TOWED (S/S BY A-A-59245) [CUST: YD1 99] [REVIEW: 84 CC MC] | A 3830 | / | YD1 | 16-JUN-98 |
| OO-C-2817 NOT 1 | CENTRAL MIX PLANT, CONCRETE, MOBILE, 150 CUBIC YARDS PER HOUR CAPACITY (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 84 CC] | A 3895 | / | YD1 | 08-AUG-97 |
| OO-C-2818 NOT 1 | CONCRETE SPRAYING MACHINE, MIX-ELEVATOR TYPE UNIT, TRAILER MOUNTED (NO S/S DOCUMENT) [CUST: YD1] | A 3895 | / | YD1 | 08-AUG-97 |
| OO-C-2840 NOT 1 | CONCRETE PLANT, MOBILE, SEMITRAILER MOUNTED, VOLUMETRIC PROPORTIONING AND CONTINUOUS MIXING (NO S/S DOCUMENT) [CUST: YD1] | A 3895 | / | YD1 | 08-AUG-97 |
| OO-S-2771 NOT 1 | SCRAPER-TRACTORS: EARTH MOVING, HYDRAULIC OPERATED, 12 AND 20 CUBIC YARD MINIMUM HEAPED CAPACITY, DED (S/S BY A-A-59243) [CUST: YD1] [REVIEW: 84 99 CC CR4] | A 3805 | / | YD1 | 16-JUN-98 |
| OO-E-2772 NOT 1 | EXCAVATORS, CRAWLER MOUNTED, DED, HYDRAULICALLY OPERATED (S/S BY A-A-59242) [CUST: YD1] | A 3805 | / | YD1 | 16-JUN-98 |
| OO-D-2776 NOT 1 | DRILL, PNEUMATIC DRIFTER, SELF-PROPELLED, CRAWLER MOUNTED (TRACK DRILL) (S/S BY A-A-59244) [CUST: CR4 YD1 99] [REVIEW: 84 AT CC MC] | A 3820 | / | YD1 | 16-JUN-98 |
| PP-B-81J(1) NOT 1 | BACON, SLICED, CHILLED OR FROZEN (NO S/S DOCUMENT) [CUST: GL SA 50 FV] [REVIEW: MC MD QM SS] | A 8905 | * | FV | 30-SEP-96 |
| QQ-A-200E(1) NOT 4 | ALUMINUM ALLOY, BAR, ROD, SHAPES, STRUCTURAL SHAPES, TUBE AND WIRE, EXTRUDED; GENERAL SPECIFICATION FOR (REFER TO ASTM-B241, ASTM-B221, ASTM-B308 AND SAE-AMS-QQ-A-200) [CUST: MR AS 11 IS] [REVIEW: 99 AR CR EA EC MC ME MI OS SH YD1] | A 9530 | / | IS | 07-APR-98 |
| QQ-A-225G NOT 1 | ALUMINUM AND ALUMINUM ALLOY BAR, ROD, WIRE, OR SPECIAL SHAPES; ROLLED, DRAWN, OR COLD FINISHED; GENERAL SPECIFICATION FOR (S/S BY ASTM-B211 AND SAE-AMS-QQ-A-225) [CUST: MR AS 11 IS] [REVIEW: 99 AR CR EA EC MC SH] | A 9525 | / | IS | 07-APR-98 |
| QQ-A-250F NOT 1 | ALUMINUM AND ALUMINUM ALLOY PLATE AND SHEET, GENERAL SPECIFICATION FOR (S/S BY ASTM-B209 AND SAE-AMS-QQ-A-250) [CUST: MR AS 11 IS] [REVIEW: AR CR4 MC MI OS SH YD1] | A 9535 | / | IS | 07-APR-98 |
| QQ-W-321/1 NOT 1 | WIRE, METAL, ROUND, NON-ELECTRICAL, COPPER ALLOY 240 (S/S BY ASTM-B134, B159, B159M, B206, B206M) [CUST: MR AS 99] [REVIEW: 84 AR AV CR4 EA IS MI SH] | A 9525 | / | MR | 20-OCT-97 |
| QQ-W-321/2 NOT 1 | WIRE, METAL, FLAT, NON-ELECTRICAL, COPPER ALLOY 240 (S/S BY ASTM-B134, B159, B159M, B206, B206M) [CUST: MR AS 99] [REVIEW: 84 AR AV CR4 EA IS MI SH] | A 9525 | / | MR | 20-OCT-97 |
| QQ-W-321/3 NOT 1 | BAR, METAL, FLAT, COPPER ALLOY 240 (S/S BY ASTM-B134, B159, B159M, B206, B206M) [CUST: MR AS 99] [REVIEW: 84 AR AV CR4 EA IS MI SH] | A 9530 | / | MR | 20-OCT-97 |
| QQ-W-321/4 NOT 1 | WIRE, METAL, FLAT, NON-ELECTRICAL, COPPER ALLOY 260 (S/S BY ASTM-B134, B159, B159M, B206, B206M) [CUST: MR AS 99] [REVIEW: 84 AR AV CR4 EA GL IS MI SH] | A 9525 | / | MR | 20-OCT-97 |
| QQ-W-321/5 NOT 1 | WIRE, METAL, ROUND, NON-ELECTRICAL, COPPER ALLOY 260 (S/S BY ASTM-B134, B159, B159M, B206, B206M) [CUST: MR AS 99] [REVIEW: 84 AR AV CR4 EA IS MI SH] | A 9525 | / | MR | 20-OCT-97 |
| QQ-W-321/6 NOT 1 | BAR, METAL, FLAT, COPPER ALLOY 260 (S/S BY ASTM-B134, B159, B159M, B206, B206M) [CUST: MR AS 99] [REVIEW: 84 AR AV CR4 EA IS MI SH] | A 9530 | / | MR | 20-OCT-97 |
| QQ-W-321/7 NOT 1 | WIRE, METAL, FLAT, NON-ELECTRICAL, COPPER ALLOY 270 (S/S BY ASTM-B134, B159, B159M, B206, B206M) [CUST: MR AS 99] [REVIEW: 84 AR AV CR4 EA IS MI SH] | A 9525 | / | MR | 20-OCT-97 |
| QQ-W-321/8 NOT 1 | WIRE, METAL, ROUND, NON-ELECTRICAL, COPPER ALLOY 270 (S/S BY ASTM-B134, B159, B159M, B206, B206M) [CUST: MR AS 99] [REVIEW: 84 AR AV CR4 EA IS MI SH] | A 9525 | / | MR | 20-OCT-97 |
| QQ-W-321/9 NOT 1 | BAR, METAL, FLAT, COPPER ALLOY 270 (S/S BY ASTM-B134, B159, B159M, B206, B206M) [CUST: MR AS 99] [REVIEW: 84 AR AV CR4 EA IS MI SH] | A 9530 | / | MR | 20-OCT-97 |
| QQ-W-321/10 NOT 1 | WIRE, METAL, ROUND, NON-ELECTRICAL, COPPER ALLOY 510 (S/S BY ASTM-B134, B159, B159M, B206, B206M) [CUST: MR AS 99] [REVIEW: 84 AR AV CR4 EA IS MI SH] | A 9525 | / | MR | 20-OCT-97 |
| RR-P-125B NOT 1 | PARTS CLEANING CAN, SAFETY, BENCH (S/S BY A-A-59211) [CUST: GL YD1 99] [REVIEW: CC CE MC] | A 4940 | / | YD1 | 18-MAY-98 |
| RR-R-330B NOT 1 | RING, LOOSE-LEAF BINDER (S/S BY A-A-125) [CUST: FSS] [REVIEW: GL] | A 7510 | % | FSS | 14-JUL-86 |

| Document Number | Document Title | Distribution FSC/Ave | MCA | Prep. Acty. | Date |
|-----------------------|--|-------------------------|-----|-------------|-----------|
| RR-F-621E NOT 1 | FRAMES, COVERS, GRATINGS, STEPS, SUMP AND CATCH BASIN, MANHOLE (S/S BY A-A-60005) [CUST: YD1 99] [REVIEW: 84 CE MC] | A 5680 | / | YD1 | 02-MAR-98 |
| RR-F-1256A NOT 1 | FRAME, CLOTH BASKET (FOLDING) (NO S/S DOCUMENT) [CUST: FSS] [REVIEW: 99 GL] | A 7240 | % | FSS | 10-NOV-97 |
| RR-P-1352C NOT 1 | PARTITIONS, TOILET, COMPLETE (S/S BY A-A-60003) [CUST: YD1 99] [REVIEW: CE CG CR4 MC SA] | A 5670 | / | YD1 | 22-AUG-97 |
| RR-D-2841 NOT 1 | DISPENSERS, BEVERAGE, MECHANICALLY REFRIGERATED (S/S BY ASTM-F918) [CUST: GL YD1 99] [REVIEW: 50 84 GS MC MD MS SA] | A 7310 | / | YD1 | 26-MAY-98 |
| SS-P-155D(3) NOT 1 | PENCIL AND LEAD, ELECTROGRAPHIC (S/S BY A-A-2666 AND A-A-1828) [CUST: FSS] [REVIEW: GL] | A 7510 | % | FSS | 12-MAR-98 |
| SS-P-155D(4) NOT 1 | PENCIL AND LEAD, ELECTROGRAPHIC (S/S BY A-A-2666 AND A-A-1828) [CUST: FSS] | A 7510 | # | FSS | 12-MAR-98 |
| SS-T-312B NOT 2 | TILE, FLOOR: ASPHALT, RUBBER, VINYL, AND VINYL-ASBESTOS (S/S BY ASTM-F1066 AND ASTM-F1700) [CUST: CE YD1 99] [REVIEW: CG MC] | A 7220 | / | YD1 | 31-MAR-98 |
| TT-P-32B NOT 1 | PAINT, BLACKBOARD COATING (NO S/S DOCUMENT) | A 8010 | # | FSS | 03-APR-98 |
| TT-P-95C(1) NOT 1 | PAINT, RUBBER, FOR SWIMMING POOLS AND OTHER CONCRETE AND MASONRY SURFACES (S/S BY A-A-3120) [CUST: FSS] [REVIEW: MD MR] | A 8010 | % | FSS | 05-SEP-97 |
| TT-S-179B(1) NOT 1 | SEALER SURFACE, PIGMENTED OIL, FOR PLASTER AND WALLBOARD (S/S BY A-A-2994) [REVIEW: YD1] | A 8010 | % | FSS | 03-APR-98 |
| TT-R-230B NOT 1 | REMOVER, PAINT (ALKALI-TYPE FOR HOT APPLICATION) (NO S/S DOCUMENT) [CUST: AV] [REVIEW: MD YD1] | A 8010 | % | AV | 25-MAR-98 |
| TT-E-508C(1) NOT 1 | ENAMEL, INTERIOR SEMIGLOSS, TINTS AND WHITES (S/S BY A-A-50574) [CUST: YD1 99] [REVIEW: CE MD MR SH] | A 8010 | % | FSS | 01-JUL-97 |
| TT-A-511E NOT 1 | AMYL ACETATE, TECHNICAL (S/S BY A-A-59132) [CUST: EA 68 GS] [REVIEW: AS MD1 OS SH] | A 6810 | / | GS | 30-JAN-98 |
| TT-C-535B(2) NOT 2 | COATING, EPOXY, TWO COMPONENT, FOR INTERIOR USE ON METAL, WOOD, WALLBOARD, PAINTED SURFACES CONCRETE AND MASONRY (S/S BY A-A-3126) [CUST: FSS] [REVIEW: YD1] | A 8010 | % | FSS | 09-FEB-98 |
| TT-T-548F NOT 1 | TOLUENE, TECHNICAL (S/S BY A-A-59107) [CUST: EA SH 68 GS] [REVIEW: AR DS MC MD1 MI OS] | A 6810 | / | GS | 09-SEP-97 |
| TT-W-571I(2) NOT 1 | WOOD PRESERVATION, TREATING PRACTICES (REFER TO AWPA BOOK OF STANDARDS) [CUST: CR4 84 IS] [REVIEW: AT CC MD SH] | A 5510 | % | IS | 22-AUG-97 |
| TT-W-00571J NOT 1 | WOOD PRESERVATION, TREATING PRACTICE (REFER TO AWPA BOOK OF STANDARDS) [CUST: 84 IS] | A 5510 | % | IS | 22-AUG-98 |
| TT-P-1536A NOT 1 | PLUMBING FIXTURE SETTING COMPOUND (S/S BY A-A-3110) | A 8030 | # | FSS | 10-JUL-97 |
| TT-C-1796A NOT 1 | CALKING COMPOUNDS, METAL SEAM AND WOOD SEAM (S/S BY A-A-272) [REVIEW: CR4 YD1] | A 8030 | % | FSS | 02-APR-98 |
| UU-B-38B(3) NOT 1 | BAG, PAPER (HARDWARE) (S/S BY A-A-156) [REVIEW: 99 GL SH] | A 8105 | % | FSS | 15-FEB-85 |
| UU-C-95B(3) NOT 1 | CARD, GUIDE, FILE AND CARD SET, GUIDE, FILE (S/S BY A-A-3125 AND A-A-1802) [CUST: FSS] [REVIEW: GL] | A 7530 | % | FSS | 20-AUG-97 |
| UU-P-00175(1) NOT 1 | PAPER, CORRECTION (NO S/S DOCUMENT) [CUST: FSS] | A 7510 | # | FSS | 25-JUL-96 |
| UU-P-272C NOT 1 | PAPER, WRAPPING, FREEZER (POLYETHYLENE COATED) (S/S BY A-A-1245) [CUST: GL SA 99] [REVIEW: GS] | A 8135 | % | GL | 14-MAY-93 |
| UU-P-328J(2) NOT 1 | PAPER, MANIFOLD (S/S BY A-A-2987) [REVIEW: EA GL] | A 7530 | % | FSS | 10-JUL-97 |
| UU-B-338C NOT 1 | BINDER, LOOSE-LEAF, FLEXIBLE-TAPE-TYPE (NO S/S DOCUMENT) [CUST: FSS] | A 7510 | % | FSS | 07-OCT-97 |
| UU-E-522E(1) NOT 1 | ENVELOPE, MAILING (S/S BY A-A-1446) | A 7530 | % | FSS | 10-JUL-97 |
| UU-E-525A NOT 1 | ENVELOPE, MAILING (RADIOGRAPHIC FILM) (S/S BY A-A-1616) [CUST: GL SA 69] | A 7530 | / | SA | 27-MAR-98 |
| UU-P-546D(2) NOT 1 | PAPER, TABULATING MACHINE CONTINUOUS FLAT FOLD (S/S BY A-A-3102) [CUST: GL 99] | A 7530 | % | GL | 28-FEB-97 |
| UU-W-1231 NOT 1 | WRAPPER, STENCIL FILING (S/S BY A-A-57) [CUST: FSS] | A 7530 | # | FSS | 05-MAR-98 |
| UU-T-001665(1) NOT 1 | TAB, INDEX, PRESSURE SENSITIVE, TRANSPARENT (S/S BY A-A-3103) [CUST: FSS] | A 7510 | # | FSS | 02-JAN-97 |
| UU-F-1762(4) NOT 1 | FOLDER, FILE, FOLLOW-UP AND INNER (S/S BY A-A-3073) [CUST: GL SA 99 FSS] | A 7530 | % | FSS | 04-DEC-97 |
| UU-F-2792 NOT 1 | FOLDER, FILE (DEPARTMENT OF VETERANS AFFAIRS) AND INDEX SHEET SET, FOLDER, FILE (DEPARTMENT OF VETERANS AFFAIRS) (NO S/S DOCUMENT) | A 7530 | % | FSS | 12-MAR-98 |
| VV-B-680C | BRAKE FLUID, AUTOMOTIVE (S/S BY SAE-J1703) [CUST: AT YD1 68] [REVIEW: AT GS MC MI OS PS SA] | A 9150 | / | AT | 05-MAY-89 |
| VV-C-850A(1) NOT 1 | CUTTING FLUIDS, SULFURIZED FATTY AND MINERAL OILS (NO S/S DOCUMENT) [CUST: MI 68 GS] [REVIEW: CE PS] | A 9150 | / | GS | 27-MAR-98 |
| WW-C-621G NOT 1 | COUPLING ASSEMBLY, HOSE (FIRE, WOVEN-JACKETED, RUBBER- OR FABRIC-LINED AND UNLINED) (S/S BY A-A-59227) [CUST: CR4 YD1 99] [REVIEW: AR CC CG MC SH] | A 4210 | / | YD1 | 18-MAY-98 |
| WW-F-2849 NOT 1 | FILTERS, FLUID, PRESSURE, FEEDWATER (S/S BY A-A-59249) [CUST: YD1] [REVIEW: CC] | A 4330 | / | YD1 | 16-JUN-98 |
| WW-V-35C NOT 2 | VALVE, BALL (S/S BY MSS SP-72 AND MSS SP-110) [CUST: YD1] [REVIEW: CC] | A 4820 | / | YD1 | 30-JUN-98 |
| ZZ-M-43A NOT 1 | MAT, FLOOR (FOR CHAIR) (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 16-OCT-97 |
| ZZ-M-46C NOT 1 | MAT, FLOOR (LINK-TYPE) S/S BY A-A-2854 [CUST: FSS] | A 7220 | # | FSS | 07-OCT-97 |
| ZZ-M-71F NOT 1 | MATTING, RUBBER AND VINYL (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 16-OCT-97 |
| ZZ-M-81C NOT 1 | MATTING, RUBBER & PLASTIC (SPECIAL, DIELECTRIC) (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 09-AUG-84 |
| ZZ-C-450C NOT 2 | CLOTH, COATED (RUBBER AND PLASTIC) AND PLASTIC SHEETING FOR HOSPITAL USE (NO S/S DOCUMENT) [CUST: GL NU 45 CT] [REVIEW: 99 CG MD] | A 8305 | / | CT | 22-JUL-97 |
| ZZ-H-461E NOT 2 | HOSE AND HOSE ASSEMBLY, RUBBER, GAS (ACETYLENE HYDROGEN, AIR AND OXYGEN) (S/S BY RMA IP-7 AND CGA-E1) [CUST: YD1 99 CT] [REVIEW: AR CS GL MC ME MI SH] | A 4720 | / | CC | 16-SEP-97 |
| ZZ-M-001033 NOT 1 | MATTING FLOOR, RUBBER, APERTURE SURFACE (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 09-AUG-84 |
| ZZ-T-001237 | TREAD, STAIR, FLEXIBLE AND SEMI-RIGID TYPE RUBBER AND VINYL (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 16-OCT-97 |
| ZZ-M-1538B | MAT, FLOOR: PLASTIC (FOR CHAIRS) (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 16-OCT-97 |
| ZZ-C-001597A NOT 1 | CONDOM, RUBBER CONTRACEPTIVE (S/S BY A-A-50972) [CUST: FSS] | A 6515 | # | FSS | 21-NOV-97 |
| ZZ-H-451G NOT 1 | HOSE, FIRE, WOVEN JACKETED RUBBER- OR LATEX OR RUBBER COATED FABRIC LINED, WITH COUPLINGS (S/S BY A-A-59226) [CUST: CR4 YD1 99] [REVIEW: CC CG MC SH] | A 4210 | / | YD1 | 18-MAY-98 |
| CCC-C-442E NOT 1 | CLOTH, DUCK, COTTON, BLEACHED (NO S/S DOCUMENT) [CUST: GL NU CT] [REVIEW: MD] | A 8305 | / | CT | 22-JUL-97 |
| CCC-C-1798 NOT 2 | CLOTH, COATED COTTON, PLASTIC COATED TICKING (NO S/S DOCUMENT) [CUST: GL SA CT] [REVIEW: 13 MD MS] | A 8305 | / | CT | 09-MAR-98 |
| DDD-P-56G NOT 1 | PAD, MATTRESS, POLYESTER BATTING, QUILTED, FLAT OR FITTED (S/S BY A-A-3148) [CUST: GL NU 99 CT] [REVIEW: 45 82 MC MD] | A 7210 | % | CT | 14-JAN-98 |
| DDD-C-95 NOT 1 | CARPETS AND RUGS, WOOL, NYLON, ACRYLIC, MODACRYLIC (NO S/S DOCUMENT) [CUST: GL YD1 69] [REVIEW: MD] | A 7220 | % | GL | 05-MAR-98 |
| DDD-M-156E NOT 1 | MAT, FLOOR, (COIR FIBER) (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 07-OCT-97 |
| DDD-R-250E(6) NOT 1 | RIBBON, ACCOUNTING MACHINE (S/S BY A-A-420) [CUST: FSS] [REVIEW: GL] | A 7510 | % | FSS | 12-MAR-98 |
| DDD-R-00255(1) NOT 1 | RIBBON, ADDRESS PLATE MACHINE (NO S/S DOCUMENT) [CUST: FSS] | A 7510 | % | FSS | 12-MAR-98 |
| DDD-A-616G NOT 2 | APRON, FOOD HANDLERS' (S/S BY A-A-3105) [CUST: GL NU 99 CT] [REVIEW: 45 MC MD MS YD1] | A 8415 | / | CT | 05-JAN-98 |
| DDD-C-001023(1) NOT 1 | CUSHION, CARPET AND RUG (HAIR FELT AND RUBBER COATED JUTE AND ANIMAL HAIR OR FIBER) (NO S/S DOCUMENT) [CUST: FSS] [REVIEW: YD1] | A 7220 | # | FSS | 05-MAR-98 |
| DDD-C-001173(1) NOT 1 | CARPET, NONWOVEN, POLYPROPYLENE, OUTDOOR-INDOOR TYPE (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 05-MAR-98 |
| DDD-M-001370 NOT 1 | MAT, FLOOR, CELLULOSIC PILE YARNS, FLAME RETARDANT (RENTAL SERVICE) (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 05-MAR-98 |
| DDD-C-001559(1) NOT 1 | CARPET, LOOP, LOW PILE HEIGHT, HIGH DENSITY, WOVEN OR TUFTED WITH ATTACHED CUSHIONING (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 05-MAR-98 |

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Doc. Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prop. Acty. | Date |
|-------------|-----------------------|---|--------------------------|-----|-------------|-----------|
| | DDD-C-001799 NOT 1 | CARPET, SQUARES, PILE SURFACE, TILE TYPE, WITH OR WITHOUT ATTACHED CUSHION (NO S/S DOCUMENT) [CUST: FSS] | A 7220 | # | FSS | 05-MAR-98 |
| | GGG-T-0030 NOT 1 | TACKER, STAPLE (COMPRESSION TYPE, MANUALLY OPERATED FOR ROUND CROWNED STAPLES) AND STAPLE, TACKER (ROUND CROWNED) (NO S/S DOCUMENT) [CUST: FSS] | A 5120 | # | FSS | 09-JAN-98 |
| | GGG-J-65A NOT 1 | JOINTER, BRICK (NO S/S DOCUMENT) [CUST: FSS] | A 5120 | % | FSS | 28-AUG-97 |
| | GGG-S-113A NOT 1 | SCRAPER, BEARING (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: 84] | A 5110 | * | GL | 27-JAN-98 |
| | GGG-S-116C NOT 1 | SCRAPERS, SHIP, (PAINT AND SCALE REMOVING) (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: 84 MC] | A 5110 | * | GL | 06-FEB-98 |
| | GGG-S-118B NOT 1 | SCRAPER, WOOD AND GLASS (NO S/S DOCUMENT) [CUST: GL SH 99 FSS] [REVIEW: 84] | A 5110 | * | FSS | 27-JAN-98 |
| | GGG-H-135 NOT 1 | HAWK, PLASTERER'S (S/S BY A-A-3016) [CUST: FSS] | A 5120 | # | FSS | 13-JAN-98 |
| | GGG-C-137A NOT 1 | CAP, VISE JAW (S/S BY A-A-2938) [CUST: GL SH 99 FSS] [REVIEW: MC] | A 5120 | * | FSS | 05-DEC-95 |
| | GGG-N-185A NOT 1 | NEEDLE, CABLE LACING (NO S/S DOCUMENT) [CUST: FSS] | A 5120 | # | FSS | 25-FEB-98 |
| | GGG-S-190A NOT 1 | SEAMER SHEET METAL, HAND (NO S/S DOCUMENT) [CUST: FSS] | A 5120 | # | FSS | 28-AUG-97 |
| | GGG-H-211D(1) NOT 1 | HELMETS, WELDERS'; HANDSHIELD, WELDING; AND PLATES, WELDING (S/S BY ANSI-Z87.1) [CUST: SH 99 GS] [REVIEW: 84 YD1] | A 4240 | / | GS | 08-AUG-97 |
| | GGG-W-301B NOT 1 | WHEEL, BUFFING AND POLISHING (S/S BY A-A-51175) [CUST: AS 11 GS] [REVIEW: 69 MR] | A 3460 | / | GS | 02-APR-98 |
| | GGG-F-331B(12) NOT 2 | FILE, HAND (SWISS PATTERN) (NO S/S DOCUMENT) [CUST: SH] | A 5110 | / | SH | 17-SEP-97 |
| | GGG-P-00340A NOT 1 | PIN STRAIGHTENER, ELECTRON TUBE (NO S/S DOCUMENT) [CUST: FSS] | A 5120 | # | FSS | 27-AUG-97 |
| | GGG-D-351F NOT 1 | DIVIDER, MECHANICS (NO S/S DOCUMENT) [CUST: FSS] [REVIEW: GL] | A 5210 | % | FSS | 18-FEB-98 |
| | GGG-B-376B NOT 1 | BIT, SCREW-DRIVER, (TAPERED SQUARE SHANK, FLAT TIP AND CROSS TIP) (NO S/S DOCUMENT) [CUST: GL SH 99] [REVIEW: AR CR MC YD1] | A 5120 | * | GL | 27-MAR-98 |
| | GGG-K-484C NOT 1 | KNIFE, POCKET, (HEAVY DUTY) (NO S/S DOCUMENT) [CUST: FSS] | A 5110 | # | FSS | 19-DEC-97 |
| | GGG-K-00484D(1) NOT 1 | KNIFE, POCKET, (HEAVY DUTY) (NO S/S DOCUMENT) [CUST: FSS] | A 5110 | # | FSS | 19-DEC-97 |
| | GGG-K-494C NOT 1 | KNIVES, GENERAL PURPOSE SHOP, DETACHABLE BLADE (NO S/S DOCUMENT) [CUST: FSS] | A 5110 | # | FSS | 19-NOV-97 |
| | GGG-T-558/1C NOT 1 | TOOL BOX PORTABLE (UNIVERSAL TYPE) (NO S/S DOCUMENT) [CUST: GL 99] [REVIEW: AR AT AV CR4 MC MD YD1] | A 5140 | * | FSS | 17-MAR-98 |
| | GGG-S-00625 NOT 1 | SPOON, BODY AND FENDER (NO S/S DOCUMENT) [CUST: FSS] | A 5120 | # | FSS | 23-FEB-98 |
| | GGG-D-00643A NOT 1 | DRIFTPIN (DOUBLE TAPER) (NO S/S DOCUMENT) [CUST: FSS] | A 5120 | # | FSS | 08-DEC-97 |
| | GGG-D-647A NOT 1 | DRILL BLANKS AND DRILL BLANK SETS (NO S/S DOCUMENT) [REVIEW: GL] | A 5133 | % | FSS | 26-MAR-98 |
| | GGG-G-690B NOT 1 | GROOVERS, EDGERS, AND CORNER TOOLS - CONCRETE, HAND (NO S/S DOCUMENT) [CUST: FSS] | A 5120 | # | FSS | 05-JAN-98 |
| | GGG-G-00695A(1) NOT 1 | GROOVER, SHEET METAL, HAND (NO S/S DOCUMENT) [CUST: FSS] | A 5120 | # | FSS | 15-DEC-97 |
| | GGG-C-748D NOT 1 | CUTTER, CIRCLE (ADJUSTABLE); FOR GASKETS AND WASHERS (NO S/S DOCUMENT) [CUST: FSS] | A 5110 | * | FSS | 24-FEB-98 |
| | GGG-P-00788 NOT 1 | PULLER, MECHANICAL, WATCH AND CLOCK HAND (NO S/S DOCUMENT) [CUST: FSS] | A 5120 | # | FSS | 08-DEC-97 |
| | GGG-H-001347 NOT 1 | HOT LINE STICKS (NO S/S DOCUMENT) [CUST: FSS] | A 5120 | # | FSS | 28-JAN-98 |
| | GGG-B-001351 NOT 1 | BROACH, JEWELER S AND PIVOT (NO S/S DOCUMENT) [CUST: FSS] | A 5110 | # | FSS | 09-DEC-97 |
| | GGG-S-1808 NOT 1 | SCREWDRIVER, JEWELERS, (SWIVEL KNOB, INTERCHANGEABLE BLADES) (S/S BY A-A-3152) [CUST: FSS] [REVIEW: GL] | A 5120 | % | FSS | 08-JAN-98 |
| | GGG-T-2761 NOT 1 | TONGS, MATERIAL LIFTING, PIPE (S/S BY A-A-59228) [CUST: CR4 YD1] [REVIEW: GS SH] | A 3940 | / | YD1 | 18-MAY-98 |
| | GGG-C-2773 NOT 1 | CYLINDER RECONDITIONING AND CORRECTION EQUIPMENT: PORTABLE (NO S/S DOCUMENT) [CUST: GL YD1 99] [REVIEW: 84 CR4] | A 5110 | / | YD1 | 19-DEC-97 |
| | GGG-E-2814 NOT 1 | ETCHERS, ELECTRIC, PORTABLE (NO S/S DOCUMENT) [CUST: FSS] | A 5130 | # | FSS | 02-SEP-97 |
| | GGG-D-2782 NOT 1 | DRIVE, POWER, PORTABLE; FOR PIPE AND BOLT THREADING, ELECTRIC (WITH ACCESSORIES) (S/S BY A-A-59247) [CUST: AL YD1 99] [REVIEW: 84 GS MC] | A 3450 | / | YD1 | 16-JUN-98 |
| | JJJ-A-20 NOT 1 | ACACIA, TECHNICAL (GUM ARABIC) (NO S/S DOCUMENT) [CUST: AR AS 68 GS] [REVIEW: EA] | A 6810 | / | GS | 10-APR-98 |
| | JJJ-C-86A NOT 2 | CASTOR OIL, TECHNICAL (S/S BY ASTM-D960) [CUST: MR SH 68 GS] [REVIEW: AS EA MC MI OS YD1] | A 9150 | / | GS | 22-SEP-97 |
| | KKK-L-1086D NOT 1 | LOADER, SCOOP TYPE, FULL TRACKED (S/S BY A-A-59154) [CUST: CR4 YD1 99] [REVIEW: 84 AT CC CR MC] | A 3805 | / | YD1 | 28-FEB-98 |
| | KKK-S-2766 NOT 1 | SEMITRAILERS, TILT DECK: COMMERCIAL (NO S/S DOCUMENT) [CUST: AT YD1 99] [REVIEW: 84 CR4 MC] | A 2330 | / | YD1 | 21-NOV-97 |
| | KKK-S-2768 NOT 1 | SEMITRAILERS, BOLSTER, COMMERCIAL, POLE TYPE, 2 TO 20 TONS (NO S/S DOCUMENT) [CUST: AT YD1 99] | A 2330 | / | YD1 | 18-NOV-97 |
| | KKK-S-2769 NOT 1 | SEMITRAILERS, STAKE; COMMERCIAL (NO S/S DOCUMENT) [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2330 | / | YD1 | 17-FEB-98 |
| | KKK-D-2778 NOT 1 | DISTRIBUTORS, WATER TANK, TRUCK MOUNTED FRONT AND REAR SPRAY (S/S BY A-A-59241) [CUST: YD1] | A 3825 | / | YD1 | 16-JUN-98 |
| | KKK-S-2806 NOT 1 | SEMITRAILER, BOTTOM DUMP, 18 CUBIC YARD MINIMUM CAPACITY (NO S/S DOCUMENT) [CUST: YD1] | A 2330 | / | YD1 | 18-NOV-97 |
| | KKK-T-2807 NOT 1 | TRUCKS, LUBRICATING AND FUEL SERVICING 4 BY 2 AND 4 BY 4 (NO S/S DOCUMENT) [CUST: AT YD1] [REVIEW: MC] | A 2320 | / | YD1 | 30-SEP-97 |
| | KKK-E-2808 NOT 1 | EXCAVATOR, MULTIPURPOSE, TRUCK MOUNTED, TWO CABS (S/S BY A-A-59250) [CUST: AT YD1 99] [REVIEW: 84 CC MC] | A 3805 | / | YD1 | 16-JUN-98 |
| | KKK-E-2810 NOT 1 | EXCAVATOR, MULTIPURPOSE, WHEEL-UNDERCARRIAGE DIESEL-ENGINE-DRIVEN (S/S BY A-A-59251) [CUST: AT YD1 99] [REVIEW: 84] | A 3805 | / | YD1 | 16-JUN-98 |
| | KKK-T-2819 NOT 1 | TRUCK, CLEANER, CATCH BASIN, VACUUM-PRESSURE JET, DED (NO S/S DOCUMENT) [CUST: YD1] | A 2320 | / | YD1 | 19-NOV-97 |
| | KKK-T-2820 NOT 1 | TRUCKS, TIRE SERVICING; 10,000 POUNDS GROSS VEHICLE WEIGHT, 4 BY 2 AND 4 BY 4 (NO S/S DOCUMENT) [CUST: YD1] | A 2320 | / | YD1 | 04-NOV-97 |
| | KKK-S-2850 NOT 1 | SEMITRAILERS, TANK: GASOLINE AND FUEL OIL, COMMERCIAL (NO S/S DOCUMENT) [CUST: AT YD1] [REVIEW: MC] | A 2330 | / | YD1 | 18-NOV-97 |
| | KKK-S-2851 NOT 1 | SEMITRAILERS, REFUSE COLLECTION, COMPACTION TYPE: COMMERCIAL (NO S/S DOCUMENT) [CUST: AT YD1 99] [REVIEW: 84 MC] | A 2330 | / | YD1 | 19-DEC-97 |
| | LLL-R-626D NOT 2 | ROSINS: GUM, WOOD, AND TALL OIL (S/S BY A-A-59142) [CUST: EA OS 68 GS] [REVIEW: MD1 MI] | A 6810 | / | GS | 21-JAN-98 |
| | MMM-A-00150B NOT 1 | ADHESIVE FOR ACOUSTICAL MATERIALS (NO S/S DOCUMENT) [CUST: FSS] | A 8040 | # | FSS | 05-AUG-96 |
| | MMM-A-179B NOT 2 | ADHESIVE: PAPER LABEL (S/S BY A-A-3006) [CUST: MR AS 99] [REVIEW: 69 AR CE CR GL MI OS SA SH SM YD1] | A 8040 | / | MR | 11-MAR-98 |
| | MMM-A-1993A | ADHESIVE, EPOXY, SAND-FILLED (FOR REPAIRING, SEALING, AND GROUTING CONCRETE) (S/S BY A-A-3098) [CUST: FSS] | A 8040 | % | FSS | 14-OCT-97 |
| | MMM-A-137D NOT 2 | ADHESIVE, RESILIENT FLOORING (WATER SOLUBLE) (S/S BY A-A-3139) [CUST: MR YD1 99] | A 8040 | * | MR | 23-FEB-98 |
| | PPP-B-15C NOT 1 | BAG AND ENVELOPE, CELLOPHANE, FOR PACKAGING (S/S BY A-A-1247) [CUST: GL SA 69] [REVIEW: MC MD SH SM] | A 8105 | * | GL | 27-MAR-91 |
| | PPP-P-0015D(5) NOT 1 | PACKAGING AND PACKING OF STORAGE CABINETS, WARDROBES AND CLOTHING LOCKERS, METAL (NO S/S DOCUMENT) [CUST: FSS] | A PACK | # | FSS | 05-MAR-98 |
| | PPP-B-23B NOT 1 | BAG, MOTION SICKNESS (S/S BY A-A-871) [CUST: GL SA 69] [REVIEW: 99 MB MD MS] | A 8105 | / | 69 | 10-NOV-92 |
| | PPP-B-640D(16) NOT 2 | BOXES, FIBERBOARD, CORRUGATED, TRIPLE-WALL (NO S/S DOCUMENT) [CUST: SA] | A 8115 | / | SA | 17-SEP-97 |
| | PPP-D-732D | DRUM, METAL, 55 GALLON RECONDITIONED (FOR SHIPMENT OF NONCORROSIVE MATERIAL) [CUST: FSS] | A 8110 | # | FSS | 14-APR-76 |
| | PPP-C-795C(11) NOT 2 | CUSHIONING MATERIAL, PACKAGING (FLEXIBLE CLOSED CELL PLASTIC FILM FOR LONG SHIPPING CYCLE APPLICATIONS) (NO S/S DOCUMENT) [CUST: SA] | A 8135 | / | SA | 17-SEP-97 |
| | PPP-B-1087B NOT 1 | BAG, COTTON DUCK (SOIL AND GRAIN) (S/S BY A-A-3124) [CUST: FSS] | A 8105 | # | FSS | 13-JUL-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING
FEDERAL SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|----------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| | PPP-P-1260B NOT 1 | PLYWOOD, PACKAGING, PACKING, AND MARKING OF (S/S BY A-A-55057) [CUST: AS 99 FSS] [REVIEW: CC OS SM] | A 5530 | * | FSS | 21-NOV-97 |
| | PPP-C-1752D(3) NOT 1 | CUSHIONING MATERIAL, PACKAGING, POLYETHYLENE FOAM (S/S BY A-A-59135 AND A-A-59136) [CUST: GL AS 69 CC] [REVIEW: 70 71 80 84 AR MI OS SA SH SM] | A 8135 | / | 69 | 28-OCT-97 |
| | PPP-C-1842B NOT 1 | CUSHIONING MATERIAL, FLEXIBLE OPEN CELL PLASTIC FILM (FOR PACKAGING APPLICATIONS) (S/S BY A-A-3129) [CUST: FSS] [REVIEW: 99 AR AS AV CR CR4 SM] | A 8135 | # | FSS | 06-OCT-97 |
| | PPP-S-1853 NOT 1 | SKIDS, WOOD WITH CAPS (NO S/S DOCUMENT) [CUST: GL SA 99] [REVIEW: GS SM] | A 3990 | * | GL | 01-JUN-90 |
| | PPP-P-1892 NOT 1 | PAINT, VARNISH, LACQUER, AND RELATED MATERIALS: PACKAGING, PACKING, AND MARKING OF (NO S/S DOCUMENT) [CUST: AS 84 FSS] [REVIEW: YDI] | A PACK | * | FSS | 21-NOV-97 |
| | PPP-P-1899(1) NOT 1 | PREPARATION FOR DELIVERY REQUIREMENTS FOR TABLES, STEEL, GENERAL OFFICE (NO S/S DOCUMENT) [CUST: FSS] | A PACK | # | FSS | 05-MAR-98 |

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|----------------------|---|--------------|-----|-------------|--|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | | |
| | FED-STD-129 | BALLAST, LAMP, FLUORESCENT [CUST: IS] | A 6250 | * | IS | | 26-SEP-58 |
| | FED-STD-186 NOT 1 | MARKING OF VALVES, FITTINGS, FLANGES, AND UNIONS USED IN NUCLEAR REACTOR SYSTEMS (NO S/S DOCUMENT) [CUST: FSS] | A MISC | # | FSS | | 21-NOV-97 |
| | FED-STD-00186B NOT 1 | MARKING OF VALVES, FITTINGS, FLANGES, AND UNIONS USED IN NUCLEAR REACTOR SYSTEMS (NO S/S DOCUMENT) [CUST: FSS] | A MISC | # | FSS | | 21-NOV-97 |
| | FED-STD-237A | LAMP, INCANDESCENT (10-300 WATT) [CUST: ME SH 99 IS] | A 6240 | * | IS | | 28-JAN-66 |
| | FED-STD-255B NOT 1 | MOUNT, FILM SLIDE, PHOTOGRAPHIC (OVERHEAD PROJECTOR) (NO S/S DOCUMENT) [CUST: CR AS 99] [REVIEW: GS] | A 6750 | * | CR | | 03-SEP-97 |
| | FED-STD-262 | LIGHT, DESK [CUST: IS] | A 6230 | * | IS | | 26-APR-67 |
| | FED-STD-359 NOT 1 | TAPE, VIDEO, MAGNETIC, RECORDING, FORMATS FOR (NO S/S DOCUMENT) [CUST: CR EC 80] | A 5820 | * | CR | | 03-SEP-97 |
| | FED-STD-360 NOT 2 | CARTRIDGE, CO PLANAR, MAGNETIC, TYPE CPII (COMPACT CASSETTE), AUDIO VISUAL USE OF (NO S/S DOCUMENT) [CUST: CR EC 99] [REVIEW: AS AV MI] | A 5835 | * | CR | | 03-SEP-97 |
| | FED-STD-361 NOT 1 | TAPE, AUDIO, MAGNETIC, 1/4 INCH, RECORDING FORMATS FOR (NO S/S DOCUMENT) [CUST: CR EC 99] [REVIEW: AS AV MI TD] | A 5835 | * | CR | | 03-SEP-97 |
| | FED-STD-362 NOT 1 | MOTION PICTURE FORMAT, SOUND, 16 MILLIMETER (NO S/S DOCUMENT) [CUST: CR AS 99] [REVIEW: AV GS MI TD] | A 6730 | * | CR | | 03-SEP-97 |
| | FED-STD-363 NOT 1 | FILMSTRIP, PHOTOGRAPHIC, SUPER 8 MILLIMETER, FORMAT FOR (NO S/S DOCUMENT) [CUST: CR AS 99] [REVIEW: AV GS MI TD] | A 6770 | * | CR | | 03-SEP-97 |

CANCELED SECTION

DODISS NUMERICAL LISTING QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|-------------------------|--|--------------|-------|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| | QPL-4751-9 NOT 1 | CASTER, RIGID AND SWIVEL, PRECISION HEAVY DUTY, AND SHOCK ABSORBING (NO S/S DOCUMENT) | A 5340 | IS | | 05-SEP-97 |
| | QPL-5545-16 NOT 1 | CORROSION PREVENTIVE, AIRCRAFT ENGINE, HEAVY OIL TYPE (NO S/S DOCUMENT) | A 6850 | GS | | 29-SEP-97 |
| | QPL-10036-12 NOT 1 | RUST ARRESTING COATING (FOR TREATMENT OF RUSTED METAL) (NO S/S DOCUMENT) | A 8030 | MR | | 24-APR-98 |
| | QPL-14823-25 NOT 1 | STOP WATCH, MILITARY, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) | A 6645 | GS | | 04-NOV-97 |
| | QPL-24105-1 NOT 2 | CONVERTER, SYNCHRO SIGNAL (PANEL MOUNTED) (NO S/S DOCUMENT) | A 6125 | SH | | 29-AUG-97 |
| | QPL-24654 NOT 2 | COATINGS, EPOXY, POTABLE WATER TANKS (METRIC) (NO S/S DOCUMENT) | A 8010 | SH | | 07-APR-98 |
| | QPL-25091-7 | INDICATOR, CABIN AIR PRESSURE, PRESSURIZED AIRCRAFT, 1-7/8 INCH DIAL, TYPE MA-2 | A 6685 | 82 | | 29-OCT-84 |
| | QPL-25135-17 NOT 1 | INSPECTION MATERIALS, PENETRANTS (S/S BY QPL-AMS-2644) | A 6850 | 11 | | 13-MAR-98 |
| | QPL-25677-9 NOT 1 | NOZZLE, PRESSURE LUBRICATING OIL SERVICING, LOCKING (NO S/S DOCUMENT) | A 4930 | CC | | 18-AUG-95 |
| | QPL-26220-20(1) NOT 1 | BATTERIES, STORAGE, AIRCRAFT, NICKEL-CADMIUM, GENERAL SPECIFICATIONS FOR (NO S/S DOCUMENT) | A 6140 | 80 | | 14-OCT-97 |
| | QPL-P-C-437-15 NOT 1 | CLEANING COMPOUND, HIGH PRESSURE (STEAM) CLEANER (NO S/S DOCUMENT) | A 6850 | / MR | | 12-DEC-97 |
| | QPL-W-R-242-18(1) NOT 1 | REELS AND HUBS FOR MAGNETIC RECORDING TAPE (NO S/S DOCUMENT) | A 5835 | / CC | | 13-FEB-98 |
| | QPL-AA-S-1518-4 NOT 1 | SAFE, TOOL RESISTANT, UNINSULATED, SECURITY (NO S/S DOCUMENT) | A 7110 | # FSS | | 23-AUG-89 |

DODISS NUMERICAL LISTING MILITARY HANDBOOKS

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|----------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| | MIL-HDBK-59B NOT 1 | CONTINUOUS ACQUISITION AND LIFE-CYCLE (CALS) SUPPORT IMPLEMENTATION GUIDE (NO S/S DOCUMENT) [CUST: CR SA 16 DH DO] [REVIEW: 01 02 04 08 11 13 17 19 27 68 70 71 79 80 82 99 AC2 AL AR AS AT CG CH DC DI EA EC IE IR LM MC MT NM NW OM PT TD YD1] | A ALSS | DO | | 10-SEP-97 |
| | MIL-HDBK-188 NOT 1 | GUIDE FOR DEVELOPERS AND USERS OF COMMUNICATIONS SYSTEMS STANDARDS IN THE MIL-STD-188 SERIES, VOLUME I - STANDARDS DEVELOPMENT AND USE/ORGANIZATIONAL RELATIONSHIPS AND VOLUME II - DETAILS CONCERNING STANDARDIZATION ORGANIZATION (NO S/S DOCUMENT) [CUST: EC 90] [REVIEW: AS CR MC OM] | A TCSS | DCI | | 17-JUN-96 |
| | MIL-HDBK-188/3 NOT 1 | GUIDE FOR DEVELOPERS AND USERS OF COMMUNICATIONS SYSTEMS STANDARDS IN THE MIL-STD-188 SERIES, VOLUME III - SELECTION GUIDE FOR PUBLISHED TELECOMMUNICATIONS-RELATED STANDARDS SPECIFICATION AND HANDBOOKS (NO S/S DOCUMENT) [CUST: CR EC 90] [REVIEW: AS CR MB MC YD1] | A TCSS | DCI | | 17-JUN-96 |
| | MIL-HDBK-253 NOT 1 | GUIDANCE FOR THE DESIGN AND TEST OF SYSTEMS PROTECTED AGAINST THE EFFECTS OF ELECTROMAGNETIC ENERGY (NO S/S DOCUMENT) [CUST: CR EC] | A EMCS | EC | | 23-JUN-97 |
| | MIL-HDBK-471 NOT 1 | MAINTAINABILITY VERIFICATION/DEMONSTRATION/EVALUATION (S/S BY MIL-HDBK-470) [CUST: SY AS 17] | A MNTY | 17 | | 04-AUG-97 |
| | MIL-HDBK-782 NOT 1 | SOFTWARE SUPPORT ENVIRONMENT ACQUISITION (S/S BY MIL-HDBK-1467) [CUST: AR SH 99] [REVIEW: AV] | A MCCR | AR | | 09-JAN-98 |

DODISS NUMERICAL LISTING
GUIDE SPECIFICATIONS

| Last Action | Document Number | Document Title | Distribution FSC/Area | MCA | Prep. Acty. | Date |
|-------------|-------------------|---|--------------------------|-----|-------------|-----------|
| | | | | | | |
| | AFGS-87211A NOT 1 | AIR DATA SYSTEMS (NO S/S DOCUMENT) [CUST: 11] | D 6610 | 11 | | 31-DEC-97 |
| | AFGS-87234A NOT 1 | PERSONAL PROTECTIVE EQUIPMENT, AIRCREW (S/S BY MIL-HDBK-87234) [CUST: 11] | A 8475 | 11 | | 14-FEB-97 |
| | AFGS-87253A NOT 1 | SYSTEM SPECIFICATION (NO S/S DOCUMENT) [CUST: 11] | D 15GP | 11 | | 31-MAR-98 |

DODISS NUMERICAL LISTING
AIR FORCE - NAVY AERONAUTICAL DOCUMENTS

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|----------------------------------|---|--------------|-----|-------------|-----------|
| | | | FSC/Avia | MCA | Prep. Acty. | |
| | AN5813 REV 2 NOT 1 | TUBE - PITOT, ELECTRICALLY HEATED (S/S BY SAE-AS5813) [CUST: AV AS] [REVIEW: 11] | A 6610 | AS | | 20-MAR-98 |
| | AN5823 REV 1 NOT 1 | CARD - COMPASS CORRECTION (S/S BY SAE-AS5823) [CUST: AV AS 11] [REVIEW: 99] | A 6610 | AS | | 20-MAR-98 |
| | AN6571 REV 5 NOT 1 | GRIP - PARACHUTE RIP CORD, TRAPEZODIAL (NO S/S DOCUMENT) [CUST: AS] | A 1670 | AS | | 13-AUG-97 |
| | AN156801THRUAN157100 REV 3 NOT 1 | STUD, STEPPED, DRILLED, 2 DIA ENGAGEMENT, .250-20 X .190-32 (NO S/S DOCUMENT) [CUST: AV AS 11 IS] | A 5307 | IS | | 09-OCT-87 |

CANCELED SECTION

DODISS NUMERICAL LISTING
AIR FORCE - NAVY AERONAUTICAL DESIGN DOCUMENTS

| Last Action | Document Number | Document Title | Distribution | FSC/Area | MCA | Prep. Acty. | Date |
|-------------|----------------------|--|--------------|----------|-----|-------------|-----------|
| | | | | | | | |
| | AND10405 REV 2 NOT 1 | INSTRUMENT BOARD-INSTALLATION OF VIBRATION INSULATED (NO S/S DOCUMENT) [CUST: AS GS] | A | 5940 | GS | | 17-OCT-97 |

DODISS NUMERICAL LISTING
STANDARDIZATION DIRECTORIES

| Last Action | Document Number | Document Title | Distribution | | | Date |
|-------------|-----------------|--|--------------|-----|-------------|-----------|
| | | | FSC/Area | MCA | Prep. Acty. | |
| SD-7 NOT 1 | SD-11 NOT 1 | AN OVERVIEW OF THE DOD PARTS CONTROL PROGRAM (NO S/S DOCUMENT) [CUST: AM NM 01 DH] DIRECTORY OF DEPARTMENT OF DEFENSE PARTICIPATION ON NON-GOVERNMENT STANDARDS TECHNICAL COMMITTEES (AVAILABLE ON-LINE DATABASE DIRECTORY FOUND ON THE DEFENSE STANDARDIZATION PROGRAM HOMEPAGE (HTTP://ACQ.OSD.MIL)) [CUST: AM NM 01 DH SO] | A SDMP | SO | | 21-JAN-98 |
| SD-11 NOT 1 | | | A SDMP | SO | | 11-FEB-98 |

CANCELED SECTION

DODISS NUMERICAL LISTING
INTERNATIONAL STANDARDIZATION DOCUMENTS

| Last Action | Document Number | Document Title | Distribution | | | | Date |
|-------------|---------------------------|--|--------------|-----|-------------|--|-----------|
| | | | FSC/Area | ICA | Prep. Acty. | | |
| | AIR-STD-20/16B | DESIGN GUIDE TO PRECLUDE HAZARDS OF ELECTROMAGNETIC RADIATION TO AIRBORNE WEAPON SYSTEMS | A ISDF | 06 | | | 12-AUG-97 |
| | AIR-STD-51/8A | AIR DROP RESCUE EQUIPMENT (SEA) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058) | A ISDF | 06 | | | 30-JUL-97 |
| | AIR-STD-51/10A | GENERAL CHARACTERISTICS OF AIRCREW PERSONAL LOCATOR BEACONS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX, WASH DC 20330-5058) | A ISDF | 06 | | | 30-JUL-97 |
| | STANAG-1139 ED.2 NOT 1 | DEFINITIONS OF MINE ACTUATION LEVELS (NO S/S DOCUMENT) | D ISDN | NI | | | 26-MAY-98 |
| | STANAG-1142 ED.5 | METHODS OF DETERMINING ACTUATION PARAMETERS IN MAGNETIC AND ACOUSTIC SWEEPING | D ISDN | NI | | | 28-MAY-98 |
| | STANAG-1234 ED.1 | STANDARDIZATION OF THREAD DESIGN FOR 65 MM (NOMINAL 2 1/2 INCH) BORE REPLENISHMENT FITTING | D ISDN | NI | | | 30-APR-98 |
| | STANAG-1235 ED.2(1) NOT 1 | STANDARD REQUIREMENTS FOR THE USE OF DAY TRANSFER STATION MARKERS AND/OR BATS (NO S/S DOCUMENT) | C ISDN | NI | | | 30-APR-98 |
| | STANAG-1284 ED.1 | 3 INCH/50 GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES | D ISDN | NI | | | 23-MAR-98 |
| | STANAG-1328 ED.1(5) | STANDARD DISTANCE LINE LIGHTING (NO S/S DOCUMENT) | D ISDN | NI | | | 30-APR-98 |
| | STANAG-1386 ED.1 NOT 1 | BREDA ROCKETS INTERCHANGEABLE WITHIN NATO NAVAL FORCES (NO S/S DOCUMENT) | A ISDN | NI | | | 01-OCT-97 |
| | STANAG-3200 ED.5(1) NOT 1 | MINIMUM REQUIREMENTS FOR G PROTECTIVE SYSTEMS (NO S/S DOCUMENT) | A ISDF | 06 | | | 17-MAR-98 |
| | STANAG-3302 ED.5(5) | CONNECTORS FOR 28 VOLTS "DC" SERVICING POWER (S/S BY STANAG-7073) | A ISDF | 06 | | | 12-SEP-97 |
| | STANAG-3303 ED.3(5) | CONNECTORS FOR 115/200 VOLTS, 400 HERTZ, 3 PHASE, AC SERVICING POWER (S/S BY STANAG-7073) | A ISDF | 06 | | | 12-SEP-97 |
| | STANAG-3367 ED.1(2) NOT 1 | CHARACTERISTICS OF MOLECULAR SIEVE OXYGEN CONCENTRATING SYSTEMS (MSOCS) (NO S/S DOCUMENT) | A ISDF | 06 | | | 17-MAR-98 |
| | STANAG-3642 ED.3(3) NOT 1 | SINGLE FREQUENCY APPROACHES (NO S/S DOCUMENT) | A ISDF | 06 | | | 13-OCT-97 |
| | STANAG-3948 ED.3 NOT 1 | TOWING AND STEERING DEVICES FOR AIRCRAFT (NO S/S DOCUMENT) | A ISDF | 06 | | | 21-NOV-97 |
| | STANAG-3986 ED.1(3) NOT 1 | DIGITAL DATA FILE TRANSMITTAL FORM FOR GEOGRAPHIC INFORMATION (NO S/S DOCUMENT) | A ISDF | 06 | | | 03-DEC-97 |
| | STANAG-7047 ED.1(1) NOT 1 | CFR EQUIPMENT AND PROCEDURES TO PROTECT THE HEALTH AND SAFETY OF CFR PERSONNEL DURING OPERATIONS (NO S/S DOCUMENT) | A ISDF | 06 | | | 13-OCT-97 |
| | STANAG-7066 ED.1(1) NOT 1 | SPOOL TOWING ATTACHMENTS ON AIRCRAFT (NO S/S DOCUMENT) | A ISDF | 06 | | | 21-NOV-97 |

DODISS NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

| Document Number | Document Title | Distribution FSC/NSA | MCA Prep. Acty. | Date |
|------------------------|---|-------------------------|--------------------|-----------|
| ANSI-A21.52-91 | DUCTILE-IRON PIPE, CENTRIFUGALLY CAST, FOR GAS (NO S/S DOCUMENT) [CUST: CR4 YD1 99 CC] | A 4710 | YD1 | 26-NOV-97 |
| ANSI-C78.1375-90 NOT 2 | LAMPS, ELECTRIC - 400-WATT, M59 SINGLE-ENDED METAL-HALIDE LAMPS (NO S/S DOCUMENT) [CUST: YD1] [REVIEW: GS] | A 6240 | YD1 | 14-MAY-98 |
| ANSI-C78.1377-90 NOT 2 | ELECTRIC LAMPS - 175-WATT, M57 SINGLE-ENDED METAL-HALIDE LAMPS (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 82 GS SH] | A 6240 | YD1 | 14-MAY-98 |
| ANSI-C78.1378-90 NOT 2 | LAMPS, ELECTRIC - 250-WATT, M58 SINGLE-ENDED METAL-HALIDE LAMPS (NO S/S DOCUMENT) [CUST: YD1] [REVIEW: GS] | A 6240 | YD1 | 14-MAY-98 |
| ANSI-C82.1-85 NOT 2 | LAMPS, FLUORESCENT, BALLASTS FOR - SPECIFICATIONS, STANDARD FOR (NO S/S DOCUMENT) [CUST: YD1] | A 6240 | YD1 | 14-MAY-98 |
| ANSI-Z21.70-81 | EARTHQUAKE ACTUATED AUTOMATIC GAS SHUTOFF SYSTEMS (NO S/S DOCUMENT) [CUST: CR4 YD1 99] | A 4810 | YD1 | 23-DEC-94 |
| ASME-A17.2-88 | ELEVATORS AND ESCALATORS, INSPECTORS MANUAL FOR (NO S/S DOCUMENT) [CUST: CR4 YD1 99] | A 3960 | YD1 | 26-NOV-97 |
| ASTM-D2341-81 | FOAM, URETHANE, RIGID (NO S/S DOCUMENT) [CUST: CR4 YD1 99] | A 5640 | YD1 | 26-JUN-97 |
| ASTM-E380A-91 | METRIC SYSTEM, THE MODERNIZED USE OF THE INTERNATIONAL SYSTEM OF UNITS (SI) (NO S/S DOCUMENT) [CUST: MR SH 11 SO] [REVIEW: AS CC DC GL IS OS YD1] | A MISC | SO | 01-DEC-97 |
| IEEE126-59R83 | SPEED GOVERNING OF INTERNAL COMBUSTION ENGINE- GENERATOR UNITS (NO S/S DOCUMENT) [CUST: CR YD1] [REVIEW: GS SH] | A 6125 | YD1 | 16-MAR-98 |
| IEEE268-92 | METRIC PRACTICE, IEEE STANDARD FOR (NO S/S DOCUMENT) [CUST: MR SO] | A MISC | SO | 01-DEC-97 |
| IEEE-C37.2-91 | ELECTRICAL POWER SYSTEM DEVICE FUNCTION NUMBERS (NO S/S DOCUMENT) [CUST: CR4 YD1 99] | A 6110 | YD1 | 16-MAR-98 |
| IEEE-C37.4-79 | CIRCUIT BREAKER, AC HIGH VOLTAGE, RATED ON A SYMMETRICAL CURRENT BASIS (NO S/S DOCUMENT) [CUST: YD1] [REVIEW: CR4 GS MC SH] | A 6110 | YD1 | 16-MAR-98 |
| NFPA72-90 | SYSTEMS, INSTALLATION, MAINTENANCE, AND USE OF PROTECTIVE SIGNALING (NO S/S DOCUMENT) [CUST: YD1] | A 6350 | YD1 | 16-MAR-98 |
| SAE-AMS3814/1 NOT 2 | CORD, CORELESS, PARA-ARAMID, INTERMEDIATE MODULUS (NO S/S DOCUMENT) [CUST: GL SH 99 IS] | A 4020 | IS | 01-JUL-86 |
| SAE-AMS3814/17 NOT 2 | CORD, CORELESS, PARA-ARAMID INTERMEDIATE MODULUS 10 000 LB (44 480 N), 22 FT PER LB (15 M/KG) (NO S/S DOCUMENT) [CUST: GL SH 99 IS] | A 4020 | IS | 01-JUL-86 |
| SAE-AMS7720 | LEAD ALLOY CASTINGS, 6.5SB - 0.5SN (NO S/S DOCUMENT) [CUST: MR AS 11] | A MECA | 11 | 02-AUG-95 |
| SAE-J155-78 | TRUCK, LIGHT DUTY, SERVICE BRAKE SYSTEM PERFORMANCE REQUIREMENTS (NO S/S DOCUMENT) [CUST: AT YD1 99] | A 2530 | AT | 14-APR-98 |
| SAE-J245-71 | ENGINE RATING CODE - SPARK IGNITION (NO S/S DOCUMENT) [CUST: AT YD1 99] [REVIEW: CC] | A 2805 | AT | 14-APR-98 |
| SAE-J551-90 | RADIATION FROM VEHICLES AND DEVICES, (30 TO 1000 MHZ), PERFORMANCE LEVELS AND METHODS OF MEASUREMENT (NO S/S DOCUMENT) [CUST: AT EC 99] [REVIEW: CC CR] | A EMCS | AT | 14-APR-98 |
| SAE-J715 | TRACTORS, AGRICULTURAL WHEELED, THREE-POINT FREE-LINK HITCH ATTACHMENT OF, IMPLEMENTS TO (NO S/S DOCUMENT) [CUST: CR4 YD1 99] | A 3830 | YD1 | 30-APR-98 |
| SAE-J816B-73 | IGNITION AND DIESEL SPARK ENGINE TEST CODE (NO S/S DOCUMENT) [CUST: AT 99] | A 2990 | AT | 14-APR-98 |
| SAE-J868-86 | CAPS AND NECKS, FILLER, LARGE SIZE RADIATOR (NO S/S DOCUMENT) [CUST: AT] | A 2930 | AT | 14-APR-98 |
| SAE-J937B-78 | CAR, PASSENGER, SERVICE BRAKE SYSTEM PERFORMANCE REQUIREMENTS (NO S/S DOCUMENT) [CUST: AT YD1 99] | A 2530 | AT | 14-APR-98 |
| SAE-J950-85 | GRADEABILITY TEST CODE (NO S/S DOCUMENT) [CUST: AT YD1 99] | A 2320 | AT | 14-APR-98 |
| SAE-J1136 | COMPACTORS, ROLLER, BRAKING PERFORMANCE (NO S/S DOCUMENT) [CUST: AT YD1 99] [REVIEW: 84 CC] | A 2530 | YD1 | 30-APR-98 |
| SAE-J1152 | MACHINES, RUBBER-TIRED CONSTRUCTION, BRAKING PERFORMANCE (NO S/S DOCUMENT) [CUST: CR4 YD1 84] | A 38GP | YD1 | 30-APR-98 |
| UL303-87 | REFRIGERATION AND AIR CONDITIONING CONDENSING AND COMPRESSOR UNITS (NO S/S DOCUMENT) [CUST: GL YD1 99] | A 4110 | GL | 01-APR-98 |
| UL465-84 NOT 2 | AIR CONDITIONERS, CENTRAL COOLING, STANDARD FOR (NO S/S DOCUMENT) [CUST: YD1] [REVIEW: CE MC] | A 4120 | YD1 | 26-MAY-98 |
| UL559-85 NOT 2 | HEAT PUMPS (NO S/S DOCUMENT) [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 4120 | YD1 | 26-MAY-98 |
| UL883-86 NOT 2 | FAN-COIL UNITS AND ROOM FAN-HEATER UNITS [CUST: CR4 YD1 99] | A 4140 | YD1 | 19-MAY-98 |
| UL1096-86 NOT 2 | ELECTRICAL CENTRAL AIR HEATING EQUIPMENT, STANDARD FOR [CUST: CR4 YD1 99] [REVIEW: 84 CE MC] | A 4520 | YD1 | 19-MAY-98 |

DODSSP Products/Subscriptions Order Form

DAPS Phila 5270/5 (4/98)

Date Submitted

Name / Code

Organization / Department

Address (If new, please check here):

VISA / MC #

Exp. Date

Please select one:

USA ☐ USN ☐ USAF ☐ DLA ☐OTHER DOD ☐ FEDERAL ☐ OTHER ☐

Phone Number

Customer Account Number

If this is your first order, a Customer Account Number will be assigned to you.

Product:**Quantity:****\$ Each:****Subtotal:**

ASSIST CD-ROM - Individual Order (current issue)

ASSIST CD-ROM - Annual Subscription (bi-mo.)

ASSIST On-Line - Annual Subscription*

DODISS CD-ROM - Individual Order (current issue)

DODISS CD-ROM - Annual Subscription (bi-mo.)

DIDs (paper) - Complete Set (current issue)*

DIDs (paper) - Annual Subscription Updates*

MILSPECs / STDs by FSCs / AREAs (paper) - Annual Subscription Updates*
(Please enter your selections)**\$50.00 per FSC:**4730; 5120; 5303; 5306; 5310; 5340; 5905; 5930; 5935; 5960; 5961; 6145; 6505; 6515; 6810; 8010;
8140; 8305; 8455; 9330**\$45.00 per FSC:**1240; 1305; 1315; 1375; 1377; 3110; 3439; 4240; 4710; 4720; 4820; 5320; 5330; 5610; 5920; 5940;
5945; 5950; 5962; 5963; 5970; 5975; 5985; 6240; 6520; 6530; 6640; 8415; 9150; 9320**\$40.00 per FSC:**1220; 1285; 1320; 1345; 1376; 5110; 5307; 5315; 5955; 5965; 5990; 5998; 6115; 6135; 6140; 6210;
6220; 6610; 6625; 6685; 6850; 7510; 8030; 8040; 8465; 8930; 9505; 9510; 9515; 9530**\$35.00 per FSC / AREA:**1005; 1310; 1650; 1660; 1670; 1680; 4210; 5510; 5640; 5855; 6060; 6110; 6125; 6620; 6675; 7110;
7310; 7320; 7520; 7530; 8120; 8135; 8405; 8410; CMPS; EGDS; MECA; MFFP; MISC; PACKAll remaining FSCs / AREAs not listed in the categories above are priced at **\$25.00 each**.

Please list these FSCs / AREAs here:

Cancelled Documents: **\$.10 per page - one side (plus \$5.00 processing per order)**

Please list your cancelled document requests on the back of the printed form.

*These products are Service-funded for DOD customers.

All prices are subject to change.

\$ TOTAL:**Make all checks / money orders payable to: DAPS PHILADELPHIA**DODSSP
BUILDING 4 / SECTION D
700 ROBBINS AVENUE
PHILADELPHIA PA 19111-5094DODSSP Special Assistance Desk:
(215) 697-2667/2179 DSN: 442- FAX: X1462DODSSP Subscriptions Desk:
(215) 697-2569 DSN: 442- FAX: X1462



DODSSP Specifications & Standards Order Form

DAPS Phila 1425 (7/98)

Date Submitted _____

Name / Code _____

Organization / Department _____

Address (If new, please check here): ☐

Please select one:

USA ☐ USN ☐ USAF ☐ DLA ☐

OTHER DOD ☐ FEDERAL ☐ OTHER ☐

Phone Number _____

Customer Account Number _____

If this is your first order, a Customer Account Number will be assigned to you.

Documents ordered must appear in the DOD Index of Specifications and Standards (DODISS). Reorder forms will be enclosed with each shipment.

| STANDARDIZATION DOCUMENT NUMBER | TITLE (as it appears in the DODISS) | QTY |
|---------------------------------|-------------------------------------|-----|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

- Requests for Official Use Documents must be submitted via cognizant DOD Inspection Officer or Contract Administrator for certification of "need to know."
- Non-Government Standardization documents will not be furnished to commercial concerns. Copies may be purchased from the appropriate Non-Government Association.
- Questions concerning documents not listed in the Department of Defense Index of Specifications and Standards (DODISS) should be directed to Code: DPM-9, or call the DODSSP Special Assistance Desk: (215) 697-2667/2179 DSN: 442- FAX: X1462.

Closing Date:
(IFB, RFQ, or RFP)

DODSSP
BUILDING 4 / SECTION D
700 ROBBINS AVENUE
PHILADELPHIA, PA 19111-5098